

User's Guide to **suftesi**

A document class for typesetting theses, books and articles

Ivan Valbusa
ivan dot valbusa at univr dot it

v1.1 – 2012/10/20

Abstract

The standard document classes allow you to typeset beautiful documents but their layout is quite far from the stylistic requests of some humanists (mainly Italian). The **suftesi** class provides a set of “humanistic” page layouts, title styles and heading styles to typeset theses, books and articles. The styles are very simple and sober and also have the aim of finding an aesthetic harmony in its formal simplicity. They are largely inspired by some interesting readings, particularly Bringhurst (1992), Tschichold (1975) and Morison (1936).

Copyright © 2009-2012 Ivan Valbusa.

This package is author-maintained. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c (<http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt>).

In addition to the terms of this license the author requires an attribution notice like the following one:

This work has been typeset with \LaTeX , using the `suftesi` class by Ivan Valbusa.

You can use the `\<\colophon` commands explained in section 3.

The most important feature of this class is the set of styles it provides. For this reason:

**DO NOT MODIFY THE STYLES OF THIS CLASS
IF YOU DO NOT LIKE THESE STYLES, USE ANOTHER CLASS.**

If you use `suftesi` in a document typeset with another class (for example `book`), remember to clean up the preamble from all the layout redefinitions.

Contents

1	Class features	4		
1.1	Page layouts	4	5.7.1	Lists 65
1.2	Font	5	5.7.2	Block quotations 66
1.2.1	Using different fonts	5	5.7.3	Footnotes 67
1.2.2	Greek alphabet	5	5.7.4	Captions 67
1.3	Frontispiece	6	5.7.5	Marginal notes 68
			5.7.6	Table of contents 68
2	Options	6	5.8	Fonts 69
2.1	Page Styles	6	5.8.1	Roman fonts 69
2.2	Titles	8	5.8.2	Greek fonts 69
2.3	Headings	9	5.9	Other options 69
2.4	Footnotes, lists, quotations	10	5.9.1	\parindent selection 69
2.5	Fonts	11	5.9.2	Part page 70
2.6	Other options	12	5.9.3	Crop marks 70
2.7	Pre-defined styles	16	5.9.4	Draftdate 70
			5.9.5	Titlepage 70
			5.9.6	Pre-defined styles 71
3	New commands	16	5.10	Basic packages 75
4	Pre-defined styles	21	5.11	Greek fonts 75
			5.12	Page layout 76
References	54		5.13	Section titles 77
			5.14	Title page 87
5	The Code	55	5.15	Frontispiece 92
5.1	Document structure	56	5.16	Appendix 94
5.2	Page layout	56	5.17	Headings 96
5.3	Sections style	58	5.18	Text elements 98
5.4	Sections font	60	5.18.1	Block Quotations 99
5.5	The number style for part, chapter and section	62	5.18.2	Marginal notes 100
5.5.1	Part number style	62	5.18.3	Abstract 101
5.5.2	Chapter number style	62	5.18.4	Colophon 102
5.5.3	Section number style	63	5.19	TOC, LOF, LOT 103
5.6	Headers	64	5.19.1	The tocpagelleft table of contents . . 104
5.6.1	Header style	64	5.19.2	The default table of contents 108
5.6.2	Header font	65	5.20	New commands 113
5.7	Text elements	65	5.21	Backward compatibility 115
			5.22	Final settings 116

1 Class features

Loaded packages

The class loads the following packages: `beramono`, `caption`, `color`, `enumitem`, `emptypage`, `extramarks`, `fancyhdr`, `fixltxhyph`, `fontenc`, `geometry`, `ifxetex`, `mathpazo`, `microtype` (pdf_{La}T_EX only), `multicol`, `textcase`, `titlesec`, `titletoc`, `xkeyval`.

1.1 Page layouts

The class provides five page layouts. The standard layout (set by default) is aimed to typeset standard A4 documents, while the other four layouts are particularly suitable to typeset books and article. See table 1 for details.

Table 1: The layouts of `suftesi`

		Options				
		(mm) <code>standard</code>	<code>periodical</code>	<code>compact</code>	<code>supercompact</code>	(pt) <code>elements</code>
Text width		110	110	110	100	251
Text height		220	165	165	150	502
Page width		210	170	160	140	374
Page height		297	240	240	210	648
		Proportions				
Margins	top/bottom	1/2	2/3	2/3	2/3	1/2
	inner/outer	1/2	2/3	2/3	2/3	2/5
Text block		1/2	2/3	2/3	2/3	1/2
Page		1/ $\sqrt{2}$	2/3	2/3	2/3	1/ $\sqrt{3}$

Τὸ γὰρ καλὸν ἐν μεγέθει
καὶ τάξει ἐστίν. Il bello
infatti sta nella grandezza
e nell'ordinata disposizione
delle parti.

(a) Artemisia

Τὸ γὰρ καλὸν ἐν μεγέθει
καὶ τάξει ἐστίν. Il bello
infatti sta nella grandezza
e nell'ordinata disposizione
delle parti.

(b) Porson

Τὸ γὰρ καλὸν ἐν μεγέθει
καὶ τάξει ἐστίν. Il bello
infatti sta nella grandezza
e nell'ordinata disposizione
delle parti.

(c) CBGreek

Figure 1: Comparison between Artemisia, Porson and CBGreek greek font.

1.2 Font

The default font for body text is Palatino designed by Hermann Zapf. Using \LaTeX , the \TeX default font (Computer Modern) is loaded and the font options are turned off. The sans serif font is Iwona designed by Janusz M. Nowacki. This choice has been inspired by *L'arte di scrivere con \LaTeX* (Pantieri and Gordini 2011).

1.2.1 Using different fonts

If you prefer to use other fonts (such as those provided by `fourier` or `libertine` packages), remember to load the `defaultfont=standard` class option which turns off the default font settings. Moreover pay particular attention in choosing the Greek font.

1.2.2 Greek alphabet

The default font for the Greek text is Artemisia by the Greek Font Society which is particularly suitable for Palatino. With the `porson` option you can use the Porson font by the Greek Font Society. The `greekfont=cbgreek` option allows you to use the standard CB Greek font (see figure 1) This option is also activated by the `defaultfont=standard` option (see section 2).

The first code for the Porson font has been written by Enrico Gregorio. Claudio Beccari successively added the code to improve the scale factor when using this greek font in combination with Palatino.

1.3 Frontispiece

The class has an original frontispiece now directly available loading the `frontespizio` package (Gregorio 2009, version 1.4 or later) with the `suftesi` option (see figure 2):

```
\usepackage[suftesi]{frontespizio}
```

2 Options

The `suftesi` class defines new options to customize the style of page, titles, headings and other text elements. You can also use all the options defined by book class except those modifying the page layout (`a5paper`, `b5paper`, `legalpaper`, `executivepaper` and `landscape`).

2.1 Page Styles

`documentstructure=book, article` default: book

- `book` For typesetting texts with chapters.
- `article` This option is particularly suitable to typeset articles or short theses (that is without chapter division).

`pagelayout=standard, periodical, compact, supercompact,` default: standard
`elements`

- `standard` Prints an A4 typeblock (see table 1 for details).
- `periodical` Prints a typeblock of 17cm × 24cm on an A4 paper, showing the crop marks (see table 1 for details). This style is especially meant for theses. The `crop=false` option disables the crop marks.
- `compact` The same as `periodical` but with a typeblock of 16cm × 24cm (see table 1 for details).
- `supercompact` The same as `compact` but with a typeblock of 14cm × 21cm (see table 1 for details).



University of St. Anford
Department of Typography
Ph.D. degree in \TeX and \LaTeX

How to prepare a formal frontispiece

Theory and practice

Candidate:
Enrico Gregorio

Thesis advisor:
Prof. R. J. Drofnats
Research supervisors:
J. H. Quick
B. L. User

Thesis submitted in 2010

Figure 2: The frontispiece of `suf t esi`.

`elements` Prints a typeblock with the dimensions of *The Elements of Typography* by Robert Bringhurst (see table 1 for details). To reproduce the whole style of Bringhurst (1992) use `style=elements` option.

`crop=true, false` default: `true`

`true` Prints the output on a A4 paper, showing the crop marks.

`false` Prints a PDF with page dimensions according to the `pagelayout` option.

2.2 Titles

`<level>font=roman, italic, smallcaps` default: `roman`

`roman` Prints the `<level>` title in roman.

`italic` Prints the `<level>` title in *italic*.

`smallcaps` Prints the `<level>` title. in SMALL CAPS

Where `<level>` can be `part`, `chap`, `sec`, `subsec`, `subsubsec`.

`<level>style=left, center, right, parleft, parcenter, parright` default: `left`

`left` Aligns the `<level>` title on the left.

`center` Centers the `<level>` title.

`right` Aligns the `<level>` title on the right.

Where `<level>` can be `part`, `chap`, `sec`, `subsec`, `subsubsec`.

`parleft` As `left` but with the title below the number.

`parcenter` As `center` but with the title below the number.

`parright` As `right` but with the title below the number.

`elements` Print a chapter number in the style of the *Elements of Typographic Style* by Robert Bringhurst.

Where `<level>` can be part, chap, sec.

`<level>numstyle=arabic, roman, Roman, dotarabic, dotroman,` default: Roman/arabic/arabic
`dotRoman`

`arabic` Arabic `<level>` number.

`roman` Small caps lowercase roman `<level>` number.

`Roman` Uppercase roman `<level>` number.

`dotarabic` As `arabic` but followed by a dot.

`dotroman` As `roman` but followed by a dot.

`dotRoman` As `Roman` but followed by a dot.

Where `<level>` can be part, chap, sec.

`tocstyle=standard, dotted, ragged, leftpage` default: standard

`standard` Prints a standard table of contents with page numbers on the right margin

`dotted` As the previous one but with dotted lines.

`ragged` Aligns the table of contents on the left as suggested by Bringhurst (1992).

`leftpage` Prints a table of contents with page numbers on the left margin.

2.3 Headings

`headerstyle=inner, center, plain, authortitleinner,` default: inner
`authortitlecenter, elements`

`inner` Prints the chapter title and the string “Chapter *n*” in the inner side respectively of even and odd headers, and the page number in the outer side.

`standard` Loads the Latin Modern font family.

`greekfont=artemisia, porson, cbgreek`

default: `artemisia`

`artemisia` Loads the Artemisia font.

`porson` Loads the Porson font.

`cbgreek` Loads the standard CB Greek font.

2.6 Other options

`parindent=compact, wide`

default: `compact`

`compact` Sets `\parindent` to 1 em.

`wide` Sets `\parindent` to 1.5 em.

`marginpar=true, false`

default: `true`

`true` Prints the marginal notes.

`false` Hide the marginal notes.

`partpage=true, false`

default: `false`

This option is active only with `documentstructure=article`.

`true` Prints the part title in a separate page as in `documentstructure=book`

`false` Prints the part title as in `article` class.

`draftdate=true, false`

default: `false`

If `true` it prints the string “Version of *<date>*” in the footer.

2.7 Pre-defined styles

You can get up to 120 variants combining these styles with `dottedchap` and `romanchapnum` options.

```
style=roman(1-6), italic(1-12), smallcaps(1-6), elements,      default: roman1
sufelements
```

`roman(1-6)` The titles of chapters and headers are printed in roman. The number of the chapter is on the same line in styles 1-3 and above the title in styles 4-6. The title can be printed on the left (styles 1 and 4), in the center (styles 2 and 5) or on the right (styles 3 and 6) (see pages 22-).

`italic(1-12)` The titles of chapters and headers are in *italic*. The section title is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the number as above (see pages 22-).

`smallcaps(1-12)` The titles of chapters and headers are in SMALL CAPS. The title of the section is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the chapter as above (see pages 22-).

`elements` Reproduces the style of Bringhurst (1992)

`sufelements` Loads `headerstyle=smallcaps`, `chapfont=smallcaps`, `secfont=smallcaps`, `subsecfont=italic` and `chaptstyle=elements` options.

3 New commands

The class defines the following new commands.

```
\title[⟨short title for headers⟩]{⟨complete title for titlepage⟩}
```

This command is for use with option `authortitle` if the title is too long or has some breaks.

`\colophon[⟨OS⟩]{⟨name and surname⟩}{⟨additional info⟩}`

This command is provided only for Italian documents. It prints a page with a copyright notice and the colophon in the bottom. For different languages use the `\bookcolophon` instead (see below).

If you don't need the copyright notice, leave the second argument of the command empty:

```
\colophon[⟨OS⟩]{}{⟨additional info⟩}
```

With the `article` option, you can use the `\artcolophon` command (see below) or the `\thanks` command:

```
\author{⟨Name Surname⟩  
\thanks{This work has been typeset with \LaTeX,  
using the \textsf{suftesi} class by Ivan Valbusa}.}
```

`\bookcolophon{⟨copyright notice⟩}{⟨attribution notice and other informations⟩}`

This command is similar to `\colophon` but it is completely customizable. The first argument prints its content (usually the copyright notice) in the center of the page. The second argument prints its content at the bottom. For example:

```
\bookcolophon{Copyright © 2007 by Ivan Valbusa}{  
This work has been typeset with \LaTeX, using the \sty{suftesi} class  
by Ivan Valbusa\index{Valbusa, Ivan}. The normal font is Palatino by  
Hermann Zapf. The sans serif font is Iwona by Janusz M. Nowacki.}
```

`\artcolophon{⟨copyright notice, attribution and other informations⟩}`

This command only has one argument. It simply prints its content at the bottom of the page. Here is an example:

```
\artcolophon{  
This work is licensed under the Creative Commons  
Attribution-NonCommercial-NoDerivs 3.0 Unported License.  
To view a copy of this license, visit
```

```

\begin{center}
\texttt{http://creativecommons.org/licenses/by-nc-nd/3.0/}
\end{center}

or send a letter to Creative Commons, 444 Castro Street, Suite 900,
Mountain View, California, 94041, USA.\[1ex]

Typeset with \LaTeX, using the \stysuftesi class by Ivan Valbusa.}

```

`\finalcolophon{<colophon content>}`

The same as `\artcolophon`, but centering its content at the top of the page. It is aimed at typesetting a classical *colophon* at the end of the work.

`\chapterintro`

Prints an unnumbered introduction at the beginning of the chapter, with the correct hyperlink. In order to use this command the `hyperref` package must be loaded.

`\chapterintroname{<name>}` (default=Introduzione)

Changes in `<name>` the title printed by the `\chapterintro` command.

`\appendicesname{<name>}` (default=Appendici)

Changes in `<name>` the title printed by the `\appendix` command.

`\headbreak`

A manual break which is active for the table of contents but not in the text or in the headers.

`\xheadbreak`

A manual break which is active in the text and in the headers but not in the table of contents.

`\chapnumfont{<name>}`

Sets the font of the chapter number of `style=elements` and `style=sufelements` styles. The default is “pplj” (L^AT_EX) or “Junicode” (X_YL^AT_EX):

```
\chapnumfont{pplj}  
\chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
```

`\toclabelspace{<level>}{<label-width>}`

Sets the width of `\thecontentslabel`. The default values are:

```
\toclabelwidth{part}{1em}  
\toclabelwidth{chapter}{1em}  
\toclabelwidth{section}{1.5em}  
\toclabelwidth{subsection}{2em}  
\toclabelwidth{subsubsection}{2.5em}  
\toclabelwidth{paragraph}{3em}  
\toclabelwidth{subparagraph}{3.5em}
```

`\xfootnote{<symbol>}{<footnote text>}`

A command to print a footnote with a discretionary symbols instead of numbers to mark footnotes. It does not increment the footnote counter.

```
\xfootnote{\dagger}{Footnote text.}
```


Obsolete options

`defaultparindent` → `parindent=compact`
`ralignquotation` → `quotestyle=right`
`smallquotation` → `quotesize=small`
`dottedfootnote` → `footnotes=dot`
`indentlist` → `liststyle=indented`
`alignlist` → `liststyle=aligned`
`artemisla` → `greekfont=artemisla`
`porson` → `greekfont=porson`
`defaultgreek` → `greekfont=cbgreek`
`defaultfont` → `defaultfont=standard`
`centerpart` → `partstyle=center`
`centerchap` → `chapstyle=center`
`centersec` → `secstyle=center`
`rightpart` → `partstyle=right`
`rightchap` → `chapstyle=right`
`rightsec` → `secstyle=right`
`numparpart` → `partnumposition=above`
`numparchap` → `chapnumposition=above`
`numparsec` → `secnumposition=above`
`smallcapspart` → `partstyle=smallcaps`
`smallcapschap` → `chapstyle=smallcaps`
`smallcapssec` → `subsecstyle=smallcaps`
`italicpart` → `partstyle=italic`
`italicchap` → `chapsecstyle=italic`

`italicsec` → `secstyle=italic`
`italicsubsec` → `subsecstyle=italic`
`romanchapnum` → `chapnumstyle=roman`
`dottedchap` → `chapnumstyle`
`italicheader` → `headerfont=italic`
`centerheader` → `headerstyle=center`
`sufplain` → `headerstyle=plain`
`authortitle` → `headerstyle`
`periodical` → `pagestyle=periodical`
`compact` → `pagestyle=compact`
`supercompact` → `pagestyle=supercompact`
`dottedtoc` → `tocstyle=dotted`
`raggedtoc` → `tocstyle=ragged`
`tocpageleft` → `tocstyle=leftpage`
`dottedpart` → `partnumstyle=dotarabic`
`elements` → `style=elements`
`nomarginpar` → `marginpar=false`
`nocrop` → `crop=false`
`rmstyle(1-6)` An old name for `style=roman(1-6)`
`itstyle(1-12)` An old name for `style=italic(1-6)`
`scstyle(1-12)` An old name for `style=smallcaps(1-6)`
`sufelements` An old name for `style=sufelements`
`standardfootnote` → `footnotes=superscript`
`smallcapsheader` → `headerfont=smallcaps`

4 Pre-defined styles

3 Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman3

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman4

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman5

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman6

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic3

3.1 Dolor sit amet

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic4

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic5

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic6

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic7

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic8

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic9

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic10

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-
lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic11

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel- lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic12

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps3

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps4

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps5

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps6

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps7

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps8

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps9

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps10

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-
lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps11

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-
lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps12

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Penitentiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

3

style-elements

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3

3.1.1 Penitentiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-sufelements

References

This bibliography has been typeset with the biblatex-philosophy styles, created by the same author of this class.

- Bringhurst, Robert (1992), *The Elements of Typographic Style*, 2nd ed., Hurtley & Marks Publisher, Vancouver.
- Gregorio, Enrico (2009), *Il pacchetto frontespizio*, version 1.1, <http://www.guit.sssup.it/phpbb/index.php>.
- Miede, André (2011), *A Classic Thesis style*, <http://www.ctan.org/tex-archive/macros/latex/contrib/classicthesis/ClassicThesis.pdf>.
- Morison, Stanley (1936), *First Principles of Typography*, Cambridge University Press, Cambridge; trans. *I principi fondamentali della tipografia*, Fabrizio Serra editore, Pisa-Roma 2008.
- Pantieri, Lorenzo and Tommaso Gordini (2011), *L'arte di scrivere con L^AT_EX. Un'introduzione a L^AT_EX 2_ε*, with a forew. by Enrico Gregorio, new edition, http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf.
- Tschichold, Jan (1975), *Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie*, Birkhäuser Verlag, Basel; trans. *La forma del libro*, Sylvestre Bonnard, Milano 2003.

5 The Code

```
<*class>
1 \RequirePackage{xkeyval}
2 \newif\ifsuftesi@standardfont
3 \newif\ifsuftesi@porson
4 \newif\ifsuftesi@centerheader
5 \newif\ifsuftesi@sufplain
6 \newif\ifsuftesi@article
7 \newif\ifsuftesi@authortitle
8 \newif\ifsuftesi@periodical
9 \newif\ifsuftesi@compact
10 \newif\ifsuftesi@supercompact
11 \newif\ifsuftesi@sufelements
12 \newif\ifsuftesi@nocrop
13 \newif\ifsuftesi@dottedtoc
14 \newif\ifsuftesi@raggedtoc
15 \newif\ifsuftesi@pagelefttoc
16 \newif\ifsuftesi@numparpart
17 \newif\ifsuftesi@numparchap
18 \newif\ifsuftesi@numparsec
19 \newif\ifsuftesi@numparsubsec
20 \newif\ifsuftesi@numparsubsubsec
21 \newif\ifsuftesi@smallcapspart
22 \newif\ifsuftesi@smallcapschap
23 \newif\ifsuftesi@smallcapssec
24 \newif\ifsuftesi@elementschap
25 \newif\ifsuftesi@elementsheader
26 \newif\ifsuftesi@elementsstructure
27 \newif\ifsuftesi@elementspagelayout
28 \newif\ifsuftesi@draftdate
29 \newif\ifsuftesi@fewfootnotes
30 \newif\ifsuftesi@partpage
31 \DeclareOption{a5paper}{%
```

```

32 \ClassError{suftesi}{Option 'a5paper' not available}}
33 \DeclareOption{b5paper}{%
34 \ClassError{suftesi}{Option 'b5paper' not available}}
35 \DeclareOption{legalpaper}{%
36 \ClassError{suftesi}{Option 'legalpaper' not available}}
37 \DeclareOption{executivepaper}{%
38 \ClassError{suftesi}{Option 'executivepaper' not available}}
39 \DeclareOption{landscape}{%
40 \ClassError{suftesi}{Option 'landscape' not available}}

```

suftesi is based on the standard book class!

```

41 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
42 \ProcessOptions
43 \relax
44 \LoadClass{book}

```

5.1 Document structure

```

45 \define@choicekey{}{documentstructure}[\val\nr]
46 {book,article}[book]{%
47 \ifcase\nr\relax
48 \or
49 \suftesi@articletrue
50 \@titlepagefalse
51 \fi}

```

5.2 Page layout

```

52 \RequirePackage{geometry}
53 \geometry{heightrounded}
54 \define@choicekey{}{pagelayout}[\val\nr]
55 {standard,periodical,compact,supercompact,elements}[standard]{%
56 \ifcase\nr\relax
57 \DeclareRobustCommand{\SUF@chaptersize}{\Large}
58 \geometry{%

```

```

59  a4paper,
60  includeheadfoot=true,
61  textwidth=      110mm,
62  textheight=     220mm,
63  marginratio=    1:2,
64  marginparwidth= 30mm,
65  marginparsep=   12pt}
66 \or
67 \suftesi@periodicaltrue
68 \DeclareRobustCommand{\SUF@chaptersize}{\large}
69 \geometry{
70  includeheadfoot=false,
71  textheight=      165mm,
72  textwidth=       110mm,
73  paperwidth=      170mm,
74  paperheight=     240mm,
75  marginratio=     2:3,
76  marginparwidth=  26mm,
77  marginparsep=    10pt}
78 \or
79 \suftesi@compacttrue
80 \DeclareRobustCommand{\SUF@chaptersize}{\large}
81 \geometry{
82  includeheadfoot=false,
83  textheight=      165mm,
84  textwidth=       110mm,
85  paperwidth=      160mm,
86  paperheight=     240mm,
87  marginratio=     2:3,
88  marginparwidth=  22mm,
89  marginparsep=     9pt}
90 \or
91 \suftesi@supercompacttrue
92 \DeclareRobustCommand{\SUF@chaptersize}{\large}

```

```

93 \geometry{
94   includeheadfoot=false,
95   textheight=      150mm,
96   textwidth=       100mm,
97   paperwidth=      140mm,
98   paperheight=     210mm,
99   marginratio=     2:3,
100  marginparwidth=  18mm,
101  marginparsep=    8pt}
102 \or
103 \suftesi@elementspagelayouttrue
104 \geometry{%
105   includeheadfoot=false,
106   textwidth=       251pt,
107   textheight=      502pt,
108   paperwidth=      374pt,
109   paperheight=     648pt,
110   vmarginratio=    1:2,
111   marginparwidth=  60pt,
112   marginparsep=    18pt,
113   outer=           90pt}
114 \fi}

```

5.3 Sections style

These macros control the position of titles and numbers of parts, chapters, sections, subsections and subsubsection.

```

\SUFO@1r@PARTSwitch
\SUFO@1r@CHAPSwitch
\SUFO@1r@SECSwitch
\SUFO@1r@SUBSECSwitch
\SUFO@1r@SUBSUBSECSwitch
115 \define@choicekey{}{partstyle}[\val\nr]{%
116   left,center,right,parleft,parcenter,parright}[left]{%
117 \ifcase\nr\relax
118   \def\SUFO@1r@PARTSwitch{\filright}
119 \or
120   \def\SUFO@1r@PARTSwitch{\filcenter}
121 \or
122   \def\SUFO@1r@PARTSwitch{\filleft}

```

```

123 \or%numpar
124 \def\SUF@lr@PARTSwitch{\filright}
125 \suftesi@numparparttrue
126 \or
127 \def\SUF@lr@PARTSwitch{\filcenter}
128 \suftesi@numparparttrue
129 \or
130 \def\SUF@lr@PARTSwitch{\filleft}
131 \suftesi@numparparttrue
132 \fi}
133 \define@choicekey{}{chapstyle}[\val\nr]{%
134     left,center,right,parleft,parcenter,parright,elements}[left]{%
135 \ifcase\nr\relax
136 \def\SUF@lr@CHAPSwitch{\filright}
137 \or
138 \def\SUF@lr@CHAPSwitch{\filcenter}
139 \or
140 \def\SUF@lr@CHAPSwitch{\filleft}
141 \or%numparchap
142 \def\SUF@lr@CHAPSwitch{\filright}
143 \suftesi@numparchaptrue
144 \or
145 \def\SUF@lr@CHAPSwitch{\filcenter}
146 \suftesi@numparchaptrue
147 \or
148 \def\SUF@lr@CHAPSwitch{\filleft}
149 \suftesi@numparchaptrue
150 \or
151 \suftesi@elementschaptrue
152 \fi}
153 \define@choicekey{}{secstyle}[\val\nr]{%
154     left,center,right,parleft,parcenter,parright}[left]{%
155 \ifcase\nr\relax
156 \def\SUF@lr@SECSwitch{\filright}

```



```

157 \or
158   \def\SUF@lr@SECSwitch{\filcenter}
159 \or
160   \def\SUF@lr@SECSwitch{\filleft}
161 \or%numparsec
162   \def\SUF@lr@SECSwitch{\filright}
163   \suftesi@numparsectrue
164 \or
165   \def\SUF@lr@SECSwitch{\filcenter}
166   \suftesi@numparsectrue
167 \or
168   \def\SUF@lr@SECSwitch{\filleft}
169   \suftesi@numparsectrue
170 \fi}
171 \define@choicekey{}{subsecstyle}[\val\nr]{left,center,right}[left]{%
172 \ifcase\nr\relax
173   \def\SUF@lr@SUBSECSwitch{\filright}
174 \or
175   \def\SUF@lr@SUBSECSwitch{\filcenter}
176 \or
177   \def\SUF@lr@SUBSECSwitch{\filleft}
178 \fi}
179 \define@choicekey{}{subsubsecstyle}[\val\nr]{left,center,right}[left]{%
180 \ifcase\nr\relax
181   \def\SUF@lr@SUBSUBSECSwitch{\filright}
182 \or
183   \def\SUF@lr@SUBSUBSECSwitch{\filcenter}
184 \or
185   \def\SUF@lr@SUBSUBSECSwitch{\filleft}
186 \fi}

```

5.4 Sections font

`\SUF@<level>@StyleSwitch` These macros control the style of part, chapter, section, subsection and subsubsection levels.

```

187 \define@choicekey{}{partfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
188 \ifcase\nr\relax
189 \def\SUF@PART@StyleSwitch{\relax}
190 \or
191 \def\SUF@PART@StyleSwitch{\itshape}
192 \or
193 \def\SUF@PART@StyleSwitch{\expandafter\SUF@titlesmallcaps}
194 \fi}
195 \define@choicekey{}{chapfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
196 \ifcase\nr\relax
197 \def\SUF@CHAP@StyleSwitch{\relax}
198 \or
199 \def\SUF@CHAP@StyleSwitch{\itshape}
200 \or
201 \def\SUF@CHAP@StyleSwitch{\expandafter\SUF@titlesmallcaps}
202 \fi}
203 \define@choicekey{}{secfont}[\val\nr]{roman,italic,smallcaps}[italic]{%
204 \ifcase\nr\relax
205 \def\SUF@SEC@StyleSwitch{\relax}
206 \or
207 \def\SUF@SEC@StyleSwitch{\itshape}
208 \or
209 \def\SUF@SEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
210 \fi}
211 \define@choicekey{}{subsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
212 \ifcase\nr\relax
213 \def\SUF@SUBSEC@StyleSwitch{\relax}
214 \or
215 \def\SUF@SUBSEC@StyleSwitch{\itshape}
216 \or
217 \def\SUF@SUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
218 \fi}
219 \define@choicekey{}{subsubsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
220 \ifcase\nr\relax

```

```

221 \def\SUF@SUBSUBSEC@StyleSwitch{\relax}
222 \or
223 \def\SUF@SUBSUBSEC@StyleSwitch{\itshape}
224 \or
225 \def\SUF@SUBSUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
226 \fi}

```

5.5 The number style for part, chapter and section

5.5.1 Part number style

```

227 \define@choicekey{}{partnumstyle}[\val\nr]
228     {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
229 \ifcase\nr\relax
230   \def\SUF@thepart{\arabic{part}}
231   \def\SUF@dotpart{.}
232 \or
233   \def\SUF@thepart{\textsc{\roman{part}}}
234   \def\SUF@dotpart{.}
235 \or
236   \def\SUF@thepart{\Roman{part}}
237   \def\SUF@dotpart{.}
238 \or
239   \def\SUF@thepart{\arabic{part}}
240   \def\SUF@dotpart{.}
241 \or
242   \def\SUF@thepart{\textsc{\roman{part}}}
243   \def\SUF@dotpart{.}
244 \or
245   \def\SUF@thepart{\Roman{part}}
246   \def\SUF@dotpart{.}
247 \fi}

```

5.5.2 Chapter number style

```

248 \define@choicekey{}{chapnumstyle}[\val\nr]{arabic,roman,Roman,
249 dotarabic,dotroman,dotRoman}[arabic]{%
250 \ifcase\nr\relax
251   \def\SUF@thechapter{\arabic{chapter}}
252   \def\SUF@dotchap{}
253 \or
254   \def\SUF@thechapter{\textsc{roman}{chapter}}
255   \def\SUF@dotchap{}
256 \or
257   \def\SUF@thechapter{\Roman{chapter}}
258   \def\SUF@dotchap{}
259 \or
260   \def\SUF@thechapter{\arabic{chapter}}
261   \def\SUF@dotchap{.}
262 \or
263   \def\SUF@thechapter{\textsc{roman}{chapter}}
264   \def\SUF@dotchap{.}
265 \or
266   \def\SUF@thechapter{\Roman{chapter}}
267   \def\SUF@dotchap{.}
268 \fi}

```

5.5.3 Section number style

```

269 \define@choicekey{}{secnumstyle}[\val\nr]
270   {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
271 \ifcase\nr\relax
272   \def\SUF@thesection{\arabic{section}}
273   \def\SUF@dotsec{}
274 \or
275   \def\SUF@thesection{\textsc{roman}{section}}
276   \def\SUF@dotsec{}
277 \or
278   \def\SUF@thesection{\Roman{section}}
279   \def\SUF@dotsec{}

```

```

280 \or
281   \def\SUF@thesection{\arabic{section}}
282   \def\SUF@dotsec{.}
283 \or
284   \def\SUF@thesection{\textsc{roman}{section}}
285   \def\SUF@dotsec{.}
286 \or
287   \def\SUF@thesection{\Roman{section}}
288   \def\SUF@dotsec{.}
289 \fi}

```

5.6 Headers

5.6.1 Header style

```

290 \define@choicekey{}{headerstyle}[\val\nr]
291     {inner,center,plain,authortitleinner,
292      authortitlecenter,elements}[inner]{%
293 \ifcase\nr\relax
294   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
295   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
296 \or
297   \suftesi@centerheadertrue
298   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
299   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
300 \or
301   \suftesi@sufplaintrue
302 \or
303   \suftesi@authortitletrue
304   \def\SUF@rightmark{\SUF@Rheadstyle{@headtitle}}
305   \def\SUF@leftmark{\SUF@Lheadstyle{@author}}
306 \or
307   \suftesi@authortitletrue
308   \def\SUF@rightmark{\SUF@Rheadstyle{@headtitle}}
309   \def\SUF@leftmark{\SUF@Lheadstyle{@author}}

```

```

310 \suftesi@centerheadertrue
311 \or
312 \suftesi@elementsheadertrue
313 \fi}

```

5.6.2 Header font

```

314 \define@choicekey{}{headerfont}[\val\nr]
315     {roman,italic,smallcaps}[roman]{%
316 \ifcase\nr\relax
317     \def\SUF@Rheadstyle{}
318     \def\SUF@Lheadstyle{}
319     \def\SUF@thepage{\thepage}
320 \or
321     \def\SUF@Rheadstyle{\itshape}
322     \def\SUF@Lheadstyle{\itshape}
323     \def\SUF@thepage{\thepage}
324 \or
325     \def\SUF@Rheadstyle{\SUF@headingsmallcaps}
326     \def\SUF@Lheadstyle{\SUF@headingsmallcaps}
327     \def\SUF@thepage{\SUF@headingsmallcaps{\thepage}}
328 \fi}

```

5.7 Text elements

5.7.1 Lists

```

329 \RequirePackage[inline]{enumitem}
330 \renewcommand\labelitemi{\color{sufgray}\textbullet}
331 \setlist{itemsep=.5ex,parsep=0pt}
332 \setlist[description]{font=\normalfont\itshape}
333 \define@choicekey{}{liststyle}[\val\nr]
334     {bulged,aligned,indented}[bulged]{%
335 \ifcase\nr\relax
336     \setlist[enumerate,1]{leftmargin=0pt,label=\arabic*.}
337     \setlist[enumerate,2]{leftmargin= 1.3\parindent,label=\alph*.}

```

```

338 \setlist[enumerate,3]{leftmargin= 1.3\parindent,label=\roman*..}
339 \setlist[itemize,1]{leftmargin=0pt}
340 \setlist[itemize,2]{leftmargin=1.3\parindent}
341 \setlist[itemize,3]{leftmargin=1.3\parindent}
342 \or
343 \setlist[enumerate,1]{leftmargin=1\parindent,label=\arabic*..}
344 \setlist[enumerate,2]{leftmargin= 1.5\parindent,label=\alph*..}
345 \setlist[enumerate,3]{leftmargin= 1.5\parindent,label=\roman*..}
346 \setlist[itemize,1]{leftmargin=1\parindent}
347 \setlist[itemize,2]{leftmargin=1.5\parindent}
348 \setlist[itemize,3]{leftmargin=1.5\parindent}
349 \or
350 \setlist[enumerate,1]{leftmargin=2\parindent,label=\arabic*..}
351 \setlist[enumerate,2]{leftmargin= 2.5\parindent,label=\alph*..}
352 \setlist[enumerate,3]{leftmargin= 2.5\parindent,label=\roman*..}
353 \setlist[itemize,1]{leftmargin=2\parindent}
354 \setlist[itemize,2]{leftmargin=2.5\parindent}
355 \setlist[itemize,3]{leftmargin=2.5\parindent}
356 \fi}

```

5.7.2 Block quotations

Quotation style

```

357 \define@choicekey{}{quotestyle}[\val\nr]
358     {center,right}[center]{%
359 \ifcase\nr\relax
360 \def\SUF@quote@style{\rightmargin=\parindent}
361 \or
362 \def\SUF@quote@style{}
363 \fi}

```

Quotation size

```

364 \define@choicekey{}{quotesize}[\val\nr]
365     {footnotesize,small}[footnotesize]{%

```

```

366 \ifcase\nr\relax
367 \def\SUF@quotation@size{\footnotesize}
368 \or
369 \def\SUF@quotation@size{\small}
370 \fi}

```

5.7.3 Footnotes

```

371 \define@choicekey{}{footnotestyle}[\val\nr]
372   {bulged,hung,dotted,superscript}[bulged]{%
373 \ifcase\nr\relax
374   \renewcommand\@makefnintext{%
375     \hskip-2.5em\makebox[2em][r]{\@thefnmark}\hskip.5em}
376 \or
377   \renewcommand\@makefnintext{%
378     \leftskip=1em\hskip-1.5em%
379     \makebox[1em][r]{\@thefnmark}\hskip.5em}
380 \or
381   \renewcommand\@makefnintext{%
382     \@thefnmark.\hskip.5em}
383 \or
384   \renewcommand\@makefnintext{%
385     \textsuperscript{\@thefnmark}\hskip.3em}
386 \fi}
387 \define@choicekey{}{fewfootnotes}[\val\nr]
388   {true,false}[true]{%
389 \ifcase\nr\relax
390   \suftesi@fewfootnotesttrue
391 \or
392   \relax
393 \fi}

```

5.7.4 Captions

```

394 \RequirePackage{caption}

```



```

395 \define@choicekey{}{captionstyle}[\val\nr]
396     {standard,elements}[standard]{%
397 \ifcase\nr\relax
398     \captionsetup{labelsep=period,font=small,singlelinecheck=false}
399 \or
400     \captionsetup{labelsep=period,font=small,singlelinecheck=false}
401     \captionsetup{font+=sf}
402 \fi
403 }

```

5.7.5 Marginal notes

```

404 \define@choicekey{}{marginpar}[\val\nr]
405     {true,false}[true]{%
406 \ifcase\nr\relax
407 \or
408     \renewcommand\marginpar[2] [] {}
409 \fi}

```

5.7.6 Table of contents

```

\SUf@titlerule
\SUF@chaptitlerule
410 \define@choicekey{}{tocstyle}[\val\nr]{%
411     standard,dotted,ragged,leftpage}[standard]{%
412 \ifcase\nr\relax
413     \def\SUF@titlerule{\titlerule*{}}
414     \def\SUF@chaptitlerule{\titlerule*{}}
415 \or
416 \suftesi@dottedtoctrue
417     \def\SUF@titlerule{\titlerule*{\footnotesize .\ }}
418     \def\SUF@chaptitlerule{\titlerule*{}}
419 \or
420 \suftesi@raggedtoctrue
421     \def\SUF@titlerule{\hspace{1em}}
422     \def\SUF@chaptitlerule{\hspace{1em}}
423 \or

```

```

424 \suftesi@pagelefttoctrue
425 \fi}

```

5.8 Fonts

5.8.1 Roman fonts

```

426 \define@choicekey{}{defaultfont}[\val\nr]{%
427     palatino,standard}[palatino]{%
428 \ifcase\nr\relax
429 \or
430     \suftesi@standardfonttrue
431     \setkeys{suftesi.cls}{greekfont=cbgreek}
432 \fi}

```

5.8.2 Greek fonts

```

433 \define@choicekey{}{greekfont}[\val\nr]{%
434     artemisia,porson,cbgreek}[artemisia]{%
435 \ifcase\nr\relax
436 \def\SUF@greekfamily{artemisiaeuler}
437 \or
438 \def\SUF@greekfamily{porson}
439 \suftesi@porsontrue
440 \or
441 \def\SUF@greekfamily{lmr}
442 \fi}

```

5.9 Other options

5.9.1 `\parindent` selection

```

443 \define@choicekey{}{parindent}[\val\nr]
444     {compact,wide}[compact]{%
445 \ifcase\nr\relax
446 \setlength\parindent{1em}

```

```

447 \or
448 \setlength\parindent{1.5em}
449 \fi}

```

5.9.2 Part page

```

450 \define@choicekey{}{partpage}[\val\nr]{true,false}[true]{%
451 \ifcase\nr\relax
452 \suftesi@partpagetrue
453 \or
454 \relax
455 \fi}

```

5.9.3 Crop marks

```

456 \define@choicekey{}{crop}[\val\nr]
457 {true,false}[true]{%
458 \ifcase\nr\relax
459 \or
460 \suftesi@nocroptrue
461 \fi}

```

5.9.4 Draftdate

```

462 \define@choicekey{}{draftdate}[\val\nr]
463 {true,false}[true]{%
464 \ifcase\nr\relax
465 \suftesi@draftdatetrue
466 \or
467 \fi}

```

5.9.5 Titlepage

```

468 \define@choicekey{}{titlepage}[\val\nr]
469 {true,false}[true]{%
470 \ifcase\nr\relax
471 \@titlepagetrue
472 \or

```

```

473 \@titlepagefalse
474 \fi}

```

5.9.6 Pre-defined styles

```

475 \define@choicekey{}{style}[\val\nr]
476 {roman1,roman2,roman3,roman4,roman5,roman6,
477 italic1,italic2,italic3,italic4,italic5,italic6,
478 italic7,italic8,italic9,italic10,italic11,italic12,
479 smallcaps1,smallcaps2,smallcaps3,smallcaps4,smallcaps5,smallcaps6,
480 smallcaps7,smallcaps8,smallcaps9,smallcaps10,smallcaps11,smallcaps12,
481 elements,sufelements}
482 [roman1]{%
483 \ifcase\nr\relax

```

The 'roman' styles:

```

484 \setkeys{}{chapstyle=left}
485 \or
486 \setkeys{}{chapstyle=center}
487 \or
488 \setkeys{}{chapstyle=right}
489 \or
490 \setkeys{}{chapstyle=parleft}
491 \or
492 \setkeys{}{chapstyle=parcenter}
493 \or
494 \setkeys{}{chapstyle=parright}
495 \or

```

The 'italic' styles:

```

496 \setkeys{}{chapstyle=left,chapfont=italic,headerfont=italic}
497 \or
498 \setkeys{}{chapstyle=center,chapfont=italic,headerfont=italic}
499 \or
500 \setkeys{}{chapstyle=right,chapfont=italic,headerfont=italic}
501 \or

```

```

502 \setkeys{}{chapstyle=parleft,chapfont=italic,headerfont=italic}
503 \or
504 \setkeys{}{chapstyle=parcenter,chapfont=italic,headerfont=italic}
505 \or
506 \setkeys{}{chapstyle=parright,chapfont=italic,headerfont=italic}
507 \or
508 \setkeys{}{chapstyle=left,chapfont=italic,secfont=smallcaps,headerfont=italic}
509 \or
510 \setkeys{}{chapstyle=center,chapfont=italic,secfont=smallcaps,headerfont=italic}
511 \or
512 \setkeys{}{chapstyle=right,chapfont=italic,secfont=smallcaps,headerfont=italic}
513 \or
514 \setkeys{}{chapstyle=parleft,chapfont=italic,secfont=smallcaps,headerfont=italic}
515 \or
516 \setkeys{}{chapstyle=parcenter,chapfont=italic,secfont=smallcaps,headerfont=italic}
517 \or
518 \setkeys{}{chapstyle=parright,chapfont=italic,secfont=smallcaps,headerfont=italic}
519 \or

```

The 'smallcaps' styles:

```

520 \setkeys{}{chapstyle=left,chapfont=smallcaps,headerfont=smallcaps}
521 \or
522 \setkeys{}{chapstyle=center,chapfont=smallcaps,headerfont=smallcaps}
523 \or
524 \setkeys{}{chapstyle=right,chapfont=smallcaps,headerfont=smallcaps}
525 \or
526 \setkeys{}{chapstyle=parleft,chapfont=smallcaps,headerfont=smallcaps}
527 \or
528 \setkeys{}{chapstyle=parcenter,chapfont=smallcaps,headerfont=smallcaps}
529 \or
530 \setkeys{}{chapstyle=parright,chapfont=smallcaps,headerfont=smallcaps}
531 \or
532 \setkeys{}{chapstyle=left,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
533 \or
534 \setkeys{}{chapstyle=center,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}

```

```

535 \or
536 \setkeys{}\{chapstyle=right,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
537 \or
538 \setkeys{}\{chapstyle=parleft,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
539 \or
540 \setkeys{}\{chapstyle=parcenter,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
541 \or
542 \setkeys{}\{chapstyle=parright,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
543 \or

```

The 'elements' style:

```

544 \setkeys{}\{
545     pagelayout=elements,
546     headerstyle=elements,
547     chapstyle=elements,
548     secfont=smallcaps,
549     subsecfont=italic,
550     captionstyle=elements}
551 \disable@keys{}
552 {pagelayout,headerstyle,chapstyle,secfont,subsecfont,captionstyle}
553 \or

```

The 'sufelements' style:

```

554 \setkeys{}\{
555     chapstyle=elements,
556     headerfont=smallcaps,
557     secfont=smallcaps,
558     subsecfont=italic}
559 \disable@keys{}
560 {headerstyle,chapstyle,secfont,subsecfont}
561 \fi}

```

Execute and process options:

```

562 \ExecuteOptionsX<>{
563     captionstyle=standard,
564     marginpar=true,

```

```

565 parindent=compact,
566 tocstyle=standard,
567 greekfont=artemisia,
568 pagelayout=standard,
569 headerstyle=inner,
570 liststyle=bulged,
571 footnotestyle=bulged,
572 quotesize=footnotesize,
573 quotestyle=center,
574 partstyle=left,
575 chapstyle=left,
576 secstyle=left,
577 subsecstyle=left,
578 subsubsecstyle=left,
579 partfont=roman,
580 chapfont=roman,
581 secfont=italic,
582 subsecfont=roman,
583 subsubsecfont=roman,
584 headerfont=roman,
585 secnumstyle=arabic,
586 partnumstyle=Roman,
587 chapnumstyle=arabic}
588 \ProcessOptionsX<>\relax

```

The use of the `\XKV@useoption` command, provided by the `xkeyval`, is a trick to delete the option given as its argument from the list stored in `\@unusedoptionlist` so that the option will not produce the “Unused global options” message:

```

589 \XKV@useoption{a4paper} \XKV@useoption{10pt}
590 \XKV@useoption{11pt} \XKV@useoption{12pt}
591 \XKV@useoption{oneside} \XKV@useoption{twoside}
592 \XKV@useoption{onecolumn} \XKV@useoption{twocolumn}
593 \XKV@useoption{titlepage} \XKV@useoption{notitlepage}
594 \XKV@useoption{openright} \XKV@useoption{openany}
595 \XKV@useoption{leqno} \XKV@useoption{fleqn}

```

```

596 \XKV@useoption{a5paper} \XKV@useoption{b5paper}
597 \XKV@useoption{legalpaper} \XKV@useoption{executivepaper}
598 \XKV@useoption{landscape}

```

5.10 Basic packages

```

599 \RequirePackage{color}
600 \definecolor{sufred}{rgb}{0.5,0,0}
601 \definecolor{sufgray}{rgb}{0.5,0.5,0.5}
602 \RequirePackage{multicol}
603 \RequirePackage{emptypage}
604 \RequirePackage{textcase}
605 \RequirePackage{ifxetex}

```

5.11 Greek fonts

Thanks to Claudio Beccari and Enrico Gregorio for these macros:

```

606 \ifxetex
607 \relax
608 \else
609 \RequirePackage{microtype}
610 \RequirePackage[LGR,T1]{fontenc}
611 \AtBeginDocument{\fontencoding{T1}\selectfont}
612 \ifsuftesi@standardfont
613 \RequirePackage{lmodern}
614 \relax
615 \else
616 \RequirePackage[osf,sc]{mathpazo}
617 \RequirePackage[scaled=0.8]{beramono}
618 \renewcommand{\sfdefault}{iwona}
619 \fi

```

Scale the Porson font:

```

620 \ifsuftesi@porson
621 \sbox\z@{\fontsize{10}{10}\normalfont A}
622 \sbox\tw@{\font\temp=gporsnrg6a at 10pt \temp A}

```



```

623 \dimen@=\dimexpr \p@*\ht\z@/\ht\tw@\relax
624 \sbox\z@{\normalfont\fontsize{10}{10}\selectfont a}
625 \sbox\tw@{\font\temp=gporg6a at 10pt \temp a}
626 \dimen2=\dimexpr \p@*\ht\z@/\ht\tw@\relax
627 \dimen4= 0.6\p@
628 \dimen@=\dimexpr \dimen@ - \dimen4*\dimen@/\p@+\dimen4*\dimen2/\p@\relax
629 \edef\art@scale{\strip@pt\dimen@}
630 \DeclareFontFamily{LGR}{porson}{}
631 \DeclareFontShape{LGR}{porson}{m}{n} {<-> s * [\art@scale] gporg6a}{}
632 \DeclareFontShape{LGR}{porson}{m}{it} {<-> ssub * porson/m/n}{}
633 \DeclareFontShape{LGR}{porson}{b}{n} {<-> ssub * porson/m/n}{}
634 \DeclareFontShape{LGR}{porson}{b}{it} {<-> ssub * porson/m/n}{}
635 \DeclareFontShape{LGR}{porson}{m}{sl} {<-> ssub * porson/m/n}{}
636 \DeclareFontShape{LGR}{porson}{b}{sl} {<-> ssub * porson/m/n}{}
637 \DeclareFontShape{LGR}{porson}{m}{sc} {<-> ssub * porson/m/n}{}
638 \DeclareFontShape{LGR}{porson}{bx}{n} {<-> ssub * porson/m/n}{}
639 \DeclareFontShape{LGR}{porson}{bx}{it} {<-> ssub * porson/m/n}{}
640 \DeclareFontShape{LGR}{porson}{bx}{sl} {<-> ssub * porson/m/n}{}
641 \fi
642 \AtBeginDocument{
643 \DeclareRobustCommand{\greektext}{%
644 \usefont{LGR}{\SUF@greekfamily}{\f@series}{\f@shape}}%
645 \DeclareTextFontCommand{\textgreek}{\greektext}}
646 \fi

```

5.12 Page layout

```

647 \ifsuftesi@nocrop
648 \relax
649 \else
650 \RequirePackage[a4, cam, center]{crop}
651 \fi

```

A trick to produce one-side documents:

```

652 \if@twoside

```

```

653 \relax
654 \else
655 \geometry{hmarginratio=1:1}
656 \fi

```

5.13 Section titles

```

657 \RequirePackage{titlesec}
658 \newlength{\sectionsep}
659 \setlength{\sectionsep}{\dimexpr(\baselineskip) plus 1pt minus 1pt}

\SUF@titlesmallcaps
\SUF@headingsmallcaps
\SUF@chapnumfont
660 \ifxetex
661 \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
662 \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
663 \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
664 \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
665 \newcommand{\chapnumfont}[1]{%
666 \def\SUF@chapnumfont{#1}}
667 \chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
668 \else
669 \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
670 \scshape\MakeTextLowercase{\textls[110]{#1}}}%
671 \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
672 \scshape\MakeTextLowercase{\textls[110]{#1}}}%
673 \newcommand{\chapnumfont}[1]{%
674 \def\SUF@chapnumfont{\fontfamily{#1}}}%
675 \chapnumfont{pplj}
676 \fi

```

The elements style

```

677 \define@key[SUF]{elements}{chapsize}[90]{%
678 \def\cmdSUF@elements@chapsize{\fontsize{#1}{#1}\selectfont}}
679 \define@key[SUF]{elements}{chapposition}[-83]{%
680 \def\cmdSUF@elements@chapposition{#1}}

```

The chapter for elements style:

```

681 \def\SUF@elements@CHAPTER{%
682   \titleformat{\chapter}[block]
683     {\Large}%
684     {\begin{picture}(0,0)
685       \setlength{\unitlength}{1pt}
686       \SUF@chapnumfont%
687       \cmdSUF@elements@chapsize
688       \put(0,\cmdSUF@elements@chapposition){%
689         \hskip\dimexpr(\textwidth+0.9\marginparsep)%
690         \textcolor{sufgray}{\SUF@thechapter}}%
691     \end{picture}}%
692   {0pt}
693   {\SUF@titlesmallcaps}
694   [\vspace*{-6pt}\rule{\textwidth}{.1pt}]
695   }

```

The sections for elements style:

```

696 \def\SUF@elements@SECTIONS{
697 \titleformat{\section}[block]
698   {\extramarks{}{}\filright}
699   {\textnormal\thesection}
700   {1em}
701   {\SUF@titlesmallcaps}
702 \titlespacing*{\section}{0em}{1em}{1em}{0em}
703 \titleformat{\subsection}[block]
704   {\filright\normalsize\itshape}
705   {\textnormal\thesubsection}
706   {1em}
707   {}
708 \titlespacing*{\subsection}{0em}{\baselineskip}{\baselineskip}{0em}
709 \titleformat{\subsubsection}[block]
710   {\filright\normalsize}
711   {\textnormal\thesubsubsection}
712   {1em}
713   {}

```

```

714 \titlespacing*{\subsubsection}{0em}{\baselineskip}{\baselineskip}[0em]
715 }

\chapter Default styles:

716 \def\SUF@default@CHAPTER{
717 \ifsuftesi@numparchap
718 \titleformat{\chapter}[display]
719 {\SUF@chaptersize\SUF@lr@CHAPSwitch}
720 {\SUF@thechapter\SUF@dotchap}
721 {2ex}
722 {\SUF@CHAP@StyleSwitch}
723 \else
724 \titleformat{\chapter}[hang]
725 {\SUF@chaptersize\SUF@lr@CHAPSwitch}
726 {\SUF@thechapter\SUF@dotchap}
727 {3em}
728 {\SUF@CHAP@StyleSwitch}
729 \fi
730 \ifsuftesi@numparchap
731 \def\SUF@ADJnumparchap{-2.5\baselineskip}
732 \else
733 \def\SUF@ADJnumparchap{0pt}
734 \fi}

\section

735 \def\SUF@default@SECTIONS{
736 \ifsuftesi@numparsec
737 \titleformat{\section}[display]
738 {\SUF@lr@SECSwitch}
739 {\ifsuftesi@article\SUF@thesection
740 \else\thesection\fi\SUF@dotsec}
741 {0ex}
742 {\SUF@SEC@StyleSwitch}
743 \titlespacing*{\section}{0em}{\sectionsep}{\sectionsep}[0em]
744 \else

```

```

745 \titleformat{\section}[hang]
746   {\SUF@lr@SECSwitch}
747   {\ifsufteresi@article\SUF@thesec
748     \else\thesec\fi\SUF@dotsec}
749   {1em}
750   {\SUF@SEC@StyleSwitch}
751 \titlespacing*{\section}{0ex}{\sectionsep}{\sectionsep}[0ex]
752 \fi

```

\subsection

```

753 \ifsufteresi@numparsubsec
754 \titleformat{\subsection}[display]
755   {\SUF@lr@SUBSECSwitch}
756   {\textnormal\thesubsection}
757   {0ex}
758   {\SUF@SUBSEC@StyleSwitch}
759 \titlespacing*{\subsection}{0em}{\sectionsep}{\sectionsep}[0em]
760 \else
761 \titleformat{\subsection}[hang]
762   {\SUF@lr@SUBSECSwitch}
763   {\textnormal\thesubsection}
764   {1em}
765   {\SUF@SUBSEC@StyleSwitch}
766 \titlespacing*{\subsection}{\parindent}{\sectionsep}{\sectionsep}[0ex]
767 \fi

```

\subsubsection

```

768 \ifsufteresi@numparsubsubsec
769 \titleformat{\subsubsection}[display]
770   {\SUF@lr@SUBSUBSECSwitch}
771   {\textnormal\thesubsubsection}
772   {0ex}
773   {\SUF@SUBSUBSEC@StyleSwitch}
774 \titlespacing*{\subsubsection}{0em}{\sectionsep}{\sectionsep}[0em]
775 \else

```

```

776 \titleformat{\subsubsection}[hang]
777   {\SUF@lr@SUBSUBSECSwitch}
778   {\textnormal\thesubsubsection}
779   {1em}
780   {\SUF@SUBSUBSEC@StyleSwitch}
781 \titlespacing*{\subsubsection}{\parindent}{\sectionsep}{\sectionsep}[0ex]
782   \fi
783 }
784 \ifsufteresi@elementschap
785 \RequirePackage{extramarks}
786   \SUF@elements@CHAPTER
787   \SUF@elements@SECTIONS
788 \ifsufteresi@periodical
789   \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
790   \setkeys[SUF]{elements}{chapsize=80,chapposition=-83}
791 \else
792 \ifsufteresi@compact
793   \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
794   \setkeys[SUF]{elements}{chapsize=75,chapposition=-83}
795 \else
796 \ifsufteresi@supercompact
797   \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
798   \setkeys[SUF]{elements}{chapsize=70,chapposition=-73}
799 \else
800 \ifsufteresi@elementspagelayout
801   \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
802   \setkeys[SUF]{elements}{chapsize=60,chapposition=-73}
803 \else
804   \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
805   \setkeys[SUF]{elements}{chapsize=90,chapposition=-83}
806   \fi
807   \fi
808   \fi
809 \fi

```

```

810 \else
811   \SUF@default@CHAPTER
812   \SUF@default@SECTIONS
813 \ifsuftesi@periodical
814   \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
815   \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
816   \else
817     \ifsuftesi@compact
818       \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
819       \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
820     \else
821       \ifsuftesi@supercompact
822         \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
823         \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
824       \else
825         \titlespacing*{\chapter}{0em}{%
826           \dimexpr(6ex+\SUF@ADJnumparchap)}{18ex}
827         \titlespacing*{name=\chapter,numberless}{0em}{6ex}{18ex}
828       \fi
829     \fi
830 \fi
831 \fi

```

Redefinitions for ‘article’ mode

```

832 \ifsuftesi@article
833 \def\chapter#1{\ClassError{suftesi}
834   {\noexpand\chapter level is undefined
835     using 'documentstructure=article'}
836   {\noexpand\chapter level is undefined
837     using 'documentstructure=article'}}
838 \setcounter{tocdepth}{3}
839 \setcounter{secnumdepth}{3}
840 \renewcommand\thesection{%
841   \@arabic\c@section}

```

```

842 \renewcommand\thesubsection{%
843     \thesection.\@arabic\c@subsection}
844 \renewcommand\thesubsubsection{%
845     \thesubsection.\@arabic\c@subsubsection}
846 \renewcommand\theparagraph{%
847     \thesubsubsection.\@arabic\c@paragraph}
848 \renewcommand\thesubparagraph{%
849     \theparagraph.\@arabic\c@subparagraph}

```

The partpage options allows you to print a standard part page in article mode.

```

850 \ifsufteresi@partpage
851     \relax
852     \else

```

In article mode the `\part` command is similar to a `\section` but with more vertical space before and after.

```

853 \titleclass{\part}{straight}
854 \titlespacing*{\part}{0ex}{2\sectionsep}{2\sectionsep}[0ex]
855 \fi
856 \ifsufteresi@numparpart
857 \titleformat{\part}[display]
858     {\SUF@chaptersize\SUF@lr@PARTSwitch}
859     {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
860     {2ex}
861     {\SUF@PART@StyleSwitch}
862 \else
863 \titleformat{\part}[hang]
864     {\SUF@chaptersize\SUF@lr@PARTSwitch}
865     {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
866     {1em}
867     {\SUF@PART@StyleSwitch}
868 \fi
869 \else

```

The default ‘book’ mode


```

870 \ifsuftesi@numparpart
871 \titleformat{\part}[display]
872   {\SUF@chaptersize\SUF@lr@PARTSwitch}
873   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
874   {2ex}
875   {\SUF@PART@StyleSwitch}
876 \else
877 \titleformat{\part}[hang]
878   {\SUF@chaptersize\SUF@lr@PARTSwitch}
879   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
880   {1em}
881   {\SUF@PART@StyleSwitch}
882 \fi
883 \fi
884

```

\paragraph

```

885 \titleformat{\paragraph}[runin]
886   {}
887   {\theparagraph}
888   {.5em}
889   {\itshape}
890   [{.}\hspace*{1em}]
891 \titlespacing*{\paragraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

```

\subparagraph

```

892 \titleformat{\subparagraph}[runin]
893   {}
894   {\thesubparagraph}
895   {.5em}
896   {}
897   [{.}\hspace*{1em}]
898 \titlespacing*{\subparagraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

```

The biblatex package uses the book class definitions of bibliography and list of shortands, so we must redefine them according to the styles of suftesi, which does not use uppercase letters in

the headings.

```
899 \ifsuftesi@article
900 \AtBeginDocument{%
901 \@ifpackageloaded{biblatex}{%
902   \defbibheading{bibliography}[\refname]{%
903     \section*{#1}%
904     \markboth{#1}{#1}}
905   \defbibheading{shorthands}[\losname]{%
906     \section*{#1}%
907     \markboth{#1}{#1}}
908   \defbibheading{bibintoc}[\refname]{%
909     \section*{#1}%
910     \addcontentsline{toc}{section}{#1}%
911     \markboth{#1}{#1}}
912   \defbibheading{losintoc}[\losname]{%
913     \section*{#1}%
914     \addcontentsline{toc}{section}{#1}%
915     \markboth{#1}{#1}}
916   \defbibheading{bibnumbered}[\refname]{%
917     \section*{#1}%
918     \if@twoside\markright{#1}\fi}
919   \defbibheading{losnumbered}[\losname]{%
920     \section*{#1}%
921     \if@twoside\markright{#1}\fi}
922   \defbibheading{subbibliography}[\refname]{%
923     \subsection*{#1}}
924   \defbibheading{subbibintoc}[\refname]{%
925     \subsection*{#1}%
926     \addcontentsline{toc}{subsection}{#1}}
927   \defbibheading{subbibnumbered}[\refname]{%
928     \subsection*{#1}}}%
929   {\relax}%
930 }%
931 \else
```

```

932 \AtBeginDocument{%
933 \ifpackageloaded{biblatex}{%
934   \defbibheading{bibliography}[\bibname]{%
935     \chapter*{#1}%
936     \markboth{#1}{#1}}
937   \defbibheading{shorthands}[\losname]{%
938     \chapter*{#1}%
939     \markboth{#1}{#1}}
940   \defbibheading{bibintoc}[\bibname]{%
941     \chapter*{#1}%
942     \addcontentsline{toc}{chapter}{#1}%
943     \markboth{#1}{#1}}
944   \defbibheading{losintoc}[\losname]{%
945     \chapter*{#1}%
946     \addcontentsline{toc}{chapter}{#1}%
947     \markboth{#1}{#1}}
948   \defbibheading{bibnumbered}[\bibname]{%
949     \chapter{#1}%
950     \if@twoside\markright{#1}\fi}
951   \defbibheading{losnumbered}[\losname]{%
952     \chapter{#1}%
953     \if@twoside\markright{#1}\fi}
954   \defbibheading{subbibliography}[\refname]{%
955     \section*{#1}%
956     \if@twoside\markright{#1}\fi}
957   \defbibheading{subbibintoc}[\refname]{%
958     \section*{#1}%
959     \addcontentsline{toc}{section}{#1}%
960     \if@twoside\markright{#1}\fi}
961   \defbibheading{subbibnumbered}[\refname]{%
962     \section{#1}}
963   {\relax}%
964 }%
965 \fi

```

5.14 Title page

`\title` The new `\title` command has an optional argument which can be used in the headers.

```
966 \renewcommand*{\title}[2][\gdef\@headtitle{#1}\gdef\@title{#2}]
967   \edef\title{\noexpand\@dblarg
968   \expandafter\noexpand\csname\string\title\endcsname}
969   \def\@headtitle{--missing title--%
970     \protect\ClassWarningNoLine{suftesi}{%
971       No \string\title\space given \MessageBreak%
972       See the class documentation for explanation}}
973   \def\@title{--missing title--%
974     \protect\ClassWarningNoLine{suftesi}{%
975       No \string\title\space given\MessageBreak%
976       See the class documentation for explanation}}
977   \def\@author{--missing author--%
978     \protect\ClassWarningNoLine{suftesi}{%
979       No \string\author\space given\MessageBreak%
980       See the class documentation for explanation}}
```

`\standardtitle` Reproduces the standard `\maketitle` style:

For `notitlepage` option:

`\maketitle` For `titlepage` (default) option:

```
981 \if@titlepage% titlepage
982   \renewcommand\maketitle{\begin{titlepage}%
983     \let\footnotesize\small
984     \let\footnoterule\relax
985     \let \footnote \thanks
986     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
987     \null\vfil
988     \vskip 60\p@
989     \begin{center}%
990       {\SUF@chaptersize\color{sufted}\sffamily%
991       \ifsuftesi@smallcapschap%
992         \SUF@titlesmallcaps{\@title}
```

```

993     \else
994     \ifsuftesi@article
995     \ifsuftesi@smallcapssec
996     \SUF@titlesmallcaps{\@title}
997     \else
998     \@title
999     \fi
1000    \else
1001    \@title
1002    \fi
1003    \fi\par}%
1004    \vskip 3em%
1005    {\small\lineskip .75em%
1006     \begin{tabular}[t]{c}%
1007     \@author
1008     \end{tabular}\par}%
1009     \vskip 1.5em%
1010     {\small\@date\par}%
1011 \end{center}\par
1012 \@thanks
1013 \vfil\null
1014 \end{titlepage}%
1015 \setcounter{footnote}{0}%
1016 \global\let\thanks\relax
1017 \global\let\maketitle\relax
1018 \global\let\@thanks\@empty
1019 \global\let\@date\@empty
1020 \global\let\date\relax
1021 \global\let\and\relax}
1022 \newcommand\standardtitle{\begin{titlepage}%
1023 \let\footnotesize\small
1024 \let\footnoterule\relax
1025 \let \footnote \thanks
1026 \null\vfil

```

```

1027 \vskip 60\p@
1028 \begin{center}%
1029   {\LARGE \@title \par}%
1030   \vskip 3em%
1031   {\large
1032     \lineskip .75em%
1033     \begin{tabular}[t]{c}%
1034       \@author
1035     \end{tabular}\par}%
1036   \vskip 1.5em%
1037   {\large \@date \par}%           % Set date in \large size.
1038 \end{center}\par
1039 \@thanks
1040 \vfil\null
1041 \end{titlepage}%
1042 \setcounter{footnote}{0}%
1043 \global\let\thanks\relax
1044 \global\let\maketitle\relax
1045 \global\let\@thanks\@empty
1046 \global\let\@date\@empty
1047 \global\let\date\relax
1048 \global\let\and\relax}
1049 \else

```

For notitlepage option:

```

1050 \renewcommand\maketitle{\par
1051   \begingroup
1052     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1053     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1054     \long\def\@makefntext##1{\parindent 1em\noindent
1055       \hb@xt@1.8em{%
1056         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1057     \if@twocolumn
1058       \ifnum \col@number=\@ne
1059         \@maketitle

```

```

1060     \else
1061         \twocolumn[\@maketitle]%
1062     \fi
1063 \else
1064     \newpage
1065     \global\@topnum\z@% Prevents figures from going at top of page.
1066     \@maketitle
1067 \fi
1068     \thispagestyle{plain}\@thanks
1069 \endgroup
1070 \setcounter{footnote}{0}%
1071 \global\let\thanks\relax
1072 \global\let\maketitle\relax
1073 \global\let\@maketitle\relax
1074 \global\let\@thanks\@empty
1075 \global\let\@date\@empty
1076 \global\let\date\relax
1077 \global\let\and\relax}
1078     \def\@maketitle{%
1079 \newpage
1080 \null
1081 \vskip 2em%
1082 \begin{center}%
1083 \let \footnote \thanks
1084     {\SUF@chaptersize\color{sufred}\sffamily%
1085 \ifsuftesi@smallcapschap%
1086     \SUF@titlesmallcaps{\@title}
1087     \else
1088     \ifsuftesi@article
1089     \ifsuftesi@smallcapssec
1090     \SUF@titlesmallcaps{\@title}
1091     \else
1092     \@title
1093 \fi

```

```

1094     \else
1095     \@title
1096     \fi
1097 \fi\par}%
1098     \vskip 1.5em%
1099     {\small\lineskip .5em%
1100     \begin{tabular}[t]{c}%
1101     \@author\par
1102     \end{tabular}\par}%
1103     \vskip 1em%
1104     {\small\@date\par}%
1105 \end{center}%
1106 \par
1107 \vskip 1.5em}
1108 \newcommand\standardtitle{\par
1109 \begingroup
1110 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1111 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1112 \long\def\@makefntext##1{\parindent 1em\noindent
1113     \hb@xt@1.8em{%
1114         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1115 \if@twocolumn
1116     \ifnum \col@number=\@ne
1117         \@standardmaketitle
1118     \else
1119         \twocolumn[\@standardmaketitle]%
1120     \fi
1121 \else
1122     \newpage
1123     \global\@topnum\z@    % Prevents figures from going at top of page.
1124     \@standardmaketitle
1125 \fi
1126 \thispagestyle{plain}\@thanks
1127 \endgroup

```



```

1128 \setcounter{footnote}{0}%
1129 \global\let\thanks\relax
1130 \global\let\maketitle\relax
1131 \global\let\@standardmaketitle\relax
1132 \global\let\@thanks\@empty
1133 \global\let\@date\@empty
1134 \global\let\date\relax
1135 \global\let\and\relax}
1136 \def\@standardmaketitle{%
1137 \newpage
1138 \null
1139 \vskip 2em%
1140 \begin{center}%
1141 \let \footnote \thanks
1142 {\LARGE \@title \par}%
1143 \vskip 1.5em%
1144 {\large
1145 \lineskip .5em%
1146 \begin{tabular}[t]{c}%
1147 \@author
1148 \end{tabular}\par}%
1149 \vskip 1em%
1150 {\large \@date}%
1151 \end{center}%
1152 \par
1153 \vskip 1.5em}
1154 \fi

```

5.15 Frontispiece

```

1155 \AtBeginDocument{%
1156 \@ifpackagewith{frontespizio}{suftesi}
1157 {\ifsuftesi@periodical
1158 \Margini {5.5cm}{7cm}{4.5cm}{0cm}

```

```

1159         \else
1160         \ifsuftesi@compact
1161             \Margini {4.5cm}{7cm}{4.5cm}{0cm}
1162         \else
1163             \ifsuftesi@supercompact
1164             \Margini {4.5cm}{10cm}{6cm}{1cm}
1165         \else
1166         \fi
1167     \fi
1168 \fi}
1169 {\@ifpackageloaded{frontespizio}
1170     {\ifsuftesi@periodical
1171         \Margini {1cm}{7cm}{5cm}{1cm}
1172     \else
1173     \ifsuftesi@compact
1174         \Margini {1cm}{7cm}{6cm}{1cm}
1175     \else
1176         \ifsuftesi@supercompact
1177         \Margini {1cm}{10cm}{8cm}{1cm}
1178     \else
1179     \fi
1180     \fi
1181 \fi}
1182 {\relax}}

```

theindex

```

1183 \renewenvironment{theindex}
1184     {\if@twocolumn
1185         \@restonecolfalse
1186     \else
1187         \@restonecoltrue
1188     \fi
1189     \ifsuftesi@article
1190     \twocolumn[\section*{\indexname}]\%
1191     \else

```

```

1192             \twocolumn[\@makeschapterhead{\indexname}]%
1193             \fi
1194             \@mkboth{\indexname}{\indexname}%
1195             \thispagestyle{plain}%
1196             \raggedright%
1197             \parindent\z@
1198             \parskip\z@ \@plus .3\p@\relax
1199             \columnseprule \z@
1200             \columnsep 35\p@
1201             \let\item\@idxitem}
1202             {\if@restonecol\onecolumn\else\clearpage\fi}

```

5.16 Appendix

```

\appendicesname
\appendixpage 1203 \newcommand{\appendicesname}[1]{\def\SUF@appendices{#1}}
1204     \appendicesname{Appendici}
1205     \newcommand{\appendixpage}{\SUF@appendixpage}
1206 \def\SUF@appendixpage{%
1207     \@mainmattertrue
1208     \titlecontents{part}
1209         [0em]
1210         {\addvspace{3ex}}
1211         {}
1212         {}
1213         {}
1214         [\addvspace{1ex}]
1215 \let\contentspage\relax
1216     \cleardoublepage
1217     \thispagestyle{empty}
1218     \addcontentsline{toc}{part}{\SUF@appendices}
1219     \begingroup
1220     \centering
1221     \null\vfil

```

```

1222         {\LARGE\SUF@appendices\par}
1223         \vfil
1224     \endgroup
1225     \cleardoublepage
1226 \titlecontents{part}
1227     [0em]
1228     {\addvspace{3ex}\partname~}
1229     {\makebox[\SUF@label@part][l]{\thecontentslabel}\hspace*{1em}}
1230     {}
1231     {}
1232     [\addvspace{1ex}]
1233 }

```

\appendix

```

1234 \ifsuftesi@sufelements
1235 \renewcommand\appendix{\par
1236     \setcounter{chapter}{0}%
1237     \setcounter{section}{0}%
1238     \gdef\@chapapp{\appendixname}%
1239     \gdef\thechapter{\@Alph{c}chapter}
1240     \titleformat{chapter}[block]
1241         {\vskip-22pt}%
1242         {\small\SUF@titlesmallcaps{\appendixname}\Alph{chapter}:\hskip.5em}
1243         {0pt}
1244         {\small\SUF@titlesmallcaps}
1245         [\rule{\textwidth}{.4pt}]
1246         \titlespacing*{chapter}{0em}{-16pt}{10pt}[0em]}
1247 \else
1248     \ifsuftesi@article
1249         \renewcommand\appendix{\par
1250             \setcounter{section}{0}%
1251             \setcounter{subsection}{0}%
1252             \gdef\SUF@thesection{\@Alph{c}section}}
1253 \else
1254     \renewcommand\appendix{\par

```

```

1255         \setcounter{chapter}{0}%
1256         \setcounter{section}{0}%
1257         \gdef\@chapapp{\appendixname}%
1258         \gdef\thechapter{\@Alph{c}{chapter}}
1259     \fi
1260 \fi

```

5.17 Headings

```

1261 \RequirePackage{fancyhdr}
1262   \pagestyle{fancy}
1263   \renewcommand{\headrulewidth}{0pt}
1264   \renewcommand{\footnoterule}{}
1265 \def\SUF@versionstring{\texttt{Version of \today}}

```

The elements headers

```

1266 \ifsuftesi@elementsheader%
1267   \renewcommand{\chaptermark}[1]{\markboth{#1}{#1}}
1268   \renewcommand{\sectionmark}[1]{\markright{#1}}
1269   \fancypagestyle{elements}{%
1270     \setlength{\unitlength}{1pt}
1271     \fancyhf{}
1272     \fancyfoot[LE,RO]{\thepage}
1273     \fancyhead[RO]{%
1274       \begin{picture}(0,0)
1275         \put(0,-104){%
1276           \hskip\marginparsep
1277           \parbox[t]{\marginparwidth}{\itshape\raggedright\leftmark}}}%
1278     \end{picture}}
1279   \fancyhead[LE]{%
1280     \begin{picture}(0,0)
1281       \put(0,-104){%
1282         \hskip-\dimexpr(\marginparwidth+\marginparsep)
1283         \parbox[t]{\marginparwidth}{\itshape\raggedleft\rightmark}}}%

```

```

1284 \end{picture}}%
1285 }%
1286 \else

```

The default headers

```

1287 \renewcommand{\chaptermark}[1]{%
1288 \markboth{\chaptertitlename\ \SUF@thechapter}{#1}}
1289 \ifsuftesi@article
1290 \renewcommand{\sectionmark}[1]{\markright{\SUF@thesection.\ #1}}
1291 \else
1292 \renewcommand{\sectionmark}[1]{%
1293 \fi
1294 \fi

```

The plain style

```

1295 \fancypagestyle{plain}{\fancyhf{}}

```

The sufplain style

```

1296 \fancypagestyle{sufplain}{%
1297 \fancyhf{}}%
1298 \fancyfoot[RE,LO]{%
1299 \ifsuftesi@draftdate\footnotesize\SUF@versionstring\else\fi}
1300 \fancyfoot[C]{\footnotesize\SUF@thepage}}

```

The centerheader style

```

1301 \fancypagestyle{centerheader}{%
1302 \fancyhf{}}%
1303 \fancyfoot[RE,LO]{%
1304 \ifsuftesi@draftdate\footnotesize\SUF@versionstring\else\fi}
1305 \fancyhead[CO]{\footnotesize\theadbreakfalse\SUF@rightmark}
1306 \fancyhead[CE]{\footnotesize\theadbreakfalse%
1307 \SUF@LR@MarkSwitch}

```

```

1308 \fancyfoot[C]{\footnotesize\SUF@thepage}%
1309 }%

```

The `sufdefault` style

```

1310 \fancypagestyle{sufdefault}{%
1311   \fancyhf{}%
1312   \fancyfoot[RE,LO]{%
1313     \ifsuftesi@draftdate\footnotesize\SUF@versionstring\else\fi}
1314   \fancyhead[LE,RO]{\footnotesize\SUF@thepage}
1315   \fancyhead[LO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1316   \fancyhead[RE]{\footnotesize\xheadbreakfalse%
1317     \SUF@LR@MarkSwitch}
1318   }%
1319 %
1320 \ifsuftesi@article
1321 \ifsuftesi@authortitle
1322 \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1323 \else
1324 \def\SUF@LR@MarkSwitch{\SUF@rightmark}
1325 \fi
1326 \else
1327   \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1328 \fi
1329 \def\SUF@leftrightmark{%
1330 \if@mainmatter\leftmark\else\rightmark\fi}

```

Setting the default page style:

```

1331 \pagestyle{sufdefault}
1332 \ifsuftesi@centerheader\pagestyle{centerheader}\else\fi
1333 \ifsuftesi@sufplain\pagestyle{sufplain}\else\fi
1334 \ifsuftesi@elementsheader\pagestyle{elements}\else\fi

```

5.18 Text elements

5.18.1 Block Quotations

quotation New quotation and quote environments according to a popular Italian style. The font size is the same of the footnotes and the margins are set to `\parindent`.

```
quote
verse 1335 \renewenvironment{quotation}
      1336     {\list{}{\listparindent\parindent%
      1337         \itemindent \listparindent
      1338         \leftmargin \parindent
      1339         \SUF@quote@style
      1340         \parsep \z@ \@plus\p@}%
      1341     \item\relax%
      1342     \SUF@quotation@size%
      1343     \noindent\ignorespaces}
      1344     {\endlist}
1345 \renewenvironment{quote}
      1346     {\list{}{\leftmargin \parindent
      1347         \SUF@quote@style}%
      1348     \item\relax%
      1349     \SUF@quotation@size}%\ignorespaces?
      1350     {\endlist}
1351 \renewenvironment{verse}
      1352     {\let\\\@centercr
      1353     \list{}{\itemsep \z@
      1354         \itemindent -1.5em%
      1355         \listparindent\itemindent
      1356         \rightmargin \leftmargin
      1357         \advance\leftmargin 1.5em}%
      1358     \item\relax
      1359     \SUF@quotation@size}
      1360     {\endlist}
```

The fewfootnotes option Enable only with three footnotes per page maximum.

```
1361 \let\oldfootnote\footnote
1362 \ifsuftesi@fewfootnotes
```



```

1363 \def\@fnsymbol#1{\ensuremath{\ifcase#1
1364   \or * \or ** \or *** \or\ClassError{suftesi}
1365   {Too many footnotes\MessageBreak
1366   Remove the class option 'fewfootnote'}
1367   {Too many footnotes\MessageBreak
1368   Remove the class option 'fewfootnote'}}
1369   \else\@ctrerr\fi}}
1370 \renewcommand{\footnote}[1]{%
1371   \begingroup
1372     \@addtoreset{footnote}{page}
1373     \renewcommand\thefootnote{\fnsymbol{footnote}}\oldfootnote{#1}
1374   \endgroup}
1375 \else\fi

```

`\xfootnote` Prints a footnote with discretionary symbol give in the first argument.

```

1376 \newcommand{\xfootnote}[2]{%
1377   \begingroup
1378     \addtocounter{footnote}{-1}
1379     \@addtoreset{footnote}{page}
1380     \renewcommand\thefootnote{\ensuremath{#1}}\oldfootnote{#2}
1381   \endgroup}

```

5.18.2 Marginal notes

`\marginpar` The `\marginpar` command is redefined according to the look of *Classic Thesis* by André Miede (2011) . Thanks to Lorenzo Pantieri and Enrico Gregorio.

```

1382 \def\SUF@mpsetup{%

```

In the *Elements* (i.e. with `elements` option) the marginal notes are printed in roman, but I prefer italic shape for the other options:

```

1383   \ifsuftesi@elementsheader\relax
1384     \else\itshape\fi
1385   \footnotesize%
1386   \parindent=0pt \lineskip=0pt \lineskiplimit=0pt %
1387   \tolerance=2000 \hyphenpenalty=300 \exhyphenpenalty=300%

```

```

1388 \doublehyphendemerits=100000%
1389 \finalhyphendemerits=\doublehyphendemerits}
1390 \let\oldmarginpar\marginpar
1391 \renewcommand{\marginpar}[1]{\oldmarginpar%
1392 [\SUF@mpsetup\raggedleft\hspace{0pt}{#1}}%
1393 {\SUF@mpsetup\raggedright\hspace{0pt}{#1}}}

```

5.18.3 Abstract

This is the macro that defines the abstract environment in article class. In `suftesi` it simply prints the abstract name in roman font:

```

1394 \if@titlepage
1395 \newenvironment{abstract}{%
1396 \titlepage
1397 \null\vfil
1398 \@beginparpenalty\@lowpenalty
1399 \begin{center}%
1400 \abstractname
1401 \@endparpenalty\@M
1402 \end{center}}%
1403 {\par\vfil\null\endtitlepage}
1404 \else
1405 \newenvironment{abstract}{%
1406 \if@twocolumn
1407 \section*{\abstractname}%
1408 \else
1409 \small
1410 \begin{center}%
1411 {\abstractname\vspace{-.5em}\vspace{\z@}}%
1412 \end{center}%
1413 \quotation
1414 \fi}
1415 {\if@twocolumn\else\endquotation\fi}
1416 \fi

```

```
1417 \newcommand\abstractname{Abstract}
```

5.18.4 Colophon

`\colophon` Some useful commands to print a colophon or a copyright notice.

```
1418 \newcommand{\colophon}[3][]{%
1419   \thispagestyle{empty}
1420   \null
1421   \vfill
1422   \def\next{#2}
1423   \ifx\next\@empty\else
1424     \noindent Copyright \copyright{} \the\year~#2\\[1ex]
1425     Tutti i diritti riservati
1426   \fi
1427   \vfill
1428   {\small\noindent Questo lavoro \textit{'e stato composto con \LaTeX{}}%
1429   \def\next{#1}
1430   \ifx\next\@empty\else su #1
1431   \fi usando la classe \textsf{suftesi} di
1432   Ivan Valbusa\index{Valbusa, Ivan}. #3\par}
1433   \cleardoublepage}
```

`\bookcolophon`

```
1434 \newcommand{\bookcolophon}[2]{%
1435   \thispagestyle{empty}
1436   \null
1437   \vfill
1438   \noindent #1
1439   \vfill
1440   {\small\noindent #2\par}
1441   \cleardoublepage}
```

`\artcolophon`

```
1442 \newcommand{\artcolophon}[1]{%
1443 \thispagestyle{empty}
```

```

1444 \null
1445 \vfill
1446 {\small\noindent #1\par}}

\finalcolophon

1447 \newcommand{\finalcolophon}[1]{%
1448 \thispagestyle{empty}
1449 \null\vspace*{\stretch{1}}
1450 \begin{center}
1451 \begin{minipage}{.5\textwidth}
1452 \centering\small #1
1453 \end{minipage}
1454 \end{center}
1455 \vspace*{\stretch{6}}}}

```

5.19 TOC, LOF, LOT

```

1456 \RequirePackage{titletoc}

\SUF@label@chapter All the lengths depend on \SUF@label@chapter so we define this first.
1457 \newlength\SUF@label@chapter
1458 \setlength\SUF@label@chapter{.5em}

\toclabelwidth \toclabelwidth is provided to adjust the label width:
1459 \newcommand*{\toclabelwidth}[1]{\setlength\SUF@label@chapter{#1}}

\SUF@tochang This macro controls the space between page number and chapter label using the tocpageleft
option:
1460 \newlength{\SUF@tochang}
1461 \setlength{\SUF@tochang}{3em}
1462 \AtBeginDocument{
1463 \newlength\SUF@label@part
1464 \newlength\SUF@label@section
1465 \newlength\SUF@label@subsection
1466 \newlength\SUF@label@subsubsection
1467 \newlength\SUF@label@paragraph

```

```

1468 \newlength\SUF@label@subparagraph
1469 \newlength\SUF@label@figure
1470 \newlength\SUF@label@table
1471 \setlength\SUF@label@part
1472     {\SUF@label@chapter}
1473 \setlength\SUF@label@section
1474     {\dimexpr(\SUF@label@chapter+.5em)}
1475 \setlength\SUF@label@subsection
1476     {\dimexpr(\SUF@label@section+.5em)}
1477 \setlength\SUF@label@subsubsection
1478     {\dimexpr(\SUF@label@subsection+.5em)}
1479 \setlength\SUF@label@paragraph
1480     {\dimexpr(\SUF@label@subsubsection+.5em)}
1481 \setlength\SUF@label@subparagraph
1482     {\dimexpr(\SUF@label@paragraph+.5em)}
1483 \setlength\SUF@label@figure
1484     {\SUF@label@section}
1485 \setlength\SUF@label@table
1486     {\SUF@label@section}
1487 }

```

Part in article mode

```

1488 \titlecontents{part}
1489     [0em]
1490     {\addvspace{3ex}\partname\hspace*{.5em}}
1491     {\makebox[\SUF@label@part][l]{\thecontentslabel}\hspace*{1em}}
1492     {}
1493     {}
1494     [\addvspace{1ex}]

```

5.19.1 The `tocpageleft` table of contents

```

1495 \ifsuftesi@pagelefttoc

```

\contentsmargin First we reset the right margin to zero:

```

1496 \contentsmargin{0pt}

```

```

\SUFTtochang@<level>
\SUF@addto@tochang@<level> 1497 \AtBeginDocument{
1498 \newlength\SUF@tochang@chap
1499 \newlength\SUF@tochang@sec
1500 \newlength\SUF@tochang@subsec
1501 \newlength\SUF@tochang@subsubsec
1502 \newlength\SUF@tochang@par
1503 \newlength\SUF@tochang@subpar
1504 \newlength\SUF@tochang@fig
1505 \newlength\SUF@tochang@tab
1506 \newlength\SUF@addto@tochang@chap
1507 \newlength\SUF@addto@tochang@sec
1508 \newlength\SUF@addto@tochang@subsec
1509 \newlength\SUF@addto@tochang@subsubsec
1510 \newlength\SUF@addto@tochang@par
1511 \newlength\SUF@addto@tochang@subpar
1512 \newlength\SUF@addto@tochang@fig
1513 \newlength\SUF@addto@tochang@tab
1514 \setlength\SUF@tochang@chap
1515     {\dimexpr(1em+\SUF@tochang+\SUF@label@chapter+1em)}
1516 \setlength\SUF@tochang@sec
1517     {\dimexpr(\SUF@tochang@chap+\SUF@label@section+1em)}
1518 \setlength\SUF@tochang@subsec
1519     {\dimexpr(\SUF@tochang@sec+\SUF@label@subsection+1em)}
1520 \setlength\SUF@tochang@subsubsec
1521     {\dimexpr(\SUF@tochang@subsec+\SUF@label@subsubsection+1em)}
1522 \setlength\SUF@tochang@par
1523     {\dimexpr(\SUF@tochang@subsubsec+\SUF@label@paragraph+1em)}
1524 \setlength\SUF@tochang@subpar
1525     {\dimexpr(\SUF@tochang@par+\SUF@label@subparagraph+1em)}
1526 \setlength\SUF@tochang@fig
1527     {\SUF@tochang@chap}
1528 \setlength\SUF@tochang@tab
1529     {\SUF@tochang@chap}

```

```

1530 \setlength\SUF@addto@tochang@chap
1531     {\SUF@tochang}
1532 \setlength\SUF@addto@tochang@sec
1533     {\dimexpr(\SUF@addto@tochang@chap+\SUF@label@section+.5em)}
1534 \setlength\SUF@addto@tochang@subsec
1535     {\dimexpr(\SUF@addto@tochang@sec+\SUF@label@subsection+.5em)}
1536 \setlength\SUF@addto@tochang@subsubsec
1537     {\dimexpr(\SUF@addto@tochang@subsec+\SUF@label@subsubsection+.5em)}
1538 \setlength\SUF@addto@tochang@par
1539     {\dimexpr(\SUF@addto@tochang@subsubsec+\SUF@label@paragraph+.5em)}
1540 \setlength\SUF@addto@tochang@subpar
1541     {\dimexpr(\SUF@addto@tochang@par+\SUF@label@subparagraph+.5em)}
1542 \setlength\SUF@addto@tochang@fig
1543     {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1544 \setlength\SUF@addto@tochang@tab
1545     {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1546 }

```

TOC entries

```

1547 \titlecontents{chapter}
1548     [\SUF@tochang@chap]
1549     {\advvspace{2ex}}
1550     {\hskip-\SUF@tochang@chap%
1551       \makebox[1em][l]{\thecontentspage}%
1552       \hskip\SUF@addto@tochang@chap%
1553       \makebox[\SUF@label@chapter][l]{\thecontentslabel}%
1554       \hspace*{1em}}
1555     {\hskip-\SUF@tochang@chap%
1556       \makebox[1em][l]{\thecontentspage}%
1557       \hskip\SUF@addto@tochang@chap}
1558     {}
1559     [\advvspace{1ex}]
1560 \titlecontents{section}
1561     [\SUF@tochang@sec]
1562     {}

```

```

1563 {\hskip-\SUF@tochang@sec%
1564 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1565 \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1566 {\hskip-\SUF@tochang@sec%
1567 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1568 \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1569 {}
1570 \titlecontents{subsection}
1571 [\SUF@tochang@subsec]
1572 {}
1573 {\hskip-\SUF@tochang@subsec%
1574 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1575 \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1576 {\hskip-\SUF@tochang@subsec%
1577 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1578 \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1579 {}
1580 \titlecontents{subsubsection}
1581 [\SUF@tochang@subsubsec]
1582 {}
1583 {\hskip-\SUF@tochang@subsubsec%
1584 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1585 \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1586 {\hskip-\SUF@tochang@subsubsec%
1587 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1588 \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1589 {}
1590 \titlecontents{paragraph}
1591 [\SUF@tochang@par]
1592 {}
1593 {\hskip-\SUF@tochang@par%
1594 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1595 \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1596 {\hskip-\SUF@tochang@par%

```



```

1597 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1598 \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1599 {}
1600 \titlecontents{subparagraph}
1601 [\SUF@tochang@subpar]
1602 {}
1603 {\hskip-\SUF@tochang@subpar%
1604 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1605 \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1606 {\hskip-\SUF@tochang@subpar%
1607 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1608 \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1609 {}
1610 \titlecontents{figure}
1611 [\SUF@tochang@fig]
1612 {}
1613 {\hskip-\SUF@tochang@fig%
1614 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@fig%
1615 \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1616 {}
1617 {}
1618 \titlecontents{table}
1619 [\SUF@tochang@tab]
1620 {}
1621 {\hskip-\SUF@tochang@tab%
1622 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@tab%
1623 \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1624 {}
1625 {}
1626 \else

```

5.19.2 The default table of contents

```

1627 \AtBeginDocument{

```

```

1628 \newlength\SUF@tocindent@chap
1629 \newlength\SUF@tocindent@sec
1630 \newlength\SUF@tocindent@subsec
1631 \newlength\SUF@tocindent@subsubsec
1632 \newlength\SUF@tocindent@par
1633 \newlength\SUF@tocindent@subpar
1634 \newlength\SUF@tocindent@fig
1635 \newlength\SUF@tocindent@tab
1636 \setlength\SUF@tocindent@chap
1637     {\dimexpr(\SUF@label@chapter+1em)}
1638 \setlength\SUF@tocindent@sec
1639     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section+1em)}
1640 \setlength\SUF@tocindent@subsec
1641     {\dimexpr(\SUF@tocindent@sec+\SUF@label@subsection+1em)}
1642 \setlength\SUF@tocindent@subsubsec
1643     {\dimexpr(\SUF@tocindent@subsec+\SUF@label@subsubsection+1em)}
1644 \setlength\SUF@tocindent@par
1645     {\dimexpr(\SUF@tocindent@subsubsec+\SUF@label@paragraph+1em)}
1646 \setlength\SUF@tocindent@subpar
1647     {\dimexpr(\SUF@tocindent@par+\SUF@label@subparagraph+1em)}
1648 \setlength\SUF@tocindent@fig
1649     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1650 \setlength\SUF@tocindent@tab
1651     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1652 }

```

TOCentries

```

1653 \titlecontents{chapter}
1654     [\SUF@tocindent@chap]
1655     {\advvspace{2ex}}
1656     {\hskip-\SUF@tocindent@chap%
1657         \makebox[\SUF@label@chapter][l]{\thecontentslabel}}%
1658         \hspace*{1em}}
1659     {\hskip-\SUF@tocindent@chap}
1660     {\SUF@chaptitlerule\contentspage}

```

```

1661 [\addvspace{1ex}]
1662 \titlecontents{section}
1663   [\SUF@tocindent@sec]
1664   {}
1665   {\hskip-\dimexpr(\SUF@label@section+1em)%
1666     \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1667   {\hskip-\dimexpr(\SUF@label@section+1em)%
1668     \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1669   {\ifsuftesi@article\SUF@chaptitlerule%
1670     \else\SUF@titlerule\fi\contentspage}
1671 \titlecontents{subsection}
1672   [\SUF@tocindent@subsec]
1673   {}
1674   {\hskip-\dimexpr(\SUF@label@subsection+1em)%
1675     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1676   {\hskip-\dimexpr(\SUF@label@subsection+1em)%
1677     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1678   {\SUF@titlerule\contentspage}
1679 \titlecontents{subsubsection}
1680   [\SUF@tocindent@subsubsec]
1681   {}
1682   {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1683     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1684   {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1685     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1686   {\SUF@titlerule\contentspage}
1687 \titlecontents{paragraph}
1688   [\SUF@tocindent@par]
1689   {}
1690   {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1691     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1692   {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1693     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1694   {\SUF@titlerule\contentspage}

```

```

1695 \titlecontents{subparagraph}
1696   [\SUF@tocindent@subpar]
1697   {}
1698   {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1699     \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}}
1700   {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1701     \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}}
1702   {\SUF@titlerule\contentspage}
1703 \titlecontents{figure}
1704   [\SUF@tocindent@fig]
1705   {}
1706   {\hskip-\SUF@tocindent@fig%
1707     \makebox[\SUF@label@figure][1]{\thecontentslabel}\hspace*{1em}}
1708   {}
1709   {\SUF@titlerule\contentspage}
1710 \titlecontents{table}
1711   [\SUF@tocindent@tab]
1712   {}
1713   {\hskip-\SUF@tocindent@tab%
1714     \makebox[\SUF@label@table][1]{\thecontentslabel}\hspace*{1em}}
1715   {}
1716   {\SUF@titlerule\contentspage}
1717 \fi

```

`\tableofcontents` With article option the toc, lof and lot are printed as sections.

```

\listoffigures 1718 \ifsufts@article
\listoftables 1719 \renewcommand\tableofcontents{%
1720   \vspace{2ex}%
1721   \section*{\contentsname%
1722     \@mkboth{\contentsname}{\contentsname}}%
1723   \thispagestyle{empty}
1724   \@starttoc{toc}%
1725   \vspace{2ex}%
1726   }
1727 \renewcommand\listoffigures{%

```

```

1728 \section*{\listfigurename%
1729     \@mkboth{\listfigurename}{\listfigurename}}%
1730     \thispagestyle{empty}
1731     \@starttoc{lof}%
1732     \vspace{2ex}%
1733 }
1734 \renewcommand\listoftables{%
1735     \section*{\listtablename%
1736         \@mkboth{\listtablename}{\listtablename}}%
1737         \thispagestyle{empty}
1738         \@starttoc{lot}%
1739         \vspace{2ex}%
1740     }
1741 \else

```

The default toc, lof and lot are treated as chapters.

```

1742 \renewcommand\tableofcontents{%
1743     \if@twocolumn
1744         \@restonecoltrue\onecolumn
1745     \else
1746         \@restonecolfalse
1747     \fi
1748     \chapter*{\contentsname%
1749         \@mkboth{%
1750             \contentsname}
1751             {\contentsname}}%
1752         \thispagestyle{empty}
1753     \@starttoc{toc}%
1754     \if@restonecol\twocolumn\fi
1755 }
1756 \renewcommand\listoffigures{%
1757     \if@twocolumn
1758         \@restonecoltrue\onecolumn
1759     \else
1760         \@restonecolfalse

```

```

1761 \fi
1762 \chapter*{\listfigurename%
1763 \mkboth{\listfigurename}%
1764 {\listfigurename}}%
1765 \thispagestyle{empty}
1766 \@starttoc{lof}%
1767 \if@restonecol\twocolumn\fi
1768 }
1769 \renewcommand\listoftables{%
1770 \if@twocolumn
1771 \@restonecoltrue\onecolumn
1772 \else
1773 \@restonecolfalse
1774 \fi
1775 \chapter*{\listtablename%
1776 \mkboth{%
1777 \listtablename}%
1778 {\listtablename}}%
1779 \thispagestyle{empty}
1780 \@starttoc{lot}%
1781 \if@restonecol\twocolumn\fi
1782 }
1783 \fi

```

5.20 New commands

`\chapterintro` A command to typeset an unnumbered section:

```

1784 \ifsufteresi@article
1785 \def\chapterintro{%
1786 \ClassError{sufteresi}
1787 {Command \noexpand\chapterintro is undefined\MessageBreak
1788 using 'documentstructure=article'}
1789 {Command \noexpand\chapterintro is undefined\MessageBreak
1790 using 'documentstructure=article'}}

```

```

1791 \else
1792 \def\chapterintro{
1793   \@ifstar{\@tempswafalse\@chapterintro}{\@tempwattrue\@chapterintro}}
1794 \def\@chapterintro{\phantomsection
1795   \if@tempswa\section*{\SUF@fchapterintriname}\fi
1796   \addcontentsline{toc}{section}{\SUF@fchapterintriname}}
1797 \newcommand{\chapterintriname}[1]{\def\SUF@fchapterintriname{#1}}
1798 \chapterintriname{Introduzione}
1799 \fi

\headbreak   Active in the table of contents but not in the text.

1800 \newif\ifheadbreak\headbreakfalse
1801   \DeclareRobustCommand{\headbreak}
1802     {\ifheadbreak\\\else\fi}

\xheadbreak  Active in the text but not in the table of contents.

1803 \newif\ifxheadbreak\xheadbreaktrue
1804   \DeclareRobustCommand{\xheadbreak}
1805     {\ifxheadbreak\\\else\fi}

\tableofcontents

1806 \let\origtableofcontents\tableofcontents
1807   \renewcommand{\tableofcontents}{%
1808     \begingroup\headbreaktrue\xheadbreakfalse%
1809     \origtableofcontents\endgroup}

  Renew \frontmatter to have arabic page numbering:

1810 \ifsuftesi@article
1811 \renewcommand\frontmatter{\ClassError{suftesi}
1812   {Command \noexpand\frontmatter is undefined\MessageBreak
1813     using 'documentstructure=article'}}
1814   {Command \noexpand\frontmatter is undefined\MessageBreak
1815     using 'documentstructure=article'}}
1816 \renewcommand\mainmatter{\ClassError{suftesi}
1817   {Command \noexpand\mainmatter is undefined\MessageBreak
1818     using 'documentstructure=article'}}

```

```

1819 {Command \noexpand\mainmatter is undefined\MessageBreak
1820       using 'documentstructure=article'}}
1821 \renewcommand\backmatter{\ClassError{suftesi}
1822 {Command \noexpand\backmatter is undefined\MessageBreak
1823       using 'documentstructure=article'}}
1824 {Command \noexpand\backmatter is undefined\MessageBreak
1825       using 'documentstructure=article'}}
1826 \else
1827 \renewcommand\frontmatter{\cleardoublepage\@mainmatterfalse}
1828 \renewcommand\mainmatter{\cleardoublepage\@mainmattertrue}
1829 \fi

```

5.21 Backward compatibility

bibliografia An environment to manually typeset the bibliography. (Use biblatex instead!)

```

1830 \newenvironment{bibliografia}{%
1831   \ifsuftesi@article
1832     \section*{\refname}
1833     \addcontentsline{toc}{section}{\refname}
1834   \else
1835     \chapter{\bibname}%
1836   \fi
1837   \normalfont \list{}{%
1838     \setlength{\itemindent}{-\parindent}
1839     \setlength{\leftmargin}{\parindent}
1840     \setlength{\labelwidth}{\leftmargin}
1841     \setlength{\parsep}{\parskip}
1842     \let\makelabel}}
1843 {}{\endlist}

```

sigle An environment to manually typeset the list of shorthands. (Use biblatex instead!)

```

1844 \newcommand{\losname}{Sigle}
1845 \newcommand{\itlabel}[1]{\itshape\hbox to 6em{#1}}
1846 \newenvironment{sigle}{%

```



```

1847 \chapter{\losname}
1848 \normalfont \list{}{%
1849     \setlength{\labelsep}{0.5em}
1850     \setlength{\itemindent}{0pt}
1851     \setlength{\leftmargin}{6em}
1852     \setlength{\labelwidth}{\leftmargin}
1853     \setlength{\listparindent}{\parindent}
1854     \setlength{\parsep}{\parskip}
1855     \let\makelabel\itlabel}}
1856 {\endlist}

```

5.22 Final settings

In a previous version the `\hemph` command was provided to fix a bug in the hyphenation of some italian expressions like “dell’*encyclopaedia*”. Now the bug has been fixed loading the `fixltxhyph` package by Claudio Beccari. The package must be loaded after `babel` or `polyglossia`:

```

1857 \AtBeginDocument{\RequirePackage{fixltxhyph}}

```

The `\hemph` command is provided only for backward compatibility:

```

1858 \let\hemph\emph

```

The first line of all sections is indented by default using \LaTeX with italian as main language. Anyway this is incongruous with the \LaTeX default.

```

1859 \ifxetex\let\@afterindenttrue\@afterindentfalse\else\fi

```

Just one touch of french typography:

```

1860 \frenchspacing

```

</class>

Change History

v0.5	General: First public release. The frontispiece of <code>suftesi</code> is now included in the package <code>frontespizio</code> . New option <code>fullplain</code> Changed option <code>sctitles</code> 1	
	New command <code>chapnumfont</code> 19	
	New option <code>compact</code> 20	
	New option <code>elements</code> 20	
	New option <code>nocrop</code> 20	
	New option <code>nomarginpar</code> 20	
	New option <code>sufelements</code> 20	
	New option <code>supercompact</code> 20	
v0.6	General: English documentation. Renamed options <code>plain</code> and <code>fullplain</code> to <code>centerheadings</code> and <code>sufplain</code> 1	
	New command <code>\artcolophon</code> 17	
	New command <code>\bookcolophon</code> 17	
	New option <code>authortitle</code> 20	
v0.6a	General: Maintenance release, no changes 1	
v0.6b	General: Improved full compatibility with \LaTeX . <code>varioref</code> and <code>footmisc</code> packages are no longer loaded 1	
v0.6c	General: Maintenance release, no changes 1	
v0.7	General: Maintenance release, no changes. Provided a thesis template 1	
v0.8	General: Added macro for using <code>frontespizio</code> package with <code>compact</code> and <code>supercompact</code> options. 1	
	New option <code>periodical</code> 20	
	Renewed <code>\title</code> command 16	
v0.9	General: Improved compatibility with <code>mathspec</code> 1	
	New option <code>dottedtoc</code> 20	
	New option <code>raggedtoc</code> 20	
v0.9a	General: Added inline option to <code>enumitem</code> package. Deleted <code>centertitle</code> option. Deleted <code>sctitles</code> option. Changed code for <code>toc</code> , <code>lot</code> and <code>lof</code> elements. 1	
	New command <code>\toclabelspace</code> 19	
	New option <code>alignlist</code> 20	
	New option <code>centerchap</code> 20	
	New option <code>centerpart</code> 20	
	New option <code>centersec</code> 20	
	New option <code>defaultparindent</code> 20	
	New option <code>dottedchap</code> 20	
	New option <code>dottedfootnote</code> 20	
	New option <code>dottedpart</code> 20	
	New option <code>indentlist</code> 20	
	New option <code>italicchap</code> 20	
	New option <code>italicheader</code> 20	
	New option <code>italicpart</code> 20	
	New option <code>italicsec</code> 20	
	New option <code>italicsubsec</code> 20	
	New option <code>itstyle(1-12)</code> 20	
	New option <code>numparchap</code> 20	
	New option <code>numparpart</code> 20	
	New option <code>numparsec</code> 20	
	New option <code>ralignquotation</code> 20	
	New option <code>rightchap</code> 20	
	New option <code>rightpart</code> 20	

New option <code>rightsec</code>	20	New option <code>pagestyle</code>	6
New option <code>rmstyle(1-6)</code>	20	New option <code>parindent</code>	12
New option <code>romanchap</code>	20	New option <code>partpage</code>	12
New option <code>scstyle(1-12)</code>	20	New option <code>quotationfont</code>	10
New option <code>smallcapschap</code>	20	New option <code>quotestyle</code>	10
New option <code>smallcapsheader</code>	20	New option <code>tocstyle</code>	9
New option <code>smallcapspart</code>	20	Restored 11pt and 12pt option to default	1
New option <code>smallcapssec</code>	20	The <code>epigraph</code> package is no longer loaded	4
New option <code>smallquotation</code>	20	The <code>mparhack</code> package is no longer loaded. It is not com- patible with <code>crop</code>	4
New option <code>standardfootnote</code>	20		
New option <code>tocpageleft</code>	20	v0.9c	
v0.9b		General: Maintenance release, no changes	1
General: Changed <code>standardfootnote</code> option and renamed to <code>footnotestyle</code>	10	v1.0	
New command <code>\xfootnote</code>	19	General: First stable release. Renamed option <code>bozza</code> to <code>draftdate</code>	12
New option <code>documentstructure</code>	6	v1.1	
New option <code>fewfootnotes</code>	11	General: Added the <code>fixltxhyph</code> package. Documentation updated.	1
New option <code>greekfont</code>	12		

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols			
		\@beginparpenalty	1398
\@Alph	1239, 1252, 1258	\@centercr	1352
\@M	1401	\@chapapp	1238, 1257
\@addtoreset	1372, 1379	\@chapterintro	1793, 1794
\@afterindentfalse	1859	\@ctrerr	1369
\@afterindenttrue	1859	\@date	1010, 1019, 1037, 1046, 1075, 1104, 1133, 1150
\@arabic	841, 843, 845, 847, 849	\@dblarg	967
\@author	305, 309, 977, 1007, 1034, 1101, 1147	\@endparpenalty	1401
		\@fnsymbol	986, 1052, 1110, 1363
		\@headtitle	304, 308, 966, 969
		\@idxitem	1201
		\@ifpackageloaded	901, 933, 1169
		\@ifpackagewith	1156
		\@ifstar	1793
		\@lowpenalty	1398
		\@mainmatterfalse	1827
		\@mainmattertrue	1207, 1828

\@makefnmark	1053, 1111	\appendicesname	1203, 1204	\chapterintro ...	1785, 1787, 1789, 1792
\@makefntext 374, 377, 381, 384, 1054, 1112		\appendix	1235, 1249, 1254	\chapterintroname	1797, 1798
\@makeschapterhead	1192	\appendixname	1238, 1242, 1257	\chaptermark	1267, 1287
\@maketitle 1059, 1061, 1066, 1073, 1078		\appendixpage	1205	\chaptertitlename	1288
\@mkboth	1194,	\arabic	230,	\ClassError	32, 34, 36, 38,
1722, 1729, 1736, 1749, 1763, 1776		239, 251, 260, 272, 281, 336, 343, 350		40, 833, 1364, 1786, 1811, 1816, 1821	
\@plus	1198, 1340	\art@scale	629, 631	\ClassWarningNoLine	970, 974, 978
\@restonecolfalse 1185, 1746, 1760, 1773		\artcolophon	1442	\cleardoublepage	
\@restonecoltrue 1187, 1744, 1758, 1771		\AtBeginDocument	611, 642,	.. 1216, 1225, 1433, 1441, 1827, 1828	
\@standardmaketitle		900, 932, 1155, 1462, 1497, 1627, 1857		\clearpage	1202
..... 1117, 1119, 1124, 1131, 1136		\author	979	\cmdSUF@elements@chapposition ..	
\@starttoc 680, 688	
.. 1724, 1731, 1738, 1753, 1766, 1780				\cmdSUF@elements@chapsize ..	678, 687
\@tempswafalse	1793	B		\colnumber	1058, 1116
\@tempswatruer	1793	\backmatter	1821, 1822, 1824	\colophon	1418
\@textsuperscript 1053, 1056, 1111, 1114		\baselineskip	659,	\columnsep	1200
\@thanks	1012, 1018,	708, 714, 731, 789, 793, 797, 801, 804		\columnseprule	1199
1039, 1045, 1068, 1074, 1126, 1132		bibliografia (environment)	1830	\contentsmargin	1496
\@thefnmark	375,	\bibname	934, 940, 948, 1835	\contentsname 1721, 1722, 1748, 1750, 1751	
379, 382, 385, 1053, 1056, 1111, 1114		\bookcolophon	1434	\contentspage 1215, 1660, 1670,	
\@title . 966, 973, 992, 996, 998, 1001,				1678, 1686, 1694, 1702, 1709, 1716	
1029, 1086, 1090, 1092, 1095, 1142		C		\copyright	1424
\@titlepagefalse	50, 473	\c@chapter	1239, 1258	\csname	968
\@titlepagetrue	471	\c@footnote	986, 1052, 1110		
\@topnum	1065, 1123	\c@paragraph	847		
		\c@section	841, 1252		
		\c@subparagraph	849		
		\c@subsection	843	D	
		\c@subsubsection	845	\date	1020, 1047, 1076, 1134
_ 417, 1288, 1290		\captionsetup	398, 400, 401	\DeclareFontFamily	630
		\chapnumfont	665, 667, 673, 675	\DeclareFontShape	631–640
A		\chapter 682, 718, 724, 789, 793,		\DeclareRobustCommand .. 57, 68, 80,	
\abstractname ... 1400, 1407, 1411, 1417		797, 801, 804, 814, 815, 818, 819,		92, 643, 661, 663, 669, 671, 1801, 1804	
\addfontfeature	662, 664	822, 823, 825, 827, 833, 834, 836,		\DeclareTextFontCommand	645
\Alph	1242	935, 938, 941, 945, 949, 952, 1240,		\defbibheading	902, 905, 908,
\alph	337, 344, 351	1246, 1748, 1762, 1775, 1835, 1847		912, 916, 919, 922, 924, 927, 934,	
\and	1021, 1048, 1077, 1135			937, 940, 944, 948, 951, 954, 957, 961	

\define@choicekey . 45, 54, 115, 133, 153, 171, 179, 187, 195, 203, 211, 219, 227, 248, 269, 290, 314, 333, 357, 364, 371, 387, 395, 404, 410, 426, 433, 443, 450, 456, 462, 468, 475	\finalcolophon 1447	\if@restonecol .. 1202, 1754, 1767, 1781
\definecolor 600, 601	\finalhyphendemerits 1389	\if@tempswa 1795
\dimen 626–628	\fnsymbol 1373	\if@titlepage 981, 1394
\dimen@ 623, 628, 629	\font 622, 625	\if@twocolumn 1057, 1115, 1184, 1406, 1415, 1743, 1757, 1770
\disable@keys 551, 559	\fontencoding 611	\ifheadbreak 1800, 1802
\doublehyphendemerits 1388, 1389	\fontfamily 674	\ifsuftesi@article 6, 739, 747, 832, 899, 994, 1088, 1189, 1248, 1289, 1320, 1669, 1718, 1784, 1810, 1831
E	\fontspec 667	\ifsuftesi@authortitle 7, 1321
\emph 1858	\footnote 985, 1025, 1083, 1141, 1361, 1370	\ifsuftesi@centerheader 4, 1332
\endcsname 968	\footnoterule 984, 1024, 1264	\ifsuftesi@compact 9, 792, 817, 1160, 1173
\endlist ... 1344, 1350, 1360, 1843, 1856	\footnotesize 367, 417, 983, 1023, 1299, 1300, 1304–1306, 1308, 1313–1316, 1385	\ifsuftesi@dottedtoc 13
\endquotation 1415	\frenchspacing 1860	\ifsuftesi@draftdate 28, 1299, 1304, 1313
\ensuremath 1363, 1380	\frontmatter 1811, 1812, 1814, 1827	\ifsuftesi@elementschap 24, 784
environments:	G	\ifsuftesi@elementsheader 25, 1266, 1334, 1383
bibliografia <u>1830</u>	\gdef ... 966, 1238, 1239, 1252, 1257, 1258	\ifsuftesi@elementspagelayout 27, 800
sigle <u>1844</u>	\global 1016–1021, 1043–1048, 1065, 1071–1077, 1123, 1129–1135	\ifsuftesi@elementsstructure ... 26
theindex <u>1183</u>	\greektext 643, 645	\ifsuftesi@fewfootnotes 29, 1362
\ExecuteOptionsX 562	Gregorio, Enrico 99	\ifsuftesi@nocrop 12, 647
\exhyphenpenalty 1387	H	\ifsuftesi@numparchap ... 17, 717, 730
\extramarks 698	\hb@xt@ 1055, 1113	\ifsuftesi@numparpart ... 16, 856, 870
F	\headbreak 1801	\ifsuftesi@numparsec 18, 736
\f@series 644	\headbreakfalse 1800	\ifsuftesi@numparsubsec 19, 753
\f@shape 644	\headbreaktrue 1808	\ifsuftesi@numparsubsubsec .. 20, 768
\fancyfoot 1272, 1298, 1300, 1303, 1308, 1312	\headrulewidth 1263	\ifsuftesi@pagelefttoc 15, 1495
\fancyhead 1273, 1279, 1305, 1306, 1314–1316	\hemph 1858	\ifsuftesi@partpage 30, 850
\fancyhf ... 1271, 1295, 1297, 1302, 1311	\hss 1056, 1114	\ifsuftesi@periodical 8, 788, 813, 1157, 1170
\fancypagestyle 1269, 1295, 1296, 1301, 1310	\ht 623, 626	\ifsuftesi@porson 3, 620
	\hyphenpenalty 1387	\ifsuftesi@raggedtoc 14
	I	\ifsuftesi@smallcapschap 22, 991, 1085
	\if@mainmatter 1330	

<code>\ifsufteresi@smallcapspart</code>	21	<code>\listfigurename</code> .	1728, 1729, 1762–1764	290, 293, 314, 316, 333, 335, 357,	
<code>\ifsufteresi@smallcapssec</code>	23, 995, 1089	<code>\listoffigures</code>	1727, 1756	359, 364, 366, 371, 373, 387, 389,	
<code>\ifsufteresi@standardfont</code>	2, 612	<code>\listoftables</code>	1734, 1769	395, 397, 404, 406, 410, 412, 426,	
<code>\ifsufteresi@sufelements</code>	11, 1234	<code>\listparindent</code> ..	1336, 1337, 1355, 1853	428, 433, 435, 443, 445, 450, 451,	
<code>\ifsufteresi@sufplain</code>	5, 1333	<code>\listtablename</code>		456, 458, 462, 464, 468, 470, 475, 483	
<code>\ifsufteresi@supercompact</code>	1735, 1736, 1775, 1777, 1778		
.....	10, 796, 821, 1163, 1176	<code>\LoadClass</code>	44	O	
<code>\ifxetex</code>	606, 660, 1859	<code>\losname</code>	905,	<code>\oldfootnote</code>	1361, 1373, 1380
<code>\ifxheadbreak</code>	1803, 1805	912, 919, 937, 944, 951, 1844, 1847		<code>\oldmarginpar</code>	1390, 1391
<code>\ignorespaces</code>	1343, 1349			<code>\onecolumn</code>	1202, 1744, 1758, 1771
<code>\index</code>	1432	M		<code>\origtableofcontents</code>	1806, 1809
<code>\indexname</code>	1190, 1192, 1194	<code>\mainmatter</code>	1816, 1817, 1819, 1828		
<code>\item</code>	1201, 1341, 1348, 1358	<code>\makelabel</code>	1842, 1855	P	
<code>\itemindent</code>	1337, 1354, 1355, 1838, 1850	<code>\MakeTextLowercase</code> ..	662, 664, 670, 672	<code>\p@</code>	623, 626–628, 988, 1027, 1198, 1200, 1340
<code>\itemsep</code>	1353	<code>\maketitle</code>	982, 1017, 1044, 1050, 1072, 1130	<code>\pagestyle</code>	1262, 1331–1334
<code>\itlabel</code>	1845, 1855	<code>\Margini</code>	1158, 1161, 1164, 1171, 1174, 1177	Pantieri, Lorenzo	99
<code>\itshape</code>		<code>\marginpar</code>	408, 1390, 1391	<code>\paragraph</code>	885, 891
191, 199, 207, 215, 223, 321, 322,		<code>\marginparsep</code>	689, 1276, 1282	<code>\parsep</code>	1340, 1841, 1854
332, 704, 889, 1277, 1283, 1384, 1845		<code>\marginparwidth</code>	1277, 1282, 1283	<code>\parskip</code>	1198, 1841, 1854
		<code>\markboth</code>	904, 907, 911,	<code>\part</code>	853, 854, 857, 863, 871, 877
		915, 936, 939, 943, 947, 1267, 1288		<code>\partname</code> ..	859, 865, 873, 879, 1228, 1490
L		<code>\markright</code>	918,	<code>\PassOptionsToClass</code>	41
<code>\labelitemi</code>	330	921, 950, 953, 956, 960, 1268, 1290		<code>\phantomsection</code>	1794
<code>\labelsep</code>	1849	Miede, André	99	<code>\ProcessOptionsX</code>	588
<code>\labelwidth</code>	1840, 1852			<code>\protect</code>	970, 974, 978
<code>\LARGE</code>	1029, 1142, 1222	N		<code>\put</code>	688, 1275, 1281
<code>\Large</code>	57, 683	<code>\newlength</code>	658, 1457, 1460,		
<code>\LaTeX</code>	1428	1463–1470, 1498–1513, 1628–1635		Q	
<code>\leftmargin</code>	1338, 1346,	<code>\noindent</code>	1054, 1112,	<code>\quotation</code>	1413
1356, 1357, 1839, 1840, 1851, 1852		1343, 1424, 1428, 1438, 1440, 1446			
<code>\leftmark</code>	1277, 1330	Nowacki, Janusz M.	5	R	
<code>\leftskip</code>	378	<code>\nr</code>	45, 47, 54, 56, 115, 117, 133, 135, 153,	<code>\raggedleft</code>	1283, 1392
<code>\lineskip</code> ..	1005, 1032, 1099, 1145, 1386	155, 171, 172, 179, 180, 187, 188,		<code>\raggedright</code>	1196, 1277, 1393
<code>\lineskiplimit</code>	1386	195, 196, 203, 204, 211, 212, 219,		<code>\refname</code>	902, 908, 916, 922,
<code>\list</code>	1336, 1346, 1353, 1837, 1848	220, 227, 229, 248, 250, 269, 271,		924, 927, 954, 957, 961, 1832, 1833	

<code>\renewenvironment</code>	1183, 1335, 1345, 1351	<code>\standardtitle</code>	1022, 1108	<code>\SUF@dotchap</code>	252, 255, 258, 261, 264, 267, 720, 726
<code>\rightmargin</code>	360, 1356	<code>\strip@pt</code>	629	<code>\SUF@dotpart</code>	231, 234,
<code>\rightmark</code>	294, 298, 1283, 1330	<code>\subparagraph</code>	892, 898		237, 240, 243, 246, 859, 865, 873, 879
<code>\rlap</code>	1053, 1111	<code>\subsection</code>	703,	<code>\SUF@dotsec</code>	273, 276, 279, 282, 285, 288, 740, 748
<code>\Roman</code>	236, 245, 257, 266, 278, 287		708, 754, 759, 761, 766, 923, 925, 928	<code>\SUF@elements@CHAPTER</code>	681, 786
<code>\roman</code>	233,	<code>\subsubsection</code>	709, 714, 769, 774, 776, 781	<code>\SUF@elements@SECTIONS</code>	696, 787
	242, 254, 263, 275, 284, 338, 345, 352	<code>\SUF@addto@tochang@chap</code>	1506,	<code>\SUF@fchapterintroname</code>	1795–1797
<code>\rule</code>	694, 1245		1530, 1533, 1543, 1545, 1552, 1557	<code>\SUF@greekfamily</code>	436, 438, 441, 644
S					
<code>\sbox</code>	621, 622, 624, 625	<code>\SUF@addto@tochang@fig</code>	1512, 1542, 1614	<code>\SUF@headingsmallcaps</code>	325–327, 663, 671
<code>\section</code>	697, 702,	<code>\SUF@addto@tochang@par</code>	1510, 1538, 1541, 1594, 1597	<code>\SUF@label@chapter</code>	1457–
	737, 743, 745, 751, 903, 906, 909,		1507, 1532, 1535, 1564, 1567		1459, 1472, 1474, 1515, 1543,
	913, 917, 920, 955, 958, 962, 1190,	<code>\SUF@addto@tochang@subpar</code>	1511, 1540, 1604, 1607		1545, 1553, 1637, 1649, 1651, 1657
	1407, 1721, 1728, 1735, 1795, 1832		1508, 1534, 1537, 1574, 1577	<code>\SUF@label@figure</code>	1469, 1483, 1707
<code>\sectionmark</code>	1268, 1290, 1292	<code>\SUF@addto@tochang@subsec</code>	1509, 1536, 1539, 1584, 1587	<code>\SUF@label@paragraph</code>	1467, 1479, 1482, 1523,
<code>\sectionsep</code>	658, 659, 743,		1509, 1536, 1539, 1584, 1587		1539, 1595, 1598, 1645, 1690–1693
	751, 759, 766, 774, 781, 854, 891, 898	<code>\SUF@addto@tochang@tab</code>	1513, 1544, 1622	<code>\SUF@label@part</code>	1229, 1463, 1471, 1491
<code>\setlength</code>	446, 448,	<code>\SUF@ADJnumparchap</code>	731, 733, 814, 818, 822, 826	<code>\SUF@label@section</code>	1464, 1473, 1476, 1484, 1486,
	659, 685, 1270, 1458, 1459, 1461,		1203, 1218, 1222		1517, 1533, 1543, 1545, 1565,
	1471, 1473, 1475, 1477, 1479,	<code>\SUF@appendices</code>	1205, 1206		1568, 1639, 1649, 1651, 1665–1668
	1481, 1483, 1485, 1514, 1516,	<code>\SUF@appendixpage</code>	197, 199, 201, 722, 728	<code>\SUF@label@subparagraph</code>	1468, 1481, 1525,
	1518, 1520, 1522, 1524, 1526,	<code>\SUF@CHAP@StyleSwitch</code>	666, 674, 686		1541, 1605, 1608, 1647, 1698–1701
	1528, 1530, 1532, 1534, 1536,		57, 68, 80, 92,	<code>\SUF@label@subsection</code>	1465, 1475, 1478, 1519,
	1538, 1540, 1542, 1544, 1636,	<code>\SUF@chapnumfont</code>	719, 725, 858, 864, 872, 878, 990, 1084		1535, 1575, 1578, 1641, 1674–1677
	1638, 1640, 1642, 1644, 1646,	<code>\SUF@chaptersize</code>	414, 418, 422, 1660, 1669	<code>\SUF@label@subsubsection</code>	1466, 1477, 1480, 1521,
	1648, 1650, 1838–1841, 1849–1854	<code>\SUF@chaptitlerule</code>	716, 811		1537, 1585, 1588, 1643, 1682–1685
<code>\setlist</code>	331, 332, 336–341, 343–348, 350–355	<code>\SUF@default@CHAPTER</code>	735, 812	<code>\SUF@label@table</code>	1470, 1485, 1615, 1623, 1714
	618				
<code>\sfdefault</code>	618				
<code>\single (environment)</code>	1844				
<code>\small</code>	369, 983, 1005,				
	1010, 1023, 1099, 1104, 1242,				
	1244, 1409, 1428, 1440, 1446, 1452				

\SUF@leftmark	\SUF@thechapter	\SUF@tocindent@sec
..... 295, 299, 305, 309, 1322, 1327	251, 254, 1629, 1638, 1641, 1663
\SUF@leftrightmark 295, 299, 1329	257, 260, 263, 266, 690, 720, 726, 1288	\SUF@tocindent@subpar 1633, 1646, 1696
\SUF@Lheadstyle	\SUF@thepage	\SUF@tocindent@subsec
... 295, 299, 305, 309, 318, 322, 326 319, 323, 327, 1300, 1308, 1314 1630, 1640, 1643, 1672
\SUF@lr@CHAPSwitch	\SUF@thepart	\SUF@tocindent@subsubsec
136, 138, 140, 142, 145, 148, 719, 725	230, 233, 1631, 1642, 1645, 1680
\SUF@LR@MarkSwitch	236, 239, 242, 245, 859, 865, 873, 879	\SUF@tocindent@tab
..... 1307, 1317, 1322, 1324, 1327	\SUF@thesection 272, 275, 278, 1635, 1650, 1711, 1713
\SUF@lr@PARTSwitch 118, 120,	281, 284, 287, 739, 747, 1252, 1290	\SUF@versionstring
122, 124, 127, 130, 858, 864, 872, 878	\SUF@titlerule . 413, 417, 421, 1670, 1265, 1299, 1304, 1313
\SUF@lr@SECSwitch	1678, 1686, 1694, 1702, 1709, 1716	\suftesi@articletrue
156, 158, 160, 162, 165, 168, 738, 746	\SUF@titlesmallcaps	49
\SUF@lr@SUBSECSwitch	201, 209, 217, 225, 661, 669, 693,	\suftesi@authoritletrue ... 303, 307
..... 173, 175, 177, 755, 762	701, 992, 996, 1086, 1090, 1242, 1244	\suftesi@centerheadertrue .. 297, 310
\SUF@lr@SUBSUBSECSwitch	\SUF@tochang 1460, 1461, 1515, 1531	\suftesi@compacttrue
..... 181, 183, 185, 770, 777	\SUF@tochang@chap 1498, 1514,	79
\SUF@mpsetup	1517, 1527, 1529, 1548, 1550, 1555	\suftesi@dottedtocttrue
1382, 1392, 1393	\SUF@tochang@fig 1504, 1526, 1611, 1613	416
\SUF@PART@StyleSwitch 189, 191, 193,	\SUF@tochang@par	\suftesi@draftdatetrue
859, 861, 865, 867, 873, 875, 879, 881	.. 1502, 1522, 1525, 1591, 1593, 1596	465
\SUF@quotation@size	\SUF@tochang@sec	\suftesi@elementschaptrue
..... 367, 369, 1342, 1349, 1359	.. 1499, 1516, 1519, 1561, 1563, 1566	151
\SUF@quote@style .. 360, 362, 1339, 1347	\SUF@tochang@subpar	\suftesi@elementshdetrue ... 312
\SUF@Rheadstyle 1503, 1524, 1601, 1603, 1606	\suftesi@elementspagelayouttrue 103
... 294, 298, 304, 308, 317, 321, 325	\SUF@tochang@subsec	\suftesi@fewfootnotetrue 390
\SUF@rightmark 1500, 1518, 1521, 1571, 1573, 1576	\suftesi@nocropttrue
. 294, 298, 304, 308, 1305, 1315, 1324	\SUF@tochang@subsubsec	460
\SUF@SEC@StyleSwitch 1501, 1520, 1523, 1581, 1583, 1586	\suftesi@numparchaptrue 143, 146, 149
..... 205, 207, 209, 742, 750	\SUF@tochang@tab 1505, 1528, 1619, 1621	\suftesi@numparpartrue 125, 128, 131
\SUF@SUBSEC@StyleSwitch	\SUF@tocindent@chap ... 1628, 1636,	\suftesi@numparsecttrue . 163, 166, 169
..... 213, 215, 217, 758, 765	1639, 1649, 1651, 1654, 1656, 1659	\suftesi@pagelefttocttrue
\SUF@SUBSUBSEC@StyleSwitch	\SUF@tocindent@fig	452
..... 221, 223, 225, 773, 780 1634, 1648, 1704, 1706	\suftesi@periodicaltrue
	\SUF@tocindent@par	67
 1632, 1644, 1647, 1688	\suftesi@porsontrue
		439
		\suftesi@raggedtocttrue
		420
		\suftesi@standardfonttrue
		430
		\suftesi@sufplaintrue
		301
		\suftesi@supercompacttrue
		91

T		U	
<code>\tableofcontents</code>	1719, 1742, 1806, 1807	<code>\thepage</code>	319, 323, 327, 1272
<code>\temp</code>	622, 625	<code>\theparagraph</code>	846, 849, 887
<code>\textbullet</code>	330	<code>\thesection</code>	699, 740, 748, 840, 843
<code>\textcolor</code>	690	<code>\thesubparagraph</code>	848, 894
<code>\textgreek</code>	645	<code>\thesubsection</code>	705, 756, 763, 842, 845
<code>\textls</code>	670, 672	<code>\thesubsubsection</code>	711, 771, 778, 844, 847
<code>\textnormal</code>	699, 705, 711, 756, 763, 771, 778	<code>\title</code>	966–968, 971, 975
<code>\textsc</code>	233, 242, 254, 263, 275, 284	<code>\titleclass</code>	853
<code>\textsf</code>	1431	<code>\titlecontents</code>	1208, 1226, 1488, 1547, 1560, 1570, 1580, 1590, 1600, 1610, 1618, 1653, 1662, 1671, 1679, 1687, 1695, 1703, 1710
<code>\textsuperscript</code>	385	<code>\titleformat</code>	682, 697, 703, 709, 718, 724, 737, 745, 754, 761, 769, 776, 857, 863, 871, 877, 885, 892, 1240
<code>\texttt</code>	1265	<code>\titlerule</code>	413, 414, 417, 418
<code>\thanks</code>	985, 1016, 1025, 1043, 1071, 1083, 1129, 1141	<code>\titlespacing</code>	702, 708, 714, 743, 751, 759, 766, 774, 781, 789, 793, 797, 801, 804, 814, 815, 818, 819, 822, 823, 825, 827, 854, 891, 898, 1246
<code>\thechapter</code>	1239, 1258	<code>\toclabelwidth</code>	1459
<code>\thecontentslabel</code>	1229, 1491, 1553, 1565, 1568, 1575, 1578, 1585, 1588, 1595, 1598, 1605, 1608, 1615, 1623, 1657, 1666, 1668, 1675, 1677, 1683, 1685, 1691, 1693, 1699, 1701, 1707, 1714	<code>\today</code>	1265
<code>\thecontentspage</code>	1551, 1556, 1564, 1567, 1574, 1577, 1584, 1587, 1594, 1597, 1604, 1607, 1614, 1622	<code>\tolerance</code>	1387
<code>\thefootnote</code>	986, 1052, 1110, 1373, 1380	<code>\tw@</code>	622, 623, 625, 626
<code>theindex (environment)</code>	1183	<code>\twocolumn</code>	1061, 1119, 1190, 1192, 1754, 1767, 1781
		<code>\unitlength</code>	685, 1270
		<code>\usefont</code>	644
		V	
		<code>\val</code>	45, 54, 115, 133, 153, 171, 179, 187, 195, 203, 211, 219, 227, 248, 269, 290, 314, 333, 357, 364, 371, 387, 395, 404, 410, 426, 433, 443, 450, 456, 462, 468, 475
		X	
		<code>\xfootnote</code>	1376
		<code>\xheadbreak</code>	1804
		<code>\xheadbreakfalse</code>	1305, 1306, 1315, 1316, 1808
		<code>\xheadbreaktrue</code>	1803
		<code>\XKV@useoption</code>	589–598
		Y	
		<code>\year</code>	1424
		Z	
		Zapf, Hermann	5