

User's Guide to *suftesi*^{*}

A document class for typesetting theses, books and articles

Ivan Valbusa
ivan dot valbusa at univr dot it

2012/09/25

Abstract

The *suftesi* class provides a set of page layouts, title styles and heading styles to typeset theses, books and articles. It is based on the standard book class and inspired by the works of Bringhurst (1996), Tschichold (1975) and Morison (1936). See the template file `tesi.tex` in the `example` folder.

Contents

1 Class features	3
1.1 Layout	3
1.2 Font	4
1.2.1 Using different fonts	4
1.2.2 Greek alphabet	4
1.3 Frontispiece	4
2 Options	2
2.1 Page Styles	2
2.2 Titles	2
2.3 Headings	3
2.4 Footnotes, lists, quotations	4
2.5 Fonts	4
2.6 Other options	8
2.7 Pre-defined styles	8
3 New commands	8
3.1 Obsolete options	10
References	44
A The Code	44
A.1 Document structure	45
A.2 Page layout	45
A.3 Sections style	46
A.4 Sections font	48
A.5 The number style for part, chapter and section	48

*This document corresponds to *suftesi* v0.9c dated 2012/09/25

A.5.1	Part number style	48
A.5.2	Chapter number style	49
A.5.3	Section number style	49
A.6	Headers	50
A.6.1	Header style	50
A.6.2	Header font	50
A.7	Text elements	50
A.7.1	Lists	51
A.7.2	Block quotations	51
A.7.3	Footnotes	51
A.7.4	Captions	52
A.7.5	Marginal notes	52
A.7.6	Table of contents	52
A.8	Fonts	53
A.8.1	Roman fonts	53
A.8.2	Greek fonts	53
A.9	Other options	53
A.9.1	\parindent selection	53
A.9.2	Part page	53
A.9.3	Crop marks	53
A.9.4	Titlepage	54
A.9.5	Bozza	54
A.9.6	Pre-defined styles	54
A.10	Basic packages	56
A.11	Greek fonts	56
A.12	Page layout	57
A.13	Section titles	57
A.14	Title page	64
A.15	Frontispiece	66
A.16	Appendix	67
A.17	Headings	68
A.18	Text elements	70
A.18.1	Block Quotations	70
A.18.2	Marginal notes	71
A.18.3	Abstract	71
A.18.4	Colophon	72
A.19	TOC, LOF, LOT	73
A.19.1	The <code>tocpageleft</code> table of contents	74
A.19.2	The default table of contents	76
A.20	New commands	79
A.21	Backward compatibility	80
A.22	Final settings	81

Note on copyright

Copyright © 2009-2010 Ivan Valbusa. This package is author-maintained. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c.¹

¹<http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt>.

		Options				
		(mm) standard	periodical	compact	supercompact	(pt) elements
Text width		110	110	110	100	251
Text height		220	165	165	150	502
Page width		210	170	160	140	374
Page height		297	240	240	210	648
Proportions						
Margins	top/bottom inner/outer	1/2 1/2	2/3 2/3	2/3 2/3	2/3 2/3	1/2 2/5
Text block		1/2	2/3	2/3	2/3	1/2
Page		1/ $\sqrt{2}$	2/3	2/3	2/3	1/ $\sqrt{3}$

Table 1: The layouts of `suftesi`

In addition to the terms of this license the author requires an attribution notice like the following one:

This work has been typeset with L^AT_EX, using the `suftesi` class by Ivan Valbusa.²

The most important feature of this class is the set of styles it provides. For this reason:

DO NOT MODIFY THE STYLES OF THIS CLASS
IF YOU DO NOT LIKE THESE STYLES, USE ANOTHER CLASS.

If you use `suftesi` in a document typeset with another class (for example `book`), remember to clean up the preamble from all the layout redefinitions.

Loaded packages

The class loads the following packages: `beramono`, `caption`, `color`, `enumitem`, `emptypage`, `fancyhdr`, `fontenc`, `geometry`, `ifluatex`, `ifxetex`, `iwona`, `mathpazo`, `microtype`, `multicol`, `titlesec`, `titletoc`.

1 Class features

1.1 Layout

The standard document classes allow you to typeset beautiful documents but their layout is quite far from the stylistic requests of some humanists (mainly Italian). The styles provided by `suftesi` are very simple and sober and also have the aim of finding an aesthetic harmony in its formal simplicity. They are largely inspired by some interesting readings, particularly Bringhurst (1996), Tschichold (1975) and Morison (1936). Table 1 summarizes the main features of the styles provided by `suftesi`.

²You can use the `\colophon`, `\bookcolophon` or `\artcolophon` commands explained in section 3.

1.2 Font

The default font for body text is Palatino designed by Hermann Zapf. Using \LaTeX , the \TeX default font is loaded and the font options are turned off. The sans serif font is Iwona designed by Janusz M. Nowacki. This choice has been inspired by *L'arte di scrivere con \TeX* (Pantieri and Gordini 2011).

1.2.1 Using different fonts

If you prefer to use other fonts (such as those provided by `fourier` or `libertine` packages), remember to load the `defaultfont=cmodern` class option which turns off the default font settings. Moreover pay particular attention in choosing the Greek font.

1.2.2 Greek alphabet

The default font for the Greek text is Artemisia by the Greek Font Society which is particularly suitable for Palatino:

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωρίζουμε ότι υπαρχει το ολοκληρωμα.

With the `porson` option you can use the Porson font by the Greek Font Society:

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωρίζουμε ότι υπαρχει το ολοκληρωμα.

The `defaultgreek` option allows you to use the standard CB Greek font:³

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωρίζουμε ότι υπαρχει το ολοκληρωμα.

1.3 Frontispiece

The class has an original frontispiece now directly available loading the `frontespizio` package (Gregorio 2009)⁴ with the `suftesi` option (see the `tesi.tex` template file in the `example` folder):

```
\usepackage[suftesi]{frontespizio}
```

³This option is also activated by the `defaultfont` option (see section 2).

⁴Version 1.4 or later.



University of St. Anford
Department of Typography

Ph.D. degree in T_EX and L^AT_EX

How to prepare a formal frontispiece

Theory and practice

Candidate:
Enrico Gregorio

Thesis advisor:
Prof. R. J. Drofnats

Research supervisors:
J. H. Quick
B. L. User

Thesis submitted in 2010

2 Options

In addition to the options defined by the book document class, `suftesi` accepts the following new options.

2.1 Page Styles

`documentstructure=book, article` default: book

`book` For typesetting texts with chapters

`article` This option is particularly suitable to typeset articles or short theses (that is without chapter division).

`pagelayout=default, periodical, compact, supercompact, elements` default: default

`standard` Prints an A4 typeblock (see 1 for details).

`periodical` Prints a typeblock of 17cm × 24cm on an A4 paper, showing the crop marks (see table 1 for details). This style is especially meant for theses. The `crop=false` option disables the crop marks.

`compact` The same as `periodical` but with a typeblock of 16cm × 24cm (see table 1 for details).

`supercompact` The same as `compact` but with a typeblock of 14cm × 21cm (see table 1 for details).

`elements` Prints a typeblock with the layout of *The Elements of Typographic Style* by Robert Bringhurst (see table 1 for details)..

`crop=true, false` default: true

`true` Prints the output on a A4 paper, showing the crop marks.

`false` Prints a PDF with page dimensions according to the `pagelayout` option.

2.2 Titles

`<level>font=roman, italic, smallcaps` default: roman

`roman` Prints the `<level>` title in roman

`italic` Prints the `<level>` title in *italic*

`smallcaps` Prints the `<level>` title in SMALL CAPS

Where `<level>` can be `part, chap, sec, subsec, subsubsec`.

`<level>style=left, center, right, parleft, parcenter, parright` default: left

`left` Aligns the `<level>` title on the left

`center` Centers the `<level>` title

`right` Aligns the `<level>` title on the right

Where `<level>` can be `part, chap, sec subsec, subsubsec`.

parleft As `left` but with the title below the number
parcenter As `center` but with the title below the number
parright As `right` but with the title below the number
elements Print a chapter number in the style of the *Elements of Typographic Style* by Robert Bringhurst.

Where `<level>` can be `part`, `chap`, `sec`.

`<level>numstyle=arabic, roman, Roman, dotarabic, dotroman,` default: `Roman/arabic/arabic`
`dotRoman`

arabic Arabic `<level>` number
roman Small caps lowercase roman `<level>` number
Roman Uppercase roman `<level>` number
dotarabic As `arabic` but followed by a dot
dotroman As `roman` but followed by a dot
dotRoman As `Roman` but followed by a dot

Where `<level>` can be `part`, `chap`, `sec`.

`tocstyle=standard, dotted, ragged, pageleft` default: `standard`

standard Prints a standard table of contents with page numbers on the right margin
dotted As the previous one but with dotted lines.
ragged Aligns the table of contents on the left as suggested by Bringhurst (1996).
pageleft Prints a table of contents with page numbers on the left margin.

2.3 Headings

`headerstyle=inner, center, plain, authortitleinner,` default: `inner`
`authortitlecenter`

inner Prints the chapter title and the string “Chapter *n*” in the inner side respectively of even and odd headers, and the page number in the outer side.
center Centers the header and footer and puts the page number in the center of the footer
plain Prints no headers and puts the page number in the center of the footer.
authortitleinner Prints the author’s name on the even pages and the title on the odd ones. In order to use this option the `\title` and `\author` commands are required
authortitlecenter As the previous one but with centered headers and footers.
elements Prints the chapter title and the section title in the margin respectively of even pages and odd pages. The page number is put in the outer side of the footer. This is the style loaded by the option `style=elements`.

`headerfont=roman, italic, smallcaps` default: `roman`

roman Prints the headers in `roman`
italic Prints the headers in `italic`
smallcaps Prints the headers in `SMALL CAPS`

2.4 Footnotes, lists, quotations

`quotestyle=center, right` default: center

- `center` Indents the block quotations on both the left and right margins
- `right` Indents the block quotations only on the left margin

`quotesize=footnotesize, small` default: footnotesize

- `footnotesize` Prints the block quotations in \footnotesize size
- `small` Prints the block quotations in \small size

`footnotestyle=bulged, hung, dotted, superscript` default: bulged

- `bulged` The footnote number protrudes beyond the left margin.
- `hung` Indents the footnote text, so it will ‘hang’ under the first line of the text.
- `dotted` The footnote number is aligned to the left margin and followed by a dot.
- `superscript` Prints a superscript footnote number aligned to the left margin

`fewfootnotes=true, false` default: false

Uses symbols instead of numbers to mark footnotes It is active only if your document has three footnotes per page maximum. The symbol sequence is: *, **, ***. With more footnotes you should not need this option.

`liststyle=bulged, aligned, indented` default: bulged

- `bulged` The item number or symbol protrudes beyond the left margin.
- `aligned` Aligns the lists to the left margin
- `indented` Prints standard indented lists

`captionstyle=standard, elements` default: standard

- `standard` Prints a standard caption in small size.
- `elements` As the previous one but in sanserif font.

2.5 Fonts

`defaultfont=palatino, lmodern, cmodern` default: palatino

- `palatino` Loads the Palatino font.
- `cmodern` Loads the L^AT_EX standard Computer Modern.

`greekfont=artemisia, porson, cbgreek, cbgreeklmr` default: artemisia

- `artemisia` Loads the Artemisia font.
- `porson` Loads the Porson font.
- `cbgreek` Loads the standard CB Greek font.

2.6 Other options

<code>marginpar=true, false</code>	default: true
true	Prints the marginal notes.
false	Hide the marginal notes.
<code>partpage=true, false</code>	default: false
This option is active only with <code>documentstructure=article</code> .	
true	Prints the part title in a separate page as in <code>documentstructure=book</code>
false	Prints the part title as in <code>article</code> class.
<code>parindent=compact, wide</code>	default: compact
compact	Sets <code>\parindent</code> to 1 em.
wide	Sets <code>\parindent</code> to 1.5 em.
<code>bozza</code>	Prints “Version of <i><date></i> ” in the footer.

2.7 Pre-defined styles

You can get up to 120 variants combining these styles with `dottedchap` and `romanchapnum` options.

<code>style=roman(1-6), italic(1-12), smallcaps(1-6), elements, sufelements</code>	default: roman1
roman(1-6)	The titles of chapters and headers are printed in roman. The number of the chapter is on the same line in styles 1-3 and above the title in styles 4-6. The title can be printed on the left (styles 1 and 4), in the center (styles 2 and 5) or on the right (styles 3 and 6) (see pages 11-).
italic(1-12)	The titles of chapters and headers are in <i>italic</i> . The section title is in <i>italic</i> in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the number as above (see pages 11-).
smallcaps(1-12)	The titles of chapters and headers are in SMALL CAPS. The title of the section is in <i>italic</i> in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the chapter as above (see pages 11-).
elements	Reproduces the style of Bringhurst (1996)
sufelements	Loads <code>headerstyle=smallcaps, chapfont=smallcaps, secfont=smallcaps subsecfont=italic</code> and <code>chaptstyle=elements</code> options.

3 New commands

The class defines the following new commands.

`\title[<short title for headers>]{<complete title for titlepage>}`

This command is for use with option `authortitle` if the title is too long or has some breaks.

`\colophon[⟨OS⟩]{⟨name and surname⟩}{⟨additional info⟩}`

This command is provided only for Italian documents. It prints a page with a copyright notice and the colophon in the bottom. For different languages use the `\bookcolophon` instead (see below).

If you don't like the copyright notice, leave the second argument of the command empty:

```
\colophon[⟨OS⟩]{}{⟨additional info⟩}
```

With the `article` option, you can use the `\artcolophon` command (see below) or the `\thanks` command:

```
\author{⟨Name Surname⟩}
\thanks{This work has been typeset with \LaTeX,
using the \textsf{suftesi} class by Ivan Valbusa.}
```

`\bookcolophon[⟨copyright notice⟩]{⟨attribution notice and other informations⟩}`

This command is similar to `\colophon` but it is completely customizable. The first argument prints its content (usually the copyright notice) in the center of the page. The second argument prints its content at the bottom. For example:

```
\bookcolophon{Copyright © 2007 by Ivan Valbusa}{
  This work has been typeset with \LaTeX, using the \textsf{suftesi} class by
  Ivan Valbusa\index{Valbusa, Ivan}. The normal font is Palatino by
  Hermann Zapf. The sans serif font is Iwona by Janusz M. Nowacki.}
```

`\artcolophon[⟨copyright notice, attribution and other informations⟩]`

This command only has one argument. It simply prints its content at the bottom of the page. Here is an example:

```
\artcolophon{
  This work is licensed under the Creative Commons
  Attribution-NonCommercial-NoDerivs 3.0 Unported License. To view a copy
  of this license, visit

  \begin{center}
  \texttt{http://creativecommons.org/licenses/by-nc-nd/3.0/}
  \end{center}

  or send a letter to Creative Commons, 444 Castro Street, Suite 900,
  Mountain View, California, 94041, USA.\\\[1ex]

  Typeset with \LaTeX, using the \textsf{suftesi} class by Ivan Valbusa.}
```

`\finalcolophon[⟨colophon content⟩]`

The same as `\artcolophon`, but centering its content at the top of the page. It is aimed at typesetting a classical *colophon* at the end of the work.

`\chapterintro`

Prints an unnumbered introduction at the beginning of the chapter, with the correct hyperlink. In order to use this command the `hyperref` package must be loaded.

`\chapterintroname{<name>}` (default=Introduzione)

Changes in `<name>` the title printed by the `\chapterintro` command.

`\appendicesname{<name>}` (default=Appendici)

Changes in `<name>` the title printed by the `\appendix` command.

`\headbreak`

A manual break which is active for the table of contents but not in the text or in the headers.

`\xheadbreak`

A manual break which is active in the text and in the headers but not in the table of contents.

`\chapnumfont{<name>}`

Sets the font of the chapter number of `style=elements` and `style=sufelements` styles. The default is “`pplj`” (L^AT_EX) or “`Junicode`” (X^AL^ET_EX).

```
\chapnumfont{pplj}
\chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
```

`\toclabelspace{<level>}{<label-width>}`

Sets the width of `\thecontentslabel`. The default values are:

```
\toclabelwidth{part}{1em}
\toclabelwidth{chapter}{1em}
\toclabelwidth{section}{1.5em}
\toclabelwidth{subsection}{2em}
\toclabelwidth{subsubsection}{2.5em}
\toclabelwidth{paragraph}{3em}
\toclabelwidth{subparagraph}{3.5em}
```

`\xfootnote{<symbol>}{<footnote text>}`

A command to print a footnote with a discretionary symbols instead of numbers to mark footnotes. It does not increment the footnote counter.

```
\xfootnote{\dagger}{The text of the footnote.}
```

3.1 Obsolete options

<code>defaultparindent</code>	→ <code>parindent=compact.</code>	<code>alignlist</code>	→ <code>liststyle=aligned</code>
<code>ralignquotation</code>	→ <code>quotestyle=right</code>	<code>artemisia</code>	→ <code>greekfont=artemisia.</code>
<code>smallquotation</code>	→ <code>quotesize=small</code>	<code>porson</code>	→ <code>greekfont=porson.</code>
<code>standardfootnote</code>	→ <code>footnotes=superscript</code>	<code>defaultgreek</code>	→ <code>greekfont=cbgreek.</code>
<code>dottedfootnote</code>	→ <code>footnotes=dot</code>	<code>defaultfont</code>	→ <code>defaultfont=cm.</code>
<code>indentlist</code>	→ <code>liststyle=indented</code>	<code>centerpart</code>	→ <code>partstyle=center.</code>
		<code>centerchap</code>	→ <code>chapstyle=center.</code>
		<code>centersec</code>	→ <code>secstyle=center.</code>
		<code>rightpart</code>	→ <code>partstyle=right.</code>

<code>rightchap</code>	→ <code>chapstyle=right.</code>	<code>authortitle</code>	→ <code>headerstyle</code>
<code>rightsec</code>	→ <code>seccstyle=right.</code>	<code>periodical</code>	→ <code>pagestyle=periodical</code>
<code>numparpart</code>	→ <code>partnumposition=above.</code>	<code>compact</code>	→ <code>pagestyle=compact</code>
<code>numparchap</code>	→ <code>chapnumposition=above.</code>	<code>supercompact</code>	→ <code>pagestyle=supercompact</code>
<code>numparsec</code>	→ <code>secnumposition=above.</code>	<code>dottedtoc</code>	→ <code>tocstyle=dotted</code>
<code>smallcapspart</code>	→ <code>partstyle=smallcaps.</code>	<code>raggedtoc</code>	→ <code>tocstyle=ragged</code>
<code>smallcapschap</code>	→ <code>chapstyle=smallcaps.</code>	<code>tocpageleft</code>	→ <code>tocstyle=pageleft</code>
<code>smallcapssec</code>	→ <code>subsecstyle=smallcaps.</code>	<code>dottedpart</code>	→ <code>partnumstyle=dotarabic</code>
<code>italicpart</code>	→ <code>partstyle=italic.</code>	<code>elements</code>	→ <code>documentstructure=elements</code>
<code>italicchap</code>	→ <code>chapsecstyle=italic.</code>	<code>nomarginpar</code>	→ <code>marginpar=false.</code>
<code>italicsec</code>	→ <code>seccstyle=italic.</code>	<code>nocrop</code>	→ <code>crop=false</code>
<code>italicsubsec</code>	→ <code>subsecstyle=italic.</code>	<code>rmstyle(1-6)</code>	An old name for <code>style=roman(1-6)</code>
<code>romanchapnum</code>	→ <code>chapnumstyle=roman.</code>	<code>itstyle(1-12)</code>	An old name for <code>style=italic(1-6)</code>
<code>dottedchap</code>	→ <code>chapnumstyle.</code>	<code>scstyle(1-12)</code>	An old name for <code>style=smallcaps(1-6)</code>
<code>italicheader</code>	→ <code>headerfont=italic.</code>	<code>sufelements</code>	An old name for <code>style=sufelements</code>
<code>smallcapsheader</code>	→ <code>headerfont=smallcaps.</code>		
<code>centerheader</code>	→ <code>headerstyle=center</code>		
<code>sufplain</code>	→ <code>headerstyle=plain</code>		

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman3

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman4

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman5

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman6

3.1 Dolor sit amet

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdierit sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic1

3.1 Dolor sit amet

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdierit sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic2

3.1 Dolor sit amet

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdierit sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic3

Titolo del capitolo

3.1 Dolor sit amet

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic4

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic5

*Titolo del capitolo*3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic6

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic7

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic8

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic9

Titolo del capitolo

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic10

Titolo del capitolo

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic11

Titolo del capitolo

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic12

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps3

TITOLO DEL CAPITOLO

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps4

TITOLO DEL CAPITOLO

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps5

TITOLO DEL CAPITOLO

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps6

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps7

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps8

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps9

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps10

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps11

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps12

3

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

TITOLO DEL CAPITOLO

3.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdierit sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

3

style-sufelements

References

This bibliography has been typeset with the biblatex-philosophy styles, created by the same author of this class.

- Bringhurst, Robert (1996), *The Elements of Typographic Style*, 2nd ed., Hurtley & Marks Publisher, Vancouver.
- Gregorio, Enrico (2009), *Il pacchetto frontespizio*, version 1.1, <http://www.guit.sssup.it/phpbb/index.php>.
- Miede, André (2011), *A Classic Thesis style*, <http://www.ctan.org/tex-archive/macros/latex/contrib/classicthesis/ClassicThesis.pdf>.
- Morison, Stanley (1936), *First Principles of Typography*, Cambridge University Press, Cambridge; trans. *I principi fondamentali della tipografia*, Fabrizio Serra editore, Pisa-Roma 2008.
- Pantieri, Lorenzo and Tommaso Gordini (2011), *L'arte di scrivere con L^AT_EX. Un'introduzione a L^AT_EX2_E*, with a forew. by Enrico Gregorio, new edition, http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf.
- Tschichold, Jan (1975), *Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie*, Birkhäuser Verlag, Basel; trans. *La forma del libro*, Sylvestre Bonnard, Milano 2003.

A The Code

```
<*class>
1 \RequirePackage{xkeyval}
2 \newif\ifsuftesi@cmfont
3 \newif\ifsuftesi@porson
4 \newif\ifsuftesi@centerheader
5 \newif\ifsuftesi@sufplain
6 \newif\ifsuftesi@article
7 \newif\ifsuftesi@authortitle
8 \newif\ifsuftesi@periodical
9 \newif\ifsuftesi@compact
10 \newif\ifsuftesi@supercompact
11 \newif\ifsuftesi@sufelements
12 \newif\ifsuftesi@nocrop
13 \newif\ifsuftesi@dottedtoc
14 \newif\ifsuftesi@raggedtoc
15 \newif\ifsuftesi@pagelefttoc
16 \newif\ifsuftesi@numparpart
17 \newif\ifsuftesi@numparchap
18 \newif\ifsuftesi@numparsec
19 \newif\ifsuftesi@numparsubsec
20 \newif\ifsuftesi@numparsubsubsec
21 \newif\ifsuftesi@smallcapspart
22 \newif\ifsuftesi@smallcapschap
23 \newif\ifsuftesi@smallcapssec
24 \newif\ifsuftesi@elementschap
25 \newif\ifsuftesi@elementsheader
26 \newif\ifsuftesi@elementsstructure
27 \newif\ifsuftesi@elementspagelayout
28 \newif\ifsuftesi@bozza
```

```

29 \newif\ifsuftesi@fewfootnotes
30 \newif\ifsuftesi@partpage

Execute options:
31 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
32 \ProcessOptions
33 \relax

suftesi is based on the standard book class!
34 \LoadClass{book}

```

A.1 Document structure

```

35 \define@choicekey{}{documentstructure}[\val\nr]
36     {book,article}[book]{%
37 \ifcase\nr\relax
38 \or
39 \suftesi@articletrue
40 \atitlepagefalse
41 \fi}

```

A.2 Page layout

```

42 \RequirePackage{geometry}
43   \geometry{heightrounded}
44 \define@choicekey{}{pagelayout}[\val\nr]
45     {standard,periodical,compact,supercompact,elements}[standard]{%
46 \ifcase\nr\relax
47   \ DeclareRobustCommand{\SUF@chaptersize}{\Large}
48 \geometry{%
49   a4paper,
50   includeheadfoot=true,
51   textwidth=      110mm,
52   textheight=     220mm,
53   marginratio=    1:2,
54   marginparwidth= 30mm,
55   marginparsep=   12pt}
56 \or
57 \suftesi@periodicaltrue
58   \ DeclareRobustCommand{\SUF@chaptersize}{\large}
59   \geometry{%
60   includeheadfoot=false,
61   textheight=     165mm,
62   textwidth=      110mm,
63   paperwidth=     170mm,
64   paperheight=    240mm,
65   marginratio=    2:3,
66   marginparwidth= 26mm,
67   marginparsep=   10pt}
68 \or
69 \suftesi@compacttrue
70   \ DeclareRobustCommand{\SUF@chaptersize}{\large}
71   \geometry{%
72   includeheadfoot=false,
73   textheight=     165mm,

```

```

74     textwidth=      110mm,
75     paperwidth=    160mm,
76     paperheight=   240mm,
77     marginratio=   2:3,
78     marginparwidth= 22mm,
79     marginparsep=  9pt}
80 \or
81 \suftesi@supercompacttrue
82 \DeclareRobustCommand{\SUF@chaptersize}{\large}
83 \geometry{
84   includeheadfoot=false,
85   textheight=      150mm,
86   textwidth=       100mm,
87   paperwidth=     140mm,
88   paperheight=   210mm,
89   marginratio=   2:3,
90   marginparwidth= 18mm,
91   marginparsep=  8pt}
92 \or
93 \suftesi@elementspagelayouttrue
94 \geometry{%
95   includeheadfoot=false,
96   textwidth=      251pt,
97   textheight=     502pt,
98   paperwidth=    374pt,
99   paperheight=   648pt,
100  vmarginratio= 1:2,
101  marginparwidth= 60pt,
102  marginparsep= 18pt,
103  outer=        90pt}
104 \fi}

```

A.3 Sections style

\SUF@lr@PARTSwitch
\SUF@lr@CHAPSwitch
\SUF@lr@SECSwitch
\SUF@lr@SUBSECSwitch
\SUF@lr@SUBSUBSECSwitch

These macros control the position of titles and numbers of parts, chapters, sections, subsections and subsubsection.

```

105 \define@choicekey{}{partstyle}[\val\nr]{%
106   left,center,right,parleft,parcenter,parright}[left]{%
107 \ifcase\nr\relax
108   \def\SUF@lr@PARTSwitch{\filright}
109 \or
110   \def\SUF@lr@PARTSwitch{\filcenter}
111 \or
112   \def\SUF@lr@PARTSwitch{\filleft}
113 \or%numpar
114   \def\SUF@lr@PARTSwitch{\filright}
115   \suftesi@numparparttrue
116 \or
117   \def\SUF@lr@PARTSwitch{\filcenter}
118   \suftesi@numparparttrue
119 \or
120   \def\SUF@lr@PARTSwitch{\filleft}
121   \suftesi@numparparttrue
122 \fi}

```

```

123 \define@choicekey{}{chapstyle}[\val\nr]{%
124     left,center,right,parleft,parcenter,parright,elements}[left]{%
125 \ifcase\nr\relax
126   \def\SUF@lr@CHAPSwitch{\filright}
127 \or
128   \def\SUF@lr@CHAPSwitch{\filcenter}
129 \or
130   \def\SUF@lr@CHAPSwitch{\filleft}
131 \or%numparchap
132   \def\SUF@lr@CHAPSwitch{\filright}
133   \suftesi@numparchaptrue
134 \or
135   \def\SUF@lr@CHAPSwitch{\filcenter}
136   \suftesi@numparchaptrue
137 \or
138   \def\SUF@lr@CHAPSwitch{\filleft}
139   \suftesi@numparchaptrue
140 \or
141   \suftesi@elementschaptrue
142 \fi}
143 \define@choicekey{}{secstyle}[\val\nr]{%
144     left,center,right,parleft,parcenter,parright}[left]{%
145 \ifcase\nr\relax
146   \def\SUF@lr@SECSwitch{\filright}
147 \or
148   \def\SUF@lr@SECSwitch{\filcenter}
149 \or
150   \def\SUF@lr@SECSwitch{\filleft}
151 \or%numparsec
152   \def\SUF@lr@SECSwitch{\filright}
153   \suftesi@numparsectrue
154 \or
155   \def\SUF@lr@SECSwitch{\filcenter}
156   \suftesi@numparsectrue
157 \or
158   \def\SUF@lr@SECSwitch{\filleft}
159   \suftesi@numparsectrue
160 \fi}
161 \define@choicekey{}{subsecstyle}[\val\nr]{left,center,right}[left]{%
162 \ifcase\nr\relax
163   \def\SUF@lr@SUBSECSwitch{\filright}
164 \or
165   \def\SUF@lr@SUBSECSwitch{\filcenter}
166 \or
167   \def\SUF@lr@SUBSECSwitch{\filleft}
168 \fi}
169 \define@choicekey{}{subsubsecstyle}[\val\nr]{left,center,right}[left]{%
170 \ifcase\nr\relax
171   \def\SUF@lr@SUBSUBSECSwitch{\filright}
172 \or
173   \def\SUF@lr@SUBSUBSECSwitch{\filcenter}
174 \or
175   \def\SUF@lr@SUBSUBSECSwitch{\filleft}
176 \fi}

```

A.4 Sections font

These macros control the style of part, chapter, section, subsection and subsubsection levels.

```
\SUF@PART@StyleSwitch
\SUF@CHAP@StyleSwitch
\SUF@SEC@StyleSwitch
\SUF@SUBSEC@StyleSwitch
\SUF@SUBSUBSEC@StyleSwitch

177 \define@choicekey{}{partfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
178 \ifcase\nr\relax
179 \def\SUF@PART@StyleSwitch{\relax}
180 \or
181 \def\SUF@PART@StyleSwitch{\itshape}
182 \or
183 \def\SUF@PART@StyleSwitch{\expandafter\SUF@titlesmallcaps}
184 \fi}
185 \define@choicekey{}{chapfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
186 \ifcase\nr\relax
187 \def\SUF@CHAP@StyleSwitch{\relax}
188 \or
189 \def\SUF@CHAP@StyleSwitch{\itshape}
190 \or
191 \def\SUF@CHAP@StyleSwitch{\expandafter\SUF@titlesmallcaps}
192 \fi}
193 \define@choicekey{}{secfont}[\val\nr]{roman,italic,smallcaps}[italic]{%
194 \ifcase\nr\relax
195 \def\SUF@SEC@StyleSwitch{\relax}
196 \or
197 \def\SUF@SEC@StyleSwitch{\itshape}
198 \or
199 \def\SUF@SEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
200 \fi}
201 \define@choicekey{}{subsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
202 \ifcase\nr\relax
203 \def\SUF@SUBSEC@StyleSwitch{\relax}
204 \or
205 \def\SUF@SUBSEC@StyleSwitch{\itshape}
206 \or
207 \def\SUF@SUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
208 \fi}
209 \define@choicekey{}{subsubsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
210 \ifcase\nr\relax
211 \def\SUF@SUBSUBSEC@StyleSwitch{\relax}
212 \or
213 \def\SUF@SUBSUBSEC@StyleSwitch{\itshape}
214 \or
215 \def\SUF@SUBSUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
216 \fi}
```

A.5 The number style for part, chapter and section

A.5.1 Part number style

```
217 \define@choicekey{}{partnumstyle}[\val\nr]
218   {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
219 \ifcase\nr\relax
220 \def\SUF@thepart{\arabic{part}}
221 \def\SUF@dotpart{}}
```

```

222 \or
223   \def\SUF@thepart{\textsc{\romannumeral{part}}}
224   \def\SUF@dotpart{}
225 \or
226   \def\SUF@thepart{\Roman{part}}
227   \def\SUF@dotpart{}
228 \or
229   \def\SUF@thepart{\arabic{part}}
230   \def\SUF@dotpart{.}
231 \or
232   \def\SUF@thepart{\textsc{\romannumeral{part}}}
233   \def\SUF@dotpart{.}
234 \or
235   \def\SUF@thepart{\Roman{part}}
236   \def\SUF@dotpart{.}
237 \fi}

```

A.5.2 Chapter number style

```

238 \define@choicekey{}{chapnumstyle}[\val\nr]{arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arab
239 \ifcase\nr\relax
240   \def\SUF@thechapter{\arabic{chapter}}
241   \def\SUF@dotchap{}
242 \or
243   \def\SUF@thechapter{\textsc{\romannumeral{chapter}}}
244   \def\SUF@dotchap{}
245 \or
246   \def\SUF@thechapter{\Roman{chapter}}
247   \def\SUF@dotchap{}
248 \or
249   \def\SUF@thechapter{\arabic{chapter}}
250   \def\SUF@dotchap{.}
251 \or
252   \def\SUF@thechapter{\textsc{\romannumeral{chapter}}}
253   \def\SUF@dotchap{.}
254 \or
255   \def\SUF@thechapter{\Roman{chapter}}
256   \def\SUF@dotchap{.}
257 \fi}

```

A.5.3 Section number style

```

258 \define@choicekey{}{secnumstyle}[\val\nr]
259   {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
260 \ifcase\nr\relax
261   \def\SUF@thesection{\arabic{section}}
262   \def\SUF@dotsec{}
263 \or
264   \def\SUF@thesection{\textsc{\romannumeral{section}}}
265   \def\SUF@dotsec{}
266 \or
267   \def\SUF@thesection{\Roman{section}}
268   \def\SUF@dotsec{}
269 \or
270   \def\SUF@thesection{\arabic{section}}
271   \def\SUF@dotsec{.}

```

```

272 \or
273   \def\SUF@thesection{\textsc{\rom{section}}}
274   \def\SUF@dotsec{.}
275 \or
276   \def\SUF@thesection{\Roman{section}}
277   \def\SUF@dotsec{.}
278 \fi}

```

A.6 Headers

A.6.1 Header style

```

279 \define@choicekey{}{headerstyle}[\val\nr]
280   {inner,center,plain,authortitleinner,
281    authortitlecenter,elements}[inner]{%
282 \ifcase\nr\relax
283   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
284   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
285 \or
286   \suftesi@centerheadertrue
287   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
288   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
289 \or
290   \suftesi@sufplaintrue
291 \or
292   \suftesi@authortitletrue
293   \def\SUF@rightmark{\SUF@Rheadstyle{\@headtitle}}
294   \def\SUF@leftmark{\SUF@Lheadstyle{\@author}}
295 \or
296   \suftesi@authortitletrue
297   \def\SUF@rightmark{\SUF@Rheadstyle{\@headtitle}}
298   \def\SUF@leftmark{\SUF@Lheadstyle{\@author}}
299   \suftesi@centerheadertrue
300 \or
301   \suftesi@elementsheadertrue
302 \fi}

```

A.6.2 Header font

```

303 \define@choicekey{}{headerfont}[\val\nr]
304   {roman,italic,smallcaps}[roman]{%
305 \ifcase\nr\relax
306   \def\SUF@Rheadstyle{}
307   \def\SUF@Lheadstyle{}
308   \def\SUF@thepage{\thepage}
309 \or
310   \def\SUF@Rheadstyle{\itshape}
311   \def\SUF@Lheadstyle{\itshape}
312   \def\SUF@thepage{\thepage}
313 \or
314   \def\SUF@Rheadstyle{\SUF@headingsmallcaps}
315   \def\SUF@Lheadstyle{\SUF@headingsmallcaps}
316   \def\SUF@thepage{\SUF@headingsmallcaps{\thepage}}
317 \fi}

```

A.7 Text elements

A.7.1 Lists

```
318 \RequirePackage[inline]{enumitem}
319 \renewcommand\labelitemi{\color{sufgray}\textbullet}
320 \setlist{itemsep=.5ex,parsep=0pt}
321 \setlist[description]{font=\normalfont\itshape}
322 \define@choicekey{}{liststyle}{[\val\nr]
323   {bulged,aligned,indented}[bulged]{%
324 \ifcase\nr\relax
325   \setlist[enumerate,1]{leftmargin=0pt,label=\arabic*.}
326   \setlist[enumerate,2]{leftmargin= 1.3\parindent,label=\alph*.}
327   \setlist[enumerate,3]{leftmargin= 1.3\parindent,label=\roman*.}
328   \setlist[itemize,1]{leftmargin=0pt}
329   \setlist[itemize,2]{leftmargin=1.3\parindent}
330   \setlist[itemize,3]{leftmargin=1.3\parindent}
331 \or
332   \setlist[enumerate,1]{leftmargin=1\parindent,label=\arabic*.}
333   \setlist[enumerate,2]{leftmargin= 1.5\parindent,label=\alph*.}
334   \setlist[enumerate,3]{leftmargin= 1.5\parindent,label=\roman*.}
335   \setlist[itemize,1]{leftmargin=1\parindent}
336   \setlist[itemize,2]{leftmargin=1.5\parindent}
337   \setlist[itemize,3]{leftmargin=1.5\parindent}
338 \or
339   \setlist[enumerate,1]{leftmargin=2\parindent,label=\arabic*.}
340   \setlist[enumerate,2]{leftmargin= 2.5\parindent,label=\alph*.}
341   \setlist[enumerate,3]{leftmargin= 2.5\parindent,label=\roman*.}
342   \setlist[itemize,1]{leftmargin=2\parindent}
343   \setlist[itemize,2]{leftmargin=2.5\parindent}
344   \setlist[itemize,3]{leftmargin=2.5\parindent}
345 \fi}
```

A.7.2 Block quotations

Quotation style

```
346 \define@choicekey{}{quotestyle}{[\val\nr]
347   {center,right}[center]{%
348 \ifcase\nr\relax
349 \def\SUF@quote@style{\rightmargin=\parindent}
350 \or
351 \def\SUF@quote@style{}
352 \fi}
```

Quotation size

```
353 \define@choicekey{}{quotesize}{[\val\nr]
354   {footnotesize,small}[footnotesize]{%
355 \ifcase\nr\relax
356 \def\SUF@quotation@size{\footnotesize}
357 \or
358 \def\SUF@quotation@size{\small}
359 \fi}
```

A.7.3 Footnotes

```
360 \define@choicekey{}{footnotestyle}{[\val\nr]
```

```

361      {bulged,hung,dotted,superscript}[bulged]{%
362 \ifcase\nr\relax
363     \renewcommand{\makefntext}{%
364       \hskip-2.5em\makebox[2em][r]{\@thefnmark}\hskip.5em}
365 \or
366     \renewcommand{\makefntext}{%
367       \leftskip=1em\hskip-1.5em%
368       \makebox[1em][r]{\@thefnmark}\hskip.5em}
369 \or
370     \renewcommand{\makefntext}{%
371       \leftskip.5em}
372 \or
373     \renewcommand{\makefntext}{%
374       \textsuperscript{\@thefnmark}\hskip.3em}
375 \fi}
376 \define@choicekey{}{fewfootnotes}[\val\nr]
377   {true,false}[true]{%
378 \ifcase\nr\relax
379   \suftesi@fewfootnotestru
380 \or
381   \relax
382 \fi}

```

A.7.4 Captions

```

383 \RequirePackage{caption}
384 \define@choicekey{}{captionstyle}[\val\nr]
385   {standard,elements}[standard]{%
386 \ifcase\nr\relax
387   \captionsetup{labelsep=period,font=small,singlelinecheck=false}
388 \or
389   \captionsetup{labelsep=period,font=small,singlelinecheck=false}
390   \captionsetup{font+=sf}
391 \fi
392 }

```

A.7.5 Marginal notes

```

393 \define@choicekey{}{marginpar}[\val\nr]
394   {true,false}[true]{%
395 \ifcase\nr\relax
396   \relax
397 \or
398   \renewcommand{\marginpar}[2][]{}
399 \fi}

```

A.7.6 Table of contents

```

\SUF@titlerule
\SUF@chaptitlerule 400 \define@choicekey{}{tocstyle}[\val\nr]{%
401   standard,dotted,ragged,leftpage}[standard]{%
402 \ifcase\nr\relax
403   \def\SUF@titlerule{\titlerule*{}}
404   \def\SUF@chaptitlerule{\titlerule*{}}
405 \or
406   \suftesi@dottedtoctru

```

```

407 \def\SUF@titlerule{\titlerule*\{ \footnotesize . \ } }
408 \def\SUF@chaptitlerule{\titlerule*{}}
409 \or
410 \suftesi@raggedtotrue
411 \def\SUF@titlerule{\hspace{1em}}
412 \def\SUF@chaptitlerule{\hspace{1em}}
413 \or
414 \suftesi@pagelefttotrue
415 \fi}

```

A.8 Fonts

A.8.1 Roman fonts

```

416 \define@choicekey{}{defaultfont}[\val\nr]{%
417     palatino,standard}[palatino]{%
418 \ifcase\nr\relax
419 \or
420 \suftesi@cmfonttrue
421 \setkeys{suftesi.cls}{greekfont=cbgreek}
422 \fi}

```

A.8.2 Greek fonts

```

423 \define@choicekey{}{greekfont}[\val\nr]{%
424     artemisia,porson,cbgreek}[artemisia]{%
425 \ifcase\nr\relax
426 \def\SUF@greekfamily{artemisiaeuler}
427 \or
428 \def\SUF@greekfamily{porson}
429 \or
430 \def\SUF@greekfamily{lmr}
431 \fi}

```

A.9 Other options

A.9.1 \parindent selection

```

432 \define@choicekey{}{parindent}[\val\nr]
433     {compact,wide}[compact]{%
434 \ifcase\nr\relax
435 \setlength\parindent{1em}
436 \or
437 \setlength\parindent{1.5em}
438 \fi}

```

A.9.2 Part page

```

439 \define@choicekey{}{partpage}[\val\nr]{true ,false}[true]{%
440 \ifcase\nr\relax
441 \suftesi@partpagetrue
442 \or
443 \relax
444 \fi}

```

A.9.3 Crop marks

```
445 \define@choicekey{}{crop}[\val\nr]
```

```

446     {true,false}[true]{%
447 \ifcase\nr\relax
448 \or
449   \suftesi@nocroptrue
450 \fi}

```

A.9.4 Titlepage

```

451 \define@choicekey{}{titlepage}[\val\nr]
452   {true,false}[true]{%
453 \ifcase\nr\relax
454   \ttitlepagetrue
455 \or
456   \ttitlepagetrue
457 \fi}

```

A.9.5 Bozza

```

458 \define@choicekey{}{bozza}[\val\nr]
459   {true,false}[true]{%
460 \ifcase\nr\relax
461   \suftesi@bozzatrue
462 \or
463 \fi}

```

A.9.6 Pre-defined styles

```

464 \define@choicekey{}{style}[\val\nr]
465   {roman1,roman2,roman3,roman4,roman5,roman6,
466   italic1,italic2,italic3,italic4,italic5,italic6,
467   italic7,italic8,italic9,italic10,italic11,italic12,
468   smallcaps1,smallcaps2,smallcaps3,smallcaps4,smallcaps5,smallcaps6,
469   smallcaps7,smallcaps8,smallcaps9,smallcaps10,smallcaps11,smallcaps12,
470   elements,sufelements}
471   [roman1]{%
472 \ifcase\nr\relax

```

The 'roman' styles:

```

473   \setkeys{}{chapstyle=left}
474 \or
475   \setkeys{}{chapstyle=center}
476 \or
477   \setkeys{}{chapstyle=right}
478 \or
479   \setkeys{}{chapstyle=parleft}
480 \or
481   \setkeys{}{chapstyle=parcenter}
482 \or
483   \setkeys{}{chapstyle=parright}
484 \or

```

The 'italic' styles:

```

485   \setkeys{}{chapstyle=left,chapfont=italic,headerfont=italic}
486 \or
487   \setkeys{}{chapstyle=center,chapfont=italic,headerfont=italic}
488 \or
489   \setkeys{}{chapstyle=right,chapfont=italic,headerfont=italic}
490 \or

```

```

491 \setkeys{}{chapstyle=parleft,chapfont=italic,headerfont=italic}
492 \or
493 \setkeys{}{chapstyle=parcenter,chapfont=italic,headerfont=italic}
494 \or
495 \setkeys{}{chapstyle=parright,chapfont=italic,headerfont=italic}
496 \or
497 \setkeys{}{chapstyle=left,chapfont=italic,secfont=smallcaps,headerfont=italic}
498 \or
499 \setkeys{}{chapstyle=center,chapfont=italic,secfont=smallcaps,headerfont=italic}
500 \or
501 \setkeys{}{chapstyle=right,chapfont=italic,secfont=smallcaps,headerfont=italic}
502 \or
503 \setkeys{}{chapstyle=parleft,chapfont=italic,secfont=smallcaps,headerfont=italic}
504 \or
505 \setkeys{}{chapstyle=parcenter,chapfont=italic,secfont=smallcaps,headerfont=italic}
506 \or
507 \setkeys{}{chapstyle=parright,chapfont=italic,secfont=smallcaps,headerfont=italic}
508 \or

```

The 'smallcaps' styles:

```

509 \setkeys{}{chapstyle=left,chapfont=smallcaps,headerfont=smallcaps}
510 \or
511 \setkeys{}{chapstyle=center,chapfont=smallcaps,headerfont=smallcaps}
512 \or
513 \setkeys{}{chapstyle=right,chapfont=smallcaps,headerfont=smallcaps}
514 \or
515 \setkeys{}{chapstyle=parleft,chapfont=smallcaps,headerfont=smallcaps}
516 \or
517 \setkeys{}{chapstyle=parcenter,chapfont=smallcaps,headerfont=smallcaps}
518 \or
519 \setkeys{}{chapstyle=parright,chapfont=smallcaps,headerfont=smallcaps}
520 \or
521 \setkeys{}{chapstyle=left,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
522 \or
523 \setkeys{}{chapstyle=center,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
524 \or
525 \setkeys{}{chapstyle=right,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
526 \or
527 \setkeys{}{chapstyle=parleft,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
528 \or
529 \setkeys{}{chapstyle=parcenter,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
530 \or
531 \setkeys{}{chapstyle=parright,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
532 \or

```

The 'elements' style:

```

533 \setkeys{}{
534   pagelayout=elements,
535   headerstyle=elements,
536   chapstyle=elements,
537   secfont=smallcaps,
538   subsecfont=italic,
539   captionstyle=elements}
540 \disable@keys{}
541   {pagelayout,headerstyle,chapstyle,secfont,subsecfont,captionstyle}

```

```

542 \or
The 'sufelements' style:
543   \setkeys{}{
544     chapstyle=elements,
545     headerfont=smallcaps,
546     secfont=smallcaps,
547     subsecfont=italic}
548 \disable@keys{}
549   {headerstyle,chapstyle,secfont,subsecfont}
550 \fi}

```

Execute and process options:

```

551 \ExecuteOptionsX<>{
552   marginpar=true,
553   captionstyle=standard,
554   parindent=compact,
555   tocstyle=standard,
556   greekfont=artemisia,
557   pagelayout=standard,
558   headerstyle=inner,
559   liststyle=bulged,
560   footnotestyle=bulged,
561   quotesize=footnotesize,
562   quotestyle=center,
563   partstyle=left,
564   chapstyle=left,
565   secstyle=left,
566   subsecstyle=left,
567   subsubsecstyle=left,
568   partfont=roman,
569   chapfont=roman,
570   secfont=italic,
571   subsecfont=roman,
572   subsubsecfont=roman,
573   headerfont=roman,
574   secnumstyle=arabic,
575   partnumstyle=Roman,
576   chapnumstyle=arabic}
577 \ProcessOptionsX<>\relax

```

A.10 Basic packages

```

578 \RequirePackage{color}
579   \definecolor{sufred}{rgb}{0.5,0,0}
580   \definecolor{sufgray}{rgb}{0.5,0.5,0.5}
581 \RequirePackage{multicol}
582 \RequirePackage{emptypage}
583 \RequirePackage{textcase}
584 \RequirePackage{ifxetex,ifluatex}

```

A.11 Greek fonts

Thanks to Enrico Gregorio for these macros:

```

585 \ifxetex
586   \relax
587   \else

```

```

588 \RequirePackage{microtype}
589 \RequirePackage[LGR,T1]{fontenc}
590 \AtBeginDocument{\fontencoding{T1}\selectfont}
591 \ifsuftesi@cmfont
592   \relax
593   \else
594     \RequirePackage[osf,sc]{mathpazo}
595     \RequirePackage[scaled=0.8]{beramono}
596     \renewcommand{\sfdefault}{iwona}
597 \fi

Scale the Porson font:
598 \ifsuftesi@porson
599 \sbox{z@\{ \fontsize{10}{10}\normalfont A}
600 \sbox{tw@\{ \font\temp=gporsonrg6a at 10pt \temp A}
601 \dimen@=
602 \dimexpr(0.001\dimexpr\numexpr(\dimexpr(1000\ht{z@})/\ht{tw@})\p@)
603 \edef\art@scale{\strip@pt\dimen@}
604 \DeclareFontFamily{LGR}{porson}{}
605 \DeclareFontShape{LGR}{porson}{m}{n} {<-> s * [\art@scale] gporsonrg6a{}}
606 \DeclareFontShape{LGR}{porson}{m}{it} {<-> ssub * porson/m/n{}}
607 \DeclareFontShape{LGR}{porson}{b}{n} {<-> ssub * porson/m/n{}}
608 \DeclareFontShape{LGR}{porson}{b}{it} {<-> ssub * porson/m/n{}}
609 \DeclareFontShape{LGR}{porson}{m}{sl} {<-> ssub * porson/m/n{}}
610 \DeclareFontShape{LGR}{porson}{b}{sl} {<-> ssub * porson/m/n{}}
611 \DeclareFontShape{LGR}{porson}{m}{sc} {<-> ssub * porson/m/n{}}
612 \DeclareFontShape{LGR}{porson}{bx}{n} {<-> ssub * porson/m/n{}}
613 \DeclareFontShape{LGR}{porson}{bx}{it} {<-> ssub * porson/m/n{}}
614 \DeclareFontShape{LGR}{porson}{bx}{sl} {<-> ssub * porson/m/n{}}
615 \fi
616 \AtBeginDocument{
617   \DeclareRobustCommand{\greektext}{%
618     \fontencoding{LGR}\fontfamily{\SUF@greekfamily}\selectfont
619     \def\encodingdefault{LGR}}}
620 \fi

```

A.12 Page layout

```

621 \ifsuftesi@nocrop
622   \relax
623   \else
624   \RequirePackage[a4,cam,center]{crop}
625 \fi

```

A trick to produce one-side documents:

```

626 \if@twoside
627   \relax
628   \else
629   \geometry{hmarginratio=1:1}
630 \fi

```

A.13 Section titles

```

631 \RequirePackage{titlesec}
632   \newlength{\sectionsep}
633   \setlength{\sectionsep}{\dimexpr(\baselineskip) plus 1pt minus 1pt}

```

```

\SUF@titlesmallcaps
\SUF@headingsmallcaps
\SUF@chapnumfont
634 \ifxetex
635   \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
636     \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
637   \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
638     \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
639   \newcommand{\chapnumfont}[1]{%
640     \def\SUF@chapnumfont{#1}}
641   \chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
642 \else
643   \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
644     \scshape\MakeTextLowercase{\textls[110]{#1}}}
645   \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
646     \scshape\MakeTextLowercase{\textls[110]{#1}}}
647   \newcommand{\chapnumfont}[1]{%
648     \def\SUF@chapnumfont{\fontfamily{#1}}}
649   \chapnumfont{pplj}
650 \fi

```

The elements style

```

651 \define@key[SUF]{elements}{chapsize}[90]{%
652   \def\cmdSUF@elements@chapsize{\fontsize{#1}{#1}\selectfont}}
653 \define@key[SUF]{elements}{chapposition}[-83]{%
654   \def\cmdSUF@elements@chapposition{#1}}

```

The chapter for elements style:

```

655 \def\SUF@elements@CHAPTER{%
656   \titleformat{\chapter}[block]
657     {\Large}%
658     {\begin{picture}(0,0)
659       \setlength{\unitlength}{1pt}
660       \SUF@chapnumfont%
661       \cmdSUF@elements@chapsize
662       \put(0,\cmdSUF@elements@chapposition){%
663         \hskip\dimexpr(\textwidth+0.9\marginparsep)%
664         \textcolor{sufgray}{\SUF@thechapter}}%
665     \end{picture}}%
666   {Opt}
667   {\SUF@titlesmallcaps
668   [\vspace*{-6pt}\rule{\textwidth}{.1pt}]}
669 }

```

The sections for elements style:

```

670 \def\SUF@elements@SECTIONS{
671   \titleformat{\section}[block]
672   {\extramarks{}{}\filright}
673   {\textnormal\thesection}
674   {1em}
675   {\SUF@titlesmallcaps}
676   \titlespacing{\section}{0em}{1em}{1em}[0em]
677   \titleformat{\subsection}[block]
678   {\filright\normalsize\itshape}
679   {\textnormal\thesubsection}
680   {1em}
681   {}

```

```

682 \titlespacing*{\subsection}{0em}{\baselineskip}{\baselineskip}[0em]
683 \titleformat{\subsubsection}[block]
684 {\filright\normalsize}
685 {\textnormal\thesubsubsection}
686 {1em}
687 {}
688 \titlespacing*{\subsubsection}{0em}{\baselineskip}{\baselineskip}[0em]
689 }

\chapter Default styles:
690 \def\SUF@default@CHAPTER{
691 \ifsuftesi@numparchap
692 \titleformat{\chapter}[display]
693 {\SUF@chaptersize\SUF@lr@CHAPSwitch}
694 {\SUF@thechapter\SUF@dotchap}
695 {2ex}
696 {\SUF@CHAP@StyleSwitch}
697 \else
698 \titleformat{\chapter}[hang]
699 {\SUF@chaptersize\SUF@lr@CHAPSwitch}
700 {\SUF@thechapter\SUF@dotchap}
701 {3em}
702 {\SUF@CHAP@StyleSwitch}
703 \fi
704 \ifsuftesi@numparchap
705 \def\SUF@ADJnumparchap{-2.5\baselineskip}
706 \else
707 \def\SUF@ADJnumparchap{0pt}
708 \fi}

\section
709 \def\SUF@default@SECTIONS{
710 \ifsuftesi@numparsec
711 \titleformat{\section}[display]
712 {\SUF@lr@SECSwitch}
713 \ifsuftesi@article\SUF@thesection
714 \else\thesection\fi\SUF@dotsec}
715 {0ex}
716 {\SUF@SEC@StyleSwitch}
717 \titlespacing*{\section}{0em}{\sectionsep}{\sectionsep}[0em]
718 \else
719 \titleformat{\section}[hang]
720 {\SUF@lr@SECSwitch}
721 \ifsuftesi@article\SUF@thesection
722 \else\thesection\fi\SUF@dotsec}
723 {1em}
724 {\SUF@SEC@StyleSwitch}
725 \titlespacing*{\section}{0ex}{\sectionsep}{\sectionsep}[0ex]
726 \fi

\subsection
727 \ifsuftesi@numparsubsec
728 \titleformat{\subsection}[display]
729 {\SUF@lr@SUBSECSwitch}
730 {\textnormal\thesubsubsection}

```

```

731 {0ex}
732 {\SUF@SUBSEC@StyleSwitch}
733 \titlespacing*{\subsection}{0em}{\sectionsep}{\sectionsep}[0em]
734 \else
735 \titleformat{\subsection}[hang]
736 {\SUF@lr@SUBSECSwitch}
737 {\textnormal\thesubsection}
738 {1em}
739 {\SUF@SUBSEC@StyleSwitch}
740 \titlespacing*{\subsection}{\parindent}{\sectionsep}{\sectionsep}[0ex]
741 \fi

\subsubsection
742 \ifsuftesi@numparsubsubsec
743 \titleformat{\subsubsection}[display]
744 {\SUF@lr@SUBSUBSECSwitch}
745 {\textnormal\thesubsubsection}
746 {0ex}
747 {\SUF@SUBSUBSEC@StyleSwitch}
748 \titlespacing*{\subsubsection}{0em}{\sectionsep}{\sectionsep}[0em]
749 \else
750 \titleformat{\subsubsection}[hang]
751 {\SUF@lr@SUBSUBSECSwitch}
752 {\textnormal\thesubsubsection}
753 {1em}
754 {\SUF@SUBSUBSEC@StyleSwitch}
755 \titlespacing*{\subsubsection}{\parindent}{\sectionsep}{\sectionsep}[0ex]
756 \fi
757 }

758 \ifsuftesi@elementschap
759 \RequirePackage{extramarks}
760 \SUF@elements@CHAPTER
761 \SUF@elements@SECTIONS
762 \ifsuftesi@periodical
763 \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
764 \setkeys[SUF]{elements}{chapsize=80, chapposition=-83}
765 \else
766 \ifsuftesi@compact
767 \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
768 \setkeys[SUF]{elements}{chapsize=75, chapposition=-83}
769 \else
770 \ifsuftesi@supercompact
771 \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
772 \setkeys[SUF]{elements}{chapsize=70, chapposition=-73}
773 \else
774 \ifsuftesi@elementspagelayout
775 \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
776 \setkeys[SUF]{elements}{chapsize=60, chapposition=-73}
777 \else
778 \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
779 \setkeys[SUF]{elements}{chapsize=90, chapposition=-83}
780 \fi
781 \fi
782 \fi
783 \fi

```

```

784 \else
785   \SUF@default@CHAPTER
786   \SUF@default@SECTIONS
787 \ifsuftesi@periodical
788   \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
789   \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
790   \else
791     \ifsuftesi@compact
792       \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
793       \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
794     \else
795       \ifsuftesi@supercompact
796         \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
797         \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
798       \else
799         \titlespacing*{\chapter}{0em}{%
800           \dimexpr(6ex+\SUF@ADJnumparchap)}{18ex}
801         \titlespacing*{name=\chapter, numberless}{0em}{6ex}{18ex}
802     \fi
803   \fi
804 \fi
805 \fi

```

Redefinitions for ‘article’ mode

```

806 \ifsuftesi@article
807 \def\chapter{\ClassError{suftesi}%
808   {\noexpand\chapter level is undefined
809    using 'documentstructure=article'}
810   {\noexpand\chapter level is undefined
811    using 'documentstructure=article'}}}
812 \setcounter{tocdepth}{3}
813 \setcounter{secnumdepth}{3}
814 \renewcommand\thesection{%
815   \@arabic\c@section}
816 \renewcommand\thesubsection{%
817   \thesection.\@arabic\c@subsection}
818 \renewcommand\thesubsubsection{%
819   \thesubsection.\@arabic\c@subsubsection}
820 \renewcommand\theparagraph{%
821   \thesubsubsection.\@arabic\c@paragraph}
822 \renewcommand\thesubparagraph{%
823   \theparagraph.\@arabic\c@subparagraph}

```

The `\partpage` options allows you to print a standard part page in `article` mode.

```

824 \ifsuftesi@partpage
825   \relax
826   \else

```

In `article` mode the `\part` command is similar to a `\section` but with more vertical space before and after.

```

827 \titleclass{\part}{straight}
828 \titlespacing*{\part}{0ex}{2\sectionsep}{2\sectionsep}[0ex]
829 \fi
830 \ifsuftesi@numparpart

```

```

831 \titleformat{\part}[display]
832   {\SUF@chaptersize\SUF@lr@PARTSwitch}
833   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
834   {2ex}
835   {\SUF@PART@StyleSwitch}
836 \else
837 \titleformat{\part}[hang]
838   {\SUF@chaptersize\SUF@lr@PARTSwitch}
839   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
840   {1em}
841   {\SUF@PART@StyleSwitch}
842 \fi
843 \else

```

The default ‘book’ mode

```

844 \ifsuftesi@numparpart
845 \titleformat{\part}[display]
846   {\SUF@chaptersize\SUF@lr@PARTSwitch}
847   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
848   {2ex}
849   {\SUF@PART@StyleSwitch}
850 \else
851 \titleformat{\part}[hang]
852   {\SUF@chaptersize\SUF@lr@PARTSwitch}
853   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
854   {1em}
855   {\SUF@PART@StyleSwitch}
856 \fi
857 \fi
858

\paragraph
859 \titleformat{\paragraph}[runin]
860   {}
861   {\theparagraph}
862   {.5em}
863   {\itshape}
864   [{.}\hspace*{1em}]
865 \titlespacing*{\paragraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

\subparagraph
866 \titleformat{\subparagraph}[runin]
867   {}
868   {\thesubparagraph}
869   {.5em}
870   {}
871   [{.}\hspace*{1em}]
872 \titlespacing*{\subparagraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

The biblatex package uses the book class definitions of bibliography and list of short-hands, so we must redefine them according to the styles of sufjesi, which does not use uppercase letters in the headings.

873 \ifsuftesi@article
874 \AtBeginDocument{%

```

```

875 \O@ifpackage{biblateX}{%
876   \defbibheading{bibliography}[\refname]{%
877     \section*{\#1}%
878     \markboth{\#1}{\#1}%
879   \defbibheading{shorthands}[\losname]{%
880     \section*{\#1}%
881     \markboth{\#1}{\#1}%
882   \defbibheading{bibintoc}[\refname]{%
883     \section*{\#1}%
884     \addcontentsline{toc}{section}{\#1}%
885     \markboth{\#1}{\#1}%
886   \defbibheading{losintoc}[\losname]{%
887     \section*{\#1}%
888     \addcontentsline{toc}{section}{\#1}%
889     \markboth{\#1}{\#1}%
890   \defbibheading{bibnumbered}[\refname]{%
891     \section{\#1}%
892     \if@twoside\markright{\#1}\fi%
893   \defbibheading{losnumbered}[\losname]{%
894     \section{\#1}%
895     \if@twoside\markright{\#1}\fi%
896   \defbibheading{subbibliography}[\refname]{%
897     \subsection*{\#1}%
898   \defbibheading{subbibintoc}[\refname]{%
899     \subsection*{\#1}%
900     \addcontentsline{toc}{subsection}{\#1}%
901   \defbibheading{subbibnumbered}[\refname]{%
902     \subsection{\#1}}%
903     \relax}%
904 }%
905 \else
906 \AtBeginDocument{%
907 \O@ifpackage{biblateX}{%
908   \defbibheading{bibliography}[\bibname]{%
909     \chapter*{\#1}%
910     \markboth{\#1}{\#1}%
911   \defbibheading{shorthands}[\losname]{%
912     \chapter*{\#1}%
913     \markboth{\#1}{\#1}%
914   \defbibheading{bibintoc}[\bibname]{%
915     \chapter*{\#1}%
916     \addcontentsline{toc}{chapter}{\#1}%
917     \markboth{\#1}{\#1}%
918   \defbibheading{losintoc}[\losname]{%
919     \chapter*{\#1}%
920     \addcontentsline{toc}{chapter}{\#1}%
921     \markboth{\#1}{\#1}%
922   \defbibheading{bibnumbered}[\bibname]{%
923     \chapter{\#1}%
924     \if@twoside\markright{\#1}\fi%
925   \defbibheading{losnumbered}[\losname]{%
926     \chapter{\#1}%
927     \if@twoside\markright{\#1}\fi%
928   \defbibheading{subbibliography}[\refname]{%

```

```

929     \section*{[#1]%
930     \if@twoside\markright{[#1]}\fi}
931     \defbibheading{subbibintoc}[\refname]{%
932     \section*{[#1]%
933     \addcontentsline{toc}{section}{[#1]%
934     \if@twoside\markright{[#1]}\fi}
935     \defbibheading{subbibnumbered}[\refname]{%
936     \section{[#1]}}
937     \relax}%
938 }%
939 \fi

```

A.14 Title page

\title The new \title command has an optional argument which can be used in the headers.

```

940 \renewcommand*{\title}[2] [] {\gdef\@headtitle{#1}\gdef\@title{#2}}
941   \edef\title{\noexpand\@dblarg
942   \expandafter\noexpand\csname\string\title\endcsname}
943   \def\@headtitle{--missing title--%
944     \protect\ClassWarningNoLine{suftesi}{%
945       No \string\title\space given \MessageBreak%
946       See the class documentation for explanation}}
947   \def\@title{--missing title--%
948     \protect\ClassWarningNoLine{suftesi}{%
949       No \string\title\space given\MessageBreak%
950       See the class documentation for explanation}}
951   \def\@author{--missing author--%
952     \protect\ClassWarningNoLine{suftesi}{%
953       No \string\author\space given\MessageBreak%
954       See the class documentation for explanation}}

```

\standardtitle Reproduces the standard \maketitle style:

```

955 \let\standardtitle\maketitle

```

\maketitle For titlepage (default) option:

```

956 \if@titlepage% titlepage
957   \renewcommand\maketitle{\begin{titlepage}%
958   \let\footnotesize\small
959   \let\footnoterule\relax
960   \let\footnote\thanks
961   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
962   \null\vf
963   \vskip 60\p@
964   \begin{center}%
965     \SUF@chaptersize\color{sufred}\sffamily%
966     \ifsuftesi@smallcapschap%
967       \SUF@titlesmallcaps{\@title}%
968     \else
969       \ifsuftesi@article%
970         \ifsuftesi@smallcapssec%
971           \SUF@titlesmallcaps{\@title}%
972         \else
973           \@title
974       \fi

```

```

975      \else
976      \@title
977      \fi
978      \fi\par}%
979      \vskip 3em%
980      {\small\lineskip .75em%
981      \begin{tabular}[t]{c}%
982      \author
983      \end{tabular}\par}%
984      \vskip 1.5em%
985      {\small\@date\par}%
986      \end{center}\par
987      \@thanks
988      \vfil\null
989      \end{titlepage}%
990      \setcounter{footnote}{0}%
991      \global\let\thanks\relax
992      \global\let\maketitle\relax
993      \global\let\@thanks\empty
994      \global\let\@date\empty
995      \global\let\date\relax
996      \global\let\and\relax
997 }
998 \else
For notitlepage option:
999 \renewcommand\maketitle{\par
1000   \begingroup
1001     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1002     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1003     \long\def\@makefntext##1{\par\indent 1em\noindent
1004       \hb@xt@1.8em{%
1005         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
1006       \if@twocolumn
1007         \ifnum \col@number=\@ne
1008           \maketitle
1009         \else
1010           \twocolumn[\maketitle]
1011         \fi
1012       \else
1013         \newpage
1014         \global\@topnum\z@% Prevents figures from going at top of page.
1015         \maketitle
1016         \fi
1017         \thispagestyle{plain}\@thanks
1018       \endgroup
1019       \setcounter{footnote}{0}%
1020       \global\let\thanks\relax
1021       \global\let\maketitle\relax
1022       \global\let\@maketitle\relax
1023       \global\let\@thanks\empty
1024       \global\let\@date\empty
1025       \global\let\date\relax
1026       \global\let\and\relax
1027       \def\@maketitle{%

```

```

1028 \newpage
1029 \null
1030 \vskip 2em%
1031 \begin{center}%
1032 \let \footnote \thanks
1033 {\SUF@chaptersize\color{sufred}\sffamily%
1034 \ifsuftesi@smallcapschap%
1035 \SUF@titlesmallcaps{\@title}
1036 \else
1037 \ifsuftesi@article
1038 \ifsuftesi@smallcapssec
1039 \SUF@titlesmallcaps{\@title}
1040 \else
1041 \quad \@title
1042 \fi
1043 \else
1044 \quad \@title
1045 \fi
1046 \fi\par}%
1047 \vskip 1.5em%
1048 {\small\lineskip .5em%
1049 \begin{tabular}[t]{c}%
1050 \quad \author\par
1051 \end{tabular}\par}%
1052 \vskip 1em%
1053 {\small\@date\par}%
1054 \end{center}%
1055 \par
1056 \vskip 1.5em}
1057 \fi

```

A.15 Frontispiece

```

1058 \AtBeginDocument{%
1059 \@ifpackagewith{frontespizio}{suftesi}
1060 {\ifsuftesi@periodical
1061 \quad \Margini {5.5cm}{7cm}{4.5cm}{0cm}
1062 \else
1063 \ifsuftesi@compact
1064 \quad \Margini {4.5cm}{7cm}{4.5cm}{0cm}
1065 \else
1066 \ifsuftesi@supercompact
1067 \quad \Margini {4.5cm}{10cm}{6cm}{1cm}
1068 \else
1069 \fi
1070 \fi
1071 \fi}
1072 {\@ifpackageloaded{frontespizio}
1073 {\ifsuftesi@periodical
1074 \quad \Margini {1cm}{7cm}{5cm}{1cm}
1075 \else
1076 \ifsuftesi@compact
1077 \quad \Margini {1cm}{7cm}{6cm}{1cm}
1078 \else

```

```

1079      \ifsufthesi@supercompact
1080          \Margini {1cm}{10cm}{8cm}{1cm}
1081      \else
1082          \fi
1083      \fi
1084 \fi}
1085 {\relax}}}

theindex
1086 \renewenvironment{theindex}
1087     {\if@twocolumn
1088         \c@restonecolfalse
1089     \else
1090         \c@restonecoltrue
1091     \fi
1092     \ifsufthesi@article
1093         \twocolumn[\section*{\indexname}]%
1094     \else
1095         \twocolumn[\c@makeschapterhead{\indexname}]%
1096     \fi
1097     \c@mkboth{\indexname}{\indexname}%
1098     \thispagestyle{plain}%
1099     \raggedright%
1100     \parindent\z@
1101     \parskip\z@ \c@plus .3\p@\relax
1102     \columnseprule \z@
1103     \columnsep 35\p@
1104     \let\item\@idxitem
1105     {\if@restonecol\onecolumn\else\clearpage\fi}}

```

A.16 Appendix

```

\appendicesname
\appendixpage 1106 \newcommand{\appendicesname}[1]{\def\SUF@appendices{#1}}
1107   \appendicesname{Appendici}
1108   \newcommand{\appendixpage}{\SUF@appendixpage}
1109 \def\SUF@appendixpage{%
1110   \c@mainmattertrue
1111   \titlecontents{part}
1112     [0em]
1113     {\addvspace{3ex}}
1114     {}
1115     {}
1116     {}
1117     [\addvspace{1ex}]
1118 \let\contentspage\relax
1119   \cleardoublepage
1120   \thispagestyle{empty}
1121   \addcontentsline{toc}{part}{\SUF@appendices}
1122   \begingroup
1123     \centering
1124     \null\vfil
1125     {\LARGE\SUF@appendices\par}
1126     \vfil

```

```

1127   \endgroup
1128   \cleardoublepage
1129 \titlecontents{part}
1130   [0em]
1131   {\addvspace{3ex}\partname~}
1132   {\makebox[\SUF@label@part][1]{\thecontentslabel}\hspace*{1em}}
1133   {}
1134   {}
1135   [\addvspace{1ex}]
1136 }

\appendix
1137 \ifsuftesi@sufelements
1138 \renewcommand\appendix{\par
1139   \setcounter{chapter}{0}%
1140   \setcounter{section}{0}%
1141   \gdef\@chapapp{\appendixname}%
1142   \gdef\thechapter{\@Alph\c@chapter}
1143   \titleformat{\chapter}[block]
1144   {\vskip-22pt}%
1145   {\small\SUF@titlesmallcaps{\appendixname}\~\Alph{chapter}:\hskip.5em}
1146   {0pt}
1147   {\small\SUF@titlesmallcaps}
1148   [\rule{\textwidth}{.4pt}]
1149   \titlespacing*{\chapter}{0em}{-16pt}{10pt}[0em]}
1150 \else
1151   \ifsuftesi@article
1152     \renewcommand\appendix{\par
1153       \setcounter{section}{0}%
1154       \setcounter{subsection}{0}%
1155       \gdef\SUF@thesection{\@Alph\c@section}}
1156 \else
1157   \renewcommand\appendix{\par
1158     \setcounter{chapter}{0}%
1159     \setcounter{section}{0}%
1160     \gdef\@chapapp{\appendixname}%
1161     \gdef\thechapter{\@Alph\c@chapter}}
1162 \fi
1163 \fi

```

A.17 Headings

```

1164 \RequirePackage{fancyhdr}
1165 \pagestyle{fancy}
1166 \renewcommand{\headrulewidth}{0pt}
1167 \renewcommand{\footnoterule}{}
1168 \def\SUF@versionstring{\texttt{Version of \today}}

```

The elements headers

```

1169 \ifsuftesi@elementsheader%
1170   \renewcommand{\chaptermark}[1]{\markboth{\#1}{\#1}}
1171   \renewcommand{\sectionmark}[1]{\markright{\#1}}
1172 \fancypagestyle{elements}{%
1173   \setlength{\unitlength}{1pt}
1174   \fancyhf{}}

```

```

1175 \fancyfoot[LE,RO]{\thepage}
1176 \fancyhead[RO]{%
1177   \begin{picture}(0,0)
1178     \put(0,-104){%
1179       \hspace{\marginparsep}
1180       \parbox[t]{\marginparwidth}{\itshape\raggedright\leftmark}}%
1181   \end{picture}}
1182 \fancyhead[LE]{%
1183   \begin{picture}(0,0)
1184     \put(0,-104){%
1185       \hspace{-\dimexpr(\marginparwidth+\marginparsep)}
1186       \parbox[t]{\marginparwidth}{\itshape\raggedleft\rightmark}}%
1187   \end{picture}}%
1188 }%
1189 \else

```

The default headers

```

1190 \renewcommand{\chaptermark}[1]{%
1191   \markboth{\chapertitlename\ \SUF@thechapter}{#1}}
1192 \ifsuftesi@article
1193   \renewcommand{\sectionmark}[1]{\markright{\SUF@thesection.\ #1}}
1194 \else
1195   \renewcommand{\sectionmark}[1]{}
1196 \fi
1197 \fi

```

The plain style

```
1198 \fancypagestyle{plain}{\fancyhf{}}
```

The sufplain style

```

1199 \fancypagestyle{sufplain}{%
1200   \fancyhf{}%
1201   \fancyfoot[RE,LO]{%
1202     \ifsuftesi@bozza\footnotesize\SUF@versionstring\else\fi}
1203   \fancyfoot[C]{\footnotesize\SUF@thepage}}

```

The centerheader style

```

1204 \fancypagestyle{centerheader}{%
1205   \fancyhf{}%
1206   \fancyfoot[RE,LO]{%
1207     \ifsuftesi@bozza\footnotesize\SUF@versionstring\else\fi}
1208   \fancyhead[CO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1209   \fancyhead[CE]{\footnotesize\xheadbreakfalse%
1210     \SUF@LR@MarkSwitch}
1211   \fancyfoot[C]{\footnotesize\SUF@thepage}}%
1212 }%

```

The sufdefault style

```

1213 \fancypagestyle{sufdefault}{%
1214   \fancyhf{}%
1215   \fancyfoot[RE,LO]{%

```

```

1216     \ifsuftesi@bozza\footnotesize\SUF@versionstring\else\fi}
1217     \fancyhead[LE,RO]{\footnotesize\SUF@the\page}
1218     \fancyhead[LO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1219     \fancyhead[RE]{\footnotesize\xheadbreakfalse%
1220         \SUF@LR@MarkSwitch}
1221     }%
1222 %
1223 \ifsuftesi@article
1224 \ifsuftesi@authortitle
1225 \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1226 \else
1227 \def\SUF@LR@MarkSwitch{\SUF@rightmark}
1228 \fi
1229 \else
1230     \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1231 \fi
1232 \def\SUF@leftrightmark{%
1233     \if@mainmatter\leftmark\else\rightmark\fi}

```

Setting the default page style:

```

1234 \pagestyle{sufdefault}
1235 \ifsuftesi@centerheader\pagestyle{centerheader}\else\fi
1236 \ifsuftesi@sufplain\pagestyle{sufplain}\else\fi
1237 \ifsuftesi@elementsheader\pagestyle{elements}\else\fi

```

A.18 Text elements

A.18.1 Block Quotations

quotation New quotation and quote environments according to a popular Italian style. The font size is the same of the footnotes and the margins are set to `\parindent`.

```

1238 \renewenvironment{quotation}
1239     {\list{}{\listparindent\parindent%
1240             \itemindent    \listparindent
1241             \leftmargin   \parindent
1242             \SUF@quote@style
1243             \parsep      \z@ \cplus\p@}%
1244             \item\relax%
1245             \SUF@quotation@size%
1246             \noindent\ignorespaces}
1247     {\endlist}
1248 \renewenvironment{quote}
1249     {\list{}{\leftmargin \parindent
1250             \SUF@quote@style}%
1251             \item\relax%
1252             \SUF@quotation@size}\% \ignorespaces?
1253     {\endlist}
1254 \renewenvironment{verse}
1255     {\let\\@\centercr
1256     \list{}{\itemsep      \z@
1257             \itemindent   -1.5em%
1258             \listparindent\itemindent
1259             \rightmargin \leftmargin
1260             \advance\leftmargin 1.5em}\%

```

```

1261           \item\relax
1262             \SUF@quotation@size}
1263         {\endlist}

The fewfootnotes option Enable only with three footnotes per page maximum.

1264 \let\oldfootnote\footnote
1265 \ifsoftfesi@fewfootnotes
1266 \def\fnsymbol#1{\ensuremath{\ifcase#1
1267   \or * \or ** \or *** \or \ClassError{softfesi}{%
1268     {Too many footnotes}\MessageBreak
1269     Remove the class option 'fewfootnote'}%
1270     {Too many footnotes}\MessageBreak
1271     Remove the class option 'fewfootnote'}%
1272   \else\@ctrerr\fi}}
1273 \renewcommand{\footnote}[1]{%
1274   \begingroup
1275     \addtoreset{footnote}{page}
1276     \renewcommand{\thefootnote}{\fnsymbol{footnote}}\oldfootnote{#1}
1277   \endgroup
1278 \else\fi

\xfootnote Prints a footnote with discretionary symbol give in the first argument.

1279 \newcommand{\xfootnote}[2]{%
1280   \begingroup
1281     \addtocounter{footnote}{-1}
1282     \addtoreset{footnote}{page}
1283     \renewcommand{\thefootnote}{\ensuremath{\#1}}\oldfootnote{#2}
1284   \endgroup
}

```

A.18.2 Marginal notes

`\marginpar` The `\marginpar` command is redefined according to the look of *Classic Thesis* by André Miede (2011). Thanks to Lorenzo Pantieri and Enrico Gregorio.

```

1285 \def\SUF@mpsetup{%
  In the Elements (i.e. with elements option) the marginal notes are printed in roman,
  but I prefer italic shape for the other options:

```

```

1286   \ifsoftfesi@elementsheader\relax
1287     \else\itshape\fi
1288   \footnotesize%
1289   \parindent=0pt \lineskip=0pt \lineskiplimit=0pt %
1290   \tolerance=2000 \hyphenpenalty=300 \exhyphenpenalty=300%
1291   \doublehyphendemerits=100000%
1292   \finalhyphendemerits=\doublehyphendemerits}
1293 \let\oldmarginpar\marginpar
1294 \renewcommand{\marginpar}[1]{\oldmarginpar%
1295   [\SUF@mpsetup\raggedleft\hspace{0pt}{#1}]%
1296   [\SUF@mpsetup\raggedright\hspace{0pt}{#1}]}

```

A.18.3 Abstract

This is the macro that defines the `abstract` environment in `article` class. In `softfesi` it simply prints the abstract name in roman font:

```

1297 \if@titlepage
1298   \newenvironment{abstract}{%
1299     \titlepage
1300     \null\vfil
1301     \begin{parpenalty}\@lowpenalty
1302     \begin{center}%
1303       \abstractname
1304       \end{parpenalty}\@M
1305     \end{center}}%
1306   {\par\vfil\null\endtitlepage}
1307 \else
1308   \newenvironment{abstract}{%
1309     \if@twocolumn
1310       \section*\{\abstractname\}%
1311     \else
1312       \small
1313       \begin{center}%
1314         {\abstractname\vspace{-.5em}\vspace{\z@}}%
1315       \end{center}%
1316       \quotation
1317     \fi}
1318   {\if@twocolumn\else\endquotation\fi}
1319 \fi
1320 \newcommand{\abstractname}{Abstract}

```

A.18.4 Colophon

```

\colophon Some useful commands to print a colophon or a copyright notice.
1321 \newcommand{\colophon}[3][]{%
1322   \thispagestyle{empty}
1323   \null
1324   \vfill
1325   \def\next{\#2}
1326   \ifx\next\empty\else
1327     \noindent Copyright \copyright{} \the\year~#2\\[1ex]
1328     Tutti i diritti riservati
1329   \fi
1330   \vfill
1331   {\small\noindent Questo lavoro \`e stato composto con \TeX{}%
1332   \def\next{\#1}
1333   \ifx\next\empty\else su #1
1334   \fi usando la classe \textsf{stftesi} di
1335   Ivan Valbusa\index{Valbusa, Ivan}. #3\par}
1336   \cleardoublepage
\bookcolophon
1337 \newcommand{\bookcolophon}[2]{%
1338   \thispagestyle{empty}
1339   \null
1340   \vfill
1341   \noindent #1
1342   \vfill
1343   {\small\noindent #2\par}
1344   \cleardoublepage}

```

```

\artcolophon
1345 \newcommand{\artcolophon}[1]{%
1346   \thispagestyle{empty}%
1347   \null
1348   \vfill
1349   {\small\noindent #1\par}}}

\finalcolophon
1350 \newcommand{\finalcolophon}[1]{%
1351   \thispagestyle{empty}%
1352   \null\vspace*{\stretch{1}}%
1353   \begin{center}%
1354     \begin{minipage}{.5\textwidth}%
1355       \centering\small #1
1356     \end{minipage}%
1357   \end{center}%
1358   \vspace*{\stretch{6}}}

```

A.19 TOC, LOF, LOT

```

1359 \RequirePackage{titletoc}

\SUF@label@chapter All the lengths depend on \SUF@label@chapter so we define this first.
1360 \newlength\SUF@label@chapter
1361 \setlength\SUF@label@chapter{.5em}

\toclabelwidth \toclabelwidth is provided to adjust the label width:
1362 \newcommand*\toclabelwidth[1]{\setlength\SUF@label@chapter{#1}}

\SUF@tochang This macro controls the space between page number and chapter label using the
tocpageleft option:
1363 \newlength\SUF@tochang
1364 \setlength\SUF@tochang{3em}
1365 \AtBeginDocument{
1366   \newlength\SUF@label@part
1367   \newlength\SUF@label@section
1368   \newlength\SUF@label@subsection
1369   \newlength\SUF@label@subsubsection
1370   \newlength\SUF@label@paragraph
1371   \newlength\SUF@label@subparagraph
1372   \newlength\SUF@label@figure
1373   \newlength\SUF@label@table
1374   \setlength\SUF@label@part
1375   {\SUF@label@chapter}
1376   \setlength\SUF@label@section
1377   {\dimexpr(\SUF@label@chapter+.5em)}
1378   \setlength\SUF@label@subsection
1379   {\dimexpr(\SUF@label@section+.5em)}
1380   \setlength\SUF@label@subsubsection
1381   {\dimexpr(\SUF@label@subsection+.5em)}
1382   \setlength\SUF@label@paragraph
1383   {\dimexpr(\SUF@label@subsubsection+.5em)}
1384   \setlength\SUF@label@subparagraph
1385   {\dimexpr(\SUF@label@paragraph+.5em)}
1386   \setlength\SUF@label@figure
1387   {\SUF@label@section}

```

```

1388 \setlength{\SUF@label@table
1389     {\SUF@label@section}
1390 }

    Part in article mode
1391 \titlecontents{part}
1392     [0em]
1393     {\addvspace{3ex}\partname\hspace*{.5em}}
1394     {\makebox[\SUF@label@part][1]{\thecontentslabel}\hspace*{1em}}
1395     {}
1396     {}
1397     [\addvspace{1ex}]

A.19.1 The tocpageleft table of contents

1398 \ifsuftesi@pagelefttoc

\contentsmargin First we reset the right margin to zero:
1399 \contentsmargin{0pt}

\SUF@tochang@{level}
\SUF@addto@tochang@{level} 1400 \AtBeginDocument{
1401 \newlength{\SUF@tochang@chap}
1402 \newlength{\SUF@tochang@sec}
1403 \newlength{\SUF@tochang@subsec}
1404 \newlength{\SUF@tochang@subsubsec}
1405 \newlength{\SUF@tochang@par}
1406 \newlength{\SUF@tochang@subpar}
1407 \newlength{\SUF@tochang@fig}
1408 \newlength{\SUF@tochang@tab}
1409 \newlength{\SUF@addto@tochang@chap}
1410 \newlength{\SUF@addto@tochang@sec}
1411 \newlength{\SUF@addto@tochang@subsec}
1412 \newlength{\SUF@addto@tochang@subsubsec}
1413 \newlength{\SUF@addto@tochang@par}
1414 \newlength{\SUF@addto@tochang@subpar}
1415 \newlength{\SUF@addto@tochang@fig}
1416 \newlength{\SUF@addto@tochang@tab}
1417 \setlength{\SUF@tochang@chap}
1418     {\dimexpr(1em+\SUF@tochang+\SUF@label@chapter+1em)}
1419 \setlength{\SUF@tochang@sec}
1420     {\dimexpr(\SUF@tochang@chap+\SUF@label@section+1em)}
1421 \setlength{\SUF@tochang@subsec}
1422     {\dimexpr(\SUF@tochang@sec+\SUF@label@subsection+1em)}
1423 \setlength{\SUF@tochang@subsubsec}
1424     {\dimexpr(\SUF@tochang@subsec+\SUF@label@subsubsection+1em)}
1425 \setlength{\SUF@tochang@par}
1426     {\dimexpr(\SUF@tochang@subsubsec+\SUF@label@paragraph+1em)}
1427 \setlength{\SUF@tochang@subpar}
1428     {\dimexpr(\SUF@tochang@par+\SUF@label@subparagraph+1em)}
1429 \setlength{\SUF@tochang@fig}
1430     {\SUF@tochang@chap}
1431 \setlength{\SUF@tochang@tab}
1432     {\SUF@tochang@chap}
1433 \setlength{\SUF@addto@tochang@chap}
1434     {\SUF@tochang}
1435 \setlength{\SUF@addto@tochang@sec}

```

```

1436      {\dimexpr(\SUF@addto@tochang@chap+\SUF@label@section+.5em)}
1437 \setlength{\SUF@addto@tochang@subsec}
1438      {\dimexpr(\SUF@addto@tochang@sec+\SUF@label@subsection+.5em)}
1439 \setlength{\SUF@addto@tochang@subsubsec}
1440      {\dimexpr(\SUF@addto@tochang@subsec+\SUF@label@subsubsection+.5em)}
1441 \setlength{\SUF@addto@tochang@par}
1442      {\dimexpr(\SUF@addto@tochang@subsubsec+\SUF@label@paragraph+.5em)}
1443 \setlength{\SUF@addto@tochang@subpar}
1444      {\dimexpr(\SUF@addto@tochang@par+\SUF@label@subparagraph+.5em)}
1445 \setlength{\SUF@addto@tochang@fig}
1446      {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1447 \setlength{\SUF@addto@tochang@tab}
1448      {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1449 }

```

TOC entries

```

1450 \titlecontents{chapter}
1451  [\SUF@tochang@chap]
1452  {\addvspace{2ex}}
1453  {\hspace{-\SUF@tochang@chap%}
1454   \makebox[1em][l]{\thecontentspage}\%
1455   \hspace{\SUF@addto@tochang@chap%
1456   \makebox[\SUF@label@chapter][l]{\thecontentslabel}\%
1457   \hspace*{1em}}
1458  {\hspace{-\SUF@tochang@chap%
1459   \makebox[1em][l]{\thecontentspage}\%
1460   \hspace{\SUF@addto@tochang@chap}}
1461  {}
1462  [\addvspace{1ex}]
1463 \titlecontents{section}
1464  [\SUF@tochang@sec]
1465  {}
1466  {\hspace{-\SUF@tochang@sec%}
1467   \makebox[1em][l]{\thecontentspage}\hspace{\SUF@addto@tochang@sec%}
1468   \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1469  {\hspace{-\SUF@tochang@sec%
1470   \makebox[1em][l]{\thecontentspage}\hspace{\SUF@addto@tochang@sec%
1471   \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1472  {}
1473 \titlecontents{subsection}
1474  [\SUF@tochang@subsec]
1475  {}
1476  {\hspace{-\SUF@tochang@subsec%}
1477   \makebox[1em][l]{\thecontentspage}\hspace{\SUF@addto@tochang@subsec%}
1478   \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1479  {\hspace{-\SUF@tochang@subsec%
1480   \makebox[1em][l]{\thecontentspage}\hspace{\SUF@addto@tochang@subsec%}
1481   \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1482  {}
1483 \titlecontents{subsubsection}
1484  [\SUF@tochang@subsubsec]
1485  {}
1486  {\hspace{-\SUF@tochang@subsubsec%}
1487   \makebox[1em][l]{\thecontentspage}\hspace{\SUF@addto@tochang@subsubsec%}
1488   \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}

```

```

1489 {\hskip-\SUF@tochang@subsubsec%
1490   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1491   \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1492 {}
1493 \titlecontents{paragraph}
1494 [\SUF@tochang@par]
1495 {}
1496 {\hskip-\SUF@tochang@par%
1497   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1498   \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1499 {\hskip-\SUF@tochang@par%
1500   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1501   \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1502 {}
1503 \titlecontents{subparagraph}
1504 [\SUF@tochang@subpar]
1505 {}
1506 {\hskip-\SUF@tochang@subpar%
1507   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1508   \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1509 {\hskip-\SUF@tochang@subpar%
1510   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1511   \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1512 {}
1513 \titlecontents{figure}
1514 [\SUF@tochang@fig]
1515 {}
1516 {\hskip-\SUF@tochang@fig%
1517   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@fig%
1518   \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1519 {}
1520 {}
1521 \titlecontents{table}
1522 [\SUF@tochang@tab]
1523 {}
1524 {\hskip-\SUF@tochang@tab%
1525   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@tab%
1526   \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1527 {}
1528 {}
1529 \else

```

A.19.2 The default table of contents

```

1530 \AtBeginDocument{
1531 \newlength\SUF@tocindent@chap
1532 \newlength\SUF@tocindent@sec
1533 \newlength\SUF@tocindent@subsec
1534 \newlength\SUF@tocindent@subsubsec
1535 \newlength\SUF@tocindent@par
1536 \newlength\SUF@tocindent@subpar
1537 \newlength\SUF@tocindent@fig
1538 \newlength\SUF@tocindent@tab
1539 \setlength\SUF@tocindent@chap

```

```

1540      {\dimexpr(\SUF@label@chapter+1em)}
1541 \setlength{\SUF@tocindent@sec}
1542     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section+1em)}
1543 \setlength{\SUF@tocindent@subsec}
1544     {\dimexpr(\SUF@tocindent@sec+\SUF@label@subsection+1em)}
1545 \setlength{\SUF@tocindent@subsubsec}
1546     {\dimexpr(\SUF@tocindent@subsec+\SUF@label@subsubsection+1em)}
1547 \setlength{\SUF@tocindent@par}
1548     {\dimexpr(\SUF@tocindent@subsubsec+\SUF@label@paragraph+1em)}
1549 \setlength{\SUF@tocindent@subpar}
1550     {\dimexpr(\SUF@tocindent@par+\SUF@label@subparagraph+1em)}
1551 \setlength{\SUF@tocindent@fig}
1552     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1553 \setlength{\SUF@tocindent@tab}
1554     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1555 }

```

TOC entries

```

1556 \titlecontents{chapter}
1557   [\SUF@tocindent@chap]
1558   {\addvspace{2ex}}
1559   {\hspace{-\SUF@tocindent@chap}%
1560     \makebox[\SUF@label@chapter][1]{\thecontentslabel}%
1561     \hspace*{1em}}
1562   {\hspace{-\SUF@tocindent@chap}%
1563   {\SUF@chaptitlerule\contentspage}
1564   [\addvspace{1ex}]}
1565 \titlecontents{section}
1566   [\SUF@tocindent@sec]
1567   {}
1568   {\hspace{-\dimexpr(\SUF@label@section+1em)}%
1569     \makebox[\SUF@label@section][1]{\thecontentslabel}\hspace*{1em}}
1570   {\hspace{-\dimexpr(\SUF@label@section+1em)}%
1571     \makebox[\SUF@label@section][1]{\thecontentslabel}\hspace*{1em}}
1572   {\ifusftesi@article\SUF@chaptitlerule\%
1573     \else\SUF@titlerule\fi\contentspage}
1574 \titlecontents{subsection}
1575   [\SUF@tocindent@subsec]
1576   {}
1577   {\hspace{-\dimexpr(\SUF@label@subsection+1em)}%
1578     \makebox[\SUF@label@subsection][1]{\thecontentslabel}\hspace*{1em}}
1579   {\hspace{-\dimexpr(\SUF@label@subsection+1em)}%
1580     \makebox[\SUF@label@subsection][1]{\thecontentslabel}\hspace*{1em}}
1581   {\SUF@titlerule\contentspage}
1582 \titlecontents{subsubsection}
1583   [\SUF@tocindent@subsubsec]
1584   {}
1585   {\hspace{-\dimexpr(\SUF@label@subsubsection+1em)}%
1586     \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}}
1587   {\hspace{-\dimexpr(\SUF@label@subsubsection+1em)}%
1588     \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}}
1589   {\SUF@titlerule\contentspage}
1590 \titlecontents{paragraph}
1591   [\SUF@tocindent@par]

```

```

1592  {}
1593  {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1594   \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}%
1595  {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1596   \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}%
1597  {\SUF@titlerule\contentspage}
1598 \titlecontents{subparagraph}
1599  [\SUF@tocindent@subpar]
1600  {}
1601  {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1602   \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}%
1603  {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1604   \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}%
1605  {\SUF@titlerule\contentspage}
1606 \titlecontents{figure}
1607  [\SUF@tocindent@fig]
1608  {}
1609  {\hskip-\SUF@tocindent@fig%
1610   \makebox[\SUF@label@figure][1]{\thecontentslabel}\hspace*{1em}%
1611  {}
1612  {\SUF@titlerule\contentspage}
1613 \titlecontents{table}
1614  [\SUF@tocindent@tab]
1615  {}
1616  {\hskip-\SUF@tocindent@tab%
1617   \makebox[\SUF@label@table][1]{\thecontentslabel}\hspace*{1em}%
1618  {}
1619  {\SUF@titlerule\contentspage}
1620 \fi

\tableofcontents With article option the toc, lof and lot are printed as sections.
\listoffigures 1621 \ifsufthesi@article
\listoftables 1622 \renewcommand\tableofcontents{%
1623   \vspace{2ex}%
1624   \section*{\contentsname}%
1625   \mkboth{\contentsname}{\contentsname}%
1626   \thispagestyle{empty}%
1627   \starttoc{toc}%
1628   \vspace{2ex}%
1629 }
1630 \renewcommand\listoffigures{%
1631   \section*{\listfigurename}%
1632   \mkboth{\listfigurename}{\listfigurename}%
1633   \thispagestyle{empty}%
1634   \starttoc{lof}%
1635   \vspace{2ex}%
1636 }
1637 \renewcommand\listoftables{%
1638   \section*{\listtablename}%
1639   \mkboth{\listtablename}{\listtablename}%
1640   \thispagestyle{empty}%
1641   \starttoc{lot}%
1642   \vspace{2ex}%
1643 }
1644 \else

```

The default toc, lof and lot are treated as chapters.

```
1645 \renewcommand\tableofcontents{%
1646     \if@twocolumn
1647         \@restonecoltrue\onecolumn
1648     \else
1649         \@restonecolfalse
1650     \fi
1651     \chapter*{\contentsname%
1652         \mkboth{%
1653             \contentsname}%
1654             {\contentsname}}%
1655         \thispagestyle{empty}
1656     \starttoc{toc}%
1657     \if@restonecol\twocolumn\fi
1658 }
1659 \renewcommand\listoffigures{%
1660     \if@twocolumn
1661         \@restonecoltrue\onecolumn
1662     \else
1663         \@restonecolfalse
1664     \fi
1665     \chapter*{\listfigurename%
1666         \mkboth{\listfigurename}%
1667             {\listfigurename}}%
1668         \thispagestyle{empty}
1669     \starttoc{lof}%
1670     \if@restonecol\twocolumn\fi
1671 }
1672 \renewcommand\listoftables{%
1673     \if@twocolumn
1674         \@restonecoltrue\onecolumn
1675     \else
1676         \@restonecolfalse
1677     \fi
1678     \chapter*{\listtablename%
1679         \mkboth{%
1680             \listtablename}%
1681             {\listtablename}}%
1682         \thispagestyle{empty}
1683     \starttoc{lot}%
1684     \if@restonecol\twocolumn\fi
1685 }
1686 \fi
```

A.20 New commands

\chapterintro A command to typeset an unnumbered section:

```
1687 \ifsuftesi@article
1688 \def\chapterintro{%
1689 \ClassError{suftesi}{%
1690   {Command \noexpand\chapterintro is undefined\MessageBreak
1691     using 'documentstructure=article'}%
1692   {Command \noexpand\chapterintro is undefined\MessageBreak
```

```

1693     using 'documentstructure=article'"}}
1694 \else
1695 \def\chapterintro{
1696   \ifstar{\@tempswafalse\@chapterintro}{\@tempswatrue\@chapterintro}}
1697 \def\@chapterintro{\phantomsection
1698   \if@tempswa\section*\{\SUF@fchapterintroname\}\fi
1699   \addcontentsline{toc}{section}{\SUF@fchapterintroname}}
1700 \newcommand{\chapterintroname}[1]{\def\SUF@fchapterintroname{#1}}
1701 \chapterintroname{Introduzione}
1702 \fi

\headbreak Active in the table of contents but not in the text.
1703 \newif\ifheadbreak\headbreakfalse
1704 \DeclareRobustCommand{\headbreak}
1705   {\ifheadbreak\relax\else\fi}

\xheadbreak Active in the text but not in the table of contents.
1706 \newif\ifxheadbreak\xheadbreaktrue
1707 \DeclareRobustCommand{\xheadbreak}
1708   {\ifxheadbreak\relax\else\fi}

\tableofcontents
1709 \let\origtableofcontents\tableofcontents
1710 \renewcommand{\tableofcontents}{%
1711   \begingroup\headbreaktrue\xheadbreakfalse%
1712   \origtableofcontents\endgroup}

Renew \frontmatter to have arabic page numbering:
1713 \ifsuftesi@article
1714 \renewcommand\frontmatter{\ClassError{suftesi}
1715   {Command \noexpand\frontmatter is undefined\MessageBreak
1716     using 'documentstructure=article'}
1717   {Command \noexpand\frontmatter is undefined\MessageBreak
1718     using 'documentstructure=article'}}}
1719 \renewcommand\mainmatter{\ClassError{suftesi}
1720   {Command \noexpand\mainmatter is undefined\MessageBreak
1721     using 'documentstructure=article'}
1722   {Command \noexpand\mainmatter is undefined\MessageBreak
1723     using 'documentstructure=article'}}}
1724 \renewcommand\backmatter{\ClassError{suftesi}
1725   {Command \noexpand\backmatter is undefined\MessageBreak
1726     using 'documentstructure=article'}
1727   {Command \noexpand\backmatter is undefined\MessageBreak
1728     using 'documentstructure=article'}}}
1729 \else
1730 \renewcommand\frontmatter{\cleardoublepage\@mainmatterfalse}
1731 \renewcommand\mainmatter{\cleardoublepage\@mainmattertrue}
1732 \fi

```

A.21 Backward compatibility

bibliografia An environment to manually typeset the bibliography. (Use `biblatex` instead!)

```

1733 \newenvironment{bibliografia}{%
1734   \ifsuftesi@article
1735     \section*\{\refname\}

```

```

1736     \addcontentsline{toc}{section}{\refname}
1737     \else
1738     \chapter{\bibname}%
1739     \fi
1740     \normalfont \list{}{%
1741         \setlength{\itemindent}{-\parindent}
1742         \setlength{\leftmargin}{\parindent}
1743         \setlength{\labelwidth}{\leftmargin}
1744         \setlength{\parsep}{\parskip}
1745         \let\makelabel}%
1746     {\endlist}

sigle An environment to manually typeset the list of shorthands. (Use biblatex instead!)
1747 \newcommand{\losname}{Sigle}
1748 \newcommand{\itlabel}[1]{\itshape\hbox to 6em{#1}}
1749 \newenvironment{sigle}{%
1750     \chapter{\losname}
1751     \normalfont \list{}{%
1752         \setlength{\labelsep}{0.5em}
1753         \setlength{\itemindent}{0pt}
1754         \setlength{\leftmargin}{6em}
1755         \setlength{\labelwidth}{\leftmargin}
1756         \setlength{\listparindent}{\parindent}
1757         \setlength{\parsep}{\parskip}
1758         \let\makelabel\itlabel}%
1759     {\endlist}

\hemph In a previous version the \hemph command was provided to fix a bug in the hyphenation
of some italian expressions like “dell’encyclopaedia”. The bug has been fixed by Claudio
Beccari so the \hemph command is provided only for backward compatibility:
1760 \let\hemph\emph

```

A.22 Final settings

The first line of all sections is indented by default using X_ET_EX with italian as main language. Anyway this is incongruous with the L_AT_EX default.

```
1761 \ifxetex\let\@afterindenttrue\@afterindentfalse\else\f@i
```

Just one touch of french typography:

```
1762 \frenchspacing
</class>
```

Change History

v0.5	New command chapnumfont	10
General: First public release. The frontispiece of <i>suftesi</i> is now included in the package <i>frontespizio</i> . New option <i>fullplain</i> Changed option <i>sctitles</i>	New option compact	11
	New option elements	11
	New option nocrop	11
	New option nomarginpar	11
	New option sufelements	11
	New option supercompact	11

v0.6	New option <code>dottedpart</code> 11
	New option <code>indentlist</code> 10
	New option <code>italicchap</code> 11
	New option <code>italicheader</code> 11
	New option <code>italicpart</code> 11
	New option <code>italicsec</code> 11
	New option <code>italicsubsec</code> 11
	New option <code>itstyle(1-12)</code> 11
	New option <code>numparchap</code> 11
	New option <code>numparpart</code> 11
	New option <code>numparsec</code> 11
	New option <code>ralignquotation</code> 10
	New option <code>rightchap</code> 10
	New option <code>rightpart</code> 10
	New option <code>rightsec</code> 11
	New option <code>rmstyle(1-6)</code> 11
	New option <code>romanchap</code> 11
	New option <code>scstyle(1-12)</code> 11
	New option <code>smallcapschap</code> 11
	New option <code>smallcapsheader</code> 11
	New option <code>smallcapspart</code> 11
	New option <code>smallcapssec</code> 11
	New option <code>smallquotation</code> 10
	New option <code>standardfootnote</code> 10
	New option <code>tocpageleft</code> 11
v0.6a	General: Maintenance release, no changes 1
v0.6b	General: Improved full compatibility with X _E T _L X. <code>varioref</code> and <code>footmisc</code> packages are no longer loaded 1
v0.6c	General: Maintenance release, no changes 1
v0.7	General: Maintenance release, no changes. Provided a thesis template 1
v0.8	General: Added macro for using <code>frontespizio</code> package with <code>compact</code> and <code>supercompact</code> options. 1
	New option <code>periodical</code> 11
	Renewed <code>\title</code> command 8
v0.9	General: Improved compatibility with <code>mathspec</code> 1
	New option <code>dottedtoc</code> 11
	New option <code>raggedtoc</code> 11
v0.9a	General: Added inline option to <code>enumitem</code> package. Deleted <code>centertitle</code> option. Deleted <code>sctitles</code> option. Changed code for toc, lot and lof elements. 1
	New command <code>\toclabelspace</code> 10
	New option <code>alignlist</code> 10
	New option <code>centerchap</code> 10
	New option <code>centerpart</code> 10
	New option <code>centersec</code> 10
	New option <code>defaultparindent</code> 10
	New option <code>dottedchap</code> 11
	New option <code>dottedfootnote</code> 10
v0.9b	General: Changed <code>standardfootnote</code> option and renamed to <code>footnotestyle</code> 4
	New command <code>\xfootnote</code> 10
	New option <code>fewfootnotes</code> 4
	New option <code>greekfont</code> 4
	New option <code>pagestyle</code> 2
	New option <code>parindent</code> 8
	New option <code>partpage</code> 8
	New option <code>quotationfont</code> 4
	New option <code>quotestyle</code> 4
	New option <code>tocstyle</code> 3
	Restored 11pt and 12pt option to default 1
	The <code>epigraph</code> package is no longer loaded 1
	The <code>mparhack</code> package is no longer loaded. It is not compatible with <code>crop</code> 1
v0.9c	General: Maintenance release, no changes 1

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	\@textsuperscript ..	C
\@Alph ... 1142, 1155, 1161 1002, 1005	\c@chapter ... 1142, 1161
\@M 1304	\@thanks 987, 993, 1017, 1023	\c@footnote ... 961, 1001
\@addtoreset . 1275, 1282	\@thefnmark . 364, 368,	\c@paragraph 821
\@afterindentfalse 1761	371, 374, 1002, 1005	\c@section 815, 1155
\@afterindenttrue . 1761	\@title 940, 947,	\c@subparagraph 823
\@arabic	967, 971, 973, 976,	\c@subsection 817
815, 817, 819, 821, 823	1035, 1039, 1041, 1044	\c@subsubsection ... 819
\@author	\@titlepagefalse 40	\captionsetup 387, 389, 390
294, 298, 951, 982, 1050	\@titlepagetrue 454, 456	\chapnumfont
\@beginparpenalty . 1301	\@topnum 1014	... 639, 641, 647, 649
\@centercr	\lrcorner 407, 1191, 1193	\chapter
\@chapapp 1141, 1160		656, 692, 698, 763, 767,
\@chapterintro 1696, 1697		771, 775, 778, 788,
\@ctrerr		789, 792, 793, 796,
\@date 985, 994, 1024, 1053		797, 799, 801, 807,
\@dblarg		808, 810, 909, 912,
\@endparpenalty ... 1304		915, 919, 923, 926,
\@fnsymbol 961, 1001, 1266		1143, 1149, 1651,
\@headtitle		1665, 1678, 1738, 1750
... 293, 297, 940, 943		\chapterintro
\@idxitem		1688, 1690, 1692, 1695
\@ifpackageloaded ..		\chapterintroname ..
.... 875, 907, 1072		... 1700, 1701
\@ifpackagewith ... 1059		\chaptermark . 1170, 1190
\@ifstar		\chaptertitlename . 1191
\@lowpenalty		\ClassError 807, 1267,
\@mainmatterfalse . 1730		1689, 1714, 1719, 1724
\@mainmattertrue ...		\ClassWarningNoLine
... 1110, 1731		944, 948, 952
\@makefnmark		\cleardoublepage
1002		... 1119, 1128,
\@makefntext ... 363,		1336, 1344, 1730, 1731
366, 370, 373, 1003		\clearpage
\@makeschapterhead 1095		\cmdSUF@elements@chapposition
\@maketitle 1008,		654, 662
1010, 1015, 1022, 1027		\cmdSUF@elements@chapsize
\@mkboth		652, 661
1097, 1625, 1632,		\col@number
1639, 1652, 1666, 1679		1007
\@plus	\backmatter	\colophon
1101, 1243	... 1724, 1725, 1727	1321
\@restonecolfalse ..	\baselineskip	\columnsep
1088, 1649, 1663, 1676	633, 682, 688, 705,	\columnseprule
\@restonecoltrue ...	763, 767, 771, 775, 778	1103
1090, 1647, 1661, 1674	\bibliografia (environment)	\contentsmargin ... 1399
\@starttoc 1627, 1634,	1733	\contentsname .. 1624,
1641, 1656, 1669, 1683	\bibname 908, 914, 922, 1738	1625, 1651, 1653, 1654
\@tempswafalse 1696	\bookcolophon	\contentspage
\@tempswatrue 1696	1337	... 1118, 1563,

1573, 1581, 1589,	\fancyhf	1174,	721, 806, 873, 969,
1597, 1605, 1612, 1619	1198, 1200, 1205, 1214		1037, 1092, 1151,
\copyright	\fancypagestyle	1172,	1192, 1223, 1572,
\csname	1198, 1199, 1204, 1213		1621, 1687, 1713, 1734
D	\finalcolophon	1350	\ifsuftesi@authortitle
\date	\finalhyphendemerits 7, 1224
\DeclareFontFamily	1292	\ifsuftesi@bozza
\DeclareFontShape ..	\fnssymbol	1276	.. 28, 1202, 1207, 1216
..... 605–614	\font	600	\ifsuftesi@centerheader
\DeclareRobustCommand	\fontencoding ..	590, 618 4, 1235
..... 47, 58, 70,	\fontfamily	618, 648	\ifsuftesi@cmfont 2, 591
82, 617, 635, 637,	\fontspec	641	\ifsuftesi@compact 9,
643, 645, 1704, 1707	\footnote	960, 1032, 1264, 1273	766, 791, 1063, 1076
\defbibheading .	\footnoterule	959, 1167	\ifsuftesi@dottedtoc 13
876, 879, 882, 886, 890,	\footnotesize	356,	\ifsuftesi@elementschap
893, 896, 898, 901,	407, 958, 1202,	 24, 758
908, 911, 914, 918,	1203, 1207–1209,		\ifsuftesi@elementsheader
922, 925, 928, 931, 935	1211, 1216–1219, 1288		.. 25, 1169, 1237, 1286
\define@choicekey ..	\frenchspacing	1762	\ifsuftesi@elementspagelayout
. 35, 44, 105, 123,	\frontmatter 27, 774
143, 161, 169, 177,	1714, 1715, 1717, 1730		\ifsuftesi@elementsstructure
185, 193, 201, 209,	G	 26
217, 238, 258, 279,	\gdef	940, 1141,	\ifsuftesi@fewfootnotes
303, 322, 346, 353,	1142, 1155, 1160, 1161	 29, 1265
360, 376, 384, 393,	\global	991–	\ifsuftesi@nocrop 12, 621
400, 416, 423, 432,	996, 1014, 1020–1026		\ifsuftesi@numparchap
439, 445, 451, 458, 464	\greektext	617 17, 691, 704
\definecolor ..	Gregorio, Enrico	71	\ifsuftesi@numparpart
579, 580	H	 16, 830, 844
\dimen@	\hb@xt@	1004	\ifsuftesi@numparsec
601, 603	\headbreak	1704 18, 710
\disable@keys ..	\headbreakfalse	1703	\ifsuftesi@numparsubsec
540, 548	\headbreaktrue	1711 19, 727
\doublehyphendemerits	\headrulewidth	1166	\ifsuftesi@numparsubsubsec
..... 1291, 1292	\hemph	1760 20, 742
E	\hss	1005	\ifsuftesi@pagelefttoc
\emph	\ht	602 15, 1398
1760	\hyphenpenalty	1290	\ifsuftesi@partpage
\encodingdefault ..	I	 30, 824
619	\if@mainmatter	1233	\ifsuftesi@periodical
\endcsname	\if@restonecol		8, 762, 787, 1060, 1073
942	1105, 1657, 1670, 1684		\ifsuftesi@porson 3, 598
\endlist	\if@tempswa	1698	\ifsuftesi@raggedtoc 14
1247,	\if@titlepage ..	956, 1297	\ifsuftesi@smallcapschap
1253, 1263, 1746, 1759	\if@twocolumn 22, 966, 1034
\endquotation	1006, 1087, 1309,		\ifsuftesi@smallcapspart
1318	1318, 1646, 1660, 1673	 21
\ensuremath ..	\ifheadbreak ..	1703, 1705	\ifsuftesi@smallcapssec
1266, 1283	\ifsuftesi@article 23, 970, 1038
environments:			\ifsuftesi@sufelements
bibliografia 11, 1137
sigle			\ifsuftesi@sufplain
theindex 5, 1236
\ExecuteOptionsX ..			
551			
\exhyphenpenalty ..			
1290			
\extramarks			
672			
F			
\fancyfoot			
1175, 1201,			
1203, 1206, 1211, 1215			
\fancyhead			
1176, 1182,			
1208, 1209, 1217–1219			

\ifsuftesi@supercompact 10, 770, 795, 1066, 1079	\maketitle 955, 957, 992, 999, 1021
\ifxetex	... 585, 634, 1761	\Margini .. 1061, 1064, 1067, 1074, 1077, 1080
\ifxheadbreak	1706, 1708	\marginpar 398, 1293, 1294
\ignorespaces	1246, 1252	\marginparsep 663, 1179, 1185
\index 1335	\marginparwidth 1180, 1185, 1186
\indexname	1093, 1095, 1097	\markboth ... 878, 881, 885, 889, 910, 913,
\item	1104, 1244, 1251, 1261	917, 921, 1170, 1191
\itemindent 1240, 1257, 1258, 1741, 1753	\markright 892, 895, 924, 927,
\itemsep 1256	930, 934, 1171, 1193
\itlabel 1748, 1758	Miede, André
\itshape 181, 189, 197, 205, 213, 310, 311, 321, 678, 863, 1180, 1186, 1287, 1748	N
L		\newlength . 632, 1360, 1363, 1366–1373, 1401–1416, 1531–1538
\labelitemi 319	\noindent 1003, 1246, 1327, 1331, 1341, 1343, 1349
\labelsep 1752	Nowacki, Janusz M. 2
\labelwidth	.. 1743, 1755	\nr .. 35, 37, 44, 46, 105, 107, 123, 125, 143, 145, 161, 162, 169,
\LARGE 1125	170, 177, 178, 185, 186, 193, 194, 201,
\Large 47, 657	202, 209, 210, 217, 219, 238, 239, 258,
\LaTeX 1331	260, 279, 282, 303, 305, 322, 324, 346, 348, 353, 355, 360,
\leftmargin 1241, 1249, 1259, 1260, 1742, 1743, 1754, 1755	362, 376, 378, 384, 386, 393, 395, 400, 402, 416, 418, 423,
\leftmark 1180, 1233	425, 432, 434, 439, 440, 445, 447, 451,
\leftskip 367	453, 458, 460, 464, 472
\lineskip	.. 980, 1048, 1289	\numexpr .. 602
\lineskiplimit 1289	O
\list 1239, 1249, 1256, 1740, 1751	\oldfootnote 1264, 1276, 1283
\listfigurename 1631, 1632, 1665–1667	\oldmarginpar 1293, 1294
\listoffigures	1630, 1659	\onecolumn 1105, 1647, 1661, 1674
\listoftables	1637, 1672	\origtableofcontents 1709, 1712
\listparindent 1239, 1240, 1258, 1756	P
\listtablename	.. 1638, 1639, 1678, 1680, 1681	\p@ 602, 963, 1101, 1103, 1243
\LoadClass 34	
\losname 879, 886, 893, 911, 918, 925, 1747, 1750	S
M		\sbox .. 599, 600
\mainmatter 1719, 1720, 1722, 1731	\section 671, 676, 711, 717, 719, 725, 877, 880, 883, 887, 891, 894, 929, 932, 936, 1093, 1310, 1624, 1631, 1638, 1698, 1735
\makelabel	... 1745, 1758	\sectionmark 1171, 1193, 1195
\MakeTextLowercase 636, 638, 644, 646	\sectionsep . 632, 633, 717, 725, 733, 740, 748, 755, 828, 865, 872
		\setlength 435, 437, 633, 659, 1173, 1361, 1362, 1364, 1374, 1376,

1378, 1380, 1382, \SUF@appendixpage ..
 1384, 1386, 1388, 1108, 1109
 1417, 1419, 1421, \SUF@CHAP@StyleSwitch ..
 1423, 1425, 1427, 187, 189, 191, 696, 702
 1429, 1431, 1433, \SUF@chapnumfont ..
 1435, 1437, 1439, 640, 648, 660
 1441, 1443, 1445, \SUF@chaptersize ..
 1447, 1539, 1541, 47, 58, 70, 82,
 1543, 1545, 1547, 693, 699, 832, 838,
 1549, 1551, 1553, 846, 852, 965, 1033
 1741–1744, 1752–1757 \SUF@chaptitlerule ..
\setlist 320, 321, 325–
330, 332–337, 339–344 404,
596 408, 412, 1563, 1572
\sfdefault 596 \SUF@default@CHAPTER ..
\sigle (environment) . 1747 690, 785
\small .. 358, 958, 980, \SUF@default@SECTIONS ..
985, 1048, 1053, 709, 786
1145, 1147, 1312, \SUF@dotchap ..
1331, 1343, 1349, 1355 241, 244, 247,
\standardtitle 955 250, 253, 256, 694, 700
\strip@pt 603 \SUF@dotpart .. 221,
\subparagraph .. 866, 872 224, 227, 230, 233,
\subsection 236, 833, 839, 847, 853
677, 682, 728, 733, \SUF@dotsec ..
735, 740, 897, 899, 902 262, 265, 268,
\subsubsection .. 683, 271, 274, 277, 714, 722
688, 743, 748, 750, 755 \SUF@elements@CHAPTER ..
\SUF@addto@tochang@chap 655, 760
1409, 1433, 1436, \SUF@elements@SECTIONS ..
1446, 1448, 1455, 1460 670, 761
\SUF@addto@tochang@fig \SUF@fchapterintroname ..
.... 1415, 1445, 1517 1698–1700
\SUF@addto@tochang@par \SUF@greekfamily ..
..... 1413, 426, 428, 430, 618
1441, 1444, 1497, 1500 \SUF@headingsmallcaps ..
\SUF@addto@tochang@sec 314–316, 637, 645
..... 1410, \SUF@label@chapter ..
1435, 1438, 1467, 1470 1360–1362,
\SUF@addto@tochang@subpar 1375, 1377, 1418,
1414, 1443, 1507, 1510 1446, 1448, 1456,
\SUF@addto@tochang@subsec 1540, 1552, 1554, 1560
..... 1411, \SUF@label@figure ..
1437, 1440, 1477, 1480 1372, 1386, 1610
\SUF@addto@tochang@subsub \SUF@label@paragraph ..
..... 1412, 1370, 1382, 1385,
1439, 1442, 1487, 1490 1426, 1442, 1498,
\SUF@addto@tochang@tab 1501, 1548, 1593–1596
... 1416, 1447, 1525 \SUF@label@part ..
\SUF@ADJnumparchap 1132, 1366, 1374, 1394
..... 705, \SUF@label@section ..
707, 788, 792, 796, 800 1367, 1376, 1379,
\SUF@appendices 1387, 1389, 1420,
... 1106, 1121, 1125 1436, 1446, 1448,

\SUF@rightmark	1408, 1431, 1522, 1524	\suftesi@raggedtotrue	410
... 283, 287, 293,		\suftesi@sufplaintrue	290
297, 1208, 1218, 1227	\SUF@tocindent@chap	\suftesi@supercompacttrue	81
\SUF@SEC@StyleSwitch	1531,		
195, 197, 199, 716, 724	1539, 1542, 1552,		
\SUF@SUBSEC@StyleSwitch	1554, 1557, 1559, 1562		
203, 205, 207, 732, 739	\SUF@tocindent@fig .		
\SUF@SUBSUBSEC@StyleSwitch	1537, 1551, 1607, 1609		
211, 213, 215, 747, 754	\SUF@tocindent@par .		
\SUF@thechapter	1535, 1547, 1550, 1591	\tableofcontents ...	
..... 240, 243,	\SUF@tocindent@sec .	1622, 1645, 1709, 1710	
246, 249, 252, 255,	1532, 1541, 1544, 1566	\temp	600
664, 694, 700, 1191	\SUF@tocindent@subpar ..	\textbullet	319
\SUF@thepage 308, 312,	1536, 1549, 1599	\textcolor	664
316, 1203, 1211, 1217	\SUF@tocindent@subsec	\textls	644, 646
\SUF@thepart ... 220,	1533, 1543, 1546, 1575	\textnormal .	673, 679,
223, 226, 229, 232,	\SUF@tocindent@subsubsec	685, 730, 737, 745, 752	
235, 833, 839, 847, 853	1534, 1545, 1548, 1583	\textsc	223,
\SUF@thesection	\SUF@tocindent@tab .	232, 243, 252, 264, 273	
..... 261, 264,	1538, 1553, 1614, 1616	\textsf	1334
267, 270, 273, 276,	\SUF@versionstring .	\textsuperscript ...	374
713, 721, 1155, 1193	1168, 1202, 1207, 1216	\texttt	1168
\SUF@titlerule	\suftesi@articletrue 39	\thanks	960, 991, 1020, 1032
... 403, 407, 411,	\suftesi@authortitletrue ..	\thechapter ..	1142, 1161
1573, 1581, 1589, 292, 296	\thecontentslabel ..	
1597, 1605, 1612, 1619	\suftesi@bozzattrue . 461	1132, 1394, 1456,	
\SUF@titlesmallcaps	\suftesi@centerheadertrue ..	1468, 1471, 1478,	
... 183, 191, 199, 286, 299	1481, 1488, 1491,	
207, 215, 635, 643,	\suftesi@cmfonttrue 420	1498, 1501, 1508,	
667, 675, 967, 971,	\suftesi@compacttrue 69	1511, 1518, 1526,	
1035, 1039, 1145, 1147	\suftesi@dottedtotrue ..	1560, 1569, 1571,	
\SUF@tochang 406	1578, 1580, 1586,	
1363, 1364, 1418, 1434	\suftesi@elementschaptrue ..	1588, 1594, 1596,	
\SUF@tochang@chap 141 \thecontentspage 1454,	1602, 1604, 1610, 1617	
..... 1401,	\suftesi@elementsheadertrue ..		
1417, 1420, 1430, 301	1459, 1467, 1470,	
1432, 1451, 1453, 1458	\suftesi@elementspagelayouttrue ..	1477, 1480, 1487,	
\SUF@tochang@fig 93	1490, 1497, 1500,	
1407, 1429, 1514, 1516	\suftesi@fewfootnotestru ..	1507, 1510, 1517, 1525	
\SUF@tochang@par 379	\thefootnote	
.... 1405, 1425,	\suftesi@nocropture 449	961, 1001, 1276, 1283	
1428, 1494, 1496, 1499	\suftesi@numparchaptrue ..		
\SUF@tochang@sec 133, 136, 139	\theindex (environment)	
.... 1402, 1419,	\suftesi@numparparttrue ..	1086	
1422, 1464, 1466, 1469 115, 118, 121	\thepage 308, 312, 316, 1175	
\SUF@tochang@subpar	\suftesi@numparsecttrue ..	\theparagraph 820, 823, 861	
..... 1406, 153, 156, 159	\thesection	
1427, 1504, 1506, 1509	\suftesi@pagelefttototrue ..	673, 714, 722, 814, 817	
\SUF@tochang@subsec 414	\thesubparagraph 822, 868	
..... 1403, 1421,	\suftesi@partpagettrue ..	\thesubsection	
1424, 1474, 1476, 1479 441	679, 730, 737, 816, 819	
\SUF@tochang@subsubsec	\suftesi@periodicaltrue ..	\thesubsubsection ..	
.... 1404, 1423, 57	685, 745, 752, 818, 821	
1426, 1484, 1486, 1489		\title .. 940–942, 945, 949	
		\titleclass	827

\titlecontents	767, 771, 775, 778,	217, 238, 258, 279,
1111, 1129, 1391,	788, 789, 792, 793,	303, 322, 346, 353,
1450, 1463, 1473,	796, 797, 799, 801,	360, 376, 384, 393,
1483, 1493, 1503,	828, 865, 872, 1149	400, 416, 423, 432,
1513, 1521, 1556,	\toclabelwidth 1362	439, 445, 451, 458, 464
1565, 1574, 1582,	\today 1168	
1590, 1598, 1606, 1613	\tolerance 1290	X
\titleformat	\tw@ 600, 602	\xfootnote 1279
... 656, 671, 677,	\twocolumn 1010, 1093,	\xheadbreak 1707
683, 692, 698, 711,	1095, 1657, 1670, 1684	\xheadbreakfalse 1208,
719, 728, 735, 743,		1209, 1218, 1219, 1711
750, 831, 837, 845,	U	
851, 859, 866, 1143	\unitlength ... 659, 1173	\xheadbreaktrue ... 1706
\titlerule		Y
... 403, 404, 407, 408	V	
\titlespacing 676, 682,	\val .. 35, 44, 105, 123,	\year 1327
688, 717, 725, 733,	143, 161, 169, 177,	Z
740, 748, 755, 763,	185, 193, 201, 209,	Zapf, Hermann 2