

User's Guide to *suftesi*

A document class for typesetting theses, books and articles

Ivan Valbusa
ivan dot valbusa at univr dot it

v1.5 – 2013/03/22

Abstract

The standard document classes allow you to typeset beautiful documents but their layout is quite far from the stylistic requests of some humanists (mainly Italian). The *suftesi* class provides a set of “humanistic” page layouts, title styles and heading styles to typeset theses, books and articles. The styles are very simple and sober and also have the aim of finding an aesthetic harmony in its formal simplicity. They are largely inspired by some interesting readings, particularly Bringhurst (1992), Tschichold (1975) and Morison (1936).

Copyright © 2009-2012 Ivan Valbusa.

This package is author-maintained. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c (<http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt>).

In addition to the terms of this license the author requires an attribution notice like the following one:

This work has been typeset with L^AT_EX, using the `suftesi` class by Ivan Valbusa.

You can use the `*colophon` commands explained in section 4.

The most important feature of this class is the set of styles it provides. For this reason:

**DO NOT MODIFY THE STYLES OF THIS CLASS
IF YOU DO NOT LIKE THESE STYLES, USE ANOTHER CLASS.**

If you use `suftesi` in a document typeset with another class (for example `book`), remember to clean up the preamble from all the layout redefinitions.

Contents

1 Class features	5	6.6.1 Header style	66
1.1 Page layouts	5	6.6.2 Header font	67
1.2 Font	6	6.7 Text elements	68
1.2.1 Using different fonts	6	6.7.1 Lists	68
1.2.2 Greek alphabet	6	6.7.2 Block quotations	69
1.3 Frontispiece	7	6.7.3 Footnotes	69
2 Options	7	6.7.4 Captions	70
2.1 Page Styles	7	6.7.5 Marginal notes	70
2.2 Titles	9	6.7.6 Table of contents	70
2.3 Headings	10	6.8 Fonts	71
2.4 Footnotes, lists, quotations	11	6.8.1 Roman fonts	71
2.5 Fonts	12	6.8.2 Greek fonts	71
2.6 Other options	13	6.9 Other options	72
2.7 Pre-defined styles	17	6.9.1 \parindent selection	72
3 The FSPL styles (beta code)	17	6.9.2 Part page	72
4 New commands	18	6.9.3 Crop marks	72
5 Pre-defined styles	23	6.9.4 Draftdate	73
References	56	6.9.5 Titlepage	73
6 The Code	57	6.9.6 Pre-defined styles	73
6.1 Document srtucture	58	6.10 Basic packages	79
6.2 Page layout	58	6.11 Greek fonts	79
6.3 Sections style	61	6.12 Page layout	81
6.4 Sections font	63	6.13 Section titles	81
6.5 The number style for part, chapter and section	64	6.14 Title page	91
6.5.1 Part number style	64	6.15 Frontispiece	97
6.5.2 Chapter number style	65	6.16 Appendix	99
6.5.3 Section number style	66	6.17 Headings	101
6.6 Headers	66	6.18 Text elements	103
		6.18.1 Block Quotations	103
		6.18.2 Marginal notes	105
		6.18.3 Abstract	106
		6.18.4 Colophon	107
		6.19 TOC, LOF, LOT	109
		6.19.1 The tocpageleft table of contents . .	111

6.19.2 The default table of contents	115
6.20 New commands	120
6.21 Backward compatibility	121
6.22 Final settings	122

1 Class features

Loaded packages

The class loads the following packages: `beramono`, `caption`, `color`, `enumitem`, `emptypage`, `extramarks`, `fancyhdr`, `fixltxhyph`, `fontenc`, `geometry`, `ifxetex`, `mathpazo`, `microtype` (pdf \TeX only), `multicol`, `textcase`, `titlesec`, `titletoc`, `xkeyval`.

1.1 Page layouts

The class provides five page layouts. The standard layout (set by default) is aimed to typeset standard A4 documents, while the other four layouts are particularly suitable to typeset books and article. See table 1 for details.

Table 1: The layouts of `suftesi`

		Options					
		(mm)	standard	periodical	compact	supercompact	(pt) elements
Text width		110	110	110	100	251	
Text height		220	165	165	150	502	
Page width		210	170	160	140	374	
Page height		297	240	240	210	648	
Proportions							
Margins	top/bottom inner/outer		1/2	2/3	2/3	2/3	1/2
			1/2	2/3	2/3	2/3	2/5
Text block			1/2	2/3	2/3	2/3	1/2
Page			1/ $\sqrt{2}$	2/3	2/3	2/3	1/ $\sqrt{3}$

Tò γὰρ καλὸν ἐν μεγέθει καὶ τάξει ἔστιν. Il bello infatti sta nella grandezza e nell'ordinata disposizione delle parti.

(a) Artemisia

Tò γὰρ καλὸν ἐν μεγέθει καὶ τάξει ἔστιν. Il bello infatti sta nella grandezza e nell'ordinata disposizione delle parti.

(b) Porson

Tò γὰρ καλὸν ἐν μεγέθει καὶ τάξει ἔστιν. Il bello infatti sta nella grandezza e nell'ordinata disposizione delle parti.

(c) CBGreek

Figure 1: Comparison between Artemisia, Porson and CBGreek greek font.

1.2 Font

The default font for body text is Palatino designed by Hermann Zapf. Using Xe \LaTeX , the \LaTeX default font (Computer Modern) is loaded and the font options are turned off. The sans serif font is Iwona designed by Janusz M. Nowacki. This choice has been inspired by *L'arte di scrivere con \LaTeX* (Pantieri and Gordini 2011).

1.2.1 Using different fonts

If you prefer to use other fonts (such as those provided by `fourier` or `libertine` packages), remember to load the `defaultfont=standard` class option which turns off the default font settings. Moreover pay particular attention in choosing the Greek font.

1.2.2 Greek alphabet

The default font for the Greek text is Artemisia by the Greek Font Society which is particularly suitable for Palatino. With the `porson` option you can use the Porson font by the Greek Font Society. The `greekfont=cbgreek` option allows you to use the standard CB Greek font (see figure 1) This option is also activated by the `defaultfont=standard` option (see section 2).

The first code for the Porson font has been written by Enrico Gregorio. Claudio Beccari successively added the code to improve the scale factor when using this greek font in combination with Palatino.

1.3 Frontispiece

The class has an original frontispiece now directly available loading the `frontespizio` package (Gregorio 2009, version 1.4 or later) with the `suftesi` option (see figure 2):

```
\usepackage[suftesi]{frontespizio}
```

2 Options

The `suftesi` class defines new options to customize the style of page, titles, headings and other text elements. You can also use all the options defined by `book` class except those modifying the page layout (`a5paper`, `b5paper`, `legalpaper`, `executivepaper` and `landscape`).

2.1 Page Styles

`documentstructure=book, article` default: book

`book` For typesetting texts with chapters.

`article` This option is particularly suitable to typeset articles or short theses (that is without chapter division).

`pagelayout=standard, periodical, compact, supercompact,` default: standard
elements

`standard` Prints an A4 typeblock (see table 1 for details).

`periodical` Prints a typeblock of 17cm × 24cm on an A4 paper, showing the crop marks (see table 1 for details). This style is especially meant for theses. The `crop=false` option disables the crop marks.

`periodicalaureo` Similar to `periodical` but with a *golden ratio* text area of 120cm × 194mm.

`compact` The same as `periodical` but with a typeblock of 16cm × 24cm (see table 1 for details).




Figure 2: The frontispiece of *suftesi*.

supercompact The same as `compact` but with a typeblock of 14cm × 21cm (see table 1 for details).

elements Prints a typeblock with the dimensions of *The Elements of Typographic Style* by Robert Bringhurst (see table 1 for details). To reproduce the whole style of Bringhurst (1992) use `style=elements` option.

crop=true, false default: true

true Prints the output on a A4 paper, showing the crop marks.

false Prints a PDF with page dimensions according to the `pagelayout` option.

2.2 Titles

<level>**font**=roman, italic, smallcaps default: roman

roman Prints the <level> title in roman.

italic Prints the <level> title in *italic*.

smallcaps Prints the <level> title. in SMALL CAPS

Where <level> can be part, chap, sec, subsec, subsubsec.

<level>**style**=left, center, right, parleft, parcenter, parright default: left

left Aligns the <level> title on the left.

center Centers the <level> title.

right Aligns the <level> title on the right.

Where <level> can be part, chap, sec subsec, subsubsec.

parleft As `left` but with the title below the number.

parcenter As `center` but with the title below the number.

parright As `right` but with the title below the number.

elements Print a chapter number in the style of the *Elements of Typographic Style* by Robert Bringhurst.

Where `<level>` can be `part`, `chap`, `sec`.

`<level>numstyle=arabic, roman, Roman, dotarabic, dotroman, default: Roman/arabic/arabic
dotRoman`

arabic Arabic `<level>` number.

roman Small caps lowercase roman `<level>` number.

Roman Uppercase roman `<level>` number.

dotarabic As `arabic` but followed by a dot.

dotroman As `roman` but followed by a dot.

dotRoman As `Roman` but followed by a dot.

Where `<level>` can be `part`, `chap`, `sec`.

`tocstyle=standard, dotted, ragged, leftpage` default: `standard`

standard Prints a standard table of contents with page numbers on the right margin

dotted As the previous one but with dotted lines.

ragged Aligns the table of contents on the left as suggested by Bringhurst (1992).

leftpage Prints a table of contents with page numbers on the left margin.

2.3 Headings

`headerstyle=inner, center, plain, authortitleinner,
authortitlecenter, elements` default: `inner`

`inner` Prints the chapter title and the string “Chapter *n*” in the inner side respectively of even and odd headers, and the page number in the outer side.

`center` Centers the header and footer and puts the page number in the center of the footer.

`plain` Prints no headers and puts the page number in the center of the footer.

`authortitleinner` Prints the author’s name on the even pages and the title on the odd ones. In order to use this option the `\title` and `\author` commands are required.

`authortitlecenter` As the previous one but with centered headers and footers.

`elements` Prints the chapter title and the section title in the margin respectively of even pages and odd pages. The page number is put in the outer side of the footer. This is the style loaded by the option `style=elements`.

`headerfont=roman, italic, smallcaps` default: `roman`

`roman` Prints the headers in roman.

`italic` Prints the headers in *italic*.

`smallcaps` Prints the headers in SMALL CAPS.

2.4 Footnotes, lists, quotations

`quotestyle=center, right` default: `center`

`center` Indents the block quotations on both the left and right margins.

`right` Indents the block quotations only on the left margin.

`quotesize=footnotesize, small` default: `footnotesize`

`footnotesize` Prints the block quotations in `\footnotesize` size.

<code>small</code>	Prints the block quotations in \small size.	
<code>footnotestyle=bulged, hung, dotted, superscript</code>		default: bulged
<code>bulged</code>	The footnote number protrudes beyond the left margin.	
<code>hung</code>	Indents the footnote text, so it will ‘hang’ under the first line of the text.	
<code>dotted</code>	The footnote number is aligned to the left margin and followed by a dot.	
<code>superscript</code>	Prints a superscript footnote number aligned to the left margin.	
<code>fewfootnotes=true, false</code>		default: false
	Uses symbols instead of numbers to mark footnotes It is active only if your document has three footnotes per page maximum. The symbol sequence is: *, **, ***. With more footnotes you should not need this option.	
<code>liststyle=bulged, aligned, indented</code>		default: bulged
<code>bulged</code>	The item number or symbol protrudes beyond the left margin.	
<code>aligned</code>	Aligns the lists to the left margin.	
<code>indented</code>	Prints standard indented lists.	
<code>captionstyle=standard, elements</code>		default: standard
<code>standard</code>	Prints a standard caption in small size.	
<code>elements</code>	As the previous one but in sanserif font.	

2.5 Fonts

The font options are available only with \LaTeX . Using \XeLaTeX the default font is the Computer Modern but you can change it through the `fontspec` or `mathspec` packages. With this engine I surely suggest the Junicode font family available in your \TeX Live installation.

`defaultfont=`palatino, standard default: palatino

- `palatino` Loads the Palatino font family.
- `standard` Loads the Latin Modern font family.

`greekfont=`artemisia, porson, cbgreek default: artemisia

- `artemisia` Loads the Artemisia font.
- `porson` Loads the Porson font.
- `cbgreek` Loads the standard CB Greek font.

2.6 Other options

`parindent=`compact, wide default: compact

- `compact` Sets \parindent to 1 em.
- `wide` Sets \parindent to 1.5 em.

`marginpar=`true, false default: true

- `true` Prints the marginal notes.
- `false` Hide the marginal notes.

`partpage=`true, false default: false

This option is active only with `documentstructure=article`.

- `true` Prints the part title in a separate page as in `documentstructure=book`
- `false` Prints the part title as in `article` class.

`draftdate=`true, false default: false

If `true` it prints the string “Version of `<date>`” in the footer.

2.7 Pre-defined styles

You can get up to 120 variants combining these styles with `dottedchap` and `romanchapnum` options.

`style=roman(1-6), italic(1-12), smallcaps(1-6), elements,` default: roman1
`sufelements`

`roman(1-6)` The titles of chapters and headers are printed in roman. The number of the chapter is on the same line in styles 1-3 and above the title in styles 4-6. The title can be printed on the left (styles 1 and 4), in the center (styles 2 and 5) or on the right (styles 3 and 6) (see pages 24-).

`italic(1-12)` The titles of chapters and headers are in *italic*. The section title is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the number as above (see pages 24-).

`smallcaps(1-12)` The titles of chapters and headers are in SMALL CAPS. The title of the section is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the chapter as above (see pages 24-).

`elements` Reproduces the style of Bringhurst (1992)

`sufelements` Loads `headerstyle=smallcaps, chapfont=smallcaps, secfont=smallcaps, subsecfont=italic` and `chaptstyle=elements` options.

3 The FSPL styles (beta code)

These styles are experimental and may change in the next versions of the class. They are only meant to typeset a doctoral thesis respecting the features required by the Joint Project *Formal Style for PhD Theses with LaTeX* of the University of Verona (Italy).

`style=FSPLa, FSPLb, FSPLc` default: FSPLa

FSPLa	Equal to: pagelayout=periodical, style=roman1, footnotestyle=superscript, liststyle=indented. tocstyle=ragged.
FSPLb	Equal to: pagelayout=periodical, style=italic5, headerstyle=center, chapnumstyle=roman, secstyle=center, quotestyle=right, footnotestyle=hung, liststyle=indented. tocstyle=dotted.
FSPLc	Equal to: pagelayout=periodical, style=smallcaps5, secfont=smallcaps, headerstyle=center, footnotestyle=dotted, liststyle=indented. tocstyle=leftpage.

4 New commands

The class defines the following new commands.

`\title[<short title for headers>]{<complete title for titlepage>}`

This command is for use with option `authortitle` if the title is too long or has some breaks.

`\colophon[<OS>]{<name and surname>}{<additional info>}`

This command is provided only for Italian documents. It prints a page with a copyright notice and the colophon in the bottom. For different languages use the `\bookcolophon` instead (see below).

If you don't need the copyright notice, leave the second argument of the command empty:

```
\colophon[<OS>]{ }{<additional info>}
```

With the `article` option, you can use the `\artcolophon` command (see below) or the `\thanks` command:

```
\author{\textit{<Name Surname>}}
\thanks{This work has been typeset with \LaTeX,
using the \textsf{suftesi} class by Ivan Valbusa.}
```

`\bookcolophon{\textit{<copyright notice>}}{\textit{<attribution notice and other informations>}}`

This command is similar to `\colophon` but it is completely customizable. The first argument prints its content (usually the copyright notice) in the center of the page. The second argument prints its content at the bottom. For example:

```
\bookcolophon{Copyright © 2007 by Ivan Valbusa}{
This work has been typeset with \LaTeX, using the \textsf{suftesi} class
by Ivan Valbusa\index{Valbusa, Ivan}. The normal font is Palatino by
Hermann Zapf. The sans serif font is Iwona by Janusz M. Nowacki.}
```

`\artcolophon{\textit{<copyright notice, attribution and other informations>}}`

This command only has one argument. It simply prints its content at the bottom of the page. Here is an example:

```
\artcolophon{
This work is licensed under the Creative Commons
Attribution-NonCommercial-NoDerivs 3.0 Unported License.
To view a copy of this license, visit

\begin{center}
\texttt{http://creativecommons.org/licenses/by-nc-nd/3.0/}
\end{center}

or send a letter to Creative Commons, 444 Castro Street, Suite 900,
Mountain View, California, 94041, USA.\\"[1ex]

Typeset with \LaTeX, using the \textsf{stysufltesi} class by Ivan Valbusa.}
```

`\finalcolophon{\<colophon content>}`

The same as `\artcolophon`, but centering its content at the top of the page. It is aimed at typesetting a classical *colophon* at the end of the work.

`\FSPLcolophon (beta code)`

To typeset the colophon in the FSPL style. See section 3 for details.

`\chapterintro`

Prints an unnumbered introduction at the beginning of the chapter, with the correct hyperlink.
In order to use this command the `hyperref` package must be loaded.

`\chapterintroname{\<name>}` (default=Introduzione)

Changes in `\chapterintro` the title printed by the `\chapterintro` command.

`\appendicesname{\<name>}` (default=Appendici)

Changes in `\appendices` the title printed by the `\appendix` command.

`\headbreak`

A manual break which is active for the table of contents but not in the text or in the headers.

`\xheadbreak`

A manual break which is active in the text and in the headers but not in the table of contents.

`\chapnumfont{\<name>}`

Sets the font of the chapter number of `style=elements` and `style=sufelements` styles.
The default is “`pplj`” (`LATEX`) or “`Junicode`” (`XELATEX`):

```
\chapnumfont{pplj}
\chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
```

`\toclabelspace{\langle level \rangle}{\langle label-width \rangle}`

Sets the width of `\thecontentslabel`. The default values are:

```
\toclabelspace{part}{1em}
\toclabelspace{chapter}{1em}
\toclabelspace{section}{1.5em}
\toclabelspace{subsection}{2em}
\toclabelspace{subsubsection}{2.5em}
\toclabelspace{paragraph}{3em}
\toclabelspace{subparagraph}{3.5em}
```

`\xfootnote{\langle symbol \rangle}{\langle footnote text \rangle}`

A command to print a footnote with a discretionary symbols given in the optional argument (default=`*`). It does not increment the footnote counter.

```
\xfootnote[*]{Footnote text.}
\xfootnote[$\dagger$]{Footnote text.}
\xfootnote[\textdagger]{Footnote text.}
```

Obsolete options

defaultparindent → parindent=compact	italicsec → secstyle=italic
ralignquotation → quotestyle=right	italicsubsec → subsecstyle=italic
smallquotation → quotesize=small	romanchapnum → chapnumstyle=roman
dottedfootnote → footnotes=dot	dottedchap → chapnumstyle
indentlist → liststyle=indented	italicheader → headerfont=italic
alignlist → liststyle=aligned	centerheader → headerstyle=center
artemisia → greekfont=artemisia	sufplain → headerstyle=plain
porson → greekfont=porson	authortitle → headerstyle
defaultgreek → greekfont=cbgreek	periodical → pagestyle=periodical
defaultfont → defaultfont=standard	compact → pagestyle=compact
centerpart → partstyle=center	supercompact → pagestyle=supercompact
centerchap → chapstyle=center	dottedtoc → tocstyle=dotted
centersec → secstyle=center	raggedtoc → tocstyle=ragged
rightpart → partstyle=right	tocpageleft → tocstyle=leftpage
rightchap → chapstyle=right	dottedpart → partnumstyle=dotarabic
rightsec → secstyle=right	elements → style=elements
numparpart → partnumposition=above	nomarginpar → marginpar=false
numparchap → chapnumposition=above	nocrop → crop=false
numparsec → secnumposition=above	rmstyle(1-6) An old name for style=roman(1-6)
smallcapspart → partstyle=smallcaps	itstyle(1-12) An old name for style=italic(1-6)
smallcapschap → chapstyle=smallcaps	scstyle(1-12) An old name for style=smallcaps(1-6)
smallcapssec → subsecstyle=smallcaps	sufelements An old name for style=sufelements
italicpart → partstyle=italic	standardfootnote → footnotes=superscript
italicchap → chapsecstyle=italic	smallcapsheader → headerfont=smallcaps

5 Pre-defined styles

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman3

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consecetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consecetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consecetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consecetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman4

Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consecetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consecetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consecetuer a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consecetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman5

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman6

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic3

*Titolo del capitolo*3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consecetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consecetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consecetuer a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consecetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic4

*Titolo del capitolo*3.1 *Dolor sit amet*

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

 Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic5

3.1 *Dolor sit amet*

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

 Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic6

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic7

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic8

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic9

Titolo del capitolo

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consecetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consecetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consecetuer a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consecetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic10

Titolo del capitolo

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic11

3.1 DOLOR SIT AMET

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

 Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic12

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps1

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps2

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps3

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consecetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consecetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consecetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consecetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps4

TITOLO DEL CAPITOLO

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps5

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps6

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps7

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps8

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps9

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps10

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitagiite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps11

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspensisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius eiusmod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps12

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eger risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 *Peniteitagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros telus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-elements

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 *Penitentiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

3

style-sufelements

References

This bibliography has been typeset with the `biblatex-philosophy` styles, created by the same author of this class.

- Bringhurst, Robert (1992), *The Elements of Typographyc Style*, 2nd ed., Hurtley & Marks Publisher, Vancouver.
- Gregorio, Enrico (2009), *Il pacchetto frontespizio*, version 1.1, <http://www.guit.sssup.it/phpbb/index.php>.
- Miede, André (2011), *A Classic Thesis style*, <http://www.ctan.org/tex-archive/macros/201tex/contrib/classicthesis/ClassicThesis.%20pdf>.
- Morison, Stanley (1936), *First Principles of Typography*, Cambridge University Press, Cambridge; trans. *I principi fondamentali della tipografia*, Fabrizio Serra editore, Pisa-Roma 2008.
- Pantieri, Lorenzo and Tommaso Gordini (2011), *L'arte di scrivere con L^AT_EX. Un'introduzione a L^AT_EX2_E*, with a forew. by Enrico Gregorio, new edition, http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf.
- Tschichold, Jan (1975), *Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie*, Birkhäuser Verlag, Basel; trans. *La forma del libro*, Sylvestre Bonnard, Milano 2003.

6 The Code

```
<*class>
1 \RequirePackage{xkeyval}
2 \newif\ifsuftesi@standardfont
3 \newif\ifsuftesi@porson
4 \newif\ifsuftesi@centerheader
5 \newif\ifsuftesi@sufplain
6 \newif\ifsuftesi@article
7 \newif\ifsuftesi@authortitle
8 \newif\ifsuftesi@periodical
9 \newif\ifsuftesi@compact
10 \newif\ifsuftesi@supercompact
11 \newif\ifsuftesi@sufelements
12 \newif\ifsuftesi@nocrop
13 \newif\ifsuftesi@dottedtoc
14 \newif\ifsuftesi@raggedtoc
15 \newif\ifsuftesi@pagelefttoc
16 \newif\ifsuftesi@numparpart
17 \newif\ifsuftesi@numparchap
18 \newif\ifsuftesi@numparsec
19 \newif\ifsuftesi@numparsubsec
20 \newif\ifsuftesi@numparsubsubsec
21 \newif\ifsuftesi@smallcapspart
22 \newif\ifsuftesi@smallcapschap
23 \newif\ifsuftesi@smallcapssec
24 \newif\ifsuftesi@elementschap
25 \newif\ifsuftesi@elementsheader
26 \newif\ifsuftesi@elementsstructure
27 \newif\ifsuftesi@elementspagelayout
28 \newif\ifsuftesi@draftdate
29 \newif\ifsuftesi@fewfootnotes
30 \newif\ifsuftesi@partpage
31 \newif\ifsuftesi@FSPL
```

```

32 \newif\ifsuftesi@periodicalaureo
33 \DeclareOption{a5paper}{%
34   \ClassError{suftesi}{Option 'a5paper' not available}{}%
35 \DeclareOption{b5paper}{%
36   \ClassError{suftesi}{Option 'b5paper' not available}{}%
37 \DeclareOption{legalpaper}{%
38   \ClassError{suftesi}{Option 'legalpaper' not available}{}%
39 \DeclareOption{executivepaper}{%
40   \ClassError{suftesi}{Option 'executivepaper' not available}{}%
41 \DeclareOption{landscape}{%
42   \ClassError{suftesi}{Option 'landscape' not available}{}}

suftesi is based on the standard book class!
43 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}%
44 \ProcessOptions
45 \relax
46 \LoadClass{book}

```

6.1 Document srtucture

```

47 \define@choicekey{}{documentstructure}[\val\nr]
48   {book,article}[book]{%
49 \ifcase\nr\relax
50 \or
51 \suftesi@articletrue
52 \atitlepagefalse
53 \fi}

```

6.2 Page layout

```

54 \RequirePackage{geometry}
55   \geometry{heightrounded}
56 \define@choicekey{}{pagelayout}[\val\nr]
57   {standard,periodical,compact,supercompact,elements,periodicalaureo}[standard]{%
58 \ifcase\nr\relax

```

```
59  \DeclareRobustCommand{\SUF@chaptersize}{\Large}
60 \geometry{%
61   a4paper,
62   includeheadfoot=true,
63   textwidth=      110mm,
64   textheight=     220mm,
65   marginratio=    1:2,
66   marginparwidth= 30mm,
67   marginparsep=   12pt}
68 \or
69 \suftesi@periodicaltrue
70 \DeclareRobustCommand{\SUF@chaptersize}{\large}
71 \geometry{%
72   includeheadfoot=false,
73   textheight=     165mm,
74   textwidth=      110mm,
75   paperwidth=     170mm,
76   paperheight=    240mm,
77   marginratio=    2:3,
78   marginparwidth= 26mm,
79   marginparsep=   10pt}
80 \or
81 \suftesi@compacttrue
82 \DeclareRobustCommand{\SUF@chaptersize}{\large}
83 \geometry{%
84   includeheadfoot=false,
85   textheight=     165mm,
86   textwidth=      110mm,
87   paperwidth=     160mm,
88   paperheight=    240mm,
89   marginratio=    2:3,
90   marginparwidth= 22mm,
91   marginparsep=   9pt}
92 \or
```

```
93 \suftesi@supercompacttrue
94   \DeclareRobustCommand{\SUF@chaptersize}{\large}
95   \geometry{
96     includeheadfoot=false,
97     textheight=      150mm,
98     textwidth=       100mm,
99     paperwidth=      140mm,
100    paperheight=     210mm,
101    marginratio=     2:3,
102    marginparwidth= 18mm,
103    marginparsep=   8pt}
104 \or
105 \suftesi@elementspagelayouttrue
106   \geometry{%
107     includeheadfoot=false,
108     textwidth=      251pt,
109     textheight=      502pt,
110     paperwidth=      374pt,
111     paperheight=     648pt,
112     vmarginratio=   1:2,
113     marginparwidth= 60pt,
114     marginparsep=   18pt,
115     outer=          90pt}
116 \or
117 \suftesi@periodicalaureottrue
118   \DeclareRobustCommand{\SUF@chaptersize}{\large}
119   \geometry{%
120     includeheadfoot=true,
121     textwidth=       120mm,
122     textheight=      194mm,
123     paperwidth=      17cm,
124     paperheight=     24cm,
125     marginratio=     1:2,
126     marginparwidth= 62pt,
```

```
127     marginparsep=   10pt}
128 \fi}
```

6.3 Sections style

These macros control the position of titles and numbers of parts, chapters, sections, subsections and subsubsection.

```
\SUF@lr@PARTSwitch
\SUF@lr@CHAPSwitch
\SUF@lr@SECSwitch
\SUF@lr@SUBSECSwitch
\SUF@lr@SUBSUBSECSwitch
129 \define@choicekey{}{partstyle}[\val\nr]{%
130   left,center,right,parleft,parcenter,parright}[left]{%
131 \ifcase\nr\relax
132   \def\SUF@lr@PARTSwitch{\filright}
133 \or
134   \def\SUF@lr@PARTSwitch{\filcenter}
135 \or
136   \def\SUF@lr@PARTSwitch{\filleft}
137 \or%numpar
138   \def\SUF@lr@PARTSwitch{\filright}
139   \suftesi@numparparttrue
140 \or
141   \def\SUF@lr@PARTSwitch{\filcenter}
142   \suftesi@numparparttrue
143 \or
144   \def\SUF@lr@PARTSwitch{\filleft}
145   \suftesi@numparparttrue
146 \fi}
147 \define@choicekey{}{chapstyle}[\val\nr]{%
148   left,center,right,parleft,parcenter,parright,elements}[left]{%
149 \ifcase\nr\relax
150   \def\SUF@lr@CHAPSwitch{\filright}
151 \or
152   \def\SUF@lr@CHAPSwitch{\filcenter}
153 \or
154   \def\SUF@lr@CHAPSwitch{\filleft}
155 \or%numparchap
156   \def\SUF@lr@CHAPSwitch{\filright}
```

```

157   \suftesi@numparchaptrue
158 \or
159   \def\SUF@lr@CHAPSwitch{\filcenter}
160   \suftesi@numparchaptrue
161 \or
162   \def\SUF@lr@CHAPSwitch{\filleft}
163   \suftesi@numparchaptrue
164 \or
165   \suftesi@elementschaptrue
166 \fi}
167 \define@choicekey{}{secstyle}[\val\nr]{%
168   left,center,right,parleft,parcenter,parright}[left]{%
169 \ifcase\nr\relax
170   \def\SUF@lr@SECSwitch{\filright}
171 \or
172   \def\SUF@lr@SECSwitch{\filcenter}
173 \or
174   \def\SUF@lr@SECSwitch{\filleft}
175 \or%numparsec
176   \def\SUF@lr@SECSwitch{\filright}
177   \suftesi@numparsectrue
178 \or
179   \def\SUF@lr@SECSwitch{\filcenter}
180   \suftesi@numparsectrue
181 \or
182   \def\SUF@lr@SECSwitch{\filleft}
183   \suftesi@numparsectrue
184 \fi}
185 \define@choicekey{}{subsecstyle}[\val\nr]{left,center,right}[left]{%
186 \ifcase\nr\relax
187   \def\SUF@lr@SUBSECSwitch{\filright}
188 \or
189   \def\SUF@lr@SUBSECSwitch{\filcenter}
190 \or

```

```

191   \def\SUF@lr@SUBSECSwitch{\filleft}
192 \fi}
193 \define@choicekey{}{subsubsecstyle}[\val\nr]{left,center,right}[left]{%
194 \ifcase\nr\relax
195   \def\SUF@lr@SUBSUBSECSwitch{\filright}
196 \or
197   \def\SUF@lr@SUBSUBSECSwitch{\filcenter}
198 \or
199   \def\SUF@lr@SUBSUBSECSwitch{\filleft}
200 \fi}

```

6.4 Sections font

\SUF@<level>@StyleSwitch These macros control the style of part, chapter, section, subsection and subsubsection levels.

```

201 \define@choicekey{}{partfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
202 \ifcase\nr\relax
203 \def\SUF@PART@StyleSwitch{\relax}
204 \or
205 \def\SUF@PART@StyleSwitch{\itshape}
206 \or
207 \def\SUF@PART@StyleSwitch{\expandafter\SUF@titlesmallcaps}
208 \fi}
209 \define@choicekey{}{chapfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
210 \ifcase\nr\relax
211 \def\SUF@CHAP@StyleSwitch{\relax}
212 \or
213 \def\SUF@CHAP@StyleSwitch{\itshape}
214 \or
215 \def\SUF@CHAP@StyleSwitch{\expandafter\SUF@titlesmallcaps}
216 \fi}
217 \define@choicekey{}{secfont}[\val\nr]{roman,italic,smallcaps}[italic]{%
218 \ifcase\nr\relax
219 \def\SUF@SEC@StyleSwitch{\relax}
220 \or

```

```

221 \def\SUF@SEC@StyleSwitch{\itshape}
222 \or
223 \def\SUF@SEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
224 \fi}
225 \define@choicekey{}{subsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
226 \ifcase\nr\relax
227 \def\SUF@SUBSEC@StyleSwitch{\relax}
228 \or
229 \def\SUF@SUBSEC@StyleSwitch{\itshape}
230 \or
231 \def\SUF@SUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
232 \fi}
233 \define@choicekey{}{subsubsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
234 \ifcase\nr\relax
235 \def\SUF@SUBSUBSEC@StyleSwitch{\relax}
236 \or
237 \def\SUF@SUBSUBSEC@StyleSwitch{\itshape}
238 \or
239 \def\SUF@SUBSUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
240 \fi}

```

6.5 The number style for part, chapter and section

6.5.1 Part number style

```

241 \define@choicekey{}{partnumstyle}[\val\nr]
242     {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
243 \ifcase\nr\relax
244   \def\SUF@thepart{\arabic{part}}
245   \def\SUF@dotpart{}
246 \or
247   \def\SUF@thepart{\textsc{\romannumeral{part}}}
248   \def\SUF@dotpart{}
249 \or

```

```

250  \def\SUF@the part{\Roman{part}}
251  \def\SUF@dot part{}
252 \or
253  \def\SUF@the part{\arabic{part}}
254  \def\SUF@dot part{.}
255 \or
256  \def\SUF@the part{\textsc{\rom{part}}}
257  \def\SUF@dot part{.}
258 \or
259  \def\SUF@the part{\Roman{part}}
260  \def\SUF@dot part{.}
261 \fi}

```

6.5.2 Chapter number style

```

262 \define@choicekey{}{chapnumstyle}[\val\nr]{arabic,roman,Roman,
263 dotarabic,dotroman,dotRoman}[arabic]{%
264 \ifcase\nr\relax
265  \def\SUF@the chapter{\arabic{chapter}}
266  \def\SUF@dot chap{}
267 \or
268  \def\SUF@the chapter{\textsc{\rom{chapter}}}
269  \def\SUF@dot chap{}
270 \or
271  \def\SUF@the chapter{\Roman{chapter}}
272  \def\SUF@dot chap{}
273 \or
274  \def\SUF@the chapter{\arabic{chapter}}
275  \def\SUF@dot chap{.}
276 \or
277  \def\SUF@the chapter{\textsc{\rom{chapter}}}
278  \def\SUF@dot chap{.}
279 \or
280  \def\SUF@the chapter{\Roman{chapter}}
281  \def\SUF@dot chap{.}

```

```
282 \fi}
```

6.5.3 Section number style

```
283 \define@choicekey{}{secnumstyle}[\val\nr]
284     {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
285 \ifcase\nr\relax
286     \def\SUF@thesection{\arabic{section}}
287     \def\SUF@dotsec{}%
288 \or
289     \def\SUF@thesection{\textsc{\romannumeral\section}}%
290     \def\SUF@dotsec{}%
291 \or
292     \def\SUF@thesection{\Roman{section}}%
293     \def\SUF@dotsec{}%
294 \or
295     \def\SUF@thesection{\arabic{section}}%
296     \def\SUF@dotsec{.}%
297 \or
298     \def\SUF@thesection{\textsc{\romannumeral\section}}%
299     \def\SUF@dotsec{.}%
300 \or
301     \def\SUF@thesection{\Roman{section}}%
302     \def\SUF@dotsec{.}%
303 \fi}
```

6.6 Headers

6.6.1 Header style

```
304 \define@choicekey{}{headerstyle}[\val\nr]
305     {inner,center,plain,authortitleinner,
306      authortitlecenter,elements}[inner]{%
307 \ifcase\nr\relax
308     \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}%
309     \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}%
```

```

310 \or
311   \suftesi@centerheadertrue
312   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
313   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
314 \or
315   \suftesi@sufplaintrue
316 \or
317   \suftesi@authortitletrue
318   \def\SUF@rightmark{\SUF@Rheadstyle{\@headtitle}}
319   \def\SUF@leftmark{\SUF@Lheadstyle{\@author}}
320 \or
321   \suftesi@authortitletrue
322   \def\SUF@rightmark{\SUF@Rheadstyle{\@headtitle}}
323   \def\SUF@leftmark{\SUF@Lheadstyle{\@author}}
324   \suftesi@centerheadertrue
325 \or
326   \suftesi@elementsheadertrue
327 \fi}

```

6.6.2 Header font

```

328 \define@choicekey{}{headerfont}[\val\nr]
329   {roman,italic,smallcaps}[roman]{%
330 \ifcase\nr\relax
331   \def\SUF@Rheadstyle{}
332   \def\SUF@Lheadstyle{}
333   \def\SUF@thepage{\thepage}
334 \or
335   \def\SUF@Rheadstyle{\itshape}
336   \def\SUF@Lheadstyle{\itshape}
337   \def\SUF@thepage{\thepage}
338 \or
339   \def\SUF@Rheadstyle{\SUF@headingsmallcaps}
340   \def\SUF@Lheadstyle{\SUF@headingsmallcaps}
341   \def\SUF@thepage{\SUF@headingsmallcaps{\thepage}}

```

342 \fi}

6.7 Text elements

6.7.1 Lists

```
343 \RequirePackage[inline]{enumitem}
344 \renewcommand\labelitemi{\color{sufgray}\textbullet}
345 \setlist[itemsep=.5ex,parsep=0pt]
346 \setlist[description]{font=\normalfont\itshape}
347 \define@choicekey{}{liststyle}{`val\nr}
348     {bulged,aligned,indented}[bulged]{%
349 \ifcase\nr\relax
350     \setlist[enumerate,1]{leftmargin=0pt,label=\arabic*.}
351     \setlist[enumerate,2]{leftmargin= 1.3\parindent,label=\alph*.}
352     \setlist[enumerate,3]{leftmargin= 1.3\parindent,label=\roman*.}
353     \setlist[itemize,1]{leftmargin=0pt}
354     \setlist[itemize,2]{leftmargin=1.3\parindent}
355     \setlist[itemize,3]{leftmargin=1.3\parindent}
356 \or
357     \setlist[enumerate,1]{leftmargin=1\parindent,label=\arabic*.}
358     \setlist[enumerate,2]{leftmargin= 1.5\parindent,label=\alph*.}
359     \setlist[enumerate,3]{leftmargin= 1.5\parindent,label=\roman*.}
360     \setlist[itemize,1]{leftmargin=1\parindent}
361     \setlist[itemize,2]{leftmargin=1.5\parindent}
362     \setlist[itemize,3]{leftmargin=1.5\parindent}
363 \or
364     \setlist[enumerate,1]{leftmargin=2\parindent,label=\arabic*.}
365     \setlist[enumerate,2]{leftmargin= 2.5\parindent,label=\alph*.}
366     \setlist[enumerate,3]{leftmargin= 2.5\parindent,label=\roman*.}
367     \setlist[itemize,1]{leftmargin=2\parindent}
368     \setlist[itemize,2]{leftmargin=2.5\parindent}
369     \setlist[itemize,3]{leftmargin=2.5\parindent}
370 \fi}
```

6.7.2 Block quotations

Quotation style

```
371 \define@choicekey{}{quotestyle}[\val\nr]
372     {center,right}[center]{%
373 \ifcase\nr\relax
374 \def\SUF@quote@style{\rightmargin=\parindent}
375 \or
376 \def\SUF@quote@style{}
377 \fi}
```

Quotation size

```
378 \define@choicekey{}{quotesize}[\val\nr]
379     {footnotesize,small}[footnotesize]{%
380 \ifcase\nr\relax
381 \def\SUF@quotation@size{\footnotesize}
382 \or
383 \def\SUF@quotation@size{\small}
384 \fi}
```

6.7.3 Footnotes

```
385 \define@choicekey{}{footnotestyle}[\val\nr]
386     {bulged,hung,dotted,superscript}[bulged]{%
387 \ifcase\nr\relax
388     \renewcommand\@makefntext{%
389         \hskip-2.5em\makebox[2em][r]{\@thefnmark}\hskip.5em}
390 \or
391     \renewcommand\@makefntext{%
392         \leftskip=1em\hskip-1.5em%
393         \makebox[1em][r]{\@thefnmark}\hskip.5em}
394 \or
395     \renewcommand\@makefntext{%
396         \@thefnmark.\hskip.5em}
```

```

397 \or
398   \renewcommand{\makefntext}{%
399     \textsuperscript{\@thefnmark}\hspace{3em}}
400 \fi}
401 \define@choicekey{}{fewfootnotes}[\val\nr]
402   {true,false}[true]{%
403 \ifcase\nr\relax
404   \suftesi@fewfootnotestru
405 \or
406   \relax
407 \fi}

```

6.7.4 Captions

```

408 \RequirePackage{caption}
409 \define@choicekey{}{captionstyle}[\val\nr]
410   {standard,elements}[standard]{%
411 \ifcase\nr\relax
412   \captionsetup{labelsep=period,font=small,singlelinecheck=false}
413 \or
414   \captionsetup{labelsep=period,font=small,singlelinecheck=false}
415   \captionsetup{font+=sf}
416 \fi
417 }

```

6.7.5 Marginal notes

```

418 \define@choicekey{}{marginpar}[\val\nr]
419   {true,false}[true]{%
420 \ifcase\nr\relax
421 \or
422   \renewcommand{\marginpar}[2]{}}
423 \fi}

```

6.7.6 Table of contents

```

\SUF@titlerule
\SUF@chaptitlerule

```

```

424 \define@choicekey{}{tocstyle}[\val\nr]{%
425     standard,dotted,ragged,leftrpage}[standard]{%
426 \ifcase\nr\relax
427   \def\SUF@titlerule{\titlerule*{}}
428   \def\SUF@chaptitlerule{\titlerule*{}}
429 \or
430 \suftesi@dottedtocttrue
431   \def\SUF@titlerule{\titlerule*{\footnotesize .}\ }
432   \def\SUF@chaptitlerule{\titlerule*{}}
433 \or
434 \suftesi@raggedtocttrue
435   \def\SUF@titlerule{\hspace{1em}}
436   \def\SUF@chaptitlerule{\hspace{1em}}
437 \or
438 \suftesi@pagelefttocttrue
439 \fi}

```

6.8 Fonts

6.8.1 Roman fonts

```

440 \define@choicekey{}{defaultfont}[\val\nr]{%
441     palatino,standard}[palatino]{%
442 \ifcase\nr\relax
443 \or
444   \suftesi@standardfonttrue
445   \setkeys{suftesi.cls}{greekfont=cbgreek}
446 \fi}

```

6.8.2 Greek fonts

```

447 \define@choicekey{}{greekfont}[\val\nr]{%
448     artemisia,porson,cbgreek}[artemisia]{%
449 \ifcase\nr\relax
450   \def\SUF@greekfamily{artemisiaeuler}

```

```
451 \or
452 \def\SUF@greekfamily{porson}
453 \suftesi@porsontrue
454 \or
455 \def\SUF@greekfamily{lmr}
456 \fi}
```

6.9 Other options

6.9.1 \parindent selection

```
457 \define@choicekey{}{\parindent}{[\val\nr]
458   {compact,wide}[compact]{%
459   \ifcase\nr\relax
460   \setlength{\parindent}{1em}
461   \or
462   \setlength{\parindent}{1.5em}
463   \fi}
```

6.9.2 Part page

```
464 \define@choicekey{}{\partpage}{[\val\nr]{true,false}[true]{%
465 \ifcase\nr\relax
466   \suftesi@partpagetrue
467 \or
468   \relax
469 \fi}
```

6.9.3 Crop marks

```
470 \define@choicekey{}{\crop}{[\val\nr]
471   {true,false}[true]{%
472 \ifcase\nr\relax
473 \or
474   \suftesi@nocroptrue
475 \fi}
```

6.9.4 Draftdate

```
476 \define@choicekey{}{draftdate}[\val\nr]
477   {true,false}[true]{%
478 \ifcase\nr\relax
479   \suftesi@draftdatetrue
480 \or
481 \fi}
```

6.9.5 Titlepage

```
482 \define@choicekey{}{titlepage}[\val\nr]
483   {true,false}[true]{%
484 \ifcase\nr\relax
485   \titlepagetrue
486 \or
487   \titlepagefalse
488 \fi}
```

6.9.6 Pre-defined styles

```
489 \define@choicekey{}{style}[\val\nr]
490   {roman1,roman2,roman3,roman4,roman5,roman6,
491   italic1,italic2,italic3,italic4,italic5,italic6,
492   italic7,italic8,italic9,italic10,italic11,italic12,
493   smallcaps1,smallcaps2,smallcaps3,smallcaps4,smallcaps5,smallcaps6,
494   smallcaps7,smallcaps8,smallcaps9,smallcaps10,smallcaps11,smallcaps12,
495   elements,sufelements,FSPLa,FSPLb,FSPLc}
496   [romani]{%
497 \ifcase\nr\relax
```

The 'roman' styles:

```
498   \setkeys{}{chapstyle=left}
499 \or
500   \setkeys{}{chapstyle=center}
501 \or
502   \setkeys{}{chapstyle=right}
```

```
503 \or
504   \setkeys{}{chapstyle=parleft}
505 \or
506   \setkeys{}{chapstyle=parcenter}
507 \or
508   \setkeys{}{chapstyle=parright}
509 \or
```

The 'italic' styles:

```
510   \setkeys{}{chapstyle=left, chapfont=italic, headerfont=italic}
511 \or
512   \setkeys{}{chapstyle=center, chapfont=italic, headerfont=italic}
513 \or
514   \setkeys{}{chapstyle=right, chapfont=italic, headerfont=italic}
515 \or
516   \setkeys{}{chapstyle=parleft, chapfont=italic, headerfont=italic}
517 \or
518   \setkeys{}{chapstyle=parcenter, chapfont=italic, headerfont=italic}
519 \or
520   \setkeys{}{chapstyle=parright, chapfont=italic, headerfont=italic}
521 \or
522   \setkeys{}{chapstyle=left, chapfont=italic, secfont=smallcaps, headerfont=italic}
523 \or
524   \setkeys{}{chapstyle=center, chapfont=italic, secfont=smallcaps, headerfont=italic}
525 \or
526   \setkeys{}{chapstyle=right, chapfont=italic, secfont=smallcaps, headerfont=italic}
527 \or
528   \setkeys{}{chapstyle=parleft, chapfont=italic, secfont=smallcaps, headerfont=italic}
529 \or
530   \setkeys{}{chapstyle=parcenter, chapfont=italic, secfont=smallcaps, headerfont=italic}
531 \or
532   \setkeys{}{chapstyle=parright, chapfont=italic, secfont=smallcaps, headerfont=italic}
533 \or
```

The 'smallcaps' styles:

```
534   \setkeys{}{chapstyle=left, chapfont=smallcaps, headerfont=smallcaps}
```

```

535 \or
536   \setkeys{}{chapstyle=center,chapfont=smallcaps,headerfont=smallcaps}
537 \or
538   \setkeys{}{chapstyle=right,chapfont=smallcaps,headerfont=smallcaps}
539 \or
540   \setkeys{}{chapstyle=parleft,chapfont=smallcaps,headerfont=smallcaps}
541 \or
542   \setkeys{}{chapstyle=parcenter,chapfont=smallcaps,headerfont=smallcaps}
543 \or
544   \setkeys{}{chapstyle=parright,chapfont=smallcaps,headerfont=smallcaps}
545 \or
546   \setkeys{}{chapstyle=left,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
547 \or
548   \setkeys{}{chapstyle=center,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
549 \or
550   \setkeys{}{chapstyle=right,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
551 \or
552   \setkeys{}{chapstyle=parleft,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
553 \or
554   \setkeys{}{chapstyle=parcenter,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
555 \or
556   \setkeys{}{chapstyle=parright,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
557 \or

```

The 'elements' style:

```

558   \setkeys{}{
559     pagelayout=elements,
560     headerstyle=elements,
561     chapstyle=elements,
562     secfont=smallcaps,
563     subsecfont=italic,
564     captionstyle=elements}
565 \disable@keys{}
566   {pagelayout,headerstyle,chapstyle,secfont,subsecfont,captionstyle}
567 \or

```

The 'sufelements' style:

```
568  \setkeys{}{  
569    chapstyle=elements,  
570    headerfont=smallcaps,  
571    secfont=smallcaps,  
572    subsecfont=italic}  
573 \disable@keys{}  
574   {headerstyle,chapstyle,secfont,subsecfont}  
575 \or
```

The FSPLa style:

```
576 \suftesi@periodicalaureotrue  
577 \suftesi@FSPLtrue  
578  \setkeys{}{  
579    pagelayout=periodicalaureo,  
580    style=roman5,  
581    chapnumstyle=roman,  
582    headerstyle=inner,  
583    footnotestyle=hung,  
584    liststyle=indented,  
585    tocstyle=leftpage}  
586 \disable@keys{}  
587 {documentstructure,pagelayout,partfont,chapfont,secfont, %  
588 subsecfont,subsubsecfont,partstyle,chapstyle,secstyle, %  
589 subsecstyle,subsubsecstyle,partnumstyle,chapnumstyle, %  
590 secnumstyle,tocstyle,headerstyle,headerfont,quotestyle, %  
591 quotesize,footnotestyle,liststyle,captionstyle,parindent}  
592 \or
```

The FSPLb style:

```
593 \suftesi@periodicalaureotrue  
594 \suftesi@FSPLtrue  
595  \setkeys{}{  
596    pagelayout=periodicalaureo,  
597    style=italic5,  
598    chapnumstyle=roman,
```

```
599     headerstyle=inner,
600     footnotestyle=hung,
601     liststyle=indented,
602     tocstyle=leftpage}
603 \disable@keys{%
604 {documentstructure,pagelayout,partfont,chapfont,secfont,%
605 subsecfont,subsubsecfont,partstyle,chapstyle,secstyle,%
606 subsecstyle,subsubsecstyle,partnumstyle,chapnumstyle,%
607 secnumstyle,tocstyle,headerstyle,headerfont,quotestyle,%
608 quotesize,footnotestyle,liststyle,captionstyle,parindent}
609 \or
```

The FSPLc style:

```
610 \suftesi@periodicalaureotrue
611 \suftesi@FSPLtrue
612   \setkeys{}{%
613     pagelayout=periodicalaureo,
614     style=smallcaps5,
615     chapnumstyle=roman,
616     headerstyle=inner,
617     secfont=smallcaps,
618     footnotestyle=hung,
619     liststyle=indented,
620     tocstyle=leftpage}
621 \disable@keys{}%
622 {documentstructure,pagelayout,partfont,chapfont,secfont,%
623 subsecfont,subsubsecfont,partstyle,chapstyle,secstyle,%
624 subsecstyle,subsubsecstyle,partnumstyle,chapnumstyle,%
625 secnumstyle,tocstyle,headerstyle,headerfont,quotestyle,%
626 quotesize,footnotestyle,liststyle,captionstyle,parindent}
627 \fi}
```

Execute and process options:

```
628 \ExecuteOptionsX<>{
629   captionstyle=standard,
630   marginpar=true,
```

```

631 parindent=compact,
632 tocstyle=standard,
633 greekfont=artemisia,
634 pagelayout=standard,
635 headerstyle=inner,
636 liststyle=bulged,
637 footnotestyle=bulged,
638 quotesize=footnotesize,
639 quotestyle=center,
640 partstyle=left,
641 chapstyle=left,
642 secstyle=left,
643 subsecstyle=left,
644 subsubsecstyle=left,
645 partfont=roman,
646 chapfont=roman,
647 secfont=italic,
648 subsecfont=roman,
649 subsubsecfont=roman,
650 headerfont=roman,
651 seignumstyle=arabic,
652 partnumstyle=Roman,
653 chapnumstyle=arabic}
654 \ProcessOptionsX<>\relax

```

The use of the `\XKV@useoption` command, provided by the `xkeyval`, is a trick to delete the option given as its argument from the list stored in `\@unusedoptionlist` so that the option will not produce the “Unused global options” message:

```

655 \XKV@useoption{a4paper} \XKV@useoption{10pt}
656 \XKV@useoption{11pt} \XKV@useoption{12pt}
657 \XKV@useoption{oneside} \XKV@useoption{twoside}
658 \XKV@useoption{onecolumn} \XKV@useoption{twocolumn}
659 \XKV@useoption{titlepage} \XKV@useoption{notitlepage}
660 \XKV@useoption{openright} \XKV@useoption{openany}
661 \XKV@useoption{leqno} \XKV@useoption{fleqn}

```

```
662 \XKV@useoption{a5paper}    \XKV@useoption{b5paper}
663 \XKV@useoption{legalpaper}\XKV@useoption{executivepaper}
664 \XKV@useoption{landscape}
```

A LaTeX3 trick to delete the class options from classoptionslist, in order to avoid incompatibility with packages defining options defined by `suftesi`. Thanks to Enrico Gregorio!

```
665 \RequirePackage{expl3,13regex}
666 \ExplSyntaxOn
667 \AtEndOfClass{
668 \regex_replace_all:nnN { style \s* = [^,]*? , } { , } \XKV@classoptionslist
669 }
670 \ExplSyntaxOff
```

6.10 Basic packages

```
671 \RequirePackage{color}
672     \definecolor{sufred}{rgb}{0.5,0,0}
673     \definecolor{sufgray}{rgb}{0.5,0.5,0.5}
674 \RequirePackage{multicol}
675 \RequirePackage{emptypage}
676 \RequirePackage{textcase}
677 \RequirePackage{ifxetex}
678 \RequirePackage{microtype}
```

The FSPL style requires a verbose colophon which uses specific icons:

```
679 \ifsuftesi@FSPL
680   \RequirePackage{ccllicenses}
681 \else
682 \fi
```

6.11 Greek fonts

Thanks to Claudio Beccari and Enrico Gregorio for these macros:

```
683 \ifxetex
684   \relax
685   \else
686 \RequirePackage[LGR,T1]{fontenc}
```

```

687 \AtBeginDocument{\fontencoding{T1}\selectfont}
688 \ifsuftesi@standardfont
689     \RequirePackage{lmodern}
690 \relax
691 \else
692     \RequirePackage[osf,sc]{mathpazo}
693     \RequirePackage[scaled=0.8]{beramono}
694     \renewcommand{\sfdefault}{iwona}
695 \fi

```

Scale the Porson font:

```

696 \ifsuftesi@porson
697 \sbox{z@{\fontsize{10}{10}\normalfont A}}
698 \sbox{tw@{\font\temp=gporsonrg6a at 10pt \temp A}}
699 \dimen@=\dimexpr \p@*\ht{z@}/\ht{tw@}\relax
700 \sbox{z@{\normalfont\fontsize{10}{10}\selectfont a}}
701 \sbox{tw@{\font\temp=gporsonrg6a at 10pt \temp a}}
702 \dimen2=\dimexpr \p@*\ht{z@}/\ht{tw@}\relax
703 \dimen4= 0.6\p@
704 \dimen@=\dimexpr \dimen@ - \dimen4*\dimen@/\p@+\dimen4*\dimen2/\p@\relax
705 \edef\art@scale{\strip@pt\dimen@}
706 \DeclareFontFamily{LGR}{porson}{}
707 \DeclareFontShape{LGR}{porson}{m}{n}  {<-> s * [\art@scale] gporsonrg6a{}}
708 \DeclareFontShape{LGR}{porson}{m}{it}  {<-> ssub * porson/m/n{}}
709 \DeclareFontShape{LGR}{porson}{b}{n}  {<-> ssub * porson/m/n{}}
710 \DeclareFontShape{LGR}{porson}{b}{it}  {<-> ssub * porson/m/n{}}
711 \DeclareFontShape{LGR}{porson}{m}{sl}  {<-> ssub * porson/m/n{}}
712 \DeclareFontShape{LGR}{porson}{b}{sl}  {<-> ssub * porson/m/n{}}
713 \DeclareFontShape{LGR}{porson}{m}{sc}  {<-> ssub * porson/m/n{}}
714 \DeclareFontShape{LGR}{porson}{bx}{n}  {<-> ssub * porson/m/n{}}
715 \DeclareFontShape{LGR}{porson}{bx}{it}  {<-> ssub * porson/m/n{}}
716 \DeclareFontShape{LGR}{porson}{bx}{sl}  {<-> ssub * porson/m/n{}}
717 \fi
718 \AtBeginDocument{
719   \ DeclareRobustCommand{\greektext}{%

```

```

720      \usefont{LGR}{\SUF@greekfamily}{\f@series}{\f@shape}}%
721      \DeclareTextFontCommand{\textgreek}{\greektext}%
722 \fi

```

6.12 Page layout

```

723 \ifsuftesi@nocrop
724   \relax
725   \else
726   \RequirePackage[a4, cam, center]{crop}
727 \fi

```

A trick to produce one-side documents:

```

728 \if@twoside
729   \relax
730   \else
731   \geometry{hmarginratio=1:1}
732 \fi

```

6.13 Section titles

```

733 \RequirePackage{titlesec}
734   \newlength{\sectionsep}
735   \setlength{\sectionsep}{\dimexpr(\baselineskip) plus 1pt minus 1pt}

\SUF@titlesmallcaps
\SUF@headingsmallcaps
  \SUF@chapnumfont
736 \ifxetex
737   \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
738     \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
739   \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
740     \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
741   \newcommand{\chapnumfont}[1]{%
742     \def\SUF@chapnumfont{#1}}
743     \chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
744 \else
745   \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%

```

```

746     \scshape\MakeTextLowercase{\textls[110]{#1}}}}%
747 \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
748     \scshape\MakeTextLowercase{\textls[110]{#1}}}}%
749 \newcommand{\chapnumfont}[1]{%
750     \def\SUF@chapnumfont{\fontfamily{#1}}}
751     \chapnumfont{pplj}
752 \fi

```

The elements style

```

753 \define@key[SUF]{elements}{chapsize}[90]{%
754     \def\cmdSUF@elements@chapsize{\fontsize{#1}{#1}\selectfont}}
755 \define@key[SUF]{elements}{chapposition}[-83]{%
756     \def\cmdSUF@elements@chapposition{#1}}

```

The chapter for elements style:

```

757 \def\SUF@elements@CHAPTER{%
758     \titleformat{\chapter}[block]
759         {\Large}%
760         {\begin{picture}(0,0)
761             \setlength{\unitlength}{1pt}
762             \SUF@chapnumfont%
763             \cmdSUF@elements@chapsize
764             \put(0,\cmdSUF@elements@chapposition){%
765                 \hspace{\dimexpr(\textwidth+0.9\marginparsep)}%
766                 \textcolor{sufgray}{\SUF@thechapter}}%
767         \end{picture}}%
768         {0pt}
769         {\SUF@titlesmallcaps}
770         [\vspace{-6pt}\rule{\textwidth}{.1pt}]
771     }

```

The sections for elements style:

```

772 \def\SUF@elements@SECTIONS{%
773 \titleformat{\section}[block]
774     {\extramarks{}{}\filright}
775     {\textnormal\thesection}

```

```

776 {1em}
777 {\SUF@titlesmallcaps}
778 \titlespacing*{\section}{0em}{1em}{1em}[0em]
779 \titleformat{\subsection}[block]
780 {\filright\normalsize\itshape}
781 {\textnormal\thesubsection}
782 {1em}
783 {}
784 \titlespacing*{\subsection}{0em}{\baselineskip}{\baselineskip}[0em]
785 \titleformat{\subsubsection}[block]
786 {\filright\normalsize}
787 {\textnormal\thesubsubsection}
788 {1em}
789 {}
790 \titlespacing*{\subsubsection}{0em}{\baselineskip}{\baselineskip}[0em]
791 }

\chapter Default styles:

792 \newlength{\SUF@ADJnumparchap}
793 \def\SUF@default@CHAPTER{
794 \ifsuftesi@numparchap
795   \titleformat{\chapter}[display]
796   {\SUF@chaptersize\SUF@lr@CHAPSwitch}
797   {\SUF@thechapter\SUF@dotchap}
798   {2ex}
799   {\SUF@CHAP@StyleSwitch}
800 \else
801   \titleformat{\chapter}[hang]
802   {\SUF@chaptersize\SUF@lr@CHAPSwitch}
803   {\SUF@thechapter\SUF@dotchap}
804   {3em}
805   {\SUF@CHAP@StyleSwitch}
806 \fi
807 \ifsuftesi@numparchap
808   \setlength{\SUF@ADJnumparchap}{-2.5\baselineskip}

```

```

809      \else
810      \setlength{\SUF@ADJnumparchap}{0pt}
811 \fi}

\section

812 \def\SUF@default@SECTIONS{
813 \ifsuftesi@numparsec
814 \titleformat{\section}[display]
815   {\SUF@lr@SECSSwitch}
816   {\ifsuftesi@article\SUF@thesection
817     \else\thesection\fi\SUF@dotsec}
818   {0ex}
819   {\SUF@SEC@StyleSwitch}
820 \titlespacing*{\section}{0em}{\sectionsep}{\sectionsep}[0em]
821 \else
822 \titleformat{\section}[hang]
823   {\SUF@lr@SECSSwitch}
824   {\ifsuftesi@article\SUF@thesection
825     \else\thesection\fi\SUF@dotsec}
826   {1em}
827   {\SUF@SEC@StyleSwitch}
828 \titlespacing*{\section}{0ex}{\sectionsep}{\sectionsep}[0ex]
829 \fi

\subsection

830 \ifsuftesi@numparsec
831 \titleformat{\subsection}[display]
832   {\SUF@lr@SUBSECSSwitch}
833   {\textnormal\thesubsection}
834   {0ex}
835   {\SUF@SUBSEC@StyleSwitch}
836 \titlespacing*{\subsection}{0em}{\sectionsep}{\sectionsep}[0em]
837 \else
838 \titleformat{\subsection}[hang]
839   {\SUF@lr@SUBSECSSwitch}

```

```

840   {\textnormal\thesubsection}
841   {1em}
842   {\SUF@SUBSEC@StyleSwitch}
843 \titlespacing*\{\subsection\}{\parindent}{\sectionsep}{\sectionsep}[0ex]
844 \fi

\subsubsection

845 \ifsuftesi@numparsubsubsec
846 \titleformat{\subsubsection}[display]
847   {\SUF@lr@SUBSUBSECSwitch}
848   {\textnormal\thesubsubsection}
849   {0ex}
850   {\SUF@SUBSUBSEC@StyleSwitch}
851 \titlespacing*\{\subsubsection\}{0em}{\sectionsep}{\sectionsep}[0em]
852 \else
853 \titleformat{\subsubsection}[hang]
854   {\SUF@lr@SUBSUBSECSwitch}
855   {\textnormal\thesubsubsection}
856   {1em}
857   {\SUF@SUBSUBSEC@StyleSwitch}
858 \titlespacing*\{\subsubsection\}{\parindent}{\sectionsep}{\sectionsep}[0ex]
859   \fi
860 }

861 \ifsuftesi@elementschap
862 \RequirePackage{extramarks}
863   \SUF@elements@CHAPTER
864   \SUF@elements@SECTIONS
865 \ifsuftesi@periodicalaureo
866   \titlespacing*\{\chapter\}{0em}{-\baselineskip}{10pt}[0pt]
867     \setkeys[SUF]{elements}{chapsize=80, chapposition=-83}
868 \else
869 \ifsuftesi@periodical
870   \titlespacing*\{\chapter\}{0em}{-\baselineskip}{10pt}[0pt]
871     \setkeys[SUF]{elements}{chapsize=80, chapposition=-83}
872 \else

```

```

873 \ifsuftesi@compact
874   \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
875     \setkeys[SUF]{elements}{chapsize=75,chapposition=-83}
876 \else
877 \ifsuftesi@supercompact
878   \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
879     \setkeys[SUF]{elements}{chapsize=70,chapposition=-73}
880 \else
881 \ifsuftesi@elementspagelayout
882   \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
883     \setkeys[SUF]{elements}{chapsize=60,chapposition=-73}
884 \else
885   \titlespacing*{\chapter}{0em}{-\baselineskip}{10pt}[0pt]
886     \setkeys[SUF]{elements}{chapsize=90,chapposition=-83}
887       \fi
888       \fi
889       \fi
890   \fi
891 \fi
892 \else
893   \SUF@default@CHAPTER
894   \SUF@default@SECTIONS
895 \ifsuftesi@periodicalalaureo
896   \titlespacing*{\chapter}{0em}{0\SUF@ADJnumparchap}{18ex}
897   \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
898 \else
899 \ifsuftesi@periodical
900   \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
901   \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
902   \else
903     \ifsuftesi@compact
904       \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
905       \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
906     \else

```

```

907         \ifsuftesi@supercompact
908             \titlespacing*\{chapter\}{0em}{\SUF@ADJnumparchap}{18ex}
909             \titlespacing*\{name=\chapter, numberless\}{0em}{0pt}{18ex}
910         \else
911             \titlespacing*\{chapter\}{0em}{%
912                 \dimexpr(6ex+\SUF@ADJnumparchap){18ex}
913                 \titlespacing*\{name=\chapter, numberless\}{0em}{6ex}{18ex}
914             \fi
915         \fi
916     \fi
917 \fi
918\fi

```

Redefinitions for ‘article’ mode

```

919\ifsuftesi@article
920\def\chapter{\ClassError{suftesi}}
921 {\noexpand\chapter level is undefined
922   using 'documentstructure=article'}
923 {\noexpand\chapter level is undefined
924   using 'documentstructure=article'}}
925 \setcounter{tocdepth}{3}
926 \setcounter{secnumdepth}{3}
927 \renewcommand\thesection{%
928   \arabic\c@section}
929 \renewcommand\thesubsection{%
930   \thesection.\arabic\c@subsection}
931 \renewcommand\thesubsubsection{%
932   \thesubsection.\arabic\c@subsubsection}
933 \renewcommand\theparagraph{%
934   \thesubsubsection.\arabic\c@paragraph}
935 \renewcommand\thesubparagraph{%
936   \theparagraph.\arabic\c@subparagraph}

```

The `partpage` options allows you to print a standard part page in `article` mode.

```
937 \ifsuftesi@partpage
938   \relax
939   \else
```

In `article` mode the `\part` command is similar to a `\section` but with more vertical space before and after.

```
940   \titleclass{\part}{straight}
941   \titlespacing*{\part}{0ex}{2\sectionsep}{2\sectionsep}[0ex]
942 \fi
943 \ifsuftesi@numparpart
944 \titleformat{\part}[display]
945   {\SUF@chaptersize\SUF@lr@PARTSwitch}
946   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
947   {2ex}
948   {\SUF@PART@StyleSwitch}
949 \else
950 \titleformat{\part}[hang]
951   {\SUF@chaptersize\SUF@lr@PARTSwitch}
952   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
953   {1em}
954   {\SUF@PART@StyleSwitch}
955 \fi
956 \else
```

The default ‘book’ mode

```
957 \ifsuftesi@numparpart
958 \titleformat{\part}[display]
959   {\SUF@chaptersize\SUF@lr@PARTSwitch}
960   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
961   {2ex}
962   {\SUF@PART@StyleSwitch}
963 \else
964 \titleformat{\part}[hang]
965   {\SUF@chaptersize\SUF@lr@PARTSwitch}
```

```

966  {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
967  {1em}
968  {\SUF@PART@StyleSwitch}
969 \fi
970 \fi
971

\paragraph
972 \titleformat{\paragraph}[runin]
973  {}
974  {\theparagraph}
975  {.5em}
976  {\itshape}
977  [{}]\hspace*{1em}]
978 \titlespacing*{\paragraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

\subparagraph
979 \titleformat{\subparagraph}[runin]
980  {}
981  {\thesubparagraph}
982  {.5em}
983  {}
984  [{}]\hspace*{1em}]
985 \titlespacing*{\subparagraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

```

The `biblatex` package uses the `book` class definitions of bibliography and list of shorthands, so we must redefine them according to the styles of `suftesi`, which does not use uppercase letters in the headings.

```

986 \ifsuftesi@article
987 \AtBeginDocument{%
988 @ifpackageloaded{biblatex}{%
989  \defbibheading{bibliography}[\refname]{%
990    \section*{#1}%
991    \markboth{#1}{#1}%
992  \defbibheading{shorthands}[\losname]{%

```

```

993   \section*{[#1]%
994     \markboth{[#1]}{[#1]}
995   \defbibheading{bibintoc}[\refname]{%
996     \section*{[#1]%
997       \addcontentsline{toc}{section}{[#1]%
998         \markboth{[#1]}{[#1]}
999   \defbibheading{losintoc}[\losname]{%
1000     \section*{[#1]%
1001       \addcontentsline{toc}{section}{[#1]%
1002         \markboth{[#1]}{[#1]}
1003   \defbibheading{bibnumbered}[\refname]{%
1004     \section{[#1]%
1005       \if@twoside\markright{[#1]}\fi}
1006   \defbibheading{losnumbered}[\losname]{%
1007     \section{[#1]%
1008       \if@twoside\markright{[#1]}\fi}
1009   \defbibheading{subbibliography}[\refname]{%
1010     \subsection*{[#1]}
1011   \defbibheading{subbibintoc}[\refname]{%
1012     \subsection*{[#1]%
1013       \addcontentsline{toc}{subsection}{[#1]}}
1014   \defbibheading{subbibnumbered}[\refname]{%
1015     \subsection{[#1]}%
1016     {\relax}%
1017 }%
1018 \else
1019 \AtBeginDocument{%
1020 \ifpackageloaded{biblatex}{%
1021   \defbibheading{bibliography}[\bibname]{%
1022     \chapter*{[#1]%
1023       \markboth{[#1]}{[#1]}
1024   \defbibheading{shorthands}[\losname]{%
1025     \chapter*{[#1]%
1026       \markboth{[#1]}{[#1]}}

```

```

1027 \defbibheading{bibintoc}{[\bibname]{%
1028   \chapter*{\#1}%
1029   \addcontentsline{toc}{chapter}{\#1}%
1030   \markboth{\#1}{\#1}%
1031 }%
1032 \defbibheading{losintoc}{[\losname]{%
1033   \chapter*{\#1}%
1034   \addcontentsline{toc}{chapter}{\#1}%
1035   \markboth{\#1}{\#1}%
1036 }%
1037 \defbibheading{bibnumbered}{[\bibname]{%
1038   \chapter{\#1}%
1039   \if@twoside\markright{\#1}\fi}%
1040 \defbibheading{losnumbered}{[\losname]{%
1041   \chapter{\#1}%
1042   \if@twoside\markright{\#1}\fi}%
1043 \defbibheading{subbibliography}{[\refname]{%
1044   \section*{\#1}%
1045   \if@twoside\markright{\#1}\fi}%
1046 \defbibheading{subbibintoc}{[\refname]{%
1047   \section*{\#1}%
1048   \addcontentsline{toc}{section}{\#1}%
1049   \if@twoside\markright{\#1}\fi}%
1050 \defbibheading{subbibnumbered}{[\refname]{%
1051   \section{\#1}}%
1052   {\relax}%
1053 }%
1054 }%
1055 \def\@headtitle{--missing title--}%

```

6.14 Title page

\title The new \title command has an optional argument which can be used in the headers.

```

1053 \renewcommand*{\title}[2][]{\gdef\@headtitle{\#1}\gdef\@title{\#2}%
1054   \edef\title{\noexpand\@dblarg
1055   \expandafter\noexpand\csname\string\title\endcsname}%
1056   \def\@headtitle{--missing title--}%

```

```

1057     \protect\ClassWarningNoLine{suftesi}{%
1058         No \string\title\space given \MessageBreak%
1059         See the class documentation for explanation}}
1060     \def\@title{--missing title--%
1061         \protect\ClassWarningNoLine{suftesi}{%
1062             No \string\title\space given\MessageBreak%
1063             See the class documentation for explanation}}
1064     \def\@author{--missing author--%
1065         \protect\ClassWarningNoLine{suftesi}{%
1066             No \string\author\space given\MessageBreak%
1067             See the class documentation for explanation}}

```

\standardtitle Reproduces the standard \maketitle style:

For notitlepage option:

\maketitle For titlepage (default) option:

```

1068 \if@titlepage% titlepage
1069   \renewcommand\maketitle{\begin{titlepage}%
1070   \let\footnotesize\small
1071   \let\footnoterule\relax
1072   \let \footnote \thanks
1073   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1074   \null\vfil
1075   \vskip 60\p@
1076   \begin{center}%
1077     {\SUF@chaptersize\color{sufred}\sffamily%
1078      \ifsuftesi@smallcapschap%
1079        \SUF@titlesmallcaps{\@title}%
1080      \else
1081        \ifsuftesi@article%
1082          \ifsuftesi@smallcapssec%
1083            \SUF@titlesmallcaps{\@title}%
1084          \else
1085            \@title
1086        \fi

```

```
1087      \else
1088      \@title
1089      \fi
1090      \fi\par}%
1091      \vskip 3em%
1092      {\small\lineskip .75em%
1093      \begin{tabular}[t]{c}%
1094          \author
1095      \end{tabular}\par}%
1096      \vskip 1.5em%
1097      {\small\@date\par}%
1098 \end{center}\par
1099 \@thanks
1100 \vfil\null
1101 \end{titlepage}%
1102 \setcounter{footnote}{0}%
1103 \global\let\thanks\relax
1104 \global\let\maketitle\relax
1105 \global\let\@thanks\@empty
1106     \global\let\@date\@empty
1107 \global\let\date\relax
1108 \global\let\and\relax
1109 \newcommand\standardtitle{\begin{titlepage}%
1110     \let\footnotesize\small
1111     \let\footnoterule\relax
1112     \let\footnote\thanks
1113     \null\vfil
1114     \vskip 60\p@
1115     \begin{center}%
1116         {\LARGE \@title \par}%
1117         \vskip 3em%
1118         {\large
1119             \lineskip .75em%
1120             \begin{tabular}[t]{c}%
```

```

1121      \@author
1122      \end{tabular}\par}%
1123      \vskip 1.5em%
1124      {\large \@date \par}%
1125      % Set date in \large size.
1126      \end{center}\par
1127      \@thanks
1128      \vfil\null
1129      \end{titlepage}%
1130      \setcounter{footnote}{0}%
1131      \global\let\thanks\relax
1132      \global\let\maketitle\relax
1133      \global\let\@thanks\@empty
1134      \global\let\@date\@empty
1135      \global\let\date\relax
1136 \else

```

For `notitlepage` option:

```

1137 \renewcommand\maketitle{\par
1138   \begingroup
1139   \renewcommand\thefootnote{\fnsymbol{c@footnote}}%
1140   \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
1141   \long\def\@makefntext##1{\parindent 1em\noindent
1142     \hb@xt@1.8em{%
1143       \hss\textsuperscript{\normalfont\@thefnmark}##1}%
1144     \if@twocolumn
1145       \ifnum \col@number=\@ne
1146         \@maketitle
1147       \else
1148         \twocolumn[\@maketitle]%
1149       \fi
1150     \else
1151       \newpage
1152       \global\@topnum\z@% Prevents figures from going at top of page.
1153       \@maketitle

```

```
1154      \fi
1155      \thispagestyle{plain}\@thanks
1156  \endgroup
1157  \setcounter{footnote}{0}%
1158  \global\let\thanks\relax
1159  \global\let\maketitle\relax
1160  \global\let\@maketitle\relax
1161  \global\let\@thanks\@empty
1162  \global\let\@date\@empty
1163  \global\let\date\relax
1164  \global\let\and\relax}
1165  \def\@maketitle{%
1166  \newpage
1167  \null
1168  \vskip 2em%
1169  \begin{center}%
1170  \let \footnote \thanks
1171  {\SUF@chaptersize\color{sufred}\sffamily\%
1172  \if sufthesi@smallcapschap%
1173  \SUF@titlesmallcaps{\@title}%
1174  \else
1175  \if sufthesi@article
1176  \if sufthesi@smallcapssec
1177  \SUF@titlesmallcaps{\@title}%
1178  \else
1179  \@title
1180  \fi
1181  \else
1182  \@title
1183  \fi
1184 \fi\par}%
1185  \vskip 1.5em%
1186  {\small\lineskip .5em%
1187  \begin{tabular}[t]{c}
```

```

1188      \@author\par
1189      \end{tabular}\par}%
1190      \vskip 1em%
1191      {\small \@date\par}%
1192      \end{center}%
1193      \par
1194      \vskip 1.5em}
1195 \newcommand{\standardtitle}{\par
1196   \begingroup
1197     \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
1198     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1199     \long\def\@makefntext##1{\par\indent 1em\noindent
1200       \hb@xt@1.8em{%
1201         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
1202     \if@twocolumn
1203       \ifnum \col@number=\@ne
1204         \@standardmaketitle
1205       \else
1206         \twocolumn[\@standardmaketitle]%
1207       \fi
1208     \else
1209       \newpage
1210       \global\@topnum\z@    % Prevents figures from going at top of page.
1211       \@standardmaketitle
1212     \fi
1213     \thispagestyle{plain}\@thanks
1214   \endgroup
1215   \setcounter{footnote}{0}%
1216   \global\let\thanks\relax
1217   \global\let\maketitle\relax
1218   \global\let\@standardmaketitle\relax
1219   \global\let\@thanks\empty
1220   \global\let\@date\empty
1221   \global\let\date\relax

```

```

1222     \global\let\and\relax}
1223 \def\@standardmaketitle{%
1224     \newpage
1225     \null
1226     \vskip 2em%
1227     \begin{center}%
1228     \let \footnote \thanks
1229     {\LARGE \@title \par}%
1230     \vskip 1.5em%
1231     {\large
1232         \lineskip .5em%
1233         \begin{tabular}[t]{c}%
1234             \author
1235         \end{tabular}\par}%
1236     \vskip 1em%
1237     {\large \@date}%
1238     \end{center}%
1239     \par
1240     \vskip 1.5em}
1241 \fi

```

6.15 Frontispiece

```

1242 \AtBeginDocument{%
1243 \@ifpackagewith{frontespizio}{suftesi}
1244     {\ifsuftesi@periodical
1245         \Margini {5.5cm}{7cm}{4.5cm}{0cm}
1246     \else
1247     \ifsuftesi@compact
1248         \Margini {4.5cm}{7cm}{4.5cm}{0cm}
1249     \else
1250         \ifsuftesi@supercompact
1251             \Margini {4.5cm}{10cm}{6cm}{1cm}
1252     \else

```

```

1253      \fi
1254    \fi
1255 \fi}
1256 {\@ifpackageloaded{frontespizio}
1257   {\ifsuftesi@periodical
1258     \Margini {1cm}{7cm}{5cm}{1cm}
1259   \else
1260     \ifsuftesi@compact
1261       \Margini {1cm}{7cm}{6cm}{1cm}
1262     \else
1263       \ifsuftesi@supercompact
1264         \Margini {1cm}{10cm}{8cm}{1cm}
1265       \else
1266       \fi
1267     \fi
1268 \fi}
1269 {\relax}}}

theindex
1270 \renewenvironment{theindex}
1271   {\if@twocolumn
1272     \restonecolfalse
1273   \else
1274     \restonecoltrue
1275   \fi
1276   \ifsuftesi@article
1277     \twocolumn[\section*{\indexname}]%
1278   \else
1279     \twocolumn[\makeschapterhead{\indexname}]%
1280   \fi
1281   \mkboth{\indexname}{\indexname}%
1282   \thispagestyle{plain}%
1283   \raggedright%
1284   \parindent\z@
1285   \parskip\z@\@plus .3\p@\relax

```

```

1286           \columnseprule \z@
1287           \columnsep 35\p@
1288           \let\item\@idxitem
1289           {\if@restonecol\onecolumn\else\clearpage\fi}

```

6.16 Appendix

```

\appendicesname
\appendixpage 1290 \newcommand{\appendicesname}[1]{\def\SUF@appendices{#1}}
1291   \appendicesname{Appendici}
1292   \newcommand{\appendixpage}{\SUF@appendixpage}
1293 \def\SUF@appendixpage{%
1294   \@mainmattertrue
1295   \titlecontents{part}
1296     [0em]
1297     {\addvspace{3ex}}
1298     {}
1299     {}
1300     {}
1301     [\addvspace{1ex}]
1302 \let\contentspage\relax
1303   \cleardoublepage
1304   \thispagestyle{empty}
1305   \addcontentsline{toc}{part}{\SUF@appendices}
1306   \begingroup
1307     \centering
1308     \null\vfil
1309     {\LARGE\SUF@appendices\par}
1310     \vfил
1311   \endgroup
1312   \cleardoublepage
1313 \titlecontents{part}
1314   [0em]
1315   {\addvspace{3ex}\partname~}

```

```

1316  {\makebox[\SUF@label@part][1]{\thecontentslabel}\hspace*{1em}}
1317  {}
1318  {}
1319  [\addvspace{1ex}]
1320 }

\appendix
1321 \ifsuftesi@sufelements
1322 \renewcommand\appendix{\par
1323   \setcounter{chapter}{0}%
1324   \setcounter{section}{0}%
1325   \gdef\@chapapp{\appendixname}%
1326   \gdef\thechapter{\@Alph\c@chapter}
1327   \titleformat{\chapter}[block]
1328     {\vskip-22pt}%
1329     {\small\SUF@titlesmallcaps{\appendixname}\~{\Alph{chapter}}:\hskip.5em}
1330     {0pt}
1331     {\small\SUF@titlesmallcaps}
1332     [\rule{\textwidth}{.4pt}]
1333     \titlespacing*{\chapter}{0em}{-16pt}{10pt}[0em]}
1334 \else
1335   \ifsuftesi@article
1336     \renewcommand\appendix{\par
1337       \setcounter{section}{0}%
1338       \setcounter{subsection}{0}%
1339       \gdef\SUF@thesection{\@Alph\c@section}}
1340 \else
1341   \renewcommand\appendix{\par
1342     \setcounter{chapter}{0}%
1343     \setcounter{section}{0}%
1344     \gdef\@chapapp{\appendixname}%
1345     \gdef\SUF@thechapter{\@Alph\c@chapter}}
1346 \fi
1347 \fi

```

6.17 Headings

```
1348 \RequirePackage{fancyhdr}
1349   \pagestyle{fancy}
1350   \renewcommand{\headrulewidth}{0pt}
1351   \renewcommand{\footnoterule}{}
1352 \def\SUF@versionstring{\texttt{Version of \today}}
```

The elements headers

```
1353 \ifsuftesi@elementsheader%
1354   \renewcommand{\chaptermark}[1]{\markboth{\#1}{\#1}}
1355   \renewcommand{\sectionmark}[1]{\markright{\#1}}
1356 \fancypagestyle{elements}{%
1357   \setlength{\unitlength}{1pt}
1358   \fancyhf{}
1359   \fancyfoot[LE,RO]{\thepage}
1360   \fancyhead[RO]{%
1361     \begin{picture}(0,0)
1362       \put(0,-104){%
1363         \hspace{\marginparsep}
1364         \parbox[t]{\marginparwidth}{\itshape\raggedright\leftmark}}%
1365     \end{picture}}
1366   \fancyhead[LE]{%
1367     \begin{picture}(0,0)
1368       \put(0,-104){%
1369         \hspace{-\dimexpr(\marginparwidth+\marginparsep)}
1370         \parbox[t]{\marginparwidth}{\itshape\raggedleft\rightmark}}%
1371     \end{picture}}%
1372   }%
1373 \else
```

The default headers

```
1374 \renewcommand{\chaptermark}[1]{%
1375   \markboth{\chartertitlename\ \SUF@thechapter}{\#1}}
```

```
1376 \ifsuftesi@article
1377   \renewcommand{\sectionmark}[1]{\markright{\SUF@thesection.\ #1}}
1378   \else
1379   \renewcommand{\sectionmark}[1]{}
1380 \fi
1381 \fi
```

The plain style

```
1382 \fancypagestyle{plain}{\fancyhf{}}
```

The sufplain style

```
1383 \fancypagestyle{sufplain}{%
1384   \fancyhf{}%
1385   \fancyfoot[RE,LO]{%
1386     \ifsuftesi@draftdate\footnotesize\SUF@versionstring\else\fi}%
1387   \fancyfoot[C]{\footnotesize\SUF@thepage}}
```

The centerheader style

```
1388 \fancypagestyle{centerheader}{%
1389   \fancyhf{}%
1390   \fancyfoot[RE,LO]{%
1391     \ifsuftesi@draftdate\footnotesize\SUF@versionstring\else\fi}%
1392   \fancyhead[CO]{\footnotesize\xheadbreakfalse\SUF@rightmark}%
1393   \fancyhead[CE]{\footnotesize\xheadbreakfalse\%
1394     \SUF@LR@MarkSwitch}%
1395   \fancyfoot[C]{\footnotesize\SUF@thepage}\%
1396 }%
```

The sufdefault style

```
1397 \fancypagestyle{sufdefault}{%
1398   \fancyhf{}%
1399   \fancyfoot[RE,LO]{%
```

```

1400      \ifsuftesi@draftdate\footnotesize\SUF@versionstring\else\fi}
1401      \fancyhead [LE,RO]{\footnotesize\SUF@thepage}
1402      \fancyhead [LO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1403      \fancyhead [RE]{\footnotesize\xheadbreakfalse%
1404          \SUF@LR@MarkSwitch}
1405      }%
1406 %
1407 \ifsuftesi@article
1408 \ifsuftesi@authortitle
1409 \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1410 \else
1411 \def\SUF@LR@MarkSwitch{\SUF@rightmark}
1412 \fi
1413 \else
1414     \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1415 \fi
1416 \def\SUF@leftrightmark{%
1417 \if@mainmatter\leftmark\else\rightmark\fi}

```

Setting the default page style:

```

1418 \pagestyle{sufdefault}
1419   \ifsuftesi@centerheader\pagestyle{centerheader}\else\fi
1420   \ifsuftesi@sufplain\pagestyle{sufplain}\else\fi
1421   \ifsuftesi@elementsheader\pagestyle{elements}\else\fi

```

6.18 Text elements

6.18.1 Block Quotations

quotation	New quotation and quote environments according to a popular Italian style. The font size is the same of the footnotes and the margins are set to \parindent.
quote	
verse	1422 \renewenvironment{quotation} 1423 {\list{}{\listparindent\parindent\%} 1424 \itemindent \listparindent}

```

1425          \leftmargin      \parindent
1426          \SUF@quote@style
1427          \parsep        \z@ \plus\p@%
1428          \item\relax%
1429          \SUF@quotation@size%
1430          \noindent\ignorespaces}
1431          {\endlist}
1432 \renewenvironment{quote}
1433     {\list{}{\leftmargin \parindent
1434             \SUF@quote@style}%
1435             \item\relax%
1436             \SUF@quotation@size}\% \ignorespaces?
1437             {\endlist}
1438 \renewenvironment{verse}
1439     {\let\\@centercr
1440         \list{}{\itemsep      \z@
1441                 \itemindent -1.5em%
1442                 \listparindent\itemindent
1443                 \rightmargin \leftmargin
1444                 \advance\leftmargin 1.5em}%
1445         \item\relax
1446         \SUF@quotation@size}
1447         {\endlist}

```

The `fewfootnotes` option Enable only with three footnotes per page maximum.

```

1448 \ifsuftesi@fewfootnotes
1449 \AtBeginDocument{
1450 \def\@fnsymbol#1{\ensuremath{\ifcase#1\or*\or{*}{*}\or{*}{*}{*}\or{*}{*}{*}{*}\or%
1451 \ClassError{suftesi}%
1452 {Too many footnotes\MessageBreak
1453 Remove the class option 'fewfootnote'}%
1454 {Too many footnotes\MessageBreak
1455 Remove the class option 'fewfootnote'}%
1456 \else\@ctrerr\fi}}}

```

```

1457 \def\thefootnote{\@fnsymbol\c@footnote}%
1458 \else\fi
\xfootnote Prints a footnote with discretionary symbol give in the first argument.
1459 \newcommand*\xfootnote[1][*]{%
1460     \xdef\@thefnmark{#1}%
1461     \c@footnotemark\@footnotetext}

```

6.18.2 Marginal notes

\marginpar The \marginpar command is redefined according to the look of *Classic Thesis* by André Miede (2011). Thanks to Lorenzo Pantieri and Enrico Gregorio.

```
1462 \def\SUF@mpsetup{%
```

In the *Elements* (i.e. with `elements` option) the marginal notes are printed in roman, but I prefer italic shape for the other options:

```

1463     \ifsufthesi@elementsheader\relax
1464         \else\itshape\fi
1465     \footnotesize%
1466     \parindent=0pt \lineskip=0pt \lineskiplimit=0pt %
1467     \tolerance=2000 \hyphenpenalty=300 \exhyphenpenalty=300%
1468     \doublehyphendemerits=100000%
1469     \finalhyphendemerits=\doublehyphendemerits}
1470 \let\oldmarginpar\marginpar
1471 \renewcommand{\marginpar}[1]{\oldmarginpar%
1472   [\SUF@mpsetup\raggedleft\hspace{0pt}{#1}]%
1473   [\SUF@mpsetup\raggedright\hspace{0pt}{#1}]}

```

Redefine an internal command of the `todonotes` package in order to use the class-specific marginal notes when this package is loaded. This redefinition simply substitute `\oldmarginpar` to `\marginpar`:

```

1474 \AtBeginDocument{
1475 @ifpackageloaded{todonotes}{%
1476 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
1477 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%

```

```

1478      \node [coordinate] (inText) {};%  

1479 \end{tikzpicture}%  

1480 \oldmarginpar[{\% Draw note in left margin  

1481     \etodonotes@drawMarginNote%  

1482     \etodonotes@drawLineToLeftMargin%  

1483 }]{% Draw note in right margin  

1484     \etodonotes@drawMarginNote%  

1485     \etodonotes@drawLineToRightMargin%  

1486 }%  

1487 }%  

1488 }  

1489 {\relax}

```

6.18.3 Abstract

This is the macro that defines the abstract environment in article class. In suftesi it simply prints the abstract name in roman font:

```

1490 \if@titlepage  

1491   \newenvironment{abstract}{%  

1492     \titlepage  

1493     \null\vfil  

1494     \begin{parpenalty}\lowpenalty  

1495     \begin{center}%  

1496       \abstractname  

1497       \endparpenalty\OM  

1498     \end{center}}%  

1499   {\par\vfil\null\endtitlepage}  

1500 \else  

1501   \newenvironment{abstract}{%  

1502     \if@twocolumn  

1503       \section*\{\abstractname\}%  

1504     \else  

1505       \small  

1506       \begin{center}%

```

```

1507          {\abstractname\vspace{-.5em}\vspace{\z@}}%
1508          \end{center}%
1509          \quotation
1510          \fi}
1511          {\if@twocolumn\else\endquotation\fi}
1512 \fi
1513 \newcommand{\abstractname}{Abstract}

```

6.18.4 Colophon

\colophon Some useful commands to print a colophon or a copyright notice.

```

1514 \newcommand{\colophon}[3][]{%
1515   \thispagestyle{empty}
1516   \null
1517   \vfill
1518   \def\next{\#2}
1519   \ifx\next\@empty\else
1520     \noindent Copyright \copyright{} \the\year^{\#2}\,[tex]
1521     Tutti i diritti riservati
1522   \fi
1523   \vfill
1524   {\small\noindent Questo lavoro \`e stato composto con \LaTeX{}%
1525   \def\next{\#1}
1526   \ifx\next\@empty\else su #1
1527   \fi usando la classe \textsf{suftesi} di
1528   Ivan Valbusa\index{Valbusa, Ivan}. #3\par}
1529   \cleardoublepage

```

\bookcolophon

```

1530 \newcommand{\bookcolophon}[2]{%
1531   \thispagestyle{empty}
1532   \null
1533   \vfill
1534   \noindent #1

```

```

1535   \vfill
1536   {\small\noindent #2\par}
1537   \cleardoublepage

\artcolophon
1538 \newcommand{\artcolophon}[1]{%
1539 \thispagestyle{empty}
1540   \null
1541   \vfill
1542   {\small\noindent #1\par}

\finalcolophon
1543 \newcommand{\finalcolophon}[1]{%
1544 \thispagestyle{empty}
1545   \null\vspace*{\stretch{1}}
1546   \begin{center}
1547     \begin{minipage}{.5\textwidth}
1548       \centering\small #1
1549     \end{minipage}
1550   \end{center}
1551   \vspace*{\stretch{6}}}

```

\FSPLcolophon **(beta code)** This command is defined only for the style=FSPL* options.

```

1552 \ifsuftesi@FSPL
1553 \newcommand{\FSPLcolophon}[1][\the\year]{%
1554 \begingroup
1555 \thispagestyle{empty}
1556 \small
1557 \null\vspace{\stretch{2}}
1558 \noindent Copyright \copyright{} #1 \author%
1559
1560 \null\vspace{\stretch{1}}
1561
1562 \noindent Quest'opera \`e stata prodotta nell'ambito del
1563 Joint Project \emph{Formal Style for PhD Theses with \LaTeX{}} dell'Universit\`a degli studi
1564 \medskip

```

```

1565
1566 \noindent Viene rilasciata con licenza Creative Commons Attribuzione - Non commerciale - Non
1567 \begin{center}
1568 \texttt{http://creativecommons.org/licenses/by-nc-nd/3.0/it/}.
1569 \end{center}
1570 o spedisci una lettera a Creative Commons, 171 Second Street, Suite 300, San Francisco, Cal
1571 \bigskip
1572
1573 Si \`e liberi di riprodurre, distribuire, comunicare al pubblico, esporre, in pubblico, rapp
1574 \begin{description}
1575 \item[\ccby Attribuzione]
1576 Devi attribuire la paternit\`a dell'opera nei modi indicati dall'autore o da chi ti ha dato
1577 \item[\ccnc Non commerciale]
1578 Non si pu\`o usare quest'opera per fini commerciali;
1579 \item[\cc Non opere derivate]
1580 Non si pu\`o alterare o trasformare quest'opera, n\`e usarla per crearne un'altra.
1581 \end{description}
1582 \endgroup
1583 \clearpage
1584 \else
1585 \def\FSPLcolophon{%
1586   \ClassError{suftesi}
1587     {\noexpand\FSPLcolophon is defined\MessageBreak
1588      only for the FSPL styles}
1589     {\noexpand\FSPLcolophon is defined\MessageBreak
1590      only for the FSPL styles}}
1591 \fi

```

6.19 TOC, LOF, LOT

```

1592 \RequirePackage{titletoc}
\SUF@label@chapter All the lengths depend on \SUF@label@chapter so we define this first.
1593 \newlength{\SUF@label@chapter
1594 \setlength{\SUF@label@chapter}{.5em}

```

```

\toclabelspace \toclabelspace is provided to adjust the label width in the table of contents:
1595 \newcommand*{\toclabelspace}[1]{\setlength{\SUF@label@chapter}{#1}}
1596 \let\toclabelwidth\toclabelspace

\SUF@tochang This macro controls the space between page number and chapter label using the tocpageleft
option:
1597 \newlength{\SUF@tochang}
1598 \setlength{\SUF@tochang}{3em}
1599 \AtBeginDocument{
1600 \newlength{\SUF@label@part}
1601 \newlength{\SUF@label@section}
1602 \newlength{\SUF@label@subsection}
1603 \newlength{\SUF@label@subsubsection}
1604 \newlength{\SUF@label@paragraph}
1605 \newlength{\SUF@label@subparagraph}
1606 \newlength{\SUF@label@figure}
1607 \newlength{\SUF@label@table}
1608 \setlength{\SUF@label@part}
1609   {\SUF@label@chapter}
1610 \setlength{\SUF@label@section}
1611   {\dimexpr(\SUF@label@chapter+.5em)}
1612 \setlength{\SUF@label@subsection}
1613   {\dimexpr(\SUF@label@section+.5em)}
1614 \setlength{\SUF@label@subsubsection}
1615   {\dimexpr(\SUF@label@subsection+.5em)}
1616 \setlength{\SUF@label@paragraph}
1617   {\dimexpr(\SUF@label@subsubsection+.5em)}
1618 \setlength{\SUF@label@subparagraph}
1619   {\dimexpr(\SUF@label@paragraph+.5em)}
1620 \setlength{\SUF@label@figure}
1621   {\SUF@label@section}
1622 \setlength{\SUF@label@table}
1623   {\SUF@label@section}
1624 }

```

Part in article mode

```

1625 \titlecontents{part}
1626   [0em]
1627   {\addvspace{3ex}\partname\hspace*{.5em}}
1628   {\makebox[\SUF@label@part][1]{\thecontentslabel}\hspace*{1em}}
1629   {}
1630   {}
1631   [\addvspace{1ex}]

```

6.19.1 The `tocpageleft` table of contents

```

1632 \ifsuftesi@pagelefttoc
\contentsmargin First we reset the right margin to zero:
1633 \contentsmargin{0pt}

\SUF@tochang@<level>
\SUF@addto@tochang@<level> 1634 \AtBeginDocument{
1635 \newlength\SUF@tochang@chap
1636 \newlength\SUF@tochang@sec
1637 \newlength\SUF@tochang@subsec
1638 \newlength\SUF@tochang@subsubsec
1639 \newlength\SUF@tochang@par
1640 \newlength\SUF@tochang@subpar
1641 \newlength\SUF@tochang@fig
1642 \newlength\SUF@tochang@tab
1643 \newlength\SUF@addto@tochang@chap
1644 \newlength\SUF@addto@tochang@sec
1645 \newlength\SUF@addto@tochang@subsec
1646 \newlength\SUF@addto@tochang@subsubsec
1647 \newlength\SUF@addto@tochang@par
1648 \newlength\SUF@addto@tochang@subpar
1649 \newlength\SUF@addto@tochang@fig
1650 \newlength\SUF@addto@tochang@tab
1651 \setlength\SUF@tochang@chap
1652   {\dimexpr(1em+\SUF@tochang+\SUF@label@chapter+1em)}
1653 \setlength\SUF@tochang@sec
1654   {\dimexpr(\SUF@tochang@chap+\SUF@label@section+1em)}

```

```

1655 \setlength{\SUF@tochang@subsec}
1656     {\dimexpr(\SUF@tochang@sec+\SUF@label@subsection+1em)}
1657 \setlength{\SUF@tochang@subsubsec}
1658     {\dimexpr(\SUF@tochang@subsec+\SUF@label@subsubsection+1em)}
1659 \setlength{\SUF@tochang@par}
1660     {\dimexpr(\SUF@tochang@subsubsec+\SUF@label@paragraph+1em)}
1661 \setlength{\SUF@tochang@subpar}
1662     {\dimexpr(\SUF@tochang@par+\SUF@label@subparagraph+1em)}
1663 \setlength{\SUF@tochang@fig}
1664     {\SUF@tochang@chap}
1665 \setlength{\SUF@tochang@tab}
1666     {\SUF@tochang@chap}
1667 \setlength{\SUF@addto@tochang@chap}
1668     {\SUF@tochang}
1669 \setlength{\SUF@addto@tochang@sec}
1670     {\dimexpr(\SUF@addto@tochang@chap+\SUF@label@section+.5em)}
1671 \setlength{\SUF@addto@tochang@subsec}
1672     {\dimexpr(\SUF@addto@tochang@sec+\SUF@label@subsection+.5em)}
1673 \setlength{\SUF@addto@tochang@subsubsec}
1674     {\dimexpr(\SUF@addto@tochang@subsec+\SUF@label@subsubsection+.5em)}
1675 \setlength{\SUF@addto@tochang@par}
1676     {\dimexpr(\SUF@addto@tochang@subsubsec+\SUF@label@paragraph+.5em)}
1677 \setlength{\SUF@addto@tochang@subpar}
1678     {\dimexpr(\SUF@addto@tochang@par+\SUF@label@subparagraph+.5em)}
1679 \setlength{\SUF@addto@tochang@fig}
1680     {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1681 \setlength{\SUF@addto@tochang@tab}
1682     {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1683 }

```

TOC entries

```

1684 \titlecontents{chapter}
1685     [\SUF@tochang@chap]
1686     {\addvspace{2ex}}
1687     {\hspace{-\SUF@tochang@chap%}

```

```

1688  \makebox[1em] [1]{\thecontentspage}%
1689  \hskip\SUF@addto@tochang@chap%
1690  \makebox[\SUF@label@chapter] [1]{\thecontentslabel}%
1691  \hspace*{1em}%
1692 {\hskip-\SUF@tochang@chap%
1693  \makebox[1em] [1]{\thecontentspage}%
1694  \hskip\SUF@addto@tochang@chap}%
1695 {}
1696 [\addvspace{1ex}]
1697 \titlecontents{section}
1698 [\SUF@tochang@sec]
1699 {}
1700 {\hskip-\SUF@tochang@sec%
1701  \makebox[1em] [1]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1702  \makebox[\SUF@label@section] [1]{\thecontentslabel}\hspace*{1em}%
1703 {\hskip-\SUF@tochang@sec%
1704  \makebox[1em] [1]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1705  \makebox[\SUF@label@section] [1]{\thecontentslabel}\hspace*{1em}%
1706 {}}
1707 \titlecontents{subsection}
1708 [\SUF@tochang@subsec]
1709 {}
1710 {\hskip-\SUF@tochang@subsec%
1711  \makebox[1em] [1]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1712  \makebox[\SUF@label@subsection] [1]{\thecontentslabel}\hspace*{1em}%
1713 {\hskip-\SUF@tochang@subsec%
1714  \makebox[1em] [1]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1715  \makebox[\SUF@label@subsection] [1]{\thecontentslabel}\hspace*{1em}%
1716 {}}
1717 \titlecontents{subsubsection}
1718 [\SUF@tochang@subsubsec]
1719 {}
1720 {\hskip-\SUF@tochang@subsubsec%
1721  \makebox[1em] [1]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%

```

```

1722      \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}%
1723      {\hskip-\SUF@tochang@subsubsec%
1724       \makebox[1em][1]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1725       \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}%
1726      {}}
1727 \titlecontents{paragraph}
1728   [\SUF@tochang@par]
1729   {}
1730   {\hskip-\SUF@tochang@par%
1731    \makebox[1em][1]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1732    \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}%
1733   {\hskip-\SUF@tochang@par%
1734    \makebox[1em][1]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1735    \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}%
1736   {}}
1737 \titlecontents{subparagraph}
1738   [\SUF@tochang@subpar]
1739   {}
1740   {\hskip-\SUF@tochang@subpar%
1741    \makebox[1em][1]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1742    \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}%
1743   {\hskip-\SUF@tochang@subpar%
1744    \makebox[1em][1]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1745    \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}%
1746   {}}
1747 \titlecontents{figure}
1748   [\SUF@tochang@fig]
1749   {}
1750   {\hskip-\SUF@tochang@fig%
1751    \makebox[1em][1]{\thecontentspage}\hskip\SUF@addto@tochang@fig%
1752    \makebox[\SUF@label@table][1]{\thecontentslabel}\hspace*{1em}%
1753   {}}
1754   {}
1755 \titlecontents{table}

```

```

1756  [\SUF@tochang@tab]
1757  {}
1758  {\hskip-\SUF@tochang@tab%
1759   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@tab%
1760   \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1761  {}
1762  {}
1763 \else

```

6.19.2 The default table of contents

```

1764 \AtBeginDocument{
1765 \newlength\SUF@tocindent@chap
1766 \newlength\SUF@tocindent@sec
1767 \newlength\SUF@tocindent@subsec
1768 \newlength\SUF@tocindent@subsubsec
1769 \newlength\SUF@tocindent@par
1770 \newlength\SUF@tocindent@subpar
1771 \newlength\SUF@tocindent@fig
1772 \newlength\SUF@tocindent@tab
1773 \setlength\SUF@tocindent@chap
1774   {\dimexpr(\SUF@label@chapter+1em)}
1775 \setlength\SUF@tocindent@sec
1776   {\dimexpr(\SUF@tocindent@chap+\SUF@label@section+1em)}
1777 \setlength\SUF@tocindent@subsec
1778   {\dimexpr(\SUF@tocindent@sec+\SUF@label@subsection+1em)}
1779 \setlength\SUF@tocindent@subsubsec
1780   {\dimexpr(\SUF@tocindent@subsec+\SUF@label@subsubsection+1em)}
1781 \setlength\SUF@tocindent@par
1782   {\dimexpr(\SUF@tocindent@subsubsec+\SUF@label@paragraph+1em)}
1783 \setlength\SUF@tocindent@subpar
1784   {\dimexpr(\SUF@tocindent@par+\SUF@label@subparagraph+1em)}
1785 \setlength\SUF@tocindent@fig
1786   {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}

```

```

1787 \setlength{\SUF@tocindent@tab}
1788     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1789 }

TOC entries

1790 \titlecontents{chapter}
1791     [\SUF@tocindent@chap]
1792     {\addvspace{2ex}}
1793     {\hspace{-\SUF@tocindent@chap}%
1794         \makebox[\SUF@label@chapter][1]{\thecontentslabel}%
1795         \hspace*{1em}%
1796     {\hspace{-\SUF@tocindent@chap}%
1797         {\SUF@chaptitlerule\contentspage}%
1798         \addvspace{1ex}}%
1799 \titlecontents{section}
1800     [\SUF@tocindent@sec]
1801     {}%
1802     {\hspace{-\dimexpr(\SUF@label@section+1em)}%
1803         \makebox[\SUF@label@section][1]{\thecontentslabel}\hspace*{1em}%
1804     {\hspace{-\dimexpr(\SUF@label@section+1em)}%
1805         \makebox[\SUF@label@section][1]{\thecontentslabel}\hspace*{1em}%
1806     {\ifsuftesi@article\SUF@chaptitlerule}%
1807         \else\SUF@titlerule\fi\contentspage}%
1808 \titlecontents{subsection}
1809     [\SUF@tocindent@subsec]
1810     {}%
1811     {\hspace{-\dimexpr(\SUF@label@subsection+1em)}%
1812         \makebox[\SUF@label@subsection][1]{\thecontentslabel}\hspace*{1em}%
1813     {\hspace{-\dimexpr(\SUF@label@subsection+1em)}%
1814         \makebox[\SUF@label@subsection][1]{\thecontentslabel}\hspace*{1em}%
1815     {\SUF@titlerule\contentspage}%
1816 \titlecontents{subsubsection}
1817     [\SUF@tocindent@subsubsec]
1818     {}%
1819     {\hspace{-\dimexpr(\SUF@label@subsubsection+1em)}%

```

```

1820      \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}%
1821 {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1822 \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}%
1823 {\SUF@titlerule\contentspage}
1824 \titlecontents{paragraph}
1825 [\SUF@tocindent@par]
1826 {}
1827 {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1828 \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}%
1829 {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1830 \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}%
1831 {\SUF@titlerule\contentspage}
1832 \titlecontents{subparagraph}
1833 [\SUF@tocindent@subpar]
1834 {}
1835 {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1836 \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}%
1837 {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1838 \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}%
1839 {\SUF@titlerule\contentspage}
1840 \titlecontents{figure}
1841 [\SUF@tocindent@fig]
1842 {}
1843 {\hskip-\SUF@tocindent@fig%
1844 \makebox[\SUF@label@figure][1]{\thecontentslabel}\hspace*{1em}%
1845 {}
1846 {\SUF@titlerule\contentspage}
1847 \titlecontents{table}
1848 [\SUF@tocindent@tab]
1849 {}
1850 {\hskip-\SUF@tocindent@tab%
1851 \makebox[\SUF@label@table][1]{\thecontentslabel}\hspace*{1em}%
1852 {}
1853 {\SUF@titlerule\contentspage}

```

```

1854 \fi

\tableofcontents With article option the toc, lof and lot are printed as sections.

\listoffigures 1855 \if@suftesi@article
\listoftables 1856 \renewcommand{\tableofcontents}{%
1857   \vspace{2ex}%
1858   \section*{\contentsname}%
1859   \mkboth{\contentsname}{\contentsname}%
1860   \thispagestyle{empty}%
1861   \starttoc{toc}%
1862   \vspace{2ex}%
1863 }
1864 \renewcommand{\listoffigures}{%
1865   \section*{\listfigurename}%
1866   \mkboth{\listfigurename}{\listfigurename}%
1867   \thispagestyle{empty}%
1868   \starttoc{lof}%
1869   \vspace{2ex}%
1870 }
1871 \renewcommand{\listoftables}{%
1872   \section*{\listtablename}%
1873   \mkboth{\listtablename}{\listtablename}%
1874   \thispagestyle{empty}%
1875   \starttoc{lot}%
1876   \vspace{2ex}%
1877 }
1878 \else

```

The default toc, lof and lot are treated as chapters.

```

1879 \renewcommand{\tableofcontents}{%
1880   \if@twocolumn
1881     \restonecoltrue\onecolumn
1882   \else
1883     \restonecolfalse
1884   \fi

```

```
1885 \chapter*{\contentsname}%
1886     \@mkboth{%
1887         \contentsname}%
1888     {\contentsname}}%
1889     \thispagestyle{empty}%
1890 \@starttoc{toc}%
1891 \if@restonecol\twocolumn\fi
1892 }
1893 \renewcommand\listoffigures{%
1894     \if@twocolumn
1895         \@restonecoltrue\onecolumn
1896     \else
1897         \@restonecolfalse
1898     \fi
1899     \chapter*{\listfigurename}%
1900     \@mkboth{\listfigurename}{%
1901         \listfigurename}}%
1902     \thispagestyle{empty}%
1903 \@starttoc{lof}%
1904 \if@restonecol\twocolumn\fi
1905 }
1906 \renewcommand\listoftables{%
1907     \if@twocolumn
1908         \@restonecoltrue\onecolumn
1909     \else
1910         \@restonecolfalse
1911     \fi
1912     \chapter*{\listtablename}%
1913     \@mkboth{%
1914         \listtablename}%
1915         {\listtablename}}%
1916     \thispagestyle{empty}%
1917 \@starttoc{lot}%
1918 \if@restonecol\twocolumn\fi
```

```
1919      }
1920 \fi
```

6.20 New commands

\chapterintro A command to typeset an unnumbered section:

```
1921 \ifsuftesi@article
1922 \def\chapterintro{%
1923 \ClassError{suftesi}
1924   {Command \noexpand\chapterintro is undefined\MessageBreak
1925     using 'documentstructure=article'}
1926   {Command \noexpand\chapterintro is undefined\MessageBreak
1927     using 'documentstructure=article'}}
1928 \else
1929 \def\chapterintro{
1930   \@ifstar{\@tempswafalse\@chapterintro}{\@tempswatrue\@chapterintro}
1931 \def\@chapterintro{\phantomsection
1932   \if@tempswa\section*{\SUF@fchapterintroname}\fi
1933   \addcontentsline{toc}{section}{\SUF@fchapterintroname}}
1934 \newcommand{\chapterintroname}[1]{\def\SUF@fchapterintroname{#1}}
1935 \chapterintroname{Introduzione}
1936 \fi
```

\headbreak Active in the table of contents but not in the text.

```
1937 \newif\ifheadbreak\headbreakfalse
1938 \DeclareRobustCommand{\headbreak}
1939 {\ifheadbreak\\\else\fi}
```

\xheadbreak Active in the text but not in the table of contents.

```
1940 \newif\ifxheadbreak\xheadbreaktrue
1941 \DeclareRobustCommand{\xheadbreak}
1942 {\ifxheadbreak\\\else\fi}
```

\tableofcontents

```
1943 \let\origtableofcontents\tableofcontents
```

```

1944 \renewcommand{\tableofcontents}{%
1945   \begingroup\headbreaktrue\xheadbreakfalse%
1946   \origtableofcontents\endgroup}

```

Renew \frontmatter to have arabic page numbering:

```

1947 \ifsuftesi@article
1948 \renewcommand\frontmatter{\ClassError{suftesi}%
1949   {Command \noexpand\frontmatter is undefined\MessageBreak
1950     using 'documentstructure=article'}%
1951   {Command \noexpand\frontmatter is undefined\MessageBreak
1952     using 'documentstructure=article'}}%
1953 \renewcommand\mainmatter{\ClassError{suftesi}%
1954   {Command \noexpand\mainmatter is undefined\MessageBreak
1955     using 'documentstructure=article'}%
1956   {Command \noexpand\mainmatter is undefined\MessageBreak
1957     using 'documentstructure=article'}}%
1958 \renewcommand\backmatter{\ClassError{suftesi}%
1959   {Command \noexpand\backmatter is undefined\MessageBreak
1960     using 'documentstructure=article'}%
1961   {Command \noexpand\backmatter is undefined\MessageBreak
1962     using 'documentstructure=article'}}%
1963 \else
1964 \renewcommand\frontmatter{\cleardoublepage\@mainmatterfalse}%
1965 \renewcommand\mainmatter{\cleardoublepage\@mainmattertrue}%
1966 \fi

```

6.21 Backward compatibility

`bibliografia` An environment to manually typeset the bibliography. (Use `biblatex` instead!)

```

1967 \newenvironment{bibliografia}{%
1968   \ifsuftesi@article
1969   \section*{\refname}%
1970   \addcontentsline{toc}{section}{\refname}%
1971   \else

```

```

1972 \chapter{\bibname}%
1973 \fi
1974     \normalfont \list{}{%
1975         \setlength{\itemindent}{-\parindent}
1976         \setlength{\leftmargin}{\parindent}
1977         \setlength{\labelwidth}{\leftmargin}
1978         \setlength{\parsep}{\parskip}
1979         \let\makelabel}{%
1980     \endlist}

sigle An environment to manually typeset the list of shorthands. (Use biblatex instead!)
1981 \newcommand{\losname}{Sigle}
1982 \newcommand{\itlabel}[1]{\itshape\hbox to 6em{#1}}
1983 \newenvironment{sigle}{%
1984     \chapter{\losname}
1985     \normalfont \list{}{%
1986         \setlength{\labelsep}{0.5em}
1987         \setlength{\itemindent}{0pt}
1988         \setlength{\leftmargin}{6em}
1989         \setlength{\labelwidth}{\leftmargin}
1990         \setlength{\listparindent}{\parindent}
1991         \setlength{\parsep}{\parskip}
1992         \let\makelabel\itlabel}{%
1993     \endlist}

```

6.22 Final settings

In a previous version the `\hemp` command was provided to fix a bug in the hyphenation of some italian expressions like “dell’*encyclopaedia*”. Now the bug has been fixed loading the `fixltxhyph` package by Claudio Beccari. The package must be loaded after `babel` or `Polyglossia`:

```
1994 \AtBeginDocument{\RequirePackage{fixltxhyph}}
```

The `\hemp` command is provided only for backward compatibility:

```
1995 \let\hemp\emph
```

The first line of all sections is indented by default using X_ETEX with italian as main language.
Anyway this is incongruous with the L_AT_EX default.

1996 \ifxetex\let\@afterindenttrue\@afterindentfalse\else\fi

Just one touch of french typography:

1997 \frenchspacing

</class>

Change History

v0.5

General: First public release. The frontispiece of <code>suftesis</code> is now included in the package <code>frontespizio</code> . New option <code>fullplain</code>	Changed option <code>sctitles</code>	1
New command <code>\chapnumfont</code>		19
New option <code>compact</code>		21
New option <code>elements</code>		21
New option <code>nocrop</code>		21
New option <code>nomarginpar</code>		21
New option <code>sufelements</code>		21
New option <code>supercompact</code>		21

v0.6

General: English documentation. Renamed options <code>plain</code> and <code>fullplain</code> to <code>centerheadings</code> and <code>sufplain</code> .	1	
New command <code>\artcolophon</code>		18
New command <code>\bookcolophon</code>		18
New option <code>authortitle</code>		21

v0.6a

General: Maintenance release, no changes	1
--	---

v0.6b

General: Improved full compatibility with <code>XeLaTeX</code> . <code>varioref</code> and <code>footmisc</code> packages are no longer loaded	1
--	---

v0.6c

General: Maintenance release, no changes	1
--	---

v0.7

General: Maintenance release, no changes. Provided a thesis template	1
--	---

v0.8

General: Added macro for using <code>frontespizio</code> package with <code>compact</code> and <code>supercompact</code> options.	1
New option <code>periodical</code>	21

Renewed `\title` command 17

v0.9

General: Improved compatibility with <code>mathspec</code>	1
New option <code>dottedtoc</code>	21
New option <code>raggedtoc</code>	21

v0.9a

General: Added inline option to <code>enumitem</code> package. Deleted <code>centertitle</code> option. Deleted <code>sctitles</code> option. Changed code for toc, lot and lof elements.	1
New command <code>\toclabelspace</code>	20
New option <code>alignlist</code>	21
New option <code>centerchap</code>	21
New option <code>centerpart</code>	21
New option <code>centersec</code>	21
New option <code>defaultparindent</code>	21
New option <code>dottedchap</code>	21
New option <code>dottedfootnote</code>	21
New option <code>dottedpart</code>	21
New option <code>indentlist</code>	21
New option <code>italicchap</code>	21
New option <code>italicheader</code>	21
New option <code>italicpart</code>	21
New option <code>italicsec</code>	21
New option <code>italicsubsec</code>	21
New option <code>itstyle(1-12)</code>	21
New option <code>numparchap</code>	21
New option <code>numparpart</code>	21
New option <code>numparsec</code>	21
New option <code>ralignquotation</code>	21
New option <code>rightchap</code>	21
New option <code>rightpart</code>	21

New option <code>rightsec</code>	21	The <code>epigraph</code> package is no longer loaded	4
New option <code>rmstyle(1-6)</code>	21	The <code>mparhack</code> package is no longer loaded. It is not compatible with <code>crop</code>	4
New option <code>romanchap</code>	21		
New option <code>scstyle(1-12)</code>	21		
New option <code>smallcapschap</code>	21	v0.9c	
New option <code>smallcapsheader</code>	21	General: Maintenance release, no changes	1
New option <code>smallcapspart</code>	21		
New option <code>smallcapssec</code>	21	v1.0	
New option <code>smallquotation</code>	21	General: First stable release. Renamed option <code>bozza</code> to <code>draftdate</code>	12
New option <code>standardfootnote</code>	21		
New option <code>tocpageleft</code>	21	v1.1	
		General: Added the <code>fixltxhyph</code> package. Documentation updated.	1
v0.9b			
General: Changed <code>standardfootnote</code> option and renamed to <code>footnotestyle</code>	11	v1.2	
New command <code>\xfootnote</code>	20	General: Maintenance release. Added the <code>\toclabelspace</code> command.	1
New option <code>documentstructure</code>	6		
New option <code>fewfootnotes</code>	11	v1.3	
New option <code>greekfont</code>	12	General: New command <code>\FSPLcolophon</code>	19
New option <code>pagestyle</code>	6	Updated documentation. Added <code>FSPLa</code> , <code>FSPLb</code> and <code>FSPLc</code> styles.	1
New option <code>parindent</code>	12		
New option <code>partpage</code>	12	v1.4	
New option <code>quotationfont</code>	10	General: New value <code>periodicalaureo</code> for option <code>pagelayout</code> . Changed code for <code>\xfootnote</code> command.	1
New option <code>quotestyle</code>	10		
New option <code>tocstyle</code>	9	v1.5	
Restored 11pt and 12pt option to default	1	General: <code>microtype</code> loaded for all engines. Improved compatibility with <code>todonotes</code> package and with <code>mdframed</code> and <code>bookmark</code> packages when using <code>style</code> class option	1

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		<code>\@Alph</code>	1326, 1339, 1345	<code>\@afterindentfalse</code>	1996
<code>\`</code>	1580	<code>\@M</code>	1497	<code>\@afterindenttrue</code>	1996

\@arabic	928, 930, 932, 934, 936
\@author	319, 323, 1064, 1094, 1121, 1188, 1234, 1558
\@beginparpenalty	1494
\@centercr	1439
\@chapapp	1325, 1344
\@chapterintro	1930, 1931
\@ctrerr	1456
\@date	1097, 1106, 1124, 1133, 1162, 1191, 1220, 1237
\@dblarg	1054
\@endparpenalty	1497
\@fnsymbol .	1073, 1139, 1197, 1450, 1457
\@footnotemark	1461
\@footnotetext	1461
\@headtitle	318, 322, 1053, 1056
\@idxitem	1288
\@ifpackageloaded	988, 1020, 1256, 1475
\@ifpackagewith	1243
\@ifstar	1930
\@lowpenalty	1494
\@mainmatterfalse	1964
\@mainmattertrue	1294, 1965
\@makefnmark	1140, 1198
\@makefntext	388, 391, 395, 398, 1141, 1199
\@makeschapterhead	1279
\@maketitle	1146, 1148, 1153, 1160, 1165
\@mkboth	1281, 1859, 1866, 1873, 1886, 1900, 1913
\@plus	1285, 1427
\@restonecolfalse	1272, 1883, 1897, 1910
\@restonecoltrue	1274, 1881, 1895, 1908
\@standardmaketitle 1204, 1206, 1211, 1218, 1223
\@starttoc	1861, 1868, 1875, 1890, 1903, 1917
\@tempswafalse	1930
\@tempswatrue	1930
\@textsuperscript	1140, 1143, 1198, 1201
\@thanks	1099, 1105, 1126, 1132, 1155, 1161, 1213, 1219
\@thefnmark	389, 393, 396, 399, 1140, 1143, 1198, 1201, 1460
\@title	1053, 1060, 1079, 1083, 1085, 1088, 1116, 1173, 1177, 1179, 1182, 1229
\@titlepagefalse	52, 487
\@titlepagetrue	485
\@todonotes@drawLineToLeftMargin	1482
\@todonotes@drawLineToRightMargin	1485
\@todonotes@drawMarginNote	1481, 1484
\@todonotes@drawMarginNoteWithLine	1476
\@topnum	1152, 1210
\@topnum	431, 1375, 1377
A	
\abstractname ..	1496, 1503, 1507, 1513
\addfontfeature	738, 740
\Alph	1329
\alph	351, 358, 365
\and	1108, 1135, 1164, 1222
\appendicesname	1290, 1291
\appendix	1322, 1336, 1341
\appendixname	1325, 1329, 1344
\appendixpage	1292
\arabic	244, 253, 265, 274, 286, 295, 350, 357, 364
\art@scale	705, 707
\artcolophon	1538
\AtBeginDocument 687, 718, 987, 1019, 1242, 1449, 1474, 1599, 1634, 1764, 1994
\AtEndOfClass	667
\author	1066
B	
\backmatter	1958, 1959, 1961
\baselineskip	735, 784, 790, 808, 866, 870, 874, 878, 882, 885
\bibliografia (environment)	<u>1967</u>
\bibname	1021, 1027, 1035, 1972
\bigskip	1571
\bookcolophon	1530
C	
\c@chapter	1326, 1345
\c@footnote	1073, 1139, 1197, 1457
\c@paragraph	934
\c@section	928, 1339
\c@subparagraph	936
\c@subsection	930
\c@subsubsection	932
\captionsetup	412, 414, 415
\cc	1579
\ccbys	1575
\ccnc	1577
\chapnumfont	741, 743, 749, 751
\chapter	758, 795, 801, 866, 870, 874, 878, 882, 885, 896,

897, 900, 901, 904, 905, 908, 909, 911, 913, 920, 921, 923, 1022, 1025, 1028, 1032, 1036, 1039, 1327, 1333, 1885, 1899, 1912, 1972, 1984	\DeclarerTextFontCommand	721	\fancyfoot	
\chapterintro ... 1922, 1924, 1926, 1929	\defbibheading	989,	. 1359, 1385, 1387, 1390, 1395, 1399	
\chapterintroname	992, 995, 999, 1003, 1006, 1009,		\fancyhead	
\chaptermark	1011, 1014, 1021, 1024, 1027,	. 1360, 1366, 1392, 1393, 1401–1403		
\chaptertitlename	1031, 1035, 1038, 1041, 1044, 1048		\fancyhf ... 1358, 1382, 1384, 1389, 1398	
\ClassError ... 34, 36, 38, 40, 42, 920, 1451, 1586, 1923, 1948, 1953, 1958	\define@choicekey . 47, 56, 129, 147, 167, 185, 193, 201, 209, 217, 225,		\fancypagestyle	
\ClassWarningNoLine . 1057, 1061, 1065	233, 241, 262, 283, 304, 328, 347,	. 1356, 1382, 1383, 1388, 1397		
\cleardoublepage	371, 378, 385, 401, 409, 418, 424,		\finalcolophon	1543
... 1303, 1312, 1529, 1537, 1964, 1965	440, 447, 457, 464, 470, 476, 482, 489		\finalhyphendemerits	1469
\clearpage	\definecolor	672, 673	\font	698, 701
\cmdSUF@elements@chapposition ...	\dimen	702–704	\fontencoding	687
..... 756, 764	\dimen@	699, 704, 705	\fontfamily	750
\cmdSUF@elements@chapsize .. 754, 763	\disable@keys ... 565, 573, 586, 603, 621		\fontspec	743
\col@number	\doublehyphendemerits 1468, 1469		\footnote	1072, 1112, 1170, 1228
1145, 1203			\footnoterule	1071, 1111, 1351
\colophon	E		\footnotesize	
1514	\emph	1563, 1995	381, 431, 1070, 1110, 1386, 1387, 1391–1393, 1395, 1400–1403, 1465	
\columnsep	\endcsname	1055	\frenchspacing	1997
1287	\endlist ... 1431, 1437, 1447, 1980, 1993		\frontmatter ... 1948, 1949, 1951, 1964	
\columnseprule	\endquotation	1511	\FSPLcolophon ... 1553, 1585, 1587, 1589	
1286	\ensuremath	1450		
\contentsmargin	environments:		G	
1633	bibliografia	1967	\gdef .. 1053, 1325, 1326, 1339, 1344, 1345	
\contentsname 1858, 1859, 1885, 1887, 1888	sigle	1981	\global 1103–1108, 1130–1135, 1152, 1158–1164, 1210, 1216–1222	
\contentspage 1302, 1797, 1807, 1815, 1823, 1831, 1839, 1846, 1853	theindex	1270	\greektext	719, 721
\copyright	\ExecuteOptionsX	628	Gregorio, Enrico	103
1520, 1558	\exhyphenpenalty	1467		
\csname	\ExplSyntaxOff	670	H	
1055	\ExplSyntaxOn	666	\hb@xt@	1142, 1200
	\extramarks	774	\headbreak	1938
D			\headbreakfalse	1937
\date 1107, 1134, 1163, 1221	F		\headbreaktrue	1945
\DeclarerFontFamily	\f@series	720	\headrulewidth	1350
706	\f@shape	720		
\DeclarerFontShape				
707–716				
\DeclarerRobustCommand				
59, 70, 82, 94, 118, 719, 737, 739, 745, 747, 1938, 1941				

\hemph	1995	\lfsuftesi@numparsubsubsec ..	20, 845	\LARGE	1116, 1229, 1309
\hss	1143, 1201	\lfsuftesi@pagelefttoc	15, 1632	\Large	59, 759
\ht	699, 702	\lfsuftesi@partpage	30, 937	\LaTeX	1524, 1563
\hyphenpenalty	1467	\lfsuftesi@periodical		\leftmargin	1425, 1433,
			8, 869, 899, 1244, 1257	1443, 1444, 1976, 1977, 1988, 1989	
I		\lfsuftesi@periodicalaureo ..	32, 865, 895	\leftmark	1364, 1417
\if@mainmatter	1417	\lfsuftesi@porson	3, 696	\leftskip	392
\if@restonecol ..	1289, 1891, 1904, 1918	\lfsuftesi@raggedtoc	14	\lineskip ..	1092, 1119, 1186, 1232, 1466
\if@tempswa	1932	\lfsuftesi@smallcapschap ..	22, 1078, 1172	\lineskiplimit	1466
\if@titlepage	1068, 1490	\lfsuftesi@smallcapspart	21	\list	1423, 1433, 1440, 1974, 1985
\if@twocolumn	1144, 1202, 1271, 1502, 1511, 1880, 1894, 1907	\lfsuftesi@smallcapssec ..	23, 1082, 1176	\listfigurename ..	1865, 1866, 1899–1901
\ifheadbreak	1937, 1939	\lfsuftesi@standardfont	2, 688	\listoffigures	1864, 1893
\ifsuftesi@article ..	6, 816, 824, 919, 986, 1081, 1175, 1276, 1335, 1376, 1407, 1806, 1855, 1921, 1947, 1968	\lfsuftesi@sufelements	11, 1321	\listoftables	1871, 1906
\ifsuftesi@authortitle ..	7, 1408	\lfsuftesi@sufplain	5, 1420	\listparindent ..	1423, 1424, 1442, 1990
\ifsuftesi@centerheader ..	4, 1419	\lfsuftesi@supercompact		\listtablename	
\ifsuftesi@compact ..	9, 873, 903, 1247, 1260		10, 877, 907, 1250, 1263	1872, 1873, 1912, 1914, 1915	
\ifsuftesi@dottedtoc	13	\lfixetex	683, 736, 1996	\LoadClass	46
\ifsuftesi@draftdate		\lfixheadbreak	1940, 1942	\losname	992, 999, 1006, 1024, 1031, 1038, 1981, 1984
	28, 1386, 1391, 1400	\ignorespaces	1430, 1436		
\ifsuftesi@elementschap ..	24, 861	\index	1528	M	
\ifsuftesi@elementsheader		\indexname	1277, 1279, 1281	\mainmatter	1953, 1954, 1956, 1965
	25, 1353, 1421, 1463	\item	1288, 1428, 1435, 1445, 1575, 1577, 1579	\makelabel	1979, 1992
\ifsuftesi@elementspagelayout ..	27, 881	\itemindent	1424, 1441, 1442, 1975, 1987	\MakeTextLowercase ..	738, 740, 746, 748
\ifsuftesi@elementsstructure ..	26	\itemsep	1440	\maketitle	
\ifsuftesi@fewfootnotes ..	29, 1448	\itlabel	1982, 1992		1069, 1104, 1131, 1137, 1159, 1217
\ifsuftesi@FSPL	31, 679, 1552	\itshape		\Margini ..	1245, 1248, 1251, 1258, 1261, 1264
\ifsuftesi@nocrop	12, 723		205, 213, 221, 229, 237, 335, 336, 346, 780, 976, 1364, 1370, 1464, 1982	\marginpar	422, 1470, 1471
\ifsuftesi@numparchap ..	17, 794, 807			\marginparsep	765, 1363, 1369
\ifsuftesi@numparpart ..	16, 943, 957	\labelitemi	344	\marginparwidth	1364, 1369, 1370
\ifsuftesi@numparsec ..	18, 813	\labelsep	1986	\markboth	991, 994, 998, 1002, 1023, 1026, 1030, 1034, 1354, 1375
\ifsuftesi@numparsubsec ..	19, 830	\labelwidth	1977, 1989	\markright	1005, 1008, 1037, 1040, 1043, 1047, 1355, 1377

\medskip	1564	\PassOptionsToClass	43	\setlength	460, 462, 735, 761, 808, 810, 1357, 1594, 1595, 1598,
Miede, André	103	\phantomsection	1931	1608, 1610, 1612, 1614, 1616,	
N					
\newlength	734, 792, 1593, 1597, 1600–1607, 1635–1650, 1765–1772	\ProcessOptionsX	654	1618, 1620, 1622, 1651, 1653,	
\node	1478	\protect	1057, 1061, 1065	1655, 1657, 1659, 1661, 1663,	
\noindent	1141, 1199, 1430, 1520, 1524, 1534, 1536, 1542, 1558, 1562, 1566	\put	764, 1362, 1368	1665, 1667, 1669, 1671, 1673,	
Nowacki, Janusz M.	5			1675, 1677, 1679, 1681, 1773,	
\nr	47, 49, 56, 58, 129, 131, 147, 149, 167, 169, 185, 186, 193, 194, 201, 202, 209, 210, 217, 218, 225, 226, 233, 234, 241, 243, 262, 264, 283, 285, 304, 307, 328, 330, 347, 349, 371, 373, 378, 380, 385, 387, 401, 403, 409, 411, 418, 420, 424, 426, 440, 442, 447, 449, 457, 459, 464, 465, 470, 472, 476, 478, 482, 484, 489, 497	\quotation	1509	1775, 1777, 1779, 1781, 1783, 1785, 1787, 1975–1978, 1986–1991	
O					
\oldmarginpar	1470, 1471, 1480	\raggedleft	1370, 1472	\setlist	345, 346, 350–355, 357–362, 364–369
\onecolumn	1289, 1881, 1895, 1908	\raggedright	1283, 1364, 1473	\sfdefault	694
\origtableofcontents	1943, 1946	\refname ..	989, 995, 1003, 1009, 1011, 1014, 1041, 1044, 1048, 1969, 1970	sigle (environment)	<u>1981</u>
P					
\p@	699, 702–704, 1075, 1114, 1285, 1287, 1427	\rule	1140, 1198	\small	383, 1070, 1092, 1097, 1110, 1186, 1191, 1329, 1331, 1505, 1524, 1536, 1542, 1548, 1556
\pagestyle	1349, 1418–1421	\Roman	250, 259, 271, 280, 292, 301	\standardtitle	1109, 1195
Pantieri, Lorenzo	103	\roman	247, 256, 268, 277, 289, 298, 352, 359, 366	\strip@pt	705
\paragraph	972, 978	\rule	770, 1332	\subparagraph	979, 985
\parsep	1427, 1978, 1991			\subsection	779, 784, 831, 836, 838, 843, 1010, 1012, 1015
\parskip	1285, 1978, 1991			\subsubsection	785, 790, 846, 851, 853, 858
\part	940, 941, 944, 950, 958, 964			\SUF@addto@tochang@chap ..	1643, 1667, 1670, 1680, 1682, 1689, 1694
\partname ..	946, 952, 960, 966, 1315, 1627			\SUF@addto@tochang@fig	1649, 1679, 1751
S					
\p@	699	\s	668	\SUF@addto@tochang@par	
\phantom	699	\sbox	697, 698, 700, 701	1647, 1675, 1678, 1731, 1734
	699	\section	773, 778, 814, 820, 822, 828, 990, 993, 996, 1000, 1004, 1007, 1042, 1045, 1049, 1277, 1503, 1858, 1865, 1872, 1932, 1969	\SUF@addto@tochang@sec	
\phantomwidth	699	\sectionmark	1355, 1377, 1379	1644, 1669, 1672, 1701, 1704
\phantomx	699	\sectionsep	734, 735, 820, 828, 836, 843, 851, 858, 941, 978, 985	\SUF@addto@tochang@subpar	
\phantomwidth	699			\SUF@addto@tochang@subsec	
\phantomx	699			1645, 1671, 1674, 1711, 1714

\SUF@addto@tochang@subsubsec	1646, 1673, 1676, 1721, 1724
\SUF@addto@tochang@tab	1650, 1681, 1759
\SUF@ADJnumparchap	792, 808, 810, 896, 900, 904, 908, 912
\SUF@appendices	1290, 1305, 1309
\SUF@appendixpage	1292, 1293
\SUF@CHAP@StyleSwitch	211, 213, 215, 799, 805
\SUF@chapnumfont	742, 750, 762
\SUF@chaptersize	59, 70, 82, 94, 118, 796, 802, 945, 951, 959, 965, 1077, 1171
\SUF@chaptitlerule	428, 432, 436, 1797, 1806
\SUF@default@CHAPTER	793, 893
\SUF@default@SECTIONS	812, 894
\SUF@dotchap	266, 269, 272, 275, 278, 281, 797, 803
\SUF@dotpart	245, 248, 251, 254, 257, 260, 946, 952, 960, 966
\SUF@dotsec	287, 290, 293, 296, 299, 302, 817, 825
\SUF@elements@CHAPTER	757, 863
\SUF@elements@SECTIONS	772, 864
\SUF@fchapterintroname	1932–1934
\SUF@greekfamily	450, 452, 455, 720
\SUF@headingsmallcaps	339–341, 739, 747
\SUF@label@chapter	1593– 1595, 1609, 1611, 1652, 1680, 1682, 1690, 1774, 1786, 1788, 1794
\SUF@label@figure	1606, 1620, 1844
\SUF@label@paragraph	1604, 1616, 1619, 1660,
\SUF@label@part	1316, 1600, 1608, 1628
\SUF@label@section	1601, 1610, 1613, 1621, 1623, 1654, 1670, 1680, 1682, 1702, 1705, 1776, 1786, 1788, 1802–1805
\SUF@label@subparagraph	1605, 1618, 1662, 1678, 1742, 1745, 1784, 1835–1838
\SUF@label@subsection	1602, 1612, 1615, 1656, 1672, 1712, 1715, 1778, 1811–1814
\SUF@label@subsubsection	1603, 1614, 1617, 1658, 1674, 1722, 1725, 1780, 1819–1822
\SUF@label@table	1607, 1622, 1752, 1760, 1851
\SUF@leftmark	309, 313, 319, 323, 1409, 1414
\SUF@leftrightmark	309, 313, 1416
\SUF@Lheadstyle	309, 313, 319, 323, 332, 336, 340
\SUF@lr@CHAPSwitch	150, 152, 154, 156, 159, 162, 796, 802
\SUF@LR@MarkSwitch	1394, 1404, 1409, 1411, 1414
\SUF@lr@PARTSwitch	132, 134, 136, 138, 141, 144, 945, 951, 959, 965
\SUF@lr@SECSwitch	170, 172, 174, 176, 179, 182, 815, 823
\SUF@lr@SUBSECSwitch	187, 189, 191, 832, 839
\SUF@lr@SUBSUBSECSwitch	195, 197, 199, 847, 854
\SUF@mpsetup	1462, 1472, 1473
\SUF@PART@StyleSwitch	203, 205, 207, 946, 948, 952, 954, 960, 962, 966, 968
\SUF@quotation@size	381, 383, 1429, 1436, 1446
\SUF@quote@style	374, 376, 1426, 1434
\SUF@rheadstyle	308, 312, 318, 322, 331, 335, 339
\SUF@rightmark	308, 312, 318, 322, 1392, 1402, 1411
\SUF@SEC@StyleSwitch	219, 221, 223, 819, 827
\SUF@SUBSEC@StyleSwitch	227, 229, 231, 835, 842
\SUF@SUBSUBSEC@StyleSwitch	235, 237, 239, 850, 857
\SUF@thechapter	265, 268, 271, 274, 277, 280, 766, 797, 803, 1345, 1375
\SUF@thepage	333, 337, 341, 1387, 1395, 1401
\SUF@thepart	244, 247, 250, 253, 256, 259, 946, 952, 960, 966
\SUF@thesection	286, 289, 292, 295, 298, 301, 816, 824, 1339, 1377
\SUF@titlerule	427, 431, 435, 1807, 1815, 1823, 1831, 1839, 1846, 1853
\SUF@titlesmallcaps	207, 215, 223, 231, 239, 737, 745, 769, 777, 1079, 1083, 1173, 1177, 1329, 1331
\SUF@tochang	1597, 1598, 1652, 1668
\SUF@tochang@chap	1635, 1651, 1654, 1664, 1666, 1685, 1687, 1692
\SUF@tochang@fig	1641, 1663, 1748, 1750

\SUF@tochang@par	\suftesi@elementschaptrue	165	\thechapter	1326
.. 1639, 1659, 1662, 1728, 1730, 1733	\suftesi@elementsheadertrue ...	326	\thecontentslabel	1316, 1628,
\SUF@tochang@sec	\suftesi@elementspagelayouttrue	105	1690, 1702, 1705, 1712, 1715,	
.. 1636, 1653, 1656, 1698, 1700, 1703	\suftesi@fewfootnotestrue	404	1722, 1725, 1732, 1735, 1742,	
\SUF@tochang@subpar	\suftesi@FSPLtrue	577, 594, 611	1745, 1752, 1760, 1794, 1803,	
..... 1640, 1661, 1738, 1740, 1743	\suftesi@nocroptrue	474	1805, 1812, 1814, 1820, 1822,	
\SUF@tochang@subsec	\suftesi@numparchaptrue	157, 160, 163	1828, 1830, 1836, 1838, 1844, 1851	
.. 1637, 1655, 1658, 1708, 1710, 1713	\suftesi@numparparttrue	139, 142, 145	\thecontentspage .. 1688, 1693, 1701,	
\SUF@tochang@subsubsec	\suftesi@numparsecttrue	177, 180, 183	1704, 1711, 1714, 1721, 1724,	
.. 1638, 1657, 1660, 1718, 1720, 1723	\suftesi@pagelefttoctrue	438	1731, 1734, 1741, 1744, 1751, 1759	
\SUF@tochang@tab 1642, 1665, 1756, 1758	\suftesi@partpagetrue	466	\the footnote 1073, 1139, 1197, 1457	
\SUF@tocindent@chap ... 1765, 1773,	\suftesi@periodicalaureottrue ...		\theindex (environment)	<u>1270</u>
1776, 1786, 1788, 1791, 1793, 1796 117, 576, 593, 610		\thepage	333, 337, 341, 1359
\SUF@tocindent@fig	\suftesi@periodicaltrue	69	\theparagraph	933, 936, 974
..... 1771, 1785, 1841, 1843	\suftesi@porsontrue	453	\thesection	775, 817, 825, 927, 930
\SUF@tocindent@par	\suftesi@raggedtoctrue	434	\thesubparagraph	935, 981
..... 1769, 1781, 1784, 1825	\suftesi@standardfonttrue	444	\thesubsection .. 781, 833, 840, 929, 932	
\SUF@tocindent@sec	\suftesi@sufplaintrue	315	\thesubsubsection 787, 848, 855, 931, 934	
..... 1766, 1775, 1778, 1800	\suftesi@supercompacttrue	93	\title	1053–1055, 1058, 1062
\SUF@tocindent@subpar 1770, 1783, 1833			\titleclass	940
\SUF@tocindent@subsec			\titlecontents ... 1295, 1313, 1625,	
..... 1767, 1777, 1780, 1809	\tableofcontents 1856, 1879, 1943, 1944		1684, 1697, 1707, 1717, 1727,	
\SUF@tocindent@subsubsec	\temp	698, 701	1737, 1747, 1755, 1790, 1799,	
..... 1768, 1779, 1782, 1817	\textbullet	344	1808, 1816, 1824, 1832, 1840, 1847	
\SUF@tocindent@tab	\textcolor	766	\titleformat 758, 773, 779, 785,	
..... 1772, 1787, 1848, 1850	\textgreek	721	795, 801, 814, 822, 831, 838, 846,	
\SUF@versionstring	\textls	746, 748	853, 944, 950, 958, 964, 972, 979, 1327	
..... 1352, 1386, 1391, 1400	\textnormal 775, 781, 787, 833, 840, 848, 855		\titlerule	427, 428, 431, 432
\suftesi@articletrue	\textsc	247, 256, 268, 277, 289, 298	\titlespacing	778,
\suftesi@authortitletrue ... 317, 321	\textsf	1527	784, 790, 820, 828, 836, 843, 851,	
\suftesi@centerheadertrue .. 311, 324	\textsuperscript	399	858, 866, 870, 874, 878, 882, 885,	
\suftesi@compacttrue	\texttt	1352, 1568	896, 897, 900, 901, 904, 905, 908,	
\suftesi@dottedtoctrue	\thanks	1072, 1103,	909, 911, 913, 941, 978, 985, 1333	
\suftesi@draftdatetrue	1112, 1130, 1158, 1170, 1216, 1228		\toclabelspace	1595, 1596

\toclabelwidth	1596	V	\xheadbreakfalse	1392, 1393, 1402, 1403, 1945	
\today	1352	\val	47, 56, 129, 147, 167, 185, 193, 201, 209, 217, 225,	\xheadbreaktrue	1940
\tolerance	1467		233, 241, 262, 283, 304, 328, 347,	\XKV@classoptionslist	668
\tw@	698, 699, 701, 702		371, 378, 385, 401, 409, 418, 424,	\XKV@useoption	655–664
\twocolumn	1148, 1206, 1277, 1279, 1891, 1904, 1918		440, 447, 457, 464, 470, 476, 482, 489	Y	
U		X	\year	1520, 1553	
\unitlength	761, 1357	\xfootnote	1459	Z	
\usefont	720	\xheadbreak	1941	Zapf, Hermann	5