

# User's Guide to `suftesi`

*A document class for typesetting theses, books and articles*

Ivan Valbusa  
`ivan dot valbusa at univr dot it`

v1.0 – 2012/10/14

## **Abstract**

The standard document classes allow you to typeset beautiful documents but their layout is quite far from the stylistic requests of some humanists (mainly Italian). The `suftesi` class provides a set of “humanistic” page layouts, title styles and heading styles to typeset theses, books and articles. The styles are very simple and sober and also have the aim of finding an aesthetic harmony in its formal simplicity. They are largely inspired by some interesting readings, particularly Bringhurst (1996), Tschichold (1975) and Morison (1936).

Copyright © 2009-2010 Ivan Valbusa.

This package is author-maintained. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c (<http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt>).

In addition to the terms of this license the author requires an attribution notice like the following one:

*This work has been typeset with  $\LaTeX$ , using the `suftesi` class by Ivan Valbusa.*

You can use the `\<\colophon` commands explained in section 3.

The most important feature of this class is the set of styles it provides. For this reason:

**DO NOT MODIFY THE STYLES OF THIS CLASS  
IF YOU DO NOT LIKE THESE STYLES, USE ANOTHER CLASS.**

If you use `suftesi` in a document typeset with another class (for example `book`), remember to clean up the preamble from all the layout redefinitions.

# Contents

<b>1</b>	<b>Class features</b>	<b>4</b>		
1.1	Page layouts . . . . .	4	5.7.1	Lists . . . . . 65
1.2	Font . . . . .	5	5.7.2	Block quotations . . . . . 66
1.2.1	Using different fonts . . . . .	5	5.7.3	Footnotes . . . . . 67
1.2.2	Greek alphabet . . . . .	5	5.7.4	Captions . . . . . 67
1.3	Frontispiece . . . . .	6	5.7.5	Marginal notes . . . . . 68
			5.7.6	Table of contents . . . . . 68
<b>2</b>	<b>Options</b>	<b>6</b>	5.8	Fonts . . . . . 69
2.1	Page Styles . . . . .	6	5.8.1	Roman fonts . . . . . 69
2.2	Titles . . . . .	8	5.8.2	Greek fonts . . . . . 69
2.3	Headings . . . . .	9	5.9	Other options . . . . . 69
2.4	Footnotes, lists, quotations . . . . .	10	5.9.1	\parindent selection . . . . . 69
2.5	Fonts . . . . .	11	5.9.2	Part page . . . . . 70
2.6	Other options . . . . .	14	5.9.3	Crop marks . . . . . 70
2.7	Pre-defined styles . . . . .	14	5.9.4	Draftdate . . . . . 70
			5.9.5	Titlepage . . . . . 70
			5.9.6	Pre-defined styles . . . . . 71
<b>3</b>	<b>New commands</b>	<b>16</b>	5.10	Basic packages . . . . . 75
<b>4</b>	<b>Pre-defined styles</b>	<b>21</b>	5.11	Greek fonts . . . . . 76
			5.12	Page layout . . . . . 77
<b>References</b>		<b>54</b>	5.13	Section titles . . . . . 77
			5.14	Title page . . . . . 87
<b>5</b>	<b>The Code</b>	<b>55</b>	5.15	Frontispiece . . . . . 93
5.1	Document structure . . . . .	56	5.16	Appendix . . . . . 95
5.2	Page layout . . . . .	56	5.17	Headings . . . . . 97
5.3	Sections style . . . . .	58	5.18	Text elements . . . . . 99
5.4	Sections font . . . . .	60	5.18.1	Block Quotations . . . . . 99
5.5	The number style for part, chapter and section	62	5.18.2	Marginal notes . . . . . 101
5.5.1	Part number style . . . . .	62	5.18.3	Abstract . . . . . 102
5.5.2	Chapter number style . . . . .	62	5.18.4	Colophon . . . . . 102
5.5.3	Section number style . . . . .	63	5.19	TOC, LOF, LOT . . . . . 104
5.6	Headers . . . . .	64	5.19.1	The tocpagelleft table of contents . . 105
5.6.1	Header style . . . . .	64	5.19.2	The default table of contents . . . . . 109
5.6.2	Header font . . . . .	65	5.20	New commands . . . . . 114
5.7	Text elements . . . . .	65	5.21	Backward compatibility . . . . . 116
			5.22	Final settings . . . . . 117

# 1 Class features

## Loaded packages

The class loads the following packages: `beramono`, `caption`, `color`, `enumitem`, `emptypage`, `extramarks`, `fancyhdr`, `fontenc`, `geometry`, `ifxetex`, `mathpazo`, `microtype` (pdf $\text{\LaTeX}$  only), `multicol`, `textcase`, `titlesec`, `titletoc`, `xkeyval`.

## 1.1 Page layouts

The class provides five page layouts. The standard layout (set by default) is aimed to typeset standard A4 documents, while the other four layouts are particularly suitable to typeset books and article. See table 1 for details.

Table 1: The layouts of `suftesi`

		Options				
		(mm) <code>standard</code>	<code>periodical</code>	<code>compact</code>	<code>supercompact</code>	(pt) <code>elements</code>
Text width		110	110	110	100	251
Text height		220	165	165	150	502
Page width		210	170	160	140	374
Page height		297	240	240	210	648
		Proportions				
Margins	top/bottom	1/2	2/3	2/3	2/3	1/2
	inner/outer	1/2	2/3	2/3	2/3	2/5
Text block		1/2	2/3	2/3	2/3	1/2
Page		$1/\sqrt{2}$	2/3	2/3	2/3	$1/\sqrt{3}$

Τὸ γὰρ καλὸν ἐν μεγέθει  
καὶ τ'αῖζει ἐστίν. Il bello  
infatti sta nella grandezza  
e nell'ordinata disposizione  
delle parti.

(a) Artemisia

Τὸ γὰρ καλὸν ἐν μεγέθει  
καὶ τ'αῖζει ἐστίν. Il bello  
infatti sta nella grandezza  
e nell'ordinata disposizione  
delle parti.

(b) Porson

Τὸ γὰρ καλὸν ἐν μεγέθει  
καὶ τ'αῖζει ἐστίν. Il bello  
infatti sta nella grandezza  
e nell'ordinata disposizione  
delle parti.

(c) CBGreek

Figure 1: Comparison between Artemisia, Porson and CBGreek greek font.

## 1.2 Font

The default font for body text is Palatino designed by Hermann Zapf. Using  $\text{\LaTeX}$ , the  $\text{\TeX}$  default font is loaded and the font options are turned off. The sans serif font is Iwona designed by Janusz M. Nowacki. This choice has been inspired by *L'arte di scrivere con  $\text{\TeX}$*  (Pantieri and Gordini 2011).

### 1.2.1 Using different fonts

If you prefer to use other fonts (such as those provided by `fourier` or `libertine` packages), remember to load the `defaultfont=standard` class option which turns off the default font settings. Moreover pay particular attention in choosing the Greek font.

### 1.2.2 Greek alphabet

The default font for the Greek text is Artemisia by the Greek Font Society which is particularly suitable for Palatino. With the `porson` option you can use the Porson font by the Greek Font Society. The `greekfont=cbgreek` option allows you to use the standard CB Greek font (see figure 1) This option is also activated by the `defaultfont=standard` option (see section 2).

The first code for the Porson font has been written by Enrico Gregorio. Claudio Beccari successively added the code to improve the scale factor when using this greek font in combination with Palatino.

## 1.3 Frontispiece

The class has an original frontispiece now directly available loading the `frontespizio` package (Gregorio 2009, version 1.4 or later) with the `suftesi` option (see figure 2):

```
\usepackage[suftesi]{frontespizio}
```

## 2 Options

The `suftesi` class defines new options to customize the style of page, titles, headings and other text elements. You can also use all the options defined by book class except those modifying the page layout (`a5paper`, `b5paper`, `legalpaper`, `executivepaper` and `landscape`).

### 2.1 Page Styles

`documentstructure=book, article` default: book

`book` For typesetting texts with chapters.

`article` This option is particularly suitable to typeset articles or short theses (that is without chapter division).

`pagelayout=standard, periodical, compact, supercompact,` default: standard  
`elements`

`standard` Prints an A4 typeblock (see table 1 for details).

`periodical` Prints a typeblock of 17cm × 24cm on an A4 paper, showing the crop marks (see table 1 for details). This style is especially meant for theses. The `crop=false` option disables the crop marks.

`compact` The same as `periodical` but with a typeblock of 16cm × 24cm (see table 1 for details).

`supercompact` The same as `compact` but with a typeblock of 14cm × 21cm (see table 1 for details).



University of St. Anford  
Department of Typography  
Ph.D. degree in  $\text{T}_{\text{E}}\text{X}$  and  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$

---

## How to prepare a formal frontispiece

Theory and practice

Candidate:  
Enrico Gregorio

Thesis advisor:  
Prof. R. J. Drofnats  
Research supervisors:  
J. H. Quick  
B. L. User

Thesis submitted in 2010

Figure 2: The frontispiece of `suf ttesi`.

`elements` Prints a typeblock with the dimensions of *The Elements of Typography* Style by Robert Bringhurst (see table 1 for details). To reproduce the whole style of Bringhurst (1996) use `style=elements` option.

`crop=true, false` default: `true`

`true` Prints the output on a A4 paper, showing the crop marks.

`false` Prints a PDF with page dimensions according to the `pagelayout` option.

## 2.2 Titles

`<level>font=roman, italic, smallcaps` default: `roman`

`roman` Prints the `<level>` title in roman

`italic` Prints the `<level>` title in *italic*

`smallcaps` Prints the `<level>` title in SMALL CAPS

Where `<level>` can be `part`, `chap`, `sec`, `subsec`, `subsubsec`.

`<level>style=left, center, right, parleft, parcenter, parright` default: `left`

`left` Aligns the `<level>` title on the left

`center` Centers the `<level>` title

`right` Aligns the `<level>` title on the right

Where `<level>` can be `part`, `chap`, `sec`, `subsec`, `subsubsec`.

`parleft` As `left` but with the title below the number

`parcenter` As `center` but with the title below the number

`parright` As `right` but with the title below the number



`elements` Print a chapter number in the style of the *Elements of Typographic Style* by Robert Bringhurst.

Where `<level>` can be part, chap, sec.

`<level>numstyle=arabic, roman, Roman, dotarabic, dotroman,` default: Roman/arabic/arabic  
`dotRoman`

`arabic` Arabic `<level>` number  
`roman` Small caps lowercase roman `<level>` number  
`Roman` Uppercase roman `<level>` number  
`dotarabic` As `arabic` but followed by a dot  
`dotroman` As `roman` but followed by a dot  
`dotRoman` As `Roman` but followed by a dot

Where `<level>` can be part, chap, sec.

`tocstyle=standard, dotted, ragged, pageleft` default: standard

`standard` Prints a standard table of contents with page numbers on the right margin  
`dotted` As the previous one but with dotted lines.  
`ragged` Aligns the table of contents on the left as suggested by Bringhurst (1996).  
`pageleft` Prints a table of contents with page numbers on the left margin.

## 2.3 Headings

`headerstyle=inner, center, plain, authortitleinner,` default: inner  
`authortitlecenter`

`inner` Prints the chapter title and the string “Chapter *n*” in the inner side respectively of even and odd headers, and the page number in the outer side.



`bulged`      The footnote number protrudes beyond the left margin.  
`hung`        Indents the footnote text, so it will ‘hang’ under the first line of the text.  
`dotted`      The footnote number is aligned to the left margin and followed by a dot.  
`superscript` Prints a superscript footnote number aligned to the left margin

`fewfootnotes`=true, false default: false

Uses symbols instead of numbers to mark footnotes It is active only if your document has three footnotes per page maximum. The symbol sequence is: \*, \*\*, \*\*\*. With more footnotes you should not need this option.

`liststyle`=bulged, aligned, indented default: bulged

`bulged`      The item number or symbol protrudes beyond the left margin.  
`aligned`     Aligns the lists to the left margin.  
`indented`    Prints standard indented lists.

`captionstyle`=standard, elements default: standard

`standard`    Prints a standard caption in small size.  
`elements`    As the previous one but in sanserif font.

## 2.5 Fonts

`defaultfont`=palatino, standard default: palatino

`palatino`    Loads the Palatino font family.  
`standard`    Loads the Latin Modern font family.

`greekfont`=artemisia, porson, cbgreek default: artemisia

`artemisia`   Loads the Artemisia font.  
`porson`      Loads the Porson font.  
`cbgreek`     Loads the standard CB Greek font.

## 2.6 Other options

`marginpar=true, false` default: true

`true` Prints the marginal notes.

`false` Hide the marginal notes.

`partpage=true, false` default: false

This option is active only with `documentstructure=article`.

`true` Prints the part title in a separate page as in `documentstructure=book`

`false` Prints the part title as in `article` class.

`parindent=compact, wide` default: compact

`compact` Sets `\parindent` to 1 em.

`wide` Sets `\parindent` to 1.5 em.

`draftdate=true, false` default: false

If true it prints the string “Version of `<date>`” in the footer.

## 2.7 Pre-defined styles

You can get up to 120 variants combining these styles with `dottedchap` and `romanchapnum` options.

`style=roman(1-6), italic(1-12), smallcaps(1-6), elements,` default: roman1  
`sufelements`

`roman(1-6)` The titles of chapters and headers are printed in roman. The number of the chapter is on the same line in styles 1-3 and above the title in styles 4-6. The title can be printed on the left (styles 1 and 4), in the center (styles 2 and 5) or on the right (styles 3 and 6) (see pages 22-).

`italic(1-12)` The titles of chapters and headers are in *italic*. The section title is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the number as above (see pages 22-).

`smallcaps(1-12)` The titles of chapters and headers are in SMALL CAPS. The title of the section is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the chapter as above (see pages 22-).

`elements` Reproduces the style of Bringhurst (1996)

`sufelements` Loads `headerstyle=smallcaps`, `chapfont=smallcaps`, `secfont=smallcaps`, `subsecfont=italic` and `chaptstyle=elements` options.

### 3 New commands

The class defines the following new commands.

`\title` [*<short title for headers>*] {*<complete title for titlepage>*}

This command is for use with option `authortitle` if the title is too long or has some breaks.

`\colophon` [*<OS>*] {*<name and surname>*} {*<additional info>*}

This command is provided only for Italian documents. It prints a page with a copyright notice and the colophon in the bottom. For different languages use the `\bookcolophon` instead (see below).

If you don't need the copyright notice, leave the second argument of the command empty:

```
\colophon[<OS>]{}{<additional info>}
```

With the `article` option, you can use the `\artcolophon` command (see below) or the `\thanks` command:

```
\author{\langle Name Surname \rangle}
\thanks{This work has been typeset with \LaTeX,
using the \textsf{sufteesi} class by Ivan Valbusa.}
```

`\bookcolophon{\langle copyright notice \rangle}{\langle attribution notice and other informations \rangle}`

This command is similar to `\colophon` but it is completely customizable. The first argument prints its content (usually the copyright notice) in the center of the page. The second argument prints its content at the bottom. For example:

```
\bookcolophon{Copyright © 2007 by Ivan Valbusa}{
This work has been typeset with \LaTeX, using the \sty{sufteesi} class
by Ivan Valbusa\index{Valbusa, Ivan}. The normal font is Palatino by
Hermann Zapf. The sans serif font is Iwona by Janusz M. Nowacki.}
```

`\artcolophon{\langle copyright notice, attribution and other informations \rangle}`

This command only has one argument. It simply prints its content at the bottom of the page. Here is an example:

```
\artcolophon{
This work is licensed under the Creative Commons
Attribution-NonCommercial-NoDerivs 3.0 Unported License.
To view a copy of this license, visit

\begin{center}
\texttt{http://creativecommons.org/licenses/by-nc-nd/3.0/}
\end{center}

or send a letter to Creative Commons, 444 Castro Street, Suite 900,
Mountain View, California, 94041, USA.\\[1ex]

Typeset with \LaTeX, using the \stysufteesi class by Ivan Valbusa.}
```

`\finalcolophon{<colophon content>}`

The same as `\artcolophon`, but centering its content at the top of the page. It is aimed at typesetting a classical *colophon* at the end of the work.

`\chapterintro`

Prints an unnumbered introduction at the beginning of the chapter, with the correct hyperlink. In order to use this command the `hyperref` package must be loaded.

`\chapterintroname{<name>}` (default=Introduzione)

Changes in *<name>* the title printed by the `\chapterintro` command.

`\appendicesname{<name>}` (default=Appendici)

Changes in *<name>* the title printed by the `\appendix` command.

`\headbreak`

A manual break which is active for the table of contents but not in the text or in the headers.

`\xheadbreak`

A manual break which is active in the text and in the headers but not in the table of contents.

`\chapnumfont{<name>}`

Sets the font of the chapter number of `style=elements` and `style=sufelements` styles. The default is “pplj” (L<sup>A</sup>T<sub>E</sub>X) or “Junicode” (X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X):

```
\chapnumfont{pplj}  
\chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
```

`\toclabelspace{<level>}{<label-width>}`

Sets the width of `\thecontentslabel`. The default values are:

```

\toclabelwidth{part}{1em}
\toclabelwidth{chapter}{1em}
\toclabelwidth{section}{1.5em}
\toclabelwidth{subsection}{2em}
\toclabelwidth{subsubsection}{2.5em}
\toclabelwidth{paragraph}{3em}
\toclabelwidth{subparagraph}{3.5em}

```

`\xfootnote{⟨symbol⟩}{⟨footnote text⟩}`

A command to print a footnote with a discretionary symbols instead of numbers to mark footnotes. It does not increment the footnote counter.

```

\xfootnote{\dagger}{Footnote text.}

```

## Obsolete options

```

defaultparindent → parindent=compact
ralignquotation → quotestyle=right
smallquotation → quotesize=small
dottedfootnote → footnotes=dot
indentlist → liststyle=indented
alignlist → liststyle=aligned
artemisias → greekfont=artemisias
porson → greekfont=porson
defaultgreek → greekfont=cbgreek
defaultfont → defaultfont=standard
centerpart → partstyle=center
centerchap → chapstyle=center
centersec → secstyle=center
rightpart → partstyle=right
rightchap → chapstyle=right

```

```

rightsec → secstyle=right
numparpart → partnumposition=above
numparchap → chapnumposition=above
numparsec → secnumposition=above
smallcapspart → partstyle=smallcaps
smallcapschap → chapstyle=smallcaps
smallcapssec → subsecstyle=smallcaps
italicpart → partstyle=italic
italicchap → chapsecstyle=italic
italicsec → secstyle=italic
italicsubsec → subsecstyle=italic
romanchapnum → chapnumstyle=roman
dottedchap → chapnumstyle
italicheader → headerfont=italic
centerheader → headerstyle=center
sufplain → headerstyle=plain

```



`authortitle` → `headerstyle`  
`periodical` → `pagestyle=periodical`  
`compact` → `pagestyle=compact`  
`supercompact` → `pagestyle=supercompact`  
`dottedtoc` → `tocstyle=dotted`  
`raggedtoc` → `tocstyle=ragged`  
`tocpageleft` → `tocstyle=pageleft`  
`dottedpart` → `partnumstyle=dotarabic`  
`elements` → `style=elements`

`nomarginpar` → `marginpar=false`  
`nocrop` → `crop=false`  
`rmstyle(1-6)` An old name for `style=roman(1-6)`  
`itstyle(1-12)` An old name for `style=italic(1-6)`  
`scstyle(1-12)` An old name for `style=smallcaps(1-6)`  
`sufelements` An old name for `style=sufelements`  
`standardfootnote` → `footnotes=superscript`  
`smallcapsheader` → `headerfont=smallcaps`

## 4 Pre-defined styles

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman1

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman2

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman3

## Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman4

## Titolo del capitolo

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman5

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman6



3.1    *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1    Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic1

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic2

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic3

*3.1 Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

*3.1.1 Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

**style-italic4**

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

**style-italic5**

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

**style-italic6**

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic7

### 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic8



### 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic9

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic10

### 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

**style-italic11**

### 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel- lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

**style-italic12**

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps1

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps2

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps3

3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps4



### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps5

### 3.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps6

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps7

### 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps8

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps9

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultricies eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps10

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-  
lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps11

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## 3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maccenas ultrices eros sit amet ante. Ut venenatis velit. Maccenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-  
lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps12



# TITOLO DEL CAPITOLO

## 3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

### 3.1.1 Penitentiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-elements

TITOLO DEL CAPITOLO

3.1 DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Penitentiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pel-lentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-sufelements

## References

This bibliography has been typeset with the biblatex-philosophy styles, created by the same author of this class.

Bringhurst, Robert (1996), *The Elements of Typographic Style*, 2nd ed., Hurtley & Marks Publisher, Vancouver.

Gregorio, Enrico (2009), *Il pacchetto frontespizio*, version 1.1, <http://www.guit.sssup.it/phpbb/index.php>.

Miede, André (2011), *A Classic Thesis style*, <http://www.ctan.org/tex-archive/macros/latex/contrib/classicthesis/ClassicThesis.pdf>.

Morison, Stanley (1936), *First Principles of Typography*, Cambridge University Press, Cambridge; trans. *I principi fondamentali della tipografia*, Fabrizio Serra editore, Pisa-Roma 2008.

Pantieri, Lorenzo and Tommaso Gordini (2011), *L'arte di scrivere con L<sup>A</sup>T<sub>E</sub>X. Un'introduzione a L<sup>A</sup>T<sub>E</sub>X<sub>2</sub> $\epsilon$* , with a forew. by Enrico Gregorio, new edition, [http://www.lorenzopantieri.net/LaTeX\\_files/ArteLaTeX.pdf](http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf).

Tschichold, Jan (1975), *Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie*, Birkhäuser Verlag, Basel; trans. *La forma del libro*, Sylvestre Bonnard, Milano 2003.

## 5 The Code

```
<*class>
1 \RequirePackage{xkeyval}
2 \newif\ifsuftesi@standardfont
3 \newif\ifsuftesi@porson
4 \newif\ifsuftesi@centerheader
5 \newif\ifsuftesi@sufplain
6 \newif\ifsuftesi@article
7 \newif\ifsuftesi@authortitle
8 \newif\ifsuftesi@periodical
9 \newif\ifsuftesi@compact
10 \newif\ifsuftesi@supercompact
11 \newif\ifsuftesi@sufelements
12 \newif\ifsuftesi@nocrop
13 \newif\ifsuftesi@dottedtoc
14 \newif\ifsuftesi@raggedtoc
15 \newif\ifsuftesi@pagelefttoc
16 \newif\ifsuftesi@numparpart
17 \newif\ifsuftesi@numparchap
18 \newif\ifsuftesi@numparsec
19 \newif\ifsuftesi@numparsubsec
20 \newif\ifsuftesi@numparsubsubsec
21 \newif\ifsuftesi@smallcapspart
22 \newif\ifsuftesi@smallcapschap
23 \newif\ifsuftesi@smallcapssec
24 \newif\ifsuftesi@elementschap
25 \newif\ifsuftesi@elementsheader
26 \newif\ifsuftesi@elementsstructure
27 \newif\ifsuftesi@elementspagelayout
28 \newif\ifsuftesi@draftdate
29 \newif\ifsuftesi@fewfootnotes
30 \newif\ifsuftesi@partpage
31 \DeclareOption{a5paper}{%
```

```

32 \ClassWarningNoLine{suftesi}{Option 'a5paper' not available}}
33 \DeclareOption{b5paper}{%
34 \ClassWarningNoLine{suftesi}{Option 'b5paper' not available}}
35 \DeclareOption{legalpaper}{%
36 \ClassWarningNoLine{suftesi}{Option 'legalpaper' not available}}
37 \DeclareOption{executivepaper}{%
38 \ClassWarningNoLine{suftesi}{Option 'executivepaper' not available}}
39 \DeclareOption{landscape}{%
40 \ClassWarningNoLine{suftesi}{Option 'landscape' not available}}

```

suftesi is based on the standard book class!

```

41 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
42 \ProcessOptions
43 \relax
44 \LoadClass{book}

```

## 5.1 Document structure

```

45 \define@choicekey{}{documentstructure}[\val\nr]
46 {book,article}[book]{%
47 \ifcase\nr\relax
48 \or
49 \suftesi@articletrue
50 \@titlepagefalse
51 \fi}

```

## 5.2 Page layout

```

52 \RequirePackage{geometry}
53 \geometry{heightrounded}
54 \define@choicekey{}{pagelayout}[\val\nr]
55 {standard,periodical,compact,supercompact,elements}[standard]{%
56 \ifcase\nr\relax
57 \DeclareRobustCommand{\SUF@chaptersize}{\Large}
58 \geometry{%

```

```

59  a4paper,
60  includeheadfoot=true,
61  textwidth=      110mm,
62  textheight=     220mm,
63  marginratio=    1:2,
64  marginparwidth= 30mm,
65  marginparsep=   12pt}
66 \or
67 \suftesi@periodicaltrue
68 \DeclareRobustCommand{\SUF@chaptersize}{\large}
69 \geometry{
70  includeheadfoot=false,
71  textheight=      165mm,
72  textwidth=       110mm,
73  paperwidth=      170mm,
74  paperheight=     240mm,
75  marginratio=     2:3,
76  marginparwidth=  26mm,
77  marginparsep=    10pt}
78 \or
79 \suftesi@compacttrue
80 \DeclareRobustCommand{\SUF@chaptersize}{\large}
81 \geometry{
82  includeheadfoot=false,
83  textheight=      165mm,
84  textwidth=       110mm,
85  paperwidth=      160mm,
86  paperheight=     240mm,
87  marginratio=     2:3,
88  marginparwidth=  22mm,
89  marginparsep=     9pt}
90 \or
91 \suftesi@supercompacttrue
92 \DeclareRobustCommand{\SUF@chaptersize}{\large}

```

```

93 \geometry{
94   includeheadfoot=false,
95   textheight=      150mm,
96   textwidth=       100mm,
97   paperwidth=      140mm,
98   paperheight=     210mm,
99   marginratio=     2:3,
100  marginparwidth=  18mm,
101  marginparsep=    8pt}
102 \or
103 \suftesi@elementspagelayouttrue
104 \geometry{%
105   includeheadfoot=false,
106   textwidth=       251pt,
107   textheight=      502pt,
108   paperwidth=      374pt,
109   paperheight=     648pt,
110   vmarginratio=    1:2,
111   marginparwidth=  60pt,
112   marginparsep=    18pt,
113   outer=           90pt}
114 \fi}

```

### 5.3 Sections style

These macros control the position of titles and numbers of parts, chapters, sections, subsections and subsubsection.

```

\SUFO@1r@PARTSwitch
\SUFO@1r@CHAPSwitch
\SUFO@1r@SECSwitch
\SUFO@1r@SUBSECSwitch
\SUFO@1r@SUBSUBSECSwitch
115 \define@choicekey{}{partstyle}[\val\nr]{%
116   left,center,right,parleft,parcenter,parright}[left]{%
117 \ifcase\nr\relax
118   \def\SUFO@1r@PARTSwitch{\filright}
119 \or
120   \def\SUFO@1r@PARTSwitch{\filcenter}
121 \or
122   \def\SUFO@1r@PARTSwitch{\filleft}

```

```

123 \or%numpar
124 \def\SUF@lr@PARTSwitch{\filright}
125 \suftesi@numparparttrue
126 \or
127 \def\SUF@lr@PARTSwitch{\filcenter}
128 \suftesi@numparparttrue
129 \or
130 \def\SUF@lr@PARTSwitch{\filleft}
131 \suftesi@numparparttrue
132 \fi}
133 \define@choicekey{}{chapstyle}[\val\nr]{%
134     left,center,right,parleft,parcenter,parright,elements}[left]{%
135 \ifcase\nr\relax
136 \def\SUF@lr@CHAPSwitch{\filright}
137 \or
138 \def\SUF@lr@CHAPSwitch{\filcenter}
139 \or
140 \def\SUF@lr@CHAPSwitch{\filleft}
141 \or%numparchap
142 \def\SUF@lr@CHAPSwitch{\filright}
143 \suftesi@numparchaptrue
144 \or
145 \def\SUF@lr@CHAPSwitch{\filcenter}
146 \suftesi@numparchaptrue
147 \or
148 \def\SUF@lr@CHAPSwitch{\filleft}
149 \suftesi@numparchaptrue
150 \or
151 \suftesi@elementschaptrue
152 \fi}
153 \define@choicekey{}{secstyle}[\val\nr]{%
154     left,center,right,parleft,parcenter,parright}[left]{%
155 \ifcase\nr\relax
156 \def\SUF@lr@SECSwitch{\filright}

```



```

157 \or
158   \def\SUF@lr@SECSwitch{\filcenter}
159 \or
160   \def\SUF@lr@SECSwitch{\filleft}
161 \or%numparsec
162   \def\SUF@lr@SECSwitch{\filright}
163   \suftesi@numparsectrue
164 \or
165   \def\SUF@lr@SECSwitch{\filcenter}
166   \suftesi@numparsectrue
167 \or
168   \def\SUF@lr@SECSwitch{\filleft}
169   \suftesi@numparsectrue
170 \fi}
171 \define@choicekey{}{subsecstyle}[\val\nr]{left,center,right}[left]{%
172 \ifcase\nr\relax
173   \def\SUF@lr@SUBSECSwitch{\filright}
174 \or
175   \def\SUF@lr@SUBSECSwitch{\filcenter}
176 \or
177   \def\SUF@lr@SUBSECSwitch{\filleft}
178 \fi}
179 \define@choicekey{}{subsubsecstyle}[\val\nr]{left,center,right}[left]{%
180 \ifcase\nr\relax
181   \def\SUF@lr@SUBSUBSECSwitch{\filright}
182 \or
183   \def\SUF@lr@SUBSUBSECSwitch{\filcenter}
184 \or
185   \def\SUF@lr@SUBSUBSECSwitch{\filleft}
186 \fi}

```

## 5.4 Sections font

`\SUF@<level>@StyleSwitch` These macros control the style of part, chapter, section, subsection and subsubsection levels.

```

187 \define@choicekey{}{partfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
188 \ifcase\nr\relax
189 \def\SUF@PART@StyleSwitch{\relax}
190 \or
191 \def\SUF@PART@StyleSwitch{\itshape}
192 \or
193 \def\SUF@PART@StyleSwitch{\expandafter\SUF@titlesmallcaps}
194 \fi}
195 \define@choicekey{}{chapfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
196 \ifcase\nr\relax
197 \def\SUF@CHAP@StyleSwitch{\relax}
198 \or
199 \def\SUF@CHAP@StyleSwitch{\itshape}
200 \or
201 \def\SUF@CHAP@StyleSwitch{\expandafter\SUF@titlesmallcaps}
202 \fi}
203 \define@choicekey{}{secfont}[\val\nr]{roman,italic,smallcaps}[italic]{%
204 \ifcase\nr\relax
205 \def\SUF@SEC@StyleSwitch{\relax}
206 \or
207 \def\SUF@SEC@StyleSwitch{\itshape}
208 \or
209 \def\SUF@SEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
210 \fi}
211 \define@choicekey{}{subsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
212 \ifcase\nr\relax
213 \def\SUF@SUBSEC@StyleSwitch{\relax}
214 \or
215 \def\SUF@SUBSEC@StyleSwitch{\itshape}
216 \or
217 \def\SUF@SUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
218 \fi}
219 \define@choicekey{}{subsubsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
220 \ifcase\nr\relax

```

```

221 \def\SUF@SUBSUBSEC@StyleSwitch{\relax}
222 \or
223 \def\SUF@SUBSUBSEC@StyleSwitch{\itshape}
224 \or
225 \def\SUF@SUBSUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
226 \fi}

```

## 5.5 The number style for part, chapter and section

### 5.5.1 Part number style

```

227 \define@choicekey{}{partnumstyle}[\val\nr]
228     {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
229 \ifcase\nr\relax
230   \def\SUF@thepart{\arabic{part}}
231   \def\SUF@dotpart{.}
232 \or
233   \def\SUF@thepart{\textsc{\roman{part}}}
234   \def\SUF@dotpart{.}
235 \or
236   \def\SUF@thepart{\Roman{part}}
237   \def\SUF@dotpart{.}
238 \or
239   \def\SUF@thepart{\arabic{part}}
240   \def\SUF@dotpart{.}
241 \or
242   \def\SUF@thepart{\textsc{\roman{part}}}
243   \def\SUF@dotpart{.}
244 \or
245   \def\SUF@thepart{\Roman{part}}
246   \def\SUF@dotpart{.}
247 \fi}

```

### 5.5.2 Chapter number style

```

248 \define@choicekey{}{chapnumstyle}[\val\nr]{arabic,roman,Roman,
249 dotarabic,dotroman,dotRoman}[arabic]{%
250 \ifcase\nr\relax
251   \def\SUF@thechapter{\arabic{chapter}}
252   \def\SUF@dotchap{}
253 \or
254   \def\SUF@thechapter{\textsc{roman{chapter}}}}
255   \def\SUF@dotchap{}
256 \or
257   \def\SUF@thechapter{\Roman{chapter}}
258   \def\SUF@dotchap{}
259 \or
260   \def\SUF@thechapter{\arabic{chapter}}
261   \def\SUF@dotchap{.}
262 \or
263   \def\SUF@thechapter{\textsc{roman{chapter}}}}
264   \def\SUF@dotchap{.}
265 \or
266   \def\SUF@thechapter{\Roman{chapter}}
267   \def\SUF@dotchap{.}
268 \fi}

```

### 5.5.3 Section number style

```

269 \define@choicekey{}{secnumstyle}[\val\nr]
270   {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
271 \ifcase\nr\relax
272   \def\SUF@thesection{\arabic{section}}
273   \def\SUF@dotsec{}
274 \or
275   \def\SUF@thesection{\textsc{roman{section}}}}
276   \def\SUF@dotsec{}
277 \or
278   \def\SUF@thesection{\Roman{section}}
279   \def\SUF@dotsec{}

```

```

280 \or
281   \def\SUF@thesection{\arabic{section}}
282   \def\SUF@dotsec{.}
283 \or
284   \def\SUF@thesection{\textsc{roman}{section}}
285   \def\SUF@dotsec{.}
286 \or
287   \def\SUF@thesection{\Roman{section}}
288   \def\SUF@dotsec{.}
289 \fi}

```

## 5.6 Headers

### 5.6.1 Header style

```

290 \define@choicekey{}{headerstyle}[\val\nr]
291     {inner,center,plain,authortitleinner,
292      authortitlecenter,elements}[inner]{%
293 \ifcase\nr\relax
294   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
295   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
296 \or
297   \suftesi@centerheadertrue
298   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
299   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
300 \or
301   \suftesi@sufplaintrue
302 \or
303   \suftesi@authortitletrue
304   \def\SUF@rightmark{\SUF@Rheadstyle{@headtitle}}
305   \def\SUF@leftmark{\SUF@Lheadstyle{@author}}
306 \or
307   \suftesi@authortitletrue
308   \def\SUF@rightmark{\SUF@Rheadstyle{@headtitle}}
309   \def\SUF@leftmark{\SUF@Lheadstyle{@author}}

```

```

310 \suftesi@centerheadertrue
311 \or
312 \suftesi@elementsheadertrue
313 \fi}

```

## 5.6.2 Header font

```

314 \define@choicekey{}{headerfont}[\val\nr]
315     {roman,italic,smallcaps}[roman]{%
316 \ifcase\nr\relax
317     \def\SUF@Rheadstyle{}
318     \def\SUF@Lheadstyle{}
319     \def\SUF@thepage{\thepage}
320 \or
321     \def\SUF@Rheadstyle{\itshape}
322     \def\SUF@Lheadstyle{\itshape}
323     \def\SUF@thepage{\thepage}
324 \or
325     \def\SUF@Rheadstyle{\SUF@headingsmallcaps}
326     \def\SUF@Lheadstyle{\SUF@headingsmallcaps}
327     \def\SUF@thepage{\SUF@headingsmallcaps{\thepage}}
328 \fi}

```

## 5.7 Text elements

### 5.7.1 Lists

```

329 \RequirePackage[inline]{enumitem}
330 \renewcommand\labelitemi{\color{sufgray}\textbullet}
331 \setlist{itemsep=.5ex,parsep=0pt}
332 \setlist[description]{font=\normalfont\itshape}
333 \define@choicekey{}{liststyle}[\val\nr]
334     {bulged,aligned,indented}[bulged]{%
335 \ifcase\nr\relax
336     \setlist[enumerate,1]{leftmargin=0pt,label=\arabic*.}
337     \setlist[enumerate,2]{leftmargin= 1.3\parindent,label=\alph*.}

```

```

338 \setlist[enumerate,3]{leftmargin= 1.3\parindent,label=\roman*..}
339 \setlist[itemize,1]{leftmargin=0pt}
340 \setlist[itemize,2]{leftmargin=1.3\parindent}
341 \setlist[itemize,3]{leftmargin=1.3\parindent}
342 \or
343 \setlist[enumerate,1]{leftmargin=1\parindent,label=\arabic*..}
344 \setlist[enumerate,2]{leftmargin= 1.5\parindent,label=\alph*..}
345 \setlist[enumerate,3]{leftmargin= 1.5\parindent,label=\roman*..}
346 \setlist[itemize,1]{leftmargin=1\parindent}
347 \setlist[itemize,2]{leftmargin=1.5\parindent}
348 \setlist[itemize,3]{leftmargin=1.5\parindent}
349 \or
350 \setlist[enumerate,1]{leftmargin=2\parindent,label=\arabic*..}
351 \setlist[enumerate,2]{leftmargin= 2.5\parindent,label=\alph*..}
352 \setlist[enumerate,3]{leftmargin= 2.5\parindent,label=\roman*..}
353 \setlist[itemize,1]{leftmargin=2\parindent}
354 \setlist[itemize,2]{leftmargin=2.5\parindent}
355 \setlist[itemize,3]{leftmargin=2.5\parindent}
356 \fi}

```

## 5.7.2 Block quotations

### Quotation style

```

357 \define@choicekey{}{quotestyle}[\val\nr]
358     {center,right}[center]{%
359 \ifcase\nr\relax
360 \def\SUF@quote@style{\rightmargin=\parindent}
361 \or
362 \def\SUF@quote@style{}
363 \fi}

```

### Quotation size

```

364 \define@choicekey{}{quotesize}[\val\nr]
365     {footnotesize,small}[footnotesize]{%

```

```

366 \ifcase\nr\relax
367 \def\SUF@quotation@size{\footnotesize}
368 \or
369 \def\SUF@quotation@size{\small}
370 \fi}

```

### 5.7.3 Footnotes

```

371 \define@choicekey{}{footnotestyle}[\val\nr]
372   {bulged,hung,dotted,superscript}[bulged]{%
373 \ifcase\nr\relax
374   \renewcommand\@makefnintext{%
375     \hskip-2.5em\makebox[2em][r]{\@thefnmark}\hskip.5em}
376 \or
377   \renewcommand\@makefnintext{%
378     \leftskip=1em\hskip-1.5em%
379     \makebox[1em][r]{\@thefnmark}\hskip.5em}
380 \or
381   \renewcommand\@makefnintext{%
382     \@thefnmark.\hskip.5em}
383 \or
384   \renewcommand\@makefnintext{%
385     \textsuperscript{\@thefnmark}\hskip.3em}
386 \fi}
387 \define@choicekey{}{fewfootnotes}[\val\nr]
388   {true,false}[true]{%
389 \ifcase\nr\relax
390   \suftesi@fewfootnotesttrue
391 \or
392   \relax
393 \fi}

```

### 5.7.4 Captions

```

394 \RequirePackage{caption}

```



```

395 \define@choicekey{}{captionstyle}[\val\nr]
396     {standard,elements}[standard]{%
397 \ifcase\nr\relax
398     \captionsetup{labelsep=period,font=small,singlelinecheck=false}
399 \or
400     \captionsetup{labelsep=period,font=small,singlelinecheck=false}
401     \captionsetup{font+=sf}
402 \fi
403 }

```

### 5.7.5 Marginal notes

```

404 \define@choicekey{}{marginpar}[\val\nr]
405     {true,false}[true]{%
406 \ifcase\nr\relax
407 \or
408     \renewcommand\marginpar[2][{}]{
409 \fi}

```

### 5.7.6 Table of contents

```

\SUf@titlerule
\SUF@chaptitlerule
410 \define@choicekey{}{tocstyle}[\val\nr]{%
411     standard,dotted,ragged,leftpage}[standard]{%
412 \ifcase\nr\relax
413     \def\SUF@titlerule{\titlerule*{}}
414     \def\SUF@chaptitlerule{\titlerule*{}}
415 \or
416 \suftesi@dottedtoctrue
417     \def\SUF@titlerule{\titlerule*{\footnotesize .\ }}
418     \def\SUF@chaptitlerule{\titlerule*{}}
419 \or
420 \suftesi@raggedtoctrue
421     \def\SUF@titlerule{\hspace{1em}}
422     \def\SUF@chaptitlerule{\hspace{1em}}
423 \or

```

```

424 \suftesi@pagelefttoctrue
425 \fi}

```

## 5.8 Fonts

### 5.8.1 Roman fonts

```

426 \define@choicekey{}{defaultfont}[\val\nr]{%
427     palatino,standard}[palatino]{%
428 \ifcase\nr\relax
429 \or
430     \suftesi@standardfonttrue
431     \setkeys{suftesi.cls}{greekfont=cbgreek}
432 \fi}

```

### 5.8.2 Greek fonts

```

433 \define@choicekey{}{greekfont}[\val\nr]{%
434     artemisia,porson,cbgreek}[artemisia]{%
435 \ifcase\nr\relax
436 \def\SUF@greekfamily{artemisiaeuler}
437 \or
438 \def\SUF@greekfamily{porson}
439 \suftesi@porsontrue
440 \or
441 \def\SUF@greekfamily{lmr}
442 \fi}

```

## 5.9 Other options

### 5.9.1 `\parindent` selection

```

443 \define@choicekey{}{parindent}[\val\nr]
444     {compact,wide}[compact]{%
445 \ifcase\nr\relax
446 \setlength\parindent{1em}

```

```

447 \or
448 \setlength\parindent{1.5em}
449 \fi}

```

### 5.9.2 Part page

```

450 \define@choicekey{}{partpage}[\val\nr]{true,false}[true]{%
451 \ifcase\nr\relax
452 \suftesi@partpagetrue
453 \or
454 \relax
455 \fi}

```

### 5.9.3 Crop marks

```

456 \define@choicekey{}{crop}[\val\nr]
457 {true,false}[true]{%
458 \ifcase\nr\relax
459 \or
460 \suftesi@nocroptrue
461 \fi}

```

### 5.9.4 Draftdate

```

462 \define@choicekey{}{draftdate}[\val\nr]
463 {true,false}[true]{%
464 \ifcase\nr\relax
465 \suftesi@draftdatetrue
466 \or
467 \fi}

```

### 5.9.5 Titlepage

```

468 \define@choicekey{}{titlepage}[\val\nr]
469 {true,false}[true]{%
470 \ifcase\nr\relax
471 \@titlepagetrue
472 \or

```

```

473 \@titlepagefalse
474 \fi}

```

### 5.9.6 Pre-defined styles

```

475 \define@choicekey{}{style}[\val\nr]
476 {roman1,roman2,roman3,roman4,roman5,roman6,
477 italic1,italic2,italic3,italic4,italic5,italic6,
478 italic7,italic8,italic9,italic10,italic11,italic12,
479 smallcaps1,smallcaps2,smallcaps3,smallcaps4,smallcaps5,smallcaps6,
480 smallcaps7,smallcaps8,smallcaps9,smallcaps10,smallcaps11,smallcaps12,
481 elements,sufelements}
482 [roman1]{%
483 \ifcase\nr\relax

```

The 'roman' styles:

```

484 \setkeys{}{chapstyle=left}
485 \or
486 \setkeys{}{chapstyle=center}
487 \or
488 \setkeys{}{chapstyle=right}
489 \or
490 \setkeys{}{chapstyle=parleft}
491 \or
492 \setkeys{}{chapstyle=parcenter}
493 \or
494 \setkeys{}{chapstyle=parright}
495 \or

```

The 'italic' styles:

```

496 \setkeys{}{chapstyle=left,chapfont=italic,headerfont=italic}
497 \or
498 \setkeys{}{chapstyle=center,chapfont=italic,headerfont=italic}
499 \or
500 \setkeys{}{chapstyle=right,chapfont=italic,headerfont=italic}
501 \or

```

```

502 \setkeys{}{chapstyle=parleft,chapfont=italic,headerfont=italic}
503 \or
504 \setkeys{}{chapstyle=parcenter,chapfont=italic,headerfont=italic}
505 \or
506 \setkeys{}{chapstyle=parright,chapfont=italic,headerfont=italic}
507 \or
508 \setkeys{}{chapstyle=left,chapfont=italic,secfont=smallcaps,headerfont=italic}
509 \or
510 \setkeys{}{chapstyle=center,chapfont=italic,secfont=smallcaps,headerfont=italic}
511 \or
512 \setkeys{}{chapstyle=right,chapfont=italic,secfont=smallcaps,headerfont=italic}
513 \or
514 \setkeys{}{chapstyle=parleft,chapfont=italic,secfont=smallcaps,headerfont=italic}
515 \or
516 \setkeys{}{chapstyle=parcenter,chapfont=italic,secfont=smallcaps,headerfont=italic}
517 \or
518 \setkeys{}{chapstyle=parright,chapfont=italic,secfont=smallcaps,headerfont=italic}
519 \or

```

The 'smallcaps' styles:

```

520 \setkeys{}{chapstyle=left,chapfont=smallcaps,headerfont=smallcaps}
521 \or
522 \setkeys{}{chapstyle=center,chapfont=smallcaps,headerfont=smallcaps}
523 \or
524 \setkeys{}{chapstyle=right,chapfont=smallcaps,headerfont=smallcaps}
525 \or
526 \setkeys{}{chapstyle=parleft,chapfont=smallcaps,headerfont=smallcaps}
527 \or
528 \setkeys{}{chapstyle=parcenter,chapfont=smallcaps,headerfont=smallcaps}
529 \or
530 \setkeys{}{chapstyle=parright,chapfont=smallcaps,headerfont=smallcaps}
531 \or
532 \setkeys{}{chapstyle=left,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
533 \or
534 \setkeys{}{chapstyle=center,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}

```

```

535 \or
536 \setkeys{}\{chapstyle=right,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
537 \or
538 \setkeys{}\{chapstyle=parleft,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
539 \or
540 \setkeys{}\{chapstyle=parcenter,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
541 \or
542 \setkeys{}\{chapstyle=parright,chapfont=smallcaps,secfont=smallcaps,headerfont=smallcaps}
543 \or

```

The 'elements' style:

```

544 \setkeys{}\{
545     pagelayout=elements,
546     headerstyle=elements,
547     chapstyle=elements,
548     secfont=smallcaps,
549     subsecfont=italic,
550     captionstyle=elements}
551 \disable@keys{}
552 {pagelayout,headerstyle,chapstyle,secfont,subsecfont,captionstyle}
553 \or

```

The 'sufelements' style:

```

554 \setkeys{}\{
555     chapstyle=elements,
556     headerfont=smallcaps,
557     secfont=smallcaps,
558     subsecfont=italic}
559 \disable@keys{}
560 {headerstyle,chapstyle,secfont,subsecfont}
561 \fi}

```

Execute and process options:

```

562 \ExecuteOptionsX<>{
563     captionstyle=standard,
564     marginpar=true,

```

```

565 parindent=compact,
566 tocstyle=standard,
567 greekfont=artemisia,
568 pagelayout=standard,
569 headerstyle=inner,
570 liststyle=bulged,
571 footnotestyle=bulged,
572 quotesize=footnotesize,
573 quotestyle=center,
574 partstyle=left,
575 chapstyle=left,
576 secstyle=left,
577 subsecstyle=left,
578 subsubsecstyle=left,
579 partfont=roman,
580 chapfont=roman,
581 secfont=italic,
582 subsecfont=roman,
583 subsubsecfont=roman,
584 headerfont=roman,
585 secnumstyle=arabic,
586 partnumstyle=Roman,
587 chapnumstyle=arabic}
588 \ProcessOptionsX<>\relax

```

Some  $\langle key \rangle = \langle value \rangle$  options defined using `xkeyval` produce the message of “Unused global options”. So we use the `\XKV@useoption` command which delete the option given as argument from the list stored in `\@unusedoptionlist`:

```

589 \XKV@useoption{style=roman1}      \XKV@useoption{style=roman2}
590 \XKV@useoption{style=roman3}      \XKV@useoption{style=roman4}
591 \XKV@useoption{style=roman5}      \XKV@useoption{style=roman6}
592 \XKV@useoption{style=italic1}     \XKV@useoption{style=italic2}
593 \XKV@useoption{style=italic3}     \XKV@useoption{style=italic4}
594 \XKV@useoption{style=italic5}     \XKV@useoption{style=italic6}
595 \XKV@useoption{style=italic7}     \XKV@useoption{style=italic8}

```

596 \XKV@useoption{style=italic9}	\XKV@useoption{style=italic10}
597 \XKV@useoption{style=italic11}	\XKV@useoption{style=italic12}
598 \XKV@useoption{style=smallcaps1}	\XKV@useoption{style=smallcaps2}
599 \XKV@useoption{style=smallcaps3}	\XKV@useoption{style=smallcaps4}
600 \XKV@useoption{style=smallcaps5}	\XKV@useoption{style=smallcaps6}
601 \XKV@useoption{style=smallcaps7}	\XKV@useoption{style=smallcaps8}
602 \XKV@useoption{style=smallcaps9}	\XKV@useoption{style=smallcaps10}
603 \XKV@useoption{style=smallcaps11}	\XKV@useoption{style=smallcaps12}
604 \XKV@useoption{style=elements}	\XKV@useoption{style=sufelements}
605 \XKV@useoption{captionstyle=standard}	\XKV@useoption{captionstyle=elements}
606 \XKV@useoption{pagelayout=standard}	\XKV@useoption{pagelayout=periodical}
607 \XKV@useoption{pagelayout=compact}	\XKV@useoption{pagelayout=supercompact}
608 \XKV@useoption{pagelayout=elements}	
609 \XKV@useoption{liststyle=bulged}	\XKV@useoption{liststyle=indented}
610 \XKV@useoption{liststyle=aligned}	
611 \XKV@useoption{10pt}	\XKV@useoption{11pt}
612 \XKV@useoption{12pt}	
613 \XKV@useoption{oneside}	\XKV@useoption{twoside}
614 \XKV@useoption{onecolumn}	\XKV@useoption{twocolumn}
615 \XKV@useoption{titlepage}	\XKV@useoption{notitlepage}
616 \XKV@useoption{openright}	\XKV@useoption{openany}
617 \XKV@useoption{leqno}	\XKV@useoption{fleqn}
618 \XKV@useoption{a5paper}	\XKV@useoption{b5paper}
619 \XKV@useoption{legalpaper}	\XKV@useoption{executivepaper}
620 \XKV@useoption{landscape}	

## 5.10 Basic packages

```

621 \RequirePackage{color}
622     \definecolor{sufred}{rgb}{0.5,0,0}
623     \definecolor{sufgray}{rgb}{0.5,0.5,0.5}
624 \RequirePackage{multicol}
625 \RequirePackage{emptypage}
626 \RequirePackage{textcase}
627 \RequirePackage{ifxetex}

```



## 5.11 Greek fonts

Thanks to Claudio Beccari and Enrico Gregorio for these macros:

```
628 \ifxetex
629   \relax
630   \else
631 \RequirePackage{microtype}
632 \RequirePackage[LGR,T1]{fontenc}
633 \AtBeginDocument{\fontencoding{T1}\selectfont}
634 \ifsuftesi@standardfont
635   \RequirePackage{lmodern}
636   \relax
637   \else
638   \RequirePackage[osf,sc]{mathpazo}
639   \RequirePackage[scaled=0.8]{beramono}
640   \renewcommand{\sfdefault}{iwona}
641 \fi
```

Scale the Porson font:

```
642 \ifsuftesi@porson
643 % \sbox\z@{\fontsize{10}{10}\normalfont A}
644 % \sbox\tw@{\font\temp=gporsong6a at 10pt \temp A}
645 % \dimen@=\dimexpr \p@*\ht\z@/\ht\tw@ \relax
646 % \edef\art@scale{\strip@pt\dimen@}
647 \sbox\z@{\fontsize{10}{10}\normalfont A}
648 \sbox\tw@{\font\temp=gporsong6a at 10pt \temp A}
649 \dimen@=\dimexpr \p@*\ht\z@/\ht\tw@ \relax
650 \sbox\z@{\normalfont\fontsize{10}{10}\selectfont a}
651 \sbox\tw@{\font\temp=gporsong6a at 10pt \temp a}
652 \dimen2=\dimexpr \p@*\ht\z@/\ht\tw@ \relax
653 \dimen4= 0.6\p@
654 \dimen@=\dimexpr \dimen@ - \dimen4*\dimen@/\p@+\dimen4*\dimen2/\p@ \relax
655 \edef\art@scale{\strip@pt\dimen@}
656 \DeclareFontFamily{LGR}{porson}{}
657 \DeclareFontShape{LGR}{porson}{m}{n}  {<- s * [\art@scale] gporsong6a}{}
```

```

658 \DeclareFontShape{LGR}{porson}{m}{it} {<-> ssub * porson/m/n}{ }
659 \DeclareFontShape{LGR}{porson}{b}{n} {<-> ssub * porson/m/n}{ }
660 \DeclareFontShape{LGR}{porson}{b}{it} {<-> ssub * porson/m/n}{ }
661 \DeclareFontShape{LGR}{porson}{m}{sl} {<-> ssub * porson/m/n}{ }
662 \DeclareFontShape{LGR}{porson}{b}{sl} {<-> ssub * porson/m/n}{ }
663 \DeclareFontShape{LGR}{porson}{m}{sc} {<-> ssub * porson/m/n}{ }
664 \DeclareFontShape{LGR}{porson}{bx}{n} {<-> ssub * porson/m/n}{ }
665 \DeclareFontShape{LGR}{porson}{bx}{it}{<-> ssub * porson/m/n}{ }
666 \DeclareFontShape{LGR}{porson}{bx}{sl}{<-> ssub * porson/m/n}{ }
667 \fi
668 \AtBeginDocument{
669 \DeclareRobustCommand{\greektext}{%
670 \usefont{LGR}{\SUF@greekfamily}{\f@series}{\f@shape}}%
671 \DeclareTextFontCommand{\textgreek}{\greektext}}
672 \fi

```

## 5.12 Page layout

```

673 \ifsuftesi@nocrop
674 \relax
675 \else
676 \RequirePackage[a4, cam, center]{crop}
677 \fi

```

A trick to produce one-side documents:

```

678 \if@twoside
679 \relax
680 \else
681 \geometry{hmarginratio=1:1}
682 \fi

```

## 5.13 Section titles

```

683 \RequirePackage{titlesec}
684 \newlength{\sectionsep}
685 \setlength{\sectionsep}{\dimexpr(\baselineskip) plus 1pt minus 1pt}

```

```

\SUF@titlesmallcaps
\SUF@headingsmallcaps
\SUF@chapnumfont
686 \ifxetex
687 \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
688 \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
689 \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
690 \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
691 \newcommand{\chapnumfont}[1]{%
692 \def\SUF@chapnumfont{#1}}
693 \chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
694 \else
695 \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
696 \scshape\MakeTextLowercase{\textls[110]{#1}}}%
697 \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
698 \scshape\MakeTextLowercase{\textls[110]{#1}}}%
699 \newcommand{\chapnumfont}[1]{%
700 \def\SUF@chapnumfont{\fontfamily{#1}}}
701 \chapnumfont{pplj}
702 \fi

```

### The elements style

```

703 \define@key[SUF]{elements}{chapsize}[90]{%
704 \def\cmdSUF@elements@chapsize{\fontsize{#1}{#1}\selectfont}}
705 \define@key[SUF]{elements}{chapposition}[-83]{%
706 \def\cmdSUF@elements@chapposition{#1}}

```

The chapter for elements style:

```

707 \def\SUF@elements@CHAPTER{%
708 \titleformat{\chapter}[block]
709 {\Large}%
710 {\begin{picture}(0,0)
711 \setlength{\unitlength}{1pt}
712 \SUF@chapnumfont%
713 \cmdSUF@elements@chapsize
714 \put(0,\cmdSUF@elements@chapposition){%
715 \hskip\dimexpr(\textwidth+0.9\marginparsep)%

```

```

716         \textcolor{sufgray}{\SUF@thechapter}}%
717     \end{picture}}}%
718     {0pt}
719     {\SUF@titlesmallcaps}
720     [\vspace*{-6pt}\rule{\textwidth}{.1pt}]
721 }

```

The sections for elements style:

```

722 \def\SUF@elements@SECTIONS{
723 \titleformat{\section}[block]
724   {\extramarks{}{}\filright}
725   {\textnormal\thesection}
726   {1em}
727   {\SUF@titlesmallcaps}
728 \titlespacing*{\section}{0em}{1em}{1em}[0em]
729 \titleformat{\subsection}[block]
730   {\filright\normalsize\itshape}
731   {\textnormal\thesubsection}
732   {1em}
733   {}
734   \titlespacing*{\subsection}{0em}{\baselineskip}{\baselineskip}[0em]
735 \titleformat{\subsubsection}[block]
736   {\filright\normalsize}
737   {\textnormal\thesubsubsection}
738   {1em}
739   {}
740   \titlespacing*{\subsubsection}{0em}{\baselineskip}{\baselineskip}[0em]
741 }

```

\chapter Default styles:

```

742 \def\SUF@default@CHAPTER{
743 \ifsuf tesi@numparchap
744   \titleformat{\chapter}[display]
745     {\SUF@chaptersize\SUF@lrc@CHAPSwitch}
746     {\SUF@thechapter\SUF@dotchap}

```

```

747     {2ex}
748     {\SUF@CHAP@StyleSwitch}
749     \else
750     \titleformat{\chapter}[hang]
751     {\SUF@chaptersize\SUF@lr@CHAPSwitch}
752     {\SUF@thechapter\SUF@dotchap}
753     {3em}
754     {\SUF@CHAP@StyleSwitch}
755     \fi
756 \ifsuftesi@numparchap
757   \def\SUF@ADJnumparchap{-2.5\baselineskip}
758   \else
759   \def\SUF@ADJnumparchap{0pt}
760 \fi}

\section

761 \def\SUF@default@SECTIONS{
762 \ifsuftesi@numparsec
763 \titleformat{\section}[display]
764   {\SUF@lr@SECSwitch}
765   {\ifsuftesi@article\SUF@thesection
766     \else\thesection\fi\SUF@dotsec}
767   {0ex}
768   {\SUF@SEC@StyleSwitch}
769   \titlespacing*{\section}{0em}{\sectionsep}{\sectionsep}[0em]
770 \else
771 \titleformat{\section}[hang]
772   {\SUF@lr@SECSwitch}
773   {\ifsuftesi@article\SUF@thesection
774     \else\thesection\fi\SUF@dotsec}
775   {1em}
776   {\SUF@SEC@StyleSwitch}
777   \titlespacing*{\section}{0ex}{\sectionsep}{\sectionsep}[0ex]
778 \fi

```

\subsection

```
779 \ifsuftesi@numparsubsec
780 \titleformat{\subsection}[display]
781   {\SUF@lr@SUBSECSwitch}
782   {\textnormal\thesubsection}
783   {0ex}
784   {\SUF@SUBSEC@StyleSwitch}
785 \titlespacing*{\subsection}{0em}{\sectionsep}{\sectionsep}[0em]
786 \else
787 \titleformat{\subsection}[hang]
788   {\SUF@lr@SUBSECSwitch}
789   {\textnormal\thesubsection}
790   {1em}
791   {\SUF@SUBSEC@StyleSwitch}
792 \titlespacing*{\subsection}{\parindent}{\sectionsep}{\sectionsep}[0ex]
793 \fi
```

\subsubsection

```
794 \ifsuftesi@numparsubsubsec
795 \titleformat{\subsubsection}[display]
796   {\SUF@lr@SUBSUBSECSwitch}
797   {\textnormal\thesubsubsection}
798   {0ex}
799   {\SUF@SUBSUBSEC@StyleSwitch}
800 \titlespacing*{\subsubsection}{0em}{\sectionsep}{\sectionsep}[0em]
801 \else
802 \titleformat{\subsubsection}[hang]
803   {\SUF@lr@SUBSUBSECSwitch}
804   {\textnormal\thesubsubsection}
805   {1em}
806   {\SUF@SUBSUBSEC@StyleSwitch}
807 \titlespacing*{\subsubsection}{\parindent}{\sectionsep}{\sectionsep}[0ex]
808   \fi
809 }
810 \ifsuftesi@elementschap
```

```

811 \RequirePackage{extramarks}
812 \SUF@elements@CHAPTER
813 \SUF@elements@SECTIONS
814 \ifsuftesi@periodical
815 \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
816 \setkeys[SUF]{elements}{chapsize=80,chapposition=-83}
817 \else
818 \ifsuftesi@compact
819 \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
820 \setkeys[SUF]{elements}{chapsize=75,chapposition=-83}
821 \else
822 \ifsuftesi@supercompact
823 \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
824 \setkeys[SUF]{elements}{chapsize=70,chapposition=-73}
825 \else
826 \ifsuftesi@elementspagelayout
827 \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
828 \setkeys[SUF]{elements}{chapsize=60,chapposition=-73}
829 \else
830 \titlespacing*{\chapter}{0em}{-1\baselineskip}{10pt}[0pt]
831 \setkeys[SUF]{elements}{chapsize=90,chapposition=-83}
832 \fi
833 \fi
834 \fi
835 \fi
836 \else
837 \SUF@default@CHAPTER
838 \SUF@default@SECTIONS
839 \ifsuftesi@periodical
840 \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
841 \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
842 \else
843 \ifsuftesi@compact
844 \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}

```

```

845 \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
846 \else
847 \ifsuftesi@supercompact
848 \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
849 \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
850 \else
851 \titlespacing*{\chapter}{0em}{%
852 \dimexpr(6ex+\SUF@ADJnumparchap)}{18ex}
853 \titlespacing*{name=\chapter,numberless}{0em}{6ex}{18ex}
854 \fi
855 \fi
856 \fi
857 \fi

```

### Redefinitions for ‘article’ mode

```

858 \ifsuftesi@article
859 \def\chapter#1{\ClassError{suftesi}
860 {\noexpand\chapter level is undefined
861 using 'documentstructure=article'}
862 {\noexpand\chapter level is undefined
863 using 'documentstructure=article'}}
864 \setcounter{tocdepth}{3}
865 \setcounter{secnumdepth}{3}
866 \renewcommand\thesection{%
867 \@arabic\c@section}
868 \renewcommand\thesubsection{%
869 \thesection.\@arabic\c@subsection}
870 \renewcommand\thesubsubsection{%
871 \thesubsection.\@arabic\c@subsubsection}
872 \renewcommand\theparagraph{%
873 \thesubsubsection.\@arabic\c@paragraph}
874 \renewcommand\thesubparagraph{%
875 \theparagraph.\@arabic\c@subparagraph}

```



The `partpage` options allows you to print a standard part page in article mode.

```
876 \ifsuftesi@partpage
877   \relax
878   \else
```

In article mode the `\part` command is similar to a `\section` but with more vertical space before and after.

```
879   \titleclass{\part}{straight}
880   \titlespacing*{\part}{0ex}{2\sectionsep}{2\sectionsep}[0ex]
881 \fi
882 \ifsuftesi@numparpart
883 \titleformat{\part}[display]
884   {\SUF@chaptersize\SUF@lr@PARTSwitch}
885   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
886   {2ex}
887   {\SUF@PART@StyleSwitch}
888 \else
889 \titleformat{\part}[hang]
890   {\SUF@chaptersize\SUF@lr@PARTSwitch}
891   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
892   {1em}
893   {\SUF@PART@StyleSwitch}
894 \fi
895 \else
```

### **The default ‘book’ mode**

```
896 \ifsuftesi@numparpart
897 \titleformat{\part}[display]
898   {\SUF@chaptersize\SUF@lr@PARTSwitch}
899   {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
900   {2ex}
901   {\SUF@PART@StyleSwitch}
902 \else
903 \titleformat{\part}[hang]
```

```

904 {\SUF@chaptersize\SUF@lr@PARTSwitch}
905 {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
906 {1em}
907 {\SUF@PART@StyleSwitch}
908 \fi
909 \fi
910

```

`\paragraph`

```

911 \titleformat{\paragraph}[runin]
912 {}
913 {\theparagraph}
914 {.5em}
915 {\itshape}
916 [{.}\hspace*{1em}]
917 \titlespacing*{\paragraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

```

`\subparagraph`

```

918 \titleformat{\subparagraph}[runin]
919 {}
920 {\thesubparagraph}
921 {.5em}
922 {}
923 [{.}\hspace*{1em}]
924 \titlespacing*{\subparagraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

```

The biblatex package uses the book class definitions of bibliography and list of shorthands, so we must redefine them according to the styles of `suftesi`, which does not use uppercase letters in the headings.

```

925 \ifsuftesi@article
926 \AtBeginDocument{%
927 \@ifpackageloaded{biblatex}{%
928   \defbibheading{bibliography}[\refname]{%
929     \section*{#1}%
930     \markboth{#1}{#1}}

```

```

931 \defbibheading{shorthands}[\losname]{%
932   \section*{#1}%
933   \markboth{#1}{#1}}
934 \defbibheading{bibintoc}[\refname]{%
935   \section*{#1}%
936   \addcontentsline{toc}{section}{#1}%
937   \markboth{#1}{#1}}
938 \defbibheading{losintoc}[\losname]{%
939   \section*{#1}%
940   \addcontentsline{toc}{section}{#1}%
941   \markboth{#1}{#1}}
942 \defbibheading{bibnumbered}[\refname]{%
943   \section{#1}%
944   \if@twoside\markright{#1}\fi}
945 \defbibheading{losnumbered}[\losname]{%
946   \section{#1}%
947   \if@twoside\markright{#1}\fi}
948 \defbibheading{subbibliography}[\refname]{%
949   \subsection*{#1}}
950 \defbibheading{subbibintoc}[\refname]{%
951   \subsection*{#1}%
952   \addcontentsline{toc}{subsection}{#1}}
953 \defbibheading{subbibnumbered}[\refname]{%
954   \subsection{#1}}%
955   {\relax}%
956}%
957 \else
958 \AtBeginDocument{%
959 \ifpackageloaded{biblatex}{%
960   \defbibheading{bibliography}[\bibname]{%
961     \chapter*{#1}%
962     \markboth{#1}{#1}}
963   \defbibheading{shorthands}[\losname]{%
964     \chapter*{#1}%

```

```

965 \markboth{#1}{#1}}
966 \defbibheading{bibintoc}[\bibname]{%
967 \chapter*{#1}%
968 \addcontentsline{toc}{chapter}{#1}%
969 \markboth{#1}{#1}}
970 \defbibheading{losintoc}[\losname]{%
971 \chapter*{#1}%
972 \addcontentsline{toc}{chapter}{#1}%
973 \markboth{#1}{#1}}
974 \defbibheading{bibnumbered}[\bibname]{%
975 \chapter{#1}%
976 \if@twoside\markright{#1}\fi}
977 \defbibheading{losnumbered}[\losname]{%
978 \chapter{#1}%
979 \if@twoside\markright{#1}\fi}
980 \defbibheading{subbibliography}[\refname]{%
981 \section*{#1}%
982 \if@twoside\markright{#1}\fi}
983 \defbibheading{subbibintoc}[\refname]{%
984 \section*{#1}%
985 \addcontentsline{toc}{section}{#1}%
986 \if@twoside\markright{#1}\fi}
987 \defbibheading{subbibnumbered}[\refname]{%
988 \section{#1}}
989 {\relax}%
990 }%
991 \fi

```

## 5.14 Title page

`\title` The new `\title` command has an optional argument which can be used in the headers.

```

992 \renewcommand*{\title}[2][\gdef\headtitle{#1}\gdef\@title{#2}]
993 \edef\title{\noexpand\@dblarg
994 \expandafter\noexpand\csname\string\title\endcsname}

```

```

995 \def\@headtitle{--missing title--%
996 \protect\ClassWarningNoLine{suftesi}{%
997 No \string\title\space given \MessageBreak%
998 See the class documentation for explanation}}
999 \def\@title{--missing title--%
1000 \protect\ClassWarningNoLine{suftesi}{%
1001 No \string\title\space given\MessageBreak%
1002 See the class documentation for explanation}}
1003 \def\@author{--missing author--%
1004 \protect\ClassWarningNoLine{suftesi}{%
1005 No \string\author\space given\MessageBreak%
1006 See the class documentation for explanation}}

```

`\standardtitle` Reproduces the standard `\maketitle` style:

For `notitlepage` option:

`\maketitle` For `titlepage` (default) option:

```

1007 \if@titlepage% titlepage
1008 \renewcommand\maketitle{\begin{titlepage}%
1009 \let\footnotesize\small
1010 \let\footnoterule\relax
1011 \let \footnote \thanks
1012 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1013 \null\vfil
1014 \vskip 60\p@
1015 \begin{center}%
1016 {\SUF@chaptersize\color{sufred}\sffamily%
1017 \ifsuftesi@smallcapschap%
1018 \SUF@titlesmallcaps{\@title}
1019 \else
1020 \ifsuftesi@article
1021 \ifsuftesi@smallcapssec
1022 \SUF@titlesmallcaps{\@title}
1023 \else
1024 \@title

```

```

1025         \fi
1026         \else
1027         \@title
1028         \fi
1029     \fi\par}%
1030     \vskip 3em%
1031     {\small\lineskip .75em%
1032     \begin{tabular}[t]{c}%
1033         \@author
1034     \end{tabular}\par}%
1035     \vskip 1.5em%
1036     {\small\@date\par}%
1037 \end{center}\par
1038 \@thanks
1039 \vfil\null
1040 \end{titlepage}%
1041 \setcounter{footnote}{0}%
1042 \global\let\thanks\relax
1043 \global\let\maketitle\relax
1044 \global\let\@thanks\@empty
1045     \global\let\@date\@empty
1046 \global\let\date\relax
1047 \global\let\and\relax}
1048 \newcommand\standardtitle{\begin{titlepage}%
1049 \let\footnotesize\small
1050 \let\footnoterule\relax
1051 \let \footnote \thanks
1052 \null\vfil
1053 \vskip 60\p@
1054 \begin{center}%
1055     {\LARGE \@title \par}%
1056     \vskip 3em%
1057     {\large
1058         \lineskip .75em%

```

```

1059     \begin{tabular}[t]{c}%
1060     \@author
1061     \end{tabular}\par}%
1062     \vskip 1.5em%
1063     {\large \@date \par}%           % Set date in \large size.
1064 \end{center}\par
1065 \@thanks
1066 \vfil\null
1067 \end{titlepage}%
1068 \setcounter{footnote}{0}%
1069 \global\let\thanks\relax
1070 \global\let\maketitle\relax
1071 \global\let\@thanks\@empty
1072     \global\let\@date\@empty
1073 \global\let\date\relax
1074 \global\let\and\relax}
1075 \else

```

For notitlepage option:

```

1076 \renewcommand\maketitle{\par
1077     \begingroup
1078         \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1079         \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1080         \long\def\@makefntext##1{\parindent 1em\noindent
1081             \hb@xt@1.8em{%
1082                 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1083     \if@twocolumn
1084         \ifnum \col@number=\@ne
1085             \@maketitle
1086         \else
1087             \twocolumn[\@maketitle]%
1088         \fi
1089     \else
1090         \newpage
1091         \global\@topnum\z@% Prevents figures from going at top of page.

```

```

1092     \@maketitle
1093     \fi
1094     \thispagestyle{plain}\@thanks
1095 \endgroup
1096 \setcounter{footnote}{0}%
1097 \global\let\thanks\relax
1098 \global\let\maketitle\relax
1099 \global\let\@maketitle\relax
1100 \global\let\@thanks\@empty
1101 \global\let\@date\@empty
1102 \global\let\date\relax
1103 \global\let\and\relax}
1104 \def\@maketitle{%
1105 \newpage
1106 \null
1107 \vskip 2em%
1108 \begin{center}%
1109 \let \footnote \thanks
1110     {\SUF@chaptersize\color{sufred}\sffamily%
1111     \ifsuftesi@smallcapschap%
1112     \SUF@titlesmallcaps{\@title}
1113     \else
1114     \ifsuftesi@article
1115     \ifsuftesi@smallcapssec
1116     \SUF@titlesmallcaps{\@title}
1117     \else
1118     \@title
1119     \fi
1120     \else
1121     \@title
1122     \fi
1123 \fi\par}%
1124     \vskip 1.5em%
1125     {\small\lineskip .5em%

```



```

1126     \begin{tabular}[t]{c}%
1127     \@author\par
1128     \end{tabular}\par}%
1129     \vskip 1em%
1130     {\small\@date\par}%
1131 \end{center}%
1132 \par
1133 \vskip 1.5em}
1134 \newcommand\standardtitle{\par
1135 \begingroup
1136 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1137 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1138 \long\def\@makefntext##1{\parindent 1em\noindent
1139     \hb@xt@1.8em{%
1140         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1141 \if@twocolumn
1142     \ifnum \col@number=\@ne
1143         \@standardmaketitle
1144     \else
1145         \twocolumn[\@standardmaketitle]%
1146     \fi
1147 \else
1148     \newpage
1149     \global\@topnum\z@    % Prevents figures from going at top of page.
1150     \@standardmaketitle
1151 \fi
1152 \thispagestyle{plain}\@thanks
1153 \endgroup
1154 \setcounter{footnote}{0}%
1155 \global\let\thanks\relax
1156 \global\let\maketitle\relax
1157 \global\let\@standardmaketitle\relax
1158 \global\let\@thanks\@empty
1159 \global\let\@date\@empty

```

```

1160 \global\let\date\relax
1161 \global\let\and\relax}
1162 \def\@standardmaketitle{%
1163 \newpage
1164 \null
1165 \vskip 2em%
1166 \begin{center}%
1167 \let \footnote \thanks
1168 {\LARGE \@title \par}%
1169 \vskip 1.5em%
1170 {\large
1171 \lineskip .5em%
1172 \begin{tabular}[t]{c}%
1173 \@author
1174 \end{tabular}\par}%
1175 \vskip 1em%
1176 {\large \@date}%
1177 \end{center}%
1178 \par
1179 \vskip 1.5em}
1180 \fi

```

## 5.15 Frontispiece

```

1181 \AtBeginDocument{%
1182 \@ifpackagewith{frontespizio}{suftesi}
1183 {\ifsuftesi@periodical
1184 \Margini {5.5cm}{7cm}{4.5cm}{0cm}
1185 \else
1186 \ifsuftesi@compact
1187 \Margini {4.5cm}{7cm}{4.5cm}{0cm}
1188 \else
1189 \ifsuftesi@supercompact
1190 \Margini {4.5cm}{10cm}{6cm}{1cm}

```

```

1191         \else
1192         \fi
1193     \fi
1194 \fi}
1195 {\@ifpackageloaded{frontespizio}
1196     {\ifsuftesi@periodical
1197         \Margini {1cm}{7cm}{5cm}{1cm}
1198     \else
1199     \ifsuftesi@compact
1200         \Margini {1cm}{7cm}{6cm}{1cm}
1201     \else
1202     \ifsuftesi@supercompact
1203         \Margini {1cm}{10cm}{8cm}{1cm}
1204     \else
1205     \fi
1206 \fi
1207 \fi}
1208 {\relax}}

```

theindex

```

1209 \renewenvironment{theindex}
1210     {\if@twocolumn
1211         \@restonecolfalse
1212     \else
1213         \@restonecoltrue
1214     \fi
1215     \ifsuftesi@article
1216     \twocolumn[\section*{\indexname}]%
1217     \else
1218     \twocolumn[\@makeschapterhead{\indexname}]%
1219     \fi
1220     \@mkboth{\indexname}{\indexname}%
1221     \thispagestyle{plain}%
1222     \raggedright%
1223     \parindent\z@

```

```

1224          \parskip\z@ \@plus .3\p@\relax
1225          \columnseprule \z@
1226          \columnsep 35\p@
1227          \let\item\@idxitem}
1228      {\if@restonecol\onecolumn\else\clearpage\fi}

```

## 5.16 Appendix

```

\appendicesname
\appendixpage 1229 \newcommand{\appendicesname}[1]{\def\SUF@appendices{#1}}
1230      \appendicesname{Appendici}
1231      \newcommand{\appendixpage}{\SUF@appendixpage}
1232 \def\SUF@appendixpage{%
1233     \@mainmattertrue
1234     \titlecontents{part}
1235         [0em]
1236         {\addvspace{3ex}}
1237         {}
1238         {}
1239         {}
1240         [\addvspace{1ex}]
1241 \let\contentspage\relax
1242     \cleardoublepage
1243     \thispagestyle{empty}
1244     \addcontentsline{toc}{part}{\SUF@appendices}
1245     \begingroup
1246     \centering
1247     \null\vfil
1248     {\LARGE\SUF@appendices\par}
1249     \vfil
1250 \endgroup
1251     \cleardoublepage
1252 \titlecontents{part}
1253     [0em]

```

```

1254 {\addvspace{3ex}\partname~}
1255 {\makebox[\SUF@label@part][l]{\thecontentslabel}\hspace*{1em}}
1256 {}
1257 {}
1258 [\addvspace{1ex}]
1259 }

```

\appendix

```

1260 \ifsuftesi@sufelements
1261 \renewcommand\appendix{\par
1262   \setcounter{chapter}{0}%
1263   \setcounter{section}{0}%
1264   \gdef\@chapapp{\appendixname}%
1265   \gdef\thechapter{\@Alph@c@chapter}
1266   \titleformat{chapter}[block]
1267     {\vskip-22pt}%
1268     {\small\SUF@titlesmallcaps{\appendixname}~\Alph{chapter}:\hskip.5em}
1269     {0pt}
1270     {\small\SUF@titlesmallcaps}
1271     [\rule{\textwidth}{.4pt}]
1272     \titlespacing*{chapter}{0em}{-16pt}{10pt}[0em]}
1273 \else
1274   \ifsuftesi@article
1275     \renewcommand\appendix{\par
1276       \setcounter{section}{0}%
1277       \setcounter{subsection}{0}%
1278       \gdef\SUF@thesection{\@Alph@c@section}}
1279 \else
1280   \renewcommand\appendix{\par
1281     \setcounter{chapter}{0}%
1282     \setcounter{section}{0}%
1283     \gdef\@chapapp{\appendixname}%
1284     \gdef\thechapter{\@Alph@c@chapter}}
1285 \fi
1286 \fi

```

## 5.17 Headings

```
1287 \RequirePackage{fancyhdr}
1288   \pagestyle{fancy}
1289   \renewcommand{\headrulewidth}{0pt}
1290   \renewcommand{\footnoterule}{}
1291 \def\SUF@versionstring{\texttt{Version of \today}}
```

### The elements headers

```
1292 \ifsufteresi@elementsheader%
1293   \renewcommand{\chaptermark}[1]{\markboth{#1}{#1}}
1294   \renewcommand{\sectionmark}[1]{\markright{#1}}
1295   \fancypagestyle{elements}{%
1296     \setlength{\unitlength}{1pt}
1297     \fancyhf{}
1298     \fancyfoot[LE,RO]{\thepage}
1299     \fancyhead[RO]{%
1300       \begin{picture}(0,0)
1301         \put(0,-104){%
1302           \hskip\marginparsep
1303           \parbox[t]{\marginparwidth}{\itshape\raggedright\leftmark}}}%
1304       \end{picture}}
1305     \fancyhead[LE]{%
1306       \begin{picture}(0,0)
1307         \put(0,-104){%
1308           \hskip-\dimexpr(\marginparwidth+\marginparsep)
1309           \parbox[t]{\marginparwidth}{\itshape\raggedleft\rightmark}}}%
1310       \end{picture}}}%
1311   }%
1312 \else
```

### The default headers

```
1313 \renewcommand{\chaptermark}[1]{%
1314   \markboth{\chaptertitlename\ \SUF@thechapter}{#1}}
```

```

1315 \ifsufteresi@article
1316   \renewcommand{\sectionmark}[1]{\markright{\SUF@thesection.\ #1}}
1317   \else
1318   \renewcommand{\sectionmark}[1]{}
1319 \fi
1320 \fi

```

### The plain style

```

1321 \fancypagestyle{plain}{\fancyhf{}}

```

### The sufplain style

```

1322 \fancypagestyle{sufplain}{%
1323   \fancyhf{}%
1324   \fancyfoot[RE,LO]{%
1325     \ifsufteresi@draftdate\footnotesize\SUF@versionstring\else\fi}
1326   \fancyfoot[C]{\footnotesize\SUF@thepage}}

```

### The centerheader style

```

1327 \fancypagestyle{centerheader}{%
1328   \fancyhf{}%
1329   \fancyfoot[RE,LO]{%
1330     \ifsufteresi@draftdate\footnotesize\SUF@versionstring\else\fi}
1331   \fancyhead[CO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1332   \fancyhead[CE]{\footnotesize\xheadbreakfalse%
1333     \SUF@LR@MarkSwitch}
1334   \fancyfoot[C]{\footnotesize\SUF@thepage}%
1335   }%

```

### The sufdefault style

```

1336 \fancypagestyle{sufdefault}{%
1337   \fancyhf{}%
1338   \fancyfoot[RE,LO]{%

```

```

1339 \ifsufteresi@draftdate\footnotesize\SUF@versionstring\else\fi}
1340 \fancyhead[LE,RO]{\footnotesize\SUF@thepage}
1341 \fancyhead[LO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1342 \fancyhead[RE]{\footnotesize\xheadbreakfalse%
1343 \SUF@LR@MarkSwitch}
1344 }%
1345 %
1346 \ifsufteresi@article
1347 \ifsufteresi@authortitle
1348 \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1349 \else
1350 \def\SUF@LR@MarkSwitch{\SUF@rightmark}
1351 \fi
1352 \else
1353 \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1354 \fi
1355 \def\SUF@leftmark\SUF@rightmark{%
1356 \if@mainmatter\leftmark\else\rightmark\fi}

```

Setting the default page style:

```

1357 \pagestyle{sufdefault}
1358 \ifsufteresi@centerheader\pagestyle{centerheader}\else\fi
1359 \ifsufteresi@sufplain\pagestyle{sufplain}\else\fi
1360 \ifsufteresi@elementsheader\pagestyle{elements}\else\fi

```

## 5.18 Text elements

### 5.18.1 Block Quotations

**quotation** New quotation and quote environments according to a popular Italian style. The font size is the same of the footnotes and the margins are set to \parindent.

```

quote
verse 1361 \renewenvironment{quotation}
1362 {\list{}{\listparindent\parindent%
1363 \itemindent \listparindent

```



```

1364         \leftmargin \parindent
1365         \SUF@quote@style
1366         \parsep \z@ \@plus\p@}%
1367     \item\relax%
1368     \SUF@quotation@size%
1369     \noindent\ignorespaces}
1370 {\endlist}
1371 \renewenvironment{quote}
1372 {\list{}{\leftmargin \parindent
1373 \SUF@quote@style}%
1374 \item\relax%
1375 \SUF@quotation@size}%\ignorespaces?
1376 {\endlist}
1377 \renewenvironment{verse}
1378 {\let\\\@centercr
1379 \list{}{\itemsep \z@
1380 \itemindent -1.5em%
1381 \listparindent\itemindent
1382 \rightmargin \leftmargin
1383 \advance\leftmargin 1.5em}%
1384 \item\relax
1385 \SUF@quotation@size}
1386 {\endlist}

```

**The fewfootnotes option** Enable only with three footnotes per page maximum.

```

1387 \let\oldfootnote\footnote
1388 \ifsuftesi@fewfootnotes
1389 \def\@fnsymbol#1{\ensuremath{\ifcase#1
1390 \or * \or ** \or *** \or\ClassError{suftesi}
1391 {Too many footnotes}\MessageBreak
1392 Remove the class option 'fewfootnote'}
1393 {Too many footnotes}\MessageBreak
1394 Remove the class option 'fewfootnote'}
1395 \else\@ctrerr\fi}}

```

```

1396 \renewcommand{\footnote}[1]{%
1397   \begin{group}
1398     \@addtoreset{footnote}{page}
1399     \renewcommand\thefootnote{\fnsymbol{footnote}}\oldfootnote{#1}
1400   \end{group}
1401 \else\fi

```

`\xfootnote` Prints a footnote with discretionary symbol give in the first argument.

```

1402 \newcommand{\xfootnote}[2]{%
1403   \begin{group}
1404     \addtocounter{footnote}{-1}
1405     \@addtoreset{footnote}{page}
1406     \renewcommand\thefootnote{\ensuremath{#1}}\oldfootnote{#2}
1407   \end{group}

```

## 5.18.2 Marginal notes

`\marginpar` The `\marginpar` command is redefined according to the look of *Classic Thesis* by André Miede (2011). Thanks to Lorenzo Pantieri and Enrico Gregorio.

```

1408 \def\SUF@mpsetup{%

```

In the *Elements* (i.e. with `elements` option) the marginal notes are printed in roman, but I prefer italic shape for the other options:

```

1409   \ifsufteresi@elementsheader\relax
1410   \else\itshape\fi
1411   \footnotesize%
1412   \parindent=0pt \lineskip=0pt \lineskiplimit=0pt %
1413   \tolerance=2000 \hyphenpenalty=300 \exhyphenpenalty=300%
1414   \doublehyphendemerits=100000%
1415   \finalhyphendemerits=\doublehyphendemerits}
1416 \let\oldmarginpar\marginpar
1417 \renewcommand{\marginpar}[1]{\oldmarginpar%
1418   [\SUF@mpsetup\raggedleft\hspace{0pt}{#1}]}%
1419 {\SUF@mpsetup\raggedright\hspace{0pt}{#1}}}

```

### 5.18.3 Abstract

This is the macro that defines the abstract environment in article class. In suftesi it simply prints the abstract name in roman font:

```
1420 \if@titlepage
1421   \newenvironment{abstract}{%
1422     \titlepage
1423     \null\vfil
1424     \@beginparpenalty\@lowpenalty
1425     \begin{center}%
1426       \abstractname
1427     \@endparpenalty\@M
1428   \end{center}}%
1429   {\par\vfil\null\endtitlepage}
1430 \else
1431   \newenvironment{abstract}{%
1432     \if@twocolumn
1433       \section*{\abstractname}%
1434     \else
1435       \small
1436       \begin{center}%
1437         {\abstractname\vspace{-.5em}\vspace{\z@}}%
1438       \end{center}%
1439       \quotation
1440     \fi}
1441   {\if@twocolumn\else\endquotation\fi}
1442 \fi
1443 \newcommand\abstractname{Abstract}
```

### 5.18.4 Colophon

`\colophon` Some useful commands to print a colophon or a copyright notice.

```
1444 \newcommand{\colophon}[3] [] {%
1445   \thispagestyle{empty}
```

```

1446 \null
1447 \vfill
1448 \def\next{#2}
1449 \ifx\next\@empty\else
1450 \noindent Copyright \copyright{} \the\year~#2\\[1ex]
1451 Tutti i diritti riservati
1452 \fi
1453 \vfill
1454 {\small\noindent Questo lavoro \e stato composto con \LaTeX{}}%
1455 \def\next{#1}
1456 \ifx\next\@empty\else su #1
1457 \fi usando la classe \textsf{suftesi} di
1458 Ivan Valbusa\index{Valbusa, Ivan}. #3\par}
1459 \cleardoublepage}

```

\bookcolophon

```

1460 \newcommand{\bookcolophon}[2]{%
1461 \thispagestyle{empty}
1462 \null
1463 \vfill
1464 \noindent #1
1465 \vfill
1466 {\small\noindent #2\par}
1467 \cleardoublepage}

```

\artcolophon

```

1468 \newcommand{\artcolophon}[1]{%
1469 \thispagestyle{empty}
1470 \null
1471 \vfill
1472 {\small\noindent #1\par}}

```

\finalcolophon

```

1473 \newcommand{\finalcolophon}[1]{%
1474 \thispagestyle{empty}
1475 \null\vspace*{\stretch{1}}

```

```

1476 \begin{center}
1477 \begin{minipage}{.5\textwidth}
1478 \centering\small #1
1479 \end{minipage}
1480 \end{center}
1481 \vspace*{\stretch{6}}

```

## 5.19 TOC, LOF, LOT

```

1482 \RequirePackage{titletoc}

\SUFLabel@chapter All the lengths depend on \SUFLabel@chapter so we define this first.
1483 \newlength\SUFLabel@chapter
1484 \setlength\SUFLabel@chapter{.5em}

\toclabelwidth \toclabelwidth is provided to adjust the label width:
1485 \newcommand*{\toclabelwidth}[1]{\setlength\SUFLabel@chapter{#1}}

\SUFL@tochang This macro controls the space between page number and chapter label using the tocpagelleft
option:
1486 \newlength{\SUFL@tochang}
1487 \setlength{\SUFL@tochang}{3em}
1488 \AtBeginDocument{
1489 \newlength\SUFL@label@part
1490 \newlength\SUFL@label@section
1491 \newlength\SUFL@label@subsection
1492 \newlength\SUFL@label@subsubsection
1493 \newlength\SUFL@label@paragraph
1494 \newlength\SUFL@label@subparagraph
1495 \newlength\SUFL@label@figure
1496 \newlength\SUFL@label@table
1497 \setlength\SUFL@label@part
1498 {\SUFL@label@chapter}
1499 \setlength\SUFL@label@section
1500 {\dimexpr(\SUFL@label@chapter+.5em)}
1501 \setlength\SUFL@label@subsection

```

```

1502    {\dimexpr(\SUF@label@section+.5em)}
1503 \setlength\SUF@label@subsubsection
1504    {\dimexpr(\SUF@label@subsection+.5em)}
1505 \setlength\SUF@label@paragraph
1506    {\dimexpr(\SUF@label@subsubsection+.5em)}
1507 \setlength\SUF@label@subparagraph
1508    {\dimexpr(\SUF@label@paragraph+.5em)}
1509 \setlength\SUF@label@figure
1510    {\SUF@label@section}
1511 \setlength\SUF@label@table
1512    {\SUF@label@section}
1513 }

```

Part in article mode

```

1514 \titlecontents{part}
1515    [0em]
1516    {\addvspace{3ex}\partname\hspace*{.5em}}
1517    {\makebox[\SUF@label@part][l]{\thecontentslabel}\hspace*{1em}}
1518    {}
1519    {}
1520    [\addvspace{1ex}]

```

### 5.19.1 The `tocpageleft` table of contents

```

1521 \ifsuftesi@pagelefttoc

```

`\contentsmargin` First we reset the right margin to zero:

```

1522 \contentsmargin{0pt}

```

`\SUF@tochang@<level>`

`\SUF@addto@tochang@<level>`

```

1523 \AtBeginDocument{
1524 \newlength\SUF@tochang@chap
1525 \newlength\SUF@tochang@sec
1526 \newlength\SUF@tochang@subsec
1527 \newlength\SUF@tochang@subsubsec
1528 \newlength\SUF@tochang@par
1529 \newlength\SUF@tochang@subpar

```

```

1530 \newlength\SUF@tochang@fig
1531 \newlength\SUF@tochang@tab
1532 \newlength\SUF@addto@tochang@chap
1533 \newlength\SUF@addto@tochang@sec
1534 \newlength\SUF@addto@tochang@subsec
1535 \newlength\SUF@addto@tochang@subsubsec
1536 \newlength\SUF@addto@tochang@par
1537 \newlength\SUF@addto@tochang@subpar
1538 \newlength\SUF@addto@tochang@fig
1539 \newlength\SUF@addto@tochang@tab
1540 \setlength\SUF@tochang@chap
1541     {\dimexpr(1em+\SUF@tochang+\SUF@label@chapter+1em)}
1542 \setlength\SUF@tochang@sec
1543     {\dimexpr(\SUF@tochang@chap+\SUF@label@section+1em)}
1544 \setlength\SUF@tochang@subsec
1545     {\dimexpr(\SUF@tochang@sec+\SUF@label@subsection+1em)}
1546 \setlength\SUF@tochang@subsubsec
1547     {\dimexpr(\SUF@tochang@subsec+\SUF@label@subsubsection+1em)}
1548 \setlength\SUF@tochang@par
1549     {\dimexpr(\SUF@tochang@subsubsec+\SUF@label@paragraph+1em)}
1550 \setlength\SUF@tochang@subpar
1551     {\dimexpr(\SUF@tochang@par+\SUF@label@subparagraph+1em)}
1552 \setlength\SUF@tochang@fig
1553     {\SUF@tochang@chap}
1554 \setlength\SUF@tochang@tab
1555     {\SUF@tochang@chap}
1556 \setlength\SUF@addto@tochang@chap
1557     {\SUF@tochang}
1558 \setlength\SUF@addto@tochang@sec
1559     {\dimexpr(\SUF@addto@tochang@chap+\SUF@label@section+.5em)}
1560 \setlength\SUF@addto@tochang@subsec
1561     {\dimexpr(\SUF@addto@tochang@sec+\SUF@label@subsection+.5em)}
1562 \setlength\SUF@addto@tochang@subsubsec
1563     {\dimexpr(\SUF@addto@tochang@subsec+\SUF@label@subsubsection+.5em)}

```

```

1564 \setlength\SUF@addto@tochang@par
1565     {\dimexpr(\SUF@addto@tochang@subsubsec+\SUF@label@paragraph+.5em)}
1566 \setlength\SUF@addto@tochang@subpar
1567     {\dimexpr(\SUF@addto@tochang@par+\SUF@label@subparagraph+.5em)}
1568 \setlength\SUF@addto@tochang@fig
1569     {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1570 \setlength\SUF@addto@tochang@tab
1571     {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1572 }

```

### TOC entries

```

1573 \titlecontents{chapter}
1574     [\SUF@tochang@chap]
1575     {\addvspace{2ex}}
1576     {\hskip-\SUF@tochang@chap%
1577      \makebox[1em][l]{\thecontentspage}%
1578      \hskip\SUF@addto@tochang@chap%
1579      \makebox[\SUF@label@chapter][l]{\thecontentslabel}%
1580      \hspace*{1em}}
1581     {\hskip-\SUF@tochang@chap%
1582      \makebox[1em][l]{\thecontentspage}%
1583      \hskip\SUF@addto@tochang@chap}
1584     {}
1585     [\addvspace{1ex}]
1586 \titlecontents{section}
1587     [\SUF@tochang@sec]
1588     {}
1589     {\hskip-\SUF@tochang@sec%
1590      \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1591      \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1592     {\hskip-\SUF@tochang@sec%
1593      \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1594      \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1595     {}
1596 \titlecontents{subsection}

```



```

1597 [\SUF@tochang@subsec]
1598 {}
1599 {\hskip-\SUF@tochang@subsec%
1600 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1601 \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1602 {\hskip-\SUF@tochang@subsec%
1603 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1604 \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1605 {}
1606 \titlecontents{subsubsection}
1607 [\SUF@tochang@subsubsec]
1608 {}
1609 {\hskip-\SUF@tochang@subsubsec%
1610 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1611 \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1612 {\hskip-\SUF@tochang@subsubsec%
1613 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1614 \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1615 {}
1616 \titlecontents{paragraph}
1617 [\SUF@tochang@par]
1618 {}
1619 {\hskip-\SUF@tochang@par%
1620 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1621 \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1622 {\hskip-\SUF@tochang@par%
1623 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1624 \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1625 {}
1626 \titlecontents{subparagraph}
1627 [\SUF@tochang@subpar]
1628 {}
1629 {\hskip-\SUF@tochang@subpar%
1630 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%

```

```

1631 \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1632 {\hskip-\SUF@tochang@subpar%
1633 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1634 \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1635 {}
1636 \titlecontents{figure}
1637 [\SUF@tochang@fig]
1638 {}
1639 {\hskip-\SUF@tochang@fig%
1640 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@fig%
1641 \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1642 {}
1643 {}
1644 \titlecontents{table}
1645 [\SUF@tochang@tab]
1646 {}
1647 {\hskip-\SUF@tochang@tab%
1648 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@tab%
1649 \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1650 {}
1651 {}
1652 \else

```

### 5.19.2 The default table of contents

```

1653 \AtBeginDocument{
1654 \newlength\SUF@tocindent@chap
1655 \newlength\SUF@tocindent@sec
1656 \newlength\SUF@tocindent@subsec
1657 \newlength\SUF@tocindent@subsubsec
1658 \newlength\SUF@tocindent@par
1659 \newlength\SUF@tocindent@subpar
1660 \newlength\SUF@tocindent@fig
1661 \newlength\SUF@tocindent@tab

```

```

1662 \setlength\SUF@tocindent@chap
1663     {\dimexpr(\SUF@label@chapter+1em)}
1664 \setlength\SUF@tocindent@sec
1665     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section+1em)}
1666 \setlength\SUF@tocindent@subsec
1667     {\dimexpr(\SUF@tocindent@sec+\SUF@label@subsection+1em)}
1668 \setlength\SUF@tocindent@subsubsec
1669     {\dimexpr(\SUF@tocindent@subsec+\SUF@label@subsubsection+1em)}
1670 \setlength\SUF@tocindent@par
1671     {\dimexpr(\SUF@tocindent@subsubsec+\SUF@label@paragraph+1em)}
1672 \setlength\SUF@tocindent@subpar
1673     {\dimexpr(\SUF@tocindent@par+\SUF@label@subparagraph+1em)}
1674 \setlength\SUF@tocindent@fig
1675     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1676 \setlength\SUF@tocindent@tab
1677     {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1678 }

```

## TOC entries

```

1679 \titlecontents{chapter}
1680     [\SUF@tocindent@chap]
1681     {\addvspace{2ex}}
1682     {\hskip-\SUF@tocindent@chap%
1683         \makebox[\SUF@label@chapter][l]{\thecontentslabel}%
1684         \hspace*{1em}}
1685     {\hskip-\SUF@tocindent@chap}
1686     {\SUF@chaptitlerule\contentspage}
1687     [\addvspace{1ex}]
1688 \titlecontents{section}
1689     [\SUF@tocindent@sec]
1690     {}
1691     {\hskip-\dimexpr(\SUF@label@section+1em)%
1692         \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1693     {\hskip-\dimexpr(\SUF@label@section+1em)%
1694         \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}

```

```

1695 {\ifsuftesi@article\SUF@chaptitlerule%
1696     \else\SUF@titlerule\fi\contentspage}
1697 \titlecontents{subsection}
1698   [\SUF@tocindent@subsec]
1699   {}
1700   {\hskip-\dimexpr(\SUF@label@subsection+1em)%
1701     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1702   {\hskip-\dimexpr(\SUF@label@subsection+1em)%
1703     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1704   {\SUF@titlerule\contentspage}
1705 \titlecontents{subsubsection}
1706   [\SUF@tocindent@subsubsec]
1707   {}
1708   {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1709     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1710   {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1711     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1712   {\SUF@titlerule\contentspage}
1713 \titlecontents{paragraph}
1714   [\SUF@tocindent@par]
1715   {}
1716   {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1717     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1718   {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1719     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1720   {\SUF@titlerule\contentspage}
1721 \titlecontents{subparagraph}
1722   [\SUF@tocindent@subpar]
1723   {}
1724   {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1725     \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1726   {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1727     \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1728   {\SUF@titlerule\contentspage}

```

```

1729 \titlecontents{figure}
1730   [\SUF@tocindent@fig]
1731   {}
1732   {\hskip-\SUF@tocindent@fig%
1733     \makebox[\SUF@label@figure] [1]{\thecontentslabel}\hspace*{1em}}
1734   {}
1735   {\SUF@titlerule\contentspage}
1736 \titlecontents{table}
1737   [\SUF@tocindent@tab]
1738   {}
1739   {\hskip-\SUF@tocindent@tab%
1740     \makebox[\SUF@label@table] [1]{\thecontentslabel}\hspace*{1em}}
1741   {}
1742   {\SUF@titlerule\contentspage}
1743 \fi

\tableofcontents With article option the toc, lof and lot are printed as sections.
\listoffigures 1744 \ifsuftesi@article
\listoftables 1745 \renewcommand\tableofcontents{%
1746   \vspace{2ex}%
1747   \section*{\contentsname%
1748     \@mkboth{\contentsname}{\contentsname}}%
1749   \thispagestyle{empty}
1750   \@starttoc{toc}%
1751   \vspace{2ex}%
1752   }
1753 \renewcommand\listoffigures{%
1754   \section*{\listfigurename%
1755     \@mkboth{\listfigurename}{\listfigurename}}%
1756   \thispagestyle{empty}
1757   \@starttoc{lof}%
1758   \vspace{2ex}%
1759   }
1760 \renewcommand\listoftables{%
1761   \section*{\listtablename%

```

```

1762         \@mkboth{\listtablename}{\listtablename}}%
1763         \thispagestyle{empty}
1764     \@starttoc{lot}%
1765     \vspace{2ex}%
1766 }
1767 \else

```

The default toc, lof and lot are treated as chapters.

```

1768 \renewcommand\tableofcontents{%
1769     \if@twocolumn
1770         \@restonecoltrue\onecolumn
1771     \else
1772         \@restonecolfalse
1773     \fi
1774     \chapter*{\contentsname%
1775         \@mkboth{%
1776             \contentsname}
1777         {\contentsname}}%
1778     \thispagestyle{empty}
1779     \@starttoc{toc}%
1780     \if@restonecol\twocolumn\fi
1781 }
1782 \renewcommand\listoffigures{%
1783     \if@twocolumn
1784         \@restonecoltrue\onecolumn
1785     \else
1786         \@restonecolfalse
1787     \fi
1788     \chapter*{\listfigurename%
1789         \@mkboth{\listfigurename}%
1790         {\listfigurename}}%
1791     \thispagestyle{empty}
1792     \@starttoc{lof}%
1793     \if@restonecol\twocolumn\fi
1794 }

```

```

1795 \renewcommand\listoftables{%
1796     \if@twocolumn
1797         \@restonecoltrue\onecolumn
1798     \else
1799         \@restonecolfalse
1800     \fi
1801     \chapter*{\listtablename%
1802         \@mkboth{%
1803             \listtablename}%
1804             {\listtablename}}%
1805     \thispagestyle{empty}
1806     \@starttoc{lot}%
1807     \if@restonecol\twocolumn\fi
1808 }
1809 \fi

```

## 5.20 New commands

`\chapterintro` A command to typeset an unnumbered section:

```

1810 \ifsuftesi@article
1811 \def\chapterintro{%
1812 \ClassError{suftesi}
1813 {Command \noexpand\chapterintro is undefined\MessageBreak
1814 using 'documentstructure=article'}
1815 {Command \noexpand\chapterintro is undefined\MessageBreak
1816 using 'documentstructure=article'}}
1817 \else
1818 \def\chapterintro{
1819     \@ifstar{\@tempswafalse\@chapterintro}{\@tempwattrue\@chapterintro}}
1820 \def\@chapterintro{\phantomsection
1821     \if@tempswa\section*{\SUF@fchapterintriname}\fi
1822     \addcontentsline{toc}{section}{\SUF@fchapterintriname}}
1823 \newcommand{\chapterintriname}[1]{\def\SUF@fchapterintriname{#1}}
1824 \chapterintriname{Introduzione}

```

```

1825 \fi

\headbreak Active in the table of contents but not in the text.
1826 \newif\ifheadbreak\headbreakfalse
1827 \DeclareRobustCommand{\headbreak}
1828   {\ifheadbreak\\\else\fi}

\xheadbreak Active in the text but not in the table of contents.
1829 \newif\ifxheadbreak\xheadbreaktrue
1830 \DeclareRobustCommand{\xheadbreak}
1831   {\ifxheadbreak\\\else\fi}

\tableofcontents

1832 \let\origtableofcontents\tableofcontents
1833 \renewcommand{\tableofcontents}{%
1834   \begingroup\headbreaktrue\xheadbreakfalse%
1835   \origtableofcontents\endgroup}

Renew \frontmatter to have arabic page numbering:
1836 \ifsuftesi@article
1837 \renewcommand\frontmatter{\ClassError{suftesi}
1838   {Command \noexpand\frontmatter is undefined\MessageBreak
1839     using 'documentstructure=article'}}
1840 {Command \noexpand\frontmatter is undefined\MessageBreak
1841   using 'documentstructure=article'}}
1842 \renewcommand\mainmatter{\ClassError{suftesi}
1843   {Command \noexpand\mainmatter is undefined\MessageBreak
1844     using 'documentstructure=article'}}
1845 {Command \noexpand\mainmatter is undefined\MessageBreak
1846   using 'documentstructure=article'}}
1847 \renewcommand\backmatter{\ClassError{suftesi}
1848   {Command \noexpand\backmatter is undefined\MessageBreak
1849     using 'documentstructure=article'}}
1850 {Command \noexpand\backmatter is undefined\MessageBreak
1851   using 'documentstructure=article'}}
1852 \else

```



```

1853 \renewcommand\frontmatter{\cleardoublepage\@mainmatterfalse}
1854 \renewcommand\mainmatter{\cleardoublepage\@mainmattertrue}
1855 \fi

```

## 5.21 Backward compatibility

**bibliografia** An environment to manually typeset the bibliography. (Use biblatex instead!)

```

1856 \newenvironment{bibliografia}{%
1857   \ifsuftesi@article
1858     \section*{\refname}
1859     \addcontentsline{toc}{section}{\refname}
1860   \else
1861     \chapter{\bibname}%
1862   \fi
1863   \normalfont \list{}{%
1864     \setlength{\itemindent}{-\parindent}
1865     \setlength{\leftmargin}{\parindent}
1866     \setlength{\labelwidth}{\leftmargin}
1867     \setlength{\parsep}{\parskip}
1868     \let\makelabel}}
1869 {\endlist}

```

**sigle** An environment to manually typeset the list of shorthands. (Use biblatex instead!)

```

1870 \newcommand{\losname}{Sigle}
1871 \newcommand{\itlabel}[1]{\itshape\hbox to 6em{#1}}
1872 \newenvironment{sigle}{%
1873   \chapter{\losname}
1874   \normalfont \list{}{%
1875     \setlength{\labelsep}{0.5em}
1876     \setlength{\itemindent}{0pt}
1877     \setlength{\leftmargin}{6em}
1878     \setlength{\labelwidth}{\leftmargin}
1879     \setlength{\listparindent}{\parindent}
1880     \setlength{\parsep}{\parskip}

```

```

1881      \let\makelabel\itlabel}}
1882  {\endlist}

```

`\hemph` In a previous version the `\hemph` command was provided to fix a bug in the hyphenation of some italian expressions like “dell’*encyclopaedia*”. The bug has been fixed by Claudio Beccari so the `\hemph` command is provided only for backward compatibility:

```

1883 \let\hemph\emph

```

## 5.22 Final settings

The first line of all sections is indented by default using  $\text{\LaTeX}$  with italian as main language. Anyway this is incongruous with the  $\text{\TeX}$  default.

```

1884 \ifxetex\let\@afterindenttrue\@afterindentfalse\else\fi

```

Just one touch of french typography:

```

1885 \frenchspacing

```

</class>

# Change History

v0.5	General: First public release. The frontispiece of <code>suftesi</code> is now included in the package <code>frontespizio</code> . New option <code>fullplain</code> Changed option <code>sctitles</code> . . . . . 1		
	New command <code>chapnumfont</code> . . . . . 18		
	New option <code>compact</code> . . . . . 20		
	New option <code>elements</code> . . . . . 20		
	New option <code>nocrop</code> . . . . . 20		
	New option <code>nomarginpar</code> . . . . . 20		
	New option <code>sufelements</code> . . . . . 20		
	New option <code>supercompact</code> . . . . . 20		
v0.6	General: English documentation. Renamed options <code>plain</code> and <code>fullplain</code> to <code>centerheadings</code> and <code>sufplain</code> . . . . 1		
	New command <code>\artcolophon</code> . . . . . 17		
	New command <code>\bookcolophon</code> . . . . . 17		
	New option <code>authortitle</code> . . . . . 19		
v0.6a	General: Maintenance release, no changes . . . . . 1		
v0.6b	General: Improved full compatibility with $\text{\LaTeX}$ <code>varioref</code> and <code>footmisc</code> packages are no longer loaded . . . . . 1		
v0.6c	General: Maintenance release, no changes . . . . . 1		
v0.7	General: Maintenance release, no changes. Provided a thesis template . . . . . 1		
v0.8	General: Added macro for using <code>frontespizio</code> package with <code>compact</code> and <code>supercompact</code> options. . . . . 1		
	New option <code>periodical</code> . . . . . 20		
	Renewed <code>\title</code> command . . . . . 16		
v0.9	General: Improved compatibility with <code>mathspec</code> . . . . . 1		
	New option <code>dottedtoc</code> . . . . . 20		
	New option <code>raggedtoc</code> . . . . . 20		
v0.9a	General: Added inline option to <code>enumitem</code> package. Deleted <code>centertitle</code> option. Deleted <code>sctitles</code> option. Changed code for <code>toc</code> , <code>lot</code> and <code>lof</code> elements. . . . . 1		
	New command <code>\toclabelspace</code> . . . . . 18		
	New option <code>alignlist</code> . . . . . 19		
	New option <code>centerchap</code> . . . . . 19		
	New option <code>centerpart</code> . . . . . 19		
	New option <code>centersec</code> . . . . . 19		
	New option <code>defaultparindent</code> . . . . . 19		
	New option <code>dottedchap</code> . . . . . 19		
	New option <code>dottedfootnote</code> . . . . . 19		
	New option <code>dottedpart</code> . . . . . 20		
	New option <code>indentlist</code> . . . . . 19		
	New option <code>italicchap</code> . . . . . 19		
	New option <code>italicheader</code> . . . . . 19		
	New option <code>italicpart</code> . . . . . 19		
	New option <code>italicsec</code> . . . . . 19		
	New option <code>italicsubsec</code> . . . . . 19		
	New option <code>itstyle(1-12)</code> . . . . . 20		
	New option <code>numparchap</code> . . . . . 19		
	New option <code>numparpart</code> . . . . . 19		
	New option <code>numparsec</code> . . . . . 19		
	New option <code>ralignquotation</code> . . . . . 19		
	New option <code>rightchap</code> . . . . . 19		
	New option <code>rightpart</code> . . . . . 19		

New option <code>rightsec</code> .....	19	New option <code>greekfont</code> .....	11
New option <code>rmstyle(1-6)</code> .....	20	New option <code>pagestyle</code> .....	6
New option <code>romanchap</code> .....	19	New option <code>parindent</code> .....	14
New option <code>scstyle(1-12)</code> .....	20	New option <code>partpage</code> .....	14
New option <code>smallcapschap</code> .....	19	New option <code>quotationfont</code> .....	10
New option <code>smallcapsheader</code> .....	20	New option <code>quotestyle</code> .....	10
New option <code>smallcapspart</code> .....	19	New option <code>tocstyle</code> .....	9
New option <code>smallcapssec</code> .....	19	Restored 11pt and 12pt option to default .....	1
New option <code>smallquotation</code> .....	19	The <code>epigraph</code> package is no longer loaded .....	4
New option <code>standardfootnote</code> .....	20	The <code>mparhack</code> package is no longer loaded. It is not compatible with <code>crop</code> .....	4
New option <code>tocpageleft</code> .....	20		
<b>v0.9b</b>		<b>v0.9c</b>	
General: Changed <code>standardfootnote</code> option and renamed to <code>footnotestyle</code> .....	10	General: Maintenance release, no changes .....	1
New command <code>\xfootnote</code> .....	19	<b>v1.0</b>	
New option <code>documentstructure</code> .....	6	General: First stable release. Renamed option <code>bozza</code> to <code>draftdate</code> .....	14
New option <code>fewfootnotes</code> .....	11		

## Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

<b>Symbols</b>	<code>\@centercr</code> .....	1378	<code>\@idxitem</code> .....	1227
<code>\@Alph</code> .....	<code>\@chapapp</code> .....	1264, 1283	<code>\@ifpackageloaded</code> .....	927, 959, 1195
<code>\@M</code> .....	<code>\@chapterintro</code> .....	1819, 1820	<code>\@ifpackagewith</code> .....	1182
<code>\@addtoreset</code> .....	<code>\@ctrerr</code> .....	1395	<code>\@ifstar</code> .....	1819
<code>\@afterindentfalse</code> .....	<code>\@date</code> .....	1036, 1045, 1063, 1072, 1101, 1130, 1159, 1176	<code>\@lowpenalty</code> .....	1424
<code>\@afterindenttrue</code> .....	<code>\@dblarg</code> .....	993	<code>\@mainmatterfalse</code> .....	1853
<code>\@arabic</code> .....	<code>\@endparpenalty</code> .....	1427	<code>\@mainmattertrue</code> .....	1233, 1854
<code>\@author</code> .....	<code>\@fnsymbol</code> .....	1012, 1078, 1136, 1389	<code>\@makefnmark</code> .....	1079, 1137
305, 309, 1003, 1033, 1060, 1127, 1173	<code>\@headtitle</code> .....	304, 308, 992, 995	<code>\@makefntext</code> .....	374, 377, 381, 384, 1080, 1138
<code>\@beginparpenalty</code> .....			<code>\@makeschapterhead</code> .....	1218

\@maketitle	1085, 1087, 1092, 1099, 1104	\appendixpage	1231	\chaptertitlename	1314
\@mkboth	1220,	\arabic	230,	\ClassError	
	1748, 1755, 1762, 1775, 1789, 1802		239, 251, 260, 272, 281, 336, 343, 350	..	859, 1390, 1812, 1837, 1842, 1847
\@plus	1224, 1366	\art@scale	646, 655, 657	\ClassWarningNoLine	
\@restonecolfalse	1211, 1772, 1786, 1799	\artcolophon	1468	...	32, 34, 36, 38, 40, 996, 1000, 1004
\@restonecoltrue	1213, 1770, 1784, 1797	\AtBeginDocument	633,	\cleardoublepage	
\@standardmaketitle			668, 926, 958, 1181, 1488, 1523, 1653	..	1242, 1251, 1459, 1467, 1853, 1854
.....	1143, 1145, 1150, 1157, 1162	\author	1005	\clearpage	1228
\@starttoc				\cmdSUF@elements@chapposition	..
..	1750, 1757, 1764, 1779, 1792, 1806			.....	706, 714
\@tempswafalse	1819	<b>B</b>		\cmdSUF@elements@chapsize	.. 704, 713
\@tempswatrue	1819	\backmatter	1847, 1848, 1850	\col@number	1084, 1142
\@textsuperscript	1079, 1082, 1137, 1140	\baselineskip	685,	\colophon	1444
\@thanks	1038, 1044,		734, 740, 757, 815, 819, 823, 827, 830	\columnsep	1226
	1065, 1071, 1094, 1100, 1152, 1158	bibliografia (environment)	1856	\columnseprule	1225
\@thefnmark	375,	\bibname	960, 966, 974, 1861	\contentsmargin	1522
	379, 382, 385, 1079, 1082, 1137, 1140	\bookcolophon	1460	\contentsname	1747, 1748, 1774, 1776, 1777
\@title	992, 999, 1018, 1022, 1024, 1027,	<b>C</b>		\contentspage	.. 1241, 1686, 1696,
	1055, 1112, 1116, 1118, 1121, 1168	\c@chapter	1265, 1284	1704, 1712, 1720, 1728, 1735, 1742	
\@titlepagefalse	50, 473	\c@footnote	1012, 1078, 1136	\copyright	1450
\@titlepagetrue	471	\c@paragraph	873	\csname	994
\@topnum	1091, 1149	\c@section	867, 1278		
		\c@subparagraph	875	<b>D</b>	
		\c@subsection	869	\date	1046, 1073, 1102, 1160
		\c@subsubsection	871	\DeclareFontFamily	656
\_	417, 1314, 1316	\captionsetup	398, 400, 401	\DeclareFontShape	657–666
<b>A</b>		\chapnumfont	691, 693, 699, 701	\DeclareRobustCommand	.. 57, 68, 80,
\abstractname	.. 1426, 1433, 1437, 1443	\chapter	708, 744, 750, 815, 819,	92, 669, 687, 689, 695, 697, 1827, 1830	
\addfontfeature	688, 690		823, 827, 830, 840, 841, 844, 845,	\DeclareTextFontCommand	671
\Alph	1268		848, 849, 851, 853, 859, 860, 862,	\defbibheading	.. 928, 931, 934,
\alph	337, 344, 351		961, 964, 967, 971, 975, 978, 1266,	938, 942, 945, 948, 950, 953, 960,	
\and	1047, 1074, 1103, 1161		1272, 1774, 1788, 1801, 1861, 1873	963, 966, 970, 974, 977, 980, 983, 987	
\appendicesname	1229, 1230	\chapterintro	.. 1811, 1813, 1815, 1818	\define@choicekey	.. 45, 54, 115, 133,
\appendix	1261, 1275, 1280	\chapterintroname	1823, 1824	153, 171, 179, 187, 195, 203, 211,	
\appendixname	1264, 1268, 1283	\chaptermark	1293, 1313		

219, 227, 248, 269, 290, 314, 333, 357, 364, 371, 387, 395, 404, 410, 426, 433, 443, 450, 456, 462, 468, 475	\fnsymbol ..... 1399	\if@titlepage ..... 1007, 1420
\definecolor ..... 622, 623	\font ..... 644, 648, 651	\if@twocolumn ..... 1083, 1141, 1210, 1432, 1441, 1769, 1783, 1796
\dimen ..... 652–654	\fontencoding ..... 633	\ifheadbreak ..... 1826, 1828
\dimen@ ..... 645, 646, 649, 654, 655	\fontfamily ..... 700	\ifsuftesi@article 6, 765, 773, 858, 925, 1020, 1114, 1215, 1274, 1315, 1346, 1695, 1744, 1810, 1836, 1857
\disable@keys ..... 551, 559	\fontspec ..... 693	\ifsuftesi@authortitle ..... 7, 1347
\doublehyphendemerits .... 1414, 1415	\footnote 1011, 1051, 1109, 1167, 1387, 1396	\ifsuftesi@centerheader ..... 4, 1358
	\footnoterule ..... 1010, 1050, 1290	\ifsuftesi@compact 9, 818, 843, 1186, 1199
	\footnotesize ..... 367, 417, 1009, 1049, 1325, 1326, 1330–1332, 1334, 1339–1342, 1411	\ifsuftesi@dottedtoc ..... 13
	\frenchspacing ..... 1885	\ifsuftesi@draftdate ..... ..... 28, 1325, 1330, 1339
<b>E</b>	\frontmatter .... 1837, 1838, 1840, 1853	\ifsuftesi@elementschap ..... 24, 810
\emph ..... 1883		\ifsuftesi@elementsheader ..... ..... 25, 1292, 1360, 1409
\endcsname ..... 994	<b>G</b>	\ifsuftesi@elementspagelayout 27, 826
\endlist ... 1370, 1376, 1386, 1869, 1882	\gdef ... 992, 1264, 1265, 1278, 1283, 1284	\ifsuftesi@elementsstructure ... 26
\endquotation ..... 1441	\global ..... 1042–1047, 1069–1074, 1091, 1097–1103, 1149, 1155–1161	\ifsuftesi@fewfootnotes .... 29, 1388
\ensuremath ..... 1389, 1406	\greektext ..... 669, 671	\ifsuftesi@nocrop ..... 12, 673
environments:	Gregorio, Enrico ..... 100	\ifsuftesi@numparchap ... 17, 743, 756
bibliografia ..... 1856		\ifsuftesi@numparpart ... 16, 882, 896
sigle ..... 1870		\ifsuftesi@numparsec ..... 18, 762
theindex ..... 1209		\ifsuftesi@numparsubsec ..... 19, 779
\ExecuteOptionsX ..... 562	<b>H</b>	\ifsuftesi@numparsubsubsec .. 20, 794
\exhyphenpenalty ..... 1413	\hb@xt@ ..... 1081, 1139	\ifsuftesi@pagelefttoc ..... 15, 1521
\extramarks ..... 724	\headbreak ..... 1827	\ifsuftesi@partpage ..... 30, 876
	\headbreakfalse ..... 1826	\ifsuftesi@periodical ..... ..... 8, 814, 839, 1183, 1196
<b>F</b>	\headbreaktrue ..... 1834	\ifsuftesi@porson ..... 3, 642
\f@series ..... 670	\headrulewidth ..... 1289	\ifsuftesi@raggedtoc ..... 14
\f@shape ..... 670	\hemph ..... 1883	\ifsuftesi@smallcapschap 22, 1017, 1111
\fancyfoot ..... .. 1298, 1324, 1326, 1329, 1334, 1338	\hss ..... 1082, 1140	\ifsuftesi@smallcapspart ..... 21
\fancyhead ..... . 1299, 1305, 1331, 1332, 1340–1342	\ht ..... 645, 649, 652	\ifsuftesi@smallcapssec 23, 1021, 1115
\fancyhf ... 1297, 1321, 1323, 1328, 1337	\hyphenpenalty ..... 1413	
\fancypagestyle ..... ..... 1295, 1321, 1322, 1327, 1336	<b>I</b>	
\finalcolophon ..... 1473	\if@mainmatter ..... 1356	
\finalhyphendemerits ..... 1415	\if@restonecol .. 1228, 1780, 1793, 1807	
	\if@tempswa ..... 1821	

<code>\ifsufteresi@standardfont</code> .....	2, 634	<code>\listoftables</code> .....	1760, 1795	359, 364, 366, 371, 373, 387, 389,
<code>\ifsufteresi@sufelements</code> .....	11, 1260	<code>\listparindent</code> ..	1362, 1363, 1381, 1879	395, 397, 404, 406, 410, 412, 426,
<code>\ifsufteresi@sufplain</code> .....	5, 1359	<code>\listtablename</code> .....		428, 433, 435, 443, 445, 450, 451,
<code>\ifsufteresi@supercompact</code> .....		.....	1761, 1762, 1801, 1803, 1804	456, 458, 462, 464, 468, 470, 475, 483
.....	10, 822, 847, 1189, 1202	<code>\LoadClass</code> .....	44	
<code>\ifxetex</code> .....	628, 686, 1884	<code>\losname</code> .....	931,	<b>O</b>
<code>\ifxheadbreak</code> .....	1829, 1831	938, 945, 963, 970, 977, 1870, 1873		<code>\oldfootnote</code> .....
<code>\ignorespaces</code> .....	1369, 1375			1387, 1399, 1406
<code>\index</code> .....	1458	<b>M</b>		<code>\oldmarginpar</code> .....
<code>\indexname</code> .....	1216, 1218, 1220	<code>\mainmatter</code> .....	1842, 1843, 1845, 1854	1416, 1417
<code>\item</code> .....	1227, 1367, 1374, 1384	<code>\makelabel</code> .....	1868, 1881	<code>\onecolumn</code> .....
<code>\itemindent</code> .....	1363, 1380, 1381, 1864, 1876	<code>\MakeTextLowercase</code> ..	688, 690, 696, 698	1228, 1770, 1784, 1797
<code>\itemsep</code> .....	1379	<code>\maketitle</code> .....		<code>\origtableofcontents</code> .....
<code>\itlabel</code> .....	1871, 1881	..	1008, 1043, 1070, 1076, 1098, 1156	1832, 1835
<code>\itshape</code> .....		<code>\Margini</code> .....	1184, 1187, 1190, 1197, 1200, 1203	
191, 199, 207, 215, 223, 321, 322,		<code>\marginpar</code> .....	408, 1416, 1417	<b>P</b>
332, 730, 915, 1303, 1309, 1410, 1871		<code>\marginparsep</code> .....	715, 1302, 1308	<code>\p@</code> .....
		<code>\marginparwidth</code> .....	1303, 1308, 1309	645, 649,
		<code>\markboth</code> .....	930, 933, 937,	652–654, 1014, 1053, 1224, 1226, 1366
		941, 962, 965, 969, 973, 1293, 1314		<code>\pagestyle</code> .....
<b>L</b>		<code>\markright</code> .....	944,	1288, 1357–1360
<code>\labelitemi</code> .....	330	947, 976, 979, 982, 986, 1294, 1316		Pantieri, Lorenzo .....
<code>\labelsep</code> .....	1875	Miede, André .....	100	100
<code>\labelwidth</code> .....	1866, 1878			<code>\paragraph</code> .....
<code>\LARGE</code> .....	1055, 1168, 1248			911, 917
<code>\Large</code> .....	57, 709	<b>N</b>		<code>\parsep</code> .....
<code>\LaTeX</code> .....	1454	<code>\newlength</code> .....	684, 1483, 1486,	1366, 1867, 1880
<code>\leftmargin</code> .....	1364, 1372,	1489–1496, 1524–1539, 1654–1661		<code>\parskip</code> .....
1382, 1383, 1865, 1866, 1877, 1878		<code>\noindent</code> .....	1080, 1138,	1224, 1867, 1880
<code>\leftmark</code> .....	1303, 1356	1369, 1450, 1454, 1464, 1466, 1472		<code>\part</code> .....
<code>\leftskip</code> .....	378	Nowacki, Janusz M. ....	5	879, 880, 883, 889, 897, 903
<code>\lineskip</code> ..	1031, 1058, 1125, 1171, 1412	<code>\nr</code> ..	45, 47, 54, 56, 115, 117, 133, 135, 153,	<code>\partname</code> ..
<code>\lineskiplimit</code> .....	1412	155, 171, 172, 179, 180, 187, 188,		885, 891, 899, 905, 1254, 1516
<code>\list</code> .....	1362, 1372, 1379, 1863, 1874	195, 196, 203, 204, 211, 212, 219,		<code>\PassOptionsToClass</code> .....
<code>\listfigurename</code> ..	1754, 1755, 1788–1790	220, 227, 229, 248, 250, 269, 271,		41
<code>\listoffigures</code> .....	1753, 1782	290, 293, 314, 316, 333, 335, 357,		<code>\phantomsection</code> .....
				1820
				<code>\ProcessOptionsX</code> .....
				588
				<code>\protect</code> .....
				996, 1000, 1004
				<code>\put</code> .....
				714, 1301, 1307
				<b>Q</b>
				<code>\quotation</code> .....
				1439
				<b>R</b>
				<code>\raggedleft</code> .....
				1309, 1418
				<code>\raggedright</code> .....
				1222, 1303, 1419
				<code>\refname</code> .....
				928, 934, 942, 948,
				950, 953, 980, 983, 987, 1858, 1859

<code>\renewenvironment</code>	1209, 1361, 1371, 1377	<code>\standardtitle</code>	1048, 1134	<code>\SUF@dotchap</code>	252, 255, 258, 261, 264, 267, 746, 752
<code>\rightmargin</code>	360, 1382	<code>\strip@pt</code>	646, 655	<code>\SUF@dotpart</code>	231, 234,
<code>\rightmark</code>	294, 298, 1309, 1356	<code>\subparagraph</code>	918, 924		237, 240, 243, 246, 885, 891, 899, 905
<code>\rlap</code>	1079, 1137	<code>\subsection</code>	729,	<code>\SUF@dotsec</code>	273, 276, 279, 282, 285, 288, 766, 774
<code>\Roman</code>	236, 245, 257, 266, 278, 287		734, 780, 785, 787, 792, 949, 951, 954	<code>\SUF@elements@CHAPTER</code>	707, 812
<code>\roman</code>	233,	<code>\subsubsection</code>	735, 740, 795, 800, 802, 807	<code>\SUF@elements@SECTIONS</code>	722, 813
	242, 254, 263, 275, 284, 338, 345, 352	<code>\SUF@addto@tochang@chap</code>	1532,	<code>\SUF@fchapterintroname</code>	1821–1823
<code>\rule</code>	720, 1271		1556, 1559, 1569, 1571, 1578, 1583	<code>\SUF@greekfamily</code>	436, 438, 441, 670
<b>S</b>					
<code>\sbox</code>	643, 644, 647, 648, 650, 651	<code>\SUF@addto@tochang@fig</code>	1538, 1568, 1640	<code>\SUF@headingsmallcaps</code>	325–327, 689, 697
<code>\section</code>	723, 728,	<code>\SUF@addto@tochang@par</code>	1536, 1564, 1567, 1620, 1623	<code>\SUF@label@chapter</code>	1483–
	763, 769, 771, 777, 929, 932, 935,		1533, 1558, 1561, 1590, 1593		1485, 1498, 1500, 1541, 1569,
	939, 943, 946, 981, 984, 988, 1216,	<code>\SUF@addto@tochang@subpar</code>	1537, 1566, 1630, 1633	<code>\SUF@label@figure</code>	1495, 1509, 1733
	1433, 1747, 1754, 1761, 1821, 1858		1534, 1560, 1563, 1600, 1603	<code>\SUF@label@paragraph</code>	1493, 1505, 1508, 1549,
<code>\sectionmark</code>	1294, 1316, 1318	<code>\SUF@addto@tochang@subsubsec</code>	1535, 1562, 1565, 1610, 1613		1565, 1621, 1624, 1671, 1716–1719
<code>\sectionsep</code>	684, 685, 769,		1539, 1570, 1648	<code>\SUF@label@part</code>	1255, 1489, 1497, 1517
	777, 785, 792, 800, 807, 880, 917, 924	<code>\SUF@ADJnumparchap</code>	757, 759, 840, 844, 848, 852	<code>\SUF@label@section</code>	1490, 1499, 1502, 1510, 1512,
<code>\setlength</code>	446, 448,	<code>\SUF@appendices</code>	1229, 1244, 1248		1543, 1559, 1569, 1571, 1591,
	685, 711, 1296, 1484, 1485, 1487,	<code>\SUF@appendixpage</code>	1231, 1232	<code>\SUF@label@subparagraph</code>	1594, 1665, 1675, 1677, 1691–1694
	1497, 1499, 1501, 1503, 1505,	<code>\SUF@CHAP@StyleSwitch</code>	197, 199, 201, 748, 754		1494, 1507, 1551,
	1507, 1509, 1511, 1540, 1542,		692, 700, 712	<code>\SUF@label@subsection</code>	1567, 1631, 1634, 1673, 1724–1727
	1544, 1546, 1548, 1550, 1552,	<code>\SUF@chapnumfont</code>	57, 68, 80, 92, 745,		1491, 1501, 1504, 1545,
	1554, 1556, 1558, 1560, 1562,	<code>\SUF@chaptersize</code>	751, 884, 890, 898, 904, 1016, 1110	<code>\SUF@label@subsubsection</code>	1561, 1601, 1604, 1667, 1700–1703
	1564, 1566, 1568, 1570, 1662,	<code>\SUF@chaptitlerule</code>	414, 418, 422, 1686, 1695		1492, 1503, 1506, 1547,
	1664, 1666, 1668, 1670, 1672,		742, 837	<code>\SUF@label@table</code>	1496, 1511, 1641, 1649, 1740
	1674, 1676, 1864–1867, 1875–1880	<code>\SUF@default@CHAPTER</code>	761, 838		
<code>\setlist</code>	331, 332, 336–341, 343–348, 350–355	<code>\SUF@default@SECTIONS</code>			
<code>\sfdefault</code>	640				
<code>\single (environment)</code>	1870				
<code>\small</code>	369, 1009, 1031,				
	1036, 1049, 1125, 1130, 1268,				
	1270, 1435, 1454, 1466, 1472, 1478				



\SUF@leftmark .....	\SUF@thechapter .....	\SUF@tocindent@sec .....
..... 295, 299, 305, 309, 1348, 1353	251, 254,	..... 1655, 1664, 1667, 1689
\SUF@leftrightmark .... 295, 299, 1355	257, 260, 263, 266, 716, 746, 752, 1314	\SUF@tocindent@subpar 1659, 1672, 1722
\SUF@Lheadstyle .....	\SUF@thepage .....	\SUF@tocindent@subsec .....
... 295, 299, 305, 309, 318, 322, 326	.... 319, 323, 327, 1326, 1334, 1340	..... 1656, 1666, 1669, 1698
\SUF@lr@CHAPSwitch .....	\SUF@thepart .....	\SUF@tocindent@subsubsec .....
136, 138, 140, 142, 145, 148, 745, 751	230, 233,	..... 1657, 1668, 1671, 1706
\SUF@LR@MarkSwitch .....	236, 239, 242, 245, 885, 891, 899, 905	\SUF@tocindent@tab .....
..... 1333, 1343, 1348, 1350, 1353	\SUF@thesection .... 272, 275, 278,	..... 1661, 1676, 1737, 1739
\SUF@lr@PARTSwitch .... 118, 120,	281, 284, 287, 765, 773, 1278, 1316	\SUF@versionstring .....
122, 124, 127, 130, 884, 890, 898, 904	\SUF@titlerule . 413, 417, 421, 1696,	..... 1291, 1325, 1330, 1339
\SUF@lr@SECSwitch .....	1704, 1712, 1720, 1728, 1735, 1742	\suftesi@articletrue .....
156, 158, 160, 162, 165, 168, 764, 772	\SUF@titlesmallcaps .... 193, 201,	49
\SUF@lr@SUBSECSwitch .....	209, 217, 225, 687, 695, 719, 727,	\suftesi@authoritletrue ... 303, 307
..... 173, 175, 177, 781, 788	1018, 1022, 1112, 1116, 1268, 1270	\suftesi@centerheadertrue .. 297, 310
\SUF@lr@SUBSUBSECSwitch .....	\SUF@tochang .... 1486, 1487, 1541, 1557	\suftesi@compacttrue .....
..... 181, 183, 185, 796, 803	\SUF@tochang@chap .... 1524, 1540,	79
\SUF@mpsetup .....	1543, 1553, 1555, 1574, 1576, 1581	\suftesi@dottedtocttrue .....
1408, 1418, 1419	\SUF@tochang@fig 1530, 1552, 1637, 1639	416
\SUF@PART@StyleSwitch 189, 191, 193,	\SUF@tochang@par .....	\suftesi@draftdatetrue .....
885, 887, 891, 893, 899, 901, 905, 907	.. 1528, 1548, 1551, 1617, 1619, 1622	465
\SUF@quotation@size .....	\SUF@tochang@sec .....	\suftesi@elementschaptrue .....
..... 367, 369, 1368, 1375, 1385	.. 1525, 1542, 1545, 1587, 1589, 1592	151
\SUF@quote@style .. 360, 362, 1365, 1373	\SUF@tochang@subpar .....	\suftesi@elementshheadertrue ... 312
\SUF@Rheadstyle .....	..... 1529, 1550, 1627, 1629, 1632	\suftesi@elementspagelayouttrue 103
... 294, 298, 304, 308, 317, 321, 325	\SUF@tochang@subsec .....	\suftesi@fewfootnotetrue .... 390
\SUF@rightmark .....	.. 1526, 1544, 1547, 1597, 1599, 1602	\suftesi@nocropttrue .....
. 294, 298, 304, 308, 1331, 1341, 1350	\SUF@tochang@subsubsec .....	460
\SUF@SEC@StyleSwitch .....	.. 1527, 1546, 1549, 1607, 1609, 1612	\suftesi@numparchaptrue 143, 146, 149
..... 205, 207, 209, 768, 776	\SUF@tochang@tab 1531, 1554, 1645, 1647	\suftesi@numparpartrue 125, 128, 131
\SUF@SUBSEC@StyleSwitch .....	\SUF@tocindent@chap ... 1654, 1662,	\suftesi@numparsecttrue . 163, 166, 169
..... 213, 215, 217, 784, 791	1665, 1675, 1677, 1680, 1682, 1685	\suftesi@pagelefttocttrue .....
\SUF@SUBSUBSEC@StyleSwitch .....	\SUF@tocindent@fig .....	424
..... 221, 223, 225, 799, 806	..... 1660, 1674, 1730, 1732	\suftesi@partpagetrue .....
	\SUF@tocindent@par .....	452
	..... 1658, 1670, 1673, 1714	\suftesi@periodicaltrue .....
		67
		\suftesi@porsontrue .....
		439
		\suftesi@raggedtocttrue .....
		420
		\suftesi@standardfonttrue .....
		430
		\suftesi@sufplaintrue .....
		301
		\suftesi@supercompacttrue .....
		91

<b>T</b>		<b>U</b>	
<code>\tableofcontents</code>	1745, 1768, 1832, 1833	<code>\thepage</code>	319, 323, 327, 1298
<code>\temp</code>	644, 648, 651	<code>\theparagraph</code>	872, 875, 913
<code>\textbullet</code>	330	<code>\thesection</code>	725, 766, 774, 866, 869
<code>\textcolor</code>	716	<code>\thesubparagraph</code>	874, 920
<code>\textgreek</code>	671	<code>\thesubsection</code>	731, 782, 789, 868, 871
<code>\textls</code>	696, 698	<code>\thesubsubsection</code>	737, 797, 804, 870, 873
<code>\textnormal</code>	725, 731, 737, 782, 789, 797, 804	<code>\title</code>	992–994, 997, 1001
<code>\textsc</code>	233, 242, 254, 263, 275, 284	<code>\titleclass</code>	879
<code>\textsf</code>	1457	<code>\titlecontents</code>	1234, 1252, 1514, 1573, 1586, 1596, 1606, 1616, 1626, 1636, 1644, 1679, 1688, 1697, 1705, 1713, 1721, 1729, 1736
<code>\textsuperscript</code>	385	<code>\titleformat</code>	708, 723, 729, 735, 744, 750, 763, 771, 780, 787, 795, 802, 883, 889, 897, 903, 911, 918, 1266
<code>\texttt</code>	1291	<code>\titlerule</code>	413, 414, 417, 418
<code>\thanks</code>	1011, 1042, 1051, 1069, 1097, 1109, 1155, 1167	<code>\titlespacing</code>	728, 734, 740, 769, 777, 785, 792, 800, 807, 815, 819, 823, 827, 830, 840, 841, 844, 845, 848, 849, 851, 853, 880, 917, 924, 1272
<code>\thechapter</code>	1265, 1284	<code>\toclabelwidth</code>	1485
<code>\thecontentslabel</code>	1255, 1517, 1579, 1591, 1594, 1601, 1604, 1611, 1614, 1621, 1624, 1631, 1634, 1641, 1649, 1683, 1692, 1694, 1701, 1703, 1709, 1711, 1717, 1719, 1725, 1727, 1733, 1740	<code>\today</code>	1291
<code>\thecontentspage</code>	1577, 1582, 1590, 1593, 1600, 1603, 1610, 1613, 1620, 1623, 1630, 1633, 1640, 1648	<code>\tolerance</code>	1413
<code>\thefootnote</code>	1012, 1078, 1136, 1399, 1406	<code>\tw@</code>	644, 645, 648, 649, 651, 652
<code>theindex (environment)</code>	1209	<code>\twocolumn</code>	1087, 1145, 1216, 1218, 1780, 1793, 1807
		<code>\unitlength</code>	711, 1296
		<code>\usefont</code>	670
		<b>V</b>	
		<code>\val</code>	45, 54, 115, 133, 153, 171, 179, 187, 195, 203, 211, 219, 227, 248, 269, 290, 314, 333, 357, 364, 371, 387, 395, 404, 410, 426, 433, 443, 450, 456, 462, 468, 475
		<b>X</b>	
		<code>\xfootnote</code>	1402
		<code>\xheadbreak</code>	1830
		<code>\xheadbreakfalse</code>	1331, 1332, 1341, 1342, 1834
		<code>\xheadbreaktrue</code>	1829
		<code>\XKV@useoption</code>	589–620
		<b>Y</b>	
		<code>\year</code>	1450
		<b>Z</b>	
		Zapf, Hermann	5