

The **thumbs** package

H.-Martin Münch
<Martin.Muench at Uni-Bonn.de>

2011/10/19 v1.0j

Abstract

This L^AT_EX package allows to create one or more customizable thumb index(es), providing a quick and easy reference methode for large documents. It must be loaded after the page size has been set, when printing the document “shrink to page” should not be used, and a printer capable of printing up to the border of the sheet of paper is needed (or afterwards cutting the paper).

Disclaimer for web links: The author is not responsible for any contents referred to in this work unless he has full knowledge of illegal contents. If any damage occurs by the use of information presented there, only the author of the respective pages might be liable, not the one who has referred to these pages.

Save per page about 200ml water, 2g CO₂ and 2g wood:
Therefore please print only if this is really necessary.

Contents

1	Introduction	4
2	Usage	4
2.1	Loading	4
2.2	Options	5
2.2.1	linefill	5
2.2.2	minheight	5
2.2.3	height	5
2.2.4	width	5
2.2.5	distance	5
2.2.6	topthumbmargin	5
2.2.7	bottomthumbmargin	6
2.2.8	thumblink	6
2.2.9	nophantomsection	6
2.2.10	ignorehoffset, ignorevoffset	6
2.2.11	verbose	7
2.2.12	draft	7
2.2.13	hidethumbs	7
2.2.14	pagecolor (obsolete)	7
2.3	Commands to be used in the document	7
2.3.1	\addthumb	7
2.3.2	\addtitlethumb	8
2.3.3	\stopthumb and \continuethumb	8
2.3.4	\thumbsoverview/back/verso/double	8
2.3.5	\thumbnewcolumn	8
2.3.6	\addthumbssoverviewtocontents	9
2.3.7	\thumbsnophantom	9
3	Alternatives	10
4	Example	11
5	The implementation	21
6	Installation	56
6.1	Downloads	56
6.2	Package, unpacking TDS	58
6.3	Refresh file name databases	59
6.4	Some details for the interested	59
6.5	Compiling the example	59
7	Acknowledgements	59

8 History	60
[2010/04/01 v0.01 – 2011/05/13 v0.46]	60
[2011/05/14 v1.0a]	60
[2011/05/18 v1.0b]	60
[2011/05/20 v1.0c]	60
[2011/05/26 v1.0d]	61
[2011/06/02 v1.0e]	61
[2011/06/08 v1.0f]	61
[2011/06/24 v1.0g]	62
[2011/08/08 v1.0h]	62
[2011/08/22 v1.0i]	62
[2011/10/19 v1.0j]	62
9 Index	63

1 Introduction

This package puts running, customizable thumb marks in the outer margin, moving downward as the chapter number (or whatever shall be marked by the thumb marks) increases. Additionally an overview page/table of thumb marks can be added automatically, which gives the respective names of the thumbed objects, the page where the object/thumb mark first appears, and the thumb mark itself at the respective position. The thumb marks are probably useful for documents, where a quick and easy way to find e.g. a chapter is needed, for example in reference guides, anthologies, or quite large documents.

thumbs must be loaded after the page size has been set, when printing the document “shrink to page” should not be used, a printer capable of printing up to the border of the sheet of paper is needed (or afterwards cutting the paper).

Usage with `\usepackage[landscape]{geometry}`, `\documentclass[landscape]{...}`, `\usepackage[landscape]{geometry}`, `\usepackage{lscape}`, or `\usepackage{pdflscape}` is possible.

There are already some packages for creating thumbs, but because none of them did what I wanted, I wrote this new package.¹

2 Usage

2.1 Loading

Load the package placing

```
\usepackage[<options>]{thumbs}
```

in the preamble of your L^AT_EX 2_& source file.

The thumbs package takes the dimensions of the page `\AtBeginDocument` and does not react to changes afterwards. Therefore this package must be loaded *after* the page dimensions have been set, e.g. with package `geometry` (<http://ctan.org/pkg/geometry>). Of course it is also OK to just keep the default page/paper settings, but when anything is changed, it must be done before thumbs executes its `\AtBeginDocument` code.

The format of the paper, where the document shall be printed upon, should also be used for creating the document. Then the document can be printed without adapting the size, like e.g. “shrink to page”. That would add a white border around the document and by moving the thumb marks from the edge of the paper they no longer appear at the side of the stack of paper. (Therefore e.g. for printing the example file to A4 paper it is necessary to add `a4paper` option to the document class and recompile it! Then the thumb marks column change will occur at another point, of course.) It is also necessary to use a printer capable of printing up to the border of the sheet of paper. Alternatively it is possible after the printing to cut the paper to the right size. While performing this manually is probably quite cumbersome, printing houses use paper, which is slightly larger than the desired format, and afterwards cut it to format.

Some faulty pdf-viewer adds a white line at the bottom and right side of the document when presenting it. This does not change the printed version. To test for this problem, a page of the example file has been completely coloured. (Probably better exclude that page from printing...)

When using the thumb marks overview page, it is necessary to `\protect` entries like `\pi` (same as with entries in tables of contents, figures, tables,...).

¹Probably this holds true for the motivation of the authors of quite a lot of packages.

2.2 Options

`options` The thumbs package takes the following options:

2.2.1 linefill

`linefill` Option `linefill` wants to know how the line between object (e.g. chapter name) and page number shall be filled at the overview page. Empty option will result in a blank line, `line` will fill the distance with a line, `dots` will fill the distance with dots.

2.2.2 minheight

`minheight` Option `minheight` wants to know the minimal vertical extension of each thumb mark. This is only useful in combination with option `height=auto` (see below). When the height is automatically calculated and smaller than the `minheight` value, the height is set equal to the given `minheight` value and a new column/page of thumb marks is used. The default value is 47pt ($\approx 16.5 \text{ mm} \approx 0.65 \text{ in}$).

2.2.3 height

`height` Option `height` wants to know the vertical extension of each thumb mark. The default value “`auto`” calculates an appropriate value automatically decreasing with increasing number of thumb marks (but fixed for each document). When the height is smaller than `minheight`, this package deems this as too small and instead uses a new column/page of thumb marks. If smaller thumb marks are really wanted, choose a smaller `minheight` (e.g. 0pt).

2.2.4 width

`width` Option `width` wants to know the horizontal extension of each thumb mark. The default option-value “`auto`” calculates a width-value automatically: (`\paperwidth` minus `\textwidth`), which is the total width of inner and outer margin, divided by 4. Instead of this, any positive width given by the user is accepted. (Try `width={\paperwidth}` in the example!) Option `width={autoauto}` leads to thumb marks, which are just wide enough to fit the widest thumb mark text.

2.2.5 distance

`distance` Option `distance` wants to know the vertical spacing between two thumb marks. The default value is 2mm.

2.2.6 tophumbmargin

`topthumbmargin` Option `topthumbmargin` wants to know the vertical spacing between the upper page (paper) border and top thumb mark. The default (`auto`) is 1 inch plus `\th@bmsvoffset` plus `\topmargin`. Dimensions (e.g. 1cm) are also accepted.

2.2.7 bottomthumbmargin

bottomthumbmargin Option `bottomthumbmargin` wants to know the vertical spacing between the lower page (paper) border and last thumb mark. The default (`auto`) for the position of the last thumb is
`1in+\topmargin-\th@mbsdistance+\th@mbheighty+\headheight+\headsep+\textheight+\footskip-\th@mbsdistance-\th@mbheighty.`
Dimensions (e.g. 1cm) are also accepted.

2.2.8 thumblink

thumblink Option `thumblink` determines, what is hyperlinked at the thumb marks overview page (when the `hyperref` package is used):

- `none` creates *none* hyperlinks
- `title` hyperlinks the *titles* of the thumb marks
- `page` hyperlinks the *page* numbers of the thumb marks
- `titleandpage` hyperlinks the *title and page* numbers of the thumb marks
- `line` hyperlinks the whole *line*, i.e. title, dots (or line or whatsoever) and page numbers of the thumb marks
- `rule` hyperlinks the whole *rule*.

2.2.9 nophantomsection

nophantomsection Option `nophantomsection` globally disables the automatical placement of a `\phantomsection` before the thumb marks. Generally it is desirable to have a hyperlink from the thumbs overview page to lead to the thumb mark and not to some earlier place. Therefore automatically a `\phantomsection` is placed before each thumb mark. But for example when using the thumb mark after a `\chapter{...}` command, it is probably nicer to have the link point at the top of that chapter's title (instead of the line below it). When automatical placeing of the `\phantomsections` has been globally disabled, nevertheless manual use of `\phantomsection` is still possible. The other way round: When automatical placeing of the `\phantomsections` has *not* been globally disabled, it can be disabled just for the following thumb mark by the command `\thumbnophantom`.

2.2.10 ignorehoffset, ignorevoffset

ignorehoffset **ignorevoffset** Usually `\hoffset` and `\voffset` should be regarded, but moving the thumb marks away from the paper edge probably makes them useless. Therefore `\hoffset` and `\voffset` are ignored by default, or when option `ignorehoffset` or `ignorehoffset=true` is used (and `ignorevoffset` or `ignorevoffset=true`, respectively). But in case that the user wants to print at one sort of paper but later trim it to another one, regarding the offsets would be necessary. Therefore `ignorehoffset=false` and `ignorevoffset=false` can be used to regard these offsets. (Combinations `ignorehoffset=true`, `ignorevoffset=false` and `ignorehoffset=false`, `ignorevoffset=true` are also possible.)

2.2.11 verbose

verbose Option `verbose=false` (the default) suppresses some messages, which otherwise are presented at the screen and written into the log file. Look for
***** THUMB dimensions *****
in the log file for height and width of the thumb marks as well as top and bottom thumb marks margins.

2.2.12 draft

draft Option `draft` (*not* the default) sets the thumb mark width to 2pt, thumb mark text colour to black and thumb mark background colour to gray. Either do not use this option with the `thumbs` package at all, or use `draft=false`, or `final`, or `final=true` to get the original appearance of the thumb marks.

2.2.13 hidethumbs

hidethumbs Option `hidethumbs` (*not* the default) prevents `thumbs` to create thumb marks (or thumb marks overview pages). This could be useful when thumb marks were placed, but for some reason no thumb marks (and overview pages) shall be placed. Removing `\usepackage[...]{thumbs}` would not work but create errors for unknown commands (e.g. `\addthumb`, `\addtitlethumb`, `\thumbnewcolumn`, `\stopthumb`, `\continuethumb`, `\addthumbsoverviewtocontents`, `\thumbsoverview`, `\thumbsoverviewback`, `\thumbsoverviewverso`, and `\thumbsoverviewdouble`). (A `\jobname.tmb` file is created nevertheless.) – Either do not use this option with the `thumbs` package at all, or use `hidethumbs=false` to get the original appearance of the thumb marks.

2.2.14 pagecolor (obsolete)

pagecolor Option `pagecolor` is obsolete. Instead the `pagecolor` package is used. Use `\pagecolor{...}` after `\usepackage[...]{thumbs}` and before `\begin{document}` to define a background colour of the pages.

2.3 Commands to be used in the document

2.3.1 \addthumb

`\addthumb` To add a thumb mark, use the `\addthumb` command, which has these four parameters:

1. a title for the thumb mark (for the thumb marks overview page, e. g. the chapter title),
2. the text to be displayed in the thumb mark (for example the chapter number: `\thechapter`),
3. the colour of the text in the thumb mark,
4. and the background colour of the thumb mark

(parameters in this order) at the page where you want this thumb mark placed (for the first time).

2.3.2 \addtitlethumb

`\addtitlethumb` When a thumb mark shall not or cannot be placed on a page, e.g. at the title page or when using `\includepdf` from `pdffpages` package, but the reference in the thumb marks overview nevertheless shall name that page number and hyperlink to that page, `\addtitlethumb` can be used at the following page. It has five arguments. The arguments one to four are identical to the ones of `\addthumb` (see above), and the fifth argument consists of the label of the page, where the hyperlink at the thumb marks overview page shall link to. The `thumbs` package does *not* create that label! But for the first page the label `pagesLTS.0` can be used, which is already placed there by the used `pageslts` package.

2.3.3 \stopthumb and \continuemark

`\stopthumb` When a page (or pages) shall have no thumb marks, use the `\stopthumb` command (without parameters). Placing another thumb mark with `\addthumb` or `\addtitlethumb` or using the command `\continuemark` continues the thumb marks.
`\continuemark`

2.3.4 \thumbsoverview/back/verso/double

The commands `\thumbsoverview`, `\thumbsoverviewback`, `\thumbsoverviewverso`, and/or `\thumbsoverviewdouble` is/are used to place the overview page(s) for the thumb marks. Their single parameter is used to mark this page/these pages (e.g. in the page header). If these marks are not wished, `\thumbsoverview...{}` will generate empty marks in the page header(s). `\thumbsoverview` can be used more than once (for example at the beginning and at the end of the document, or `\thumbsoverview` at the beginning and `\thumbsoverviewback` at the end). The overviews have labels `TableOfThumbs1`, `TableOfThumbs2`, and so on, which can be referred to with e.g. `\pageref{TableOfThumbs1}`. The reference `TableOfThumbs` (without number) aims at the last used Table of Thumbs (for compatibility with older versions of this package).

- `\thumbsoverview` prints the thumb marks at the right side and (in `twoside` mode) skips left sides (useful e.g. at the beginning of a document)
- `\thumbsoverviewback` prints the thumb marks at the left side and (in `twoside` mode) skips right sides (useful e.g. at the end of a document)
- `\thumbsoverviewverso` prints the thumb marks at the right side and (in `twoside` mode) repeats them at the next left side and so on (useful anywhere in the document and when one wants to prevent empty pages)
- `\thumbsoverviewdouble` prints the thumb marks at the left side and (in `twoside` mode) repeats them at the next right side and so on (useful anywhere in the document and when one wants to prevent empty pages)

2.3.5 \thumbnewcolumn

`\thumbnewcolumn` With the command `\thumbnewcolumn` a new column can be started, even if the current one was not filled. This could be useful e.g. for a dictionary, which uses one column for translations from language A to language B, and the second column for translations from language B to language A. But in that case one probably should increase the size of the thumb marks, so that 26 thumb marks (in case of the latin alphabet) fill one thumb column. Do not use `\thumbnewcolumn` on a page where `\addthumb` was already used, but use `\addthumb` immediately after `\thumbnewcolumn`.

2.3.6 \addthumbsoverviewtocontents

\addthumbsoverviewtocontents \addthumbsoverviewtocontents with two arguments is a replacement for \addcontentsline{toc}{<level>}{{<text>}}, where the first argument of \addthumbsoverviewtocontents is for <level> and the second for <text>. If an entry of the thumbs mark overview shall be placed in the table of contents, \addthumbsoverviewtocontents with its arguments should be used immediately before \thumbsoverview.

2.3.7 \thumbnophantom

\thumbnophantom When automatical placeing of the \phantomsections has *not* been globally disabled by using option `nophantomsection` (see subsection 2.2.9), it can be disabled just for the following thumb mark by the command \thumbnophantom.

3 Alternatives

- chapterthumb, 2005/03/10, v0.1, by MARKUS KOHM, available at
<http://mirror.ctan.org/info/examples/KOMA-Script-3/Anhang-B/source/chapterthumb.sty>;
unfortunately without documentation, which is probably available in the book:
Kohm, M., & Morawski, J.-U. (2008): KOMA-Script. Eine Sammlung von Klassen und Paketen für L^AT_EX2e, 3., überarbeitete und erweiterte Auflage für KOMA-Script 3, Lehmanns Media, Berlin, Edition dante, ISBN-13: 978-3-86541-291-1, <http://www.lob.de/isbn/3865412912>; in German.
- eso-pic, 2010/10/06, v2.0c by ROLF NIEPRASCHK, available at <http://www.ctan.org/pkg/eso-pic>, was suggested as alternative. If I understood its code right, `\AtBeginShipout{\AtBeginShipoutUpperLeft{\put(...}}` is used there, too. Thus I do not see its advantage. Additionally, while compiling the `eso-pic` test documents with T_EXLive2010 worked, compiling them with *Scientific WorkPlace* 5.50 Build 2960 (© MacKichan Software, Inc.) led to significant deviations of the placements (also changing from one page to the other).
- fancytabs, 2011/04/16 v1.1, by RAPHAËL PINSON, available at <http://www.ctan.org/pkg/fancytabs>, but requires TikZ from the `pgf` bundle.
- thumb, 2001, without file version, by INGO KLÖCKEL, available at
<ftp://ftp.dante.de/pub/tex/info/examples/ltt/thumb.sty>, unfortunately without documentation, which is probably available in the book:
Klöckel, I. (2001): L^AT_EX2e. Tips und Tricks, Dpunkt.Verlag GmbH, ISBN-13: 978-3-93258-837-2; in German.
- thumb (a completely different one), 1997/12/24, v1.0, by CHRISTIAN HOLM, available at
<http://www.ctan.org/pkg/thumb>.
- thumbindex, 2009/12/13, without file version, by HISASHI MORITA, available at
<http://hisashim.org/2009/12/13/thumbindex.html>.
- thumb-index, from the `fancyhdr` package, 2005/03/22 v3.2, by PIET VAN OOSTRUM, available at
<http://www.ctan.org/pkg/fancyhdr>.
- thumbpdf, 2010/07/07, v3.11, by HEIKO OBERDIEK, is for creating thumbnails in a `pdf` document, not thumb marks (and therefore *no* alternative); available at <http://www.ctan.org/pkg/thumbpdf>.
- thumby, 2010/01/14, v0.1, by SERGEY GOLDGABER, “is designed to work with the `memoir` class, and also requires PerlT_EX and `tikz`” (<http://www.ctan.org/pkg/thumby>), available at <http://www.ctan.org/pkg/thumby>.

(You programmed or found another alternative, which is available at [CTAN](#):?

OK, send an e-mail to me with the name, location at [CTAN](#): , and a short notice, and I will probably include it in the list above.)

4 Example

```
1 /*example*/
2 \documentclass[twoside,british]{article}[2007/10/19] % v1.4h
3 %%%
4 %% When compiling with SWP 5.50. Build 2960 %
5 %% (copyright MacKichan Software, Inc.), %
6 %% this is additionally needed: %
7 %% \usepackage[T1]{fontenc} %
8 %% \usepackage{amsfonts} %
9 %% \usepackage[math]{cellspace} %
10 %% \usepackage{xcolor} %
11 %% \pagecolor{white} %
12 %% \newcommand{\QTO}[2]{#2} %
13 %% \usepackage{lipsum}[2011/04/14] % v1.2
14 %% \usepackage{eurosym}[1998/08/06] % v1.1
15 \usepackage[extension=pdf,%
16 pdfpagelayout=TwoPageRight,pdfpagemode=UseThumbs,%
17 plainpages=false,pdfpagelabels=true,%
18 hyperindex=false,%
19 pdflang={en},%
20 pdftitle={thumbs package example},%
21 pdfauthor={Hans-Martin Muench},%
22 pdfsubject={Example for the thumbs package},%
23 pdfkeywords={LaTeX, thumbs, thumb marks, Hans-Martin Muench},%
24 pdfview=Fit,pdfstartview=Fit,%
25 linktoc=all]{hyperref}[2011/10/01] % v6.82j
26 \usepackage[thumblink=rule,linefill=dots,height={auto},minheight={47pt},%
27 width={auto},distance={2mm},topthumbmargin={auto},bottomthumbmargin={auto},%
28 nophantomsection=false,ignorehoffset=true,ignorerevoffset=true,final=true,%
29 hidethumbs=false,verbose=true]{thumbs}[2011/10/19] % v1.0j
30 \nopagecolor% use \pagecolor{white} if \nopagecolor does not work
31 \gdef\unit#1{\mathord{\thinspace\mathbf{#1}}}\%
32 \makeatletter
33 \ifundefined{Hy@Warning}{% hyperref not loaded
34 \ifundefined{\url}{\let\url\verb}% neither url
35 }% hyperref loaded
36 }%
37 \makeatother
38 \listfiles
39 \begin{document}
40 \pagenumbering{arabic}
41 \section*{Example for thumbs}
42 \addcontentsline{toc}{section}{Example for thumbs}
43 \markboth{Example for thumbs}{Example for thumbs}
```

```

46
47 This example demonstrates the most common uses of package
48 \textsf{thumbs}, v1.0j as of 2011/10/19 (HMM).
49 The used options were \texttt{thumblink=rule}, \texttt{linefill=dots},
50 \texttt{height=auto}, \texttt{minheight=\{47pt\}}, \texttt{width=\{auto\}},
51 \texttt{distance=\{2mm\}}, \newline
52 \texttt{topthumbmargin=\{auto\}}, \texttt{bottomthumbmargin=\{auto\}}, \newline
53 \texttt{nophantomsection=false},
54 \texttt{ignorehoffset=true}, \texttt{ignorevoffset=true},
55 \texttt{final=true}, \texttt{hidethumbs=false}, and \texttt{verbose=true}.
56
57 \noindent These are the default options, except \texttt{verbose=true}.
58 For more details please see the documentation!\newline
59
60 \textbf{Hyperlinks or not:} If the \textsf{hyperref} package is loaded,
61 the references in the overview page for the thumb marks are also hyperlinked
62 (except when option \texttt{thumblink=none} is used).\newline
63
64 \bigskip
65
66 {\color{teal} Save per page about $200\unit{ml}\$ water, $2\unit{g}\$ CO$_2\$}
67 and $2\unit{g}\$ wood:\newline
68 Therefore please print only if this is really necessary.}\newline
69
70 \bigskip
71
72 \textbf{%
73 For testing purpose page \pageref{greenpage} has been completely coloured!
74 \newline
75 Better exclude it from printing\ldots \newline}
76
77 \bigskip
78
79 Some thumb mark texts are too large for the thumb mark (especially when the
80 paper size and therefore also the thumb mark size is decreased).
81 When option \texttt{width=\{autoauto\}} would be used,
82 the thumb mark width would be automatically increased.
83
84 \bigskip
85
86 For printing this example to another format of paper (e.\,g. A4)
87 it is necessary to add the according option (e.\,g. \verb|a4paper|)
88 to the document class and recompile it! (In that case the
89 thumb marks column change will occur at another point, of course.)
90 With paper format equal to document format the document can be printed
91 without adapting the size, like e.\,g.
92 \textquotedblleft shrink to page\textquotedblright .

```

```

93 That would add a white border around the document
94 and by moving the thumb marks from the edge of the paper they no longer appear
95 at the side of the stack of paper. It is also necessary to use a printer
96 capable of printing up to the border of the sheet of paper. Alternatively
97 it is possible after the printing to cut the paper to the right size.
98 While performing this manually is probably quite cumbersome,
99 printing houses use paper, which is slightly larger than the
100 desired format, and afterwards cut it to format.

101
102 \newpage
103
104 \addtitlethumb{Frontmatter}{0}{white}{gray}{pagesLTS.0}
105
106 At the first page no thumb mark was used, but we want to begin with thumb marks
107 at the first page, therefore a
108 \begin{verbatim}
109 \addtitlethumb{Frontmatter}{0}{white}{gray}{pagesLTS.0}
110 \end{verbatim}
111 was used at the beginning of this page.

112
113 \newpage
114
115 \tableofcontents
116
117 \newpage
118
119 To include an overview page for the thumb marks,
120 \begin{verbatim}
121 \addthumbsoverviewtocontents{section}{Thumb marks overview}%
122 \thumbsoverview{Table of Thumbs}
123 \end{verbatim}
124 is used, where \textbackslash addthumbsoverviewtocontents adds the thumb
125 marks overview page to the table of contents.

126
127 \smallskip
128
129 Generally it is desirable to have a hyperlink from the thumbs overview page
130 to lead to the thumb mark and not to some earlier place. Therefore automatically
131 a \verb|\phantomsection| is placed before each thumb mark. But for example when
132 using the thumb mark after a \verb|\chapter{...}| command, it is probably nicer
133 to have the link point at the top of that chapter's title (instead of the line
134 below it). The automatical placing of the \verb|\phantomsection| can be disabled
135 either globally by using option \texttt{\textbackslash texttt{nophantomsection}}, or locally for the next
136 thumb mark by the command \verb|\thumbsnophantom|. (When disabled globally,
137 still manual use of \verb|\phantomsection| is possible.)
138

```

```

139 \addthumbsoverviewtocontents{section}{Thumb marks overview}%
140 \thumbsoverview{Table of Thumbs}
141
142 That were the overview pages for the thumb marks.
143
144 \newpage
145
146 \section{The first section}
147 \addthumb{First section}{\space\Huge{\textbf{$1^{\textrm{st}}$}}}{yellow}{green}
148
149 \begin{verbatim}
150 \addthumb{First section}{\space\Huge{\textbf{$1^{\textrm{st}}$}}}{yellow}{green}
151 \end{verbatim}
152
153 A thumb mark is added for this section. The parameters are: title for the thumb mark,
154 the text to be displayed in the thumb mark (choose your own format),
155 the colour of the text in the thumb mark,
156 and the background colour of the thumb mark (parameters in this order).\newline
157
158 Now for some pages of \textquotedblleft content\textquotedblright\ldots
159
160 \newpage
161 \lipsum[1]
162 \newpage
163 \lipsum[1]
164 \newpage
165 \lipsum[1]
166 \newpage
167
168 \section{The second section}
169 \addthumb{Second section}{\Huge{\textbf{\arabic{section}}}}{green}{yellow}
170
171 For this section, the text to be displayed in the thumb mark was set to
172 \begin{verbatim}
173 \Huge{\textbf{\arabic{section}}}
174 \end{verbatim}
175 i.\,e. the number of the section will be displayed (huge \& bold).\newline
176
177 Let us change the thumb mark on a page with an even number:
178
179 \newpage
180
181 \section{The third section}
182 \addthumb{Third section}{\Huge{\textbf{\arabic{section}}}}{blue}{red}
183
184 No problem!
185

```

```
186 And you do not need to have a section to add a thumb:  
187  
188 \newpage  
189  
190 \addthumb{Still third section}{\Huge{\textbf{\arabic{section}b}}}{red}{blue}  
191  
192 This is still the third section, but there is a new thumb mark.  
193  
194 On the other hand, you can even get rid of the thumb marks  
195 for some page(s):  
196  
197 \newpage  
198  
199 \stopthumb  
200  
201 The command  
202 \begin{verbatim}  
203 \stopthumb  
204 \end{verbatim}  
205 was used here. Until another addthumb (with parameters) or  
206 \begin{verbatim}  
207 \continuethumb  
208 \end{verbatim}  
209 is used, there will be no more thumb marks.  
210  
211 \newpage  
212  
213 Still no thumb marks.  
214  
215 \newpage  
216  
217 Still no thumb marks.  
218  
219 \newpage  
220  
221 Still no thumb marks.  
222  
223 \newpage  
224  
225 \continuethumb  
226  
227 Thumb mark continued (unchanged).  
228  
229 \newpage  
230  
231 Thumb mark continued (unchanged).  
232
```

```

233 \newpage
234
235 Time for another thumb,
236
237 \addthumb{Another heading}{Small text}{white}{black}
238
239 and another.
240
241 \addthumb{Huge Text}{\Huge{Huge Text}}{yellow}{green}
242
243 \bigskip
244
245 \textquotedblleft {\Huge{Huge Text}}\textquotedblright\ is too large for
246 the thumb mark. When option \texttt{width=\autoauto} would be used,
247 the thumb mark width would be automatically increased.\label{HugeText}
248
249 \addthumb{bold text }{\textbf{Bf Text}}{pink}{blue}
250
251 \addthumb{Huge Bold Text}{\Huge{\textbf{HBT}}}{black}{yellow}
252
253 \bigskip
254
255 When there is more than one thumb mark at one page, this is also no problem.
256
257 \newpage
258
259 Some text
260
261 \newpage
262
263 Some text
264
265 \newpage
266
267 Some text
268
269 \newpage
270
271 \section{xcolor}
272 \addthumb{xcolor}{\Huge{\textbf{xcolor}}}{magenta}{cyan}
273
274 It is probably a good idea to have a look at the \textsf{xcolor} package
275 and use other colours than used in this example.
276
277 (About automatically increasing the thumb mark width to the thumb mark text
278 width please see the note at page^{\pageref{HugeText}.})
279

```

```

280 \newpage
281
282 \addthumb{A mark}{\Huge{\textbf{A}}}{lime}{darkgray}
283
284 I just need to add further thumb marks to get them reaching the bottom of the page.
285
286 Generally the vertical size of the thumb marks is set to the value given in the
287 height option. If it is \texttt{auto}, the size of the thumb marks is decreased,
288 so that they fit all on one page. But when they get smaller than \texttt{minheight},
289 instead of decreasing their size further, a new thumbs column is started
290 (which will happen here).
291
292 \newpage
293
294 \addthumb{B mark}{\Huge{\textbf{B}}}{brown}{pink}
295
296 There! A new thumb column was started automatically!
297
298 \newpage
299
300 \addthumb{C mark}{\Huge{\textbf{C}}}{brown}{pink}
301
302 You can, of course, keep the colour for more than one thumb mark.
303
304 \newpage
305
306 \addthumb{$1/1.\,955\,,83$\, EUR}{\Huge{\textbf{D}}}{orange}{violet}
307
308 I am just adding further thumb marks.
309
310 If you are curiose why the thumb mark between
311 \textquotedblleft C mark\textquotedblright\ and \textquotedblleft E mark\textquotedblright\ has
312 not been named \textquotedblleft D mark\textquotedblright\ but
313 \textquotedblleft $1/1.\,955\,,83$\, EUR\textquotedblright\ :
314
315 $1\unit{DM}=1\unit{D\ Mark}=1\unit{Deutsche\ Mark} $\newline
316 $=\frac{1}{1.\,955\,,83}\,\$\euro\,=1/1.\,955\,,83\unit{Euro}=1/1.\,955\,,83\unit{EUR}$.
317
318 \newpage
319
320 Let us have a look at \verb|\thumbsoverviewverso|:
321
322 \addthumbsoverviewtocontents{section}{Table of Thumbs, verso mode}%
323 \thumbsoverviewverso{Table of Thumbs, verso mode}
324
325 \newpage
326

```

```

327 And, of course, also at \verb|\thumsoverviewdouble|:
328
329 \addthumbsoverviewtocontents{section}{Table of Thumbs, double mode}%
330 \thumsoverviewdouble{Table of Thumbs, double mode}
331
332 \newpage
333
334 \addthumb{E mark}{\Huge{\textbf{E}}}{lightgray}{black}
335
336 I am just adding further thumb marks.
337
338 \newpage
339
340 \addthumb{F mark}{\Huge{\textbf{F}}}{magenta}{black}
341
342 Some text.
343
344 \newpage
345 \thumbnewcolumn
346 \addthumb{New thumb marks column}{\Huge{\textit{NC}}}{magenta}{black}
347
348 There! A new thumb column was started manually!
349
350 \newpage
351
352 Some text.
353
354 \newpage
355
356 \addthumb{G mark}{\Huge{\textbf{G}}}{orange}{violet}
357
358 I just added another thumb mark.
359
360 \newpage
361
362 \pagecolor{green}
363
364 \makeatletter
365 \@ifundefined{Hy@Warning}{% hyperref not loaded
366 }{\phantom{section}% hyperref loaded
367 }%
368 \makeatother
369

```

```

370 \label{greenpage}
371
372 Some faulty pdf-viewer sometimes (for the same document!)
373 adds a white line at the bottom and right side of the document
374 when presenting it. This does not change the printed version.
375 To test for this problem, this page has been completely coloured.
376 (Probably better exclude this page from printing!)
377
378 \textsc{Heiko Oberdiek} wrote at Tue, 26 Apr 2011 14:13:29 +0200
379 in the \newline
380 comp.text.tex newsgroup (see e.\,g. \newline
381 \url{http://groups.google.com/group/de.comp.text.tex/msg/b3aea4a60e1c3737}): \newline
382 \textquotedblleft Der Ursprung ist 0 0,
383 da gibt es nicht viel zu runden; bei den anderen Seiten
384 werden pt als bp in die PDF-Datei geschrieben, d.h.
385 der Balken ist um 72.27/72 zu gro\ss{}, das
386 sollte auch Rundungsfehler abdecken.\textquotedblright
387
388 (The origin is 0 0, there is not much to be rounded;
389 for the other sides the \$\unit{pt}\$ are written as \$\unit{bp}\$ into
390 the pdf-file, i.\,e. the rule is too large by \$72.27/72\$, which
391 should cover also rounding errors.)
392
393 The thumb marks are also too large - on purpose! This has been done
394 to assure, that they cover the page up to its (paper) border,
395 therefore they are placed a little bit over the paper margin.
396
397 Now I red somewhere in the net (should have remembered to note the url),
398 that white margins are presented, whenever there is some object outside
399 of the page. Thus, it is a feature, not a bug?!
400 What I do not understand: The same document sometimes is presented
401 with white lines and sometimes without (same viewer, same PC).\newline
402 But at least it does not influence the printed version.
403
404 \newpage
405
406 \pagecolor{white}
407
408 It is possible to use the Table of Thumbs more than once (for example
409 at the beginning and the end of the document) and to refer to them via e.\,g.
410 \verb|\pageref{TableOfThumbs1}, \pageref{TableOfThumbs2}|, . . . ,
411 here: page \pageref{TableOfThumbs1}, page \pageref{TableOfThumbs2},
412 and via e.\,g. \verb|\pageref{TableOfThumbs}| it is referred to the last used
413 Table of Thumbs (for compatibility with older package versions).
414 If there is only one Table of Thumbs, this one is also the last one, of course.
415 Here it is at page \pageref{TableOfThumbs}.\newline
416

```

```
417 Now let us have a look at \verb|\thumbsOverviewback|:  
418  
419 \addthumbsoverviewtocontents{section}{Table of Thumbs, back mode} %  
420 \thumbsOverviewback{Table of Thumbs, back mode}  
421  
422 \newpage  
423  
424 Text can be placed after any of the Tables of Thumbs, of course.  
425  
426 \end{document}  
427 
```

5 The implementation

We start off by checking that we are loading into L^AT_EX 2_& and announcing the name and version of this package.

```
428 {*package}
429 \NeedsTeXFormat{LaTeX2e}[2009/09/24]%
430 \ProvidesPackage{thumbs}[2011/10/19 v1.0j]
431     Thumb marks and overview page(s) (HMM)]
432
```

A short description of the `thumbs` package:

```
433 %% This package allows to create a customizable thumb index,
434 %% providing a quick and easy reference methode for large documents,
435 %% as well as an overview page.
436
```

For SW(P) users, we issue a warning. Unfortunately, we cannot check for the used software (Can we? `tcilatex.tex` is *probably* exactly there when SWP is used, but it *could* also be there without SWP for compatibility reasons.), and there will be a stack overflow when using `hyperref` even before the `thumbs` package is loaded, thus the warning might not even reach the users. (Thus: Read the manual of the `thumbs` package!) The options for those packages might be changed by the user – I did not test all available options, thus first test, whether the document can be compiled with these options, and then try to change them according to your whishes.

```
437 \IfFileExists{tcilatex.tex}{%
438     % Quite probably SWP/SW/SN
439     \PackageWarningNoLine{thumbs}{%
440         When compiling with SWP 5.50 Build 2960\MessageBreak%
441         (copyright MacKichan Software, Inc.),\MessageBreak%
442         these additional packages are needed:\MessageBreak%
443         \string\usepackage[T1]{fontenc}\MessageBreak%
444         \string\usepackage{amsfonts}\MessageBreak%
445         \string\usepackage[math]{cellspace}\MessageBreak%
446         \string\usepackage{xcolor}\MessageBreak%
447         \string\pagecolor{white}\MessageBreak%
448         \string\newcommand{\string\QTO}[2]{\string##2}\MessageBreak%
449         especially before hyperref and thumbs,\MessageBreak%
450         but best right after the \string\documentclass!%
451     }%
452 }% Probably not SWP/SW/SN
453 \message{^^J *** Compiling with SW(P)? ^^J%
454     When compiling with SWP 5.50 Build 2960^^J%
455     (copyright MacKichan Software, Inc.),^^J%
456     these additional packages are needed:^^J%
457     \string\usepackage[T1]{fontenc}^^J%
458     \string\usepackage{amsfonts}^^J%
459     \string\usepackage[math]{cellspace}^^J%
460     \string\usepackage{xcolor}^^J%
461     \string\pagecolor{white}^^J%
```

```

462 \string\newcommand{\string\QTO}[2]{\string##2}^^J%
463 especially before hyperref and thumbs,^^J%
464 but best right after the \string\documentclass!^^J%
465 ^^J%
466 }%
467 }%
468

```

For the handling of the options we need the `kvoptions` package of HEIKO OBERDIEK (see subsection 6.1):

```
469 \RequirePackage{kvoptions}[2010/12/23]% v3.10
```

as well as some other packages:

```

470 \RequirePackage{atbegshi}[2011/01/30]% v1.15
471 \RequirePackage{xcolor}[2007/01/21]% v2.11
472 \RequirePackage{picture}[2009/10/11]% v1.3
473 \RequirePackage{alphalph}[2010/04/18]% v2.3

```

For the total number of the current page we need the `pageslts` package of myself (see subsection 6.1). It also loads the `undolab` package, which is needed for `\overridelabel`:

```

474 \RequirePackage{pageslts}[2011/08/08]% v1.2a
475 \RequirePackage{pagecolor}[2011/08/08]% v1.0c
476 \RequirePackage{rerunfilecheck}[2011/04/15]% v1.7
477 \RequirePackage{infwarerr}[2010/04/08]% v1.3
478 \RequirePackage{atveryend}[2011/04/23]% v1.7,
479 %% v1.8 would be needed but is currently (2011/10/19) not available at CTAN yet

```

A last information for the user:

```

480 %% thumbs may work with earlier versions of LaTeX2e and those packages,
481 %% but this was not tested. Please consider updating your LaTeX contribution
482 %% and packages to the most recent version (if they are not already the most
483 %% recent version).
484

```

See subsection 6.1 about how to get them.

The options are introduced:

```

485 \SetupKeyvalOptions{family=thumbs,prefix=thumbs@}
486 \DeclareStringOption{linefill}[dots]\thumbs@linefill
487 \DeclareStringOption{rule}{thumblink}[rule]
488 \DeclareStringOption[47pt]{minheight}[47pt]
489 \DeclareStringOption{height}[auto]
490 \DeclareStringOption{width}[auto]
491 \DeclareStringOption{distance}[2mm]
492 \DeclareStringOption{topthumbmargin}[auto]
493 \DeclareStringOption{bottomthumbmargin}[auto]
494 \DeclareBoolOption[true]{ignorehoffset}
495 \DeclareBoolOption[true]{ignorevoffset}

```

```

496 \DeclareBoolOption{nophantomsection}%
497 \DeclareBoolOption[true]{verbose}
498 \DeclareComplementaryOption{silent}{verbose}
499 \DeclareBoolOption{draft}
500 \DeclareComplementaryOption{final}{draft}
501 \DeclareBoolOption[false]{hidethumbs}

```

`pagecolor` The `pagecolor` option is obsolete now, but for compatibility with older documents we still provide it at the time being (might be removed in future versions).

```

502 \DeclareStringOption{pagecolor}
503
504 \ProcessKeyvalOptions*
505

```

We set the (background) page colour to `\thepagecolor` (from the `pagecolor` package), because the `xcolour` package needs a defined colour here (it can be changed later).

```

506 \ifx\thumbs@pagecolor\empty%
507   \pagecolor{\thepagecolor}
508 \else
509   \PackageWarningNoLine{ thumbs}{Option pagecolor is obsolete.\MessageBreak%
510     Instead the pagecolor package is used.\MessageBreak%
511     Use \string\pagecolor{...}\space after \string\usepackage{...}{ thumbs}\space and\MessageBreak%
512     before \string\begin{document}\space to define a background colour\MessageBreak%
513     of the pages}
514   \pagecolor{\ thumbs@pagecolor}
515 \fi
516

```

`ignorehoffset` Usually `\hoffset` and `\voffset` should be regarded, but moving the thumb marks away from the paper edge probably makes them useless. Therefore `\hoffset` and `\voffset` are ignored by default, or when option `ignorehoffset` or `ignorehoffset=true` is used (and `ignorevoffset` or `ignorevoffset=true`, respectively). But in case that the user wants to print at one sort of paper but later trim it to another one, regarding the offsets would be necessary. Therefore `ignorehoffset=false` and `ignorevoffset=false` can be used to regard these offsets. (Combinations `ignorehoffset=true`, `ignorevoffset=false` and `ignorehoffset=false`, `ignorevoffset=true` are also possible.)

```

517 \iftthumbs@ignorehoffset
518   \PackageInfo{ thumbs}{%
519     Option ignorehoffset NOT =false:\MessageBreak%
520     hoffset will be ignored.\MessageBreak%
521     To make thumbs regard hoffset use option\MessageBreak%
522     ignorehoffset=false}
523   \gdef\th@bmshoffset{0pt}
524 \else
525   \PackageInfo{ thumbs}{%
526     Option ignorehoffset=false:\MessageBreak%
527     hoffset will be regarded.\MessageBreak%
528     This might move the thumb marks away from the paper edge}
529   \gdef\th@bmshoffset{\hoffset}

```

```

530 \fi
531
532 \ifthumbs@ignorevoffset
533   \PackageInfo{thumbs}{%
534     Option ignorevoffset NOT =false:\MessageBreak%
535     voffset will be ignored.\MessageBreak%
536     To make thumbs regard voffset use option\MessageBreak%
537     ignorevoffset=false}
538   \gdef\th@bmsvoffset{-\voffset}
539 \else
540   \PackageInfo{thumbs}{%
541     Option ignorevoffset=false:\MessageBreak%
542     voffset will be regarded.\MessageBreak%
543     This might move the thumb mark outside of the printable area}
544   \gdef\th@bmsvoffset{\voffset}
545 \fi
546

```

linefill We process the linefill option value:

```

547 \ifx\thumbs@linefill\empty%
548   \gdef\th@mbs@linefill{\hspace*{\fill}}
549 \else
550   \def\th@mbstest{line}%
551   \ifx\thumbs@linefill\th@mbstest%
552     \gdef\th@mbs@linefill{\hrulefill}
553   \else
554     \def\th@mbstest{dots}%
555     \ifx\thumbs@linefill\th@mbstest%
556       \gdef\th@mbs@linefill{\dotfill}
557     \else
558       \PackageError{thumbs}{Option linefill with invalid value}{%
559         Option linefill has value '\thumbs@linefill'.\MessageBreak%
560         Valid values are '' (empty), 'line', or 'dots'.\MessageBreak%
561         '' (empty) will be used now.\MessageBreak%
562       }
563       \gdef\th@mbs@linefill{\hspace*{\fill}}
564     \fi
565   \fi
566 \fi
567

```

We introduce new dimensions for width, height, position of and vertical distance between the thumb marks and some helper dimensions.

```

568 \newdimen\th@mbwidthx
569
570 \newdimen\th@mbheighty% Thumb height y
571 \setlength{\th@mbheighty}{\z@}
572

```

```

573 \newdimen\th@mbposx
574 \newdimen\th@mbposy
575 \newdimen\th@mbposyA
576 \newdimen\th@mbposytop
577 \newdimen\th@mbposybottom
578 \newdimen\th@mbwidthxtoc
579 \newdimen\th@mbsposytocy
580 \newdimen\th@mbsposytocyy
581
582 \newdimen\th@mbsdistance% vertical distance between thumb marks
583 \ifx\thumbs@distance\empty%
584   \setlength{\th@mbsdistance}{1mm}
585 \else
586   \setlength{\th@mbsdistance}{\thumbs@distance}
587 \fi
588
589 \ifthumbs@verbose% \relax
590 \else
591   \PackageInfo{thumbs}{%
592     Option verbose=false (or silent=true) found:\MessageBreak%
593     You will lose some information}
594 \fi
595

```

We create a new Box for the thumbs, a temporary counter and make some global definitions.

```

596 \newbox\ThumbsBox
597

```

Generally it is not necessary to initialise a counter, because this is done automatically. But some packages change the handling of counters (e.g. the localloc package as of 1995/09/24, v1.1b), and then a new counter might have a value different from zero (or the register might even contain something which is not a number value at all but some other string).

```

598 \newcounter{th@mbs@tmpA}
599 \setcounter{th@mbs@tmpA}{0}
600
601 \gdef\th@mbs{0}
602 \gdef\th@mbsmax{0}
603 \gdef\th@umbssperpage{0}% will be set via aux file
604 \gdef\th@umbssperpagecount{0}
605
606 \gdef\th@mbtitle{}
607 \gdef\th@mbtext{}
608 \gdef\th@mbtextcolour{\thepagecolor}
609 \gdef\th@mbbackgroundcolour{\thepagecolor}
610 \gdef\th@mbcolumn{0}
611
612 \gdef\th@mbtextA{}
613 \gdef\th@mbtextcolourA{\thepagecolor}

```

```

614 \gdef\th@mbbackgroundcolour{\thepagecolor}
615
616 \gdef\th@mbprinting{1}
617 \gdef\th@mbtoprint{0}
618 \gdef\th@mbonpage{0}
619 \gdef\th@mbonpagemax{0}
620
621 \gdef\th@mbcolumnnew{0}
622
623 \gdef\th@mbstable{0}%
624 \gdef\th@mbstable{0}%
625
626 \gdef\th@mbmaxwidth{0pt}
627
628 \gdef\th@mbtitlelabel{0}
629
630 \gdef\th@mbstable{0}%
631

```

It is checked whether writing to thumbs.tmb is allowed.

```

632 \if@filesw% \relax
633 \else
634   \PackageWarningNoLine{thumbs}{No auxiliary files allowed!\MessageBreak%
635     It was not allowed to write to files.\MessageBreak%
636     A lot of packages do not work without access to files\MessageBreak%
637     like the .aux one. The thumbs package needs to write\MessageBreak%
638     to the \jobname.tmb file. To exit press\MessageBreak%
639     Ctrl+Z\MessageBreak%
640     .\MessageBreak%
641   }
642 \fi
643

```

In \setth@mbheight the height of a thumb mark (for automatically thumb heights) is computed as “((Thumbs extension) / (Number of Thumbs)) - (2 × distance between Thumbs)”.

```

644 \newcommand{\setth@mbheight}{%
645   \setlength{\th@mbheighty}{\z@}
646   \advance\th@mbheighty+\headheight
647   \advance\th@mbheighty+\headsep
648   \advance\th@mbheighty+\textheight
649   \advance\th@mbheighty+\footskip
650   \setcounter{th@mbstable}{\th@mbstable}
651   \ifnum\value{th@mbstable}>1
652     \divide\th@mbheighty\th@mbstable
653   \fi
654   \advance\th@mbheighty-\th@mbstable
655   \advance\th@mbheighty-\th@mbstable
656 }

```

At the beginning of the document `\AtBeginDocument` is executed. `\th@bmshoffset` and `\th@bmsvoffset` are set again, because `\hoffset` and `\voffset` could have been changed.

```

658 \AtBeginDocument{%
659   \ifthumbs@ignorehoffset
660     \gdef\th@bmshoffset{Opt}
661   \else
662     \gdef\th@bmshoffset{\hoffset}
663   \fi
664   \ifthumbs@ignorevoffset
665     \gdef\th@bmsvoffset{-\voffset}
666   \else
667     \gdef\th@bmsvoffset{\voffset}
668   \fi
669   \xdef\th@mbpaperwidth{\the\paperwidth}
670   \setlength{\th@mbposyA}{1pt}
671   \ifdim \thumbs@minheight < \th@mbposyA% too small
672     \setlength{\thumbs@minheight}{1pt}
673   \else
674     \ifdim \thumbs@minheight = \th@mbposyA% small, but ok
675     \else
676       \ifdim \thumbs@minheight > \th@mbposyA% ok
677     \else
678       \PackageError{thumbs}{Option minheight has invalid value}{%
679         Please use a number and a length unit (e.g. mm, cm, pt)\MessageBreak%
680         and no space between as value for option minheight\MessageBreak%
681         and include this value+unit combination in curly brackets\MessageBreak%
682         (please see the thumbs-example.tex file).\MessageBreak%
683         When pressing return, minheight will now be set to 47pt.\MessageBreak%
684       }
685       \setlength{\thumbs@minheight}{47pt}
686     \fi
687   \fi
688 \fi
689 \setlength{\th@mbposyA}{\thumbs@minheight}

```

This should be a temporary dimension, but we do not want to waste a `newdimension`, and `\th@mbposyA` is not used here yet and will be set later.

Thumb height `\th@mbheighty` is treated. If the value is empty, it is set to `\th@mbposyA`, which was just defined to be 47 pt (by default, or to the value chosen by the user with package option `minheight={...}`):

```

690 \ifx\thumbs@height\empty%
691   \setlength{\th@mbheighty}{\th@mbposyA}
692 \else
693   \def\th@mbstest{auto}
694   \ifx\thumbs@height\th@mbstest%

```

If it is not empty but `auto`(matic), the value is computed via `\setth@mbheight` (see above).

```
695     \setth@mbheight
```

When the height is smaller than `\th@mbheight` (default: 47 pt), this is too small, and instead a new column/page of thumb marks is used.

```
696     \ifdim \th@mbheight < \th@mbheight
697         \PackageWarningNoLine{thumbs}{Thumbs not high enough:\MessageBreak%
698             Option height has value 'auto'. For \th@mbheight\space thumbs per page\MessageBreak%
699             this results in a thumb height of \the\th@mbheight.\MessageBreak%
700             This is lower than the minimal thumb height, \th@mbheight,\MessageBreak%
701             therefore another thumbs column will be opened.\MessageBreak%
702             If you do not want this, choose a smaller value\MessageBreak%
703             for option 'minheight'%}
704     }
705     \setlength{\th@mbheight}{\z@}
706     \advance\th@mbheight+\th@mbposyA% = \th@mbheight
707   \fi
708 \else
```

When a value has been given for the thumb marks' height, this fixed value is used.

```
709     \ifth@mbheight
710         \edef\th@mbheight{\the\th@mbheight}
711         \PackageInfo{thumbs}{Now setting thumbs' height to \th@mbheight .}
712     \fi
713     \setlength{\th@mbheight}{\th@mbheight}
714   \fi
715 \fi
```

Read in the `\jobname.tmb`-file:

```
716 \newread\instreamthumb%
```

Inform the users about the dimensions of the thumb marks (look in the log file):

```
717 \ifth@mbheight
718     \message{^^J}
719     \PackageInfoNoLine{thumbs}{***** THUMB dimensions *****}
720     \edef\th@mbheight{\the\th@mbheight}
721     \PackageInfoNoLine{thumbs}{The height of the thumb marks is \th@mbheight}
722 \fi
```

Setting the thumb mark width (`\th@mbwidthx`):

```
723 \ifth@mbwidthx
724     \setlength{\th@mbwidthx}{2pt}
725 \else
726     \setlength{\th@mbwidthx}{\paperwidth}
727     \advance\th@mbwidthx-\textwidth
728     \divide\th@mbwidthx4
729     \setlength{\th@mbposyA}{0sp}
```

```

730 \ifx\thumbs@width\empty%
731 \else
732   \def\th@mbstest{auto}
733   \ifx\thumbs@width\th@mbstest%
734   \else
735     \def\th@mbstest{autoauto}
736     \ifx\thumbs@width\th@mbstest%
737       \ifundefined{th@mbmaxwidtha}%
738         \if@filesw%
739           \gdef\th@mbmaxwidtha{0pt}
740           \setlength{\th@mbwidthx}{\th@mbmaxwidtha}
741           \AtEndAfterFileList{%
742             \PackageWarningNoLine{thumbs}{%
743               \string\th@mbmaxwidtha\space undefined.\MessageBreak%
744               Rerun to get the thumb marks width right%
745             }%
746           }%
747         \else
748           \PackageError{thumbs}{%
749             You cannot use option autoauto without \jobname.aux file.%
750           }%
751           \fi
752       }% \else
753       \setlength{\th@mbwidthx}{\th@mbmaxwidtha}
754     }%\fi
755   \else
756     \ifdim \thumbs@width > \th@mbposyA% OK
757       \setlength{\th@mbwidthx}{\thumbs@width}
758     \else
759       \PackageError{thumbs}{Thumbs not wide enough}{%
760         Option width has value '\thumbs@width'.\MessageBreak%
761         This is not a valid dimension larger than zero.\MessageBreak%
762         Width will be set automatically.\MessageBreak%
763       }%
764       \fi
765     \fi
766   \fi
767 \fi
768 \ifthumbs@verbose
769   \edef\thumbsinfo{\the\th@mbwidthx}
770   \PackageInfoNoLine{thumbs}{The width of the thumb marks is \thumbsinfo}
772 \ifthumbs@draft
773   \PackageInfoNoLine{thumbs}{because thumbs package is in draft mode}
774 \fi
775 \fi

```

Setting the position of the first/top thumb mark. Vertical (y) position is a little bit complicated, because option \thumbs@topthumbmargin must be handled:

```
776  % Thumb position x \th@mbposx
777  \setlength{\th@mbposx}{\paperwidth}
778  \advance\th@mbposx-\th@mbwidthx
779  \ifthumbs@ignorehoffset
780      \advance\th@mbposx-\hoffset
781  \fi
782  \advance\th@mbposx+1pt
783  % Thumb position y \th@mbposy
784  \ifx\thumbs@topthumbmargin\empty%
785      \def\thumbs@topthumbmargin{auto}
786  \fi
787  \def\th@mbstest{auto}
788  \ifx\thumbs@topthumbmargin\th@mbstest%
789      \setlength{\th@mbposy}{1in}
790      \advance\th@mbposy+\th@bmsvoffset
791      \advance\th@mbposy+\topmargin
792      \advance\th@mbposy-\th@mbsdistance
793      \advance\th@mbposy+\th@mbheighty
794  \else
795      \setlength{\th@mbposyA}{-1pt}
796      \ifdim\thumbs@topthumbmargin > \th@mbposyA% OK
797  \else
798      \PackageWarning{thumbs}{Thumbs column starting too high.\MessageBreak%
799          Option toptopmargin has value '\thumbs@topthumbmargin'.\MessageBreak%
800          toptopmargin will be set to -1pt.\MessageBreak%
801      }
802      \gdef\thumbs@topthumbmargin{-1pt}
803  \fi
804  \setlength{\th@mbposy}{\thumbs@topthumbmargin}
805  \advance\th@mbposy-\th@mbsdistance
806  \advance\th@mbposy+\th@mbheighty
807  \fi
808  \setlength{\th@mbposytop}{\th@mbposy}
809  \ifthumbs@verbose%
810      \setlength{@tempdimc}{\th@mbposytop}
811      \advance{@tempdimc-\th@mbheighty
812      \advance{@tempdimc+\th@mbsdistance
813      \edef\thumbsinfo{\the{@tempdimc}
814      \PackageInfoNoLine{thumbs}{The top thumb margin is \thumbsinfo}
815  \fi
```

Setting the lowest position of a thumb mark, according to option \thumbs@bottomthumbmargin:

```
816  % Max. thumb position y \th@mbposybottom
817  \ifx\thumbs@bottomthumbmargin\empty%
818      \gdef\thumbs@bottomthumbmargin{auto}
819  \fi
820  \def\th@mbstest{auto}
821  \ifx\thumbs@bottomthumbmargin\th@mbstest%
822      \setlength{\th@mbposybottom}{1in}
823      \ifthumbs@ignorevoffset% \relax
824          \else \advance\th@mbposybottom+\th@bmsvoffset
825      \fi
826      \advance\th@mbposybottom+\topmargin
827      \advance\th@mbposybottom-\th@mbsdistance
828      \advance\th@mbposybottom+\th@mbheighty
829      \advance\th@mbposybottom+\headheight
830      \advance\th@mbposybottom+\headsep
831      \advance\th@mbposybottom+\textheight
832      \advance\th@mbposybottom+\footskip
833      \advance\th@mbposybottom-\th@mbsdistance
834      \advance\th@mbposybottom-\th@mbheighty
835  \else
836      \setlength{\th@mbposyA}{\paperheight}
837      \advance\th@mbposyA-\thumbs@bottomthumbmargin
838      \advance\th@mbposyA-\th@mbposytop
839      \advance\th@mbposyA-\th@mbsdistance
840      \advance\th@mbposyA-\th@mbheighty
841      \advance\th@mbposyA-\th@mbsdistance
842      \ifdim \th@mbposyA > 0sp%ok
843  \else
844      \setlength{\th@mbposyA}{\paperheight}
845      \advance\th@mbposyA-\th@mbposytop
846      \advance\th@mbposyA-\th@mbsdistance
847      \advance\th@mbposyA-\th@mbheighty
848      \advance\th@mbposyA-\th@mbsdistance
849      \advance\th@mbposyA-1pt
850      \PackageWarning{thumbs}{Thumbs column ending too high.\MessageBreak%
851      Option bottomthumbmargin has value '\thumbs@bottomthumbmargin'.\MessageBreak%
852      bottomthumbmargin will be set to '\the\th@mbposyA'.\MessageBreak%
853  }
854  \xdef\thumbs@bottomthumbmargin{\the\th@mbposyA}
855  \fi
856  \setlength{\th@mbposyA}{\thumbs@bottomthumbmargin}
857  \setlength{\@tempdimec}{-1pt}
858  \ifdim \th@mbposyA < \@tempdimec%
859      \PackageWarning{thumbs}{Thumbs column ending too low.\MessageBreak%
860      Option bottomthumbmargin has value '\thumbs@bottomthumbmargin'.\MessageBreak%
861      bottomthumbmargin will be set to -1pt.\MessageBreak%
```

```

862      }
863      \gdef\th@mbposybottom{-1pt}
864  \fi
865  \setlength{\th@mbposybottom}{\paperheight}
866  \advance\th@mbposybottom-\th@mbposybottom
867 \fi
868 \ifth@mbposyA%
869   \setlength{\tempdimc}{\paperheight}
870   \advance\tempdimc-\th@mbposybottom
871   \edef\th@mbposyinfo{\the\tempdimc}
872   \PackageInfo{th@mbposy}{The bottom thumb margin is \th@mbposyinfo}
873   \PackageInfo{th@mbposy}{*****}
874   \message{^J}
875 \fi

```

`\th@mbposyA` is no longer used as temporary dimension here, but set to the top-most vertical thumb position (y). Because it will be increased (i.e. the thumb positions will move downwards on the page), `\th@mbposytocyy` is used to remember this position unchanged.

```

876 \advance\th@mbposy-\th@mbheighty% because it will be advanced also for the first thumb
877 \setlength{\th@mbposyA}{\th@mbposy}% \th@mbposyA will change.
878 \setlength{\th@mbposytocyy}{\th@mbposy}% \th@mbposytocyy shall not be changed.
879 }
880

```

`\th@mb@dvance` The internal command `\th@mb@dvance` is used to advance the position of the current thumb by `\th@mbheighty` and `\th@mb@distance`. If the resulting position of the thumb is lower than the `\th@mbposybottom` position (i.e. `\th@mbposy` higher than `\th@mbposybottom`), a new thumb column will be started by the next `\addthumb`, otherwise a blank thumb is created and `\th@mb@dvance` is calling itself again. This loop continues until a new thumb column is ready to be started.

```

881 \newcommand{\th@mb@dvance}{%
882   \advance\th@mbposy+\th@mbheighty%
883   \advance\th@mbposy+\th@mb@distance%
884   \ifdim\th@mbposy>\th@mbposybottom%
885     \advance\th@mbposy-\th@mbheighty%
886     \advance\th@mbposy-\th@mb@distance%
887   \else%
888     \advance\th@mbposy-\th@mbheighty%
889     \advance\th@mbposy-\th@mb@distance%
890     \thumborigaddthumb{}{}{\string\thepagecolor}{\string\thepagecolor}%
891   \th@mb@dvance%
892 \fi%
893 }
894

```

\thumbnewcolumn

With the command \thumbnewcolumn a new column can be started, even if the current one was not filled. This could be useful e.g. for a dictionary, which uses one column for translations from language A to language B, and the second column for translations from language B to language A. But in that case one probably should increase the size of the thumb marks, so that 26 thumb marks (in case of the latin alphabet) fill one thumb column. Do not use \thumbnewcolumn on a page where \addthumb was already used, but use \addthumb immediately after \thumbnewcolumn.

```

995 \newcommand{\thumbnewcolumn}{%
996   \ifx\th@mbtoprint\pagesLTS@one%
997     \PackageError{thumbs}{\string\thumbnewcolumn\space after \string\addthumb }{%
998       On page \thepage\space (approx.) \string\addthumb\space was used and *afterwards* \string\thumbnewcolumn .\MessageBreak%
999       When you want to use \string\thumbnewcolumn , do not use an \string\addthumb\space on the same\MessageBreak%
999       page before \string\thumbnewcolumn . Thus, either remove the \string\addthumb , or use a\MessageBreak%
999       \string\pagebreak , \string\newpage\space etc. before \string\thumbnewcolumn .\MessageBreak%
999       (And remember to use an \string\addthumb\space*after* \string\thumbnewcolumn .)\MessageBreak%
999       Your command \string\thumbnewcolumn\space will be ignored now.%}
999     }%
999   \else%
999     \PackageWarning{thumbs}{%
999       Starting of another column requested by command\MessageBreak%
999       \string\thumbnewcolumn.\space Only use this command directly\MessageBreak%
999       before an \string\addthumb\space - did you?!}\MessageBreak%
999     }%
999   \gdef\th@mbcolumnnew{1}%
999   \th@mb@dvance%
999   \gdef\th@mbprinting{0}%
999   \gdef\th@mbcolumnnew{2}%
999 \fi%
999 }
999

```

\addtitlethumb

When a thumb mark shall not or cannot be placed on a page, e.g. at the title page or when using \includepdf from pdffpages package, but the reference in the thumb marks overview nevertheless shall name that page number and hyperlink to that page, \addtitlethumb can be used at the following page. It has five arguments. The arguments one to four are identical to the ones of \addthumb (see immediately below), and the fifth argument consists of the label of the page, where the hyperlink at the thumb marks overview page shall link to. For the first page the label pagesLTS.0 can be use, which is already placed there by the used pageslts package.

```

998 \newcommand{\addtitlethumb}[5]{%
999   \xdef\th@mb@titlelabel{#5}%
999   \addthumb{#1}{#2}{#3}{#4}%
999   \xdef\th@mb@titlelabel{}%
999 }
999

```

\thumbnophantom To locally disable the setting of a \phantomsection before a thumb mark, the command \thumbnophantom is provided.
(But at first it is not disabled.)

```
924 \gdef\th@mbphantom{1}
925
926 \newcommand{\thumbnophantom}{%
927   \gdef\th@mbphantom{0}%
928 }
929
```

\addthumb Now the \addthumb command is defined, which is used to add a new thumb mark to the document.

```
930 \newcommand{\addthumb}[4]{%
931   \gdef\th@mbprinting{1}%
932   \advance\th@mbposy\th@mbheighty%
933   \advance\th@mbposy\th@mbsdistance%
934   \ifdim\th@mbposy>\th@mbposybottom%
935     \PackageInfo{thumbs}{%
936       Thumbs column full, starting another column.\MessageBreak%
937     }%
938   \setlength{\th@mbposy}{\th@mbposytop}%
939   \advance\th@mbposy\th@mbsdistance%
940   \ifx\th@mbcolumn\pagesLTS@zero%
941     \xdef\th@umbssperpagecount{\th@mbs}%
942     \gdef\th@mbcolumn{1}%
943   \fi%
944 \fi%
945 \setcounter{th@mbs@tmpA}{\th@mbs}%
946 \addtocounter{th@mbs@tmpA}{+1}%
947 \xdef\th@mbs{\arabic{th@mbs@tmpA}}%
```

The \addthumb command has four parameters:

1. a title for the thumb mark (for the thumb marks overview page, e.g. the chapter title),
2. the text to be displayed in the thumb mark (for example a chapter number),
3. the colour of the text in the thumb mark,
4. and the background colour of the thumb mark

(parameters in this order).

```
948 \gdef\th@mbtitle{#1}%
949 \gdef\th@mbtext{#2}%
950 \gdef\th@mbtextcolour{#3}%
951 \gdef\th@mbbackgroundcolour{#4}%
```

The width of the thumb mark text is determined and compared to the width of the thumb mark (rule). When the text is wider than the rule, this has to be changed (either automatically with option `width={autoauto}` in the next compilation run or manually by changing `width={...}` by the user).

```

952 \edef\th@mbstmpwidth{\the\th@mbposyA}%
953 \settowidth{\th@mbposyA}{\th@mbtext\space}%
954 \ifdim\th@mbposyA>\th@mbmaxwidth%
955   \xdef\th@mbmaxwidth{\the\th@mbposyA}%
956 \fi%
957 \ifdim\th@mbposyA>\th@mbwidthx%
958   \ifthumbs@draft% \relax
959   \else%
960     \edef\thumbsinfoa{\the\th@mbwidthx}
961     \edef\thumbsinfob{\the\th@mbposyA}
962     \PackageWarning{thumbs}{%
963       Thumb mark too small (width: \thumbsinfoa )\MessageBreak%
964       or its text too wide (width: \thumbsinfob )\MessageBreak%
965     }%
966   \fi%
967 \fi%
968 \setlength{\th@mbposyA}{\th@mbstmpwidth}%

```

`\@ifpackageloaded` cannot be used after `\AtBeginDocument`, so here it is not checked for the `hyperref` package, but for its `\Hy@Warning` command. If some other package or user is defining `\Hy@Warning`, `thumbs` will falsely assume, that `hyperref` has been loaded, but by my humble opinion, defining `\Hy@Warning` does not make sense and is bad style (except definition by the `hyperref` package itself, of course). Into the `\jobname.tmb` file a `\thumbcontents` entry is written. If `hyperref` is found, a `\phantomsection` is placed (except when globally disabled by option `nophantomsection` or locally by `\thumbsnophantom`), a label for the thumb mark created, and the `\thumbcontents` entry will be hyperlinked to that label (except when `\addtitlethumb` was used, then the label reported from the user is used – the `thumbs` package does *not* create that label!).

```

969 \@ifundefined{Hy@Warning}{% hyperref not loaded
970   }{% hyperref loaded
971   \ifthumbs@nophantomsection% \relax
972   \else%
973     \ifx\th@mbphantom\pagesLTS@one%
974       \phantomsection%
975     \else%
976       \gdef\th@mbphantom{1}%
977     \fi%
978   \fi%
979 }%
980 \label{thumbs.\th@mbs}%
981 \if@filesw%
982   \ifx\th@mb@titlelabel\empty%
983     \addtocontents{tmb}{\string\thumbcontents{\#1}{\#2}{\#3}{\#4}{\thepage}{\th@mbs}{\th@mbcolumnnew}}%
984   \else%
985     \addtocounter{page}{-1}%
986     \edef\th@mb@page{\thepage}%
987     \addtocontents{tmb}{\string\thumbcontents{\#1}{\#2}{\#3}{\#4}{\th@mb@page}{\th@mbs}{\th@mbcolumnnew}}%
988     \addtocounter{page}{+1}%
989   \fi%
990 \%else there is a problem, but the according warning message was already given earlier.

```

991 \fi%

Maybe there is a rare case, where more than one thumb mark will be placed at one page. Probably a \pagebreak, \newpage or something similar would be advisable, but nevertheless we should prepare for this case. We save the properties of the thumb mark(s).

```
992 \ifx\th@mbcolumnnew\pagesLTS@one%
993 \else%
994   \setcounter{th@mbs@tmpA}{\th@mbonpage}%
995   \addtocounter{th@mbs@tmpA}{+1}%
996   \xdef\th@mbonpage{\arabic{th@mbs@tmpA}}%
997 \fi%
998 \ifx\th@mbtoprint\pagesLTS@zero%
999 \else%
1000   \ifx\th@mbcolumnnew\pagesLTS@zero%
1001     \PackageWarning{thumbs}{More than one thumb at one page:\MessageBreak%
1002       You placed more than one thumb mark (at least \th@mbonpage)\MessageBreak%
1003       on page \thepage \space (page is approximately).\MessageBreak%
1004       Maybe insert a pagebreak?\MessageBreak%
1005     }%
1006   \fi%
1007 \fi%
1008 \ifnum\th@mbonpage=1%
1009   \ifnum\th@mbonpagemax>0% \relax
1010   \else \gdef\th@mbonpagemax{1}%
1011   \fi%
1012   \gdef\th@mbtextA{#2}%
1013   \gdef\th@mbtextcolourA{#3}%
1014   \gdef\th@mbbackgroundcolourA{#4}%
1015   \setlength{\th@mbposyA}{\th@mbposy}%
1016 \else%
1017   \ifx\th@mbcolumnnew\pagesLTS@zero%
1018   \setcounter{th@mbs@tmpA}{1}%
1019   \edef\th@mbonpagetest{\arabic{th@mbs@tmpA}}%
1020   \whilenum\th@mbonpagetest<\th@mbonpage\do{%
1021     \addtocounter{th@mbs@tmpA}{1}%
1022     \xdef\th@mbonpagetest{\arabic{th@mbs@tmpA}}%
1023     \ifnum\th@mbonpage=\th@mbonpagetest%
1024       \ifnum\th@mbonpagemax<\th@mbonpage%
1025         \xdef\th@mbonpagemax{\th@mbonpage}%
1026       \fi%
1027       \edef\th@mbtmpdef{\csname th@mbtext\AlphAlph{\arabic{th@mbs@tmpA}}\endcsname}%
1028       \expandafter\gdef\th@mbtmpdef{#2}%
1029       \edef\th@mbtmpdef{\csname th@mbtextcolour\AlphAlph{\arabic{th@mbs@tmpA}}\endcsname}%
1030       \expandafter\gdef\th@mbtmpdef{#3}%
1031       \edef\th@mbtmpdef{\csname th@mbbackgroundcolour\AlphAlph{\arabic{th@mbs@tmpA}}\endcsname}%
1032       \expandafter\gdef\th@mbtmpdef{#4}%
1033     \fi%
```

```

1034 }%
1035 \else%
1036   \ifnum\th@mbonpage>=\th@mbonpage%
1037     \xdef\th@mbonpage{\th@mbonpage}%
1038   \fi%
1039   \fi%
1040 \fi%
1041 \ifx\th@mbcolumnnew\pagesLTS@two%
1042   \gdef\th@mbcolumnnew{0}%
1043 \fi%
1044 \gdef\th@mbtoprint{1}%
1045 }
1046

```

\stopthumb When a page (or pages) shall have no thumb marks, **\stopthumb** stops the issuing of thumb marks (until another thumb mark is placed or **\continuethumb** is used).

```

1047 \newcommand{\stopthumb}{\gdef\th@mbprinting{0}}
1048

```

\continuethumb **\continuethumb** continues the issuing of thumb marks (equal to the one before this was stopped by **\stopthumb**).

```

1049 \newcommand{\continuethumb}{\gdef\th@mbprinting{1}}
1050

```

\thumbcontents The **internal** command **\thumbcontents** (which will be read in from the **\jobname.tmb** file) creates a thumb mark entry on the overview page(s). Its seven parameters are

1. the title for the thumb mark,
2. the text to be displayed in the thumb mark,
3. the colour of the text in the thumb mark,
4. the background colour of the thumb mark,
5. the first page of this thumb mark,
6. the label where it should hyperlink to
7. and an indicator, whether **\thumbnewcolumn** is just issueing blank thumbs to fill a column

(parameters in this order). Without **hyperref** the 6th parameter is just ignored.

```

1051 \newcommand{\thumbcontents}[7]{%
1052   \advance\th@mbposy\th@mbheighty%
1053   \advance\th@mbposy\th@mbsdistance%
1054   \ifdim\th@mbposy>\th@mbposybottom%
1055     \setlength{\th@mbposy}{\th@mbposytop}%
1056     \advance\th@mbposy\th@mbsdistance%
1057   \fi%

```

```

1058 \def\th@mb@tmp@title{#1}%
1059 \def\th@mb@tmp@text{#2}%
1060 \def\th@mb@tmp@textcolour{#3}%
1061 \def\th@mb@tmp@backgroundcolour{#4}%
1062 \def\th@mb@tmp@page{#5}%
1063 \def\th@mb@tmp@label{#6}%
1064 \def\th@mb@tmp@column{#7}%
1065 \ifx\th@mb@tmp@column\pagesLTS@two%
1066   \def\th@mb@tmp@column{0}%
1067 \fi%
1068 \setlength{\th@mbwidthhtoc}{\paperwidth}%
1069 \advance\th@mbwidthhtoc-1in%

```

Depending on which side the thumb marks should be placed the according dimensions have to be adapted.

```

1070 \def\th@mbstest{r}%
1071 \ifx\th@mbstest\th@mbprintpage% r
1072   \advance\th@mbwidthhtoc-\oddsidemargin%
1073   \setlength{\@tempdimc}{1in}%
1074   \advance\@tempdimc+\oddsidemargin%
1075 \else% l
1076   \advance\th@mbwidthhtoc-\evensidemargin%
1077   \setlength{\@tempdimc}{\th@bmshoffset}%
1078   \advance\@tempdimc-\hoffset
1079 \fi%
1080 \put(\@tempdimc,-\th@mbposy){%
1081   \def\th@mbstest{l}%
1082   \ifx\th@mbstest\th@mbprintpage% l
1083     \advance\th@mbwidthhtoc+\evensidemargin%
1084   \fi%
1085   \begin{picture}(0,0)%

```

When the option `thumblink=rule` was choosen, the whole rule is made into a hyperlink. Otherwise the rule is created without hyperlink (here).

```

1086 \def\th@mbstest{rule}%
1087 \ifx\thumbs@thumblink\th@mbstest%
1088   \ifx\th@mb@tmp@column\pagesLTS@zero%
1089     {\color{\th@mb@tmp@backgroundcolour}\hyperref[\th@mb@tmp@label]{\rule{\th@mbwidthhtoc}{\th@mbheighty}}}%
1090   \else%

```

When `\th@mb@tmp@column` is not zero, then this is a blank thumb mark from `thumbnewcolumn`.

```

1091   {\color{\th@mb@tmp@backgroundcolour}\rule{\th@mbwidthhtoc}{\th@mbheighty}}%
1092   \fi%
1093 \else%
1094   {\color{\th@mb@tmp@backgroundcolour}\rule{\th@mbwidthhtoc}{\th@mbheighty}}%
1095   \fi%
1096 \end{picture}%

```

When `\th@mbsprintpage` is 1, before the picture `\th@mbwidthxtoc` was changed, which must be reverted now.

```
1097     \ifx\th@mbstest\th@mbsprintpage% 1
1098         \advance\th@mbwidthxtoc-\evensidemargin%
1099     \fi%
```

When `\th@mb@tmp@column` is zero, then this is **not** a blank thumb mark from `thumbnewcolumn`, and we need to fill it with some content. If it is not zero, it is a blank thumb mark, and nothing needs to be done here.

```
1100     \ifx\th@mb@tmp@column\pagesLTS@zero%
1101         \setlength{\th@mbwidthxtoc}{\paperwidth}%
1102         \advance\th@mbwidthxtoc-1in%
1103         \advance\th@mbwidthxtoc-\hoffset%
1104     \ifx\th@mbstest\th@mbsprintpage% 1
1105         \advance\th@mbwidthxtoc-\evensidemargin%
1106     \else%
1107         \advance\th@mbwidthxtoc-\oddsidemargin%
1108     \fi%
1109     \advance\th@mbwidthxtoc-\th@mbwidthx%
1110     \advance\th@mbwidthxtoc-20pt%
1111     \ifdim\th@mbwidthxtoc>\textwidth%
1112         \setlength{\th@mbwidthxtoc}{\textwidth}%
1113     \fi%
```

Depending on which side the thumb marks should be placed the according dimensions have to be adapted here, too.

```
1114     \ifx\th@mbstest\th@mbsprintpage% 1
1115         \begin{picture}(0,0)(-6pt,-0.5\th@mbheighty+384930sp)%
1116             \bgroup%
1117                 \setlength{\parindent}{0pt}%
1118                 \makebox[\th@mbwidthx][1]{{\color{\th@mb@tmp@textcolour}\th@mb@tmp@text}}%
1119             \egroup%
1120         \end{picture}%
1121         \setlength{\tempdimc}{-1in}%
1122         \advance\tempdimc-\evensidemargin%
1123     \else% r
1124         \setlength{\tempdimc}{0pt}%
1125     \fi%
1126     \begin{picture}(0,0)(\tempdimc,-0.5\th@mbheighty+384930sp)%
1127         \bgroup%
1128             \setlength{\parindent}{0pt}%
1129             \vbox{%
1130                 \hspace*{\th@mbwidthxtoc} %
```

Depending on the value of option `thumblink`, parts of the text are made into hyperlinks:

- `none` creates *none* hyperlink

```
1131          \def\th@mbstest{none}%
1132          \ifx\thumbs@thumblink\th@mbstest%
1133              {\color{\th@mb@tmp@textcolour}\noindent \th@mb@tmp@title%
1134                  \leaders\box \ThumbsBox {\th@mb@linefill \th@mb@tmp@page}%
1135              }%
1136          \else%
```

- `title` hyperlinks the *titles* of the thumb marks

```
1137          \def\th@mbstest{title}%
1138          \ifx\thumbs@thumblink\th@mbstest%
1139              {\color{\th@mb@tmp@textcolour}\noindent%
1140                  \hyperref[\th@mb@tmp@label]{\th@mb@tmp@title}%
1141                  \leaders\box \ThumbsBox {\th@mb@linefill \th@mb@tmp@page}%
1142              }%
1143          \else%
```

- `page` hyperlinks the *page* numbers of the thumb marks

```
1144          \def\th@mbstest{page}%
1145          \ifx\thumbs@thumblink\th@mbstest%
1146              {\color{\th@mb@tmp@textcolour}\noindent%
1147                  \th@mb@tmp@title%
1148                  \leaders\box \ThumbsBox {\th@mb@linefill \pageref{\th@mb@tmp@label}}%
1149              }%
1150          \else%
```

- `titleandpage` hyperlinks the *title and page* numbers of the thumb marks

```
1151          \def\th@mbstest{titleandpage}%
1152          \ifx\thumbs@thumblink\th@mbstest%
1153              {\color{\th@mb@tmp@textcolour}\noindent%
1154                  \hyperref[\th@mb@tmp@label]{\th@mb@tmp@title}%
1155                  \leaders\box \ThumbsBox {\th@mb@linefill \pageref{\th@mb@tmp@label}}%
1156              }%
1157          \else%
```

- `line` hyperlinks the whole *line*, i. e. title, dots (or line or whatsoever) and page numbers of the thumb marks

```
1158          \def\th@mbstest{line}%
1159          \ifx\thumbs@thumblink\th@mbstest%
1160              {\color{\th@mb@tmp@textcolour}\noindent%
1161                  \hyperref[\th@mb@tmp@label]{\th@mb@tmp@title}%
1162                  \leaders\box \ThumbsBox {\th@mb@linefill \th@mb@tmp@page}}%
1163              }%
1164          \else%
```

- rule hyperlinks the whole *rule*, but that was already done above, so here no linking is done

```
1165          \def\th@mbstest{rule}%
1166          \ifx\thumbs@thumblink\th@mbstest%
1167              {\color{\th@mb@tmp@textcolour}\noindent%
1168                  \th@mb@tmp@title%
1169                  \leaders\box \ThumbsBox {\th@mbs@linefill \th@mb@tmp@page}%
1170              }%
1171          \else%
```

Another value for \thumbs@thumblink should never be encountered here.

```
1172          \PackageError{thumbs}{\string\thumbs@thumblink\space invalid}{%
1173              \string\thumbs@thumblink\space has an invalid value,\MessageBreak%
1174              although it did not have an invalid value before,\MessageBreak%
1175              and the thumbs package did not change it.\MessageBreak%
1176              Therefore some other package (or the user)\MessageBreak%
1177              manipulated it.\MessageBreak%
1178              Now setting it to 'none' as last resort.\MessageBreak%
1179          }%
1180          \gdef\thumbs@thumblink{none}%
1181          {\color{\th@mb@tmp@textcolour}\noindent%
1182              \th@mb@tmp@title%
1183              \leaders\box \ThumbsBox {\th@mbs@linefill \th@mb@tmp@page}%
1184          }%
1185          \fi%
1186          \fi%
1187          \fi%
1188          \fi%
1189          \fi%
1190          \fi%
1191          }%
1192      }%
1193      \egroup%
1194  \end{picture}%
```

The thumb mark (with text) as set in the document outside of the thumb marks overview page(s) is also presented here, except when we are printing at the left side.

```
1195  \ifx\th@mbstest\th@mbsprintpage% 1; relax
1196  \else%
1197      \begin{picture}(0,0)(1in+\oddsidemargin-\th@mbxpos+20pt,-0.5\th@mbheighty+384930sp)%
1198      \bgroup%
1199          \setlength{\parindent}{0pt}%
1200          \makebox[\th@mbwidthx][r]{{\color{\th@mb@tmp@textcolour}\th@mb@tmp@text}}%
1201      \egroup%
1202      \end{picture}%
1203  \fi%
1204 \fi%
```

```

1205      }%
1206  }
1207
\th@mb@yA     \th@mb@yA sets the y-position to be used in \th@mbprint.
1208 \newcommand{\th@mb@yA}{%
1209   \advance\th@mbposyA\th@mbheighty%
1210   \advance\th@mbposyA\th@mbsdistance%
1211   \ifdim\th@mbposyA>\th@mbposybottom%
1212     \PackageWarning{thumbs}{You are not only using more than one thumb mark at one\MessageBreak%
1213     single page, but also thumb marks from different thumb\MessageBreak%
1214     columns. May I suggest the use of a \string\pagebreak\space or\MessageBreak%
1215     \string\newpage ?%
1216   }%
1217   \setlength{\th@mbposyA}{\th@mbposytop}%
1218 \fi%
1219 }
1220
\th@mbprint    \th@mbprint places a picture containing the thumb mark on the page.
1221 \newcommand{\th@mbprint}[3]{%
1222   \put(\th@mbxpos,-\th@mbposyA){%
1223     \begin{picture}(0,0)%
1224       {\color{#3}\rule{\th@mbwidthx}{\th@mbheighty}}%
1225     \end{picture}%
1226     \begin{picture}(0,0)(0,-0.5\th@mbheighty+384930sp)%
1227       \bgroup%
1228         \setlength{\parindent}{0pt}%
1229         \ifodd\c@CurrentPage%
1230           \if@twoside%
1231             \makebox[\th@mbwidthx][l]{{\color{#2}\hspace*{1pt}\space #1}}%
1232           \else%
1233             \makebox[\th@mbwidthx][r]{{\color{#2}#1\space}}%
1234           \fi%
1235         \else%
1236           \makebox[\th@mbwidthx][r]{{\color{#2}#1\space}}%
1237         \fi%
1238       \egroup%
1239     \end{picture}%
1240   }%
1241 }
1242

```

```

\AtBeginShipout \AtBeginShipoutUpperLeft calls the \th@mbprint macro for each thumb mark which shall be placed on that page. When
\stopthumb was used, the thumb mark is omitted.

1243 \AtBeginShipout{%
1244   \ifx\th@mbcolumnnew\pagesLTS@zero% ok
1245   \else%
1246     \PackageError{thumbs}{Missing \string\addthumb\space after \string\thumbnewcolumn }{%
1247       Command \string\thumbnewcolumn\space was used, but no new thumb placed with \string\addthumb\MessageBreak%
1248       (at least not at the same page). After \string\thumbnewcolumn\space please always use an\MessageBreak%
1249       \string\addthumb . Until the next \string\addthumb , there will be no thumb marks on the\MessageBreak%
1250       pages. Starting a new column of thumb marks and not putting a thumb mark into\MessageBreak%
1251       that column does not make sense. If you just want to get rid of column marks,\MessageBreak%
1252       do not abuse \string\thumbnewcolumn\space but use \string\stopthumb .\MessageBreak%
1253       (This error message will be repeated at all following pages,\MessageBreak%
1254       \space until \string\addthumb\space is used.)\MessageBreak%
1255     }%
1256   \fi%
1257   \setcounter{th@mbs@tmpA}{\value{CurrentPage}}%
1258   \addtocounter{th@mbs@tmpA}{-1}% because CurrentPage is already the one of the next page

```

Changing the paper size mid-document will probably cause some problems. But if it works, we try to cope with it. (When the change is performed without changing \paperwidth, we cannot detect it. Sorry.)

```

1259 \edef\th@mbstmpwidth{\the\paperwidth}%
1260 \ifdim\th@mbpaperwidth=\th@mbstmpwidth% OK
1261 \else%
1262   \PackageWarningNoLine{thumbs}{%
1263     Paperwidth has changed. Thumb mark positions become now adapted%
1264   }%
1265   \setlength{\th@mbposx}{\paperwidth}%
1266   \advance\th@mbposx-\th@mbwidthx%
1267   \ifthumbs@ignorehoffset%
1268     \advance\th@mbposx-\hoffset%
1269   \fi%
1270   \advance\th@mbposx+1pt%
1271   \xdef\th@mbpaperwidth{\the\paperwidth}%
1272 \fi%

```

Determining the correct \th@mbxpos:

```

1273 \def\th@mbxpos{\th@mbposx}%
1274 \ifodd\c@th@mbs@tmpA% \relax
1275 \else%
1276   \if@twoside%
1277     \ifthumbs@ignorehoffset%
1278       \def\th@mbxpos{-1pt-\hoffset}%
1279     \else%
1280       \def\th@mbxpos{-1pt}%
1281     \fi%

```

```

    \else \relax%
1282    \fi%
1283 \fi%
1284 \AtBeginShipoutUpperLeft{%
1285     \ifx\th@mbprinting\pagesLTS@one%
1286         \th@mbprint{\th@mbtextA}{\th@mbtextcolourA}{\th@mbbackgroundcolourA}%
1287         \setcounter{th@mbs@tmpA}{1}%
1288         \edef\th@mbonpagetest{\arabic{th@mbs@tmpA}}%
1289         \whilenum\th@mbonpagetest<\th@mbonpage\do{%
1290             \addtocounter{th@mbs@tmpA}{1}%
1291             \edef\th@mbonpagetest{\arabic{th@mbs@tmpA}}%
1292             \th@mb@yA%
1293             \def\th@mbtmpdeftext{\csname th@mbtext\AlphAlpha{\arabic{th@mbs@tmpA}}\endcsname}%
1294             \def\th@mbtmpdefcolour{\csname th@mbtextcolour\AlphAlpha{\arabic{th@mbs@tmpA}}\endcsname}%
1295             \def\th@mbtmpdefbackgroundcolour{\csname th@mbbackgroundcolour\AlphAlpha{\arabic{th@mbs@tmpA}}\endcsname}%
1296             \th@mbprint{\th@mbtmpdeftext}{\th@mbtmpdefcolour}{\th@mbtmpdefbackgroundcolour}%
1297         }%
1298     \fi%

```

When more than one thumb mark was placed at that page, on the following pages only the last issued thumb mark shall appear.

```

1299 \setcounter{th@mbs@tmpA}{\th@mbonpage}%
1300 \ifnum\value{th@mbs@tmpA}<2% \relax
1301 \else%
1302     \gdef\th@mbtextA{\th@mbtext}%
1303     \gdef\th@mbtextcolourA{\th@mbtextcolour}%
1304     \gdef\th@mbbackgroundcolourA{\th@mbbackgroundcolour}%
1305     \gdef\th@mbposyA{\th@mbposy}%
1306 \fi%
1307 \gdef\th@mbonpage{0}%
1308 \gdef\th@mbtoprint{0}%
1309 }%
1310 }%
1311

```

\AfterLastShipout \AfterLastShipout is executed after the last page has been shipped out. It is still possible to e.g. write to the aux file at this time.

```

1312 \AfterLastShipout{%
1313 \ifx\th@mbcolumnnew\pagesLTS@zero% ok
1314 \else
1315     \PackageWarningNoLine{thumbs}{%
1316         Still missing \string\addthumb\space after \string\thumbnewcolumn\space after\MessageBreak%
1317         last shipout: Command \string\thumbnewcolumn\space was used,\MessageBreak%
1318         but no new thumb placed with \string\addthumb\space anywhere in the\MessageBreak%
1319         rest of the document. Starting a new column of thumb\MessageBreak%
1320         marks and not putting a thumb mark into that column\MessageBreak%
1321         does not make sense. If you just want to get rid of\MessageBreak%

```

```

1322     thumb marks, do not abuse \string\thumbnewcolumn\space but use\MessageBreak%
1323     \string\stopthumb %
1324 }
1325 \fi

\AfterLastShipout the number of thumb marks per overview page, the total number of thumb marks, and the maximal
thumb mark text width are determined and saved for the next LATEX run via the .aux file.

1326 \ifx\th@mbcolumn\pagesLTS@zero% if there is only one column of thumbs
1327   \xdef\th@umbsperpagecount{\th@mbs}
1328   \gdef\th@mbcolumn{1}
1329 \fi
1330 \ifx\th@umbsperpagecount\pagesLTS@zero
1331   \gdef\th@umbsperpagecount{\th@mbs}%
1332 \th@mbs was increased with each \addthumb
1333 \fi
1334 \ifdim\th@mbmaxwidth>\th@mbwidthx
1335   \ifthumbs@draft% \relax
1336   \else
1337     \def\th@mbstest{autoauto}
1338     \ifx\thubs@width\th@mbstest%
1339       \AtEndAfterFileList{%
1340         \PackageWarningNoLine{thubs}{%
1341           Rerun to get the thumb marks width right%
1342         }
1343       }
1344     \else
1345       \AtEndAfterFileList{%
1346         \edef\thubsinfoa{\th@mbmaxwidth}
1347         \edef\thubsinfob{\the\th@mbwidthx}
1348         \PackageWarningNoLine{thubs}{%
1349           Thumb mark too small or its text too wide:\MessageBreak%
1350           The widest thumb mark text is \thubsinfoa\space wide,\MessageBreak%
1351           but the thumb marks are only \space\thubsinfob\space wide.\MessageBreak%
1352           Either shorten or scale down the text,\MessageBreak%
1353           or increase the thumb mark width,\MessageBreak%
1354           or use option width=autoauto%
1355         }
1356       }
1357     \fi
1358   \fi
1359 \if@files
1360   \immediate\write\@auxout{\string\gdef\string\th@mbmaxwidtha{\th@mbmaxwidth}}
1361   \immediate\write\@auxout{\string\gdef\string\th@umbsperpage{\th@umbsperpagecount}}
1362   \immediate\write\@auxout{\string\gdef\string\th@mbsmax{\th@mbs}}
1363   \expandafter\newwrite\csname tf@tmb\endcsname

```

And a rerun check is performed: Did the `\jobname.tmb` file change?

```
1364     \RerunFileCheck{\jobname.tmb}{%
1365         \immediate\closeout \csname tf@tmb\endcsname
1366     }{Warning: Rerun to get list of thumbs right!%
1367     }
1368     \immediate\openout \csname tf@tmb\endcsname = \jobname.tmb\relax
1369 %\else there is a problem, but the according warning message was already given earlier.
1370 \fi
1371 }
1372
```

`\thumbsOverviewtocontents` `\addthumbsOverviewtocontents` with two arguments is a replacement for `\addcontentsline{toc}{<level>}{<text>}`, where the first argument of `\addthumbsOverviewtocontents` is for `<level>` and the second for `<text>`. If an entry of the thumbs mark overview shall be placed in the table of contents, `\addthumbsOverviewtocontents` with its arguments should be used immediately before `\thumbsOverview`.

```
1373 \newcommand{\addthumbsOverviewtocontents}[2]{%
1374   \gdef\th@mbs@toc@level{#1}
1375   \gdef\th@mbs@toc@text{#2}
1376 }
1377
```

`\clearotherdoublepage` We need a command to clear a double page, thus that the following text is *left* instead of *right* as accomplished with the usual `\cleardoublepage`. For this we take the original `\cleardoublepage` code and revert the `\ifodd\c@page\else` (i.e. if even `\c@page`) condition.

```
1378 \newcommand{\clearotherdoublepage}{%
1379 \clearpage\if@twoside \ifodd\c@page% removed "\else" from \cleardoublepage
1380 \hbox{}\newpage\if@twocolumn\hbox{}\newpage\fi\fi\fi
1381 }
1382
```

When the `hyperref` package is used, one might like to refer to the thumb overview page(s), therefore `\th@mbstablabeling` command is defined (and used later). First a `\phantomsection` is added. With or without `hyperref` a label `TableOfThumbs1` (or `TableOfThumbs2` or...) is placed here. For compatibility with older versions of this package also the label `TableOfThumbs` is created. Equal to older versions it aims at the last used Table of Thumbs, but since version 1.0g **without Error: Label TableOfThumbs multiply defined - thanks to \overridelabel from the undolabl package** (which is automatically loaded by the `pageslts` package).

When `\addthumbsOverviewtocontents` was used, the entry is placed into the table of contents.

```
1383 \newcommand{\th@mbstablabeling}{%
1384   \@ifundefined{Hy@Warning}{}{\phantomsection}%
1385   \let\label\thumbsoriglabel%
1386   \ifx\th@mbstable\pagesLTS@one%
1387     \label{TableOfThumbs}%
1388     \label{TableOfThumbs1}%
1389   \else%
1390     \overridelabel{TableOfThumbs}%
1391     \label{TableOfThumbs\th@mbstable}%
1392 }
```

```

1392 \fi%
1393 \let\label\gobble%
1394 \ifx\th@mbs@toc@level\empty%\relax
1395 \else \addcontentsline{toc}{\th@mbs@toc@level}{\th@mbs@toc@text}%
1396 \fi%
1397 }
1398

```

\thumbsoverview
\thumbsoverviewback
\thumbsoverviewverso
\thumbsoverviewdouble

For compatibility with documents created using older versions of this package \thumbsoverview did not get a second argument, but it is renamed to \thumbsoverviewprint and additional to \thumbsoverview new commands are introduced. It is of course also possible to use \thumbsoverviewprint with its two arguments directly, therefore its name does not include any @ (saving the users the use of \makeatother and \makeatletter).

- \thumbsoverview prints the thumb marks at the right side and (in `twoside` mode) skips left sides (useful e.g. at the beginning of a document)
- \thumbsoverviewback prints the thumb marks at the left side and (in `twoside` mode) skips right sides (useful e.g. at the end of a document)
- \thumbsoverviewverso prints the thumb marks at the right side and (in `twoside` mode) repeats them at the next left side and so on (useful anywhere in the document and when one wants to prevent empty pages)
- \thumbsoverviewdouble prints the thumb marks at the left side and (in `twoside` mode) repeats them at the next right side and so on (useful anywhere in the document and when one wants to prevent empty pages)

The \thumbsoverview... commands are used to place the overview page(s) for the thumb marks. Their parameter is used to mark this page/these pages (e.g. in the page header). If these marks are not wished, \thumbsoverview...{} will generate empty marks in the page header(s). \thumbsoverview... can be used more than once (for example at the beginning and at the end of the document). The overviews have labels `TableOfThumbs1`, `TableOfThumbs2` and so on, which can be referred to with e.g. \pageref{TableOfThumbs1}. The reference `TableOfThumbs` (without number) aims at the last used Table of Thumbs (for compatibility with older versions of this package).

```

1399 \newcommand{\thumbsoverview}[1]{\thumbsoverviewprint{\#1}{r}}
1400
1401 \newcommand{\thumbsoverviewback}[1]{\thumbsoverviewprint{\#1}{l}}
1402
1403 \newcommand{\thumbsoverviewverso}[1]{\thumbsoverviewprint{\#1}{v}}
1404
1405 \newcommand{\thumbsoverviewdouble}[1]{\thumbsoverviewprint{\#1}{d}}
1406

```

\thumbs@overviewprint \thumbs@overviewprint works by calling the internal command \th@mbs@verview (see below), repeating this until all thumb marks have been processed.

1407 \newcommand{\thumbs@overviewprint}[2]{%

It would be possible to just \edef\th@mbsprintpage{#2}, but \thumbs@overviewprint might be called manually and without valid second argument.

```
1408 \edef\th@mbstest{\#2}%
1409 \def\th@mbstestb{r}%
1410 \ifx\th@mbstest\th@mbstestb% r
1411   \gdef\th@mbsprintpage{r}%
1412 \else%
1413   \def\th@mbstestb{l}%
1414   \ifx\th@mbstest\th@mbstestb% l
1415     \gdef\th@mbsprintpage{l}%
1416   \else%
1417     \def\th@mbstestb{v}%
1418     \ifx\th@mbstest\th@mbstestb% v
1419       \gdef\th@mbsprintpage{v}%
1420     \else%
1421       \def\th@mbstestb{d}%
1422       \ifx\th@mbstest\th@mbstestb% d
1423         \gdef\th@mbsprintpage{d}%
1424       \else%
1425         \PackageError{thumbs}{%
1426           Invalid second parameter of \string\thumbs@overviewprint %
1427           }{The second argument of command \string\thumbs@overviewprint\space must be\MessageBreak%
1428             either 'r' or 'l' or 'v' or 'd', but is 'X2'.\MessageBreak%
1429               Now 'r' is chosen instead.\MessageBreak%
1430             }%
1431           \gdef\th@mbsprintpage{r}%
1432         \fi%
1433       \fi%
1434     \fi%
1435   \fi%
```

Option \thumbs@thumblink is checked for a valid and resonable value here.

```
1436 \def\th@mbstest{none}%
1437 \ifx\thumbs@thumblink\th@mbstest% OK
1438 \else%
1439   \@ifundefined{Hy@Warning}{% hyperref not loaded
1440     \PackageError{thumbs}{Option thumblink != none, but hyperref not loaded}{%
1441       The option thumblink of the thumbs package was not set to 'none',\MessageBreak%
1442       but to some kind of hyperlinks, without using package hyperref.\MessageBreak%
1443       Either choose option 'thumblink=none', or load package hyperref.\MessageBreak%
1444       When pressing return, 'thumblink=none' will be set now.\MessageBreak%
1445     }%
1446   \gdef\thumbs@thumblink{none}%

```

```

1447  }{\% hyperref loaded
1448  \def\th@mbstest{title}%
1449  \ifx\thumbs@thumblink\th@mbstest% OK
1450  \else%
1451    \def\th@mbstest{page}%
1452    \ifx\thumbs@thumblink\th@mbstest% OK
1453    \else%
1454      \def\th@mbstest{titleandpage}%
1455      \ifx\thumbs@thumblink\th@mbstest% OK
1456      \else%
1457        \def\th@mbstest{line}%
1458        \ifx\thumbs@thumblink\th@mbstest% OK
1459        \else%
1460          \def\th@mbstest{rule}%
1461          \ifx\thumbs@thumblink\th@mbstest% OK
1462          \else%
1463            \PackageError{thumbs}{Option thumblink with invalid value}{%
1464              Option thumblink has value '\thumbs@thumblink'.\MessageBreak%
1465              Valid values are 'none', 'title', 'page', \MessageBreak%
1466              'titleandpage', 'line', or 'rule'.\MessageBreak%
1467              'rule' will be used now.\MessageBreak%
1468            }%
1469            \gdef\thumbs@thumblink{rule}%
1470            \fi%
1471            \fi%
1472            \fi%
1473            \fi%
1474            \fi%
1475        }%
1476    \fi%

```

When the thumb overview is printed and there is already a thumb mark set, for example for the frontmatter (e.g. title page, bibliographic information, acknowledgements, dedication, preface, abstract, tables of content, tables, and figures, lists of symbols and abbreviations, and the thumbs overview itself, of course) or when the overview is placed near the end of the document, the current y-position of the thumb mark must be remembered (and later restored) and the printing of that thumb mark must be stopped (and later continued).

```

1477  \edef\th@mbprintingovertoc{\th@mbprinting}%
1478  \ifnum \th@mbsmax > \pagesLTS@zero%
1479    \if@twoside%
1480      \def\th@mbstest{r}%
1481      \ifx\th@mbstest\th@mbsprintpage%
1482        \cleardoublepage%
1483      \else%
1484        \def\th@mbstest{v}%
1485        \ifx\th@mbstest\th@mbsprintpage%
1486          \cleardoublepage%
1487        \else% l or d

```

```

1488      \clearotherdoublepage%
1489      \fi%
1490      \fi%
1491  \else \clearpage%
1492  \fi%
1493  \stopthumb%
1494  \markboth{\MakeUppercase #1 }{\MakeUppercase #1 }%
1495 \fi%
1496 \setlength{\th@mb sposytocy}{\th@mb posy}%
1497 \setlength{\th@mb posy}{\th@mb sposytocyy}%
1498 \ifx\th@mbstable\pagesLTS@zero%
1499   \newcounter{th@mb linea}%
1500   \newcounter{th@mb lineb}%
1501   \newcounter{FileLine}%
1502   \newcounter{thumbsstop}%
1503 \fi%
1504 \setcounter{th@mb linea}{\th@mbstable}%
1505 \addtocounter{th@mb linea}{+1}%
1506 \xdef\th@mbstable{\arabic{th@mb linea}}%
1507 \setcounter{th@mb linea}{1}%
1508 \setcounter{th@mb lineb}{\th@umb s perpage}%
1509 \setcounter{FileLine}{1}%
1510 \setcounter{thumbsstop}{1}%
1511 \addtocounter{thumbsstop}{\th@mb s max}%

```

We do not want any labels or index or glossary entries confusing the table of thumb marks entries, but the commands must work outside of it:

```

1512 \let\thumbsoriglabel\label%
1513 \let\thumbsorigindex\index%
1514 \let\thumbsorigglossary\glossary%
1515 \let\label@gobble%
1516 \let\index@gobble%
1517 \let\glossary@gobble%

```

Some preparation in case of double printing the overview page(s):

```

1518 \def\th@mbstest{v}%
1519 \ifx\th@mbstest\th@mbprintpage%
1520   \def\th@mbprintpage{1}%
1521   \def\th@mbdoublepage{1}%
1522 \else%
1523   \def\th@mbstest{d}%
1524 \ifx\th@mbstest\th@mbprintpage%
1525   \def\th@mbprintpage{r}%
1526   \def\th@mbdoublepage{1}%
1527 \else%
1528   \def\th@mbdoublepage{0}%
1529 \fi%
1530 \fi%

```

```

1531 \def\th@mb@resetdoublepage{0}%
1532 @whilenum\value{FileLine}<\value{thumbsstop}\do%

```

For double printing the overview page(s) we just change between printing left and right, and we need to reset the line number of the `\jobname.tmb` file which is read, because we need to read things twice.

```

1533 {\ifx\th@mb@doublepage\pagesLTS@one%
1534   \def\th@mb@test{r}%
1535   \ifx\th@mb@printpage\th@mb@test%
1536     \def\th@mb@printpage{l}%
1537   \else% \th@mb@printpage is l
1538     \def\th@mb@printpage{r}%
1539   \fi%
1540   \clearpage%
1541   \ifx\th@mb@resetdoublepage\pagesLTS@one%
1542     \setcounter{th@mblinea}{\th@mblinea}%
1543     \setcounter{th@mblineb}{\th@mblineb}%
1544     \def\th@mb@resetdoublepage{0}%
1545   \else%
1546     \edef\th@mblinea{\arabic{th@mblinea}}%
1547     \edef\th@mblineb{\arabic{th@mblineb}}%
1548     \def\th@mb@resetdoublepage{1}%
1549   \fi%
1550 \else%
1551   \if@twoside%
1552     \def\th@mb@test{r}%
1553     \ifx\th@mb@test\th@mb@printpage%
1554       \cleardoublepage%
1555     \else% 1
1556       \clearotherdoublepage%
1557     \fi%
1558   \else \clearpage%
1559   \fi%
1560 \fi%

```

When the very first page of a thumb marks overview is generated, the label is set (with the `\th@mbstablabeling` command).

```

1561 \ifnum\value{FileLine}=1%
1562   \ifx\th@mb@doublepage\pagesLTS@one%
1563     \ifx\th@mb@resetdoublepage\pagesLTS@one%
1564       \th@mbstablabeling%
1565     \fi%
1566   \else%
1567     \th@mbstablabeling%
1568   \fi%
1569 \fi%
1570 \null%
1571 \th@mbs@verview%
1572 \pagebreak%

```

```

1573 \ifthumbs@verbose%
1574   \message{THUMBS: Fileline: \arabic{FileLine}, a: \arabic{th@mblinea}, %
1575     b: \arabic{th@mblineb}, per page: \th@umbsperpage, max: \th@mbmax.^~J}%
1576 \fi%

```

When double page mode is active and `\th@mb@resetdoublepage` is one, the last page of the thumbs mark overview must be repeated, but

```
\@whilenum\value{FileLine}<\value{thumbsstop}\do%
```

would prevent this, because `FileLine` is already too large and would only be reset *inside* the loop, but the loop would not be executed again.

```

1577   \ifx\th@mb@resetdoublepage\pagesLTS@one%
1578     \setcounter{FileLine}{\th@mblinea}%
1579   \fi%
1580 }%

```

After the overview, the current thumb mark (if there is any) is restored,

```

1581 \setlength{\th@mbposy}{\th@mbposytocy}%
1582 \ifx\th@mbprintingovertoc\pagesLTS@one%
1583   \continuethumb%
1584 \fi%

```

as well as the `\label`, `\index`, and `\glossary` commands:

```

1585 \let\label\thumbsoriglabel%
1586 \let\index\thumbsorigindex%
1587 \let\glossary\thumbsorigglossary%

```

and `\th@mbs@toc@level` and `\th@mbs@toc@text` need to be emptied, otherwise for each following Table of Thumb Marks the same entry in the table of contents would be added, if no new `\addthumbsoverviewtocontents` would be given. (But when no `\addthumbsoverviewtocontents` is given, it can be assumed that no thumbsoverview-entry shall be added to contents.)

```

1588 \addthumbsoverviewtocontents{}{%
1589 }
1590

```

`\th@mbs@overview` The internal command `\th@mbs@overview` reads a line from file `\jobname.tmb` and executes the content of that line – if that line has not been processed yet, in which case it is just ignored (see `\@unused`).

```

1591 \newcommand{\th@mbs@overview}{%
1592   \ifthumbs@verbose%
1593     \message{^^JPackage thumbs Info: Processing line \arabic{th@mblinea} to \arabic{th@mblineb} of \jobname.tmb.}%
1594   \fi%
1595   \setcounter{FileLine}{1}%
1596   \AtBeginShipoutNext{%
1597     \AtBeginShipoutUpperLeftForeground{%
1598       \IfFileExists{\jobname.tmb}{%
1599         \openin\@instreamthumb=\jobname.tmb %
1600         \@whilenum\value{FileLine}<\value{th@mblineb}\do{%
1601           \ifthumbs@verbose%
1602             \message{THUMBS: Processing \jobname.tmb line \arabic{FileLine}.}%

```

```

1603 \fi%
1604 \ifnum \value{FileLine}<\value{th@mblinea}%
1605   \read\@instreamthumb to \@unused%
1606   \ifthumbs@verbose%
1607     \message{Can be skipped.^^J}%
1608   \fi%
1609   % NIRVANA: ignore the line by not executing it,
1610   % i.e. not executing \@unused.
1611   % % \@unused
1612 \else%
1613   \ifnum \value{FileLine}=\value{th@mblinea}%
1614     \read\@instreamthumb to \@thumbsout% execute the code of this line
1615     \ifthumbs@verbose%
1616       \message{Executing \jobname.tmb line \arabic{FileLine}.^^J}%
1617     \fi%
1618     \@thumbsout%
1619   \else%
1620     \ifnum \value{FileLine}>\value{th@mblinea}%
1621       \read\@instreamthumb to \@thumbsout% execute the code of this line
1622       \ifthumbs@verbose%
1623         \message{Executing \jobname.tmb line \arabic{FileLine}.^^J}%
1624       \fi%
1625       \@thumbsout%
1626   \else% THIS SHOULD NEVER HAPPEN!
1627     \PackageError{thumbs}{Unexpected error! (Really!)}{%
1628       ! You are in trouble here.\MessageBreak%
1629       ! Type\space \space X \string<return>\string>\space to quit.\MessageBreak%
1630       ! Delete temporary auxiliary files\MessageBreak%
1631       ! (like \jobname.aux, \jobname.tmb, \jobname.out)\MessageBreak%
1632       ! and retry the compilation.\MessageBreak%
1633       ! If the error persists, cross your fingers\MessageBreak%
1634       ! and try typing\space \space \string<return>\string>\space to proceed.\MessageBreak%
1635       ! If that does not work,\MessageBreak%
1636       ! you might contact the maintainer of the thumbs package.\MessageBreak%
1637     }%
1638   \fi%
1639   \fi%
1640   \fi%
1641   \stepcounter{FileLine}%
1642 }%
1643 \ifnum \value{FileLine}=\value{th@mblineb}
1644   \ifthumbs@verbose%
1645     \message{THUMBS: Processing \jobname.tmb line \arabic{FileLine}.}%
1646   \fi%
1647   \read\@instreamthumb to \@thumbsout% Execute the code of that line.
1648   \ifthumbs@verbose%
1649     \message{Executing \jobname.tmb line \arabic{FileLine}.^^J}%

```

```

1650          \fi%
1651          \th@thumbsout% Well, really execute it here.
1652          \stepcounter{FileLine}%
1653          \fi%
1654          \closein@\instreamthumb%

```

And on to the next overview page of thumb marks (if there are so many thumb marks):

```

1655          \addtocounter{th@mblinea}{\th@umbsperpage}%
1656          \addtocounter{th@mblineb}{\th@umbsperpage}%
1657          \setcounter{th@mbs@tmpA}{\th@mbsmax}%
1658          \ifnum \value{th@mblineb}>\value{th@mbs@tmpA}
1659              \setcounter{th@mblineb}{\value{th@mbs@tmpA}}%
1660          \fi%
1661      }% else

```

When `\jobname.tmb` was not found, we cannot read from that file, therefore the `FileLine` is set to `thumbsstop`, stopping the calling of `\th@mbs@verview` in `\thumbsoverview`. (And we issue a warning, of course).

```

1662          \setcounter{FileLine}{\arabic{thumbsstop}}%
1663          \AtEndAfterFileList{%
1664              \PackageWarningNoLine{thumbs}{%
1665                  File \jobname.tmb not found.\MessageBreak%
1666                  Rerun to get thumbs overview page(s) right.\MessageBreak%
1667              }%
1668          }%
1669      }%
1670  }%
1671 }%
1672 }%
1673

```

When we are in `draft` mode, the thumb marks are “de-coloured”, their width is reduced, and a warning is given.

```

1674 \let\thumborigaddthumb\addthumb%
1675
1676 \iftthumbs@draft
1677     \setlength{\th@mbwidthx}{2pt}
1678     \renewcommand{\addthumb}[4]{\thumborigaddthumb{\#1}{\#2}{black}{gray}}
1679     \PackageWarningNoLine{thumbs}{thumbs package in draft mode:\MessageBreak%
1680         Thumb mark width is set to 2pt,\MessageBreak%
1681         thumb mark text colour to black, and\MessageBreak%
1682         thumb mark background colour to gray.\MessageBreak%
1683         Use package option final to get the original values.\MessageBreak%
1684     }
1685 \fi
1686

```

When we are in hidethumbs mode, there are no thumb marks and therefore neither any thumb mark overview page. A warning is given.

```
1687 \ifthumbs@hidethumbs
1688   \renewcommand{\addthumb}[4]{\relax}
1689   \PackageWarningNoLine{thumbs}{thumbs package in hide mode.\MessageBreak%
1690     Thumb marks are hidden.\MessageBreak%
1691     Remove package option hide to get thumb marks.\MessageBreak%
1692   }
1693   \renewcommand{\thumbnewcolumn}{\relax}
1694 \fi
1695
1696 </package>
```

6 Installation

6.1 Downloads

Everything is available on CTAN:, <http://www.ctan.org/tex-archive/>, but may need additional packages themselves.

`thumbs.dtx` For unpacking the `thumbs.dtx` file and constructing the documentation it is required:

- TeXFormat L^AT_EX 2 _{ϵ} : <http://www.CTAN.org/>
- document class `ltxdoc`, 2007/11/11, v2.0u, CTAN:macros/latex/base/ltxdoc.dtx
- package `geometry`, 2010/09/12, v5.6, CTAN:macros/latex/contrib/geometry/geometry.dtx
- package `holtxdoc`, 2011/02/04, v0.21, CTAN:macros/latex/contrib/oberdiek/holtxdoc.dtx
- package `hypdoc`, 2010/03/26, v1.9, CTAN:macros/latex/contrib/oberdiek/hypdoc.dtx

`thumbs.sty` The `thumbs.sty` for L^AT_EX 2 _{ϵ} (i. e. all documents using the `thumbs` package) requires:

- TeXFormat L^AT_EX 2 _{ϵ} , <http://www.CTAN.org/>
- package `xcolor`, 2007/01/21, v2.11, CTAN:macros/latex/contrib/xcolor/xcolor.dtx
- package `pageslts`, 2011/08/08, v1.2a, CTAN:macros/latex/contrib/pageslts/pagesLTS.dtx
- package `pagecolor`, 2011/08/08, v1.0c, CTAN:macros/latex/contrib/pagecolor/pagecolor.dtx
- package `alphalph`, 2010/04/18, v2.3, CTAN:macros/latex/contrib/oberdiek/alphalph.dtx
- package `atbegshi`, 2011/01/30, v1.15, CTAN:macros/latex/contrib/oberdiek/atbegshi.dtx
- package `atveryend`, 2011/04/23, v1.7, CTAN:macros/latex/contrib/oberdiek/atveryend.dtx
- package `infwarerr`, 2010/04/08, v1.3, CTAN:macros/latex/contrib/oberdiek/infwarerr.dtx
- package `kvoptions`, 2010/12/23, v3.10, CTAN:macros/latex/contrib/oberdiek/kvoptions.dtx
- package `picture`, 2009/10/11, v1.3, CTAN:macros/latex/contrib/oberdiek/picture.dtx
- package `rerunfilecheck`, 2011/04/15, v1.7, CTAN:macros/latex/contrib/oberdiek/rerunfilecheck.dtx

`SW/SWP` When compiling with SWP 5.50 Build 2960 (© MacKichan Software, Inc.), this is additionally needed:

```
\usepackage[T1]{fontenc}
\usepackage{amsfonts}
\usepackage[math]{cellspace}
\usepackage{xcolor}
\pagecolor{white}
\newcommand{\QTO}[2]{#2}
```

especially before `hyperref` and `thumbs`, but best right after the `\documentclass!` (The options for those packages might be changed by the user – I did not test all available options, thus first test, whether the document can be compiled with these options, and then try to change them according to your whishes.)

`thumb-example.tex` The `thumb-example.tex` requires the same files as all documents using the `thumbs` package and additionally:

- package `eurosym`, 1998/08/06, v1.1, [CTAN:fonts/eurosym.zip](#)
- package `lipsum`, 2011/04/14, v1.2, [CTAN:macros/latex/contrib/lipsum/lipsum.dtx](#)
- package `hyperref`, 2011/10/01, v6.82j, [CTAN:macros/latex/contrib/hyperref/hyperref.dtx](#)
- package `thumbs`, 2011/10/19, v1.0j, [CTAN:macros/latex/contrib/thumbs/thumbs.dtx](#)
(Well, it is the example file for this package, and because you are reading the documentation for the `thumbs` package, it can be assumed that you already have some version of it – is it the current one?)

`Alternatives` As possible alternatives in section 3 there are listed

- `chapterthumb`, 2005/03/10, v0.1, [CTAN:info/examples/KOMA-Script-3/Anhang-B/source/chapterthumb.sty](#)
- `eso-pic`, 2010/10/06, v2.0c, [CTAN:macros/latex/contrib/eso-pic/eso-pic.dtx](#)
- `fancytabs`, 2011/04/16 v1.1, [CTAN:macros/latex/contrib/fancytabs/fancytabs.dtx](#)
- `thumb`, 2001, without file version, <ftp://ftp.dante.de/pub/tex/info/examples/ltt/thumb.sty>
- `thumb` (a completely different one), 1997/12/24, v1.0, [CTAN:macros/latex/contrib/thumb/thumb.dtx](#)
- `thumbindex`, 2009/12/13, without file version, <http://hisashim.org/2009/12/13/thumbindex.html>.
- `thumb-index`, from the `fancyhdr` package, 2005/03/22 v3.2, [CTAN:macros/latex/contrib/fancyhdr/fancyhdr.pdf](#)
- `thumbpdf`, 2010/07/07, v3.11, [CTAN:support/thumbpdf/thumbpdf.sty](#)
- `thumby`, 2010/01/14, v0.1, [CTAN:macros/latex/contrib/thumby/thumby.sty](#)

`Oberdiek` All packages of Heiko Oberdiek's bundle 'oberdiek' (especially `holtxdoc`, `alphalph`, `atbegshi`, `infwarerr`, `kvoptions`, `picture`, and `rerunfilecheck`) are also available in a TDS compliant ZIP archive:

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#).

It is probably best to download and use this, because the packages in there should be both recent and compatible.

`hyperref` Heiko Oberdiek's `hyperref` package is not included in that bundle but needs to be downloaded separately,
<http://mirror.ctan.org/install/macros/latex/contrib/hyperref.tds.zip>.

`Münch` A hyperlinked list of my (other) packages can be found at <http://www.Uni-Bonn.de/~uzs5pv/LaTeX.html>.

6.2 Package, unpacking TDS

Package. This package is available on CTAN:

[CTAN:macros/latex/contrib/thumbs/thumbs.dtx](#)

The source file.

[CTAN:macros/latex/contrib/thumbs/thumbs.pdf](#)

The documentation.

[CTAN:macros/latex/contrib/thumbs/thumbs-example.pdf](#)

The compiled example file, as it should look like.

[CTAN:macros/latex/contrib/thumbs/README](#)

The README file.

[CTAN:install/macros/latex/contrib/thumbs.tds.zip](#)

Everything in TDS compliant, compiled format,

which additionally contains

thumbs.ins	The installation file.
thumbs.drv	The driver to generate the documentation.
thumbs.sty	The .style file.
thumbs-example.tex	The example file.

For required other packages, see the preceding subsection.

Unpacking. The .dtx file is a self-extracting docstrip archive. The files are extracted by running the .dtx through plain TeX:

`tex thumbs.dtx`

About generating the documentation see paragraph 6.4 below.

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

thumbs.sty	→ <code>tex/latex/thumbs.sty</code>
thumbs.pdf	→ <code>doc/latex/thumbs.pdf</code>
thumbs-example.tex	→ <code>doc/latex/thumbs-example.tex</code>
thumbs-example.pdf	→ <code>doc/latex/thumbs-example.pdf</code>
thumbs.dtx	→ <code>source/latex/thumbs.dtx</code>

If you have a `docstrip.cfg` that configures and enables docstrip's TDS installing feature, then some files can already be in the right place, see the documentation of docstrip.

6.3 Refresh file name databases

If your **T_EX** distribution (te**T_EX**, mik**T_EX**,...) relies on file name databases, you must refresh these. For example, te**T_EX** users run **texhash** or **mktexlsr**.

6.4 Some details for the interested

Unpacking with L^AT_EX. The **.dtx** chooses its action depending on the format:

plain T_EX: Run **docstrip** and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for **docstrip** (really, **docstrip** does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{thumbs.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the **.dtx** or the **.drv** to generate the documentation. The process can be configured by a configuration file **ltxdoc.cfg**. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with **pdflat^AT_EX**:

```
pdflatex thumbs.drv
makeindex -s gind.ist thumbs.idx
pdflatex thumbs.drv
makeindex -s gind.ist thumbs.idx
pdflatex thumbs.drv
```

6.5 Compiling the example

The example file, **thumbs-example.tex**, can be compiled via

```
latex thumbs-example.tex
or (recommended)
pdflatex thumbs-example.tex
```

and will need probably at least four (!) compiler runs to get everything right.

7 Acknowledgements

I would like to thank HEIKO OBERDIEK (heiko dot oberdiek at googlemail dot com) for providing the **hyperref** as well as a lot (!) of other useful packages (from which I also got everything I know about creating a file in **.dtx** format, ok, say it: copying), and the **news:comp.text.tex** and **news:de.comp.text.tex** newsgroups for their help in all things **T_EX**. Thanks for bug reports go to VERONICA BRANDT and MARTIN BAUTE.

8 History

[2010/04/01 v0.01 – 2011/05/13 v0.46]

- Diverse β -versions during the creation of this package.

[2011/05/14 v1.0a]

- Upload to <http://www.ctan.org/pkg/thumbs>.

[2011/05/18 v1.0b]

- When more than one thumb mark is places at one single page, the variables containing the values (text, colour, backgroundcolour) of those thumb marks are now created dynamically. Theoretically, one can now have 2 147 483 647 thumb marks at one page instead of six thumb marks (as with thumbs version 1.0a), but I am quite sure that some other limit will be reached before the 2 147 483 647th thumb mark.
- Bug fix: When a document using the thumbs package was compiled, and the .aux and .tmb files were created, and the .tmb file was deleted (or renamed or moved), while the .aux file was not deleted (or renamed or moved), and the document was compiled again, and the .aux file was reused, then reading from the then empty .tmb file resulted in an endless loop. Fixed.
- Minor details.

[2011/05/20 v1.0c]

- The thumb mark width is written to the log file (in verbose mode only). The knowledge of the value could be helpful for the user, when option `width={auto}` was used, and one wants the thumb marks to be half as big, or with double width, or a little wider, or a little smaller... Also thumb marks' height, top thumb margin and bottom thumb margin are given. Look for

```
***** THUMB dimensions *****
```

in the log file.
- Bug fix: There was a

```
\advance\th@mbheighty-\th@mbsdistance,
```

where

```
\advance\th@mbheighty-\th@mbsdistance
\advance\th@mbheighty-\th@mbsdistance
```

should have been, causing wrong thumb marks' height, thereby wrong number of thumb marks per column, and thereby another endless loop. Fixed.
- The ifthen package is no longer required for the thumbs package, removed from its \RequirePackage entries.
- The infwarerr package is used for its \PackageInfoNoLine command.
- The warning package is no longer used by the thumbs package, removed from its \RequirePackage entries. Instead, the atveryend package is used, because it is loaded anyway when the hyperref package is used.

- Minor details.

[2011/05/26 v1.0d]

- Bug fix: labels or index or glossary entries were gobbled for the thumb marks overview page, but gobbling leaked to the rest of the document; fixed.
- New option `silent`, complementary to old option `verbose`.
- New option `draft` (and complementary option `final`), which “de-colourises” the thumb marks and reduces their width to 2 pt.

[2011/06/02 v1.0e]

- Gobbling of labels or index or glossary entries improved.
- Dimension `\thumbsinfodimen` no longer needed.
- Internal command `\thumbs@info` no longer needed, removed.
- New value `autoauto` (not default!) for option `width`, setting the thumb marks width to fit the widest thumb mark text.
- When `width={autoauto}` is not used, a warning is issued, when the thumb marks width is smaller than the thumb mark text.
- Bug fix: Since version v1.0b as of 2011/05/18 the number of thumb marks at one single page was no longer limited to six, but the example still stated this. Fixed.
- Minor details.

[2011/06/08 v1.0f]

- Bug fix: `\th@mb@titlelabel` should be defined `\empty` at the beginning of the package: fixed. (Bug reported by VERONICA BRANDT. Thanks!)
- Bug fix: `\thumbs@distance` versus `\th@mbsdistance`: There should be only two times `\thumbs@distance`, the value of option `distance`, otherwise it should be the length `\th@mbsdistance`: fixed. (Also this bug reported by VERONICA BRANDT. Thanks!)
- `\hoffset` and `\voffset` are now ignored by default, but can be regarded using the options `ignorehoffset=false` and `ignorevoffset=false`. (Pointed out again by VERONICA BRANDT. Thanks!)
- Added to documentation: The package takes the dimensions `\AtBeginDocument`, thus later the page dimensions should not be changed. Now explicitly stated this in the documentation. `\paperwidth` changes are probably possible.
- Documentation and example now give a lot more details.
- Changed diverse details.

[2011/06/24 v1.0g]

- Bug fix: When `hyperref` was *not* used, then some labels were not set at all - fixed.
- Bug fix: When more than one Table of Tumbs was created with the `\thumbsoverview` command, there were some `counter ... already defined`-errors - fixed.
- Bug fix: When more than one Table of Tumbs was created with the `\thumbsoverview` command, there was a `Label TableofTumbs multiply defined`-error and it was not possible to refer to any but the last Table of Tumbs. Fixed with labels `TableofTumbs1, TableofTumbs2,...` (`TableofTumbs` still aims at the last used Table of Thumbs for compatibility.)
- Bug fix: Sometimes the thumb marks were stopped one page too early before the Table of Thumbs - fixed.
- Some details changed.

[2011/08/08 v1.0h]

- Replaced `\global\edef` by `\xdef`.
- Now using the `pagecolor` package. Empty thumb marks now inherit their colour from the pages's background. Option `pagecolor` is therefore obsolete.
- The `pagesLTS` package has been replaced by the `pageslts` package.
- New kinds of thumb mark overview pages introduced additionally to `\thumbsoverview`: `\thumbsoverviewback`, `\thumbsoverviewverso`, and `\thumbsoverviewdouble`.
- New option `hidethumbs=true` to hide thumb marks (and their overview page(s)).
- Option `ignorehoffset` did not work for the thumb marks overview page(s) - neither `true` nor `false`; fixed.
- Changed a huge number of details.

[2011/08/22 v1.0i]

- Hot fix: TeX 2011/06/27 has changed `\enddocument` and thus broken the `\AtVeryVeryEnd` command/hooking of `atveryend` package as of 2011/04/23, v1.7. Version 2011/06/30, v1.8, fixed it, but this version is not available at [CTAN](#): yet. Until then `\AtEndAfterFileList` is used.

[2011/10/19 v1.0j]

- Changed some Warnings into Infos (as suggested by MARTIN BAUTE).
- The SWP-warning is now only given `\IfFileExists{tcilatex.tex}`, otherwise just a message is given. (Warning questioned by MARTIN BAUTE, thanks.)
- New option `nophantomsection` to *globally* disable the automatical placement of a `\phantomsection` before *all* thumb marks.

- New command `\thumpsnophantom` to *locally* disable the automatical placement of a `\phantomsection` before the *next* thumb mark.
- README fixed.
- Minor details changed.

When you find a mistake or have a suggestion for an improvement of this package, please send an e-mail to the maintainer, thanks! (Please see BUG REPORTS in the README.)

Note: X and Y are not missing in the following index, but no command *beginning* with any of these letters has been used in this `thumbs` package.

9 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	
<code>\@auxout</code>	1360, 1361, 1362
<code>\@gobble</code>	1393, 1515, 1516, 1517
<code>\@ifundefined</code>	35, 36, 365, 737, 969, 1384, 1439
<code>\@instreamthumb</code>	716, 1599, 1605, 1614, 1621, 1647, 1654
<code>\@tempdimc</code>	810, 811, 812, 813, 857, 858, 869, 870, 871, 1073, 1074, 1077, 1078, 1080, 1121, 1122, 1124, 1126
<code>\@thumbsout</code>	1614, 1618, 1621, 1625, 1647, 1651
<code>\@unused</code>	1605, 1610, 1611
<code>\@whilenum</code>	1020, 1289, 1532, 1600
A	
<code>\addcontentsline</code>	44, 1395
<code>\addthumb</code>	7, 34, 147, 150, 169, 182, 190, 237, 241, 249, 251, 272, 282, 294, 300, 306, 334, 340, 346, 356, 897, 898, 899, 900, 902, 909, 920, 930, 1246, 1247, 1249, 1254, 1316, 1318, 1331, 1674, 1678, 1688
<code>\addthumbsoverviewtocontents</code>	9, 46, 121, 139, 322, 329, 419, 1373, 1588
<code>\addtitlethumb</code>	8, 33, 104, 109, 918
<code>\addtocontents</code>	983, 987
<code>\AfterLastShipout</code>	44, 1312
<code>\AlphAlpha</code>	1027, 1029, 1031, 1293, 1294, 1295
<code>\alphalph</code>	57
<code>\Alternatives</code>	57
B	
<code>\AtBeginDocument</code>	658
<code>\AtBeginShipout</code>	43, 1243
<code>\AtBeginShipoutNext</code>	1596
<code>\AtBeginShipoutUpperLeft</code>	1284
<code>\AtBeginShipoutUpperLeftForeground</code>	1597
<code>\atbegshi</code>	57
<code>\AtEndAfterFileList</code>	741, 1338, 1344, 1663
<code>\atveryend</code>	57
C	
<code>\bottomthumbmargin</code>	6
<code>\box</code>	1134, 1141, 1148, 1155, 1162, 1169, 1183
D	
<code>\c@CurrentPage</code>	1229
<code>\c@page</code>	1379
<code>\cleardoublepage</code>	1482, 1486, 1554
<code>\clearotherdoublepage</code>	1488, 1556
<code>\clearpage</code>	46, 1378, 1540, 1558
<code>\closein</code>	1379, 1491, 1540, 1558
<code>\closeout</code>	1654
<code>\continuethumb</code>	1365
<code>\DeclareBoolOption</code>	8, 37, 207, 225, 1049, 1583

\DeclareComplementaryOption	498, 500	\infwarerr	57
\DeclareStringOption	486, 487, 488, 489, 490, 491, 492, 493, 502		
\distance	5		
\dotfill	556		
\draft	7		
E			
\euro	316		
\evensidemargin	1076, 1083, 1098, 1105, 1122		
F			
\fill	548, 563		
\footskip	649, 832		
G			
\glossary	1514, 1517, 1587		
H			
\hbox	1380		
\headheight	646, 829		
\headsep	647, 830		
\height	5		
\hidethumbs	7		
\hoffset	529, 662, 780, 1078, 1103, 1268, 1278		
\holtxdoc	57		
\rulefill	552		
\hsize	1130		
\hyperref	57, 1089, 1140, 1154, 1161		
I			
\if@filesw	632, 738, 981, 1359		
\if@twocolumn	1380		
\if@twoside	1230, 1276, 1379, 1479, 1551		
\ifdim	671, 674, 676, 696, 756, 796, 842, 858, 884, 934, 954, 957, 1054, 1111, 1211, 1260, 1333		
\IfFileExists	437, 1598		
\ifodd	1229, 1274, 1379		
\ifthumbs@draft	723, 772, 958, 1334, 1676		
\ifthumbs@hidethumbs	1687		
\ifthumbs@ignorehoffset	517, 659, 779, 1267, 1277		
\ifthumbs@ignorevoffset	532, 664, 823		
\ifthumbs@phantomsection	971		
\ifthumbs@verbose	589, 709, 717, 769, 809, 868, 1573, 1592, 1601, 1606, 1615, 1622, 1644, 1648		
\ignorehoffset	6, 23		
\ignorevoffset	6, 23		
\immediate	1360, 1361, 1362, 1365, 1368		
\index	1513, 1516, 1586		
J			
\jobname	638, 749, 1364, 1368, 1593, 1598, 1599, 1602, 1616, 1623, 1631, 1645, 1649, 1665		
K			
\kvoptions	57		
L			
\label	247, 370, 980, 1385, 1387, 1388, 1391, 1393, 1512, 1515, 1585		
\leaders	1134, 1141, 1148, 1155, 1162, 1169, 1183		
\linefill	5, 24		
\lipsum	161, 163, 165		
M			
\M\"{u}nch	57		
\makeatletter	34, 364		
\makeatother	39, 368		
\makebox	1118, 1200, 1231, 1233, 1236		
\MakeUppercase	1494		
\markboth	45, 1494		
\message	453, 718, 874, 1574, 1593, 1602, 1607, 1616, 1623, 1645, 1649		
\minheight	5		
N			
\newbox	596		
\newcommand	13, 448, 462, 644, 881, 895, 918, 926, 930, 1047, 1049, 1051, 1208, 1221, 1373, 1378, 1383, 1399, 1401, 1403, 1405, 1407, 1591		
\newcounter	598, 1499, 1500, 1501, 1502		
\newdimen	568, 570, 573, 574, 575, 576, 577, 578, 579, 580, 582		
\newread	716		
\newwrite	1363		
\nopagecolor	32		
\phantomsection	6		
O			
\Oberdiek	57		
\oddsidemargin	1072, 1074, 1107, 1197		
\openin	1599		
\openout	1368		
\options	5		
\overridelabel	1390		
P			
\PackageError	558, 678, 748, 759, 897, 1172, 1246, 1425, 1440, 1463, 1627		

\PackageInfo	518, 525, 533, 540, 591, 711, 935	\th@mb@resetdoublepage	1531, 1541, 1544, 1548, 1563, 1577
\PackageWarning	798, 850, 859, 906, 962, 1001, 1212	\th@mb@titlelabel	628, 919, 921, 982, 987
\PackageWarningNoLine	439, 509, 634, 697, 742, 1262, 1315, 1339, 1347, 1664, 1679, 1689	\th@mb@tmp@backgroundcolour	1061, 1089, 1091, 1094
\pagecolor	7, 12, 23, 32, 362, 406, 447, 461, 507, 511, 514	\th@mb@tmp@column	1064, 1065, 1066, 1088, 1100
\pageref	73, 278, 410, 411, 412, 415, 1148, 1155	\th@mb@tmp@label	1063, 1089, 1140, 1148, 1154, 1155, 1161
\pagesLTS@one	896, 973, 992, 1285, 1386, 1533, 1541, 1562, 1563, 1577, 1582	\th@mb@tmp@page	1062, 1134, 1141, 1162, 1169, 1183
\pagesLTS@two	1041, 1065	\th@mb@tmp@text	1059, 1118, 1200
\pagesLTS@zero	940, 998, 1000, 1017, 1088, 1100, 1244, 1313, 1326, 1330, 1478, 1498	\th@mb@tmp@textcolour	1060, 1118, 1133, 1139, 1146, 1153, 1160, 1167, 1181, 1200
\paperheight	836, 844, 865, 869	\th@mb@tmp@title	1058, 1133, 1140, 1147, 1154, 1161, 1168, 1182
\paperwidth	669, 726, 777, 1068, 1101, 1259, 1265, 1271	\th@mb@yA	42, 1208, 1292
\parindent	1117, 1128, 1199, 1228	\th@mb@backgroundcolour	609, 951, 1304
\phantomsection	131, 134, 137, 366, 974, 1384	\th@mb@backgroundcolourA	614, 1014, 1286, 1304
\picture	57	\th@mb@column	610, 940, 942, 1326, 1328
\put	1080, 1222	\th@mb@columnnew	621, 911, 914, 983, 987, 992, 1000, 1017, 1041, 1042, 1244, 1313
Q		\th@mb@doublepage	1521, 1526, 1528, 1533, 1562
\QTO	13, 448, 462	\th@mb@heighty	570, 571, 645, 646, 647, 648, 649, 652, 654, 655, 691, 696, 699, 705, 706, 710, 713, 720, 793, 806, 811, 828, 834, 840, 847, 876, 882, 885, 888, 932, 1052, 1089, 1091, 1094, 1115, 1126, 1197, 1209, 1224, 1226
R		\th@mb@maxwidth	626, 954, 955, 1333, 1345, 1360
\read	1605, 1614, 1621, 1647	\th@mb@maxwidtha	739, 740, 743, 753, 1360
\renewcommand	1678, 1688, 1693	\th@mb@onpage	618, 994, 996, 1002, 1008, 1020, 1023, 1024, 1025, 1036, 1037, 1289, 1299, 1307
\RequirePackage	469, 470, 471, 472, 473, 474, 475, 476, 477, 478	\th@mb@onpageamax	619, 1009, 1010, 1024, 1025, 1036, 1037
\RerunFileCheck	1364	\th@mb@onpagetest	1019, 1020, 1022, 1023, 1288, 1289, 1291
\rerunfilecheck	57	\th@mb@paperwidth	669, 1260, 1271
\rule	1089, 1091, 1094, 1224	\th@mb@posx	573, 776, 777, 778, 780, 782, 1265, 1266, 1268, 1270, 1273
S		\th@mb@posy	574, 783, 789, 790, 791, 792, 793, 804, 805, 806, 808, 876, 877, 878, 882, 883, 884, 885, 886, 888, 889, 932, 933, 934, 938, 939, 1015, 1052, 1053, 1054, 1055, 1056, 1080, 1305, 1496, 1497, 1581
\setth@mbheight	644, 695	\th@mb@posyA	575, 670, 671, 674, 676, 689, 691, 706, 729, 756, 795, 796, 836, 837, 838, 839, 840, 841, 842, 844, 845, 846, 847, 848, 849, 852, 854, 856, 858, 877, 952, 953, 954, 955, 957, 961, 968, 1015, 1209, 1210, 1211, 1217, 1222, 1305
\settowidth	953	\th@mb@posybottom	577, 816, 822, 824, 826, 827, 828, 829, 830, 831, 832, 833, 834, 865, 866, 870, 884, 934, 1054, 1211
\smallskip	127	\th@mb@posytop	576, 808, 810, 838, 845, 938, 1055, 1217
\ss	385	\th@mb@print	42, 1221, 1286, 1296
\stepcounter	1641, 1652	\th@mb@printing	616, 913, 931, 1047, 1049, 1285, 1477
\stopthumb	8, 37, 199, 203, 1047, 1252, 1323, 1493	\th@mb@printingovertoc	1477, 1582
\SW/SWP	56	\th@mbs	601, 941, 945, 947, 980, 983, 1327, 1331, 1362
T		\th@mbs@linefill	548, 552, 556, 563, 1134, 1141, 1148, 1155, 1162, 1169, 1183
\tableofcontents	115		
\textheight	648, 831		
\textrm	147, 150		
\textsc	378		
\textwidth	727, 1111, 1112		
\th@bmshoffset	523, 529, 660, 662, 1077		
\th@bmsvoffset	538, 544, 665, 667, 790, 824		
\th@mb@dvance	32, 881, 891, 912		
\th@mb@page	986, 987		

\th@mbs@toc@level	623, 1374, 1394, 1395
\th@mbs@toc@text	624, 1375, 1395
\th@mbs@overview	52, 1571, 1591
\th@mbsdistance	582, 584, 586, 654, 655, 792, 805, 812, 827, 833, 839, 841, 846, 848, 883, 886, 889, 933, 939, 1053, 1056, 1210
\th@mbsmax	602, 650, 652, 698, 1362, 1478, 1511, 1575, 1657
\th@mbsphantom	924, 927, 973, 976
\th@mbsposytocy	579, 1496, 1581
\th@mbsposytocyy	580, 878, 1497
\th@mbsprintpage	1071, 1082, 1097, 1104, 1114, 1195, 1411, 1415, 1419, 1423, 1431, 1481, 1485, 1519, 1520, 1524, 1525, 1535, 1536, 1537, 1538, 1553
\th@mbstablabeling	1383, 1564, 1567
\th@mbstable	630, 1386, 1391, 1498, 1504, 1506
\th@mbstest	550, 551, 554, 555, 693, 694, 732, 733, 735, 736, 787, 788, 820, 821, 1070, 1071, 1081, 1082, 1086, 1087, 1097, 1104, 1114, 1131, 1132, 1137, 1138, 1144, 1145, 1151, 1152, 1158, 1159, 1165, 1166, 1195, 1336, 1337, 1408, 1410, 1414, 1418, 1422, 1436, 1437, 1448, 1449, 1451, 1452, 1454, 1455, 1457, 1458, 1460, 1461, 1480, 1481, 1484, 1485, 1518, 1519, 1523, 1524, 1534, 1535, 1552, 1553
\th@mbstestb	1409, 1410, 1413, 1414, 1417, 1418, 1421, 1422
\th@mbstmpwidth	952, 968, 1259, 1260
\th@mbtext	607, 949, 953, 1302
\th@mbtextA	612, 1012, 1286, 1302
\th@mbtextcolour	608, 950, 1303
\th@mbtextcolourA	613, 1013, 1286, 1303
\th@mbtitle	606, 948
\th@mbtmpdef	1027, 1028, 1029, 1030, 1031, 1032
\th@mbtmpdefbackgroundcolour	1295, 1296
\th@mbtmpdefcolour	1294, 1296
\th@mbtmpdeftext	1293, 1296
\th@mbtoprint	617, 896, 998, 1044, 1308
\th@mbwidthx	568, 724, 726, 727, 728, 740, 753, 757, 770, 778, 957, 960, 1109, 1118, 1200, 1224, 1231, 1233, 1236, 1266, 1333, 1346, 1677
\th@mbwidthxtoc	578, 1068, 1069, 1072, 1076, 1083, 1089, 1091, 1094, 1098, 1101, 1102, 1103, 1105, 1107, 1109, 1110, 1111, 1112, 1130
\th@mbxpos	1197, 1222, 1273, 1278, 1280
\th@mbsperpage	603, 1361, 1508, 1575, 1655, 1656
\th@mbsperpagecount	604, 941, 1327, 1330, 1331, 1361
\thepagecolor	507, 608, 609, 613, 614, 890
\theth@mblinea	1542, 1546, 1578
\theth@mblineb	1543, 1547
\thumb-example.tex	57
\thumbcontents	37, 983, 987, 1051
\thumblink	6
\thumbnewcolumn	8, 33, 345, 895, 897, 898, 899, 900, 901, 902, 903, 908, 1246, 1247, 1248, 1252, 1316, 1317, 1322, 1693
\thumborigaddthumb	890, 1674, 1678
\thumbs.dtx	56
\thumbs.sty	56
\thumbs@bottomthumbmargin	817, 818, 821, 837, 851, 854, 856, 860, 863, 866
\thumbs@distance	583, 586
\thumbs@height	690, 694, 713
\thumbs@linefill	486, 547, 551, 555, 559
\thumbs@minheight	671, 672, 674, 676, 685, 689, 696, 700, 706
\thumbs@pagecolor	506, 514
\thumbs@thumblink	1087, 1132, 1138, 1145, 1152, 1159, 1166, 1172, 1173, 1180, 1437, 1446, 1449, 1452, 1455, 1458, 1461, 1464, 1469
\thumbs@topthumbmargin	784, 785, 788, 796, 799, 802, 804
\thumbs@width	730, 733, 736, 756, 757, 760, 1337
\ThumbsBox	596, 1134, 1141, 1148, 1155, 1162, 1169, 1183
\thumbnophantom	9, 34, 136, 926
\thumpsorigglossary	1514, 1587
\thumpsorigindex	1513, 1586
\thumpsoriglabel	1385, 1512, 1585
\thumbsoverview	8, 47, 122, 140, 1399
\thumbsoverviewback	8, 47, 417, 420, 1401
\thumbsoverviewdouble	8, 47, 327, 330, 1405
\thumbsoverviewprint	48, 1399, 1401, 1403, 1405, 1407, 1426, 1427
\thumbsoverviewverso	8, 47, 320, 323, 1403
\topmargin	791, 826
\topthumbmargin	5
U	
\unit	33, 66, 67, 315, 316, 389
\url	36, 381
V	
\vbox	1129
\verbose	7
\voffset	538, 544, 665, 667
W	
\width	5
\write	1360, 1361, 1362
Z	
\z@	571, 645, 705