Turabian Formatting for $ensuremath{\mathbb{B}}\ensuremath{\mathbb{T}}_E X$

Omar Abdool turabian.formatting@gmail.com

September 17, 2016

This package provides Chicago-style formatting based on Kate L. Turabian's A Manual for Writers of Research Papers, Theses, and Dissertations: Chicago Style for Students and Researchers (8th edition).

Contents

1	Doc	cument Classes (Getting Started)	3			
	1.1	Research Papers	3			
	1.2	Theses/Dissertations	3			
2	Formatting Options					
	2.1	Standard Options for Document Classes	4			
	2.2	Ragged Right (Left Align) Text	5			
	2.3	Notes-Bibliography and Author-Date Styles	5			
	2.4	Endnotes	5			
3	Formatting Commands					
	3.1	Parts	7			
	3.2	Chapters	7			
	3.3	Sections and Subsections	8			
	3.4	Page Styles: Headers and Footers	8			
	3.5	Front Matter, Main Matter, and Back Matter	9			
	3.6	Title Page	9			
	3.7	Table of Contents	10			
	3.8	List of Figures, Tables, or Illustrations	11			
4	Formatting Environments					
	4.1	Block Quotations	12			
	4.2	Appendixes	12			
5	Rec	uired and Recommended Packages	14			
6	Updates					
$\mathbf{A}_{\mathbf{j}}$	ppen	dix: Sample Code for a Research Paper	18			

Introduction

This package provides Chicago-style formatting based on Kate L. Turabian's A Manual for Writers of Research Papers, Theses, and Dissertations: Chicago Style for Students and Researchers, 8th edition. In doing so, this package adheres closely to the formatting guidelines described in Turabian's work while, also, being readily adaptable to additional formatting requirements (e.g. formatting requirements specific to an institution and/or department).

It is hoped that authors will find this package relatively easy to implement. There are few (if any) new commands to learn, as the package builds upon (and makes adjustments to) already-existing LATEX commands. As such, formatting research papers, theses, and dissertations should require a minimum amount of changes to a standard LATEX source file (your .tex file).

For citations, this package is designed to work well with David Fussner's outstanding (and highly-recommended) biblatex-chicago.

1 Document Classes (Getting Started)

A document may be formatted using turabian-formatting in one of two ways: either (1) specifying the document class as a turabian-formatted research paper (turabian-researchpaper), or (2) specifying the document class as a thesis/dissertation with turabian-style formatting (turabian-thesis).

1.1 Research Papers

turabian- The turabian-researchpaper document class provides formatting specific to reresearchpaper sand is based upon the article document class.

> When placed in the source document preamble (your .tex file), the following specifies the document class as turabian-researchpaper:

> > \documentclass{turabian-researchpaper}

1.2 Theses/Dissertations

turabian-thesis The turabian-thesis document class offers formatting specific to theses and dissertations. It is based upon the book document class.

> This document class provides additional formatting commands for parts and chapters as well as organizing a document into front matter, main matter, and back matter (refer to subsections 3.1, 3.2, and 3.5).

> When placed in the source document preamble, the following specifies the document class as turabian-thesis:

\documentclass{turabian-thesis}

2 Formatting Options

The turabian-formatting package adheres to the manual's guidelines on the formatting of text. This includes double-spacing all text throughout the document except items that should have single-spacing (Turabian 2013, 373).¹ Paragraph indentation is set to 0.5 inches.

Page margins, by default, are 1 inch from the edges of the paper.

The turabian-thesis document class has an additional binding offset of 0.5 inches, effectively creating a left/inside margin of $1^{1/2}$ inches.

2.1 Standard Options for Document Classes

Both turabian-thesis and turabian-researchpaper document classes support most of the standard document class options.

The default normal font size is twelve-point type (12pt)—the preferred font type size for the body of the text (373). This package also supports normal font sizes of 10pt and 11pt.

The default page size, for both document classes, is $8^{1/2} \times 11$ inches (US Letter size, specified as letterpaper). Other paper size options can be specified instead, including a4paper and legalpaper.

The twocolumn option, however, is not supported. More so, the turabian-thesis document class does not support the notitlepage option.

Both documents classes, by default, are set to **oneside**. The **twoside** option is also supported.

 $^{^1}$ Double-spaced text is typeset with a **\baselinestretch** of 2 using the setspace package.

2.2 Ragged Right (Left Align) Text

raggedright By default, text consisting of more than one line is justified on both sides of the document with the last line flush left. Turabian, however, recommends setting "your word processor to align text flush left with a ragged right margin" while also not using its "automated hyphenation feature" (Turabian 2013, 404). For ragged right formatting without hyphenations throughout the work, use the raggedright formatting option.²

2.3 Notes-Bibliography and Author-Date Styles

This package is designed to work well with the **biblatex-chicago** package. This includes support for both notes-bibliography and author-date citation styles (the former being the default style).

If the biblatex-chicago package is loaded by the user, the following options are passed to biblatex-chicago: isbn=false, autolang=other, footmarkoff, and backend=biber. The \printbibliography command will provide a bibliography with *Bibliography* as the default heading, irrespective of the document class.

authordate Support for the author-date style is enabled by specifying the authordate formatting option. This option passes an authordate option to biblatex-chicago as well as redefines the default heading for the references list (also typeset using the \printbibliography command) to that of *References*.

noadjustbib Adjustments made by turabian-formatting to the \printbibliography command can be disabled using the noadjustbib formatting option.

2.4 Endnotes

endnotes Although footnotes are used by default, endnotes can also be used by specifying the endnotes formatting option. Through this option, the endnotes package is loaded.

With the endnotes option, footnotes are restarted on each page and labelled using symbols in the sequence of: * $\ddagger \ddagger \S$ (156). The notetype=endonly option is also passed to the biblatex-chicago package.

² Alternatively, placing the **`raggedright** command in the document preamble will have the same effect as using the **raggedright** option. The **`raggedright** command, however, does not pass a **raggedright** option to other loaded packages.

To produce a list of endnotes, use the theendnotes command provided by the endnotes package. Through the endnotes option, each endnote is single-spaced with a "blank line between notes." The default heading for this list of endnotes is typeset as *Notes.*³

When used with turabian-thesis, the numbering of endnotes is restarted at the beginning of each chapter. In this case, the endnotes list then uses subheadings that divide endnotes by each chapter (Turabian 2013, 157).

³ The Notes heading, when using the turabian-researchpaper document class, is typeset with \section*. The turabian-thesis document class, however, typesets the Notes heading with \chapter*. If there are no endnotes preceding \theendnotes, this command will generate a Notes heading with an empty endnotes list.

3 Formatting Commands

3.1 Parts

\part{} A thesis or dissertation, using the turabian-thesis document class, can be separated into parts using the \part command.

The **\part** command creates a part-title page with an optional descriptive title. If located in the main matter (refer to subsection 3.5), the descriptive title is preceded by a *Part* label and part number (in capitalized roman numerals) at the top of the page—the "descriptive title separated from the label and number by a blank line. Although the part-title page is counted in pagination, no page number is placed on the page (Turabian 2013, 390).

\part*{} The \part* command also starts a new page with a descriptive title. If in the main matter, this command provides the same Part label and part number as \part. Unlike \part, however, \part* allows for "text introducing the contents of the part on the part-tile page" to follow a descriptive title, separated by two blank lines. A page number, using the plain page style (refer to subsection 3.4), is placed on the page (390).

3.2 Chapters

\chapter{} A thesis or dissertation, using the turabian-thesis document class, can be divided into chapters using the \chapter command.

The **\chapter** command starts a new page with a descriptive title of the chapter, separated from the first line of following text by "two blank lines." If located in the main matter (refer to subsection 3.5), the descriptive title—separated by a blank line—is preceded by a *Chapter* label and chapter number (in arabic numerals) at the top of the page (391).

\chapter*{} \chapter, unlike \chapter, does not provide a line with a *Chapter* label and numbering nor is it included in the table of contents.⁴

⁴ To add a numberless "chapter" to the table of contents, use the **\addcontentsline** command immediately following the **\chapter*** command.

3.3 Sections and Subsections

<pre> </pre>	Three levels of sections and subsections are supported: \section, \subsection, and \subsubsection (including their asterisked versions). These section and subsection commands do not provide any label or numbering.			
	-	s "more space before a subhead than after (up to two blank lines line, or double line spacing, after)" (Turabian 2013, 393).		
\section*{} \noadjustssect	When used with turabian-researchpaper, the \section* command places two blank lines between the title/subheading and the first line of text. This is particu- larly useful for the subheadings of specific elements, including <i>Introduction</i> , <i>Notes</i> , and <i>Bibliography</i> (390-401). Inserting the \noadjustssect command in the docu- ment preamble will disable this behaviour.			
	3.4 Page S	tyles: Headers and Footers		
	Headers and footers are placed within the margins. The top of the header is 0.5 inches from the top edge of the page. The baseline of the footer is 0.5 inches from the bottom edge of the page (372, 374).			
<pre> </pre>		he headers and footers are determined by the page styles specified style and \thispagestyle commands. ⁵ This package provides the styles:		
	empty	An empty page style with no header or footer.		
	plain	A "plain" page style that centres the page number in the footer. For a thesis or dissertation, it applies to pages with page numbers in the front matter as well as the first page of each chapter in the main matter and back matter (refer to subsection 3.5).		
	headings	The default page style places a page number in the right-hand corner of the header.		

⁵ The fancyhdr package can be used to typeset (and adjust) these page styles. This includes placing optional text (such as a page identifier) in the header and/or footer (Turabian 2013, 374).

3.5 Front Matter, Main Matter, and Back Matter

A thesis or dissertation, using the turabian-thesis document class, can be divided into three, distinct components: (1) front matter, (2) main matter or text of the paper, and (3) back matter (Turabian 2013, 375).

Front Matter

\frontmatter The front matter begins with the \frontmatter command. Page numbering starts with the title page. Page numbers do not appear in the headers or footers of pages in the front matter, as the \frontmatter command sets \pagestyle to empty (373-374, 376).

Page numbers, however, do appear on pages that follow the **\tableofcontents** command when typesetting the table of contents (refer to subsection 3.7).

Main Matter

\mainmatter The main matter (or text of the paper) begins with the \mainmatter command. Page numbering restarts with arabic numerals, starting with page 1. Page numbers are placed on the right-side of the header, using the headings page style (with the exception of the first page of each chapter which, instead, use the plain page style) (373-374).

Back Matter

\backmatter The back matter is declared using the \backmatter command. Page numbering and page styles are continued from the main matter (373-374).

3.6 Title Page

The turabian-researchpaper document class provides a title page intended for research papers. Page numbering begins immediately following the title page. The turabian-thesis document class, however, provides a "model" title page intended for a thesis or dissertation. The title page of a thesis/dissertation is included in the page numbering of the front matter (376, 378).

\maketitle	The \maketitle command will create a separate title page if the document class specifies (or has as default) the titlepage option—the default option for both turabian-researchpaper and turabian-thesis.
<pre> </pre>	<pre>\maketitle uses information specified in the source document preamble, through the following commands (each of which is self-evident): \title, \author, \date, and \subtitle. For research paper title pages, footnotes (as well as the \thanks command) can also be used.</pre>
	For a research paper, \submissioninfo is used for typesetting "any information requested by your instructor," between the name of the course and the date (Turabian 2013, 376). For a thesis or dissertation title page, however, this command is used to typeset requested information between the title/subtitle and the name of the department.
	turabian-researchpaper provides the optional \course command for typesetting course information (such as the name of the course).
<pre> </pre>	<pre>turabian-thesis also provides: (1) \institution for typesetting the institution at the top of the page, (2) for typesetting the name of the department, and (3) \location for typesetting a location just above the date.</pre> To create a custom title page, use the titlepage environment.

3.7 Table of Contents

\tableofcontents The \tableofcontents command creates a table of contents with the first page labelled *Contents*. Items within the table of contents are single-spaced with "a blank line after each item." By default, subheadings are not included in the table of contents (380).⁶

For the turabian-thesis document class, the \tableofcontents command causes subsequent pages in the front matter to be typeset using the plain page style. Page numbers in the front matter use roman numerals and are placed in the centre of the footer (373–374; refer to subsection 3.4). More so, in the table of contents, the front matter and back matter are each separated from the main matter by two blank lines (380).

 $^{^{6}~\}overline{\text{To}~\text{add}}$ subheadings to the table of contents, increase the <code>tocdepth</code> counter.

3.8 List of Figures, Tables, or Illustrations

The figure and table environments are both supported. Figures are numbered separately from tables and, both, in the order in which they are mentioned in the text (Turabian 2013, 363, 369).

With turabian-researchpaper, figures and tables are numbered consecutively, throughout the paper (e.g. "Figure 6").

The turabian-thesis document class, however, uses double numeration for both figures and tables: the chapter number followed by a period and a figure/table number that restarts with each chapter (e.g. "Figure 3.2"). Within the appendixes environment, figures and tables are numbered with an "A" prefix followed by a period and a figure/table number that does *not* restart with each appendix (e.g. "Table A.4"). Figures and tables not placed within a chapter do not use double numeration and are, instead, numbered consecutively throughout the thesis/dissertation.

- \listoffigures The \listoffigures command creates a list of figures with a *Figures* label on the top of the first page.
- \listoftables The \listoftables command creates a list of tables with a *Tables* label on the top of the first page.
- \listofillustrations The \listofillustrations command creates a combined list of figures and tables with the first page labelled *Illustrations*. This list, however, is divided into two sections labelled *Figures* and *Tables* (383).

Individual items in a list of figures, tables, or illustrations are single-spaced with a blank line between each item (383).

4 Formatting Environments

4.1 Block Quotations

quotation

appendixes

Block quotations are typeset using the quotation environment. Each block quotation is single-spaced and leaves a blank line both before and after it. The necessary code is as follows:

```
\begin{quotation} \\ \langle Text \ being \ quoted. \rangle \\ \end{quotation} \begin{quotation} \\ \end{quotation} \beddttion \begin{quotation} \gin{q
```

The entire quotation is indented as far as the indentation of the first line of a paragraph—by default, an indentation of 0.5in (Turabian 2013, 349). The block quotation is also indented by the same amount on the right side. When using the raggedright option (or the \raggedright command), however, the block quotation is not indented on the right side (refer to subsection 2.2).

4.2 Appendixes

When "supporting material cannot be easily worked into the body of your paper," the manual recommends placing it "in one or more appendixes in the back matter" (398).

If only one appendix is needed, the first page is to be labelled *Appendix* with "two blank lines between the title and the first line of text or other material" (398). With the turabian-thesis document class, the material is preceded by a chapter heading labelled *Appendix* (i.e. \chapter{Appendix}) and is placed in the back matter. For turabian-researchpaper, the material is preceded by a section heading labelled *Appendix* (i.e. \section*{Appendix}).

To divide material of different types among more than one appendix (398), place the material inside the **appendixes** environment. The requisite code for this environment:

The headings of each appendix, within the **appendixes** environment, use an Ap-pendix prefix accompanied by a single, capitalized letter from the alphabet (in sequential order, starting with A).

For the turabian-thesis document class, the heading of each appendix is typeset using the \chapter command. The \chapter command, inside the appendixes environment, provides a heading with an *Appendix* prefix and capitalized letter from the alphabet, followed by an optional descriptive title.

With the turabian-researchpaper document class, the heading of each appendix is typeset using the \section command. The \section command, inside the appendixes environment, provides a heading with an *Appendix* prefix and capitalized letter from the alphabet followed, on the next line, by an optional descriptive title.

5 Required and Recommended Packages

This package requires $\square T_E X 2e$ and makes use of the following packages installed as part of a standard $\square T_E X$ distribution: etoolbox, setspace, nowidow, footmisc, endnotes, and xparse.

The following packages are highly recommended: biblatex-chicago, csquotes, fancyhdr, tocloft, ellipsis, and threeparttable.

6 Updates

2016/09/17	Support for the \part command.
	Improvements to figure and table counters and number formatting.
	The bibliography/references list is included in the table of contents.
2016/07/18	Improvements to figure and table counters and number formatting.
	Loading turabian-formatting as a package is no longer supported.
2016/07/12	Re-implementation of the \raggedright command as an alternative to using the raggedright option.
	Improvements to the \tableofcontents , \listoffigures , and \listoftables commands with support for the tocloft package.
	Added the \listofillustrations command.
	Added an appendixes environment to support formatting of appendixes.
	Support for changes made to the biblatex-chicago package.
	Removed commands: \tablenote , \tablesource , \faculty , and \mydegree .
	Removed options: emptymargins.
2016/03/18	Support for changes made to the biblatex package $(2016/03/03)$.
2016/03/15	An authordate option has been added, improving support for the author-date citation style.
	Adjustments to the formatting of both enumerated and itemized lists.
	The endnotes option has (1) added support for endnotes that contain an underscore character (_), and (2) improved the implementation of the \theendnotes command.
2016/02/27	This update is a significant rewrite of turabian-formatting. It is designed to be faster and require fewer packages.
	Both turabian-researchpaper and turabian-thesis can use the noadjustbib option.

	Significant adjustments made to the \maketitle command, including support for footnotes.
	Double-spaced text is typeset with a \baselinestretch of 2 using the \setstretch command provided by the setspace package (instead of \doublespacing). This is different than previous versions of turabian-formatting and should be more-consistent with expectations for "double spaced" work.
	Packages no longer required: xifthen, fancyhdr, titlesec, quoting, caption, flafter, url, and chngcntr.
	Deprecated options: emptymargins.
	eq:commands: lablesource, labelesource, labelesou
	Removed commands: \setpageidentifier, and \setwordcount.
2015/11/14	Added support for the endnotes package. An endnotes option has been added, removing the need for an endnotesonly option for turabian-researchpaper.
	Improved support for the biblatex-chicago package, including added support for the author-date citation style.
	Footnote lines are no longer forced together, allowing a footnote to run over to the next page.
	Adjustments to the spacing that follow the $\texttt{chapter*}$ and $\texttt{section*}$ commands.
	Updated use of page style options, removing the fancy page style.
	\frontmatter and \tableofcontents no longer ignore the bindingoffset value and margin sizes specified in the source document preamble, through the geometry package.
	Improved implementation of the raggedright formatting option with: (1) table and figure captions; and (2) the \tablenote command.
	Adjustments to the behaviour of table and figure positioning.
	Deprecated commands: \setwordcount, \setpageidentifier, and \tablesource.
	Removed commands: \mytitlepage and \setdraftindicator.
2014/12/27	Formatting changes to both subsection titles and title page for both research papers and theses/dissertations.

2014/12/10

Adjustments to formatting that more-accurately reflect the 8th edition of Turabian's A Manual for Writers of Research Papers, Theses, and Dissertations.

References

Turabian, Kate L. 2013. A Manual for Writers of Research Papers, Theses, and Dissertations: Chicago Style for Students and Researchers. 8th edition. University of Chicago Press.

Appendix: Sample Code for a Research Paper

```
\documentclass{turabian-researchpaper}
```

```
\usepackage[english]{babel}
\usepackage[utf8]{inputenc}
\usepackage{csquotes, ellipsis}
```

```
\usepackage{biblatex-chicago}
\addbibresource{mybibfile.bib}
```

```
\title{An Interesting Work}
\author{Author's Name}
\date{\today}
```

```
\begin{document}
```

```
\maketitle
```

```
\section{Introduction}
Amazing, introductory ideas that provide unique insight into your
field of interest and ``wows" your professor.
```

```
\section{An Interesting Section}
Great thoughts that further your argument. This includes lots of
strong evidence presented throughout several paragraphs, each
accompanied by necessary citations.\autocite[8]{authortitle2013}
```

```
\section{Another Insightful Section}
More ideas that really make this a great paper. Maybe a footnote or
two.\footnote{Some peripheral thoughts.}
```

```
\section{Conclusions}
At this point, you've changed everything (including your marks!).
Time to wrap up!
```

```
\clearpage
\printbibliography
```

```
\end{document}
```