

# The unicode-math test suite

Will Robertson

Compiled: July 31, 2011

## 1 Preamble

The following pieces of output are generated from the code shown. As well as being good minimal examples, these tests are useful to ensure that new bugs don't affect old behaviour. When the test suite is run, the new output is compared pixel by pixel with that shown here and warnings produced if the outputs are not identical.

## 2 Test files for both engines

### 2.1 Test F-alph-spaces-L

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage[math-style=ISO]{unicode-math}
\setmathfont{xits-math.otf}
\setmathfont[range=\mathit/{latin, greek, Greek}]{Asana-Math.otf}
\begin{document}
$abc$ $ABC$
$\alpha\beta\gamma$
$\Alpha\Beta\Gammama$
\end{document}
```

*abc ABC αβγ ABI*

### 2.2 Test F-alph-spaces-X

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage[math-style=ISO]{unicode-math}
\setmathfont{xits-math.otf}
\setmathfont[range=\mathit/{latin, greek, Greek}]{Asana-Math.otf}
\begin{document}
$abc$ $ABC$
$\alpha\beta\gamma$
$\Alpha\Beta\Gammama$
\end{document}
```

*abc ABC αβγ ABI*

### 2.3 Test F-arrow-accents-L

```
\input{umtest-preamble}
\usepackage{unicode-math}
\begin{document}
\setmathfont{XITS Math}
\[\vec{a} \quad \vec{\vec{a}} \quad \vec{abc} \quad \overrightarrow{abc} \quad \underline{abc}\]
\overrightarrow{abc} \quad \underrightarrow{abc} \]
\end{document}

\setmathfont{Cambria Math}
\[\vec{a} \quad \vec{\vec{a}} \quad \vec{abc} \quad \overrightarrow{abc} \quad \underline{abc}\]
\overrightarrow{abc} \quad \underrightarrow{abc} \]
\end{document}
```

$\vec{a}$   $\vec{\vec{a}}$   $\vec{abc}$   $\overrightarrow{abc}$   $\underline{abc}$

$\vec{a}$   $\vec{\vec{a}}$   $\vec{abc}$   $\overrightarrow{abc}$   $\underline{abc}$

### 2.4 Test F-arrow-accents-X

```
\input{umtest-preamble}
\usepackage{unicode-math}
\begin{document}
\setmathfont{XITS Math}
\[\vec{a} \quad \vec{\vec{a}} \quad \vec{abc} \quad \overrightarrow{abc} \quad \atop{abc}\]
\overrightarrow{abc} \quad \underrightarrow{abc} \]
\end{document}

\setmathfont{Cambria Math}
\[\vec{a} \quad \vec{\vec{a}} \quad \vec{abc} \quad \overrightarrow{abc} \quad \atop{abc}\]
\overrightarrow{abc} \quad \underrightarrow{abc} \]
\end{document}
```

$\vec{a}$   $\vec{\vec{a}}$   $\vec{abc}$   $\overrightarrow{abc}$   $\atop{abc}$

$\vec{a}$   $\vec{\vec{a}}$   $\vec{abc}$   $\overrightarrow{abc}$   $\atop{abc}$

### 2.5 Test F-mathstyle-french-L

```
\input{umtest-preamble}
\usepackage[math-style=french]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textLATINtext}\]
\[\text{\textlatintext}\]
\[\text{\textLATINmath}\]
\[\text{\textlatinmath}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ

*abcdefghijklmnpqrstuvwxyz*

ABCDEFGHIJKLMNOPQRSTUVWXYZ

*abcdefghijklmnpqrstuvwxyz*

## 2.6 Test F-mathstyle-french-X

```
\input{umtest-preamble}
\usepackage[math-style=french]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\LATINtext]
[\latintext]
[\LATINmath]
[\latinmath]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*

## 2.7 Test F-mathstyle-iso-L

```
\input{umtest-preamble}
\usepackage[math-style=ISO]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\LATINtext]
[\latintext]
[\LATINmath]
[\latinmath]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*

## 2.8 Test F-mathstyle-iso-X

```
\input{umtest-preamble}
\usepackage[math-style=ISO]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\LATINtext]
[\latintext]
[\LATINmath]
[\latinmath]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*

## 2.9 Test F-mathstyle-literal-L

```
\input{umtest-preamble}
\usepackage[math-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textnormal{LATINtext}} \]
\[ \text{\textnormal{latintext}} \]
\[ \text{\textnormal{LATINmath}} \]
\[ \text{\textnormal{latinmath}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
*ABCDEFGHIJKLMNOPQRSTUVWXYZ*  
*abcdefghijklmnopqrstuvwxyz*

## 2.10 Test F-mathstyle-literal-X

```
\input{umtest-preamble}
\usepackage[math-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textnormal{LATINtext}} \]
\[ \text{\textnormal{latintext}} \]
\[ \text{\textnormal{LATINmath}} \]
\[ \text{\textnormal{latinmath}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
*ABCDEFGHIJKLMNOPQRSTUVWXYZ*  
*abcdefghijklmnopqrstuvwxyz*

## 2.11 Test F-mathstyle-tex-L

```
\input{umtest-preamble}
\usepackage[math-style=TeX]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textnormal{LATINtext}} \]
\[ \text{\textnormal{latintext}} \]
\[ \text{\textnormal{LATINmath}} \]
\[ \text{\textnormal{latinmath}} \]
\end{document}
```

*ABCDEFGHIJKLMNOPQRSTUVWXYZ*  
*abcdefghijklmnopqrstuvwxyz*  
*ABCDEFGHIJKLMNOPQRSTUVWXYZ*  
*abcdefghijklmnopqrstuvwxyz*

## 2.12 Test F-mathstyle-tex-X

```
\input{umtest-preamble}
\usepackage[math-style=TeX]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textnormal{A}}\]
\[\text{\textit{B}}\]
\[\text{\textsf{C}}\]
\[\text{\texttt{D}}\]
\end{document}
```

A  
B  
C  
D

## 2.13 Test F-mathstyle-upright-L

```
\input{umtest-preamble}
\usepackage[math-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textnormal{A}}\]
\[\text{\textit{B}}\]
\[\text{\textsf{C}}\]
\[\text{\texttt{D}}\]
\end{document}
```

A  
B  
C  
D

## 2.14 Test F-mathstyle-upright-X

```
\input{umtest-preamble}
\usepackage[math-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textnormal{A}}\]
\[\text{\textit{B}}\]
\[\text{\textsf{C}}\]
\[\text{\texttt{D}}\]
\end{document}
```

A  
B  
C  
D

## 2.15 Test F-primes-1-L

```
\input{umtest-preamble}
\usepackage{amsmath,unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[{$x\prime\prime\prime\prime$}]
[{$x\prime\prime\prime\prime\prime\prime\prime$}]
[{$x'$}]
[{$x'''$}]
[{$x''''$}]
[{$x\prime$}]
[{$x\prime\prime$}]
[{$x\prime\prime\prime$}]

```

[ $x''''$ ] [ $x'''''$ ] [ $x'$ ] [ $x'''$ ] [ $x''''$ ] [ $x'$ ] [ $x'''$ ] [ $x'''''$ ]  
 $x''''''$   $x'''''$   $x'''$   $x''$

## 2.16 Test F-primes-1-X

```
\input{umtest-preamble}
\usepackage{amsmath,unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[{$x\prime\prime\prime\prime$}]
[{$x\prime\prime\prime\prime\prime\prime\prime\prime$}]
[{$x'$}]
[{$x'''$}]
[{$x''''$}]
[{$x\prime$}]
[{$x\prime\prime$}]
[{$x\prime\prime\prime$}]

```

[ $x''''$ ] [ $x'''''$ ] [ $x'$ ] [ $x'''$ ] [ $x''''$ ] [ $x'$ ] [ $x'''$ ] [ $x'''''$ ]  
 $x''''''$   $x'''''$   $x'''$   $x''$

## 2.17 Test F-primes-2-L

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Asana Math}
\begin{document}
[$x_{\{x\}}'$]
[$x_{\{x\}}\text{\texttt{x}}$]
[$x_{\{x\}}\text{\texttt{prime}}$]
[$x_{\{x\}}\text{\texttt{s}}$]
[$x_{\{x\}}\text{\texttt{backprime}}$]

[$x'\text{\texttt{x}}$]
[$x\text{\texttt{x}}$]
[$x\text{\texttt{prime}}\text{\texttt{x}}$]
[$x'\text{\texttt{x}}$]
[$x\text{\texttt{backprime}}\text{\texttt{x}}$]

[$x_{\{x'\}}$]
[$x_{\{x\}\text{\texttt{x}}}$]
[$x_{\{x\}\text{\texttt{prime}}}$]
[$x_{\{x\}\text{\texttt{s}}}$]
[$x_{\{x\}\text{\texttt{backprime}}}$]

\end{document}
```

[ $x'_x$ ] [ $x'_x$ ] [ $x_x'$ ] [ $x^x_x$ ] [ $x_x$ ]  
[ $x'_x$ ] [ $x'_x$ ] [ $x'_{x'}$ ] [ $x^x_x$ ] [ $x_{x'}$ ]  
[ $x_{x'}$ ] [ $x_{x'}$ ] [ $x_{x'}$ ] [ $x_{x'}$ ] [ $x_{x'}$ ]

## 2.18 Test F-primes-2-X

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Asana Math}
\begin{document}
[$x_{\{x\}}'$]
[$x_{\{x\}}\text{\texttt{x}}$]
[$x_{\{x\}}\text{\texttt{prime}}$]
[$x_{\{x\}}\text{\texttt{s}}$]
[$x_{\{x\}}\text{\texttt{backprime}}$]

[$x'\text{\texttt{x}}$]
[$x\text{\texttt{x}}$]
[$x\text{\texttt{prime}}\text{\texttt{x}}$]
[$x'\text{\texttt{x}}$]
[$x\text{\texttt{backprime}}\text{\texttt{x}}$]

[$x_{\{x'\}}$]
[$x_{\{x\}\text{\texttt{x}}}$]
[$x_{\{x\}\text{\texttt{prime}}}$]
[$x_{\{x\}\text{\texttt{s}}}$]
[$x_{\{x\}\text{\texttt{backprime}}}$]

\end{document}
```

[ $x'_x$ ] [ $x'_x$ ] [ $x_x'$ ] [ $x^x_x$ ] [ $x_{x'}$ ]  
[ $x'_x$ ] [ $x'_x$ ] [ $x'_{x'}$ ] [ $x^x_x$ ] [ $x_{x'}$ ]  
[ $x_{x'}$ ] [ $x_{x'}$ ] [ $x_{x'}$ ] [ $x_{x'}$ ] [ $x_{x'}$ ]

## 2.19 Test F-primes-back-L

```
\input{umtest-preamble}
\usepackage{amsmath,unicode-math}
\setmathfont{Asana Math}
\begin{document}
[{$x\backprime\backprime\backprime$}]
[{$x\backprime\backprime\backprime\backprime\backprime$}]
[{$x`$}]
[{$x` ` $}]
[{$x` `` `` $}]
[{$x@$}]
[{$x@@$}]
[{$x@@` @\backprime@$}]
$x` @@@$  
$x@@@` $  
$x@@$  
$x@$  
\end{document}
```

[x\prime] [x\prime\prime] [x\prime\prime\prime] [x\prime\prime\prime\prime] [x\prime\prime\prime\prime\prime] [x\prime\prime\prime\prime\prime\prime]

## 2.20 Test F-primes-back-X

```
\input{umtest-preamble}
\usepackage{amsmath,unicode-math}
\setmathfont{Asana Math}
\begin{document}
[{$x\backprime\backprime\backprime$}]
[{$x\backprime\backprime\backprime\backprime\backprime$}]
[{$x`$}]
[{$x` ` $}]
[{$x` `` `` $}]
[{$x@$}]
[{$x@@$}]
[{$x@@` @\backprime@$}]
$x` @@@$  
$x@@@` $  
$x@@$  
$x@$  
\end{document}
```

[x\prime] [x\prime\prime] [x\prime\prime\prime] [x\prime\prime\prime\prime] [x\prime\prime\prime\prime\prime] [x\prime\prime\prime\prime\prime\prime]

## 2.21 Test F-slash-delim-2-L

```
\documentclass{article}
\usepackage{unicode-math}
\begin{document}
\newcommand\ARRAY[4]{%
  \begin{array}{cc}
    #1 & #2 \\ #3 & #4
  \end{array}}
\def\test{>[
  \left.\left[\begin{array}{cccc} a & b & c & d \end{array}\right] \middle/ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]
  \middle\slash
  \left.\left[\begin{array}{cccc} 1 & 1 & 1 & 0 \end{array}\right] \middle/ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]
\right. ]
\setmathfont
  [slash-delimiter=frac]{Cambria Math}
\setmathfont
  [range={\mathsfup},
  Color=0000FF]
  {STIXGeneral}
\test
\setmathfont
  [slash-delimiter=frac,
  range="2044,
  Color=FF0000]
  {Cambria Math}
\test
\end{document}
```

$$\left[ \begin{array}{cc} a & b \\ c & d \end{array} \right] \middle/ \left[ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]$$

$$\left[ \begin{array}{cc} a & b \\ c & d \end{array} \right] \middle/ \left[ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]$$

## 2.22 Test F-slash-delim-2-X

```
\documentclass{article}
\usepackage{unicode-math}
\begin{document}
\newcommand\ARRAY[4]{%
  \begin{array}{cc}
    #1 & #2 \\ #3 & #4
  \end{array}}
\def\test{>[
  \left.\left[\begin{array}{cccc} a & b & c & d \end{array}\right] \middle/ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]
  \middle\slash
  \left.\left[\begin{array}{cccc} 1 & 1 & 1 & 0 \end{array}\right] \middle/ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]
\right. ]
\setmathfont
  [slash-delimiter=frac]{Cambria Math}
\setmathfont
  [range={\mathsfup},
  Color=0000FF]
  {STIXGeneral}
\test
\setmathfont
  [slash-delimiter=frac,
  range="2044,
  Color=FF0000]
  {Cambria Math}
\test
\end{document}
```

$$\left[ \begin{array}{cc} a & b \\ c & d \end{array} \right] \middle/ \left[ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]$$

$$\left[ \begin{array}{cc} a & b \\ c & d \end{array} \right] \middle/ \left[ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]$$

## 2.23 Test F-sqrt-L

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\sqrt{\sin^2 x + \cos^2 x} = 1\]
\[\sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + x}}}}\]
\end{document}
```

$$\sqrt{\sin^2 x + \cos^2 x} = 1$$

$$\sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + x}}}}$$

## 2.24 Test F-sqrt-X

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\sqrt{\sin^2 x + \cos^2 x} = 1\]
\[\sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + x}}}}\]
\end{document}
```

$$\sqrt{\sin^2 x + \cos^2 x} = 1$$

$$\sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + x}}}}$$

## 2.25 Test F-sqrt-n-L

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + x}}}}}\]
\end{document}
```

$$\sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + x}}}}}$$

## 2.26 Test F-sqrt-n-X

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[
 \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1+x}}}}}
\]
\end{document}
```

$$\sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1 + \sqrt[n]{1+x}}}}}$$

## 3 Lua $\text{\LaTeX}$ test files

### 3.1 Test L-sscale-dimen

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{XITS Math}
\begin{document}
$ $ \\

\number \fontdimen 10 \textfont 0 \\ 
\number \fontdimen 11 \textfont 0 \\
\number \fontdimen 10 \scriptfont 0 \\
\number \fontdimen 11 \scriptfont 0 \\
\number \fontdimen 10 \scriptscriptfont 0 \\
\number \fontdimen 11 \scriptscriptfont 0
\end{document}
```

75  
60  
75  
60  
75  
60

### 3.2 Test L600a

```
\input{umtest-preamble}
\usepackage{amsmath}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \frac{1}{\substack{a \\ 2 \\ A'}} a \\ bbb \end{subarray}
\]
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \frac{1}{\substack{a \\ 2 \\ A'}} a \\ bbb$$

### 3.3 Test L600b

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \frac{1}{\vec{A}'}
\sum_{\substack{\dfrac{1}{2} \\ \vec{A}'}} \begin{bmatrix} a \\ bbb \end{bmatrix}
\]
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \frac{1}{\vec{A}'}$$

### 3.4 Test L600c

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Asana Math}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \frac{1}{\vec{A}'}
\sum_{\substack{\dfrac{1}{2} \\ \vec{A}'}} \begin{bmatrix} a \\ bbb \end{bmatrix}
\]
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \frac{1}{\vec{A}'}$$

### 3.5 Test L600f

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{XITS Math}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \frac{1}{\vec{A}'}
\sum_{\substack{\dfrac{1}{2} \\ \vec{A}'}} \begin{bmatrix} a \\ bbb \end{bmatrix}
\]
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \frac{1}{\vec{A}'}$$

### 3.6 Test L601a

```

\input{umtest-preamble}
\usepackage{mathtools}
\begin{document}
\[
\frac{a^2 + b^2}{a^2 + b^2}
\frac{\text{\cramped{a}{}^2 + b}^2}{a^2 + b^2}
\frac{a^2 + b^2}{\text{\cramped{a}{}^2 + b}^2}
\]
\(
\frac{a^2 + b^2}{a^2 + b^2}
\frac{\text{\cramped{a}{}^2 + b}^2}{a^2 + b^2}
\frac{a^2 + b^2}{\text{\cramped{a}{}^2 + b}^2}
a^{
    \frac{a^2 + b^2}{a^2 + b^2}
    \frac{\text{\cramped{a}{}^2 + b}^2}{a^2 + b^2}
    \frac{a^2 + b^2}{\text{\cramped{a}{}^2 + b}^2}
}
a^{
    a^{
        \frac{a^2 + b^2}{a^2 + b^2}
        \frac{\text{\cramped{a}{}^2 + b}^2}{a^2 + b^2}
        \frac{a^2 + b^2}{\text{\cramped{a}{}^2 + b}^2}
    }
}
\)
\end{document}

```

$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}$$

### 3.7 Test L601b

```

\input{umtest-preamble}
\usepackage{mathtools}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[
\frac{a^2 + b^2}{a^2 + b^2}
\frac{\cramped{a^2 + b^2}}{a^2 + b^2}
\frac{a^2 + b^2}{\cramped{a^2 + b^2}}
]
(
\frac{a^2 + b^2}{a^2 + b^2}
\frac{\cramped{a^2 + b^2}}{a^2 + b^2}
\frac{a^2 + b^2}{\cramped{a^2 + b^2}}
a^{
    \frac{a^2 + b^2}{a^2 + b^2}
    \frac{\cramped{a^2 + b^2}}{a^2 + b^2}
    \frac{a^2 + b^2}{\cramped{a^2 + b^2}}
}
a^{
    a^{
        \frac{a^2 + b^2}{a^2 + b^2}
        \frac{\cramped{a^2 + b^2}}{a^2 + b^2}
        \frac{a^2 + b^2}{\cramped{a^2 + b^2}}
    }
}
\end{document}

```

$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}$$

$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}$$

### 3.8 Test L601f

```
\input{umtest-preamble}
\usepackage{mathtools}
\usepackage{unicode-math}
\setmathfont{XITS Math}
\begin{document}
\[
\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
\frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}
\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
\]
\(
\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
\frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}
a^{
\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
\frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}
}
a^{
\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
\frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}} \frac{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}
}
\)
\end{document}
```

$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}$$
$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} a^{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}$$
$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} a^{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}$$

### 3.9 Test L602b

```
\input{umtest-preamble}

\usepackage{unicode-math}

\setmathfont{Cambria Math}

\ExplSyntaxOn

\NewDocumentCommand \mathstylename { } {
    \mathtt {
        \prg_case_int:nnn { \luatexmathstyle } {
            { \displaystyle } { \token_to_str:N \displaystyle }
            { \luatexcrampeddisplaystyle } { \token_to_str:N \crampeddisplaystyle }
            { \textstyle } { \token_to_str:N \textstyle }
            { \luatexcrampedtextstyle } { \token_to_str:N \crampedtextstyle }
            { \scriptstyle } { \token_to_str:N \scriptstyle }
            { \luatexcrampedscripststyle } { \token_to_str:N \crampedscripststyle }
            { \scriptscriptstyle } { \token_to_str:N \scriptscriptstyle }
            { \luatexcrampedscripscriptstyle } { \token_to_str:N \crampedscripscriptstyle }
        }
        outside math
    }
}
}

\ExplSyntaxOff

\begin{document}

$\mathstylename \over \mathstylename$ 

$\luatexUstack{\mathstylename \over \mathstylename}$

$\frac{\mathstylename}{\mathstylename}$

\end{document}
```

### 3.10 Test L603b

```
\input{umtest-preamble}

\usepackage{amsmath}
\usepackage{unicode-math}

\setmathfont{Cambria Math}

\ExplSyntaxOn

\NewDocumentCommand \mathstylename { } {
    \mathtt{
        \prg_case_int:nnn { \luatexmathstyle } {
            { \displaystyle } { \token_to_str:N \displaystyle }
            { \luatexcrampeddisplaystyle } { \token_to_str:N \crampeddisplaystyle }
            { \textstyle } { \token_to_str:N \textstyle }
            { \luatexcrampedtextstyle } { \token_to_str:N \crampedtextstyle }
            { \scriptstyle } { \token_to_str:N \scriptstyle }
            { \luatexcrampedscriptstyle } { \token_to_str:N \crampedscriptstyle }
            { \scriptscriptstyle } { \token_to_str:N \scriptscriptstyle }
            { \luatexcrampedscriptscriptstyle } { \token_to_str:N \crampedscriptscriptstyle }
        }
        outside math
    }
}

\ExplSyntaxOff

\begin{document}

\$ \mathstylename \over \mathstylename \$

\$ \luatexUstack{\mathstylename \over \mathstylename} \$

\$ \frac{\mathstylename}{\mathstylename} \$


\$ \dfrac{\mathstylename}{\mathstylename} \$

\$ \tfrac{\mathstylename}{\mathstylename} \$

\$ \binom{\mathstylename}{\mathstylename} \$

\$ \genfrac{/}{0pt}{}{}{\mathstylename}{\mathstylename} \$

\end{document}
```



### 3.11 Test L604a

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{graphicx}
\newcommand*{\test}[1]{%
  \parbox[b][50pt]{50pt}{\scalebox{3}{$#1$}}%
}
\begin{document}
\test{\sqrt[a]{b}}
\test{\sqrt[\uproot{10}]{a}{b}}
\test{\sqrt[\leftroot{10}]{a}{b}}
\test{\sqrt[\leftroot{10}\uproot{10}]{a}{b}}
\end{document}
```

$$\sqrt[a]{b} \quad \sqrt[a]{b}$$
$$a \sqrt[b]{a} \quad \sqrt[b]{a}$$

### 3.12 Test L604b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\usepackage{amsmath}
\usepackage{graphicx}
\setmathfont{Cambria Math}
\newcommand*{\test}[1]{%
  \parbox[b][50pt]{50pt}{\scalebox{3}{$#1$}}%
}
\begin{document}
\test{\sqrt[a]{b}}
\test{\sqrt[\uproot{10}]{a}{b}}
\test{\sqrt[\leftroot{10}]{a}{b}}
\test{\sqrt[\leftroot{10}\uproot{10}]{a}{b}}
\end{document}
```

$$\sqrt[a]{b} \quad \sqrt[a]{b}$$
$$a \sqrt[b]{a} \quad \sqrt[b]{a}$$

### 3.13 Test L650a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\usepackage{mathtools}
\setmathfont{Cambria Math}
\begin{document}
[[
\coloneq
\coloneqq
\eqcolon
\eqqcolon
]]
\end{document}
```

=====

### 3.14 Test L650b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\usepackage{colonequals}
\setmathfont{Cambria Math}
\begin{document}
[[
\coloneq
\colonequals
\eqcolon
\equalscolon
]]
\end{document}
```

=====

## 4 $\text{\LaTeX}$ test files

### 4.1 Test X002a

```
\input{umtest-preamble}
\usepackage[math-style=TeX]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[[\text{\Greektext}]
[["\greektext"]
[["\text{\Greekmath}]
[["\greekmath"]]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρρστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρρστυφφχψω

### 4.2 Test X002b

```
\input{umtest-preamble}
\usepackage[math-style=ISO]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[[\text{\Greektext}]
[["\greektext"]
[["\text{\Greekmath}]
[["\greekmath"]]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρρστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρρστυφφχψω

### 4.3 Test X002c

```
\input{umtest-preamble}
\usepackage[math-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textGREEKtext} ]
\[ \text{\textgreektext} ]
\[ \text{\textGREEKmath} ]
\[ \text{\textgreekmath} ]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω

### 4.4 Test X002d

```
\input{umtest-preamble}
\usepackage[math-style=french]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textGREEKtext} ]
\[ \text{\textgreektext} ]
\[ \text{\textGREEKmath} ]
\[ \text{\textgreekmath} ]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω

### 4.5 Test X002e

```
\input{umtest-preamble}
\usepackage[math-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textGREEKtext} ]
\[ \text{\textgreektext} ]
\[ \text{\textGREEKmath} ]
\[ \text{\textgreekmath} ]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω

#### 4.6 Test X003a

```
\input{umtest-preamble}
\usepackage[bold-style=TeX]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\LATINmathbfup]
[\LATINmathbfit]
[\latinmathbfup]
[\latinmathbfit]
[\numbersmathbfup]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.7 Test X003b

```
\input{umtest-preamble}
\usepackage[bold-style=TeX]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\GREEKmathbfup]
[\GREEKmathbfit]
[\greekmathbfup]
[\greekmathbfit]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΕΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΕΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.8 Test X003c

```
\input{umtest-preamble}
\usepackage[bold-style=TeX]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\mathbf{\LATINmath}]
[\mathbf{\LATINtext}]
[\mathbf{\latinmath}]
[\mathbf{\latintext}]
[\mathbf{0123456789}]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.9 Test X003d

```
\input{umtest-preamble}
\usepackage[bold-style=TeX]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbf{\text{\textit{GREEKmath}}}\]
\[\mathbf{\text{\textit{GREEKtext}}}\]
\[\mathbf{\text{\textit{greekmath}}}\]
\[\mathbf{\text{\textit{greektext}}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.10 Test X003e

```
\input{umtest-preamble}
\usepackage[bold-style=ISO]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textit{LATINmathbfup}}\]
\[\text{\textit{LATINmathbfit}}\]
\[\text{\textit{latinmathbfup}}\]
\[\text{\textit{latinmathbfit}}\]
\[\text{\textit{numbersmathbfup}}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.11 Test X003f

```
\input{umtest-preamble}
\usepackage[bold-style=ISO]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textit{GREEKmathbfup}}\]
\[\text{\textit{GREEKmathbfit}}\]
\[\text{\textit{greekmathbfup}}\]
\[\text{\textit{greekmathbfit}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.12 Test X003g

```
\input{umtest-preamble}
\usepackage[bold-style=ISO]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathbf{\text{LATINmath}} \]
\[ \mathbf{\text{LATINtext}} \]
\[ \mathbf{\text{latinmath}} \]
\[ \mathbf{\text{latintext}} \]
\[ \mathbf{0123456789} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
*abcdefghijklmnopqrstuvwxyz*  
0123456789

#### 4.13 Test X003h

```
\input{umtest-preamble}
\usepackage[bold-style=ISO]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathbf{\text{GREEKmath}} \]
\[ \mathbf{\text{GREEKtext}} \]
\[ \mathbf{\text{greekmath}} \]
\[ \mathbf{\text{greektext}} \]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω  
αβγδεεζηθθικλμνξοπωρρεστυφφχψω

#### 4.14 Test X003i

```
\input{umtest-preamble}
\usepackage[bold-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{LATINmathbfup} \]
\[ \text{LATINmathbfit} \]
\[ \text{latinmathbfup} \]
\[ \text{latinmathbfit} \]
\[ \text{numbersmathbfup} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
*abcdefghijklmnopqrstuvwxyz*  
0123456789

#### 4.15 Test X003j

```
\input{umtest-preamble}
\usepackage[bold-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbf{\text{\textit{GREEKmathup}}}\]
\[\mathbf{\text{\textit{GREEKmathfit}}}\]
\[\mathbf{\text{\textit{greekmathbfup}}}\]
\[\mathbf{\text{\textit{greekmathbffit}}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.16 Test X003k

```
\input{umtest-preamble}
\usepackage[bold-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbf{\text{\textit{LATINmath}}}\]
\[\mathbf{\text{\textit{LATINtext}}}\]
\[\mathbf{\text{\textit{latinmath}}}\]
\[\mathbf{\text{\textit{latintext}}}\]
\[\mathbf{\text{\textit{0123456789}}}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.17 Test X003l

```
\input{umtest-preamble}
\usepackage[bold-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbf{\text{\textit{GREEKmath}}}\]
\[\mathbf{\text{\textit{GREEKtext}}}\]
\[\mathbf{\text{\textit{greekmath}}}\]
\[\mathbf{\text{\textit{greektext}}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.18 Test X003m

```
\input{umtest-preamble}
\usepackage[bold-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textbf{LATINmathbfup}}\]
\[\text{\textbf{LATINmathbfit}}\]
\[\text{\textbf{latinmathbfup}}\]
\[\text{\textbf{latinmathbfit}}\]
\[\text{\textbf{numbersmathbfup}}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.19 Test X003n

```
\input{umtest-preamble}
\usepackage[bold-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textbf{GREEKmathbfup}}\]
\[\text{\textbf{GREEKmathbfit}}\]
\[\text{\textbf{greekmathbfup}}\]
\[\text{\textbf{greekmathbfit}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθθικλμνξοπωρρεςτυφφχψω  
αβγδεεζηθθικλμνξοπωρρεςτυφφχψω

#### 4.20 Test X003o

```
\input{umtest-preamble}
\usepackage[bold-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{\textbf{\textit{LATINmath}}}\]
\[\text{\textbf{\textit{LATINtext}}}\]
\[\text{\textbf{\textit{latinmath}}}\]
\[\text{\textbf{\textit{latintext}}}\]
\[\text{\textbf{\{0123456789\}}}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.21 Test X003p

```
\input{umtest-preamble}
\usepackage[bold-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbf{\text{GREEKmath}}\]
\[\mathbf{\text{GREEKtext}}\]
\[\mathbf{\text{greekmath}}\]
\[\mathbf{\text{greektext}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ

αβγδεεζηθθικλμνξοπωρρεστυφφχψω

αβγδεεζηθθικλμνξοπωρρεστυφφχψω

#### 4.22 Test X004a

```
\input{umtest-preamble}
\usepackage[sans-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{LATINmathsfup}\]
\[\text{LATINmathsfit}\]
\[\text{latinmathsfup}\]
\[\text{latinmathsfit}\]
\[\text{numbersmathsfup}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

abcdefghijklmnopqrstuvwxyz

0123456789

#### 4.23 Test X004b

```
\input{umtest-preamble}
\usepackage[sans-style=upright]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathsf{\text{LATINtext}}\]
\[\mathsf{\text{LATINmath}}\]
\[\mathsf{\text{latintext}}\]
\[\mathsf{\text{latinmath}}\]
\[\mathsf{0123456789}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

abcdefghijklmnopqrstuvwxyz

0123456789

#### 4.24 Test X004c

```
\input{umtest-preamble}
\usepackage[sans-style=italic]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textsf{\textit{LATINmathsfup}}} \]
\[ \text{\textsf{\textit{LATINmathsfit}}} \]
\[ \text{\textsf{\textit{latinmathsfup}}} \]
\[ \text{\textsf{\textit{latinmathsfit}}} \]
\[ \text{\textsf{\textit{numbersmathsfup}}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
*abcdefghijklmnopqrstuvwxyz*  
0123456789

#### 4.25 Test X004d

```
\input{umtest-preamble}
\usepackage[sans-style=italic]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textsf{\textit{\text{LATINtext}}}}} \]
\[ \text{\textsf{\textit{\text{LATINmath}}}}} \]
\[ \text{\textsf{\textit{\text{latintext}}}}} \]
\[ \text{\textsf{\textit{\text{latinmath}}}}} \]
\[ \text{\textsf{\textit{0123456789}}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
*abcdefghijklmnopqrstuvwxyz*  
0123456789

#### 4.26 Test X004e

```
\input{umtest-preamble}
\usepackage[sans-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \text{\textsf{\textit{LATINmathsfup}}} \]
\[ \text{\textsf{\textit{LATINmathsfit}}} \]
\[ \text{\textsf{\textit{latinmathsfup}}} \]
\[ \text{\textsf{\textit{latinmathsfit}}} \]
\[ \text{\textsf{\textit{numbersmathsfup}}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
*abcdefghijklmnopqrstuvwxyz*  
*abcdefghijklmnopqrstuvwxyz*  
0123456789

#### 4.27 Test X004f

```
\input{umtest-preamble}
\usepackage[sans-style=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathsf{\text{LATINtext}} \]
\[ \mathsf{\text{LATINmath}} \]
\[ \mathsf{\text{latintext}} \]
\[ \mathsf{\text{latinmath}} \]
\[ \mathsf{0123456789} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.28 Test X005a

```
\input{umtest-preamble}
\usepackage[sans-style=upright]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[ \text{LATINmathbf{up}} \]
\[ \text{LATINmathbf{fit}} \]
\[ \text{latinmathbf{up}} \]
\[ \text{latinmathbf{fit}} \]
\[ \text{numbersmathbf{up}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.29 Test X005b

```
\input{umtest-preamble}
\usepackage[sans-style=upright]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[ \text{GREEKmathbf{up}} \]
\[ \text{GREEKmathbf{fit}} \]
\[ \text{greekmathbf{up}} \]
\[ \text{greekmathbf{fit}} \]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικιλμνξοπωρεςστυφχψω  
αβγδεεζηθικιλμνξοπωρεςστυφχψω

#### 4.30 Test X005c

```
\input{umtest-preamble}
\usepackage[sans-style=upright]{unicode-math}
\setmathfont{Code2001}
\begin{document}
[\"mathbf{\textsf{LATINmath}}]
[\"mathbf{\textsf{LATINtext}}]
[\"mathbf{\textsf{latinmath}}]
[\"mathbf{\textsf{latintext}}]
[\"mathbf{\textsf{0123456789}}]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.31 Test X005d

```
\input{umtest-preamble}
\usepackage[sans-style=upright]{unicode-math}
\setmathfont{Code2001}
\begin{document}
[\"mathbf{\textsf{GREEKmath}}]
[\"mathbf{\textsf{GREEKtext}}]
[\"mathbf{\textsf{greekmath}}]
[\"mathbf{\textsf{greektext}}]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικιλμνξοπωρεστυφφχψω  
αβγδεεζηθικιλμνξοπωρεστυφφχψω

#### 4.32 Test X005e

```
\input{umtest-preamble}
\usepackage[sans-style=italic]{unicode-math}
\setmathfont{Code2001}
\begin{document}
[\"LATINmathbf{sfup}]
[\"LATINmathbf{sfit}]
[\"latinmathbf{sfup}]
[\"latinmathbf{fit}]
[\"numbersmathbf{sfup}]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

### 4.33 Test X005f

```
\input{umtest-preamble}
\usepackage[sans-style=italic]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[ \mathbf{\Gamma} \]
\[ \mathbf{\Delta} \]
\[ \mathbf{\Pi} \]
\[ \mathbf{\Pi}^* \]
\end{document}
```

*ΑΒΓΔΕΖΗΘΙΚΑΛΜΝΞΟΠΡΣΤΥΦΧΨΩ*  
*ΑΒΓΔΕΖΗΘΙΚΑΛΜΝΞΟΠΡΣΤΥΦΧΨΩ*  
αβγδεεζηθικιλμνξοπωρεςστυφθχψω  
αβγδεεζηθικιλμνξοπωρεςστυφθχψω

### 4.34 Test X005g

```
\input{umtest-preamble}
\usepackage[sans-style=italic]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[ \mathbf{\mathsf{LATINmath}} \]
\[ \mathbf{\mathsf{LATINtext}} \]
\[ \mathbf{\mathsf{latinmath}} \]
\[ \mathbf{\mathsf{latintext}} \]
\[ \mathbf{\mathsf{0123456789}} \]
\end{document}
```

*ABCDEFGHIJKLMNPQRSTUVWXYZ*  
*abcdefghijklmnoprstuvwxyz*  
*abcdefghijklmnoprstuvwxyz*  
0123456789

## 4.35 Test X005h

```
\input{umtest-preamble}
\usepackage[sans-style=italic]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[\mathbf{\mathsf{\text{\textit{GREEKmath}}}}\]
\[\mathbf{\mathsf{\text{\textit{GREEKtext}}}}\]
\[\mathbf{\mathsf{\text{\textit{greekmath}}}}\]
\[\mathbf{\mathsf{\text{\textit{greektext}}}}\]
\end{document}
```

**ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ**  
**ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ**  
αβγδεεζηθικιλμνξοπωρεςστυφχψω  
αβγδεεζηθικιλμνξοπωρεςστυφχψω

#### 4.36 Test X005i

```
\input{umtest-preamble}
\usepackage[sans-style=literal]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[\text{\textnormal{LATINmathbf{fup}}}\]
\[\text{\textnormal{LATINmathbf{fit}}}\]
\[\text{\textnormal{latinmathbf{fup}}}\]
\[\text{\textnormal{latinmathbf{fit}}}\]
\[\text{\textnormal{numbersmathbf{fup}}}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.37 Test X005j

```
\input{umtest-preamble}
\usepackage[sans-style=literal]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[\text{\textnormal{GREEKmathbf{fup}}}\]
\[\text{\textnormal{GREEKmathbf{fit}}}\]
\[\text{\textnormal{greekmathbf{fup}}}\]
\[\text{\textnormal{greekmathbf{fit}}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικιλμνξοπωρεςστυφθχψω  
αβγδεεζηθικιλμνξοπωρεςστυφθχψω

#### 4.38 Test X005k

```
\input{umtest-preamble}
\usepackage[sans-style=literal]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[\text{\textnormal{mathbf{f}\textnormal{LATINmath}}}\]
\[\text{\textnormal{mathbf{f}\textnormal{LATINtext}}}\]
\[\text{\textnormal{mathbf{f}\textnormal{latinmath}}}\]
\[\text{\textnormal{mathbf{f}\textnormal{latintext}}}\]
\[\text{\textnormal{mathbf{f}\{0123456789\}}}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.39 Test X0051

```
\input{umtest-preamble}
\usepackage[sans-style=literal]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[\mathbf{\mathsf{GREEKmath}}\]
\[\mathbf{\mathsf{GREEKtext}}\]
\[\mathbf{\mathsf{greekmath}}\]
\[\mathbf{\mathsf{greektext}}\]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικικλμνξοπωρρεστυφφχψω  
αβγδεεζηθικικλμνξοπωρρεστυφφχψω

#### 4.40 Test X010a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathcal{LATINtext}\]
\[\mathcal{latintext}\]
\[\mathcal{LATINmath}\]
\[\mathcal{latinmath}\]
\end{document}
```

ΑΒΓΔΕΖΗΙJKLMNOPQRSTUVWXYZ  
αβγδεεζηθικλμνορρεστυφφχψω  
ΑΒΓΔΕΖΗΙJKLMNOPQRSTUVWXYZ  
αβγδεεζηθικλμνορρεστυφφχψω

#### 4.41 Test X010b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathcal{LATINmathscr}\]
\[\mathcal{latinmathscr}\]
\[\mathcal{reservedmathscr}\]
\end{document}
```

ΑΒΓΔΕΖΗΙJKLMNOPQRSTUVWXYZ  
αβγδεεζηθικλμνορρεστυφφχψω  
ΩΩΩΩΩΩΩΩ ΩΩΩ

#### 4.42 Test X010c

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathfrak{\text{LATINtext}}\]
\[\mathfrak{\text{latintext}}\]
\[\mathfrak{\text{LATINmath}}\]
\[\mathfrak{\text{latinmath}}\]
\end{document}
```

ԱՅԵԾԵԺԻՋՔԸՆՈՑՔՏՄՎՑՅՆ  
աբգհիլմոպրտւսայնց  
ԱՅԵԾԵԺԻՋՔԸՆՈՑՔՏՄՎՑՅՆ  
աբգհիլմոպրտւսայնց

#### 4.43 Test X010d

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{LATINmathfrak}\]
\[\text{latinmathfrak}\]
\[\text{reservedmathfrak}\]
\end{document}
```

ԱՅԵԾԵԺԻՋՔԸՆՈՑՔՏՄՎՑՅՆ  
աբգհիլմոպրտւսայնց  
ՊՊՊՊ

#### 4.44 Test X011a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathsf{\text{LATINtext}}\]
\[\mathsf{\text{latintext}}\]
\[\mathsf{\text{LATINmath}}\]
\[\mathsf{\text{latinmath}}\]
\end{document}
```

ABCDEFGHIJKLMNPQRSTUVWXYZ  
abcdefghijklmnoprstuvwxyz  
ABCDEFGHIJKLMNPQRSTUVWXYZ  
abcdefghijklmnoprstuvwxyz

#### 4.45 Test X011b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathit{\text{\GREEKtext}} \]
\[ \mathit{\text{\greektext}} \]
\[ \mathit{\text{\GREEKmath}} \]
\[ \mathit{\text{\greekmath}} \]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.46 Test X012a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathit{\text{\LATINtext}} \]
\[ \mathit{\text{\latintext}} \]
\[ \mathit{\text{\LATINmath}} \]
\[ \mathit{\text{\latinmath}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz

#### 4.47 Test X012b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathit{\text{\GREEKtext}} \]
\[ \mathit{\text{\greektext}} \]
\[ \mathit{\text{\GREEKmath}} \]
\[ \mathit{\text{\greekmath}} \]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΑΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.48 Test X013a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbb{\text{LATINtext}}\]
\[\mathbb{\text{latintext}}\]
\[\mathbb{\text{LATINmath}}\]
\[\mathbb{\text{latinmath}}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz

#### 4.49 Test X013b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbb{0123456789}\]
\[\text{numbersmathbb}\]
\end{document}
```

0123456789  
0123456789

#### 4.50 Test X013c

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{LATINmathbb}\]
\[\text{latinmathbb}\]
\[\text{reservedmathbb}\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
????????

#### 4.51 Test X013d

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{STIXGeneral}
\begin{document}
\mathbb{\pi}\mathbb{\gamma} \quad \mathbb{\sum}_0^1
\mathbb{\sum}_0^1
\mathbb{\Sigma}_0^1
\mathbb{Bbbsum}_0^1
\end{document}
```

$\pi\gamma$   $\sum_0^1$

$\sum_0^1$   
 $\sum_0^1$   
 $\sum_0^1$

#### 4.52 Test X013e

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\mathbf{Ddeij}\mathbf{Ddeij}
\end{document}
```

$Ddeij$   $Ddeij$

#### 4.53 Test X014a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\mathsf{LATINtext}
\mathsf{latintext}
\mathsf{LATINmath}
\mathsf{latinmath}
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

#### 4.54 Test X014b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathsfup{0123456789} \]
\[ \mathsfup{\numberset} \]
\end{document}
```

0123456789

0123456789

#### 4.55 Test X014c

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathsfup{\text{LATIN}} \]
\[ \mathsfup{\text{latin}} \]
\end{document}
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

#### 4.56 Test X015a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathsf{\textit{\text{LATINtext}}} \]
\[ \mathsf{\textit{\text{latintext}}} \]
\[ \mathsf{\textit{\text{LATINmath}}} \]
\[ \mathsf{\textit{\text{latinmath}}} \]
\[ \mathsf{\textit{\text{0123456789}}} \]
\end{document}
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

0123456789

#### 4.57 Test X015b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\"LATINmathsf]
[\"latinmathsf]
\end{document}
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

#### 4.58 Test X016a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Asana-Math.otf}
\begin{document}
[\"mathtt{\\LATINtext}]
[\"mathtt{\\latintext}]
[\"mathtt{\\LATINmath}]
[\"mathtt{\\latinmath}]
\end{document}
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

#### 4.59 Test X016b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Asana-Math.otf}
\begin{document}
[\"mathtt{0123456789}]
[\"numbersmathtt]
\end{document}
```

0123456789

0123456789

#### 4.60 Test X016c

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Asana-Math.otf}
\begin{document}
[ \LATINmathtt ]
[ \latinmathtt ]
\end{document}
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

#### 4.61 Test X017a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[ \mathbfscr{\LATINtext} ]
[ \mathbfscr{\latintext} ]
[ \mathbfscr{\LATINmath} ]
[ \mathbfscr{\latinmath} ]
\end{document}
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

#### 4.62 Test X017b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[ \LATINmathbfscr ]
[ \latinmathbfscr ]
\end{document}
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

#### 4.63 Test X017c

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbf{frak{\text{LATINtext}}}\]
\[\mathbf{frak{\text{latintext}}}\]
\[\mathbf{frak{\text{LATINmath}}}\]
\[\mathbf{frak{\text{latinmath}}}\]
\end{document}
```

ABCDEFГЂЈЉѠѼѺѼSTUVWXY3

абцдеғхјјлмнօպօրտւվայз

ABCDEFГЂЈЉѠѼѺѼSTUVWXY3

абцдеғхјјлмнօպօրտւվայз

#### 4.64 Test X017d

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{LATINmathbf{frak{}}}\]
\[\text{latinmathbf{frak{}}}\]
\end{document}
```

ABCDEFГЂЈЉѠѼѺѼSTUVWXY3

абцдеғхјјлмнօպօրտւվայз

#### 4.65 Test X018a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\mathbf{fup{\text{LATINtext}}}\]
\[\mathbf{fup{\text{latintext}}}\]
\[\mathbf{fup{\text{LATINmath}}}\]
\[\mathbf{fup{\text{latinmath}}}\]
\[\mathbf{fup{0123456789}}\]
\end{document}
```

ABCDEFGHIJKLMNPQRSTUVWXYZ

абцдеғхјјлмнօպօրտւվայզ

ABCDEFGHIJKLMNPQRSTUVWXYZ

абцдеғхјјлмнօպօրտւվայզ

0123456789

#### 4.66 Test X018b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathbf{up}{\text{\texttt{\GREEKtext}}} \]
\[ \mathbf{up}{\text{\texttt{\greektext}}} \]
\[ \mathbf{up}{\text{\texttt{\GREEKmath}}} \]
\[ \mathbf{up}{\text{\texttt{\greekmath}}} \]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.67 Test X019a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathbf{fit}{\text{\texttt{\LATINtext}}} \]
\[ \mathbf{fit}{\text{\texttt{\latintext}}} \]
\[ \mathbf{fit}{\text{\texttt{\LATINmath}}} \]
\[ \mathbf{fit}{\text{\texttt{\latinmath}}} \]
\[ \mathbf{fit}{\text{\texttt{0123456789}}} \]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.68 Test X019b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ \mathbf{fit}{\text{\texttt{\GREEKtext}}} \]
\[ \mathbf{fit}{\text{\texttt{\greektext}}} \]
\[ \mathbf{fit}{\text{\texttt{\GREEKmath}}} \]
\[ \mathbf{fit}{\text{\texttt{\greekmath}}} \]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.69 Test X020a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\mathbfseries{\textit{LATINtext}}]
[\mathbfseries{\textit{latintext}}]
[\mathbfseries{\textit{LATINmath}}]
[\mathbfseries{\textit{latinmath}}]
[\mathbfseries{0123456789}]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.70 Test X020b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{STIXGeneral-Bold}
\begin{document}
[\mathbfseries{\textit{GREEKtext}}]
[\mathbfseries{\textit{greektext}}]
[\mathbfseries{\textit{GREEKmath}}]
[\mathbfseries{\textit{greekmath}}]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφχψω

#### 4.71 Test X021a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[\mathbfseries{\textit{LATINtext}}]
[\mathbfseries{\textit{latintext}}]
[\mathbfseries{\textit{LATINmath}}]
[\mathbfseries{\textit{latinmath}}]
[\mathbfseries{0123456789}]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789

#### 4.72 Test X021b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{STIXGeneral-BoldItalic}
\begin{document}
\[ \mathbf{fit}\{\text{\texttt{GREEKtext}}\} \]
\[ \mathbf{fit}\{\text{\texttt{greektext}}\} \]
\[ \mathbf{fit}\{\text{\texttt{GREEKmath}}\} \]
\[ \mathbf{fit}\{\text{\texttt{greekmath}}\} \]
\end{document}
```

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω  
ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεεζηθικλμνξοπωρρεστυφφχψω

#### 4.73 Test X030a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{FreeSerif}
\begin{document}
\[ \mathbf{F} \]
\[ \mathbf{F} \]
\[ \mathbf{F} \]
\[ \mathbf{F} \]
\end{document}
```

F<sub>F</sub>  
F<sub>F</sub>  
F<sub>F</sub>  
F<sub>F</sub>

#### 4.74 Test X031a

```
\input{umtest-preamble}
\usepackage[nabla=upright] {unicode-math}
\setmathfont{Free Serif}
\begin{document}
\[ \quad \quad \quad \]
\[ \quad \quad \mathbf{quad} \quad \quad \quad \]
\[ \quad \quad \quad \mathbf{quad} \quad \quad \quad \]
\[ \quad \quad \quad \mathbf{quad} \quad \quad \quad \]
\[ \quad \quad \quad \mathbf{quad} \quad \quad \quad \]
\[ \quad \quad \quad \mathbf{quad} \quad \quad \quad \]
\end{document}
```

vv vv vv  
vv vv vv  
vv vv  
vv vv  
vv vv

#### 4.75 Test X031b

```
\input{umtest-preamble}
\usepackage[nabla=italic]{unicode-math}
\setmathfont{Free Serif}
\begin{document}
\[ \quad \quad \quad \]
\[ \quad \mathbf{\quad} \quad \mathbfsf{\quad} \]
\[ \mathit{\quad} \quad \mathbfit{\quad} \]
\[ \mathbfup{\quad} \quad \mathbfit{\quad} \]
\[ \mathbfup{\quad} \quad \mathbfit{\quad} \]
\end{document}
```

vv vv vv  
vv vv vv  
vv vv  
vv vv  
vv vv

#### 4.76 Test X031c

```
\input{umtest-preamble}
\usepackage[nabla=literal]{unicode-math}
\setmathfont{Free Serif}
\begin{document}
\[ \quad \quad \quad \]
\[ \quad \mathbf{\quad} \quad \mathbfsf{\quad} \]
\[ \mathit{\quad} \quad \mathbfit{\quad} \]
\[ \mathbfup{\quad} \quad \mathbfit{\quad} \]
\[ \mathbfup{\quad} \quad \mathbfit{\quad} \]
\end{document}
```

vv vv vv  
vv vv vv  
vv vv  
vv vv  
vv vv

#### 4.77 Test X032a

```
\input{umtest-preamble}
\usepackage[partial=upright]{unicode-math}
\setmathfont{Code2001}
\begin{document}
[\partial \quad \partial \quad \partial \]
[\partial \quad \mathbf{\partial} \quad \mathbfsf{\partial} \]
[\mathit{\partial} \quad \mathbfit{\partial} \quad \mathbfit{\partial} \]
[\mathbfup{\partial} \quad \mathbfit{\partial} \quad \mathbfit{\partial} \]
[\mathbfup{\partial} \quad \mathbfit{\partial} \quad \mathbfit{\partial} \]
\end{document}
```

∂ ∂ ∂  
∂ ∂ ∂  
∂ ∂  
∂ ∂  
∂ ∂

#### 4.78 Test X032b

```
\input{umtest-preamble}
\usepackage[partial=italic]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[\quad \quad \quad \]
\[\quad \mathbf{\quad} \quad \mathbf{\quad} \]
\[\mathit{\quad} \quad \mathit{\quad} \]
\[\mathbf{\quad} \quad \mathbf{\quad} \]
\[\mathbf{\quad} \quad \mathbf{\quad} \]
\[\mathbf{\quad} \quad \mathbf{\quad} \]
\end{document}
```

aa aa aa  
aa aa aa  
aa aa  
aa aa  
aa aa  
aa aa

#### 4.79 Test X032c

```
\input{umtest-preamble}
\usepackage[partial=literal]{unicode-math}
\setmathfont{Code2001}
\begin{document}
\[\quad \quad \quad \]
\[\quad \mathbf{\quad} \quad \mathbf{\quad} \]
\[\mathit{\quad} \quad \mathit{\quad} \]
\[\mathbf{\quad} \quad \mathbf{\quad} \]
\[\mathbf{\quad} \quad \mathbf{\quad} \]
\[\mathbf{\quad} \quad \mathbf{\quad} \]
\end{document}
```

aa aa aa  
aa aa aa  
aa aa  
aa aa  
aa aa  
aa aa

#### 4.80 Test X033a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\begin{document}
\setmathfont[math-style=TeX]{Free Serif}
\[ \quad \quad \]
\[\mathit{\quad} \quad \mathit{\quad} \]
\[\mathit{\quad} \quad \mathit{\quad} \]
\setmathfont[math-style=upright]{Free Serif}
\[ \quad \quad \]
\[\mathit{\quad} \quad \mathit{\quad} \]
\[\mathit{\quad} \quad \mathit{\quad} \]
\end{document}
```

ij ij  
ij ij  
ij ij  
ij ij  
ij ij  
ij ij

#### 4.81 Test X100a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[ \left( \left( \left( \left( \left( x^2 \right)^2 \right)^2 \right)^2 \right)^2 ]
\end{document}
```

$$\left( \left( \left( \left( \left( x^2 \right)^2 \right)^2 \right)^2 \right)^2 \right)$$

#### 4.82 Test X100b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[ \left[ \left[ \left[ \left[ \left[ x^2 \right]^2 \right]^2 \right]^2 \right]^2 ]
\end{document}
```

$$\left[ \left[ \left[ \left[ \left[ x^2 \right]^2 \right]^2 \right]^2 \right]^2 \right]$$

#### 4.83 Test X100c

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
[ \left\{ \left\{ \left\{ \left\{ \left\{ x^2 \right\}^2 \right\}^2 \right\}^2 \right\}^2 ]
\end{document}
```

$$\left\{ \left\{ \left\{ \left\{ \left\{ x^2 \right\}^2 \right\}^2 \right\}^2 \right\}^2 \right\}$$

#### 4.84 Test X100d

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\left[ \left| \left| \left| \left| \left| x^2 \right|^2 \right|^2 \right|^2 \right|^2 \right]^2
\[\left[ \left| \left| \left| \left| \left| \left| \left| x^2 \right|^2 \right|^2 \right|^2 \right|^2 \right|^2 \right]^2
\end{document}
```

$$\left| \left| \left| \left| \left| x^2 \right|^2 \right|^2 \right|^2 \right|^2$$

#### 4.85 Test X100e

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\left[ \left| \left| \left| \left| \left| \left| x^2 \right|^2 \right|^2 \right|^2 \right|^2 \right|^2 \right]^2
\[\left[ \left| \left| \left| \left| \left| \left| \left| x^2 \right|^2 \right|^2 \right|^2 \right|^2 \right|^2 \right]^2
\end{document}
```

$$\left| \left| \left| \left| \left| \left| x^2 \right|^2 \right|^2 \right|^2 \right|^2$$

#### 4.86 Test X101a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\text{a} > b \quad c < d\]
\[\left[ \left| \left| \left| \left| \left| x \right|^2 \right|^2 \right|^2 \right|^2 \right]^2
\end{document}
```

$$a > b \quad c < d$$

$$\left| \left| \left| \left| \left| x \right|^2 \right|^2 \right|^2$$

#### 4.87 Test X102a

```
\input{umtest-preamble}
\usepackage[slash-delimiter=frac]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\left.\left[\begin{array}{cc}
a & b \\
c & d
\end{array}\right]\middle/
\left[\begin{array}{cc}
1 & 1 \\
1 & 0
\end{array}\right]\right].
\]
\end{document}
```

$$\left[ \begin{array}{cc} a & b \\ c & d \end{array} \right] / \left[ \begin{array}{cc} 1 & 1 \\ 1 & 0 \end{array} \right]$$

#### 4.88 Test X150a

```
\input{umtest-preamble}
\usepackage{amsmath,unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\centerline{$\int\quad\int\dots\int$}
$\int\quad\int\dots\int$
\end{document}
```

$$\int \quad \int \dots \int$$

#### 4.89 Test X151a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\hat{i} \hat{x} \hat{M} \widehat{x+y}
\widehat{i} \widehat{x} \widehat{M} \widehat{\widehat{x+y}}
\tilde{i} \tilde{x} \tilde{M} \widetilde{x+y}_{x+y}
\widetilde{i} \widetilde{x} \widetilde{M} \widetilde{\widetilde{x+y}}_{x+y}
\end{document}
```

$$\begin{array}{cccc}
\hat{i} & \hat{x} & \hat{M} & \widehat{x+y} \\
\widehat{i} & \widehat{x} & \widehat{M} & \widehat{\widehat{x+y}} \\
\tilde{i} & \tilde{x} & \tilde{M} & \widetilde{x+y}_{x+y} \\
\widetilde{i} & \widetilde{x} & \widetilde{M} & \widetilde{\widetilde{x+y}}_{x+y}
\end{array}$$

#### 4.90 Test X202a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[a\colon b\qquad a\colon b
\qquad a^{2236}\colon b\]
\end{document}
```

$a:b$      $a : b$      $a : b$

#### 4.91 Test X202b

```
\input{umtest-preamble}
\usepackage[colon=literal]{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[a\colon b\qquad a\colon b
\qquad a^{2236}\colon b\]
\end{document}
```

$a:b$      $a : b$      $a : b$

#### 4.92 Test X203a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[a-b\]
\[a\text{--} b\]
\end{document}
```

$a - b$   
 $a - b$

#### 4.93 Test X204a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\setlength\parskip{12pt}
\begin{document}
$x_{012}~x_{123}~x_{234}~x_{345}~x_{456}~x_{567}~x_{678}~x_{789}~x_{89+}
x_{9+-}~x_{+-}~(x_{-=(=})~x_{=(=)}~x_{(=)a}~x_{ae}~x_{aoe}~x_{eo}~x_{ox0}~x_{x01}
\$x_{012}\$~\$x_{123}\$~\$x_{234}\$~\$x_{345}\$~\$x_{456}\$~\$x_{567}\$~\$x_{678}\$~\$x_{789}\$^{0i+n^2}~\$x_{89+}\$^{i+n^2}~x^{2i+n}
\$x_{9+-}\$~\$x_{+-}\$~\$x_{-=(=)}\$~\$x_{=(=)}\$~\$x_{(=)a}\$~\$x_{ae}\$~\$x_{aoe}\$~\$x_{eo}\$~\$x_{ox0}\$~\$x_{x01}\$
\$x_{012}^{0i+n^2}\$~\$x_{123}^{i+n^2}\$~\$x_{234}^{2i+n}\$~\$x_{345}^{2i+n}\$~\$x_{456}^{2i+n}\$~\$x_{567}^{2i+n}\$~\$x_{678}^{2i+n}\$~\$x_{789}^{2i+n}\$~\$x_{89+}^{2i+n}\$~\$x_{x01}^{2i+n}\$
```

$x_{012} x_{123} x_{234} x_{345} x_{456} x_{567} x_{678} x_{789} x_{89+}$

$x_{9+-} x_{+-} (x_{-=(=}) x_{=(=)} x_{(=)a} x_{ae} x_{aoe} x_{eo} x_{ox0} x_{x01}$

$\$x_{012}\$ \$x_{123}\$ \$x_{234}\$ \$x_{345}\$ \$x_{456}\$ \$x_{567}\$ \$x_{678}\$ \$x_{789}\$^{0i+n^2} \$x_{89+}\$^{i+n^2} x^{2i+n}$

$\$x_{9+-}\$ \$x_{+-}\$ \$x_{-=(=)}\$ \$x_{=(=)}\$ \$x_{(=)a}\$ \$x_{ae}\$ \$x_{aoe}\$ \$x_{eo}\$ \$x_{ox0}\$ \$x_{x01}\$$

$\$x_{012}^{0i+n^2}\$ \$x_{123}^{i+n^2}\$ \$x_{234}^{2i+n}\$ \$x_{345}^{2i+n}\$ \$x_{456}^{2i+n}\$ \$x_{567}^{2i+n}\$ \$x_{678}^{2i+n}\$ \$x_{789}^{2i+n}\$ \$x_{89+}^{2i+n}\$ \$x_{x01}^{2i+n}\$$

$\$x_{34}^{2i+n}\$$

\end{document}

#### 4.94 Test X205a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[\iiint_V\]
\removenolimits\iiint
\[\iiint_V\]
\addnolimits\iiint
\[\iiint_V\]
\end{document}
```

$\iiint_V$

$\iiint_V$

$\iiint_V$

#### 4.95 Test X206a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[A+B+\dots+Z\]
\[(A+B+\dots)\]
\[(A+B+\cdots)\]
\end{document}
```

$A + B + \dots + Z$

$(A + B + \dots)$

$(A + B + \cdots)$

#### 4.96 Test X206b

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[A+B+\dots+Z\]
\[(A+B+\dots)\]
\[(A+B+\cdots)\]
\end{document}
```

$$A + B + \dots + Z$$

$$(A + B + \dots)$$

$$(A + B + \cdots)$$

#### 4.97 Test X206c

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[ a\% b \% c \]
\[ a\$ b \$ c \]
\[ a& b & c \]
\[ a\# b \# c \]
\end{document}
```

$$a\%b\%c$$

$$a\$b\$c$$

$$a&b&c$$

$$a\#b\#c$$

#### 4.98 Test X207a

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\unimathsetup{active-frac=normalsize}
\[ \frac{1}{4} \frac{1}{2} \frac{3}{2} \frac{1}{7} \frac{1}{9} \frac{1}{10} \frac{2}{3} \frac{1}{3} \frac{2}{5} \frac{3}{5} \frac{4}{5} \frac{1}{5} \frac{1}{6} \frac{3}{6} \frac{5}{8} \frac{7}{8} \]
\unimathsetup{active-frac=small}
\[ \frac{1}{4} \frac{1}{2} \frac{3}{2} \frac{1}{7} \frac{1}{9} \frac{1}{10} \frac{2}{3} \frac{1}{3} \frac{2}{5} \frac{3}{5} \frac{4}{5} \frac{1}{5} \frac{1}{6} \frac{3}{6} \frac{5}{8} \frac{7}{8} \]
\end{document}
```

$$\frac{1}{4} \frac{1}{2} \frac{3}{2} \frac{1}{7} \frac{1}{9} \frac{1}{10} \frac{2}{3} \frac{1}{3} \frac{2}{5} \frac{3}{5} \frac{4}{5} \frac{1}{5} \frac{1}{6} \frac{3}{6} \frac{5}{8} \frac{7}{8}$$

$$\frac{1}{4} \frac{1}{2} \frac{3}{2} \frac{1}{7} \frac{1}{9} \frac{1}{10} \frac{2}{3} \frac{1}{3} \frac{2}{5} \frac{3}{5} \frac{4}{5} \frac{1}{5} \frac{1}{6} \frac{3}{6} \frac{5}{8} \frac{7}{8}$$

#### 4.99 Test X300a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont[script-font      = {Asana Math},
            script-features = {ScriptStyle,Colour=FF0000},
            sscript-font   = {Cambria Math},
            sscript-features= {ScriptScriptStyle,Colour=0000FF}]
            {Cambria Math}

\begin{document}
\[123456789^{123456789^{123456789}}
\end{document}
```

123456789<sub>123456789</sub><sup>123456789</sup>

#### 4.100 Test X400a

```
\input{umtest-preamble}
\usepackage[trace=on]{unicode-math}
\setmainfont{TeX Gyre Pagella}
\setsansfont{TeX Gyre Adventor}
\setmonofont{TeX Gyre Cursor}
\setmathfont{Cambria Math}
\usepackage{url}
\begin{document}
\centering\obeylines
\url{http://www.lmgtfy.com/}
\url{?q=~!@#$%^&*()<>`'}
\urlstyle{rm}
\url{http://www.lmgtfy.com/}
\url{?q=~!@#$%^&*()<>`'}
\urlstyle{sf}
\url{http://www.lmgtfy.com/}
\url{?q=~!@#$%^&*()<>`'}
\end{document}
```

http://www.lmgtfy.com/  
?q=~!@#\$%^&\*()<>`'  
http://www.lmgtfy.com/  
?q=~!@#\$%^&\*()<>`'  
http://www.lmgtfy.com/  
?q=~!@#\$%^&\*()<>`'

#### 4.101 Test X401a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{XITS Math}
\begin{document}


\setmathfont{Cambria Math}

\[ x=1.23 \quad x=1,23 \]
\end{document}
```

$x = 1.23 \quad x = 1,23$


#### 4.102 Test X500a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont[Colour=000000]{Cambria Math}
\setmathfont[range={\mathop}, Colour=FF0000]{Cambria Math}
\setmathfont[range={"3D}, Colour=009900]{Cambria Math}  $F(s) = \mathcal{L}\{f(t)\} = \int_0^{\infty} e^{-st} f(t) dt$ 
\setmathfont[range={\mathopen, \mathclose},
            Colour=0000FF]{Cambria Math}
\setlength\parskip{12pt}
\begin{document}
\[
F(s)=\mathscr{L}\left\{f(t)\right\}=\\
\int_0^{\infty} e^{-st}f(t),\,dt
\]
\end{document}
```




#### 4.103 Test X501a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont[Colour=000000]{Cambria Math}
\setmathfont[range=\mathscr, Colour=FF0000]{Cambria Math} abcdefghijklmnopqrstuvwxyz
\setmathfont[range=\mathfrak, Colour=0000FF]{Cambria Math} abcdefghijklmnopqrstuvwxyz
\begin{document}
\[\latintext\]
\[\mathscr{\latintext}\]
\[\mathfrak{\latintext}\]
\[\LATINmath\]
\[\mathscr{\LATINmath}\]
\[\mathfrak{\LATINmath}\]
\end{document}
```




#### 4.104 Test X501b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont[Colour=000000]{Cambria Math}
\setmathfont[range=\mathscr, Colour=FF0000]{TeX Gyre Chorus} abcdefghijklmnopqrstuvwxyz
\begin{document}
\[\latintext\]
\[\mathscr{\latintext}\]
\[\LATINmath\]
\[\mathscr{\LATINmath}\]
\end{document}
```



#### 4.105 Test X501d

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont[Colour=330000]{Cambria Math}
\setmathfont[range=\mathit/{latin}, Colour=660000]{Cambria Math}
\setmathfont[range=\mathit/{Greek}, Colour=990000]{Cambria Math}
\setmathfont[range=\mathit/{greek}, Colour=BB0000]{Cambria Math}
\setmathfont[range=\mathup/{num}, Colour=EE0000]{Cambria Math}
\begin{document}
\[\mathit{\text{LATINtext}}\]
\[\mathit{\text{latintext}}\]
\[\mathit{\text{GREEKtext}}\]
\[\mathit{\text{greektext}}\]
\[0123456789\]
\end{document}
```



#### 4.106 Test X501e

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont[
  range={
    \mathit/{latin}->\mathbfup ,
    \mathit/{Latin}->\mathsfup
  }
]{Cambria Math}
\setmathfont[
  range={
    \mathup/{Greek}->\mathbfup ,
    \mathit/{greek}->\mathbfit
  },
  Colour=990000
]{Cambria Math}
\begin{document}
\vspace*{-1cm}
\[\text{LATINtext}\]
\[\text{latintext}\]
\[\mathit{\text{LATINtext}}\]
\[\mathit{\text{latintext}}\]
\[\mathbf{\text{GREEKtext}}\]
\[\mathit{\text{greektext}}\]
\[\mathup{\text{GREEKtext}}\]
\[\mathit{\text{greektext}}\]
\end{document}
```



#### 4.107 Test X502a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{STIXGeneral}
\setmathfont
  [range={\mathit,\mathsfit,\mathscr}]
  {STIXGeneral-Italic}
\setmathfont
  [range={\mathbfup,\mathbfrak,
    \mathbfup}]
  {STIXGeneral-Bold}
\setmathfont
  [range={\mathbfit,\mathbfsfit,\mathbfscr}]
  {STIXGeneral-BoldItalic}
\begin{document}
\[\mathit{A}\mathup{A}
\mathsfup{A}\mathsfit{A}\]
\[\mathscr{A}\mathfrak{A}\mathbb{A}\]
\[\mathbfup{A}\mathbfit{A}
\mathbfup{A}\mathbfsfit{A}\]
\[\mathbfscr{A}\mathbfrak{A}\mathbfit{A}\]
\end{document}
```

AAAA  
A2A  
AAAA  
A2

#### 4.108 Test X502b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{XITS Math}
\begin{document}
Default:
\[
(a+b)^2 = \sqrt{c+d}
\]
\setmathfont[range={\mathup}]{Linux Libertine}
\setmathfont[range={\mathit}]{Linux Libertine}
Example of a non-math OpenType font:
\[
(a+b)^2 = \sqrt{c+d}
\]
With symbols:
\setmathfont[range={\`+,`\=,`\(,`\)}]{Linux Libertine}
\[
(a+b)^2 = \sqrt{c+d}
\]
\end{document}
```

Default:  $(a + b)^2 = \sqrt{c + d}$   
Example of a non-math OpenType font:  
Italic:  $(a + b)^2 = \sqrt{c + d}$   
With symbols:  
 $(a + b)^2 = \sqrt{c + d}$

#### 4.109 Test X503a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\begin{document}
\setmathfont{XITS Math}
\[
  \mathscr{\text{LATINtext}}
\]
\[
  \mathcal{\text{LATINtext}}
\]
\setmathfont[range={\mathcal,\mathbfcal},StylisticSet=1]{XITS Math}
\[
  \mathscr{\text{LATINtext}}
\]
\[
  \mathcal{\text{LATINtext}}
\]
\footnotesize
\[
  \mathbfcal{\text{LATINtext}}
\]
\end{document}
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ

#### 4.110 Test X600a

```
\input{umtest-preamble}
\usepackage{amsmath}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \sum_{\substack{dfrac{1}{2} \\ \vec{A}'}} \sum_{\substack{a \\ bbb}}
\sum_{\substack{\begin{subarray}{l} a \\ bbb \end{subarray}}} \sum_{\substack{dfrac{1}{2} \\ \vec{A}'}} \sum_{\substack{a \\ bbb}}
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \sum_{\substack{dfrac{1}{2} \\ \vec{A}'}} \sum_{\substack{a \\ bbb}}$$

#### 4.111 Test X600b

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Cambria Math}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \sum_{\substack{dfrac{1}{2} \\ \vec{A}'}} \sum_{\substack{a \\ bbb}}
\sum_{\substack{\begin{subarray}{l} a \\ bbb \end{subarray}}} \sum_{\substack{dfrac{1}{2} \\ \vec{A}'}} \sum_{\substack{a \\ bbb}}
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \sum_{\substack{1 \\ 2}} \sum_{\substack{a \\ bbb}}$$

#### 4.112 Test X600c

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Asana Math}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \dfrac{1}{2} \begin{subarray}{l} a \\ bbb \end{subarray}
\]
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \dfrac{1}{2} \sum_{\substack{a \\ bbb}} \overline{A'}$$

#### 4.113 Test X600d

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{Neo Euler}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \dfrac{1}{2} \begin{subarray}{l} a \\ bbb \end{subarray}
\]
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \dfrac{1}{2} \sum_{\substack{a \\ bbb}} \overline{A^{\square}}$$

#### 4.114 Test X600f

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{unicode-math}
\setmathfont{XITS Math}
\begin{document}
\[
\sum_{\substack{a \\ bbb}} \dfrac{1}{2} \begin{subarray}{l} a \\ bbb \end{subarray}
\]
\end{document}
```

$$\sum_{\substack{a \\ bbb}} \dfrac{1}{2} \sum_{\substack{a \\ bbb}} \overline{A}$$

#### 4.115 Test X601a

```
\input{umtest-preamble}
\usepackage{mathtools}
\begin{document}
\[
\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
\frac{\text{\cramped}{a^2 + b^2}}{\text{\cramped}{a^2 + b^2}} \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}}
\]
\(
\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
\frac{\text{\cramped}{a^2 + b^2}}{\text{\cramped}{a^2 + b^2}} \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}}
\frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}} \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}}
a^{
    \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
    \frac{\text{\cramped}{a^2 + b^2}}{\text{\cramped}{a^2 + b^2}} \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}}
    \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}} \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}}
}
a^{
    a^{
        \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}
        \frac{\text{\cramped}{a^2 + b^2}}{\text{\cramped}{a^2 + b^2}} \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}}
        \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}} \frac{a^2 + b^2}{\text{\cramped}{a^2 + b^2}}
    }
}
\)
\)
\end{document}
```

$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}$$
$$\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} a^{\frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2} \frac{a^2 + b^2}{a^2 + b^2}}$$

#### 4.116 Test X604a

```
\input{umtest-preamble}
\usepackage{amsmath}
\usepackage{graphicx}
\newcommand*{\test}[1]{%
    \parbox[b][50pt][50pt]{\scalebox{3}{#1}}%
}
\begin{document}
\test{\sqrt[a]{b}}
\test{\sqrt[a]{\uproot{10}a}}
\test{\sqrt[\leftroot{10}a]{b}}
\test{\sqrt[\leftroot{10}\uproot{10}a]{b}}
\end{document}
```

$$\sqrt[a]{b} \quad \sqrt[a]{b}$$
$$a \sqrt[b]{a} \quad \sqrt[b]{a}$$

#### 4.117 Test X604b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\usepackage{amsmath}
\usepackage{graphicx}
\setmathfont{Cambria Math}
\newcommand*{\test}[1]{%
    \parbox[b][50pt][50pt]{\scalebox{3}{#1}}%
}
\begin{document}
\test{\sqrt[a]{b}}
\test{\sqrt[a]{\uproot{10}a}}
\test{\sqrt[\leftroot{10}a]{b}}
\test{\sqrt[\leftroot{10}\uproot{10}a]{b}}
\end{document}
```

$$\sqrt[a]{b} \quad \sqrt[b]{a}$$
$$a \sqrt[b]{a} \quad \sqrt[b]{a}$$

#### 4.118 Test X610f

```
\input{umtest-preamble}
\usepackage{unicode-math}
\setmathfont{XITS Math}
\usepackage[all,pdf]{xy}
\begin{document}
\[
\xymatrix{a \ar[r] & b}
\]
\end{document}
```

$$a \longrightarrow b$$

#### 4.119 Test X620b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\usepackage{delarray}
\setmathfont{Cambria Math}
\begin{document}
\[
\begin{array}{t|c|c} 1&2&3 \end{array}
\begin{array}{c|c|c} 1&2&3 \end{array}
\begin{array}{b|c|c} 1&2&3 \end{array}
\]
\end{document}
```

$$\begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix} \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix} \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$$

#### 4.120 Test X650a

```
\input{umtest-preamble}
\usepackage{unicode-math}
\usepackage{mathtools}
\setmathfont{Cambria Math}
\begin{document}
\[
\coloneq
\coloneqq
\eqcolon
\eqqcolon
\]
\end{document}
```

:::::

#### 4.121 Test X650b

```
\input{umtest-preamble}
\usepackage{unicode-math}
\usepackage{colonequals}
\setmathfont{Cambria Math}
\begin{document}
>[
\coloneq
\colonequals
\eqcolon
\equalscolon
\]
\end{document}
```

=====