

uspace user manual

v0.01

Václav Haisman

vhaisman@gmail.com

October 5, 2016

Contents

1	Introduction	2
2	History	3

1 Introduction

This \LaTeX package gives useful meaning to various Unicode space characters so that they fulfill their intended function when used in \LaTeX source. It uses `\newunicodechar` macro to do it. Its source is hosted on GitHub in [wilx/project-uspace](https://github.com/wilx/project-uspace) repository.

Here is a list of the implemented characters and their implementations:

ZERO WIDTH SPACE	<code>\hspace{0pt}</code>
NARROW NO-BREAK SPACE	<code>\leavevmode\,</code>
NON-BREAKING SPACE ¹	<code>~</code>
SOFT HYPHEN ¹	<code>\-</code>
EM QUAD ²	<code>\quad</code>
EM SPACE ²	<code>\quad</code>
EN QUAD ³	<code>\enskip</code>
EN SPACE ³	<code>\enskip</code>
THREE-PER-EM SPACE	<code>\hspace{0.33333333333333em}</code>
FOUR-PER-EM SPACE	<code>\hspace{0.25em}</code>
SIX-PER-EM SPACE	<code>\hspace{0.16666666666666em}</code>
FIGURE SPACE	<code>\leavevmode\hphantom{0}</code>
PUNCTUATION SPACE	<code>\leavevmode\hphantom{.}</code>
THIN SPACE	<code>\leavevmode\,\linebreak[0]</code>
HAIR SPACE	<code>\hspace{0.08333333333333em}</code>

2 History

This package would not be what it is without help and comments from people of [T_EX](#), [L^AT_EX](#) and [Friends](#) StackExchange chat room and the [T_EX.SE](#) site itself.

v0.01 First published version of this package.

¹This already defined for pdf \TeX because we use `inputenc` with `utf8` option when compiling with pdf \TeX , therefore this is only defined for Lua \TeX and Xe \TeX .

²According to Unicode, these two are canonically equivalent. See <http://unicode.org/notes/tn5/> for explanation of the term.

³These two are also canonically equivalent. See previous footnote.