

Conlenls

Example:

```
\ingredients{
```


3.3 Options

This package provides three options which are explained in the following.


```
92 \newcommand*{\setRecipeColors}[1]
93 {%
94     \setkeys{colorManagement}{#1}
95 }
96
```



```

475 \else
476   \begin{mini page}[T]{\xcb@picture@small width}
477     \xcb@picture@small
478   \end{mini page}
479   \hfill
480   \begin{mini page}[T]{\xcb@picture@bi gwidth}
481     \xcb@picture@bi g
482   \end{mini page}
483 \fi
484 \else
485   \begin{mini page}[T]{\xcb@picture@bi gwidth}
486     \xcb@picture@bi g
487   \end{mini page}
488   \hfill
489   \begin{mini page}[T]{\xcb@picture@small width}
490     \xcb@picture@small
491   \end{mini page}
492 \fi % SECOND BLOCK
% FILL THE RECIPE
\textcolor{\xcbsolor@recipe}{\xcbsfont@recipe\xcb@recipe}%
{\hspace{-1em}\Fbox[0.3aptablme]r{{\xcbingredientswidth}}
\xcbcmd@recipeview
\xcbingredients}
\end.3aptablme}
\xcbprepareparaffin{\xcbscmd.3aphill
\xcbhintl
sextcunote{4xcbrnewcom
m
renewcom
ipagstyle{f
```



```
629      }
630
631    }
632 }
633 \package
```

7.9 Configuration

This file is intended to change the design central. The most important commands are already written down. You have to submit the option `myconfig`, if you want to load the configuration file.

```
634 config
635 %% Change Layout
636 \setRecipeColors
637 {%
638   recipeName,
639   ing,
640   inghead,
641   prep,
642   prephead,
643   hint,
644   hinthead,
645   hintline,
646   numeration
647 }
648
649 \setRecipeSizes
650 {%
651   recipeName,
652   ing,
653   inghead,
654   prep,
655   prephead,
656   hint,
657   hinthead
658 }
659
660
```


679 baki ngtime,
680 baki ngtemperature,
681 porti on,
682 porti onval ue,
683 cal ory,
684 source
685 }
686 /

\l i newi dth

\xcb@col or@prephead