

The `zref-vario` package^{*}

Code documentation

Gustavo Barros[†]

2022-04-24

EXPERIMENTAL

Contents

1	Initial setup	2
2	Customization	2
3	User interface	9
4	<code>zref-check</code> integration	13
5	Languages	14
Index		16

^{*}This file describes v0.1.4, released 2022-04-24.
[†]<https://github.com/gusbrs/zref-vario>

1 Initial setup

Start the DocStrip guards.

```
1  {*package}
    Identify the internal prefix (LATEX3 DocStrip convention).
2  {@@=zrefvario}
    Identify the package.
3  \ProvidesExplPackage {zref-vario} {2022-04-24} {0.1.4}
4  {Extended LaTeX page cross-references with variorref and zref-clever}
    Required packages. The loading of variorref is delayed until begindocument/before
since it has potential load order issues (e.g. with hyperref) so, ideally, it should be explicitly loaded by the user (and the manual recommends it). But we do it, if it hasn't been done.
5  \RequirePackage { zref-clever } [ 2022-01-28 ] % v0.2.0-alpha
6  \AddToHook { begindocument/before }
7  { \RequirePackage { variorref } }
```

2 Customization

Provide some functions to define options names in a standard form.

```
\_\_zrefvario\_ref\_opt\_default\_cs:nn
    \_\_zrefvario\_ref\_opt\_default\_cs:nn {\langle option\rangle} {\langle signature\rangle}
8 \cs_new:Npn \_\_zrefvario\_ref\_opt\_default\_cs:nn #1#2
9  { \_\_zrefvario\_ref\_opt\_default\_ #1 : #2 }

(End definition for \_\_zrefvario\_ref\_opt\_default\_cs:nn.)
```

```
\_\_zrefvario\_base\_lang:n
    \_\_zrefvario\_base\_lang:n {\langle language\rangle}
10 \cs_new:Npn \_\_zrefvario\_base\_lang:n #1
11  {
12      \zrefclever\_language_if_declared:nTF {#1}
13      { \tl_use:c { \zrefclever\_language_varname:n {#1} } }
14      { zv\_unknown\_language }
15  }
16 \cs_generate_variant:Nn \_\_zrefvario\_base\_lang:n { e }

(End definition for \_\_zrefvario\_base\_lang:n.)
```

\l__zrefvario_ref_language_tl An internal version of \l__zrefclever_ref_language_tl, since we need to retrieve the current value of the variable in multiple places.

```
17 \tl_new:N \l\_\_zrefvario\_ref\_language\_tl
18 \tl_set:Nn \l\_\_zrefvario\_ref\_language\_tl { \l\_\_zrefclever\_ref\_language\_tl }

(End definition for \l\_\_zrefvario\_ref\_language\_tl.)
```

```
\_\_zrefvario\_ref\_opt\_name\_lang\_tl:nn
    \_\_zrefvario\_ref\_opt\_name\_lang\_tl:nn {\langle lang\rangle} {\langle option\rangle}
19 \cs_new:Npn \_\_zrefvario\_ref\_opt\_name\_lang\_tl:nn #1#2
20  { g\_\_zrefvario\_ref\_opt\_lang_ \_\_zrefvario\_base\_lang:n {#1} _ #2 _tl }
21 \cs_generate_variant:Nn \_\_zrefvario\_ref\_opt\_name\_lang\_tl:nn { en }

(End definition for \_\_zrefvario\_ref\_opt\_name\_lang\_tl:nn.)
```

```

\__zrefvario_ref_opt_name_lang_cs:nnn
    \__zrefvario_ref_opt_name_lang_cs:nnn {\(lang)} {\(option)} {\(signature)}
22 \cs_new:Npn \__zrefvario_ref_opt_name_lang_cs:nnn #1#2#3
23 { __zrefvario_ref_opt_lang_ \__zrefvario_base_lang:n {\#1} _ #2 : #3 }
24 \cs_generate_variant:Nn \__zrefvario_ref_opt_name_lang_cs:nnn { enn }

(End definition for \__zrefvario_ref_opt_name_lang_cs:nnn.)
    Retrieving options values.

\__zrefvario_ref_opt_tl_get:nnN {\(lang)} {\(option)} {\(tl var to set)}
\__zrefvario_ref_opt_cs_get:nnnN {\(lang)} {\(option)}
    {\(cs signature)} {\(cs to set)}

25 \cs_new_protected:Npn \__zrefvario_ref_opt_tl_get:nnN #1#2#3
26 {
27     \tl_if_exist:cTF
28     { \__zrefvario_ref_opt_name_lang_tl:nn {\#1} {\#2} }
29     {
30         \tl_set_eq:Nc #3
31         { \__zrefvario_ref_opt_name_lang_tl:nn {\#1} {\#2} }
32     }
33     {
34         \tl_set_eq:Nc #3
35         { \__zrefvario_ref_opt_name_lang_tl:nn { zv_unknown_language } {\#2} }
36     }
37 }
38 \cs_generate_variant:Nn \__zrefvario_ref_opt_tl_get:nnN { xnN }
39 \cs_new_protected:Npn \__zrefvario_ref_opt_cs_get:nnnN #1#2#3#4
40 {
41     \cs_if_exist:cTF
42     { \__zrefvario_ref_opt_name_lang_cs:nnn {\#1} {\#2} {\#3} }
43     {
44         \cs_set_eq:Nc #4
45         { \__zrefvario_ref_opt_name_lang_cs:nnn {\#1} {\#2} {\#3} }
46     }
47     {
48         \cs_if_exist:cTF
49         { \__zrefvario_ref_opt_default_cs:nn {\#2} {\#3} }
50         {
51             \cs_set_eq:Nc #4
52             { \__zrefvario_ref_opt_default_cs:nn {\#2} {\#3} }
53         }
54         {
55             \cs_set_eq:Nc #4
56             {
57                 \__zrefvario_ref_opt_name_lang_cs:nnn
58                 { zv_unknown_language } {\#2} {\#3}
59             }
60         }
61     }
62 }
63 \cs_generate_variant:Nn \__zrefvario_ref_opt_cs_get:nnnN { xnnN }

(End definition for \__zrefvario_ref_opt_tl_get:nnN and \__zrefvario_ref_opt_cs_get:nnnN.)

```

Handle the options set of the user commands, and add support for variorref optional arguments. All commands can receive the same set of options \zcref can,

and these are processed the same way and “consumed” by any `\zcref` or `\zcpageref` calls. Besides those, `vother` is made available for `\zvpageref`, corresponding to its second optional argument, and `vcurrent` which is available to all commands except `\fullref`, corresponding to their first optional arguments. The distinction between `\l_zrefvario_reftextcurrent_tl` and `\l_zrefvario_vref_reftextcurrent_tl` is in their default/initial values. The default values for the optional arguments of `\vpageref`, `\vrefrange`, and `\vpagerefrange` are set to `\reftextcurrent`, while the default value of the optional argument of `\vref` is empty.

```

64 \tl_new:N \l_zrefvario_reftextcurrent_tl
65 \tl_set:Nn \l_zrefvario_reftextcurrent_tl { \reftextcurrent }
66 \tl_new:N \l_zrefvario_vref_reftextcurrent_tl
67 \tl_new:N \l_zrefvario_reftextother_tl
68 \keys_define:nn { zref-vario/current }
69 {
70     vcurrent .code:n =
71     {
72         \tl_set:Nn \l_zrefvario_reftextcurrent_tl {#1}
73         \tl_set:Nn \l_zrefvario_vref_reftextcurrent_tl {#1}
74     },
75     vcurrent .value_required:n = true ,
76 }
77 \keys_define:nn { zref-vario/other }
78 {
79     vother .tl_set:N = \l_zrefvario_reftextother_tl ,
80     vother .value_required:n = true ,
81 }
82 \keys_define:nn { }
83 {
84     zref-vario/ref .inherit:n =
85     { zref-clever/reference } ,
86     zref-vario/ref-oneoptarg .inherit:n =
87     { zref-clever/reference , zref-vario/current } ,
88     zref-vario/ref-twooptargs .inherit:n =
89     { zref-clever/reference , zref-vario/current , zref-vario/other } ,
90 }

```

`\zvLanguageSetup` User interface for setting “strings” (`reftext...` options) and “formats” (`...format` options) for each language.

```

\zvLanguageSetup{\language}{\options}

91 \tl_new:N \l_zrefvario_setup_language_tl
92 \seq_new:N \g_zrefvario_setup_languages_seq
93 \NewDocumentCommand \zvLanguageSetup { m m }
94 {
95     \AddToHook { begindocument/before }
96     {
97         \group_begin:
98         \zrefclever_language_if_declared:nTF {#1}
99         {
100             \tl_set:Nn \l_zrefvario_setup_language_tl {#1}
101             \keys_set:nn { zref-vario/langsetup } {#2}
102             \seq_gput_right:Nx \g_zrefvario_setup_languages_seq

```

```

103          { \__zrefvario_base_lang:n {#1} }
104      }
105      { \msg_warning:nnn { zref-vario } { unknown-language-setup } {#1} }
106      \group_end:
107  }
108 }
109 \msg_new:nnn { zref-vario } { unknown-language-setup }
110 {
111     Language~'#1'~is~unknown~\msg_line_context:..~Can't~set~it~up.~
112     The~language~must~be~declared~for~'zref-clever',~see~its~documentation.
113 }
114 @onlypreamble \zvLanguageSetup

(End definition for \zvLanguageSetup.)

115 \cs_new_protected:Npn \__zrefvario_opt_tl_gset:Nn #1#2
116 {
117     \tl_if_exist:NF #1
118     { \tl_new:N #1 }
119     \tl_gset:Nn #1 {#2}
120 }
121 \cs_generate_variant:Nn \__zrefvario_opt_tl_gset:Nn { cn }
122 \keys_define:nn { zref-vario/langsetup }
123 {
124     reftextfaceafter .code:n =
125     {
126         \__zrefvario_opt_tl_gset:cn
127         {
128             \__zrefvario_ref_opt_name_lang_tl:en
129             { \l__zrefvario_setup_language_tl }
130             { reftextfaceafter }
131         } {#1}
132     },
133     reftextfacebefore .code:n =
134     {
135         \__zrefvario_opt_tl_gset:cn
136         {
137             \__zrefvario_ref_opt_name_lang_tl:en
138             { \l__zrefvario_setup_language_tl }
139             { reftextfacebefore }
140         } {#1}
141     },
142     reftextafter .code:n =
143     {
144         \__zrefvario_opt_tl_gset:cn
145         {
146             \__zrefvario_ref_opt_name_lang_tl:en
147             { \l__zrefvario_setup_language_tl }
148             { reftextafter }
149         } {#1}
150     },
151     reftextbefore .code:n =
152     {
153         \__zrefvario_opt_tl_gset:cn
154         {

```

```

155         \_zrefvario_ref_opt_name_lang_tl:en
156         { \l_zrefvario_setup_language_tl }
157         { reftextbefore }
158     } {#1}
159   },
160   reftextcurrent .code:n =
161   {
162     \_zrefvario_opt_tl_gset:cn
163     {
164       \_zrefvario_ref_opt_name_lang_tl:en
165       { \l_zrefvario_setup_language_tl }
166       { reftextcurrent }
167     } {#1}
168   },
169   reftextfaraway .code:n =
170   {
171     \cs_gset_nopar:cpn
172     {
173       \_zrefvario_ref_opt_name_lang_cs:enn
174       { \l_zrefvario_setup_language_tl }
175       { reftextfaraway } { n }
176     }
177     ##1
178     {#1}
179   },
180   reftextpagerange .code:n =
181   {
182     \cs_gset_nopar:cpn
183     {
184       \_zrefvario_ref_opt_name_lang_cs:enn
185       { \l_zrefvario_setup_language_tl }
186       { reftextpagerange } { nn }
187     }
188     ##1##2
189     {#1}
190   },
191   reftextlabelrange .code:n =
192   {
193     \cs_gset_nopar:cpn
194     {
195       \_zrefvario_ref_opt_name_lang_cs:enn
196       { \l_zrefvario_setup_language_tl }
197       { reftextlabelrange } { nn }
198     }
199     ##1##2
200     {#1}
201   },
202   vrefformat .code:n =
203   {
204     \cs_gset_nopar:cpn
205     {
206       \_zrefvario_ref_opt_name_lang_cs:enn
207       { \l_zrefvario_setup_language_tl }
208       { vrefformat } { nn }

```

```

209         }
210         ##1##2
211         {#1}
212     } ,
213     vrefrangeformat .code:n =
214     {
215         \cs_gset_nopar:cpn
216         {
217             \__zrefvario_ref_opt_name_lang_cs:enn
218             { \l__zrefvario_setup_language_tl }
219             { vrefrangeformat } { nnn }
220         }
221         ##1##2##3
222         {#1}
223     } ,
224     fullrefformat .code:n =
225     {
226         \cs_gset_nopar:cpn
227         {
228             \__zrefvario_ref_opt_name_lang_cs:enn
229             { \l__zrefvario_setup_language_tl }
230             { fullrefformat } { n }
231         }
232         ##1
233         {#1}
234     } ,
235 }

```

Default reference formats for all languages. These will be used by `__zrefvario_ref_opt_cs_get:nnnN`, unless a language specific setting for the same format has been set. `\zreftextfaraway` is defined so it can be called with different arguments in `\zvpageref` (where it is alone) and in `\zfullref` (where it is the second of the pair).

```

236 \cs_new_nopar:cpn
237     { \__zrefvario_ref_opt_default_cs:nn { vrefformat } { nn } } #1#2
238     {
239         \zcref {#2} ~
240         \zvpageref [ S=false, typeset=both, vcurrent={#1} ] {#2}
241     }
242 \cs_new_nopar:cpn
243     { \__zrefvario_ref_opt_default_cs:nn { vrefrangeformat } { nnn } } #1#2#3
244     {
245         \reftextlabelrange {#2} {#3} ~
246         \zvpagerefrange [ S=false, typeset=both, vcurrent={#1} ] {#2} {#3}
247     }
248 \cs_new_nopar:cpn
249     { \__zrefvario_ref_opt_default_cs:nn { fullrefformat } { n } } #1
250     {
251         \zcref {#1} ~
252         \zreftextfaraway [ S=false, typeset=both ] {#1}
253     }
254 \NewDocumentCommand \zreftextfaraway { s O { } m }
255     { \zref@wrapper@babel \__zrefvario_zreftextfaraway:nnn {#3} {#1} {#2} }
256 \cs_new_protected:Npn \__zrefvario_zreftextfaraway:nnn #1#2#3
257     {

```

```

258 \group_begin:
259 \keys_set:nn { zref-vario/ref } {#3}
260 \bool_if:nT {#2}
261   { \keys_set:nn { zref-vario/ref } { nohyperref } }
262 \__zrefvario_varioref_setup:
263 \reftextfaraway {#1}
264 \group_end:
265 }
```

Warnings and values for missing strings / unknown languages.

```

266 \group_begin:
267 \tl_set:Nn \l__zrefvario_setup_language_tl { zv_unknown_language }
268 \AddToHook { begindocument/before }
269 {
270   \keys_set:nn { zref-vario/langsetup }
271   {
272     reftextfaceafter =
273     {
274       \msg_warning:nnxx { zref-vario } { missing-string }
275         { reftextfaceafter } { \l__zrefvario_ref_language_tl }
276       \zref@default
277     } ,
278     reftextfacebefore =
279     {
280       \msg_warning:nnxx { zref-vario } { missing-string }
281         { reftextfacebefore } { \l__zrefvario_ref_language_tl }
282       \zref@default
283     } ,
284     reftextafter =
285     {
286       \msg_warning:nnxx { zref-vario } { missing-string }
287         { reftextafter } { \l__zrefvario_ref_language_tl }
288       \zref@default
289     } ,
290     reftextbefore =
291     {
292       \msg_warning:nnxx { zref-vario } { missing-string }
293         { reftextbefore } { \l__zrefvario_ref_language_tl }
294       \zref@default
295     } ,
296     reftextcurrent =
297     {
298       \msg_warning:nnxx { zref-vario } { missing-string }
299         { reftextcurrent } { \l__zrefvario_ref_language_tl }
300       \zref@default
301     } ,
302     reftextfaraway =
303     {
304       \msg_warning:nnxx { zref-vario } { missing-string }
305         { reftextfaraway } { \l__zrefvario_ref_language_tl }
306       \zref@default
307     } ,
308     reftextpagerange =
309     {
```

```

310           \msg_warning:nnxx { zref-vario } { missing-string }
311               { reftextpagerange } { \l_zrefvario_ref_language_tl }
312               \zref@default
313           }
314           reftextlabelrange =
315           {
316               \msg_warning:nnxx { zref-vario } { missing-string }
317                   { reftextlabelrange } { \l_zrefvario_ref_language_tl }
318                   \zref@default
319           }
320       }
321   }
322 \group_end:
323 \msg_new:nnn { zref-vario } { missing-string }
324     { Missing-'#1'~string~for~language~'#2'~\msg_line_context:. }

```

A general initial warning in case the language is altogether not set up.

```

325 \AddToHook { begindocument/before }
326   {
327     \AddToHook { begindocument }
328     {
329       \seq_if_in:NxF \g_zrefvario_setup_languages_seq
330           { \zrefvario_base_lang:e { \l_zrefvario_ref_language_tl } }
331           {
332             \msg_warning:nnx { zref-vario } { language-not-setup }
333                 { \l_zrefvario_ref_language_tl }
334           }
335     }
336   }
337 \msg_new:nnn { zref-vario } { language-not-setup }
338   {
339     Language-'#1'~is~not~set~up~for~'zref-vario'.~
340     See~documentation~for~'\iow_char:N\zvLanguageSetup'.
341   }

```

3 User interface

These three small functions are responsible for “connecting” variorref with zref, instead of with the standard referencing system. They are meant to locally replace their variorref counterparts: \vref@pagenum, \vrefpagenum, and \vref@label.

```

342 \cs_new_protected:Npn \zrefvario_vref_pagenum:Nn #1#2
343   {
344     \exp_args:NNNo \exp_args:NNo \cs_set_nopar:Npn #1
345         { \zref@extractdefault {#2} { page } { ?? } }
346   }
347 \cs_new_protected:Npn \zrefvario_vrefpagenum:Nn #1#2
348   {
349     \zref@refused {#2}
350     \zrefvario_vref_pagenum:Nn #1 {#2}
351   }
352 \cs_new_protected:Npn \zrefvario_vref_label:n #1
353   { \zref@labelbyprops {#1} { page } }

```

(End definition for `_zrefvario_vref_pagenum:Nn`, `_zrefvario_vrefpagenum:Nn`, and `_zrefvario_vref_label:n`.)

`_zrefvario_varioref_setup:` Sets things up for varioref to work with zref/zref-clever. It is pretty straightforward, but it is the core of the package. `\l_zrefvario_varioref_setup_bool` ensures this setup runs only once in case of nested calls to the package's commands.

```

354 \bool_new:N \l_zrefvario_varioref_setup_bool
355 \cs_new_protected:Npn \_zrefvario_varioref_setup:
356 {
357     \bool_if:NF \l_zrefvario_varioref_setup_bool
358     {
359         \bool_set_true:N \l_zrefvario_varioref_setup_bool
360         \vrefhandlespacefalse
361         \cs_set_eq:NN \vref@pagenum \_zrefvario_vref_pagenum:Nn
362         \cs_set_eq:NN \vrefpagenum \_zrefvario_vrefpagenum:Nn
363         \cs_set_eq:NN \vref@label \_zrefvario_vref_label:n
364         \_zrefvario_ref_opt_tl_get:xN
365         { \l_zrefvario_ref_language_tl }
366         { reftextfaceafter }
367         \reftextfaceafter
368         \_zrefvario_ref_opt_tl_get:xN
369         { \l_zrefvario_ref_language_tl }
370         { reftextfacebefore }
371         \reftextfacebefore
372         \_zrefvario_ref_opt_tl_get:xN
373         { \l_zrefvario_ref_language_tl }
374         { reftextafter }
375         \reftextafter
376         \_zrefvario_ref_opt_tl_get:xN
377         { \l_zrefvario_ref_language_tl }
378         { reftextbefore }
379         \reftextbefore
380         \_zrefvario_ref_opt_tl_get:xN
381         { \l_zrefvario_ref_language_tl }
382         { reftextcurrent }
383         \reftextcurrent
384         \_zrefvario_ref_opt_cs_get:xnnN
385         { \l_zrefvario_ref_language_tl }
386         { reftextfaraway } { n }
387         \reftextfaraway
388         \_zrefvario_ref_opt_cs_get:xnnN
389         { \l_zrefvario_ref_language_tl }
390         { reftextpagerange } { nn }
391         \reftextpagerange
392         \_zrefvario_ref_opt_cs_get:xnnN
393         { \l_zrefvario_ref_language_tl }
394         { reftextlabelrange } { nn }
395         \reftextlabelrange
396         \_zrefvario_ref_opt_cs_get:xnnN
397         { \l_zrefvario_ref_language_tl }
398         { vrefformat } { nm }
399         \vrefformat
400         \_zrefvario_ref_opt_cs_get:xnnN
401         { \l_zrefvario_ref_language_tl }
```

```

402         { vrefrangeformat } { nnn }
403         \vrefrangeformat
404         \_\_zrefvario\_ref\_opt\_cs\_get:xnnN
405         { \l\_\_zrefvario\_ref\_language\_tl }
406         { fullrfformat } { n }
407         \fullrfformat
408     }
409 }

```

(End definition for `__zrefvario_varioref_setup::`)

User commands.

```

\zvref    \zvref{<*|}[<options>]{{<label>}}
410 \NewDocumentCommand \zvref { s O { } m }
411   { \zref@wrapper@babel \_\_zrefvario_zvref:nnn {#3} {#1} {#2} }
412 \cs_new_protected:Npn \_\_zrefvario_zvref:nnn #1#2#3
413   {
414     \group_begin:
415     \keys_set:nn { zref-vario/ref-oneoptarg } {#3}
416     \bool_if:nT {#2}
417       { \keys_set:nn { zref-vario/ref } { nohyperref } }
418     \_\_zrefvario_varioref_setup:
419     \_\_zrefvario_vref:Vn \l\_\_zrefvario_vref_reftextcurrent_tl {#1}
420     \group_end:
421   }

```

“Ideally”, we’d be using `\vref` here, but `hyperref` redefines `\vref@star` and `\vr@f`, hard-coding what was supposed to be configurable..., so we use `\vrefformat` instead, which is the original definition of `\vref@star`, and `\vr@f` also boils down to `\vref@star` when `@vrefhandlespace` is false, which is our case.

```

422 \cs_new_protected:Npn \_\_zrefvario_vref:nn #1#2
423   { \vrefformat {#1} {#2} }
424 \cs_generate_variant:Nn \_\_zrefvario_vref:nn { Vn }

```

(End definition for `\zvref`.)

```

\zvpageref  \zvpageref{<*|}[<options>]{{<label>}}
425 \NewDocumentCommand \zvpageref { s O { } m }
426   { \zref@wrapper@babel \_\_zrefvario_zvpageref:nnn {#3} {#1} {#2} }
427 \cs_new_protected:Npn \_\_zrefvario_zvpageref:nnn #1#2#3
428   {
429     \group_begin:
430     \keys_set:nn { zref-vario/ref-twooptargs } {#3}
431     \bool_if:nT {#2}
432       { \keys_set:nn { zref-vario/ref } { nohyperref } }
433     \_\_zrefvario_varioref_setup:
434     \_\_zrefvario_vpageref:VVn \l\_\_zrefvario_reftextcurrent_tl
435       \l\_\_zrefvario_reftextother_tl {#1}
436     \bool_lazy_and:nnT
437       { \g\_\_zrefvario_zrefcheck_available_bool }
438       { \l\_\_zrefvario_with_vcheck_bool }
439     {
440       \zrefcheck_zrefvario_label:
441       \vref@pagenum \l\_\_tmpa_tl { \the\c@vrcnt @vr }

```

```

442     \vrefpagenum \l_tmpb_tl {#1}
443     \tl_if_eq:NNT \l_tmpa_tl \l_tmpb_tl
444     {
445         \zrefcheck_zrefvario_run_check_on_label:Vn
446         \l__zrefvario_vcheck_tl {#1}
447     }
448 }
449 \group_end:
450 }
451 \cs_new_protected:Npn \__zrefvario_vpageref:nnn #1#2#3
452 { \vpageref [{#1}] [#2] {#3} }
453 \cs_generate_variant:Nn \__zrefvario_vpageref:nnn { VVn }

(End definition for \zvpageref.)

```

```

\zvrefrange      \zvrefrange(*)[<options>]{<label>}{<label>}
454 \NewDocumentCommand \zvrefrange { s 0 { } m m }
455 {
456     \zref@wrapper@babel
457     { \zref@wrapper@babel \__zrefvario_zvrefrange:nnnn {#3} }
458     {#4} {#1} {#2}
459 }
460 \cs_new_protected:Npn \__zrefvario_zvrefrange:nnnn #1#2#3#4
461 {
462     \group_begin:
463     \keys_set:nn { zref-vario/ref-oneoptarg } {#4}
464     \bool_if:nT {#3}
465     { \keys_set:nn { zref-vario/ref } { nohyperref } }
466     \__zrefvario_varioref_setup:
467     \__zrefvario_vrefrange:Vnn \l__zrefvario_reftextcurrent_tl {#1} {#2}
468     \group_end:
469 }
470 \cs_new_protected:Npn \__zrefvario_vrefrange:nnn #1#2#3
471 { \vrefrange [{#1}] [#2] {#3} }
472 \cs_generate_variant:Nn \__zrefvario_vrefrange:nnn { Vnn }

(End definition for \zvrefrange.)

```

```

\zvpagerefrange \zvpagerefrange(*)[<options>]{<label>}{<label>}
473 \NewDocumentCommand \zvpagerefrange { s 0 { } m m }
474 {
475     \zref@wrapper@babel
476     { \zref@wrapper@babel \__zrefvario_zvpagerefrange:nnnn {#3} }
477     {#4} {#1} {#2}
478 }
479 \cs_new_protected:Npn \__zrefvario_zvpagerefrange:nnnn #1#2#3#4
480 {
481     \group_begin:
482     \keys_set:nn { zref-vario/ref-oneoptarg } {#4}
483     \bool_if:nT {#3}
484     { \keys_set:nn { zref-vario/ref } { nohyperref } }
485     \__zrefvario_varioref_setup:
486     \__zrefvario_vpagerefrange:Vnn \l__zrefvario_reftextcurrent_tl {#1} {#2}
487     \bool_lazy_and:nnT

```

```

488 { \g__zrefvario_zrefcheck_available_bool }
489 { \l__zrefvario_with_vcheck_bool }
490 {
491     \zrefcheck_zrefvario_label:
492     \vrefpagenum \l_tmpa_tl {#1}
493     \vrefpagenum \l_tmpb_tl {#2}
494     \tl_if_eq:NNT \l_tmpa_tl \l_tmpb_tl
495         {
496             \vref@pagenum \l_tmpa_tl { \the\c@vrcnt @vr }
497             \tl_if_eq:NNT \l_tmpa_tl \l_tmpb_tl
498                 {
499                     \zrefcheck_zrefvario_run_check_on_label:Vn
500                         \l__zrefvario_vcheck_tl {#1}
501                     \zrefcheck_zrefvario_run_check_on_label:Vn
502                         \l__zrefvario_vcheck_tl {#2}
503                 }
504             }
505         }
506     \group_end:
507 }
508 \cs_new_protected:Npn \__zrefvario_vpagerefrange:nnn #1#2#3
509 { \vpagerefrange [{#1}] {#2} {#3} }
510 \cs_generate_variant:Nn \__zrefvario_vpagerefrange:nnn { Vnn }

(End definition for \zvpagerefrange.)

```

```

\zfullref      \zfullref(*){<options>}{{<label>}}
511 \NewDocumentCommand \zfullref { s O { } m }
512 { \zref@wrapper@babel \__zrefvario_zfullref:nnn {#3} {#1} {#2} }
513 \cs_new_protected:Npn \__zrefvario_zfullref:nnn #1#2#3
514 {
515     \group_begin:
516     \keys_set:nn { zref-vario/ref } {#3}
517     \bool_if:nT {#2}
518         { \keys_set:nn { zref-vario/ref } { nohyperref } }
519     \__zrefvario_varioref_setup:
520     \fullref {#1}
521     \group_end:
522 }

```

(End definition for \zfullref.)

4 zref-check integration

Integration with zref-check. vcheck, differently from check, receives only two values above and below, since these are the only two checks which make sense for zref-vario. This means that it also does not take \zcheck's options, but these can always be passed to check. Besides this, vcheck's check should only be done when label(s) and reference are in the same page, that is, when vcurrent is used. Furthermore, since varioref handles the case where the reference crosses page boundaries, we only set one label for the purpose, and this is done at the end of the reference, because that's the point varioref itself uses to check if label and reference are in the same page.

```

523 \bool_new:N \g__zrefvario_zrefcheck_available_bool
524 \bool_new:N \l__zrefvario_with_vcheck_bool
525 \tl_new:N \l__zrefvario_vcheck_tl
526 \AddToHook { begindocument/before }
527 {
528   \IfPackageLoadedTF { zref-check }
529   {
530     \IfPackageAtLeastTF { zref-check } { 2022-02-08 }
531     {
532       \bool_gset_true:N \g__zrefvario_zrefcheck_available_bool
533       \keys_define:nn { zref-vario/current }
534       {
535         vcheck .choices:nn =
536         { above , below }
537         {
538           \bool_set_true:N \l__zrefvario_with_vcheck_bool
539           \tl_set:NV \l__zrefvario_vcheck_tl \l_keys_choice_tl
540         } ,
541       }
542     }
543   {
544     \bool_gset_false:N \g__zrefvario_zrefcheck_available_bool
545     \keys_define:nn { zref-vario/current }
546     {
547       vcheck .code:n =
548       { \msg_warning:nn { zref-vario } { zref-check-unavailable } } ,
549     }
550   }
551 }
552 {
553   \bool_gset_false:N \g__zrefvario_zrefcheck_available_bool
554   \keys_define:nn { zref-vario/current }
555   {
556     vcheck .code:n =
557     { \msg_warning:nn { zref-vario } { zref-check-unavailable } } ,
558   }
559 }
560 }
561 \msg_new:nnn { zref-vario } { zref-check-unavailable }
562 {
563   Option~`vcheck'~is~only~available~when~`zref-check'~is~loaded~
564   and~newer~than~`2022-02-08-v0.2.4'.
565 }

```

5 Languages

```

566 \zvLanguageSetup { english }
567 {
568   reftextfaceafter = {on~the~\reftextvario{facing}{next}~page} ,
569   reftextfacebefore = {on~the~\reftextvario{facing}{preceding}~page} ,
570   reftextafter = {on~the~\reftextvario{following}{next}~page} ,
571   reftextbefore = {on~the~\reftextvario{preceding}{previous}~page} ,
572   reftextcurrent = {on~\reftextvario{this}{the~current}~page} ,

```

```

573     reftextfaraway = {on~\zcpageref{#1}} ,
574     reftextpagerange = {on~\zcpageref[range]{#1,#2}} ,
575     reftextlabelrange = {\zcref[range]{#1,#2}} ,
576 }
577 \zvLanguageSetup { german }
578 {
579     reftextfaceafter = {auf~der~nächsten~Seite} ,
580     reftextfacebefore = {auf~der~vorherigen~Seite} ,
581     reftextafter = {auf~der~nächsten~Seite} ,
582     reftextbefore = {auf~der~vorherigen~Seite} ,
583     reftextcurrent = {auf~dieser~Seite} ,
584     reftextfaraway = {auf~\zcpageref[d=D,g=f]{#1}} ,
585     reftextpagerange = {auf~den~\zcpageref[range,d=D,g=f]{#1,#2}} ,
586     reftextlabelrange = {\zcref[range]{#1,#2}} ,
587 }
588 \zvLanguageSetup { french }
589 {
590     reftextfaceafter = {page~\reftextvario{ci-contre}{suivante}} ,
591     reftextfacebefore = {page~\reftextvario{ci-contre}{précédente}} ,
592     reftextafter = {page~suivante} ,
593     reftextbefore = {page~précédente} ,
594     reftextcurrent = {de~la~présente~page} ,
595     reftextfaraway = {\zcpageref[g=f]{#1}} ,
596     reftextpagerange = {\zcpageref[range,g=f]{#1,#2}} ,
597     reftextlabelrange = {\zcref[range]{#1,#2}} ,
598 }
599 \zvLanguageSetup { portuguese }
600 {
601     reftextfaceafter = {na~\reftextvario{página~oposta}{próxima~página}} ,
602     reftextfacebefore = {na~página~\reftextvario{oposta}{anterior}} ,
603     reftextafter = {na~\reftextvario{página~seguinte}{próxima~página}} ,
604     reftextbefore = {na~página~\reftextvario{anterior}{precedente}} ,
605     reftextcurrent = {nesta~página} ,
606     reftextfaraway = {na~\zcpageref[g=f]{#1}} ,
607     reftextpagerange = {nas~\zcpageref[range,g=f]{#1,#2}} ,
608     reftextlabelrange = {\zcref[range]{#1,#2}} ,
609 }
610 \zvLanguageSetup { spanish }
611 {
612     reftextfaceafter = {en~la~página~siguiente} ,
613     reftextfacebefore = {en~la~página~anterior} ,
614     reftextafter = {en~la~página~siguiente} ,
615     reftextbefore = {en~la~página~anterior} ,
616     reftextcurrent = {en~esta~página} ,
617     reftextfaraway = {en~la~\zcpageref[g=f]{#1}} ,
618     reftextpagerange = {en~las~\zcpageref[range,g=f]{#1,#2}} ,
619     reftextlabelrange = {\zcref[range]{#1,#2}} ,
620 }
621 \zvLanguageSetup { dutch }
622 {
623     reftextfaceafter = {op~de~\reftextvario{rechter~pagina}{pagina~hiernaast}} ,
624     reftextfacebefore = {op~de~\reftextvario{linker~pagina}{pagina~hiernaast}} ,

```

```

625   reftextafter = {op~de~\ref{textvario}{volgende~pagina}{pagina~hierna}} ,
626   reftextbefore = {op~de~\ref{textvario}{vorige~pagina}{pagina~hiervoor}} ,
627   reftextcurrent = {op~deze~pagina} ,
628   reftextfaraway = {op~\zcpageref[g=f]{#1}} ,
629   reftextpagerange = {op~\zcpageref[range,g=f]{#1,#2}} ,
630   reftextlabelrange = {\zcref[range]{#1,#2}} ,
631 }
632 </package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A	G
\AddToHook 6, 95, 268, 325, 327, 526	group commands:
	\group_begin: 97, 258, 266, 414, 429, 462, 481, 515
	\group_end: 106, 264, 322, 420, 449, 468, 506, 521
B	I
bool commands:	\IfPackageAtLeastTF 530
\bool_gset_false:N 544, 553	\IfPackageLoadedTF 528
\bool_gset_true:N 532	iow commands:
\bool_if:NTF 357	\iow_char:N 340
\bool_if:nTF 260, 416, 431, 464, 483, 517	
\bool_lazy_and:nnTF 436, 487	
\bool_new:N 354, 523, 524	
\bool_set_true:N 359, 538	
C	K
cs commands:	keys commands:
\cs_generate_variant:Nn 16,	\l_keys_choice_tl 539
21, 24, 38, 63, 121, 424, 453, 472, 510	\keys_define:nn 68, 77, 82, 122, 533, 545, 554
\cs_gset_nopar:Npn	\keys_set:nn 101, 259, 261, 270, 415, 417,
. 171, 182, 193, 204, 215, 226	430, 432, 463, 465, 482, 484, 516, 518
\cs_if_exist:NTF 41, 48	
\cs_new:Npn 8, 10, 19, 22	
\cs_new_nopar:Npn 236, 242, 248	
\cs_new_protected:Npn 25, 39,	
115, 256, 342, 347, 352, 355, 412,	
422, 427, 451, 460, 470, 479, 508, 513	
\cs_set_eq:NN 44, 51, 55, 361, 362, 363	
\cs_set_nopar:Npn 344	
E	M
exp commands:	msg commands:
\exp_args:NNNo 344	\msg_line_context: 111, 324
\exp_args:NNo 344	\msg_new:nnn 109, 323, 337, 561
	\msg_warning:nn 548, 557
	\msg_warning:nnn 105, 332
	\msg_warning:nnnn 274, 280, 286, 292, 298, 304, 310, 316
F	N
\fullref 4, 520	\NewDocumentCommand
\fullrefformat 407 93, 254, 410, 425, 454, 473, 511
P	ProvidesExplPackage 3

R	
\reftextafter	375
\reftextbefore	379
\reftextcurrent	<i>4</i> , 65, 383
\reftextfaceafter	367
\reftextfacebefore	371
\reftextfaraway	263, 387
\reftextlabelrange	245, 395
\reftextpagerange	391
\reftextvario	
.	568, 569, 570, 571, 572, 590, 591, 601, 602, 603, 604, 623, 624, 625, 626
\RequirePackage	5, 7
S	
seq commands:	
\seq_gput_right:Nn	102
\seq_if_in:NnTF	329
\seq_new:N	92
T	
T _E X and L ^A T _E X 2 _ε commands:	
\@onlypreamble	114
\@vrefhandlespace	11
\@vrefhandlespacefalse	360
\c@vrcnt	441, 496
\vr@f	11
\vr@label	9, 363
\vr@pagenum	9, 361, 441, 496
\vr@star	11
\zref@default	
.	276, 282, 288, 294, 300, 306, 312, 318
\zref@extractdefault	345
\zref@labelbyprops	353
\zref@refused	349
\zref@wrapper@babel	
.	255, 411, 426, 456, 457, 475, 476, 512
\the	441, 496
tl commands:	
\tl_gset:Nn	119
\tl_if_eq:NNTF	443, 494, 497
\tl_if_exist:NTF	27, 117
\tl_new:N	17, 64, 66, 67, 91, 118, 525
\tl_set:Nn	18, 65, 72, 73, 100, 267, 539
\tl_set_eq:NN	30, 34
\tl_use:N	13
\l_tmpa_tl	441, 443, 492, 494, 496, 497
\l_tmpb_tl	442, 443, 493, 494, 497
V	
\vpageref	4, 452
\vpagerefrange	4, 509
\vref	4, 11
\vrefformat	11, 399, 423
Z	
\zcheck	13
\zcpageref	<i>4</i> , 573, 574, 584, 585, 595, 596, 606, 607, 617, 618, 628, 629
\zcref	<i>3</i> , 4, 239, 251, 575, 586, 597, 608, 619, 630
\zfullref	7, 13, 511
zrefcheck commands:	
\zrefcheck_zrefvario_label:	440, 491
\zrefcheck_zrefvario_run_check_- on_label:nn	445, 499, 501
zrefclever commands:	
\zrefclever_language_if_declared:nTF	12, 98
\zrefclever_language_varname:n	13
\l_zrefclever_ref_language_tl	2, 18
\zreftextfaraway	7, 252, 254
zrefvario internal commands:	
__zrefvario_base_lang:n	
.	2, 10, 20, 23, 103, 330
__zrefvario_opt_tl_gset:Nn	
.	115, 121, 126, 135, 144, 153, 162
\l__zrefvario_ref_language_tl	
.	17, 275, 281, 287, 293, 299, 305, 311, 317, 330, 333, 365, 369, 373, 377, 381, 385, 389, 393, 397, 401, 405
__zrefvario_ref_opt_cs_get:nnnN	3, 7, 25, 384, 388, 392, 396, 400, 404
__zrefvario_ref_opt_default_- cs:nn	2, 8, 49, 52, 237, 243, 249
__zrefvario_ref_opt_name_lang_- cs:nnn	
.	3, 22, 42, 45, 57, 173, 184, 195, 206, 217, 228
__zrefvario_ref_opt_name_lang_- tl:nn	
.	2, 19, 28, 31, 35, 128, 137, 146, 155, 164
__zrefvario_ref_opt_tl_get:nnN	
.	3, 25, 364, 368, 372, 376, 380
\l__zrefvario_reftextcurrent_tl	
.	4, 64, 65, 72, 434, 467, 486
\l__zrefvario_reftextother_tl	
.	67, 79, 435
\l__zrefvario_setup_language_tl	
.	91, 100, 129, 138, 147, 156, 165, 174, 185, 196, 207, 218, 229, 267
\g__zrefvario_setup_languages_- seq	
.	92, 102, 329
__zrefvario_varioref_setup:	
.	262, 354, 418, 433, 466, 485, 519

```

\l__zrefvario_varioref_setup_-
    bool ..... 10, 354, 357, 359
\l__zrefvario_vcheck_tl .....
    ..... 446, 500, 502, 525, 539
\__zrefvario_vpageref:nnn .....
    ..... 434, 451, 453
\__zrefvario_vpagerefrange:nnn ..
    ..... 486, 508, 510
\__zrefvario_vref:nn .. 419, 422, 424
\__zrefvario_vref_label:n .. 342, 363
\__zrefvario_vref_pagenum:Nn 342, 361
\l__zrefvario_vref_reftextcurrent_-
    tl ..... 4, 66, 73, 419
\__zrefvario_vrefpagenum:Nn 342, 362
\__zrefvario_vrefrange:nnn .....
    ..... 467, 470, 472
\l__zrefvario_with_vcheck_bool ...
    ..... 438, 489, 524, 538
\__zrefvario_zfullref:nnn .. 512, 513
\g__zrefvario_zrefcheck_available_-
    bool ... 437, 488, 523, 532, 544, 553
\__zrefvario_zreftextfaraway:nnm
    ..... 255, 256
\__zrefvario_zvpageref:nnn .. 426, 427
\__zrefvario_zvpagerefrange:nnnm
    ..... 476, 479
\__zrefvario_zvref:nnn ..... 411, 412
\__zrefvario_zvrefrange:nnnn 457, 460
\zvLanguageSetup .....
    ... 4, 91, 566, 577, 588, 599, 610, 621
\zvpageref ..... 4, 7, 11, 240, 425
\zvpagerefrange ..... 12, 246, 473
\zvref ..... 11, 410
\zvrefrange ..... 12, 454

```