## **NAME**

bbl2bib.pl - convert the bibliography environment to a bib file

### **SYNOPSIS**

```
bbl2bib.pl [-o output] file
```

### **OPTIONS**

-o output

Output file. If this option is not used, the name for the output file is formed by changing the extension to .bib

### DESCRIPTION

The script tries to reconstruct a bib file from the corresponding thebibliography environment. One can argue that this operation is akin to reconstructing a cow from the steak. The way the script does it is searching for the entry in the MR database, and creating the corresponding BibTeX fields.

The script reads a TeX or Bbl file and extracts from it the thebibliography environment. For each bibitem it creates a plain text bibliography entry, and then tries to match it in the database. =head1 INPUT FILE

We assume some structure of the input file:

1. The bibliography is contained between the lines

```
\begin{thebibliography}...
and
\end{thebibliography}
```

2. Each bibliography item starts from the line

```
\bibitem[...] {....}
```

#### **EXAMPLES**

```
bbl2bib -o - file.tex > result.bib
bbl2bib -o result.bib file.bbl
bbl2bib file.tex
```

# **AUTHOR**

Boris Veytsman

### COPYRIGHT AND LICENSE

Copyright (C) 2014–2017 Boris Veytsman

This is free software. You may redistribute copies of it under the terms of the GNU General Public License <a href="http://www.gnu.org/licenses/gpl.html">http://www.gnu.org/licenses/gpl.html</a>. There is NO WARRANTY, to the extent permitted by law.

2017-04-10