NAME

bibdoiadd.pl – add DOI numbers to papers in a given bib file

SYNOPSIS

```
bibdoiadd [-c config_file] [-o output] bib_file
```

OPTIONS

-c config_file

Configuration file. If this file is absent, some defaults are used. See below for its format.

−o output

Output file. If this option is not used, the name for the output file is formed by adding _doi to the input file

DESCRIPTION

The script reads a BibTeX file. It checks whether the entries have DOIs. If now, tries to contact http://www.crossref.org to get the corresponding DOI. The result is a BibTeX file with the fields doi=... added.

The name of the output file is either set by the $-\mathbf{0}$ option or is derived by adding the suffix $_doi$ to the output file.

There are two options for making queries with Crossref: free account and paid membership. In the first case you still must register with Crossref and are limited to a small number of queries, see the agreement at http://www.crossref.org/01company/free_services_agreement.html. In the second case you have a username and password, and can use them for automatic queries. I am not sure whether the use of this script is allowed for the free account holders. Anyway if you

CONFIGURATION FILE

The configuration file is mostly self-explanatory: it has comments (starting with #) and assginments in the form

try to add DOI to a large number of entries, you should register as a paid member.

```
$field = value ;
```

The important parameters are \$mode ('free' or 'paid', \$email (for free users) and \$username & \$password for paid members.

EXAMPLES

```
bibdoiadd -c bibdoiadd.cfg citations.bib > result.bib
bibdoiadd -c bibdoiadd.cfg citations.bib -o result.bib
```

AUTHOR

Boris Veytsman

COPYRIGHT AND LICENSE

Copyright (C) 2014 Boris Veytsman

This is free software. You may redistribute copies of it under the terms of the GNU General Public License http://www.gnu.org/licenses/gpl.html. There is NO WARRANTY, to the extent permitted by law.

2014-10-18