

NAME

`cefsconv` – convert a TeX document in SJIS encoding containing CEF macros into ‘preprocessed’ form.

SYNOPSIS

`cefsconv` < *infile* > *outfile*

DESCRIPTION

The **Chinese Encoding Framework (CEF)** developed by Christian Wittern <cwittern@online.central.de> makes it possible to include CJK characters in various encodings using the SGML macros **&CX-aabb**; for Big 5 and CNS encoding and **&U-aabb**; for Unicode (**X** denotes a number between 0 and 7; 0 represents Big 5 encoding, 1-7 CNS encoding planes 1-7. **aabb** is either a decimal or hexadecimal number).

`cefsconv` converts the CEF macros of a SJIS encoded document together with the SJIS encoding itself into a form which can directly processed with $\text{\LaTeX} 2_{\epsilon}$. It is identical to

`sjisconv` < *infile* | **`cefsconv`** > *outfile*

This filter is part of the **CJK** macro package for $\text{\LaTeX} 2_{\epsilon}$.

SEE ALSO

`sjisconv`(1), **`bg5conv`**(1), **`cefsconv`**(1), **`cef5conv`**(1), **`extconv`**(1),
the **CJK** documentation files.

AUTHOR

Werner Lemberg <wl@gnu.org>