

## NAME

install-tl – TeX Live cross-platform installer

## SYNOPSIS

install-tl [*option*]...

install-tl-windows.bat [*option*]...

install-tl-advanced.bat [*option*]...

## DESCRIPTION

This installer creates a runnable TeX Live installation from various media, including over the network, from local hard disk, a DVD, etc. The installer works across all platforms supported by TeX Live. For information on initially downloading the TeX Live, see [<http://tug.org/texlive/acquire.html>](http://tug.org/texlive/acquire.html).

The basic idea of TeX Live installation is for you to choose one of the top-level *schemes*, each of which is defined as a different set of *collections* and *packages*, where a collection is a set of packages, and a package is what contains actual files.

Within the installer, you can choose a scheme, and further customize the set of collections to install, but not the set of the packages. To work at the package level, use `tlmgr` (reference just below) after the initial installation is complete.

The default is `scheme-full`, which installs everything, and this is highly recommended.

## REFERENCES

Post-installation configuration, package updates, and much more, are handled through **tlmgr**(1), the TeX Live Manager ([<http://tug.org/texlive/tlmgr.html>](http://tug.org/texlive/tlmgr.html)).

The most up-to-date version of this installer documentation is on the Internet at [<http://tug.org/texlive/doc/install-tl.html>](http://tug.org/texlive/doc/install-tl.html).

For the full documentation of TeX Live, see [<http://tug.org/texlive/doc>](http://tug.org/texlive/doc).

## OPTIONS

As usual, all options can be specified in any order, and with either a leading `-` or `--`. An argument value can be separated from its option by either a space or `=`.

**-gui** *[[=]module]*

If no *module* is given, starts the `perlTk` (see below) GUI installer.

If *module* is given loads the given installer module. Currently the following modules are supported:

`text`

The text mode user interface (default on Unix systems). Same as the `-no-gui` option.

`wizard`

The wizard mode user interface (default on Windows), asking only minimal questions before installing all of TeX Live.

`perlTk`

The expert GUI installer, providing access to more options. Can also be invoked on Windows by running `install-tl-advanced.bat`.

The `perlTk` and `wizard` modules, and thus also when calling with bare `-gui` (with no *module*), require the Perl/Tk module ([<http://tug.org/texlive/distro.html#perlTk>](http://tug.org/texlive/distro.html#perlTk)); if Perl/Tk

is not available, installation continues in text mode.

**-no-gui**

Use the text mode installer (default except on Windows).

**-lang *llcode***

By default, the GUI tries to deduce your language from the environment (on Windows via the registry, on Unix via `LC_MESSAGES`). If that fails you can select a different language by giving this option with a language code (based on ISO 639-1). Currently supported (but not necessarily completely translated) are: English (`en`, default), Czech (`cs`), German (`de`), French (`fr`), Italian (`it`), Japanese (`ja`), Dutch (`nl`), Polish (`pl`), Brazilian Portuguese (`pt_BR`), Russian (`ru`), Slovak (`sk`), Slovenian (`sl`), Serbian (`sr`), Ukrainian (`uk`), Vietnamese (`vi`), simplified Chinese (`zh_CN`), and traditional Chinese (`zh_TW`).

**-repository *url|path***

Specify the package repository to be used as the source of the installation: either a local directory via `/path/to/directory` or a `file:/url`, or a network location.

The default is to pick a mirror automatically, using `<http://mirror.ctan.org/systems/texlive/tlnet>`; the chosen mirror is used for the entire download. You can use the special argument `ctan` as an abbreviation for this. See `<http://ctan.org>` for more about CTAN and its mirrors.

If the repository is on the network, trailing `/` characters and/or trailing `/tlpkg` and/or `/archive` components are ignored. For example, you could choose a particular CTAN mirror with something like this:

```
-repository http://ctan.example.org/its/ctan/dir/systems/texlive/tlnet
```

Of course a real hostname and its particular top-level CTAN directory have to be specified. The list of CTAN mirrors is available at `<http://ctan.org/mirrors>`.

If the repository is local, the installation type (compressed or live) is automatically determined, by checking for the presence of a `archive` directory relative to the root. Compressed is preferred if both are available, since it is faster. Here's an example of using a local directory:

```
-repository /local/TL/repository
```

After installation is complete, you can use that installation as the repository for another installation. If you chose to install less than the full scheme containing all packages, the list of available schemes will be adjusted accordingly.

For backward compatibility and convenience, `--location` and `--repo` are accepted as aliases for this option.

Network locations can be specified as any of the following:

```
http://server/path/to/tlnet
```

Standard HTTP. If the (default) LWP method is used, persistent connections are supported. TL can also use `curl` or `wget` to do the downloads, or an arbitrary user-specified program, as described in the `tlmgr` documentation (`<http://tug.org/texlive/doc/tlmgr.html#ENVIRONMENT-VARIABLES>`).

```
ftp://server/path/to/tlnet
```

If the (default) LWP method is used, persistent connections are supported.

```
https://server/path/to/tlnet
```

Again, if the (default) LWP method is used, this schema supports persistent connections. Some versions of `wget` do not support https, and even when `wget` supports https, certificates may be rejected even when the certificate is fine, due to a lack of local certificate roots. Ditto for `curl`.

```
user@machine:/path/to/tlnet
```

```
scp://user@machine/path/to/tlnet
```

```
ssh://user@machine/path/to/tlnet
```

These url-like schemata use `scp` to transfer files. The use of an `ssh-agent` is highly recommended. (Info: <https://en.wikipedia.org/wiki/OpenSSH>, <https://en.wikipedia.org/wiki/Ssh-agent>.)

### **-select-repository**

This option allows manual selection of a mirror from the current list of active CTAN mirrors. This option is supported in all installer modes (text, wizard, perlTk), and will also offer to install from local media if available, or from a repository specified on the command line (see above). It's useful when the (default) automatic redirection does not choose a good host for you.

### **-all-options**

Normally options not relevant to the current platform are not shown (e.g., when running on Unix, Windows-specific options are omitted). Giving this command line option allows configuring such “foreign” settings.

### **-custom-bin *path***

If you have built your own set of TeX Live binaries (perhaps because your platform was not supported by TeX Live out of the box), this option allows you to specify the *path* to a directory where the binaries for the current system are present. The installation will continue as usual, but at the end all files from *path* are copied over to `bin/custom/` under your installation directory and this `bin/custom/` directory is what will be added to the path for the post-install actions. To install multiple custom binary sets, manually rename *custom* before doing each.

For more information on custom binaries, see <http://tug.org/texlive/custom-bin.html>. For general information on building TeX Live, see <http://tug.org/texlive/build.html>.

### **-debug-translation**

In GUI mode, this options reports any missing, or more likely untranslated, messages to standard error. Helpful for translators to see what remains to be done.

### **-force-platform *platform***

Instead of auto-detecting the current platform, use *platform*. Binaries for this platform must be present and they must actually be runnable, or installation will fail. `-force-arch` is a synonym.

### **-help, --help, -?**

Display this help and exit. (This help is on the web at <http://tug.org/texlive/doc/install-tl.html>). Sometimes the `perldoc` and/or `PAGER` programs on the system have problems, possibly resulting in control characters being

literally output. This can't always be detected, but you can set the `NOPERLDOC` environment variable and `perldoc` will not be used.

**-in-place**

This is a quick-and-dirty installation option in case you already have an `rsync` or `svn` checkout of TeX Live. It will use the checkout as-is and will just do the necessary post-install. Be warned that the file `tlpkg/texlive.tlpdb` may be rewritten, that removal has to be done manually, and that the only realistic way to maintain this installation is to redo it from time to time. This option is not available via the installer interfaces. USE AT YOUR OWN RISK.

**-init-from-profile** *profile\_file*

Similar to **-profile** (see “PROFILES” below), but only initializes the installation configuration from *profile\_file* and then starts the interactive session.

**-logfile** *file*

Write both all messages (informational, debugging, warnings) to *file*, in addition to standard output or standard error.

If this option is not given, the installer will create a log file in the root of the writable installation tree, for example, `/usr/local/texlive/YYYY/install-tl.log` for the *YYYY* release.

**-no-clc**

For the text mode installer only: do not clear the screen when entering a new menu (for debugging purposes).

**-non-admin**

For Windows only: configure for the current user, not for all users.

**-persistent-downloads**

**-no-persistent-downloads**

For network installs, activating this option makes the installer try to set up a persistent connection using the `Net::LWP` Perl module. This opens only one connection between your computer and the server per session and reuses it, instead of initiating a new download for each package, which typically yields a significant speed-up.

This option is turned on by default, and the installation program will fall back to using `wget` if this is not possible. To disable usage of `LWP` and persistent connections, use **-no-persistent-downloads**.

**-no-verify-downloads**

By default, if a GnuPG `gpg` binary is found in `PATH`, downloads are verified against a cryptographic signature. This option disables such verification. The full description is in the Cryptographic Verification section of the `tlmgr` documentation, e.g., [<http://tug.org/texlive/doc/tlmgr.html#CRYPTOGRAPHIC-VERIFICATION>](http://tug.org/texlive/doc/tlmgr.html#CRYPTOGRAPHIC-VERIFICATION)

**-portable**

Install for portable use, e.g., on a USB stick. Also selectable from within the `perl` and `text` installers.

**-print-platform**

Print the TeX Live identifier for the detected platform (hardware/operating system) combination to standard output, and exit. **-print-arch** is a synonym.

**-profile** *profile\_file*

Load *profile\_file* and do the installation with no user interaction, that is, a batch (unattended) install. See “PROFILES” below.

**-q** Omit normal informational messages.**-scheme** *scheme*

Schemes are the highest level of package grouping in TeX Live; the default is to use the full scheme, which includes everything. This option overrides that default. You can change the scheme again before the actual installation with the usual menu. The *scheme* argument may optionally have a prefix *scheme-*. The list of supported scheme names depends on what your package repository provides; see the interactive menu list.

**-v** Include verbose debugging messages; repeat for maximum debugging: **-v -v**. (Further repeats are accepted but ignored.)**-version, --version**

Output version information and exit. If **-v** has also been given the revisions of the used modules are reported, too.

**PROFILES**

A *profile* file contains all the values needed to perform an installation. After a normal installation has finished, a profile for that exact installation is written to the file `tlpkg/texlive.profile`. In addition, from the text menu one can select P to save the current setup as a profile at any time. Such a profile file can be given as the argument to **-profile**, for example to redo the exact same installation on a different system. Alternatively, you can use a custom profile, most easily created by starting from a generated one and changing values, or an empty file, which will take all the defaults.

Within a profile file, each line consists of

*variable* [*value*]

except for comment lines starting with #. The possible variable names are listed below. Values, when present, are either 0 or 1 for booleans, or strings (which must be specified without any quote characters). Leading whitespace is ignored.

If the variable `selected_scheme` is defined and *no* collection variables at all are defined, then the collections required by the specified scheme (which might change over time) are installed, without explicitly listing them. This eases maintenance of profile files. If any collections are specified in a profile, though, then all desired collections must be given explicitly.

For example, a line

```
selected_scheme scheme-small
```

along with definitions for the installation directories (given below under “path options”) suffices to install the “small” scheme with all default options. The schemes are described in the S menu in the text installer, or equivalent.

Besides `selected_scheme`, here is the list of variable names supported in a profile:

**collection options** (prefix *collection-*)

Collections are specified with a variable name with the prefix *collection-* followed by a collection name; there is no value. For instance, `collection-basic`. The collections are described in the C menu.

Schemes and collections (and packages) are ultimately defined by the files in the `tlpkg/tlpsrc/` source directory.

### path options

It is best to define all of these, even though they may not be used in the installation, so as to avoid unintentionally getting a default value that could cause problems later.

```
TEXDIR
TEXMFCONFIG
TEXMFVAR
TEXMFHOME
TEXMFLOCAL
TEXMFSYSCONFIG
TEXMFSYSVAR
```

### installer options (prefix `instopt_`)

`instopt_adjustpath` (default 0 on Unix, 1 on Windows)

Adjust `PATH` environment variable.

`instopt_adjustrepo` (default 1)

Set remote repository to a multiplexed CTAN mirror after installation; see `-repository` above.

`instopt_letter` (default 0)

Set letter size paper as the default, instead of a4.

`instopt_portable` (default 0)

Install for portable use, e.g., on a USB stick.

`instopt_writel8_restricted` (default 1)

Enable `\writel8` for a restricted set of programs.

### tlpdb options (prefix `tlpdbopt_`)

The definitive list is given in `tlpkg/TeXLive/TLConfig.pm`, in `%TeXLive::TLConfig::TLPDBOptions`, together with explanations. All items given there *except* for `tlpdbopt_location` can be specified. Here is the current list:

```
tlpdbopt_autobackup
tlpdbopt_backupdir
tlpdbopt_create_formats
tlpdbopt_desktop_integration
tlpdbopt_file_assocs
tlpdbopt_generate_updmap
tlpdbopt_install_docfiles
tlpdbopt_install_srcfiles
tlpdbopt_post_code
tlpdbopt_sys_bin
tlpdbopt_sys_info
tlpdbopt_sys_man
tlpdbopt_w32_multi_user
```

### platform options (prefix `binary_`)

For each supported platform in TeX Live (directories under `bin/`), the variable

`binary_PLATFORM` can be set. For example:

```
binary_x86_64-linux
```

If no `binary_` variable is specified, the default is whatever the current machine is running.

In releases before 2017, many profile variables had different names (not documented here; see the `install-tl` source). They are accepted and transformed to the names given above. When a profile is written, the names above are always used.

For more details on all of the above options, consult the TeX Live installation manual, linked from <http://tug.org/texlive/doc>.

## ENVIRONMENT VARIABLES

For ease in scripting and debugging, `install-tl` looks for the following environment variables. They are not of interest for normal user installations.

`TEXLIVE_DOWNLOADER`

`TL_DOWNLOAD_PROGRAM`

`TL_DOWNLOAD_ARGS`

These override the normal choice of a download program; see the `tlmgr` documentation, e.g., <http://tug.org/texlive/doc/tlmgr.html#ENVIRONMENT-VARIABLES>.

`TEXLIVE_INSTALL_ENV_NOCHECK`

Omit the check for environment variables containing the string `tex`. People developing TeX-related software are likely to have many such variables.

`TEXLIVE_INSTALL_NO_CONTEXT_CACHE`

Omit creating the ConTeXt cache. This is useful for redistributors.

`TEXLIVE_INSTALL_NO_WELCOME`

Omit printing the welcome message after successful installation, e.g., when testing.

`TEXLIVE_INSTALL_PREFIX`

`TEXLIVE_INSTALL_TEXDIR`

`TEXLIVE_INSTALL_TEXMFCONFIG`

`TEXLIVE_INSTALL_TEXMFVAR`

`TEXLIVE_INSTALL_TEXMFHOME`

`TEXLIVE_INSTALL_TEXMFLOCAL`

`TEXLIVE_INSTALL_TEXMFSYSCONFIG`

`TEXLIVE_INSTALL_TEXMFSYSVAR`

Specify the respective directories. `TEXLIVE_INSTALL_PREFIX` defaults to `/usr/local/texlive`, while `TEXLIVE_INSTALL_TEXDIR` defaults to the release directory within that prefix, e.g., `/usr/local/texlive/2016`. All the defaults can be seen by running the installer interactively and then typing `D` for the directory menu.

`NOPERLDOC`

Don't try to run the `--help` message through `perl doc`.

## AUTHORS AND COPYRIGHT

This script and its documentation were written for the TeX Live distribution (<http://tug.org/texlive>) and both are licensed under the GNU General Public License Version 2 or later.

\$Id: install-tl 47874 2018-05-30 01:33:07Z preining \$