

NAME

install-tl – TeX Live cross-platform installer

SYNOPSIS

install-tl [*option*]...

install-tl-windows.bat [*option*]...

install-tl-advanced.bat [*option*]...

DESCRIPTION

This installer creates a runnable TeX Live installation from various media, including over the network. The installer works across all platforms supported by TeX Live. For information on initially downloading the TeX Live, see <<http://tug.org/texlive/acquire.html>>.

The basic idea of TeX Live installation is to choose one of the top-level *schemes*, each of which is defined as a different set of *collections* and *packages*, where a collection is a set of packages, and a package is what contains actual files.

Within the installer, you can choose a scheme, and further customize the set of collections to install, but not the set of the packages. To do that, use `tlmgr` (reference below) after the initial installation is completely.

The default is `scheme-full`, to install everything, and this is highly recommended.

REFERENCES

Post-installation configuration, package updates, and much more, are handled through **tlmgr**(1), the TeX Live Manager (<<http://tug.org/texlive/tlmgr.html>>).

The most up-to-date version of this documentation is on the Internet at <<http://tug.org/texlive/doc/install-tl.html>>.

For the full documentation of TeX Live, see <<http://tug.org/texlive/doc>>.

OPTIONS

As usual, all options can be specified in any order, and with either a leading `-` or `--`. An argument value can be separated from its option by either a space or `=`.

-gui [*[=]module*]

If no *module* is given starts the `perlTk` (see below) GUI installer.

If *module* is given loads the given installer module. Currently the following modules are supported:

`text` The text mode user interface (default on Unix systems). Same as the `-no-gui` option.

`wizard` The wizard mode user interface (default on Windows), asking only minimal questions before installing all of TeX Live.

`perlTk` The expert GUI installer, providing access to more options. Can also be invoked on Windows by running `install-tl-advanced.bat`.

The `perlTk` and `wizard` modules, and thus also when calling with a bare `-gui` (without *module*), requires the Perl/Tk module (<<http://tug.org/texlive/distro.html#perlTk>>); if Perl/Tk is not available, installation continues in text mode.

-no-gui

Use the text mode installer (default except on Windows).

-lang *llcode*

By default, the GUI tries to deduce your language from the environment (on Windows via the registry, on Unix via `LC_MESSAGES`). If that fails you can select a different language by giving this option with a language code (based on ISO 639-1). Currently supported (but not necessarily completely translated) are: English (`en`, default), Czech (`cs`), German (`de`), French (`fr`), Italian (`it`), Japanese (`ja`), Dutch (`nl`), Polish (`pl`), Brazilian Portuguese (`pt_BR`), Russian (`ru`), Slovak (`sk`), Slovenian (`sl`), Serbian (`sr`), Ukrainian (`uk`), Vietnamese (`vi`), simplified Chinese (`zh_CN`), and traditional Chinese (`zh_TW`).

-repository *url/path*

Specify the package repository to be used as the source of the installation, either a local directory via `/path/to/directory` or a `file:/url`, or a network location via a `http://` or `ftp://` url. (No other protocols are supported.)

The default is to pick a mirror automatically, using `<http://mirror.ctan.org/systems/texlive/tlnet>`; the chosen mirror is used for the entire download. You can use the special argument `ctan` as an abbreviation for this. See `<http://ctan.org>` for more about CTAN and its mirrors.

If the repository is on the network, trailing `/` characters and/or trailing `/tlpkg` and `/archive` components are ignored. For example, you could choose a particular CTAN mirror with something like this:

```
-repository http://ctan.example.org/its/ctan/dir/systems/texlive/tlnet
```

Of course a real hostname and its particular top-level CTAN path have to be specified. The list of CTAN mirrors is available at `<http://ctan.org/mirrors>`.

If the repository is local, the installation type (compressed or live) is automatically determined, by checking for the presence of a `archive` directory relative to the root. Compressed is preferred if both are available, since it is faster. Here's an example of using a local directory:

```
-repository /local/TL/repository
```

After installation is complete, you can use that installation as the repository for another installation. If you chose to install less than the full scheme containing all packages, the list of available schemes will be adjusted accordingly.

For backward compatibility and convenience, `--location` and `--repo` are accepted as aliases for this option.

-select-repository

This option allows manual selection of a mirror from the current list of active CTAN mirrors. This option is supported in all installer modes (text, wizard, perlTk), and will also offer to install from local media if available, or from a repository specified on the command line (see above). It's useful when the (default) automatic redirection does not choose a good host for you.

-all-options

Normally options not relevant to the current platform are not shown (i.e., when running on Unix, Windows-specific options are omitted). Giving this command line option allows

configuring settings in the final `texlive.tlpdb` that do not have any immediate effect.

–custom–bin *path*

If you have built your own set of TeX Live binaries (perhaps because your platform was not supported by TeX Live out of the box), this option allows you to specify the *path* to a directory where the binaries for the current system are present. The installation will continue as usual, but at the end all files from *path* are copied over to `bin/custom/` under your installation directory and this `bin/custom/` directory is what will be added to the path for the post-install actions. (By the way, for information on building TeX Live, see <http://tug.org/texlive/build.html>).

–debug–translation

In GUI mode, this switch makes `tlmgr` report any missing, or more likely untranslated, messages to standard error. Helpful for translators to see what remains to be done.

–force–platform *platform*

Instead of auto-detecting the current platform, use *platform*. Binaries for this platform must be present and they must actually be runnable, or installation will fail. `–force–arch` is a synonym.

–help, --help, –?

Display this help and exit (on the web via <http://tug.org/texlive/doc/install-tl.html>). Sometimes the `perldoc` and/or `PAGER` programs on the system have problems, possibly resulting in control characters being literally output. This can't always be detected, but you can set the `NOPERLDOC` environment variable and `perldoc` will not be used.

–in–place

This is a quick-and-dirty installation option in case you already have an `rsync` or `svn` checkout of TeX Live. It will use the checkout as-is and will just do the necessary post-install. Be warned that the file `tlpkg/texlive.tlpdb` may be rewritten, that removal has to be done manually, and that the only realistic way to maintain this installation is to redo it from time to time. This option is not available via the installer interfaces. USE AT YOUR OWN RISK.

–logfile *file*

Write both all messages (informational, debugging, warnings) to *file*, in addition to standard output or standard error.

If this option is not given, the installer will create a log file in the root of the writable installation tree, for example, `/usr/local/texlive/YYYY/install-tl.log` for the `YYYY` release.

–no–cls

(only for text mode installer) do not clear the screen when entering a new menu (for debugging purposes).

–non–admin

For Windows only: configure for the current user, not for all users.

–persistent–downloads

–no–persistent–downloads

For network installs, activating this option makes the installer try to set up a persistent connection using the `Net : : LWP` Perl module. This opens only one connection between your computer and the server per session and reuses it, instead of initiating a new download

for each package, which typically yields a significant speed-up.

This option is turned on by default, and the installation program will fall back to using `wget` if this is not possible. To disable usage of LWP and persistent connections, use `-no-persistent-downloads`.

`-no-verify-downloads`

By default, if a GnuPG `gpg` binary is found in `PATH`, downloads are verified against a cryptographic signature. This option disables such verification. The full description is in the Cryptographic Verification section of the `tlmgr` documentation, e.g., [<http://tug.org/texlive/doc/tlmgr.html#CRYPTOGRAPHIC-VERIFICATION>](http://tug.org/texlive/doc/tlmgr.html#CRYPTOGRAPHIC-VERIFICATION)

`-portable`

Install for portable use, e.g., on a USB stick. Also selectable from within the `perltk` and `text` installers.

`-print-platform`

Print the TeX Live identifier for the detected platform (hardware/operating system) combination to standard output, and exit. `-print-arch` is a synonym.

`-profile profile`

Load the file *profile* and do the installation with no user interaction, that is, a batch (unattended) install.

A *profile* file contains all the values needed to perform an installation. From the text menu one can select 'P' to save the current setup as profile. Furthermore, after a normal installation has finished, a profile for that exact installation is written to the file `DEST/tlpkg/texlive.profile`. That file can be given as the argument to `-profile` to redo the exact same installation on a different system, for example. Alternatively, you can use a custom profile, most easily created by starting from a generated one and changing values, or an empty file, which will take all the defaults.

Normally a profile has to specify the value 1 for each collection to be installed, even if the scheme is specified. This follows from the logic of the installer in that you can first select a scheme and then change the collections being installed. But for convenience there is an exception to this within profiles: If the profile contains a variable for `selected_scheme` and *no* collection variables at all are defined in the profile, then the collections which the specified scheme requires are installed.

Thus, a line `selected_scheme scheme-medium` together with the definitions of the installation directories (`TEXDIR`, `TEXMFHOME`, `TEXMFLOCAL`, `TEXMFSYSCONFIG`, `TEXMFSYSVAR`) suffices to install the medium scheme with all default options.

The list of allowed keys in a profile is given below. For more detailed explanations on the meaning of the options consult the TeX Live installation manual. Values are either 0, 1, or strings.

installer options (those with prefix `instopt_`)

`instopt_portable` (default 0, see `-portable`), `instopt_letter` (default 0, selecting letter size instead of a4), `instopt_adjustrepo` (default 1, adjust remote repository to CTAN mirror after installation), `instopt_write18_restricted` (default 1, enable write8 for a restricted set of programs), `instopt_adjustpath` (default 0 on Unix, 1 on Windows, adjust `PATH` environment).

tlpdb options (those with prefix `tlpdbopt_`)

The definitive list is give in `TeXLive::TLConfig.pm` in `%TeXLive::TLConfig::TLPDBOptions`, together with explanations. All items **but** for `tlpdbopt_location` can be specified. The current list is given below:

```
tlpdbopt_autobackup,tlpdbopt_backupdir,
tlpdbopt_create_formats,tlpdbopt_desktop_integration,
tlpdbopt_file_assocs,tlpdbopt_install_docfiles,
tlpdbopt_install_srcfiles,tlpdbopt_post_code,
tlpdbopt_sys_bin,tlpdbopt_sys_info,tlpdbopt_sys_man,
tlpdbopt_w32_multi_user,tlpdbopt_generate_updmap
```

path options

```
TEXDIR,TEXMFHOME,TEXMFCONFIG,TEXMFSYSCONFIG,TEXMFVAR,
TEXMFSYSVAR,TEXMFLOCAL
```

architecture selection options (those starting with `binary_`)

For every supported architecture of TeX Live (directories under `bin/`), the key `binary_ARCH` can be set.

Example: `binary_x86_64-linux`

-profile--seed *profile*

Like **-profile**, but only seeds the installation configuration before starting the interactive session.

-q Omit normal informational messages.**-scheme** *scheme*

Schemes are the highest level of package grouping in TeX Live; the default is to use the `full` scheme, which includes everything. This option overrides that default. You can change the scheme again before the actual installation with the usual menu. The *scheme* argument may optionally have a prefix `scheme-`. The list of supported scheme names depends on what your package repository provides; see the interactive menu list.

-v Include verbose debugging messages; repeat for maximum debugging, as in `-v -v`. (Further repeats are accepted but ignored.)**--version, --version**

Output version information and exit. If `-v` has also been given the revisions of the used modules are reported, too.

ENVIRONMENT VARIABLES

For ease in scripting and debugging, `install-tl` will look for the following environment variables. They are not of interest in normal user installations.

`TEXLIVE_INSTALL_ENV_NOCHECK`

Omit the check for environment variables containing the string `tex`. People developing TeX-related software are likely to have many such variables.

`TEXLIVE_INSTALL_NO_CONTEXT_CACHE`

Omit creating the ConTeXt cache. This is useful for redistributors.

TEXLIVE_INSTALL_NO_WELCOME

Omit printing the welcome message after successful installation, e.g., for testing.

TEXLIVE_INSTALL_PREFIX

TEXLIVE_INSTALL_TEXDIR

TEXLIVE_INSTALL_TEXMFCONFIG

TEXLIVE_INSTALL_TEXMFHOME

TEXLIVE_INSTALL_TEXMFLOCAL

TEXLIVE_INSTALL_TEXMFSYSCONFIG

TEXLIVE_INSTALL_TEXMFSYSVAR

TEXLIVE_INSTALL_TEXMFVAR

Specify the respective directories. TEXLIVE_INSTALL_PREFIX defaults to /usr/local/texlive, while TEXLIVE_INSTALL_TEXDIR defaults to the release directory within that prefix, e.g., /usr/local/texlive/2014. All the defaults can be seen by running the installer interactively and then typing D for the directory menu.

NOPERLDOC

Don't try to run the --help message through perl doc.

AUTHORS AND COPYRIGHT

This script and its documentation were written for the TeX Live distribution (<<http://tug.org/texlive>>) and both are licensed under the GNU General Public License Version 2 or later.