

**NAME****mtx-update****SYNOPSIS****mtxrun --script update** [ *OPTIONS* ... ] [ *FILENAMES* ]**DESCRIPTION****ConTeXt Minimals Updater****OPTIONS**

- platform=string**  
platform (windows, linux, linux-64, osx-intel, osx-ppc, linux-ppc)
- server=string**  
repository url (rsync://contextgarden.net)
- module=string**  
repository url (minimals)
- repository=string**  
specify version (current, experimental)
- context=string**  
specify version (current, latest, beta, yyyy.mm.dd)
- rsync=string**  
rsync binary (rsync)
- texroot=string**  
installation directory (not guessed for the moment)
- engine=string**  
tex engine (luatex, pdftex, xetex)
- modules=string**  
extra modules (can be list or 'all')
- fonts=string**  
additional fonts (can be list or 'all')
- goodies=string**  
extra binaries (like scite and texworks)
- force** instead of a dryrun, do the real thing
- update**  
update minimal tree
- make** also make formats and generate file databases
- keep** don't delete unused or obsolete files
- state** update tree using saved state
- cygwin**  
adapt drive specs to cygwin
- mingw**  
assume mingw binaries being used

**AUTHOR**

More information about ConTeXt and the tools that come with it can be found at:

**maillist:** [ntg-context@ntg.nl](mailto:ntg-context@ntg.nl) / <http://www.ntg.nl/mailman/listinfo/ntg-context>

**webpage:** <http://www.pragma-ade.nl> / <http://tex.aanhet.net>

**wiki:** <http://contextgarden.net>