

NAME

`opl2ofm` – convert Omega and TeX property-list files to font-metric files

SYNOPSIS

`opl2ofm` [*OPTIONS*] *OPLFILE*[.opl] [*OFMFILE*[.ofm]]

DESCRIPTION

opl2ofm translates a property-list format file, *OPLFILE*, into the binary Omega Font Metric format. The program writes to standard output (by default) or to a file specified as *OFMFILE*.

The program also works with TeX PL files, producing TeX TFM files. (**opl2ofm** is based on the WEB source code for **pltotf**(1).)

OPTIONS

- help** display a brief summary of syntax and options
- verbose**
 display progress reports
- version**
 output version information and exit

BUGS

None known, but report any found to <omega@ens.fr> (mailing list). You should also check to see if the bug is present in **pltotf**(1).

SEE ALSO

omega(1), **ofm2opl**(1), **pltotf**(1), **tftopl**(1).

Draft Manual for the Omega System (omega-manual.dvi).

Web page: <<http://www.gutenberg.eu.org/omega/>>

AUTHOR

According to the WEB documentation:

The first **PLtoTF** program was designed by Leo Guibas in the summer of 1978. Contributions by Frank Liang, Doug Wyatt, and Lyle Ramshaw also had a significant effect on the evolution of the present code.

Extensions for an enhanced ligature mechanism were added by D.E. Knuth in 1989.

Extensions to handle extended font metric files (“OFM”) were added by John Plaice in December 1995 and January 1996, resulting in the new program **OPL2OFM**.

The primary authors of Omega are John Plaice <plaice@cse.unsw.edu.au> and Yannis Haralambous <yannis@fluxus-virus.com>.

This manual page was written by C.M. Connelly <cmc@debian.org>, for the Debian GNU/Linux system. It may be used by other distributions without contacting the author. Any mistakes or omissions in the manual page are my fault; inquiries about or corrections to this manual page should be directed to me (and not to the primary author).