#### **NAME**

otfinfo - report information about OpenType fonts

### **SYNOPSIS**

```
otfinfo [-sfzpvag] [FILE...]
```

#### DESCRIPTION

**Otfinfo** reports information about the named OpenType font *FILE*'s (or standard input, if no *FILE*'s are given). Results are printed to standard output. Each line is prefaced with the relevant *FILE* if more than one *FILE* was supplied.

#### **OPTIONS**

With long options, you need type only as many characters as will make the option unique.

#### **Query options**

## -s, --scripts

Print supported scripts and language systems. The scripts are printed one per line, with human-readable descriptions; for example:

```
cyrl Cyrillic
grek Greek
latn Latin
latn.TUR Latin/Turkish
```

#### -f. --features

Print GSUB and GPOS features supported by the selected script (see the **—-script** option below). The scripts are printed one per line, with human-readable descriptions; for example:

```
aalt Access All Alternates
c2sc Small Capitals From Capitals
case Case-Sensitive Forms
cpsp Capital Spacing
...
zero Slashed Zero
```

#### -z, --optical-size

Print optical size information. For example:

design size 11 pt, size range (8.4 pt, 13 pt], subfamily ID 11, subfamily name Semibold Italic

#### -p, --postscript-name

Print each font's PostScript name. For example:

MinionPro-SemiboldItCapt

#### -a, --family

Print each font's family name. For example:

Minion Pro

## -v, --font-version

```
Print font version information, if available. For example: OTF 1.013;PS 001.000;Core 1.0.27;makeotf.lib(1.11)
```

## -i, --info

Print each font's name, version, designer, vendor, copyright, and license information. For example:

```
Family: Minion Pro
```

Subfamily: Regular Full name: Minion Pro

PostScript name: MinionPro-Regular

Version: OTF 1.011;PS 001.000;Core 1.0.27;makeotf.lib1.3.1

Unique ID: 1.011;ADBE;MinionPro-Regular

Designer: Robert Slimbach

Vendor URL: http://www.adobe.com/type/

Trademark: Minion is either a registered trademark or a trademark of Adobe Systems Incorporated in Copyright: © 2000 Adobe Systems Incorporated. All Rights Reserved. U.S. Patent Des. 337,604. Ot

OTFINFO(1)

License URL: http://www.adobe.com/type/legal.html

## -g, --glyphs

Print the name of every glyph in each font, one per line. For example:

.notdef space exclam

ncommaaccent.end

lje.alt

#### -u, --unicode

Print each Unicode code point supported by the font, followed by the glyph number representing that code point (and, if present, the name of the corresponding glyph).

#### -t, --tables

Print the size and name of every OpenType table in the font. For example:

52 BASE 87723 CFF 4940 DSIG 21366 GPOS

•••

## -T table, --dump-table=table

Print the contents of the font's OpenType table *table*.

#### **Miscellaneous options**

## --script=script[.lang]

Select the script system *script* and language system *lang* used to look up features by ——**features**. Examples include "latn" (Latin script), "grek" (Greek script), and "yi.YIC" (Yi script with classic characters). If *lang* is not specified, offinfo will use the default language system for that script. Defaults to "latn".

#### -V, --verbose

Write progress messages to standard error.

## -q, --quiet

Do not generate any error messages.

## -h, --help

Print usage information and exit.

#### --version

Print the version number and some short non-warranty information and exit.

# **SEE ALSO**

 $\pmb{\text{otftotfm}}(1)$ 

OpenType Specification, Version 1.4

## **AUTHOR**

Eddie Kohler (ekohler@gmail.com)