NAME

psresize – rescales and centers a document for new output paper size

SYNOPSIS

psresize [-wwidth] [-hheight] [-ppaper] [-Wwidth] [-Hheight] [-Ppaper] [-q] [infile [outfile]]

DESCRIPTION

Psresize rescales and centres a document on a different size of paper. The input PostScript file should follow the Adobe Document Structuring Conventions.

The $-\mathbf{w}$ option gives the output paper width, and the $-\mathbf{h}$ option gives the output paper height, normally specified in \mathbf{cm} or \mathbf{in} to convert PostScript's points (1/72 of an inch) to centimeters or inches. The $-\mathbf{p}$ option can be used instead, to set the paper size; otherwise a default value is used. See **paper**(1).

The **–W** option gives the input paper width, and the **–H** option gives the input paper height. The **–P** option can be used instead, to set the paper size; otherwise a default value is used. See **paper**(1).

Psresize normally prints the page numbers of the pages output; the $-\mathbf{q}$ option suppresses this.

EXAMPLES

The following command can be used to convert a document on A4 size paper to letter size paper:

psresize -PA4 -pletter in.ps out.ps

AUTHOR

Written by Angus J. C. Duggan.

SEE ALSO

TRADEMARKS

PostScript is a trademark of Adobe Systems Incorporated.

BUGS

Psresize does not accept all DSC comments.

PSUtils 1