

# The ctanupload script

Martin Scharrer  
[martin@scharrer.me](mailto:martin@scharrer.me)

<http://www.ctan.org/pkg/ctanupload>

Version v1.1 – 2011/09/06

## Abstract

This Perl script allows the uploads of a contribution to CTAN from the command line. It is intended to simplify the release process for LaTeX package authors.

## 1 Introduction

The Comprehensive TeX Archive Network (CTAN) is the place to get materials related to the TeX typesetting system. It provides an web form to upload contributions, like  $\LaTeX$  packages, to one of the main servers <http://dante.ctan.org/upload> (DANTE server, German TeX users group) or <http://www.tex.ac.uk/upload/> (UK-TUG server, UK TeX users group). The third main server <http://tug.ctan.org/> (TUG, US and International TeX users group) currently does not accept uploads. After uploading the contribution to one of these servers it will be distributed to the CTAN mirrors where it can be downloaded by other users.

The ctanupload script allows to automate these uploads which is from benefit for  $\LaTeX$  package authors which write and maintain a larger number of packages. The script is designed to be used from the command line or from a Makefile or other script in a full or semi-automatic way. Constant data like the package and author names can be passed automatically to the script while the variable fields like the version number or announcement text can be entered manually.

The script first collects the required data, applies some sanity checks before it is displayed again for confirmation. If the data is correct it is uploaded and the status and response from the CTAN upload server is printed.

## 2 Usage

```
ctanupload <options> --<name>=<value> ...  
ctanupload <options> --<name> <value> ...  
ctanupload <options> --<name>-file=<file with value> ...  
ctanupload <options> --<name>-file <file with value> ...
```

The script accepts single letter options and awaits the upload form fields as double slash arguments. These fields can also be read from text files or given using

environment variables in the form CTAN\_<NAME>, CTAN\_<name>, <NAME> or <name> (in this order). The support of environment variable simplifies the usage inside Makefiles.

All arguments can also be given using the CTANUPLOAD environment variable which are processed first, so that explicit arguments will overwrite them.

## Options

The following options control the behaviour of the script. They can also be grouped together, i.e. a single dash followed by multiple options.

Option	Description
-h	Print this help and exit.
-y	Do not ask for confirmation, but submit immediately.
-u <URL>	CTAN URL to upload to.
-U <name>	CTAN server to upload to, either 'dante' or 'uktug'.
-F <file>	Read all data from file. (See below)
-f	Force upload even if input seems incorrect (unknown license etc.).
-p	Prompt for missing values.
-P	Do not prompt for missing values. (default)
-v	Verbose mode. (Passed to the underlying WWW Perl module)
-q	Quiet mode. (Passed to the underlying WWW Perl module)
-V	Print version number.

## Fields

The following fields exists in the CTAN upload form. At least the ones marked as mandatory must be provided.

Field	Description	Mandatory
contribution	Name of your contribution	*
version	Version number	*
name	Your name	*
email	Your email	*
summary	Summary description	*
directory	Suggested CTAN directory	
DoNotAnnounce	No need to announce this update	
announce	Short description for announcement	
notes	Optional notes to the CTAN maintainers	
license	License type (see below)	*
freeversion	Which free license (see below)	
file	File to upload	*

## Valid license types

The license field can have the following values to indicate the license type:

License Type	Description
free	Free
nocommercial	Nocommercial
nosell	Nosell
nosource	Nosource
shareware	Shareware
artistic	Perl Artistic (Clarified or later)
other-nonfree	Other nonfree License

#### Valid free licenses

If a free license was chosen using `license=free` the specific free license can be selected using the `freeversion` field which can have one of the following values:

License Type	Description
apache2	Apache License v2.0
artistic	Perl Artistic License (version 2)
fdl	GNU Free Documentation License
gfl	GUST Font License
gpl	GNU General Public License
lgpl	Lesser GPL
lppl	LaTeX Project
ofl	Open Font License
pd	Public Domain
other-free	Other Free

## 3 Examples

#### Interactive mode (prompt for all values not read from environment variables):

```
ctanupload -p
```

#### Fill complete form:

```
ctanupload --contribution=somepackage --version=v0.1 \
  --name "John Doe" --email=john@doe.com \
  --summary "New package to do something." \
  --directory=/macros/latex/contrib/somepackage \
  --DoNotAnnounce=0 \
  --announce "This package allows to ..." \
  --notes "Some note to the CTAN admins (if required)" \
  --license=free --freeversion=lppl
  --file=somepackage.tar.gz
```

#### Use of environment variables:

The environment variables can be given in the command line or in a user specific configuration file which is read by the shell (e.g. `/.bashrc` for the Bash shell). Shown here is the Bash shell syntax, which is the common shell for Linux. The static author data is given as environment variables and the contribution name as argument, while the script will prompt the user for the rest.

```
export CTAN_NAME="John Doe"
export CTAN_EMAIL="john@doe.com"
ctanupload --contribution=somepackage -p
```

### Read date from file:

Here the announcement text is read from a file `announcement.txt` while the script will prompt the user for the rest of the fields.

```
ctanupload --announce-file announcement.txt -p
```

### Example Makefile:

The following Makefile (see <http://www.gnu.org/software/make/manual/make.html>) uses the `ctanify` script (<http://www.ctan.org/pkg/ctanify>) to create a compressed file for submission using `ctanupload`.

```
# Example Makefile which uses ctanify and ctanupload to /
# pack and upload a LaTeX package
# The required data is passed using environment variables.
CONTRIBUTION = foobar
NAME          = John Doe
EMAIL         = john.doe@inter.net
DIRECTORY     = /macros/latex/contrib/${CONTRIBUTION}
LICENSE       = free
FREEVERSION   = lppl
FILE          = ${CONTRIBUTION}.tar.gz
export CONTRIBTION VERSION NAME EMAIL SUMMARY DIRECTORY /
DONOTANNOUNCE ANNOUNCE NOTES LICENSE FREEVERSION FILE

ctanify: ${FILE}

${CONTRIBUTION}.sty: ${CONTRIBUTION}.ins ${CONTRIBUTION}./
    dtx
    yes | tex $<

${CONTRIBUTION}.pdf: ${CONTRIBUTION}.dtx ${CONTRIBUTION}./
    sty
    latexmk $<

${FILE}: ${CONTRIBUTION}.dtx ${CONTRIBUTION}.ins ${/
    CONTRIBUTION}.sty README ${CONTRIBUTION}.pdf
    ctanify $^

upload: ctanify
    ctanupload -p
```