

NAME

pdfinfo – Portable Document Format (PDF) document information extractor (version 3.03)

SYNOPSIS

pdfinfo [options] [*PDF-file*]

DESCRIPTION

Pdfinfo prints the contents of the 'Info' dictionary (plus some other useful information) from a Portable Document Format (PDF) file.

The 'Info' dictionary contains the following values:

- title
- subject
- keywords
- author
- creator
- producer
- creation date
- modification date

In addition, the following information is printed:

- tagged (yes/no)
- form (AcroForm / XFA / none)
- javascript (yes/no)
- page count
- encrypted flag (yes/no)
- print and copy permissions (if encrypted)
- page size
- file size
- linearized (yes/no)
- PDF version
- metadata (only if requested)

The options `-listenc`, `-meta`, `-js`, `-struct`, and `-struct-text` only print the requested information. The 'Info' dictionary and related data listed above is not printed. At most one of these five options may be used.

OPTIONS

-f *number*

Specifies the first page to examine. If multiple pages are requested using the `"-f"` and `"-l"` options, the size of each requested page (and, optionally, the bounding boxes for each requested page) are printed. Otherwise, only page one is examined.

-l *number*

Specifies the last page to examine.

-box Prints the page box bounding boxes: MediaBox, CropBox, BleedBox, TrimBox, and ArtBox.

-meta Prints document-level metadata. (This is the "Metadata" stream from the PDF file's Catalog object.)

-js Prints all JavaScript in the PDF.

-struct Prints the logical document structure of a Tagged-PDF file.

-struct-text

Print the textual content along with the document structure of a Tagged-PDF file. Note that extracting text this way might be slow for big PDF files. (Implies `-struct`.)

-isodates

Prints dates in ISO-8601 format (including the time zone).

-rawdates

Prints the raw (undecoded) date strings, directly from the PDF file.

-dests Print a list of all named destinations. If a page range is specified using "-f" and "-l", only destinations in the page range are listed.

-enc *encoding-name*

Sets the encoding to use for text output. This defaults to "UTF-8".

-listenc

Lits the available encodings

-opw *password*

Specify the owner password for the PDF file. Providing this will bypass all security restrictions.

-upw *password*

Specify the user password for the PDF file.

-v Print copyright and version information.

-h Print usage information. (**-help** and **--help** are equivalent.)

EXIT CODES

The Xpdf tools use the following exit codes:

0	No error.
1	Error opening a PDF file.
2	Error opening an output file.
3	Error related to PDF permissions.
99	Other error.

AUTHOR

The pdftinfo software and documentation are copyright 1996-2011 Glyph & Cog, LLC.

SEE ALSO

pdfdetach(1), **pdffonts(1)**, **pdfimages(1)**, **pdftocairo(1)**, **pdftohtml(1)**, **pdftoppm(1)**, **pdftops(1)**, **pdftotext(1)** **pdfseparate(1)**, **pdfsig(1)**, **pdfunite(1)**