

# Arab $\text{\TeX}$      عرب $\text{\TeX}$

## An Arab $\text{\TeX}$ -like interface for typesetting languages in Arabic script with X $\text{\LaTeX}$

François Charette

2007/05/10      v1.1

### Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Description</b>	<b>3</b>
2.1	The Arab $\text{\TeX}$ input encoding . . . . .	4
<b>3</b>	<b>Usage</b>	<b>5</b>
3.1	Font setup . . . . .	6
3.2	Examples . . . . .	6
3.2.1	Contextual analysis of <i>hamza</i> . . . . .	6
3.2.2	Special orthographies . . . . .	7
3.2.3	Typesetting the Holy Qur'an . . . . .	7
3.2.4	Farsi . . . . .	8
3.2.5	Urdu . . . . .	9
3.3	Special considerations . . . . .	10
3.3.1	The name of God . . . . .	10
3.4	Transliteration . . . . .	11
3.5	Typesetting critical editions with ednotes . . . . .	11
<b>4</b>	<b>Tabular overview of Arab<math>\text{\TeX}</math> encoding conventions</b>	<b>12</b>
<b>5</b>	<b>Unicode-Encoding concordance</b>	<b>19</b>
<b>A</b>	<b>Notes on available free and commercial fonts for the Perso-Arabic script</b>	<b>26</b>

<b>B Recommended Unicode fonts for transliterating Oriental languages</b>	<b>26</b>
<b>C Implementation</b>	<b>27</b>
C.1 Some notes on the TECKit mappings . . . . .	39

### Abstract

This package provides a convenient ArabTeX-like user-interface for typesetting languages using the Arabic script in X<sub>E</sub>LATEX, with flexible access to font features. Input in ArabTeX notation can be set in three different vocalization modes or in roman transliteration. Direct UTF-8 input is also supported. Since most of the ‘real work’ – namely parsing and converting ArabTeX input to Unicode – is done at the level of TECKit mappings, ArabX<sub>E</sub>TEX is really performant.

## Contents

### 1 Introduction

Since the early 1990s, T<sub>E</sub>X users who wished to typeset in Arabic script have relied on Klaus Lagally’s excellent ArabT<sub>E</sub>X system.<sup>1</sup> While ArabT<sub>E</sub>X’s overall qualities and Lagally’s masterful T<sub>E</sub>X-programming abilities are undeniable, the system can hardly hide its 15-odd years of existence. Or to state it otherwise, it is now slowly becoming an archaic piece of software (which as a historian who has used ArabT<sub>E</sub>X for more than eleven years I find a sad thing to admit). First of all, it is monolithic and idiosyncratic, in the sense that everything – from parsing the input encoding, to doing contextual analysis, to assembling all elements of the script and placing them on the page from right to left, in defiance of T<sub>E</sub>X’s natural logic – is taken care of by means of T<sub>E</sub>X macro programming. Thus before the availability of relatively fast Pentium processors, ArabT<sub>E</sub>X was really slow, but this is less of an issue nowadays. Another disadvantage is that one is inexorably bound to use the custom Naskh font, which without being necessarily ugly does not meet the standards of fine typesetting. Finally, the collection of very sophisticated T<sub>E</sub>X code that constitutes the ArabT<sub>E</sub>X package is not documented at all, which means that even though it is now licensed under the LPPL, its internals are extremely difficult to understand in depth. (It is

---

<sup>1</sup>[ftp://ftp.informatik.uni-stuttgart.de/pub/arabtex/arabtex.htm](http://ftp.informatik.uni-stuttgart.de/pub/arabtex/arabtex.htm). Version 2.00 was released in April 1992 and version 3.00 in November of the following year. The latest stable version (dated 2 July 2006) is 3.11s. Since version 3.02 the Hebrew language is also supported.

only fair to state, however, that Prof. Lagally has been extremely responsive to ideas, suggestions and wishes by users in the past).

The introduction of Omega in *ca.* 1996, a  $\text{\TeX}$  extension for multilingual, multidirectional typesetting based on Unicode, raised of course many hopes, but these have by now completely dissipated since the project has been moribund for several years and is now probably defunct. Aleph, a more humble attempt to reach some of the goals set by Omega, has been equally unsuccessful.<sup>2</sup> Both engines suffered of numerous bugs and never reached a stable and usable state, *at least according to my own subjective experience*.

After completion of the initial alpha version of Arab $\text{\TeX}$ , I came across the package `Arabi` by Youssef Jabri on CTAN.<sup>3</sup> This is a pure  $\text{LaTeX}/\text{Babel}$  approach to Arabic typesetting which makes use of TFM hackery (by means of complex sequences of ligature rules) to provide custom contextual analysis for individual fonts. Thus the `Arabi` only works in combination with the fonts for which support is built in the package.

With the availability of Jonathan Kew's  $\text{Xe}\text{\TeX}$ , users can now rely on a very up-to-date typesetting engine based on the integration of  $\varepsilon\text{-}\text{\TeX}$ , Unicode, and modern font-rendering technology (AAT and ICU), without the complex hassle of font installation.<sup>4</sup>

## 2 Description

The Arab $\text{\TeX}$  package consists of a set of `TECkit`<sup>5</sup> mappings for converting internally from Arab $\text{\TeX}$ 's ASCII input convention to Unicode, and a  $\text{LATEX}$  style file (`arabxetex.sty`) that provides a convenient user interface for typesetting in those languages. For details on Arab $\text{\TeX}$  and its input convention the reader is referred to Lagally's detailed manual.<sup>6</sup> Arab $\text{\TeX}$  introduces several additions, and a few minor modifications, to Arab $\text{\TeX}$ 's conventions. These are documented in tabular form in Section 4. Arab $\text{\TeX}$  relies on the package `bidi` which contains the macros necessary for bidirectional typesetting – using  $\varepsilon\text{-}\text{\TeX}$ 's `\begin{R} ... \end{R}`, `\begin{L} ... \end{L}` primitives. The main code in `bidi.sty` is essentially borrowed, with minor adaptations,

---

<sup>2</sup>Based on Omega 1.15 and  $\varepsilon\text{-}\text{\TeX}$ , Aleph attempted to provide a usable and stable branch. See <http://www.tug.org/TUGboat/Articles/tb25-1/bilotta.pdf>. Unfortunately the project is currently dormant.

<sup>3</sup><http://www.ctan.org/tex-archive/language/arabic/arabi/>

<sup>4</sup><http://scripts.sil.org/xetex>.  $\text{Xe}\text{\TeX}$  was originally developed for the Mac OS X platform, but Linux and WIN32 ports are now available.

<sup>5</sup><http://scripts.sil.org/TECkit>

<sup>6</sup><http://129.69.218.213/arabtex/doc/arabdoc.pdf>

from the file `rlbabel.def` in the Babel distribution (where it serves for typesetting Hebrew). Some improvements in the beta version were inspired by Youssef Jabri's *Arabi*.

Languages supported at present are the same as in Arab $\text{\TeX}$ , namely: Arabic, Maghribi Arabic, Farsi (Persian), Urdu, Sindhi, Kashmiri, Ottoman Turkish, Kurdish, Jawi (Malay) and Uighur. Arab $\text{\TeX}$  adds support for several additional Unicode characters, so that some more languages are probably supported de-facto as well (such as Western Punjabi).

## 2.1 The Arab $\text{\TeX}$ input encoding

Why would one need to type those languages by means of an old-fashioned ASCII representation? Native speakers have access to keyboards that allow to input them directly in Unicode, while non-native scholars who need to type them can use keymaps or keyboard utilities to achieve the same, so why bother? An expert in Arabic mathematical linguistic and author of the Perl module `Encode::Arabic::ArabTeX`, Otakar Srmž, has this to say about the virtues of Arab $\text{\TeX}$  ASCII encoding:

“Arab $\text{\TeX}$  is an excellent extension to  $\text{\TeX}/\text{La}\text{\TeX}$  designed for typesetting the right-to-left scripts of the Orient. It comes up with very intuitive and comprehensible lower ASCII transliterations, the expressive power of which is even better than that of the scripts.”[Source: <http://search.cpan.org/~smrz/Encode-Arabic-1.16/ArabTeX/ArabTeX.pm#DESCRIPTION>. See also <http://ufal.mff.cuni.cz/~smrz/ICFP2006/icfp-encode.pdf>]

There are indeed several advantages in using Arab $\text{\TeX}$  input convention for typesetting in the Arabic script, besides ease and legibility. First it is possible and even trivial to switch between a representation of the data in the Arabic script and its romanized transliteration, without having to modify it. Second, despite the increasing availability of good Unicode editors that support bidirectionality, editing (La) $\text{\TeX}$  source files with bidirectional content can be a real pain, for it leads to confusion and distraction. Also, with complex multi-layer documents such as critical editions, where footnotes and annotations abound, the advantage of dealing with a plain ASCII encoding cannot be overstated. Finally, such an input convention allows far greater control of typographical details.

### 3 Usage

- \textarab For short insertions (say within a LR text), use \text<language>[option]{...}
- \textfarsi where <language> is one of the following (alternative names are given in brackets):
  - etc. • arab (Arabic),<sup>7</sup>
  - farsi (persian),
  - urdu,
  - sindhi,
  - pashto,
  - ottoman (turk),
  - kurdish,
  - kashmiri,
  - malay (jawi), and
  - uighur.
- \begin{arab} For typesetting whole paragraphs in Arabic script, use
- \begin{farsi}
  - etc. \begin{<language>}[option]
  - ...
  - \end{<language>}

Most languages can be typeset in one of four modes: non-vocalized, vocalized, fully-vocalized, and transliterated, exactly as in ArabTEX, and these are switched by means of the options novoc, voc, fullvoc and trans, respectively. Note that Kurdish and Uighur only have one vocalization mode. The mode can be determined either globally as an option to the arabxetex package, or as a local option of either the \text<language> commands or \begin{<language>} ... \end{<language>} environments. When no option is set locally, the global option is chosen. The default global option is always *non-vocalized* mode.

There is also an option utf for input in plain UTF-8 encoding. Note that it is also possible to mix ArabTEX input convention and UTF-8 characters, since the latter will not be affected by the font-mapping (except of course in transliteration mode, unless your roman font also contains Arabic characters). There are also advantages of choosing an ArabTEX mapping (*i.e.*, one of the novoc, voc and fullvoc modes) even with UTF-8 encoding, as it provides easy access to special glyphs and some useful features. See further below.

---

<sup>7</sup>Since the command \arabic is already defined in L<sup>A</sup>T<sub>E</sub>X, we chose the environment arab and the command \textarab instead, but the equivalent environment Arabic and the command \textarabic are also available.

\textroman  
→ 1.1: New!  
\aemph

Latin (LR) insertions within Arabic environment can be made by means of the command \textroman{...}.<sup>8</sup> Emphasis in Arabic is traditionally indicated by overlining the text, and this can be achieved with the command \aemph:<sup>9</sup>

```
\begin{arab}[novoc]  
mi_tAl: \aemph{45} darajaT  
\end{arab}
```

مثال: درجة ٤٥

### 3.1 Font setup

\arabicfont ArabX<sub>E</sub>T<sub>E</sub>X requires the user to define an \arabicfont in the preamble. The recommended procedure, by means of fontspec, is to define it as follows:

```
\newfontfamily\arabicfont[Script=Arabic]{<fontname>}
```

→ 1.1: New!

If not, then a warning is issued and ArabX<sub>E</sub>T<sub>E</sub>X will attempt to load the font Scheherazade (designed by Bob Haliss and Jonathan Kew of SIL International).<sup>10</sup>

You can also define specific fonts ← for all other languages, by similarly defining \<language>font, such as for example:

```
\newfontfamily\urdufont[Script=Arabic]{Nafees Pakistani Naskh}
```

So for example if the \texturdu command or the urdu environment is used, ArabX<sub>E</sub>T<sub>E</sub>X will use the \urdufont if it is defined, and the \arabicfont if not. In the same manner one can define \maghribifont, \ottomanfont, \uighurfont, etc.

## 3.2 Examples

### 3.2.1 Contextual analysis of *hamza*

As with ArabT<sub>E</sub>X, a contextual analysis of the input encoding is performed (at the font-mapping level) to automatically determine the carrier of the *hamza*, as illustrated by the following examples:

---

<sup>8</sup>In version 1.0 this was called \textlatin. The latter still works but its usage is deprecated, because babel defines a command of the same name.

<sup>9</sup>This macro makes use of the mathematical command \overline, which explains why arabxetex requires the amsmath package. I welcome any suggestion that would make it possible to circumvent this by emulating \overline directly.

<sup>10</sup>Available from <http://scripts.sil.org/ArabicFonts>. For typesetting Sindhi and Kashmiri, the font Lateef, available at the same place, is also recommended.

```
\begin{arab}
'amruN, 'ibiluN, 'u_htuN, ''u_ht"uN, ''Uql"Id"Is, ra'suN, 'ar'asu,
sa'ala, qara'a, bu'suN, 'ab'usuN, ra'ufa, ru'asA'u, bi'ruN, 'as'ilatNuN,
ka'iba, qA'imuN, ri'AsaTuN, su'ila, samA'uN, barI'uN, sU'uN, bad'uN,
^say'uN, ^say'iN, ^say'aN, sA'ala, mas'alaTuN, saw'aTuN, _ha.tI'aTuN,
jA'a, ridA'uN, ridA'aN, jI'a, radI'iN, su'uN, .daw'uN, qay'iN, .zim'aN
, yatasA'alUna, 'a'dA'akum, 'a'dA'ukum maqrU'aT, mU'ibAt,
taw'am, yas'alu, 'a.sdiq^A$';uh_u, ya^g^I'u, s^U'ila
\end{arab}
```

أَمْرٌ، إِبْلٌ، أُخْتٌ، أَخْتٌ، أَوْقَلِيدِيَّسْ، رَأْسٌ، أَرْأَسْ، سَأَلٌ، قَرَّاً، بُؤْسٌ، رَوْفَ، رُؤَسَاءُ،  
بِئْرٌ، أَسْتِلَةٌ، كَيْبٌ، قَائِمٌ، رَآسَةٌ، سُئَلٌ، سَمَاءٌ، بَرِيءٌ، سُوءٌ، بَدْءٌ، شَيْءٌ، شَيْءٌ، شَيْئًا،  
سَاعَلٌ، مَسَالَةٌ، سَوَاءٌ، خَطِيْهَةٌ، جَاءَ، رِدَاءٌ، جِيَّهَ، رَدِيْعٌ، سُوءٌ، ضُوءٌ، قَيْءٌ، ظِمْنَةٌ  
، يَسَاءُلُونَ، أَعْدَاءُكُمْ، أَعْدَائِكُمْ، أَعْدَاؤُكُمْ مَقْرُوْةٌ، مُؤْيَّبَاتٌ، تَوَامٌ، يَسَّالٌ، أَصْدِقَاءُهُ،  
يَحْيَءُ، سُوكَلٌ

### 3.2.2 Special orthographies

Some Arabic words, like *mi'a* “hundred”, have irregular orthographies. ArabX<sub>E</sub>T<sub>E</sub>X recognizes them automatically.

```
\begin{arab}[voc]
mi'aT , mi'at"An , sab'ami'"aT مِائَةٌ ، مِائَاتَانْ ، سَبْعَمِائَةٌ
\end{arab}
```

**NB:** For the time being only *mi'a* is supported, but more irregular constructs should be added in later versions.

### 3.2.3 Typesetting the Holy Qur'an

High-quality typesetting of the Holy Qur'an (الْقُرْآنُ الْكَرِيمُ) is a most complex and demanding task, which probably should be left to professional typesetters. Nevertheless, with Open Type fonts that cover the full Unicode range for the Arabic script, it is possible to achieve pretty decent results. The following examples represent my attempt to reproduce, with the font Scheherazade, the various typographic features of a typical printed edition from Saudi Arabia.

In printed Qur'ans, one frequently encounters typographical oddities that are not taken into account by Unicode, such as the *hamza* placed directly over the baseline

instead as over the *alif*. But with a T<sub>E</sub>X macro it is possible to emulate this rather well:

```
\newcommand{\hamzaB}{\char"200D\char"0640\raise-.95ex\hbox{\char"0654}\char"200D}

\begin{arab}[fullvoc]
mina 'l-qur'Ani 'l-karImi, sUraTu 'l-ssajdaTi 15--16:

'innamA yu'minu bi-\hamzaB a|"Ay___atinA 'lla_dIna 'i_dA _dukkirUA bihA
_harrUA sujjadaN wa-sabba.hUA bi-.hamdi rabbihim wa-hum lA yastakbirUna
SAJDA [[15]] tatajAfY_a junUbuhum 'ani 'l-ma.dAji'i yad'Una rabbahum
_hawfaN wa-.tama'aN wa-mimmA razaqn_ahum yunfiqUna [[16]]
\end{arab}

\begin{arab}[fullvoc]
sUraTu 'l-baqaraTi 71--72:

qAla 'innahu, yaqUlu 'innahA baqaraTuN lla_dalUluN tu_tIru 'l-'ar.da wa-lA
tasq.I 'l-.har_ta musallamaTuN lla_ ^siyaTa fIhA|^JIM qAluW" 'l-\hamzaB a___ana
ji'ta bi-'l-.haqqi|^JIM fa_daba.hUhA wa-mA kAdduW" yaf'alUna [[71]] wa-'i_d
qataltu nafsaN fa-udda$,$_ara|'_i"tum fIhA|^SLY wa-al-l1_ahu mu_hrijuN mma
kun"tum taktumUna [[72]]
\end{arab}
```

من القرآن الكريم، سورة السجدة : ١٥-١٦

إِنَّمَا يُؤْمِنُ بِيَأْتِيَنَا اللَّهُيْنِ إِذَا ذُكْرُوا بِهَا خَرُوْا سُبَّدًا وَسَبَّحُوا بِحَمْدِ رَبِّهِمْ وَهُمْ لَا يَسْتَكِيْرُونَ  
 ١٥ تَتَبَخَّافِي جُنُوْبُهُمْ عَنِ الْمَضَاجِعِ يَدْعُونَ رَبَّهُمْ حَوْفًا وَطَمَعاً وَمِمَّا رَزَقْنَهُمْ يُنْفِقُونَ  
 سورة البقرة : ٧١-٧٢

قَالَ إِنَّهُ، يَقُولُ إِنَّهَا بَقَرَةٌ لَا ذَلْوٌ تُشَيِّرُ إِلَّا لِأَرْضَ وَلَا تَسْقِي الْحَرْثَ مُسَلَّمَةٌ لَا شِيَةَ فِيهَا قَالُوا  
 أَئْنَ حِثْتَ بِالْحَقِّ فَذَبَحُوهَا وَمَا كَادُوا يَفْعَلُونَ ٧١ وَإِذْ قَتَلْتُمْ نَفْسًا فَادْرَءُتُمْ فِيهَا وَاللَّهُ مُخْرِجٌ  
 مَا كُنْتُمْ تَكْتُمُونَ ٧٢

### 3.2.4 Farsi

These are some of the Persian examples in the ArabT<sub>E</sub>X documentation, typeset with the font Simple Farsi Bold:

```
\begin{farsi}[voc]
_hwAb, xwI^s, _hwod, ^ceH, naH, yal_aH, _hAneH, _hAneHhA, _hAneH-hA,
```

```

ketAb-e, U, rAh-e, t_U, nAmeH-i, man, bInI-e, An, mard, pA-i, In,
zan, bAzU-i, In, zan, dAr-_i, man, _hU-_i, t_U, nAmeH-_i, sormeH-_i,
gofteH-_i, ketAb-I, rAh-I, nAmeH-I, dAnA-I, pArU-I, dAnA-I-keH,
pArU-I-keH, rafteH-am, rafteH-Im, AnjA-st, U-st, t_U-st, ketAb-I-st,
be-man, be-t_U, be-An, be-In, be-insAn, beU, be-U, .sA.heb" | _hAneH,
pas" | andAz, naw" | AmUz
\end{farsi}

```

خواب، خویش، خود، چم، نَ، يَلْهَ، خانِه، خانِه‌ها، کتابِ، اُو، راهِ، تو، نامِ، منِ،  
بینیِ، آنِ، مردِ، پایِ، اینِ، لَنِ، باژویِ، اینِ، لَنِ، دَارِ منِ، خُویِ، تو، نامِ، سُرمهِ،  
گفته، کتابِایِ، راهِایِ، نامِایِ، دَانَایِ، پاژویِکِه، دَانَایِکِه، رفته آمِ، رفته ایمِ،  
آنچاست، اوست، توست، کتابِیست، بمنِ، بتو، بآنِ، باینِ، بانسانِ، باؤِ،  
باوِ، صاحبِ خانِه، پسندانِ نواموزِ

### 3.2.5 Urdu

An Urdu example, typeset with Nafees Pakistani Naskh:<sup>11</sup>

```

\begin{urdu}[novoc]
,ham 'i^sq kE mAr0.n kA itnA ,hI fasAna,h ,hae
rOnE k0 na,hI.n k0'I ,ha.nsnE k0 zamAna,h ,hae

ya,h kiskA ta.sawwur ,hae ya,h kiskA fasAna,h ,hae
j0 a^sk ,hae A.nkh0.n mE.n tasbI.h kA dAnA ,hae
\end{urdu}

```

ہم عشق کے ماروں کا اتنا ہی فسانہ ہے  
روز کو نہیں کوئی ہنسنے کو زمانہ ہے  
یہ کسکا تصور ہے یہ کسکا فسانہ ہے  
جو اشک ہے آنکھوں میں تسبیح کا دانا ہے

<sup>11</sup>The example is borrowed from <http://tabish.freeshell.org/u-trans/urducode.html>

### 3.3 Special considerations

#### 3.3.1 The name of God

The glyph FDF2, defined as ‘ARABIC LIGATURE ALLAH ISOLATED FORM’ by the Unicode Consortium, is a source of great confusion. It is displayed in the Unicode Book with an initial alif and thus represents the name of God, Allāh, which in Arabic is always written as a special ligature (*i.e.*, ﷺ and not ﷲ).<sup>12</sup>

However, the majority of real-world fonts rather represent that ligature *without* the initial alif.<sup>13</sup> The confusion probably has to do with Unicode’s omission to include the ALLAH ligature without the initial alif, which is imperatively required for typesetting expressions like *al-hamdu li-llāh* ﷺ. Many fonts code the ligature ﷺ in the Private Use Area and make it accessible as a default ligature for the sequence *lām-lām-hā'*. In such a case it can be generated from the input \textarab{1|1h} (the vertical bar here tells ArabX<sub>E</sub>T<sub>E</sub>X not to interpret the sequence 11 as *lām* with *shadda*).<sup>14</sup> Besides not being a standard ArabT<sub>E</sub>X input sequence, the trouble is that there is no way to know *a priori* whether the font provides the glyph ﷺ at all, and whether it is defined as a default ligature from the above input.

To solve this problem with ArabX<sub>E</sub>T<sub>E</sub>X, we had no choice but provide two classes of font mappings, one for each of the above two categories of Arabic fonts.<sup>15</sup> By default we assume the canonical situation where U+FDF2 corresponds to ﷺ, but the user can change this by choosing one of the package options fdf2alif or fdf2noalif; it can also be changed locally by means of the commands \SetAllahWithAlif and \SetAllahWithoutAlif *before* making use of \arabicfont. In a future version we might perhaps implement a database of Arabic fonts within ArabX<sub>E</sub>T<sub>E</sub>X, so that this would work automatically in the most common cases.

---

<sup>12</sup>The glyph ﷺ is taken from the font Traditional Arabic. In Scheherazade its design is rather suboptimal: ﷲ.

<sup>13</sup>My research on Arabic fonts available or known to me yields the following picture: The fonts that do not display the initial alif in the ligature FDF2 include those provided by [Linotype](#); the great majority of those licensed to or developed by [Microsoft](#) (I could verify it for Times New Roman, Arial, Courier New, Microsoft Sans Serif, Arabic Transparent, Simplified Arabic, Simplified Arabic Fixed, WinSoft Serif Pro, Traditional Arabic, Andalus, Old Antic Bold, Old Antic Decorated and Farsi Simple Bold); the fonts distributed by [Arabeyes.org](#); SIL’s Lateef; and the fonts developed by CRULP in Pakistan. The Unicode-conformant fonts, on the other hand, are: SIL’s Scheherazade, [Adobe Arabic](#) (distributed with the [Middle-Eastern version](#) of the latest [Adobe Reader 7](#)), Arial Unicode MS, and [Arabic Typesetting](#) (distributed with VOLT and with [Microsoft Office Proofing Tools 2003](#)).

<sup>14</sup>This currently does not work with Scheharazade, but the developers are aware of the issue.

<sup>15</sup>This has the unfortunate consequence of doubling the number of mappings shipped with ArabX<sub>E</sub>T<sub>E</sub>X. But since their size is small, it is more an esthetic annoyance than a practical one.

The font Adobe Arabic has in addition the ligature *fa-li-llāh*: *fā fatḥa lām kasra lām hā'* → ﷺ, which can be entered in ArabTEX notation as \textarab{falilh}. In this particular case we also provide the input convention FALILLAH.

### 3.4 Transliteration

At the moment transliteration mappings are provided for Arabic, Persian, Urdu, Sindhi and Pashto. The rest will be provided in a forthcoming version. It is also planned to implement alternative transliteration conventions for each language, as with ArabTEX, e.g., ZDMG, Encyclopedia Iranica, etc. Transliteration is set in italics by default. This can be changed by declaring, e.g., \SetTranslitStyle{\upshape}.

\SetTranslitStyle  
 To transliterate proper nouns with capitals, prefix the words to be capitalized with \UC:

```
\begin{arab}[trans]
al-^say_h al-'Alim \UC na.sIr \UC al-dIn \UC al-.tUsI
\end{arab}
```

*al-shaykh al-‘ālim Naṣīr al-Dīn al-Ṭūsī*

Note that the article *al-* is automatically skipped. Note also that since the transliteration is coded in Unicode at the level of the font-mapping, it is necessary that the font contains all required glyphs.<sup>16</sup>

### 3.5 Typesetting critical editions with ednotes

In conjunction with bidi, the ednotes package makes it wonderfully easy to typeset critical editions of texts in Arabic script (or other RTL scripts).<sup>17</sup> The direction of each level of footnotes can be controlled by means of \SetFootnoteHook{\setRL} (or \setLR) right before the declaration \DeclareNewFootnote{X} [...]. Here is an example preamble that might be used for typesetting a critical edition with ednotes and ArabXETEX.<sup>18</sup> See the ednotes documentation for more details.<sup>19</sup>

---

<sup>16</sup>See Appendix B for a list of recommended Unicode fonts that cover the full LATIN EXTENDED ADDITIONAL plane.

<sup>17</sup>The package ledmac has not been extensively tested with bidi yet, but our initial trials were not successful.

<sup>18</sup>Of course if the edition is typed directly in UTF-8 encoding, the use of ArabXETEX is by no means compulsory. Yet see the remarks in § 2.1 above.

<sup>19</sup><http://www.ctan.org/tex-archive/macros/latex/contrib/ednotes/ednotugb.pdf>. See also [http://www.webdesign-bu.de/uwe\\_lueck/critedltx.html](http://www.webdesign-bu.de/uwe_lueck/critedltx.html).

```

\usepackage[modulo,perpage,para*]{ednotes}%this calls manyfoot.sty and lineno.sty
\usepackage{arabxetex}

% make \footnoterule of \textwidth
\makeatletter%
\renewcommand{\footnoterule}{\kern-3\p@
  \hrule width \textwidth \kern 2.6\p@}
\makeatother

\modulolinenumbers[5]
% this is to set linenumering in Arabic:
\renewcommand{\linenumberfont}{\arabicfont\addfontfeature{Mapping=arabicdigits}\tiny}

\renewcommand{\extrafootnoterule}{}
\SelectFootnoteRule[0]{extra}
\SetFootnoteHook{\unsetRL}--> must appear immediately before \DeclareNewFootnote
%% For ednotes the command \PrecedeLevelWith{X}{hook} is available
\DeclareNewFootnote{B}[fnsymbol]
\renewcommand*{\differentlines}[2]{\linesfmt{\RL{\#1-$\#2}}}
\renewcommand*{\linesfmt}[1]{\raisebox{1ex}{\linenumberfont \#1}\~{}}
\renewcommand{\lemmfmt}[1]{\#1\~{}}
%Custom macros to enter variants, additions, omissions, illegible passages,
% text above the line, marginal notes, lacunae, and restorations:
\newcommand{\VAR}[2]{\Anote{\textarab{\#1}}{\textarab{\#2}}}
\newcommand{\ADD}{\textroman{\textbf{+}}\~{} or \textarab{zAyid fI}\~{}}
\newcommand{\OM}{\textroman{\textbf{char"2013}}\~{} or \textarab{nAqi.s fI}\~{}}
\newcommand{\ILLEG}{\textarab{.gayr maqrU' fI}\~{}}
\newcommand{\BLANK}{\textarab{bayA.d fI}\~{}}
\newcommand{\SUPERLIN}{\textarab{ta.ht al-sa.tr fI}\~{}}
\newcommand{\MARG}{\textarab{bi-al-hAmi^s fI}\~{}}
\newcommand{\LACUNA}{\textroman{\textlangle~\dots~\textrangle}}
\newcommand{\RESTOR}[1]{\textroman{\textrangle}\#1\textroman{\textlangle}}
% to separate lemmas in different manuscripts:
\def\SEP{\enskip$\Vert$\enskip}

```

For a real-life example of how to use ednotes with Arab $\text{\TeX}$ , see the file `ednotes_example.tex` which comes with this package.

## 4 Tabular overview of Arab $\text{\TeX}$ encoding conventions

The table is arranged alphabetically following the most significant letter of the ASCII input code. Color convention: red means that the glyph is the default for the given

input code, and that it is available in all languages except those where different glyphs are shown (in black). That default glyph is also displayed in light gray under each language in which it is featured. Glyphs in blue are archaic forms (*e.g.*, old Urdu). An asterisk after the Unicode number means that the character was not available with ArabTEX. Green glyphs are special: either they are used to represent defective writing or they provide characters for other languages. Those shown in the column for Arabic are available by default. See the relevant notes at the end.

code	ar	fa	ur	ps	sd	tr	ku	ks	ms	ug
a	أ 064E						أ/ئ			
A	أ 0627						أ/ئ			
.a								ء 0654		
.A								ء 0672		
_a	ـ 0670									
_A	ـ 0670									
:a									ء 0682*	
b	ب 0628	ب	ب	ب	ب	ب	ب	ب	ب	ب
B	ب 0640									
.b	ب 066E					ب 067B				
:b						ب 0680				
bh						خ 0681	خ 062C			
c				خ 0685		خ 0686	خ 0686			
,c						خ 0686				
^c	ڦ 0686	ڦ 0686								
^ch						ڦ 0687				
:c						ڦ 0687				

code	ar	fa	ur	ps	sd	tr	ku	ks	ms	ug
.^c	چ 068F*									
d	د 062F	د	د	د	د	د	د	د	د	د
.d	ض 0636	ض	ض	ض	ض	ض	ض	ض	ض	ض
,d			ڏ 0688	ڙ 0689	ڙ 068A					
.,d			ڙ 068B*	a						
^d	ڌ 06EE*				ڌ 068E*					
_d	ڏ 0630	ڏ	ڏ	ڏ	ڏ	ڏ	ڏ	ڏ	ڏ	ڏ
:d					ڏ 068F					
::d			ڏ 0690*							
dh					ڏ 068C					
,dh					ڏ 068D					
e	ء 0659	ء	ء	-	-		ء/ئ 0602+0658			ء 0600
E	ء 06D2	ء	ء	ـ 06D0	ـ		ئ/ء 06D2			
ee				ـ 06CD	ـ					
ae	ي 0641	ي	ـ	ـ 06CD	ـ					
Ee										
_e		ـ					عه			
'e										
'E			ـ 06D3							
f	ف 0641	ف	ف	ف	ف	ف	ف	ف	ف	ف
.f	ف 06A1									

code	ar	fa	ur	ps	sd	tr	ku	ks	ms	ug
g		گ 06AF	گ	گ	گ	گ	گ	گ		گ
G				گ 06AB						
.g	غ 063A	غ	غ	غ	غ	غ	غ	غ	غ	غ
:g					گ 06B3					
.:g					گ 06B4*					
,g	ك b 06AC									
^g	ج 062C	ج	ج	ج	ج	غ 06A0	غ 063A	ج	غ 06A0	غ 063A
gh					گه					
h	ه 0647	ه	ه 06BE	ه	ه	ه	ه	ه	ه	ه
H		ه 0647	ه 06C3	ه 0647						
.h	ح 062D	ح	ح	ح	ح	ح	ح	ح	ح	ح
,h			ه 06C1				ه			
_h	خ 062E	خ	خ	خ	خ	خ	خ	خ	خ	خ
i	ي 0650									ي 066E
I	ي 064A	ي 06CC	ي	ي	ي	ي	ئي اي	ي	ي	ي
.I	ي 06CC*									
_i	ـ 0656									
j	ج 062C	ج	ج	ج	ج	ڙ 0698	ڙ 0698	ج	ج	ج
:j					چ 0684					
jh					چ 06A9					
k	ك 0643	ك	ك	ك	ك 06AA	ك	ك	ك	ك	ك

code	ar	fa	ur	ps	sd	tr	ku	ks	ms	ug
.k	ك 06A9					ق 0642				
_k	غ 063A									
kh					ك					
l	ل 0644	ل	ل	ل	ل	ل	ل	ل	ل	ل
.l									ل 06B6*	
^l									ل 06B5	
m	م 0645	م	م	م	م	م	م	م	م	م
.mIN						ه 06FE				
' IN						ئ 06FD				
n	ن 0646	ن	ن	ن	ن	ن	ن	ن	ن	ن
aN	ڭ 064B									
uN	ۈ 064C									
iN	ې 064D									
.n			ر 06BA							
.n						ي 06B2*				
,n				ن 06BC		ئ 06BB				
^n						چ 0683				
:n						ئى 06B1				
o		و		و 0657			ئۇ/ئۇ		ئۇ 06C6	
o		و	و	و			ئۇ/ئۇ	ئۇ		
ao			و		و					

code	ar	fa	ur	ps	sd	tr	ku	ks	ms	ug
.0								ڭ 06C4		
.0							ڭ			
-0		ـ								
-0		ـ								
:0										ئۇڭ 06C6
:0		غ 06FC								
p		پ 067E	پ	پ	پ	پ	پ	پ	پ	پ
ph					ف 06A6					
q	ق 0642	ق	ق	ق	ق	ق	ق	ق	ق	ق
.q	ڧ 066F									
r	ر 0631	ر	ر	ر	ر	ر	ر	ر	ر	ر
.r	ڙ 0694*						ڙ 0695			
,r			ڙ 0691	ڙ 0693	ڙ 0699			ڙ 0694*		
^r	ڇ 06EF*							ڇ 0692*		
:r	ڙ c 0697*									
s	س 0633	س	س	س	س	س	س	س	س	س
.s	ص 0635	ص	ص	ص	ص	ص	ص	ص	ص	ص
,s				ښ 069A		ش 0634				
^s	ش 0634	ش	ش	ش	ش	ش	ش	ش	ش	ش
-s					ث 0628					
:s	ڱ 069B									

code	ar	fa	ur	ps	sd	tr	ku	ks	ms	ug
t	ت 062A	ت	ت	ت	ت	ت	ت	ت	ت	ت
T	ة 062A							ة		
.t	ط 0637	ط	ط	ط	ط	ط	ط	ط	ط	ط
,t	ث 0679		ث 0679	ث 067C	ث 067D					
_t	ش 062B	ش	ش		ش 067F	ش	ش	ش	ش	ش
th					ث 067A					
,th										
u	ء 064F	ء	ء	ء	ء	ء	ء	ء	ء	ء 06C7
U	ئ 0629	ئ	ئ	ئ	ئ	ئ	ئ	ئ	ئ	ئ 0648+0657
.u								ع 0655		
.U								ع 0673		
_u	ئ 0657									
:u										ئ 06C8
:U	و 06C7 d									
v	ف 06A4 e								ف 06CF	
w	و 0648	و	و	و	و	و	و	و	و	و 06CB
W	وا 0629*									
^w	ق 06C9*									
:w	ق 06CA*									
x	خ 062E	خ	خ	خ	خ	خ	خ	خ	خ	خ
y	ي 064A	ي 06CC	ي	ي	ي	ي	ي	ي	ي	ي

code	ar	fa	ur	ps	sd	tr	ku	ks	ms	ug
Y	ي 0649									
.y								ـ		
z	ز 0632	ز	ز	ز	ز	ز	ز	ز	ز	ز
.z	ظ 0638	ظ	ظ	ظ	ظ	ظ	ظ	ظ	ظ	ظ
,z				ڙ 0696		ڙ 0636				
^z		ڙ 0698	ڙ	ڙ			ڙ			ڙ
_z	ڏ 0630 f									
:z								ڦ 0636		
'	ء 0621	ء	ء	ء	ء	ء	ء	ء	ء	ء
'	ع 0639	ع	ع	ع	ع	ع	ع	ع	ع	ع

<sup>a</sup> For Western Punjabi (Lahnda).

<sup>b</sup> Alternative form of گ in Malay.

<sup>c</sup> For Dargwa (language of Dagestan).

<sup>d</sup> For Kirgiz (and Uighur).

<sup>e</sup> To transliterate dialects and foreign words.

<sup>f</sup> Alternative to \_d.

Maghribi Arabic is identical to Arabic except for the three letters f, q and v which yield the glyphs ب (U+06A2), ف (U+06A7), and پ (U+06A5), respectively.

## 5 Unicode-Encoding concordance

060B	ڻ	060F	ڦ
060C	،	0610	
060D	ـ	0611	
060E	ــ	0612	

0613	ـ		0636	ض	.d
0614	ـ		0637	ط	.t
0615	ـ		0638	ظ	.z
061B	؟	;	0639	ع	'
061E	ـ	::/DOTS	063A	غ	.g
061F	؟	?	0640	-	B
0621	ء	'' or context	0641	ف	f
0622	ـ	A'' or context	0642	ق	q
0623	ـ	a'' or context	0643	ك	k
0624	ـ	w'' or context	0644	ل	l
0625	ـ	i'' or context	0645	م	m
0626	ـ	y'' or context	0646	ن	n
0627	ـ	A	0647	ه	h
0628	ـ	b	0648	و	w
0629	ـ	T	0649	ى	Y
062A	ـ	t	064A	ي	y
062B	ـ	_t	064B	ـ	aN
062C	ـ	^g/j	064C	ـ	uN
062D	ـ	.h	064D	ـ	iN
062E	ـ	_h/x	064E	ـ	a
062F	ـ	d	064F	ـ	u
0630	ـ	_d	0650	ـ	i
0631	ـ	r	0651	ـ	
0632	ـ	z	0652	ـ	" after a consonant or °
0633	ـ	s	0653	ـ	^U
0634	ـ	^s	0654	ـ	'B
0635	ـ	.s	0655	ـ	.u kashmiri

0656	‘	I <i>kashmiri</i>	0671	ا	<i>automatic</i>
0657	‘	o <i>pashto</i>	0672	ا	.A <i>kashmiri</i>
0658	ـ	see <i>kashmiri e</i>	0673	ا	.U <i>kashmiri</i>
0659	-	e <i>pashto</i>	0674	ء	
065A	ـ		0675	ا	
065B	ـ		0676	ؤ	
065C	.		0677	ڻ	
065D	ـ		0678	ئ	
065E	ـ		0679	ڦ	,t
0660	.	o	067A	ڦ	,th
0661	ـ	1	067B	ٻ	:b
0662	ـ	2	067C	ڦ	,t
0663	ـ	3	067D	ڦ	,t
0664	ـ	4	067E	ٻ	p
0665	ـ	5	067F	ڦ	th
0666	ـ	6	0680	ڦ	bh
0667	ـ	7	0681	ڙ	c
0668	ـ	8	0682	ڙ	:c
0669	ـ	9	0683	ڙ	^n
066A	ـ.	\^A	0684	ڙ	:j
%			0685	ڙ	,c
066B	,		0686	ڙ	^c, c <i>malay</i>
066C	,	,	0687	ڙ	^ch <i>sindhi</i>
066D	★	*	0688	ڏ	,d
066E	ـ	.b, i <i>uighur</i>	0689	ڏ	,d <i>pashto</i>
066F	ـ	.f	068A	ڏ	,d <i>sindhi</i>
0670	ـ	_a	068B	ڏ	.,d

068C	ڏ	dh <i>sindhi</i>	06A7	ڻ	q
068D	ڇ	, dh <i>sindhi</i>	06A8	ڦ	p
068E	ڙ	^d <i>sindhi</i>	06A9	ڪ	.k
068F	ڙ	:d	06AA	ڪ	k
0690	ڙ	::d <i>urdu</i>	06AB	ڱ	G
0691	ڙ	, r	06AC	ڱ	,g
0692	ڙ	^r <i>kurdish</i>	06AD	ڱ	^n
0693	ڙ	, r <i>pashto</i>	06AE	ڱ	
0694	ڙ	.r, , r <i>kurdish</i>	06AF	ڱ	g
0695	ڙ	.r <i>kurdish</i>	06B0	ڱ	
0696	ڙ	, z	06B1	ڱ	:n
0697	ڙ	:r	06B2	ڱ	..n <i>sindhi</i>
0698	ڙ	^z, j <i>ottoman</i>	06B3	ڱ	:g
0699	ڙ	:s	06B4	ڱ	..:g <i>sindhi</i>
069A	ڻ	, s	06B5	ڙ	^l
069B	ڻ	:s	06B6	ڙ	.l
069C	ڻ		06B7	ڻ	
069D	ڻ		06B8	ڻ	
069E	ڻ		06B9	ڻ	
069F	ڻ		06BA	ڻ	.n
06A0	ڻ	^g <i>ottoman+malay</i>	06BB	ڻ	, n <i>sindhi</i>
06A1	ڻ	.f	06BC	ڻ	, n
06A2	ڻ	f	06BD	ڻ	^n <i>malay</i>
06A3	ڻ		06BE	ڻ	h <i>urdu</i>
06A4	ڻ	v, p <i>malay</i>	06BF	ڻ	.^c
06A5	ڻ	v <i>maghrabi</i>	06C0	ڻ	h'' ' or context
06A6	ڻ	ph <i>sindhi</i>	06C1	ڻ	, h

06C2	ه	H- (+ <i>ezafe</i> ) <sup>20</sup> <i>urdu</i>	06DC	ػ	^SIN
06C3	ۀ	H <i>urdu</i>	06DD	۽	[[<digits>]]
06C4	و	.o <i>kashmiri</i>	06DE	۽	HIZB
06C5	ۊ		06DF	۔	CIRCZERO
06C6	ڙ	o <i>kashmiri</i> , :o <i>uighur</i>	06E0	۔	RECTZERO
06C7	ڙ	:U, u <i>uighur</i>	06E1	۽	^JAZM
06C8	ڣ	:u <i>uighur</i>	06E2	ڦ	^MIM
06C9	ڻ	^W	06E3	ڻ	_SIN
06CA	ڦ	:W	06E4	ڦ	^MADDA
06CB	ڦ	w <i>uighur</i>	06E5	،	WAW
06CC	ڻ	y/I <i>farsi</i> , etc., .I <i>arabic, sindhi, malay</i>	06E6	ڻ	YEH
			06E7	ڻ	^YEH
06CD	ڻ	Ee <i>pashto</i>	06E8	ڻ	^NUN
06CE	ڻ		06E9	۾	SAJDA
06CF	ڻ	v <i>malay</i>	06EA	ڻ	_STOP
06D0	ڻ	E <i>pashto</i> , e <i>uighur</i>	06EB	ڻ	^STOP
06D1	ڻ		06EC	۔	^RSTOP
06D2	ڻ	E <i>urdu+kashmiri</i>	06ED	ڻ	_MIM
06D3	ڻ	'E <i>urdu</i>	06EE	ڻ	^d
06D4	-	.. <i>urdu</i>	06EF	ڻ	^r
06D5	ڻ		06F0	ڻ	0 <i>persian, urdu, etc.</i>
06D6	ڻ	^SLY	06F1	ڻ	1 <i>persian, urdu, etc.</i>
06D7	ڻ	^QLY	06F2	ڻ	2 <i>persian, urdu, etc.</i>
06D8	ڻ	^MIM	06F3	ڻ	3 <i>persian, urdu, etc.</i>
06D9	ڻ	^LA	06F4	ڻ	4 <i>persian, urdu, etc.</i>
06DA	ڻ	^JIM	06F5	ڻ	5 <i>persian, urdu, etc.</i>
06DB	ڻ	^DOTS	06F6	ڻ	6 <i>persian, urdu, etc.</i>

06F7	ڦ	7 <i>persian, urdu, etc.</i>	0761	ڦ
06F8	ڦ	8 <i>persian, urdu, etc.</i>	0762	ڱ
06F9	ڻ	9 <i>persian, urdu, etc.</i>	0763	ڱ
06FA	ڦ		0764	ڳ
06FB	ڙ		0765	ڙ
06FC	ڦ	:0	0766	ڙ
06FD	ڻ	.   IN <i>sindhi</i>	0767	ڻ
06FE	ڻ	. MIN <i>sindhi</i>	0768	ڻ
06FF	ڦ		0769	ڦ
<b>Arabic Supplement</b>			076A	ڽ
0750	ڦ		076B	ڙ
0751	ڦ		076C	ڙ
0752	ڦ		076D	ڦ
0753	ڦ		<b>Presentation Forms *</b>	
0754	ڦ		FD3E	۽ ) )
0755	ڦ		FD3F	۽ ( (
0756	ڦ		FDF0	صل
0757	ڦ		FDF1	قل
0758	ڦ		FDF2	الله
0759	ڦ		FDF3	اکبر
075A	ڦ		FDF4	محمد
075B	ڦ		FDF5	صلعم
075C	ڦ		FDF6	رسول
075D	ڦ		FDF7	عليه
075E	ڦ		FDF8	وسلم
075F	ڦ		FDF9	صلی
0760	ڦ		FDFA	صلی اللہ علیہ وسالم

FDFB		JALLA		ll_ah or LLAH **
FDFA		RIYAL		FALILLAH ***
FDFD		BASMALA		

### Non-Unicode Ligatures

#### *Notes*

\* Since most of these glyphs are not present in Scheherazade (and, with a few exceptions, are very rarely featured in other fonts), for illustration purposes we have taken FDF0, FDF1, FDF3–FDF9 and FDFB from Arial Unicode MS, FDFA from Adobe Arabic, and FDFD from AGA Arabesque.

\*\* See § 3.3.1

\*\*\* Specific to the font Adobe Arabic

## A Notes on available free and commercial fonts for the Perso-Arabic script

TO BE COMPLETED

- ‘Scheherazade’ and ‘Lateef’ from SIL
- ‘Adobe Arabic’
- Free fonts from [Arabeyes.org](#)
- ...
- Arabic fonts on Mac OS X: ‘Geeza Pro’, ‘DecoType Naskh’, ...more?  
→ **Help needed to test those fonts!**
- ‘Arabic Typesetting’ and other Arabic fonts licensed to Microsoft
- Commercial fonts by vendors:
  - Linotype GmbH: ...
  - AGFA Monotype: ...
  - ParaType: ...
  - ...

## B Recommended Unicode fonts for transliterating Oriental languages

Here follows a list of open source and freeware fonts with full LATIN EXTENDED ADDITIONAL coverage.<sup>21</sup>

- Gentium, Doulos, Charis: <http://scripts.sil.org/FontDownloads>
- Junicode: <http://junicode.sourceforge.net/>
- jGaramond: <http://www.janthon.de/jGaramond/>
- LinuxLibertine: <http://linuxlibertine.sourceforge.net/>
- Roman Unicode: <http://everywitchway.net/linguistics/fonts/roman.html>
- Chrisanthi Unicode: <http://everywitchway.net/linguistics/fonts/chrysuni.html>
- DejaVu Serif / Sans / Sans Mono: [http://dejavu.sourceforge.net/wiki/index.php/Main\\_Page](http://dejavu.sourceforge.net/wiki/index.php/Main_Page)
- Lucida Grande: Mac OS X
- FreeSerif / FreeSans / FreeMono: <http://savannah.nongnu.org/projects/freefont/>
- Thryomanes: <ftp://ftp.io.com/pub/usr/hmiller/fonts/Thryomanes12.zip>
- HindSight Unicode (not very nice): <http://dartcanada.tripod.com/Objets/Zips/HindUnic.zip>
- TITUS Cyberbit Basic: <http://titus.fkidg1.uni-frankfurt.de/unicode/tituut.asp>
- AbRoman: <http://www.languagegeek.com/font/fontdownload.html>
- Everson Mono Unicode (shareware): <http://www.evertype.com/emono/>
- Arial Unicode MS: Windows
- Microsoft Sans Serif: Windows

---

<sup>21</sup>See this [webpage](#) for more details.

- Garava: <http://www.aimwell.org/Fonts/fonts.html>
- Verajja (based on Bitstream Vera Sans, so very similar to DejaVu Sans): <http://www.aimwell.org/Fonts/fonts.html>
- Legendum: <http://home.kabelfoon.nl/~slam/fonts/fonts.html>
- Code2000 (shareware): <http://www.code2000.net>

## C Implementation

```

1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesPackage{arabxetex}
3   [2007/05/10 v1.1 ArabTeX-like interface for XeTeX]
4 %
5 \DeclareOption{fullvoc}{\def\ax@mode{fullvoc}}
6 \DeclareOption{voc}{\def\ax@mode{voc}}
7 \DeclareOption{novoc}{\def\ax@mode{novoc}}
8 \DeclareOption{trans}{\def\ax@mode{trans}}
9 \DeclareOption{utf}{\def\ax@mode{utf}}
10 \DeclareOption{fdf2alif}{\def\ax@font@allah{fdf2alif}}
11 \DeclareOption{fdf2noalif}{\def\ax@font@allah{fdf2noalif}}
12 \ExecuteOptions{novoc,fdf2alif}
13 \ProcessOptions
14 \def\ax@mode@fullvoc{fullvoc}
15 \def\ax@mode@voc{voc}
16 \def\ax@mode@novoc{novoc}
17 \def\ax@mode@trans{trans}
18 \def\ax@mode@utf{utf}
19 \newif\ifax@mode@defined
20 \def\ax@ismode@defined#1{%
21 \ifcsname ax@mode@#1\endcsname%
22 \ax@mode@definedtrue%
23 \else%
24 \ax@mode@definedfalse%
25 \fi}
26 \def\ax@lang{arab}%default language (for macros like \aemph)
27 \RequirePackage{bidi}
28 \RequirePackage{amsmath}%because of macro \overline used in \aemph
29 \RequirePackage{fontspec}
30 \AtBeginDocument{\ifdef\arabicfont\relax\else%
31 \PackageWarning{arabxetex}{\arabicfont is not defined! I will try to load Scheherazade}%
32 \newfontfamily\arabicfont[Script=Arabic,Scale=2]{Scheherazade}\fi
33 }%
34 \def\ax@trans@style{\itshape}%

```

```

35 \newcommand{\SetTranslitStyle}[1]{\def\ax@trans@style{#1}}
36 \newcommand{\SetAllahWithAlif}{\def\ax@font@allah{fdf2alif}}
37 \newcommand{\SetAllahWithoutAlif}{\def\ax@font@allah{fdf2noalif}}
38 \def\arabtex@codes{\catcode`^=11\relax\catcode`_=11\relax}
39 \def\UC{\char"E000} % This is used to capitalize the following letter (ignoring
40      % article al-) in transliteration mode
41 %%Font setup
42 \def\ax@farsi@font{\ifdefined\farsifont\farsifont\else\arabicfont\fi}
43 \def\ax@urdu@font{\ifdefined\urdufont\urdufont\else\arabicfont\fi}
44 \def\ax@pashto@font{\ifdefined\pashtofont\pashtofont\else\arabicfont\fi}
45 \def\ax@maghribi@font{\ifdefined\maghribifont\maghribifont\else\arabicfont\fi}
46 \def\ax@sindhi@font{\ifdefined\sindhifont\sindhifont\else\arabicfont\fi}
47 \def\ax@kashmiri@font{\ifdefined\kashmirifont\kashmirifont\else\arabicfont\fi}
48 \def\ax@ottoman@font{\ifdefined\ottomanfont\ottomanfont\else\arabicfont\fi}
49 \def\ax@kurkish@font{\ifdefined\kurkishfont\kurkishfont\else\arabicfont\fi}
50 \def\ax@malay@font{\ifdefined\malayfont\malayfont\else\arabicfont\fi}
51 \def\ax@uighur@font{\ifdefined\uighurfont\uighurfont\else\arabicfont\fi}
52 \def\ax@urdu@font{\ifdefined\urdufont\urdufont\else\arabicfont\fi}
53
54 \newenvironment{arab}[1][\ax@mode]{%
55 {\edef\@tempa{#1}%
56 \def\ax@lang{arab}%
57 \ax@ismode@defined{\@tempa}%
58 \ifax@mode@defined%
59 \ifx\@tempa\ax@mode@trans%
60 \par\arabtex@codes\ax@trans@style%
61 \addfontfeature{Mapping=arabtex-trans}%
62 \else%
63 \ifx\@tempa\ax@mode@utf%
64 \par\setRL\arabicfont\addfontfeature{Mapping=arabicfixes}%
65 \else%
66 \par\setRL\arabicfont\arabtex@codes%
67 \addfontfeature{Mapping=arabtex-\ax@font@allah-\@tempa}%
68 \fi\fi%
69 \else%
70 \PackageWarning{arabtex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
71 \par\setRL\arabicfont\arabtex@codes%
72 \addfontfeature{Mapping=arabtex-\ax@font@allah-\ax@mode}%
73 \fi}%
74 {\ifx\@tempa\ax@mode@trans\relax\else\unsetRL\fi\par}%
75 \let\Arabic=\arab%
76 %%
```

```

77 \newenvironment{maghribi}[1][\ax@mode]%
78 {\edef\@tempa{\#1}%
79 \def\ax@lang{maghribi}%
80 \ax@ismode@defined{\@tempa}%
81 \ifax@mode@defined%
82 \ifx\@tempa\ax@mode@trans%
83 \par\arabtex@codes\ax@trans@style%
84 \addfontfeature{Mapping=arabtex-trans}%
85 \else%
86 \ifx\@tempa\ax@mode@utf%
87 \par\setRL\ax@maghribi@font\addfontfeature{Mapping=arabicfixes}%
88 \else%
89 \par\setRL\ax@maghribi@font\arabtex@codes%
90 \addfontfeature{Mapping=arabtex-\ax@font@allah-maghribi-\@tempa}%
91 \fi\fi%
92 \else%
93 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
94 \par\setRL\ax@maghribi@font\arabtex@codes%
95 \addfontfeature{Mapping=arabtex-\ax@font@allah-maghribi-\ax@mode}%
96 \fi}%
97 {\ifx\@tempa\ax@mode@trans\relax\else\unsetRL\fi\par}%
98 %%%
99 \newenvironment{farsi}[1][\ax@mode]%
100 {\edef\@tempa{\#1}%
101 \def\ax@lang{farsi}%
102 \ax@ismode@defined{\@tempa}%
103 \ifax@mode@defined%
104 \ifx\@tempa\ax@mode@trans%
105 \par\arabtex@codes\ax@trans@style%
106 \addfontfeature{Mapping=arabtex-farsi-trans}%
107 \else%
108 \ifx\@tempa\ax@mode@utf%
109 \par\setRL\ax@farsi@font\addfontfeature{Mapping=arabicfixes}%
110 \else%
111 \par\setRL\ax@farsi@font\arabtex@codes%
112 \addfontfeature{Mapping=arabtex-\ax@font@allah-farsi-\@tempa}%
113 \fi\fi%
114 \else%
115 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
116 \par\setRL\ax@farsi@font\arabtex@codes%
117 \addfontfeature{Mapping=arabtex-\ax@font@allah-farsi-\ax@mode}%
118 \fi}%
119 {\ifx\@tempa\ax@mode@trans\relax\else\unsetRL\fi\par}

```

```

120 \let\persian=\farsi
121 %%
122 \newenvironment{urdu}[1][\ax@mode]{%
123 {\edef\@tempa{\#1}%
124 \def\ax@lang{urdu}%
125 \ax@ismode@defined{\@tempa}%
126 \ifax@mode@defined%
127 \ifx\@tempa\ax@mode@trans%
128 \par\arabtex@codes\ax@trans@style%
129 \addfontfeature{Mapping=arabtex-urdu-trans}%
130 \else%
131 \ifx\@tempa\ax@mode@utf%
132 \par\setRL\ax@urdu@font\addfontfeature{Language=Urdu}%Mapping=arabtex-utf}%
133 \else%
134 \par\setRL\ax@urdu@font\arabtex@codes%
135 \addfontfeature{Mapping=arabtex-\ax@font@allah-urdu-\@tempa}%
136 \fi\fi%
137 \else%
138 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
139 \par\setRL\ax@urdu@font\arabtex@codes%
140 \addfontfeature{Mapping=arabtex-\ax@font@allah-urdu-\ax@mode}%
141 \fi}
142 {\ifx\@tempa\ax@mode@trans\relax\else\unsetRL\fi\par}
143 %%
144 \newenvironment{pashto}[1][\ax@mode]{%
145 {\edef\@tempa{\#1}%
146 \def\ax@lang{pashto}%
147 \ax@ismode@defined{\@tempa}%
148 \ifax@mode@defined%
149 \ifx\@tempa\ax@mode@trans%
150 \par\arabtex@codes\ax@trans@style%
151 \addfontfeature{Mapping=arabtex-pashto-trans}%
152 \else%
153 \ifx\@tempa\ax@mode@utf%
154 \par\setRL\ax@pashto@font\addfontfeature{Mapping=arabicfixes}%
155 \else%
156 \par\setRL\ax@pashto@font\arabtex@codes%
157 \addfontfeature{Mapping=arabtex-\ax@font@allah-pashto-\@tempa}%
158 \fi\fi%
159 \else%
160 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
161 \par\setRL\ax@pashto@font\arabtex@codes%
162 \addfontfeature{Mapping=arabtex-\ax@font@allah-pashto-\ax@mode}%

```

```

163 \fi}
164 {\ifx\@tempa\ax@mode@trans\relax\else\unsetRL\fi\par}
165 %%%
166 \newenvironment{sindhi}[1][\ax@mode]{%
167 {\edef\@tempa{#1}%
168 \def\ax@lang{sindhi}%
169 \ax@ismode@defined{\@tempa}%
170 \ifax@mode@defined{%
171 \ifx\@tempa\ax@mode@trans{%
172 \par\arabtex@codes\ax@trans@style{%
173 \addfontfeature{Mapping=arabtex-sindhi-trans}%
174 }%
175 \ifx\@tempa\ax@mode@utf{%
176 \par\setRL\ax@sindhi@font\addfontfeature{Language=Sindhi}%Mapping=arabtex-utf}%
177 }%
178 \par\setRL\ax@sindhi@font\arabtex@codes{%
179 \addfontfeature{Mapping=arabtex-\ax@font@allah-sindhi-\@tempa,Language=Sindhi}%
180 \fi\fi}%
181 }%
182 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
183 \par\setRL\ax@sindhi@font\arabtex@codes{%
184 \addfontfeature{Mapping=arabtex-\ax@font@allah-sindhi-\ax@mode,Language=Sindhi}%
185 \fi}%
186 {\ifx\@tempa\ax@mode@trans\relax\else\unsetRL\fi\par}
187 %%%
188 \newenvironment{ottoman}[1][\ax@mode]{%
189 {\edef\@tempa{#1}%
190 \def\ax@lang{ottoman}%
191 \ax@ismode@defined{\@tempa}%
192 \ifax@mode@defined{%
193 \% \ifx\@tempa\ax@mode@trans{%
194 \% \par\arabtex@codes\ax@trans@style{%
195 \% \addfontfeature{Mapping=arabtex-turk-trans}%
196 \% }%
197 \ifx\@tempa\ax@mode@utf{%
198 \par\setRL\ax@ottoman@font\addfontfeature{Mapping=arabicfixes}%
199 }%
200 \par\setRL\ax@ottoman@font\arabtex@codes{%
201 \addfontfeature{Mapping=arabtex-\ax@font@allah-turk-\@tempa}%
202 \fi\% \fi}%
203 }%
204 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
205 \par\setRL\ax@ottoman@font\arabtex@codes{%

```

```

206 \addfontfeature{Mapping=arabtex-\ax@font@allah-turk-\ax@mode}%
207 \fi}
208 {%\ifx\@tempa\ax@mode@trans\relax\else
209 \unsetRL%\fi
210 \par}
211 \let\turk=\ottoman
212 %%%
213 \newenvironment{kurdish}[1][]
214 {\def\ax@lang{kurdish}%
215 %\edef\@tempa{\#1}%
216 %\ifx\@tempa\ax@mode@trans%
217 % \par\arabtex@codes\ax@trans@style%
218 % \addfontfeature{Mapping=arabtex-kurdish-trans}%
219 %\else%
220 \ifx\@tempa\ax@mode@utf%
221 \par\setRL\ax@kurdish@font\addfontfeature{Language=Kurdish}%Mapping=arabtex-
222   utf}%
223 \else%
224 \par\setRL\ax@kurdish@font\arabtex@codes%
225 \addfontfeature{Mapping=arabtex-\ax@font@allah-kurdish,Language=Kurdish}%
226 \fi}
227 {%\ifx\@tempa\ax@mode@trans\relax\else
228 \unsetRL%\fi
229 \par}
230 %%%
231 \newenvironment{kashmiri}[1][\ax@mode]%
232 {\edef\@tempa{\#1}%
233 \def\ax@lang{kashmiri}%
234 \ax@ismode@defined{\@tempa}%
235 \ifax@mode@defined%
236 %\ifx\@tempa\ax@mode@trans%
237 % \par\arabtex@codes\ax@trans@style%
238 % \addfontfeature{Mapping=arabtex-\ax@font@allah-kashmiri-trans}%
239 \else%
240 \ifx\@tempa\ax@mode@utf%
241 \par\setRL\ax@kashmiri@font\addfontfeature{Mapping=arabicfixes}%
242 \else%
243 \par\setRL\ax@kashmiri@font\arabtex@codes%
244 \addfontfeature{Mapping=arabtex-\ax@font@allah-kashmiri-\@tempa}%
245 \fi%\fi%
246 \else%
247 \PackageWarning{arabtex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%

```

```

248 \addfontfeature{Mapping=arabtex-\ax@font@allah-kashmiri-\ax@mode}%
249 \fi}
250 {%\ifx\@tempa\ax@mode@trans\relax\else
251 \unsetRL%\fi
252 \par}
253 %%
254 \newenvironment{malay}[1][\ax@mode]%
255 {\edef\@tempa{\#1}%
256 \def\ax@lang{malay}%
257 \ax@ismode@defined{\@tempa}%
258 \ifax@mode@defined%
259 %\ifx\@tempa\ax@mode@trans%
260 % \par\arabtex@codes\ax@trans@style%
261 % \addfontfeature{Mapping=arabtex-malay-trans}%
262 %\else%
263 \ifx\@tempa\ax@mode@utf%
264 \par\setRL\ax@malay@font\addfontfeature{Mapping=arabicfixes}%
265 \else%
266 \par\setRL\ax@malay@font\arabtex@codes%
267 \addfontfeature{Mapping=arabtex-\ax@font@allah-malay-\@tempa}%
268 \fi%\fi%
269 \else%
270 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
271 \par\setRL\ax@malay@font\arabtex@codes%
272 \addfontfeature{Mapping=arabtex-\ax@font@allah-malay-\ax@mode}%
273 \fi}
274 {%\ifx\@tempa\ax@mode@trans\relax\else
275 \unsetRL%\fi
276 \par}
277 \let\jawi=\malay
278 %%
279 \newenvironment{uighur}[1]%
280 {\edef\@tempa{\#1}%
281 \def\ax@lang{uighur}%
282 %\ifx\@tempa\ax@mode@trans%
283 % \par\arabtex@codes\ax@trans@style%
284 % \addfontfeature{Mapping=arabtex-uighur-trans}%
285 %\else%
286 \ifx\@tempa\ax@mode@utf%
287 \par\setRL\ax@uighur@font\addfontfeature{Mapping=arabicfixes}%
288 \else%
289 \par\setRL\ax@uighur@font\arabtex@codes%
290 \addfontfeature{Mapping=arabtex-\ax@font@allah-uighur}%

```

```

291 \fi}
292 {%\ifx\@tempa\ax@mode@trans\relax\else
293 \unsetRL\fi
294 \par}
295 %%%
296 \def\textarab{\bgroup\arabtex@codes{text@arab}}
297 \let\textarabic=\textarab
298 \def\textmaghribi{\bgroup\arabtex@codes{text@maghribi}}
299 \def\textfarsi{\bgroup\arabtex@codes{text@farsi}}
300 \let\textpersian=\textfarsi
301 \def\texturdu{\bgroup\arabtex@codes{text@urdu}}
302 \def\textsindhi{\bgroup\arabtex@codes{text@sindhi}}
303 \def\textpashto{\bgroup\arabtex@codes{text@pashto}}
304 \def\textottoman{\bgroup\arabtex@codes{text@ottoman}}
305 \let\textturk=\textottoman
306 \def\textkurdish{\bgroup\arabtex@codes{text@kurkish}}
307 \def\textkashmiri{\bgroup\arabtex@codes{text@kashmiri}}
308 \def\textmalay{\bgroup\arabtex@codes{text@malay}}
309 \let\textjawi=\textmalay
310 \def\textuighur{\bgroup\arabtex@codes{text@uighur}}
311 \newcommand{text@arab}[2][\ax@mode]{%
312 \edef\@tempa{#1}%
313 \def\ax@lang{arab}%
314 \ax@ismode@defined{\@tempa}%
315 \ifax@mode@defined%
316 \ifx\@tempa\ax@mode@trans%
317 {\ax@trans@style\addfontfeature{Mapping=arabtex-trans}\#2}%
318 \else%
319 \ifx\@tempa\ax@mode@utf%
320 \RL{\arabicfont\addfontfeature{Mapping=arabicfixes} #2}%
321 \else%
322 \RL{\arabicfont\addfontfeature{Mapping=arabtex-\ax@font@allah-\@tempa}\#2}%
323 \fi\fi
324 \else%
325 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
326 \RL{\arabicfont\addfontfeature{Mapping=arabtex-\ax@font@allah-\ax@mode}\#2}%
327 \fi\egroup}
328 \newcommand{text@maghribi}[2][\ax@mode]{%
329 \edef\@tempa{#1}%
330 \def\ax@lang{maghribi}%
331 \ax@ismode@defined{\@tempa}%
332 \ifax@mode@defined%
333 \ifx\@tempa\ax@mode@trans%

```

```

334 {\ax@trans@style\addfontfeature{Mapping=arabtex-trans}#2}%
335 \else%
336 \ifx\@tempa\ax@mode@utf%
337 \RL{\ax@maghribi@font\addfontfeature{Mapping=arabicfixes} #2}%evtl {Mapping=arabtex-
    utf}%
338 \else%
339 \RL{\ax@maghribi@font%
340 \addfontfeature{Mapping=arabtex-\ax@font@allah-maghribi-\@tempa}#2}%
341 \fi\fi%
342 \else%
343 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
344 \RL{\ax@maghribi@font\addfontfeature{Mapping=arabtex-\ax@font@allah-maghribi-
    \ax@mode}#2}%
345 \fi\egroup}
346 \newcommand\text@farsi[2][\ax@mode]{%
347 \edef\@tempa{\#1}%
348 \def\ax@lang{farsi}%
349 \ax@is mode@defined{\@tempa}%
350 \ifax@mode@defined%
351 \ifx\@tempa\ax@mode@trans%
352 {\ax@trans@style\addfontfeature{Mapping=arabtex-farsi-trans}#2}%
353 \else%
354 \ifx\@tempa\ax@mode@utf%
355 \RL{\ax@farsi@font\addfontfeature{Mapping=arabicfixes} #2}%evtl {Mapping=arabtex-
    utf}%
356 \else%
357 \RL{\ax@farsi@font%
358 \addfontfeature{Mapping=arabtex-\ax@font@allah-farsi-\@tempa}#2}%
359 \fi\fi%
360 \else%
361 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
362 \RL{\ax@farsi@font\addfontfeature{Mapping=arabtex-\ax@font@allah-farsi-\ax@mode}#2}%
363 \fi\egroup}
364 \newcommand\text@urdu[2][\ax@mode]{%
365 \edef\@tempa{\#1}%
366 \def\ax@lang{urdu}%
367 \ax@is mode@defined{\@tempa}%
368 \ifax@mode@defined%
369 \ifx\@tempa\ax@mode@trans%
370 {\ax@trans@style\addfontfeature{Mapping=arabtex-urdu-trans}#2}%
371 \else%
372 \ifx\@tempa\ax@mode@utf%

```

```

373 \RL{\ax@urdu@font\addfontfeature{Language=Urdu}\#2}%eventually Mapping=arabtex-
    utf
374 \else%
375 \RL{\ax@urdu@font%
376 \addfontfeature{Mapping=arabtex-\ax@font@allah-urdu-\@tempa, Language=Urdu}\#2}%
377 \fi\fi%
378 \else%
379 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \eax@mode}%
380 \RL{\ax@urdu@font\addfontfeature{Mapping=arabtex-\ax@font@allah-urdu-\ax@mode, Language=Urdu}\#2}%
381 \fi\egroup}
382 \newcommand{text@sindhi[2][\ax@mode]{%
383 \edef\@tempa{\#1}%
384 \def\ax@lang{sindhi}%
385 \ax@ismode@defined{\@tempa}%
386 \ifax@mode@defined%
387 \ifx\@tempa\ax@mode@trans%
388 {\ax@trans@style\addfontfeature{Mapping=arabtex-sindhi-trans}\#2}%
389 \else%
390 \ifx\@tempa\ax@mode@utf%
391 \RL{\ax@sindhi@font\addfontfeature{Language=Sindhi} \#2}%eventually Mapping=arabtex-
    utf
392 \else%
393 \RL{\ax@sindhi@font%
394 \addfontfeature{Mapping=arabtex-\ax@font@allah-sindhi-\@tempa, Language=Sindhi}\#2}%
395 \fi\fi%
396 \else%
397 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \eax@mode}%
398 \RL{\ax@sindhi@font\addfontfeature{Mapping=arabtex-\ax@font@allah-sindhi-\ax@mode, Language=Sindhi}\#2}%
399 \fi\egroup}
400 \newcommand{text@pashto[2][\ax@mode]{%
401 \edef\@tempa{\#1}%
402 \def\ax@lang{pashto}%
403 \ax@ismode@defined{\@tempa}%
404 \ifax@mode@defined%
405 \ifx\@tempa\ax@mode@trans%
406 {\ax@trans@style\addfontfeature{Mapping=arabtex-pashto-trans}\#2}%
407 \else%
408 \ifx\@tempa\ax@mode@utf%
409 \RL{\ax@pashto@font\addfontfeature{Mapping=arabicfixes} \#2}%
\evtl {Mapping=arabtex-
    utf}
410 \else%
411 \RL{\ax@pashto@font%
412 \addfontfeature{Mapping=arabtex-\ax@font@allah-pashto-\@tempa}\#2}%

```

```

413 \fi\fi%
414 \else%
415 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \@ax@mode}%
416 \RL{\ax@pashto@font\addfontfeature{Mapping=arabtex-\ax@font@allah-pashto-\ax@mode}#2}%
417 \fi\egroup}
418 \newcommand{text@ottoman[2][\ax@mode]}{%
419 \edef@\tempa{#1}%
420 \def\ax@lang{ottoman}%
421 \ax@ismode@defined{\@tempa}%
422 \ifax@mode@defined%
423 % UNCOMMENT when transliteration mapping is done
424 %\ifx@\tempa\ax@mode@trans%
425 % {\ax@trans@style\addfontfeature{Mapping=arabtex-turk-trans}#2}%
426 %\else%
427 \ifx@\tempa\ax@mode@utf%
428 \RL{\ax@ottoman@font\addfontfeature{Mapping=arabicfixes} #2}%evtl {Mapping=arabtex-
        utf}%
429 \else%
430 \RL{\ax@ottoman@font}%
431 \addfontfeature{Mapping=arabtex-\ax@font@allah-turk-\@tempa}#2}%
432 \fi%\fi%
433 \else%
434 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \@ax@mode}%
435 \RL{\ax@ottoman@font\addfontfeature{Mapping=arabtex-\ax@font@allah-turk-\ax@mode}#2}%
436 \fi\egroup}
437 \newcommand{text@kurdisht[2][]}{%
438 \edef@\tempa{#1}%
439 \def\ax@lang{kurdish}%
440 % UNCOMMENT when transliteration mapping is done
441 %\ifx@\tempa\ax@mode@trans%
442 % {\ax@trans@style\addfontfeature{Mapping=arabtex-kurdish-trans}#2}%
443 %\else%
444 \ifx@\tempa\ax@mode@utf%
445 \RL{\ax@kurdisht@font\addfontfeature{Mapping=arabicfixes} #2}%evtl {Mapping=arabtex-
        utf}%
446 \else%
447 \RL{\ax@kurdisht@font}%
448 \addfontfeature{Mapping=arabtex-\ax@font@allah-kurdish,Language=Kurdish}#2}%
449 \fi%\fi%
450 \egroup}
451 \newcommand{text@kashmiri[2][\ax@mode]}{%
452 \edef@\tempa{#1}%
453 \def\ax@lang{kashmiri}%

```

```

454 \ax@ismode@defined{\@tempa}%
455 \ifax@mode@defined%
456 % UNCOMMENT when transliteration mapping is done
457 % {\ax@trans@style\addfontfeature{Mapping=arabtex-kashmiri-trans}#2}%
459 %\else%
460 \ifx\@tempa\ax@mode@utf%
461 \RL{\ax@kashmiri@font\addfontfeature{Mapping=arabicfixes} #2}%evtl {Mapping=arabtex-
    utf}
462 \else%
463 \RL{\ax@kashmiri@font%
464 \addfontfeature{Mapping=arabtex-\ax@font@allah-kashmiri-\@tempa}#2}%
465 \fi%\fi%
466 \else%
467 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
468 \RL{\ax@kashmiri@font\addfontfeature{Mapping=arabtex-\ax@font@allah-kashmiri-
    \ax@mode}#2}%
469 \fi\egroup}
470 \newcommand{text@malay[2][\ax@mode]{%
471 \edef\@tempa{\#1}%
472 \def\ax@lang{malay}%
473 \ax@ismode@defined{\@tempa}%
474 \ifax@mode@defined%
475 % UNCOMMENT when transliteration mapping is done
476 % {\ax@trans@style\addfontfeature{Mapping=arabtex-malay-trans}#2}%
478 %\else%
479 \ifx\@tempa\ax@mode@utf%
480 \RL{\ax@maly@font\addfontfeature{Mapping=arabicfixes} #2}%evtl {Mapping=arabtex-
    utf}
481 \else%
482 \RL{\ax@maly@font%
483 \addfontfeature{Mapping=arabtex-\ax@font@allah-malay-\@tempa}#2}%
484 \fi%\fi%
485 \else%
486 \PackageWarning{arabxetex}{Mode \@tempa\ not defined, defaulting to \ax@mode}%
487 \RL{\ax@maly@font\addfontfeature{Mapping=arabtex-\ax@font@allah-malay-\ax@mode}#2}%
488 \fi\egroup}
489 \newcommand{text@uighur[2][]{%
490 \edef\@tempa{\#1}%
491 \def\ax@lang{uighur}%
492 % UNCOMMENT when transliteration mapping is done
493 %\ifx\@tempa\ax@mode@trans%

```

```

494 \% {\ax@trans@style\addfontfeature{Mapping=arabtex-uighur-trans}\#2}%
495 \%else%
496 \ifx\@tempa\ax@mode@utf%
497 \RL{\ax@uighur@font\addfontfeature{Mapping=arabicfixes} \#2}\%evtl {Mapping=arabtex-
    utf}%
498 \%else%
499 \RL{\ax@uighur@font\%
500 \addfontfeature{Mapping=arabtex-\ax@font@allah-uighur}\#2}%
501 \fi%\fi%
502 \egroup}%
503 %
504 \newcommand{\textroman}[1]{\LR{\rmfamily #1}}
505 \@ifpackageloaded{babel}{%
506 \renewcommand{\textlatin}[1]{\textroman{\#1}}}
507 \PackageWarning{babel}{You have loaded Babel. ArabXeTeX has now rede-
    fined \textlatin !})}%
508 {\newcommand{\textlatin}[1]{\textroman{\#1}}}%
509 \newcommand{\aemph}[1]{%
510 \edef@\tempb{\expandafter\noexpand\csname text\ax@lang\endcsname}%
511 \$\overline{\text{@tempb{\#1}}}\$}%
512 %
513 % experimental: this surely does not work!
514 % I want a mechanism to enable defining commands that accept args contain-
    ing \arabtex@codes
515 \% \def\newarabtexcommand#1#2{%
516 \% \edef\ax@tcomm@nd{\expandafter\relax\csname #1@\endcsname}%
517 \% \expandafter\def\string#1{%
518 \% \bgroup\arabtex@codes\ax@tcomm@nd}%
519 \% \def\ax@tcomm@nd{\#2\egroup}}%

```

## C.1 Some notes on the TECKit mappings

TO BE DONE ...