



The *bidi* Package

Source documentation for [version 32.9](#)

to my Master, Ferdowsi The Great

If you enjoy the *bidi* package and want to support the project, then please consider donating to the project. It allows me to spend more time working on the *bidi* package, encourages me to continue, and is the perfect way to say thank you!

You can use *My PayPal.Me* to donate to the *bidi* package at

<https://www.paypal.me/persiantex>

If you have a problem using *My PayPal.Me*, then please email me at persian-tex@tug.org.

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/tex-xet/bidi/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2018 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the \LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting in plain T_EX and L_AT_EX, using XeT_EX engine

Source documentation for [version 32.9](#)

Vafa Khalighi
persian-tex@tug.org

February 21, 2018

Contents

1 File <code>amsart-xetex-bidi.def</code>	4	17 File <code>bidiode.sty</code>	42
2 File <code>adjmulticol-xetex-bidi.def</code>	6	18 File <code>bidiiftxtra.sty</code>	45
3 File <code>algorithm2e-xetex-bidi.def</code>	7	19 File <code>bidimoderncv.cls</code>	49
4 File <code>amsbook-xetex-bidi.def</code>	8	20 File <code>bidiitools.sty</code>	54
5 File <code>amsmath-xetex-bidi.def</code>	10	21 File <code>bidiutfloat.sty</code>	89
6 File <code>amstext-xetex-bidi.def</code>	11	22 File <code>bidiutfesidenote.sty</code>	100
7 File <code>amsthm-xetex-bidi.def</code>	11	23 File <code>bidiutfetetoc.sty</code>	111
8 File <code>array-xetex-bidi.def</code>	11	24 File <code>bidiutfegeneralstructure.sty</code>	114
9 File <code>article-xetex-bidi.def</code>	12	25 File <code>bidiutfhyperref.sty</code>	116
10 File <code>artikel1-xetex-bidi.def</code>	16	26 File <code>bidiutfetitle.sty</code>	117
11 File <code>artikel2-xetex-bidi.def</code>	21	27 File <code>bidiutfetehandout.cls</code>	120
12 File <code>artikel3-xetex-bidi.def</code>	26	28 File <code>bidiutfetebok.cls</code>	120
13 File <code>arydshln-xetex-bidi.def</code>	32	29 File <code>bidiopoem.sty</code>	122
14 File <code>bidi.sty</code>	34	30 File <code>boek3-xetex-bidi.def</code>	129
15 File <code>bidi.tex</code>	39	31 File <code>boek-xetex-bidi.def</code>	133
16 File <code>bidi2in1.sty</code>	41	32 File <code>bookest-xetex-bidi.def</code>	136

33 File book-xetex-bidi.def	137	61 File floatrow-xetex-bidi.def	225
34 File breqn-xetex-bidi.def	141	62 File flowfram-xetex-bidi.def	225
35 File cals-xetex-bidi.def	142	63 File footnote-xetex-bidi.def	228
36 File caption-xetex-bidi.def	143	64 File framed-xetex-bidi.def	235
37 File caption3-xetex-bidi.def	143	65 File ftnright-xetex-bidi.def	239
38 File colortbl-xetex-bidi.def	143	66 File graphicx-xetex-bidi.def	241
39 File color-xetex-bidi.def	144	67 File geometry-xetex-bidi.def	244
40 File combine-xetex-bidi.def	145	68 File hfloat-xetex-bidi.def	245
41 File crop-xetex-bidi.def	146	69 File hyperref-xetex-bidi.def	251
42 File cutwin-xetex-bidi.def	148	70 File imsproc-xetex-bidi.def	262
43 File cuted-xetex-bidi.def	148	71 File leqno-xetex-bidi.def	264
44 File cvthemedibicasual.sty	157	72 File letter-xetex-bidi.def	264
45 File cvthemedibiclassic.sty	159	73 File lettrine-xetex-bidi.def	265
46 File dblfnote-xetex-bidi.def	161	74 File lineno-xetex-bidi.def	267
47 File diagbox-xetex-bidi.def	165	75 File listings-xetex-bidi.def	268
48 File draftwatermark-xetex-bidi.def	167	76 File loadingorder-xetex-bidi.def	270
49 File eso-pic-xetex-bidi.def	167	77 File longtable-xetex-bidi.def	276
50 File empheq-xetex-bidi.def	168	78 File mathtools-xetex-bidi.def	278
51 File extarticle-xetex-bidi.def	171	79 File mdframed-xetex-bidi.def	279
52 File extbook-xetex-bidi.def	175	80 File bidi-media9.sty	280
53 File extletter-xetex-bidi.def	178	81 File memoir-xetex-bidi.def	292
54 File extrafootnotefeatures-xetex-bidi.def	181	82 File midfloat-xetex-bidi.def	295
55 File extreport-xetex-bidi.def	218	83 File minitoc-xetex-bidi.def	300
56 File fancybox-xetex-bidi.def	222	84 File multicol-xetex-bidi.def	301
57 File fancyhdr-xetex-bidi.def	222	85 File multienum-xetex-bidi.def	304
58 File fix2col-xetex-bidi.def	223	86 File natbib-xetex-bidi.def	305
59 File fleqn-xetex-bidi.def	224	87 File newfloat-xetex-bidi.def	306
60 File float-xetex-bidi.def	225	88 File ntheorem-xetex-bidi.def	306



89 File <code>theorem-hyper-xetex-bidi.def</code>	307	109 File <code>soul-xetex-bidi.def</code>	377
90 File <code>overpic-xetex-bidi.def</code>	307	110 File <code>stabular-xetex-bidi.def</code>	378
91 File <code>pdfbase-xetex-bidi.def</code>	308	111 File <code>subfigure-xetex-bidi.def</code>	379
92 File <code>pdfpages-xetex-bidi.def</code>	309	112 File <code>tbls-xetex-bidi.def</code>	379
93 File <code>pgfcorescopes.code-xetex-bidi.def</code>	310	113 File <code>tabularx-xetex-bidi.def</code>	380
94 File <code>picinpar-xetex-bidi.def</code>	311	114 File <code>tabulary-xetex-bidi.def</code>	381
95 File <code>plain-xetex-bidi.def</code>	314	115 File <code>tc-xetex-bidi.def</code>	382
96 File <code>pstricks-xetex-bidi.def</code>	316	116 File <code>tcolorbox-xetex-bidi.def</code>	382
97 File <code>quotchap-xetex-bidi.def</code>	317	117 File <code>titlesec-xetex-bidi.def</code>	383
98 File <code>ragged2e-xetex-bidi.def</code>	317	118 File <code>titletoc-xetex-bidi.def</code>	383
99 File <code>rapport1-xetex-bidi.def</code>	319	119 File <code>tocbibind-xetex-bidi.def</code>	384
100 File <code>rapport3-xetex-bidi.def</code>	324	120 File <code>tocloft-xetex-bidi.def</code>	386
101 File <code>refrep-xetex-bidi.def</code>	330	121 File <code>tocbasic-xetex-bidi.def</code>	392
102 File <code>report-xetex-bidi.def</code>	333	122 File <code>tocstyle-xetex-bidi.def</code>	405
103 File <code>rotating-xetex-bidi.def</code>	337	123 File <code>todonotes-xetex-bidi.def</code>	410
104 File <code>scrartcl-xetex-bidi.def</code>	340	124 File <code>wrapfig-xetex-bidi.def</code>	413
105 File <code>scrbook-xetex-bidi.def</code>	351	125 File <code>xcolor-xetex-bidi.def</code>	415
106 File <code>scrlettr-xetex-bidi.def</code>	363	126 File <code>latex-xetex-bidi.def</code>	417
107 File <code>scrreprt-xetex-bidi.def</code>	365	127 File <code>xltextra-xetex-bidi.def</code>	435
108 File <code>sidecap-xetex-bidi.def</code>	377	128 Index	435



1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for XeT
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \atempdima\csname r@tocindent\endcsname\relax
9     }{%
10       \atempdima#4\relax
11     }%
12     \parindent\z@\if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\lefT
13     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14     #5\leavevmode\hskip-\atempdima #6\nobreak\relax
15     \hfil\hbox to\@pnumwidth{\atocpagenum{#7}}\par
16     \nobreak
17     \endgroup
18   \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{ subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27   \kern-.4\p@
28   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29   \kern11\p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4\p@
31   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL\@footnote\@RTLtrue\else\@RTLfalse\fi%
37     \reset@font%
38     \bidi@@footnotetext@font\normalfont\footnotesize
39     \interlinepenalty\interfootnotelinepenalty
40     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41     \floatingpenalty\@MM \hsize\columnwidth
42     \parboxrestore \parindent\normalparindent \sloppy
43     \protected@edef\@currentlabel{%
44       \csname p@footnote\endcsname\@thefnmark}%
45     \makefntext{%
46       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
```



```

49  \insert\footins{%
50    \@RTLtrue%
51    \reset@font%
52    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
53    \interlinepenalty\interfootnotelinepenalty
54    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55    \floatingpenalty\@MM \hsize\columnwidth
56    \parboxrestore \parindent\normalparindent \sloppy
57    \protected@edef@\currentlabel{%
58      \csname p@footnote\endcsname\@thefnmark}%
59    \makefntext{%
60      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \@RTLfalse%
67     \reset@font%
68     \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef@\currentlabel{%
74       \csname p@footnote\endcsname\@thefnmark}%
75     \makefntext{%
76       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
77
78
79 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \bibtitlestyle
85   \normalfont\bibliofont\labelsep .5em\relax
86   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88   \bidi@thebibliography@font@hook%
89   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90     \leftmargin\labelwidth\advance\leftmargin\labelsep
91     \usecounter{enumiv}}%
92   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93   \sfcode`.=\@m
94 }{%
95   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96   \endlist
97 }
98 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi

```



```

99  \columnseprule{z@ \columnsep 35\p@}
100 \@inindexstyle
101 \thispagestyle{plain}%
102 \let\item\idxitem
103 \parindent{z@ \parskip{z@ \plus.3\p@ \relax
104 \if@RTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize}
107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111   \topnum{z@ % this prevents figures from falling at the top of page 1
112   \setcopyright
113   \thispagestyle{firstpage}%
114   \uppercase\nonmath\shorttitle
115   \ifx\@empty\shortauthors \let\shortauthors\shorttitle
116   \else \andify\shortauthors
117   \fi
118   \maketitle@hook
119   \begingroup
120   \maketitle
121   \toks@{\exp{\shortauthors}}\temptokena{\exp{\shorttitle}}%
122   \toks4{\def{\ignorespaces}}% defend against questionable usage
123   \edef\@tempa{%
124     \nx\markboth{\the\toks4
125     \nx\MakeUppercase{\the\toks@}{\the\temptokena}}%
126   \@tempa
127   \endgroup
128   \c@footnote{z@}
129   \cleartopmattertags
130 }

```

2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pac
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133   \def\@tempa{#2}%
134   \ifx\@tempa\empty\adjmc@inner{z@ \else\adjmc@inner#2\fi
135   \def\@tempa{#3}%
136   \ifx\@tempa\empty\adjmc@outer{z@ \else\adjmc@outer#3\fi
137   \ifnum\col@number<\@ne
138     \PackageWarning{adjmulticol}%
139     {Using ` \number\col@number'
140      columns doesn't seem a good idea.^^J
141      I therefore use one columns instead}%
142     \col@number\@ne\fi
143   \ifnum\col@number>10
144     \PackageError{adjmulticol}%
145     {Too many columns}%

```



```

146 {Current implementation doesn't
147 support more than 10 columns.%}
148 \MessageBreak
149 I therefore use 10 columns instead}%
150 \col@number10 \fi
151 \ifx\@footnotetext\mult@footnotetext\else
152   \let\orig@footnotetext\@footnotetext
153   \let\@footnotetext\mult@footnotetext
154 \fi
155 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156   \let\orig@LTRfootnotetext\@LTRfootnotetext
157   \let\@LTRfootnotetext\mult@LTRfootnotetext
158 \fi
159 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160   \let\orig@RTLfootnotetext\@RTLfootnotetext
161   \let\@RTLfootnotetext\mult@RTLfootnotetext
162 \fi
163 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pac
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%                                else
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\SepMark\arabic{c}\algocf}%
169 \fi%
170
171 \def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
172 \def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hspace]{\box\algocf@algoframe}\par}%
173 \def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}%
174 \def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hspace]{\box\algocf@algoframe}\par}%
175 \renewcommand{\@algocf@start}{%
176   \@algoskip%
177   \begin{bidi@lrbox}{\algocf@algobox}%
178   \setlength{\algowidth}{\hspace}%
179   \vbox\bgroup% save all the algo in a box
180   \hbox to\algowidth\bgroup\hbox to\algomargin{\hfill}\vtop\bgroup%
181   \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
182   % initialization
183   \addtolength{\hspace}{-1.5\algomargin}%
184   \let\@mathsemicolon=\; \def\;{\ifmmode\@mathsemicolon\else\endalgoln\fi}%
185   \raggedright\AlFnt{}%
186   \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgcfslide}}{}%
187   \@algoinsideskip%
188   \let\@emathdisplay=]\def\]{\algocf@endline\@emathdisplay\nl}%
189 }%
190 \renewcommand{\@algocf@finish}{%
191   \@algoinsideskip%
192   \egroup%end of vtop which contain all the text

```



```

193  \hfill\egroup%end of hbox which contains [margin] [vtop]
194  \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
195  %
196  \egroup%end of main vbox
197  \end{bidi@lrbox}%
198  \algocf@makethealgo% print the algo
199  \@algoskip%
200  % restore dimension and macros
201  \setlength{\hsize}{\algowidth}%
202  \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
203  \let\;=\@mathsemicolon%
204  \let\;=\@mathdisplay%
205 }%

```

4 File amsbook-xetex-bidi.def

```

206 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for XeLaTeX]
207 \def\@tocline#1#2#3#4#5#6#7{\relax
208   \ifnum #1>\c@tocdepth % then omit
209     \else
210       \par \addpenalty\@secpenalty\addvspace{#2}%
211       \begingroup \hyphenpenalty\@M
212       \@ifempty{#4}{%
213         \tempdima\csname r@tocindent\endcsname\relax
214       }{%
215         \tempdima#4\relax
216       }%
217       \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#5\leavevmode\hskip-\tempdima #6\nobreak\relax
218       \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
219       \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
220       \nobreak
221       \endgroup
222     \fi}
223   \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
224   \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
225   \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
226   \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
227 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
228   \columnseprule\z@ \columnsep 35\p@
229   \inndextitlestyle
230   \thispagestyle{plain}%
231   \let\item\idxitem
232   \parindent\z@ \parskip\z@\@plus.3\p@\relax
233   \if@RTL\raggedleft\else\raggedright\fi
234   \hyphenpenalty\@M
235   \footnotesize}
236 \def\idxitem{\par\hangindent \if@RTL-\fi2em}
237 \def\subitem{\par\hangindent \if@RTL-\fi2em\hskip*\{1em\}}
238 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hskip*\{2em\}}

```



```

240 \def\right@footnoterule{%
241   \kern-.4\p@
242   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
243   \kern11\p@\kern-\footnotesep}
244 \def\left@footnoterule{\kern-.4\p@
245   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
246
247 \long\def\@footnotetext#1{%
248   \insert\footins{%
249     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
250     \reset@font%
251     \bidi@@footnotetext@font% \normalfont\footnotesize
252     \interlinepenalty\interfootnotelinepenalty
253     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
254     \floatingpenalty\@MM \hsize\columnwidth
255     \parboxrestore \parindent\normalparindent \sloppy
256     \protected@edef\@currentlabel{%
257       \csname p@footnote\endcsname\@thefnmark}%
258     \maketitle{%
259       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
260
261 \long\def\@RTLfootnotetext#1{%
262   \insert\footins{%
263     \@RTLtrue%
264     \reset@font%
265     \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
266     \interlinepenalty\interfootnotelinepenalty
267     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
268     \floatingpenalty\@MM \hsize\columnwidth
269     \parboxrestore \parindent\normalparindent \sloppy
270     \protected@edef\@currentlabel{%
271       \csname p@footnote\endcsname\@thefnmark}%
272     \maketitle{%
273       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
274
275
276 \long\def\@LTRfootnotetext#1{%
277   \insert\footins{%
278     \@RTLfalse%
279     \reset@font%
280     \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
281     \interlinepenalty\interfootnotelinepenalty
282     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
283     \floatingpenalty\@MM \hsize\columnwidth
284     \parboxrestore \parindent\normalparindent \sloppy
285     \protected@edef\@currentlabel{%
286       \csname p@footnote\endcsname\@thefnmark}%
287     \maketitle{%
288       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
289

```



```

290
291
292 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext@\footnotetext{\bidi@footdir@footnote}%
293 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext@\RTLfootnotetext{R}%
294 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext@\LTRfootnotetext{L}%
295
296 \renewenvironment{thebibliography}[1]{%
297   \bibttitlestyle
298   \normalfont\biblio\labelsep .5em\relax
299   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
300   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
301   \bidi@thebibliography@font@hook%
302   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
303         \leftmargin\labelwidth \advance\leftmargin\labelsep
304         \usecounter{enumiv}}%
305   \sloppy \clubpenalty@M \widowpenalty\clubpenalty
306   \sfcodes`.=\@m
307 }{%
308   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
309   \endlist
310 }
311 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
312   \begingroup
313   \fontsize{\xivpt}{18}\bfseries\centering
314   \ifnum\c@secnumdepth>\m@ne
315     \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
316     \rlap{\vbox to\z@{\vss
317       \centerline{\normalsize\mdseries
318         \uppercase\expandafter{\chaptername}\enspace\thechapter}
319         \vskip 3pc}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
320     #1\par \endgroup
321   \skip@34\p@ \advance\skip@-\normalbaselineskip
322   \vskip\skip@ }
323 \def\maketitle{\par
324   \topnum\z@ % this prevents figures from falling at the top of page 1
325   \begingroup
326   \maketitle
327   \endgroup
328   \c@footnote\z@
329   \def\do##1{\let##1\relax}%
330   \do\maketitle \do\@maketitle \do\@title \do\@xtitle \do\@title
331   \do\author \do\@xauthor \do\address \do\@xaddress
332   \do\email \do\@xemail \do\curraddr \do\@curraddr
333   \do\dedicatory \do\@dedicatory \do\thanks \do\@thankses
334   \do\keywords \do\@keywords \do\subjclass \do\@subjclass
335 }

```

5 File amsmath-xetex-bidi.def

336 \ProvidesFile{amsmath-xetex-bidi.def}[2018/01/08 v1.1 bidi adaptations for amsmath package for



```

337 \let\veqno=\eqno
338 \iftagsleft@ \let\veqno=\leqno \fi
339 \renewcommand{\numberwithin}[3]{\arabic}{%
340   \ifundefined{c@#2}{\nocounterr{#2}}{%
341     \ifundefined{c@#3}{\nocnterr{#3}}{%
342       \addtoreset{#2}{#3}%
343       \expandafter\csname the#2\endcsname{%
344         \expandafter\csname the#3\endcsname \nx\SepMark\nx#1{#2}}}}%
345 }
346 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\if@italiccorr

```

6 File amstext-xetex-bidi.def

```

347 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for Xe
348 \def\textdef@#1#2{\hbox{%
349   \everymath{#1}%
350   \let\f@size#2\selectfont
351   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}

```

7 File amsthm-xetex-bidi.def

```

352 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for Xe
353 \def\@thmcountersep{\SepMark}

```

8 File array-xetex-bidi.def

```

354 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for Xe
355 \def\@testpach{\@chclass
356 \ifnum \@lastchclass=6 \one@chnum \one@else
357 \ifnum \@lastchclass=7 5 \else
358 \ifnum \@lastchclass=8 \tw@ \else
359 \ifnum \@lastchclass=9 \thr@%
360 \else \z@
361 \ifnum \@lastchclass = 10 \else
362 \edef\@nextchar{\expandafter\string\@nextchar}%
363 \one@chnum
364 \if \@nextchar c\z@ \else
365 \if \@nextchar \if@RTLtab r\else l\fi\one@ne \else
366 \if \@nextchar \if@RTItab l\else r\fi\tw@ \else
367 \z@ \one@chclass
368 \if\@nextchar |\one@ne \else
369 \if\@nextchar !6 \else
370 \if\@nextchar @7 \else
371 \if\@nextchar <8 \else
372 \if\@nextchar >9 \else
373 10
374 \one@chnum
375 \if\@nextchar m\thr@ \else
376 \if\@nextchar p4 \else
377 \if\@nextchar b5 \else

```



```

378 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
379 \fi \fi
380 \def\@tabular{%
381 \leavevmode
382 \hbox \bgroup \if@RTLtab \beginR \fi $ \col@sep \tabcolsep \let\d@llarbegin\begin group
383 \let\d@llarend\end group
384 \atarray}
385 \def\endtabular{\endarray $ \if@RTLtab \endR \fi \egroup}
386 \expandafter\let\csname endtabular*\endcsname=\endtabular
387 \def\array[#1]{%
388 \tempdima \ht \strutbox
389 \advance \tempdima by \extrarowheight
390 \setbox \carstrutbox \hbox{\vrule
391 \height \arraystretch \tempdima
392 \depth \arraystretch \dp \strutbox
393 \width \z@}%
394 \begingroup
395 \mkpream{%
396 \xdef\preamble{\noexpand \ialign \chalignto
397 \bgroup \carstrut \preamble
398 \tabskip \z@ \cr}%
399 \endgroup
400 \arrayleft
401 \if #1\vtop \else \if#1b\vbox \else \vcenter \fi \fi
402 \bgroup
403 \let \sharp ##\let \protect \relax
404 \lineskip \z@
405 \baselineskip \z@
406 \m@th
407 \let\\ \arraycr \let\tabularnewline\\ \let\par\empty \if@RTLtab \hbox \bgroup \beginR \hbox R\or
408 \def\@tabarray{\ifnextchar[\@array\@array[c]}%
409 \def\endarray{\crcr \egroup \if@RTLtab \egroup \endR \egroup \fi \egroup \arrayright \gdef\pream
410 \def\array{\col@sep \arraycolsep
411 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\halignto{}%
412 \if@RTLtab \false\@tabarray}
```

9 File article-xetex-bidi.def

```
413 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article c
414 \if@titlepage
415   \renewcommand{\maketitle}{\begin{titlepage}%
416     \let\footnotesize\small
417     \let\right@footnoterule\relax
418     \let\left@footnoterule\relax
419     \let\textwidth@footnoterule\relax
420     \let\footnote\thanks
421     \let\LTRfootnote\LTRthanks
422     \let\RTLfootnote\RTLthanks
423     \null\vfil
424     \vskip 60\p@
```



```

425  \begin{center}%
426    {\LARGE \@title \par}%
427    \vskip 3em%
428    {\large
429      \lineskip .75em%
430      \begin{tabular}[t]{c}%
431        \author%
432      \end{tabular}\par}%
433      \vskip 1.5em%
434    {\large \date \par}          % Set date in \large size.
435  \end{center}\par
436  \thanks
437  \vfil\null
438  \end{titlepage}%
439  \setcounter{footnote}{0}%
440  \global\let\thanks\relax
441  \global\let\LTRthanks\relax
442  \global\let\RTLthanks\relax
443  \global\let\maketitle\relax
444  \global\let\@thanks\empty
445  \global\let\@author\empty
446  \global\let\@date\empty
447  \global\let\@title\empty
448  \global\let\title\relax
449  \global\let\author\relax
450  \global\let\date\relax
451  \global\let\and\relax
452}
453\else
454\renewcommand\maketitle{\par
455  \begingroup
456    \renewcommand\thefootnote{\fnsymbol{c@footnote}}%
457    \def\@makefnmark{\rlap{\textsuperscript{\normalfont\thefnmark}}}%
458    \long\def\@makefntext##1{\par\indent 1em\noindent
459      \hb@xt@1.8em{%
460        \hss\textsuperscript{\normalfont\thefnmark}##1}%
461      \if@twocolumn
462        \ifnum \col@number=\@ne
463          \maketitle
464        \else
465          \twocolumn[\maketitle]%
466        \fi
467      \else
468        \newpage
469        \global\@topnum\z@    % Prevents figures from going at top of page.
470        \maketitle
471      \fi
472      \thispagestyle{plain}\@thanks
473  \endgroup
474  \setcounter{footnote}{0}%

```



```

475  \global\let\thanks\relax
476  \global\let\LTRthanks\relax
477  \global\let\RTLthanks\relax
478  \global\let\maketitle\relax
479  \global\let\@maketitle\relax
480  \global\let\@thanks\@empty
481  \global\let\@author\@empty
482  \global\let\@date\@empty
483  \global\let\@title\@empty
484  \global\let\title\relax
485  \global\let\author\relax
486  \global\let\date\relax
487  \global\let\and\relax
488 }
489 \def\@maketitle{%
490   \newpage
491   \null
492   \vskip 2em%
493   \begin{center}%
494     \let \footnote \thanks
495     \let \LTRfootnote \LTRthanks
496     \let \RTLfootnote \RTLthanks
497     {\LARGE \@title \par}%
498     \vskip 1.5em%
499     {\large
500       \lineskip .5em%
501       \begin{tabular}[t]{c}%
502         \author
503         \end{tabular}\par}%
504     \vskip 1em%
505     {\large \@date}%
506   \end{center}%
507   \par
508   \vskip 1.5em}
509 \fi
510 \renewcommand*\l@part[2]{%
511   \ifnum \c@tocdepth >-2\relax
512     \addpenalty\@secpenalty
513     \addvspace{2.25em \oplus \p@}%
514     \setlength\@tempdima{3em}%
515     \begingroup
516       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
517       \parfillskip -\pnumwidth
518       \leavevmode
519       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
520       \nobreak
521       \if@compatibility
522         \global\@nobreaktrue
523         \everypar{\global\@nobreakfalse\everypar{} }%
524     \fi

```



```

525      \endgroup
526  \fi}
527 \renewcommand*\l@section[2]{%
528   \ifnum \c@tocdepth >\z@
529     \addpenalty\@secpenalty
530     \addvspace{1.0em \@plus\p@}%
531     \setlength\@tempdima{1.5em}%
532     \begin{group}
533       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
534       \parfillskip -\pnumwidth
535       \leavevmode \bfseries
536       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
537       \hskip -\if@RTL\rightskip\else\leftskip\fi
538       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
539     \endgroup
540   \fi}
541 \renewcommand\left@footnoterule{%
542   \kern-3\p@
543   \hrule\@width.4\columnwidth
544   \kern2.6\p@}
545 \renewcommand\right@footnoterule{%
546   \kern-3\p@
547   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
548   \kern2.6\p@}
549 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
550 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
551 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
552 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
553 \def\@part[#1]#2{%
554   \ifnum \c@secnumdepth >\m@ne
555     \refstepcounter{part}%
556     \addcontentsline{toc}{part}{\the\part\hskip{1em}#1}%
557   \else
558     \addcontentsline{toc}{part}{#1}%
559   \fi
560   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
561   \interlinepenalty \OM
562   \normalfont
563   \ifnum \c@secnumdepth >\m@ne
564     \Large\bfseries \partname\nobreakspace\the\part
565     \par\nobreak
566   \fi
567   \huge\bfseries #2%
568   \markboth{}{}\par}%
569   \nobreak
570   \vskip 3ex
571   \afterheading}
572 \renewenvironment{\thebibliography}[1]
573   {\section*{\refname}%
574    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%

```



```

575     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
576     \bidi@@thebibliography@font@hook%
577     \list{\@biblabel{\@arabic\c@enumiv}}%
578     {\settowidth\labelwidth{\@biblabel{#1}}%
579      \leftmargin\labelwidth
580      \advance\leftmargin\labelsep
581      \openbib@code
582      \usecounter{enumiv}%
583      \let\p@enumiv\empty
584      \renewcommand\theenumiv{\@arabic\c@enumiv}%
585      \sloppy
586      \clubpenalty4000
587      \clubpenalty \clubpenalty
588      \widowpenalty4000%
589      \sfcode`.\@m}
590      \def@noitemerr
591      {\@latex@warning{Empty `thebibliography' environment}%
592      \endlist}
593 \renewenvironment{theindex}
594     {\if@twocolumn
595      \restonecolfalse
596     \else
597      \restonecoltrue
598     \fi
599     \columnseprule \z@
600     \columnsep 35\p@
601     \twocolumn[\section*{\indexname}]%
602     \mkboth{\MakeUppercase{\indexname}}%
603     {\MakeUppercase{\indexname}}%
604     \thispagestyle{plain}\parindent\z@
605     \parskip\z@ \oplus .3\p@\relax
606     \let\item\@idxitem
607     {\if@restonecol\onecolumn\else\clearpage\fi}

```

10 File artikel1-xetex-bidi.def

```

608 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class for
609 \renewenvironment{theindex}{%
610   \if@twocolumn
611   \restonecolfalse
612   \else
613   \restonecoltrue
614   \fi
615   \columnseprule \z@
616   \columnsep 35\p@
617   \twocolumn[\section*{\indexname}]%
618   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
619   \thispagestyle{plain}\parindent\z@
620   \parskip\z@ \oplus .3\p@\relax
621   \let\item\@idxitem

```



```

622  }{%
623  \if@restonecol\onecolumn\else\clearpage\fi}
624 \renewcommand*\head@style{%
625   \interlinepenalty \OM
626   \hyphenpenalty=\OM \exhyphenpenalty=\OM
627   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
628 \if@titlepage
629   \renewenvironment{abstract}{%
630     \titlepage
631     \null\vfil
632     \section*{\SectFont\abstractname}
633     \noindent\ignorespaces
634   {\par\vfil\null\endtitlepage}
635 \else
636   \renewenvironment{abstract}{%
637     \if@twocolumn
638       \section*{\abstractname}%
639     \else
640       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
641       \section*{\small\SectFont\abstractname}%
642       \noindent\ignorespaces
643     \fi}
644   {\if@twocolumn\else\par\egroup\fi}
645 \fi
646 \renewcommand*\@regtocline[3]{%
647   \ifnum #1>\c@tocdepth
648   \else
649     \vskip\z@\@plus.2\p@
650     {\hangindent\z@ \if@afterindenttrue \interlinepenalty\OM
651       \if@RTL\rightskip\else\leftskip\fi\unitindent
652       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
653       \parfillskip\z@
654       \tempdima\unitindent
655       \parindent\z@
656       \leavevmode
657       \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
658       \hskip 1em \nobreak{\slshape #3}\par
659     }%
660   \fi}
661 \if@oldtoc
662 \renewcommand*\l@part[2]{%
663   \ifnum \c@tocdepth >-2\relax
664     \addpenalty\@secpenalty
665     \addvspace{2.25em \@plus\p@}%
666     \begingroup
667       \setlength\tempdima{3em}%
668       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\@pnumwidth
669       \parfillskip -\@pnumwidth
670       \leavevmode
671       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par

```



```

672     \nobreak
673     \if@compatibility
674         \global\c@nobreaktrue
675         \everypar{\global\c@nobreakfalse\everypar{}}
676     \fi
677     \endgroup
678 \fi}
679 \else
680     \renewcommand*\l@part{%
681         \ifnum \c@tocdepth >-2\relax
682             \addpenalty\c@secpenalty
683             \addvspace{2.25em \c@plus \p@}%
684             \c@regtocline{0}%
685         \fi}
686 \fi
687 \if@oldtoc
688 \renewcommand*\l@section[2]{%
689     \addpenalty\c@secpenalty
690     \addvspace{1.0em \c@plus \p@}%
691     \setlength\tempdima{1.5em}%
692     \begingroup
693         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
694         \parfillskip -\c@pnumwidth
695         \leavevmode \bfseries
696         \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
697         \hskip -\if@RTL\rightskip\else\leftskip\fi\c@tempdima
698         #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
699     \endgroup}
700 \else
701     \renewcommand*\l@section{\c@regtocline{1}}
702 \fi
703 \renewcommand*\thesubsection{\thesection\c@SepMark\c@arabic\c@subsection}
704 \renewcommand*\thesubsubsection{\thesubsection\c@SepMark\c@arabic\c@subsubsection}
705 \renewcommand*\theparagraph{\thesubsubsection\c@SepMark\c@arabic\c@paragraph}
706 \renewcommand*\thesubparagraph{\theparagraph\c@SepMark\c@arabic\c@subparagraph}
707 \renewenvironment{thebibliography}[1]
708     {\section*{\refname}%
709      \c@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
710      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
711      \bidi@thebibliography\font@hook%
712      \list{\c@biblabel{\c@arabic\c@enumiv}}%
713          {\settowidth\labelwidth{\c@biblabel{#1}}%
714          \leftmargin\labelwidth
715          \advance\leftmargin\labelsep
716          \c@openbib@code
717          \usecounter{enumiv}%
718          \let\p@enumiv\empty
719          \renewcommand*\theenumiv{\c@arabic\c@enumiv}%
720          \sloppy\clubpenalty4000\widowpenalty4000%
721          \sfcodes`.\c@m}

```



```

722     {\def\@noitemerr
723      {\'@latex@warning{Empty `thebibliography' environment}}%
724      \endlist}
725 \renewcommand*\left@footnoterule{%
726   \kern-3\p@
727   \kern.5\baselineskip
728   \hrule\@width\unitindent
729   \kern.4\baselineskip
730 }
731 \renewcommand*\right@footnoterule{%
732   \kern-3\p@
733   \kern.5\baselineskip
734   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax} \hrulefill }
735   \kern.4\baselineskip}
736 \if@titlepage
737 \renewcommand*\TitleFont{\rmfamily}
738 \renewcommand*\maketitle{%
739   \begin{titlepage}%
740     \let\footnotesize\small
741     \let\right@footnoterule\relax
742     \let\left@footnoterule\relax
743     \let\textwidth@footnoterule\relax
744     \let \footnote \thanks
745     \long\def\@makefntext##1{\par\indent\z@%
746       \def\labelitemi{\textendash}\@revlabeltrue
747       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}%
748   \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
749   \if@compatibility\setcounter{page}{0}\fi
750   \null\vfil
751   \vskip 60\p@
752   \begin{center}%
753     \TitleFont
754     {\LARGE \def\\{\penalty -\@M}%
755      \if@allcaps
756        \expandafter\uc@nothanks@\title\thanks\relax
757      \else
758        \@title
759      \fi\par}%
760     \vskip 3em%
761     {\large
762       \lineskip .75em \par\indent\z@%
763       \begin{tabular}[t]{c}%
764         \if@allcaps
765           \expandafter\uc@author\nothanks@\author\and\relax
766         \else
767           \author
768         \fi
769       \end{tabular}\par}%
770     \vskip 1.5em%
771     {\large

```



```

772     \if@allcaps
773         \uppercase\expandafter{\@date}%
774     \else
775         \@date
776     \fi\par}%
777     \end{center}\par
778     \@thanks
779     \vfil\null
780 \end{titlepage}%
781 \setcounter{footnote}{0}%
782 \global\let\thanks\relax
783 \global\let\maketitle\relax
784 \global\let\@thanks\empty
785 \global\let\@author\empty
786 \global\let\@title\empty
787 \global\let\@date\empty
788 \global\let\title\relax
789 \global\let\author\relax
790 \global\let\date\relax
791 \global\let\and\relax
792 }
793 \def\uc@nothanks#1\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
794 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
795     \futurelet\@tempa\uc@ax}
796 \def\uc@ax{%
797     \ifx\@tempa\relax
798     \else
799         \\ \andname \\ \expandafter\uc@authornothanks
800     \fi}
801 \def\uc@tx{\ifx\@tempa\relax
802     \else \expandafter\uc@ty \fi}
803 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
804 \else
805 \renewcommand*\maketitle{\par
806     \begin{group}
807         \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
808         \def\@makefnmark{\rlap{%
809             \textsuperscript{\normalfont\@thefnmark}}}%
810         \long\def\@makefntext{\xmakefntext{%
811             \textsuperscript{\normalfont\@thefnmark}}}%
812         \if@twocolumn
813             \ifnum \col@number=\@ne
814                 \maketitle
815             \else
816                 \twocolumn[\maketitle]%
817             \fi
818         \else
819             \newpage
820             \global\@topnum\z@
821             \maketitle

```



```

822     \fi
823     \thispagestyle{plain}\@thanks
824 \endgroup
825 \setcounter{footnote}{0}%
826 \global\let\thanks\relax
827 \global\let\maketitle\relax
828 \global\let\@maketitle\relax
829 \global\let\@thanks\@empty
830 \global\let\@author\@empty
831 \global\let\@title\@empty
832 \global\let\@date\@empty
833 \global\let\title\relax
834 \global\let\author\relax
835 \global\let\date\relax
836 \global\let\and\relax
837 }
838 \def\@maketitle{%
839   \newpage
840   \null
841   \vskip 2em%
842   \begin{center}%
843     \let \footnote \thanks
844     {\LARGE \TitleFont \@title \par}%
845     \vskip 1.5em%
846     {\large \TitleFont
847       \lineskip .5em%
848       \begin{tabular}[t]{c}%
849         \author
850       \end{tabular}\par}%
851     \vskip 1em%
852     {\large \TitleFont \@date}%
853   \end{center}%
854   \par
855   \vskip 1.5em}
856 \fi

```

11 File artikel2-xetex-bidi.def

```

857 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class for
858 \renewenvironment{theindex}{%
859   \if@twocolumn
860     \restonecolfalse
861   \else
862     \restonecoltrue
863   \fi
864   \columnseprule \z@
865   \columnsep 35\p@
866   \twocolumn[\section*\{\indexname}\%]
867   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
868   \thispagestyle{plain}\parindent\z@

```



```

869  \parskip\z@ \relax
870  \let\item\@idxitem
871  }{%
872  \if@restonecol\onecolumn\else\clearpage\fi}
873 \renewcommand*\@regtocline[3]{%
874  \ifnum #1>\c@tocdepth
875  \else
876  \vskip\z@\@plus.2\p@
877  {\hangindent\z@ \afterindenttrue \interlinepenalty\@M
878  \if@RTL\rightskip\else\leftskip\fi\unitindent
879  \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
880  \parfillskip\z@
881  \tempdima\unitindent
882  \advance\tempdima by \othermargin
883  \parindent\z@
884  \leavevmode
885  \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
886  \hspace{1em}\nobreak\slshape #3}\par
887  }%
888 \fi}
889 \if@oldtoc
890 \renewcommand*\l@section[2]{%
891  \addpenalty\secpenalty
892  \addvspace{1.0em \@plus\p@}%
893  \setlength\tempdima{1.5em}%
894  \begingroup
895  \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\@pnumwidth
896  \parfillskip -\@pnumwidth
897  \leavevmode \bfseries
898  \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
899  \hspace{-\if@RTL\rightskip\else\leftskip\fi\#1\nobreak\hfil\nobreak\hb@xt@\@pnumwidth{\hss #2}\par
900  \endgroup}
901 \else
902 \renewcommand*\l@section{\@regtocline{1}}
903 \fi
904 \if@oldtoc
905 \renewcommand*\l@part[2]{%
906  \ifnum \c@tocdepth >-2\relax
907  \addpenalty\secpenalty
908  \addvspace{2.25em \@plus\p@}%
909  \begingroup
910  \setlength\tempdima{3em}%
911  \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\@pnumwidth
912  \parfillskip -\@pnumwidth
913  {\leavevmode
914  \large \bfseries #1\hfil\hb@xt@\@pnumwidth{\hss #2}\par
915  \nobreak
916  \if@compatibility
917  \global\@nobreaktrue

```



```

919          \everypar{\global\@nobreakfalse\everypar{}}
920          \fi
921          \endgroup
922 \else
923 \fi}
924 \renewcommand*\l@part{%
925     \ifnum \c@tocdepth >-2\relax
926     \addpenalty\@secpenalty
927     \addvspace{2.25em \oplus \p@}%
928     \@regtocline{0}%
929 \fi}
930 \fi
931 \renewcommand*\head@style{%
932     \interlinepenalty \OM
933     \hyphenpenalty=\OM \exhyphenpenalty=\OM
934     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
935 \if@titlepage
936     \renewenvironment{abstract}{%
937         \titlepage
938         \null\vfil
939         \section*{\SectFont\abstractname}%
940         \noindent\ignorespaces
941         {\par\vfil\null\endtitlepage}
942 \else
943     \renewenvironment{abstract}{%
944         \if@twocolumn
945             \section*{\abstractname}%
946         \else
947             \section*{\hskip\unitindent\small\SectFont\abstractname}%
948             \list{}{\setlength\listparindent{\unitindent}%
949                 \setlength\parindent {\z@}%
950                 \setlength\leftmargin {\unitindent}%
951                 \setlength\rightmargin {\unitindent}%
952                 \setlength\parsep {\z@}}%
953             \item[]%
954         \fi
955         {\if@twocolumn\else\par\endlist\fi}
956 \fi
957 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
958 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
959 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
960 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
961 \renewcommand*\left@footnoterule{%
962     \kern-3\p@
963     \hrule\@width 3\unitindent
964     \kern 2.6\p@
965 }
966 \renewcommand*\right@footnoterule{%
967     \kern-3\p@
968     \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-3\unitindent}\relax \hrulefill } 
```



```

969  \kern 2.6\p@
970 \renewenvironment{thebibliography}[1]
971   {\section*{\refname}%
972    \Omkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
973    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
974    \bidi@thebibliography\font@hook%
975    \list{\@biblabel{\@arabic\c@enumiv}}%
976      {\settowidth\labelwidth{\@biblabel{\#1}}%
977       \leftmargin\labelwidth
978       \advance\leftmargin\labelsep
979       \openbib@code
980       \usecounter{enumiv}%
981       \let\p@enumiv\empty
982       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
983       \sloppy\clubpenalty4000\widowpenalty4000%
984       \sfcode`.\.0m}
985     {\def\noitemerr
986      {\@latex@warning{Empty `thebibliography' environment}}%
987     \endlist}
988 \if@titlepage
989 \renewcommand*\TitleFont{\rmfamily}
990 \renewcommand*\maketitle{%
991   \begin{titlepage}%
992     \let\footnotesize\small
993     \let\right@footnoterule\relax
994     \let\left@footnoterule\relax
995     \let\textwidth@footnoterule\relax
996     \let\footnote\thanks
997     \long\def\makefntext##1{\par\indent\z@%
998       \def\labelitemi{\textendash}\revlabeltrue
999       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1000   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1001   \if@compatibility\setcounter{page}{0}\fi
1002   \null\vfil
1003   \vskip 60\p@
1004   \begin{center}%
1005     \TitleFont
1006     {\LARGE \def\{\penalty -\@M}%
1007      \if@allcaps
1008        \expandafter\uc@nothanks\@title\thanks\relax
1009      \else
1010        \@title
1011      \fi\par}%
1012   \vskip 3em%
1013   {\large
1014     \lineskip .75em \par\indent\z@%
1015     \begin{tabular}[t]{c}%
1016       \if@allcaps
1017         \expandafter\uc@authornothanks\@author\and\relax
1018       \else

```



```

1019          \@author
1020          \fi
1021          \end{tabular}\par}%
1022          \vskip 1.5em%
1023          {\large
1024          \if@allcaps
1025              \uppercase\expandafter{\@date}%
1026          \else
1027              \@date
1028          \fi\par}%
1029          \end{center}\par
1030          \@thanks
1031          \vfil\null
1032          \end{titlepage}%
1033          \setcounter{footnote}{0}%
1034          \global\let\thanks\relax
1035          \global\let\maketitle\relax
1036          \global\let\@thanks\empty
1037          \global\let\@author\empty
1038          \global\let\@title\empty
1039          \global\let\@date\empty
1040          \global\let\title\relax
1041          \global\let\author\relax
1042          \global\let\date\relax
1043          \global\let\and\relax
1044      }
1045 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\tempa\uc@tx}
1046 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1047     \futurelet\tempa\uc@ax}
1048 \def\uc@ax{%
1049     \ifx\tempa\relax
1050     \else
1051         \\\andname \\\expandafter\uc@authornothanks
1052     \fi}
1053 \def\uc@tx{\ifx\tempa\relax
1054     \else \expandafter\uc@ty \fi}
1055 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1056 \else
1057 \renewcommand*\maketitle{\par
1058     \begingroup
1059         \renewcommand*\thefootnote{\@fnsymbol{c@footnote}}%
1060         \long\def\makefntext{\parindent\z@
1061             \def\labelitemi{\textendash}%
1062             \leavevmode\hb@xt@.5\unitindent{%
1063                 \textsuperscript{\normalfont\thefnmark}\hfil}##1}
1064         \if@twocolumn
1065             \ifnum \col@number=\@ne
1066                 \maketitle
1067             \else
1068                 \twocolumn[\maketitle]%

```



```

1069     \fi
1070   \else
1071     \newpage
1072     \global\@topnum\z@
1073     \@maketitle
1074   \fi
1075   \thispagestyle{plain}\@thanks
1076 \endgroup
1077 \setcounter{footnote}{0}%
1078 \global\let\thanks\relax
1079 \global\let\maketitle\relax
1080 \global\let\@maketitle\relax
1081 \global\let\@thanks\@empty
1082 \global\let\@author\@empty
1083 \global\let\@title\@empty
1084 \global\let\@date\@empty
1085 \global\let\title\relax
1086 \global\let\author\relax
1087 \global\let\date\relax
1088 \global\let\and\relax
1089 }
1090 \def\@maketitle{%
1091   \newpage
1092   \null
1093   \vskip 2em%
1094   \begin{center}%
1095     \let \footnote \thanks
1096     {\LARGE \TitleFont \@title \par}%
1097     \vskip 1.5em%
1098     {\large \TitleFont
1099       \lineskip .5em%
1100       \begin{tabular}[t]{c}%
1101         \author
1102       \end{tabular}\par}%
1103     \vskip 1em%
1104     {\large \TitleFont \@date}%
1105   \end{center}%
1106   \par
1107   \vskip 1.5em}
1108 \fi

```

12 File artikel3-xetex-bidi.def

```

1109 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class for
1110 \renewenvironment{theindex}{%
1111   \if@twocolumn
1112     \restonecolfalse
1113   \else
1114     \restonecoltrue
1115   \fi

```



```

1116 \columnseprule \z@  

1117 \columnsep 35\p@  

1118 \twocolumn[\section*\{\indexname\}]{%  

1119 @mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%  

1120 \thispagestyle{plain}\parindent\z@  

1121 \parskip\z@ \o@plus .3\p@\relax  

1122 \let\item\@idxitem  

1123 }%  

1124 \if@restonecol\onecolumn\else\clearpage\fi}  

1125 \renewcommand*\head@style{%
```

\interlinepenalty \oM
1127 \hyphenpenalty=\oM \exhyphenpenalty=\oM
1128 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

1129 \renewcommand*\@regtocline[3]{%  

1130 \ifnum #1>\c@tocdepth  

1131 \else  

1132 \vskip\z@ \oplus .2\p@  

1133 {\hangindent\z@ \oafterindenttrue \interlinepenalty\oM  

1134 \if@RTL\rightskip\else\leftskip\fi\unitindent  

1135 \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil  

1136 \parfillskip\z@  

1137 \tempdima\unitindent  

1138 \parindent\z@  

1139 \leavevmode  

1140 \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak  

1141 \hskip 1em \nobreak{\slshape #3}\par
1142 }%
1143 \fi}
1144 \if@oldtoc
1145 \renewcommand*\l@part[2]{%
1146 \ifnum \c@tocdepth >-2\relax
1147 \addpenalty\@secpenalty
1148 \addvspace{2.25em \oplus \p@}%
1149 \begingroup
1150 \setlength\tempdima{3em}%
1151 \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1152 \parfillskip -\pnumwidth
1153 {\leavevmode
1154 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
1155 \nobreak
1156 \if@compatibility
1157 \global\nobreaktrue
1158 \everypar{\global\nobreakfalse\everypar{}}%
1159 \fi
1160 \endgroup
1161 \fi}
1162 \else
1163 \renewcommand*\l@part{%
1164 \ifnum \c@tocdepth >-2\relax
1165 \addpenalty\@secpenalty

```



```

1166      \addvspace{2.25em \oplus \p@}%
1167      \regtocline{0}%
1168  \fi}
1169 \fi
1170
1171 \if@oldtoc
1172 \renewcommand*\l@section[2]{%
1173   \addpenalty\secpenalty
1174   \addvspace{1.0em \oplus \p@}%
1175   \setlength\tempdima{1.5em}%
1176   \begingroup
1177   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1178   \parfillskip -\pnumwidth
1179   \leavevmode \bfseries
1180   \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
1181   \hskip -\if@RTL\rightskip\else\leftskip\fi
1182   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
1183   \endgroup}
1184 \else
1185   \renewcommand*\l@section{\regtocline{1}}
1186 \fi
1187 \if@titlepage
1188   \renewenvironment{abstract}{%
1189     \titlepage
1190     \null\vfil
1191     \section*{\SectFont\abstractname}%
1192     \noindent\ignorespaces
1193     {\par\vfil\null\endtitlepage}
1194 \else
1195   \renewenvironment{abstract}{%
1196     \if@twocolumn
1197       \section*{\abstractname}%
1198     \else
1199       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1200       \section*{\small\SectFont\abstractname}%
1201       \noindent\ignorespaces
1202     \fi}
1203     {\if@twocolumn\else\par\egroup\fi}
1204 \fi
1205 \renewcommand*\left@footnoterule{%
1206   \kern-3\p@
1207   \kern.5\baselineskip
1208   \hrule\width\unitindent
1209   \kern.4\baselineskip
1210 }
1211 \renewcommand*\right@footnoterule{%
1212   \kern-3\p@
1213   \kern.5\baselineskip
1214   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1215   \kern.4\baselineskip}

```



```

1216 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1217 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1218 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1219 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1220 \renewenvironment{thebibliography}[1]
1221     {\section*{\refname}%
1222      \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1223      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1224      \bidi@thebibliography\font@hook%
1225      \list{\@biblabel{\@arabic\c@enumiv}}%
1226          {\settowidth\labelwidth{\@biblabel{\#1}}%
1227           \leftmargin\labelwidth
1228           \advance\leftmargin\labelsep
1229           \openbib@code
1230           \usecounter{enumiv}%
1231           \let\p@enumiv\empty
1232           \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1233           \sloppy\clubpenalty4000\widowpenalty4000%
1234           \sfcode`.\.0m}
1235           \def\@noitemerr
1236               {\@latex@warning{Empty `thebibliography' environment}}%
1237           \endlist}
1238 \if@titlepage
1239 \renewcommand*\TitleFont{\rmfamily}
1240 \renewcommand*\maketitle{%
1241     \begin{titlepage}%
1242         \let\footnotesize\small
1243         \let\right@footnoterule\relax
1244         \let\left@footnoterule\relax
1245         \let\textwidth@footnoterule\relax
1246         \let \footnote \thanks
1247         \long\def\@makefntext{\par\@indent\z@
1248             \def\labelitemi{\textendash}\@revlabeltrue
1249             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1250 \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
1251 \if@compatibility\setcounter{page}{0}\fi
1252 \null\vfil
1253 \vskip 60\p@
1254 \begin{center}%
1255     \TitleFont
1256     {\LARGE \def\\{\penalty -\@M}
1257      \if@allcaps
1258          \expandafter\uc@nothanks\@title\thanks\relax
1259      \else
1260          \@title
1261      \fi\par}%
1262     \vskip 3em%
1263     \large
1264     \lineskip .75em \par\@indent\z@
1265     \begin{tabular}[t]{c}%

```



```

1266      \if@allcaps
1267          \expandafter\uc@authornothanks\@author\and\relax
1268      \else
1269          \@author
1270      \fi
1271      \end{tabular}\par}%
1272      \vskip 1.5em%
1273      {\large
1274          \if@allcaps
1275              \uppercase\expandafter{\@date}%
1276          \else
1277              \@date
1278          \fi\par}%
1279      \end{center}\par
1280      \@thanks
1281      \vfil\null
1282  \end{titlepage}%
1283  \setcounter{footnote}{0}%
1284  \global\let\thanks\relax
1285  \global\let\maketitle\relax
1286  \global\let\@thanks\@empty
1287  \global\let\@author\@empty
1288  \global\let\@title\@empty
1289  \global\let\@date\@empty
1290  \global\let\title\relax
1291  \global\let\author\relax
1292  \global\let\date\relax
1293  \global\let\and\relax
1294 }
1295 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1296 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1297     \futurelet\@tempa\uc@ax}
1298 \def\uc@ax{%
1299     \ifx\@tempa\relax
1300     \else
1301         \\ \andname \\ \expandafter\uc@authornothanks
1302     \fi}
1303 \def\uc@tx{\ifx\@tempa\relax
1304     \else \expandafter\uc@ty \fi}
1305 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1306 \else
1307 \renewcommand*\maketitle{\par
1308     \begingroup
1309         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1310         \def\@makefnmark{\rlap{%
1311             \textsuperscript{\normalfont\@thefnmark}}}%
1312         \long\def\@makefntext{\@xmakefntext{%
1313             \textsuperscript{\normalfont\@thefnmark}}}%
1314         \if@twocolumn
1315             \ifnum \col@number=\@ne

```



```

1316      \@maketitle
1317      \else
1318          \twocolumn[\@maketitle]%
1319      \fi
1320      \else
1321          \newpage
1322          \global\@topnum\z@
1323          \@maketitle
1324      \fi
1325      \thispagestyle{plain}\@thanks
1326  \endgroup
1327  \setcounter{footnote}{0}%
1328  \global\let\thanks\relax
1329  \global\let\maketitle\relax
1330  \global\let\@maketitle\relax
1331  \global\let\@thanks\@empty
1332  \global\let\@author\@empty
1333  \global\let\@title\@empty
1334  \global\let\@date\@empty
1335  \global\let\title\relax
1336  \global\let\author\relax
1337  \global\let\date\relax
1338  \global\let\and\relax
1339 }
1340 \def\@maketitle{%
1341     \newpage
1342     \null
1343     \vskip 2em%
1344 \if@titlecentered
1345     \begin{center}%
1346         \let \footnote \thanks
1347         {\LARGE \TitleFont \@title \par}%
1348         \vskip 1.5em%
1349         {\large \TitleFont
1350             \lineskip .5em%
1351             \begin{tabular}[t]{c}%
1352                 \author
1353             \end{tabular}\par}%
1354         \vskip 1em%
1355         {\large \TitleFont \@date}%
1356     \end{center}%
1357 \else
1358     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1359     {\large \TitleFont \lineskip .5em \tabcolsep\z@
1360         \def\and{\% \begin{tabular} has already started
1361             \end{tabular}\hskip 1em plus .17fil
1362             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
1363             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p
1364         \vskip 1em {\large \TitleFont \@date}
1365     \fi

```



```
1366 \par  
1367 \vskip 1.5em}  
1368 \fi
```

13 File `arydshln-xetex-bidi.def`



```

1413     \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1414     \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1415     \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1416     \setbox\adl@box\hbox \adl@startmbox{@nextchar}\insert@column
1417         \adl@endmbox\or
1418     \setbox\adl@box\vtop @startpbox{@nextchar}\insert@column @endpbox \or
1419     \setbox\adl@box\vbox @startpbox{@nextchar}\insert@column @endpbox
1420     \fi}\prepnext@tok
1421 \def\adl@class@start{4}
1422 \def\adl@class@iiiorvii{7}
1423
1424 \else
1425 \def@\testpach#1{`\chclass \ifnum `lastchclass=\tw@ 4\relax \else
1426     \ifnum `lastchclass=\thr@@ 5\relax \else
1427         `z@ \if #1`\chnum `z@ \else
1428             \if \if@RTLtab#1r\else#1\fi`\chnum @ne \else
1429                 \if \if@RTLtab#1l\else#1r\fi`\chnum \tw@ \else
1430                     `chclass
1431                         \if #1|\one \let@\arrayrule\adl@arrayrule \else
1432                             \if #1:\one \let@\arrayrule\adl@arraydashrule \else
1433                                 \if #1;\one \let@\arrayrule\adl@argarraydashrule \else
1434                                     \if #1@\tw@ \else
1435                                         \if #1p\thr@@ \else `z@ `preamerr 0\fi
1436                                         \fi \fi \fi \fi \fi \fi \fi \fi \fi
1437
1438 \def@\arrayclassz{\ifcase `lastchclass @acolampacol \or @ampacol \or
1439     \or \or @addamp \or
1440     @acolampacol \or \firststampfalse @acol \fi
1441     \edef@\preamble{\preamble
1442         \ifcase `chnum
1443             \hfil\adl@putlrc{$\relax\sharp$}\hfil
1444             \or \adl@putlrc{$\relax\sharp$}\hfil
1445             \or \hfil\adl@putlrc{$\relax\sharp$}\fi}
1446 \def@\tabclassz{\ifcase `lastchclass @acolampacol \or @ampacol \or
1447     \or \or @addamp \or
1448     @acolampacol \or \firststampfalse @acol \fi
1449     \edef@\preamble{\preamble
1450         \ifcase `chnum
1451             \hfil\adl@putlrc{@sharp\unskip}\hfil
1452             \or \adl@putlrc{@sharp\unskip}\hfil
1453             \or \hfil\hskip`z@ \adl@putlrc{@sharp\unskip}\fi}
1454 \def\adl@class@start{6}
1455 \def\adl@class@iiiorvii{3}
1456 \fi
1457 @ifpackageloaded{colortbl}{%
1458 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1459 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1460             \let@endpbox\adl@org@endpbox}
1461 \let\adl@CT@setup\CT@setup
1462 \def\CT@setup{\adl@CT@setup}

```



```

1463      \@tempdima\ht\z@\advance\@tempdima\minrowclearance
1464      \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1465      \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1466 \let\adl@act@CT@setup\CT@setup
1467 \def@classz{\@classx
1468     \tempcnta\count@\prepnexttok
1469     \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
1470     \expandafter\adl@extract@arc\the\toks\tempcnta\arrayrulecolor!\@nil
1471     \expandafter\adl@extract@drsc
1472         \the\toks\tempcnta\doublerulesepcolor!\@nil
1473     \expandafter\adl@extract@dgc\the\toks\tempcnta\dashgapcolor!\@nil
1474     \addtopreamble{\if@RTL\beginL\fi%
1475         \setbox\z@\hbox\bgroup\if@RTL\beginR\fi
1476         \ifcase\chnum
1477             \hskip\stretch{.5}\kern\z@
1478             \d@llarbegin
1479                 \insert@column
1480                     \d@llarend\hskip\stretch{.5}%
1481             \or \d@llarbegin \insert@column \d@llarend \hfill
1482             \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1483             \or \$\vcenter
1484                 \startpbox{@nextchar}\insert@column \endpbox $%
1485             \or \vtop \startpbox{@nextchar}\insert@column \endpbox
1486             \or \vbox \startpbox{@nextchar}\insert@column \endpbox
1487             \fi
1488             \if@RTL\endR\fi\egroup\egroup
1489             \begingroup
1490                 \CT@setup
1491                 \CT@column@color
1492                 \CT@row@color
1493                 \CT@cell@color
1494                 \CT@do@color
1495             \endgroup
1496             \tempdima\ht\z@
1497             \advance\tempdima\minrowclearance
1498             \vrule@height\@tempdima\@width\z@
1499             \unhbox\z@\if@RTL\endL\fi}%
1500         \prepnexttok
1501 \let\adl@act@classz@classz
1502 \let\adl@org@classz@classz
1503 }{}}

```

14 File bidi.sty

```

1504 \NeedsTeXFormat{LaTeX2e}
1505 \def\bididate{2018/02/22}
1506 \def\bidi@version{32.9}
1507 \ProvidesPackage{bidi}[\bidi@space v\bidi@version\space
1508 Bidirectional typesetting in plain TeX and LaTeX]
1509 \edef\bidi@info{*****^~J%

```



```

1510 * ^^J%
1511 * bidi package (Bidirectional typesetting in^^J%
1512 * plain TeX and LaTeX, using XeTeX engine)^^J%
1513 * ^^J%
1514 * Description: A convenient interface for^^J%
1515 * typesetting bidirectional texts in plain TeX^^J%
1516 * and LaTeX. The package includes adaptations^^J%
1517 * for use with many other commonly-used packages.^^J%
1518 * ^^J%
1519 * Copyright (c) 2009--2018 Vafa Khalighi^^J%
1520 * ^^J%
1521 * v\bidi@version, \bididate^^J%
1522 * ^^J%
1523 * License: LaTeX Project Public License, version^^J%
1524 * 1.3c or higher (your choice)^^J%
1525 * ^^J%
1526 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1527 * ^^J%
1528 * Issue tracker: https://github.com/tex-xet/bidi/issues^^J%
1529 * ^^J%
1530 * Support: persian-tex@tug.org^^J%
1531 * ^^J%
1532 ****}
1533 \typeout{@bidi@info}
1534 \edef\bidi@everyjob{\the\everyjob}
1535 \everyjob{\bidi@everyjob\typeout{@bidi@info}}
1536 \newcommand*{\bidi diversion}{\ensuremath\bidi@version}
1537 \newcommand*{\IfbidiPackageVersionLater}[1]{%
1538   \ifdim\bidi@version pt > #1 pt %
1539     \expandafter@\firstoftwo
1540   \else
1541     \expandafter@\secondoftwo
1542   \fi}
1543 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
1544   \ifdim\bidi@version pt < #1 pt %
1545     \expandafter@\firstoftwo
1546   \else
1547     \expandafter@\secondoftwo
1548   \fi}
1549 \newcommand*{\IfbidiPackageVersion}[1]{%
1550   \ifdim\bidi@version pt = #1 pt %
1551     \expandafter@\firstoftwo
1552   \else
1553     \expandafter@\secondoftwo
1554   \fi}
1555 \RequirePackage{iftex}
1556 \RequireXeTeX
1557 \RequirePackage{biditools}
1558 \RequirePackage{zref-abspage}
1559 \RequirePackage{auxhook}

```



```

1560 \RequirePackage{ltxcmds}
1561 \RequirePackage{xkeyval}
1562 \eqnewif{\if@RTLmain}{\if@rlmain}
1563 \eqnewif{\if@RTL}{\if@rl}
1564 \newif\if@nonlatin
1565 \newcommand*{\setlatin}{\@nonlatinfalse}
1566 \newcommand*{\setnonlatin}{\@nonlatintrue}
1567 \eqnewif{\if@RTLtab}{\if@tab@rl}
1568 \newif\if@hboxRconstruct
1569 \newcommand*{\setRTLtable}{\@RTLtabtrue}
1570 \newcommand*{\setLTRtable}{\@RTLtabfalse}
1571 \newif\if@bidi@pdfm@mark
1572 \newif\if@RTLmarginpar
1573 \newif\if@LTRmarginpar
1574 \newif\if@LTRbibitems
1575 \newif\if@RTLbibitems
1576 \newif\if@extrafootnotefeatures
1577 \newif\if@parafootRTL
1578 \newif\if@RTLcolumnfootnotes
1579 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1580 \newif\if@bidi@list@minipage@parbox
1581 \newif\if@bidi@list@minipage@parbox@not@nob
1582 \newcommand*{\@bidi@pdfcreator}{%
1583   The bidi package, v\@bidi@version, \bididate
1584 }
1585 \newcommand*{\@bidi@pdfproducer}{%
1586   The bidi package, v\@bidi@version, \bididate
1587 }
1588 \@RTLmainfalse
1589 \AtBeginDocument{%
1590   \if@RTLmain\else
1591     \if@RTL\@RTLmaintrue%
1592     \else\@RTLmainfalse%
1593     \fi%
1594   \fi%
1595 }
1596 \let\n@xt=\
1597 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1598 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1599 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1600 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1601 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt\fi
1602   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1603 \newinsert{\bidi@copyins@%
1604 \skip{\bidi@copyins@=12\p@
1605 \dimen{\bidi@copyins@=40pc
1606 \count{\bidi@copyins@=1000
1607 \newcommand*{\@bidi@inslogo@}{\insert{\bidi@copyins@{\bidi@logo@}}}
1608 \newcommand*{\@bidi@logo@hb@xt@}{%
1609   \if@RTLmain

```



```

1610     \hboxR to
1611   \else
1612     \hboxL to
1613   \fi
1614 }
1615 \newcommand*{\@bidi@logo@}{\@bidi@logo@hb@xt@\textwidth{\hss\LR{\bfseries Typeset by the \tex}
1616 \input{latex-xetex-bidi.def}
1617 \input{loadingorder-xetex-bidi.def}
1618 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1619   \ifcase\bidi@tempb\relax
1620     \@RTLtrue
1621   \or
1622     \@RTLfalse
1623   \fi}
1624 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}{%
1625   \ifcase\bidi@tempb\relax
1626     \@RTLtrue
1627   \or
1628     \@RTLfalse
1629   \fi}
1630 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}{%
1631   \ifcase\bidi@tempb\relax
1632     \@RTLtabtrue
1633   \or
1634     \@RTLtabfalse
1635   \fi}
1636 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
1637   \ifcase\bidi@tempb\relax
1638     \@nonlatinfalse
1639   \or
1640     \@nonlatintrue
1641   \fi}
1642 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1643   \ifcase\bidi@tempb\relax
1644     \@RTLtrue
1645   \or
1646     \@RTLfalse
1647   \fi}
1648 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,thick}{%
1649   \ifcase\bidi@tempb\relax
1650     \autofootnoterule
1651   \or
1652     \leftfootnoterule
1653   \or
1654     \rightfootnoterule
1655   \or
1656     \SplitFootnoteRule
1657   \or
1658     \textwidthfootnoterule
1659   \fi}

```



```

1660 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}
1661   \ifcase\bidi@tempb\relax
1662     @RTL@footnotetrue
1663   \or
1664     @RTL@footnotefalse
1665   \fi}
1666 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1667   \ifcase\bidi@tempb\relax
1668     \footdir@debugtrue
1669   \or
1670     \footdir@debugfalse
1671   \fi}
1672 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1673   \ifcase\bidi@tempb\relax
1674     @extrafootnotefeaturestrue
1675   \or
1676     @extrafootnotefeaturesfalse
1677   \fi}
1678
1679 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1680   \ifcase\bidi@tempb\relax
1681     \def\bidi@firstcolumn@status@write{%
1682       \protected@write\@auxout{}{%
1683         \string\bidi@column@status
1684         {1}}}}
1685     \def\bidi@lastcolumn@status@write{%
1686       \protected@write\@auxout{}{%
1687         \string\bidi@column@status{2}}}
1688   \or
1689     \let\bidi@firstcolumn@status@write\relax
1690     \let\bidi@lastcolumn@status@write\relax
1691   \fi}
1692
1693 \define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1694   \ifcase\bidi@tempb\relax
1695     \AtBeginDocument{\@bidi@inslogo@}}
1696   \or
1697     \let\@bidi@logo@\empty\let\@bidi@inslogo@\empty
1698   \fi}
1699
1700 \define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1701   \ifcase\bidi@tempb\relax
1702     @bidi@pdfm@marktrue
1703   \or
1704     @bidi@pdfm@markfalse
1705   \fi}
1706
1707 \ExecuteOptionsX{%
1708   DetectColumn=off%
1709 }

```



```

1710
1711 \ProcessOptionsX
1712
1713 \if@extrafootnotefeatures
1714   \input{extrafootnotefeatures-xetex-bidi.def}
1715 \fi
1716 \newcount\bidi@digits
1717 \XeTeXinterchartokenstate=\@ne
1718 \newXeTeXintercharclass\bidi@digits@charclass
1719 \newXeTeXintercharclass\bidi@sepmark@charclass
1720 \XeTeXcharclass `.\ \bidi@sepmark@charclass
1721 \XeTeXcharclass `-\ \bidi@sepmark@charclass
1722 \bidi@digits=\0 \loop \XeTeXcharclass \bidi@digits@charclass \ifnum\bidi@digits<
1723 \bidi@digits=\` \loop \XeTeXcharclass \bidi@digits@charclass \bidi@digits@charclass \ifnum\bidi@digits<
1724 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterChar
1725 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
1726 \AtEndDocument{%
1727   \if@bidi@pdfm@mark
1728     \special{pdf:%
1729       docinfo<<%
1730         /Creator(\@bidi@pdfcreator)%
1731         /Producer(\@bidi@pdfproducer)%
1732       >>%
1733     }%
1734   \fi
1735 }

```

15 File `bidi.tex`

```

1736 \def\bididate{2018/02/22}
1737 \catcode`\@=11
1738 \def\bidi@version{32.9}
1739 \let \protect \relax
1740 \newlinechar`^\^J
1741 \edef\bidi@info{*****^J%
1742 * ^J%
1743 * bidi package (Bidirectional typesetting in^\^J%
1744 * plain TeX and LaTeX, using XeTeX engine)^\^J%
1745 * ^J%
1746 * Description: A convenient interface for^\^J%
1747 * typesetting bidirectional texts in plain TeX^\^J%
1748 * and LaTeX. The package includes adaptations^\^J%
1749 * for use with many other commonly-used packages.^\^J%
1750 * ^J%
1751 * Copyright (c) 2009--2018 Vafa Khalighi^\^J%
1752 * ^J%
1753 * v\bidi@version, \bididate^\^J%
1754 * ^J%
1755 * License: LaTeX Project Public License, version^\^J%
1756 * 1.3c or higher (your choice)^\^J%

```



```

1757 * ^^J%
1758 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1759 * ^^J%
1760 * Issue tracker: https://github.com/tex-xet/bidi/issues^^J%
1761 * ^^J%
1762 * Support: persian-tex@tug.org^^J%
1763 * ^^J%
1764 ****}
1765 \message{@bidi@info}
1766 \edef\bidi@everyjob{\the\everyjob}
1767 \everyjob{\bidi@everyjob\message{@bidi@info}}
1768 \def\bidiversion{%
1769   \relax
1770   \ifmmode
1771     \bidi@version
1772   \else
1773     $ \bidi@version$%
1774   \fi
1775 }
1776 \input iftex.sty
1777 \RequireXeTeX
1778 \newif\if@bidi@pdfm@mark
1779 \newif\if@RTLmain
1780 \newif\if@RTL
1781 \newif\if@hboxRconstruct
1782 \newif\if@sentrdir
1783 \newif\if@RTL@footnote
1784 \RTLmainfalse
1785 \def\setRTLmain{%
1786   \if@RTLmain\else
1787     \if@RTL\@RTLmaintrue%
1788   \else\@RTLmainfalse%
1789   \fi%
1790   \fi%
1791 }
1792 \let\n@xt=\
1793 \protected\def\LR{`\protect\pLRE}{%
1794 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1795 \protected\def\RLE{\protect\pRLE}{%
1796 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1797 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1798   \errmessage{Missing left brace has been substituted}\fi \bgroup}%
1799 \newinsert\bidi@copyins@%
1800 \skip\bidi@copyins@=12\p@
1801 \dimen\bidi@copyins@=40pc
1802 \count\bidi@copyins@=1000
1803 \def\bidi@inslogo@{\insert\bidi@copyins@{\bidi@logo@}}%
1804 \def\bidi@logo@hb@xt@{%
1805   \if@RTLmain
1806     \hboxR to

```



```

1807 \else
1808   \hboxL to
1809 \fi
1810 }
1811 \def\@bidi@logo{\@bidi@logo@hb@xt@\hsize{\hss\LR{Typeset by the bidi package}}}
1812 \def\nobidilogo{\let\@bidi@logo@\empty\let\@bidi@inslogo@\empty}
1813 \def\@bidi@pdfcreator{%
1814   The bidi package, v\bidi@version, \bididate
1815 }
1816 \def\@bidi@pdfproducer{%
1817   The bidi package, v\bidi@version, \bididate
1818 }
1819 \def\bidi@pdfm@mark{%
1820   \if@bidi@pdfm@mark
1821     \special{pdf:%
1822       docinfo<<%
1823         /Creator(\@bidi@pdfcreator)%
1824         /Producer(\@bidi@pdfproducer)%
1825       >>%
1826     }%
1827   \fi
1828 }
1829 \def\bidipdfinfoon{\@bidi@pdfm@marktrue}
1830 \def\bidipdfinfooff{\@bidi@pdfm@markfalse}
1831 \input plain-xetex-bidi.def
1832 \@bidi@inslogo@
1833 \outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
1834 \catcode`@=12
1835 \bidipdfinfoon

```

16 File `bidi2in1.sty`

```

1836 \NeedsTeXFormat{LaTeX2e}
1837 \ProvidesPackage{bidi2in1}
1838 \pagestyle{plain}
1839 \newcount\evenpage
1840 \newcount\oddpage
1841 \twocolumn
1842 \def\@oddfoot{\evenpage=\thepage%
1843 \multiply\evenpage by 2%
1844 \oddpage=\the\evenpage%
1845 \advance\oddpage by -1%
1846 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
1847 \def\@evenfoot{\evenpage=\thepage%
1848 \multiply\evenpage by 2%
1849 \oddpage=\the\evenpage%
1850 \advance\oddpage by -1%
1851 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
1852 \textwidth 9.49in
1853 \textheight 6.7in

```



```

1854 \columnsep 0.9in
1855 \columnseprule 0.125pt
1856 \headheight 0cm
1857 \topmargin 0in
1858 \marginparwidth 0in
1859 \marginparsep 0in
1860 \hoffset -0.5in % Corrected
1861 \voffset -0.5in % top margin space is 1.0in by default
1862 \oddsidemargin 0in
1863 \evensidemargin 0in
1864 \headsep 0cm
1865 \topskip 0cm
1866 \parskip 0.15in      %
1867 \headsep 0pt
1868 \special{papersize=11.69in,8.26in}
1869 \renewcommand{\maketitle}{\par
1870 \begingroup
1871 \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
1872 \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
1873 \long\def\@makefntext##1{\par\indent 1em\noindent
1874 \hb@xt@1.8em{%
1875 \hss\textsuperscript{\normalfont\@thefnmark}}##1}%
1876 \maketitle
1877 \thanks
1878 \endgroup
1879 \setcounter{footnote}{0}%
1880 \global\let\thanks\relax
1881 \global\let\maketitle\relax
1882 \global\let\@maketitle\relax
1883 \global\let\@thanks\empty
1884 \global\let\@author\empty
1885 \global\let\@date\empty
1886 \global\let\@title\empty
1887 \global\let\title\relax
1888 \global\let\author\relax
1889 \global\let\date\relax
1890 \global\let\and\relax
1891 }

```

17 File `bidicode.sty`

```

1892 \NeedsTeXFormat{LaTeX2e}
1893 \ProvidesPackage{bidicode}
1894 \RequirePackage{xcolor}
1895 \RequirePackage{showexpl}
1896 \definecolor{hellgelb}{rgb}{1,1,0.85}
1897 \definecolor{colKeys}{rgb}{0,0,1}
1898 \definecolor{colIdentifier}{rgb}{0,0,0}
1899 \definecolor{colComments}{rgb}{1,0,0}
1900 \definecolor{colString}{rgb}{0,0.5,0}

```



```

1901 \lstset{
1902     language=[LaTeX]TEX,
1903     float=htbp,
1904     basicstyle=\ttfamily\small,
1905     identifierstyle=\color{colIdentifier},
1906     keywordstyle=\color{colKeys},
1907     stringstyle=\color{colString},
1908     commentstyle=\color{colComments},
1909     backgroundcolor=\color{hellgelb},
1910     columns=flexible,
1911     tabsize=4,
1912     extendedchars=true,
1913     showspaces=false,
1914     showstringspaces=false,
1915     numbers=left,
1916     numbersep=0.9em,
1917     numberstyle=\tiny, %
1918     frame=single,
1919     captionpos=b,
1920     xleftmargin=1em,
1921     breaklines=true,
1922     breakautoindent=false,
1923     breakindent=Opt,
1924     escapeinside=**,
1925     pos=r,
1926     explpreset={%
1927         xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1928     morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1929 }
1930 \newcommand\HLON{%
1931     \gdef\lst@alloverstyle##1{%
1932         \fboxrule=0pt
1933         \fboxsep=0pt
1934         \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1935     }%
1936 \newcommand\HLOFF{%
1937     \xdef\lst@alloverstyle##1{##1}%
1938 }
1939 \newcommand\Larg[1]{\normalfont\itshape#1\!/>
1940 \newcommand\Large[1]{\$\langle\$#1\$\\rangle\$}
1941 \newcommand\Largb[1]{\lcb\Large{#1}\rcb}
1942 \newcommand\Largeb[1]{\lsb\Large{#1}\rsb}
1943 \newcommand\Largegr[1]{\lrb\Large{#1}\rrb}
1944 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}\begin{lcb#1\rcb}}
1945 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}\end{lcb#1\rcb}}
1946
1947 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
1948 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char`\{}%
1949 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char`\}}%
1950 \DeclareRobustCommand\lsb{\normalfont\ttfamily[]}

```



```

1951 \DeclareRobustCommand{\rsb}{\normalfont\ttfamily]}
1952 \DeclareRobustCommand{\lrb}{\normalfont\ttfamily{}}
1953 \DeclareRobustCommand{\rrb}{\normalfont\ttfamily{})}
1954
1955 \def\lcs#1{\nxLcs{#1}}
1956 \def\lcsstar#1{\nxLcs{#1}\OptArg*{*}}
1957 \def\nxLcs#1{\texttt{\symbol{92}#1}}
1958
1959 \def\Coordx#1{$x_{\#1}$}
1960 \def\Coordy#1{$y_{\#1}$}
1961 \def\Coordz#1{$z_{\#1}$}
1962 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
1963 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
1964 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
1965 \def\cAny{\Coordx{},\kern 1pt\Coordy{}}
1966 \def\cIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
1967 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
1968 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
1969 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1970 \def\coordx#1{$x_{\#1}$}
1971 \def\coordy#1{$y_{\#1}$}
1972 \def\coordz#1{$z_{\#1}$}
1973 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
1974 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
1975
1976 \newsavebox{\boxdef}
1977 \newenvironment{BDef}
1978   {\begin{lrbox}\boxdef
1979     \def\arraystretch{1.0}
1980     \begin{tabular}{@{}l@{}l@{}l@{}}
1981   }
1982   {\end{tabular}\end{lrbox}
1983
1984   {\BCmd\fbox{\usebox{\boxdef}}\endBCmd}
1985   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1986 }
1987
1988 \newenvironment{BDef*}
1989   {\begin{lrbox}\boxdef
1990     \def\arraystretch{1.0}
1991     \begin{tabular}{@{}l@{}l@{}l@{}}
1992   }
1993   {\end{tabular}\end{lrbox}
1994   {\begin{BCmd*}\fbox{\usebox{\boxdef}}\end{BCmd*}}
1995   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1996 }
1997 \newenvironment{BCmd}{%
1998   \begin{parpenalty-1\lowpenalty
1999   \topsep\BDefaboveskip
2000   \fboxsep3pt

```



```

2001   \flushleft}
2002 { \endparpenalty\@M
2003   \topsepadd\BDefbelowskip
2004   \endflushleft}
2005
2006 \newenvironment{BCmd*}{
2007   \beginparpenalty\@M
2008   \topsep\BDefinlineskip
2009   \fboxsep3pt
2010   \flushleft}
2011 { \endparpenalty5000
2012   \endflushleft}
2013
2014 \newskip\BDefaboveskip
2015 \newskip\BDefbelowskip
2016 \newskip\BDefinlineskip
2017 \setlength\BDefaboveskip{10pt plus 4pt}
2018 \setlength\BDefbelowskip{6pt}
2019 \setlength\BDefinlineskip{6pt}
2020
2021 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
2022 \def\OptArg{\ifnextchar*\OptArg@i{\OptArg@ii*}}
2023 \def\OptArg@i#1{\colorbox{black!20}{\texttt{#1}}}\kern1pt}
2024 \def\OptArg@ii#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

18 File `bidiftnxtra.sty`

```

2025 \NeedsTeXFormat{LaTeX2e}
2026 \ProvidesPackage{bidiftnxtra}
2027 \newtoks\bidi@p@ftn
2028 \let\FN@sf@@footnote\footnote
2029 \let\FN@sf@@LTRfootnote\LTRfootnote
2030 \let\FN@sf@@RTLfootnote\RTLfootnote
2031 \def\footnote{\ifx\protect\@typeset@protect
2032   \expandafter\FN@sf@@footnote
2033   \else
2034   \expandafter\FN@sf@gobble@opt
2035   \fi
2036 }
2037 \def\LTRfootnote{\ifx\protect\@typeset@protect
2038   \expandafter\FN@sf@@LTRfootnote
2039   \else
2040   \expandafter\FN@sf@gobble@opt
2041   \fi
2042 }
2043 \def\RTLfootnote{\ifx\protect\@typeset@protect
2044   \expandafter\FN@sf@@RTLfootnote
2045   \else
2046   \expandafter\FN@sf@gobble@opt
2047   \fi

```



```

2048 }
2049 \edef\FN@sf@gobble@opt{\noexpand\protect
2050   \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
2051 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
2052   \@ifnextchar[%]
2053     \FN@sf@gobble@twobracket
2054     \@gobble
2055   }
2056 \def\FN@sf@gobble@twobracket[#1]#2{%
2057   \let\FN@sf@footnotemark\footnotemark
2058 \def\footnotemark{\ifx\protect\@typeset@protect
2059   \expandafter\FN@sf@footnotemark
2060 \else
2061   \expandafter\FN@sf@gobble@optionly
2062 \fi
2063 }
2064 \edef\FN@sf@gobble@optionly{\noexpand\protect
2065   \expandafter\noexpand\csname FN@sf@gobble@optionly \endcsname}
2066 \expandafter\def\csname FN@sf@gobble@optionly \endcsname{%
2067   \@ifnextchar[%]
2068     \FN@sf@gobble@bracket
2069     {}%
2070   }
2071 \def\FN@sf@gobble@bracket[#1]{}
2072 \def\@tabular{%
2073   \leavevemode \hbox \bgroup
2074   \let\@footnotetext\bidi@p@ftntext
2075   \let\@LTRfootnotetext\bidi@p@LTRftntext
2076   \let\@RTLfootnotetext\bidi@p@RTLftntext
2077   \let\@xfootnotenext\bidi@p@xftntext
2078   \let\@xfootnote\bidi@p@xfootnote
2079   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
2080   \let\@xLTRfootnote\bidi@p@xLTRfootnote
2081   \let\@xRTLfootnotenext\bidi@p@xRTLftntext
2082   \let\@xRTLfootnote\bidi@p@xRTLfootnote
2083   \if@RTLtab\beginR \fi
2084   \$\let\@acol\@tabacol
2085   \let\@classz\@tabclassz
2086   \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray
2087 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
2088   \egroup \$\if@RTLtab\endR\fi\egroup
2089   \ifx\@capttype\@undefined
2090   \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi
2091 \long\def\bidi@p@ftntext#1{%
2092   \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
2093   \global\bidi@p@ftn\expandafter{\@tempy{#1}}%
2094 \long\def\bidi@p@LTRftntext#1{%
2095   \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2096   \global\bidi@p@ftn\expandafter{\@tempyi{#1}}%
2097 \long\def\bidi@p@RTLftntext#1{%

```



```

2098 \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]{%
2099 \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}{%
2100
2101
2102 \long\def\bidi@p@xftntext [#1]#2{%
2103   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext [#1]{#2}}{%
2104
2105 \long\def\bidi@p@xLTRftntext [#1]#2{%
2106   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext [#1]{#2}}{%
2107
2108 \long\def\bidi@p@xRTLftntext [#1]#2{%
2109   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext [#1]{#2}}{%
2110
2111
2112 \def\bidi@p@xfootnote [#1]{%
2113   \begingroup
2114     \csname c@\@mpfn\endcsname #1\relax
2115     \unrestored@protected@xdef\@thefnmark{\thempfn}{%
2116   \endgroup
2117   \footnotemark\bidi@p@xftntext [#1]}{%
2118
2119
2120 \def\bidi@p@xLTRfootnote [#1]{%
2121   \begingroup
2122     \csname c@\@mpfn\endcsname #1\relax
2123     \unrestored@protected@xdef\@thefnmark{\thempfn}{%
2124   \endgroup
2125   \footnotemark\bidi@p@xLTRftntext [#1]}{%
2126
2127
2128 \def\bidi@p@xRTLfootnote [#1]{%
2129   \begingroup
2130     \csname c@\@mpfn\endcsname #1\relax
2131     \unrestored@protected@xdef\@thefnmark{\thempfn}{%
2132   \endgroup
2133   \footnotemark\bidi@p@xRTLftntext [#1]}{%
2134
2135 \def\xffloat #1[#2]{%
2136   \nodocument
2137   \def \capttype {#1}{%
2138     \def \fps {#2}{%
2139       \onelevel@sanitize \fps
2140       \def \reserved@b {!}{%
2141         \ifx \reserved@b \fps
2142           \fpsadddefault
2143         \else
2144           \ifx \fps \empty
2145             \fpsadddefault
2146           \fi
2147         \fi

```



```

2148     \ifhmode
2149         \@bsphack
2150         \@floatpenalty -\@Mii
2151     \else
2152         \@floatpenalty-\@Miii
2153     \fi
2154 \ifinner
2155     \parmoderr\@floatpenalty\z@
2156 \else
2157     \next\currbox\freelist
2158     {%
2159         \tempcnta \sixt@@n
2160         \expandafter \tfor \expandafter \reserved@a
2161             \expandafter :\expandafter =\fps
2162         \do
2163             {%
2164                 \if \reserved@a h%
2165                     \ifodd \tempcnta
2166                     \else
2167                         \advance \tempcnta \one
2168                     \fi
2169                 \fi
2170                 \if \reserved@a t%
2171                     \setfpsbit \tw@
2172                 \fi
2173                 \if \reserved@a b%
2174                     \setfpsbit 4%
2175                 \fi
2176                 \if \reserved@a p%
2177                     \setfpsbit 8%
2178                 \fi
2179                 \if \reserved@a !%
2180                     \ifnum \tempcnta>15
2181                         \advance\tempcnta -\sixt@@n\relax
2182                     \fi
2183                 \fi
2184             }%
2185         \tempcntb \csname ftype@\capttype \endcsname
2186         \multiply \tempcntb \xxxii
2187         \advance \tempcnta \tempcntb
2188         \global \count\currbox \tempcnta
2189     }%
2190     \fhtovf
2191 \fi
2192 \global \setbox\currbox
2193     \color@vbox
2194     \normalcolor
2195     \vbox \bgroup
2196     \let\footnotetext\bidi@p@ftntext
2197     \let\LTRfootnotetext\bidi@p@LTRftntext

```



```

2198     \let\@RTLfootnotetext\bidi@p@RTLftnttext
2199     \let\@xfootnotenext\bidi@p@xftnttext
2200     \let\@xfootnote\bidi@p@xfootnote
2201     \let\@xLTRfootnotenext\bidi@p@xLTRftnttext
2202     \let\@xLTRfootnote\bidi@p@xLTRfootnote
2203     \let\@xRTLfootnotenext\bidi@p@xRTLftnttext
2204     \let\@xRTLfootnote\bidi@p@xRTLfootnote
2205     \hsize\columnwidth
2206     \parboxrestore
2207     \floatboxreset
2208 }
2209 \def \endfloatbox{%
2210     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
2211     \minipagetrue
2212     \outer@nobreak
2213     \egroup      %% end of vbox
2214     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
2215     \color@endbox
2216 }

```

19 File `bidimoderncv.cls`

```

2217 \NeedsTeXFormat{LaTeX2e}
2218 \ProvidesClass{bidimoderncv}
2219 \newif\if@DEBUG\@DEBUGfalse
2220 \DeclareOption{a4paper}{%
2221     \setlength\paperheight{297mm}
2222     \setlength\paperwidth{210mm}}
2223 \DeclareOption{a5paper}{%
2224     \setlength\paperheight{210mm}
2225     \setlength\paperwidth{148mm}}
2226 \DeclareOption{b5paper}{%
2227     \setlength\paperheight{250mm}
2228     \setlength\paperwidth{176mm}}
2229 \DeclareOption{letterpaper}{%
2230     \setlength\paperheight{11in}
2231     \setlength\paperwidth{8.5in}}
2232 \DeclareOption{legalpaper}{%
2233     \setlength\paperheight{14in}
2234     \setlength\paperwidth{8.5in}}
2235 \DeclareOption{executivepaper}{%
2236     \setlength\paperheight{10.5in}
2237     \setlength\paperwidth{7.25in}}
2238 \DeclareOption{landscape}{%
2239     \setlength\tempdima{\paperheight}
2240     \setlength\paperheight{\paperwidth}
2241     \setlength\paperwidth{\tempdima}}
2242 \newcommand\@ptsize{}
2243 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2244 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}

```



```

2245 \DeclareOption{12pt}{\renewcommand{\ptsize{2}}}
2246 \DeclareOption{draft}{\setlength{\overfullrule{5pt}}}
2247 \DeclareOption{final}{\setlength{\overfullrule{0pt}}}
2248 \newif\if@colour\@colourtrue
2249 \DeclareOption{nocolour}{\@colourfalse}
2250 \ExecuteOptions{a4paper,11pt,colour,final}
2251 \ProcessOptions\relax
2252 \input{size1\ptsize.clo}
2253 \RequirePackage{color}
2254 \RequirePackage{graphicx}
2255 \RequirePackage{ifthen}
2256 \RequirePackage{marvosym}
2257 \addtolength{\oddsidemargin}{-54pt}
2258 \addtolength{\textwidth}{109pt}
2259 \addtolength{\topmargin}{-70pt}
2260 \addtolength{\textheight}{122pt}
2261 \addtolength{\marginparsep}{-5pt}
2262 \addtolength{\marginparwidth}{-10pt}
2263 \RequirePackage{url}
2264 \RequirePackage{hyperref}
2265 \hypersetup{%
2266   breaklinks,
2267   baseurl      = http://,%
2268   pdfborder    = 0 0 0,%
2269   pdfpagemode  = UseNone,%
2270   pdfstartpage = 1}
2271 \AtEndOfClass{%
2272   \AtBeginDocument{%
2273     \hypersetup{%
2274       pdfauthor     = \@firstname~\@familyname,%
2275       pdftitle      = \@title,%
2276       pdfsubject    = \@firstname~\@familyname,%
2277       pdfkeywords   = \@resumename~\@firstname~\@familyname}}}
2278 \urlstyle{tt}
2279 \RequirePackage{fancyhdr}
2280 \fancypagestyle{plain}{%
2281   \renewcommand{\headrulewidth}{0pt}
2282   \renewcommand{\footrulewidth}{0pt}
2283   \fancyhf{}}
2284 \pagestyle{plain}
2285 \setlength{\lineskip}{1\p@}
2286 \setlength{\normallineskip}{1\p@}
2287 \renewcommand{\baselinestretch}{}
2288 \setlength{\parindent}{0pt}
2289 \setlength{\parskip}{0pt}
2290 \setlength{\columnsep}{10\p@}
2291 \setlength{\columnseprule}{0\p@}
2292 \pagestyle{empty}
2293 \pagenumbering{arabic}
2294 \raggedbottom

```



```

2295 \onecolumn
2296 \providecommand*{\listitemsymbol}{\textbullet}
2297 \providecommand*{\addresssymbol}{}
2298 \providecommand*{\mobilesymbol}{\Mobilefone}
2299 \providecommand*{\phonesymbol}{\Telefon}
2300 \providecommand*{\faxsymbol}{\FAX}
2301 \providecommand*{\emailsymbol}{\Letter}
2302 \definecolor{firstnamecolor}{rgb}{0,0,0}
2303 \def\firstnamecolour#1{\gdef@\firstnamecolour{\addfontfeature{Color=#1}}}
2304 \def\familynamecolour#1{\gdef@\familynamecolour{\addfontfeature{Color=#1}}}
2305 \def\titlecolour#1{\gdef@\titlecolour{\addfontfeature{Color=#1}}}
2306 \def\addresscolour#1{\gdef@\addresscolour{\addfontfeature{Color=#1}}}
2307 \def\quotecolour#1{\gdef@\quotecolour{\addfontfeature{Color=#1}}}
2308 \def\sectiontitlecolour#1{\gdef@\sectiontitlecolour{\addfontfeature{Color=#1}}}
2309 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2310 \def\subsectioncolour#1{\gdef@\subsectioncolour{\addfontfeature{Color=#1}}}
2311 \def\hintcolour#1{\gdef@\hintcolour{\addfontfeature{Color=#1}}}
2312 \providecommand*{\firstnamefont}{}
2313 \providecommand*{\familynamefont}{}
2314 \providecommand*{\titlefont}{}
2315 \providecommand*{\addressfont}{}
2316 \providecommand*{\quotefont}{}
2317 \providecommand*{\sectionfont}{}
2318 \providecommand*{\subsectionfont}{}
2319 \providecommand*{\hintfont}{\small}
2320 \providecommand*{\firstnamestyle}[1]{\{\firstnamefont\@firstnamecolour#1\}}
2321 \providecommand*{\familynamestyle}[1]{\{\familynamefont\@familynamecolour#1\}}
2322 \providecommand*{\titlestyle}[1]{\{\titlefont\@titlecolour#1\}}
2323 \providecommand*{\addressstyle}[1]{\{\addressfont\@addresscolour#1\}}
2324 \providecommand*{\quotestyle}[1]{\{\quotefont\@quotecolour#1\}}
2325 \providecommand*{\sectionstyle}[1]{\{\sectionfont\@sectiontitlecolour#1\}}
2326 \providecommand*{\subsectionstyle}[1]{\{\subsectionfont\@subsectioncolour#1\}}
2327 \providecommand*{\hintstyle}[1]{\{\hintfont\@hintcolour#1\}}
2328 \newcommand*{\cvtheme}[2][]{%
2329   \def\@cvtheme{#2}%
2330   \def\@cvthemeoptions{#1}%
2331   \cvtheme{bidi-casual}%
2332   \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}%
2333   \newcommand*{\resumename}[1]{\def\@resumename{#1}}%
2334   \newcommand*{\firstname}[1]{\def\@firstname{#1}}%
2335   \newcommand*{\familynamen}[1]{\def\@familynamen{#1}}%
2336   \renewcommand*{\title}[1]{\def\@title{#1}}%
2337   \newcommand*{\address}[1]{\def\@address{#1}}%
2338   \newcommand*{\mobile}[1]{\def\@mobile{#1}}%
2339   \newcommand*{\phone}[1]{\def\@phone{#1}}%
2340   \renewcommand*{\fax}[1]{\def\@fax{#1}}%
2341   \newcommand*{\email}[1]{\def\@email{#1}}%
2342   \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}%
2343   \def\@photowidth{0pt}%
2344   \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}%

```



```

2345 \newcommand*{\quote}[1]{\def\@quote{#1}}
2346 \newlength{\quotewidth}
2347 \newlength{\hintscolumnwidth}
2348 \newlength{\separatorcolumnwidth}
2349 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2350 \newlength{\maincolumnwidth}
2351 \newlength{\doubleitemmaincolumnwidth}
2352 \newlength{\listitemsymbolwidth}
2353 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
2354 \newlength{\listitemmaincolumnwidth}
2355 \newlength{\listdoubleitemmaincolumnwidth}
2356 \newcommand*{\recomputethemelengths}{}
2357 \newcommand*{\recapturelengths}{%
2358 \setlength{\quotewidth}{0.65\textwidth}%
2359 \setlength{\maincolumnwidth}{\textwidth}%
2360 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2361 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2362 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2363 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2364 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2365 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2366 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2367 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2368 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2369 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2370 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2371 \renewcommand{\headwidth}{\textwidth}%
2372 \recomputethemelengths}
2373 \setlength{\hintscolumnwidth}{0.15\textwidth}
2374 \recapturelengths
2375 \title{%
2376 \renewcommand*{\maketitle}{}
2377 \newcommand*{\section}[1]{%
2378 \vspace*{2.5ex} \oplus 1ex \ominus .2ex}%
2379 \phantomsection}%
2380 \addcontentsline{toc}{part}{#1}%
2381 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}#1}}%
2382 \hspace{\separatorcolumnwidth}%
2383 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}
2384 \newcommand*{\subsection}[1]{%
2385 \cvline[0.45em]{}{\subsectionstyle{#1}}}%
2386 \newcommand*{\cvline}[2]{%
2387 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}#2}%
2388 \bidi@raggedleft\hintfont{#2} & #3}%
2389 \end{tabular}\\[#1]}%
2390 \newcommand*{\cvdoubleitem}[4]{%
2391 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2392 \hfill}%
2393 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\separatorcolumnwidth}%
2394 \newcommand*{\cvlistitem}[2]{[\listitemsymbol{}]}%

```



```

2395  \cvline[0pt]{}{\#1-\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}}
2396 \newcommand*{\cvlistdoubleitem}[3]{\listitemsymbol{}}
2397 \cvline[0pt]{}{\#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}
2398 \hfill%
2399 \ifthenelse{\equal{#3}{}}{%
2400   {}%
2401   {\#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#3\end{minipage}}}
2402 \newcommand*{\cventry}[6]{%
2403   \cvline{\#1}{%
2404     {\bfseries\#2}%
2405     \ifx#3\else{, \slshape#3}\fi%
2406     \ifx#4\else{, #4}\fi%
2407     \ifx#5\else{, #5}\fi%
2408     .%
2409     \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
2410   }%
2411 \newcommand*{\cvlanguage}[3]{%
2412   \cvline{\#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{\#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}%
2413 \newcommand*{\cvcomputer}[4]{%
2414   \cvdoubleitem{\#1}{\small#2}{\#3}{\small#4}}
2415 \newcommand*{\link}[2]{%
2416   \ifthenelse{\equal{#1}{}}{%
2417     {\ href{\#2}{\#2}}%
2418     {\ href{\#2}{\#1}}}
2419 \newcommand*{\httplink}[2]{%
2420   \ifthenelse{\equal{#1}{}}{%
2421     {\ href{http://\#2}{\#2}}%
2422     {\ href{http://\#2}{\#1}}}
2423 \newcommand*{\emaillink}[2]{%
2424   \ifthenelse{\equal{#1}{}}{%
2425     {\ href{mailto:\#2}{\#2}}%
2426     {\ href{mailto:\#2}{\#1}}}
2427 \newif\if@displaypagenumbers\@displaypagenumberstrue
2428 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2429 \AtBeginDocument{%
2430   \if@displaypagenumbers%
2431     \@ifundefined{r@lastpage}{}{%
2432       \ifthenelse{\pageref{lastpage} > 1}{%
2433         \fancypagestyle{plain}{%
2434           \fancyfoot[r]{\begin{L}\addressfont\@quotecolour\footnotesize\thepage\end{L}/\page}
2435         \pagestyle{plain}}{}}%
2436   \AtEndDocument{\label{lastpage}}%
2437   \fi}
2438 \newlength{\bibindent}
2439 \setlength{\bibindent}{1.5em}
2440 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2441 \newenvironment{thebibliography}[1]{%
2442   {}%
2443   \section{\refname}%
2444   \small%

```



```

2445 \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2446 \bidi@@thebibliography@font@hook%
2447 \begin{list}{\bibliographyitemlabel}%
2448 {%
2449   \setlength{\topsep}{0pt}%
2450   \setlength{\labelwidth}{\hintscolumnwidth}%
2451   \setlength{\labelsep}{\separatorcolumnwidth}%
2452   \leftmargin\labelwidth%
2453   \advance\leftmargin\labelsep%
2454   \openbib@code%
2455   \usecounter{enumiv}%
2456   \let\p@enumiv\empty%
2457   \renewcommand\theenumiv{\arabic{enumiv}}%
2458   \sloppy\clubpenalty4000\widowpenalty4000%
2459 }%
2460 {%
2461   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2462   \end{list}%
2463 }
2464 \newcommand\newblock{\hspace{.11em}\@plus.33em\@minus.07em}
2465 \let\openbib@code\empty

```

20 File `biditools.sty`

```

2466 \NeedsTeXFormat{LaTeX2e}
2467 \ProvidesPackage{biditools}[2018/02/22 v1.4 Programming tools for bidi package]
2468 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\relax
2469   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2470   \ifx\@tempa\@tempb \global\let#2#1%
2471   \else
2472     \edef\@tempb{\meaning#2}%
2473     \ifx\@tempa\@tempb
2474     \else
2475       \@latex@error{Unable to properly define \string#2; primitive
2476       \noexpand#1 no longer primitive}\@eha
2477     \fi
2478   \fi
2479 \endgroup}
2480 \newtoks\@bidi@envbody
2481 \newtoks\@bidi@emptytoks
2482 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2483 \def\bidi@collect@body#1{%
2484   \@bidi@envbody\expandafter#1\expandafter{\the\@bidi@envbody}%
2485   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2486   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2487   \begingroup
2488   \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
2489   \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2490   \bidi@process@envbody
2491 }

```



```

2492 \def\bidi@push@begins#1\begin#2{%
2493   \ifx\end#2\else b\expandafter\bidi@push@begins\fi
2494 }
2495 \def\bidi@collect@@body#1\end#2{%
2496   \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter@gobble\begin@bidi@stack}%
2497   \ifx@\empty\begin@bidi@stack
2498     \endgroup
2499     \@checkend{#2}%
2500     \bidi@addto@envbody{#1}%
2501   \else
2502     \bidi@addto@envbody{#1\end{#2}}%
2503   \fi
2504   \bidi@process@envbody % A little tricky! Note the grouping
2505 }
2506 \long\def\bidi@addto@long@envbody#1{\global\bidi@envbody\expandafter{\the\bidi@envbody#1}%
2507 \long\def\bidi@collect@long@body#1{%
2508   \bidi@envbody{\expandafter#1\expandafter{\the\bidi@envbody}}%
2509   \edef\bidi@process@envbody{\the\bidi@envbody\noexpand\end{\currenvir}}%
2510   \bidi@envbody\bidi@emptytoks \def\begin@bidi@stack{b}%
2511   \begingroup
2512   \expandafter\let\csname\currenvir\endcsname\bidi@collect@long@@body
2513   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
2514   \bidi@process@envbody
2515 }
2516 \long\def\bidi@push@long@begins#1\begin#2{%
2517   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
2518 }
2519 \long\def\bidi@collect@long@@body#1\end#2{%
2520   \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter@gobble\begin@bidi@st
2521   \ifx@\empty\begin@bidi@stack
2522     \endgroup
2523     \@checkend{#2}%
2524     \bidi@addto@long@envbody{#1}%
2525   \else
2526     \bidi@addto@long@envbody{#1\end{#2}}%
2527   \fi
2528   \bidi@process@envbody % A little tricky! Note the grouping
2529 }
2530 \long\def\bidi@new@ifnextchar#1#2#3{%
2531   \let\reserved@d= #1%
2532   \def\reserved@a{#2}\def\reserved@b{#3}%
2533   \futurelet\@let@token\bidi@new@ifnch
2534 }
2535 \def\bidi@new@ifnch{%
2536   \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
2537   \reserved@b
2538 }
2539 \def\bidi@matrix@check#1{%
2540   \expandafter\ifx\csname\currenvir\endcsname#1%
2541   \else\bidi@matrix@error#1%

```



```

2542     \expandafter\@gobble
2543   \fi
2544 }
2545 \def\bidi@matrix@error#1{%
2546   \PackageError{biditools}{%
2547 Old form `#1' should be \begin{\expandafter\@gobble}#1}%
2548 }{%
2549 `#1{...}' is old bidi package syntax whose use is
2550 ill-advised in the old versions of bidi package.%
2551 }%
2552 }
2553 \def\@tagsextension{clo}
2554 \def\@definitionfileextension{def}
2555 \def\@texfileextension{tex}
2556 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2557 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2558 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
2559 \def\eqnewif#1#2{%
2560   \count@\escapechar \escapechar\m@ne
2561   \let#1\iffalse
2562   \let#2\iffalse
2563   \eq@if#1#2\iftrue
2564   \eq@if#1#2\iffalse
2565   \escapechar\count@
2566 \def\eq@if#1#2#3{%
2567   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2568           \expandafter\@gobbletwo\string#3\endcsname
2569           {\let#1#3%
2570           \let#2#3}%
2571   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2572           \expandafter\@gobbletwo\string#3\endcsname
2573           {\let#2#3%
2574           \let#1#3}%
2575 \newcommand*{\SetBoolean}[2]{%
2576   \lowercase{\def\@tempa{#2}}%
2577   \@ifundefined{@tempswa\@tempa}{%
2578     \PackageError{biditools}{%
2579       {You can only set a boolean to `true' or `false'}\@ehc}%
2580     \@ifundefined{#1\@tempa}{%
2581       \PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2582       {\csname#1\@tempa\endcsname}}}
2583 \newcommand*{\GlobalSetBoolean}[2]{%
2584   \lowercase{\def\@tempa{#2}}%
2585   \@ifundefined{@tempswa\@tempa}{%
2586     \PackageError{biditools}{%
2587       {You can only set a boolean to `true' or `false'}\@ehc}%
2588     \@ifundefined{#1\@tempa}{%
2589       \PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2590       {\global\csname#1\@tempa\endcsname}}}
2591 \newcommand*{\SetatBoolean}[2]{%

```



```

2592 \lowercase{\def\@tempa{#2}}%
2593 \@ifundefined{@tempswa\@tempa}%
2594 {\PackageError{biditools}%
2595 {You can only set a boolean to `true' or `false'}\@ehc}%
2596 {\@ifundefined{@#1\@tempa}%
2597 {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2598 {\csname @#1\@tempa\endcsname}}}
2599 \newcommand*{\GlobalSetatBoolean}[2]{%
2600 \lowercase{\def\@tempa{#2}}%
2601 \@ifundefined{@tempswa\@tempa}%
2602 {\PackageError{biditools}%
2603 {You can only set a boolean to `true' or `false'}\@ehc}%
2604 {\@ifundefined{@#1\@tempa}%
2605 {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2606 {\global\csname @#1\@tempa\endcsname}}}
2607 \def\@bidi@removefromreset#1#2{%
2608 \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
2609 \def\@elt##1{%
2610 \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
2611 \else
2612 \noexpand\@elt{##1}%
2613 \fi}%
2614 \expandafter\xdef\csname cl@#2\endcsname{%
2615 \csname cl@#2\endcsname}}}
2616 \newcommand*{\ifRtoL}{%
2617 \if@RTL
2618 \expandafter\@firstoftwo
2619 \else
2620 \expandafter\@secondoftwo
2621 \fi}
2622 \newcommand*{\ifLtoR}{%
2623 \if@RTL
2624 \expandafter\@secondoftwo
2625 \else
2626 \expandafter\@firstoftwo
2627 \fi}
2628 \newcommand*{\ifRtoLtable}{%
2629 \if@RTLtab
2630 \expandafter\@firstoftwo
2631 \else
2632 \expandafter\@secondoftwo
2633 \fi}
2634 \newcommand*{\ifLtoRtable}{%
2635 \if@RTLtab
2636 \expandafter\@secondoftwo
2637 \else
2638 \expandafter\@firstoftwo
2639 \fi}
2640 \newcommand*{\ifRtoLhboxconstruct}{%
2641 \if@hboxRconstruct

```



```

2642     \expandafter\@firstoftwo
2643   \else
2644     \expandafter\@secondoftwo
2645   \fi}
2646 \newcommand*{\ifLtoRboxconstruct}{%
2647   \if@hboxRconstruct
2648     \expandafter\@secondoftwo
2649   \else
2650     \expandafter\@firstoftwo
2651   \fi}
2652 \newcommand*{\iflatin}{%
2653   \if@nonlatin
2654     \expandafter\@secondoftwo
2655   \else
2656     \expandafter\@firstoftwo
2657   \fi}
2658 \newcommand*{\ifnonlatin}{%
2659   \if@nonlatin
2660     \expandafter\@firstoftwo
2661   \else
2662     \expandafter\@secondoftwo
2663   \fi}
2664
2665 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
2666   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
2667
2668 \newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
2669   \dimexpr #1*65536/\dimexpr 1pt\relax}
2670
2671 \newcommand*{\if@bidi@csdef}[1]{%
2672   \ifcsname#1\endcsname
2673     \expandafter\@firstoftwo
2674   \else
2675     \expandafter\@secondoftwo
2676   \fi}
2677 \newcommand*{\if@bidi@csundef}[1]{%
2678   \ifcsname#1\endcsname
2679     \expandafter\ifx\csname#1\endcsname\relax
2680       \expandafter\expandafter
2681       \expandafter\@firstoftwo
2682     \else
2683       \expandafter\expandafter
2684       \expandafter\@secondoftwo
2685     \fi
2686   \else
2687     \expandafter\@firstoftwo
2688   \fi}
2689 \newcommand{\if@bidi@def}[1]{%
2690   \ifdefined#1%
2691     \expandafter\@firstoftwo

```



```

2692 \else
2693   \expandafter\@secondoftwo
2694 \fi}
2695 \newcommand{\if@bidi@undefined}[1]{%
2696   \ifdefined#1%
2697     \ifx#1\relax
2698       \expandafter\expandafter
2699       \expandafter\@firstoftwo
2700     \else
2701       \expandafter\expandafter
2702       \expandafter\@secondoftwo
2703     \fi
2704   \else
2705     \expandafter\@firstoftwo
2706   \fi}
2707 \newcommand{\if@bidi@blank}[1]{% from url.sty
2708   \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2709 \long\def\bidi@ifblank@i#1#2#3#4#5:{#4}
2710 \newcommand{\bidi@notblank}[1]{%
2711   \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2712 \newcommand{\if@bidi@defmacro}{}%
2713 \long\edef\if@bidi@defmacro#1{%
2714   \noexpand\expandafter\noexpand\bidi@ifdefmacro
2715   \noexpand\meaning#1\detokenize{macro}:&}
2716 \edef\bidi@ifdefmacro{%
2717   \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
2718 \bidi@ifdefmacro{\bidi@notblank{#2}}%
2719 \newcommand*{\if@bidi@csmacro}[1]{%
2720   \if@bidi@csdef{#1}
2721     {\expandafter\if@bidi@defmacro\csname#1\endcsname}%
2722     {\@secondoftwo}}
2723 \newcommand{\if@bidi@defprimitive}[1]{%
2724   \ifprimitive#1%
2725     \expandafter\@firstoftwo
2726   \else
2727     \expandafter\@secondoftwo
2728   \fi}
2729 \newcommand{\if@bidi@csprimitive}[1]{%
2730 \begingroup\expandafter\expandafter\expandafter\endgroup%
2731   \expandafter\ifprimitive\csname#1\endcsname%
2732   \expandafter\@firstoftwo
2733 \else
2734   \expandafter\@secondoftwo
2735 \fi}
2736 \newcommand*{\bidi@csdefcs}[2]{%
2737 \expandafter\@ifdefinable \csname#1\endcsname{%
2738 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
2739 \newcommand*{\bidi@csletcs}[2]{%
2740 \expandafter\@ifdefinable \csname#1\endcsname{%
2741 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}}
```



```

2742 \newcommand*{\bidi@cslet}[2]{%
2743   \expandafter\ifdefinable \csname#1\endcsname{%
2744     \expandafter\let\csname#1\endcsname#2}%
2745   \newcommand{\bidi@namelongdef}[1]{%
2746     \long\expandafter\def\csname #1\endcsname{%
2747       \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}%
2748       \def\bidi@ensure@new@command#1{%
2749         \begingroup \escapechar`m@ne\xdef@gtempa{{\string#1}}\endgroup
2750         \expandafter\if@bidi@csundef@gtempa
2751           {\new@command#1}\relax%
2752         \let\@ifdefinable@rc@ifdefinable%
2753           \new@command#1}%
2754       \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}%
2755     }%
2756   \protected\def\bidi@error{\PackageError{bidi}}%
2757   \protected\def\bidi@warning{\PackageWarning{bidi}}%
2758   \protected\def\bidi@info{\PackageInfo{bidi}}%
2759   \def\bidi@setbaselineskip{\selectfont}%
2760   \def\bidi@setbaselineskip{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\relax}%
2761   \newcommand*{\setbaselineskip}[1]{%
2762     \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\relax}%
2763     \selectfont
2764   }%
2765   \def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}%
2766   \newcommand*{\bidi@newrobustcmd}{}%
2767   \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}%
2768   \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}%
2769   \def\bidi@newcommand#1[#2]{%
2770     \ifnextchar[%
2771       \bidi@xargdef#1[#2]%
2772       {\bidi@xargdef#1[#2]}%
2773       {\ifx\l@ngrel@x\relax
2774         \let\l@ngrel@x\protected
2775       \else
2776         \protected\def\l@ngrel@x{\protected\long}%
2777       \fi
2778       \argdef#1[#2]}%
2779     \long\def\bidi@xargdef#1[#2][#3]#4{%
2780       \ifdefinable#1{%
2781         \expandafter\protected
2782         \expandafter\def
2783         \expandafter\#1%
2784         \expandafter{%
2785           \expandafter\@testopt
2786           \csname\string#1\endcsname{#3}}%
2787         \expandafter@\yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2788       }%
2789     }%
2790   }%
2791 }
```



```

2792 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
2793
2794 \def\bidi@renew@command#1{%
2795   \if@bidi@undef{#1}
2796     {\bidi@error{\string#1 undefined}\@ehc}
2797   {}%
2798   \let\@ifdefinable\@rc@ifdefinable
2799   \bidi@new@command#1}
2800
2801
2802
2803 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2804
2805 \def\bidi@provide@command#1{%
2806   \if@bidi@undef{#1}
2807     {\def\reserved@a{\bidi@new@command#1}}
2808     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2809   \reserved@a}
2810
2811 \newcommand*{\bidi@csuse}[1]{%
2812   \ifcsname#1\endcsname
2813   \csname#1\expandafter\endcsname
2814   \fi}
2815
2816 \newcommand{\bidi@expandonce}[1]{%
2817   \unexpanded\expandafter{#1}}
2818
2819 \def\bidi@protected{%
2820   \let\@@protect\protect
2821   \let\protect\@unexpandable@protect
2822   \afterassignment\restore@protect}
2823
2824 \bidi@newrobustcmd{\bidi@appto}[2]{%
2825   \if@bidi@undef{#1}
2826     {\edef#1{\unexpanded{#2}}}
2827     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2828 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2829   \if@bidi@undef{#1}
2830     {\edef#1{#2}}
2831     {\edef#1{\bidi@expandonce#1#2}}}
2832 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2833   \if@bidi@undef{#1}
2834     {\xdef#1{\unexpanded{#2}}}
2835     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2836 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2837   \if@bidi@undef{#1}
2838     {\xdef#1{#2}}
2839     {\xdef#1{\bidi@expandonce#1#2}}}
2840
2841 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}

```



```

2842 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2843
2844
2845
2846 \bidi@newrobustcmd{\bidi@preto}[2]{%
2847   \if@bidi@undef{#1}
2848     {\edef#1{\unexpanded{#2}}}
2849     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2850 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2851   \if@bidi@undef{#1}
2852     {\edef#1{\#2}}
2853     {\edef#1{\#2\bidi@expandonce#1}}}
2854 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2855   \if@bidi@undef{#1}
2856     {\xdef#1{\unexpanded{#2}}}
2857     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2858 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2859   \if@bidi@undef{#1}
2860     {\xdef#1{\#2}}
2861     {\xdef#1{\#2\bidi@expandonce#1}}}
2862
2863 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
2864 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
2865
2866
2867
2868 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2869 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2870 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
2871 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2872 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
2873 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
2874
2875
2876
2877 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
2878 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2879 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2880 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2881 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
2882 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
2883
2884
2885
2886 \bidi@newrobustcmd{\if@bidi@patchable}{%
2887   \bidi@dbg@trce\if@bidi@patchable
2888   \begingroup
2889   \@makeother\#%
2890   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2891

```



```

2892 \long\def\bidi@ifpatchable#1#2{%
2893   \endgroup
2894   \bidi@dbg@init#1%
2895   \if@bidi@undef{#1}
2896     {\bidi@dbg@fail{def}\@secondoftwo}
2897     {\bidi@dbg@info{def}\%
2898       \if@bidi@defmacro{#1}
2899         {\bidi@dbg@info{mac}\%
2900           \bidi@ifscanable{#1}
2901             {\bidi@ifhashcheck{#2}
2902               {\bidi@dbg@info{tok}\%
2903                 \bidi@ifpattern{#1}{#2}
2904                   {\bidi@dbg@info{pat}\%
2905                     \bidi@dbg@info{pos}\@firstoftwo}
2906                     {\bidi@dbg@fail{pat}\@secondoftwo}}
2907                   {\bidi@dbg@fail{hsh}\@secondoftwo}}
2908                 {\bidi@dbg@fail{tok}\@secondoftwo}}
2909               {\bidi@dbg@fail{mac}\@secondoftwo}}}
2910 
2911 \long\def\bidi@ifpatchable@i#1{%
2912   \endgroup
2913   \bidi@dbg@init#1%
2914   \if@bidi@undef{#1}
2915     {\bidi@dbg@fail{def}\@secondoftwo}
2916     {\bidi@dbg@info{def}\%
2917       \if@bidi@defmacro{#1}
2918         {\bidi@dbg@info{mac}\%
2919           \if@bidi@defparam{#1}
2920             {\bidi@dbg@info{prm}\%
2921               \bidi@ifscanable{#1}
2922                 {\bidi@dbg@info{tok}\%
2923                   \bidi@dbg@info{pos}\@firstoftwo}
2924                   {\bidi@dbg@fail{tok}\@secondoftwo}}
2925                 {\bidi@dbg@info{prl}\%
2926                   \if@bidi@defprotected{#1}
2927                     {\bidi@dbg@info{pro}\%
2928                       {}}
2929                     {\bidi@dbg@info{pos}\@firstoftwo}}
2930                   {\bidi@dbg@fail{mac}\@secondoftwo}}}
2931 
2932 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2933   \bidi@dbg@trce\bidi@patchcmd
2934   \begingroup
2935   \@makeother\#%
2936   \bidi@@patchcmd}
2937 
2938 \newcommand{\bidi@@patchcmd}[4] [#####1]{%
2939   \bidi@ifpatchable#2{#3}
2940   {\bidi@dbg@succ{ret}\%
2941   \begingroup

```



```

2942 \edef\bidi@resrvda{%
2943   \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
2944     #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2945   \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
2946     ####1\detokenize{#4}####2}%
2947   \edef\noexpand\bidi@resrvda{%
2948     \noexpand\bidi@resrvda\meaning#2&}}%
2949 \bidi@resrvda
2950 \bidi@patchcmd@scantoks\bidi@resrvda
2951 \let#2\bidi@resrvda
2952 \bidi@undef\bidi@resrvda
2953 \c@firstoftwo
2954 {\c@secondoftwo}}
2955
2956 \def\bidi@patchcmd@scantoks#1{%
2957   \edef\bidi@resrvda{\endgroup
2958     \unexpanded{\makeatletter\scantokens}{#1}%
2959     \catcode\number`@\relax}%
2960   \bidi@resrvda}
2961
2962 \newcommand\bidi@isloaded[2][]{%
2963   \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
2964     \expandafter\newif\csname if@bidi@#2loaded@\endcsname
2965   \fi
2966   \@ifpackageloaded{#2}%
2967     {\csname @bidi@#2loaded@true\endcsname #1}
2968     {\csname @bidi@#2loaded@false\endcsname}%
2969
2970 \protected\def\bidi@ifscanable#1{%
2971   \begingroup
2972   \edef\bidi@resrvda{%
2973     \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
2974       ####1\def\string\bidi@resrvda####2{####3}}%
2975     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
2976   \bidi@resrvda
2977   \makeatletter
2978   \scantokens\expandafter{\bidi@resrvda}%
2979   \expandafter\endgroup\ifx#1\bidi@resrvda
2980     \expandafter\c@firstoftwo
2981   \else
2982     \expandafter\c@secondoftwo
2983   \fi}
2984
2985
2986 \protected\long\def\bidi@ifhashcheck#1{%
2987   \begingroup
2988   \edef\bidi@resrvda{\detokenize{#1}}%
2989   \expandafter\endgroup
2990   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
2991

```



```

2992 \edef\bidi@ifhashcheck@i#1{%
2993   \noexpand\expandafter
2994   \noexpand\bidi@ifhashcheck@ii
2995   \noexpand\strip@prefix#1\string#\string##}
2996
2997 \edef\bidi@ifhashcheck@ii{%
2998   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string####2&}{%
2999 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}}
3000
3001
3002 \protected\long\def\bidi@ifpattern#1#2{%
3003   \begingroup
3004   \edef\bidi@resrvda{%
3005     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
3006       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
3007     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
3008       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
3009     \noexpand\bidi@resrvda
3010   \bidi@resrvda\@secondoftwo\@firstoftwo}
3011
3012
3013 \newcommand{\if@bidi@defparam}{}%
3014 \long\edef\if@bidi@defparam#1{%
3015   \noexpand\expandafter\noexpand\bidi@ifdefparam
3016   \noexpand\meaning#1\detokenize{macro}:->&%
3017 \edef\bidi@ifdefparam{%
3018   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&%
3019 \bidi@ifdefparam{\bidi@notblank{#2}}}
3020
3021
3022 \newcommand{\if@bidi@defprotected}{}%
3023 \long\edef\if@bidi@defprotected#1{%
3024   \noexpand\expandafter\noexpand\bidi@ifdefprotected
3025   \noexpand\meaning#1\string\protected&%
3026 \edef\bidi@ifdefprotected{%
3027   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&%
3028 \bidi@ifdefprotected{\bidi@notblank{#2}}}
3029
3030
3031 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
3032
3033 \let\bidi@dbg@trce@gobble
3034 \let\bidi@dbg@init@gobble
3035 \let\bidi@dbg@info@gobble
3036 \let\bidi@dbg@succ@gobble
3037 \let\bidi@dbg@fail@gobble
3038
3039
3040 \bidi@newrobustcmd*{\bidi@apptocmd}{%

```



```

3042  \bidi@dbg@trce\bidi@apptocmd
3043  \begingroup
3044  \@makeother\#%
3045  \bidi@hooktocmd\bidi@append}
3046
3047
3048
3049 \bidi@newrobustcmd*{\bidi@pretocmd}{%
3050   \bidi@dbg@trce\bidi@pretocmd
3051   \begingroup
3052   \@makeother\#%
3053   \bidi@hooktocmd\bidi@prepend}
3054
3055 \long\def\bidi@hooktocmd#1#2#3{%
3056   \endgroup
3057   \bidi@dbg@init#2%
3058   \if@bidi@undef{#2}
3059     {\bidi@dbg@fail{def}\@secondoftwo}
3060     {\bidi@dbg@info{def}\%
3061       \if@bidi@defmacro{#2}
3062         {\bidi@dbg@info{mac}\%
3063           \if@bidi@defparam{#2}
3064             {\bidi@dbg@info{prm}\%
3065               \bidi@ifscanable{#2}
3066                 {\bidi@ifhashcheck{#3}
3067                   {\bidi@dbg@info{tok}\%
3068                     \bidi@dbg@succ{ret}\%
3069                     \bidi@hooktocmd@i#1#2{#3}\%
3070                     \@firstoftwo
3071                     {\bidi@dbg@fail{hsh}\@secondoftwo}
3072                     {\bidi@dbg@fail{tok}\@secondoftwo}}}
3073                   {\bidi@dbg@info{pr1}\%
3074                     \if@bidi@defprotected{#2}
3075                       {\bidi@dbg@info{pro}\%
3076                         \bidi@dbg@succ{red}\%
3077                           \protected}
3078                         {\bidi@dbg@succ{red}\%}
3079                         \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}\%
3080                         \@firstoftwo}
3081                     {\bidi@dbg@fail{mac}\@secondoftwo}}}
3082
3083 \long\def\bidi@hooktocmd@i#1#2#3{%
3084   \begingroup
3085   \edef\bidi@resrvda{%
3086     \def\noexpand\bidi@resrvda####1\detokenize{macro}####2->####3&{%
3087       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
3088     \edef\noexpand\bidi@resrvda{%
3089       \noexpand\bidi@resrvda\meaning#2}}%
3090   \bidi@resrvda
3091   \bidi@patchcmd@scantoks\bidi@resrvda

```



```

3092  \let#2\bidi@resrvda
3093  \bidi@undef\bidi@resrvda}
3094
3095 \long\def\bidi@append#1#2{#1#2}
3096 \long\def\bidi@prepend#1#2{#2#1}
3097
3098 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
3099 \newcommand*{\bidi@endpreamblehook}={}
3100
3101 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipouthook}
3102 \newcommand*{\bidi@beforeoutputpageshipouthook}={}
3103
3104 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
3105 \newcommand*{\bidi@beforeheaderhook}={}
3106
3107 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpagehook}
3108 \newcommand*{\bidi@beforeoutputboxoutputpagehook}={}
3109
3110 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpagehook}
3111 \newcommand*{\bidi@afteroutputboxoutputpagehook}={}
3112
3113 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
3114 \newcommand*{\bidi@beforefooterhook}={}
3115
3116 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
3117 \newcommand*{\bidi@afterfooterhook}={}
3118
3119
3120 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
3121 \newcommand*{\bidi@afteroutputpageshipouthook}={}
3122
3123 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
3124 \newcommand*{\bidi@atendoutputpagehook}={}
3125
3126 \bidi@preto\document{%
3127   \endgroup
3128   \let\bidi@AtEndPreamble\@firstofone
3129   \bidi@endpreamblehook
3130   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
3131   \bidi@undef\bidi@endpreamblehook
3132   \begingroup
3133
3134 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
3135 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
3136
3137 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
3138 \newcommand*{\bidi@afterendpreamblehook}={}
3139
3140 \bidi@appto\document{%
3141   \let\bidi@AfterEndPreamble\@firstofone

```



```

3142 \bidi@afterendpreamblehook
3143 \protected\def\bidi@AfterEndPreamble{\notprerr@gobble}%
3144 \bidi@undef\bidi@afterendpreamblehook
3145 \ignorespaces}
3146
3147 \AtEndDocument{\let\bidi@AfterEndPreamble@gobble}
3148
3149 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
3150 \newcommand*{\bidi@afterlastshipouthook}{}}
3151
3152 \bidi@patchcmd\enddocument
3153 {\clearpage}
3154 {\clearpage
3155 \let\bidi@AfterLastShipout@firstofone
3156 \bidi@afterlastshipouthook}
3157 {}
3158 {\let\bidi@clearpage\clearpage
3159 \def\clearpage{%
3160   \bidi@clearpage
3161   \let\bidi@AfterLastShipout@firstofone
3162   \bidi@afterlastshipouthook}}
3163
3164 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
3165 \newcommand*{\bidi@afterenddocumenthook}{}}
3166
3167 \bidi@patchcmd\enddocument
3168 {\deadcycles}
3169 {\let\bidi@AfterEndDocument@firstofone
3170 \bidi@afterenddocumenthook
3171 \deadcycles}
3172 {}
3173 {\let\bidi@@end\@@end
3174 \def\@@end{%
3175   \let\bidi@AfterEndDocument@firstofone
3176   \bidi@afterenddocumenthook
3177   \bidi@@end}}
3178
3179 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
3180   \bidi@csgappto{\bidi@begin@#1@hook}}
3181
3182 \bidi@patchcmd\begin
3183 {\csname #1\endcsname}
3184 {\bidi@csuse{\bidi@begin@#1@hook}%
3185 \csname #1\endcsname}
3186 {}
3187 {\bidi@warning{%
3188   Patching '\string\begin' failed!\MessageBreak
3189   '\string\bidi@AtBeginEnvironment' will not work@gobble}}
3190
3191

```



```

3192
3193 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
3194   \bidi@csgappto{@bidi@end@#1@hook}}
3195
3196 \bidi@patchcmd\end
3197   {\csname end#1\endcsname}
3198   {\bidi@csuse{@bidi@end@#1@hook}%
3199     \csname end#1\endcsname}
3200   {}
3201   {\bidi@warning{%
3202     Patching '\string\end' failed!\MessageBreak
3203     '\string\bidi@AtEndEnvironment' will not work\@gobble}}
3204
3205
3206
3207 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
3208   \bidi@csgappto{@bidi@beforebegin@#1@hook}}
3209
3210 \bidi@pretocmd\begin
3211   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
3212   {}
3213   {\bidi@warning{%
3214     Patching '\string\begin' failed!\MessageBreak
3215     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}
3216
3217
3218
3219 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
3220   \bidi@csgappto{@bidi@afterend@#1@hook}}
3221
3222 \bidi@patchcmd\end
3223   {\if@ignore}
3224   {\bidi@csuse{@bidi@afterend@#1@hook}%
3225     \if@ignore}
3226   {}
3227   {\bidi@warning{%
3228     Patching '\string\end' failed!\MessageBreak
3229     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}
3230
3231 \chardef\bidi@backslash`\\
3232 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
3233
3234 % anonymous control sequences
3235 \newcount\bidi@tempcountb
3236 \newtoks\bidi@temptoksa
3237 \newtoks\bidi@temptoksb
3238
3239 % Catcode (re)storing
3240 %
3241 \def\bidi@storecatcode#1%

```



```

3242  {\escapechar\m@ne
3243   \bidi@csarg\edef{\bidi@restorecatcode\string#1}%
3244   {\catcode`\string#=
3245    \the\catcode\expandafter`\string#1}%
3246   \catcode\expandafter`\string#1=12\relax
3247   \escapechar`\\relax}
3248 \def\bidi@restorecatcode#1%
3249  {\escapechar\m@ne
3250  \csname bidi@restorecatcode\string#1\endcsname
3251  \escapechar`\\relax}

3252 % Construct a control sequence inside \edef
3253 %
3254 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
3255 %
3256 % Construct a control sequence out of #2, and give it to #1
3257 %
3258 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
3259 %
3260 % Pick an escapecharacter
3261 % this presumes that its argument is a character.
3262 %
3263 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
3264 %
3265 % Equality of strings.
3266 % the fast approach: does not work in expansion-only environment.
3267 %
3268 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
3269   \ifx\bidi@eqs@a\bidi@eqs@b}
3270 %
3271 % Test by expansion only
3272 %
3273 \def\bidi@EqualStringX#1#2{00\fi
3274   \csname if\bidi@EqualStringX#1&#2&$\endcsname}
3275 %
3276 \def@\bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
3277   \ifx#1&true\else\bidi@hop@ES@\bidi@EqualStringX#2$#4$\fi
3278   \else false\fi}
3279 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
3280 %
3281 % Lexicographic ordering
3282 % note the use of \def
3283 % also note the characters 0,127,255 that are used,
3284 % these are not supposed to appear in the strings
3285 %
3286 {\catcode0=12 \catcode255=12 \catcode127=12
3287 \gdef\bidi@StringBeforeNC#1#2{00\fi
3288   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3289 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
3290   \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
3291   \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%

```



```

3292      \else\ifnum\lccode`#1<\lccode`#3
3293          \def\bidi@next{\csname iftrue\endcsname}%
3294          \else\ifnum\lccode`#1>\lccode`#3
3295              \def\bidi@next{\csname ifffalse\endcsname}%
3296              \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3297      \fi \fi \fi
3298  \bidi@next}
3299 \gdef\bidi@StringBefore#1#2{00\fi
3300   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3301 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
3302   \ifnum`#1<`#3
3303       \def\bidi@next{\csname iftrue\endcsname}%
3304   \else\ifnum`#1>`#3
3305       \def\bidi@next{\csname ifffalse\endcsname}%
3306       \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3307   \fi\fi
3308  \bidi@next}
3309 }
3310
3311 % Null argument test
3312 %
3313 \def\bidi@empty{}
3314 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@#1@null}
3315 \def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@#1@null}
3316 %\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
3317 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
3318
3319 % Next character test
3320 %
3321 \def\bidi@NextChar#1#2#3{00\fi
3322   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3323   \futurelet\bidi@nxt@c@\bidi@ifnxtc}
3324 \def\bidi@ifNextChar#1#2#3{%
3325   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3326   \futurelet\bidi@nxt@c@\bidi@ifnxtc}
3327 \def@\bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
3328   \else \expandafter\bidi@nxt@b \fi}
3329
3330 % Test for defined-ness of string as control sequence.
3331 % works inside \edef
3332 %
3333 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
3334
3335 % Define uniquely defined dummy macros,
3336 % usually to serve as bumper blocks at the end of a list
3337 %
3338 \newcount\bidi@dummies
3339 \def\DefNewDummmy#1{
3340   \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{\bidi@dum\the\bidi@dummies}
3341     \advance\bidi@dummies\@ne

```



```

3342     \else
3343         \bidi@error{Attempt at second definition of `#1'}
3344     \fi}
3345
3346% string case statement
3347% use: \bidi@switch \iftest{...} in:
3348%     item1 action1
3349%     ...
3350%     itemn actionn
3351%     default defaultaction [optional]
3352%     \endbidi@switch
3353% inspired by Jonathan Fine: Some Basic Control Macros
3354% Tugboat 12 #4
3355%
3356\let@\bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{\bidi@default}
3357\def\bidi@switch@exit #1 \bidi@fi #2 \endbidi@switch {\fi #1}
3358\def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3359  #1{#2}\bidi@switch@exit #3 \bidi@fi
3360  \bidi@switch {#1}
3361}
3362% this version puts the test object in {}
3363\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3364  #1{#2}\bidi@switch@exit #3 \bidi@fi
3365  \bidi@switch #1 in:
3366}
3367% this version assumes that the test object is just one character
3368\def\bidi@csswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3369  #1#2\bidi@switch@exit #3 \bidi@fi
3370  \bidi@csswitch #1 in:
3371}
3372% this version assumes that the test object can have an optional space
3373\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3374  #1#2 \bidi@switch@exit #3 \bidi@fi
3375  \bidi@bswitch #1 in:
3376}
3377% this version can cope with significant spaces at the start of #3;
3378% #2 is macro argument
3379\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3380  #1{#2}\bidi@switch@exit #3 \bidi@fi
3381  \bidi@mswitch #1 in:
3382}
3383% idem; #2 does not have to be enclosed in braces
3384\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3385  #1#2 \bidi@switch@exit #3 \bidi@fi
3386  \bidi@fswitch #1 in:
3387}
3388
3389% Routines for taking the value of a string:
3390% if the string is defined as control sequence
3391% take the value of that, otherwise take the string itself

```



```

3392
3393 % String or value of control sequence
3394 %
3395 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
3396
3397 % String or control sequence
3398 %
3399 \def@\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
3400
3401 % String or \noexpand-ed control sequence;
3402 % for use in \edef
3403 %
3404 \newif\ifbidi@in@label
3405 \def@\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
3406     \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3407 \newtoks\bidi@are@these@correct
3408 \def\bidi@t@w@w#1{%
3409     \if\bidi@undefinedcs{#1}#1%
3410         \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
3411     \else
3412         \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3413
3414 % List Manipulation .....
3415 % this assumes that #1 is a list of tokens, #2 is the name of a list
3416 %
3417 % Names of lists (and of items to pop into) are given as strings;
3418 % not as control sequences.
3419 %
3420 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
3421 % basic append/prepend macro
3422 \long\def@\bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3423   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@listb}
3424 \long\def@\bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3425   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@listb\expandafter#1\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@listb}}
3426 \def@\bidi@append@to@list{\bidi@csarg@\bidi@append@to@cslist}
3427 % variations:
3428 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{}{#2}}
3429 \def\bidi@append@list@to@list#1#2{%
3430   \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter{\expandafter\the\expandafter\csname#2\endcsname\expandafter#1\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@listb}}}
3431 \def\bidi@append@cslist@to@cslist#1#2{%
3432   \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
3433 \def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
3434
3435 \let\bidi@willbeunhskip\unhskip
3436
3437 % A few list macros for the user
3438 \def\NewList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
3439 \def\EmptyList:#1 {\global\csname#1\endcsname{}}
3440 \long\def\AppendToList:#1#2 {\@bidi@append@to@list{#1}{}{#2}}
3441 \def\TheList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\empty}

```





```

3492 \def\bidi@length@of@csstack#1{\def\\##1{\advance\bidi@stack@length\@ne}%
3493   \bidi@stack@length\m@ne \the#1}
3494 % turn a stack upside down
3495 \def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
3496   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
3497   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
3498     \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
3499     \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
3500 %   \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
3501 %   \bidi@temptoksa\bidi@temptoksb
3502   \repeat% copy b to a
3503 #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3504 % invert a stack into a list
3505 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
3506   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
3507   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
3508     \bidi@pop@into{\bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
3509     \bidi@append@list@to@list{\bidi@temptoksb}{\bidi@temptoksa}\repeat
3510 \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3511
3512
3513 % General loop macro:
3514 % \looprepeat
3515 %   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
3516 %           \untilcondition{<cond>} \whilecondition{<cond>}
3517 %   \doloopbody { <loop body> }
3518 % where all control sequences in between \looprepeat and \doloopbody are optional.
3519 %
3520 % var: characters to form a control sequence;
3521 %       after \forvariable{index} you can access the loop counter as \index.
3522 %       This is a count register; to print it use \number\index.
3523 % start,step,end: integers with obvious relations to the loop counter;
3524 %       start and step have a default value of 1
3525 % cond: (sequence of commands ending in) any TeX \if... test.
3526 %
3527 % Count down instead of up with \downtovalue; the increment given in \bystep
3528 % is always positive, and is added or subtracted accordingly.
3529 %
3530 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
3531 % at the beginning of the loop body.
3532 %
3533 % Exit from middle of loop: \breaklooprepeat
3534 % use this at any place in the loop; in case of a conditional use
3535 %   \ifsomething ... \expandafter \breaklooprepeat \fi
3536 %
3537 % Note that the line ends do not cause spaces in the output.
3538 %
3539 % Technical details:
3540 % The loop body is not executed in a group: the braces are those
3541 % of a token list.

```



```

3542% The `forvariable' variable is \let to a \count register.
3543
3544
3545
3546% Auxiliary stuff
3547 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
3548 \def\bidi@looprepeat@csromannumerical#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
3549 \def\bidi@looprepeat@csargromannumerical#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepeat@depth\endcsname}
3550
3551 \newcount\bidi@looprepeat@depth
3552 \let\endlooprepeat\relax \def\bidi@csprotect{}%
3553% Trace switches may later be defined by PAC_utils
3554 \let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax
3555
3556% Main repeatloop macro
3557% - go to next level and allocate unique counter/toks if this is the
3558%   first time we visit this level
3559% - setup: gather bounds and termination conditions
3560% - scoop up body in token list; after the assignment define and
3561%   execute body
3562 \def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
3563   \advance\bidi@looprepeat@depth\@ne\relax
3564   \bidi@looprepeat@csargromannumerical\ifx\bidi@looprepeat@count\relax
3565     \bidi@looprepeat@csargromannumerical\csname newcount\expandafter\endcsname\bidi@looprepeat@body
3566     \bidi@looprepeat@csargromannumerical\csname newtoks\expandafter\endcsname\bidi@looprepeat@body
3567     \bidi@looprepeat@csargromannumerical\csname newtoks\expandafter\endcsname\bidi@looprepeat@body
3568     \bidi@looprepeat@csargromannumerical\csname newtoks\expandafter\endcsname\bidi@looprepeat@body
3569   \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{}{\bidi@looprepeat@body}
3570   \edef\bidi@looprepeat@tmp
3571     {\def\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@looprepeat}{\bidi@looprepeat@body}}
3572   \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumerical{\bidi@looprepeat@toks}
3573
3574% Define and execute loop body
3575% This is done with an \edef to construct the actual sequence
3576 \def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumerical\edef{\bidi@looprepeat@body}{%
3577   \bidi@looprepeat@csargromannumerical\the{\bidi@looprepeat@wtest}%
3578   \noexpand\the\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@toks}%
3579   \bidi@looprepeat@csargromannumerical\the{\bidi@looprepeat@utest}%
3580   \global\bidi@looprepeat@csargromannumerical\advance{\bidi@looprepeat@count} by \bidi@looprepeat@body
3581   \noexpand\endlooprepeat
3582   \bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@looprepeat}}%
3583   \bidi@looprepeat@csromannumerical{\bidi@looprepeat@body}\ignorespaces}
3584
3585% Stop test
3586%% In order to stop, issue a
3587% \breaklooprepeat which scoops up the rest of the body and exits
3588 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumerical\relax
3589   \advance\bidi@looprepeat@depth\@ne \bidi@looprepeat@traceexit
3590 }
3591

```



```

3592
3593 % Setup
3594 % gather bounds and termination conditions
3595 \def\bidi@looprepeat@setup#1{%
3596   \begingroup
3597     \def\forvariable##1{%
3598       \edef\bidi@looprepeat@tmp{%
3599         \global\let\bidi@looprepeat@csarg\noexpand{\##1}\bidi@looprepeat@csromannumeral{\bidi@loope
3600         \bidi@looprepeat@tmp}%
3601       \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{\bidi@looprepeat@count}##1\igno
3602       \def\tovalue##1{%
3603         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@loope
3604         {\bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@wtest}}%
3605         \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@count}\bidi@l
3606         \noexpand\expandafter \noexpand\breaklooprepeat
3607         \noexpand\fi}\ignorespaces}%
3608       \bidi@looprepeat@tmp}%
3609       \def\downtovalue##1{%
3610         \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{\##1}\ignorespaces}%
3611       \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}\else
3612         \bidi@looprepeat@csargromannumeral\gdef{\bidi@looprepeat@inc}{-##1}\else
3613         \bidi@looprepeat@csargromannumeral\gdef{\bidi@looprepeat@inc}{##1}\fi\ignorespaces}%
3614       \def\untilcondition##1{%
3615         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@loope
3616         {\noexpand##1\relax
3617         \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3618         \bidi@looprepeat@tmp}%
3619       \def\whilecondition##1{%
3620         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@loope
3621         {\noexpand##1\relax \noexpand\else
3622         \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3623         \bidi@looprepeat@tmp}%
3624         \fromvalue{\@ne}\bystep{\@ne}##1%
3625       \endgroup}
3626     \def\bidi@looprepeat@zero
3627       {\bidi@looprepeat@csromannumeral{\bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{\bidi@l
3628         \bidi@looprepeat@csargromannumeral\def{\bidi@looprepeat@body}{}}
3629
3630 %\tracingmacros2
3631 %\newcount\tmpcount % used in some examples below
3632
3633 %\looprepeat \forvariable{i}
3634 %           \bystep{2}
3635 %           \doloopbody {%
3636 %             \ifnum\i=13 \expandafter\breaklooprepeat \fi
3637 %             \number\i{} %
3638 %}%
3639
3640 %\looprepeat \forvariable{iii}
3641 %           \tovalue{8}

```



```

3642%   \doloopbody {}
3643%After loop: \number\iii%
3644
3645%\looprepeat \forvariable{i}
3646%           \fromvalue{10}
3647%           \bystep{2}
3648%           \downtovalue{0}
3649%   \doloopbody {\number\i{} }
3650
3651%\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
3652%   \doloopbody {\number\x{} }
3653
3654%\looprepeat \tovalue{3} \doloopbody {Hello world! }
3655
3656%\looprepeat \forvariable{j}
3657%           \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
3658%   \doloopbody {\number\j{} }
3659
3660%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
3661% {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}
3662%   \doloopbody {(\number\i.\number\j) }
3663% }
3664
3665% infinite loop
3666%\looprepeat \doloopbody {}
3667
3668\CheckCommand{\InputIfFileExists}[2]{%
3669  \IfFileExists{#1}{%
3670    {#2\@addtolist{#1}\@@input \@filef@und}}%
3671
3672\renewcommand{\InputIfFileExists}[2]{%
3673  \begingroup\expandafter\expandafter\expandafter\endgroup
3674  \expandafter\ifx\csname #1-\@bidi@alias\endcsname\relax
3675    \expandafter\@secondoftwo
3676  \else
3677    \bidi@replacefile@msg{\csname #1-\@bidi@alias\endcsname}{#1}%
3678    \expandafter\@firstoftwo
3679  \fi
3680 }%
3681  \expandafter\InputIfFileExists\expandafter{\csname
3682    #1-\@bidi@alias\endcsname}{#2}%
3683 }%
3684 \IfFileExists{#1}{%
3685   \bidi@load@hook{before}{#1}%
3686   #2\@addtolist{#1}%
3687   \@@input \@filef@und
3688   \bidi@load@hook{after}{#1}%
3689 }%
3690 }%
3691

```



```

3692 \newcommand*{\bidi@@loadwithoptions}{}%
3693 \newcommand*{\bidi@loadwithoptions}{}%
3694 \let\bidi@loadwithoptions\@loadwithoptions
3695
3696 \renewcommand*{\@loadwithoptions}[3]{%
3697   \begingroup\expandafter\expandafter\expandafter\endgroup
3698   \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
3699     \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
3700   \else
3701     \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
3702     \def\bidi@loadwithoptions{%
3703       \@loadwithoptions{#1}{#2}\{\csname #3.#1-@bidi@aliasname\endcsname\}%
3704     }%
3705   \fi
3706   \bidi@@loadwithoptions
3707 }
3708
3709 \newcommand*{\bidi@onefilewithoptions}{}%
3710 \let\bidi@onefilewithoptions\@onefilewithoptions
3711 \def@\onefilewithoptions#1[#2][#3]{%
3712   \begingroup\expandafter\expandafter\expandafter\endgroup
3713   \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
3714     \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
3715   \else
3716     \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
3717     \edef\bidi@onefilewithoptions{%
3718       \noexpand\onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
3719   \fi
3720   \bidi@onefilewithoptions[{}#2][{}#3]{#4}%
3721   \bidi@load@hook{lateafter}{#1.#4}%
3722 }
3723
3724 \newcommand*{\bidi@ReplaceInput}[2]{%
3725   \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}}%
3726 }
3727
3728 \newcommand*{\bidi@UnReplaceInput}[1]{%
3729   \ifcsname #1-@bidi@alias\endcsname
3730     \expandafter\let\csname #1-@bidi@alias\endcsname\relax
3731   \fi
3732 }
3733
3734 \newcommand*{\@bidi@replacefilewithext}[3]{%
3735   \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}}%
3736 }
3737 \newcommand*{\bidi@ReplacePackage}[2]{%
3738   \bidi@replacefilewithext{#1}{#2}\@pkextension
3739 }
3740 \newcommand*{\bidi@ReplaceClass}[2]{%
3741   \bidi@replacefilewithext{#1}{#2}\@clsextension

```



```

3742 }
3743 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
3744   \ifcsname #1.#2-\bidi@aliasname\endcsname
3745     \expandafter\let\csname #1.#2-\bidi@aliasname\endcsname\relax
3746   \fi
3747 }
3748 \newcommand*{\bidi@UnReplacePackage}[1]{%
3749   \@bidi@unreplacefilewithext{\#1}\@pkgextension
3750 }
3751 \newcommand*{\bidi@UnReplaceClass}[1]{%
3752   \@bidi@unreplacefilewithext{\#1}\@clsextension
3753 }
3754 \newcommand*{\bidi@replacefile@msg}[2]{%
3755   \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
3756 }
3757
3758 \newcommand*{\bidi@load@hook}[2]{%
3759   \@ifundefined{#2-\#1}{}{%
3760     \nameuse{#2-\#1}%
3761     \expandafter\let\csname #2-\#1\endcsname=\relax}
3762 \newcommand*{\bidi@set@load@hook}[2]{%
3763   \@ifundefined{#2-\#1}{\namedef{#2-\#1}{}{}}%
3764   \expandafter\g@addto@macro\csname #2-\#1\endcsname}
3765 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
3766 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
3767 \newcommand*{\bidi@BeforeClass}[1]{%
3768   \bidi@set@load@hook{before}{\#1.\@clsextension}}
3769 \newcommand*{\bidi@AfterClass}[1]{%
3770   \@ifstar {\@s@bidi@AfterClass}{%
3771     \@ifnextchar +\@@bidi@AfterClass{%
3772       \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
3773     }%
3774   }%
3775 }
3776
3777 \newcommand*{\@@@bidi@AfterClass}[2]{%
3778   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3779     \aftergroup\@s@bidi@AfterClass
3780   \else
3781     \aftergroup\bidi@AfterAtEndOfClass
3782   \fi
3783   \endgroup{#2}%
3784 }
3785
3786 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
3787   \bidi@set@load@hook{lateafter}{\#1.\@clsextension}}
3788 \newcommand*{\@@bidi@AfterClass}[2]{%
3789   \begingroup
3790     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3791       \aftergroup\@s@bidi@AfterClass

```



```

3792     \else
3793         \aftergroup\@bidi@AfterClass
3794     \fi
3795 \endgroup{#2}%
3796 }
3797
3798 \newcommand*{\@bidi@AfterClass}[1]{%
3799     \bidi@set@load@hook{after}{\#1.\@clsextension}}
3800 \newcommand*{\@s@bidi@AfterClass}[1]{%
3801     \begingroup
3802         \@ifclassloaded{#1}{%
3803             \aftergroup\@secondoftwo
3804         }{%
3805             \aftergroup\@bidi@AfterClass
3806         }%
3807     \endgroup
3808     {#1}%
3809 }
3810
3811
3812 \newcommand*{\bidi@BeforePackage}[1]{%
3813     \bidi@set@load@hook{before}{\#1.\@pkgextension}}
3814 \newcommand*{\bidi@AfterPackage}{%
3815     \@ifstar {\@s@bidi@AfterPackage}{%
3816         \@ifnextchar +\@@bidi@AfterPackage{%
3817             \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
3818         }%
3819     }%
3820 }
3821 \newcommand*{\@@@bidi@AfterPackage}[2]{%
3822     \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3823         \aftergroup\@s@bidi@AfterPackage
3824     \else
3825         \aftergroup\bidi@AfterAtEndOfPackage
3826     \fi
3827     \endgroup{#2}%
3828 }
3829 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
3830     \bidi@set@load@hook{lateafter}{\#1.\@pkgextension}}
3831 \newcommand*{\@@bidi@AfterPackage}[2]{%
3832     \begingroup
3833         \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3834             \aftergroup\@s@bidi@AfterPackage
3835         \else
3836             \aftergroup\@bidi@AfterPackage
3837         \fi
3838     \endgroup{#2}%
3839 }
3840 \newcommand*{\@bidi@AfterPackage}[1]{%
3841     \bidi@set@load@hook{after}{\#1.\@pkgextension}}

```



```

3842 \newcommand*{\@sbidi@AfterPackage}[1]{%
3843   \begingroup
3844     \@ifpackageloaded{#1}{%
3845       \aftergroup\@secondoftwo
3846     }{%
3847       \aftergroup\@bidi@AfterPackage
3848     }%
3849   \endgroup
3850   {#1}%
3851 }
3852
3853 \newcommand*{\bidi@excludedpackages}{}%
3854 \let\bidi@excludedpackages\empty
3855 \newcommand*{\bidi@saved@RequirePackage}{}%
3856 \newcommand*{\bidi@PreventPackageFromLoading}{}%
3857   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}{%
3858     {\@bidi@PreventPackageFromLoading\PackageWarning}%
3859   }%
3860 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
3861   \@ifnextchar [{}{%
3862     {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1[]}}%
3863 }%
3864 \newcommand*{\@bidi@PreventPackageFromLoading}{}%
3865
3866 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
3867   \edef\reserved@b{\zap@space#3 \empty}%
3868   \ifx\reserved@b\empty
3869     #1{biditools}{%
3870       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
3871       argument ignored%
3872     }%
3873   \else
3874     \ifx\bidi@excludedpackages\empty
3875       \let\bidi@saved@RequirePackage\RequirePackage
3876       \let\RequirePackage\bidi@RequirePackage
3877       \def\reserved@a##1##{%
3878         \@latex@error
3879           {\noexpand\usepackage before \string\documentclass}%
3880           {\noexpand\usepackage may only appear in the document
3881             preamble, i.e.,\MessageBreak
3882             between \noexpand\documentclass and
3883             \string\begin{document}.}%
3884         \gobble}%
3885       \ifx\reserved@a\usepackage\else
3886         \ifx\usepackage\bidi@saved@RequirePackage\else
3887           \PackageWarning{biditools}{%
3888             Maybe serious problem: unexpected definition of\MessageBreak
3889             \string\usepackage
3890           }%
3891       \fi

```



```

3892         \let\usepackage\RequirePackage
3893         \fi
3894     \fi
3895     \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
3896     \reserved@b\do {%
3897         \ifx\reserved@a\empty
3898             #1{biditools}{%
3899                 empty package argument for
3900                 \string\bidi@PreventPackageFromLoading\MessageBreak
3901                 ignored%
3902             }%
3903         \else
3904             \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
3905                 #1{biditools}{%
3906                     package `'\reserved@a' already loaded.\MessageBreak
3907                     Cannot prevent it from beeing loaded%
3908                 }%
3909             }{%
3910                 \edef\bidi@excludedpackages{\bidi@excludedpackages,%
3911                     \reserved@a}%
3912                 \if\relax\detokenize{#2}\relax\else
3913                     \ifundefined{bidi@exclude@package@\reserved@a @do}{%
3914                         \namedef{bidi@exclude@package@\reserved@a @do}{}%
3915                     }{%
3916                         \expandafter\def
3917                         \csname bidi@exclude@package@\reserved@a
3918                             @do\expandafter\expandafter\expandafter\endcsname
3919                         \expandafter\expandafter\expandafter{%
3920                             \csname bidi@exclude@package@\reserved@a @do\endcsname
3921                             #2%
3922                         }%
3923                     \fi
3924                 }%
3925             \fi
3926         }%
3927         \ifx\bidi@excludedpackages\empty
3928             \bidi@ResetPreventPackageFromLoading
3929         \fi
3930     \fi
3931 }
3932
3933 @onlypreamble\bidi@PreventPackageFromLoading
3934 \newcommand*\bidi@ResetPreventPackageFromLoading{%
3935     \let\bidi@excludedpackages\empty
3936     \ifx\RequirePackage\bidi@RequirePackage
3937         \ifx\usepackage\RequirePackage
3938             \let\usepackage\bidi@saved@RequirePackage
3939         \fi
3940         \let\RequirePackage\bidi@saved@RequirePackage
3941     \fi

```



```

3942 }
3943 \@onlypreamble\bidi@ResetPreventPackageFromLoading
3944 \newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
3945   \let#1\bidi@excludedpackages
3946 }
3947 \@onlypreamble\bidi@StorePreventPackageFromLoading
3948 \newcommand*{\bidi@UnPreventPackageFromLoading}{%
3949   \@ifstar {\@tempswatrue\bidi@UnPreventPackageFromLoading}%
3950     {\@tempswafalse\bidi@UnPreventPackageFromLoading}%
3951 }
3952
3953 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
3954   \edef\reserved@b{\zap@space#1 \empty}%
3955   \if@tempswa
3956     \@for\reserved@a:=\reserved@b\do {%
3957       \ifx\reserved@a\empty \else
3958         \ifcsname bidi@exclude@package@\reserved@a \do\endcsname
3959           \expandafter\let
3960             \csname bidi@exclude@package@\reserved@a \do\endcsname
3961           \undefined
3962         \fi
3963       \fi
3964     }%
3965   \fi
3966   \ifcsname bidi@excludedpackages\endcsname
3967     \let\reserved@a\bidi@excludedpackages
3968     \let\bidi@excludedpackages\empty
3969     \expandafter\@for\expandafter\reserved@c
3970       \expandafter:\expandafter=\reserved@a
3971     \do{%
3972       \ifx\reserved@c\empty\else
3973         \expandtwoargs\in@{\,\reserved@c,}{\,\reserved@b,}%
3974       \ifin@
3975       \else
3976         \edef\bidi@excludedpackages{%
3977           \bidi@excludedpackages,\reserved@c
3978         }%
3979       \fi
3980     \fi
3981   }%
3982   \ifx\bidi@excludedpackages\empty\bidi@ResetPreventPackageFromLoading\fi
3983   \fi
3984 }
3985
3986
3987 \newcommand*{\bidi@RequirePackage}[2][]{%
3988   \let\reserved@c\empty
3989   \let\reserved@d\empty
3990   \edef\reserved@b{\zap@space#2 \empty}%
3991   \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b

```



```

3992  \do {%
3993   \begingroup
3994     \tempswattrue
3995     \for\reserved@a:=\bidi@excludedpackages\do {%
3996       \ifx\reserved@a\reserved@b
3997         \tempswafalse
3998       \fi
3999     }%
4000     \if@tempswa
4001       \xdef\reserved@c{\reserved@c,\reserved@b}%
4002     \else
4003       \ifx\reserved@b\empty\else
4004         \PackageInfo{biditools}{Excluding package `\reserved@b' \MessageBreak
4005           from loading}%
4006         \ifundefined{bidi@exclude@package@\reserved@b}{%
4007           }%
4008           \expandafter\g@addto@macro\expandafter\reserved@d
4009             \csname bidi@exclude@package@\reserved@b \do\endcsname
4010           }%
4011         \fi
4012       \fi
4013     \endgroup
4014   }%
4015   \ifx\reserved@c\empty
4016     \let\reserved@a\bidi@gobbleopt
4017   \else
4018     \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
4019       \expandafter@gobble\reserved@c\empty}}%
4020   \fi
4021   \expandafter\reserved@d
4022   \reserved@a
4023 }
4024
4025 \newcommand{\bidi@gobbleopt}[1] {}%
4026 \AtEndDocument{%
4027   \let\bidi@saved@checkend=\@checkend
4028   \renewcommand*{\@checkend}[1]{%
4029     \def\reserved@a{#1}\def\reserved@b{document}%
4030     \bidi@saved@checkend{#1}%
4031     \ifx\reserved@a\reserved@b
4032       \let\bidi@saved@clearpage=\clearpage
4033       \renewcommand*{\clearpage}{\bidi@saved@clearpage
4034         \bidi@hook@bcma
4035         \bidi@restore@newpage
4036         \let\clearpage=\bidi@saved@clearpage}%
4037     \fi%
4038     \let\bidi@saved@dofilelist\@dofilelist
4039     \def\@dofilelist{%
4040       \bidi@hook@acma
4041       \let\@dofilelist\bidi@saved@dofilelist

```



```

4042      \bidi@saved@dofilelist
4043  }%
4044 }%
4045 }
4046
4047
4048 \newcommand*{\bidi@saved@checkend}{}%
4049 \newcommand*{\bidi@saved@dofilelist}{}%
4050 \newcommand*{\bidi@redefine@newpage}{%
4051   \let\bidi@saved@newpage\newpage
4052   \def\bidi@restore@newpage{%
4053     \renewcommand*{\newpage}{%
4054       \PackageWarningNoLine{%
4055         biditools%
4056     }{%
4057       \string\newpage\space at main aux file!\MessageBreak
4058       You have output material at the main aux file.\MessageBreak
4059       Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
4060       are processed before the output from aux file%
4061     }%
4062     \let\newpage\bidi@saved@newpage
4063     \newpage
4064   }%
4065 }%
4066 \renewcommand*{\newpage}{%
4067   \PackageError{%
4068     biditools%
4069   }{%
4070     \string\newpage\space at \string\bidi@BeforeClosingMainAux
4071   }{%
4072     You should never use \string\newpage\space or
4073     \string\clear(double)page or other output material at the\MessageBreak
4074     argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
4075     If you'll continue, the \string\newpage\space will be ignored to
4076     avoid corruption of\MessageBreak
4077     every prior use of \string\bidi@BeforeClosingMainAux.
4078   }%
4079 }%
4080 }
4081
4082 \newcommand*{\bidi@restore@newpage}{}%
4083 \newcommand*{\bidi@hook@bcma}{}%
4084 \newcommand*{\bidi@hook@acma}{}%
4085 \newcommand*{\bidi@BeforeClosingMainAux}{%
4086   \ifx\bidi@hook@bcma\empty
4087     \gdef\bidi@hook@bcma{%
4088       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
4089       \let\protected@write\bidi@protected@immediate@write
4090       \bidi@redefine@newpage
4091     }%

```



```

4092   \fi
4093   \g@addto@macro\bidi@hook@bcma%
4094 }
4095
4096 \newcommand*{\bidi@AfterReadingMainAux}{%
4097   \ifx\bidi@hook@acma\empty
4098     \gdef\bidi@hook@acma{%
4099       \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
4100       \let\protected@write\bidi@protected@immediate@write
4101     }%
4102   \fi
4103   \g@addto@macro\bidi@hook@acma%
4104 }
4105
4106 \long\def\bidi@protected@immediate@write#1#2#3{%
4107   \begingroup
4108     #2%
4109     \let\protect\@unexpandable@protect
4110     \edef\reserved@a{\immediate\write#1{#3}}%
4111     \reserved@a
4112   \endgroup
4113   \if@nobreak\ifvmode\nobreak\fi\fi
4114 }
4115
4116 \def\bidi@patch@counter{0}%
4117 \if@bidi@csundef{numexpr}{%
4118   \def\bidi@patch@stepcounter{%
4119     \begingroup
4120       \count@\bidi@patch@counter\relax
4121       \advance\count@\@ne\relax
4122       \edef\x{\endgroup
4123         \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
4124       }%
4125       \x
4126     }%
4127 }%
4128 \def\bidi@patch@stepcounter{%
4129   \edef\bidi@patch@counter{%
4130     \the\numexpr\bidi@patch@counter+\@ne\relax
4131   }%
4132 }%
4133 }
4134 \def\bidi@patch@list{}%
4135 \def\bidi@patch@Add{%
4136   \bidi@appto\bidi@patch@list
4137 }
4138 \def\bidi@patch@AfterPackage#1{%
4139   \@ifpackageloaded{#1}{%
4140     \@firstofone
4141   }%

```



```

4142      \@bidi@patch@AfterPackage{#1}%
4143  }%
4144 }
4145 \def\@bidi@patch@AfterPackage#1{%
4146   \edef\bidi@patch@temp{#1}%
4147   \bidi@patch@stepcounter
4148   \expandafter\bidi@patch@@AfterPackage
4149   \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
4150     \bidi@patch@temp
4151   }%
4152 }
4153 \def\bidi@patch@@AfterPackage#1#2#3{%
4154   \begingroup
4155     \toks@{#3}%
4156     \xdef\bidi@patch@gtemp{%
4157       \noexpand\@ifpackageloaded{#2}{%
4158         \noexpand\let\noexpand#1\noexpand\relax
4159         \the\toks@
4160       }{}}%
4161     }%
4162   \endgroup
4163   \let#1\bidi@patch@gtemp
4164   \bidi@patch@Add#1%
4165   \bidi@patch@try{\bidi@AfterPackage}{#2}#1%
4166 }
4167
4168 \def\bidi@patch@try#1#2#3{%
4169   \if\bidi@csundef{#1}{}{%
4170     \csname #1\endcsname{#2}{#3}%
4171   }%
4172 }
4173
4174 \AtBeginDocument{\bidi@patch@list}
4175
4176 \bidi@AtEndPreamble{\bidi@patch@list}%
4177
4178 \bidi@AfterEndPreamble{%
4179   \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
4180   \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
4181   \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
4182   \let\bidi@patch@OrgIfClassLater\@ifclasslater
4183   \bidi@patch@list
4184   \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
4185   \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
4186   \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
4187   \let\@ifclasslater\bidi@patch@OrgIfClassLater
4188 }%

```



21 File `buditufefloat.sty`

```
4189 \NeedsTeXFormat{LaTeX2e}
4190 \ProvidesPackage{buditufefloat}[2017/05/19 v0.2
4191 bidi implementation of tufte float]
4192 \RequirePackage{xifthen}
4193 \newcommand{\@buditufefloat@pkgname}{buditufefloat}
4194 \newcommand{\buditufefloatError}[2]{\PackageError{\@buditufefloat@pkgname}{#1}{#2}}
4195 \newcommand{\buditufefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@buditufefloat@debug}}{\buditufefloatDebugInfoNL}{#1}}
4196 \newcommand{\buditufefloatInfoNL}[1]{\PackageInfo{\@buditufefloat@pkgname}{#1\@gobble}}
4197 \newboolean{@buditufefloat@reversegeometry}
4198 \setboolean{@buditufefloat@reversegeometry}{false}
4199 \DeclareOption{reversegeometry}{\setboolean{@buditufefloat@reversegeometry}{true}}
4200 \newboolean{@buditufefloat@afourpaper}
4201 \DeclareOption{a4paper}{\setboolean{@buditufefloat@afourpaper}{true}}
4202 \newboolean{@buditufefloat@bfivepaper}
4203 \DeclareOption{b5paper}{\setboolean{@buditufefloat@bfivepaper}{true}}
4204 \newboolean{@buditufefloat@symmetric}
4205 \newboolean{@buditufefloat@twoside}
4206 \DeclareOption{twoside}{%
4207   \@twosidetrue \c@mparswitchtrue%
4208   \setboolean{@buditufefloat@twoside}{true}%
4209   \setboolean{@buditufefloat@symmetric}{true}%
4210 }
4211 \DeclareOption{oneside}{%
4212   @twosidefalse \c@mparswitchfalse%
4213   \setboolean{@buditufefloat@twoside}{false}%
4214   \setboolean{@buditufefloat@symmetric}{false}%
4215 }
4216 @ifclassloaded{book}{\ExecuteOptions{twoside}{}}
4217 \newboolean{@buditufefloat@debug}
4218 \newcommand*{\@buditufefloat@caption@justification}{\@buditufefloat@justification@autodetect}
4219 \ProcessOptions
4220 %% Globally sets the length
4221 \newcommand*{\gsetlength}[2]{%
4222   \setlength{#1}{#2}%
4223   \global#1=\#1\relax%
4224 }
4225
4226 %% Set the font sizes and baselines to match buditufefloat's books
4227 \renewcommand\normalsize{%
4228   \c@setfontsize\normalsize\c@xpt{14}%
4229   \abovedisplayskip 10\p@ \c@plus2\p@ \c@minus5\p@
4230   \abovedisplayshortskip \z@ \c@plus3\p@
4231   \belowdisplayshortskip 6\p@ \c@plus3\p@ \c@minus3\p@
4232   \belowdisplayskip \abovedisplayskip
4233   \let\@listi\@listI}
4234 \normalbaselineskip=14pt
4235 \normalsize
4236 \renewcommand\footnotesize{%
```



```

4237  \setfontsize\footnotesize@viiipt{10}%
4238  \abovedisplayskip 6\p@ \plus2\p@ \minus4\p@
4239  \abovedisplayshortskip \z@ \plus\p@
4240  \belowdisplayshortskip 3\p@ \plus\p@ \minus2\p@
4241  \def\@listi{\leftmargin\leftmargini
4242          \topsep 3\p@ \plus\p@ \minus\p@
4243          \parsep 2\p@ \plus\p@ \minus\p@
4244          \itemsep \parsep}%
4245  \belowdisplayskip \abovedisplayskip
4246 }
4247 %% Paragraph indentation and separation for marginal text
4248 \newcommand{\@biditufefloat@margin@par}{%
4249   \setlength{\RaggedRightParindent}{0.5pc}%
4250   \setlength{\JustifyingParindent}{0.5pc}%
4251   \setlength{\parindent}{0.5pc}%
4252   \setlength{\parskip}{0pt}%
4253 }
4254 \RequirePackage{ragged2e}
4255 \ifthenelse{\boolean{@biditufefloat@reversegeometry}}{%
4256   \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginparse
4257   \ifthenelse{\boolean{@biditufefloat@afourpaper}}
4258     {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginparse
4259   {}}
4260   \ifthenelse{\boolean{@biditufefloat@bfivepaper}}
4261     {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm, m
4262   {}}%
4263   \RequirePackage[letterpaper, left=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginparse
4264   \ifthenelse{\boolean{@biditufefloat@afourpaper}}
4265     {\geometry{a4paper, left=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginparse
4266   {}}
4267   \ifthenelse{\boolean{@biditufefloat@bfivepaper}}
4268     {\geometry{paperwidth=176mm,paperheight=250mm, left=14.66mm,top=13.88mm, textwidth=102.66mm, m
4269   {}}
4270   \ifthenelse{\boolean{@biditufefloat@symmetric}}
4271   {}
4272   \ifgeometry{asymmetric}{}% forces internal LaTeX `twoside'
4273   \setlength\marginparpush{10pt}
4274 %% Font for margin items
4275 \newcommand{\@biditufefloat@marginfont}{\normalfont\footnotesize}
4276 \newcommand*{\@biditufefloat@caption@font}{\@biditufefloat@marginfont}
4277 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@biditufefloat@caption@font}{#1}}
4278 \newcommand{\@biditufefloat@justification}{\justifying}%
4279 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
4280 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
4281 \newboolean{@biditufefloat@changepage}
4282 \IfFileExists{changepage.sty}{%
4283   \biditufefloatDebugInfoNL{Found changepage.sty}
4284   \RequirePackage[strict]{changepage}
4285   \setboolean{@biditufefloat@changepage}{true}
4286 }%

```



```

4287  \budituftefloatDebugInfoNL{Found chngpage.sty}
4288  \RequirePackage[strict]{chngpage}
4289  \setboolean{@budituftefloat@changegetPage}{false}
4290 }
4291 \newboolean{@budituftefloat@odd@page}
4292 \setboolean{@budituftefloat@odd@page}{true}
4293 \newcommand*{\budituftefloat@checkoddpage}{%
4294   \checkoddpage%
4295   \ifthenelse{\boolean{@budituftefloat@changegetPage}}{%
4296     \ifoddpage%
4297       \setboolean{@budituftefloat@odd@page}{true}%
4298     \else%
4299       \setboolean{@budituftefloat@odd@page}{false}%
4300     \fi%
4301   }{%
4302     \ifcpoddpage%
4303       \setboolean{@budituftefloat@odd@page}{true}%
4304     \else%
4305       \setboolean{@budituftefloat@odd@page}{false}%
4306     \fi%
4307   }%
4308 }
4309 \newlength{\budituftefloat@overhang}% used by the fullwidth environment and the running heads
4310 \newlength{\budituftefloat@fullwidth}
4311 \newlength{\budituftefloat@caption@fill}
4312 \newcommand{\budituftefloatRecalculate}{%
4313   \setlength{\budituftefloat@overhang}{\marginparwidth}
4314   \addtolength{\budituftefloat@overhang}{\marginparsep}
4315   \setlength{\budituftefloat@fullwidth}{\textwidth}
4316   \addtolength{\budituftefloat@fullwidth}{\marginparsep}
4317   \addtolength{\budituftefloat@fullwidth}{\marginparwidth}
4318
4319   \setlength{\budituftefloat@caption@fill}{\textwidth}
4320   \addtolength{\budituftefloat@caption@fill}{\marginparsep}
4321 }
4322 }
4323 \AtBeginDocument{\budituftefloatRecalculate}
4324 \RequirePackage{optparams}%
4325 \ProvidesPackage{placeins}
4326 \newsavebox{\budituftefloat@margin@floatbox}
4327 \newenvironment{\budituftefloat@margin@float}[2][-1.2ex]%
4328   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order
4329   \begin{lrbox}{\budituftefloat@margin@floatbox}%
4330   \begin{minipage}{\marginparwidth}%
4331     \budituftefloat@caption@font%
4332     \def\@capttype{\#2}%
4333     \hbox{}\vspace*{\#1}%
4334     \budituftefloat@caption@justification%
4335     \budituftefloat@margin@par%
4336     \noindent%

```



```

4337 }
4338 {\end{minipage}%
4339 \end{lrbox}%
4340 \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
4341 }
4342 \newenvironment{marginfigure}[1][-1.2ex]{%
4343 {\begin{@bidituftefloat@margin@float}[#1]{figure}}%
4344 {\end{@bidituftefloat@margin@float}}%
4345 \newenvironment{margintable}[1][-1.2ex]{%
4346 {\begin{@bidituftefloat@margin@float}[#1]{table}}%
4347 {\end{@bidituftefloat@margin@float}}%
4348 \newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%
4349 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float is processed
4350 \newcommand{\@bidituftefloat@float@debug}[1]{{\global\def\floatalignment{#1}\@bidituftefloat@float@debug}}%
4351 \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}
4352 {\def\@bidituftefloat@float@debug@info{\#1}}%
4353 {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak\#1}}%
4354 \newcommand{\floatalignment}[x]{ holds the current float alignment (t, b, h, p)}
4355 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug}%
4356 \newboolean{@bidituftefloat@float@recto}%
4357 \newcommand{\forceerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@recto}%
4358 \newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@recto}%
4359 \newsavebox{\@bidituftefloat@figure@box}%
4360 \newsavebox{\@bidituftefloat@caption@box}%
4361 \let\@bidituftefloat@orig@float\@float
4362 \let\@bidituftefloat@orig@endfloat\end@float
4363 \let\@bidituftefloat@orig@caption\caption
4364 \let\@bidituftefloat@orig@stored\stored
4365 \newlength{\@bidituftefloat@caption@vertical@offset}%
4366 \setlength{\@bidituftefloat@caption@vertical@offset}{0pt}%
4367 \newcommand{\@bidituftefloat@stored@shortcaption}{}%
4368 \newcommand{\@bidituftefloat@stored@caption}{}%
4369 \newcommand{\@bidituftefloat@stored@label}{}%
4370 \long\def\@bidituftefloat@caption[#1][#2]{#3}%
4371 \ifthenelse{\isempty{#1}}%
4372 {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
4373 {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
4374 \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}%
4375 \gdef\@bidituftefloat@stored@caption{#3}%
4376 }%
4377 \newcommand{\@bidituftefloat@label}[1]{%
4378 \gdef\@bidituftefloat@stored@label{#1}}%
4379 }%
4380 \newcommand{\@bidituftefloat@fps}{}%
4381 \newboolean{@bidituftefloat@float@star}%
4382 \newlength{\@bidituftefloat@float@contents@width}%
4383 \newenvironment{@bidituftefloat@float}[3][htbp]{%
4384 {\% begin @bidituftefloat@float
4385 % Should this float be full-width or just text-width?
4386 \ifthenelse{\equal{#3}{star}}{%

```



```

4387   {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
4388   {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
4389 % Check page side (recto/verso) and store detected value -- can be overriden in environment
4390 \@bidituftefloat@checkoddpage%
4391 \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
4392   {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detect recto}}
4393   {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detect verso}}
4394 % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
4395 \renewcommand{\@bidituftefloat@fps}{#1}%
4396 \@bidituftefloat@float@debug{Allowed positions: [#1]}%
4397 \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
4398   {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bottom]}}
4399   {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]}}
4400 % Capture the contents of the \caption and \label commands to use later
4401 \global\let\@bidituftefloat@orig@caption\caption%
4402 \global\let\@bidituftefloat@orig@label\label%
4403 \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[] [Opt]}}%
4404 \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
4405 % Handle subfigure package compatibility
4406 \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
4407   \bidi@patchcmd{\subfigure}{%
4408     \let\subfig@oldlabel=\label
4409   }{%
4410     \let\subfig@oldlabel=\@bidituftefloat@orig@label
4411   }
4412   {}%
4413   {}%
4414   \let\subtable=\subfigure
4415 }% subfigure package is not loaded
4416 \@bidituftefloat@orig@float[#2][#1]%
4417 \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
4418   \setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}%
4419   \setlength{\@bidituftefloat@float@contents@width}{\textwidth}%
4420 \begin{lrbox}{\@bidituftefloat@figure@box}%
4421   \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
4422 \end{lrbox}%
4423   \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% align
4424   \end{minipage}%
4425 \end{lrbox}%
4426 % build the caption box
4427 \begin{lrbox}{\@bidituftefloat@caption@box}%
4428   \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
4429   \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}{\@bidituftefloat@orig@caption}}{%
4430     \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}{\@bidituftefloat@orig@label}}{%
4431       \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
4432     }%
4433   }%
4434   \end{minipage}%
4435 % now typeset the stored boxes
4436 \begin{fullwidth}%
4437   \begin{minipage}[\floatalignment]{\linewidth}%

```



```

4437      \ifthenelse{\boolean{@bidituftefloat@float@star}}%
4438          {@\bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bidituftefloat@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidituftefloat@caption@vertical@offset}}}{}
4439          {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidituftefloat@caption@vertical@offset}}{}}%
4440      \end{minipage}%
4441  \end{fullwidth}%
4442  \@bidituftefloat@orig@endfloat% end original LaTeX float environment
4443  % output debug info
4444  \ifthenelse{\boolean{@bidituftefloat@debug}}{%
4445      \typeout{^^J----- bidituftefloat package float information -----}%
4446      \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}{%
4447          {\typeout{Warning: Float unlabeled!}}%
4448          {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
4449          \typeout{Page number: [\thepage]}%
4450          \def\MessageBreak{^^J}%
4451          \typeout{\@bidituftefloat@float@debug@info}%
4452          \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4453              {\typeout{Symmetric: [true]}}%
4454              {\typeout{Symmetric: [false]}}%
4455              \typeout{-----^J-----}%
4456          }{%
4457              % reset commands and temp boxes and captions
4458              \gdef@\bidituftefloat@float@debug@info{}%
4459              \let\caption@\bidituftefloat@orig@caption%
4460              \let\label@\bidituftefloat@orig@label%
4461              \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
4462              \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
4463              \gdef@\bidituftefloat@stored@shortcaption{}%
4464              \gdef@\bidituftefloat@stored@caption{}%
4465              \gdef@\bidituftefloat@stored@label{}%
4466              \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
4467          }%
4468  \newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
4469      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
4470          % asymmetric or page is odd, so caption is on the right
4471          \hbox{%
4472              \usebox{#2}%
4473              \hspace{\marginparsep}%
4474              \smash{\raisebox{#1}{\usebox{#3}}}%
4475          }%
4476          \@bidituftefloat@float@debug{Caption position: [right]}%
4477      }{%
4478          % symmetric pages and page is even, so caption is on the left
4479          \hbox{%
4480              \smash{\raisebox{#1}{\usebox{#3}}}%
4481              \hspace{\marginparsep}%
4482              \usebox{#2}%
4483          }%
4484          \@bidituftefloat@float@debug{Caption position: [left]}%
4485      }%
4486  \newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%

```



```

4487 \ifthenelse{\equal{\floatalignment}{b}}%
4488   {%
4489     % place caption above figure
4490     \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@red}}%
4491       {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{#1}%
4492       \smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{#1}%
4493     }%
4494   }%
4495 }%
4496 }%
4497 }%
4498 \renewenvironment{figure}[1][htbp]%
4499   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{figure}{}}
4500   {\end{@bidituftefloat@float}}
4501 \renewenvironment{table}[1][htbp]
4502   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{table}{}}
4503   {\end{@bidituftefloat@float}}
4504 \renewenvironment{figure*}[1][htbp]%
4505   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{figure}{star}}
4506   {\end{@bidituftefloat@float}}
4507 \renewenvironment{table*}[1][htbp]%
4508   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{table}{star}}
4509   {\end{@bidituftefloat@float}}
4510 \newenvironment{fullwidth}
4511   {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
4512     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefloat@overhang}}%}
4513     {\begin{adjustwidth*}{}{-\@bidituftefloat@overhang}}%}
4514   }%
4515   {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
4516     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}%}
4517     {\end{adjustwidth}}%}
4518 }
4519 \long\def\@caption#1[#2]#3{%
4520   \par%
4521   \addcontentsline{\csname ext@#1\endcsname}{#1}%
4522   {\protect\numberline{\csname the#1\endcsname}\ignorespaces #2}%
4523 \begingroup%
4524   \parboxrestore%
4525   \if@minipage%
4526     \setminipage%
4527   \fi%
4528   \@bidituftefloat@caption@font@\bidituftefloat@caption@justification%
4529   \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
4530   \%@\makecaption{\csname fnum@#1\endcsname}\ignorespaces#3\par
4531 \endgroup%
4532 }%
4533 \% Turns newlines into spaces. Based on code from the `titlesec' package.
4534 \DeclareRobustCommand{\@biditufteheading@newlinetospace}{%
4535   \@ifstar{\@biditufteheading@newlinetospace@i}{\@biditufteheading@newlinetospace@i}%
4536 }

```



```

4537 \def\@bidituftheading@newlinetospace@i{%
4538   \ifdim\lastskip>\z@\else\space\fi
4539   \ignorespaces%
4540 }
4541 \DeclareRobustCommand{\newlinetospace}[1]{%
4542   \let\@bidituftheading@orig@cr\\% save the original meaning of \\
4543   \def\\{\@bidituftheading@newlinetospace}% turn \\ and \\* into \space
4544   \let\newline\\% turn \newline into \space
4545   #1%
4546   \let\\@bidituftheading@orig@cr% revert to original meaning of \\
4547 }
4548 \RequirePackage{fancyhdr}
4549 \pagestyle{fancy}
4550 \AtBeginDocument{%
4551   \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
4552     {\fancyhf[LE,RO]{\@bidituftefloat@overhang}}%
4553     {\fancyhf[RE,RO]{\@bidituftefloat@overhang}}%
4554 }
4555% The running heads/feet don't have rules
4556 \renewcommand{\headrulewidth}{0pt}
4557 \renewcommand{\footrulewidth}{0pt}
4558% The 'fancy' page style is the default style for all pages.
4559 \fancyhf{} % clear header and footer fields
4560   \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
4561     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}}%
4562     {\fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
4563     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
4564% The `plain' page style is used on chapter opening pages.
4565% In Tufte's /Beautiful Evidence/ he never puts page numbers at the
4566% bottom of pages -- the folios are unexpressed.
4567 \fancypagestyle{plain}{%
4568   \fancyhf{} % clear header and footer fields
4569   % Uncomment the following five lines of code if you want the opening page
4570   % of the chapter to express the folio in the lower outside corner.
4571   % \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
4572   % {\fancyfoot[LE,RO]{\thepage}}%
4573   % {\fancyfoot[RE,RO]{\thepage}}%
4574 }
4575% The 'empty' page style suppresses all headers and footers.
4576% It's used on title pages and 'intentionally blank' pages.
4577 \fancypagestyle{empty}{%
4578   \fancyhf{} % clear header and footer fields
4579 }
4580 \def\morefloats{%
4581   \ifthenelse{\isundefined{\bx@S}}{%
4582     \bidituftefloatDebugInfoNL{Adding 34 more float slots.}%
4583     \newinsert\bx@S
4584     \newinsert\bx@T
4585     \newinsert\bx@U
4586     \newinsert\bx@V

```



```

4587   \newinsert\bx@W
4588   \newinsert\bx@X
4589   \newinsert\bx@Y
4590   \newinsert\bx@Z
4591   \newinsert\bx@a
4592   \newinsert\bx@b
4593   \newinsert\bx@c
4594   \newinsert\bx@d
4595   \newinsert\bx@e
4596   \newinsert\bx@f
4597   \newinsert\bx@g
4598   \newinsert\bx@h
4599   \newinsert\bx@i
4600   \newinsert\bx@j
4601   \newinsert\bx@k
4602   \newinsert\bx@l
4603   \newinsert\bx@m
4604   \newinsert\bx@n
4605   \newinsert\bx@o
4606   \newinsert\bx@p
4607   \newinsert\bx@q
4608   \newinsert\bx@r
4609   \newinsert\bx@s
4610   \newinsert\bx@t
4611   \newinsert\bx@u
4612   \newinsert\bx@v
4613   \newinsert\bx@w
4614   \newinsert\bx@x
4615   \newinsert\bx@y
4616   \newinsert\bx@z
4617 \gdef@\freelist{@elt\bx@A@elt\bx@B@elt\bx@C@elt\bx@D@elt\bx@E
4618   @elt\bx@F@elt\bx@G@elt\bx@H@elt\bx@I@elt\bx@J
4619   @elt\bx@K@elt\bx@L@elt\bx@M@elt\bx@N
4620   @elt\bx@O@elt\bx@P@elt\bx@Q@elt\bx@R
4621   @elt\bx@S@elt\bx@T@elt\bx@U@elt\bx@V
4622   @elt\bx@W@elt\bx@X@elt\bx@Y@elt\bx@Z
4623   @elt\bx@a@elt\bx@b@elt\bx@c@elt\bx@d@elt\bx@e
4624   @elt\bx@f@elt\bx@g@elt\bx@h@elt\bx@i@elt\bx@j
4625   @elt\bx@k@elt\bx@l@elt\bx@m@elt\bx@n
4626   @elt\bx@o@elt\bx@p@elt\bx@q@elt\bx@r
4627   @elt\bx@s@elt\bx@t@elt\bx@u@elt\bx@v
4628   @elt\bx@w@elt\bx@x@elt\bx@y@elt\bx@z}%
4629 }% we've already added another 34 floats, so we'll add 26 more, but that's it!
4630 \ifthenelse{\isundefined{\bx@AA}}{%
4631   \budituftefloatDebugInfoNL{Adding 26 more float slots.}
4632   \newinsert\bx@AA
4633   \newinsert\bx@BB
4634   \newinsert\bx@CC
4635   \newinsert\bx@DD
4636   \newinsert\bx@EE

```



```

4637      \newinsert\bx@FF
4638      \newinsert\bx@GG
4639      \newinsert\bx@HH
4640      \newinsert\bx@II
4641      \newinsert\bx@JJ
4642      \newinsert\bx@KK
4643      \newinsert\bx@LL
4644      \newinsert\bx@MM
4645      \newinsert\bx@NN
4646      \newinsert\bx@OO
4647      \newinsert\bx@PP
4648      \newinsert\bx@QQ
4649      \newinsert\bx@RR
4650      \newinsert\bx@SS
4651      \newinsert\bx@TT
4652      \newinsert\bx@UU
4653      \newinsert\bx@VV
4654      \newinsert\bx@WW
4655      \newinsert\bx@XX
4656      \newinsert\bx@YY
4657      \newinsert\bx@ZZ
4658      \gdef\@freelist{\@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4659                      \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4660                      \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4661                      \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4662                      \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4663                      \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
4664                      \@elt\bx@aa\@elt\bx@bb\@elt\bx@cc\@elt\bx@dd\@elt\bx@ee
4665                      \@elt\bx@ff\@elt\bx@gg\@elt\bx@hh\@elt\bx@ii\@elt\bx@jj
4666                      \@elt\bx@kk\@elt\bx@ll\@elt\bx@mm\@elt\bx@nn
4667                      \@elt\bx@oo\@elt\bx@pp\@elt\bx@qq\@elt\bx@rr
4668                      \@elt\bx@ss\@elt\bx@tt\@elt\bx@uu\@elt\bx@vv
4669                      \@elt\bx@ww\@elt\bx@xx\@elt\bx@yy\@elt\bx@zz}%
4670      }{%
4671          \budituftefloatError{You may only call \string\morefloats\space twice. See the\MessageBar
4672          {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or \M
4673          }%
4674      }%
4675  }%
4676  }{%
4677      \budituftefloatError{You may only call \string\morefloats\space twice. See the\MessageBar
4678      {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or \M
4679      }%
4680  }%
4681 }%
4682 \newboolean{\budituftefloat@packages@subfigure}
4683 \setboolean{\budituftefloat@packages@subfigure}{false}
4684 \AtBeginDocument{%
4685     \@ifpackageloaded{subfigure}
4686         {\GlobalSetBoolean{\budituftefloat@packages@subfigure}{true}}%

```



```

4687      {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
4688 }
4689 \AtBeginDocument{%
4690   \@ifpackageloaded{float}{%
4691     % Save the redefined float environment (instead of the LaTeX float environment)
4692     \let\@bidituftefloat@orig@float\@float
4693     \let\@bidituftefloat@orig@endfloat\end@float
4694
4695     % Define Tuftian float styles (with the caption in the margin)
4696     \newcommand{\floatc@bidituftefloatplain}[2]{%
4697       \begin{lrbox}{\@bidituftefloat@caption@box}%
4698         \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
4699           \@bidituftefloat@caption@font{\@fs@cfont #1} #2\par%
4700         \end{minipage}%
4701       \end{lrbox}%
4702       \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
4703     }
4704     \newcommand{\fs@bidituftefloatplain}{%
4705       \def\@fs@cfont{\@bidituftefloat@caption@font}%
4706       \let\@fs@capt\floatc@bidituftefloatplain%
4707       \def\@fs@pre{}%
4708       \def\@fs@post{}%
4709       \def\@fs@mid{}%
4710       \let\@fs@iftopcapt\iftrue%
4711     }
4712     \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
4713     \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
4714     \newcommand\floatc@bidituftefloatruled[2]{%
4715       {\@fs@cfont #1} #2\par%
4716     }
4717     \newcommand\fs@bidituftefloatruled{%
4718       \def\@fs@cfont{\@bidituftefloat@caption@font}%
4719       \let\@fs@capt\floatc@bidituftefloatplain%
4720       \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
4721       \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
4722       \def\@fs@mid{}%
4723       \let\@fs@iftopcapt\iftrue%
4724     }
4725     \newcommand\fs@bidituffefloatboxed{%
4726       \def\@fs@cfont{}%
4727       \let\@fs@capt\floatc@bidituftefloatplain%
4728       \def\@fs@pre{%
4729         \setbox\@currbox\vbox{\hbadness10000
4730           \moveleft3.4pt\vbox{\advance\hsize by6.8pt
4731             \hrule \hbox to\hsize{\vrule\kern3pt
4732               \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}%
4733       }%
4734       \def\@fs@mid{\kern2pt}%
4735       \def\@fs@post{}%
4736       \let\@fs@iftopcapt\iftrue%

```



```

4737     }
4738 }{%
4739     % Nothing to do
4740 }
4741 }
4742 \AtBeginDocument{%
4743     \@ifpackageloaded{algorithm}{%
4744         % Set the float style to the Tuftian version
4745         \ifthenelse{\equal{\ALG@floatstyle}{plain}}{\OR\equal{\ALG@floatstyle}{ruled}}{\OR\equal{\ALG@floatstyle}{switching}}
4746             \bidiutfefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}
4747             \floatstyle{bidiutfefloat\ALG@floatstyle}%
4748             \restylefloat{algorithm}%
4749     }{%
4750 }{%
4751     % Nothing to do
4752 }
4753 }
4754 \PassOptionsToPackage{caption=false}{subfig}

```

22 File `bidiutfesidenote.sty`

```

4755 \NeedsTeXFormat{LaTeX2e}
4756 \ProvidesPackage{bidiutfesidenote}[2017/08/09 v0.4
4757 bidi implementation of tufte sidenote]
4758 \RequirePackage{xifthen}
4759 \RequirePackage{ragged2e}
4760 \RequirePackage{setspace}
4761 \RequirePackage{biditools}
4762 \def\bidiutfesidenotemarginpar{%
4763     \ifhmode
4764         \@bsphack
4765         \@floatpenalty -\@Mii
4766     \else
4767         \@floatpenalty-\@Miii
4768     \fi
4769     \ifinner
4770         \parmoderr
4771         \@floatpenalty\z@
4772     \else
4773         \next@\currbox@\freelist{}{%
4774             \next@\marbox@\freelist{\global\count@\marbox\m@ne}%
4775             {\@floatpenalty\z@
4776                 \@fltovf\def@\currbox{\tempboxa}\def@\marbox{\tempboxa}%
4777         \fi
4778         \@ifnextchar [\@bidiutfesidenotexmpar@\bidiutfesidenoteypar}%
4779         \long\def\@bidiutfesidenotexmpar[#1]#2{%
4780             \@bidiutfesidenotesavemarbox\@marbox{#1}%
4781             \@bidiutfesidenotesavemarbox\@currbox{#2}%
4782             \@xmpar}%
4783         \long\def\@bidiutfesidenoteypar#1{%

```



```

4784  \@bidituftesidenotesavemarbox\@marbox{#1}%
4785  \global\setbox\currbox\copy\@marbox
4786  \@xmpar}
4787 \long\def \@bidituftesidenotesavemarbox #1#2{%
4788  \global\setbox #1%
4789  \color@vbox
4790  \vtop{%
4791  \hsize\marginparwidth
4792  \parboxrestore
4793  \@bidituftesidenotemarginparreset
4794  #2%
4795  \minipagetrue
4796  \outer@nobreak
4797  }%
4798  \color@endbox
4799 }
4800 \def \@bidituftesidenotemarginparreset {%
4801  \reset@font
4802  \normalsize
4803  \minipagetrue
4804  \everypar{\minipagetrue\everypar{}{\if@RTL@footnote\beginR\else\beginL\fi}}%
4805 }
4806 \def\LTRbidituftesidenotemarginpar{%
4807  \ifhmode
4808  \bsphack
4809  \floatpenalty -\Mii
4810  \else
4811  \floatpenalty-\Miii
4812  \fi
4813  \ifinner
4814  \parmoderr
4815  \floatpenalty\z@%
4816  \else
4817  \next@\currbox\freetrash{}%
4818  \next@\marbox\freetrash{\global\count\marbox\mone}%
4819  {\floatpenalty\z@%
4820  \fleoftovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
4821  \fi
4822  \ifnextchar [\@LTRbidituftesidenotexpar\@LTRbidituftesidenoteypar]
4823 \long\def\@LTRbidituftesidenotexpar[#1]#2{%
4824  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
4825  \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
4826  \@xmpar}
4827 \long\def\@LTRbidituftesidenoteypar#1{%
4828  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
4829  \global\setbox\currbox\copy\@marbox
4830  \@xmpar}
4831 \long\def \@LTRbidituftesidenotesavemarbox #1#2{%
4832  \global\setbox #1%
4833  \color@vbox

```



```

4834     \vtop{%
4835         \hsize\marginparwidth
4836         \parboxrestore
4837         \@LTrbidituftesidenotemarginparreset
4838         #2%
4839         \@minipagefalse
4840         \outer\nobreak
4841         }%
4842     \color@endbox
4843 }
4844 \def \@LTrbidituftesidenotemarginparreset {%
4845     \reset@font
4846     \normalsize
4847     \@minipagetrue
4848     \everypar{\@minipagefalse\everypar{}{\beginL}}%
4849 }
4850 \def\RTLbidituftesidenotemarginpar{%
4851     \ifhmode
4852         \bsphack
4853         \floatpenalty -\Mii
4854     \else
4855         \floatpenalty-\Miii
4856     \fi
4857     \ifinner
4858         \parmoderr
4859         \floatpenalty\z@
4860     \else
4861         \next@\currbox\@freelist{}{%
4862             \next@\marbox\@freelist{\global\count\marbox\mone}%
4863             {\@floatpenalty\z@
4864                 \fltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}%
4865             \fi
4866             \ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar]
4867             \long\def\@RTLbidituftesidenotexmpar[#1]#2{%
4868                 \@RTLbidituftesidenotesavemarbox\marbox[#1]%
4869                 \@RTLbidituftesidenotesavemarbox\currbox[#2]%
4870                 \xympar
4871             \long\def\@RTLbidituftesidenoteypar#1{%
4872                 \@RTLbidituftesidenotesavemarbox\marbox[#1]%
4873                 \global\setbox\currbox\copy\marbox
4874                 \xympar
4875             \long\def\@RTLbidituftesidenotesavemarbox #1#2{%
4876                 \global\setbox #1%
4877                 \color@vbox
4878                 \vtop{%
4879                     \hsize\marginparwidth
4880                     \parboxrestore
4881                     \@RTLbidituftesidenotemarginparreset
4882                     #2%
4883                     \@minipagefalse

```



```

4884     \outer@nobreak
4885   }%
4886   \color@endbox
4887 }
4888 \def \@RTLbidituftesidenotemarginparreset {%
4889   \reset@font
4890   \normalsize
4891   \@minipagetrue
4892   \everypar{\@minipagefalse\everypar{}{\beginR}}%
4893 }
4894 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
4895 \newcommand*{\@bidituftesidenote@LTrmarginfont}{\normalfont\footnotesize}
4896 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
4897 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
4898 \newcommand*{\@bidituftesidenote@LTrsidenote@font}{\@bidituftesidenote@LTrmarginfont}
4899 \newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
4900 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
4901 \newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTrmarginfont}
4902 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
4903 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
4904 \newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTrmarginfont}
4905 \newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
4906 \newcommand*{\set sidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
4907 \newcommand*{\set LTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTrsidenote@font}{#1}}
4908 \newcommand*{\set RTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
4909 \newcommand*{\set marginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
4910 \newcommand*{\set LTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{#1}}
4911 \newcommand*{\set RTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{#1}}
4912 \newcommand*{\set citationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
4913 \newcommand*{\set LTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
4914 \newcommand*{\set RTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
4915 \newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@auto}
4916 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@auto}
4917 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@auto}
4918 \newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
4919 \newcommand{\@bidituftesidenote@margin@par}{%
4920   \setlength{\RaggedRightParindent}{0.5pc}%
4921   \setlength{\JustifyingParindent}{0.5pc}%
4922   \setlength{\parindent}{0.5pc}%
4923   \setlength{\parskip}{0pt}%
4924 }
4925 %%%
4926 % Globally sets the length
4927 \@ifundefined{gsetlength}{%
4928 \newcommand*{\gsetlength}[2]{%
4929   \setlength{#1}{#2}%
4930   \global#1=#1\relax%
4931 }%
4932 }{}%
4933

```



```

4934 %%
4935% A function that removes leading and trailing spaces from the supplied macro.
4936% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
4937% Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
4938% being trimmed of leading and trailing white space.
4939 \catcode`\Q=3
4940 \def\@bidituftesidenote@trim@spaces#1{%
4941   % Use grouping to emulate a multi-token afterassignment queue
4942   \begingroup%
4943   % Put `toks 0 {' into the afterassignment queue
4944   \aftergroup\toks\aftergroup0\aftergroup{%
4945   % Apply \trimb to the replacement text of #1, adding a leading
4946   % \noexpand to prevent brace stripping and to serve another purpose
4947   % later.
4948   \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
4949   % Transfer the trimmed text back into #1.
4950   \edef#1{\the\toks0}%
4951 }
4952% \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
4953% clean up any leftover bizarre Qs, and trim a leading space. In
4954% order for \trimc to work properly we need to put back a Q first.
4955 \def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
4956% Execute \vfuzz assignment to remove leading space; the \noexpand
4957% will now prevent unwanted expansion of a macro or other expandable
4958% token at the beginning of the trimmed text. The \endgroup will feed
4959% in the \aftergroup tokens after the \vfuzz assignment is completed.
4960 \def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
4961 \catcode`\Q=11
4962 %%
4963% Citations should go in the margin as sidenotes
4964
4965 \RequirePackage{natbib}
4966 \RequirePackage{bibentry}           % allows bibitems to be typeset outside thebibliography environment
4967% Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
4968 \renewcommand\BR@b@bibitem[2][]{%
4969   \ifthenelse{\isempty{#1}}{%
4970     {\BR@b@bibitem{#2}}%
4971     {\BR@b@bibitem[#1]{#2}}%
4972   \BR@c@bibitem{#2}%
4973 }
4974 \bidi@AtEndPreamble{\nobibliography}                                % pre-loads the bibliography keys
4975 %%
4976% Normal \cite behavior
4977 \newcounter{@bidituftesidenote@num@bibkeys}%
4978 \newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
4979   % Snag the last bibentry in the list for later comparison
4980   \let\@temp@last@bibkey\empty%
4981   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4982   \sidenote[] [#1]{%
4983     % Loop through all the bibentries, separating them with semicolons and spaces

```



```

4984 \normalsize\normalfont\@bidituftesidenote@citation@font%
4985 \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4986 \@for\@temp@bibkeyx:=#2\do{%
4987   \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4988     \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
4989     \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4990     \bibentry{\@temp@bibkeyx}}{%
4991     \{@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4992     \bibentry{\@temp@bibkeyx};\ }%
4993   \stepcounter{@bidituftesidenote@num@bibkeys}%
4994 }%
4995 }%
4996 }
4997 \newcommand{\@biditufteLTRsidenote@normal@cite}[2][0pt]{%
4998   % Snag the last bibentry in the list for later comparison
4999   \let\@temp@last@bibkey\empty%
5000   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5001   \LTRsidenote[] [#1]{%
5002     % Loop through all the bibentries, separating them with semicolons and spaces
5003     \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
5004     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5005     \@for\@temp@bibkeyx:=#2\do{%
5006       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5007         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5008         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5009         \bibentry{\@temp@bibkeyx}}{%
5010         \{@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5011         \bibentry{\@temp@bibkeyx};\ }%
5012       \stepcounter{@bidituftesidenote@num@bibkeys}%
5013     }%
5014   }%
5015 }
5016 \newcommand{\@biditufteRTLsidenote@normal@cite}[2][0pt]{%
5017   % Snag the last bibentry in the list for later comparison
5018   \let\@temp@last@bibkey\empty%
5019   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5020   \RTLsidenote[] [#1]{%
5021     % Loop through all the bibentries, separating them with semicolons and spaces
5022     \normalsize\normalfont\@bidituftesidenote@citation@font%
5023     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5024     \@for\@temp@bibkeyx:=#2\do{%
5025       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5026         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5027         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5028         \bibentry{\@temp@bibkeyx}}{%
5029         \{@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5030         \bibentry{\@temp@bibkeyx};\ }%
5031       \stepcounter{@bidituftesidenote@num@bibkeys}%
5032     }%
5033   }%

```



```

5034 }
5035 %%
5036 % Macros for holding the list of cite keys until after the \sidenote
5037 \gdef\@bidituftesidenote@citations{}% list of cite keys
5038 \newcommand{\@bidituftesidenote@add@citation}[1]{\relax% adds a new bibkey to the list of cite keys
5039   \ifx\@bidituftesidenote@citations\empty\else
5040     \g@addto@macro\@bidituftesidenote@citations{,}%
5041   \fi
5042   \g@addto@macro\@bidituftesidenote@citations{#1}
5043 }
5044 \newcommand{\@bidituftesidenote@print@citations}[1][0pt]{% puts the citations in a margin note
5045   % Snag the last bibentry in the list for later comparison
5046   \let\@temp@last@bibkey\empty%
5047   \for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
5048   \marginpar{%
5049     \hbox{}\vspace*{#1}%
5050     \@bidituftesidenote@citation@font%
5051     \@bidituftesidenote@citation@justification%
5052     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5053     \vspace*{-\baselineskip}%
5054     % Loop through all the bibentries, separating them with semicolons and spaces
5055     \setcounter{\@bidituftesidenote@num@bibkeys}{0}%
5056     \for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
5057       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5058         \ifthenelse{\equal{\value{\@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5059         \@bidituftesidenote@trim@spaces{\@temp@bibkeyx}% trim spaces around bibkey
5060         \bibentry{\@temp@bibkeyx}%
5061         \{@bidituftesidenote@trim@spaces{\@temp@bibkeyx}% trim spaces around bibkey
5062           \bibentry{\@temp@bibkeyx};\ }%
5063         \stepcounter{\@bidituftesidenote@num@bibkeys}%
5064       }%
5065     }%
5066   }%
5067 }%
5068 % \cite behavior when executed within a sidenote
5069 \newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
5070 \newcommand{\@bidituftesidenote@infofootnote@cite}[1]{%
5071   \@bidituftesidenote@add@citation{#1}
5072 }%
5073 %%%
5074 % Set the default \cite style. This is set and reset by the \sidenote command.
5075 \let\cite\@bidituftesidenote@normal@cite
5076 \let\LTRcite\@biditufteLTRsidenote@normal@cite
5077 \let\RTLcite\@biditufteRTLSidenote@normal@cite
5078 %%%
5079 % Transform existing \footnotes into \sidenotes
5080 % Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
5081 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
5082 \providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@font}%
5083 \renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@font}%

```



```

5084 % Override footmisc's definition to set the sidenote marks (numbers) inside the
5085 % sidenote's text block.
5086 \bidi@patch@AfterPackage{bidi}{\long\def\@makefntext{\@textsuperscript{\@bidituftesidenote@%
5087 % Set the in-text footnote mark in the same typeface as the body text itself.
5088 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize%
5089 \providecommand*\multiplefootnotemarker{3sp}
5090 \providecommand*\multfootsep{}}
5091 \bidi@patch@AfterPackage{bidi}{%
5092 \renewcommand{\@footnotemark}{%
5093   \leavevmode%
5094   \ifhmode%
5095     \edef\x@sf{\the\spacefactor}%
5096     \nobreak%
5097     \nobreak%
5098   \fi%
5099   \makefnmark%
5100   \ifhmode\spacefactor\x@sf\fi%
5101   \relax%
5102 }%
5103 }%
5104 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
5105   \ifdim\lastkern=\multiplefootnotemarker\relax%
5106     \edef\x@sf{\the\spacefactor}%
5107     \unkern%
5108     \textsuperscript{\multfootsep}%
5109     \spacefactor\x@sf\relax%
5110   \fi
5111 }
5112 \bidi@patch@AfterPackage{bidi}{%
5113 \renewcommand{\footnotetext}[2][0pt]{%
5114   \bidituftesidenotemarginpar{%
5115     \hbox{}\vspace*{#1}%
5116     \def\baselinestretch{\setspace@singlespace}%
5117     \reset@font%
5118     \bidi@@footnotetext@font \reset@font\footnotesize%
5119     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5120     \vspace*{-\baselineskip}\noindent%
5121     \protected@edef{\currentlabel{%
5122       \csname p@footnote\endcsname\@thefnmark}%
5123     }%
5124     \color@begingroup%
5125       \makefntext{%
5126         \ignorespaces#2%
5127       }%
5128     \color@endgroup%
5129   }%
5130 }%
5131 \renewcommand{\LTRfootnotetext}[2][0pt]{%
5132   \LTRbidituftesidenotemarginpar{%
5133     \hbox{}\vspace*{#1}%

```



```

5134 \def\baselinestretch {\setspace@singlespace}%
5135 \reset@font%
5136 \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
5137 \bidi@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5138 \vspace*{-1\baselineskip}\noindent%
5139 \protected@edef@\currentlabel{%
5140     \csname p@footnote\endcsname\@thefnmark%
5141 }%
5142 \color@begingroup%
5143     \makefntext{%
5144         \ignorespaces#2%
5145     }%
5146 \color@endgroup%
5147 }%
5148 }%
5149 \renewcommand\@RTLfootnotetext[2][0pt]{%
5150     \RTLbidiutftesidenotemarginpar{%
5151         \hbox{}\vspace*{\#1}%
5152         \def\baselinestretch {\setspace@singlespace}%
5153         \reset@font%
5154         \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
5155         \bidi@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5156         \vspace*{-1\baselineskip}\noindent%
5157         \protected@edef@\currentlabel{%
5158             \csname p@footnote\endcsname\@thefnmark%
5159 }%
5160 \color@begingroup%
5161     \makefntext{%
5162         \ignorespaces#2%
5163     }%
5164 \color@endgroup%
5165 }%
5166 }%
5167 }
5168 %
5169 % Define \sidenote command. Can handle \cite.
5170 \newlength{\@bidituftesidenote@sidenote@vertical@offset}
5171 \setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
5172 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
5173 \long\def\@bidituftesidenote@sidenote[#1][#2]{#3}{%
5174     \let\cite@\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
5175     \gdef\@bidituftesidenote@citations{}% clear out any old citations
5176     \ifthenelse{\NOT\isempty{#2}}{%
5177         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5178     }{%
5179         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5180     }%
5181     \ifthenelse{\isempty{#1}}{%
5182         % no specific footnote number provided
5183         \stepcounter@mpfn%

```



```

5184   \protected@xdef{\thefnmark{\thempfn}}%
5185   \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5186 }{%
5187   % specific footnote number provided
5188   \begingroup%
5189     \csname c@\@mpfn\endcsname #1\relax%
5190     \unrestored@protected@xdef{\thefnmark{\thempfn}}%
5191   \endgroup%
5192   \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5193 }%
5194 \@bidituftesidenote@print@citations%           print any citations
5195 \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5196 \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
5197 \let\RTLcite\@biditufteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite
5198 \unskip\ignorespaces%                           remove extra white space
5199 \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
5200 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
5201 }%
5202 \long\def\@LTRobidituftesidenote[#1][#2]{#3}{%
5203   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
5204   \gdef\@bidituftesidenote@citations{}%          clear out any old citations
5205   \ifthenelse{\NOT\isempty{#2}}{%
5206     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5207   }{%
5208     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5209   }%
5210   \ifthenelse{\isempty{#1}}{%
5211     % no specific footnote number provided
5212     \stepcounter\@mpfn%
5213     \protected@xdef{\thefnmark{\thempfn}}%
5214     \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5215   }{%
5216     % specific footnote number provided
5217     \begingroup%
5218       \csname c@\@mpfn\endcsname #1\relax%
5219       \unrestored@protected@xdef{\thefnmark{\thempfn}}%
5220     \endgroup%
5221     \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5222   }%
5223   \@bidituftesidenote@print@citations%           print any citations
5224   \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5225   \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
5226   \let\RTLcite\@biditufteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite
5227   \unskip\ignorespaces%                           remove extra white space
5228   \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
5229   \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
5230 }%
5231 \long\def\@RTLrobidituftesidenote[#1][#2]{#3}{%
5232   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
5233   \gdef\@bidituftesidenote@citations{}%          clear out any old citations

```



```

5234 \ifthenelse{\NOT\isempty{#2}}{%
5235   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5236 }{%
5237   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5238 }%
5239 \ifthenelse{\isempty{#1}}{%
5240   % no specific footnote number provided
5241   \stepcounter\@mpfn%
5242   \protected@xdef\thefnmark{\thempfn}%
5243   \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5244 }{%
5245   % specific footnote number provided
5246   \begin{group}%
5247     \csname c@\@mpfn\endcsname #1\relax%
5248     \unrestored@protected@xdef\thefnmark{\thempfn}%
5249   \end{group}%
5250   \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5251 }%
5252 \@bidituftesidenote@print@citations%           print any citations
5253 \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5254 \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
5255 \let\RTLcite\@biditufteRTLSidenote@normal@cite% go back to using normal in-text \RTLcite
5256 \unskip\ignorespaces%                         remove extra white space
5257 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
5258 \kern\multiplefootnotemarker\relax%          add new \kern here to replace the one we yanked
5259 }%
5260 \newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{}[] [Opt]}%
5261 \newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{}[] [Opt]}%
5262 \newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{}[] [Opt]}%
5263 \bidi@patch@AfterPackage{bidi}{%
5264   \renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{}[] [Opt]}%
5265   \renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{}[] [Opt]}%
5266   \renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{}[] [Opt]}%
5267 }%
5268 }%
5269 % Sidenote without the footnote mark
5270 \newcommand{\marginnote}[2] [Opt]{%
5271   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
5272   \gdef\@bidituftesidenote@citations{}% clear out any old citations
5273   \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@biditufteRTLSidenote@normal@cite}%
5274   \@bidituftesidenote@print@citations%           print any citations
5275   \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5276   \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
5277   \let\RTLcite\@biditufteRTLSidenote@normal@cite% go back to using normal in-text \RTLcite
5278 }%
5279 \newcommand{\LTRmarginnote}[2] [Opt]{%
5280   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
5281   \gdef\@bidituftesidenote@citations{}% clear out any old citations
5282   \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@biditufteRTLSidenote@normal@cite}%
5283   \@bidituftesidenote@print@citations%           print any citations

```



```

5284 \let\cite@biditufte sidenote@normal@cite%          go back to using normal in-text \cite command
5285 \let\LTRcite@biditufte LTRsidenote@normal@cite%      go back to using normal in-text \LTRc...
5286 \let\RTLcite@biditufte RTLsidenote@normal@cite%      go back to using normal in-text \RTLc...
5287 }
5288 \newcommand{\RTLmarginnote}[2][Opt]{%
5289   \let\cite@biditufte sidenote@infofootnote@cite%    use the in-sidenote \cite command
5290   \gdef\@biditufte sidenote@citations{}%            clear out any old citations
5291   \RTLbiditufte sidenote marginpar{\hbox{}\vspace*{#1}\@biditufte sidenote@RTLmarginnote@font@\b...
5292   \@biditufte sidenote@print@citations%           print any citations
5293   \let\cite@biditufte sidenote@normal@cite%        go back to using normal in-text \cite command
5294   \let\LTRcite@biditufte LTRsidenote@normal@cite%      go back to using normal in-text \LTRc...
5295   \let\RTLcite@biditufte RTLsidenote@normal@cite%      go back to using normal in-text \RTLc...
5296 }

```

23 File `budituftetoc.sty`

```

5297 \NeedsTeXFormat{LaTeX2e}
5298 \ProvidesPackage{budituftetoc}[2011/06/17 v0.1
5299 bidi implementation of tufte toc]
5300 \RequirePackage{titlesec,toclet,xifthen,buditools}
5301 \newcommand{\@budituftetoc@pkgname}{budituftetoc}
5302 \newcommand{\budituftetocError}[2]{\PackageError{\@budituftetoc@pkgname}{#1}{#2}}
5303 %%%
5304 % Turn off section numbering
5305 \setcounter{secnumdepth}{-1}
5306 \newboolean{@budituftetoc@toc}
5307 \setboolean{@budituftetoc@toc}{true}
5308 \DeclareOption{notoc}{\setboolean{@budituftetoc@toc}{false}}
5309 \DeclareOption{toc}{\setboolean{@budituftetoc@toc}{true}}
5310 \ProcessOptions
5311 %%%
5312 % Make Tuftian-style section headings and TOC formatting
5313 \bidi@patch@AfterPackage{bidi}{%
5314 \titleformat{\chapter}%
5315   [display]%
5316   {\relax\ifthenelse{\NOT\boolean{@budituftefloat@symmetric}}{\begin{fullwidth}{}{}}% format ap...
5317   \itshape\huge\thechapter}%
5318   {Opt}%
5319   {\huge\rmfamily\itshape}%
5320   {\ifthenelse{\NOT\boolean{@budituftefloat@symmetric}}{\end{fullwidth}{}{}}% after the title b...
5321 \titleformat{\section}%
5322   [hang]%
5323   {\normalfont\Large\itshape}%
5324   {\thesection}%
5325   {1em}%
5326   {}%
5327   []%
5328 \titleformat{\subsection}%
5329   [hang]%
5330   {\normalfont\large\itshape}%

```



```

5331  {\thesubsection}%
5332  {1em}%
5333  {}% before the title body
5334  []% after the title body
5335 \titleformat{\paragraph}%
5336  [runin]%
5337  {\normalfont\itshape}%
5338  {\theparagraph}%
5339  {1em}%
5340  {}% before the title body
5341  []% after the title body
5342 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
5343 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
5344 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
5345 }
5346 % Subsubsection and following section headings shouldn't be used.
5347 % See Bringhurst's The Elements of Typography, section 4.2.2.
5348 \renewcommand\subsubsection{%
5349  \bidiutfetocError{\noexpand\subsubsection is undefined by this class.}%
5350  \MessageBreak See Robert Bringhurst's The Elements of
5351  \MessageBreak Typographic Style, section 4.2.2.
5352  \MessageBreak \noexpand\subsubsection was used}
5353  {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as
5354  \MessageBreak many levels of headings as you need, no more and no fewer. Also see the man
5355  \MessageBreak related threads on Ask E.T. at http://www.edwardbiditufetoc.com/.}
5356 }
5357 \renewcommand\subparagraph{%
5358  \bidiutfetocError{\noexpand\subparagraph is undefined by this class.}%
5359  \MessageBreak See Robert Bringhurst's The Elements of
5360  \MessageBreak Typographic Style, section 4.2.2.
5361  \MessageBreak \noexpand\subparagraph was used}
5362  {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as
5363  \MessageBreak many levels of headings as you need, no more and no fewer. Also see the man
5364  \MessageBreak related threads on Ask E.T. at http://www.edwardbiditufetoc.com/.}
5365 }
5366 % Formatting for main TOC (printed in front matter)
5367 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
5368 \ifthenelse{\boolean{\bidiutfetoc@toc}}{%
5369  \bidi@patch@AfterPackage{bidi}{%
5370  \titlecontents{part}%
5371  [0em] % distance from left margin
5372  {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format)
5373  {\contentslabel{2em}} % before w/label (label = ``II'')
5374  {} % before w/o label
5375  {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5376  [\end{fullwidth}] % after
5377  \titlecontents{chapter}%
5378  [0em] % distance from left margin
5379  {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format)
5380  {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')}

```



```

5381   {\hspace*{0em}} % before w/o label
5382   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5383   [\end{fullwidth}] % after
5384 \titlecontents{section}%
5385   [0em] % distance from left margin
5386   {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatt
5387   {\hspace*{2em}}\contentslabel{2em}} % before w/label (label = ``2.6'')
5388   {\hspace*{2em}} % before w/o label
5389   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5390   [\end{fullwidth}] % after
5391 \titlecontents{subsection}%
5392   [0em] % distance from left margin
5393   {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatt
5394   {\hspace*{4em}}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
5395   {\hspace*{4em}} % before w/o label
5396   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5397   [\end{fullwidth}] % after
5398 \titlecontents{paragraph}%
5399   [0em] % distance from left margin
5400   {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global fo
5401   {\hspace*{6em}}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
5402   {\hspace*{6em}} % before w/o label
5403   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5404   [\end{fullwidth}] % after
5405 }%
5406 }{%
5407 %%%
5408% Format lists of figures/tables
5409 \renewcommand{\listoffigures}{%
5410   \@ifundefined{chapter}{%
5411     {\section*{\listfigurename}}%
5412     {\chapter*{\listfigurename}}%
5413%   \begin{fullwidth}%
5414%     \starttoc{lof}%
5415%   \end{fullwidth}%
5416 }%
5417 \renewcommand{\listoftables}{%
5418   \@ifundefined{chapter}{%
5419     {\section*{\listtablename}}%
5420     {\chapter*{\listtablename}}%
5421%   \begin{fullwidth}%
5422%     \starttoc{lot}%
5423%   \end{fullwidth}%
5424 }%
5425 \newcommand{\@bidituftetoc@lof@line}[2]{%
5426   % #1 is the figure/table number and its caption text
5427   % #2 is the page number on which the figure/table appears
5428   \leftskip 0.0em
5429   \rightskip 0em
5430   \parfillskip 0em plus 1fil

```



```

5431 \parindent 0.0em
5432 \@afterindenttrue
5433 \interlinepenalty\@M
5434 \leavevmode
5435 \tempdima 2.0em
5436 \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
5437 \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
5438 {#1}\nobreak\qquad\nobreak#2%
5439 \par%
5440 }
5441 \renewcommand*\l@figure{\@bidiuftetoc@lof@line}
5442 \let\l@table\l@figure

```

24 File `bidiuftegeneralstructure.sty`

```

5443 \NeedsTeXFormat{LaTeX2e}
5444 \ProvidesPackage{bidiuftegeneralstructure}[2011/06/18 v0.1
5445 bidi implementation of tufte general structure]
5446 \renewcommand\small{%
5447   \setfontsize\small\@ixpt{12}%
5448   \abovedisplayskip 8.5\p@ \plus3\p@ \minus4\p@
5449   \abovedisplayshortskip \z@ \plus2\p@
5450   \belowdisplayshortskip 4\p@ \plus2\p@ \minus2\p@
5451   \def\@listi{\leftmargin\leftmargini
5452     \topsep 4\p@ \plus2\p@ \minus2\p@
5453     \parsep 2\p@ \plus\p@ \minus\p@
5454     \itemsep \parsep}%
5455   \belowdisplayskip \abovedisplayskip
5456 }
5457 \renewcommand\scriptsize{\setfontsize\scriptsize\@viipt\@viiipt}
5458 \renewcommand\tiny{\setfontsize\tiny\@vpt\@vipt}
5459 \renewcommand\large{\setfontsize\large\@xipt{15}}
5460 \renewcommand\Large{\setfontsize\Large\@xiipt{16}}
5461 \renewcommand\LARGE{\setfontsize\LARGE\@xivpt{18}}
5462 \renewcommand\huge{\setfontsize\huge\@xxpt{30}}
5463 \renewcommand\Huge{\setfontsize\Huge\@xxivpt{36}}
5464 \setlength\leftmargini {1pc}
5465 \setlength\leftmarginii {1pc}
5466 \setlength\leftmarginiii {1pc}
5467 \setlength\leftmarginiv {1pc}
5468 \setlength\leftmarginv {1pc}
5469 \setlength\leftmarginvi {1pc}
5470 \setlength\labelsep {0.5pc}
5471 \setlength\labelwidth {\leftmargini}
5472 \addtolength\labelwidth{-\labelsep}
5473 \setlength{\parindent}{1.0pc}%
5474 \setlength{\parskip}{0pt}%
5475 \RequirePackage{ragged2e}
5476 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hspace}%
5477 % Paragraph indentation and separation for normal text

```



```

5478 \newcommand{\@bidituftegeneralstructure@reset@par}{%
5479   \setlength{\RaggedRightParindent}{1.0pc}%
5480   \setlength{\JustifyingParindent}{1.0pc}%
5481   \setlength{\parindent}{1pc}%
5482   \setlength{\parskip}{0pt}%
5483 }
5484 \@bidituftegeneralstructure@reset@par
5485 % Require paralist package for tighter lists
5486 \RequirePackage{paralist}
5487 % Add rightmargin to compactenum
5488 \def\@compactenum@{%
5489   \expandafter\list\csname label\@enumctr\endcsname{%
5490     \usecounter{\@enumctr}%
5491     \rightmargin=2em% added this
5492     \parsep\plparsep
5493     \itemsep\plitemsep
5494     \topsep\pltopsep
5495     \partopsep\plpartopsep
5496     \def\makelabel##1{\hss\llap{##1}}}}
5497 /**
5498 % An environment for paragraph-style section
5499 \providecommand\newthought[1]{%
5500   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
5501   \noindent\textbf{#1}%
5502 }
5503 /**
5504 % Redefine the display environments (quote, quotation, etc.)
5505 \renewenvironment{verse}
5506   {\let\\@centercr
5507    \list{}{\itemsep      \z@
5508            \itemindent -1pc%
5509            \listparindent\itemindent
5510            \rightmargin \leftmargin
5511            \advance\leftmargin 1pc}%
5512            \small%
5513            \item\relax}
5514  {\endlist}
5515 \renewenvironment{quotation}
5516   {\list{}{\listparindent 1pc%
5517             \itemindent \listparindent
5518             \rightmargin \leftmargin
5519             \parsep      \z@ \oplus\p@}%
5520             \small%
5521             \item\relax\noindent\ignorespaces}
5522  {\endlist}
5523 \renewenvironment{quote}
5524   {\list{}{\rightmargin\leftmargin}%
5525             \small%
5526             \item\relax}
5527  {\endlist}

```



```

5528% Italicize description run-in headings (instead of the default bold)
5529 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
5530%%
5531% Redefine \bibsection to not mark the running heads.
5532% (Code modified from natbib.sty.)
5533 \@ifundefined{chapter}%
5534   {\renewcommand\bibsection{\section*\{\refname\}}}
5535   {\@ifundefined{NAT@sectionbib}%
5536     {\renewcommand\bibsection{\chapter{\bibname\}}}
5537     {\renewcommand\bibsection{\section*\{\bibname\}}}}
5538 \RequirePackage{multicol}
5539 \renewenvironment{theindex}{%
5540 \@ifundefined{chapter}%
5541   {\section*\{\indexname\}\%}
5542   {\chapter{\indexname}\%}
5543   \begin{fullwidth}\%
5544   \small%
5545   \parskip0pt%
5546   \parindent0pt%
5547   \let\item\@idxitem%
5548   \begin{multicols}{3}\%
5549 }\%
5550   \end{multicols}\%
5551   \end{fullwidth}\%
5552 }
5553 \AtBeginDocument{%
5554 \renewcommand@\idxitem{\par\hangindent \if@RTL-\fi2em\%}
5555 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}\%}
5556 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}\%}
5557 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax\%}
5558 \newcommand{\lettergroup}[1]\% swallow the letter heading in the index

```

25 File `budituftehyperref.sty`

```

5559 \NeedsTeXFormat{LaTeX2e}
5560 \ProvidesPackage{budituftehyperref}[2011/06/18 v0.1
5561 bidi implementation of tufte hyperref]
5562%%
5563% Color
5564 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
5565 \newboolean{@budituftehyperref@loadhyper}
5566 \setboolean{@budituftehyperref@loadhyper}{true}
5567 \DeclareOption{hyper}{\setboolean{@budituftehyperref@loadhyper}{true}}
5568 \DeclareOption{nohyper}{\setboolean{@budituftehyperref@loadhyper}{false}}
5569 \ProcessOptions
5570%% Loads the hyperref package and sets some default options.
5571 \newcommand{\budituftehyperrefLoadHyperref}{%
5572 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}%
5573   \hypersetup{%
5574     bookmarksdepth = section,

```



```

5575     citecolor = DarkGreen,
5576     linkcolor = DarkBlue,
5577 %     pagecolor = DarkBlue,
5578     urlcolor = DarkGreen,
5579   }%
5580 }
5581 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
5582   \bidituftehyperrefLoadHyperref%
5583 }% hyperfootnotes override our modifications to the \footnote* and \Cfootnote* commands.
5584   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
5585 }

```

26 File `budituftetitle.sty`

```

5586 \NeedsTeXFormat{LaTeX2e}
5587 \ProvidesPackage{budituftetitle}[2011/06/18 v0.1
5588 bidi implementation of tufte title]
5589 \RequirePackage{bidiutils}
5590 %% 
5591 % `titlepage' option -- creates a full title page with \maketitle
5592 \newboolean{@budituftetitle@titlepage}
5593 \DeclareOption{titlepage}{\setboolean{@budituftetitle@titlepage}{true}}
5594 \DeclareOption{notitlepage}{\setboolean{@budituftetitle@titlepage}{false}}
5595 % Default `book' and `handout' options
5596 \@ifclassloaded{book}{%
5597 \ExecuteOptions{titlepage}{%
5598 \@ifclassloaded{article}{%
5599 \ExecuteOptions{notitlepage}{%
5600 {}}
5601 \ProcessOptions
5602 %% 
5603 % Modified \title, \author, and \date commands. These store the
5604 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
5605 \newcommand{\plaintitle}{}% plain-text-only title
5606 \newcommand{\plainauthor}{}% plain-text-only author
5607 \newcommand{\plainpublisher}{}% plain-text-only publisher
5608 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
5609 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
5610 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
5611 \newcommand{\@publisher}{}% full publisher with \thanks{}
5612 \newcommand{\thedate}{\today}
5613 \bidi@patch@AfterPackage{bidi}{%
5614 \renewcommand{\thanks}[1]{\footnote{\#1}}
5615 \renewcommand{\LTrthanks}[1]{\LTrfootnote{\#1}}
5616 \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
5617 }
5618 \renewcommand{\title}[2][]{%
5619   \gdef\@title{\#2}%
5620   \begingroup%
5621     % TODO store contents of \thanks command

```



```

5622   \renewcommand{\thanks}[1]{\% swallow \thanks contents
5623   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
5624   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
5625   \protected@xdef\thanklesstitle{#2}\%
5626 \endgroup%
5627 \ifthenelse{\isempty{#1}}%
5628   {\renewcommand{\plaintitle}{\thanklesstitle}\% use thankless title
5629   {\renewcommand{\plaintitle}{#1}\% use provided plain-text title
5630 \ifundefined{hypersetup}%
5631   {}%\ hyperref is not loaded; do nothing
5632   {\hypersetup{pdftitle={\plaintitle}}}\% set the PDF metadata title
5633 }
5634 \let\author\empty% suppress default latex.ltx ``no author'' warning
5635 \renewcommand{\author}[2]{\%
5636 \ifthenelse{\isempty{#2}}{\gdef\author{#2}\%
5637 \begingroup%
5638   % TODO store contents of \thanks command
5639   \renewcommand{\thanks}[1]{\% swallow \thanks contents
5640   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
5641   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
5642   \protected@xdef\thanklessauthor{#2}\%
5643 \endgroup%
5644 \ifthenelse{\isempty{#1}}%
5645   {\renewcommand{\plainauthor}{\thanklessauthor}\% use thankless author
5646   {\renewcommand{\plainauthor}{#1}\% use provided plain-text author
5647 \ifundefined{hypersetup}%
5648   {}%\ hyperref is not loaded; do nothing
5649   {\hypersetup{pdfauthor={\plainauthor}}}\% set the PDF metadata author
5650 }
5651 \renewcommand{\date}[1]{\%
5652 \gdef\date{#1}\%
5653 \begingroup%
5654   % TODO store contents of \thanks command
5655   \renewcommand{\thanks}[1]{\% swallow \thanks contents
5656   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
5657   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
5658   \protected@xdef\thedata{#1}\%
5659 \endgroup%
5660 }
5661 %%%
5662 % Provides a \publisher command to set the publisher
5663 \newcommand{\publisher}[2]{\%
5664 \gdef\publisher{#2}\%
5665 \begingroup%
5666   \renewcommand{\thanks}[1]{\% swallow \thanks contents
5667   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
5668   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
5669   \protected@xdef\thanklesspublisher{#2}\%
5670 \endgroup%
5671 \ifthenelse{\isempty{#1}}}

```



```

5672     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
5673     {\renewcommand{\plainpublisher}{\#1}}% use provided plain-text publisher
5674 }
5675 /**
5676 % Produces a full title page
5677 \newcommand{\maketitlepage}[0]{%
5678   \cleardoublepage%
5679   {%
5680     \bfseries%
5681     \begin{fullwidth}%
5682       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
5683       \vspace{11.5pc}%
5684       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
5685       \vfill%
5686       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
5687     \end{fullwidth}%
5688   }%
5689   \thispagestyle{empty}%
5690   \clearpage%
5691 }%
5692 /**
5693 % Title block
5694 \bidi@AfterEndPreamble{%
5695   \renewcommand{\maketitle}{%
5696     \newpage%
5697     \global\@topnum\z@% prevent floats from being placed at the top of the page
5698     \begingroup%
5699       \setlength{\parindent}{0pt}%
5700       \setlength{\parskip}{4pt}%
5701       \let\@title\@empty%
5702       \let\@author\@empty%
5703       \let\@date\@empty%
5704         \gdef\@title{\LARGE\itshape\@title\par}%
5705         \gdef\@author{\Large\itshape\@author\par}%
5706         \gdef\@date{\Large\itshape\@date\par}%
5707       \@title%
5708       \@author%
5709       \@date%
5710     \endgroup%
5711     \thispagestyle{plain}% suppress the running head
5712   }%
5713 }%
5714 /**
5715 % Title page (if the `titlepage' option was passed to the biditufetitle-handout
5716 % class.)
5717 \bidi@AfterEndPreamble{%
5718 \ifthenelse{\boolean{@biditufetitle@titlepage}}
5719   {\renewcommand{\maketitle}{\maketitlepage}}
5720   {}%
5721 }

```



```

5722 %%
5723 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
5724 % without headers and footers
5725 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
5726   \hbox{}%
5727   \%vspace*\{\\fill\}%
5728   \%begin{center}%
5729   % This page intentionally contains only this sentence.
5730   \%end{center}%
5731   \%vspace{\fill}%
5732   \thispagestyle{empty}%
5733   \newpage%
5734   \if@twocolumn\hbox{}%\newpage\fi\fi\fi}

```

27 File `buditufte-handout.cls`

```

5735 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5736 \ProvidesClass{buditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
5737 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
5738 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
5739 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}
5740 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftehyperref}}
5741 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetitle}}
5742 \ProcessOptions\relax
5743 \LoadClass{article}
5744 \RequirePackage{budituftefloat}
5745 \RequirePackage{budituftesidenote}
5746 \RequirePackage{budituftetoc}
5747 \RequirePackage{budituftegeneralstructure}
5748 \RequirePackage{budituftehyperref}
5749 \RequirePackage{budituftetitle}
5750 \renewenvironment{abstract}{%
5751   {\begin{quotation}}%
5752   {\end{quotation}}%
5753 }%
5754 \AtBeginDocument{%
5755   \IfFileExists{buditufte-handout.cfg}{%
5756     \input{buditufte-handout.cfg}%
5757   }%
5758 }

```

28 File `buditufte-book.cls`

```

5759 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5760 \ProvidesClass{buditufte-book}[2011/06/18 v0.1 biditufte-book class]
5761 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5762 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
5763 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}
5764 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftehyperref}}
5765 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetitle}}

```



```

5766 \ProcessOptions\relax
5767 \LoadClass{book}
5768 \RequirePackage{bidituftefloat}
5769 \RequirePackage{bidituftesidenote}
5770 \RequirePackage{bidituftetoc}
5771 \RequirePackage{bidituftegeneralstructure}
5772 \RequirePackage{bidituftehyperref}
5773 \RequirePackage{bidituftetitle}
5774 %%
5775 % Set up any book-specific stuff now
5776 %%
5777 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
5778 % to the opening page of Chapter 1. The running heads, when they appear,
5779 % contain only the (arabic) page number in the outside corner.
5780 \%newif\if@mainmatter \@mainmattertrue
5781 \renewcommand\frontmatter{%
5782   \cleardoublepage%
5783   \@mainmatterfalse%
5784   \pagenumbering{arabic}%
5785   \%pagestyle{plain}%
5786   \fancyhf{}%
5787   \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
5788     {\fancyhead[LE,RO]{\thepage}}%
5789     {\fancyhead[RE,RO]{\thepage}}%
5790   }%
5791 %%%
5792 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
5793 % numbering---it continues where it left off in the front matter.
5794 \renewcommand\mainmatter{%
5795   \cleardoublepage%
5796   \@mainmattertrue%
5797   \fancyhf{}%
5798   \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
5799     {\renewcommand\chaptermark[1]{\markboth{\#\#1}{}}%
5800       \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}%
5801       \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}%
5802       \fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}%
5803     }%
5804 %%%
5805 % The back matter contains appendices, indices, glossaries, endnotes,
5806 % bibliographies, list of contributors, illustration credits, etc.
5807 \renewcommand\backmatter{%
5808   \if@openright%
5809     \cleardoublepage%
5810   \else%
5811     \clearpage%
5812   \fi%
5813   \@mainmatterfalse%
5814 }%
5815 %%

```



```

5816% Only show the chapter titles in the table of contents
5817\setcounter{tocdepth}{0}
5818\AtBeginDocument{%
5819\IfFileExists{biditufte-book.cfg}%
5820{\input{biditufte-book.cfg}%
5821\ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}}%
5822{}%
5823}

```

29 File `bidipoem.sty`

```

5824\NeedsTeXFormat{LaTeX2e}
5825\ProvidesPackage{bidipoem}%
5826[2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]
5827
5828% Usage:
5829%
5830%\Setversedim #1#2 % define the layout (within a group):
5831% #1 = length of both half-verses
5832% #2 = separation distance = length of a connection, if present
5833% Variant:
5834%\Setversedim #1[#2]#3 % for half-verses of unequal length
5835% #1 = length of first (=right) half-verse
5836% #2 = length of second (=left) half-verse
5837% #3 = separation distance = length of a connection, if present
5838%
5839%\traditionalhalfverses #1#2 % typeset two separated half-verses
5840% #1 = text of first (=right) half-verse
5841% #2 = text of second (=left) half-verse
5842% Variant:
5843%\traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
5844% #1 = text of first (=right) half-verse
5845% #2 = text of connection
5846% #3 = text of second (=left) half-verse
5847%
5848% Alternative (if preferred):
5849%
5850%\traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
5851
5852
5853\newcommand*\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
5854
5855% define the layout, verses will be centered
5856
5857\newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
5858\newdimen \bidipoem@hvind \newdimen \bidipoem@hvlen
5859
5860\newcommand*\Setversedim}[2]{% set lengths of half-verse, [separation]
5861\bidipoem@hvind \textwidth
5862\bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen

```



```

5863 \ifx [#2]\def \bidipoem@next {\bidipoem@set@verseI []}\else
5864 \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse [#2]}\fi \bidipoem@hvlen
5865
5866 \def \bidipoem@set@verseI [#1]{% optional parameter
5867 \bidipoem@hvlen #1\relax \bidipoem@set@@verse }
5868
5869 \newcommand*{\bidipoem@set@@verse}[1]{% separation
5870 \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
5871 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
5872
5873 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
5874 \ifdim Opt > \bidipoem@hvind %
5875 \bidipoem@spreadbox \bidipoem@hvlen [#1]\hfill % first block
5876 \else
5877 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen [#1]\fi
5878 \bidipoem@spreadbox \bidipoem@hvsep [#2] % separator
5879 \bidipoem@spreadbox \bidipoem@hvlen [#3] % second block
5880 \par }
5881
5882 % macro for two half verses
5883 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5884 \ifx [#2]\def\bidipoem@half@verses@next{\bidipoem@half@verses [#1][]{\hfill}#2}\fi%
5885 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses [#1][]{\hfill}#2}\fi%
5886 \bidipoem@half@verses@next}
5887
5888 \def \bidipoem@half@verses [#1][#2][#3]{% first[mid]second
5889 \traditionalconnverses [#1][#2][#3]}
5890
5891
5892 {\catcode`^\^M=\active % these lines must end with %
5893 \gdef\traditionalpoem@obeylines{\catcode`^\^M\active \let^\^M\traditionalpoem@par}%
5894 \global\let^\^M\traditionalpoem@par} % this is in case ^M appears in a \write
5895 {\catcode`^\^M=\active % these lines must end with %
5896 \gdef\modernpoem@obeylines{\catcode`^\^M\active \let^\^M\modernpoem@par}%
5897 \global\let^\^M\modernpoem@par} % this is in case ^M appears in a \write
5898 \def\poemcolsep{.1\versewidth plus .1\versewidth minus .05\versewidth}
5899 \def\poemmargin{1em plus 1fil minus 1em}
5900 \def\poemextrabaseline{0\baselineskip}
5901 \def\poemskip{\medskip}
5902 \newcommand{\bidipoem@openbox}{\leavevmode
5903 \hbox to .77778em{%
5904 \hfil\vrule
5905 \vbox to .675em{\hrule width .6em\vfil\hrule}%
5906 \vrule\hfil}}
5907 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5908 \newdimen\versewidth
5909 \newtoks\bidipoem@p@ftn
5910 \def\poem@verse#1{%
5911 \ifdim\wd#1>\new@poem@width
5912 \xdef\new@poem@width{\the\wd#1}%

```



```

5913 \ifdim\new@poem@width>\poem@width
5914 \xdef\poem@width{\new@poem@width}%
5915 \global\let\poem@needrun\relax
5916 \fi
5917 \fi
5918 \hbox to\poem@width{\unhbox#1}%
5919 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
5920 }
5921 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmargin\relax}
5922 \def\poem@lineend{\nobreak\hskip\poemmargin\hskip\@flushglue\vadjust{}}
5923 \def\poem@lineversesep{%
5924 \nobreak
5925 \hskip\z@ plus 1filll%
5926 \penalty600%
5927 \hskip\poemcolsep\hskip
5928 \hskip\z@ plus -2filll%
5929 \vadjust{}%
5930 \nobreak
5931 \hskip\z@ plus 1filll%
5932 }
5933 \def\poem@lineparsebegin{%
5934 \halign\bgroup
5935 \global\setbox\verse@i=\hbox{%
5936 \let@\footnotetext\bidipoem@p@ftntext%
5937 \let@\LTRfootnotetext\bidipoem@p@LTRftntext%
5938 \let@\RTLfootnotetext\bidipoem@p@RTLftntext%
5939 \let@\xfootnotenext\bidipoem@p@xftntext%
5940 \let@\xfootnote\bidipoem@p@xfootnote%
5941 \let@\xLTRfootnotenext\bidipoem@p@xLTRftntext%
5942 \let@\xLTRfootnote\bidipoem@p@xLTRfootnote%
5943 \let@\xRTLfootnotenext\bidipoem@p@xRTLftntext%
5944 \let@\xRTLfootnote\bidipoem@p@xRTLfootnote%
5945 \ignorespaces##\unskip}%%
5946 \global\setbox\verse@ii=\hbox{%
5947 \let@\footnotetext\bidipoem@p@ftntext%
5948 \let@\LTRfootnotetext\bidipoem@p@LTRftntext%
5949 \let@\RTLfootnotetext\bidipoem@p@RTLftntext%
5950 \let@\xfootnotenext\bidipoem@p@xftntext%
5951 \let@\xfootnote\bidipoem@p@xfootnote%
5952 \let@\xLTRfootnotenext\bidipoem@p@xLTRftntext%
5953 \let@\xLTRfootnote\bidipoem@p@xLTRfootnote%
5954 \let@\xRTLfootnotenext\bidipoem@p@xRTLftntext%
5955 \let@\xRTLfootnote\bidipoem@p@xRTLfootnote%
5956 \ignorespaces##\unskip}
5957 \cr
5958 }
5959 \def\poem@lineparseend{%
5960 \crcr\egroup
5961 \vskip-\baselineskip
5962 }

```



```

5963 \def\traditionalpoem@cr{%
5964   \cr\poem@line
5965 }
5966 \newbox\verse@i
5967 \newbox\verse@ii
5968 \newif\ifpoem@started
5969
5970 \def\poem@line{%
5971 \poem@lineparseend
5972 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
5973 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
5974 \ifpoem@started
5975   \ifdim\wd\verse@ii>\z@\else
5976     \nopagebreak[3]
5977   \fi
5978   \leavevmode
5979   \poem@linebegin
5980   \poem@verse\verse@i
5981   \ifdim\wd\verse@ii>\z@
5982     \poem@lineversesep
5983     \poem@verse\verse@ii
5984   \fi
5985   \poem@lineend
5986 %   \nopagebreak
5987   \par
5988   \vskip\poemextrabaselineskip
5989 \fi
5990 \poem@lineparsebegin
5991 }
5992 \def\@traditionalpoem{%
5993 \stepcounter{poem@no}
5994   \ifnum\max@poem@no<\number\c@poem@no%
5995 \xdef\poem@width{\z@}%
5996   \else
5997 \xdef\poem@width{\poem@prop{poem@width}}%
5998 \fi
5999 \xdef\new@poem@width{\z@}%
6000 \global\versewidth=\poem@width
6001 \poemskip\par
6002 \begingroup
6003 \tabskip=\z@
6004 \parskip=\z@
6005 \parindent=\z@
6006 \parfillskip=\z@
6007 \rightskip=\z@
6008 \leftskip=\z@
6009 \widowpenalty=10000% No break between verses of the same line.
6010 \clubpenalty=10000% Same as above. Not really needed.
6011 \def\newblock{\hfil\poemblocksep\hfil\null}%
6012 \def\traditionalpoem@par{\traditionalpoem@cr}%
Redefine \par for possible \obeylines

```



```

6013 \def\\{\global\poem@startedtrue\traditionalpoem@cr}%
6014 \global\poem@startedfalse
6015 \csname poem@obeylines\endcsname
6016 \let\poem@obeylines\relax
6017 \poem@lineparsebegin
6018 }
6019 \def\@endtraditionalpoem{%
6020 \cr
6021 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
6022 \noalign{%
6023 \skip0=\poemextrabaselineskip
6024 \vskip-\skip0
6025 \vskip-\baselineskip
6026 }%
6027 \fi\fi
6028 \poem@lineparseend
6029 \endgroup
6030 \par
6031 \vskip\baselineskip
6032 \poemskip
6033 \if@nopallist \else
6034 \ifdim\lastskip >\z@
6035 \tempskipa\lastskip \vskip -\lastskip
6036 \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
6037 \vskip\tempskipa
6038 \fi
6039 \endparenv
6040 \fi
6041 \ifdim\new@poem@width<\poem@width
6042 \global\let\poem@needrun\relax
6043 \fi
6044 \poem@write@aux{\poem@width@romannumerals@poem@no}{\new@poem@width}%
6045 \ifx\AtEndDocument\undefined\poem@finish\fi
6046 }
6047
6048
6049 \long\def\bidipoem@p@ftntext#1{%
6050 \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
6051 \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}%
6052 \long\def\bidipoem@p@LTRftntext#1{%
6053 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
6054 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}%
6055 \long\def\bidipoem@p@RTLftntext#1{%
6056 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
6057 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}%
6058
6059 \long\def\bidipoem@p@xftntext[#1]#2{%
6060 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
6061
6062 \long\def\bidipoem@p@xLTRftntext[#1]#2{%

```



```

6063 \global\bidipoem@p@ftn\expandafter{\the\bidoem@p@ftn\LTRfootnotetext [#1]{#2}}
6064
6065 \long\def\bidoem@p@xRTLftntext [#1]#2{%
6066 \global\bidoem@p@ftn\expandafter{\the\bidoem@p@ftn\RTLfootnotetext [#1]{#2}}}
6067
6068 \def\bidoem@p@xfootnote [#1]{%
6069 \begingroup
6070   \csname c@\@mpfn\endcsname #1\relax
6071   \unrestored@protected@xdef\@thefnmark{\thempfn}%
6072 \endgroup
6073 \footnotemark\bidoem@p@xftntext [#1]}
6074
6075 \def\bidoem@p@xLTRfootnote [#1]{%
6076 \begingroup
6077   \csname c@\@mpfn\endcsname #1\relax
6078   \unrestored@protected@xdef\@thefnmark{\thempfn}%
6079 \endgroup
6080 \footnotemark\bidoem@p@xLTRftntext [#1]}
6081
6082 \def\bidoem@p@xRTLfootnote [#1]{%
6083 \begingroup
6084   \csname c@\@mpfn\endcsname #1\relax
6085   \unrestored@protected@xdef\@thefnmark{\thempfn}%
6086 \endgroup
6087 \footnotemark\bidoem@p@xRTLftntext [#1]}
6088
6089
6090
6091 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
6092 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl}
6093 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
6094 \def\poem@finish{%
6095 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
6096 \ifx\poem@needrun\relax
6097 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
6098 \global\let\poem@needrun\undefined
6099 \fi
6100 }
6101 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
6102 \newcounter{poem@no}\setcounter{poem@no}{\z@}
6103 \ifx\max@poem@no\undefined
6104   \def\max@poem@no{0}%
6105 \fi
6106 \newcommand{\poem@prop}[1]{\nameuse{#1@\romannumeral\c@poem@no}}
6107 \newcommand{\poem@write@aux}[2]{%
6108   \def\x{\immediate\write\auxout{\global\noexpand\@namedef{#1}{#2}}}%
6109   \x
6110 }
6111 \def\@modernpoem{%
6112 \par

```



```

6113 \begingroup
6114 \parskip=\z@
6115 \parindent=\z@
6116 \def\[\{@settab\@tabplus\ignorespaces}%
6117 \def\]{\@tabminus\ignorespaces}%
6118 \def\newblock{\poemblocksep}%
6119 \let\newpoem@tabcr\@tabcr
6120 \def\modernpoem@par{%
  Redefine \par for possible \obeylines
6121   \ifpoem@started\else
6122     \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
6123       \@stopfield
6124     \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
6125       \@contfield
6126     \fi
6127   \fi
6128   \ifpoem@started\newpoem@tabcr\fi}%
6129 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
6130 \global\poem@startedfalse
6131 \csname poem@obeylines\endcsname
6132 \let\poem@obeylines\relax
6133 \begin{tabbing}%
6134 }
6135 \def\@endmodernpoem{%
6136 \global\poem@startedfalse
6137 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
6138   \@stopfield
6139   \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
6140   \@contfield
6141 \fi
6142 \ifpoem@started\else\let\@stopline\@stopfield\fi
6143 \end{tabbing}%
6144 \endgroup
6145 \par
6146   \if@noparlist \else
6147     \ifdim\lastskip >\z@
6148       \tempskipa\lastskip \vskip -\lastskip
6149       \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
6150       \vskip\tempskipa
6151     \fi
6152   \endparenv
6153 \fi
6154 }
6155 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
6156 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem@startfield}
6157 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
6158 \gdef\@startfield{%
6159   \global\setbox\@curfield\hbox\bgroup%
6160   \let\footnotetext\bidipoem@p@ftntext%
6161   \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6162   \let\@RTLfootnotetext\bidipoem@p@RTLftntext%

```



```

6163 \let\@xfootnotenext\bidi poem@p@xftntext%
6164 \let\@xfootnote\bidi poem@p@xfootnote%
6165 \let\@xLTRfootnotenext\bidi poem@p@xLTRftntext%
6166 \let\@xLTRfootnote\bidi poem@p@xLTRfootnote%
6167 \let\@xRTLfootnotenext\bidi poem@p@xRTLftntext%
6168 \let\@xRTLfootnote\bidi poem@p@xRTLfootnote%
6169 \color@begingroup}
6170 \gdef\@stopfield{%
6171   \color@endgroup\egroup\global\bidi poem@p@ftn\expandafter{\expandafter}\the\bidi poem@p@ftn}
6172 \gdef\@contfield{%
6173 \global\setbox\@curfield\hbox\bgroup%
6174 \let\@footnotetext\bidi poem@p@ftntext%
6175 \let\@LTRfootnotetext\bidi poem@p@LTRftntext%
6176 \let\@RTLfootnotetext\bidi poem@p@RTLftntext%
6177 \let\@xfootnotenext\bidi poem@p@xftntext%
6178 \let\@xfootnote\bidi poem@p@xfootnote%
6179 \let\@xLTRfootnotenext\bidi poem@p@xLTRftntext%
6180 \let\@xLTRfootnote\bidi poem@p@xLTRfootnote%
6181 \let\@xRTLfootnotenext\bidi poem@p@xRTLftntext%
6182 \let\@xRTLfootnote\bidi poem@p@xRTLfootnote%
6183 \color@begingroup\unhbox\@curfield}

```

30 File boek3-xetex-bidi.def

```

6184 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTe
6185 \renewenvironment{theindex}{%
6186   \if@twocolumn
6187     \restonecolfalse
6188   \else
6189     \restonecoltrue
6190   \fi
6191   \columnseprule \z@
6192   \columnsep 35\p@
6193   \twocolumn[\@makeschapterhead{\indexname}]%
6194   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6195   \thispagestyle{plain}\parindent\z@
6196   \parskip\z@ \pplus .3\p@\relax
6197   \let\item\@idxitem
6198 }%
6199 \if@restonecol\onecolumn\else\clearpage\fi}
6200 \renewcommand*\head@style{%
6201   \interlinepenalty \OM
6202   \hyphenpenalty=\OM \exhyphenpenalty=\OM
6203   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6204 \renewcommand*\@regtocline[3]{%
6205   \ifnum #1>\c@tocdepth
6206   \else
6207     \vskip\z@\pplus.2\p@
6208     {\hangindent\z@ \afterindenttrue \interlinepenalty\OM
6209       \if@RTL\rightskip\else\leftskip\fi\unitindent

```



```

6210   \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
6211   \parfillskip\z@\relax
6212   \tempdima\unitindent
6213   \parindent\z@\relax
6214   \leavevmode
6215   \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak}
6216   \hspace{1em}\nobreak{\slshape #3}\par
6217   }%
6218 \fi}
6219 \if@oldtoc
6220 \renewcommand*\l@part[2]{%
6221   \ifnum \c@tocdepth >-2\relax
6222     \addpenalty{-\highpenalty}%
6223     \addvspace{2.25em \@plus\p@}%
6224     \begingroup
6225       \setlength\tempdima{3em}%
6226       \parindent\z@\if@RTL\leftskip\else\rightskip\fi\@pnumwidth
6227       \parfillskip -\@pnumwidth
6228       \leavevmode
6229         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}\par
6230         \nobreak
6231         \global\@nobreaktrue
6232         \everypar{\global\@nobreakfalse\everypar{}}
6233       \endgroup
6234     \fi}
6235 \else
6236   \renewcommand*\l@part{%
6237     \ifnum \c@tocdepth >-2\relax
6238       \addpenalty{-\highpenalty}%
6239       \addvspace{2.25em \@plus\p@}%
6240       \regtocline{0}%
6241     \fi}
6242 \fi
6243 \if@oldtoc
6244 \renewcommand*\l@chapter[2]{%
6245   \addpenalty{-\highpenalty}%
6246   \vskip 1.0em \@plus\p@%
6247   \setlength\tempdima{1.5em}%
6248   \begingroup
6249     \parindent\z@\if@RTL\leftskip\else\rightskip\fi\@pnumwidth
6250     \parfillskip -\@pnumwidth
6251     \leavevmode \bfseries
6252     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6253     \hspace{-\if@RTL\rightskip\else\leftskip\fi\@tempdima}
6254     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6255     \penalty\highpenalty
6256   \endgroup
6257 \else
6258   \renewcommand*\l@chapter{\regtocline{0}}
6259 \fi

```



```

6260 \renewenvironment{abstract}{%
6261     \titlepage
6262     \null\vfil
6263     \section*\{\SectFont \abstractname\}
6264     \noindent\ignorespaces
6265     {\par\vfil\null\endtitlepage}
6266 \renewenvironment{thebibliography}[1]
6267     {\chapter*\{\bibname\}%
6268         \OMkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6269         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6270         \bidi@thebibliography@font@hook%
6271         \list{ \@biblabel{\arabic\c@enumiv}}%
6272             {\settowidth\labelwidth{\@biblabel{\#1}}%
6273                 \leftmargin\labelwidth
6274                 \advance\leftmargin\labelsep
6275                 \openbib@code
6276                 \usecounter{enumiv}%
6277                 \let\p@enumiv\empty
6278                 \renewcommand*\theenumiv{\arabic\c@enumiv}%
6279                 \sloppy\clubpenalty4000\widowpenalty4000%
6280                 \sfcodes`.\.\@m}
6281         {\def\@noitemerr
6282             {\@latex@warning{Empty `thebibliography' environment}}%
6283         \endlist}
6284 \renewcommand*\left@footnoterule{%
6285     \kern-3\p@
6286     \kern.5\baselineskip
6287     \hrule\@width\unitindent
6288     \kern.4\baselineskip
6289 }
6290 \renewcommand*\right@footnoterule{%
6291     \kern-3\p@
6292     \kern.5\baselineskip
6293     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6294     \kern.4\baselineskip}
6295 \renewcommand*\thesection{\thechapter\@SepMark\arabic\c@section}
6296 \renewcommand*\thesubsection{\thesection\@SepMark\arabic\c@subsection}
6297 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\arabic\c@subsubsection}
6298 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\arabic\c@paragraph}
6299 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\arabic\c@subparagraph}
6300 \renewcommand*\theequation{%
6301     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\arabic\c@equation}
6302 \renewcommand*\thefigure{%
6303     \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\arabic\c@figure}
6304 \renewcommand*\thetable{%
6305     \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\arabic\c@table}
6306 \renewcommand*\maketitle{%
6307     \begin{titlepage}%
6308         \let\footnotesize\small
6309         \let\right@footnoterule\relax

```



```

6310   \let\left@footnoterule\relax
6311   \let\textwidth@footnoterule\relax
6312   \let \footnote \thanks
6313   \long\def\@makefntext##1{\par\indent\z@
6314       \def\labelitemi{\textendash}\revlabeltrue
6315       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6316   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6317   \if@compatibility\setcounter{page}{0}\fi
6318   \null\vfil
6319   \vskip 60\p@
6320   \begin{center}%
6321     \TitleFont
6322     {\LARGE \def\\{\penalty -\@M}
6323       \if@allcaps
6324         \expandafter\uc@nothanks\@title\thanks\relax
6325       \else
6326         \@title
6327       \fi\par}%
6328   \vskip 3em%
6329   {\large
6330     \lineskip .75em \par\indent\z@
6331     \begin{tabular}[t]{c}%
6332       \if@allcaps
6333         \expandafter\uc@author\nothanks\@author\and\relax
6334       \else
6335         \@author
6336       \fi
6337     \end{tabular}\par}%
6338   \vskip 1.5em%
6339   {\large
6340     \if@allcaps
6341       \uppercase\expandafter{\@date}%
6342     \else
6343       \@date
6344     \fi\par}%
6345   \end{center}\par
6346   \@thanks
6347   \vfil\null
6348   \end{titlepage}%
6349   \setcounter{footnote}{0}%
6350   \global\let\thanks\relax
6351   \global\let\maketitle\relax
6352   \global\let\@thanks\empty
6353   \global\let\@author\empty
6354   \global\let\@title\empty
6355   \global\let\@date\empty
6356   \global\let\title\relax
6357   \global\let\author\relax
6358   \global\let\date\relax
6359   \global\let\and\relax

```



6360 }

3.1 File boek-xetex-bidi.def

```
6361 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX e
6362 \renewenvironment{theindex}{%
6363   \if@twocolumn
6364     \@restonecolfalse
6365   \else
6366     \@restonecoltrue
6367   \fi
6368   \columnseprule \z@
6369   \columnsep 35\p@
6370   \twocolumn[\@makeschapterhead{\indexname}]%
6371   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6372   \thispagestyle{plain}\parindent\z@
6373   \parskip\z@ \oplus .3\p@\relax
6374   \let\item\@idxitem
6375 }%
6376 \if@restonecol\onecolumn\else\clearpage\fi}
6377 \renewcommand*\head@style{%
6378   \interlinepenalty \OM
6379   \hyphenpenalty=\OM \exhyphenpenalty=\OM
6380   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6381 \renewcommand*\@regtocline[3]{%
6382   \ifnum #1>\c@tocdepth
6383   \else
6384     \vskip\z@\oplus.2\p@
6385     {\hangindent\z@ \if@afterindenttrue \interlinepenalty\OM
6386       \if@RTL\rightskip\else\leftskip\fi\unitindent
6387       \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
6388       \parfillskip\z@
6389       \tempdima\unitindent
6390       \parindent\z@
6391       \leavevmode
6392       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
6393       \hskip 1em \nobreak{\slshape #3}\par
6394     }%
6395   \fi}
6396 \if@oldtoc
6397 \renewcommand*\l@part[2]{%
6398   \ifnum \c@tocdepth >-2\relax
6399     \addpenalty{-\highpenalty}%
6400     \addvspace{2.25em \oplus\p@}%
6401     \begingroup
6402       \setlength\tempdima{3em}%
6403       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\relax\@pnumwidth
6404       \parfillskip -\@pnumwidth
6405       \leavevmode
6406       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6407     \endgroup
6408   \fi
6409 }%
6410 \renewcommand*\l@list[2]{%
6411   \ifnum \c@tocdepth >-2\relax
6412     \addpenalty{-\highpenalty}%
6413     \addvspace{2.25em \oplus\p@}%
6414     \begingroup
6415       \setlength\tempdima{3em}%
6416       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\relax\@pnumwidth
6417       \parfillskip -\@pnumwidth
6418       \leavevmode
6419       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6420     \endgroup
6421   \fi
6422 }%
6423 \renewcommand*\l@list*2[2]{%
6424   \ifnum \c@tocdepth >-2\relax
6425     \addpenalty{-\highpenalty}%
6426     \addvspace{2.25em \oplus\p@}%
6427     \begingroup
6428       \setlength\tempdima{3em}%
6429       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\relax\@pnumwidth
6430       \parfillskip -\@pnumwidth
6431       \leavevmode
6432       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6433     \endgroup
6434   \fi
6435 }%
```



```

6407      \nobreak
6408      \global\@nobreaktrue
6409      \everypar{\global\@nobreakfalse\everypar{}}
6410      \endgroup
6411  \fi}
6412 \else
6413  \renewcommand*\l@part{%
6414    \ifnum \c@tocdepth >-2\relax
6415    \addpenalty{-\highpenalty}%
6416    \addvspace{2.25em \oplus \p@}%
6417    \regtocline{0}%
6418  \fi}
6419 \fi
6420 \if@oldtoc
6421 \renewcommand*\l@chapter[2]{%
6422  \addpenalty{-\highpenalty}%
6423  \vskip 1.0em \oplus \p@
6424  \setlength{\tempdima}{1.5em}%
6425  \begin{group}
6426  \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6427  \parfillskip -\pnumwidth
6428  \leavevmode \bfseries
6429  \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
6430  \hskip -\if@RTL\rightskip\else\leftskip\fi
6431  #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
6432  \penalty\highpenalty
6433  \endgroup}
6434 \else
6435  \renewcommand*\l@chapter{\regtocline{0}}
6436 \fi
6437 \renewcommand*\left@footnoterule{%
6438  \kern-3\p@
6439  \kern.5\baselineskip
6440  \hrule\width\unitindent
6441  \kern.4\baselineskip
6442 }
6443 \renewcommand*\right@footnoterule{%
6444  \kern-3\p@
6445  \kern.5\baselineskip
6446  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6447  \kern.4\baselineskip}
6448 \renewenvironment{abstract}{%
6449  \titlepage
6450  \null\vfil
6451  \section*{\SectFont \abstractname}
6452  \noindent\ignorespaces
6453  {\par\vfil\null\endtitlepage}
6454 \renewenvironment{thebibliography}[1]
6455  {\chapter*{\bibname}%
6456  \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%

```



```

6457 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6458 \bidi@@thebibliography@font@hook%
6459 \list{\@biblabel{\@arabic\c@enumiv}}%
6460 {\settowidth\labelwidth{\@biblabel{#1}}}%
6461 \leftmargin\labelwidth
6462 \advance\leftmargin\labelsep
6463 \openbib@code
6464 \usecounter{enumiv}%
6465 \let\p@enumiv\empty
6466 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
6467 \sloppy\clubpenalty4000\widowpenalty4000%
6468 \sfcode`.\@m}
6469 \def\noitemerr
6470 {\@latex@warning{Empty `thebibliography' environment}}%
6471 \endlist}
6472 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
6473 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
6474 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6475 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6476 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6477 \renewcommand*\theequation{%
6478 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@equation}
6479 \renewcommand*\thefigure{%
6480 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
6481 \renewcommand*\thetable{%
6482 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
6483 \renewcommand*\maketitle{%
6484 \begin{titlepage}%
6485 \let\footnotesize\small
6486 \let\right@footnoterule\relax
6487 \let\left@footnoterule\relax
6488 \let\textwidth@footnoterule\relax
6489 \let\footnote\thanks
6490 \long\def\makefntext{\par\@ifnextchar\z@{%
6491 \def\labelitemi{\textendash}\@revlabeltrue
6492 \leavevmode\@textsuperscript{\@thefnmark}\kern\p@ \relax##1}%
6493 \renewcommand*\thefootnote{\fnssymbol\c@footnote}%
6494 \if@compatibility\setcounter{page}{0}\fi
6495 \null\vfil
6496 \vskip60\p@
6497 \begin{center}%
6498 \TitleFont
6499 {\LARGE\def\penalty{-\@M}%
6500 \if@allcaps
6501 \expandafter\uc@nothanks\@title\thanks\relax
6502 \else
6503 \@title
6504 \fi\par}%
6505 \vskip3em%
6506 \large

```



```

6507     \lineskip .75em \parindent\z@
6508     \begin{tabular}[t]{c}%
6509         \if@allcaps
6510             \expandafter\uc@authornothanks\@author\and\relax
6511         \else
6512             \@author
6513         \fi
6514     \end{tabular}\par}%
6515     \vskip 1.5em%
6516     {\large
6517         \if@allcaps
6518             \uppercase\expandafter{\@date}%
6519         \else
6520             \@date
6521         \fi\par}%
6522     \end{center}\par
6523     \@thanks
6524     \vfil\null
6525     \end{titlepage}%
6526     \setcounter{footnote}{0}%
6527     \global\let\thanks\relax
6528     \global\let\maketitle\relax
6529     \global\let\@thanks\empty
6530     \global\let\@author\empty
6531     \global\let\@title\empty
6532     \global\let\@date\empty
6533     \global\let\title\relax
6534     \global\let\author\relax
6535     \global\let\date\relax
6536     \global\let\and\relax
6537 }

```

32 File bookest-xetex-bidi.def

```

6538 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for ]
6539 \def\@makechapterhead#1{%
6540     \vspace*{20\p@}
6541     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6542         \ifnum \c@secnumdepth >\m@ne
6543             \if@mainmatter
6544                 {\colorA\huge\scshape \chapapp\space \thechapter}
6545                 \par\nobreak
6546                 \vskip 10\p@
6547             \fi
6548         \fi
6549         \interlinepenalty\OM
6550         {\colorB\hrule}
6551         \vskip 15\p@
6552         \if@RTL\begin{flushleft}\else\begin{flushright}\fi
6553             {\colorA\Huge \bfseries #1}\par\nobreak

```



```

6554 \if@RTL\end{flushleft}\else\end{flushright}\fi
6555 \vskip 5\p@
6556 {\colorB\hrule}
6557 \vskip 30\p@
6558 }
6559 \def\@makeschapterhead#1{%
6560 \vspace*{20\p@}
6561 {\parindent \z@\raggedright \normalsize
6562 {\colorB\hrule}
6563 \vskip 15\p@
6564 \begin{center}
6565 {\colorA\Huge \bfseries #1}\par\nobreak
6566 \end{center}
6567 \vskip 5\p@
6568 {\colorB\hrule}
6569 \vskip 30\p@
6570 }

```

33 File book-xetex-bidi.def

```

6571 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class f
6572 \renewenvironment{theindex}
6573     {\if@twocolumn
6574         \restonecolfalse
6575     \else
6576         \restonecoltrue
6577     \fi
6578     \columnseprule \z@
6579     \columnsep 35\p@
6580     \twocolumn[\@makeschapterhead{\indexname}]%
6581     \mkboth{\MakeUppercase\indexname}%
6582         {\MakeUppercase\indexname}%
6583     \thispagestyle{plain}\parindent\z@
6584     \parskip\z@ \relax
6585     \let\item\@idxitem
6586     {\if@restonecol\onecolumn\else\clearpage\fi}
6587 \ifclassloaded{bookest}{}{%
6588     \if@titlepage
6589         \renewcommand{\maketitle}{\begin{titlepage}%
6590             \let\footnotesize\small
6591             \let\right@footnoterule\relax
6592             \let\left@footnoterule\relax
6593             \let\textwidth@footnoterule\relax
6594             \let\footnote \thanks
6595             \let \LTRfootnote \LTRthanks
6596             \let \RTLfootnote \RTLthanks
6597             \null\vfil
6598             \vskip 60\p@
6599             \begin{center}%
6600                 {\LARGE \@title \par}%

```



```

6601   \vskip 3em%
6602   {\large
6603     \lineskip .75em%
6604     \begin{tabular}[t]{c}%
6605       \author
6606     \end{tabular}\par}%
6607     \vskip 1.5em%
6608     {\large \date \par}      % Set date in \large size.
6609   \end{center}\par
6610   \thanks
6611   \vfil\null
6612   \end{titlepage}%
6613   \setcounter{footnote}{0}%
6614   \global\let\thanks\relax
6615   \global\let\LTRthanks\relax
6616   \global\let\RTLthanks\relax
6617   \global\let\maketitle\relax
6618   \global\let\@thanks\empty
6619   \global\let\@author\empty
6620   \global\let\@date\empty
6621   \global\let\@title\empty
6622   \global\let\title\relax
6623   \global\let\author\relax
6624   \global\let\date\relax
6625   \global\let\and\relax
6626 }
6627 \else
6628 \renewcommand\maketitle{\par
6629   \begingroup
6630     \renewcommand\thefootnote{\fnsymbol{footnote}}%
6631     \def\@makefnmark{\rlap{\textsuperscript{\normalfont\thefnmark}}}%
6632     \long\def\@makefntext#1{\par\indent 1em\noindent
6633       \hb@xt@1.8em{%
6634         \hss\textsuperscript{\normalfont\thefnmark}#1}%
6635     \if@twocolumn
6636       \ifnum \col@number=\@ne
6637         \maketitle
6638       \else
6639         \twocolumn[\maketitle]
6640       \fi
6641     \else
6642       \newpage
6643       \global\@topnum\z@    % Prevents figures from going at top of page.
6644       \maketitle
6645     \fi
6646     \thispagestyle{plain}\thanks
6647   \endgroup
6648   \setcounter{footnote}{0}%
6649   \global\let\thanks\relax
6650   \global\let\LTRthanks\relax

```



```

6651  \global\let\RTLthanks\relax
6652  \global\let\maketitle\relax
6653  \global\let\@maketitle\relax
6654  \global\let\@thanks\@empty
6655  \global\let\@author\@empty
6656  \global\let\@date\@empty
6657  \global\let\@title\@empty
6658  \global\let\title\relax
6659  \global\let\author\relax
6660  \global\let\date\relax
6661  \global\let\and\relax
6662 }
6663 \def\@maketitle{%
6664   \newpage
6665   \null
6666   \vskip 2em%
6667   \begin{center}%
6668     \let \footnote \thanks
6669     \let \LTRfootnote \LTRthanks
6670     \let \RTLfootnote \RTLthanks
6671     {\LARGE \@title \par}%
6672     \vskip 1.5em%
6673     {\large
6674       \lineskip .5em%
6675       \begin{tabular}[t]{c}%
6676         \author
6677       \end{tabular}\par}%
6678     \vskip 1em%
6679     {\large \@date}%
6680   \end{center}%
6681   \par
6682   \vskip 1.5em}
6683 \fi}
6684 \renewcommand*\l@part[2]{%
6685   \ifnum \c@tocdepth >-2\relax
6686     \addpenalty{-\@highpenalty}%
6687     \addvspace{2.25em \oplus \p@}%
6688     \setlength{\tempdima}{3em}%
6689     \begingroup
6690       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6691       \parfillskip -\pnumwidth
6692       {\leavevmode
6693         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6694         \nobreak
6695         \global\nobreaktrue
6696         \everypar{\global\nobreakfalse\everypar{}}}%
6697       \endgroup
6698   \fi}
6699 \renewcommand*\l@chapter[2]{%
6700   \ifnum \c@tocdepth >\m@ne

```



```

6701   \addpenalty{-\@highpenalty}%
6702   \vskip 1.0em \@plus\p@
6703   \setlength{\tempdima{1.5em}}%
6704   \begingroup
6705     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6706     \parfillskip -\pnumwidth
6707     \leavevmode \bfseries
6708     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6709     \hskip -\if@RTL\rightskip\else\leftskip\fi
6710     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
6711     \penalty\@highpenalty
6712   \endgroup
6713 \fi}
6714 \renewcommand{\left@footnoterule}{%
6715   \kern-3\p@
6716   \hrule\@width.4\columnwidth
6717   \kern2.6\p@}
6718 \renewcommand{\right@footnoterule}{%
6719   \kern-3\p@
6720   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
6721   \kern2.6\p@}
6722 \renewcommand{\theequation}
6723   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}
6724 \renewcommand{\thefigure}
6725   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}
6726 \renewcommand{\thetable}
6727   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}
6728 \renewcommand{\thechapter}{\arabic\c@chapter}
6729 \renewcommand{\thesection}{\thechapter\@SepMark\arabic\c@section}
6730 \renewcommand{\thesubsection}{\thesection\@SepMark\arabic\c@subsection}
6731 \renewcommand{\thesubsubsection}{\thesubsection\@SepMark\arabic\c@subsubsection}
6732 \renewcommand{\theparagraph}{\thesubsubsection\@SepMark\arabic\c@paragraph}
6733 \renewcommand{\thesubparagraph}{\theparagraph\@SepMark\arabic\c@subparagraph}
6734 \def\@makechapterhead#1{%
6735   \vspace*{50\p@}%
6736   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6737   \ifnum \c@secnumdepth >\m@ne
6738     \if@mainmatter
6739       \huge\bfseries \chapapp\space \thechapter
6740       \par\nobreak
6741       \vskip 20\p@
6742     \fi
6743   \fi
6744   \interlinepenalty\@M
6745   \Huge\bfseries #1\par\nobreak
6746   \vskip 40\p@
6747 }
6748 \def\@makeschapterhead#1{%
6749   \vspace*{50\p@}%
6750   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi

```



```

6751     \normalfont
6752     \interlinepenalty\@M
6753     \Huge \bfseries #1\par\nobreak
6754     \vskip 40\p@
6755   }
6756 \renewcommand\backmatter{%
6757   \if@openright
6758     \cleardoublepage
6759   \else
6760     \clearpage
6761   \fi
6762   \mainmatterfalse}
6763 \ renewenvironment{thebibliography}[1]
6764   {\chapter*{\bibname}%
6765     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6766     \if@RTL\ifCLTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6767     \bidi@thebibliography\font@hook%
6768     \list{\@biblabel{\@arabic\c@enumiv}}%
6769       {\settowidth\labelwidth{\@biblabel{#1}}%
6770         \leftmargin\labelwidth
6771         \advance\leftmargin\labelsep
6772         \openbib@code
6773         \usecounter{enumiv}%
6774         \let\p@enumiv\empty
6775         \renewcommand\theenumiv{\@arabic\c@enumiv}%
6776         \sloppy
6777         \clubpenalty4000
6778         \clubpenalty \clubpenalty
6779         \widowpenalty4000%
6780         \sfcode`\.\@m}
6781     {\def\@itemerr
6782       {\@latex@warning{Empty `thebibliography' environment}}%
6783     \endlist}

```

34 File `breqn-xetex-bidi.def`

```

6784 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe
6785 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
6786   \everydisplay\expandafter{\the\everydisplay \display@setup}%
6787   \if@noskipsec \leavevmode \fi
6788   \if@inlabel \leavevmode \global\@inlabelfalse \fi
6789   \if\eq@group\else\eq@prelim\fi
6790   \setkeys{breqn}{#1}%
6791   \the\eqstyle
6792   \eq@setnumber
6793   \begingroup
6794   \eq@setup@a
6795   \eq@startup
6796 }
6797 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%

```



```

6798 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
6799 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
6800 \global\let\GRP@label\@empty
6801 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
6802 \global\grp@linewidth\z@\global\grp@wdNum\z@
6803 \global\let\grp@eqs@numbered\@False
6804 \global\let\grp@aligned\@True
6805 \global\let\grp@shiftnumber\@False
6806 \eq@prelim
6807 \setkeys{breqn}{#1}%
6808 \if\grp@hasNumber \grp@setnumber \fi
6809 }
6810 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
6811   \let\display@setup\@dseries@display@setup
6812 % Question: should this be the default for dseries???
6813 \global\eq@wdCond\z@
6814 \@dmath[layout={M},#1]%
6815 \mathsurround\z@\math \penalty\@Mi
6816 \let\endmath\ends@math
6817 \def\premath{%
6818   \ifdim\lastskip<.3em \unskip
6819   \else\ifnum\lastpenalty<\@M \dquad\fi\fi
6820 }%
6821 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignorespaces}%
6822 \ignorespaces
6823 }
6824 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@italiccorr)\if@nonlatin\endR\fi}
6825 \renewenvironment{dsuspend}{%
6826   \global\setbox\@EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \parboxrestore
6827   \parshape 1 \displayindent \displaywidth\relax
6828   \hsize=\columnwidth \noindent\ignorespaces
6829 }%
6830 \par\egroup
6831 \global\setbox\GRP@box\vbox{%
6832   \hbox{\copy\@EQ@box\vtop{\unvbox\@EQ@box}}%
6833 \unvbox\GRP@box
6834 }%
6835 \global\GRP@queue\@xp{\the\GRP@queue
6836   \@elt{\let\eq@isIntertext\@True}%
6837 }%
6838 }

```

35 File `cals-xetex-bidi.def`

```

6839 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTe
6840 \renewcommand\cals@setup@alignment[1]{%
6841 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
6842 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
6843 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
6844 }

```



```

6845 \renewcommand{\cals@table@alignment}{\if@RTLtab r\else l\fi}
6846 \renewenvironment{calstable}[1][\cals@table@alignment]{%
6847 \if@RTLtab\cals@activate@rtl\fi
6848 \let\cals@thead@tokens=\relax
6849 \let\cals@tfoot@tokens=\relax
6850 \let\cals@tbreak@tokens=\relax
6851 \cals@tfoot@height=0pt \relax
6852 \let\cals@last@context=n%
6853 \let\cals@current@context=b%
6854 \parindent=0pt \relax%
6855 \cals@setup@alignment{\#1}%
6856 \cals@setpadding{A}\cals@setcellprevdepth{A}\cals@set@tohsize%
6857 %% Alignment inside is independent on center/flushright outside
6858 \parfillskip=0pt plus1fil\relax
6859 \let\cals@borderL=\relax
6860 \let\cals@borderR=\relax
6861 \let\cals@borderT=\relax
6862 \let\cals@borderB=\relax
6863 \setbox\cals@backup@row=\box\voldb@x\relax
6864 \cals@AtBeginTable
6865 }% End of the table
6866 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
6867 \renewcommand{\alignL}{%
6868 \if@RTLtab
6869   \cals@vfillAdd\cals@paddingL
6870 \else
6871   \cals@vfillDrop\cals@paddingL
6872 \fi
6873 \cals@vfillDrop\cals@paddingR}
6874 \renewcommand{\alignR}{%
6875 \if@RTLtab
6876   \cals@vfillDrop\cals@paddingL
6877 \else
6878   \cals@vfillAdd\cals@paddingL
6879 \fi
6880 \cals@vfillDrop\cals@paddingR}

```

36 File `caption-xetex-bidi.def`

```

6881 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for
6882 \let\@makecaption\caption\@makecaption

```

37 File `caption3-xetex-bidi.def`

```

6883 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package for
6884 \renewcommand*\caption@par{%
6885   \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

38 File `colortbl-xetex-bidi.def`



```

6886 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package]
6887 \def\CT@setup{%
6888   \tempdimb\col@sep
6889   \tempdimc\col@sep
6890   \def\CT@color{%
6891     \global\let\CT@do@color\CT@@do@color
6892     \bidicolor}}
6893 \def\@classz{\@classx
6894   \tempcnta \count@
6895   \prepnext@tok
6896 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
6897   \addtopreamble{if@RTLtab\beginL\fi%
6898   \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
6899     \ifcase \chnum
6900       \hskip\stretch{.5}\kern\z@
6901       \dollarbegin
6902       \insert@column
6903       \dollarend\hskip\stretch{.5}\or
6904       \dollarbegin \insert@column \dollarend \hfill \or
6905       \hfill\kern\z@ \dollarbegin \insert@column \dollarend \or
6906     $\vcenter
6907     \startpbox{@nextchar}\insert@column \endpbox $ \or
6908     \vtop \startpbox{@nextchar}\insert@column \endpbox \or
6909     \vbox \startpbox{@nextchar}\insert@column \endpbox
6910   \fi
6911   \if@RTLtab\endR\fi\egroup\egroup
6912 \begingroup
6913   \CT@setup
6914   \CT@column@color
6915   \CT@row@color
6916   \CT@cell@color
6917   \CT@do@color
6918 \endgroup
6919   \tempdima\ht\z@
6920   \advance\tempdima\minrowclearance
6921   \vrule\height\tempdima\width\z@
6922   \unhbox\z@\if@RTLtab\endL\fi}%
6923 \prepnext@tok}

```

39 File color-xetex-bidi.def

```

6924 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
6925 \long\def\color@b#1#2#3{%
6926   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
6927   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
6928   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
6929   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
6930 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}}%
6931   \box\z@}\ifmmode\else\if@RTL\endL\fi\fi
6932 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}

```



```

6933 \DeclareRobustCommand\color{%
6934   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
6935 \def\@declaredcolor#1{%
6936   \@ifundefined{\string\color @#1}{%
6937     {\c@lor@error{\`#1}}{%
6938       {\expandafter\let\expandafter\current@color
6939         \csname\string\color @#1\endcsname
6940         \set@color}{%
6941       \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
6942 \def\@undeclaredcolor[#1]#2{%
6943   \@ifundefined{color@#1}{%
6944     {\c@lor@error{model `#1'}}{%
6945       {\csname color@#1\endcsname\current@color{#2}}%
6946       \set@color}{%
6947     \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
6948 \DeclareRobustCommand\bidi@color{%
6949   \if@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}%
6950 \def\@bidiundeclaredcolor[#1]#2{%
6951   \ifundefined{color@#1}{%
6952     {\c@lor@error{model `#1'}}{%
6953       {\csname color@#1\endcsname\current@color{#2}}%
6954       \set@color}{%
6955     \ignorespaces}%
6956 \def\@bidideclaredcolor#1{%
6957   \ifundefined{\string\color @#1}{%
6958     {\c@lor@error{\`#1}}{%
6959       {\expandafter\let\expandafter\current@color
6960         \csname\string\color @#1\endcsname
6961         \set@color}{%
6962       \ignorespaces}%
6963 \def\color@box#1#2{\color@b@x\relax\bidicolor#1{#2}}%
6964 \def\color@fbox#1#2#3{%
6965   \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}%
6966 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode}%

```

40 File combine-xetex-bidi.def

```

6967 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeLaTeX]
6968 \renewcommand{\c@ll@chapsecii}[2]{%
6969   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
6970   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
6971   #1\nobreak\hfil \nobreak\hb@xt@0\pnumwidth{\hss #2}\par
6972 }%
6973 \renewcommand{\c@ll@chapseci}{%
6974   \setlength\@tempdima{0em}%
6975   \begingroup
6976     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6977     \parfillskip -\pnumwidth
6978     \leavevmode
6979 }%

```



```
6980 \renewenvironment{tocindent}[1]{%
6981   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}%
```

41 File `crop-xetex-bidi.def`

```
6982 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTe
6983 \renewcommand*\CROP@ulc{%
6984   \if@RTLmain%
6985     \begin{picture}(0,0)
6986       \unitlength\p@\thinlines
6987       \put(-40,0){\circle{10}}
6988       \put(-30,-5){\line(0,1){10}}
6989       \put(-35,0){\line(1,0){30}}
6990       \put(-10,30){\circle{10}}
6991       \put(-5,30){\line(1,0){10}}
6992       \put(0,35){\line(0,-1){30}}
6993   \end{picture}%
6994 \else%
6995   \begin{picture}(0,0)
6996     \unitlength\p@\thinlines
6997     \put(-30,0){\circle{10}}
6998     \put(-30,-5){\line(0,1){10}}
6999     \put(-35,0){\line(1,0){30}}
7000     \put(0,30){\circle{10}}
7001     \put(-5,30){\line(1,0){10}}
7002     \put(0,35){\line(0,-1){30}}
7003   \end{picture}%
7004 \fi%
7005 }
7006 \renewcommand*\CROP@urc{%
7007   \if@RTLmain%
7008     \begin{picture}(0,0)
7009       \unitlength\p@\thinlines
7010       \put(20,0){\circle{10}}
7011       \put(30,-5){\line(0,1){10}}
7012       \put(35,0){\line(-1,0){30}}
7013       \put(-10,30){\circle{10}}
7014       \put(-5,30){\line(1,0){10}}
7015       \put(0,35){\line(0,-1){30}}
7016   \end{picture}%
7017 \else%
7018   \begin{picture}(0,0)
7019     \unitlength\p@\thinlines
7020     \put(30,0){\circle{10}}
7021     \put(30,-5){\line(0,1){10}}
7022     \put(35,0){\line(-1,0){30}}
7023     \put(0,30){\circle{10}}
7024     \put(-5,30){\line(1,0){10}}
7025     \put(0,35){\line(0,-1){30}}
7026   \end{picture}%
}
```



```

7027     \fi%
7028 }
7029 \renewcommand*\CROP@llc{%
7030   \if@RTLmain%
7031     \begin{picture}(0,0)
7032       \unitlength\p@\thinlines
7033       \put(-40,0){\circle{10}}
7034       \put(-30,-5){\line(0,1){10}}
7035       \put(-35,0){\line(1,0){30}}
7036       \put(-10,-30){\circle{10}}
7037       \put(-5,-30){\line(1,0){10}}
7038       \put(0,-35){\line(0,1){30}}
7039     \end{picture}%
7040   \else%
7041     \begin{picture}(0,0)
7042       \unitlength\p@\thinlines
7043       \put(-30,0){\circle{10}}
7044       \put(-30,-5){\line(0,1){10}}
7045       \put(-35,0){\line(1,0){30}}
7046       \put(0,-30){\circle{10}}
7047       \put(-5,-30){\line(1,0){10}}
7048       \put(0,-35){\line(0,1){30}}
7049     \end{picture}%
7050   \fi%
7051 }
7052 \renewcommand*\CROP@lrc{%
7053   \if@RTLmain%
7054     \begin{picture}(0,0)
7055       \unitlength\p@\thinlines
7056       \put(20,0){\circle{10}}
7057       \put(30,-5){\line(0,1){10}}
7058       \put(35,0){\line(-1,0){30}}
7059       \put(-10,-30){\circle{10}}
7060       \put(-5,-30){\line(1,0){10}}
7061       \put(0,-35){\line(0,1){30}}
7062     \end{picture}%
7063   \else%
7064     \begin{picture}(0,0)
7065       \unitlength\p@\thinlines
7066       \put(30,0){\circle{10}}
7067       \put(30,-5){\line(0,1){10}}
7068       \put(35,0){\line(-1,0){30}}
7069       \put(0,-30){\circle{10}}
7070       \put(-5,-30){\line(1,0){10}}
7071       \put(0,-35){\line(0,1){30}}
7072     \end{picture}%
7073   \fi%
7074 }
7075 \@ifpackagewith{crop}{cam}{%
7076 \CROP@execpt{cam}%

```



7077 }{}

42 File `cutwin-xetex-bidi.def`

```
7078 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for XeLaTeX]
7079 \renewcommand*{\c@twcomptr}[2]{%
7080   \def\c@twfirst{1}
7081   \loop\advance\c@twinlines\m@ne
7082   \setbox\c@twslicea=\vsplit#1 to\baselineskip
7083   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
7084   \c@twprune{\c@twslicea}{\c@twlftside}%
7085   \c@twprune{\c@twsliceb}{\c@trtsize}%
7086   \ifnum\c@twfirst=\@ne
7087     \setbox#2=\vbox{\unvbox#2\hbox
7088       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7089   \else
7090     \setbox#2=\vbox{\unvbox#2\hbox
7091       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7092     \fi
7093   \def\c@twfirst{2}
7094   \ifnum\c@twinlines>\z@\repeat}
7095 \renewcommand*{\c@twcompodctr}[2]{%
7096   \def\c@twrounds{1}
7097   \def\c@twfirst{1}
7098   \for\c@twlspec:=\c@twb\do{%
7099     \ifnum\c@twrounds=1
7100       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
7101       \c@twprune{\c@twslicea}{\c@twlspec}%
7102       \def\c@twrounds{2}
7103     \else
7104       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
7105       \c@twprune{\c@twsliceb}{\c@twlspec}%
7106       \ifnum\c@twfirst=1
7107         \setbox#2=\vbox{\unvbox#2\hbox
7108           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7109         \def\c@twfirst{2}
7110       \else
7111         \setbox#2=\vbox{\unvbox#2\hbox
7112           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7113         \fi
7114       \def\c@twrounds{1}
7115     \fi}}}
```

43 File `cuted-xetex-bidi.def`

```
7116 \ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for XeLaTeX]
7117
7118 \def\RTL@outputdblcol{%
7119   \if@firstcolumn
7120     \global\@firstcolumnfalse
```



```

7121   \global\setbox\@leftcolumn\copy\@outputbox
7122   \splitmaxdepth\maxdimen
7123   \vbadness\maxdimen
7124   \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7125   \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7126   \toks@\expandafter{\topmark}%
7127   \xdef\@firstcoltopmark{\the\toks@}%
7128   \toks@\expandafter{\splitfirstmark}%
7129   \xdef\@firstcolfirstmark{\the\toks@}%
7130   \ifx\@firstcolfirstmark\@empty
7131     \global\let\@setmarks\relax
7132   \else
7133     \gdef\@setmarks{%
7134       \let\firstrule\@firstcolfirstmark
7135       \let\toprule\@firstcoltopmark}%
7136   \fi
7137 \else
7138   \global\@firstcolumtrue
7139   \setbox\@outputbox\vbox{%
7140     \hb@xt@{\textwidth}{%
7141       \hskip \columnwidth
7142       \hfil
7143       {\normalcolor\vrule \width\columnseprule}%
7144       \hfil
7145       \hb@xt@{\columnwidth}{%
7146         \bidi@firstcolumn@status@write%
7147         \box\@leftcolumn \hss}%
7148       \hskip -\textwidth
7149       \hb@xt@{\columnwidth}{%
7150         \bidi@lastcolumn@status@write%
7151         \box\@outputbox \hss}%
7152       \hskip \columnsep
7153       \hskip \columnwidth } }%
7154   \ifvoid\hold@viper
7155   \else
7156     \setbox\@outputbox \vbox to\textheight{%
7157       \box\hold@viper
7158       \box\@outputbox
7159       \vss
7160     }%
7161   \fi
7162   \combinedblfloats
7163   \@setmarks
7164   \@outputpage
7165   \begingroup
7166     \cdblfloatplacement
7167     \startdblcolumn
7168     \whilesw\if@fcolmade \fi{\@outputpage
7169     \startdblcolumn}%
7170   \ifvoid\@viper

```



```

7171     \else
7172         \global\setbox\@viper\vbox{%
7173             \vskip-\stripsep
7174             \unvbox\@viper
7175         }%
7176         \vbox\@viperoutput
7177     \fi
7178 \endgroup
7179 \fi}%
7180
7181 \def\LTR@outputdblcol{%
7182     \if@firstcolumn
7183         \global\@firstcolumnfalse
7184         \global\setbox\@leftcolumn\copy\@outputbox
7185         \splitmaxdepth\maxdimen
7186         \vbadness\maxdimen
7187         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7188         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7189         \toks@\expandafter{\topmark}%
7190         \xdef\@firstcoltopmark{\the\toks@}%
7191         \toks@\expandafter{\splitfirstmark}%
7192         \xdef\@firstcolfirstmark{\the\toks@}%
7193         \ifx\@firstcolfirstmark\@empty
7194             \global\let\@setmarks\relax
7195         \else
7196             \gdef\@setmarks{%
7197                 \let\firstmark\@firstcolfirstmark
7198                 \let\topmark\@firstcoltopmark}%
7199         \fi
7200     \else
7201         \global\@firstcolumntrue
7202         \setbox\@outputbox\vbox{%
7203             \hb@xt@\textwidth{%
7204                 \hb@xt@\columnwidth{%
7205                     \bidi@firstcolumn@status@write%
7206                     \box\@leftcolumn \hss}%
7207                     \hfil
7208                     {\normalcolor\vrule \width\columnseprule}%
7209                     \hfil
7210                     \hb@xt@\columnwidth{%
7211                         \bidi@lastcolumn@status@write%
7212                         \box\@outputbox \hss}}}}%
7213         \ifvoid\hold@viper
7214         \else
7215             \setbox\@outputbox \vbox to\textheight{%
7216                 \box\hold@viper
7217                 \box\@outputbox
7218                 \vss
7219             }%
7220     \fi

```



```

7221  \@combinedblfloats
7222  \@setmarks
7223  \@outputpage
7224  \begingroup
7225  \cdblfloatplacement
7226  \startdblcolumn
7227  \@whilesw\if@fcolmade \fi{\@outputpage
7228  \startdblcolumn}%
7229  \ifvoid\@viper
7230  \else
7231      \global\setbox\@viper\vbox{%
7232          \vskip-\stripsep
7233          \unvbox\@viper
7234      }%
7235      \@viperoutput
7236      \fi
7237  \endgroup
7238  \fi}%
7239
7240
7241 \def \@addviper {%
7242     \if@firstcolumn
7243         \insertfalse
7244         \reqcolroom .5\@pageht
7245         \ht\@viper\reqcolroom
7246         \advance \reqcolroom \ht\@viper
7247         \advance \reqcolroom \stripsep
7248         \ifvoid\hold\@viper\tempdima=\z@\else\tempdima\ht\hold\@viper\fi
7249 %%%
7250         \tempdimb \ht\@viper
7251         \loop
7252             \setbox\@aaa\copy\holdpg
7253             \setbox\@ccc\vbox to\tempdimb{%
7254                 \vsplit\@aaa to\tempdimb\vss\vsplit\@aaa to\tempdimb}%
7255             \wlog{Extra height:\the\ht\@aaa\space when \the\tempdimb}%
7256             \ifvoid\@aaa \else \advance\tempdimb 1pt \repeat
7257             \loop
7258                 \setbox\@aaa\copy\holdpg
7259                 \setbox\@ccc\vbox to\tempdimb{%
7260                     \vsplit\@aaa to\tempdimb\vss}%
7261                     \wlog{(2)Left:\the\ht\@ccc\space Right:\the\ht\@aaa\space Output:\the\tempdimb}%
7262                     \ifdim \ht\@ccc<\ht\@aaa \tempdimb \the\ht\@aaa \repeat
7263                     \wlog{- LAST -^JLeft:\the\ht\@ccc^JRight:\the\ht\@aaa^JOutput:\the\tempdimb}%
7264                     \setbox\@ccc\vbox to\tempdimb{%
7265                         \vsplit\holdpg to\tempdimb\vss}%
7266 %%%
7267             \setbox\tempboxa\vbox {%
7268                 \hb@xt@\textwidth {%
7269                     \if@RTLmain%
7270                         \hskip \columnwidth

```



```

7271      \hfil \vrule width\columnseprule \hfil
7272      \hb@xt@\columnwidth {%
7273          \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7274      \hskip -\textwidth
7275      \hb@xt@\columnwidth {%
7276          \vbox to\ht@viper{\box\@oldpg\vss} \hss}%
7277      \hskip \columnsep
7278      \hskip \columnwidth
7279      \else%
7280          \hb@xt@\columnwidth {%
7281              \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7282          \hfil
7283          \vrule \@width\columnseprule
7284          \hfil
7285          \hb@xt@\columnwidth {%
7286              \vbox to\ht@viper{\box\@oldpg\vss} \hss}%
7287              \fi}%
7288      }%
7289 \ifvoid\hold@viper
7290     \global\setbox\hold@viper \vbox {%
7291         \unvbox\@tempboxa
7292         \penalty\interlinepenalty
7293         \vskip\stripsep
7294         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7295         \outputpenalty \z@
7296             }%
7297 \else
7298     \global\setbox\hold@viper \vbox {%
7299         \unvbox\hold@viper
7300         \unvbox\@tempboxa
7301         \penalty\interlinepenalty
7302         \vskip\stripsep
7303         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7304         \outputpenalty \z@
7305             }%
7306 \fi
7307 \ifdim \reqcolroom>\@colroom
7308     \global\setbox\hold@viper \vbox {%
7309         \unvbox\hold@viper
7310         \box\@viper
7311         \penalty\interlinepenalty
7312         \vskip\stripsep
7313         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7314         \outputpenalty \z@
7315             }%
7316 \else
7317     \advance\@tempdima by-\ht\hold@viper
7318     \global \advance \colht \@tempdima
7319     \ifdim \colht<2.5\baselineskip
7320         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn

```



```

7321      too tall on page \thepage (1 stulpelis)}%
7322      \@emptycol
7323      \if@firstcolumn
7324      \else
7325          \@emptycol
7326          \fi
7327          \global\@lastvipertrue
7328      \else
7329          \global \vsize \@colht
7330          \global \@colroom \@colht
7331          \check@floats
7332          \ifdim\@tempdima>\z@
7333              \global\advance\@colroom by-\@tempdima
7334          \fi
7335          \ifdim\@colroom<\z@
7336              \global\@colroom 1pt
7337              \ifdim\@tempdima>\@colht
7338                  \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7339                      netelpa lape \thepage (1 stulpelis)}%
7340          \fi
7341          \@emptycol
7342          \if@firstcolumn
7343          \else
7344              \@emptycol
7345          \fi
7346          \global\@lastvipertrue
7347      \fi
7348  \fi
7349  \fi
7350 \else
7351     \@insertfalse
7352     \@reqcolroom\@colht
7353     \advance\@reqcolroom \@pageht
7354     \ht@\viper.5\@reqcolroom
7355     \@reqcolroom\ht@\viper
7356     \advance \@reqcolroom \ht@\viper
7357     \advance \@reqcolroom \stripsep
7358     \if@flushend@auto@baselineskip
7359         \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
7360             \global\lastskip@d\lastskip
7361             \global\lastskip@b\lastskip
7362             \loop
7363                 \global\lastskip@a\lastskip@b
7364                 \unskip\unpenalty
7365                 \global\lastskip@b\lastskip
7366                 \global\advance\lastskip@d by\lastskip
7367                 \ifdim\lastskip@b=-\lastskip@a
7368                     \global\advance\lastskip@d by-\lastskip
7369                 \else
7370                 \repeat

```



```

7371      \ifdim\lastskip@b=-\lastskip@a
7372          \ifdim\lastskip@b=\z@
7373              \setbox\lastbox@a\lastbox
7374                  \global\advance\lastskip@d by\ht\lastbox@a
7375                  \global\advance\lastskip@d by\lastskip
7376                  \unskip\unpenalty
7377                  \setbox\lastbox@a\lastbox
7378                      \global\advance\lastskip@d by\dp\lastbox@a
7379      \else
7380          \global\lastskip@d\lastskip
7381          \global\advance\lastskip@d by\topskip
7382      \fi
7383      \fi
7384          \global\advance\lastskip@d by-\topskip
7385      }%
7386      \ifdim\ht@\holdpg>\@colht
7387          \global\setbox\holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
7388              \par\eject
7389              \vbox to \@colht{\unvbox\holdpg\unskip}%
7390      }%
7391  \else
7392      \global\setbox\holdpg\vbox{%
7393          \unvbox\@leftcolumn\unskip\unpenalty
7394          \vskip\lastskip@d
7395          \the\At@ViperColsBreak
7396          \unvbox\holdpg
7397          \unskip
7398      }%
7399  \fi
7400 \else
7401     \global\setbox\holdpg\vbox{%
7402         \unvbox\@leftcolumn
7403         \setbox\@tempboxa\lastbox
7404         \on@stripcols@break
7405         \the\At@ViperColsBreak
7406         \unvbox\holdpg
7407     }%
7408 \fi
7409 \global\At@ViperColsBreak{}%
7410 \ht@\viper .5\ht\holdpg
7411 \ifdim \ht@\viper>\@colht
7412     \ht@\viper \@colht
7413 \fi
7414 \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
7415 %%%
7416 \@tempdimb \ht@\viper
7417 \loop
7418     \setbox\v@aaa\copy\holdpg
7419     \setbox\v@ccc\vbox to\@tempdimb{%
7420         \vsplit\v@aaa to\@tempdimb

```



```

7421          \vss
7422          \vsplit{v@aaa}{\tempdimb}
7423      }%
7424      \wlog{Extra height:\the\ht\v@aaa\space when \the\tempdimb}%
7425      \ifvoid{v@aaa}
7426      \else
7427          \advance{\tempdimb}{1pt}
7428      \repeat
7429      \loop
7430          \setbox{v@aaa}\copy{\holdpg}
7431          \setbox{v@ccc}\vbox{\tempdimb{\vsplit{v@aaa}{\tempdimb}\vss}}%
7432          \wlog{(2)Left:\the\ht\v@ccc\space
7433                  Right:\the\ht\v@aaa\space
7434                  Output:\the\tempdimb}%
7435      }%
7436      \ifdim{\ht{v@ccc}<\ht{v@aaa}}
7437          \tempdimb{\the\ht{v@aaa}}
7438      \repeat
7439      \wlog{- LAST -^JLeft:\the\ht\v@ccc
7440                  ^JRight:\the\ht\v@aaa
7441                  ^JOutput:\the\tempdimb}%
7442  }%
7443  \setbox{v@ccc}\vbox{\tempdimb{\vsplit{\holdpg}{\tempdimb}\vss}}%
7444  \setbox{\tempboxa}\vbox{%
7445      \hb@xt{\textwidth}{%
7446          \if@RTLmain%
7447              \hskip{\columnwidth}
7448              \hfil{\vrule{\columnsep}{\ht{\viper{\box{v@ccc}\vss}}}\hss}%
7449          \hskip{-\textwidth}
7450          \hb@xt{\columnwidth}{\vbox{\ht{\viper{\box{\holdpg}\vss}}\hss}}%
7451          \hskip{\columnsep}
7452          \hskip{\columnwidth}
7453      \else
7454          \hb@xt{\columnwidth}{\vbox{\ht{\viper{\box{v@ccc}\vss}}\hss}}%
7455          \hfil
7456          \vrule{\width{\columnsep}}{\ht{\viper{\box{\holdpg}\vss}}\hss}%
7457          \hfil
7458          \hb@xt{\columnwidth}{\vbox{\ht{\viper{\box{\holdpg}\vss}}\hss}}%
7459      \fi%
7460  }%
7461  }%
7462 }%
7463 \ifvoid{\hold@viper}
7464     \global\setbox{\hold@viper}\vbox{%
7465         \unvbox{\tempboxa}
7466         \penalty{\interlinepenalty}
7467         \vskip{\stripsep}
7468         \ifnum{\outputpenalty}<-\@Mii \vskip{-\parskip}\fi
7469         \outputpenalty{z@}
7470     }%

```



```

7471 \else
7472     \global\setbox\hold@viper \vbox {%
7473         \unvbox\hold@viper
7474         \unvbox\@tempboxa
7475         \penalty\interlinepenalty
7476         \vskip\stripsep
7477         \ifnum\outputpenalty <-@\Mii \vskip -\parskip\fi
7478         \outputpenalty \z@
7479     }%
7480 \fi
7481 \ifdim \@colht>\@reqcolroom
7482     \global\setbox\hold@viper \vbox {%
7483         \unvbox\hold@viper
7484         \box\@viper
7485         \penalty\interlinepenalty
7486         \vskip\stripsep
7487         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7488         \outputpenalty \z@
7489     }%
7490 \@inserttrue
7491 \global\@firstcolumntrue
7492 \advance\@tempdima by-\ht\hold@viper
7493 \global \advance \@colht \@tempdima
7494 \ifdim \@colht<2.5\baselineskip
7495     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7496                             too tall on page \thepage (2 stulpelis)}%
7497     \emptycol
7498     \if@firstcolumn
7499     \else
7500         \emptycol
7501     \fi
7502     \global\@lastvipertrue
7503 \else
7504     \global \vsize \@colht
7505     \global \@colroom \@colht
7506     \checkfloats
7507     \ifdim\@tempdima>\z@
7508         \global\advance\@colroom by-\@tempdima
7509     \fi
7510     \ifdim\@colroom<\z@
7511         \global\@colroom 1pt
7512         \ifdim\@tempdima>\@colht
7513             \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7514                                         netelpa lape \thepage (2 stulpelis)}%
7515         \fi
7516         \emptycol
7517         \if@firstcolumn
7518         \else
7519             \emptycol
7520         \fi

```



```

7521           \global\@lastvipertrue
7522           \fi
7523           \fi
7524           \fi
7525   \fi
7526 \if@insert
7527 \else
7528     \advance\@tempdima by-\ht\hold@viper
7529     \global \advance \@colht \@tempdima
7530     \global\setbox\hold@viper \vbox {%
7531                           \unvbox\hold@viper
7532                           \csname viper@top@hook\endcsname
7533                           \vsplit\viper to \@colht
7534                           \vss
7535 }%
7536   \vbox{%
7537     \global\@firstcolumnfalse
7538     \newpage
7539   \fi
7540 }

```

44 File `cvthemebidicasual.sty`

```

7541 \NeedsTeXFormat{LaTeX2e}
7542 \ProvidesPackage{cvthemebidicasual}
7543 \DeclareOption{blue}{}
7544 \newif\if@colourorange\@colourorangefalse
7545 \DeclareOption{orange}{\@colourorangetrue}
7546 \newif\if@colourgreen\@colourgreenfalse
7547 \DeclareOption{green}{\@colourgreentrue}
7548 \newif\if@colourred\@colourredfalse
7549 \DeclareOption{red}{\@colourredtrue}
7550 \newif\if@colourgrey\@colourgreyfalse
7551 \DeclareOption{grey}{\@colourgreytrue}
7552 \DeclareOption*{%
7553   \PackageWarning{cvthemebidicasual}{Unknown option '\CurrentOption'}}
7554 \ExecuteOptions{colour}
7555 \ProcessOptions\relax
7556 \renewcommand*\listitemsymbol{\textbullet}
7557 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
7558 \familynamecolour{808080}
7559 \firstnamecolour{A9A9A9}
7560 \quotecolour{696969}
7561 \addresscolour{696969}
7562 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
7563 \sectiontitlecolour{1E90FF}
7564 \subsectioncolour{4682B4}
7565 \definecolor{rulecolour}{gray}{0.6}
7566 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
7567 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}

```



```

7568 \if@colourorange
7569   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7570   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7571   \sectiontitlecolour{FF8C00}
7572   \subsectioncolour{FF8C00}
7573   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
7574   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
7575 \if@colourgreen
7576   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7577   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7578   \sectiontitlecolour{008000}
7579   \subsectioncolour{008000}
7580   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
7581   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
7582 \if@coloured
7583   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7584   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7585   \sectiontitlecolour{FF0000}
7586   \subsectioncolour{FF0000}
7587   \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
7588   \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
7589 \if@colourgrey
7590   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7591   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7592   \sectiontitlecolour{808080}
7593   \subsectioncolour{808080}
7594   \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
7595   \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
7596 \renewcommand*{\ttdefault}{pcr}
7597 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
7598 \renewcommand*{\familynamefont}{\firstnamefont}
7599 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
7600 \renewcommand*{\quotefont}{\large\slshape}
7601 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
7602 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
7603 \renewcommand*{\maketitle}{%
7604   \%
7605   \ifthenelse{\isundefined{\@photo}}{%
7606     {}%
7607     {\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}{%
7608       \hfill\%
7609       \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}\hphantom{[-.35em]}}{%
7610         \color{firstnamecolor}\rule{\textwidth}{.25ex}\hphantom{[2.5em]}%}
7611       \ifthenelse{\isundefined{\@quote}}{%
7612         {}%
7613         {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}}{%
7614       }%
7615 \newif\if@firstfooterelement\@firstfooterelementtrue
7616 \providecommand*{\footersymbol}{}
7617 \renewcommand*{\footersymbol}{%

```



```

7618 \if@firstfooterelement%
7619 \else%
7620 { ~\color{footersymbolcolor}\textbullet~~}\fi}
7621 \providecommand*\makefooter{%
7622 \renewcommand*\makefooter{%
7623 \fancypagestyle{plain}{%
7624 \fancyfoot[c]{%
7625 \parbox{0.8\textwidth}{%
7626 \centering%
7627 \addressfont\@addresscolour%
7628 \ifthenelse{\isundefined{\@address}}{}{%
7629 \addresssymbol~\@address\%%
7630 \@firstfooterelementfalse}%
7631 \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
7632 \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
7633 \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}%
7634 \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@firstfooterelementfalse}%
7635 \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfalse}%
7636 }%
7637 \pagestyle{plain}}
7638 \AtBeginDocument{\makefooter}

```

45 File `cvthemedibidiclassic.sty`

```

7639 \NeedsTeXFormat{LaTeX2e}
7640 \ProvidesPackage{cvthemedibidiclassic}
7641 \DeclareOption{blue}{}
7642 \newif\if@colourorange\@colourorangefalse
7643 \DeclareOption{orange}{\@colourorangetrue}
7644 \newif\if@colourgreen\@colourgreenfalse
7645 \DeclareOption{green}{\@colourgreentrue}
7646 \newif\if@colourred\@colourredfalse
7647 \DeclareOption{red}{\@colourredtrue}
7648 \newif\if@colourgrey\@colourgreyfalse
7649 \DeclareOption{grey}{\@colourgreytrue}
7650 \DeclareOption*{%
7651 \PackageWarning{cvthemedibidiclassic}{Unknown option '\CurrentOption'}}%
7652 \ExecuteOptions{colour}
7653 \ProcessOptions\relax
7654 \renewcommand*\listitemsymbol{\textbullet}
7655 \firstnamecolour{%
7656 \familynamecolour{%
7657 \titlecolour{808080}%
7658 \quotecolour{696969}%
7659 \addresscolour{696969}%
7660 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}%
7661 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}%
7662 \sectiontitlecolour{1E90FF}%
7663 \subsectioncolour{4682B4}%
7664 \if@colourorange

```



```

7665 \addresscolour{FF8C00}
7666 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
7667 \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
7668 \sectiontitlecolour{FF8C00}
7669 \subsectioncolour{FF8C00}\fi
7670 \if@colourgreen
7671 \addresscolour{008000}
7672 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7673 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7674 \sectiontitlecolour{008000}
7675 \subsectioncolour{008000}\fi
7676 \if@coloured
7677 \addresscolour{FF0000}
7678 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7679 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7680 \sectiontitlecolour{FF0000}
7681 \subsectioncolour{FF0000}\fi
7682 \if@colourgrey
7683 \addresscolour{808080}
7684 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7685 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7686 \sectiontitlecolour{808080}
7687 \subsectioncolour{808080}\fi
7688 \renewcommand*\{\ttdefault\}{pcr}
7689 \renewcommand*\{\firstnamefont\}{\fontsize{34}{36}\mdseries\upshape}
7690 \renewcommand*\{\titlefont\}{\LARGE\mdseries\slshape}
7691 \renewcommand*\{\addressfont\}{\normalsize\mdseries\slshape}
7692 \renewcommand*\{\familynamefont\}{\firstnamefont}
7693 \renewcommand*\{\quotefont\}{\large\slshape}
7694 \renewcommand*\{\sectionfont\}{\Large\mdseries\upshape}
7695 \renewcommand*\{\subsectionfont\}{\large\mdseries\upshape}
7696 \newlength{\maketitlenamemaxwidth}
7697 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
7698 \newlength{\maketitlenamefullwidth}
7699 \setwidth{\maketitlenamefullwidth}{\firstnamestyle{@firstname-}\familynamestyle{@familyname}}
7700 \newlength{\maketitlenamewidth}
7701 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
7702 \newlength{\maketitlepicturewidth}
7703 \setlength{\maketitlepicturewidth}{\photowidth}
7704 \newlength{\maketitledetailswidth}
7705 \renewcommand*\{\recomputethemelengths\}%
7706 \setlength{\maketitledetailswidth}{\textwidth}%
7707 \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
7708 \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
7709 \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}%
7710 \recomputethemelengths
7711 \newif\if@firstdetailselement@\firstdetailselementtrue
7712 \newcommand*\{\maketitledetailsnewline\}%
7713 \if@firstdetailselement%
7714 \firstdetailselementfalse%

```



```

7715 \else%
7716   \\[.2em]\fi}
7717 \renewcommand*{\maketitle}{%
7718 % name and title
7719 \begin{minipage}[b]{\maketitlenewwidth}%
7720   \firstnamestyle{\@firstname}\familynamestyle{\@familyname}%
7721   \ifthenelse{\equal{\@title}{}{}}{\|[1.25em]\titlestyle{\@title}}{%
7722 \end{minipage}%
7723 % optional data
7724 \begin{minipage}[b]{\maketitledetailswidth}%
7725   \bidi@raggedleft\addressfont\@addresscolour%
7726   \ifthenelse{\isundefined{\@address}}{}{%
7727     \maketitledetailsnewline%
7728     \addresssymbol~\\@\address}%
7729   \ifthenelse{\isundefined{\@mobile}}{}{%
7730     \maketitledetailsnewline\mobilesymbol~\@mobile}%
7731   \ifthenelse{\isundefined{\@phone}}{}{%
7732     \maketitledetailsnewline\phonesymbol~\@phone}%
7733   \ifthenelse{\isundefined{\@fax}}{}{%
7734     \maketitledetailsnewline\faxsymbol~\@fax}%
7735   \ifthenelse{\isundefined{\@email}}{}{%
7736     \maketitledetailsnewline\emailsymbol~\emaillink{\@email}%
7737   \ifthenelse{\isundefined{\@extrainfo}}{}{%
7738     \maketitledetailsnewline\@extrainfo}%
7739   \end{minipage}%
7740 % optional photo
7741 \ifthenelse{\isundefined{\@photo}}{}{%
7742   \hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\ma
7743 }

```

46 File dblfnote-xetex-bidi.def

```

7744 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
7745 \let\autofootnoterule\relax
7746 \let\rightfootnoterule\relax
7747 \let\leftfootnoterule\relax
7748 \let\textwidthfootnoterule\relax
7749 \let\LRfootnoterule\relax
7750 \def\footnoterule{\kern-3\p@
7751   \hrule \width \DFNcolumnwidth \kern 2.6\p@}%
7752 \AtBeginDocument{\let\dfn@latex@footnotetext\footnotetext
7753 \let\@footnotetext\dfn@footnotetext}
7754 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{
7755   \let\insert\dfn@gobble
7756   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7757   \def\makefnmark{\smash{\dfn@makefnmark}}
7758   \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7759   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7760   \ifdim\dfn@dima>\z@\else
7761     \dfn@dima1sp\relax

```



```

7762           \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7763 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7764     \ifvoid\dfn@ins\else
7765         \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7766     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7767 \setbox\dfn@boxa\copy\dfn@ins
7768 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7769 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7770 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7771 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}%}
7772 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
7773 \AtBeginDocument{\let\dfn@late\@LTrfootnotetext\@LTrfootnotetext
7774 \let\@LTrfootnotetext\dfn@LTrfootnotetext}
7775 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
7776     \let\insert\dfn@gobble
7777     \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7778     \def\@makefnmark{\smash{\dfn@makefnmark}}
7779     \dfn@late\@RTLfootnotetext{}\par \boxmaxdepth\dfn@fnmaxdp}%
7780     \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7781     \ifdim\dfn@dima>z@\else
7782         \dfn@dima1sp\relax
7783         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7784 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7785     \ifvoid\dfn@ins\else
7786         \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7787     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7788 \setbox\dfn@boxa\copy\dfn@ins
7789 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7790 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7791 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7792 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}%}
7793 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
7794 \AtBeginDocument{\let\dfn@late\@RTLfootnotetext\@RTLfootnotetext
7795 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
7796 \def\dfn@RTLMakecol{\ifvoid\footins\else
7797     \dfn@dima\ht\footins
7798     \tempcnta\z@ \dfn@countins
7799     \tempdima\z@ \let\@elt\dfn@elt@getht
7800     \dfn@list\@nil
7801     \ifdim\@tempdima=\z@\else
7802     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
7803     \global\setbox\dfn@ins\box\dfn@ins
7804     \tempswattrue
7805     \ifdfn@trysingle
7806         \setbox\dfn@boxb\vbox{\unvcopy\@ccly}\@tempdima\@colroom
7807         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7808         \advance\@tempdima-\skip\footins
7809         \advance\@tempdima-\ht\dfn@boxa
7810         \ifdim\@tempdima<\z@\else \tempswafalse
7811             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp

```



```

7812                                     \footnoterule \unvbox\dfn@boxa}\fi\fi
7813 \if@tempswa
7814 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7815 \global\setbox\footins\vbox{\hbox{%
7816     \hskip \DFNcolumnwidth
7817     \hskip\DFNcolumnsep
7818     \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7819         \unvbox\dfn@boxb\vss}\hss}
7820     \hskip -\textwidth
7821     \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7822         \vbox to\@tempdima{%
7823             \setbox\@tempboxa\vbox{\footnoterule}
7824             \ifdfn@ruleboth \unvbox\@tempboxa
7825             \else \atempdima\ht\@tempboxa
7826                 \advance\@tempdima\dp\@tempboxa
7827                 \vskip\@tempdima
7828                 \prevdepth\dp\@tempboxa \fi
7829             \unvbox\dfn@boxa\vss}\fi\hss}
7830             \hskip \DFNcolumnsep
7831             \hskip \DFNcolumnwidth}}\fi\fi
7832 \global\dfn@fnht\z@%
7833 \ifx\dfn@list\@empty\else
7834     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7835     \dfn@list \global\advance\dfn@fnht\dfn@dimb
7836     \let\@elt\relax
7837     \ifdim\dfn@dimb>\z@
7838         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7839         \insert\footins{\floatingpenalty\@MM
7840             \vbox to\dfn@dimb{} }\fi
7841     \ifdim\dfn@fnht\@tempdima
7842         \atempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7843         \global\dfn@fnht\@tempdima
7844         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7845         \xdef\dfn@afteroutput{\insert\footins{
7846             \floatingpenalty\@MM
7847             \vbox to\number\@tempdimb sp{} }%
7848             \global\let\noexpand\dfn@afteroutput\relax}%
7849             \fi\fi
7850     \fi}%
7851     \let\footnoterule\relax \dfn@latec@makecol
7852     \let\footnoterule\dfn@footnoterule}
7853 \def\dfn@LTRmakecol{\ifvoid\footins\else
7854     \dfn@dima\ht\footins
7855     \atempcnta\z@ \dfn@countins
7856     \atempdima\z@ \let\@elt\dfn@elt@getht
7857     \dfn@list\@nil
7858     \ifdim\@tempdima=\z@\else
7859     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
7860     \global\setbox\dfn@ins\box\dfn@ins
7861     \atempswattrue

```



```

7862 \ifdfn@trysingle
7863   \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7864   \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7865   \advance\@tempdima-\skip\footins
7866   \advance\@tempdima-\ht\dfn@boxa
7867   \ifdim\@tempdima<\z@\else \atempswafalse
7868     \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7869       \footnoterule \unvbox\dfn@boxa}\fi\fi
7870 \if@tempswa
7871   \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7872   \global\setbox\footins\vbox{\hbox{%
7873     \hbox to\DFNcolumnwidth{\vbox to\@tempdima{ \footnoterule
7874       \unvbox\dfn@boxb\vss}\hskip\DFNcolumnsep
7875     \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7876       \vbox to\@tempdima{%
7877         \setbox\@tempboxa\vbox{\footnoterule}
7878         \ifdfn@ruleboth \unvbox\@tempboxa
7879         \else \atempdima\ht\@tempboxa
7880           \advance\@tempdima\dp\@tempboxa
7881             \vskip\@tempdima
7882             \prevdepth\dp\@tempboxa \fi
7883           \unvbox\dfn@boxa\vss}}\fi\hss}}\fi\fi
7884 \global\dfn@fnht\z@
7885 \ifx\dfn@list\empty\else
7886   \let\@elt\dfn@elt\adjust \dfn@dima\z@ \dfn@dimb\z@
7887   \dfn@list \global\advance\dfn@fnht\dfn@dimb
7888   \let\@elt\relax
7889   \ifdim\dfn@dimb>\z@
7890     \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7891     \insert\footins{\floatingpenalty\@MM
7892       \vbox to\dfn@dimb{}}\fi
7893   \ifdim\dfn@fnht>\@tempdima
7894     \atempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7895     \global\dfn@fnht\@tempdima
7896     \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7897     \xdef\dfn@afteroutput{\insert\footins{
7898       \floatingpenalty\@MM
7899       \vbox to\number\@tempdimb sp{}\}}%
7900     \global\let\noexpand\dfn@afteroutput\relax}%
7901   \fi\fi
7902 \fi\%
7903 \let\footnoterule\relax \dfn@latex@makecol
7904 \let\footnoterule\dfn@footnoterule
7905 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
7906 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
7907 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
7908 \DFNalwaysdouble

```



47 File diagbox-xetex-bidi.def

```
7909 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package for
7910 \bidi@patchcmd{\diagbox@double}{%
7911   \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
7912 }{\bidi@diagbox@double@ii}{}
7913 \bidi@patchcmd{\diagbox@double}{%
7914   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
7915 }{\bidi@diagbox@double@iii}{}
7916 \newcommand*\bidi@diagbox@double@ii{%
7917   \if@RTL
7918     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepL}}}
7919   \else
7920     \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
7921   \fi
7922 }
7923 \newcommand*\bidi@diagbox@double@iii{%
7924   \if@RTL
7925     \begin{tabular}{@{\hspace{\diagbox@insepR}}>{\diagbox@font}l@{}}
7926   \else
7927     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
7928   \fi
7929 }
7930 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
7931   \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
7932 }{\bidi@diagbox@triple@setbox@NW@tabular@i@ii}{}
7933 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
7934   \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
7935 }{\bidi@diagbox@triple@setbox@NW@tabular@i@iii}{}
7936 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
7937   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
7938 }{\bidi@diagbox@triple@setbox@NW@tabular@iii}{}
7939 \newcommand*\bidi@diagbox@triple@setbox@NW@tabular@i@ii{%
7940   \if@RTL
7941     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepL}}}
7942   \else
7943     \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
7944   \fi
7945 }
7946 \newcommand*\bidi@diagbox@triple@setbox@NW@tabular@iii{%
7947   \if@RTL
7948     \begin{tabular}{@{\hspace{\diagbox@insepR}}>{\diagbox@font}l@{}}
7949   \else
7950     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
7951 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
7952 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
7953   \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
7954 }{\bidi@diagbox@triple@setbox@SE@tabular@i}{}
7955 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
7956   \begin{tabular}{@{}>{\hspace{\diagbox@insepR}}}
7957 }
```



```

7957 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}}%
7958 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
7959   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}%
7960 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}}%
7961 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
7962   \if@RTL
7963     \begin{tabular}{@{}r@{\hspace{\diagbox@insep1}}}}%
7964   \else
7965     \begin{tabular}{@{\hspace{\diagbox@insep1}}l@{}}%
7966   \fi
7967 }
7968 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
7969   \if@RTL
7970     \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}%
7971   \else
7972     \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}%
7973   \fi
7974 }
7975 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
7976 \bidi@patchcmd{\diagbox@double@pict@SE}{%
7977   \diagbox@setlinecolor
7978   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
7979 }{%
7980   \diagbox@setlinecolor
7981   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
7982 }{%
7983 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
7984 \bidi@patchcmd{\diagbox@double@pict@NE}{%
7985   \diagbox@setlinecolor
7986   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
7987 }{%
7988   \diagbox@setlinecolor
7989   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
7990 }{%
7991 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
7992 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
7993   \diagbox@setlinecolor
7994   \Line(0,\yym)(\x,0)
7995   \Line(\xm,\y)(\x,0)%
7996 }{%
7997   \diagbox@setlinecolor
7998   \Line(0,\yym)(\x,0)
7999   \Line(\xm,\y)(\x,0)}%
8000 }{%
8001 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
8002   \diagbox@setlinecolor
8003   \Line(0,0)(\xxm,\y)
8004   \Line(0,0)(\x,\yym)}%
8005 }{%
8006   \diagbox@setlinecolor

```



```

8007   \Line(0,0)(\xxm,\y)
8008   \Line(0,0)(\x,\yy)%
8009 }{}{%
8010 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
8011   \diagbox@setlinecolor
8012   \Line(0,\ym)(\x,\y)
8013   \Line(\xm,0)(\x,\y)%
8014 }{%
8015   \f\diagbox@setlinecolor
8016   \Line(0,\ym)(\x,\y)
8017   \Line(\xm,0)(\x,\y)}%
8018 }{}{%
8019 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
8020   \diagbox@setlinecolor
8021   \Line(0,\y)(\xxm,0)
8022   \Line(0,\y)(\x,\ym)%
8023 }{%
8024   \f\diagbox@setlinecolor
8025   \Line(0,\y)(\xxm,0)
8026   \Line(0,\y)(\x,\ym)}%
8027 }{}{%

```

48 File `draftwatermark-xetex-bidi.def`

```

8028 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterma
8029 \renewcommand\SetWatermarkText[1]{%
8030   \def\sc@wm@text{\if@RTLmain\beginR\fi#\if@RTLmain\endR\fi}}

```

49 File `eso-pic-xetex-bidi.def`

```

8031 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for
8032 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
8033   \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}
8034
8035 \ESO@isMEMOIR{%
8036   \renewcommand\AtTextUpperLeft[1]{%
8037     \begingroup
8038       \ifodd\c@page
8039         \tempdima=\spinemargin
8040       \else
8041         \tempdima=\paperwidth
8042         \advance\tempdima-\textwidth
8043         \advance\tempdima-\spinemargin
8044       \fi
8045       \tempdimb=-\uppermargin
8046       \AtPageUpperLeft{%
8047         \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
8048       }%
8049     \endgroup
8050   }

```



```

8051 }{%
8052   \renewcommand{\AtTextUpperLeft}[1]{%
8053     \begingroup
8054       \tempdima=1in\relax
8055       \ifodd\c@page
8056         \advance\tempdima\oddsidemargin
8057       \else
8058         \advance\tempdima\evensidemargin
8059       \fi
8060       \tempdimb=-1in\relax
8061       \advance\tempdimb-\topmargin
8062       \advance\tempdimb-\headheight
8063       \advance\tempdimb-\headsep
8064       \AtPageUpperLeft{%
8065         \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
8066       }%
8067     \endgroup
8068   }
8069 }

```

50 File `empheq-xetex-bidi.def`

```

8070 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for XeLaTeX]
8071 \MHInternalSyntaxOn
8072 \def\EQ_tag_plus_endmark:{%
8073   \iftagsleft@
8074     \gdef\maketag@@@##1{%
8075       \hfuzz\displaywidth
8076       \if@RTL\makebox[\widthof{##1}][r]{%
8077         \hbox to \displaywidth{\m@th\normalfont##1\hss
8078           \raisebox{-\dp\EQ_mathdisplay_box}{%
8079             -\depthof{\EQ_outerbox:[]}}%
8080             {\PotEndMark{\hss}}}}}
8081     \else\makebox[\widthof{##1}][l]{%
8082       \hbox to \displaywidth{\m@th\normalfont##1\hss
8083         \raisebox{-\dp\EQ_mathdisplay_box}{%
8084           -\depthof{\EQ_outerbox:[]}}%
8085             {\PotEndMark{\hss}}}}\fi}%
8086   \MH_else:
8087     \gdef\maketag@@@##1{%
8088       \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
8089         \settoheight{\tempdima}{\cnameuse{\InTheoType Symbol}}%
8090         \MH_addtolength:dn \tempdima
8091           {\g_EQ_bottomtag_depth_dim+\intagvsep}}
8092         \setlength{\tempdimb}
8093           {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:[]}}
8094             +\depthof{\EQ_innerbox:[]}}%
8095         \MH_if_dim:w \tempdima>\tempdimb
8096           \MH_setlength:dn \tempdima{-\dp\EQ_mathdisplay_box
8097             -\tempdima+\g_EQ_bottomrow_depth_dim}}
```



```

8098      \addtolength{@tempdima}{\depthof{EQ_innerbox:[]}}%
8099      \def\EQ_next:{\raisebox{@tempdima}{%
8100      \MH_else:
8101      \def\EQ_next:{%
8102          \raisebox{-\dp\EQ_mathdisplay_box}{%
8103              -\depthof{EQ_outerbox:[]}}}}%
8104      \MH_fi:\EQ_next:}}}}%
8105  \MH_fi:}%
8106 \def\EQ_post_process:{%
8107   \EQ_initialize:
8108   \EQ_begin_equation:
8109   \MH_if_boolean:nT {outer_mult}{%
8110     \setkeys{MT_options_name:}{%
8111       firstline-afterskip=0pt,
8112       lastline-preskip=0pt,
8113       multlined-width=0pt,
8114     }%
8115     \ifodd \l_EQ_alignmentmode_int
8116       \setkeys{MT_options_name:}{multlined-pos=b}
8117     \MH_else:
8118       \setkeys{MT_options_name:}{multlined-pos=t}
8119     \MH_fi:
8120       \g@addto@macro\EQ_complete_mathdisplay:{%
8121         \begin{MTmultlined}\relax
8122     }%
8123   \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
8124   \MH_if_boolean:nT {outer_mult}{%
8125     \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
8126   }%
8127   \EQ_end_equation:
8128   \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
8129   \savecounters@%
8130   \EQ_typeset_tags:
8131   \edef\l_EQ_equation_fint{\number\c@equation}
8132   \restorecounters@%
8133   \Hy@linkcounter=\EQ_hyperref_link_fint
8134   \settowidth{\l_EQ_totalwidth_dim}{%
8135     $EQ_left_side:EQ_innerbox:{}EQ_right_side:$}%
8136   \MH_if_boolean:nTF {outer_mult}{%
8137     { \def\EQ_next:{_mult} }
8138     { \def\EQ_next:{} }
8139   \nameuse{EQ_modify_linewidth}%
8140     \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
8141   \EQ_typeset_display:
8142   \nameuse{EQ_find_displaywidth}%
8143     \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
8144   \MH_addtolength:dn
8145     \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
8146   \savebox{EQ_mathdisplay_box}[\l_EQ_totalwidth_dim][c]{%
8147     \$EQ_left_side:

```



```

8148   \EQ_innerbox:{%
8149     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
8150       \makebox[\l_EQ_displaywidth_dim][c]
8151         {\usebox{\EQ_mathdisplay_box}}%
8152     \MH_or:
8153       \makebox[\l_EQ_displaywidth_dim][c]
8154         {\usebox{\EQ_mathdisplay_box}}%
8155     \MH_or:
8156       \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
8157         \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8158           \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8159             \kern-\@mathmargin
8160             \MH_fi:
8161             \MH_fi:
8162               \usebox{\EQ_mathdisplay_box}}%
8163             \else\makebox[\l_EQ_displaywidth_dim][1]{%
8164               \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8165                 \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8166                   \kern-\@mathmargin
8167                   \MH_fi:
8168                     \MH_fi:
8169                       \usebox{\EQ_mathdisplay_box}}\fi%
8170     \MH_or:
8171       \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
8172         \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8173           \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8174             \kern-\@mathmargin
8175             \MH_fi:
8176               \MH_fi:
8177                 \usebox{\EQ_mathdisplay_box}}%
8178             \else\makebox[\l_EQ_displaywidth_dim][1]{%
8179               \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8180                 \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8181                   \kern-\@mathmargin
8182                   \MH_fi:
8183                     \MH_fi:
8184                       \usebox{\EQ_mathdisplay_box}}\fi%
8185     \MH_fi:}%
8186   \EQ_right_side:$}%
8187 \begin{AmSequation*}
8188 \nameuse{EQ_place_display_%
8189   \romannumeral\l_EQ_equationtype_int\EQ_next: :}
8190 \MH_if_dim:w \g_EQ_widesttag_dim>\z@
8191 \MH_set_boolean_T:n {show_manual_tags}
8192   \MH_if_case:w \l_EQ_alignmentmode_int
8193   \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
8194   \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
8195   \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
8196   \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
8197 \MH_fi:

```



```

8198  \MH_fi:
8199  \end{AmSequation*}
8200  \global\c@equation=\l_EQ_equation_fint\relax
8201 }
8202 \AtBeginDocument{%
8203  \@ifpackageloaded{fancybox}{%
8204   \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
8205     \renewcommand*\textcolor[2]{\normalcolor{#2}}}{%
8206     \renewcommand*\shadowbox{%
8207       \@ifstar{\MH_set_boolean_T:n {shadowbox_star}}{%
8208         \VerbBox\EQ_shadowbox:n}%
8209         {\MH_set_boolean_F:n {shadowbox_star}}{%
8210           \VerbBox\EQ_shadowbox:n}}{%
8211     \def\EQ_shadowbox:n #1{%
8212       \sbox{\z@\fbox{#1}}{%
8213         \MH_if_boolean:nTF {shadowbox_star}{%
8214           \MH_setlength:dn \tempdima{\z@}{%
8215             }{%
8216               \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}{%
8217             }{%
8218               \raisebox{\tempdima}{%
8219                 \if@RTL\makebox[\z@][r]{%
8220                   \kern\shadowsize \textcolor{shadowcolor}{%
8221                     \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}}{%
8222                   }{%
8223                     \else\makebox[\z@][l]{%
8224                       \kern\shadowsize \textcolor{shadowcolor}{%
8225                         \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}}{%
8226                     }{\fi}{%
8227                       \usebox{\z@\textcolor{shadowcolor}{%
8228                         \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}}{%
8229             }{%
8230           }{%
8231 \MHInternalSyntaxOff

```

51 File extarticle-xetex-bidi.def

```

8232 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
8233 \renewcommand*\l@section[2]{%
8234   \ifnum \c@tocdepth >\z@
8235     \addpenalty\secpenalty
8236     \addvspace{1.0em \oplus \p@}{%
8237       \setlength\tempdima{1.5em}{%
8238       \begingroup
8239         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8240         \parfillskip -\pnumwidth
8241         \leavevmode \bfseries
8242         \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
8243         \hskip -\if@RTL\rightskip\else\leftskip\fi\leftskip\fi
8244         #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par

```



```

8245   \endgroup
8246 \fi}
8247 \renewcommand*\l@part[2]{%
8248 \ifnum \c@tocdepth >-2\relax
8249   \addpenalty\@secpenalty
8250   \addvspace{2.25em \oplus \p@}%
8251   \begingroup
8252     \setlength{\tempdima}{3em}%
8253     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8254     \parfillskip -\pnumwidth
8255     {\leavevmode
8256       \large \bfseries #1\hfil \hbext@\pnumwidth{\hss #2}\par
8257       \nobreak
8258     \endgroup
8259   \fi}
8260 \def\@part[#1]#2{%
8261   \ifnum \c@secnumdepth >\m@ne
8262     \refstepcounter{part}%
8263     \addcontentsline{toc}{part}{\the\part\hskip{1em}#1}%
8264   \else
8265     \addcontentsline{toc}{part}{#1}%
8266   \fi
8267   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8268     \interlinepenalty \OM
8269     \normalfont
8270     \ifnum \c@secnumdepth >\m@ne
8271       \Large\bfseries \partname~\the\part
8272       \par\nobreak
8273     \fi
8274     \huge \bfseries #2%
8275     \markboth{}{}%
8276     \nobreak
8277     \vskip 3ex
8278     \afterheading
8279   \def\@spart#1{%
8280     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8281     \interlinepenalty \OM
8282     \normalfont
8283     \huge \bfseries #1\par}%
8284     \nobreak
8285     \vskip 3ex
8286     \afterheading
8287   \renewenvironment{thebibliography}[1]
8288     {\section*{\refname
8289       \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
8290       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
8291       \bidi@thebibliography@font@hook%
8292       \list{\@biblabel{\@arabic\c@enumiv}}%
8293         {\settowidth\labelwidth{\@biblabel{#1}}%
8294           \leftmargin\labelwidth

```



```

8295      \advance\leftmargin\labelsep
8296      \openbib@code
8297      \usecounter{enumiv}%
8298      \let\p@enumiv\empty
8299      \renewcommand\theenumiv{\@arabic\c@enumiv}%
8300      \sloppy\clubpenalty4000\widowpenalty4000%
8301      \sfcode`\.\@m}
8302      {\def\@noitemerr
8303       {\@latex@warning{Empty `thebibliography' environment}}%
8304      \endlist}
8305 \renewcommand\left@footnoterule{%
8306   \kern-3\p@
8307   \hrule\@width.4\columnwidth
8308   \kern2.6\p@}
8309 \renewcommand\right@footnoterule{%
8310   \kern-3\p@
8311   \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill }
8312   \kern2.6\p@}
8313   \if@titlepage
8314     \renewcommand\maketitle{\begin{titlepage}%
8315       \let\footnotesize\small
8316       \let\right@footnoterule\relax
8317       \let\left@footnoterule\relax
8318       \let\textwidth@footnoterule\relax
8319       \let\footnote\thanks
8320       \null\vfil
8321       \vskip 60\p@
8322     \begin{center}%
8323       {\LARGE \@title \par}%
8324       \vskip 3em%
8325       {\large
8326         \lineskip .75em%
8327         \begin{tabular}[t]{c}%
8328           \author
8329         \end{tabular}\par}%
8330         \vskip 1.5em%
8331         {\large \@date \par}        % Set date in \large size.
8332     \end{center}\par
8333     \thanks
8334     \vfild\null
8335   \end{titlepage}%
8336   \setcounter{footnote}{0}%
8337   \global\let\thanks\relax
8338   \global\let\maketitle\relax
8339   \global\let\@thanks\empty
8340   \global\let\@author\empty
8341   \global\let\@date\empty
8342   \global\let\@title\empty
8343   \global\let\title\relax
8344   \global\let\author\relax

```



```

8345  \global\let\date\relax
8346  \global\let\and\relax
8347 }
8348 \else
8349 \renewcommand\maketitle{\par
8350   \begingroup
8351     \renewcommand\thefootnote{\@fnssymbol\c@footnote}%
8352     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8353     \long\def\@makefntext{\#1\par\indent 1em\noindent
8354       \hb@xt@1.8em{%
8355         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
8356       \if@twocolumn
8357         \ifnum \col@number=\@ne
8358           \maketitle
8359         \else
8360           \twocolumn[\maketitle]%
8361         \fi
8362       \else
8363         \newpage
8364         \global\@topnum\z@    % Prevents figures from going at top of page.
8365         \maketitle
8366       \fi
8367       \thispagestyle{plain}\@thanks
8368     \endgroup
8369     \setcounter{footnote}{0}%
8370     \global\let\thanks\relax
8371     \global\let\maketitle\relax
8372     \global\let\@maketitle\relax
8373     \global\let\@thanks\@empty
8374     \global\let\@author\@empty
8375     \global\let\@date\@empty
8376     \global\let\@title\@empty
8377     \global\let\title\relax
8378     \global\let\author\relax
8379     \global\let\date\relax
8380     \global\let\and\relax
8381 }
8382 \def\@maketitle{%
8383   \newpage
8384   \null
8385   \vskip 2em%
8386   \begin{center}%
8387     \let \footnote \thanks
8388     {\LARGE \title \par}%
8389     \vskip 1.5em%
8390     {\large
8391       \lineskip .5em%
8392       \begin{tabular}[t]{c}%
8393         \author
8394       \end{tabular}\par}%

```



```

8395      \vskip 1em%
8396      {\large \@date}%
8397  \end{center}%
8398  \par
8399  \vskip 1.5em}
8400 \fi
8401 \renewcommand\thesubsection  {\thesection \@SepMark @arabic c@subsection}
8402 \renewcommand\thesubsubsection{\thesubsection \@SepMark @arabic c@subsubsection}
8403 \renewcommand\theparagraph   {\thesubsubsection \@SepMark @arabic c@paragraph}
8404 \renewcommand\thesubparagraph{\theparagraph \@SepMark @arabic c@subparagraph}%%

```

52 File extbook-xetex-bidi.def

```

8405 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for XeLaTeX]
8406 \if@titlepage
8407   \renewcommand\maketitle{\begin{titlepage}%
8408     \let\footnotesize\small
8409     \let\right@footnoterule\relax
8410     \let\left@footnoterule\relax
8411     \let\textwidth@footnoterule\relax
8412     \let\footnote\thanks
8413     \let\LTRfootnote\LTRthanks
8414     \let\RTLfootnote\RTLthanks
8415     \null\vfil
8416     \vskip 60\p@
8417     \begin{center}%
8418       {\LARGE \@title \par}%
8419       \vskip 3em%
8420       {\large
8421         \lineskip .75em%
8422         \begin{tabular}[t]{c}%
8423           \author
8424         \end{tabular}\par}%
8425       \vskip 1.5em%
8426       {\large \@date \par}          % Set date in \large size.
8427   \end{center}\par
8428   \thanks
8429   \vfil\null
8430   \end{titlepage}%
8431   \setcounter{footnote}{0}%
8432   \global\let\thanks\relax
8433   \global\let\LTRthanks\relax
8434   \global\let\RTLthanks\relax
8435   \global\let\maketitle\relax
8436   \global\let\@thanks\empty
8437   \global\let\@author\empty
8438   \global\let\@date\empty
8439   \global\let\@title\empty
8440   \global\let\title\relax
8441   \global\let\author\relax

```



```

8442 \global\let\date\relax
8443 \global\let\and\relax
8444 }
8445 \else
8446 \renewcommand\maketitle{\par
8447 \begingroup
8448 \renewcommand\thefootnote{\@fnssymbol\c@footnote}%
8449 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8450 \long\def\@makefntext{\#1{\parindent 1em\noindent
8451 \hb@xt@1.8em{%
8452 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
8453 \if@twocolumn
8454 \ifnum \col@number=\@ne
8455 \maketitle
8456 \else
8457 \twocolumn[\maketitle]%
8458 \fi
8459 \else
8460 \newpage
8461 \global\@topnum\z@ % Prevents figures from going at top of page.
8462 \maketitle
8463 \fi
8464 \thispagestyle{plain}\@thanks
8465 \endgroup
8466 \setcounter{footnote}{0}%
8467 \global\let\thanks\relax
8468 \global\let\LTRthanks\relax
8469 \global\let\RTLthanks\relax
8470 \global\let\maketitle\relax
8471 \global\let\@maketitle\relax
8472 \global\let\@thanks\@empty
8473 \global\let\@author\@empty
8474 \global\let\@date\@empty
8475 \global\let\@title\@empty
8476 \global\let\title\relax
8477 \global\let\author\relax
8478 \global\let\date\relax
8479 \global\let\and\relax
8480 }
8481 \def\@maketitle{%
8482 \newpage
8483 \null
8484 \vskip 2em%
8485 \begin{center}%
8486 \let\footnote\thanks
8487 \let\LTRfootnote\LTRthanks
8488 \let\RTLfootnote\RTLthanks
8489 {\LARGE \@title \par}%
8490 \vskip 1.5em%
8491 {\large

```



```

8492     \lineskip .5em%
8493     \begin{tabular}[t]{c}%
8494         \author
8495     \end{tabular}\par}%
8496     \vskip 1em%
8497     {\large \@date}%
8498 \end{center}%
8499 \par
8500 \vskip 1.5em}
8501 \fi
8502 \renewcommand*\l@part[2]{%
8503     \ifnum \c@tocdepth >-2\relax
8504         \addpenalty{-\highpenalty}%
8505         \addvspace{2.25em \pplus\p@}%
8506         \begingroup
8507             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8508             \parfillskip -\pnumwidth
8509             \leavevmode
8510                 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
8511                 \nobreak
8512                 \global\nobreaktrue
8513                 \everypar{\global\nobreakfalse\everypar{}%}
8514             \endgroup
8515         \fi}
8516 \renewcommand\theequation
8517     {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
8518 \renewcommand \thefigure
8519     {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
8520 \renewcommand \thetable
8521     {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
8522 \renewcommand \thechapter {\arabic\c@chapter}
8523 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
8524 \renewcommand\thesubsection {\thesection\SepMark\arabic\c@subsection}
8525 \renewcommand\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
8526 \renewcommand\theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
8527 \renewcommand\thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
8528 \def\@makechapterhead#1{%
8529     \vspace*{50\p@}%
8530     \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8531     \ifnum \c@secnumdepth >\m@ne
8532         \if@mainmatter
8533             \huge\bfseries \chapapp\space \thechapter
8534             \par\nobreak
8535             \vskip 20\p@
8536         \fi
8537     \fi
8538     \interlinepenalty\OM
8539     \Huge \bfseries #1\par\nobreak
8540     \vskip 40\p@
8541 }

```



```

8542
8543 \def\@makeschapterhead#1{%
8544   \vspace*{50\p@}%
8545   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
8546     \normalfont
8547     \interlinepenalty\@M
8548     \Huge \bfseries #1\par\nobreak
8549     \vskip 40\p@
8550   }%
8551 \renewcommand\backmatter{%
8552   \if@openright
8553     \cleardoublepage
8554   \else
8555     \clearpage
8556   \fi
8557   \mainmatterfalse}
8558 \renewenvironment{\thebibliography}[1]
8559   {\chapter*{\bibname
8560     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8561     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8562     \bidi@thebibliography\font@hook%
8563     \list{\@biblabel{\arabic\c@enumiv}}%
8564       {\settowidth\labelwidth{\@biblabel{#1}}%
8565         \leftmargin\labelwidth
8566         \advance\leftmargin\labelsep
8567         \openbib@code
8568         \usecounter{enumiv}%
8569         \let\p@enumiv\empty
8570         \renewcommand\theenumiv{\arabic\c@enumiv}}%
8571       \sloppy
8572       \clubpenalty4000
8573       \clubpenalty \clubpenalty
8574       \widowpenalty4000%
8575       \sfcode`.\@m}
8576   {\def\@noitemerr
8577     {\@latex@warning{Empty `thebibliography' environment}}%
8578   }%

```

53 File extletter-xetex-bidi.def

```

8579 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]
8580 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
8581   \thispagestyle{firstpage}%
8582   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
8583 \else % home address
8584   \thispagestyle{empty}%
8585   {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignoreskip
8586     \fromaddress \\*[2\parskip]%
8587     \@date \end{tabular}\par}%
8588 \fi

```



```

8589  \vspace{2\parskip}%
8590  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
8591  \vspace{2\parskip}%
8592  #1\par\nobreak}
8593 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
8594  \stopbreaks
8595  \noindent
8596  \ifx\@empty\fromaddress\else
8597  \hspace*{\longindentation}\fi
8598  \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
8599  \ignorespaces #1\\[6\medskipamount]%
8600  \ifx\@empty\fromsig
8601  \fromname
8602  \else \fromsig \fi\strut}%
8603  \par}
8604 \renewcommand{\left@footnoterule}{%
8605  \kern-\p@
8606  \hrule \@width .4\columnwidth
8607  \kern .6\p@}
8608 \renewcommand{\right@footnoterule}{%
8609  \kern-\p@
8610  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
8611  \kern .6\p@}

```

54 File extrafootnotefeatures-xetex-bidi.def

```

8612 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2017/05/19 v1.1 bidi extra footnote featur
8613 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
8614 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8615 \if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
8616 \ifHy@hyperfootnotes
8617  \let\@@H@@footnotetext\@footnotetext
8618  \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
8619  \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
8620  \let\@@H@mpfootnotetext\@mpfootnotetext
8621  \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
8622  \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
8623 \fi
8624 }%
8625 }%
8626 }
8627 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
8628 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8629 \if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
8630 \ifHy@hyperfootnotes
8631  \let\H@@footnotetext\@footnotetext
8632  \let\@footnotetext\@@H@@footnotetext
8633  \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
8634  \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
8635  \let\HRTL@@RTLfootnotetext\@RTLfootnotetext

```



```

8636 \let\@RTLfootnotetext\@@HRTL\@RTLfootnotetext
8637 \let\H@\mpfootnotetext\@mpfootnotetext
8638 \let\@mpfootnotetext\@@H\@mpfootnotetext
8639 \let\HLTR\@mpLTRfootnotetext\@mpLTRfootnotetext
8640 \let\@mpLTRfootnotetext\@@HLTR\@mpLTRfootnotetext
8641 \let\HRTL\@mpRTLfootnotetext\@mpRTLfootnotetext
8642 \let\@mpRTLfootnotetext\@@HRTL\@mpRTLfootnotetext
8643 \fi
8644 }%
8645 }%
8646 }
8647 \let\autofootnoterule\relax
8648 \let\rightfootnoterule\relax
8649 \let\leftfootnoterule\relax
8650 \let\textwidthfootnoterule\relax
8651 \let\LRfootnoterule\relax
8652 \def\footnoterule{\kern-3\p@
8653 \hrule\@width\columnwidth\kern2.6\p@}
8654 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
8655 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
8656 \renewcommand{\@footnotetext}[1]{%
8657   \insert\footins{%
8658     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8659     \def\baselinestretch{\m@m@footnote@spacing}%
8660     \reset@font
8661     \foottextfont
8662     \preamfntext
8663     \hsize\columnwidth
8664     \protected@edef{\currentlabel}{%
8665       \csname p@footnote\endcsname\@thefnmark}%
8666     \color@begingroup
8667     \makefntext{%
8668       \rule{z@\footnotesep}{\ignorespaces\foottextfont #1}%
8669       \finalstrut\strutbox}%
8670     \color@endgroup}%
8671     \m@mmf@prepare}
8672 \renewcommand{\@RTLfootnotetext}[1]{%
8673   \insert\footins{%
8674     \@RTLtrue%
8675     \def\baselinestretch{\m@m@footnote@spacing}%
8676     \reset@font
8677     \RTLfoottextfont
8678     \preamfntext
8679     \hsize\columnwidth
8680     \protected@edef{\currentlabel}{%
8681       \csname p@footnote\endcsname\@thefnmark}%
8682     \color@begingroup
8683     \makefntext{%
8684       \rule{z@\footnotesep}{\ignorespaces\RTLfoottextfont #1}%
8685       \finalstrut\strutbox}}%

```



```

8686     \color@endgroup}%
8687     \m@mmf@prepare}
8688 \renewcommand{\@LTRfootnotetext}[1]{%
8689     \insert\footins{%
8690     \cRTLfalse%
8691     \def\baselinestretch{\m@m@footnote@spacing}%
8692     \reset@font
8693     \LTrfoottextfont
8694     \preamfntext
8695     \hsize\columnwidth
8696     \protected@edef@\currentlabel{%
8697         \csname p@footnote\endcsname\@thefnmark}%
8698     \color@begingroup
8699     \makefntext{%
8700         \rule{z@\footnotesep}{\ignorespaces{\LTrfoottextfont #1}}%
8701         \finalstrut\strutbox}%
8702     \color@endgroup}%
8703     \m@mmf@prepare}
8704 \renewcommand{\@mpfootnotetext}[1]{%
8705     \global\setbox\@mpfootins\vbox{\if@RTL@footnote\cRTLtrue\else\cRTLfalse\fi}%
8706     \unvbox\@mpfootins
8707     \def\baselinestretch{\m@m@footnote@spacing}%
8708     \foottextfont \hsize\columnwidth \parboxrestore
8709     \protected@edef@\currentlabel{%
8710         \csname p@mpfootnote\endcsname\@thefnmark}%
8711     \color@begingroup
8712     \reset@font%
8713     \makefntext{%
8714         \rule{z@\footnotesep}{\ignorespaces{\foottextfont #1}}%
8715         \finalstrut\strutbox}%
8716     \color@endgroup}}
8717 \renewcommand{\@mpLTRfootnotetext}[1]{%
8718     \global\setbox\@mpfootins\vbox{\cRTLfalse}%
8719     \unvbox\@mpfootins
8720     \def\baselinestretch{\m@m@footnote@spacing}%
8721     \LTrfoottextfont \hsize\columnwidth \parboxrestore
8722     \protected@edef@\currentlabel{%
8723         \csname p@mpfootnote\endcsname\@thefnmark}%
8724     \color@begingroup
8725     \reset@font%
8726     \makefntext{%
8727         \rule{z@\footnotesep}{\ignorespaces{\LTrfoottextfont #1}}%
8728         \finalstrut\strutbox}%
8729     \color@endgroup}}
8730 \renewcommand{\@mpRTLfootnotetext}[1]{%
8731     \global\setbox\@mpfootins\vbox{\cRTLtrue}%
8732     \unvbox\@mpfootins
8733     \def\baselinestretch{\m@m@footnote@spacing}%
8734     \RTLfoottextfont \hsize\columnwidth \parboxrestore
8735     \protected@edef@\currentlabel{%

```



```

8736   \csname p@mpfootnote\endcsname\@thefnmark}%
8737   \color@begingroup
8738   \reset@font%
8739   \makefntext{%
8740     \rule{z@\footnotesep}{\ignorespaces{\RTLfoottextfont #1}}%
8741     \finalstrut\strutbox}%
8742   \color@endgroup}%
8743 \let\m@mold@footnotetext\@footnotetext
8744 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
8745 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
8746 \let\m@mold@mpfootnotetext\@mpfootnotetext
8747 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
8748 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
8749 \bidi@ensure@newcommand{\normalfootnotes}{%
8750   \bidi@before@Hy@hyperfootnotes
8751   \let\@footnotetext\m@mold@footnotetext
8752   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
8753   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
8754   \let\@mpfootnotetext\m@mold@mpfootnotetext
8755   \let\@mplTRfootnotetext\m@mold@mplTRfootnotetext
8756   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
8757   \bidi@after@Hy@hyperfootnotes}
8758 \ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}%
8759 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
8760 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
8761 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
8762   \def\m@m@singlespace{#1}%
8763   \def\m@m@footnote@spacing{#1}%
8764   \def\m@m@float@spacing{#1} %
8765 }
8766 \setSingleSpace{1}
8767 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
8768 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
8769   \kern-\multiplefootnotemarker
8770   \kern\multiplefootnotemarker\relax}
8771 \bidi@ensure@newlength{\footmarkwidth}
8772 \bidi@ensure@newlength{\footmarksep}
8773 \bidi@ensure@newlength{\footparindent}
8774 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
8775 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
8776 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
8777 \bidi@ensure@newcommand{\footfootmark}{%
8778   \ifdim\footmarkwidth < \z@
8779     \llap{\hb@xt@ -\footmarkwidth{%
8780       \hss\normalfont\footscript{\@thefnmark}}%
8781       \hspace*{-\footmarkwidth}}}%
8782 \else
8783   \ifdim\footmarkwidth = \z@
8784     {\normalfont\footscript{\@thefnmark}}%
8785 \else

```



```

8786     \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
8787     \fi
8788 \fi}
8789 \bidi@ensure@newcommand{\LTRfootfootmark}{%
8790   \ifdim\footmarkwidth < \z@
8791     \llap{\hb@xt@ -\footmarkwidth{%
8792       \hss\normalfont\LTRfootscript{\@thefnmark}}%
8793       \hspace*{-\footmarkwidth}}}%
8794 \else
8795   \ifdim\footmarkwidth = \z@
8796     {\normalfont\LTRfootscript{\@thefnmark}}%
8797   \else
8798     \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
8799   \fi
8800 \fi}
8801 \bidi@ensure@newcommand{\RTLfootfootmark}{%
8802   \ifdim\footmarkwidth < \z@
8803     \llap{\hb@xt@ -\footmarkwidth{%
8804       \hss\normalfont\RTLfootscript{\@thefnmark}}%
8805       \hspace*{-\footmarkwidth}}}%
8806 \else
8807   \ifdim\footmarkwidth = \z@
8808     {\normalfont\RTLfootscript{\@thefnmark}}%
8809   \else
8810     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
8811   \fi
8812 \fi}
8813 \footmarkstyle{\textsuperscript{\#1}}
8814 \LTRfootmarkstyle{\textsuperscript{\#1}}
8815 \RTLfootmarkstyle{\textsuperscript{\#1}}
8816 \setlength{\footmarkwidth}{1em plus .4em minus .4em}
8817 \setlength{\footparindent}{1em}
8818 \bidi@ensure@newcommand{\m@ndoextrafeet}{\extrafeetins}
8819 \bidi@ensure@newcommand*{\extrafeetins}{%
8820   \setbox\@outputbox \vbox{%
8821     \boxmaxdepth \maxdepth
8822     \unvbox\@outputbox
8823     \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
8824     \extrafeetinshook}}
8825 \bidi@ensure@newcommand{\extrafeetinshook}{}
8826 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
8827 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
8828 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
8829 \bidi@ensure@newlength{\footinsdim}
8830   \setlength{\footinsdim}{8in} % standard for \dimen\footins
8831 \bidi@ensure@newcommand{\@preamfntext}{%
8832   \interlinepenalty\interfootnotelinepenalty
8833   \floatingpenalty \QMM
8834   \splittopskip=\footnotesep
8835   \splitmaxdepth=\dp\strutbox

```



```

8836  \parboxrestore}
8837 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
8838  \extrafeetminihook}
8839 \bidi@ensure@newcommand{\extrafeetendmini}{%
8840  \ifvoid\@mpfootinsv@r\else
8841    \vskip\skip\@mpfootins
8842    \normalcolor\footnoterule\mp@footgroupv@r
8843  \fi
8844  \extrafeetendminihook}
8845 \bidi@ensure@newcommand{\extrafeetendminihook}{}}
8846 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
8847 \def\endminipage{%
8848  \par
8849  \unskip
8850  \ifvoid\@mpfootins\else
8851    \vskip\skip\@mpfootins
8852    \normalcolor
8853    \footnoterule
8854    \unvbox\@mpfootins
8855  \fi
8856  \m@mdoextrafeetendmini
8857  \@minipagefalse
8858  \color@endgroup
8859  \egroup
8860  \expandafter\ciiiparbox\ompargs{\unvbox\@tempboxa}}
8861 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
8862  \namedef{@footstart#1}{%
8863    \bidi@mopfn@bottom
8864    \vskip\bigskipamount
8865    \leftskip=\z@
8866    \rightskip=\z@
8867    \footnoterule}}
8868 \newinsert\footinsv@r
8869  \skip\footinsv@r\bigskipamount
8870  \count\footinsv@r=1000 % no magnification
8871  \dimen\footinsv@r=\footinsdim
8872 \m@make@footstart{v@r}
8873 \bidi@ensure@newcommand{\@footgroupv@r}{}}
8874 \newinsert\@mpfootinsv@r
8875 \bidi@ensure@newcommand{\mp@footgroupv@r}{}}
8876 \newcount\m@m@k \newdimen\m@m@h
8877 \ifpackageloaded{multicol}{%
8878 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
8879  \hsize\textwidth
8880  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\OM \hfilneg
8881  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
8882 }{%
8883 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
8884  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\OM \hfilneg
8885  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}

```



```

8886 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
8887   \global\advance\m@m@k-1\cr\m@mdosplits\fi}
8888 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
8889   \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
8890   \setbox2 \vsplit0 to \dimen0
8891   \unvbox2 }
8892 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
8893   \@namedef{foottextfontv@r}{\foottextfont}%
8894   % [RS]
8895   \@bidi@before@Hy@hyperfootnotes
8896   \let\@footnotetext\@twocolfootnotetext
8897   \let\@LTRfootnotetext\@twocolLTRfootnotetext
8898   \let\@RTLfootnotetext\@twocolRTLfootnotetext
8899   \dimen\footinsv@r=2\footinsdim
8900   \count\footinsv@r=500\relax
8901   \m@make@twocol@footgroup{v@r}%
8902   \let\@footgroupv@r\@twocol@footgroupv@r
8903   \let\@mpfootnotetext\@mptwocolfootnotetext
8904   \let\@mplTRfootnotetext\@mptwocolLTRfootnotetext
8905   \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
8906   \@bidi@after@Hy@hyperfootnotes
8907   \m@make@mp@twocol@footgroup{v@r}%
8908 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
8909   \def\baselinestretch{\m@m@footnote@spacing}%
8910   \reset@font\foottextfont
8911   \@preamfntext
8912   \protected@edef\@currentlabel{%
8913     \csname p@footnote\endcsname\@thefnmark}%
8914   \color@begingroup
8915     \@twocolfootfmt{#1}%
8916   \color@endgroup}%
8917   \m@mmf@prepare}
8918 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
8919   \def\baselinestretch{\m@m@footnote@spacing}%
8920   \reset@font\LTRfoottextfont
8921   \@preamfntext
8922   \protected@edef\@currentlabel{%
8923     \csname p@footnote\endcsname\@thefnmark}%
8924   \color@begingroup
8925     \@twocolLTRfootfmt{#1}%
8926   \color@endgroup}%
8927   \m@mmf@prepare}
8928 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8929   \def\baselinestretch{\m@m@footnote@spacing}%
8930   \reset@font\RTLfoottextfont
8931   \@preamfntext
8932   \protected@edef\@currentlabel{%
8933     \csname p@footnote\endcsname\@thefnmark}%
8934   \color@begingroup
8935     \@twocolRTLfootfmt{#1}%

```



```

8936  \color@endgroup}%
8937  \m@mmf@prepare}
8938 \bidi@ensure@newcommand{\@preamtwofmt}{%
8939  \hsize .45\hsize
8940  \parindent=\z@
8941  \tolerance=5000\relax
8942  \leavevmode}
8943 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
8944  \@preamtwofmt
8945  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8946 \bidi@ensure@newcommand{\@twocollTRfootfmt}[1]{%
8947  \@preamtwofmt
8948  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8949 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
8950  \@preamtwofmt
8951  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8952 \bidi@ensure@newcommand{\@mptwoocolfootnotetext}[1]{%
8953  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8954  \unvbox\@mpfootinsv@r
8955  \def\baselinestretch{\m@m@footnote@spacing}%
8956  \reset@font\foottextfont
8957  \hsize\columnwidth \parboxrestore
8958  \protected@edef@\currentlabel{%
8959    \csname p@mpfootnote\endcsname\@thefnmark}%
8960  \color@begingroup
8961  \@twocolfootfmt{#1}%
8962  \color@endgroup}%
8963  \m@mmf@prepare}
8964 \bidi@ensure@newcommand{\@mptwoocolLTRfootnotetext}[1]{%
8965  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8966  \unvbox\@mpfootinsv@r
8967  \def\baselinestretch{\m@m@footnote@spacing}%
8968  \reset@font\LTRfoottextfont
8969  \hsize\columnwidth \parboxrestore
8970  \if@RTLcolumnfootnotes\beginL\fi
8971  \protected@edef@\currentlabel{%
8972    \csname p@mpfootnote\endcsname\@thefnmark}%
8973  \color@begingroup
8974  \@twocollTRfootfmt{#1}%
8975  \color@endgroup}%
8976  \m@mmf@prepare}
8977 \bidi@ensure@newcommand{\@mptwoocolRTLfootnotetext}[1]{%
8978  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8979  \unvbox\@mpfootinsv@r
8980  \def\baselinestretch{\m@m@footnote@spacing}%
8981  \reset@font\RTLfoottextfont
8982  \hsize\columnwidth \parboxrestore
8983  \protected@edef@\currentlabel{%
8984    \csname p@mpfootnote\endcsname\@thefnmark}%
8985  \color@begingroup

```



```

8986   \atwocolRTLfootfmt{#1}%
8987   \color@endgroup}%
8988   \m@mmf@prepare}%
8989 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
8990   \m@make@twocolfootnotetext{#1}%
8991   \m@make@mptwocolfootnotetext{#1}%
8992   \m@make@twocolfootfmt{#1}%
8993   \m@make@twocol@footgroup{#1}%
8994   \m@make@mptwocol@footgroup{#1}%
8995   \m@make@footstart{#1}%
8996   \bidi@namelongdef{@footnotetext#1}##1{%
8997     \nameuse{@twocolfootnotetext#1}##1}%
8998 \bidi@namelongdef{@mpfootnotetext#1}##1{%
8999   \nameuse{@mptwocolfootnotetext#1}##1}%
9000   \namedef{@footgroup#1}{\nameuse{@twocol@footgroup#1}}%
9001   \namedef{@mp@footgroup#1}{\nameuse{@mptwocol@footgroup#1}}%
9002   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9003   \expandafter\count\csname footins#1\endcsname=500\relax
9004 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
9005   \bidi@namelongdef{@twocolfootnotetext#1}##1{%
9006     \insert\nameuse{footins#1}%
9007     \def\baselinestretch{\m@m@footnote@spacing}%
9008     \reset@font\nameuse{foottextfont#1}%
9009     \preamfntext
9010     \protected@edef@\currentlabel{%
9011       \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9012     \color@begingroup
9013     \nameuse{@twocolfootfmt#1}##1}%
9014     \color@endgroup}%
9015     \m@mmf@prepare}}%
9016 \bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
9017 \bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
9018   \global\setbox\nameuse{@mpfootins#1}\vbox{%
9019     \unvbox\nameuse{@mpfootins#1}
9020     \def\baselinestretch{\m@m@footnote@spacing}%
9021     \reset@font\nameuse{foottextfont#1}%
9022     \hsize\columnwidth \parboxrestore
9023     \protected@edef@\currentlabel{%
9024       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9025     \color@begingroup
9026     \nameuse{@twocolfootfmt#1}##1}%
9027     \color@endgroup\m@mmf@prepare}}%
9028 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
9029   \namedef{@twocolfootfmt#1}##1{%
9030     \preamtwofmt
9031     {\nameuse{footfootmark#1}\strut
9032      {\nameuse{foottextfont#1}##1\strut\par}\allowbreak}}%
9033 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
9034   \namedef{@twocol@footgroup#1}##1{%
9035     \def\baselinestretch{\m@m@footnote@spacing}}%

```



```

9036     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9037     \m@rigidbalance{\nameuse{footins#1}}{\tw@}{\splittopskip}}}}
9038 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
9039 \namedef{@mptwocol@footgroup#1}{{%
9040 \def\baselinestretch{\m@m@footnote@spacing}%
9041     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9042     \m@rigidbalance{\nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
9043 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
9044     \nameuse{foottextfontv@r}{foottextfont}%
9045     \bidi@before@Hy@hyperfootnotes
9046     \let@\footnotetext@\threecolfootnotetext
9047     \let@\LTrfootnotetext@\threecollTRfootnotetext
9048     \let@\RTLfootnotetext@\threecolRTLfootnotetext
9049     \dimen\footinsv@r=3\footinsdim
9050     \count\footinsv@r=333\relax
9051     \m@make@threecol@footgroup{v@r}%
9052     \let@\footgroupv@r@\threecol@footgroupv@r
9053     \let@\mpfootnotetext@\mpthreecolfootnotetext
9054     \let@\mplTRfootnotetext@\mpthreecollTRfootnotetext
9055     \let@\mpRTLfootnotetext@\mpthreecolRTLfootnotetext
9056     \bidi@after@Hy@hyperfootnotes
9057     \m@make@mpthreecol@footgroup{v@r}%
9058     \let@\mp@footgroupv@r@\mpthreecol@footgroupv@r
9059 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtr
9060     \def\baselinestretch{\m@m@footnote@spacing}%
9061     \reset@font\foottextfont
9062     \preamfntext
9063     \protected@edef\@currentlabel{%
9064         \csname p@footnote\endcsname\@thefnmark}%
9065     \color@begingroup
9066         \threecolfootfmt{#1}%
9067     \color@endgroup}\m@mmf@prepare}
9068 \bidi@ensure@newcommand{\@threecollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote@\RTLC
9069     \def\baselinestretch{\m@m@footnote@spacing}%
9070     \reset@font\LTRfoottextfont
9071     \preamfntext
9072     \protected@edef\@currentlabel{%
9073         \csname p@footnote\endcsname\@thefnmark}%
9074     \color@begingroup
9075         \threecollTRfootfmt{#1}%
9076     \color@endgroup}\m@mmf@prepare}
9077 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\if@RTLtrue@\RTLR
9078     \def\baselinestretch{\m@m@footnote@spacing}%
9079     \reset@font\RTLfoottextfont
9080     \preamfntext
9081     \protected@edef\@currentlabel{%
9082         \csname p@footnote\endcsname\@thefnmark}%
9083     \color@begingroup
9084         \threecolRTLfootfmt{#1}%
9085     \color@endgroup}\m@mmf@prepare}

```



```

9086 \bidi@ensure@newcommand{\@preamthreelfmt}{%
9087   \hsize .3\hsize
9088   \parindent=\z@
9089   \tolerance=5000\relax
9090   \leavevmode}
9091 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
9092   \@preamthreelfmt
9093   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9094 \bidi@ensure@newcommand{\@threecollTRfootfmt}[1]{%
9095   \@preamthreelfmt
9096   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9097 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
9098   \@preamthreelfmt
9099   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9100 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
9101   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9102     \unvbox\@mpfootinsv@r
9103     \def\baselinestretch{\m@m@footnote@spacing}%
9104     \reset@font\foottextfont
9105     \hsize\columnwidth \parboxrestore
9106     \protected@edef\@currentlabel{%
9107       \csname p@mpfootnote\endcsname\@thefnmark}%
9108     \color@begingroup
9109       \@threecolfootfmt{#1}%
9110     \color@endgroup\m@mmf@prepare}
9111 \bidi@ensure@newcommand{\@mpthreecollTRfootnotetext}[1]{%
9112   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9113     \unvbox\@mpfootinsv@r
9114     \def\baselinestretch{\m@m@footnote@spacing}%
9115     \reset@font\LTRfoottextfont
9116     \hsize\columnwidth \parboxrestore
9117     \if@RTLcolumnfootnotes\beginL\fi
9118     \protected@edef\@currentlabel{%
9119       \csname p@mpfootnote\endcsname\@thefnmark}%
9120     \color@begingroup
9121       \@threecollTRfootfmt{#1}%
9122     \color@endgroup\m@mmf@prepare}
9123 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
9124   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9125     \unvbox\@mpfootinsv@r
9126     \def\baselinestretch{\m@m@footnote@spacing}%
9127     \reset@font\RTLfoottextfont
9128     \hsize\columnwidth \parboxrestore
9129     \protected@edef\@currentlabel{%
9130       \csname p@mpfootnote\endcsname\@thefnmark}%
9131     \color@begingroup
9132       \@threecolRTLfootfmt{#1}%
9133     \color@endgroup\m@mmf@prepare}
9134 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
9135   \m@make@threecolfootnotetext{#1}%

```



```

9136  \m@make@mpthreecolfootnotetext{#1}%
9137  \m@make@threecolfootfmt{#1}%
9138  \m@make@threecol@footgroup{#1}%
9139  \m@make@mpthreecol@footgroup{#1}%
9140  \m@make@footstart{#1}%
9141  \bidi@namelongdef{@footnotetext#1}##1{%
9142    \@nameuse{@threecolfootnotetext#1}{##1}%
9143  \bidi@namelongdef{@mpfootnotetext#1}##1{%
9144    \@nameuse{@mpthreecolfootnotetext#1}{##1}%
9145  \namedef{@footgroup#1}{\@nameuse{@threecol@footgroup#1}}%
9146  \namedef{mp@footgroup#1}{\@nameuse{@mpthreecol@footgroup#1}}%
9147  \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
9148  \expandafter\count\csname footins#1\endcsname=333\relax}
9149 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
9150 \bidi@namelongdef{@threecolfootnotetext#1}##1{%
9151  \insert\@nameuse{footins#1}%
9152  \def\baselinestretch{\m@m@footnote@spacing}%
9153  \reset@font\@nameuse{foottextfont#1}%
9154  \preamfntext
9155  \protected@edef\@currentlabel{%
9156    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
9157  \color@begingroup
9158    \@nameuse{@threecolfootfmt#1}{##1}%
9159  \color@endgroup\m@mmf@prepare}}
9160 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
9161 \bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
9162  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9163    \unvbox\@nameuse{@mpfootins#1}
9164    \def\baselinestretch{\m@m@footnote@spacing}%
9165    \reset@font\@nameuse{foottextfont#1}%
9166    \hsize\columnwidth \parboxrestore
9167    \protected@edef\@currentlabel{%
9168      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9169  \color@begingroup
9170    \@nameuse{@threecolfootfmt#1}{##1}%
9171  \color@endgroup\m@mmf@prepare}}
9172 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
9173 \bidi@namelongdef{@threecolfootfmt#1}##1{%
9174  \preamthreefmt
9175  {\@nameuse{footfootmark#1}\strut
9176    {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9177 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
9178 \namedef{@threecol@footgroup#1}{%
9179  \def\baselinestretch{\m@m@footnote@spacing}%
9180  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9181  \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@{\splittopskip}}}}
9182 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
9183 \namedef{@mpthreecol@footgroup#1}{%
9184  \def\baselinestretch{\m@m@footnote@spacing}%
9185  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```



```

9186   \m@mrigidbalance{\@nameuse{\mpfootins#1}}{\thr@@}{\splittopskip}}}}
9187 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
9188   \@namedef{foottextfontv@r}{\foottextfont}%
9189   % [RS]
9190   \let\@footnotetext\fourcolfootnotetext
9191   \let\@LTRfootnotetext\fourcolLTRfootnotetext
9192   \let\@RTLfootnotetext\fourcolRTLfootnotetext
9193   \dimen\footinsv@r=4\footinsdim
9194   \count\footinsv@r=250\relax
9195   \m@make@fourcol@footgroup{v@r}%
9196   \let\@footgroupv@r\fourcol@footgroupv@r
9197   \let\@mpfootnotetext\mpfourcolfootnotetext
9198   \let\@mpLTRfootnotetext\mpfourcolLTRfootnotetext
9199   \let\@mpRTLfootnotetext\mpfourcolRTLfootnotetext
9200   \bidi@after@Hy@hyperfootnotes
9201   \m@make@mpfourcol@footgroup{v@r}%
9202   \let\mp@footgroupv@r\mpfourcol@footgroupv@r
9203 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
9204   \def\baselinestretch{\m@m@footnote@spacing}%
9205   \reset@font\foottextfont
9206   \preamfntext
9207   \protected@edef\@currentlabel{%
9208     \csname p@footnote\endcsname\@thefnmark}%
9209   \color@begingroup
9210     \@fourcolfootfmt{#1}%
9211   \color@endgroup}%
9212   \m@mmf@prepare}
9213 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
9214   \def\baselinestretch{\m@m@footnote@spacing}%
9215   \reset@font\LTRfoottextfont
9216   \preamfntext
9217   \protected@edef\@currentlabel{%
9218     \csname p@footnote\endcsname\@thefnmark}%
9219   \color@begingroup
9220     \@fourcolLTRfootfmt{#1}%
9221   \color@endgroup}%
9222   \m@mmf@prepare}
9223 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9224   \def\baselinestretch{\m@m@footnote@spacing}%
9225   \reset@font\RTLfoottextfont
9226   \preamfntext
9227   \protected@edef\@currentlabel{%
9228     \csname p@footnote\endcsname\@thefnmark}%
9229   \color@begingroup
9230     \@fourcolRTLfootfmt{#1}%
9231   \color@endgroup}%
9232   \m@mmf@prepare}
9233 \bidi@ensure@newcommand{\@preamfourfmt}{%
9234   \hsize .25\hsize
9235   \parindent=\z@

```



```

9236   \tolerance=5000\relax
9237   \leavevmode}
9238 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
9239   \preamfourfmt
9240   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9241 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
9242   \preamfourfmt
9243   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9244 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
9245   \preamfourfmt
9246   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9247 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
9248   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9249     \unvbox\@mpfootinsv@r
9250     \def\baselinestretch{\m@m@footnote@spacing}%
9251     \reset@font\foottextfont
9252     \hsize\columnwidth \parboxrestore
9253     \protected@edef\@currentlabel{%
9254       \csname p@mpfootnote\endcsname\@thefnmark}%
9255     \color@begingroup
9256       \@fourcolfootfmt{#1}%
9257     \color@endgroup}%
9258     \m@mmf@prepare}
9259 \bidi@ensure@newcommand{\@mpfourcollTRfootnotetext}[1]{%
9260   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9261     \unvbox\@mpfootinsv@r
9262     \def\baselinestretch{\m@m@footnote@spacing}%
9263     \reset@font\LTRfoottextfont
9264     \hsize\columnwidth \parboxrestore
9265     \if@RTLcolumnfootnotes\beginL\fi
9266     \protected@edef\@currentlabel{%
9267       \csname p@mpfootnote\endcsname\@thefnmark}%
9268     \color@begingroup
9269       \@fourcollTRfootfmt{#1}%
9270     \color@endgroup}%
9271     \m@mmf@prepare}
9272 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
9273   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9274     \unvbox\@mpfootinsv@r
9275     \def\baselinestretch{\m@m@footnote@spacing}%
9276     \reset@font\RTLfoottextfont
9277     \hsize\columnwidth \parboxrestore
9278     \protected@edef\@currentlabel{%
9279       \csname p@mpfootnote\endcsname\@thefnmark}%
9280     \color@begingroup
9281       \@fourcolRTLfootfmt{#1}%
9282     \color@endgroup}%
9283     \m@mmf@prepare}
9284 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
9285   \m@make@fourcolfootnotetext{#1}%

```



```

9286  \m@make@mpfourcolfootnotetext{#1}%
9287  \m@make@fourcolfootfmt{#1}%
9288  \m@make@fourcol@footgroup{#1}%
9289  \m@make@mpfourcol@footgroup{#1}%
9290  \m@make@footstart{#1}%
9291  \bidi@namelongdef{@footnotetext#1}##1{%
9292   \nameuse{@fourcolfootnotetext#1}##1}%
9293  \bidi@namelongdef{@mpfootnotetext#1}##1{%
9294   \nameuse{@mpfourcolfootnotetext#1}##1}%
9295  \namedef{@footgroup#1}{\nameuse{@fourcol@footgroup#1}}%
9296  \namedef{@mp@footgroup#1}{\nameuse{@mpfourcol@footgroup#1}}%
9297  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9298  \expandafter\count\csname footins#1\endcsname=500\relax
9299 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
9300  \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
9301   \insert\nameuse{footins#1}%
9302   \def\baselinestretch{\m@m@footnote@spacing}%
9303   \reset@font\nameuse{foottextfont#1}%
9304   \preamfntext
9305   \protected@edef@\currentlabel{%
9306     \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9307   \color@begingroup
9308     \nameuse{@fourcolfootfmt#1}##1}%
9309   \color@endgroup}%
9310   \m@mmf@prepare}}}
9311 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
9312 \bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
9313  \global\setbox\nameuse{@mpfootins#1}\vbox{%
9314   \unvbox\nameuse{@mpfootins#1}
9315   \def\baselinestretch{\m@m@footnote@spacing}%
9316   \reset@font\nameuse{foottextfont#1}%
9317   \hsize\columnwidth \parboxrestore
9318   \protected@edef@\currentlabel{%
9319     \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9320   \color@begingroup
9321     \nameuse{@fourcolfootfmt#1}##1}%
9322   \color@endgroup\m@mmf@prepare}}}
9323 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
9324  \namedef{@fourcolfootfmt#1}##1{%
9325   \preamfourfmt
9326   {\nameuse{footfootmark#1}\strut
9327    {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}}
9328 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
9329  \namedef{@fourcol@footgroup#1}{{%
9330   \def\baselinestretch{\m@m@footnote@spacing}%
9331   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9332   \m@mrigidbalance{\nameuse{footins#1}##4}{\splittopskip}}}{}}
9333 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
9334 \namedef{@mpfourcol@footgroup#1}{{%
9335   \def\baselinestretch{\m@m@footnote@spacing}}}{}}

```



```

9336  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9337  \m@mrigidbalance{\@nameuse{@mpfootins#1}{4}{\splittopskip}}}
9338 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
9339  \@namedef{foottextfontv@r}{\foottextfont}%
9340  % [RS]
9341  \bidi@before@Hy@hyperfootnotes
9342  \let\@footnotetext\@fivecolfootnotetext
9343  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
9344  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
9345  \dimen\footinsv@r=5\footinsdim
9346  \count\footinsv@r=200\relax
9347  \m@make@fivecol@footgroup{v@r}%
9348  \let\@footgroupv@r\@fivecol@footgroupv@r
9349  \let\@mpfootnotetext\@mpfivecolfootnotetext
9350  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
9351  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
9352  \bidi@after@Hy@hyperfootnotes
9353  \m@make@mpfivecol@footgroup{v@r}%
9354 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9355  \def\baselinestretch{\m@m@footnote@spacing}%
9356  \reset@font\foottextfont
9357  \preamfntext
9358  \protected@edef\@currentlabel{%
9359   \csname p@footnote\endcsname\@thefnmark}%
9360  \color@begingroup
9361   \@fivecolfootfmt{#1}%
9362  \color@endgroup}%
9363  \m@mmf@prepare}
9364 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9365  \def\baselinestretch{\m@m@footnote@spacing}%
9366  \reset@font\LTRfoottextfont
9367  \preamfntext
9368  \protected@edef\@currentlabel{%
9369   \csname p@footnote\endcsname\@thefnmark}%
9370  \color@begingroup
9371   \@fivecolLTRfootfmt{#1}%
9372  \color@endgroup}%
9373  \m@mmf@prepare}
9374 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9375  \def\baselinestretch{\m@m@footnote@spacing}%
9376  \reset@font\RTLfoottextfont
9377  \preamfntext
9378  \protected@edef\@currentlabel{%
9379   \csname p@footnote\endcsname\@thefnmark}%
9380  \color@begingroup
9381   \@fivecolRTLfootfmt{#1}%
9382  \color@endgroup}%
9383  \m@mmf@prepare}
9384 \bidi@ensure@newcommand{\@preamfivefmt}{%
9385  \hsize .2\hsize

```



```

9386  \parindent=\z@
9387  \tolerance=5000\relax
9388  \leavevmode}
9389 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
9390  \preamfivefmt
9391  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9392 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
9393  \preamfivefmt
9394  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9395 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
9396  \preamfivefmt
9397  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9398 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
9399  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9400   \unvbox\@mpfootinsv@r
9401   \def\baselinestretch{\m@m@footnote@spacing}%
9402   \reset@font\foottextfont
9403   \hsize\columnwidth \parboxrestore
9404   \protected@edef\@currentlabel{%
9405     \csname p@mpfootnote\endcsname\@thefnmark}%
9406   \color@begingroup
9407   \@fivecolfootfmt{#1}%
9408   \color@endgroup}%
9409   \m@mmf@prepare}
9410 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
9411  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9412   \unvbox\@mpfootinsv@r
9413   \def\baselinestretch{\m@m@footnote@spacing}%
9414   \reset@font\LTRfoottextfont
9415   \hsize\columnwidth \parboxrestore
9416   \if@RTLcolumnfootnotes\beginL\fi
9417   \protected@edef\@currentlabel{%
9418     \csname p@mpfootnote\endcsname\@thefnmark}%
9419   \color@begingroup
9420   \@fivecolLTRfootfmt{#1}%
9421   \color@endgroup}%
9422   \m@mmf@prepare}
9423 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
9424  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9425   \unvbox\@mpfootinsv@r
9426   \def\baselinestretch{\m@m@footnote@spacing}%
9427   \reset@font\RTLfoottextfont
9428   \hsize\columnwidth \parboxrestore
9429   \protected@edef\@currentlabel{%
9430     \csname p@mpfootnote\endcsname\@thefnmark}%
9431   \color@begingroup
9432   \@fivecolRTLfootfmt{#1}%
9433   \color@endgroup}%
9434   \m@mmf@prepare}
9435 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%

```



```

9436  \m@make@fivecolfootnotetext{#1}%
9437  \m@make@mpfivecolfootnotetext{#1}%
9438  \m@make@fivecolfootfmt{#1}%
9439  \m@make@fivecol@footgroup{#1}%
9440  \m@make@mpfivecol@footgroup{#1}%
9441  \m@make@footstart{#1}%
9442  \bidi@namelongdef{@footnotetext#1}##1{%
9443   \@nameuse{@fivecolfootnotetext#1}{##1}%
9444  \bidi@namelongdef{@mpfootnotetext#1}##1{%
9445   \@nameuse{@mpfivecolfootnotetext#1}{##1}%
9446  \namedef{@footgroup#1}{\@nameuse{@fivecol@footgroup#1}}%
9447  \namedef{mp@footgroup#1}{\@nameuse{@mpfivecol@footgroup#1}}%
9448  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9449  \expandafter\count\csname footins#1\endcsname=500\relax}
9450 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
9451  \bidi@namelongdef{@fivecolfootnotetext#1}##1{%
9452   \insert\@nameuse{footins#1}%
9453   \def\baselinestretch{\m@m@footnote@spacing}%
9454   \reset@font\@nameuse{foottextfont#1}%
9455   \preamfntext
9456   \protected@edef@\currentlabel{%
9457     \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
9458   \color@begingroup
9459   \@nameuse{@fivecolfootfmt#1}{##1}%
9460   \color@endgroup}%
9461   \m@mmf@prepare}}
9462 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
9463 \bidi@namelongdef{@mpfivecolfootnotetext#1}##1{%
9464  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9465   \unvbox\@nameuse{@mpfootins#1}
9466   \def\baselinestretch{\m@m@footnote@spacing}%
9467   \reset@font\@nameuse{foottextfont#1}%
9468   \hsize\columnwidth \parboxrestore
9469   \protected@edef@\currentlabel{%
9470     \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9471   \color@begingroup
9472   \@nameuse{@fivecolfootfmt#1}{##1}%
9473   \color@endgroup}\m@mmf@prepare}}
9474 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
9475  \namedef{@fivecolfootfmt#1}##1{%
9476   \preamfivefmt
9477   {\@nameuse{footfootmark#1}\strut
9478    {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9479 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
9480  \namedef{@fivecol@footgroup#1}{{%
9481   \def\baselinestretch{\m@m@footnote@spacing}%
9482   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9483   \m@mrigidbalance{\@nameuse{footins#1}{5}{\splittopskip}}}}}
9484 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
9485 \namedef{@mpfivecol@footgroup#1}{{%

```



```

9486 \def\baselinestretch{\m@m@footnote@spacing}%
9487   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9488   \m@mrigidbalance{\@nameuse{@mpfootins#1}{5}{\splittopskip}}}
9489 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
9490   \@namedef{foottextfontv@r}{\foottextfont}%
9491   % [RS]
9492   \@bidi@before@Hy@hyperfootnotes
9493   \let\@footnotetext\@sixcolfootnotetext
9494   \let\@LTRfootnotetext\@sixcolLTRfootnotetext
9495   \let\@RTLfootnotetext\@sixcolRTLfootnotetext
9496   \dimen\footinsv@r=6\footinsdim
9497   \count\footinsv@r=166\relax
9498   \m@make@sixcol@footgroup{v@r}%
9499   \let\@footgroupv@r\@sixcol@footgroupv@r
9500   \let\@mpfootnotetext\@mpsixcolfootnotetext
9501   \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
9502   \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
9503   \@bidi@after@Hy@hyperfootnotes
9504   \m@make@mpsixcol@footgroup{v@r}%
9505   \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
9506   \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9507   \def\baselinestretch{\m@m@footnote@spacing}%
9508   \reset@font\foottextfont
9509   \@preamfntext
9510   \protected@edef\@currentlabel{%
9511     \csname p@footnote\endcsname\@thefnmark}%
9512   \color@begingroup
9513     \@sixcolfootfmt{#1}%
9514   \color@endgroup}%
9515   \m@mmf@prepare}
9516   \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9517   \def\baselinestretch{\m@m@footnote@spacing}%
9518   \reset@font\LTRfoottextfont
9519   \@preamfntext
9520   \protected@edef\@currentlabel{%
9521     \csname p@footnote\endcsname\@thefnmark}%
9522   \color@begingroup
9523     \@sixcolLTRfootfmt{#1}%
9524   \color@endgroup}%
9525   \m@mmf@prepare}
9526   \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9527   \def\baselinestretch{\m@m@footnote@spacing}%
9528   \reset@font\RTLfoottextfont
9529   \@preamfntext
9530   \protected@edef\@currentlabel{%
9531     \csname p@footnote\endcsname\@thefnmark}%
9532   \color@begingroup
9533     \@sixcolRTLfootfmt{#1}%
9534   \color@endgroup}%
9535   \m@mmf@prepare}

```



```

9536  \hsize .16\hsize
9537  \parindent=\z@
9538  \tolerance=5000\relax
9539  \leavevmode}
9540 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
9541   \preamsixfmt
9542   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9543 \bidi@ensure@newcommand{\@sixcollTRfootfmt}[1]{%
9544   \preamsixfmt
9545   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9546 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
9547   \preamsixfmt
9548   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9549 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\f
9550  \global\setbox\@mpfootinsv@r\vbox{%
9551    \unvbox\@mpfootinsv@r
9552    \def\baselinestretch{\m@m@footnote@spacing}%
9553    \reset@font\foottextfont
9554    \hsize\columnwidth \parboxrestore
9555    \protected@edef\@currentlabel{%
9556      \csname p@mpfootnote\endcsname\@thefnmark}%
9557    \color@begingroup
9558      \@sixcolfootfmt{#1}%
9559    \color@endgroup}%
9560    \m@mmf@prepare}
9561 \bidi@ensure@newcommand{\@mpsixcollTRfootnotetext}[1]{\@RTLfalse%
9562  \global\setbox\@mpfootinsv@r\vbox{%
9563    \unvbox\@mpfootinsv@r
9564    \def\baselinestretch{\m@m@footnote@spacing}%
9565    \reset@font\LTRfoottextfont
9566    \hsize\columnwidth \parboxrestore
9567    \if@RTLcolumnfootnotes\beginL\fi
9568    \protected@edef\@currentlabel{%
9569      \csname p@mpfootnote\endcsname\@thefnmark}%
9570    \color@begingroup
9571      \@sixcollTRfootfmt{#1}%
9572    \color@endgroup}%
9573    \m@mmf@prepare}
9574 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
9575  \global\setbox\@mpfootinsv@r\vbox{%
9576    \unvbox\@mpfootinsv@r
9577    \def\baselinestretch{\m@m@footnote@spacing}%
9578    \reset@font\RTLfoottextfont
9579    \hsize\columnwidth \parboxrestore
9580    \protected@edef\@currentlabel{%
9581      \csname p@mpfootnote\endcsname\@thefnmark}%
9582    \color@begingroup
9583      \@sixcolRTLfootfmt{#1}%
9584    \color@endgroup}%
9585    \m@mmf@prepare}

```



```

9586 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
9587   \m@make@sixcolfootnotetext{#1}%
9588   \m@make@mpsixcolfootnotetext{#1}%
9589   \m@make@sixcolfootfmt{#1}%
9590   \m@make@sixcol@footgroup{#1}%
9591   \m@make@mpsixcol@footgroup{#1}%
9592   \m@make@footstart{#1}%
9593   \bidi@namelongdef{@footnotetext#1}##1{%
9594     \nameuse{@sixcolfootnotetext#1}##1}%
9595   \bidi@namelongdef{@mpfootnotetext#1}##1{%
9596     \nameuse{@mpsixcolfootnotetext#1}##1}%
9597   \namedef{@footgroup#1}{\nameuse{@sixcol@footgroup#1}}%
9598   \namedef{mp@footgroup#1}{\nameuse{@mpsixcol@footgroup#1}}%
9599   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9600   \expandafter\count\csname footins#1\endcsname=500\relax}
9601 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
9602   \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
9603     \insert\nameuse{footins#1}%
9604     \def\baselinestretch{\m@m@footnote@spacing}%
9605     \reset@font\nameuse{foottextfont#1}%
9606     \preamfntext
9607     \protected@edef@\currentlabel{%
9608       \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9609     \color@begingroup
9610       \nameuse{@sixcolfootfmt#1}##1}%
9611     \color@endgroup}%
9612     \m@mmf@prepare}}
9613 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
9614 \bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
9615   \global\setbox\nameuse{@mpfootins#1}\vbox{%
9616     \unvbox\nameuse{@mpfootins#1}
9617     \def\baselinestretch{\m@m@footnote@spacing}%
9618     \reset@font\nameuse{foottextfont#1}%
9619     \hsize\columnwidth \parboxrestore
9620     \protected@edef@\currentlabel{%
9621       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9622     \color@begingroup
9623       \nameuse{@sixcolfootfmt#1}##1}%
9624     \color@endgroup}\m@mmf@prepare}}
9625 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
9626   \namedef{@sixcolfootfmt#1}##1{%
9627     \preamsixfmt
9628     {\nameuse{footfootmark#1}\strut
9629      {\nameuse{foottextfont#1}##1\strut\par\allowbreak}}}
9630 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
9631   \namedef{@sixcol@footgroup#1}##1{%
9632     \def\baselinestretch{\m@m@footnote@spacing}%
9633     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9634     \m@mrigidbalance{\nameuse{footins#1}##6\{\splittopskip\}}} }
9635 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%

```



```

9636 \@namedef{@mpsixcol@footgroup#1}{%
9637   \def\baselinestretch{\m@m@footnote@spacing}%
9638   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9639   \m@mrigidbalance{\@nameuse{@mpfootins#1}{6}{\splittopskip}}}%
9640 \bidi@ensure@newcommand{\sevencolumnfootnotes}{%
9641   \@namedef{foottextfontv@r}{\foottextfont}%
9642   % [RS]
9643   \@bidi@before@Hy@hyperfootnotes
9644   \let@\footnotetext@\sevencolfootnotetext
9645   \let@\LTrfootnotetext@\sevencollTRfootnotetext
9646   \let@\RTLfootnotetext@\sevencolRTLfootnotetext
9647   \dimen\footinsv@r=7\footinsdim
9648   \count\footinsv@r=142\relax
9649   \m@make@sevencol@footgroup{v@r}%
9650   \let@\footgroupv@r@\sevencol@footgroupv@r
9651   \let@\mpfootnotetext@\mpsevencolfootnotetext
9652   \let@\mplTRfootnotetext@\mpsevencollTRfootnotetext
9653   \let@\mpRTLfootnotetext@\mpsevencolRTLfootnotetext
9654   \@bidi@after@Hy@hyperfootnotes
9655   \m@make@mpsevencol@footgroup{v@r}%
9656 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtr
9657   \def\baselinestretch{\m@m@footnote@spacing}%
9658   \reset@font\foottextfont
9659   \@preamfntext
9660   \protected@edef@\currentlabel{%
9661     \csname p@footnote\endcsname\@thefnmark}%
9662   \color@begingroup
9663     \@sevencolfootfmt{#1}%
9664   \color@endgroup}%
9665   \m@mmf@prepare}
9666 \bidi@ensure@newcommand{\@sevencollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote@
9667   \def\baselinestretch{\m@m@footnote@spacing}%
9668   \reset@font\LTRfoottextfont
9669   \@preamfntext
9670   \protected@edef@\currentlabel{%
9671     \csname p@footnote\endcsname\@thefnmark}%
9672   \color@begingroup
9673     \@sevencollTRfootfmt{#1}%
9674   \color@endgroup}%
9675   \m@mmf@prepare}
9676 \bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9677   \def\baselinestretch{\m@m@footnote@spacing}%
9678   \reset@font\RTLfoottextfont
9679   \@preamfntext
9680   \protected@edef@\currentlabel{%
9681     \csname p@footnote\endcsname\@thefnmark}%
9682   \color@begingroup
9683     \@sevencolRTLfootfmt{#1}%
9684   \color@endgroup}%
9685   \m@mmf@prepare}

```



```

9686 \bidi@ensure@newcommand{\@preamsevenfmt}{%
9687   \hsize .142\hsize
9688   \parindent=\z@
9689   \tolerance=5000\relax
9690   \leavevmode}
9691 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
9692   \preamsevenfmt
9693   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9694 \bidi@ensure@newcommand{\@sevencollTRfootfmt}[1]{%
9695   \preamsevenfmt
9696   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9697 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
9698   \preamsevenfmt
9699   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9700 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote@\RTLtrue\else@\RTLfalse%
9701   \global\setbox\@mpfootinsv@r\vbox{%
9702     \unvbox\@mpfootinsv@r
9703     \def\baselinestretch{\m@m@footnote@spacing}%
9704     \reset@font\foottextfont
9705     \hsize\columnwidth \parboxrestore
9706     \protected@edef\@currentlabel{%
9707       \csname p@mpfootnote\endcsname\@thefnmark}%
9708     \color@begingroup
9709     \@sevencolfootfmt{#1}%
9710     \color@endgroup}%
9711   \m@mmf@prepare}
9712 \bidi@ensure@newcommand{\@mpsevencollTRfootnotetext}[1]{\@RTLfalse%
9713   \global\setbox\@mpfootinsv@r\vbox{%
9714     \unvbox\@mpfootinsv@r
9715     \def\baselinestretch{\m@m@footnote@spacing}%
9716     \reset@font\LTRfoottextfont
9717     \hsize\columnwidth \parboxrestore
9718     \if@RTLcolumnfootnotes\beginL\fi
9719     \protected@edef\@currentlabel{%
9720       \csname p@mpfootnote\endcsname\@thefnmark}%
9721     \color@begingroup
9722     \@sevencollTRfootfmt{#1}%
9723     \color@endgroup}%
9724   \m@mmf@prepare}
9725 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
9726   \global\setbox\@mpfootinsv@r\vbox{%
9727     \unvbox\@mpfootinsv@r
9728     \def\baselinestretch{\m@m@footnote@spacing}%
9729     \reset@font\RTLfoottextfont
9730     \hsize\columnwidth \parboxrestore
9731     \protected@edef\@currentlabel{%
9732       \csname p@mpfootnote\endcsname\@thefnmark}%
9733     \color@begingroup
9734     \@sevencolRTLfootfmt{#1}%
9735     \color@endgroup}%

```



```

9736  \m@mmf@prepare}
9737 \bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
9738  \m@make@sevencolfootnotetext{#1}%
9739  \m@make@mpsevencolfootnotetext{#1}%
9740  \m@make@sevencolfootfmt{#1}%
9741  \m@make@sevencol@footgroup{#1}%
9742  \m@make@mpsevencol@footgroup{#1}%
9743  \m@make@footstart{#1}%
9744  \bidi@namelongdef{@footnotetext#1}##1{%
9745   \nameuse{@sevencolfootnotetext#1}{##1}}%
9746  \bidi@namelongdef{@mpfootnotetext#1}##1{%
9747   \nameuse{@mpsevencolfootnotetext#1}{##1}}%
9748  \namedef{@footgroup#1}{\nameuse{@sevencol@footgroup#1}}%
9749  \namedef{@mp@footgroup#1}{\nameuse{@mpsevencol@footgroup#1}}%
9750  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9751  \expandafter\count\csname footins#1\endcsname=500\relax}
9752 \bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
9753  \bidi@namelongdef{@sevencolfootnotetext#1}##1{%
9754   \insert\nameuse{footins#1}{%
9755    \def\baselinestretch{\m@m@footnote@spacing}%
9756    \reset@font\nameuse{foottextfont#1}%
9757    \preamfntext
9758    \protected@edef@\currentlabel{%
9759     \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9760    \color@begingroup
9761     \nameuse{@sevencolfootfmt#1}{##1}%
9762    \color@endgroup}%
9763    \m@mmf@prepare}}}
9764 \bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
9765 \bidi@namelongdef{@mpsevencolfootnotetext#1}##1{%
9766  \global\setbox\nameuse{@mpfootins#1}\vbox{%
9767   \unvbox\nameuse{@mpfootins#1}
9768   \def\baselinestretch{\m@m@footnote@spacing}%
9769   \reset@font\nameuse{foottextfont#1}%
9770   \hsize\columnwidth \parboxrestore
9771   \protected@edef@\currentlabel{%
9772     \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9773   \color@begingroup
9774     \nameuse{@sevencolfootfmt#1}{##1}%
9775   \color@endgroup}\m@mmf@prepare}}}
9776 \bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
9777  \namedef{@sevencolfootfmt#1}##1{%
9778   \preamsevenfmt
9779   {\nameuse{footfootmark#1}\strut
9780    {\nameuse{foottextfont#1}##1}\strut\par\allowbreak}}
9781 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
9782  \namedef{@sevencol@footgroup#1}{%
9783  \def\baselinestretch{\m@m@footnote@spacing}%
9784  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9785  \m@mrigidbalance{\nameuse{footins#1}}{7}\{\splittopskip\}}}}

```



```

9786 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
9787 @namedef{@mpsevencol@footgroup#1}{%
9788 \def\baselinestretch{\m@m@footnote@spacing}%
9789 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9790 \m@mrigidbalance{\@nameuse{@mpfootins#1}{7}{\splittopskip}}}
9791 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
9792 \@namedef{foottextfontv@r}{\foottextfont}%
9793 % [RS]
9794 \@bidi@before@Hy@hyperfootnotes
9795 \let@\footnotetext@\eightcolfootnotetext
9796 \let@\LTRfootnotetext@\eightcolLTRfootnotetext
9797 \let@\RTLfootnotetext@\eightcolRTLfootnotetext
9798 \dimen\footinsv@r=8\footinsdim
9799 \count\footinsv@r=125\relax
9800 \m@make@eightcol@footgroup{v@r}%
9801 \let@\footgroupv@r@\eightcol@footgroupv@r
9802 \let@\mpfootnotetext@\mpeightcolfootnotetext
9803 \let@\mplTRfootnotetext@\mpeightcolLTRfootnotetext
9804 \let@\mpRTLfootnotetext@\mpeightcolRTLfootnotetext
9805 \@bidi@aft@Hy@hyperfootnotes
9806 \m@make@mpeightcol@footgroup{v@r}%
9807 \let@\mp@footgroupv@r@\mpeightcol@footgroupv@r
9808 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
9809 \def\baselinestretch{\m@m@footnote@spacing}%
9810 \reset@font\foottextfont
9811 \preamfntext
9812 \protected@edef\@currentlabel{%
9813 \csname p@footnote\endcsname\@thefnmark}%
9814 \color@begingroup
9815 \color@endgroup}%
9816 \m@mmf@prepare}
9817 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote@\RTLtrue%
9818 \def\baselinestretch{\m@m@footnote@spacing}%
9819 \reset@font\LTRfoottextfont
9820 \preamfntext
9821 \protected@edef\@currentlabel{%
9822 \csname p@footnote\endcsname\@thefnmark}%
9823 \color@begingroup
9824 \color@endgroup}%
9825 \m@mmf@prepare}
9826 \m@mmf@prepare}
9827 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9828 \def\baselinestretch{\m@m@footnote@spacing}%
9829 \reset@font\RTLfoottextfont
9830 \preamfntext
9831 \protected@edef\@currentlabel{%
9832 \csname p@footnote\endcsname\@thefnmark}%
9833 \color@begingroup
9834 \color@endgroup}%
9835 \m@mmf@prepare}

```



```

9836  \m@mmf@prepare}
9837 \bidi@ensure@newcommand{\@preambleightfmt}{%
9838  \hsize .125\hsize
9839  \parindent=\z@
9840  \tolerance=5000\relax
9841  \leavevmode}
9842 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
9843  \@preambleightfmt
9844  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9845 \bidi@ensure@newcommand{\@eightcollTRfootfmt}[1]{%
9846  \@preambleightfmt
9847  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9848 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
9849  \@preambleightfmt
9850  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9851 \bidi@ensure@newcommand{\@mpheightcolfootnotetext}[1]{%
9852  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9853  \unvbox\@mpfootinsv@r
9854  \def\baselinestretch{\m@m@footnote@spacing}%
9855  \reset@font\foottextfont
9856  \hsize\columnwidth \parboxrestore
9857  \protected@edef\@currentlabel{%
9858    \csname p@mpfootnote\endcsname\@thefnmark}%
9859  \color@begingroup
9860  \@eightcolfootfmt{#1}%
9861  \color@endgroup}%
9862  \m@mmf@prepare}
9863 \bidi@ensure@newcommand{\@mpheightcollTRfootnotetext}[1]{%
9864  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9865  \unvbox\@mpfootinsv@r
9866  \def\baselinestretch{\m@m@footnote@spacing}%
9867  \reset@font\LTRfoottextfont
9868  \hsize\columnwidth \parboxrestore
9869  \if@RTLcolumnfootnotes\beginL\fi
9870  \protected@edef\@currentlabel{%
9871    \csname p@mpfootnote\endcsname\@thefnmark}%
9872  \color@begingroup
9873  \@eightcollTRfootfmt{#1}%
9874  \color@endgroup}%
9875  \m@mmf@prepare}
9876 \bidi@ensure@newcommand{\@mpheightcolRTLfootnotetext}[1]{%
9877  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9878  \unvbox\@mpfootinsv@r
9879  \def\baselinestretch{\m@m@footnote@spacing}%
9880  \reset@font\RTLfoottextfont
9881  \hsize\columnwidth \parboxrestore
9882  \protected@edef\@currentlabel{%
9883    \csname p@mpfootnote\endcsname\@thefnmark}%
9884  \color@begingroup
9885  \@eightcolRTLfootfmt{#1}%

```



```

9886 \color@endgroup}%
9887 \m@mmf@prepare}
9888 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
9889 \m@make@eightcolfootnotetext{#1}%
9890 \m@make@mpeightcolfootnotetext{#1}%
9891 \m@make@eightcolfootfmt{#1}%
9892 \m@make@eightcol@footgroup{#1}%
9893 \m@make@mpeightcol@footgroup{#1}%
9894 \m@make@footstart{#1}%
9895 \bidi@namelongdef{@footnotetext#1}##1{%
9896   \nameuse{@eightcolfootnotetext#1}{##1}%
9897 \bidi@namelongdef{@mpfootnotetext#1}##1{%
9898   \nameuse{@mpeightcolfootnotetext#1}{##1}%
9899 \namedef{@footgroup#1}{\nameuse{@eightcol@footgroup#1}}%
9900 \namedef{@mp@footgroup#1}{\nameuse{@mpeightcol@footgroup#1}}%
9901 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9902 \expandafter\count\csname footins#1\endcsname=500\relax
9903 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
9904 \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
9905   \insert\nameuse{footins#1}%
9906   \def\baselinestretch{\m@m@footnote@spacing}%
9907   \reset@font\nameuse{foottextfont#1}%
9908   \preamfntext
9909   \protected@edef@\currentlabel{%
9910     \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9911   \color@begingroup
9912     \nameuse{@eightcolfootfmt#1}{##1}%
9913   \color@endgroup}%
9914 \m@mmf@prepare}}
9915 \bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
9916 \bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
9917 \global\setbox\nameuse{@mpfootins#1}\vbox{%
9918   \unvbox\nameuse{@mpfootins#1}
9919   \def\baselinestretch{\m@m@footnote@spacing}%
9920   \reset@font\nameuse{foottextfont#1}%
9921   \hsize\columnwidth \parboxrestore
9922   \protected@edef@\currentlabel{%
9923     \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9924   \color@begingroup
9925     \nameuse{@eightcolfootfmt#1}{##1}%
9926   \color@endgroup\m@mmf@prepare}}
9927 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
9928 \namedef{@eightcolfootfmt#1}##1{%
9929   \preamble
9930   {\nameuse{footfootmark#1}\strut
9931     {\nameuse{foottextfont#1}{##1}\strut\par\allowbreak}}
9932 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
9933 \namedef{@eightcol@footgroup#1}{%
9934   \def\baselinestretch{\m@m@footnote@spacing}%
9935   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```



```

9936      \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}]}
9937 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
9938 \@namedef{@mpeightcol@footgroup#1}{%
9939 \def\baselinestretch{\m@m@footnote@spacing}%
9940     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9941     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}]}
9942 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
9943     \@namedef{foottextfontv@r}{\foottextfont} \% [RS]
9944     @bidi@before@Hy@hyperfootnotes
9945     \let@\footnotetext\@ninecolfootnotetext
9946     \let@\LTrfootnotetext\@ninecolLTRfootnotetext
9947     \let@\RTLfootnotetext\@ninecolRTLfootnotetext
9948     \dimen\footinsv@r=9\footinsdim
9949     \count\footinsv@r=111\relax
9950     \m@make@ninecol@footgroup{v@r}%
9951     \let@\footgroupv@r\@ninecol@footgroupv@r
9952     \let@\mpfootnotetext\@mpninecolfootnotetext
9953     \let@\mpLTRfootnotetext\@mpninecolLTRfootnotetext
9954     \let@\mpRTLfootnotetext\@mpninecolRTLfootnotetext
9955     @bidi@after@Hy@hyperfootnotes
9956     \m@make@mpninecol@footgroup{v@r}%
9957     \let@\mp@footgroupv@r\@mpninecol@footgroupv@r
9958 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9959     \def\baselinestretch{\m@m@footnote@spacing}%
9960     \reset@font\foottextfont
9961     @preamfntext
9962     \protected@edef\@currentlabel{%
9963         \csname p@footnote\endcsname\@thefnmark}%
9964     \color@begingroup
9965         \@ninecolfootfmt{#1}%
9966     \color@endgroup}%
9967     \m@mmf@prepare}
9968 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9969     \def\baselinestretch{\m@m@footnote@spacing}%
9970     \reset@font\LTRfoottextfont
9971     @preamfntext
9972     \protected@edef\@currentlabel{%
9973         \csname p@footnote\endcsname\@thefnmark}%
9974     \color@begingroup
9975         \@ninecolLTRfootfmt{#1}%
9976     \color@endgroup}%
9977     \m@mmf@prepare}
9978 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\if@RTLtrue%
9979     \def\baselinestretch{\m@m@footnote@spacing}%
9980     \reset@font\RTLfoottextfont
9981     @preamfntext
9982     \protected@edef\@currentlabel{%
9983         \csname p@footnote\endcsname\@thefnmark}%
9984     \color@begingroup
9985         \@ninecolRTLfootfmt{#1}%

```



```

9986  \color@endgroup}%
9987  \m@mmf@prepare}
9988 \bidi@ensure@newcommand{\@preamninefmt}{%
9989  \hsize .1\hsize
9990  \parindent=\z@
9991  \tolerance=5000\relax
9992  \leavevmode}
9993 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
9994  \@preamninefmt
9995  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9996 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
9997  \@preamninefmt
9998  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9999 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
10000  \@preamninefmt
10001  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
10002 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
10003  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10004  \unvbox\@mpfootinsv@r
10005  \def\baselinestretch{\m@m@footnote@spacing}%
10006  \reset@font\foottextfont
10007  \hsize\columnwidth \parboxrestore
10008  \protected@edef@\currentlabel{%
10009    \csname p@mpfootnote\endcsname\@thefnmark}%
10010  \color@begingroup
10011  \@ninecolfootfmt{#1}%
10012  \color@endgroup}%
10013  \m@mmf@prepare}
10014 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
10015  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
10016  \unvbox\@mpfootinsv@r
10017  \def\baselinestretch{\m@m@footnote@spacing}%
10018  \reset@font\LTRfoottextfont
10019  \hsize\columnwidth \parboxrestore
10020  \if@RTLcolumnfootnotes\beginL\fi
10021  \protected@edef@\currentlabel{%
10022    \csname p@mpfootnote\endcsname\@thefnmark}%
10023  \color@begingroup
10024  \@ninecolLTRfootfmt{#1}%
10025  \color@endgroup}%
10026  \m@mmf@prepare}
10027 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
10028  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
10029  \unvbox\@mpfootinsv@r
10030  \def\baselinestretch{\m@m@footnote@spacing}%
10031  \reset@font\RTLfoottextfont
10032  \hsize\columnwidth \parboxrestore
10033  \protected@edef@\currentlabel{%
10034    \csname p@mpfootnote\endcsname\@thefnmark}%
10035  \color@begingroup

```



```

10036   \@ninecolRTLfootfmt{#1}%
10037   \color@endgroup}%
10038   \m@mmf@prepare}%
10039 \bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
10040   \m@make@ninecolfootnotetext{#1}%
10041   \m@make@mpninecolfootnotetext{#1}%
10042   \m@make@ninecolfootfmt{#1}%
10043   \m@make@ninecol@footgroup{#1}%
10044   \m@make@mpninecol@footgroup{#1}%
10045   \m@make@footstart{#1}%
10046   \bidi@namelongdef{@footnotetext{#1}##1{%
10047     \nameuse{@ninecolfootnotetext{#1}##1}}%
10048   \bidi@namelongdef{@mpfootnotetext{#1}##1{%
10049     \nameuse{@mpninecolfootnotetext{#1}##1}}%
10050   \namedef{@footgroup{#1}{\nameuse{@ninecol@footgroup{#1}}}}%
10051   \namedef{@mp@footgroup{#1}{\nameuse{@mpninecol@footgroup{#1}}}}%
10052   \expandafter\dimen\csname footins{#1}\endcsname=2\footinsdim
10053   \expandafter\count\csname footins{#1}\endcsname=500\relax}%
10054 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
10055   \bidi@namelongdef{@ninecolfootnotetext{#1}##1{%
10056     \insert\nameuse{footins{#1}}{%
10057       \def\baselinestretch{\m@m@footnote@spacing}%
10058       \reset@font\nameuse{foottextfont{#1}}{%
10059         \preamfntext
10060         \protected@edef@\currentlabel{%
10061           \csname p@footnote{#1}\endcsname \nameuse{@thefnmark{#1}}}}%
10062         \color@begingroup
10063           \nameuse{@ninecolfootfmt{#1}##1}}%
10064         \color@endgroup}%
10065         \m@mmf@prepare}}}
10066 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
10067 \bidi@namelongdef{@mpninecolfootnotetext{#1}##1{%
10068   \global\setbox\nameuse{@mpfootins{#1}}\vbox{%
10069     \unvbox\nameuse{@mpfootins{#1}}
10070     \def\baselinestretch{\m@m@footnote@spacing}%
10071     \reset@font\nameuse{foottextfont{#1}}{%
10072       \hsize\columnwidth \parboxrestore
10073       \protected@edef@\currentlabel{%
10074         \csname p@mpfootnote{#1}\endcsname\nameuse{@thefnmark{#1}}}}%
10075     \color@begingroup
10076       \nameuse{@ninecolfootfmt{#1}##1}}%
10077     \color@endgroup\m@mmf@prepare}}}
10078 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
10079   \namedef{@ninecolfootfmt{#1}##1{%
10080     \preamninefmt
10081     {\nameuse{footfootmark{#1}}\strut
10082       {\nameuse{foottextfont{#1}##1}\strut\par}\allowbreak}}}
10083 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
10084   \namedef{@ninecol@footgroup{#1}{{%
10085     \def\baselinestretch{\m@m@footnote@spacing}}%

```



```

10086      \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10087      \m@rigidbalance{\nameuse{footins#1}{9}{\splittopskip}}}
10088 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
10089 \namedef{@mpninecol@footgroup#1}{%
10090 \def\baselinestretch{\m@m@footnote@spacing}%
10091 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10092 \m@rigidbalance{\nameuse{@mpfootins#1}{9}{\splittopskip}}}
10093 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
10094 \nameuse{foottextfontv@r}{foottextfont}%
10095 % [RS]
10096 \bidi@before@Hy@hyperfootnotes
10097 \let\footnotetext\tencolfootnotetext
10098 \let\LTRfootnotetext\tencolLTRfootnotetext
10099 \let\RTLfootnotetext\tencolRTLfootnotetext
10100 \dimen\footinsv@r=10\footinsdim
10101 \count\footinsv@r=100\relax
10102 \m@make@tencol@footgroup{v@r}%
10103 \let\footgroupv@r\tencol@footgroupv@r
10104 \let\mpfootnotetext\ptencolfootnotetext
10105 \let\mplTRfootnotetext\ptencolLTRfootnotetext
10106 \let\mpRTLfootnotetext\ptencolRTLfootnotetext
10107 \bidi@after@Hy@hyperfootnotes
10108 \m@make@mpencol@footgroup{v@r}%
10109 \let\mp@footgroupv@r\ptencol@footgroupv@r
10110 \bidi@ensure@newcommand{\tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
10111 \def\baselinestretch{\m@m@footnote@spacing}%
10112 \reset@font\foottextfont
10113 \preamfntext
10114 \protected@edef\currentlabel{%
10115 \csname p@footnote\endcsname\@thefnmark}%
10116 \color@begingroup
10117 \tencolfootfmt{#1}%
10118 \color@endgroup}%
10119 \bidi@ensure@newcommand{\tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\@RTLtrue%
10120 \def\baselinestretch{\m@m@footnote@spacing}%
10121 \reset@font\LTRfoottextfont
10122 \preamfntext
10123 \protected@edef\currentlabel{%
10124 \csname p@footnote\endcsname\@thefnmark}%
10125 \color@begingroup
10126 \tencolLTRfootfmt{#1}%
10127 \color@endgroup}%
10128 \m@mmf@prepare}
10129 \bidi@ensure@newcommand{\tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
10130 \def\baselinestretch{\m@m@footnote@spacing}%
10131 \reset@font\RTLfoottextfont
10132 \preamfntext
10133 \protected@edef\currentlabel{%
10134 \csname p@footnote\endcsname\@thefnmark}%
10135 \color@begingroup

```



```

10136      \atencolRTLfootfmt{#1}%
10137  \color@endgroup}%
10138  \m@mmf@prepare}%
10139 \bidi@ensure@newcommand{\@preamtenfmt}{%
10140   \hsize .1\hsize
10141   \parindent=\z@
10142   \tolerance=5000\relax
10143   \leavevmode}
10144 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
10145   \preamtenfmt
10146   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
10147 \bidi@ensure@newcommand{\@tencollTRfootfmt}[1]{%
10148   \preamtenfmt
10149   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
10150 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
10151   \preamtenfmt
10152   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
10153 \bidi@ensure@newcommand{\@mptfootnotetext}[1]{%
10154   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10155   \unvbox\@mpfootinsv@r
10156   \def\baselinestretch{\m@m@footnote@spacing}%
10157   \reset@font\foottextfont
10158   \hsize\columnwidth \parboxrestore
10159   \protected@edef@\currentlabel{%
10160     \csname p@mpfootnote\endcsname\@thefnmark}%
10161   \color@begingroup
10162   \atencolfootfmt{#1}%
10163   \color@endgroup}%
10164   \m@mmf@prepare}
10165 \bidi@ensure@newcommand{\@mptfootnotetext}[1]{%
10166   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
10167   \unvbox\@mpfootinsv@r
10168   \def\baselinestretch{\m@m@footnote@spacing}%
10169   \reset@font\LTRfoottextfont
10170   \hsize\columnwidth \parboxrestore
10171   \if@RTLcolumnfootnotes\beginL\fi
10172   \protected@edef@\currentlabel{%
10173     \csname p@mpfootnote\endcsname\@thefnmark}%
10174   \color@begingroup
10175   \atencollTRfootfmt{#1}%
10176   \color@endgroup}%
10177   \m@mmf@prepare}
10178 \bidi@ensure@newcommand{\@mptfootnotetext}[1]{%
10179   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
10180   \unvbox\@mpfootinsv@r
10181   \def\baselinestretch{\m@m@footnote@spacing}%
10182   \reset@font\RTLfoottextfont
10183   \hsize\columnwidth \parboxrestore
10184   \protected@edef@\currentlabel{%
10185     \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

10186  \color@begingroup
10187    \tencolRTLfootfmt{#1}%
10188  \color@endgroup}%
10189  \m@mmf@prepare}
10190 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
10191  \m@make@tencolfootnotetext{#1}%
10192  \m@make@mptencolfootnotetext{#1}%
10193  \m@make@tencolfootfmt{#1}%
10194  \m@make@tencol@footgroup{#1}%
10195  \m@make@mptencol@footgroup{#1}%
10196  \m@make@footstart{#1}%
10197  \bidi@namelongdef{@footnotetext#1}##1{%
10198    \nameuse{@tencolfootnotetext#1}{##1}}%
10199 \bidi@namelongdef{@mpfootnotetext#1}##1{%
10200   \nameuse{@mptencolfootnotetext#1}{##1}}%
10201 \namedef{@footgroup#1}{\nameuse{@tencol@footgroup#1}}%
10202 \namedef{mp@footgroup#1}{\nameuse{@mptencol@footgroup#1}}%
10203 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
10204 \expandafter\count\csname footins#1\endcsname=500\relax
10205 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
10206  \bidi@namelongdef{@tencolfootnotetext#1}##1{%
10207    \insert\nameuse{footins#1}{%
10208      \def\baselinestretch{\m@m@footnote@spacing}%
10209      \reset@font\nameuse{foottextfont#1}}%
10210      \preamfntext
10211      \protected@edef@\currentlabel{%
10212        \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
10213      \color@begingroup
10214        \nameuse{@tencolfootfmt#1}{##1}}%
10215      \color@endgroup}%
10216      \m@mmf@prepare}}
10217 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
10218 \bidi@namelongdef{@mptencolfootnotetext#1}##1{%
10219   \global\setbox\nameuse{@mpfootins#1}\vbox{%
10220     \unvbox\nameuse{@mpfootins#1}
10221     \def\baselinestretch{\m@m@footnote@spacing}%
10222     \reset@font\nameuse{foottextfont#1}}%
10223     \hsize\columnwidth \parboxrestore
10224     \protected@edef@\currentlabel{%
10225       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
10226     \color@begingroup
10227       \nameuse{@tencolfootfmt#1}{##1}}%
10228     \color@endgroup\m@mmf@prepare}}
10229 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
10230  \namedef{@tencolfootfmt#1}##1{%
10231    \preamtenfmt
10232    {\nameuse{footfootmark#1}\strut
10233      {\nameuse{foottextfont#1}{##1}\strut\par\allowbreak}}}
10234 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
10235  \namedef{@tencol@footgroup#1}{%

```



```

10236   \def\baselinestretch{\m@m@footnote@spacing}%
10237     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10238     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
10239 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
10240 \cnamedef{@mptencol@footgroup#1}{{%
10241   \def\baselinestretch{\m@m@footnote@spacing}%
10242     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10243     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
10244 \bidi@ensure@newcommand{\m@munvxh}[1]{%
10245   \setbox0=\vbox{\unvbox#1}%
10246   \global\setbox1=\lastbox}%
10247   \unhbox1
10248   \unskip
10249   \unskip
10250   \unpenalty
10251   \hskip\m@mipn@skip}
10252 \bidi@ensure@newcommand{\m@mungebox}{%
10253   \setbox0=\hbox{\m@munvxh}%
10254   \dp0=\z@
10255   \ht0=\footfudgefactor\wd0
10256   \box0
10257   \penalty0}
10258 \newskip\m@mipn@skip
10259 \bidi@ensure@newcommand*{\m@minterparanote glue}[1]{%
10260   {\foottextfont\global\m@mipn@skip=#1\relax}}
10261 \m@minterparanote glue{1em plus .4em minus .4em}
10262 @ifpackageloaded{multicol}{%
10263 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
10264   \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi}%
10265   \hsize\textwidth%
10266   \setbox0=\hbox{}%
10267   \loop
10268     \unpenalty
10269     \setbox2=\lastbox
10270   \ifhbox2
10271     \setbox0=\hbox{\box2\unhbox0}
10272     \repeat}
10273 }{%
10274 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
10275   \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi}%
10276   \setbox0=\hbox{}%
10277   \loop
10278     \unpenalty
10279     \setbox2=\lastbox
10280   \ifhbox2
10281     \setbox0=\hbox{\box2\unhbox0}
10282     \repeat}}
10283 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
10284   \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
10285 \bidi@ensure@newcommand*{\footfudgefiddle}{64}

```



```

10286 \bidi@ensure@newcommand{\paragraphfootnotes}{%
10287   \@namedef{foottextfontv@r}{\foottextfont}%
10288   % [RS]
10289   \@bidi@before@Hy@hyperfootnotes
10290   \let\@footnotetext\@parafootnotetext
10291   \let\@LTRfootnotetext\@paraLTRfootnotetext
10292   \let\@RTLfootnotetext\@paraRTLfootnotetext
10293   \dimen\footinsv@r=\footinsdim
10294   \count\footinsv@r=1000\relax
10295   \m@make@para@footgroup{v@r}%
10296   \let\@footgroupv@r\@para@footgroupv@r
10297   \let\@mpfootnotetext\@mpparafootnotetext
10298   \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
10299   \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
10300   \@bidi@after@Hy@hyperfootnotes
10301   \m@make@mppara@footgroup{v@r}%
10302   \let\@mp@footgroupv@r\@mppara@footgroupv@r
10303   \begingroup
10304   \def\baselinestretch{\m@m@footnote@spacing}%
10305   \foottextfont
10306   \tempdima\normalbaselineskip
10307   \multiply\tempdima\@ccilvi
10308   \tempdimb\columnwidth
10309   \divide\tempdimb\@ccilvi
10310   \divide\tempdima\tempdimb
10311   \xdef\footfudgefactor{\strip@pt\tempdima}%
10312   \endgroup
10313 }
10314 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
10315   \let\bidi@RTL@everypar\@empty%
10316   \def\baselinestretch{\m@m@footnote@spacing}%
10317   \reset@font\foottextfont
10318   \preamfntext
10319   \protected@edef\@currentlabel{%
10320     \csname p@footnote\endcsname\@thefnmark}%
10321   \setbox0=\vbox{\hsize=\maxdimen
10322     \color@begingroup
10323     \noindent\@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL}%
10324   \color@endgroup}%
10325 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
10326   \let\bidi@RTL@everypar\@empty%
10327   \def\baselinestretch{\m@m@footnote@spacing}%
10328   \reset@font\LTRfoottextfont
10329   \preamfntext
10330   \protected@edef\@currentlabel{%
10331     \csname p@footnote\endcsname\@thefnmark}%
10332   \setbox0=\vbox{\hsize=\maxdimen
10333     \color@begingroup
10334     \noindent\@paraLTRfootfmt{\beginL#1\endL}%
10335   \color@endgroup}%

```



```

10336  \m@mungebox}\m@mmpf@prepare}
10337 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
10338  \let\bidi@RTL@everypar\@empty%
10339  \def\baselinestretch{\m@m@footnote@spacing}%
10340  \reset@font\RTLfoottextfont
10341  \preamfntext
10342  \protected@edef\@currentlabel{%
10343   \csname p@footnote\endcsname\@thefnmark}%
10344  \setbox0=\vbox{\hsize=\maxdimen
10345   \color@begingroup
10346   \noindent \@paraRTLfootfmt{\beginR#1\endR}%
10347   \color@endgroup}%
10348  \m@mungebox}\m@mmpf@prepare}
10349 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
10350  \parindent=\z@
10351  \parfillskip=0pt \oplus 1fil
10352  {\footfootmark\strut {\foottextfont #1}\penalty-10}%
10353 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
10354  \parindent=\z@
10355  \parfillskip=0pt \oplus 1fil
10356  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}%
10357 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
10358  \parindent=\z@
10359  \parfillskip=0pt \oplus 1fil
10360  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}%
10361 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
10362  \global\setbox\@mpfootinsv@r\vbox{%
10363   \let\bidi@RTL@everypar\@empty%
10364   \def\baselinestretch{\m@m@footnote@spacing}%
10365   \unvbox\@mpfootinsv@r
10366   \reset@font\foottextfont
10367   \hsize\columnwidth \parboxrestore
10368   \protected@edef\@currentlabel{%
10369    \csname p@mpfootnote\endcsname\@thefnmark}%
10370   \setbox0=\vbox{\hsize=\maxdimen
10371    \color@begingroup
10372    \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL\fi}%
10373    \color@endgroup}%
10374  \m@mungebox}\m@mmpf@prepare}
10375 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
10376  \global\setbox\@mpfootinsv@r\vbox{%
10377   \let\bidi@RTL@everypar\@empty%
10378   \def\baselinestretch{\m@m@footnote@spacing}%
10379   \unvbox\@mpfootinsv@r
10380   \reset@font\LTRfoottextfont
10381   \hsize\columnwidth \parboxrestore
10382   \protected@edef\@currentlabel{%
10383    \csname p@mpfootnote\endcsname\@thefnmark}%
10384   \setbox0=\vbox{\hsize=\maxdimen
10385    \color@begingroup

```



```

10386      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
10387      \color@endgroup}%
10388  \m@mungebox}\m@mmpf@prepare}
10389 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
10390  \global\setbox\@mpfootinsv@r\vbox{%
10391  \let\bidi@RTL@everypar\empty}%
10392  \def\baselinestretch{\m@m@footnote@spacing}%
10393  \unvbox\@mpfootinsv@r
10394  \reset@font\RTLfoottextfont
10395  \hsize\columnwidth \parboxrestore
10396  \protected@edef@\currentlabel{%
10397    \csname p@mpfootnote\endcsname\@thefnmark}%
10398  \setbox0=\vbox{\hsize=\maxdimen
10399    \color@begingroup
10400    \noindent \@paraRTLfootfmt{\beginR#1\endR}%
10401    \color@endgroup}%
10402  \m@mungebox}\m@mmpf@prepare}
10403 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
10404  \m@make@parafootnotetext{#1}%
10405  \m@make@mpparafootnotetext{#1}%
10406  \m@make@parafootfmt{#1}%
10407  \m@make@para@footgroup{#1}%
10408  \m@make@mppara@footgroup{#1}%
10409  \m@make@para@footstart{#1}%
10410  \bidi@namelongdef{@footnotetext#1}##1{%
10411    \nameuse{@parafootnotetext#1}{##1}}%
10412  \bidi@namelongdef{@mpfootnotetext#1}##1{%
10413    \nameuse{@mpparafootnotetext#1}{##1}}%
10414  \namedef{@footgroup#1}{\nameuse{@para@footgroup#1}}%
10415  \namedef{@mp@footgroup#1}{\nameuse{@mppara@footgroup#1}}%
10416  \namedef{@footstart#1}{\nameuse{@para@footstart#1}}%
10417  \expandafter\dimen\csname footins#1\endcsname=\footinsdim
10418  \expandafter\count\csname footins#1\endcsname=1000\relax
10419  \begingroup
10420  \def\baselinestretch{\m@m@footnote@spacing}%
10421  \nameuse{foottextfont#1}%
10422  \tempdima\normalbaselineskip
10423  \multiply \tempdima \cclvi
10424  \tempdimb \columnwidth
10425  \divide \tempdimb \cclvi
10426  \divide \tempdima \tempdimb
10427  \xdef\footfudgefactor{\strip@pt\tempdima}%
10428  \endgroup
10429  }
10430 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
10431 \bidi@namelongdef{@parafootnotetext#1}##1{%
10432  \insert\nameuse{footins#1}{%
10433  \def\baselinestretch{\m@m@footnote@spacing}%
10434  \reset@font\nameuse{foottextfont#1}%
10435  \preamfntext

```



```

10436 \protected@edef{@currentlabel{%
10437   \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
10438 \setbox0=\vbox{\hsize=\maxdimen
10439   \color@begingroup
10440     \noindent \nameuse{@parafootfmt#1}{##1}%
10441   \color@endgroup}%
10442 \m@mungebox}\m@mmf@prepare}%
10443 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
10444 \bidi@namealongdef{@mpparafootnotetext#1}##1{%
10445   \global\setbox\nameuse{@mpfootins#1}\vbox{%
10446     \unvbox\nameuse{@mpfootins#1}
10447     \def\baselinestretch{\m@mfootnote@spacing}%
10448     \reset@font\nameuse{foottextfont#1}%
10449     \hsize\columnwidth \parboxrestore
10450   \protected@edef{@currentlabel{%
10451     \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
10452   \setbox0=\vbox{\hsize=\maxdimen
10453     \color@begingroup
10454       \noindent \nameuse{@parafootfmt#1}{##1}%
10455     \color@endgroup}%
10456   \m@mungebox}\m@mmf@prepare}%
10457 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
10458 \bidi@namealongdef{@parafootfmt#1}##1{%
10459   \parindent=\z@
10460   \parfillskip=0pt \plus 1fil
10461   {\nameuse{footfootmark#1}\strut
10462     {\nameuse{foottextfont#1}##1\penalty-10}}}
10463 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
10464 \namedef{@para@footgroup#1}{%
10465   \unvbox\nameuse{footins#1}
10466   \m@mmakehboxofhboxes
10467   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10468   \parboxrestore%
10469   \def\baselinestretch{\m@mfootnote@spacing}%
10470   \nameuse{foottextfont#1}%
10471   \noindent\unhbox0\par}}
10472 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
10473 \namedef{@mppara@footgroup#1}{%
10474   \unvbox\nameuse{@mpfootins#1}
10475   \m@mmakehboxofhboxes
10476   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10477   \def\baselinestretch{\m@mfootnote@spacing}%
10478   \nameuse{foottextfont#1}%
10479   \noindent\unhbox0\par}}
10480 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
10481 \namedef{@para@footstart#1}{%
10482   \vskip\bigskipamount
10483   \leftskip=\z@
10484   \rightskip=\z@
10485   \parindent=\z@

```



```

10486  \vskip\skip\@nameuse{footins#1}%
10487  \footnoterule}
10488 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
10489  \xdef\@freelist{\@freelist\@midlist}%
10490  \global\let\@midlist\@empty
10491  \@combinefloats}
10492 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
10493  \ifvbox\@kludgeins
10494    \makespecialcolbox
10495  \else
10496    \setbox\@outputbox \vbox to\@colht{%
10497      \texttop
10498      \dimen@\dp\@outputbox
10499      \unvbox\@outputbox
10500      \vskip -\dimen@
10501      \textbottom}%
10502  \fi}
10503 \bidi@ensure@newcommand*{\m@m@makecolintro}{}
10504 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
10505  \boxmaxdepth\@maxdepth
10506  \tempdima\dp\@cclv
10507  \unvbox\@cclv
10508  \vskip-\tempdima
10509  \bidi@mopfn@bottom
10510  \vskip \skip\footins
10511  \color@begingroup
10512    \normalcolor
10513    \footnoterule
10514    \unvbox\footins
10515  \color@endgroup}}
10516 \newcommand*{\bidi@mopfootnotebf}{%
10517  \setbox\@outputbox \vbox{%
10518  \boxmaxdepth\@maxdepth
10519  \unvbox\@outputbox
10520  \bidi@mopfn@bottom
10521  \vskip\skip\footins
10522  \color@begingroup
10523    \normalcolor
10524    \footnoterule
10525    \unvbox\footins
10526  \color@endgroup}}
10527 \gdef\mem@makecol{%
10528  \m@m@makecolintro
10529  \ifvoid\footins
10530    \setbox\@outputbox \box\@cclv
10531  \else
10532    \m@mopfootnote
10533  \fi
10534  \m@mdoextrafeet
10535  \m@m@makecolfloats

```



```

10536   \m@m@makecoltext
10537   \global \maxdepth \@maxdepth}
10538 \gdef\bidi@makecolbf{%
10539   \m@m@makecolintro
10540   \setbox\@outputbox \box\@cclv
10541   \m@m@makecolfloats
10542   \ifvoid\footins
10543   \else
10544     \bidi@mopfootnotebf
10545   \fi
10546   \m@m@doextrafeet
10547   \m@m@makecoltext
10548   \global \maxdepth \@maxdepth}
10549 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
10550 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
10551 \newcommand{\FeetAtBottom}{\def\bidi@mopfn@bottom{\vfill\relax}}
10552 \newcommand{\FeetBelowRagged}{\let\bidi@mopfn@bottom\relax}
10553 \FeetAboveFloat
10554 \FeetBelowRagged

```

55 File extreport-xetex-bidi.def

```

10555 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class]
10556 \renewcommand*\l@part[2]{%
10557   \ifnum \c@tocdepth >-2\relax
10558     \addpenalty{-\@highpenalty}%
10559     \addvspace{2.25em \oplus \p@}%
10560     \begingroup
10561       \setlength{\tempdima{3em}}%
10562       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
10563       \parfillskip -\pnumwidth
10564       \leavevmode
10565       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
10566       \nobreak
10567       \global\ nobreaktrue
10568       \everypar{\global\ nobreakfalse\everypar{} }%
10569     \endgroup
10570   \fi}
10571 \renewcommand*\l@chapter[2]{%
10572   \ifnum \c@tocdepth >\m@ne
10573     \addpenalty{-\@highpenalty}%
10574     \vskip 1.0em \oplus \p@
10575     \setlength{\tempdima{1.5em}}%
10576     \begingroup
10577       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
10578       \parfillskip -\pnumwidth
10579       \leavevmode \bfseries
10580       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
10581       \hskip -\if@RTL\rightskip\else\leftskip\fi
10582       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par

```



```

10583     \penalty\@highpenalty
10584     \endgroup
10585     \fi}
10586 \def\@makechapterhead#1{%
10587   \vspace*{50\p@}%
10588   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
10589     \ifnum \c@secnumdepth >\m@ne
10590       \huge\bfseries \chapapp\space \thechapter
10591     \par\nobreak
10592     \vskip 20\p@
10593   \fi
10594   \interlinepenalty\@M
10595   \Huge \bfseries #1\par\nobreak
10596   \vskip 40\p@
10597 }
10598 \def\@makeschapterhead#1{%
10599   \vspace*{50\p@}%
10600   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
10601     \normalfont
10602     \interlinepenalty\@M
10603     \Huge \bfseries #1\par\nobreak
10604     \vskip 40\p@
10605 }
10606 \renewcommand\left@footnoterule{%
10607   \kern-3\p@
10608   \hrule\@width.4\columnwidth
10609   \kern2.6\p@}
10610 \renewcommand\right@footnoterule{%
10611   \kern-3\p@
10612   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
10613   \kern2.6\p@}
10614 \renewenvironment{\thebibliography}[1]
10615   {\chapter*{\bibname
10616     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}}\%
10617     \if@RTL\if@LTRibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
10618     \bidi@thebibliography\font@hook\%
10619     \list{\@biblabel{\@arabic\c@enumiv}}\%
10620       {\settowidth\labelwidth{\@biblabel{\#1}}\%
10621         \leftmargin\labelwidth
10622         \advance\leftmargin\labelsep
10623         \openbib@code
10624         \usecounter{enumiv}\%
10625         \let\p@enumiv\empty
10626         \renewcommand\theenumiv{\@arabic\c@enumiv}\%
10627         \sloppy\clubpenalty4000\widowpenalty4000\%
10628         \sfcode`.\@m\}
10629       \def\@noitemerr
10630         {\@latex@warning{Empty `thebibliography' environment}}\%
10631       \endlist}
10632 \if@titlepage
```



```

10633 \renewcommand{\maketitle}{\begin{titlepage}%
10634 \let\footnotesize\small
10635 \let\right@footnoterule\relax
10636 \let\left@footnoterule\relax
10637 \let\textwidth@footnoterule\relax
10638 \let \footnote \thanks
10639 \null\vfil
10640 \vskip 60\p@
10641 \begin{center}%
10642 {\LARGE \@title \par}%
10643 \vskip 3em%
10644 {\large
10645 \lineskip .75em%
10646 \begin{tabular}[t]{c}%
10647 \author
10648 \end{tabular}\par}%
10649 \vskip 1.5em%
10650 {\large \@date \par} % Set date in \large size.
10651 \end{center}\par
10652 \thanks
10653 \vfil\null
10654 \end{titlepage}%
10655 \setcounter{footnote}{0}%
10656 \global\let\thanks\relax
10657 \global\let\maketitle\relax
10658 \global\let\@thanks\@empty
10659 \global\let\@author\@empty
10660 \global\let\@date\@empty
10661 \global\let\@title\@empty
10662 \global\let\title\relax
10663 \global\let\author\relax
10664 \global\let\date\relax
10665 \global\let\and\relax
10666 }
10667 \else
10668 \renewcommand{\maketitle}{\par
10669 \begingroup
10670 \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
10671 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10672 \long\def\@makefntext{\parindent 1em\noindent
10673 \hb@xt@1.8em{%
10674 \hss\@textsuperscript{\normalfont\@thefnmark}}\#1}%
10675 \if@twocolumn
10676 \ifnum \col@number=\@ne
10677 \maketitle
10678 \else
10679 \twocolumn[\maketitle]%
10680 \fi
10681 \else
10682 \newpage

```



```

10683     \global\@topnum\z@    % Prevents figures from going at top of page.
10684     \@maketitle
10685     \fi
10686     \thispagestyle{plain}\@thanks
10687   \endgroup
10688   \setcounter{footnote}{0}%
10689   \global\let\thanks\relax
10690   \global\let\maketitle\relax
10691   \global\let\@maketitle\relax
10692   \global\let\@thanks\@empty
10693   \global\let\@author\@empty
10694   \global\let\@date\@empty
10695   \global\let\@title\@empty
10696   \global\let\title\relax
10697   \global\let\author\relax
10698   \global\let\date\relax
10699   \global\let\and\relax
10700 }
10701 \def\@maketitle{%
10702   \newpage
10703   \null
10704   \vskip 2em%
10705   \begin{center}%
10706   \let \footnote \thanks
10707   {\LARGE \@title \par}%
10708   \vskip 1.5em%
10709   {\large
10710     \lineskip .5em%
10711     \begin{tabular}[t]{c}%
10712       \author
10713     \end{tabular}\par}%
10714   \vskip 1em%
10715   {\large \@date}%
10716   \end{center}%
10717   \par
10718   \vskip 1.5em}
10719 \fi
10720 \renewcommand\thesection{\thechapter\@SepMark\@arabic\c@section}
10721 \renewcommand\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
10722 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
10723 \renewcommand\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
10724 \renewcommand\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
10725 \renewcommand\theequation{%
10726   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
10727 \renewcommand\thefigure{%
10728   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
10729 \renewcommand\thetable{%
10730   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}

```



56 File fancybox-xetex-bidi.def

```
10731 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
10732 \def\fancy@oval#1#2#3{%
10733   \boxmaxdepth \maxdimen
10734   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
10735   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
10736   \@ovxx#1\relax
10737   \advance\@ovxx-\@wholewidth
10738   \@ovyy#2\relax
10739   \advance\@ovyy-\@wholewidth
10740   \ifdim\@tempdimb >\@ovyy \else \@ovyy \fi
10741   \advance\@tempdimb-2\p@
10742   \ifdim\@tempdimb>\the\cornersize\relax
10743     \atempdimb=\the\cornersize
10744   \fi
10745   \getcirc\@tempdimb
10746   \ovro\ht\tempboxa \ovri\dp\tempboxa
10747   \ovdx\ovxx \advance\ovdx-\tempdima \divide\ovdx \tw@
10748   \ovdy\ovyy \advance\ovdy-\tempdima \divide\ovdy \tw@
10749   \circlefont
10750   \setbox\tempboxa\hbox{\beginL%
10751     \if@ovr \ovvert32\kern -\tempdima \fi
10752     \if@ovl \kern \ovxx \ovvert01\kern -\tempdima \kern -\ovxx \fi
10753     \if@ovt \ovhorz \kern -\ovxx \fi
10754     \if@ovb \raise \ovyy \ovhorz \fi\endL}%
10755   \advance\ovdx\ovro
10756   \advance\ovdy\ovro
10757   \advance\ovxx\@wholewidth
10758   \wd\tempboxa=\ovxx
10759   \dp\tempboxa=\z@}
```

57 File fancyhdr-xetex-bidi.def

```
10760 \ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package]
10761
10762 \let\f@nch@everypar\everypar
10763
10764 \def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10765   \f@nch@vbox\headheight{\hbox
10766   {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
10767     \parbox[b]{\headwidth}{\centering#3}\hfill
10768     \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}#5}
10769
10770 \def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10771   \f@nch@vbox\footskip{\footrule
10772     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
10773       \parbox[t]{\headwidth}{\centering#3}\hfill
10774       \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}\footrule}#5}
10775
```



58 File fix2col-xetex-bidi.def

```
10776 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package for
10777 \def\RTL@outputdblcol{%
10778   \if@firstcolumn
10779     \global\@firstcolumnfalse
10780     \global\setbox\@leftcolumn\copy\@outputbox
10781     \splitmaxdepth\maxdimen
10782     \vbadness\maxdimen
10783     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10784     \toks@\expandafter{\topmark}%
10785     \xdef\@firstcoltopmark{\the\toks@}%
10786     \toks@\expandafter{\splitfirstmark}%
10787     \xdef\@firstcolfirstmark{\the\toks@}%
10788     \ifx\@firstcolfirstmark\empty
10789       \global\let\@setmarks\relax
10790     \else
10791       \gdef\@setmarks{%
10792         \let\firstmark\@firstcolfirstmark
10793         \let\topmark\@firstcoltopmark}%
10794     \fi
10795 \else \global\@firstcolumntrue
10796 \setbox\@outputbox \vbox {\hbox to\textwidth {%
10797 \hspace\columnwidth
10798 \hfil \vrule width\columnseprule \hfil
10799 \hbox to\columnwidth {%
10800 \bidi@firstcolumn@status@write%
10801 \box\@leftcolumn \hss}%
10802 \hspace -\textwidth
10803 \hbox to\columnwidth{%
10804 \bidi@lastcolumn@status@write%
10805 \box\@outputbox \hss}%
10806 \hspace \columnsep
10807 \hspace \columnwidth }}%
10808 \combinedblfloats \@setmarks \@outputpage
10809 \begingroup \dblfloatplacement \startdblcolumn
10810 \whilesw\if@fcollmade \fi
10811 {\@outputpage \startdblcolumn }\endgroup
10812 \fi}
10813 \def\LTR@outputdblcol{%
10814   \if@firstcolumn
10815     \global\@firstcolumnfalse
10816     \global\setbox\@leftcolumn\copy\@outputbox
10817     \splitmaxdepth\maxdimen
10818     \vbadness\maxdimen
10819     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10820     \toks@\expandafter{\topmark}%
10821     \xdef\@firstcoltopmark{\the\toks@}%
10822     \toks@\expandafter{\splitfirstmark}%
10823     \xdef\@firstcolfirstmark{\the\toks@}%
10824 }
```



```

10824     \ifx\@firstcolfirstmark\@empty
10825         \global\let\@setmarks\relax
10826     \else
10827         \gdef\@setmarks{%
10828             \let\firstmark\@firstcolfirstmark
10829             \let\topmark\@firstcoltopmark}%
10830     \fi
10831 \else
10832     \global\@firstcolumntrue
10833     \setbox\@outputbox\vbox{%
10834         \hb@xt@\textwidth{%
10835             \hb@xt@\columnwidth{%
10836                 \bidi@firstcolumn@status@write}%
10837                 \box\@leftcolumn \hss}%
10838             \hfil
10839             \vrule \cwidth\columnseprule
10840             \hfil
10841             \hb@xt@\columnwidth{%
10842                 \bidi@lastcolumn@status@write}%
10843                 \box\@outputbox \hss}}}}%
10844 \@combinedblfloats
10845     \@setmarks
10846     \@outputpage
10847     \begingroup
10848         \cdblfloatplacement
10849         \startdblcolumn
10850         \whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
10851     \endgroup
10852 \fi}

```

59 File `fleqn-xetex-bidi.def`

```

10853 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX e
10854 \renewcommand\[\relax
10855         \ifmmode\@badmath
10856         \else
10857             \begin{trivlist}%
10858                 \begin{parpenalty}\predisplaypenalty
10859                 \end{parpenalty}\postdisplaypenalty
10860                 \item[]\leavevmode
10861                 \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$%
10862                     \hskip\mathindent\bgroup
10863                 \fi}
10864 \renewcommand\]\relax
10865         \ifmmode
10866             \egroup $\hfil% $
10867             \endL\egroup
10868             \end{trivlist}%
10869         \else \@badmath
10870         \fi}

```



```

10871 \renewenvironment{equation}%
10872   {\@beginparpenalty\predisplaypenalty
10873    \@endparpenalty\postdisplaypenalty
10874    \refstepcounter{equation}%
10875    \trivlist \item[] \leavevmode
10876      \hb@xt@\linewidth\bgroup\beginL $ \m@th% $
10877        \displaystyle
10878        \hskip\mathindent}%
10879        ${}\hfil % $
10880        \displaywidth\linewidth\hbox{\@eqnnum}%
10881      \endL\egroup
10882    \endtrivlist}

```

60 File float-xetex-bidi.def

```

10883 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
10884 \renewcommand\floatc@plain[2]{\setbox@tempboxa\hbox{\@fs@cfont #1:} #2}%
10885   \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
10886   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi\fi}
10887 \def\float@newx#1[#2]{\@ifundefined{c#1}{\newcounter{#1}[#2]}%
10888   \expandafter\edef\csname the#1\endcsname{%
10889     \expandafter\noexpand\csname
10890       the#2\endcsname\@SepMark\noexpand\arabic{#1}}}}
10891 {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

61 File floatrow-xetex-bidi.def

```

10892 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package f
10893 \renewcommand\flnew@within[1]{\@addtoreset{\FB@capttype}{#1}%
10894   \expandafter\edef\csname the\FB@capttype\endcsname{%
10895     \expandafter\noexpand\csname
10896       the#1\endcsname\@SepMark\noexpand\arabic{\FB@capttype}}}

```

62 File flowfram-xetex-bidi.def

```

10897 \ProvidesFile{flowfram-xetex-bidi.def}[2018/02/22 v0.3 bidi adaptations for flowfram package f
10898 \def\@outputdblcol{%
10899   \nxtcol=\c@thisframe
10900   \c@curpg=\c@page
10901   \g@tnextcol{\nxtcol}%
10902   \if@ff@nwpg % next flow frame starts on new page
10903     \global\@firstcolumntrue
10904     \setcolbox\c@thisframe
10905     \if@specialpage
10906       \global\@specialpagefalse
10907       \nameuse{ps@\@specialstyle}\relax
10908     \fi
10909     \if@twoside
10910       \ifodd\count\z@
10911         \let\@thehead\@oddhead

```



```

10912      \let\@thefoot\@oddfoot
10913      \else
10914          \let\@thehead\@evenhead
10915          \let\@thefoot\@evenfoot
10916      \fi
10917  \else
10918      \let\@thehead\@oddhead
10919      \let\@thefoot\@oddfoot
10920  \fi
10921  \begindvi
10922  \dodynamicthehead\dodynamicthefoot
10923  \vbadness=\@M
10924  \setbox\outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
10925  \combinedblfloats
10926  \outputpage
10927 \advance\c@curpg by -\c@page\relax
10928 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
10929 \setbox\outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
10930 \outputpage}
10931  \begingroup
10932      \dblfloatplacement
10933      \startdblcolumn
10934      \whilesw \if@fcolmade \fi
10935          {\outputpage \startdblcolumn }\endgroup
10936  \resetst@tics
10937  \resetdyn@mics
10938 \else % still on same page, save contents of box255
10939  \global\firstcolumnfalse
10940  \setcolbox\c@thisframe
10941 \fi
10942 \global\c@thisframe=\nxtcol
10943 \setcol{\c@thisframe}\relax
10944 \global\colht\vsiz
10945 }
10946 \def\outputpage{%
10947 \begingroup
10948  \let\protect\noexpand
10949  \resetactivechars
10950  \global\let\@if@newlist\if@newlist
10951  \global\@newlistfalse\parboxrestore
10952  \global\let\bidi@BeforeOutputPageShipOut\firstofone
10953  \bidi@beforeoutputpageshipouthook
10954  \shipout\vbox{\set@typeset@protect
10955      \aftergroup
10956      \endgroup
10957      \aftergroup
10958      \set@typeset@protect
10959      \reset@font\normalsize\normalsfcodes
10960      \let\label@gobble
10961      \let\index@gobble

```



```

10962 \let\glossary\@gobble
10963 \baselineskip\z@skip
10964 \lineskip\z@skip
10965 \lineskiplimit\z@
10966 \vskip\topmargin\moveright\themargin
10967 \vbox{%
10968   \global\let\bidi@BeforeHeader\@firstofone
10969   \bidi@beforeheaderhook
10970   \vskip\headheight
10971   \vskip\headsep
10972   \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
10973   \bidi@beforeoutputboxoutputpagehook
10974   \box\@outputbox
10975   \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
10976   \bidi@afteroutputboxoutputpagehook
10977   \ifvoid\@bidi@copyins@%
10978   \else
10979     \vskip\skip\@bidi@copyins@%
10980     \unvbox\@bidi@copyins@%
10981   \fi
10982 }%
10983 \global\let\bidi@AfterOutputPageShipOut\@firstofone
10984 \bidi@afteroutputpageshipouthook
10985 \global\let\if@newlist\@@if@newlist
10986 \stepcounter{page}%
10987 \setcounter{displayedframe}{0}%
10988 \let\firstmark\botmark
10989 \global\let\bidi@AtEndOutputPage\@firstofone
10990 \bidi@atendoutputpagehook
10991 }
10992
10993
10994 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}
10995 {\expandafter\bidi@color\ff@txtcol}%
10996
10997 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
10998 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}
10999
11000
11001 \renewcommand*{\@docolbox}[1]{%
11002 \edef\ff@frametype{%
11003 \csname @ff@frametype@\romannumeral#1\endcsname}%
11004 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
11005 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
11006 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
11007 \ff@setoffset{\#1}%
11008 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}%
11009 \ifthenelse{\boolean{columnframe\romannumeral#1}}{%
11010 \ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
11011 {\csname colheight\romannumeral#1\endcsname}%

```



```

11012 \expandafter\box\csname column\romannumeral#1\endcsname}{%
11013 \csname\ff@frametype\endcsname}%
11014 }{%
11015 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
11016 {\csname colheight\romannumeral#1\endcsname}%
11017 \expandafter\box\csname column\romannumeral#1\endcsname}%
11018 }}}
11019 \@ifclassloaded{book}{%
11020 \renewcommand\theequation
11021   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}%
11022 \renewcommand \thefigure
11023   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}%
11024 \renewcommand \thetable
11025   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}%
11026 \renewcommand \thechapter {\arabic\c@chapter}%
11027 \renewcommand \thesection {\thechapter\@SepMark\arabic\c@section}%
11028 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}%
11029 \renewcommand\thesubsubsection{\thesubsection \@SepMark\arabic\c@subsubsection}%
11030 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}%
11031 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}{}%
11032 \@ifclassloaded{report}{%
11033 \renewcommand\theequation
11034   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}%
11035 \renewcommand \thefigure
11036   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}%
11037 \renewcommand \thetable
11038   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}%
11039 \renewcommand \thechapter {\arabic\c@chapter}%
11040 \renewcommand \thesection {\thechapter\@SepMark\arabic\c@section}%
11041 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}%
11042 \renewcommand\thesubsubsection{\thesubsection \@SepMark\arabic\c@subsubsection}%
11043 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}%
11044 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}{}%
11045 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
11046 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
11047 \else
11048 #2\relax
11049 \fi}%

```

63 File footnote-xetex-bidi.def

```

11050 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
11051 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
11052 \newif\ifbidi\autofootnoterule
11053 \def\bidi@mpfootnoterule{\footnoterule}
11054 \newcounter{footdir@label}
11055 \renewcommand*\thefootdir@label{\footdir@\the\value{footdir@label}}
11056 \newcommand*\footdir@write{%
11057   \stepcounter{footdir@label}%
11058   \zref@labelbyprops{\thefootdir@label}{abspage}%

```



```

11059 }
11060 \newif\ifffootdir@debug
11061 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
11062 \newtoks\footdir@toks
11063 \newcommand*{\footdir@debug}[1]{%
11064   \ifffootdir@debug
11065     \typeout{[footdir] #1}%
11066   \fi
11067 }
11068 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
11069% \newcommand*{\footdir@LeftRightElse}{%
11070%   \ltx@ifundefined{footdir@\the\value{zabspage}}{%
11071%     \footdir@debug{abspage} \the\value{zabspage}: else}%
11072%   \ltx@thirdofthree
11073% }{%
11074%   \if\csname footdir@\the\value{zabspage}\endcsname L%
11075%     \footdir@debug{abspage} \the\value{zabspage}: left}%
11076%   \expandafter\ltx@firstofthree
11077% \else
11078%   \footdir@debug{abspage} \the\value{zabspage}: right}%
11079%   \expandafter\ltx@secondofthree
11080% \fi
11081% }%
11082% }%
11083% }{%
11084 \providecommand*{\c@zabspage}{\c@abspage}%
11085 \newcommand*{\footdir@LeftRightElse}{%
11086   \footdir@write
11087   \zifrefundefined{\thefootdir@label}{%
11088     \footdir@debug{abspage} ??: else}%
11089   \ltx@thirdofthree
11090 }{%
11091   \edef\footdir@abspage{%
11092     \zref@extractdefault{\thefootdir@label}{abspage}{0}%
11093   }%
11094   \ltx@ifundefined{footdir@\footdir@abspage}{%
11095     \footdir@debug{\footdir@abspage: else}%
11096     \ltx@thirdofthree
11097 }{%
11098   \if\csname footdir@\footdir@abspage\endcsname L%
11099     \footdir@debug{\footdir@abspage: left}%
11100     \expandafter\ltx@firstofthree
11101   \else
11102     \footdir@debug{\footdir@abspage: right}%
11103     \expandafter\ltx@secondofthree
11104   \fi
11105 }%
11106 }%
11107 }%
11108 %}

```



```

11109 \newcommand*{\footdir@fntext}[1]{%
11110   \zifrefundefined{\thefootdir@label}{%
11111   }{%
11112     \edef\footdir@name{%
11113       footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
11114     }%
11115     \@ifundefined{\footdir@name}{%
11116       \expandafter\gdef\csname\footdir@name\endcsname{#1}%
11117     }{}%
11118   }%
11119 }
11120
11121 \newcommand*{\footdir@temp}[3]{%
11122   \@if definable{#1}{%
11123     \let#1#2%
11124     \renewcommand{#2}[1]{%
11125       \footdir@write
11126       \footdir@fntext{#3}%
11127       \stepcounter{footdir@label}%
11128       \footdir@fntext{#3}%
11129       \footdir@toks{##1}%
11130       \footdir@toks\expandafter{%
11131         \the\expandafter\footdir@toks
11132         \expandafter
11133         \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
11134       }%
11135       \expandafter#1\expandafter{\the\footdir@toks}%
11136     }%
11137   }%
11138 }
11139
11140 \def\right@footnoterule{%
11141   \kern-3\p@
11142   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
11143   \kern2.6\p@}
11144 \def\left@footnoterule{\kern-3\p@
11145   \hrule \ewidth .4\columnwidth \kern 2.6\p@}
11146 \def\textwidth@footnoterule{\kern-3\p@
11147   \hrule \ewidth \columnwidth \kern 2.6\p@}
11148 \def\leftfootnoterule{%
11149 \bidi@autofootnoterulefalse%
11150 \def\footnoterule{\left@footnoterule}%
11151 \let\LRfootnoterule=\leftfootnoterule
11152 \def\rightfootnoterule{%
11153 \bidi@autofootnoterulefalse%
11154 \def\footnoterule{\right@footnoterule}%
11155 \def\textwidthfootnoterule{%
11156 \bidi@autofootnoterulefalse%
11157 \def\footnoterule{\textwidth@footnoterule}%
11158

```



```

11159
11160
11161 \def\auto@footnoterule{%
11162 \footdir@LeftRightElse%
11163 \left@footnoterule%
11164 \right@footnoterule%
11165 \left@footnoterule%
11166 }
11167
11168
11169
11170 \def\autofootnoterule{%
11171 \bidi@autofootnoteruletrue%
11172 \def\footnoterule{\auto@footnoterule}%
11173 }
11174
11175 \newcommand*\SplitFootnoteRule{%
11176   \gdef\split@prev{0}
11177   \let\pagefootnoterule\footnoterule
11178   \let\mpfootnoterule\footnoterule
11179   \def\splitfootnoterule{\kern-3\p@\hrule\kern2.6\p@}
11180   \def\footnoterule{\relax
11181     \ifx\@listdepth\@mplistdepth
11182       \mpfootnoterule
11183     \else
11184       \ifnum\split@prev=\z@
11185         \pagefootnoterule
11186       \else
11187         \splitfootnoterule
11188       \fi
11189       \xdef\split@prev{\the\insertpenalties}%
11190     \fi
11191   }%
11192 }
11193
11194
11195
11196
11197 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
11198   \protected@xdef\@thefnmark{\thempfn}%
11199   \footnotemark[@RTLfootnotetext]}
11200 \def\@xRTLfootnote[#1]{%
11201   \begingroup
11202     \csname c@\@mpfn\endcsname #1\relax
11203     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11204   \endgroup
11205   \footnotemark[@RTLfootnotetext]
11206 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
11207   \protected@xdef\@thefnmark{\thempfn}%
11208   \footnotemark[@LTRfootnotetext]}}

```



```

11209 \def\@xLTRfootnote[#1]{%
11210   \begingroup
11211     \csname c@\@mpfn\endcsname #1\relax
11212     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11213   \endgroup
11214   \footnotemark\@LTRfootnotetext}%
11215
11216
11217 \def\setfootnoteRL{@RTL@footnotetru}
11218 \def\unsetfootnoteRL{@RTL@footnotefalse}
11219 \def\setfootnoteLR{\unsetfootnoteRL}%
11220
11221 \newcommand*{\bidi@@footnotetext@font}{\footnotesize}
11222 \newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
11223 \newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}
11224
11225 \long\def\@footnotetext#1{\insert\footins{%
11226   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11227   \reset@font%
11228   \bidi@@footnotetext@font% \reset@font\footnotesize
11229   \interlinepenalty\interfootnotelinepenalty
11230   \splittopskip\footnotesep
11231   \splitmaxdepth \dp\strutbox \floatingpenalty \z@MM
11232   \hsize\columnwidth \parboxrestore
11233   \protected@edef\@currentlabel{%
11234     \csname p@footnote\endcsname\@thefnmark
11235   }%
11236   \color@begingroup
11237     \makefntext{%
11238       \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}%
11239     }%
11240
11241   \long\def\@RTLfootnotetext#1{\insert\footins{%
11242     \if@RTLtrue%
11243     \reset@font%
11244     \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
11245     \interlinepenalty\interfootnotelinepenalty
11246     \splittopskip\footnotesep
11247     \splitmaxdepth \dp\strutbox \floatingpenalty \z@MM
11248     \hsize\columnwidth \parboxrestore
11249     \protected@edef\@currentlabel{%
11250       \csname p@footnote\endcsname\@thefnmark
11251     }%
11252     \color@begingroup
11253       \makefntext{%
11254         \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}%
11255       }%
11256     \color@endgroup}%
11257
11258 \long\def\@LTRfootnotetext#1{\insert\footins{%

```



```

11259   \@RTLfalse%
11260   \reset@font%
11261   \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
11262   \interlinepenalty\interfootnotelinepenalty
11263   \splittopskip\footnotesep
11264   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
11265   \hsize\columnwidth \parboxrestore
11266   \protected@edef@\currentlabel{%
11267     \csname p@footnote\endcsname\thefnmark
11268   }%
11269   \color@begingroup
11270     \makefntext{%
11271       \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
11272     \color@endgroup}%
11273
11274 \AtBeginDocument{%
11275 \if@RTL@footnote
11276   \newcommand*{\bidi@footdir@footnote}{R}
11277 \else
11278   \newcommand*{\bidi@footdir@footnote}{L}
11279 \fi%
11280 }
11281
11282 \footdir@temp\footdir@ORG\bidi@footnotetext\footnotetext{\bidi@footdir@footnote}%
11283 \footdir@temp\footdir@ORG\bidi@RTLfootnotetext\@RTLfootnotetext{R}%
11284 \footdir@temp\footdir@ORG\bidi@LTRfootnotetext\@LTRfootnotetext{L}%
11285
11286 \long\def\@mpRTLfootnotetext#1{%
11287   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno
11288   \global\setbox\@mpfootins\vbox{\@RTLtrue%
11289     \unvbox\@mpfootins
11290     \reset@font%
11291     \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
11292     \hsize\columnwidth
11293     \parboxrestore
11294     \protected@edef@\currentlabel
11295       {\csname p@mpfootnote\endcsname\thefnmark}%
11296     \color@begingroup
11297       \makefntext{%
11298         \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
11299       \color@endgroup}%
11300 \long\def\@mpLTRfootnotetext#1{%
11301   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno
11302   \global\setbox\@mpfootins\vbox{\@RTLfalse%
11303     \unvbox\@mpfootins
11304     \reset@font%
11305     \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
11306     \hsize\columnwidth
11307     \parboxrestore
11308     \protected@edef@\currentlabel

```



```

11309      {\csname p@mpfootnote\endcsname\@thefnmark}%
11310      \color@begingroup
11311      \makefntext{%
11312          \rule{z@\footnotesep}{\ignorespaces#1\@finalstrut\strutbox}%
11313      \color@endgroup}
11314 \long\def\@mpfootnotetext#1{%
11315 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\relax\else\let\bidi@mpfootnoterule\@mpfootnoterule\fi\else\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi\fi\global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi\unvbox\@mpfootins\reset@font\ifbidi@@footnotetext\font\reset@font\footnotesize\hsize\columnwidth\parboxrestore\protected@edef\currentlabel{\csname p@mpfootnote\endcsname\@thefnmark}\color@begingroup\makefntext{\rule{z@\footnotesep}{\ignorespaces#1\@finalstrut\strutbox}}\color@endgroup}\def\@iiminipage#1#2[#3]{#4}%
11329      \leavevmode
11330      \pboxswfalse
11331      \if@hboxRconstruct@\bidi@list@minipage@parbox@not@nobtrue\fi
11332      \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi\setlength{\tempdima}{#4}%
11334      \def\@mpargs{{#1}{#2}[#3]{#4}}%
11335      \setbox\@tempboxa\vbox\begin{bgroup}
11336          \color@begingroup
11337              \hsize\tempdima
11338              \textwidth\hsize\columnwidth\hsize
11339              \parboxrestore
11340              \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@%
11341              \let\@footnotetext\@mpfootnotetext
11342              \let\@LTRfootnotetext\@mpLTRfootnotetext
11343              \let\@RTLfootnotetext\@mpRTLfootnotetext
11344              \let\@listdepth\mplistdepth\@mplistdepth\z@%
11345              \minipagerestore
11346              \c@setminipage
11347 \def\endminipage{%
11348      \par
11349      \unskip
11350      \ifvoid\@mpfootins\else
11351          \vskip\skip\@mpfootins
11352          \normalcolor
11353          \bidi@mpfootnoterule
11354          \unvbox\@mpfootins
11355      \fi
11356      \c@minipagefalse %% added 24 May 89
11357      \color@endgroup
11358      \egroup

```



```

11359 \expandafter\@iiparbox\@mpargs{\unvbox\@tempboxa}
11360 \def\LTRthanks#1{\footnotemark
11361   \protected@xdef\@thanks{\@thanks
11362     \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
11363 }
11364 \def\LTRfootnotetext{%
11365   \@ifnextchar [ {\@xLTRfootnotenext
11366     {\@protected@xdef\@thefnmark{\thempfn}%
11367       \@LTRfootnotetext}}}
11368 \def\@xLTRfootnotenext[#1]{%
11369   \begingroup
11370     \csname c@\@mpfn\endcsname #1\relax
11371     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11372   \endgroup
11373   \@LTRfootnotetext}
11374 \def\RTLthanks#1{\footnotemark
11375   \protected@xdef\@thanks{\@thanks
11376     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
11377 }
11378 \let\@thanks\empty
11379 \def\RTLfootnotetext{%
11380   \@ifnextchar [ {\@xRTLfootnotenext
11381     {\@protected@xdef\@thefnmark{\thempfn}%
11382       \@RTLfootnotetext}}}
11383 \def\@xRTLfootnotenext[#1]{%
11384   \begingroup
11385     \csname c@\@mpfn\endcsname #1\relax
11386     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11387   \endgroup
11388   \@RTLfootnotetext}
11389 \leftfootnoterule

```

64 File framed-xetex-bidi.def

```

11390 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for XeLaTeX]
11391 \renewcommand\TitleBarFrame[3][]{\begin{group}
11392   \ifx\delimiter#1\delimiter
11393     \let\TF@conlab\empty
11394   \else
11395     \def\TF@conlab{\% continuation label
11396       \nointerlineskip
11397       \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}}%
11398 \fi
11399 \% \let\TF@savecolor\currentcolor
11400 \textcolor{TFFrameColor}{%
11401 \CustomFBox
11402   {\TF@Title{#2}}{\TF@conlab}%
11403   \fboxrule\fboxrule\fboxrule\fboxrule
11404   {\let\currentcolor\TF@savecolor\setcolor #3}%
11405   {\normalcolor #3}%

```



```

11406  }\endgroup
11407 }
11408 \renewenvironment{titled-frame}[1]{%
11409   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
11410     \TitleBarFrame{\textbf{\#1}}%
11411   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
11412     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright$]{\textbf{\#1}}%
11413   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
11414     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright$]{\textbf{\#1}}\ (cont)
11415   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
11416     \TitleBarFrame{\textbf{\#1}\ (cont)}%
11417   \MakeFramed{\advance\hspace{-20pt}\FrameRestore}%
11418% note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
11419% could interfere with the width measurement.
11420 {\endMakeFramed}
11421 \chardef\FrameRestore=\catcode`\\ % for debug
11422 \catcode`\\=\catcode`\% % (debug: insert space after backslash)
11423 \def\fb@put@frame#1#2{\relax
11424 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
11425 | \message{===== Entering putframe =====^J
11426 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
11427 \ifinner
11428   \fb@putboxa#1%
11429   \fb@afterframe
11430 \else
11431   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
11432   \ifdim\dimen@<2\baselineskip % Too little room on page
11433 | \message{Page has only \the\dimen@ space room left; eject. }%
11434   \eject \fb@adjheight \fb@put@frame#1#2%
11435 \else % there's appreciable room left on the page
11436   \fb@sizeofframe#1%
11437 | \message{\string\pagetotal=\the\pagetotal,
11438 |   \string\pagegoal=\the\pagegoal,
11439 |   \string\pagestretch=\the\pagestretch,
11440 |   \string\pageshrink=\the\pageshrink,
11441 |   \string\fb@frh=\the\fb@frh. \space}
11442 | \message{^^JBox of size \the\ht\@tempboxa\space}%
11443 \begingroup % temporarily set \dimen@ to be...
11444 \advance\dimen@.8\pageshrink % maximum space available on page
11445 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
11446 %% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
11447 \expandafter\endgroup
11448 % expand \ifdim, then restore \dimen@ to real room left on page
11449 \ifdim\dimen@>\ht\@tempboxa % whole box does fit
11450 | \message{fits in \the\dimen@. }%
11451 % ToDo: Change this to use vsplit anyway to capture the marks
11452 % MERGE THIS WITH THE else CLAUSE!!!
11453 \fb@putboxa#1%
11454 \fb@afterframe
11455 \else % box must be split

```



```

11456 | \message{must be split to fit in \the\dimen@. }%
11457 | % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11458 | \fb@sizeofframe#2%
11459 | \setbox@\tempboxa\vbox{%
11460 |   simulate frame and flexibility of the page:
11461 |   \vskip \fb@frh \oplus\pagestretch \minus.8\pageshrink
11462 |   \kern137sp\kern-137sp\penalty-30
11463 |   \unvbox\tempboxa}%
11464 | \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
11465 |   \splittopskip\the\splittopskip}%
11466 | \boxmaxdepth\z@\splittopskip\z@
11467 | \message{^^J Padded box of size \the\ht\tempboxa\space split to \the\dimen@}%
11468 | % Split box here
11469 | \setbox\tw@\vsplit\tempboxa to\dimen@%
11470 | \toks99\expandafter{\splitfirstmark}%
11471 | \toks98\expandafter{\splitbotmark}%
11472 | \message{Marks are: \the\toks99, \the\toks98. }%
11473 | \setbox\tw@\vbox{\unvbox\tw@}%
11474 | \message{Natural height of split box is \the\ht\tw@, leaving
11475 |   \the\ht\tempboxa\space remainder. }%
11476 | % If the split-to size > (\vsize-\topskip), then set box to full size.
11477 | \begingroup
11478 | \advance\dimen@\topskip
11479 | \expandafter\endgroup
11480 | \ifdim\dimen@>\pagegoal
11481 |   \message{Frame is big -- Use up the full column. }%
11482 |   \dimen@ii\pagegoal
11483 |   \advance\dimen@ii -\topskip
11484 |   \advance\dimen@ii \FrameHeightAdjust\relax
11485 | \else % suspect this is implemented incorrectly:
11486 |   % If the split-to size > feasible room_on_page, rebox it smaller.
11487 |   \advance\dimen@.8\pageshrink
11488 |   \ifdim\ht\tw@>\dimen@
11489 |     \message{Box too tall; rebox it to \the\dimen@. }%
11490 |     \dimen@ii\dimen@
11491 |   \else % use natural size
11492 |     \dimen@ii\ht\tw@
11493 |   \fi
11494 | \fi
11495 | % Re-box contents to desired size \dimen@ii
11496 | \advance\dimen@ii -\fb@frh
11497 | \setbox\tw@\vbox to\dimen@ii \bgroup
11498 | % remove simulated frame and page flexibility:
11499 | \vskip -\fb@frh \oplus-\pagestretch \minus.8\pageshrink
11500 | \unvbox\tw@ \unpenalty\unpenalty
11501 | \ifdim\lastkern=-137sp % whole box went to next page
11502 |   \message{box split at beginning! }%
11503 |   % need work here???
11504 |   \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11505 |   \fb@adjheight
11506 |   \fb@put@frame#1#2% INSERTED ???

```



```

11506     \else % Got material split off at the head
11507         \egroup \fb@resto@set
11508         \ifvoid\@tempboxa % it all fit after all
11509 |             \message{box split at end! }%
11510             \setbox\@tempboxa\box\tw@
11511             \fb@putboxa#1%
11512             \fb@afterframe
11513     \else % it really did split
11514 |         \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11515         \ifdim\wd\tw@>\z@
11516             \wd\tw@\wd\@tempboxa
11517             \centerline{\#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
11518         \else
11519 |             \message{Zero width means likely blank. Don't frame it (guess)}%
11520             \box\tw@
11521         \fi
11522         \hrule \cheight\z@ \cwidth\hsize
11523         \eject
11524         \fb@adjheight
11525         \fb@put@frame\LastFrameCommand\MidFrameCommand
11526     \fi\fi\fi\fi\fi
11527 }
11528 \def\fb@putboxa#1{%
11529     \ifvoid\@tempboxa
11530         \PackageWarning{framed}{Boxa is void -- discard it. }%
11531     \else
11532 |         \message{Frame and place boxa. }%
11533 |         \%{\showoutput\showbox\@tempboxa}%
11534         \centerline{\#1{\hboxL{\box\@tempboxa}}}%
11535     \fi
11536 }
11537 \catcode`\|=|\FrameRestore
11538 \def\FrameRestore{%
11539     \let\ifnobreak\iffalse
11540     \let\ifnoskipsec\iffalse
11541     \let\-\@dischyp
11542     \let\'\@acci\let`\'\@accii\let=\@acciii
11543     % \message{FrameRestore:
11544     %   \totallleftmargin=\the \totallleftmargin,
11545     %   \rightmargin=\the \rightmargin,
11546     %   \listdepth=\the \listdepth. }%
11547     % Test if we are in a list (or list-like paragraph)
11548     \ifnum \ifdim\@totallleftmargin>\z@ 1\fi
11549         \ifdim\rightmargin>\z@ 1\fi
11550         \ifnum\@listdepth>\z@ 1\fi 0>\z@
11551     %   \message{In a list: \linewidth=\the\linewidth, \totallleftmargin=\the\@totallleftmargin,
11552     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
11553     %   \labelwidth=\the\labelwidth. }%
11554     \setminipage % snug fit around the item
11555     % Now try to propagate changes of width from \hsize to list parameters.

```



```

11556 % This is deficient, but a more advanced way to indicate modification to text
11557 % dimensions is not (yet) provided; in particular, no separate left/right
11558 % adjustment.
11559 \advance\linewidth-\columnwidth \advance\linewidth\hsize
11560 \parshape\@ne \@totalleftmargin \linewidth
11561 \else % Not in list
11562   \linewidth=\hsize
11563   \%message{No list, set \string\linewidth=\the\hsize. }%
11564 \fi
11565 \sloppy
11566 }

```

65 File ftnright-xetex-bidi.def

```

11567 \ProvidesFile{ftnright-xetex-bidi.def}[2017/05/06 v0.5 bidi adaptations for ftnright package]
11568
11569 \def\LTR@outputdblcol{%
11570   \if@firstcolumn
11571     \global\@firstcolumnfalse
11572     \global\setbox\@leftcolumn\copy\@outputbox
11573     \global\count\footins\@m
11574     \global\skip\footins\rcol@footinsskip
11575     \splitmaxdepth\maxdimen
11576     \vbadness\maxdimen
11577     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11578     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11579     \toks@\expandafter{\topmark}%
11580     \xdef\@firstcoltopmark{\the\toks@}%
11581     \toks@\expandafter{\splitfirstmark}%
11582     \xdef\@firstcolfirstmark{\the\toks@}%
11583     \ifx\@firstcolfirstmark\@empty
11584       \global\let\@setmarks\relax
11585     \else
11586       \gdef\@setmarks{%
11587         \let\firstmark\@firstcolfirstmark
11588         \let\topmark\@firstcoltopmark}%
11589     \fi
11590   \else
11591     \preparefootins
11592     \global\@firstcolumntrue
11593     \setbox\@outputbox\vbox{%
11594       \hb@xt@\textwidth{%
11595         \hb@xt@\columnwidth{%
11596           \bidi@firstcolumn@status@write%
11597           \box\@leftcolumn \hss}%
11598           \hfil
11599           {\normalcolor\vrule \@width\columnsep\hskip}%
11600           \hfil
11601         \hb@xt@\columnwidth{%
11602           \bidi@lastcolumn@status@write%}

```



```

11603     \box\@outputbox \hss}}}%  

11604     \@combinedblfloats  

11605     \@setmarks  

11606     \@outputpage  

11607     \begingroup  

11608         \cdblfloatplacement  

11609         \startdblcolumn  

11610         \@whilesw\if@fcolmade \fi{\@outputpage  

11611         \@startdblcolumn}%  

11612     \endgroup  

11613 \fi}%
11614
11615
11616
11617 \def\RTL@outputdblcol{%
11618     \if@firstcolumn
11619         \global\@firstcolumnfalse
11620         \global\setbox\@leftcolumn\copy\@outputbox
11621         \global\count\footins\@m
11622         \global\skip\footins\rcol@footinsskip
11623         \splitmaxdepth\maxdimen
11624         \vbadness\maxdimen
11625         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11626         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11627         \toks@\expandafter{\topmark}%
11628         \xdef\@firstcoltopmark{\the\toks@}%
11629         \toks@\expandafter{\splitfirstmark}%
11630         \xdef\@firstcolfirstmark{\the\toks@}%
11631         \ifx\@firstcolfirstmark\@empty
11632             \global\let\@setmarks\relax
11633         \else
11634             \gdef\@setmarks{%
11635                 \let\firstmark\@firstcolfirstmark
11636                 \let\topmark\@firstcoltopmark}%
11637         \fi
11638     \else
11639         \preparefootins
11640         \global\@firstcolumntrue
11641         \setbox\@outputbox\vbox{%
11642             \hb@xt@\textwidth{%
11643                 \hskip \columnwidth
11644                 \hfil
11645                 {\normalcolor\vrule \width\columnseprule}%
11646             \hfil
11647             \hb@xt@\columnwidth{%
11648                 \bidi@firstcolumn@status@write%
11649                 \box\@leftcolumn \hss}%
11650             \hskip -\textwidth
11651             \hb@xt@\columnwidth{%
11652                 \bidi@lastcolumn@status@write%
```



```

11653     \box\@outputbox \hss}%
11654     \hskip \columnsep
11655     \hskip \columnwidth } } %
11656 \combinedblfloats
11657   \setmarks
11658   \outputpage
11659   \begingroup
11660     \dblfloatcheck
11661     \startdblcolumn
11662     \whilesw@if@fcolmade \fi{ \outputpage
11663     \startdblcolumn } %
11664   \endgroup
11665 \fi} %
11666
11667
11668
11669 \let\leftfootnoterule\empty
11670 \let\rightfootnoterule\empty
11671 \let\textwidthfootnoterule\empty
11672 \let\autofootnoterule\empty
11673 \let\footnoterule\empty
11674 \long\def\makefntext#1{\parindent 1em
11675   \noindent\hbox to 2em{ } } %
11676 \llap{\@thefnmark\hbox{.},,}#1}

```

66 File `graphicx-xetex-bidi.def`

```

11677 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
11678 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi}%
11679   \Grot@setangle{#1}%
11680   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\endR\fi}%
11681   \Grot@x\z@
11682   \Grot@y\z@
11683   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}%
11684 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi}%
11685   \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
11686   \Grot@x\width \divide\Grot@x\tw@
11687   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
11688   \setkeys{Grot}{#1}%
11689   \setbox\z@\box\@tempboxa
11690   \Grot@setangle{#2}%
11691   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
11692   \end@tempboxa}%
11693 \long\def\Gscale@box[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi}%
11694   \leavevmode
11695   \def\Gscale@x{#1}\def\Gscale@y{#2}%
11696   \setbox\z@\hbox{\ifdim#2pt<\z@%
11697   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
11698   \ifdim#2pt>\z@%
11699   \ht\tw@-#2dp\z@}

```



```

11700   \dp\tw@-#2\ht\z@
11701 \else
11702   \ht\tw@#2\ht\z@
11703   \dp\tw@#2\dp\z@
11704 \fi
11705 \ifdim#1\p@<\z@
11706   \hb@xt@-#1\wd\z@\kern-#1\wd\z@\box\tw@\hss}%
11707 \else
11708   \wd\tw@#1\wd\z@
11709   \box\tw@
11710 \fi\ifmmode\else\if@RTL\endL\fi\fi}
11711 \def\Gin@iii[#1,#2][#3,#4]#5{%
11712 \begingroup
11713 \ifmmode\else\if@RTL\beginL\fi\fi
11714 \Gin@bboxtrue
11715 \Gin@defaultbp\Gin@llx{#1}%
11716 \Gin@defaultbp\Gin@lly{#2}%
11717 \Gin@defaultbp\Gin@urx{#3}%
11718 \Gin@defaultbp\Gin@ury{#4}%
11719 \Ginclude@graphics{#5}%
11720 \ifmmode\else\if@RTL\endL\fi\fi
11721 \endgroup
11722 \def\Gin@ii[#1]#2{%
11723   \def\@tempa{} \def\@tempb{#2}%
11724   \ifx\@tempa\@tempb
11725     \def\@tempa{\Gin@iii[#1]}%
11726     \expandafter\@tempa
11727   \else
11728     \begingroup
11729       \ifmmode\else\if@RTL\beginL\fi\fi
11730       \@tempswafalse
11731       \toks@{\Ginclude@graphics{#2}}%
11732       \setkeys{Gin}{#1}%
11733       \Gin@esetsize
11734       \the\toks@
11735       \ifmmode\else\if@RTL\endL\fi\fi
11736     \endgroup
11737   \fi}
11738 \def\reflectbox{\bidiGscale@box-1[1]}
11739 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11740   \leavevmode
11741   \def\Gscale@x{#1}\def\Gscale@y{#2}%
11742   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL\endR\fi\fi%
11743   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
11744   \ifdim#2\p@<\z@
11745     \ht\tw@-#2\dp\z@
11746     \dp\tw@-#2\ht\z@
11747   \else
11748     \ht\tw@#2\ht\z@
11749     \dp\tw@#2\dp\z@

```



```

11750 \fi
11751 \ifdim#1\p@<\z@
11752   \hb@xt@-#1\wd\z@\{ \kern-#1\wd\z@\box\tw@\hss}\%
11753 \else
11754   \wd\tw@#1\wd\z@
11755   \box\tw@
11756 \fi\ifmmode\else\if@RTL\endL\fi\fi}
11757 \def\scalebox#1{%
11758   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
11759 \def\resizebox{%
11760   \leavevmode
11761   \ifstar{\bidiGscale@box\totalheight}{\bidiGscale@box\height}}
11762 \def\bidiGscale@box#1#2#3{%
11763   \let\@tempa\Gin@exclamation
11764   \expandafter\def\expandafter\expandafter\@tempb\expandafter{\string#2}%
11765   \expandafter\def\expandafter\expandafter\@tempc\expandafter{\string#3}%
11766   \ifx\@tempb\@tempa
11767     \ifx\@tempc\@tempa
11768       \toks@{\mbox}%
11769     \else
11770       \toks@{\bidiGscale@box@dd{#3}{#1}}%
11771     \fi
11772   \else
11773     \ifx\@tempc\@tempa
11774       \toks@{\bidiGscale@box@dd{#2}\width}%
11775     \else
11776       \toks@{\bidiGscale@box@dddd{#2}\width{#3}{#1}}%
11777     \fi
11778   \fi
11779   \the\toks@}
11780 \long\def\bidiGscale@box@dd#1#2#3{%
11781   \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\beginR\fi\endR\fi\endR\fi}
11782   \setlength\@tempdima{#1}%
11783   \setlength\@tempdimb{#2}%
11784   \Gscale@div\@tempa\@tempdima\@tempdimb
11785   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
11786 \end{tempboxa}
11787 \long\def\bidiGscale@box@dddd#1#2#3#4#5{%
11788   \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\beginR\fi\endR\fi\endR\fi}
11789   \setlength\@tempdima{#1}%
11790   \setlength\@tempdimb{#2}%
11791   \Gscale@div\@tempa\@tempdima\@tempdimb
11792   \setlength\@tempdima{#3}%
11793   \setlength\@tempdimb{#4}%
11794   \Gscale@div\@tempb\@tempdima\@tempdimb
11795   \ifGin@iso
11796     \ifdim\@tempa\p@>\@tempb\p@
11797       \let\@tempa\@tempb
11798     \else
11799       \let\@tempb\@tempa

```



```
11800     \fi
11801     \fi
11802     \Gscale@\box@\tempa[\@tempb]{\box@\tempboxa}%
11803     \end@\tempboxa}
```

67 File geometry-xetex-bidi.def

```

11804 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
11805 \renewcommand*{\Gm@vrules@mpi}{%
11806 \if@RTLmain%
11807     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11808         \llap{\Gm@vrule}\ignorespaces
11809         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11810         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
11811     \else%
11812     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
11813         \hskip \textwidth\Gm@vrule\hskip \marginparsep
11814         \llap{\Gm@vrule}\hfil\Gm@vrule\fi}%
11815 \renewcommand*{\Gm@vrules@mpii}{%
11816 \if@RTLmain%
11817     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
11818         \hskip \textwidth\Gm@vrule\hskip \marginparsep
11819         \llap{\Gm@vrule}\hfil\Gm@vrule}%
11820 \else%
11821     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11822         \llap{\Gm@vrule}\ignorespaces
11823         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11824         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss\fi}%
11825 \bidi@patchcmd{\Gm@pageframes}{%
11826     \ifodd\count\z@
11827         \let\@themargin\oddsidemargin
11828     \else
11829         \let\@themargin\evensidemargin
11830     \fi
11831 }{%
11832     \ifodd\count\z@
11833         \if@RTLmain
11834             \let\@themargin\evensidemargin
11835         \else
11836             \let\@themargin\oddsidemargin
11837         \fi
11838     \else
11839         \if@RTLmain
11840             \let\@themargin\oddsidemargin
11841         \else
11842             \let\@themargin\evensidemargin
11843         \fi
11844     \fi
11845 }{}{%

```



68 File `hvffloat-xetex-bidi.def`

```
11846 \ProvidesFile{hvffloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvffloat package for
11847 \def\do@@hvFloat[#1]#2#3{%
11848 \def\hv@shortCap{#1}
11849 \def\hv@longCap{#2}
11850 \def\hv@label{#3}
11851 %\newcommand*{\hvFloat}[5][]{%
11852 % [#1]: keyvalues
11853 % #2: type figure | table | ...
11854 % #3: float contents
11855 % [#4]: short caption
11856 % #5: caption
11857 % #6: label
11858 % \setDefaults%
11859 % \def\@tempa{#1}%
11860 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
11861 \def\@tempa{90}%
11862 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
11863 \else \setlength{\hvMaxCapWidth}{\linewidth}%
11864 \fi
11865 %
11866 % First we save the object in \hvObjectBox
11867 %
11868 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
11869 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
11870 \else
11871 \savebox{\hvObjectBox}{%
11872 \rotatebox{\hvSet@objectAngle}{%
11873 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
11874 \fi
11875 \setlength{\hvObjectWidth}{\wd{\hvObjectBox}}
11876 %
11877 % Now we save the caption with its defined \hvCapWidth
11878 %
11879 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
11880 \else
11881 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht{\hvObjectBox}}
11882 \else
11883 \setlength{\hvCapWidth}{\hvObjectWidth}
11884 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11885 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11886 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
11887 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
11888 \else
11889 \setlength{\hvCapWidth}{\hvMaxCapWidth}
11890 \fi
11891 \fi
11892 \fi
11893 %
```



```

11894 % now we have the object and the caption with the right
11895 % rotated angles saved in boxes
11896 %
11897 \def\fps@figure{\hvSet@floatPos}
11898 \ifhv@nonFloat\begingroup% Start the nonfloat part
11899 \else \begin{\hv@floatType}% Start the floating environment
11900 \fi%
11901 \saveCaptionSkip% we put this space ourselves
11902 \ifx\hvSet@capAngle\hv@Width % need rotation?
11903 \sbox{\hvCaptionBox}%
11904 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
11905 \ifhv@nonFloat%
11906 \ifhv@onlyText#2%
11907 \else%
11908 \ifx\hv@floatType\hv@figure
11909 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
11910 \else
11911 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
11912 \fi
11913 \fi
11914 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
11915 \fi%
11916 \label{#3}%
11917 \end{minipage}%
11918 }%
11919 \else%
11920 \sbox{\hvCaptionBox}%
11921 \rotatebox{\hvSet@capAngle}%
11922 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
11923 \ifhv@nonFloat%
11924 \ifhv@onlyText#2%
11925 \else%
11926 \ifx\hv@floatType\hv@figure
11927 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
11928 \else
11929 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
11930 \fi
11931 \fi
11932 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
11933 \fi%
11934 \label{#3}%
11935 \end{minipage}%
11936 }%
11937 }%
11938 \fi%
11939 %%%
11940 \restoreCaptionSkip% save old values
11941 \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
11942 \else%
11943 \ifx\hvSet@objectPos\hv@Center

```



```

11944      \ifhv@nonFloat\hspace*\{\fill\}\else\centering\fi%
11945      \fi%
11946      \fi%
11947 %
11948% to rotate object and caption together, we save all in another box
11949% the caption comes first, if its on the left or the top
11950%
11951  \savebox{\@tempboxa}{%
11952  \ifx\hvSet@capPos\hv@Left  % caption on left side
11953 \if@RTL%
11954 \ifx\hvSet@capVPos\hv@Center%
11955 \ifhv@fbox
11956 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
11957 \else
11958 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
11959 \fi%
11960 \hspace{\hvSet@floatCapSep pt}%
11961 \ifhv@fbox
11962 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11963 \else
11964 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
11965 \fi%
11966 \else%
11967 \ifx\hvSet@capVPos\hv@Top
11968 \ifhv@fbox
11969 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11970 \else
11971 \raisebox{-\height}{\usebox{\hvObjectBox}}%
11972 \fi%
11973 \hspace{\hvSet@floatCapSep pt}%
11974 \ifhv@fbox
11975 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11976 \else
11977 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11978 \fi
11979 \else
11980 \ifhv@fbox
11981 \fbox{\usebox{\hvObjectBox}}%
11982 \else
11983 \usebox{\hvObjectBox}%
11984 \fi
11985 \hspace{\hvSet@floatCapSep pt}%
11986 \ifhv@fbox
11987 \fbox{\usebox{\hvCaptionBox}}%
11988 \else
11989 \usebox{\hvCaptionBox}%
11990 \fi%
11991 \fi%
11992 \fi%
11993 \else% not RTL

```



```

11994     \ifx\hvSet@capVPos\hv@Center%
11995         \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11996         \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
11997         \fi%
11998         \hskip{\hvSet@floatCapSep pt} capfloatsep
11999         \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
12000         \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
12001         \fi%
12002     \else%
12003         \ifx\hvSet@capVPos\hv@Top % caption at top
12004             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12005             \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12006             \fi
12007             \hskip{\hvSet@floatCapSep pt} capfloatsep
12008             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12009             \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
12010             \fi%
12011         \else% caption on bottom
12012             \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
12013                 \else\usebox{\hvCaptionBox}
12014                 \fi%
12015                 \hskip{\hvSet@floatCapSep pt}%
12016                 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
12017                 \else     \usebox{\hvObjectBox}
12018                 \fi%
12019             \fi%
12020 \fi% end of RTL
12021 \fi%
12022 \else
12023 \ifx\hvSet@capPos\hv@Top
12024 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12025 \begin{minipage}{\wd\hvCaptionBox}
12026 \else
12027 \begin{minipage}{\wd\hvObjectBox}
12028 \fi
12029 \centering
12030 \ifhv@fbox
12031 \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
12032 \fbox{\usebox{\hvObjectBox}}
12033 \else
12034 \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
12035 \usebox{\hvObjectBox}
12036 \fi%
12037 \end{minipage}
12038 \else
12039 \ifx\hvSet@capPos\hv@Bottom
12040 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12041 \begin{minipage}{\wd\hvCaptionBox}
12042 \else
12043 \begin{minipage}{\wd\hvObjectBox}

```



```

12044 \fi
12045 \centering
12046 \ifhv@fbox
12047 \fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
12048 \fbox{\usebox{\hvCaptionBox}}
12049 \else
12050 \usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
12051 \usebox{\hvCaptionBox}
12052 \fi%
12053 \end{minipage}
12054 \else% the last option: put the caption on the right
12055 \if@RTL%
12056   \ifx\hvSet@capVPos\hv@Center%
12057     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12058     \else    \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
12059     \fi%
12060   \hspace{\hvSet@floatCapSep pt}% capfloatsep
12061   \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
12062   \else    \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
12063   \fi%
12064 \else%
12065   \ifx\hvSet@capVPos\hv@Top % caption at top
12066     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12067     \else    \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12068     \fi
12069   \hspace{\hvSet@floatCapSep pt}% capfloatsep
12070   \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12071   \else    \raisebox{-\height}{\usebox{\hvObjectBox}}%
12072   \fi%
12073 \else% caption on bottom
12074   \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
12075     \else\usebox{\hvCaptionBox}
12076   \fi%
12077   \hspace{\hvSet@floatCapSep pt}%
12078   \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
12079   \else    \usebox{\hvObjectBox}%
12080   \fi%
12081 \fi%
12082 \fi%
12083 \else% not RTL
12084 \ifx\hvSet@capVPos\hv@Center%
12085 \ifhv@fbox
12086 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
12087 \else
12088 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
12089 \fi%
12090 \hspace{\hvSet@floatCapSep pt}%
12091 \ifhv@fbox
12092 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12093 \else

```



```

12094 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
12095 \fi%
12096 \else%
12097 \ifx\hvSet@capVPos\hv@Top
12098 \ifhv@fbox
12099 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12100 \else
12101 \raisebox{-\height}{\usebox{\hvObjectBox}}%
12102 \fi%
12103 \hskip{\hvSet@floatCapSep pt}%
12104 \ifhv@fbox
12105 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12106 \else
12107 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12108 \fi
12109 \else
12110 \ifhv@fbox
12111 \fbox{\usebox{\hvObjectBox}}%
12112 \else
12113 \usebox{\hvObjectBox}%
12114 \fi
12115 \hskip{\hvSet@floatCapSep pt}%
12116 \ifhv@fbox
12117 \fbox{\usebox{\hvCaptionBox}}%
12118 \else
12119 \usebox{\hvCaptionBox}%
12120 \fi%
12121 \fi%
12122 \fi
12123 \fi% end of RTL
12124 \fi
12125 \fi
12126 \fi
12127 }% End savebox Object and caption
12128 %
12129 % now we rotate the object and caption, if needed
12130 %
12131 \ifx\hvSet@rotAngle\hv@Zero
12132 \usebox{\@tempboxa}
12133 \else
12134 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
12135 \fi
12136 \ifhv@nonFloat
12137 \ifx\hvSet@objectPos\hv@Center
12138 \ifhv@nonFloat
12139 \hskip{\fill}%
12140 \fi
12141 \fi
12142 \endgroup% End the nonfloat part
12143 \else

```



```

12144 \end{\hv@floatType}%
12145 % End the floating environment
12146 }

```

69 File hyperref-xetex-bidi.def

```

12147 \ProvidesFile{hyperref-xetex-bidi.def}[2017/08/09 v1.0 bidi adaptations for hyperref package]
12148 \AtBeginDocument{%
12149 \def\contentsline#1#2#3#4{%
12150   \ifx\\#4\\%
12151     \csname l@#1\endcsname{#2}{#3}%
12152   \else
12153     \ifcase\Hy@linktoc % none
12154       \csname l@#1\endcsname{#2}{#3}%
12155     \or % section
12156       \csname l@#1\endcsname{%
12157         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
12158       }{#3}%
12159     \or % page
12160       \csname l@#1\endcsname{#2}{%
12161         \hyper@linkstart{link}{#4}{#3}\hyper@linkend
12162       }%
12163     \else % all
12164       \csname l@#1\endcsname{%
12165         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
12166       }%
12167         \hyper@linkstart{link}{#4}{#3}\hyper@linkend
12168       }%
12169     \fi
12170   \fi
12171 }
12172 \ifHy@hyperfootnotes
12173   \let\H@footnotetext\@footnotetext
12174   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
12175   \let\HLTR@LTRfootnotetext\@LTRfootnotetext
12176   \def\@xfootnotenext[#1]{%
12177     \begingroup
12178       \csname c@\@mpfn\endcsname #1\relax
12179       \unrestored@protected@xdef\@thefnmark{\thempfn}%
12180     \endgroup
12181     \ifx\@footnotetext\@mpfootnotetext
12182       \expandafter\H@mpfootnotetext
12183     \else
12184       \expandafter\H@mpfootnotetext
12185     \fi
12186   }%
12187   \def\@RTLfootnotenext[#1]{%
12188     \begingroup
12189       \csname c@\@mpfn\endcsname #1\relax
12190       \unrestored@protected@xdef\@thefnmark{\thempfn}%

```



```

12191     \endgroup
12192     \ifx\@RTLfootnotetext\@mpRTLfootnotetext
12193         \expandafter\HRTL\@mpRTLfootnotetext
12194     \else
12195         \expandafter\HRTL\@RTLfootnotetext
12196     \fi
12197 }%
12198 \def\@xLTRfootnotenext[#1]{%
12199     \begingroup
12200         \csname c@\@mpfn\endcsname #1\relax
12201         \unrestored@protected\xdef\@thefnmark{\thempfn}%
12202     \endgroup
12203     \ifx\@LTRfootnotetext\@mpLTRfootnotetext
12204         \expandafter\HLTR\@mpLTRfootnotetext
12205     \else
12206         \expandafter\HLTR\@LTRfootnotetext
12207     \fi
12208 }%
12209 \def\@xfootnotemark[#1]{%
12210     \begingroup
12211         \c@footnote #1\relax
12212         \unrestored@protected\xdef\@thefnmark{\thefootnote}%
12213     \endgroup
12214     \H@C@footnotemark
12215 }%
12216 \let\H@C@mpfootnotetext\@mpfootnotetext
12217 \let\HRTL\@mpRTLfootnotetext\@mpRTLfootnotetext
12218 \let\HLTR\@mpLTRfootnotetext\@mpLTRfootnotetext
12219 \long\def\@mpfootnotetext#1{%
12220     \H@C@mpfootnotetext{%
12221         \ifHy@nesting
12222             \hyper@anchor{\Hy@footnote@currentHref}{#1}%
12223         \else
12224             \Hy@raisedlink{%
12225                 \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
12226             }#1%
12227         \fi
12228     }%
12229 }%
12230 \long\def\@mpRTLfootnotetext#1{%
12231     \HRTL\@mpRTLfootnotetext{%
12232         \ifHy@nesting
12233             \hyper@anchor{\Hy@footnote@currentHref}{#1}%
12234         \else
12235             \Hy@raisedlink{%
12236                 \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
12237             }#1%
12238         \fi
12239     }%
12240 }%

```



```

12241   \long\def\@mpLTRfootnotetext#1{%
12242     \HLTR@@mpLTRfootnotetext{%
12243       \ifHy@nesting
12244         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12245       \else
12246         \Hy@raisedlink{%
12247           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12248         }#1%
12249       \fi
12250     }%
12251   }%
12252   \long\def\@footnotetext#1{%
12253     \H@@footnotetext{%
12254       \ifHy@nesting
12255         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12256       \else
12257         \Hy@raisedlink{%
12258           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12259         }%
12260         \let\@currentHlabel\Hy@footnote@currentHlabel
12261         \let\@currentHref\Hy@footnote@currentHref
12262         \let\@currentlabelname\@empty
12263         #1%
12264       \fi
12265     }%
12266   }%
12267   \long\def\@RTLfootnotetext#1{%
12268     \HRTL@@RTLfootnotetext{%
12269       \ifHy@nesting
12270         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12271       \else
12272         \Hy@raisedlink{%
12273           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12274         }%
12275         \let\@currentHlabel\Hy@footnote@currentHlabel
12276         \let\@currentHref\Hy@footnote@currentHref
12277         \let\@currentlabelname\@empty
12278         #1%
12279       \fi
12280     }%
12281   }%
12282   \long\def\@LTRfootnotetext#1{%
12283     \HLTR@@LTRfootnotetext{%
12284       \ifHy@nesting
12285         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12286       \else
12287         \Hy@raisedlink{%
12288           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12289         }%
12290         \let\@currentHlabel\Hy@footnote@currentHlabel

```



```

12291      \let\@currentHref\Hy@footnote@currentHref
12292      \let\@currentlabelname\empty
12293      #1%
12294      \fi
12295  }%
12296 }%
12297 \@ifpackageloaded{tabularx}{%
12298   \let\HyOrg@TX@endtabularx\TX@endtabularx
12299   \def\Hy@tabularx@hook{%
12300     \let\@footnotetext\H@@footnotetext
12301     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
12302     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
12303     \let\@footnotemark\H@@footnotemark
12304     \let\@mpfootnotetext\H@@mpfootnotetext
12305     \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
12306     \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
12307   }%
12308   \begingroup
12309     \toks@\expandafter{\TX@endtabularx}%
12310     \xdef\Hy@gtemp{%
12311       \noexpand\Hy@tabularx@hook
12312       \the\toks@
12313     }%
12314   \endgroup
12315   \let\TX@endtabularx\Hy@gtemp
12316 }{}%
12317 \@ifpackageloaded{longtable}{%
12318   \CheckCommand*{\LT@p@LTRftntext}[1]{%
12319     \edef\@tempa{%
12320       \the\LT@p@ftn
12321       \noexpand\LTRfootnotetext[\the\c@footnote]%
12322     }%
12323     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12324   }%
12325   \long\def\LT@p@LTRftntext#1{%
12326     \edef\@tempa{%
12327       \the\LT@p@ftn
12328       \begingroup
12329         \noexpand\c@footnote=\the\c@footnote\relax
12330         \noexpand\protected@xdef\noexpand\@thefnmark{%
12331           \noexpand\thempfn
12332         }%
12333         \noexpand\Hy@LT@LTRfootnotetext{%
12334           \Hy@footnote@currentHref
12335         }%
12336       }%
12337       \global\LT@p@ftn\expandafter{%
12338         \@tempa{#1}%
12339       \endgroup
12340     }%

```



```

12341   }%
12342   \long\def\Hy@LT@LTRfootnotetext#1#2{%
12343     \HLTR@@LTRfootnotetext{%
12344       \ifHy@nesting
12345         \hyper@@anchor{#1}{#2}%
12346       \else
12347         \Hy@raisedlink{%
12348           \hyper@@anchor{#1}{\relax}%
12349         }%
12350         \def\@currentHref{#1}%
12351         \let\@currentlabelname\empty
12352         #2%
12353       \fi
12354     }%
12355   }%
12356   \CheckCommand*\{\LT@p@RTLftntext\}[1]{%
12357     \edef\@tempa{%
12358       \the\LT@p@ftn
12359       \noexpand\RTLfootnotetext[\the\c@footnote]%
12360     }%
12361     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12362   }%
12363   \long\def\LT@p@RTLftntext#1{%
12364     \edef\@tempa{%
12365       \the\LT@p@ftn
12366       \begingroup
12367         \noexpand\c@footnote=\the\c@footnote\relax
12368         \noexpand\protected@xdef\noexpand\@thefnmark{%
12369           \noexpand\thempfn
12370         }%
12371         \noexpand\Hy@LT@RTLfootnotetext{%
12372           \Hy@footnote@\currentHref
12373         }%
12374       }%
12375     \global\LT@p@ftn\expandafter{%
12376       \@tempa{#1}%
12377       \endgroup
12378     }%
12379   }%
12380   \long\def\Hy@LT@RTLfootnotetext#1#2{%
12381     \HRTL@@RTLfootnotetext{%
12382       \ifHy@nesting
12383         \hyper@@anchor{#1}{#2}%
12384       \else
12385         \Hy@raisedlink{%
12386           \hyper@@anchor{#1}{\relax}%
12387         }%
12388         \def\@currentHref{#1}%
12389         \let\@currentlabelname\empty
12390         #2%

```



```

12391      \fi
12392  }%
12393 }%
12394 }{ }%
12395 \@ifpackageloaded{bidipoem}{%
12396 \long\def\bidoipem@p@ftntext#1{%
12397   \edef\@tempx{%
12398     \the\bidoipem@p@ftn
12399     \begingroup
12400       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12401       \noexpand\protected@xdef\noexpand\@thefnmark{%
12402         \noexpand\thempfn
12403       }%
12404       \noexpand\Hy@bidoipem@footnotetext{%
12405         \Hy@footnote@currentHref
12406       }%
12407     }%
12408     \global\bidoipem@p@ftn\expandafter{%
12409       \@tempx{#1}%
12410     \endgroup
12411   }%
12412 }%
12413 \long\def\Hy@bidoipem@footnotetext#1#2{%
12414   \H@footnotetext{%
12415     \ifHy@nesting
12416       \hyper@@anchor{#1}{#2}%
12417     \else
12418       \Hy@raisedlink{%
12419         \hyper@@anchor{#1}{\relax}%
12420       }%
12421       \def\@currentHref{#1}%
12422       \let\@currentlabelname\empty
12423       #2%
12424     \fi
12425   }%
12426 }%
12427 \long\def\bidoipem@p@LTRftntext#1{%
12428   \edef\@tempxi{%
12429     \the\bidoipem@p@ftn
12430     \begingroup
12431       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12432       \noexpand\protected@xdef\noexpand\@thefnmark{%
12433         \noexpand\thempfn
12434       }%
12435       \noexpand\Hy@bidoipem@LTRfootnotetext{%
12436         \Hy@footnote@currentHref
12437       }%
12438     }%
12439     \global\bidoipem@p@ftn\expandafter{%
12440       \@tempxi{#1}%

```



```

12441     \endgroup
12442   }%
12443 }%
12444 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
12445   \HLTR@LTRfootnotetext{%
12446     \ifHy@nesting
12447       \hyper@@anchor{#1}{#2}%
12448     \else
12449       \Hy@raisedlink{%
12450         \hyper@@anchor{#1}{\relax}%
12451       }%
12452       \def\@currentHref{#1}%
12453       \let\@currentlabelname\empty
12454       #2%
12455     \fi
12456   }%
12457 }%
12458   \long\def\bidipoem@p@RTLftnttext#1{%
12459     \edef\@tempxii{%
12460       \the\bidipoem@p@ftn
12461       \begingroup
12462         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12463         \noexpand\protected@xdef\noexpand\@thefnmark{%
12464           \noexpand\thempfn
12465         }%
12466         \noexpand\Hy@bidipoem@RTLfootnotetext{%
12467           \Hy@footnote@currentHref
12468         }%
12469       }%
12470       \global\bidipoem@p@ftn\expandafter{%
12471         \@tempxii{#1}%
12472       \endgroup
12473     }%
12474   }%
12475 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
12476   \HRTL@RTLfootnotetext{%
12477     \ifHy@nesting
12478       \hyper@@anchor{#1}{#2}%
12479     \else
12480       \Hy@raisedlink{%
12481         \hyper@@anchor{#1}{\relax}%
12482       }%
12483       \def\@currentHref{#1}%
12484       \let\@currentlabelname\empty
12485       #2%
12486     \fi
12487   }%
12488 }%
12489 }{%
12490 \let\HyOrg@maketitle\maketitle

```



```

12491  \def\maketitle{%
12492    \let\Hy@saved@footnotemark\@footnotemark
12493    \let\Hy@saved@footnotetext\@footnotetext
12494    \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
12495    \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
12496    \let\@footnotemark\H@@footnotemark
12497    \let\@footnotetext\H@@footnotetext
12498    \let\@RTLfootnotetext\HRTL@RTLfootnotetext
12499    \let\@LTRfootnotetext\HLTR@LTRfootnotetext
12500    \c@ifnextchar[\Hy@maketitle@optarg{%
12501      \HyOrg@maketitle
12502      \Hy@maketitle@end
12503    }%
12504  }%
12505  \def\Hy@maketitle@optarg[#1]{%
12506    \HyOrg@maketitle[#{#1}]%
12507    \Hy@maketitle@end
12508  }%
12509  \def\Hy@maketitle@end{%
12510    \ifx\@footnotemark\H@@footnotemark
12511      \let\@footnotemark\Hy@saved@footnotemark
12512    \fi
12513    \ifx\@footnotetext\H@@footnotetext
12514      \let\@footnotetext\Hy@saved@footnotetext
12515    \fi
12516    \ifx\@RTLfootnotetext\HRTL@RTLfootnotetext
12517      \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
12518    \fi
12519    \ifx\@LTRfootnotetext\HLTR@LTRfootnotetext
12520      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
12521    \fi
12522  }%
12523  \def\realfootnote{%
12524    \c@ifnextchar[\@xfootnote{%
12525      \stepcounter{\@mpfn}%
12526      \protected\def\@thefnmark{\the\thempfn}%
12527      \H@@footnotemark\H@@footnotetext
12528    }%
12529  }%
12530 \fi
12531 \def\Hy@BeginAnnot#1{%
12532   \ifmmode\else\beginL\fi%
12533   \global\advance\c@Hy@AnnotLevel\@ne
12534   \ifnum\c@Hy@AnnotLevel=\@ne
12535     #1%
12536   \fi
12537 }
12538 \def\Hy@EndAnnot{%
12539   \ifnum\c@Hy@AnnotLevel=\@ne
12540     \Hy@endcolorlink

```



```
12541     \opdfm@mark{eann}%
12542     \fi
12543     \global\advance\c@Hy@AnnotLevel\m@ne
12544     \ifmmode\else\endL\fi%
12545 }
12546 \def\hyper@link#1#2#3{%
12547   \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi\#3\ifmmode\else\if@RTL\endR\fi%
12548 }
12549 \def\hyper@linkfile#1#2#3{%
12550   \leavevmode
12551   \Hy@BeginAnnot{%
12552     \def\Hy@pstringF{#2}%
12553     \Hy@CleanupFile\Hy@pstringF
12554     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
12555     \Hy@pstringdef\Hy@pstringD{#3}%
12556     \Hy@MakeRemoteAction
12557     \opdfm@mark{%
12558       bann<<%
12559       /Type/Annot%
12560       /Subtype/Link%
12561       \ifHy@pdfa /F 4\fi
12562       \Hy@setpdfborder
12563       \ifx\@filebordercolor\relax
12564       \else
12565         /C[\@filebordercolor]%
12566       \fi
12567       /A<<%
12568         /S/GoToR%
12569         /F(\Hy@pstringF)%
12570         /D%
12571         \ifx\\#3\\%
12572           [\Hy@href@page\@pdfremotestartview]%
12573         \else
12574           (\Hy@pstringD)%
12575         \fi
12576         \Hy@SetNewWindow
12577         \Hy@href@nextactionraw
12578       >>%
12579       >>%
12580     }%
12581     \Hy@colorlink\@filecolor
12582   }%
12583   \ifmmode\else\if@RTL\beginR\fi\fi\#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12584   \Hy@EndAnnot
12585 }
12586 \def\@hyper@launch run:#1\\#2#3{%
12587   \leavevmode
12588   \Hy@BeginAnnot{%
12589     \Hy@pstringdef\Hy@pstringF{#1}%
12590     \Hy@pstringdef\Hy@pstringP{#3}%
12591 }
```



```

12591  \@pdfm@mark{%
12592    bann<<%
12593      /Type/Annot%
12594      /Subtype/Link%
12595      \ifHy@pdfa /F 4\fi
12596      \Hy@setpdfborder
12597      \ifx\@runbordercolor\relax
12598      \else
12599        /C[\@runbordercolor]%
12600      \fi
12601    /A<<%
12602      /F(\Hy@pstringF)%
12603      /S/Launch%
12604      \Hy@SetNewWindow
12605      \ifx\\#3\\%
12606      \else
12607        /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
12608      \fi
12609      \Hy@href@nextactionraw
12610      >>%
12611      >>%
12612    }%
12613    \Hy@colorlink\@runcolor
12614  }%
12615  \ifmmode\else\if@RTL\beginR\fi\fi\#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace\end
12616 \Hy@EndAnnot
12617 }
12618 \def\hyper@linkurl#1#2{%
12619   \leavevmode
12620   \Hy@BeginAnnot{%
12621     \Hy@pstringdef\Hy@pstringURI{\#2}%
12622     \@pdfm@mark{%
12623       bann<<%
12624         /Type/Annot%
12625         /Subtype/Link%
12626         \ifHy@pdfa /F 4\fi
12627         \Hy@setpdfborder
12628         \ifx\@urlbordercolor\relax
12629         \else
12630           /C[\@urlbordercolor]%
12631         \fi
12632       /A<<%
12633         /S/URI%
12634         /URI(\Hy@pstringURI)%
12635         \ifHy@href@ismap
12636           /IsMap true%
12637         \fi
12638         \Hy@href@nextactionraw
12639         >>%
12640       >>%

```



```

12641      }%
12642      \Hy@colorlink\@urlcolor
12643  }%
12644  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12645  \Hy@EndAnnot
12646 }
12647 \def\Acrobatmenu#1#2{%
12648   \Hy@Acrobatmenu{#1}{#2}{%
12649     \Hy@BeginAnnot{%
12650       \EdefEscapeName\Hy@temp@menu{#1}{%
12651         \Cpdfm@mark{%
12652           bann<<%
12653           /Type/Annot%
12654           /Subtype/Link%
12655           \ifHy@pdfa /F 4\fi
12656           \Hy@setpdfborder
12657           \ifx\@menubordercolor\relax
12658             \else
12659               /C[\@menubordercolor]%
12660             \fi
12661             /A<<%
12662               /S/Named%
12663               /N/\Hy@temp@menu
12664               \Hy@href@nextactionraw
12665             >>%
12666             >>%
12667           }%
12668           \Hy@colorlink\@menucolor
12669         }%
12670         \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12671         \Hy@EndAnnot
12672       }%
12673     }
12674 \def\hyper@natlinkstart#1{%
12675   \Hy@backout{#1}%
12676   \hyper@linkstart{cite}{cite.\#1}\if@RTL\beginR\fi%
12677   \def\hyper@nat@current{#1}%
12678 }
12679 \def\hyper@natlinkend{%
12680   \if@RTL\endR\fi\hyper@linkend
12681 }
12682 \def\hyper@natlinkbreak#1#2{%
12683   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.\#2}\if@RTL\beginR\fi%
12684 }%
12685 }
12686 \pdfstringdefDisableCommands{%
12687 \let\LRE\@firstofone
12688 \let\LR\@firstofone
12689 \let\RLE\@firstofone
12690 \let\RL\@firstofone

```



```

12691 \def\XeTeX{Xe\TeX}
12692 \def\XeLaTeX{Xe\LaTeX}
12693 }
12694 \@ifpackageloaded{longtable}{%
12695   \begingroup
12696     \def\y{\LT@array}%
12697     \@ifundefined{scr@LT@array}{%
12698       \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
12699     }{\def\y{\scr@LT@array}}%
12700   \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
12701     \expandafter\endgroup
12702     \expandafter\def\y[#1]##2{%
12703       \H@refstepcounter{#1}%
12704       \hyper@makecurrent{table}%
12705       \let\Hy@LT@currentHref\@currentHref
12706       #2\@sharp####4%
12707     }%
12708   }%
12709   \expandafter\expandafter\expandafter\x\y[##1]{##2}\@nil
12710   \begingroup
12711     \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
12712       \endgroup
12713       \def\LT@start{%
12714         #1%
12715         \ifvoid\LT@foot#2\fi
12716         \let\@currentHref\Hy@LT@currentHref
12717         \Hy@raisedlink{%
12718           \hyper@anchorstart{\@currentHref}\hyper@anchorend
12719         }%
12720         #3%
12721       }%
12722     }%
12723     \expandafter\x\LT@start\@nil
12724 }{%

```

70 File imsproc-xetex-bidi.def

```

12725 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for Xe
12726 \newenvironment{thebibliography}[1]{%
12727   \bibtitlestyle
12728   \normalfont\bibliofont\labelsep .5em\relax
12729   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
12730   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12731   \bidi@@thebibliography@font@hook
12732   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
12733     \leftmargin\labelwidth \advance\leftmargin\labelsep
12734     \usecounter{enumiv}}%
12735   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
12736   \sfcode`.=\@m
12737 }{%

```



```

12738 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
12739 \endlist
12740 }
12741
12742 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
12743 \columnseprule\z@\columnsep 35\p@
12744 \@indextitlestyle
12745 \thispagestyle{plain}%
12746 \let\item\@idxitem
12747 \parindent\z@\parskip\z@\relax.3\p@\relax
12748 \if@RTL\raggedleft\else\raggedright\fi
12749 \hyphenpenalty\OM
12750 \footnotesize}
12751 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
12752 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
12753 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
12754
12755 \def\right@footnoterule{%
12756 \kern-.4\p@
12757 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
12758 \kern11\p@\kern-\footnotesep}
12759 \def\left@footnoterule{\kern-.4\p@
12760 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
12761 \def\@makefnmark{%
12762 \leavevmode
12763 \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
12764 }
12765
12766 \def\part{\@startsection{part}{0}%
12767 \z@\linespacing\z@\linespacing{.5\linespacing}%
12768 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
12769 \def\@tocline#1#2#3#4#5#6#7{\relax
12770 \ifnum #1>\c@tocdepth % then omit
12771 \else
12772 \par \addpenalty\@secpenalty\addvspace{#2}%
12773 \begingroup \hyphenpenalty\OM
12774 \@ifempty{#4}{%
12775 \tempdima\csname r@tocindent\expandafter\endcsname\relax
12776 }{%
12777 \tempdima#4\relax
12778 }%
12779 \parindent\z@\if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi
12780 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
12781 #5\leavevmode\hskip-\tempdima #6\nobreak\relax
12782 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
12783 \nobreak
12784 \endgroup
12785 \fi}
12786 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
12787 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}

```



```

12788 \renewcommand{\theparagraph} {\thesubsubsection@\SepMark\arabic{paragraph}}
12789 \renewcommand{\thesubparagraph} {\theparagraph@\SepMark\arabic{subparagraph}}
12790 \def\maketitle{\par
12791   \@topnum\z@ % this prevents figures from falling at the top of page 1
12792   \setcopyright
12793   \thispagestyle{firstpage}% this sets first page specifications
12794   \uppercaseonmath\shorttitle
12795   \ifx\@empty\shortauthors \let\shortauthors\shorttitle
12796   \else \andify\shortauthors
12797   \fi
12798   \maketitle@hook
12799   \begin{group}
12800   \maketitle
12801   \toks@{\exp{\shortauthors}\temptokena\exp{\shorttitle}}%
12802   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
12803   \edef\@tempa{%
12804     \nx\markboth{\the\toks4
12805     \nx\MakeUppercase{\the\toks@}{\the\temptokena}}%
12806   \atempa
12807   \endgroup
12808   \c@footnote\z@
12809   \cleartopmattertags
12810 }

```

71 File leqno-xetex-bidi.def

```

12811 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX e
12812 \renewcommand{\eqnnum{\hb@xt@.01\p@{}}}{%
12813   \rlap{\hskip -\displaywidth
12814   {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}

```

72 File letter-xetex-bidi.def

```

12815 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class
12816 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
12817   \thispagestyle{firstpage}%
12818   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
12819   \else % home address
12820   \thispagestyle{empty}%
12821   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@{}}
12822   \fromaddress \\*[2\parskip]%
12823   \atdate\end{tabular}\par}%
12824 \fi
12825   \vspace{2\parskip}%
12826   {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
12827   \vspace{2\parskip}%
12828   #1\par\nobreak}
12829 \renewcommand{\left@footnoterule}{%
12830   \kern-\p@
12831   \hrule \width .4\columnwidth

```



```

12832   \kern .6\p@}
12833 \renewcommand{\right@footnoterule}{%
12834   \kern-\p@
12835   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
12836   \kern .6\p@}

```

73 File `lettrine-xetex-bidi.def`

```

12837 \ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package]
12838 \def\@lettrine[#1]{\#2\#3{%
12839   \setcounter{L@lines}{\theDefaultLines}%
12840   \setcounter{L@depth}{\theDefaultDepth}%
12841   \renewcommand*{\L@hang}{\DefaultLhang}%
12842   \renewcommand*{\L@oversize}{\DefaultLoversize}%
12843   \renewcommand*{\L@raise}{\DefaultLraise}%
12844   \renewcommand*{\L@ante}{\DefaultAnte}%
12845   \setlength{\L@Findent}{\DefaultFindent}%
12846   \setlength{\L@Nindent}{\DefaultNindent}%
12847   \setlength{\L@slope}{\DefaultSlope}%
12848   \setlength{\L@novskip}{\DiscardVskip}%
12849   \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
12850   \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
12851   \if\DefaultOptionsFile\relax
12852   \else
12853     \begingroup
12854       \InputIfFileExists{\DefaultOptionsFile}%
12855         {}%
12856         {\PackageWarning{lettrine.sty}%
12857           {File \DefaultOptionsFile\space not found}%
12858         }%
12859       \def\color##1##{\l@color{##1}}%
12860       \let\l@color\gobbletwo
12861       \def\textcolor##1##{\l@textcolor{##1}}%
12862       \def\l@textcolor##1####3{##3}%
12863       \expandafter\ifx\csname l@#2-keys\endcsname\relax
12864         \gdef\l@LOKeys{}%
12865       \else
12866         \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
12867       \fi
12868     \endgroup
12869     \def\KV@prefix{KV@L@}%
12870     \let\@tempc\relax
12871     \expandafter\KV@do\l@LOKeys,\relax,
12872     \sbox{\L@lbox}{\LettrineFont #2}%
12873     \setlength{\LettrineWidth}{\wd\L@lbox}%
12874     \def\KV@prefix{KV@L@}%
12875     \let\@tempc\relax
12876     \expandafter\KV@do\l@LOKeys,\relax,
12877   \fi
12878   \setkeys{L}{#1}%

```



```

12879  \ifL@image
12880    \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
12881  \else
12882    \sbox{\L@lbox}{\LettrineFont #2}}%
12883  \fi
12884  \sbox{\L@tbox}{\LettrineTextFont{#3}}%
12885  \tempdima=\baselineskip
12886  \ifnum\theL@lines=1
12887    \setlength{\L@first}{\ht\L@lbox}%
12888    \addtolength{\L@first}{-\ht\L@tbox}%
12889    \setlength{\L@lraise}{\z@}%
12890  \else
12891    \setlength{\L@first}{-\theL@lines\tempdima}%
12892    \addtolength{\L@first}{\tempdima}%
12893    \sbox{\tempboxa}{\LettrineTextFont x}%
12894    \addtolength{\L@first}{-\ht\tempboxa}%
12895    \setlength{\L@lraise}{-\L@raise\L@first}%
12896    \addtolength{\L@first}{\L@lraise}%
12897    \addtolength{\L@first}{\ht\L@lbox}%
12898    \addtolength{\L@lraise}{-\theL@lines\tempdima}%
12899    \addtolength{\L@lraise}{\tempdima}%
12900  \fi
12901  \par
12902  \ifdim\L@first>\L@novskip
12903    \ifL@grid
12904      \tempdima=\baselineskip
12905      \tempdimb=\tempdima
12906      \advance\tempdimb by \L@novskip
12907      \tempcpta=1
12908      \loop\ifdim\L@first>\tempdimb
12909        \advance\tempcpta by 1
12910        \advance\L@first by -\tempdima
12911      \repeat
12912      \vskip\tempcpta\baselineskip
12913    \else
12914      \vskip\L@first
12915    \fi
12916  \fi
12917  \setlength{\L@Pindent}{\wd\L@lbox}%
12918  \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
12919  \settowidth{\L@first}{\L@ante}%
12920  \addtolength{\L@Pindent}{\L@first}%
12921  \addtolength{\L@Pindent}{\L@Findent}%
12922  \setlength{\L@first}{\linewidth}%
12923  \addtolength{\L@first}{-\L@Pindent}%
12924  \addtolength{\L@Nindent}{\L@Pindent}%
12925  \setlength{\L@next}{\linewidth}%
12926  \addtolength{\L@next}{-\L@Nindent}%
12927  \addtolength{\L@Pindent}{\rightmargin}%
12928  \addtolength{\L@Nindent}{\rightmargin}%

```



```

12929 \setlength{\LettrineWidth}{\wd\L@lbox}%
12930 \setlength{\LettrineHeight}{\ht\L@lbox}%
12931 \setlength{\LettrineDepth}{\dp\L@lbox}%
12932 \addtocounter{L@lines}{1}%
12933 \addtocounter{L@lines}{\the\c@L@depth}%
12934 \if@RTL\def\L@parshape{\c@L@lines 0pt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@P%
12935 @tempcnta=\tw@
12936 \whilenum \atempcnta<\c@L@lines\do{%
12937   \if@RTL\edef\L@parshape{L@parshape 0pt \the\L@next}\else\edef\L@parshape{\L@parshape \th%
12938   \addtolength{\L@Nindent}{\L@slope}%
12939   \addtolength{\L@next}{-\L@slope}%
12940   \advance\atempcnta\one}%
12941 \if@RTL \edef\L@parshape{L@parshape 0pt \the\linewidth}\else\edef\L@parshape{\L@parshape \n%
12942 \noindent
12943 \parshape=L@parshape\relax
12944 \smash{\llap{\mbox{\L@ante}\raisebox{\L@raise}{\usebox{\L@lbox}}}\hskip \the\L@Findent}%
12945 \usebox{\L@tbox}%
12946 }%
12947 }

```

74 File lineno-xetex-bidi.def

```

12948 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for Xe%
12949 \bidi@patchcmd{\MakeLineNo}{%
12950   \hb@xt@z@{\makeLineNumber}%
12951 }{%
12952   \hboxL to \z@{\makeLineNumber}%
12953 }{}{%
12954 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
12955 \if@RTL
12956   \hb@xt@\linenumberwidth{\LineNumber\hss}%
12957 \else
12958   \LineNumber
12959 \fi
12960 }{}{%
12961 }{}{%
12962 \bidi@patchcmd{\makeLineNumberRight}{%
12963   \hb@xt@\linenumberwidth{\hss\LineNumber}%
12964 }{%
12965 }{%
12966 \if@RTL
12967   \LineNumber
12968 \else
12969   \hb@xt@\linenumberwidth{\hss\LineNumber}%
12970 \fi
12971 }{}{%
12972 \bidi@AfterPreamble{%
12973 \if@RTImain
12974   \rightlinenumbers*

```



```

12976 \else
12977   \leftlinenumbers*
12978 \fi
12979 \ifpackagewith{lineno}{left}%
12980   \leftlinenumbers*
12981 \}%
12982 \ifpackagewith{lineno}{right}%
12983   \rightlinenumbers*
12984 \}%
12985 \}
12986

```

75 File `listings-xetex-bidi.def`

```

12987 \ProvidesFile{listings-xetex-bidi.def}[2017/01/14 v1.4 bidi adaptations for listings package]
12988 \lst@Key{captiondirection}{textdirection}{%
12989   \lstKV@SwitchCases{#1}%
12990   {textdirection&\%%
12991     RTL&\chardef\bidi@lst@caption@direction\@ne\%
12992     LTR&\chardef\bidi@lst@caption@direction\z@%
12993   }{\PackageError{Listings}{direction #1 unknown}\@ehc}%
12994
12995 \lst@Key{captionscript}{textscript}{%
12996   \lstKV@SwitchCases{#1}%
12997   {textscript&\%%
12998     latin&\chardef\bidi@lst@caption@script\@ne\%
12999     nonlatin&\chardef\bidi@lst@caption@script\z@%
13000   }{\PackageError{Listings}{direction #1 unknown}\@ehc}%
13001
13002 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
13003   \@ifundefined{bidi@lst@caption@direction}{}{%
13004     \ifnum\bidi@lst@caption@direction=\z@%
13005       #1%
13006     \else%
13007       \ifnum\bidi@lst@caption@direction=\@ne%
13008         #2%
13009       \fi%
13010     \fi%
13011   }%
13012
13013 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
13014   \@ifundefined{bidi@lst@caption@script}{}{%
13015     \ifnum\bidi@lst@caption@script=\z@%
13016       #1%
13017     \else%
13018       \ifnum\bidi@lst@caption@script=\@ne%
13019         #2%
13020       \fi%
13021     \fi%
13022   }%

```



```

13023
13024 \long\def\bidi@lst@makecaption#1#2{%
13025   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13026   \vskip\abovecaptionskip
13027   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13028   \sbox\@tempboxa{%
13029   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
13030   #1: #2%
13031   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
13032 }%
13033 \ifdim \wd\@tempboxa >\hsize
13034   #1: #2\par
13035 \else
13036   \global \minipagetrue
13037   \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
13038 \fi
13039 \vskip\belowcaptionskip}%
13040 \def\lst@makecaption{\bidi@lst@makecaption}
13041 \def\lst@maketitle{\bidi@lst@makecaption\lst@title@dropdelim}
13042 \bidi@AtEndPreamble{%
13043 \bidi@patchcmd{\lst@MakeCaption}{%
13044   \ifx #1t%
13045     \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
13046       \expandafter\refstepcounter
13047     \fi {\lstlisting}%
13048 }{%
13049   \ifx #1t%
13050     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13051     \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
13052       \expandafter\refstepcounter
13053     \fi {\lstlisting}%
13054     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
13055 }{%
13056 \bidi@patchcmd{\lst@MakeCaption}{%
13057   \addcontentsline{loll}{\lstlisting}%
13058   \f\protect\numberline{\the\lstlisting}\lst@@caption}%
13059 }{%
13060 \begingroup%
13061   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13062   \addcontentsline{loll}{\lstlisting}%
13063   \f\protect\numberline{\the\lstlisting}\lst@@caption}%
13064 \endgroup%
13065 }{%
13066 }%
13067 \@ifpackageloaded[caption]{%
13068   \AtBeginCaption{%
13069   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13070   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13071 }%
13072   \let\bidi@lst@makecaption\caption@makecaption%

```



```

13073  \def\lst@makecaption{\caption@starfalse@\bidi@lst@makecaption}%
13074  \def\lst@maketitle{\caption@startrue@\bidi@lst@makecaption\@empty}%
13075 }{%
13076 \AtBeginDocument{%
13077 \@ifundefined{captionlabelfalse}{}{%
13078  \def\lst@maketitle{\captionlabelfalse@\bidi@lst@makecaption\@empty}%
13079 \@ifundefined{caption@startrue}{}{%
13080  \def\lst@maketitle{\caption@startrue@\bidi@lst@makecaption\@empty}%
13081 }%
13082 }%
13083 \AtBeginDocument{%
13084  \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{%
13085  \lst@ifnumberbychapter
13086   \gdef\thelstlisting{%
13087    {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@lstlisting}%
13088  \else
13089   \gdef\thelstlisting{\arabic\c@lstlisting}%
13090  \fi}%

```

76 File loadingorder-xetex-bidi.def

```

13091 \ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
13092 \bidi@isloaded{amsmath}%
13093 \bidi@isloaded{amstext}%
13094 \bidi@isloaded{amsthm}%
13095 \bidi@isloaded{animate}%
13096 \bidi@isloaded{breqn}%
13097 \bidi@isloaded{cals}%
13098 \bidi@isloaded{caption}%
13099 \bidi@isloaded{crop}%
13100 \bidi@isloaded{cuted}%
13101 \bidi@isloaded{cutwin}%
13102 \bidi@isloaded{color}%
13103 \bidi@isloaded{dblfnote}%
13104 \bidi@isloaded{diagbox}%
13105 \bidi@isloaded{xcolor}%
13106 \bidi@isloaded{colortbl}%
13107 \bidi@isloaded{float}%
13108 \bidi@isloaded{floatrow}%
13109 \bidi@isloaded{flowfram}%
13110 \bidi@isloaded{framed}%
13111 \bidi@isloaded{ftnright}%
13112 \bidi@isloaded{xltextra}%
13113 \bidi@isloaded{xunicode}%
13114 \bidi@isloaded{wrapfig}%
13115 \bidi@isloaded{graphicx}%
13116 \bidi@isloaded{geometry}%
13117 \bidi@isloaded{hvfloat}%
13118 \bidi@isloaded{mdframed}%
13119 \bidi@isloaded{midfloat}%

```



```

13120 \bidi@isloaded{ntheorem}
13121 \bidi@isloaded{ntheorem-hyper}
13122 \bidi@isloaded{hyperref}
13123 \bidi@isloaded{fancybox}
13124 \bidi@isloaded{fancyhdr}
13125 \bidi@isloaded{fix2col}
13126 \bidi@isloaded{draftwatermark}
13127 \bidi@isloaded{empheq}
13128 \bidi@isloaded{overpic}
13129 \bidi@isloaded{pdfpages}
13130 \bidi@isloaded{listings}
13131 \bidi@isloaded{lettrine}
13132 \bidi@isloaded{lineno}
13133 \bidi@isloaded{media9}
13134 \bidi@isloaded{pstricks}
13135 \bidi@isloaded{pgf}
13136 \bidi@isloaded{picinpar}
13137 \bidi@isloaded{quotchap}
13138 \bidi@isloaded{tikz}
13139 \bidi@isloaded{titlesec}
13140 \bidi@isloaded{titletoc}
13141 \bidi@isloaded{array}
13142 \bidi@isloaded{soul}
13143 \bidi@isloaded{stabular}
13144 \bidi@isloaded{subfig}
13145 \bidi@isloaded{subfigure}
13146 \bidi@isloaded{supertabular}
13147 \bidi@isloaded{xtab}
13148 \bidi@isloaded{longtable}
13149 \bidi@isloaded{arydshln}
13150 \bidi@isloaded{multicol}
13151 \bidi@isloaded{multienum}
13152 \bidi@isloaded{minitoc}
13153 \bidi@isloaded{natbib}
13154 \bidi@isloaded{newfloat}
13155 \bidi@isloaded{ragged2e}
13156 \bidi@isloaded{rotating}
13157 \bidi@isloaded{tbls}
13158 \bidi@isloaded{tabulary}
13159 \bidi@isloaded{tocbasic}
13160 \bidi@isloaded{tocstyle}
13161 \bidi@isloaded{tocbibind}
13162 \bidi@isloaded{fontspec}
13163 \bidi@isloaded{arabxetex}
13164 \bidi@isloaded{polyglossia}
13165 \bidi@isloaded{fancyvrb}
13166 \AtBeginDocument{
13167   \if@bidi@amsmathloaded@\else
13168     \bidi@isloaded[PackageError{bidi}]{Oops! you have loaded package amsmath after bidi package}
13169   \fi%

```



```

13170   \if@bidi@amstextloaded@\else
13171     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package}]
13172   \fi%
13173 \if@bidi@amsthmloaded@\else
13174   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package}]
13175 \fi%
13176 \if@bidi@animateloaded@\else
13177   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi package}]
13178 \fi%
13179 \if@bidi@breqnloaded@\else
13180   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package}]
13181 \fi%
13182   \if@bidi@calsloaded@\else
13183   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package}]
13184 \fi%
13185 \if@bidi@captionloaded@\else
13186   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package}]
13187 \fi%
13188 \if@bidi@croploaded@\else
13189   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}]
13190 \fi%
13191 \if@bidi@colorloaded@\else
13192   \ifpackageloaded{hyperref}{}{%
13193     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}]
13194   \fi%
13195 \if@bidi@cutwinloaded@\else
13196   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}]
13197 \fi%
13198   \if@bidi@cutedloaded@\else
13199   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}]
13200 \fi%
13201 \if@bidi@dblfnoteloaded@\else
13202   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}]
13203 \fi%
13204 \if@bidi@diagboxloaded@\else
13205   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi package}]
13206 \fi%
13207 \if@bidi@xcolorloaded@\else
13208   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}]
13209 \fi%
13210 \if@bidi@colortblloaded@\else
13211   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package}]
13212 \fi%
13213 \if@bidi@floatloaded@\else
13214   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}]
13215 \fi%
13216   \if@bidi@floatrowloaded@\else
13217   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package}]
13218 \fi%
13219 \if@bidi@flowframloaded@\else

```



```

13220   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package}]
13221   \fi%
13222   \if@bidi@framedloaded@\else
13223     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package}]
13224   \fi%
13225     \if@bidi@ftnrightloaded@\else
13226       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package}]
13227   \fi%
13228   \if@bidi@xltxtraloaded@\else
13229     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxttra after bidi package}]
13230   \fi%
13231   \if@bidi@xunicodeloaded@\else
13232     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package}]
13233   \fi%
13234   \if@bidi@wrapfigloaded@\else
13235     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package}]
13236   \fi%
13237   \if@bidi@graphicxloaded@\else
13238     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package}]
13239   \fi%
13240     \if@bidi@geometryloaded@\else
13241       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package}]
13242   \fi%
13243   \if@bidi@hvfload@\else
13244     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfload after bidi package}]
13245   \fi%
13246     \if@bidi@mdframedloaded@\else
13247       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi package}]
13248   \fi%
13249     \if@bidi@midfloatloaded@\else
13250       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi package}]
13251   \fi%
13252     \if@bidi@ntheoremloaded@\else
13253       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi package}]
13254   \fi%
13255   \if@bidi@hyperrefloaded@\else
13256     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi package}]
13257   \fi%
13258     \if@bidi@fancyboxloaded@\else
13259       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi package}]
13260   \fi%
13261   \if@bidi@fancyhdrloaded@\else
13262     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi package}]
13263   \fi%
13264   \if@bidi@draftwatermarkloaded@\else
13265     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi package}]
13266   \fi%
13267   \if@bidi@empheqloaded@\else
13268     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package}]
13269   \fi%

```



```

13270   \if@bidi@overpicloaded@\else
13271     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi package}]
13272   \fi%
13273   \if@bidi@pdfpagesloaded@\else
13274     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi package}]
13275   \fi%
13276   \if@bidi@lettrineloading@\else
13277     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi package}]
13278   \fi%
13279   \if@bidi@linenoloading@\else
13280     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi package}]
13281   \fi%
13282   \if@bidi@listingsloaded@\else
13283     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi package}]
13284   \fi%
13285   \csname if@bidi@media9loaded@\endcsname\else
13286     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package}]
13287   \fi%
13288   \if@bidi@pstricksloaded@\else
13289     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi package}]
13290   \fi%
13291   \if@bidi@pgfloaded@\else
13292     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. It is recommended to load pgf after bidi package.}]
13293   \fi%
13294   \if@bidi@picinparloaded@\else
13295     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi package}]
13296   \fi%
13297   \if@bidi@quotchaploaded@\else
13298     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi package}]
13299   \fi%
13300   \if@bidi@tikzloaded@\else
13301     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package}]
13302   \fi%
13303   \if@bidi@titlesecloaded@\else
13304     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi package}]
13305   \fi%
13306   \if@bidi@titletocloaded@\else
13307     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi package}]
13308   \fi%
13309   \if@bidi@arrayloaded@\else
13310     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package}]
13311   \fi%
13312   \if@bidi@stabularloaded@\else
13313     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package}]
13314   \fi%
13315   \if@bidi@soulloaded@\else
13316     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package}]
13317   \fi%
13318   \if@bidi@subfigloaded@\else
13319     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package}]

```



```

13320   \fi%
13321   \if@bidi@subfigureloaded@\else
13322     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package}]
13323   \fi%
13324   \if@bidi@supertabularloaded@\else
13325     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi package}]
13326   \fi%
13327   \if@bidi@xtabloaded@\else
13328     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package}]
13329   \fi%
13330   \if@bidi@longtableloaded@\else
13331     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package}]
13332   \fi%
13333   \if@bidi@arydshlnloaded@\else
13334     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package}]
13335   \fi%
13336   \if@bidi@m multicoll loaded@\else
13337     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package}]
13338   \fi%
13339   \if@bidi@multienumloaded@\else
13340     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi package}]
13341   \fi%
13342   \if@bidi@m initoc loaded@\else
13343     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package m initoc after bidi package}]
13344   \fi%
13345   \if@bidi@natbib loaded@\else
13346     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package}]
13347   \fi%
13348   \if@bidi@newfloat loaded@\else
13349     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi package}]
13350   \fi%
13351   \csname if@bidi@ragged2e loaded@\endcsname\else
13352     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi package}]
13353   \fi%
13354   \if@bidi@rotating loaded@\else
13355     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi package}]
13356   \fi%
13357   \if@bidi@tbls loaded@\else
13358     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi package}]
13359   \fi%
13360   \if@bidi@tabulary loaded@\else
13361     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi package}]
13362   \fi%
13363   \if@bidi@tocbasic loaded@\else
13364     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package toc basic after bidi package}]
13365   \fi%
13366   \if@bidi@tocstyle loaded@\else
13367     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package toc style after bidi package}]
13368   \fi%
13369   \if@bidi@tocbibind loaded@\else

```



```

13370 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbbibind after bidi packa
13371 \fi%
13372 \if@bidi@fontspecloaded@\else
13373   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi packa
13374 \fi%
13375 \if@bidi@arabxetexloaded@\else
13376   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi packa
13377 \fi%
13378 \if@bidi@polyglossialoaded@\else
13379   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi pa
13380 \fi%
13381 \if@bidi@fancyvrbloaded@\else
13382   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi packa
13383 \fi%
13384 }

```

77 File longtable-xetex-bidi.def

```

13385 \ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package]
13386 \def\LT@array[#1]#2{%
13387   \refstepcounter{table}\stepcounter{LT@tables}%
13388   \if l#1%
13389     \if@RTLtab\LTleft\fill \LTright\z@ \else\LTleft\z@ \LTright\fill\fi
13390   \else\if r#1%
13391     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@ \fi
13392   \else\if c#1%
13393     \LTleft\fill \LTright\fill
13394   \fi\fi\fi
13395   \let\LT@mcoll\multicolumn
13396   \let\LT@tabarray\@tabarray
13397   \let\LT@h\hline
13398   \def\@tabarray{%
13399     \let\hline\LT@h
13400     \LT@tabarray}%
13401   \let\\LT@tabularcr\let\tabularnewline\\%
13402   \def\newpage{\noalign{\break}}%
13403   \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
13404   \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}%
13405   \let\hline\LT@h\hline \let\kill\LT@kill\let\caption\LT@caption
13406   \tempdima\ht\strutbox
13407   \let\@endpbox\LT@endpbox
13408   \ifx\extrarowheight\undefined
13409     \let\@acol\@tabacol
13410     \let\@classz\@tabclassz \let\@classiv\@tabclassiv
13411     \def\@startpbox{\vtop\LT@startpbox}%
13412     \let\@@startpbox\@startpbox
13413     \let\@endpbox\@endpbox
13414     \let\LT@LL@FM@cr\@tabularcr
13415   \else
13416     \advance\tempdima\extrarowheight

```



```

13417   \col@sep\tabcolssep
13418   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
13419   \fi
13420   \setbox\@arstrutbox\hbox{\vrule
13421     \height \arraystretch \tempdima
13422     \depth \arraystretch \dp \strutbox
13423     \width \z@}%
13424   \let\sharp##\let\protect\relax
13425   \begingroup
13426   \mkpream{#2}%
13427   \xdef\LT@bchunk{%
13428     \global\advance\c@LT@chunks\one
13429     \global\LT@rows\z@\setbox\z@\vbox\bgroup
13430     \LT@setprevdepth
13431     \tabskip\LTleft\noexpand\halign to\hsize\bgroup
13432     \tabskip\z@\arstrut\@preamble\tabskip\LTRight\cr}%
13433   \endgroup
13434   \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
13435   \LT@make@row
13436   \m@th\let\par\empty
13437   \everycr{}\\lineskip\z@\baselineskip\z@
13438   \LT@bchunk}
13439 \def\LT@makecaption#1#2#3{%
13440   \LT@mcoll\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
13441     \sbox\@tempboxa\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
13442     \ifdim\wd\@tempboxa>\hsize
13443       #1{#2: }#3%
13444     \else
13445       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
13446     \fi
13447     \endgraf\vskip\baselineskip}%
13448   \hss}}}
13449 \ifpackageloaded{caption}{%
13450   \renewcommand\LT@makecaption[3]{%
13451     \caption@LT@make{%
13452       \caption@settype*\LTcaptype
13453       \ifdim\LTcapwidth=4in \else
13454         \setcaptionwidth\LTcapwidth
13455       \fi
13456       \caption@setoptions{longtable}%
13457       \caption@setoptions{@longtable}%
13458       \caption@LT@setup
13459       \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
13460       \caption@startrue#1\caption@starfalse
13461       \caption@prepare@stepcounter\LTcaptype{LT}%
13462       \caption@begin\LTcaptype
13463         \caption@normalsize
13464         \vskip-\ht\strutbox
13465         \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
13466       \caption@make{#2}{#3}\endgraf

```



```

13467      \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
13468      \caption@end}{}%
13469 }{%
13470 \def\LT@startpbox#1{%
13471   \bgroup
13472     \let\@footnotetext\LT@p@ftntext
13473     \let\@LTRfootnotetext\LT@p@LTRftntext
13474     \let\@RTLfootnotetext\LT@p@RTLftntext
13475     \setlength\hsize{#1}%
13476     \arrayparboxrestore
13477     \vrule \height \ht\carstrutbox \width \z@}
13478 \def\LT@p@LTRftntext#1{%
13479   \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
13480   \global\LT@p@ftn\expandafter{\@tempa{#1}}{}%
13481 \def\LT@p@RTLftntext#1{%
13482   \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
13483   \global\LT@p@ftn\expandafter{\@tempa{#1}}{}%
13484
13485
13486 \def\LT@output{%
13487   \ifnum\outputpenalty <-\@Mi
13488     \ifnum\outputpenalty > -\LT@end@pen
13489       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
13490     \else
13491       \setbox\z@\vbox{\unvbox\@cclv}%
13492       \ifdim \ht\LT@lastfoot>\ht\LT@foot
13493         \dimen@\pagegoal
13494         \advance\dimen@-\ht\LT@lastfoot
13495         \ifdim\dimen@<\ht\z@
13496           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
13497           \makecol
13498           \outputpage
13499           \setbox\z@\vbox{\box\LT@head}%
13500         \fi
13501       \fi
13502       \global\@colroom\@colht
13503       \global\vsiz@\@colht
13504       \vbox
13505         {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\beginR\vbox\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot
13506         \fi
13507       \else
13508         \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\beginR\vbox\fi\unvbox\@cclv\copy\LT@foot
13509         \makecol
13510         \outputpage
13511         \global\vsiz@\@colroom
13512         \copy\LT@head\nobreak
13513       \fi}

```

78 File `mathtools-xetex-bidi.def`



```

13514 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package]
13515 \MHInternalSyntaxOn
13516 \def\MT_define_tagform:nwnn #1[#2]#3#4{
13517   \namedef{MT_tagform_#1:n}##1
13518   {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2##1}\unskip\@italiccorr#4\if@nonlatin\else#1\fi}
13519 }
13520 \renewtagform{default}{(){}}
13521 \MHInternalSyntaxOff

```

79 File `mdframed-xetex-bidi.def`

```

13522 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]
13523 \newif\if@bidi@mdf@RTL
13524 \def\mdf@lrbbox#1{%
13525   \mdf@patchamsthm%patch amsthm
13526   \if@RTL\@bidi@mdf@RTLtrue\fi%
13527   \if@RTLfalse%
13528     \setbox#1\vbox\bgroup%
13529     \color@begingroup%
13530     \if@bidi@mdf@RTL\@RTLtrue\fi%
13531     \mdf@horizontalmargin@equation%
13532     \columnwidth=\hsize%
13533     \textwidth=\hsize%
13534     \let\if@nobreak\iffalse%
13535     \let\if@noskipsec\iffalse%
13536     \let\par\@par%
13537     \let\-\@dischydge%
13538     \let'@\accii\let`@\accii\let=\@\acciii%
13539     \parindent\z@\parskip\z@skip%
13540     \linewidth\hsize%
13541     \totalleftmargin\z@%
13542     \leftskip\z@skip \rightskip\z@skip \rightskip\z@skip%
13543     \parfillskip\@flushglue \lineskip\normallineskip%
13544     \baselineskip\normalbaselineskip%
13545 %% \sloppy%
13546     \let\\@\normalcr%
13547     \mdf@par@local%New feature to restore parskip/parindent local in save box
13548     \ifbooleq{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
13549     \if@afterindentfalse%
13550     \if@afterheading%
13551   }%
13552 \renewrobustcmd\mdfframedtitleenv[1]{%
13553   \mdf@lrbbox{\mdf@frametitlebox}%
13554   \mdf@frametitlealignment%
13555   \leavevmode{\color{\mdf@frametitlefontcolor}%
13556     \normalfont\mdf@frametitlefont{#1}%
13557     \ifbooleq{\mdf@ignorelastdescenders}{%
13558       {}%
13559       \par\strut\par%
13560       \unskip\unskip\setbox0=\lastbox

```



```

13561           \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
13562           }{}%
13563   \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@\@width\hsize\fi\%
13564   \endmdf@lrbox\relax%
13565   \mdf@ignorevbadness%
13566   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
13567   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
13568   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
13569   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
13570   \mdfframetitleboxtotalheight=\dimexpr
13571           \ht\mdf@frametitlebox
13572           +\dp\mdf@frametitlebox\%
13573           +\mdf@frametitleaboveskip@length
13574           +\mdf@frametitlebelowskip@length
13575           \relax%
13576   }
13577
13578 \renewrobustcmd*\mdf@footnoteoutput{%
13579     \ifvoid\@mpfootins\else%
13580         \nobreak%
13581         \vskip\mdf@footnotedistance@length\%
13582         \normalcolor%
13583         \bidi@\mpfootnoterule%
13584         \unvbox\@mpfootins%
13585     \fi%
13586   }
13587
13588
13589 \renewrobustcmd*\mdf@footnoteinput{%
13590     \def\@mpfn{\mpfootnote}%
13591     \def\thempfn{\thempfootnote}%
13592     \c@mpfootnote\z@%
13593     \let\@footnotetext\mpfootnotetext%
13594     \let\@LTRfootnotetext\mpLTRfootnotetext%
13595     \let\@RTLfootnotetext\mpRTLfootnotetext%
13596   }

```

8o File **bidi-media9.sty**

```

13597 \ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
13598 {bidi fixes for media9 package for the XeTeX engine}
13599
13600 \keys_define:nn{media9/mbtn}{
13601   draft .code:n = {},
13602   final .code:n = {},
13603
13604   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
13605   tooltip .value_required:n = {true},
13606
13607   overface .code:n = {

```



```

13608   \sbox\l_mix_poster_box{
13609     \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
13610   \mix_pdfxform:n{\l_mix_poster_box}
13611   \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
13612 },
13613 overface .value_required:n = {true},
13614
13615 downface .code:n = {
13616   \sbox\l_mix_poster_box{
13617     \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
13618   \mix_pdfxform:n{\l_mix_poster_box}
13619   \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
13620 },
13621 downface .value_required:n = {true},
13622
13623 3Dgotoview .code:n = {
13624   \tl_set:Nx\l_tmpa_tl{#1} %extract ref
13625   \regex_replace_once:nnN{([^\:]+)\:.*}{\1}\l_tmpa_tl
13626   \tl_trim_spaces:N\l_tmpa_tl
13627   \tl_if_exist:cTF{ann@\l_tmpa_tl} {
13628     \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft} {
13629       \tl_set:Nx\l_tmpb_tl{#1} %extract idx
13630       \regex_replace_once:nnN{[^\:]+:\?}{\1}\l_tmpb_tl
13631       \tl_trim_spaces:N\l_tmpb_tl
13632       \tl_if_blank:VF\l_tmpb_tl{
13633         \regex_match:nVTF{^[\DFLNP]\$}\l_tmpb_tl{
13634           \tl_set:Nx\l_mix_vidx_tl{/}\l_tmpb_tl
13635         }{
13636           \regex_match:nVTF{^\d+\$}\l_tmpb_tl{
13637             \tl_set:Nx\l_mix_vidx_tl{~}\l_tmpb_tl
13638           }{
13639             \regex_replace_once:nnN{^\(\s*\){}}\l_tmpb_tl
13640             \regex_replace_once:nnN{(\s*)\$}{\1}\l_tmpb_tl
13641             \tl_set:Nx\l_mix_vidx_tl{~}(\l_tmpb_tl)
13642           }
13643         }
13644       }
13645     \mix_pdfobj:nnn{}{dict} {
13646       /S/JavaScript/JS~(
13647         if(typeof(annotRM)=='undefined') {annotRM=new Array();}
13648         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13649           annotRM['\l_tmpa_tl']=
13650             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
13651         }
13652         annotRM['\l_tmpa_tl'].activated=true;
13653       )
13654       \tl_if_blank:VF\l_tmpb_tl{
13655         /Next~<<
13656         /S/GoTo3DView
13657         /TA~\tl_use:c{ann@\l_tmpa_tl}

```



```

13658          /V\l_mix_vidx_t1
13659      >>
13660      }
13661      }
13662      \tl_gput_right:Nx\g_mix_btactions_t1{\~\mix_pdflastobj:}
13663  }
13664  }{
13665      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_t1}
13666      \cs_if_exist:NF\g_mix_refundefwarned_t1{
13667          \tl_new:N\g_mix_refundefwarned_t1
13668          \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
13669      }
13670  }
13671 },
13672 3Dgotoview .value_required:n = {true},
13673
mediacommand .code:n =
13674     \tl_set:Nx\l_tmpa_t1{\#1}
13675     \regex_replace_once:nnN{([^\:]+)\:??.*}{\1}\l_tmpa_t1 %extract ref
13676     \tl_trim_spaces:N\l_tmpa_t1
13677     \tl_if_exist:cTF{ann@\l_tmpa_t1} {
13678         \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_t1}}{draft} {
13679             \tl_set:Nx\l_tmpb_t1{\#1}
13680             \regex_replace_once:nnN{[^:]+:\?}{ }\l_tmpb_t1
13681             \tl_trim_spaces:N\l_tmpb_t1
13682             \regex_replace_all:nnN{^\{|$\}{} }\l_tmpb_t1
13683             \tl_set:Nx\l_mix_cmd_t1{
13684                 \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_t1[]\q_stop}
13685             \tl_trim_spaces:N\l_mix_cmd_t1
13686             \tl_set:Nx\l_mix_arg_t1{
13687                 \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_t1[]\q_stop}
13688             \tl_trim_spaces:N\l_mix_arg_t1
13689             \mix_pdfobj:nnm{}{dict} {
13690                 /S/JavaScript/JS~(
13691                     if(typeof(annotRM)=='undefined') {annotRM=new~Array();}
13692                     if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){
13693                         annotRM['\l_tmpa_t1']=
13694                             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');
13695                     }
13696                     annotRM['\l_tmpa_t1'].activated=true;
13697                 )
13698                 \tl_if_blank:VF\l_mix_cmd_t1{
13699                     /Next~<<
13700                         /S/RichMediaExecute
13701                         /TA~\tl_use:c{ann@\l_tmpa_t1}
13702                         /TI~\tl_use:c{main@\l_tmpa_t1}
13703                         /CMD~<<
13704                             /C~(\l_mix_cmd_t1)
13705                             \tl_if_blank:VF\l_mix_arg_t1{
13706                                 /A~[\l_mix_arg_t1]

```



```

13708         }
13709         >>
13710         >>
13711         }
13712         }
13713         \tl_gput_right:Nx\g_mix_btnactions_tl{\~\mix_pdflastobj:}
13714     }
13715 }
13716   \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
13717   \cs_if_exist:NF\g_mix_refundefwarned_tl{
13718     \tl_new:N\g_mix_refundefwarned_tl
13719     \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
13720   }
13721 }
13722 },
13723 mediacommand .value_required:n = {true},
13724
13725 jsaction .code:n = {
13726   \tl_set:Nx\l_tmpa_tl{#1}
13727   \regex_match:nNTF{^[\^\{:]+.*$}\l_tmpa_tl{
13728     \regex_replace_once:nnN{([^\:]):??.*}{\1}\l_tmpa_tl %extract ref
13729     \tl_trim_spaces:N\l_tmpa_tl
13730   }{\tl_clear:N\l_tmpa_tl}
13731   \tl_set:Nx\l_tmpb_tl{#1}
13732   \tl_if_blank:VF\l_tmpa_tl{
13733     \tl_if_exist:cF{ann@\l_tmpa_tl}{
13734       \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
13735       \cs_if_exist:NF\g_mix_refundefwarned_tl{
13736         \tl_new:N\g_mix_refundefwarned_tl
13737         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
13738       }
13739     }
13740     \regex_replace_once:nnN{[^:]+\:}{ }\l_tmpb_tl
13741   }
13742   \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
13743   \tl_trim_spaces:N\l_tmpb_tl
13744   \tl_if_blank:VF\l_tmpb_tl{
13745     \mix_pdfobj:nnn{}{dict}{
13746       /S/JavaScript/JS~
13747       try{\l_tmpb_tl}catch(e){console.show();console.println(e))}}
13748     \bool_lazy_and:nnT{
13749       \tl_if_exist_p:c{ann@\l_tmpa_tl}
13750     }{
13751       !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
13752     }{
13753       \mix_pdfobj:nnn{}{dict}{
13754         /S/JavaScript/JS~
13755         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13756         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13757           annotRM['\l_tmpa_tl']=

```



```

13758         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1}, '\l_tmpa_t1');
13759     }
13760     annotRM['\l_tmpa_t1'].activated=true;
13761   )
13762   \tl_if_blank:VF\l_tmpb_t1{/Next~\mix_pdflastobj:}
13763 }
13764 }
13765 \bool_if:nT{
13766   \bool_lazy_and_p:nn{
13767     \tl_if_exist_p:c{ann@\l_tmpa_t1}
13768   }{
13769     !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_t1}}{draft}
13770   }
13771   || !\tl_if_blank_p:V\l_tmpb_t1
13772 }{
13773   \tl_gput_right:Nx\g_mix_btnactions_t1{\~\mix_pdflastobj:}
13774 }
13775 },
13776 jsaction .value_required:n = {true},
13777
13778 unknown .code:n = {
13779   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_t1}
13780 }
13781 }
13782 \RenewDocumentCommand\includemedia{0{}mm}{%
13783   options, #2 text/image #3 media file
13784   \mix_urriend:
13785   \group_begin:
13786   \mix_beginLTR:
13787   \leavevmode
13788   %empty stream as appearance dummy
13789   \cs_if_exist:N\g_mix_appearance_t1{
13790     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
13791     \mix_pdfxform:n{\l_mix_poster_box}
13792     \tl_gset:Nx\g_mix_appearance_t1{\mix_pdflastxform:}
13793   }
13794   \mix_reset:
13795   \mix_uribegin: %treat URI characters correctly
13796   \keys_set:nn{media9/user}{#1}
13797   \mix_urriend:
13798   \tl_greplace_all:Nnn\g_mix_flashvars_t1{~&}{&}
13799   \tl_greplace_all:Nnn\g_mix_flashvars_t1{&~}{&}
13800   \tl_greplace_all:Nnn\g_mix_flashvars_t1{~=}{=}
13801   \tl_greplace_all:Nnn\g_mix_flashvars_t1{=~=}{=}
13802   \tl_gtrim_spaces:N\g_mix_flashvars_t1
13803
13804   \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
13805
13806   \%hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
13807   \%hbox_set:Nn\l_mix_poster_box{#2}

```



```

13808 \sbox{l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
13809 \mix_scale:n{\l_mix_poster_box}
13810 \bool_if:nT{
13811   \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim} ||
13812   \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
13813 }{
13814   \tl_gset:Nn\g_mix_usrbtn_tl{none}
13815 }
13816 \bool_if:NTF\g_mix_usrdraft_bool{
13817   \tl_if_empty:NF\g_mix_usrlabel_tl{
13818     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
13819   }
13820   \tl_if_blank:oTF{#2}{
13821     \mix_uribegin: %treat URI characters correctly
13822     \mix_draftbox:n{\tl_to_str:n{#3}}
13823     \mix_urriend:
13824   }{
13825     \hbox_to_wd:nn{\g_mix_wd_tl}{
13826       \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
13827       \box_use:N\l_mix_poster_box\hss
13828     }
13829   }
13830 }
13831 \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrbtn_tl{none}}{
13832   %attach script that switches off play button overlay upon activation
13833   \mix_pdfobj:nnn{}{stream}{}{
13834     \{}{
13835       var~ocgs=host.getOCGs(host.pageNum);
13836       for(var~i=0;i<ocgs.length;i++){
13837         if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
13838           ocgs[i].state=false;
13839         }
13840       }
13841     }
13842   }
13843   \mix_pdfobj:nnn{}{dict}{}{
13844     /Type/Filespec/EF~<</F-\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
13845   }
13846   \tl_gset:Nx\g_mix_assets_tl{(~\mix_pdflastobj:~)}
13847   \tl_set:Nx\l_mix_scripts_tl{(~\mix_pdflastobj:~)}
13848   %enforce plain playbutton overlay for XeTeX
13849   \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrbtn_tl{plain}}
13850 }
13851 %embed main asset
13852 \mix_uribegin:
13853 \mix_embedasset:n{#3}
13854 \bool_if:nTF{
13855   \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
13856 }{
13857   \bool_gset_true:N\g_mix_iid_bool

```



```

13858   \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
13859 }{
13860   \str_case_x:nnF{\l_mix_base_tl}{
13861     {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13862     {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13863     {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13864     {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13865     {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13866   }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
13867 }
13868 \tl_gset:Nx\g_mix_mainasset_tl{\g_mix_lastasset_tl}
13869 \mix_urriend:
13870 %secondary assets (added by addresource)
13871 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
13872 \seq_map_inline:Nn\g_mix_script_seq{
13873   \mix_embedasset:n{##1}
13874   \tl_put_right:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl}
13875 }
13876 %attach 3D calculation script
13877 \bool_if:nT{\g_mix_iid_bool && \g_mix_iidcalc_bool}{
13878   \mix_embedasset:n{3Dmenu.js}
13879   \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
13880 }
13881 %create 3D views from file (option 3Dviews)
13882 \bool_if:nT{\g_mix_iid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
13883   \tl_set:Nn\l_mix_level_tl{\c_minus_one}
13884   \int_zero:N\l_mix_viewcnt_int
13885   \int_zero:N\l_mix_lineno_int
13886
13887   \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
13888   \ior_map_inline:Nn\l_mix_vfile_stream{
13889     \int_incr:N\l_mix_lineno_int
13890     \keys_set:nn{media9/views}{##1} %process input line
13891   }
13892   \ior_close:N\l_mix_vfile_stream
13893 }
13894 \bool_if:nT{ %create default 3D view if required
13895   \g_mix_iid_bool &&
13896   (\g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl)
13897 }{
13898   \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
13899   \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
13900   \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
13901   \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
13902   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
13903   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
13904   \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
13905
13906   \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
13907   \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp

```



```

13908 \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
13909 \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
13910
13911 \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
13912 \bool_set_eq:NN\l_mix_iidortho_bool\g_mix_opt_iidortho_bool
13913 \tl_clear:N\l_mix_naarray_tl
13914
13915 \bool_if:NF\l_mix_ciiw_bool{
13916     \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
13917     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
13918 }
13919
13920 \tl_clear:N\l_mix_naarray_tl
13921 \tl_clear:N\l_mix_saarray_tl
13922 \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdfltl
13923
13924 \mix_view:n{Default}
13925 \tl_set:Nx\l_mix_dfltvview_tl{\mix_pdflastobj:}
13926
13927 }
13928 \mix_pdfobj:nnn{}{dict}){
13929     /Type/RichMediaInstance
13930     /Subtype/\g_mix_mainassetsub_tl
13931     /Asset~\g_mix_mainasset_tl
13932     \bool_if:NF\g_mix_iid_bool{
13933         /Params~<<
13934             /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
13935                 /Foreground
13936             }{
13937                 /Background
13938             }
13939             \tl_if_blank:VF\g_mix_flashvars_tl{
13940                 /FlashVars~(\g_mix_flashvars_tl)
13941             }
13942         >>
13943     }
13944 }
13945 \tl_if_empty:NF\g_mix_usrlabel_tl{
13946     \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
13947 }
13948 \mix_pdfobj:nnn{}{dict}){
13949     /Type/RichMediaConfiguration
13950     /Subtype/\g_mix_mainassetsub_tl
13951     /Instances~[\mix_pdflastobj:]
13952 }
13953 \mix_pdfobj:nnn{}{dict}{
13954     /Type/RichMediaContent
13955     /Assets~<</Names~[\g_mix_assets_tl]>>
13956     /Configurations~[\mix_pdflastobj:]
13957     \bool_if:nT{

```



```

13958     \g_mix_iid_bool && !(\tl_if_empty_p:V\l_mix_iidviewarray_tl)
13959   }{
13960     /Views~[\l_mix_iidviewarray_tl]
13961   }
13962 }
13963 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
13964 \bool_if:nT{
13965   \g_mix_iid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
13966 }
13967   \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
13968 }
13969 %determine floating window size
13970 \bool_if:NT\g_mix_opt_windowed_bool{
13971   \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
13972 }
13973 \mix_pdfobj:nnn{}{dict}{
13974   /Activation~<<
13975     /Condition\g_mix_act_tl
13976     \bool_if:nT{
13977       \g_mix_iid_bool &&
13978         !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
13979     }%seems to work only with 3D content
13980     /Animation~<<
13981       /Subtype/\g_mix_playtpe_tl
13982       /PlayCount~\g_mix_playcnt_tl
13983       /Speed~\g_mix_playspd_tl
13984     >>
13985   }
13986   \bool_if:nT{
13987     \g_mix_iid_bool && (
13988       \g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl
13989     )
13990   }{/View~\l_mix_dfltvew_tl}
13991   /Presentation~<<
13992     /Transparent~\g_mix_transp_tl
13993     \bool_if:NTF\g_mix_opt_windowed_bool{
13994       /Style/Windowed
13995       /Window~<<
13996         /Width~<</Default~\tl_mix_fltwd>>
13997         /Height~<</Default~\tl_mix_fltht>>
13998       /Position~<<
13999         /HOffset~0/VOffset~0
14000         \str_case_x:nnF{\g_mix_winpos_tl}{
14001           {tl}{/VAlign/Near/HAlign/Near}
14002           {cl}{/VAlign/Center/HAlign/Near}
14003           {bl}{/VAlign/Far/HAlign/Near}
14004           {bc}{/VAlign/Far/HAlign/Center}
14005           {br}{/VAlign/Far/HAlign/Far}
14006           {cr}{/VAlign/Center/HAlign/Far}
14007           {tr}{/VAlign/Near/HAlign/Far}

```



```

14008          {tc}{/VAlign/Near/HAlign/Center}
14009          }{/HAlign/Center/VAlign/Center}
14010          >>
14011          >>
14012          }{
14013          /Style/Embedded
14014          }
14015          \bool_if:NTF\g_mix_iid_bool{
14016              /Toolbar~\g_mix_tools_tl
14017              /NavigationPane~\g_mix_nav_tl
14018          }{
14019              /PassContextClick~\g_mix_contextclick_tl
14020          }
14021          >>
14022          \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
14023          >>
14024          /Deactivation~<</Condition\g_mix_deact_tl>>
14025      }
14026      \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
14027      \tl_if_empty:NF\g_mix_usrlabel_tl{
14028          \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
14029      }
14030      % #1:width, #2:height, #3:depth, #4:content (key-value)
14031      \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
14032          /Subtype/RichMedia
14033          /F~4
14034          /BS~<</W~0/S/S>>
14035          /Contents~(media-embedded-by-media9~[\g_mix_version_tl~(\g_mix_date_tl)])
14036          /NM~(\g_mix_label_tl)
14037          /AP~<</N~\g_mix_appearance_tl>>
14038          /RichMediaSettings~\l_mix_settings_tl
14039          /RichMediaContent~\l_mix_content_tl
14040      }
14041      \tl_if_empty:NF\g_mix_usrlabel_tl{
14042          \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
14043          \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{%
14044              \noexpand\the\g@mix@page@int}
14045      }
14046      \mix_pdfobj:nnn{}{dict}{
14047          /S/JavaScript/JS~(
14048              try{
14049                  if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14050                  if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
14051                      annotRM['\g_mix_label_tl']=
14052                          this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
14053                  }
14054                  \str_if_eq_x:nnF{\g_mix_usrpbnt_tl}{none}{
14055                      if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
14056                          var~ocgs=this.getOCGs(this.pageNum);
14057                          for(var~i=0;i<ocgs.length;i++){

```



```

14058         if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
14059             var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
14060         }
14061     }
14062 }
14063 if(
14064     !annotRM['\g_mix_label_tl'].activated&&(
14065         app.viewerType=='Reader'|||
14066         app.viewerType=='Exchange'|||
14067         app.viewerType=='Exchange-Pro'
14068     )&&app.viewerVersion>=9
14069 ){
14070     ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
14071 }
14072 }
14073 }catch(e){}
14074     this.dirty=false;
14075 )
14076 }
14077 \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{
14078     /Subtype/Widget
14079     /FT/Btn/Ff~65537/F~2
14080     /BS~<</W~0>>
14081     /T~(fd@\g_mix_label_tl)
14082     /AA~<</P0~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
14083 }
14084 \mix_appendtofields:n{\mix_pdflastann:}
14085 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
14086 \str_if_eq_x:nnTF{\g_mix_usrbtn_tl}{none}{
14087     \hbox_to_wd:nn{\g_mix_wd_tl}{
14088         \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
14089     }
14090 }%insert play button overlay
14091 \mix_insert_btncg: %create OCG
14092 \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrbtn_tl @tl}
14093 \group_begin:
14094 \cs_if_exist:NT\texttdir{\texttdir TLT}
14095     \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
14096     \box_move_down:nn{\g_mix_dp_tl}{
14097         \hbox_to_wd:nn{\g_mix_wd_tl}{
14098             \vbox_to_ht:nn{\g_mix_tt_tl}{
14099                 \vss
14100                 \ocgbase_oc_bdc:n{\g_mix_btncg_tl}
14101                 \box_use:N\l_mix_pbtn_box
14102                 \ocgbase_oc_emc:
14103             }
14104         }
14105     }
14106 \group_end:
14107 }
```



```

14108     \int_gincr:N\g_mix_rmcnt_int
14109 }
14110 \mix_endLTR:
14111 \group_end:
14112 }
14113 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
14114 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
14115
14116 \RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
14117   \mix_urriend:
14118   \group_begin:
14119   \mix_beginLTR:
14120   \leavevmode
14121   %reset various variables
14122   \tl_gclear:N\g_mix_overbtn_tl
14123   \tl_gclear:N\g_mix_downbtn_tl
14124   \tl_gclear:N\g_mix_btnactions_tl
14125   \tl_gclear:N\g_mix_tooltip_tl
14126   %process options
14127   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
14128   \mix_uribegin: %treat URI characters correctly
14129   \keys_set:nn{media9\mbtn}{#1} %detect draft/normal on first pass
14130   \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9\mbtn}{#1}}
14131   \mix_urriend:
14132   %normal button appearance
14133   \%hbox_set:Nn\l_mix_poster_box{#2}
14134   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
14135   \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
14136   \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
14137   \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
14138   \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
14139     \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{}{
14140       \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
14141     \mix_pdfxform:n{\l_mix_poster_box}
14142     \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
14143   %insert widget annotation
14144   \mix_pdfannot:nnnn{\width}{\height}{\depth}{
14145     /Subtype/Widget
14146     /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
14147     \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
14148     /FT/Btn/Ff~65536
14149     \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
14150     /AP~<<
14151       /N~\g_mix_normalbtn_tl
14152       \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
14153       \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
14154     >>
14155     /MK~<<
14156       /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
14157       /I~\g_mix_normalbtn_tl

```



```

14158     \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
14159     \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
14160     >>
14161     /A~<<
14162     /S/JavaScript/JS~(app.focusRect=false;)
14163     %sequence of actions to perform
14164     \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
14165     >>
14166     }
14167     \mix_appendtofields:n{\mix_pdflastann:}
14168     \hbox_to_wd:nn{\width}{%
14169     \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
14170     }
14171     \int_gincr:N\g_mix_mbtncnt_int
14172   }
14173   \mix_endLTR:
14174   \group_end:
14175 }
14176
14177 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
14178 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
14179
14180

```

81 File memoir-xetex-bidi.def

```

14181 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for XeLaTeX]
14182 \renewcommand{\keepthetitle}{%
14183   \@bsmtitleempty
14184   \global\let\thanks\relax
14185   \global\let\LTRthanks\relax
14186   \global\let\RTLthanks\relax
14187   \global\let\and\relax
14188   \global\let\andnext\relax
14189   \global\let@\thanks\@empty
14190   \global\let@\title\@empty
14191   \global\let@\author\@empty
14192   \global\let@\date\@empty}
14193 \renewcommand{\maketitle}{\par
14194   \begingroup
14195     \@bsmarkseries
14196     \def\@makefnmark{@textsuperscript{%
14197       \normalfont\@bstthanksheadpre \tamarck \@bstthanksheadpost}}%
14198     \long\def\@makefntext##1{\makethanksmark ##1}
14199     \if@twocolumn
14200       \ifnum \col@number=\@ne
14201         \maketitle
14202       \else
14203         \twocolumn[\maketitle]%
14204     \fi

```



```

14205     \else
14206         \ifdim\pagetotal>\z@
14207             \newpage
14208         \fi
14209         \global\@topnum\z@
14210         \@maketitle
14211     \fi
14212     \thispagestyle{title}\@thanks
14213 \endgroup
14214 \@bscontmark \% \setcounter{footnote}{0}%
14215 }
14216 \renewcommand*{\memRTLleftskip}{\if@RTL\rightrightskip\else\leftskip\fi}
14217 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightrightskip\fi}
14218 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
14219 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
14220 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
14221 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
14222 \renewcommand*{\thesection}{\thechapter\@SepMark\arabic{c)section}
14223 \renewcommand*{\thesubsection}{%
14224             \thesection\@SepMark\arabic{c}subsection}
14225 \renewcommand*{\thesubsubsection}{%
14226             \thesubsection\@SepMark\arabic{c}subsubsection}
14227 \renewcommand*{\theparagraph}{%
14228             \thesubsubsection\@SepMark\arabic{c}paragraph}
14229 \renewcommand*{\thesubparagraph}{%
14230             \theparagraph\@SepMark\arabic{c}subparagraph}
14231 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
14232 \renewcommand{\theequation}{%
14233     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c}equation}
14234 \renewcommand{\thefigure}{\thechapter\@SepMark\arabic{c}figure}
14235 \renewcommand{\thetable}{\thechapter\@SepMark\arabic{c}table}
14236 \ifartopt
14237     \chapterstyle{article}
14238     \counterwithout{figure}{chapter}
14239     \counterwithout{table}{chapter}
14240     \counterwithout{footnote}{chapter}
14241     \counterwithout{equation}{chapter}
14242     \renewcommand{\chaptername}{}
14243     \renewcommand{\maketitlehookb}{%
14244         \vskip -1.5\topsep\vskip -1.5\partopsep}
14245     \renewcommand{\maketitlehookc}{%
14246         \vskip -1.5\topsep\vskip -1.5\partopsep}
14247 \fi
14248 \long\def\@makecaption#1#2{\let\@memtempa\relax
14249 \ifdim\prevdepth<-99\p@\vskip\abovecaptionskip
14250 \else \def\@memtempa{\vbox to\topskip{}}\fi
14251 \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
14252 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
14253 \sbox\@tempboxa{\@contfntfont #1\@contdelim \conttfont #2\@contfinal}
14254 \let\footnote\@contfnote

```



```

14255 \let\footnotemark\@contfmark
14256 \ifdim\wd\@tempboxa<\ linewidth \centering \fi
14257 \if@contcw
14258   \centering
14259   \parbox{\@contcwidth}{%
14260     \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
14261   \fi
14262   \ifdim\wd\@tempboxa<\ linewidth
14263     \@contpre
14264     {\@contnfont #1\@contdelim}\@memtempa
14265     {\@contcshortstyle \@conttfont #2\@contfinal\par}
14266 \else
14267   \if@conthang
14268     \sbox\@tempboxa{\@contnfont #1\@contdelim}
14269     \@contpre%
14270     {\@contcstyle\hangindent=\wd\@tempboxa
14271       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
14272 \else
14273   \if@contindent
14274     \@contpre%
14275     {\@contnfont #1\@contdelim}\@memtempa
14276     {\@contcstyle\hangindent=\@contindw
14277       \hangafter=\@ne\@conttfont #2\@contfinal\par}%- v1.4
14278   \else
14279     \@contpre%
14280     {\@contnfont #1\@contdelim}\@memtempa
14281     {\@contcstyle \@conttfont #2\@contfinal\par}
14282   \fi
14283   \fi
14284 \fi
14285 \@contpost
14286 \if@contcw
14287   \par
14288 } % end of the \parbox
14289 \fi
14290 \vskip\belowcaptionskip
14291 \@ifpackageloaded{caption}{%
14292 \AtBeginPackage{caption}{%
14293 \ClassWarningNoLine{memoir}{%
14294   You are using the caption package with the memoir \MessageBreak
14295   class. This may cause unexpected or inconsistent \MessageBreak
14296   results if you use any of memoir's captioning facilities}
14297
14298 \long\def\@makecaption##1##2{%
14299   \vskip\abovecaptionskip
14300   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
14301   \ifdim \wd\@tempboxa >\hsize
14302     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
14303   \else
14304     \global \minipagefalse

```



```

14305   \hb@xt@hsizen{\hfil\box\@tempboxa\hfil}%
14306   \fi
14307   \vskip\belowcaptionskip
14308
14309 \def\caption{%
14310   \ifx\@capttype\@undefined
14311     \@latex@error{\noexpand\caption outside float}\@ehd
14312     \expandafter\@gobble
14313   \else
14314     \refstepcounter\@capttype
14315     \expandafter\@firstofone
14316   \fi
14317   {\@dblarg{\@caption\@capttype}}%
14318 }
14319
14320 \long\def\@caption##1[##2]##3{%
14321   \par
14322   \addcontentsline{\csname ext@\#1\endcsname}{\#1}%
14323   {\protect\numberline{\csname the\#1\endcsname}{\ignorespaces ##2}}%
14324   \begingroup
14325     \parboxrestore
14326     \if@minipage
14327       \osetminipage
14328     \fi
14329     \normalsize
14330     \makecaption{\csname fnum@\#1\endcsname}{\ignorespaces ##3}\par
14331   \endgroup
14332 }{}}
14333 \renewenvironment{thebibliography}[1]{%
14334   \bibsection
14335   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14336   \bidi@@thebibliography\font@hook%
14337   \begin{bitemlist}{#1}\end{bitemlist}\postbibhook}

```

82 File `midfloat-xetex-bidi.def`

```

14338 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
14339 \def\@RTL@outputdblcol{%
14340   \if@firstcolumn
14341     \global\@firstcolumnfalse
14342     \global\setbox\leftcolumn\copy\outputbox
14343     \splitmaxdepth\maxdimen
14344     \vbadness\maxdimen
14345     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
14346     \setbox\outputbox\vsplit\outputbox to\maxdimen
14347     \toks@\expandafter{\topmark}%
14348     \xdef\@firstcoltopmark{\the\toks@}%
14349     \toks@\expandafter{\splitfirstmark}%
14350     \xdef\@firstcolfirstmark{\the\toks@}%
14351     \ifx\@firstcolfirstmark\empty

```



```

14352      \global\let\@setmarks\relax
14353  \else
14354    \gdef\@setmarks{%
14355      \let\firstmark\@firstcolfirstmark
14356      \let\topmark\@firstcoltopmark}%
14357  \fi
14358  \global\c@colht\@colht\global\c@addvipersep\z@
14359  \ifnum\juo@sk>0
14360    \remove@strip\juo@sar
14361    \global\@colht\the\juo@pr
14362    \ifdim\right@cor>\z@
14363      \global\advance\@colht by\right@cor
14364    \fi
14365    \global\advance\@colht by\cor@height
14366    \global\cor@height=0pt
14367  \fi
14368  \global \setbox\@rightcolumn \vbox{}%
14369 \else
14370  \ifdim\c@colht>\@colht
14371    \tempdima\@colht
14372    \ifdim\@colht>\z@
14373      \global\setbox\@rightcolumn \vbox{%
14374        \unvbox\@rightcolumn
14375        \vbox to\@tempdima{%
14376          \vskip\c@addvipersep\unvbox\outputbox}%
14377          \vskip\stripsep
14378          \vrule height\the\juo@ht width 0pt depth 0pt
14379          \vskip\stripsep
14380        }%
14381      \global\c@addvipersep\m@addvipersep
14382    \else
14383      \global\setbox\@rightcolumn \vbox{%
14384        \unvbox\@rightcolumn
14385        \vrule height\the\juo@ht width 0pt depth 0pt
14386        \vskip\stripsep
14387      }%
14388  \fi
14389  \ifnum\juo@sk>0
14390    \remove@strip\juo@sar
14391    \global\@colht\the\juo@pr
14392    \global\advance\@colht by -\ht\@rightcolumn
14393    \global\advance\@colht by\cor@height
14394    \global\cor@height=0pt
14395  \else
14396    \global\advance\c@colht by-\ht\@rightcolumn
14397    \global\@colht\c@colht
14398  \fi
14399 \else
14400  \global\@firstcolumntrue
14401  \global\setbox\outputbox\vbox to\ht\@leftcolumn{%

```



```

14402          \unvbox\@rightcolumn
14403          \vskip\c@addvipersep
14404          \unvbox\@outputbox
14405          }%
14406          \setbox\@outputbox \vbox {%
14407              \hb@xt@\textwidth {%
14408                  \hskip \columnwidth
14409                  \hfil
14410                  \vrule \width\columnseprule
14411                  \hfil
14412                  \hb@xt@\columnwidth {%
14413                      \bidi@firstcolumn@status@write%
14414                      \box\@leftcolumn \hss}%
14415                  \hskip-\textwidth
14416                  \hb@xt@\columnwidth {%
14417                      \bidi@lastcolumn@status@write%
14418                      \box\@outputbox \hss}%
14419                  \hskip\columnwidth
14420                  \hskip\columnsep}%
14421          }%
14422          \@combinedblfloats
14423          \@setmarks
14424          \@outputpage
14425          \begingroup
14426              \cdblfloatplacement
14427              \startdblcolumn
14428              \whilesw\if@fcolmade \fi
14429                  {\@outputpage
14430                      \@startdblcolumn}%
14431          \endgroup
14432          \global\juo@sk=0\global\juo@sar={}%
14433          \global\cor@height\z@\global\c@addvipersep\z@
14434          \fi
14435      \fi
14436  }
14437
14438
14439 \def\LTR@outputdblcol{%
14440     \if@firstcolumn
14441         \global \c@firstcolumnfalse
14442         \global\setbox\@leftcolumn\copy\@outputbox
14443         \splitmaxdepth\maxdimen
14444         \vbadness\maxdimen
14445         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14446         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14447         \toks@\expandafter{\topmark}%
14448         \xdef\@firstcoltopmark{\the\toks@}%
14449         \toks@\expandafter{\splitfirstmark}%
14450         \xdef\@firstcolfirstmark{\the\toks@}%
14451         \ifx\@firstcolfirstmark\empty

```



```

14452      \global\let\@setmarks\relax
14453  \else
14454    \gdef\@setmarks{%
14455      \let\firstmark\@firstcolfirstmark
14456      \let\topmark\@firstcoltopmark}%
14457  \fi
14458  \global\c@colht\@colht\global\c@addvipersep\z@
14459  \ifnum\juo@sk>0
14460    \remove@strip\juo@sar
14461    \global\@colht\the\juo@pr
14462    \ifdim\right@cor>\z@
14463      \global\advance\@colht by\right@cor
14464    \fi
14465    \global\advance\@colht by\cor@height
14466    \global\cor@height=0pt
14467  \fi
14468  \global \setbox\@rightcolumn \vbox{}%
14469 \else
14470  \ifdim\c@colht>\@colht
14471    \tempdima\@colht
14472    \ifdim\@colht>\z@
14473      \global\setbox\@rightcolumn \vbox{%
14474        \unvbox\@rightcolumn
14475        \vbox to\@tempdima{%
14476          \vskip\c@addvipersep\unvbox\outputbox}%
14477          \vskip\stripsep
14478          \vrule height\the\juo@ht width 0pt depth 0pt
14479          \vskip\stripsep
14480        }%
14481      \global\c@addvipersep\m@addvipersep
14482    \else
14483      \global\setbox\@rightcolumn \vbox{%
14484        \unvbox\@rightcolumn
14485        \vrule height\the\juo@ht width 0pt depth 0pt
14486        \vskip\stripsep
14487      }%
14488  \fi
14489  \ifnum\juo@sk>0
14490    \remove@strip\juo@sar
14491    \global\@colht\the\juo@pr
14492    \global\advance\@colht by -\ht\@rightcolumn
14493    \global\advance\@colht by\cor@height
14494    \global\cor@height=0pt
14495  \else
14496    \global\advance\c@colht by-\ht\@rightcolumn
14497    \global\@colht\c@colht
14498  \fi
14499 \else
14500  \global\@firstcolumntrue
14501  \global\setbox\outputbox\vbox to\ht\@leftcolumn{%

```



```

14502          \unvbox\@rightcolumn
14503          \vskip\c@addvipersep
14504          \unvbox\@outputbox
14505          }%
14506          \setbox\@outputbox \vbox {%
14507              \hb@xt@\textwidth {%
14508                  \hb@xt@\columnwidth {%
14509                      \bidi@firstcolumn@status@write%
14510                          \box\@leftcolumn \hss}%
14511                      \hfil
14512                      \vrule \width\columnseprule
14513                      \hfil
14514                      \hb@xt@\columnwidth {%
14515                          \bidi@lastcolumn@status@write%
14516                          \box\@outputbox \hss}%
14517                      }%
14518          }%
14519          \@combinedblfloats
14520          \@setmarks
14521          \@outputpage
14522          \begingroup
14523              \dblfloatplacement
14524              \startdblcolumn
14525              \@whilesw\if@fcolmade \fi
14526                  {\@outputpage
14527                      \startdblcolumn}%
14528          \endgroup
14529          \global\juo@sk=0\global\juo@sar={}%
14530          \global\cor@height\z@\global\c@addvipersep\z@
14531          \fi
14532      \fi
14533  }
14534
14535
14536 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
14537   \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\
14538       \hsize\textwidth
14539       \@parboxrestore
14540       \col@number \cne
14541       \vrule height\topskip width0pt depth0pt
14542  }
14543
14544 \def\endstrip{%
14545     \egroup\egroup
14546     \if@firstcolumn
14547         \ifdim\pagetotal>\z@
14548             \vskip\stripsep
14549             \global\ht@strip\pagegoal
14550             \global\advance\ht@strip by-\pagetotal
14551             \global\advance\ht@strip by-\stripsep

```



```

14552           \global\advance\ht@strip by-\ht@\viper
14553           \global\advance\ht@strip by-\stripsep
14554           \global\juo@ht=\ht@\viper
14555       \else
14556           \global\ht@strip\z@
14557       \fi
14558   \ifdim\ht@strip>\z@
14559       \unvbox@\viper
14560       \vskip\stripsep
14561   \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
14562   \global\advance\juo@sk by1
14563   \else
14564       \@latex@error{Strip needs more place!}\@ehc
14565   \if@vihproof
14566       \framebox[\columnwidth]{??? Strip ???}%
14567   \fi
14568   \fi
14569   \else
14570       \@latex@error{Strip is used only on left column!}\@ehc
14571   \if@vihproof
14572       \framebox[\columnwidth]{??? Strip ???}%
14573   \fi
14574   \fi
14575 }

```

83 File minitoc-xetex-bidi.def

```

14576 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
14577 \def\@undottedtocline#1#2#3#4#5{%
14578   \ifnum #1>\c@tocdepth\relax \else
14579     \vskip \z@ plus.2\p@
14580   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg %
14581     \parindent #2\relax\@afterindenttrue
14582     \interlinepenalty\@M
14583     \leavevmode
14584     \atempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \hbox{}%
14585     \hskip -\if@RTL\rightskip\else\leftskip\fi
14586     #4\nobreak\hfill \nobreak
14587     \null\par}%
14588   \fi}
14589 \def\@undottedtocline#1#2#3#4#5{%
14590   \ifnum #1>\c@tocdepth\relax \else
14591     \vskip \z@ \atoplus.2\p@
14592   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg %
14593     \parindent #2\relax\@afterindenttrue
14594     \interlinepenalty\@M
14595     \leavevmode
14596     \atempdima #3\relax
14597     \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
14598     {\coffeefont #4}\nobreak \nobreak\null

```



```
14599   \par}%
14600 \fi}
14601 \def\@Undottedtocline#1#2#3#4#5{%
14602   \ifnum #1>\c@tocdepth \relax \else
14603     \vskip \z@ \oplus .2\p@
14604     {\if@RTL\rightskip\else\leftskip\fi \#2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg
14605     \parindent \#2\relax \afterindenttrue
14606     \interlinepenalty \CM
14607     \leavevmode
14608     \tempdima \#3\relax
14609     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
14610     \{#4\}\nobreak \hfill \nobreak\null
14611     \hb@xt@\pnumwidth{\hfil\normalfont \normalcolor \#5}}%
14612   \par}%
14613 \fi}
```

84 File `multicol-xetex-bidi.def`

```
14614 \ProvidesFile{multicol-xetex-bidi.def}[2016/11/27 v0.8 bidi adaptations for multicol package]
14615 \def\page@sofar{%
14616     \process@cols\mult@rightbox
14617     {\ifvoid\count@
14618         \setbox\count@\hbox to\hsize{}}%
14619     \else
14620         \wd\count@\hsize
14621     \fi}%
14622     \count@\col@number \advance\count@\m@ne
14623     \mult@info{z@}
14624     {Column spec: \the\full@width\space = indent
14625      + columns + sep =\MessageBreak
14626      \the\multicol@leftmargin\space
14627      + \the\col@number\space
14628      x \the\hsize\space
14629      + \the\count@\space
14630      x \the\columnsep
14631    }%
14632 \ifvmode\else\errmessage{Multicol Error}\fi
14633     \nointerlineskip
14634     \setbox{z@}\hbox{p}\global\dimen\tw@\dp{z@}
14635     \moveleft\multicol@leftmargin
14636     \hbox to\full@width{%
14637         \bidi@multicol@align@columns
14638         \rlap{\phantom p}}%
14639     }%
14640     \prevdepth{z@}
14641     \kern-\dimen\tw@
14642     \ifdim\dimen\tw@ > \mc@gridwarn
14643         \PackageWarning{multicol}{%
14644             {Very deep columns!}\MessageBreak
14645             Grid alignment might be broken}%

```



```

14646 \fi
14647 }
14648 \def\LTR@column@boxes{%
14649   \process@cols\mult@gfirstbox{%
14650     \ifdim\dp\count@>\dimen\tw@
14651       \global\dimen\tw@\dp\count@ \fi
14652       \mc@col@status@write
14653       \box\count@
14654       \hss{\columnseprulecolor\vrule
14655         \width\columnseprule}\hss}%
14656     \ifdim\dp\mult@rightbox>\dimen\tw@
14657       \global\dimen\tw@\dp\mult@rightbox \fi
14658     \mc@lastcol@status@write
14659     \box\mult@rightbox
14660 }
14661
14662 \def\RTL@column@boxes{%
14663   \ifnum\col@number<\tw@
14664     \LTR@column@boxes
14665   \else
14666     \process@cols\mult@gfirstbox{%
14667       \hskip\hsize
14668       \hss{\columnseprulecolor\vrule
14669         \width\columnseprule}\hss
14670     }%
14671     \hskip\hsize
14672     \process@cols\mult@gfirstbox{%
14673       \ifdim\dp\count@>\dimen\tw@
14674         \global\dimen\tw@\dp\count@ \fi
14675         \hskip-\hsize
14676         \mc@col@status@write
14677         \box\count@
14678         \hskip-\hsize
14679         \hskip-\columnsep
14680     }%
14681     \ifdim\dp\mult@rightbox>\dimen\tw@
14682       \global\dimen\tw@\dp\mult@rightbox \fi
14683     \hskip-\hsize
14684     \mc@lastcol@status@write
14685     \box\mult@rightbox
14686     \hskip-\hsize
14687     \hskip\full@width
14688   \fi
14689 }
14690 \newcommand\RTLmulticolcolumns
14691   {\let\bidi@multicol@align@columns
14692     \RTL@column@boxes}
14693 \newcommand\LTRmulticolcolumns
14694   {\let\bidi@multicol@align@columns
14695     \LTR@column@boxes}

```



```

14696 \newcommand{\bidi@multicol@align@columns}
14697     {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
14698 \def\multicols#1{\col@number#1\relax
14699   \ifnum\col@number<\tw@
14700     \PackageWarning{multicol}%
14701     {Using `~\number\col@number'%
14702      columns doesn't seem a good idea.^^J
14703      I therefore use two columns instead}%
14704     \col@number\tw@\fi
14705 \ifnum\col@number>10
14706   \PackageError{multicol}%
14707   {Too many columns}%
14708   {Current implementation doesn't
14709     support more than 10 columns.%}
14710   \MessageBreak
14711   {I therefore use 10 columns instead}%
14712   \col@number10\fi
14713 \ifx\@footnotetext\mult@footnotetext\else
14714   \let\orig@footnotetext\@footnotetext
14715   \let\@footnotetext\mult@footnotetext
14716 \fi
14717 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
14718   \let\orig@LTRfootnotetext\@LTRfootnotetext
14719   \let\@LTRfootnotetext\mult@LTRfootnotetext
14720 \fi
14721 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
14722   \let\orig@RTLfootnotetext\@RTLfootnotetext
14723   \let\@RTLfootnotetext\mult@RTLfootnotetext
14724 \fi
14725 \@ifnextchar[\mult@cols{\mult@cols[]}]
14726 \long\def\mult@footnotetext#1{\begingroup
14727   \hsize\textwidth
14728   \columnwidth\textwidth
14729   \orig@footnotetext{\endgroup}
14730 \long\def\mult@LTRfootnotetext#1{\begingroup
14731   \hsize\textwidth
14732   \columnwidth\textwidth
14733   \orig@LTRfootnotetext{\endgroup}
14734 \long\def\mult@RTLfootnotetext#1{\begingroup
14735   \hsize\textwidth
14736   \columnwidth\textwidth
14737   \orig@RTLfootnotetext{\endgroup}
14738 \def\right@footnoterule{%
14739   \kern-3\p@
14740   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
14741   \kern2.6\p@}
14742 \def\textwidth@footnoterule{\kern-3\p@
14743   \hrule \width \textwidth \kern 2.6\p@}

```



85 File multienum-xetex-bidi.def

```
14744 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
14745 \renewcommand{\itemx}[1]{\parbox[t]{%
14746 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14747 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}\smallskip}
14748 \renewcommand{\itemxx}[2]{\parbox[t]{%
14749 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14750 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
14751 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14752 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}}
14753 \renewcommand{\itemxxx}[3]{\parbox[t]{%
14754 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14755 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
14756 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14757 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
14758 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14759 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}\smallskip}
14760 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
14761 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14762 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
14763 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14764 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill\%
14765 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14766 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill\%
14767 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14768 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
14769 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
14770 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14771 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill\%
14772 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14773 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill\%
14774 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14775 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill\%
14776 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14777 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill\%
14778 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14779 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
14780 \renewcommand{\itemxox}[2]{\parbox[t]{%
14781 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14782 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill\%
14783 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14784 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
14785 \renewcommand{\itemxxo}[2]{\parbox[t]{%
14786 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14787 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill\%
14788 \parbox[t]{\labelwidth}{\hfill{\labelname}\hskip\labelsep}%
14789 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
14790 \renewcommand{\itemxoxx}[3]{\parbox[t]{%
14791 {\labelwidth}{\hfill{\labelname}\hskip\labelsep}}
```



```

14792 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
14793 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14794 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #2}\hfill%
14795 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14796 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #3}\smallskip}
14797 \renewcommand{\itemxxx}[3]{\parbox[t]%
14798 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14799 \parbox[t]{.25\remainxxx}{\bidi@raggedright #1}\hfill%
14800 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14801 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
14802 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14803 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #3}\smallskip}
14804 \renewcommand{\itemxxx}[3]{\parbox[t]%
14805 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14806 \parbox[t]{.25\remainxxx}{\bidi@raggedright #1}\hfill%
14807 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14808 \parbox[t]{.25\remainxxx}{\bidi@raggedright #2}\hfill%
14809 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14810 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

86 File natbib-xetex-bidi.def

```

14811 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for XeLaTeX]
14812 \renewenvironment{thebibliography}[1]{%
14813   \bibsection
14814   \parindent\z@
14815   \bibpreamble
14816   \bibfont
14817   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14818   \bidi@@thebibliography\font@hook%
14819   \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{\#1}\global\c@NAT@ctr\z@}%
14820   \ifNAT@openbib
14821     \renewcommand{\newblock}{\par}%
14822   \else
14823     \renewcommand{\newblock}{\hskip .11em \@plus.33em \@minus.07em}%
14824   \fi
14825   \sloppy\clubpenalty4000\widowpenalty4000
14826   \sfcode`\.@m
14827   \let\NAT@bibitem\first@sw\@firstoftwo
14828     \let\citeN\cite \let\shortcite\cite
14829     \let\citeasnoun\cite
14830 }{%
14831   \bibitem@fin
14832   \bibpostamble
14833   \def\@noitemerr{%
14834     \PackageWarning{natbib}{Empty `thebibliography' environment}%
14835   }%
14836   \endlist
14837   \bibcleanup
14838 }%

```



87 File `newfloat-xetex-bidi.def`

```
14839 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
14840 \renewcommand*\newfloat@setwithin[2]{%
14841   \ifcsname c@chapter\endcsname
14842     \@removefromreset{\#1}{chapter}%
14843   \fi
14844   \@removefromreset{\#1}{section}%
14845   \edef\@tempa{\#2}%
14846   \ifx\@tempa\empty
14847     \def\@tempa{none}%
14848   \fi
14849   \def\@tempb{none}%
14850   \ifx\@tempa\@tempb
14851     \ifcsname c@chapter\endcsname
14852       \chapterlistsgap@off{\#1}%
14853     \fi
14854     \newfloat@@setwithin{\#1}{}{}%
14855   \else
14856     \def\@tempb{chapter}%
14857     \ifx\@tempa\@tempb
14858       \@addtoreset{\#1}{chapter}%
14859       \@chapterlistsgap@on{\#1}%
14860       \newfloat@@setwithin{\#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@Sep}
14861     \else
14862       \def\@tempb{section}%
14863       \ifx\@tempa\@tempb
14864         \@addtoreset{\#1}{section}%
14865         \ifcsname c@chapter\endcsname
14866           \@addtoreset{\#1}{chapter}%
14867           \@chapterlistsgap@on{\#1}%
14868           \newfloat@@setwithin{\#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
14869         \else
14870           \newfloat@@setwithin{\#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\@Sep}
14871       \fi
14872     \else
14873       \newfloat@Error{Invalid value `#2' for option `within'}%
14874     \fi
14875   \fi
14876 \fi}
```

88 File `ntheorem-xetex-bidi.def`

```
14877 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]
14878 \gdef\@thm#1#2#3{%
14879   \if@thmmarks
14880     \stepcounter{end\InTheoType ctr}%
14881   \fi
14882   \renewcommand{\InTheoType}{\#1}%
14883   \if@thmmarks
```



```

14884     \stepcounter{curr#1ctr}%
14885     \setcounter{end#1ctr}{0}%
14886     \fi
14887     \refstepcounter{#2}%
14888     \theorem@prework
14889     \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14890     \ifvmode \advance\thm@topsepadd\partopsep\fi
14891     \trivlist
14892     \@topsep \theorempreskipamount
14893     \@topsepadd \thm@topsepadd % used by \@endparenv
14894     \advance\linewidth -\theorem@indent
14895     \advance\@totalleftmargin \theorem@indent
14896     \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
14897     \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

89 File `ntheorem-hyper-xetex-bidi.def`

```

14898 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hy
14899 \gdef\@thm#1#2#3{%
14900     \if@thmmarks
14901         \stepcounter{end\InTheoType ctr}%
14902     \fi
14903     \renewcommand{\InTheoType}{#1}%
14904     \if@thmmarks
14905         \stepcounter{curr#1ctr}%
14906         \setcounter{end#1ctr}{0}%
14907     \fi
14908     \refstepcounter{#2}%
14909     \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14910     \ifvmode \advance\thm@topsepadd\partopsep\fi
14911     \trivlist
14912     \@topsep \theorempreskipamount
14913     \@topsepadd \thm@topsepadd % used by \@endparenv
14914     \advance\linewidth -\theorem@indent
14915     \advance\@totalleftmargin \theorem@indent
14916     \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
14917     \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

90 File `overpic-xetex-bidi.def`

```

14918 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package for
14919 \renewenvironment{overpic}[2] [] {%
14920     \sbox{\z@}{\includegraphics[#1]{#2}}%
14921     \settodepth{\@tempcnta}{\usebox{\z@}}%
14922     \settoheight{\@tempcntb}{\usebox{\z@}}%
14923     \advance\@tempcntb\@tempcnta%
14924     \settowidth{\@tempcnta}{\usebox{\z@}}%
14925     \setlength{\@tempdima}{\unitlength}%
14926     \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
14927 }

```



```

14928   \OVP@calc%
14929 %
14930   \begin{picture}(\@tempcnta,\@tempcntb)%
14931     \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@\}}}\fi%
14932     \ifGin@grid%
14933       \put(0,0){\normalfont\fontsize@\viiipt@\viiipt\selectfont%
14934         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}\fi%
14935   \fi\fi%
14936   % reset the graphics parameter
14937   \let\Gin@outer@scaledx\relax
14938   \let\Gin@outer@scaley\relax
14939   \let\Gin@angle\relax
14940   \let\Gin@ewidth\Gin@exclamation
14941   \let\Gin@eheight\Gin@ewidth
14942   \def\Gin@scaledx{1}
14943   \let\Gin@scaley\Gin@exclamation
14944 }\{%
14945   \if@RTL\ifGin@grid%
14946     \put(0,0){\normalfont\fontsize@\viiipt@\viiipt\selectfont%
14947       \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}\fi%
14948   \fi%
14949   \put(0,0){\makebox(0,0)[bl]{\usebox{\z@\}}}\fi%
14950 \end{picture}%
14951 }%

```

91 File pdfbase-xetex-bidi.def

```

14952 \ProvidesFile{pdfbase-xetex-bidi.def}[2017/08/27 v0.1 bidi adaptations for pdfbase package for
14953 \ExplSyntaxOn
14954 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
14955 \cs_set_nopar:Npn\@outputpage{%
14956   \int_gincr:N\g_pbs_page_int
14957   \iow_now:Nx\@mainaux{%
14958     \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}%
14959   }%
14960   \box_if_vertical:cTF{\@outputbox}{%
14961     \bool_set_true:N\l_pbs_is_vertical_bool
14962   }{%
14963     \bool_set_false:N\l_pbs_is_vertical_bool
14964   }%
14965   \hbox_set:Nn\@outputbox{%
14966     %begin of page
14967     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}%
14968     \box_use_clear:N\@outputbox
14969     %end of page
14970     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}%
14971     %end of dvi
14972     \int_compare:nT{\pbs@last@page=\g_pbs_page_int}{%
14973       \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eod_seq{##1}}%
14974     }%

```



```

14975 }
14976 \bool_if:NT\l_pbs_is_vertical_bool{
14977   \vbox_set:Nn\@outputbox{\box_use_clear:N\@outputbox}
14978 }
14979 %insert /Properties into current page's resources
14980 \pbs_insert_properties_entry:
14981 \pbs_outputpage_orig:
14982 }
14983 \ExplSyntaxOff

```

92 File pdfpages-xetex-bidi.def

```

14984 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
14985 \renewcommand*{\includepdf}[2][]{%
14986   \begingroup
14987   \RTLfalse
14988   \let\AM@threadname\relax
14989   \AM@split@options{pdfpages}{#1}%
14990   \edef\AM@temp{\pdfpages{\the\@temptokena}}%
14991   \expandafter\setkeys\AM@temp
14992   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
14993     \let\AM@currentdocname\relax
14994     \renewcommand\includegraphics[2][]{Survey in draft-mode}%
14995     \def\AM@pagecount{0}%
14996   }{%
14997     \AM@findfile{#2}%
14998     \if\AM@threadname\relax
14999       \def\AM@threadname{\AM@currentdocname}%
15000     \fi
15001   }%
15002   \ifAM@survey
15003     \def\AM@pagestemp{}%
15004     \tempcnta=0
15005     \def\foo{%
15006       \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
15007         \let\foo\relax
15008         \expandafter\ifx\expandafter\\AM@pagestemp\\
15009           \edef\AM@pagestemp{%
15010             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
15011         \else
15012           \edef\AM@pagestemp{\AM@pagestemp,%
15013             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
15014         \fi
15015         \advance\@tempcnta 1\relax
15016     }%
15017     \foo
15018   }%
15019   \foo
15020   \expandafter\ifx\expandafter\\AM@pagestemp\\
15021     \def\AM@pagestemp{1}%

```



```

15022     \fi
15023   \fi
15024 \ifAM@output
15025   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
15026   \AM@output{#1}%
15027 \fi
15028 \AM@CheckAtEnd
15029 \endgroup
15030 \AM@ClearShipoutPicture
15031 }

```

93 File pgfcorescopes.code-xetex-bidi.def

```

15032 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pack
15033 \def\pgfpicture{%
15034   \begingroup%
15035   \ifmmode\else\@RTLfalse\beginL\fi%
15036   \pgfpicturetrue%
15037   \global\advance\pgf@picture@serial@count by1\relax%
15038   \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
15039   \let\pgf@nodecallback=\pgfutil@gobble%
15040   \pgf@picmaxx=-16000pt\relax%
15041   \pgf@picminx=16000pt\relax%
15042   \pgf@picmaxy=-16000pt\relax%
15043   \pgf@picminy=16000pt\relax%
15044   \pgf@relevantforpicturesizetrue%
15045   \pgf@resetpathsizes%
15046   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
15047 \def\endpgfpicture{%
15048   \ifpgfrememberpicturepositiononpage%
15049     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
15050   \fi%
15051   % ok, now let's position the box
15052   \ifdim\pgf@picmaxx=-16000pt\relax%
15053     % empty picture. make size 0.
15054     \global\pgf@picmaxx=0pt\relax%
15055     \global\pgf@picminx=0pt\relax%
15056     \global\pgf@picmaxy=0pt\relax%
15057     \global\pgf@picminy=0pt\relax%
15058   \fi%
15059   % Shift baseline outside:
15060   \pgf@relevantforpicturesizefalse%
15061   \pgf@process{\pgf@baseline}%
15062   \xdef\pgf@shift@baseline{\the\pgf@y}%
15063   %
15064   \pgf@process{\pgf@trimleft}%
15065   \global\advance\pgf@x by-\pgf@picminx
15066   % prepare \hskip\pgf@trimleft@final.
15067   % note that \pgf@trimleft@final is also queried
15068   % by the pgf image externalization.

```



```

15069      \xdef\pgf@trimleft@final{-\the\pgf@x}%
15070      %
15071      \pgf@process{\pgf@trimright}%
15072      \global\advance\pgf@x by-\pgf@picmaxx
15073      % prepare \hskip\pgf@trimright@final.
15074      % note that \pgf@trimright@final is also queried
15075      % by the pgf image externalization.
15076      \xdef\pgf@trimright@final{\the\pgf@x}%
15077      %
15078      \pgf@remember@layerlist@globally
15079          \endgroup%
15080          \hss%
15081          \egroup%
15082          \pgf@restore@layerlist@from@global
15083              \pgf@insertlayers%
15084          \endgroup%
15085          \pgfsys@discardpath%
15086          \endgroup%
15087          \pgfsys@endscope%
15088          \pgfsys@endpicture%
15089          \endgroup%
15090          \hss
15091          \egroup%
15092          \pgfsys@typesetpicturebox\pgfpic%
15093          \ifmmode\else\endL\fi%
15094          \endgroup%
15095 }

```

94 File picinpar-xetex-bidi.def

```

15096 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package]
15097 \long\def\@makewincaption#1#2{%
15098   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
15099   \ifdim\wd\@tempboxa>\picwd
15100     {\footnotesize{\bf #1:\enspace}{#2\par}}
15101   \else
15102     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
15103   \fi}
15104 \def\endwindow{%
15105   \global\tcd=\tcdsav
15106   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
15107   \vbadness=10000
15108   \splittopskip=0pt
15109 %
15110 % Typeset the lines above the window
15111 %
15112 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
15113 \tcn=\tcd
15114 \loop\advance\tcn -1
15115 \setbox\fslice=\vsplit\holder to\baselineskip

```



```

15116 \prune\fslice\linewidth
15117 \topheight=0pt
15118 \ifnum\dp\fslice>\dp\wstrutbox
15119     \advance\topheight-\dp\fslice
15120     \advance\topheight\dp\wstrutbox
15121     \advance\topheight\ilg\fi
15122 \hbox to\linewidth{\box\fslice}
15123 \vskip-\topheight
15124 \ifdim\ht\holder>0pt\repeat
15125 \fi
15126 %
15127 % Now we build the boxes beside the window
15128 %
15129 \global\topheight=\tcl\baselineskip
15130 \ifnum\cumpartcl>0\global\tcl=\cumtcl
15131     \global\topheight=\vpic
15132 \fi
15133 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
15134 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
15135 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
15136 \tcn=\tcl \na=0 \nb=0
15137 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
15138 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
15139 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
15140 \ifnum\na=0\ifnum\nb=0
15141     \setbox\waslice=\vbox to\vpic{\vss}
15142     \setbox\wbslice=\vbox to\vpic{\vss}
15143     \bl=1\br=1
15144     \vskip\ilg
15145 \fi\fi
15146 %
15147 % both sides
15148 %
15149 \ifnum\na>0 \ifnum\nb>0
15150 \loop\advance\nb -1
15151 \advance\na -1
15152 \if@RTL%
15153 \setbox\bslice=\vsplit\holder to\baselineskip
15154 \prune\bslice\rtside
15155 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15156 to\rtside{\box\bslice\hfil}}
15157 \setbox\aslice=\vsplit\holder to\baselineskip
15158 \prune\aslice\lftside
15159 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15160 to\lftside{\box\aslice\hfil}}
15161 \else%
15162 \setbox\aslice=\vsplit\holder to\baselineskip
15163 \prune\aslice\lftside
15164 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15165 to\lftside{\box\aslice\hfil}}

```



```

15166 \setbox\bslice=\vsplit\holder to\baselineskip
15167 \prune\bslice\rtside
15168 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15169 to\rtside{\box\bslice\hfil}}
15170 \fi%
15171 \ifnum\nb>0\repeat
15172 \fi\fi
15173 %
15174 % only text on the left side
15175 %
15176 \ifnum\na>0
15177     \loop\advance\na -1
15178     \setbox\aslice=\vsplit\holder to\baselineskip
15179     \prune\aslice\lftside
15180     \setbox\waslice=\vbox{\unvbox\waslice\hbox
15181     to\lftside{\box\aslice\hfil}}
15182     \ifdim\ht\holder>0pt\repeat
15183 \fi
15184 %
15185 % only text on the right side
15186 %
15187 \ifnum\nb>0
15188     \loop\advance\nb -1
15189     \setbox\bslice=\vsplit\holder to\baselineskip
15190     \prune\bslice\rtside
15191     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15192     to\rtside{\box\bslice\hfil}}
15193     \ifdim\ht\holder>0pt\repeat
15194 \fi
15195 %
15196 % fixing the dimensions of the window part
15197 %
15198 \ifnum\bl=0\topheight=\ht\wbslice
15199 \else\ifnum\br=0\topheight=\ht\waslice
15200     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
15201         \else\topheight=\ht\wbslice\fi\fi\fi
15202 %
15203 % ship out the window material to the main vertical list
15204 %
15205 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
15206 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
15207 \fi\fi\fi
15208 \setbox>windowbox=\vbox{\hbox to\linewidth{%
15209 \ifnum\bl>0\box\waslice\hfill\fi%
15210 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
15211 \vfill\unvbox\picbox%
15212 \ifnum\picwd>0\vfill\fi%
15213 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}%
15214 \unvbox>windowbox%
15215 \loop

```



```

15216 \setbox\bslice=\vsplit\rawtext to\baselineskip
15217 \prune\bslice\linewidth
15218 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
15219 \unvbox\wbslice
15220 \ifdim\ht\rawtext>0pt
15221 \repeat
15222 }% FINITO

```

95 File plain-xetex-bidi.def

```

15223 \def\TeXeTO{\TeXeTstate=1 }
15224 \def\TeXeTOff{\TeXeTstate=0 }
15225 \TeXeTO
15226 \def\usebox#1{\leavevmode\copy #1\relax}
15227 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox}
15228   \let\bidi@o@everypar=\everypar
15229   \newtoks\bidi@n@everypar
15230   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
15231   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
15232   \let\everypar=\bidi@n@everypar
15233 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
15234 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
15235 \protected\def\hboxR{\hbox\bgp
15236   \everyhbox{%
15237     \aftergroup\egroup
15238   }%
15239   \beginR
15240   \hboxRconstructtrue
15241   \bgp
15242   \aftergroup\endR
15243   \aftergroup\egroup
15244 }\hbox}
15245 \protected\def\hboxL{\hbox\bgp
15246   \everyhbox{%
15247     \aftergroup\egroup
15248   }%
15249   \beginL
15250   \hboxRconstructfalse
15251   \bgp
15252   \aftergroup\endL
15253   \aftergroup\egroup
15254 }\hbox}
15255 \protected\def\vboxR{\vbox\bgp
15256   \everyvbox{%
15257     \aftergroup\egroup
15258   }%
15259   \RTLtrue
15260   \bgp
15261   \aftergroup\egroup
15262 }\vbox}

```



```

15263 \protected\def\vboxL{\vbox\bgroup
15264   \everyvbox{%
15265     \aftergroup\egroup
15266   \everyvbox{}%
15267   \RTLfalse
15268   \bgroup
15269   \aftergroup\egroup
15270 }\vbox}
15271 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
15272 \def\endLTR{\par}
15273 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
15274 \def\endRTL{\par}
15275 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
15276 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
15277 \let\unsetRTL=\setRTL
15278 \let\unsetLTR=\setRTL
15279 \let\LR=\LRE
15280 \let\RL=\RLE
15281 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
15282 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
15283 \let\@ensure@RL=\@ensure@RTL
15284 \let\@ensure@LR=\@ensure@LTR
15285 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
15286 \let\@ensure@maindir=\@ensure@dir
15287 \def\@RTL{RTL}
15288 \def\@LTR{LTR}
15289 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
15290 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
15291 \let\@TeX\TeX
15292 \def\TeX{\@ensure@LTR{\@TeX}}
15293 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
15294   \dimen@=dp\@cclv \unvbox\@cclv % open up \box255
15295   \ifvoid\footins\else % footnote info is present
15296     \vskip\skip\footins
15297     \footnoterule
15298     \unvbox\footins\fi
15299   \ifr@ggedbottom \kern-\dimen@ \vfil \fi
15300   \ifvoid\@bidi@copyins@
15301   \else
15302     \vskip\skip\@bidi@copyins@
15303     \unvbox\@bidi@copyins@
15304   \fi
15305 }
15306 \long\def\bidi@reflect@box#1{%
15307   \leavevmode
15308   \setbox\z@\hbox{\{#1\}}%
15309   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
15310   \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
15311 }
15312 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex}}}
```



```

15313   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX} }$}}
15314 \let\setRL=\setRTL
15315 \let\setLR=\setLTR
15316 \let\unsetRL=\setLTR
15317 \let\bidi@saved@eqno=\eqno
15318 \let\bidi@saved@leqno=\leqno
15319 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
15320 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@leqno \fi}
15321 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15322 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15323 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

96 File pstricks-xetex-bidi.def

```

15324 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
15325 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
15326 \def\endpspicture{%
15327   \ifshowgrid\ifnum\showgridp@s>0
15328     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
15329   \pst@killglue
15330 % \global\pst@shift=\pst@shift% in fact of the following endgroup
15331   \endgroup
15332   \egroup
15333   \ifdim\wd\pst@hbox=\z@\else
15334     \%@pstrickserr{Extraneous space in the pspicture environment}%
15335     \%{Type \space <return> \space to proceed.}%
15336   \fi
15337   \ht\pst@hbox=\pst@dimd
15338   \dp\pst@hbox=-\pst@dimb
15339   \setbox\pst@hbox=\hbox{%
15340     \kern-\pst@dima
15341 % Orig version -----
15342 \% \ifx\pst@tempa\empty\else
15343 \% \advance\pst@dimd-\pst@dimb
15344 \% \pst@dimd=\pst@tempa\pst@dimd
15345 \% \advance\pst@dimd\pst@dimb
15346 \% \lower\pst@dimd
15347 \% \fi
15348 \% ----- end Orig
15349   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%      shift==
15350     \advance\pst@dimd-\pst@dimb
15351     \pst@dimd=0.5\pst@dimd
15352     \else\pst@dimd-\pst@shift\fi
15353     \advance\pst@dimd\pst@dimb
15354     \lower\pst@dimd
15355     \box\pst@hbox
15356     \kern\pst@dimc}%
15357   \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
15358   \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
15359   \fboxsep=0pt

```



```

15360  \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
15361  \ifmmode\else\endL\fi
15362  \endgroup%
15363  \psset[pstricks]{shift=0}%
15364 }

```

97 File `quotchap-xetex-bidi.def`

```

15365 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
15366 \renewcommand{\qauthor}[1]{%
15367   \par\smallskip
15368   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
15369 \renewcommand{\makechapterhead}[1]{\chapterheadstartvskip%
15370   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
15371     {\chapnumfont
15372       \ifnum \c@secnumdepth >\m@ne%
15373         \if@mainmatter\thechapter%
15374           \fi\fi
15375         \par\nobreak}%
15376       {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10pt
15377         \nobreak\chapterheadendvskip}}}
15378 \renewcommand*{\ciprintcites}{%
15379   \vbox to \z@{\leavevmode\copy\@quotebox\vss}
15380   \global\let\@printcites\relax}

```

98 File `ragged2e-xetex-bidi.def`

```

15381 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package]
15382 \renewcommand{\Centering}{%
15383   \ifx\\@\raggedtwoe@savedcr
15384     \let\\@\centercr
15385   \fi
15386   \let\@gnewline\@raggedtwoe@gnewline
15387   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
15388   \@rightskip\CenteringRightskip
15389   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15390   \parfillskip\CenteringParfillskip
15391   \parindent\CenteringParindent
15392   \@raggedtwoe@spaceskiptrue
15393   \@raggedtwoe@everyselectfont
15394 }
15395 \renewcommand{\RaggedLeft}{%
15396   \ifx\\@\raggedtwoe@savedcr
15397     \let\\@\centercr
15398   \fi
15399   \let\@gnewline\@raggedtwoe@gnewline
15400   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
15401   \@rightskip\RaggedLeftRightskip
15402   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15403   \parfillskip\RaggedLeftParfillskip

```



```

15404 \parindent\RaggedLeftParindent
15405 \@raggedtwoe@spaceskiptrue
15406 \@raggedtwoe@everyselectfont
15407 }
15408 \renewcommand{\RaggedRight}{%
15409   \ifx\\@\raggedtwoe@savedcr
15410     \let\\@\centercr
15411   \fi
15412   \let@gnewline@\raggedtwoe@gnewline
15413   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
15414   \@rightskip\RaggedRightRightskip
15415   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15416   \parfillskip\RaggedRightParfillskip
15417   \parindent\RaggedRightParindent
15418   \@raggedtwoe@spaceskiptrue
15419   \@raggedtwoe@everyselectfont
15420 }
15421 \renewcommand{\justifying}{%
15422   \let\\@\raggedtwoe@savedcr
15423   \let@gnewline@\raggedtwoe@saved@gnewline
15424   \if@RTL\rightskip\else\leftskip\fi\z@
15425   \@rightskip\z@
15426   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15427   \parfillskip\JustifyingParfillskip
15428   \parindent\JustifyingParindent
15429   \@raggedtwoe@spaceskipfalse
15430   \@raggedtwoe@everyselectfont
15431 }
15432 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{%
15433   \CheckCommand*{\@arrayparboxrestore}{%
15434     \let\ifnobreak\iffalse
15435     \let\ifnoskipsec\iffalse
15436     \let\par\@par
15437     \let\-\@dischyp
15438     \let\\@\acci\let\\@\accii\let\\=\@acciii
15439     \parindent\z@\parskip\z@skip
15440     \everypar{}%
15441     \linewidth\hsize
15442     \totalleftmargin\z@
15443     \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \orig
15444     \parfillskip\@flushglue \lineskip\normallineskip
15445     \baselineskip\normalbaselineskip
15446     \sloppy}%
15447   \renewcommand{\@arrayparboxrestore}{%
15448     \let\ifnobreak\iffalse
15449     \let\ifnoskipsec\iffalse
15450     \let\par\@par
15451     \let\-\@dischyp
15452     \let\\@\acci\let\\@\accii\let\\=\@acciii
15453     \parskip\z@skip

```



```

15454     \everypar{}%
15455     \linewidth\hsize
15456     \@totalleftmargin\z@
15457     \RaggedRight
15458     \lineskip\normalineskip
15459     \baselineskip\normalbaselineskip
15460     \sloppy}%
15461     \let\@raggedtwoe@raggedrightboxes@opt\relax
15462   }
15463 \let\origin@RaggedLeft=\RaggedLeft
15464 \let\origin@RaggedRight=\RaggedRight
15465 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
15466 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

99 File rapport1-xetex-bidi.def

```

15467 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class for
15468 \renewenvironment{theindex}{%
15469   \if@twocolumn
15470     \restonewcolfalse
15471   \else
15472     \restonewcoltrue
15473   \fi
15474   \columnseprule \z@
15475   \columnsep 35\p@
15476   \twocolumn[\@makeschapterhead{\indexname}]%
15477   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
15478   \thispagestyle{plain}\parindent\z@
15479   \parskip\z@ \oplus .3\p@\relax
15480   \let\item@idxitem
15481 }{%
15482   \if@restonewcol\onecolumn\else\clearpage\fi}
15483 \renewcommand*\head@style{%
15484   \interlinepenalty \OM
15485   \hyphenpenalty=\OM \exhyphenpenalty=\OM
15486   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15487 \if@titlepage
15488   \renewenvironment{abstract}{%
15489     \titlepage
15490     \null\vfil
15491     \section*{\SectFont\abstractname}%
15492     \noindent\ignorespaces
15493     {\par\vfil\null\endtitlepage}
15494 }%
15495 \else
15496   \renewenvironment{abstract}{%
15497     \if@twocolumn
15498       \section*{\abstractname}%
15499     \else
15500       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
           \section*{\small\SectFont\abstractname}%

```



```

15501      \noindent\ignorespaces
15502      \fi}
15503      {\if@twocolumn\else\par\egroup\fi}
15504 \fi
15505 \renewcommand*\@regtocline[3]{%
15506   \ifnum #1>\c@tocdepth
15507   \else
15508     \vskip\z@\@plus.2\p@
15509     {\hangindent\z@\@afterindenttrue \interlinepenalty\@M
15510       \if@RTL\rightskip\else\leftskip\fi\unitindent
15511       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
15512       \parfillskip\z@
15513       \tempdima\unitindent
15514       \parindent\z@
15515       \leavevmode
15516       \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15517       \hspace{1em}\nobreak{\slshape #3}\par
15518     }%
15519   \fi}
15520 \if@oldtoc
15521 \renewcommand*\l@part[2]{%
15522   \ifnum \c@tocdepth >-2\relax
15523     \addpenalty{-\@highpenalty}%
15524     \addvspace{2.25em \@plus\p@}%
15525     \begingroup
15526       \setlength\tempdima{3em}%
15527       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15528       \parfillskip -\pnumwidth
15529       \leavevmode
15530       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
15531       \nobreak
15532       \global\@nobreaktrue
15533       \everypar{\global\@nobreakfalse\everypar{}}
15534     \endgroup
15535   \fi}
15536 \else
15537   \renewcommand*\l@part{%
15538     \ifnum \c@tocdepth >-2\relax
15539       \addpenalty{-\@highpenalty}%
15540       \addvspace{2.25em \@plus \p@}%
15541       \@regtocline{0}%
15542     \fi}
15543 \fi
15544 \if@oldtoc
15545 \renewcommand*\l@chapter[2]{%
15546   \addpenalty{-\@highpenalty}%
15547   \vskip 1.0em \@plus\p@
15548   \setlength\tempdima{1.5em}%
15549   \begingroup
15550   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth

```



```

15551   \parfillskip -\@pnumwidth
15552   \leavevmode \bfseries
15553   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15554   \hskip -\if@RTL\rightskip\else\leftskip\fi
15555   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
15556   \penalty\@highpenalty
15557   \endgroup}
15558 \else
15559   \renewcommand*\l@chapter{\@regtocline{0}}
15560 \fi
15561 \renewcommand*\left@footnoterule{%
15562   \kern-3\p@
15563   \kern.5\baselineskip
15564   \hrule\@width\unitindent
15565   \kern.4\baselineskip
15566 }
15567 \renewcommand*\right@footnoterule{%
15568   \kern-3\p@
15569   \kern.5\baselineskip
15570   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
15571   \kern.4\baselineskip}
15572 \renewenvironment{thebibliography}[1]
15573   {\chapter*{\bibname}%
15574     \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
15575     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15576     \bidi@thebibliography\font@hook%
15577     \list{\@biblabel{\@arabic\c@enumiv}}%
15578       {\settowidth\labelwidth{\@biblabel{\#1}}%
15579         \leftmargin\labelwidth
15580         \advance\leftmargin\labelsep
15581         \openbib@code
15582         \usecounter{enumiv}%
15583         \let\p@enumiv\empty
15584         \renewcommand*\theenumiv{\@arabic\c@enumiv}%
15585         \sloppy\clubpenalty4000\widowpenalty4000%
15586         \sfcode`.\@m}
15587       \def\@noitemerr
15588         {\@latex@warning{Empty `thebibliography' environment}}%
15589       \endlist}
15590 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
15591 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
15592 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
15593 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15594 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
15595 \renewcommand*\theequation{%
15596   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
15597 \renewcommand*\thefigure{%
15598   \ifnum\c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
15599 \renewcommand*\thetable{%
15600   \ifnum\c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}

```



```

15601 \if@titlepage
15602 \renewcommand*\TitleFont{\rmfamily}
15603 \renewcommand*\maketitle{%
15604   \begin{titlepage}%
15605     \let\footnotesize\small
15606     \let\right@footnoterule\relax
15607     \let\left@footnoterule\relax
15608     \let\textwidth@footnoterule\relax
15609     \let \footnote \thanks
15610     \long\def\@makefntext{\par\@indent\z@\def\labelitemi{\textendash}\@revlabeltrue
15611       \leavevmode\@textsuperscript{\@thefnmark}\kern\p@ \relax ##1}
15612     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15613     \if@compatibility\setcounter{page}{0}\fi
15614     \null\vfil
15615     \vskip 60\p@
15616     \begin{center}%
15617       \TitleFont
15618       {\LARGE \def\\{\penalty -\OM}}
15619       \if@allcaps
15620         \expandafter\uc@nothanks\@title\thanks\relax
15621       \else
15622         \@title
15623       \fi\par}%
15624     \vskip 3em%
15625     {\large
15626       \lineskip .75em \par\@indent\z@
15627       \begin{tabular}[t]{c}%
15628         \if@allcaps
15629           \expandafter\uc@author\nothanks\@author\and\relax
15630         \else
15631           \@author
15632         \fi
15633       \end{tabular}\par}%
15634     \vskip 1.5em%
15635     {\large
15636       \if@allcaps
15637         \uppercase\expandafter{\@date}%
15638       \else
15639         \@date
15640       \fi\par}%
15641     \end{center}\par
15642     \end{titlepage}%
15643     \@thanks
15644     \vfil\null
15645   \end{titlepage}%
15646   \setcounter{footnote}{0}%
15647   \global\let\thanks\relax
15648   \global\let\maketitle\relax
15649   \global\let\@thanks\empty
15650   \global\let\@author\empty

```



```

15651 \global\let@\title{\empty}
15652 \global\let@\date{\empty}
15653 \global\let\title\relax
15654 \global\let\author\relax
15655 \global\let\date\relax
15656 \global\let\and\relax
15657 }
15658 \def\uc@nothanks#1{thanks{\uppercase{#1}\futurelet@\tempa\uc@tx}
15659 \def\uc@authornothanks#1{\and{\uc@nothanks#1\thanks\relax
15660 \futurelet@\tempa\uc@ax}}
15661 \def\uc@ax{%
15662 \ifx@\tempa\relax
15663 \else
15664 \\ \andname \\ \expandafter\uc@authornothanks
15665 \fi}
15666 \def\uc@tx{\ifx@\tempa\relax
15667 \else \expandafter\uc@ty \fi}
15668 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
15669 \else
15670 \renewcommand*\maketitle{\par
15671 \begingroup
15672 \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
15673 \def@\makefnmark{\rlap{%
15674 \textsuperscript{\normalfont\thefnmark}}}}%
15675 \long\def@\makefntext{\xmakefntext{%
15676 \textsuperscript{\normalfont\thefnmark}}}}%
15677 \if@twocolumn
15678 \ifnum \col@number=\@ne
15679 \maketitle
15680 \else
15681 \twocolumn[\maketitle]
15682 \fi
15683 \else
15684 \newpage
15685 \global\@topnum\z@
15686 \maketitle
15687 \fi
15688 \thispagestyle{plain}\thanks
15689 \endgroup
15690 \setcounter{footnote}{0}}%
15691 \global\let\thanks\relax
15692 \global\let\maketitle\relax
15693 \global\let\@maketitle\relax
15694 \global\let@\thanks{\empty}
15695 \global\let@\author{\empty}
15696 \global\let@\title{\empty}
15697 \global\let@\date{\empty}
15698 \global\let\title\relax
15699 \global\let\author\relax
15700 \global\let\date\relax

```



```

15701   \global\let\and\relax
15702 }
15703 \def\@maketitle{%
15704   \newpage
15705   \null
15706   \vskip 2em%
15707   \begin{center}%
15708     \let \footnote \thanks
15709     {\LARGE \TitleFont \title \par}%
15710     \vskip 1.5em%
15711     {\large \TitleFont
15712       \lineskip .5em%
15713       \begin{tabular}[t]{c}%
15714         \author
15715       \end{tabular}\par}%
15716     \vskip 1em%
15717     {\large \TitleFont \date}%
15718   \end{center}%
15719   \par
15720   \vskip 1.5em}
15721 \fi

```

100 File rapport3-xetex-bidi.def

```

15722 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class for
15723 \renewenvironment{theindex}{%
15724   \if@twocolumn
15725     \restonecolfalse
15726   \else
15727     \restonecoltrue
15728   \fi
15729   \columnseprule \z@
15730   \columnsep 35\p@
15731   \twocolumn[\@makeschapterhead{\indexname}]%
15732   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
15733   \thispagestyle{plain}\parindent\z@
15734   \parskip\z@ \plus .3\p@\relax
15735   \let\item\@idxitem
15736 }{%
15737   \if@restonecol\onecolumn\else\clearpage\fi}
15738 \if@titlepage
15739 \renewcommand*\TitleFont{\rmfamily}
15740 \renewcommand*\maketitle{%
15741   \begin{titlepage}%
15742     \let\footnotesize\small
15743     \let\right@footnoterule\relax
15744     \let\left@footnoterule\relax
15745     \let\textwidth@footnoterule\relax
15746     \let \footnote \thanks
15747     \let \LTRfootnote \LTRthanks

```



```

15748 \let \RTLfootnote \RTLthanks
15749 \long\def\@makefntext{\parindent\z@
15750     \def\labelitemi{\textendash}\relax\labeltrue
15751     \leavevmode@textsuperscript{\@thefnmark}\kern1em\relax ##1}
15752 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15753 \if@compatibility\setcounter{page}{0}\fi
15754 \null\vfil
15755 \vskip 60\p@
15756 \begin{center}%
15757     \TitleFont
15758     {\LARGE \def\\{\penalty -\@M}
15759         \if@allcaps
15760             \expandafter\uc@nothanks\@title\thanks\relax
15761         \else
15762             \atitle
15763             \fi\par}%
15764 \vskip 3em%
15765 {\large
15766     \lineskip .75em \parindent\z@
15767     \begin{tabular}[t]{c}%
15768         \if@allcaps
15769             \expandafter\uc@authornothanks\author\and\relax
15770         \else
15771             \author
15772             \fi
15773         \end{tabular}\par}%
15774 \vskip 1.5em%
15775 {\large
15776     \if@allcaps
15777         \uppercase\expandafter{\@date}%
15778     \else
15779         \atitle
15780         \fi\par}%
15781     \end{center}\par
15782     \@thanks
15783     \vfil\null
15784 \end{titlepage}%
15785 \setcounter{footnote}{0}%
15786 \global\let\thanks\relax
15787 \global\let\LTRthanks\relax
15788 \global\let\RTLthanks\relax
15789 \global\let\maketitle\relax
15790 \global\let\@thanks\empty
15791 \global\let\@author\empty
15792 \global\let\@title\empty
15793 \global\let\@date\empty
15794 \global\let\title\relax
15795 \global\let\author\relax
15796 \global\let\date\relax
15797 \global\let\and\relax

```



```

15798 }
15799 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\tempa\uc@tx}
15800 \def\uc@authornothanks#1\andf{\uc@nothanks#1\thanks\relax
15801     \futurelet\tempa\uc@ax}
15802 \def\uc@ax{%
15803   \ifx\@tempa\relax
15804   \else
15805     \\ \andname \\ \expandafter\uc@authornothanks
15806   \fi}
15807 \def\uc@tx{\ifx\@tempa\relax
15808   \else \expandafter\uc@ty \fi}
15809 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
15810 \else
15811 \renewcommand*\maketitle{\par
15812   \begingroup
15813     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15814     \def\@makefnmark{\rlap{%
15815       \textsuperscript{\normalfont\@thefnmark}}}%
15816     \long\def\@makefntext{\@xmakefntext{%
15817       \textsuperscript{\normalfont\@thefnmark}}}%
15818     \if@twocolumn
15819       \ifnum \col@number=\@ne
15820         \maketitle
15821       \else
15822         \twocolumn[\maketitle]%
15823       \fi
15824     \else
15825       \newpage
15826       \global\@topnum\z@
15827       \maketitle
15828     \fi
15829     \thispagestyle{plain}\@thanks
15830   \endgroup
15831   \setcounter{footnote}{0}%
15832   \global\let\thanks\relax
15833   \global\let\LTRthanks\relax
15834   \global\let\RTLthanks\relax
15835   \global\let\maketitle\relax
15836   \global\let\@maketitle\relax
15837   \global\let\@thanks\@empty
15838   \global\let\@author\@empty
15839   \global\let\@title\@empty
15840   \global\let\@date\@empty
15841   \global\let\@title\relax
15842   \global\let\@author\relax
15843   \global\let\@date\relax
15844   \global\let\and\relax
15845 }
15846 \def\@maketitle{%
15847   \newpage

```



```

15848  \null
15849  \vskip 2em%
15850 \if@titlecentered
15851  \begin{center}%
15852  \let \footnote \thanks
15853  \let \LTrfootnote \LTrthanks
15854  \let \RTLfootnote \RTLthanks
15855  {\LARGE \TitleFont \@title \par}%
15856  \vskip 1.5em%
15857  {\large \TitleFont
15858  \lineskip .5em%
15859  \begin{tabular}[t]{c}%
15860  \author
15861  \end{tabular}\par}%
15862  \vskip 1em%
15863  {\large \TitleFont \@date}%
15864  \end{center}%
15865 \else
15866  {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
15867  {\large \TitleFont \lineskip .5em \tabcolsep\z@
15868  \def\and{%% \begin{tabular} has already started
15869  \end{tabular}\hspace{1em plus .17fil}
15870  \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabula
15871  \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
15872  \vskip 1em {\large \TitleFont \@date}
15873 \fi
15874  \par
15875  \vskip 1.5em}
15876 \fi
15877 \renewcommand*\@regtocline[3]{%
15878  \ifnum #1>\c@tocdepth
15879  \else
15880  \vskip\z@\@plus.2\p@
15881  {\hangindent\z@\@afterindenttrue \interlinepenalty\@M
15882  \if@RTL\rightskip\else\leftskip\fi\unitindent
15883  \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
15884  \parfillskip\z@
15885  \tempdima\unitindent
15886  \parindent\z@
15887  \leavevmode
15888  \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15889  \hspace{1em \nobreak\slshape #3}\par
15890  }%
15891  \fi}
15892 \if@oldtoc
15893 \renewcommand*\l@part[2]{%
15894  \ifnum \c@tocdepth >-2\relax
15895  \addpenalty{-\highpenalty}%
15896  \addvspace{2.25em \@plus\p@}%
15897  \begingroup

```



```

15898     \setlength{\tempdima{3em}%
15899     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15900     \parfillskip -\pnumwidth
15901     {\leavevmode
15902         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
15903         \nobreak
15904         \global\@nobreaktrue
15905         \everypar{\global\@nobreakfalse\everypar{}}
15906     \endgroup
15907 } \fi}
15908 \else
15909     \renewcommand*\l@part{%
15910         \ifnum \c@tocdepth >-2\relax
15911             \addpenalty{-\highpenalty}%
15912             \addvspace{2.25em \plus \p@}%
15913             \regtocline{0}%
15914     \fi}
15915 \fi
15916 \if@oldtoc
15917 \renewcommand*\l@chapter[2]{%
15918     \addpenalty{-\highpenalty}%
15919     \vskip 1.0em \plus \p@
15920     \setlength{\tempdima{1.5em}%
15921     \begin{group}
15922         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15923         \parfillskip -\pnumwidth
15924         \leavevmode \bfseries
15925         \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
15926         \hskip -\if@RTL\rightskip\else\leftskip\fi
15927         #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
15928         \penalty\highpenalty
15929     \endgroup}
15930 \else
15931     \renewcommand*\l@chapter{\regtocline{0}}
15932 \fi
15933 \renewcommand*\head@style{%
15934     \interlinepenalty \OM
15935     \hyphenpenalty=\OM \exhyphenpenalty=\OM
15936     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15937 \if@titlepage
15938     \renewenvironment{abstract}{%
15939         \titlepage
15940         \null\vfil
15941         \section*{\SectFont\abstractname}%
15942         \noindent\ignorespaces
15943         {\par\vfil\null\endtitlepage}
15944     \else
15945     \renewenvironment{abstract}{%
15946         \if@twocolumn
15947             \section*{\abstractname}%

```



```

15948     \else
15949         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15950         \section*{\small\SectFont\abstractname}%
15951         \noindent\ignorespaces
15952     \fi}
15953     {\if@twocolumn\else\par\egroup\fi}
15954 \fi
15955 \renewcommand*\thesection{\thechapter\@SepMark\arabic\c@section}
15956 \renewcommand*\thesubsection{\thesection\@SepMark\arabic\c@subsection}
15957 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\arabic\c@subsubsection}
15958 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\arabic\c@paragraph}
15959 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\arabic\c@subparagraph}
15960 \renewcommand*\thefigure{%
15961   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\arabic\c@figure}
15962 \renewcommand*\thetable{%
15963   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\arabic\c@table}
15964 \renewcommand*\theequation{%
15965   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\arabic\c@equation}
15966 \renewenvironment{thebibliography}[1]
15967   {\chapter*{\bibname}%
15968     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
15969     \if@RTL\if@LTrbitems\@RTLfalse\else\fi\else\if@RTLrbitems\@RTLtrue\else\fi\fi
15970     \bidi@thebibliography\font@hook\%
15971     \list{\biblabel{\arabic\c@enumiv}}{%
15972       \settowidth\labelwidth{\biblabel{\#1}}%
15973       \leftmargin\labelwidth
15974       \advance\leftmargin\labelsep
15975       \openbib@code
15976       \usecounter{enumiv}%
15977       \let\p@enumiv\empty
15978       \renewcommand*\theenumiv{\arabic\c@enumiv}%
15979       \sloppy\clubpenalty4000\widowpenalty4000%
15980       \sfcode`.\@m}
15981     {\def\@itemerr
15982       {\@latex@warning{Empty `thebibliography' environment}}%
15983     \endlist}
15984 \renewcommand*\left@footnoterule{%
15985   \kern-3\p@
15986   \kern.5\baselineskip
15987   \hrule\width\unitindent
15988   \kern.4\baselineskip
15989 }
15990 \renewcommand*\right@footnoterule{%
15991   \kern-3\p@
15992   \kern.5\baselineskip
15993   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax}\hrulefill }
15994   \kern.4\baselineskip}
15995 \renewcommand*\head@style{%
15996   \interlinepenalty\@M
15997   \hyphenpenalty=\@M \exhyphenpenalty=\@M

```



```
15998     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

101 File refrep-xetex-bidi.def

```
15999 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for XeT
16000 \if@titlepage
16001   \renewcommand\maketitle{\begin{titlepage}%
16002     \let\footnotesize\small
16003     \let\right@footnoterule\relax
16004     \let\left@footnoterule\relax
16005     \let\textwidth@footnoterule\relax
16006     \let\footnote\thanks
16007     \let\LTRfootnote\LTRthanks
16008     \let\RTLfootnote\RTLthanks
16009   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16010   \def\@makefnmark{%
16011     {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}}%
16012   \long\def\@makefntext##1{%
16013     \@setpar{\@@par
16014       \tempdima = \hsize
16015       \advance\tempdima -1em
16016       \parshape \one 1em \tempdima}%
16017     \par\parindent 1em \noindent
16018     \hb@xt@z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1
16019   \null\vfil
16020   \vskip 60\p@
16021   \begin{center}%
16022     {\LARGE \title \par}%
16023     \vskip 3em%
16024     {\large
16025       \lineskip .75em%
16026       \begin{tabular}[t]{c}%
16027         \author
16028       \end{tabular}\par}%
16029     \vskip 1.5em%
16030     {\large \date \par}          % Set date in \large size.
16031   \end{center}\par
16032   \thanks
16033   \vfil\null
16034   \end{titlepage}%
16035   \setcounter{footnote}{0}%
16036   \global\let\thanks\relax
16037   \global\let\LTRthanks\relax
16038   \global\let\RTLthanks\relax
16039   \global\let\maketitle\relax
16040   \global\let\@thanks\empty
16041   \global\let\@author\empty
16042   \global\let\@date\empty
16043   \global\let\@title\empty
16044   \global\let\title\relax
```



```

16045 \global\let\author\relax
16046 \global\let\date\relax
16047 \global\let\and\relax
16048 }
16049 \else
16050 \renewcommand\maketitle{\par
16051   \begingroup
16052     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16053     \def\@makefnmark%
16054       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}\%
16055     \long\def\@makefntext##1{%
16056       \setpar{\@@par
16057         \tempdima = \hsize
16058         \advance\tempdima -1em
16059         \parshape \one 1em \tempdima}%
16060       \par\parindent 1em \noindent
16061       \hb@xt@z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,,}##1}
16062     \if@twocolumn
16063       \ifnum \col@number=\one
16064         \maketitle
16065       \else
16066         \twocolumn[\maketitle]%
16067       \fi
16068     \else
16069       \newpage
16070       \global\@topnum\z@ % Prevents figures from going at top of page.
16071       \maketitle
16072     \fi
16073     \thispagestyle{empty}\@thanks
16074   \endgroup
16075   \setcounter{footnote}{0}%
16076 \global\let\thanks\relax
16077 \global\let\LTRthanks\relax
16078 \global\let\RTLthanks\relax
16079 \global\let\maketitle\relax
16080 \global\let\@maketitle\relax
16081 \global\let\@thanks\empty
16082 \global\let\@author\empty
16083 \global\let\@date\empty
16084 \global\let\@title\empty
16085 \global\let\title\relax
16086 \global\let\author\relax
16087 \global\let\date\relax
16088 \global\let\and\relax
16089 }
16090 \def\@maketitle{%
16091   \newpage
16092   \null
16093   \longthickrule\vskip1.5em%
16094   \let \footnote \thanks

```



```

16095 \let \LTRfootnote \LTRthanks
16096 \let \RTLfootnote \RTLthanks
16097 {\secshape \parskip\z@ \parindent\z@
16098 \Large\bfseries \@title \par}%
16099 \vskip1.5em\longthickrule\vskip1.5em%
16100 {\normalsize
16101 \lineskip .5em%
16102 \begin{flushright}%
16103 {\slshape\@author\par}
16104 \vskip 1em%
16105 {\@date}%
16106 \end{flushright}\par}%
16107 \vskip 1.5em}
16108 \fi
16109 \renewcommand*\l@part[2]{%
16110 \ifnum \c@tocdepth >-2\relax
16111 \addpenalty{-\@highpenalty}%
16112 \addvspace{2.25em \oplus\p@}%
16113 \begingroup
16114 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16115 \parfillskip -\pnumwidth
16116 {\leavevmode
16117 \large \bfseries #1\hfil \hbox to\pnumwidth{\hss #2}\par
16118 \nobreak
16119 \global\@nobreaktrue
16120 \everypar{\global\@nobreakfalse\everypar{}}%
16121 \endgroup
16122 \fi}
16123 \renewcommand*\l@chapter[2]{%
16124 \ifnum \c@tocdepth >\m@ne
16125 \addpenalty{-\@highpenalty}%
16126 \vskip 1.0em \oplus\p@%
16127 \setlength\tempdima{1.5em}%
16128 \begingroup
16129 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16130 \parfillskip -\pnumwidth
16131 \leavevmode \bfseries
16132 \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
16133 \hskip -\if@RTL\rightskip\else\leftskip\fi
16134 #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
16135 \penalty\@highpenalty
16136 \endgroup
16137 \fi}
16138 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
16139 \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
16140 \hyphenpenalty=2000}
16141 \renewcommand\left@footnoterule{%
16142 \kern-3\p@%
16143 \hrule\width.4\columnwidth
16144 \kern 2.6\p@}

```



```

16145 \renewcommand\right@footnoterule{%
16146   \kern-3\p@
16147   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
16148   \kern2.6\p@}
16149 \renewcommand\theequation
16150 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
16151 \renewcommand\thefigure
16152 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
16153 \renewcommand\thetable%
16154 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
16155 \renewcommand\thesection {\thechapter\SepMark\arabic\c@section}
16156 \renewcommand\thesubsection {\thesection\SepMark\arabic\c@subsection}
16157 \renewcommand\thesubsubsection {\thesubsection\SepMark\arabic\c@subsubsection}
16158 \renewcommand\theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
16159 \renewcommand\thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
16160 \renewenvironment{thebibliography}[1]
16161   {\chapter*{\bibname
16162     \mkboth{\bibname}{\bibname}}%
16163     \if@RTL\if@LTRbibitems\else\fi\else\if@RTLbibitems\else\fi\fi
16164     \bidi@thebibliography\font@hook%
16165     \list{\biblabel{\arabic\c@enumiv}}%
16166       {\settowidth\labelwidth{\biblabel{#1}}%
16167         \leftmargin\labelwidth
16168         \advance\leftmargin\labelsep
16169         \openbib@code
16170         \usecounter{enumiv}%
16171         \let\p@enumiv\empty
16172         \renewcommand\theenumiv{\arabic\c@enumiv}%
16173         \sloppy
16174         \clubpenalty4000
16175         \clubpenalty \clubpenalty
16176         \widowpenalty4000%
16177         \sfcode`.=\@m}
16178       \def\noitemerr
16179         {\@latex@warning{Empty `thebibliography' environment}}%
16180     \endlist}

```

102 File report-xetex-bidi.def

```

16181 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report class]
16182 \renewenvironment{theindex}
16183   {\if@twocolumn
16184     \restonecolfalse
16185   \else
16186     \restonecoltrue
16187   \fi
16188   \columnseprule \z@
16189   \columnsep 35\p@
16190   \twocolumn[\makeschapterhead{\indexname}]%
16191   \mkboth{\MakeUppercase\indexname}%

```



```

16192           {\MakeUppercase\indexname}%
16193           \thispagestyle{plain}\parindent\z@
16194           \parskip\z@ \oplus .3\p@\relax
16195           \let\item\@idxitem
16196           {\if@restonecol\onecolumn\else\clearpage\fi}
16197   \if@titlepage
16198     \renewcommand\maketitle{\begin{titlepage}%
16199       \let\footnotesize\small
16200       \let\right@footnoterule\relax
16201       \let\left@footnoterule\relax
16202       \let\textwidth@footnoterule\relax
16203       \let \footnote \thanks
16204       \let \LTRfootnote \LTRthanks
16205       \let \RTLfootnote \RTLthanks
16206       \null\vfil
16207       \vskip 60\p@
16208       \begin{center}%
16209         {\LARGE \o@title \par}%
16210         \vskip 3em%
16211         {\large
16212           \lineskip .75em%
16213           \begin{tabular}[t]{c}%
16214             \o@author
16215             \end{tabular}\par}%
16216         \vskip 1.5em%
16217         {\large \o@date \par}%
16218       % Set date in \large size.
16219       \end{center}\par
16220       \o@thanks
16221       \vfil\null
16222       \end{titlepage}%
16223       \setcounter{footnote}{0}%
16224       \global\let\thanks\relax
16225       \global\let\LTRthanks\relax
16226       \global\let\RTLthanks\relax
16227       \global\let\o@thanks\empty
16228       \global\let\o@author\empty
16229       \global\let\o@date\empty
16230       \global\let\o@title\empty
16231       \global\let\title\relax
16232       \global\let\author\relax
16233       \global\let\date\relax
16234       \global\let\and\relax
16235     }
16236   \else
16237     \renewcommand\maketitle{\par
16238       \begingroup
16239         \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16240         \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16241         \long\def\@makefntext{\#1\par\indent 1em\noindent

```



```

16242           \hb@xt@1.8em{%
16243             \hss@\textsuperscript{\normalfont\@thefnmark}##1}%
16244 \if@twocolumn
16245   \ifnum \col@number=\@ne
16246     \@maketitle
16247   \else
16248     \twocolumn[\@maketitle]%
16249   \fi
16250 \else
16251   \newpage
16252   \global\@topnum\z@    % Prevents figures from going at top of page.
16253   \@maketitle
16254   \fi
16255   \thispagestyle{plain}\@thanks
16256 \endgroup
16257 \setcounter{footnote}{0}%
16258 \global\let\thanks\relax
16259 \global\let\LTRthanks\relax
16260 \global\let\RTLthanks\relax
16261 \global\let\maketitle\relax
16262 \global\let\@maketitle\relax
16263 \global\let\@thanks\@empty
16264 \global\let\@author\@empty
16265 \global\let\@date\@empty
16266 \global\let\@title\@empty
16267 \global\let\title\relax
16268 \global\let\author\relax
16269 \global\let\date\relax
16270 \global\let\and\relax
16271 }
16272 \def\@maketitle{%
16273   \newpage
16274   \null
16275   \vskip 2em%
16276   \begin{center}%
16277     \let \footnote \thanks
16278     \let \LTrfootnote \LTRthanks
16279     \let \RTLfootnote \RTLthanks
16280     {\LARGE \@title \par}%
16281     \vskip 1.5em%
16282     \large
16283       \lineskip .5em%
16284       \begin{tabular}[t]{c}%
16285         \author
16286       \end{tabular}\par}%
16287     \vskip 1em%
16288     {\large \@date}%
16289   \end{center}%
16290   \par
16291   \vskip 1.5em}

```



```

16292 \fi
16293 \renewcommand*\l@part[2]{%
16294   \ifnum \c@tocdepth >-2\relax
16295     \addpenalty{-\@highpenalty}%
16296     \addvspace{2.25em \oplus \p@}%
16297     \setlength{\tempdima}{3em}%
16298   \begingroup
16299     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16300     \parfillskip -\pnumwidth
16301     {\leavevmode
16302       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
16303       \nobreak
16304       \global\nobreaktrue
16305       \everypar{\global\nobreakfalse\everypar{}%}
16306     \endgroup
16307   \fi}
16308 \renewcommand*\l@chapter[2]{%
16309   \ifnum \c@tocdepth >\m@ne
16310     \addpenalty{-\@highpenalty}%
16311     \vskip 1.0em \oplus \p@
16312     \setlength{\tempdima}{1.5em}%
16313   \begingroup
16314     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16315     \parfillskip -\pnumwidth
16316     \leavevmode \bfseries
16317     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
16318     \hskip -\if@RTL\rightskip\else\leftskip\fi\fi
16319     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
16320     \penalty\@highpenalty
16321   \endgroup
16322 \fi}
16323 \renewcommand\left@footnoterule{%
16324   \kern-3\p@
16325   \hrule\width.4\columnwidth
16326   \kern2.6\p@}
16327 \renewcommand\right@footnoterule{%
16328   \kern-3\p@
16329   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16330   \kern2.6\p@}
16331 \renewcommand\theequation
16332   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}
16333 \renewcommand \thefigure
16334   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}
16335 \renewcommand \thetable
16336   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}
16337 \renewcommand \thechapter {\arabic\c@chapter}
16338 \renewcommand \thesection {\thechapter\@SepMark\arabic\c@section}
16339 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}
16340 \renewcommand\thesubsubsection{\thesubsection\@SepMark\arabic\c@subsubsection}
16341 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}

```



```

16342 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
16343 \def\@makechapterhead#1{%
16344   \vspace*{50\p@}%
16345   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
16346     \ifnum \c@secnumdepth >\m@ne
16347       \huge\bfseries \chapapp\space \thechapter
16348       \par\nobreak
16349       \vskip 20\p@
16350     \fi
16351     \interlinepenalty\OM
16352     \Huge \bfseries #1\par\nobreak
16353     \vskip 40\p@
16354   }%
16355 \def\@makeschapterhead#1{%
16356   \vspace*{50\p@}%
16357   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
16358     \interlinepenalty\OM
16359     \Huge \bfseries #1\par\nobreak
16360     \vskip 40\p@
16361   }%
16362 }%
16363 \renewenvironment{\thebibliography}[1]
16364   {\chapter*{\bibname}%
16365     \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16366     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16367     \bidi@thebibliography\font@hook%
16368     \list{\@biblabel{\@arabic\c@enumiv}}%
16369       {\settowidth\labelwidth{\@biblabel{\#1}}%
16370         \leftmargin\labelwidth
16371         \advance\leftmargin\labelsep
16372         \openbib@code
16373         \usecounter{enumiv}%
16374         \let\p@enumiv\empty
16375         \renewcommand\theenumiv{\@arabic\c@enumiv}%
16376         \sloppy
16377         \clubpenalty4000
16378         \clubpenalty \clubpenalty
16379         \widowpenalty4000%
16380         \sfcode`\.\@m}
16381         {\def\@noitemerr
16382           {\@latex@warning{Empty `thebibliography' environment}}%
16383         \endlist}

```

103 File rotating-xetex-bidi.def

```

16384 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
16385 \def\end@rotfloat{%
16386   \end{minipage}\end{lrbox}%
16387   \stepcounter{r@tfl@t}%
16388   \rot@label{RF\ther@tfl@t}%

```



```

16389  \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16390  \edef\@tempa{Adding sideways \@capttype\space on page \R@@page\space}
16391  \rot@mess@toks\expandafter{\@tempa}
16392  \wd\rot@float@box\z@
16393  \ht\rot@float@box\z@
16394  \dp\rot@float@box\z@
16395  \vboxL to \textheight{%
16396  \setkeys{Grot}{units=360}%
16397  \if@rot@twoside
16398  \else
16399  \let\R@@page\rot@LR
16400  \fi
16401  \ifthenelse{\isodd{\R@@page}}{%
16402  \if@rot@twoside
16403  \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16404  \fi
16405  \vfill
16406  \@@line{%
16407  \hskip\rotFPtop
16408  \rotatebox{90}{\box\rot@float@box}%
16409  \hskip\rotFPbot
16410  }%
16411  }{%
16412  \if@rot@twoside
16413  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16414  \fi
16415  \@@line{%
16416  \hskip\rotFPbot
16417  \rotatebox{-90}{\box\rot@float@box}%
16418  \hskip\rotFPtop
16419  }%
16420  \vfill
16421  }%
16422  \rot@message{\the\rot@mess@toks}
16423  }%
16424  \end@float
16425 }
16426 \let\endsidewaysfigure\end@rotfloat
16427 \let\endsidewaystable\end@rotfloat
16428 \def\end@rotdblfloat{%
16429  \end{minipage}\end{lrbox}%
16430  \stepcounter{r@tfl@t}%
16431  \rot@label{RF\ther@tfl@t}%
16432  \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16433  \edef\@tempa{Adding sideways \@capttype\space on page \R@@page\space}
16434  \rot@mess@toks\expandafter{\@tempa}
16435  \tempdima\ht\rot@float@box
16436  \advance\tempdima by \dp\rot@float@box
16437  \wd\rot@float@box\z@
16438  \ht\rot@float@box\z@

```



```

16439  \dp\rot@float@box{z@%
16440  \vboxL to \textheight{%
16441  \setkeys{Grot}{units=360}%
16442  \if@rot@twoside
16443  \else
16444  \let\R@@page\rot@LR
16445  \fi
16446  \ifthenelse{\isodd{\R@@page}}{%
16447  \ifrot@messages
16448  \if@rot@twoside
16449  \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16450 \fi
16451  \fi
16452  \vfill
16453  \@@line{%
16454  \hskip\rotFPtop
16455  \rotatebox{90}{\box\rot@float@box}%
16456  \hskip\rotFPbot
16457  }%
16458  }{%
16459  \ifrot@messages
16460  \if@rot@twoside
16461  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16462 \fi
16463  \fi%
16464  \@@line{%
16465  \hskip\rotFPbot
16466  \rotatebox{-90}{\box\rot@float@box}%
16467  \hskip\rotFPtop
16468  }%
16469  \vfill
16470  }%
16471  \rot@message{\the\rot@mess@toks}%
16472 }%
16473 \enddblfloat
16474 }
16475 \def\turn#1{%
16476  \Grot@setangle{#1}%
16477  \setbox{z@}\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16478 \def\endturn{%
16479  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16480  \unskip\color@endbox
16481  \Grot@x{z@}
16482  \Grot@y{z@}
16483  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16484 }
16485 \def\rotate#1{%
16486  \Grot@setangle{#1}%
16487  \setbox{z@}\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16488 \def\endrotate{%

```



```

16489 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16490 \unskip\color@endbox
16491 \Grot@x\z@
16492 \Grot@y\z@
16493 \wd0\z@\dp0\z@\ht0\z@
16494 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16495 }
16496 \def\turnbox#1#2{%
16497   \Grot@setangle{#1}%
16498   \setbox\z@\hbox{\{ \ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\#2\ifmmode\if@RTL\endR\fi\fi
16499   \Grot@x\z@\Grot@y\z@
16500   \wd0\z@\dp0\z@\ht0\z@
16501   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16502 }
16503 \def\sideways{%
16504   \Grot@setangle{90}%
16505   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16506 \def\endsideways{%
16507 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16508 \unskip\color@endbox
16509 \Grot@x\z@
16510 \Grot@y\z@
16511 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16512 }

```

104 File scrartcl-xetex-bidi.def

```

16513 \ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class for
16514 \newcommand{\scr@saved@LTRfootnotetext}{}
16515 \newcommand{\scr@saved@RTLfootnotetext}{}
16516 \let\scr@saved@footnotetext@\footnotetext
16517 \let\scr@saved@LTRfootnotetext@\LTRfootnotetext
16518 \let\scr@saved@RTLfootnotetext@\RTLfootnotetext
16519 \renewcommand{\@footnotetext}[1]{%
16520   \scr@saved@footnotetext{#1}%
16521   \csname FN@mf@prepare\endcsname
16522 }
16523 \renewcommand{\@LTRfootnotetext}[1]{%
16524   \scr@saved@LTRfootnotetext{#1}%
16525   \csname FN@mf@prepare\endcsname
16526 }
16527 \renewcommand{\@RTLfootnotetext}[1]{%
16528   \scr@saved@RTLfootnotetext{#1}%
16529   \csname FN@mf@prepare\endcsname
16530 }
16531 \renewcommand{\deffootnote[4][]{}}{%
16532   \long\def\@makefntext##1{%
16533     \setlength{\@tempdimc}{#3}%
16534     \def\@tempa{#1}\ifx\@tempa\empty
16535       \empty

```



```

16536      \tempdima = \hsize
16537      \addtolength{\tempdima}{-\#2}%
16538      \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
16539 \else
16540     \addtolength{\tempdimc}{\#2}%
16541     \addtolength{\tempdimc}{-\#1}%
16542     \setpar{\@par
16543       \tempdima = \hsize
16544       \addtolength{\tempdima}{-\#1}%
16545       \tempdimb = \hsize
16546       \addtolength{\tempdimb}{-\#2}%
16547       \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima %
16548     }%
16549   \fi
16550   \par
16551   \parindent\tempdimc\noindent
16552   \ftn@font\hbox to \z@\{\hss\@makefnmark}\#%
16553 }%
16554 \def\@makefnmark{\hbox{\ftn@font\#4}}%
16555 }%
16556 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
16557 \renewcommand*\leftfootnoterule{%
16558   \normalsize\ftn@rule@test@values
16559   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16560   \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
16561   {\usekomafont{footnoterule}{%
16562     \hrule \height\ftn@rule@height \width\ftn@rule@width}%
16563   \kern 2.6\p@}
16564 \renewcommand*\rightfootnoterule{%
16565   \normalsize\ftn@rule@test@values
16566   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16567   \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
16568   {\usekomafont{footnoterule}{%
16569     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16570   \kern 2.6\p@}
16571 \renewcommand*\maketitle[1][1]{%
16572   \if@titlepage
16573     \begin{titlepage}
16574       \setcounter{page}{%
16575         #1}%
16576     }%
16577     \let\footnotesize\small
16578     \let\rightfootnoterule\relax
16579     \let\leftfootnoterule\relax
16580     \let\textwidth\footnoterule\relax
16581     \let\footnote\thanks
16582     \let\LTRfootnote\LTRthanks
16583     \let\RTLfootnote\RTLthanks
16584     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16585     \let\oldmakefnmark\@makefnmark

```



```

16586 \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}%
16587 \ifx\@extratitle\empty \else
16588   \noindent\@extratitle\next@tpage\cleardoubleemptypage
16589   \thispagestyle{empty}%
16590 \fi
16591 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16592 \ifx\@titlehead\empty \else
16593   \begin{minipage}[t]{\textwidth}%
16594     \titlehead
16595   \end{minipage}\par
16596 \fi
16597 \null\vfill
16598 \begin{center}
16599   \ifx\@subject\empty \else
16600     {\@subject\font\@subject\par}%
16601     \vskip 3em
16602   \fi
16603   {\@titlefont\huge \title\par}%
16604   \vskip 1em
16605   {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16606   \vskip 2em
16607   {\Large \lineskip 0.75em
16608     \begin{tabular}[t]{c}
16609       \author
16610     \end{tabular}\par
16611   }%
16612   \vskip 1.5em
16613   {\Large \date\par}%
16614   \vskip \z@\@plus3fill
16615   {\Large \publishers\par}%
16616   \vskip 3em
16617 \end{center}\par
16618 \thanks
16619 \vfill\null
16620 \if@twoside\next@tpage
16621   \begin{minipage}[t]{\textwidth}
16622     \uppertitleback
16623   \end{minipage}\par
16624   \vfill
16625   \begin{minipage}[b]{\textwidth}
16626     \lowertitleback
16627   \end{minipage}
16628 \fi
16629 \ifx\@dedication\empty \else
16630   \next@tpage\null\vfill
16631   {\centering \Large \dedication\par}%
16632   \vskip \z@\@plus3fill
16633   \if@twoside \next@tpage\cleardoubleemptypage \fi
16634 \fi
16635 \end{titlepage}

```



```

16636 \else
16637   \par
16638   \tempcnta=%
16639   #1%
16640   \relax\ifnum\tempcnta=1\else
16641     \ClassWarning{\KOMAClassName}{%
16642       Optional argument of \string\maketitle\space ignored
16643       at\MessageBreak
16644       notitlepage-mode%
16645     }%
16646   \fi
16647   \begingroup
16648     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16649     \let\oldmakefnmark\makefnmark
16650     \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
16651     \if@twocolumn
16652       \ifnum \col@number=\@ne
16653         \maketitle
16654       \else
16655         \twocolumn[\maketitle]%
16656       \fi
16657     \else
16658       \newpage
16659       \global\@topnum\z@
16660       \maketitle
16661     \fi
16662     \thispagestyle{\titlepagestyle}\@thanks
16663   \endgroup
16664 \fi
16665 \setcounter{footnote}{0}%
16666 \let\thanks\relax
16667 \let\LTRthanks\relax
16668 \let\RTLthanks\relax
16669 \let\maketitle\relax
16670 \let\@maketitle\relax
16671 \global\let\@thanks\empty
16672 \global\let\@author\empty
16673 \global\let\@date\empty
16674 \global\let\@title\empty
16675 \global\let\@subtitle\empty
16676 \global\let\@extratitle\empty
16677 \global\let\@titlehead\empty
16678 \global\let\@subject\empty
16679 \global\let\@publishers\empty
16680 \global\let\@uppertitleback\empty
16681 \global\let\@lowertitleback\empty
16682 \global\let\@dedication\empty
16683 \global\let\@author\relax
16684 \global\let\@title\relax
16685 \global\let\@extratitle\relax

```



```

16686 \global\let\titlehead\relax
16687 \global\let\subject\relax
16688 \global\let\publishers\relax
16689 \global\let\uppertitleback\relax
16690 \global\let\lowertitleback\relax
16691 \global\let\dedication\relax
16692 \global\let\date\relax
16693 \global\let\and\relax
16694 }%
16695 \renewcommand*\@maketitle}{%
16696 \clearpage
16697 \let\footnote\thanks
16698 \let\LTRfootnote\LTRthanks
16699 \let\RTLfootnote\RTLthanks
16700 \ifx\@extratitle\@empty \else
16701     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
16702 \fi
16703 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16704 \ifx\@titlehead\@empty \else
16705     \begin{minipage}[t]{\textwidth}
16706         \titlehead
16707     \end{minipage}\par
16708 \fi
16709 \null
16710 \vskip 2em%
16711 \begin{center}%
16712     \ifx\@subject\@empty \else
16713         \subject\font \@subject \par\}
16714     \vskip 1.5em
16715 \fi
16716 \titlefont\huge \@title \par}%
16717 \vskip .5em
16718 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16719 \vskip 1em
16720 {\Large
16721     \lineskip .5em%
16722     \begin{tabular}[t]{c}
16723         \author
16724     \end{tabular}\par
16725 }%
16726 \vskip 1em%
16727 {\Large \@date \par}%
16728 \vskip \z@\@plus 1em
16729 {\Large \@publishers \par}
16730 \ifx\@dedication\@empty \else
16731     \vskip 2em
16732     {\Large \@dedication \par}
16733 \fi
16734 \end{center}%
16735 \par

```



```

16736   \vskip 2em
16737 }%
16738 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
16739 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
16740 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
16741 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
16742 \renewcommand*{\thesubsubsection}{%
16743   \thesubsection\@SepMark\@arabic\c@subsubsection
16744 }
16745 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
16746 \renewcommand*{\thesubparagraph}{%
16747   \theparagraph\@SepMark\@arabic\c@subparagraph
16748 }
16749 \renewenvironment{thebibliography}[1]{%
16750   \if@bib@break@
16751     \bib@beginhook
16752   \else
16753     \bib@heading
16754     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
16755       \noindent\bibpreamble\par\nobreak
16756     \fi\fi
16757     \bib@beginhook
16758     \bib@before@hook
16759   \fi
16760   \renewcommand{\BreakBibliography}[1]{%
16761     \bib@break
16762     \end{thebibliography}%
16763     \begingroup \#1\endgroup
16764     \begin{thebibliography}\#1
16765   }%
16766   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16767   \bidi@@thebibliography@font@hook%
16768   \list{%
16769     \biblabel{\@arabic\c@enumiv}%
16770   }{%
16771     \settowidth\labelwidth{\@biblabel\#1}%
16772     \leftmargin\labelwidth
16773     \advance\leftmargin\labelsep
16774     \openbib@code
16775     \if@bib@break@
16776       \edef@\tempa{%
16777         \noexpand\usecounter{enumiv}%
16778         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
16779       }\@tempa
16780       \no@bib@break
16781     \else
16782       \usecounter{enumiv}%
16783     \fi
16784     \let\p@enumiv\@empty
16785     \renewcommand*{\theenumiv}{\@arabic\c@enumiv}%

```



```

16786  }%
16787  \sloppy\clubpenalty4000 \widowpenalty4000
16788  \sfcode`.=\@m
16789 }{%
16790  \if@bib@break@
16791  \def\@noitemerr{%
16792  \@latex@warning{%
16793   \string\BreakBibliography\space at begin of `thebibliography'
16794   environment\MessageBreak
16795   or following \string\BreakBibliography}%
16796  }%
16797 \else
16798  \def\@noitemerr{%
16799  \@latex@warning{%
16800   Empty `thebibliography' environment or
16801   \string\BreakBibliography\MessageBreak
16802   before end of `thebibliography' environment}%
16803  }%
16804 \fi
16805 \endlist
16806 \if@bib@break@
16807 \else
16808  \bib@after@hook
16809  \let\bib@before@hook\empty
16810  \let\bib@after@hook\empty
16811 \fi
16812 \bib@endhook
16813 }
16814 \renewcommand*\left@footnoterule{%
16815  \kern-3\p@
16816  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16817  \hrule\@width.4\columnwidth
16818  \kern 2.6\p@}
16819 \renewcommand*\right@footnoterule{%
16820  \kern-3\p@
16821  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16822  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16823  \kern2.6\p@}
16824 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
16825 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
16826 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
16827 \renewcommand\marginline[1]{%
16828  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{\#1}]{\if@RTL\raggedleft\else\raggedright\fi}%
16829 }
16830 \renewcommand{\@makecaption}[3]{%
16831  \cap@margin
16832  \ifonelinecaptions
16833  \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
16834  \let\scr@tmp@footnotetext=\footnotetext
16835  \let\@footnotetext=\gobble

```



```

16836   \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
16837   \let\@LTRfootnotetext=\@gobble
16838   \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
16839   \let\@RTLfootnotetext=\@gobble
16840   \sbox\@tempboxa{%
16841     {\capfont{\strut\ignorespaces
16842       #1{\caplabelfont{\#2\captionformat}}}}%
16843     #3\unskip\strut}}%
16844   }%
16845   \let\@footnotetext=\scr@tmp@footnotetext
16846   \let\scr@tmp@footnotetext=\undefined
16847   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
16848   \let\scr@tmp@LTRfootnotetext=\undefined
16849   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
16850   \let\scr@tmp@RTLfootnotetext=\undefined
16851   \setcounter{footnote}{\tempcntb}%
16852   \setcounter{mpfootnote}{\tempcnta}%
16853 \else
16854   \sbox\@tempboxa{\hspace*{2\cap@width}}%
16855 \fi
16856 \begingroup%
16857   \setlength{\tempdima}{\cap@width}%
16858   \ifdim \wd\@tempboxa >\tempdima
16859     \hb@xt@\hsize{%
16860       \setbox\@tempboxa\vbox{\hsize=\cap@width
16861         \ifdim\fullc@p
16862           {\capfont{\hangfrom{\smash{\vphantom{\cap@width}\vbox{\hsize=\cap@width}}}
16863             #1{\caplabelfont{\#2\captionformat}}}}%
16864             #3\unskip\strut\par}}%
16865   \else%
16866     \ifdim\cap@indent<\z@
16867       {\capfont{\strut\ignorespaces
16868         #1{\caplabelfont{\#2\captionformat\par}}}}%
16869         \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
16870   \else%
16871     \if@capbreak
16872       {\capfont{\strut\ignorespaces
16873         #1{\caplabelfont{\#2\captionformat\par}}}}%
16874         \noindent\hangfrom{\hspace*{\cap@indent}}#3\par}}%
16875   \else
16876     {\capfont{\hangfrom{\smash{\vphantom{\cap@width}\vbox{\hsize=\cap@width}}}
16877       {\hspace{-\cap@indent}\smash{\vphantom{\cap@width}\vbox{\hsize=\cap@width}}\ignorespaces#1%
16878         {\caplabelfont{\#2\captionformat}}}}#3\unskip\strut\par}}%
16879     \fi
16880   \fi
16881   \fi
16882 }%
16883 \setlength{\tempdima}{\ht\@tempboxa}%
16884 \addtolength{\tempdima}{\dp\@tempboxa}%
16885 \addtolength{\tempdima}{-\ht\strutbox}%

```



```

16886      \ht\@tempboxa\ht\strutbox
16887      \dp\@tempboxa\@tempdima
16888      \strut\cap@left
16889      \box\@tempboxa
16890      \cap@right\strut
16891  }%
16892 \else
16893   \global \minipagetrue
16894   \sbox\@tempboxa{%
16895     {\capfont{\scr@smashdp{\strut\ignorespaces
16896       #1{\caplabelfont{#2\captionformat}}}}%
16897       #3}}%
16898   }%
16899   {\capfont{\hb@xt@\hspace{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
16900     \fi
16901   \endgroup
16902 }
16903 \renewcommand{\makecaption}[2]{%
16904   \if@captionabove
16905     \vskip\belowcaptionskip
16906   \else
16907     \vskip\abovecaptionskip
16908   \fi
16909   @\makecaption\firstofone{#1}{#2}%
16910   \if@captionabove
16911     \vskip\abovecaptionskip
16912   \else
16913     \vskip\belowcaptionskip
16914   \fi
16915 }
16916 \bidi@AfterFile{longtable-xetex-bidi.def}{%
16917   @ifpackageloaded{caption2}{@komalongtablefalse
16918     \scr@caption@before@longtable@warning{caption2}%
16919   }%
16920   \if@komalongtable
16921     \renewcommand{\LT@makecaption}[3]{%
16922       \noalign{%
16923         \if@captionabove
16924           \vskip\belowcaptionskip
16925         \else
16926           \vskip\abovecaptionskip
16927         \fi
16928       }%
16929       \LT@mcol\LT@cols c{%
16930         \hbox to \z@{%
16931           \parbox[t]\linewidth{%
16932             \@@makecaption{#1}{#2}{#3}%
16933             \endgraf
16934             \if@captionabove
16935               \vskip\abovecaptionskip
16936             \else

```



```

16936           \vskip\belowcaptionskip
16937           \fi
16938       }%
16939       \hss
16940   }%
16941 }%
16942 }%
16943 \renewcommand*{\scr@LT@array}{}
16944 \let\scr@LT@array=\LT@array
16945 \renewcommand*{\LT@array}{%
16946   \let\scr@caption=\LT@caption
16947   \def\captionabove{\noalign{\global\@captionabovetrue}%
16948     \scr@caption}%
16949   \def\captionbelow{\noalign{\global\@captionabovefalse}%
16950     \scr@caption}%
16951   \if@tablecaptionabove
16952     \let\LT@caption=\captionabove
16953   \else
16954     \let\LT@caption=\captionbelow
16955   \fi
16956   \scr@LT@array
16957 }%
16958 \ClassInfo{\KOMAClassName}{%
16959   longtable captions redefined%
16960 }%
16961 \fi
16962 }
16963 \CloneTOCEntryStyle{tocline}{part}
16964 \TOCEntryStyleStartInitCode{part}{%
16965   \expandafter\renewcommand%
16966     \csname scr@tso@#1@linefill\endcsname{\hfill}%
16967   \expandafter\renewcommand%
16968     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
16969   \expandafter\renewcommand%
16970     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
16971       \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
16972   \expandafter\renewcommand\expandafter*%
16973     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
16974   \expandafter\renewcommand\expandafter*%
16975     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
16976 }%
16977 \CloneTOCEntryStyle{tocline}{section}
16978 \TOCEntryStyleStartInitCode{section}{%
16979   \expandafter\renewcommand%
16980     \csname scr@tso@#1@linefill\endcsname{%
16981       \if@sectionentrywithdots
16982         \TOCLineLeaderFill\relax
16983       \else
16984         \hfill
16985       \fi

```



```

16986  }%
16987  % F^^fcr die Eintr^e4ge die Schrift von Element sectionentry verwenden.
16988  \expandafter\renewcommand%
16989  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
16990  \expandafter\renewcommand%
16991  \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{se%
16992  \expandafter\renewcommand\expandafter*%
16993  \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus \p@}%
16994 }
16995
16996 \CloneTOCEntryStyle{tocline}{subsection}
16997 \TOCEntryStyleStartInitCode{subsection}{%
16998   \expandafter\renewcommand%
16999   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17000 }
17001
17002 \CloneTOCEntryStyle{subsection}{default}
17003
17004 \DeclareSectionCommand[%]
17005   style=part,%
17006   level=\z@,%
17007   tocstyle=part,%
17008   toplevel=\m@ne,%
17009   tocindent=\z@,%
17010   tocnumwidth=2em%
17011 ]{part}
17012 \DeclareSectionCommand[%]
17013   style=section,%
17014   level=1,%
17015   indent=\z@,%
17016   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
17017   afterskip=2.3ex \oplus .2ex,%
17018   tocstyle=section,%
17019   tocindent=0pt,%
17020   tocnumwidth=1.5em%
17021 ]{section}
17022 \DeclareSectionCommand[%]
17023   style=section,%
17024   level=2,%
17025   indent=\z@,%
17026   beforeskip=-3.25ex\oplus -1ex \minus -.2ex,%
17027   afterskip=1.5ex \oplus .2ex,%
17028   tocstyle=subsection,%
17029   tocindent=1.5em,%
17030   tocnumwidth=2.3em%
17031 ]{subsection}
17032 \DeclareSectionCommand[%]
17033   style=section,%
17034   level=3,%
17035   indent=\z@,%

```



```

17036   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17037   afterskip=1.5ex \@plus .2ex,%
17038   tocstyle=subsection,%
17039   tocindent=3.8em,%
17040   tocnumwidth=3.2em%
17041 ]{subsubsection}
17042 \DeclareSectionCommand[%]
17043   style=section,%
17044   level=4,%
17045   indent=\z@,%
17046   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17047   afterskip=-1em,%
17048   tocstyle=subsection,%
17049   tocindent=7.0em,%
17050   tocnumwidth=4.1em%
17051 ]{paragraph}
17052 \DeclareSectionCommand[%]
17053   style=section,%
17054   level=5,%
17055   indent=\scr@parindent,%
17056   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17057   afterskip=-1em,%
17058   tocstyle=subsection,%
17059   tocindent=10em,%
17060   tocnumwidth=5em%
17061 ]{subparagraph}

```

105 File scrbook-xetex-bidi.def

```

17062 \ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for XeLaTeX]
17063 \newcommand{\scr@saved@LTRfootnotetext}{}%
17064 \newcommand{\scr@saved@RTLfootnotetext}{}%
17065 \let\scr@saved@footnotetext\@footnotetext
17066 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
17067 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
17068 \renewcommand{\@footnotetext}[1]{%
17069   \scr@saved@footnotetext{#1}%
17070   \csname FN@mf@prepare\endcsname
17071 }%
17072 \renewcommand{\@LTRfootnotetext}[1]{%
17073   \scr@saved@LTRfootnotetext{#1}%
17074   \csname FN@mf@prepare\endcsname
17075 }%
17076 \renewcommand{\@RTLfootnotetext}[1]{%
17077   \scr@saved@RTLfootnotetext{#1}%
17078   \csname FN@mf@prepare\endcsname
17079 }%
17080 \renewcommand{\deffootnote[4]}[]{}%
17081   \long\def\makefntext##1{%
17082     \setlength{\@tempdimc}{#3}%

```



```

17083 \def\@tempa{\#1}\ifx\@tempa\empty
17084   \csetpar{\@par
17085     \tempdima = \hsize
17086     \addtolength{\tempdima}{-\#2}%
17087     \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
17088   \else
17089     \addtolength{\tempdimc}{\#2}%
17090     \addtolength{\tempdimc}{-\#1}%
17091     \csetpar{\@par
17092       \tempdima = \hsize
17093       \addtolength{\tempdima}{-\#1}%
17094       \tempdimb = \hsize
17095       \addtolength{\tempdimb}{-\#2}%
17096       \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima %
17097     }%
17098   \fi
17099   \par
17100   \parindent\tempdimc\noindent
17101   \ftn@font\hbox to \z@\{ \hss\c@makefnmark}##1%
17102 }%
17103 \def\c@makefnmark{\hbox{\ftn@font{\#4}}}%
17104 }%
17105 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
17106 \renewcommand*\left@footnoterule{%
17107   \normalsize\ftn@rule@test@values
17108   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17109   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17110   {\usekomafont{footnoterule}{%
17111     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
17112   \kern 2.6\p@}
17113 \renewcommand*\right@footnoterule{%
17114   \normalsize\ftn@rule@test@values
17115   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17116   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17117   {\usekomafont{footnoterule}{%
17118     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
17119     \kern 2.6\p@}}
17120 \renewcommand*\maketitle[1][1]{%
17121   \if@titlepage
17122     \begin{titlepage}
17123       \setcounter{page}{%
17124         #1}%
17125     }%
17126     \let\footnotesize\small
17127     \let\right@footnoterule\relax
17128     \let\left@footnoterule\relax
17129     \let\textwidth@footnoterule\relax
17130     \let\footnote\thanks
17131     \let\LTRfootnote\LTRthanks
17132     \let\RTLfootnote\RTLthanks

```



```

17133 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17134 \let@\oldmakefnmark\@makefnmark
17135 \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}}%
17136 \ifx\@extratitle\empty \else
17137   \noindent\@extratitle\next@tpage\cleardoubleemptypage
17138   \thispagestyle{empty}%
17139 \fi
17140 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17141 \ifx\@titlehead\empty \else
17142   \begin{minipage}[t]{\textwidth}%
17143     \titlehead
17144   \end{minipage}\par
17145 \fi
17146 \null\vfill
17147 \begin{center}
17148   \ifx\@subject\empty \else
17149     {\@subject\font \subject \par}%
17150     \vskip 3em
17151   \fi
17152   {\@titlefont\huge \title\par}%
17153   \vskip 1em
17154   {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17155   \vskip 2em
17156   {\Large \lineskip 0.75em
17157     \begin{tabular}[t]{c}
17158       \author
17159     \end{tabular}\par
17160   }%
17161   \vskip 1.5em
17162   {\Large \date\par}%
17163   \vskip \z@ \@plus3fill
17164   {\Large \publishers\par}%
17165   \vskip 3em
17166 \end{center}\par
17167 \thanks
17168 \vfill\null
17169 \if@twoside\next@tpage
17170   \begin{minipage}[t]{\textwidth}
17171     \uppertitleback
17172   \end{minipage}\par
17173   \vfill
17174   \begin{minipage}[b]{\textwidth}
17175     \lowertitleback
17176   \end{minipage}
17177 \fi
17178 \ifx\@dedication\empty \else
17179   \next@tpage\null\vfill
17180   {\centering \Large \dedication\par}%
17181   \vskip \z@ \@plus3fill
17182   \if@twoside \next@tpage\cleardoubleemptypage \fi

```



```

17183     \fi
17184     \end{titlepage}
17185 \else
17186   \par
17187   \tempcnta=%
17188   #1%
17189   \relax\ifnum\tempcnta=1\else
17190     \ClassWarning{\KOMAClassName}{%
17191       Optional argument of \string\maketitle\space ignored
17192       at \MessageBreak
17193       notitlepage-mode%
17194     }%
17195   \fi
17196 \begingroup
17197   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17198   \let\oldmakefnmark\makefnmark
17199   \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
17200   \if@twocolumn
17201     \ifnum \col@number=\@ne
17202       \maketitle
17203     \else
17204       \twocolumn[\maketitle]%
17205     \fi
17206   \else
17207     \newpage
17208     \global\@topnum\z@
17209     \maketitle
17210   \fi
17211   \thispagestyle{\titlepagestyle}\@thanks
17212 \endgroup
17213 \fi
17214 \setcounter{footnote}{0}%
17215 \let\thanks\relax
17216 \let\LTRthanks\relax
17217 \let\RTLthanks\relax
17218 \let\maketitle\relax
17219 \let\@maketitle\relax
17220 \global\let\@thanks\empty
17221 \global\let\@author\empty
17222 \global\let\@date\empty
17223 \global\let\@title\empty
17224 \global\let\@subtitle\empty
17225 \global\let\@extratitle\empty
17226 \global\let\@titlehead\empty
17227 \global\let\@subject\empty
17228 \global\let\@publishers\empty
17229 \global\let\@uppertitleback\empty
17230 \global\let\@lowertitleback\empty
17231 \global\let\@dedication\empty
17232 \global\let\author\relax

```



```

17233 \global\let\title\relax
17234 \global\let\extratitle\relax
17235 \global\let\titlehead\relax
17236 \global\let\subject\relax
17237 \global\let\publishers\relax
17238 \global\let\uppertitleback\relax
17239 \global\let\lowertitleback\relax
17240 \global\let\dedication\relax
17241 \global\let\date\relax
17242 \global\let\and\relax
17243 }%
17244 \renewcommand*{\@maketitle}{%
17245   \clearpage
17246   \let\footnote\thanks
17247   \let\LTRfootnote\LTRthanks
17248   \let\RTLfootnote\RTLthanks
17249   \ifx\@extratitle\@empty \else
17250     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17251   \fi
17252   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17253   \ifx\@titlehead\@empty \else
17254     \begin{minipage}[t]{\textwidth}
17255       \begin{titlehead}
17256         \end{minipage}\par
17257     \fi
17258   \null
17259   \vskip 2em%
17260   \begin{center}%
17261     \ifx\@subject\@empty \else
17262       {\@subject\font \@subject \par}
17263     \vskip 1.5em
17264   \fi
17265   {\@titlefont\huge \@title \par}%
17266   \vskip .5em
17267   {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17268   \vskip 1em
17269   {\Large
17270     \lineskip .5em%
17271     \begin{tabular}[t]{c}
17272       \begin{author}
17273         \end{tabular}\par
17274   }%
17275   \vskip 1em%
17276   {\Large \@date \par}%
17277   \vskip \z@\@plus 1em
17278   {\Large \@publishers \par}
17279   \ifx\@dedication\@empty \else
17280     \vskip 2em
17281     {\Large \@dedication \par}
17282   \fi

```



```

17283   \end{center}%
17284   \par
17285   \vskip 2em
17286 }%
17287 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17288 \renewcommand*\autodot{\if@altsecnumformat@\SepMark\fi}
17289 \renewcommand*\thesection{%
17290   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17291     \if@mainmatter\thechapter\@SepMark\fi
17292   \else
17293     \thechapter\@SepMark%
17294   \fi
17295   \@arabic\c@section
17296 }
17297 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
17298 \renewcommand*{\thesubsubsection}{%
17299   \thesubsection\@SepMark\@arabic\c@subsubsection
17300 }
17301 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
17302 \renewcommand*{\thesubparagraph}{%
17303   \theparagraph\@SepMark\@arabic\c@subparagraph
17304 }
17305 \renewcommand*\thefigure{%
17306   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17307     \if@mainmatter\thechapter\@SepMark\fi
17308   \else
17309     \thechapter\@SepMark%
17310   \fi
17311   \@arabic\c@figure
17312 }
17313 \renewcommand*\thetable{%
17314   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17315     \if@mainmatter\thechapter\@SepMark\fi
17316   \else
17317     \thechapter\@SepMark%
17318   \fi
17319   \@arabic\c@table
17320 }
17321 \renewcommand*\theequation{%
17322   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17323     \if@mainmatter\thechapter\@SepMark\fi
17324   \else
17325     \thechapter\@SepMark%
17326   \fi
17327   \@arabic\c@equation
17328 }
17329 \renewenvironment{thebibliography}[1]{%
17330   \if@bib@break@
17331     \bib@beginhook
17332   \else

```



```

17333     \ifx\@bibpreamble\relax\else\ifx\@bibpreamble\empty\else
17334         \setchapterpreamble{\@bibpreamble}%
17335     \fi\fi
17336     \bib@heading
17337     \bib@beginhook
17338     \bib@before@hook
17339 \fi
17340 \renewcommand{\BreakBibliography}[1]{%
17341     \@bib@break
17342     \end{thebibliography}%
17343     \begingroup #1\endgroup
17344     \begin{thebibliography}{#1}
17345 }%
17346 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17347 \bidi@@thebibliography@font@hook%
17348 \list{%
17349     \biblabel{\@arabic\c@enumiv}%
17350 }{%
17351     \settowidth\labelwidth{\@biblabel{#1}}%
17352     \leftmargin\labelwidth
17353     \advance\leftmargin\labelsep
17354     \openbib@code
17355     \if@bib@break@
17356         \edef@\tempa{%
17357             \noexpand\usecounter{enumiv}%
17358             \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17359         }\@\tempa
17360         \no@bib@break
17361     \else
17362         \usecounter{enumiv}%
17363     \fi
17364     \let\p@enumiv\empty
17365     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
17366 }%
17367 \sloppy\clubpenalty4000 \widowpenalty4000
17368 \sfcode`.=\@m
17369 }{%
17370     \if@bib@break@
17371         \def\@noitemerr{%
17372             \@latex@warning{%
17373                 \string\BreakBibliography\space at begin of `thebibliography'
17374                 environment\MessageBreak
17375                 or following \string\BreakBibliography}%
17376         }%
17377     \else
17378         \def\@noitemerr{%
17379             \@latex@warning{%
17380                 Empty `thebibliography' environment or
17381                 \string\BreakBibliography\MessageBreak
17382                 before end of `thebibliography' environment}%

```



```

17383    }%
17384    \fi
17385    \endlist
17386    \if@bib@break@
17387    \else
17388      \bib@after@hook
17389      \let\bib@before@hook\empty
17390      \let\bib@after@hook\empty
17391    \fi
17392    \bib@endhook
17393 }
17394 \renewcommand*\left@footnoterule{%
17395   \kern-3\p@
17396   \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
17397   \hrule\@width.4\columnwidth
17398   \kern 2.6\p@}
17399 \renewcommand*\right@footnoterule{%
17400   \kern-3\p@
17401   \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
17402   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
17403   \kern2.6\p@}
17404 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
17405 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
17406 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
17407 \renewcommand\marginline[1]{%
17408   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi{#1}}
17409 }
17410 \renewcommand{\@@makecaption}[3]{%
17411   \cap@margin
17412   \ifonelinecaptions
17413     @tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
17414     \let\scr@tmp@footnotetext=\footnotetext
17415     \let\@footnotetext=\gobble
17416     \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
17417     \let\@LTRfootnotetext=\gobble
17418     \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
17419     \let\@RTLfootnotetext=\gobble
17420     \sbox@\tempboxa{%
17421       {\capfont{\strut\ignorespaces
17422         #1{\caplabelfont{\#2\captionformat}}}}%
17423       #3\unskip\strut}}%
17424   }%
17425   \let\@footnotetext=\scr@tmp@footnotetext
17426   \let\scr@tmp@footnotetext=\undefined
17427   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17428   \let\scr@tmp@LTRfootnotetext=\undefined
17429   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17430   \let\scr@tmp@RTLfootnotetext=\undefined
17431   \setcounter{footnote}{\@tempcntb}%
17432   \setcounter{mpfootnote}{\@tempcnta}%

```



```

17433 \else
17434   \sbox{\@tempboxa{\hspace*{2\cap@width}}}
17435 \fi
17436 \begingroup%
17437   \setlength{\@tempdima}{\cap@width}%
17438   \ifdim \wd\@tempboxa >\@tempdima
17439     \hb@xt@\hsize{%
17440       \setbox\@tempboxa\vbox{\hsize=\cap@width
17441         \ifdofullc@p
17442           \capfont{\changfrom{\scr@smashdp{\strut\ignorespaces
17443             #1{\caplabelfont{\#2\captionformat}}}}}{%
17444             \#3\unskip\strut\par}}}}%
17445   \else%
17446     \ifdim\cap@indent<\z@
17447       \capfont{\strut\ignorespaces
17448         #1{\caplabelfont{\#2\captionformat\par}}}{%
17449           \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
17450   \else%
17451     \if@capbreak
17452       \capfont{\strut\ignorespaces
17453         #1{\caplabelfont{\#2\captionformat\par}}}{%
17454           \noindent\hangfrom{\hspace*{\cap@indent}\#3\par}}}}%
17455   \else
17456     \capfont{\changfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}{%
17457       \hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
17458         {\caplabelfont{\#2\captionformat}}}}\#3\unskip\strut\par}}}}%
17459   \fi
17460   \fi
17461   \fi
17462 }%
17463 \setlength{\@tempdima}{\ht\@tempboxa}%
17464 \addtolength{\@tempdima}{\dp\@tempboxa}%
17465 \addtolength{\@tempdima}{-\ht\strutbox}%
17466 \ht\@tempboxa\ht\strutbox
17467 \dp\@tempboxa\@tempdima
17468 \strut\cap@left
17469 \box\@tempboxa
17470 \cap@right\strut
17471 }%
17472 \else
17473   \global \minipagefalse
17474   \sbox{\@tempboxa{%
17475     \capfont{\scr@smashdp{\strut\ignorespaces
17476       #1{\caplabelfont{\#2\captionformat}}}}}{%
17477         \#3}}}}%
17478   \capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
17479     \fi
17480   \fi
17481 \endgroup
17482 }

```



```

17483 \renewcommand{\@makecaption}[2]{%
17484   \if@captionabove
17485     \vskip\belowcaptionskip
17486   \else
17487     \vskip\abovecaptionskip
17488   \fi
17489   \@@makecaption\@firstofone{#1}{#2}%
17490   \if@captionabove
17491     \vskip\abovecaptionskip
17492   \else
17493     \vskip\belowcaptionskip
17494   \fi
17495 }
17496 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17497   \@ifpackageloaded[caption2]{\komalongtablefalse
17498     \scr@caption@before@longtable@warning{caption2}%
17499   }{}%
17500   \if@komalongtable
17501     \renewcommand{\LT@makecaption}[3]{%
17502       \noalign{%
17503         \if@captionabove
17504           \vskip\belowcaptionskip
17505         \else
17506           \vskip\abovecaptionskip
17507         \fi
17508       }%
17509       \LT@mcol\LT@cols c{%
17510         \hbox to\z@\{\hss\parbox[t]\linewidth{%
17511           \@@makecaption{#1}{#2}{#3}%
17512           \endgraf
17513           \if@captionabove
17514             \vskip\abovecaptionskip
17515           \else
17516             \vskip\belowcaptionskip
17517           \fi
17518         }%
17519         \hss
17520       }%
17521     }%
17522   }%
17523   \renewcommand*{\scr@LT@array}{}%
17524   \let\scr@LT@array=\LT@array
17525   \renewcommand*{\LT@array}{%
17526     \let\scr@caption=\LT@caption
17527     \def\captionabove{\noalign{\global\@captionabovetrue}%
17528       \scr@caption}%
17529     \def\captionbelow{\noalign{\global\@captionabovefalse}%
17530       \scr@caption}%
17531     \if@tablecaptionabove
17532       \let\LT@caption=\captionabove

```



```

17533     \else
17534         \let\LT@caption=\captionbelow
17535     \fi
17536     \scr@LT@array
17537     }%
17538     \ClassInfo{\KOMAClassName}{%
17539         longtable captions redefined%
17540     }%
17541     \fi
17542 }
17543
17544 \CloneTOCEntryStyle{tocline}{part}
17545 \TOCEntryStyleStartInitCode{part}{%
17546     \expandafter\renewcommand%
17547     \csname scr@tso@#1@linefill\endcsname{\hfill}%
17548     \expandafter\renewcommand%
17549     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17550     \expandafter\renewcommand%
17551     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17552         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17553     \expandafter\renewcommand\expandafter*%
17554     \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
17555 }
17556
17557 \CloneTOCEntryStyle{tocline}{chapter}
17558 \TOCEntryStyleStartInitCode{chapter}{%
17559     \expandafter\renewcommand%
17560     \csname scr@tso@#1@linefill\endcsname{%
17561         \if@chapterentrywithdots
17562             \TOCLineLeaderFill\relax
17563         \else
17564             \hfill
17565         \fi
17566     }%
17567     \expandafter\renewcommand%
17568     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
17569     \expandafter\renewcommand%
17570     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17571         \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
17572     \expandafter\renewcommand\expandafter*%
17573     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
17574 }
17575
17576 \CloneTOCEntryStyle{tocline}{section}
17577 \TOCEntryStyleStartInitCode{section}{%
17578     \expandafter\renewcommand%
17579     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17580 }
17581
17582 \CloneTOCEntryStyle{section}{default}

```



```
17584 \DeclareSectionCommand[%  
17585   style=part,%  
17586   level=\m@ne,%  
17587   pagestyle=plain,%  
17588   tocstyle=part,%  
17589   toclevel=\m@ne,%  
17590   tocindent=\z@,%  
17591   tocnumwidth=2em%  
17592 ]{part}  
17593 \DeclareSectionCommand[%  
17594   style=chapter,%  
17595   level=\z@,%  
17596   pagestyle=plain,%  
17597   tocstyle=chapter,%  
17598   tocindent=\z@,%  
17599   tocnumwidth=1.5em%  
17600 ]{chapter}  
17601 \DeclareSectionCommand[%  
17602   style=section,%  
17603   level=1,%  
17604   indent=\z@,%  
17605   beforeskip=-3.5ex \oplus -1ex \ominus -.2ex,%  
17606   afterskip=2.3ex \oplus .2ex,%  
17607   tocstyle=section,%  
17608   tocindent=1.5em,%  
17609   tocnumwidth=2.3em%  
17610 ]{section}  
17611 \DeclareSectionCommand[%  
17612   style=section,%  
17613   level=2,%  
17614   indent=\z@,%  
17615   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%  
17616   afterskip=1.5ex \oplus .2ex,%  
17617   tocstyle=section,%  
17618   tocindent=3.8em,%  
17619   tocnumwidth=3.2em%  
17620 ]{subsection}  
17621 \DeclareSectionCommand[%  
17622   style=section,%  
17623   level=3,%  
17624   indent=\z@,%  
17625   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%  
17626   afterskip=1.5ex \oplus .2ex,%  
17627   tocstyle=section,%  
17628   tocindent=7.0em,%  
17629   tocnumwidth=4.1em%  
17630 ]{subsubsection}  
17631 \DeclareSectionCommand[%  
17632   style=section,%
```



```

17633   level=4,%
17634   indent=\z@,%
17635   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17636   afterskip=-1em,%
17637   tocstyle=section,%
17638   tocindent=10em,%
17639   tocnumwidth=5em%
17640 ]{paragraph}
17641 \DeclareSectionCommand[%]
17642   style=section,%
17643   level=5,%
17644   indent=\scr@parindent,%
17645   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17646   afterskip=-1em,%
17647   tocstyle=section,%
17648   tocindent=12em,%
17649   tocnumwidth=6em%
17650 ]{subparagraph}
17651
17652

```

106 File `scrlettr-xetex-bidi.def`

```

17653 \ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
17654 \renewcommand\deffootnote[4] [] {%
17655   \long\def\@makefntext##1{%
17656     \edef\@tempa{\#1}\ifx\@tempa\empty
17657       \o@setpar{\o@par
17658         \o@tempdima = \hsize
17659         \addtolength{\o@tempdima}{-\#2}
17660         \if@RTL\parshape \one Opt \o@tempdima\else\parshape \one #2 \o@tempdima\fi}%
17661     \else
17662       \o@setpar{\o@par
17663         \o@tempdima = \hsize
17664         \addtolength{\o@tempdima}{-\#1}
17665         \o@tempdimb = \hsize
17666         \addtolength{\o@tempdimb}{-\#2}
17667         \if@RTL\parshape \tw@ Opt \o@tempdima Opt \o@tempdimb\else\parshape \tw@ #1 \o@tempdima #
17668       \fi
17669     \par
17670     \parindent #3\noindent
17671     \hbox to \z@\{\hss\o@makefnmark##1\}
17672     \def\o@makefnmark{\hbox{\#4}}
17673   }
17674 \deffootnote[1em]{1.5em}{1em}
17675   {\textsuperscript{\thefootnotemark}}
17676 \def\left@footnoterule{\kern-1\p@
17677 \hrule width 0.4\columnwidth
17678 \kern .6\p@}
17679 \def\right@footnoterule{%

```



```

17680  \kern-1\p@          %
17681  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill } %
17682  \kern .6\p@          %
17683 \def\@datefield{\@reffalse
17684  \ifx\varyourref\@empty \else \@reftrue \fi
17685  \ifx\varyourmail\@empty \else \@reftrue \fi
17686  \ifx\varmyref\@empty \else \@reftrue \fi
17687  \ifx\varcustomer\@empty \else \@reftrue \fi
17688  \ifx\varinvoice\@empty \else \@reftrue \fi
17689  \ifx\varrefitemi\@empty \else \@reftrue \fi
17690  \ifx\varrefitemii\@empty \else \@reftrue \fi
17691  \ifx\varrefitemiii\@empty \else \@reftrue \fi
17692  \vskip -\parskip
17693  \vskip \refvskip
17694  \if@ref
17695  \ifx\varyourref\@empty \else
17696  \settowidth{\sc@temp}{\varyourref}
17697  \setbox0\hbox{\scriptsize \sf \yourrefname}
17698  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17699  \parbox[t]{\sc@temp}{\noindent \box0\par \varyourref}\hfill
17700  \fi
17701  \ifx\varyourmail\@empty \else
17702  \settowidth{\sc@temp}{\varyourmail}
17703  \setbox0\hbox{\scriptsize \sf \yourmailname}
17704  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17705  \parbox[t]{\sc@temp}{\noindent \box0\par \varyourmail}\hfill
17706  \fi
17707  \ifx\varmyref\@empty \else
17708  \settowidth{\sc@temp}{\varmyref}
17709  \setbox0\hbox{\scriptsize \sf \myrefname}
17710  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17711  \parbox[t]{\sc@temp}{\noindent \box0\par \varmyref}\hfill
17712  \fi
17713  \ifx\varcustomer\@empty \else
17714  \settowidth{\sc@temp}{\varcustomer}
17715  \setbox0\hbox{\scriptsize \sf \customername}
17716  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17717  \parbox[t]{\sc@temp}{\noindent \box0\par \varcustomer}\hfill
17718  \fi
17719  \ifx\varinvoice\@empty \else
17720  \settowidth{\sc@temp}{\varinvoice}
17721  \setbox0\hbox{\scriptsize \sf \invoicename}
17722  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17723  \parbox[t]{\sc@temp}{\noindent \box0\par \varinvoice}\hfill
17724  \fi
17725  \ifx\varrefitemi\@empty \else
17726  \settowidth{\sc@temp}{\varrefitemi}
17727  \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
17728  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17729  \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemi}\hfill

```



```

17730 \fi
17731 \ifx\varrefitemii\@empty \else
17732 \settowidth{\sc@temp}{\varrefitemii}
17733 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
17734 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17735 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
17736 \fi
17737 \ifx\varrefitemiii\@empty \else
17738 \settowidth{\sc@temp}{\varrefitemiii}
17739 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
17740 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17741 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
17742 \fi
17743 \ifx\@date\@empty \else
17744 \settowidth{\sc@temp}{\@date}
17745 \setbox0\hbox{\scriptsize \sf \datename}
17746 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17747 \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
17748 \fi
17749 \par
17750 \vspace{2.5\baselineskip}
17751 \else
17752 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
17753 \vspace{1.5\baselineskip}
17754 \fi}
17755 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
17756 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
17757 -\sigindent \hspace{\sigindent}%
17758 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@sk
17759 \fromsig\strut}\par
17760 \vspace{1.5\baselineskip}}

```

107 File scrreprt-xetex-bidi.def

```

17761 \ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
17762 \newcommand{\scr@saved@LTRfootnotetext}{}
17763 \newcommand{\scr@saved@RTLfootnotetext}{}
17764 \let\scr@saved@footnotetext\@footnotetext
17765 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
17766 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
17767 \renewcommand{\@footnotetext}[1]{%
17768   \scr@saved@footnotetext{#1}%
17769   \csname FN@mf@prepare\endcsname
17770 }
17771 \renewcommand{\@LTRfootnotetext}[1]{%
17772   \scr@saved@LTRfootnotetext{#1}%
17773   \csname FN@mf@prepare\endcsname
17774 }
17775 \renewcommand{\@RTLfootnotetext}[1]{%
17776   \scr@saved@RTLfootnotetext{#1}%

```



```

17777 \csname FN@mf@prepare\endcsname
17778 }
17779 \renewcommand\deffootnote[4] [] {%
17780 \long\def\makefntext##1{%
17781 \setlength{\tempdimc}{#3}%
17782 \def\tempa{#1}\ifx\tempa\empty
17783 \o@setpar{\o@par
17784 \tempdima = \hsize
17785 \addtolength{\tempdima}{-#2}%
17786 \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
17787 \else
17788 \addtolength{\tempdimc}{#2}%
17789 \addtolength{\tempdimc}{-#1}%
17790 \o@setpar{\o@par
17791 \tempdima = \hsize
17792 \addtolength{\tempdima}{-#1}%
17793 \tempdimb = \hsize
17794 \addtolength{\tempdimb}{-#2}%
17795 \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima #
17796 }%
17797 \fi
17798 \par
17799 \parindent\tempdimc\noindent
17800 \ftn@font\hbox to \z@\{\hss\o@makefnmark}##1%
17801 }%
17802 \def\o@makefnmark{\hbox{\ftnm@font{#4}}}%
17803 }
17804 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
17805 \renewcommand*\left@footnoterule{%
17806 \normalsize\ftn@rule@test@values
17807 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17808 \ifx\@textbottom\relax\else\vskip \z@ \o@plus.05fil\fi
17809 {\usekomafont{footnoterule}{%
17810 \hrule \o@height\ftn@rule@height \o@width\ftn@rule@width}}%
17811 \kern 2.6\p@}
17812 \renewcommand*\right@footnoterule{%
17813 \normalsize\ftn@rule@test@values
17814 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17815 \ifx\@textbottom\relax\else\vskip \z@ \o@plus.05fil\fi
17816 {\usekomafont{footnoterule}{%
17817 \hbox to \columnwidth\hspace{\dimexpr\columnwidth-\ftn@rule@width\relax }\leavevmode\le
17818 \kern 2.6\p@}
17819 \renewcommand*\maketitle[1][1]{%
17820 \if@titlepage
17821 \begin{titlepage}
17822 \setcounter{page}{%
17823 #1}%
17824 }%
17825 \let\footnotesize\small
17826 \let\right@footnoterule\relax

```



```

17827   \let\left@footnoterule\relax
17828   \let\textwidth@footnoterule\relax
17829   \let\footnote\thanks
17830   \let\LTRfootnote\LTRthanks
17831   \let\RTLfootnote\RTLthanks
17832   \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
17833   \let\@oldmakefnmark\@makefnmark
17834   \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
17835   \ifx\@extratitle\@empty \else
17836     \noindent\@extratitle\next@tpage\cleardoubleemptypage
17837     \thispagestyle{empty}%
17838   \fi
17839   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17840   \ifx\@titlehead\@empty \else
17841     \begin{minipage}[t]{\textwidth}%
17842       \begin{titlehead}
17843         \end{minipage}\par
17844   \fi
17845   \null\vfill
17846   \begin{center}
17847     \ifx\@subject\@empty \else
17848       {\@subject\font \@subject \par}%
17849       \vskip 3em
17850     \fi
17851     {\@titlefont\huge \@title\par}%
17852     \vskip 1em
17853     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17854     \vskip 2em
17855     {\Large \lineskip 0.75em
17856       \begin{tabular}[t]{c}
17857         \begin{author}
17858           \end{tabular}\par
17859     }%
17860     \vskip 1.5em
17861     {\Large \@date \par}%
17862     \vskip \z@ \@plus3fill
17863     {\Large \@publishers \par}%
17864     \vskip 3em
17865   \end{center}\par
17866   \@thanks
17867   \vfill\null
17868   \if@twoside\next@tpage
17869     \begin{minipage}[t]{\textwidth}%
17870       \begin{uppertitleback}
17871         \end{minipage}\par
17872       \vfill
17873       \begin{minipage}[b]{\textwidth}%
17874         \begin{lowertitleback}
17875           \end{minipage}\par
17876     \fi

```



```

17877     \ifx\@dedication\empty \else
17878         \next@tpage\null\vfill
17879         {\centering \Large \@dedication \par}%
17880         \vskip \z@\@plus3fill
17881         \if@twoside \next@tpage\cleardoubleemptypage \fi
17882     \fi
17883     \end{titlepage}
17884 \else
17885     \par
17886     \tempcnta=%
17887     #1%
17888     \relax\ifnum\tempcnta=1\else
17889         \ClassWarning{\KOMAClassName}{%
17890             Optional argument of \string\maketitle\space ignored
17891             at\MessageBreak
17892             notitlepage-mode%
17893         }%
17894     \fi
17895     \begingroup
17896         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17897         \let\oldmakefnmark\makefnmark
17898         \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
17899         \if@twocolumn
17900             \ifnum \col@number=\@ne
17901                 \maketitle
17902             \else
17903                 \twocolumn[\maketitle]%
17904             \fi
17905         \else
17906             \newpage
17907             \global\@topnum\z@
17908             \maketitle
17909         \fi
17910         \thispagestyle{\titlepagestyle}\@thanks
17911     \endgroup
17912 \fi
17913 \setcounter{footnote}{0}%
17914 \let\thanks\relax
17915 \let\LTRthanks\relax
17916 \let\RTLthanks\relax
17917 \let\maketitle\relax
17918 \let\@maketitle\relax
17919 \global\let\@thanks\empty
17920 \global\let\@author\empty
17921 \global\let\@date\empty
17922 \global\let\@title\empty
17923 \global\let\@subtitle\empty
17924 \global\let\@extratitle\empty
17925 \global\let\@titlehead\empty
17926 \global\let\@subject\empty

```



```

17927 \global\let\@publishers\@empty
17928 \global\let\@uppertitleback\@empty
17929 \global\let\@lowertitleback\@empty
17930 \global\let\@dedication\@empty
17931 \global\let\author\relax
17932 \global\let\title\relax
17933 \global\let\extratitle\relax
17934 \global\let\titlehead\relax
17935 \global\let\subject\relax
17936 \global\let\publishers\relax
17937 \global\let\uppertitleback\relax
17938 \global\let\lowertitleback\relax
17939 \global\let\dedication\relax
17940 \global\let\date\relax
17941 \global\let\and\relax
17942 }%
17943 \renewcommand*{\@maketitle}{%
17944   \clearpage
17945   \let\footnote\thanks
17946   \let\LTRfootnote\LTRthanks
17947   \let\RTLfootnote\RTLthanks
17948   \ifx\@extratitle\@empty \else
17949     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17950   \fi
17951   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17952   \ifx\@titlehead\@empty \else
17953     \begin{minipage}[t]{\textwidth}
17954       \titlehead
17955     \end{minipage}\par
17956   \fi
17957   \null
17958   \vskip 2em%
17959   \begin{center}%
17960     \ifx\@subject\@empty \else
17961       {\@subject@font \@subject \par}
17962     \vskip 1.5em
17963   \fi
17964   {\@titlefont\huge \@title \par}%
17965   \vskip .5em
17966   {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17967   \vskip 1em
17968   {\Large
17969     \lineskip .5em%
17970     \begin{tabular}[t]{c}
17971       \author
17972     \end{tabular}\par
17973   }%
17974   \vskip 1em%
17975   {\Large \@date \par}%
17976   \vskip \z@\@plus 1em

```



```

17977   {\Large \@publishers \par}
17978   \ifx\@dedication\empty \else
17979     \vskip 2em
17980   {\Large \@dedication \par}
17981   \fi
17982 \end{center}%
17983 \par
17984 \vskip 2em
17985 }%
17986 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17987 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
17988 \renewcommand*\thesection{%
17989   \thechapter \@SepMark%
17990   \@arabic\c@section
17991 }
17992 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@subsection}
17993 \renewcommand*\thesubsubsection{%
17994   \thesubsection \@SepMark \@arabic\c@subsubsection
17995 }
17996 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic\c@paragraph}
17997 \renewcommand*\thesubparagraph{%
17998   \theparagraph \@SepMark \@arabic\c@subparagraph
17999 }
18000 \renewcommand*\thefigure{%
18001   \thechapter \@SepMark%
18002   \@arabic\c@figure
18003 }
18004 \renewcommand*\thetable{%
18005   \thechapter \@SepMark%
18006   \@arabic\c@table
18007 }
18008 \renewcommand*\theequation{%
18009   \thechapter \@SepMark%
18010   \@arabic\c@equation
18011 }
18012 \renewenvironment{thebibliography}[1]{%
18013   \if@bib@break@
18014     \bib@beginhook
18015   \else
18016     \ifx\@bibpreamble\relax\else\ifx\@bibpreamble\empty\else
18017       \setchapterpreamble{\@bibpreamble}%
18018     \fi\fi
18019     \bib@heading
18020     \bib@beginhook
18021     \bib@before@hook
18022   \fi
18023   \renewcommand{\BreakBibliography}[1]{%
18024     \@bib@break
18025     \end{thebibliography}%
18026     \begingroup ##1\endgroup

```



```

18027      \begin{thebibliography}{#1}
18028  }%
18029  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18030  \bidi@thebibliography@font@hook%
18031  \list{%
18032      \biblabel{\@arabic\c@enumiv}%
18033  }{%
18034      \settowidth\labelwidth{\biblabel{#1}}%
18035      \leftmargin\labelwidth
18036      \advance\leftmargin\labelsep
18037      \openbib@code
18038      \if@bib@break@
18039          \edef\@tempa{%
18040              \noexpand\usecounter{enumiv}%
18041              \noexpand\setcounter{enumiv}{\the\c@enumiv}%
18042          }\@tempa
18043          \no@bib@break
18044      \else
18045          \usecounter{enumiv}%
18046      \fi
18047      \let\p@enumiv\empty
18048      \renewcommand*\theenumiv{\@arabic\c@enumiv}%
18049  }%
18050  \sloppy\clubpenalty4000 \widowpenalty4000
18051  \sfcode`\.=\@m
18052 }{%
18053  \if@bib@break@
18054      \def\@noitemerr{%
18055          \@latex@warning{%
18056              \string\BreakBibliography\space at begin of `thebibliography'
18057              environment\MessageBreak
18058              or following \string\BreakBibliography}%
18059      }%
18060  \else
18061      \def\@noitemerr{%
18062          \@latex@warning{%
18063              Empty `thebibliography' environment or
18064              \string\BreakBibliography\MessageBreak
18065              before end of `thebibliography' environment}%
18066      }%
18067  \fi
18068  \endlist
18069  \if@bib@break@
18070  \else
18071      \bib@after@hook
18072      \let\bib@before@hook\empty
18073      \let\bib@after@hook\empty
18074  \fi
18075  \bib@endhook
18076 }

```



```

18077 \renewcommand*\left@footnoterule{%
18078   \kern-3\p@
18079   \ifx\@textbottom\relax\else\vskip \z@ \vplus.05fil\fi
18080   \hrule\@width.4\columnwidth
18081   \kern 2.6\p@}
18082 \renewcommand*\right@footnoterule{%
18083   \kern-3\p@
18084   \ifx\@textbottom\relax\else\vskip \z@ \vplus.05fil\fi
18085   \hbox to \columnwidth{\hspace .6\columnwidth \hrulefill }
18086   \kern2.6\p@}
18087 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
18088 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
18089 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
18090 \renewcommand\marginline[1]{%
18091   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\if@RTL\raggedleft\else\raggedright\fi
18092 }
18093 \renewcommand{\@makecaption}[3]{%
18094   \cap@margin
18095   \ifonecaption
18096     \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
18097     \let\scr@tmp@footnotetext=\footnotetext
18098     \let\footnotetext=\gobble
18099     \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
18100     \let\@LTRfootnotetext=\gobble
18101     \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
18102     \let\@RTLfootnotetext=\gobble
18103     \sbox\tempboxa{%
18104       \capfont{\strut\ignorespaces
18105         #1{\caplabelfont{#2\captionformat}}%
18106         #3\unskip\strut}}%
18107   }%
18108   \let\footnotetext=\scr@tmp@footnotetext
18109   \let\scr@tmp@footnotetext=\undefined
18110   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
18111   \let\scr@tmp@LTRfootnotetext=\undefined
18112   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
18113   \let\scr@tmp@RTLfootnotetext=\undefined
18114   \setcounter{footnote}{\tempcntb}%
18115   \setcounter{mpfootnote}{\tempcnta}%
18116 }%
18117   \sbox\tempboxa{\hspace*{2\cap@width}}%
18118 \fi
18119 \begingroup%
18120   \setlength{\tempdima}{\cap@width}%
18121   \ifdim \wd\tempboxa >\tempdima
18122     \hb@xt@\hsize{%
18123       \setbox\tempboxa\vbox{\hsize=\cap@width
18124         \ifdofullc@%
18125           \capfont{\changefrom{\scr@smashdp{\strut\ignorespaces
18126             #1{\caplabelfont{#2\captionformat}}}}}}%

```



```

18127      {#3\unskip\strut\par}}}%  

18128  \else%  

18129    \ifdim\cap@indent<\z@  

18130      {\capfont{\strut\ignorespaces  

18131        #1{\{\\caplabelfont{\#2\captionformat\par}}}%  

18132        \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%  

18133  \else%  

18134    \ifcapbreak  

18135      {\capfont{\strut\ignorespaces  

18136        #1{\{\\caplabelfont{\#2\captionformat\par}}}%  

18137        \noindent\@hangfrom{\hspace*{\cap@indent}}{\#3\par}}}%  

18138  \else  

18139    {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}}%  

18140      {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%  

18141        {\{\\caplabelfont{\#2\captionformat}}}}#3\unskip\strut\par}}}%  

18142      \fi  

18143    \fi  

18144  \fi  

18145 }%  

18146 \setlength{\@tempdima}{\ht\@tempboxa}%  

18147 \addtolength{\@tempdima}{\dp\@tempboxa}%  

18148 \addtolength{\@tempdima}{-\ht\strutbox}%  

18149 \ht\@tempboxa\ht\strutbox  

18150 \dp\@tempboxa\@tempdima  

18151 \strut\cap@left  

18152 \box\@tempboxa  

18153 \cap@right\strut  

18154 }%  

18155 \else  

18156   \global \ominipagefalse  

18157   \sbox\@tempboxa{  

18158     {\capfont{\scr@smashdp{\strut\ignorespaces  

18159       #1{\{\\caplabelfont{\#2\captionformat}}}}}%  

18160       #3}}}%  

18161   }%  

18162   {\capfont{\hb@xt@\hspace{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right\strut}}}%  

18163   \fi  

18164 \endgroup  

18165 }  

18166 \renewcommand{\@makecaption}[2]{%  

18167   \if@captionabove  

18168     \vskip\belowcaptionskip  

18169   \else  

18170     \vskip\abovecaptionskip  

18171   \fi  

18172   \@@makecaption{\firstofone{\#1}{\#2}}%  

18173   \if@captionabove  

18174     \vskip\abovecaptionskip  

18175   \else  

18176     \vskip\belowcaptionskip

```



```

18177  \fi
18178 }
18179 \bidi@AfterFile{longtable-xetex-bidi.def}{%
18180  \@ifpackageloaded{caption2}{\@komalongtablefalse
18181   \scr@caption@before@longtable@warning{caption2}%
18182 }{}%
18183 \if@komalongtable
18184  \renewcommand{\LT@makecaption}[3]{%
18185   \noalign{%
18186     \if@captionabove
18187       \vskip\belowcaptionskip
18188     \else
18189       \vskip\abovecaptionskip
18190     \fi
18191   }%
18192 \LT@mcoll\LT@cols c{%
18193   \hbox to \z@\{\hss\parbox[t]\linewidth{%
18194     \@@makecaption{\#1}{\#2}{\#3}%
18195     \endgraf
18196     \if@captionabove
18197       \vskip\abovecaptionskip
18198     \else
18199       \vskip\belowcaptionskip
18200     \fi
18201   }%
18202   \hss
18203 }%
18204 }%
18205 }%
18206 \renewcommand*{\scr@LT@array}{%
18207 \let\scr@LT@array=\LT@array
18208 \renewcommand*{\LT@array}{%
18209   \let\scr@caption=\LT@caption
18210   \def\captionabove{\noalign{\global\@captionabovetrue}%
18211     \scr@caption}%
18212   \def\captionbelow{\noalign{\global\@captionabovefalse}%
18213     \scr@caption}%
18214   \if@tablecaptionabove
18215     \let\LT@caption=\captionabove
18216   \else
18217     \let\LT@caption=\captionbelow
18218   \fi
18219   \scr@LT@array
18220 }%
18221 \ClassInfo{\KOMAClassName}{%
18222   longtable captions redefined%
18223 }%
18224 \fi
18225 }%
18226

```



```

18227 \CloneTOCEEntryStyle{tocline}{part}
18228 \TOCEEntryStyleStartInitCode{part}{%
18229   \expandafter\renewcommand%
18230   \csname scr@tso@#1@linefill\endcsname{\hfill}%
18231   \expandafter\renewcommand%
18232   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
18233   \expandafter\renewcommand%
18234   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18235     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}%
18236   \expandafter\renewcommand\expandafter*%
18237   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
18238 }
18239
18240 \CloneTOCEEntryStyle{tocline}{chapter}
18241 \TOCEEntryStyleStartInitCode{chapter}{%
18242   \expandafter\renewcommand%
18243   \csname scr@tso@#1@linefill\endcsname{%
18244     \if@chapterentrywithdots
18245       \TOCLineLeaderFill\relax
18246     \else
18247       \hfill
18248     \fi
18249   }%
18250   \expandafter\renewcommand%
18251   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
18252   \expandafter\renewcommand%
18253   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18254     \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}}%
18255   \expandafter\renewcommand\expandafter*%
18256   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
18257 }
18258
18259 \CloneTOCEEntryStyle{tocline}{section}
18260 \TOCEEntryStyleStartInitCode{section}{%
18261   \expandafter\renewcommand%
18262   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
18263 }
18264
18265 \CloneTOCEEntryStyle{section}{default}
18266
18267 \DeclareSectionCommand[%]
18268   style=part,%
18269   level=\m@ne,%
18270   pagestyle=plain,%
18271   tocstyle=part,%
18272   toplevel=\m@ne,%
18273   tocindent=\z@,%
18274   tocnumwidth=2em%
18275 ]{part}
18276 \DeclareSectionCommand[%]

```



```

18277 style=chapter,%
18278 level=\z@,%
18279 pagestyle=plain,%
18280 tocstyle=chapter,%
18281 tocindent=\z@,%
18282 tocnumwidth=1.5em%
18283 ]{chapter}
18284 \DeclareSectionCommand[%]
18285   style=section,%
18286   level=1,%
18287   indent=\z@,%
18288   beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
18289   afterskip=2.3ex \@plus .2ex,%
18290   tocstyle=section,%
18291   tocindent=1.5em,%
18292   tocnumwidth=2.3em%
18293 ]{section}
18294 \DeclareSectionCommand[%]
18295   style=section,%
18296   level=2,%
18297   indent=\z@,%
18298   beforeskip=-3.25ex \@plus -1ex \@minus -.2ex,%
18299   afterskip=1.5ex \@plus .2ex,%
18300   tocstyle=section,%
18301   tocindent=3.8em,%
18302   tocnumwidth=3.2em%
18303 ]{subsection}
18304 \DeclareSectionCommand[%]
18305   style=section,%
18306   level=3,%
18307   indent=\z@,%
18308   beforeskip=-3.25ex \@plus -1ex \@minus -.2ex,%
18309   afterskip=1.5ex \@plus .2ex,%
18310   tocstyle=section,%
18311   tocindent=7.0em,%
18312   tocnumwidth=4.1em%
18313 ]{subsubsection}
18314 \DeclareSectionCommand[%]
18315   style=section,%
18316   level=4,%
18317   indent=\z@,%
18318   beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
18319   afterskip=-1em,%
18320   tocstyle=section,%
18321   tocindent=10em,%
18322   tocnumwidth=5em%
18323 ]{paragraph}
18324 \DeclareSectionCommand[%]
18325   style=section,%
18326   level=5,%

```



```

18327 indent=\scr@parindent,%
18328 beforeskip=3.25ex \@plus1ex \@minus .2ex,%
18329 afterskip=-1em,%
18330 tocstyle=section,%
18331 tocindent=12em,%
18332 tocnumwidth=6em%
18333 ]{subparagraph}
18334
18335

```

108 File `sidecap-xetex-bidi.def`

```

18336 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for
18337 \renewcommand*{\SC@FLOAT}{\if@RTL%
18338   \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} {\#2}\hspace{\sidecaptionsep}{\#1}}\else%
18339   \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1} {\#1}\hspace{\sidecaptionsep}{\#2}}\fi}
18340   \renewcommand*{\SC@justify@caption{\if@RTL%
18341 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
18342   \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

109 File `soul-xetex-bidi.def`

```

18343 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX
18344 \long\def\SOUL@start#1{%
18345   \let\bidi@RTL@everypar\empty
18346   \let\<\SOUL@lowerthan
18347   \let\>\empty
18348   \def\soulomit{\noexpand\soulomit}%
18349   \gdef\SOUL@eventuallyexhyphen##1{}%
18350   \let\SOUL@soeventuallyskip\relax
18351   \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
18352     \@minus\fontdimen4\font
18353   \SOUL@ignorespacesfalse
18354   \leavevmode
18355   \SOUL@preamble
18356   \SOUL@lasttoken={}
18357   \SOUL@word={}
18358   \SOUL@minus\z@
18359   \SOUL@comma\z@
18360   \SOUL@apo\z@
18361   \SOUL@grave\z@
18362   \SOUL@do{#1}%
18363   \SOUL@postamble
18364 }
18365 \def\SOUL@ulunderline#1{%
18366   \setbox\z@\hbox{#1}%
18367   \dimen0=\wd\z@
18368   \dimen@i=\SOUL@uloverlap
18369   \advance\dimen02\dimen@i
18370   \if@RTL

```



```

18371     \unhcopy\z@
18372     \llap{%
18373         \null
18374         \kern-\dimen@i
18375             \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18376     }%
18377     \else
18378     \rlap{%
18379         \null
18380         \kern-\dimen@i
18381             \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18382     }%
18383     \unhcopy\z@
18384     \fi
18385 }}
18386 \def\bidi@SOUL@ulleaders{%
18387     \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\relax
18388 }
18389 \def\SOUL@uleverspace#1{%
18390     \if@RTL
18391         #1%
18392         \bidi@SOUL@ulleaders
18393         \hskip\spaceskip
18394         \else
18395             \SOUL@ulcolor{%
18396                 #1%
18397                 \SOUL@ulleaders
18398                 \hskip\spaceskip
18399             }%
18400         \fi
18401         \null
18402 }

```

110 File stabular-xetex-bidi.def

```

18403 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
18404 \def@\stabular{%
18405     \leavevmode \bgroup \if@RTLtab\beginR \fi
18406     \let\@acol\@tabacol
18407     \let\@classz\@tabclassz
18408     \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray}
18409 \def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
18410             \egroup \if@RTLtab\endR\fi\egroup}
18411 \expandafter \let \csname endstabular*\endcsname = \endstabular
18412 \def\@sarray[#1]#2{%
18413     \bgroup
18414     \setbox\@arstrutbox\hbox{%
18415         \vrule \height\arraystretch\ht\strutbox
18416             \depth\arraystretch \dp\strutbox
18417             \width\z@}%

```



```

18418  \@mkpream{#2}%
18419  \edef\@preamble{%
18420    \ialign \noexpand\@halignto
18421      \bgroup \carstrut \preamble \tabskip\z@skip \cr}%
18422  \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18423  \let\tabularnewline\\%
18424  \let\sharp##%
18425  \set@typeset@protect
18426  \lineskip\z@skip\baselineskip\z@skip
18427  \if@RTLtab\hbox\bgroup\beginR\hboxRconstructtrue\if #1\vtop \else \vbox \fi\bgroup\fi
18428  \preamble}

```

111 File subfigure-xetex-bidi.def

```

18429 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
18430 \AtBeginDocument{%
18431 \let\p@subfigure=\thefigure
18432 \let\p@subtable=\thetable%
18433 }

```

112 File tabls-xetex-bidi.def

```

18434 \ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for Xe%
18435 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
18436
18437 \expandafter\let\csname endtabular*\endcsname=\endtabular
18438
18439 \def\endarray{\ifvmode\csname crcr\endcsname % just do \cr if \\ given
18440   \else \\[\z@\global\advance\carstdepth-\@tarlinesep]%
18441   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecuse\egroup}
18442
18443 \def\@array[#1]#2{%
  remember global variables to allow recursion:
18444   \edef\@unrecuse{\global\z@skip@bove\the\z@skip@bove
18445     \global\carstheight\the\carstheight\global\carstdepth\the\carstdepth}%
18446   \let\@tarlinesep\@tarlinesep \global\z@skip@bove\@tarlinesep
18447   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
18448   \else \let\@tarlinesep\tablinesep \fi
18449   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
18450   \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
18451   \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
18452   \ifdim\@tarlinesep\z@ % (need \protect for \multicolumn)
18453     \def\@rememsize{\protect\@m@msize}\let\@seesize\@s@size
18454     \advance\tempdima-\@tarlinesep \advance\tempdimb-\@tarlinesep
18455   \fi \setbox\carstrutbox\hbox{%
    set up smaller strut
18456     \vrule \height\tempdima \depth\tempdimb \width\z@}%
18457   \let\protect\noexpand
18458   \edef\@preamble{\ialign \noexpand\@halignto \bgroup
18459     \unhc@carstrutbox \preamble \tabskip\z@skip \&\sharp\cr}%
18460   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18461   \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi

```



```

18462 \bgroup \let\par\empty
18463 \global\@arstruthtop\ht\@arstrutbox \global\@arstrutdepth\dp\@arstrutbox
18464 \advance\extrarulesep.5\arrayrulewidth
18465 \let\sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
18466 \if@RTLtab\hbox\bgroup\beginR\hboxR\constructtrue\if#1\vtop \else \vbox \fi\bgroup\fi
18467 \preamble}

```

113 File `tabularx-xetex-bidi.def`

```

18468 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
18469 \def\TX@endtabularxf{%
18470   \expandafter\expandafter\expandafter
18471     \TX@find@endtabularxa\csname end\TX@\endcsname
18472   \endtabularx\TX@\endtabularx\TX@find@endtabularxa
18473 \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
18474 \let\verb\TX@verb
18475 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
18476 \edef\TX@ckpt{\cl@ckpt}%
18477 \let\@elt\relax
18478 \TX@old@table\maxdimen
18479 \TX@col@width\TX@target
18480 \global\TX@cols\@ne
18481 \TX@typeout@
18482   {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
18483 \TX@trial{\def\NC@rewrite@X{%
18484   \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
18485 \loop
18486   \TX@arith
18487   \ifTX@
18488   \TX@trial{}%
18489 \repeat
18490 {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
18491 \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
18492 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
18493 \csname tabular*\expandafter\endcsname\expandafter\TX@target
18494   \the\toks@
18495   \csname endtabular*\endcsname}%
18496 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
18497 \ifnum0=\`fi}%
18498 \expandafter\expandafter\expandafter
18499 \TX@find@endtabularxbb
18500 \expandafter\end\expandafter{\TX@}%
18501 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
18502 }
18503
18504 \def\TX@trial#1{%
18505   \setbox\@tempboxa\hbox{%
18506     #1\relax
18507   \let\@footnotetext\TX@trial@ftn
18508   \let\@LTRfootnotetext\TX@trial@ftn

```



```

18509 \let\@RTLfootnotetext\TX@trial@ftn
18510 \let\TX@vwarn\@empty
18511 \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
18512 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
18513 \def\write{\begingroup
18514   \def\let{\afterassignment\endgroup\toks@}%
18515     \afterassignment\let\count@}%
18516   \hbadness\@M
18517   \hfuzz\maxdimen
18518   \let\hbadness\@tempcnta
18519   \let\hfuzz\@tempdima
18520   \expandafter\tabular\the\toks@%
18521   \endtabular}%
18522 \TX@ckpt
18523 \TX@typeout@\{@spaces
18524   \expandafter\TX@align
18525     \the\wd\@tempboxa\space\space\space\space\space\@O
18526   \expandafter\TX@align
18527     \the\TX@col@width\space\space\space\space\space\@O
18528   \@spaces\the\TX@cols}%
18529
18530 \long\def\TX@LTRftntext#1{%
18531   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
18532     [\the\csname c@\@mpfn\endcsname]}%
18533   \global\TX@ftn\expandafter{\@tempa{#1}}%
18534 \long\def\TX@xLTRftntext[#1]#2{%
18535   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}%
18536
18537 \long\def\TX@RTLftntext#1{%
18538   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
18539     [\the\csname c@\@mpfn\endcsname]}%
18540   \global\TX@ftn\expandafter{\@tempa{#1}}%
18541 \long\def\TX@xRTLftntext[#1]#2{%
18542   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

114 File `tabulary-xetex-bidi.def`

```

18543 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
18544 \def\@testpach{\@chclass
18545 \ifnum \@lastchclass=6 \one \chnum \one \else
18546 \ifnum \@lastchclass=7 5 \else
18547 \ifnum \@lastchclass=8 \tw@ \else
18548 \ifnum \@lastchclass=9 \thr@@
18549 \else \z@
18550 \ifnum \@lastchclass = 10 \else
18551 \edef\@nextchar{\expandafter\string\@nextchar}%
18552 \chnum
18553 \if \@nextchar c\z@ \else
18554 \if \@nextchar \if@RTLtab r\else l\fi\one \else
18555 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else

```



```
18556 \if \@nextchar C7 \else
18557   \if \@nextchar L8 \else
18558     \if \@nextchar R9 \else
18559       \if \@nextchar J10 \else
18560         \z@ \chclass
18561       \if \@nextchar |\one \else
18562         \if \@nextchar !6 \else
18563           \if \@nextchar @7 \else
18564             \if \@nextchar <8 \else
18565               \if \@nextchar >9 \else
18566               10
18567             \chnum
18568             \if \@nextchar m\thr@@\else
18569               \if \@nextchar p4 \else
18570                 \if \@nextchar b5 \else
18571                   \z@ \chclass \z@ \preamerr \z@ \fi \fi
```

115 File `tc-xetex-bidi.def`

```
18573 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTe
18574 \def\@cliptoboxdim#1{%
18575     \setbox#1=\hbox{%
18576         \Gin@defaultbp\WIDTH{\wd#1}%
18577         \Gin@defaultbp\DEPTH{\dp#1}%
18578         \tempdima\ht#1%
18579         \advance\tempdima\dp#1%
18580         \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
18581         \beginL\special{pdf:bcontent }%
18582         \special{%
18583             pdf:literal direct
18584             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
18585         }%
18586         \special{pdf:literal direct W }%
18587         \special{pdf:literal direct n }%
18588         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
18589         \special{pdf:econtent }\endL%
18590     }%
18591 }
```

116 File `tcolorbox-xetex-bidi.def`

```
18592 \ProvidesFile{tcolorbox-xetex-bidi.def}[2017/08/15 v0.1 bidi adaptations for tcolorbox package
18593 \let\endtcb@lrbox=\endminipage
18594 \let\endtcb@savebox=\endtcb@lrbox
18595
18596 \bidi@patchcmd{\tcb@vbox}{%
18597   \let\@footnotetext\@mpfootnotetext%
18598 }{%
18599   \let\@footnotetext\@mpfootnotetext%
```



```

18600   \let\@LTRfootnotetext\@mpLTRfootnotetext%
18601   \let\@RTLfootnotetext\@mpRTLfootnotetext%
18602 }{}{%
18603
18604 \bidi@patchcmd{\endtcb@vbox}{%
18605     \footnoterule}%
18606 }{%
18607     \bidi@mpfootnoterule}%
18608 }{}{%

```

117 File titlesec-xetex-bidi.def

```

18609 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package]
18610 \renewcommand\filright{%
18611   \gdef\ttl@filleft##1{\hspace{#1}}%
18612   \gdef\ttl@filright##1{\hfill}%
18613   \let\\@centercr
18614   \advance\rightskip\z@ \oplus 1fil
18615 \parfillskip\z@}
18616 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
18617   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
18618   \setlength\leftskip{#6}%
18619   \setlength\rightskip{#7}%
18620   \interlinepenalty@M
18621   \ttl@changecentercr
18622   \ttl@beginlongest
18623   #1{\ifhmode\ttl@hmode@error\fi
18624     \ttl@glcmds
18625     \parindent\z@
18626     \leavevmode
18627     \begingroup
18628       \ifttl@label
18629         \sbox\z@{\strut\ttl@calc\hspace{#3}}%
18630         \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
18631         \llap{\box\z@}%
18632       \fi
18633       \kern\z@\strut\@@par
18634     \endgroup
18635     \nobreak\ttl@midlongest#5\@@par}%
18636   \ttl@endlongest}%
18637 \ttl@endlongest}

```

118 File titletoc-xetex-bidi.def

```

18638 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
18639 \renewcommand\filright{%
18640   \gdef\ttl@filleft##1{\hspace{#1}}%
18641   \gdef\ttl@filright##1{\hfill}%
18642   \let\\@centercr
18643   \advance\rightskip\z@ \oplus 1fil

```



```

18644 \parfillskip\z@}
18645 \renewcommand\contentspush[1]{%
18646   \sbox{z@{\#1}}%
18647   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd{z@}}%
18648   \aftergroup\ttl@b
18649   \leavevmode\llap{\box{z@}}}
18650 \def\ttl@outnoblock#1#2#3{%
18651   \begingroup
18652   \ifnum\ttl@b>\ttl@a
18653     \nobreak
18654   \else\ifnum\ttl@b<\ttl@a
18655     \addpenalty{\@secpenalty}%
18656   \else
18657     \addpenalty{\z@}%
18658   \fi\fi
18659   \ttl@contentsstretch
18660   \nobreak
18661   \ifcase#1\relax\else\interlinepenalty\@M\fi
18662   \parindent{z@}
18663   \ifx\@nil#2%
18664     \PackageError{titletoc}{Unimplemented}%
18665     {The optional argument is currently mandatory}%
18666   \else
18667     \if@RTL\setlength\rightskip{#2}\else
18668     \setlength\leftskip{#2}\fi%
18669   \fi
18670   \if@RTL\setlength\leftskip{@pnumwidth}\else\setlength\rightskip{@pnumwidth}\fi%
18671   \let\contentsmargin\ttl@margin
18672   \def\ttl@makeline##1{##1}%
18673   #3%
18674   \addtolength{\parfillskip}{-\ttl@corr}%
18675   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
18676   \let\ttl@leaders\leaders
18677 \renewcommand\ttl@margin[2][\z@]{%
18678   \def\ttl@corr{#1}%
18679   \advance\if@RTL\leftskip\else\rightskip\fi-{@pnumwidth}\relax
18680   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
18681   \def{@pnumwidth}{#2}}
18682 \let\ttl@savel@part\@part
18683 \def\l@part{\ttl@lselect{part}}
18684
18685 \let\ttl@savel@chapter\@chapter
18686 \def\l@chapter{\ttl@lselect{chapter}}

```

119 File `tocbibind-xetex-bidi.def`

```

18687 \ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package]
18688 \if@dotocbib
18689   \@ifpackageloaded{natbib}{}{ natbib not loaded
18690     \renewcommand{\bibsection}{\tcb@bchapsec}

```



```

18691 \renewenvironment{thebibliography}[1]{%
18692   \bibsection
18693   \begin{thebibitemlist}{\#1}\end{thebibitemlist}%
18694 \renewenvironment{thebibitemlist}[1]{%
18695   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18696   \bidi@thebibliography@font@hook%
18697   \list{\@biblabel{\@arabic\c@enumiv}}{%
18698     \settowidth\labelwidth{\@biblabel{\#1}}%
18699     \leftmargin\labelwidth
18700     \advance\leftmargin\labelsep
18701     \openbib@code
18702     \usecounter{enumiv}%
18703     \let\p@enumiv\empty
18704     \renewcommand\theenumiv{\@arabic\c@enumiv}%
18705     \sloppy
18706     \clubpenalty4000
18707     \clubpenalty \clubpenalty
18708     \widowpenalty4000%
18709     \sfcode`.\@m}
18710   \def\noitemerr{%
18711     {\@latex@warning{Empty `thebibliography' environment}}%
18712   }%
18713 \ifpackagewith{chapterbib}{sectionbib}%
18714   \renewcommand{\sectionbib}[2]{}%
18715   {}%
18716   {}%
18717 \fi
18718 \if@inltxdoc\else
18719 \renewenvironment{theindex}{%
18720   \if@twocolumn
18721     \restonecolfalse
18722     \else
18723       \restonecoltrue
18724     \fi
18725   \if@bibchapter
18726     \if@donumindex
18727       \refstepcounter{chapter}
18728       \twocolumn[\vspace*{2\topskip}%
18729         \makechapterhead{\indexname}]%
18730       \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
18731       \chaptermark{\indexname}
18732     \else
18733       \if@dotocind
18734         \twocolumn[\vspace*{2\topskip}%
18735           \makeschapterhead{\indexname}]%
18736           \prw@mkboth{\indexname}%
18737           \addcontentsline{toc}{chapter}{\indexname}
18738         \else
18739           \twocolumn[\vspace*{2\topskip}%

```



```

18741           \@makeschapterhead{\indexname}]\%
18742           \prw@mkboth{\indexname}
18743           \fi
18744           \fi
18745       \else
18746           \if@donumindex
18747               \twocolumn[\vspace*{-1.5\topskip}%
18748                   \nameuse{\@tocextra}{\indexname}]\%
18749               \csname \@tocextra mark\endcsname{\indexname}
18750       \else
18751           \if@dotocind
18752               \twocolumn[\vspace*{-1.5\topskip}%
18753                   \toc@headstar{\@tocextra}{\indexname}]\%
18754               \prw@mkboth{\indexname}
18755               \addcontentsline{toc}{\@tocextra}{\indexname}
18756       \else
18757           \twocolumn[\vspace*{-1.5\topskip}%
18758               \toc@headstar{\@tocextra}{\indexname}]\%
18759               \prw@mkboth{\indexname}
18760           \fi
18761           \fi
18762           \fi
18763   \thispagestyle{plain}\parindent\z@
18764   \parskip\z@ \oplus .3\p@\relax
18765   \let\item\@idxitem
18766   {\if@restonecol\onecolumn\else\clearpage\fi}
18767 \fi

```

120 File `tocloft-xetex-bidi.def`

```

18768 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
18769 \let\cftdot\@SepMark
18770 \if@cfthaspart
18771 \renewcommand*{\l@part}[2]{
18772     \cftdopartfalse
18773     \ifnum \c@tocdepth >-2\relax
18774         \if@cfthaschapter
18775             \cftdoparttrue
18776         \fi
18777         \ifnum \c@tocdepth >\m@ne
18778             \if@cfthaschapter\else
18779                 \cftdoparttrue
18780             \fi
18781         \fi
18782     \fi
18783     \if@cftdopart
18784         \if@cfthaschapter
18785             \addpenalty{-\@highpenalty}
18786         \else
18787             \addpenalty\@secpenalty

```



```

18788     \fi
18789     \addvspace{\cftbeforepartskip}
18790     \begingroup
18791         {\if@RTL\rightskip\else\leftskip\fi \cftpindent\relax
18792             \if@RTL\leftskip\else\rightskip\fi \cftmarg
18793             \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18794             \parindent \cftpindent\relax\@afterindenttrue
18795             \interlinepenalty\@M
18796             \leavevmode
18797             \cftpartnumwidth\relax
18798             \let\cftbsnum \cftpartpresnum
18799             \let\cftasnum \cftpartaftersnum
18800             \let\cftasnumb \cftpartaftersnumb
18801             \advance\if@RTL\rightskip\else\leftskip\fi \cftpartpresnum \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftpartfont \cftpartpresnum #1
18802             \cftpartfillnum{#2}}
18803
18804     \nobreak
18805     \if@cfthaschapter
18806         \global\@nobreaktrue
18807         \everypar{\global\@nobreakfalse\everypar{}}
18808     \else
18809         \if@compatibility
18810             \global\@nobreaktrue
18811             \everypar{\global\@nobreakfalse\everypar{}}
18812         \fi
18813     \fi
18814     \endgroup
18815 \fi}
18816 \if@cfthaschapter
18817 \renewcommand*{\l@chapter}[2]{%
18818     \ifnum \c@tocdepth >\m@ne
18819         \addpenalty{-\highpenalty}
18820         \vskip \cftbeforechapskip
18821         {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
18822             \if@RTL\leftskip\else\rightskip\fi \cftmarg
18823             \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18824             \parindent \cftchapindent\relax\@afterindenttrue
18825             \interlinepenalty\@M
18826             \leavevmode
18827             \cftchapnumwidth\relax
18828             \let\cftbsnum \cftchappresnum
18829             \let\cftasnum \cftchapaaftersnum
18830             \let\cftasnumb \cftchapaaftersnumb
18831             \advance\if@RTL\rightskip\else\leftskip\fi \cftchappresnum \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftchapfont #1}\nobreak
18832             \cftchapfillnum{#2}}
18833
18834     \fi}
18835 \fi
18836 \fi
18837 \renewcommand*{\l@section}[2]{%

```



```

18838  \ifnum \c@tocdepth >\z@
18839    \if@cfthaschapter
18840      \vskip \cftbeforesecskip
18841    \else
18842      \addpenalty\@secpenalty
18843      \addvspace{\cftbeforesecskip}
18844    \fi
18845  {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
18846    \if@RTL\leftskip\else\rightskip\fi \cftsecmargin
18847    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18848    \parindent \cftsecindent\relax\cfterindenttrue
18849    \interlinepenalty\@M
18850    \leavevmode
18851    \tempdima \cftsecnumwidth\relax
18852    \let\cftbsnum \cftsecpresnum
18853    \let\cftasnum \cftsecaftersnum
18854    \let\cftasnumb \cftsecaftersnumb
18855    \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18856    {\cftsecfont #1}\nobreak
18857    \cftsecfillnum{#2}}
18858  \fi}
18859 \renewcommand*{\l@subsection}[2]{%
18860   \ifnum \c@tocdepth >\cne
18861     \vskip \cftbeforesubsecskip
18862     {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
18863       \if@RTL\leftskip\else\rightskip\fi \cftsubsecmargin
18864       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18865       \parindent \cftsubsecindent\relax\cfterindenttrue
18866       \interlinepenalty\@M
18867       \leavevmode
18868       \tempdima \cftsubsecnumwidth\relax
18869       \let\cftbsnum \cftsubsecpresnum
18870       \let\cftasnum \cftsubsecaftersnum
18871       \let\cftasnumb \cftsubsecaftersnumb
18872       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18873       {\cftsubsecfont #1}\nobreak
18874       \cftsubsecfillnum{#2}}
18875  \fi}
18876 \renewcommand*{\l@subsubsection}[2]{%
18877   \ifnum \c@tocdepth >\tw@
18878     \vskip \cftbeforesubsubsecskip
18879     {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
18880       \if@RTL\leftskip\else\rightskip\fi \cftsubsubsecmargin
18881       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18882       \parindent \cftsubsubsecindent\relax\cfterindenttrue
18883       \interlinepenalty\@M
18884       \leavevmode
18885       \tempdima \cftsubsubsecnumwidth\relax
18886       \let\cftbsnum \cftsubsubsecpresnum
18887       \let\cftasnum \cftsubsubsecaftersnum

```



```
18888 \let@\cftasnumb \cftsubsubsecaftersnumb
18889 \advance\if@RTL\rightskip\else\leftskip\fi \cfttempdima \null\nobreak\hskip -\if@RTL\right
18890 {\cftsubsubsecfont #1}\nobreak
18891 \cftsubsubsecfillnum{#2}
18892 \fi}
18893 \renewcommand*{\l@paragraph}[2]{%
18894 \ifnum \c@tocdepth >3\relax
18895 \vskip \cftbeforeparaskip
18896 {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
18897 \if@RTL\leftskip\else\rightskip\fi \cftocrmarg
18898 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18899 \parindent \cftparaindent\relax\cftafterindenttrue
18900 \interlinepenalty\@M
18901 \leavevmode
18902 \cfttempdima \cftparanumwidth\relax
18903 \let\cftbsnum \cftpapresnum
18904 \let\cftasnum \cftparaafersnum
18905 \let\cftasnumb \cftparaafersnumb
18906 \advance\if@RTL\rightskip\else\leftskip\fi \cfttempdima \null\nobreak\hskip -\if@RTL\right
18907 {\cftparafont #1}\nobreak
18908 \cftparafillnum{#2}}
18909 \fi}
18910 \renewcommand*{\l@subparagraph}[2]{%
18911 \ifnum \c@tocdepth >4\relax
18912 \vskip \cftbeforesubparaskip
18913 {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
18914 \if@RTL\leftskip\else\rightskip\fi \cftocrmarg
18915 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18916 \parindent \cftsubparaindent\relax\cftafterindenttrue
18917 \interlinepenalty\@M
18918 \leavevmode
18919 \cfttempdima \cftsubparanumwidth\relax
18920 \let\cftbsnum \cftsubparapresnum
18921 \let\cftasnum \cftsubparaafersnum
18922 \let\cftasnumb \cftsubparaafersnumb
18923 \advance\if@RTL\rightskip\else\leftskip\fi \cfttempdima \null\nobreak\hskip -\if@RTL\right
18924 {\cftsubparafont #1}\nobreak
18925 \cftsubparafillnum{#2}}
18926 \fi}
18927 \renewcommand*{\l@figure}[2]{%
18928 \ifnum \c@lofdepth >\z@
18929 \vskip \cftbeforefigskip
18930 {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
18931 \if@RTL\leftskip\else\rightskip\fi \cftocrmarg
18932 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18933 \parindent \cftfigindent\relax\cftafterindenttrue
18934 \interlinepenalty\@M
18935 \leavevmode
18936 \cfttempdima \cftfignumwidth\relax
18937 \let\cftbsnum \cftfigpresnum
```



```

18938   \let\@cftasnum \cftfigaftersnum
18939   \let\@cftasnumb \cftfigaftersnumb
18940   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18941   {\cftfigfont #1}\nobreak
18942   \cftfigfillnum{#2}}
18943   \fi
18944 }
18945 \renewcommand*\l@table}[2]{%
18946   \ifnum\c@lotdepth >\z@
18947     \vskip \cftbeforetabskip
18948     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
18949     \if@RTL\leftskip\else\rightskip\fi \tocrmarg
18950     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18951     \parindent \cfttabindent\relax\@afterindenttrue
18952     \interlinepenalty\@M
18953     \leavevmode
18954     \tempdima \cfttabnumwidth\relax
18955     \let\@cftbsnum \cfttabpresnum
18956     \let\@cftasnum \cfttabaftersnum
18957     \let\@cftasnumb \cfttabaftersnumb
18958     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18959     {\cfttabfont #1}\nobreak
18960     \cfttabfillnum{#2}}
18961   \fi
18962 }
18963 \renewcommand{\cftl@subfig}{%
18964 \renewcommand*\l@subfigure}[2]{%
18965   \ifnum\c@lofdepth > \toclevel@subfigure
18966     \vskip \cftbeforesubfigskip
18967     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
18968     \if@RTL\leftskip\else\rightskip\fi \tocrmarg
18969     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18970     \parindent \cftsubfigindent\relax\@afterindenttrue
18971     \interlinepenalty\@M
18972     \leavevmode
18973     \tempdima \cftsubfignumwidth\relax
18974     \let\@cftbsnum \cftsubfigpresnum
18975     \let\@cftasnum \cftsubfigaftersnum
18976     \let\@cftasnumb \cftsubfigaftersnumb
18977     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18978     {\cftsubfigfont ##1}\nobreak
18979     \cftsubfigfillnum{##2}}
18980   \fi
18981 }
18982 }
18983 \renewcommand{\cftl@subtab}{%
18984 \renewcommand*\l@subtable}[2]{%
18985   \ifnum\c@lotdepth > \toclevel@subtable
18986     \vskip \cftbeforesubtabskip
18987     {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax

```



```

18988   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18989   \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18990   \parindent \cftsubtabindent\relax\@afterindenttrue
18991   \interlinepenalty\@M
18992   \leavevmode
18993   \tempdima \cftsubtabnumwidth\relax
18994   \let\cftbsnum \cftsubtabpresnum
18995   \let\cftasnum \cftsubtabaftersnum
18996   \let\cftasnumb \cftsubtabaftersnumb
18997   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18998   {\cftsubtabfont ##1}\nobreak
18999   \cftsubtabfillnum{##2}
19000   \fi
19001   }
19002 }
19003 \renewcommand{\newlistentry}[4][]{%
19004   \@ifundefined{c@#2}{%      check & set the counter
19005     \ifx \empty\relax
19006       \newcounter{#2}
19007     \else
19008       \@ifundefined{c@#1}{\PackageWarning{tocloft}%
19009         {#1 has no counter for use as a `within'}
19010       \newcounter{#2}}%
19011       {\newcounter{#2}[#1]%
19012         \expandafter\edef\csname the#2\endcsname{%
19013           \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
19014     \fi
19015     \setcounter{#2}{0}
19016   }
19017   {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
19018
19019 \namedef{l@#2}##1##2{%
19020   \ifnum \nameuse{c@#3depth} > #4\relax
19021     \vskip \nameuse{cftbefore#2skip}
19022     {\if@RTL\rightskip\else\leftskip\fi \nameuse{cft#2indent}\relax
19023       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19024       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19025       \parindent \nameuse{cft#2indent}\relax\@afterindenttrue
19026       \interlinepenalty\@M
19027       \leavevmode
19028       \tempdima \nameuse{cft#2numwidth}\relax
19029       \expandafter\let\expandafter\cftbsnum\csname cft#2presnum\endcsname
19030       \expandafter\let\expandafter\cftasnum\csname cft#2aftersnum\endcsname
19031       \expandafter\let\expandafter\cftasnumb\csname cft#2aftersnumb\endcsname
19032       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
19033       {\nameuse{cft#2font}##1}\nobreak
19034       \nameuse{cft#2fillnum}{##2}
19035     \fi
19036   } % end of \l@#2
19037 }
```



```

19038 \expandafter\newlength\csname cftbefore#2skip\endcsname
19039   \setlength{\@nameuse{cftbefore#2skip}}{\z@ \plus .2\p@}
19040 \expandafter\newlength\csname cft#2indent\endcsname
19041 \expandafter\newlength\csname cft#2numwidth\endcsname
19042 \ifcase #4\relax % 0
19043   \setlength{\@nameuse{cft#2indent}}{0em}
19044   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
19045 \or % 1
19046   \setlength{\@nameuse{cft#2indent}}{1.5em}
19047   \setlength{\@nameuse{cft#2numwidth}}{2.3em}
19048 \or % 2
19049   \setlength{\@nameuse{cft#2indent}}{3.8em}
19050   \setlength{\@nameuse{cft#2numwidth}}{3.2em}
19051 \or % 3
19052   \setlength{\@nameuse{cft#2indent}}{7.0em}
19053   \setlength{\@nameuse{cft#2numwidth}}{4.1em}
19054 \else % anything else
19055   \setlength{\@nameuse{cft#2indent}}{10.0em}
19056   \setlength{\@nameuse{cft#2numwidth}}{5.0em}
19057 \fi
19058 \@namedef{cft#2font}{\normalfont}
19059 \@namedef{cft#2presnum}{}
19060 \@namedef{cft#2aftersnum}{}
19061 \@namedef{cft#2aftersnumb}{}
19062 \@namedef{cft#2dotsep}{\cftdotsep}
19063 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
19064 \@namedef{cft#2pagefont}{\normalfont}
19065 \@namedef{cft#2afterpnum}{}
19066 \@namedef{toclevel@#2}{#4}
19067 \@namedef{cft#2fillnum}{#1{%
19068   {\@nameuse{cft#2leader}}\nobreak
19069   \hb@xt@{\pnumwidth}{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
19070 } % end \newlistentry
19071 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
19072   \if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
19073   \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
19074   \if@RTL\leftskip\else\rightskip\fi \tocrmarg\relax
19075   \textit{\#1}\protect\par}}

```

121 File `tocbasic-xetex-bidi.def`

```

19076 \ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package]
19077 \bidi@undef\scr@dte@def@l@undottedtocline
19078 \bidi@undef\scr@dte@undottedtocline@init
19079 \DeclareTOCEEntryStyle{undottedtocline}[{%
19080   \DefineTOCEEntryLengthOption{indent}%
19081   {scr@tso@}{@indent}{entry indent}%
19082   \DefineTOCEEntryLengthOption{numwidth}%
19083   {scr@tso@}{@numwidth}{entry number width}%
19084   \@ifundefined{#1tocdepth}{%

```



```

19085 \ifstr{#1}{part}{\@namedef{\#1tocdepth}{-1}}{%
19086   \ifstr{#1}{chapter}{\@namedef{\#1tocdepth}{0}}{%
19087     \ifstr{#1}{section}{\@namedef{\#1tocdepth}{1}}{%
19088       \ifstr{#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
19089         \ifstr{#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
19090           \ifstr{#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
19091             \ifstr{#1}{subparagraph}{\@namedef{\#1tocdepth}{5}}{%
19092               \ifstr{#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
19093                 \ifstr{#1}{table}{\@namedef{\#1tocdepth}{1}}{%
19094                   \expandafter\let\csname #1tocdepth\expandafter\endcsname
19095                     \csname #1numdepth\endcsname
19096                   }%
19097                 }%
19098               }%
19099             }%
19100           }%
19101         }%
19102       }%
19103     }%
19104   }%
19105 }{%
19106 \@ifundefined{scr@tso@#1@indent}{%
19107   \@ifundefined{scr@#1@tocindent}{%
19108     \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19109       \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19110         \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19111           \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19112             \scr@ifundefinedorrelax{l@chapter}{%
19113               \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19114                 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19115                   \ifstr{#1}{subsubsection}{%
19116                     \@namedef{scr@tso@#1@indent}{3.8em}%
19117                   }%
19118                     \ifstr{#1}{paragraph}{%
19119                       \@namedef{scr@tso@#1@indent}{7em}%
19120                     }%
19121                     \ifstr{#1}{subparagraph}{%
19122                       \@namedef{scr@tso@#1@indent}{10em}%
19123                     }%
19124                     }%
19125                   }%
19126                 }%
19127               }%
19128             }%
19129           }%
19130             \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19131               \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19132                 \ifstr{#1}{subsubsection}{%
19133                   \@namedef{scr@tso@#1@indent}{7.0em}%
19134                 }%

```



```

19135     \ifstr{#1}{paragraph}{%
19136         \cnamedef{scr@tso@#1@indent}{10em}%
19137     }{%
19138         \ifstr{#1}{subparagraph}{%
19139             \cnamedef{scr@tso@#1@indent}{12em}%
19140         }{%
19141             }%
19142         }%
19143         }%
19144         }%
19145         }%
19146         }%
19147         }%
19148         }%
19149         }%
19150         }%
19151     }{%
19152         \cnamedef{scr@tso@#1@indent}{\cnameuse{scr@#1@tocindent}}%
19153     }%
19154 }{%
19155 \cifundefined{scr@tso@#1@numwidth}{%
19156     \cifundefined{scr@#1@tocnumwidth}{%
19157         \ifstr{#1}{figure}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19158             \ifstr{#1}{table}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19159                 \ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
19160                     \scr@ifundefinedorrelax{chapter}{%
19161                         \ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
19162                             \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19163                                 \ifstr{#1}{subsubsection}{%
19164                                     \cnamedef{scr@tso@#1@numwidth}{3.2em}}{%
19165                                 }{%
19166                                     \ifstr{#1}{paragraph}{%
19167                                         \cnamedef{scr@tso@#1@numwidth}{4.1em}}{%
19168                                 }{%
19169                                     \ifstr{#1}{subparagraph}{%
19170                                         \cnamedef{scr@tso@#1@numwidth}{5m}}{%
19171                                 }{%
19172                                     }%
19173                                 }%
19174                                 }%
19175                                 }%
19176                                 }%
19177                             }{%
19178                                 \ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19179                                     \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{3.2em}}{%
19180                                         \ifstr{#1}{subsubsection}{%
19181                                             \cnamedef{scr@tso@#1@numwidth}{3.1em}}{%
19182                                         }{%
19183                                             \ifstr{#1}{paragraph}{%
19184                                                 \cnamedef{scr@tso@#1@numwidth}{5em}}{%

```



```

19185      }{%
19186          \ifstr{\#1}{subparagraph}{%
19187              \c@namedef{scr@tso@\#1@numwidth}{6em}%
19188          }{%
19189              }%
19190          }%
19191          }%
19192          }%
19193          }%
19194          }%
19195          }%
19196          }%
19197          }%
19198      }{%
19199          \c@namedef{scr@tso@\#1@numwidth}{\c@nameuse{scr@\#1@tocnumwidth}}%
19200          }%
19201      }{}%
19202  }]{%
19203      \ifnum \c@tocdepth > \numexpr \c@nameuse{#1tocdepth}-\c@ne \relax
19204          \ifnum \c@nameuse{#1tocdepth}<\c@ne
19205              \scr@ifundefinedorrelax{chapter}{%
19206                  \addpenalty\c@secpenalty
19207                  \addvspace{1.0em \c@plus\p@}%
19208              }{%
19209                  \addpenalty{-\c@highpenalty}%
19210                  \vskip 1.0em \c@plus\p@%
19211              }%
19212          \else
19213              \addpenalty\c@secpenalty
19214              \addvspace{1.0em \c@plus\p@}%
19215          \fi
19216      \setlength\c@tempdima{\c@nameuse{scr@tso@\#1@numwidth}}%
19217      \begingroup
19218          \parindent \z@ \bidi@rightskip \c@pnumwidth
19219          \parfillskip -\c@pnumwidth
19220          \leavevmode
19221          \bfseries
19222          \advance\bidi@leftskip\c@tempdima
19223          \advance\bidi@leftskip\c@nameuse{scr@tso@\#1@indent}%
19224          \hskip -\dimexpr \bidi@leftskip-\c@nameuse{scr@tso@\#1@indent}\relax
19225          ##1%
19226          \nobreak
19227          \hfil \nobreak\hb@xt@\c@pnumwidth{\hss ##2}%
19228          \par
19229          \penalty\c@highpenalty
19230          \endgroup
19231      \fi
19232  }%
19233
19234 \bidi@undef\scr@dte@def@l@largetocline

```



```

19235 \bidi@undef\scr@dte@largetocline@init
19236 \DeclareTOCEntryStyle{largetocline}{%
19237   \DefineTOCEntryLengthOption{indent}%
19238   {scr@tso@}{@indent}{entry indent}%
19239 \@ifundefined{#1tocdepth}{%
19240   \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19241     \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19242       \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19243         \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19244           \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19245             \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19246               \ifstr{#1}{ subparagraph}{\@namedef{#1tocdepth}{5}}{%
19247                 \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19248                   \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19249                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
19250                     \csname #1numdepth\endcsname
19251                   }%
19252                 }%
19253               }%
19254             }%
19255           }%
19256         }%
19257       }%
19258     }%
19259   }%
19260 }{%
19261 \@ifundefined{scr@tso@#1@indent}{%
19262   \ifundefined{scr@#1@tocindent}{%
19263     \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19264       \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19265         \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19266           \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19267             \scr@ifundefinedorrelax{1@chapter}{%
19268               \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19269                 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19270                   \ifstr{#1}{subsubsection}{%
19271                     \@namedef{scr@tso@#1@indent}{3.8em}}{%
19272                   }%
19273                     \ifstr{#1}{paragraph}{%
19274                       \@namedef{scr@tso@#1@indent}{7em}}{%
19275                     }%
19276                     \ifstr{#1}{ subparagraph}{%
19277                       \@namedef{scr@tso@#1@indent}{10em}}{%
19278                     }%
19279                   }%
19280                 }%
19281               }%
19282             }%
19283           }%
19284 }{%

```



```

19285     \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19286         \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19287             \ifstr{#1}{subsubsection}{%
19288                 \@namedef{scr@tso@#1@indent}{7.0em}%
19289             }{%
19290                 \ifstr{#1}{paragraph}{%
19291                     \@namedef{scr@tso@#1@indent}{10em}%
19292                 }{%
19293                     \ifstr{#1}{subparagraph}{%
19294                         \@namedef{scr@tso@#1@indent}{12em}%
19295                     }{%
19296                         }%
19297                     }%
19298                 }%
19299             }%
19300         }%
19301     }%
19302     }%
19303     }%
19304     }%
19305     }%
19306     }{%
19307         \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
19308     }%
19309 }{}%
19310 }]{%
19311     \ifnum \c@tocdepth > \numexpr \nameuse{#1tocdepth}-\one\relax
19312         \ifnum \nameuse{#1tocdepth}<\one
19313             \scr@ifundefinedorrelax{chapter}{%
19314                 \addpenalty\secpenalty
19315                 \addvspace{2.25em \oplus \p@}%
19316             }{%
19317                 \addpenalty{-\highpenalty}%
19318                 \addvspace{2.25em \oplus \p@}%
19319             }%
19320         \else
19321             \addpenalty\secpenalty
19322             \addvspace{2.25em \oplus \p@}%
19323         \fi
19324         \setlength\tempdima{3em}%
19325         \begingroup
19326             \parindent \z@ \bidi@rightskip \pnumwidth
19327             \parfillskip -\pnumwidth
19328             \leavevmode
19329             \large
19330             \bfseries
19331             \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
19332             ##1%
19333             \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
19334         \par

```



```

19335   \nobreak
19336   \ifnum 0=
19337     \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
19338     \global\@nobreaktrue
19339     \everypar{\global\@nobreakfalse\everypar{}}
19340   \fi
19341   \endgroup
19342 \fi
19343 }
19344
19345 \renewcommand*{\scr@dte@tocline}[3]{%
19346   \ifnum \c@tocdepth>\c@tocdepth
19347   \else
19348     \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
19349     \addvspace{\c@nameuse{scr@tso@#1@beforeskip}}\relax
19350   {%
19351     \bidi@leftskip \c@nameuse{scr@tso@#1@indent}\relax
19352     \bidi@rightskip \c@tocrmarg
19353     \parfillskip -\bidi@rightskip
19354     \c@nameuse{Ifscr@tso@#1@raggedpage}{%
19355       \addtolength{\parfillskip}{\z@ \c@plus 1fil}%
19356     }{%
19357       \parindent \c@nameuse{scr@tso@#1@indent}\relax
19358       \c@afterindenttrue
19359       \interlinepenalty\@M
19360       \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
19361         \addtolength{\bidi@rightskip}\c@flushglue
19362       \else
19363         \def\reserved@a{\raggedright}%
19364         \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19365           \addtolength{\bidi@rightskip}\c@flushglue
19366         \else
19367           \renewcommand\reserved@a{\raggedright}%
19368           \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19369             \addtolength{\bidi@rightskip}\c@flushglue
19370           \fi
19371         \fi
19372       \fi
19373       \leavevmode
19374       \c@tempdima \c@nameuse{scr@tso@#1@numwidth}\relax
19375       \c@nameuse{Ifscr@tso@#1@dynnumwidth}{%
19376         \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
19377           \ifdim \c@nameuse{scr@dte@#1@lastmaxnumwidth}>\c@tempdima
19378             \c@tempdima \c@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
19379           \fi
19380         }{%
19381       }{%
19382       \advance\bidi@leftskip \c@tempdima
19383       \null\nobreak\hskip -\bidi@leftskip
19384     }%

```



```

19385 \usetocbasicnumberline
19386 \let\scr@dte@numberline@box\numberline@box
19387 \def\numberline@box##1{%
19388   \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
19389   \global\scr@dte@tocline@numberwidth
19390   \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
19391   \ifdim \scr@dte@tocline@numberwidth
19392     >\@nameuse{scr@dte@#1@maxnumwidth}\relax
19393     \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
19394   \fi
19395   \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
19396     \ifdim \scr@dte@tocline@numberwidth
19397       >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
19398         +\@nameuse{scr@tso@#1@numsep}\relax
19399     \PackageWarning{tocbasic}%
19400   }{%
19401     number width of #1 toc entries should be
19402     increased!\MessageBreak
19403     Currently used number width =
19404     \the\wd\scr@dte@tocline@numbox,\MessageBreak
19405     Wanted number separation
19406     \space\space\space =
19407     \the\dimexpr \@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
19408     Reserved number width \space\space\space\space\space\space =
19409     \the\dimexpr \@nameuse{scr@tso@#1@numwidth}\relax%
19410   }%
19411 \fi
19412 }%
19413 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
19414 \@nameuse{Ifscr@tso@#1@breakafternumber}{}{%
19415   {\parfillskip\flushglue\par}\nobreak\hskip-\bidi@leftskip
19416 }{%
19417 }%
19418 \@nameuse{scr@tso@#1@entryformat}{%
19419   #2%
19420   \nobreak
19421 }{%
19422   \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
19423   \nobreak
19424   \@nameuse{scr@tso@#1@pagenumberbox}{%
19425     \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
19426   }%
19427 }%
19428   \par
19429 }{%
19430 }%
19431 }%
19432   \tocbasic@SetPenaltyByTOCLevel{#1}%
19433 \fi
19434 }

```



```

19435
19436 \bidi@undef\scr@dte@def@l@tocline
19437 \bidi@undef\scr@dte@tocline@init
19438 \DeclareTOCEEntryStyle{tocline}{[%}
19439   \DefineTOCEEntryLengthOption{beforeskip}{%
19440     {scr@tso@}{@beforeskip}{vertical skip before the entry}%
19441   \DefineTOCEEntryIfOption{breakafternumber}{%
19442     {scr@tso@}{@breakafternumber}{line break after number flag}%
19443   \DefineTOCEEntryIfOption{dynnumwidth}{%
19444     {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
19445   \DefineTOCEEntryCommandOption{entryformat}{%
19446     {scr@tso@}{@entryformat}[1]{entry format}%
19447   \DefineTOCEEntryCommandOption{entrynumberformat}{%
19448     {scr@tso@}{@numberformat}[1]{entry number format}%
19449   \DefineTOCEEntryCommandOption{linefill}{[\TOCLineLeaderFill]}{%
19450     {scr@tso@}{@linefill}{filling between text and page number}%
19451   \DefineTOCEEntryLengthOption{numsep}{%
19452     {scr@tso@}{@numsep}{entry number separation}%
19453   \DefineTOCEEntryCommandOption{onstarhigherlevel}{%
19454     {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
19455   \DefineTOCEEntryCommandOption{onstartlowerlevel}{%
19456     {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
19457   \DefineTOCEEntryCommandOption{onstartsamelevel}{%
19458     {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
19459   \DefineTOCEEntryCommandOption{pagenumberbox}{%
19460     {scr@tso@}{@pagenumberbox}[1]{page number box}%
19461   \DefineTOCEEntryCommandOption{pagenumberformat}{%
19462     {scr@tso@}{@pagenumberformat}[1]{page number format}%
19463   \DefineTOCEEntryOption{raggedentrytext}{[true]}{%
19464     \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
19465     \ifx\FamilyKeyState\FamilyKeyStateProcessed
19466       \if@tempswa
19467         \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19468         \raggedright
19469       \else
19470         \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19471         \relax
19472       \fi
19473     \fi
19474   }%
19475   \DefineTOCEEntryIfOption{raggedpagenumber}{%
19476     {scr@tso@}{@raggedpage}{page number ragged flag}%
19477   \DefineTOCEEntryLengthOption{indent}{%
19478     {scr@tso@}{@indent}{entry indent}%
19479   \DefineTOCEEntryLengthOption{numwidth}{%
19480     {scr@tso@}{@numwidth}{entry number width}%
19481   \scr@ifundefinedorrelax{\#1tocdepth}{%
19482     \ifstrrstart{\#1}{sub}{%
19483       \scr@ifundefinedorrelax{\scr@dte@nosub{\#1}tocdepth}{%
19484         \expandafter\edef\csname #1tocdepth\endcsname{%

```



```

19485      \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
19486      }%
19487      }%
19488      }{}%
19489  }{}%
19490  \@ifundefined{#1tocdepth}{%
19491    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19492      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19493        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19494          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19495            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19496              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19497                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19498                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19499                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19500                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
19501                        \csname #1numdepth\endcsname
19502                      }%
19503                    }%
19504                  }%
19505                }%
19506              }%
19507            }%
19508          }%
19509        }%
19510      }%
19511    }{}%
19512  \scr@ifundefinedorrelax{\scr@tso@#1@indent}{%
19513    \@ifundefined{\scr@#1@tocindent}{%
19514      \ifstrstart{#1}{sub}{%
19515        \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{#1}@indent}{%
19516          \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{#1}@numwidth}{%
19517            \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19518              \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@numwidth}%
19519              \relax
19520            }%
19521          }%
19522        }{}%
19523        \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{#1}@numwidth}{%
19524          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19525            \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@indent}%
19526            \relax
19527          }%
19528        }{}%
19529        \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19530          \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@indent}%
19531          +\noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@numwidth}%
19532          \relax
19533        }%
19534      }%

```



```

19535      }%
19536      }{ }%
19537      }{%
19538          \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}{%
19539      }%
19540  }{ }%
19541  \@ifundefined{scr@tso@#1@indent}{%
19542      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19543          \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19544              \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19545                  \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19546                      \scr@ifundefinedorrelax{1@chapter}{%
19547                          \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19548                              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19549                                  \ifstr{#1}{subsubsection}{%
19550                                      \@namedef{scr@tso@#1@indent}{3.8em}}{%
19551                                  }{%
19552                                      \ifstr{#1}{paragraph}{%
19553                                          \@namedef{scr@tso@#1@indent}{7em}}{%
19554                                      }{%
19555                                          \ifstr{#1}{ subparagraph}{%
19556                                              \@namedef{scr@tso@#1@indent}{10em}}{%
19557                                          }{%
19558                                              }{%
19559                                              }{%
19560                                              }{%
19561                                              }{%
19562                                              }{%
19563                                              }{%
19564                                              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19565                                              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19566                                              \ifstr{#1}{subsubsection}{%
19567                                                  \@namedef{scr@tso@#1@indent}{7.0em}}{%
19568                                              }{%
19569                                              \ifstr{#1}{paragraph}{%
19570                                                  \@namedef{scr@tso@#1@indent}{10em}}{%
19571                                              }{%
19572                                              \ifstr{#1}{ subparagraph}{%
19573                                                  \@namedef{scr@tso@#1@indent}{12em}}{%
19574                                              }{%
19575                                              }{%
19576                                              }{%
19577                                              }{%
19578                                              }{%
19579                                              }{%
19580                                              }{%
19581                                              }{%
19582                                              }{%
19583                                              }{%
19584                                              }{%

```



```

19585  }{%
19586  \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
19587   \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
19588     \ifstrstart{#1}{sub}{%
19589       \scr@ifundefinedorrelax{scr@tso@}\scr@dte@nosub{#1}@numwidth}{%
19590         \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
19591           \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19592             +.9em}%
19593           \relax
19594         }%
19595       }%
19596     }{%
19597   }{%
19598     \cnamedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
19599   }%
19600 }{%
19601 \cifundefined{scr@tso@#1@numwidth}{%
19602   \ifstr{#1}{figure}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19603     \ifstr{#1}{table}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19604       \ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
19605         \scr@ifundefinedorrelax{chapter}{%
19606           \ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
19607             \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19608               \ifstr{#1}{subsubsection}{%
19609                 \cnamedef{scr@tso@#1@numwidth}{3.2em}%
19610               }{%
19611                 \ifstr{#1}{paragraph}{%
19612                   \cnamedef{scr@tso@#1@numwidth}{4.1em}%
19613                 }{%
19614                   \ifstr{#1}{subparagraph}{%
19615                     \cnamedef{scr@tso@#1@numwidth}{5em}%
19616                   }{%
19617                     }%
19618                   }%
19619                 }{%
19620               }%
19621             }%
19622           }{%
19623             \ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19624               \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{3.2em}}{%
19625                 \ifstr{#1}{subsubsection}{%
19626                   \cnamedef{scr@tso@#1@numwidth}{3.1em}%
19627                 }{%
19628                   \ifstr{#1}{paragraph}{%
19629                     \cnamedef{scr@tso@#1@numwidth}{5em}%
19630                   }{%
19631                     \ifstr{#1}{subparagraph}{%
19632                       \cnamedef{scr@tso@#1@numwidth}{6em}%
19633                     }{%
19634                     }%

```



```
19635 }%
19636 }%
19637 }%
19638 }%
19639 }%
19640 }%
19641 }%
19642 }%
19643 }{ }%
19644 \expandafter\renewcommand%
19645 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
19646 \expandafter\renewcommand%
19647 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
19648 \expandafter\renewcommand%
19649 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
19650 \Qifundefined{scr@tso@#1@beforeskip}{%
19651   \ifstr{#1}{part}{%
19652     \Qnamedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \Qplus\p@\relax}%
19653   }{%
19654     \ifstr{#1}{chapter}{%
19655       \Qnamedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \Qplus\p@\relax}%
19656     }{%
19657       \ifstr{#1}{section}{%
19658         \scr@ifundefinedorrelax{l@chapter}{%
19659           \Qnamedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \Qplus\p@\relax}%
19660         }{ }%
19661       }{ }%
19662     }{ }%
19663   }{ }%
19664 \expandafter\renewcommand\expandafter*%
19665 \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
19666 }{ }%
19667 \Qifundefined{scr@dte@#1@maxnumwidth}{%
19668   \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
19669   \setlength{\Qnameuse{scr@dte@#1@maxnumwidth}}{\z@}%
19670 }{ }%
19671 \renewcommand*{\scr@dte@donumwidth}{ }%
19672 \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
19673 \expandafter\renewcommand\expandafter*%
19674 \csname scr@tso@#1@numsep\endcsname{.4em}%
19675 \expandafter\renewcommand%
19676 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
19677 \ifstr{#1}{part}{%
19678   \expandafter\renewcommand%
19679   \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
19680 }{ }%
19681 \ifstr{#1}{chapter}{%
19682   \expandafter\renewcommand%
19683   \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
19684 }{ }%
```



```

19685     \scr@ifundefinedorrelax{l@chapter}{%
19686         \ifstr{#1}{section}{%
19687             \expandafter\renewcommand%
19688                 \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
19689             }{}%
19690         }{}%
19691         \expandafter\renewcommand%
19692             \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
19693         }%
19694     }%
19695     \expandafter\renewcommand%
19696     \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
19697     \@ifundefined{scr@tso@#1@linefill}{%
19698         \ifstr{#1}{part}{%
19699             \namedef{scr@tso@#1@linefill}{\hfill}%
19700         }{%
19701             \ifstr{#1}{chapter}{%
19702                 \namedef{scr@tso@#1@linefill}{\hfill}%
19703             }{%
19704                 \scr@ifundefinedorrelax{l@chapter}{%
19705                     \ifstr{#1}{section}{%
19706                         \namedef{scr@tso@#1@linefill}{\hfill}%
19707                     }{}%
19708                 }{%
19709                     \expandafter\renewcommand%
19710                     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
19711                 }%
19712             }%
19713         }{}%
19714         \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
19715         \ifstr{#1}{part}{%
19716             \expandafter\renewcommand%
19717             \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
19718         }{%
19719             \expandafter\renewcommand%
19720             \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
19721                 {\normalfont\color{##1}}%}
19722         }%
19723         \expandafter\renewcommand%
19724         \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
19725             \hb@xt@{\pnumwidth}{\hfil ##1}}%
19726         \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
19727     }{%
19728         \scr@dte@tocline{#1}{##1}{##2}%
19729     }%
19730

```

122 File tocstyle-xetex-bidi.def

```

19731 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]

```



```

19732 \renewcommand*{\tocstyle@dottedtocline}[5]{%
19733   \let\numberline\tocstyle@numberline
19734   \ifnum #1>\c@tocdepth \else
19735     \if@tocstyle@penalties
19736       \begingroup
19737         \atempcnta 20010
19738         \advance \atempcnta by -#1
19739         \ifnum \atempcnta>\lastpenalty
19740           \aftergroup\penalty\aftergroup\@lowpenalty
19741         \fi
19742       \endgroup
19743     \fi
19744     \edef\tocstyle@depth{\#1}%
19745     \tocstyle@activate@features
19746     \ifx\tocstyle@feature@entryvskip\relax
19747       \vskip \z@ \oplus .2\p@
19748     \else
19749       \addvspace{\tocstyle@feature@entryvskip}%
19750     \fi
19751   {%
19752     \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
19753       \tocstyle@feature@raggedhook
19754       \atempdima #3\relax
19755       \atempdimb #2\relax
19756       \typeout{m (\tocstyleTOC, \tocstyle@depth): \the\atempdima}%
19757     \ifnum #1>\z@\relax
19758       \atempcnta #1\relax \advance\atempcnta \m@ne
19759       \ifcsname tocstyle@skipwidth@\tocstyleTOC \the\atempcnta\endcsname
19760         \ifcsname tocstyle@numwidth@\tocstyleTOC \the\atempcnta\endcsname
19761           \atempdimb
19762           \csname tocstyle@skipwidth@\tocstyleTOC \the\atempcnta\endcsname
19763             \advance\atempdimb
19764             \csname tocstyle@numwidth@\tocstyleTOC \the\atempcnta\endcsname
19765           \fi
19766         \fi
19767       \fi
19768       \typeout{C (\tocstyleTOC, \tocstyle@depth): \the\atempdimb}%
19769       \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
19770         \ifdim \atempdimb>
19771           \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
19772             \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
19773               @#1\endcsname{\the\atempdimb}%
19774         \fi
19775       \else
19776         \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
19777           @#1\endcsname{\the\atempdimb}%
19778       \fi
19779     \iftocstyle@autolength
19780       \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
19781         \atempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname

```



```

19782      \relax
19783  \fi
19784  \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
19785      \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
19786      \relax
19787  \fi
19788  \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
19789  \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
19790 \else
19791      \@tempdimb #2\relax
19792  \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
19793 \fi
19794  \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
19795      \ifdim \@tempdima>
19796          \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
19797          \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
19798          @\endcsname{\the\@tempdima}%
19799      \fi
19800 \else
19801      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
19802      @\endcsname{\the\@tempdima}%
19803 \fi
19804 \ifcase\tocstyle@indentstyle\relax\else
19805      \@tempdimb \z@
19806  \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
19807      \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
19808      \relax
19809  \fi
19810  \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
19811  \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
19812 \fi
19813 \advance\parindent \@tempdimb \@afterindenttrue
19814 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
19815 \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19816 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19817 \ifx\tocstyle@feature@parfillskip\relax\else
19818      \advance\parfillskip \tocstyle@feature@parfillskip\relax
19819  \fi
19820 \interlinepenalty@M
19821 \leavevmode
19822 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
19823 \null\nobreak
19824 \iftocstyle@indentnotnumbered\else
19825      \hskip -\if@RTL\rightskip\else\leftskip\fi
19826  \fi
19827 \tocstyle@feature@entryhook
19828 \#4\nobreak
19829 \ifx\tocstyle@feature@leaders\relax
19830      \leaders\hbox{$\m@th
19831      \mkern \dotsep mu\hbox{\tocstyle@feature@dothook .}}%
```



```

19832          \mkern \dotsep mu$}\hfill
19833 \else
19834   \tocstyle@feature@leaders
19835 \fi
19836 \nobreak
19837 \ifx\tocstyle@feature@pagenumberbox\relax
19838   \hb@xt@\opnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
19839 \else
19840   \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
19841 \fi
19842 \par
19843 }%
19844 \if@tocstyle@penalties
19845   \bgroup
19846     \tempcnta 20009
19847     \advance\tempcnta by -#1
19848     \edef\reserved@a{\egroup\penalty\the\tempcnta\relax}%
19849     \reserved@a
19850   \fi
19851 \fi}
19852 \renewcommand*{\tocstyle@numberline}[1]{%
19853   \begingroup
19854     \ifx\tocstyle@feature@spaceafternumber\relax
19855       \settowidth\tempdima{\tocstyle@@numberline{#1}\enskip}%
19856     \else
19857       \settowidth\tempdima{\tocstyle@@numberline{#1}}%
19858       \advance\tempdima\tocstyle@feature@spaceafternumber\relax
19859     \fi
19860     \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
19861       \ifdim\tempdima >
19862         \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
19863         \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
19864           @\tocstyledepth\endcsname{\the\tempdima}%
19865       \fi
19866     \else
19867       \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
19868         @\tocstyledepth\endcsname{\the\tempdima}%
19869     \fi
19870   \endgroup
19871   \iftocstyle@indentnotnumbered
19872     \hskip -\if@RTL\rightskip\else\leftskip\fi
19873   \fi
19874   \ifcase\tocstyle@indentstyle
19875     \hb@xt@\tempdima{\tocstyle@@numberline{#1}\hfil}%
19876   \or
19877     \hb@xt@\tempdima{\tocstyle@@numberline{#1}\hfil}%
19878   \else
19879     \ifx\tocstyle@feature@spaceafternumber\relax
19880       \hbox{\tocstyle@@numberline{#1}\enskip}%
19881     \else

```



```

19882      \hbox{\tocstyle@numberline{#1}\hspace{.5em}%
19883          \tocstyle@feature@spaceafternumber\relax}%
19884      \fi
19885  \fi
19886 }
19887 \AtBeginDocument{%
19888   \ifcsname l@part\endcsname
19889     \ifcsname l@chapter\endcsname
19890       \setbox@\tempboxa\vbox{\hsize\maxdimen
19891         \l@part{\tocstyle@l@define{part}{-1}}{}%}
19892     \else
19893       \setbox@\tempboxa\vbox{\hsize\maxdimen
19894         \l@part{\tocstyle@l@define{part}{0}}{}%}
19895     \fi
19896   \fi
19897   \ifcsname l@chapter\endcsname
19898     \setbox@\tempboxa\vbox{\hsize\maxdimen
19899       \l@chapter{\tocstyle@l@define{chapter}{0}}{}%}
19900   \fi
19901   \ifcsname l@section\endcsname
19902     \setbox@\tempboxa\vbox{\hsize\maxdimen
19903       \l@section{\tocstyle@l@define{section}{1}}{}%}
19904   \fi
19905   \ifcsname l@subsection\endcsname
19906     \setbox@\tempboxa\vbox{\hsize\maxdimen
19907       \l@subsection{\tocstyle@l@define{subsection}{2}}{}%}
19908   \fi
19909   \ifcsname l@subsubsection\endcsname
19910     \setbox@\tempboxa\vbox{\hsize\maxdimen
19911       \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}%}
19912   \fi
19913   \ifcsname l@paragraph\endcsname
19914     \setbox@\tempboxa\vbox{\hsize\maxdimen
19915       \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}%}
19916   \fi
19917   \ifcsname l@ subparagraph\endcsname
19918     \setbox@\tempboxa\vbox{\hsize\maxdimen
19919       \l@ subparagraph{\tocstyle@l@define{subparagraph}{5}}{}%}
19920   \fi
19921   \ifcsname l@table\endcsname
19922     \setbox@\tempboxa\vbox{\hsize\maxdimen
19923       \l@table{\tocstyle@l@define{table}{1}}{}%}
19924   \fi
19925   \ifcsname l@figure\endcsname
19926     \setbox@\tempboxa\vbox{\hsize\maxdimen
19927       \l@figure{\tocstyle@l@define{figure}{1}}{}%}
19928   \fi
19929   \def\@tempa#1#2#3#4#5{%
19930     \ifnum #1>\c@tocdepth \else
19931       \vskip \z@ \c@plus.2\p@

```



```
19932 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrma
19933 \parindent #2\relax\@afterindenttrue
19934 \interlinepenalty\@M
19935 \leavevmode
19936 \tempdima #3\relax
19937 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \tempdima
19938 {#4}\nobreak
19939 \leaders\hbox{$\m@th
19940 \mkern \dotsep mu\hbox{.}\mkern \dotsep
19941 mu\$}\hfill
19942 \nobreak
19943 \hb@xt@\pnumwidth{{\hfil \normalfont \normalcolor #5}}%
19944 \par}%
19945 \fi}%
19946 \ifx\@dottedtocline\@tempa\else
19947 \tocstyle@macrochangenew\@dottedtocline
19948 \fi
19949 \let\tocstyle@saved@dottedtocline\@dottedtocline
19950 \def\@tempa#1{\hb@xt@\tempdima{#1\autodot\hfil}}%
19951 \ifx\@numberline\@tempa\else
19952 \def\@tempa#1{\hb@xt@\tempdima{#1\hfil}}%
19953 \ifx\@numberline\@tempa\else
19954 \tocstyle@macrochangenew\@numberline
19955 \fi
19956 \fi
19957 \let\tocstyle@saved@numberline\@numberline
19958 }
19959 \renewcommand*{\tocstyle@l@define}[2]{%
19960 \advance\if@RTL\rightskip\else\leftskip\fi-\tempdima
19961 \edef\@tempa{%
19962 \noexpand\global\noexpand\let
19963 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
19964 \expandafter\noexpand\csname l@#1\endcsname
19965 \noexpand\gdef
19966 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
19967 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\tempdima}}%
19968 \noexpand\gaddto\macro\noexpand\tocstyle@activate@all{l@{%
19969 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
19970 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
19971 }}%
19972 }%
19973 \PackageInfo{tocstyle}{prepare \expandafter\string
19974 \csname l@#1\endcsname\space for redefinition}%
19975 \@tempa
19976 }
```

123 File todonotes-xetex-bidi.def

`\ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package]`
`\newif\if@bidi@todonotes@textdirection@RTL`



```

19979 \newif\if@bidi@todonotes@figposition@right
19980 \newcommand{\@bidi@todonotes@align}{}%
19981 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
19982 \newcommand{\@bidi@todonotes@textdirection}{}%
19983 \define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right}
19984   \ifcase\bidi@todonotes@tempb\relax
19985     \@bidi@todonotes@textdirection@RTLtrue
19986     \let\@bidi@todonotes@textdirection\RLE
19987   \or
19988     \@bidi@todonotes@textdirection@RTLfalse
19989     \let\@bidi@todonotes@textdirection\LRE
19990   \fi}
19991 \define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,lef}
19992   \ifcase\bidi@todonotes@tempb\relax
19993     \@bidi@todonotes@figposition@righttrue
19994   \or
19995     \@bidi@todonotes@figposition@rightfalse
19996   \fi}
19997 \if@todonotes@disabled%
19998 \else % \if@todonotes@disabled
19999 \renewcommand{\@todonotes@drawInlineNote}{}%
20000   \if@todonotes@dviStyle%
20001     {\par\noindent\begin{tikzpicture}[remember picture]%
20002       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
20003     \if@todonotes@authorgiven%
20004       {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
20005     \else%
20006       {\noindent \@todonotes@sizecommand \@todonotes@text}%
20007     \fi
20008     {\par\noindent\begin{tikzpicture}[remember picture]%
20009       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
20010   \else%
20011     {\par\noindent\begin{tikzpicture}[remember picture]%
20012       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20013         \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@align]{}%
20014         \if@todonotes@authorgiven%
20015           {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
20016         \else%
20017           {\noindent \@todonotes@sizecommand \@todonotes@text}%
20018         \fi}%
20019     \end{tikzpicture}\par}%
20020   \fi}%
20021 \renewcommand{\@todonotes@drawMarginNoteWithLine}{}%
20022 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
20023   \node [coordinate] (inText) {};%
20024 \end{tikzpicture}%
20025 \marginpar[{\% Draw note in left margin
20026   \@todonotes@drawMarginNote%
20027   \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
20028 }]{% Draw note in right margin

```



```

20029      \atodonotes@drawMarginNote%
20030      \if@RTL\atodonotes@drawLineToLeftMargin\else\atodonotes@drawLineToRightMargin\fi%
20031 }%
20032 }%
20033 \renewcommand{\atodonotes@drawMarginNote}{%
20034 \if@todonotes@dviStyle%
20035     \begin{tikzpicture}[remember picture]%
20036         \draw node[notestyle] {};%
20037     \end{tikzpicture}\%
20038     \begin{minipage}{\atodonotes@textwidth}%
20039         \if@todonotes@authorgiven%
20040             \atodonotes@sizecommand \atodonotes@author \atodonotes@text%
20041         \else%
20042             \atodonotes@sizecommand \atodonotes@text%
20043         \fi%
20044     \end{minipage}\%
20045     \begin{tikzpicture}[remember picture]%
20046         \draw node[notestyle] (inNote) {};%
20047     \end{tikzpicture}%
20048 \else%
20049     \let\originalHbadness\hbadness%
20050     \hbadness 100000%
20051     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
20052         \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20053         \node(X){\vphantom{X}};%
20054         \draw node[notestyle,font=\atodonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\atodonotes@text};%
20055         \if@todonotes@authorgiven%
20056             \draw node[notestyle,font=\atodonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\atodonotes@text@author};%
20057             \node(Y)[below=of X]{};%
20058             \draw node[notestyle,font=\atodonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\atodonotes@text};%
20059         \else%
20060             \draw node[notestyle,font=\atodonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\atodonotes@text};%
20061         \fi%
20062     \else%
20063         \draw node[notestyle,font=\atodonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\atodonotes@text};%
20064     \fi%
20065     \end{tikzpicture}%
20066     \hbadness \originalHbadness%
20067 \fi}%
20068 \fi}%
20069 \renewcommand{\missingfigure}[2][]{%
20070 \setkeys{todonotes}{#1}%
20071 \addcontentsline{tdo}{todo}{\atodonotes@MissingFigureText: #2}%
20072 \par
20073 \noindent
20074 \begin{tikzpicture}
20075 \draw[fill=\atodonotes@currentfigcolor, draw = black!40, line width=2pt]
20076     (-2, -2.5) rectangle +(\atodonotes@currentfigwidth, \atodonotes@currentfigheight);
20077 \if@bidi@todonotes@figposition@right%
20078 \begin{scope}[xshift=\atodonotes@currentfigwidth-4cm]

```



```

20079 \fi%
20080 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
20081     (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
20082 \if@bidi@todonotes@figposition@right%
20083 \end{scope}
20084 \begin{scope}[xshift=-3.8cm]
20085 \fi%
20086 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20087 \draw (2, -0.3) node[right, text
20088     width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {\#2};
20089 \if@bidi@todonotes@figposition@right%
20090 \end{scope}
20091 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
20092 \fi%
20093 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
20094 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
20095 \if@bidi@todonotes@figposition@right%
20096 \end{scope}
20097 \fi%
20098 \end{tikzpicture}\hfill
20099 }% Ending \missingfigure command
20100 \fi % Ending \@todonotes@ifdisabled
20101 \presetkeys%
20102     {todonotes}%
20103     {align=left,%
20104     textdirection=lefttoright,%
20105     figposition=left}{}%

```

124 File wrapfig-xetex-bidi.def

```

20106 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
20107 \let\WF@@everypar\bidi@n@everypar
20108 \def\WF@putfigmaybe{%
20109 \ifinner
20110   \vskip-\parskip \global\WF@floatfalse
20111   \let\pagetotal\maxdimen % kludge flag for "not top of page"
20112 \else % outer page
20113   \tempdima\pagedepth % save page depth
20114   {\advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
20115   \penalty\interlinepenalty % update pg. parameters
20116   \tempdimb\pagegoal \advance\tempdimb-\pagetotal % room left on page
20117   \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
20118     \global\WF@floatfalse
20119     \ifdim-\tempdimb>\pageshrink \else \pagebreak \fi
20120 \else
20121   \ifdim\WF@size>\tempdimb
20122     \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
20123     \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
20124     \ifdim\pagefilstretch>\z@ \dimen@\tempdimb \fi
20125     \ifdim\pagefillstretch>\z@ \dimen@\tempdimb \fi

```



```

20126      \advance\dimen@.5\baselineskip
20127      \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
20128          \global\WF@floatfalse \pagebreak
20129      \fi
20130      \else % \WF@info{Fits in \the\@tempdimb;}%
20131          \global\WF@floatfalse
20132      \fi\fi
20133      \vskip\@tempdima\relax % (return erased page depth)
20134 \fi
20135 \noindent
20136 \ifWF@float
20137     \WF@fltimes
20138 \else % putting here;
20139     \WF@info{Put \WF@wfname here:}%
20140     {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
20141         \lccode`i`\lccode`o`\r\else \lccode`i`\r\lccode`o`\l\fi
20142         \xdef\WF@place{\the\lccode\lccode\WF@place}%% twice to get only l or r
20143         \hbox to\z@{%
20144             \llap or \rlap depending on {l} or {r}; calc effective width
20145             \@tempdima\wd\WF@box \@tempdimb\WF@ovh
20146             \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
20147             \@tempdimb\hsize \advance\@tempdimb-\@tempdima
20148             \xdef\WF@adjlw{\the\@tempdima}%
20149             \ifnum `l=\WF@place % fig on left
20150                 \if@RTL%
20151                     \kern\@tempdimb \kern\columnsep
20152                     \def\@tempa{\hss}% position to left of the gap
20153                     \else%
20154                         \hss % figure overlaps space to the left
20155                         \def\@tempa{\kern\columnsep}% position to left of the gap
20156                     \fi%
20157             \else % fig on right
20158                 \if@RTL%
20159                     \hss
20160                     \@tempdima\z@
20161                     \def\@tempa{\kern\columnsep}
20162                     \else%
20163                         \@tempdima\z@ % no left indentation
20164                         \kern\@tempdimb \kern\columnsep
20165                         \def\@tempa{\hss}% figure overlaps space to the right
20166                     \fi%
20167             \ifdim\@tempdimb<\hsize
20168                 \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}%
20169                 \xdef\WF@adjtlm{\the\@tempdima}%
20170             \else
20171                 \xdef\WF@wrapil{\z@ \the\hsize}%
20172                 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
20173             \fi
20174             \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
20175                 \global\advance\WF@size-\intextsep

```



```

20176 \else % \WF@info{Putting \WF@fname in middle of page}%
20177 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
20178 \fi \dp\WF@box\z@ \box\WF@box \c@tempa
20179 }% end \hbox to 0pt
20180 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
20181 \fi}

```

125 File `xcolor-xetex-bidi.def`

```

20182 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for XeLaTeX]
20183 \long\def\color@b@x#1#2#3%
20184 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
20185 \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
20186 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
20187 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
20188 {\#1\{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
20189 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
20190 \DeclareRobustCommand\color
20191 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor}
20192 \def\@undeclaredcolor[#1]#2%
20193 {\begingroup
20194 \let\@cls\empty
20195 \XC@getmodclr12{#1}{#2}{}
20196 {\ifblendcolors
20197 \ifx\colorblend\empty\else
20198 \edef\@@mix{\expandafter\gobble\colorblend}\@tempswafalse
20199 \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
20200 \fi
20201 \fi
20202 \ifconvertcolorsU
20203 \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
20204 \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
20205 \fi
20206 \ifmaskcolors
20207 \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
20208 \let\@@mod\XC@mmod
20209 \XC@inflate\@@mod\XC@mmod\@@clr\@@tmp
20210 \expandafter\XC@mul\@@tmp,\@@clr
20211 \fi
20212 \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
20213 \expandafter\endgroup\@@tmp}
20214 \def\@declaredcolor#1%
20215 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
20216 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
20217 \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
20218 \ifconvertcolorsU\XC@@tsttrue\fi
20219 \fi
20220 \ifXC@@tst
20221 \expandafter\XC@declaredcolor\else
20222 \expandafter\XC@declaredc@lor\fi}

```



```

20223 \def\XC@undeclaredcolor#1#2%
20224 { \c@lor@error{model `#1'}%
20225   {\c@nameuse{color@#1}\current@color{#2}%
20226     \edef\XC@current@color{\noexpand\xcolor@{}\current@color{#1}{#2}}%
20227     \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
20228 \def\XC@declaredcolor
20229 {\XC@let@Nc\XC@current@color{\string\color@\XC@tmp}%
20230   \edef\current@color{\XC@current@color}%
20231   \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
20232 \DeclareRobustCommand\bidicolor
20233 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
20234 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
20235 \def\@bidiundeclaredcolor[#1]#2%
20236 {\begingroup
20237   \let\@cls\@empty
20238   \XC@getmodclr12[#1]{#2}%
20239   {\ifblendcolors
20240     \ifx\colorblend\@empty\else
20241       \edef\@tmp{\expandafter\gobble\colorblend}\@tempswafalse
20242       \XC@coremodel\@mod\@clr\@xcolor{}{}@\@mod\@clr
20243     \fi
20244   \fi
20245   \ifconvertcolorsU
20246     \edef\@tmp{\XC@tgt@mod{\@mod}}%
20247     \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
20248   \fi
20249   \ifmaskcolors
20250     \convertcolorspec\@mod\@clr\XC@mmod\@clr
20251     \let\@mod\XC@mmod
20252     \XC@inflate\@mod\XC@mclr\@clr\@tmp
20253     \expandafter\XC@mul\@tmp,\@clr
20254   \fi
20255   \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
20256   \expandafter\endgroup\@tmp}
20257 \def\XC@bidiundeclaredcolor#1#2%
20258 {\@ifundefinedmodel{#1}%
20259   {\c@lor@error{model `#1'}%
20260     {\c@nameuse{color@#1}\current@color{#2}%
20261       \edef\XC@current@color{\noexpand\xcolor@{}\current@color{#1}{#2}}%
20262       \XC@display}}
20263 \def\@bidideclaredcolor#1%
20264 {\XC@edef\XC@tmp{#1}\XC@tstfalse
20265   \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
20266     \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
20267     \ifconvertcolorsU\XC@tsttrue\fi
20268   \fi
20269   \ifXC@tst
20270     \expandafter\XC@bidideclaredcolor\else
20271     \expandafter\XC@bidideclaredc@lor\fi
20272 \def\XC@bidideclaredcolor

```



```

20273 {\XC@split\XC@@tmp
20274 \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
20275 \expandafter\endgroup\@@tmp
20276 \def\XC@bidideclaredc@lor
20277 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
20278 \edef\current@color{\XC@current@color}%
20279 \XC@display}
20280 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
20281 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
20282 \def\color@fb@x#1#2#3#4%
20283 {\color@b@x\fboxsep z@\bidicolor#1{#2}\XC@fbox}%
20284 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
20285 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

126 File `latex-xetex-bidi.def`

```

20286 \ProvidesFile{latex-xetex-bidi.def}[2018/02/22 v1.3.3 bidi adaptations for `latex.ltx' for Xe
20287 \newcommand{\TeXeTOn}{\TeXeTstate=1 }
20288 \newcommand{\TeXeTOff}{\TeXeTstate=0 }
20289 \TeXeTOn
20290 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}}
```

- 20291 \let\bidi@o@everypar=\everypar
- 20292 \newtoks\bidi@n@everypar
- 20293 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
- 20294 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
- 20295 \let\everypar=\bidi@n@everypar
- 20296 \def\moreLRE{\brace{text \aftergroup\endL \beginL\@RTLfalse}}
- 20297 \def\moreRLE{\brace{text \aftergroup\endR \beginR\@RTLtrue}}
- 20298 \protected\def\hboxR{\hbox\bgroup
- 20299 \everyhbox{%
- 20300 \aftergroup\egroup
- 20301 \everyhbox{}}
- 20302 \beginR
- 20303 @hboxRconstructtrue
- 20304 \bgroup
- 20305 \aftergroup\endR
- 20306 \aftergroup\egroup
- 20307 }\hbox{}
- 20308 \protected\def\hboxL{\hbox\bgroup
- 20309 \everyhbox{%
- 20310 \aftergroup\egroup
- 20311 \everyhbox{}}
- 20312 \beginL
- 20313 @hboxRconstructfalse
- 20314 \bgroup
- 20315 \aftergroup\endL
- 20316 \aftergroup\egroup
- 20317 }\hbox{}
- 20318 \protected\def\vboxR{\vbox\bgroup
- 20319 \everyvbox{%



```

20320  \aftergroup\egroup
20321  \everyvbox{}%
20322  \RTLtrue
20323  \RTLtabtrue
20324  \bgroup
20325  \aftergroup\egroup
20326  }\vbox}
20327 \protected\def\vboxL{\vbox\bgroup
20328 \everyvbox{%
20329  \aftergroup\egroup
20330  \everyvbox{}%
20331  \RTLfalse
20332  \RTLtabfalse
20333  \bgroup
20334  \aftergroup\egroup
20335  }\vbox}
20336 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fii}
20337 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fii}
20338 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
20339 \def\endLTR{\par}
20340 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
20341 \def\endRTL{\par}
20342 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
20343 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
20344 \let\unsetRTL=\setLTR
20345 \let\unsetLTR=\setRTL
20346 \let\LR=\LRE
20347 \let\RL=\RLE
20348 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fii}
20349 \def\@ensure@LTR#1{\if@RTL\LR{#1}\else#1\fii}
20350 \let\@ensure@RL=\@ensure@RTL
20351 \let\@ensure@LR=\@ensure@LTR
20352 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fii}
20353 \let\@ensure@maindir=\@ensure@dir
20354 \def\@RTL{RTL}
20355 \def\@LTR{LTR}
20356 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fii}
20357 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fii}
20358 \let\@TeX\TeX
20359 \def\TeX{\@ensure@LTR{\@TeX}}
20360 \let\@LaTeX\LaTeX
20361 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
20362 \let\@LaTeXe\LaTeXe
20363 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
20364 \long\def\bidi@reflect@box#1{%
20365  \leavevmode
20366  \setbox\z@\hbox{{#1}}%
20367  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}%
20368  \hb@xt@wd\z@{\kern\wd\z@\box\tw@\hss}%
20369 }

```



```

20370 \bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
20371   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
20372 \bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
20373   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
20374 \let\setRL=\setRTL
20375 \let\setLR=\setLTR
20376 \let\unsetRL=\setLTR
20377 \def\bidi@tabular@RTLcases{\let\@halignto\empty\@bidi@tabular@RTLcases}
20378 \@ifpackageloaded{array}{%
20379 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
20380   \leavevmode
20381   \hbox \bgroup $ \left.\right.\col@sep\tabcolsep \let\d@llarbegin\begin{group}
20382                           \let\d@llarend\endgroup
20383   \right.\@tabarray}
20384 \def\endbidi@tabular@RTLcases{\endarray \right.\rbrace$\egroup}
20385 }{%
20386 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
20387   \leavevmode \hbox \bgroup
20388   $\left.\right.\let\@acol\@tabacol
20389   \let\@classz\@tabclassz
20390   \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
20391
20392 \def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
20393   \egroup\right.\rbrace $\egroup}}
20394 \def\RTLcases#1{\left.\right.\vcenter{\normalbaselines\m@th
20395   \ialign{$\hfil$\quad\hfil$\crcr#1$\crcr}\right.\left.\right\}}
20396 \renewenvironment{RTLcases}{%
20397   \bidi@matrix@check\RTLcases\env@RTLcases
20398 }{%
20399   \endbidi@tabular@RTLcases%
20400 }
20401 \def\env@RTLcases{%
20402   \let\@ifnextchar\bidi@new@ifnextchar
20403   \def\arraystretch{1.2}%
20404   \bidi@tabular@RTLcases{@{}r@{\quad}r@{}%}
20405 }
20406 \def\SepMark#1{\gdef\@SepMark{#1}}
20407 \SepMark{.}
20408 \def\@thmcountersep{\@SepMark}
20409 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
20410 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
20411 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
20412 \newcommand*{\bidi@@thebibliography@font@hook}{}
20413 \def\list#1#2{%
20414   \ifnum \listdepth >5\relax
20415     \toodeep
20416   \else
20417     \global\advance\listdepth\one
20418   \fi
20419   \rightmargin\z@

```



```

20420 \listparindent\z@
20421 \itemindent\z@
20422 \csname @list\romannumeral\the\@listdepth\endcsname
20423 \def\@itemlabel{\#1}%
20424 \let\makelabel\@mklab
20425 \@nmbrlistfalse
20426 #2\relax
20427 \@trivlist
20428 \parskip\parsep
20429 \parindent\listparindent
20430 \advance\linewidth -\rightmargin
20431 \advance\linewidth -\leftmargin
20432 \if@bidi@list@minipage@parbox
20433 \if@RTL
20434 \advance\@totalleftmargin \leftmargin
20435 \else
20436 \advance\@totalleftmargin \rightmargin
20437 \fi
20438 \else
20439 \if@hboxRconstruct
20440 \if@bidi@list@minipage@parbox@not@nob
20441 \if@RTL
20442 \advance\@totalleftmargin \rightmargin
20443 \else
20444 \advance\@totalleftmargin \leftmargin
20445 \fi
20446 \else
20447 \if@RTL
20448 \advance\@totalleftmargin \leftmargin
20449 \else
20450 \advance\@totalleftmargin \rightmargin
20451 \fi\fi
20452 \else
20453 \if@RTL
20454 \advance\@totalleftmargin \rightmargin
20455 \else
20456 \advance\@totalleftmargin \leftmargin
20457 \fi\fi\fi
20458 \parshape \!one \!@totalleftmargin \! linewidth
20459 \ignorespaces}
20460 \long\def\@iiiparbox#1#2[#3]#4#5{%
20461 \leavevmode
20462 \pboxswfalse
20463 \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
20464 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
20465 \setlength\@tempdima{\#4}%
20466 \begin{tempboxa}\vbox{\hspace\@tempdima\parboxrestore\#5\@par}%
20467 \ifx\relax#2\else
20468 \setlength\@tempdimb{\#2}%
20469 \edef\@parboxto{to\the\@tempdimb}%

```



```

20470     \fi
20471     \if#1b\vbox
20472     \else\if #1t\vtop
20473     \else\ifmmode\vcenter
20474     \else\@pboxswtrue \$\vcenter
20475     \fi\fi\fi
20476     \@parboxto{\let\hss\vss\let\unhbox\unvbox
20477         \csname bm@#3\endcsname}%
20478     \if@pboxsw \m@th\$\fi
20479     \end@tempboxa}
20480 \def\bidi@lrbox#1{%
20481   \edef\reserved@a{%
20482     \endgroup
20483     \setbox#1\hbox{%
20484       \begingroup\aftergroup}%
20485       \def\noexpand\@currenvir{\@currenvir}%
20486       \def\noexpand\@currenvline{\on@line}}%
20487   \reserved@a
20488   \end@false
20489   \color@begingroup
20490   \ignorespaces}
20491 \def\endbidi@lrbox{\unskip\color@endgroup}
20492 \newenvironment{LTRitems}
20493   {\par\@RTLfalse\@RTLtabfalse
20494     \if@bidi@list@minipage@parbox
20495       \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20496       \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20497         \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20498         \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20499         \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20500         \ignorespaces}\{\vskip\z@\}
20501 \newenvironment{RTLitems}
20502   {\par\@RTLtrue\@RTLtabtrue
20503     \if@bidi@list@minipage@parbox
20504       \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20505       \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20506         \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20507         \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20508         \else \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20509         \ignorespaces}\{\vskip\z@\}
20510 \newenvironment{LTRbibitems}
20511   {\par\@RTLfalse\@RTLtabfalse
20512     \if@bidi@list@minipage@parbox
20513       \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20514       \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20515         \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20516         \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20517         \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20518         \ignorespaces}\{\vskip\z@\}
20519 \newenvironment{RTLbibitems}

```



```
20520 \par\@RTLtrue\@RTLtabtrue
20521     \if@bidi@list@minipage@parbox
20522         \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20523             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20524                 \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20525                     \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20526             \else \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\
20527                 \ignorespaces\{\vskip\z@\}
20528 \def\raggedright{%
20529     \let\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
20530     \leftskip\z@skip
20531     \parindent\z@\parfillskip\z@skip}
20532 \let\bidi@orig@raggedleft\raggedleft
20533 \let\bidi@orig@raggedright\raggedright
20534 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcon
20535 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcon
20536 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
20537 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
20538 \def\centerline#1{%
20539 \if@RTL@@line{\hss\beginR#1\endR\hss}
20540 \else@@line{\hss#1\hss}\fi}
20541 \def\leftline#1{%
20542 \if@RTL@@line{\beginR#1\endR\hss}
20543 \else@@line{\#1\hss}\fi}
20544 \def\rightline#1{%
20545 \if@RTL@@line{\hss\beginR#1\endR}
20546 \else@@line{\hss#1}\fi}
20547 \let\bidi@orig@leftline\leftline
20548 \let\bidi@orig@rightline\rightline
20549 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{\#1}\else\bidi@orig@leftline{\#1}\fi\else\i
20550 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{\#1}\else\bidi@orig@rightline{\#1}\fi\else\i
20551 \def\bidirlap#1{\hb@xt@0\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
20552 \def\bidillap#1{\hb@xt@0\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
20553 \def@hangfrom#1{\setbox\@tempboxa\hbox{\#1}}%
20554     \hangindent \if@RTL\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
20555 \def\narrower{%
20556     \advance\if@RTL\rightskip\else\leftskip\fi\parindent
20557     \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
20558 \def\underline#1{%
20559     \relax
20560     \ifmmode@@underline{\#1}%
20561     \else
20562     \if@RTL $@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
20563     \else
20564 $@@underline{\hbox{\#1}}\m@th$\relax\fi\fi}
20565 \if@compatibility
20566     \let\undertext=\underline
20567 \fi
20568 \def@tabular{%
20569     \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
```



```

20570   $\\let\\@acol\\@tabacol
20571   \\let\\@classz\\@tabclassz
20572   \\let\\@classiv\\@tabclassiv \\let\\\\@tabularcr\\@tabarray}
20573 \\def\\endtabular{\\crcr\\egroup\\if@RTLtab\\egroup\\endR\\egroup\\fi
20574           \\egroup $\\if@RTLtab\\endR\\fi\\egroup}
20575 \\expandafter \\let \\csname endtabular*\\endcsname = \\endtabular
20576 \\def\\@array[#1]#2{%
20577   \\if #1\\vtop \\else \\if#1b\\vbox \\else \\vcenter \\fi\\fi
20578   \\bgroup
20579   \\setbox\\@arstrutbox\\hbox{%
20580     \\vrule \\@height\\arraystretch\\ht\\strutbox
20581     \\@depth\\arraystretch \\dp\\strutbox
20582     \\@width\\z@}\\%
20583   \\@mkpream{#2}\\%
20584   \\edef\\@preamble{%
20585     \\ialign \\noexpand\\halign\\
20586       \\bgroup \\@arstrut \\@preamble \\tabskip\\z@skip \\cr}\\%
20587   \\let\\@startpbox\\@\\startpbox \\let\\@endpbox\\@\\endpbox
20588   \\let\\tabularnewline\\\\%
20589   \\let\\par\\@empty
20590   \\let\\@sharp##\\%
20591   \\set@typeset@protect
20592   \\lineskip\\z@skip\\baselineskip\\z@skip
20593   \\ifhmode \\@preamerr\\z@ \\@@par\\fi
20594   \\if@RTLtab\\hbox\\bgroup\\beginR\\@boxRconstructtrue\\if #1\\vtop \\else \\vbox \\fi\\bgroup\\fi
20595   \\@preamble}
20596 \\def\\array{\\let\\@acol\\@arrayacol \\let\\@classz\\@arrayclassz
20597   \\let\\@classiv\\@arrayclassiv
20598   \\let\\\\\\@arraycr\\let\\@haligno\\@empty\\@RTLtabfalse\\@tabarray}
20599 \\def\\@testpach#1{\\@chclass \\ifnum \\@lastchclass=\\tw@ 4 \\else
20600   \\ifnum \\@lastchclass=3 5 \\else
20601   \\z@ \\if #1c\\@chnum \\z@ \\else
20602     \\if \\if@RTLtab#1r\\else#1l\\fi\\@chnum \\@ne \\else
20603     \\if \\if@RTLtab#1l\\else#1r\\fi\\@chnum \\tw@ \\else
20604     \\@chclass \\if #1\\@ne \\else
20605       \\if #1@\\tw@ \\else
20606         \\if #1p3 \\else \\z@ \\@preamerr 0\\fi
20607     \\fi \\fi \\fi \\fi \\fi
20608 \\fi}
20609 \\def\\bm@l{\\if@RTL\\hss\\unhbox\\@tempboxa\\else\\unhbox\\@tempboxa\\hss\\fi}
20610 \\def\\bm@r{\\if@RTL\\unhbox\\@tempboxa\\hss\\else\\hss\\unhbox\\@tempboxa\\fi}
20611 \\def\\bm@t{\\unhbox\\@tempboxa\\hss}
20612 \\def\\bm@b{\\hss\\unhbox\\@tempboxa}
20613 \\def\\@dottedtocline#1#2#3#4#5{%
20614   \\ifnum #1>\\c@tocdepth \\else
20615     \\vskip \\z@ \\@plus .2\\p@
20616     \\{\\if@RTL\\rightskip\\else\\leftskip\\fi \\#2\\relax \\if@RTL\\leftskip\\else\\rightskip\\fi \\@tocrmarg
20617     \\parindent \\#2\\relax\\@afterindenttrue
20618     \\interlinepenalty\\@M
20619     \\leavevmode

```



```

20620   \tempdima #3\relax
20621   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
20622   {#4}\nobreak
20623   \leaders\hbox{$\m@th
20624       \mkern \dotsep mu\hbox{.}\mkern \dotsep
20625       mu$}\hfill
20626   \nobreak
20627   \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
20628   \par}%
20629 \fi}
20630
20631 \newcount\bidi@column@check@number
20632
20633 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
20634
20635 \def\bidi@set@column@status#1#2{%
20636     \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
20637
20638 \if@twocolumn
20639 \newcommand{\DetectColumn}[3][1]{%
20640   \ifx\bidi@firstcolumn@status@write\relax
20641     \PackageError{bidi}{%
20642       {Option 'DetectColumn' not selected}%
20643       {\string\DetectColumn\space
20644         requires the use of the 'DetectColumn'
20645         option on the package}%
20646   \fi
20647   \global\advance\bidi@column@check@number@ne
20648   \edef\bidi@column@type{\expandafter\ifx
20649       \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
20650       \else
20651       \csname bidi@column-\the\bidi@column@check@number\endcsname
20652   \fi}%
20653   \ifcase \bidi@column@type\relax
20654     \ifcase #1\or #2\or #3\fi % 0 not known use first column as default
20655     \or
20656       #2% 1 First column
20657     \or
20658       #3% 2 Second (Last column)
20659   \else
20660     \ERROR
20661   \fi
20662   \edef\next{\write\auxout
20663     {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
20664     {\bidi@column@type}}}%
20665   \next
20666 }
20667
20668 \AtEndDocument{\def\bidi@set@column@status#1#2{%
20669   \ifnum #2=\bidi@current@column@status\else

```



```

20670      \atempswattrue
20671      \fi}%
20672 }
20673 \fi
20674
20675 \def\RTL@outputdblcol{%
20676   \if@firstcolumn
20677     \global\@firstcolumnfalse
20678     \global\setbox\@leftcolumn\copy\@outputbox
20679     \splitmaxdepth\maxdimen
20680     \vbadness\maxdimen
20681     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
20682     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
20683     \toks@\expandafter{\topmark}%
20684     \xdef\@firstcoltopmark{\the\toks@}%
20685     \toks@\expandafter{\splitfirstmark}%
20686     \xdef\@firstcolfirstmark{\the\toks@}%
20687     \ifx\@firstcolfirstmark\empty
20688       \global\let\@setmarks\relax
20689     \else
20690       \gdef\@setmarks{%
20691         \let\firstmark\@firstcolfirstmark
20692         \let\topmark\@firstcoltopmark}%
20693     \fi
20694   \else
20695     \global\@firstcolumntrue
20696     \setbox\@outputbox\vbox{%
20697       \hb@xt@\textwidth{%
20698         \hskip\columnwidth
20699         \hfil
20700         {\normalcolor\vrule\@width\columnseprule}%
20701       \hfil
20702         \hb@xt@\columnwidth{%
20703           \bidi@firstcolumn@status@write%
20704           \box\@leftcolumn\hss}%
20705           \hskip-\textwidth
20706           \hb@xt@\columnwidth{%
20707             \bidi@lastcolumn@status@write%
20708             \box\@outputbox\hss}%
20709             \hskip\columnsep
20710             \hskip\columnwidth}}%
20711   \combinedblfloats
20712     \@setmarks
20713     \@outputpage
20714     \begingroup
20715       \cdblfloatplacement
20716       \startdblcolumn
20717       \whilesw\if@fcolmade \fi{\@outputpage
20718         \startdblcolumn}%
20719     \endgroup

```



```

20720   \fi}%
20721
20722 \def\LTR@outputdblcol{%
20723   \if@firstcolumn
20724     \global\@firstcolumnfalse
20725     \global\setbox\@leftcolumn\copy\@outputbox
20726     \splitmaxdepth\maxdimen
20727     \vbadness\maxdimen
20728     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
20729     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
20730     \toks@\expandafter{\topmark}%
20731     \xdef\@firstcoltopmark{\the\toks@}%
20732     \toks@\expandafter{\splitfirstmark}%
20733     \xdef\@firstcolfirstmark{\the\toks@}%
20734     \ifx\@firstcolfirstmark\empty
20735       \global\let\@setmarks\relax
20736     \else
20737       \gdef\@setmarks{%
20738         \let\firstmark\@firstcolfirstmark
20739         \let\topmark\@firstcoltopmark}%
20740       \fi
20741   \else
20742     \global\@firstcolumntrue
20743     \setbox\@outputbox\vbox{%
20744       \hb@xt@\textwidth{%
20745         \hb@xt@\columnwidth{%
20746           \bidi@firstcolumn@status@write%
20747           \box\@leftcolumn \hss}%
20748           \hfil
20749           {\normalcolor\vrule \@width\columnsep}%
20750           \hfil
20751         \hb@xt@\columnwidth{%
20752           \bidi@lastcolumn@status@write%
20753           \box\@outputbox \hss}}}}%
20754   \combinedblfloats
20755     \@setmarks
20756     \@outputpage
20757     \begin{group}
20758       \cdblfloatplacement
20759       \startdblcolumn
20760       \whilesw\if@fcolmade \fi{\@outputpage
20761         \startdblcolumn}%
20762       \endgroup
20763     \fi}%
20764
20765
20766 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
20767 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
20768 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
20769 \def\LTRmarginpar{%

```



```

20770 \ifhmode
20771   \@bsphack
20772   \@floatpenalty -\@Mii
20773 \else
20774   \@floatpenalty-\@Miii
20775 \fi
20776 \ifinner
20777   \parmmoderr
20778   \@floatpenalty\z@
20779 \else
20780   \next@\currbox\@freelist{}{}%
20781   \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
20782   {\@floatpenalty\z@
20783     \@fltofv\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
20784 \fi
20785 \ifnextchar [ \@LTrxmpar\@LTrympar
20786 \long\def\@LTrxmpar[#1]#2{%
20787   \@LTrsavemarbox\@marbox{#1}%
20788   \@LTrsavemarbox\@currbox{#2}%
20789   \xympar}
20790 \long\def\@LTrympar#1{%
20791   \@LTrsavemarbox\@marbox{#1}%
20792   \global\setbox\currbox\copy\@marbox
20793   \xympar}
20794 \long\def \@LTrsavemarbox #1#2{%
20795   \global\setbox #1%
20796   \color@vbox
20797     \vtop{%
20798       \hsize\marginparwidth
20799       \parboxrestore
20800       \@LTrmarginparreset
20801       #2%
20802       \minipagefalse
20803       \outer@nobreak
20804     }%
20805   \color@endbox
20806 }
20807 \def \@LTrmarginparreset {%
20808   \reset@font
20809   \normalsize
20810   \minipagetrue
20811   \everypar{\minipagefalse\everypar{}\beginL}%
20812 }
20813 \def\RTLmarginpar{%
20814   \ifhmode
20815     \@bsphack
20816     \@floatpenalty -\@Mii
20817   \else
20818     \@floatpenalty-\@Miii
20819   \fi

```



```

20820 \ifinner
20821   \@parmoderr
20822   \@floatpenalty\z@
20823 \else
20824   \cnext\@currbox\@freelist{}{%
20825   \cnext\@marbox\@freelist{\global\count\@marbox\m@ne}{%
20826     {\@floatpenalty\z@
20827       \f@ltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}{%
20828   \fi
20829   \cifnextchar [\@RTLxmpar\@RTLympar}
20830 \long\def\@RTLxmpar[#1]#2{%
20831   \cRTLsavemarbox\@marbox{#1}{%
20832   \cRTLsavemarbox\@currbox{#2}{%
20833   \cxympar}
20834 \long\def\@RTLympar#1{%
20835   \cRTLsavemarbox\@marbox{#1}{%
20836   \global\setbox\@currbox\copy\@marbox
20837   \cxympar}
20838 \long\def \cRTLsavemarbox #1#2{%
20839   \global\setbox #1{%
20840     \color@vbox
20841     \vtop{%
20842       \hsize\marginparwidth
20843       \parboxrestore
20844       \cRTLmarginparreset
20845       #2{%
20846         \cminipagefalse
20847         \outer@nobreak
20848       }%
20849     \color@endbox
20850   }%
20851 \def \cRTLmarginparreset {%
20852   \reset@font
20853   \normalsize
20854   \cminipagetrue
20855   \everypar{\cminipagefalse\everypar{}\beginR}%
20856 }%
20857 \def\caddmarginpar{\cnext\@marbox\@currlist{\ccons\@freelist\@marbox
20858   \ccons\@freelist\@currbox}\c@latebug\c@tempcnta\cne
20859   \cif@twocolumn
20860     \cif@firstcolumn \c@tempcnta\m@ne \fi
20861   \celse
20862     \cif@mparswitch
20863       \cifodd\c@page \celse\c@tempcnta\m@ne \fi
20864     \cif@reversemargin \c@tempcnta -\c@tempcnta \fi
20865   \cif
20866     \cifnum\c@tempcnta <\z@ \cglobal\setbox\@marbox\box\@currbox \fi
20867     \c@tempdima\c@mparbottom
20868     \cadvance\c@tempdima -\c@pageht

```



```

20870   \advance\@tempdima\ht\@marbox
20871   \ifdim\@tempdima >\z@
20872     \O@lateX@warning@no@line {Marginpar on page \thepage\space moved}%
20873   \else
20874     \O@tempdima\z@
20875   \fi
20876   \global\O@mparbottom\@pageht
20877   \global\advance\O@mparbottom\@tempdima
20878   \global\advance\O@mparbottom\dp\@marbox
20879   \global\advance\O@mparbottom\marginparpush
20880   \advance\@tempdima -\ht\@marbox
20881   \global\setbox\@marbox
20882     \vbox {\vskip \O@tempdima
20883       \box \O@marbox}%
20884   \global\ht\@marbox\z@
20885   \global\dp\@marbox\z@
20886   \kern -\O@pagedp
20887   \nointerlineskip
20888   \hb@xt@\columnwidth
20889     {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
20890       \hskip\columnwidth \hskip\marginparsep
20891     \else
20892       \hskip -\marginparsep \hskip -\marginparwidth
20893     \fi
20894       \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else\endL\fi
20895     \nointerlineskip
20896     \hbox{\vrule \O@height\z@ \O@width\z@ \O@depth\O@pagedp}}
20897 \long\def\O@ympar#1{%
20898   \O@savemarbox\O@marbox{\if@RTL\if@LTRmarginpar\O@RTLfalse\else\O@RTLtrue\fi\else\if@RTLmarginpar\O@RTLfalse\else\O@RTLtrue\fi\fi}
20899   \global\setbox\O@currbox\copy\O@marbox
20900   \O@xympar}
20901 \def\setRTLmarginpar{\O@RTLmarginpartrue\O@LTRmarginparfalse}
20902 \def\setLTRmarginpar{\O@LTRmarginpartrue\O@RTLmarginparfalse}
20903 \def\setdefaultmarginpar{\O@RTLmarginparfalse\O@LTRmarginparfalse}
20904 \def\O@stopline{\unskip\O@stopfield\if@rjfield \global\O@rjfieldfalse
20905   \O@tempdima\O@totalleftmargin \advance\O@tempdima\linewidth
20906 \hbox to\O@tempdima{\if@RTL\beginR\fi\O@itemfudge\hskip\dimen\O@curtabmar
20907   \box\O@curline\hfil\box\O@curfield\if@RTL\endR\fi}\else\O@addfield
20908   \hbox to\linewidth{\if@RTL\beginR\fi\O@itemfudge
20909   \hskip\dimen\O@curtabmar\box\O@curline\hfil\if@RTL\endR\fi}%
20910 \fi}
20911
20912 \newcommand*\O@bidi@font@@outputpage(){}
20913
20914 \def\O@outputpage{%
20915 \begingroup % the \endgroup is put in by \aftergroup
20916   \let\protect\noexpand
20917   \O@resetactivechars
20918   \global\let\O@if@newlist\if@newlist
20919   \global\O@newlistfalse

```



```

20920  \parboxrestore
20921  \global\let\bidi@BeforeOutputPageShipOut\@firstofone
20922  \bidi@beforeoutputpageshipouthook
20923  \shipout \vbox{%
20924      \set@typeset@protect
20925      \aftergroup \endgroup
20926      \aftergroup \set@typeset@protect
20927          % correct? or just restore by ending
20928          % the group?
20929  \if@specialpage
20930      \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
20931  \fi
20932  \if@twoside
20933      \ifodd\count\z@ \let\@thehead\@oddhead \let\@tfoot\@oddfoot
20934          \if@RTLmain
20935              \let\@themargin\evensidemargin
20936          \else
20937              \let\@themargin\oddsidemargin
20938          \fi
20939      \else \let\@thehead\@evenhead \let\@tfoot\@evenfoot
20940          \if@RTLmain
20941              \let\@themargin\oddsidemargin
20942          \else
20943              \let\@themargin\evensidemargin
20944          \fi
20945      \fi
20946      \ifx\@thehead\@empty \let\@thehead\hfil \fi
20947      \ifx\@tfoot\@empty \let\@tfoot\hfil \fi
20948      \else %% not @twoside
20949          \ifx\@oddhead\@empty \let\@thehead\hfil \fi
20950          \ifx\@oddfoot\@empty \let\@tfoot\hfil \fi
20951      \fi
20952  \reset@font
20953  \normalsize
20954  \bidi@font@outputpage
20955  \normalsfcodes
20956  \let\label\gobble
20957  \let\index\gobble
20958  \let\glossary\gobble
20959  \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
20960      \begindvi
20961      \vskip \topmargin
20962      \moveright\@themargin \vbox {%
20963          \global\let\bidi@BeforeHeader\@firstofone
20964          \bidi@beforeheaderhook
20965          \setbox\@tempboxa \vbox to\headheight{%
20966              \vfil
20967              \color@hbox
20968                  \normalcolor
20969                  \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@
```



```

20970      \color@endbox
20971      }%                                %% 22 Feb 87
20972      \dp@\tempboxa \z@
20973      \box@\tempboxa
20974      \vskip \headsep
20975      \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
20976      \bidi@beforeoutputboxoutputpagehook
20977      \box@\outputbox
20978      \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
20979      \bidi@afteroutputboxoutputpagehook
20980      \ifvoid@\bidi@copyins@
20981      \else
20982          \vskip\skip@\bidi@copyins@
20983          \unvbox@\bidi@copyins@
20984      \fi
20985      \global\let\bidi@BeforeFooter\@firstofone
20986      \bidi@beforefooterhook
20987      \baselineskip \footskip
20988      \color@hbox
20989          \normalcolor
20990          \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RT
20991      \color@endbox
20992      \global\let\bidi@AfterFooter\@firstofone
20993      \bidi@afterfooterhook
20994      }%
20995  }%
20996 \global\let\bidi@AfterOutputPageShipOut\@firstofone
20997 \bidi@afteroutputpageshipouthook
20998 \global\let\if@newlist\@@if@newlist
20999 \global \colht \textheight
21000 \stepcounter{page}%
21001 \let\firstmark\botmark
21002 \global\let\bidi@AtEndOutputPage\@firstofone
21003 \bidi@atendoutputpagehook
21004 }
21005 \long\def\@makecaption#1#2{%
21006     \vskip\abovecaptionskip
21007     \sbox@\tempboxa{#1: #2}%
21008     \ifdim \wd\@tempboxa >\hsize
21009         \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
21010     \else
21011         \global \minipagefalse
21012         \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box@\tempboxa\hfil\if@RTL\endR\fi}%
21013     \fi
21014     \vskip\belowcaptionskip}
21015 \let\bidi@saved@eqno=\eqno
21016 \let\bidi@saved@leqno=\leqno
21017 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
21018 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
21019 \ifpackage{amsmath}{}{}
```



```

21020 \def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
21021 }
21022 \input{footnote-xetex-bidi.def}
21023 \if@twocolumn
21024   \let\autofootnoterule\relax
21025   \let\leftfootnoterule\relax
21026   \let\rightfootnoterule\relax
21027   \textwidthfootnoterule
21028 \fi
21029 \if@bidi@csundef{@idxitem}{}{%
21030 \renewcommand{@idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
21031 }
21032 \@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
21033 \@ifclassloaded{article}{\@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}
21034 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
21035 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
21036 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
21037 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
21038 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
21039 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
21040 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
21041 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
21042 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
21043 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
21044 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
21045 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
21046 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
21047 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
21048 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
21049 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
21050 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
21051 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
21052 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
21053 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
21054 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
21055 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
21056 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
21057 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
21058 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
21059 \@ifpackageloaded{amsmath}{}{%
21060 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}%
21061 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}%
21062 }
21063 \@ifpackageloaded{mathtools}{%
21064   \RequirePackage{graphicx}%
21065   \input{mathtools-xetex-bidi.def}%
21066 }{}%
21067 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}%
21068 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}%
21069 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}%

```



```

21070 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
21071 \@ifpackagewith{algorithm2e}{algonl}{%
21072 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Alg}
21073 }{}}
21074 \@ifpackagewith{algorithm2e}{algpseudocode}{\renewcommand{\algocf@within}{part}}{}
21075 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
21076 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
21077 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
21078 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
21079 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
21080 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
21081 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
21082 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
21083 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
21084 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
21085 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{\input{crop-xetex-bidi.def}}{}}
21086 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
21087 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
21088 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
21089 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
21090 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
21091 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{\input{float-xetex-bidi.def}}{}}
21092 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
21093 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
21094 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
21095 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
21096 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
21097 \@ifpackageloaded{hfvfloat}{\input{hfvfloat-xetex-bidi.def}}{}
21098 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
21099 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
21100 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
21101 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
21102 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
21103 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
21104 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
21105 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
21106 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
21107 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
21108 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
21109 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
21110 \@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
21111 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
21112 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
21113 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
21114 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
21115 \@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
21116 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
21117 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
21118 \@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
21119 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}

```



```

21120 \@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
21121 \@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
21122 \@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
21123 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
21124 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
21125 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
21126 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
21127 \@ifpackagewith{sidecap}{innercaption}{%
21128 \if@RTL \renewcommand*\SC@FLOAT[2]{%
21129   \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1} {\#1}\hspace{\sidecaptionsep}{\#2}}}
21130   \renewcommand*\SC@justify@caption{%
21131     \isSC@ODD{\RaggedRight}{\RaggedLeft}\else
21132     \renewcommand*\SC@FLOAT[2]{%
21133       \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} {\#2}\hspace{\sidecaptionsep}{\#1}}}
21134   \renewcommand*\SC@justify@caption{%
21135     \isSC@ODD{\RaggedLeft}{\RaggedRight}\fi
21136   }%
21137 \@ifpackagewith{sidecap}{rightcaption}{%
21138   \if@RTL\renewcommand*\SC@FLOAT[2]{\#1}\hspace{\sidecaptionsep}{\#2}}
21139   \def\SC@justify@caption{\RaggedLeft}\else%
21140   \renewcommand*\SC@FLOAT[2]{\#2}\hspace{\sidecaptionsep}{\#1}}
21141   \def\SC@justify@caption{\RaggedRight}\fi%
21142 }%
21143 \@ifpackagewith{sidecap}{leftcaption}{%
21144 \if@RTL \renewcommand*\SC@FLOAT[2]{\#2}\hspace{\sidecaptionsep}{\#1}}
21145 \def\SC@justify@caption{\RaggedRight}\else%
21146 \renewcommand*\SC@FLOAT[2]{\#1}\hspace{\sidecaptionsep}{\#2}}
21147 \def\SC@justify@caption{\RaggedLeft}\fi%
21148 }%
21149 \@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
21150 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
21151 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
21152 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
21153 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
21154 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
21155 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
21156 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
21157 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
21158 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
21159 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
21160 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
21161 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
21162 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
21163 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
21164 \@ifpackageloaded{tbls}{\input{tbls-xetex-bidi.def}}{}
21165 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
21166 \@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
21167 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
21168 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}}
21169 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}}

```



```

21170 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}}
21171 \ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```

127 File `xltextra-xetex-bidi.def`

```

21172 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for
21173 \let\@XeTeX\XeTeX
21174 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
21175 \let\@XeLaTeX\XeLaTeX
21176 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

128 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\# .. 2889, 2935, 3044, 3052	\@@bidi@AfterPackage	3480, 3483, 3484, 3487, 3489
\%	\@@H@footnotetext	\@@bidi@popinto 3480, 3483, 3484
\' 11542, 13538, 15438, 15452	\@@H@mpfootnotetext	\@@clr .. 20199, 20204, 20207, 20209,
\(.....	\@@H@mpfootnotetext	20210, 20212, 20242, 20247,
\)	\@@H@mpfootnotetext	20250, 20252, 20253, 20255, 20274
\,	\@@H@mpfootnotetext	\@@cls 20194, 20237
5086, 11676, 16018, 16061, 20004, 20015, 20395	\@@H@mpfootnotetext	\@@date ... 5703, 5706, 5709
\-	\@@H@RTL@RTLfootnotetext	\@@end 3173, 3174
1721, 11541, 13537, 15437, 15451	\@@H@RTL@RTLfootnotetext	\@@endpbox ... 13413, 18422, 18460, 20587
\.	\@@H@RTL@mpRTLfootnotetext	\@@if@newlist . 10950, 10985, 20918, 20998
93, 306, 589, 721, 984, 1234, 1720, 6280, 6468, 6780, 8301, 8575, 10628, 12736, 14826, 15586, 15980, 16177, 16380, 16788, 17368, 18051, 18709	\@@H@RTL	\@@input 3670, 3687
\/	\@@H@TeX	\@@italiccorr 346, 6824, 13518
1939	\@@TeX	\@@line 8880, 8884, 16406,
\:	\@@XeLaTeX .. 21175, 21176	16415, 16453,
\;	\@@XeTeX ... 21173, 21174	16464, 20539,
\<	\@@author 5702, 5705, 5708	20540, 20542, 20543, 20545, 20546
\= 11542, 13538, 15438, 15452	\@@bidi@AfterClass	\@@makecaption
\>	\@@bidi@AfterClass 16830, 16909,
2959	\@@bidi@AfterPackage	16931, 17410,
\@	\@@bidi@PreventPackageFromLoading 7489,	17511,
18525, 18527	\@@bidi@PreventPackageFromLoading .. 3862, 3864, 3866	18093, 18172, 18194
\@@bidi@AfterClass		



\@Cmakefnmark .	16552,	\@LTRfootnotetext .	8268, 8281, 8538,
16554,	17101, 64, 81,	8547, 8880, 8884,
17103,	17671,	155, 156, 157, 276,	10594, 10602,
17672,	17800, 17802	294, 2075, 2197,	10923, 12735,
\@Cmath	6815	5131, 5214, 5221,	12749, 12773,
\@Cmix	20198, 20241	5937, 5948, 6161,	14582, 14594,
\@Cmod ..	20199, 20203,	6175, 7773, 7774,	14606, 15376,
20204,	20207,	8618, 8633, 8634,	15484, 15485,
20208,	20209,	8688, 8744, 8752,	15509, 15619,
20212,	20242,	8896, 9047, 9191,	15758, 15881,
20246,	20247,	9342, 9493, 9644,	15934, 15935,
20250,	20251,	9795, 9946, 10097,	15996, 15997,
20252,	20255, 20274	10290, 11208,	16351, 16359,
\@Cpar ..	13536, 15436,	11214, 11258,	18516, 18620,
15450,	16013,	11284, 11342,	18661, 18795,
16056,	16535,	11367, 11373,	18826, 18849,
16542,	17084,	12175, 12203,	18866, 18883,
17091,	17657,	12282, 12301,	18900, 18917,
17662,	17783,	12495, 12499,	18934, 18952,
17790,	18634,	12519, 12520,	18971, 18991,
18636,	20466, 20593	13473, 13594,	19026, 19359,
\@Cprotect	2820	14717, 14718,	19820, 19934, 20618
\@Cstartpbox ..	13412,	14719, 16517,	\@CMM ... 41, 55, 71, 254,
18422,	18460, 20587	16523, 16836,	268, 283, 7771,
\@Ctitle ..	5701, 5704, 5707	16837, 16847,	7792, 7839, 7846,
\@Ctmp	20203,	17066, 17072,	7891, 7898, 8833,
20204,	20209,	17416, 17417,	11231, 11248, 11264
20210,	20212,	17427, 17765,	\@Mi
20213,	20246,	17771, 18099,	6815, 13487
20247,	20252,	18100, 18110,	\@Mii . 2150, 4765, 4809,
20253,	20255,	18491, 18508, 18600	4853, 7294, 7303,
20256,	20274, 20275	\@LTRmarginparfalse	7313, 7468, 7477,
\@Cunderline 20901, 20903	7487, 20772, 20816
. 20560, 20562, 20564		\@LTRmarginparreset	\@Miii 2152, 4767, 4811,
\@DEBUGfalse	2219 20800, 20807	4855, 20774, 20818
\@False	6803, 6805	\@LTRmarginpartrue 20902	\@RTL@footnotefalse
\@LTRbibitemsfalse	.	\@LTRsavemarbox 20787,	... 1664, 11051,
..... 20409, 20411		20788, 20791, 20794	11218, 15271,
\@LTRbibitemstrue	20410	\@LTXmpar . 20785, 20786	15276, 20338, 20343
\@LTRbiditufotesidenote@sidenote		\@LTYmpar . 20785, 20790	\@RTL@footnotetrue
... 5202, 5261, 5265		\@M . 6, 92, 105, 211, 235,	... 1662, 11051,
\@LTRbidituftesidenotemarginparreset		11217, 15273,	11217, 15273,
..... 4837, 4844		625, 625, 626,	15275, 20340, 20342
\@LTRbidituftesidenotesavemarbox		650, 754, 877, 932,	\@RTLbibitemsfalse
..... 4824,		1127, 1133, 1256, 20410, 20411
4825,	4828, 4831	2002, 2007, 5433,	\@RTLbibitemstrue 20409
\@LTRbidituftesidenotexmpar		6201, 6202, 6208,	\@RTLbidituftesidenote@sidenote
..... 4822, 4823		6322, 6378, 6379,	... 5231, 5262, 5266
\@LTRbidituftesidenoteylempar		6385, 6499, 6549,	\@RTLbidituftesidenotemarginparreset
..... 4822, 4827		6744, 6752, 6819, 4881, 4888
			\@RTLbidituftesidenotesavemarbox



..... 4868,	20898, 20969, 20990	20386, 20502, 20520
4869, 4872, 4875	\@RTLfootnotetext .	\@RTLtrue 36, 50, 87, 249,
\@RTLbidituftesidenotexpar 48, 80,	263, 300, 575, 710,
..... 4866, 4867	159, 160, 161, 261,	973, 1223, 1620,
\@RTLbidituftesidenoteympar	293, 2076, 2198,	1626, 1644, 2445,
..... 4866, 4871	5149, 5243, 5250,	6269, 6457, 6766,
\@RTLcolumnfootnotesfalse	5938, 5949, 6162,	6824, 6826, 8290,
..... 8760	6176, 7794, 7795,	8561, 8658, 8674,
\@RTLcolumnfootnotestrue	8619, 8635, 8636,	8705, 8731, 8908,
..... 8759	8672, 8745, 8753,	8928, 8953, 8978,
\@RTLfalse	8897, 9048, 9192,	9059, 9077, 9101,
36,	9343, 9494, 9645,	9124, 9203, 9223,
66, 87, 249, 278,	9796, 9947, 10098,	9248, 9273, 9354,
300, 575, 710, 973,	10291, 11199,	9374, 9399, 9424,
1223, 1622, 1628,	11205, 11242,	9505, 9525, 9549,
1646, 2445, 6269,	11283, 11343,	9574, 9656, 9676,
6457, 6766, 6785,	11382, 11388,	9700, 9725, 9807,
6797, 6810, 8290,	12174, 12192,	9827, 9852, 9877,
8561, 8658, 8690,	12267, 12302,	9958, 9978, 10003,
8705, 8718, 8908,	12494, 12498,	10028, 10109,
8918, 8953, 8965,	12516, 12517,	10129, 10154,
9059, 9068, 9101,	13474, 13595,	10179, 10264,
9112, 9203, 9213,	14721, 14722,	10275, 10617,
9248, 9260, 9354,	14723, 16518,	11226, 11243,
9364, 9399, 9411,	16527, 16838,	11288, 11316,
9505, 9515, 9549,	16839, 16849,	12730, 13027,
9561, 9656, 9666,	17067, 17076,	13050, 13061,
9700, 9712, 9807,	17418, 17419,	13070, 13530,
9817, 9852, 9864,	17429, 17766,	14335, 14817,
9958, 9968, 10003,	17775, 18101,	15234, 15259,
10015, 10109,	18102, 18112,	15273, 15275,
10119, 10154,	18492, 18509, 18601	15575, 15969,
10166, 10264,	\@RTLmainfalse . 1588,	16163, 16366,
10275, 10617,	1592, 1784, 1788	16766, 17346,
11226, 11259,	\@RTLmaintrue . 1591, 1787	18029, 18695,
11302, 11316,	\@RTLmarginparfalse	20297, 20322,
12730, 13027, 20902, 20903	20340, 20342,
13050, 13054,	\@RTLmarginparreset	20502, 20520,
13061, 13070, 20844, 20851	20898, 20969, 20990
13527, 14335,	\@RTLmarginpartrue 20901	\@RTLxmpar . 20829, 20830
14817, 14987,	\@RTLsavemarbox 20831,	\@RTLympar . 20829, 20834
15035, 15233,	20832, 20835, 20838	\@SepMark
15267, 15271,	\@RTLtabfalse .. 412,	19, 20, 21, 22, 168,
15276, 15325,	1570, 1634, 20332,	224, 225, 226, 227,
15575, 15969,	20338, 20343,	344, 353, 549, 550,
16163, 16366,	20493, 20511, 20598	551, 552, 703, 704,
16766, 17346,	\@RTLtabtrue	705, 706, 957, 958,
18029, 18695, 1569, 1632,	959, 960, 1216,
20296, 20331,	20323, 20340,	1217, 1218, 1219,
20338, 20343,	20342, 20379,	6295, 6296, 6297,



6298,	6299,	6301,	16745,	16747,	14581,	14593,
6303,	6305,	6472,	17288,	17291,	14605,	15509,
6473,	6474,	6475,	17293,	17297,	15881,	18794,
6476,	6478,	6480,	17299,	17301,	18825,	18848,
6482,	6723,	6725,	17303,	17307,	18865,	18882,
6727,	6729,	6730,	17309,	17315,	18899,	18916,
6731,	6732,	6733,	17317,	17323,	18933,	18951,
8401,	8402,	8403,	17325,	17987,	18970,	18990,
8404,	8517,	8519,	17989,	17992,	19025,	19358,
8521,	8523,	8524,	17994,	17996,	19813,	19933,
8525,	8526,	8527,	17998,	18001,	\@algcfc@finish . . .	20617
10720,	10721,		18005,	18009,	\@algcfc@post@boxed	172
10722,	10723,		18769,	19013,	\@algcfc@post@boxruled	
10724,	10726,		20406,	20408,	174
10728,	10730,		\@True . . .	6798,	6804,	6836
10890,	10896,		\@Undottedtocline	14589	\@algcfc@pre@boxed	171
11021,	11023,		\@Undottedtoclinep	14601	\@algcfc@pre@boxruled	
11025,	11027,		\@acci . . .	11542,	173
11028,	11029,		\@acci . . .	13538,	\@algcfc@start . . .	175
11030,	11031,		\@accii . . .	11542,	\@algoinsideskip	187,
11034,	11036,		\@acciii . . .	13538,	191	
11038,	11040,		\@acol . . .	15438,	\@algoskip . . .	176,
11041,	11042,		\@acolampacol . .	15452	199	
11043,	11044,		\@addamp . . .	1439,	\@campacol . . .	1438,
12786,	12787,		\@addfield . . .	1447	1446	1446
12788,	12789,		\@addmarginpar . .	20907	\@arabic . . .	168,
13087,	14222,		\@address . . .	20857	549,	550,
14224,	14226,		\@addtofilelist . .	2337,	551,	552,
14228,	14230,		\@addtopreamble . .	7628,	577,	584,
14231,	14233,		\@addtoreset . . .	7629,	703,	704,
14234,	14235,		7726,	705,	706,
14860,	14868,		342,	7727,	712,	719,
14870,	15590,		10893,		957,	958,
15591,	15592,		14858,		959,	960,
15593,	15594,		14864,		975,	982,
15596,	15598,		14866		1216,	1217,
15600,	15955,		\@addviper . . .	7241	1218,	1219,
15956,	15957,		\@afterheading . . .		1225,	1232,
15958,	15959,		. . .	571,	2457,	2457
15961,	15963,		1985,	1995,	6271,	6278,
15965,	16150,		8278,	8286,	6295,	6295
16152,	16154,		\@afterindentfalse . .	13550	6296,	6297,
16155,	16156,		.. .	1985,	6298,	6298
16157,	16158,		1995,	13549	6299,	6301,
16159,	16332,		8286,		6303,	6303
16334,	16336,		\@afterindenttrue . .		6459,	6466,
16338,	16339,		.. .	1985,	6472,	6473,
16340,	16341,		1995,	13549	6474,	6475,
16342,	16740,		8286,		6476,	6478,
16741,	16743,		13550		6480,	6482,
					6725,	6727,
					6728,	6728
					6729,	6730,
					6731,	6732,
					6733,	6768,
					6775,	8292,
					8299,	8299
					8401,	8402,
					8403,	8403
					8404,	8517,
					8519,	8519
					8521,	8522,
					8523,	8523
					8524,	8525,
					8526,	8526
					8527,	8563,
					8570,	8570
					10619,	10626,
					10720,	10721,
					10722,	10723,
					10724,	10726,
					10728,	10730,



11021,	11023,	1374, 18443, 20576	17221, 17272, 17857, 17920, 17971
11025,	11026,	\@arrayacol 20596	\@auxout 1682, 1686, 6108, 20662
11027,	11028,	\@arrayclassiv . . . 20597	\@badmath .. 10855, 10869
11029,	11030,	\@arrayclassz 1438, 18447, 20596	\@begin@tempboxa 11685, 11781, 11788, 20466
11031,	11034,	\@arraycr 407, 13418, 20598	\@begindvi . 10921, 20960
11036,	11038,	\@arrayleft 400	\@beginparpenalty 1998, 2007, 10858, 10872
11039,	11040,	\@arrayparboxrestore . 13476, 15433, 15447	\@bib@break 16761, 17341, 18024
11041,	11042,	\@arrayright 409	\@biblabel .. 89, 302, 577, 578, 712, 713,
11043,	11044,	\@arrayrule 1393, 1394, 1395, 1431, 1432, 1433	975, 976, 1225, 1226, 6271, 6272,
13087,	13089,	\@arstdepth 18440, 18445, 18463	6459, 6460, 6768, 6769, 8292, 8293,
14222,	14224,	\@arstheight 18445, 18463	8563, 8564, 10619, 10620, 12732,
14226,	14228,	\@arstrut .. . 397, 13432, 18421, 20586	14819, 15577, 15578, 15971,
14230,	14233,	\@arstrutbox .. . 390, 13420, 13477,	15972, 16165, 16166, 16368,
14234,	14235,	18414, 18455, 18459, 18463, 20579	16369, 16769, 16771, 17349, 17351, 18032,
15577,	15584,	\@author 431, 445, 481, 502, 765,	18034, 18697, 18698
15590,	15591,	767, 785, 830, 849,	\@bibsetup 14819
15592,	15593,	1017, 1019, 1037,	\@bibtitlestyle 84, 297, 12727
15594,	15596,	1082, 1101, 1267,	\@bidi@AfterClass 3772,
15598,	15600,	1269, 1287, 1332,	3793, 3798, 3805
15955,	15956,	1352, 1363, 1884,	\@bidi@AfterPackage 3817,
15957,	15958,	5634, 5636, 5705,	3836, 3840, 3847
15959,	15961,	6333, 6335, 6353,	\@bidi@EqualStringX 3275, 3276, 3277
15963,	15965,	6510, 6512, 6530,	\@bidi@PreventPackageFromLoading 3857, 3858, 3860
15971,	15978,	6605, 6619, 6655,	\@bidi@UnPreventPackageFromLoading 3949, 3950, 3953
16150,	16152,	6676, 8328, 8340,	\@bidi@afters@Hy@hyperfootnotes 8627, 8757, 8905,
16154,	16155,	8374, 8393, 8423,	9056, 9200, 9351,
16156,	16157,	8437, 8473, 8494,	9502, 9653, 9804,
16158,	16159,	10647, 10659,	9955, 10106, 10299
16165,	16172,	10693, 10712,	
16332,	16334,	14191, 15630,	
16336,	16337,	15632, 15650,	
16338,	16339,	15695, 15714,	
16340,	16341,	15769, 15771,	
16342,	16368,	15791, 15838,	
16375,	16741,	15860, 15871,	
16743,	16745,	16027, 16041,	
16747,	16769,	16082, 16103,	
16785,	17295,	16214, 16228,	
17297,	17299,	16264, 16285,	
17301,	17303,	16609, 16672,	
17311,	17319,	16723, 17158,	
17327,	17349,		
17365,	17990,		
17992,	17994,		
17996,	17998,		
18002,	18006,		
18010,	18032,		
18048,	18697, 18704		
\@argdef	2780		
\@array	387, 408, 1373,		



\@bidi@append@to@cslist	13040, 13041,	\@biditufteLTRsidenote@normal@cite
... 3422, 3426, 3432	13072, 13073, 4997,
\@bidi@append@to@list	13074, 13078, 13080	5076, 5196, 5225,
..... 3426,	\@bidi@mdf@RTLtrue 13526	5254, 5276, 5285, 5294
3428, 3430, 3433, 3440	\@bidi@patch@AfterPackage	\@biditufteRTLsidenote@normal@cite
\@bidi@before@Hy@hyperfootnotes 4142, 4145 5016,
8613, 8750, 8894,	\@bidi@pdfcreator .	5077, 5197, 5226,
9045, 9189, 9340, 1582,	5255, 5277, 5286, 5295
9491, 9642, 9793,	1730, 1813, 1823	\@bidituftefloat@caption
9944, 10095, 10288 1704, 1830 4370, 4403
\@bidi@copy@stacktop	\@bidi@pdfm@markfalse	\@bidituftefloat@caption@box
..... 3486, 3489 1702, 1829	4362, 4427, 4438,
\@bidi@copyins@ 1603,	\@bidi@pdfm@marktrue	4439, 4462, 4697, 4702
1604, 1605, 1606,	\@bidi@pdfproducer	\@bidituftefloat@caption@fill
1607, 1799, 1800, 1585, 4311,
1801, 1802, 1803,	1731, 1816, 1824	4320, 4321, 4702
10977, 10979,	\@bidi@prepend@to@cslist	\@bidituftefloat@caption@font
10980, 15300,	... 3424, 3472, 3474	4276, 4277, 4331,
15302, 15303,	\@bidi@removefromreset	4528, 4699, 4705, 4718
20980, 20982, 20983	... 2607, 2608, 2610	\@bidituftefloat@caption@justification
\@bidi@emptytoks ...	\@bidi@replacefilewithext	... 4218, 4334, 4528
... 2481, 2486, 2510	... 3734, 3738, 3741	\@bidituftefloat@caption@vertical@offset
\@bidi@envbody ...	\@bidi@saveprimitive	... 4365, 4366,
... 2480, 2482, 2468	4374, 4438, 4439, 4466
2484, 2485, 2486,	\@bidi@tabular@RTLcases	\@bidituftefloat@checkoddpage
2506, 2508, 2509, 2510	. 20377, 20379, 20386 4293, 4390
\@bidi@fi ... 3356,	\@bidi@todonotes@align	\@bidituftefloat@figure@box
3357, 3358, 3359, 19980, 4361,
3363, 3364, 3368,	19981, 20013,	4420, 4438, 4439, 4461
3369, 3373, 3374,	20054, 20057,	\@bidituftefloat@float@contents@width
3379, 3380, 3384, 3385	20060, 20063, 4382,
\@bidi@ifnxtc ...	20088, 20093, 20094	4418, 4419, 4421
... 3323, 3326, 3327	\@bidi@todonotes@figposition@left@false	\@bidituftefloat@float@debug
\@bidi@info 1509, 1533, 19995 4351, 4357,
1535, 1741, 1765, 1767	\@bidi@todonotes@figposition@right@true	4360, 4392,
\@bidi@inslogo@ 19993	4393, 4396, 4398,
... 1607, 1695,	\@bidi@todonotes@textdirection	4399, 4476, 4483,
1697, 1803, 1812, 1832	... 19982, 19986,	4490, 4491, 4494, 4495
\@bidi@list@minipage@parbox@not@nobj@ue 20093, 20094	\@bidi@todonotes@figposition@center@false	\@bidituftefloat@float@debug@info
... 11331, 20463	\@bidi@todonotes@textdirection@RTLfalse	4350, 4352,
\@bidi@list@minipage@parboxtrue 19988	4353, 4354, 4451, 4458
... 11332, 20464	\@bidi@todonotes@textdirection@fullwidth	\@bidituftefloat@float@fullwidth
\@bidi@logo@ 19985 4438, 4486
... 1607, 1615,	\@bidi@unreplacefilewithext 4439, 4468
1697, 1803, 1811, 1812	... 3743, 3749, 3752	\@bidituftefloat@float@textwidth
\@bidi@logo@hb@xt@	\@bidi@w@w ... 3405	\@bidituftefloat@fps
... 1608,	\@bidi@ww ... 3399 4380, 4395
1615, 1804, 1811	\@bidi@declaredcolor	\@bidituftefloat@fullwidth
\@bidi@lst@makecaption	... 6949, 4310,
... 13024,	6956, 20234, 20263	4316, 4317, 4318, 4418



\@bidiutfefloat@justifyat	\@bidiutfesidenote@LTRside	\@bidiutfesidenote@sidenote
..... 4278 4898, 4907	... 5173, 5260, 5264
\@bidiutfefloat@justifyat	\@bidiutfesidenote@RTLcit	\@bidiutfesidenote@sidenote@citations
..... 4218, 4348 4905, 4914 5069
\@bidiutfefloat@label	\@bidiutfesidenote@RTLmarginfont	\@bidiutfesidenote@sidenote@font
..... 4377, 4404 4896, 4897,
\@bidiutfefloat@margin@floatbox	4899, 4902, 4905	4906, 5082, 5083, 5086
... 4326, 4329, 4340	\@bidiutfesidenote@RTLmarginfont	\@bidiutfesidenote@sidenote@justification
\@bidiutfefloat@margin@par	... 4902, 4911, 5291	... 4915, 5082, 5083
..... 4248, 4335	\@bidiutfesidenote@RTLmarginfont	\@bidiutfesidenote@sidenote@vertical@offset
\@bidiutfefloat@marginfont 4899, 4908 5170,
..... 4275, 4276	\@bidiutfesidenote@add@citation	5171, 5177, 5179,
\@bidiutfefloat@orig@caption 5038, 5071	5185, 5192, 5206,
... 4401, 4429, 4459	\@bidiutfesidenote@check@multiple	5208, 5214, 5221,
\@bidiutfefloat@orig@endfloat 5096, 5104	5235, 5237, 5243, 5250
... 4364, 4442, 4693	\@bidiutfesidenote@citation@font	\@bidiutfesidenote@trim@b
\@bidiutfefloat@orig@float 4903, 4948, 4955
... 4363, 4416, 4692	4912, 4984, 5022, 5050	\@bidiutfesidenote@trim@c
\@bidiutfefloat@orig@label	\@bidiutfesidenote@citation@justification	... 4952, 4955, 4960
..... 4402, 4917, 5051	\@bidiutfesidenote@trim@spaces
4410, 4430, 4460	\@bidiutfesidenote@citations	4937, 4940, 4989,
\@bidiutfefloat@overhang 5037, 5039,	4991, 5008, 5010,
4309, 4313, 4314,	5040, 5042, 5047,	5027, 5029, 5059, 5061
4512, 4513, 4552, 4553	5056, 5175, 5204,	\@bidiutfesidenote@marginparreset
... 4193, 4194, 4196	5233, 5272, 5281, 5290	... 4793, 4800
\@bidiutfefloat@stored@caption	\@bidiutfesidenote@info@note@cite	\@bidiutfesidenotesavemarbox
..... 4368,	5070, 5174, 5203, 4780,
4375, 4429, 4464	5232, 5271, 5280, 5289	4781, 4784, 4787
\@bidiutfefloat@stored@label 4915,	\@bidiutfesidenotexmpar
.... 4369, 4378,	4916, 4917, 4918 4778, 4779
4430, 4446, 4448, 4465	\@bidiutfesidenote@margin@par	\@bidiutfesidenote@mpar
\@bidiutfefloat@stored@shortcaption 4919, 4778, 4783
..... 4367,	5052, 5119, 5137,	\@bidiuftetoc@lof@line
4372, 4373, 4429, 4463	5155, 5273, 5282, 5291 5425, 5441
\@bidiutfegeneralstructure	\@bidiutfesidenote@marginfont	\@bidiuftetoc@pkgname
..... 5478, 5484 4894, 5301, 5302
\@bidiutfeheading@newlinetospace	4897, 4900, 4903	\@bidiundeclaredcolor
..... 4534, 4543	\@bidiutfesidenote@marginnote@font	... 6949, 6950,
\@bidiutfeheading@newlinetospace@i	4900, 4909, 5273	20234, 20235, 20274
..... 4535, 4537	\@bidiutfesidenote@marginnote@font	\@bscontmark
\@bidiutfeheading@orig@cr 4916,	\@bidiutfetoc@justification
..... 4542, 4546	5273, 5282, 5291	14214
\@bidiutfesidenote@LTReite	\@bidiutfesidenote@normal@font	\@bsmarkseries ... 14195
... 4904, 4913, 5003 4978,	\@bsmitempty ... 14183
\@bidiutfesidenote@LTRmarginfont	5075, 5195, 5224,	\@bshack
..... 4895,	5253, 5275, 5284, 5293	2149, 4764, 4808,
4898, 4901, 4904	\@bidiutfesidenote@print@font	4852, 20771, 20815
\@bidiutfesidenote@LTRmarginnote@font	5194, 5223,	\@bsthanksheadpost 14197
... 4901, 4910, 5282	5252, 5274, 5283, 5292	\@bsthanksheadpre 14197
		\@caption
		. 4519, 14317, 14320



\@captionabovefalse	18544, 18560,	\@colourgreenfalse
. 16949, 17529, 18212	18571, 20599, 20604 7546, 7644
\@captionabovetrue	\@checkend 2499,	\@colourgreentrue
. 16947, 17527, 18210	2523, 4027, 4028 7547, 7645
\@capttype 2089,	\@chnum . 356, 363, 374,	\@colourgreyfalse
2137, 2185, 4332,	1381, 1388, 1401, 7550, 7648
14310, 14314,	1411, 1427, 1428,	\@colourgreytrue
14317, 16390, 16433	1429, 1442, 1450, 7551, 7649
\@cclv 7806, 7863, 10506,	1476, 6899, 18545,	\@colourorangefalse
10507, 10530,	18552, 18567, 7544, 7642
10540, 13491,	20601, 20602, 20603	\@colourorangeredtrue
13496, 13508, 15294	\@circlefnt 10749 7545, 7643
\@cclvi 10306,	\@classiv 2086,	\@colourredfalse
10308, 10423, 10425	13410, 18408, 7548, 7646
\@centercr 5506, 15384,	20390, 20572, 20597	\@colourredtrue 7549, 7647
15397, 15410,	\@classx . 1408, 1467, 6893	\@colourtrue 2248
18613, 18642, 20529	\@classz 1408,	\@colroom 7307,
\@cftasnum ... 18799,	1467, 1501, 1502,	7330, 7333, 7335,
18830, 18853,	2085, 6893, 13410,	7336, 7505, 7508,
18870, 18887,	18407, 18447,	7510, 7511, 7806,
18904, 18921,	20389, 20571, 20596	7863, 13502, 13511
18938, 18956,	\@cleartopmattertags	\@combinedblfloats
18975, 18995, 19030 129, 12809 7162, 7221,
\@cftasnumb ... 18800,	\@cliptoboxdim ... 18574	10808, 10844,
18831, 18854,	\@clsextension	10925, 11604,
18871, 18888,	3741, 3752, 3768,	11656, 14422,
18905, 18922,	3778, 3787, 3790, 3799	14519, 20711, 20754
18939, 18957,	\@clubpenalty	\@combinefloats .. 10491
18976, 18996, 19031	. 587, 6778, 8573,	\@compactenum@ 5488
\@cftbsnum ... 18798,	16175, 16378, 18707	\@cons 20857, 20858
18829, 18852,	\@colht 7318, 7319, 7329,	\@contcshortstyle 14265
18869, 18886,	7330, 7337, 7352,	\@contcstyle
18903, 18920,	7386, 7389, 7411,	. 14270, 14276, 14281
18937, 18955,	7412, 7481, 7493,	\@contcwidth 14259, 14260
18974, 18994, 19029	7494, 7504, 7505,	\@contdelim
\@cftdopartfalse . 18772	7512, 7529, 7533,	. 14253, 14264,
\@cftdoparttrue ...	10496, 10944,	14268, 14275, 14280
.... 18775, 18779	13502, 13503,	\@contfield
\@cftl@subfig 18963	14358, 14361,	. 6125, 6140, 6172
\@cftl@subtab 18983	14363, 14365,	\@contfinal
\@chapapp . 6544, 6739,	14370, 14371,	. 14253, 14265,
8533, 10590, 16347	14372, 14391,	14271, 14277, 14281
\@chapterlistsgap@off	14392, 14393,	\@contfmark . 14252, 14255
.... 14852	14397, 14458,	\@contfnote . 14251, 14254
\@chapterlistsgap@on	14461, 14463,	\@contindw 14276
.... 14859, 14867	14465, 14470,	\@contnfont
\@chclass .. 355, 367,	14471, 14472,	. 14253, 14264,
378, 1380, 1392,	14491, 14492,	14268, 14275, 14280
1405, 1425, 1430,	14493, 14497, 20999	\@contpost 14285
	\@colourfalse 2249	



\@contpre . . .	14263,	9771, 9811, 9821,	15697, 15717,
	14269, 14274, 14279	9831, 9857, 9870,	15777, 15779,
\@conttfont		9882, 9909, 9922,	15793, 15840,
..	14253, 14265,	9962, 9972, 9982,	15863, 15872,
\@curfield		10008, 10021,	16030, 16042,
	6124, 6139, 6159,	10033, 10060,	16083, 16105,
	6173, 6183, 20907	10073, 10113,	16217, 16229,
\@curline	6122,	10123, 10133,	16265, 16288,
	6137, 20907, 20909	10159, 10172,	16613, 16673,
\@currbox .	2157, 2188,	10184, 10211,	16727, 17162,
	2192, 4729, 4732,	10224, 10318,	17222, 17276,
	4773, 4776, 4781,	10330, 10342,	17743, 17744,
	4785, 4817, 4820,	10368, 10382,	17747, 17752,
	4825, 4829, 4861,	10396, 10436,	17861, 17921, 17975
	4864, 4869, 4873,	10450, 11233,	\@datefield
	20780, 20783,	11250, 11266,	17683
	20788, 20792,	11294, 11308, 11322	\@dblarg
	20824, 20827,	\@currentlabelname	14317
	20832, 20836, 12262,	\@dblfloatplacement
	20858, 20867, 20899	12277, 12292, 7166, 7225,
\@currentHlabel . . .		12351, 12389,	10809, 10848,
.	12260, 12275, 12290	12422, 12453, 12484	10932, 11608,
\@currentHref		\@currenvir 2485, 2488,	11660, 14426,
..	12261, 12276,	2489, 2509, 2512,	14523, 20715, 20758
	12291, 12350,	2513, 2540, 20485	\@declaredcolor 6934,
	12388, 12421,	\@currenvline	6935, 20191, 20214
	12452, 12483,	20486	\@dedication
	12705, 12716, 12718	\@currlist 16629, 16631,
\@currentlabel ..	43,	20857	16682, 16730,
	57, 73, 256, 270,	\@curtabmar . 20906, 20909	16732, 17178,
	285, 5121, 5139,	\@cvtheme	17180, 17231,
	5157, 8664, 8680,	2329, 2332	17279, 17281,
	8696, 8709, 8722,	\@cvthemeoptions ..	17877, 17879,
	8735, 8912, 8922, 2330, 2332	17930, 17978, 17980
	8932, 8958, 8971,	\@date	\@dedicatory
	8983, 9010, 9023,	434, 446, 482,	333
	9063, 9072, 9081,	505, 773, 775, 787,	\@defaultskiptotal 202
	9106, 9118, 9129,	832, 852, 1025,	\@definitionfileextension
	9155, 9167, 9207,	1027, 1039, 1084, 2554, 2557
	9217, 9227, 9253,	1104, 1275, 1277,	\@depth ... 392, 13422,
	9266, 9278, 9305,	1289, 1334, 1355,	18387, 18416,
	9318, 9358, 9368,	1364, 1885, 5652,	18456, 20581, 20896
	9378, 9404, 9417,	5706, 6341, 6343,	\@dgroup
	9429, 9456, 9469,	6355, 6518, 6520,	6797
	9509, 9519, 9529,	6532, 6608, 6620,	\@dischypf
	9555, 9568, 9580,	6656, 6679, 8331,	11541, 13537, 15437, 15451
	9607, 9620, 9660,	8341, 8375, 8396,	\@displaypagenumbersfalse
	9670, 9680, 9706,	8426, 8438, 8474, 2428
	9719, 9731, 9758,	8497, 8582, 8587,	\@displaypagenumberstrue
		10650, 10660, 2427
		10694, 10715,	\@dmath
		12818, 12823,	6785, 6814
		14192, 15638,	\@docolbox
		15640, 15652,	11001
			\@dodynamicthefoot 10922
			\@dodynamicthehead 10922



\@dofilelist	445, 446, 447, 480,	11669, 11670,
... 4038, 4039, 4041	481, 482, 483, 583,	11671, 11672,
\@dotsep 19831,	718, 784, 785, 786,	11673, 12262,
19832, 19940, 20624	787, 829, 830, 831,	12277, 12292,
\@dottedtocline . . .	832, 981, 1036,	12351, 12389,
... 19946, 19947,	1037, 1038, 1039,	12422, 12453,
19949, 19967, 20613	1081, 1082, 1083,	12484, 12729,
\@dseries 6810	1084, 1231, 1286,	12795, 12816,
\@eha 2476, 19017	1287, 1288, 1289,	13045, 13051,
\@ehc 2579,	1331, 1332, 1333,	13074, 13078,
2581, 2587, 2589,	1334, 1697, 1812,	13080, 13436,
2595, 2597, 2603,	1883, 1884, 1885,	14189, 14190,
2605, 2796, 3611,	1886, 2144, 2456,	14191, 14192,
12993, 13000,	2465, 2497, 2521,	14351, 14451,
13489, 14564, 14570	3441, 3854, 3867,	14846, 15342,
\@end 14311	3868, 3874, 3897,	15583, 15649,
\@eightcol@footgroup@r	3927, 3935, 3954,	15650, 15651,
. 9800	3957, 3968, 3972,	15652, 15694,
\@eightcolLTRfootfmt	3982, 3988, 3989,	15695, 15696,
... 9824, 9845, 9873	3990, 4003, 4015,	15697, 15790,
\@eightcolLTRfootnotetext	4019, 4086, 4097,	15791, 15792,
. 9795, 9817	4980, 4999, 5018,	15793, 15837,
\@eightcolRTLfootfmt	5039, 5046, 5634,	15838, 15839,
... 9834, 9848, 9885	5701, 5702, 5703,	15840, 15977,
\@eightcolRTLfootnotetext	6277, 6352, 6353,	16040, 16041,
. 9796, 9827	6354, 6355, 6465,	16042, 16043,
\@eightcolfootfmt .	6529, 6530, 6531,	16081, 16082,
... 9814, 9842, 9860	6532, 6618, 6619,	16083, 16084,
\@eightcolfootnotetext	6620, 6621, 6654,	16171, 16227,
. 9794, 9807	6655, 6656, 6657,	16228, 16229,
\@elt 2609, 2612,	6774, 6800, 7130,	16230, 16263,
4617, 4618, 4619,	7193, 7833, 7885,	16264, 16265,
4620, 4621, 4622,	8298, 8339, 8340,	16266, 16374,
4623, 4624, 4625,	8341, 8342, 8373,	16534, 16587,
4626, 4627, 4628,	8374, 8375, 8376,	16592, 16599,
4658, 4659, 4660,	8436, 8437, 8438,	16605, 16629,
4661, 4662, 4663,	8439, 8472, 8473,	16671, 16672,
4664, 4665, 4666,	8474, 8475, 8569,	16673, 16674,
4667, 4668, 4669,	8580, 8596, 8600,	16675, 16676,
4670, 4671, 4672,	10314, 10326,	16677, 16678,
4673, 4674, 4675,	10338, 10363,	16679, 16680,
6836, 7772, 7793,	10377, 10391,	16681, 16682,
7799, 7834, 7836,	10490, 10625,	16700, 16704,
7838, 7844, 7856,	10658, 10659,	16712, 16718,
7886, 7888, 7890,	10660, 10661,	16730, 16754,
7896, 18475, 18477	10692, 10693,	16784, 16809,
\@email .. 2341, 7634, 7732	10694, 10695,	16810, 17083,
\@emathdisplay . 188, 204	10788, 10824,	17136, 17141,
\@empty .. 86, 115, 134,	11378, 11393,	17148, 17154,
136, 299, 407, 444,	11583, 11631,	17178, 17220,



17221,	17222,	\@endmodernpoem	6135, 6155	
17223,	17224,	\@endparenv 6039,	\@familynamecolour
17225,	17226,		6152, 14893, 14913 2304, 2321
17227,	17228,	\@endparpenalty	2002,	\@fax
17229,	17230,		2011, 10859, 10873 2340, 7633, 7731
17231,	17249,	\@endpbox	\@ff@do@allframes
17253,	17261,		1418, 1419, 1460, 10924, 10929
17267,	17279,		1484, 1485, 1486,	\@ff@fbox
17333,	17364,		6907, 6908, 6909, 11010
17389,	17390,		13407, 13413,	\@ff@setoffset
17656,	17684,		18422, 18460, 20587 11007
17685,	17686,	\@endpefalse 20488	\@ffbackground
17687,	17688,	\@endtraditionalpoem	 10997
17689,	17690,	 6019, 6091	\@filebordercolor
17691,	17695,	\@ensure@LR	15284, 20351 12563, 12565
17701,	17707,	\@ensure@LTR	.. 15282,	\@filecolor
17713,	17719,		15284, 15292, 12581
17725,	17731,		20349, 20351,	\@filef@und
17737,	17743,		20359, 20361, 3670, 3687
17752,	17782,		20363, 21174, 21176	\@finalstrut
17835,	17840,	\@ensure@RL	15283, 20350 8669,
17847,	17853,	\@ensure@RTL	.. 15281,	8685, 8701, 8715,
17877,	17919,		15283, 20348, 20350	8728, 8741, 11238,
17920,	17921,	\@ensure@dir	.. 15285,	11255, 11271,
17922,	17923,		15286, 20352, 20353	11298, 11312, 11326
17924,	17925,	\@ensure@maindir	..	\@firststampfalse
17926,	17927,		15286, 20353	1440, 1448
17928,	17929,	\@enumctr 5489, 5490	\@firstcolfirstmark
17930,	17948,	\@eqnnum 7129,
17952,	17960,		. 10880, 12812, 21020	7130, 7134, 7192,
17966,	17978,	\@evenfoot	7193, 7197, 10787,
18016,	18047,		. 1847, 10915, 20939	10788, 10792,
18072,	18073,	\@evenhead	.. 10914, 20939	10823, 10824,
18345,	18462,	\@expandtwoargs 3973	10828, 11582,
18510,	18703,	\@extrafootnotefeaturesfalse		11583, 11587,
19003,	19005,	 1676	11630, 11631,
20194,	20197,	\@extrafootnotefeaturestrue		11635, 14350,
20237,	20240,	 1674	14351, 14355,
20377,	20589,	\@extrainfo	14450, 14451,
20598,	20687,		... 2342, 7635, 7733	14455, 20686,
20734,	20946,	\@extratitle	20687, 20691,
	20947, 20949, 20950		.. 16587, 16588,	\@firstcoltopmark
\@emptycol 7322,		16676, 16700, 7127, 7135,
	7325, 7341, 7344,		16701, 17136,	7190, 7198, 10785,
	7497, 7500, 7516, 7519		17137, 17225,	10793, 10821,
\@emptytoks 6799		17249, 17250,	10829, 11580,
\@end@tempboxa	11692,		17835, 17836,	11588, 11628,
	11786, 11803, 20479		17924, 17948, 17949	11636, 14348,
\@endalgoln 184	\@familyname	14356, 14448,
\@endfloatbox 2209		2274, 2276, 2277,	14456, 20684,
				20692, 20731, 20739
				\@firstcolumnfalse
				7120, 7183, 7537,
				10779, 10815,
				10939, 11571,
				11619, 14341,
				14441, 20677, 20724



\@firstcolumntrue .	\@fivecolLTRfootnotetext	6073, 6080, 6087,
7138, 7201, 7491, 10795, 10832, 10903, 11592, 11640, 14400, 14500, 20695, 20742 9342, 9364 \@fivecolRTLfootfmt ... 9381, 9395, 9432 \@fivecolRTLfootnotetext 9343, 9374	11199, 11205, 11208, 11214, 12303, 12492, 12496, 12510, 12511
\@firstdetailselementfalse .	\@fivecolfootfmt ..	\@footnotetext .. 34,
..... 7714	... 9361, 9389, 9407	79, 151, 152, 153, 247, 292, 2074,
\@firstdetailselementtrue .	\@fivecolfootnotetext	2196, 5113, 5185, 5192, 5936, 5947,
..... 7711 9341, 9354	6160, 6174, 7752, 7753, 8617, 8631, 8632, 8656, 8743,
\@firstfooterelementfalse .	\@float 4363, 4692	8751, 8895, 9046, 9190, 9341, 9492, 9643, 9794, 9945,
.... 7630, 7631, 7632, 7633, 7634, 7635	\@floatboxreset ... 2207	10096, 10289, 11225, 11282, 11341, 12173,
\@firstfooterelementtrue .	\@floatpenalty . 2150, 2152, 2155, 4765, 4767, 4771, 4775, 4809, 4811, 4815, 4819, 4853, 4855, 4859, 4863, 20772, 20774, 20778, 20782, 20816, 20818, 20822, 20826	12181, 12252, 12300, 12493, 12497, 12513, 12514, 13472, 13593, 14713, 14714, 14715, 16516, 16519, 16834, 16835, 16845, 17065, 17068, 17414, 17415, 17425, 17764, 17767, 18097, 18098, 18108, 18490, 18507, 18597, 18599
\@firstname	\@fltovf	\@footstartv@r ... 8823
2274, 2276, 2277, 2334, 7609, 7699, 7720	2190, 4776, 4820, 4864, 20783, 20827	\@for .. 3895, 3956, 3969, 3991, 3995, 4981, 4986, 5000, 5005, 5019, 5024, 5047, 5056, 7098
\@firstnamecolour .	\@flushglue ... 5921, 5922, 13543, 15444, 16139, 19361, 19365, 19369, 19415, 20529	\@fourcol@footgroupv@r
.... 2303, 2320	\@fnssymbol . 456, 748, 807, 1000, 1059, 1250, 1309, 1871, 6316, 6493, 6630, 8351, 8448, 10670, 15613, 15672, 15752, 15813, 16009, 16052, 16239, 16584, 16648, 17133, 17197, 17832, 17896 9196
\@firstoftwo ... 1539,	\@footgroupv@r	\@fourcolLTRfootfmt ... 9220, 9241, 9269
1545, 1551, 2618, 2626, 2630, 2638, 2642, 2650, 2656, 2660, 2673, 2681, 2687, 2691, 2699, 2705, 2708, 2711, 2725, 2732, 2905, 2923, 2929, 2953, 2980, 3010, 3070, 3080, 3678, 14827	8823, 8873, 8901, 9052, 9196, 9347, 9498, 9649, 9800, 9951, 10102, 10295	\@fourcolLTRfootnotetext 9191, 9213
\@fivecol@footgroupv@r .	\@footnote .. 5583	\@fourcolRTLfootfmt ... 9230, 9244, 9281
..... 9347	\@footnotemark . 2117, 2125, 2133, 5092, 5185, 5192, 5214, 5221, 5243, 5250,	\@fourcolRTLfootnotetext 9192, 9223
\@fivecolLTRfootfmt		
... 9371, 9392, 9420		



\@fourcolfootfmt ..	\@hangfrom
... 9210, 9238, 9256	16874, 16876,	3802, 4181,
\@fourcolfootnotetext	17442, 17454,	4186, 4216, 5596,
..... 9190, 9203	17456, 18125,	5598, 6587, 8758,
\@fps 2138,	18137, 18139, 20553	11019, 11032,
2139, 2141, 2144, 2161	\@hboxRconstructfalse	21033, 21034,
\@fpsadddefault 2142, 2145	15250, 20313	21035, 21036,
\@freelist	\@hboxRconstructtrue	21037, 21038,
2157, 4617, 4658,	407, 15240, 18427,	21039, 21040,
4773, 4774, 4817,	18466, 20303, 20594	21041, 21042,
4818, 4861, 4862,	\@height 391, 1498, 6921,	21043, 21044,
10489, 20780,	11522, 13421,	21045, 21046,
20781, 20824,	13477, 13563,	21047, 21048,
20825, 20857, 20858	16562, 16569,	21049, 21050,
\@fs@capt 4706, 4719, 4727	17111, 17118,	21051, 21052,
\@fs@cfont 4699,	17810, 17817,	21053, 21054,
4705, 4715, 4718,	18387, 18415,	21055, 21056,
4726, 10884, 10885	18456, 20580, 20896	21057, 21058,
\@fs@iftopcapt	\@highpenalty ..	21085, 21168, 21169
... 4710, 4723, 4736	6222, 6238, 6245, 6255,	\@ifdefinable ..
\@fs@mid . 4709, 4722, 4734	6399, 6415, 6422,	2737, 2740, 2743, 2752,
\@fs@post 4708, 4721, 4735	6432, 6686, 6701,	2783, 2798, 11122
\@fs@pre . 4707, 4720, 4728	6711, 8504, 10558,	\@ifdefinitionfileloaded
\@g@tnextcol	10573, 10583,	2557, 21170
10901	15523, 15539,	\@isempty ..
\@getcirc	15546, 15556,	7, 212, 12774
10745	15895, 15911,	\@ifl@aded 2556, 2557, 2558
\@gnewline ... 15386,	15918, 15928,	\@ifnextchar ...
15399, 15412, 15423	16111, 16125,	163, 408, 2022, 2052,
\@gobble .. 2054, 2496,	16135, 16295,	2067, 2773, 3771,
2520, 2542, 2547,	16310, 16320,	3772, 3816, 3817,
3033, 3034, 3035,	18785, 18820,	3861, 4778, 4822,
3036, 3037, 3130,	19209, 19229, 19317	4866, 6934, 6949,
3143, 3147, 3189,	\@hintcolour ..	11197, 11206,
3203, 3215, 3229,	2311, 2327	11365, 11380,
3884, 4019, 4196,	\@holdpg ..	11758, 12500,
5756, 5821, 10960,	7252, 7258,	12524, 14725,
10961, 10962,	7265, 7276, 7286,	14897, 14917,
14312, 16835,	7386, 7387, 7389,	20191, 20234,
16837, 16839,	7392, 7396, 7401,	20402, 20785, 20829
17415, 17417,	7406, 7410, 7418,	\@ifpackagelater ..
17419, 18098,	7430, 7443, 7451, 7459	.. 4180, 4185, 11068
18100, 18102,	\@hyper@launch ..	\@ifpackageloaded ..
20198, 20241,	12586	1457, 2966, 3844,
20956, 20957, 20958	\@idxitem 102, 107, 232,	3904, 4139, 4157,
\@gobbletwo 2567, 2568,	237, 606, 621, 870,	4179, 4184, 4685,
2571, 2572, 12860	1122, 5547, 5554,	4690, 4743, 8203,
\@gtempa	6197, 6374, 6585,	8204, 8877, 10262,
2749, 2750	12746, 12751,	12297, 12317,
\@halignto 396,	15480, 15735,	12395, 12694,
411, 18420, 18458,	16195, 18765, 21030	13067, 13192,
20377, 20585, 20598	\@ifclasslater 4182, 4187	13449, 14291,
	\@ifclassloaded ...	



16917,	17497,	4535, 8207, 11761	1381, 1382, 1383,
18180,	18689,	\@iftagsloaded	1384, 1386, 1425,
20378,	21019,	. 2556, 21060, 21061	1426, 1438, 1446,
21032,	21045,	\@iftexfileloaded .	18545, 18546,
21055,	21059,	. 2558, 21121, 21122	18547, 18548,
21063,	21067,	\@ifundefined	18550, 20599, 20600
21068,	21069,	. . 340, 341, 2431,	\@lastvipertrue 7327,
21070,	21077,	2577, 2580, 2585,	7346, 7502, 7521
21078,	21079,	2588, 2593, 2596,	\@latex@error
21080,	21081,	2601, 2604, 3759,	. . . 2475, 3878,
21082,	21083,	3763, 3913, 4006,	14311, 14564, 14570
21084,	21085,	4927, 5410, 5418,	\@latex@warning . . .
21086,	21087,	5533, 5535, 5540,	. . . 95, 308, 591,
21088,	21089,	5630, 5647, 6936,	723, 986, 1236,
21090,	21091,	6943, 6951, 6957,	2461, 6282, 6470,
21092,	21093,	10887, 11115,	6782, 8303, 8577,
21094,	21095,	12697, 12698,	10630, 12738,
21096,	21097,	13003, 13014,	15588, 15982,
21098,	21099,	13077, 13079,	16179, 16382,
21100,	21101,	13084, 15006,	16792, 16799,
21102,	21103,	19004, 19008,	17372, 17379,
21104,	21105,	19084, 19106,	18055, 18062, 18711
21106,	21107,	19107, 19155,	\@latex@warning@no@line
21108,	21109,	19156, 19239,	. . . 7320, 7338,
21110,	21111,	19261, 19262,	7495, 7513, 20872
21112,	21113,	19490, 19513,	\@latexbug 20858
21114,	21115,	19541, 19601,	\@leftcolumn . . . 7121,
21116,	21117,	19650, 19667, 19697	7147, 7184, 7206,
21118,	21119,	\@ifundefinedmodel	7359, 7387, 7393,
21120,	21123, 20224, 20258	7402, 10780,
21124,	21125,	\@ifxempty	10801, 10816,
21126,	21149,	20284 \@ignoretrue	10837, 11572,
21150,	21151,	6821 \@iiminipage	11597, 11620,
21152,	21153,	11328 \@iiiparbox	11649, 14342,
21154,	21155,	. 8860, 11359, 20460	14401, 14414,
21156,	21157,	\@indextitlestyle .	14442, 14501,
21158,	21159,	. . . 100, 230, 12744	14510, 20678,
21160,	21161,	\@inlabelfalse	20704, 20725, 20747
21162,	21163,	6788 \@insertfalse	\@let@token 2533, 2536
21164,	21165,	7243, 7351 \@inserttrue	\@lettrine 12838
21166,	21167,	15378 \@printcites	\@listI 4233
21168,	21169,	20906, 20908 \@itemfudge	\@listdepth
		\@itemlabel 20423	. . 11181, 11344,
		\@ixpt 5447	11546, 11550,
		\@keywords 334	20414, 20417, 20422
		\@kludgeins 10493	\@listi 4233, 4241, 5451
		\@komalongtablefalse	\@loadwithoptions .
		. 16917, 17497, 18180	. . . 3694, 3696, 3703
		\@lastchclass 356,	\@lowertitleback .
		357, 358, 359, 361, 16626,



16681, 17175, 17230, 17874, 17929	8353, 8450, 8667, 8683, 8699, 8713, 8726, 8739, 10672,	16653, 16655, 16660, 16670, 16695, 17202,
\@lowpenalty . 1998, 19740	11237, 11254, 11270, 11297, 11311, 11325,	17204, 17209, 17219, 17244, 17901, 17903,
\@m 93, 306, 589, 721, 984, 1234, 6280, 6468, 6780, 8301, 8575, 10628, 11573, 11621, 12736, 14826, 15586, 15980, 16177, 16380, 16788, 17368, 18051, 18709	11674, 14198, 15610, 15675, 15749, 15816, 16012, 16055, 16241, 16532, 17081, 17655, 17780	17908, 17918, 17943 \@maketitle@hook 118, 12798
\@mainaux 14957	\@makeother 2889, 2935, 3044, 3052	\@makewincaption . 15097
\@mainmatterfalse 5783, 5813, 6762, 8557	\@makeschapterhead 6193, 6370, 6559, 6580, 6748, 8543, 10598, 15476, 15731, 16190, 16355, 18736, 18741	\@marbox 4774, 4776, 4780, 4784, 4785, 4818, 4820, 4824, 4828, 4829, 4862, 4864, 4868, 4872, 4873, 20781, 20783, 20787, 20791, 20792, 20825, 20827, 20831, 20835, 20836, 20857, 20867, 20870, 20878, 20880, 20881, 20883, 20884, 20885, 20894, 20898, 20899
\@mainmattertrue 5780, 5796	\@makespecialcolbox 10494	\@mathmargin ... 8159, 8166, 8174, 8181
\@makecaption	\@maketitle 120, 326, 330, 463, 465, 470, 479, 489, 814, 816, 821, 828, 838, 1066, 1068, 1073, 1080, 1090, 1316, 1318, 1323, 1330, 1340, 1876, 1882, 6637, 6639, 6644, 6653, 6663, 8358, 8360, 8365, 8372, 8382, 8455, 8457, 8462, 8471, 8481, 10677, 10679, 10684, 10691, 10701, 12800, 14201, 14203, 14210, 15679, 15681, 15686, 15693, 15703, 15820, 15822, 15827, 15836, 15846, 16064, 16066, 16071, 16080, 16090, 16246, 16248, 16253, 16262, 16272,	\@mathsemicolon 184, 203 \@maxdepth 8821, 10505, 10518, 10537, 10548 \@memtempa ... 14248, 14250, 14264, 14271, 14275, 14280 \@menubordercolor 12657, 12659 \@menucolor 12668 \@midlist .. 10489, 10490 \@minipagefalse 2211, 4795, 4804, 4839, 4848, 4883, 4892, 8857, 11356, 13036, 14304, 16893, 17473, 18156, 20802, 20811, 20846, 20855, 21011 \@minipagerestore 11345 \@minipagetrue 4803, 4847,
\@makefntext 45, 59, 75, 258, 272, 287, 458, 745, 810, 997, 1060, 1247, 1312, 1873, 5086, 5125, 5143, 5161, 6313, 6490, 6632,		



4891, 20810, 20854	20877, 20878, 20879	9274, 9399, 9400,
\@minus 2378, 2464, 4229, 4231, 4238, 4240, 4242, 4243, 5448, 5450, 5452, 5453, 11460, 11498, 14823, 17016, 17026, 17036, 17046, 17056, 17605, 17615, 17625, 17635, 17645, 18288, 18298, 18308, 18318, 18328, 18352	\@mpargs 8860, 11334, 11359 \@mparswitchfalse . 4212 \@mparswitchtrue . 4207 \@mpeightcol@footgroupv@r 9806 \@mpeightcolLTRfootnotetext 9802, 9803 \@mpeightcolRTLfootnotetext 9803, 9876 \@mpeightcolfootnotetext 9801, 9851 \@mpfivecol@footgroupv@r 9353 \@mpfivecolLTRfootnotetext 9349, 9410 \@mpfivecolRTLfootnotetext 9350, 9423 \@mpfivecolfootnotetext 9348, 9398 \@mpfn 2092, 2095, 2098, 2114, 2122, 2130, 5183, 5189, 5212, 5218, 5241, 5247, 6050, 6053, 6056, 6070, 6077, 6084, 11197, 11202, 11206, 11211, 11340, 11370, 11385, 12178, 12189, 12200, 12400, 12431, 12462, 12525, 13590, 18532, 18539	9411, 9412, 9424, 9425, 9550, 9551, 9562, 9563, 9575, 9576, 9701, 9702, 9713, 9714, 9726, 9727, 9852, 9853, 9864, 9865, 9877, 9878, 10003, 10004, 10015, 10016, 10028, 10029, 10154, 10155, 10166, 10167, 10179, 10180, 10362, 10365, 10376, 10379, 10390, 10393
\@mkboth 574, 602, 618, 709, 867, 972, 1119, 1222, 6194, 6268, 6371, 6456, 6581, 6765, 8289, 8560, 10616, 15477, 15574, 15732, 15968, 16162, 16191, 16365	\@mpfootnotetext 8620, 8637, 8638, 8704, 8746, 8754, 8902, 9053, 9197, 9348, 9499, 9650, 9801, 9952, 10103, 10296, 11314, 11341, 12181, 12216, 12219, 12304, 13593, 18597, 18599	
\@mklab 20424	\@mpfourcol@footgroupv@r 9202	
\@mkpream . 395, 13426, 18418, 18450, 20583	\@mpfourcolLTRfootnotetext 9198, 9259	
\@mobile . 2338, 7631, 7729	\@mpfourcolRTLfootnotetext 9199, 9272	
\@modernpoem . 6111, 6155	\@mpfourcolfootnotetext 9197, 9247	
\@mpLTRfootnotetext 8621, 8639, 8640, 8717, 8747, 8755, 8903, 9054, 9198, 9349, 9500, 9651, 9802, 9953, 10104, 10297, 11300, 11342, 12203, 12218, 12241, 12305, 13594, 18600	\@mplistdepth 11181, 11344 \@mpninecol@footgroupv@r 9957	
\@mpRTLfootnotetext 8622, 8641, 8642, 8730, 8748, 8756, 8904, 9055, 9199, 9350, 9501, 9652, 9803, 9954, 10105, 10298, 11286, 11343, 12192, 12217, 12230, 12306, 13595, 18601	\@mpninecolLTRfootnotetext 9953, 10014	
\@parbottom 20868, 20876,	\@mpninecolRTLfootnotetext 9954, 10027	
	\@mpninecolfootnotetext 9952, 10002	
	\@mppara@footgroupv@r 10301	
	\@mpparaLTRfootnotetext 10297, 10375	



\@mp paraRTLfootnotetext	9296, 9324, 9329,	19268, 19269,
..... 10298, 10389	9334, 9339, 9446,	19271, 19274,
\@mp parafootnotetext	9447, 9475, 9480,	19277, 19285,
..... 10296, 10361	9485, 9490, 9597,	19286, 19288,
\@mp sevencol@footgroupv@r	9598, 9626, 9631,	19291, 19294,
..... 9655	9636, 9641, 9748,	19307, 19491,
\@mp sevencolLTRfootnotetext	9749, 9777, 9782,	19492, 19493,
..... 9651, 9712	9787, 9792, 9899,	19494, 19495,
\@mp sevencolRTLfootnotetext	9900, 9928, 9933,	19496, 19497,
..... 9652, 9725	9938, 9943, 10050,	19498, 19499,
\@mp sevencolfootnotetext	10051, 10079,	19538, 19542,
..... 9650, 9700	10084, 10089,	19543, 19544,
\@mp sixcol@footgroupv@r	10094, 10201,	19545, 19547,
..... 9504	10202, 10230,	19548, 19550,
\@mp sixcolLTRfootnotetext	10235, 10240,	19553, 19556,
..... 9500, 9561	10287, 10414,	19564, 19565,
\@mp sixcolRTLfootnotetext	10415, 10416,	19567, 19570,
..... 9501, 9574	10464, 10473,	19573, 19598,
\@mp sixcolfootnotetext	10481, 13517,	19602, 19603,
..... 9499, 9549	19019, 19058,	19604, 19606,
\@mp tencol@footgroupv@r	19059, 19060,	19607, 19609,
..... 10108	19061, 19062,	19612, 19615,
\@mp tencolLTRfootnotetext	19063, 19064,	19623, 19624,
..... 10104, 10165	19065, 19066,	19626, 19629,
\@mp tencolRTLfootnotetext	19067, 19085,	19632, 19652,
..... 10105, 10178	19086, 19087,	19655, 19659,
\@mp tencolfootnotetext	19088, 19089,	19699, 19702, 19706
..... 10103, 10153	19090, 19091,	\@nameuse . 3760, 6106,
\@mp threecol@footgroupv@r	19092, 19093,	8089, 8139, 8142,
..... 9058	19108, 19109,	8188, 8997, 8999,
\@mp threecolLTRfootnotetext	19110, 19111,	9000, 9001, 9006,
..... 9054, 9111	19113, 19114,	9008, 9011, 9013,
\@mp threecolRTLfootnotetext	19116, 19119,	9018, 9019, 9021,
..... 9055, 9123	19122, 19130,	9024, 9026, 9031,
\@mp threecolfootnotetext	19131, 19133,	9032, 9036, 9037,
..... 9053, 9100	19136, 19139,	9041, 9042, 9142,
\@mp twoocol@footgroupv@r	19152, 19157,	9144, 9145, 9146,
..... 8907	19158, 19159,	9151, 9153, 9156,
\@mp twoocolLTRfootnotetext	19161, 19162,	9158, 9162, 9163,
..... 8903, 8964	19164, 19167,	9165, 9168, 9170,
\@mp twoocolRTLfootnotetext	19170, 19178,	9175, 9176, 9180,
..... 8904, 8977	19179, 19181,	9181, 9185, 9186,
\@mp twoocolfootnotetext	19184, 19187,	9292, 9294, 9295,
..... 8902, 8952	19199, 19240,	9296, 9301, 9303,
\@namedef . 3763, 3914,	19241, 19242,	9306, 9308, 9313,
6108, 8862, 8893,	19243, 19244,	9314, 9316, 9319,
9000, 9001, 9029,	19245, 19246,	9321, 9326, 9327,
9034, 9039, 9044,	19247, 19248,	9331, 9332, 9336,
9145, 9146, 9178,	19263, 19264,	9337, 9443, 9445,
9183, 9188, 9295,	19265, 19266,	9446, 9447, 9452,



9454, 9457, 9459,	10461, 10462,	8357, 8454, 10676,
9464, 9465, 9467,	10465, 10470,	11287, 11301,
9470, 9472, 9477,	10474, 10478,	11315, 11560,
9478, 9482, 9483,	10486, 10907,	12533, 12534,
9487, 9488, 9594,	17290, 17306,	12539, 12940,
9596, 9597, 9598,	17314, 17322,	12991, 12998,
9603, 9605, 9608,	18748, 19020,	13007, 13018,
9610, 9615, 9616,	19021, 19022,	13428, 14200,
9618, 9621, 9623,	19025, 19028,	14277, 14540,
9628, 9629, 9633,	19033, 19034,	14896, 14916,
9634, 9638, 9639,	19039, 19043,	15678, 15819,
9745, 9747, 9748,	19044, 19046,	16016, 16059,
9749, 9754, 9756,	19047, 19049,	16063, 16245,
9759, 9761, 9766,	19050, 19052,	16538, 16652,
9767, 9769, 9772,	19053, 19055,	17087, 17201,
9774, 9779, 9780,	19056, 19063,	17660, 17786,
9784, 9785, 9789,	19068, 19069,	17900, 18480,
9790, 9896, 9898,	19152, 19199,	18484, 18545,
9899, 9900, 9905,	19203, 19204,	18554, 18561,
9907, 9910, 9912,	19216, 19223,	18860, 19203,
9917, 9918, 9920,	19224, 19307,	19204, 19311,
9923, 9925, 9930,	19311, 19312,	19312, 19485,
9931, 9935, 9936,	19331, 19346,	20140, 20417,
9940, 9941, 10047,	19349, 19351,	20458, 20495,
10049, 10050,	19354, 19357,	20497, 20498,
10051, 10056,	19374, 19375,	20499, 20504,
10058, 10061,	19377, 19378,	20506, 20507,
10063, 10068,	19388, 19390,	20508, 20513,
10069, 10071,	19392, 19393,	20515, 20516,
10074, 10076,	19395, 19397,	20517, 20522,
10081, 10082,	19398, 19407,	20524, 20525,
10086, 10087,	19409, 19413,	20526, 20602,
10091, 10092,	19414, 19418,	20604, 20647, 20858
10198, 10200,	19422, 19424,	\@newlistfalse
10201, 10202,	19425, 19485,	10951, 20919
10207, 10209,	19518, 19525,	\@next 2157,
10212, 10214,	19530, 19531,	4773, 4774, 4817,
10219, 10220,	19538, 19591,	4818, 4861, 4862,
10222, 10225,	19598, 19669,	20780, 20781,
10227, 10232,	20226, 20260, 20930	20824, 20825, 20857
10233, 10237,	\@ne 137, 142,	\@nextchar 362,
10238, 10242,	356, 365, 368, 462,	364, 365, 366,
10243, 10411,	813, 1065, 1315,	368, 369, 370, 371,
10413, 10414,	1381, 1390, 1393,	372, 375, 376, 377,
10415, 10416,	1394, 1395, 1428,	1387, 1389, 1390,
10421, 10432,	1431, 1432, 1433,	1391, 1393, 1394,
10434, 10437,	1717, 1722, 1723,	1395, 1396, 1397,
10440, 10445,	2167, 3341, 3492,	1398, 1399, 1402,
10446, 10448,	3563, 3624, 4121,	1403, 1404, 1416,
10451, 10454,	4130, 6636, 7086,	1418, 1419, 1484,



1485, 1486, 6907,	8302, 8576, 10629,	10499, 10504,
6908, 6909, 18551,	12738, 14833,	10517, 10519,
18553, 18554,	15587, 15981,	10530, 10540,
18555, 18556,	16178, 16381,	10780, 10783,
18557, 18558,	16791, 16798,	10796, 10805,
18559, 18561,	17371, 17378,	10816, 10819,
18562, 18563,	18054, 18061, 18710	10833, 10843,
18564, 18565,	\@nonlatinfalse 1565,	10924, 10929,
18568, 18569, 18570	1638, 13025, 13069	10974, 11572,
\@nil 1469,	\@nonlatintrue . 1566,	11577, 11578,
1470, 1472, 1473,	1640, 13025, 13069	11593, 11603,
6896, 7800, 7857,	\@normalcr 13546	11620, 11625,
12700, 12709,	\@notprerr . . . 3130, 3143	11626, 11641,
12711, 12723, 18663	\@nx 124,	11653, 14342,
\@ninecol@\footgroupv@r	125, 344, 12804, 12805	14345, 14346,
..... 9951	\@nxtcol	14376, 14401,
\@ninecolLTrfootfmt	. 10899, 10901, 10942	14404, 14406,
.. 9975, 9996, 10024	\@oddfoot 1842, 10912,	14418, 14442,
\@ninecolLTrfootnotetext	10919, 20933, 20950	14445, 14446,
..... 9946, 9968	\@oddhead . . . 10911,	14476, 14501,
\@ninecolRTLfootfmt	10918, 20933, 20949	14504, 14506,
.. 9985, 9999, 10036	\@oldmakefnmark 16585,	14516, 14965,
\@ninecolRTLfootnotetext	16586, 16649,	14968, 14977,
..... 9947, 9978	16650, 17134,	20678, 20681,
\@ninecolfootfmt ..	17135, 17198,	20682, 20696,
.. 9965, 9993, 10011	17199, 17833,	20708, 20725,
\@ninecolfootnotetext	17834, 17897, 17898	20728, 20729,
..... 9945, 9958	\@onefilewithoptions	20743, 20753, 20977
\@nmbrlistfalse .. 20425	... 3710, 3711, 3718	\@outputdblcol 10898,
\@nobreakfalse . 523,	\@onelevel@sanitize 2139	20766, 20767, 20768
675, 919, 1158,	\@onlypreamble . . .	\@outputpage ... 7164,
6232, 6409, 6696,	... 3933, 3943, 3947	7168, 7223, 7227,
8513, 10568,	\@openbib@code	10808, 10811,
15533, 15905,	581, 716,	10846, 10850,
16120, 16305,	979, 1229, 2454,	10926, 10930,
18807, 18811, 19339	2465, 6275, 6463,	10935, 10946,
\@nobreaktrue .. 522,	6772, 8296, 8567,	11606, 11610,
674, 918, 1157,	10623, 15581,	11658, 11662,
6231, 6408, 6695,	15975, 16169,	13498, 13510,
8512, 10567,	16372, 16774,	14424, 14429,
15532, 15904,	17354, 18037, 18701	14521, 14526,
16119, 16304,	\@otarlinesep 18440, 18446	14954, 14955,
18806, 18810, 19338	\@outerparskip 6036, 6149	20713, 20717,
\@nocnterr 341	\@outputbox . . . 7121,	20756, 20760, 20914
\@nocounterr 340	7124, 7125, 7139,	\@ovbtrue 10734
\@nodocument 2136	7151, 7156, 7158,	\@ovdx 10747, 10755
\@noitemerr 95,	7184, 7187, 7188,	\@ovdy 10748, 10756
308, 590, 722,	7202, 7212, 7215,	\@ovhorz 10753, 10754
985, 1235, 2461,	7217, 8820, 8822,	\@ovltrue 10734
6281, 6469, 6781,	10496, 10498,	\@ovri 10746



\@ovro	10746, 10755, 10756		10395,	10449,	12747,	12767,
\@ovrtrue 10734		10468,	10951,	14591,	14603,
\@ovttrue 10734		11232,	11249,	14823,	15479,
\@ovvert	... 10751, 10752		11265,	11293,	15508,	15511,
\@ovxx 10736,		11307,	11321,	15524,	15540,
	10737, 10740,		11339,	14325,	15547,	15734,
	10747, 10752,		14539,	20466,	15880,	15883,
	10753, 10757, 10758		20799,	20843, 20920	15896,	15912,
\@ovyy	.. 10738, 10739,		\@parboxto	. 20469, 20476	15919,	16112,
	10740, 10748, 10754		\@parmoderr	16126,	16194,
\@pagedp	... 20886, 20896		2155, 4770, 4814,		16296,	16311,
\@pageht 7244,		4858, 20777, 20821		16560,	16567,
	7353, 20869, 20876		\@part 553, 8260	16591,	16614,
\@par 19428		\@pboxswfalse	11330, 20462	16632,	16703,
\@para@footgroupv@r 10295		\@pboxswtrue 20474	16728,	16816,
\@paraLTRfootfmt	..		\@pdfm@mark	16821,	16974,
	. 10334, 10353, 10386			.. 12541, 12557,	16993,	17016,
\@paraLTRfootnotetext 10290, 10325			12591, 12622, 12651	17017,	17026,
\@paraRTLfootfmt	..		\@pdfremotestartview 12572	17027,	17036,
	. 10346, 10357, 10400				17037,	17046,
\@paraRTLfootnotetext 10291, 10337		\@phone	.. 2339, 7632, 7730	17056,	17109,
\@parafootRTLfalse	8655		\@photo 2344,	17116,	17140,
\@parafootRTLtrue	. 8654			7605, 7607, 7736, 7738	17163,	17181,
\@parafootfmt		\@photowidth	... 2343,	17252,	17277,
	. 10322, 10349, 10372			2344, 7607, 7703	17396,	17401,
\@parafootnotetext 10289, 10313		\@pkgextension	17554,	17573,
\@parboxrestore	. 42,			3738, 3749, 3813,	17605,	17606,
	56, 72, 255, 269,			3822, 3830, 3833, 3841	17615,	17616,
	284, 2206, 4524,		\@plus	24, 103, 233, 513,	17625,	17626,
	4792, 4836, 4880,			530, 605, 620, 649,	17635,	17645,
	6826, 8708, 8721,			652, 665, 683, 690,	17808,	17815,
	8734, 8836, 8957,			869, 876, 879, 892,	17839,	17862,
	8969, 8982, 9022,			909, 927, 1121,	17880,	17951,
	9105, 9116, 9128,			1132, 1135, 1148,	17976,	18079,
	9166, 9252, 9264,			1166, 1174, 2378,	18084,	18237,
	9277, 9317, 9403,			2464, 4229, 4230,	18256,	18288,
	9415, 9428, 9468,			4231, 4238, 4239,	18289,	18298,
	9554, 9566, 9579,			4240, 4242, 4243,	18299,	18308,
	9619, 9705, 9717,			5448, 5449, 5450,	18309,	18318,
	9730, 9770, 9856,			5452, 5453, 5519,	18328,	18351,
	9868, 9881, 9921,			6196, 6207, 6210,	18614,	18643,
	10007, 10019,			6223, 6239, 6246,	18764,	19039,
	10032, 10072,			6373, 6384, 6387,	19207,	19210,
	10158, 10170,			6400, 6416, 6423,	19214,	19315,
	10183, 10223,			6584, 6687, 6702,	19318,	19322,
	10367, 10381,			8236, 8250, 8505,	19355,	19652,
				10351, 10355,	19655,	19659,
				10359, 10460,	19747,	19931, 20615,
				10559, 10574,	218,	220, 516, 517,
				11460, 11498,		



	519, 533, 534, 538, 668, 669, 671, 693, 694, 698, 895, 896, 900, 912, 913, 915, 1151, 1152, 1154, 1177, 1178, 1182, 6226, 6227, 6229, 6249, 6250, 6254, 6403, 6404, 6406, 6426, 6427, 6431, 6690, 6691, 6693, 6705, 6706, 6710, 6971, 6976, 6977, 8239, 8240, 8244, 8253, 8254, 8256, 8507, 8508, 8510, 10562, 10563, 10565, 10577, 10578, 10582, 12780, 12782, 14611, 15527, 15528, 15530, 15550, 15551, 15555, 15899, 15900, 15902, 15922, 15923, 15927, 16114, 16115, 16117, 16129, 16130, 16134, 16299, 16300, 16302, 16314, 16315, 16319, 18670, 18679, 18681, 19069, 19218, 19219, 19227, 19326, 19327, 19333, 19725, 19838, 19943, 20627	18571, 20593, 20606 \@preamfivefmt . 9384, 9390, 9393, 9396, 9476 \@preamfntext 8662, 8678, 8694, 8831, 8911, 8921, 8931, 9009, 9062, 9071, 9080, 9154, 9206, 9216, 9226, 9304, 9357, 9367, 9377, 9455, 9508, 9518, 9528, 9606, 9659, 9669, 9679, 9757, 9810, 9820, 9830, 9908, 9961, 9971, 9981, 10059, 10112, 10122, 10132, 10210, 10317, 10329, 10341, 10435	\@quotecolour 2307, 2324, 2434 \@rc@msize 18453 \@raggedtwoe@everyselectfont 15393, 15406, 15419, 15430 \@raggedtwoe@gnewline . 15386, 15399, 15412 \@raggedtwoe@raggedrightboxes@opt 15432, 15461 \@raggedtwoe@saved@gnewline 15423 \@raggedtwoe@savedcr 15383, 15396, 15409, 15422 \@raggedtwoe@spaceskipfalse 15429 \@raggedtwoe@spaceskiptrue . 15392, 15405, 15418 \@rc@ifdefinable 2752, 2798 \@reffalse 17683 \@reftrue 17684, 17685, 17686, 17687, 17688, 17689, 17690, 17691 \@regtocline ... 646, 684, 701, 873, 903, 928, 1129, 1167, 1185, 6204, 6240, 6258, 6381, 6417, 6435, 15505, 15541, 15559, 15877, 15913, 15931 \@rememsize . 18450, 18453 \@removefromreset 14842, 14844 \@reqcolroom 7244, 7245, 7246, 7247, 7307, 7352, 7353, 7354, 7355, 7356, 7357, 7481 \@resetactivechars 10949, 20917 \@resetdyn@mics .. 10937 \@resetst@tics .. 10936 \@restonecolfalse 98, 228, 595, 611, 860, 1112, 6187, 6364, 6574,
\@preamble 396, 397, 407, 409, 1441, 1449, 13432, 18419, 18421, 18428, 18458, 18459, 18467, 20584, 20586, 20595 2242, 2243, 2244, 2245, 2252	
\@preameightfmt	9837, 9843, 9846, 9849, 9929	\@publisher ... 5611, 5664	
\@preamerr 378, 1405, 1435,	\@publishers 16615, 16679, 16729, 17164, 17228, 17278, 17863, 17927, 17977	
		\@quote 2345, 7611, 7613, 7740, 7742	
		\@quotebox 15379	



12742, 15470,
15725, 16184, 18722
\@restonecoltrue ...
... 98, 228, 597,
613, 862, 1114,
6189, 6366, 6576,
12742, 15472,
15727, 16186, 18724
\@resumename .. 2277, 2333
\@revlabeltrue . 746,
998, 1248, 6314,
6491, 15611, 15750
\@rightcolumn . 14368,
14373, 14374,
14383, 14384,
14392, 14396,
14402, 14468,
14473, 14474,
14483, 14484,
14492, 14496, 14502
\@rightskip
.. 13542, 15388,
15389, 15401,
15402, 15414,
15415, 15425,
15426, 15443, 20529
\@rjfieldfalse ... 20904
\@runbordercolor ..
.... 12597, 12599
\@runcolor 12613
\@s@size 18453
\@s@bidi@AfterClass
.... 3770,
3779, 3791, 3800
\@s@bidi@AfterPackage
.... 3815,
3823, 3834, 3842
\@sarray 18412
\@savemarbox 20898
\@secondeoftwo .. 1541,
1547, 1553, 2620,
2624, 2632, 2636,
2644, 2648, 2654,
2662, 2675, 2684,
2693, 2702, 2708,
2711, 2722, 2727,
2734, 2896, 2906,
2907, 2908, 2909,
2915, 2924, 2930,
2954, 2982, 3010,
3059, 3071, 3072,
3081, 3675, 3803, 3845
\@secpenalty .. 5, 210,
512, 529, 664, 682,
689, 891, 908, 926,
1147, 1165, 1173,
8235, 8249, 12772,
18655, 18787,
18842, 19206,
19213, 19314, 19321
\@sectiontitlecolour
..... 2308, 2325
\@seesize .. 18450, 18453
\@setcol 10943
\@setcolbox . 10904, 10940
\@setcopyright 112, 12792
\@setfontsize
4228, 4237, 5447,
5457, 5458, 5459,
5460, 5461, 5462, 5463
\@setfpsbit
.. 2171, 2174, 2177
\@setmarks 7131,
7133, 7163, 7194,
7196, 7222, 10789,
10791, 10808,
10825, 10827,
10845, 11584,
11586, 11605,
11632, 11634,
11657, 14352,
14354, 14423,
14452, 14454,
14520, 20688,
20690, 20712,
20735, 20737, 20755
\@setminipage .. 4526,
11346, 11554, 14327
\@setpar 16013,
16056, 16535,
16542, 17084,
17091, 17657,
17662, 17783, 17790
\@settab 6116
\@sevencol@footgroupv@r
..... 9649
\@sevencolLTRfootfmt
.. 9673, 9694, 9722
\@sevencolLTRfootnotetext
..... 9644, 9666
\@sevencolRTLfootfmt
... 9683, 9697, 9734
\@sevencolRTLfootnotetext
..... 9645, 9676
\@sevencolfootfmt ..
... 9663, 9691, 9709
\@sevencolfootnotetext
..... 9643, 9656
\@sharp 403,
1443, 1444, 1445,
1451, 1452, 1453,
12700, 12706,
13424, 18424,
18459, 18465, 20590
\@sixcol@footgroupv@r
..... 9498
\@sixcolLTRfootfmt
... 9522, 9543, 9571
\@sixcolLTRfootnotetext
..... 9493, 9515
\@sixcolRTLfootfmt
.. 9532, 9546, 9583
\@sixcolRTLfootnotetext
..... 9494, 9525
\@sixcolfootfmt ...
.. 9512, 9540, 9558
\@sixcolfootnotetext
..... 9492, 9505
\@skip@bove . 18444, 18446
\@spaces
. 18482, 18523, 18528
\@spart 8279
\@specialpagefalse
.... 10906, 20930
\@specialstyle ...
.... 10907, 20930
\@stabarray 18408
\@stabular 18404
\@star@or@long . 2747,
2768, 2792, 2803
\@startdblcolumn ..
.... 7167, 7169,
7226, 7228, 10809,
10811, 10849,
10850, 10933,
10935, 11609,
11611, 11661,
11663, 14427,
14430, 14524,



14527, 20716,	\@tarlinesep .. 18446,	14850, 14857,
20718, 20759, 20761	18447, 18448,	14863, 15658,
\@startfield	18449, 18452, 18454	15660, 15662,
\@startpbox	\@temp@bibkey .. 4981,	15666, 15799,
1418, 1419, 1484, 1485,	5000, 5019, 5047	15801, 15803,
1486, 6907, 6908,	\@temp@bibkeyx	15807, 16390,
6909, 13411, 4986, 4987,	16391, 16433,
13412, 13418,	4989, 4990, 4991,	16434, 16534,
18422, 18460, 20587	4992, 5005, 5006,	16776, 16779,
\@startsection 23, 12766	5008, 5009, 5010,	17083, 17356,
\@starttoc ... 5414, 5422	5011, 5024, 5025,	17359, 17656,
\@stopfield 6123, 6138,	5027, 5028, 5029,	17782, 18039,
6142, 6170, 20904	5030, 5056, 5057,	18042, 18531,
\@stopline .. 6142, 20904	5059, 5060, 5061, 5062	18533, 18538,
\@strip	\@temp@last@bibkey	18540, 19929,
14536 4980, 4981,	19946, 19950,
\@subjclass	4987, 4999, 5000,	19951, 19952,
334	5006, 5018, 5019,	19961, 19975,
\@subject 16599, 16600,	5025, 5046, 5047, 5057	20151, 20154,
16678, 16712,	\@tempa	20160, 20164, 20178
16713, 17148,	123,	\@tempb
17149, 17227,	126, 133, 134, 135,	2469,
17261, 17262,	136, 793, 795,	2470,
17847, 17848,	797, 801, 1045,	11723, 11724,
17926, 17960, 17961	1047, 1049, 1053,	11764, 11766,
\@subsectioncolour	1295, 1297, 1299,	11794, 11796,
..... 2310, 2326	1303, 2469, 2470,	11797, 11799,
\@subtitle	2473, 2576, 2577,	11802, 14849,
.. 16605, 16675,	2580, 2582, 2584,	14850, 14856,
16718, 17154,	2585, 2588, 2590,	14857, 14862, 14863
17224, 17267,	2592, 2593, 2596,	\@tempboxa
17853, 17923, 17966	2598, 2600, 2601,	4776,
\@tabacol 2084, 13409,	2604, 2606, 10735,	4820, 4864, 7267,
18406, 20388, 20570	11723, 11724,	7291, 7300, 7359,
\@tabarray . 384, 408,	11725, 11726,	7403, 7444, 7465,
412, 2086, 13396,	11763, 11766,	7474, 7823, 7824,
13398, 20383,	11767, 11773,	7825, 7826, 7828,
20390, 20572, 20598	11784, 11785,	7877, 7878, 7879,
\@tabclassiv	11791, 11796,	7880, 7882, 8860,
... 2086, 13410,	11797, 11799,	10746, 10750,
18408, 20390, 20572	11802, 11859,	10758, 10759,
\@tabclassz	11860, 11861,	10884, 10885,
1446, 2085, 13410,	11862, 12319,	10886, 11335,
18407, 20389, 20571	12323, 12326,	11359, 11397,
\@tabcr	12338, 12357,	11442, 11449,
6119, 6129	12361, 12364,	11459, 11462,
\@tabminus	12376, 12803,	11466, 11468,
6117	12806, 13479,	11474, 11508,
\@tabplus	13480, 13482,	11510, 11516,
6116	13483, 14845,	11529, 11533,
\@tabular 380, 2072, 20568	14846, 14847,	11534, 11689,
\@tabularcr		11785, 11802,
... 2086, 13414,		
18408, 20390, 20572		
\@tagsextension 2553, 2556		



11951,	12132,	12912,	12935,	7769, 7770, 7771,
12134,	12893,	12936,	12940,	7772, 7790, 7791,
12894,	13028,	14921,	14923,	7792, 7793, 7799,
13033,	13037,	14924,	14930,	7801, 7802, 7806,
13441,	13442,	14934,	14947,	7807, 7808, 7809,
13445,	14253,	15004,	15006,	7810, 7818, 7822,
14256,	14260,	15010,	15013,	7825, 7826, 7827,
14262,	14268,	15015,	16638,	7841, 7842, 7843,
14270,	14271,	16640,	16833,	7856, 7858, 7859,
14300,	14301,	16852,	17187,	7863, 7864, 7865,
14305,	15098,	17189,	17413,	7866, 7867, 7873,
15099,	15102,	17432,	17886,	7876, 7879, 7880,
16840,	16854,	17888,	18096,	7881, 7893, 7894,
16858,	16860,	18115,	18518,	7895, 8039, 8041,
16883,	16884,	19737,	19738,	8042, 8043, 8047,
16886,	16887,	19739,	19758,	8054, 8056, 8058,
16889,	16894,	19759,	19760,	8065, 8089, 8090,
16899,	17420,	19762,	19764,	8095, 8096, 8097,
17434,	17438,	19846,	19847,	8098, 8099, 8214,
17440,	17463,	19848,	20858,	8216, 8218, 8237,
17464,	17466,	20860,	20863,	8242, 8252, 10305,
17467,	17469,	20865,	20867, 20889	10306, 10309,
17474,	17479,	\@tempcntb		
18103,	18117,	2185, 2186, 2187,		10310, 10422,
18121,	18123,	14922,	14923,	10423, 10426,
18146,	18147,	14930,	14934,	10427, 10506,
18149,	18150,	14947,	16833,	10508, 10561,
18152,	18157,	16851,	17413,	10575, 10580,
18162,	18505,	17431,	18096, 18114	10747, 10748,
18525,	19890,	\@tempdima 8,		
19893,	19898,	10, 12, 14, 213,		11333, 11337,
19902,	19906,	215, 217, 219, 388,		11782, 11784,
19910,	19914,	389, 391, 514, 531,		11789, 11791,
19918,	19922,	536, 654, 667, 691,		11792, 11794,
19926,	20553,	696, 881, 882, 893,		11807, 11812,
20554,	20609,	898, 911, 1137,		11817, 11821,
20610,	20611,	1150, 1175, 1180,		12775, 12777,
20612,	20783,	1463, 1464, 1496,		12779, 12781,
20827,	20965,	1497, 1498, 2239,		12885, 12891,
20972,	20973,	2241, 5435, 5436,		12892, 12898,
21007,	21008, 21012	6212, 6225, 6247,		12899, 12904,
\@tempc . 11765, 11767,		6252, 6389, 6402,		12905, 12910,
11773, 12870, 12875		6424, 6429, 6688,		13406, 13416,
\@tempcnta 1409, 1468,		6703, 6708, 6919,		13421, 14371,
1469, 1470, 1472,		6920, 6921, 6969,		14375, 14471,
1473, 2159, 2165,		6974, 7248, 7317,		14475, 14536,
2167, 2180, 2181,		7318, 7332, 7333,		14561, 14584,
2187, 2188, 6894,		7337, 7414, 7492,		14596, 14597,
6896, 7798, 7855,		7493, 7507, 7508,		14608, 14609,
12907, 12909,		7512, 7528, 7529,		14925, 15513,
				15526, 15548,



15553,	15885,	19785,	19788,	17094,	17095,
15898,	15920,	19795,	19798,	17096,	17665,
15925,	16014,	19802,	19807,	17666,	17667,
16015,	16016,	19810,	19822,	17793,	17794,
16057,	16058,	19855,	19857,	17795,	18451,
16059,	16127,	19858,	19861,	18454,	18456,
16132,	16297,	19864,	19868,	19755,	19761,
16312,	16317,	19875,	19877,	19763,	19768,
16435,	16436,	19936,	19937,	19770,	19773,
16536,	16537,	19950,	19952,	19777,	19781,
16538,	16543,	19960,	19967,	19789,	19791,
16544,	16547,	20113,	20114,	19792,	19805,
16857,	16858,	20133,	20144,	19811,	19813,
16883,	16884,	20145,	20146,	20116,	20117,
16885,	16887,	20147,	20159,	20119,	20121,
17085,	17086,	20162,	20168,	20124,	20125,
17087,	17092,	20169,	20465,	20127,	20130,
17093,	17096,	20466,	20620,	20144,	20145,
17437,	17438,	20621,	20868,	20146,	20150,
17463,	17464,	20869,	20870,	20163,	20167,
17465,	17467,	20871,	20874,	20168,	20468, 20469
17658,	17659,	20877,	20880,	\@tempdimc	6889, 16533,
17660,	17663,	20882,	20905, 20906	16540,	16541,
17664,	17667,	\@tempdimb	6888, 7250,	16551,	17082,
17784,	17785,		7253, 7254, 7255,	17089,	17090,
17786,	17791,		7256, 7259, 7260,	17100,	17781,
17792,	17795,		7261, 7262, 7263,	17788,	17789, 17799
18120,	18121,		7264, 7265, 7416,	\@tempskipa	6035, 6036,
18146,	18147,		7419, 7420, 7422,	6037, 6148, 6149, 6150	
18148,	18150,		7424, 7427, 7431,	\@tempswafalse	. 3950,
18451,	18454,		7434, 7437, 7441,	3997, 7810, 7867,	
18456,	18519,		7443, 7769, 7770,	11730, 20198, 20241	
18578,	18579,		7790, 7791, 7842,	\@tempswatrue
18580,	18797,		7844, 7847, 7894, 3949, 3994,	
18801,	18828,		7896, 7899, 8045,	7804, 7861, 20670	
18832,	18851,		8047, 8060, 8061,	\@temptokena	121, 125,
18855,	18868,		8062, 8063, 8065,	12801, 12805, 14990	
18872,	18885,		8092, 8095, 10307,	\@tempx 6050,
18889,	18902,		10308, 10309,	6051, 12397, 12409	
18906,	18919,		10424, 10425,	\@tempxi 6053,
18923,	18936,		10426, 10740,	6054, 12428, 12440	
18940,	18954,		10741, 10742,	\@tempxii 6056,
18958,	18973,		10743, 10745,	6057, 12459, 12471	
18977,	18993,		11783, 11784,	\@tempy 2092, 2093
18997,	19028,		11790, 11791,	\@tempyi 2095, 2096
19032,	19216,		11793, 11794,	\@tempyii 2098, 2099
19222,	19324,		12905, 12906,	\@tencol@footgroupv@r 10102
19374,	19377,		12908, 14536,	\@tencollTRfootfmt	.
19378,	19382,		14561, 16545,	. 10126, 10147, 10175	
19754,	19756,		16546, 16547,		



\@tencolLTRfootnotetext	8373, 8428, 8436,	9858, 9871, 9883,
..... 10097, 10119	8464, 8472, 10652,	9963, 9973, 9983,
\@tencolRTLfootfmt	10658, 10686,	10009, 10022,
. 10136, 10150, 10187	10692, 11361,	10034, 10114,
\@tencolRTLfootnotetext	11375, 11378,	10124, 10134,
..... 10098, 10129	14189, 14212,	10160, 10173,
\@tencolfootfmt ...	15643, 15649,	10185, 10319,
. 10116, 10144, 10162	15688, 15694,	10331, 10343,
\@tencolfootnotetext	15782, 15790,	10369, 10383,
..... 10096, 10109	15829, 15837,	10397, 10671,
\@testopt ... 2770,	16032, 16040,	10674, 11198,
2788, 13403, 13404	16073, 16081,	11203, 11207,
\@testpach 355, 1380,	16219, 16227,	11212, 11234,
1425, 18544, 20599	16255, 16263,	11251, 11267,
\@texfileextension	16618, 16662,	11295, 11309,
..... 2555, 2558	16671, 17167,	11323, 11366,
\@textbottom	17211, 17220,	11371, 11381,
.. 10501, 16560,	17866, 17910, 17919	11386, 11676,
16567, 16816,	\@thefnmark ... 44, 58,	12179, 12190,
16821, 17109,	74, 257, 271, 286,	12201, 12212,
17116, 17396,	457, 460, 747, 809,	12330, 12368,
17401, 17808,	811, 999, 1063,	12401, 12432,
17815, 18079, 18084	1249, 1311, 1313,	12463, 12526,
\@textsuperscript .	1872, 1875, 2115,	12763, 15612,
457, 460, 747, 809,	2123, 2131, 5086,	15674, 15676,
811, 999, 1063,	5088, 5122, 5140,	15751, 15815,
1249, 1311, 1313,	5158, 5184, 5190,	15817, 16011,
1872, 1875, 5086,	5213, 5219, 5242,	16018, 16054,
5088, 6315, 6492,	5248, 6071, 6078,	16061, 16240, 16243
6631, 6634, 8352,	6085, 6315, 6492,	\@thefoot ... 10912,
8355, 8449, 8452,	6631, 6634, 8352,	10915, 10919,
10671, 10674,	8355, 8449, 8452,	20933, 20939,
14196, 15612,	8665, 8681, 8697,	20947, 20950, 20990
15674, 15676,	8710, 8723, 8736,	\@thehead ... 10911,
15751, 15815,	8780, 8784, 8786,	10914, 10918,
15817, 16011,	8792, 8796, 8798,	20933, 20939,
16018, 16054,	8804, 8808, 8810,	20946, 20949, 20969
16061, 16240, 16243	8913, 8923, 8933,	\@themargin ... 10966,
\@texttop 10497	8959, 8972, 8984,	11827, 11829,
\@tfor 2160, 10735	9064, 9073, 9082,	11834, 11836,
\@thanks	9107, 9119, 9130,	11840, 11842,
436,	9208, 9218, 9228,	20935, 20937,
444, 472, 480,	9254, 9267, 9279,	20941, 20943, 20962
778, 784, 823, 829,	9359, 9369, 9379,	\@thm 14878, 14899
1030, 1036, 1075,	9405, 9418, 9430,	\@thmcOUNTERsep 353, 20408
1081, 1280, 1286,	9510, 9520, 9530,	\@threecol@footgroupv@r
1325, 1331, 1877,	9556, 9569, 9581, 9052
1883, 6346, 6352,	9661, 9671, 9681,	\@threecollTRfootfmt
6523, 6529, 6610,	9707, 9720, 9732,	... 9075, 9094, 9121
6618, 6646, 6654,	9812, 9822, 9832,	\@threecollTRfootnotetext
8333, 8339, 8367,		



..... 9047, 9068	... 18748, 18749, 18753, 18755, 18758	\@todonotes@text ..
\@threecolRTLfootfmt ... 9084, 9097, 9132	\@tocline .. 2, 207, 12769	.. 20004, 20006, 20015, 20017,
\@threecolRTLfootnotetext 9048, 9077	\@tocpagenum 15, 220, 12782	20040, 20042, 20055, 20061, 20064
\@threecolfootfmt 9066, 9091, 9109	\@tocrmarg ... 14580, 14592, 14604, 18792, 18823, 18846, 18863, 18880, 18897, 18914, 18931, 18949, 18968, 18988, 19023, 19074, 19352, 19815, 19932, 20616	\@todonotes@textwidth 20038 \@toodeep 20415 \@topnum ... 111, 324, 469, 820, 1072, 1322, 5697, 6643, 8364, 8461, 10683,
\@threecolfootnotetext 9046, 9059	\@todonotes@MissingFigureDown 20094	12791, 14209, 15685, 15826, 16070, 16252, 16659, 17208, 17907
\@title 330, 426, 447, 483, 497, 756, 758, 786, 831, 844, 1008, 1010, 1038, 1083, 1096, 1258, 1260, 1288, 1333, 1347, 1358, 1886, 2275, 2336, 5619, 5704, 6324, 6326, 6354, 6501, 6503, 6531, 6600, 6621, 6657, 6671, 7721, 8323, 8342, 8376, 8388, 8418, 8439, 8475, 8489, 10642, 10661, 10695, 10707, 14190, 15621, 15623, 15651, 15696, 15709, 15760, 15762, 15792, 15839, 15855, 15866, 16022, 16043, 16084, 16098, 16209, 16230, 16266, 16280, 16603, 16674, 16716, 17152, 17223, 17265, 17851, 17922, 17964	\@todonotes@textwidth 20038 \@topsep ... 14892, 14912 \@topsepadd	
\@titlecolour . 2305, 2322	\@todonotes@MissingFigureUp 20093	\@topnum ... 111, 324, 469, 820, 1072, 1322, 5697, 6643, 8364, 8461, 10683, . 2003, 14893, 14913 \@totallftmargin ..
\@titlehead 16592, 16594, 16677, 16704, 16706, 17141, 17143, 17226, 17253, 17255, 17840, 17842, 17925, 17952, 17954	\@todonotes@author 20004, 20015, 20040, 20058	.. 11544, 11548, 11551, 11560, 13541, 14895, 14896, 14915, 14916, 15442, 15456, 20434, 20436, 20442, 20444, 20448, 20450, 20454, 20456, 20458, 20078, 20088, 20091
\@tocextra ..	\@todonotes@currentfigcolor 20075	15456, 20434, 20444, 20448, 20450, 20454, 20456, 20458, 20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@currentfigheight 20076	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@currentfigwidth 20076	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@drawInlineNote 19999	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@drawLineToLeftMargin 20027, 20030	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@drawLineToRightMargin 20027, 20030	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@drawMarginNote . 20026, 20029, 20033	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@drawMarginNoteWithLine 20021	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@ifdisabled 20100	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905
	\@todonotes@sizecommand 20004, 20006, 20013, 20015, 20017, 20040, 20042, 20054, 20057, 20058, 20060, 20063	20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526, 20905



\@twocolRTLfootnotetext	6921, 7143, 7208,	\@xfootnotenext . . .
..... 8897, 8928	7283, 7457, 7751, 2077, 2199,
\@twocolfootfmt . . .	8307, 8606, 8653,	5939, 5950, 6163,
... 8915, 8943, 8961	10608, 10839,	6177, 12176, 18490
\@twocolfootnotetext	11145, 11147,	\@xiipt 5460
..... 8895, 8908	11522, 11599,	\@xipt 5459
\@twosidefalse 4212	11645, 12760,	\@xivpt 313, 5461
\@twosidetrue 4207	12831, 13423,	\@xmakefntext . . . 810,
\@typeset@protect .	13477, 13563,	1312, 15675, 15816
..... 2031,	14410, 14512,	\@xp 121, 318,
2037, 2043, 2058	14655, 14669,	343, 344, 6835, 12801
\@undeclaredcolor .	14743, 15564,	\@xpt 4228
..... 6934,	15987, 16143,	\@xthm 14897, 14917
6942, 20191, 20192	16325, 16562,	\@xtitle 330
\@undefined	16817, 17111,	\@xxpt 5462
. 2089, 13408, 14310	17397, 17810,	\@xxxii 2186
\@undottedtocline 14577	18080, 18417,	\@xympar
\@unexpandable@protect	18456, 20582,	4782, 4786, 4826,
..... 2821, 4109	20700, 20749, 20896	4830, 4870, 4874,
\@unrecuse . 18441, 18444	\@x 6108, 6109	20789, 20793,
\@uppertitleback .	\@x@sf 5095, 5100, 5106, 5109	20833, 20837, 20900
..... 16622,	\@xLTRfootnote . . .	\@yargdef 2790
16680, 17171, 2080, 2202,	\@ympar 20897
17229, 17870, 17928	5942, 5953, 6166,	\@ythm 14897, 14917
\@curlbordercolor .	6180, 11206, 11209	\[. 6116, 10854
..... 12628, 12630	\@xLTRfootnotenext	\` 122, 407, 754,
\@curlcolor 12642 2079,	799, 1006, 1051,
\@viiipt 4237,	2201, 5941, 5952,	1256, 1301, 2086,
5457, 14933, 14946	6165, 6179, 11365,	2383, 2389, 2468,
\@viiipt 5457, 14933, 14946	11368, 12198, 18491	3231, 3247, 3251,
\@viper 7170, 7172, 7174,	\@xRTLfootnote . . .	3472, 3474, 3475,
7229, 7231, 7233, 2082, 2204,	3476, 3484, 3489,
7246, 7310, 7356,	5944, 5955, 6168,	3490, 3492, 4542,
7484, 7533, 14537,	6182, 11197, 11200	4543, 4544, 4546,
14552, 14554, 14559	\@xRTLfootnotenext	5506, 5875, 6013,
\@viperoutput . 7176, 7235 2081,	6322, 6499, 7609,
\@vipt 5458	2203, 5943, 5954,	7610, 7613, 7629,
\@vpt 5458	6167, 6181, 11380,	7716, 7721, 7728,
\@whilenum 12936	11383, 12187, 18492	7738, 7742, 8586,
\@whilesw . 7168, 7227,	\@xaddress 331	8590, 8599, 12031,
10810, 10850,	\@xauthor 331	12034, 12047,
10934, 11610,	\@xcolor@ . . . 20199, 20242	12050, 12150,
11662, 14428,	\@xcurraddr 332	12571, 12586,
14525, 20717, 20760	\@xemail 332	12605, 12802,
\@wholewidth	\@xfloat 2135	12822, 12826,
. 10737, 10739, 10757	\@xfootnote . . . 2078,	12990, 12991,
\@width 31,	2200, 5940, 5951,	12997, 12998,
245, 393, 543, 728,	6164, 6178, 12524	13401, 13546,
963, 1208, 1498,	\@xfootnotemark . . 12209	15008, 15020,
6287, 6440, 6716,		15383, 15384,



15396,	15397,	15497,	15500,	2360,	2361,	2363,
15409,	15410,	15941,	15947,	2365,	2366,	2369,
15422,	15619,	\Acrobatmenu	12647	4314,	4317,	4318,
15664,	15758,	\active	5892,	4321,	5472,	7707,
15805,	17758,	5893,	5895,	7708,	7709,	8098,
18408,	18423,	\add@strip	14561	11884,	11885,	
18439,	18440,	\addcontentsline	..	12888,	12892,	
18613,	18642,	..	556, 558, 2380,	12894,	12896,	
20037,	20044,	4521,	8263, 8265,	12897,	12898,	
20390,	20529,	13057,	13062,	12899,	12918,	
20572,	20588,	14322,	18731,	12920,	12921,	
\{	1948, 13683, 13727	18738,	18755, 20071	12923,	12924,	
\}	1949, 13683, 20395	\addfontfeature	2303,	12926,	12927,	
\] . . .	188, 204, 6117, 10864	2304,	2305, 2306,	12928,	12938,	
\^	1740,	2307,	2308, 2310, 2311	12939,	16537,	
\`	5892, 5893, 5895, 5896	\addpenalty	16540,	16541,	
\ 	11542, 13538, 15438, 15452	5,	210, 512, 529, 664,	16544,	16546,	
	11421, 11422, 11537	682, 689, 891, 908,	682,	16884,	16885,	
		926,	1147, 1165,	17086,	17089,	
		1173,	6222, 6238,	17090,	17093,	
		6245,	6399, 6415,	17095,	17464,	
		6422,	6686, 6701,	17465,	17659,	
		8235,	8249, 8504,	17664,	17666,	
		10558,	10573,	17785,	17788,	
		12772,	15523,	17789,	17792,	
		15539,	15546,	17794,	18147,	
		15895,	15911,	18148,	18674,	
		15918,	16111,	18675,	19355,	
		16125,	16295,	19361,	19365,	19369
		16310,	18655,	\addvspace	5,
		18657,	18785,	210, 513, 530, 665,		
		18787,	18820,	683,	690,	892,
		18842,	19206,	909,	927,	1148,
		19209,	19213,	1166,	1174,	5500,
		19314,	19317, 19321	5557,	6223,	6239,
		\address	6400,	6416,	6687,
		\addresscolour	8236,	8250,	8505,
		2306,	7561, 7659,	10559,	12772,	
		7665,	7671, 7677, 7683	15524,	15540,	
		\addressfont	15896,	15912,	
		2315,	2323, 2434,	16112,	16296,	
		7599,	7627, 7691, 7725	18789,	18843,	
		\addresssymbol	19207,	19214,	
		2297, 7629, 7728	19315,	19318,	
		\addressesstyle	19322,	19349,	19749
		\addtocontents	\adjmc@inner	134
		\addtocounter	12932, 12933	\adjmc@outer	136
		\addtolength	\adjmc@page@sofar@orig	164
		183,	2257, 2258, 2259,	\adjmult@cols	163
		2260,	2261, 2262,			



\adjmulticols	132	5862, 5870, 5871,	14895, 14910,
\adl@act@classz . . .	1501	6036, 6149, 6252,	14914, 14915,
\adl@act@CT@setup	1466	6274, 6429, 6462,	14923, 15015,
\adl@activate .	1376, 1459	6708, 6771, 6920,	15037, 15065,
\adl@argarraydashrule	1395, 1433	6928, 6929, 6969,	15072, 15114,
\adl@array	1373, 1378	7081, 7246, 7247,	15119, 15120,
\adl@arraydashrule	1394, 1432	7256, 7317, 7318,	15121, 15150,
\adl@arrayinit	1375	7333, 7353, 7356,	15151, 15177,
\adl@arrayrestore .	1370	7357, 7366, 7368,	15188, 15343,
\adl@arrayrule .	1393, 1431	7374, 7375, 7378,	15345, 15350,
\adl@box .	1416, 1418, 1419	7381, 7384, 7427,	15353, 15376,
\adl@class@iiiorvii	1422, 1455	7492, 7493, 7508,	15553, 15580,
\adl@class@start	1421, 1454	7528, 7529, 7759,	15925, 15974,
\adl@CT@setup	1458, 1461, 1462	7769, 7770, 7780,	16015, 16058,
\adl@depth	1465	7790, 7791, 7807,	16132, 16168,
\adl@endarray	1370	7808, 7809, 7826,	16317, 16371,
\adl@endmbox	1417	7835, 7842, 7864,	16436, 16773,
\adl@everyvbox .	1374, 1375	7865, 7866, 7880,	17353, 17756,
\adl@extract@arc . . .	1470	7887, 7894, 8042,	18036, 18369,
\adl@extract@dgc . . .	1473	8043, 8056, 8058,	18440, 18454,
\adl@extract@drsc . . .	1471	8061, 8062, 8063,	18464, 18484,
\adl@height	1464	8242, 8295, 8566,	18579, 18614,
\adl@inactivate .	1376, 1458	8887, 8889, 10580,	18630, 18643,
\adl@LT@array	12698	10622, 10737,	18647, 18679,
\adl@noalign	1377	10739, 10741,	18680, 18700,
\adl@org@activate .	1459	10747, 10748,	18801, 18832,
\adl@org@classz	1502	10755, 10756,	18855, 18872,
\adl@org@endpbox . . .	1460	10757, 10927,	18889, 18906,
\adl@org@inactivate	1458	10928, 11417,	18923, 18940,
\adl@putlrc .	1413, 1414, 1415, 1443, 1444, 1445, 1451, 1452, 1453	11431, 11444,	18958, 18977,
\adl@startmbox	1416	11445, 11477,	18997, 19032,
\advance .	12, 90, 217, 303, 321, 389, 536, 580, 696, 715, 882, 898, 978, 1180, 1228, 1463, 1497, 1722, 1723, 1845, 1850, 2167, 2181, 2187, 2453, 3341, 3492, 3498, 3508, 3563, 3580, 3589, 4121, 4730, 5436, 5511,	11482, 11483, 11486, 11495, 11559, 11687, 12533, 12543, 12733, 12779, 12906, 12909, 12910, 12940, 13416, 13428, 13494, 14363, 14365, 14392, 14393, 14396, 14463, 14465, 14492, 14493, 14496, 14550, 14551, 14552, 14553, 14562, 14584, 14597, 14609, 14622, 14890, 14894,	19073, 19222, 19223, 19331, 19382, 19738, 19758, 19763, 19813, 19814, 19815, 19818, 19822, 19847, 19858, 19937, 19960, 20114, 20116, 20126, 20145, 20146, 20175, 20186, 20187, 20417, 20430, 20431, 20434, 20436, 20442, 20444, 20448, 20450, 20454, 20456, 20556, 20557,



20621, 20647,	\allowbreak . . . 7765,	16047, 16088,
20869, 20870,	7786, 8945, 8948,	16234, 16270,
20877, 20878,	8951, 9032, 9093,	16693, 17242, 17941
20879, 20880, 20905	9096, 9099, 9176,	\andify 116, 12796
\afterassignment . .	9240, 9243, 9246,	\andname . . 799, 1051,
1598, 1600, 1794,	9327, 9391, 9394,	1301, 15664, 15805
1796, 2822, 3572,	9397, 9478, 9542,	\andnext 14188
4960, 18514, 18515	9545, 9548, 9629,	\AppendToList 3440
\aftergroup . . . 1985,	9693, 9696, 9699,	\arabic 19,
1995, 3779, 3781,	9780, 9844, 9847,	20, 21, 22, 86, 224,
3791, 3793, 3803,	9850, 9931, 9995,	225, 226, 227, 299,
3805, 3823, 3825,	9998, 10001,	339, 10890, 10896,
3834, 3836, 3845,	10082, 10146,	12729, 12786,
3847, 4944, 4959,	10149, 10152, 10233	12787, 12788,
6932, 6934, 6941,	\Alph 14231	12789, 19013, 21072
6947, 6966, 10955,	\AM@CheckAtEnd . . 15028	\array 410, 20596
10957, 15233,	\AM@ClearShipoutPicture	\arraycolsep 410
15234, 15237, 15030	\arraylinesep 18447
15242, 15243,	\AM@currentdocname	\arrayrulecolor 1470
15247, 15252, 14993, 14999	\arrayrulewidth 18464
15253, 15257,	\AM@findfile 14997	\arraystretch 391, 392,
15261, 15265,	\AM@output 15026	1979, 1990, 13421,
15269, 18648,	\AM@pagecount 14995	13422, 18415,
19740, 20180,	\AM@pageref . . 15010, 15013	18416, 18451,
20189, 20191,	\AM@pagestemp	20403, 20580, 20581
20228, 20232,	.. 15003, 15008,	\aslice . . 15157, 15158,
20285, 20296,	15009, 15012,	15160, 15162,
20297, 20300,	15020, 15021, 15025	15163, 15165,
20305, 20306,	\AM@readlist 15025	15178, 15179, 15181
20310, 20315,	\AM@split@options . . 14989	\At@ViperColsBreak
20316, 20320,	\AM@temp 14990, 14991	.. 7395, 7405, 7409
20325, 20329,	\AM@threadname	\AtBeginCaption . . 13068
20334, 20484, 14988, 14998, 14999	\AtBeginDocument . .
20915, 20925, 20926	\AM@xrprefix 1589, 1695,
\AlFnt 185 15006, 15010, 15013	2272, 2332, 2429,
\ALG@floatstyle . . .	\and 451, 487,	3134, 4174, 4323,
.. 4745, 4746, 4747	765, 791, 794, 836,	4550, 4684, 4689,
\algocf@algobox . . . 177	1017, 1043, 1046,	4742, 5553, 5753,
\algocf@algoframe . .	1088, 1267, 1293,	5818, 7638, 7752,
.. 171, 172, 173, 174	1296, 1338, 1360,	7773, 7794, 8202,
\algocf@endline . . . 188	1890, 6333, 6359,	11274, 12148,
\algocf@float 21072	6510, 6536, 6625,	13076, 13083,
\algocf@makethealgo . 198	6661, 8346, 8380,	13166, 18430, 19887
\algocf@within	8443, 8479, 10665,	\AtBeginPackage . . . 14292
.. 166, 168,	10699, 14187,	\AtEndDocument . . 1726,
21074, 21075, 21076	14992, 15630,	2436, 3147, 4026,
\algomargin 180, 183	15656, 15659,	6045, 6101, 13668,
\algowithd 178, 180, 201	15701, 15769,	13719, 13737, 20668
\alignL 6867	15797, 15800,	\AtEndOfClass 2271
\alignR 6874	15844, 15868,	\AtPageLowerLeft . . 8032



\AtPageUpperLeft . .	15115, 15129,	10181, 10208,
... 8032, 8046, 8064	15153, 15157,	10221, 10236,
\AtTextUpperLeft . .	15162, 15166,	10241, 10303,
..... 8036, 8052	15178, 15189,	10315, 10327,
\author 331,	15216, 15445,	10339, 10364,
449, 485, 789, 834,	15459, 15563,	10378, 10392,
1041, 1086, 1291,	15565, 15569,	10420, 10433,
1336, 1888, 5603,	15571, 15986,	10447, 10469, 10477
5635, 6357, 6534,	15988, 15992,	\BCmd 1984
6623, 6659, 8344,	15994, 17750,	\BDefaboveskip . . .
8378, 8441, 8477,	17753, 17755,	... 1999, 2014, 2017
10663, 10697,	17760, 18426,	\BDefbelowskip . . .
15654, 15699,	18465, 20114,	... 2003, 2015, 2018
15795, 15842,	20122, 20126,	\BDefinlineskip . . .
16045, 16086,	20592, 20959, 20987	... 2008, 2016, 2019
16232, 16268,	\baselinestretch . .	\begin 171,
16683, 17232, 17931	... 2287, 5116,	173, 177, 415, 425,
\auto@footnoterule	5134, 5152, 8659,	430, 493, 501, 739,
.... 11161, 11172	8675, 8691, 8707,	752, 763, 842, 848,
\autodot 16740,	8720, 8733, 8909,	991, 1004, 1015,
17288, 17987, 19950	8919, 8929, 8955,	1094, 1100, 1241,
\autofootnoterule .	8967, 8980, 9007,	1254, 1265, 1345,
1650, 7745, 8647,	9020, 9035, 9040,	1351, 1360, 1362,
11170, 11672, 21024	9060, 9069, 9078,	1363, 1978, 1980,
B	9103, 9114, 9126,	1989, 1991, 1994,
\backmatter	9152, 9164, 9179,	2387, 2391, 2393,
... 5807, 6756, 8551	9184, 9204, 9214,	2395, 2397, 2401,
\baselineskip . . 405,	9224, 9250, 9262,	2409, 2412, 2447,
727, 729, 733,	9275, 9302, 9315,	2492, 2496, 2516,
735, 1207, 1209,	9330, 9335, 9355,	2520, 2547, 3182,
1213, 1215, 2762,	9365, 9375, 9401,	3188, 3210, 3214,
4256, 4258, 4261,	9413, 9426, 9453,	3883, 4329, 4330,
4263, 4265, 4268,	9466, 9481, 9486,	4343, 4346, 4420,
4423, 5053, 5120,	9506, 9516, 9526,	4421, 4427, 4428,
5138, 5156, 5273,	9552, 9564, 9577,	4435, 4436, 4461,
5282, 5291, 5372,	9604, 9617, 9632,	4462, 4499, 4502,
5379, 5386, 5393,	9637, 9657, 9667,	4505, 4508, 4512,
5400, 5500, 5557,	9677, 9703, 9715,	4513, 4697, 4698,
5900, 5961, 6025,	9728, 9755, 9768,	5316, 5372, 5379,
6031, 6286, 6288,	9783, 9788, 9808,	5386, 5393, 5400,
6292, 6294, 6439,	9818, 9828, 9854,	5413, 5421, 5543,
6441, 6445, 6447,	9866, 9879, 9906,	5548, 5681, 5728,
7082, 7083, 7100,	9919, 9934, 9939,	5751, 6133, 6307,
7104, 7319, 7494,	9959, 9969, 9979,	6320, 6331, 6484,
10963, 11432,	10005, 10017,	6497, 6508, 6552,
12885, 12904,	10030, 10057,	6564, 6589, 6599,
12912, 13437,	10070, 10085,	6604, 6667, 6675,
13447, 13544,	10090, 10110,	6985, 6995, 7008,
13561, 15112,	10120, 10130,	7018, 7031, 7041,
	10156, 10168,	7054, 7064, 7613,



7719,	7724,	7742,	20051,	20074,	12461,	12695,
7911,	7914,	7918,	20078,	20084,	12710,	12773,
7920,	7925,	7927,	\begin{bidi@stack	.	12799,	12853,
7931,	7934,	7937,	2486, 2496,	13060,	13425,
7941,	7943,	7947,	2497,	2510, 2520, 2521	14194,	14324,
7949,	7953,	7956,	\begingroup	6, 119, 211,	14425,	14522,
7959,	7963,	7965,	312, 325,	382, 394,	14726,	14730,
7970,	7972,	8121,	455, 515,	532, 666,	14734,	14986,
8187,	8314,	8322,	692, 806,	894, 910,	15034,	15325,
8327,	8386,	8392,	1058,	1149, 1176,	15525,	15549,
8407,	8417,	8422,	1308,	1489, 1870,	15671,	15812,
8485,	8493,	8585,	2113,	2121, 2129,	15897,	15921,
10633,	10641,		2468,	2487, 2511,	16051,	16113,
10646,	10705,		2730,	2749, 2888,	16128,	16238,
10711,	10857,		2934,	2941, 2971,	16298,	16313,
11899,	11904,		2987,	3003, 3043,	16647,	16763,
11922,	12025,		3051,	3084, 3132,	16856,	17196,
12027,	12041,		3422,	3424, 3446,	17343,	17436,
12043,	12821,		3456,	3466, 3596,	17895,	18026,
14337,	14930,		3673,	3697, 3712,	18119,	18513,
15604,	15617,		3778,	3789, 3801,	18627,	18651,
15628,	15707,		3822,	3832, 3843,	18790,	19217,
15713,	15741,		3993,	4107, 4119,	19325,	19736,
15756,	15767,		4154,	4523, 4942,	19853,	20193,
15851,	15859,		5188,	5217, 5246,	20236,	20285,
15868,	15870,		5620,	5637, 5653,	20381,	20484,
15871,	16001,		5665,	5698, 6002,	20714,	20757, 20915
16021,	16026,		6069,	6076, 6083,	\begin{L}	1474,
16102,	16198,		6113,	6224, 6248,	2434,	4804, 4848,
16208,	16213,		6401,	6425, 6629,	6897,	6926, 6932,
16276,	16284,		6689,	6704, 6793,	6934,	6966, 8918,
16573,	16593,		6912,	6966, 6975,	8970,	9068, 9117,
16598,	16608,		7165,	7224, 8037,	9213,	9265, 9364,
16621,	16625,		8053,	8238, 8251,	9416,	9515, 9567,
16705,	16711,		8350,	8447, 8506,	9666,	9718, 9817,
16722,	16764,		10302,	10419,	9869,	9968, 10020,
17122,	17142,		10560,	10576,	10119,	10171,
17147,	17157,		10669,	10809,	10322,	10334,
17170,	17174,		10847,	10931,	10372,	10386,
17254,	17260,		10947,	11201,	10750,	10861,
17271,	17344,		11210,	11369,	10876,	11046,
17821,	17841,		11384,	11391,	11678,	11684,
17846,	17856,		11443,	11476,	11693,	11713,
17869,	17873,		11607,	11659,	11729,	11739,
17953,	17959,		11712,	11728,	12532,	13029,
17970,	18027,		11898,	12177,	15035,	15227,
18693,	20001,		12188,	12199,	15233,	15249,
20008,	20011,		12210,	12308,	15325,	16483,
20022,	20035,		12328,	12366,	16494,	16501,
20038,	20045,		12399,	12430,	16511,	18581,



20184,	20189,	14290,	14307,	15251,	15255,
20191,	20285,	16905,	16913,	15260,	15263,
20290,	20296,	16924,	16936,	15268,	15499,
20312,	20811,	17485,	17493,	15949,	18405,
20889,	20969,	17504,	17516,	18413,	18421,
\beginR	346,	18168,	18176,	18427,	18458,
351,	382,	18187,	18199,	18462,	18466,
1475,	2083,	21014		19845,	20298,
4892,	6824,	\belowdisplayshortskip		20304,	20308,
6898,	6927,	... 4231, 4240, 5450		20314,	20318,
6941,	6932,	\belowdisplayskip .		20324,	20327,
6947,	6966, 4232,		20333,	20381,
8030,	8880,	4245,	4280,	20387,	20569,
8884,	8884,	5455		20578,	20586,
10322,	10346,	\bf . . . 1811, 15098, 15100		20594	
10372,	10400,	\bfseries . . . 25, 313,		\bib@after@hook	16808,
10886,	11680,	519, 535, 564, 567,		16810,	17388,
11685,	11742,	671, 695, 897, 915,		17390,	18071,
11781,	11788,	1154, 1179, 1615,		18073	
12157,	12165,	1934, 2404, 5680,		\bib@before@hook	..
12615,	12583,	6229, 6251, 6406,	 16758,	
12670,	12644,	6428, 6553, 6565,		16809,	17338,
12683,	12676,	6693, 6707, 6739,		17389,	18021,
13029,	12814,	6745, 6753, 8241,		18072	
13505,	13441,	8256, 8271, 8274,		\bib@beginhook	16751,
13518,	13508,	8283, 8510, 8533,		16757,	17331,
13617,	13609,	8539, 8548, 10565,		17337,	18014,
14134,	13808,	10579, 10590,		18020	
14302,	14300,	10595, 10603,		\bib@endhook
15227,	15102,	12768, 15530,		. 16812, 17392, 18075	
15239,	15234,	15552, 15902,		\bib@heading
15322,	15321,	15924, 16098,		.. 16753, 17336, 18019	
16477,	15323,	16117, 16131,		\bibcleanup 14837
16498,	16487,	16302, 16316,		\bibentry 4990,
16899,	16505,	16347, 16352,		4992, 5009, 5011,	
18162,	17479,	16360, 19221,		5028, 5030, 5060, 5062	
18427,	18405,	19330, 19679,		\bibfont 14816
18588,	18466,	19683, 19688, 19717		\bibindent	... 2438, 2439
20189,	20185,	\bgroup . . . 179, 180,		\bibitem@fin 14831
20232,	20228,	382, 397, 402, 407,		\biblof	85, 298, 12728
20290,	20285,	640, 1199, 1475,		\bibliographyitemlabel 2440, 2447
20302,	20297,	1602, 1798, 2073,		\bibname	.. 5536, 5537,
20542,	20539,	2195, 5934, 6159,		6267, 6268, 6455,	
20562,	20545,	6173, 6826, 6898,		6456, 6764, 6765,	
20594,	20569,	10861, 10862,		8559, 8560, 10615,	
20889,	20855,	10876, 11335,		10616, 15573,	
20908,	20906,	11496, 13429,		15574, 15967,	
20990,	20969,	13431, 13471,		15968, 16161,	
21009,	21012,	13505, 13508,		16162, 16364, 16365	
21020		13528, 14537,		\bibpostamble 14832
	\belowcaptionskip .	15046, 15235,		\bibpreamble
13039,	15241, 15245,		.. 14815, 16754,	
13467,					



16755, 17333,	\bidi@addto@envbody	\bidi@append@cslist@to@cslist
17334, 18016, 18017	... 2482, 2500, 2502 3431, 3500
\bibsection 5531, 5534,	\bidi@addto@long@envbody	\bidi@append@list@to@list
5536, 5537, 14334,	... 2506, 2524, 2526 3429, 3509
14813, 18690, 18692	\bidi@AfterAtEndOfClass	\bidi@append@to@list
\bidi@convert@dimen@t@pt 3781, 3786 3410, 3428
..... 2668	\bidi@AfterAtEndOfPackage	\bidi@append@toks@cs@to@list
\bidi@convert@dimen@t@unit 3825, 3829 3433
..... 2665	\bidi@AfterClass .. 3769	\bidi@appto ... 2824, 2868, 3140, 4136
\bidi@diagbox@double@ii	\bidi@AfterEndDocument	\bidi@apptocmd 3041, 3042
..... 7912, 7916	... 3164, 3169, 3175	\bidi@are@these@correct
\bidi@diagbox@double@iii	\bidi@afterenddocumenthook 3407, 3410
..... 7915, 7923 3164,	\bidi@atBeginEnvironment
\bidi@diagbox@triple@setbox@NW@tabular@i@i@i	3176 3179, 3189
... 7932, 7935, 7939	\bidi@AfterEndEnvironment	\bidi@atEndEnvironment
\bidi@diagbox@triple@setbox@NW@tabular@i@i@19	3229 3193, 3203
.... 7938, 7945	\bidi@AfterEndPreamble	\bidi@atEndOutputPage
\bidi@diagbox@triple@setbox@SE@tabular@i@i@1	3143,	.. 3123, 10989, 21002
.... 7954, 7961	3147, 4178, 5694, 5717	\bidi@atendoutputpagehook
\bidi@diagbox@triple@setbox@SE@tabular@i@i@1	\bidi@afterendpreamblehook 3123,
... 7957, 7960, 7968 3137,	3124, 10990, 21003
\bidi@end ... 3173, 3177	3138, 3142, 3144	\bidi@atEndPreamble
\bidi@footnotetext@font	\bidi@AfterFile 3766, 3098,
.. 38, 251, 5118,	16916, 17496, 18179	3128, 3130, 3135,
11221, 11228, 11319	\bidi@AfterFooter .	4176, 4974, 13042
\bidi@loadwithoptions 3116, 20992	\bidi@autofootnoterulefalse
..... 3692,	\bidi@afterfooterhook	.. 11149, 11153, 11156
3699, 3702, 3706	.. 3116, 3117, 20993	\bidi@autofootnoteruletrue
\bidi@LTRfootnotetext@font	\bidi@AfterLastShipout 11171
.. 68, 280, 5136,	... 3149, 3155, 3161	\bidi@backslash 3231, 3232
11222, 11261, 11305	\bidi@afterlastshipouthook	\bidi@BeforeBeginEnvironment
\bidi@null ... 3314, 3315 3149, 3207, 3215
\bidi@onefilewithoptions	3150, 3156, 3162	\bidi@BeforeClass .. 3767
... 3714, 3717, 3720	\bidi@AfterOutputBoxOutputPage	\bidi@BeforeClosingMainAux
\bidi@patchcmd 2936, 2938	.. 3110, 10975, 20978	\bidi@beforefile .. 3765
\bidi@RTLfootnotetext@font	\bidi@afteroutputboxoutputpagehook .. 4059, 4070,	\bidi@beforeFooter
.. 52, 265, 5154, 3110,	4074, 4077, 4085, 4088
11223, 11245, 11291	3111, 10976, 20979	\bidi@BeforeFile .. 3765
\bidi@thebibliography@font	\bidi@AfterOutputPageShipOut	\bidi@beforeFooter
... 88, 301, 576,	.. 3120, 10983, 20996 3113, 20985
711, 974, 1224,	\bidi@afteroutputshipouthook	\bidi@beforeheaderhook
2446, 6270, 6458, 3120,	.. 3113, 3114, 20986
6767, 8291, 8562,	3121, 10984, 20997	\bidi@BeforeHeader
10618, 12731,	\bidi@AfterPackage 3814	.. 3104, 10968, 20963
14336, 14818,	\bidi@AfterPreamble	\bidi@beforeheaderhook
15576, 15970,	.. 3134, 3135, 12973 3104,
16164, 16367,	\bidi@AfterReadingMainAux	3105, 10969, 20964
16767, 17347, 4096, 4099	\bidi@BeforeOutputBoxOutputPage
18030, 18696, 20412	\bidi@append .. 3045, 3095	.. 3107, 10972, 20975



\bidi@beforeoutputboxoutput	\bidi@boxappto . 2870, 3107, 3108, 10973, 20976	\bidi@csgpreto . 2879 \bidi@cslet	\bidi@empty@stack 3490, 3496
\bidi@BeforeOutputPageShip	\bidi@cslet	\bidi@csletcs	\bidi@empty@toks 3503, 3506, 3510
\bidi@beforeoutputpageship	\bidi@bsname	\bidi@bsname	\bidi@endpreamblehook 3098, 3099, 3129, 3131
\bidi@beforeoutputpageship	3255, 3101, 3102, 10953, 20922	3406, 3412, 3449, 3483 \bidi@cpspreto	\bidi@ensure@new@command 2747, 2748
\bidi@BeforePackage	3812	\bidi@csprotect ... 3552	\bidi@ensure@newcommand 2747, 8654, 8655, 8749, 8759,
\bidi@bswitch	3373, 3375	\bidi@csuse	8760, 8761, 8767, 8768, 8774, 8775,
\bidi@CharsBefore	.	3184, 3198, 3211, 3224 \bidi@cswitch	8776, 8777, 8789, 8801, 8818, 8819, 8825, 8826, 8827,
	3288, 3290, 3291, 3296, 3300, 3301, 3306	3368, 3370 \bidi@csxappto 2871, 2873	8828, 8831, 8837, 8839, 8845, 8846,
\bidi@CharsBeforeNC	3289	\bidi@csxpreto 2880, 2882	8861, 8873, 8875, 8878, 8883, 8886,
\bidi@clearpage	3158, 3160	\bidi@current@column@status .. 20633, 20636, 20669	8888, 8892, 8908, 8918, 8928, 8938,
\bidi@collect@@body 2488, 2495	\bidi@dbg@fail	8943, 8946, 8949, 8952, 8964, 8977,
\bidi@collect@body	2483	2896, 2906, 2907, 2908, 2909, 2915,	8989, 9004, 9016,
\bidi@collect@long@@body 2512, 2519	2924, 2930, 3037, 3059, 3071, 3072, 3081	9028, 9033, 9038,
\bidi@collect@long@body 2507	\bidi@dbg@info	9043, 9059, 9068,
\bidi@column@check@number	.. 20631, 20647, 20649, 20651, 20663	2899, 2902, 2904, 2905, 2916, 2918,	9077, 9086, 9091,
\bidi@column@status 1683, 1687, 20633	2920, 2922, 2923, 2925, 2927, 2929,	9094, 9097, 9100,
	.. 1683, 1687, 20633	3035, 3060, 3062, 3064, 3067, 3073, 3075	9111, 9123, 9134, 9149, 9160, 9172,
\bidi@column@type	.. 20648, 20653, 20664	\bidi@dbg@init	9177, 9182, 9187, 9203, 9213, 9223,
\bidi@copy@stacktop	3485	2913, 3034, 3057	9233, 9238, 9241, 9244, 9247, 9259,
\bidi@cs@a	... 3316, 3317	\bidi@dbg@succ	9272, 9284, 9299,
\bidi@cs@e	3479, 3480, 3482, 3483, 3486, 3488	\bidi@dbg@trce	9311, 9323, 9328,
\bidi@cs@lista	2887, 2933, 3033, 3042, 3050	9333, 9338, 9354, 9364, 9374, 9384,
 3452, 3453, 3454, 3455, 3464, 3465	\bidi@default	9389, 9392, 9395, 9398, 9410, 9423,
\bidi@cs@listb	3449, 3451 3358, 3363, 3368, 3373, 3379, 3384	9435, 9450, 9462, 9474, 9479, 9484,
\bidi@cs@liste	3447, 3452	\bidi@del@tok@from@list 3446	9489, 9505, 9515,
\bidi@csappto 2868	\bidi@digits	9525, 9535, 9540,
\bidi@csarg 1716, 1722, 1723	9543, 9546, 9549,
	3243, 3259, 3333, 3340, 3358, 3363, 3368, 3373, 3379, 3384, 3426, 3438, 3443, 3454, 3464, 3473, 3483, 3487, 3491	\bidi@digits@charclass 1718, 1722, 1723, 1724	9561, 9574, 9586,
\bidi@csdefcs 2736	\bidi@dummies	9601, 9613, 9625,
\bidi@cseappto	2869, 2872 3338, 3340, 3341	9630, 9635, 9640,
\bidi@csepreto	2878, 2881	\bidi@eappto	
	 2828, 2841, 2869	
		\bidi@empty	
	 3313, 3316, 3317	



9656, 9666, 9676, 9686, 9691, 9694, 9697, 9700, 9712, 9725, 9737, 9752, 9764, 9776, 9781, 9786, 9791, 9807, 9817, 9827, 9837, 9842, 9845, 9848, 9851, 9863, 9876, 9888, 9903, 9915, 9927, 9932, 9937, 9942, 9958, 9968, 9978, 9988, 9993, 9996, 9999, 10002, 10014, 10027, 10039, 10054, 10066, 10078, 10083, 10088, 10093, 10109, 10119, 10129, 10139, 10144, 10147, 10150, 10153, 10165, 10178, 10190, 10205, 10217, 10229, 10234, 10239, 10244, 10252, 10259, 10263, 10274, 10283, 10285, 10286, 10313, 10325, 10337, 10349, 10353, 10357, 10361, 10375, 10389, 10403, 10430, 10443, 10457, 10463, 10472, 10480, 10488, 10492, 10503, 10504	2796, 3343, 3442, 3611 \bidi@everyjob . 1534, 1535, 1766, 1767 \bidi@excludedpackages 3853, 3854, 3874, 3910, 3927, 3935, 3945, 3967, 3968, 3976, 3977, 3982, 3995 \bidi@expandonce .. 2816, 2827, 2831, 2835, 2839, 2849, 2853, 2857, 2861, 3079 \bidi@ff@box 10997, 11015 \bidi@firstcolumn@status@ write 2890, 2892, 2939 \bidi@ifpatchable@i 2994, 2997, 2998, 2999 \bidi@ifNextChar .. 3324 \bidi@ifpatchable . \bidi@ifpatchable@i 2890, 2911 \bidi@ifpattern 2903, 3002 \bidi@ifscanable 2900, 2921, 2970, 3065 \bidi@in@front@of@cslist 3455, 3456 \bidi@in@front@of@list 3454 \bidi@info 2758 \bidi@invert@cssstack 3495 \bidi@IsEmptyList . 3317 \bidi@isloaded 2962, 13092, 13093, 13094, 13095, 13096, 13097, 13098, 13099, 13100, 13101, 13102, 13103, 13104, 13105, 13106, 13107, 13108, 13109, 13110, 13111, 13112, 13113, 13114, 13115, 13116, 13117, 13118, 13119, 13120, 13121, 13122, 13123, 13124, 13125, 13126, 13127, 13128, 13129, 13130, 13131, 13132, 13133, 13134,	3026, 3027, 3028 \bidi@ifEmpty 3316 \bidi@ifempty 3314 \bidi@ifEmptyX 3315 \bidi@ifhashcheck 2901, 2986, 3066 \bidi@ifhashcheck@i 2990, 2992 \bidi@ifhashcheck@ii 2994, 2997, 2998, 2999 \bidi@ifpatchable .. 3324 \bidi@ifpatchable@i 2890, 2911 \bidi@ifpattern 2903, 3002 \bidi@ifscanable 2900, 2921, 2970, 3065 \bidi@in@front@of@cslist 3455, 3456 \bidi@in@front@of@list 3454 \bidi@info 2758 \bidi@invert@cssstack 3495 \bidi@IsEmptyList . 3317 \bidi@isloaded 2962, 13092, 13093, 13094, 13095, 13096, 13097, 13098, 13099, 13100, 13101, 13102, 13103, 13104, 13105, 13106, 13107, 13108, 13109, 13110, 13111, 13112, 13113, 13114, 13115, 13116, 13117, 13118, 13119, 13120, 13121, 13122, 13123, 13124, 13125, 13126, 13127, 13128, 13129, 13130, 13131, 13132, 13133, 13134,
\bidi@ensure@newlength 2754, 8771, 8772, 8773, 8829	\bidi@font@outputpage 20912, 20954 \bidi@footdir@footnote 79, 292, 11276, 11278, 11282 \bidi@fswitch . 3384, 3386 \bidi@gappto .. 2832, 2870, 3098, 3101, 3104, 3107, 3110, 3113, 3116, 3120, 3123, 3137, 3149, 3164 \bidi@gobbleopt 4016, 4025 \bidi@gpreto .. 2854, 2879 \bidi@hook@acma 4040, 4084, 4097, 4098, 4103 \bidi@hook@bcma 4034, 4083, 4086, 4087, 4093 \bidi@hooktocmd 3045, 3053, 3055 \bidi@hooktocmd@i 3069, 3083 \bidi@hop@ES .. 3277, 3279 \bidi@ifblank@i 2708, 2709, 2711 \bidi@ifdefmacro 2714, 2716, 2717, 2718 \bidi@ifdefparam 3015, 3017, 3018, 3019 \bidi@ifdefprotected 3024,	13092, 13093, 13094, 13095, 13096, 13097, 13098, 13099, 13100, 13101, 13102, 13103, 13104, 13105, 13106, 13107, 13108, 13109, 13110, 13111, 13112, 13113, 13114, 13115, 13116, 13117, 13118, 13119, 13120, 13121, 13122, 13123, 13124, 13125, 13126, 13127, 13128, 13129, 13130, 13131, 13132, 13133, 13134,
\bidi@epreto 2850, 2863, 2878	\bidi@hop@ES .. 3277, 3279 \bidi@ifblank@i 2708, 2709, 2711 \bidi@ifdefmacro 2714, 2716, 2717, 2718 \bidi@ifdefparam 3015, 3017, 3018, 3019 \bidi@ifdefprotected 3024,	13117, 13118, 13119, 13120, 13121, 13122, 13123, 13124, 13125, 13126, 13127, 13128, 13129, 13130, 13131, 13132, 13133, 13134,
\bidi@eqs@a \bidi@eqs@b \bidi@EqualString . 3269 \bidi@EqualStringX 3274 \bidi@error 2756,	\bidi@eqs@a \bidi@eqs@b \bidi@EqualString . 3269 \bidi@EqualStringX 3274 \bidi@error 2756,	



13135,	13136,	13376, 13379, 13382	\bidi@looprepeat@tmp
13137,	13138,	\bidi@lastcolumn@status@write	3570, 3571, 3598,
13139,	13140, 1685, 1690,	3600, 3603, 3608,
13141,	13142,	7150, 7211, 10804,	3615, 3618, 3620, 3623
13143,	13144,	10842, 11602,	\bidi@looprepeat@traceexit
13145,	13146,	11652, 14417, 3554, 3589
13147,	13148,	14515, 20707, 20752	\bidi@looprepeat@traceinit
13149,	13150,	\bidi@leftskip 3554, 3562
13151,	13152,	.. 19222, 19223,	\bidi@looprepeat@zero
13153,	13154,	19224, 19331,	... 3569, 3588, 3626
13155,	13156,	19351, 19382,	\bidi@lrbbox
13157,	13158,	19383, 19415, 20336	20480 \bidi@lst@caption@direction
13159,	13160,	\bidi@length@of@csstack 12991,
13161,	13162,	... 3491, 3492, 3495	12992, 13004, 13007
13163,	13164,	\bidi@length@of@stack	\bidi@lst@caption@script
13165,	13168, 3491, 3505 12998,
13171,	13174,	\bidi@load@hook 3685,	12999, 13015, 13018
13177,	13180,	3688, 3721, 3758	\bidi@lst@ensure@caption@direction
13183,	13186,	\bidi@loadwithoptions 13002,
13189,	13193,	... 3693, 3694, 3699	13027, 13029,
13196,	13199,	\bidi@local@in@front@of@list	13031, 13050,
13202,	13205, 3459, 3476	13054, 13061, 13070
13208,	13211,	\bidi@local@push@onto	\bidi@lst@ensure@caption@script
13214,	13217, 3475	. 13013, 13025, 13069
13220,	13223,	\bidi@looprepeat@comp	\bidi@makecolbf ...
13226,	13229,	... 3569, 3605, 3610 10538, 10550
13232,	13235,	\bidi@looprepeat@csarg	\bidi@matrix@check
13238,	13241, 3547, 3599 2539, 20397
13244,	13247,	\bidi@looprepeat@csargromannumeral	\bidi@matrix@error
13250,	13253, 3549, 2541, 2545
13256,	13259,	\bidi@mopfn@bottom	\bidi@mopfn@bottom
13262,	13265,	3564, 3565, 3566,	... 8863, 10509,
13268,	13271,	3567, 3568, 3571,	10520, 10551, 10552
13274,	13277,	3576, 3577, 3578,	\bidi@mopfootnotebf
13280,	13283,	3579, 3580, 3582, 10516, 10544
13286,	13289,	3588, 3601, 3603,	\bidi@mopfootnoterule
13292,	13295,	3604, 3605, 3612,	.. 11053, 11287,
13298,	13301,	3613, 3615, 3620, 3628	11301, 11315,
13304,	13307,	\bidi@looprepeat@csromannumeral	11353, 13583, 18607
13310,	13313, 3548, 3572,	\bidi@mswitch . 3379, 3381
13316,	13319,	3580, 3583, 3599, 3627	\bidi@multicol@align@columns
13322,	13325,	\bidi@looprepeat@depth 14637,
13328,	13331, 3548,	14691, 14694, 14696
13334,	13337,	3549, 3551, 3563, 3589	\bidi@n@everypar ..
13340,	13343,	\bidi@looprepeat@dxbody	.. 15229, 15230,
13346,	13349, 3572, 3576	15231, 15232,
13352,	13355,	\bidi@looprepeat@setup	20107, 20292,
13358,	13361, 3569, 3595	20293, 20294, 20295
13364,	13367,	\bidi@looprepeat@sign	\bidi@namelongdef .
13370,	13373,	... 3569, 3580, 3610	2745, 8996, 8998,



9005, 9017, 9141, 9143, 9150, 9161, 9173, 9291, 9293, 9300, 9312, 9442, 9444, 9451, 9463, 9593, 9595, 9602, 9614, 9744, 9746, 9753, 9765, 9895, 9897, 9904, 9916, 10046, 10048, 10055, 10067, 10197, 10199, 10206, 10218, 10410, 10412, 10431, 10444, 10458	... 3322, 3325, 3327 \bidi@nxt@b 3322, 3325, 3328 \bidi@nxt@c 3323, 3326, 3327 \bidi@nxt@ch 3322, 3325, 3327 \bidi@o@everypar 15228, 15230, 15231, 20291, 20293, 20294 \bidi@oldwbuskip 3441, 3444 \bidi@onefilewithoptions ... 3709, 3710, 3714 \bidi@orig@leftline . 20547, 20549, 20550 \bidi@orig@raggedleft . 20532, 20534, 20535 \bidi@orig@raggedright . 20533, 20534, 20535 \bidi@orig@rightline . 20548, 20549, 20550 \bidi@oswitch 3363 \bidi@p@ftn 2027, 2090, 2092, 2093, 2095, 2096, 2098, 2099, 2103, 2106, 2109, 2214 \bidi@p@ftntext 2074, 2091, 2196 \bidi@p@LTRftntext ... 2075, 2094, 2197 \bidi@p@RTLftntext ... 2076, 2097, 2198 \bidi@p@xfootnote 2078, 2112, 2200 \bidi@p@xftntext 2077, 2102, 2117, 2199 \bidi@p@xLTRfootnote ... 2080, 2120, 2202 \bidi@p@xLTRftntext 2079, 2105, 2125, 2201 \bidi@p@xRTLfootnote ... 2082, 2128, 2204 \bidi@p@xRTLftntext 2081, 2108, 2133, 2203 \bidi@patch@@AfterPackage	\bidi@patch@Add 4135, 4164 \bidi@patch@AfterPackage 4138, 5086, 5088, 5091, 5112, 5263, 5313, 5369, 5613 \bidi@patch@counter 4116, 4120, 4123, 4129, 4130, 4149 \bidi@patch@gtemp 4156, 4163 \bidi@patch@list 4134, 4136, 4174, 4176, 4183 \bidi@patch@OrgIfClassLater 4182, 4187 \bidi@patch@OrgIfClassLoaded 4181, 4186 \bidi@patch@OrgIfPackageLater 4180, 4185 \bidi@patch@OrgIfPackageLoaded 4179, 4184 \bidi@patch@stepcounter ... 4118, 4128, 4147 \bidi@patch@temp 4146, 4150 \bidi@patch@try 4165, 4168 \bidi@patchcmd 2932, 2933, 3152, 3167, 3182, 3196, 3222, 4407, 7910, 7913, 7930, 7933, 7936, 7952, 7955, 7958, 7976, 7984, 7992, 8001, 8010, 8019, 11825, 12949, 12955, 12963, 13043, 13056, 18596, 18604 \bidi@patchcmd@scantoks ... 2950, 2956, 3091 \bidi@pdfm@mark 1819, 1833 \bidi@pickescape ... 3264 \bidi@pop@cs@into 3479, 3498 \bidi@pop@into 3482, 3508 \bidi@prepend .. 3053, 3096 \bidi@preto 2846, 2877, 3126 \bidi@pretocmd 3049, 3050, 3210
\bidi@new@command 2768, 2770, 2799, 2807		
\bidi@new@ifnch 2533, 2535		
\bidi@new@ifnextchar 2530, 20402		
\bidi@newcommand 2770, 2772		
\bidi@newrobustcmd 1597, 1599, 2767, 2768, 2792, 2803, 2824, 2828, 2832, 2836, 2841, 2842, 2846, 2850, 2854, 2858, 2863, 2864, 2868, 2869, 2870, 2871, 2872, 2873, 2877, 2878, 2879, 2880, 2881, 2882, 2886, 2932, 3031, 3041, 3049, 3098, 3101, 3104, 3107, 3110, 3113, 3116, 3120, 3123, 3134, 3137, 3149, 3164, 3179, 3193, 3207, 3219, 20370, 20372		
\bidi@next 3290, 3291, 3293, 3295, 3296, 3298, 3303, 3305, 3306, 3308		
\bidi@NextChar 3321		
\bidi@notblank .. 2710, 2718, 3019, 3028		
\bidi@nxt@a		



\bidi@PreventPackageFromLoading	14757, 14759,	\bidi@rightskip 19218, 19326, 19352, 19353, 19361, 19365, 19369, 20337
..... 3856,	14762, 14764,	
3870, 3900, 3933	14766, 14768,	
\bidi@process@envbody	14771, 14773,	\bidi@RTL@everypar .. 10314, 10326, 10338, 10363, 10377, 10391, 15227, 15231, 18345, 20290, 20294
..... 2485,	14775, 14777,	
2489, 2490, 2504,	14779, 14782,	
2509, 2513, 2514, 2528	14784, 14787,	
\bidi@protected ...	14789, 14792,	\bidi@s@tfftextcol 10994, 10998
.... 2819, 2841,	14794, 14796,	\bidi@saved@checkend ... 4027, 4030, 4048
2842, 2863, 2864,	14799, 14801,	\bidi@saved@clearpage ... 4032, 4033, 4036
2872, 2873, 2881, 2882	14803, 14806,	\bidi@saved@ofilelist 4038, 4041, 4042, 4049
\bidi@protected@cseappto	14808, 14810, 20536	\bidi@saved@eqno 15317, 15319, 15320, 21015, 21017, 21018
..... 2872	\bidi@ redefine@newpage	
\bidi@protected@csepredo 4050, 4090	
..... 2881	\bidi@reflect@box ..	
\bidi@protected@csxappto	.. 15306, 15313, 20364, 20371, 20373	
..... 2873	\bidi@ renew@command	
\bidi@protected@csxpreto 2792, 2794, 2808	
..... 2882	\bidi@ renewrobustcmd	
\bidi@protected@eappto 2792	
..... 2841	\bidi@ReplaceClass 3740	
\bidi@protected@epreto	\bidi@replacefile@msg	
..... 2863	\bidi@protected@immediate@write .. 3677, ... 4089, 4100, 4106	
\bidi@protected@xappto	3701, 3716, 3754	
..... 2842	\bidi@ReplaceInput 3724	
\bidi@protected@xpreto	\bidi@ReplacePackage	
..... 2864 3737	
\bidi@provide@command	\bidi@RequirePackage	
..... 2803, 2805	... 3876, 3936, 3987	\bidi@saved@RequirePackage
\bidi@providerobustcmd	\bidi@ResetPreventPackage	FromLoading. 3855, 3875, 3886, 3938, 3940, 4018
..... 2803 3928, 3934, 3943, 3982	\bidi@sepmark@charclass 1719, 1720, 1721, 1724
\bidi@push@begins ..	\bidi@resrvda ..	\bidi@set@column@status . 20635, 20663, 20668
... 2492, 2493, 2496	2942, 2943, 2944, 2947, 2948, 2949,	\bidi@set@cslist 3465, 3466
\bidi@push@cs@onto@cs	2950, 2951, 2952, 2957, 2960, 2972, 2973, 2974, 2975, 2976, 2978, 2979,	\bidi@set@list .. 3464
..... 3472, 3499	2988, 2990, 3004, 3005, 3007, 3009, 3010, 3085, 3086, 3087, 3088, 3089,	\bidi@set@load@hook 3762, 3765, 3766, 3768, 3787, 3799, 3813, 3830, 3841
\bidi@push@long@begins	3090, 3091, 3092, 3093	\bidi@SOUL@ulleaders 18386, 18392
... 2516, 2517, 2520	\bidi@resrvdb . 2944, 2945	
\bidi@push@onto ... 3473	\bidi@restore@newpage	\bidi@stack@length 3490, 3492, 3493, 3497, 3498, 3507, 3508
\bidi@push@onto@cs	... 4035, 4052, 4082	\bidi@storecatcode 3241
..... 3473, 3474	\bidi@restorecatcode	
\bidi@raggedleft 2381, 3248	
2388, 2393, 2412,		
7609, 7725, 10768,		
10774, 11941, 20537		
\bidi@raggedright ..		
.. 10766, 10772,		
14747, 14750,		
14752, 14755,		



\bidi@StorePreventPackage	FromLoading	19234, 19235, 19436, 19437	\bidipdfinfoon 1829, 1835
..... 3944, 3947	\bidi@undefined	... 3031	\bidipoem@hvlen 5858, 5864, 5867, 5870, 5879
\bidi@StringBefore 3299	\bidi@undefinedcs	... 3333, 3340, 3395, 3399, 3405, 3409, 3442	\bidipoem@half@verses ... 5884, 5885, 5888
\bidi@StringBeforeNC 3287	\bidi@UnPreventPackageFromLoading	... 3948	\bidipoem@half@verses@next
\bidi@switch ... 3347, 3358, 3360, 3365	\bidi@ReplaceClass 3751	\bidipoem@hvlen 5857, 5862, 5864, 5875, 5877
\bidi@switch@exit .. 3357, 3358, 3359, 3363, 3364, 3368, 3369, 3373, 3374, 3379, 3380, 3384, 3385	\bidi@ReplaceInput 3728	\bidipoem@hvsep 5857, 5870, 5871, 5878
\bidi@t@w@w .. 3408	\bidi@UnReplacePackage 3748	\bidipoem@next 5863, 5864
\bidi@tabular@RTLcases 20377, 20404	\bidi@version 1506, 1507, 1521, 1536, 1538, 1544, 1550, 1583, 1586, 1738, 1753, 1771, 1773, 1814, 1817	\bidipoem@openbox 5902, 5907
\bidi@tempa 1618, 1624, 1630, 1636, 1642, 1648, 1660, 1666, 1672, 1679, 1693, 1700	\bidi@w@w 3395	\bidipoem@p@ftn 5909, 5919, 6050, 6051, 6053, 6054, 6056, 6057, 6060, 6063,
\bidi@tempb 1618, 1619, 1624, 1625, 1630, 1631, 1636, 1637, 1642, 1643, 1648, 1649, 1660, 1661, 1666, 1667, 1672, 1673, 1679, 1680, 1693, 1694, 1700, 1701	\bidi@warning	... 2757, 3187, 3201, 3213, 3227	6066, 6171, 12398, 12408, 12429, 12439, 12460, 12470
\bidi@tempcountb 3235, 3496, 3497, 3506, 3507	\bidi@willbeunhskip	... 3435, 3441, 3444	\bidipoem@p@ftntext 5936, 5947, 6049, 6160, 6174, 12396
\bidi@temptoksa 3236, 3496, 3499, 3500, 3501, 3503, 3506, 3510	\bidi@x@stack@to@list 3505	\bidipoem@p@LTRftntext 5937, 5948, 6052, 6161, 6175, 12427
\bidi@temptoksb 3237, 3498, 3499, 3500, 3501	\bidi@xappto	... 2836, 2842, 2871	\bidipoem@p@RTLftntext 5938, 5949, 6055, 6162, 6176, 12458
\bidi@todonotes@tempa 19983, 19991	\bidi@xargdef	2774, 2782	\bidipoem@p@xfootnote 5940, 5951, 6068, 6164, 6178
\bidi@todonotes@tempb 19983, 19984, 19991, 19992	\bidi@xpreto	... 2858, 2864, 2880	\bidipoem@p@xftntext 5939, 5950, 6059, 6073, 6163, 6177
\bidi@tok@SM .. 3447, 3452	\bidicolor	... 6892, 6948, 6963, 6965, 10995, 20233, 20280, 20283, 20284	\bidipoem@p@xLTRfootnote 5942, 5953, 6075, 6166, 6180
\bidi@toks@lista .. 3420, 3422, 3423, 3424, 3425, 3448, 3450, 3456, 3457, 3459, 3461, 3466, 3467	\bidics 3232	\bidipoem@p@xRTLfootnote 5941, 5952, 6062, 6080, 6165, 6179
\bidi@toks@listb 3420, 3448, 3450	\bididate	. 1505, 1507, 1521, 1583, 1586, 1736, 1753, 1814, 1817	\bidipoem@p@xRTLfootnote 5944, 5955, 6082, 6168, 6182
\bidi@undef ... 2952, 3031, 3093, 3131, 3144, 19077,	\bidiGscale@box	.. 11761, 11762 . 11738, 11739, 11758	\bidipoem@p@xRTLftntext 5943, 5954,
	\bidiGscale@box@ddd	. 11770, 11774, 11780	
	\bidiGscale@box@dd	... 11776, 11787	
	\bidiGscale@box@ddd	\bidillap .. 20552	
	\bidiGscale@box@ddd	\bidipdfinfooff ... 1830	



6065, 6087, 6167, 6181	13976, 13986,	14271, 14305,
\bidipoem@set@verse	13993, 14015,	14414, 14418,
... 5864, 5867, 5869	14127, 14130,	14510, 14516,
\bidipoem@set@verseI	14138, 14139,	14653, 14659,
..... 5863, 5866	14961, 14963, 14976	14677, 14685,
\bidipoem@spreadbox	\boolean 181, 186, 194,	14960, 14968,
..... 5853,	4195, 4255, 4257,	14977, 15102,
5875, 5877, 5878, 5879	4260, 4264, 4267,	15106, 15122,
\bidirlap	4270, 4295, 4391,	15156, 15160,
\biditufefloatDebugInfoNL	4406, 4417, 4437,	15165, 15169,
..... 4195,	4444, 4452, 4469,	15181, 15192,
4283, 4287, 4582, 4631	4489, 4493, 4511,	15206, 15209,
\biditufefloatError	4512, 4515, 4516,	15213, 15218,
..... 4194, 4677	4551, 4560, 4571,	15294, 15310,
\biditufefloatInfoNL	5316, 5320, 5368,	15355, 15358,
... 4195, 4196, 4746	5581, 5718, 5787,	16408, 16417,
\biditufefloatRecalculate	5798, 11009, 14992	16455, 16466,
..... 4312, 4323	\botmark ... 10988, 21001	16889, 16899,
\biditufehyperrefLoadHyperref	4732, 6799, 6863,	17469, 17479,
..... 5571, 5582	6931, 7088, 7091,	17699, 17705,
\biditufesidenotemarginpar	7108, 7112, 7147,	17711, 17717,
... 4762, 5114, 5273	7151, 7157, 7158,	17723, 17729,
\bidituftetocError	7206, 7212, 7216,	17735, 17741,
... 5302, 5349, 5358	7217, 7273, 7276,	17747, 18152,
\bidiversion .. 1536, 1768	7281, 7286, 7310,	18162, 18588,
\bigskip	7449, 7451, 7455,	18631, 18649,
\bigskipamount	7459, 7484, 7766,	20177, 20178,
.. 8864, 8869, 10482	7787, 7803, 7860,	20188, 20368,
\bl	8878, 8883, 10256,	20554, 20704,
15133, 15134,	10271, 10281,	20708, 20747,
15137, 15138,	10530, 10540,	20753, 20867,
15139, 15143,	10801, 10805,	20883, 20894,
15198, 15205, 15209	10837, 10843,	20907, 20909,
\blacktriangleright	10886, 10974,	20973, 20977, 21012
..... 11412, 11414	11012, 11017,	\boxdef
\blacktriangledown	11510, 11517,	1976, 1978, 1984, 1989, 1994
..... 11412, 11414	11520, 11534,	\boxmaxdepth
\bm@b	11597, 11603,	7758, 7763, 7779, 7784,
\bm@l	11649, 11653,	7811, 7868, 8821,
\bm@r	11689, 11706,	10505, 10518,
\bm@t	11709, 11752,	10733, 11463, 11465
\bool ... 13609, 13617,	11755, 11785,	\br
13748, 13765,	11802, 13037,	15133, 15135,
13766, 13810,	13445, 13499,	15137, 15138,
13816, 13831,	13505, 13827,	15139, 15143,
13854, 13857,	14085, 14096,	15199, 15205, 15213
13877, 13882,	14101, 14135,	\BR@b@bibitem . 4967, 4968
13894, 13911,	14136, 14137,	\BR@bibitem ... 4970, 4971
13912, 13915,	14138, 14140,	\BR@c@bibitem 4972
13932, 13957,		\brace{text}
13964, 13970,		1601, 1797, 15233,



\break 13402	\bx@K 4619, 4660	\bystep 3515,
\BreakBibliography 16760,	\bx@k 4601, 4625, 4666	3527, 3611, 3624,
16793, 16795,	\bx@KK 4642, 4672	3634, 3647, 3660, 3661
16801, 17340,	\bx@L 4619, 4660	
17373, 17375,	\bx@LL 4643, 4672	
17381, 18023,	\bx@M 4619, 4660	
18056, 18058, 18064	\bx@m 4603, 4625, 4666	
\breaklooprepeat 3533,	\bx@MM 4644, 4672	
3535, 3587, 3588,	\bx@N 4619, 4660	
3606, 3617, 3622, 3636	\bx@n 4604, 4625, 4666	
\breakrepeatloop .. 3562	\bx@NN 4645, 4672	
\bs 1944, 1945, 1947	\bx@O 4620, 4661	
\bslice 15153,	\bx@o 4605, 4626, 4667	
15154, 15156,	\bx@OO 4646, 4673	
15166, 15167,	\bx@P 4620, 4661	
15169, 15189,	\bx@p 4606, 4626, 4667	
15190, 15192,	\bx@PP 4647, 4673	
15216, 15217, 15218	\bx@Q 4620, 4661	
\bx@A 4617, 4658	\bx@q 4607, 4626, 4667	
\bx@a 4591, 4623, 4664	\bx@QQ 4648, 4673	
\bx@AA 4630, 4632, 4670	\bx@R 4620, 4661	
\bx@B 4617, 4658	\bx@r 4608, 4626, 4667	
\bx@b 4592, 4623, 4664	\bx@RR 4649, 4673	
\bx@BB 4633, 4670	\bx@S 4581, 4583, 4621, 4662	
\bx@C 4617, 4658	\bx@s 4609, 4627, 4668	
\bx@c 4593, 4623, 4664	\bx@SS 4650, 4674	
\bx@CC 4634, 4670	\bx@T 4584, 4621, 4662	
\bx@D 4617, 4658	\bx@t 4610, 4627, 4668	
\bx@d 4594, 4623, 4664	\bx@TT 4651, 4674	
\bx@DD 4635, 4670	\bx@U 4585, 4621, 4662	
\bx@E 4617, 4658	\bx@u 4611, 4627, 4668	
\bx@e 4595, 4623, 4664	\bx@UU 4652, 4674	
\bx@EE 4636, 4670	\bx@V 4586, 4621, 4662	
\bx@F 4618, 4659	\bx@v 4612, 4627, 4668	
\bx@f 4596, 4624, 4665	\bx@VV 4653, 4674	
\bx@FF 4637, 4671	\bx@W 4587, 4622, 4663	
\bx@G 4618, 4659	\bx@w 4613, 4628, 4669	
\bx@g 4597, 4624, 4665	\bx@WW 4654, 4675	
\bx@GG 4638, 4671	\bx@X 4588, 4622, 4663	
\bx@H 4618, 4659	\bx@x 4614, 4628, 4669	
\bx@h 4598, 4624, 4665	\bx@XX 4655, 4675	
\bx@HH 4639, 4671	\bx@Y 4589, 4622, 4663	
\bx@I 4618, 4659	\bx@y 4615, 4628, 4669	
\bx@i 4599, 4624, 4665	\bx@YY 4656, 4675	
\bx@II 4640, 4671	\bx@Z 4590, 4622, 4663	
\bx@J 4618, 4659	\bx@z 4616, 4628, 4669	
\bx@j 4600, 4624, 4665	\bx@ZZ 4657, 4675	
\bx@JJ 4641, 4671	\bye 1833	



16165,	16172,	\c@LT@chunks 13428	. . . 550, 704, 958,
16368,	16375,	\c@mpfootnote	1217, 6297, 6474,
16769,	16778,	.. 11287, 11301,	6731, 8402, 8525,
16785,	17349,	11315, 11340, 13592	10722, 11029,
17358,	17365,	\c@NAT@ctr 14819	11042, 14226,
18032,	18041,	\c@page 5725,	15592, 15957,
18048,	18697, 18704	8038, 8055, 10900,	16157, 16340,
\c@equation 6301,		10927, 20140, 20863	16743, 17299, 17994
6478,	6723, 8131,	\c@paragraph	\c@table .. 6305, 6482,
8200,	8517, 10726,	.. 551, 705, 959,	6727, 8521, 10730,
11021,	11034,	1218, 6298, 6475,	11025, 11038,
14233,	15596,	6732, 8403, 8526,	14235, 15600,
15965,	16150,	10723, 11030,	15963, 16154,
16332,	17327, 18010	11043, 14228,	16336, 17319, 18006
\c@figure . 6303, 6480,		15593, 15958,	\c@thisframe
6725,	8519, 10728,	16158, 16341,	.. 10899, 10904,
11023,	11036,	16745, 17301, 17996	10940, 10942, 10943
14234,	15598,	\c@poem@no 5994,	\c@tocdepth . . . 3, 208,
15961,	16152,	6044, 6095, 6106	511, 528, 647, 663,
16334,	17311, 18002	\c@secnumdepth	681, 874, 907, 925,
\c@footnote 128,		.. 314, 554,	1130, 1146, 1164,
328,	456, 748,	563, 6542, 6737,	6205, 6221, 6237,
807,	1000, 1059,	8261, 8270, 8531,	6382, 6398, 6414,
1250,	1309, 1871,	10589, 15372, 16346	6685, 6700, 8234,
6316,	6493, 6630,	\c@section 6295,	8248, 8503, 10557,
8351,	8448, 10670,	6472, 6729, 8523,	10572, 12770,
11362,	11376,	10720, 11027,	14578, 14590,
12211,	12321,	11040, 14222,	14602, 15506,
12329,	12359,	14870, 15590,	15522, 15538,
12367,	12808,	15955, 16155,	15878, 15894,
13479,	13482,	16338, 17295, 17990	15910, 16110,
15613,	15672,	\c@subparagraph	16124, 16294,
15752,	15813,	.. 552, 706, 960,	16309, 18773,
16009,	16052,	1219, 6299, 6476,	18777, 18819,
16239,	16584,	6733, 8404, 8527,	18838, 18860,
16648,	17133,	10724, 11031,	18877, 18894,
17197,	17832, 17896	11044, 14230,	18911, 19203,
\c@Hy@AnnotLevel		15594, 15959,	19311, 19346,
.. 12533,		16159, 16342,	19734, 19930, 20614
12534,	12539, 12543	16747, 17303, 17998	\c@twb 7098
\c@L@depth 12933		\c@subsection	\c@twbcompctr 7079
\c@L@lines . 12934, 12936		.. 549, 703, 957,	\c@twbcomppdctr 7095
\c@ll@chapseci 6973		1216, 6296, 6473,	\c@twfirst . 7080, 7086,
\c@ll@chapsecii 6968		6730, 8401, 8524,	7093, 7097, 7106, 7109
\c@lofdepth . 18928, 18965		10721, 11028,	\c@twlftside 7084
\c@lor@error		11041, 14224,	\c@twlspec . 7098, 7101, 7105
6937, 6944, 6952,		15591, 15956,	\c@twp prune 7084,
6958,	20225, 20259	16156, 16339,	7085, 7101, 7105
\c@lotdepth . 18946, 18985		16741, 17297, 17992	\c@twrounds 7096,
\c@lstlisting 13087, 13089		\c@subsubsection	7099, 7102, 7114



\c@twrtside	7085	18129, 18132,	\caption@normalsize
\c@twslicea . . .	7082, 7084, 7088, 7091, 7100, 7101, 7108, 7112	18137, 18139, 18140 13463
\c@twsliceb . . .	7083, 7085, 7088, 7091, 7104, 7105, 7108, 7112	\cap@left . . . 16888, 16899, 17468, 17479, 18151, 18162	\caption@parindent 6885
\c@twwinlines .	7081, 7094	\cap@margin 16831, 17411, 18094	\caption@prepare@stepcounter .. 13461
\c@zabspage	11084	\cap@right . . . 16890, 16899, 17470, 17479, 18153, 18162	\caption@setautoposition .. . 13459
\cals@activate@rtl	6847	\cap@width 16854, 16857, 16860, 17434, 17437, 17440, 18117, 18120, 18123	\caption@setoptions 13456, 13457
\cals@AtBeginTable	6864	\capfont 16841, 16862, 16867, 16872, 16876, 16895, 16899, 17421, 17442, 17447, 17452, 17456, 17475, 17479, 18104, 18125, 18130, 18135, 18139, 18158, 18162	\caption@settype . 13452
\cals@AtEndTable	6866	\caplabelfont . 16842, 16863, 16868, 16873, 16878, 16896, 17422, 17443, 17448, 17453, 17458, 17476, 18105, 18126, 18131, 18136, 18141, 18159	\caption@starfalse 13073, 13460
\cals@backup@row	6863	\caption 4400, 4401, 4403, 4459, 11914, 11932, 13405, 14309, 14311	\caption@startrue .. . 13074, 13080, 13460
\cals@borderB	6862	\caption@@make . . . 13466	\captionabove . 16947,
\cals@borderL	6859	\caption@par 6884	16952, 17527, 17532, 18210, 18215
\cals@borderR	6860	\caption@begin 13462	\captionbelow . 16949,
\cals@borderT	6861	\caption@end 13468	16954, 17529, 17534, 18212, 18217
\cals@current@context 6853	\caption@hangindent 6885	\captionformat 16842,
\cals@last@context	6852	\caption@iftop 13465, 13467	16863, 16868, 16873, 16878, 16896, 17422, 17443, 17448, 17453, 17458, 17476, 18105, 18126, 18131, 18136, 18141, 18159
\cals@paddingL	6869, 6871, 6876, 6878	\caption@LT@make 13451	\caption@labelfalse 13078
\cals@paddingR	6873, 6880	\caption@LT@setup 13458	\catcode 1737,
\cals@set@tohsize	6856	\caption@makecaption 6882, 13072	1834, 2959, 3244, 3245, 3246, 3286, 4939, 4961, 5892, 5893, 5895, 5896, 11421, 11422, 11537
\cals@setcellprevdepth 6856	\caption@Leftskip 15387	
\cals@setpadding	6856	\caption@Parfillskip 15390	
\cals@setup@alignment 6840, 6855	\caption@Parindent 15391	
\cals@table@alignment 6845, 6846		
\cals@tbreak@tokens	6850		
\cals@tfoot@height	6851		
\cals@tfoot@tokens 6849, 6866		
\cals@thead@tokens	6848		
\cals@vfillAdd	6841, 6843, 6869, 6878		
\cals@vfillDrop 6842, 6843, 6871, 6873, 6876, 6880		
\CAny 1965		
\cAny 1973		
\cap@indent 16866, 16869, 16874, 16876, 16877, 17446, 17449, 17454, 17456, 17457,		



\CenteringRightskip	15388	\cftpptaftersnum 18799	\cftsubsubsecaftersnumb 18888
\centerline 317, 11517, 11534, 15321, 20538		\cftpptaftersnumb 18800	\cftsubsubsecfillnum 18891
\cftbeforechapskip 18821		\cftpapartfillnum .. 18803	\cftsubsubsecfont 18890
\cftbeforefigskip 18929		\cftpapartfont 18802	\cftsubsubsecindent 18879, 18882
\cftbeforeparaskip 18895		\cftpapartindent 18791, 18794	\cftsubsubsecnumwidth 18885
\cftbeforepartskip 18789		\cftpapartnumwidth . 18797	\cftsubsubsecpresnum 18886
\cftbeforesecskip 18840, 18843		\cftpapartpresnum 18798, 18802	\cftsubtabaftersnum 18995
\cftbeforesubfigskip 18966		\cftsecaftersnum . 18853	\cftsubtabaftersnumb 18996
\cftbeforesubparaskip 18912		\cftsecaftersnumb 18854	\cftsubtabfillnum 18999
\cftbeforesubsecskip 18861		\cftsecfillnum ... 18857	\cftsubtabfont ... 18998
\cftbeforesubsubsecskip 18878		\cftsecfont 18856	\cftsubtabindent 18987, 18990
\cftbeforesubtabskip 18986		\cftsecindent 18845, 18848	\cftsubtabnumwidth 18993
\cftbeforetabskip 18947		\cftsecnumwidth .. 18851	\cftsubtabpresnum 18994
\cftchapaftersnum 18830		\cftsecpresnum ... 18852	\cfttabaftersnum . 18956
\cftchapaftersnumb 18831		\cftsubfigaftersnum 18975	\cfttabaftersnumb 18957
\cftchapfillnum .. 18834		\cftsubfigaftersnumb 18976	\cfttabfillnum ... 18960
\cftchapfont 18833		\cftsubfigfillnum 18979	\cfttabfont 18959
\cftchapindent 18822, 18825, 19072		\cftsubfigfont ... 18978	\cfttabindent 18948, 18951
\cftchapnumwidth 18828, 19073		\cftsubfigindent 18967, 18970	\cfttabnumwidth .. 18954
\cftchappresnum .. 18829		\cftsubfignumwidth 18973	\cfttabpresnum ... 18955
\cftchapterprecistoc 19071		\cftsubfigpresnum 18974	\chapnumfont 15371
\cftdot 18769		\cftsubparaftersnum 18921	\chapter 5314,
\cftdotfill 19063		\cftsubparaftersnumb 18922	5342, 5412, 5420,
\cftdotsep 19062		\cftsubparafillnum 18925	5536, 5542, 6267,
\cftfigaftersnum . 18938		\cftsubparafont .. 18924	6455, 6764, 8559,
\cftfigaftersnumb 18939		\cftsubparaindent 18913, 18916	10615, 15573,
\cftfigfillnum ... 18942		\cftsubparanumwidth 18919	15967, 16161, 16364
\cftfigfont 18941		\cftsubparapresnum 18920	\chapterheadendvskip 15377
\cftfigindent 18930, 18933		\cftsubsecaftersnum 18870	\chapterheadstartvskip 15369
\cftfignumwidth .. 18936		\cftsubsecaftersnumb 18871	\chaptermark . 5799, 18732
\cftfigpresnum ... 18937		\cftsubsecfillnum 18874	\chaptername .. 318, 14242
\cftparaftersnum 18904		\cftsubsecfont ... 18873	\chapterstyle 14237
\cftparaftersnumb 18905		\cftsubsecindent 18862, 18865	\char 1725, 1948, 1949, 3232
\cftparafillnum .. 18908		\cftsubsecnumwidth 18868	\chardef 3231,
\cftparafont 18907		\cftsubsecpresnum 18869	11421, 12991,
\cftparaindent 18896, 18899		\cftsubsubsecaftersnum 18887	12992, 12998, 12999
\cftparanumwidth .. 18902			\check@floats . 7331, 7506
\cftparapresnum .. 18903			\CheckCommand .. 3668,
			12318, 12356, 15433
			\checkoddpage 4294



\CIIIAny	1966	\closing	8593, 17755	9120, 9131, 9157,	
\ciiiAny	1974	\clubpenalty	92,	9169, 9209, 9219,	
\circle{6987, 6990, 6997, 7000, 7010, 7013, 7020, 7023, 7033, 7036, 7043, 7046, 7056, 7059, 7066, 7069}		305, 586, 587, 720, 983, 1233, 2458, 6010, 6279, 6467, 6777, 6778, 8300, 8572, 8573, 10627, 12735, 14825, 15585, 15979, 16174, 16175, 16377, 16378, 16787, 17367, 18050, 18706, 18707		9229, 9255, 9268, 9280, 9307, 9320, 9360, 9370, 9380, 9406, 9419, 9431, 9458, 9471, 9511, 9521, 9531, 9557, 9570, 9582, 9609, 9622, 9662, 9672, 9682, 9708, 9721, 9733, 9760, 9773, 9813, 9823, 9833, 9859, 9872, 9884, 9911, 9924, 9964, 9974, 9984, 10010, 10023, 10035, 10062, 10075, 10115, 10125, 10135, 10161, 10174, 10186, 10213, 10226, 10321, 10333, 10345, 10371, 10385, 10399, 10439, 10453, 10511, 10522, 11236, 11253, 11269, 11296, 11310, 11324, 11336, 13529, 20489, 6930, 20188, 6963, 20280, 2215, 4798, 4842, 4886, 16480, 16490, 16508, 20805, 20849, 20970, 20991, 5128, 5146, 5164, 6171, 8670, 8686, 8702, 8716, 8729, 8742, 8858, 8916, 8926, 8936, 8962, 8975, 8987, 9014, 9027, 9067, 9076, 9085, 9110, 9122, 9133, 9159, 9171, 9211, 9221, 9231, 9257, 9270, 9282, 9309,	
\cite	4976, 5068, 5074, 5075, 5169, 5174, 5195, 5203, 5224, 5232, 5253, 5271, 5275, 5280, 5284, 5289, 5293, 14828, 14829	\coffeefont	14598		
\citeasnoun	14829	\col@number	132, 137, 139, 142, 143, 150, 462, 813, 1065, 1315, 6636, 8357, 8454, 10676, 14200, 14540, 14622, 14627, 14663, 14698, 14699, 14701, 14704, 14705, 14712, 15678, 15819, 16063, 16245, 16652, 17201, 17900		
\citeN	14828	\col@sep	382, 410, 6888, 6889, 13417, 20381		
\cites	5069	\color	181, 1905, 1906, 1907, 1908, 1909, 2381, 6933, 6936, 6939, 6957, 6960, 7607, 7610, 7620, 7738, 12859, 13555, 20190		
\cl@ckpt	18476	\color@	20230, 20277		
\ClassInfo {5756, 5821, 16958, 17538, 18221}		\color@b@x	6925, 6963, 6965, 20183, 20280, 20283		
\ClassWarning 16641, 17190, 17889	\color@begingroup			
\ClassWarningNoLine	14293	5124, 5142, 6169, 6183, 8666, 8682, 8698, 8711, 8724, 8737, 8914, 8924, 8934, 8960, 8973, 8985, 9012, 9025, 9065, 9074, 9083, 9108,			
\clear	4073				
\cleardoubleemptypage	16588, 16633, 17137, 17182, 17836, 17881				
\cleardoublepage {5678, 5723, 5725, 5782, 5795, 5809, 6758, 8553}					
\clearpage	607, 623, 872, 1124, 3153, 3154, 3158, 3159, 4032, 4033, 4036, 4678, 5690, 5725, 5811, 6199, 6376, 6586, 6760, 8555, 15482, 15737, 16196, 16696, 17245, 17944, 18766				
\clipbox@@	15357				
\CloneTOCEntryStyle	16964, 16977, 16996, 17002, 17544, 17557, 17576, 17582, 18227, 18240, 18259, 18265				



9322, 9362, 9372,	14420, 14537,	10223, 10307,
9382, 9408, 9421,	14630, 14679,	10367, 10381,
9433, 9460, 9473,	15475, 15730,	10395, 10424,
9513, 9523, 9533,	16189, 20145,	10449, 10608,
9559, 9572, 9584,	20150, 20154,	10612, 10797,
9611, 9624, 9664,	20160, 20163, 20709	10799, 10803,
9674, 9684, 9710,	\columnseprule	10807, 10835,
9723, 9735, 9762,	. . . 99, 229, 599,	10841, 11142,
9775, 9815, 9825,	615, 864, 1116,	11145, 11147,
9835, 9861, 9874,	1855, 2291, 6191,	11232, 11249,
9886, 9913, 9926,	6368, 6578, 7143,	11265, 11292,
9966, 9976, 9986,	7208, 7271, 7283,	11306, 11320,
10012, 10025,	7448, 7457, 10798,	11338, 11552,
10037, 10064,	10839, 11599,	11559, 11595,
10077, 10117,	11645, 12743,	11601, 11643,
10127, 10137,	14410, 14512,	11647, 11651,
10163, 10176,	14655, 14669,	11655, 11886,
10188, 10215,	15474, 15729,	11887, 12757,
10228, 10323,	16188, 20700, 20749	12831, 12835,
10335, 10347,	\columnsep rulecolor	13532, 14408,
10373, 10387, 14654, 14668	14412, 14416,
10401, 10441,	\columnwidth . . 28, 41,	14419, 14508,
10455, 10515,	55, 71, 242, 254,	14514, 14537,
10526, 11239,	268, 283, 543, 547,	14566, 14572,
11256, 11272,	734, 968, 1214,	14728, 14732,
11299, 11313,	2205, 6293, 6446,	14736, 14740,
11327, 11357, 20491	6716, 6720, 6828,	15570, 15993,
\color@fb@x . 20281, 20282	7141, 7145, 7149,	16143, 16147,
\color@fbox . . 6964, 20281	7153, 7204, 7210,	16325, 16329,
\color@hbox	7270, 7272, 7275,	16569, 16817,
. . 16477, 16487,	7278, 7280, 7285,	16822, 17118,
16505, 20967, 20988	7447, 7449, 7451,	17397, 17402,
\color@setgroup . .	7453, 7455, 7459,	17677, 17681,
. 6966, 20285	7756, 7777, 8307,	17817, 18080,
\color@vbox	8311, 8606, 8610,	18085, 20698,
2193, 4789, 4833,	8653, 8663, 8679,	20702, 20706,
4877, 20796, 20840	8695, 8708, 8721,	20710, 20745,
\colorA . . 6544, 6553, 6565	8734, 8957, 8969,	20751, 20888, 20890
\colorB 6550,	8982, 9022, 9105,	\contentslabel . 5373,
6556, 6562, 6568	9116, 9128, 9166,	5380, 5387, 5394, 5401
\colorblend . . . 20197,	9252, 9264, 9277,	\contentsline . . . 12149
20198, 20240, 20241	9317, 9403, 9415,	\contentsmargin . . 18671
\colorbox 2021, 2023, 2024	9428, 9468, 9554,	\contentspush . . . 18645
\columncolor . . 1469, 6896	9566, 9579, 9619,	\convertcolorspec .
\columnsep 99, 229, 600,	9705, 9717, 9730, 20204,
616, 865, 1117,	9770, 9856, 9868,	20207, 20247, 20250
1854, 2290, 6192,	9881, 9921, 10007,	\Coord 1962
6369, 6579, 7152,	10019, 10032,	\coord 1967
7277, 7452, 10806,	10072, 10158,	\CoordIII 1964
11654, 12743,	10170, 10183,	\coordiii 1969



\Coordn	1963	4121, 4123, 6894,	3293, 3295, 3303,
\coordin	1968	14617, 14618,	3305, 3314, 3315,
\Coordx	1959,	14620, 14622,	3395, 3399, 3430,
	1962, 1963, 1964,	14629, 14650,	3438, 3439, 3452,
	1965, 1966, 1967,	14651, 14653,	3460, 3462, 3489,
	1968, 1969, 1973, 1974	14673, 14674,	3510, 3547, 3548,
\coordx	1970	14677, 14926,	3549, 3565, 3566,
\Coordy	1960,	14934, 14947, 18515	3567, 3568, 3674,
	1962, 1963, 1964,	\counterwithout 14238,	3677, 3681, 3698,
	1965, 1966, 1967,	14239, 14240, 14241	3701, 3703, 3713,
	1968, 1969, 1973, 1974	\cr 398, 5957,	3716, 3718, 3725,
\coordy	1971	5964, 6020, 8881,	3730, 3735, 3745,
\Coordz	1961,	8885, 8887, 13432,	3761, 3764, 3778,
	1964, 1966, 1969, 1974	18421, 18459, 20586	3790, 3822, 3833,
\coordz	1972	\crcr 409, 2087, 5960,	3917, 3920, 3960,
\copy	4785,	18409, 18439,	4009, 4149, 4170,
	4829, 4873, 6832,	20392, 20395, 20573	4521, 4522, 4529,
	7121, 7184, 7252,	\CROP@llc 7029	4530, 5122, 5140,
	7258, 7418, 7430,	\CROP@lrc 7052	5158, 5189, 5218,
	7767, 7788, 10780,	\CROP@ulc 6983	5247, 5489, 6015,
	10816, 11572,	\CROP@urc 7006	6050, 6053, 6056,
	11620, 11697,	\CROP@execopt 7076	6070, 6077, 6084,
	11743, 13496,	\cs 13666, 13717,	6092, 6093, 6131,
	13508, 13512,	13735, 13789,	6156, 6157, 6939,
	14342, 14442,	13804, 14092,	6945, 6953, 6960,
	15226, 15309,	14094, 14954, 14955	7532, 8665, 8681,
	15379, 20367,	\cs@a 3317	8697, 8710, 8723,
	20678, 20725,	168, 213, 257, 271,	8736, 8913, 8923,
	20792, 20836, 20899	286, 343, 344, 386,	8933, 8959, 8972,
\cor@height . . .	14365,	1372, 2050, 2051,	8984, 9002, 9003,
	14366, 14393,	2065, 2066, 2092,	9011, 9024, 9064,
	14394, 14433,	2095, 2098, 2114,	9073, 9082, 9107,
	14465, 14466,	2122, 2130, 2185,	9119, 9130, 9147,
	14493, 14494, 14530	2488, 2489, 2512,	9148, 9156, 9168,
\count	1606, 1802,	2513, 2540, 2567,	9208, 9218, 9228,
	2188, 3542, 4774,	2571, 2582, 2590,	9254, 9267, 9279,
	4818, 4862, 8870,	2598, 2606, 2608,	9297, 9298, 9306,
	8899, 9003, 9050,	2610, 2614, 2615,	9319, 9359, 9369,
	9148, 9194, 9298,	2679, 2721, 2731,	9379, 9405, 9418,
	9345, 9449, 9496,	2737, 2738, 2740,	9430, 9448, 9449,
	9600, 9647, 9751,	2741, 2743, 2744,	9457, 9470, 9510,
	9798, 9902, 9949,	2746, 2789, 2790,	9520, 9530, 9556,
	10053, 10100,	2813, 2868, 2869,	9569, 9581, 9599,
	10204, 10293,	2870, 2871, 2877,	9600, 9608, 9621,
	10418, 10910,	2878, 2879, 2880,	9661, 9671, 9681,
	11573, 11621,	2963, 2964, 2967,	9707, 9720, 9732,
	11826, 11832,	2968, 3183, 3185,	9750, 9751, 9759,
	20781, 20825, 20933	3197, 3199, 3250,	9772, 9812, 9822,
\count@ . . .	1409, 1468,	3255, 3259, 3275,	9832, 9858, 9871,
	2560, 2565, 4120,		9883, 9901, 9902,



9910, 9923, 9963, 9973, 9983, 10009, 10022, 10034, 10052, 10053, 10061, 10074, 10114, 10124, 10134, 10160, 10173, 10185, 10203, 10204, 10212, 10225, 10319, 10331, 10343, 10369, 10383, 10397, 10417, 10418, 10437, 10451, 10735, 10888, 10889, 10894, 10895, 11003, 11004, 11005, 11006, 11008, 11010, 11011, 11012, 11013, 11015, 11016, 11017, 11074, 11098, 11116, 11202, 11211, 11234, 11251, 11267, 11295, 11309, 11323, 11370, 11385, 12151, 12154, 12156, 12160, 12164, 12178, 12189, 12200, 12400, 12431, 12462, 12775, 12863, 12866, 13285, 13351, 14322, 14323, 14330, 16521, 16525, 16529, 16967, 16969, 16971, 16974, 16980, 16989, 16991, 16993, 16999, 17070, 17074, 17078, 17547, 17549, 17551, 17554, 17560, 17568,	17570, 17579, 17773, 18230, 18234, 18243, 18253, 18262, 18437, 18471, 18495, 18512, 18539, 19012, 19029, 19031, 19040, 19094, 19249, 19360, 19368, 19470, 19500, 19517, 19529, 19645, 19649, 19668, 19676, 19683, 19692, 19710, 19717, 19724, 19762, 19771, 19776, 19785, 19797, 19807, 19863, 19963, 19966, 19970, 20422, 20575, 20649, \CT@do@color \CT@cell@color \CT@color	17573, 17769, 17777, 18232, 18237, 18251, 18256, 18411, 18439, 18493, 18511, 18532, 18749, 19013, 19030, 19038, 19041, 19095, 19250, 19364, 19467, 19484, 19501, 19524, 19590, 19647, 19665, 19674, 19679, 19688, 19696, 19714, 19720, 19726, 19764, 19772, 19781, 19796, 19801, 19862, 19867, 19964, 19969, 19974, 20477, 20636, 20651, \CT@do@color \CT@cell@color 1493, 6916 \CT@color	\CT@column@color \CT@do@color \CT@extract . . . 1469, 6896 \CT@row@color . 1492, 6915 \CT@setup 1458, 1459, 1461, 1462, 1466, 1490, 6887, 6913 \cumpartcl 15130 \cumtcl 15130 \curraddr 332 \current@color 6932, 6938, 6945, 6953, 6959, 11399, 11404, 20189, 20226, 20227, 20231, 20260, 20261, 20278 \CurrentOption 5737, 5738, 5739, 5740, 5741, 5761, 5762, 5763, 5764, 5765, 7553, 7651 \customername 17715 \CustomFBox 11401 \cvcomputer 2413 \cvdoubleitem . 2390, 2414 \cventry 2402 \cvlanguage 2411 \cvline 2385, 2386, 2391, 2395, 2397, 2403, 2412 \cvlistdoubleitem . 2396 \cvlistitem 2394 \cvtheme 2328, 2331	D	\d 13636 \d@llarbegin 382, 411, 1413, 1414, 1415, 1478, 1481, 1482, 6901, 6904, 6905, 20381 \d@llarend 383, 411, 1413, 1414, 1415, 1480, 1481, 1482, 6903, 6904, 6905, 20382 \dashgapcolor 1473
---	---	--	--	---	--



\date	450, 486, 790, 835, 1042, 1087, 1292, 1337, 1889, 5603, 5651, 6358, 6535, 6624, 6660, 8345, 8379, 8442, 8478, 10664, 10698, 15655, 15700, 15796, 15843, 16046, 16087, 16233, 16269, 16692, 17241, 17940	. 19079, 19236, 19438 \DecMargin 194 \dedication 16691, 17240, 17939 \dedicatory 333 \def . . . 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 171, 172, 173, 174, 184, 188, 207, 228, 237, 238, 239, 240, 244, 247, 261, 276, 308, 311, 323, 329, 346, 348, 353, 355, 380, 385, 387, 408, 409, 410, 411, 457, 458, 489, 553, 590, 722, 745, 746, 754, 793, 794, 796, 801, 803, 808, 810, 838, 985, 997, 998, 1006, 1045, 1046, 1048, 1053, 1055, 1060, 1061, 1090, 1235, 1247, 1248, 1256, 1295, 1296, 1298, 1303, 1305, 1310, 1312, 1340, 1360, 1370, 1371, 1374, 1380, 1408, 1421, 1422, 1425, 1438, 1446, 1454, 1455, 1458, 1459, 1462, 1467, 1505, 1506, 1598, 1600, 1601, 1681, 1685, 1736, 1738, 1768, 1785, 1793, 1794, 1795, 1796, 1797, 1803, 1804, 1811, 1812, 1813, 1816, 1819, 1829, 1830, 1833, 1842, 1847, 1872, 1873, 1955, 1956, 1957, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972,
\datename 17745	1973, 1974, 1979, 1990, 2021, 2022, 2023, 2024, 2031, 2037, 2043, 2051, 2056, 2058, 2066, 2071, 2072, 2087, 2091, 2094, 2097, 2102, 2105, 2108, 2112, 2120, 2128, 2135, 2137, 2138, 2140, 2209, 2303, 2304, 2305, 2306, 2307, 2308, 2310, 2311, 2329, 2330, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2461, 2482, 2483, 2486, 2492, 2495, 2506, 2507, 2510, 2516, 2519, 2530, 2532, 2535, 2539, 2545, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2566, 2567, 2571, 2576, 2584, 2592, 2600, 2607, 2609, 2709, 2717, 2738, 2746, 2747, 2748, 2754, 2756, 2757, 2758, 2768, 2770, 2772, 2778, 2782, 2785, 2794, 2805, 2807, 2808, 2819, 2892, 2911, 2943, 2944, 2945, 2956, 2970, 2973, 2974, 2986, 2998, 3002, 3005, 3018, 3027, 3055, 3083, 3086, 3087, 3095, 3096, 3130, 3143, 3159, 3174, 3232, 3241, 3248, 3255, 3259, 3264, 3269, 3274, 3276, 3279, 3282, 3290, 3291, 3293, 3295, 3296, 3303,
\deadcycles	... 3168, 3171	
\debugfootnotedirection 11061	
\DeclareOption	
	2220, 2223, 2226, 2229, 2232, 2235, 2238, 2243, 2244, 2245, 2246, 2247, 2249, 4199, 4201, 4203, 4206, 4211, 5308, 5309, 5567, 5568, 5593, 5594, 5737, 5738, 5739, 5740, 5741, 5761, 5762, 5763, 5764, 5765, 7543, 7545, 7547, 7549, 7551, 7552, 7641, 7643, 7645, 7647, 7649, 7650	
\DeclareRobustCommand 1947, 1948, 1949, 1950, 1951, 1952, 1953, 4534, 4541, 6933, 6948, 20190, 20233	
\DeclareSectionCommand 17004, 17012, 17022, 17032, 17042, 17052, 17584, 17593, 17601, 17611, 17621, 17631, 17641, 18267, 18276, 18284, 18294, 18304, 18314, 18324	
\DeclareTOCEntryStyle		



3305, 3306, 3313,	5725, 5863, 5864,	9164, 9179, 9184,
3314, 3315, 3316,	5866, 5884, 5885,	9204, 9214, 9224,
3317, 3321, 3322,	5888, 5898, 5899,	9250, 9262, 9275,
3324, 3325, 3327,	5900, 5901, 5907,	9302, 9315, 9330,
3333, 3339, 3357,	5910, 5921, 5922,	9335, 9355, 9365,
3358, 3363, 3368,	5923, 5933, 5959,	9375, 9401, 9413,
3373, 3379, 3384,	5963, 5970, 5992,	9426, 9453, 9466,
3395, 3399, 3405,	6011, 6012, 6013,	9481, 9486, 9506,
3408, 3422, 3424,	6019, 6049, 6052,	9516, 9526, 9552,
3426, 3428, 3429,	6055, 6059, 6062,	9564, 9577, 9604,
3431, 3433, 3438,	6065, 6068, 6075,	9617, 9632, 9637,
3439, 3440, 3441,	6082, 6092, 6093,	9657, 9667, 9677,
3446, 3447, 3454,	6094, 6104, 6108,	9703, 9715, 9728,
3456, 3459, 3464,	6111, 6116, 6117,	9755, 9768, 9783,
3466, 3472, 3473,	6118, 6120, 6129,	9788, 9808, 9818,
3474, 3475, 3479,	6135, 6156, 6157,	9828, 9854, 9866,
3482, 3484, 3485,	6281, 6313, 6314,	9879, 9906, 9919,
3489, 3491, 3492,	6322, 6469, 6490,	9934, 9939, 9959,
3495, 3505, 3547,	6491, 6499, 6539,	9969, 9979, 10005,
3548, 3549, 3552,	6559, 6631, 6632,	10017, 10030,
3562, 3569, 3571,	6663, 6734, 6748,	10057, 10070,
3576, 3588, 3595,	6781, 6785, 6797,	10085, 10090,
3597, 3601, 3602,	6810, 6817, 6821,	10110, 10120,
3609, 3611, 3614,	6824, 6887, 6890,	10130, 10156,
3619, 3626, 3628,	6893, 6925, 6932,	10168, 10181,
3699, 3702, 3711,	6935, 6942, 6950,	10208, 10221,
3714, 3866, 3877,	6956, 6963, 6964,	10236, 10241,
3916, 4029, 4039,	6966, 7080, 7093,	10303, 10315,
4052, 4106, 4116,	7096, 7097, 7102,	10327, 10339,
4118, 4123, 4128,	7109, 7114, 7118,	10364, 10378,
4134, 4135, 4138,	7181, 7241, 7750,	10392, 10420,
4145, 4153, 4168,	7754, 7757, 7775,	10433, 10447,
4241, 4332, 4353,	7778, 7796, 7853,	10469, 10477,
4357, 4370, 4450,	8030, 8072, 8099,	10551, 10586,
4519, 4537, 4543,	8101, 8106, 8137,	10598, 10629,
4580, 4705, 4707,	8138, 8211, 8260,	10671, 10672,
4708, 4709, 4718,	8279, 8302, 8352,	10701, 10732,
4720, 4721, 4722,	8353, 8382, 8449,	10764, 10770,
4726, 4728, 4734,	8450, 8481, 8528,	10777, 10813,
4735, 4762, 4776,	8543, 8576, 8652,	10887, 10898,
4779, 4783, 4787,	8659, 8675, 8691,	10946, 11053,
4800, 4806, 4820,	8707, 8720, 8733,	11140, 11144,
4823, 4827, 4831,	8762, 8763, 8764,	11146, 11148,
4844, 4850, 4864,	8774, 8775, 8776,	11150, 11152,
4867, 4871, 4875,	8847, 8909, 8919,	11154, 11155,
4888, 4940, 4955,	8929, 8955, 8967,	11157, 11161,
4960, 5086, 5088,	8980, 9007, 9020,	11170, 11172,
5116, 5134, 5152,	9035, 9040, 9060,	11179, 11180,
5173, 5202, 5231,	9069, 9078, 9103,	11197, 11200,
5451, 5488, 5496,	9114, 9126, 9152,	11206, 11209,



11217,	11218,	12696,	12698,	15275,	15276,
11219,	11225,	12699,	12700,	15281,	15282,
11242,	11258,	12702,	12711,	15285,	15287,
11286,	11300,	12713,	12738,	15288,	15289,
11314,	11328,	12742,	12751,	15290,	15292,
11334,	11340,	12752,	12753,	15293,	15306,
11347,	11360,	12755,	12759,	15312,	15319,
11364,	11368,	12761,	12766,	15320,	15321,
11374,	11379,	12769,	12790,	15322,	15323,
11383,	11395,	12802,	12838,	15325,	15326,
11409,	11411,	12859,	12861,	15465,	15466,
11413,	11415,	12862,	12869,	15587,	15610,
11423,	11528,	12874,	12934,	15611,	15619,
11538,	11569,	13024,	13040,	15658,	15659,
11617,	11674,	13041,	13073,	15661,	15666,
11678,	11684,	13074,	13078,	15668,	15673,
11693,	11695,	13080,	13386,	15675,	15703,
11711,	11722,	13398,	13402,	15749,	15750,
11723,	11725,	13403,	13404,	15758,	15799,
11738,	11739,	13411,	13439,	15800,	15802,
11741,	11757,	13470,	13478,	15807,	15809,
11759,	11762,	13481,	13486,	15814,	15816,
11764,	11765,	13516,	13524,	15846,	15868,
11780,	11787,	13590,	13591,	15981,	16010,
11847,	11848,	14196,	14198,	16012,	16053,
11849,	11850,	14248,	14250,	16055,	16090,
11859,	11861,	14298,	14309,	16178,	16240,
11897,	12149,	14320,	14339,	16241,	16272,
12176,	12187,	14439,	14536,	16343,	16355,
12198,	12209,	14544,	14577,	16381,	16385,
12219,	12230,	14589,	14601,	16428,	16475,
12241,	12252,	14615,	14648,	16478,	16485,
12267,	12282,	14662,	14698,	16488,	16496,
12299,	12325,	14726,	14730,	16503,	16506,
12342,	12350,	14734,	14738,	16532,	16534,
12363,	12380,	14742,	14833,	16554,	16738,
12388,	12396,	14847,	14849,	16739,	16791,
12413,	12421,	14856,	14862,	16798,	16947,
12427,	12444,	14942,	14995,	16949,	17081,
12452,	12458,	14999,	15003,	17083,	17103,
12475,	12483,	15005,	15021,	17287,	17371,
12491,	12505,	15033,	15047,	17378,	17527,
12509,	12523,	15097,	15104,	17529,	17655,
12531,	12538,	15223,	15224,	17672,	17676,
12546,	12549,	15226,	15227,	17679,	17683,
12552,	12586,	15233,	15234,	17755,	17780,
12618,	12647,	15235,	15245,	17782,	17802,
12674,	12677,	15255,	15263,	17986,	18054,
12679,	12682,	15271,	15272,	18061,	18210,
12691,	12692,	15273,	15274,	18212,	18344,



18348,	18365,	20528,	20538,	2302, 2309, 7557, 7562, 7565, 7566, 7567, 7569, 7570, 7573, 7574, 7576, 7577, 7580, 7581, 7583, 7584, 7587, 7588, 7590, 7591, 7594, 7595, 7660, 7661, 7666, 7667, 7672, 7673, 7678, 7679, 7684, 7685, 8204
18386,	18389,	20541,	20544,	\DefineTOCEEntryCommandOption 19445,
18404,	18409,	20549,	20550,	19447, 19449,
18412,	18435,	20551,	20552,	19453, 19455,
18439,	18443,	20553,	20555,	19457, 19459, 19461
18453,	18469,	20558,	20568,	\DefineTOCEEntryIfOption . 19441, 19443, 19475
18475,	18483,	20573,	20576,	\DefineTOCEEntryLengthOption . 19080, 19082,
18504,	18513,	20596,	20599,	19237, 19439,
18514,	18530,	20609,	20610,	19451, 19477, 19479
18534,	18537,	20611,	20612,	\DefineTOCEEntryOption 19463
18541,	18544,	20613,	20633,	\DefNewDummy .. 3339, 3356
18574,	18616,	20635,	20668,	\delimiter 11392
18650,	18672,	20675,	20722,	\DEPTH 18577, 18584
18678,	18681,	20769,	20783,	\depth 11687, 14137, 14144, 14169
18683,	18686,	20786,	20790,	\depthof .. 8079, 8084, 8093, 8094, 8098, 8103
18710,	19363,	20794,	20807,	\descriptionlabel . 5529
19387,	19929,	20813,	20827,	\DetectColumn 20639, 20643
19950,	19952,	20830,	20834,	\detokenize 2715, 2717, 2943, 2945, 2946, 2973, 2988,
20108,	20151,	20838,	20851,	3005, 3008, 3016, 3018, 3086, 3087, 3912
20154,	20160,	20857,	20897,	\dfn@afteroutput 7845, 7848, 7897, 7900
20164,	20183,	20901,	20902,	\dfn@boxa . 7754, 7759, 7762, 7766, 7767, 7768, 7775, 7780,
20189,	20192,	20903,	20904,	7783, 7787, 7788, 7789, 7802, 7809,
20214,	20223,	20914,	21005,	7812, 7814, 7821, 7829, 7859, 7866,
20229,	20235,	21017,	21018,	7869, 7871, 7875, 7883
20257,	20263,	21020,	21139,	\dfn@boxb 7768, 7789, 7806,
20272,	20276,	21141,	21145,	
20280,	20281,	21147,	21174, 21176	
20282,	20285,	\default@color 6932, 20189		
20290,	20296,	\DefaultFindent .. 12845		
20297,	20298,	\DefaultLhang 12841		
20308,	20318,	\DefaultLoversize 12842		
20327,	20338,	\DefaultLraise .. 12843		
20339,	20340,	\DefaultNindent .. 12846		
20341,	20342,	\DefaultOptionsFile		
20343,	20348,	. 12851, 12854, 12857		
20349,	20352,	\DefaultSlope 12847		
20354,	20355,	\deffootnote .. 16531,		
20356,	20357,	16556, 17080,		
20359,	20361,	17105, 17654,		
20363,	20364,	17674, 17779, 17804		
20377,	20379,	\define@choicekey .		
20384,	20386, 1618, 1624,		
20392,	20394,	1630, 1636, 1642,		
20401,	20403,	1648, 1660, 1666,		
20406,	20408,	1672, 1679, 1693,		
20409,	20410,	1700, 19983, 19991		
20411,	20413,	\define@key 19981		
20423,	20460,	\definecolor		
20480,	20485, 1896, 1897,		
20486,	20491,	1898, 1899, 1900,		



<p>\dfn@countins . 7798, 7855</p> <p>\dfn@dima 7759, 7760, 7761, 7772, 7780, 7781, 7782, 7793, 7797, 7814, 7834, 7854, 7871, 7886</p> <p>\dfn@dimb 7834, 7835, 7837, 7838, 7840, 7886, 7887, 7889, 7890, 7892</p> <p>\dfn@elt@adjust 7834, 7886</p> <p>\dfn@elt@getht 7799, 7856</p> <p>\dfn@fnht . 7770, 7791, 7832, 7835, 7841, 7842, 7843, 7884, 7887, 7893, 7894, 7895</p> <p>\dfn@fnmaxdp 7758, 7763, 7768, 7779, 7784, 7789, 7811, 7814, 7868, 7871</p> <p>\dfn@footnoterule 7852, 7904</p> <p>\dfn@footnotetext . 7753</p> <p>\dfn@gobble . . . 7755, 7776</p> <p>\dfn@ins 7763, 7764, 7765, 7767, 7784, 7785, 7786, 7788, 7802, 7803, 7859, 7860</p> <p>\dfn@latex@footnotetext 7752</p> <p>\dfn@latex@LTRfootnotetext 7758, 7773</p> <p>\dfn@latex@makecol 7851, 7903</p> <p>\dfn@latex@RTLfootnotetext 7779, 7794</p> <p>\dfn@list 7772, 7793, 7800, 7833, 7835, 7838, 7844, 7857, 7885, 7887, 7890, 7896</p> <p>\dfn@LTRfootnotetext 7754, 7774</p> <p>\dfn@LTRmakecol 7853, 7905, 7907</p> <p>\dfn@makecol 7905, 7906, 7907</p> <p>\dfn@makefnmark 7757, 7778</p>	<p>\dfn@RTLfootnotetext 7775, 7795</p> <p>\dfn@RTLmakecol 7796, 7905, 7906</p> <p>\dfn@split 7768, 7789, 7802, 7814, 7859, 7871</p> <p>\DFN@alwaysdouble . 7908</p> <p>\DFN@columnsep 7817, 7830, 7874</p> <p>\DFN@columnwidth 7751, 7756, 7777, 7816, 7818, 7821, 7831, 7873, 7875</p> <p>\diagbox@double 7910, 7913</p> <p>\diagbox@double@pict@NE 7984, 7991</p> <p>\diagbox@double@pict@NW 7983</p> <p>\diagbox@double@pict@SE 7976, 7983</p> <p>\diagbox@double@pict@SW 7991</p> <p>\diagbox@font 7911, 7914, 7918, 7920, 7925, 7927, 7931, 7934, 7937, 7941, 7943, 7947, 7949</p> <p>\diagbox@ht 7978, 7981, 7986, 7989</p> <p>\diagbox@insepl 7911, 7918, 7920, 7931, 7934, 7941, 7943, 7953, 7963, 7965</p> <p>\diagbox@insepr 7914, 7925, 7927, 7937, 7947, 7949, 7956, 7959, 7970, 7972</p> <p>\diagbox@setlinecolor 7977, 7980, 7985, 7988, 7993, 7997, 8002, 8006, 8011, 8015, 8020, 8024</p> <p>\diagbox@triple@pict@NE 8001</p> <p>\diagbox@triple@pict@NW 7992</p> <p>\diagbox@triple@pict@SE 8019</p> <p>\diagbox@triple@pict@SW 8010</p>	<p>\diagbox@triple@setbox@NE 7975</p> <p>\diagbox@triple@setbox@NW 7930, 7933, 7936, 7951</p> <p>\diagbox@triple@setbox@SE 7952, 7955, 7958, 7975</p> <p>\diagbox@triple@setbox@SW 7951</p> <p>\diagbox@wd 7978, 7981, 7986, 7989</p> <p>\DigitsDotDashInterCharToks 1724, 1725</p> <p>\dim 13811, 13812, 14135, 14136, 14137</p> <p>\dimen 1605, 1801, 8830, 8871, 8888, 8889, 8890, 8898, 9002, 9049, 9147, 9193, 9297, 9344, 9448, 9495, 9599, 9646, 9750, 9797, 9901, 9948, 10052, 10099, 10203, 10292, 10417, 14634, 14641, 14642, 14650, 14651, 14656, 14657, 14673, 14674, 14681, 14682, 20906, 20909</p> <p>\dimen@ 6928, 6929, 10498, 10500, 11431, 11432, 11433, 11443, 11444, 11445, 11448, 11449, 11450, 11456, 11466, 11468, 11477, 11479, 11486, 11487, 11488, 11489, 13493, 13494, 13495, 15294, 15299, 18367, 18369, 18375, 18381, 20122, 20123, 20124, 20125, 20126,</p>
---	---	---



20127, 20186, 20187	\do@hvFloat 11847	\draw 20002,
\dimen@i 18368, 18369, 18374, 18380	\document 3126, 3140 \documentclass 3879, 3882	20009, 20013, 20036, 20046,
\dimen@ii 11481, 11482, 11483, 11489, 11491, 11494, 11495, 11496	\doloopbody 3517, 3518, 3562, 3635, 3642, 3649, 3652, 3654, 3658, 3660, 3662, 3666	20054, 20057, 20060, 20063, 20075, 20080, 20087, 20093, 20094
\dimexpr 28, 242, 734, 968, 1214, 2666, 2669, 2762, 6293, 6446, 12757, 13561, 13570, 14537, 14740, 15570, 15993, 16559, 16566, 16569, 17108, 17115, 17118, 17807, 17814, 17817, 19224, 19390, 19397, 19407, 19409, 20495, 20497, 20498, 20499, 20504, 20506, 20507, 20508, 20513, 20515, 20516, 20517, 20522, 20524, 20525, 20526	\doubleitemmaincolumnwidth\dsries@display@setup 2351, 2364, 2365, 2366, 2367, 2391, 2393	6811
\DiscardVskip 12848	\doublerulesepcolor 1472	E
\display@setup 6786, 6811	\downtovalue 3515, 3527, 3609, 3648	\edef 123,
\displayindent 6827	\dp 40, 54, 70, 253, 267, 282, 392, 1465, 6929, 6930, 7378, 7759, 7780, 7807, 7826, 7828, 7864, 7880, 7882, 8078, 8083, 8096, 8102, 8216, 8221, 8225, 8228, 8835, 10254, 10498, 10506, 10746, 10759, 11231, 11248, 11264, 11699, 11700, 11703, 11745, 11746, 11749,	362, 1387, 1441, 1449, 1509, 1534, 1741, 1766, 2049, 2064, 2092, 2095, 2098, 2469, 2472, 2485, 2489, 2496, 2509, 2513, 2520, 2713, 2716, 2826, 2827, 2830, 2831, 2848, 2849, 2852, 2853, 2942, 2947, 2957, 2972, 2975, 2988, 2992, 2997, 3004, 3007, 3014, 3017, 3023, 3026, 3079, 3085, 3088, 3243, 3253, 3331, 3340, 3402, 3449, 3452, 3479, 3482, 3486, 3570, 3575, 3576, 3598, 3603, 3615, 3620, 3717, 3725, 3735, 3867, 3910, 3954, 3976, 3990, 4018, 4110, 4122, 4129, 4146, 4950, 5095, 5106, 6050, 6053, 6056, 8128, 8131, 10888, 10894, 11002,
\divide 3657, 5871, 8889, 10308, 10309, 10425, 10426, 10747, 10748, 11686, 11687, 15138, 15139, 18449	12931, 13422, 13569, 13572, 14634, 14650, 14651, 14656, 14657, 14673, 14674, 14681, 14682, 15118, 15119, 15120, 15294, 15338, 16394, 16436, 16439, 16493, 16500, 16884, 16887, 17464,	3990, 4018, 4110, 4122, 4129, 4146, 4950, 5095, 5106, 6050, 6053, 6056, 8128, 8131, 10888, 10894, 11002,
\do 329, 330, 331, 332, 333, 334, 2162, 3896, 3956, 3971, 3992, 3995, 4981, 4986, 5000, 5005, 5019, 5024, 5047, 5056, 7098, 10735, 12936, 19672	17467, 18147, 18150, 18416, 18451, 18463, 18577, 18579, 20178, 20187, 20188, 20581, 20878, 20885, 20972	11004, 11005, 11006, 11091, 11112, 11463, 12319, 12326, 12357, 12364, 12397, 12428, 12459, 12803, 12937, 12941,
	\dquad 6819, 6821	



13479,	13482, 9791	1431, 1432, 1433,
14845,	14990,	\eightcolumnfootstyle	1434, 1435, 1540,
15009,	15012, 9888	1546, 1552, 1590,
15038,	16390,	\eject 7388,	1592, 1601, 1611,
16433,	16776,	11434, 11503, 11523	1772, 1786, 1788,
17356,	17656,	\else 4, 12,	1797, 1807, 2033,
18039,	18419,	13, 25, 36, 87, 104,	2039, 2045, 2060,
18444,	18458,	116, 134, 136, 151,	2143, 2151, 2156,
18476,	18531,	155, 159, 167, 184,	2166, 2405, 2406,
18538,	18551,	209, 217, 218, 234,	2407, 2409, 2445,
19012,	19484,	249, 300, 315, 319,	2471, 2474, 2493,
19517,	19524,	356, 357, 358, 360,	2501, 2517, 2525,
19529,	19590,	361, 364, 365, 366,	2541, 2611, 2619,
19744,	19848,	368, 369, 370, 371,	2625, 2631, 2637,
19961,	20198,	372, 375, 376, 377,	2643, 2649, 2655,
20203,	20212,	401, 407, 453, 464,	2661, 2674, 2682,
20227,	20231,	467, 516, 533, 536,	2686, 2692, 2700,
20241,	20246,	537, 557, 560, 575,	2704, 2726, 2733,
20255,	20261,	596, 607, 612, 623,	2777, 2981, 3264,
20274,	20278,	627, 635, 639, 640,	3277, 3278, 3291,
20469,	20481,	644, 648, 651, 652,	3292, 3294, 3296,
20584,	20648, 20662	657, 668, 679, 693,	3304, 3306, 3328,
\EdefEscapeName ..	12650	696, 697, 700, 710,	3342, 3395, 3399,
\egroup .. .	192, 193,	757, 766, 774, 798,	3405, 3411, 3443,
196,	385, 409, 644,	802, 804, 815, 818,	3612, 3621, 3676,
1203,	1370, 1371,	861, 872, 875, 878,	3700, 3715, 3780,
1488,	2087, 2088,	879, 885, 895, 898,	3792, 3824, 3835,
2213,	5960, 6171,	899, 902, 912, 923,	3873, 3885, 3886,
6830,	6911, 8859,	934, 942, 946, 955,	3903, 3912, 3957,
10866,	10867,	973, 1009, 1018,	3972, 3975, 4002,
10881,	11358,	1026, 1050, 1054,	4003, 4017, 4298,
11503,	11507,	1056, 1067, 1070,	4304, 4499, 4502,
13505,	13508,	1113, 1124, 1128,	4505, 4508, 4538,
14545,	15081,	1131, 1134, 1135,	4766, 4772, 4804,
15091,	15106,	1140, 1151, 1162,	4810, 4816, 4854,
15237,	15243,	1177, 1180, 1181,	4860, 5039, 5436,
15247,	15253,	1184, 1194, 1198,	5437, 5725, 5810,
15257,	15261,	1199, 1203, 1223,	5863, 5876, 5885,
15265,	15269,	1259, 1268, 1276,	5975, 5996, 6021,
15332,	15503,	1300, 1304, 1306,	6033, 6101, 6121,
15953,	18409,	1317, 1320, 1357,	6122, 6137, 6142,
18410,	18435,	1362, 1363, 1376,	6146, 6188, 6199,
18441,	19848,	1381, 1382, 1383,	6203, 6206, 6209,
20300,	20306,	1385, 1386, 1389,	6210, 6215, 6226,
20310,	20316,	1390, 1391, 1393,	6235, 6249, 6252,
20320,	20325,	1394, 1395, 1396,	6253, 6257, 6269,
20329,	20334,	1397, 1398, 1399,	6325, 6334, 6342,
20384,	20392,	1402, 1403, 1404,	6365, 6376, 6380,
20393,	20573, 20574	1424, 1425, 1426,	6383, 6386, 6387,
		1427, 1428, 1429,	6392, 6403, 6412,



6426, 6429, 6430,	8953, 9059, 9101,	11838, 11841,
6434, 6457, 6502,	9203, 9248, 9354,	11860, 11863,
6511, 6519, 6541,	9399, 9505, 9549,	11869, 11870,
6552, 6554, 6575,	9656, 9700, 9807,	11873, 11880,
6586, 6627, 6638,	9852, 9958, 10003,	11882, 11888,
6641, 6690, 6705,	10109, 10154,	11899, 11907,
6708, 6709, 6736,	10264, 10275,	11909, 11910,
6750, 6759, 6766,	10322, 10372,	11911, 11914,
6789, 6819, 6845,	10495, 10531,	11919, 11925,
6870, 6877, 6926,	10543, 10562,	11927, 11928,
6931, 6969, 6970,	10577, 10580,	11929, 11932,
6976, 6994, 7017,	10581, 10588,	11942, 11944,
7040, 7063, 7088,	10600, 10617,	11957, 11963,
7089, 7091, 7103,	10667, 10678,	11966, 11970,
7108, 7110, 7112,	10681, 10740,	11976, 11979,
7132, 7137, 7155,	10790, 10795,	11982, 11988,
7171, 7195, 7200,	10826, 10831,	11993, 11996,
7214, 7230, 7248,	10856, 10869,	12000, 12002,
7256, 7279, 7297,	10886, 10913,	12005, 12009,
7324, 7328, 7343,	10917, 10938,	12011, 12013,
7350, 7369, 7379,	10978, 11047,	12017, 12022,
7391, 7400, 7414,	11051, 11077,	12026, 12033,
7426, 7454, 7471,	11101, 11183,	12038, 12042,
7499, 7503, 7518,	11186, 11226,	12049, 12054,
7527, 7619, 7701,	11277, 11315,	12058, 12062,
7715, 7760, 7764,	11316, 11332,	12064, 12067,
7766, 7781, 7785,	11350, 11394,	12071, 12073,
7787, 7796, 7801,	11412, 11414,	12075, 12079,
7810, 7821, 7825,	11430, 11435,	12083, 12087,
7833, 7853, 7858,	11455, 11484,	12093, 12096,
7867, 7875, 7879,	11490, 11506,	12100, 12106,
7885, 7905, 7919,	11513, 11518,	12109, 12112,
7926, 7942, 7948,	11531, 11561,	12118, 12133,
7964, 7971, 8033,	11585, 11590,	12143, 12152,
8040, 8057, 8081,	11633, 11638,	12163, 12183,
8163, 8178, 8193,	11678, 11680,	12194, 12205,
8194, 8195, 8196,	11683, 11684,	12223, 12234,
8223, 8239, 8242,	11685, 11691,	12245, 12256,
8243, 8253, 8264,	11693, 11701,	12271, 12286,
8267, 8280, 8290,	11707, 11710,	12346, 12384,
8348, 8359, 8362,	11713, 11720,	12417, 12448,
8445, 8456, 8459,	11727, 11729,	12479, 12532,
8507, 8530, 8545,	11735, 11739,	12544, 12547,
8554, 8561, 8582,	11742, 11747,	12564, 12573,
8583, 8585, 8590,	11753, 11756,	12583, 12598,
8596, 8598, 8602,	11769, 11772,	12606, 12615,
8658, 8705, 8782,	11775, 11781,	12629, 12644,
8785, 8794, 8797,	11788, 11798,	12658, 12670,
8806, 8809, 8823,	11811, 11820,	12730, 12748,
8840, 8850, 8908,	11828, 11835,	12768, 12771,



12779,	12780,	13391,	13392,	15426,	15443,
12796,	12818,	13415,	13444,	15465,	15466,
12819,	12821,	13453,	13459,	15471,	15482,
12826,	12849,	13490,	13505,	15486,	15494,
12850,	12852,	13507,	13579,	15498,	15499,
12865,	12881,	14202,	14205,	15503,	15507,
12890,	12913,	14216,	14217,	15510,	15511,
12934,	12937,	14218,	14219,	15516,	15527,
12941,	12958,	14220,	14221,	15536,	15550,
12968,	12976,	14250,	14266,	15553,	15554,
13006,	13017,	14272,	14278,	15558,	15575,
13035,	13045,	14303,	14313,	15622,	15631,
13051,	13088,	14335,	14353,	15639,	15663,
13167,	13170,	14369,	14382,	15667,	15669,
13173,	13176,	14395,	14399,	15680,	15683,
13179,	13182,	14453,	14469,	15726,	15737,
13185,	13188,	14482,	14495,	15761,	15770,
13191,	13195,	14499,	14555,	15778,	15804,
13198,	13201,	14563,	14569,	15808,	15810,
13204,	13207,	14578,	14580,	15821,	15824,
13210,	13213,	14584,	14585,	15865,	15870,
13216,	13219,	14590,	14592,	15871,	15879,
13222,	13225,	14597,	14602,	15882,	15883,
13228,	13231,	14604,	14609,	15888,	15899,
13234,	13237,	14619,	14632,	15908,	15922,
13240,	13243,	14665,	14697,	15925,	15926,
13246,	13249,	14713,	14717,	15930,	15936,
13252,	13255,	14721,	14817,	15944,	15948,
13258,	13261,	14822,	14855,	15949,	15953,
13264,	13267,	14861,	14869,	15969,	15998,
13270,	13273,	14872,	14896,	16049,	16065,
13276,	13279,	14916,	14931,	16068,	16114,
13282,	13285,	15011,	15035,	16129,	16132,
13288,	13291,	15093,	15101,	16133,	16138,
13294,	13297,	15135,	15161,	16139,	16163,
13300,	13303,	15199,	15200,	16185,	16196,
13306,	13309,	15201,	15227,	16236,	16247,
13312,	13315,	15281,	15282,	16250,	16299,
13318,	13321,	15285,	15289,	16314,	16317,
13324,	13327,	15290,	15293,	16318,	16345,
13330,	13333,	15295,	15301,	16357,	16366,
13336,	13339,	15319,	15320,	16398,	16443,
13342,	13345,	15325,	15333,	16477,	16479,
13348,	13351,	15342,	15352,	16483,	16487,
13354,	13357,	15358,	15361,	16489,	16494,
13360,	13363,	15368,	15370,	16498,	16501,
13366,	13369,	15376,	15387,	16505,	16507,
13372,	13375,	15389,	15400,	16511,	16538,
13378,	13381,	15402,	15413,	16539,	16547,
13389,	13390,	15415,	15424,	16560,	16567,



16587,	16592,	17704,	17707,	18680,	18695,
16599,	16605,	17710,	17713,	18719,	18723,
16629,	16636,	17716,	17719,	18733,	18739,
16640,	16654,	17722,	17725,	18745,	18750,
16657,	16700,	17728,	17731,	18756,	18766,
16704,	16712,	17734,	17737,	18778,	18786,
16718,	16730,	17740,	17743,	18791,	18792,
16738,	16739,	17746,	17751,	18793,	18801,
16752,	16754,	17752,	17758,	18808,	18822,
16766,	16781,	17786,	17787,	18823,	18824,
16797,	16807,	17795,	17808,	18832,	18841,
16816,	16821,	17815,	17835,	18845,	18846,
16824,	16825,	17840,	17847,	18847,	18855,
16826,	16828,	17853,	17877,	18862,	18863,
16853,	16865,	17884,	17888,	18864,	18872,
16870,	16875,	17902,	17905,	18879,	18880,
16892,	16906,	17948,	17952,	18881,	18889,
16912,	16925,	17960,	17966,	18896,	18897,
16935,	16953,	17978,	17986,	18898,	18906,
16983,	17087,	18015,	18016,	18913,	18914,
17088,	17096,	18029,	18044,	18915,	18923,
17109,	17116,	18060,	18070,	18930,	18931,
17136,	17141,	18079,	18084,	18932,	18940,
17148,	17154,	18087,	18088,	18948,	18949,
17178,	17185,	18089,	18091,	18950,	18958,
17189,	17203,	18116,	18128,	18967,	18968,
17206,	17249,	18133,	18138,	18969,	18977,
17253,	17261,	18155,	18169,	18987,	18988,
17267,	17279,	18175,	18188,	18989,	18997,
17287,	17292,	18198,	18216,	19007,	19022,
17308,	17316,	18246,	18338,	19023,	19024,
17324,	17332,	18341,	18377,	19032,	19054,
17333,	17346,	18394,	18427,	19072,	19073,
17361,	17377,	18440,	18448,	19074,	19212,
17387,	17396,	18461,	18466,	19320,	19337,
17401,	17404,	18545,	18546,	19347,	19362,
17405,	17406,	18547,	18549,	19366,	19469,
17408,	17433,	18550,	18553,	19734,	19748,
17445,	17450,	18554,	18555,	19752,	19775,
17455,	17472,	18556,	18557,	19790,	19800,
17486,	17492,	18558,	18559,	19804,	19814,
17505,	17515,	18561,	18562,	19815,	19816,
17533,	17563,	18563,	18564,	19817,	19822,
17660,	17661,	18565,	18568,	19824,	19825,
17667,	17684,	18569,	18570,	19833,	19839,
17685,	17686,	18630,	18647,	19856,	19866,
17687,	17688,	18654,	18656,	19872,	19878,
17689,	17690,	18661,	18666,	19881,	19892,
17691,	17695,	18667,	18670,	19930,	19932,
17698,	17701,	18675,	18679,	19937,	19946,



19951,	19953,	20669,	20689,	6337, 6345, 6348,
19960,	19967,	20694,	20736,	6514, 6522, 6525,
19998,	20005,	20741,	20766,	6554, 6566, 6606,
20010,	20016,	20773,	20779,	6609, 6612, 6677,
20027,	20030,	20817,	20823,	6680, 6993, 7003,
20041,	20048,	20861,	20863,	7016, 7026, 7039,
20062,	20112,	20873,	20889,	7049, 7062, 7072,
20119,	20120,	20891,	20894,	7613, 7722, 7734,
20122,	20130,	20898,	20907,	7742, 8125, 8199,
20138,	20140,	20936,	20939,	8329, 8332, 8335,
20141,	20152,	20942,	20948,	8394, 8397, 8424,
20156,	20161,	20969,	20981,	8427, 8430, 8495,
20170,	20176,	20990,	21010,	8498, 8587, 10648,
20184,	20188,	21017,	21018,	10651, 10654,
20197,	20216,	21131, 21139, 21145		10713, 10716,
20221,	20240,	\em	5529	10868, 11917,
20265,	20270,	\email	332, 2341	11935, 12037,
20290,	20336,	\emaillink	2423, 7634, 7732	12053, 12144,
20337,	20348,	\emailsymbol		12823, 14337,
20349,	20352,	... 2301, 7634, 7732		14950, 15634,
20356,	20357,	\empty	11860, 18347	15642, 15645,
20416,	20435,	\EmptyList	3439	15715, 15718,
20438,	20443,	\end .	172, 174, 197, 432,	15773, 15781,
20446,	20449,	435, 438, 503, 506,		15784, 15861,
20452,	20455,	769, 777, 780, 850,		15864, 15869,
20464,	20467,	853, 1021, 1029,		15870, 15871,
20472,	20473,	1032, 1102, 1105,		16028, 16031,
20474,	20496,	1271, 1279, 1282,		16034, 16106,
20497,	20499,	1353, 1356, 1361,		16215, 16218,
20505,	20506,	1362, 1363, 1833,		16221, 16286,
20508,	20514,	1982, 1993, 1994,		16289, 16386,
20515,	20517,	2389, 2391, 2393,		16429, 16595,
20523,	20524,	2395, 2397, 2401,		16610, 16617,
20526,	20534,	2409, 2412, 2462,		16623, 16627,
20535,	20536,	2485, 2493, 2495,		16635, 16707,
20537,	20540,	2496, 2502, 2509,		16724, 16734,
20543,	20546,	2517, 2519, 2520,		16762, 17144,
20549,	20550,	2526, 3196, 3202,		17159, 17166,
20551,	20552,	3222, 3228, 4338,		17172, 17176,
20554,	20556,	4339, 4344, 4347,		17184, 17256,
20557,	20561,	4424, 4425, 4432,		17273, 17283,
20563,	20577,	4433, 4440, 4441,		17342, 17843,
20594,	20599,	4461, 4462, 4500,		17858, 17865,
20600,	20601,	4503, 4506, 4509,		17871, 17875,
20602,	20603,	4516, 4517, 4700,		17883, 17955,
20604,	20605,	4701, 5320, 5376,		17972, 17982,
20606,	20609,	5383, 5390, 5397,		18025, 18500,
20610,	20614,	5404, 5415, 5423,		18693, 20002,
20616,	20621,	5550, 5551, 5687,		20009, 20019,
20650,	20659,	5730, 5752, 6143,		20024, 20037,



20044, 20047,	3567, 3568, 3674,	10124, 10134,
20066, 20083,	3677, 3682, 3698,	10160, 10173,
20090, 20096, 20098	3701, 3703, 3713,	10185, 10203,
\end@dblfloat 16473	3716, 3718, 3725,	10204, 10212,
\end@float	3729, 3730, 3735,	10225, 10319,
. . . 4364, 4693, 16424	3744, 3745, 3761,	10331, 10343,
\end@rotdblfloat . 16428	3764, 3778, 3790,	10369, 10383,
\end@rotfloat	3822, 3833, 3918,	10397, 10417,
. 16385, 16426, 16427	3920, 3958, 3960,	10418, 10437,
\endarray 385,	3966, 4009, 4149,	10451, 10735,
409, 1370, 1371,	4170, 4521, 4522,	10888, 10890,
18435, 18439, 20384	4529, 4530, 5122,	10894, 10896,
\endBCmd 1984	5140, 5158, 5189,	11003, 11004,
\endbidi@lrbox . . . 20491	5218, 5247, 5489,	11005, 11006,
\endbidi@switch . . .	6015, 6050, 6053,	11008, 11010,
. . . 3352, 3356, 3357	6056, 6070, 6077,	11011, 11012,
\endbidi@tabular@RTLcases	6084, 6092, 6093,	11013, 11015,
. . . 20384, 20392, 20399	6131, 6156, 6157,	11016, 11017,
\endcsname 8,	6939, 6945, 6953,	11074, 11098,
44, 58, 74, 166,	6960, 7532, 8665,	11116, 11202,
168, 213, 257, 271,	8681, 8697, 8710,	11211, 11234,
286, 343, 344, 386,	8723, 8736, 8913,	11251, 11267,
1372, 2050, 2051,	8923, 8933, 8959,	11295, 11309,
2065, 2066, 2092,	8972, 8984, 9002,	11323, 11370,
2095, 2098, 2114,	9003, 9011, 9024,	11385, 12151,
2122, 2130, 2185,	9064, 9073, 9082,	12154, 12156,
2488, 2489, 2512,	9107, 9119, 9130,	12160, 12164,
2513, 2540, 2568,	9147, 9148, 9156,	12178, 12189,
2572, 2582, 2590,	9168, 9208, 9218,	12200, 12400,
2598, 2606, 2608,	9228, 9254, 9267,	12431, 12462,
2610, 2614, 2615,	9279, 9297, 9298,	12775, 12863,
2672, 2678, 2679,	9306, 9319, 9359,	12866, 13285,
2721, 2731, 2737,	9369, 9379, 9405,	13351, 14322,
2738, 2740, 2741,	9418, 9430, 9448,	14323, 14330,
2743, 2744, 2746,	9449, 9457, 9470,	14841, 14851,
2789, 2790, 2812,	9510, 9520, 9530,	14865, 16521,
2813, 2868, 2869,	9556, 9569, 9581,	16525, 16529,
2870, 2871, 2877,	9599, 9600, 9608,	16967, 16969,
2878, 2879, 2880,	9621, 9661, 9671,	16971, 16974,
2963, 2964, 2967,	9681, 9707, 9720,	16980, 16989,
2968, 3183, 3185,	9732, 9750, 9751,	16991, 16993,
3197, 3199, 3250,	9759, 9772, 9812,	16999, 17070,
3255, 3259, 3275,	9822, 9832, 9858,	17074, 17078,
3293, 3295, 3303,	9871, 9883, 9901,	17547, 17549,
3305, 3314, 3315,	9902, 9910, 9923,	17551, 17554,
3395, 3399, 3430,	9963, 9973, 9983,	17560, 17568,
3438, 3439, 3452,	10009, 10022,	17570, 17573,
3460, 3462, 3489,	10034, 10052,	17579, 17769,
3510, 3547, 3548,	10053, 10061,	17773, 17777,
3549, 3565, 3566,	10074, 10114,	18230, 18232,



18234,	18237,	20575, 20636, 20649, 20651, 21072	12472, 12701, 12712, 12784, 12807, 12868, 13064, 13433, 14213, 14331, 14431, 14528, 14729, 14733, 14737, 15029, 15079, 15084, 15086, 15089, 15094, 15331, 15362, 15534, 15557, 15689, 15830, 15906, 15929, 16074, 16121, 16136, 16256, 16306, 16321, 16663, 16763, 16901, 17212, 17343, 17481, 17911, 18026, 18164, 18514, 18635, 18814, 19230, 19341, 19742, 19870, 20180, 20213, 20256, 20275, 20382, 20482, 20719, 20762, 20915, 20925
18243,	18251,	\enddocument .. 3152, 3167	\endL 1499, 2434, 6922, 6931, 6932, 6941, 6947, 6966, 10322, 10334, 10372, 10386, 10754, 10867, 10881, 11046, 11683, 11691, 11710, 11720, 11735, 11756, 12544, 13031, 15093, 15233, 15252, 15361, 16483, 16494, 16501, 16511, 18589, 20188, 20189, 20228, 20232, 20285, 20296, 20315, 20894, 20969, 20990
18253,	18256,	\endflushleft . 2004, 2012	
18262,	18411,	\endgraf 13447, 13466, 16932, 17512, 18195	
18437,	18439,	\endgroup . . . 17, 127, 222, 320, 327, 383,	
18471,	18493,	399, 473, 525, 539, 677, 699, 824, 901,	
18495,	18511,	921, 1076, 1160, 1183, 1326, 1495,	
18512,	18532,	1878, 2116, 2124,	
18539,	18749,	2132, 2479, 2498,	
19012,	19013,	2522, 2730, 2749,	
19029,	19030,	2893, 2912, 2957,	
19031,	19038,	2979, 2989, 3006,	
19040,	19041,	3056, 3127, 3423,	
19094,	19095,	3425, 3453, 3458,	
19249,	19250,	3467, 3625, 3673,	
19360,	19364,	3697, 3712, 3783,	
19368,	19467,	3795, 3807, 3827,	
19470,	19484,	3838, 3849, 4013,	
19500,	19501,	4112, 4122, 4162,	
19517,	19524,	4531, 4958, 4960,	
19529,	19590,	5191, 5220, 5249,	
19645,	19647,	5626, 5643, 5659,	
19649,	19665,	5670, 5710, 6029,	
19668,	19674,	6072, 6079, 6086,	
19676,	19679,	6144, 6233, 6256,	
19683,	19688,	6410, 6433, 6647,	
19692,	19696,	6697, 6712, 6918,	
19710,	19714,	7178, 7237, 8049,	
19717,	19720,	8067, 8245, 8258,	
19724,	19726,	8368, 8465, 8514,	
19759,	19760,	10311, 10428,	
19762,	19764,	10569, 10584,	
19769,	19771,	10687, 10811,	
19773,	19777,	10851, 10935,	
19780,	19781,	10956, 11204,	
19784,	19785,	11213, 11372,	
19794,	19796,	11387, 11406,	
19798,	19802,	11447, 11478,	
19806,	19807,	11612, 11664,	
19860,	19862,	11721, 11736,	
19864,	19868,	12142, 12180,	
19888,	19889,	12191, 12202,	
19897,	19901,	12213, 12314,	
19905,	19909,	12339, 12377,	
19913,	19917,	12410, 12441,	
19921,	19925,		
19963,	19964,		
19966,	19969,		
19970,	19974,		
20422,	20477,		



\endlist . . .	96, 309,	18441, 18588,	8148, 8151, 8154,
592, 724, 955, 987,		20185, 20189,	8162, 8169, 8177,
1237, 5514, 5522,		20191, 20285,	8184, 8186, 8189,
5527, 6283, 6471,		20297, 20305,	8193, 8194, 8195,
6783, 8304, 8578,		20392, 20539,	8196, 8208, 8210, 8211
10631, 12739,		20542, 20545,	\eq@addpunct 6821
14836, 15589,		20562, 20573,	\EQ@box 6826, 6832
15983, 16180,		20574, 20894,	\eq@group 6789, 6798
16383, 16805,		20907, 20909,	\eq@GRP@first@dmath 6798
17385, 18068, 18712		20969, 20990,	\eq@if . . . 2563, 2564, 2566
\endlooprepeat . . .		21009, 21012, 21020	\eq@isIntertext . . . 6836
... 3552, 3581, 3588		\endrotate 16488	\eq@prelim . . . 6789, 6806
\endLTR . . .	15272, 20339	\endRTL 15274, 20341	\eq@setnumber 6792
\endMakeFramed . . .	11420	\ends@math 6816	\eq@setup@a 6794
\endmath	6816	\endsideways 16506	\eq@startup 6795
\endmdf@lrbox	13564	\endsidewaysfigure 16426	\eq@wdCond 6813
\endminipage		\endsidewaystable 16427	\eqnewif 1562,
. 8847, 11347, 18593		\endstabular 18409, 18411	1563, 1567, 1579, 2559
\endmodernpoem	6157	\endstrip 14544	\eqno 337, 15317,
\endpgfpicture	15047	\endtabular 385, 386,	15319, 21015, 21017
\endpspicture	15326	1371, 1372, 2087,	\eqnumform 6824
\endR	346, 351, 385, 409,	18435, 18437,	\eqstyle 6791
1370, 1371, 1488,		18521, 20573, 20575	\equal 2399,
2087, 2088, 6824,		\endtabularx	2416, 2420, 2424,
6911, 6927, 6932,		. 18472, 18501, 18512	4352, 4386, 4397,
6934, 6966, 8030,		\endtcb@lrbox 18593, 18594	4429, 4430, 4446,
8881, 8885, 10322,		\endtcb@savebox 18594	4487, 4745, 4987,
10346, 10372,		\endtcb@vbox 18604	4988, 5006, 5007,
10400, 10886,		\endtitlepage 634,	5025, 5026, 5057,
11680, 11685,		941, 1193, 6265,	5058, 7721, 10994
11742, 11781,		6453, 15493, 15943	\errmessage
11788, 12157,		\endtraditionalpoem 6093 1602, 1798, 14632
12165, 12547,		\endtrivlist 10882	\ERROR 20660
12583, 12615,		\endturn 16478	\escapechar 2468, 2560,
12644, 12670,		\endwindow 15104	2565, 2749, 3242,
12680, 12683,		\enskip 19855, 19880	3247, 3249, 3251, 3264
12814, 13031,		\enspace 318, 15098, 15100	\ESO@isMEMOIR 8035
13441, 13505,		\ensuremath 1536	\evenpage 1839, 1842,
13508, 13518,		\env@RTLcases 20397, 20401	1843, 1844, 1846,
13609, 13617,		\EQ 8072, 8078,	1847, 1848, 1849, 1851
13808, 14134,		8079, 8083, 8084,	\evensidemargin
14300, 14302,		8093, 8094, 8096, 1863, 8058,
15102, 15234,		8098, 8099, 8101,	11829, 11834,
15242, 15321,		8102, 8103, 8104,	11842, 20935, 20943
15322, 15323,		8106, 8107, 8108,	\everycr 13437
16479, 16489,		8120, 8123, 8125,	\everydisplay 6786
16498, 16507,		8127, 8128, 8130,	\everyhbox 15236,
16899, 17479,		8133, 8135, 8137,	15238, 15246,
18162, 18409,		8138, 8140, 8141,	15248, 20299,
18410, 18435,		8143, 8146, 8147,	20301, 20309, 20311



\everyjob	1534,	2508, 2512, 2513,	4019, 4021, 4148,
1535,	1766, 1767	2517, 2520, 2540,	4149, 4948, 5489,
\everymath	349	2542, 2547, 2567,	5919, 6051, 6054,
\everypar ..	523, 675,	2568, 2571, 2572,	6057, 6060, 6063,
919, 1158,	4804,	2608, 2610, 2614,	6066, 6092, 6093,
4848,	4892, 6232,	2618, 2620, 2624,	6156, 6157, 6171,
6409,	6696, 8513,	2626, 2630, 2632,	6324, 6333, 6341,
10568,	10762,	2636, 2638, 2642,	6501, 6510, 6518,
15228,	15232,	2644, 2648, 2650,	6786, 6896, 6938,
15440,	15454,	2654, 2656, 2660,	6959, 7126, 7128,
15533,	15905,	2662, 2673, 2675,	7189, 7191, 8860,
16120,	16305,	2679, 2680, 2681,	9002, 9003, 9147,
18807,	18811,	2683, 2684, 2687,	9148, 9297, 9298,
19339,	20291,	2691, 2693, 2698,	9448, 9449, 9599,
20295,	20811, 20855	2699, 2701, 2702,	9600, 9750, 9751,
\everyvbox	1374,	2705, 2714, 2721,	9901, 9902, 10052,
1375,	15256,	2725, 2727, 2730,	10053, 10203,
15258,	15264,	2731, 2732, 2734,	10204, 10417,
15266,	20319,	2737, 2738, 2740,	10418, 10784,
20321,	20328, 20330	2741, 2743, 2744,	10786, 10820,
\ExecuteOptions . . .		2746, 2750, 2784,	10822, 10888,
.	2250, 4216,	2785, 2786, 2787,	10889, 10894,
5597, 5599,	7554, 7652	2788, 2790, 2813,	10895, 10995,
\ExecuteOptionsX ..	1707	2817, 2868, 2869,	11012, 11017,
\exhyphenpenalty ..		2870, 2871, 2877,	11076, 11079,
.	626, 933,	2878, 2879, 2880,	11100, 11103,
1127,	6202, 6379,	2963, 2964, 2978,	11116, 11130,
15485,	15935, 15997	2979, 2980, 2982,	11131, 11132,
\exp	13685, 13688,	2989, 2990, 2993,	11133, 11135,
13742,	13917, 13971	3008, 3015, 3024,	11359, 11447,
\expandafter .. .	166,	3245, 3246, 3255,	11469, 11470,
362,	386, 756,	3259, 3314, 3315,	11478, 11579,
765,	773, 799, 802,	3327, 3328, 3423,	11581, 11627,
1008,	1017, 1025,	3425, 3430, 3432,	11629, 11726,
1051,	1054, 1258,	3433, 3452, 3454,	11764, 11765,
1267,	1275, 1301,	3457, 3460, 3461,	12182, 12184,
1304,	1372, 1387,	3462, 3464, 3467,	12193, 12195,
1469,	1470, 1471,	3472, 3535, 3547,	12204, 12206,
1473,	1539, 1541,	3549, 3565, 3566,	12309, 12323,
1545,	1547, 1551,	3567, 3568, 3606,	12337, 12361,
1553,	2032, 2034,	3617, 3622, 3636,	12375, 12408,
2038,	2040, 2044,	3673, 3674, 3675,	12439, 12470,
2046,	2050, 2051,	3678, 3681, 3697,	12701, 12702,
2059,	2061, 2065,	3698, 3712, 3713,	12709, 12723,
2066,	2090, 2093,	3725, 3730, 3735,	12863, 12871,
2096,	2099, 2103,	3745, 3761, 3764,	12876, 13045,
2106,	2109, 2160,	3790, 3833, 3895,	13046, 13051,
2161,	2214, 2482,	3904, 3916, 3918,	13052, 13434,
2484,	2488, 2489,	3919, 3959, 3969,	13480, 13483,
2493,	2496, 2506,	3970, 3991, 4008,	14312, 14315,



14347,	14349,	19687,	19691,	\familynamefont 2313, 2321, 7598, 7692
14447,	14449,	19695,	19709,	\familynamestyle 2321, 7609, 7699, 7720
14991,	15008,	19714,	19716,	\FamilySetBool ... 19464
15020,	15025,	19719,	19723,	\fancy@oval 10732
15230,	15621,	19726,	19772,	\fancyfoot 2434, 4572, 4573, 7624
15630,	15638,	19776,	19797,	\fancyhead 4561, 4562, 4563, 5788, 5789, 5800, 5801, 5802
15664,	15667,	19801,	19863,	\fancyhf .. 2283, 4559, 4568, 4578, 5786, 5797
15760,	15769,	19867,	19963,	\fancyhoffset 4552, 4553
15777,	15805,	19964,	19966,	\fancypagestyle 2280, 2433, 4567, 4577, 7623
15808,	16391,	19969,	19970,	\FAX 2300
16403,	16413,	19973,	20198,	\fax 2340
16434,	16449,	20210,	20213,	\faxsymbol 2300, 7633, 7731
16461,	16966,	20221,	20222,	\fb@adjheight 11434, 11504, 11524
16968,	16970,	20241,	20253,	\fb@afterframe 11429, 11454, 11512
16973,	16979,	20256,	20270,	\FB@captype 10893, 10894, 10896
16988,	16990,	20271,	20275,	\fb@frh . 11441, 11445, 11460, 11495, 11498
16992,	16998,	20293,	20575,	\fb@put@frame . 11423, 11434, 11505, 11525
17546,	17548,	20636,	20648,	\fb@putboxa ... 11428, 11453, 11511, 11528
17550,	17553,	20683,	20685,	\fb@resto@set 11463, 11503, 11507
17559,	17567,	20730,	20732, 21072	\fb@sizeofframe 11436, 11458
17569,	17572,	\ExplSyntaxOff ... 14983		\fbox 1984, 1994, 6965, 8212,
17578,	18229,	\ExplSyntaxOn 14953		11956, 11962,
18231,	18233,	\extrafeetendmini .		11969, 11975,
18236,	18242, 8839, 8846		11981, 11987,
18250,	18252,	\extrafeetendminihook		11995, 11999,
18255,	18261, 8844, 8845		12004, 12008,
18411,	18437,	\extrafeetins . 8818, 8819		12012, 12016,
18470,	18473,	\extrafeetinshook .		12031, 12032,
18493,	18496, 8824, 8825		12047, 12048,
18498,	18500,	\extrafeetminihook 8838		12057, 12061,
18511,	18512,	\extrainfo 2342		12066, 12070,
18520,	18524,	\extrarowheight ...		12074, 12078,
18526,	18533,	.. 389, 13408, 13416		12086, 12092,
18535,	18540,	\extrarulesep 18464		
18542,	18551,	\extratitle 16685, 17234, 17933		
19012,	19013,			
19029,	19030,			
19031,	19038,			
19040,	19041,	\f@nch@everypar ... 10762		
19094,	19249,	\f@nch@foot 10770		
19360,	19364,	\f@nch@head 10764		
19368,	19467,	\f@nch@reset 10764, 10770		
19470,	19484,	\f@nch@vbox . 10765, 10771		
19500,	19517,	\f@size 350		
19524,	19529,	\FamilyKeyState ... 19465		
19590,	19644,	\FamilyKeyStateProcessed		
19646,	19648, 19465		
19664,	19668,	\familyname 2335		
19673,	19675,	\familynamecolour .		
19678,	19682,	... 2304, 7558, 7656		
			F	



12099, 12105, 12111, 12117, 15360	930, 934, 954, 955, 956, 973, 1001, 1011, 1020, 1028, 1052, 1054, 1069, 1074, 1108, 1115, 1124, 1128, 1134, 1135, 1140, 1143, 1151, 1159, 1161, 1168, 1169, 1177, 1180, 1181, 1186, 1199, 1202, 1203, 1204, 1223, 1251, 1261, 1270, 1278, 1302, 1304, 1319, 1324, 1362, 1363, 1365, 1368, 1370, 1371, 1376, 1390, 1391, 1405, 1406, 1420, 1428, 1429, 1435, 1436, 1440, 1445, 1448, 1453, 1456, 1464, 1465, 1474, 1475, 1487, 1488, 1499, 1542, 1548, 1554, 1593, 1594, 1601, 1602, 1613, 1623, 1629, 1635, 1641, 1647, 1659, 1665, 1671, 1677, 1691, 1698, 1705, 1715, 1725, 1734, 1774, 1789, 1790, 1797, 1798, 1809, 1827, 2035, 2041, 2047, 2062, 2083, 2087, 2088, 2090, 2146, 2147, 2153, 2168, 2169, 2172, 2175, 2178, 2182, 2183, 2191, 2405, 2406, 2407, 2409, 2437, 2445, 2477, 2478, 2493, 2503, 2517, 2527, 2536, 2543, 2613, 2621, 2627, 2633, 2639, 2645, 2651, 2657, 2663, 2676, 2685, 2688, 2694, 2703, 2706, 2728,	2735, 2779, 2814, 2965, 2983, 3264, 3269, 3274, 3277, 3278, 3279, 3287, 3297, 3299, 3307, 3314, 3317, 3321, 3328, 3333, 3344, 3356, 3357, 3395, 3399, 3406, 3410, 3412, 3443, 3535, 3569, 3607, 3613, 3617, 3622, 3636, 3679, 3705, 3719, 3731, 3746, 3782, 3794, 3826, 3837, 3891, 3893, 3894, 3923, 3925, 3929, 3930, 3939, 3941, 3962, 3963, 3965, 3979, 3980, 3982, 3983, 3998, 4011, 4012, 4020, 4037, 4092, 4102, 4113, 4300, 4306, 4499, 4502, 4505, 4508, 4527, 4538, 4768, 4777, 4804, 4812, 4821, 4856, 4865, 5041, 5098, 5100, 5110, 5436, 5437, 5554, 5555, 5556, 5734, 5812, 5864, 5877, 5885, 5916, 5917, 5972, 5973, 5977, 5984, 5989, 5998, 6027, 6038, 6040, 6043, 6045, 6099, 6101, 6105, 6124, 6126, 6127, 6128, 6139, 6141, 6142, 6151, 6153, 6190, 6199, 6203, 6209, 6210, 6215, 6218, 6226, 6234, 6241, 6242, 6249, 6252, 6253, 6259, 6269, 6301, 6303, 6305, 6317, 6327, 6336, 6344, 6367, 6376, 6380, 6386,
--------------------------------------	--	--



6387, 6392, 6395,	7812, 7828, 7829,	10600, 10617,
6403, 6411, 6418,	7831, 7840, 7849,	10680, 10685,
6419, 6426, 6429,	7850, 7869, 7882,	10719, 10726,
6430, 6436, 6457,	7883, 7892, 7901,	10728, 10730,
6478, 6480, 6482,	7902, 7905, 7921,	10740, 10744,
6494, 6504, 6513,	7928, 7944, 7950,	10751, 10752,
6521, 6541, 6547,	7966, 7973, 8030,	10753, 10754,
6548, 6552, 6554,	8033, 8044, 8047,	10794, 10810,
6577, 6586, 6640,	8059, 8065, 8085,	10812, 10830,
6645, 6683, 6690,	8169, 8184, 8193,	10850, 10852,
6698, 6705, 6708,	8194, 8195, 8196,	10863, 10870,
6709, 6713, 6723,	8226, 8239, 8242,	10886, 10908,
6725, 6727, 6736,	8243, 8246, 8253,	10916, 10920,
6742, 6743, 6750,	8259, 8266, 8267,	10934, 10941,
6761, 6766, 6785,	8273, 8280, 8290,	10981, 11021,
6787, 6788, 6789,	8361, 8366, 8400,	11023, 11025,
6797, 6808, 6810,	8458, 8463, 8501,	11034, 11036,
6819, 6824, 6826,	8507, 8515, 8517,	11038, 11046,
6841, 6842, 6843,	8519, 8521, 8530,	11049, 11051,
6845, 6847, 6872,	8536, 8537, 8545,	11066, 11080,
6879, 6885, 6897,	8556, 8561, 8582,	11104, 11188,
6898, 6910, 6911,	8585, 8588, 8590,	11190, 11226,
6922, 6926, 6927,	8597, 8598, 8602,	11279, 11287,
6931, 6932, 6934,	8623, 8643, 8658,	11301, 11315,
6941, 6947, 6966,	8705, 8787, 8788,	11316, 11331,
6969, 6970, 6976,	8799, 8800, 8811,	11332, 11355,
6981, 7004, 7027,	8812, 8823, 8843,	11398, 11412,
7050, 7073, 7088,	8855, 8880, 8881,	11414, 11424,
7091, 7092, 7108,	8884, 8885, 8887,	11492, 11493,
7112, 7113, 7115,	8908, 8918, 8953,	11521, 11526,
7136, 7161, 7168,	8970, 9059, 9068,	11535, 11548,
7177, 7179, 7199,	9101, 9117, 9203,	11549, 11550,
7220, 7227, 7236,	9213, 9248, 9265,	11564, 11589,
7238, 7248, 7287,	9354, 9364, 9399,	11610, 11613,
7294, 7303, 7306,	9416, 9505, 9515,	11637, 11662,
7313, 7326, 7334,	9549, 9567, 9656,	11665, 11678,
7340, 7345, 7347,	9666, 9700, 9718,	11680, 11683,
7348, 7349, 7382,	9807, 9817, 9852,	11684, 11685,
7383, 7399, 7408,	9869, 9958, 9968,	11691, 11693,
7413, 7414, 7460,	10003, 10020,	11704, 11710,
7468, 7477, 7480,	10109, 10119,	11713, 11720,
7487, 7501, 7509,	10154, 10171,	11729, 11735,
7515, 7520, 7522,	10264, 10275,	11737, 11739,
7523, 7524, 7525,	10284, 10322,	11742, 11750,
7539, 7574, 7581,	10372, 10502,	11756, 11771,
7588, 7595, 7620,	10533, 10545,	11777, 11778,
7669, 7675, 7681,	10562, 10570,	11781, 11788,
7687, 7701, 7716,	10577, 10580,	11800, 11801,
7762, 7765, 7766,	10581, 10585,	11814, 11824,
7783, 7786, 7787,	10588, 10593,	11830, 11837,



11843,	11844,	12544,	12547,	13287,	13290,
11860,	11864,	12561,	12566,	13293,	13296,
11869,	11873,	12575,	12583,	13299,	13302,
11874,	11884,	12595,	12600,	13305,	13308,
11885,	11890,	12608,	12615,	13311,	13314,
11891,	11892,	12626,	12631,	13317,	13320,
11900,	11909,	12637,	12644,	13323,	13326,
11911,	11912,	12655,	12660,	13329,	13332,
11913,	11914,	12670,	12676,	13335,	13338,
11915,	11927,	12680,	12683,	13341,	13344,
11929,	11930,	12711,	12715,	13347,	13350,
11931,	11932,	12730,	12742,	13353,	13356,
11933,	11938,	12748,	12751,	13359,	13362,
11944,	11945,	12752,	12753,	13365,	13368,
11946,	11959,	12768,	12779,	13371,	13374,
11965,	11972,	12780,	12785,	13377,	13380,
11978,	11984,	12797,	12814,	13383,	13389,
11990,	11991,	12818,	12821,	13391,	13394,
11992,	11997,	12824,	12826,	13403,	13404,
12001,	12006,	12849,	12850,	13419,	13441,
12010,	12014,	12867,	12877,	13446,	13455,
12018,	12019,	12883,	12900,	13459,	13500,
12020,	12021,	12915,	12916,	13501,	13505,
12028,	12036,	12934,	12937,	13506,	13508,
12044,	12052,	12941,	12960,	13513,	13518,
12059,	12063,	12970,	12978,	13526,	13530,
12068,	12072,	13009,	13010,	13563,	13585,
12076,	12080,	13020,	13021,	13609,	13617,
12081,	12082,	13038,	13047,	13808,	14134,
12089,	12095,	13053,	13087,	14204,	14208,
12102,	12108,	13090,	13169,	14211,	14216,
12114,	12120,	13172,	13175,	14217,	14218,
12121,	12122,	13178,	13181,	14219,	14220,
12123,	12124,	13184,	13187,	14221,	14233,
12125,	12126,	13190,	13194,	14247,	14250,
12135,	12140,	13197,	13200,	14256,	14260,
12141,	12145,	13203,	13206,	14261,	14282,
12157,	12165,	13209,	13212,	14283,	14284,
12169,	12170,	13215,	13218,	14289,	14300,
12185,	12196,	13221,	13224,	14302,	14306,
12207,	12227,	13227,	13230,	14316,	14328,
12238,	12249,	13233,	13236,	14335,	14357,
12264,	12279,	13239,	13242,	14364,	14367,
12294,	12353,	13245,	13248,	14388,	14398,
12391,	12424,	13251,	13254,	14428,	14434,
12455,	12486,	13257,	13260,	14435,	14457,
12512,	12515,	13263,	13266,	14464,	14467,
12518,	12521,	13269,	13272,	14488,	14498,
12530,	12532,	13275,	13278,	14525,	14531,
12536,	12542,	13281,	13284,	14532,	14537,



14557,	14567,	15357,	15360,	16150,	16152,
14568,	14573,	15361,	15368,	16154,	16163,
14574,	14580,	15370,	15374,	16187,	16196,
14584,	14585,	15376,	15385,	16249,	16254,
14588,	14592,	15387,	15389,	16292,	16299,
14597,	14600,	15398,	15400,	16307,	16314,
14604,	14609,	15402,	15411,	16317,	16318,
14613,	14621,	15413,	15415,	16322,	16332,
14632,	14646,	15424,	15426,	16334,	16336,
14651,	14657,	15443,	15465,	16345,	16350,
14674,	14682,	15466,	15473,	16357,	16366,
14688,	14697,	15482,	15486,	16400,	16404,
14704,	14712,	15499,	15502,	16414,	16445,
14716,	14720,	15503,	15504,	16450,	16451,
14724,	14817,	15510,	15511,	16462,	16463,
14824,	14843,	15516,	15519,	16477,	16479,
14848,	14853,	15527,	15535,	16483,	16487,
14860,	14870,	15542,	15543,	16489,	16494,
14871,	14874,	15550,	15553,	16498,	16501,
14875,	14876,	15554,	15560,	16505,	16507,
14881,	14886,	15575,	15596,	16511,	16538,
14890,	14896,	15598,	15600,	16547,	16549,
14902,	14907,	15614,	15624,	16560,	16567,
14910,	14916,	15633,	15641,	16590,	16596,
14935,	14948,	15665,	15667,	16602,	16605,
14949,	15000,	15682,	15687,	16628,	16633,
15014,	15022,	15721,	15728,	16634,	16646,
15023,	15027,	15737,	15753,	16656,	16661,
15035,	15050,	15763,	15772,	16664,	16701,
15058,	15093,	15780,	15806,	16702,	16708,
15102,	15103,	15808,	15823,	16715,	16718,
15121,	15125,	15828,	15870,	16733,	16738,
15132,	15133,	15871,	15873,	16739,	16740,
15135,	15137,	15876,	15882,	16756,	16759,
15138,	15139,	15883,	15888,	16766,	16783,
15145,	15170,	15891,	15899,	16804,	16811,
15172,	15183,	15907,	15914,	16816,	16821,
15194,	15201,	15915,	15922,	16824,	16825,
15207,	15209,	15925,	15926,	16826,	16828,
15212,	15213,	15932,	15936,	16855,	16879,
15227,	15281,	15949,	15952,	16880,	16881,
15282,	15285,	15953,	15954,	16899,	16900,
15289,	15290,	15961,	15963,	16908,	16914,
15293,	15298,	15965,	15969,	16927,	16937,
15299,	15304,	15998,	16067,	16955,	16961,
15319,	15320,	16072,	16108,	16985,	17087,
15321,	15322,	16114,	16122,	17096,	17098,
15323,	15325,	16129,	16132,	17109,	17116,
15328,	15336,	16133,	16137,	17139,	17145,
15347,	15352,	16138,	16139,	17151,	17154,



17177,	17182,	17966,	17981,	18875,	18879,
17183,	17195,	17986,	17987,	18880,	18881,
17205,	17210,	18018,	18022,	18889,	18892,
17213,	17250,	18029,	18046,	18896,	18897,
17251,	17257,	18067,	18074,	18898,	18906,
17264,	17267,	18079,	18084,	18909,	18913,
17282,	17287,	18087,	18088,	18914,	18915,
17288,	17291,	18089,	18091,	18923,	18926,
17294,	17307,	18118,	18142,	18930,	18931,
17310,	17315,	18143,	18144,	18932,	18940,
17318,	17323,	18162,	18163,	18943,	18948,
17326,	17335,	18171,	18177,	18949,	18950,
17339,	17346,	18190,	18200,	18958,	18961,
17363,	17384,	18218,	18224,	18967,	18968,
17391,	17396,	18248,	18339,	18969,	18977,
17401,	17404,	18342,	18384,	18980,	18987,
17405,	17406,	18400,	18405,	18988,	18989,
17408,	17435,	18409,	18410,	18997,	19000,
17459,	17460,	18427,	18435,	19014,	19022,
17461,	17479,	18441,	18448,	19023,	19024,
17480,	17488,	18455,	18461,	19032,	19035,
17494,	17507,	18466,	18497,	19057,	19072,
17517,	17535,	18554,	18555,	19073,	19074,
17541,	17565,	18571,	18572,	19215,	19231,
17660,	17667,	18588,	18623,	19323,	19337,
17668,	17684,	18630,	18632,	19340,	19342,
17685,	17686,	18647,	18658,	19370,	19371,
17687,	17688,	18661,	18668,	19372,	19379,
17689,	17690,	18669,	18670,	19394,	19411,
17691,	17698,	18675,	18679,	19433,	19472,
17700,	17704,	18680,	18695,	19473,	19741,
17706,	17710,	18718,	18725,	19743,	19750,
17712,	17716,	18743,	18744,	19752,	19765,
17718,	17722,	18760,	18761,	19766,	19767,
17724,	17728,	18762,	18766,	19774,	19778,
17730,	17734,	18767,	18776,	19783,	19787,
17736,	17740,	18780,	18781,	19793,	19799,
17742,	17746,	18782,	18788,	19803,	19809,
17748,	17752,	18791,	18792,	19812,	19814,
17754,	17758,	18793,	18801,	19815,	19816,
17786,	17795,	18812,	18813,	19819,	19822,
17797,	17808,	18815,	18816,	19825,	19826,
17815,	17838,	18822,	18823,	19835,	19841,
17844,	17850,	18824,	18832,	19850,	19851,
17853,	17876,	18835,	18836,	19859,	19865,
17881,	17882,	18844,	18845,	19869,	19872,
17894,	17904,	18846,	18847,	19873,	19884,
17909,	17912,	18855,	18858,	19885,	19895,
17949,	17950,	18862,	18863,	19896,	19900,
17956,	17963,	18864,	18872,	19904,	19908,



19912,	19916,	20535,	20536,	\firstmark
19920,	19924,	20537,	20540,	7134, 7197, 10792,
19928,	19932,	20543,	20546,	10828, 10988,
19937,	19945,	20549,	20550,	11587, 11635,
19948,	19955,	20551,	20552,	14355, 14455,
19956,	19960,	20554,	20556,	20691, 20738, 21001
19967,	19990,	20557,	20564,	\firstname 2334
19996,	20007,	20567,	20569,	\firstnamecolour 2303, 7559, 7655
20012,	20018,	20573,	20574,	\firstnamefont 2312, 2320,
20020,	20027,	20577,	20593,	7597, 7598, 7689, 7692
20030,	20043,	20594,	20602,	\firstnamestyle 2320,
20052,	20065,	20603,	20606,	7609, 7699, 7720
20068,	20079,	20607,	20608,	\fivecolumnfootnotes 9338
20085,	20086,	20609,	20610,	\fivecolumnfootstyle 9435
20092,	20097,	20616,	20621,	\flnew@within 10893
20100,	20114,	20629,	20646,	\float@newx 10887
20119,	20122,	20652,	20654,	\floatalignment 4356, 4357,
20123,	20124,	20661,	20671,	4398, 4399, 4421,
20125,	20129,	20673,	20693,	4428, 4436, 4487, 4698
20132,	20134,	20717,	20720,	\FloatBarrier 4328, 4678
20140,	20141,	20740,	20760,	\floatc@biditufefloatplain 4696,
20155,	20165,	20763,	20766,	4706, 4713, 4719, 4727
20166,	20173,	20775,	20784,	\floatc@biditufefloatplaintop 4713
20178,	20181,	20819,	20828,	\floatc@biditufefloatruled 4714
20184,	20185,	20860,	20863,	\floatc@plain 10884
20188,	20189,	20864,	20865,	\floatingpenalty 41, 55, 71, 254,
20191,	20200,	20866,	20867,	268, 283, 7771,
20201,	20205,	20875,	20889,	7792, 7839, 7846,
20211,	20217,	20893,	20894,	7891, 7898, 8833,
20218,	20219,	20898,	20906,	11231, 11248, 11264
20222,	20228,	20907,	20908,	\floatstyle 4747
20232,	20243,	20909,	20910,	\flushleft 2001, 2010
20244,	20248,	20931,	20938,	\FN@sf@@footnote 2028, 2032
20254,	20266,	20944,	20945,	\FN@sf@@footnotemark 2057, 2059
20267,	20268,	20946,	20947,	\FN@sf@@LTRfootnote 2029, 2038
20271,	20285,	20949,	20950,	\FN@sf@@RTLfootnote 2030, 2044
20290,	20336,	20951,	20969,	
20337,	20348,	20984,	20990,	
20349,	20352,	21009,	21012,	
20356,	20357,	21013,	21017,	
20392,	20418,	21018,	21020,	
20437,	20445,	21028,	21030,	
20451,	20457,	21135,	21141, 21147	
20463,	20464,	\figcaption .	11909, 11927	
20470,	20475,	\fill	5727, 5731,	
20478,	20498,		11944, 12139,	
20499,	20507,		13389, 13391, 13393	
20508,	20516,	\filright ..	18610, 18639	
20517,	20525,	\FirstFrameCommand		
20526,	20534,		11411, 11457	



\FN@sf@gobble@bracket	\footdir@ORG@bidi@RTLfootnotetext	8908, 8918, 8929,
..... 2068, 2071 11283	9049, 9050, 9059,
\FN@sf@gobble@opt	\footdir@temp	9068, 9077, 9193,
..... 2034,	.. 79, 80, 81, 292,	9194, 9203, 9213,
2040, 2046, 2049	293, 294, 11121,	9223, 9344, 9345,
\FN@sf@gobble@optionly	11282, 11283, 11284	9354, 9364, 9374,
..... 2061, 2064	\footdir@toks	9495, 9496, 9505,
\FN@sf@gobble@twobracket	.. 11062, 11129,	9515, 9525, 9646,
..... 2053, 2056	11130, 11131, 11135	9647, 9656, 9666,
\font	\footdir@write	9676, 9797, 9798,
18351, 18352	. 11056, 11086, 11125	9807, 9817, 9827,
\fontdimen . 18351, 18352	\footersymbol	9948, 9949, 9958,
\fontsize 7616, 7617,	9968, 9978, 10099,
. 313, 5682, 5684,	7632, 7633, 7634, 7635	10100, 10109,
5686, 7597, 7689,	\footfootmark	10119, 10129,
12763, 14933, 14946 8777, 8945,	10292, 10293,
\foo	9093, 9240, 9391,	10313, 10325, 10337
15005, 15007, 15017, 15019	9542, 9693, 9844,	\footmarksep
\footdir@abspage ..	9995, 10146, 10352	8772
..... 11091,	\footfudgefactor ..	\footmarkstyle 8774, 8813
11094, 11095,	. 10255, 10310, 10427	\footmarkwidth . 8771,
11098, 11099, 11102	\footfudgefiddle . 10285	8778, 8779, 8781,
\footdir@debug 11063,	\footins	8783, 8786, 8790,
11071, 11075,	35, 49, 65, 248, 262, 277,	8791, 8793, 8795,
11078, 11088,	7771, 7792, 7796,	8798, 8802, 8803,
11095, 11099, 11102	7797, 7808, 7811,	8805, 8807, 8810, 8816
\footdir@debugfalse 1670	7815, 7839, 7845,	\footnote
\footdir@debugtrue	7853, 7854, 7865,	420,
..... 1668, 11061	7868, 7872, 7891,	494, 744, 843,
\footdir@fntext ...	7897, 8657, 8673,	996, 1095, 1246,
. 11109, 11126, 11128	8689, 8830, 10510,	1346, 2028, 2031,
\footdir@LeftRightElse	10514, 10521,	5264, 5583, 5614,
. 11069, 11085, 11162	10525, 10529,	6312, 6489, 6594,
\footdir@name	10542, 11225,	6668, 8319, 8387,
. 11112, 11115, 11116	10545, 11226,	8412, 8486, 10638,
\footdir@ORG@bidi@amsart@footnotetext	11258,	10706, 14251,
..... 79	11573, 11574,	14254, 15609,
\footdir@ORG@bidi@amsart@LTRfootnotetext	11622,	15708, 15746,
..... 81	15295, 15296, 15298	15852, 16006,
\footdir@ORG@bidi@amsart@RTLfootnotetext	8829, 8830, 8871,	16094, 16203,
..... 80	8872, 9002, 9049,	16277, 16581,
\footdir@ORG@bidi@amsbook@footnotetext	9147, 9193, 9297,	16697, 17130,
..... 292	9148, 9194, 9298,	17246, 17829, 17945
\footdir@ORG@bidi@amsbook@LTRfootnotetext	9495,	\footnotelayout ...
..... 294	9599, 9646, 9750,	... 5082, 5083, 5086
\footdir@ORG@bidi@amsbook@RTLfootnotetext	9948,	\footnotemark
..... 293	10052, 10099,	2057, 2058, 11360,
\footdir@ORG@bidi@footnotetext	10203, 10292, 10417	11374, 14252, 14255
..... 11282	\footinsv@r 8823,	\footnoterule .. 7750,
\footdir@ORG@bidi@LTRfootnotetext	8868, 8869, 8870,	7812, 7818, 7823,
..... 11284	8871, 8898, 8899,	7851, 7852, 7869,



	\foottextfont	\fs@bidituftefloatplaintop 4712
7904, 8652, 8842, 8853, 8867, 10487, 10513, 10524, 11053, 11150, 11154, 11157, 11172, 11177, 11178, 11180, 11673, 15297, 18605	8661, 8668, 8708, 8714, 8826, 8893, 8910, 8945, 8956, 9044, 9061, 9093, 9104, 9188, 9205, 9240, 9251, 9339, 9356, 9391, 9402, 9490, 9507, 9542, 9553, 9641, 9658, 9693, 9704, 9792, 9809, 9844, 9855, 9943, 9960, 9995, 10006, 10094, 10111, 10146, 10157, 10260, 10287, 10304, 10316, 10352, 10366	\fs@bidituftefloatplaintop 4712 \fs@bidituftefloatruled 4717 \fslice . 15115, 15116, 15118, 15119, 15122 \ftn@font 16552, 17101, 17800 \ftn@rule@height 16559, 16562, 16566, 16569, 17108, 17111, 17115, 17118, 17807, 17810, 17814, 17817 \ftn@rule@test@values 16558, 16565, 17107, 17114, 17806, 17813 \ftn@rule@width 16562, 16569, 17111, 17118, 17810, 17817 \ftnm@font 16554, 17103, 17802 \full@width 14624, 14636, 14687 \futurelet 793, 795, 1045, 1047, 1295, 1297, 2533, 3323, 3326, 15658, 15660, 15799, 15801
\footnotes \footnotesep 29, 31, 40, 46, 54, 60, 70, 76, 243, 245, 253, 259, 267, 273, 282, 288, 7768, 7789, 7814, 7871, 8668, 8684, 8700, 8714, 8727, 8740, 8834, 11230, 11238, 11247, 11255, 11263, 11271, 11298, 11312, 11326, 12758, 12760	9553, 9641, 9658, 9693, 9704, 9792, 9809, 9844, 9855, 9943, 9960, 9995, 10006, 10094, 10111, 10146, 10157, 10260, 10287, 10304, 10316, 10352, 10366	
\footnotesize 38, 52, 68, 106, 236, 251, 265, 280, 416, 740, 992, 1242, 2412, 2434, 4236, 4237, 4275, 4894, 4895, 4896, 5088, 5118, 5136, 5154, 6308, 6485, 6590, 8315, 8408, 8826, 8827, 8828, 10634, 11221, 11222, 11223, 11228, 11245, 11261, 11291, 11305, 11319, 12750, 15098, 15100, 15605, 15742, 16002, 16199, 16577, 17126, 17825	3515, 3521, 3597, 3633, 3640, 3645, 3651, 3656, 3660, 3661	
\fourcolumnfootnotes 9187		
\fourcolumnfootstyle 9284		
\fp 13906, 13907, 13908, 13909		
\fps@figure 11897		
\framebox 172, 174, 7607, 7738, 14566, 14572		
\FrameCommand 11409		
\FrameHeightAdjust 11483		
\FrameRestore 11421, 11537, 11538		
\fromaddress 8580, 8586, 8596, 12816, 12822		
\fromname 8601		
\fromplace 17752		
\fromsig 8600, 8602, 17759		
\fromvalue 3515, 3601, 3624, 3646, 3661		
\frontmatter 5781		
\fs@bidituftefloatboxed 4725		
\fs@bidituftefloatplain 4704, 4712		

G

\g 8091, 8093, 8097, 8190, 13604, 13609,
13611, 13617,
13619, 13662,
13666, 13667,
13713, 13717,
13718, 13735,
13736, 13773,
13789, 13792,
13798, 13799,
13800, 13801,
13802, 13811,
13812, 13814,
13816, 13817,
13818, 13825,
13826, 13831,
13837, 13846,



13849,	13857,	14139,	14142,	\Gin@bboxtrue 11714
13858,	13861,	14146,	14147,	\Gin@defaultbp
13862,	13863,	14149,	14151,	. . . 11715, 11716,
13864,	13865,	14152,	14153,	11717, 11718,
13866,	13868,	14157,	14158,	18576, 18577, 18580
13871,	13872,	14159,	14164,	\Gin@eheight 14941
13874,	13877,	14171,	14956,	\Gin@esetsize 11733
13879,	13882,	14958,	14967,	\Gin@ewidth . 14940, 14941
13887,	13895,	14970,	14972, 14973	\Gin@exclamation . .
13896,	13898,	\g@addto@macro		
13899,	13900,	3764,	4008, 4093,	\Gin@gridfalse 14926
13901,	13902,	4103,	4354, 5040,	\Gin@ii 11722
13903,	13904,	5042,	8120, 8123,	\Gin@iii 11711, 11725
13906,	13907,	8125,	19672, 19968	\Gin@llx 11715
13908,	13909,	\g@mix@page@int . . 14044		
13911,	13912,	\gdef . . 409, 411, 1931,		
13922,	13930,	2303,	2304, 2305,	\Gin@outer@scaledx 14937
13931,	13932,	2306,	2307, 2308,	\Gin@outer@scaledy 14938
13934,	13939,	2310,	2311, 3287,	\Gin@scaledx 14942
13940,	13945,	3289,	3299, 3301,	\Gin@scaledy 14943
13946,	13950,	3610,	3612, 3613,	\Gin@urx 11717
13955,	13958,	4087,	4098, 4372,	\Gin@ury 11718
13965,	13967,	4373,	4375, 4378,	\Ginclude@graphics
13970,	13971,	4458,	4463, 4464, 11719, 11731
13975,	13977,	4465,	4617, 4658,	\Ginput@path 13804
13978,	13981,	5037,	5175, 5204,	\global 311,
13982,	13983,	5233,	5272, 5281,	440, 441, 442, 443,
13987,	13988,	5290,	5619, 5636,	444, 445, 446, 447,
13992,	13993,	5652,	5664, 5704,	448, 449, 450, 451,
14000,	14015,	5705,	5706, 5893,	469, 475, 476, 477,
14016,	14017,	5896,	6158, 6170,	478, 479, 480, 481,
14019,	14024,	6172,	7133, 7196,	482, 483, 484, 485,
14027,	14028,	8074,	8087, 10527,	486, 487, 522, 523,
14031,	14035,	10538,	10549,	674, 675, 782, 783,
14036,	14037,	10550,	10791,	784, 785, 786, 787,
14041,	14042,	10827,	11116,	788, 789, 790, 791,
14043,	14050,	11176,	11586,	820, 826, 827, 828,
14051,	14052,	11634,	12864,	829, 830, 831, 832,
14054,	14055,	13086,	13089,	833, 834, 835, 836,
14058,	14059,	14354,	14454,	918, 919, 1034,
14064,	14070,	14878,	14899,	1035, 1036, 1037,
14081,	14086,	15289,	18349,	1038, 1039, 1040,
14087,	14088,	18611,	18612,	1041, 1042, 1043,
14092,	14095,	18617,	18640,	1072, 1078, 1079,
14096,	14097,	18641,	19965,	1080, 1081, 1082,
14098,	14100,	20356,	20406,	1083, 1084, 1085,
14108,	14122,	20633,	20690, 20737	1086, 1087, 1088,
14123,	14124,	\geometry 4258,		
14125,	14127,	4261,	4265, 4268, 4272	1157, 1158, 1284,
14130,	14138,	\Gin@angle 14939		
				1285, 1286, 1287,
				1288, 1289, 1290,
				1291, 1292, 1293,



1322, 1328, 1329,	6788, 6798, 6799,	9411, 9424, 9464,
1330, 1331, 1332,	6800, 6801, 6802,	9550, 9562, 9575,
1333, 1334, 1335,	6803, 6804, 6805,	9615, 9701, 9713,
1336, 1337, 1338,	6813, 6826, 6831,	9726, 9766, 9852,
1464, 1465, 1880,	6835, 6891, 7120,	9864, 9877, 9917,
1881, 1882, 1883,	7121, 7131, 7138,	10003, 10015,
1884, 1885, 1886,	7172, 7183, 7184,	10028, 10068,
1887, 1888, 1889,	7194, 7201, 7231,	10154, 10166,
1890, 2090, 2093,	7290, 7298, 7308,	10179, 10219,
2096, 2099, 2103,	7318, 7327, 7329,	10246, 10260,
2106, 2109, 2188,	7330, 7333, 7336,	10362, 10376,
2192, 2214, 2470,	7346, 7360, 7361,	10390, 10445,
2482, 2506, 2590,	7363, 7365, 7366,	10490, 10537,
2606, 3423, 3425,	7368, 7374, 7375,	10548, 10567,
3438, 3439, 3449,	7378, 7380, 7381,	10568, 10656,
3457, 3467, 3580,	7384, 7387, 7392,	10657, 10658,
3599, 3601, 3603,	7401, 7409, 7464,	10659, 10660,
3615, 3620, 4223,	7472, 7482, 7491,	10661, 10662,
4357, 4401, 4402,	7493, 7502, 7504,	10663, 10664,
4774, 4785, 4788,	7505, 7508, 7511,	10665, 10683,
4818, 4829, 4832,	7521, 7529, 7530,	10689, 10690,
4862, 4873, 4876,	7537, 7763, 7770,	10691, 10692,
4930, 5697, 5894,	7784, 7791, 7803,	10693, 10694,
5897, 5915, 5919,	7811, 7815, 7832,	10695, 10696,
5935, 5946, 5972,	7835, 7843, 7848,	10697, 10698,
5973, 6000, 6013,	7860, 7868, 7872,	10699, 10779,
6014, 6042, 6051,	7884, 7887, 7895,	10780, 10789,
6054, 6057, 6060,	7900, 8200, 8337,	10795, 10815,
6063, 6066, 6098,	8338, 8339, 8340,	10816, 10825,
6108, 6122, 6124,	8341, 8342, 8343,	10832, 10903,
6129, 6130, 6136,	8344, 8345, 8346,	10906, 10939,
6137, 6139, 6159,	8364, 8370, 8371,	10942, 10944,
6171, 6173, 6231,	8372, 8373, 8374,	10950, 10951,
6232, 6350, 6351,	8375, 8376, 8377,	10952, 10968,
6352, 6353, 6354,	8378, 8379, 8380,	10972, 10975,
6355, 6356, 6357,	8432, 8433, 8434,	10983, 10985,
6358, 6359, 6408,	8435, 8436, 8437,	10989, 11287,
6409, 6527, 6528,	8438, 8439, 8440,	11288, 11301,
6529, 6530, 6531,	8441, 8442, 8443,	11302, 11315,
6532, 6533, 6534,	8461, 8467, 8468,	11316, 11571,
6535, 6536, 6614,	8469, 8470, 8471,	11572, 11573,
6615, 6616, 6617,	8472, 8473, 8474,	11574, 11584,
6618, 6619, 6620,	8475, 8476, 8477,	11592, 11619,
6621, 6622, 6623,	8478, 8479, 8512,	11620, 11621,
6624, 6625, 6643,	8513, 8705, 8718,	11622, 11632,
6649, 6650, 6651,	8731, 8887, 8953,	11640, 12323,
6652, 6653, 6654,	8965, 8978, 9018,	12337, 12361,
6655, 6656, 6657,	9101, 9112, 9124,	12375, 12408,
6658, 6659, 6660,	9162, 9248, 9260,	12439, 12470,
6661, 6695, 6696,	9273, 9313, 9399,	12533, 12543,



13036,	13428,	15653,	15654,	16659,	16671,
13429,	13480,	15655,	15656,	16672,	16673,
13483,	13502,	15685,	15691,	16674,	16675,
13503,	13511,	15692,	15693,	16676,	16677,
14184,	14185,	15694,	15695,	16678,	16679,
14186,	14187,	15696,	15697,	16680,	16681,
14188,	14189,	15698,	15699,	16682,	16683,
14190,	14191,	15700,	15701,	16684,	16685,
14192,	14209,	15786,	15787,	16686,	16687,
14304,	14341,	15788,	15789,	16688,	16689,
14342,	14352,	15790,	15791,	16690,	16691,
14358,	14361,	15792,	15793,	16692,	16693,
14363,	14365,	15794,	15795,	16893,	16947,
14366,	14368,	15796,	15797,	16949,	17208,
14373,	14381,	15826,	15832,	17220,	17221,
14383,	14391,	15833,	15834,	17222,	17223,
14392,	14393,	15835,	15836,	17224,	17225,
14394,	14396,	15837,	15838,	17226,	17227,
14397,	14400,	15839,	15840,	17228,	17229,
14401,	14432,	15841,	15842,	17230,	17231,
14433,	14441,	15843,	15844,	17232,	17233,
14442,	14452,	15904,	15905,	17234,	17235,
14458,	14461,	16036,	16037,	17236,	17237,
14463,	14465,	16038,	16039,	17238,	17239,
14466,	14468,	16040,	16041,	17240,	17241,
14473,	14481,	16042,	16043,	17242,	17473,
14483,	14491,	16044,	16045,	17527,	17529,
14492,	14493,	16046,	16047,	17907,	17919,
14494,	14496,	16070,	16076,	17920,	17921,
14497,	14500,	16077,	16078,	17922,	17923,
14501,	14529,	16079,	16080,	17924,	17925,
14530,	14536,	16081,	16082,	17926,	17927,
14537,	14549,	16083,	16084,	17928,	17929,
14550,	14551,	16085,	16086,	17930,	17931,
14552,	14553,	16087,	16088,	17932,	17933,
14554,	14556,	16119,	16120,	17934,	17935,
14562,	14634,	16223,	16224,	17936,	17937,
14651,	14657,	16225,	16226,	17938,	17939,
14674,	14682,	16227,	16228,	17940,	17941,
14819,	15037,	16229,	16230,	18156,	18210,
15054,	15055,	16231,	16232,	18212,	18440,
15056,	15057,	16233,	16234,	18444,	18445,
15065,	15072,	16252,	16258,	18446,	18463,
15105,	15129,	16259,	16260,	18475,	18480,
15130,	15131,	16261,	16262,	18484,	18496,
15330,	15380,	16263,	16264,	18533,	18535,
15532,	15533,	16265,	16266,	18540,	18542,
15647,	15648,	16267,	16268,	18806,	18807,
15649,	15650,	16269,	16270,	18810,	18811,
15651,	15652,	16304,	16305,	19338,	19339,



19389,	19393,	\Grot@setangle 11679, 11690, 16476, 16486, 16497, 16504	\H@refstepcounter 12703 \halign 5934, 13431 \hangafter .. 6981, 14277 \hangindent 107,
19962,	20110,	\Grot@x 11681, 11686, 16481, 16491, 16499, 16509	108, 109, 237, 238, 239, 650,
20118,	20128,	\Grot@y 11682, 11687, 16482, 16492, 16499, 16510	877, 1133, 5554, 5555, 5556, 6208, 6385, 6885, 6981,
20131,	20175,	\group .. 13785, 13806, 14093, 14106, 14111, 14118, 14174	12751, 12752, 12753, 14270, 14276, 15509, 15881, 20554, 21030
20417,	20636,	\grp@aligned 6804	\hb@xt@ 459,
20647,	20677,	\GRP@box . 6799, 6831, 6833	519, 538, 671, 698,
20678,	20688,	\grp@eqs@numbered . 6803	900, 915, 1062,
20695,	20724,	\grp@hasNumber 6808	1154, 1182, 1874,
20725,	20735,	\GRP@label 6800	6229, 6254, 6406,
20742,	20781,	\grp@linewidth 6802	6431, 6633, 6693,
20792,	20795,	\GRP@queue ... 6799, 6835	6710, 6971, 7140,
20825,	20836,	\grp@setnumber 6808	7145, 7149, 7203,
20839,	20867,	\grp@shiftnumber .. 6805	7204, 7210, 7268,
20876,	20877,	\grp@wdL 6801	7272, 7275, 7280,
20878,	20879,	\grp@wdNum 6802	7285, 7445, 7449,
20881,	20884,	\grp@wdR 6801	7451, 7455, 7459,
20885,	20899,	\grp@wdT 6801	8244, 8256, 8354,
20904,	20918,	\Gscale@box	8451, 8510, 8779,
20919,	20921,	. 11693, 11785, 11802	8786, 8791, 8798,
20930,	20963,	\Gscale@div	8803, 8810, 10565,
20975,	20978,	. 11784, 11791, 11794	10582, 10673,
20985,	20992,	\Gscale@end . 11697, 11743	10834, 10835,
20996,	20998,	\Gscale@start 11697, 11743	10841, 10861,
20999,	21002, 21011	\Gscale@x .. 11695, 11741	10876, 10998,
\GlobalSetatBoolean 2599		\Gscale@y .. 11695, 11741	11594, 11595,
\GlobalSetBoolean .		\gsetlength	11601, 11642,
.... 2583, 4359,		4221, 4374, 4466,	11647, 11651,
4360, 4387, 4388,		4928, 5177, 5179,	11706, 11752,
4392, 4393, 4686, 4687		5206, 5208, 5235, 5237	11807, 11812,
\glossary .. 10962, 20958		H	11817, 11821,
\glueexpr 19518,		\H@footnotemark ..	12812, 12950,
19525,	19530,	.. 12214, 12303,	12957, 12964,
19591,	19652,	12496, 12510, 12527	12969, 13037,
19655,	19659, 19665	\H@footnotetext ..	14305, 14407,
\Gm@pageframes ... 11825		... 8631, 12173,	14412, 14416,
\Gm@vrule 11808,		12184, 12253,	14507, 14508,
11809,	11810,	12300, 12414,	14514, 14611,
11812,	11813,	12497, 12513, 12527	15530, 15555,
11814,	11817,	\H@mpfootnotetext ..	15902, 15927,
11818,	11819,	... 8637, 12182,	16018, 16061,
11822,	11823, 11824	12216, 12220, 12304	16134, 16242,
\Gm@vrules@mpi ... 11805			
\Gm@vrules@mpii .. 11815			
\grid	14934, 14947		
\Grot@box	11683,		
11691,	16483,		
16494,	16501, 16511		
\Grot@box@kv	11684		
\Grot@box@std	11678		



16302,	16319,	10799,	10803,	17802,	17817,
16859,	16899,	10880,	10884,	18085,	18193,
17439,	17479,	10886,	10924,	18366,	18414,
18122,	18162,	10929,	11142,	18427,	18455,
18387,	19069,	11675,	11676,	18466,	18505,
19227,	19333,	11680,	11685,	18575,	19830,
19725,	19838,	11696,	11697,	19831,	19880,
19875,	19877,	11742,	11743,	19882,	19939,
19943,	19950,	11781,	11788,	19940,	20143,
19952,	20368,	12757,	12763,	20177,	20179,
20551,	20552,	12782,	12835,	20185,	20298,
20627,	20697,	13420,	13440,	20307,	20308,
20702,	20706,	13445,	13505,	20317,	20366,
20744,	20745,	13508,	13790,	20367,	20370,
20751,	20888,	13806,	13807,	20371,	20372,
20969,	20990,	21012	13825,	20373,	20381,
\hbadness		14087,	14097,	20387,	20483,
	4729, 7756, 7777,	14133,	14168,	20553,	20562,
	18516,	18518,	14584,	20564,	20569,
	20049,	20050,	20067	20579,	20594,
\hbox	15,	14740,	14965,	20623,	20624,
	28,	14967,	14970,	20896,	20906,
	220,	14973,	15049,	20908	
	242,	15098,	15102,	\hboxL	1612, 1808,
	348,	15122,	15155,		11517,
	382,	15159,	15164,		11534,
	390,	15168,	15180,		12952,
	407,	15191,	15208,		15245,
	547,	15218,	15235,		20308
	657,	15244,	15245,	\hboxR	1610,
	734,	15254,	15308,		1806,
	885,	15309,	15310,		15235,
		15312,	15313,		20298
		15339,	15357,	\head@style	624,
		15368,	15516,		931,
		15570,	15888,		1125,
		15993,	16117,		1358,
		16147,	16329,		6200,
		16498,	16552,		6377,
		16554,	16569,		15483,
		16822,	16930,		15866,
		17101,	17103,		15933,
		17118,	17402,		15995
		17510,	17671,	\headheight	1856, 8062,
		17672,	17681,		10765,
		17697,	17703,		10970,
		17709,	17715,		20965
		17721,	17727,	\headrule
		17733,	17739,		10768
		17745,	17800,		



	14136, 14144, 14169		2398, 2412, 4490, 4491, 4494, 4495, 5875, 5885, 6904, 6905, 7608, 10766, 10767, 10772, 10773, 14586, 14610, 14746, 14749, 14750, 14751, 14754, 14755, 14756, 14757, 14758, 14761, 14762, 14763, 14764, 14765, 14766, 14767, 14770, 14771, 14772, 14773, 14774, 14775, 14776, 14777, 14778, 14781, 14782, 14783, 14786, 14787, 14788, 14791, 14792, 14793, 14794, 14795, 14798, 14799, 14800, 14801, 14802, 14805, 14806, 14807, 14808, 14809, 15209, 15213, 16569, 16967, 16984, 17118, 17547, 17564, 17699, 17705, 17711, 17717, 17723, 17729, 17735, 17741, 17817, 18230, 18247, 18612, 18641, 19699, 19702, 19706, 19832, 19941, 20098, 20625	2361, 2365, 2373, 2381, 2387, 2393, 2450 \hintstyle 2327 \hline 13397, 13399, 13405 \HLOFF 1936 \HLON 1930 \HLTR@@LTRfootnotetext ... 8633, 12175, 12206, 12283, 12301, 12343, 12445, 12499, 12519 \HLTR@@mpLTRfootnotetext ... 8639, 12204, 12218, 12242, 12305 \hoffset 1860 \hold@viper 7154, 7157, 7213, 7216, 7248, 7289, 7290, 7298, 7299, 7308, 7309, 7317, 7414, 7463, 7464, 7472, 7473, 7482, 7483, 7492, 7528, 7530, 7531 \holder . 15112, 15115, 15124, 15134, 15135, 15153, 15157, 15162, 15166, 15178, 15182, 15189, 15193 \href 2417, 2418, 2421, 2422, 2425, 2426 \HRTL@@mpRTLfootnotetext ... 8641, 12193, 12217, 12231, 12306 \HRTL@@RTLfootnotetext ... 8635, 12174, 12195, 12268, 12302, 12381, 12476, 12498, 12516 \hrule 31, 245, 543, 728, 963, 1208, 4720, 4721, 4731, 4732, 5905, 6287, 6440, 6550, 6556, 6562, 6568, 6716, 7751, 8307, 8606, 8653, 10608, 11145, 11147, 11179, 11522, 12760, 12831,
\hfil	15, 220, 519, 538, 671, 698, 900, 915, 1063, 1154, 1182, 1412, 1413, 1414, 1415, 1443, 1444, 1445, 1451, 1452, 1453, 1846, 1851, 5904, 5906, 6011, 6229, 6254, 6406, 6431, 6693, 6710, 6971, 7088, 7091, 7108, 7112, 7142, 7144, 7207, 7209, 7271, 7282, 7284, 7448, 7456, 7458, 8244, 8256, 8510, 8886, 10565, 10582, 10798, 10838, 10840, 10866, 10879, 10886, 11598, 11600, 11644, 11646, 11814, 11819, 12782, 13037, 13445, 14305, 14409, 14411, 14511, 14513, 14611, 15102, 15156, 15160, 15165, 15169, 15181, 15192, 15218, 15530, 15555, 15902, 15927, 16117, 16134, 16302, 16319, 19069, 19227, 19333, 19725, 19838, 19875, 19877, 19943, 19950, 19952, 20395, 20627, 20699, 20701, 20748, 20750, 20907, 20909, 20946, 20947, 20949, 20950, 21012		\hfilneg 8880, 8884 \hfuzz . 8075, 18517, 18519 \hintcolour 2311 \hintfont 2319, 2327, 2381, 2388, 2393 \hintscolumnwidth 2347,	
\hfill	180, 193, 1481, 1482, 2392,			



13563,	14743,	10395,	10398,	319, 537, 547, 657,
15210,	15564,	10438,	10449,	658, 697, 734, 885,
15987,	16143,	10452,	10885,	886, 899, 947, 968,
16325,	16562,	10886,	11232,	1140, 1141, 1181,
16569,	16817,	11249,	11265,	1214, 1361, 1414,
17111,	17118,	11292,	11306,	1415, 1453, 1477,
17397,	17677,	11320,	11337,	1480, 2464, 5437,
17810,	17817, 18080	11338,	11417,	5877, 5921, 5922,
\hrulefill	28,	11522,	11552,	5925, 5927, 5928,
242,	547, 734, 968,	11555,	11559,	5931, 6215, 6216,
1214,	6293, 6446,	11562,	11563,	6253, 6293, 6392,
6720,	8311, 8610,	13033,	13037,	6393, 6430, 6446,
10612,	11142,	13431,	13442,	6709, 6720, 6900,
12757,	12835,	13445,	13475,	6903, 6970, 7141,
14740,	15570,	13532,	13533,	7148, 7152, 7153,
15993,	16147,	13540,	13563,	7270, 7274, 7277,
16329,	16822,	14301,	14305,	7278, 7447, 7450,
17402,	17681, 18085	14538,	14618,	7452, 7453, 7816,
\hspace{.}	41,	14620,	14628,	7817, 7820, 7830,
55,	71, 172, 174,	14667,	14671,	7831, 7874, 8243,
178,	183, 201, 254,	14675,	14678,	8311, 8610, 10251,
268,	283, 627, 934,	14683,	14686,	10581, 10612,
1128,	1811, 2205,	14727,	14731,	10797, 10802,
4730,	4731, 4791,	14735,	15271,	10806, 10807,
4835,	4879, 5476,	15273,	15441,	10862, 10878,
6203,	6380, 6828,	15455,	15486,	11142, 11643,
7088,	7091, 7108,	15936,	15998,	11650, 11654,
7112,	8663, 8679,	16014,	16057,	11655, 11807,
8695,	8708, 8721,	16536,	16543,	11809, 11810,
8734,	8879, 8939,	16545,	16859,	11813, 11818,
8957,	8969, 8982,	16860,	16899,	11821, 11823,
9022,	9087, 9105,	17085,	17092,	11824, 12757,
9116,	9128, 9166,	17094,	17439,	12781, 12813,
9234,	9252, 9264,	17440,	17479,	12835, 12945,
9277,	9317, 9385,	17658,	17663,	14408, 14415,
9403,	9415, 9428,	17665,	17784,	14419, 14420,
9468,	9536, 9554,	17791,	17793,	14585, 14597,
9566,	9579, 9619,	18122,	18123,	14609, 14667,
9687,	9705, 9717,	18162,	19890,	14671, 14675,
9730,	9770, 9838,	19893,	19898,	14678, 14679,
9856,	9868, 9881,	19902,	19906,	14683, 14686,
9921,	9989, 10007,	19910,	19914,	14687, 14740,
10019,	10032,	19918,	19922,	14746, 14749,
10072,	10140,	19926,	20146,	14751, 14754,
10158,	10170,	20167,	20171,	14756, 14758,
10183,	10223,	20338,	20340,	14761, 14763,
10265,	10320,	20466,	20798,	14765, 14767,
10332,	10344,	20842,	21008, 21012	14770, 14772,
10367,	10370,	\hspace{.}	14,	14774, 14776,
10381,	10384,	28,	219, 242, 315,	14778, 14781,



14783,	14786,	7947, 7949, 7953,	11810, 11824,
14788,	14791,	7956, 7959, 7963,	12957, 12964,
14793,	14795,	7965, 7970, 7972,	12969, 13440,
14798,	14800,	8263, 8597, 8781,	13448, 13827,
14802,	14805,	8793, 8805, 11944,	14088, 14169,
14807,	14809,	11960, 11973,	14414, 14418,
14823,	15066,	11985, 11998,	14510, 14516,
15073,	15516,	12007, 12015,	14654, 14655,
15517,	15554,	12060, 12069,	14668, 14669,
15570,	15869,	12077, 12090,	15080, 15090,
15888,	15889,	12103, 12115,	15310, 15321,
15926,	15993,	12139, 12752,	15322, 15323,
16133,	16147,	12753, 16854,	15530, 15555,
16318,	16329,	16869, 16874,	15902, 15927,
16407,	16409,	16876, 16877,	16018, 16061,
16416,	16418,	17434, 17449,	16117, 16134,
16454,	16456,	17454, 17456,	16243, 16302,
16465,	16467,	17457, 17757,	16319, 16552,
16569,	16822,	18117, 18132,	16930, 16939,
17118,	17402,	18137, 18139,	17101, 17510,
17681,	17817,	18140, 18338,	17519, 17671,
18085,	18375,	18339, 18617,	17800, 18193,
18381,	18393,	18629, 21129,	18202, 18387,
18398,	18611,	21133, 21138,	19227, 19333,
18640,	18801,	21140, 21144, 21146	20151, 20153,
18832,	18855,	\hss 460,	20158, 20164,
18872,	18889,	519, 538, 671, 698,	20368, 20476,
18906,	18923,	900, 915, 1154,	20539, 20540,
18940,	18958,	1182, 1615, 1811,	20542, 20543,
18977,	18997,	1875, 5496, 6229,	20545, 20546,
19032,	19224,	6254, 6406, 6431,	20551, 20552,
19383,	19415,	6634, 6693, 6710,	20609, 20610,
19825,	19872,	6971, 7147, 7151,	20611, 20612,
19882,	19937,	7206, 7212, 7273,	20704, 20708,
20621,	20698,	7276, 7281, 7286,	20747, 20753, 20894
20705,	20709,	7449, 7451, 7455,	\ht 388, 1463,
20710,	20890,	7459, 7819, 7829,	1496, 6919, 6928,
20892,	20906, 20909	7874, 7883, 8077,	6930, 7246, 7248,
\hspace 108,	8080, 8082, 8085,	7255, 7261, 7262,
	109, 238, 239,	8088, 8244, 8256,	7263, 7317, 7356,
	556, 2382, 2387,	8355, 8452, 8510,	7374, 7386, 7410,
	2393, 4473, 4480,	8780, 8786, 8792,	7414, 7424, 7432,
	4702, 5380, 5381,	8798, 8804, 8810,	7433, 7436, 7437,
	5387, 5388, 5394,	10565, 10582,	7439, 7440, 7492,
	5395, 5401, 5402,	10674, 10801,	7528, 7759, 7768,
	5529, 5555, 5556,	10805, 10837,	7780, 7789, 7797,
	7738, 7911, 7914,	10843, 10998,	7807, 7809, 7825,
	7918, 7920, 7925,	11597, 11603,	7854, 7864, 7866,
	7927, 7931, 7934,	11649, 11653,	7879, 8228, 8888,
	7937, 7941, 7943,	11706, 11752,	9036, 9041, 9180,



9185, 9331, 9336, 9482, 9487, 9633, 9638, 9784, 9789, 9935, 9940, 10086, 10091, 10237, 10242, 10255, 10746, 11442, 11449, 11466, 11473, 11474, 11487, 11491, 11514, 11699, 11700, 11702, 11745, 11746, 11748, 11881, 12887, 12888, 12894, 12897, 12930, 13406, 13464, 13477, 13492, 13494, 13495, 13561, 13568, 13571, 14392, 14396, 14401, 14492, 14496, 14501, 14552, 14554, 15124, 15182, 15193, 15198, 15199, 15200, 15201, 15205, 15220, 15337, 15360, 16393, 16435, 16438, 16493, 16500, 16883, 16885, 16886, 17463, 17465, 17466, 18146, 18148, 18149, 18415, 18451, 18463, 18578, 20186, 20188, 20580, 20870, 20880, 20884	7449, 7451, 7455, 7459 \httplink 2419 \Huge 5463, 6553, 6565, 6745, 6753, 8539, 8548, 10595, 10603, 16352, 16360 \huge 567, 5317, 5319, 5462, 6544, 6739, 8274, 8283, 8533, 10590, 16347, 16603, 16716, 17152, 17265, 17851, 17964 \hv@Bottom 12039 \hv@Center ... 11943, 11954, 11994, 12056, 12084, 12137 \hv@figure . 11908, 11926 \hv@floatObject 11869, 11873 \hv@floatType . 11899, 11908, 11926, 12144 \hv@Height 11881 \hv@label 11850 \hv@Left ... 11884, 11952 \hv@longCap 11849 \hv@Right .. 11885, 11941 \hv@shortCap 11848, 11914, 11932 \hv@Top . 11967, 12003, 12023, 12065, 12097 \hv@Width .. 11879, 11902 \hv@Zero ... 11868, 12131 \hvAboveCaptionSkip 12047, 12050 \hvBelowCaptionSkip 12031, 12034 \hvCaptionBox . 11903, 11920, 11962, 11964, 11975, 11977, 11987, 11989, 11995, 11996, 12004, 12005, 12012, 12013, 12024, 12025, 12031, 12034, 12040, 12041, 12048, 12051, 12057, 12058, 12066,	12067, 12074, 12075, 12092, 12094, 12105, 12107, 12117, 12119 \hvCapWidth ... 11877, 11879, 11881, 11883, 11887, 11889, 11904, 11922 \hvFloat 11851 \hvMaxCapWidth 11862, 11863, 11884, 11885, 11886, 11889 \hvObjectBox 11866, 11869, 11871, 11875, 11881, 11956, 11958, 11969, 11971, 11981, 11983, 11999, 12000, 12008, 12009, 12016, 12017, 12024, 12027, 12032, 12035, 12040, 12043, 12047, 12050, 12061, 12062, 12070, 12071, 12078, 12079, 12086, 12088, 12099, 12101, 12111, 12113 \hvObjectWidth 11875, 11879, 11883, 11884, 11885 \hv@Box 11869, 11873 \hvSet@capAngle 11902, 11921 \hvSet@capPos 11884, 11885, 11952, 12023, 12039 \hvSet@capVPos 11954, 11967, 11994, 12003, 12056, 12065, 12084, 12097 \hvSet@capWidth 11879, 11881, 11886, 11887 \hvSet@floatCapSep 11960, 11973, 11985, 11998, 12007,
\ht@strip 14549, 14550, 14551, 14552, 14553, 14556, 14558 \ht@viper		
7245, 7250, 7273, 7276, 7281, 7286, 7354, 7355, 7410, 7411, 7412, 7416,		



12015, 12060,	\Hy@LT@LTRfootnotetext	12236, 12244,
12069, 12077, 12333, 12342	12247, 12255,
12090, 12103, 12115	\Hy@LT@RTLfootnotetext	12258, 12270,
\hvSet@floatPos .. 11897 12371, 12380	12273, 12285,
\hvSet@objectAngle	\Hy@MakeRemoteAction	12288, 12345,
..... 11868, 11872 12556	12348, 12383,
\hvSet@objectPos ..	\Hy@maketitle@end .	12386, 12416,
. 11941, 11943, 12137	. 12502, 12507, 12509	12419, 12447,
\hvSet@rotAngle ...	\Hy@maketitle@optarg	12450, 12478, 12481
. 11862, 12131, 12134 12500, 12505	\hyper@anchorend .. 12718
\Hy@Acrobatmenu .. 12648	\Hy@pstringD 12555, 12574	\hyper@anchorstart 12718
\Hy@backout 12675	\Hy@pstringdef .. .	\hyper@link 12546
\Hy@BeginAnnot 12554, 12555,	\hyper@linkend
. 12531, 12551,	12589, 12590, 12621	.. 12157, 12161,
12588, 12620, 12649	\Hy@pstringF .. .	12165, 12167,
\Hy@bidipoem@footnotetext	.. 12552, 12553,	12547, 12680, 12683
..... 12404, 12413	12554, 12569,	\hyper@linkfile .. 12549
\Hy@bidipoem@LTRfootnotetext	12589, 12602, 12607	\hyper@linkstart ..
..... 12435, 12444	\Hy@pstringP 12590, 12607	.. 12157, 12161,
\Hy@bidipoem@RTLfootnotetext	\Hy@pstringURI .. .	12165, 12167,
..... 12466, 12475 12621, 12634	12547, 12676, 12683
\Hy@CleanupFile .. 12553	\Hy@raisedlink 12224,	\hyper@linkurl .. 12618
\Hy@colorlink . 12581,	12235, 12246,	\hyper@makecurrent 12704
12613, 12642, 12668	12257, 12272,	\hyper@nat@current 12677
\Hy@EndAnnot	12287, 12347,	\hyper@natlinkbreak
. 12538, 12584,	12385, 12418, 12682
12616, 12645, 12671	12449, 12480, 12717	\hyper@natlinkend 12679
\Hy@endcolorlink . 12540	\Hy@saved@footnotemark	\hyper@natlinkstart
\Hy@footnote@currentHlabel 12492, 12511 12674
. 12260, 12275, 12290	\Hy@saved@footnotetext	\hypersetup .. . 2265,
\Hy@footnote@currentHref 12493, 12514	2273, 5573, 5632, 5649
..... 12222,	\Hy@SetNewWindow ..	\hyphenpenalty .. . 6,
12225, 12233, 12576, 12604	105, 211, 235,
12236, 12244,	\Hy@setpdfborder ..	626, 933, 1127,
12247, 12255, 12562,	6202, 6379, 12749,
12258, 12261,	12596, 12627, 12656	12773, 15485,
12270, 12273,	\Hy@tabularx@hook .	15935, 15997, 16140
12276, 12285, 12299, 12311	\HyRTL@saved@RTLfootnotetext
12288, 12291,	\Hy@temp@menu 12650, 12663 12494, 12517
12334, 12372,	\Hy@xspace@end .. .	I
12405, 12436, 12467	.. 12547, 12583,	\i .. . 3636,
\Hy@gtemp .. 12310, 12315	12615, 12644, 12670	\HyLTR@saved@LTRfootnotetext 3637, 3649, 3661, 3662
\Hy@href@nextactionraw 12495, 12520	\ialign .. . 396, 18420,
..... 12577,	\HyOrg@maketitle ..	18458, 20395, 20585
12609, 12638, 12664	. 12490, 12501, 12506	\if .. . 364,
\Hy@href@page 12572	\HyOrg@TX@endtabularx	365, 366, 368, 369,
\Hy@linkcounter 8128, 8133 12298	370, 371, 372, 375,
\Hy@linktoc 12153	\hyper@anchor 12222,	376, 377, 401, 407,
\Hy@LT@currentHref	12225, 12233,	1389, 1390, 1391,
.... 12705, 12716		



1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 2164, 2170, 2173, 2176, 2179, 3340, 3395, 3399, 3405, 3409, 3442, 3525, 3912, 6789, 6808, 6841, 6842, 6843, 11074, 11098, 11332, 12851, 13388, 13390, 13392, 14998, 18427, 18461, 18466, 18553, 18554, 18555, 18556, 18557, 18558, 18559, 18561, 18562, 18563, 18564, 18565, 18568, 18569, 18570, 20464, 20471, 20472, 20577, 20594, 20601, 20602, 20603, 20604, 20605, 20606 13170 \if@bidi@amsthmloaded@ 13173 \if@bidi@animateloaded@ 13176 \if@bidi@arabxetexloaded@ 13375 \if@bidi@arrayloaded@ 13309 \if@bidi@arydshlnloaded@ 13333 \if@bidi@blank 2707, 2999, 3006 \if@bidi@breqnloaded@ 13179 \if@bidi@calsloaded@ 13182 \if@bidi@captionloaded@ 13185 \if@bidi@colorloaded@ 13191 \if@bidi@colortblloaded@ 13210 \if@bidi@croploaded@ 13188 \if@bidi@csdef 2671, 2720 \if@bidi@csmacro .. 2719 \if@bidi@csprimitive 2729 \if@bidi@csundef ... 2677, 2750, 4117, 4169, 8614, 8615, 8628, 8629, 21029 \if@bidi@cutedloaded@ 13198 \if@bidi@cutwinloaded@ 13195 \if@bidi@dblfnote loaded@ 13201 \if@bidi@def 2689 \if@bidi@defmacro 2712, 2713, 2721, 2898, 2917, 3061 \if@bidi@defparam ..	\if@bidi@defprotected 2926, 3022, 3023, 3074 \if@bidi@diagboxloaded@ 13204 13264 \if@bidi@empheqloaded@ 13267 \if@bidi@fancyboxloaded@ 13258 \if@bidi@fancyhdrloaded@ 13261 \if@bidi@fancyvrbloaded@ 13381 \if@bidi@floatloaded@ 13213 \if@bidi@floatrowloaded@ 13216 \if@bidi@flowframloaded@ 13219 \if@bidi@fontspecloaded@ 13372 \if@bidi@framedloaded@ 13222 \if@bidi@ftnrightloaded@ 13225 \if@bidi@geometryloaded@ 13240 \if@bidi@graphicxloaded@ 13237 \if@bidi@hvfloatloaded@ 13243 \if@bidi@hyperrefloaded@ 13255 \if@bidi@lettrineloaded@ 13276 \if@bidi@linenoloaded@ 13279 \if@bidi@list@minipage@parbox 1580, 20432, 20494, 20503, 20512, 20521, 20534, 20535, 20549, 20550 \if@bidi@list@minipage@parbox@not@nob 1581, 20440, 20496, 20505, 20514, 20523
\if@allcaps ... 755, 764, 772, 1007, 1016, 1024, 1257, 1266, 1274, 6323, 6332, 6340, 6500, 6509, 6517, 15620, 15629, 15637, 15759, 15768, 15776		
\if@altsecnunformat . 16740, 17288, 17987		
\if@bib@break@ 16750, 16775, 16790, 16806, 17330, 17355, 17370, 17386, 18013, 18038, 18053, 18069		
\if@bibchapter ... 18726		
\if@bidi@amsmathloaded@ 13167		
\if@bidi@amstextloaded@		



\if@bidi@listingsloaded@		
..... 13282	\if@bidi@subfigureloaded@	17513, 18167, 18173, 18186, 18196
\if@bidi@longtableloaded@	\if@bidi@supertabularloaded@	10f@ctdopart ... 18783
..... 13330 13324	\if@cfthaschapter .
\if@bidi@mdf@RTL ..	\if@bidi@tablsloaded@ 18774, 18778, 18784,
.... 13523, 13530 13357	18805, 18817, 18839
\if@bidi@mdframedloaded@	\if@bidi@tabularyloaded@	\if@cfthaspart ... 18770
..... 13246 13360	\if@chapterentrywithdots
\if@bidi@midfloatloaded@	\if@bidi@tikzloaded@ 17561, 18244
..... 13249 13300	\if@colour 2248
\if@bidi@minitocloaded@	\if@bidi@titlesecloaded@	\if@colourgreen 7546, 7575, 7644, 7670
..... 13342 13303	\if@colourgrey . 7550, 7589, 7648, 7682
\if@bidi@multicolloaded@	\if@bidi@titletocloaded@	\if@colourorange 7544, 7568, 7642, 7664
..... 13336 13306	\if@coloured .. 7548, 7582, 7646, 7676
\if@bidi@multienumloaded@	\if@bidi@tocbasicloaded@	\if@compatibility .
..... 13339 13363	\if@position@right 521, 673, 749, 927, 1001, 1156, 1251, 6317, 6494, 15614, 15753, 18809, 19337, 20565
\if@bidi@natbibloaded@	\if@bidi@tocbibindloaded@	\if@contcw . 14257, 14286
..... 13345 13369	\if@conthang 14267
\if@bidi@newfloatloaded@	\if@bidi@tocstyleloaded@	\if@continent ... 14273
..... 13348 13366	\if@DEBUG 2219
\if@bidi@ntheoremloaded@	\if@bidi@todonotes@figpos	\if@displaypagenumbers
..... 13252	... 19979, 20077, 20082, 20089, 20095 2427, 2430
\if@bidi@overpicloaded@	\if@bidi@todonotes@textdire	\if@donumindex ...
..... 13270 19978, 20012, 20052, 20086 18727, 18746
\if@bidi@patchable	\if@bidi@undef ...	\if@dotocbib 18688
..... 2886, 2887 2695, 2754, 2795, 2806, 2825, 2829, 2833, 2837, 2847, 2851, 2855, 2859, 2895, 2914, 3058	\if@dotocind 18734, 18751
\if@bidi@pdfm@mark	\if@bidi@wrapfigloaded@	\if@extrafootnotefeatures
..... 1571, 1727, 1778, 1820 13234 1576, 1713
\if@bidi@pdfpagesloaded@	\if@bidi@xcolorloaded@	\if@fcolmade ...
..... 13273 13207 7168, 7227, 10810, 10850, 10934, 11610, 11662, 14428, 14525, 20717, 20760
\if@bidi@pgffloated@	\if@bidi@xltxtalloaded@	\if@fff@nwpg 10902
..... 13291 13228	\if@firstcolumn ...
\if@bidi@picinparloaded@	\if@bidi@xtabloaded@ 7119, 7182, 7242, 7323, 7342, 7498, 7517, 10778,
..... 13294 13327	10814, 11570, 11618, 14340,
\if@bidi@polyglossialoaded@	\if@bidi@xunicodeloaded@	
..... 13378 13231	
\if@bidi@pstricksloaded@	\if@capbreak ..	
..... 13288 16871, 17451, 18134	
\if@bidi@quotchaploaded@	\if@captionabove ..	
..... 13297 16904,	
\if@bidi@rotatingloaded@ 16910, 16923,	
..... 13354 16933, 17484,	
\if@bidi@soulloaded@ 17490, 17503,	
..... 13315		
\if@bidi@stabularloaded@		
..... 13312		
\if@bidi@subfigloaded@		
..... 13318		



14440, 14546, 20676, 20723, 20860	\if@noskipsec 6787, 11540, 13535, 15435, 15449	5554, 5555, 5556, 6203, 6209, 6210, 6215, 6226, 6249,
\if@firstdetailselement 7711, 7713	\if@oldtoc . 661, 687, 889, 905, 1144, 1171, 6219, 6243,	6252, 6253, 6269, 6380, 6386, 6387, 6392, 6403, 6426,
\if@firstfooterelement 7615, 7618	\if@flushend@auto@baselineskip 6396, 6420, 15520, 7358	6429, 6430, 6457, 6541, 6552, 6554, 6690, 6705, 6708,
\if@hboxRconstruct 1568, 1781, 2641, 2647, 11331, 20439, 20463, 20496, 20505, 20514, 20523, 20534, 20535, 20549, 20550	\if@openright 5808, 6757, 8552 \if@ovb 10754 \if@ovl 10752 \if@ovr 10751 \if@ovt 10753 \if@parafootRTL . . . 1577, 10264, 10275	6709, 6736, 6750, 6766, 6785, 6797, 6810, 6885, 6926, 6927, 6931, 6932, 6934, 6941, 6947, 6966, 6969, 6970, 6976, 6981, 7088,
\if@ignore . . . 3223, 3225	\if@pboxsw 20478	7091, 7108, 7112,
\if@inlabel 6788	\if@ref 17694	7917, 7924, 7940,
\if@inltxdoc 18719	\if@restonecol 607, 623, 872, 1124, 6199, 6376, 6586, 15482, 15737, 16196, 18766	7946, 7962, 7969, 8076, 8156, 8171, 8193, 8194, 8195, 8196, 8219, 8239, 8242, 8243, 8253,
\if@insert 7526	\if@reversemargin 20865	8267, 8280, 8290,
\if@komalongtable . . . 16920, 17500, 18183	\if@rjfield 20904 \if@rl 1563 \if@rl@footnote . . 1579	8507, 8530, 8545, 8561, 8582, 8585, 8590, 8598, 10562,
\if@LTRibitems . . 87, 300, 575, 710, 973, 1223, 1574, 2445, 6269, 6457, 6766, 8290, 8561, 10617, 12730, 14335, 14817, 15575, 15969, 16163, 16366, 16766, 17346, 18029, 18695	\if@rlmain 1562 \if@rot@twoside 16397, 16402, 16412, 16442, 16448, 16460	10577, 10580, 10581, 10588, 10600, 10617, 10886, 11046, 11332, 11412,
\if@LTRmarginpar 1573, 20889, 20894, 20898	\if@RTL . 12, 13, 25, 87, 104, 107, 108, 109, 217, 218, 234, 237, 238, 239, 300, 315,	11414, 11678, 11680, 11683, 11684, 11685, 11691, 11693, 11710, 11713, 11720, 11729,
\if@mainmatter . 5780, 6543, 6738, 8532, 15373, 17291, 17307, 17315, 17323	319, 516, 533, 536, 537, 560, 575, 627, 640, 651, 652, 657, 668, 693, 696, 697,	11735, 11739, 11742, 11756, 11781, 11788, 11953, 12055,
\if@minipage . 4525, 14326	710, 878, 879, 885,	12157, 12165,
\if@mparswitch . . . 20862	895, 898, 899, 912,	12547, 12583,
\if@newlist . . . 10950, 10985, 20918, 20998	934, 973, 1128, 1134, 1135, 1140, 1151, 1177, 1180,	12615, 12644,
\if@nobreak	1181, 1199, 1223, 1362, 1363, 1474, 1475, 1488, 1499,	12670, 12676,
... 4113, 11539, 13534, 15434, 15448	1563, 1591, 1780, 1787, 2445, 2617, 2623, 5436, 5437,	12680, 12683, 12730, 12748, 12751, 12752, 12753, 12768,
\if@nonlatin		
.. 346, 351, 1564, 1725, 2653, 2659, 6824, 6826, 13518		
\if@noparlist . 6033, 6146		



12779,	12780,	16479,	16483,	19023,	19024,
12814,	12818,	16487,	16489,	19032,	19072,
12821,	12826,	16494,	16498,	19073,	19074,
12934,	12937,	16501,	16505,	19752,	19814,
12941,	12956,	16507,	16511,	19815,	19816,
12966,	13441,	16538,	16547,	19822,	19825,
13526,	13609,	16738,	16739,	19872,	19932,
13617,	13808,	16766,	16824,	19937,	19960,
14134,	14216,	16825,	16826,	19967,	20027,
14217,	14218,	16828,	16899,	20030,	20114,
14219,	14220,	17087,	17096,	20149,	20157,
14221,	14300,	17287,	17346,	20184,	20185,
14302,	14335,	17404,	17405,	20188,	20189,
14580,	14584,	17406,	17408,	20191,	20228,
14585,	14592,	17479,	17660,	20232,	20285,
14597,	14604,	17667,	17752,	20290,	20336,
14609,	14817,	17758,	17786,	20337,	20348,
14896,	14916,	17795,	17986,	20349,	20352,
14931,	14945,	18029,	18087,	20356,	20433,
15102,	15152,	18088,	18089,	20441,	20447,
15227,	15281,	18091,	18162,	20453,	20464,
15282,	15285,	18337,	18340,	20536,	20537,
15289,	15321,	18370,	18390,	20539,	20542,
15322,	15323,	18588,	18630,	20545,	20549,
15368,	15370,	18647,	18667,	20550,	20551,
15376,	15387,	18670,	18675,	20552,	20554,
15389,	15400,	18679,	18680,	20556,	20557,
15402,	15413,	18695,	18791,	20562,	20609,
15415,	15424,	18792,	18793,	20610,	20616,
15426,	15443,	18801,	18822,	20621,	20889,
15465,	15466,	18823,	18824,	20894,	20898,
15486,	15499,	18832,	18845,	20906,	20907,
15510,	15511,	18846,	18847,	20908,	20909,
15516,	15527,	18855,	18862,	21009,	21012,
15550,	15553,	18863,	18864,	21020,	21030,
15554,	15575,	18872,	18879,	21128,	21138,
15870,	15871,	18880,	18881,	\if@RTL@footnote	36,
15882,	15883,	18889,	18896,	249,	1579,
15888,	15899,	18897,	18898,	1783,	4804,
15922,	15925,	18906,	18913,	8658,	8705,
15926,	15936,	18914,	18915,	8908,	8953,
15949,	15969,	18923,	18930,	9059,	9101,
15998,	16114,	18931,	18932,	9203,	9248,
16129,	16132,	18940,	18948,	9354,	9399,
16133,	16138,	18949,	18950,	9505,	9549,
16139,	16163,	18958,	18967,	9656,	9700,
16299,	16314,	18968,	18969,	9807,	9852,
16317,	16318,	18977,	18987,	9958,	10003,
16345,	16357,	18988,	18989,	10109,	10154,
16366,	16477,	18997,	19022,	10322,	10372,
				11226,	11275,
				11315,	11316
				\if@RTLbibitems	.
				. 87,	300,
				575,	710,
				973,	



1223, 1575, 2445, 6269, 6457, 6766, 8290, 8561, 10617, 12730, 14335, 14817, 15575, 15969, 16163, 16366, 16766, 17346, 18029, 18695 16981 \if@sentdir 1782 \if@specialpage 10905, 20929 \if@star 15357 \if@tab@rl 1567 \if@tablecaptionabove . 16951, 17531, 18214 \if@tempswa 3955, 4000, 7813, 7870, 19466 \if@thmmarks .. 14879, 14883, 14900, 14904 \if@titlecentered 1344, 15850 \if@titlepage .. 414, 628, 736, 935, 988, 1187, 1238, 6588, 8313, 8406, 10632, 15487, 15601, 15738, 15937, 16000, 16197, 16572, 17121, 17820	\if@twoside 5725, 10909, 16620, 16633, 16701, 17169, 17182, 17250, 17868, 17881, 17949, 20140, 20932 \if@vihproof 14565, 14571 \ifadl@inactive ... 1376 \ifadl@usingarypkg 1379 \ifAM@output 15024 \ifAM@survey 15002 \ifartopt 14236 \ifbidi@autofootnoterule 11052, 11287, 11301, 11315 \ifbidi@in@label 3404, 3406 \IfbidiPackageVersion 1549 \IfbidiPackageVersionBefore 1543 \IfbidiPackageVersionLater 1537 \ifblendcolors 20196, 20217, 20239, 20266 \ifbool 13548, 13557 \ifcase ... 1411, 1438, 1442, 1446, 1450, 1476, 1619, 1625, 1631, 1637, 1643, 1649, 1661, 1667, 1673, 1680, 1694, 1701, 6899, 12153, 13459, 18661, 19042, 19804, 19874, 19984, 19992, 20216, 20265, 20653, 20654
\if@RTLcolumnfootnotes 1578, 8880, 8881, 8884, 8885, 8918, 8970, 9068, 9117, 9213, 9265, 9364, 9416, 9515, 9567, 9666, 9718, 9817, 9869, 9968, 10020, 10119, 10171	\if@tempswa 3955, 4000, 7813, 7870, 19466 \if@thmmarks .. 14879, 14883, 14900, 14904 \if@titlecentered 1344, 15850 \if@titlepage .. 414, 628, 736, 935, 988, 1187, 1238, 6588, 8313, 8406, 10632, 15487, 15601, 15738, 15937, 16000, 16197, 16572, 17121, 17820	\if@twoside 5725, 10909, 16620, 16633, 16701, 17169, 17182, 17250, 17868, 17881, 17949, 20140, 20932 \if@vihproof 14565, 14571 \ifadl@inactive ... 1376 \ifadl@usingarypkg 1379 \ifAM@output 15024 \ifAM@survey 15002 \ifartopt 14236 \ifbidi@autofootnoterule 11052, 11287, 11301, 11315 \ifbidi@in@label 3404, 3406 \IfbidiPackageVersion 1549 \IfbidiPackageVersionBefore 1543 \IfbidiPackageVersionLater 1537 \ifblendcolors 20196, 20217, 20239, 20266 \ifbool 13548, 13557 \ifcase ... 1411, 1438, 1442, 1446, 1450, 1476, 1619, 1625, 1631, 1637, 1643, 1649, 1661, 1667, 1673, 1680, 1694, 1701, 6899, 12153, 13459, 18661, 19042, 19804, 19874, 19984, 19992, 20216, 20265, 20653, 20654
\if@RTLmain 1562, 1590, 1609, 1779, 1786, 1805, 6984, 7007, 7030, 7053, 7269, 7446, 7905, 8030, 8033, 8047, 8065, 11051, 11806, 11816, 11833, 11839, 12974, 14537, 14697, 20766, 20934, 20940, 20969, 20990	\if@tocstyle@penalties 19735, 19844 \if@todonotes@authorgiven 20003, 20014, 20039, 20056	\if@twocolumn .. 98, 228, 461, 594, 610, 637, 644, 812, 859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5734, 6186, 6363, 6573, 6635, 8356, 8453, 10675, 12742, 14199, 15469, 15496, 15503, 15677, 15724, 15818, 15946, 15953, 16062, 16183, 16244, 16651, 17200, 17899, 18721, 20638, 20859, 21023
\if@RTLmarginpar 1572, 20889, 20894, 20898	\if@todonotes@disabled 19997, 19998 \if@todonotes@dviStyle 20000, 20034	\if@twocolumn .. 98, 228, 461, 594, 610, 637, 644, 812, 859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5734, 6186, 6363, 6573, 6635, 8356, 8453, 10675, 12742, 14199, 15469, 15496, 15503, 15677, 15724, 15818, 15946, 15953, 16062, 16183, 16244, 16651, 17200, 17899, 18721, 20638, 20859, 21023
\if@RTLtab . 365, 366, 382, 385, 407, 409, 1370, 1371, 1390, 1391, 1428, 1429, 1567, 2083, 2087, 2088, 2629, 2635, 6845, 6847, 6868, 6875, 6897, 6898, 6911, 6922, 13389, 13391, 13505, 13508, 18405, 18409, 18410, 18427, 18435, 18441, 18466, 18554, 18555, 20392, 20569, 20573, 20574, 20594, 20602, 20603	\if@ttb@rotate ... 11045	\if@twocolumn .. 98, 228, 461, 594, 610, 637, 644, 812, 859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5734, 6186, 6363, 6573, 6635, 8356, 8453, 10675, 12742, 14199, 15469, 15496, 15503, 15677, 15724, 15818, 15946, 15953, 16062, 16183, 16244, 16651, 17200, 17899, 18721, 20638, 20859, 21023
\if@sectionentrywithdots		\if@twocolumn .. 98, 228, 461, 594, 610, 637, 644, 812, 859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5734, 6186, 6363, 6573, 6635, 8356, 8453, 10675, 12742, 14199, 15469, 15496, 15503, 15677, 15724, 15818, 15946, 15953, 16062, 16183, 16244, 16651, 17200, 17899, 18721, 20638, 20859, 21023



19780,	19784,	14370,	14372,	20593, 20770, 20814
19794,	19806,	14462,	14470,	\ifhv@fbox . . . 11955,
19860,	19888,	14472,	14547,	11961, 11968,
19889,	19897,	14558,	14642,	11974, 11980,
19901,	19905,	14650,	14656,	11986, 11995,
19909,	19913,	14673,	14681,	11999, 12004,
19917,	19921, 19925	15052,	15099,	12008, 12012,
\ifdefined . . .	2690, 2696	15124,	15182,	12016, 12030,
\ifdefining	3410	15193,	15200,	12046, 12057,
\ifdfn@allowcbreak	15205,	15220,	12061, 12066,
	7766, 7787	15333,	15358,	12070, 12074,
\ifdfn@ruleboth	7824, 7878	16858,	16866,	12078, 12085,
\ifdfn@trysingle	7805, 7862	17438,	17446,	12091, 12098,
\ifdim 1464, 1465, 1538,	1544, 1550, 4538,	17698,	17704,	12104, 12110, 12116
	5105, 5874, 5911,	17710,	17716,	\ifhv@nonFloat 11898,
	5913, 5972, 5973,	17722,	17728,	11905, 11923,
	5975, 5981, 6021,	17734,	17740,	11944, 12136, 12138
	6034, 6041, 6122,	17746,	18121,	\ifhv@onlyText
	6124, 6137, 6139,	18129,	18452,	11906, 11924
	6147, 6818, 7262,	19377,	19391,	\ifhv@useOBox 11869, 11873
	7307, 7319, 7332,	19396,	19770,	\ifHy@href@ismap . 12635
	7335, 7337, 7367,	19795,	19861,	\ifHy@hyperfootnotes
	7371, 7372, 7386,	20117,	20119,	. . . 8616, 8630, 12172
	7411, 7436, 7481,	20121,	20123,	\ifHy@nesting
	7494, 7507, 7510,	20124,	20125,	. . . 12221, 12232,
	7512, 7760, 7781,	20127,	20167,	12243, 12254,
	7801, 7810, 7837,	20174,	20871, 21008	12269, 12284,
	7841, 7858, 7867,	\ifdofullc@p		12344, 12382,
	7889, 7893, 8778,	. 16861, 17441, 18124		12415, 12446, 12477
	8783, 8790, 8795,	\iffalse		\ifHy@pdfa . . . 12561,
	8802, 8807, 10740,	2561, 2562, 2564,		12595, 12626, 12655
	10742, 10885,	11539,	11540,	\ifin@ 3974
	11424, 11432,	13084,	13534,	\ifin@label 3412
	11448, 11449,	13535,	15434,	\ifinner . . . 2154, 4769,
	11479, 11487,	15435, 15448, 15449		4813, 4857, 11427,
	11500, 11515,	\IfFileExists . . . 3669,		20109, 20776, 20820
	11548, 11549,	3684, 4282, 5754, 5819		\ifL@grid 12903
	11698, 11705,	\iffootdir@debug .		\ifL@image 12879
	11744, 11751, 11060, 11064		\iflatin 2652
	11796, 11886,	\ifGin@grid . 14932, 14945		\ifLettrineImage . 12849
	12024, 12040,	\ifGin@iso 11795		\ifLettrineOnGrid 12850
	12902, 12908,	\ifhbox 10270, 10280, 10284		\ifLtoR 2622
	13033, 13442,	\ifhmode . . . 2148, 4763,		\ifLtoRhboxconstruct
	13453, 13492,	4807, 4851, 5094,	 2646
	13495, 14206,	5100, 6932, 6934,		\ifLtoRtable 2634
	14249, 14256,	6941, 6947, 6966,		\ifmaskcolors . 20206,
	14260, 14262,	18623, 20189,		20217, 20249, 20266
	14301, 14362,	20191, 20228,		\ifmmode 184,
		20232, 20285,		1770, 6926, 6931,
		20549, 20550,		10855, 10865,



11678,	11680,	8357, 8454, 8503,	16336, 16346,
11683,	11684,	8517, 8519, 8521,	16640, 16652,
11685,	11691,	8531, 8886, 10557,	17189, 17201,
11693,	11710,	10572, 10589,	17290, 17306,
11713,	11720,	10676, 10726,	17314, 17322,
11729,	11735,	10728, 10730,	17888, 17900,
11739,	11742,	11021, 11023,	18497, 18545,
11756,	11781,	11025, 11034,	18546, 18547,
11788,	12532,	11036, 11038,	18548, 18550,
12544,	12547,	11184, 11287,	18652, 18654,
12583,	12615,	11301, 11315,	18773, 18777,
12644,	12670,	11548, 11550,	18819, 18838,
15035,	15093,	12534, 12539,	18860, 18877,
15325,	15361,	12770, 12886,	18894, 18911,
16477,	16479,	13004, 13007,	18928, 18946,
16483,	16487,	13015, 13018,	18965, 18985,
16489,	16494,	13087, 13403,	19020, 19203,
16498,	16501,	13404, 13487,	19204, 19311,
16505,	16507,	13488, 14200,	19312, 19336,
16511,	20184,	14233, 14359,	19346, 19734,
20188,	20473, 20560	14389, 14459,	19739, 19757,
\ifNAT@openbib	... 14820	14489, 14578,	19930, 20148,
\ifnonlatin 2658	14590, 14602,	20414, 20599,
\ifnum	3, 137, 143, 208,	14663, 14699,	20600, 20614,
	314, 356, 357, 358,	14705, 14860,	20669, 20867,
	359, 361, 462, 511,	14870, 15112,	20889, 21017, 21018
	528, 554, 563, 647,	15118, 15130,	\ifodd 2165, 5725, 8038,
	663, 681, 813, 874,	15133, 15134,	8055, 8115, 10910,
	907, 925, 1065,	15135, 15137,	11826, 11832,
	1130, 1146, 1164,	15138, 15139,	20140, 20863, 20933
	1315, 1381, 1382,	15140, 15149,	\ifoddpage
	1383, 1384, 1386,	15171, 15176,	4296
	1425, 1426, 1722,	15187, 15198,	\ifonlinecaptions
	1723, 2180, 3264,	15199, 15205,	. 16832, 17412, 18095
	3292, 3294, 3302,	15209, 15212,	\ifpgfrememberpicturepositiononpage
	3304, 3497, 3507,	15213, 15319, 15048
	3605, 3611, 3636,	15320, 15327,	\ifpoem@started 5968,
	3651, 3657, 5994,	15372, 15506,	5974, 6121, 6128, 6142
	6205, 6221, 6237,	15522, 15538,	\ifprimitive .. 2724, 2731
	6301, 6303, 6305,	15596, 15598,	\ifPst@shift@star 15349
	6382, 6398, 6414,	15600, 15678,	\ifr@ggedbottom .. 15299
	6478, 6480, 6482,	15819, 15878,	\ifrot@messages ..
	6542, 6636, 6685,	15894, 15910, 16447, 16459
	6700, 6723, 6725,	15961, 15963,	\ifRtoL 2616
	6727, 6737, 6819,	15965, 16063,	\ifRtoLboxconstruct
	7086, 7094, 7099,	16110, 16124, 2640
	7106, 7294, 7303,	16150, 16152,	\ifRtoLtable 2628
	7313, 7468, 7477,	16154, 16245,	\ifshowgrid 15327
	7487, 7701, 8234,	16294, 16309,	\ifsomething 3535
	8248, 8261, 8270,	16332, 16334,	\ifstr .. 19085, 19086,
			19087, 19088,



19089,	19090,	\ifstrstart	7170, 7213, 7229,
19091,	19092,	. 19482, 19514, 19588	7248, 7256, 7289,
19093,	19108,	\iftagsleft@ . . . 338, 8073	7414, 7425, 7463,
19109,	19110,	\iftest 3347	7764, 7785, 7796,
19111,	19113,	\ifthenelse	7821, 7853, 7875,
19114,	19115,	. . . 181, 186, 194,	8823, 8840, 8850,
19118,	19121,	2399, 2416, 2420,	10529, 10542,
19130,	19131,	2424, 2432, 4195,	10977, 11350,
19132,	19135,	4255, 4257, 4260,	11508, 11529,
19138,	19157,	4264, 4267, 4270,	12711, 12715,
19158,	19159,	4295, 4352, 4371,	13505, 13579,
19161,	19162,	4386, 4391, 4397,	14617, 15227,
19163,	19166,	4406, 4417, 4423,	15293, 15295,
19169,	19178,	4429, 4430, 4437,	15300, 20290, 20980
19179,	19180,	4444, 4446, 4452,	\ifWF@float . 20122, 20136
19183,	19186,	4469, 4487, 4489,	\ifx . 115, 134, 136, 151,
19240,	19241,	4493, 4511, 4512,	155, 159, 166, 797,
19242,	19243,	4515, 4516, 4551,	801, 1049, 1053,
19244,	19245,	4560, 4571, 4581,	1299, 1303, 2031,
19246,	19247,	4630, 4745, 4969,	2037, 2043, 2058,
19248,	19263,	4987, 4988, 5006,	2089, 2141, 2144,
19264,	19265,	5007, 5025, 5026,	2405, 2406, 2407,
19266,	19268,	5057, 5058, 5176,	2409, 2470, 2473,
19269,	19270,	5181, 5205, 5210,	2493, 2497, 2517,
19273,	19276,	5234, 5239, 5316,	2521, 2536, 2540,
19285,	19286,	5320, 5368, 5581,	2610, 2679, 2697,
19287,	19290,	5627, 5636, 5644,	2775, 2963, 2979,
19293,	19491,	5671, 5718, 5787,	3270, 3276, 3277,
19492,	19493,	5798, 7605, 7611,	3314, 3315, 3316,
19494,	19495,	7628, 7631, 7632,	3317, 3327, 3333,
19496,	19497,	7633, 7634, 7635,	3358, 3363, 3368,
19498,	19499,	7721, 7726, 7729,	3373, 3379, 3384,
19542,	19543,	7730, 7731, 7732,	3564, 3674, 3698,
19544,	19545,	7733, 7736, 7740,	3713, 3778, 3790,
19547,	19548,	10994, 11009,	3822, 3833, 3868,
19549,	19552,	14992, 16401, 16446	3874, 3885, 3886,
19555,	19564,	\iftocstyle@autolength	3897, 3927, 3936,
19565,	19566, 19779	3937, 3957, 3972,
19569,	19572,	\iftocstyle@indentnotnumbered	3982, 3996, 4003,
19602,	19603, 19824, 19871	4015, 4031, 4086,
19604,	19606,	\iftrue 2563,	4097, 5039, 5863,
19607,	19608,	4710, 4723, 4736	5884, 6045, 6096,
19611,	19614,	\ifttl@label 18628	6101, 6103, 7130,
19623,	19624,	\ifTX@ 18487	7193, 7833, 7885,
19625,	19628,	\ifvbox 10493	8580, 8596, 8600,
19631,	19651,	\ifvmode . . . 4113, 4499,	10788, 10824,
19654,	19657,	4502, 4505, 4508,	11181, 11392,
19677,	19681,	13563, 14632,	11583, 11631,
19686,	19698,	14890, 14910, 18439	11724, 11766,
19701,	19705,	\ifvoid 7154,	11767, 11773,



11860,	11862,	17261,	17267,	6962, 8585, 8599,
11868,	11879,	17279,	17333,	8668, 8684, 8700,
11881,	11884,	17396,	17401,	8714, 8727, 8740,
11885,	11902,	17656,	17684,	11238, 11255,
11908,	11909,	17685,	17686,	11271, 11298,
11911,	11914,	17687,	17688,	11312, 11326,
11926,	11927,	17689,	17690,	11808, 11812,
11929,	11932,	17691,	17695,	11817, 11822,
11941,	11943,	17701,	17707,	12802, 12821,
11952,	11954,	17713,	17719,	13518, 14323,
11967,	11994,	17725,	17731,	14330, 15492,
12003,	12023,	17737,	17743,	15501, 15942,
12039,	12056,	17752,	17782,	15951, 16477,
12065,	12084,	17808,	17815,	16487, 16505,
12097,	12131,	17835,	17840,	16841, 16862,
12137,	12150,	17847,	17853,	16867, 16872,
12181,	12192,	17877,	17948,	16877, 16895,
12203,	12510,	17952,	17960,	17421, 17442,
12513,	12516,	17966,	17978,	17447, 17452,
12519,	12563,	18016,	18079,	17457, 17475,
12571,	12597,	18084,	18447,	17758, 18104,
12605,	12628,	18663,	19005,	18125, 18130,
12657,	12795,	19360,	19364,	18135, 18140,
12816,	12863,	19368,	19465,	18158, 20228,
13044,	13045,	19746,	19817,	20232, 20459,
13049,	13051,	19829,	19837,	20490, 20500,
13408,	14310,	19854,	19879,	20509, 20518, 20527
14351,	14451,	19946,	19951,	\iii 3643
14713,	14717,	19953,	20197,	\ilg 15121, 15144
14721,	14846,	20240,	20357,	\immediate ... 4110, 6108
14850,	14857,	20467,	20640,	\in@ 3973
14863,	15008,	20648,	20687,	\includegraphics ..
15020,	15290,	20734,	20946, 2440, 7607,
15342,	15383,	20947,	20949, 20950	7738, 14920, 14994
15396,	15409,	\ifXC@tst .	20220, 20269	\includemedia
15662,	15666,	\ignorespaces ...	46, 13783, 14113, 14114
15803,	15807,	60,	76, 122, 259,	\includepdf 14985
16534,	16560,	273,	288, 346,	\IncMargin 186
16567,	16587,	633,	642, 940,	\indentedwidth 8598
16592,	16599,	1192,	1201, 3145,	\index 3521,
16605,	16629,	3583,	3599, 3601,	3522, 10961, 20957
16700,	16704,	3607,	3610, 3613,	\indexname 601,
16712,	16718,	3617,	3622, 4522,	602, 603, 617,
16730,	16754,	4529,	4530, 4539,	618, 866, 867,
16816,	16821,	5126,	5144, 5162,	1118, 1119, 5541,
17083,	17109,	5198,	5227, 5256,	5542, 6193, 6194,
17116,	17136,	5521,	5945, 5956,	6370, 6371, 6580,
17141,	17148,	6116,	6117, 6264,	6581, 6582, 15476,
17154,	17178,	6452,	6822, 6828,	15477, 15731,
17249,	17253,	6941,	6947, 6955,	15732, 16190,



16191,	16192,	21123,	21124,	14058,	14059,
18730,	18731,	21125,	21126,	14070,	14108,
18732,	18736,	21149,	21150,	14146,	14171,
18737,	18738,	21151,	21152,	14956,	14958,
18741,	18742,	21153,	21154,	14972	\interfootnotelinepenalty
18748,	18749,	21155,	21156,	. . . 39,	53,
18753,	18754,	21157,	21158,	69,	252,
18755,	18758,	21159,	21160,	266,	281,
18759		21161,	21162,	8832,	
\indexspace	5557	21163,	21164,	11229,	11246,
\input 1616, 1617, 1714,		21165,	21166,	1126,	1133,
1776, 1831, 2252,		21167,	21168,	5433,	
5755, 5820, 21022,		21169,	21170,	6201,	6208,
21032,	21033,	21171		6378,	
21034,	21035,	\input@path	13804	6385,	6549,
21036,	21037,	\InputIfFileExists		6744,	
21038,	21039,	3668,	6752,	7292,
21040,	21041,		3672,	7301,	
21042,	21043,	\insert	3681,	7311,	7466,
21044,	21045,	35, 49,	12854	7475,	
21046,	21047,	65,	248,	7485,	8268,
21048,	21049,	262,	277,	8281,	
21050,	21051,	1607,	1803,	8538,	8547,
21052,	21053,	7755,		8832,	
21054,	21055,	7771,	7776,	10594,	10602,
21056,	21057,	7792,		11229,	11246,
21058,	21060,	7839,	7845,	11262,	14582,
21061,	21065,	7891,		14594,	14606,
21070,	21077,	7897,	8657,	15376,	15484,
21078,	21079,	8673,		15509,	15881,
21080,	21081,	8689,	8908,	15934,	15996,
21082,	21083,	8918,		16351,	16359,
21084,	21085,	8928,	9006,	18620,	18661,
21086,	21087,	9059,		18795,	18826,
21088,	21089,	9068,	9077,	18849,	18866,
21090,	21091,	9151,		18883,	18900,
21092,	21093,	9203,	9213,	18917,	18934,
21094,	21095,	9223,		18952,	18971,
21096,	21097,	9301,	9354,	18991,	19026,
21098,	21099,	9364,		19359,	19820,
21100,	21101,	9374,	9452,	19934,	20115,
21102,	21103,	9505,		20618	
21104,	21105,	10313,	10325,	\intermath@penalty	6821
21106,	21107,	10337,	10432,	\intextsep .	20175, 20177
21108,	21109,	11225,	11242,	\InTheoType	
21110,	21111,	11258		
21112,	21113,	\insert@column . . .		8089,	14880,
21114,	21115,	1413,	14882,	14901,
21116,	21117,	1414,		14903	
21118,	21119,	1415,	1416,	\invoicename	17721
21121,	21122,	1418,		\ior . . .	13887, 13888,
		1419,	1479,	13892	
		1482,	1484,	\iow	14957
		1485,		\isempty . . .	4371, 4969,
		1486,	6902,	5176,	5181,
		6904,		5205,	
		6905,	6907,	5210,	5234,
		6908,	6909	5239,	
				5627,	5636,
				5644,	5671
				\isodd	16401, 16446
				\isSC@ODD	18338,



18339, 18341,	\juo@sk . 14359, 14389,	11146, 11147,
18342, 21129,	14432, 14459,	11179, 11397,
21131, 21133, 21135	14489, 14529, 14562	11461, 11706,
\isundefined	\justifying . . . 4278,	11752, 12756,
.... 4581, 4630,	4348, 4918, 15421	12758, 12759,
7605, 7611, 7628,	\JustifyingParfillskip	12760, 12830,
7631, 7632, 7633, 15427	12832, 12834,
7634, 7635, 7726,	\JustifyingParindent	12836, 13518,
7729, 7730, 7731, 4250,	14641, 14739,
7732, 7733, 7736, 7740	4921, 5480, 15428	14741, 14742,
\item 102,	K	14743, 15299,
232, 606, 621, 870,	\keepthetitle . . . 14182	15310, 15313,
953, 1122, 5513,	\kern . . . 27, 29, 30, 31,	15340, 15356,
5521, 5526, 5547,	241, 243, 244, 245,	15562, 15563,
6197, 6374, 6585,	346, 542, 544, 546,	15565, 15568,
10860, 10875,	548, 726, 727, 729,	15569, 15571,
12746, 15480,	732, 733, 735, 747,	15612, 15751,
15735, 16195, 18765	962, 964, 967, 969,	15985, 15986,
\itemindent . . . 5508,	999, 1206, 1207,	15988, 15991,
5509, 5517, 20421	1209, 1212, 1213,	15992, 15994,
\itemsep 4244,	1215, 1249, 1477,	16142, 16144,
5454, 5493, 5507	1482, 1962, 1963,	16146, 16148,
\itemx 14745	1964, 1965, 1966,	16324, 16326,
\itemxox 14780	1967, 1968, 1969,	16328, 16330,
\itemxoxx 14790	1973, 1974, 2021,	16559, 16563,
\itemxx 14748	2023, 2024, 4720,	16566, 16569,
\itemxxo 14785	4721, 4731, 4732,	16570, 16815,
\itemxxxox 14797	4734, 5199, 5200,	16818, 16820,
\itemxxx 14753	5228, 5229, 5257,	16823, 17108,
\itemxxxo 14804	5258, 6285, 6286,	17112, 17115,
\itemxxxx 14760	6288, 6291, 6292,	17118, 17119,
\itemxxxxx 14769	6294, 6315, 6438,	17395, 17398,
\itshape . . 1939, 2412,	6439, 6441, 6444,	17400, 17403,
5317, 5319, 5323,	6445, 6447, 6492,	17676, 17678,
5330, 5337, 5372,	6715, 6717, 6719,	17680, 17682,
5379, 5386, 5393,	6721, 6900, 6905,	17807, 17811,
5400, 5704, 5705, 5706	6927, 7750, 7751,	17814, 17817,
J	8159, 8166, 8174,	17818, 18078,
\j 3657, 3658, 3662	8181, 8220, 8224,	18081, 18083,
\juo@ht 14378,	8306, 8308, 8310,	18086, 18374,
14385, 14478,	8312, 8605, 8607,	18380, 18634,
14485, 14554, 14561	8609, 8611, 8652,	20150, 20154,
\juo@pr 14361,	8653, 8769, 8770,	20160, 20163,
14391, 14461, 14491	10607, 10609,	20185, 20368,
\juo@sar 14360,	10611, 10613,	20371, 20373, 20886
14390, 14432,	10751, 10752,	\keys . . . 13600, 13796,
14460, 14490, 14529	10753, 10998,	13890, 14129, 14130
	11141, 11143,	\keywords 334
	11144, 11145,	\kill 13405
		\KOMACClassName 16641,



16958,	17190,	13757,	13758,	\L@Findent
17538,	17889,	13760,	13762,	. 12845, 12921, 12945
\KV@do	12871, 12876	13767,	13769,	\L@first 12887, 12888,
\KV@prefix .	12869, 12874	13771,	13779,	12891, 12892,
L				
\l	8115, 8131,	13806,	13807,	12894, 12895,
	8134, 8140, 8143,	13808,	13809,	12896, 12897,
	8145, 8146, 8149,	13827,	13847,	12902, 12908,
	8150, 8153, 8156,	13855,	13860,	12910, 12914,
	8157, 8158, 8163,	13874,	13879,	12919, 12920,
	8164, 8165, 8171,	13883,	13884,	12922, 12923, 12934
	8172, 8173, 8178,	13885,	13887,	\L@gridfalse 12850
	8179, 8180, 8189,	13888,	13889,	\L@gridtrue 12850
	8192, 8200, 13608,	13892,	13896,	\L@hang 12841, 12918
	13610, 13616,	13898,	13899,	\L@imagefalse 12849
	13618, 13624,	13900,	13901,	\L@imagetrue 12849
	13625, 13626,	13902,	13903,	\L@lbox 12872,
	13627, 13628,	13904,	13906,	12873, 12880,
	13629, 13630,	13907,	13908,	12882, 12887,
	13631, 13632,	13909,	13911,	12897, 12917,
	13633, 13634,	13912,	13913,	12918, 12929,
	13636, 13637,	13915,	13916,	12930, 12931, 12944
	13639, 13640,	13917,	13920,	\l@LOKeys 12864,
	13641, 13648,	13921,	13922,	12866, 12871, 12876
	13649, 13650,	13925,	13958,	\L@lraise 12889,
	13652, 13654,	13960,	13963,	12895, 12896,
	13657, 13658,	13988,	13990,	12898, 12899, 12944
	13665, 13675,	14022,	14026,	\L@next 12925,
	13676, 13677,	14038,	14039,	12926, 12937, 12939
	13678, 13679,	14085,	14095,	\l@ngrel@x 2775, 2776, 2778
	13680, 13681,	14101,	14113,	\L@Nindent 12846,
	13682, 13683,	14114,	14133,	12924, 12926,
	13684, 13685,	14134,	14135,	12928, 12937, 12938
	13686, 13687,	14136,	14137,	\L@novskip
	13688, 13689,	14138,	14139,	. 12848, 12902, 12906
	13693, 13694,	14140,	14141,	\L@oversize 12842
	13695, 13697,	14177,	14178,	\l@paragraph 18893, 19915
	13699, 13702,	14961,	14963, 14976	\L@parshape 12934,
	13703, 13705,	\l@ante 12844, 12919, 12944	14963, 14976	12937, 12941, 12943
	13706, 13707,	\l@chapter 6244, 6258,	\l@part . 510, 662, 680,	\l@part . 510, 662, 680,
	13716, 13726,	6421, 6435, 6699,	906, 924, 1145,	906, 924, 1145,
	13727, 13728,	10571,	15545,	1163, 6220, 6236,
	13729, 13730,	15559,	15917,	6397, 6413, 6684,
	13731, 13732,	15931,	16123,	8247, 8502, 10556,
	13733, 13734,	16308,	18685,	15521, 15537,
	13740, 13742,	18686,	18818, 19899	15893, 15909,
	13743, 13744,	\l@color 12859, 12860	16109, 16293,	
	13747, 13749,	\l@figure 5441,	18682, 18683,	
	13751, 13756,	5442, 18927, 19927	18771, 19891, 19894	
			\L@Pindent 12917,	
			12918, 12920,	



12921, 12923,	14758, 14761,	1940, 1941, 1942, 1943
12924, 12927, 12934	14763, 14765,	\Larga 1940
\L@raise ... 12843, 12895	14767, 14770,	\Largb 1941
\l@section 527,	14772, 14774,	\LARGE 426, 497,
688, 701, 890,	14776, 14778,	754, 844, 1006,
903, 1172, 1185,	14781, 14783,	1096, 1256, 1347,
8233, 18837, 19903	14786, 14788,	1358, 5372, 5379,
\L@slope	14791, 14793,	5461, 5704, 6322,
. 12847, 12938, 12939	14795, 14798,	6499, 6600, 6671,
\l@subfigure 18964	14800, 14802,	7690, 8323, 8388,
\l@subparagraph	14805, 14807,	8418, 8489, 10642,
. 18910, 19919	14809, 15580,	10707, 15619,
\l@subsection 18859, 19907	15974, 16168,	15709, 15758,
\l@subsubsection ..	16371, 16773,	15855, 15866,
. 18876, 19911	17353, 18036, 18700	16022, 16209, 16280
\l@subtable 18984	\labelwidth 89,	\Large 564, 5323, 5386,
\l@table 5442, 18945, 19923	90, 302, 303, 578,	5460, 5705, 5706,
\L@tbox 12884, 12888, 12946	579, 713, 714,	7601, 7694, 8271,
\l@textcolor 12861, 12862	976, 977, 1226,	16098, 16607,
\label 2436,	1227, 2450, 2452,	16613, 16615,
4400, 4402, 4404,	5471, 5472, 6272,	16631, 16720,
4408, 4460, 10960,	6273, 6460, 6461,	16727, 16729,
11916, 11934, 20956	6769, 6770, 8293,	16732, 17156,
\labelitemi . 746, 998,	8294, 8564, 8565,	17162, 17164,
1061, 1248, 6314,	10620, 10621,	17180, 17269,
6491, 15611, 15750	11553, 12732,	17276, 17278,
\labelname ... 14746,	12733, 14746,	17281, 17855,
14749, 14751,	14749, 14751,	17861, 17863,
14754, 14756,	14754, 14756,	17879, 17968,
14758, 14761,	14758, 14761,	17975, 17977, 17980
14763, 14765,	14763, 14765,	\large 428,
14767, 14770,	14767, 14770,	434, 499, 505, 519,
14772, 14774,	14772, 14774,	671, 761, 771, 846,
14776, 14778,	14776, 14778,	852, 915, 1013,
14781, 14783,	14781, 14783,	1023, 1098, 1104,
14786, 14788,	14786, 14788,	1154, 1263, 1273,
14791, 14793,	14791, 14793,	1349, 1355, 1359,
14795, 14798,	14795, 14798,	1364, 5330, 5393,
14800, 14802,	14800, 14802,	5459, 6229, 6329,
14805, 14807, 14809	14805, 14807,	6339, 6406, 6506,
\labelsep 85, 90,	14809, 15578,	6516, 6602, 6608,
298, 303, 580, 715,	15579, 15972,	6673, 6679, 6693,
978, 1228, 2451,	15973, 16166,	7600, 7602, 7693,
2453, 5470, 5472,	16167, 16369,	7695, 8256, 8325,
5529, 6274, 6462,	16370, 16771,	8331, 8390, 8396,
6771, 8295, 8566,	16772, 17351,	8420, 8426, 8491,
10622, 12728,	17352, 18034,	8497, 8510, 10565,
12733, 14746,	18035, 18698, 18699	10644, 10650,
14749, 14751,	\language 1940	10709, 10715,
14754, 14756,	\Larg 1939,	15530, 15626,



15636,	15711,	\Lcs	1955	19027,	19220,
15717,	15765,	\LcsStar	1956	19328,	19373,
15775,	15857,	\leaders	16569,	19821,	19935,
15863,	15867,		17118, 17817,	20184,	20365,
15872,	15902,		18387, 18676,	20370,	20372,
16024,	16030,		19830, 19939, 20623	20380,	20387,
16117,	16211,	\leavevmode	14,	20461,	20569, 20619
16217,	16282,		219, 315, 381, 518,	\left .	20381, 20388, 20394
16288,	16302,		535, 656, 670, 695,	\left@footnoterule	
19329,	19679,		747, 884, 897,	30, 244,
\Largr	1943		914, 999, 1062,	418, 541, 725, 742,	
\Largs	1942		1139, 1153, 1179,	961, 994, 1205,	
\lastbox			1249, 2073, 2381,	1244, 6284, 6310,	
	7373, 7377, 7403,		5093, 5434, 5902,	6437, 6487, 6592,	
	10246,	10269,	5978, 6214, 6228,	6714, 8305, 8317,	
	10279,	10283,	6251, 6315, 6391,	8410, 8604, 10606,	
	13560,	15227, 20290	6405, 6428, 6492,	10636,	11144,
\lastbox@a	7373,		6692, 6707, 6787,	11150,	11163,
	7374,	7377, 7378	6788, 6926, 6978,	11165,	11301,
\LastFrameCommand .			8241, 8255, 8509,	11315,	12759,
	11415, 11525	8942, 9090, 9237,	12829,	15561,
\lastkern . . .	5105, 11500		9388, 9539, 9690,	15607,	15744,
\lastpenalty .	6819, 19739		9841, 9992, 10143,	15984,	16004,
\lastrule	6866		10564, 10579,	16141,	16201,
\lastskip			10860, 10875,	16323,	16557,
	4538, 6034, 6035,		11329, 11694,	16579,	16814,
	6147, 6148, 6818,		11740, 11760,	17106,	17128,
	7360, 7361, 7365,		12550, 12587,	17394,	17676,
	7366, 7368, 7375, 7380		12619, 12762,	17805,	17827, 18077
\lastskip@a			12781, 13555,	\leftfootnoterule .	
	... 7363, 7367, 7371		13787, 14120,	1652, 7747, 8649,	
\lastskip@b	7361, 7363,		14583, 14595,	11148,	11151,
	7365, 7367, 7371, 7372		14607, 15226,	11389,	11669, 21025
\lastskip@d			15307, 15312,	\leftline	15322,
	7360, 7366, 7368,		15358, 15379,	20541,	20547, 20549
	7374, 7375, 7378,		15515, 15529,	\leftlinenumbers . .	
	7380, 7381, 7384, 7394		15552, 15612,	12977, 12980
\LastTOCLevelWasHigher			15751, 15887,	\leftmargin	90,
	19649	15901, 15924,	303, 579, 580, 714,	
\LastTOCLevelWasLower			16116, 16131,	715, 950, 977,	
	19645	16301, 16316,	978, 1227, 1228,	
\LastTOCLevelWasSame			16569, 17118,	2452, 2453, 4241,	
	19647	17817, 18354,	5451, 5510, 5511,	
\LaTeX	12692,		18405, 18626,	5518, 5524, 6273,	
	20360, 20361, 20373		18649, 18796,	6274, 6461, 6462,	
\LaTeXe	20362, 20363		18827, 18850,	6770, 6771, 8294,	
\LBEG	1944		18867, 18884,	8295, 8565, 8566,	
\lcb	1944, 1945, 1948		18901, 18918,	10621,	10622,
\lccode	3292,		18935, 18953,	12733,	15376,
	3294, 20141, 20142		18972, 18992,	15579,	15580,



15973,	15974,	10580,	10581,	18987,	18988,
16167,	16168,	12779,	12780,	18989,	18997,
16370,	16371,	13542,	14216,	19022,	19023,
16772,	16773,	14217,	14580,	19024,	19032,
17352,	17353,	14584,	14585,	19072,	19073,
18035,	18036,	14592,	14597,	19074,	19752,
18699,	18700,	14604,	14609,	19814,	19815,
20431,	20434,	15387,	15389,	19816,	19822,
20444,	20448,	15400,	15402,	19825,	19872,
20456,	20495,	15413,	15415,	19932,	19937,
20497,	20498,	15424,	15426,	19960,	19967,
20499,	20504,	15443,	15486,	20336,	20337,
20506,	20507,	15499,	15510,	20530,	20556,
20508,	20513,	15511,	15516,	20557,	20616, 20621
20515,	20516,	15527,	15550,	\LEND	1945
20517,	20522,	15553,	15554,	\LenToUnit 8033, 8047, 8065	
20524,	20525, 20526	15882,	15883,	\leqno 338, 15318,	
\leftmargini 4241,		15888,	15899,	15320, 21016, 21018	
5451, 5464, 5471		15922,	15925,	\let 86, 102, 115,	
\leftmarginii 5465		15926,	15936,	152, 153, 156, 157,	
\leftmarginiii 5466		15949,	15998,	160, 161, 164, 184,	
\leftmarginiv 5467		16114,	16129,	188, 203, 204, 232,	
\leftmarginv 5468		16132,	16133,	299, 329, 337, 338,	
\leftmarginvi 5469		16138,	16139,	350, 382, 383, 386,	
\leftmarginwidth . . . 16138		16299,	16314,	403, 407, 411, 416,	
\leftmark 5801		16317,	16318,	417, 418, 419, 420,	
\leftskip 12,		18618,	18630,	421, 422, 440, 441,	
13, 217, 218, 315,		18647,	18668,	442, 443, 444, 445,	
319, 516, 533, 536,		18670,	18675,	446, 447, 448, 449,	
537, 627, 640, 651,		18679,	18680,	450, 451, 475, 476,	
652, 657, 668, 693,		18791,	18792,	477, 478, 479, 480,	
696, 697, 878, 879,		18793,	18801,	481, 482, 483, 484,	
885, 895, 898, 899,		18822,	18823,	485, 486, 487, 494,	
912, 934, 1128,		18824,	18832,	495, 496, 583, 606,	
1134, 1135, 1140,		18845,	18846,	621, 718, 740, 741,	
1151, 1177, 1180,		18847,	18855,	742, 743, 744, 782,	
1181, 1199, 5428,		18862,	18863,	783, 784, 785, 786,	
5436, 5437, 6008,		18864,	18872,	787, 788, 789, 790,	
6203, 6209, 6210,		18879,	18880,	791, 826, 827, 828,	
6215, 6226, 6249,		18881,	18889,	829, 830, 831, 832,	
6252, 6253, 6380,		18896,	18897,	833, 834, 835, 836,	
6386, 6387, 6392,		18898,	18906,	843, 870, 981, 992,	
6403, 6426, 6429,		18913,	18914,	993, 994, 995, 996,	
6430, 6690, 6705,		18915,	18923,	1034, 1035, 1036,	
6708, 6709, 6841,		18930,	18931,	1037, 1038, 1039,	
6842, 6843, 6969,		18932,	18940,	1040, 1041, 1042,	
6970, 6976, 8239,		18948,	18949,	1043, 1078, 1079,	
8242, 8243, 8253,		18950,	18958,	1080, 1081, 1082,	
8507, 8865, 10483,		18967,	18968,	1083, 1084, 1085,	
10562, 10577,		18969,	18977,	1086, 1087, 1088,	



1095, 1122, 1231, 1242, 1243, 1244, 1245, 1246, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1346, 1372, 1373, 1377, 1393, 1394, 1395, 1431, 1432, 1433, 1458, 1459, 1460, 1461, 1466, 1501, 1502, 1596, 1598, 1600, 1689, 1690, 1697, 1739, 1792, 1794, 1796, 1812, 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, 1890, 2028, 2029, 2030, 2057, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2084, 2085, 2086, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2456, 2465, 2470, 2488, 2512, 2531, 2536, 2561, 2562, 2569, 2570, 2573, 2574, 2608, 2741, 2744, 2752, 2776, 2798, 2820, 2821, 2951, 3031, 3033, 3034, 3035, 3036, 3037, 3092, 3128, 3135, 3141, 3147, 3155, 3158, 3161, 3169, 3173, 3175, 3322, 3325, 3356, 3435, 3441, 3444, 3454, 3464, 3475, 3542, 3552, 3554, 3588, 3599, 3694, 3710, 3730, 3745,	3761, 3854, 3875, 3876, 3892, 3935, 3938, 3940, 3945, 3959, 3967, 3968, 3988, 3989, 4016, 4027, 4032, 4036, 4038, 4041, 4051, 4062, 4089, 4100, 4109, 4158, 4163, 4179, 4180, 4181, 4182, 4184, 4185, 4186, 4187, 4233, 4363, 4364, 4401, 4402, 4408, 4410, 4414, 4459, 4460, 4542, 4544, 4546, 4692, 4693, 4706, 4710, 4712, 4713, 4719, 4723, 4727, 4736, 4980, 4981, 4999, 5000, 5018, 5019, 5046, 5047, 5075, 5076, 5077, 5174, 5195, 5196, 5197, 5203, 5224, 5225, 5226, 5232, 5253, 5254, 5255, 5271, 5275, 5276, 5277, 5280, 5284, 5285, 5286, 5289, 5293, 5294, 5295, 5442, 5506, 5547, 5634, 5701, 5702, 5703, 5893, 5894, 5896, 5897, 5915, 5936, 5937, 5938, 5939, 5940, 5941, 5942, 5943, 5944, 5947, 5948, 5949, 5950, 5951, 5952, 5953, 5954, 5955, 6016, 6042, 6092, 6098, 6119, 6132, 6142, 6156, 6160, 6161, 6162, 6163, 6164, 6165, 6166, 6167, 6168, 6174, 6175, 6176, 6177, 6178, 6179, 6180, 6181, 6182, 6197,	6277, 6308, 6309, 6310, 6311, 6312, 6350, 6351, 6352, 6353, 6354, 6355, 6356, 6357, 6358, 6359, 6374, 6465, 6485, 6486, 6487, 6488, 6489, 6527, 6528, 6529, 6530, 6531, 6532, 6533, 6534, 6535, 6536, 6585, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6614, 6615, 6616, 6617, 6618, 6619, 6620, 6621, 6622, 6623, 6624, 6625, 6649, 6650, 6651, 6652, 6653, 6654, 6655, 6656, 6657, 6658, 6659, 6660, 6661, 6668, 6669, 6670, 6774, 6798, 6800, 6803, 6804, 6805, 6811, 6816, 6836, 6848, 6849, 6850, 6852, 6853, 6859, 6860, 6861, 6862, 6882, 6891, 6932, 6938, 6959, 7131, 7134, 7135, 7194, 7197, 7198, 7745, 7746, 7747, 7748, 7749, 7752, 7753, 7755, 7773, 7774, 7776, 7794, 7795, 7799, 7834, 7836, 7848, 7851, 7852, 7856, 7886, 7888, 7900, 7903, 7904, 7951, 7975, 7983, 7991, 8298, 8315, 8316, 8317, 8318, 8319, 8337, 8338, 8339, 8340, 8341, 8342, 8343, 8344, 8345, 8346, 8370, 8371, 8372, 8373, 8374, 8375, 8376,
--	--	--



8377,	8378,	8379,	10105,	10108,	11672,	11673,
8380,	8387,	8408,	10289,	10290,	11763,	11797,
8409,	8410,	8411,	10291,	10295,	11799,	11827,
8412,	8413,	8414,	10296,	10297,	11829,	11834,
8432,	8433,	8434,	10298,	10301,	11836,	11840,
8435,	8436,	8437,	10314,	10326,	11842,	12173,
8438,	8439,	8440,	10338,	10363,	12174,	12175,
8441,	8442,	8443,	10377,	10391,	12216,	12217,
8467,	8468,	8469,	10490,	10552,	12218,	12260,
8470,	8471,	8472,	10625,	10634,	12261,	12262,
8473,	8474,	8475,	10635,	10636,	12275,	12276,
8476,	8477,	8478,	10637,	10638,	12277,	12290,
8479,	8486,	8487,	10656,	10657,	12291,	12292,
8488,	8569,	8617,	10658,	10659,	12298,	12300,
8618,	8619,	8620,	10660,	10661,	12301,	12302,
8621,	8622,	8631,	10662,	10663,	12303,	12304,
8632,	8633,	8634,	10664,	10665,	12305,	12306,
8635,	8636,	8637,	10689,	10690,	12315,	12351,
8638,	8639,	8640,	10691,	10692,	12389,	12422,
8641,	8642,	8647,	10693,	10694,	12453,	12484,
8648,	8649,	8650,	10695,	10696,	12490,	12492,
8651,	8743,	8744,	10697,	10698,	12493,	12494,
8745,	8746,	8747,	10699,	10706,	12495,	12496,
8748,	8751,	8752,	10762,	10789,	12497,	12498,
8753,	8754,	8755,	10792,	10793,	12499,	12511,
8756,	8758,	8895,	10825,	10828,	12514,	12517,
8896,	8897,	8901,	10829,	10911,	12520,	12687,
8902,	8903,	8904,	10912,	10914,	12688,	12689,
8907,	9046,	9047,	10915,	10918,	12690,	12705,
9048,	9052,	9053,	10919,	10948,	12716,	12729,
9054,	9055,	9058,	10950,	10952,	12746,	12795,
9190,	9191,	9192,	10960,	10961,	12860,	12870,
9196,	9197,	9198,	10962,	10968,	12875,	13072,
9199,	9202,	9341,	10972,	10975,	13084,	13395,
9342,	9343,	9347,	10983,	10985,	13396,	13397,
9348,	9349,	9350,	10988,	10989,	13399,	13401,
9353,	9492,	9493,	11123,	11151,	13405,	13407,
9494,	9498,	9499,	11177,	11178,	13409,	13410,
9500,	9501,	9504,	11287,	11301,	13412,	13413,
9643,	9644,	9645,	11315,	11341,	13414,	13418,
9649,	9650,	9651,	11342,	11343,	13424,	13436,
9652,	9655,	9794,	11344,	11378,	13472,	13473,
9795,	9796,	9800,	11393,	11399,	13474,	13534,
9801,	9802,	9803,	11404,	11539,	13535,	13536,
9806,	9945,	9946,	11540,	11541,	13537,	13538,
9947,	9951,	9952,	11542,	11584,	13546,	13593,
9953,	9954,	9957,	11587,	11588,	13594,	13595,
10096,	10097,		11632,	11635,	14184,	14185,
10098,	10102,		11636,	11669,	14186,	14187,
10103,	10104,		11670,	11671,	14188,	14189,



14190,	14191,	15708,	15735,	16264,	16265,
14192,	14248,	15742,	15743,	16266,	16267,
14251,	14252,	15744,	15745,	16268,	16269,
14254,	14255,	15746,	15747,	16270,	16277,
14352,	14355,	15748,	15786,	16278,	16279,
14356,	14452,	15787,	15788,	16374,	16399,
14455,	14456,	15789,	15790,	16426,	16427,
14691,	14694,	15791,	15792,	16444,	16516,
14714,	14715,	15793,	15794,	16517,	16518,
14718,	14719,	15795,	15796,	16577,	16578,
14722,	14723,	15797,	15832,	16579,	16580,
14827,	14828,	15833,	15834,	16581,	16582,
14829,	14937,	15835,	15836,	16583,	16585,
14938,	14939,	15837,	15838,	16649,	16666,
14940,	14941,	15839,	15840,	16667,	16668,
14943,	14988,	15841,	15842,	16669,	16670,
14993,	15007,	15843,	15844,	16671,	16672,
15039,	15228,	15852,	15853,	16673,	16674,
15232,	15277,	15854,	15977,	16675,	16676,
15278,	15279,	16002,	16003,	16677,	16678,
15280,	15283,	16004,	16005,	16679,	16680,
15284,	15286,	16006,	16007,	16681,	16682,
15291,	15314,	16008,	16036,	16683,	16684,
15315,	15316,	16037,	16038,	16685,	16686,
15317,	15318,	16039,	16040,	16687,	16688,
15380,	15384,	16041,	16042,	16689,	16690,
15386,	15397,	16043,	16044,	16691,	16692,
15399,	15410,	16045,	16046,	16693,	16697,
15412,	15422,	16047,	16076,	16698,	16699,
15423,	15434,	16077,	16078,	16784,	16809,
15435,	15436,	16079,	16080,	16810,	16834,
15437,	15438,	16081,	16082,	16835,	16836,
15448,	15449,	16083,	16084,	16837,	16838,
15450,	15451,	16085,	16086,	16839,	16845,
15452,	15461,	16087,	16088,	16846,	16847,
15463,	15464,	16094,	16095,	16848,	16849,
15480,	15583,	16096,	16171,	16850,	16944,
15605,	15606,	16195,	16199,	16946,	16952,
15607,	15608,	16200,	16201,	16954,	17065,
15609,	15647,	16202,	16203,	17066,	17067,
15648,	15649,	16204,	16205,	17126,	17127,
15650,	15651,	16223,	16224,	17128,	17129,
15652,	15653,	16225,	16226,	17130,	17131,
15654,	15655,	16227,	16228,	17132,	17134,
15656,	15691,	16229,	16230,	17198,	17215,
15692,	15693,	16231,	16232,	17216,	17217,
15694,	15695,	16233,	16234,	17218,	17219,
15696,	15697,	16258,	16259,	17220,	17221,
15698,	15699,	16260,	16261,	17222,	17223,
15700,	15701,	16262,	16263,	17224,	17225,



17226,	17227,	18217,	18345,	19969,	19986,
17228,	17229,	18346,	18347,	19989,	20049,
17230,	17231,	18350,	18406,	20107,	20111,
17232,	17233,	18407,	18408,	20189,	20194,
17234,	17235,	18411,	18422,	20204,	20208,
17236,	17237,	18423,	18424,	20237,	20247,
17238,	17239,	18431,	18432,	20251,	20291,
17240,	17241,	18437,	18446,	20295,	20344,
17242,	17246,	18447,	18448,	20345,	20346,
17247,	17248,	18450,	18453,	20347,	20350,
17364,	17389,	18457,	18460,	20351,	20353,
17390,	17414,	18462,	18465,	20358,	20360,
17415,	17416,	18474,	18477,	20362,	20374,
17417,	17418,	18490,	18491,	20375,	20376,
17419,	17425,	18492,	18507,	20377,	20381,
17426,	17427,	18508,	18509,	20382,	20388,
17428,	17429,	18510,	18511,	20389,	20390,
17430,	17524,	18512,	18514,	20402,	20424,
17526,	17532,	18515,	18518,	20476,	20529,
17534,	17764,	18519,	18593,	20532,	20533,
17765,	17766,	18594,	18597,	20547,	20548,
17825,	17826,	18599,	18600,	20566,	20570,
17827,	17828,	18601,	18613,	20571,	20572,
17829,	17830,	18642,	18671,	20575,	20587,
17831,	17833,	18676,	18682,	20588,	20589,
17897,	17914,	18685,	18703,	20590,	20596,
17915,	17916,	18765,	18769,	20597,	20598,
17917,	17918,	18798,	18799,	20636,	20688,
17919,	17920,	18800,	18829,	20691,	20692,
17921,	17922,	18830,	18831,	20735,	20738,
17923,	17924,	18852,	18853,	20739,	20916,
17925,	17926,	18854,	18869,	20918,	20921,
17927,	17928,	18870,	18871,	20933,	20935,
17929,	17930,	18886,	18887,	20937,	20939,
17931,	17932,	18888,	18903,	20941,	20943,
17933,	17934,	18904,	18905,	20946,	20947,
17935,	17936,	18920,	18921,	20949,	20950,
17937,	17938,	18922,	18937,	20956,	20957,
17939,	17940,	18938,	18939,	20958,	20963,
17941,	17945,	18955,	18956,	20975,	20978,
17946,	17947,	18957,	18974,	20985,	20992,
18047,	18072,	18975,	18976,	20996,	20998,
18073,	18097,	18994,	18995,	21001,	21002,
18098,	18099,	18996,	19029,	21015,	21016,
18100,	18101,	19030,	19031,	21024,	21025,
18102,	18108,	19094,	19249,	21026,	21173, 21175
18109,	18110,	19386,	19467,	\Letter	2301
18111,	18112,	19470,	19500,	\lettergroup	5558
18113,	18207,	19733,	19949,	\LettrineDepth . . .	12931
18209,	18215,	19957,	19962,	\LettrineFont	12872, 12882



\LettrineFontEPS .	12880	17969, 18426,	\listitemmaincolumnwidth
\LettrineHeight .	12930	18465, 20592, 20959 2354,
\LettrineTextFont .		\lineskiplimit	2362, 2363, 2395
.....	12884, 12893 10965, 20959	\listitemsymbol
\LettrineWidth	12873, 12929	\linespacing . . . 24, 12767 2296, 2353,
\lftside	15158,	\linespread 2762	2394, 2396, 7556, 7654
15160,	15163,	\linewidth 2409,	\listitemsymbolwidth
15165,	15179, 15181	4436, 10861, 2352,
\Line	7978,	10876, 10880,	2353, 2363, 2369
7981,	7986, 7989,	11551, 11559,	\listoffigures 5409
7994,	7995, 7998,	11560, 11562,	\listoftables 5417
7999,	8003, 8004,	11563, 11863,	\listparindent
8007,	8008, 8012,	12922, 12925,	. 948, 5509, 5516,
8013,	8016, 8017,	12941, 13540,	5517, 20420, 20429
8021, 8022, 8025,	8026	14256, 14262,	\listtablename 5419, 5420
\line	6988, 6989,	14894, 14896,	\llap 5496, 8088,
6991,	6992, 6998,	14914, 14916,	8779, 8791, 8803,
6999,	7001, 7002,	15116, 15122,	10768, 10774,
7011,	7012, 7014,	15208, 15217,	11676, 11808,
7015,	7021, 7022,	15218, 15271,	11810, 11812,
7024,	7025, 7034,	15273, 15441,	11814, 11817,
7035,	7037, 7038,	15455, 16930,	11819, 11822,
7044,	7045, 7047,	17510, 18193,	11824, 12944,
7048,	7057, 7058,	20338, 20340,	18372, 18631, 18649
7060,	7061, 7067,	20430, 20431,	\LoadClass . . . 5743, 5767
7068,	7070, 7071,	20458, 20495,	\long . . . 34, 48, 64, 247,
15321,	15322, 15323	20497, 20498,	261, 276, 458, 745,
\LineNumber . . .	12955,	20499, 20504,	810, 997, 1060,
12957,	12959,	20506, 20507,	1247, 1312, 1873,
12964,	12967, 12969	20508, 20513,	2091, 2094, 2097,
\linenumberwidth . . .		20515, 20516,	2102, 2105, 2108,
. 12957, 12964, 12969		20517, 20522,	2506, 2507, 2516,
\lineskip . . .	202, 404,	20524, 20525,	2519, 2530, 2709,
429, 500, 762, 847,		20526, 20905, 20908	2713, 2746, 2778,
1014,	1099, 1264,	\link 2415	2782, 2892, 2911,
1350,	1359, 2285,	\list 89,	2986, 3002, 3014,
6330,	6507, 6603,	302, 577, 712, 948,	3023, 3055, 3083,
6674,	8326, 8391,	975, 1225, 5489,	3095, 3096, 3422,
8421,	8492, 10645,	5507, 5516, 5524,	3424, 3428, 3440,
10710,	10964,	6271, 6459, 6768,	3447, 3456, 3459,
13437,	13543,	8292, 8563, 10619,	3466, 3484, 4106,
15444,	15458,	12732, 14819,	4370, 4519, 4779,
15627,	15712,	15577, 15971,	4783, 4787, 4823,
15766,	15858,	16165, 16368,	4827, 4831, 4867,
15867,	16025,	16768, 17348,	4871, 4875, 5086,
16101,	16212,	18031, 18697, 20413	5173, 5202, 5231,
16283,	16607,	\listdoubleitemmaincolumnwidth	6049, 6052, 6055,
16721,	17156, 2355, 2368,	6059, 6062, 6065,
17270,	17855,	2369, 2370, 2397, 2401	6313, 6490, 6632,
		\listfigurename 5411, 5412	6925, 7754, 7775,



8353, 8450, 10672,	15346, 15354, 20177, 20370, 20372	\LT@cols 13440, 16929, 17509, 18192
11225, 11242,	\lowercase 2576, 2584, 2592, 2600	\LT@end@pen 13488
11258, 11286,	\lowertitleback 16690, 17239, 17938	\LT@endpbox 13497
11300, 11314,	\LR 12688, 15279, 15312, 20346, 20370, 20372	\LT@err 13489
11674, 11684,	\lrb 1943, 1952	\LT@foot 12711, 12715, 13492, 13496, 13505, 13508
11693, 11739,	\LRE 1597, 1615, 1793, 1811, 12687,	\LT@head 13499, 13512
11780, 11787,	12342, 12380,	\LT@hline 13405
12219, 12230,	12413, 12444,	\LT@kill 13405
12241, 12252,	12458, 12475, 13024,	\LT@lastfoot 13492, 13494, 13505
12267, 12282,	14198, 14248, 14298, 14320, 14726, 14730, 14734, 15097, 15306, 15610, 15675, 15749, 15816, 16012, 16055, 16241, 16532, 17081, 17655, 17755, 17780, 18344, 18530, 18534, 18537, 18541, 20183, 20364, 20460, 20786, 20790, 20794, 20830, 20834, 20838, 20897, 21005	\LT@LL@FM@cr . 13414, 13418
\longindentation . . . 8597	\lst@caption . 13045, 13051, 13058, 13063	\LT@make@row 13435
\longthickrule 16093, 16099	\lst@ifnumberbychapter 13084, 13085	\LT@makecaption 13439, 13450, 16921, 17501, 18184
\loop 1722, 1723, 3497, 3507, 7081, 7251, 7257, 7362, 7417, 7429, 10267, 10277, 12908, 15114, 15150, 15177, 15188, 15215, 18485	\lst@HRefStepCounter 13045, 13051	\LT@mcoll . 13395, 13440, 16929, 17509, 18192
\looprepeat 3514, 3518, 3562, 3633, 3640, 3645, 3651, 3654, 3656, 3660, 3661, 3666	\lstKV@SwitchCases 12989, 12996	\LT@no@pgbk . 13403, 13404
\lower 15312,	\lstset 1901	\LT@nofcols 13434
	\LT@hl 13397, 13399	\LT@output 13486
	\LT@tabarray 13396, 13400	\LT@p@ftn 12320, 12323, 12327, 12337, 12358, 12361, 12365, 12375, 13479, 13480, 13482, 13483
	\LT@array 12696, 13386, 16944, 16945, 17524, 17525, 18207, 18208	\LT@p@ftntext 13472
	\LT@bchunk 13427, 13434, 13438	\LT@p@LTRftntext 12318, 12325, 13473, 13478
	\LT@caption 13405, 16946, 16952, 16954, 17526, 17532, 17534, 18209, 18215, 18217	\LT@p@RTLftntext 12356, 12363, 13474, 13481
		\LT@rows 13429, 13459
		\LT@setprevdepth 13430
		\LT@start 12713, 12723
		\LT@startpbox 13411, 13418, 13470
		\LT@tabularcr 13401
		\LT@captype 13452, 13461, 13462
		\LT@capwidth 13440, 13453, 13454
		\LT@left 13389, 13391, 13393, 13431
		\LTR 15271, 20338



\LTR@column@boxes .	10149, 10169,	9224, 9250, 9262,
..... 14648,	10328, 10356, 10380	9275, 9302, 9315,
14664, 14695, 14697	\LTright 13389,	9330, 9335, 9355,
\LTR@outputdblcol .	13391, 13393, 13432	9365, 9375, 9401,
... 7181, 10813,	\LTrmarginnote 5279	9413, 9426, 9453,
11569, 14439,	\LTrmarginpar 20769	9466, 9481, 9486,
20722, 20766, 20768	\LTrmulticolcolumns	9506, 9516, 9526,
\LTrbiditufesidenotemarginpar 14693		9552, 9564, 9577,
... 4806, 5132, 5282	\LTrsidenote 5001, 5261	9604, 9617, 9632,
\LTrcite	\LTrthanks . 421, 441,	9637, 9657, 9667,
5076, 5196, 5225,	476, 495, 5615,	9677, 9703, 9715,
5254, 5276, 5285, 5294	5623, 5640, 5656,	9728, 9755, 9768,
\LTrcolumnfootnotes 8760	5667, 6595, 6615,	9783, 9788, 9808,
\LTrdblcol 20768	6650, 6669, 8413,	9818, 9828, 9854,
\LTrdfnmakecol 7907	8433, 8468, 8487,	9866, 9879, 9906,
\LTrfootfootmark ..	11360, 14185,	9919, 9934, 9939,
.... 8789, 8948,	15747, 15787,	9959, 9969, 9979,
9096, 9243, 9394,	15833, 15853,	10005, 10017,
9545, 9696, 9847,	16007, 16037,	10030, 10057,
9998, 10149, 10356	16077, 16095,	10070, 10085,
\LTrfootmarkstyle ..	16204, 16224,	10090, 10110,
.... 8775, 8814	16259, 16278,	10120, 10130,
\LTrfootnote ... 421,	16582, 16667,	10156, 10168,
495, 2029, 2037,	16698, 17131,	10181, 10208,
5265, 5615, 6595,	17216, 17247,	10221, 10236,
6669, 8413, 8487,	17830, 17915, 17946	10241, 10303,
11206, 15747,	\ltx@firstofthree .	10315, 10327,
15853, 16007, 11076, 11100	10339, 10364,
16095, 16204,	\ltx@ifundefined ..	10378, 10392,
16278, 16582, 11070, 11094	10420, 10433,
16698, 17131,	\ltx@secondofthree	10447, 10469, 10477
17247, 17830, 17946 11079, 11103	\m@m@h 8876, 8878,
\LTrfootnotetext ..	\ltx@thirdofthree .	8880, 8883, 8884, 8889
.... 2095, 2106,	. 11072, 11089, 11096	\m@m@k 8876, 8878,
6053, 6063, 11362,		8883, 8886, 8887, 8889
11364, 12321,	M	\m@m@makecolfloats
13479, 18531, 18535	\m@addvipersep 10488, 10535, 10541
\LTrfootscript . 8775, 14381, 14481	\m@m@makecolintro .
8792, 8796, 8798	\m@m@float@spacing 8764	. 10503, 10528, 10539
\LTrfoottextfont 8693,	\m@m@footnote@spacing	\m@m@makecoltext ..
8700, 8721, 8727, 8659, 8675,	. 10492, 10536, 10547
8827, 8920, 8948,	8691, 8707, 8720,	\m@m@singlespace .. 8762
8968, 9070, 9096,	8733, 8763, 8909,	\m@m@make@eightcol@footgroup
9115, 9215, 9243,	8919, 8929, 8955,	... 9799, 9892, 9932
9263, 9366, 9394,	8967, 8980, 9007,	\m@m@make@eightcolfootfmt
9414, 9517, 9545,	9020, 9035, 9040, 9891, 9927
9565, 9668, 9696,	9060, 9069, 9078,	\m@m@make@eightcolfootnotetext
9716, 9819, 9847,	9103, 9114, 9126, 9889, 9903
9867, 9970, 9998,	9152, 9164, 9179,	\m@m@make@fivecol@footgroup
10018, 10121,	9184, 9204, 9214,	... 9346, 9439, 9479



\m@make@fivecolfootfmt	\m@make@mpthreecolfootnote	\m@doextrafeet
..... 9438, 9474 9136, 9160	. 8818, 10534, 10546
\m@make@fivecolfootnotetext	\m@make@mptwocol@footgroup	\m@doextrafeetendmini
..... 9436, 9450	... 8906, 8994, 9038 8846, 8856
\m@make@footstart .	\m@make@mptwocolfootnotetext	\m@doextrafeetmini 8837
.... 8861, 8872, 8991, 9016	\m@mold@skip
8995, 9140, 9290,	\m@make@ninecol@footgroup	8881, 8885, 8886, 8887
9441, 9592, 9743,	. 9950, 10043, 10083	\m@minterparanoteglue
9894, 10045, 10196	\m@make@ninecolfootfmt 10259, 10261
\m@make@fourcol@footgroup 10042, 10078	\m@mipn@skip
... 9195, 9288, 9328	\m@make@ninecolfootnotetext	. 10251, 10258, 10260
\m@make@fourcolfootfmt 10040, 10054	\m@mmakehboxofhboxes
..... 9287, 9323	\m@make@para@footgroup 10263,
\m@make@fourcolfootnotetext	.. 10294, 10407, 10463	10274, 10466, 10475
..... 9285, 9299	\m@make@para@footstart	\m@mmpf@prepare
\m@make@mpeightcol@footgroup 10409, 10480	8671, 8687, 8703,
... 9805, 9893, 9937	\m@make@parafootfmt	8768, 8917, 8927,
\m@make@mpeightcolfootnotetext 10406, 10457	8937, 8963, 8976,
..... 9890, 9915	\m@make@parafootnotetext	8988, 9015, 9027,
\m@make@mpfivecol@footgroup 10404, 10430	9067, 9076, 9085,
... 9352, 9440, 9484	\m@make@sevencol@footgroup	9110, 9122, 9133,
\m@make@mpfivecolfootnotetext	... 9648, 9741, 9781	9159, 9171, 9212,
..... 9437, 9462	\m@make@sevencolfootfmt	9222, 9232, 9258,
\m@make@mpfourcol@footgroup 9740, 9776	9271, 9283, 9310,
... 9201, 9289, 9333	\m@make@sevencolfootnotetext	9322, 9363, 9373,
\m@make@mpfourcolfootnotetext 9738, 9752	9383, 9409, 9422,
..... 9286, 9311	\m@make@sixcol@footgroup	9434, 9461, 9473,
\m@make@mpninecol@footgroup	... 9497, 9590, 9630	9514, 9524, 9534,
.. 9956, 10044, 10088	\m@make@sixcolfootfmt	9560, 9573, 9585,
\m@make@mpninecolfootnotetext 9589, 9625	9612, 9624, 9665,
..... 10041, 10066	\m@make@sixcolfootnotetext	9675, 9685, 9711,
\m@make@mppara@footgroup 9587, 9601	9724, 9736, 9763,
.. 10300, 10408, 10472	\m@make@tencol@footgroup	9775, 9816, 9826,
\m@make@mpparafootnotetext	. 10101, 10194, 10234	9836, 9862, 9875,
..... 10405, 10443	\m@make@tencolfootfmt	9887, 9914, 9926,
\m@make@mpsevencol@footgroup 10193, 10229	9967, 9977, 9987,
... 9654, 9742, 9786	\m@make@tencolfootnotetext	10013, 10026,
\m@make@mpsevencolfootnotetext 10191, 10205	10038, 10065,
..... 9739, 9764	\m@make@threecol@footgroup	10077, 10118,
\m@make@mpsixcol@footgroup	... 9051, 9138, 9177	10128, 10138,
.. 9503, 9591, 9635	\m@make@threecolfootfmt	10164, 10177,
\m@make@mpsixcolfootnotetext 9137, 9172	10189, 10216,
..... 9588, 9613	\m@make@threecolfootnotetext	10228, 10324,
\m@make@mptencol@footgroup 9135, 9149	10336, 10348,
\m@make@mptencolfootnotetext	\m@make@twocol@footgroup	10374, 10388,
.. 10107, 10195, 10239	... 8900, 8993, 9033	10402, 10442, 10456
\m@make@mptencolfootnotetext	\m@make@twocolfootfmt	\m@mold@footnotetext
.... 10192, 10217 8992, 9028 8743, 8751
\m@make@mpthreecol@footgroup	\m@make@twocolfootnotetext	\m@mold@LTRfootnotetext
... 9057, 9139, 9182 8990, 9004 8744, 8752



\m@mold@mpfootnotetext 8746, 8754	\maincolumnwidth .. .	16237, 16261,
\m@mold@mpLTRfootnotetext 8747, 8755	2350, 2359, 2360, 2361, 2362, 2364, 2368, 2383, 2387, 2412	16571, 16642,
\m@mold@mpRTLfootnotetext 8748, 8756	\mainmatter 5794	16669, 17120,
\m@mold@RTLfootnotetext 8745, 8753	\makeatletter . 2958, 2977	17191, 17218,
\m@mopfootnote 10504, 10532	\makebox	17819, 17890, 17917
\m@mremovehboxes 10283, 10284, 10467, 10476	8076, 8081, 8150, 8153, 8156, 8163, 8171, 8178, 8219, 8223, 14931, 14949	\maketitledetailsnewline 7712, 7727, 7729, 7730, 7731, 7732, 7733
\m@mrigidbalance 8878, 8883, 9037, 9042, 9181, 9186, 9332, 9337, 9483, 9488, 9634, 9639, 9785, 9790, 9936, 9941, 10087, 10092, 10238, 10243	\makefooter 7621, 7622, 7638	\maketitledetailwidth 7704, 7706, 7707, 7708, 7709, 7724
\m@mssplitoff .. 8886, 8888		\MakeFramed 11417	\maketitlehookb .. 14243
\m@mungebox 10252, 10324, 10336, 10348, 10374, 10388, 10402, 10442, 10456	\makelabel .. 5496, 20424	\maketitlehookc .. 14245
\m@muvxh .. 10244, 10253		\MakeLineNo 12949	\maketitlenamefullwidth ... 7698, 7699, 7701
\m@ne 314, 554, 563, 2560, 2749, 3242, 3249, 3493, 3498, 3508, 3589, 4774, 4818, 4862, 6542, 6700, 6737, 7081, 8261, 8270, 8531, 10572, 10589, 12543, 14622, 15372, 16124, 16309, 16346, 17008, 17586, 17589, 18269, 18272, 18777, 18819, 19758, 20781, 20825, 20860, 20863	\makelineNumber 12950, 12952	\maketitlenamemaxwidth ... 7696, 7697, 7701	
\m@th	406, 8077, 8082, 8088, 10861, 10876, 13436, 19830, 19939, 20394, 20478, 20562, 20564, 20623	\makeLineNumberLeft 12955	\maketitlenewwidth 7700, 7701, 7707, 7719
		\makeLineNumberRight 12963	\maketitlepage 5677, 5719
		\maketag@@@ 346, 8074, 8087, 13518	\maketitlepicturewidth 7702, 7703, 7709, 7738
		\makethanksmark .. 14198	\MakeUppercase . 125, 574, 602, 603, 618, 709, 867, 972, 1119, 1222, 6194, 6268, 6371, 6456, 6581, 6582, 6765, 8289, 8560, 10616, 12805, 15477, 15574, 15732, 15968, 16191, 16192, 16365
		\maketitle .. 110, 323, 330, 415, 443, 454, 478, 738, 783, 805, 827, 990, 1035, 1057, 1079, 1240, 1285, 1307, 1329, 1869, 1881, 2376, 5591, 5695, 5719, 6306, 6351, 6483, 6528, 6589, 6617, 6628, 6652, 7603, 7717, 8314, 8338, 8349, 8371, 8407, 8435, 8446, 8470, 10633, 10657, 10668, 10690, 12490, 12491, 12790, 14193, 15603, 15648, 15670, 15692, 15740, 15789, 15811, 15835, 16001, 16039, 16050, 16079, 16198, 16226,	\margininline 16827, 17407, 18090
			\marginnote 5270
			\marginpar 4340, 5048, 16828, 17408, 18091, 20025
			\marginparpush 4273, 20879
			\marginparsep 1859, 2261, 4314, 4317, 4321, 4473, 4480, 11807, 11809, 11813, 11818, 11821, 11823, 20890, 20892



\marginparwidth	1858,	\mdf@footnoteoutput 13578	\memRTLrightskip	14219
2262,	4313, 4318, 13578	\message .. 1765, 1767,		
4330,	4428, 4698,	\mdf@frametitleaboveskip@length	11425, 11433,		
4791,	4835, 4879, 13573	11437, 11442,		
11807,	11809,	\mdf@frametitlealignment	11450, 11456,		
11821,	11823, 13554	11466, 11471,		
20798,	20842, 20892	\mdf@frametitlebelowskip@length	11473, 11480,		
\markboth 124, 13574	11488, 11501,		
568,	5799, 8275, 12804	\mdf@frametitlebox	11509, 11514,		
\mathindent	. 10862, 10878	.. 13553, 13566,	11519, 11532,		
\mathsurround 6815	13567, 13568,	11543, 11551, 11563		
\max@poem@no	13569, 13571, 13572	\MessageBreak		
... 5994, 6103, 6104		\mdf@frametitlefont 148, 3188,		
\maxdepth	.. 10537, 10548 13556	3202, 3214, 3228,		
\maxdimen	\mdf@frametitlefontcolor	3870, 3881, 3888,		
7122,	7123, 7125, 13555	3900, 3906, 4004,		
7185,	7186, 7188,	\mdf@horizontalmargin@equation	4057, 4058, 4059,		
10320,	10332, 13531	4073, 4074, 4076,		
10344,	10370,	\mdf@ignorevbadness	4354, 4450, 4677,		
10384,	10398, 13565	4678, 4746, 5350,		
10438,	10452,	\mdf@lrbox . 13524, 13553	5351, 5352, 5354,		
10733,	10781,	\mdf@par@local ... 13547	5355, 5359, 5360,		
10782,	10783,	\mdf@patchamsthm . 13525	5361, 5363, 5364,		
10817,	10818,	\mdfframedtitleenv 13552	14294, 14295,		
10819,	11424,	\mdfframetitleboxdepth	14625, 14644,		
11575,	11576, 13569	14710, 16643,		
11578,	11623,	\mdfframetitleboxheight	16794, 16801,		
11624,	11626, 13568	17192, 17374,		
14343,	14344,	\mdfframetitleboxtotalheight	17381, 17891,		
14346,	14443, 13570	18057, 18064,		
14444,	14446,	\mdfframetitleboxwidth	19402, 19404, 19407		
18478,	18517, 13567	\MH	8086, 8090,	
19890,	19893,	\mdseries	8095, 8096, 8100,		
19898,	19902,	. 317, 7597, 7599,	8104, 8105, 8109,		
19906,	19910,	7601, 7602, 7689,	8117, 8119, 8124,		
19914,	19918,	7690, 7691, 7694, 7695	8136, 8144, 8149,		
19922,	19926,	\meaning	8152, 8155, 8157,		
20111,	20679,	2469, 2472, 2715,	8158, 8160, 8161,		
20680,	20682,	2948, 2975, 2990,	8164, 8165, 8167,		
20726,	20727, 20729	3008, 3016, 3025, 3089	8168, 8170, 8172,		
\mbox .	11768, 12944, 17758	\mediabutton	8173, 8175, 8176,		
\mc@col@status@write 14652, 14676	. 14116, 14177, 14178	8179, 8180, 8182,		
\mc@gridwarn 14642	\medskip	8183, 8185, 8190,		
\mc@lastcol@status@write 14658, 14684	\medskipamount ... 8599	8191, 8192, 8193,		
\mdf@footenotedistance@length 13581	\mem@makecol 10527, 10549	8194, 8195, 8196,		
\mdf@footnoteinput	13589	\memRTLleftskip .. 14216	8197, 8198, 8207,		
		\memRTLraggedleft 14221	8209, 8213, 8214, 8216		
		\memRTLraggedright 14220	\MHInternalSyntaxOff		
		\memRTLrightsip . 14217 8231, 13521		
		\memRTLleftskip . 14218	\MHInternalSyntaxOn		



..... 8071, 13515	\modernpoem@obeylines	\multiply
\MidFrameCommand .. . 11413, 11457, 11525	\modernpoem@par .. . 5896, 5897, 6120	1843, 1848, 2186, 10306, 10423, 15133, 15137
\minrowclearance .. . 1463, 1497, 6920	\morefloats .. . 4580, 4677	\myrefname .. . 17709
\mintagvsep .. . 8091	\moreLRE .. . 1598, 1794, 15233, 20296	N
\missingfigure .. . 20069, 20099	\moreRLE .. . 1600, 1796, 15234, 20297	\n@xt .. . 1596, 1598, 1600, 1601, 1792, 1794, 1796, 1797
\mix 13610, 13611, 13618, 13619, 13645, 13662, 13685, 13688, 13690, 13713, 13745, 13753, 13762, 13773, 13784, 13786, 13791, 13792, 13794, 13795, 13797, 13809, 13818, 13821, 13822, 13823, 13833, 13843, 13844, 13846, 13847, 13852, 13853, 13869, 13871, 13873, 13878, 13917, 13924, 13925, 13928, 13946, 13948, 13951, 13953, 13956, 13963, 13971, 13973, 14026, 14031, 14042, 14043, 14046, 14077, 14082, 14084, 14091, 14092, 14095, 14110, 14114, 14117, 14119, 14128, 14131, 14141, 14142, 14144, 14167, 14173, 14178	\na .. . 15136, 15138, 15140, 15149, 15151, 15176, 15177	
\mult@cols .. . 14725	\moveleft .. . 4730, 14537	\narrower .. . 20555
\mult@footnotetext .. . 151, 153, 14713, 14715, 14726	\moveright .. . 10966, 14635, 20962	\NAT@bibitem@first@sw .. . 14827
\mult@gfirstbox .. . 14649, 14666, 14672	\mp@footgroupv@r .. . 8842, 8875, 8907,	\nb .. . 15136, 15139, 15140, 15149, 15150, 15171, 15187, 15188
\mult@info .. . 14623	9058, 9202, 9353, 9504, 9655, 9806, 9957, 10108, 10301	\NC@find .. . 18484
\mult@LTRfootnotetext .. . 155, 157, 14717, 14719, 14730	\msg .. . 13665, 13668, 13716, 13719, 13734, 13737, 13779	\NC@rewrite@X .. . 18483
\mult@rightbox .. . 14616, 14656, 14657, 14659, 14681, 14682, 14685	\MT .. . 8110, 8116, 8118, 13516	\NeedsTeXFormat .. . 1504, 1836, 1892, 2025, 2217, 2466, 4189, 4755, 5297, 5443, 5559, 5586, 5735, 5759, 5824, 7541, 7639
\mult@RTLfootnotetext .. . 159, 161, 14721, 14723, 14734	\mult@cols .. . 14725	\new@command .. . 2751, 2753
\multfootsep .. . 5090, 5108	\mult@info .. . 14623	\new@poem@width .. . 5911, 5912, 5913, 5914, 5999, 6041, 6044
\multicolumn@leftmargin .. . 14626, 14635	\mult@LTRfootnotetext .. . 155, 157, 14717, 14719, 14730	\newblock .. . 2464, 6011, 6118, 14821, 14823
\mkern .. . 19831, 19832, 19940, 20624	\mult@rightbox .. . 14616, 14656, 14657, 14659, 14681, 14682, 14685	\newboolean .. . 4197, 4200, 4202, 4204, 4205, 4217, 4281, 4291, 4358, 4381, 4682, 5306, 5565, 5592
\mobile .. . 2338	\mult@RTLfootnotetext .. . 159, 161, 14721, 14723, 14734	\newbox .. . 5966, 5967
\Mobilefone .. . 2298	\multfootsep .. . 5090, 5108	\newcommand .. . 1536, 1537, 1543, 1549, 1565, 1566, 1569, 1570, 1582, 1585, 1607, 1608, 1615, 1725, 1930, 1936, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 2242, 2328, 2333, 2334, 2335, 2337, 2338, 2339, 2341, 2342, 2344, 2345
\mobilesymbol .. . 2298, 7631, 7729	\multicolumn@leftmargin .. . 14626, 14635	
\modernpoem .. . 6156	\multicols .. . 14698	
	\multicolumn .. . 13395, 18452	
	\multiplefootnotemarker .. . 5089, 5105, 5199, 5200, 5228, 5229, 5257, 5258, 8767, 8769, 8770	



2356, 2357, 2377, 2384, 2386, 2390, 2394, 2396, 2402, 2411, 2413, 2415, 2419, 2423, 2428, 2440, 2464, 2575, 2583, 2591, 2599, 2616, 2622, 2628, 2634, 2640, 2646, 2652, 2658, 2665, 2668, 2671, 2677, 2689, 2695, 2707, 2710, 2712, 2719, 2723, 2729, 2736, 2739, 2742, 2745, 2761, 2767, 2811, 2816, 2938, 2962, 3013, 3022, 3099, 3102, 3105, 3108, 3111, 3114, 3117, 3121, 3124, 3138, 3150, 3165, 3692, 3693, 3709, 3724, 3728, 3734, 3737, 3740, 3743, 3748, 3751, 3754, 3758, 3762, 3765, 3766, 3767, 3769, 3777, 3786, 3788, 3798, 3800, 3812, 3814, 3821, 3829, 3831, 3840, 3842, 3853, 3855, 3856, 3860, 3864, 3934, 3944, 3948, 3953, 3987, 4025, 4048, 4049, 4050, 4082, 4083, 4084, 4085, 4096, 4193, 4194, 4195, 4196, 4218, 4221, 4248, 4275, 4276, 4277, 4278, 4293, 4312, 4348, 4350, 4351, 4356, 4357, 4359, 4360, 4367, 4368, 4369, 4377, 4380, 4468, 4486, 4696, 4704, 4714, 4717, 4725, 4894, 4895, 4896, 4897,	4898, 4899, 4900, 4901, 4902, 4903, 4904, 4905, 4906, 4907, 4908, 4909, 4910, 4911, 4912, 4913, 4914, 4915, 4916, 4917, 4918, 4919, 4928, 4978, 4997, 5016, 5038, 5044, 5069, 5070, 5104, 5260, 5261, 5262, 5270, 5279, 5288, 5301, 5302, 5425, 5478, 5558, 5571, 5605, 5606, 5607, 5608, 5609, 5610, 5611, 5612, 5663, 5677, 5853, 5860, 5869, 5873, 5883, 5902, 6106, 6107, 7712, 7906, 7907, 7916, 7923, 7939, 7945, 7961, 7968, 8613, 8627, 10516, 10549, 10550, 10551, 10552, 10994, 10997, 11056, 11061, 11063, 11069, 11085, 11109, 11121, 11175, 11221, 11222, 11223, 11276, 11278, 11851, 13002, 13013, 14690, 14693, 14696, 16514, 16515, 17063, 17064, 17762, 17763, 19980, 19982, 20287, 20288, 20336, 20337, 20412, 20536, 20537, 20639, 20767, 20768, 20912	\newcounter 4977, 6102, 10887, 11054, 19006, 19010, 19011 \newdimen 5857, 5858, 5908, 8876 \newenvironment . . . 1977, 1988, 1997, 2006, 2441, 4327, 4342, 4345, 4383, 4510, 6091, 6155, 12726, 20492, 20501, 20510, 20519 \newfloat@@setwithin 14854, 14860, 14868, 14870 \newfloat@Error .. 14873 \newfloat@setwithin 14840 \newif 1564, 1568, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1578, 1580, 1581, 1778, 1779, 1780, 1781, 1782, 1783, 2219, 2248, 2427, 2964, 3404, 5780, 5968, 7544, 7546, 7548, 7550, 7615, 7642, 7644, 7646, 7648, 7711, 11052, 11060, 13523, 19978, 19979 \newinsert 1603, 1799, 4583, 4584, 4585, 4586, 4587, 4588, 4589, 4590, 4591, 4592, 4593, 4594, 4595, 4596, 4597, 4598, 4599, 4600, 4601, 4602, 4603, 4604, 4605, 4606, 4607, 4608, 4609, 4610, 4611, 4612, 4613, 4614, 4615, 4616, 4632, 4633, 4634, 4635, 4636, 4637, 4638, 4639, 4640, 4641, 4642, 4643, 4644, 4645, 4646,
	\newcount 1716, 1839, 1840, 3235, 3338, 3490, 3551, 3631, 8876, 20631	



4647, 4648, 4649,	\next 20662, 20665	15377, 15516,
4650, 4651, 4652,	\next@tpage	15517, 15531,
4653, 4654, 4655,	.. 16588, 16620,	15555, 15888,
4656, 4657, 8868, 8874	16630, 16633,	15889, 15903,
\newlength	16701, 17137,	15927, 16118,
2346, 2347, 2348,	17169, 17179,	16134, 16303,
2350, 2351, 2352,	17182, 17250,	16319, 16348,
2354, 2355, 2438,	17836, 17868,	16352, 16360,
4309, 4310, 4311,	17878, 17881, 17949	16755, 17755,
4365, 4382, 5170,	\ninecolumnfootnotes	18636, 18653,
7696, 7698, 7700, 9942	18660, 18801,
7702, 7704, 19038,	\ninecolumnfootstyle	18804, 18832,
19040, 19041, 19668 10039	18833, 18855,
\newline 2409, 4544	\nl 188	18856, 18872,
\newlinechar 1740	\no@bib@break	18873, 18889,
\newlinetospace 16780, 17360, 18043	18890, 18906,
4541, 4561, 4562,	\noalign 1377,	18907, 18923,
4563, 5800, 5801, 5802	6022, 8886, 13402,	18924, 18940,
\NewList 3438	13403, 13404,	18941, 18958,
\newlistentry 19003, 19070	16922, 16947,	18959, 18977,
\newpage 468, 490, 819,	16949, 17502,	18978, 18997,
839, 1071, 1091,	17527, 17529,	18998, 19032,
1321, 1341, 4051,	18185, 18210, 18212	19033, 19068,
4053, 4057, 4062,	\nobibliography . . . 4974	19226, 19227,
4063, 4066, 4070,	\nobidilogo 1812	19333, 19335,
4072, 4075, 5696,	\nobreak 14, 16, 219, 221,	19383, 19415,
5733, 5734, 6642,	520, 538, 565, 569,	19420, 19423,
6664, 7538, 8363,	657, 658, 672, 698,	19823, 19828,
8383, 8460, 8482,	885, 886, 900, 916,	19836, 19937,
10682, 10702,	1140, 1141, 1155,	19938, 19942,
13402, 14207,	1182, 4113, 5097,	20621, 20622, 20626
15684, 15704,	5437, 5438, 5922,	\nobreakspace 564
15825, 15847,	5924, 5930, 6215,	\node . 20023, 20053, 20059
16069, 16091,	6216, 6230, 6254,	\noexpand 396,
16251, 16273,	6392, 6393, 6407,	2049, 2050, 2064,
16658, 17207, 17906	6431, 6545, 6553,	2065, 2092, 2095,
\newpoem@tabcr . . .	6565, 6694, 6710,	2098, 2476, 2485,
... 6119, 6128, 6129	6740, 6745, 6753,	2489, 2509, 2513,
\newsavebox 1976,	6971, 8244, 8257,	2612, 2714, 2715,
4326, 4361, 4362	8272, 8276, 8284,	2717, 2943, 2944,
\newskip .. 2014, 2015,	8511, 8534, 8539,	2945, 2947, 2948,
2016, 2754, 10258	8548, 8592, 8593,	2973, 2975, 2993,
\newthought 5499	10566, 10582,	2994, 2995, 2998,
\newtoks 2027,	10591, 10595,	3005, 3006, 3007,
2480, 2481, 3236,	10603, 12781,	3009, 3015, 3016,
3237, 3407, 3420,	12783, 12828,	3018, 3024, 3025,
3438, 3490, 5909,	13512, 13580,	3027, 3086, 3088,
11062, 15229, 20292	14586, 14597,	3089, 3255, 3401,
\newXeTeXintercharclass	14598, 14609,	3406, 3412, 3452,
..... 1718, 1719	14610, 15375,	3480, 3483, 3486,



3487, 3571, 3578, 3581, 3582, 3599, 3603, 3605, 3606, 3607, 3615, 3616, 3617, 3620, 3621, 3622, 3657, 3718, 3879, 3880, 3882, 4018, 4123, 4157, 4158, 4946, 4948, 4956, 5349, 5352, 5358, 5361, 6050, 6053, 6056, 6108, 7320, 7495, 7848, 7900, 10889, 10890, 10895, 10896, 10948, 12311, 12321, 12329, 12330, 12331, 12333, 12359, 12367, 12368, 12369, 12371, 12400, 12401, 12402, 12404, 12431, 12432, 12433, 12435, 12462, 12463, 12464, 12466, 13431, 13479, 13482, 14044, 14311, 16777, 16778, 17357, 17358, 18040, 18041, 18348, 18420, 18457, 18458, 18531, 18538, 19013, 19485, 19518, 19525, 19530, 19531, 19591, 19962, 19963, 19964, 19965, 19966, 19967, 19968, 19969, 19970, 20212, 20227, 20255, 20261, 20274, 20485, 20486, 20585, 20916	642, 940, 1192, 1201, 1873, 4336, 4529, 5120, 5138, 5156, 5273, 5282, 5291, 5501, 5521, 5682, 5684, 5686, 5877, 6264, 6452, 6632, 6828, 8353, 8450, 8595, 10322, 10334, 10346, 10372, 10386, 10400, 10440, 10454, 10471, 10479, 10672, 11675, 12942, 14271, 15492, 15501, 15942, 15951, 16017, 16060, 16241, 16551, 16588, 16701, 16755, 16869, 16874, 17100, 17137, 17250, 17449, 17454, 17670, 17699, 17705, 17711, 17717, 17723, 17729, 17735, 17741, 17747, 17756, 17799, 17836, 17949, 18132, 18137, 20001, 20004, 20006, 20008, 20011, 20015, 20017, 20073, 20135, 20554 2194, 6932, 7143, 7208, 8205, 8842, 8852, 10512, 10523, 11352, 11405, 11599, 11645, 12814, 13582, 14611, 19721, 19943, 20189, 20627, 20700, 20749, 20968, 20989, 21020	
\noindent 171, 173, 458, 633,	\normalcolor	\normalfont 25, 38, 52, 68, 85, 251, 265, 280, 298, 457, 460, 562, 809, 811, 1063, 1311, 1313, 1872, 1875, 1939, 1944, 1945, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 4275, 4894, 4895, 4896, 4984, 5003, 5022, 5088, 5323, 5330, 5337, 5529, 6541, 6561, 6631, 6634, 6736, 6751, 8077, 8082, 8088, 8269, 8282, 8352, 8355, 8449, 8452, 8530, 8546, 8780, 8784, 8786, 8792, 8796, 8798, 8804, 8808, 8810, 10588, 10601, 10671, 10674, 12728, 12763, 12768, 12814, 13556, 14197, 14611, 14933, 14946, 15674, 15676, 15815, 15817, 16011, 16018, 16054, 16061, 16240, 16243, 16345, 16358, 19058, 19063, 19064, 19422, 19721, 19943, 20627, 21020	\normalfootnotes ..



.....	8749, 8758		\opening	8580, 12816	
\normallineskip	...	17258,	17845,	\OptArg	1956, 2022
	17867,	17878,	\OptArg@i	2022, 2023
	202, 2286,	17949,	17957,	\OptArg@ii	2022, 2024
	13543, 15444, 15458	18373,	18379,	\OptArgs	2021
\normalparindent	42,	18401,	18801,	\optparams	
	56, 72, 255, 269, 284	18832,	18855,		
\normalsfcodes	18872,	18889,		
	18906,	18923,		
\normalsize	18940,	18958,		
	317,	18977,	18997,	\OR	4397,
	4227, 4228, 4235,	19032,	19383,		4469, 4489, 4493, 4745
	4802, 4846, 4890,	19823,	19937, 20621	\or	1413,
	4984, 5003, 5022,	\number	8, 139, 213, 2959,		1414, 1415, 1417,
	5400, 7599, 7691,	3522,	3637, 3643,		1418, 1438, 1439,
	10959, 14329,	3649,	3652, 3658,		1440, 1444, 1445,
	16100, 16558,	3662,	5994, 6095,		1446, 1447, 1448,
	16565, 17107,	7772,	7793, 7838,		1452, 1453, 1481,
	17114, 17806,	7844,	7847, 7890,		1482, 1483, 1485,
	17813, 19422,	7896,	7899, 8128,		1486, 1621, 1627,
	20809, 20853, 20953	8131,	12775, 14701		1633, 1639, 1645,
\NOT	..	\numberline		1651, 1653, 1655,
	4429, 4430, 4469,	... 4522,	13058,		1657, 1663, 1669,
	4489, 4493, 5176,	13063,	14323,		1675, 1688, 1696,
	5205, 5234, 5316, 5320	18731,	19733,		1703, 6903, 6904,
\null	423, 437, 491, 631,	19951,	19954, 19957		6905, 6907, 6908,
	634, 750, 779, 840,	\numberline@box	...		12155, 12159,
	938, 941, 1002,	19386, 19387		19045, 19048,
	1031, 1092, 1190,	\numberline@tempa	19953		19051, 19876,
	1193, 1252, 1281,	\numberwithin		19987, 19994,
	1342, 5437, 6011,	\numexpr	2762, 4130,		20216, 20265,
	6262, 6265, 6318,		19203, 19311, 19485		20654, 20655, 20657
	6347, 6450, 6453,	\nxLcs	...		\orig@footnotetext
	6495, 6524, 6597,	1955, 1956, 1957			.. 152, 14714, 14729
	6611, 6665, 8320,	O			\orig@LTRfootnotetext
	8334, 8384, 8415,	\obeylines 156, 14718, 14733
	8429, 8483, 10639,	\ocgbase	6012, 6120		\orig@RTLfootnotetext
	10653, 10703,	\oddpage 160, 14722, 14737
	14587, 14597,		14100, 14102		\origin@RaggedLeft
	14598, 14609,	\oddsidemargin 15463, 15465, 15466
	14610, 15490,		1840, 1844, 1845,		\origin@RaggedRight
	15493, 15615,		1846, 1849, 1850, 1851		. 15464, 15465, 15466
	15644, 15705,	\on@line	...		\originalHbadness .
	15754, 15783,		2257, 8056,	 20049, 20067
	15848, 15940,		11827,		\othermargin
	15943, 16019,		11836,		882
	16033, 16092,		11840,		\outer
	16206, 16220,		20937, 20941		1833
	16274, 16597,	\on@stripcols@break	20486		\outer@nobreak
	16619, 16630,	\onecolumn	...		2212, 4796, 4840,
	16701, 16709,		607, 623, 872,		4884, 20803, 20847
	17146, 17168,		1124, 2295, 6199,		\outputpenalty
	17179, 17250,		6376, 6586, 15482,	 7294, 7295,
			15737, 16196, 18766		7303, 7304, 7313,



7314, 7468, 7469, 7477, 7478, 7487, 7488, 13487, 13488 \overfullrule 2246, 2247, 15358 \OVP@calc 14928	8605, 8607, 8609, 8611, 8652, 8653, 10559, 10574, 10587, 10592, 10596, 10599, 10604, 10607, 10609, 10611, 10613, 10640, 10741, 11141, 11143, 11144, 11145, 11146, 11147, 11179, 11698, 11705, 11744, 11751, 11796, 12743, 12747, 12756, 12758, 12759, 12760, 12812, 12830, 12832, 12834, 12836, 14249, 14579, 14591, 14603, 14739, 14741, 14742, 14743, 15475, 15479, 15508, 15524, 15540, 15547, 15562, 15568, 15616, 15730, 15734, 15755, 15880, 15896, 15912, 15919, 15985, 15991, 16020, 16112, 16126, 16142, 16144, 16146, 16148, 16189, 16194, 16207, 16296, 16311, 16324, 16326, 16328, 16330, 16344, 16349, 16353, 16356, 16361, 16559, 16563, 16566, 16570, 16815, 16818, 16820, 16823, 16974, 16993, 17108, 17112, 17115,	17119, 17395, 17398, 17400, 17403, 17554, 17573, 17676, 17678, 17680, 17682, 17807, 17811, 17814, 17818, 18078, 18081, 18083, 18086, 18237, 18256, 18764, 19039, 19207, 19210, 19214, 19315, 19318, 19322, 19652, 19655, 19659, 19665, 19747, 19931, 20615, 21030 \p@enumiv 86, 299, 583, 718, 981, 1231, 2456, 6277, 6465, 6774, 8298, 8569, 10625, 12729, 15583, 15977, 16171, 16374, 16784, 17364, 18047, 18703 \p@subfigure 18431 \p@subtable 18432 \PackageError . . 144, 2546, 2578, 2581, 2586, 2589, 2594, 2597, 2602, 2605, 2756, 4067, 4194, 5302, 12993, 13000, 13168, 13171, 13174, 13177, 13180, 13183, 13186, 13189, 13193, 13196, 13199, 13202, 13205, 13208, 13211, 13214, 13217, 13220, 13223, 13226, 13229, 13232, 13235, 13238, 13241, 13244, 13247, 13250, 13253,
---	--	--



13256,	13259,	\pageref 2432, 2434	5686, 5704, 5705,
13262,	13265,	\pageshrink . . 11440, 11444, 11460,	5706, 5880, 5987,
13268,	13271,	11486, 11498, 20119	6001, 6012, 6030,
13274,	13277,	\pagestretch . . 11439, 11460, 11498, 20123	6112, 6120, 6145,
13280,	13283,	\pagestyle 1838, 2284, 2292,	6216, 6229, 6254,
13286,	13289,	2435, 4549, 5785, 7637	6265, 6327, 6337,
13292,	13295,	\pagetotal 11426, 11431, 11437,	6344, 6345, 6393,
13298,	13301,	14206, 14547,	6406, 6431, 6453,
13304,	13307,	14550, 14561, 20111, 20116, 20174	6504, 6514, 6521,
13310,	13313,	\paperheight 2221, 2224,	6522, 6545, 6553,
13316,	13319,	2227, 2230, 2233,	6565, 6600, 6606,
13322,	13325,	2236, 2239, 2240, 8033	6608, 6609, 6628,
13328,	13331,	\paperwidth 2222, 2225, 2228,	6671, 6677, 6681,
13334,	13337,	2231, 2234, 2237,	6693, 6710, 6740,
13340,	13343,	2240, 2241, 8033, 8041	6745, 6753, 6830,
13346,	13349,	\par 5, 15, 46,	6971, 7388, 7758,
13352,	13355,	60, 76, 107, 108,	7779, 8244, 8256,
13358,	13361,	109, 110, 172, 174,	8272, 8275, 8283,
13364,	13367,	210, 220, 237, 238, 239, 259, 273, 288,	8323, 8329, 8331,
13370,	13373,	320, 323, 407, 426,	8332, 8349, 8388,
13376,	13379,	432, 434, 435, 454,	8394, 8398, 8418,
13382,	14706,	497, 503, 507, 519,	8424, 8426, 8427,
18664,	19017, 20641	538, 565, 568, 634, 644, 658, 671, 698,	8446, 8489, 8495,
\PackageInfo		759, 769, 776, 777, 805, 844, 850, 854,	8499, 8510, 8534,
2758, 3755, 3857,		886, 900, 915, 941,	8539, 8548, 8582,
4004, 4196, 19973		955, 1011, 1021, 1028, 1029, 1057,	8587, 8590, 8592,
\PackageWarning		1096, 1102, 1106, 1141, 1154, 1182,	8593, 8603, 8848,
. 138, 2757,		1193, 1203, 1261, 1271, 1278, 1279,	8945, 8948, 8951,
3858, 3887, 6097,		1307, 1347, 1353, 1358, 1363, 1366,	9032, 9093, 9096,
7553, 7651, 10891,		1833, 1869, 2210, 4423, 4431, 4490,	9099, 9176, 9240,
11530,	12856,	4491, 4494, 4495, 4520, 4529, 4530,	9243, 9246, 9327,
14643,	14700,	4699, 4715, 5439,	9391, 9394, 9397,
14834,	19008, 19399	5554, 5555, 5556, 5557, 5682, 5684,	9478, 9542, 9545,
\PackageWarningNoLine			9548, 9629, 9693,
4054			9696, 9699, 9780,
\page@sofar 164, 14615			9844, 9847, 9850,
\pagebreak			9931, 9995, 9998,
. 13403, 20119, 20128			10001, 10082,
\pagecontents 15293			10146, 10149,
\pagedepth 20113			10152, 10233,
\pagefillstretch 20125			10471, 10479,
\pagefilstretch 20124			10565, 10582,
\pagefootnoterule 11177, 11185			10591, 10595,
\pagegoal 11424, 11426,			10603, 10642,
11431, 11438,			10648, 10650,
11479, 11481,			10651, 10668,
13493, 14549, 20116			10707, 10713,
\pageinwindow 7088			10717, 10885,
\pagenumbering 2293, 5784			11348, 12751,
			12752, 12753,



12772,	12782,	16617,	16623,	20011,	20019,
12790,	12818,	16631,	16637,	20072,	20338,
12823,	12826,	16707,	16713,	20339,	20340,
12828,	12901,	16716,	16718,	20341,	20493,
13034,	13436,	16724,	16727,	20502,	20511,
13536,	13559,	16729,	16732,	20520,	20589,
13563,	14193,	16735,	16755,	20628,	21009,
14265,	14271,	16864,	16868,	\par@updaterelative	21030
14277,	14281,	16869,	16873,	16591,
14287,	14302,	16874,	16878,	16703,	17140,
14321,	14330,	17099,	17144,	17252,	17839,
14587,	14599,	17149,	17152,	17951	\paragraph
14612,	14747,	17154,	17159,	\paragraphfootnotes 5335
14759,	14821,	17162,	17164,	10286
15100,	15271,	17166,	17172,	\paragraphfootstyle 10403
15272,	15273,	17180,	17186,	\parbox	... 2381, 2383,
15274,	15367,	17256,	17262,	7625,	8598, 10766,
15368,	15375,	17265,	17267,	10767,	10768,
15376,	15436,	17273,	17276,	10772,	10773,
15450,	15493,	17278,	17281,	10774,	11956,
15503,	15517,	17284,	17444,	11958,	11962,
15530,	15555,	17448,	17449,	11964,	11995,
15624,	15634,	17453,	17454,	11996,	11999,
15641,	15642,	17458,	17669,	12000,	12057,
15670,	15709,	17699,	17705,	12058,	12061,
15715,	15719,	17711,	17717,	12062,	12086,
15763,	15773,	17723,	17729,	12088,	12092,
15780,	15781,	17735,	17741,	12094,	13440,
15811,	15855,	17747,	17749,	14259,	14288,
15861,	15866,	17752,	17755,	14745,	14747,
15871,	15874,	17759,	17798,	14748,	14750,
15889,	15902,	17843,	17848,	14752,	14753,
15927,	15943,	17851,	17853,	14755,	14757,
15953,	16017,	17858,	17861,	14759,	14760,
16022,	16028,	17863,	17865,	14762,	14764,
16030,	16031,	17871,	17879,	14765,	14766,
16050,	16060,	17885,	17955,	14767,	14768,
16098,	16103,	17961,	17964,	14769,	14771,
16106,	16117,	17966,	17972,	14772,	14773,
16134,	16209,	17975,	17977,	14774,	14775,
16215,	16217,	17980,	17983,	14776,	14777,
16218,	16237,	18127,	18131,	14778,	14779,
16280,	16286,	18132,	18136,	14780,	14782,
16290,	16302,	18137,	18141,	14783,	14784,
16319,	16348,	18462,	19069,	14785,	14787,
16352,	16360,	19075,	19228,	14788,	14789,
16550,	16595,	19334,	19415,	14790,	14792,
16600,	16603,	19842,	19944,	14793,	14794,
16605,	16610,	20001,	20002,	14795,	14796,
16613,	16615,	20008,	20009,		



14797,	14799,	619, 655, 668, 693,	18825, 18848,
14800,	14801,	745, 762, 868, 883,	18865, 18882,
14802,	14803,	895, 912, 949, 997,	18899, 18916,
14804,	14806,	1014, 1060, 1120,	18933, 18951,
14807,	14808,	1138, 1151, 1177,	18970, 18990,
14809,	14810,	1247, 1264, 1873,	19025, 19218,
16930,	17510,	2288, 4251, 4922,	19326, 19357,
17699,	17705,	5431, 5473, 5481,	19752, 19813,
17711,	17717,	5546, 5699, 6005,	19814, 19933,
17723,	17729,	6115, 6195, 6213,	20429, 20531,
17735,	17741,	6226, 6249, 6313,	20556, 20557, 20617
17747,	17758, 18193	6330, 6372, 6390,	\parsep . . . 952, 4243,
\parfillskip . 13, 218,		6403, 6426, 6490,	4244, 5453, 5454,
517, 534, 653, 669,		6507, 6541, 6561,	5492, 5519, 20428
694, 880, 896, 913,		6583, 6632, 6690,	\parshape 6827,
1136, 1152, 1178,		6705, 6736, 6750,	11552, 11560,
5430, 6006, 6211,		6854, 6885, 6976,	12943, 14896,
6227, 6250, 6388,		8239, 8253, 8267,	14916, 15106,
6404, 6427, 6691,		8280, 8353, 8450,	15271, 15273,
6706, 6858, 6977,		8507, 8530, 8545,	16016, 16059,
8240, 8254, 8508,		8940, 9088, 9235,	16538, 16547,
10351, 10355,		9386, 9537, 9688,	17087, 17096,
10359, 10460,		9839, 9990, 10141,	17660, 17667,
10563, 10578,		10350, 10354,	17786, 17795,
12780, 13543,		10358, 10459,	20338, 20340,
14580, 14592,		10485, 10562,	20458, 20495,
14604, 15390,		10577, 10588,	20497, 20498,
15403, 15416,		10600, 10672,	20499, 20504,
15427, 15444,		11674, 12747,	20506, 20507,
15512, 15528,		12779, 13539,	20508, 20513,
15551, 15884,		14581, 14593,	20515, 20516,
15900, 15923,		14605, 14814,	20517, 20522,
16115, 16130,		15391, 15404,	20524, 20525, 20526
16300, 16315,		15417, 15428,	\parskip 103,
18615, 18644,		15439, 15478,	181, 233, 605, 620,
18674, 18793,		15514, 15527,	869, 1121, 1866,
18824, 18847,		15550, 15610,	2289, 4252, 4923,
18864, 18881,		15627, 15733,	5474, 5482, 5545,
18898, 18915,		15749, 15766,	5700, 6004, 6036,
18932, 18950,		15886, 15899,	6114, 6149, 6196,
18969, 18989,		15922, 16017,	6373, 6584, 7294,
19024, 19219,		16060, 16097,	7303, 7313, 7468,
19327, 19353,		16114, 16129,	7477, 7487, 8586,
19355, 19415,		16193, 16241,	8589, 8591, 8593,
19816, 19818,		16299, 16314,	12747, 12822,
19932, 20531, 20616		16345, 16357,	12825, 12827,
\parindent 12, 42, 56,		16551, 17100,	13539, 13548,
72, 103, 217, 233,		17670, 17799,	15106, 15439,
255, 269, 284, 458,		18625, 18662,	15453, 15479,
516, 533, 560, 604,		18763, 18794,	15734, 16097,



16194, 17692, 18764, 19752, 20110, 20114, 20428	\pgf@relevantforpicturesize 15044	\plaintitle 4562, 4563, 5604, 5605, 5628,
\part 23, 12766	\pgf@remember@layerlist@g 15078	globally 5629, 5632, 5800, 5802
\partname 564, 8271	\pgf@resetpathsizes 15045	\plitemsep 5493
\partopsep 5495, 14244, 14246, 14890, 14910	\pgf@restore@layerlist@fromglobal 15082	\plparsep 5492
\PassOptionsToClass 5737, 5738, 5739, 5740, 5741, 5761, 5762, 5763, 5764, 5765	\pgf@shift@baseline 15062	\plpartopsep 5495
\PassOptionsToPackage 4754, 5584	\pgf@trimleft 15064	\pltopsep 5494
\pbs .. 14954, 14980, 14981	\pgf@trimleft@final . 15066, 15067, 15069	\poem@finish 6045, 6094, 6101
\pbs@last@page ... 14972	\pgf@trimright ... 15071	\poem@line 5964, 5970, 6021
\pbs@newkey 14958	\pgf@trimright@final . 15073, 15074, 15076	\poem@linebegin 5921, 5979
\pdfstringdefDisableCommands 12686	\pgf@x 15065, 15069, 15072, 15076	\poem@lineend . 5922, 5985
\penalty .. 754, 1006, 1256, 5926, 6255, 6322, 6432, 6499, 6711, 6815, 6821, 7292, 7301, 7311, 7466, 7475, 7485, 10257, 10352, 10356, 10360, 10462, 10583, 11461, 15556, 15619, 15758, 15928, 16135, 16320, 19229, 19740, 19848, 20115	\pgf@y 15062	\poem@lineparsebegin ... 5933, 5990, 6017
\pgf@baseline 15061	\pgf@pic 15092	\poem@lineparseend ... 5959, 5971, 6028
\pgf@insertlayers 15083	\pgf@picture 15033	\poem@lineversesep 5923, 5982
\pgf@nodecallback 15039	\pgf@pictureid 15038, 15049	\poem@needrun .. 5915, 6042, 6096, 6098
\pgf@oldpicture .. 15046	\pgf@picturetrue .. 15036	\poem@obeylines 6016, 6092, 6132, 6156
\pgf@picmaxx .. 15040, 15052, 15054, 15072	\pgfsys@discardpath 15085	\poem@prop ... 5997, 6106
\pgf@picmaxy 15042, 15056	\pgfsys@endpicture 15088	\poem@startedfalse ... 6014, 6130, 6136
\pgf@picminx .. . 15041, 15055, 15065	\pgfsys@endscope .. 15087	\poem@startedtrue 5972,
\pgf@picminy 15043, 15057	\pgfsys@markposition 15049	5973, 6013, 6122,
\pgf@picture 15046	\pgfsys@typesetpicturebox 15092	6124, 6129, 6137, 6139
\pgf@picture@serial@count 15037, 15038	\pgfutil@gobble .. 15039	\poem@verse 5910, 5980, 5983
\pgf@process	\pgfutil@ifnextchar 15046	\poem@width 5913, 5914, 5918,
. 15061, 15064, 15071	\phantom ... 13790, 14638	5995, 5997, 6000, 6041
\pgf@relevantforpicturesize 15060	\phantomsection ... 2379	\poem@write@aux 6044, 6095, 6107
	\phone 2339	\poemblocksep 5907, 6011, 6118
	\phonesymbol 2299, 7632, 7730	\poemcolsepskip 5898, 5927
	\photo 2344	\poemextrabaselineskip ... 5900, 5988, 6023
	\picbox 15211	\poemmarginskip 5899, 5921, 5922
	\picinwindow 7108	\poemskip 5901, 6001, 6032
	\picwd 15099, 15102, 15210, 15212	\postbibhook 14337
	\plainauthor 4561, 5604,	\postdisplaypenalty ... 10859, 10873
	5606, 5645, 5646, 5649	\postmath 6821
	\plainfootnotes ... 8758	
	\plainpublisher 5607, 5672, 5673	



\PotEndMark	15263, 20298, 20308, 20318, 20327	12432, 12463, 12526 \providecommand . . .
\predisplaydirection	\protected@edef . 43, 57, 73, 256, 270, 285, 5121, 5139, 5157, 8664, 8680, 8696, 8709, 8722, 8735, 8912, 8922, 8932, 8958, 8971, 8983, 9010, 9023, 9063, 9072, 9081, 9106, 9118, 9129, 9155, 9167, 9207, 9217, 9227, 9253, 9266, 9278, 9305, 9318, 9358, 9368, 9378, 9404, 9417, 9429, 9456, 9469, 9509, 9519, 9529, 9555, 9568, 9580, 9607, 9620, 9660, 9670, 9680, 9706, 9719, 9731, 9758, 9771, 9811, 9821, 9831, 9857, 9870, 9882, 9909, 9922, 9962, 9972, 9982, 10008, 10021, 10033, 10060, 10073, 10113, 10123, 10133, 10159, 10172, 10184, 10211, 10224, 10318, 10330, 10342, 10368, 10382, 10396, 10436, 10450, 11233, 11250, 11266, 11294, 11308, 11322	2296, 2297, 2298, 2299, 2300, 2301, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2468, 5082, 5089, 5090, 5499, 7616, 7621, 11084 \ProvidesClass 2218, 5736, 5760 \ProvidesExplPackage 13597
\presetkeys		\ProvidesFile . . . 1,
\presig@skip		131, 165, 206, 336, 347, 352, 354, 413, 608, 857, 1109, 1369, 6184, 6361, 6538, 6571, 6784, 6839, 6881, 6883, 6886, 6924, 6967, 6982, 7078, 7116, 7744, 7909, 8028, 8031, 8070, 8232, 8405, 8579, 8612, 10555, 10731, 10760, 10776, 10853, 10883, 10892, 10897, 11050, 11390, 11567, 11677, 11804, 11846, 12147, 12725, 12811, 12815, 12837, 12948, 12987, 13091, 13385, 13514, 13522, 14181, 14338, 14576, 14614, 14744, 14811, 14839, 14877, 14898, 14918, 14952, 14984, 15032, 15096, 15324, 15365, 15381, 15467, 15722,
\prepnext@tok		
\pRLE 1599, 1600, 1795, 1796		
\process@cols . 14616, 14649, 14666, 14672		
\ProcessOptions . . .		
.... 2251, 4219, 5310, 5569, 5601, 5742, 5766, 7555, 7653		
\ProcessOptionsX .. 1711		
\protect		
1597, 1598, 1599, 1600, 1739, 1793, 1794, 1795, 1796, 2031, 2037, 2043, 2049, 2058, 2064, 2820, 2821, 3406, 3412, 4109, 4522, 10948, 11362, 11376, 13058, 13063, 13424, 14323, 18452, 18453, 18457, 18465, 18731, 19075, 20281, 20916		
\protected		
1795, 2756, 2757, 2758, 2768, 2776, 2778, 2784, 2970, 2986, 3002, 3025, 3027, 3077, 3130, 3143, 15235, 15245, 15255,	\protected@write 1682, 1686, 4089, 4100 \protected@xdef 5184, 5213, 5242, 5625, 5642, 5658, 5669, 11198, 11207, 11361, 11366, 11375, 11381, 12330, 12368, 12401,	



15999,	16181,	\put 6987,	\raggeddictumtext .
16384,	16513,	6988, 6989, 6990,	. 16825, 17405, 18088
17062,	17653,	6991, 6992, 6997,	\RaggedLeft
17761,	18336,	6998, 6999, 7000,	. . 15395, 15463,
18343,	18403,	7001, 7002, 7010,	15465, 18341,
18429,	18434,	7011, 7012, 7013,	18342, 21131,
18468,	18543,	7014, 7015, 7020,	21135, 21139, 21147
18573,	18592,	7021, 7022, 7023,	\raggedleft 25,
18609,	18638,	7024, 7025, 7033,	104, 234, 560,
18687,	18768,	7034, 7035, 7036,	6541, 6736, 6750,
19076,	19731,	7037, 7038, 7043,	8267, 8280, 8530,
19977,	20106,	7044, 7045, 7046,	8545, 8582, 8585,
20182,	20286, 21172	7047, 7048, 7056,	8590, 8598, 10588,
\ProvidesPackage	1507,	7057, 7058, 7059,	10600, 12748,
1837,	1893, 2026,	7060, 7061, 7066,	12768, 12818,
2467,	4190, 4756,	7067, 7068, 7069,	12821, 12826,
5298,	5444, 5560,	7070, 7071, 8033,	14220, 14221,
5587,	5825, 7542, 7640	8047, 8065, 14931,	15368, 15370,
\prune 15116,	14933, 14946, 14949	15376, 16345,
15154,	15158,	Q	16357, 16738,
15163,	15167,	\Q 4939, 4961	16739, 16824,
15179,	15190, 15217	\q 13685, 13688, 13917, 13971	16825, 16826,
\prw@mkboth	. . . 18737,	\qauthor 15366	16828, 17287,
18742,	18754, 18759	\qqquad 5375,	17404, 17405,
\psgrid 15328	5382, 5389, 5396,	17406, 17408,
\pspicture 15325	5403, 5438, 15368	17752, 17758,
\psset 15363	\quad . 4561, 4562, 4563,	17986, 18087,
\pst@dima 15340	5800, 5801, 5802,	18088, 18089,
\pst@dimb	15338, 15343,	5907, 20395, 20404	18091, 20532,
15345,	15350, 15353	\quote 2345	20534, 20536, 20537
\pst@dimc 15356	\quotecolour	\RaggedLeftLeftskip
\pst@dimd 15337,	... 2307, 7560, 7658 15400
15343,	15344,	\quotefont 2316,	\RaggedLeftParfillskip
15345,	15346,	2324, 7600, 7693 15403
15350,	15351,	\quotestyle	\RaggedLeftParindent
15352,	15353, 15354	... 2324, 7613, 7742 15404
\pst@hbox 15333,	\quotewidth 2346,	\RaggedLeftRightskip
15337,	15338,	2358, 7613, 7742 15401
15339,	15355,	R	\raggedpart 16739
15357,	15358, 15360	\R@@page 16389,	\RaggedRight .. 15408,
\pst@ifstar 15325	16390, 16399,	15457, 15464,
\pst@killglue 15329	16401, 16432,	15466, 18341,
\pst@picture 15325	16433, 16444, 16446	18342, 21131,
\pst@shift	\raggedbottom 2294	21135, 21141, 21145
. 15330, 15352, 15360		\raggeddictum	\raggedright 25,
\pst@tempa 15342, 15344	. 16824, 17404, 18087	104, 185, 234, 560,
\publisher 5662, 5663	\raggeddictumauthor	6541, 6561, 6736,
\publishers 16826, 17406, 18089	6750, 8267, 8280,
. 16688, 17237, 17936			8530, 8545, 8582,
			8585, 8590, 8598,



10588,	10600,	\rcol@footinsskip .	1053, 1078, 1079,
12748,	12768, 11574, 11622	1080, 1085, 1086,
12818,	12821,	\realfootnote 12523	1087, 1088, 1121,
12826,	14220,	\recomputelengths .	1128, 1140, 1146,
14221,	15368, 2357, 2374	1164, 1214, 1243,
15370,	15376,	\recomputethemelengths	1244, 1245, 1249,
16345,	16357, 2356,	1258, 1267, 1284,
16738,	16739,	2372, 7705, 7710	1285, 1290, 1291,
16824,	16825,	\reflectbox 11738	1292, 1293, 1296,
16826,	16828,	\refname 573,	1299, 1303, 1328,
17287,	17404,	574, 708, 709, 971,	1329, 1330, 1335,
17405,	17406,	972, 1221, 1222,	1336, 1337, 1338,
17408,	17752,	2443, 5534, 8288, 8289	1425, 1426, 1443,
17758,	17986,	\refstepcounter .	1444, 1445, 1619,
18087,	18088, 555, 8262,	1625, 1631, 1637,
18089,	18091,	10874, 12700,	1643, 1649, 1661,
19360,	19363,	13046, 13052,	1667, 1673, 1680,
19367,	19468,	13387, 14314,	1689, 1690, 1694,
20528,	20533,	14887, 14908, 18728	1701, 1739, 1769,
	20535, 20536, 20537	\refvskip 17693	1880, 1881, 1882,
		\regex 13625,	1887, 1888, 1889,
		13630, 13633,	1890, 2114, 2122,
		13636, 13639,	2130, 2181, 2251,
		13640, 13676,	2468, 2666, 2669,
		13681, 13683,	2679, 2697, 2751,
		13727, 13728, 13740	2762, 2775, 2959,
		\relax 2, 8,	2963, 3246, 3247,
		10, 12, 14, 28, 85,	3251, 3290, 3291,
		103, 132, 166, 207,	3333, 3356, 3475,
		213, 215, 217, 219,	3489, 3552, 3554,
		233, 242, 298, 311,	3563, 3564, 3580,
		329, 403, 417, 418,	3588, 3605, 3616,
		419, 440, 441, 442,	3621, 3674, 3698,
		443, 448, 449, 450,	3713, 3730, 3745,
		451, 475, 476, 477,	3761, 3778, 3790,
		478, 479, 484, 485,	3822, 3833, 3912,
		486, 487, 511, 605,	4120, 4121, 4130,
		620, 627, 657, 663,	4158, 4223, 4721,
		681, 734, 741, 742,	4930, 5038, 5101,
		743, 747, 756, 765,	5105, 5109, 5189,
		782, 783, 788, 789,	5200, 5218, 5229,
		790, 791, 794, 797,	5247, 5258, 5316,
		801, 826, 827, 828,	5513, 5521, 5526,
		833, 834, 835, 836,	5557, 5742, 5766,
		869, 885, 907, 925,	5862, 5867, 5870,
		934, 968, 993, 994,	5877, 5915, 5921,
		995, 999, 1008,	6016, 6042, 6070,
		1017, 1034, 1035,	6077, 6084, 6096,
		1040, 1041, 1042,	6132, 6196, 6203,
		1043, 1046, 1049,	6215, 6221, 6237,



6293, 6309, 6310,	9647, 9689, 9751,	13564, 13567,
6311, 6315, 6324,	9798, 9840, 9902,	13568, 13569,
6333, 6350, 6351,	9949, 9991, 10053,	13575, 14184,
6356, 6357, 6358,	10100, 10142,	14185, 14186,
6359, 6373, 6380,	10204, 10260,	14187, 14188,
6392, 6398, 6414,	10293, 10418,	14248, 14352,
6446, 6486, 6487,	10551, 10552,	14452, 14578,
6488, 6492, 6501,	10557, 10635,	14580, 14581,
6510, 6527, 6528,	10636, 10637,	14584, 14590,
6533, 6534, 6535,	10656, 10657,	14592, 14593,
6536, 6584, 6591,	10662, 10663,	14596, 14602,
6592, 6593, 6614,	10664, 10665,	14604, 14605,
6615, 6616, 6617,	10689, 10690,	14608, 14698,
6622, 6623, 6624,	10691, 10696,	14740, 14937,
6625, 6649, 6650,	10697, 10698,	14938, 14939,
6651, 6652, 6653,	10699, 10736,	14988, 14993,
6658, 6659, 6660,	10738, 10742,	14998, 15007,
6661, 6685, 6827,	10789, 10825,	15015, 15037,
6841, 6842, 6843,	10854, 10864,	15040, 15041,
6848, 6849, 6850,	10907, 10927,	15042, 15043,
6851, 6854, 6858,	10928, 10943,	15052, 15054,
6859, 6860, 6861,	11048, 11180,	15055, 15056,
6862, 6863, 6963,	11202, 11211,	15057, 15226,
6981, 7131, 7194,	11370, 11385,	15290, 15380,
7555, 7653, 7745,	11423, 11445,	15461, 15479,
7746, 7747, 7748,	11483, 11584,	15486, 15516,
7749, 7761, 7782,	11632, 11909,	15522, 15538,
7836, 7848, 7851,	11911, 11914,	15570, 15606,
7888, 7900, 7903,	11927, 11929,	15607, 15608,
8054, 8060, 8121,	11932, 12178,	15612, 15621,
8200, 8248, 8316,	12189, 12200,	15630, 15647,
8317, 8318, 8337,	12211, 12225,	15648, 15653,
8338, 8343, 8344,	12236, 12247,	15654, 15655,
8345, 8346, 8370,	12258, 12273,	15656, 15659,
8371, 8372, 8377,	12288, 12329,	15662, 15666,
8378, 8379, 8380,	12348, 12367,	15691, 15692,
8409, 8410, 8411,	12386, 12400,	15693, 15698,
8432, 8433, 8434,	12419, 12431,	15699, 15700,
8435, 8440, 8441,	12450, 12462,	15701, 15734,
8442, 8443, 8467,	12481, 12563,	15743, 15744,
8468, 8469, 8470,	12597, 12628,	15745, 15751,
8471, 8476, 8477,	12657, 12728,	15760, 15769,
8478, 8479, 8503,	12747, 12757,	15786, 15787,
8647, 8648, 8649,	12769, 12775,	15788, 15789,
8650, 8651, 8770,	12777, 12779,	15794, 15795,
8899, 8941, 9003,	12781, 12851,	15796, 15797,
9050, 9089, 9148,	12863, 12870,	15800, 15803,
9194, 9236, 9298,	12871, 12875,	15807, 15832,
9345, 9387, 9449,	12876, 12943,	15833, 15834,
9496, 9538, 9600,	13424, 13561,	15835, 15836,



15841,	15842,	17235,	17236,	19072,	19073,
15843,	15844,	17237,	17238,	19074,	19203,
15888,	15894,	17239,	17240,	19224,	19311,
15910,	15936,	17241,	17242,	19337,	19349,
15993,	15998,	17290,	17306,	19351,	19357,
16003,	16004,	17314,	17322,	19374,	19378,
16005,	16036,	17333,	17396,	19390,	19392,
16037,	16038,	17401,	17562,	19398,	19407,
16039,	16044,	17579,	17807,	19409,	19471,
16045,	16046,	17808,	17814,	19485,	19519,
16047,	16076,	17815,	17817,	19526,	19532,
16077,	16078,	17826,	17827,	19593,	19652,
16079,	16080,	17828,	17888,	19655,	19659,
16085,	16086,	17914,	17915,	19665,	19710,
16087,	16088,	17916,	17917,	19746,	19754,
16110,	16194,	17918,	17931,	19755,	19757,
16200,	16201,	17932,	17933,	19758,	19771,
16202,	16223,	17934,	17935,	19782,	19786,
16224,	16225,	17936,	17937,	19791,	19796,
16226,	16231,	17938,	17939,	19804,	19808,
16232,	16233,	17940,	17941,	19817,	19818,
16234,	16258,	18016,	18079,	19829,	19837,
16259,	16260,	18084,	18245,	19848,	19854,
16261,	16262,	18262,	18350,	19858,	19862,
16267,	16268,	18387,	18450,	19879,	19883,
16269,	16270,	18465,	18475,	19932,	19933,
16294,	16559,	18477,	18506,	19936,	19984,
16560,	16566,	18661,	18679,	19992,	20133,
16567,	16569,	18680,	18764,	20216,	20265,
16578,	16579,	18773,	18791,	20280,	20357,
16580,	16640,	18794,	18797,	20414,	20426,
16666,	16667,	18822,	18825,	20467,	20559,
16668,	16669,	18828,	18845,	20562,	20564,
16670,	16683,	18848,	18851,	20616,	20617,
16684,	16685,	18862,	18865,	20620,	20640,
16686,	16687,	18868,	18879,	20649,	20653,
16688,	16689,	18882,	18885,	20688,	20735,
16690,	16691,	18894,	18896,	21024,	21025,
16692,	16693,	18899,	18902,	\remainx	14747
16754,	16816,	18911,	18913,	\remainxox .	14782, 14789
16821,	16982,	18916,	18919,	\remainxox
16999,	17108,	18930,	18933,	. 14792,	14801, 14810
17109,	17115,	18936,	18948,	\remainxx . .	14750, 14752
17116,	17118,	18951,	18954,	\remainxxx	
17127,	17128,	18967,	18970,	.. 14755,	14757,
17129,	17189,	18973,	18987,	14759,	14784,
17215,	17216,	18990,	18993,	\remainxxxx . . .	14762,
17217,	17218,	19005,	19020,	14764,	14766,
17219,	17232,	19022,	19025,	14768,	14794,
17233,	17234,	19028,	19042,	14796,	14799,



14803, 14806, 14808	5534, 5536, 5537,	8446, 8448, 8502,
\remainxxxxx	5554, 5555, 5556,	8516, 8518, 8520,
. . 14771, 14773,	5557, 5614, 5615,	8522, 8523, 8524,
14775, 14777, 14779	5616, 5618, 5622,	8525, 8526, 8527,
\remove@strip . 14360,	5623, 5624, 5628,	8551, 8570, 8580,
14390, 14460, 14490	5629, 5635, 5639,	8593, 8604, 8608,
\renewcommand . . . 19,	5640, 5641, 5645,	8656, 8672, 8688,
20, 21, 22, 86,	5646, 5651, 5655,	8704, 8717, 8730,
168, 175, 190,	5656, 5657, 5666,	10556, 10571,
224, 225, 226,	5667, 5668, 5672,	10606, 10610,
227, 299, 339, 415,	5673, 5695, 5719,	10626, 10633,
454, 456, 510, 527,	5781, 5794, 5799,	10668, 10670,
541, 545, 549, 550,	5807, 6200, 6204,	10720, 10721,
551, 552, 584, 624,	6220, 6236, 6244,	10722, 10723,
646, 662, 680, 688,	6258, 6278, 6284,	10724, 10725,
701, 703, 704, 705,	6290, 6295, 6296,	10727, 10729,
706, 719, 725, 731,	6297, 6298, 6299,	10854, 10864,
737, 738, 748, 805,	6300, 6302, 6304,	10884, 10893,
807, 873, 890, 903,	6306, 6316, 6377,	11001, 11020,
906, 924, 931, 957,	6381, 6397, 6413,	11022, 11024,
958, 959, 960, 961,	6421, 6435, 6437,	11026, 11027,
966, 982, 989, 990,	6443, 6466, 6472,	11028, 11029,
1000, 1057, 1059,	6473, 6474, 6475,	11030, 11031,
1125, 1129, 1145,	6476, 6477, 6479,	11033, 11035,
1163, 1172, 1185,	6481, 6483, 6493,	11037, 11039,
1205, 1211, 1216,	6589, 6628, 6630,	11040, 11041,
1217, 1218, 1219,	6684, 6699, 6714,	11042, 11043,
1232, 1239, 1240,	6718, 6722, 6724,	11044, 11045,
1250, 1307, 1309,	6726, 6728, 6729,	11055, 11124,
1869, 1871, 2243,	6730, 6731, 6732,	11391, 11805,
2244, 2245, 2281,	6733, 6756, 6775,	11815, 12729,
2282, 2287, 2336,	6840, 6845, 6867,	12786, 12787,
2340, 2371, 2376,	6874, 6884, 6968,	12788, 12789,
2457, 3672, 3696,	6973, 6983, 7006,	12812, 12816,
4028, 4033, 4053,	7029, 7052, 7079,	12829, 12833,
4066, 4088, 4099,	7095, 7556, 7596,	12841, 12842,
4227, 4236, 4277,	7597, 7598, 7599,	12843, 12844,
4395, 4398, 4399,	7600, 7601, 7602,	13450, 14182,
4403, 4404, 4556,	7603, 7617, 7622,	14193, 14216,
4557, 4906, 4907,	7654, 7688, 7689,	14217, 14218,
4908, 4909, 4910,	7690, 7691, 7692,	14219, 14220,
4911, 4912, 4913,	7693, 7694, 7695,	14221, 14222,
4914, 4968, 5083,	7705, 7717, 7905,	14223, 14225,
5092, 5113, 5131,	7906, 7907, 8029,	14227, 14229,
5149, 5264, 5265,	8032, 8036, 8052,	14231, 14232,
5266, 5348, 5357,	8205, 8206, 8233,	14234, 14235,
5409, 5417, 5441,	8247, 8299, 8305,	14242, 14243,
5446, 5457, 5458,	8309, 8314, 8349,	14245, 14251,
5459, 5460, 5461,	8351, 8401, 8402,	14252, 14745,
5462, 5463, 5529,	8403, 8404, 8407,	14748, 14753,



14760,	14769,	16341,	16342,	17992,	17993,
14780,	14785,	16375,	16519,	17996,	17997,
14790,	14797,	16523,	16527,	18000,	18004,
14804,	14821,	16531,	16557,	18008,	18023,
14823,	14840,	16564,	16571,	18048,	18077,
14882,	14903,	16584,	16586,	18082,	18087,
14985,	14994,	16648,	16650,	18088,	18089,
15366,	15369,	16695,	16740,	18090,	18093,
15378,	15382,	16741,	16742,	18166,	18184,
15395,	15408,	16745,	16746,	18206,	18208,
15421,	15432,	16760,	16785,	18229,	18231,
15447,	15483,	16814,	16819,	18233,	18236,
15505,	15521,	16824,	16825,	18242,	18250,
15537,	15545,	16826,	16827,	18252,	18255,
15559,	15561,	16830,	16903,	18261,	18337,
15567,	15584,	16921,	16943,	18340,	18610,
15590,	15591,	16945,	16966,	18639,	18645,
15592,	15593,	16968,	16970,	18677,	18690,
15594,	15595,	16973,	16979,	18704,	18715,
15597,	15599,	16988,	16990,	18771,	18818,
15602,	15603,	16992,	16998,	18837,	18859,
15613,	15670,	17068,	17072,	18876,	18893,
15672,	15739,	17076,	17080,	18910,	18927,
15740,	15752,	17106,	17113,	18945,	18963,
15811,	15813,	17120,	17133,	18964,	18983,
15877,	15893,	17135,	17197,	18984,	19003,
15909,	15917,	17199,	17244,	19071,	19345,
15931,	15933,	17288,	17289,	19367,	19644,
15955,	15956,	17297,	17298,	19646,	19648,
15957,	15958,	17301,	17302,	19664,	19671,
15959,	15960,	17305,	17313,	19673,	19675,
15962,	15964,	17321,	17340,	19678,	19682,
15978,	15984,	17365,	17394,	19687,	19691,
15990,	15995,	17399,	17404,	19695,	19709,
16001,	16009,	17405,	17406,	19714,	19716,
16050,	16052,	17407,	17410,	19719,	19723,
16109,	16123,	17483,	17501,	19726,	19732,
16138,	16141,	17523,	17525,	19852,	19959,
16145,	16149,	17546,	17548,	19981,	19999,
16151,	16153,	17550,	17553,	20021,	20033,
16155,	16156,	17559,	17567,	20069,	20534,
16157,	16158,	17569,	17572,	20535,	20766,
16159,	16172,	17578,	17654,	20767,	20768,
16198,	16237,	17767,	17771,	21030,	21072,
16239,	16293,	17775,	17779,	21074,	21075,
16308,	16323,	17805,	17812,	21076,	21128,
16327,	16331,	17819,	17832,	21130,	21132,
16333,	16335,	17834,	17896,	21134,	21138,
16337,	16338,	17898,	17943,	21140,	21144, 21146
16339,	16340,	17987,	17988,		\RenewDocumentCommand



.....	13783, 14116	
\renewenvironment	83,	5475, 5486, 5538,
	296, 572, 593,	5564, 5572, 5589,
	609, 629, 636, 707,	5744, 5745, 5746,
	858, 936, 943, 970,	5747, 5748, 5749,
	1110, 1188, 1195,	5768, 5769, 5770,
	1220, 4498, 4501,	5771, 5772, 5773,
	4504, 4507, 5505,	21064, 21067,
	5515, 5523, 5539,	21068, 21069, 21120
	5750, 6185, 6260,	\RequireXeTeX . 1556, 1777
	6266, 6362, 6448,	\reserved@a 2160, 2164,
	6454, 6572, 6763,	2170, 2173, 2176,
	6825, 6846, 6980,	2179, 2532, 2536,
	8287, 8558, 10614,	2807, 2808, 2809,
	10871, 11408,	3877, 3885, 3895,
	14333, 14812,	3897, 3904, 3906,
	14919, 15468,	3911, 3913, 3914,
	15488, 15495,	3917, 3920, 3956,
	15572, 15723,	3957, 3958, 3960,
	15938, 15945,	3967, 3970, 3995,
	15966, 16160,	3996, 4016, 4018,
	16182, 16363,	4022, 4029, 4031,
	16749, 17329,	4110, 4111, 19363,
	18012, 18691,	19364, 19367,
	18694, 18720, 20396	19368, 19848,
\renewrobustcmd	...	19849, 20481, 20487
	. 13552, 13578, 13589	\reserved@b 2140, 2141,
\renewtagform 13520	2532, 2536, 2537,
\repeat 1722,	3867, 3868, 3896,
	1723, 3502, 3509,	3954, 3956, 3973,
	7094, 7256, 7262,	3990, 3991, 3996,
	7370, 7428, 7438,	4001, 4003, 4004,
	10272, 10282,	4006, 4009, 4029, 4031
	12911, 15124,	\reserved@c 3969,
	15171, 15182,	3972, 3973, 3977,
	15193, 15221, 18489	3988, 4001, 4015, 4019
\RequirePackage	...	\reserved@d 2531,
	1555, 1557, 1558,	2536, 3989, 4008, 4021
	1559, 1560, 1561,	\reset@dir . 15290, 20357
	1894, 1895, 2253,	\reset@font 37,
	2254, 2255, 2256,	51, 67, 250, 264,
	2263, 2264, 2279,	279, 4801, 4845,
	2332, 3875, 3876,	4889, 5117, 5118,
	3892, 3936, 3937,	5135, 5136, 5153,
	3940, 4192, 4254,	5154, 8660, 8676,
	4256, 4263, 4284,	8692, 8712, 8725,
	4288, 4324, 4325,	8738, 8910, 8920,
	4548, 4758, 4759,	8930, 8956, 8968,
	4760, 4761, 4965,	8981, 9008, 9021,
	4966, 5081, 5300,	9061, 9070, 9079,
		9104, 9115, 9127,
		9153, 9165, 9205,
		9215, 9225, 9251,
		9263, 9276, 9303,
		9316, 9356, 9366,
		9376, 9402, 9414,
		9427, 9454, 9467,
		9507, 9517, 9527,
		9553, 9565, 9578,
		9605, 9618, 9658,
		9668, 9678, 9704,
		9716, 9729, 9756,
		9769, 9809, 9819,
		9829, 9855, 9867,
		9880, 9907, 9920,
		9960, 9970, 9980,
		10006, 10018,
		10031, 10058,
		10071, 10111,
		10121, 10131,
		10157, 10169,
		10182, 10209,
		10222, 10316,
		10328, 10340,
		10366, 10380,
		10394, 10434,
		10448, 10959,
		11227, 11228,
		11244, 11245,
		11260, 11261,
		11290, 11291,
		11304, 11305,
		11318, 11319,
		20808, 20852, 20952
		\resizebox 11759
		\restore@protect .. 2822
		\restoreCaptionSkip
	 11940
		\restorecounters@ . 8132
		\restylefloat 4748
		\resumename 2333
		\rightskip 19073
		\right 20384, 20393, 20395
		\right@cor ... 14362,
		14363, 14462, 14463
		\right@footnoterule
	 26, 240,
		417, 545, 731, 741,
		966, 993, 1211,
		1243, 6290, 6309,
		6443, 6486, 6591,



6718, 8309, 8316,	8239, 8242, 8243,	18940, 18948,
8409, 8608, 10610,	8253, 8507, 8866,	18949, 18950,
10635, 11140,	10484, 10562,	18958, 18967,
11154, 11164,	10577, 10580,	18968, 18969,
11287, 11315,	10581, 12779,	18977, 18987,
12755, 12833,	12780, 13542,	18988, 18989,
14738, 15567,	14216, 14217,	18997, 19022,
15606, 15743,	14580, 14584,	19023, 19024,
15990, 16003,	14585, 14592,	19032, 19072,
16145, 16200,	14597, 14604,	19074, 19752,
16327, 16564,	14609, 15387,	19814, 19815,
16578, 16819,	15389, 15400,	19816, 19822,
17113, 17127,	15402, 15413,	19825, 19872,
17399, 17679,	15415, 15424,	19932, 19937,
17812, 17826, 18082	15426, 15443,	19960, 19967,
\rightfootnoterule	15486, 15499,	20336, 20337,
1654, 7746, 8648,	15510, 15511,	20529, 20556,
11152, 11670, 21026	15516, 15527,	20557, 20616, 20621
\rightline . . . 15323,	15550, 15553,	\RL . . . 12690, 15280, 20347
20544, 20548, 20550	15554, 15882,	\rlap . . . 316, 457, 808,
\rightlinenumbers .	15883, 15888,	1310, 1872, 6631,
. . . . 12975, 12983	15899, 15922,	8352, 8449, 10671,
\rightmargin . . . 951,	15925, 15926,	10766, 10772,
5491, 5510, 5518,	15936, 15949,	11397, 11697,
5524, 11545,	15998, 16114,	11743, 11809,
11549, 12927,	16129, 16132,	11810, 11823,
12928, 12941,	16133, 16138,	11824, 12813,
15376, 20419,	16139, 16299,	14638, 15309,
20430, 20436,	16314, 16317,	15673, 15814,
20442, 20450, 20454	16318, 18614,	16011, 16054,
\rightskip 12, 13, 217,	18619, 18630,	16240, 16586,
218, 315, 319, 516,	18643, 18647,	16650, 17135,
533, 536, 537, 627,	18667, 18670,	17199, 17834,
640, 651, 652, 657,	18675, 18679,	17898, 18378, 20367
668, 693, 696, 697,	18680, 18791,	\RLE . 1599, 1795, 12689,
878, 879, 885, 895,	18792, 18793,	15280, 15281,
898, 899, 912, 934,	18801, 18822,	15285, 19986,
1128, 1134, 1135,	18823, 18824,	20347, 20348, 20352
1140, 1151, 1177,	18832, 18845,	\rmfamily 737,
1180, 1181, 1199,	18846, 18847,	989, 1239, 5319,
5429, 5436, 5437,	18855, 18862,	5372, 5375, 5379,
6007, 6203, 6209,	18863, 18864,	5382, 5386, 5389,
6210, 6215, 6226,	18872, 18879,	5393, 5396, 5400,
6249, 6252, 6253,	18880, 18881,	5403, 15602, 15739
6380, 6386, 6387,	18889, 18896,	\romannumeral . . 3548,
6392, 6403, 6426,	18897, 18898,	3549, 6044, 6106,
6429, 6430, 6690,	18906, 18913,	8140, 8143, 8189,
6705, 6708, 6709,	18914, 18915,	11003, 11004,
6841, 6842, 6843,	18923, 18930,	11005, 11006,
6969, 6970, 6976,	18931, 18932,	11008, 11009,



11010, 11011,	9548, 9699, 9850,	16205, 16225,
11012, 11015,	10001, 10152, 10360	16260, 16279,
11016, 11017, 20422	\RTLfootmarkstyle 8776, 8815	16583, 16668,
\rot@float@box 16392,	\RTLfootnote . . . 422,	16699, 17132,
16393, 16394,	496, 2030, 2043,	17217, 17248,
16408, 16417,	5266, 5616, 6596,	17831, 17916, 17947
16435, 16436,	6670, 8414, 8488,	\rtside 15154,
16437, 16438,	11197, 15748,	15156, 15167,
16439, 16455, 16466	15854, 16008,	15169, 15190, 15192
\rot@label . 16388, 16431	16096, 16205,	\rule 46, 60,
\rot@LR . . . 16399, 16444	16279, 16583,	76, 259, 273, 288,
\rot@mess@toks 16391,	16699, 17132,	2381, 7610, 8221,
16403, 16413,	17248, 17831, 17947	8225, 8228, 8668,
16422, 16434,	\RTLfootnotetext . . .	8684, 8700, 8714,
16449, 16461, 16471	2098, 2109,	8727, 8740, 11238,
\rot@message 16422, 16471	6056, 6066, 11376,	11255, 11271,
\rot@pageref 16389, 16432	11379, 12359,	11298, 11312,
\rotate 16485	13482, 18538, 18542	11326, 13790, 15360
\rotatebox	\RTLfootscript . 8776,	S
. . 11046, 11872,	8804, 8808, 8810	\s 13639, 13640
11921, 12134,	\RTLfoottextfont 8677,	\save@dir . . 15289, 20356
13609, 13617,	8684, 8734, 8740,	\savebox 8146,
14139, 16408,	8828, 8930, 8951,	11869, 11871, 11951
16417, 16455, 16466	8981, 9079, 9099,	\saveCaptionSkip . 11901
\rotateframe 11008, 11045	9127, 9225, 9246,	\savecounters@ 8129
\rotFPbot . . . 16409,	9276, 9376, 9397,	\saved@dir . . . 15289,
16416, 16456, 16465	9427, 9527, 9548,	15290, 20356, 20357
\rotFPtop . . . 16407,	9578, 9678, 9699,	\sbox 8212, 11903,
16418, 16454, 16467	9729, 9829, 9850,	11920, 12872,
\rrb 1943, 1953	9880, 9980, 10001,	12880, 12882,
\rsb 1942, 1951	10031, 10131,	12884, 12893,
\RTL 15273, 20340	10152, 10182,	13028, 13441,
\RTL@column@boxes 14662, 14692, 14697	10340, 10360, 10394	13608, 13616,
\RTL@outputdblcol 7118, 10777,	\RTLmarginnote 5288	13808, 14095,
11617, 14339,	\RTLmarginpar 20813	14134, 14139,
20675, 20766, 20767	\RTLmulticolcolumns 14690	14253, 14268,
\RTLbidituftesidenotemargin 4850, 5150, 5291	\RTLmarginnote 5020, 5262	14300, 14920,
\RTLcases 20394, 20397	\RTLthanks 422, 442,	16840, 16854,
\RTLcite	477, 496, 5616,	16894, 17420,
5077, 5197, 5226,	5624, 5641, 5657,	17434, 17474,
5255, 5277, 5286, 5295	5668, 6596, 6616,	18103, 18117,
\RTLcolumnfootnotes 8759	6651, 6670, 8414,	18157, 18629,
\RTLdblcol 20767	8434, 8469, 8488,	18646, 19388, 21007
\RTLdfnmakecol 7906	11374, 14186,	\sc@temp 17698,
\RTLfootfootmark 8801, 8951,	15748, 15788,	17699, 17704,
9099, 9246, 9397,	15834, 15854,	17705, 17710,
	16008, 16038,	17711, 17716,
	16078, 16096,	17717, 17722,
		17723, 17728,



17729, 17734, 17735, 17740, 17741, 17746, 17747 \SC@FLOAT 18337, 21128, 21132, 21138, 21140, 21144, 21146 \SC@justify@caption ... 18340, 21130, 21134, 21139, 21141, 21145, 21147 \sc@temp ... 17696, 17698, 17702, 17704, 17708, 17710, 17714, 17716, 17720, 17722, 17726, 17728, 17732, 17734, 17738, 17740, 17744, 17746, 17756, 17758 \sc@wm@text ... 8030 \scalebox ... 11757 \scantokens ... 2958, 2978 \scr@caption 16946, 16948, 16950, 17526, 17528, 17530, 18209, 18211, 18213 \scr@caption@before@longtable@warning . 16918, 17498, 18181 \scr@compatibility ... 17290, 17306, 17314, 17322 \scr@dte@current 19467, 19470 \scr@dte@def@l@large@tocline ... 19234 \scr@dte@def@l@tocline ... 19436 \scr@dte@def@l@undottedtocline ... 19077 \scr@dte@donumwidth ... 19671, 19672 \scr@dte@large@tocline@init ... 19235 \scr@dte@nosub 19483, 19485, 19515, 19516, 19518, 19523,	19525, 19530, 19531, 19589, 19591 \scr@dte@numberline@box 19386, 19413 \scr@dte@tocline 19345, 19728 \scr@dte@tocline@init 19437 \scr@dte@tocline@numberwidth 19389, 19391, 19393, 19396 \scr@dte@tocline@numbox . 19388, 19390, 19404 \scr@dte@undottedtocline@init 19078 \scr@ifundefinedorrelax .. 19112, 19160, 19205, 19267, 19313, 19337, 19376, 19481, 19483, 19512, 19515, 19516, 19523, 19546, 19586, 19587, 19589, 19605, 19658, 19685, 19704 \scr@LT@array . 12699, 16943, 16944, 16956, 17523, 17524, 17536, 18206, 18207, 18219 \scr@parindent 17055, 17644, 18327 \scr@saved@footnotetext ... 16516, 16520, 17065, 17069, 17764, 17768 \scr@saved@LTRfootnotetext .. 16514, 16517, 16524, 17063, 17066, 17073, 17762, 17765, 17772 \scr@saved@RTLfootnotetext .. 16515, 16518, 16528, 17064, 17067, 17077, 17763, 17766, 17776 \scr@smashdp .. 16862, 16876, 16877, 16895, 17442,	17456, 17457, 17475, 18125, 18139, 18140, 18158 \scr@tmp@footnotetext .. 16834, 16845, 16846, 17414, 17425, 17426, 18097, 18108, 18109 \scr@tmp@LTRfootnotetext .. 16836, 16847, 16848, 17416, 17427, 17428, 18099, 18110, 18111 \scr@tmp@RTLfootnotetext .. 16838, 16849, 16850, 17418, 17429, 17430, 18101, 18112, 18113 \scriptsize ... 5457, 17697, 17703, 17709, 17715, 17721, 17727, 17733, 17739, 17745 \scshape ... 6544 \secshape ... 16097, 16138 \SectFont 632, 641, 939, 947, 1191, 1200, 6263, 6451, 15491, 15500, 15941, 15950 \sectfont ... 15370 \section ... 573, 601, 617, 632, 638, 641, 708, 866, 939, 945, 947, 971, 1118, 1191, 1197, 1200, 1221, 2377, 2443, 5321, 5343, 5411, 5419, 5534, 5537, 5541, 6263, 6451, 8288, 15491, 15497, 15500, 15941, 15947, 15950 \sectionbib ... 18715 \sectionfont ... 2317, 2325, 7601, 7694 \sectionstyle ... 2325, 2383 \sectiontitlecolour ... 2308, 7563, 7571, 7578,
---	--	---



7585, 7592, 7662, 7668, 7674, 7680, 7686	7392, 7401, 7403, 7418, 7419, 7430, 7431, 7443, 7444, 7464, 7472, 7482, 7530, 7754, 7762, 7763, 7767, 7775, 7783, 7784, 7788, 7803, 7806, 7811, 7815, 7823, 7860, 7863, 7868, 7872, 7877, 8705, 8718, 8731, 8820, 8878, 8883, 8890, 8953, 8965, 8978, 9018, 9101, 9112, 9124, 9162, 9248, 9260, 9273, 9313, 9399, 9411, 9424, 9464, 9550, 9562, 9575, 9615, 9701, 9713, 9726, 9766, 9852, 9864, 9877, 9917, 10003, 10015, 10028, 10068, 10154, 10166, 10179, 10219, 10245, 10246, 10253, 10266, 10269, 10271, 10276, 10279, 10281, 10283, 10320, 10332, 10344, 10362, 10370, 10376, 10384, 10390, 10398, 10438, 10445, 10452, 10467, 10476, 10496, 10504, 10517, 10530, 10540, 10750, 10780, 10783, 10796, 10816, 10819, 10833, 10884, 10924, 10929, 11288, 11302, 11316, 11335, 11459, 11468, 11472, 11496, 11510,	11572, 11577, 11578, 11593, 11620, 11625, 11626, 11641, 11680, 11689, 11696, 11697, 11742, 11743, 13420, 13429, 13491, 13496, 13499, 13508, 13528, 13560, 13566, 14342, 14345, 14346, 14368, 14373, 14383, 14401, 14406, 14442, 14445, 14446, 14468, 14473, 14483, 14501, 14506, 14537, 14618, 14634, 15098, 15112, 15115, 15134, 15135, 15141, 15142, 15153, 15155, 15157, 15159, 15162, 15164, 15166, 15168, 15178, 15180, 15189, 15191, 15206, 15208, 15216, 15218, 15227, 15308, 15309, 15339, 15357, 16477, 16487, 16498, 16505, 16860, 17440, 17697, 17703, 17709, 17715, 17721, 17727, 17733, 17739, 17745, 18123, 18366, 18414, 18455, 18505, 18575, 19890, 19893, 19898, 19902, 19906, 19910, 19914, 19918, 19922,
---	--	--



19926,	20177,	\setfootnoteLR . . . 11219	11863,	11875,
20185,	20290,	\setfootnoteRL . . . 11217	11879,	11881,
20366,	20367,	\setkeys . . 6790, 6807, 8110, 8116, 8118,	11883,	11887,
20483,	20553,	11688, 11732,	11889,	12845,
20579,	20678,	11860, 12878,	12846,	12847,
20681,	20682,	14926, 14991,	12848,	12873,
20696,	20725,	16396, 16441, 20070	12887,	12889,
20728,	20729,	\setlatin 1565	12891,	12895,
20743,	20792,	\setlength 178,	12917,	12922,
20795,	20836,	201, 202, 514, 531, 667, 691, 893, 911,	12925,	12929,
20839,	20867,	948, 949, 950, 951, 952, 1150, 1175,	12930,	12931,
20881,	20899, 20965	2017, 2018, 2019, 2221, 2222, 2224,	13475,	14925,
\setcaptionfont	. . . 4277	2225, 2227, 2228,	15526,	15548,
\setcaptionwidth	. 13454	2230, 2231, 2233,	15898,	15920,
\setchapterpreamble		2234, 2236, 2237,	16127,	16297,
 17334, 18017	2239, 2240, 2241,	16312,	16533,
\setcitationfont	. . . 4912	2246, 2247, 2285,	16857,	16883,
\setcounter	2286, 2288, 2289,	17082,	17437,
	. . . 439, 474, 749,	2290, 2291, 2349,	17463,	17781,
	781, 825, 1001,	2358, 2359, 2362,	18120,	18146,
	1033, 1077, 1251,	2364, 2367, 2368,	18618,	18619,
	1283, 1327, 1879,	2370, 2373, 2439,	18667,	18668,
	4985, 5004, 5023,	2449, 2450, 2451,	18670,	19039,
	5055, 5305, 5817,	4222, 4249, 4250,	19043,	19044,
	6102, 6317, 6349,	4251, 4252, 4273,	19046,	19047,
	6494, 6526, 6613,	4279, 4280, 4313,	19049,	19050,
	6648, 8336, 8369,	4316, 4320, 4366,	19052,	19053,
	8431, 8466, 10655,	4418, 4419, 4920,	19055,	19056,
	10688,	4921, 4922, 4923,	19216,	19324,
	10987,	4929, 5171, 5464,	19669,	20465, 20468
	12839,	5465, 5466, 5467,	\setLR 15315, 20375	
	12840,	5468, 5469, 5470,	\setLTR 15276,	
	14214,	5471, 5473, 5474,	15277,	15290,
	14906,	5476, 5479, 5480,	15315,	15316,
	15646,	5481, 5482, 5699,	20343,	20344,
	15753,	5700, 6225, 6247,	20357,	20375, 20376
	15831,	6402, 6424, 6688,	\setLTrbibitems . . . 20410	
	16075,	6703, 6974, 7697,	\setLTrcitationfont 4913	
	16257,	7701, 7703, 7706,	\setLTrmarginnotefont 4910	
	16665,	8092, 8237, 8252,	\setLTrmarginpar . 20902	
	16851,	8816, 8817, 8830,	\setLTrparagraphfootnotes 8655	
	17123,	10561, 10575,	\setLTrsidenotefont 4907	
	17358,	11333, 11782,	\setLTrtable 1570	
	17432,	11783, 11789,	\setmarginnotefont 4909	
	17913,	11790, 11792,	\setnonlatin 1566	
	18041,	11793, 11862,	\setparsizes . . 16591,	
	18114,		16703,	17140,
	18115,		17252,	17839, 17951
\setdefaultbibitems				
 20411			
\setdefaultmarginpar				
 20903			
\setDefaults 11858			
\setfloatalignment	4357			



\setRL	15314, 20374	\sf@size	12763	\sloppy	42,
\setRTL .	15275, 15278,	\sfcode	93,		56, 72, 92, 255,
15290,	15314,	306, 589, 721, 984,			269, 284, 305, 585,
20012,	20052,	1234, 6280, 6468,			720, 983, 1233,
20086,	20342,	6780, 8301, 8575,			2458, 6279, 6467,
20345,	20357, 20374	10628, 12736,			6776, 8300, 8571,
\setRTLbibitems ..	20409	14826, 15586,			10627, 11565,
\setRTLcitationfont	4914	15980, 16177,			12735, 13545,
\setRTLmain	1785	16380, 16788,			14825, 15446,
\setRTLmarginnotefont		17368, 18051, 18709			15460, 15585,
.	4911	\sh@wgridXunit . . .	15328		15979, 16173,
\setRTLmarginpar .	20901	\sh@wgridYunit . . .	15328		16376, 16787,
\setRTLparagraphfootnotes		\shadowbox	8206		17367, 18050, 18705
.	8654	\shadowsize 8216, 8220,		\slshape . . .	658, 886,
\setRTLsidenotefont	4908	8221, 8224, 8225, 8228			1141, 2405, 6216,
\setRTLtable	1569	\shipout	10954, 20923		6393, 7599, 7600,
\setsidenotefont ..	4906	\shortauthors			7690, 7691, 7693,
\setSingleSpace	8761, 8766	. . 115, 116, 121,			15517, 15889, 16103
\setspace@singlespace		12795, 12796, 12801		\small . . .	416, 641, 740,
.	5116, 5134, 5152	\shortcite	14828		947, 992, 1200,
\setthesection . . .	14231	\shorttitle			1242, 1904, 2319,
\settodepth	14921	. . 114, 115, 121,			2409, 2414, 2444,
\settoheight .	8089, 14922	12794, 12795, 12801			5446, 5447, 5512,
\settowidth	89,	\showbox	11533		5520, 5525, 5544,
302, 578, 713, 976,		\showgridp@s	15327		6308, 6485, 6590,
1226, 2353, 6272,		\showoutput	11533		8315, 8408, 10634,
6460, 6769, 7699,		\sidecaptionsep 18338,			15500, 15605,
8134, 8293, 8564,		18339, 21129,			15742, 15950,
10620, 12732,		21133, 21138,			16002, 16199,
12919, 14924,		21140, 21144, 21146			16577, 17126, 17825
15578, 15972,		\sidenote	4982,	\smallcaps 5800, 5801, 5802	
16166, 16369,		5036, 5074, 5169, 5260		\smallskip	
16771, 17351,		\sidenotes	5079	14747, 14752,
17696, 17702,		\sideways	16503		14759, 14768,
17708, 17714,		\sigindent	17757		14779, 14784,
17720, 17726,		\sixcolumnfootnotes 9489			14789, 14796,
17732, 17738,		\sixcolumnfootstyle 9586			14803, 14810, 15367
17744, 18034,		\sixt@n	2159, 2181	\smash 4474, 4479, 4490,	
18698, 19855, 19857		\size@chapter	15370	4491, 4494, 4495,	
\Setversedim		\skip	1604,	4702, 7757, 7778,	
.	5830, 5834, 5860	1800, 6023, 6024,		11397, 12944,	
\SetWatermarkText .	8029	7808, 7865, 8841,		15312, 20370, 20372	
\sevencolumnfootnotes		8851, 8869, 10486,		\SOUL@apo	18360
.	9640	10510, 10521,		\SOUL@comma	18359
\sevencolumnfootstyle		10979, 11351,		\SOUL@do	18362
.	9737	11574, 11622,		\SOUL@eventuallyexhyphen	
\sf	17697, 17703,	15296, 15302, 20982		18349
17709, 17715,		\skip@	321, 322	\SOUL@grave	18361
17721, 17727,		\skipalgcfslide 186, 194		\SOUL@ignorespacesfalse	
17733, 17739, 17745		\skiptotal	202	18353



\SOUL@lasttoken ..	18356	18582, 18586, 18587, 18589, 20367	14880, 14884, 14901, 14905, 16387, 16430, 21000
\SOUL@lowerthan ..	18346	\spinemargin .. 8039, 8043	\stopbreaks .. 8594, 17756
\SOUL@minus	18358	\split@prev	\str 13628, 13679,
\SOUL@postamble ..	18363	. 11176, 11184, 11189	13751, 13769,
\SOUL@preamble ..	18355	\splitbotmark	13831, 13855,
\SOUL@soeventuallyskip	18350	\splitfirstmark ..	13860, 13934,
\SOUL@spaceskip ..	18351	. 7128, 7191,	13965, 13978,
\SOUL@start	18344	10786, 10822,	14000, 14054, 14086
\SOUL@ulcolor .	18375, 18381, 18387, 18395	11469, 11581, 11629, 14349, 14449, 20685, 20732	\stretch 1477, 1480, 6900, 6903
\SOUL@uldp	18387	\SplitFootnoteRule	\string ... 362, 1387,
\SOUL@uleveryspace	18389	1656, 11175	1683, 1687, 2469,
\SOUL@ulht	18387	\splitfootnoterule	2475, 2547, 2549,
\SOUL@ulleaders .. .	18375, 18381, 18397	11179, 11187	2567, 2568, 2571,
\SOUL@uloverlap ..	18368	\splitmaxdepth 40, 54, 70, 253, 267, 282,	2572, 2749, 2789,
\SOUL@underline	18365	7122, 7185, 8835,	2790, 2796, 2944,
\SOUL@word	18357	10781, 10817,	2974, 2995, 2998,
\soulomit	18348	11231, 11248, 11264, 11575,	3025, 3027, 3087,
\space	1507, 2944, 3087, 3870, 4057, 4059, 4070, 4072, 4075, 4538, 4543, 4544, 4677, 4678, 6544, 6739, 7255, 7261, 7424, 7432, 7433, 8533, 10590, 11433, 11441, 11442, 11466, 11474, 12857, 13916, 14624, 14626, 14627, 14628, 14629, 15335, 16347, 16390, 16433, 16642, 16793, 17191, 17373, 17890, 18056, 18525, 18527, 18584, 19406, 19408, 19974, 20643, 20872	14443, 20679, 20726	3203, 3214, 3215, 3228, 3229, 3243, 3244, 3245, 3246, 3250, 3870, 3879, 3883, 3889, 3900, 4057, 4059, 4070, 4072, 4073, 4074, 4075, 4077, 4677, 4678, 6936, 6939, 6957, 6960, 11437, 11438, 11439, 11440, 11441, 11563, 11764, 11765, 16642, 16793, 16795, 16801, 17191, 17373, 17375, 17381, 17890, 18056, 18058, 18064, 18551, 19973, 20230, 20277, 20643, 20663
\spacefactor ..	5095, 5100, 5106, 5109	\stepcounter ... 4993, 5012, 5031, 5063, 5183, 5212, 5241,	\strip@prefix . 2995, 3008
\spaceskip ..	18393, 18398	5993, 10986, 11057, 11127,	\strip@pt . 2666, 2762,
\special	1728, 1821, 1868, 15309, 18581,	11197, 11206, 12525, 13387,	7978, 7981, 7986, 7989, 10310, 10427
			\stripsep . 7173, 7232, 7247, 7293, 7302, 7312, 7357, 7467,



7476, 7486, 14377, 14379, 14386, 14477, 14479, 14486, 14548, 14551, 14553, 14560	8685, 8701, 8715, 8728, 8741, 8835, 9036, 9041, 9180, 9185, 9331, 9336, 9482, 9487, 9633,	\symbol 1947, 1957 \sys 13849
\strut 46, 60, 76, 259, 273, 288, 1934, 8602, 8945, 8948, 8951, 9031, 9032, 9093, 9096, 9099, 9175, 9176, 9240, 9243, 9246, 9326, 9327, 9391, 9394, 9397, 9477, 9478, 9542, 9545, 9548, 9628, 9629, 9693, 9696, 9699, 9779, 9780, 9844, 9847, 9850, 9930, 9931, 9995, 9998, 10001, 10081, 10082, 10146, 10149, 10152, 10232, 10233, 10352, 10356, 10360, 10461, 13559, 16841, 16843, 16862, 16864, 16867, 16869, 16872, 16876, 16878, 16888, 16890, 16895, 16899, 17421, 17423, 17442, 17444, 17447, 17449, 17452, 17456, 17458, 17468, 17470, 17475, 17479, 17759, 18104, 18106, 18125, 18127, 18130, 18132, 18135, 18139, 18141, 18151, 18153, 18158, 18162, 18629, 18634	\t@cb@bchapsec ... 18690 \tabcaption . 11911, 11929 \tabcolsep 382, 1359, 13417, 15867, 20381 \tablinesep 18448 \tabskip ... 398, 6003, 13431, 13432, 18421, 18459, 20586 \tabular 18520 \tabularnewline 407, 13401, 18423, 20588 \tabularx 18511 \tabularxcolumn ... 18473 \tagform@ 346 \tamark 14197 \tcb@vbox 18596 \subfig@oldlabel 4408, 4410 \subfigure ... 4407, 4414 \subitem 108, 238, 5555, 12752 \subjclass 334 \subject 16687, 17236, 17935 \subject@font . 16600, 16713, 17149, 17262, 17848, 17961 \subparagraph 5357, 5358, 5361 \subsection 2384, 5328, 5344 \subsectioncolour 2310, 7564, 7572, 7579, 7586, 7593, 7663, 7669, 7675, 7681, 7687 \subsectionfont 2318, 2326, 7602, 7695 \subsectionstyle 2326, 2385 \subsubitem 109, 239, 5556, 12753 \subsubsection 5348, 5349, 5352 \subtable 4414 \supereject 1833	T \t@cb@bchapsec ... 18690 \tabcaption . 11911, 11929 \tabcolsep 382, 1359, 13417, 15867, 20381 \tablinesep 18448 \tabskip ... 398, 6003, 13431, 13432, 18421, 18459, 20586 \tabular 18520 \tabularnewline 407, 13401, 18423, 20588 \tabularx 18511 \tabularxcolumn ... 18473 \tagform@ 346 \tamark 14197 \tcb@vbox 18596 \tcd ... 15105, 15112, 15113 \tcdsav 15105 \tcl ... 15129, 15130, 15136 \tcn 15113, 15114, 15136, 15137, 15138, 15139 \Telefon 2299 \tencolumnfootnotes 10093 \tencolumnfootstyle 10190 \TeX ... 12691, 15291, 15292, 15313, 20358, 20359, 20371 \textbf 2412, 5501, 11410, 11412, 11414, 11416 \textbullet ... 2296, 7556, 7620, 7654 \textcolor 8205, 8220, 8224, 8227, 11400, 12861 \textdef@ 348 \textdir 14094 \textendash . 746, 998, 1061, 1248, 6314, 6491, 15611, 15750 \textheight 1853, 2260, 7156, 7215, 11862, 16395, 16440, 20999 \textit 19075
\strutbox ... 40, 54, 70, 253, 267, 282, 388, 392, 8669,		



\textsf	1615	1658, 7748, 8650, 11155, 11671, 21027	16203, 16223, 16258, 16277,
\textsl . .	4561, 4562, 4563	\TeXeToff . 15224, 20288	16581, 16666,
\textsuperscript . .		\TeXeTon . . . 15223, 15225, 20287, 20289	16697, 17130, 17215, 17246,
	5108, 8813, 8814, 8815, 16556, 17105, 17675, 17804	\TeXeTstate . . 15223, 15224, 20287, 20288	17829, 17914, 17945
\texttt	1957, 2021, 2023, 2024, 3232	\TF@conlab 11393, 11395, 11402	\thankses 333
\textwidth	1615, 1852, 2258, 2349, 2358, 2359, 2371, 2373, 4316, 4320, 4419, 4720, 4721, 5861, 7140, 7148, 7203, 7268, 7274, 7445, 7450, 7610, 7625, 7697, 7706, 7820, 8042, 8879, 10265, 10796, 10802, 10834, 10924, 10929, 11338, 11594, 11642, 11650, 11810, 11813, 11818, 11824, 13533, 14407, 14415, 14507, 14538, 14727, 14728, 14731, 14732, 14735, 14736, 14740, 14743, 16593, 16621, 16625, 16705, 17142, 17170, 17174, 17254, 17756, 17841, 17869, 17873, 17953, 20697, 20705, 20744, 20969, 20990	\TF@savecolor 11399, 11404 \TF@Title 11402 \thanklessauthor 5609, 5642, 5645, 5682 \thanklesspublisher 5610, 5669, 5672, 5686 \thanklesstitle 5608, 5625, 5628, 5684 \thanks 333, 420, 440, 475, 494, 744, 756, 782, 793, 794, 803, 826, 843, 996, 1008, 1034, 1045, 1046, 1055, 1078, 1095, 1246, 1258, 1284, 1295, 1296, 1305, 1328, 1346, 1880, 5608, 5609, 5610, 5611, 5614, 5621, 5622, 5638, 5639, 5654, 5655, 5666, 6312, 6324, 6350, 6489, 6501, 6527, 6594, 6614, 6649, 6668, 8319, 8337, 8370, 8387, 8412, 8432, 8467, 8486, 10638, 10656, 10689, 10706, 14184, 15609, 15621, 15647, 15658, 15659, 15668, 15691, 15708, 15746, 15760, 15786, 15799, 15800, 15809, 15832, 15852, 16006, 16036, 16076, 16094,	16258, 16277, 16581, 16666, 16697, 17130, 17215, 17246, 17829, 17914, 17945 \the 124, 125, 1375, 1469, 1470, 1472, 1473, 1534, 1766, 1844, 1846, 1849, 1851, 2090, 2092, 2095, 2098, 2103, 2106, 2109, 2214, 2482, 2484, 2485, 2506, 2508, 2509, 2959, 3245, 3340, 3395, 3423, 3425, 3430, 3432, 3433, 3443, 3450, 3452, 3457, 3461, 3462, 3467, 3472, 3480, 3483, 3487, 3493, 3577, 3578, 3579, 3604, 4123, 4130, 4159, 4950, 4960, 5095, 5106, 5912, 5919, 6050, 6053, 6056, 6060, 6063, 6066, 6171, 6786, 6791, 6835, 6896, 7127, 7129, 7190, 7192, 7255, 7261, 7262, 7263, 7395, 7405, 7424, 7432, 7433, 7434, 7437, 7439, 7440, 7441, 10785, 10787, 10821, 10823, 11055, 11070, 11071, 11074, 11075, 11078, 11131, 11135, 11189, 11362, 11376, 11426, 11433, 11437, 11438, 11439, 11440, 11441, 11442, 11450, 11456, 11463, 11464,
\textwidth@footnoterule . .	419, 743, 995, 1245, 6311, 6488, 6593, 8318, 8411, 10637, 11146, 11157, 14742, 15608, 15745, 16005, 16202, 16580, 17129, 17828		
\textwidthfootnoterule			



11466,	11471,	19407,	19409,	16336,	16337,
11473,	11474,	19485,	19756,	16338,	16347,
11488,	11514,	19759,	19760,	17291,	17293,
11544,	11545,	19762,	19764,	17307,	17309,
11546,	11551,	19768,	19773,	17315,	17317,
11552,	11553,	19777,	19788,	17323,	17325,
11563,	11580,	19789,	19792,	17989,	18001,
11582,	11628,	19798,	19802,	18005,	18009,
11630,	11734,	19810,	19811,	\thecontentspage	5375,
11779,	12312,	19848,	19864,	5382,	5389,
12320,	12321,	19868,	19967,	5396,	5403
12327,	12329,	20130,	20142,	\thedate .	5604,
12358,	12359,	20147,	20168,	5612,	5658
12365,	12367,	20169,	20171,	\theDefaultDepth .	12840
12398,	12400,	20293,	20294,	\theDefaultLines .	12839
12429,	12431,	20422,	20469,	\theenumiv	86,
12460,	12462,	20649,	20651,	89,	299,
12804,	12805,	20663,	20684,	302,	584,
12933,	12934,	20686,	20731,	719,	982,
12937,	12941,	\the@cornersize	10743	1232,	15584,
12945,	13479,	10742,	15978,	16172,
13482,	14044,	\thealgocf	168	16375,	16785,
14348,	14350,	\theAlgoLine	21072	17365,	18048,
14361,	14378,	\thechapter	318,	\theequation	18704
14385,	14391,	5317,	6295,	6300,
14448,	14450,	6301,	6303,	6477,	6477,
14461,	14478,	6472,	6478,	6722,	8516,
14485,	14491,	6482,	6480,	10725,	10725,
14561,	14624,	6544,	6723,	11020,	11033,
14626,	14627,	6725,	6727,	12814,	14232,
14628,	14629,	6729,	6739,	15595,	15964,
14630,	14819,	8517,	8519,	16149,	16331,
14990,	15006,	8521,	8522,	17321,	18008,
15010,	15013,	8523,	8533,	21020	21020
15038,	15062,	10590,	10590,	\thefigure	6302,
15069,	15076,	10720,	10726,	6479,	6724,
15230,	15231,	10728,	10730,	8518,	8518,
16403,	16413,	11021,	11023,	10727,	11022,
16422,	16449,	11025,	11026,	11035,	14234,
16461,	16471,	11027,	11034,	15597,	15960,
16778,	17358,	11036,	11038,	16151,	16333,
18041,	18444,	11039,	11040,	17305,	18000,
18445,	18475,	13087,	14222,	18431	18431
18494,	18496,	14231,	14233,	\thefootdir@label .	.
18520,	18525,	14234,	14235,	..	11055,
18527,	18528,	14860,	15373,	11058,	,
18531,	18532,	15590,	15596,	11087,	11092,
18535,	18538,	15598,	15600,	11110,	11113,
18539,	18542,	15955,	15961,	11133	,
18647,	19404,	15963,	15965,	\thefootnote . . .	456,
		16150,	16152,	748,	807,
		16154,	16155,	1000,	1059,
		16332,	16334,	1250,	1309,
				1871,	6316,
				6493,	8448,
				6630,	8351,
				10670,	12212,
				15613,	15672,
				15752,	15813,



16009, 16052,	6475, 6476, 6732,	6473, 6474, 6730,
16239, 16584,	6733, 8403, 8404,	6731, 8401, 8402,
16648, 17133,	8526, 8527, 10723,	8524, 8525, 10721,
17197, 17832, 17896	10724, 11030,	10722, 11028,
\thefootnotemark .. .	11031, 11043,	11029, 11041,
..... 16556,	11044, 12788,	11042, 12786,
17105, 17675, 17804	12789, 14227,	12787, 14223,
\theHchapter .. .	14230, 15593,	14226, 15591,
\theHsection 14868, 14870	15594, 15958,	15592, 15956,
\theindex . 98, 228, 12742	15959, 16158,	15957, 16156,
\theL@lines .. .	16159, 16341,	16157, 16339,
. 12886, 12891, 12898	16342, 16745,	16340, 16741,
\TheList .. .	16747, 17301,	16743, 17297,
\thelstlisting 13058,	17303, 17996, 17998	17299, 17992, 17994
13063, 13086, 13089	\theprt .. .	\thesubsubsection 20,
\thempfn 556, 564, 8263, 8271	21, 225, 226, 550,
2115, 2123, 2131,	\ther@tfl@t .. .	551, 704, 705,
5184, 5190, 5213,	16388, 16389, 16431, 16432	958, 959, 1217,
5219, 5242, 5248,	\thesection .. .	1218, 6297, 6298,
6071, 6078, 6085,	19, 224, 549, 703, 957,	6474, 6475, 6731,
11198, 11203,	1216, 5324, 6295,	6732, 8402, 8403,
11207, 11212,	6296, 6472, 6473,	8525, 8526, 10722,
11340, 11366,	6729, 6730, 8401,	10723, 11029,
11371, 11381,	8523, 8524, 10720,	11030, 11042,
11386, 12179,	10721, 11027,	11043, 12787,
12190, 12201,	11028, 11040,	12788, 14225,
12331, 12369,	11041, 12786,	14228, 15592,
12402, 12433,	14222, 14224,	15593, 15957,
12464, 12526, 13591	14868, 14870,	15958, 16157,
\thempfootnote .. .	15590, 15591,	16158, 16340,
..... 11340, 13591	15955, 15956,	16341, 16742,
\theorem@indent 14894,	16155, 16156,	16745, 17298,
14895, 14914, 14915	16338, 16339,	17301, 17993, 17996
\theorem@prework . 14888	16741, 17289,	\thetable .. . 6304,
\theorempostskipamount	17297, 17988, 17992	6481, 6726, 8520,
..... 14889, 14909	\thesubparagraph ..	10729, 11024,
\theorempreskipamount	. . . 22, 227, 552,	11037, 14235,
..... 14892, 14912	706, 960, 1219,	15599, 15962,
\thepage .. 1842, 1847,	6299, 6476, 6733,	16153, 16335,
2434, 4449, 4561,	8404, 8527, 10724,	17313, 18004, 18432
4562, 4563, 4572,	11031, 11044,	\thinlines .. . 6986,
4573, 5788, 5789,	12789, 14229,	6996, 7009, 7019,
5800, 5801, 5802,	15594, 15959,	7032, 7042, 7055, 7065
7321, 7339, 7496,	16159, 16342,	\thispagestyle . 101,
7514, 20174, 20872	16746, 17302, 17997	113, 231, 472,
\theparagraph .. 21,	\thesubsection .. 19,	604, 619, 823, 868,
22, 226, 227, 551,	20, 224, 225, 549,	1075, 1120, 1325,
552, 705, 706, 959,	550, 703, 704, 957,	5689, 5711, 5732,
960, 1218, 1219,	958, 1216, 1217,	6195, 6372, 6583,
5338, 6298, 6299,	5331, 6296, 6297,	6646, 8367, 8464,



8581, 8584, 10686,	15717, 15739,	13820, 13822,
12745, 12793,	15757, 15855,	13846, 13847,
12817, 12820,	15857, 15863,	13849, 13858,
14212, 15478,	15866, 15867, 15872	13861, 13862,
15688, 15733,	\titlefont ... 2314,	13863, 13864,
15829, 16073,	2322, 7690, 16603,	13865, 13866,
16193, 16255,	16716, 17152,	13868, 13874,
16589, 16662,	17265, 17851, 17964	13879, 13882,
17138, 17211,	\titleformat ... 5314,	13883, 13896,
17837, 17910, 18763	5321, 5328, 5335	13898, 13899,
\thm@topsepadd 14889,	\titlehead	13900, 13901,
14890, 14893,	. 16686, 17235, 17934	13902, 13903,
14909, 14910, 14913	\titlepage ... 630,	13904, 13913,
\thr@@ ... 359, 375,	937, 1189, 6261,	13916, 13920,
1384, 1402, 1426,	6449, 15489, 15939	13921, 13922,
1435, 9181, 9186,	\titlepagestyle ...	13925, 13939,
18351, 18548, 18568	. 16662, 17211, 17910	13945, 13958,
\threecolumnfootnotes	\titlespacing	13963, 13967,
..... 9043	5342, 5343, 5344	13988, 13996,
\threecolumnfootstyle	\titlestyle ... 2322, 7721	13997, 14022,
..... 9134	\tl ... 13611, 13619,	14026, 14027,
\tiny ... 1917, 5086, 5458	13624, 13626,	14028, 14041,
\title 330, 448, 484, 788,	13627, 13628,	14113, 14114,
833, 1040, 1085,	13629, 13631,	14122, 14123,
1290, 1335, 1887,	13632, 13634,	14124, 14125,
2336, 2375, 5603,	13637, 13641,	14135, 14136,
5618, 6356, 6533,	13650, 13654,	14137, 14142,
6622, 6658, 8343,	13657, 13662,	14147, 14149,
8377, 8440, 8476,	13667, 13675,	14152, 14153,
10662, 10696,	13677, 13678,	14158, 14159,
15653, 15698,	13679, 13680,	14164, 14177, 14178
15794, 15841,	13682, 13684,	\tmpcount ... 3631, 3657
16044, 16085,	13686, 13687,	\toaddress .. 8590, 12826
16231, 16267,	13689, 13695,	\toc@headstar 18753, 18758
16684, 17233, 17932	13699, 13702,	\tocbasic@DependOnPenaltyAndTOCLevel
\TitleBarFrame ...	13703, 13706, 19348
.. 11391, 11410,	13713, 13718,	\tocbasic@SetPenaltyByTOCLevel
11412, 11414, 11416	13726, 13729, 19432
\titlecolour .. 2305, 7657	13730, 13731,	\TOCEntryStyleStartInitCode
\titlecontents . 5370,	13732, 13733,	.. 16965, 16978,
5377, 5384, 5391, 5398	13736, 13742,	16997, 17545,
\TitleFont ... 737,	13743, 13744,	17558, 17577,
753, 844, 846, 852,	13749, 13751,	18228, 18241, 18260
989, 1005, 1096,	13758, 13762,	\toclevel@subfigure
1098, 1104, 1239,	13767, 13769, 18965
1255, 1347, 1349,	13771, 13773,	\toclevel@subtable 18985
1355, 1358, 1359,	13792, 13798,	\TOCLineLeaderFill
1364, 6321, 6498,	13799, 13800, 16982,
15602, 15618,	13801, 13802,	16999, 17562,
15709, 15711,	13814, 13817,	17579, 18245,



18262, 19449, 19710	19811, 19860,	20686, 20730,
\tocstyle@numberline 19855, 19857, 19875, 19877, 19880, 19882	\tocstyleTOC	20731, 20732, 20733
\tocstyle@activate@all@l 19968	.. 19756, 19759, 19760, 19762, 19764, 19768, 19769, 19771,	\tolerance
\tocstyle@activate@features 19745	19772, 19776, 19780, 19781, 19784, 19785, 19788, 19789,	8941, 9089, 9236, 9387, 9538, 9689, 9840, 9991, 10142
\tocstyle@dottedtocline 19732	19792, 19794, 19796, 19797, 19801, 19806, 19807, 19810,	\toname 8590, 12826
\tocstyle@feature@dothook 19831	19811, 19860, 19862, 19863, 19867	\topheight
\tocstyle@feature@entryhook 19827	\today 5612	.. 15117, 15119, 15120, 15121, 15123, 15129,
\tocstyle@feature@entryvskip 19746, 19749	\token 14958	15131, 15133, 15134, 15135, 15198, 15199, 15200, 15201,
\tocstyle@feature@leaders 19829, 19834	\tocstyle@pagenumberbox 122, 19837, 19840	15205, 15206, 15210
\tocstyle@feature@pagenumberhook 19838, 19840	124, 1469, 1470, 1472, 1473, 4943, 4944, 4950, 6896,	\topins 15293
\tocstyle@feature@parfillskip 19817, 19818	11469, 11470, 11471, 12802, 12804	\topmargin 1857, 2259, 8061, 10966, 20961
\tocstyle@feature@raggedhook 19753	121, 125, 4155, 4159,	\topmark .. 7126, 7135,
\tocstyle@feature@spaceafternumber 19854, 19858, 19879, 19883	7126, 7127, 7128, 7129, 7189, 7190, 7191, 7192, 10784,	7189, 7198, 10784, 10793, 10820, 10829, 11579,
\tocstyle@indentstyle 19804, 19874	10785, 10786, 10787, 10820,	11588, 11627, 11636, 14347, 14356, 14447, 14456, 20683,
\tocstyle@l@define ... 19891, 19894, 19899, 19903, 19907, 19911, 19915, 19919, 19923, 19927, 19959	10821, 10822, 10823, 11579, 11580, 11581, 11582, 11627, 11628, 11629, 11630, 11731, 11734, 11768,	20692, 20730, 20739
\tocstyle@macrochangewarning 19947, 19954	11770, 11774,	\topsep ... 1999, 2008, 2449, 4242, 5452, 5494, 14244, 14246
\tocstyle@numberline 19733, 19852	11776, 11779,	\topskip 311,
\tocstyle@savd@dottedtocline 19949	12309, 12312, 12801, 12805, 14347, 14348,	1865, 7381, 7384, 11475, 11477, 11482, 14250, 14541, 18729, 18735, 18740, 18747, 18752, 18757
\tocstyle@savd@numberline 19957	14349, 14350, 14447, 14448,	\TOTALHEIGHT 18580, 18584
\tocstyle@depth 19744, 19756, 19768, 19788, 19789, 19792, 19810,	14449, 14450, 18494, 18514, 18520, 20683, 20684, 20685,	\totalheight 11761
		\tovalue
		3515, 3602, 3610, 3641, 3654, 3660, 3661
		\tracingmacros ... 3630
		\traditionalconverses ... 5850, 5873, 5889
		\traditionalhalfverses 5839, 5843, 5850, 5883
		\traditionalpoem .. 6092



\traditionalpoem@cr	11510,	11514,	18479, 18484, 18527
... 5963, 6012, 6013	11515,	11516,	\TX@cols
\traditionalpoem@obeylines	11517,	11520,	. 18480, 18484, 18528
..... 5893, 6092	11686,	11687,	\TX@endtabularx 12298,
\traditionalpoem@par	11697,	11699,	12309, 12315, 18469
... 5893, 5894, 6012	11700,	11702,	\TX@find@endtabularxa
\trimb	11703,	11706, 18471, 18472
\trimc	11708,	11709,	\TX@find@endtabularxb
\trivlist	11743,	11745, 18501
. 10875, 14891, 14911	11746,	11748,	\TX@find@endtabularxbb
\ttdefault ... 7596, 7688	11749,	11752, 18499
\ttfamily	11754,	11755,	\TX@ftn . 18496, 18531,
1904, 1944, 1945,	12935,	14634,	18533, 18535,
1947, 1948, 1949,	14641,	14642,	18538, 18540, 18542
1950, 1951, 1952, 1953	14650,	14651,	\TX@ftntext
\ttl@a	14656,	14657,	18490
\ttl@b	14663,	14673,	\TX@LTRftntext
18647, 18652, 18654	14674,	14681, 18491, 18530
\ttl@beginlongest 18622	14682,	14699,	\TX@newcol
\ttl@calc .. 18617, 18629	14704,	15309,	\TX@old@table
\ttl@changecentercr	15310,	16547,	\TX@RTLftntext
..... 18621	17096,	17667, 18492, 18537
\ttl@contentsstretch	17795,	18351,	\TX@target . 18479, 18493
..... 18659	18449,	18547,	\TX@trial
\ttl@corr	18555,	18877,	. 18483, 18488, 18504
. 18674, 18675, 18678	20367,	20368,	\TX@trial@ftn
\ttl@endlongest .. 18637	20599,	20603, 20605	. 18507, 18508, 18509
\ttl@filleft 18611, 18640	\twocolumn		\TX@typeout@ 18481, 18523
\ttl@filright 18612, 18641	.. 465, 601, 617,		\TX@verb
\ttl@glcmds	816, 866, 1068,		18474
\ttl@hmode@error . 18623	1118, 1318, 1841,		\TX@vwarn
\ttl@leaders	6193, 6370, 6580,		18510
\ttl@lselect 18683, 18686	6639, 7320, 7495,		\TX@xftntext
\ttl@makeline 18617, 18672	8360, 8457, 10679,		18490
\ttl@margin . 18671, 18677	14203,	15476,	\TX@xLTRftntext
\ttl@midlongest .. 18636	15681,	15731,	18491, 18534
\ttl@outnoblock .. 18650	15822,	16066,	\TX@xRTLftntext
\ttl@savel@chapter 18685	16190,	16248,	18492, 18541
\ttl@savel@part .. 18682	16655,	17204,	\typeout
\ttl@hang	17903,	18729,	1533,
\turn	18735,	18740,	1535, 4445, 4447,
\turnbox	18747,	18752, 18757	4448, 4449, 4451,
\tw@ ... 358, 366, 1383,	\twocolumnfootnotes 8892		4453, 4454, 4455,
1391, 1425, 1429,	\twocolumnfootstyle 8999		11065, 15349,
1434, 2171, 2790,	\TX@	18471,	19756, 19768,
9037, 9042, 10747,	18472, 18500, 18501	18472, 18524, 18526	19788, 19789,
10748, 11468,	\TX@align ..		19792, 19810, 19811
11472, 11473,	\TX@arith	18486	U
11487, 11491,	\TX@ckpt ..	18476, 18522	\uc@authornothanks
11496, 11499,	\TX@col@width .	18473,	.. 765, 794, 799,



	15659, 15664, 15769, 15800, 15805	950, 951, 963, 968, 1062, 1134, 1135, 1137, 1199, 1208, 1214, 6209, 6210, 6212, 6287, 6293, 6386, 6387, 6389, 6440, 6446, 15499, 15510, 15511, 15513, 15564, 15570, 15882, 15883, 15885, 15949, 15987, 15993	16508, 16843, 16864, 16869, 16878, 17423, 17444, 17449, 17458, 18106, 18127, 18132, 18141, 20491, 20681, 20728, 20904
\uc@ax	795, 796, 1047, 1048, 1297, 1298, 15660, 15661, 15801, 15802	\unitlength 6986, 6996, 7009, 7019, 7032, 7042, 7055, 7065, 14925	\untilcondition 3516, 3530, 3614, 3657
\uc@nothanks 756, 793, 794, 803, 1008, 1045, 1046, 1055, 1258, 1295, 1296, 1305, 6324, 6501, 15621, 15658, 15659, 15668, 15760, 15799, 15800, 15809	\unkern 5107	\unvbox . . . 6832, 6833, 7087, 7090, 7107, 7111, 7124, 7174, 7187, 7233, 7291, 7299, 7300, 7309, 7387, 7389, 7393, 7396, 7402, 7406, 7465, 7473, 7474, 7483, 7531, 7762, 7765, 7766, 7783, 7786, 7787, 7812, 7819, 7824, 7829, 7869, 7874, 7878, 7883, 8706, 8719, 8732, 8822, 8854, 8860, 8891, 8954, 8966, 8979, 9019, 9102, 9113, 9125, 9163, 9249, 9261, 9274, 9314, 9400, 9412, 9425, 9465, 9551, 9563, 9576, 9616, 9702, 9714, 9727, 9767, 9853, 9865, 9878, 9918, 10004, 10016, 10029, 10069, 10155, 10167, 10180, 10220, 10245, 10365, 10379, 10393, 10446, 10465, 10474, 10499, 10507, 10514, 10519, 10525, 10980, 11289, 11303, 11317, 11354, 11359, 11462, 11472, 11499, 11577,
\uc@tx	793, 801, 1045, 1053, 1295, 1303, 15658, 15666, 15799, 15807	\unpenalty 6821, 7364, 7376, 7387, 7393, 10250, 10268, 10278, 11499	\unrestored@protected@xdef 2115, 2123, 2131, 5190, 5219, 5248, 6071, 6078, 6085, 11203, 11212, 11371, 11386, 12179, 12190, 12201, 12212
\uc@ty	802, 803, 1054, 1055, 1304, 1305, 15667, 15668, 15808, 15809	\unsetfootnoteRL 11218, 11219	\unsetfootnoteRL 11218, 11219
\undefined	3961, 6045, 6098, 6101, 6103, 16846, 16848, 16850, 17426, 17428, 17430, 18109, 18111, 18113	\unsetLTR . . . 15278, 20345	\unsetLTR . . . 15278, 20345
\underline	20558, 20566	\unsetRTL . . . 15316, 20376	\unsetRTL . . . 15316, 20376
\undertext	20566	\unsetRTL . . . 15277, 20344	\unsetRTL . . . 15277, 20344
\unexpanded	2817, 2826, 2827, 2834, 2835, 2848, 2849, 2856, 2857, 2958, 3079	\unskip 46, 60, 76, 259, 273, 288, 346, 1451, 1452, 1453, 4499, 4502, 4505, 4508, 5198, 5227, 5256, 5945, 5956, 6818, 7124, 7187, 7364, 7376, 7387, 7389, 7393, 7397, 8849, 10248, 10249, 11349, 11577, 11625, 13518, 13560, 13563, 14345, 14445, 16480, 16490,	\unskip 46, 60, 76, 259, 273, 288, 346, 1451, 1452, 1453, 4499, 4502, 4505, 4508, 5198, 5227, 5256, 5945, 5956, 6818, 7124, 7187, 7364, 7376, 7387, 7389, 7393, 7397, 8849, 10248, 10249, 11349, 11577, 11625, 13518, 13560, 13563, 14345, 14445, 16480, 16490,
\unhbox	1499, 5918, 6183, 6922, 10247, 10271, 10281, 10284, 10467, 10471, 10476, 10479, 20476, 20609, 20610, 20611, 20612	\unvbox 6832, 6833, 7087, 7090, 7107, 7111, 7124, 7174, 7187, 7233, 7291, 7299, 7300, 7309, 7387, 7389, 7393, 7396, 7402, 7406, 7465, 7473, 7474, 7483, 7531, 7762, 7765, 7766, 7783, 7786, 7787, 7812, 7819, 7824, 7829, 7869, 7874, 7878, 7883, 8706, 8719, 8732, 8822, 8854, 8860, 8891, 8954, 8966, 8979, 9019, 9102, 9113, 9125, 9163, 9249, 9261, 9274, 9314, 9400, 9412, 9425, 9465, 9551, 9563, 9576, 9616, 9702, 9714, 9727, 9767, 9853, 9865, 9878, 9918, 10004, 10016, 10029, 10069, 10155, 10167, 10180, 10220, 10245, 10365, 10379, 10393, 10446, 10465, 10474, 10499, 10507, 10514, 10519, 10525, 10980, 11289, 11303, 11317, 11354, 11359, 11462, 11472, 11499, 11577,	\unvbox 6832, 6833, 7087, 7090, 7107, 7111, 7124, 7174, 7187, 7233, 7291, 7299, 7300, 7309, 7387, 7389, 7393, 7396, 7402, 7406, 7465, 7473, 7474, 7483, 7531, 7762, 7765, 7766, 7783, 7786, 7787, 7812, 7819, 7824, 7829, 7869, 7874, 7878, 7883, 8706, 8719, 8732, 8822, 8854, 8860, 8891, 8954, 8966, 8979, 9019, 9102, 9113, 9125, 9163, 9249, 9261, 9274, 9314, 9400, 9412, 9425, 9465, 9551, 9563, 9576, 9616, 9702, 9714, 9727, 9767, 9853, 9865, 9878, 9918, 10004, 10016, 10029, 10069, 10155, 10167, 10180, 10220, 10245, 10365, 10379, 10393, 10446, 10465, 10474, 10499, 10507, 10514, 10519, 10525, 10980, 11289, 11303, 11317, 11354, 11359, 11462, 11472, 11499, 11577,
\unhcopy 18371, 18383, 18459	\unskip 46, 60, 76, 259, 273, 288, 346, 1451, 1452, 1453, 4499, 4502, 4505, 4508, 5198, 5227, 5256, 5945, 5956, 6818, 7124, 7187, 7364, 7376, 7387, 7389, 7393, 7397, 8849, 10248, 10249, 11349, 11577, 11625, 13518, 13560, 13563, 14345, 14445, 16480, 16490,	\unskip 46, 60, 76, 259, 273, 288, 346, 1451, 1452, 1453, 4499, 4502, 4505, 4508, 5198, 5227, 5256, 5945, 5956, 6818, 7124, 7187, 7364, 7376, 7387, 7389, 7393, 7397, 8849, 10248, 10249, 11349, 11577, 11625, 13518, 13560, 13563, 14345, 14445, 16480, 16490,
\unhskip	3435		
\unitindent	640, 651, 652, 654, 728, 734, 878, 879, 881, 947, 948		



11625,	13491,	11996,	11999,	\usepackage
13496,	13505,	12000,	12004,	3879, 3880, 3885, 3886,
13508,	13566,	12005,	12008,	3889, 3892, 3937, 3938
13584,	14345,	12009,	12012,	\usetocbasicnumberline 19385
14374,	14376,	12013,	12016,	
14384,	14402,	12017,	12031,	V
14404,	14445,	12032,	12034,	\v@aaa
14474,	14476,	12035,	12047,	7252, 7254, 7255, 7256,
14484,	14502,	12048,	12050,	7258, 7260, 7261,
14504,	14559,	12051,	12057,	7262, 7263, 7418,
15155,	15159,	12058,	12061,	7420, 7422, 7424,
15164,	15168,	12062,	12066,	7425, 7430, 7431,
15180,	15191,	12067,	12070,	7433, 7436, 7437, 7440
15211,	15214,	12071,	12074,	\v@ccc 7253, 7259, 7261,
15219,	15293,	12075,	12078,	7262, 7263, 7264,
15294,	15298,	12079,	12086,	7273, 7281, 7419,
15303,	20476,	12088,	12092,	7431, 7432, 7436,
20681,	20728, 20983	12094,	12099,	7439, 7443, 7449, 7455
\unvcopy .	7359, 7806, 7863	12101,	12105,	\vadjust . 5921, 5922, 5929
\uppercase	318, 773, 793, 1025, 1045, 1275, 1295, 6341, 6518, 15638, 15658, 15777, 15799	12107,	12111,	\valign 8881, 8885
\uppercaseonnonmath 114, 12794	12113,	12117,	\value 4988, 5007,
\uppermargin	8045	12119,	12132,	5026, 5058, 11055,
\uppertitleback	15219, 15293, 15294, 15298, 15303, 20476, 20681, 20728, 20983	12134,	12944,	11070, 11071,
\upshape	5375, 5382, 5389, 5396, 5403, 7597, 7601, 7602, 7689, 7694, 7695, 15368	12946,	14921,	11074, 11075,
\urlstyle	2278	14922,	14924,	11078, 16833,
\use	13742	14931,	14949,	17413, 18096, 18475
\usebox	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	15226,	15227, 20290	\varcustomer . . 17687, 17713, 17714, 17717
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	16561, 16568,	16605,	\varinvoice . . 17688, 17719, 17720, 17723
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	16718,	16969,	\varmyref 17686, 17707, 17708, 17711
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	16972,	16989,	\varrefitemi . . 17689, 17725, 17726, 17729
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	16991,	17110,	\varrefitemii . . 17690, 17731, 17732, 17735
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	17117,	17154,	\varrefitemiii . 17691, 17737, 17738, 17741
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	17267,	17549,	\varrefitemnamei . 17727
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	17552,	17568,	\varrefitemnameii 17733
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	17571,	17809,	\varrefitemnameiii 17739
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	17816,	17853,	\varyourmail . . 17685, 17701, 17702, 17705
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	17966,	18232,	\varyourref 17684, 17695, 17696, 17699
\usekomafont	1984, 1994, 4340, 4472, 4474, 4479, 4481, 4490, 4491, 4494, 4495, 4702, 8151, 8154, 8162, 8169, 8177, 8184, 8227, 11869, 11873, 11956, 11958, 11962, 11964, 11969, 11971, 11975, 11977, 11981, 11983, 11987, 11989, 11995,	18235,	18251, 18254	\vbadness . . 7123, 7186, 8880, 8884, 10782, 10818, 10923, 11576, 11624,



14344,	14444,	10504,	10517,	\vboxR
15107,	20680,	10796,	10833,	\vcenter 401, 1483, 6906,
\vbox . . .	179, 316, 401,	10924,	10929,	18461, 20394,
407,	1419, 1486,	10954,	10967,	20473, 20474, 20577
2195,	4729, 4730,	10997,	11288,	\veqno 337, 338
4732,	5905, 6826,	11302,	11316,	\verb 18474
6831,	6909, 7087,	11335,	11459,	\VerbBox 8208, 8210
7090,	7107, 7111,	11472,	11496,	\verse@i 5935,
7124,	7139, 7156,	11577,	11593,	5966, 5972, 5980, 6021
7172,	7187, 7202,	11625,	11641,	\verse@ii
7215,	7231, 7253,	13429,	13491,	5946, 5967, 5973,
7259,	7264, 7267,	13496,	13499,	5975, 5981, 5983, 6021
7273,	7276, 7281,	13504,	13505,	\versewidth
7286,	7290, 7298,	13508,	13528,	5898, 5908, 6000
7308,	7359, 7387,	13566,	14098,	\vfil 423, 437, 631, 634,
7389,	7392, 7401,	14250,	14345,	750, 779, 938, 941,
7419,	7431, 7443,	14368,	14373,	1002, 1031, 1190,
7444,	7449, 7451,	14375,	14383,	1193, 1252, 1281,
7455,	7459, 7464,	14401,	14406,	5905, 6262, 6265,
7472,	7482, 7530,	14445,	14468,	6318, 6347, 6450,
7536,	7754, 7762,	14473,	14475,	6453, 6495, 6524,
7763,	7771, 7775,	14483,	14501,	6597, 6611, 7762,
7783,	7784, 7792,	14506,	14537,	7783, 8320, 8334,
7806,	7811, 7815,	14977,	15141,	8415, 8429, 10639,
7818,	7822, 7823,	15142,	15155,	10653, 15299,
7840,	7847, 7863,	15159,	15164,	15490, 15493,
7868,	7872, 7873,	15168,	15180,	15615, 15644,
7876,	7877, 7892,	15191,	15206,	15754, 15783,
7899,	8705, 8718,	15208,	15210,	15940, 15943,
8731,	8820, 8953,	15213,	15218,	16019, 16033,
8965,	8978, 9018,	15255,	15262,	16206, 16220, 20966
9101,	9112, 9124,	15263,	15270,	\vfill 1833, 5685,
9162,	9248, 9260,	15379,	16860,	8881, 8885, 10551,
9273,	9313, 9399,	17440,	18123,	15206, 15211,
9411,	9424, 9464,	18427,	18461,	15212, 16405,
9550,	9562, 9575,	18466,	19890,	16420, 16452,
9615,	9701, 9713,	19893,	19898,	16469, 16597,
9726,	9766, 9852,	19902,	19906,	16619, 16624,
9864,	9877, 9917,	19910,	19914,	16630, 17146,
10003,	10015,	19918,	19922,	17168, 17173,
10028,	10068,	19926,	20318,	17179, 17845,
10154,	10166,	20326,	20327,	17867, 17872, 17878
10179,	10219,	20335,	20466,	\vfuzz . . . 4956, 4959, 4960
10245,	10320,	20471,	20577,	\leftskip . . . 14218, 14219
10332,	10344,	20594,	20681,	\voffset 1861
10362,	10370,	20696,	20728,	\voidb@x 6799, 6863
10376,	10384,	20743,	20882,	\vphantom 20053
10390,	10398,	20923,	20962, 20965	\vpic . . . 15131, 15141, 15142
10438,	10445,	\vboxL	15263,	\wrightskip . . . 14218, 14219
10452,	10496,	16395,	16440, 20327	



\vrule	390,	8285, 8321, 8324,	16104, 16107,
1498, 4731, 4732,		8330, 8385, 8389,	16126, 16207,
5904, 5906, 6921,		8395, 8399, 8416,	16210, 16216,
7143, 7208, 7271,		8419, 8425, 8484,	16275, 16281,
7283, 7448, 7457,		8490, 8496, 8500,	16287, 16291,
10798, 10839,		8535, 8540, 8549,	16311, 16349,
11599, 11645,		8841, 8851, 8864,	16353, 16361,
13420, 13477,		10482, 10486,	16560, 16567,
13826, 14088,		10500, 10508,	16601, 16604,
14169, 14378,		10510, 10521,	16606, 16612,
14385, 14410,		10574, 10592,	16614, 16616,
14478, 14485,		10596, 10604,	16632, 16710,
14512, 14541,		10640, 10643,	16714, 16717,
14654, 14668,		10649, 10704,	16719, 16726,
18387, 18415,		10708, 10714,	16728, 16731,
18456, 20580,		10718, 10966,	16736, 16816,
20700, 20749, 20896		10970, 10971,	16821, 16905,
\vsize	7329, 7504,	10979, 11351,	16907, 16911,
10944, 11424,		11460, 11498,	16913, 16924,
11475, 13503, 13511		11503, 12912,	16926, 16934,
\vskip	319,	12914, 13026,	16936, 17109,
322, 424, 427, 433,		13039, 13447,	17116, 17150,
492, 498, 504, 508,		13464, 13465,	17153, 17155,
570, 649, 751, 760,		13467, 13581,	17161, 17163,
770, 841, 845, 851,		14244, 14246,	17165, 17181,
855, 876, 1003,		14249, 14290,	17259, 17263,
1012, 1022, 1093,		14299, 14307,	17266, 17268,
1097, 1103, 1107,		14376, 14377,	17275, 17277,
1132, 1253, 1262,		14379, 14386,	17280, 17285,
1272, 1343, 1348,		14403, 14476,	17396, 17401,
1354, 1358, 1364,		14477, 14479,	17485, 17487,
1367, 2210, 5961,		14486, 14503,	17491, 17493,
5988, 6024, 6025,		14548, 14560,	17504, 17506,
6031, 6035, 6037,		14579, 14591,	17514, 17516,
6148, 6150, 6207,		14603, 15106,	17692, 17693,
6246, 6319, 6328,		15123, 15144,	17808, 17815,
6338, 6384, 6423,		15210, 15296,	17849, 17852,
6496, 6505, 6515,		15302, 15508,	17854, 17860,
6546, 6551, 6555,		15547, 15616,	17862, 17864,
6557, 6563, 6567,		15625, 15635,	17880, 17958,
6569, 6598, 6601,		15706, 15710,	17962, 17965,
6607, 6666, 6672,		15716, 15720,	17967, 17974,
6678, 6682, 6702,		15755, 15764,	17976, 17979,
6741, 6746, 6754,		15774, 15849,	17984, 18079,
7173, 7232, 7293,		15856, 15862,	18084, 18168,
7294, 7302, 7303,		15866, 15872,	18170, 18174,
7312, 7313, 7394,		15875, 15880,	18176, 18187,
7467, 7468, 7476,		15919, 16020,	18189, 18197,
7477, 7486, 7487,		16023, 16029,	18199, 18821,
7827, 7881, 8277,		16093, 16099,	18840, 18861,



18878,	18895,	7421, 7431, 7443,	13567, 14256,
18912,	18929,	7449, 7451, 7455,	14260, 14262,
18947,	18966,	7459, 7534, 7819,	14270, 14301,
18986,	19021,	7829, 7874, 7883,	14620, 15099,
19210,	19747,	10998, 13496,	15310, 15333,
19931,	20110,	13508, 14099,	15360, 16392,
20114,	20133,	15141, 15142,	16437, 16493,
20500,	20509,	15213, 15379, 20476	16500, 16858,
20518,	20527,	\vtop 180, 401, 407, 1418,	17438, 17698,
20615,	20882,	1485, 4790, 4834,	17704, 17710,
20961,	20974,	4878, 6832, 6908,	17716, 17722,
20982,	21006, 21014	13411, 18427,	17728, 17734,
\vspace 2378,	4333, 4423,	18461, 18466,	17740, 17746,
4431,	5049, 5053,	20472, 20577,	18121, 18367,
5115,	5120, 5133,	20594, 20797, 20841	18525, 18576,
5138,	5151, 5156,		18630, 18647,
5273,	5282, 5291,		19390, 19404,
5372,	5379, 5386,		20144, 20188,
5393,	5400, 5683,		20368, 20554, 21008
5727,	5731, 6540,	\waslice 15141, 15159,	\WF@everypar . . . 20107
6560,	6735, 6749,	15164, 15180,	\WF@adjlw . . 20147, 20172
8529,	8544, 8589,	15199, 15200, 15209	\WF@adjslm . 20169, 20172
8591,	8593, 10587,	\wbslice . . . 15142,	\WF@box 20144, 20177, 20178
10599,	12825,	15155, 15168,	\WF@floatfalse 20110,
12827,	13548,	15191, 15198,	20118, 20128, 20131
13561,	16344,	15200, 15201,	\WF@fltmes 20137
16356,	17750,	15205, 15206,	\WF@info 20117,
17753,	17755,	15213, 15218, 15219	20127, 20130,
17760,	18729,	\wd . . . 5911, 5912, 5972,	20139, 20174, 20176
18735,	18740,	5973, 5975, 5981,	\WF@covh 20144
18747,	18752, 18757	6021, 6122, 6124,	\WF@place . . 20142, 20148
\vsplit	7082,	6137, 6139, 6930,	\WF@putfigmaybe . . 20108
7083,	7100, 7104,	8221, 8225, 10255,	\WF@size 20121, 20175
7125,	7188, 7254,	10758, 10885,	\WF@startwrapping 20180
7260,	7265, 7420,	11397, 11515,	\WF@wfname
7422,	7431, 7443,	11516, 11706,	. 20139, 20174, 20176
7533,	8890, 10783,	11708, 11752,	\WF@wrapil . 20168, 20171
10819,	11468,	11754, 11875,	\whilecondition 3516,
11578,	11626,	11956, 11958,	3530, 3619, 3651
14346,	14446,	11962, 11964,	\whiledo 10928
15112,	15115,	11995, 11996,	\widowpenalty . . . 92,
15134,	15135,	11999, 12000,	305, 588, 720,
15153,	15157,	12024, 12025,	983, 1233, 2458,
15162,	15166,	12027, 12040,	6009, 6279, 6467,
15178,	15189,	12041, 12043,	6779, 8300, 8574,
15216,	20682, 20729	12057, 12058,	10627, 12735,
\vss	316,	12061, 12062,	14825, 15585,
7159,	7218, 7254,	12086, 12088,	15979, 16176,
7260,	7265, 7273,	12092, 12094,	16379, 16787,
7276,	7281, 7286,	12873, 12917,	17367, 18050, 18708
		12918, 12929,	
		13033, 13442,	



\WIDTH 18576, 18584	\XC@mmod 20207, 20208, 20250, 20251	\xyzzy 4937
\width .. 11418, 11686, 11774, 11776, 14135, 14144, 14168	\XC@mul 20210, 20253	Y
\widthof 8076, 8081	\XC@split 20273	\y 7995, 7999, 8003, 8007, 8012, 8013,
\windowbox 15208, 15214	\XC@tgc@mod 20203, 20246	8016, 8017, 8021,
\wlog 7255, 7261, 7263, 7424, 7432, 7439	\XC@type 20216, 20265	8022, 8025, 8026,
\write 4110, 5894, 5897, 6108, 18513, 20662	\XC@undeclaredcolor 20212, 20223	12696, 12698, 12699, 12702, 12709
\wstrutbox 15118, 15120	\xcolor@ 20227, 20261	\ym 8012, 8016, 8022, 8026
X	\xdef 343, 396, 1937, 2614, 2749, 2834, 2835, 2838, 2839, 2856, 2857, 2860, 2861, 4001, 4156, 5912, 5914, 5995, 5997, 5999, 7127, 7129, 7190, 7192, 7772, 7793, 7838, 7844, 7845, 7890, 7896, 7897, 10310, 10427, 10489, 10785, 10787, 10821, 10823, 11189, 11580, 11582, 11628, 11630, 12310, 12866, 13427, 14348, 14350, 14448, 14450, 15062, 15069, 15076, 18647, 19772, 19776, 19797, 19801, 19863, 19867, 20142, 20147, 20168, 20169, 20171, 20172, 20684, 20686, 20731, 20733	\yourmailname 17703
\XC@tmp 20215, 20216, 20230, 20264, 20265, 20273, 20277	\XeLaTeX 12692, 20372, 21175, 21176	\yourrefname 17697
\XC@tstfalse 20215, 20264	\XC@tsttrue 20216, 20217, 20218, 20265, 20266, 20267	\yym 7994, 7998, 8004, 8008
\XC@bidideclaredcolor 20271, 20276	\XC@bidideclaredcolor 20270, 20272	Z
\XC@bidiundeclaredcolor 20255, 20257	\XC@coremodel 20199, 20242	\z@ 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 217, 229, 233, 259, 273, 288, 316, 324, 328, 346, 360, 364, 367, 378, 393, 398, 404, 405, 469, 516, 528, 533, 560, 599, 604, 605, 615, 619, 620, 649, 650, 653, 655, 668, 693, 745, 762, 820, 864, 868, 869, 876, 877, 880, 883, 895, 912, 949, 952, 997, 1014, 1060, 1072, 1116, 1120, 1121, 1132, 1133, 1136, 1138, 1151, 1177, 1247, 1264, 1322, 1359, 1385, 1389, 1392, 1405, 1427, 1435, 1453, 1463, 1465, 1475, 1477, 1482, 1496, 1498, 1499, 2155, 2210, 3496, 3506, 4230, 4239, 4538, 4771, 4775, 4815, 4819, 4859, 4863, 5449, 5476, 5507, 5519, 5697, 5925, 5928, 5931, 5972, 5973, 5975, 5981, 5995, 5999, 6003,
\XC@current@color 20227, 20230, 20231, 20261, 20277, 20278	\XC@declaredcolor 20222, 20229	
\XC@declaredcolor 20221	\XC@fbox 20283	
\XC@display 20228, 20232, 20262, 20279	\XC@getmodclr 20195, 20238	
\XC@edef 20215, 20264	\XC@inflate 20209, 20252	
\XC@fbox 20283	\XC@let@Nc 20230, 20277	
\XC@getmodclr 20195, 20238	\XC@mclr 20209, 20252	
\XC@inflate 20209, 20252	\xm 7995, 7999, 8013, 8017	
\XC@let@Nc 20230, 20277	\xxm 8003, 8007, 8021, 8025	
\XC@mclr 20209, 20252		



6004, 6005, 6006,	10141,	10254,	13592,	14206,
6007, 6008, 6021,	10350,	10354,	14209,	14233,
6034, 6102, 6114,	10358,	10459,	14358,	14362,
6115, 6122, 6124,	10483,	10484,	14372,	14433,
6137, 6139, 6147,	10485,	10562,	14458,	14462,
6191, 6195, 6196,	10577,	10588,	14472,	14530,
6207, 6208, 6211,	10600,	10683,	14547,	14556,
6213, 6226, 6249,	10726,	10728,	14558,	14579,
6301, 6303, 6305,	10730,	10759,	14591,	14603,
6313, 6330, 6368,	10910,	10965,	14623,	14634,
6372, 6373, 6384,	10998,	11021,	14640,	14814,
6385, 6388, 6390,	11023,	11025,	14819,	14860,
6403, 6426, 6478,	11034,	11036,	14870,	14920,
6480, 6482, 6490,	11038,	11184,	14921,	14922,
6507, 6541, 6561,	11238,	11255,	14924,	14926,
6578, 6583, 6584,	11271,	11298,	14931,	14949,
6643, 6690, 6705,	11312,	11326,	15227,	15271,
6723, 6725, 6727,	11340,	11344,	15273,	15308,
6736, 6750, 6801,	11465,	11515,	15309,	15310,
6802, 6813, 6815,	11522,	11548,	15319,	15320,
6898, 6900, 6905,	11549,	11550,	15333,	15357,
6919, 6921, 6922,	11680,	11681,	15358,	15379,
6927, 6928, 6929,	11682,	11689,	15424,	15425,
6930, 6931, 6965,	11696,	11697,	15439,	15442,
6976, 7094, 7248,	11698,	11699,	15456,	15474,
7295, 7304, 7314,	11700,	11702,	15478,	15479,
7332, 7335, 7372,	11703,	11705,	15508,	15509,
7414, 7469, 7478,	11706,	11708,	15512,	15514,
7488, 7507, 7510,	11742,	11743,	15527,	15550,
7760, 7781, 7798,	11744,	11745,	15596,	15598,
7799, 7801, 7802,	11746,	11748,	15600,	15610,
7810, 7832, 7834,	11749,	11751,	15627,	15685,
7837, 7855, 7856,	11752,	11754,	15729,	15733,
7858, 7859, 7867,	11826,	11832,	15734,	15749,
7884, 7886, 7889,	12743,	12747,	15766,	15826,
8190, 8212, 8214,	12763,	12767,	15867,	15880,
8216, 8219, 8221,	12779,	12791,	15881,	15884,
8223, 8225, 8227,	12808,	12889,	15886,	15899,
8228, 8234, 8239,	12950,	12952,	15922,	15961,
8253, 8267, 8280,	12992,	12999,	15963,	15965,
8364, 8461, 8507,	13004,	13015,	16018,	16061,
8517, 8519, 8521,	13087,	13389,	16070,	16097,
8530, 8545, 8668,	13391,	13423,	16114,	16129,
8684, 8700, 8714,	13429,	13432,	16150,	16152,
8727, 8740, 8778,	13437,	13440,	16154,	16188,
8783, 8790, 8795,	13477,	13491,	16193,	16194,
8802, 8807, 8865,	13495,	13496,	16252,	16299,
8866, 8940, 9088,	13499,	13505,	16314,	16332,
9235, 9386, 9537,	13518,	13539,	16334,	16336,
9688, 9839, 9990,	13541,	13563,	16345,	16357,



16392,	16393,	18084,	18129,	20290,	20338,
16394,	16437,	18193,	18273,	20340,	20366,
16438,	16439,	18278,	18281,	20367,	20368,
16477,	16481,	18287,	18297,	20419,	20420,
16482,	16487,	18307,	18317,	20421,	20500,
16491,	16492,	18358,	18359,	20509,	20518,
16493,	16498,	18360,	18361,	20527,	20531,
16499,	16500,	18366,	18367,	20551,	20552,
16505,	16509,	18371,	18383,	20582,	20593,
16510,	16552,	18417,	18440,	20601,	20606,
16560,	16567,	18452,	18456,	20615,	20778,
16569,	16591,	18549,	18553,	20782,	20822,
16614,	16632,	18560,	18571,	20826,	20867,
16659,	16703,	18614,	18615,	20871,	20874,
16728,	16816,	18625,	18629,	20884,	20885,
16821,	16866,	18630,	18631,	20889,	20896,
16930,	17006,	18634,	18643,	20933,	20959,
17009,	17015,	18644,	18646,	20972,	21017, 21018
17025,	17035,	18647,	18649,	\z@skip ..	2210, 10963,
17045,	17101,	18657,	18662,	10964,	13539,
17109,	17116,	18677,	18763,	13542,	15439,
17118,	17140,	18764,	18838,	15443,	15453,
17163,	17181,	18928,	18946,	18421,	18426,
17208,	17252,	19039,	19218,	18459,	18465,
17277,	17396,	19326,	19355,	20530,	20531,
17401,	17446,	19665,	19669,	20586,	20592, 20959
17510,	17590,	19747,	19752,	\zap@space	3867, 3954, 3990
17595,	17598,	19757,	19805,	\zifrefundefined ..	
17604,	17614,	19931,	20117,	11087, 11110
17624,	17634,	20124,	20125,	\zref@extractdefault	
17671,	17800,	20143,	20159,	11092, 11113
17808,	17815,	20162,	20171,	\zref@labelbyprops	
17817,	17839,	20172,	20174,	11058, 11133
17862,	17880,	20178,	20185,	☒	
17907,	17951,	20186,	20187,	\ \	1723
17976,	18079,	20188,	20283,	\ \	1723

