



The bidi *Package*

Documentation for *version 16.3*

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/persian-tex/bidi/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright © 2007–2014 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bid* Package

Bidirectional typesetting in plain T_EX and L^AT_EX, using XeT_EX engine

Documentation for [version 16.3](#)

Vafa Khalighi
persian-tex@tug.org

November 29, 2014

Contents

I	L^AT_EX Manual	4		
1	Basics	4		
1.1	Loading The Package	4	1.18	LTRitems and RTLitems Envi- ronments
1.2	bid's Symbol	5	1.19	LTbibitems and RTLbib- items Environments
1.3	Commands for Version number, and Date of The Package	6	1.20	\setLTRbibitems, \setRTLbibitems, and \setdefaultbibitems commands
1.4	Turning TeX--XeT features on and off	6	1.21	Typesetting margin par
1.5	Options of The Package	6	1.22	Typesetting of Headers and Footers
1.6	Paragraph Switching Commands	7	1.23	Tabular Typesetting
1.7	Paragraph Switching Environ- ments	8	1.24	Equation Numbers
1.8	Typesetting Short LTR and RTL Texts	8	2	Support For Various Packages and Classes
1.9	Footnotes	9	2.1	Color
1.9.1	Footnote Rule	10	2.2	The dblfnote package
1.10	Two Column Typesetting	10	2.3	Hyperref
1.11	RTL cases	11	2.4	The listings package
1.12	Typesetting Logos	11	2.5	flowfram Package
1.13	Separation Mark	11	2.6	Multicolumn Typesetting
1.14	\raggedright, \raggedleft commands, flushleft and flushright Environments	12	3	Extra bid Packages and Classes
1.15	Primitive-like commands	12	3.1	bid-longtable package
1.16	Something To know about \hbox	12	3.2	biditufte bundle
1.17	\bidillap and \bidirlap Commands	13	3.3	Typesetting T _E X and L ^A T _E X Codes
			3.4	Typesetting Poems
			3.5	Typesetting Resumé

3.6	Print Two Pages On A Single Page	20	7.7	article-xetex-bidi.def	34
3.7	Producing Presentations	21	7.8	artikel1-xetex-bidi.def	38
4	Some Useful Internal Macros and Programming Tips	21	7.9	artikel2-xetex-bidi.def	43
4.1	Equating Conditionals	21	7.10	artikel3-xetex-bidi.def	48
4.2	RTL Conditional	21	7.11	arydshln-xetex-bidi.def	54
4.3	Main RTL Conditional	21	7.12	bidi.sty	57
4.4	Latin Conditional	21	7.13	bidi.tex	59
4.5	Tags Internal Macro	22	7.14	bidi2in1.sty	60
4.6	Definition File Loaded Internal Macro	22	7.15	bidicode.sty	61
4.7	Tabular Conditional	22	7.16	bidiftnxtra.sty	64
4.8	Footnote Conditional	22	7.17	bidi-longtable.sty	68
4.9	Direction Ensuring Macros	22	7.18	bidimoderncv.cls	69
4.10	Reset Direction Macro	23	7.19	biditools.sty	74
II	Plain T_EX Manual	23	7.20	bidituftefloat.sty	85
5	Basics	23	7.21	bidituftesidenote.sty	97
5.1	Loading The Package	23	7.22	bidituftetoc.sty	107
5.2	Commands for Version number, and Date of The Package	23	7.23	bidituftegeneralstructure.sty	110
5.3	Turning TeX--XeT features on and off	24	7.24	bidituftehyperref.sty	112
5.4	Paragraph Switching Commands	24	7.25	bidituftetitle.sty	112
5.5	Paragraph Switching Environments	24	7.26	bidituft-handout.cls	116
5.6	Typesetting Short LTR and RTL Texts	25	7.27	bidituft-book.cls	116
5.7	Primitive-like commands	26	7.28	bidipoem.sty	117
5.8	Something To know about \hbox	26	7.29	boek3-xetex-bidi.def	123
5.9	Typesetting Logos	26	7.30	boek-xetex-bidi.def	127
6	Some Useful Internal Macros and Programming Tips	26	7.31	boekest-xetex-bidi.def	131
6.1	RTL Conditional	27	7.32	book-xetex-bidi.def	131
6.2	Main RTL Conditional	27	7.33	breqn-xetex-bidi.def	136
6.3	Direction Ensuring Macros	27	7.34	cals-xetex-bidi.def	137
6.4	Reset Direction Macro	27	7.35	caption-xetex-bidi.def	138
7	bidi implementation	27	7.36	caption3-xetex-bidi.def	138
7.1	amsart-xetex-bidi.def	27	7.37	colortbl-xetex-bidi.def	138
7.2	amsbook-xetex-bidi.def	30	7.38	color-xetex-bidi.def	139
7.3	amsmath-xetex-bidi.def	33	7.39	combine-xetex-bidi.def	140
7.4	amstext-xetex-bidi.def	33	7.40	crop-xetex-bidi.def	140
7.5	amsthm-xetex-bidi.def	33	7.41	cutwin-xetex-bidi.def	142
7.6	array-xetex-bidi.def	33	7.42	cuted-xetex-bidi.def	143
			7.43	cvthemebidicasual.sty	150
			7.44	cvthemebidiclassic.sty	152
			7.45	dblfnote-xetex-bidi.def	154
			7.46	draftwatermark-xetex-bidi.def	158
			7.47	eso-pic-xetex-bidi.def	158
			7.48	empheq-xetex-bidi.def	159
			7.49	extarticle-xetex-bidi.def	162
			7.50	extbook-xetex-bidi.def	165
			7.51	extletter-xetex-bidi.def	169
			7.52	extrafootnotefeatures-xetex-bidi.def	170
			7.53	extreport-xetex-bidi.def	206
			7.54	fancybox-xetex-bidi.def	209
			7.55	fancyhdr-xetex-bidi.def	210



7.56	fix2col-xetex-bidi.def	210
7.57	fleqn-xetex-bidi.def	212
7.58	float-xetex-bidi.def	212
7.59	floatrow-xetex-bidi.def	213
7.60	flowfram-xetex-bidi.def	213
7.61	footnote-xetex-bidi.def	216
7.62	framed-xetex-bidi.def	222
7.63	ftnright-xetex-bidi.def	226
7.64	graphicx-xetex-bidi.def	227
7.65	geometry-xetex-bidi.def	229
7.66	hvfloa-xetex-bidi.def	230
7.67	hyperref-xetex-bidi.def	236
7.68	leqno-xetex-bidi.def	245
7.69	letter-xetex-bidi.def	245
7.70	lettrine-xetex-bidi.def	246
7.71	listings-xetex-bidi.def	248
7.72	loadingorder-xetex-bidi.def	249
7.73	longtable-xetex-bidi.def	254
7.74	mdframed-xetex-bidi.def	256
7.75	memoir-xetex-bidi.def	257
7.76	midfloat-xetex-bidi.def	261
7.77	minitoc-xetex-bidi.def	265
7.78	multicol-xetex-bidi.def	266
7.79	multienum-xetex-bidi.def	268
7.80	natbib-xetex-bidi.def	270
7.81	newfloat-xetex-bidi.def	270
7.82	ntheorem-xetex-bidi.def	271
7.83	ntheorem-hyper-xetex-bidi.def	271
7.84	pdfpages-xetex-bidi.def	272
7.85	pgf-xetex-bidi.def	273
7.86	picinpar-xetex-bidi.def	273
7.87	plain-xetex-bidi.def	276
7.88	pstricks-xetex-bidi.def	277
7.89	quotchap-xetex-bidi.def	278
7.90	ragged2e-xetex-bidi.def	278
7.91	rapport1-xetex-bidi.def	280
7.92	rapport3-xetex-bidi.def	285
7.93	refrep-xetex-bidi.def	291
7.94	report-xetex-bidi.def	294
7.95	rotating-xetex-bidi.def	298
7.96	scrartcl-xetex-bidi.def	301
7.97	scrbook-xetex-bidi.def	310
7.98	scrlettr-xetex-bidi.def	321
7.99	scrreprt-xetex-bidi.def	323
7.100	sidecap-xetex-bidi.def	333
7.101	stabular-xetex-bidi.def	333
7.102	subfigure-xetex-bidi.def	334
7.103	tabls-xetex-bidi.def	334
7.104	tabularx-xetex-bidi.def	335
7.105	tabulary-xetex-bidi.def	336
7.106	tc-xetex-bidi.def	337
7.107	tikz-xetex-bidi.def	337
7.108	titlesec-xetex-bidi.def	338
7.109	titletoc-xetex-bidi.def	339
7.110	tocbibind-xetex-bidi.def	340
7.111	tocloft-xetex-bidi.def	341
7.112	tocstyle-xetex-bidi.def	348
7.113	todonotes-xetex-bidi.def	353
7.114	wrapfig-xetex-bidi.def	355
7.115	xcolor-xetex-bidi.def	356
7.116	latex-xetex-bidi.def	358
7.117	xltxtra-xetex-bidi.def	374
8	Index	374
9	Change History	499



Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain \TeX and \LaTeX , using the \XeTeX engine.

bidi Info On The Terminal and In The Log File

If you use bidi package to write any input \TeX document, and then run `xelatex` on your document, bidi writes some information about itself to the terminal and to the log file. The information is something like:

```
*****
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright © 2009–2014 Vafa Khalighi
*
* 2014/11/29, v16.3
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/persian-tex/bidi/issues
*
* Support: persian-tex@tug.org
*****
```

Part I

\LaTeX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;



```
\usepackage [Options] {bidi}
```

Where options of the package are explained later in [subsection 1.5](#).
When loading the package, it is important to know that:

- ❶ bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.
- ❷ In fact, bidi makes sure that some specific packages are loaded before bidi; these are those packages that bidi modifies them for bidirectional typesetting. If you load bidi before any of these packages, then you will get an error saying that you should load bidi as your last package.

For instance, consider the following minimal example:

```
1 \documentclass{minimal}
2 \usepackage{bidi}
3 \usepackage{graphicx}
4 \begin{document}
5 This is just a test.
6 \end{document}
```

Where graphicx is loaded after bidi. If you run xelatex on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
...

1.4 \begin{document}

?
```

1.2 bidi's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes bidi. **Simorgh**¹ (shown on the first page of this documentation) symbolizes bidi.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



1.3 Commands for Version number, and Date of The Package

`\bidiversion` `\bididate`

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
5 \end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

`\TeXXeTOn` `\TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentially equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in [subsection 5.4](#)), `\RTLdblcol` (explained in [subsection 1.10](#)) and `\autofootnoterule` (explained in [subsubsection 1.9.1](#)).

It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.

There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:



```

\normalfootnotes
\twocolumnfootnotes \threecolumnfootnotes \fourcolumnfootnotes
\fivecolumnfootnotes \sixcolumnfootnotes \sevendcolumnfootnotes
\eightcolumnfootnotes \nincolumnfootnotes \tencolumnfootnotes
\RTLcolumnfootnotes \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes \setRTLparagraphfootnotes

```

☞ `\normalfootnotes` typesets footnotes in Standard \LaTeX format.

☞ `\twocolumnfootnotes` to `\tencolumnfootnotes`, typeset footnotes in two-columns to ten-columns, respectively.

☞ `\RTLcolumnfootnotes` typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and `\LTRcolumnfootnotes` typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). `\LTRcolumnfootnotes` is active by default.

☞ `\paragraphfootnotes` typesets footnotes in paragraph format.

☞ `\setLTRparagraphfootnotes` makes footnotes run from left to right. This command is active by default.

☞ `\setRTLparagraphfootnotes` makes footnotes run from right to left.

Please note that when using `extrafootnotefeatures` option, the footnote rule will be as wide as the text width and `\autofooterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects. Please also note that if you redefine `\baselinestretch` command or change the value of `\baselineskip` primitive before `\paragraphfootnotes` command, then you may get Arithmetic Overflow error. You should change these after using `\paragraphfootnotes` command.

1.6 Paragraph Switching Commands

```

\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR

```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%

```




```

5 Anyone who reads Old and Middle English literary texts will be
6 familiar with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8
9 \setLTR% Notice the blank line before \setLTR
10 Anyone who reads Old and Middle English literary texts will be
11 familiar with the mid-brown volumes of the EETS, with the symbol
12 of Alfred's jewel embossed on the front cover.
13 \end{document}

```

1.7 Paragraph Switching Environments

```

\begin{LTR}  <text>  \end{LTR}
\begin{RTL}  <text>  \end{RTL}

```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{RTL}
5 Anyone who reads Old and Middle English literary texts will be familiar
6 with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8 \begin{LTR}
9 Anyone who reads Old and Middle English literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 And we are still typesetting RTL.
14 \end{RTL}
15 \end{document}

```

1.8 Typesetting Short LTR and RTL Texts

```

\LRE{<text>}  \LR{<text>}
\RLE{<text>}  \RL{<text>}

```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.



```

1 \begin{document}
2 \begin{RTL}
3 Anyone who reads Old and Middle English \LRE{Short LTR text} literary
4 texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol
6 of Alfred's jewel embossed on the front cover.
7 \begin{LTR}
8 Anyone who reads Old and Middle English \RLE{Short RTL text} literary
9 texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 \end{RTL}
14 \end{document}

```

1.9 Footnotes

```

\footnote [num] {\text} \LTRfootnote [num] {\text} \RTLfootnote [num] {\text}
\setfootnoteRL \setfootnoteLR \unsetfootnoteRL
\thanks{\text} \LTRthanks{\text} \RTLthanks{\text}

```

- ☞ `\footnote` in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnote` will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnote` will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a `\setfootnoteRL` command anywhere will make `\footnote` produce an RTL footnote.
- ☞ Specifying either a `\setfootnoteLR` or an `\unsetfootnoteRL` command anywhere will make `\footnote` produce an LTR footnote.
- ☞ `\thanks` (to be used only inside `\author` or `\title` argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRthanks` (to be used only inside `\author` or `\title` argument) will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLthanks` (to be used only inside `\author` or `\title` argument) will always produce an RTL footnote, independent on the current mode.



```
\footnotetext [num] {\text} \LTRfootnotetext [num] {\text}
\RTLfootnotetext [num] {\text}
```

- ☞ `\footnotetext` used in conjunction with `\footnotemark`, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnotetext` used in conjunction with `\footnotemark`, will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnotetext` used in conjunction with `\footnotemark`, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofooterule \rightfootnoterule \leftfootnoterule
\LRfootnoterule \textwidthfootnoterule \SplitFootnoteRule
\debugfootnotedirection
```

- ☞ `\autofooterule` will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).
- ☞ `\rightfootnoterule` will put footnote rule on the right-hand side.
- ☞ `\leftfootnoterule` or `\LRfootnoterule` will put footnote rule on the left-hand side.
- ☞ `\textwidthfootnoterule` will draw the footnote rule with a width equal to `\textwidth`.
- ☞ `\SplitFootnoteRule` puts a full-width rule above the split-off part of a split footnote.
- ☞ `\debugfootnotedirection` writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, `\RTLdblcol` allows you to have RTL two column typesetting and `\LTRdblcol` allows you to have LTR two column typesetting as the options of the class file.



Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidthfootnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with `mathtools` package (`mathtools` defines `rcases` environment), we had to rename `\rcases` command to `\RTLcases` command.

```
\RTLcases{\text{\langle brach1\rangle}\cr\text{\langle brach2\rangle}\cr\text{\langle brach3\rangle}...}
\text{\langle main\rangle}
```

`\RTLcases` is defined in `bidi` for typesetting RTL cases. `\text` is defined in `amsmath` package, so this means that you need to load `amsmath` package too.

```
1 \documentclass{article}
2 \usepackage{amsmath}
3 \usepackage{bidi}
4 \begin{document}
5 \setRTL
6 \[ \RTLcases{\text{men}\cr\text{women}}
7 \text{Humans Beings}
8 \]
9 \end{document}
```

1.12 Typesetting Logos

```
\XeTeX \XeLaTeX
```

`bidi` defines XeTeX and $\text{Xe}\mathbb{L}\text{aTeX}$ logos and in addition, it makes sure that logos, TeX , $\mathbb{L}\text{aTeX}$, $\mathbb{L}\text{aTeX}_{2\epsilon}$ are typeset LTR.

1.13 Separation Mark

```
\SepMark{\langle mark\rangle} \@SepMark
```

Generally in Standard $\mathbb{L}\text{aTeX}$, dot is used for separation between section numbers, equation numbers any anything else which needs to be separated. You can use `\SepMark` to use any other mark as the separation mark instead a dot.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \begin{document}
5 \section{First}
6 \subsection{Second}
7 \subsubsection{Third}
8 \end{document}
```



If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load `amsmath` package and use `\numberwithin` macro to do this or do the ordinary way, but instead dot write `\@SepMark`. Using dot instead `\@SepMark` will certainly make trouble.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \makeatletter
5 \renewcommand\theequation{\thesection\@SepMark\@arabic\c@equation}
6 \makeatother
7 \begin{document}
8 \section{First}
9 \begin{equation}
10 x^2+y^2=z^2
11 \end{equation}
12 \end{document}

```

1.14 `\raggedright`, `\raggedleft` commands, `flushleft` and `flushright` Environments

`\raggedright` command and `flushleft` environment put the text on the left hand side and `\raggedleft` command and `flushright` environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

`\hboxR` `\hboxL` `\vboxR` `\vboxL`

- ☞ The syntax of `\hboxR` is exactly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exactly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exactly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exactly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

1.16 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:



```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \hbox{This is a Test}
6 \end{document}

```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \leavevmode\hbox{This is a Test}
6 \end{document}

```

1.17 `\bidillap` and `\bidirlap` Commands

In RTL mode, `\llap` and `\rlap` do opposite things. Since these two macros are used in a lot of classes and packages, instead of modifying these two macros, we have created two new macros `\bidillap` and `\bidirlap` which give logical results.

1.18 `LTRitems` and `RTLitems` Environments

If you typeset an `itemize`, or an `enumerate`, or a `description` environment where all `\items` are one directional, you have no problem at all as shown below:

```

1 \documentclass{article}
2 \begin{document}
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
7 familiar with the mid-brown volumes of the EETS, with the symbol of
8 Alfred's
9 \item Anyone who reads Old and Middle English literary texts will be
10 familiar with the mid-brown volumes of the EETS, with the symbol of
11 Alfred's
12 \end{enumerate}
13 \end{document}

```

However if the above example becomes bidirectional, as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}

```



```

3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol of Alfred's
6 \begin{enumerate}
7 \item Anyone who reads Old and Middle English literary texts will be
8 familiar with the mid-brown volumes of the EETS, with the symbol of
9 Alfred's
10 \setRTL
11 \item Anyone who reads Old and Middle English literary texts will be
12 familiar with the mid-brown volumes of the EETS, with the symbol of
13 Alfred's
14 \end{enumerate}
15 \end{document}

```

Then some people may argue that this typographically does not look promising. For this purpose, RTLitems environment is provided which has the following syntax:

```

\begin{RTLitems}
  \item <text>
  ...
\end{RTLitems}

```

By using the RTLitems environment, the previous example will look like the following:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol of Alfred's
6 \begin{enumerate}
7 \item Anyone who reads Old and Middle English literary texts will be
8 familiar with the mid-brown volumes of the EETS, with the symbol of
9 Alfred's
10 \begin{RTLitems}
11 \item Anyone who reads Old and Middle English literary texts will be
12 familiar with the mid-brown volumes of the EETS, with the symbol of
13 Alfred's
14 \end{RTLitems}
15 \end{enumerate}
16 \end{document}

```

Similarly, LTRitems environment is defined which has the following syntax:

```

\begin{LTRitems}
  \item <text>
  ...
\end{LTRitems}

```



1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRitems and RTLitems environments but there are few differences:

- ☞ LTRitems and RTLitems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.
- ☞ Clearly instead of `\item`, you have `\bibitem` inside LTRbibitems and RTLbibitems environments.

1.20 `\setLTRbibitems`, `\setRTLbibitems`, and `\setdefaultbibitems` commands

<code>\setLTRbibitems</code> <code>\setRTLbibitems</code> <code>\setdefaultbibitems</code>
--

- ☞ If your whole thebibliography environment is inside RTL mode, but all your `\bibitems` are LTR and you actually want to have `\bibname` to appear on the RHS, you can use `\setLTRbibitems` command before thebibliography environment.
- ☞ If your whole thebibliography environment is inside LTR mode, but all your `\bibitems` are RTL and you actually want to have `\bibname` to appear on the LHS, you can use `\setRTLbibitems` command before thebibliography environment.
- ☞ `\setdefaultbibitems` is the default, when your `\bibitems` are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use `\setdefaultbibitems` command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two `\bibitems`. The first `\bibitem` is LTR and the second `\bibitem` is RTL. One could typeset this scenario as shown below:

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{thebibliography}{99}
5 \bibitem This is the first bibitem which is LTR.
6 \begin{RTLbibitems}
7 \bibitem This is the second bibitem which is RTL.
8 \end{RTLbibitems}
9 \end{thebibliography}
10 \end{document}
```



1.21 Typesetting margin par

By default, in RTL mode, `\marginpar` appears on LHS and its content is typeset RTL and in LTR mode, `\marginpar` appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar \setLTRmarginpar \setdefaultmarginpar  
\LTRmarginpar[⟨left-text⟩]{⟨right-text⟩}  
\RTLmarginpar[⟨left-text⟩]{⟨right-text⟩}
```

- ☞ `\setRTLmarginpar` always makes `\marginpar` to appear on LHS and the content of `\marginpar` is typeset RTL (this is independent of the current mode).
- ☞ `\setLTRmarginpar` always makes `\marginpar` to appear on RHS and the content of `\marginpar` is typeset LTR (this is independent of the current mode).
- ☞ `\setdefaultmarginpar` gives the default behaviour of `\marginpar` as described above.
- ☞ `\LTRmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always LTR.
- ☞ `\RTLmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always RTL.
- ☞ in RTL mode, places of `⟨left-text⟩` and `⟨right-text⟩` swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The bidi package supports `amsmath`, `amstext`, `amsthm`, `array`, `arydshln`, `breqn`, `cals`, `caption`, `color`, `colortbl`, `crop`, `cuted`, `cutwin`, `dblfnote`, `draftwatermark`, `empheq`, `fancyhdr`, `fancybox`, `fix2col`, `float`, `floatrow`, `flowfram`, `framed`, `ftnright`, `geometry`, `graphicx`, `hvfloa`, `hyperref`, `lettrine`, `listings`, `mdframed`, `midfloat`, `minitoc`, `multicol`, `multienum`, `newfloat`, `pdfpages`, `pstricks`, `quotchap`, `pinyin`, `ragged2e`, `rotating`, `sidecap`, `stabular`,



subfig, subfigure, supertabular, xtab, tabs, tabulary, PGF & TIKZ, tocbibind, tocloft, tocstyle, wrapfig, xcolor, xltextra packages, amsart, amsbook, artikel1, artikel2, artikel3, extarticle, flashcards, standrad article, boek, boek3, standard book, bookest, extbook, extletter, scrlettr, standard letter, memoir, extreport, rapport1, rapport3, refrep, standard report, scrartcl, scrbook, scrreprt classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents. We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use color and xcolor packages to typeset texts in colours and colour boxes produced by `\colorbox` and `\fcolorbox` commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use xecolor package. Also if you are going to use `\color` command to colour the text at the beginning of a paragraph, then you should have `\leavevmode` before `\color` command. For having coloured tabular, you can use colortbl package.

2.2 The dblfnote package

The dblfnote package makes footnotes double-columned. In addition bidi package adds bidirectional support for the dblfnote package by providing the following commands:

<code>\RTLdfnmakecol</code>	<code>\LTRdfnmakecol</code>
-----------------------------	-----------------------------

☞ `\RTLdfnmakecol` makes footnotes double-columned RTL.

☞ `\LTRdfnmakecol` makes footnotes double-columned LTR.

☞ If the main direction of the document is RTL, `\RTLdfnmakecol` is active and if the main direction of the document is LTR, `\LTRdfnmakecol` is active.

Please note that when using dblfnote package, the footnote rule will be as wide as the footnote column and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects.

2.3 Hyperref

The hyperref package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.



2.4 The listings package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the `bidi` package adds a key to the `listings` package, namely `captiondirection`. This key can have the following values:

☞ `textdirection` follows the direction of the text (default).

☞ `RTL` sets the direction of the caption to RTL.

☞ `LTR` sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 flowfram Package

You can use `flowfram` package for your bidirectional documents. Please note that `flowfram` package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of `bidi` package, it was recommended that you need to use `fmultico` package instead the original `multicol` package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy `fmultico` package any more. Simply load the original `multicol` package before loading `bidi`. `bidi` now supports `multicol` package and you can typeset bidirectional multi columns. When using `multicol` package, the following two additional commands are provided:

`\RTLmulticolcolumns` `\LTRmulticolcolumns`

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns. In addition, you also can use `vwcol` package for variable width bidirectional column typesetting.

3 Extra bidi Packages and Classes



3.1 bidi-longtable package

For typesetting RTL tables with longtable package, an experimental package, bidi-longtable package, is provided. bidi-longtable package should be loaded after longtable package.

3.2 bidentufte bundle

A modified version of tufte-latex, bidentufte bundle, mainly for RTL typesetting, is provided. If you never used bidentufte bundle or tufte-latex package and you want to use bidentufte bundle, then you need to look at tufte-latex package's manual and examples. In addition, for using bidentufte bundle, you need to know the following notes:

- ☞ You need to use bidentufte-book class instead tufte-book class and bidentufte-handout class instead tufte-handout class.
- ☞ bidentufte bundle provides the following extra commands:

`\LTRsidenote` `\RTLsidenote` `\LTRmarginnote` `\RTLmarginnote`

- ☞ bidentufte-book and bidentufte-handout classes provide two extra options; RTLgeometry (active when loading either of classes) and LTRgeometry.
- ☞ bidentufte bundle unlike tufte-latex package, only provides justified lines.
- ☞ Some features of tufte-latex that does not make any sense in RTL, do not exist in bidentufte bundle (no need for soul, letterspace and macrotype packages).
- ☞ If you want to configure bidentufte-book class for your own needs, then you can create a file with the name bidentufte-book.cfg and put your \LaTeX macros in that file; similarly, if you want to configure bidentufte-handout class for your own needs, then you can create a file with the name bidentufte-handout.cfg and put your \LaTeX macros in that file.

3.3 Typesetting \TeX and \LaTeX Codes

The \LaTeX codes in this manual are typeset using the bidcode package. In standard \LaTeX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsubsection` and any other section-like commands, `\caption` and tabular environment.

bidi package provides bidiftnextra package that solves the issue of footnote in standard \LaTeX . bidiftnextra package should be loaded after bidi package.



3.4 Typesetting Poems

The bidi package provides bidipoem package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type `\\` and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.

When using bidipoem package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying “Unjustified poem. Rerun XeLaTeX to get poem right”.

When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use Kashida.

If you need to change the default distance between two verses, you can do just that by:

```
\renewcommand\poemcolsepskip{\langle length \rangle}
```

```
\begin{traditionalpoem}  
  \langle verse1 \rangle & \langle verse2 \rangle \\  
  \langle verse3 \rangle & \langle verse4 \rangle \\  
  ...  
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}  
  \langle verse1 \rangle & \langle verse2 \rangle  
  \langle verse3 \rangle & \langle verse4 \rangle  
  ...  
\end{traditionalpoem*}
```

3.5 Typesetting Resumé

The bidi package provides `bidimoderncv`² class for typesetting resumé. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the doc folder than you can look and learn how you can use it.

3.6 Print Two Pages On A Single Page

bidi package provides `bidi2in1` package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape ‘container’ page.

²This class is the modified version of `moderncv` class.



3.7 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

`\eqnewif{<\newconditional1>}{<\newconditional2>}`

In standard \LaTeX , `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

- ☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.
- ☞ `\newconditional1` will be identical to `\newconditional2`, so that whenever `\newconditional1` is true, then `\newconditional2` is also true and whenever `\newconditional1` is false, then `\newconditional2` is also false and vice versa.

4.2 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

4.4 Latin Conditional

`\if@Latin`

`\if@Latin` inside any environment that uses Latin font is true and inside any environment that uses RTL font is false.



4.5 Tags Internal Macro

```
\@iftagsloaded{<tags name>}{<do thing(s) if the tag is loaded>}  
{<do thing(s) if the tag is not loaded>}
```

As you can see, the syntax of \@iftagsloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By tags, we mean things like leqno or reqno. Please note that in the argument <tags name>, the extension clo should not be given.

4.6 Definition File Loaded Internal Macro

```
\@ifdefinitionfileloaded{<definition file name>}  
{<do thing(s) if the definition file is loaded>}  
{<do thing(s) if the definition file is not loaded>}
```

As you can see, the syntax of \@ifdefinitionfileloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By definition file, we mean things like hyperref-bidi.def or wrapfig-bidi.def. Please note that in the argument <definition file name>, the extension def should not be given.

4.7 Tabular Conditional

```
\if@RTLtab
```

If the tabular is typeset RTL, \if@RTLtab is true and if the tabular is typeset LTR, \if@RTLtab is false.

4.8 Footnote Conditional

```
\if@RTL@footnote
```

When footnotes are typeset RTL, \if@RTL@footnote is true and when footnotes are typeset LTR, \if@RTL@footnote is false.

4.9 Direction Ensuring Macros

```
\@ensure@RTL{<text>} \@ensure@RL{<text>} \@ensure@LTR{<text>}  
\@ensure@LR{<text>} \@ensure@dir{<text>} \@ensure@maindir{<text>}
```

☞ \@ensure@RTL and \@ensure@RL internals make sure that <text> is always typeset RTL, independent on the current mode.

☞ \@ensure@LTR and \@ensure@LR internals make sure that <text> is always typeset LTR, independent on the current mode.



☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.

☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II

Plain T_EX Manual

5 Basics

5.1 Loading The Package

You can load the package in the ordinary way;

```
\input bidi
```

When loading the package, it is important to know that: `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```



5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

`\TeXXeTOn \TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

`\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR`

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \input bidi
2 \setRTL%
3 Anyone who reads Old and Middle English literary texts will be
4 familiar with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6
7 \setLTR% Notice the blank line before \setLTR
8 Anyone who reads Old and Middle English literary texts will be
9 familiar with the mid-brown volumes of the EETS, with the symbol
10 of Alfred's jewel embossed on the front cover.
11 \end
```

5.5 Paragraph Switching Environments

`\LTR <text> \endLTR
\RTL <text> \endRTL`

☞ With LTR environment, you can typeset LTR paragraphs.



☞ With RTL environment, you can typeset RTL paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6 \LTR
7 Anyone who reads Old and Middle English literary texts will be familiar
8 with the mid-brown volumes of the EETS, with the symbol
9 of Alfred's jewel embossed on the front cover.
10 \endLTR
11 And we are still typesetting right to left.
12 \endRTL
13 \end
```

5.6 Typesetting Short LTR and RTL Texts

<code>\LRE{<text>}</code>	<code>\LR{<text>}</code>
<code>\RLE{<text>}</code>	<code>\RL{<text>}</code>

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English \LRE{Short left to right text}
4 literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol
6 of Alfred's jewel embossed on the front cover.
7 \LTR
8 Anyone who reads Old and Middle English \RLE{Short right to left text}
9 literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \endLTR
13 \endRTL
14 \end
```



5.7 Primitive-like commands

`\hboxR` `\hboxL` `\vboxR` `\vboxL`

- ☞ The syntax of `\hboxR` is exactly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exactly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exactly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exactly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

5.8 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
1 \input bidi
2 \setRTL
3 \hbox{This is a Test}
4 \end
```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```
1 \input bidi
2 \setRTL
3 \leavevmode\hbox{This is a Test}
4 \end
```

5.9 Typesetting Logos

`\XeTeX`

`bidi` defines \XeTeX logo and in addition, it makes sure that the logo, \TeX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.



6.1 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

6.3 Direction Ensuring Macros

`\@ensure@RTL{<text>} \@ensure@RL{<text>} \@ensure@LTR{<text>}
\@ensure@LR{<text>} \@ensure@dir{<text>} \@ensure@maindir{<text>}`

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `<text>` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `<text>` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

6.4 Reset Direction Macro

`\save@dir \saved@@dir \reset@dir`

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2013/04/26 v0.8 bidi adaptations for amsart class for XeTeX]
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
```



```

7 \ifempty{#4}{%
8 \@tempdima\csname r@tocindent\number#1\endcsname\relax
9 }{%
10 \@tempdima#4\relax
11 }%
12 \parindent\z@ \if@RTL\rightrightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightrightskip\else\leftskip\fi
13 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16 \nobreak
17 \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27 \hbox to \columnwidth
28 {\beginR \vbox{\kern-.4\p@
29 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
30 \def\left@footnoterule{\kern-.4\p@
31 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35 \insert\footins{%
36 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37 \normalfont\footnotesize
38 \interlinepenalty\interfootnotelinepenalty
39 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
40 \floatingpenalty\@MM \hsize\columnwidth
41 \@parboxrestore \parindent\normalparindent \sloppy
42 \protected@edef\@currentlabel{%
43 \csname p@footnote\endcsname\@thefnmark}%
44 \@makefnmark{%
45 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
46
47 \long\def\@RTLfootnotetext#1{%
48 \insert\footins{%
49 \@RTLtrue%
50 \normalfont\footnotesize
51 \interlinepenalty\interfootnotelinepenalty
52 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
53 \floatingpenalty\@MM \hsize\columnwidth
54 \@parboxrestore \parindent\normalparindent \sloppy
55 \protected@edef\@currentlabel{%
56 \csname p@footnote\endcsname\@thefnmark}%

```



```

57 \makefnintext{%
58 \rule{z@footnotesep}{\ignorespaces#1\unskip\strut\par}}
59
60
61
62 \long\def\@LTRfootnotetext#1{%
63 \insert\footins{%
64 \RTLfalse%
65 \normalfont\footnotesize
66 \interlinepenalty\interfootnotelinepenalty
67 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
68 \floatingpenalty\@MM \hsize\columnwidth
69 \@parboxrestore \parindent\normalparindent \sloppy
70 \protected@edef\@currentlabel{%
71 \csname p@footnote\endcsname\@thefnmark}%
72 \makefnintext{%
73 \rule{z@footnotesep}{\ignorespaces#1\unskip\strut\par}}}
74
75
76 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
77 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
78 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
79
80 \renewenvironment{thebibliography}[1]{%
81 \bibtitlestyle
82 \normalfont\bibliofont\labelsep .5em\relax
83 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
84 \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
85 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
86 \leftmargin\labelwidth \advance\leftmargin\labelsep
87 \usecounter{enumiv}}%
88 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
89 \sfcode\@.=\@m
90 }{%
91 \def\@noitemerr{\@latex@warning{Empty 'thebibliography' environment}}%
92 \endlist
93 }
94 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
95 \columnseprule\z@ \columnsep 35\p@
96 \@indextitlestyle
97 \thispagestyle{plain}%
98 \let\item\@idxitem
99 \parindent\z@ \parskip\z@\@plus.3\p@\relax
100 \ifRTL\raggedleft\else\raggedright\fi
101 \hyphenpenalty\@M
102 \footnotesize}
103 \def\@idxitem{\par\hangindent \ifRTL-\fi2em}
104 \def\subitem{\par\hangindent \ifRTL-\fi2em\hspace*{1em}}
105 \def\subsubitem{\par\hangindent \ifRTL-\fi3em\hspace*{2em}}
106 \def\maketitle{\par

```



```

107 \@topnum\z@ % this prevents figures from falling at the top of page 1
108 \@setcopyright
109 \thispagestyle{firstpage}% this sets first page specifications
110 \uppercasenonmath\shorttitle
111 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
112 \else \andify\shortauthors
113 \fi
114 \@maketitle@hook
115 \begingroup
116 \@maketitle
117 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
118 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
119 \edef\@tempa{%
120   \@nx\markboth{\the\toks4
121     \@nx\MakeUppercase{\the\toks0}}{\the\@temptokena}}%
122 \@tempa
123 \endgroup
124 \c@footnote\z@
125 \cleartopmattertags
126 }

```

7.2 amsbook-xetex-bidi.def

```

127 \ProvidesFile{amsbook-xetex-bidi.def}[2013/04/26 v0.9 bidi adaptations for amsbook class for XeT
128 \def\@tocline#1#2#3#4#5#6#7{\relax
129   \ifnum #1>\c@tocdepth % then omit
130   \else
131     \par \addpenalty\@secpenalty\addvspace{#2}%
132     \begingroup \hyphenpenalty\@M
133     \@ifempty{#4}{%
134       \@tempdima\csname r@tocindent\number#1\endcsname\relax
135     }{%
136       \@tempdima#4\relax
137     }%
138     \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\lef
139     \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
140     #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
141     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
142     \nobreak
143   \endgroup
144   \fi}
145 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
146 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
147 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
148 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
149 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
150   \columnseprule\z@ \columnsep 35\p@
151   \@indextitlestyle
152   \thispagestyle{plain}%
153   \let\item\idxitem

```



```

154 \parindent\z@ \parskip\z@\@plus.3\p@\relax
155 \if@RTL\raggedleft\else\raggedright\fi
156 \hyphenpenalty\@M
157 \footnotesize}
158 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
159 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
160 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
161 \def\right@footnoterule{%
162 \hbox to \columnwidth
163 {\beginR \vbox{\kern-.4\p@
164 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
165 \def\left@footnoterule{\kern-.4\p@
166 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
167
168 \long\def\@footnotetext#1{%
169 \insert\footins{%
170 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
171 \normalfont\footnotesize
172 \interlinepenalty\interfootnotelinepenalty
173 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
174 \floatingpenalty\@MM \hsize\columnwidth
175 \@parboxrestore \parindent\normalparindent \sloppy
176 \protected@edef\@currentlabel{%
177 \csname p@footnote\endcsname\@thefnmark}%
178 \@makefnintext{%
179 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
180
181 \long\def\@RTLfootnotetext#1{%
182 \insert\footins{%
183 \@RTLtrue%
184 \normalfont\footnotesize
185 \interlinepenalty\interfootnotelinepenalty
186 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
187 \floatingpenalty\@MM \hsize\columnwidth
188 \@parboxrestore \parindent\normalparindent \sloppy
189 \protected@edef\@currentlabel{%
190 \csname p@footnote\endcsname\@thefnmark}%
191 \@makefnintext{%
192 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
193
194
195 \long\def\@LTRfootnotetext#1{%
196 \insert\footins{%
197 \@RTLfalse%
198 \normalfont\footnotesize
199 \interlinepenalty\interfootnotelinepenalty
200 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
201 \floatingpenalty\@MM \hsize\columnwidth
202 \@parboxrestore \parindent\normalparindent \sloppy
203 \protected@edef\@currentlabel{%

```




```

204 \csname p@footnote\endcsname\@thefnmark}%
205 \@makefnintext{%
206 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
207
208
209
210 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
211 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
212 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
213
214 \renewenvironment{thebibliography}[1]{%
215 \@bibtitlestyle
216 \normalfont\bibliofont\labelsep .5em\relax
217 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
218 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
219 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
220 \leftmargin\labelwidth \advance\leftmargin\labelsep
221 \usecounter{enumiv}}}%
222 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
223 \sfcode\`.\@m
224 }{%
225 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
226 \endlist
227 }
228 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
229 \begingroup
230 \fontsize{\@xivpt}{18}\bfseries\centering
231 \ifnum\c@secnumdepth>\m@ne
232 \leavevmode \hskip-\if@RTL\righskip\else\leftskip\fi
233 \rlap{\vbox to\z@{\vss
234 \centerline{\normalsize\mdseries
235 \uppercase\exp{chaptername}\enspace thechapter}
236 \vskip 3pc}}\hskip\if@RTL\righskip\else\leftskip\fi\fi
237 #1\par \endgroup
238 \skip@34\p@ \advance\skip@-\normalbaselineskip
239 \vskip\skip@ }
240 \def\maketitle{\par
241 \@topnum\z@ % this prevents figures from falling at the top of page 1
242 \begingroup
243 \@maketitle
244 \endgroup
245 \c@footnote\z@
246 \def\do##1{\let##1\relax}%
247 \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
248 \do\author \do\@xauthor \do\address \do\@xaddress
249 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
250 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
251 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
252 }

```



7.3 amsmath-xetex-bidi.def

```
253 \ProvidesFile{amsmath-xetex-bidi.def}[2014/09/04 v0.9 bidi adaptations for amsmath package for XeTeX]
254 \let\veqno=\eqno
255 \iftagsleft@ \let\veqno=\leqno \fi
256 \renewcommand{\numberwithin}[3][\arabic]{%
257   \ifundefined{c@#2}{\@nocounterr{#2}}{%
258     \ifundefined{c@#3}{\@nocnterr{#3}}{%
259       \addtoreset{#2}{#3}%
260       \exp\xdef\csname the#2\endcsname{%
261         \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
262 }
263 \def\tagform@#1{\maketag@@@{\if@Latin\else\beginR\fi(\ignorespaces#1\unskip\@italiccorr)\if@
```

7.4 amstext-xetex-bidi.def

```
264 \ProvidesFile{amstext-xetex-bidi.def}[2013/04/04 v0.1 bidi adaptations for amstext package for XeTeX]
265 \def\textdef@#1#2#3{\hbox{%
266   \everymath{#1}%
267   \let\fontsize#2\selectfont
268   \if@Latin\else\beginR\fi#3\if@Latin\else\endR\fi}}}
```

7.5 amsthm-xetex-bidi.def

```
269 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for XeTeX]
270 \def\@thmcountersep{\@SepMark}
```

7.6 array-xetex-bidi.def

```
271 \ProvidesFile{array-xetex-bidi.def}[2010/08/01 v0.2b bidi adaptations for array package for XeTeX]
272 \def\@testpach{\@chclass
273   \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
274   \ifnum \@lastchclass=7 5 \else
275   \ifnum \@lastchclass=8 \tw@ \else
276   \ifnum \@lastchclass=9 \thr@@
277   \else \z@
278   \ifnum \@lastchclass = 10 \else
279   \edef\@nextchar{\expandafter\string\@nextchar}%
280   \@chnum
281   \if \@nextchar c\z@ \else
282   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
283   \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
284   \z@ \@chclass
285   \if \@nextchar |\@ne \else
286   \if \@nextchar !6 \else
287   \if \@nextchar @7 \else
288   \if \@nextchar <8 \else
289   \if \@nextchar >9 \else
290   10
291   \@chnum
292   \if \@nextchar m\thr@@\else
293   \if \@nextchar p4 \else
```



```

294 \if \@nextchar b5 \else
295 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
296 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
297 \def\@tabular{\if@RTL\@RTLtabtrue\fi%
298 \leavevmode
299 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\beginR
300 \let\d@llarend\endR
301 \endgroup}
302 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
303 \expandafter\let\csname endtabular*\endcsname=\endtabular
304 \def\@array[#1]#2{%
305 \@tempdima \ht \strutbox
306 \advance \@tempdima by\extrarowheight
307 \setbox \@arstrutbox \hbox{\vrule
308 \@height \arraystretch \@tempdima
309 \@depth \arraystretch \dp \strutbox
310 \@width \z@}%
311 \beginR
312 \mkpream{#2}%
313 \xdef\@preamble{\noexpand \ialign \@halignto
314 \bgroup \@arstrut \@preamble
315 \tabskip \z@ \cr}%
316 \endgroup
317 \arrayleft
318 \if #1t\top \else \if#1b\bottom \else \vcenter \fi \fi
319 \bgroup
320 \let \@sharp ##\let \protect \relax
321 \lineskip \z@
322 \baselineskip \z@
323 \m@th
324 \let\\\@arraycr \let\tabularnewline\\\let\par\empty \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup
325 \def\@tabarray{\@ifnextchar [{\@array}{\@array[c]}}
326 \def\endarray{\crrc \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@preamble
327 \def\array{\col@sep\arraycolsep
328 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}
329 \@RTLtabfalse\@tabarray}

```

7.7 article-xetex-bidi.def

```

330 \ProvidesFile{article-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for standard article class]
331 \if@titlepage
332 \renewcommand\maketitle{\begin{titlepage}%
333 \let\footnotesize\small
334 \let\right@footnoterule\relax
335 \let\left@footnoterule\relax
336 \let\textwidth\footnoterule\relax
337 \let \footnote \thanks
338 \let \LTRfootnote \LTRthanks
339 \let \RTLfootnote \RTLthanks
340 \null\vfil

```



```

341 \vskip 60\p@
342 \begin{center}%
343   {\LARGE \@title \par}%
344   \vskip 3em%
345   {\large
346     \lineskip .75em%
347     \begin{tabular}[t]{c}%
348       \@author
349     \end{tabular}\par}%
350   \vskip 1.5em%
351   {\large \@date \par}%           % Set date in \large size.
352 \end{center}\par
353 \@thanks
354 \vfil\null
355 \end{titlepage}%
356 \setcounter{footnote}{0}%
357 \global\let\thanks\relax
358 \global\let\LTRthanks\relax
359 \global\let\RTLthanks\relax
360 \global\let\maketitle\relax
361 \global\let\@thanks\@empty
362 \global\let\@author\@empty
363 \global\let\@date\@empty
364 \global\let\@title\@empty
365 \global\let\title\relax
366 \global\let\author\relax
367 \global\let\date\relax
368 \global\let\and\relax
369 }
370 \else
371 \renewcommand\maketitle{\par
372   \begingroup
373     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
374     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
375     \long\def\@makefnmark##1{\parindent 1em\noindent
376       \hb@xt{1.8em}{%
377         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
378     \if@twocolumn
379       \ifnum \col@number=\@ne
380         \@maketitle
381       \else
382         \twocolumn[\@maketitle]%
383       \fi
384     \else
385       \newpage
386       \global\@topnum\z@   % Prevents figures from going at top of page.
387       \@maketitle
388     \fi
389     \thispagestyle{plain}\@thanks
390   \endgroup

```



```

391 \setcounter{footnote}{0}%
392 \global\let\thanks\relax
393 \global\let\LTRthanks\relax
394 \global\let\RTLthanks\relax
395 \global\let\maketitle\relax
396 \global\let\@maketitle\relax
397 \global\let\@thanks\@empty
398 \global\let\@author\@empty
399 \global\let\@date\@empty
400 \global\let\@title\@empty
401 \global\let\title\relax
402 \global\let\author\relax
403 \global\let\date\relax
404 \global\let\and\relax
405 }
406 \def\@maketitle{%
407 \newpage
408 \null
409 \vskip 2em%
410 \begin{center}%
411 \let \footnote \thanks
412 \let \LTRfootnote \LTRthanks
413 \let \RTLfootnote \RTLthanks
414 {\LARGE \@title \par}%
415 \vskip 1.5em%
416 {\large
417 \lineskip .5em%
418 \begin{tabular}[t]{c}%
419 \@author
420 \end{tabular}\par}%
421 \vskip 1em%
422 {\large \@date}%
423 \end{center}%
424 \par
425 \vskip 1.5em}
426 \fi
427 \renewcommand*\l@part[2]{%
428 \ifnum \c@tocdepth >-2\relax
429 \addpenalty\@secpenalty
430 \addvspace{2.25em \@plus\p@}%
431 \setlength\@tempdima{3em}%
432 \begingroup
433 \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
434 \parfillskip -\@pnumwidth
435 {\leavevmode
436 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
437 \nobreak
438 \ifcompatibility
439 \global\@nobreaktrue
440 \everypar{\global\@nobreakfalse\everypar{}}%

```



```

441     \fi
442   \endgroup
443 \fi}
444 \renewcommand*\l@section[2]{%
445   \ifnum \c@tocdepth >\z@
446     \addpenalty\@secpenalty
447     \addvspace{1.0em \@plus\p@}%
448     \setlength\@tempdima{1.5em}%
449     \begingroup
450       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
451       \parfillskip -\@pnumwidth
452       \leavevmode \bfseries
453       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
454       \hskip -\if@RTL\rightskip\else\leftskip\fi
455       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
456     \endgroup
457 \fi}
458 \renewcommand\left@footnoterule{%
459   \kern-3\p@
460   \hrule\@width.4\columnwidth
461   \kern2.6\p@}
462 \renewcommand\right@footnoterule{%
463   \hbox to \columnwidth
464   {\beginR \vbox{%
465     \kern-3\p@
466     \hrule\@width.4\columnwidth
467     \kern2.6\p@}\hfil\endR}}
468 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
469 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
470 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
471 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
472 \def\@part[#1]#2{%
473   \ifnum \c@secnumdepth >\m@ne
474     \refstepcounter{part}%
475     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
476   \else
477     \addcontentsline{toc}{part}{#1}%
478   \fi
479   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
480     \interlinepenalty \@M
481     \normalfont
482     \ifnum \c@secnumdepth >\m@ne
483       \Large\bfseries \partname\nobreakspace\thepart
484       \par\nobreak
485     \fi
486     \huge \bfseries #2%
487     \markboth{}{}\par}%
488   \nobreak
489   \vskip 3ex
490   \@afterheading}

```



```

491 \renewenvironment{thebibliography}[1]
492     {\section*{\refname}%
493      \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
494      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
495      \list{\@biblabel{\@arabic\c@enumiv}}%
496          {\settowidth\labelwidth{\@biblabel{#1}}%
497           \leftmargin\labelwidth
498           \advance\leftmargin\labelsep
499           \@openbib@code
500           \usecounter{enumiv}%
501           \let\p@enumiv\@empty
502           \renewcommand\theenumiv{\@arabic\c@enumiv}}%
503      \sloppy
504      \clubpenalty4000
505      \@clubpenalty \clubpenalty
506      \widowpenalty4000%
507      \sfcode`..\@m}
508      {\def\@noitemerr
509       {\@latex@warning{Empty `thebibliography' environment}}}%
510      \endlist}
511 \renewenvironment{theindex}
512     {\if@twocolumn
513      \@restonecolfalse
514      \else
515      \@restonecoltrue
516      \fi
517      \columnseprule \z@
518      \columnsep 35\p@
519      \twocolumn[\section*{\indexname}]%
520      \mkboth{\MakeUppercase\indexname}{\MakeUppercase\indexname}%
521      \thispagestyle{plain}\parindent\z@
522      \parskip\z@ \@plus .3\p@\relax
523      \let\item\@idxitem}
524     {\if@restonecol\onecolumn\else\clearpage\fi}

```

7.8 artikel1-xetex-bidi.def

```

526 \ProvidesFile{artikel1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel1 class for X
527 \renewenvironment{theindex}{%
528     \if@twocolumn
529     \@restonecolfalse
530     \else
531     \@restonecoltrue
532     \fi
533     \columnseprule \z@
534     \columnsep 35\p@
535     \twocolumn[\section*{\indexname}]%
536     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
537     \thispagestyle{plain}\parindent\z@

```



```

538 \parskip\z@ \@plus .3\p@\relax
539 \let\item\idxitem
540 }{%
541 \if@restonecol\onecolumn\else\clearpage\fi}
542 \renewcommand*\head@style{%
543   \interlinepenalty \@M
544   \hyphenpenalty=\@M \exhyphenpenalty=\@M
545   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
546 \if@titlepage
547   \renewenvironment{abstract}{%
548     \titlepage
549     \null\vfil
550     \section*{\SectFont\abstractname}
551     \noindent\ignorespaces}
552     {\par\vfil\null\endtitlepage}
553 \else
554   \renewenvironment{abstract}{%
555     \if@twocolumn
556       \section*{\abstractname}%
557     \else
558       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
559       \section*{\small\SectFont\abstractname}%
560       \noindent\ignorespaces
561     \fi}
562     {\if@twocolumn\else\par\egroup\fi}
563 \fi
564 \renewcommand*\@regtocline[3]{%
565   \ifnum #1>\c@tocdepth
566   \else
567     \vskip\z@ \@plus .2\p@
568     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
569     \if@RTL\rightskip\else\leftskip\fi\unitindent
570     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
571     \parfillskip\z@
572     \@tempdima\unitindent
573     \parindent\z@
574     \leavevmode
575     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
576     \hskip 1em \nobreak{\slshape #3}\par
577   }%
578   \fi}
579 \if@oldtoc
580 \renewcommand*\l@part[2]{%
581   \ifnum \c@tocdepth >-2\relax
582     \addpenalty\@secpenalty
583     \addvspace{2.25em \@plus\p@}%
584     \begingroup
585       \setlength\@tempdima{3em}%
586       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
587       \parfillskip -\@pnumwidth

```




```

588      {\leavevmode
589        \large \bfseries #1\hfil \hb@xt@{\pnumwidth{\hss #2}}\par
590        \nobreak
591        \if@compatibility
592          \global\@nobreaktrue
593          \everypar{\global\@nobreakfalse\everypar{}}%
594        \fi
595      \endgroup
596    \fi}
597  \else
598    \renewcommand*\l@part{%
599      \ifnum \c@tocdepth >-2\relax
600        \addpenalty\@secpenalty
601        \addvspace{2.25em \@plus \p@}%
602        \@regtocline{0}%
603      \fi}
604  \fi
605  \if@oldtoc
606    \renewcommand*\l@section[2]{%
607      \addpenalty\@secpenalty
608      \addvspace{1.0em \@plus \p@}%
609      \setlength\@tempdima{1.5em}%
610      \begingroup
611        \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
612        \parfillskip -\pnumwidth
613        \leavevmode \bfseries
614        \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
615        \hskip -\if@RTL\rightskip\else\leftskip\fi
616        #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}}\par
617      \endgroup}
618  \else
619    \renewcommand*\l@section{\@regtocline{1}}
620  \fi
621  \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
622  \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
623  \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
624  \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
625  \renewenvironment{thebibliography}[1]
626    {\section*\refname}%
627    {\mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
628    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
629    \list{\@biblabel{\@arabic\c@enumiv}}%
630      {\settowidth\labelwidth{\@biblabel{#1}}%
631       \leftmargin\labelwidth
632       \advance\leftmargin\labelsep
633       \@openbib@code
634       \usecounter{enumiv}%
635       \let\p@enumiv\@empty
636       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
637    \sloppy\clubpenalty4000\widowpenalty4000

```



```

638     \sfcode`.\.\@m}
639     {\def\@noitemerr
640      {\@latex@warning{Empty `thebibliography' environment}}}%
641     \endlist}
642 \renewcommand*\left@footnoterule{%
643   \kern-3\p@
644   \kern.5\baselineskip
645   \hrule\@width\unitindent
646   \kern.4\baselineskip
647 }
648 \renewcommand*\right@footnoterule{%
649   \hbox to \columnwidth
650   {\beginR \vbox{%
651     \kern-3\p@
652     \kern.5\baselineskip
653     \hrule\@width\unitindent
654     \kern.4\baselineskip}\hfil\endR}
655 }
656 \if@titlepage
657 \renewcommand*\TitleFont{\rmfamily}
658 \renewcommand*\maketitle{%
659   \begin{titlepage}%
660     \let\footnotesize\small
661     \let\right@footnoterule\relax
662     \let\left@footnoterule\relax
663     \let\textwidth\footnoterule\relax
664     \let \footnote \thanks
665     \long\def\@makefnmark##1{\parindent\z@
666       \def\labelitemi{\textendash}\@revlabeltrue
667       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
668     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
669     \if@compatibility\setcounter{page}{0}\fi
670     \null\vfil
671     \vskip 60\p@
672     \begin{center}%
673       \TitleFont
674       {\LARGE \def\\{\penalty -\@M}
675         \if@allcaps
676           \expandafter\uc@nothanks\@title\thanks\relax
677         \else
678           \@title
679         \fi\par}%
680     \vskip 3em%
681     {\large
682       \lineskip .75em \parindent\z@
683       \begin{tabular}[t]{c}%
684         \if@allcaps
685           \expandafter\uc@authornothanks\@author\and\relax
686         \else
687           \@author

```



```

688         \fi
689         \end{tabular}\par}%
690         \vskip 1.5em%
691     {\large
692         \if@allcaps
693             \uppercase\expandafter{\@date}%
694         \else
695             \@date
696         \fi\par}%
697     \end{center}\par
698     \@thanks
699     \vfil\null
700 \end{titlepage}%
701 \setcounter{footnote}{0}%
702 \global\let\thanks\relax
703 \global\let\maketitle\relax
704 \global\let\@thanks\@empty
705 \global\let\@author\@empty
706 \global\let\@title\@empty
707 \global\let\@date\@empty
708 \global\let\title\relax
709 \global\let\author\relax
710 \global\let\date\relax
711 \global\let\and\relax
712 }
713 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
714 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
715     \futurelet\@tempa\uc@ax}
716 \def\uc@ax{%
717     \ifx\@tempa\relax
718     \else
719         \andname \ \ \expandafter\uc@authornothanks
720     \fi}
721 \def\uc@tx{\ifx\@tempa\relax
722     \else \expandafter\uc@ty \fi}
723 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
724 \else
725 \renewcommand*\maketitle{\par
726     \begingroup
727         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
728         \def\@makefnmark{\rlap{%
729             \@textsuperscript{\normalfont\@thefnmark}}}%
730         \long\def\@makefntext{\@xmakefntext{%
731             \@textsuperscript{\normalfont\@thefnmark}}}%
732         \if@twocolumn
733             \ifnum \col@number=\@ne
734                 \@maketitle
735             \else
736                 \twocolumn[\@maketitle]%
737         \fi

```



```

738 \else
739 \newpage
740 \global\@topnum\z@
741 \@maketitle
742 \fi
743 \thispagestyle{plain}\@thanks
744 \endgroup
745 \setcounter{footnote}{0}%
746 \global\let\thanks\relax
747 \global\let\maketitle\relax
748 \global\let\@maketitle\relax
749 \global\let\@thanks\@empty
750 \global\let\@author\@empty
751 \global\let\@title\@empty
752 \global\let\@date\@empty
753 \global\let\title\relax
754 \global\let\author\relax
755 \global\let\date\relax
756 \global\let\and\relax
757 }
758 \def\@maketitle{%
759 \newpage
760 \null
761 \vskip 2em%
762 \begin{center}%
763 \let \footnote \thanks
764 {\LARGE \TitleFont \@title \par}%
765 \vskip 1.5em%
766 {\large \TitleFont
767 \lineskip .5em%
768 \begin{tabular}[t]{c}%
769 \@author
770 \end{tabular}\par}%
771 \vskip 1em%
772 {\large \TitleFont \@date}%
773 \end{center}%
774 \par
775 \vskip 1.5em}
776 \fi

```

7.9 artikel2-xetex-bidi.def

```

777 \ProvidesFile{artikel2-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel2 class for X
778 \renewenvironment{theindex}{%
779 \if@twocolumn
780 \@restonecolfalse
781 \else
782 \@restonecoltrue
783 \fi
784 \columnseprule \z@

```



```

785 \columnsep 35\p@
786 \twocolumn[\section*{\indexname}]%
787 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
788 \thispagestyle{plain}\parindent\z@
789 \parskip\z@ \@plus .3\p@\relax
790 \let\item\@idxitem
791 }{%
792 \if@restonecol\onecolumn\else\clearpage\fi}
793 \renewcommand*\@regtocline[3]{%
794 \ifnum #1>\c@tocdepth
795 \else
796 \vskip\z@ \@plus .2\p@
797 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
798 \if@RTL\righskip\else\leftskip\fi\unitindent
799 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
800 \parfillskip\z@
801 \@tempdima\unitindent
802 \advance\@tempdima by \othermargin
803 \parindent\z@
804 \leavevmode
805 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
806 \hskip 1em \nobreak{\slshape #3}\par
807 }%
808 \fi}
809 \if@oldtoc
810 \renewcommand*\l@section[2]{%
811 \addpenalty\@secpenalty
812 \addvspace{1.0em \@plus\p@}%
813 \setlength\@tempdima{1.5em}%
814 \begingroup
815 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
816 \parfillskip -\@pnumwidth
817 \leavevmode \bfseries
818 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
819 \hskip -\if@RTL\righskip\else\leftskip\fi
820 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
821 \endgroup}
822 \else
823 \renewcommand*\l@section{\@regtocline{1}}
824 \fi
825 \if@oldtoc
826 \renewcommand*\l@part[2]{%
827 \ifnum \c@tocdepth >-2\relax
828 \addpenalty\@secpenalty
829 \addvspace{2.25em \@plus\p@}%
830 \begingroup
831 \setlength\@tempdima{3em}%
832 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
833 \parfillskip -\@pnumwidth
834 {\leavevmode

```



```

835      \large \bfseries #1\hfil \hb@xt@{\pnumwidth{\hss #2}}\par
836      \nobreak
837      \ifcompatibility
838      \global\@nobreaktrue
839      \everypar{\global\@nobreakfalse\everypar{}}%
840      \fi
841      \endgroup
842      \fi}
843 \else
844   \renewcommand*\l@part{%
845     \ifnum \c@tocdepth >-2\relax
846     \addpenalty\@secpenalty
847     \addvspace{2.25em \@plus \p@}%
848     \@regtocline{0}%
849     \fi}
850 \fi
851 \renewcommand*\head@style{%
852   \interlinepenalty \@M
853   \hyphenpenalty=\@M \exhyphenpenalty=\@M
854   \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
855 \if@titlepage
856   \renewenvironment{abstract}{%
857     \titlepage
858     \null\vfil
859     \section*{\SectFont\abstractname}%
860     \noindent\ignorespaces}
861     {\par\vfil\null\endtitlepage}
862 \else
863   \renewenvironment{abstract}{%
864     \if@twocolumn
865       \section*{\abstractname}%
866     \else
867       \section*{\hskip\unitindent\small\SectFont\abstractname}%
868       \list{}{\setlength\listparindent{\unitindent}%
869         \setlength\parindent {\z@}%
870         \setlength\leftmargin {\unitindent}%
871         \setlength\rightmargin {\unitindent}%
872         \setlength\parsep {\z@}}%
873       \item[]%
874     \fi}
875     {\if@twocolumn\else\par\endlist\fi}
876 \fi
877 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
878 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
879 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
880 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
881 \renewcommand*\left@footnoterule{%
882   \kern-3\p@
883   \hrule\@width 3\unitindent
884   \kern 2.6\p@

```



```

885 }
886 \renewcommand*\right@footnoterule{%
887   \hbox to \columnwidth
888   {\beginR \vbox{%
889     \kern-3\p@
890     \hrule\@width 3\unitindent
891     \kern 2.6\p@\hfil\endR}
892 }
893 \renewenvironment{thebibliography}[1]
894   {\section*{\refname}%
895    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
896    \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
897    \list{\@biblabel{\@arabic\c@enumiv}}%
898          {\settowidth\labelwidth{\@biblabel{#1}}%
899           \leftmargin\labelwidth
900           \advance\leftmargin\labelsep
901           \@openbib@code
902           \usecounter{enumiv}%
903           \let\p@enumiv\@empty
904           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
905   \sloppy\clubpenalty4000\widowpenalty4000%
906   \sfcode`\.\@m}
907   {\def\@noitemerr
908    {\@latex@warning{Empty `thebibliography' environment}}%
909    \endlist}
910 \if@titlepage
911 \renewcommand*\TitleFont{\rmfamily}
912 \renewcommand*\maketitle{%
913   \begin{titlepage}%
914     \let\footnotesize\small
915     \let\right@footnoterule\relax
916     \let\left@footnoterule\relax
917     \let\textwidth\footnoterule\relax
918     \let\footnote\thanks
919     \long\def\@makefnmark##1{\parindent\z@
920       \def\labelitemi{\textendash}\@revlabeltrue
921       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
922     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
923     \if@compatibility\setcounter{page}{0}\fi
924     \null\vfil
925     \vskip 60\p@
926     \begin{center}%
927       \TitleFont
928       {\LARGE \def\\{\penalty -\@M}
929        \if@allcaps
930          \expandafter\uc@nothanks\@title\thanks\relax
931        \else
932          \@title
933          \fi\par}%
934     \vskip 3em%

```



```

935     {\large
936       \lineskip .75em \parindent\z@
937       \begin{tabular}[t]{c}%
938         \if@allcaps
939           \expandafter\uc@authornothanks\@author\and\relax
940         \else
941           \@author
942         \fi
943       \end{tabular}\par}%
944     \vskip 1.5em%
945     {\large
946       \if@allcaps
947         \uppercase\expandafter{\@date}%
948       \else
949         \@date
950       \fi\par}%
951     \end{center}\par
952     \@thanks
953     \vfil\null
954   \end{titlepage}%
955   \setcounter{footnote}{0}%
956   \global\let\thanks\relax
957   \global\let\maketitle\relax
958   \global\let\@thanks\@empty
959   \global\let\@author\@empty
960   \global\let\@title\@empty
961   \global\let\@date\@empty
962   \global\let\title\relax
963   \global\let\author\relax
964   \global\let\date\relax
965   \global\let\and\relax
966 }
967 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
968 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
969   \futurelet\@tempa\uc@ax}
970 \def\uc@ax{%
971   \ifx\@tempa\relax
972     \else
973     \\\ \andname \\\ \expandafter\uc@authornothanks
974   \fi}
975 \def\uc@tx{\ifx\@tempa\relax
976   \else \expandafter\uc@ty \fi}
977 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
978 \else
979 \renewcommand*\maketitle{\par
980   \begin{group
981     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
982     \long\def\@makefnstext##1{\parindent\z@
983       \def\labelitemi{\textendash}%
984       \leavevmode\hb@xt@.5\unitindent{%
```




```

985      \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
986      \if@twocolumn
987        \ifnum \col@number=\@ne
988          \@maketitle
989        \else
990          \twocolumn[\@maketitle]%
991        \fi
992      \else
993        \newpage
994        \global\@topnum\z@
995        \@maketitle
996      \fi
997      \thispagestyle{plain}\@thanks
998    \endgroup
999    \setcounter{footnote}{0}%
1000    \global\let\thanks\relax
1001    \global\let\maketitle\relax
1002    \global\let\@maketitle\relax
1003    \global\let\@thanks\@empty
1004    \global\let\@author\@empty
1005    \global\let\@title\@empty
1006    \global\let\@date\@empty
1007    \global\let\title\relax
1008    \global\let\author\relax
1009    \global\let\date\relax
1010    \global\let\and\relax
1011  }
1012  \def\@maketitle{%
1013    \newpage
1014    \null
1015    \vskip 2em%
1016    \begin{center}%
1017      \let \footnote \thanks
1018      {\LARGE \TitleFont \@title \par}%
1019      \vskip 1.5em%
1020      {\large \TitleFont
1021        \lineskip .5em%
1022        \begin{tabular}[t]{c}%
1023          \@author
1024        \end{tabular}\par}%
1025      \vskip 1em%
1026      {\large \TitleFont \@date}%
1027    \end{center}%
1028    \par
1029    \vskip 1.5em}
1030  \fi

```

7.10 artikel3-xetex-bidi.def

```

1031 \ProvidesFile{artikel3-xetex-bidi.def}[2011/08/26 v0.3 bidi adaptations for artikel3 class for X

```



```

1032 \renewenvironment{theindex}{%
1033   \if@twocolumn
1034     \@restonecolfalse
1035   \else
1036     \@restonecoltrue
1037   \fi
1038   \columnseprule \z@
1039   \columnsep 35\p@
1040   \twocolumn[\section*{\indexname}]{%
1041     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
1042   \thispagestyle{plain}\parindent\z@
1043   \parskip\z@ \@plus .3\p@\relax
1044   \let\item\@idxitem
1045   }{%
1046   \if@restonecol\onecolumn\else\clearpage\fi}
1047 \renewcommand*{\head@style}{%
1048   \interlinepenalty \@M
1049   \hyphenpenalty=\@M \exhyphenpenalty=\@M
1050   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1051 \renewcommand*{\regtocline}[3]{%
1052   \ifnum #1>\c@tocdepth
1053   \else
1054     \vskip\z@ \@plus.2\p@
1055     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1056     \if@RTL\rightskip\else\leftskip\fi\unitindent
1057     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1058     \parfillskip\z@
1059     \@tempdima\unitindent
1060     \parindent\z@
1061     \leavevmode
1062     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1063     \hskip 1em \nobreak{\slshape #3}\par
1064   }%
1065   \fi}
1066 \if@oldtoc
1067 \renewcommand*{\l@part}[2]{%
1068   \ifnum \c@tocdepth >-2\relax
1069     \addpenalty\@secpenalty
1070     \addvspace{2.25em \@plus\p@}%
1071     \begingroup
1072       \setlength\@tempdima{3em}%
1073       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1074       \parfillskip -\@pnumwidth
1075       {\leavevmode
1076         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1077       \nobreak
1078       \if@compatibility
1079         \global\@nobreaktrue
1080         \everypar{\global\@nobreakfalse\everypar{}}%
1081       \fi

```



```

1082 \endgroup
1083 \fi}
1084 \else
1085 \renewcommand*\l@part{%
1086 \ifnum \c@tocdepth >-2\relax
1087 \addpenalty\@secpenalty
1088 \addvspace{2.25em \@plus \p@}%
1089 \@regtocline{0}%
1090 \fi}
1091 \fi
1092
1093 \if@oldtoc
1094 \renewcommand*\l@section[2]{%
1095 \addpenalty\@secpenalty
1096 \addvspace{1.0em \@plus \p@}%
1097 \setlength\@tempdima{1.5em}%
1098 \begingroup
1099 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1100 \parfillskip -\@pnumwidth
1101 \leavevmode \bfseries
1102 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1103 \hskip -\if@RTL\rightskip\else\leftskip\fi
1104 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1105 \endgroup}
1106 \else
1107 \renewcommand*\l@section{\@regtocline{1}}
1108 \fi
1109 \if@titlepage
1110 \renewenvironment{abstract}{%
1111 \titlepage
1112 \null\vfil
1113 \section*{\SectFont\abstractname}%
1114 \noindent\ignorespaces}
1115 {\par\vfil\null\endtitlepage}
1116 \else
1117 \renewenvironment{abstract}{%
1118 \if@twocolumn
1119 \section*{\abstractname}%
1120 \else
1121 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1122 \section*{\small\SectFont\abstractname}%
1123 \noindent\ignorespaces
1124 \fi}
1125 {\if@twocolumn\else\par\egroup\fi}
1126 \fi
1127 \renewcommand*\left@footnoterule{%
1128 \kern-3\p@
1129 \kern.5\baselineskip
1130 \hrule\@width\unitindent
1131 \kern.4\baselineskip

```



```

1132 }
1133 \renewcommand*\right@footnoterule{%
1134   \hbox to \columnwidth
1135   {\beginR \vbox{%
1136     \kern-3\p@
1137     \kern.5\baselineskip
1138     \hrule\@width\unitindent
1139     \kern.4\baselineskip}\hfil\endR}
1140 }
1141 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
1142 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1143 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1144 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1145 \renewenvironment{thebibliography}[1]
1146   {\section*\refname}%
1147   {\mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1148   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1149   \list{\@biblabel{\@arabic\c@enumiv}}%
1150     {\settowidth\labelwidth{\@biblabel{#1}}%
1151     \leftmargin\labelwidth
1152     \advance\leftmargin\labelsep
1153     \@openbib@code
1154     \usecounter{enumiv}%
1155     \let\p@enumiv\@empty
1156     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1157   \sloppy\clubpenalty4000\widowpenalty4000
1158   \sfcode`. \. \@m}
1159   {\def\@noitemerr
1160     {\@latex@warning{Empty `thebibliography' environment}}%
1161     \endlist}
1162 \if@titlepage
1163 \renewcommand*\TitleFont{\rmfamily}
1164 \renewcommand*\maketitle{%
1165   \begin{titlepage}%
1166     \let\footnotesize\small
1167     \let\right@footnoterule\relax
1168     \let\left@footnoterule\relax
1169     \let\textwidth\footnoterule\relax
1170     \let\footnote\thanks
1171     \long\def\@makefnmark{\parindent\z@
1172       \def\labelitemi{\textendash}\@revlabeltrue
1173       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1174     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1175     \if@compatibility\setcounter{page}{0}\fi
1176     \null\vfil
1177     \vskip 60\p@
1178     \begin{center}%
1179       \TitleFont
1180       {\LARGE \def\\{\penalty -\@M}
1181         \if@allcaps

```



```

1182         \expandafter\uc@nothanks\@title\thanks\relax
1183     \else
1184         \@title
1185     \fi\par}%
1186 \vskip 3em%
1187 {\large
1188 \lineskip .75em \parindent\z@
1189 \begin{tabular}[t]{c}%
1190     \if@allcaps
1191         \expandafter\uc@authornothanks\@author\and\relax
1192     \else
1193         \@author
1194     \fi
1195 \end{tabular}\par}%
1196 \vskip 1.5em%
1197 {\large
1198     \if@allcaps
1199         \uppercase\expandafter{\@date}%
1200     \else
1201         \@date
1202     \fi\par}%
1203 \end{center}\par
1204 \@thanks
1205 \vfil\null
1206 \end{titlepage}%
1207 \setcounter{footnote}{0}%
1208 \global\let\thanks\relax
1209 \global\let\maketitle\relax
1210 \global\let\@thanks\@empty
1211 \global\let\@author\@empty
1212 \global\let\@title\@empty
1213 \global\let\@date\@empty
1214 \global\let\title\relax
1215 \global\let\author\relax
1216 \global\let\date\relax
1217 \global\let\and\relax
1218 }
1219 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1220 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1221     \futurelet\@tempa\uc@ax}
1222 \def\uc@ax{%
1223     \ifx\@tempa\relax
1224     \else
1225         \\\andname \\\expandafter\uc@authornothanks
1226     \fi}
1227 \def\uc@tx{\ifx\@tempa\relax
1228     \else \expandafter\uc@ty \fi}
1229 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1230 \else
1231 \renewcommand*\maketitle{\par

```



```

1232 \begingroup
1233 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1234 \def\@makefnmark{\rlap{%
1235   \@textsuperscript{\normalfont\@thefnmark}}}%
1236 \long\def\@makefntext{\@xmakefntext{%
1237   \@textsuperscript{\normalfont\@thefnmark}}}%
1238 \if@twocolumn
1239   \ifnum \col@number=\@ne
1240     \@maketitle
1241   \else
1242     \twocolumn[\@maketitle]%
1243   \fi
1244 \else
1245   \newpage
1246   \global\@topnum\z@
1247   \@maketitle
1248 \fi
1249 \thispagestyle{plain}\@thanks
1250 \endgroup
1251 \setcounter{footnote}{0}%
1252 \global\let\thanks\relax
1253 \global\let\maketitle\relax
1254 \global\let\@maketitle\relax
1255 \global\let\@thanks\@empty
1256 \global\let\@author\@empty
1257 \global\let\@title\@empty
1258 \global\let\@date\@empty
1259 \global\let\title\relax
1260 \global\let\author\relax
1261 \global\let\date\relax
1262 \global\let\and\relax
1263 }
1264 \def\@maketitle{%
1265   \newpage
1266   \null
1267   \vskip 2em%
1268   \if@titlecentered
1269     \begin{center}%
1270       \let \footnote \thanks
1271       {\LARGE \TitleFont \@title \par}%
1272       \vskip 1.5em%
1273       {\large \TitleFont
1274         \lineskip .5em%
1275         \begin{tabular}[t]{c}%
1276           \@author
1277         \end{tabular}\par}%
1278       \vskip 1em%
1279       {\large \TitleFont \@date}%
1280     \end{center}%
1281   \else

```



```

1282     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1283     {\large \TitleFont \lineskip .5em \tabcolsep\z@
1284       \def\and{%% \begin{tabular} has already started
1285         \end{tabular}\hskip 1em plus .17fil
1286         \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabular} will
1287         \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
1288       \vskip 1em {\large \TitleFont \@date}
1289 \fi
1290 \par
1291 \vskip 1.5em}
1292 \fi

```

7.11 arydshln-xetex-bidi.def

```

1293 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package for
1294 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1295 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
1296 \expandafter\let\csname endtabular*\endcsname\endtabular
1297 \let\adl@array\@array
1298 \def\@array{\adl@everyvbox\everyvbox
1299   \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1300   \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1301   \let\adl@noalign\noalign
1302   \adl@array}
1303 \ifadl@usingarypkg
1304 \def\@testpach{\@chclass
1305   \ifnum \@lastchclass=6 \one \@chnum \@ne \else
1306   \ifnum \@lastchclass=7 5 \else
1307   \ifnum \@lastchclass=8 \tw@ \else
1308   \ifnum \@lastchclass=9 \thr@@
1309   \else \z@
1310   \ifnum \@lastchclass = 10 \else
1311   \edef\@nextchar{\expandafter\string\@nextchar}%
1312   \@chnum
1313   \if \@nextchar c\z@ \else
1314   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1315   \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
1316   \z@ \@chclass
1317   \if \@nextchar | \@ne \let\@arrayrule\adl@arrayrule \else
1318   \if \@nextchar : \@ne \let\@arrayrule\adl@arraydashrule \else
1319   \if \@nextchar ; \@ne \let\@arrayrule\adl@argarraydashrule \else
1320   \if \@nextchar !6 \else
1321   \if \@nextchar @7 \else
1322   \if \@nextchar <8 \else
1323   \if \@nextchar >9 \else
1324   10
1325   \@chnum
1326   \if \@nextchar m\thr@@\else
1327   \if \@nextchar p4 \else
1328   \if \@nextchar b5 \else

```



```

1329 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1330 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1331
1332 \def\@classz{\@classx
1333 \@tempcnta \count@
1334 \prepnext@tok
1335 \@addtopreamble{\ifcase \@chnum
1336 \hfil
1337 \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1338 \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1339 \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1340 \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1341 \adl@endmbox\or
1342 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1343 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1344 \fi}\prepnext@tok}
1345 \def\adl@class@start{4}
1346 \def\adl@class@iiiorvii{7}
1347
1348 \else
1349 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1350 \ifnum \@lastchclass=\thr@@ 5\relax \else
1351 \z@ \if #1c\@chnum \z@ \else
1352 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1353 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1354 \@chclass
1355 \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
1356 \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
1357 \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
1358 \if #1@\tw@ \else
1359 \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1360 \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1361
1362 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1363 \or \or \@addamp \or
1364 \@acolampacol \or \@firstampfalse \@acol \fi
1365 \edef\@preamble{\@preamble
1366 \ifcase \@chnum
1367 \hfil\adl@putlrc{\$ \relax \@sharp$}\hfil
1368 \or \adl@putlrc{\$ \relax \@sharp$}\hfil
1369 \or \hfil\adl@putlrc{\$ \relax \@sharp$}\fi}}
1370 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1371 \or \or \@addamp \or
1372 \@acolampacol \or \@firstampfalse \@acol \fi
1373 \edef\@preamble{\@preamble
1374 \ifcase \@chnum
1375 \hfil\adl@putlrc{\@sharp\unskip}\hfil
1376 \or \adl@putlrc{\@sharp\unskip}\hfil
1377 \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1378 \def\adl@class@start{6}

```




```

1379 \def\adl@class@iiiorvii{3}
1380 \fi
1381 \ifpackageloaded{colortbl}{%
1382 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1383 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1384 \let\@endpbox\adl@org@endpbox}
1385 \let\adl@CT@setup\CT@setup
1386 \def\CT@setup{\adl@CT@setup
1387 \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1388 \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1389 \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1390 \let\adl@act@CT@setup\CT@setup
1391 \def\@classz{\@classx
1392 \@tempcnta\count@ \prepnext@tok
1393 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1394 \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1395 \expandafter\adl@extract@drsc
1396 \the\toks\@tempcnta\doublerulesepcolor!\@nil
1397 \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1398 \@addtopreamble{\ifRTL\beginL\fi%
1399 \setbox\z@\hbox\bgroup\bgroup\ifRTL\beginR\fi
1400 \ifcase \@chnum
1401 \hskip\stretch{.5}\kern\z@
1402 \d@llarbegin
1403 \insert@column
1404 \d@llarend\hskip\stretch{.5}%
1405 \or \d@llarbegin \insert@column \d@llarend \hfill
1406 \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1407 \or $\vcenter
1408 \startpbox{\@nextchar}\insert@column \endpbox $%
1409 \or \vtop \startpbox{\@nextchar}\insert@column \endpbox
1410 \or \vbox \startpbox{\@nextchar}\insert@column \endpbox
1411 \fi
1412 \ifRTL\endR\fi\egroup\egroup
1413 \begingroup
1414 \CT@setup
1415 \CT@column@color
1416 \CT@row@color
1417 \CT@cell@color
1418 \CT@do@color
1419 \endgroup
1420 \@tempdima\ht\z@
1421 \advance\@tempdima\minrowclearance
1422 \vrule\@height\@tempdima\@width\z@
1423 \unhbox\z@\ifRTL\endL\fi}%
1424 \prepnext@tok}
1425 \let\adl@act@classz\@classz
1426 \let\adl@org@classz\@classz
1427 }{}

```



7.12 bidi.sty

```
1428 \NeedsTeXFormat{LaTeX2e}
1429 \def\bididate{2014/11/29}
1430 \def\bidiversion{v16.3}
1431 \ProvidesPackage{bidi}[\bididate\space \bidiversion\space
1432 Bidirectional typesetting in plain TeX and LaTeX]
1433 \edef\@bidi@info{*****~J%
1434 * ~J%
1435 * bidi package (Bidirectional typesetting in~J%
1436 * plain TeX and LaTeX, using XeTeX engine)~J%
1437 * ~J%
1438 * Description: A convenient interface for~J%
1439 * typesetting bidirectional texts in plain TeX~J%
1440 * and LaTeX. The package includes adaptations~J%
1441 * for use with many other commonly-used packages.~J%
1442 * ~J%
1443 * Copyright © 2009-2014 Vafa Khalighi~J%
1444 * ~J%
1445 * \bididate, \bidiversion~J%
1446 * ~J%
1447 * License: LaTeX Project Public License, version~J%
1448 * 1.3c or higher (your choice)~J%
1449 * ~J%
1450 * Location on CTAN: /macros/xetex/latex/bidi~J%
1451 * ~J%
1452 * Issue tracker: https://github.com/persian-tex/bidi/issues~J%
1453 * ~J%
1454 * Support: persian-tex@tug.org~J%
1455 *****}
1456 \typeout{\@bidi@info}
1457 \edef\bidi@everyjob{\the\everyjob}
1458 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
1459 \RequirePackage{iftex}
1460 \RequireXeTeX
1461 \RequirePackage{biditools}
1462 \RequirePackage{zref-abspage}
1463 \RequirePackage{auxhook}
1464 \RequirePackage{ltxcmds}
1465 \RequirePackage{xkeyval}
1466 \eqnewif{\if@RTLmain}{\if@rlmain}
1467 \eqnewif{\if@RTL}{\if@rl}
1468 \newif\if@Latin
1469 \eqnewif{\if@RTLtab}{\if@tab@rl}
1470 \newif\if@RTLmarginpar
1471 \newif\if@LTRmarginpar
1472 \newif\if@LTRbibitems
1473 \newif\if@RTLbibitems
1474 \newif\if@extrafootnotefeatures
1475 \newif\if@parafootRTL
```



```

1476 \newif\if@RTLcolumnfootnotes
1477 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1478 \newif\if@bidi@list@minipage@parbox
1479 \newif\if@bidi@list@minipage@parbox@not@nob
1480 \RTLmainfalse
1481 \AtBeginDocument{%
1482   \if@RTLmain\else
1483     \if@RTL\@RTLmaintrue%
1484     \else\@RTLmainfalse%
1485     \fi%
1486   \fi%
1487 }
1488 \let\n@xt=\
1489 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1490 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1491 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1492 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1493 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1494   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1495 \input{latex-xetex-bidi.def}
1496 \input{loadingorder-xetex-bidi.def}
1497 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1498   \ifcase\bidi@tempb\relax
1499     \RTLtrue
1500   \or
1501     \RTLfalse
1502   \fi}
1503 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1504   \ifcase\bidi@tempb\relax
1505     \RTLtrue
1506   \or
1507     \RTLfalse
1508   \fi}
1509 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,
1510   \ifcase\bidi@tempb\relax
1511     \autofootnoterule
1512   \or
1513     \leftfootnoterule
1514   \or
1515     \rightfootnoterule
1516   \or
1517     \SplitFootnoteRule
1518   \or
1519     \textwidthfootnoterule
1520   \fi}
1521 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttorigh
1522   \ifcase\bidi@tempb\relax
1523     \RTL@footnotetrue
1524   \or
1525     \RTL@footnotefalse

```



```

1526 \fi}
1527 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1528 \ifcase\bidi@tempb\relax
1529 \footdir@debugtrue
1530 \or
1531 \footdir@debugfalse
1532 \fi}
1533 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1534 \ifcase\bidi@tempb\relax
1535 \@extrafootnotefeaturestrue
1536 \or
1537 \@extrafootnotefeaturesfalse
1538 \fi}
1539
1540 \ProcessOptionsX
1541
1542 \if@extrafootnotefeatures
1543 \input{extrafootnotefeatures-xetex-bidi.def}
1544 \fi

```

7.13 bidi.tex

```

1545 \def\bididate{2014/11/29}
1546 \def\bidiversion{v0.2}
1547 \catcode\@=11
1548 \let \protect \relax
1549 \newlinechar``^^J
1550 \edef\@bidi@info{*****^^J%
1551 * ^^J%
1552 * bidi package (Bidirectional typesetting in^^J%
1553 * plain TeX and LaTeX, using XeTeX engine)^^J%
1554 * ^^J%
1555 * Description: A convenient interface for^^J%
1556 * typesetting bidirectional texts in plain TeX^^J%
1557 * and LaTeX. The package includes adaptations^^J%
1558 * for use with many other commonly-used packages.^^J%
1559 * ^^J%
1560 * Copyright © 2009-2014 Vafa Khalighi^^J%
1561 * ^^J%
1562 * \bididate, \bidiversion^^J%
1563 * ^^J%
1564 * License: LaTeX Project Public License, version^^J%
1565 * 1.3c or higher (your choice)^^J%
1566 * ^^J%
1567 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1568 * ^^J%
1569 * Issue tracker: https://github.com/persian-tex/bidi/issues^^J%
1570 * ^^J%
1571 * Support: persian-tex@tug.org^^J%
1572 *****}

```



```

1573 \message{\@bidi@info}
1574 \edef\bidi@everyjob{\the\everyjob}
1575 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1576 \input iftex.sty
1577 \RequireXeTeX
1578 \newif\if@RTLmain
1579 \newif\if@RTL
1580 \newif\if@sentsdir
1581 \newif\if@RTL@footnote
1582 \@RTLmainfalse
1583 \def\setRTLmain{%
1584   \if@RTLmain\else
1585     \if@RTL\@RTLmaintrue%
1586     \else\@RTLmainfalse%
1587     \fi%
1588   \fi%
1589 }
1590 \let\n@xt=\
1591 \protected\def\LRE{\protect\pLRE}%
1592 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1593 \protected\def\RLE{\protect\pRLE}
1594 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1595 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1596   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1597 \input plain-xetex-bidi.def
1598 \catcode`\@=12

```

7.14 bidi2in1.sty

```

1599 \NeedsTeXFormat{LaTeX2e}
1600 \ProvidesPackage{bidi2in1}
1601 \pagestyle{plain}
1602 \newcount\evenpage
1603 \newcount\oddpge
1604 \twocolumn
1605 \def\@oddfoot{\evenpage=\thepage%
1606 \multiply\evenpage by 2%
1607 \oddpge=\the\evenpage%
1608 \advance\oddpge by -1%
1609 \hfil\the\evenpage\hfil\hfil\the\oddpge\hfil}%
1610 \def\@evenfoot{\evenpage=\thepage%
1611 \multiply\evenpage by 2%
1612 \oddpge=\the\evenpage%
1613 \advance\oddpge by -1%
1614 \hfil\the\oddpge\hfil\hfil\the\evenpage\hfil}%
1615 \textwidth 9.49in
1616 \textheight 6.7in
1617 \columnsep 0.9in
1618 \columnseprule 0.125pt
1619 \headheight 0cm

```



```

1620 \topmargin 0in
1621 \marginparwidth 0in
1622 \marginparsep 0in
1623 \hoffset 0.05in % Corrected
1624 \voffset -0.5in %top margin space is 1.0in by default
1625 \oddsidemargin 0in
1626 \evensidemargin 0in
1627 \headsep 0cm
1628 \topskip 0cm
1629 \parskip 0.15in      %
1630 \headsep 0pt
1631 \special{papersize=11.69in,8.26in}
1632 \renewcommand\maketitle{\par
1633 \begingroup
1634 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1635 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1636 \long\def\@makefntext##1{\parindent 1em\noindent
1637 \hb@xt@1.8em{\%
1638 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1639 \@maketitle
1640 \@thanks
1641 \endgroup
1642 \setcounter{footnote}{0}%
1643 \global\let\thanks\relax
1644 \global\let\maketitle\relax
1645 \global\let\@maketitle\relax
1646 \global\let\@thanks\@empty
1647 \global\let\@author\@empty
1648 \global\let\@date\@empty
1649 \global\let\@title\@empty
1650 \global\let\title\relax
1651 \global\let\author\relax
1652 \global\let\date\relax
1653 \global\let\and\relax
1654 }

```

7.15 bidicode.sty

```

1655 \NeedsTeXFormat{LaTeX2e}
1656 \ProvidesPackage{bidicode}
1657 \RequirePackage{xcolor}
1658 \RequirePackage{showexpl}
1659 \definecolor{hellgelb}{rgb}{1,1,0.85}
1660 \definecolor{colKeys}{rgb}{0,0,1}
1661 \definecolor{colIdentifier}{rgb}{0,0,0}
1662 \definecolor{colComments}{rgb}{1,0,0}
1663 \definecolor{colString}{rgb}{0,0.5,0}
1664 \lstset{
1665     language=[LaTeX]TEX,
1666     float=hbp,

```



```

1667 basicstyle=\ttfamily\small,
1668 identifierstyle=\color{colIdentifier},
1669 keywordstyle=\color{colKeys},
1670 stringstyle=\color{colString},
1671 commentstyle=\color{colComments},
1672 columns=flexible,
1673 tabsize=4,
1674 gobble =1,
1675 extendedchars=true,
1676 showspaces=false,
1677 showstringspaces=false,
1678 numbers=left,
1679 numbersep=0.9em,
1680 numberstyle=\tiny, %
1681 frame=single,
1682 captionpos=b,
1683 xleftmargin=1em,
1684 breaklines=true,
1685 breakautoindent=false,
1686 breakindent=0pt,
1687 escapeinside=**,
1688 pos=r,
1689 explpreset={%
1690 xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1691 morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1692 }
1693 \newcommand\HLON{%
1694 \gdef\lst@alloverstyle##1{%
1695 \fboxrule=0pt
1696 \fboxsep=0pt
1697 \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1698 }}
1699 \newcommand\HLOFF{%
1700 \xdef\lst@alloverstyle##1{##1}%
1701 }
1702 \newcommand\Larg [1]{\normalfont\itshape#1/}
1703 \newcommand\Larga[1]{\normalfont\itshape#1\angle}
1704 \newcommand\Largb[1]{\normalfont\itshape#1\lcb\rcb}
1705 \newcommand\Largs[1]{\normalfont\itshape#1\lsb\rsb}
1706 \newcommand\Largr[1]{\normalfont\itshape#1\lrb\rrb}
1707 \newcommand\LBEG[1]{\normalfont\itshape#1\begin\lcb#1\rcb}
1708 \newcommand\LEND[1]{\normalfont\itshape#1\end\lcb#1\rcb}
1709
1710 \DeclareRobustCommand\bs{\normalfont\itshape\symbol{92}}
1711 \DeclareRobustCommand\lcb{\normalfont\itshape\char`{}}
1712 \DeclareRobustCommand\rcb{\normalfont\itshape\char`{}}
1713 \DeclareRobustCommand\lsb{\normalfont\itshape\char`{}}
1714 \DeclareRobustCommand\rsb{\normalfont\itshape\char`{}}
1715 \DeclareRobustCommand\lrb{\normalfont\itshape\char`{}}
1716 \DeclareRobustCommand\rrb{\normalfont\itshape\char`{}}

```



```

1717
1718 \def\Lcs#1{\nxLcs{#1}}
1719 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
1720 \def\nxLcs#1{\texttt{\symbol{92}#1}}
1721
1722 \def\Coordx#1{$x_{#1}$}
1723 \def\Coordy#1{$y_{#1}$}
1724 \def\Coordz#1{$z_{#1}$}
1725 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
1726 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
1727 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
1728 \def\CAny{\Coordx{}}\kern 1pt\Coordy{}
1729 \def\CIIAny{\Coordx{}}\kern 1pt\Coordy{}}\kern 1pt\Coordz{}
1730 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
1731 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
1732 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1733 \def\coordx#1{($x_{#1}$)}
1734 \def\coordy#1{($y_{#1}$)}
1735 \def\coordz#1{($z_{#1}$)}
1736 \def\cAny{(\Coordx{}}\kern 1pt\Coordy{}}
1737 \def\ciiAny{(\Coordx{}}\kern 1pt\Coordy{}}\kern 1pt\Coordz{}}
1738
1739 \newsavebox{\boxdef}
1740 \newenvironment{BDef}
1741   {\begin{lrbox}\boxdef
1742     \def\arraystretch{1.0}
1743     \begin{tabular}{@{}l@{}l@{}l@{}}
1744   }
1745   {\end{tabular}\end{lrbox}}
1746
1747   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
1748   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1749 }
1750
1751 \newenvironment{BDef*}
1752   {\begin{lrbox}\boxdef
1753     \def\arraystretch{1.0}
1754     \begin{tabular}{@{}l@{}l@{}l@{}}
1755   }
1756   {\end{tabular}\end{lrbox}
1757   {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
1758   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1759 }
1760 \newenvironment{BCmd}{
1761   \@beginparpenalty-\@lowpenalty
1762   \topsep\BDefaboveskip
1763   \fbboxsep3pt
1764   \flushleft}
1765   {\@endparpenalty\@M
1766   \@topsepadd\BDefbelowskip

```




```

1767 \endflushleft}
1768
1769 \newenvironment{BCmd*}{
1770 \@beginparpenalty\@M
1771 \topsep\BDefinelineskip
1772 \fboxsep3pt
1773 \flushleft}
1774 {\@endparpenalty5000
1775 \endflushleft}
1776
1777 \newskip\BDefaboveskip
1778 \newskip\BDefbelowskip
1779 \newskip\BDefinelineskip
1780 \setlength\BDefaboveskip{10pt plus 4pt}
1781 \setlength\BDefbelowskip{6pt}
1782 \setlength\BDefinelineskip{6pt}
1783
1784 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
1785 \def\OptArg{\@ifnextchar*\OptArgi{\OptArgii*}}
1786 \def\OptArgi*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
1787 \def\OptArgii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}

```

7.16 bidiftnxtra.sty

```

1788 \NeedsTeXFormat{LaTeX2e}
1789 \ProvidesPackage{bidiftnxtra}
1790 \newtoks\bidi@p@ftn
1791 \let\FN@sfc@footnote\footnote
1792 \let\FN@sfc@LTRfootnote\LTRfootnote
1793 \let\FN@sfc@RTLfootnote\RTLfootnote
1794 \def\footnote{\ifx\protect\@typeset@protect
1795 \expandafter\FN@sfc@footnote
1796 \else
1797 \expandafter\FN@sfc@gobble@opt
1798 \fi
1799 }
1800 \def\LTRfootnote{\ifx\protect\@typeset@protect
1801 \expandafter\FN@sfc@LTRfootnote
1802 \else
1803 \expandafter\FN@sfc@gobble@opt
1804 \fi
1805 }
1806 \def\RTLfootnote{\ifx\protect\@typeset@protect
1807 \expandafter\FN@sfc@RTLfootnote
1808 \else
1809 \expandafter\FN@sfc@gobble@opt
1810 \fi
1811 }
1812 \edef\FN@sfc@gobble@opt{\noexpand\protect
1813 \expandafter\noexpand\csname FN@sfc@gobble@opt \endcsname}

```



```

1814 \expandafter\def\csname FN@sfgobble@opt \endcsname{%
1815   \ifnextchar[%]
1816     \FN@sfgobble@twobrace
1817     \@gobble
1818 }
1819 \def\FN@sfgobble@twobrace[#1]#2{%
1820 \let\FN@sfgobble@footnotemark\footnotemark
1821 \def\footnotemark{\ifx\protect\@typeset@protect
1822   \expandafter\FN@sfgobble@footnotemark
1823   \else
1824     \expandafter\FN@sfgobble@optonly
1825   \fi
1826 }
1827 \edef\FN@sfgobble@optonly{\noexpand\protect
1828   \expandafter\noexpand\csname FN@sfgobble@optonly \endcsname}
1829 \expandafter\def\csname FN@sfgobble@optonly \endcsname{%
1830   \ifnextchar[%]
1831     \FN@sfgobble@brace
1832     {}%
1833 }
1834 \def\FN@sfgobble@brace[#1]{%
1835 \def\@tabular{\ifRTL\global\@RTLtabtrue\fi
1836   \leavevmode \hbox \bgroup
1837   \let\@footnotetext\@bidi@p@ftntext
1838   \let\@LTRfootnotetext\@bidi@p@LTRftntext
1839   \let\@RTLfootnotetext\@bidi@p@RTLftntext
1840   \let\@xfootnotenext\@bidi@p@xftntext
1841   \let\@xfootnote\@bidi@p@xfootnote
1842   \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
1843   \let\@xLTRfootnote\@bidi@p@xLTRfootnote
1844   \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
1845   \let\@xRTLfootnote\@bidi@p@xRTLfootnote
1846   \ifRTLtab\beginR \fi
1847   $\let\@acol\@tabacol
1848   \let\@class\@tabclass
1849   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
1850 \def\endtabular{\crr\egroup\ifRTLtab\egroup\endR\egroup\fi
1851   \egroup $\ifRTLtab\endR\fi\egroup
1852   \ifx\@capytype\@undefined
1853     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi%
1854     \global\@RTLtabfalse}
1855 \long\def\@bidi@p@ftntext#1{%
1856   \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}}%
1857   \global\@bidi@p@ftn\expandafter{\@tempy{#1}}}%
1858 \long\def\@bidi@p@LTRftntext#1{%
1859   \edef\@tempyi{\the\@bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
1860   \global\@bidi@p@ftn\expandafter{\@tempyi{#1}}}%
1861 \long\def\@bidi@p@RTLftntext#1{%
1862   \edef\@tempyii{\the\@bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
1863   \global\@bidi@p@ftn\expandafter{\@tempyii{#1}}}%

```



```

1864
1865
1866 \long\def\bidip@xftntext[#1]#2{%
1867   \global\bidip@ftn\expandafter{\the\bidip@ftn\footnotetext[#1]{#2}}
1868
1869 \long\def\bidip@xLTRftntext[#1]#2{%
1870   \global\bidip@ftn\expandafter{\the\bidip@ftn\LTRfootnotetext[#1]{#2}}
1871
1872 \long\def\bidip@xRTLftntext[#1]#2{%
1873   \global\bidip@ftn\expandafter{\the\bidip@ftn\RTLfootnotetext[#1]{#2}}
1874
1875
1876 \def\bidip@xfootnote[#1]{%
1877   \begingroup
1878     \csname c@\mpfn\endcsname #1\relax
1879     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1880   \endgroup
1881   \@footnotemark\bidip@xftntext[#1]}
1882
1883
1884 \def\bidip@xLTRfootnote[#1]{%
1885   \begingroup
1886     \csname c@\mpfn\endcsname #1\relax
1887     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1888   \endgroup
1889   \@footnotemark\bidip@xLTRftntext[#1]}
1890
1891
1892 \def\bidip@xRTLfootnote[#1]{%
1893   \begingroup
1894     \csname c@\mpfn\endcsname #1\relax
1895     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1896   \endgroup
1897   \@footnotemark\bidip@xRTLftntext[#1]}
1898
1899 \def\@xfloat #1[#2]{%
1900   \@nodocument
1901   \def \@captype {#1}%
1902   \def \@fps {#2}%
1903   \@onelevel@sanitize \@fps
1904   \def \reserved@b {!}%
1905   \ifx \reserved@b \@fps
1906     \@fpsadddefault
1907   \else
1908     \ifx \@fps \@empty
1909       \@fpsadddefault
1910     \fi
1911   \fi
1912   \ifhmode
1913     \@bsphack

```



```

1914 \@floatpenalty -\@Mii
1915 \else
1916 \@floatpenalty-\@Miii
1917 \fi
1918 \ifinner
1919 \@parmoderr\@floatpenalty\z@
1920 \else
1921 \@next\@currbox\@freelist
1922 {%
1923 \@tempcnta \sixt@n
1924 \expandafter \@tfor \expandafter \reserved@a
1925 \expandafter :\expandafter =\@fps
1926 \do
1927 {%
1928 \if \reserved@a h%
1929 \ifodd \@tempcnta
1930 \else
1931 \advance \@tempcnta \@ne
1932 \fi
1933 \fi
1934 \if \reserved@a t%
1935 \@setfpsbit \tw@
1936 \fi
1937 \if \reserved@a b%
1938 \@setfpsbit 4%
1939 \fi
1940 \if \reserved@a p%
1941 \@setfpsbit 8%
1942 \fi
1943 \if \reserved@a !%
1944 \ifnum \@tempcnta>15
1945 \advance\@tempcnta -\sixt@n\relax
1946 \fi
1947 \fi
1948 }%
1949 \@tempcntb \csname ftype@\@capytype \endcsname
1950 \multiply \@tempcntb \@xxxii
1951 \advance \@tempcnta \@tempcntb
1952 \global \count\@currbox \@tempcnta
1953 }%
1954 \@fltovf
1955 \fi
1956 \global \setbox\@currbox
1957 \color@vbox
1958 \normalcolor
1959 \vbox \bgroup
1960 \let\@footnotetext\@bidi@p@fnttext
1961 \let\@LTRfootnotetext\@bidi@p@LTRfnttext
1962 \let\@RTLfootnotetext\@bidi@p@RTLfnttext
1963 \let\@xfootnotenext\@bidi@p@xftnttext

```



```

1964      \let\@xfootnote\@bidi@p@xfootnote
1965      \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
1966      \let\@xLTRfootnote\@bidi@p@xLTRfootnote
1967      \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
1968      \let\@xRTLfootnote\@bidi@p@xRTLfootnote
1969      \hsize\columnwidth
1970      \@parboxrestore
1971      \@floatboxreset
1972 }
1973 \def \@endfloatbox{%
1974     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
1975     \@minipagefalse
1976     \outer@nobreak
1977     \egroup                %% end of vbox
1978     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
1979     \color@endbox
1980 }

```

7.17 bidi-longtable.sty

```

1981 \ProvidesPackage{bidi-longtable}[2012/12/12 v0.1 typesetting bidi longtables in XeTeX engine (ex
1982 \def\longtable{\if@RTL\@RTLtabtrue\fi%
1983     \par
1984     \ifx\multicols\@undefined
1985     \else
1986         \ifnum\col@number>\@ne
1987             \@twocolumntrue
1988             \fi
1989         \fi
1990         \if@twocolumn
1991             \LT@err{longtable not in 1-column mode}\@ehc
1992         \fi
1993         \begingroup
1994         \@ifnextchar[\LT@array{\LT@array[x]}
1995 \def\endlongtable{%
1996     \crr
1997     \noalign{%
1998         \let\LT@entry\LT@entry@chop
1999         \xdef\LT@save@row{\LT@save@row}}%
2000     \LT@echunk
2001     \LT@start
2002     \unvbox\z@
2003     \LT@get@widths
2004     \if@filesw
2005         {\let\LT@entry\LT@entry@write\immediate\write\@auxout{%
2006             \gdef\expandafter\noexpand
2007                 \csname LT@\romannumeral\c@LT@tables\endcsname
2008                 {\LT@save@row}}}%
2009     \fi
2010     \ifx\LT@save@row\LT@@save@row

```



```

2011 \else
2012   \LT@warn{Column \@width s have changed\MessageBreak
2013           in table \thetable}%
2014   \LT@final@warn
2015 \fi
2016 \endgraf\penalty -\LT@end@pen
2017 \endgroup
2018 \global\@mparbottom\z@
2019 \pagegoal\vsizel
2020 \endgraf\penalty\z@\addvspace\LTpost
2021 \ifvoid\footins\else\insert\footins{}\fi\@RTLtabfalse}
2022 \def\LT@output{%
2023   \ifnum\outputpenalty <-\@Mi
2024     \ifnum\outputpenalty > -\LT@end@pen
2025       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
2026     \else
2027       \setbox\z@\vbox{\unvbox\@cclv}%
2028       \ifdim \ht\LT@lastfoot>\ht\LT@foot
2029         \dimen@\pagegoal
2030         \advance\dimen@-\ht\LT@lastfoot
2031         \ifdim\dimen@<\ht\z@
2032           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
2033           \@makecol
2034           \@outputpage
2035           \setbox\z@\vbox{\box\LT@head}%
2036         \fi
2037       \fi
2038       \global\@colroom\@colht
2039       \global\vsizel\@colht
2040       \vbox
2041       {\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@lastf
2042       \fi
2043     \else
2044       \setbox\@cclv\vbox{\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\@cclv\copy\LT@foot\vss}\if@RTLta
2045       \@makecol
2046       \@outputpage
2047       \global\vsizel\@colroom
2048       \copy\LT@head\nobreak
2049     \fi}

```

7.18 bidimoderncv.cls

```

2050 \NeedsTeXFormat{LaTeX2e}
2051 \ProvidesClass{bidimoderncv}
2052 \newif\if@DEBUG\@DEBUGfalse
2053 \DeclareOption{a4paper}{
2054   \setlength\paperheight{297mm}
2055   \setlength\paperwidth{210mm}}
2056 \DeclareOption{a5paper}{
2057   \setlength\paperheight{210mm}

```



```

2058 \setlength\paperwidth{148mm}}
2059 \DeclareOption{b5paper}{
2060 \setlength\paperheight{250mm}
2061 \setlength\paperwidth{176mm}}
2062 \DeclareOption{letterpaper}{
2063 \setlength\paperheight{11in}
2064 \setlength\paperwidth{8.5in}}
2065 \DeclareOption{legalpaper}{
2066 \setlength\paperheight{14in}
2067 \setlength\paperwidth{8.5in}}
2068 \DeclareOption{executivepaper}{
2069 \setlength\paperheight{10.5in}
2070 \setlength\paperwidth{7.25in}}
2071 \DeclareOption{landscape}{
2072 \setlength\@tempdima{\paperheight}
2073 \setlength\paperheight{\paperwidth}
2074 \setlength\paperwidth{\@tempdima}}
2075 \newcommand\@ptsize{
2076 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2077 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
2078 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
2079 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
2080 \DeclareOption{final}{\setlength\overfullrule{0pt}}
2081 \newif\if@colour\@colourtrue
2082 \DeclareOption{nocolour}{\@colourfalse}
2083 \ExecuteOptions{a4paper,11pt,colour,final}
2084 \ProcessOptions\relax
2085 \input{size1\@ptsize.clo}
2086 \RequirePackage{color}
2087 \RequirePackage{graphicx}
2088 \RequirePackage{ifthen}
2089 \RequirePackage{marvosym}
2090 \addtolength{\oddsidemargin}{-54pt}
2091 \addtolength{\textwidth}{109pt}
2092 \addtolength{\topmargin}{-70pt}
2093 \addtolength{\textheight}{122pt}
2094 \addtolength{\marginparsep}{-5pt}
2095 \addtolength{\marginparwidth}{-10pt}
2096 \RequirePackage{url}
2097 \RequirePackage{hyperref}
2098 \hypersetup{
2099 breaklinks,
2100 baseurl = http://,%
2101 pdfborder = 0 0 0,%
2102 pdfpagemode = UseNone,%
2103 pdfstartpage = 1}
2104 \AtEndOfClass{
2105 \AtBeginDocument{
2106 \hypersetup{
2107 pdfauthor = \@firstname~\@familyname,%

```



```

2108 pdftitle      = \@title,%
2109 pdfsubject    = \@firstname~\@familyname,%
2110 pdfkeywords    = \@resumename~\@firstname~\@familyname}}}
2111 \urlstyle{tt}
2112 \RequirePackage{fancyhdr}
2113 \fancypagestyle{plain}{%
2114   \renewcommand{\headrulewidth}{0pt}
2115   \renewcommand{\footrulewidth}{0pt}
2116   \fancyhf{}}
2117 \pagestyle{plain}
2118 \setlength\lineskip{1\p@}
2119 \setlength\normallineskip{1\p@}
2120 \renewcommand\baselinestretch{}
2121 \setlength{\parindent}{0pt}
2122 \setlength{\parskip}{0pt}
2123 \setlength\columnsep{10\p@}
2124 \setlength\columnseprule{0\p@}
2125 \pagestyle{empty}
2126 \pagenumbering{arabic}
2127 \raggedbottom
2128 \onecolumn
2129 \providecommand*\listitemsymbol{\textbullet}
2130 \providecommand*\addresssymbol{}
2131 \providecommand*\mobilesymbol{\Mobilefone}
2132 \providecommand*\phonesymbol{\Telefon}
2133 \providecommand*\faxsymbol{\FAX}
2134 \providecommand*\emailsymbol{\Letter}
2135 \definecolor{firstnamedcolor}{rgb}{0,0,0}
2136 \def\firstnamedcolour#1{\gdef\@firstnamedcolour{\addfontfeature{Color=#1}}}
2137 \def\familynamedcolour#1{\gdef\@familynamedcolour{\addfontfeature{Color=#1}}}
2138 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2139 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2140 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2141 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2142 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2143 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2144 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2145 \providecommand*\firstnamedfont{}
2146 \providecommand*\familynamedfont{}
2147 \providecommand*\titlefont{}
2148 \providecommand*\addressfont{}
2149 \providecommand*\quotefont{}
2150 \providecommand*\sectionfont{}
2151 \providecommand*\subsectionfont{}
2152 \providecommand*\hintfont{\small}
2153 \providecommand*\firstnamedstyle[1]{\@firstnamedfont\@firstnamedcolour#1}
2154 \providecommand*\familynamedstyle[1]{\@familynamedfont\@familynamedcolour#1}
2155 \providecommand*\titlestyle[1]{\@titlefont\@titlecolour#1}
2156 \providecommand*\addressstyle[1]{\@addressfont\@addresscolour#1}
2157 \providecommand*\quotestyle[1]{\@quotefont\@quotecolour#1}

```




```

2158 \providecommand*\sectionstyle}[1]{\sectionfont\@sectiontitlecolour#1}
2159 \providecommand*\subsectionstyle}[1]{\subsectionfont\@subsectioncolour#1}
2160 \providecommand*\hintstyle}[1]{\hintfont\@hintcolour#1}
2161 \newcommand*\cvtheme}[2][{}{
2162   \def\@cvtheme#2}
2163   \def\@cvthemeoptions#1}
2164 \cvtheme{bidi-casual}
2165 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
2166 \newcommand*\resumename}[1]{\def\@resumename#1}
2167 \newcommand*\firstname}[1]{\def\@firstname#1}
2168 \newcommand*\familyname}[1]{\def\@familyname#1}
2169 \renewcommand*\title}[1]{\def\@title#1}
2170 \newcommand*\address}[1]{\def\@address#1}
2171 \newcommand*\mobile}[1]{\def\@mobile#1}
2172 \newcommand*\phone}[1]{\def\@phone#1}
2173 \renewcommand*\fax}[1]{\def\@fax#1}
2174 \newcommand*\email}[1]{\def\@email#1}
2175 \newcommand*\extrainfo}[1]{\def\@extrainfo#1}
2176 \def\@photowidth{0pt}
2177 \newcommand*\photo}[2][64pt]{\def\@photowidth#1\def\@photo#2}
2178 \newcommand*\quote}[1]{\def\@quote#1}
2179 \newlength{\quotewidth}
2180 \newlength{\hintscolumnwidth}
2181 \newlength{\separatorcolumnwidth}
2182 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2183 \newlength{\maincolumnwidth}
2184 \newlength{\doubleitemmaincolumnwidth}
2185 \newlength{\listitemsymbolwidth}
2186 \settowidth{\listitemsymbolwidth}{\listitemsymbol{~}}
2187 \newlength{\listitemmaincolumnwidth}
2188 \newlength{\listdoubleitemmaincolumnwidth}
2189 \newcommand*\recomputethemelengths{}
2190 \newcommand*\recomputelengths{%
2191   \setlength{\quotewidth}{0.65\textwidth}%
2192   \setlength{\maincolumnwidth}{\textwidth}%
2193   \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2194   \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2195   \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2196   \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2197   \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2198   \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2199   \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2200   \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2201   \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2202   \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2203   \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2204   \renewcommand{\headwidth}{\textwidth}%
2205   \recomputethemelengths}
2206 \setlength{\hintscolumnwidth}{0.15\textwidth}
2207 \recomputelengths

```



```

2208 \title{}
2209 \renewcommand*{\maketitle}{}
2210 \newcommand*{\section}[1]{%
2211 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
2212 \phantomsection}%
2213 \addcontentsline{toc}{part}{#1}%
2214 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}\section{#1}}}%
2215 \hspace{\separatorcolumnwidth}%
2216 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\{1ex\}}
2217 \newcommand*{\subsection}[1]{%
2218 \cvline[0.45em]{\subsectionstyle{#1}}}%
2219 \newcommand*{\cvline}[3][.25em]{%
2220 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@{\hspace{\separatorcolumnwidth}}}%
2221 \bidi@raggedleft\hintfont{#2} &{#3}%
2222 \end{tabular}}\{#1\}}
2223 \newcommand*{\cvdoubleitem}[4]{%
2224 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2225 \hfill%
2226 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\separatorcolumnwidth}%
2227 \newcommand*{\cvlistitem}[2][\listitemsymbol]{%
2228 \cvline[0pt]{\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}%
2229 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{%
2230 \cvline[0pt]{\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
2231 \hfill%
2232 \ifthenelse{equal{#3}{}}%
2233 {}%
2234 {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}%
2235 \newcommand*{\cventry}[6]{%
2236 \cvline{#1}{%
2237 {\bfseries#2}%
2238 \ifx#3\else{, {\slshape#3}}\fi%
2239 \ifx#4\else{, #4}\fi%
2240 \ifx#5\else{, #5}\fi%
2241 .%
2242 \ifx#6\else{\newline}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
2243 }%
2244 \newcommand*{\cvlanguage}[3]{%
2245 \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}\textbf{#3}\end{minipage}}}%
2246 \newcommand*{\cvcomputer}[4]{%
2247 \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
2248 \newcommand*{\link}[2][\link]{%
2249 \ifthenelse{equal{#1}{}}%
2250 {\href{#2}{#2}}%
2251 {\href{#2}{#1}}}
2252 \newcommand*{\httplink}[2][\httplink]{%
2253 \ifthenelse{equal{#1}{}}%
2254 {\href{http://#2}{#2}}%
2255 {\href{http://#2}{#1}}}
2256 \newcommand*{\emailink}[2][\emailink]{%
2257 \ifthenelse{equal{#1}{}}%

```



```

2258     {\href{mailto:#2}{#2}}%
2259     {\href{mailto:#2}{#1}}%
2260 \newif\if@displaypagenumbers\@displaypagenumberstrue
2261 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2262 \AtBeginDocument{%
2263   \if@displaypagenumbers%
2264     \ifundefined{r@lastpage}{\}%
2265     \ifthenelse{\pageref{lastpage} > 1}{%
2266       \fancypagestyle{plain}{%
2267         \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL\endL\pageref
2268         \pagestyle{plain}}}%
2269     \AtEndDocument{\label{lastpage}}%
2270   \fi}
2271 \newlength{\bibindent}
2272 \setlength{\bibindent}{1.5em}
2273 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2274 \newenvironment{thebibliography}[1]%
2275   {%
2276     \section{\refname}%
2277     \small%
2278     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2279     \begin{list}{\bibliographyitemlabel}%
2280       {%
2281         \setlength{\topsep}{0pt}%
2282         \setlength{\labelwidth}{\hintscolumnwidth}%
2283         \setlength{\labelsep}{\separatorcolumnwidth}%
2284         \leftmargin\labelwidth%
2285         \advance\leftmargin\labelsep%
2286         \@openbib@code%
2287         \usecounter{enumiv}%
2288         \let\p@enumiv\@empty%
2289         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
2290     \sloppy\clubpenalty4000\widowpenalty4000%
2291   }%
2292   {%
2293     \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2294     \end{list}%
2295   }
2296 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
2297 \let\@openbib@code\@empty

```

7.19 biditools.sty

```

2298 \NeedsTeXFormat{LaTeX2e}
2299 \ProvidesPackage{biditools}[2013/04/10 v0.2 Programming tools for bidi package]
2300 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\relax
2301   \edef\@tempa{string#1}\edef\@tempb{meaning#1}%
2302   \ifx\@tempa\@tempb \global\let#2#1%
2303   \else
2304     \edef\@tempb{\meaning#2}%

```



```

2305 \ifx\@tempa\@tempb
2306 \else
2307 \latex@error{Unable to properly define \string#2; primitive
2308 \noexpand#1no longer primitive}\@eha
2309 \fi
2310 \fi
2311 \endgroup}
2312 \def\@tagsextension{clo}
2313 \def\@definitionfileextension{def}
2314 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2315 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2316 \def\eqnewif#1#2{%
2317 \count@\escapechar \escapechar\m@ne
2318 \let#1\iffalse
2319 \let#2\iffalse
2320 \eq@if#1#2\iftrue
2321 \eq@if#1#2\iffalse
2322 \escapechar\count@}
2323 \def\eq@if#1#2#3{%
2324 \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2325 \expandafter\@gobbletwo\string#3\endcsname
2326 {\let#1#3%
2327 \let#2#3}%
2328 \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2329 \expandafter\@gobbletwo\string#3\endcsname
2330 {\let#2#3%
2331 \let#1#3}}
2332 \newcommand*{\if@bidi@csdef}[1]{%
2333 \ifcsname#1\endcsname
2334 \expandafter\@firstoftwo
2335 \else
2336 \expandafter\@secondoftwo
2337 \fi}
2338 \newcommand*{\if@bidi@csundef}[1]{%
2339 \ifcsname#1\endcsname
2340 \expandafter\ifx\csname#1\endcsname\relax
2341 \expandafter\expandafter
2342 \expandafter\@firstoftwo
2343 \else
2344 \expandafter\expandafter
2345 \expandafter\@secondoftwo
2346 \fi
2347 \else
2348 \expandafter\@firstoftwo
2349 \fi}
2350 \newcommand{\if@bidi@def}[1]{%
2351 \ifdefined#1%
2352 \expandafter\@firstoftwo
2353 \else
2354 \expandafter\@secondoftwo

```



```

2355 \fi}
2356 \newcommand{\if@bidi@undef}[1]{%
2357 \ifdefined#1%
2358 \ifx#1\relax
2359 \expandafter\expandafter
2360 \expandafter\@firstoftwo
2361 \else
2362 \expandafter\expandafter
2363 \expandafter\@secondoftwo
2364 \fi
2365 \else
2366 \expandafter\@firstoftwo
2367 \fi}
2368 \newcommand{\if@bidi@blank}[1]{% from url.sty
2369 \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2370 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
2371 \newcommand{\bidi@notblank}[1]{%
2372 \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2373 \newcommand{\if@bidi@defmacro}{%
2374 \long\edef\if@bidi@defmacro#1{%
2375 \noexpand\expandafter\noexpand\bidi@ifdefmacro
2376 \noexpand\meaning#1\detokenize{macro}:&}
2377 \edef\bidi@ifdefmacro{%
2378 \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
2379 \bidi@ifdefmacro{\bidi@notblank{#2}}
2380 \newcommand*{\if@bidi@csmacro}[1]{%
2381 \if@bidi@csdef{#1}
2382 {\expandafter\if@bidi@defmacro\csname#1\endcsname}
2383 {\@secondoftwo}}
2384 \newcommand{\if@bidi@defprimitive}[1]{%
2385 \ifprimitive#1%
2386 \expandafter\@firstoftwo
2387 \else
2388 \expandafter\@secondoftwo
2389 \fi}
2390 \newcommand{\if@bidi@csprimitive}[1]{%
2391 \begingroup\expandafter\expandafter\endgroup%
2392 \expandafter\ifprimitive\csname#1\endcsname%
2393 \expandafter\@firstoftwo
2394 \else
2395 \expandafter\@secondoftwo
2396 \fi}
2397 \newcommand*{\bidi@csdefcs}[2]{%
2398 \expandafter\@ifdefinable \csname#1\endcsname{%
2399 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}
2400 \newcommand*{\bidi@csletcs}[2]{%
2401 \expandafter\@ifdefinable \csname#1\endcsname{%
2402 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
2403 \newcommand*{\bidi@cslet}[2]{%
2404 \expandafter\@ifdefinable \csname#1\endcsname{%

```



```

2405 \expandafter\let\csname#1\endcsname#2}}
2406 \newcommand{\bidi@namelongdef}[1]{%
2407   \long\expandafter\def\csname #1\endcsname{
2408   \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
2409   \def\bidi@ensure@new@command#1{%
2410     \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
2411     \expandafter\if@bidi@csundef\@gtempa
2412       {\new@command#1}{\relax%
2413       \let\@ifdefinable\@rc@ifdefinable%
2414       \new@command#1}}
2415   \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
2416
2417 \protected\def\bidi@error{\PackageError{bidi}}
2418 \protected\def\bidi@warning{\PackageWarning{bidi}}
2419 \protected\def\bidi@info{\PackageInfo{bidi}}
2420
2421 \newcommand*{\bidi@newrobustcmd}{}
2422 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
2423
2424 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2425
2426 \def\bidi@newcommand#1[#2]{%
2427   \@ifnextchar[%]
2428     {\bidi@xargdef#1[#2]}
2429     {\ifx\l@ngrel@x\relax
2430       \let\l@ngrel@x\protected
2431       \else
2432       \protected\def\l@ngrel@x{\protected\long}%
2433       \fi
2434       \@argdef#1[#2]}}
2435
2436 \long\def\bidi@xargdef#1[#2][#3]#4{%
2437   \@ifdefinable#1{%
2438     \expandafter\protected
2439     \expandafter\def
2440     \expandafter#1%
2441     \expandafter{%
2442       \expandafter\@testopt
2443       \csname\string#1\endcsname{#3}}%
2444     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2445
2446 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
2447
2448 \def\bidi@renew@command#1{%
2449   \if@bidi@undef{#1}
2450     {\bidi@error{\string#1 undefined}\@ehc}
2451     {}%
2452   \let\@ifdefinable\@rc@ifdefinable
2453   \bidi@new@command#1}
2454

```



```

2455
2456
2457 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2458
2459 \def\bidi@provide@command#1{%
2460   \if@bidi@undef{#1}
2461     {\def\reserved@a{\bidi@new@command#1}}
2462     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2463   \reserved@a}
2464
2465 \newcommand*{\bidi@csuse}[1]{%
2466   \ifcsname#1\endcsname
2467     \csname#1\expandafter\endcsname
2468   \fi}
2469
2470 \newcommand{\bidi@expandonce}[1]{%
2471   \unexpanded\expandafter{#1}}
2472
2473 \def\bidi@protected{%
2474   \let\@@protect\protect
2475   \let\protect\@unexpandable@protect
2476   \afterassignment\restore@protect}
2477
2478 \bidi@newrobustcmd{\bidi@appto}[2]{%
2479   \if@bidi@undef{#1}
2480     {\edef#1{\unexpanded{#2}}}
2481     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2482 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2483   \if@bidi@undef{#1}
2484     {\edef#1{#2}}
2485     {\edef#1{\bidi@expandonce#1#2}}}
2486 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2487   \if@bidi@undef{#1}
2488     {\xdef#1{\unexpanded{#2}}}
2489     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2490 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2491   \if@bidi@undef{#1}
2492     {\xdef#1{#2}}
2493     {\xdef#1{\bidi@expandonce#1#2}}}
2494
2495 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2496 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2497
2498
2499
2500 \bidi@newrobustcmd{\bidi@preto}[2]{%
2501   \if@bidi@undef{#1}
2502     {\edef#1{\unexpanded{#2}}}
2503     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}
2504 \bidi@newrobustcmd{\bidi@epreto}[2]{%

```



```

2505 \if@bidi@undef{#1}
2506     {\edef#1{#2}}
2507     {\edef#1{#2\bid@expandonce#1}}}
2508 \bid@newrobustcmd{\bid@gpreto}[2]{%
2509     \if@bidi@undef{#1}
2510         {\xdef#1{\unexpanded{#2}}}
2511         {\xdef#1{\unexpanded{#2}\bid@expandonce#1}}}
2512 \bid@newrobustcmd{\bid@xpreto}[2]{%
2513     \if@bidi@undef{#1}
2514         {\xdef#1{#2}}
2515         {\xdef#1{#2\bid@expandonce#1}}}
2516
2517 \bid@newrobustcmd*{\bid@protected@epreto}{\bid@protected\bid@epreto}
2518 \bid@newrobustcmd*{\bid@protected@xpreto}{\bid@protected\bid@xpreto}
2519
2520
2521
2522 \bid@newrobustcmd*{\bid@csappto}[1]{\expandafter\bid@appto\csname#1\endcsname}
2523 \bid@newrobustcmd*{\bid@cseappto}[1]{\expandafter\bid@eappto\csname#1\endcsname}
2524 \bid@newrobustcmd*{\bid@csgappto}[1]{\expandafter\bid@gappto\csname#1\endcsname}
2525 \bid@newrobustcmd*{\bid@csxappto}[1]{\expandafter\bid@xappto\csname#1\endcsname}
2526 \bid@newrobustcmd*{\bid@protected@cseappto}{\bid@protected\bid@cseappto}
2527 \bid@newrobustcmd*{\bid@protected@csxappto}{\bid@protected\bid@csxappto}
2528
2529
2530
2531 \bid@newrobustcmd*{\bid@cspreto}[1]{\expandafter\bid@preto\csname#1\endcsname}
2532 \bid@newrobustcmd*{\bid@csepreto}[1]{\expandafter\bid@epreto\csname#1\endcsname}
2533 \bid@newrobustcmd*{\bid@csgpreto}[1]{\expandafter\bid@gpreto\csname#1\endcsname}
2534 \bid@newrobustcmd*{\bid@csxpreto}[1]{\expandafter\bid@xpreto\csname#1\endcsname}
2535 \bid@newrobustcmd*{\bid@protected@csepreto}{\bid@protected\bid@csepreto}
2536 \bid@newrobustcmd*{\bid@protected@csxpreto}{\bid@protected\bid@csxpreto}
2537
2538
2539
2540 \bid@newrobustcmd{\if@bidi@patchable}{%
2541     \bid@dbg@trce\if@bidi@patchable
2542     \begingroup
2543     \@makeother\#%
2544     \@ifstar\bid@ifpatchablei\bid@ifpatchable}
2545
2546 \long\def\bid@ifpatchable#1#2{%
2547     \endgroup
2548     \bid@dbg@init#1%
2549     \if@bidi@undef{#1}
2550         {\bid@dbg@fail{def}}\@secondoftwo}
2551         {\bid@dbg@info{def}}%
2552     \if@bidi@defmacro{#1}
2553         {\bid@dbg@info{mac}}%
2554         \bid@ifscanable{#1}

```




```

2555         {\bidi@ifhashcheck{#2}
2556         {\bidi@dbg@info{tok}%
2557         \bidi@ifpattern#1{#2}
2558         {\bidi@dbg@info{pat}%
2559         \bidi@dbg@info{pos}\@firstoftwo}
2560         {\bidi@dbg@fail{pat}\@secondoftwo}}
2561         {\bidi@dbg@fail{hsh}\@secondoftwo}}
2562         {\bidi@dbg@fail{tok}\@secondoftwo}}
2563         {\bidi@dbg@fail{mac}\@secondoftwo}}}}
2564
2565 \long\def\bidi@ifpatchable@i#1{%
2566 \endgroup
2567 \bidi@dbg@init#1%
2568 \if@bidi@undef{#1}
2569     {\bidi@dbg@fail{def}\@secondoftwo}
2570     {\bidi@dbg@info{def}%
2571     \if@bidi@defmacro{#1}
2572     {\bidi@dbg@info{mac}%
2573     \if@bidi@defparam{#1}
2574     {\bidi@dbg@info{prm}%
2575     \bidi@ifscanable{#1}
2576     {\bidi@dbg@info{tok}%
2577     \bidi@dbg@info{pos}\@firstoftwo}
2578     {\bidi@dbg@fail{tok}\@secondoftwo}}
2579     {\bidi@dbg@info{prl}%
2580     \if@bidi@defprotected{#1}
2581     {\bidi@dbg@info{pro}}
2582     {}%
2583     \bidi@dbg@info{pos}\@firstoftwo}}
2584     {\bidi@dbg@fail{mac}\@secondoftwo}}}}
2585
2586 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2587 \bidi@dbg@trce\bidi@patchcmd
2588 \begingroup
2589 \@makeother\#%
2590 \bidi@patchcmd}
2591
2592 \newcommand{\bidi@patchcmd}[4][#####1]{%
2593 \bidi@ifpatchable#2{#3}
2594     {\bidi@dbg@succ{ret}%
2595     \begingroup
2596     \edef\bidi@resrvda{%
2597     \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3{%
2598     #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2599     \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
2600     ####1\detokenize{#4}####2}%
2601     \edef\noexpand\bidi@resrvda{%
2602     \noexpand\bidi@resrvda\meaning#2&}}%
2603     \bidi@resrvda
2604     \bidi@patchcmd@scantoks\bidi@resrvda

```



```

2605 \let#2\bidiresrvda
2606 \bididef\bidiresrvda
2607 \@firstoftwo}
2608 {\@secondoftwo}}
2609
2610 \def\bidipatchcmd@scantoks#1{%
2611 \edef\bidiresrvda{\endgroup
2612 \unexpanded{\makeatletter\scantokens}{#1}%
2613 \catcode\number`\@=\the\catcode`\@relax}%
2614 \bidiresrvda}
2615
2616 \newcommand\bidisloaded[2][{}{
2617 \expandafter\ifx\csname if@bidic#2loaded@endcsname\relax
2618 \expandafter\newif\csname if@bidic#2loaded@endcsname
2619 \fi
2620 \@ifpackageloaded{#2}
2621 {\csname @bidic#2loaded@true@endcsname #1}
2622 {\csname @bidic#2loaded@false@endcsname}}
2623
2624 \protected\def\bidifscanable#1{%
2625 \begingroup
2626 \edef\bidiresrvda{%
2627 \def\noexpand\bidiresrvda####1\detokenize{macro}:####2->####3&{%
2628 ####1\def\string\bidiresrvda####2{####3}}}%
2629 \edef\noexpand\bidiresrvda{\noexpand\bidiresrvda\meaning#1&}}%
2630 \bidiresrvda
2631 \makeatletter
2632 \scantokens\expandafter{\bidiresrvda}%
2633 \expandafter\endgroup\ifx#1\bidiresrvda
2634 \expandafter\@firstoftwo
2635 \else
2636 \expandafter\@secondoftwo
2637 \fi}
2638
2639
2640 \protected\long\def\bidifhashcheck#1{%
2641 \begingroup
2642 \edef\bidiresrvda{\detokenize{#1}}%
2643 \expandafter\endgroup
2644 \expandafter\bidifhashcheck@i\meaning\bidiresrvda&}
2645
2646 \edef\bidifhashcheck@i#1&{%
2647 \noexpand\expandafter
2648 \noexpand\bidifhashcheck@ii
2649 \noexpand\strip@prefix#1\string#\string#&}
2650
2651 \edef\bidifhashcheck@ii{%
2652 \def\noexpand\bidifhashcheck@ii##1\string#\string###2&
2653 \bidifhashcheck@ii{\if@bidiblack{#2}}
2654

```




```

2705 \begingroup
2706 \@makeother\#%
2707 \bidi@hooktocmd\bidi@prepend}
2708
2709 \long\def\bidi@hooktocmd#1#2#3{%
2710 \endgroup
2711 \bidi@dbg@init#2%
2712 \if@bidi@undef{#2}
2713   {\bidi@dbg@fail{def}\@secondoftwo}
2714   {\bidi@dbg@info{def}%
2715     \if@bidi@defmacro{#2}
2716       {\bidi@dbg@info{mac}%
2717         \if@bidi@defparam{#2}
2718           {\bidi@dbg@info{prm}%
2719             \bidi@ifscanable{#2}
2720               {\bidi@ifhashcheck{#3}
2721                 {\bidi@dbg@info{tok}%
2722                   \bidi@dbg@succ{ret}%
2723                   \bidi@hooktocmd#i#1#2{#3}%
2724                   \@firstoftwo}
2725                 {\bidi@dbg@fail{hsh}\@secondoftwo}}
2726               {\bidi@dbg@fail{tok}\@secondoftwo}}
2727             {\bidi@dbg@info{prl}%
2728               \if@bidi@defprotected{#2}
2729                 {\bidi@dbg@info{pro}%
2730                   \bidi@dbg@succ{red}%
2731                   \protected}
2732                 {\bidi@dbg@succ{red}}}%
2733             \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
2734             \@firstoftwo}}
2735           {\bidi@dbg@fail{mac}\@secondoftwo}}}}
2736
2737 \long\def\bidi@hooktocmd#i#1#2#3{%
2738 \begingroup
2739 \edef\bidi@resrvda{%
2740   \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2741     ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}%
2742   \edef\noexpand\bidi@resrvda{%
2743     \noexpand\bidi@resrvda\meaning#2&}}}%
2744 \bidi@resrvda
2745 \bidi@patchcmd@scantoks\bidi@resrvda
2746 \let#2\bidi@resrvda
2747 \bidi@undef\bidi@resrvda}
2748
2749 \long\def\bidi@append#1#2{#1#2}
2750 \long\def\bidi@prepend#1#2{#2#1}
2751
2752 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
2753 \newcommand*{\bidi@endpreamblehook}{}
2754

```



```

2755 \bidi@preto\document{%
2756   \endgroup
2757   \let\bidi@AtEndPreamble\@firstofone
2758   \bidi@endpreamblehook
2759   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
2760   \bidi@undef\bidi@endpreamblehook
2761   \begingroup}
2762
2763 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
2764 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
2765
2766 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
2767 \newcommand*{\bidi@afterendpreamblehook}{}
2768
2769 \bidi@appto\document{%
2770   \let\bidi@AfterEndPreamble\@firstofone
2771   \bidi@afterendpreamblehook
2772   \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
2773   \bidi@undef\bidi@afterendpreamblehook
2774   \ignorespaces}
2775
2776 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
2777
2778 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterendddocumenthook}
2779 \newcommand*{\bidi@afterendddocumenthook}{}
2780
2781 \bidi@patchcmd\enddocument
2782   {\deadcycles}
2783   {\let\bidi@AfterEndDocument\@firstofone
2784     \bidi@afterendddocumenthook
2785     \deadcycles}
2786   {}
2787   {\let\bidi@@end\@end
2788     \def\@end{%
2789       \let\bidi@AfterEndDocument\@firstofone
2790       \bidi@afterendddocumenthook
2791       \bidi@@end}}
2792
2793 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
2794   \bidi@csgappto{\@begin@#1@hook}}
2795
2796 \bidi@patchcmd\begin
2797   {\csname #1\endcsname}
2798   {\bidi@csuse{\@begin@#1@hook}%
2799     \csname #1\endcsname}
2800   {}
2801   {\bidi@warning{%
2802     Patching '\string\begin' failed!\MessageBreak
2803     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}
2804

```



```

2805
2806
2807 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
2808   \bidi@csgappto{@end@#1@hook}}
2809
2810 \bidi@patchcmd\end
2811   {\csname end#1\endcsname}
2812   {\bidi@csuse{@end@#1@hook}%
2813    \csname end#1\endcsname}
2814   {}
2815   {\bidi@warning{%
2816     Patching '\string\end' failed!\MessageBreak
2817     '\string\bidi@AtEndEnvironment' will not work@gobble}}
2818
2819
2820
2821 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
2822   \bidi@csgappto{@beforebegin@#1@hook}}
2823
2824 \bidi@pretocmd\begin
2825   {\bidi@csuse{@beforebegin@#1@hook}}
2826   {}
2827   {\bidi@warning{%
2828     Patching '\string\begin' failed!\MessageBreak
2829     '\string\bidi@BeforeBeginEnvironment' will not work@gobble}}
2830
2831
2832
2833 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
2834   \bidi@csgappto{@afterend@#1@hook}}
2835
2836 \bidi@patchcmd\end
2837   {\if@ignore}
2838   {\bidi@csuse{@afterend@#1@hook}%
2839    \if@ignore}
2840   {}
2841   {\bidi@warning{%
2842     Patching '\string\end' failed!\MessageBreak
2843     '\string\bidi@AfterEndEnvironment' will not work@gobble}}

```

7.20 bidituftefloat.sty

```

2844 \NeedsTeXFormat{LaTeX2e}
2845 \ProvidesPackage{bidituftefloat}[2011/06/14 v0.1
2846   bidi implementation of tufte float]
2847 \RequirePackage{xifthen}
2848 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
2849 \newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
2850 \newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{\@bidituftefloat@debug}}{\bidi
2851 \newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1@gobble}}

```



```

2852 \newboolean{@biditytfloat@RTLgeometry}
2853 \setboolean{@biditytfloat@RTLgeometry}{true}
2854 \DeclareOption{RTLgeometry}{\setboolean{@biditytfloat@RTLgeometry}{true}}
2855 \DeclareOption{LTRgeometry}{\setboolean{@biditytfloat@RTLgeometry}{false}}
2856 \newboolean{@biditytfloat@a4paper}
2857 \DeclareOption{a4paper}{\setboolean{@biditytfloat@a4paper}{true}}
2858 \newboolean{@biditytfloat@b5paper}
2859 \DeclareOption{b5paper}{\setboolean{@biditytfloat@b5paper}{true}}
2860 \newboolean{@biditytfloat@symmetric}
2861 \newboolean{@biditytfloat@twoside}
2862 \DeclareOption{twoside}{%
2863 \@twosidefalse \mparswitchtrue%
2864 \setboolean{@biditytfloat@twoside}{true}%
2865 \setboolean{@biditytfloat@symmetric}{true}%
2866 }
2867 \DeclareOption{oneside}{%
2868 \@twosidefalse \mparswitchfalse%
2869 \setboolean{@biditytfloat@twoside}{false}%
2870 \setboolean{@biditytfloat@symmetric}{false}%
2871 }
2872 \ifclassloaded{book}{\ExecuteOptions{twoside}}{}
2873 \newboolean{@biditytfloat@debug}
2874 \newcommand*{\@biditytfloat@caption@justification}{\@biditytfloat@justification@autodetect}
2875 \ProcessOptions
2876 %% Globally sets the length
2877 \newcommand*{\gsetlength}[2]{%
2878 \setlength{#1}{#2}%
2879 \global#1=#1\relax%
2880 }
2881 %% Globally sets a boolean
2882 \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
2883 \lowercase{\def\@tempa{#2}}%
2884 \@ifundefined{@tempa}{\@tempa}%
2885 {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}{\@ehc}%
2886 {\@ifundefined{#1\@tempa}%
2887 {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
2888 {\global\csname#1\@tempa\endcsname}%
2889 }%
2890 }
2891 %% Set the font sizes and baselines to match biditytfloat's books
2892 \renewcommand\normalsize{%
2893 \setfontsize\normalsize\@xpt{14}%
2894 \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
2895 \abovedisplayshortskip \z@ \@plus3\p@
2896 \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
2897 \belowdisplayskip \abovedisplayskip
2898 \let\@listi\@listI}
2899 \normalbaselineskip=14pt
2900 \normalsize
2901 \renewcommand\footnotesize{%

```



```

2902 \@setfontsize\footnotesize\@viipt{10}%
2903 \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
2904 \abovedisplayshortskip \z@ \@plus\p@
2905 \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
2906 \def\@listi{\leftmargin\leftmargini
2907             \topsep 3\p@ \@plus\p@ \@minus\p@
2908             \parsep 2\p@ \@plus\p@ \@minus\p@
2909             \itemsep \parsep}%
2910 \belowdisplayskip \abovedisplayskip
2911 }
2912 %% Paragraph indentation and separation for marginal text
2913 \newcommand{\@biditytfloat@margin@par}{%
2914   \setlength{\RaggedRightParindent}{0.5pc}%
2915   \setlength{\JustifyingParindent}{0.5pc}%
2916   \setlength{\parindent}{0.5pc}%
2917   \setlength{\parskip}{0pt}%
2918 }
2919 \RequirePackage{ragged2e}
2920 \ifthenelse{\boolean{@biditytfloat@RTLgeometry}}{%
2921   \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar=
2922   \ifthenelse{\boolean{@biditytfloat@a4paper}}
2923     {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar=
2924     {}
2925   \ifthenelse{\boolean{@biditytfloat@bfivepaper}}
2926     {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,ma
2927     {}}%
2928   \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar=
2929   \ifthenelse{\boolean{@biditytfloat@a4paper}}
2930     {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar=
2931     {}
2932   \ifthenelse{\boolean{@biditytfloat@bfivepaper}}
2933     {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,ma
2934     {}%
2935   \ifthenelse{\boolean{@biditytfloat@symmetric}}
2936     {}
2937     {\geometry{asymmetric}}}% forces internal LaTeX `twoside'
2938 \setlength\marginparpush{10pt}
2939 %% Font for margin items
2940 \newcommand{\@biditytfloat@marginfont}{\normalfont\footnotesize}
2941 \newcommand*{\@biditytfloat@caption@font}{\@biditytfloat@marginfont}
2942 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@biditytfloat@caption@font}{#1}}
2943 \newcommand{\@biditytfloat@justification}{\justifying}%
2944 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
2945 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
2946 \newboolean{@biditytfloat@change page}
2947 \IfFileExists{change page.sty}{%
2948   \biditytfloat@DebugInfoNL{Found change page.sty}
2949   \RequirePackage[strict]{change page}
2950   \setboolean{@biditytfloat@change page}{true}
2951 }{%

```




```

2952 \biditytfloatDebugInfoNL{Found chngpage.sty}
2953 \RequirePackage[strict]{chngpage}
2954 \setboolean{@biditytfloat@changepage}{false}
2955 }
2956 \newboolean{@biditytfloat@odd@page}
2957 \setboolean{@biditytfloat@odd@page}{true}
2958 \newcommand*{\@biditytfloat@checkoddpage}{%
2959 \checkoddpage%
2960 \ifthenelse{\boolean{@biditytfloat@changepage}}{%
2961 \ifoddpage%
2962 \setboolean{@biditytfloat@odd@page}{true}%
2963 \else%
2964 \setboolean{@biditytfloat@odd@page}{false}%
2965 \fi%
2966 }{%
2967 \ifcpoddpage%
2968 \setboolean{@biditytfloat@odd@page}{true}%
2969 \else%
2970 \setboolean{@biditytfloat@odd@page}{false}%
2971 \fi%
2972 }%
2973 }
2974 \newlength{\@biditytfloat@overhang}% used by the fullwidth environment and the running heads
2975 \newlength{\@biditytfloat@fullwidth}
2976 \newlength{\@biditytfloat@caption@fill}
2977 \newcommand{\biditytfloatRecalculate}{%
2978 \setlength{\@biditytfloat@overhang}{\marginparwidth}
2979 \addtolength{\@biditytfloat@overhang}{\marginparsep}
2980
2981 \setlength{\@biditytfloat@fullwidth}{\textwidth}
2982 \addtolength{\@biditytfloat@fullwidth}{\marginparsep}
2983 \addtolength{\@biditytfloat@fullwidth}{\marginparwidth}
2984
2985 \setlength{\@biditytfloat@caption@fill}{\textwidth}
2986 \addtolength{\@biditytfloat@caption@fill}{\marginparsep}
2987 }
2988 \AtBeginDocument{\biditytfloatRecalculate}
2989 \RequirePackage{optparams}% provides multiple optional arguments for commands
2990 \RequirePackage{placeins}
2991 \newsavebox{\@biditytfloat@margin@floatbox}
2992 \newenvironment{@biditytfloat@margin@float}[2][-1.2ex]%
2993 {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order.
2994 \begin{lrbox}{\@biditytfloat@margin@floatbox}%
2995 \begin{minipage}{\marginparwidth}%
2996 \@biditytfloat@caption@font%
2997 \def\@capytype{#2}%
2998 \hbox{\vspace*{#1}%
2999 \@biditytfloat@caption@justification%
3000 \@biditytfloat@margin@par%
3001 \noindent%

```



```

3002 }
3003 {\end{minipage}}%
3004 \end{lrbox}}%
3005 \marginpar{\usebox{\@bidiutfefloat@margin@floatbox}}%
3006 }
3007 \newenvironment{marginfigure}[1][[-1.2ex]%
3008 {\begin{@bidiutfefloat@margin@float}[#1]{figure}}
3009 {\end{@bidiutfefloat@margin@float}}}
3010 \newenvironment{margintable}[1][[-1.2ex]%
3011 {\begin{@bidiutfefloat@margin@float}[#1]{table}}
3012 {\end{@bidiutfefloat@margin@float}}}
3013 \newcommand*{\@bidiutfefloat@justification@autodetect}{\justifying}%
3014
3015 \newcommand{\@bidiutfefloat@float@debug@info}{}% contains debug info generated as the float is
3016 \newcommand{\@bidiutfefloat@float@debug}[1]{% adds debug info to the queue for output
3017 \ifthenelse{\equal{\@bidiutfefloat@float@debug@info}{}}{
3018 {\def\@bidiutfefloat@float@debug@info{#1}}%
3019 {\g@addto@macro\@bidiutfefloat@float@debug@info{\MessageBreak#1}}%
3020 }
3021 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
3022 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidiutfefloat@float@debug
3023 \newboolean{@bidiutfefloat@float@recto}
3024 \newcommand{\forcerectofloat}{\gsetboolean{@bidiutfefloat@float@recto}{true}\@bidiutfefloat
3025 \newcommand{\forceversofloat}{\gsetboolean{@bidiutfefloat@float@recto}{false}\@bidiutfefloat
3026 \newsavebox{\@bidiutfefloat@figure@box}
3027 \newsavebox{\@bidiutfefloat@caption@box}
3028 \let\@bidiutfefloat@orig@float\@float
3029 \let\@bidiutfefloat@orig@endfloat\end@float
3030 \newlength{\@bidiutfefloat@caption@vertical@offset}
3031 \setlength{\@bidiutfefloat@caption@vertical@offset}{0pt}
3032 \newcommand{\@bidiutfefloat@stored@shortcaption}{}
3033 \newcommand{\@bidiutfefloat@stored@caption}{}
3034 \newcommand{\@bidiutfefloat@stored@label}{}
3035 \long\def\@bidiutfefloat@caption[#1][#2]#3{%
3036 \ifthenelse{\isempty{#1}}{
3037 {\gdef\@bidiutfefloat@stored@shortcaption{#3}}%
3038 {\gdef\@bidiutfefloat@stored@shortcaption{#1}}%
3039 \gsetlength{\@bidiutfefloat@caption@vertical@offset}{-#2}% we want a positive offset to lower
3040 \gdef\@bidiutfefloat@stored@caption{#3}%
3041 }
3042 \newcommand{\@bidiutfefloat@label}[1]{%
3043 \gdef\@bidiutfefloat@stored@label{#1}%
3044 }
3045 \newcommand{\@bidiutfefloat@fps}{}
3046 \newboolean{@bidiutfefloat@float@star}
3047 \newlength{\@bidiutfefloat@float@contents@width}
3048 \newenvironment{@bidiutfefloat@float}[3][htbp]%
3049 {% begin @bidiutfefloat@float
3050 % Should this float be full-width or just text-width?
3051 \ifthenelse{\equal{#3}{star}}{

```



```

3052     {\gsetboolean{@bidituftefloat@float@star}{true}}%
3053     {\gsetboolean{@bidituftefloat@float@star}{false}}%
3054 % Check page side (recto/verso) and store detected value -- can be overridden in environment cont
3055     \@bidituftefloat@checkoddpag%
3056     \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
3057     {\gsetboolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detected page
3058     {\gsetboolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detected pag
3059 % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages, otherw
3060     \renewcommand{\@bidituftefloat@fps}{#1}%
3061     \@bidituftefloat@float@debug{Allowed positions: [ #1 ]}%
3062     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
3063     {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bottom]}
3064     {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]}}%
3065 % Capture the contents of the \caption and \label commands to use later
3066     \global\let\@bidituftefloat@orig@caption\caption%
3067     \global\let\@bidituftefloat@orig@label\label%
3068 \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[ ] [Opt]}}%
3069 \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
3070 % Handle subfigure package compatibility
3071 \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
3072 % don't move the label while inside a \subfigure or \subtable command
3073     \global\let\label\@bidituftefloat@orig@label%
3074 }{% subfigure package is not loaded
3075     \@bidituftefloat@orig@float{#2}[#1]%
3076     \ifthenelse{\boolean{@bidituftefloat@float@star}}%
3077     {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
3078     {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
3079     \begin{lrbox}{\@bidituftefloat@figure@box}%
3080     \begin{minipage}{\floatalignment}{\@bidituftefloat@float@contents@width}\hbox{}%
3081 }{% end @bidituftefloat@float
3082     \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{% align
3083     \end{minipage}%
3084     \end{lrbox}%
3085 % build the caption box
3086 \begin{lrbox}{\@bidituftefloat@caption@box}%
3087     \begin{minipage}{\floatalignment}{\marginparwidth}\hbox{}%
3088     \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}{\@bidituftefloat@orig@caption
3089     \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}{\@bidituftefloat@orig@label{\@b
3090         \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
3091     \end{minipage}%
3092 \end{lrbox}%
3093 % now typeset the stored boxes
3094 \begin{fullwidth}%
3095     \begin{minipage}{\floatalignment}{\linewidth}%
3096     \ifthenelse{\boolean{@bidituftefloat@float@star}}%
3097     {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@biditufte
3098     {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@biditufte
3099     \end{minipage}%
3100 \end{fullwidth}%
3101 \@bidituftefloat@orig@endfloat% end original LaTeX float environment

```



```

3102 % output debug info
3103 \ifthenelse{\boolean{@biditytfloat@debug}}{%
3104 \typeout{^^J^^J----- biditytfloat package float information -----}%
3105 \ifthenelse{\equal{\@biditytfloat@stored@label}{}}%
3106 {\typeout{Warning: Float unlabeled!}}%
3107 {\typeout{Float label: [\@biditytfloat@stored@label]}}%
3108 \typeout{Page number: [\thepage]}%
3109 \def\MessageBreak{^^J}%
3110 \typeout{\@biditytfloat@float@debug@info}%
3111 \ifthenelse{\boolean{@biditytfloat@symmetric}}%
3112 {\typeout{Symmetric: [true]}}%
3113 {\typeout{Symmetric: [false]}}%
3114 \typeout{-----^^J^^J}%
3115 }{}%
3116 % reset commands and temp boxes and captions
3117 \gdef\@biditytfloat@float@debug@info{}%
3118 \let\caption\@biditytfloat@orig@caption%
3119 \let\label\@biditytfloat@orig@label%
3120 \begin{lrbox}{\@biditytfloat@figure@box}\hbox{}\end{lrbox}%
3121 \begin{lrbox}{\@biditytfloat@caption@box}\hbox{}\end{lrbox}%
3122 \gdef\@biditytfloat@stored@shortcaption{}%
3123 \gdef\@biditytfloat@stored@caption{}%
3124 \gdef\@biditytfloat@stored@label{}%
3125 \gsetlength{\@biditytfloat@caption@vertical@offset}{0pt}% reset caption offset
3126 }
3127 \newcommand{\@biditytfloat@float@textwidth}[3][0pt]{%
3128 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@recto}}%
3129 % asymmetric or page is odd, so caption is on the right
3130 \hbox{%
3131 \usebox{#2}%
3132 \hspace{\marginparsep}%
3133 \smash{\raisebox{#1}{\usebox{#3}}}%
3134 }
3135 \@biditytfloat@float@debug{Caption position: [right]}%
3136 }{% symmetric pages and page is even, so caption is on the left
3137 \hbox{%
3138 \smash{\raisebox{#1}{\usebox{#3}}}%
3139 \hspace{\marginparsep}%
3140 \usebox{#2}%
3141 }
3142 \@biditytfloat@float@debug{Caption position: [left]}%
3143 }%
3144 }
3145 \newcommand{\@biditytfloat@float@fullwidth}[3][0pt]{%
3146 \ifthenelse{\equal{\floatalignment}{b}}%
3147 {% place caption above figure
3148 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@recto}}%
3149 {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@biditytfloat@float@debug{Cap
3150 {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biditytfloat@float@debug{Cap
3151 }{% place caption below figure

```



```

3152 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@rect}
3153 {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biditytfloat@float@debug{Cap
3154 {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@biditytfloat@float@debug{Cap
3155 }%
3156 }
3157 \renewenvironment{figure}[1][htbp]%
3158 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{}}
3159 {\end{@biditytfloat@float}}
3160 \renewenvironment{table}[1][htbp]
3161 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{}}
3162 {\end{@biditytfloat@float}}
3163 \renewenvironment{figure*}[1][htbp]%
3164 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{star}}
3165 {\end{@biditytfloat@float}}
3166 \renewenvironment{table*}[1][htbp]%
3167 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{star}}
3168 {\end{@biditytfloat@float}}
3169 \newenvironment{fullwidth}
3170 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
3171 {\ifthenelse{\boolean{@biditytfloat@changepage}}{\begin{adjustwidth*}{-}\@biditytfloat@
3172 {\begin{adjustwidth}{-}\@biditytfloat@overhang}}%
3173 }%
3174 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
3175 {\ifthenelse{\boolean{@biditytfloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}%
3176 {\end{adjustwidth}}}%
3177 }
3178 \long\def\@caption#1[#2]#3{%
3179 \par%
3180 \addcontentsline{\csname ext@#1\endcsname}{#1}%
3181 {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
3182 \begingroup%
3183 \@parboxrestore%
3184 \if@minipage%
3185 \@setminipage%
3186 \fi%
3187 \@biditytfloat@caption@font\@biditytfloat@caption@justification%
3188 \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
3189 %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
3190 \endgroup}
3191 %%
3192 % Turns newlines into spaces. Based on code from the 'titlesec' package.
3193 \DeclareRobustCommand{\@biditytfloat@newlinetospace}{%
3194 \@ifstar{\@biditytfloat@newlinetospace@i}{\@biditytfloat@newlinetospace@i}%
3195 }
3196 \def\@biditytfloat@newlinetospace@i{%
3197 \ifdim\lastskip>z@\else\space\fi
3198 \ignorespaces%
3199 }
3200 \DeclareRobustCommand{\newlinetospace}[1]{%
3201 \let\@biditytfloat@orig@cr\% save the original meaning of \

```



```

3202 \def\\{\@bidityfteheading@newlinetospace}% turn \\ and \\* into \space
3203 \let\newline\\% turn \newline into \space
3204 #1%
3205 \let\\\\@bidityfteheading@orig@cr% revert to original meaning of \\
3206 }
3207 \RequirePackage{fancyhdr}
3208 \pagestyle{fancy}
3209 \AtBeginDocument{%
3210 \ifthenelse{\boolean{@bidityftefloat@symmetric}}
3211   {\fancyhfoffset[LE,RO]{\@bidityftefloat@overhang}}
3212   {\fancyhfoffset[RE,RO]{\@bidityftefloat@overhang}}
3213 }
3214 % The running heads/feet don't have rules
3215 \renewcommand{\headrulewidth}{0pt}
3216 \renewcommand{\footrulewidth}{0pt}
3217 % The 'fancy' page style is the default style for all pages.
3218 \fancyhf{} % clear header and footer fields
3219 \ifthenelse{\boolean{@bidityftefloat@symmetric}}
3220   {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
3221    \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3222   {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3223 % The 'plain' page style is used on chapter opening pages.
3224 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
3225 % bottom of pages -- the folios are unexpressed.
3226 \fancypagestyle{plain}{
3227   \fancyhf{} % clear header and footer fields
3228   % Uncomment the following five lines of code if you want the opening page
3229   % of the chapter to express the folio in the lower outside corner.
3230   % \ifthenelse{\boolean{@bidityftefloat@symmetric}}
3231   %   {\fancyfoot[LE,RO]{\thepage}}
3232   %   {\fancyfoot[RE,RO]{\thepage}}
3233 }
3234 % The 'empty' page style suppresses all headers and footers.
3235 % It's used on title pages and 'intentionally blank' pages.
3236 \fancypagestyle{empty}{
3237   \fancyhf{} % clear header and footer fields
3238 }
3239 \def\morefloats{% provides a total of 52 floats
3240   \ifthenelse{\isundefined{\bx@S}}{%
3241     \bidityftefloatDebugInfoNL{Adding 34 more float slots.}
3242     \newinsert\bx@S
3243     \newinsert\bx@T
3244     \newinsert\bx@U
3245     \newinsert\bx@V
3246     \newinsert\bx@W
3247     \newinsert\bx@X
3248     \newinsert\bx@Y
3249     \newinsert\bx@Z
3250     \newinsert\bx@a
3251     \newinsert\bx@b

```



```

3252 \newinsert\bx@c
3253 \newinsert\bx@d
3254 \newinsert\bx@e
3255 \newinsert\bx@f
3256 \newinsert\bx@g
3257 \newinsert\bx@h
3258 \newinsert\bx@i
3259 \newinsert\bx@j
3260 \newinsert\bx@k
3261 \newinsert\bx@l
3262 \newinsert\bx@m
3263 \newinsert\bx@n
3264 \newinsert\bx@o
3265 \newinsert\bx@p
3266 \newinsert\bx@q
3267 \newinsert\bx@r
3268 \newinsert\bx@s
3269 \newinsert\bx@t
3270 \newinsert\bx@u
3271 \newinsert\bx@v
3272 \newinsert\bx@w
3273 \newinsert\bx@x
3274 \newinsert\bx@y
3275 \newinsert\bx@z
3276 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
3277 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
3278 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
3279 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
3280 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
3281 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
3282 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3283 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3284 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3285 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3286 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3287 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
3288 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
3289 \ifthenelse{\isundefined{\bx@AA}}{%
3290 \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
3291 \newinsert\bx@AA
3292 \newinsert\bx@BB
3293 \newinsert\bx@CC
3294 \newinsert\bx@DD
3295 \newinsert\bx@EE
3296 \newinsert\bx@FF
3297 \newinsert\bx@GG
3298 \newinsert\bx@HH
3299 \newinsert\bx@II
3300 \newinsert\bx@JJ
3301 \newinsert\bx@KK

```



```

3302 \newinsert\bx@LL
3303 \newinsert\bx@MM
3304 \newinsert\bx@NN
3305 \newinsert\bx@OO
3306 \newinsert\bx@PP
3307 \newinsert\bx@QQ
3308 \newinsert\bx@RR
3309 \newinsert\bx@SS
3310 \newinsert\bx@TT
3311 \newinsert\bx@UU
3312 \newinsert\bx@VV
3313 \newinsert\bx@WW
3314 \newinsert\bx@XX
3315 \newinsert\bx@YY
3316 \newinsert\bx@ZZ
3317 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
3318 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
3319 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
3320 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
3321 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
3322 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
3323 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3324 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3325 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3326 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3327 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3328 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
3329 \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
3330 \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
3331 \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
3332 \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
3333 \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
3334 \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
3335 }{%
3336 \biditytfloatError{You may only call \string\morefloats\space twice. See the\MessageBreak
3337 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\MessageBreak
3338 }%
3339 }%
3340 }
3341 \newboolean{@biditytfloat@packages@subfigure}
3342 \setboolean{@biditytfloat@packages@subfigure}{false}
3343 \AtBeginDocument{%
3344 \ifpackageloaded{subfigure}
3345 {\gsetboolean{@biditytfloat@packages@subfigure}{true}}
3346 {\gsetboolean{@biditytfloat@packages@subfigure}{false}}}%
3347 }
3348 \AtBeginDocument{%
3349 \ifpackageloaded{float}{%
3350 % Save the redefined float environment (instead of the LaTeX float environment)
3351 \let\@biditytfloat@orig@float\@float

```




```

3352 \let\@biditytfloat@orig@endfloat\endfloat
3353
3354 % Define Tuftian float styles (with the caption in the margin)
3355 \newcommand{\floatc@biditytfloatplain}[2]{%
3356   \begin{lrbox}{\@biditytfloat@caption@box}%
3357   \begin{minipage}[\floatalignment][\marginparwidth]\hbox{%
3358     \@biditytfloat@caption@font{\@fs@cfont #1:} #2\par%
3359   }\end{minipage}%
3360   \end{lrbox}%
3361   \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
3362 }
3363 \newcommand{\fs@biditytfloatplain}{%
3364   \def\@fs@cfont{\@biditytfloat@caption@font}%
3365   \let\@fs@capt\floatc@biditytfloatplain%
3366   \def\@fs@pre{%
3367     \def\@fs@post{%
3368       \def\@fs@mid{%
3369         \let\@fs@iftopcapt\iftrue%
3370       }
3371       \let\fs@biditytfloatplain=\fs@biditytfloatplain
3372       \let\floatc@biditytfloatplain=\floatc@biditytfloatplain
3373       \newcommand\floatc@biditytfloatruled[2]{%
3374         {\@fs@cfont #1} #2\par%
3375       }
3376       \newcommand\fs@biditytfloatruled{%
3377         \def\@fs@cfont{\@biditytfloat@caption@font}%
3378         \let\@fs@capt\floatc@biditytfloatplain%
3379         \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
3380         \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
3381         \def\@fs@mid{%
3382           \let\@fs@iftopcapt\iftrue%
3383         }
3384         \newcommand\fs@biditytfloatboxed{%
3385           \def\@fs@cfont{%
3386             \let\@fs@capt\floatc@biditytfloatplain%
3387             \def\@fs@pre{%
3388               \setbox\@currbox\vbox{\hbadness10000
3389                 \moveleft3.4pt\vbox{\advance\hsize by6.8pt
3390                   \hrule \hbox to\hsize{\vrule\kern3pt
3391                     \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
3392             }%
3393             \def\@fs@mid{\kern2pt}%
3394             \def\@fs@post{%
3395               \let\@fs@iftopcapt\iftrue%
3396             }
3397           }%
3398           % Nothing to do
3399         }
3400       }
3401 \AtBeginDocument{%

```



```

3402 \ifpackageloaded{algorithm}{%
3403   % Set the float style to the Tufte version
3404   \ifthenelse{\equal{\ALG@floatstyle}{plain}}{\OR\equal{\ALG@floatstyle}{ruled}}{\OR\equal{\ALG@floatstyle}{bittuftefloat}}{\bittuftefloat}
3405   \bittuftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak to \ALG@floatstyle}
3406   \floatstyle{bittuftefloat\ALG@floatstyle}%
3407   \restylefloat{algorithm}%
3408 }{}%
3409 }{%
3410   % Nothing to do
3411 }
3412 }
3413 \PassOptionsToPackage{caption=false}{subfig}

```

7.21 bittuftesidenote.sty

```

3414 \NeedsTeXFormat{LaTeX2e}
3415 \ProvidesPackage{bittuftesidenote}[2011/06/17 v0.1
3416 bidi implementation of tufte sidenote]
3417 \RequirePackage{xifthen}
3418 \RequirePackage{ragged2e}
3419 \RequirePackage{setspace}
3420 \RequirePackage{hopatch}
3421 \def\bittuftesidenotemarginpar{%
3422   \ifhmode
3423     \@bsphack
3424     \@floatpenalty -\@Mii
3425   \else
3426     \@floatpenalty -\@Miii
3427   \fi
3428   \ifinner
3429     \@parmoderr
3430     \@floatpenalty \z@
3431   \else
3432     \@next\@currbox\@freelist{}{}%
3433     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
3434     {\@floatpenalty\z@
3435       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
3436   \fi
3437   \ifnextchar [\@bittuftesidenotexmpar\@bittuftesidenoteympar}
3438 \long\def\@bittuftesidenotexmpar[#1]#2{%
3439   \@bittuftesidenotesavemarbox\@marbox{#1}%
3440   \@bittuftesidenotesavemarbox\@currbox{#2}%
3441   \@xympar}
3442 \long\def\@bittuftesidenoteympar#1{%
3443   \@bittuftesidenotesavemarbox\@marbox{#1}%
3444   \global\setbox\@currbox\copy\@marbox
3445   \@xympar}
3446 \long\def \@bittuftesidenotesavemarbox #1#2{%
3447   \global\setbox #1%
3448   \color@vbox

```



```

3449     \vtop{%
3450         \hsize\marginparwidth
3451         \@parboxrestore
3452         \@bidityftesidenotemarginparreset
3453         #2%
3454         \@minipagefalse
3455         \outer@nobreak
3456     }%
3457     \color@endbox
3458 }
3459 \def \@bidityftesidenotemarginparreset {%
3460     \reset@font
3461     \normalsize
3462     \@minipagetrue
3463     \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
3464 }
3465 \def\LTRbidityftesidenotemarginpar{%
3466     \ifhmode
3467         \@bsphack
3468         \@floatpenalty -\@Mii
3469     \else
3470         \@floatpenalty-\@Miii
3471     \fi
3472     \ifinner
3473         \@parmoderr
3474         \@floatpenalty\z@
3475     \else
3476         \@next\@currbox\@freelist{}\}%
3477         \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
3478         {\@floatpenalty\z@
3479         \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
3480     \fi
3481     \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
3482 \long\def\@LTRbidityftesidenotexmpar[#1]#2{%
3483     \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
3484     \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
3485     \@xympar}
3486 \long\def\@LTRbidityftesidenoteympar#1{%
3487     \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
3488     \global\setbox\@currbox\copy\@marbox
3489     \@xympar}
3490 \long\def \@LTRbidityftesidenotesavemarbox #1#2{%
3491     \global\setbox #1%
3492     \color@vbox
3493     \vtop{%
3494         \hsize\marginparwidth
3495         \@parboxrestore
3496         \@LTRbidityftesidenotemarginparreset
3497         #2%
3498         \@minipagefalse

```



```

3499         \outer@nobreak
3500     }%
3501     \color@endbox
3502 }
3503 \def \@LTRbiditytesidenotemarginparreset {%
3504     \reset@font
3505     \normalsize
3506     \@minipagetrue
3507     \everypar{\@minipagefalse\everypar{}\beginL}%
3508 }
3509 \def\RTLbiditytesidenotemarginpar{%
3510     \ifhmode
3511         \@bsphack
3512         \@floatpenalty -\@Mii
3513     \else
3514         \@floatpenalty-\@Miii
3515     \fi
3516     \ifinner
3517         \@parmoderr
3518         \@floatpenalty\z@
3519     \else
3520         \@next\@currbox\@freelist{}\}%
3521         \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
3522         {\@floatpenalty\z@
3523         \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
3524     \fi
3525     \@ifnextchar [\@RTLbiditytesidenotexmpar\@RTLbiditytesidenoteympar}
3526 \long\def\@RTLbiditytesidenotexmpar[#1]#2{%
3527     \@RTLbiditytesidenotesavemarbox\@marbox{#1}%
3528     \@RTLbiditytesidenotesavemarbox\@currbox{#2}%
3529     \@xympar}
3530 \long\def\@RTLbiditytesidenoteympar#1{%
3531     \@RTLbiditytesidenotesavemarbox\@marbox{#1}%
3532     \global\setbox\@currbox\copy\@marbox
3533     \@xympar}
3534 \long\def \@RTLbiditytesidenotesavemarbox #1#2{%
3535     \global\setbox #1%
3536         \color@vbox
3537         \vtop{%
3538             \hsize\marginparwidth
3539             \@parboxrestore
3540             \@RTLbiditytesidenotemarginparreset
3541             #2%
3542             \@minipagefalse
3543             \outer@nobreak
3544             }%
3545     \color@endbox
3546 }
3547 \def \@RTLbiditytesidenotemarginparreset {%
3548     \reset@font

```



```

3549         \normalsize
3550         \@minipagetrue
3551         \everypar{\@minipagefalse\everypar{}\beginR}%
3552     }
3553     \newcommand{\@bidiuftesidenote@marginfont}{\normalfont\footnotesize}
3554     \newcommand*{\@bidiuftesidenote@sidenote@font}{\@bidiuftesidenote@marginfont}
3555     \newcommand*{\@bidiuftesidenote@marginnote@font}{\@bidiuftesidenote@marginfont}
3556     \newcommand*{\@bidiuftesidenote@citation@font}{\@bidiuftesidenote@marginfont}
3557     \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidiuftesidenote@sidenote@font}{#1}}
3558     \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidiuftesidenote@marginnote@font}{#1}}
3559     \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidiuftesidenote@citation@font}{#1}}
3560     \newcommand*{\@bidiuftesidenote@sidenote@justification}{\@bidiuftesidenote@justification@au}
3561     \newcommand*{\@bidiuftesidenote@marginnote@justification}{\@bidiuftesidenote@justification@au}
3562     \newcommand*{\@bidiuftesidenote@citation@justification}{\@bidiuftesidenote@justification@au}
3563     \newcommand*{\@bidiuftesidenote@justification@autodetect}{\justifying}%
3564     \newcommand{\@bidiuftesidenote@margin@par}{%
3565         \setlength{\RaggedRightParindent}{0.5pc}%
3566         \setlength{\JustifyingParindent}{0.5pc}%
3567         \setlength{\parindent}{0.5pc}%
3568         \setlength{\parskip}{0pt}%
3569     }
3570     %%
3571     % Globally sets the length
3572     \@ifundefined{gsetlength}{%
3573     \newcommand*{\gsetlength}[2]{%
3574         \setlength{#1}{#2}%
3575         \global#1=#1\relax%
3576     }%
3577     }{}
3578     %%
3579     % Globally sets a boolean
3580     \@ifundefined{gsetboolean}{%
3581     \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
3582         \lowercase{\def\@tempa{#2}}%
3583         \@ifundefined{@tempwa\@tempa}%
3584         {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}\@ehc}%
3585         {\@ifundefined{#1\@tempa}%
3586             {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
3587             {\global\csname#1\@tempa\endcsname}%
3588         }%
3589     }%
3590     }{}
3591     %%
3592     % A function that removes leading and trailing spaces from the supplied macro.
3593     % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
3594     % Executing \@bidiuftesidenote@trim@spaces\xyzy will result in the contents of \xyzy
3595     % being trimmed of leading and trailing white space.
3596     \catcode`\Q=3
3597     \def\@bidiuftesidenote@trim@spaces#1{%
3598     % Use grouping to emulate a multi-token afterassignment queue

```



```

3599 \beginingroup%
3600 % Put ``\toks 0 {' into the afterassignment queue
3601 \aftergroup\toks\aftergroup0\aftergroup{%
3602 % Apply \trimb to the replacement text of #1, adding a leading
3603 % \noexpand to prevent brace stripping and to serve another purpose
3604 % later.
3605 \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
3606 % Transfer the trimmed text back into #1.
3607 \edef#1{\the\toks0}%
3608 }
3609 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
3610 % clean up any leftover bizarre Qs, and trim a leading space. In
3611 % order for \trimc to work properly we need to put back a Q first.
3612 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
3613 % Execute \vfuzz assignment to remove leading space; the \noexpand
3614 % will now prevent unwanted expansion of a macro or other expandable
3615 % token at the beginning of the trimmed text. The \endgroup will feed
3616 % in the \aftergroup tokens after the \vfuzz assignment is completed.
3617 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
3618 \catcode`\Q=11
3619 %%
3620 % Citations should go in the margin as sidenotes
3621
3622 \RequirePackage{natbib}
3623 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography environmen
3624 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
3625 \renewcommand\BR@b@bibitem[2] []{%
3626 \ifthenelse{\isempty{#1}}{%
3627 {\BR@bibitem{#2}}%
3628 {\BR@bibitem[#1]{#2}}%
3629 \BR@c@bibitem{#2}%
3630 }
3631 \nobibliography* % pre-loads the bibliography keys
3632 %%
3633 % Normal \cite behavior
3634 \newcounter{@bidityftesidenote@num@bibkeys}%
3635 \newcommand{\@bidityftesidenote@normal@cite}[2] [Opt]{%
3636 % Snag the last bibentry in the list for later comparison
3637 \let\@temp@last@bibkey\empty%
3638 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
3639 \sidenote[] [#1]{%
3640 % Loop through all the bibentries, separating them with semicolons and spaces
3641 \normalsize\normalfont\@bidityftesidenote@citation@font%
3642 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
3643 \@for\@temp@bibkeyx:=#2\do{%
3644 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
3645 {\ifthenelse{\equal{value{@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
3646 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3647 \bibentry{\@temp@bibkeyx}}%
3648 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey

```



```

3649         \bibentry{\@temp@bibkeyx};\ }%
3650         \stepcounter{@biditytesidenote@num@bibkeys}%
3651     }%
3652 }%
3653 }
3654 %%
3655 % Macros for holding the list of cite keys until after the \sidenote
3656 \gdef\@biditytesidenote@citations{}% list of cite keys
3657 \newcommand\@biditytesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite keys
3658 \ifx\@biditytesidenote@citations\@empty\else
3659     \g@addto@macro\@biditytesidenote@citations{,}% separate by commas
3660 \fi
3661 \g@addto@macro\@biditytesidenote@citations{#1}
3662 }
3663 \newcommand{\@biditytesidenote@print@citations}[1][Opt]{% puts the citations in a margin note
3664 % Snag the last bibentry in the list for later comparison
3665 \let\@temp@last@bibkey\@empty%
3666 \@for\@temp@bibkey:=\@biditytesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
3667 \marginpar{%
3668     \hbox{\vspace*{#1}}%
3669     \@biditytesidenote@citation@font%
3670     \@biditytesidenote@citation@justification%
3671     \@biditytesidenote@margin@par% use parindent and parskip settings for marginal text
3672     \vspace*{-1\baselineskip}}%
3673 % Loop through all the bibentries, separating them with semicolons and spaces
3674 \setcounter{@biditytesidenote@num@bibkeys}{0}%
3675 \@for\@temp@bibkeyx:=\@biditytesidenote@citations\do{%
3676     \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
3677         {\ifthenelse{\equal{\value{@biditytesidenote@num@bibkeys}}{0}}{\and\ }%
3678         \@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3679         \bibentry{\@temp@bibkeyx}}%
3680         {\@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3681         \bibentry{\@temp@bibkeyx};\ }%
3682     \stepcounter{@biditytesidenote@num@bibkeys}%
3683     }%
3684 }%
3685 }
3686 %%
3687 % \cite behavior when executed within a sidenote
3688 \newcommand{\@biditytesidenote@sidenote@citations}{}% contains list of \cites in sidenote
3689 \newcommand{\@biditytesidenote@infootnote@cite}[1]{%
3690     \@biditytesidenote@add@citation{#1}
3691 }
3692 %%
3693 % Set the default \cite style. This is set and reset by the \sidenote command.
3694 \let\cite\@biditytesidenote@normal@cite
3695 %%
3696 % Transform existing \footnotes into \sidenotes
3697 % Sidenote: ``Where God meant footnotes to go.''' ---biditytesidenote
3698 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments

```



```

3699 \providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@
3700 \renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@
3701 % Override footmisc's definition to set the sidenote marks (numbers) inside the
3702 % sidenote's text block.
3703 \hopatch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidityftesidenote@sidenote@
3704 % Set the in-text footnote mark in the same typeface as the body text itself.
3705 \hopatch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize\
3706 \providecommand*\@multiplefootnotemarker}{3sp}
3707 \providecommand*\multfootsep}{,}
3708 \hopatch@AfterPackage{bidi}{%
3709 \renewcommand{\@footnotemark}{%
3710 \leavevmode%
3711 \ifhmode%
3712 \edef\@x@sf{\the\spacefactor}%
3713 \@bidityftesidenote@check@multiple@sidenotes%
3714 \nobreak%
3715 \fi%
3716 \@makefnmark%
3717 \ifhmode\spacefactor\@x@sf\fi%
3718 \relax%
3719 }%
3720 }
3721 \newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
3722 \ifdim\lastkern=\@multiplefootnotemarker\relax%
3723 \edef\@x@sf{\the\spacefactor}%
3724 \unkern%
3725 \textsuperscript{\multfootsep}%
3726 \spacefactor\@x@sf\relax%
3727 \fi
3728 }
3729 \hopatch@AfterPackage{bidi}{%
3730 \renewcommand\@footnotetext[2][Opt]{%
3731 \bidityftesidenotemarginpar{%
3732 \hbox{\vspace*{#1}}%
3733 \def\baselinestretch {\setspace@singlespace}%
3734 \reset@font\footnotesize%
3735 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
3736 \vspace*{-1\baselineskip}\noindent%
3737 \protected@edef\@currentlabel{%
3738 \csname p@footnote\endcsname\@thefnmark%
3739 }%
3740 \color@begingroup%
3741 \@makefntext{%
3742 \ignorespaces#2%
3743 }%
3744 \color@endgroup%
3745 }%
3746 }%
3747 \renewcommand\@LTRfootnotetext[2][Opt]{%
3748 \LTRbidityftesidenotemarginpar{%

```




```

3749 \hbox{}\vspace*{#1}%
3750 \def\baselinestretch {\setspace@singlespace}%
3751 \reset@font\footnotesize%
3752 \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
3753 \vspace*{-1\baselineskip}\noindent%
3754 \protected@edef\@currentlabel{%
3755     \csname p@footnote\endcsname\@thefnmark%
3756 }%
3757 \color@begingroup%
3758 \makefnmark{%
3759     \ignorespaces#2%
3760 }%
3761 \color@endgroup%
3762 }%
3763 }%
3764 \renewcommand\@RTLfootnotetext[2][0pt]{%
3765     \RTLbidituftesidenotemarginpar{%
3766         \hbox{}\vspace*{#1}%
3767         \def\baselinestretch {\setspace@singlespace}%
3768         \reset@font\footnotesize%
3769         \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
3770         \vspace*{-1\baselineskip}\noindent%
3771         \protected@edef\@currentlabel{%
3772             \csname p@footnote\endcsname\@thefnmark%
3773         }%
3774         \color@begingroup%
3775         \makefnmark{%
3776             \ignorespaces#2%
3777         }%
3778         \color@endgroup%
3779     }%
3780 }%
3781 }
3782 %
3783 % Define \sidenote command. Can handle \cite.
3784 \newlength{\@bidituftesidenote@sidenote@vertical@offset}
3785 \setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
3786 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
3787 \long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
3788     \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
3789     \gdef\@bidituftesidenote@citations{}% clear out any old citations
3790     \ifthenelse{\NOT\isempty{#2}}{%
3791         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
3792     }{%
3793         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
3794     }%
3795     \ifthenelse{\isempty{#1}}{%
3796         % no specific footnote number provided
3797         \stepcounter\@mpfn%
3798         \protected@xdef\@thefnmark{\thempfn}%

```



```

3799 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3800 }{%
3801 % specific footnote number provided
3802 \begingroup%
3803 \csname c@\@mpfn\endcsname #1\relax%
3804 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3805 \endgroup%
3806 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3807 }%
3808 \@bidityftesidenote@print@citations% print any citations
3809 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite command
3810 \unskip\ignorespaces% remove extra white space
3811 \kern-\multiplefootnotemark% remove \kern left behind by sidenote
3812 \kern\multiplefootnotemark\relax% add new \kern here to replace the one we yanked
3813 }
3814 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
3815 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
3816 \gdef\@bidityftesidenote@citations{}% clear out any old citations
3817 \ifthenelse{\NOT\isempty{#2}}{%
3818 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
3819 }{%
3820 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
3821 }%
3822 \ifthenelse{\isempty{#1}}{%
3823 % no specific footnote number provided
3824 \stepcounter\@mpfn%
3825 \protected@xdef\@thefnmark{\thempfn}%
3826 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3827 }{%
3828 % specific footnote number provided
3829 \begingroup%
3830 \csname c@\@mpfn\endcsname #1\relax%
3831 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3832 \endgroup%
3833 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3834 }%
3835 \@bidityftesidenote@print@citations% print any citations
3836 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite command
3837 \unskip\ignorespaces% remove extra white space
3838 \kern-\multiplefootnotemark% remove \kern left behind by sidenote
3839 \kern\multiplefootnotemark\relax% add new \kern here to replace the one we yanked
3840 }
3841 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
3842 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
3843 \gdef\@bidityftesidenote@citations{}% clear out any old citations
3844 \ifthenelse{\NOT\isempty{#2}}{%
3845 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
3846 }{%
3847 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
3848 }%

```



```

3849 \ifthenelse{\isempty{#1}}{%
3850   % no specific footnote number provided
3851   \stepcounter\@mpfn%
3852   \protected@xdef\@thefnmark{\thempfn}%
3853   \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3854 }{%
3855   % specific footnote number provided
3856   \begingroup%
3857   \csname c@\@mpfn\endcsname #1\relax%
3858   \unrestored@protected@xdef\@thefnmark{\thempfn}%
3859   \endgroup%
3860   \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3861 }%
3862 \@bidityftesidenote@print@citations%          print any citations
3863 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite command
3864 \unskip\ignorespaces%                          remove extra white space
3865 \kern-\multiplefootnotemark%                  remove \kern left behind by sidenote
3866 \kern\multiplefootnotemark\relax% add new \kern here to replace the one we yanked
3867 }
3868 \newcommand{\sidenote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}
3869 \newcommand{\LTRsidenote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}
3870 \newcommand{\RTLSidenote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}
3871 \hopatch@AfterPackage{bidi}{%
3872 \renewcommand{\footnote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}%
3873 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}%
3874 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}%
3875 }
3876 %%
3877 % Sidenote without the footnote mark
3878 \newcommand\marginnote[2] [Opt]{%
3879 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
3880 \gdef\@bidityftesidenote@citations{}%      clear out any old citations
3881 \bidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft
3882 \@bidityftesidenote@print@citations%      print any citations
3883 \let\cite\@bidityftesidenote@normal@cite%   go back to using normal in-text \cite command
3884 }
3885 \newcommand\LTRmarginnote[2] [Opt]{%
3886 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
3887 \gdef\@bidityftesidenote@citations{}%      clear out any old citations
3888 \LTRbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft
3889 \@bidityftesidenote@print@citations%      print any citations
3890 \let\cite\@bidityftesidenote@normal@cite%   go back to using normal in-text \cite command
3891 }
3892 \newcommand\RTLMarginnote[2] [Opt]{%
3893 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
3894 \gdef\@bidityftesidenote@citations{}%      clear out any old citations
3895 \RTLbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft
3896 \@bidityftesidenote@print@citations%      print any citations
3897 \let\cite\@bidityftesidenote@normal@cite%   go back to using normal in-text \cite command
3898 }

```



7.22 bidentuftetoc.sty

```

3899 \NeedsTeXFormat{LaTeX2e}
3900 \ProvidesPackage{bidentuftetoc}[2011/06/17 v0.1
3901 bidi implementation of tufte toc]
3902 \RequirePackage{titlesec,titletoc,xifthen,hopatch}
3903 \newcommand{\@bidentuftetoc@pkgname}{bidentuftetoc}
3904 \newcommand{\bidentuftetocError}[2]{\PackageError{\@bidentuftetoc@pkgname}{#1}{#2}}
3905 %%
3906 % Turn off section numbering
3907 \setcounter{secnumdepth}{-1}
3908 \newboolean{@bidentuftetoc@toc}
3909 \setboolean{@bidentuftetoc@toc}{true}
3910 \DeclareOption{notoc}{\setboolean{@bidentuftetoc@toc}{false}}
3911 \DeclareOption{toc}{\setboolean{@bidentuftetoc@toc}{true}}
3912 \ProcessOptions
3913 %%
3914 % Make Tuftean-style section headings and TOC formatting
3915 \hopatch@AfterPackage{bidi}{%
3916 \titleformat{\chapter}%
3917 [display]% shape
3918 {\relax\ifthenelse{\NOT\boolean{@bidentuftefloat@symmetric}}{\begin{fullwidth}}{}}% format app
3919 {\itshape\huge\thechapter}% label
3920 {0pt}% horizontal separation between label and title body
3921 {\huge\rmfamily\itshape}% before the title body
3922 [\ifthenelse{\NOT\boolean{@bidentuftefloat@symmetric}}{\end{fullwidth}}{}}% after the title bo
3923 \titleformat{\section}%
3924 [hang]% shape
3925 {\normalfont\Large\itshape}% format applied to label+text
3926 {\thesecount}% label
3927 {1em}% horizontal separation between label and title body
3928 {}% before the title body
3929 []% after the title body
3930 \titleformat{\subsection}%
3931 [hang]% shape
3932 {\normalfont\large\itshape}% format applied to label+text
3933 {\thesubsection}% label
3934 {1em}% horizontal separation between label and title body
3935 {}% before the title body
3936 []% after the title body
3937 \titleformat{\paragraph}%
3938 [runin]% shape
3939 {\normalfont\itshape}% format applied to label+text
3940 {\theparagraph}% label
3941 {1em}% horizontal separation between label and title body
3942 {}% before the title body
3943 []% after the title body
3944 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
3945 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
3946 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}

```



```

3947 }
3948 % Subsubsection and following section headings shouldn't be used.
3949 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
3950 \renewcommand\subsubsection{%
3951   \biditytetocError{\noexpand\subsubsection is undefined by this class.%
3952     \MessageBreak See Robert Bringhurst's _The Elements of
3953     \MessageBreak Typographic Style_, section 4.2.2.
3954     \MessageBreak \noexpand\subsubsection was used}
3955   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
3956   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the many
3957   \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
3958 }
3959 \renewcommand\subparagraph{%
3960   \biditytetocError{\noexpand\subparagraph is undefined by this class.%
3961     \MessageBreak See Robert Bringhurst's _The Elements of
3962     \MessageBreak Typographic Style_, section 4.2.2.
3963     \MessageBreak \noexpand\subparagraph was used}
3964   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
3965   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the many
3966   \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
3967 }
3968 % Formatting for main TOC (printed in front matter)
3969 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
3970 \ifthenelse{\boolean{@biditytetoc@toc}}{%
3971   \hopatch@AfterPackage{bidi}{%
3972     \titlecontents{part}% FIXME
3973       [0em] % distance from left margin
3974       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatting)
3975       {\contentslabel{2em}} % before w/label (label = ``II'')
3976       {} % before w/o label
3977       {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
3978       [\end{fullwidth}] % after
3979     \titlecontents{chapter}%
3980       [0em] % distance from left margin
3981       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatting)
3982       {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2.1'')
3983       {\hspace*{0em}} % before w/o label
3984       {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
3985       [\end{fullwidth}] % after
3986     \titlecontents{section}% FIXME
3987       [0em] % distance from left margin
3988       {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatting)
3989       {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
3990       {\hspace*{2em}} % before w/o label
3991       {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
3992       [\end{fullwidth}] % after
3993     \titlecontents{subsection}% FIXME
3994       [0em] % distance from left margin
3995       {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatting)
3996       {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')

```



```

3997     {\hspace*{4em}} % before w/o label
3998     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
3999     [\end{fullwidth}] % after
4000 \titlecontents{paragraph}% FIXME
4001     [0em] % distance from left margin
4002     {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global format)
4003     {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
4004     {\hspace*{6em}} % before w/o label
4005     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
4006     [\end{fullwidth}] % after
4007 }%
4008 {}
4009 %%
4010 % Format lists of figures/tables
4011 \renewcommand\listoffigures{%
4012   \@ifundefined{chapter}%
4013     {\section*{\listfigurename}}%
4014     {\chapter*{\listfigurename}}%
4015 % \begin{fullwidth}%
4016   \@starttoc{lof}%
4017 % \end{fullwidth}%
4018 }
4019 \renewcommand\listoftables{%
4020   \@ifundefined{chapter}%
4021     {\section*{\listtablename}}%
4022     {\chapter*{\listtablename}}%
4023 % \begin{fullwidth}%
4024   \@starttoc{lot}%
4025 % \end{fullwidth}%
4026 }
4027 \newcommand{\@bidityfttoc@lof@line}[2]{%
4028   % #1 is the figure/table number and its caption text
4029   % #2 is the page number on which the figure/table appears
4030   \leftskip 0.0em
4031   \rightskip 0em
4032   \parfillskip 0em plus 1fil
4033   \parindent 0.0em
4034   \@afterindenttrue
4035   \interlinepenalty\@M
4036   \leavevmode
4037   \@tempdima 2.0em
4038   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
4039   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
4040   {#1}\nobreak\qqquad\nobreak#2%
4041   \par%
4042 }
4043 \renewcommand*{\l@figure}{\@bidityfttoc@lof@line}
4044 \let\l@table\l@figure

```



7.23 biduntftegeneralstructure.sty

```

4045 \NeedsTeXFormat{LaTeX2e}
4046 \ProvidesPackage{biduntftegeneralstructure}[2011/06/18 v0.1
4047 bidi implementation of tufte general structure]
4048 \renewcommand\small{%
4049   \@setfontsize\small\@ixpt{12}%
4050   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
4051   \abovedisplayshortskip \z@ \@plus2\p@
4052   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
4053   \def\@listi{\leftmargin\leftmargini
4054             \topsep 4\p@ \@plus2\p@ \@minus2\p@
4055             \parsep 2\p@ \@plus\p@ \@minus\p@
4056             \itemsep \parsep}%
4057   \belowdisplayskip \abovedisplayskip
4058 }
4059 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
4060 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
4061 \renewcommand\large{\@setfontsize\large\@xipt{15}}
4062 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
4063 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
4064 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
4065 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
4066 \setlength\leftmargini {1pc}
4067 \setlength\leftmarginii {1pc}
4068 \setlength\leftmarginiii {1pc}
4069 \setlength\leftmarginiv {1pc}
4070 \setlength\leftmarginv {1pc}
4071 \setlength\leftmarginvi {1pc}
4072 \setlength\labelsep {.5pc}
4073 \setlength\labelwidth {\leftmargini}
4074 \addtolength\labelwidth{-\labelsep}
4075 \setlength{\parindent}{1.0pc}%
4076 \setlength{\parskip}{0pt}%
4077 \RequirePackage{ragged2e}
4078 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
4079 % Paragraph indentation and separation for normal text
4080 \newcommand{\@biduntftegeneralstructure@reset@par}{%
4081   \setlength{\RaggedRightParindent}{1.0pc}%
4082   \setlength{\JustifyingParindent}{1.0pc}%
4083   \setlength{\parindent}{1pc}%
4084   \setlength{\parskip}{0pt}%
4085 }
4086 \@biduntftegeneralstructure@reset@par
4087 % Require paralist package for tighter lists
4088 \RequirePackage{paralist}
4089 % Add rightmargin to compactenum
4090 \def\@compactenum{%
4091   \expandafter\list\csname label\@enumctr\endcsname{%
4092     \usecounter{\@enumctr}%

```



```

4093 \rightmargin=2em% added this
4094 \parsep\plparsep
4095 \itemsep\plitemsep
4096 \topsep\pltopsep
4097 \partopsep\plpartopsep
4098 \def\makelabel##1{\hss\llap{##1}}}}
4099 %%
4100 % An environment for paragraph-style section
4101 \providecommand\newthought[1]{%
4102 \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
4103 \noindent\textbf{#1}%
4104 }
4105 %%
4106 % Redefine the display environments (quote, quotation, etc.)
4107 \renewenvironment{verse}
4108 {
4109 \let\@centercr
4110 \list{}{\itemsep \z@
4111 \itemindent -1pc%
4112 \listparindent\itemindent
4113 \rightmargin \leftmargin
4114 \advance\leftmargin 1pc}%
4115 \small%
4116 \item\relax}
4117 {\endlist}
4118 \renewenvironment{quotation}
4119 {\list{}{\listparindent 1pc%
4120 \itemindent \listparindent
4121 \rightmargin \leftmargin
4122 \parsep \z@ \@plus\p@}%
4123 \small%
4124 \item\relax\noindent\ignorespaces}
4125 {\endlist}
4126 \renewenvironment{quote}
4127 {\list{}{\rightmargin\leftmargin}%
4128 \small%
4129 \item\relax}
4130 {\endlist}
4131 % Italicize description run-in headings (instead of the default bold)
4132 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
4133 %%
4134 % Redefine \bibsection to not mark the running heads.
4135 % (Code modified from natbib.sty.)
4136 \ifundefined{chapter}%
4137 {\renewcommand\bibsection{\section*{\refname}}}
4138 {\ifundefined{NAT@sectionbib}%
4139 {\renewcommand\bibsection{\chapter{\bibname}}}
4140 {\renewcommand\bibsection{\section*{\bibname}}}}
4141 \RequirePackage{multicol}
4142 \renewenvironment{theindex}{%
4143 \ifundefined{chapter}%

```




```

4143     {\section*{\indexname}}%
4144     {\chapter{\indexname}}%
4145     \begin{fullwidth}%
4146     \small%
4147     \parskip0pt%
4148     \parindent0pt%
4149     \let\item\@idxitem%
4150     \begin{multicols}{3}%
4151 }{%
4152     \end{multicols}%
4153     \end{fullwidth}%
4154 }
4155 \AtBeginDocument{%
4156 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
4157 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
4158 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
4159 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
4160 \newcommand{\lettergroup}[1]{}% swallow the letter heading in the index

```

7.24 bidiutftehyperref.sty

```

4161 \NeedsTeXFormat{LaTeX2e}
4162 \ProvidesPackage{bidiutftehyperref}[2011/06/18 v0.1
4163 bidi implementation of tufte hyperref]
4164 %%
4165 % Color
4166 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
4167 \newboolean{@bidiutftehyperref@loadhyper}
4168 \setboolean{@bidiutftehyperref@loadhyper}{true}
4169 \DeclareOption{hyper}{\setboolean{@bidiutftehyperref@loadhyper}{true}}
4170 \DeclareOption{nohyper}{\setboolean{@bidiutftehyperref@loadhyper}{false}}
4171 \ProcessOptions
4172 %% Loads the hyperref package and sets some default options.
4173 \newcommand{\bidiutftehyperrefLoadHyperref}{%
4174 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
4175 \hypersetup{%
4176     bookmarksdepth = section,
4177     citecolor = DarkGreen,
4178     linkcolor = DarkBlue,
4179 %    pagecolor = DarkBlue,
4180     urlcolor = DarkGreen,
4181 }%
4182 }
4183 \ifthenelse{\boolean{@bidiutftehyperref@loadhyper}}{%
4184     \bidiutftehyperrefLoadHyperref%
4185 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
4186     \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
4187 }

```

7.25 bidiuftetitle.sty



```

4188 \NeedsTeXFormat{LaTeX2e}
4189 \ProvidesPackage{bidiuftetitle}[2011/06/18 v0.1
4190 bidi implementation of tufte title]
4191 \RequirePackage{etoolbox}
4192 %%
4193 % `titlepage' option -- creates a full title page with \maketitle
4194 \newboolean{@bidiuftetitle@titlepage}
4195 \DeclareOption{titlepage}{\setboolean{@bidiuftetitle@titlepage}{true}}
4196 \DeclareOption{notitlepage}{\setboolean{@bidiuftetitle@titlepage}{false}}
4197 % Default `book' and `handout' options
4198 \ifclassloaded{book}{%
4199 \ExecuteOptions{titlepage}}{%
4200 \ifclassloaded{article}{%
4201 \ExecuteOptions{notitlepage}}%
4202 {}}
4203 \ProcessOptions
4204 %%
4205 % Modified \title, \author, and \date commands. These store the
4206 % (footnote-less) values in \plaintitle, \plainauthor, and \thedata, respectively.
4207 \newcommand{\plaintitle}{}% plain-text-only title
4208 \newcommand{\plainauthor}{}% plain-text-only author
4209 \newcommand{\plainpublisher}{}% plain-text-only publisher
4210 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
4211 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
4212 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
4213 \newcommand{@publisher}{}% full publisher with \thanks{}
4214 \newcommand{\thedata}{\today}
4215 \hopatch@AfterPackage{bidi}{%
4216 \renewcommand{\thanks}[1]{\footnote{#1}}
4217 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
4218 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
4219 }
4220 \renewcommand{\title}[2][]{%
4221 \gdef\@title{#2}%
4222 \begingroup%
4223 % TODO store contents of \thanks command
4224 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4225 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4226 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4227 \protected@xdef\thanklesstitle{#2}%
4228 \endgroup%
4229 \ifthenelse{\isempty{#1}}%
4230 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
4231 {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
4232 \@ifundefined{hypersetup}%
4233 {}% hyperref is not loaded; do nothing
4234 {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
4235 }
4236 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
4237 \renewcommand{\author}[2][]{%

```



```

4238 \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
4239 \begingroup%
4240 % TODO store contents of \thanks command
4241 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4242 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4243 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4244 \protected@xdef\thanklessauthor{#2}%
4245 \endgroup%
4246 \ifthenelse{\isempty{#1}}%
4247 {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
4248 {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
4249 \@ifundefined{hypersetup}%
4250 {}% hyperref is not loaded; do nothing
4251 {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
4252 }
4253 \renewcommand{\date}[1]{%
4254 \gdef\@date{#1}%
4255 \begingroup%
4256 % TODO store contents of \thanks command
4257 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4258 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4259 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4260 \protected@xdef\thedata{#1}%
4261 \endgroup%
4262 }
4263 %%
4264 % Provides a \publisher command to set the publisher
4265 \newcommand{\publisher}[2][{}]{%
4266 \gdef\@publisher{#2}%
4267 \begingroup%
4268 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4269 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4270 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4271 \protected@xdef\thanklesspublisher{#2}%
4272 \endgroup%
4273 \ifthenelse{\isempty{#1}}
4274 {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
4275 {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
4276 }
4277 %%
4278 % Produces a full title page
4279 \newcommand{\maketitlepage}[0]{%
4280 \cleardoublepage%
4281 {%
4282 \bfseries%
4283 \begin{fullwidth}%
4284 \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
4285 \vspace{11.5pc}%
4286 \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
4287 \vfill%

```



```

4288 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
4289 \end{fullwidth}%
4290 }
4291 \thispagestyle{empty}%
4292 \clearpage%
4293 }
4294 %%
4295 % Title block
4296 \AfterEndPreamble{%
4297 \renewcommand{\maketitle}{%
4298 \newpage%
4299 \global\@topnum\z@% prevent floats from being placed at the top of the page
4300 \begingroup%
4301 \setlength{\parindent}{0pt}%
4302 \setlength{\parskip}{4pt}%
4303 \let\@title\@empty%
4304 \let\@author\@empty%
4305 \let\@date\@empty%
4306 \gdef\@title{\LARGE\itshape\@title\par}%
4307 \gdef\@author{\Large\itshape\@author\par}%
4308 \gdef\@date{\Large\itshape\@date\par}%
4309 \@title%
4310 \@author%
4311 \@date%
4312 \endgroup%
4313 \thispagestyle{plain}% suppress the running head
4314 }%
4315 }
4316 %%
4317 % Title page (if the `titlepage' option was passed to the bidentitetitle-handout
4318 % class.)
4319 \AfterEndPreamble{%
4320 \ifthenelse{\boolean{@bidentitetitle@titlepage}}{
4321 {\renewcommand{\maketitle}{\maketitlepage}}
4322 {}
4323 }
4324 %%
4325 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
4326 % without headers and footers
4327 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
4328 \hbox{}
4329 %\vspace*{\fill}
4330 %\begin{center}
4331 % This page intentionally contains only this sentence.
4332 %\end{center}
4333 %\vspace{\fill}
4334 \thispagestyle{empty}
4335 \newpage
4336 \if@twocolumn\hbox{}\newpage\fi\fi}

```



7.26 bidentufte-handout.cls

```
4337 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
4338 \ProvidesClass{bidentufte-handout}[2011/06/18 v0.1 bidentufte-handout class]
4339 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
4340 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftefloat}}
4341 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetoc}}
4342 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftehyperref}}
4343 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetitle}}
4344 \ProcessOptions\relax
4345 \LoadClass{article}
4346 \RequirePackage{bidentuftefloat}
4347 \RequirePackage{bidentuftesidenote}
4348 \RequirePackage{bidentuftetoc}
4349 \RequirePackage{bidentuftegeneralstructure}
4350 \RequirePackage{bidentuftehyperref}
4351 \RequirePackage{bidentuftetitle}
4352 \renewenvironment{abstract}
4353   {\begin{quotation}}
4354   {\end{quotation}}
4355 \AtBeginDocument{%
4356   \IfFileExists{bidentufte-handout.cfg}
4357     {\input{bidentufte-handout.cfg}}
4358     \ClassInfo{bidentufte-handout}{Loading bidentufte-handout configuration file \@gobble}}
4359   {}%
4360 }
```

7.27 bidentufte-book.cls

```
4361 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
4362 \ProvidesClass{bidentufte-book}[2011/06/18 v0.1 bidentufte-book class]
4363 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
4364 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftefloat}}
4365 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetoc}}
4366 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftehyperref}}
4367 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetitle}}
4368 \ProcessOptions\relax
4369 \LoadClass{book}
4370 \RequirePackage{bidentuftefloat}
4371 \RequirePackage{bidentuftesidenote}
4372 \RequirePackage{bidentuftetoc}
4373 \RequirePackage{bidentuftegeneralstructure}
4374 \RequirePackage{bidentuftehyperref}
4375 \RequirePackage{bidentuftetitle}
4376 %%
4377 % Set up any book-specific stuff now
4378 %%
4379 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
4380 % to the opening page of Chapter 1. The running heads, when they appear,
4381 % contain only the (arabic) page number in the outside corner.
4382 %\newif\if@mainmatter \@mainmattertrue
```



```

4383 \renewcommand\frontmatter{%
4384   \cleardoublepage%
4385   \@mainmatterfalse%
4386   \pagenumbering{arabic}%
4387   %\pagestyle{plain}%
4388   \fancyhf{}%
4389   \ifthenelse{\boolean{@biditytuftefloat@twoside}}%
4390     {\fancyhead[LE,RO]{\thepage}}%
4391     {\fancyhead[RE,RO]{\thepage}}%
4392 }
4393 %%
4394 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
4395 % numbering---it continues where it left off in the front matter.
4396 \renewcommand\mainmatter{%
4397   \cleardoublepage%
4398   \@mainmattertrue%
4399   \fancyhf{}%
4400   \ifthenelse{\boolean{@biditytuftefloat@twoside}}%
4401     {\renewcommand\chaptermark}[1]{\markboth{##1}{}}%
4402     {\fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
4403     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
4404     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
4405 }
4406 %%
4407 % The back matter contains appendices, indices, glossaries, endnotes,
4408 % bibliographies, list of contributors, illustration credits, etc.
4409 \renewcommand\backmatter{%
4410   \if@openright%
4411     \cleardoublepage%
4412   \else%
4413     \clearpage%
4414   \fi%
4415   \@mainmatterfalse%
4416 }
4417 %%
4418 % Only show the chapter titles in the table of contents
4419 \setcounter{tocdepth}{0}
4420 \AtBeginDocument{%
4421   \IfFileExists{biditytufte-book.cfg}
4422     {\input{biditytufte-book.cfg}}
4423     \ClassInfo{biditytufte-book}{Loading biditytufte-book configuration file \@gobble}
4424     {}%
4425 }

```

7.28 bidipoem.sty

```

4426 \NeedsTeXFormat{LaTeX2e}
4427 \ProvidesPackage{bidipoem}%
4428 [2014/02/05 v0.7 Environments for typesetting Persian traditional and modern poems]
4429 {\catcode\^^M=\active % these lines must end with %

```



```

4430 \gdef\traditionalpoem@obeylines{\catcode\^^M\active \let^^M\traditionalpoem@par}%
4431 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
4432 {\catcode\^^M=\active % these lines must end with %
4433 \gdef\modernpoem@obeylines{\catcode\^^M\active \let^^M\modernpoem@par}%
4434 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
4435 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
4436 \def\poemmarginskip{1em plus 1fil minus 1em}
4437 \def\poemextrabaselineskip{0\baselineskip}
4438 \def\poemskip{\medskip}
4439 \newcommand{\bidipoem@openbox}{\leavevmode
4440 \hbox to.77778em{%
4441 \hfil\vrule
4442 \vbox to.675em{\hrule width.6em\vfil\hrule}%
4443 \vrule\hfil}}
4444 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
4445 \newdimen\versewidth
4446 \newtoks\bidipoem@p@ftn
4447 \def\poem@verse#1{%
4448 \ifdim\wd#1>\new@poem@width
4449 \xdef\new@poem@width{\the\wd#1}%
4450 \ifdim\new@poem@width>\poem@width
4451 \xdef\poem@width{\new@poem@width}%
4452 \global\let\poem@needrun\relax
4453 \fi
4454 \fi
4455 \hbox to\poem@width{\unhbox#1}%
4456 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn%
4457 }
4458 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
4459 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
4460 \def\poem@lineversesep{%
4461 \nobreak
4462 \hskip\z@ plus 1filll%
4463 \penalty600%
4464 \hskip\poemcolsepskip
4465 \hskip\z@ plus -2filll%
4466 \vadjust{}}%
4467 \nobreak
4468 \hskip\z@ plus 1filll%
4469 }
4470 \def\poem@lineparsebegin{%
4471 \halign\bgroup
4472 \global\setbox\verse@i=\hbox{%
4473 \let\@footnotetext\bidipoem@p@ftntext%
4474 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4475 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4476 \let\@xfootnotenext\bidipoem@p@xftntext%
4477 \let\@xfootnote\bidipoem@p@xfootnote%
4478 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4479 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%

```



```

4480 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4481 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4482 \ignorespaces##\unskip}&&
4483 \global\setbox\verse@ii=\hbox{%
4484 \let\@footnotetext\bidipoem@p@ftntext%
4485 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4486 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4487 \let\@xfootnotenext\bidipoem@p@xftntext%
4488 \let\@xfootnote\bidipoem@p@xfootnote%
4489 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4490 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4491 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4492 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4493 \ignorespaces##\unskip}
4494 \cr
4495 }
4496 \def\poem@lineparseend{%
4497 \crr\egroup
4498 \vskip-\baselineskip
4499 }
4500 \def\traditionalpoem@cr{%
4501 \cr\poem@line
4502 }
4503 \newbox\verse@i
4504 \newbox\verse@ii
4505 \newif\ifpoem@started
4506
4507 \def\poem@line{%
4508 \poem@lineparseend
4509 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
4510 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
4511 \ifpoem@started
4512 \ifdim\wd\verse@ii>\z@\else
4513 \nopagebreak[3]
4514 \fi
4515 \leavevmode
4516 \poem@linebegin
4517 \poem@verse\verse@i
4518 \ifdim\wd\verse@ii>\z@
4519 \poem@lineversesep
4520 \poem@verse\verse@ii
4521 \fi
4522 \poem@lineend
4523 % \nopagebreak
4524 \par
4525 \vskip\poemextrabaseskip
4526 \fi
4527 \poem@lineparsebegin
4528 }
4529 \def\@traditionalpoem{%

```




```

4530 \stepcounter{poem@no}
4531 \ifnum\max@poem@no<\number\c@poem@no%
4532 \xdef\poem@width{\z@}%
4533 \else
4534 \xdef\poem@width{\poem@prop{poem@width}}%
4535 \fi
4536 \xdef\new@poem@width{\z@}%
4537 \global\versewidth=\poem@width

4538 \poemskip\par
4539 \beginngroup
4540 \tabskip=\z@
4541 \parskip=\z@
4542 \parindent=\z@
4543 \parfillskip=\z@
4544 \rightskip=\z@
4545 \leftskip=\z@
4546 \widowpenalty=10000% No break between verses of the same line.
4547 \clubpenalty=10000% Same as above. Not really needed.
4548 \def\newblock{\hfil\poemblocksep\hfil\null}%
4549 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
4550 \def\{\global\poem@startedtrue\traditionalpoem@cr}%
4551 \global\poem@startedfalse
4552 \csname poem@obeylines\endcsname
4553 \let\poem@obeylines\relax
4554 \poem@lineparsebegin
4555 }
4556 \def\@endtraditionalpoem{%
4557 \cr
4558 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
4559 \noalign{%
4560 \skip0=\poemextrabaselineskip
4561 \vskip-\skip0
4562 \vskip-\baselineskip
4563 }%
4564 \fi\fi
4565 \poem@lineparseend
4566 \endgroup
4567 \par
4568 \vskip\baselineskip
4569 \poemskip
4570 \if@nparlist \else
4571 \ifdim\lastskip >\z@
4572 \@tempskipa\lastskip \vskip -\lastskip
4573 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
4574 \vskip\@tempskipa
4575 \fi
4576 \@endparenv
4577 \fi
4578 \ifdim\new@poem@width<\poem@width

```



```

4579 \global\let\poem@needrun\relax
4580 \fi
4581     \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
4582 \ifx\AtEndDocument\undefined\poem@finish\fi
4583 }
4584
4585
4586 \long\def\bidipoem@p@ftntext#1{%
4587     \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}}%
4588     \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
4589 \long\def\bidipoem@p@LTRftntext#1{%
4590     \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
4591     \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
4592 \long\def\bidipoem@p@RTLftntext#1{%
4593     \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
4594     \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
4595
4596 \long\def\bidipoem@p@xftntext[#1]#2{%
4597     \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
4598
4599 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
4600     \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}
4601
4602 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
4603     \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}
4604
4605 \def\bidipoem@p@xfootnote[#1]{%
4606     \begingroup
4607         \csname c@\@mpfn\endcsname #1\relax
4608         \unrestored@protected@xdef\@thefnmark{\thempfn}%
4609     \endgroup
4610     \@footnotemark\bidipoem@p@xftntext[#1]}
4611
4612 \def\bidipoem@p@xLTRfootnote[#1]{%
4613     \begingroup
4614         \csname c@\@mpfn\endcsname #1\relax
4615         \unrestored@protected@xdef\@thefnmark{\thempfn}%
4616     \endgroup
4617     \@footnotemark\bidipoem@p@xLTRftntext[#1]}
4618
4619 \def\bidipoem@p@xRTLfootnote[#1]{%
4620     \begingroup
4621         \csname c@\@mpfn\endcsname #1\relax
4622         \unrestored@protected@xdef\@thefnmark{\thempfn}%
4623     \endgroup
4624     \@footnotemark\bidipoem@p@xRTLftntext[#1]}
4625
4626
4627
4628 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}

```



```

4629 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl
4630 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
4631 \def\poem@finish{%
4632 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
4633 \ifx\poem@needrun\relax
4634 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
4635 \global\let\poem@needrun\undefined
4636 \fi
4637 }
4638 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
4639 \newcounter{poem@no}\setcounter{poem@no}{\z@}
4640 \ifx\max@poem@no\undefined
4641 \def\max@poem@no{0}%
4642 \fi
4643 \newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
4644 \newcommand{\poem@write@aux}[2]{%
4645 \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
4646 \@x
4647 }
4648 \def\@modernpoem{%
4649 \par
4650 \begingroup
4651 \parskip=\z@
4652 \parindent=\z@
4653 \def\[{ \@settab\@tabplus\ignorespaces}%
4654 \def\]\{ \@tabminus\ignorespaces}%
4655 \def\newblock{\poemblocksep}%
4656 \let\newpoem@tabcr\@tabcr
4657 \def\modernpoem@par{% Redefine \par for possible \obeylines
4658 \ifpoem@started\else
4659 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
4660 \@stopfield
4661 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
4662 \@contfield
4663 \fi
4664 \fi
4665 \ifpoem@started\newpoem@tabcr\fi}%
4666 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
4667 \global\poem@startedfalse
4668 \csname poem@obeylines\endcsname
4669 \let\poem@obeylines\relax
4670 \begin{tabbing}%
4671 }
4672 \def\@endmodernpoem{%
4673 \global\poem@startedfalse
4674 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
4675 \@stopfield
4676 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
4677 \@contfield
4678 \fi

```



```

4679 \ifpoem@started\else\let\@stopline\@stopfield\fi
4680 \end{tabbing}%
4681 \endgroup
4682 \par
4683 \if@nparlist \else
4684 \ifdim\lastskip >\z@
4685 \@tempskipa\lastskip \vskip -\lastskip
4686 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
4687 \vskip\@tempskipa
4688 \fi
4689 \@endparenv
4690 \fi
4691 }
4692 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
4693 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem}
4694 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
4695 \gdef\@startfield{%
4696 \global\setbox\@curfield\hbox\bgroup%
4697 \let\@footnotetext\bidipoem@p@ftntext%
4698 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4699 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4700 \let\@xfootnotenext\bidipoem@p@xftntext%
4701 \let\@xfootnote\bidipoem@p@xfootnote%
4702 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4703 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4704 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4705 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4706 \color@begingroup}
4707 \gdef\@stopfield{%
4708 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
4709 \gdef\@contfield{%
4710 \global\setbox\@curfield\hbox\bgroup%
4711 \let\@footnotetext\bidipoem@p@ftntext%
4712 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4713 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4714 \let\@xfootnotenext\bidipoem@p@xftntext%
4715 \let\@xfootnote\bidipoem@p@xfootnote%
4716 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4717 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4718 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4719 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4720 \color@begingroup\unhbox\@curfield}

```

7.29 boek3-xetex-bidi.def

```

4721 \ProvidesFile{boek3-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek3 class for XeTeX e
4722 \renewenvironment{theindex}{%
4723 \if@twocolumn
4724 \@restonecolfalse
4725 \else

```



```

4726 \@restonecoltrue
4727 \fi
4728 \columnseprule \z@
4729 \columnsep 35\p@
4730 \twocolumn[\@makeschapterhead{\indexname}]%
4731 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
4732 \thispagestyle{plain}\parindent\z@
4733 \parskip\z@ \@plus .3\p@\relax
4734 \let\item\@idxitem
4735 }{%
4736 \if@restonecol\onecolumn\else\clearpage\fi}
4737 \renewcommand*{\headstyle}{%
4738 \interlinepenalty \@M
4739 \hyphenpenalty=\@M \exhyphenpenalty=\@M
4740 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
4741 \renewcommand*{\regtocline}[3]{%
4742 \ifnum #1>\c@tocdepth
4743 \else
4744 \vskip\z@ \@plus .2\p@
4745 {\hangindent\z@ \@afterindenttrue \interlinepenalty \@M
4746 \if@RTL\rightskip\else\leftskip\fi\unitindent
4747 \if@RTL\leftskip\else\rightskip\fi\unitindent \@plus 1fil
4748 \parfillskip\z@
4749 \@tempdima\unitindent
4750 \parindent\z@
4751 \leavevmode
4752 \hbox{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
4753 \hskip 1em \nobreak{\slshape #3}\par
4754 }%
4755 \fi}
4756 \if@oldtoc
4757 \renewcommand*{\l@part}[2]{%
4758 \ifnum \c@tocdepth >-2\relax
4759 \addpenalty{-\@highpenalty}%
4760 \addvspace{2.25em \@plus\p@}%
4761 \begingroup
4762 \setlength{\@tempdima}{3em}%
4763 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
4764 \parfillskip -\@pnumwidth
4765 {\leavevmode
4766 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
4767 \nobreak
4768 \global\@nobreaktrue
4769 \everypar{\global\@nobreakfalse\everypar{}}}%
4770 \endgroup
4771 \fi}
4772 \else
4773 \renewcommand*{\l@part}{%
4774 \ifnum \c@tocdepth >-2\relax
4775 \addpenalty{-\@highpenalty}%

```



```

4776      \addvspace{2.25em \@plus \p@}%
4777      \@regtocline{0}%
4778      \fi}
4779 \fi
4780 \if@oldtoc
4781 \renewcommand*\l@chapter[2]{%
4782   \addpenalty{-\@highpenalty}%
4783   \vskip 1.0em \@plus \p@
4784   \setlength\@tempdima{1.5em}%
4785   \begingroup
4786   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
4787   \parfillskip -\@pnumwidth
4788   \leavevmode \bfseries
4789   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
4790   \hskip -\if@RTL\rightskip\else\leftskip\fi
4791   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
4792   \penalty\@highpenalty
4793   \endgroup}
4794 \else
4795   \renewcommand*\l@chapter{\@regtocline{0}}
4796 \fi
4797 \renewenvironment{abstract}{%
4798   \titlepage
4799   \null\vfil
4800   \section*{\SectFont \abstractname}
4801   \noindent\ignorespaces}
4802   {\par\vfil\null\endtitlepage}
4803 \renewenvironment{thebibliography}[1]
4804   {\chapter*{\bibname}%
4805    \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
4806    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
4807    \list{\@biblabel{\@arabic\c@enumiv}}%
4808      {\settowidth\labelwidth{\@biblabel{#1}}%
4809       \leftmargin\labelwidth
4810       \advance\leftmargin\labelsep
4811       \@openbib@code
4812       \usecounter{enumiv}%
4813       \let\p@enumiv\@empty
4814       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
4815     \sloppy\clubpenalty4000\widowpenalty4000%
4816     \sfcode`. \m}
4817   {\def\@noitemerr
4818    {\@latex@warning{Empty `thebibliography' environment}}%
4819    \endlist}
4820 \renewcommand*\left@footnoterule{%
4821   \kern-3\p@
4822   \kern.5\baselineskip
4823   \hrule\@width\unitindent
4824   \kern.4\baselineskip
4825 }

```



```

4826 \renewcommand*\right@footnoterule{%
4827   \hbox to \columnwidth
4828   {\beginR \vbox{%
4829     \kern-3\p@
4830     \kern.5\baselineskip
4831     \hrule\@width\unitindent
4832     \kern.4\baselineskip}\hfil\endR}
4833 }
4834 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
4835 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
4836 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
4837 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
4838 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
4839 \renewcommand*\theequation{%
4840   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
4841 \renewcommand*\thefigure{%
4842   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
4843 \renewcommand*\thetable{%
4844   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
4845 \renewcommand*\maketitle{%
4846   \begin{titlepage}%
4847     \let\footnotesize\small
4848     \let\right@footnoterule\relax
4849     \let\left@footnoterule\relax
4850     \let\textwidth\footnoterule\relax
4851     \let \footnote \thanks
4852     \long\def\@makefnmark##1{\parindent\z@
4853       \def\labelitemi{\textendash}\@revlabeltrue
4854       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
4855     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
4856     \if@compatibility\setcounter{page}{0}\fi
4857     \null\vfil
4858     \vskip 60\p@
4859     \begin{center}%
4860       \TitleFont
4861       {\LARGE \def\\{\penalty -\@M}
4862         \if@allcaps
4863           \expandafter\uc@nothanks\@title\thanks\relax
4864         \else
4865           \@title
4866         \fi\par}%
4867       \vskip 3em%
4868       {\large
4869         \lineskip .75em \parindent\z@
4870         \begin{tabular}[t]{c}%
4871           \if@allcaps
4872             \expandafter\uc@author\@author\and\relax
4873           \else
4874             \@author
4875           \fi

```



```

4876         \end{tabular}\par}%
4877     \vskip 1.5em%
4878     {\large
4879     \if@allcaps
4880         \uppercase\expandafter{\@date}%
4881     \else
4882         \@date
4883     \fi\par}%
4884     \end{center}\par
4885     \@thanks
4886     \vfil\null
4887 \end{titlepage}%
4888 \setcounter{footnote}{0}%
4889 \global\let\thanks\relax
4890 \global\let\maketitle\relax
4891 \global\let\@thanks\@empty
4892 \global\let\@author\@empty
4893 \global\let\@title\@empty
4894 \global\let\@date\@empty
4895 \global\let\title\relax
4896 \global\let\author\relax
4897 \global\let\date\relax
4898 \global\let\and\relax
4899 }

```

7.30 boek-xetex-bidi.def

```

4900 \ProvidesFile{boek-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek class for XeTeX eng
4901 \renewenvironment{theindex}{%
4902     \if@twocolumn
4903         \@restonecolfalse
4904     \else
4905         \@restonecoltrue
4906     \fi
4907     \columnseprule \z@
4908     \columnsep 35\p@
4909     \twocolumn[\@makeschapterhead{\indexname}]%
4910     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
4911     \thispagestyle{plain}\parindent\z@
4912     \parskip\z@ \@plus .3\p@\relax
4913     \let\item\@idxitem
4914 }{%
4915     \if@restonecol\onecolumn\else\clearpage\fi}
4916 \renewcommand*{\head@style}{%
4917     \interlinepenalty \@M
4918     \hyphenpenalty=\@M \exhyphenpenalty=\@M
4919     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
4920 \renewcommand*{\regtocline}[3]{%
4921     \ifnum #1>\c@tocdepth
4922     \else

```




```

4923 \vskip\z@\@plus.2\p@
4924 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
4925 \if@RTL\rightskip\else\leftskip\fi\unitindent
4926 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
4927 \parfillskip\z@
4928 \@tempdima\unitindent
4929 \parindent\z@
4930 \leavevmode
4931 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
4932 \hskip 1em \nobreak{\slshape #3}\par
4933 }%
4934 \fi}
4935 \if@oldtoc
4936 \renewcommand*\l@part[2]{%
4937 \ifnum \c@tocdepth >-2\relax
4938 \addpenalty{-\@highpenalty}%
4939 \addvspace{2.25em \@plus\p@}%
4940 \begingroup
4941 \setlength\@tempdima{3em}%
4942 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
4943 \parfillskip -\@pnumwidth
4944 {\leavevmode
4945 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
4946 \nobreak
4947 \global\@nobreaktrue
4948 \everypar{\global\@nobreakfalse\everypar{}}%
4949 \endgroup
4950 \fi}
4951 \else
4952 \renewcommand*\l@part{%
4953 \ifnum \c@tocdepth >-2\relax
4954 \addpenalty{-\@highpenalty}%
4955 \addvspace{2.25em \@plus \p@}%
4956 \@regtocline{0}%
4957 \fi}
4958 \fi
4959 \if@oldtoc
4960 \renewcommand*\l@chapter[2]{%
4961 \addpenalty{-\@highpenalty}%
4962 \vskip 1.0em \@plus\p@
4963 \setlength\@tempdima{1.5em}%
4964 \begingroup
4965 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
4966 \parfillskip -\@pnumwidth
4967 \leavevmode \bfseries
4968 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
4969 \hskip -\if@RTL\rightskip\else\leftskip\fi
4970 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
4971 \penalty\@highpenalty
4972 \endgroup}

```



```

4973 \else
4974   \renewcommand*\l@chapter{\@regtocline{0}}
4975 \fi
4976 \renewcommand*\left@footnoterule{%
4977   \kern-3\p@
4978   \kern.5\baselineskip
4979   \hrule\@width\unitindent
4980   \kern.4\baselineskip
4981 }
4982 \renewcommand*\right@footnoterule{%
4983   \hbox to \columnwidth
4984   {\beginR \vbox{%
4985     \kern-3\p@
4986     \kern.5\baselineskip
4987     \hrule\@width\unitindent
4988     \kern.4\baselineskip}\hfil\endR}
4989 }
4990 \renewenvironment{abstract}{%
4991   \titlepage
4992   \null\vfil
4993   \section*\@SectFont \abstractname}
4994   \noindent\ignorespaces}
4995   {\par\vfil\null\endtitlepage}
4996 \renewenvironment{thebibliography}[1]
4997   {\chapter*\@bibname}%
4998   \@mkboth{\MakeUppercase\@bibname}{\MakeUppercase\@bibname}%
4999   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5000   \list{\@biblabel{\@arabic\c@enumiv}}%
5001     {\settowidth\labelwidth{\@biblabel{#1}}%
5002     \leftmargin\labelwidth
5003     \advance\leftmargin\labelsep
5004     \@openbib@code
5005     \usecounter{enumiv}%
5006     \let\p@enumiv\@empty
5007     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
5008     \sloppy\clubpenalty4000\widowpenalty4000
5009     \sfcode`\.\@m}
5010   {\def\@noitemerr
5011     {\@latex@warning{Empty `thebibliography' environment}}}%
5012   \endlist}
5013 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
5014 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
5015 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
5016 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
5017 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
5018 \renewcommand*\theequation{%
5019   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
5020 \renewcommand*\thefigure{%
5021   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
5022 \renewcommand*\thetable{%

```



```

5023 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
5024 \renewcommand*\maketitle{%
5025 \begin{titlepage}%
5026 \let\footnotesize\small
5027 \let\right@footnoterule\relax
5028 \let\left@footnoterule\relax
5029 \let\textwidth@footnoterule\relax
5030 \let \footnote \thanks
5031 \long\def\@makefntext##1{\parindent\z@
5032 \def\labelitemi{\textendash}\@revlabeltrue
5033 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
5034 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
5035 \if@compatibility\setcounter{page}{0}\fi
5036 \null\vfil
5037 \vskip 60\p@
5038 \begin{center}%
5039 \TitleFont
5040 {\LARGE \def\{\{\penalty -\@M}
5041 \if@allcaps
5042 \expandafter\uc@nothanks\@title\thanks\relax
5043 \else
5044 \@title
5045 \fi\par}%
5046 \vskip 3em%
5047 {\large
5048 \lineskip .75em \parindent\z@
5049 \begin{tabular}[t]{c}%
5050 \if@allcaps
5051 \expandafter\uc@authornothanks\@author\and\relax
5052 \else
5053 \@author
5054 \fi
5055 \end{tabular}\par}%
5056 \vskip 1.5em%
5057 {\large
5058 \if@allcaps
5059 \uppercase\expandafter{\@date}%
5060 \else
5061 \@date
5062 \fi\par}%
5063 \end{center}\par
5064 \@thanks
5065 \vfil\null
5066 \end{titlepage}%
5067 \setcounter{footnote}{0}%
5068 \global\let\thanks\relax
5069 \global\let\maketitle\relax
5070 \global\let\@thanks\@empty
5071 \global\let\@author\@empty
5072 \global\let\@title\@empty

```



```

5073 \global\let\@date\@empty
5074 \global\let\title\relax
5075 \global\let\author\relax
5076 \global\let\date\relax
5077 \global\let\and\relax
5078 }

```

7.31 bookest-xetex-bidi.def

```

5079 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for XeT
5080 \def\@makechapterhead#1{%
5081   \vspace*{20\p@}
5082   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5083     \ifnum \c@secnumdepth >\m@ne
5084       \if@mainmatter
5085         {\colorA\huge\scshape \@chapapp\space \thechapter}
5086         \par\nobreak
5087         \vskip 10\p@
5088       \fi
5089     \fi
5090     \interlinepenalty\@M
5091     {\colorB\hrule}
5092     \vskip 15\p@
5093     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
5094       {\colorA\Huge \bfseries #1}\par\nobreak
5095     \if@RTL\end{flushleft}\else\end{flushright}\fi
5096     \vskip 5\p@
5097     {\colorB\hrule}
5098     \vskip 30\p@
5099   }}
5100 \def\@makeschapterhead#1{%
5101   \vspace*{20\p@}
5102   {\parindent \z@ \raggedright \normalfont
5103     {\colorB\hrule}
5104     \vskip 15\p@
5105     \begin{center}
5106       {\colorA\Huge \bfseries #1}\par\nobreak
5107     \end{center}
5108     \vskip 5\p@
5109     {\colorB\hrule}
5110     \vskip 30\p@
5111   }}

```

7.32 book-xetex-bidi.def

```

5112 \ProvidesFile{book-xetex-bidi.def}[2011/08/26 v0.8 bidi adaptations for standard book class for
5113 \renewenvironment{theindex}
5114   {\if@twocolumn
5115     \@restonecolfalse
5116   \else
5117     \@restonecoltrue

```



```

5118         \fi
5119         \columnseprule \z@
5120         \columnsep 35\p@
5121         \twocolumn[\@makeschapterhead{\indexname}]%
5122         \@mkboth{\MakeUppercase\indexname}%
5123             {\MakeUppercase\indexname}%
5124         \thispagestyle{plain}\parindent\z@
5125         \parskip\z@ \@plus .3\p@\relax
5126         \let\item\@idxitem}
5127     {\if@restonecol\onecolumn\else\clearpage\fi}
5128 \ifclassloaded{bookest}{\{-%
5129   \if@titlepage
5130     \renewcommand\maketitle{\begin{titlepage}%
5131       \let\footnotesize\small
5132       \let\right@footnoterule\relax
5133       \let\left@footnoterule\relax
5134       \let\textwidth\footnoterule\relax
5135       \let \footnote \thanks
5136       \let \LTRfootnote \LTRthanks
5137       \let \RTLfootnote \RTLthanks
5138       \null\vfil
5139       \vskip 60\p@
5140       \begin{center}%
5141         {\LARGE \@title \par}%
5142         \vskip 3em%
5143         {\large
5144           \lineskip .75em%
5145           \begin{tabular}[t]{c}%
5146             \@author
5147             \end{tabular}\par}%
5148           \vskip 1.5em%
5149           {\large \@date \par}%           % Set date in \large size.
5150       \end{center}\par
5151       \@thanks
5152       \vfil\null
5153     \end{titlepage}%
5154     \setcounter{footnote}{0}%
5155     \global\let\thanks\relax
5156     \global\let\LTRthanks\relax
5157     \global\let\RTLthanks\relax
5158     \global\let\maketitle\relax
5159     \global\let\@thanks\@empty
5160     \global\let\@author\@empty
5161     \global\let\@date\@empty
5162     \global\let\@title\@empty
5163     \global\let\title\relax
5164     \global\let\author\relax
5165     \global\let\date\relax
5166     \global\let\and\relax
5167 }

```



```

5168 \else
5169 \renewcommand\maketitle{\par
5170 \begingroup
5171 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
5172 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
5173 \long\def\@makefntext##1{\parindent 1em\noindent
5174 \hb@xt@1.8em{%
5175 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
5176 \if@twocolumn
5177 \ifnum \col@number=\@ne
5178 \@maketitle
5179 \else
5180 \twocolumn[\@maketitle]%
5181 \fi
5182 \else
5183 \newpage
5184 \global\@topnum\z@ % Prevents figures from going at top of page.
5185 \@maketitle
5186 \fi
5187 \thispagestyle{plain}\@thanks
5188 \endgroup
5189 \setcounter{footnote}{0}%
5190 \global\let\thanks\relax
5191 \global\let\LTRthanks\relax
5192 \global\let\RTLthanks\relax
5193 \global\let\maketitle\relax
5194 \global\let\@maketitle\relax
5195 \global\let\@thanks\@empty
5196 \global\let\@author\@empty
5197 \global\let\@date\@empty
5198 \global\let\@title\@empty
5199 \global\let\title\relax
5200 \global\let\author\relax
5201 \global\let\date\relax
5202 \global\let\and\relax
5203 }
5204 \def\@maketitle{%
5205 \newpage
5206 \null
5207 \vskip 2em%
5208 \begin{center}%
5209 \let \footnote \thanks
5210 \let \LTRfootnote \LTRthanks
5211 \let \RTLfootnote \RTLthanks
5212 {\LARGE \@title \par}%
5213 \vskip 1.5em%
5214 {\large
5215 \lineskip .5em%
5216 \begin{tabular}[t]{c}%
5217 \@author

```



```

5218     \end{tabular}\par}%
5219     \vskip 1em%
5220     {\large \@date}%
5221 \end{center}%
5222 \par
5223 \vskip 1.5em}
5224 \fi}
5225 \renewcommand*\l@part[2]{%
5226   \ifnum \c@tocdepth >-2\relax
5227     \addpenalty{-\@highpenalty}%
5228     \addvspace{2.25em \@plus\p@}%
5229     \setlength\@tempdima{3em}%
5230     \begingroup
5231       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5232       \parfillskip -\@pnumwidth
5233       {\leavevmode
5234         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
5235       \nobreak
5236       \global\@nobreaktrue
5237       \everypar{\global\@nobreakfalse\everypar{}}%
5238     \endgroup
5239   \fi}
5240 \renewcommand*\l@chapter[2]{%
5241   \ifnum \c@tocdepth >\m@ne
5242     \addpenalty{-\@highpenalty}%
5243     \vskip 1.0em \@plus\p@
5244     \setlength\@tempdima{1.5em}%
5245     \begingroup
5246       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5247       \parfillskip -\@pnumwidth
5248       \leavevmode \bfseries
5249       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
5250       \hskip -\if@RTL\rightskip\else\leftskip\fi
5251       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5252       \penalty\@highpenalty
5253     \endgroup
5254   \fi}
5255 \renewcommand\left@footnoterule{%
5256   \kern-3\p@
5257   \hrule\@width.4\columnwidth
5258   \kern2.6\p@}
5259 \renewcommand\right@footnoterule{%
5260   \hbox to \columnwidth
5261   {\beginR \vbox{%
5262     \kern-3\p@
5263     \hrule\@width.4\columnwidth
5264     \kern2.6\p@}\hfil\endR}}
5265 \renewcommand\theequation
5266   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
5267 \renewcommand \thefigure

```



```

5268     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
5269 \renewcommand \thetable
5270     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
5271 \renewcommand \thechapter {\@arabic\c@chapter}
5272 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
5273 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
5274 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
5275 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
5276 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
5277 \def\@makechapterhead#1{%
5278     \vspace*{50\p@}%
5279     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5280       \ifnum \c@secnumdepth >\m@ne
5281         \if@mainmatter
5282           \huge\bfseries \@chapapp\space \thechapter
5283           \par\nobreak
5284           \vskip 20\p@
5285         \fi
5286       \fi
5287       \interlinepenalty\@M
5288       \Huge \bfseries #1\par\nobreak
5289       \vskip 40\p@
5290     }}
5291 \def\@makeschapterhead#1{%
5292     \vspace*{50\p@}%
5293     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
5294       \normalfont
5295       \interlinepenalty\@M
5296       \Huge \bfseries #1\par\nobreak
5297       \vskip 40\p@
5298     }}
5299 \renewcommand\backmatter{%
5300     \if@openright
5301       \cleardoublepage
5302     \else
5303       \clearpage
5304     \fi
5305     \@mainmatterfalse}
5306 \renewenvironment{thebibliography}[1]
5307     {\chapter*{\bibname}%
5308      \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5309      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5310      \list{\@biblabel{\@arabic\c@enumiv}}%
5311          {\settowidth\labelwidth{\@biblabel{#1}}%
5312           \leftmargin\labelwidth
5313           \advance\leftmargin\labelsep
5314           \@openbib@code
5315           \usecounter{enumiv}%
5316           \let\p@enumiv\@empty
5317           \renewcommand\theenumiv{\@arabic\c@enumiv}}%

```




```

5318 \sloppy
5319 \clubpenalty4000
5320 \@clubpenalty \clubpenalty
5321 \widowpenalty4000%
5322 \sfcode`\.\@m}
5323 {\def\@noitemerr
5324 {\@latex@warning{Empty `thebibliography' environment}}}%
5325 \endlist}

```

7.33 breqn-xetex-bidi.def

```

5326 \ProvidesFile{breqn-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for breqn package for XeTeX]
5327 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
5328 \everydisplay\expandafter{\the\everydisplay \display@setup}%
5329 \if@noskipsec \leavevmode \fi
5330 \if@inlabel \leavevmode \global\@inlabelfalse \fi
5331 \if\eq@group\else\eq@prelim\fi
5332 \setkeys{breqn}{#1}%
5333 \the\eqstyle
5334 \eq@setnumber
5335 \begingroup
5336 \eq@setup@a
5337 \eq@startup
5338 }
5339 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
5340 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
5341 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
5342 \global\let\GRP@label\@empty
5343 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
5344 \global\grp@linewidth\z@\global\grp@wdNum\z@
5345 \global\let\grp@eqs@numbered\@False
5346 \global\let\grp@aligned\@True
5347 \global\let\grp@shiftnumber\@False
5348 \eq@prelim
5349 \setkeys{breqn}{#1}%
5350 \if\grp@hasNumber \grp@setnumber \fi
5351 }
5352 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
5353 \let\display@setup\dseries@display@setup
5354 % Question: should this be the default for dseries???
5355 \global\eq@wdCond\z@
5356 \@dmath[layout={M},#1]%
5357 \mathsurround\z@\@math \penalty\@Mi
5358 \let\endmath\ends@math
5359 \def\premath{%
5360 \ifdim\lastskip<.3em \unskip
5361 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
5362 }%
5363 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
5364 \ignorespaces

```



```

5365 }
5366 \def\eqnumform#1{\if@Latin\else\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@Latin\else\endR\fi}
5367 \renewenvironment{dsuspend}{%
5368   \global\setbox\EQ@box\vbox\bgroup\if@Latin\else\@RTLtrue\fi \@parboxrestore
5369   \parshape 1 \displayindent \displaywidth\relax
5370   \hsize=\columnwidth \noindent\ignorespaces
5371 }{%
5372   \par\egroup
5373   \global\setbox\GRP@box\vbox{%
5374     \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}}%
5375   \unvbox\GRP@box
5376 }%
5377 \global\GRP@queue\@xp{\the\GRP@queue
5378   \@elt{\let\eq@isIntertext\@True}}%
5379 }%
5380 }

```

7.34 cals-xetex-bidi.def

```

5381 \ProvidesFile{cals-xetex-bidi.def}[2013/05/28 v0.3 bidi adaptations for cals package for XeTeX e
5382 \renewenvironment{calstable}[1][c]{%
5383 \ifRTL\@RTLtabtrue\cals@activate@rtl\fi
5384 \if l#1%
5385   \ifRTLtab\leftskip\fill \rightskip\z@ \else\leftskip\z@ \rightskip\fill\fi
5386 \else\if r#1%
5387   \ifRTLtab\leftskip\z@ \rightskip\fill \else\leftskip\fill \rightskip\z@\fi
5388 \else\if c#1%
5389   \leftskip\fill \rightskip\fill
5390 \fi\fi\fi
5391 \let\cals@thead@tokens=\relax
5392 \let\cals@tfoot@tokens=\relax
5393 \let\cals@tbreak@tokens=\relax
5394 \cals@tfoot@height=0pt \relax
5395 \let\cals@last@context=n%
5396 \let\cals@current@context=b%
5397 \parindent=0pt %
5398 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
5399 %% Alignment inside is independent on center/flushright outside
5400 \parfillskip=0pt plus1fil\relax
5401 \let\cals@borderL=\relax
5402 \let\cals@borderR=\relax
5403 \let\cals@borderT=\relax
5404 \let\cals@borderB=\relax
5405 }{% End of the table
5406 \cals@tfoot@tokens\lastrule\@RTLtabfalse}
5407
5408 \renewcommand\alignL{%
5409 \dimen0=\cals@paddingL \ifRTLtab\cals@paddingL=\dimen0 plus 1fil\else\cals@paddingL=\dimen0\
5410 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}
5411

```



```

5412 \renewcommand\alignR{%
5413 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0\else\cals@paddingL=\dimen0 plus 1fill\
5414 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}

```

7.35 caption-xetex-bidi.def

```

5415 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for X
5416 \let\@makecaption\caption@makecaption

```

7.36 caption3-xetex-bidi.def

```

5417 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package for
5418 \renewcommand*\caption@par{%
5419 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

7.37 colortbl-xetex-bidi.def

```

5420 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package for
5421 \def\CT@setup{%
5422 \@tempdimb\col@sep
5423 \@tempdimc\col@sep
5424 \def\CT@color{%
5425 \global\let\CT@do@color\CT@@do@color
5426 \bidicolor}}
5427 \def\@classz{\@classx
5428 \@tempcnta\count@
5429 \prepnext@tok
5430 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
5431 \@addtopreamble{\if@RTLtab\beginL\fi%
5432 \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
5433 \ifcase \@chnum
5434 \hskip\stretch{.5}\kern\z@
5435 \d@llarbegin
5436 \insert@column
5437 \d@llarend\hskip\stretch{.5}\or
5438 \d@llarbegin \insert@column \d@llarend \hfill \or
5439 \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
5440 $\vcenter
5441 \@startpbox{\@nextchar}\insert@column \@endpbox $\or
5442 \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
5443 \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
5444 \fi
5445 \if@RTLtab\endR\fi\egroup\egroup
5446 \begingroup
5447 \CT@setup
5448 \CT@column@color
5449 \CT@row@color
5450 \CT@cell@color
5451 \CT@do@color
5452 \endgroup
5453 \@tempdima\ht\z@
5454 \advance\@tempdima\minrowclearance

```



```

5455      \vrule\@height\@tempdima\@width\z@
5456      \unhbox\z@\if@RTLtab\endL\fi}%
5457      \prepnext@tok}

```

7.38 color-xetex-bidi.def

```

5458 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeTeX]
5459 \long\def\color@b@x#1#2#3{%
5460   \leavevmode\ifhmode\else\if@RTL\beginL\fi\fi
5461   \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
5462   \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
5463   \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
5464   {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
5465     \box\z@}}\ifhmode\else\if@RTL\endL\fi\fi}
5466 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
5467 \DeclareRobustCommand\color{%
5468   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor}%
5469 \def\@declaredcolor#1{%
5470   \ifundefined{\string\color @#1}%
5471     {\c@lor@error{`#1'}}%
5472     {\expandafter\let\expandafter\current@color
5473       \csname\string\color @#1\endcsname
5474       \set@color}%
5475   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
5476 \def\@undeclaredcolor[#1]#2{%
5477   \ifundefined{color@#1}%
5478     {\c@lor@error{model `#1'}}%
5479     {\csname color@#1\endcsname\current@color{#2}%
5480     \set@color}%
5481   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
5482 \DeclareRobustCommand\bidicolor{%
5483   \ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}%
5484 \def\@bidiundeclaredcolor[#1]#2{%
5485   \ifundefined{color@#1}%
5486     {\c@lor@error{model `#1'}}%
5487     {\csname color@#1\endcsname\current@color{#2}%
5488     \set@color}%
5489   \ignorespaces}
5490 \def\@bidideclaredcolor#1{%
5491   \ifundefined{\string\color @#1}%
5492     {\c@lor@error{`#1'}}%
5493     {\expandafter\let\expandafter\current@color
5494       \csname\string\color @#1\endcsname
5495       \set@color}%
5496   \ignorespaces}
5497 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
5498 \def\color@fbbox#1#2#3{%
5499   \color@b@x{\fbboxsep\z@\bidicolor#1{#2}\fbbox}{\bidicolor#1{#3}}}
5500 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```



7.39 combine-xetex-bidi.def

```
5501 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeTeX]
5502 \renewcommand{\c@ll@chapsecii}[2]{%
5503   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
5504   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
5505   #1\nobreak\hfil\nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5506 }
5507 \renewcommand{\c@ll@chapseci}{%
5508   \setlength\@tempdima{0em}%
5509   \begin{group}
5510     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5511     \parfillskip -\@pnumwidth
5512     \leavevmode
5513   }
5514 \renewenvironment{tocindent}[1]{%
5515   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}
```

7.40 crop-xetex-bidi.def

```
5516 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX]
5517 \renewcommand*\CROP@ulc{%
5518   \if@RTLmain%
5519     \begin{picture}(0,0)
5520       \unitlength\p@thinlines
5521       \put(-40,0){\circle{10}}
5522       \put(-30,-5){\line(0,1){10}}
5523       \put(-35,0){\line(1,0){30}}
5524       \put(-10,30){\circle{10}}
5525       \put(-5,30){\line(1,0){10}}
5526       \put(0,35){\line(0,-1){30}}
5527     \end{picture}%
5528   \else%
5529     \begin{picture}(0,0)
5530       \unitlength\p@thinlines
5531       \put(-30,0){\circle{10}}
5532       \put(-30,-5){\line(0,1){10}}
5533       \put(-35,0){\line(1,0){30}}
5534       \put(0,30){\circle{10}}
5535       \put(-5,30){\line(1,0){10}}
5536       \put(0,35){\line(0,-1){30}}
5537     \end{picture}%
5538   \fi%
5539 }
5540 \renewcommand*\CROP@urc{%
5541   \if@RTLmain%
5542     \begin{picture}(0,0)
5543       \unitlength\p@thinlines
5544       \put(20,0){\circle{10}}
5545       \put(30,-5){\line(0,1){10}}
5546       \put(35,0){\line(-1,0){30}}
```



```

5547         \put(-10,30){\circle{10}}
5548         \put(-5,30){\line(1,0){10}}
5549         \put(0,35){\line(0,-1){30}}
5550     \end{picture}%
5551 \else%
5552     \begin{picture}(0,0)
5553         \unitlength\p@\thinlines
5554         \put(30,0){\circle{10}}
5555         \put(30,-5){\line(0,1){10}}
5556         \put(35,0){\line(-1,0){30}}
5557         \put(0,30){\circle{10}}
5558         \put(-5,30){\line(1,0){10}}
5559         \put(0,35){\line(0,-1){30}}
5560     \end{picture}%
5561     \fi%
5562 }
5563 \renewcommand*\CROP@llc{%
5564     \if@RTLmain%
5565         \begin{picture}(0,0)
5566             \unitlength\p@\thinlines
5567             \put(-40,0){\circle{10}}
5568             \put(-30,-5){\line(0,1){10}}
5569             \put(-35,0){\line(1,0){30}}
5570             \put(-10,-30){\circle{10}}
5571             \put(-5,-30){\line(1,0){10}}
5572             \put(0,-35){\line(0,1){30}}
5573         \end{picture}%
5574     \else%
5575         \begin{picture}(0,0)
5576             \unitlength\p@\thinlines
5577             \put(-30,0){\circle{10}}
5578             \put(-30,-5){\line(0,1){10}}
5579             \put(-35,0){\line(1,0){30}}
5580             \put(0,-30){\circle{10}}
5581             \put(-5,-30){\line(1,0){10}}
5582             \put(0,-35){\line(0,1){30}}
5583         \end{picture}%
5584     \fi%
5585 }
5586 \renewcommand*\CROP@lrc{%
5587     \if@RTLmain%
5588         \begin{picture}(0,0)
5589             \unitlength\p@\thinlines
5590             \put(20,0){\circle{10}}
5591             \put(30,-5){\line(0,1){10}}
5592             \put(35,0){\line(-1,0){30}}
5593             \put(-10,-30){\circle{10}}
5594             \put(-5,-30){\line(1,0){10}}
5595             \put(0,-35){\line(0,1){30}}
5596         \end{picture}%

```



```

5597 \else%
5598 \begin{picture}(0,0)
5599 \unitlength\p@\thinlines
5600 \put(30,0){\circle{10}}
5601 \put(30,-5){\line(0,1){10}}
5602 \put(35,0){\line(-1,0){30}}
5603 \put(0,-30){\circle{10}}
5604 \put(-5,-30){\line(1,0){10}}
5605 \put(0,-35){\line(0,1){30}}
5606 \end{picture}%
5607 \fi%
5608 }
5609 \@ifpackagewith{crop}{cam}{%
5610 \CROP@execopt{cam}%
5611 }{}

```

7.41 cutwin-xetex-bidi.def

```

5612 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for XeT
5613 \renewcommand*{\c@twcompctr}[2]{%
5614 \def\c@twfirst{1}
5615 \loop\advance\c@twwinlines\m@ne
5616 \setbox\c@twslicea=\vsplit#1 to\baselineskip
5617 \setbox\c@twsliceb=\vsplit#1 to\baselineskip
5618 \c@twprune{\c@twslicea}{\c@twlftside}%
5619 \c@twprune{\c@twsliceb}{\c@twrtside}%
5620 \ifnum\c@twfirst=\@ne
5621 \setbox#2=\vbox{\unvbox#2\hbox
5622 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twsl
5623 \else
5624 \setbox#2=\vbox{\unvbox#2\hbox
5625 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\
5626 \fi
5627 \def\c@twfirst{2}
5628 \ifnum\c@twwinlines>\z@\repeat}
5629 \renewcommand*{\c@twcompodctr}[2]{%
5630 \def\c@twrounds{1}
5631 \def\c@twfirst{1}
5632 \@for\c@twlspec:=\c@twb\do{%
5633 \ifnum\c@twrounds=1
5634 \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
5635 \c@twprune{\c@twslicea}{\c@twlspec}%
5636 \def\c@twrounds{2}
5637 \else
5638 \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
5639 \c@twprune{\c@twsliceb}{\c@twlspec}%
5640 \ifnum\c@twfirst=1
5641 \setbox#2=\vbox{\unvbox#2\hbox
5642 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\
5643 \def\c@twfirst{2}

```



```

5644     \else
5645         \setbox#2=\vbox{\unvbox#2\hbox
5646         to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}}
5647     \fi
5648     \def\c@twrounds{1}
5649 \fi}}

```

7.42 cuted-xetex-bidi.def

```

5650 \ProvidesFile{cuted-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for cuted package for XeTeX]
5651 \def\RTL@outputdblcol{%
5652 \if@firstcolumn \global\@firstcolumnfalse
5653 \global\setbox\@leftcolumn \box\@outputbox
5654 \else
5655 \global\@firstcolumntrue
5656 \setbox\@outputbox \vbox {\hbox to\textwidth {%
5657 \hskip \columnwidth
5658 \hfil \vrule width\columnseprule \hfil
5659 \hbox to\columnwidth {\box\@leftcolumn \hss}%
5660 \hskip -\textwidth
5661 \hbox to\columnwidth{\box\@outputbox \hss}%
5662 \hskip \columnsep
5663 \hskip \columnwidth }}%
5664 \ifvoid\hold@viper
5665 \else
5666 \setbox\@outputbox \vbox to\textheight{%
5667 \box\hold@viper
5668 \box\@outputbox
5669 \vss
5670 }%
5671 \fi
5672 \@combinedblfloats \@outputpage
5673 \begingroup \@dblfloatplacement \@startdblcolumn
5674 \@whiles\if@fcolmade \fi
5675 {\@outputpage \@startdblcolumn }%
5676 \ifvoid\@viper
5677 \else
5678 \global\setbox\@viper\vbox{%
5679 \vskip-\stripsep
5680 \unvbox\@viper
5681 }%
5682 \@viperoutput
5683 \fi
5684 \endgroup
5685 \fi}
5686 \def\LTR@outputdblcol{%
5687 \if@firstcolumn
5688 \global \@firstcolumnfalse
5689 \global \setbox\@leftcolumn \box\@outputbox
5690 \else

```




```

5691 \global\@firstcolumntrue
5692 \setbox\@outputbox \vbox {%
5693     \hb@xt@\textwidth {%
5694         \hb@xt@\columnwidth {%
5695             \box\@leftcolumn \hss}%
5696         \hfil
5697         \vrule \width\columnseprule
5698         \hfil
5699         \hb@xt@\columnwidth {%
5700             \box\@outputbox \hss}%
5701         }%
5702     }%
5703 \ifvoid\hold@viper
5704 \else
5705     \setbox\@outputbox \vbox to\textheight{%
5706         \box\hold@viper
5707         \box\@outputbox
5708         \vss
5709     }%
5710 \fi
5711 \@combinedblfloats
5712 \@outputpage
5713 \begingroup
5714     \dblfloatplacement
5715     \startdblcolumn
5716     \@whilesw\if@fcolmade \fi
5717         {\@outputpage
5718         \startdblcolumn}%
5719 \ifvoid\@viper
5720 \else
5721     \global\setbox\@viper\vbox{%
5722         \vskip-\stripsep
5723         \unvbox\@viper
5724     }%
5725     \@viperoutput
5726 \fi
5727 \endgroup
5728 \fi
5729 }
5730 \def \addviper {%
5731     \if@firstcolumn
5732         \insertfalse
5733         \@reqcolroom .5\@pageht
5734         \ht@viper\@reqcolroom
5735         \advance \@reqcolroom \ht\@viper
5736         \advance \@reqcolroom \stripsep
5737         \ifvoid\hold@viper\@tempdima=z\else\@tempdima\ht\hold@viper\fi
5738     %%
5739     \@tempdimb \ht@viper
5740     \loop

```



```

5741 \setbox\v@aaa\copy\@holdpg
5742 \setbox\v@ccc\vbox to\@tempdimb{%
5743     \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
5744 \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
5745 \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
5746 \loop
5747 \setbox\v@aaa\copy\@holdpg
5748 \setbox\v@ccc\vbox to\@tempdimb{%
5749     \vsplit\v@aaa to\@tempdimb\vss}%
5750 \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
5751 \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
5752 \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
5753 \setbox\v@ccc\vbox to\@tempdimb{%
5754     \vsplit\@holdpg to\@tempdimb\vss}%
5755 %%
5756 \setbox\@tempboxa \vbox {%
5757     \hb@xt@\textwidth {%
5758         \if@RTLmain%
5759             \hskip \columnwidth
5760             \hfil \vrule width\columnseprule \hfil
5761             \hb@xt@\columnwidth {%
5762                 \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5763             \hskip -\textwidth
5764             \hb@xt@\columnwidth {%
5765                 \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
5766             \hskip \columnsep
5767             \hskip \columnwidth
5768             \else%
5769                 \hb@xt@\columnwidth {%
5770                     \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5771                     \hfil
5772                     \vrule \@width\columnseprule
5773                     \hfil
5774                     \hb@xt@\columnwidth {%
5775                         \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
5776                         \fil}%
5777                 }%
5778 \ifvoid\hold@viper
5779     \global\setbox\hold@viper \vbox {%
5780         \unvbox\@tempboxa
5781         \penalty\interlinepenalty
5782         \vskip\stripsep
5783         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5784         \outputpenalty \z@
5785     }%
5786 \else
5787     \global\setbox\hold@viper \vbox {%
5788         \unvbox\hold@viper
5789         \unvbox\@tempboxa
5790         \penalty\interlinepenalty

```



```

5791         \vskip\stripsep
5792         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5793         \outputpenalty \z@
5794         }%
5795     \fi
5796     \ifdim \@colroom>\@reqcolroom
5797         \global\setbox\hold@viper \vbox {%
5798             \unvbox\hold@viper
5799             \box\@viper
5800             \penalty\interlinepenalty
5801             \vskip\stripsep
5802             \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5803             \outputpenalty \z@
5804             }%
5805         \@inserttrue
5806         \advance\@tempdima by-\ht\hold@viper
5807         \global \advance \@colht \@tempdima
5808         \ifdim \@colht<2.5\baselineskip
5809         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
5810             too tall on page \thepage (1 stulpelis)}}%
5811         \@emptycol
5812         \if@firstcolumn
5813         \else
5814             \@emptycol
5815         \fi
5816         \global\@lastvipertrue
5817     \else
5818         \global \vsize \@colht
5819         \global \@colroom \@colht
5820         \check@floats
5821         \ifdim\@tempdima>\z@
5822             \global\advance\@colroom by-\@tempdima
5823         \fi
5824         \ifdim\@colroom<\z@
5825             \global\@colroom 1pt
5826             \ifdim\@tempdima>\@colht
5827                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
5828                     netelpa lape \thepage (1 stulpelis)}}%
5829             \fi
5830             \@emptycol
5831             \if@firstcolumn
5832             \else
5833                 \@emptycol
5834             \fi
5835             \global\@lastvipertrue
5836         \fi
5837     \fi
5838 \fi
5839 \else
5840     \@insertfalse

```



```

5841 \@reqcolroom\@colht
5842 \advance\@reqcolroom \@pageht
5843 \ht@viper.5\@reqcolroom
5844 \@reqcolroom\ht@viper
5845 \advance \@reqcolroom \ht\@viper
5846 \advance \@reqcolroom \stripsep
5847 \if@flushend@auto@baselineskip
5848 \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
5849 \global\lastskip@d\lastskip
5850 \global\lastskip@b\lastskip
5851 \loop
5852 \global\lastskip@a\lastskip@b
5853 \unskip\unpenalty
5854 \global\lastskip@b\lastskip
5855 \global\advance\lastskip@d by\lastskip
5856 \ifdim\lastskip@b=-\lastskip@a
5857 \global\advance\lastskip@d by-\lastskip
5858 \else
5859 \repeat
5860 \ifdim\lastskip@b=-\lastskip@a
5861 \ifdim\lastskip@b=\z@
5862 \setbox\lastbox@a\lastbox
5863 \global\advance\lastskip@d by\ht\lastbox@a
5864 \global\advance\lastskip@d by\lastskip
5865 \unskip\unpenalty
5866 \setbox\lastbox@a\lastbox
5867 \global\advance\lastskip@d by\dp\lastbox@a
5868 \else
5869 \global\lastskip@d\lastskip
5870 \global\advance\lastskip@d by\topskip
5871 \fi
5872 \fi
5873 \global\advance\lastskip@d by-\topskip
5874 }%
5875 \ifdim\ht\@holdpg>\@colht
5876 \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
5877 \par\eject
5878 \vbox to \@colht{\unvbox\@holdpg\unskip}}%
5879 }%
5880 \else
5881 \global\setbox\@holdpg\vbox{%
5882 \unvbox\@leftcolumn\unskip\unpenalty
5883 \vskip\lastskip@d
5884 \the\At@ViperColsBreak
5885 \unvbox\@holdpg
5886 \unskip
5887 }%
5888 \fi
5889 \else
5890 \global\setbox\@holdpg\vbox{%

```



```

5891         \unvbox\@leftcolumn
5892         \setbox\@tempboxa\lastbox
5893         \on@stripcols@break
5894         \the\At@ViperColsBreak
5895         \unvbox\@holdpg
5896     }%
5897 \fi
5898 \global\At@ViperColsBreak{}%
5899 \ht@viper .5\ht\@holdpg
5900 \ifdim \ht@viper>\@colht
5901     \ht@viper \@colht
5902 \fi
5903 \ifvoid\hold@viper\@tempdima=\z@ \else \@tempdima\ht\hold@viper \fi
5904 %%
5905 \@tempdimb \ht@viper
5906 \loop
5907     \setbox\v@aaa\copy\@holdpg
5908     \setbox\v@ccc\vbox to\@tempdimb{%
5909         \vsplit\v@aaa to\@tempdimb
5910         \vss
5911         \vsplit\v@aaa to\@tempdimb
5912     }%
5913     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
5914 \ifvoid\v@aaa
5915 \else
5916     \advance\@tempdimb 1\p@
5917 \repeat
5918 \loop
5919     \setbox\v@aaa\copy\@holdpg
5920     \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
5921     \wlog{(2)Left:\the\ht\v@ccc\space
5922         Right:\the\ht\v@aaa\space
5923         Output:\the\@tempdimb
5924     }%
5925 \ifdim\ht\v@ccc<\ht\v@aaa
5926     \@tempdimb \the\ht\v@aaa
5927 \repeat
5928 \wlog{- LAST -^^JLeft:\the\ht\v@ccc
5929     ^^JRight:\the\ht\v@aaa
5930     ^^JOutput:\the\@tempdimb
5931 }%
5932 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
5933 \setbox\@tempboxa\vbox{%
5934     \hb@xt@\textwidth {%
5935         \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5936         \hfil
5937         \vrule \@width\columnseprule
5938         \hfil
5939         \hb@xt@\columnwidth{\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
5940     }%

```



```

5941 }%
5942 \ifvoid\hold@viper
5943   \global\setbox\hold@viper \vbox {%
5944     \unvbox\@tempboxa
5945     \penalty\interlinepenalty
5946     \vskip\stripsep
5947     \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5948     \outputpenalty \z@
5949   }%
5950 \else
5951   \global\setbox\hold@viper \vbox {%
5952     \unvbox\hold@viper
5953     \unvbox\@tempboxa
5954     \penalty\interlinepenalty
5955     \vskip\stripsep
5956     \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5957     \outputpenalty \z@
5958   }%
5959 \fi
5960 \ifdim \@colht>\@reqcolroom
5961   \global\setbox\hold@viper \vbox {%
5962     \unvbox\hold@viper
5963     \box\@viper
5964     \penalty\interlinepenalty
5965     \vskip\stripsep
5966     \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5967     \outputpenalty \z@
5968   }%
5969 \@inserttrue
5970 \global\@firstcolumntrue
5971 \advance\@tempdima by-\ht\hold@viper
5972 \global \advance \@colht \@tempdima
5973 \ifdim \@colht<2.5\baselineskip
5974 \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
5975                           too tall on page \thepage (2 stulpelis)}%
5976   \@emptycol
5977   \if@firstcolumn
5978   \else
5979     \@emptycol
5980   \fi
5981   \global\@lastvipertrue
5982 \else
5983   \global \vsize \@colht
5984   \global \@colroom \@colht
5985   \check@floats
5986   \ifdim\@tempdima>\z@
5987     \global\advance\@colroom by-\@tempdima
5988   \fi
5989   \ifdim\@colroom<\z@
5990     \global\@colroom 1pt

```



```

5991          \ifdim\@tempdima>\@colht
5992          \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
5993                                netelpa lape \thepage (2 stulpelis)}%
5994          \fi
5995          \@emptycol
5996          \if@firstcolumn
5997          \else
5998            \@emptycol
5999          \fi
6000          \global\@lastvipertrue
6001        \fi
6002      \fi
6003    \fi
6004  \fi
6005  \if@insert
6006  \else
6007    \advance\@tempdima by-\ht\hold@viper
6008    \global \advance \@colht \@tempdima
6009    \global\setbox\hold@viper \vbox {%
6010                                \unvbox\hold@viper
6011                                \csname viper@top@hook\endcsname
6012                                \vsplit\@viper to \@colht
6013                                \vss
6014                                }%
6015    \vbox{%
6016      \global\@firstcolumnfalse
6017      \newpage
6018    \fi
6019  }

```

7.43 cvthemebidicasual.sty

```

6020 \NeedsTeXFormat{LaTeX2e}
6021 \ProvidesPackage{cvthemebidicasual}
6022 \DeclareOption{blue}{}
6023 \newif\if@colourorange\@colourorangefalse
6024 \DeclareOption{orange}{\@colourorangetrue}
6025 \newif\if@colourgreen\@colourgreenfalse
6026 \DeclareOption{green}{\@colourgreentrue}
6027 \newif\if@colouredred\@colouredredfalse
6028 \DeclareOption{red}{\@colouredredtrue}
6029 \newif\if@colourgrey\@colourgreyfalse
6030 \DeclareOption{grey}{\@colourgreytrue}
6031 \DeclareOption*{
6032   \PackageWarning{cvthemebidicasual}{Unknown option ‘\CurrentOption’}}
6033 \ExecuteOptions{colour}
6034 \ProcessOptions\relax
6035 \renewcommand*{\listitemsymbol}{\textbullet}
6036 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
6037 \familynamecolour{808080}

```



```

6038 \firstnamecolour{A9A9A9}
6039 \quotecolour{696969}
6040 \addresscolour{696969}
6041 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
6042 \sectiontitlecolour{1E90FF}
6043 \subsectioncolour{4682B4}
6044 \definecolor{rulecolour}{gray}{0.6}
6045 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
6046 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
6047 \if@colouorange
6048 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6049 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6050 \sectiontitlecolour{FF8C00}
6051 \subsectioncolour{FF8C00}
6052 \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
6053 \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
6054 \if@colourgreen
6055 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6056 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6057 \sectiontitlecolour{008000}
6058 \subsectioncolour{008000}
6059 \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
6060 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
6061 \if@coloured
6062 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6063 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6064 \sectiontitlecolour{FF0000}
6065 \subsectioncolour{FF0000}
6066 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
6067 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
6068 \if@colourgrey
6069 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6070 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6071 \sectiontitlecolour{808080}
6072 \subsectioncolour{808080}
6073 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
6074 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
6075 \renewcommand*{\ttdefault}{pcr}
6076 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
6077 \renewcommand*{\familynamefont}{\firstnamefont}
6078 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6079 \renewcommand*{\quoteftfont}{\large\slshape}
6080 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6081 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6082 \renewcommand*{\maketitle}{%
6083 {%
6084 \ifthenelse{\isundefined{\@photo}}{%
6085 {}%
6086 {\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}%
6087 \hfill%

```




```

6088 \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]]%
6089 {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]]%
6090 \ifthenelse{\isundefined{\@quote}}{%
6091   }%
6092   {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\[2.
6093   ]%
6094 \newif\if@firstfooterelement\@firstfooterelementtrue
6095 \providecommand*\footersymbol{}
6096 \renewcommand*\footersymbol{%
6097   \if@firstfooterelement%
6098   \else%
6099     {~~\color{footersymbolcolor}\textbullet~~}\fi}
6100 \providecommand*\makefooter{}
6101 \renewcommand*\makefooter{%
6102   \fancypagestyle{plain}{%
6103     \fancyfoot[c]{%
6104       \parbox{0.8\textwidth}{%
6105         \centering%
6106         \addressfont\@addresscolour%
6107         \ifthenelse{\isundefined{\@address}}{}{%
6108           \addresssymbol~\@address\\%
6109           \@firstfooterelementfalse}%
6110         \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
6111         \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelemen
6112         \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}
6113         \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emailink{\@email}\@first
6114         \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfals
6115       }%
6116     \pagestyle{plain}}
6117 \AtBeginDocument{\makefooter}

```

7.44 cvthemebidiclassic.sty

```

6118 \NeedsTeXFormat{LaTeX2e}
6119 \ProvidesPackage{cvthemebidiclassic}
6120 \DeclareOption{blue}{}
6121 \newif\if@colourorange\@colourorangefalse
6122 \DeclareOption{orange}{\@colourorange true}
6123 \newif\if@colourgreen\@colourgreenfalse
6124 \DeclareOption{green}{\@colourgreentrue}
6125 \newif\if@colourred\@colourredfalse
6126 \DeclareOption{red}{\@colourred true}
6127 \newif\if@colourgrey\@colourgreyfalse
6128 \DeclareOption{grey}{\@colourgrey true}
6129 \DeclareOption*{
6130   \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
6131 \ExecuteOptions{colour}
6132 \ProcessOptions\relax
6133 \renewcommand*\listitemsymbol{\textbullet}
6134 \firstnamecolour{}

```



```

6135 \familynamecolour{}
6136 \titlecolour{808080}
6137 \quotecolour{696969}
6138 \addresscolour{696969}
6139 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
6140 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
6141 \sectiontitlecolour{1E90FF}
6142 \subsectioncolour{4682B4}
6143 \if@colourorange
6144 \addresscolour{FF8C00}
6145 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
6146 \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
6147 \sectiontitlecolour{FF8C00}
6148 \subsectioncolour{FF8C00}\fi
6149 \if@colourgreen
6150 \addresscolour{008000}
6151 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6152 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6153 \sectiontitlecolour{008000}
6154 \subsectioncolour{008000}\fi
6155 \if@colourred
6156 \addresscolour{FF0000}
6157 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6158 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6159 \sectiontitlecolour{FF0000}
6160 \subsectioncolour{FF0000}\fi
6161 \if@colourgrey
6162 \addresscolour{808080}
6163 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6164 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6165 \sectiontitlecolour{808080}
6166 \subsectioncolour{808080}\fi
6167 \renewcommand*{\ttdefault}{pcr}
6168 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
6169 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
6170 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6171 \renewcommand*{\familynamefont}{\firstnamefont}
6172 \renewcommand*{\quote font}{\large\slshape}
6173 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6174 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6175 \newlength{\maketitlenamemaxwidth}
6176 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
6177 \newlength{\maketitlenamefullwidth}
6178 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
6179 \newlength{\maketitlenamewidth}
6180 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}\fi
6181 \newlength{\maketitlepicturewidth}
6182 \setlength{\maketitlepicturewidth}{\@photowidth}
6183 \newlength{\maketitledetailwidth}
6184 \renewcommand*{\recomputethemelengths}{%

```



```

6185 \setlength{\maketitledetailswidth}{\textwidth}%
6186 \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
6187 \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
6188 \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}%
6189 \recomputethemelengths
6190 \newif\if@firstdetailselement\@firstdetailselementtrue
6191 \newcommand*{\maketitledetailsnewline}{%
6192   \if@firstdetailselement%
6193     \@firstdetailselementfalse%
6194   \else%
6195     \[.2em]\fi}
6196 \renewcommand*{\maketitle}{%
6197   % name and title
6198   \begin{minipage}[b]{\maketitlenamewidth}%
6199     \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
6200     \ifthenelse{\equal{\@title}{}}{\[1.25em]\titlestyle{\@title}}{}%
6201   \end{minipage}%
6202   % optional data
6203   \begin{minipage}[b]{\maketitledetailswidth}%
6204     \bidi@raggedleft\addressfont\@addresscolour%
6205     \ifthenelse{\isundefined{\@address}}{\[1.25em]}{}%
6206     \maketitledetailsnewline%
6207     \addresssymbol~\@address%
6208     \ifthenelse{\isundefined{\@mobile}}{\[1.25em]}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
6209     \ifthenelse{\isundefined{\@phone}}{\[1.25em]}{\maketitledetailsnewline\phonesymbol~\@phone}%
6210     \ifthenelse{\isundefined{\@fax}}{\[1.25em]}{\maketitledetailsnewline\faxsymbol~\@fax}%
6211     \ifthenelse{\isundefined{\@email}}{\[1.25em]}{\maketitledetailsnewline\emailsymbol~\emailink{\@email}}%
6212     \ifthenelse{\isundefined{\@extrainfo}}{\[1.25em]}{\maketitledetailsnewline\@extrainfo}%
6213   \end{minipage}%
6214   % optional photo
6215   \ifthenelse{\isundefined{\@photo}}{\[1.25em]}{}%
6216   {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\maketitlephoto]{\@photo}}}%
6217   % optional quote
6218   \ifthenelse{\isundefined{\@quote}}{\[1.25em]}{}%
6219   {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\[2.5em]
6220 }
6221 }

```

7.45 dblfnote-xetex-bidi.def

```

6223 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package for xetex]
6224 \let\autofootnoterule\relax
6225 \let\rightfootnoterule\relax
6226 \let\leftfootnoterule\relax
6227 \let\textwidthfootnoterule\relax
6228 \let\LRfootnoterule\relax
6229 \def\footnoterule{\kern-3\p@
6230   \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
6231 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext}

```



```

6232 \let\@footnotetext\dfn@footnotetext}
6233 \long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
6234     \let\insert\dfn@gobble
6235     \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
6236     \def\@makefnmark{\smash{\dfn@makefnmark}}
6237     \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
6238     \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
6239     \ifdim\dfn@dima>\z@\else
6240         \dfn@dima\sp\relax
6241         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
6242     \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6243         \ifvoid\dfn@ins\else
6244             \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6245             \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6246     \setbox\dfn@boxa\copy\dfn@ins
6247     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6248     \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
6249     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6250     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
6251     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
6252 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
6253 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
6254 \long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
6255     \let\insert\dfn@gobble
6256     \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
6257     \def\@makefnmark{\smash{\dfn@makefnmark}}
6258     \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
6259     \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
6260     \ifdim\dfn@dima>\z@\else
6261         \dfn@dima\sp\relax
6262         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
6263     \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6264         \ifvoid\dfn@ins\else
6265             \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6266             \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6267     \setbox\dfn@boxa\copy\dfn@ins
6268     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6269     \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
6270     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6271     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
6272     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
6273 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
6274 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
6275 \def\dfn@RTLmakecol{{\ifvoid\footins\else
6276     \dfn@dima\ht\footins
6277     \@tempcnta\z@ \dfn@countins
6278     \@tempdima\z@ \let\@elt\dfn@elt@getht
6279     \dfn@list\@nil
6280     \ifdim\@tempdima=\z@\else
6281         \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@

```



```

6282 \global\setbox\dfn@ins\box\dfn@ins
6283 \@tempwattrue
6284 \ifdfn@trysingle
6285     \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
6286     \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
6287     \advance\@tempdima-\skip\footins
6288     \advance\@tempdima-\ht\dfn@boxa
6289     \ifdim\@tempdima<z@\else \@tempwafalse
6290         \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
6291             \footnoterule \unvbox\dfn@boxa}\fi\fi
6292 \if@tempswa
6293 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6294 \global\setbox\footins\vbox{\hbox{%
6295     \hskip \DFNcolumnwidth
6296     \hskip\DFNcolumnsep
6297     \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
6298         \unvbox\dfn@boxb\vss}\hss}
6299     \hskip -\textwidth
6300     \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
6301         \vbox to\@tempdima{
6302             \setbox\@tempboxa\vbox{\footnoterule}
6303             \ifdfn@ruleboth \unvbox\@tempboxa
6304             \else \@tempdima\ht\@tempboxa
6305                 \advance\@tempdima\dp\@tempboxa
6306                 \vskip\@tempdima
6307                 \prevdepth\dp\@tempboxa \fi
6308             \unvbox\dfn@boxa\vss}\fi\hss}
6309             \hskip \DFNcolumnsep
6310             \hskip \DFNcolumnwidth}}\fi\fi
6311 \global\dfn@fnht\z@
6312 \ifx\dfn@list\@empty\else
6313     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
6314     \dfn@list \global\advance\dfn@fnht\dfn@dimb
6315     \let\@elt\relax
6316     \ifdim\dfn@dimb>\z@
6317         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
6318         \insert\footins{\floatingpenalty\@MM
6319             \vbox to\dfn@dimb{}}\fi
6320     \ifdim\dfn@fnht>\@tempdima
6321         \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
6322         \global\dfn@fnht\@tempdima
6323         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
6324         \xdef\dfn@afteroutput{\insert\footins{
6325             \floatingpenalty\@MM
6326             \vbox to\number\@tempdimb sp{}}%
6327             \global\let\noexpand\dfn@afteroutput\relax}%
6328     \fi\fi
6329 \fi}%
6330 \let\footnoterule\relax \dfn@latex@makecol
6331 \let\footnoterule\dfn@footnoterule}

```



```

6332 \def\dfn@LTRmakecol{\ifvoid\footins\else
6333     \dfn@dima\ht\footins
6334     \@tempcnta\z@ \dfn@countins
6335     \@tempdima\z@ \let\@elt\dfn@elt@getht
6336     \dfn@list\@nil
6337     \ifdim\@tempdima=\z@\else
6338     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
6339     \global\setbox\dfn@ins\box\dfn@ins
6340     \@tempwattrue
6341     \ifdfn@trysingle
6342         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
6343         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
6344         \advance\@tempdima-\skip\footins
6345         \advance\@tempdima-\ht\dfn@boxa
6346         \ifdim\@tempdima<\z@\else \@tempswafalse
6347             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
6348                 \footnoterule \unvbox\dfn@boxa}\fi\fi
6349     \if@tempswa
6350     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6351     \global\setbox\footins\vbox{\hbox{%
6352         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
6353             \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
6354         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
6355             \vbox to\@tempdima{
6356                 \setbox\@tempboxa\vbox{\footnoterule}
6357                 \ifdfn@ruleboth \unvbox\@tempboxa
6358                 \else \@tempdima\ht\@tempboxa
6359                 \advance\@tempdima\dp\@tempboxa
6360                 \vskip\@tempdima
6361                 \prevdepth\dp\@tempboxa \fi
6362                 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
6363     \global\dfn@fnht\z@
6364     \ifx\dfn@list\@empty\else
6365         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
6366         \dfn@list \global\advance\dfn@fnht\dfn@dimb
6367         \let\@elt\relax
6368         \ifdim\dfn@dimb>\z@
6369             \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
6370             \insert\footins{\floatingpenalty\@MM
6371                 \vbox to\dfn@dimb{}}\fi
6372         \ifdim\dfn@fnht>\@tempdima
6373             \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
6374             \global\dfn@fnht\@tempdima
6375             \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
6376             \xdef\dfn@afteroutput{\insert\footins{
6377                 \floatingpenalty\@MM
6378                 \vbox to\number\@tempdimb sp{}}}%
6379             \global\let\noexpand\dfn@afteroutput\relax}%
6380     \fi\fi
6381 \fi}%

```



```

6382 \let\footnoterule\relax \dfn@latex@makecol
6383 \let\footnoterule\dfn@footnoterule}
6384 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
6385 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
6386 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
6387 \DFNalwaysdouble

```

7.46 draftwatermark-xetex-bidi.def

```

6388 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwatermar
6389 \renewcommand\SetWatermarkText[1]{%
6390 \def\scwm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

7.47 eso-pic-xetex-bidi.def

```

6391 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for X
6392 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
6393 \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}
6394
6395 \ESO@isMEMOIR{%
6396 \renewcommand\AtTextUpperLeft[1]{%
6397 \begingroup
6398 \ifodd\c@page
6399 \@tempdima=\spinemargin
6400 \else
6401 \@tempdima=\paperwidth
6402 \advance\@tempdima-\textwidth
6403 \advance\@tempdima-\spinemargin
6404 \fi
6405 \@tempdimb=-\uppermargin
6406 \AtPageUpperLeft{%
6407 \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
6408 }%
6409 \endgroup
6410 }
6411 }{%
6412 \renewcommand\AtTextUpperLeft[1]{%
6413 \begingroup
6414 \@tempdima=1in\relax
6415 \ifodd\c@page
6416 \advance\@tempdima\oddsidemargin
6417 \else
6418 \advance\@tempdima\evensidemargin
6419 \fi
6420 \@tempdimb=-1in\relax
6421 \advance\@tempdimb-\topmargin
6422 \advance\@tempdimb-\headheight
6423 \advance\@tempdimb-\headsep
6424 \AtPageUpperLeft{%
6425 \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
6426 }%

```



```

6427 \endgroup
6428 }
6429 }

```

7.48 empheq-xetex-bidi.def

```

6430 \ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for XeT
6431 \MHInternalSyntaxOn
6432 \def\EQ_tag_plus_endmark:{%
6433 \iftagsleft@
6434 \gdef\maketag@@@##1{%
6435 \hfuzz\displaywidth
6436 \ifRTL\makebox[\widthof{##1}][r]{%
6437 \hbox to \displaywidth{\m@th\normalfont##1\hss
6438 \raisebox{-\dp\EQ_mathdisplay_box
6439 -\depthof\EQ_outerbox:{}}{
6440 {\PotEndMark{\hss}}}}
6441 \else\makebox[\widthof{##1}][l]{%
6442 \hbox to \displaywidth{\m@th\normalfont##1\hss
6443 \raisebox{-\dp\EQ_mathdisplay_box
6444 -\depthof\EQ_outerbox:{}}{
6445 {\PotEndMark{\hss}}}}\fi}%
6446 \else:
6447 \gdef\maketag@@@##1{%
6448 \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
6449 \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}}%
6450 \MH_addtolength:dn \@tempdima
6451 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
6452 \setlength{\@tempdimb}
6453 {\g_EQ_bottomrow_depth_dim+\depthof\EQ_outerbox:}}
6454 +\depthof\EQ_innerbox:}}
6455 \if_dim:w \@tempdima>\@tempdimb
6456 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
6457 -\@tempdima+\g_EQ_bottomrow_depth_dim}
6458 \addtolength{\@tempdima}{\depthof\EQ_innerbox:}}}%
6459 \def\EQ_next:{\raisebox{\@tempdima}}%
6460 \else:
6461 \def\EQ_next:{
6462 \raisebox{-\dp\EQ_mathdisplay_box
6463 -\depthof\EQ_outerbox:}}}%
6464 \fi:\EQ_next:}}}%
6465 \fi:}
6466 \def\EQ_post_process:{%
6467 \EQ_initialize:
6468 \EQ_begin_equation:
6469 \MH_if_boolean:nT {outer_mult}{
6470 \setkeys{\MT_options_name:}{
6471 firstline-afterskip=0pt,
6472 lastline-preskip=0pt,
6473 multlined-width=0pt,

```




```

6474 }
6475 \ifodd \l_EQ_alignmentmode_int
6476   \setkeys{MT_options_name:}{multlined-pos=b}
6477 \else:
6478   \setkeys{MT_options_name:}{multlined-pos=t}
6479 \fi:
6480 \g@addto@macro\EQ_complete_mathdisplay:{
6481   \begin{MTmultlined}\relax}
6482 }
6483 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
6484 \MH_if_boolean:nT {outer_mult}{
6485   \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
6486 }
6487 \EQ_end_equation:
6488 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
6489 \savecounters@
6490 \EQ_typeset_tags:
6491 \edef\l_EQ_equation_fint{\number\c@equation}
6492 \restorecounters@
6493 \Hy@linkcounter=\EQ_hyperref_link_fint
6494 \settoheight\l_EQ_totalwidth_dim{%
6495   $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
6496 \MH_if_boolean:nTF {outer_mult}
6497   { \def\EQ_next:{_mult} }
6498   { \def\EQ_next:{} }
6499 \@nameuse{EQ_modify_linewidth_
6500   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
6501 \EQ_typeset_display:
6502 \@nameuse{find_displaywidth_
6503   \romannumeral\l_EQ_equationtype_int\EQ_next: :}
6504 \MH_addtolength:dn
6505   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
6506 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
6507   $\EQ_left_side:
6508   \EQ_innerbox:%
6509   \if_case:w \l_EQ_alignmentmode_int\or:
6510     \makebox[\l_EQ_displaywidth_dim][c]
6511     {\usebox{\EQ_mathdisplay_box}}}%
6512   \or:
6513     \makebox[\l_EQ_displaywidth_dim][c]
6514     {\usebox{\EQ_mathdisplay_box}}}%
6515   \or:
6516     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
6517       \if_num:w \l_EQ_equationtype_int=5 \else:
6518         \if_num:w \l_EQ_equationtype_int=6 \else:
6519           \kern-\@mathmargin
6520         \fi:
6521       \fi:
6522       \usebox{\EQ_mathdisplay_box}}}%
6523   \else\makebox[\l_EQ_displaywidth_dim][l]{%

```



```

6524         \if_num:w \l_EQ_equationtype_int=5 \else:
6525         \if_num:w \l_EQ_equationtype_int=6 \else:
6526         \kern-\@mathmargin
6527         \fi:
6528         \fi:
6529         \usebox{\EQ_mathdisplay_box}}\fi%
6530     \or:
6531     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
6532     \if_num:w \l_EQ_equationtype_int=5 \else:
6533     \if_num:w \l_EQ_equationtype_int=6 \else:
6534     \kern-\@mathmargin
6535     \fi:
6536     \fi:
6537     \usebox{\EQ_mathdisplay_box}}
6538     \else\makebox[\l_EQ_displaywidth_dim][l]{%
6539     \if_num:w \l_EQ_equationtype_int=5 \else:
6540     \if_num:w \l_EQ_equationtype_int=6 \else:
6541     \kern-\@mathmargin
6542     \fi:
6543     \fi:
6544     \usebox{\EQ_mathdisplay_box}}\fi%
6545     \fi:}%
6546     \EQ_right_side:$}%
6547     \begin{AmSequation*}
6548     \@nameuse{EQ_place_display_
6549         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
6550     \if_dim:w \g_EQ_widesttag_dim>\z@
6551     \MH_set_boolean_T:n {show_manual_tags}
6552     \if_case:w \l_EQ_alignmentmode_int
6553     \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
6554     \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
6555     \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
6556     \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
6557     \fi:
6558     \fi:
6559     \end{AmSequation*}
6560     \global\c@equation=\l_EQ_equation_fint\relax
6561 }
6562 \AtBeginDocument{%
6563     \ifpackageloaded{fancybox}{%
6564     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
6565     {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
6566     \renewcommand*\shadowbox{%
6567     \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
6568     \VerbBox\EQ_shadowbox:n}
6569     {\MH_set_boolean_F:n {shadowbox_star}
6570     \VerbBox\EQ_shadowbox:n}}
6571     \def\EQ_shadowbox:n #1{%
6572     \sbox{\z@}{\fbox{#1}}%
6573     \MH_if_boolean:nTF {shadowbox_star}{

```



```

6574      \MH_setlength:dn \@tempdima{\z@}%
6575    }{
6576      \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
6577    }
6578    \raisebox{\@tempdima}{%
6579      \if@RTL\makebox[\z@][r]{%
6580        \kern\shadowsize \textcolor{shadowcolor}{%
6581          \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
6582      }%
6583      \else\makebox[\z@][l]{%
6584        \kern\shadowsize \textcolor{shadowcolor}{%
6585          \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
6586      }\fi%
6587      \usebox\z@\textcolor{shadowcolor}{%
6588        \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
6589    }{}%
6590  }
6591  \MHInternalSyntaxOff

```

7.49 extarticle-xetex-bidi.def

```

6592 \ProvidesFile{extarticle-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for extarticle class f
6593 \renewcommand*\l@section[2]{%
6594   \ifnum \c@tocdepth >\z@
6595     \addpenalty\@secpenalty
6596     \addvspace{1.0em \@plus\p@}%
6597     \setlength\@tempdima{1.5em}%
6598     \begingroup
6599       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6600       \parfillskip -\@pnumwidth
6601       \leavevmode \bfseries
6602       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
6603       \hskip -\if@RTL\rightskip\else\leftskip\fi
6604       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6605     \endgroup
6606   \fi}
6607 \renewcommand*\l@part[2]{%
6608   \ifnum \c@tocdepth >-2\relax
6609     \addpenalty\@secpenalty
6610     \addvspace{2.25em \@plus\p@}%
6611     \begingroup
6612       \setlength\@tempdima{3em}%
6613       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6614       \parfillskip -\@pnumwidth
6615       {\leavevmode
6616         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6617       \nobreak
6618     \endgroup
6619   \fi}
6620 \def\part[#1]#2{%

```



```

6621 \ifnum \c@secnumdepth >\m@ne
6622 \refstepcounter{part}%
6623 \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
6624 \else
6625 \addcontentsline{toc}{part}{#1}%
6626 \fi
6627 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6628 \interlinepenalty \M
6629 \normalfont
6630 \ifnum \c@secnumdepth >\m@ne
6631 \Large\bfseries \partname~\thepart
6632 \par\nobreak
6633 \fi
6634 \huge \bfseries #2%
6635 \markboth{}{}\par}%
6636 \nobreak
6637 \vskip 3ex
6638 \@afterheading}
6639 \def\@spart#1{%
6640 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6641 \interlinepenalty \M
6642 \normalfont
6643 \huge \bfseries #1\par}%
6644 \nobreak
6645 \vskip 3ex
6646 \@afterheading}
6647 \renewenvironment{thebibliography}[1]
6648 {\section*{\refname
6649 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
6650 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6651 \list{\@biblabel{\@arabic\c@enumiv}}%
6652 {\settowidth\labelwidth{\@biblabel{#1}}%
6653 \leftmargin\labelwidth
6654 \advance\leftmargin\labelsep
6655 \@openbib@code
6656 \usecounter{enumiv}%
6657 \let\p@enumiv\@empty
6658 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6659 \sloppy\clubpenalty4000\widowpenalty4000%
6660 \sfcode`.\@m}
6661 {\def\@noitemerr
6662 {\@latex@warning{Empty `thebibliography' environment}}%
6663 \endlist}
6664 \renewcommand\left@footnoterule{%
6665 \kern-3\p@
6666 \hrule\@width.4\columnwidth
6667 \kern2.6\p@}
6668 \renewcommand\right@footnoterule{%
6669 \hbox to \columnwidth
6670 {\beginR \vbox{%

```



```

6671 \kern-3\p@
6672 \hrule\@width.4\columnwidth
6673 \kern2.6\p@\hfil\endR}}
6674 \if@titlepage
6675 \renewcommand\maketitle{\begin{titlepage}%
6676 \let\footnotesize\small
6677 \let\right@footnoterule\relax
6678 \let\left@footnoterule\relax
6679 \let\textwidth\footnoterule\relax
6680 \let \footnote \thanks
6681 \null\vfil
6682 \vskip 60\p@
6683 \begin{center}%
6684 {\LARGE \@title \par}%
6685 \vskip 3em%
6686 {\large
6687 \lineskip .75em%
6688 \begin{tabular}[t]{c}%
6689 \@author
6690 \end{tabular}\par}%
6691 \vskip 1.5em%
6692 {\large \@date \par}% % Set date in \large size.
6693 \end{center}\par
6694 \@thanks
6695 \vfil\null
6696 \end{titlepage}%
6697 \setcounter{footnote}{0}%
6698 \global\let\thanks\relax
6699 \global\let\maketitle\relax
6700 \global\let\@thanks\@empty
6701 \global\let\@author\@empty
6702 \global\let\@date\@empty
6703 \global\let\@title\@empty
6704 \global\let\title\relax
6705 \global\let\author\relax
6706 \global\let\date\relax
6707 \global\let\and\relax
6708 }
6709 \else
6710 \renewcommand\maketitle{\par
6711 \begingroup
6712 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6713 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6714 \long\def\@makefntext##1{\parindent 1em\noindent
6715 \hb@xt@1.8em{%
6716 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6717 \if@twocolumn
6718 \ifnum \col@number=\@ne
6719 \@maketitle
6720 \else

```



```

6721         \twocolumn[\@maketitle]%
6722         \fi
6723     \else
6724         \newpage
6725         \global\@topnum\z@    % Prevents figures from going at top of page.
6726         \@maketitle
6727     \fi
6728     \thispagestyle{plain}\@thanks
6729 \endgroup
6730 \setcounter{footnote}{0}%
6731 \global\let\thanks\relax
6732 \global\let\maketitle\relax
6733 \global\let\@maketitle\relax
6734 \global\let\@thanks\@empty
6735 \global\let\@author\@empty
6736 \global\let\@date\@empty
6737 \global\let\@title\@empty
6738 \global\let\title\relax
6739 \global\let\author\relax
6740 \global\let\date\relax
6741 \global\let\and\relax
6742 }
6743 \def\@maketitle{%
6744     \newpage
6745     \null
6746     \vskip 2em%
6747     \begin{center}%
6748         \let \footnote \thanks
6749         {\LARGE \@title \par}%
6750         \vskip 1.5em%
6751         {\large
6752             \lineskip .5em%
6753             \begin{tabular}[t]{c}%
6754                 \@author
6755             \end{tabular}\par}%
6756         \vskip 1em%
6757         {\large \@date}%
6758     \end{center}%
6759     \par
6760     \vskip 1.5em}
6761 \fi
6762 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
6763 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
6764 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
6765 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

7.50 extbook-xetex-bidi.def

```

6766 \ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for XeT
6767 \if@titlepage

```



```

6768 \renewcommand\maketitle{\begin{titlepage}%
6769 \let\footnotesize\small
6770 \let\right@footnoterule\relax
6771 \let\left@footnoterule\relax
6772 \let\textwidth@footnoterule\relax
6773 \let \footnote \thanks
6774 \let \LTRfootnote \LTRthanks
6775 \let \RTLfootnote \RTLthanks
6776 \null\vfil
6777 \vskip 60\p@
6778 \begin{center}%
6779   {\LARGE \@title \par}%
6780   \vskip 3em%
6781   {\large
6782     \lineskip .75em%
6783     \begin{tabular}[t]{c}%
6784       \@author
6785     \end{tabular}\par}%
6786     \vskip 1.5em%
6787     {\large \@date \par}%           % Set date in \large size.
6788 \end{center}\par
6789 \@thanks
6790 \vfil\null
6791 \end{titlepage}%
6792 \setcounter{footnote}{0}%
6793 \global\let\thanks\relax
6794 \global\let\LTRthanks\relax
6795 \global\let\RTLthanks\relax
6796 \global\let\maketitle\relax
6797 \global\let\@thanks\@empty
6798 \global\let\@author\@empty
6799 \global\let\@date\@empty
6800 \global\let\@title\@empty
6801 \global\let\title\relax
6802 \global\let\author\relax
6803 \global\let\date\relax
6804 \global\let\and\relax
6805 }
6806 \else
6807 \renewcommand\maketitle{\par
6808 \begingroup
6809   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6810   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6811   \long\def\@makefntext##1{\parindent 1em\noindent
6812     \hb@xt@1.8em{%
6813       \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6814   \if@twocolumn
6815     \ifnum \col@number=\@ne
6816       \@maketitle
6817     \else

```



```

6818         \twocolumn[\@maketitle]%
6819         \fi
6820     \else
6821         \newpage
6822         \global\@topnum\z@    % Prevents figures from going at top of page.
6823         \@maketitle
6824         \fi
6825         \thispagestyle{plain}\@thanks
6826     \endgroup
6827     \setcounter{footnote}{0}%
6828     \global\let\thanks\relax
6829     \global\let\LTRthanks\relax
6830     \global\let\RTLthanks\relax
6831     \global\let\maketitle\relax
6832     \global\let\@maketitle\relax
6833     \global\let\@thanks\@empty
6834     \global\let\@author\@empty
6835     \global\let\@date\@empty
6836     \global\let\@title\@empty
6837     \global\let\title\relax
6838     \global\let\author\relax
6839     \global\let\date\relax
6840     \global\let\and\relax
6841 }
6842 \def\@maketitle{%
6843     \newpage
6844     \null
6845     \vskip 2em%
6846     \begin{center}%
6847         \let \footnote \thanks
6848         \let \LTRfootnote \LTRthanks
6849         \let \RTLfootnote \RTLthanks
6850         {\LARGE \@title \par}%
6851         \vskip 1.5em%
6852         {\large
6853             \lineskip .5em%
6854             \begin{tabular}[t]{c}%
6855                 \@author
6856             \end{tabular}\par}%
6857         \vskip 1em%
6858         {\large \@date}%
6859     \end{center}%
6860     \par
6861     \vskip 1.5em}
6862 \fi
6863 \renewcommand*{\l@part[2]}{%
6864     \ifnum \c@tocdepth >-2\relax
6865         \addpenalty{-\@highpenalty}%
6866         \addvspace{2.25em \@plus\p@}%
6867         \begingroup

```




```

6868     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6869     \parfillskip -\@pnumwidth
6870     {\leavevmode
6871       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6872       \nobreak
6873       \global\@nobreaktrue
6874       \everypar{\global\@nobreakfalse\everypar{}}%
6875     \endgroup
6876   \fi}
6877 \renewcommand\theequation
6878   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
6879 \renewcommand \thefigure
6880   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
6881 \renewcommand \thetable
6882   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
6883 \renewcommand \thechapter {\@arabic\c@chapter}
6884 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
6885 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
6886 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
6887 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
6888 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
6889 \def\@makechapterhead#1{%
6890   \vspace*{50\p@}%
6891   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6892     \ifnum \c@secnumdepth >\m@ne
6893       \if@mainmatter
6894         \huge\bfseries \@chapapp\space \thechapter
6895         \par\nobreak
6896         \vskip 20\p@
6897       \fi
6898     \fi
6899     \interlinepenalty\@M
6900     \Huge \bfseries #1\par\nobreak
6901     \vskip 40\p@
6902   }}
6903
6904 \def\@makeschapterhead#1{%
6905   \vspace*{50\p@}%
6906   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6907     \normalfont
6908     \interlinepenalty\@M
6909     \Huge \bfseries #1\par\nobreak
6910     \vskip 40\p@
6911   }}
6912 \renewcommand\backmatter{%
6913   \if@openright
6914     \cleardoublepage
6915   \else
6916     \clearpage
6917   \fi

```



```

6918 \@mainmatterfalse}
6919 \renewenvironment{thebibliography}[1]
6920   {\chapter*{\bibname
6921     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
6922     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6923     \list{\@biblabel{\@arabic\c@enumiv}}%
6924       {\settowidth\labelwidth{\@biblabel{#1}}%
6925        \leftmargin\labelwidth
6926        \advance\leftmargin\labelsep
6927        \@openbib@code
6928        \usecounter{enumiv}%
6929        \let\p@enumiv\@empty
6930        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6931     \sloppy
6932     \clubpenalty4000
6933     \@clubpenalty \clubpenalty
6934     \widowpenalty4000%
6935     \sfcode`..\@m}
6936   {\def\@noitemerr
6937     {\@latex@warning{Empty `thebibliography' environment}}}%
6938   \endlist}

```

7.51 extletter-xetex-bidi.def

```

6939 \ProvidesFile{extletter-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extletter class for
6940 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
6941   \thispagestyle{firstpage}%
6942   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
6943   \else % home address
6944     \thispagestyle{empty}%
6945     {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignorespaces
6946       \fromaddress \*[2\parskip]%
6947       \@date \end{tabular}\par}%
6948   \fi
6949   \vspace{2\parskip}%
6950   {\if@RTL\raggedleft\else\raggedright\fi \toname \[ \toaddress \par}%
6951   \vspace{2\parskip}%
6952   #1\par\nobreak}
6953 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
6954   \stopbreaks
6955   \noindent
6956   \ifx\@empty\fromaddress\else
6957     \hspace*{\longindentation}\fi
6958   \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
6959     \ignorespaces #1\*[6\medskipamount]%
6960     \ifx\@empty\fromsig
6961       \fromname
6962     \else \fromsig \fi\strut}%
6963   \par}
6964 \renewcommand\left@footnoterule{%

```



```

6965 \kern-\p@
6966 \hrule \@width .4\columnwidth
6967 \kern .6\p@}
6968 \renewcommand\right@footnoterule{%
6969 \hbox to \columnwidth
6970 {\beginR \vbox{%
6971 \kern-\p@
6972 \hrule \@width .4\columnwidth
6973 \kern .6\p@}\hfil\endR}}

```

7.52 extrafootnotefeatures-xetex-bidi.def

```

6974 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2012/12/12 v0.4 bidi extra footnote feature
6975 \let\autofootnoterule\relax
6976 \let\rightfootnoterule\relax
6977 \let\leftfootnoterule\relax
6978 \let\textwidthfootnoterule\relax
6979 \let\LRfootnoterule\relax
6980 \def\footnoterule{\kern-3\p@
6981 \hrule \@width \columnwidth \kern 2.6\p@}
6982 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
6983 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
6984 \renewcommand{\@footnotetext}[1]{%
6985 \insert\footins{%
6986 \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
6987 \def\baselinestretch{\m@m@footnote@spacing}%
6988 \reset@font
6989 \foottextfont
6990 \@preamfntext
6991 \hsize\columnwidth
6992 \protected@edef\@currentlabel{%
6993 \csname p@footnote\endcsname\@thefnmark}%
6994 \color@begingroup
6995 \@makefntext{%
6996 \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
6997 \@finalstrut\strutbox}%
6998 \color@endgroup}%
6999 \m@mmf@prepare}
7000 \renewcommand{\@RTLfootnotetext}[1]{%
7001 \insert\footins{%
7002 \@RTLtrue%
7003 \def\baselinestretch{\m@m@footnote@spacing}%
7004 \reset@font
7005 \RTLfoottextfont
7006 \@preamfntext
7007 \hsize\columnwidth
7008 \protected@edef\@currentlabel{%
7009 \csname p@footnote\endcsname\@thefnmark}%
7010 \color@begingroup
7011 \@makefntext{%

```



```

7012         \rule{z@footnotesep}{\RTLfoottextfont #1}%
7013         \@finalstrut\strutbox}%
7014     \color@endgroup}%
7015     \m@mmf@prepare}
7016 \renewcommand{\@LTRfootnotetext}[1]{%
7017     \insert\footins{%
7018         \@RTLfalse%
7019         \def\baselinestretch{\m@m@footnote@spacing}%
7020         \reset@font
7021         \LTRfoottextfont
7022         \@preamfntext
7023         \hsize\columnwidth
7024         \protected@edef\@currentlabel{%
7025             \csname p@footnote\endcsname\@thefnmark}%
7026         \color@begingroup
7027         \@makefntext{%
7028             \rule{z@footnotesep}{\LTRfoottextfont #1}%
7029             \@finalstrut\strutbox}%
7030         \color@endgroup}%
7031         \m@mmf@prepare}
7032 \renewcommand{\@mpfootnotetext}[1]{%
7033     \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7034         \unvbox\@mpfootins
7035         \def\baselinestretch{\m@m@footnote@spacing}%
7036         \foottextfont \hsize\columnwidth \@parboxrestore
7037         \protected@edef\@currentlabel{%
7038             \csname p@mpfootnote\endcsname\@thefnmark}%
7039         \color@begingroup
7040         \reset@font%
7041         \@makefntext{%
7042             \rule{z@footnotesep}{\foottextfont #1}%
7043             \@finalstrut\strutbox}%
7044         \color@endgroup}}
7045 \renewcommand{\@mpLTRfootnotetext}[1]{%
7046     \global\setbox\@mpfootins\vbox{\@RTLfalse%
7047         \unvbox\@mpfootins
7048         \def\baselinestretch{\m@m@footnote@spacing}%
7049         \LTRfoottextfont \hsize\columnwidth \@parboxrestore
7050         \protected@edef\@currentlabel{%
7051             \csname p@mpfootnote\endcsname\@thefnmark}%
7052         \color@begingroup
7053         \reset@font%
7054         \@makefntext{%
7055             \rule{z@footnotesep}{\LTRfoottextfont #1}%
7056             \@finalstrut\strutbox}%
7057         \color@endgroup}}
7058 \renewcommand{\@mpRTLfootnotetext}[1]{%
7059     \global\setbox\@mpfootins\vbox{\@RTLtrue%
7060         \unvbox\@mpfootins
7061         \def\baselinestretch{\m@m@footnote@spacing}%

```



```

7062 \RTLfoottextfont \hsize\columnwidth \@parboxrestore
7063 \protected@edef\@currentlabel{%
7064 \csname p@mpfootnote\endcsname\@thefnmark}%
7065 \color@begingroup
7066 \reset@font%
7067 \makefnintext{%
7068 \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
7069 \@finalstrut\strutbox}%
7070 \color@endgroup}}
7071 \let\m@mold@footnotetext\@footnotetext
7072 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
7073 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
7074 \let\m@mold@mpfootnotetext\@mpfootnotetext
7075 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
7076 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
7077 \bidi@ensure@newcommand{\normalfootnotes}{%
7078 \let\@footnotetext\m@mold@footnotetext
7079 \let\@LTRfootnotetext\m@mold@LTRfootnotetext
7080 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
7081 \let\@mpfootnotetext\m@mold@mpfootnotetext
7082 \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
7083 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext}
7084 \@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{%
7085 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestruer}
7086 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
7087 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
7088 \def\m@m@singlespace{#1}%
7089 \def\m@m@footnote@spacing{#1}%
7090 \def\m@m@float@spacing{#1} %
7091 }
7092 \setSingleSpace{1}
7093 \newinsert\sideins
7094 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
7095 \bidi@ensure@newcommand*{\m@m@mmf@prepare}{%
7096 \kern-\multiplefootnotemarker
7097 \kern\multiplefootnotemarker\relax}
7098 \bidi@ensure@newlength{\footmarkwidth}
7099 \bidi@ensure@newlength{\footmarksep}
7100 \bidi@ensure@newlength{\footparindent}
7101 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
7102 \bidi@ensure@newcommand{\footfootmark}{%
7103 \ifdim\footmarkwidth < \z@
7104 \llap{\hb@xt@-\footmarkwidth{%
7105 \hss\normalfont\footscript{\@thefnmark}}}%
7106 \hspace*{-\footmarkwidth}}%
7107 \else
7108 \ifdim\footmarkwidth = \z@
7109 {\normalfont\footscript{\@thefnmark}}%
7110 \else
7111 \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%

```



```

7112 \fi
7113 \fi}
7114 \footmarkstyle{\textsuperscript{#1}}
7115 \setlength{\footmarkwidth}{1.8em}
7116 \setlength{\footparindent}{1em}
7117 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
7118 \bidi@ensure@newcommand*{\extrafeetins}{%
7119 \setbox\@outputbox \vbox{%
7120 \boxmaxdepth \@maxdepth
7121 \unvbox\@outputbox
7122 \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
7123 \extrafeetinshook}}
7124 \bidi@ensure@newcommand{\extrafeetinshook}{%
7125 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
7126 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
7127 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
7128 \bidi@ensure@newlength{\footinsdim}
7129 \setlength{\footinsdim}{8in} % standard for \dimen\footins
7130 \bidi@ensure@newcommand{\@preamfntext}{%
7131 \interlinepenalty\interfootnotelinepenalty
7132 \floatingpenalty \@MM
7133 \splittopskip=\footnotesep
7134 \splitmaxdepth=\dp\strutbox
7135 \@parboxrestore}
7136 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
7137 \extrafeetminihook}
7138 \bidi@ensure@newcommand{\extrafeetendmini}{%
7139 \ifvoid\@mpfootinsv@r\else
7140 \vskip\skip\@mpfootins
7141 \normalcolor\footnoterule\mp@footgroupv@r
7142 \fi
7143 \extrafeetendminihook}
7144 \bidi@ensure@newcommand{\extrafeetendminihook}{%
7145 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
7146 \def\endminipage{%
7147 \par
7148 \unskip
7149 \ifvoid\@mpfootins\else
7150 \vskip\skip\@mpfootins
7151 \normalcolor
7152 \footnoterule
7153 \unvbox\@mpfootins
7154 \fi
7155 \m@mdoextrafeetendmini
7156 \@minipagefalse
7157 \color@endgroup
7158 \egroup
7159 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
7160 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
7161 \@namedef{\footstart#1}{%

```



```

7162 \vskip\bigskipamount
7163 \leftskip=\z@
7164 \rightskip=\z@
7165 \footnoterule}}
7166 \newinsert\footinsv@r
7167 \skip\footinsv@r\bigskipamount
7168 \count\footinsv@r=1000 % no magnification
7169 \dimen\footinsv@r=\footinsdim
7170 \make@footstart{v@r}
7171 \bidi@ensure@newcommand{\@footgroupv@r}{}
7172 \newinsert\@mpfootinsv@r
7173 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
7174 \newcount\m@m@k \newdimen\m@m@h
7175 \ifpackageloaded{multicol}{%
7176 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7177 \hsize\textwidth
7178 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7179 \valign{##}\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7180 }{%
7181 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7182 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7183 \valign{##}\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7184 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
7185 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
7186 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
7187 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
7188 \setbox2 \vsplit0 to \dimen0
7189 \unvbox2 }
7190 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
7191 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7192 \let\@footnotetext\@twocolfootnotetext
7193 \let\@LTRfootnotetext\@twocolLTRfootnotetext
7194 \let\@RTLfootnotetext\@twocolRTLfootnotetext
7195 \dimen\footinsv@r=2\footinsdim
7196 \count\footinsv@r=500\relax
7197 \make@twocol@footgroup{v@r}%
7198 \let\@footgroupv@r\@twocol@footgroupv@r
7199 \let\@mpfootnotetext\@mptwocolfootnotetext
7200 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
7201 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
7202 \make@mptwocol@footgroup{v@r}%
7203 \let\mp@footgroupv@r\@mptwocol@footgroupv@r}
7204 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
7205 \def\baselinestretch{\m@m@footnote@spacing}%
7206 \reset@font\foottextfont
7207 \@preamfntext
7208 \protected@edef\@currentlabel{%
7209 \csname p@footnote\endcsname\@thefnmark}%
7210 \color@begingroup
7211 \@twocolfootfmt{#1}%

```



```

7212 \color@endgroup}%
7213 \m@mmf@prepare}
7214 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
7215 \def\baselinestretch{\m@m@footnote@spacing}%
7216 \reset@font\LTRfoottextfont
7217 \@preamfntext
7218 \protected@edef\@currentlabel{%
7219 \csname p@footnote\endcsname\@thefnmark}%
7220 \color@begingroup
7221 \@twocolLTRfootfmt{#1}%
7222 \color@endgroup}%
7223 \m@mmf@prepare}
7224 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7225 \def\baselinestretch{\m@m@footnote@spacing}%
7226 \reset@font\RTLfoottextfont
7227 \@preamfntext
7228 \protected@edef\@currentlabel{%
7229 \csname p@footnote\endcsname\@thefnmark}%
7230 \color@begingroup
7231 \@twocolRTLfootfmt{#1}%
7232 \color@endgroup}%
7233 \m@mmf@prepare}
7234 \bidi@ensure@newcommand{\@preamtwofmt}{%
7235 \hsize .45\hsize
7236 \parindent=\z@
7237 \tolerance=5000\relax
7238 \leavevmode}
7239 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
7240 \@preamtwofmt
7241 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7242 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
7243 \@preamtwofmt
7244 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7245 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
7246 \@preamtwofmt
7247 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7248 \bidi@ensure@newcommand{\@emptwocolfootnotetext}[1]{%
7249 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7250 \unvbox\@mpfootinsv@r
7251 \def\baselinestretch{\m@m@footnote@spacing}%
7252 \reset@font\foottextfont
7253 \hsize\columnwidth \@parboxrestore
7254 \protected@edef\@currentlabel{%
7255 \csname p@mpfootnote\endcsname\@thefnmark}%
7256 \color@begingroup
7257 \@twocolfootfmt{#1}%
7258 \color@endgroup}%
7259 \m@mmf@prepare}
7260 \bidi@ensure@newcommand{\@emptwocolLTRfootnotetext}[1]{%
7261 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%

```




```

7262 \unvbox\@mpfootinsv@r
7263 \def\baselinestretch{\m@m@footnote@spacing}%
7264 \reset@font\LTRfoottextfont
7265 \hsize\columnwidth \@parboxrestore
7266 \if@RTLcolumnfootnotes\beginL\fi
7267 \protected@edef\@currentlabel{%
7268   \csname p@mpfootnote\endcsname\@thefnmark}%
7269 \color@begingroup
7270 \@twocolLTRfootfmt{#1}%
7271 \color@endgroup}%
7272 \m@mmf@prepare}
7273 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
7274 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7275 \unvbox\@mpfootinsv@r
7276 \def\baselinestretch{\m@m@footnote@spacing}%
7277 \reset@font\RTLfoottextfont
7278 \hsize\columnwidth \@parboxrestore
7279 \protected@edef\@currentlabel{%
7280   \csname p@mpfootnote\endcsname\@thefnmark}%
7281 \color@begingroup
7282 \@twocolRTLfootfmt{#1}%
7283 \color@endgroup}%
7284 \m@mmf@prepare}
7285 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
7286 \m@make@twocolfootnotetext{#1}%
7287 \m@make@mptwocolfootnotetext{#1}%
7288 \m@make@twocolfootfmt{#1}%
7289 \m@make@twocol@footgroup{#1}%
7290 \m@make@mptwocol@footgroup{#1}%
7291 \m@make@footstart{#1}%
7292 \bidi@namelongdef{\footnotetext#1}##1{%
7293   \@nameuse{\@twocolfootnotetext#1}{##1}}%
7294 \bidi@namelongdef{\mpfootnotetext#1}##1{%
7295   \@nameuse{\@mptwocolfootnotetext#1}{##1}}%
7296 \@namedef{\@footgroup#1}{\@nameuse{\@twocol@footgroup#1}}%
7297 \@namedef{\mp@footgroup#1}{\@nameuse{\@mptwocol@footgroup#1}}%
7298 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7299 \expandafter\count\csname footins#1\endcsname=500\relax}
7300 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
7301 \bidi@namelongdef{\@twocolfootnotetext#1}##1{%
7302   \insert\@nameuse{\footins#1}{%
7303     \def\baselinestretch{\m@m@footnote@spacing}%
7304     \reset@font\@nameuse{\foottextfont#1}%
7305     \@preamfntext
7306     \protected@edef\@currentlabel{%
7307       \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
7308     \color@begingroup
7309     \@nameuse{\@twocolfootfmt#1}{##1}%
7310     \color@endgroup}%
7311     \m@mmf@prepare}}

```



```

7312 \bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
7313 \bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
7314 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
7315 \unvbox\@nameuse{@mpfootins#1}
7316 \def\baselinestretch{\m@m@footnote@spacing}%
7317 \reset@font\@nameuse{foottextfont#1}%
7318 \hsize\columnwidth \@parboxrestore
7319 \protected@edef\@currentlabel{%
7320 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
7321 \color@begingroup
7322 \@nameuse{@twocolfootfmt#1}##1}%
7323 \color@endgroup}\m@mmf@prepare}}
7324 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
7325 \@namedef{@twocolfootfmt#1}##1{%
7326 \@preamtwofmt
7327 {\@nameuse{footfootmark#1}\strut
7328 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7329 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
7330 \@namedef{@twocol@footgroup#1}{%
7331 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7332 \m@mrigidbodybalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
7333 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
7334 \@namedef{@mptwocol@footgroup#1}{%
7335 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7336 \m@mrigidbodybalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
7337 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
7338 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7339 \let\@footnotetext\@threecolfootnotetext
7340 \let\@LTRfootnotetext\@threecolLTRfootnotetext
7341 \let\@RTLfootnotetext\@threecolRTLfootnotetext
7342 \dimen\footinsv@r=3\footinsdim
7343 \count\footinsv@r=333\relax
7344 \m@make@threecol@footgroup{v@r}%
7345 \let\@footgroupv@r\@threecol@footgroupv@r
7346 \let\@mpfootnotetext\@mpthreecolfootnotetext
7347 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
7348 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
7349 \m@make@mpthreecol@footgroup{v@r}%
7350 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r}
7351 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
7352 \def\baselinestretch{\m@m@footnote@spacing}%
7353 \reset@font\foottextfont
7354 \@preamfntext
7355 \protected@edef\@currentlabel{%
7356 \csname p@footnote\endcsname\@thefnmark}%
7357 \color@begingroup
7358 \@threecolfootfmt{#1}%
7359 \color@endgroup}\m@mmf@prepare}}
7360 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
7361 \def\baselinestretch{\m@m@footnote@spacing}%

```



```

7362 \reset@font\LTRfoottextfont
7363 \@preamfntext
7364 \protected@edef\@currentlabel{%
7365   \csname p@footnote\endcsname\@thefnmark}%
7366 \color@begingroup
7367   \@threecolLTRfootfmt{#1}%
7368 \color@endgroup}\m@mmf@prepare}
7369 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7370   \def\baselinestretch{\m@m@footnote@spacing}%
7371   \reset@font\RTLfoottextfont
7372   \@preamfntext
7373   \protected@edef\@currentlabel{%
7374     \csname p@footnote\endcsname\@thefnmark}%
7375   \color@begingroup
7376     \@threecolRTLfootfmt{#1}%
7377   \color@endgroup}\m@mmf@prepare}
7378 \bidi@ensure@newcommand{\@preamthreefmt}{%
7379   \hsize .3\hsize
7380   \parindent=\z@
7381   \tolerance=5000\relax
7382   \leavevmode}
7383 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
7384   \@preamthreefmt
7385   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7386 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
7387   \@preamthreefmt
7388   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7389 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
7390   \@preamthreefmt
7391   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7392 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
7393   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7394     \unvbox\@mpfootinsv@r
7395     \def\baselinestretch{\m@m@footnote@spacing}%
7396     \reset@font\foottextfont
7397     \hsize\columnwidth \@parboxrestore
7398     \protected@edef\@currentlabel{%
7399       \csname p@mpfootnote\endcsname\@thefnmark}%
7400     \color@begingroup
7401       \@threecolfootfmt{#1}%
7402     \color@endgroup}\m@mmf@prepare}
7403 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
7404   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7405     \unvbox\@mpfootinsv@r
7406     \def\baselinestretch{\m@m@footnote@spacing}%
7407     \reset@font\LTRfoottextfont
7408     \hsize\columnwidth \@parboxrestore
7409     \if@RTLcolumnfootnotes\beginL\fi
7410     \protected@edef\@currentlabel{%
7411       \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

7412 \color@begingroup
7413   \@threecolLTRfootfmt{#1}%
7414 \color@endgroup}\m@mmf@prepare}
7415 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
7416 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7417   \unvbox\@mpfootinsv@r
7418   \def\baselinestretch{\m@m@footnote@spacing}%
7419   \reset@font\RTLfoottextfont
7420   \hsize\columnwidth \@parboxrestore
7421   \protected@edef\@currentlabel{%
7422     \csname p@mpfootnote\endcsname\@thefnmark}%
7423 \color@begingroup
7424   \@threecolRTLfootfmt{#1}%
7425 \color@endgroup}\m@mmf@prepare}
7426 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
7427 \m@make@threecolfootnotetext{#1}%
7428 \m@make@mpthreecolfootnotetext{#1}%
7429 \m@make@threecolfootfmt{#1}%
7430 \m@make@threecol@footgroup{#1}%
7431 \m@make@mpthreecol@footgroup{#1}%
7432 \m@make@footstart{#1}%
7433 \bidi@namelongdef{\@footnotetext#1}##1{%
7434   \@nameuse{\@threecolfootnotetext#1}##1}%
7435 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
7436   \@nameuse{\@mpthreecolfootnotetext#1}##1}%
7437 \@namedef{\@footgroup#1}{\@nameuse{\@threecol@footgroup#1}}%
7438 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpthreecol@footgroup#1}}%
7439 \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
7440 \expandafter\count\csname footins#1\endcsname=333\relax}
7441 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
7442 \bidi@namelongdef{\@threecolfootnotetext#1}##1{%
7443   \insert\@nameuse{\footins#1}{%
7444     \def\baselinestretch{\m@m@footnote@spacing}%
7445     \reset@font\@nameuse{\foottextfont#1}%
7446     \@preamfntext
7447     \protected@edef\@currentlabel{%
7448       \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
7449 \color@begingroup
7450   \@nameuse{\@threecolfootfmt#1}##1}%
7451 \color@endgroup}\m@mmf@prepare}}
7452 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
7453 \bidi@namelongdef{\@mpthreecolfootnotetext#1}##1{%
7454 \global\setbox\@nameuse{\@mpfootins#1}\vbox{%
7455   \unvbox\@nameuse{\@mpfootins#1}
7456   \def\baselinestretch{\m@m@footnote@spacing}%
7457   \reset@font\@nameuse{\foottextfont#1}%
7458   \hsize\columnwidth \@parboxrestore
7459   \protected@edef\@currentlabel{%
7460     \csname p@mpfootnote#1\endcsname\@nameuse{\@thefnmark#1}}%
7461 \color@begingroup

```



```

7462 \nameuse{@threecolfootfmt#1}{##1}%
7463 \color@endgroup}\m@mmf@prepare}}
7464 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
7465 \bidi@namelongdef{@threecolfootfmt#1}##1{%
7466 \preamthreefmt
7467 {\@nameuse{footfootmark#1}\strut
7468 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7469 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
7470 \namedef{@threecol@footgroup#1}{%
7471 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7472 \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
7473 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
7474 \namedef{@mpthreecol@footgroup#1}{%
7475 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7476 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
7477 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
7478 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
7479 \let\@footnotetext\@fourcolfootnotetext
7480 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
7481 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
7482 \dimen\footinsv@r=4\footinsdim
7483 \count\footinsv@r=250\relax
7484 \m@make@fourcol@footgroup{v@r}%
7485 \let\@footgroupv@r\@fourcol@footgroupv@r
7486 \let\@mpfootnotetext\@mpfourcolfootnotetext
7487 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
7488 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
7489 \m@make@mpfourcol@footgroup{v@r}%
7490 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
7491 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
7492 \def\baselinestretch{\m@m@footnote@spacing}%
7493 \reset@font\foottextfont
7494 \@preamfntext
7495 \protected@edef\@currentlabel{%
7496 \csname p@footnote\endcsname\@thefnmark}%
7497 \color@begingroup
7498 \@fourcolfootfmt{#1}%
7499 \color@endgroup}%
7500 \m@mmf@prepare}
7501 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
7502 \def\baselinestretch{\m@m@footnote@spacing}%
7503 \reset@font\LTRfoottextfont
7504 \@preamfntext
7505 \protected@edef\@currentlabel{%
7506 \csname p@footnote\endcsname\@thefnmark}%
7507 \color@begingroup
7508 \@fourcolLTRfootfmt{#1}%
7509 \color@endgroup}%
7510 \m@mmf@prepare}
7511 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%

```



```

7512 \def\baselinestretch{\m@m@footnote@spacing}%
7513 \reset@font\RTLfoottextfont
7514 \@preamfntext
7515 \protected@edef\@currentlabel{%
7516   \csname p@footnote\endcsname\@thefnmark}%
7517 \color@begingroup
7518   \@fourcolRTLfootfmt{#1}%
7519 \color@endgroup}%
7520 \m@mmf@prepare}
7521 \bidi@ensure@newcommand{\@preamfourfmt}{%
7522   \hsize .25\hsize
7523   \parindent=\z@
7524   \tolerance=5000\relax
7525   \leavevmode}
7526 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
7527   \@preamfourfmt
7528   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7529 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
7530   \@preamfourfmt
7531   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7532 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
7533   \@preamfourfmt
7534   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7535 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
7536   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7537     \unvbox\@mpfootinsv@r
7538     \def\baselinestretch{\m@m@footnote@spacing}%
7539     \reset@font\foottextfont
7540     \hsize\columnwidth \@parboxrestore
7541     \protected@edef\@currentlabel{%
7542       \csname p@mpfootnote\endcsname\@thefnmark}%
7543     \color@begingroup
7544       \@fourcolfootfmt{#1}%
7545     \color@endgroup}%
7546     \m@mmf@prepare}
7547 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
7548   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7549     \unvbox\@mpfootinsv@r
7550     \def\baselinestretch{\m@m@footnote@spacing}%
7551     \reset@font\LTRfoottextfont
7552     \hsize\columnwidth \@parboxrestore
7553     \if@RTLcolumnfootnotes\beginL\fi
7554     \protected@edef\@currentlabel{%
7555       \csname p@mpfootnote\endcsname\@thefnmark}%
7556     \color@begingroup
7557       \@fourcolLTRfootfmt{#1}%
7558     \color@endgroup}%
7559     \m@mmf@prepare}
7560 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
7561   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%

```



```

7562 \unvbox\@mpfootinsv@r
7563 \def\baselinestretch{\m@m@footnote@spacing}%
7564 \reset@font\RTLfoottextfont
7565 \hsize\columnwidth \@parboxrestore
7566 \protected@edef\@currentlabel{%
7567 \csname p@mpfootnote\endcsname\@thefnmark}%
7568 \color@begingroup
7569 \@fourcolRTLfootfmt{#1}%
7570 \color@endgroup}%
7571 \m@mmf@prepare}
7572 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
7573 \m@make@fourcolfootnotetext{#1}%
7574 \m@make@mpfourcolfootnotetext{#1}%
7575 \m@make@fourcolfootfmt{#1}%
7576 \m@make@fourcol@footgroup{#1}%
7577 \m@make@mpfourcol@footgroup{#1}%
7578 \m@make@footstart{#1}%
7579 \bidi@namelongdef{\@footnotetext#1}##1{%
7580 \@nameuse{\@fourcolfootnotetext#1}##1}%
7581 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
7582 \@nameuse{\@mpfourcolfootnotetext#1}##1}%
7583 \@namedef{\@footgroup#1}{\@nameuse{\@fourcol@footgroup#1}}%
7584 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpfourcol@footgroup#1}}%
7585 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7586 \expandafter\count\csname footins#1\endcsname=500\relax}
7587 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
7588 \bidi@namelongdef{\@fourcolfootnotetext#1}##1{%
7589 \insert\@nameuse{footins#1}{%
7590 \def\baselinestretch{\m@m@footnote@spacing}%
7591 \reset@font\@nameuse{foottextfont#1}%
7592 \@preamfntext
7593 \protected@edef\@currentlabel{%
7594 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
7595 \color@begingroup
7596 \@nameuse{\@fourcolfootfmt#1}##1}%
7597 \color@endgroup}%
7598 \m@mmf@prepare}}
7599 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
7600 \bidi@namelongdef{\@mpfourcolfootnotetext#1}##1{%
7601 \global\setbox\@nameuse{\@mpfootins#1}\vbox{%
7602 \unvbox\@nameuse{\@mpfootins#1}
7603 \def\baselinestretch{\m@m@footnote@spacing}%
7604 \reset@font\@nameuse{foottextfont#1}%
7605 \hsize\columnwidth \@parboxrestore
7606 \protected@edef\@currentlabel{%
7607 \csname p@mpfootnote#1\endcsname\@nameuse{\@thefnmark#1}}%
7608 \color@begingroup
7609 \@nameuse{\@fourcolfootfmt#1}##1}%
7610 \color@endgroup}\m@mmf@prepare}}
7611 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%

```



```

7612 \@namedef{@fourcolfootfmt#1}##1{%
7613     \@preamfourfmt
7614     {\@nameuse{footfootmark#1}\strut
7615       {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7616 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
7617     \@namedef{@fourcol@footgroup#1}{%
7618         \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7619         \m@rigrigidbodybalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
7620 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
7621     \@namedef{@mpfourcol@footgroup#1}{%
7622         \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7623         \m@rigrigidbodybalance{\@nameuse{mpfootins#1}}{4}{\splittopskip}}}}
7624 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
7625     \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7626     \let\@footnotetext\@fivecolfootnotetext
7627     \let\@LTRfootnotetext\@fivecolLTRfootnotetext
7628     \let\@RTLfootnotetext\@fivecolRTLfootnotetext
7629     \dimen\footinsv@r=5\footinsdim
7630     \count\footinsv@r=200\relax
7631     \m@make@fivecol@footgroup{v@r}%
7632     \let\@footgroupv@r\@fivecol@footgroupv@r
7633     \let\@mpfootnotetext\@mpfivecolfootnotetext
7634     \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
7635     \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
7636     \m@make@mpfivecol@footgroup{v@r}%
7637     \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
7638 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
7639     \def\baselinestretch{\m@mm@footnote@spacing}%
7640     \reset@font\foottextfont
7641     \@preamfntext
7642     \protected@edef\@currentlabel{%
7643         \csname p@footnote\endcsname\@thefnmark}%
7644     \color@begingroup
7645         \@fivecolfootfmt{#1}%
7646     \color@endgroup}%
7647     \m@mmf@prepare}
7648 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
7649     \def\baselinestretch{\m@mm@footnote@spacing}%
7650     \reset@font\LTRfoottextfont
7651     \@preamfntext
7652     \protected@edef\@currentlabel{%
7653         \csname p@footnote\endcsname\@thefnmark}%
7654     \color@begingroup
7655         \@fivecolLTRfootfmt{#1}%
7656     \color@endgroup}%
7657     \m@mmf@prepare}
7658 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7659     \def\baselinestretch{\m@mm@footnote@spacing}%
7660     \reset@font\RTLfoottextfont
7661     \@preamfntext

```




```

7662 \protected@edef\@currentlabel{%
7663   \csname p@footnote\endcsname\@thefnmark}%
7664   \color@begingroup
7665   \@fivecolRTLfootfmt{#1}%
7666   \color@endgroup}%
7667   \m@mmf@prepare}
7668 \bidi@ensure@newcommand{\@preamfivefmt}{%
7669   \hsize .2\hsize
7670   \parindent=\z@
7671   \tolerance=5000\relax
7672   \leavevmode}
7673 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
7674   \@preamfivefmt
7675   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7676 \bidi@ensure@newcommand{\@fivecollTRfootfmt}[1]{%
7677   \@preamfivefmt
7678   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7679 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
7680   \@preamfivefmt
7681   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7682 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
7683   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7684     \unvbox\@mpfootinsv@r
7685     \def\baselinestretch{\m@m@footnote@spacing}%
7686     \reset@font\foottextfont
7687     \hsize\columnwidth \@parboxrestore
7688     \protected@edef\@currentlabel{%
7689       \csname p@mpfootnote\endcsname\@thefnmark}%
7690     \color@begingroup
7691     \@fivecolfootfmt{#1}%
7692     \color@endgroup}%
7693     \m@mmf@prepare}
7694 \bidi@ensure@newcommand{\@mpfivecollTRfootnotetext}[1]{%
7695   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7696     \unvbox\@mpfootinsv@r
7697     \def\baselinestretch{\m@m@footnote@spacing}%
7698     \reset@font\LTRfoottextfont
7699     \hsize\columnwidth \@parboxrestore
7700     \if@RTLcolumnfootnotes\beginL\fi
7701     \protected@edef\@currentlabel{%
7702       \csname p@mpfootnote\endcsname\@thefnmark}%
7703     \color@begingroup
7704     \@fivecollTRfootfmt{#1}%
7705     \color@endgroup}%
7706     \m@mmf@prepare}
7707 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
7708   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7709     \unvbox\@mpfootinsv@r
7710     \def\baselinestretch{\m@m@footnote@spacing}%
7711     \reset@font\RTLfoottextfont

```



```

7712 \hsize\columnwidth \@parboxrestore
7713 \protected@edef\@currentlabel{%
7714 \csname p@mpfootnote\endcsname\@thefnmark}%
7715 \color@begingroup
7716 \@fivecolRTLfootfmt{#1}%
7717 \color@endgroup}%
7718 \m@mmf@prepare}
7719 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
7720 \m@make@fivecolfootnotetext{#1}%
7721 \m@make@mpfivecolfootnotetext{#1}%
7722 \m@make@fivecolfootfmt{#1}%
7723 \m@make@fivecol@footgroup{#1}%
7724 \m@make@mpfivecol@footgroup{#1}%
7725 \m@make@footstart{#1}%
7726 \bidi@namelongdef{\footnotetext#1}##1{%
7727 \@nameuse{\@fivecolfootnotetext#1}{##1}}%
7728 \bidi@namelongdef{\mpfootnotetext#1}##1{%
7729 \@nameuse{\@mpfivecolfootnotetext#1}{##1}}%
7730 \@namedef{\@footgroup#1}{\@nameuse{\@fivecol@footgroup#1}}%
7731 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpfivecol@footgroup#1}}%
7732 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7733 \expandafter\count\csname footins#1\endcsname=500\relax}
7734 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
7735 \bidi@namelongdef{\@fivecolfootnotetext#1}##1{%
7736 \insert\@nameuse{footins#1}{%
7737 \def\baselinestretch{\m@m@footnote@spacing}%
7738 \reset@font\@nameuse{foottextfont#1}%
7739 \@preamfntext
7740 \protected@edef\@currentlabel{%
7741 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
7742 \color@begingroup
7743 \@nameuse{\@fivecolfootfmt#1}{##1}%
7744 \color@endgroup}%
7745 \m@mmf@prepare}}
7746 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
7747 \bidi@namelongdef{\@mpfivecolfootnotetext#1}##1{%
7748 \global\setbox\@nameuse{\mpfootins#1}\vbox{%
7749 \unvbox\@nameuse{\mpfootins#1}
7750 \def\baselinestretch{\m@m@footnote@spacing}%
7751 \reset@font\@nameuse{foottextfont#1}%
7752 \hsize\columnwidth \@parboxrestore
7753 \protected@edef\@currentlabel{%
7754 \csname p@mpfootnote#1\endcsname\@nameuse{\@thefnmark#1}}%
7755 \color@begingroup
7756 \@nameuse{\@fivecolfootfmt#1}{##1}%
7757 \color@endgroup}\m@mmf@prepare}}
7758 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
7759 \@namedef{\@fivecolfootfmt#1}##1{%
7760 \@preamfivefmt
7761 {\@nameuse{footfootmark#1}}\strut

```



```

7762      {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7763 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
7764   \@namedef{\@fivecol@footgroup#1}{%
7765     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7766     \m@rigrigidbodybalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
7767 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
7768   \@namedef{\@mpfivecol@footgroup#1}{%
7769     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7770     \m@rigrigidbodybalance{\@nameuse{\@mpfootins#1}}{5}{\splittopskip}}}}
7771 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
7772   \@namedef{\foottextfontv@r}{\foottextfont}% % [RS]
7773   \let\@footnotetext\@sixcolfootnotetext
7774   \let\@LTRfootnotetext\@sixcolLTRfootnotetext
7775   \let\@RTLfootnotetext\@sixcolRTLfootnotetext
7776   \dimen\footinsv@r=6\footinsdim
7777   \count\footinsv@r=166\relax
7778   \m@make@sixcol@footgroup{v@r}%
7779   \let\@footgroupv@r\@sixcol@footgroupv@r
7780   \let\@mpfootnotetext\@mpsixcolfootnotetext
7781   \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
7782   \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
7783   \m@make@mpsixcol@footgroup{v@r}%
7784   \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
7785 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
7786   \def\baselinestretch{\m@m@footnote@spacing}%
7787   \reset@font\foottextfont
7788   \@preamfntext
7789   \protected@edef\@currentlabel{%
7790     \csname p@footnote\endcsname\@thefnmark}%
7791   \color@begingroup
7792     \@sixcolfootfmt{#1}%
7793   \color@endgroup}%
7794   \m@mmf@prepare}
7795 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
7796   \def\baselinestretch{\m@m@footnote@spacing}%
7797   \reset@font\LTRfoottextfont
7798   \@preamfntext
7799   \protected@edef\@currentlabel{%
7800     \csname p@footnote\endcsname\@thefnmark}%
7801   \color@begingroup
7802     \@sixcolLTRfootfmt{#1}%
7803   \color@endgroup}%
7804   \m@mmf@prepare}
7805 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7806   \def\baselinestretch{\m@m@footnote@spacing}%
7807   \reset@font\RTLfoottextfont
7808   \@preamfntext
7809   \protected@edef\@currentlabel{%
7810     \csname p@footnote\endcsname\@thefnmark}%
7811   \color@begingroup

```



```

7812 \sixcolRTLfootfmt{#1}%
7813 \color@endgroup}%
7814 \m@mmf@prepare}
7815 \bidi@ensure@newcommand{\@preamsixfmt}{%
7816 \hsize .16\hsize
7817 \parindent=\z@
7818 \tolerance=5000\relax
7819 \leavevmode}
7820 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
7821 \@preamsixfmt
7822 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7823 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
7824 \@preamsixfmt
7825 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7826 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
7827 \@preamsixfmt
7828 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7829 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse}%
7830 \global\setbox\@mpfootinsv@r\vbox{%
7831 \unvbox\@mpfootinsv@r
7832 \def\baselinestretch{\m@m@footnote@spacing}%
7833 \reset@font\foottextfont
7834 \hsize\columnwidth \@parboxrestore
7835 \protected@edef\@currentlabel{%
7836 \csname p@mpfootnote\endcsname\@thefnmark}%
7837 \color@begingroup
7838 \sixcolfootfmt{#1}%
7839 \color@endgroup}%
7840 \m@mmf@prepare}
7841 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse}%
7842 \global\setbox\@mpfootinsv@r\vbox{%
7843 \unvbox\@mpfootinsv@r
7844 \def\baselinestretch{\m@m@footnote@spacing}%
7845 \reset@font\LTRfoottextfont
7846 \hsize\columnwidth \@parboxrestore
7847 \if@RTLcolumnfootnotes\beginL\fi
7848 \protected@edef\@currentlabel{%
7849 \csname p@mpfootnote\endcsname\@thefnmark}%
7850 \color@begingroup
7851 \sixcolLTRfootfmt{#1}%
7852 \color@endgroup}%
7853 \m@mmf@prepare}
7854 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue}%
7855 \global\setbox\@mpfootinsv@r\vbox{%
7856 \unvbox\@mpfootinsv@r
7857 \def\baselinestretch{\m@m@footnote@spacing}%
7858 \reset@font\RTLfoottextfont
7859 \hsize\columnwidth \@parboxrestore
7860 \protected@edef\@currentlabel{%
7861 \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

7862 \color@begingroup
7863   \@sixcolRTLfootfmt{#1}%
7864 \color@endgroup}%
7865 \m@mmf@prepare}
7866 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
7867   \m@make@sixcolfootnotetext{#1}%
7868   \m@make@mpsixcolfootnotetext{#1}%
7869   \m@make@sixcolfootfmt{#1}%
7870   \m@make@sixcol@footgroup{#1}%
7871   \m@make@mpsixcol@footgroup{#1}%
7872   \m@make@footstart{#1}%
7873   \bidi@namelongdef{\footnotetext#1}##1{%
7874     \@nameuse{@sixcolfootnotetext#1}{##1}}%
7875   \bidi@namelongdef{\mpfootnotetext#1}##1{%
7876     \@nameuse{@mpsixcolfootnotetext#1}{##1}}%
7877   \@namedef{\footgroup#1}{\@nameuse{@sixcol@footgroup#1}}%
7878   \@namedef{\mp@footgroup#1}{\@nameuse{@mpsixcol@footgroup#1}}%
7879   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7880   \expandafter\count\csname footins#1\endcsname=500\relax}
7881 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
7882   \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
7883     \insert\@nameuse{footins#1}{%
7884       \def\baselinestretch{\m@m@footnote@spacing}%
7885       \reset@font\@nameuse{foottextfont#1}%
7886       \@preamfntext
7887       \protected@edef\@currentlabel{%
7888         \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
7889       \color@begingroup
7890         \@nameuse{@sixcolfootfmt#1}{##1}%
7891       \color@endgroup}%
7892       \m@mmf@prepare}}
7893 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
7894   \bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
7895     \global\setbox\@nameuse{@mpfootins#1}\vbox{%
7896       \unvbox\@nameuse{@mpfootins#1}
7897       \def\baselinestretch{\m@m@footnote@spacing}%
7898       \reset@font\@nameuse{foottextfont#1}%
7899       \hsize\columnwidth \@parboxrestore
7900       \protected@edef\@currentlabel{%
7901         \csname p@mpfootnote#1\endcsname \@nameuse{@thefnmark#1}}%
7902       \color@begingroup
7903         \@nameuse{@sixcolfootfmt#1}{##1}%
7904       \color@endgroup}\m@mmf@prepare}}
7905 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
7906   \@namedef{@sixcolfootfmt#1}##1{%
7907     \@preamsixfmt
7908     {\@nameuse{footfootmark#1}\strut
7909      {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7910 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
7911   \@namedef{@sixcol@footgroup#1}{%

```



```

7912 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7913 \m@rigrigidbodybalance{\nameuse{footins#1}}{6}{\splittopskip}}}}
7914 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
7915 \namedef{@mpsixcol@footgroup#1}{%
7916 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7917 \m@rigrigidbodybalance{\nameuse{mpfootins#1}}{6}{\splittopskip}}}}
7918 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
7919 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
7920 \let\@footnotetext\@sevendcolfootnotetext
7921 \let\@LTRfootnotetext\@sevendcolLTRfootnotetext
7922 \let\@RTLfootnotetext\@sevendcolRTLfootnotetext
7923 \dimen\footinsv@r=7\footinsdim
7924 \count\footinsv@r=142\relax
7925 \m@make@sevendcol@footgroup{v@r}%
7926 \let\@footgroupv@r\@sevendcol@footgroupv@r
7927 \let\@mpfootnotetext\@mpsevendcolfootnotetext
7928 \let\@mpLTRfootnotetext\@mpsevendcolLTRfootnotetext
7929 \let\@mpRTLfootnotetext\@mpsevendcolRTLfootnotetext
7930 \m@make@mpsevendcol@footgroup{v@r}%
7931 \let\@mp@footgroupv@r\@mpsevendcol@footgroupv@r}
7932 \bidi@ensure@newcommand{\@sevendcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
7933 \def\baselinestretch{\m@mm@footnote@spacing}%
7934 \reset@font\foottextfont
7935 \@preamfntext
7936 \protected@edef\@currentlabel{%
7937 \csname p@footnote\endcsname\@thefnmark}%
7938 \color@begingroup
7939 \@sevendcolfootfmt{#1}%
7940 \color@endgroup}%
7941 \m@mmf@prepare}
7942 \bidi@ensure@newcommand{\@sevendcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
7943 \def\baselinestretch{\m@mm@footnote@spacing}%
7944 \reset@font\LTRfoottextfont
7945 \@preamfntext
7946 \protected@edef\@currentlabel{%
7947 \csname p@footnote\endcsname\@thefnmark}%
7948 \color@begingroup
7949 \@sevendcolLTRfootfmt{#1}%
7950 \color@endgroup}%
7951 \m@mmf@prepare}
7952 \bidi@ensure@newcommand{\@sevendcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7953 \def\baselinestretch{\m@mm@footnote@spacing}%
7954 \reset@font\RTLfoottextfont
7955 \@preamfntext
7956 \protected@edef\@currentlabel{%
7957 \csname p@footnote\endcsname\@thefnmark}%
7958 \color@begingroup
7959 \@sevendcolRTLfootfmt{#1}%
7960 \color@endgroup}%
7961 \m@mmf@prepare}

```



```

7962 \bidi@ensure@newcommand{\@preamsevenfmt}{%
7963   \hsize .142\hsize
7964   \parindent=\z@
7965   \tolerance=5000\relax
7966   \leavevmode}
7967 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
7968   \@preamsevenfmt
7969   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7970 \bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
7971   \@preamsevenfmt
7972   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7973 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
7974   \@preamsevenfmt
7975   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7976 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse%
7977   \global\setbox\@mpfootinsv@r\vbox{%
7978     \unvbox\@mpfootinsv@r
7979     \def\baselinestretch{\m@m@footnote@spacing}%
7980     \reset@font\foottextfont
7981     \hsize\columnwidth \@parboxrestore
7982     \protected@edef\@currentlabel{%
7983       \csname p@mpfootnote\endcsname\@thefnmark}%
7984     \color@begingroup
7985       \@sevencolfootfmt{#1}%
7986     \color@endgroup}%
7987   \m@mmf@prepare}
7988 \bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
7989   \global\setbox\@mpfootinsv@r\vbox{%
7990     \unvbox\@mpfootinsv@r
7991     \def\baselinestretch{\m@m@footnote@spacing}%
7992     \reset@font\LTRfoottextfont
7993     \hsize\columnwidth \@parboxrestore
7994     \if@RTLcolumnfootnotes\beginL\fi
7995     \protected@edef\@currentlabel{%
7996       \csname p@mpfootnote\endcsname\@thefnmark}%
7997     \color@begingroup
7998       \@sevencolLTRfootfmt{#1}%
7999     \color@endgroup}%
8000   \m@mmf@prepare}
8001 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
8002   \global\setbox\@mpfootinsv@r\vbox{%
8003     \unvbox\@mpfootinsv@r
8004     \def\baselinestretch{\m@m@footnote@spacing}%
8005     \reset@font\RTLfoottextfont
8006     \hsize\columnwidth \@parboxrestore
8007     \protected@edef\@currentlabel{%
8008       \csname p@mpfootnote\endcsname\@thefnmark}%
8009     \color@begingroup
8010       \@sevencolRTLfootfmt{#1}%
8011     \color@endgroup}%

```



```

8012 \m@mmf@prepare}
8013 \bidi@ensure@newcommand{\sevendcolumnfootstyle}[1]{%
8014 \m@make@sevendcolfootnotetext{#1}%
8015 \m@make@mpsevendcolfootnotetext{#1}%
8016 \m@make@sevendcolfootfmt{#1}%
8017 \m@make@sevendcol@footgroup{#1}%
8018 \m@make@mpsevendcol@footgroup{#1}%
8019 \m@make@footstart{#1}%
8020 \bidi@namelongdef{@footnotetext#1}##1{%
8021 \@nameuse{@sevendcolfootnotetext#1}{##1}}%
8022 \bidi@namelongdef{@mpfootnotetext#1}##1{%
8023 \@nameuse{@mpsevendcolfootnotetext#1}{##1}}%
8024 \@namedef{@footgroup#1}{\@nameuse{@sevendcol@footgroup#1}}%
8025 \@namedef{mp@footgroup#1}{\@nameuse{@mpsevendcol@footgroup#1}}%
8026 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8027 \expandafter\count\csname footins#1\endcsname=500\relax}
8028 \bidi@ensure@newcommand{\m@make@sevendcolfootnotetext}[1]{%
8029 \bidi@namelongdef{@sevendcolfootnotetext#1}##1{%
8030 \insert\@nameuse{footins#1}{%
8031 \def\baselinestretch{\m@m@footnote@spacing}%
8032 \reset@font\@nameuse{foottextfont#1}%
8033 \@preamfntext
8034 \protected@edef\@currentlabel{%
8035 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8036 \color@begingroup
8037 \@nameuse{@sevendcolfootfmt#1}{##1}%
8038 \color@endgroup}%
8039 \m@mmf@prepare}}
8040 \bidi@ensure@newcommand{\m@make@mpsevendcolfootnotetext}[1]{%
8041 \bidi@namelongdef{@mpsevendcolfootnotetext#1}##1{%
8042 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8043 \unvbox\@nameuse{@mpfootins#1}
8044 \def\baselinestretch{\m@m@footnote@spacing}%
8045 \reset@font\@nameuse{foottextfont#1}%
8046 \hsize\columnwidth \@parboxrestore
8047 \protected@edef\@currentlabel{%
8048 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8049 \color@begingroup
8050 \@nameuse{@sevendcolfootfmt#1}{##1}%
8051 \color@endgroup}\m@mmf@prepare}}
8052 \bidi@ensure@newcommand{\m@make@sevendcolfootfmt}[1]{%
8053 \@namedef{@sevendcolfootfmt#1}##1{%
8054 \@preamsevenfmt
8055 {\@nameuse{footfootmark#1}\strut
8056 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8057 \bidi@ensure@newcommand{\m@make@sevendcol@footgroup}[1]{%
8058 \@namedef{@sevendcol@footgroup#1}{%
8059 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8060 \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}%
8061 \bidi@ensure@newcommand{\m@make@mpsevendcol@footgroup}[1]{%

```




```

8062 \@namedef{@mpsevencol@footgroup#1}{%
8063   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8064   \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}%
8065 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
8066   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8067   \let\@footnotetext\@eightcolfootnotetext
8068   \let\@LTRfootnotetext\@eightcolLTRfootnotetext
8069   \let\@RTLfootnotetext\@eightcolRTLfootnotetext
8070   \dimen\footinsv@r=8\footinsdim
8071   \count\footinsv@r=125\relax
8072   \m@make@eightcol@footgroup{v@r}%
8073   \let\@footgroupv@r\@eightcol@footgroupv@r
8074   \let\@mpfootnotetext\@mpeightcolfootnotetext
8075   \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
8076   \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
8077   \m@make@mpeightcol@footgroup{v@r}%
8078   \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
8079 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8080   \def\baselinestretch{\m@m@footnote@spacing}%
8081   \reset@font\foottextfont
8082   \@preamfntext
8083   \protected@edef\@currentlabel{%
8084     \csname p@footnote\endcsname\@thefnmark}%
8085   \color@begingroup
8086     \@eightcolfootfmt{#1}%
8087   \color@endgroup}%
8088   \m@mmf@prepare}
8089 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
8090   \def\baselinestretch{\m@m@footnote@spacing}%
8091   \reset@font\LTRfoottextfont
8092   \@preamfntext
8093   \protected@edef\@currentlabel{%
8094     \csname p@footnote\endcsname\@thefnmark}%
8095   \color@begingroup
8096     \@eightcolLTRfootfmt{#1}%
8097   \color@endgroup}%
8098   \m@mmf@prepare}
8099 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8100   \def\baselinestretch{\m@m@footnote@spacing}%
8101   \reset@font\RTLfoottextfont
8102   \@preamfntext
8103   \protected@edef\@currentlabel{%
8104     \csname p@footnote\endcsname\@thefnmark}%
8105   \color@begingroup
8106     \@eightcolRTLfootfmt{#1}%
8107   \color@endgroup}%
8108   \m@mmf@prepare}
8109 \bidi@ensure@newcommand{\@preameightfmt}{%
8110   \hsize .125\hsize
8111   \parindent=\z@

```



```

8112 \tolerance=5000\relax
8113 \leavevmode}
8114 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
8115 \@preameightfmt
8116 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8117 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
8118 \@preameightfmt
8119 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8120 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
8121 \@preameightfmt
8122 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8123 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
8124 \global\setbox\@mpfootinsv\@r\@vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8125 \unvbox\@mpfootinsv\@r
8126 \def\baselinestretch{\m@m@footnote@spacing}%
8127 \reset@font\foottextfont
8128 \hsize\columnwidth \@parboxrestore
8129 \protected@edef\@currentlabel{%
8130 \csname p@mpfootnote\endcsname\@thefnmark}%
8131 \color@begingroup
8132 \@eightcolfootfmt{#1}%
8133 \color@endgroup}%
8134 \m@mmf@prepare}
8135 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
8136 \global\setbox\@mpfootinsv\@r\@vbox{\@RTLfalse%
8137 \unvbox\@mpfootinsv\@r
8138 \def\baselinestretch{\m@m@footnote@spacing}%
8139 \reset@font\LTRfoottextfont
8140 \hsize\columnwidth \@parboxrestore
8141 \if@RTLcolumnfootnotes\beginL\fi
8142 \protected@edef\@currentlabel{%
8143 \csname p@mpfootnote\endcsname\@thefnmark}%
8144 \color@begingroup
8145 \@eightcolLTRfootfmt{#1}%
8146 \color@endgroup}%
8147 \m@mmf@prepare}
8148 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
8149 \global\setbox\@mpfootinsv\@r\@vbox{\@RTLtrue%
8150 \unvbox\@mpfootinsv\@r
8151 \def\baselinestretch{\m@m@footnote@spacing}%
8152 \reset@font\RTLfoottextfont
8153 \hsize\columnwidth \@parboxrestore
8154 \protected@edef\@currentlabel{%
8155 \csname p@mpfootnote\endcsname\@thefnmark}%
8156 \color@begingroup
8157 \@eightcolRTLfootfmt{#1}%
8158 \color@endgroup}%
8159 \m@mmf@prepare}
8160 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
8161 \m@make@eightcolfootnotetext{#1}%

```



```

8162 \m@make@mpeightcolfootnotetext{#1}%
8163 \m@make@eightcolfootfmt{#1}%
8164 \m@make@eightcol@footgroup{#1}%
8165 \m@make@mpeightcol@footgroup{#1}%
8166 \m@make@footstart{#1}%
8167 \bidi@namelongdef{@footnotetext#1}##1{%
8168   \@nameuse{@eightcolfootnotetext#1}{##1}}%
8169 \bidi@namelongdef{@mpfootnotetext#1}##1{%
8170   \@nameuse{@mpeightcolfootnotetext#1}{##1}}%
8171 \@namedef{@footgroup#1}{\@nameuse{@eightcol@footgroup#1}}%
8172 \@namedef{mp@footgroup#1}{\@nameuse{@mpeightcol@footgroup#1}}%
8173 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8174 \expandafter\count\csname footins#1\endcsname=500\relax}
8175 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
8176   \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
8177     \insert\@nameuse{footins#1}{%
8178       \def\baselinestretch{\m@m@footnote@spacing}%
8179       \reset@font\@nameuse{foottextfont#1}%
8180       \@preamfntext
8181       \protected@edef\@currentlabel{%
8182         \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8183       \color@begingroup
8184         \@nameuse{@eightcolfootfmt#1}{##1}%
8185       \color@endgroup}%
8186     \m@m@mmf@prepare}}
8187 \bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
8188   \bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
8189     \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8190       \unvbox\@nameuse{@mpfootins#1}
8191       \def\baselinestretch{\m@m@footnote@spacing}%
8192       \reset@font\@nameuse{foottextfont#1}%
8193       \hsize\columnwidth \@parboxrestore
8194       \protected@edef\@currentlabel{%
8195         \csname p@mpfootnote#1\endcsname \@nameuse{@thefnmark#1}}%
8196       \color@begingroup
8197         \@nameuse{@eightcolfootfmt#1}{##1}%
8198       \color@endgroup}\m@m@mmf@prepare}}
8199 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
8200   \@namedef{@eightcolfootfmt#1}##1{%
8201     \@preameightfmt
8202     {\@nameuse{footfootmark#1}\strut
8203      {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8204 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
8205   \@namedef{@eightcol@footgroup#1}{%
8206     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8207     \m@m@rigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
8208 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
8209   \@namedef{@mpeightcol@footgroup#1}{%
8210     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8211     \m@m@rigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}}

```



```

8212 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
8213   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8214   \let\@footnotetext\@ninecolfootnotetext
8215   \let\@LTRfootnotetext\@ninecolLTRfootnotetext
8216   \let\@RTLfootnotetext\@ninecolRTLfootnotetext
8217   \dimen\footinsv@r=9\footinsdim
8218   \count\footinsv@r=111\relax
8219   \m@make@ninecol@footgroup{v@r}%
8220   \let\@footgroupv@r\@ninecol@footgroupv@r
8221   \let\@mpfootnotetext\@mpninecolfootnotetext
8222   \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
8223   \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
8224   \m@make@mpninecol@footgroup{v@r}%
8225   \let\mp@footgroupv@r\@mpninecol@footgroupv@r}
8226 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
8227   \def\baselinestretch{\m@mm@footnote@spacing}%
8228   \reset@font\foottextfont
8229   \@preamfntext
8230   \protected@edef\@currentlabel{%
8231     \csname p@footnote\endcsname\@thefnmark}%
8232   \color@begingroup
8233     \@ninecolfootfmt{#1}%
8234   \color@endgroup}%
8235   \m@mmf@prepare}
8236 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
8237   \def\baselinestretch{\m@mm@footnote@spacing}%
8238   \reset@font\LTRfoottextfont
8239   \@preamfntext
8240   \protected@edef\@currentlabel{%
8241     \csname p@footnote\endcsname\@thefnmark}%
8242   \color@begingroup
8243     \@ninecolLTRfootfmt{#1}%
8244   \color@endgroup}%
8245   \m@mmf@prepare}
8246 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8247   \def\baselinestretch{\m@mm@footnote@spacing}%
8248   \reset@font\RTLfoottextfont
8249   \@preamfntext
8250   \protected@edef\@currentlabel{%
8251     \csname p@footnote\endcsname\@thefnmark}%
8252   \color@begingroup
8253     \@ninecolRTLfootfmt{#1}%
8254   \color@endgroup}%
8255   \m@mmf@prepare}
8256 \bidi@ensure@newcommand{\@preamninefmt}{%
8257   \hsize .1\hsize
8258   \parindent=\z@
8259   \tolerance=5000\relax
8260   \leavevmode}
8261 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%

```



```

8262 \@preamninefmt
8263 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8264 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
8265 \@preamninefmt
8266 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8267 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
8268 \@preamninefmt
8269 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8270 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
8271 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8272 \unvbox\@mpfootinsv@r
8273 \def\baselinestretch{\m@m@footnote@spacing}%
8274 \reset@font\foottextfont
8275 \hsize\columnwidth \@parboxrestore
8276 \protected@edef\@currentlabel{%
8277 \csname p@mpfootnote\endcsname\@thefnmark}%
8278 \color@begingroup
8279 \@ninecolfootfmt{#1}%
8280 \color@endgroup}%
8281 \m@mmf@prepare}
8282 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
8283 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8284 \unvbox\@mpfootinsv@r
8285 \def\baselinestretch{\m@m@footnote@spacing}%
8286 \reset@font\LTRfoottextfont
8287 \hsize\columnwidth \@parboxrestore
8288 \if@RTLcolumnfootnotes\beginL\fi
8289 \protected@edef\@currentlabel{%
8290 \csname p@mpfootnote\endcsname\@thefnmark}%
8291 \color@begingroup
8292 \@ninecolLTRfootfmt{#1}%
8293 \color@endgroup}%
8294 \m@mmf@prepare}
8295 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
8296 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8297 \unvbox\@mpfootinsv@r
8298 \def\baselinestretch{\m@m@footnote@spacing}%
8299 \reset@font\RTLfoottextfont
8300 \hsize\columnwidth \@parboxrestore
8301 \protected@edef\@currentlabel{%
8302 \csname p@mpfootnote\endcsname\@thefnmark}%
8303 \color@begingroup
8304 \@ninecolRTLfootfmt{#1}%
8305 \color@endgroup}%
8306 \m@mmf@prepare}
8307 \bidi@ensure@newcommand{\@ninecolumnfootstyle}[1]{%
8308 \m@make@ninecolfootnotetext{#1}%
8309 \m@make@mpninecolfootnotetext{#1}%
8310 \m@make@ninecolfootfmt{#1}%
8311 \m@make@ninecol@footgroup{#1}%

```



```

8312 \m@make@mpninecol@footgroup{#1}%
8313 \m@make@footstart{#1}%
8314 \bidi@namelongdef{@footnotetext#1}##1{%
8315   \@nameuse{@ninecolfootnotetext#1}{##1}}%
8316 \bidi@namelongdef{@mpfootnotetext#1}##1{%
8317   \@nameuse{@mpninecolfootnotetext#1}{##1}}%
8318 \@namedef{@footgroup#1}{\@nameuse{@ninecol@footgroup#1}}%
8319 \@namedef{@mp@footgroup#1}{\@nameuse{@mpninecol@footgroup#1}}%
8320 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8321 \expandafter\count\csname footins#1\endcsname=500\relax}
8322 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
8323   \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
8324     \insert\@nameuse{footins#1}{%
8325       \def\baselinestretch{\m@m@footnote@spacing}%
8326       \reset@font\@nameuse{foottextfont#1}%
8327       \@preamfntext
8328       \protected@edef\@currentlabel{%
8329         \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8330       \color@begingroup
8331       \@nameuse{@ninecolfootfmt#1}{##1}%
8332       \color@endgroup}%
8333       \m@mmf@prepare}}
8334 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
8335   \bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
8336     \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8337       \unvbox\@nameuse{@mpfootins#1}
8338       \def\baselinestretch{\m@m@footnote@spacing}%
8339       \reset@font\@nameuse{foottextfont#1}%
8340       \hsize\columnwidth \@parboxrestore
8341       \protected@edef\@currentlabel{%
8342         \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8343       \color@begingroup
8344       \@nameuse{@ninecolfootfmt#1}{##1}%
8345       \color@endgroup}\m@mmf@prepare}}
8346 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
8347   \@namedef{@ninecolfootfmt#1}##1{%
8348     \@preamninefmt
8349     {\@nameuse{footfootmark#1}\strut
8350      {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8351 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
8352   \@namedef{@ninecol@footgroup#1}{%
8353     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8354     \m@mrigidbodybalance{\@nameuse{footins#1}}{9}{\splittopskip}}}%
8355 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
8356   \@namedef{@mpninecol@footgroup#1}{%
8357     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8358     \m@mrigidbodybalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}%
8359 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
8360   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8361   \let\@footnotetext\@tencolfootnotetext

```



```

8362 \let\@LTRfootnotetext\@tencolLTRfootnotetext
8363 \let\@RTLfootnotetext\@tencolRTLfootnotetext
8364 \dimen\footinsv@r=10\footinsdim
8365 \count\footinsv@r=100\relax
8366 \m@make@tencol@footgroup{v@r}%
8367 \let\@footgroupv@r\@tencol@footgroupv@r
8368 \let\@mpfootnotetext\@mptencolfootnotetext
8369 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
8370 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
8371 \m@make@mptencol@footgroup{v@r}%
8372 \let\mp@footgroupv@r\@mptencol@footgroupv@r
8373 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
8374 \def\baselinestretch{\m@m@footnote@spacing}%
8375 \reset@font\foottextfont
8376 \@preamfntext
8377 \protected@edef\@currentlabel{%
8378 \csname p@footnote\endcsname\@thefnmark}%
8379 \color@begingroup
8380 \@tencolfootfmt{#1}%
8381 \color@endgroup}%
8382 \m@mmf@prepare}
8383 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
8384 \def\baselinestretch{\m@m@footnote@spacing}%
8385 \reset@font\LTRfoottextfont
8386 \@preamfntext
8387 \protected@edef\@currentlabel{%
8388 \csname p@footnote\endcsname\@thefnmark}%
8389 \color@begingroup
8390 \@tencolLTRfootfmt{#1}%
8391 \color@endgroup}%
8392 \m@mmf@prepare}
8393 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8394 \def\baselinestretch{\m@m@footnote@spacing}%
8395 \reset@font\RTLfoottextfont
8396 \@preamfntext
8397 \protected@edef\@currentlabel{%
8398 \csname p@footnote\endcsname\@thefnmark}%
8399 \color@begingroup
8400 \@tencolRTLfootfmt{#1}%
8401 \color@endgroup}%
8402 \m@mmf@prepare}
8403 \bidi@ensure@newcommand{\@preamtenfmt}{%
8404 \hsize .1\hsize
8405 \parindent=\z@
8406 \tolerance=5000\relax
8407 \leavevmode}
8408 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
8409 \@preamtenfmt
8410 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8411 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%

```



```

8412 \@preamtenfmt
8413 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8414 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
8415 \@preamtenfmt
8416 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8417 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
8418 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8419 \unvbox\@mpfootinsv@r
8420 \def\baselinestretch{\m@m@footnote@spacing}%
8421 \reset@font\foottextfont
8422 \hsize\columnwidth \@parboxrestore
8423 \protected@edef\@currentlabel{%
8424 \csname p@mpfootnote\endcsname\@thefnmark}%
8425 \color@begingroup
8426 \@tencolfootfmt{#1}%
8427 \color@endgroup}%
8428 \m@mmf@prepare}
8429 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
8430 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8431 \unvbox\@mpfootinsv@r
8432 \def\baselinestretch{\m@m@footnote@spacing}%
8433 \reset@font\LTRfoottextfont
8434 \hsize\columnwidth \@parboxrestore
8435 \if@RTLcolumnfootnotes\beginL\fi
8436 \protected@edef\@currentlabel{%
8437 \csname p@mpfootnote\endcsname\@thefnmark}%
8438 \color@begingroup
8439 \@tencolLTRfootfmt{#1}%
8440 \color@endgroup}%
8441 \m@mmf@prepare}
8442 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
8443 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8444 \unvbox\@mpfootinsv@r
8445 \def\baselinestretch{\m@m@footnote@spacing}%
8446 \reset@font\RTLfoottextfont
8447 \hsize\columnwidth \@parboxrestore
8448 \protected@edef\@currentlabel{%
8449 \csname p@mpfootnote\endcsname\@thefnmark}%
8450 \color@begingroup
8451 \@tencolRTLfootfmt{#1}%
8452 \color@endgroup}%
8453 \m@mmf@prepare}
8454 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
8455 \m@make@tencolfootnotetext{#1}%
8456 \m@make@mptencolfootnotetext{#1}%
8457 \m@make@tencolfootfmt{#1}%
8458 \m@make@tencol@footgroup{#1}%
8459 \m@make@mptencol@footgroup{#1}%
8460 \m@make@footstart{#1}%
8461 \bidi@namelongdef{\footnotetext#1}##1{%

```




```

8462 \nameuse{@tencolfootnotetext#1}{##1}}%
8463 \bidi@namelongdef{@mpfootnotetext#1}{##1}{%
8464 \nameuse{@mptencolfootnotetext#1}{##1}}%
8465 \@namedef{@footgroup#1}{\nameuse{@tencol@footgroup#1}}%
8466 \@namedef{@mp@footgroup#1}{\nameuse{@mptencol@footgroup#1}}%
8467 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8468 \expandafter\count\csname footins#1\endcsname=500\relax}
8469 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
8470 \bidi@namelongdef{@tencolfootnotetext#1}{##1}{%
8471 \insert\nameuse{footins#1}{%
8472 \def\baselinestretch{\m@m@footnote@spacing}%
8473 \reset@font\nameuse{foottextfont#1}%
8474 \@preamfntext
8475 \protected@edef\@currentlabel{%
8476 \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
8477 \color@begingroup
8478 \nameuse{@tencolfootfmt#1}{##1}%
8479 \color@endgroup}%
8480 \m@m@prepare}}
8481 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
8482 \bidi@namelongdef{@mptencolfootnotetext#1}{##1}{%
8483 \global\setbox\nameuse{@mpfootins#1}\vbox{%
8484 \unvbox\nameuse{@mpfootins#1}
8485 \def\baselinestretch{\m@m@footnote@spacing}%
8486 \reset@font\nameuse{foottextfont#1}%
8487 \hsize\columnwidth \@parboxrestore
8488 \protected@edef\@currentlabel{%
8489 \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
8490 \color@begingroup
8491 \nameuse{@tencolfootfmt#1}{##1}%
8492 \color@endgroup}\m@m@prepare}}
8493 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
8494 \@namedef{@tencolfootfmt#1}{##1}{%
8495 \@preamtenfmt
8496 {\nameuse{footfootmark#1}\strut
8497 {\nameuse{foottextfont#1}{##1}\strut\par}\allowbreak}}
8498 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
8499 \@namedef{@tencol@footgroup#1}{%
8500 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8501 \m@r@rigidbalance{\nameuse{footins#1}}{10}{\splittopskip}}}%
8502 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
8503 \@namedef{@mptencol@footgroup#1}{%
8504 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8505 \m@r@rigidbalance{\nameuse{@mpfootins#1}}{10}{\splittopskip}}}%
8506 \bidi@ensure@newcommand{\m@munvxh}[1]{%
8507 \setbox0=\vbox{\unvbox#1%
8508 \global\setbox1=\lastbox}%
8509 \unhbox1
8510 \unskip
8511 \unskip

```



```

8512 \unpenalty
8513 \hskip\m@mipn@skip}
8514 \bidi@ensure@newcommand{\m@mungebox}{%
8515 \setbox0=\hbox{\m@munvxh0}%
8516 \dp0=\z@
8517 \ht0=\footfudgefactor\wd0
8518 \box0
8519 \penalty0}
8520 \newskip\m@mipn@skip
8521 \bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
8522 {\foottextfont\global\m@mipn@skip=#1\relax}}
8523 \m@minterparanoteglue{1em plus.4em minus.4em}
8524 \@ifpackageloaded{multicol}{%
8525 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
8526 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
8527 \hsize\textwidth%
8528 \setbox0=\hbox{}}%
8529 \loop
8530 \unpenalty
8531 \setbox2=\lastbox
8532 \ifhbox2
8533 \setbox0=\hbox{\box2\unhbox0}
8534 \repeat}
8535 }{%
8536 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
8537 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
8538 \setbox0=\hbox{}}%
8539 \loop
8540 \unpenalty
8541 \setbox2=\lastbox
8542 \ifhbox2
8543 \setbox0=\hbox{\box2\unhbox0}
8544 \repeat}}
8545 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
8546 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
8547 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
8548 \bidi@ensure@newcommand{\paragraphfootnotes}{%
8549 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8550 \let\@footnotetext\@parafootnotetext
8551 \let\@LTRfootnotetext\@paraLTRfootnotetext
8552 \let\@RTLfootnotetext\@paraRTLfootnotetext
8553 \dimen\footinsv@r=\footinsdim
8554 \count\footinsv@r=1000\relax
8555 \m@make@para@footgroup{v@r}%
8556 \let\@footgroupv@r\@para@footgroupv@r
8557 \let\@mpfootnotetext\@mpparafootnotetext
8558 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
8559 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
8560 \m@make@mppara@footgroup{v@r}%
8561 \let\mp@footgroupv@r\@mppara@footgroupv@r

```



```

8562 {\foottextfont
8563 \dimen0=\baselineskip
8564 \multiply\dimen0 by 1024
8565 \divide\dimen0 by \hsize \multiply\dimen0 by \footfudgefiddle
8566 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}
8567 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8568 \def\baselinestretch{\m@m@footnote@spacing}%
8569 \reset@font\foottextfont
8570 \@preamfntext
8571 \protected@edef\@currentlabel{%
8572 \csname p@footnote\endcsname\@thefnmark}%
8573 \setbox0=\vbox{\hsize=\maxdimen
8574 \color@begingroup
8575 \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
8576 \color@endgroup}%
8577 \m@mungebox}\m@mmf@prepare}
8578 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8579 \def\baselinestretch{\m@m@footnote@spacing}%
8580 \reset@font\LTRfoottextfont
8581 \@preamfntext
8582 \protected@edef\@currentlabel{%
8583 \csname p@footnote\endcsname\@thefnmark}%
8584 \setbox0=\vbox{\hsize=\maxdimen
8585 \color@begingroup
8586 \noindent \@paraLTRfootfmt{\beginL#1\endL}%
8587 \color@endgroup}%
8588 \m@mungebox}\m@mmf@prepare}
8589 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8590 \def\baselinestretch{\m@m@footnote@spacing}%
8591 \reset@font\RTLfoottextfont
8592 \@preamfntext
8593 \protected@edef\@currentlabel{%
8594 \csname p@footnote\endcsname\@thefnmark}%
8595 \setbox0=\vbox{\hsize=\maxdimen
8596 \color@begingroup
8597 \noindent \@paraRTLfootfmt{\beginR#1\endR}%
8598 \color@endgroup}%
8599 \m@mungebox}\m@mmf@prepare}
8600 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
8601 \parindent=\z@
8602 \parfillskip=0pt \@plus 1fil
8603 {\footfootmark\strut {\foottextfont #1}\penalty-10}}
8604 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
8605 \parindent=\z@
8606 \parfillskip=0pt \@plus 1fil
8607 {\footfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
8608 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
8609 \parindent=\z@
8610 \parfillskip=0pt \@plus 1fil
8611 {\footfootmark\strut {\RTLfoottextfont #1}\penalty-10}}

```



```

8612 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
8613   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8614     \unvbox\@mpfootinsv@r
8615     \def\baselinestretch{\m@m@footnote@spacing}%
8616     \reset@font\foottextfont
8617     \hsize\columnwidth \@parboxrestore
8618     \protected@edef\@currentlabel{%
8619       \csname p@mpfootnote\endcsname\@thefnmark}%
8620     \setbox0=\vbox{\hsize=\maxdimen
8621       \color@begingroup
8622       \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
8623       \color@endgroup}}%
8624     \m@mungebox}\m@mmf@prepare}
8625 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
8626   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8627     \unvbox\@mpfootinsv@r
8628     \def\baselinestretch{\m@m@footnote@spacing}%
8629     \reset@font\LTRfoottextfont
8630     \hsize\columnwidth \@parboxrestore
8631     \protected@edef\@currentlabel{%
8632       \csname p@mpfootnote\endcsname\@thefnmark}%
8633     \setbox0=\vbox{\hsize=\maxdimen
8634       \color@begingroup
8635       \noindent \@paraLTRfootfmt{\beginL#1\endL}%
8636       \color@endgroup}}%
8637     \m@mungebox}\m@mmf@prepare}
8638 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
8639   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8640     \unvbox\@mpfootinsv@r
8641     \def\baselinestretch{\m@m@footnote@spacing}%
8642     \reset@font\RTLfoottextfont
8643     \hsize\columnwidth \@parboxrestore
8644     \protected@edef\@currentlabel{%
8645       \csname p@mpfootnote\endcsname\@thefnmark}%
8646     \setbox0=\vbox{\hsize=\maxdimen
8647       \color@begingroup
8648       \noindent \@paraRTLfootfmt{\beginR#1\endR}%
8649       \color@endgroup}}%
8650     \m@mungebox}\m@mmf@prepare}
8651 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
8652   \m@make@parafootnotetext{#1}%
8653   \m@make@mpparafootnotetext{#1}%
8654   \m@make@parafootfmt{#1}%
8655   \m@make@para@footgroup{#1}%
8656   \m@make@mppara@footgroup{#1}%
8657   \m@make@para@footstart{#1}%
8658   \bidi@namelongdef{\@footnotetext#1}##1{%
8659     \@nameuse{\@parafootnotetext#1}{##1}}%
8660   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8661     \@nameuse{\@mpparafootnotetext#1}{##1}}%

```



```

8662 \@namedef{@footgroup#1}{\@nameuse{@para@footgroup#1}}%
8663 \@namedef{mp@footgroup#1}{\@nameuse{@mppara@footgroup#1}}%
8664 \@namedef{@footstart#1}{\@nameuse{@para@footstart#1}}%
8665 \expandafter\dimen\csname footins#1\endcsname=\footinsdim
8666 \expandafter\count\csname footins#1\endcsname=1000\relax
8667 {\@nameuse{foottextfont#1}}%
8668 \dimen0=\baselineskip
8669 \multiply\dimen0 by 1024
8670 \divide\dimen0 by \hsize \multiply\dimen0 by 64
8671 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }%
8672 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
8673 \bidi@namelongdef{@parafootnotetext#1}##1{%
8674 \insert\@nameuse{footins#1}{
8675 \def\baselinestretch{\m@m@footnote@spacing}%
8676 \reset@font\@nameuse{foottextfont#1}}%
8677 \preamfntext
8678 \protected@edef\@currentlabel{%
8679 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8680 \setbox0=\vbox{\hsize=\maxdimen
8681 \color@begingroup
8682 \noindent \@nameuse{@parafootfmt#1}##1}%
8683 \color@endgroup}%
8684 \m@mungebox}\m@mmf@prepare}}
8685 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
8686 \bidi@namelongdef{@mpparafootnotetext#1}##1{%
8687 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8688 \unvbox\@nameuse{@mpfootins#1}
8689 \def\baselinestretch{\m@m@footnote@spacing}%
8690 \reset@font\@nameuse{foottextfont#1}}%
8691 \hsize\columnwidth \@parboxrestore
8692 \protected@edef\@currentlabel{%
8693 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8694 \setbox0=\vbox{\hsize=\maxdimen
8695 \color@begingroup
8696 \noindent \@nameuse{@parafootfmt#1}##1}%
8697 \color@endgroup}%
8698 \m@mungebox}\m@mmf@prepare}}
8699 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
8700 \bidi@namelongdef{@parafootfmt#1}##1{%
8701 \parindent=\z@
8702 \parfillskip=0pt \@plus 1fil
8703 {\@nameuse{footfootmark#1}}\strut
8704 {\@nameuse{foottextfont#1}##1}\penalty-10}}
8705 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
8706 \@namedef{@para@footgroup#1}{%
8707 \unvbox\@nameuse{footins#1}
8708 \m@mmakehboxofhboxes
8709 \setbox0=\hbox{\unhbox0 \m@removehboxes}%
8710 \@nameuse{foottextfont#1}}%
8711 \noindent\unhbox0\par}}

```



```

8712 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
8713 \@namedef{@mppara@footgroup#1}{%
8714   \unvbox\@nameuse{@mpfootins#1}
8715   \m@mmakehboxofhboxes
8716   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
8717   \@nameuse{foottextfont#1}%
8718   \noindent\unhbox0\par}}
8719 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
8720 \@namedef{@para@footstart#1}{%
8721   \vskip\bigskipamount
8722   \leftskip=\z@
8723   \rightskip=\z@
8724   \parindent=\z@
8725   \vskip\skip\@nameuse{footins#1}%
8726   \footnoterule}}
8727 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
8728 \xdef\@freelist{\@freelist\@midlist}%
8729 \global\let\@midlist\@empty
8730 \@combinefloats}
8731 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
8732 \ifvbox\@kludgeins
8733   \@makespecialcolbox
8734 \else
8735   \setbox\@outputbox \vbox to \@colht{%
8736     \@texttop
8737     \dimen@ \dp\@outputbox
8738     \unvbox \@outputbox
8739     \vskip -\dimen@
8740     \@textbottom}%
8741 \fi}
8742 \bidi@ensure@newcommand*{\m@m@makecolintro}{%
8743 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
8744   \boxmaxdepth\@maxdepth
8745   \@tempdima\dp\@cclv
8746   \unvbox\@cclv
8747   \vskip-\@tempdima
8748   \vskip \skip\footins
8749   \color@begingroup
8750     \normalcolor
8751     \footnoterule
8752     \unvbox \footins
8753   \color@endgroup}}
8754 \bidi@ensure@newcommand*{\m@mopsidebar}{%
8755 \ifvoid\sideins\else
8756   \setbox\@outputbox \vbox{%
8757     \sidecontents
8758     \unvbox\@outputbox}
8759 \fi}
8760 \gdef\mem@makecol{%
8761   \m@m@makecolintro

```



```

8762 \ifvoid\footins
8763   \setbox\@outputbox \box\@cc1v
8764 \else
8765   \m@mopfootnote
8766 \fi
8767 \m@mdoextrafeet
8768 \m@m@makecolfloats
8769 \m@mopsidebar
8770 \m@m@makecoltext
8771 \global \maxdepth \@maxdepth}
8772 \bidi@ensure@newcommand{\feetabovelfloat}{\gdef\@makecol{\mem@makecol}}
8773 \feetabovelfloat%

```

7.53 extreport-xetex-bidi.def

```

8774 \ProvidesFile{extreport-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extreport class for
8775 \renewcommand*\l@part[2]{%
8776   \ifnum \c@tocdepth >-2\relax
8777     \addpenalty{-\@highpenalty}%
8778     \addvspace{2.25em \@plus\p@}%
8779     \begingroup
8780       \setlength\@tempdima{3em}%
8781       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8782       \parfillskip -\@pnumwidth
8783       {\leavevmode
8784         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
8785       \nobreak
8786       \global\@nobreaktrue
8787       \everypar{\global\@nobreakfalse\everypar{}}%
8788     \endgroup
8789   \fi}
8790 \renewcommand*\l@chapter[2]{%
8791   \ifnum \c@tocdepth >\m@ne
8792     \addpenalty{-\@highpenalty}%
8793     \vskip 1.0em \@plus\p@
8794     \setlength\@tempdima{1.5em}%
8795     \begingroup
8796       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8797       \parfillskip -\@pnumwidth
8798       \leavevmode \bfseries
8799       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
8800       \hskip -\if@RTL\rightskip\else\leftskip\fi
8801       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
8802       \penalty\@highpenalty
8803     \endgroup
8804   \fi}
8805 \def\@makechapterhead#1{%
8806   \vspace*{50\p@}%
8807   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8808     \ifnum \c@secnumdepth >\m@ne

```



```

8809      \huge\bfseries \@chapapp\space \thechapter
8810      \par\nobreak
8811      \vskip 20\p@
8812      \fi
8813      \interlinepenalty\@M
8814      \Huge \bfseries #1\par\nobreak
8815      \vskip 40\p@
8816    }}
8817 \def\@makeschapterhead#1{%
8818   \vspace*{50\p@}%
8819   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8820    \normalfont
8821    \interlinepenalty\@M
8822    \Huge \bfseries #1\par\nobreak
8823    \vskip 40\p@
8824   }}
8825 \renewcommand\left@footnoterule{%
8826   \kern-3\p@
8827   \hrule\@width.4\columnwidth
8828   \kern2.6\p@}
8829 \renewcommand\right@footnoterule{%
8830   \hbox to \columnwidth
8831   {\beginR \vbox{%
8832     \kern-3\p@
8833     \hrule\@width.4\columnwidth
8834     \kern2.6\p@}\hfil\endR}}
8835 \renewenvironment{thebibliography}[1]
8836   {\chapter*{\bibname
8837     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8838   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8839     \list{\@biblabel{\@arabic\c@enumiv}}%
8840       {\settowidth\labelwidth{\@biblabel{#1}}%
8841        \leftmargin\labelwidth
8842        \advance\leftmargin\labelsep
8843        \@openbib@code
8844        \usecounter{enumiv}%
8845        \let\p@enumiv\@empty
8846        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8847     \sloppy\clubpenalty4000\widowpenalty4000%
8848     \sfcode`.\@m}
8849   {\def\@noitemerr
8850     {\@latex@warning{Empty `thebibliography' environment}}%
8851     \endlist}
8852 \if@titlepage
8853 \renewcommand\maketitle{\begin{titlepage}%
8854 \let\footnotesize\small
8855 \let\right@footnoterule\relax
8856 \let\left@footnoterule\relax
8857 \let\textwidth\footnoterule\relax
8858 \let \footnote \thanks

```




```

8859 \null\vfil
8860 \vskip 60\p@
8861 \begin{center}%
8862   {\LARGE \@title \par}%
8863   \vskip 3em%
8864   {\large
8865     \lineskip .75em%
8866     \begin{tabular}[t]{c}%
8867       \@author
8868     \end{tabular}\par}%
8869   \vskip 1.5em%
8870   {\large \@date \par}%           % Set date in \large size.
8871 \end{center}\par
8872 \@thanks
8873 \vfil\null
8874 \end{titlepage}%
8875 \setcounter{footnote}{0}%
8876 \global\let\thanks\relax
8877 \global\let\maketitle\relax
8878 \global\let\@thanks\@empty
8879 \global\let\@author\@empty
8880 \global\let\@date\@empty
8881 \global\let\@title\@empty
8882 \global\let\title\relax
8883 \global\let\author\relax
8884 \global\let\date\relax
8885 \global\let\and\relax
8886 }
8887 \else
8888 \renewcommand\maketitle{\par
8889   \begingroup
8890     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8891     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8892     \long\def\@makefntext##1{\parindent 1em\noindent
8893       \hbxt@1.8em{%
8894         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
8895     \if@twocolumn
8896       \ifnum \col@number=\@ne
8897         \@maketitle
8898       \else
8899         \twocolumn[\@maketitle]%
8900       \fi
8901     \else
8902       \newpage
8903       \global\@topnum\z@   % Prevents figures from going at top of page.
8904       \@maketitle
8905     \fi
8906     \thispagestyle{plain}\@thanks
8907   \endgroup
8908   \setcounter{footnote}{0}%

```



```

8909 \global\let\thanks\relax
8910 \global\let\maketitle\relax
8911 \global\let\@maketitle\relax
8912 \global\let\@thanks\@empty
8913 \global\let\@author\@empty
8914 \global\let\@date\@empty
8915 \global\let\@title\@empty
8916 \global\let\title\relax
8917 \global\let\author\relax
8918 \global\let\date\relax
8919 \global\let\and\relax
8920 }
8921 \def\@maketitle{%
8922   \newpage
8923   \null
8924   \vskip 2em%
8925   \begin{center}%
8926     \let \footnote \thanks
8927     {\LARGE \@title \par}%
8928     \vskip 1.5em%
8929     {\large
8930       \lineskip .5em%
8931       \begin{tabular}[t]{c}%
8932         \@author
8933         \end{tabular}\par}%
8934     \vskip 1em%
8935     {\large \@date}%
8936   \end{center}%
8937   \par
8938   \vskip 1.5em}
8939 \fi
8940 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
8941 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
8942 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
8943 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8944 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
8945 \renewcommand\theequation{%
8946   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
8947 \renewcommand\thefigure{%
8948   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
8949 \renewcommand\thetable{%
8950   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}

```

7.54 fancybox-xetex-bidi.def

```

8951 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package for
8952 \def\fancy@oval#1#2#3{%
8953   \boxmaxdepth \maxdimen
8954   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
8955   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%

```



```

8956 \@ovxx#1\relax
8957 \advance\@ovxx-\@wholewidth
8958 \@ovyy#2\relax
8959 \advance\@ovyy-\@wholewidth
8960 \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
8961 \advance\@tempdimb-2\p@
8962 \ifdim\@tempdimb>\the@cornersize\relax
8963   \@tempdimb=\the@cornersize
8964 \fi
8965 \@getcirc\@tempdimb
8966 \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
8967 \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
8968 \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
8969 \@circlefnt
8970 \setbox\@tempboxa\hbox{\beginL%
8971   \if@ovr \@ovvert32\kern -\@tempdima \fi
8972   \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
8973   \if@ovt \@ovhorz \kern -\@ovxx \fi
8974   \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
8975 \advance\@ovdx\@ovro
8976 \advance\@ovdy\@ovro
8977 \advance\@ovxx\@wholewidth
8978 \wd\@tempboxa=\@ovxx
8979 \dp\@tempboxa=\z@}

```

7.55 fancyhdr-xetex-bidi.def

```

8980 \ProvidesFile{fancyhdr-xetex-bidi.def}[2012/04/18 v0.4 bidi adaptations for fancyhdr package for
8981 \let\fnch@everypar\everypar%
8982 \def\@fancyhead#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hb
8983   \@fancyvbox\headheight{\hbox
8984     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@RTLma
8985       \parbox[b]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\else
8986       \llap{\parbox[b]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLma
8987 \def\@fancyfoot#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hb
8988   \@fancyvbox\footskip{\footrule
8989     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@RTLma
8990       \parbox[t]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\els
8991       \llap{\parbox[t]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLma

```

7.56 fix2col-xetex-bidi.def

```

8992 \ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package for X
8993 \def\RTL@outputdblcol{%
8994   \if@firstcolumn
8995     \global\@firstcolumnfalse
8996     \global\setbox\@leftcolumn\copy\@outputbox
8997     \splitmaxdepth\maxdimen
8998     \vbadness\maxdimen
8999     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
9000     \toks@\expandafter{\topmark}%

```



```

9001 \xdef\@firstcoltopmark{\the\toks@}%
9002 \toks@\expandafter{\splitfirstmark}%
9003 \xdef\@firstcolfirstmark{\the\toks@}%
9004 \ifx\@firstcolfirstmark\@empty
9005 \global\let\@setmarks\relax
9006 \else
9007 \gdef\@setmarks{%
9008 \let\firstmark\@firstcolfirstmark
9009 \let\topmark\@firstcoltopmark}%
9010 \fi
9011 \else \global\@firstcolumntrue
9012 \setbox\@outputbox \vbox {\hbox to\textwidth {%
9013 \hskip \columnwidth
9014 \hfil \vrule width\columnseprule \hfil
9015 \hbox to\columnwidth {\box\@leftcolumn \hss}%
9016 \hskip -\textwidth
9017 \hbox to\columnwidth{\box\@outputbox \hss}%
9018 \hskip \columnsep
9019 \hskip \columnwidth }}%
9020 \@combinedblfloats \@setmarks \@outputpage
9021 \begingroup \@dblfloatplacement \@startdblcolumn
9022 \@whiles\if@fcolmade \fi
9023 {\@outputpage \@startdblcolumn }\endgroup
9024 \fi}
9025 \def\LTR@outputdblcol{%
9026 \if@firstcolumn
9027 \global\@firstcolumnfalse
9028 \global\setbox\@leftcolumn\copy\@outputbox
9029 \splitmaxdepth\maxdimen
9030 \vbadness\maxdimen
9031 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
9032 \toks@\expandafter{\topmark}%
9033 \xdef\@firstcoltopmark{\the\toks@}%
9034 \toks@\expandafter{\splitfirstmark}%
9035 \xdef\@firstcolfirstmark{\the\toks@}%
9036 \ifx\@firstcolfirstmark\@empty
9037 \global\let\@setmarks\relax
9038 \else
9039 \gdef\@setmarks{%
9040 \let\firstmark\@firstcolfirstmark
9041 \let\topmark\@firstcoltopmark}%
9042 \fi
9043 \else
9044 \global\@firstcolumntrue
9045 \setbox\@outputbox\vbox{%
9046 \hb@xt@\textwidth{%
9047 \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
9048 \hfil
9049 \vrule \@width\columnseprule
9050 \hfil

```



```

9051      \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
9052 \combinedblfloats
9053 \setmarks
9054 \outputpage
9055 \beginingroup
9056 \dblfloatplacement
9057 \startdblcolumn
9058 \whilesw\if@fcolmade \fi{\@outputpage\startdblcolumn}%
9059 \endgroup
9060 \fi}

```

7.57 fleqn-xetex-bidi.def

```

9061 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX eng
9062 \renewcommand\[\relax
9063 \ifmmode\@badmath
9064 \else
9065 \begin{trivlist}%
9066 \beginparpenalty\predisplaypenalty
9067 \endparpenalty\postdisplaypenalty
9068 \item[]\leavevmode
9069 \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
9070 \hskip\mathindent\bgroup
9071 \fi}
9072 \renewcommand\[\relax
9073 \ifmmode
9074 \egroup $\hfil% $
9075 \endL\egroup
9076 \end{trivlist}%
9077 \else \@badmath
9078 \fi}
9079 \renewenvironment{equation}%
9080 {\beginparpenalty\predisplaypenalty
9081 \endparpenalty\postdisplaypenalty
9082 \refstepcounter{equation}%
9083 \trivlist \item[]\leavevmode
9084 \hb@xt@\linewidth\bgroup\beginL $ \m@th% $
9085 \displaystyle
9086 \hskip\mathindent}%
9087 {\hfil % $
9088 \displaywidth\linewidth\hbox{\@eqnnum}%
9089 \endL\egroup
9090 \endtrivlist}

```

7.58 float-xetex-bidi.def

```

9091 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeTeX
9092 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
9093 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
9094 \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
9095 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]}%

```



```

g096 \expandafter\edef\csname the#1\endcsname{%
g097 \expandafter\noexpand\csname
g098 the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
g099 {\PackageWarning{float}{Can't redefine counter variable for #1.}}

```

7.59 floatrow-xetex-bidi.def

```

g100 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package for
g101 \renewcommand\flnew@within[1]{\@addtoreset{FB@captype}{#1}}%
g102 \expandafter\edef\csname the\FB@captype\endcsname{%
g103 \expandafter\noexpand\csname
g104 the#1\endcsname\@SepMark\noexpand\arabic{FB@captype}}

```

7.60 flowfram-xetex-bidi.def

```

g105 \ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package for
g106 \def\@outputdblcol{%
g107 \@nxtcol=\c@thisframe
g108 \c@curpg=\c@page
g109 \@g@tnextcol{\@nxtcol}%
g110 \ifff@nwpg % next flow frame starts on new page
g111 \global\@firstcolumntrue
g112 \@setcolbox\c@thisframe
g113 \if@specialpage
g114 \global\@specialpagefalse
g115 \@nameuse{ps@\@specialstyle}\relax
g116 \fi
g117 \if@twoside
g118 \ifodd\count\z@
g119 \let\@thehead\@oddhead
g120 \let\@thefoot\@oddfoot
g121 \else
g122 \let\@thehead\@evenhead
g123 \let\@thefoot\@evenfoot
g124 \fi
g125 \else
g126 \let\@thehead\@oddhead
g127 \let\@thefoot\@oddfoot
g128 \fi
g129 \@begindvi
g130 \@dodynamicthehead\@dodynamicthefoot
g131 \vbadness=\@M
g132 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
g133 \@combinedblfloats
g134 \@outputpage
g135 \advance\c@curpg by -\c@page\relax
g136 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
g137 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
g138 \@outputpage}
g139 \begingroup
g140 \@dblfloatplacement

```



```

9141 \startdblcolumn
9142 \@whilesw \if@fcolmade \fi
9143 {\@outputpage \@startdblcolumn }\endgroup
9144 \@resetst@tics
9145 \@resetdyn@mics
9146 \else % still on same page, save contents of box255
9147 \global\@firstcolumnfalse
9148 \@setcolbox\c@thisframe
9149 \fi
9150 \global\c@thisframe=\@nxtcol
9151 \@setcol{\c@thisframe}\relax
9152 \global\@colht\vsiz
9153 }
9154 \def\@outputpage{%
9155 \begingroup
9156 \let\protect\noexpand
9157 \@resetactivechars
9158 \global\let\@@if@newlist\if@newlist
9159 \global\@newlistfalse\@parboxrestore
9160 \shipout\vbox{\set@typeset@protect
9161 \aftergroup
9162 \endgroup
9163 \aftergroup
9164 \set@typeset@protect
9165 \reset@font\normalsize\normalsfcodes
9166 \let\label\@gobble
9167 \let\index\@gobble
9168 \let\glossary\@gobble
9169 \baselineskip\z@skip
9170 \lineskip\z@skip
9171 \lineskiplimit\z@
9172 \vskip\topmargin\moveright\@themargin
9173 \vbox{%
9174 \vskip\headheight
9175 \vskip\headsep
9176 \box\@outputbox
9177 }}%
9178 \global\let\if@newlist\@@if@newlist
9179 \stepcounter{page}%
9180 \setcounter{displayedframe}{0}%
9181 \let\firstmark\botmark}
9182
9183
9184 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{\}%
9185 \expandafter\bidicolor\ff@txtcol}}
9186
9187 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
9188 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
9189
9190

```



```

9191 \renewcommand*{\@docolbox}[1]{%
9192 \edef\ff@frametype{%
9193 \csname @ff@frametype@romannumeral#1\endcsname}%
9194 \edef\ff@col{\csname @ff@col@romannumeral#1\endcsname}%
9195 \edef\ff@txtcol{\csname @ff@txtcol@romannumeral#1\endcsname}%
9196 \edef\ff@backcol{\csname @ff@backcol@romannumeral#1\endcsname}%
9197 \@ff@setoffset{#1}%
9198 \rotateframe{\csname @ff@angle@romannumeral#1\endcsname}{%
9199 \ifthenelse{\boolean{columnframe\romannumeral#1}}{%
9200 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
9201 {\csname colheight\romannumeral#1\endcsname}}{%
9202 \expandafter\box\csname column\romannumeral#1\endcsname}}{%
9203 \csname\ff@frametype\endcsname}%
9204 }{%
9205 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
9206 {\csname colheight\romannumeral#1\endcsname}}{%
9207 \expandafter\box\csname column\romannumeral#1\endcsname}%
9208 }}}
9209 \@ifclassloaded{book}{%
9210 \renewcommand\theequation
9211 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9212 \renewcommand \thefigure
9213 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9214 \renewcommand \thetable
9215 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9216 \renewcommand \thechapter {\@arabic\c@chapter}
9217 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9218 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9219 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9220 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9221 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
9222 \@ifclassloaded{report}{%
9223 \renewcommand\theequation
9224 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9225 \renewcommand \thefigure
9226 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9227 \renewcommand \thetable
9228 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9229 \renewcommand \thechapter {\@arabic\c@chapter}
9230 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9231 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9232 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9233 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9234 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
9235 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
9236 \rotatebox{#1}{\if@RTL\beginLfi#2\if@RTL\endLfi}%
9237 \else
9238 #2\relax
9239 \fi}

```



7.61 footnote-xetex-bidi.def

```

9240 \ProvidesFile{footnote-xetex-bidi.def}[2013/04/26 v0.8 bidi footnote macros for XeTeX engine]
9241 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
9242 \newif\ifbidi@autofooterule
9243 \def\bidi@mpfootnoterule{\footnoterule}
9244 \newcounter{footdir@label}
9245 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
9246 \newcommand*{\footdir@write}{%
9247   \stepcounter{footdir@label}%
9248   \zref@labelbyprops{\thefootdir@label}{abspage}%
9249 }
9250 \newif\iffootdir@debug
9251 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
9252 \newtoks\footdir@toks
9253 \newcommand*{\footdir@debug}[1]{%
9254   \iffootdir@debug
9255     \typeout{[footdir] #1}%
9256   \fi
9257 }
9258 \ifpackagelater{zref-abspage}{2012/10/27}{%
9259   \newcommand*{\footdir@LeftRightElse}{%
9260     \ltx@ifundefined{footdir@the\value{zabspage}}{%
9261       \footdir@debug{abspage \the\value{zabspage}: else}%
9262       \ltx@thirdofthree
9263     }{%
9264       \if\csname footdir@the\value{zabspage}\endcsname L%
9265         \footdir@debug{abspage \the\value{zabspage}: left}%
9266         \expandafter\ltx@firstofthree
9267       \else
9268         \footdir@debug{abspage \the\value{zabspage}: right}%
9269         \expandafter\ltx@secondofthree
9270       \fi
9271     }%
9272   }%
9273 }{%
9274   \providecommand*\c@zabspage{\c@abspage}%
9275   \newcommand*{\footdir@LeftRightElse}{%
9276     \footdir@write
9277     \zifrefundefined{\thefootdir@label}{%
9278       \footdir@debug{abspage ??: else}%
9279       \ltx@thirdofthree
9280     }{%
9281       \edef\footdir@abspage{%
9282         \zref@extractdefault{\thefootdir@label}{abspage}{0}%
9283       }%
9284       \ltx@ifundefined{footdir@\footdir@abspage}{%
9285         \footdir@debug{\footdir@abspage: else}%
9286         \ltx@thirdofthree
9287       }{%

```



```

9288         \if\csname footdir@\footdir@abspage\endcsname L%
9289             \footdir@debug{\footdir@abspage: left}%
9290             \expandafter\ltx@firstofthree
9291         \else
9292             \footdir@debug{\footdir@abspage: right}%
9293             \expandafter\ltx@secondofthree
9294         \fi
9295     }%
9296 }%
9297 }%
9298 }
9299 \newcommand*{\footdir@fntext}[1]{%
9300     \zifrefundefined{\thefootdir@label}{%
9301     }{%
9302         \edef\footdir@name{%
9303             footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
9304         }%
9305         \@ifundefined{\footdir@name}{%
9306             \expandafter\gdef\csname\footdir@name\endcsname{#1}%
9307         }{}%
9308     }%
9309 }
9310
9311 \newcommand*{\footdir@temp}[3]{%
9312     \@ifdefinable{#1}{%
9313         \let#1#2%
9314         \renewcommand{#2}[1]{%
9315             \footdir@write
9316             \footdir@fntext{#3}%
9317             \stepcounter{footdir@label}%
9318             \footdir@fntext{#3}%
9319             \footdir@toks{##1}%
9320             \footdir@toks\expandafter{%
9321                 \the\expandafter\footdir@toks
9322                 \expandafter
9323                 \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
9324             }%
9325             \expandafter#1\expandafter{\the\footdir@toks}%
9326         }%
9327     }%
9328 }
9329
9330 \def\right@footnoterule{%
9331     \hbox to \columnwidth
9332     {\beginR \vbox{\kern -3\p@
9333         \hrule width .4\columnwidth \kern2.6\p@}\hfil\endR}}
9334 \def\left@footnoterule{%
9335     \hrule width .4\columnwidth\kern 2.6\p@}
9336 \def\textwidth@footnoterule{\kern-3\p@
9337     \hrule \@width \columnwidth \kern 2.6\p@}

```



```

9338 \def\leftfootnoterule{%
9339 \bidi@autofootnoterulefalse%
9340 \def\footnoterule{\left@footnoterule}}
9341 \let\LRfootnoterule=\leftfootnoterule
9342 \def\rightfootnoterule{%
9343 \bidi@autofootnoterulefalse%
9344 \def\footnoterule{\right@footnoterule}}
9345 \def\textwidthfootnoterule{%
9346 \bidi@autofootnoterulefalse%
9347 \def\footnoterule{\textwidth@footnoterule}}
9348
9349
9350
9351 \def\auto@footnoterule{%
9352 \footdir@LeftRightElse%
9353 \left@footnoterule%
9354 \right@footnoterule%
9355 \left@footnoterule%
9356 }
9357
9358
9359
9360 \def\autofootnoterule{%
9361 \bidi@autofootnoteruletrue%
9362 \def\footnoterule{\auto@footnoterule}%
9363 }
9364
9365 \newcommand*\SplitFootnoteRule{%
9366 \gdef\split@prev{0}
9367 \let\pagefootnoterule\footnoterule
9368 \let\mpfootnoterule\footnoterule
9369 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
9370 \def\footnoterule{\relax
9371 \ifx \@listdepth\@mplistdepth
9372 \mpfootnoterule
9373 \else
9374 \ifnum\split@prev=\z@
9375 \pagefootnoterule
9376 \else
9377 \splitfootnoterule
9378 \fi
9379 \xdef\split@prev{\the\insertpenalties}%
9380 \fi
9381 }%
9382 }
9383
9384
9385
9386
9387 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn

```



```

9388 \protected@xdef\@thefnmark{\thempfn}%
9389 \@footnotemark\@RTLfootnotetext}}
9390 \def\xRTLfootnote[#1]{%
9391 \begingroup
9392 \csname c@\mpfn\endcsname #1\relax
9393 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9394 \endgroup
9395 \@footnotemark\@RTLfootnotetext}
9396 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\mpfn
9397 \protected@xdef\@thefnmark{\thempfn}%
9398 \@footnotemark\@LTRfootnotetext}}
9399 \def\xLTRfootnote[#1]{%
9400 \begingroup
9401 \csname c@\mpfn\endcsname #1\relax
9402 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9403 \endgroup
9404 \@footnotemark\@LTRfootnotetext}
9405
9406
9407 \def\setfootnoteRL{\@RTL@footnotetrue}
9408 \def\unsetfootnoteRL{\@RTL@footnotefalse}
9409 \def\setfootnoteLR{\unsetfootnoteRL}
9410
9411 \long\def\@footnotetext#1{\insert\footins{%
9412 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9413 \reset@font\footnotesize
9414 \interlinepenalty\interfootnotelinepenalty
9415 \splittopskip\footnotesep
9416 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
9417 \hsize\columnwidth \@parboxrestore
9418 \protected@edef\@currentlabel{%
9419 \csname p@footnote\endcsname\@thefnmark
9420 }%
9421 \color@begingroup
9422 \@makefntext{%
9423 \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
9424 \color@endgroup}}}%
9425
9426
9427 \long\def\@RTLfootnotetext#1{\insert\footins{%
9428 \@RTLtrue%
9429 \reset@font\footnotesize
9430 \interlinepenalty\interfootnotelinepenalty
9431 \splittopskip\footnotesep
9432 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
9433 \hsize\columnwidth \@parboxrestore
9434 \protected@edef\@currentlabel{%
9435 \csname p@footnote\endcsname\@thefnmark
9436 }%
9437 \color@begingroup

```



```

9438     \@makefntext{%
9439         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9440     \color@endgroup}}%
9441
9442 \long\def\@LTRfootnotetext#1{\insert\footins{%
9443     \@RTLfalse%
9444     \reset@font\footnotesize
9445     \interlinepenalty\interfootnotelinepenalty
9446     \splittopskip\footnotesep
9447     \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
9448     \hsize\columnwidth \@parboxrestore
9449     \protected@edef\@currentlabel{%
9450         \csname p@footnote\endcsname\@thefnmark
9451     }%
9452     \color@begingroup
9453         \@makefntext{%
9454             \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9455         \color@endgroup}}%
9456
9457 \AtBeginDocument{%
9458 \if@RTL\footnote
9459     \newcommand*{\bidi@footdir@footnote}{R}
9460 \else
9461     \newcommand*{\bidi@footdir@footnote}{L}
9462 \fi%
9463 }
9464
9465 \footdir@temp\footdir@ORG\bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
9466 \footdir@temp\footdir@ORG\bidi@RTLfootnotetext\@RTLfootnotetext{R}%
9467 \footdir@temp\footdir@ORG\bidi@LTRfootnotetext\@LTRfootnotetext{L}%
9468
9469 \long\def\@mpRTLfootnotetext#1{%
9470     \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnote
9471     \global\setbox\@mpfootins\vbox{\@RTLtrue%
9472         \unvbox\@mpfootins
9473         \reset@font\footnotesize
9474         \hsize\columnwidth
9475         \@parboxrestore
9476         \protected@edef\@currentlabel
9477             {\csname p@mpfootnote\endcsname\@thefnmark}%
9478         \color@begingroup
9479             \@makefntext{%
9480                 \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9481             \color@endgroup}}
9482 \long\def\@mpLTRfootnotetext#1{%
9483     \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnote
9484     \global\setbox\@mpfootins\vbox{\@RTLfalse%
9485         \unvbox\@mpfootins
9486         \reset@font\footnotesize
9487         \hsize\columnwidth

```



```

9488 \parboxrestore
9489 \protected@edef\@currentlabel
9490 {\csname p@mpfootnote\endcsname\@thefnmark}%
9491 \color@begingroup
9492 \makefnmark{%
9493 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9494 \color@endgroup}}
9495 \long\def\@mpfootnotetext#1{%
9496 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\ifRTL@footnote\global\let\bidi@mpfootnoterule
9497 \global\setbox\@mpfootins\vbox{\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9498 \unvbox\@mpfootins
9499 \reset@font\footnotesize
9500 \hsize\columnwidth
9501 \parboxrestore
9502 \protected@edef\@currentlabel
9503 {\csname p@mpfootnote\endcsname\@thefnmark}%
9504 \color@begingroup
9505 \makefnmark{%
9506 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9507 \color@endgroup}}
9508 \def\@iiiminipage#1#2[#3]#4{%
9509 \leavevmode
9510 \@pboxswfalse
9511 \ifRTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
9512 \ifRTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
9513 \setlength\@tempdima{#4}%
9514 \def\@mpargs{{#1}{#2}[#3]{#4}}%
9515 \setbox\@tempboxa\vbox\bgroup
9516 \color@begingroup
9517 \hsize\@tempdima
9518 \textwidth\hsize \columnwidth\hsize
9519 \parboxrestore
9520 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
9521 \let\@footnotetext\@mpfootnotetext
9522 \let\@LTRfootnotetext\@mpLTRfootnotetext
9523 \let\@RTLfootnotetext\@mpRTLfootnotetext
9524 \let\@listdepth\@mplistdepth \@mplistdepth\z@
9525 \@minipagerestore
9526 \setminipage}
9527 \def\endminipage{%
9528 \par
9529 \unskip
9530 \ifvoid\@mpfootins\else
9531 \vskip\skip\@mpfootins
9532 \normalcolor
9533 \bidi@mpfootnoterule
9534 \unvbox\@mpfootins
9535 \fi
9536 \@minipagefalse %% added 24 May 89
9537 \color@endgroup

```



```

9538 \egroup
9539 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
9540 \def\LTRthanks#1{\footnotemark
9541   \protected@xdef\@thanks{\@thanks
9542     \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
9543 }
9544 \def\LTRfootnotetext{%
9545   \ifnextchar [\@xLTRfootnotenext
9546     {\protected@xdef\@thefnmark{\thempfn}%
9547     \@LTRfootnotetext}}
9548 \def\@xLTRfootnotenext[#1]{%
9549   \begingroup
9550     \csname c@\@mpfn\endcsname #1\relax
9551     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9552   \endgroup
9553   \@LTRfootnotetext}
9554 \def\RTLthanks#1{\footnotemark
9555   \protected@xdef\@thanks{\@thanks
9556     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
9557 }
9558 \let\@thanks\@empty
9559 \def\RTLfootnotetext{%
9560   \ifnextchar [\@xRTLfootnotenext
9561     {\protected@xdef\@thefnmark{\thempfn}%
9562     \@RTLfootnotetext}}
9563 \def\@xRTLfootnotenext[#1]{%
9564   \begingroup
9565     \csname c@\@mpfn\endcsname #1\relax
9566     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9567   \endgroup
9568   \@RTLfootnotetext}
9569 \leftfootnoterule

```

7.62 framed-xetex-bidi.def

```

9570 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for XeT
9571 \renewcommand\TitleBarFrame[3][\begingroup
9572   \ifx\delimiter#1\delimiter
9573     \let\TF@conlab\@empty
9574   \else
9575     \def\TF@conlab{% continuation label
9576       \nointerlineskip
9577       \smash{\rlap{\kern\wd\@tempboxa\kern\fbboxrule\kern\fbboxsep #1}}}%
9578   \fi
9579   %\let\TF@savecolor\current@color
9580   \textcolor{TFFrameColor}{%
9581     \CustomFBox
9582     {\TF@Title{#2}}{\TF@conlab}%
9583     \fbboxrule\fbboxrule\fbboxrule\fbboxrule
9584     %{\let\current@color\TF@savecolor\set@color #3}%

```



```

9585     {\normalcolor #3}%
9586   }\endgroup
9587 }
9588 \renewenvironment{titled-frame}[1]{%
9589   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
9590     \TitleBarFrame{\textbf{#1}}}%
9591   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
9592     \TitleBarFrame[{$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
9593   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
9594     \TitleBarFrame[{$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (cont)}}%
9595   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
9596     \TitleBarFrame{\textbf{#1\ (cont)}}}%
9597   \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
9598 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
9599 % could interfere with the width measurement.
9600 {\endMakeFramed}
9601 \chardef\FrameRestore=\catcode`\| % for debug
9602 \catcode`\|=\catcode`\% % (debug: insert space after backslash)
9603 \def\fb@put@frame#1#2{\relax
9604   \ifdim\pagegoal=\maxdimen \pagegoal\vsizel\fi
9605 |   \message{===== Entering putframe =====^J
9606 |     \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
9607   \ifinner
9608     \fb@putboxa#1%
9609     \fb@afterframe
9610   \else
9611     \dimen@=\pagegoal \advance\dimen@-\pagetotal % natural space left on page
9612     \ifdim\dimen@<2\baselineskip % Too little room on page
9613 |     \message{Page has only \the\dimen@space room left; eject. }%
9614     \eject \fb@adjheight \fb@put@frame#1#2%
9615   \else % there's appreciable room left on the page
9616     \fb@sizeofframe#1%
9617 |     \message{\string\pagetotal=\the\pagetotal,
9618 |       \string\pagegoal=\the\pagegoal,
9619 |       \string\pagestretch=\the\pagestretch,
9620 |       \string\pageshrink=\the\pageshrink,
9621 |       \string\fb@frh=\the\fb@frh. \space}
9622 |     \message{^^JBox of size \the\ht\@tempboxa\space}%
9623     \begingroup % temporarily set \dimen@ to be...
9624     \advance\dimen@.8\pageshrink % maximum space available on page
9625     \advance\dimen@-\fb@frh\relax % max space available for frame's contents
9626 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
9627     \expandafter\endgroup
9628     % expand \ifdim, then restore \dimen@ to real room left on page
9629     \ifdim\dimen@>\ht\@tempboxa % whole box does fit
9630 |     \message{fits in \the\dimen@. }%
9631     % ToDo: Change this to use vsplit anyway to capture the marks
9632     % MERGE THIS WITH THE else CLAUSE!!!
9633     \fb@putboxa#1%
9634     \fb@afterframe

```




```

9635 \else % box must be split
9636 | \message{must be split to fit in \the\dimen@. }%
9637 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
9638 \fb@sizeofframe#2%
9639 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
9640 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
9641 \kern137sp\kern-137sp\penalty-30
9642 \unvbox\@tempboxa}%
9643 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
9644 \splittopskip\the\splittopskip}%
9645 \boxmaxdepth\z@ \splittopskip\z@
9646 | \message{^^J Padded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
9647 % Split box here
9648 \setbox\tw@\vsplit\@tempboxa to\dimen@
9649 | \toks99\expandafter{\splitfirstmark}%
9650 | \toks98\expandafter{\splitbotmark}%
9651 | \message{Marks are: \the\toks99, \the\toks98. }%
9652 \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
9653 | \message{Natural height of split box is \the\ht\tw@, leaving
9654 | \the\ht\@tempboxa\space remainder. }%
9655 % If the split-to size > (\vsize-\topskip), then set box to full size.
9656 \begingroup
9657 \advance\dimen@\topskip
9658 \expandafter\endgroup
9659 \ifdim\dimen@>\pagegoal
9660 | \message{Frame is big -- Use up the full column. }%
9661 \dimen@ii\pagegoal
9662 \advance\dimen@ii -\topskip
9663 \advance\dimen@ii \FrameHeightAdjust\relax
9664 \else % suspect this is implemented incorrectly:
9665 % If the split-to size > feasible room_on_page, rebox it smaller.
9666 \advance\dimen@.8\pageshrink
9667 \ifdim\ht\tw@>\dimen@
9668 | \message{Box too tall; rebox it to \the\dimen@. }%
9669 \dimen@ii\dimen@
9670 \else % use natural size
9671 \dimen@ii\ht\tw@
9672 \fi
9673 \fi
9674 % Re-box contents to desired size \dimen@ii
9675 \advance\dimen@ii -\fb@frh
9676 \setbox\tw@\vbox to\dimen@ii \bgroup
9677 % remove simulated frame and page flexibility:
9678 \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
9679 \unvbox\tw@ \unpenalty\unpenalty
9680 \ifdim\lastkern=-137sp % whole box went to next page
9681 | \message{box split at beginning! }%
9682 % need work here???
9683 \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
9684 \fb@adjheight

```



```

9685         \fb@put@frame#1#2% INSERTED ???
9686     \else % Got material split off at the head
9687         \egroup \fb@resto@set
9688         \ifvoid\@tempboxa % it all fit after all
9689 |         \message{box split at end! }%
9690         \setbox\@tempboxa\box\tw@
9691         \fb@putboxa#1%
9692         \fb@afterframe
9693     \else % it really did split
9694 |     \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
9695         \ifdim\wd\tw@>z@
9696             \wd\tw@\wd\@tempboxa
9697             \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
9698         \else
9699 |     \message{Zero width means likely blank. Don't frame it (guess)}%
9700         \box\tw@
9701         \fi
9702         \hrule \@height\z@ \@width\hsize
9703         \eject
9704         \fb@adjheight
9705         \fb@put@frame\LastFrameCommand\MidFrameCommand
9706     \fi\fi\fi\fi\fi
9707 }
9708 \def\fb@putboxa#1{%
9709     \ifvoid\@tempboxa
9710         \PackageWarning{framed}{Boxa is void -- discard it. }%
9711     \else
9712 |     \message{Frame and place boxa. }%
9713 |     %{\showoutput\showbox\@tempboxa}%
9714     \centerline{#1{\hboxL{\box\@tempboxa}}}%
9715     \fi
9716 }
9717 \catcode`\|=\FrameRestore
9718 \def\FrameRestore{%
9719     \let\if@nobreak\iffalse
9720     \let\if@noskipsec\iffalse
9721     \let\-\@dischyph
9722     \let\'\@acci\let\` \@accii\let\=\@acciii
9723     % \message{FrameRestore:
9724     %     \@totalleftmargin=\the \@totalleftmargin,
9725     %     \rightmargin=\the\rightmargin,
9726     %     \@listdepth=\the\@listdepth. }%
9727     % Test if we are in a list (or list-like paragraph)
9728     \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
9729         \ifdim\rightmargin>\z@ 1\fi
9730         \ifnum\@listdepth>\z@ 1\fi 0>\z@
9731     %     \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
9732     %     \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
9733     %     \labelwidth=\the\labelwidth. }%
9734     \@setminipage % snug fit around the item

```



```

9735 % Now try to propagate changes of width from \hsize to list parameters.
9736 % This is deficient, but a more advanced way to indicate modification to text
9737 % dimensions is not (yet) provided; in particular, no separate left/right
9738 % adjustment.
9739 \advance\linewidth-\columnwidth \advance\linewidth\hsize
9740 \parshape\@ne \@totalleftmargin \linewidth
9741 \else % Not in list
9742 \linewidth=\hsize
9743 %\message{No list, set \string\linewidth=\the\hsize. }%
9744 \fi
9745 \sloppy
9746 }

```

7.63 ftnright-xetex-bidi.def

```

9747 \ProvidesFile{ftnright-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for ftnright package for
9748 \def\LTR@outputdblcol{\if@firstcolumn
9749 \global\@firstcolumnfalse
9750 \global\setbox\@leftcolumn\box\@outputbox
9751 \global\count\footins\@m
9752 \global\skip\footins\rcol@footinsskip
9753 \else \preparefootins
9754 \global\@firstcolumntrue
9755 \setbox\@outputbox\vbox{\hbox to\textwidth
9756 {\hbox to\columnwidth
9757 {\box\@leftcolumn\hss}%
9758 \hfil\vrule\@width\columnseprule\hfil
9759 \hbox to\columnwidth
9760 {\box\@outputbox\hss}}}%
9761 \@combinedblfloats\@outputpage
9762 \begingroup
9763 \@dblfloatplacement\@startdblcolumn
9764 \@whiles\if@fcolmade\fi
9765 {\@outputpage\@startdblcolumn}%
9766 \endgroup
9767 \fi}
9768 \def\RTL@outputdblcol{\if@firstcolumn
9769 \global\@firstcolumnfalse
9770 \global\setbox\@leftcolumn\box\@outputbox
9771 \global\count\footins\@m
9772 \global\skip\footins\rcol@footinsskip
9773 \else \preparefootins
9774 \global\@firstcolumntrue
9775 \setbox\@outputbox\vbox{\hbox to\textwidth
9776 {\hskip \columnwidth
9777 \hfil \vrule width\columnseprule \hfil
9778 \hbox to\columnwidth
9779 {\box\@leftcolumn\hss}%
9780 \hskip -\textwidth
9781 \hbox to\columnwidth

```



```

9782          {\box\@outputbox\hss}%
9783      \hskip \columnsep
9784      \hskip \columnwidth}}}%
9785  \@combinedblfloats\@outputpage
9786  \begingroup
9787  \@dblfloatplacement\@startdblcolumn
9788  \@whilesw@if@fcolmade@fi
9789      {\@outputpage\@startdblcolumn}%
9790  \endgroup
9791  \fi}
9792  \let\leftfootnoterule\@empty
9793  \let\rightfootnoterule\@empty
9794  \let\textwidthfootnoterule\@empty
9795  \let\autofootnoterule\@empty
9796  \let\footnoterule\@empty
9797  \long\def\@makefntext#1{\parindent 1em
9798      \noindent\hbox to 2em{}}%
9799      \llap{\@thefnmark\hbox{.}.},\,}#1}

```

7.64 graphicx-xetex-bidi.def

```

g800 \ProvidesFile{graphicx-xetex-bidi.def}[2012/01/01 v0.4 bidi adaptations for graphicx package for
g801 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
g802 \Grot@setangle{#1}%
g803 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\endR\fi}%
g804 \Grot@x\z@
g805 \Grot@y\z@
g806 \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
g807 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
g808 \leavevmode
g809 \def\Gscale@x{#1}\def\Gscale@y{#2}%
g810 \setbox\z@\hbox{{#3}}%
g811 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
g812 \ifdim#2\p@<\z@
g813 \ht\tw@-#2\dp\z@
g814 \dp\tw@-#2\ht\z@
g815 \else
g816 \ht\tw@#2\ht\z@
g817 \dp\tw@#2\dp\z@
g818 \fi
g819 \ifdim#1\p@<\z@
g820 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
g821 \else
g822 \wd\tw@#1\wd\z@
g823 \box\tw@
g824 \fi\ifmmode\else\if@RTL\endL\fi\fi}
g825 \def\Gin@iii[#1,#2][#3,#4]#5{%
g826 \begingroup
g827 \ifmmode\else\if@RTL\beginL\fi\fi
g828 \Gin@bboxtrue

```



```

9829 \Gin@defaultbp\Gin@llx{#1}%
9830 \Gin@defaultbp\Gin@lly{#2}%
9831 \Gin@defaultbp\Gin@urx{#3}%
9832 \Gin@defaultbp\Gin@ury{#4}%
9833 \Gininclude@graphics{#5}%
9834 \ifmmode\else\if@RTL\endL\fi\fi
9835 \endgroup}
9836 \def\Gin@ii[#1]#2{%
9837   \def\@tempa{[]}\def\@tempb{#2}%
9838   \ifx\@tempa\@tempb
9839     \def\@tempa{\Gin@iii[#1] []}%
9840     \expandafter\@tempa
9841   \else
9842     \begingroup
9843       \ifmmode\else\if@RTL\beginL\fi\fi
9844       \@tempswafalse
9845       \toks@{\Gininclude@graphics{#2}}%
9846       \setkeys{Gin}{#1}%
9847       \Gin@esetsize
9848       \the\toks@
9849       \ifmmode\else\if@RTL\endL\fi\fi
9850     \endgroup
9851     \fi}
9852 \def\reflectbox{\bidiGscale@box-1[1]}
9853 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
9854   \leavevmode
9855   \def\Gscale@x{#1}\def\Gscale@y{#2}%
9856   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
9857   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
9858   \ifdim#2\p@<\z@
9859     \ht\tw@-#2\dp\z@
9860     \dp\tw@-#2\ht\z@
9861   \else
9862     \ht\tw@#2\ht\z@
9863     \dp\tw@#2\dp\z@
9864   \fi
9865   \ifdim#1\p@<\z@
9866     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
9867   \else
9868     \wd\tw@#1\wd\z@
9869     \box\tw@
9870   \fi\ifmmode\else\if@RTL\endL\fi\fi}
9871 \def\scalebox#1{%
9872   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}
9873 \def\resizebox{%
9874   \leavevmode
9875   \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
9876 \def\bidiGscale@@box#1#2#3{%
9877   \let\@tempa\Gin@exclamation
9878   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%

```



```

9879 \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
9880 \ifx\@tempb\@tempa
9881   \ifx\@tempc\@tempa
9882     \toks@{\mbox}%
9883   \else
9884     \toks@{\bidiGscale@box@dd{#3}#1}%
9885   \fi
9886 \else
9887   \ifx\@tempc\@tempa
9888     \toks@{\bidiGscale@box@dd{#2}\width}%
9889   \else
9890     \toks@{\bidiGscale@box@ddd{#2}\width{#3}#1}%
9891   \fi
9892 \fi
9893 \the\toks@}
9894 \long\def\bidiGscale@box@dd#1#2#3{%
9895 \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
9896 \setlength\@tempdima{#1}%
9897 \setlength\@tempdimb{#2}%
9898 \Gscale@div\@tempa\@tempdima\@tempdimb
9899 \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
9900 \end@tempboxa}
9901 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
9902 \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@
9903 \setlength\@tempdima{#1}%
9904 \setlength\@tempdimb{#2}%
9905 \Gscale@div\@tempa\@tempdima\@tempdimb
9906 \setlength\@tempdima{#3}%
9907 \setlength\@tempdimb{#4}%
9908 \Gscale@div\@tempb\@tempdima\@tempdimb
9909 \ifGin@iso
9910 \ifdim\@tempa\p@>\@tempb\p@
9911 \let\@tempa\@tempb
9912 \else
9913 \let\@tempb\@tempa
9914 \fi
9915 \fi
9916 \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
9917 \end@tempboxa}

```

7.65 geometry-xetex-bidi.def

```

9918 \ProvidesFile{geometry-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for geometry package for
9919 \renewcommand*{\Gm@vrules@mpi}{%
9920 \if@RTLmain%
9921   \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
9922   \llap{\Gm@vrule}\ignorespaces
9923   \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
9924   \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
9925 \else%

```



```

9926 \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
9927 \hskip \textwidth\Gm@vrule\hskip \marginparsep
9928 \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
9929 \renewcommand*{\Gm@vrules@mpii}{%
9930 \if@RTLmain%
9931 \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
9932 \hskip \textwidth\Gm@vrule\hskip \marginparsep
9933 \llap{\Gm@vrule}\hfil\Gm@vrule}%
9934 \else%
9935 \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
9936 \llap{\Gm@vrule}\ignorespaces
9937 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
9938 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
9939

```

7.66 hvfloat-xetex-bidi.def

```

9940 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for X
9941 \def\do@hvFloat[#1]#2#3{%
9942 \def\hv@shortCap{#1}
9943 \def\hv@longCap{#2}
9944 \def\hv@label{#3}
9945 %\newcommand*{\hvFloat}[5][{}]{%
9946 % [#1]: keyvalues
9947 % #2: type figure | table | ...
9948 % #3: float contents
9949 % [#4]: short caption
9950 % #5: caption
9951 % #6: label
9952 % \setDefault%
9953 % \def\@tempa{#1}%
9954 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi set options, only when not empty
9955 \def\@tempa{90}%
9956 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
9957 \else \setlength{\hvMaxCapWidth}{\linewidth}
9958 \fi
9959 %
9960 % First we save the object in \hvObjectBox
9961 %
9962 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
9963 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
9964 \else
9965 \savebox{\hvObjectBox}{%
9966 \rotatebox{\hvSet@objectAngle}{%
9967 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
9968 \fi
9969 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
9970 %
9971 % Now we save the caption with its defined \hvCapWidth
9972 %

```



```

9973 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
9974 \else
9975 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
9976 \else
9977 \setlength{\hvCapWidth}{\hvObjectWidth}
9978 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
9979 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
9980 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
9981 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
9982 \else
9983 \setlength{\hvCapWidth}{\hvMaxCapWidth}
9984 \fi
9985 \fi
9986 \fi
9987 %
9988 % now we have the object and the caption with the right
9989 % rotated angles saved in boxes
9990 %
9991 \def\fps@figure{\hvSet@floatPos}
9992 \ifhv@nonFloat\begin{group}% Start the nonfloat part
9993 \else \begin{\hv@floatType}% Start the floating environment
9994 \fi%
9995 \saveCaptionSkip% we put this space ourselves
9996 \ifx\hvSet@capAngle\hv@Width % need rotation?
9997 \sbox{\hvCaptionBox}{%
9998 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
9999 \ifhv@nonFloat%
10000 \ifhv@onlyText#2%
10001 \else%
10002 \ifx\hv@floatType\hv@figure
10003 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
10004 \else
10005 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
10006 \fi
10007 \fi
10008 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
10009 \fi%
10010 \label{#3}%
10011 \end{minipage}%
10012 }%
10013 \else%
10014 \sbox{\hvCaptionBox}{%
10015 \rotatebox{\hvSet@capAngle}{%
10016 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
10017 \ifhv@nonFloat%
10018 \ifhv@onlyText#2%
10019 \else%
10020 \ifx\hv@floatType\hv@figure
10021 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
10022 \else

```




```

10023      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
10024      \fi
10025      \fi
10026 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
10027      \fi%
10028      \label{#3}%
10029      \end{minipage}%
10030      }%
10031      }%
10032      \fi%
10033 %%
10034 \restoreCaptionSkip% save old values
10035 \ifx\hvSet@objectPos\hv@Right\bidiraggedleft%
10036 \else%
10037     \ifx\hvSet@objectPos\hv@Center
10038     \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
10039     \fi%
10040     \fi%
10041 %
10042 % to rotate object and caption together, we save all in another box
10043 % the caption comes first, if its on the left or the top
10044 %
10045 \savebox{\@tempboxa}{%
10046 \ifx\hvSet@capPos\hv@Left % caption on left side
10047 \ifRTL%
10048 \ifx\hvSet@capVPos\hv@Center%
10049 \ifhv@fbox
10050 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10051 \else
10052 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10053 \fi%
10054 \hspace{\hvSet@floatCapSep pt}%
10055 \ifhv@fbox
10056 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10057 \else
10058 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10059 \fi%
10060 \else%
10061 \ifx\hvSet@capVPos\hv@Top
10062 \ifhv@fbox
10063 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10064 \else
10065 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10066 \fi%
10067 \hspace{\hvSet@floatCapSep pt}%
10068 \ifhv@fbox
10069 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10070 \else
10071 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10072 \fi

```



```

10073 \else
10074 \ifhv@fbox
10075 \fbox{\usebox{\hvObjectBox}}%
10076 \else
10077 \usebox{\hvObjectBox}%
10078 \fi
10079 \hspace{\hvSet@floatCapSep pt}%
10080 \ifhv@fbox
10081 \fbox{\usebox{\hvCaptionBox}}%
10082 \else
10083 \usebox{\hvCaptionBox}%
10084 \fi%
10085 \fi%
10086 \fi%
10087 \else% not RTL
10088 \ifx\hvSet@capVPos\hv@Center%
10089 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10090 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10091 \fi%
10092 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10093 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10094 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
10095 \fi%
10096 \else%
10097 \ifx\hvSet@capVPos\hv@Top % caption at top
10098 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10099 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10100 \fi
10101 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10102 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10103 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
10104 \fi%
10105 \else% caption on bottom
10106 \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
10107 \else\usebox{\hvCaptionBox}
10108 \fi%
10109 \hspace{\hvSet@floatCapSep pt}%
10110 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
10111 \else \usebox{\hvObjectBox}
10112 \fi%
10113 \fi%
10114 \fi% end of RTL
10115 \fi%
10116 \else
10117 \ifx\hvSet@capPos\hv@Top
10118 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10119 \begin{minipage}{\wd\hvCaptionBox}
10120 \else
10121 \begin{minipage}{\wd\hvObjectBox}
10122 \fi

```



```

10123 \centering
10124 \ifhv@fbox
10125 \fbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
10126 \fbox{\usebox{\hvObjectBox}}
10127 \else
10128 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
10129 \usebox{\hvObjectBox}
10130 \fi%
10131 \end{minipage}
10132 \else
10133 \ifx\hvSet@capPos\hv@Bottom
10134 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10135 \begin{minipage}{\wd\hvCaptionBox}
10136 \else
10137 \begin{minipage}{\wd\hvObjectBox}
10138 \fi
10139 \centering
10140 \ifhv@fbox
10141 \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
10142 \fbox{\usebox{\hvCaptionBox}}
10143 \else
10144 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
10145 \usebox{\hvCaptionBox}
10146 \fi%
10147 \end{minipage}
10148 \else% the last option: put the caption on the right
10149 \if@RTL%
10150 \ifx\hvSet@capVPos\hv@Center%
10151 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10152 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10153 \fi%
10154 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10155 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10156 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
10157 \fi%
10158 \else%
10159 \ifx\hvSet@capVPos\hv@Top % caption at top
10160 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10161 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10162 \fi
10163 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10164 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10165 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
10166 \fi%
10167 \else% caption on bottom
10168 \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
10169 \else\usebox{\hvCaptionBox}
10170 \fi%
10171 \hspace{\hvSet@floatCapSep pt}%
10172 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}

```



```

10173      \else      \usebox{\hvObjectBox}
10174      \fi%
10175      \fi%
10176      \fi%
10177 \else% not RTL
10178 \ifx\hvSet@capVPos\hv@Center%
10179 \ifhv@fbox
10180 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10181 \else
10182 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10183 \fi%
10184 \hspace{\hvSet@floatCapSep pt}%
10185 \ifhv@fbox
10186 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10187 \else
10188 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10189 \fi%
10190 \else%
10191 \ifx\hvSet@capVPos\hv@Top
10192 \ifhv@fbox
10193 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10194 \else
10195 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10196 \fi%
10197 \hspace{\hvSet@floatCapSep pt}%
10198 \ifhv@fbox
10199 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10200 \else
10201 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10202 \fi
10203 \else
10204 \ifhv@fbox
10205 \fbox{\usebox{\hvObjectBox}}%
10206 \else
10207 \usebox{\hvObjectBox}%
10208 \fi
10209 \hspace{\hvSet@floatCapSep pt}%
10210 \ifhv@fbox
10211 \fbox{\usebox{\hvCaptionBox}}%
10212 \else
10213 \usebox{\hvCaptionBox}%
10214 \fi%
10215 \fi%
10216 \fi
10217 \fi% end of RTL
10218 \fi
10219 \fi
10220 \fi
10221 }% End savebox Object and caption
10222 %

```



```

10223 % now we rotate the object and caption, if needed
10224 %
10225 \ifx\hvSet@rotAngle\hv@Zero
10226 \usebox{\@tempboxa}
10227 \else
10228 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
10229 \fi
10230 \ifhv@nonFloat
10231 \ifx\hvSet@objectPos\hv@Center
10232 \ifhv@nonFloat
10233 \hspace{\fill}
10234 \fi
10235 \fi
10236 \endgroup% End the nonfloat part
10237 \else
10238 \end{\hv@floatType}% End the floating environment
10239 \fi
10240 }

```

7.67 hyperref-xetex-bidi.def

```

10241 \ProvidesFile{hyperref-xetex-bidi.def}[2014/11/08 v0.8 bidi adaptations for hyperref package for
10242 \AtBeginDocument{%
10243 \def\contentsline#1#2#3#4{%
10244 \ifx\#4\%
10245 \csname l@#1\endcsname{#2}{#3}%
10246 \else
10247 \ifcase\Hy@linktoc % none
10248 \csname l@#1\endcsname{#2}{#3}%
10249 \or % section
10250 \csname l@#1\endcsname{%
10251 \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
10252 }{#3}%
10253 \or % page
10254 \csname l@#1\endcsname{#2}{#3}%
10255 \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10256 }%
10257 \else % all
10258 \csname l@#1\endcsname{%
10259 \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
10260 }{%
10261 \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10262 }%
10263 \fi
10264 \fi
10265 }
10266 \ifHy@hyperfootnotes
10267 \let\H@@footnotetext\@footnotetext
10268 \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
10269 \let\HLTR@@LTRfootnotetext\@LTRfootnotetext

```



```

10270 \def\@xfootnotenext[#1]{%
10271 \begingroup
10272   \csname c@\@mpfn\endcsname #1\relax
10273   \unrestored@protected@xdef\@thefnmark{\thempfn}%
10274 \endgroup
10275 \ifx\@footnotetext\@mpfootnotetext
10276   \expandafter\H@\@mpfootnotetext
10277 \else
10278   \expandafter\H@\@footnotetext
10279 \fi
10280 }%
10281 \def\@xRTLfootnotenext[#1]{%
10282 \begingroup
10283   \csname c@\@mpfn\endcsname #1\relax
10284   \unrestored@protected@xdef\@thefnmark{\thempfn}%
10285 \endgroup
10286 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
10287   \expandafter\HRTL@\@mpRTLfootnotetext
10288 \else
10289   \expandafter\HRTL@\@RTLfootnotetext
10290 \fi
10291 }%
10292 \def\@xLTRfootnotenext[#1]{%
10293 \begingroup
10294   \csname c@\@mpfn\endcsname #1\relax
10295   \unrestored@protected@xdef\@thefnmark{\thempfn}%
10296 \endgroup
10297 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
10298   \expandafter\HLTR@\@mpLTRfootnotetext
10299 \else
10300   \expandafter\HLTR@\@LTRfootnotetext
10301 \fi
10302 }%
10303 \def\@xfootnotemark[#1]{%
10304 \begingroup
10305   \c@footnote #1\relax
10306   \unrestored@protected@xdef\@thefnmark{\thefootnote}%
10307 \endgroup
10308 \H@\@footnotemark
10309 }%
10310 \let\H@\@mpfootnotetext\@mpfootnotetext
10311 \let\HRTL@\@mpRTLfootnotetext\@mpRTLfootnotetext
10312 \let\HLTR@\@mpLTRfootnotetext\@mpLTRfootnotetext
10313 \long\def\@mpfootnotetext#1{%
10314 \H@\@mpfootnotetext{%
10315   \ifHy@nesting
10316     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10317   \else
10318     \Hy@raisedlink{%
10319       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%

```



```

10320         }#1%
10321     \fi
10322 }%
10323 }%
10324 \long\def\@mpRTLfootnotetext#1{%
10325     \HRTL@mpRTLfootnotetext{%
10326         \ifHy@nesting
10327             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10328         \else
10329             \Hy@raisedlink{%
10330                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10331             }#1%
10332     \fi
10333 }%
10334 }%
10335 \long\def\@mpLTRfootnotetext#1{%
10336     \HLTR@mpLTRfootnotetext{%
10337         \ifHy@nesting
10338             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10339         \else
10340             \Hy@raisedlink{%
10341                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10342             }#1%
10343     \fi
10344 }%
10345 }%
10346 \long\def\@footnotetext#1{%
10347     \H@@footnotetext{%
10348         \ifHy@nesting
10349             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10350         \else
10351             \Hy@raisedlink{%
10352                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10353             }%
10354             \let\@currentHlabel\Hy@footnote@currentHlabel
10355             \let\@currentHref\Hy@footnote@currentHref
10356             \let\@currentlabelname\@empty
10357             #1%
10358         \fi
10359     }%
10360 }%
10361 \long\def\@RTLfootnotetext#1{%
10362     \HRTL@RTLfootnotetext{%
10363         \ifHy@nesting
10364             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10365         \else
10366             \Hy@raisedlink{%
10367                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10368             }%
10369             \let\@currentHlabel\Hy@footnote@currentHlabel

```



```

10370         \let\@currentHref\Hy@footnote@currentHref
10371         \let\@currentlabelname\@empty
10372         #1%
10373     \fi
10374 }%
10375 }%
10376 \long\def\@LTRfootnotetext#1{%
10377 \HLTR@@LTRfootnotetext{%
10378     \ifHy@nesting
10379         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10380     \else
10381         \Hy@raisedlink{%
10382             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10383         }%
10384         \let\@currentHlabel\Hy@footnote@currentHlabel
10385         \let\@currentHref\Hy@footnote@currentHref
10386         \let\@currentlabelname\@empty
10387         #1%
10388     \fi
10389 }%
10390 }%
10391 \def\@footnotemark{%
10392     \leavevmode
10393     \ifhmode\edef\@x@sf{\the\spacefactor}\nobreak\fi
10394     \stepcounter{Hfootnote}%
10395     \global\let\Hy@saved@currentHlabel\@currentHlabel
10396     \global\let\Hy@saved@currentHref\@currentHref
10397     \hyper@makecurrent{Hfootnote}%
10398     \global\let\Hy@footnote@currentHlabel\@currentHlabel
10399     \global\let\Hy@footnote@currentHref\@currentHref
10400     \global\let\@currentHlabel\Hy@saved@currentHlabel
10401     \global\let\@currentHref\Hy@saved@currentHref
10402     \beginL\hyper@linkstart{link}{\Hy@footnote@currentHref}%
10403     \@makefnmark
10404     \hyper@linkend\endL
10405     \ifhmode\spacefactor\@x@sf\fi
10406     \relax
10407 }%
10408 \@ifpackageloaded{tabularx}{%
10409 \let\HyOrg@TX@endtabularx\TX@endtabularx
10410 \def\Hy@tabularx@hook{%
10411     \let\@footnotetext\H@@footnotetext
10412     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
10413     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
10414     \let\@footnotemark\H@@footnotemark
10415     \let\@mpfootnotetext\H@@mpfootnotetext
10416     \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
10417     \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
10418 }%
10419 \begingroup

```




```

10420     \toks@ \expandafter{\TX@endtabularx}%
10421     \xdef\Hy@gtemp{%
10422         \noexpand\Hy@tabularx@hook
10423         \the\toks@
10424     }%
10425     \endgroup
10426     \let\TX@endtabularx\Hy@gtemp
10427 }{}%
10428 \@ifpackageloaded{longtable}{%
10429     \CheckCommand*{\LT@p@LTRftntext}[1]{%
10430         \edef\@tempa{%
10431             \the\LT@p@ftn
10432             \noexpand\LTRfootnotetext[\the\c@footnote]%
10433         }%
10434         \global\LT@p@ftn\expandafter{\@tempa{#1}}%
10435     }%
10436     \long\def\LT@p@LTRftntext#1{%
10437         \edef\@tempa{%
10438             \the\LT@p@ftn
10439             \begingroup
10440                 \noexpand\c@footnote=\the\c@footnote\relax
10441                 \noexpand\protected@xdef\noexpand\@thefnmark{%
10442                     \noexpand\thempfn
10443                 }%
10444                 \noexpand\Hy@LT@LTRfootnotetext{%
10445                     \Hy@footnote@currentHref
10446                 }%
10447             }%
10448             \global\LT@p@ftn\expandafter{
10449                 \@tempa{#1}%
10450             }%
10451         }%
10452     }%
10453     \long\def\Hy@LT@LTRfootnotetext#1#2{%
10454         \HLTR@@LTRfootnotetext{%
10455             \ifHy@nesting
10456                 \hyper@@anchor{#1}{#2}%
10457             \else
10458                 \Hy@raisedlink{%
10459                     \hyper@@anchor{#1}{\relax}%
10460                 }%
10461                 \def\@currentHref{#1}%
10462                 \let\@currentlabelname\@empty
10463                 #2%
10464             \fi
10465         }%
10466     }%
10467     \CheckCommand*{\LT@p@RTLftntext}[1]{%
10468         \edef\@tempa{%
10469             \the\LT@p@ftn

```



```

10470         \noexpand\RTLfootnotetext[\the\c@footnote]%
10471     }%
10472     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
10473 }%
10474 \long\def\LT@p@RTLftntext#1{%
10475     \edef\@tempa{%
10476         \the\LT@p@ftn
10477         \beginngroup
10478             \noexpand\c@footnote=\the\c@footnote\relax
10479             \noexpand\protected@xdef\noexpand\@thefnmark{%
10480                 \noexpand\thempfn
10481             }%
10482             \noexpand\Hy@LT@RTLfootnotetext{%
10483                 \Hy@footnote@currentHref
10484             }%
10485         }%
10486         \global\LT@p@ftn\expandafter{%
10487             \@tempa{#1}%
10488         \endgroup
10489     }%
10490 }%
10491 \long\def\Hy@LT@RTLfootnotetext#1#2{%
10492     \HRTL@RTLfootnotetext{%
10493         \ifHy@nesting
10494             \hyper@@anchor{#1}{#2}%
10495         \else
10496             \Hy@raisedlink{%
10497                 \hyper@@anchor{#1}{\relax}%
10498             }%
10499             \def\@currentHref{#1}%
10500             \let\@currentlabelname\@empty
10501             #2%
10502         \fi
10503     }%
10504 }%
10505 }{}%
10506 \ifpackageloaded{bidipoem}{%
10507     \long\def\bidipoem@p@ftntext#1{%
10508         \edef\@tempx{%
10509             \the\bidipoem@p@ftn
10510             \beginngroup
10511                 \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
10512                 \noexpand\protected@xdef\noexpand\@thefnmark{%
10513                     \noexpand\thempfn
10514                 }%
10515                 \noexpand\Hy@bidipoem@footnotetext{%
10516                     \Hy@footnote@currentHref
10517                 }%
10518             }%
10519             \global\bidipoem@p@ftn\expandafter{%

```



```

10520         \@temp{#1}%
10521     \endgroup
10522 }%
10523 }%
10524 \long\def\Hy@bidipoem@footnotetext#1#2{%
10525     \H@@footnotetext{%
10526         \ifHy@nesting
10527             \hyper@@anchor{#1}{#2}%
10528         \else
10529             \Hy@raisedlink{%
10530                 \hyper@@anchor{#1}{\relax}%
10531             }%
10532             \def\@currentHref{#1}%
10533             \let\@currentlabelname\@empty
10534             #2%
10535         \fi
10536     }%
10537 }%
10538 \long\def\bidipoem@p@LTRftntext#1{%
10539     \edef\@tempxi{%
10540         \the\bidipoem@p@ftn
10541         \begingroup
10542         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
10543         \noexpand\protected@xdef\noexpand\@thefnmark{%
10544             \noexpand\thempfn
10545         }%
10546         \noexpand\Hy@bidipoem@LTRfootnotetext{%
10547             \Hy@footnote@currentHref
10548         }%
10549     }%
10550     \global\bidipoem@p@ftn\expandafter{%
10551         \@tempxi{#1}%
10552     \endgroup
10553 }%
10554 }%
10555 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
10556     \HLTR@@LTRfootnotetext{%
10557         \ifHy@nesting
10558             \hyper@@anchor{#1}{#2}%
10559         \else
10560             \Hy@raisedlink{%
10561                 \hyper@@anchor{#1}{\relax}%
10562             }%
10563             \def\@currentHref{#1}%
10564             \let\@currentlabelname\@empty
10565             #2%
10566         \fi
10567     }%
10568 }%
10569 \long\def\bidipoem@p@RTLftntext#1{%

```



```

10570 \edef\@tempxiif{%
10571 \the\bidipoem@p@ftn
10572 \begingroup
10573 \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
10574 \noexpand\protected@xdef\noexpand\@thefnmark{%
10575 \noexpand\thempfn
10576 }%
10577 \noexpand\Hy@bidipoem@RTLfootnotetext{%
10578 \Hy@footnote@currentHref
10579 }%
10580 }%
10581 \global\bidipoem@p@ftn\expandafter{%
10582 \@tempxiif{#1}%
10583 \endgroup
10584 }%
10585 }%
10586 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
10587 \HRTL@RTLfootnotetext{%
10588 \ifHy@nesting
10589 \hyper@@anchor{#1}{#2}%
10590 \else
10591 \Hy@raisedlink{%
10592 \hyper@@anchor{#1}{\relax}%
10593 }%
10594 \def\@currentHref{#1}%
10595 \let\@currentlabelname\@empty
10596 #2%
10597 \fi
10598 }%
10599 }%
10600 }{}%
10601 \let\HyOrg@maketitle\maketitle
10602 \def\maketitle{%
10603 \let\Hy@saved@footnotemark\@footnotemark
10604 \let\Hy@saved@footnotetext\@footnotetext
10605 \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
10606 \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
10607 \let\@footnotemark\H@@footnotemark
10608 \let\@footnotetext\H@@footnotetext
10609 \let\@RTLfootnotetext\HRTL@RTLfootnotetext
10610 \let\@LTRfootnotetext\HLTR@LTRfootnotetext
10611 \@ifnextchar[\Hy@maketitle@optarg{% ]
10612 \HyOrg@maketitle
10613 \Hy@maketitle@end
10614 }%
10615 }%
10616 \def\Hy@maketitle@optarg[#1]{%
10617 \HyOrg@maketitle[#{1}]%
10618 \Hy@maketitle@end
10619 }%

```



```

10620 \def\Hy@maketitle@end{%
10621   \ifx\@footnotemark\H@@footnotemark
10622     \let\@footnotemark\Hy@saved@footnotemark
10623   \fi
10624   \ifx\@footnotetext\H@@footnotetext
10625     \let\@footnotetext\Hy@saved@footnotetext
10626   \fi
10627   \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
10628     \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
10629   \fi
10630   \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
10631     \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
10632   \fi
10633 }%
10634 \def\realfootnote{%
10635   \@ifnextchar[\@xfootnote{%
10636     \stepcounter{\@mpfn}%
10637     \protected@xdef\@thefnmark{\thempfn}%
10638     \H@@footnotemark\H@@footnotetext
10639   }%
10640 }%
10641 \fi
10642 \def\hyper@link#1#2#3{%
10643   \ifmmode\else\beginL\fi\hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\endL\fi
10644 }
10645 \def\url@#1{\beginL\hyper@linkurl{\Hurl{#1}}{#1}\endL}
10646 \def\hyper@natlinkstart#1{%
10647   \Hy@backout{#1}%
10648   \beginL\hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
10649   \def\hyper@nat@current{#1}%
10650 }
10651 \def\hyper@natlinkend{%
10652   \if@RTL\endR\fi\hyper@linkend\endL
10653 }
10654 \def\hyper@natlinkbreak#1#2{%
10655   \if@RTL\endR\fi\hyper@linkend\endL#1\beginL\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
10656 }%
10657 }
10658 \begingroup
10659   \catcode`\$=6 %
10660   \catcode`\#=12 %
10661   \gdef\href$1{\expandafter\href@split$1#\}%
10662   \gdef\href@split$1#$2#$3\$\$4{%
10663     \beginL\hyper@@link{$1}{$2}{\if@RTL\beginR\fi$4\if@RTL\endR\fi}\endL%
10664   \endgroup
10665 }%
10666 \endgroup
10667 \pdfstringdefDisableCommands{%
10668   \let\LR@firstofone
10669   \let\LR@firstofone

```



```

10670 \let\RL\@firstofone
10671 \let\RL\@firstofone
10672 \def\XeTeX{Xe\TeX}
10673 \def\XeLaTeX{Xe\LaTeX}
10674 }
10675 \ifpackageloaded{longtable}{%
10676   \begingroup
10677     \def\y{LT@array}%
10678     \@ifundefined{scr@LT@array}{%
10679       \@ifundefined{adl@LT@array}{\def\y{adl@LT@array}}%
10680     }{\def\y{scr@LT@array}}%
10681     \long\def\x\refstepcounter#1#2\sharp#3#4\nil{%
10682       \expandafter\endgroup
10683       \expandafter\def\y[##1]##2{%
10684         \H@refstepcounter{#1}%
10685         \hyper@makecurrent{table}%
10686         \let\Hy@LT@currentHref\@currentHref
10687         #2\sharp####4%
10688       }%
10689     }%
10690     \expandafter\expandafter\expandafter\x\y[##1][##2]\nil
10691     \begingroup
10692       \def\x#1\ifvoid\LT@foot#2\fi#3\nil{%
10693         \endgroup
10694         \def\LT@start{%
10695           #1%
10696           \ifvoid\LT@foot#2\fi
10697           \let\@currentHref\Hy@LT@currentHref
10698           \Hy@raisedlink{%
10699             \hyper@anchorstart{\@currentHref}\hyper@anchorend
10700           }%
10701           #3%
10702         }%
10703       }%
10704       \expandafter\x\LT@start\nil
10705 }{}

```

7.68 leqno-xetex-bidi.def

```

10706 \ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX eng
10707 \renewcommand\@eqnnum{\hb@xt@.01\p@}%
10708         \rlap{
10709           \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\i

```

7.69 letter-xetex-bidi.def

```

10710 \ProvidesFile{letter-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for standard letter class
10711 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
10712   \thispagestyle{firstpage}%
10713   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
10714   \else % home address

```



```

10715 \thispagestyle{empty}%
10716 {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@{}}
10717 \fromaddress \*[2\parskip]%
10718 \@date \end{tabular}\par}%
10719 \fi
10720 \vspace{2\parskip}%
10721 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ \toaddress \par}%
10722 \vspace{2\parskip}%
10723 #1\par\nobreak}
10724 \renewcommand\left@footnoterule{%
10725 \kern-\p@
10726 \hrule \@width .4\columnwidth
10727 \kern .6\p@}
10728 \renewcommand\right@footnoterule{%
10729 \hbox to \columnwidth
10730 {\beginR \vbox{%
10731 \kern-\p@
10732 \hrule \@width .4\columnwidth
10733 \kern .6\p@}\hfil\endR}}

```

7.70 lettrine-xetex-bidi.def

```

10734 \ProvidesFile{lettrine-xetex-bidi.def}[2014/09/19 v0.4 bidi adaptations for lettrine package for
10735 \def\@lettrine[#1]#2#3{%
10736 \setcounter{L@lines}{\theDefaultLines}%
10737 \setcounter{L@depth}{\theDefaultDepth}%
10738 \renewcommand*\L@hang{\DefaultLhang}%
10739 \renewcommand*\L@oversize{\DefaultLoversize}%
10740 \renewcommand*\L@raise{\DefaultLraise}%
10741 \renewcommand*\L@ante{}%
10742 \setlength{\L@Findent}{\DefaultFindent}%
10743 \setlength{\L@Nindent}{\DefaultNindent}%
10744 \setlength{\L@slope}{\DefaultSlope}%
10745 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
10746 \if\DefaultOptionsFile\relax
10747 \else
10748 \begingroup
10749 \InputIfFileExists{\DefaultOptionsFile}%
10750 {}%
10751 {\PackageWarning{lettrine.sty}%
10752 {File \DefaultOptionsFile\space not found}%
10753 }%
10754 \def\color##1##{\l@color{##1}}%
10755 \let\l@color\@gobbletwo
10756 \def\textcolor##1##{\l@textcolor{##1}}%
10757 \def\l@textcolor##1##2##3{##3}%
10758 \expandafter\ifx\csname l@#2-keys\endcsname\relax
10759 \gdef\l@LOKeys{}%
10760 \else
10761 \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%

```



```

10762         \fi
10763     \endgroup
10764     \def\KV@prefix{KV@L@}%
10765     \let\@tempc\relax
10766     \expandafter\KV@do\l@LOKeys,\relax,
10767     \sbox{\L@lbox}{\LettrineFont #2}%
10768     \setlength{\LettrineWidth}{\wd\L@lbox}%
10769     \def\KV@prefix{KV@L@}%
10770     \let\@tempc\relax
10771     \expandafter\KV@do\l@LOKeys,\relax,
10772     \fi
10773     \setkeys{L}{#1}%
10774     \ifL@image
10775         \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
10776     \else
10777         \sbox{\L@lbox}{\LettrineFont #2}%
10778     \fi
10779     \sbox{\L@tbox}{\LettrineTextFont{#3}}%
10780     \@tempdima=\baselineskip
10781     \ifnum\theL@lines=1
10782         \setlength{\L@first}{\ht\L@lbox}%
10783         \addtolength{\L@first}{-\ht\L@tbox}%
10784         \setlength{\L@lraise}{\z@}%
10785     \else
10786         \setlength{\L@first}{-\theL@lines\@tempdima}%
10787         \addtolength{\L@first}{\@tempdima}%
10788         \sbox{\@tempboxa}{\LettrineTextFont x}%
10789         \addtolength{\L@first}{-\ht\@tempboxa}%
10790         \setlength{\L@lraise}{-\L@raise\L@first}%
10791         \addtolength{\L@first}{\L@lraise}%
10792         \addtolength{\L@first}{\ht\L@lbox}%
10793         \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
10794         \addtolength{\L@lraise}{\@tempdima}%
10795     \fi
10796     \par
10797     \ifdim\L@first>0.2\p@\vskip\L@first\fi
10798     \setlength{\L@Pindent}{\wd\L@lbox}%
10799     \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
10800     \settowidth{\L@first}{\L@ante}%
10801     \addtolength{\L@Pindent}{\L@first}%
10802     \addtolength{\L@Pindent}{\L@Findent}%
10803     \setlength{\L@first}{\linewidth}%
10804     \addtolength{\L@first}{-\L@Pindent}%
10805     \addtolength{\L@Nindent}{\L@Pindent}%
10806     \setlength{\L@next}{\linewidth}%
10807     \addtolength{\L@next}{-\L@Nindent}%
10808     \addtolength{\L@Pindent}{\rightmargin}%
10809     \addtolength{\L@Nindent}{\rightmargin}%
10810     \setlength{\LettrineWidth}{\wd\L@lbox}%
10811     \setlength{\LettrineHeight}{\ht\L@lbox}%

```




```

10812 \setlength{\LettrineDepth}{\dp\L@lbox}%
10813 \addtocounter{L@lines}{1}%
10814 \addtocounter{L@lines}{\the\c@L@depth}%
10815 \ifRTL\def\L@parshape{\c@L@lines Opt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@Pin
10816 \@tempcnta=\tw@
10817 \@whilenum \@tempcnta<\c@L@lines\do{%
10818   \ifRTL\edef\L@parshape{\L@parshape Opt \the\L@next}\else\edef\L@parshape{\L@parshape \the\
10819     \addtolength{\L@Nindent}{\L@slope}%
10820     \addtolength{\L@next}{-\L@slope}%
10821     \advance\@tempcnta\@ne}%
10822 \ifRTL \edef\L@parshape{\L@parshape Opt \the\linewidth}\else\edef\L@parshape{\L@parshape \ri
10823 \noindent
10824 \parshape=\L@parshape\relax
10825 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%
10826   \hskip \the\L@Findent}}%
10827 \usebox{\L@tbox}%
10828 }

```

7.71 listings-xetex-bidi.def

```

10829 \ProvidesFile{listings-xetex-bidi.def}[2014/07/19 v0.6 bidi adaptations for listings package for
10830 \lstKey{captiondirection}{textdirection}{%
10831   \lstKV@SwitchCases{#1}%
10832   {textdirection&\\%
10833     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
10834     LTR&\chardef\bidi@lst@caption@direction\@z}%
10835   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
10836 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
10837   \ifundefined{bidi@lst@caption@direction}{}%
10838   \ifnum\bidi@lst@caption@direction=\@z%
10839     #1%
10840   \else%
10841     \ifnum\bidi@lst@caption@direction=\@ne%
10842       #2%
10843     \fi%
10844   \fi%
10845 }}
10846 \long\def\bidi@lst@makecaption#1#2{%
10847   \vskip\abovecaptionskip
10848   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
10849   \sbox\@tempboxa{%
10850     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
10851     #1: #2%
10852     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
10853   }%
10854   \ifdim \wd\@tempboxa >\hsize
10855     #1: #2\par
10856   \else
10857     \global \@minipagefalse
10858     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%

```



```

10859 \fi
10860 \vskip\belowcaptionskip}%
10861 \def\lst@makecaption{\@bidi@lst@makecaption}
10862 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
10863 \AtBeginDocument{%
10864 \ifundefined{captionlabelfalse}{\{}{%
10865 \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}}%
10866 \ifundefined{caption@startrue}{\{}{%
10867 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}}%
10868 }
10869 \AtBeginDocument{
10870 \ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{\}
10871 \lst@ifnumberbychapter
10872 \gdef\thelstlisting%
10873 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
10874 \else
10875 \gdef\thelstlisting{\@arabic\c@lstlisting}
10876 \fi}

```

7.72 loadingorder-xetex-bidi.def

```

10877 \ProvidesFile{loadingorder-xetex-bidi.def}[2013/05/22 v0.95 making sure that bidi is the last pa
10878 \bidi@isloaded{amsmath}
10879 \bidi@isloaded{amstext}
10880 \bidi@isloaded{amsthm}
10881 \bidi@isloaded{breqn}
10882 \bidi@isloaded{cals}
10883 \bidi@isloaded{caption}
10884 \bidi@isloaded{crop}
10885 \bidi@isloaded{cuted}
10886 \bidi@isloaded{cutwin}
10887 \bidi@isloaded{color}
10888 \bidi@isloaded{dblfnote}
10889 \bidi@isloaded{xcolor}
10890 \bidi@isloaded{colortbl}
10891 \bidi@isloaded{float}
10892 \bidi@isloaded{floatrow}
10893 \bidi@isloaded{flowfram}
10894 \bidi@isloaded{framed}
10895 \bidi@isloaded{ftnright}
10896 \bidi@isloaded{xltextra}
10897 \bidi@isloaded{xunicode}
10898 \bidi@isloaded{wrapfig}
10899 \bidi@isloaded{graphicx}
10900 \bidi@isloaded{geometry}
10901 \bidi@isloaded{hvfloat}
10902 \bidi@isloaded{mdframed}
10903 \bidi@isloaded{midfloat}
10904 \bidi@isloaded{ntheorem}
10905 \bidi@isloaded{ntheorem-hyper}

```



```

10906 \bidi@isloaded{hyperref}
10907 \bidi@isloaded{fancybox}
10908 \bidi@isloaded{fancyhdr}
10909 \bidi@isloaded{fix2col}
10910 \bidi@isloaded{draftwatermark}
10911 \bidi@isloaded{empheq}
10912 \bidi@isloaded{pdfpages}
10913 \bidi@isloaded{listings}
10914 \bidi@isloaded{lettrine}
10915 \bidi@isloaded{pstricks}
10916 \bidi@isloaded{pgf}
10917 \bidi@isloaded{picinpar}
10918 \bidi@isloaded{quotchap}
10919 \bidi@isloaded{tikz}
10920 \bidi@isloaded{titlesec}
10921 \bidi@isloaded{titletoc}
10922 \bidi@isloaded{array}
10923 \bidi@isloaded{stabular}
10924 \bidi@isloaded{subfig}
10925 \bidi@isloaded{subfigure}
10926 \bidi@isloaded{supertabular}
10927 \bidi@isloaded{xtab}
10928 \bidi@isloaded{longtable}
10929 \bidi@isloaded{arydshln}
10930 \bidi@isloaded{multicol}
10931 \bidi@isloaded{multienum}
10932 \bidi@isloaded{minitoc}
10933 \bidi@isloaded{natbib}
10934 \bidi@isloaded{newfloat}
10935 \bidi@isloaded{ragged2e}
10936 \bidi@isloaded{rotating}
10937 \bidi@isloaded{tbls}
10938 \bidi@isloaded{tabulary}
10939 \bidi@isloaded{tocstyle}
10940 \bidi@isloaded{tocbibind}
10941 \bidi@isloaded{fontspec}
10942 \bidi@isloaded{arabxetex}
10943 \bidi@isloaded{polyglossia}
10944 \bidi@isloaded{fancyvrb}
10945 \AtBeginDocument{
10946   \if@bidi@amsmathloaded@ \else
10947     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package. P
10948   \fi%
10949   \if@bidi@amstextloaded@ \else
10950     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package. P
10951   \fi%
10952   \if@bidi@amsthmloaded@ \else
10953     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package. P
10954   \fi%
10955   \if@bidi@breqnloaded@ \else

```



```

10956 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package. Ple
10957 \fi%
10958 \if@bidi@calsloaded@else
10959 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package. Ple
10960 \fi%
10961 \if@bidi@captionloaded@else
10962 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package. P
10963 \fi%
10964 \if@bidi@croploded@else
10965 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package. Ple
10966 \fi%
10967 \if@bidi@colorloaded@else
10968 \@ifpackageloaded{hyperref}{\fi%
10969 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package. Ple
10970 \fi%
10971 \if@bidi@cutwinloaded@else
10972 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package. PL
10973 \fi%
10974 \if@bidi@cutedloaded@else
10975 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package. Ple
10976 \fi%
10977 \if@bidi@dblfnoteloaded@else
10978 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package.
10979 \fi%
10980 \if@bidi@xcolorloaded@else
10981 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package. PL
10982 \fi%
10983 \if@bidi@colortblloaded@else
10984 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package.
10985 \fi%
10986 \if@bidi@floatloaded@else
10987 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package. Ple
10988 \fi%
10989 \if@bidi@floatrowloaded@else
10990 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package.
10991 \fi%
10992 \if@bidi@flowframloaded@else
10993 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package.
10994 \fi%
10995 \if@bidi@framedloaded@else
10996 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package. PL
10997 \fi%
10998 \if@bidi@ftnrightloaded@else
10999 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package.
11000 \fi%
11001 \if@bidi@xltxtalloaded@else
11002 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxta after bidi package. P
11003 \fi%
11004 \if@bidi@xunicodeloaded@else
11005 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package.

```



```

11006 \fi%
11007 \if@bidi@wrapfigloaded@else
11008 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package. P
11009 \fi%
11010 \if@bidi@graphicxloaded@else
11011 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package.
11012 \fi%
11013 \if@bidi@geometryloaded@else
11014 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package.
11015 \fi%
11016 \if@bidi@hvfloatloaded@else
11017 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi package. P
11018 \fi%
11019 \if@bidi@mdframedloaded@else
11020 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi package.
11021 \fi%
11022 \if@bidi@midfloatloaded@else
11023 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi package.
11024 \fi%
11025 \if@bidi@ntheoremloaded@else
11026 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi package.
11027 \fi%
11028 \if@bidi@hyperrefloaded@else
11029 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi package.
11030 \fi%
11031 \if@bidi@fancyboxloaded@else
11032 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi package.
11033 \fi%
11034 \if@bidi@fancyhdrloaded@else
11035 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi package.
11036 \fi%
11037 \if@bidi@draftwatermarkloaded@else
11038 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi pa
11039 \fi%
11040 \if@bidi@empheqloaded@else
11041 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package. P
11042 \fi%
11043 \if@bidi@pdfpagesloaded@else
11044 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi package.
11045 \fi%
11046 \if@bidi@lettrineloaded@else
11047 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi package.
11048 \fi%
11049 \if@bidi@listingsloaded@else
11050 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi package.
11051 \fi%
11052 \if@bidi@pstricksloaded@else
11053 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi package.
11054 \fi%
11055 \if@bidi@pgfloaded@else

```



```

11056 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. Please
11057 \fi%
11058 \if@bidi@picinparloaded@else
11059 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi package.
11060 \fi%
11061 \if@bidi@quotchaploaded@else
11062 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi package.
11063 \fi%
11064 \if@bidi@tikzloaded@else
11065 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package. Please
11066 \fi%
11067 \if@bidi@titlesecloaded@else
11068 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi package.
11069 \fi%
11070 \if@bidi@titletocloaded@else
11071 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi package.
11072 \fi%
11073 \if@bidi@arrayloaded@else
11074 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package. Please
11075 \fi%
11076 \if@bidi@stabularloaded@else
11077 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package.
11078 \fi%
11079 \if@bidi@subfigloaded@else
11080 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package. Please
11081 \fi%
11082 \if@bidi@subfigureloaded@else
11083 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package.
11084 \fi%
11085 \if@bidi@supertabularloaded@else
11086 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi package.
11087 \fi%
11088 \if@bidi@xtabloaded@else
11089 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package. Please
11090 \fi%
11091 \if@bidi@longtableloaded@else
11092 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package.
11093 \fi%
11094 \if@bidi@arydshlnloaded@else
11095 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package.
11096 \fi%
11097 \if@bidi@multicolloaded@else
11098 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package.
11099 \fi%
11100 \if@bidi@multienumloaded@else
11101 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi package.
11102 \fi%
11103 \if@bidi@minitocloaded@else
11104 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi package. Please
11105 \fi%

```



```

11106 \if@bidi@natbibloaded@else
11107 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package. Pl
11108 \fi%
11109 \if@bidi@newfloatloaded@else
11110 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi package.
11111 \fi%
11112 \csname if@bidi@ragged2eloaded@endcsname\else
11113 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi package.
11114 \fi%
11115 \if@bidi@rotatingloaded@else
11116 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi package.
11117 \fi%
11118 \if@bidi@tabslloaded@else
11119 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabs after bidi package. Pl
11120 \fi%
11121 \if@bidi@tabularyloaded@else
11122 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi package.
11123 \fi%
11124 \if@bidi@tocstyleloaded@else
11125 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi package.
11126 \fi%
11127 \if@bidi@tocbibindloaded@else
11128 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi package
11129 \fi%
11130 \if@bidi@fontspecloaded@else
11131 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi package.
11132 \fi%
11133 \if@bidi@arabxetexloaded@else
11134 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi package
11135 \fi%
11136 \if@bidi@polyglossialloaded@else
11137 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi packa
11138 \fi%
11139 \if@bidi@fancyvrbloaded@else
11140 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi package.
11141 \fi%
11142 }

```

7.73 longtable-xetex-bidi.def

```

11143 \ProvidesFile{longtable-xetex-bidi.def}[2013/04/01 v0.3 bidi adaptations for longtable package f
11144 \def\LT@array[#1]#2{%
11145 \refstepcounter{table}\stepcounter{LT@tables}%
11146 \if l#1%
11147 \if@RTLtab\LTleft\fill \LTright\z@else\LTleft\z@ \LTright\fill\fi
11148 \else\if r#1%
11149 \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
11150 \else\if c#1%
11151 \LTleft\fill \LTright\fill
11152 \fi\fi\fi

```



```

11153 \let\LT@mccl\multicolumn
11154 \let\LT@ctabarray\@tabarray
11155 \let\LT@chl\hline
11156 \def\@tabarray{%
11157   \let\hline\LT@chl
11158   \LT@ctabarray}%
11159 \let\LT@tabularcr\let\@tabularnewline\%
11160 \def\newpage{\noalign{\break}}%
11161 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
11162 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}}%
11163 \let\hline\LT@chl \let\kill\LT@kill \let\caption\LT@caption
11164 \@tempdima\ht\strutbox
11165 \let\@endpbox\LT@endpbox
11166 \ifx\extrarowheight\@undefined
11167   \let\@acol\@tabacol
11168   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
11169   \def\@startpbox{\vtop\LT@startpbox}%
11170   \let\@startpbox\@startpbox
11171   \let\@endpbox\@endpbox
11172   \let\LT@LL@FM@cr\@tabularcr
11173 \else
11174   \advance\@tempdima\extrarowheight
11175   \col@sep\@tabcolsep
11176   \let\@startpbox\LT@startpbox \let\LT@LL@FM@cr\@arraycr
11177 \fi
11178 \setbox\@arstrutbox\hbox{\vrule
11179   \@height \arraystretch \@tempdima
11180   \@depth \arraystretch \dp \strutbox
11181   \@width \z@}%
11182 \let\@sharp##\let\protect\relax
11183 \begingroup
11184   \mkpream{#2}%
11185   \xdef\LT@bchunk{%
11186     \global\advance\c@LT@chunks\@ne
11187     \global\LT@rows\z@\setbox\z@\vbox\bgroup
11188     \LT@setprevdepth
11189     \tabskip\LTleft \noexpand\halign to\hsize\bgroup
11190     \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
11191 \endgroup
11192 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
11193 \LT@make@row
11194 \m@th\let\par\@empty
11195 \everycr{}\lineskip\z@ \baselineskip\z@
11196 \LT@bchunk}
11197 \def\LT@makecaption#1#2#3{%
11198   \LT@mccl\LT@cols c{\hbox to\z@{\hss\parbox[t]\LT@capwidth{%
11199     \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
11200     \ifdim\wd\@tempboxa>\hsize
11201       #1{#2: }#3%
11202   \else

```




```

11203     \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
11204     \fi
11205     \endgraf\vskip\baselineskip}%
11206   \hss}}
11207 \def\LT@startpbox#1{%
11208   \bgroup
11209   \let\@footnotetext\LT@p@ftntext
11210   \let\@LTRfootnotetext\LT@p@LTRftntext
11211   \let\@RTLfootnotetext\LT@p@RTLftntext
11212   \setlength\hsize{#1}%
11213   \@arrayparboxrestore
11214   \vrule \@height \ht\@arstrutbox \@width \z@}
11215 \def\LT@p@LTRftntext#1{%
11216   \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]]}%
11217   \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
11218 \def\LT@p@RTLftntext#1{%
11219   \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]]}%
11220   \global\LT@p@ftn\expandafter{\@tempa{#1}}}%

```

7.74 mdframed-xetex-bidi.def

```

11221 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package for
11222 \newif\if@bidi@mdf@RTL
11223 \def\mdf@lrbox#1{%
11224   \mdf@patchamsthm\patch amsthm
11225   \if@RTL\@bidi@mdf@RTLtrue\fi%
11226   \@RTLfalse%
11227   \setbox#1\vbox\bgroup%
11228   \color@begingroup%
11229   \if@bidi@mdf@RTL\@RTLtrue\fi%
11230   \mdf@horizontalmargin@equation%
11231   \columnwidth=\hsize%
11232   \textwidth=\hsize%
11233   \let\if@nobreak\iffalse%
11234   \let\if@noskipsec\iffalse%
11235   \let\par\@par%
11236   \let\-\@dischyph%
11237   \let'\@acci\let\`@accii\let\=@acciii%
11238   \parindent\z@ \parskip\z@skip%
11239   \linewidth\hsize%
11240   \@totalleftmargin\z@%
11241   \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
11242   \parfillskip\@flushglue \lineskip\normallineskip%
11243   \baselineskip\normalbaselineskip%
11244   %% \sloppy%
11245   \let\\\@normalcr%
11246   \mdf@par@local%New feature to restore parskip/parindent local in save box
11247   \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
11248   \@afterindentfalse%
11249   %\@afterheading%

```



```

11250 }
11251 \renewrobustcmd\mdfframetitleenv[1]{%
11252   \mdf@lrbox{\mdf@frametitlebox}%
11253   \mdf@frametitlealignment%
11254   \leavevmode{\color{\mdf@frametitlefontcolor}%
11255     \normalfont\mdf@frametitlefont{#1}
11256     \ifbool{mdf@ignorelastdescenders}%
11257       {%
11258         \par\strut\par
11259         \unskip\unskip\setbox0=\lastbox
11260         \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
11261       }{}}%
11262 \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi}%
11263 \endmdf@lrbox\relax%
11264 \mdf@ignorevbadness%
11265 \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
11266 \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
11267 \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
11268 \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
11269 \mdfframetitleboxtotalheight=\dimexpr
11270   \ht\mdf@frametitlebox
11271   +\dp\mdf@frametitlebox%
11272   +\mdf@frametitleaboveskip@length
11273   +\mdf@frametitlebelowskip@length
11274   \relax%
11275 }
11276
11277 \renewrobustcmd*\mdf@footnoteoutput{%
11278   \ifvoid\@mpfootins\else%
11279     \nobreak%
11280     \vskip\mdf@footnotedistance@length%
11281     \normalcolor%
11282     \bidi@mpfootnoterule%
11283     \unvbox\@mpfootins%
11284   \fi%
11285 }
11286
11287
11288 \renewrobustcmd*\mdf@footnoteinput{%
11289   \def\@mpfn{mpfootnote}%
11290   \def\thempfn{\thempfootnote}%
11291   \c@mpfootnote\z@%
11292   \let\@footnotetext\@mpfootnotetext%
11293   \let\@LTRfootnotetext\@mpLTRfootnotetext%
11294   \let\@RTLfootnotetext\@mpRTLfootnotetext%
11295 }

```

7.75 memoir-xetex-bidi.def

11296 \ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for XeTeX]



```

11297 \renewcommand{\keepthetitle}{%
11298   \@bsmtitleempty
11299   \global\let\thanks\relax
11300   \global\let\LTRthanks\relax
11301   \global\let\RTLthanks\relax
11302   \global\let\and\relax
11303   \global\let\andnext\relax
11304   \global\let\@thanks\@empty
11305   \global\let\@title\@empty
11306   \global\let\@author\@empty
11307   \global\let\@date\@empty}
11308 \renewcommand{\maketitle}{\par
11309   \begingroup
11310     \@bsmarkseries
11311     \def\@makefnmark{\@textsuperscript{%
11312       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}}%
11313     \long\def\@makefntext##1{\makethanksmark ##1}
11314     \if@twocolumn
11315       \ifnum \col@number=\@ne
11316         \@maketitle
11317       \else
11318         \twocolumn[\@maketitle]%
11319       \fi
11320     \else
11321       \ifdim\pagetotal>z@
11322         \newpage
11323       \fi
11324       \global\@topnum\z@
11325       \@maketitle
11326     \fi
11327     \thispagestyle{title}\@thanks
11328   \endgroup
11329   \@bscontmark % \setcounter{footnote}{0}%
11330 }
11331 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
11332 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
11333 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
11334 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
11335 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
11336 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
11337 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
11338 \renewcommand*{\thesubsection}{%
11339   \thesection\@SepMark\@arabic\c@subsection}
11340 \renewcommand*{\thesubsubsection}{%
11341   \thesubsection\@SepMark\@arabic\c@subsubsection}
11342 \renewcommand*{\theparagraph}{%
11343   \thesubsubsection\@SepMark\@arabic\c@paragraph}
11344 \renewcommand*{\thesubparagraph}{%
11345   \theparagraph\@SepMark\@arabic\c@subparagraph}
11346 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}

```



```

11347 \renewcommand{\theequation}{%
11348   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11349 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
11350 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
11351 \ifartopt
11352   \chapterstyle{article}
11353   \counterwithout{figure}{chapter}
11354   \counterwithout{table}{chapter}
11355   \counterwithout{footnote}{chapter}
11356   \counterwithout{equation}{chapter}
11357   \renewcommand{\chaptername}{\fi}
11358   \renewcommand{\maketitlehookb}{%
11359     \vskip -1.5\topsep\vskip -1.5\partopsep}
11360   \renewcommand{\maketitlehookc}{%
11361     \vskip -1.5\topsep\vskip -1.5\partopsep}
11362 \fi
11363 \long\def\@makecaption#1#2{\let\@memtempa\relax
11364   \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
11365   \else \def\@memtempa{\vbox to\topskip{}}\fi
11366   \let\@contfnote\footnote \renewcommand{\footnote}[2][]{\fi}
11367   \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{\fi}
11368   \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
11369   \let\footnote\@contfnote
11370   \let\footnotemark\@contfmark
11371   \ifdim\wd\@tempboxa<\linewidth \centering \fi
11372   \if@contcw
11373     \centering
11374     \parbox{\@contcwidth}{%
11375       \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
11376     \fi
11377   \ifdim\wd\@tempboxa<\linewidth
11378     \@contpre
11379     {\@contnfont #1\@contdelim}\@memtempa
11380     {\@contcshortstyle \@conttfont #2\@contfinal\par}
11381   \else
11382     \if@conthang
11383       \sbox\@tempboxa{\@contnfont #1\@contdelim}
11384       \@contpre%
11385       {\@contcstyle\hangindent=\wd\@tempboxa
11386         \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
11387     \else
11388       \if@contindent
11389         \@contpre%
11390         {\@contnfont #1\@contdelim}\@memtempa
11391         {\@contcstyle\hangindent=\@contindw
11392           \hangafter=\@ne\@conttfont #2\@contfinal\par}% <- v1.4
11393       \else
11394         \@contpre%
11395         {\@contnfont #1\@contdelim}\@memtempa
11396         {\@contcstyle \@conttfont #2\@contfinal\par}

```



```

11397     \fi
11398     \fi
11399     \fi
11400     \@contpost
11401     \if@contcw
11402         \par
11403     } % end of the \parbox
11404     \fi
11405     \vskip\belowcaptionskip}
11406 \ifpackageloaded{caption}{%
11407 \AtBeginPackage{caption}{%
11408 \ClassWarningNoLine{memoir}{%
11409 You are using the caption package with the memoir \MessageBreak
11410 class. This may cause unexpected or inconsistent \MessageBreak
11411 results if you use any of memoir's captioning facilities}
11412
11413 \long\def\@makecaption##1##2{%
11414     \vskip\abovecaptionskip
11415     \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
11416     \ifdim \wd\@tempboxa >\hsize
11417         \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
11418     \else
11419         \global \@minipagefalse
11420         \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
11421     \fi
11422     \vskip\belowcaptionskip}
11423
11424 \def\caption{%
11425     \ifx\@captype\@undefined
11426         \@latex@error{\noexpand\caption outside float}\@ehd
11427         \expandafter\@gobble
11428     \else
11429         \refstepcounter\@captype
11430         \expandafter\@firstofone
11431     \fi
11432     {\@dblarg{\@caption\@captype}}}%
11433 }
11434
11435 \long\def\@caption##1[##2]##3{%
11436     \par
11437     \addcontentsline{\csname ext@##1\endcsname}{##1}%
11438     {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}}%
11439 \begingroup
11440     \@parboxrestore
11441     \if@minipage
11442         \setminipage
11443     \fi
11444     \normalsize
11445     \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
11446 \endgroup

```



```

11447 }}{}
11448 \renewenvironment{thebibliography}[1]{%
11449   \bibsection
11450   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11451   \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}

```

7.76 midfloat-xetex-bidi.def

```

11452 \ProvidesFile{midfloat-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for midfloat package for
11453 \def\RTL@outputdblcol{%
11454   \if@firstcolumn
11455     \global \@firstcolumnfalse
11456     \global \setbox\@leftcolumn \box\@outputbox
11457     \global\c@colht\@colht\global\c@advipersep\z@
11458     \ifnum\jua@sk>0
11459       \remove@strip\jua@sar
11460       \global\@colht\the\jua@pr
11461       \ifdim\right@cor>\z@
11462         \global\advance\@colht by\right@cor
11463       \fi
11464       \global\advance\@colht by\cor@height
11465       \global\cor@height=0pt
11466     \fi
11467     \global \setbox\@rightcolumn \vbox{%
11468   \else
11469     \ifdim\c@colht>\@colht
11470       \@tempdima\@colht
11471       \ifdim\@colht>\z@
11472         \global\setbox\@rightcolumn \vbox{%
11473           \unvbox\@rightcolumn
11474           \vbox to\@tempdima{%
11475             \vskip\c@advipersep\unvbox\@outputbox}%
11476           \vskip\stripsep
11477           \vrule height\the\jua@ht width 0pt depth 0pt
11478           \vskip\stripsep
11479         }%
11480       \global\c@advipersep\m@advipersep
11481     \else
11482       \global\setbox\@rightcolumn \vbox{%
11483         \unvbox\@rightcolumn
11484         \vrule height\the\jua@ht width 0pt depth 0pt
11485         \vskip\stripsep
11486       }%
11487     \fi
11488     \ifnum\jua@sk>0
11489       \remove@strip\jua@sar
11490       \global\@colht\the\jua@pr
11491       \global\advance\@colht by -\ht\@rightcolumn
11492       \global\advance\@colht by\cor@height
11493       \global\cor@height=0pt

```



```

11494         \else
11495             \global\advance\c@colht by-\ht\@rightcolumn
11496             \global\@colht\c@colht
11497         \fi
11498     \else
11499     \global\@firstcolumntrue
11500     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
11501         \unvbox\@rightcolumn
11502         \vskip\c@addvipersep
11503         \unvbox\@outputbox
11504     }%
11505     \setbox\@outputbox \vbox {%
11506         \hb@xt@\textwidth {%
11507             \hskip \columnwidth
11508             \hfil
11509             \vrule \@width\columnseprule
11510             \hfil
11511             \hb@xt@\columnwidth {%
11512                 \box\@leftcolumn \hss}%
11513             \hskip-\textwidth
11514             \hb@xt@\columnwidth {%
11515                 \box\@outputbox \hss}%
11516             \hskip\columnwidth
11517             \hskip\columnsep}%
11518         }%
11519     \@combinedblfloats
11520     \@outputpage
11521     \begingroup
11522     \@dblfloatplacement
11523     \@startdblcolumn
11524     \@whilesw\if@fcolmade \fi
11525     {\@outputpage
11526     \@startdblcolumn}%
11527     \endgroup
11528     \global\jua@sk=0\global\jua@sar={}%
11529     \global\cor@height\z@\global\c@addvipersep\z@
11530     \fi
11531 \fi
11532 }
11533
11534
11535 \def\LTR@outputdblcol{%
11536     \if@firstcolumn
11537     \global \@firstcolumnfalse
11538     \global \setbox\@leftcolumn \box\@outputbox
11539     \global\c@colht\@colht\global\c@addvipersep\z@
11540     \ifnum\jua@sk>0
11541         \remove@strip\jua@sar
11542         \global\@colht\the\jua@pr
11543         \ifdim\right@cor>\z@

```



```

11544         \global\advance\@colht by\right@cor
11545     \fi
11546     \global\advance\@colht by\cor@height
11547     \global\cor@height=0pt
11548 \fi
11549 \global \setbox\@rightcolumn \vbox{%
11550 \else
11551     \ifdim\c@colht>\@colht
11552         \@tempdima\@colht
11553         \ifdim\@colht>\z@
11554             \global\setbox\@rightcolumn \vbox{%
11555                 \unvbox\@rightcolumn
11556                 \vbox to\@tempdima{%
11557                     \vskip\c@addvipersep\unvbox\@outputbox}%
11558                 \vskip\stripsep
11559                 \vrule height\the\jua@ht width 0pt depth 0pt
11560                 \vskip\stripsep
11561             }%
11562             \global\c@addvipersep\m@addvipersep
11563         \else
11564             \global\setbox\@rightcolumn \vbox{%
11565                 \unvbox\@rightcolumn
11566                 \vrule height\the\jua@ht width 0pt depth 0pt
11567                 \vskip\stripsep
11568             }%
11569         \fi
11570     \ifnum\jua@sk>0
11571         \remove@strip\jua@sar
11572         \global\@colht\the\jua@pr
11573         \global\advance\@colht by -\ht\@rightcolumn
11574         \global\advance\@colht by\cor@height
11575         \global\cor@height=0pt
11576     \else
11577         \global\advance\c@colht by-\ht\@rightcolumn
11578         \global\@colht\c@colht
11579     \fi
11580 \else
11581     \global\@firstcolumntrue
11582     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
11583         \unvbox\@rightcolumn
11584         \vskip\c@addvipersep
11585         \unvbox\@outputbox
11586     }%
11587     \setbox\@outputbox \vbox {%
11588         \hb@xt@\textwidth {%
11589             \hb@xt@\columnwidth {%
11590                 \box\@leftcolumn \hss}%
11591             \hfil
11592             \vrule \@width\columnseprule
11593             \hfil

```




```

11594             \hb@xt@\columnwidth {%
11595             \box\@outputbox \hss}%
11596             }%
11597         }%
11598     \@combinedblfloats
11599     \@outputpage
11600     \begingroup
11601         \@dblfloatplacement
11602         \@startdblcolumn
11603         \@whiles\if@fcolmade \fi
11604         {\@outputpage
11605         \@startdblcolumn}%
11606     \endgroup
11607     \global\jua@sk=0\global\jua@sar={}%
11608     \global\cor@height\z@\global\c@addvipersep\z@
11609     \fi
11610 \fi
11611 }
11612
11613
11614 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
11615 \global\setbox\@viper\ vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\vi
11616     \hsize\textwidth
11617     \@parboxrestore
11618     \col@number \@ne
11619     \vrule height\topskip width0pt depth0pt
11620 }
11621
11622 \def\endstrip{%
11623     \egroup\egroup
11624     \if@firstcolumn
11625         \ifdim\pagetotal>\z@
11626             \vskip\stripsep
11627             \global\ht@strip\pagegoal
11628             \global\advance\ht@strip by-\pagetotal
11629             \global\advance\ht@strip by-\stripsep
11630             \global\advance\ht@strip by-\ht@viper
11631             \global\advance\ht@strip by-\stripsep
11632             \global\jua@ht=\ht@viper
11633         \else
11634             \global\ht@strip\z@
11635         \fi
11636         \ifdim\ht@strip>\z@
11637             \unvbox\@viper
11638             \vskip\stripsep
11639             \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
11640             \global\advance\jua@sk by1
11641         \else
11642             \@latex@error{Strip needs more place!}\@ehc
11643             \if@vihproof

```



```

11644         \framebox[\columnwidth]{??? Strip ???}%
11645     \fi
11646 \fi
11647 \else
11648     \latex@error{Strip is used only on left column!}\@ehc
11649     \if@vihproof
11650         \framebox[\columnwidth]{??? Strip ???}%
11651     \fi
11652 \fi
11653 }

```

7.77 minitoc-xetex-bidi.def

```

11654 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for X
11655 \def\@undottedtocline#1#2#3#4#5{%
11656     \ifnum #1>\c@tocdepth\relax \else
11657         \vskip \z@ plus.2\p@
11658     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg \p@
11659     \parindent #2\relax\@afterindenttrue
11660     \interlinepenalty\@M
11661     \leavevmode
11662     \@tempdima #3\relax \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \hbox{}%
11663     \hskip -\if@RTL\righskip\else\leftskip\fi
11664     #4\nobreak\hfill \nobreak
11665     \null\par}%
11666 \fi}
11667 \def\@Undottedtocline#1#2#3#4#5{%
11668     \ifnum #1>\c@tocdepth\relax \else
11669         \vskip \z@ \@plus.2\p@
11670     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg \p@
11671     \parindent #2\relax\@afterindenttrue
11672     \interlinepenalty\@M
11673     \leavevmode
11674     \@tempdima #3\relax
11675     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip
11676     {\coffefont #4}\nobreak \nobreak\null
11677     \par}%
11678 \fi}
11679 \def\@Undottedtoclinep#1#2#3#4#5{%
11680     \ifnum #1>\c@tocdepth\relax \else
11681         \vskip \z@ \@plus.2\p@
11682     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg \p@
11683     \parindent #2\relax\@afterindenttrue
11684     \interlinepenalty\@M
11685     \leavevmode
11686     \@tempdima #3\relax
11687     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip
11688     {\#4}\nobreak \hfill \nobreak\null
11689     \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
11690 \par}%

```



```
11691 \fi}
```

7.78 multicol-xetex-bidi.def

```
11692 \ProvidesFile{multicol-xetex-bidi.def}[2014/09/20 v0.6 bidi adaptations for multicol package for
```

```
11693 \def\page@sofar{%
11694   \process@cols\mult@rightbox
11695   {\ifvoid\count@
11696     \setbox\count@\hbox to\hsize{%
11697       \else
11698         \wd\count@\hsize
11699       \fi}%
11700   \count@\col@number \advance\count@\m@ne
11701   \mult@info\z@
11702   {Column spec: \the\full@width\space = indent
11703     + columns + sep =\MessageBreak
11704     \the\multicol@leftmargin\space
11705     + \the\col@number\space
11706     x \the\hsize\space
11707     + \the\count@\space
11708     x \the\columnsep
11709   }%
11710   \ifvmode\else\errmessage{Multicol Error}\fi
11711   \nointerlineskip
11712   \setbox\z@\hbox{p}\global\dimen\tw@dp\z@
11713   \moveright\multicol@leftmargin
11714   \hbox to\full@width{%
11715     \bidi@multicol@align@columns
11716     \rlap{\phantom p}%
11717   }%
11718   \prevdepth\z@
11719   \kern-\dimen\tw@
11720   \ifdim\dimen\tw@ > \mc@gridwarn
11721     \PackageWarning{multicol}%
11722       {Very deep columns!\MessageBreak
11723         Grid alignment might be broken}%
11724   \fi
11725 }
11726 \def\LTR@column@boxes{%
11727   \process@cols\mult@gfirstbox{%
11728     \ifdim\dp\count@>\dimen\tw@
11729     \global\dimen\tw@dp\count@ \fi
11730     \mc@col@status@write
11731     \box\count@
11732     \hss{\columnseprulecolor\vrule
11733       \@width\columnseprule}\hss}%
11734   \ifdim\dp\mult@rightbox>\dimen\tw@
11735     \global\dimen\tw@dp\mult@rightbox \fi
11736   \mc@lastcol@status@write
11737   \box\mult@rightbox
```



```

11738 }
11739
11740 \def\RTL@column@boxes{%
11741     \process@cols\mult@gfirstbox{%
11742         \hskip\hsize
11743         \hss{\columnseprulecolor\vrule
11744             \@width\columnseprule}\hss
11745     }%
11746     \hskip\hsize
11747     \process@cols\mult@gfirstbox{%
11748         \ifdim\dp\count@>\dimen\tw@
11749             \global\dimen\tw@\dp\count@ \fi
11750         \hskip-\hsize
11751         \mc@col@status@write
11752         \box\count@
11753         \hskip-\hsize
11754         \hskip-\columnsep
11755     }%
11756     \ifdim\dp\mult@rightbox>\dimen\tw@
11757         \global\dimen\tw@\dp\mult@rightbox \fi
11758     \hskip-\hsize
11759     \mc@lastcol@status@write
11760     \box\mult@rightbox
11761     \hskip-\hsize
11762     \hskip\full@width
11763 }
11764 \newcommand\RTLmulticolcolumns
11765     {\let\bidimulticol@align@columns
11766      \RTL@column@boxes}
11767 \newcommand\LTRmulticolcolumns
11768     {\let\bidimulticol@align@columns
11769      \LTR@column@boxes}
11770 \newcommand\bidimulticol@align@columns
11771     {\ifRTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
11772 \def\multicols#1{\col@number#1\relax
11773   \ifnum\col@number<\tw@
11774     \PackageWarning{multicol}%
11775       {Using ``\number\col@number'
11776        columns doesn't seem a good idea.^^J
11777        I therefore use two columns instead}%
11778     \col@number\tw@ \fi
11779   \ifnum\col@number>10
11780     \PackageError{multicol}%
11781       {Too many columns}%
11782     {Current implementation doesn't
11783      support more than 10 columns.%
11784      \MessageBreak
11785      I therefore use 10 columns instead}%
11786     \col@number10 \fi
11787   \ifx\@footnotetext\mult@footnotetext\else

```



```

11788 \let\orig@footnotetext\@footnotetext
11789 \let\@footnotetext\mult@footnotetext
11790 \fi
11791 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
11792 \let\orig@LTRfootnotetext\@LTRfootnotetext
11793 \let\@LTRfootnotetext\mult@LTRfootnotetext
11794 \fi
11795 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
11796 \let\orig@RTLfootnotetext\@RTLfootnotetext
11797 \let\@RTLfootnotetext\mult@RTLfootnotetext
11798 \fi
11799 \@ifnextchar[\mult@cols{\mult@cols[]}]
11800 \long\def\mult@footnotetext#1{\begingroup
11801 \hsize\textwidth
11802 \columnwidth\textwidth
11803 \orig@footnotetext{#1}\endgroup}
11804 \long\def\mult@LTRfootnotetext#1{\begingroup
11805 \hsize\textwidth
11806 \columnwidth\textwidth
11807 \orig@LTRfootnotetext{#1}\endgroup}
11808 \long\def\mult@RTLfootnotetext#1{\begingroup
11809 \hsize\textwidth
11810 \columnwidth\textwidth
11811 \orig@RTLfootnotetext{#1}\endgroup}
11812 \def\right@footnoterule{%
11813 \hbox to \textwidth
11814 {\beginR \vbox{\kern -3\p@
11815 \hrule width .4\columnwidth \kern2.6\p@\hfil\endR}}
11816 \def\textwidth@footnoterule{\kern-3\p@
11817 \hrule \@width \textwidth \kern 2.6\p@}

```

7.79 multienum-xetex-bidi.def

```

11818 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
11819 \renewcommand{\itemx}[1]{\parbox[t]{%
11820 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
11821 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
11822 \renewcommand{\itemxx}[2]{\parbox[t]{%
11823 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11824 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
11825 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11826 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
11827 \renewcommand{\itemxxx}[3]{\parbox[t]{%
11828 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
11829 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
11830 {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
11831 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
11832 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
11833 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
11834 \renewcommand{\itemxxxx}[4]{\parbox[t]{%

```



```

11835 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11836 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
11837 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11838 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11839 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11840 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
11841 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11842 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
11843 \renewcommand{\itemxxxx}[5]{\parbox[t]{%
11844 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11845 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
11846 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11847 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
11848 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11849 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
11850 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11851 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
11852 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11853 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
11854 \renewcommand{\itemxox}[2]{\parbox[t]{%
11855 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11856 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
11857 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11858 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
11859 \renewcommand{\itemxox}[2]{\parbox[t]{%
11860 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11861 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
11862 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11863 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
11864 \renewcommand{\itemxox}[3]{\parbox[t]{%
11865 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11866 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
11867 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11868 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11869 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11870 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
11871 \renewcommand{\itemxxox}[3]{\parbox[t]{%
11872 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11873 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
11874 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11875 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
11876 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11877 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
11878 \renewcommand{\itemxxox}[3]{\parbox[t]{%
11879 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11880 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
11881 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11882 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11883 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11884 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```



7.80 natbib-xetex-bidi.def

```
11885 \ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for XeT
11886 \renewenvironment{thebibliography}[1]{%
11887 \bibsection
11888 \parindent\z@
11889 \bibpreamble
11890 \bibfont
11891 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11892 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
11893 \ifNAT@openbib
11894 \renewcommand\newblock{\par}%
11895 \else
11896 \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
11897 \fi
11898 \sloppy\clubpenalty4000\widowpenalty4000
11899 \sfcode`\.\@m
11900 \let\NAT@bibitem@first@sw\@firstoftwo
11901 \let\citeN\cite \let\shortcite\cite
11902 \let\citeasnoun\cite
11903 }{%
11904 \bibitem@fin
11905 \bibpostamble
11906 \def\@noitemerr{%
11907 \PackageWarning{natbib}{Empty `thebibliography' environment}%
11908 }%
11909 \endlist
11910 \bibcleanup
11911 }%
```

7.81 newfloat-xetex-bidi.def

```
11912 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package for
11913 \renewcommand*\newfloat@setwithin[2]{%
11914 \ifcsname c@chapter\endcsname
11915 \@removefromreset{#1}{chapter}%
11916 \fi
11917 \@removefromreset{#1}{section}%
11918 \edef\@tempa{#2}%
11919 \ifx\@tempa\@empty
11920 \def\@tempa{none}%
11921 \fi
11922 \def\@tempb{none}%
11923 \ifx\@tempa\@tempb
11924 \ifcsname c@chapter\endcsname
11925 \@chapterlistsgap@off{#1}%
11926 \fi
11927 \newfloat@@setwithin{#1}{\}{}%
11928 \else
11929 \def\@tempb{chapter}%
11930 \ifx\@tempa\@tempb
```



```

11931 \addtoreset{#1}{chapter}%
11932 \chapterlistsgap@on{#1}%
11933 \newfloat@setwithin{#1}{\ifnum\c@chapter>z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMa
11934 \else
11935 \def\@tempb{section}%
11936 \ifx\@tempa\@tempb
11937 \addtoreset{#1}{section}%
11938 \ifcsname c@chapter\endcsname
11939 \addtoreset{#1}{chapter}%
11940 \chapterlistsgap@on{#1}%
11941 \newfloat@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
11942 \else
11943 \newfloat@setwithin{#1}{\ifnum\c@section>z@ \thesection\@SepMark\fi}{\theHsection\@Se
11944 \fi
11945 \else
11946 \newfloat@Error{Invalid value `#2' for option `within'}%
11947 \fi
11948 \fi
11949 \fi}

```

7.82 ntheorem-xetex-bidi.def

```

11950 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package for
11951 \gdef\@thm#1#2#3{%
11952 \if@thmmarks
11953 \stepcounter{end\InTheoType ctr}%
11954 \fi
11955 \renewcommand{\InTheoType}{#1}%
11956 \if@thmmarks
11957 \stepcounter{curr#1ctr}%
11958 \setcounter{end#1ctr}{0}%
11959 \fi
11960 \refstepcounter{#2}%
11961 \theorem@prework
11962 \thm@topsepadd \theorem@postskipamount % cf. latex.ltx: \@trivlist
11963 \ifvmode \advance\thm@topsepadd\partopsep\fi
11964 \trivlist
11965 \@topsep \theorem@preskipamount
11966 \@topsepadd \thm@topsepadd % used by \@endparenv
11967 \advance\linewidth -\theorem@indent
11968 \advance\@totalleftmargin \theorem@indent
11969 \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
11970 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.83 ntheorem-hyper-xetex-bidi.def

```

11971 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hype
11972 \gdef\@thm#1#2#3{%
11973 \if@thmmarks
11974 \stepcounter{end\InTheoType ctr}%
11975 \fi

```




```

11976 \renewcommand{\InTheoType}{#1}%
11977 \if@thmmarks
11978   \stepcounter{curr#1ctr}%
11979   \setcounter{end#1ctr}{0}%
11980 \fi
11981 \refstepcounter{#2}%
11982 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
11983 \ifvmode \advance\thm@topsepadd\partopsep\fi
11984 \trivlist
11985 \@topsep \theorempreskipamount
11986 \@topsepadd \thm@topsepadd % used by \endparenv
11987 \advance\linewidth -\theorem@indent
11988 \advance\@totalleftmargin \theorem@indent
11989 \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
11990 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.84 pdfpages-xetex-bidi.def

```

11991 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package for
11992 \renewcommand*{\includepdf}[2][{}]{%
11993   \begingroup
11994   \@RTLfalse
11995   \let\AM@threadname\relax
11996   \AM@split@options{pdfpages}{#1}%
11997   \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
11998   \expandafter\setkeys\AM@temp
11999   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
12000     \let\AM@currentdocname\relax
12001     \renewcommand\includegraphics[2][{}]{Survey in draft-mode}%
12002     \def\AM@pagecount{0}%
12003   }{%
12004     \AM@findfile{#2}%
12005     \if\AM@threadname\relax
12006       \def\AM@threadname{\AM@currentdocname}%
12007     \fi
12008   }%
12009   \ifAM@survey
12010     \def\AM@pagestemp{}%
12011     \@tempcnta=0
12012     \def\foo{%
12013       \@ifundefined{r\AM@xrprefix pdfpages@page\the\@tempcnta}%
12014       {\let\foo\relax}
12015       {\expandafter\ifx\expandafter\\AM@pagestemp\\
12016         \edef\AM@pagestemp{%
12017           \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
12018         \else
12019           \edef\AM@pagestemp{\AM@pagestemp,%
12020             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
12021         \fi
12022         \advance\@tempcnta 1\relax

```



```

12023     }%
12024     \foo
12025   }%
12026   \foo
12027   \expandafter\ifx\expandafter\\AM@pagestemp\\
12028     \def\AM@pagestemp{1}%
12029   \fi
12030 \fi
12031 \ifAM@output
12032   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
12033   \AM@output{#1}%
12034 \fi
12035 \AM@CheckAtEnd
12036 \endgroup
12037 \AM@ClearShipoutPicture
12038 }

```

7.85 pgf-xetex-bidi.def

```

12039 \ProvidesFile{pgf-xetex-bidi.def}[2014/11/21 v0.6 bidi adaptations for pgf package for XeTeX eng
12040 \let\origin@pgfpicture=\pgfpicture
12041 \let\origin@endpgfpicture=\endpgfpicture
12042 \def\bidi@pgfpicture{\ifmmode\else\beginL\fi\origin@pgfpicture}
12043 \def\endbidi@pgfpicture{\origin@endpgfpicture\ifmmode\else\endL\fi}
12044 \def\pgfpicture{\ifmmode\else\LTR\noindent\beginL\fi\origin@pgfpicture}
12045 \def\endpgfpicture{\origin@endpgfpicture\ifmmode\else\endL\endLTR\fi}

```

7.86 picinpar-xetex-bidi.def

```

12046 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package for
12047 \long\def\@makewincaption#1#2{%
12048   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
12049   \ifdim\wd\@tempboxa>\picwd
12050     {\footnotesize{\bf #1:\enspace}{#2\par}}
12051   \else
12052     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
12053   \fi}
12054 \def\endwindow{%
12055   \global\tcd=\tcdsav
12056   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
12057   \vbadness=10000
12058   \splittopskip=0pt
12059 %
12060 % Typeset the lines above the window
12061 %
12062 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
12063 \tcn=\tcd
12064 \loop\advance\tcn -1
12065 \setbox\fslice=\vsplit\holder to\baselineskip
12066 \prune\fslice\linewidth
12067 \topheight=0pt

```



```

12068 \ifnum\dp\fslice>\dp\wstrutbox
12069     \advance\topheight-\dp\fslice
12070     \advance\topheight\dp\wstrutbox
12071     \advance\topheight\ilg\fi
12072 \hbox to\linewidth{\box\fslice}
12073 \vskip-\topheight
12074 \ifdim\ht\holder>0pt\repeat
12075 \fi
12076 %
12077 % Now we build the boxes beside the window
12078 %
12079 \global\topheight=\tcl\baselineskip
12080 \ifnum\cumpartcl>0\global\tcl=\cumtcl
12081     \global\topheight=\vpic
12082 \fi
12083 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
12084 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
12085 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
12086 \tcn=\tcl \na=0 \nb=0
12087 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
12088 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\nb by 2\fi\fi
12089 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
12090 \ifnum\na=0\ifnum\nb=0
12091     \setbox\waslice=\vbox to\vpic{\vss}
12092     \setbox\wbslice=\vbox to\vpic{\vss}
12093     \bl=1\br=1
12094     \vskip\ilg
12095 \fi\fi
12096 %
12097 % both sides
12098 %
12099 \ifnum\na>0 \ifnum\nb>0
12100 \loop\advance\nb -1
12101 \advance\na -1
12102 \if@RTL%
12103 \setbox\bslice=\vsplit\holder to\baselineskip
12104 \prune\bslice\rtside
12105 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12106 to\rtside{\box\bslice\hfil}}
12107 \setbox\aslice=\vsplit\holder to\baselineskip
12108 \prune\aslice\lftside
12109 \setbox\waslice=\vbox{\unvbox\waslice\hbox
12110 to\lftside{\box\aslice\hfil}}
12111 \else%
12112 \setbox\aslice=\vsplit\holder to\baselineskip
12113 \prune\aslice\lftside
12114 \setbox\waslice=\vbox{\unvbox\waslice\hbox
12115 to\lftside{\box\aslice\hfil}}
12116 \setbox\bslice=\vsplit\holder to\baselineskip
12117 \prune\bslice\rtside

```



```

12118 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12119 to\rtside{\box\bslice\hfil}}
12120 \fi%
12121 \ifnum\nb>0\repeat
12122 \fi\fi
12123 %
12124 % only text on the left side
12125 %
12126 \ifnum\na>0
12127   \loop\advance\na -1
12128   \setbox\aslice=\vsplit\holder to\baselineskip
12129   \prune\aslice\lftside
12130   \setbox\waslice=\vbox{\unvbox\waslice\hbox
12131 to\lftside{\box\aslice\hfil}}
12132   \ifdim\ht\holder>0pt\repeat
12133 \fi
12134 %
12135 % only text on the right side
12136 %
12137 \ifnum\nb>0
12138   \loop\advance\nb -1
12139   \setbox\bslice=\vsplit\holder to\baselineskip
12140   \prune\bslice\rtside
12141   \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12142 to\rtside{\box\bslice\hfil}}
12143   \ifdim\ht\holder>0pt\repeat
12144 \fi
12145 %
12146 % fixing the dimensions of the window part
12147 %
12148 \ifnum\bl=0\topheight=\ht\wbslice
12149 \else\ifnum\br=0\topheight=\ht\waslice
12150   \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
12151   \else\topheight=\ht\wbslice\fi\fi\fi
12152 %
12153 % ship out the window material to the main vertical list
12154 %
12155 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
12156 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
12157 \fi\fi\fi
12158 \setbox>windowbox=\vbox{\hbox to\linewidth{%
12159 \ifnum\bl>0\box\waslice\hfill\fi%
12160 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
12161 \vfill\unvbox\picbox%
12162 \ifnum\picwd>0\vfill\fi%
12163 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
12164 \unvbox>windowbox%
12165 \loop
12166 \setbox\bslice=\vsplit\rawtext to\baselineskip
12167 \prune\bslice\linewidth

```



```

12168 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
12169 \unvbox\wbslice
12170 \ifdim\ht\rawtext>0pt
12171 \repeat
12172 }% FINITO

```

7.87 plain-xetex-bidi.def

```

12173 \def\TeXXeTOn{\TeXXeTstate=1 }
12174 \def\TeXXeTOff{\TeXXeTstate=0 }
12175 \TeXXeTOn
12176 \def\usebox#1{\leavevmode\copy #1\relax}
12177 \def\bidi@RTL@everypar{\if@RTL{\setbox\z@ \lastbox\beginR\ifvoid\z@\else\usebox\z@\fi}\fi}
12178 \let\bidi@o@everypar=\everypar
12179 \newtoks\bidi@n@everypar
12180 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
12181 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
12182 \let\everypar=\bidi@n@everypar
12183 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
12184 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
12185 \protected\def\hboxR{\hbox\bgroup
12186 \everyhbox{%
12187 \aftergroup\egroup
12188 \everyhbox{}}%
12189 \beginR
12190 \bgroup
12191 \aftergroup\endR
12192 \aftergroup\egroup
12193 }\hbox}
12194 \protected\def\hboxL{\hbox\bgroup
12195 \everyhbox{%
12196 \aftergroup\egroup
12197 \everyhbox{}}%
12198 \beginL
12199 \bgroup
12200 \aftergroup\endL
12201 \aftergroup\egroup
12202 }\hbox}
12203 \protected\def\vboxR{\vbox\bgroup
12204 \everyvbox{%
12205 \aftergroup\egroup
12206 \everyvbox{}}%
12207 \@RTLtrue
12208 \bgroup
12209 \aftergroup\egroup
12210 }\vbox}
12211 \protected\def\vboxL{\vbox\bgroup
12212 \everyvbox{%
12213 \aftergroup\egroup
12214 \everyvbox{}}%

```



```

12215 \RTLfalse
12216 \bgroup
12217 \aftergroup\egroup
12218 }\vbox}
12219 \def\LTR{\par\RTLfalse\RTL@footnotefalse\hsize\linewidth\parshape\z@}
12220 \def\endLTR{\par}
12221 \def\RTL{\par\RTLtrue\RTL@footnotetrue\hsize\linewidth\parshape\z@}
12222 \def\endRTL{\par}
12223 \def\setRTL{\RTLtrue\RTL@footnotetrue}
12224 \def\setLTR{\RTLfalse\RTL@footnotefalse}
12225 \let\unsetRTL=\setLTR
12226 \let\unsetLTR=\setRTL
12227 \let\LR=\LRE
12228 \let\RL=\RLE
12229 \def\@ensureRTL#1{\ifRTL#1\else\RLE{#1}\fi}
12230 \def\@ensureLTR#1{\ifRTL\LRE{#1}\else#1\fi}
12231 \let\@ensureRL=\@ensureRTL
12232 \let\@ensureLR=\@ensureLTR
12233 \def\@ensure@dir#1{\ifRTL\RLE{#1}\else{#1}\fi}
12234 \let\@ensure@maindir=\@ensure@dir
12235 \def\@RTL{RTL}
12236 \def\@LTR{LTR}
12237 \def\save@dir{\ifRTL\gdef\save@@dir{RTL}\else\gdef\save@@dir{LTR}\fi}
12238 \def\reset@dir{\ifx\save@@dir\@RTL\setRTL\else\ifx\save@@dir\@LTR\setLTR\else\relax\fi\fi}
12239 \let\@TeX\TeX
12240 \def\TeX{\@ensureLTR{\@TeX}}
12241 \long\def\bidireflect@box#1{%
12242   \leavevmode
12243   \setbox\z@\hbox{#{#1}}%
12244   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
12245   \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
12246 }
12247 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
12248   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}$}}
12249 \let\setRL=\setRTL
12250 \let\setLR=\setLTR
12251 \let\unsetRL=\setLTR
12252 \let\bidisaved@eqno=\eqno
12253 \let\bidisaved@leqno=\leqno
12254 \def\eqno{\ifnum\predisplaydirection<\z@ \bidisaved@leqno \else \bidisaved@eqno \fi}
12255 \def\leqno{\ifnum\predisplaydirection<\z@ \bidisaved@eqno \else \bidisaved@leqno \fi}
12256 \def\centerline#1{\line{\hss\ifRTL\beginR\fi#1\ifRTL\endR\fi\hss}}
12257 \def\leftline#1{\line{\ifRTL\beginR\fi#1\ifRTL\endR\fi\hss}}
12258 \def\rightline#1{\line{\hss\ifRTL\beginR\fi#1\ifRTL\endR\fi}}

```

7.88 pstricks-xetex-bidi.def

```

12259 \ProvidesFile{pstricks-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for pstricks package for
12260 \let\origin@pspicture=\pspicture
12261 \let\origin@endpspicture=\endpspicture

```



```

12262 \def\pspicture{\ifmmode\else\LTR\beginL\fi\origin@pspicture}
12263 \def\endpspicture{\origin@endpspicture\ifmmode\else\endL\endLTR\fi}

```

7.89 quotchap-xetex-bidi.def

```

12264 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package for
12265 \renewcommand{\qauthor}[1]{%
12266   \par\smallskip
12267   {\ifRTL\raggedright\else\raggedleft\fi\upshape #1\qqquad\hbox{\}\par}\bigskip}
12268 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
12269   {\size@chapter{\sectfont\ifRTL\raggedright\else\raggedleft\fi
12270     {\chapnumfont
12271       \ifnum \c@secnumdepth >\m@ne%
12272       \if@mainmatter\thechapter%
12273       \fi\fi
12274       \par\nobreak}%
12275     {\ifRTL\raggedright\else\raggedleft\fi\advance\ifRTL\rightmargin\else\leftmargin\fi10em
12276     \nobreak\chapterheadendvskip}}
12277 \renewcommand*{\@iprintcites}{%
12278   \vbox to\z@{\leavevmode\copy\@quotebox\vss}
12279   \global\let\@printcites\relax}

```

7.90 ragged2e-xetex-bidi.def

```

12280 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package for
12281 \renewcommand{\Centering}{%
12282   \ifx\\ \@raggedtwoe@savedcr
12283     \let\\ \@centercr
12284   \fi
12285   \let\@gnewline\@raggedtwoe@gnewline
12286   \ifRTL\rightright\else\leftskip\fi\CenteringLeftskip
12287   \@rightskip\CenteringRightskip
12288   \ifRTL\leftskip\else\rightskip\fi\@rightskip
12289   \parfillskip\CenteringParfillskip
12290   \parindent\CenteringParindent
12291   \@raggedtwoe@spaceskiptrue
12292   \@raggedtwoe@everyselectfont
12293 }
12294 \renewcommand{\RaggedLeft}{%
12295   \ifx\\ \@raggedtwoe@savedcr
12296     \let\\ \@centercr
12297   \fi
12298   \let\@gnewline\@raggedtwoe@gnewline
12299   \ifRTL\rightright\else\leftskip\fi\RaggedLeftLeftskip
12300   \@rightskip\RaggedLeftRightskip
12301   \ifRTL\leftskip\else\rightskip\fi\@rightskip
12302   \parfillskip\RaggedLeftParfillskip
12303   \parindent\RaggedLeftParindent
12304   \@raggedtwoe@spaceskiptrue
12305   \@raggedtwoe@everyselectfont
12306 }

```



```

12307 \renewcommand{\RaggedRight}{%
12308   \ifx\\ \@raggedtwoe@savedcr
12309     \let\\ \@centercr
12310   \fi
12311   \let\@newline\@raggedtwoe@newline
12312   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
12313   \@rightskip\RaggedRightRightskip
12314   \if@RTL\leftskip\else\rightskip\fi\@rightskip
12315   \parfillskip\RaggedRightParfillskip
12316   \parindent\RaggedRightParindent
12317   \@raggedtwoe@spaceskiptrue
12318   \@raggedtwoe@everyselectfont
12319 }
12320 \renewcommand{\justifying}{%
12321   \let\\ \@raggedtwoe@savedcr
12322   \let\@newline\@raggedtwoe@saved@newline
12323   \if@RTL\rightskip\else\leftskip\fi\z@
12324   \@rightskip\z@
12325   \if@RTL\leftskip\else\rightskip\fi\@rightskip
12326   \parfillskip\JustifyingParfillskip
12327   \parindent\JustifyingParindent
12328   \@raggedtwoe@spaceskipfalse
12329   \@raggedtwoe@everyselectfont
12330 }
12331 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{
12332   \CheckCommand*{\@arrayparboxrestore}{%
12333     \let\if@nobreak\iffalse
12334     \let\if@noskipsec\iffalse
12335     \let\par\@par
12336     \let\-\@dischyph
12337     \let'\@acci\let\` \@accii\let\=\@acciii
12338     \parindent\z@ \parskip\z@skip
12339     \everypar{}%
12340     \linewidth\hsize
12341     \@totalleftmargin\z@
12342     \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@right
12343     \parfillskip\@flushglue \lineskip\normallineskip
12344     \baselineskip\normalbaselineskip
12345     \sloppy}%
12346   \renewcommand{\@arrayparboxrestore}{%
12347     \let\if@nobreak\iffalse
12348     \let\if@noskipsec\iffalse
12349     \let\par\@par
12350     \let\-\@dischyph
12351     \let'\@acci\let\` \@accii\let\=\@acciii
12352     \parskip\z@skip
12353     \everypar{}%
12354     \linewidth\hsize
12355     \@totalleftmargin\z@
12356     \RaggedRight

```




```

12357 \lineskip\normallineskip
12358 \baselineskip\normalbaselineskip
12359 \sloppy}%
12360 \let\@raggedtwoe@raggedrightboxes@opt\relax
12361 }
12362 \let\origin@RaggedLeft=\RaggedLeft
12363 \let\origin@RaggedRight=\RaggedRight
12364 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
12365 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

7.91 rapport1-xetex-bidi.def

```

12366 \ProvidesFile{rapport1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for rapport1 class for X
12367 \renewenvironment{theindex}{%
12368 \if@twocolumn
12369 \@restonecolfalse
12370 \else
12371 \@restonecoltrue
12372 \fi
12373 \columnseprule \z@
12374 \columnsep 35\p@
12375 \twocolumn[\@makeschapterhead{\indexname}]%
12376 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
12377 \thispagestyle{plain}\parindent\z@
12378 \parskip\z@ \@plus .3\p@\relax
12379 \let\item\@idxitem
12380 }{%
12381 \if@restonecol\onecolumn\else\clearpage\fi}
12382 \renewcommand*{head@style}{%
12383 \interlinepenalty \@M
12384 \hyphenpenalty=\@M \exhyphenpenalty=\@M
12385 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
12386 \if@titlepage
12387 \renewenvironment{abstract}{%
12388 \titlepage
12389 \null\vfil
12390 \section*{\SectFont\abstractname}%
12391 \noindent\ignorespaces}
12392 {\par\vfil\null\endtitlepage}
12393 \else
12394 \renewenvironment{abstract}{%
12395 \if@twocolumn
12396 \section*{\abstractname}%
12397 \else
12398 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
12399 \section*{\small\SectFont\abstractname}%
12400 \noindent\ignorespaces
12401 \fi}
12402 {\if@twocolumn\else\par\egroup\fi}
12403 \fi

```



```

12404 \renewcommand*\@regtocline[3]{%
12405   \ifnum #1>\c@tocdepth
12406   \else
12407     \vskip\z@\@plus.2\p@
12408     {\hangindent\z@ \afterindenttrue \interlinepenalty\@M
12409     \if@RTL\rightskip\else\leftskip\fi\unitindent
12410     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
12411     \parfillskip\z@
12412     \@tempdima\unitindent
12413     \parindent\z@
12414     \leavevmode
12415     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
12416     \hskip 1em \nobreak{\slshape #3}\par
12417   }%
12418 \fi}
12419 \if@oldtoc
12420 \renewcommand*\l@part[2]{%
12421   \ifnum \c@tocdepth >-2\relax
12422     \addpenalty{-\@highpenalty}%
12423     \addvspace{2.25em \@plus\p@}%
12424     \begingroup
12425       \setlength\@tempdima{3em}%
12426       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12427       \parfillskip -\@pnumwidth
12428       {\leavevmode
12429         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
12430       \nobreak
12431       \global\@nobreaktrue
12432       \everypar{\global\@nobreakfalse\everypar{}}%
12433     \endgroup
12434   \fi}
12435 \else
12436   \renewcommand*\l@part{%
12437     \ifnum \c@tocdepth >-2\relax
12438       \addpenalty{-\@highpenalty}%
12439       \addvspace{2.25em \@plus\p@}%
12440       \@regtocline{0}%
12441     \fi}
12442 \fi
12443 \if@oldtoc
12444 \renewcommand*\l@chapter[2]{%
12445   \addpenalty{-\@highpenalty}%
12446   \vskip 1.0em \@plus\p@
12447   \setlength\@tempdima{1.5em}%
12448   \begingroup
12449     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12450     \parfillskip -\@pnumwidth
12451     \leavevmode \bfseries
12452     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
12453     \hskip -\if@RTL\rightskip\else\leftskip\fi

```



```

12454      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
12455      \penalty\@highpenalty
12456    \endgroup}
12457  \else
12458    \renewcommand*\l@chapter{\@regtocline{0}}
12459  \fi
12460  \renewcommand*\left@footnoterule{%
12461    \kern-3\p@
12462    \kern.5\baselineskip
12463    \hrule\@width\unitindent
12464    \kern.4\baselineskip
12465  }
12466  \renewcommand*\right@footnoterule{%
12467    \hbox to \columnwidth
12468    {\beginR \vbox{%
12469      \kern-3\p@
12470      \kern.5\baselineskip
12471      \hrule\@width\unitindent
12472      \kern.4\baselineskip}\hfil\endR}
12473  }
12474  \renewenvironment{thebibliography}[1]
12475    {\chapter*{\bibname}%
12476     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
12477     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12478     \list{\@biblabel{\@arabic\c@enumiv}}%
12479       {\settowidth\labelwidth{\@biblabel{#1}}%
12480        \leftmargin\labelwidth
12481        \advance\leftmargin\labelsep
12482        \@openbib@code
12483        \usecounter{enumiv}%
12484        \let\p@enumiv\@empty
12485        \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
12486     \sloppy\clubpenalty4000\widowpenalty4000%
12487     \sfcode`\.\@m}
12488     {\def\@noitemerr
12489      {\@latex@warning{Empty `thebibliography' environment}}}%
12490     \endlist}
12491  \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
12492  \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
12493  \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
12494  \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
12495  \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
12496  \renewcommand*\theequation{%
12497    \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
12498  \renewcommand*\thefigure{%
12499    \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
12500  \renewcommand*\thetable{%
12501    \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
12502  \if@titlepage
12503  \renewcommand*\TitleFont{\rmfamily}

```



```

12504 \renewcommand*\maketitle{%
12505   \begin{titlepage}%
12506     \let\footnotesize\small
12507     \let\right@footnoterule\relax
12508     \let\left@footnoterule\relax
12509     \let\textwidth@footnoterule\relax
12510     \let \footnote \thanks
12511     \long\def\@makefnmark##1{\parindent\z@
12512       \def\labelitemi{\textendash}\@revlabeltrue
12513       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
12514     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12515     \if@compatibility\setcounter{page}{0}\fi
12516     \null\vfil
12517     \vskip 60\p@
12518     \begin{center}%
12519       \TitleFont
12520       {\LARGE \def\\{\penalty -\@M}
12521         \if@allcaps
12522           \expandafter\uc@nothanks\@title\thanks\relax
12523         \else
12524           \@title
12525         \fi\par}%
12526       \vskip 3em%
12527       {\large
12528         \lineskip .75em \parindent\z@
12529         \begin{tabular}[t]{c}%
12530           \if@allcaps
12531             \expandafter\uc@authornothanks\@author\and\relax
12532           \else
12533             \@author
12534           \fi
12535         \end{tabular}\par}%
12536       \vskip 1.5em%
12537       {\large
12538         \if@allcaps
12539           \uppercase\expandafter{\@date}%
12540         \else
12541           \@date
12542         \fi\par}%
12543       \end{center}\par
12544       \@thanks
12545       \vfil\null
12546     \end{titlepage}%
12547     \setcounter{footnote}{0}%
12548     \global\let\thanks\relax
12549     \global\let\maketitle\relax
12550     \global\let\@thanks\@empty
12551     \global\let\@author\@empty
12552     \global\let\@title\@empty
12553     \global\let\@date\@empty

```



```

12554 \global\let\title\relax
12555 \global\let\author\relax
12556 \global\let\date\relax
12557 \global\let\and\relax
12558 }
12559 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
12560 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
12561 \futurelet\@tempa\uc@ax}
12562 \def\uc@ax{%
12563 \ifx\@tempa\relax
12564 \else
12565 \\\andname \\\expandafter\uc@authornothanks
12566 \fi}
12567 \def\uc@tx{\ifx\@tempa\relax
12568 \else \expandafter\uc@ty \fi}
12569 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
12570 \else
12571 \renewcommand*\maketitle{\par
12572 \begingroup
12573 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12574 \def\@makefnmark{\rlap{%
12575 \@textsuperscript{\normalfont\@thefnmark}}}%
12576 \long\def\@makefntext{\@xmakefntext{%
12577 \@textsuperscript{\normalfont\@thefnmark}}}%
12578 \if@twocolumn
12579 \ifnum \col@number=\@ne
12580 \@maketitle
12581 \else
12582 \twocolumn[\@maketitle]%
12583 \fi
12584 \else
12585 \newpage
12586 \global\@topnum\z@
12587 \@maketitle
12588 \fi
12589 \thispagestyle{plain}\@thanks
12590 \endgroup
12591 \setcounter{footnote}{0}%
12592 \global\let\thanks\relax
12593 \global\let\maketitle\relax
12594 \global\let\@maketitle\relax
12595 \global\let\@thanks\@empty
12596 \global\let\@author\@empty
12597 \global\let\@title\@empty
12598 \global\let\@date\@empty
12599 \global\let\title\relax
12600 \global\let\author\relax
12601 \global\let\date\relax
12602 \global\let\and\relax
12603 }

```



```

12604 \def\@maketitle{%
12605   \newpage
12606   \null
12607   \vskip 2em%
12608   \begin{center}%
12609     \let \footnote \thanks
12610     {\LARGE \TitleFont \@title \par}%
12611     \vskip 1.5em%
12612     {\large \TitleFont
12613       \lineskip .5em%
12614       \begin{tabular}[t]{c}%
12615         \@author
12616         \end{tabular}\par}%
12617     \vskip 1em%
12618     {\large \TitleFont \@date}%
12619   \end{center}%
12620   \par
12621   \vskip 1.5em}
12622 \fi

```

7.92 rapport3-xetex-bidi.def

```

12623 \ProvidesFile{rapport3-xetex-bidi.def}[2011/08/26 v0.4 bidi adaptations for rapport3 class for X
12624 \renewenvironment{theindex}{%
12625   \if@twocolumn
12626     \@restonecolfalse
12627   \else
12628     \@restonecoltrue
12629   \fi
12630   \columnseprule \z@
12631   \columnsep 35\p@
12632   \twocolumn[\@makeschapterhead{\indexname}]%
12633   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
12634   \thispagestyle{plain}\parindent\z@
12635   \parskip\z@ \@plus .3\p@\relax
12636   \let\item\@idxitem
12637   }{%
12638   \if@restonecol\onecolumn\else\clearpage\fi}
12639 \if@titlepage
12640 \renewcommand*\TitleFont{\rmfamily}
12641 \renewcommand*\maketitle{%
12642   \begin{titlepage}%
12643     \let\footnotesize\small
12644     \let\right@footnoterule\relax
12645     \let\left@footnoterule\relax
12646     \let\textwidth@footnoterule\relax
12647     \let \footnote \thanks
12648     \let \LTRfootnote \LTRthanks
12649     \let \RTLfootnote \RTLthanks
12650     \long\def\@makefnctext##1{\parindent\z@

```



```

12651         \def\labelitemi{\textendash}\@revlabeltrue
12652         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
12653     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12654     \if@compatibility\setcounter{page}{0}\fi
12655     \null\vfil
12656     \vskip 60\p@
12657     \begin{center}%
12658         \TitleFont
12659         {\LARGE \def\\{\penalty -\@M}
12660         \if@allcaps
12661             \expandafter\uc@nothanks\@title\thanks\relax
12662         \else
12663             \@title
12664         \fi\par}%
12665     \vskip 3em%
12666     {\large
12667     \lineskip .75em \parindent\z@
12668     \begin{tabular}[t]{c}%
12669         \if@allcaps
12670             \expandafter\uc@authornothanks\@author\and\relax
12671         \else
12672             \@author
12673         \fi
12674     \end{tabular}\par}%
12675     \vskip 1.5em%
12676     {\large
12677     \if@allcaps
12678         \uppercase\expandafter{\@date}%
12679     \else
12680         \@date
12681     \fi\par}%
12682     \end{center}\par
12683     \@thanks
12684     \vfil\null
12685     \end{titlepage}%
12686     \setcounter{footnote}{0}%
12687     \global\let\thanks\relax
12688     \global\let\LTRthanks\relax
12689     \global\let\RTLthanks\relax
12690     \global\let\maketitle\relax
12691     \global\let\@thanks\@empty
12692     \global\let\@author\@empty
12693     \global\let\@title\@empty
12694     \global\let\@date\@empty
12695     \global\let\title\relax
12696     \global\let\author\relax
12697     \global\let\date\relax
12698     \global\let\and\relax
12699 }
12700 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}

```



```

12701 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
12702     \futurelet\@tempa\uc@ax}
12703 \def\uc@ax{%
12704     \ifx\@tempa\relax
12705     \else
12706         \\\ \andname \\\ \expandafter\uc@authornothanks
12707     \fi}
12708 \def\uc@tx{\ifx\@tempa\relax
12709     \else \expandafter\uc@ty \fi}
12710 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
12711 \else
12712 \renewcommand*\maketitle{\par
12713     \begingroup
12714     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12715     \def\@makefnmark{\rlap{%
12716         \@textsuperscript{\normalfont\@thefnmark}}}%
12717     \long\def\@makefntext{\@xmakefntext{%
12718         \@textsuperscript{\normalfont\@thefnmark}}}%
12719     \if@twocolumn
12720         \ifnum \col@number=\@ne
12721             \@maketitle
12722         \else
12723             \twocolumn[\@maketitle]%
12724         \fi
12725     \else
12726         \newpage
12727         \global\@topnum\z@
12728         \@maketitle
12729     \fi
12730     \thispagestyle{plain}\@thanks
12731 \endgroup
12732 \setcounter{footnote}{0}%
12733 \global\let\thanks\relax
12734 \global\let\LTRthanks\relax
12735 \global\let\RTLthanks\relax
12736 \global\let\maketitle\relax
12737 \global\let\@maketitle\relax
12738 \global\let\@thanks\@empty
12739 \global\let\@author\@empty
12740 \global\let\@title\@empty
12741 \global\let\@date\@empty
12742 \global\let\title\relax
12743 \global\let\author\relax
12744 \global\let\date\relax
12745 \global\let\and\relax
12746 }
12747 \def\@maketitle{%
12748     \newpage
12749     \null
12750     \vskip 2em%

```




```

12751 \if@titlecentered
12752   \begin{center}%
12753     \let \footnote \thanks
12754     \let \LTRfootnote \LTRthanks
12755     \let \RTLfootnote \RTLthanks
12756     {\LARGE \TitleFont \@title \par}%
12757     \vskip 1.5em%
12758     {\large \TitleFont
12759       \lineskip .5em%
12760       \begin{tabular}[t]{c}%
12761         \@author
12762       \end{tabular}\par}%
12763     \vskip 1em%
12764     {\large \TitleFont \@date}%
12765   \end{center}%
12766 \else
12767   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
12768   {\large \TitleFont \lineskip .5em \tabcolsep\z@
12769     \def\and{%% \begin{tabular} has already started
12770       \end{tabular}\hskip 1em plus .17fil
12771       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular} will
12772       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
12773   \vskip 1em {\large \TitleFont \@date}
12774 \fi
12775 \par
12776 \vskip 1.5em}
12777 \fi
12778 \renewcommand*\@regtocline[3]{%
12779   \ifnum #1>\c@tocdepth
12780   \else
12781     \vskip\z@\@plus.2\p@
12782     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
12783       \if@RTL\righskip\else\leftskip\fi\unitindent
12784       \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
12785       \parfillskip\z@
12786       \@tempdima\unitindent
12787       \parindent\z@
12788       \leavevmode
12789       \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
12790       \hskip 1em \nobreak{\slshape #3}\par
12791     }%
12792   \fi}
12793 \if@oldtoc
12794 \renewcommand*\l@part[2]{%
12795   \ifnum \c@tocdepth >-2\relax
12796     \addpenalty{-\@highpenalty}%
12797     \addvspace{2.25em \@plus\p@}%
12798     \begingroup
12799       \setlength\@tempdima{3em}%
12800       \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth

```



```

12801      \parfillskip -\@pnumwidth
12802      {\leavevmode
12803        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
12804        \nobreak
12805        \global\@nobreaktrue
12806        \everypar{\global\@nobreakfalse\everypar{}}%
12807      \endgroup
12808    \fi}
12809  \else
12810    \renewcommand*\l@part{%
12811      \ifnum \c@tocdepth >-2\relax
12812        \addpenalty{-\@highpenalty}%
12813        \addvspace{2.25em \@plus \p@}%
12814        \@regtocline{0}%
12815      \fi}
12816  \fi
12817  \if@oldtoc
12818    \renewcommand*\l@chapter[2]{%
12819      \addpenalty{-\@highpenalty}%
12820      \vskip 1.0em \@plus \p@
12821      \setlength\@tempdima{1.5em}%
12822      \begingroup
12823        \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12824        \parfillskip -\@pnumwidth
12825        \leavevmode \bfseries
12826        \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
12827        \hskip -\if@RTL\rightskip\else\leftskip\fi
12828        #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
12829        \penalty\@highpenalty
12830      \endgroup}
12831  \else
12832    \renewcommand*\l@chapter{\@regtocline{0}}
12833  \fi
12834  \renewcommand*\head@style{%
12835    \interlinepenalty \@M
12836    \hyphenpenalty=\@M \exhyphenpenalty=\@M
12837    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
12838  \if@titlepage
12839    \renewenvironment{abstract}{%
12840      \titlepage
12841      \null\vfil
12842      \section*{\SectFont\abstractname}%
12843      \noindent\ignorespaces}
12844      {\par\vfil\null\endtitlepage}
12845  \else
12846    \renewenvironment{abstract}{%
12847      \if@twocolumn
12848        \section*{\abstractname}%
12849      \else
12850        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent

```



```

12851      \section*{\small\SectFont\abstractname}%
12852      \noindent\ignorespaces
12853      \fi}
12854      {\if@twocolumn\else\par\egroup\fi}
12855 \fi
12856 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
12857 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
12858 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
12859 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
12860 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
12861 \renewcommand*\thefigure{%
12862   \ifnum\c@chapter>z@\thechapter\@SepMark\fi\@arabic\c@figure}
12863 \renewcommand*\thetable{%
12864   \ifnum\c@chapter>z@\thechapter\@SepMark\fi\@arabic\c@table}
12865 \renewcommand*\theequation{%
12866   \ifnum \c@chapter>z@ \thechapter\@SepMark\fi\@arabic\c@equation}
12867 \renewenvironment{thebibliography}[1]
12868   {\chapter*{\bibname}%
12869    \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
12870    \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
12871    \list{\@biblabel{\@arabic\c@enumiv}}%
12872      {\settowidth\labelwidth{\@biblabel{#1}}%
12873       \leftmargin\labelwidth
12874       \advance\leftmargin\labelsep
12875       \@openbib@code
12876       \usecounter{enumiv}%
12877       \let\p@enumiv\@empty
12878       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
12879    \sloppy\clubpenalty4000\widowpenalty4000%
12880    \sfcode`.\@m}
12881    {\def\@noitemerr
12882     {\@latex@warning{Empty `thebibliography' environment}}%
12883     \endlist}
12884 \renewcommand*\left@footnoterule{%
12885   \kern-3\p@
12886   \kern.5\baselineskip
12887   \hrule\@width\unitindent
12888   \kern.4\baselineskip
12889 }
12890 \renewcommand*\right@footnoterule{%
12891   \hbox to \columnwidth
12892   {\beginR \vbox{%
12893     \kern-3\p@
12894     \kern.5\baselineskip
12895     \hrule\@width\unitindent
12896     \kern.4\baselineskip}\hfil\endR}
12897 }
12898 \renewcommand*\head@style{%
12899   \interlinepenalty \@M
12900   \hyphenpenalty=\@M \exhyphenpenalty=\@M

```



```
12901 \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

7.93 refrep-xetex-bidi.def

```
12902 \ProvidesFile{refrep-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for refrep class for XeTeX]
12903 \if@titlepage
12904 \renewcommand\maketitle{\begin{titlepage}%
12905 \let\footnotesize\small
12906 \let\right@footnoterule\relax
12907 \let\left@footnoterule\relax
12908 \let\textwidth@footnoterule\relax
12909 \let\footnote\thanks
12910 \let\LTRfootnote\LTRthanks
12911 \let\RTLfootnote\RTLthanks
12912 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12913 \def\@makefnmark%
12914 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
12915 \long\def\@makefntext##1{%
12916 \setpar{\@par
12917 \tempdima = \hsize
12918 \advance\tempdima -1em
12919 \parshape \@ne 1em \tempdima}%
12920 \par\parindent 1em \noindent
12921 \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
12922 \null\vfil
12923 \vskip 60\p@
12924 \begin{center}%
12925 {\LARGE \@title \par}%
12926 \vskip 3em%
12927 {\large
12928 \lineskip .75em%
12929 \begin{tabular}[t]{c}%
12930 \@author
12931 \end{tabular}\par}%
12932 \vskip 1.5em%
12933 {\large \@date \par}% % Set date in \large size.
12934 \end{center}\par
12935 \@thanks
12936 \vfil\null
12937 \end{titlepage}%
12938 \setcounter{footnote}{0}%
12939 \global\let\thanks\relax
12940 \global\let\LTRthanks\relax
12941 \global\let\RTLthanks\relax
12942 \global\let\maketitle\relax
12943 \global\let\@thanks\@empty
12944 \global\let\@author\@empty
12945 \global\let\@date\@empty
12946 \global\let\@title\@empty
12947 \global\let\title\relax
```



```

12948 \global\let\author\relax
12949 \global\let\date\relax
12950 \global\let\and\relax
12951 }
12952 \else
12953 \renewcommand\maketitle{\par
12954 \begingroup
12955 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12956 \def\@makefnmark%
12957 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
12958 \long\def\@makefntext##1{%
12959 \@setpar{\@par
12960 \@tempdima = \hsize
12961 \advance\@tempdima -1em
12962 \parshape \@ne 1em \@tempdima}%
12963 \par\parindent 1em \noindent
12964 \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
12965 \if@twocolumn
12966 \ifnum \col@number=\@ne
12967 \maketitle
12968 \else
12969 \twocolumn[\maketitle]%
12970 \fi
12971 \else
12972 \newpage
12973 \global\@topnum\z@ % Prevents figures from going at top of page.
12974 \maketitle
12975 \fi
12976 \thispagestyle{empty}\@thanks
12977 \endgroup
12978 \setcounter{footnote}{0}%
12979 \global\let\thanks\relax
12980 \global\let\LTRthanks\relax
12981 \global\let\RTLthanks\relax
12982 \global\let\maketitle\relax
12983 \global\let\@maketitle\relax
12984 \global\let\@thanks\@empty
12985 \global\let\@author\@empty
12986 \global\let\@date\@empty
12987 \global\let\@title\@empty
12988 \global\let\title\relax
12989 \global\let\author\relax
12990 \global\let\date\relax
12991 \global\let\and\relax
12992 }
12993 \def\@maketitle{%
12994 \newpage
12995 \null
12996 \longthickrule\vskip1.5em%
12997 \let \footnote \thanks

```



```

12998 \let \LTRfootnote \LTRthanks
12999 \let \RTLfootnote \RTLthanks
13000 {\secshape \parskip\z@ \parindent\z@
13001 \Large\bfseries \@title \par}%
13002 \vskip1.5em\longthickrule\vskip1.5em%
13003 {\normalsize
13004 \lineskip .5em%
13005 \begin{flushright}%
13006 {\slshape\@author\par}
13007 \vskip 1em%
13008 {\@date}%
13009 \end{flushright}\par}%
13010 \vskip 1.5em}
13011 \fi
13012 \renewcommand*\l@part[2]{%
13013 \ifnum \c@tocdepth >-2\relax
13014 \addpenalty{-\@highpenalty}%
13015 \addvspace{2.25em \@plus\p@}%
13016 \begingroup
13017 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13018 \parfillskip -\@pnumwidth
13019 {\leavevmode
13020 \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
13021 \nobreak
13022 \global\@nobreaktrue
13023 \everypar{\global\@nobreakfalse\everypar{}}%
13024 \endgroup
13025 \fi}
13026 \renewcommand*\l@chapter[2]{%
13027 \ifnum \c@tocdepth >\m@ne
13028 \addpenalty{-\@highpenalty}%
13029 \vskip 1.0em \@plus\p@
13030 \setlength\@tempdima{1.5em}%
13031 \begingroup
13032 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13033 \parfillskip -\@pnumwidth
13034 \leavevmode \bfseries
13035 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13036 \hskip -\if@RTL\rightskip\else\leftskip\fi
13037 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13038 \penalty\@highpenalty
13039 \endgroup
13040 \fi}
13041 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
13042 \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
13043 \hyphenpenalty=2000}
13044 \renewcommand\left@footnoterule{%
13045 \kern-3\p@
13046 \hrule\@width.4\columnwidth
13047 \kern 2.6\p@}

```



```

13048 \renewcommand\right@footnoterule{%
13049   \hbox to \columnwidth
13050   {\beginR \vbox{%
13051     \kern-3\p@
13052     \hrule\@width.4\columnwidth
13053     \kern 2.6\p@\hfil\endR}}
13054 \renewcommand\theequation
13055 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13056 \renewcommand\thefigure
13057   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13058 \renewcommand\thetable%
13059   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
13060 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
13061 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
13062 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
13063 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13064 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
13065 \renewenvironment{thebibliography}[1]
13066   {\chapter*{\bibname
13067     \@mkboth{\bibname}{\bibname}}%
13068   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13069     \list{\@biblabel{\@arabic\c@enumiv}}%
13070       {\settowidth\labelwidth{\@biblabel{#1}}%
13071         \leftmargin\labelwidth
13072         \advance\leftmargin\labelsep
13073         \@openbib@code
13074         \usecounter{enumiv}%
13075         \let\p@enumiv\@empty
13076         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
13077       \sloppy
13078       \clubpenalty4000
13079       \@clubpenalty \clubpenalty
13080       \widowpenalty4000%
13081     \sfcode`\.=\@m}
13082   {\def\@noitemerr
13083     {\@latex@warning{Empty `thebibliography' environment}}}%
13084   \endlist}

```

7.94 report-xetex-bidi.def

```

13085 \ProvidesFile{report-xetex-bidi.def}[2011/08/26 v0.6 bidi adaptations for standard report class]
13086 \renewenvironment{theindex}
13087   {\if@twocolumn
13088     \@restonecolfalse
13089     \else
13090       \@restonecoltrue
13091     \fi
13092     \columnseprule \z@
13093     \columnsep 35\p@
13094     \twocolumn[\@makeschapterhead{\indexname}]%

```



```

13095         \@mkboth{\MakeUppercase\indexname}%
13096             {\MakeUppercase\indexname}%
13097         \thispagestyle{plain}\parindent\z@
13098         \parskip\z@ \@plus .3\p@\relax
13099         \let\item\@idxitem}
13100     {\if@restonecol\onecolumn\else\clearpage\fi}
13101 \if@titlepage
13102 \renewcommand\maketitle{\begin{titlepage}%
13103 \let\footnotesize\small
13104 \let\right@footnoterule\relax
13105 \let\left@footnoterule\relax
13106 \let\textwidth@footnoterule\relax
13107 \let \footnote \thanks
13108 \let \LTRfootnote \LTRthanks
13109 \let \RTLfootnote \RTLthanks
13110 \null\vfil
13111 \vskip 60\p@
13112 \begin{center}%
13113     {\LARGE \@title \par}%
13114     \vskip 3em%
13115     {\large
13116         \lineskip .75em%
13117         \begin{tabular}[t]{c}%
13118             \@author
13119         \end{tabular}\par}%
13120         \vskip 1.5em%
13121         {\large \@date \par}%           % Set date in \large size.
13122 \end{center}\par
13123 \@thanks
13124 \vfil\null
13125 \end{titlepage}%
13126 \setcounter{footnote}{0}%
13127 \global\let\thanks\relax
13128 \global\let\LTRthanks\relax
13129 \global\let\RTLthanks\relax
13130 \global\let\maketitle\relax
13131 \global\let\@thanks\@empty
13132 \global\let\@author\@empty
13133 \global\let\@date\@empty
13134 \global\let\@title\@empty
13135 \global\let\title\relax
13136 \global\let\author\relax
13137 \global\let\date\relax
13138 \global\let\and\relax
13139 }
13140 \else
13141 \renewcommand\maketitle{\par
13142 \begingroup
13143     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13144     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%

```




```

13145 \long\def\@makefntext##1{\parindent 1em\noindent
13146 \hb@xt@1.8em{%
13147 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
13148 \if@twocolumn
13149 \ifnum \col@number=\@ne
13150 \@maketitle
13151 \else
13152 \twocolumn[\@maketitle]%
13153 \fi
13154 \else
13155 \newpage
13156 \global\@topnum\z@ % Prevents figures from going at top of page.
13157 \@maketitle
13158 \fi
13159 \thispagestyle{plain}\@thanks
13160 \endgroup
13161 \setcounter{footnote}{0}%
13162 \global\let\thanks\relax
13163 \global\let\LTRthanks\relax
13164 \global\let\RTLthanks\relax
13165 \global\let\maketitle\relax
13166 \global\let\@maketitle\relax
13167 \global\let\@thanks\@empty
13168 \global\let\@author\@empty
13169 \global\let\@date\@empty
13170 \global\let\@title\@empty
13171 \global\let\title\relax
13172 \global\let\author\relax
13173 \global\let\date\relax
13174 \global\let\and\relax
13175 }
13176 \def\@maketitle{%
13177 \newpage
13178 \null
13179 \vskip 2em%
13180 \begin{center}%
13181 \let \footnote \thanks
13182 \let \LTRfootnote \LTRthanks
13183 \let \RTLfootnote \RTLthanks
13184 {\LARGE \@title \par}%
13185 \vskip 1.5em%
13186 {\large
13187 \lineskip .5em%
13188 \begin{tabular}[t]{c}%
13189 \@author
13190 \end{tabular}\par}%
13191 \vskip 1em%
13192 {\large \@date}%
13193 \end{center}%
13194 \par

```



```

13195 \vskip 1.5em}
13196 \fi
13197 \renewcommand*\l@part[2]{%
13198 \ifnum \c@tocdepth >-2\relax
13199 \addpenalty{-\@highpenalty}%
13200 \addvspace{2.25em \@plus\p@}%
13201 \setlength\@tempdima{3em}%
13202 \begingroup
13203 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13204 \parfillskip -\@pnumwidth
13205 {\leavevmode
13206 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
13207 \nobreak
13208 \global\@nobreaktrue
13209 \everypar{\global\@nobreakfalse\everypar{}}%
13210 \endgroup
13211 \fi}
13212 \renewcommand*\l@chapter[2]{%
13213 \ifnum \c@tocdepth >\m@ne
13214 \addpenalty{-\@highpenalty}%
13215 \vskip 1.0em \@plus\p@
13216 \setlength\@tempdima{1.5em}%
13217 \begingroup
13218 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13219 \parfillskip -\@pnumwidth
13220 \leavevmode \bfseries
13221 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
13222 \hskip -\if@RTL\rightskip\else\leftskip\fi
13223 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13224 \penalty\@highpenalty
13225 \endgroup
13226 \fi}
13227 \renewcommand\left@footnoterule{%
13228 \kern-3\p@
13229 \hrule\@width.4\columnwidth
13230 \kern2.6\p@}
13231 \renewcommand\right@footnoterule{%
13232 \hbox to \columnwidth
13233 {\beginR \vbox{%
13234 \kern-3\p@
13235 \hrule\@width.4\columnwidth
13236 \kern2.6\p@}\hfil\endR}}
13237 \renewcommand\theequation
13238 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13239 \renewcommand \thefigure
13240 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13241 \renewcommand \thetable
13242 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
13243 \renewcommand \thechapter {\@arabic\c@chapter}
13244 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}

```



```

13245 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@section}
13246 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
13247 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13248 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
13249 \def\@makechapterhead#1{%
13250 \vspace*{50\p@}%
13251 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
13252 \ifnum \c@secnumdepth >\m@ne
13253 \huge\bfseries \@chapapp\space \thechapter
13254 \par\nobreak
13255 \vskip 20\p@
13256 \fi
13257 \interlinepenalty\@M
13258 \Huge \bfseries #1\par\nobreak
13259 \vskip 40\p@
13260 }}
13261 \def\@makeschapterhead#1{%
13262 \vspace*{50\p@}%
13263 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
13264 \normalfont
13265 \interlinepenalty\@M
13266 \Huge \bfseries #1\par\nobreak
13267 \vskip 40\p@
13268 }}
13269 \renewenvironment{thebibliography}[1]
13270 {\chapter*{\bibname}%
13271 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
13272 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13273 \list{\@biblabel{\@arabic\c@enumiv}}%
13274 {\settowidth\labelwidth{\@biblabel{#1}}%
13275 \leftmargin\labelwidth
13276 \advance\leftmargin\labelsep
13277 \@openbib@code
13278 \usecounter{enumiv}%
13279 \let\p@enumiv\@empty
13280 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
13281 \sloppy
13282 \clubpenalty4000
13283 \@clubpenalty \clubpenalty
13284 \widowpenalty4000%
13285 \sfcode`..\@m}
13286 {\def\@noitemerr
13287 {\@latex@warning{Empty `thebibliography' environment}}}%
13288 \endlist}

```

7.95 rotating-xetex-bidi.def

```

13289 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package for
13290 \def\end@rotfloat{%
13291 \end{minipage}\end{lrbox}}%

```



```

13292 \stepcounter{r@tfl@t}%
13293 \rot@label{RF\ther@tfl@t}%
13294 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
13295 \edef\@tempa{Adding sideways \@capytype\space on page \R@@page\space}
13296 \rot@mess@toks\expandafter{\@tempa}
13297 \wd\rot@float@box\z@
13298 \ht\rot@float@box\z@
13299 \dp\rot@float@box\z@
13300 \vboxL to \textheight{%
13301 \setkeys{Grot}{units=360}%
13302 \if@rot@twoside
13303 \else
13304 \let\R@@page\rot@LR
13305 \fi
13306 \ifthenelse{\isodd{\R@@page}}{%
13307 \if@rot@twoside
13308 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}}%
13309 \fi
13310 \vfill
13311 \@@line{%
13312 \hskip\rotFPtop
13313 \rotatebox{90}{\box\rot@float@box}%
13314 \hskip\rotFPbot
13315 }%
13316 }{%
13317 \if@rot@twoside
13318 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}}%
13319 \fi
13320 \@@line{%
13321 \hskip\rotFPbot
13322 \rotatebox{-90}{\box\rot@float@box}%
13323 \hskip\rotFPtop
13324 }%
13325 \vfill
13326 }%
13327 \rot@message{\the\rot@mess@toks}
13328 }%
13329 \end@float
13330 }
13331 \let\endsidewaysfigure\end@rotfloat
13332 \let\endsidewaysstable\end@rotfloat
13333 \def\end@rotdblfloat{%
13334 \end{minipage}\end{lrbox}%
13335 \stepcounter{r@tfl@t}%
13336 \rot@label{RF\ther@tfl@t}%
13337 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
13338 \edef\@tempa{Adding sideways \@capytype\space on page \R@@page\space}
13339 \rot@mess@toks\expandafter{\@tempa}
13340 \@tempdima\ht\rot@float@box
13341 \advance\@tempdima by \dp\rot@float@box

```



```

13342 \wd\rot@float@box\z@
13343 \ht\rot@float@box\z@
13344 \dp\rot@float@box\z@
13345 \vboxL to \textheight{%
13346   \setkeys{Grot}{units=360}%
13347   \if@rot@twoside
13348   \else
13349     \let\R@@page\rot@LR
13350   \fi
13351   \ifthenelse{\isodd{\R@@page}}{%
13352     \ifrot@messages
13353     \if@rot@twoside
13354     \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
13355 \fi
13356   \fi
13357   \vfill
13358   \@@line{%
13359     \hskip\rotFPtop
13360     \rotatebox{90}{\box\rot@float@box}%
13361     \hskip\rotFPbot
13362   }%
13363 }{%
13364   \ifrot@messages
13365   \if@rot@twoside
13366   \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
13367 \fi
13368   \fi%
13369   \@@line{%
13370     \hskip\rotFPbot
13371     \rotatebox{-90}{\box\rot@float@box}%
13372     \hskip\rotFPtop
13373   }%
13374   \vfill
13375 }%
13376 \rot@message{\the\rot@mess@toks}%
13377 }%
13378 \end@dblfloat
13379 }
13380 \def\turn#1{%
13381   \Grot@setangle{#1}%
13382   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13383 \def\endturn{%
13384   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13385   \unskip\color@endbox
13386   \Grot@x\z@
13387   \Grot@y\z@
13388   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13389 }
13390 \def\rotate#1{%
13391   \Grot@setangle{#1}%

```



```

13392 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13393 \def\endrotate{%
13394 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13395 \unskip\color@endbox
13396 \Grot@x\z@
13397 \Grot@y\z@
13398 \wd0\z@\dp0\z@\ht0\z@
13399 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13400 }
13401 \def\turnbox#1#2{%
13402 \Grot@setangle{#1}%
13403 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
13404 \Grot@x\z@\Grot@y\z@
13405 \wd0\z@\dp0\z@\ht0\z@
13406 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13407 }
13408 \def\sideways{%
13409 \Grot@setangle{90}%
13410 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13411 \def\endsideways{%
13412 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13413 \unskip\color@endbox
13414 \Grot@x\z@
13415 \Grot@y\z@
13416 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13417 }

```

7.96 scrartcl-xetex-bidi.def

```

13418 \ProvidesFile{scrartcl-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrartcl class for Xe
13419 \newcommand{\scr@saved@LTRfootnotetext}{}
13420 \newcommand{\scr@saved@RTLfootnotetext}{}
13421 \let\scr@saved@footnotetext\@footnotetext
13422 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
13423 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
13424 \renewcommand{\@footnotetext}[1]{%
13425 \scr@saved@footnotetext{#1}%
13426 \csname FN@mf@prepare\endcsname
13427 }
13428 \renewcommand{\@LTRfootnotetext}[1]{%
13429 \scr@saved@LTRfootnotetext{#1}%
13430 \csname FN@mf@prepare\endcsname
13431 }
13432 \renewcommand{\@RTLfootnotetext}[1]{%
13433 \scr@saved@RTLfootnotetext{#1}%
13434 \csname FN@mf@prepare\endcsname
13435 }
13436 \renewcommand\deffootnote[4][1]{%
13437 \long\def\@makefntext##1{%
13438 \setlength{\@tempdimc}{#3}%

```



```

13439 \def\@tempa{#1}\ifx\@tempa\@empty
13440 \setpar{\@par
13441 \@tempdima = \hsize
13442 \addtolength{\@tempdima}{-#2}%
13443 \ifRTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
13444 \else
13445 \addtolength{\@tempdimc}{#2}%
13446 \addtolength{\@tempdimc}{-#1}%
13447 \setpar{\@par
13448 \@tempdima = \hsize
13449 \addtolength{\@tempdima}{-#1}%
13450 \@tempdimb = \hsize
13451 \addtolength{\@tempdimb}{-#2}%
13452 \ifRTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
13453 }%
13454 \fi
13455 \par
13456 \parindent\@tempdimc\noindent
13457 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
13458 }%
13459 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
13460 }
13461 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
13462 \renewcommand*\left@footnoterule{%
13463 \normalsize\ftn@rule@test@values
13464 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13465 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13466 {\usekomafont{footnoterule}{%
13467 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
13468 \kern 2.6\p@}
13469 \renewcommand*\right@footnoterule{%
13470 \hbox to \columnwidth
13471 {\beginR \vbox{\kern -3\p@
13472 \normalsize\ftn@rule@test@values
13473 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13474 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13475 {\usekomafont{footnoterule}{%
13476 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
13477 \kern 2.6\p@}\hfil\endR}}
13478 \renewcommand*\maketitle[1][1]{%
13479 \if@titlepage
13480 \begin{titlepage}
13481 \setcounter{page}{%
13482 #1%
13483 }%
13484 \let\footnotesize\small
13485 \let\right@footnoterule\relax
13486 \let\left@footnoterule\relax
13487 \let\textwidth\footnoterule\relax
13488 \let\footnote\thanks

```



```

13489 \let\LTRfootnote\LTRthanks
13490 \let\RTLfootnote\RTLthanks
13491 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13492 \let\@oldmakefnmark\@makefnmark
13493 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
13494 \ifx\@extratitle\@empty \else
13495 \noindent\@extratitle\next@tpage\cleardoubleemptypage
13496 \thispagestyle{empty}%
13497 \fi
13498 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
13499 \ifx\@titlehead\@empty \else
13500 \begin{minipage}[t]{\textwidth}%
13501 \@titlehead
13502 \end{minipage}\par
13503 \fi
13504 \null\vfill
13505 \begin{center}
13506 \ifx\@subject\@empty \else
13507 {\subject@font \@subject \par}%
13508 \vskip 3em
13509 \fi
13510 {\titlefont\huge \@title\par}%
13511 \vskip 1em
13512 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13513 \vskip 2em
13514 {\Large \lineskip 0.75em
13515 \begin{tabular}[t]{c}
13516 \@author
13517 \end{tabular}\par
13518 }%
13519 \vskip 1.5em
13520 {\Large \@date \par}%
13521 \vskip \z@ \@plus3fill
13522 {\Large \@publishers \par}%
13523 \vskip 3em
13524 \end{center}\par
13525 \@thanks
13526 \vfill\null
13527 \if@twoside\next@tpage
13528 \begin{minipage}[t]{\textwidth}
13529 \@uppertitleback
13530 \end{minipage}\par
13531 \vfill
13532 \begin{minipage}[b]{\textwidth}
13533 \@lowertitleback
13534 \end{minipage}
13535 \fi
13536 \ifx\@dedication\@empty \else
13537 \next@tpage\null\vfill
13538 {\centering \Large \@dedication \par}%

```




```

13539         \vskip \z@ \@plus3fill
13540         \if@twoside \next@tpage\cleardoubleemptypage \fi
13541     \fi
13542     \end{titlepage}
13543 \else
13544     \par
13545     \@tempcnta=%
13546     #1%
13547     \relax\ifnum\@tempcnta=1\else
13548         \ClassWarning{\KOMAClassName}{%
13549             Optional argument of \string\maketitle\space ignored
13550             at\MessageBreak
13551             notitlepage-mode%
13552         }%
13553     \fi
13554     \begingroup
13555         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13556         \let\@oldmakefnmark\@makefnmark
13557         \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
13558         \if@twocolumn
13559             \ifnum \col@number=\@ne
13560                 \@maketitle
13561             \else
13562                 \twocolumn[\@maketitle]%
13563             \fi
13564         \else
13565             \newpage
13566             \global\@topnum\z@
13567             \@maketitle
13568         \fi
13569         \thispagestyle{\titlepagestyle}\@thanks
13570     \endgroup
13571 \fi
13572 \setcounter{footnote}{0}%
13573 \let\thanks\relax
13574 \let\LTRthanks\relax
13575 \let\RTLthanks\relax
13576 \let\maketitle\relax
13577 \let\@maketitle\relax
13578 \global\let\@thanks\@empty
13579 \global\let\@author\@empty
13580 \global\let\@date\@empty
13581 \global\let\@title\@empty
13582 \global\let\@subtitle\@empty
13583 \global\let\@extratitle\@empty
13584 \global\let\@titlehead\@empty
13585 \global\let\@subject\@empty
13586 \global\let\@publishers\@empty
13587 \global\let\@uppertitleback\@empty
13588 \global\let\@lowertitleback\@empty

```



```

13589 \global\let\@dedication\@empty
13590 \global\let\author\relax
13591 \global\let\title\relax
13592 \global\let\extratitle\relax
13593 \global\let\titlehead\relax
13594 \global\let\subject\relax
13595 \global\let\publishers\relax
13596 \global\let\uppertitleback\relax
13597 \global\let\lowertitleback\relax
13598 \global\let\dedication\relax
13599 \global\let\date\relax
13600 \global\let\and\relax
13601 }%
13602 \renewcommand*{\@maketitle}{%
13603   \clearpage
13604   \let\footnote\thanks
13605   \let\LTRfootnote\LTRthanks
13606   \let\RTLfootnote\RTLthanks
13607   \ifx\@extratitle\@empty \else
13608     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
13609   \fi
13610   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
13611   \ifx\@titlehead\@empty \else
13612     \begin{minipage}[t]{\textwidth}
13613       \@titlehead
13614     \end{minipage}\par
13615   \fi
13616   \null
13617   \vskip 2em%
13618   \begin{center}%
13619     \ifx\@subject\@empty \else
13620       {\subject@font \@subject \par}
13621       \vskip 1.5em
13622     \fi
13623     {\titlefont\huge \@title \par}%
13624     \vskip .5em
13625     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13626     \vskip 1em
13627     {\Large
13628       \lineskip .5em%
13629       \begin{tabular}[t]{c}
13630         \@author
13631       \end{tabular}\par
13632     }%
13633     \vskip 1em%
13634     {\Large \@date \par}%
13635     \vskip \z@\@plus 1em
13636     {\Large \@publishers \par}
13637     \ifx\@dedication\@empty \else
13638       \vskip 2em

```



```

13639      {\Large \@dedication \par}
13640      \fi
13641    \end{center}%
13642    \par
13643    \vskip 2em
13644  }%
13645  \renewcommand*\l@part[2]{%
13646    \ifnum \c@tocdepth >\m@ne\relax
13647      \addpenalty{\@secpenalty}%
13648      \addvspace{2.25em \@plus\p@}%
13649      \setlength{\@tempdima}{2em}%
13650      \if@tocleft
13651        \ifx\toc@l@number\@empty\else
13652          \setlength{\@tempdima}{0\toc@l@number}%
13653        \fi
13654      \fi
13655      \begingroup
13656        \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13657        \parfillskip -\@pnumwidth
13658        \leavevmode
13659        \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
13660        \hskip -\if@RTL\rightskip\else\leftskip\fi
13661        {\usekomafont{partentry}{#1\nobreak
13662          \usekomafont{partentrypagenumber}{\hfil\nobreak
13663            \hb@xt@\@pnumwidth{\hss#2}}}\par
13664        \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13665        \endgroup
13666        \penalty20010
13667      \else
13668        \if@compatibility
13669          \global\@nobreaktrue
13670          \everypar{\global\@nobreakfalse\everypar{}}%
13671        \else
13672          \penalty\@highpenalty
13673        \fi
13674      \endgroup
13675    \fi
13676  \fi
13677 }
13678 \renewcommand*\l@section[2]{%
13679   \ifnum \c@tocdepth >\z@
13680     \ifnum \lastpenalty<20009
13681       \addpenalty{\@secpenalty}%
13682     \fi
13683     \addvspace{1.0em \@plus\p@}%
13684     \setlength{\@tempdima}{1.5em}%
13685     \if@tocleft
13686       \ifx\toc@l@number\@empty\else
13687         \setlength{\@tempdima}{0\toc@l@number}%
13688       \fi

```



```

13689 \fi
13690 \begingroup
13691 \raggedsectionentry
13692 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13693 \parfillskip -\@pnumwidth
13694 \interlinepenalty\@M
13695 \leavevmode
13696 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
13697 {\usekomafont{sectionentry}{#1\nobreak
13698 \usekomafont{sectionentrypagenumber}{%
13699 \hfill\nobreak
13700 \hb@xt@\@pnumwidth{\hss#2}}}\par
13701 \endgroup
13702 \ifnum \scr@compatibility>\@nameuse{scr@v2.96}\relax
13703 \penalty20008
13704 \fi
13705 \fi
13706 }
13707 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
13708 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
13709 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
13710 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
13711 \renewcommand*{\thesubsubsection}{%
13712 \thesubsection\@SepMark\@arabic\c@subsubsection
13713 }
13714 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13715 \renewcommand*{\thesubparagraph}{%
13716 \theparagraph\@SepMark\@arabic\c@subparagraph
13717 }
13718 \renewenvironment{thebibliography}[1]{%
13719 \if@bib@break@
13720 \bib@beginhook
13721 \else
13722 \bib@heading
13723 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
13724 \noindent\bibpreamble\par\nobreak
13725 \fi\fi
13726 \bib@beginhook
13727 \bib@before@hook
13728 \fi
13729 \renewcommand{\BreakBibliography}[1]{%
13730 \@bib@break
13731 \end{thebibliography}%
13732 \begingroup ##1\endgroup
13733 \begin{thebibliography}{#1}
13734 }%
13735 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13736 \list{%
13737 \@biblabel{\@arabic\c@enumiv}%
13738 }{%

```



```

13739 \settowidth\labelwidth{\@biblabel{#1}}%
13740 \leftmargin\labelwidth
13741 \advance\leftmargin\labelsep
13742 \@openbib@code
13743 \if@bib@break@
13744 \edef\@tempa{%
13745 \noexpand\usecounter{enumiv}}%
13746 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
13747 }\@tempa
13748 \no@bib@break
13749 \else
13750 \usecounter{enumiv}%
13751 \fi
13752 \let\p@enumiv\@empty
13753 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
13754 }%
13755 \sloppy\clubpenalty4000 \widowpenalty4000
13756 \sfcode`\.=\@m
13757 }{%
13758 \if@bib@break@
13759 \def\@noitemerr{%
13760 \@latex@warning{%
13761 \string\BreakBibliography\space at begin of `thebibliography'
13762 environment\MessageBreak
13763 or following \string\BreakBibliography}%
13764 }%
13765 \else
13766 \def\@noitemerr{%
13767 \@latex@warning{%
13768 Empty `thebibliography' environment or
13769 \string\BreakBibliography\MessageBreak
13770 before end of `thebibliography' environment}%
13771 }%
13772 \fi
13773 \endlist
13774 \if@bib@break@
13775 \else
13776 \bib@after@hook
13777 \let\bib@before@hook\@empty
13778 \let\bib@after@hook\@empty
13779 \fi
13780 \bib@endhook
13781 }
13782 \renewcommand*\left@footnoterule{%
13783 \kern-3\p@
13784 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13785 \hrule\@width.4\columnwidth
13786 \kern 2.6\p@}
13787 \renewcommand*\right@footnoterule{%
13788 \hbox to \columnwidth

```



```

13789 {\beginR \vbox{%
13790 \kern-3\p@
13791 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13792 \hrule\@width.4\columnwidth
13793 \kern 2.6\p@\hfil\endR}}
13794 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
13795 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
13796 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
13797 \renewcommand\marginline[1]{%
13798 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
13799 }
13800 \renewcommand{\@makecaption}[3]{%
13801 \cap@margin
13802 \ifonelinecaptions
13803 \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
13804 \let\scr@tmp@footnotetext=\@footnotetext
13805 \let\@footnotetext=\@gobble
13806 \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
13807 \let\@LTRfootnotetext=\@gobble
13808 \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
13809 \let\@RTLfootnotetext=\@gobble
13810 \sbox\@tempboxa{%
13811 {\capfont{\strut\ignorespaces
13812 #1{\caplabelfont{#2\captionformat}}}%
13813 #3\unskip\strut}}%
13814 }%
13815 \let\@footnotetext=\scr@tmp@footnotetext
13816 \let\scr@tmp@footnotetext=\undefined
13817 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
13818 \let\scr@tmp@LTRfootnotetext=\undefined
13819 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
13820 \let\scr@tmp@RTLfootnotetext=\undefined
13821 \setcounter{footnote}{\@tempcntb}%
13822 \setcounter{mpfootnote}{\@tempcnta}%
13823 \else
13824 \sbox\@tempboxa{\hspace*{2\cap@width}}%
13825 \fi
13826 \begingroup%
13827 \setlength{\@tempdima}{\cap@width}%
13828 \ifdim \wd\@tempboxa >\@tempdima
13829 \hb@xt@\hsize{%
13830 \setbox\@tempboxa\vbox{\hsize=\cap@width
13831 \ifdofullc@p
13832 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
13833 #1{\caplabelfont{#2\captionformat}}}}}%
13834 {\#3\unskip\strut\par}}}%
13835 \else%
13836 \ifdim\cap@indent<\z@
13837 {\capfont{\strut\ignorespaces
13838 #1{\caplabelfont{#2\captionformat\par}}}%

```



```

13839         \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
13840     \else%
13841         \if@capbreak
13842             {\capfont{\strut\ignorespaces
13843                 #1{\caplabelfont{\#2\captionformat\par}}}%
13844                 \noindent\@hangfrom{\hspace*{\cap@indent}}{\#3\par}}}%
13845         \else
13846             {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
13847                 {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
13848                 {\caplabelfont{\#2\captionformat}}}\#3\unskip\strut\par}}}%
13849             \fi
13850         \fi
13851     \fi
13852 }%
13853 \setlength{\@tempdima}{\ht\@tempboxa}%
13854 \addtolength{\@tempdima}{\dp\@tempboxa}%
13855 \addtolength{\@tempdima}{-\ht\strutbox}%
13856 \ht\@tempboxa\ht\strutbox
13857 \dp\@tempboxa\@tempdima
13858 \strut\cap@left
13859 \box\@tempboxa
13860 \cap@right\strut
13861 }%
13862 \else
13863     \global \@minipagefalse
13864     \sbox\@tempboxa{%
13865         {\capfont{\scr@smashdp{\strut\ignorespaces
13866             #1{\caplabelfont{\#2\captionformat}}}%
13867             #3}}%
13868     }%
13869     {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right\strut}}%
13870     \fi
13871 \endgroup
13872 }
13873 \renewcommand{\@makecaption}[2]{%
13874     \if@captionabove
13875         \vskip\belowcaptionskip
13876     \else
13877         \vskip\abovecaptionskip
13878     \fi
13879     \@makecaption\@firstofone{#1}{#2}%
13880     \if@captionabove
13881         \vskip\abovecaptionskip
13882     \else
13883         \vskip\belowcaptionskip
13884     \fi
13885 }

```

7.97 scrbook-xetex-bidi.def



```

13886 \ProvidesFile{scrbook-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrbook class for XeT
13887 \newcommand{\scr@saved@LTRfootnotetext}{}
13888 \newcommand{\scr@saved@RTLfootnotetext}{}
13889 \let\scr@saved@footnotetext\@footnotetext
13890 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
13891 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
13892 \renewcommand{\@footnotetext}[1]{%
13893   \scr@saved@footnotetext{#1}%
13894   \csname FN@mfp@prepare\endcsname
13895 }
13896 \renewcommand{\@LTRfootnotetext}[1]{%
13897   \scr@saved@LTRfootnotetext{#1}%
13898   \csname FN@mfp@prepare\endcsname
13899 }
13900 \renewcommand{\@RTLfootnotetext}[1]{%
13901   \scr@saved@RTLfootnotetext{#1}%
13902   \csname FN@mfp@prepare\endcsname
13903 }
13904 \renewcommand\deffootnote[4][1]{%
13905   \long\def\@makefnmark##1{%
13906     \setlength{\@tempdimc}{#3}%
13907     \def\@tempa{#1}\ifx\@tempa\@empty
13908       \setpar{\@par
13909         \@tempdima = \hsize
13910         \addtolength{\@tempdima}{-#2}%
13911         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
13912       \else
13913         \addtolength{\@tempdimc}{#2}%
13914         \addtolength{\@tempdimc}{-#1}%
13915         \setpar{\@par
13916           \@tempdima = \hsize
13917           \addtolength{\@tempdima}{-#1}%
13918           \@tempdimb = \hsize
13919           \addtolength{\@tempdimb}{-#2}%
13920           \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
13921         }%
13922       \fi
13923       \par
13924       \parindent\@tempdimc\noindent
13925       \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
13926     }%
13927   \def\@makefnmark{\hbox{\ftn@font{#4}}}%
13928 }
13929 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
13930 \renewcommand*\left@footnoterule{%
13931   \normalsize\ftn@rule@test@values
13932   \kern-\dimexpr 2.6\p+ \ftn@rule@height\relax
13933   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13934   {\usekomafont{footnoterule}{%
13935     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%

```




```

13936 \kern 2.6\p@}
13937 \renewcommand*\right@footnoterule{%
13938 \hbox to \columnwidth
13939 {\beginR \vbox{\kern -3\p@
13940 \normalsize\ftn@rule@test@values
13941 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13942 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13943 {\usekomafont{footnoterule}{%
13944 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}}%
13945 \kern 2.6\p@}\hfil\endR}}
13946 \renewcommand*\maketitle[1][1]{%
13947 \if@titlepage
13948 \begin{titlepage}
13949 \setcounter{page}{%
13950 #1%
13951 }%
13952 \let\footnotesize\small
13953 \let\right@footnoterule\relax
13954 \let\left@footnoterule\relax
13955 \let\textwidth@footnoterule\relax
13956 \let\footnote\thanks
13957 \let\LTRfootnote\LTRthanks
13958 \let\RTLfootnote\RTLthanks
13959 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13960 \let\@oldmakefnmark\@makefnmark
13961 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
13962 \ifx\@extratitle\@empty \else
13963 \noindent\@extratitle\next@tpage\cleardoubleemptypage
13964 \thispagestyle{empty}%
13965 \fi
13966 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
13967 \ifx\@titlehead\@empty \else
13968 \begin{minipage}[t]{\textwidth}%
13969 \@titlehead
13970 \end{minipage}\par
13971 \fi
13972 \null\vfill
13973 \begin{center}
13974 \ifx\@subject\@empty \else
13975 {\subject@font \@subject \par}%
13976 \vskip 3em
13977 \fi
13978 {\titlefont\huge \@title\par}%
13979 \vskip 1em
13980 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13981 \vskip 2em
13982 {\Large \lineskip 0.75em
13983 \begin{tabular}[t]{c}
13984 \@author
13985 \end{tabular}\par

```



```

13986     }%
13987     \vskip 1.5em
13988     {\Large \@date \par}%
13989     \vskip \z@ \@plus3fill
13990     {\Large \@publishers \par}%
13991     \vskip 3em
13992 \end{center}\par
13993 \@thanks
13994 \vfill\null
13995 \if@twoside\next@tpage
13996   \begin{minipage}[t]{\textwidth}
13997     \@uppertitleback
13998   \end{minipage}\par
13999   \vfill
14000   \begin{minipage}[b]{\textwidth}
14001     \@lowertitleback
14002   \end{minipage}
14003 \fi
14004 \ifx\@dedication\@empty \else
14005   \next@tpage\null\vfill
14006   {\centering \Large \@dedication \par}%
14007   \vskip \z@ \@plus3fill
14008   \if@twoside \next@tpage\cleardoubleemptypage \fi
14009 \fi
14010 \end{titlepage}
14011 \else
14012   \par
14013   \@tempcnta=%
14014   #1%
14015   \relax\ifnum\@tempcnta=1\else
14016     \ClassWarning{KOMAClassName}{%
14017       Optional argument of \string\maketitle\space ignored
14018       at\MessageBreak
14019       notitlepage-mode%
14020     }%
14021 \fi
14022 \begingroup
14023   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14024   \let\@oldmakefnmark\@makefnmark
14025   \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
14026   \if@twocolumn
14027     \ifnum \col@number=\@ne
14028       \@maketitle
14029     \else
14030       \twocolumn[\@maketitle]%
14031     \fi
14032   \else
14033     \newpage
14034     \global\@topnum\z@
14035     \@maketitle

```



```

14036     \fi
14037     \thispagestyle{\titlepagestyle}\@thanks
14038   \endgroup
14039 \fi
14040 \setcounter{footnote}{0}%
14041 \let\thanks\relax
14042 \let\LTRthanks\relax
14043 \let\RTLthanks\relax
14044 \let\maketitle\relax
14045 \let\@maketitle\relax
14046 \global\let\@thanks\@empty
14047 \global\let\@author\@empty
14048 \global\let\@date\@empty
14049 \global\let\@title\@empty
14050 \global\let\@subtitle\@empty
14051 \global\let\@extratitle\@empty
14052 \global\let\@titlehead\@empty
14053 \global\let\@subject\@empty
14054 \global\let\@publishers\@empty
14055 \global\let\@uppertitleback\@empty
14056 \global\let\@lowertitleback\@empty
14057 \global\let\@dedication\@empty
14058 \global\let\author\relax
14059 \global\let\title\relax
14060 \global\let\extratitle\relax
14061 \global\let\titlehead\relax
14062 \global\let\subject\relax
14063 \global\let\publishers\relax
14064 \global\let\uppertitleback\relax
14065 \global\let\lowertitleback\relax
14066 \global\let\dedication\relax
14067 \global\let\date\relax
14068 \global\let\and\relax
14069 }%
14070 \renewcommand*{\@maketitle}{%
14071   \clearpage
14072   \let\footnote\thanks
14073   \let\LTRfootnote\LTRthanks
14074   \let\RTLfootnote\RTLthanks
14075   \ifx\@extratitle\@empty \else
14076     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14077   \fi
14078   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14079   \ifx\@titlehead\@empty \else
14080     \begin{minipage}[t]{\textwidth}
14081       \@titlehead
14082     \end{minipage}\par
14083   \fi
14084   \null
14085   \vskip 2em%

```



```

14086 \begin{center}%
14087 \ifx\@subject\@empty \else
14088   {\subject@font \@subject \par}
14089   \vskip 1.5em
14090   \fi
14091   {\titlefont\huge \@title \par}%
14092   \vskip .5em
14093   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14094   \vskip 1em
14095   {\Large
14096     \lineskip .5em%
14097     \begin{tabular}[t]{c}
14098       \@author
14099     \end{tabular}\par
14100   }%
14101   \vskip 1em%
14102   {\Large \@date \par}%
14103   \vskip \z@ \@plus 1em
14104   {\Large \@publishers \par}
14105   \ifx\@dedication\@empty \else
14106     \vskip 2em
14107     {\Large \@dedication \par}
14108   \fi
14109 \end{center}%
14110 \par
14111 \vskip 2em
14112 }%
14113 \renewcommand*{\l@part[2]{%
14114   \ifnum \c@tocdepth >-2\relax
14115     \addpenalty{-\@highpenalty}%
14116     \addvspace{2.25em \@plus\p@}%
14117     \setlength{\@tempdima}{2em}%
14118     \if@tocleft
14119       \ifx\toc@l@number\@empty\else
14120         \setlength{\@tempdima}{0\toc@l@number}%
14121       \fi
14122     \fi
14123     \begin{group}
14124       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14125       \parfillskip -\@pnumwidth
14126       \leavevmode
14127       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
14128       \hskip -\if@RTL\rightskip\else\leftskip\fi
14129       {\usekomafont{partentry}{#1\nobreak
14130         \usekomafont{partentrypagenumber}{\hfil\nobreak
14131           \hb@xt@\@pnumwidth{\hss#2}}}\par
14132       \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14133     \endgroup
14134     \penalty20010
14135   \else

```



```

14136         \penalty\@highpenalty
14137     \endgroup
14138     \fi
14139 \fi
14140 }\renewcommand*\l@part[2]{%
14141     \ifnum \c@tocdepth >-2\relax
14142         \addpenalty{-\@highpenalty}%
14143         \addvspace{2.25em \@plus\p@}%
14144         \setlength{\@tempdima}{2em}%
14145         \if@tocleft
14146             \ifx\toc@l@number\@empty\else
14147                 \setlength{\@tempdima}{0\toc@l@number}%
14148             \fi
14149         \fi
14150     \begingroup
14151         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14152         \parfillskip -\@pnumwidth
14153         \leavevmode
14154         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
14155         \hskip -\if@RTL\rightskip\else\leftskip\fi
14156         {\usekomafont{partentry}{#1\nobreak
14157             \usekomafont{partentrypagenumber}{\hfil\nobreak
14158                 \hb@xt@\@pnumwidth{\hss#2}}}\par
14159         \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14160     \endgroup
14161     \penalty20010
14162     \else
14163         \penalty\@highpenalty
14164     \endgroup
14165     \fi
14166 \fi
14167 }
14168 \renewcommand*\l@chapter[2]{%
14169     \ifnum \c@tocdepth >\m@ne
14170         \ifnum \lastpenalty<20010
14171             \addpenalty{-\@highpenalty}%
14172         \fi
14173         \vskip 1.0em \@plus\p@
14174         \setlength{\@tempdima}{1.5em}%
14175         \if@tocleft
14176             \ifx\toc@l@number\@empty\else
14177                 \setlength{\@tempdima}{0\toc@l@number}%
14178             \fi
14179         \fi
14180     \begingroup
14181         \raggedchapterentry
14182         \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14183         \parfillskip -\@pnumwidth
14184         \interlinepenalty\@M
14185         \leavevmode

```



```

14186 \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
14187 {\usekomafont{chapterentry}{#1\nobreak
14188 \usekomafont{chapterentrypagenumber}{%
14189 \hfill\nobreak
14190 \hb@xt@{\pnumwidth{\hss#2}}}\par
14191 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14192 \endgroup
14193 \penalty20009
14194 \else
14195 \penalty\@highpenalty
14196 \endgroup
14197 \fi
14198 \fi
14199 }
14200 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
14201 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
14202 \renewcommand*\thesection{%
14203 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
14204 \if@mainmatter\thechapter\@SepMark\fi
14205 \else
14206 \thechapter\@SepMark%
14207 \fi
14208 \@arabic\c@section
14209 }
14210 \renewcommand*\thesubsection{\thesubsection\@SepMark\@arabic\c@subsection}
14211 \renewcommand*\thesubsubsection{%
14212 \thesubsection\@SepMark\@arabic\c@subsubsection
14213 }
14214 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
14215 \renewcommand*\thesubparagraph{%
14216 \theparagraph\@SepMark\@arabic\c@subparagraph
14217 }
14218 \renewcommand*\thefigure{%
14219 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
14220 \if@mainmatter\thechapter\@SepMark\fi
14221 \else
14222 \thechapter\@SepMark%
14223 \fi
14224 \@arabic\c@figure
14225 }
14226 \renewcommand*\thetable{%
14227 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
14228 \if@mainmatter\thechapter\@SepMark\fi
14229 \else
14230 \thechapter\@SepMark%
14231 \fi
14232 \@arabic\c@table
14233 }
14234 \renewcommand*\theequation{%
14235 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax

```



```

14236 \if@mainmatter\thechapter\@SepMark\fi
14237 \else
14238 \thechapter\@SepMark%
14239 \fi
14240 \@arabic\c@equation
14241 }
14242 \renewenvironment{thebibliography}[1]{%
14243 \if@bib@break@
14244 \bib@beginhook
14245 \else
14246 \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
14247 \setchapterpreamble{\bibpreamble}%
14248 \fi\fi
14249 \bib@heading
14250 \bib@beginhook
14251 \bib@before@hook
14252 \fi
14253 \renewcommand{\BreakBibliography}[1]{%
14254 \@bib@break
14255 \end{thebibliography}%
14256 \begingroup ##1\endgroup
14257 \begin{thebibliography}{#1}
14258 }%
14259 \ifRTL\ifLTR\bibitems\RTLfalse\else\fi\else\ifRTL\bibitems\RTLtrue\else\fi\fi
14260 \list{%
14261 \@biblabel{\@arabic\c@enumiv}%
14262 }{%
14263 \settowidth\labelwidth{\@biblabel{#1}}%
14264 \leftmargin\labelwidth
14265 \advance\leftmargin\labelsep
14266 \@openbib@code
14267 \if@bib@break@
14268 \edef\@tempa{%
14269 \noexpand\usecounter{enumiv}%
14270 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
14271 }\@tempa
14272 \no@bib@break
14273 \else
14274 \usecounter{enumiv}%
14275 \fi
14276 \let\p@enumiv\empty
14277 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14278 }%
14279 \sloppy\clubpenalty4000 \widowpenalty4000
14280 \sfcode`\.\=@m
14281 }{%
14282 \if@bib@break@
14283 \def\@noitemerr{%
14284 \@latex@warning{%
14285 \string\BreakBibliography\space at begin of `thebibliography'

```



```

14286         environment\MessageBreak
14287         or following \string\BreakBibliography}%
14288     }%
14289 \else
14290     \def\@noitemerr{%
14291         \@latex@warning{%
14292             Empty `thebibliography' environment or
14293             \string\BreakBibliography\MessageBreak
14294             before end of `thebibliography' environment}%
14295     }%
14296 \fi
14297 \endlist
14298 \if@bib@break@
14299 \else
14300     \bib@after@hook
14301     \let\bib@before@hook\@empty
14302     \let\bib@after@hook\@empty
14303 \fi
14304 \bib@endhook
14305 }
14306 \renewcommand*\left@footnoterule{%
14307     \kern-3\p@
14308     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14309     \hrule\@width.4\columnwidth
14310     \kern 2.6\p@}
14311 \renewcommand*\right@footnoterule{%
14312     \hbox to \columnwidth
14313     {\beginR \vbox{%
14314         \kern-3\p@
14315         \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14316         \hrule\@width.4\columnwidth
14317         \kern 2.6\p@}\hfil\endR}}
14318 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
14319 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
14320 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
14321 \renewcommand\marginline[1]{%
14322     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
14323 }
14324 \renewcommand{\@makecaption}[3]{%
14325     \cap@margin
14326     \ifonelinecaptions
14327         \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
14328         \let\scr@tmp@footnotetext=\@footnotetext
14329         \let\@footnotetext=\@gobble
14330         \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14331         \let\@LTRfootnotetext=\@gobble
14332         \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14333         \let\@RTLfootnotetext=\@gobble
14334         \sbox\@tempboxa{%
14335             {\capfont{\strut\ignorespaces

```




```

14336      #1{\caplabelfont{#2\captionformat}}}%
14337      #3\unskip\strut}}}%
14338  }%
14339  \let\@footnotetext=\scr@tmp@footnotetext
14340  \let\scr@tmp@footnotetext=\undefined
14341  \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14342  \let\scr@tmp@LTRfootnotetext=\undefined
14343  \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
14344  \let\scr@tmp@RTLfootnotetext=\undefined
14345  \setcounter{footnote}{\@tempcntb}%
14346  \setcounter{mpfootnote}{\@tempcnta}%
14347  \else
14348  \sbox\@tempboxa{\hspace*{2\cap@width}}%
14349  \fi
14350  \begingroup%
14351  \setlength{\@tempdima}{\cap@width}%
14352  \ifdim \wd\@tempboxa >\@tempdima
14353  \hb@xt@\hsize{%
14354  \setbox\@tempboxa\vbox{\hsize=\cap@width
14355  \ifdofullc@p
14356  {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
14357  #1{\caplabelfont{#2\captionformat}}}}}%
14358  {#3\unskip\strut\par}}}%
14359  \else%
14360  \ifdim\cap@indent<\z@
14361  {\capfont{\strut\ignorespaces
14362  #1{\caplabelfont{#2\captionformat\par}}}%
14363  \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
14364  \else%
14365  \if@capbreak
14366  {\capfont{\strut\ignorespaces
14367  #1{\caplabelfont{#2\captionformat\par}}}%
14368  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
14369  \else
14370  {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
14371  {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
14372  {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
14373  \fi
14374  \fi
14375  \fi
14376  }%
14377  \setlength{\@tempdima}{\ht\@tempboxa}%
14378  \addtolength{\@tempdima}{\dp\@tempboxa}%
14379  \addtolength{\@tempdima}{-\ht\strutbox}%
14380  \ht\@tempboxa\ht\strutbox
14381  \dp\@tempboxa\@tempdima
14382  \strut\cap@left
14383  \box\@tempboxa
14384  \cap@right\strut
14385  }%

```



```

14386 \else
14387 \global \@minipagefalse
14388 \sbox\@tempboxa{%
14389 {\capfont{\scr@smashdp{\strut\ignorespaces
14390 #1{\caplabelfont{#2\captionformat}}}%
14391 #3}}%
14392 }%
14393 {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap
14394 \fi
14395 \endgroup
14396 }
14397 \renewcommand{\@makecaption}[2]{%
14398 \if@captionabove
14399 \vskip\belowcaptionskip
14400 \else
14401 \vskip\abovecaptionskip
14402 \fi
14403 \@makecaption\@firstofone{#1}{#2}%
14404 \if@captionabove
14405 \vskip\abovecaptionskip
14406 \else
14407 \vskip\belowcaptionskip
14408 \fi
14409 }

```

7.98 scrlettr-xetex-bidi.def

```

14410 \ProvidesFile{scrlettr-xetex-bidi.def}[2011/09/24 v0.2 bidi adaptations for scrlettr class for X
14411 \renewcommand\deffootnote[4] [] {%
14412 \long\def\@makefnmark##1{%
14413 \edef\@tempa{#1}\ifx\@tempa\@empty
14414 \setpar{\@par
14415 \tempdima = \hsize
14416 \addtolength{\tempdima}{-#2}
14417 \if@RTL\parshape \@ne Opt \tempdima\else\parshape \@ne #2 \tempdima\fi}%
14418 \else
14419 \setpar{\@par
14420 \tempdima = \hsize
14421 \addtolength{\tempdima}{-#1}
14422 \tempdimb = \hsize
14423 \addtolength{\tempdimb}{-#2}
14424 \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima #2 \@t
14425 \fi
14426 \par
14427 \parindent #3\noindent
14428 \hbox to \z@{\hss\@makefnmark}##1}
14429 \def\@makefnmark{\hbox{#4}}
14430 }
14431 \deffootnote[1em]{1.5em}{1em}
14432 {\textsuperscript{\thefootnotemark}}

```



```

14433 \def\left@footnoterule{\kern-1\p@
14434 \hrule width 0.4\columnwidth
14435 \kern .6\p@}
14436 \def\right@footnoterule{%
14437 \hbox to \columnwidth
14438 {\beginR \vbox{\kern -3\p@
14439 \kern-1\p@
14440 \hrule width 0.4\columnwidth
14441 \kern .6\p@}\hfil\endR}}
14442 \def\@datefield{\@reffalse
14443 \ifx\varyourref\@empty \else \@reftrue \fi
14444 \ifx\varyourmail\@empty \else \@reftrue \fi
14445 \ifx\varmyref\@empty \else \@reftrue \fi
14446 \ifx\varcustomer\@empty \else \@reftrue \fi
14447 \ifx\varinvoice\@empty \else \@reftrue \fi
14448 \ifx\varrefitemi\@empty \else \@reftrue \fi
14449 \ifx\varrefitemii\@empty \else \@reftrue \fi
14450 \ifx\varrefitemiii\@empty \else \@reftrue \fi
14451 \vskip -\parskip
14452 \vskip \refvskip
14453 \if@ref
14454 \ifx\varyourref\@empty \else
14455 \settowidth{\sc@temp}{\varyourref}
14456 \setbox0\hbox{\scriptsize \sf \yourrefname}
14457 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14458 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
14459 \fi
14460 \ifx\varyourmail\@empty \else
14461 \settowidth{\sc@temp}{\varyourmail}
14462 \setbox0\hbox{\scriptsize \sf \yourmailname}
14463 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14464 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
14465 \fi
14466 \ifx\varmyref\@empty \else
14467 \settowidth{\sc@temp}{\varmyref}
14468 \setbox0\hbox{\scriptsize \sf \myrefname}
14469 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14470 \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
14471 \fi
14472 \ifx\varcustomer\@empty \else
14473 \settowidth{\sc@temp}{\varcustomer}
14474 \setbox0\hbox{\scriptsize \sf \customername}
14475 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14476 \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
14477 \fi
14478 \ifx\varinvoice\@empty \else
14479 \settowidth{\sc@temp}{\varinvoice}
14480 \setbox0\hbox{\scriptsize \sf \invoicename}
14481 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14482 \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill

```



```

14483 \fi
14484 \ifx\varrefitemi\@empty \else
14485 \settowidth{\sc@temp}{\varrefitemi}
14486 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
14487 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14488 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
14489 \fi
14490 \ifx\varrefitemii\@empty \else
14491 \settowidth{\sc@temp}{\varrefitemii}
14492 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
14493 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14494 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
14495 \fi
14496 \ifx\varrefitemiii\@empty \else
14497 \settowidth{\sc@temp}{\varrefitemiii}
14498 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
14499 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14500 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
14501 \fi
14502 \ifx\@date\@empty \else
14503 \settowidth{\sc@temp}{\@date}
14504 \setbox0\hbox{\scriptsize \sf \datename}
14505 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14506 \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
14507 \fi
14508 \par
14509 \vspace{2.5\baselineskip}
14510 \else
14511 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
14512 \vspace{1.5\baselineskip}
14513 \fi}
14514 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
14515 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
14516 -\sigindent \hspace{\sigindent}}%
14517 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}}\[\presig@ski
14518 \fromsig\strut}\par
14519 \vspace{1.5\baselineskip}}

```

7.99 scrreprt-xetex-bidi.def

```

14520 \ProvidesFile{scrreprt-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrreprt class for X
14521 \newcommand{\scr@saved@LTRfootnotetext}{}
14522 \newcommand{\scr@saved@RTLfootnotetext}{}
14523 \let\scr@saved@footnotetext\@footnotetext
14524 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
14525 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
14526 \renewcommand{\@footnotetext}[1]{%
14527 \scr@saved@footnotetext{#1}%
14528 \csname FN@mfi@prepare\endcsname
14529 }

```



```

14530 \renewcommand{\@LTRfootnotetext}[1]{%
14531   \scr@saved@LTRfootnotetext{#1}%
14532   \csname FN@mfb@prepare\endcsname
14533 }
14534 \renewcommand{\@RTLfootnotetext}[1]{%
14535   \scr@saved@RTLfootnotetext{#1}%
14536   \csname FN@mfb@prepare\endcsname
14537 }
14538 \renewcommand\deffootnote[4][1]{%
14539   \long\def\@makefnmark##1{%
14540     \setlength{\@tempdimc}{#3}%
14541     \def\@tempa{#1}\ifx\@tempa\@empty
14542       \setpar{\@par
14543         \@tempdima = \hsize
14544         \addtolength{\@tempdima}{-#2}%
14545         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
14546     \else
14547       \addtolength{\@tempdimc}{#2}%
14548       \addtolength{\@tempdimc}{-#1}%
14549       \setpar{\@par
14550         \@tempdima = \hsize
14551         \addtolength{\@tempdima}{-#1}%
14552         \@tempdimb = \hsize
14553         \addtolength{\@tempdimb}{-#2}%
14554         \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
14555       }%
14556     \fi
14557     \par
14558     \parindent\@tempdimc\noindent
14559     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
14560   }%
14561   \def\@makefnmark{\hbox{\ftn@font{#4}}}%
14562 }
14563 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
14564 \renewcommand*\left@footnoterule{%
14565   \normalsize\ftn@rule@test@values
14566   \kern-\dimexpr 2.6\p+ \ftn@rule@height\relax
14567   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14568   {\usekomafont{footnoterule}{%
14569     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14570   \kern 2.6\p}
14571 \renewcommand*\right@footnoterule{%
14572   \hbox to \columnwidth
14573   {\beginR \vbox{\kern -3\p@
14574     \normalsize\ftn@rule@test@values
14575     \kern-\dimexpr 2.6\p+ \ftn@rule@height\relax
14576     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14577     {\usekomafont{footnoterule}{%
14578       \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14579     \kern 2.6\p}\hfil\endR}}

```



```

14580 \renewcommand*\maketitle[1][1]{%
14581   \if@titlepage
14582     \begin{titlepage}
14583       \setcounter{page}{%
14584         #1%
14585       }%
14586       \let\footnotesize\small
14587       \let\right@footnoterule\relax
14588       \let\left@footnoterule\relax
14589       \let\textwidth@footnoterule\relax
14590       \let\footnote\thanks
14591       \let\LTRfootnote\LTRthanks
14592       \let\RTLfootnote\RTLthanks
14593       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14594       \let\@oldmakefnmark\@makefnmark
14595       \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
14596       \ifx\@extratitle\@empty \else
14597         \noindent\@extratitle\next@tpage\cleardoubleemptypage
14598         \thispagestyle{empty}%
14599       \fi
14600       \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14601       \ifx\@titlehead\@empty \else
14602         \begin{minipage}[t]{\textwidth}%
14603           \@titlehead
14604         \end{minipage}\par
14605       \fi
14606       \null\vfill
14607       \begin{center}
14608         \ifx\@subject\@empty \else
14609           {\subject@font \@subject \par}%
14610           \vskip 3em
14611         \fi
14612         {\titlefont\huge \@title\par}%
14613         \vskip 1em
14614         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14615         \vskip 2em
14616         {\Large \lineskip 0.75em
14617           \begin{tabular}[t]{c}
14618             \@author
14619           \end{tabular}\par
14620         }%
14621         \vskip 1.5em
14622         {\Large \@date \par}%
14623         \vskip \z@ \@plus3fill
14624         {\Large \@publishers \par}%
14625         \vskip 3em
14626       \end{center}\par
14627       \@thanks
14628       \vfill\null
14629       \if@twoside\next@tpage

```



```

14630         \begin{minipage}[t]{\textwidth}
14631             \@uppertitleback
14632         \end{minipage}\par
14633         \vfill
14634         \begin{minipage}[b]{\textwidth}
14635             \@lowertitleback
14636         \end{minipage}
14637     \fi
14638     \ifx\@dedication\@empty \else
14639         \next@tpage\null\vfill
14640         {\centering \Large \@dedication \par}%
14641         \vskip \z@ \@plus3fill
14642         \if@twoside \next@tpage\cleardoubleemptypage \fi
14643     \fi
14644     \end{titlepage}
14645 \else
14646     \par
14647     \@tempcnta=%
14648     #1%
14649     \relax\ifnum\@tempcnta=1\else
14650         \ClassWarning{KOMAClassName}{%
14651             Optional argument of \string\maketitle\space ignored
14652             at\MessageBreak
14653             notitlepage-mode%
14654         }%
14655     \fi
14656     \begingroup
14657         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14658         \let\@oldmakefnmark\@makefnmark
14659         \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
14660         \if@twocolumn
14661             \ifnum \col@number=\@one
14662                 \@maketitle
14663             \else
14664                 \twocolumn[\@maketitle]%
14665             \fi
14666         \else
14667             \newpage
14668             \global\@topnum\z@
14669             \@maketitle
14670         \fi
14671         \thispagestyle{\titlepagestyle}\@thanks
14672     \endgroup
14673 \fi
14674 \setcounter{footnote}{0}%
14675 \let\thanks\relax
14676 \let\LTRthanks\relax
14677 \let\RTLthanks\relax
14678 \let\maketitle\relax
14679 \let\@maketitle\relax

```



```

14680 \global\let\@thanks\@empty
14681 \global\let\@author\@empty
14682 \global\let\@date\@empty
14683 \global\let\@title\@empty
14684 \global\let\@subtitle\@empty
14685 \global\let\@extratitle\@empty
14686 \global\let\@titlehead\@empty
14687 \global\let\@subject\@empty
14688 \global\let\@publishers\@empty
14689 \global\let\@uppertitleback\@empty
14690 \global\let\@lowertitleback\@empty
14691 \global\let\@dedication\@empty
14692 \global\let\author\relax
14693 \global\let\title\relax
14694 \global\let\extratitle\relax
14695 \global\let\titlehead\relax
14696 \global\let\subject\relax
14697 \global\let\publishers\relax
14698 \global\let\uppertitleback\relax
14699 \global\let\lowertitleback\relax
14700 \global\let\dedication\relax
14701 \global\let\date\relax
14702 \global\let\and\relax
14703 }%
14704 \renewcommand*{\@maketitle}{%
14705   \clearpage
14706   \let\footnote\thanks
14707   \let\LTRfootnote\LTRthanks
14708   \let\RTLfootnote\RTLthanks
14709   \ifx\@extratitle\@empty \else
14710     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14711   \fi
14712   \setparsizes{\z@}{\z@}{\z@}{\z@}{\plus 1fil}\par@updaterelative
14713   \ifx\@titlehead\@empty \else
14714     \begin{minipage}[t]{\textwidth}
14715       \@titlehead
14716     \end{minipage}\par
14717   \fi
14718   \null
14719   \vskip 2em%
14720   \begin{center}%
14721     \ifx\@subject\@empty \else
14722       {\subject@font \@subject \par}
14723     \vskip 1.5em
14724   \fi
14725   {\titlefont\huge \@title \par}%
14726   \vskip .5em
14727   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14728   \vskip 1em
14729   {\Large

```




```

14730     \lineskip .5em%
14731     \begin{tabular}[t]{c}
14732         \@author
14733     \end{tabular}\par
14734 }%
14735 \vskip 1em%
14736 {\Large \@date \par}%
14737 \vskip \z@ \@plus 1em
14738 {\Large \@publishers \par}
14739 \ifx\@dedication\@empty \else
14740     \vskip 2em
14741     {\Large \@dedication \par}
14742 \fi
14743 \end{center}%
14744 \par
14745 \vskip 2em
14746 }%
14747 \renewcommand*\l@part[2]{%
14748     \ifnum \c@tocdepth >-2\relax
14749         \addpenalty{-\@highpenalty}%
14750         \addvspace{2.25em \@plus\p@}%
14751         \setlength{\@tempdima}{2em}%
14752         \if@tocleft
14753             \ifx\toc@l@number\@empty\else
14754                 \setlength{\@tempdima}{0\toc@l@number}%
14755             \fi
14756         \fi
14757         \begingroup
14758             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14759             \parfillskip -\@pnumwidth
14760             \leavevmode
14761             \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
14762             \hskip -\if@RTL\rightskip\else\leftskip\fi
14763             {\usekomafont{partentry}{#1\nobreak
14764                 \usekomafont{partentrypagenumber}{\hfil\nobreak
14765                     \hb@xt@\@pnumwidth{\hss#2}}}\par
14766             \ifnum \scr@compatibility>\@nameuse{scr@v02.96}\relax
14767             \endgroup
14768             \penalty20010
14769         \else
14770             \penalty\@highpenalty
14771         \endgroup
14772     \fi
14773 \fi
14774 }
14775 \renewcommand*\l@chapter[2]{%
14776     \ifnum \c@tocdepth >\m@ne
14777         \ifnum \lastpenalty<20010
14778             \addpenalty{-\@highpenalty}%
14779         \fi

```



```

14780 \vskip 1.0em \@plus\p@
14781 \setlength\@tempdima{1.5em}%
14782 \if@tocleft
14783 \ifx\toc@l@number\@empty\else
14784 \setlength\@tempdima{0\toc@l@number}%
14785 \fi
14786 \fi
14787 \begingroup
14788 \raggedchapterentry
14789 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14790 \parfillskip -\@pnumwidth
14791 \interlinepenalty\@M
14792 \leavevmode
14793 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
14794 {\usekomafont{chapterentry}{#1\nobreak
14795 \usekomafont{chapterentrypagenumber}{%
14796 \hfill\nobreak
14797 \hb@xt@\@pnumwidth{\hss#2}}}\par
14798 \ifnum \scr@compatibility>\@nameuse{scr@v2.96}\relax
14799 \endgroup
14800 \penalty20009
14801 \else
14802 \penalty\@highpenalty
14803 \endgroup
14804 \fi
14805 \fi
14806 }
14807 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
14808 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
14809 \renewcommand*\thesection{%
14810 \thechapter\@SepMark%
14811 \@arabic\c@section
14812 }
14813 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
14814 \renewcommand*{\thesubsubsection}{%
14815 \thesubsection\@SepMark\@arabic\c@subsubsection
14816 }
14817 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
14818 \renewcommand*{\thesubparagraph}{%
14819 \theparagraph\@SepMark\@arabic\c@subparagraph
14820 }
14821 \renewcommand*\thefigure{%
14822 \thechapter\@SepMark%
14823 \@arabic\c@figure
14824 }
14825 \renewcommand*\thetable{%
14826 \thechapter\@SepMark%
14827 \@arabic\c@table
14828 }
14829 \renewcommand*\theequation{%

```



```

14830 \thechapter\@SepMark%
14831 \@arabic\c@equation
14832 }
14833 \renewenvironment{thebibliography}[1]{%
14834 \if@bib@break@
14835 \bib@beginhook
14836 \else
14837 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
14838 \setchapterpreamble{\bibpreamble}%
14839 \fi\fi
14840 \bib@heading
14841 \bib@beginhook
14842 \bib@before@hook
14843 \fi
14844 \renewcommand{\BreakBibliography}[1]{%
14845 \@bib@break
14846 \end{thebibliography}%
14847 \begingroup ##1\endgroup
14848 \begin{thebibliography}{#1}
14849 }%
14850 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14851 \list{%
14852 \@biblabel{\@arabic\c@enumiv}%
14853 }{%
14854 \settowidth\labelwidth{\@biblabel{#1}}%
14855 \leftmargin\labelwidth
14856 \advance\leftmargin\labelsep
14857 \@openbib@code
14858 \if@bib@break@
14859 \edef\@tempa{%
14860 \noexpand\usecounter{enumiv}%
14861 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
14862 }\@tempa
14863 \no@bib@break
14864 \else
14865 \usecounter{enumiv}%
14866 \fi
14867 \let\p@enumiv\@empty
14868 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14869 }%
14870 \sloppy\clubpenalty4000 \widowpenalty4000
14871 \sfcode`\.=\@m
14872 }{%
14873 \if@bib@break@
14874 \def\@noitemerr{%
14875 \@latex@warning{%
14876 \string\BreakBibliography\space at begin of `thebibliography'
14877 environment\MessageBreak
14878 or following \string\BreakBibliography}%
14879 }%

```



```

14880 \else
14881   \def\@noitemerr{%
14882     \@latex@warning{%
14883       Empty `thebibliography' environment or
14884       \string\BreakBibliography\MessageBreak
14885       before end of `thebibliography' environment}}%
14886   }%
14887 \fi
14888 \endlist
14889 \if@bib@break@
14890 \else
14891   \bib@after@hook
14892   \let\bib@before@hook\@empty
14893   \let\bib@after@hook\@empty
14894 \fi
14895 \bib@endhook
14896 }
14897 \renewcommand*\left@footnoterule{%
14898   \kern-3\p@
14899   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14900   \hrule\@width.4\columnwidth
14901   \kern 2.6\p@}
14902 \renewcommand*\right@footnoterule{%
14903   \hbox to \columnwidth
14904   {\beginR \vbox{%
14905     \kern-3\p@
14906     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14907     \hrule\@width.4\columnwidth
14908     \kern 2.6\p@}\hfil\endR}}
14909 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
14910 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
14911 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
14912 \renewcommand\marginline[1]{%
14913   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
14914 }
14915 \renewcommand{\@makecaption}[3]{%
14916   \cap@margin
14917   \ifonelinecaptions
14918     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
14919     \let\scr@tmp@footnotetext=\@footnotetext
14920     \let\@footnotetext=\@gobble
14921     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14922     \let\@LTRfootnotetext=\@gobble
14923     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14924     \let\@RTLfootnotetext=\@gobble
14925     \sbox\@tempboxa{%
14926       {\capfont{\strut\ignorespaces
14927         #1{\caplabelfont{#2\captionformat}}}%
14928       #3\unskip\strut}}%
14929   }%

```



```

14930 \let\@footnotetext=\scr@tmp@footnotetext
14931 \let\scr@tmp@footnotetext=\undefined
14932 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14933 \let\scr@tmp@LTRfootnotetext=\undefined
14934 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
14935 \let\scr@tmp@RTLfootnotetext=\undefined
14936 \setcounter{footnote}{\@tempcntb}%
14937 \setcounter{mpfootnote}{\@tempcnta}%
14938 \else
14939 \sbox\@tempboxa{\hspace*{2\cap@width}}%
14940 \fi
14941 \begin{group}%
14942 \setlength{\@tempdima}{\cap@width}%
14943 \ifdim \wd\@tempboxa >\@tempdima
14944 \hb@xt@\hsize{%
14945 \setbox\@tempboxa\vbox{\hsize=\cap@width
14946 \ifdoofullc@p
14947 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
14948 #1{\caplabelfont{#2\captionformat}}}}}%
14949 {\#3\unskip\strut\par}}}%
14950 \else%
14951 \ifdim\cap@indent<\z@
14952 {\capfont{\strut\ignorespaces
14953 #1{\caplabelfont{#2\captionformat\par}}}%
14954 \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
14955 \else%
14956 \if@capbreak
14957 {\capfont{\strut\ignorespaces
14958 #1{\caplabelfont{#2\captionformat\par}}}%
14959 \noindent\@hangfrom{\hspace*{\cap@indent}}{\#3\par}}}%
14960 \else
14961 {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}%
14962 {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
14963 {\caplabelfont{#2\captionformat}}}\#3\unskip\strut\par}}}%
14964 \fi
14965 \fi
14966 \fi
14967 }%
14968 \setlength{\@tempdima}{\ht\@tempboxa}%
14969 \addtolength{\@tempdima}{\dp\@tempboxa}%
14970 \addtolength{\@tempdima}{-\ht\strutbox}%
14971 \ht\@tempboxa\ht\strutbox
14972 \dp\@tempboxa\@tempdima
14973 \strut\cap@left
14974 \box\@tempboxa
14975 \cap@right\strut
14976 }%
14977 \else
14978 \global \@minipagefalse
14979 \sbox\@tempboxa{%

```



```

14980         {\capfont{\scr@smashdp{\strut\ignorespaces
14981             #1{\caplabelfont{#2\captionformat}}}}}%
14982             #3}}}%
14983     }%
14984     {\capfont{\hb@xt@{\hsize{\strut\cap@left@if@RTL\beginR\fi\box\@tempboxa@if@RTL\endR\fi\cap
14985     \fi
14986 \endgroup
14987 }
14988 \renewcommand{\@makecaption}[2]{%
14989 \if@captionabove
14990 \vskip\belowcaptionskip
14991 \else
14992 \vskip\abovecaptionskip
14993 \fi
14994 \@makecaption\@firstofone{#1}{#2}%
14995 \if@captionabove
14996 \vskip\abovecaptionskip
14997 \else
14998 \vskip\belowcaptionskip
14999 \fi
15000 }

```

7.100 sidecap-xetex-bidi.def

```

15001 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for Xe
15002 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
15003 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
15004 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
15005 \renewcommand*{\SC@justify@caption}{\if@RTL%
15006 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
15007 \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

7.101 stabular-xetex-bidi.def

```

15008 \ProvidesFile{stabular-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for stabular package for Xe
15009 \def\@stabular{\if@RTL\@RTLtabtrue\fi
15010 \leavevmode \bgroup \if@RTLtab\beginR \fi
15011 \let\@acol\@tabacol
15012 \let\@classz\@tabclassz
15013 \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
15014 \def\endstabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
15015 \egroup \if@RTLtab\endR\fi\egroup
15016 \@RTLtabfalse}
15017 \expandafter \let \csname endstabular*\endcsname = \endstabular
15018 \def\@sarray[#1]#2{%
15019 \bgroup
15020 \setbox\@arstrutbox\hbox{%
15021 \vrule \@height\arraystretch\ht\strutbox
15022 \@depth\arraystretch \dp\strutbox
15023 \@width\z@}%
15024 \@mkpream{#2}%

```



```

15025 \edef\@preamble{%
15026   \ialign \noexpand\@halignto
15027     \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
15028 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
15029 \let\tabularnewline\%
15030 \let\@sharp##%
15031 \set@typeset@protect
15032 \lineskip\z@skip\baselineskip\z@skip
15033 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
15034 \@preamble}

```

7.102 subfigure-xetex-bidi.def

```

15035 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
15036 \AtBeginDocument{%
15037 \let\p@subfigure=\thefigure
15038 \let\p@subtable=\thetable%
15039 }

```

7.103 tabs-xetex-bidi.def

```

15040 \ProvidesFile{tabs-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for tabs package for XeTeX]
15041 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup
15042   \@RTLtabfalse}
15043
15044 \expandafter\let\csname endtabular*\endcsname=\endtabular
15045
15046 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crr if \ given
15047   \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
15048   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
15049
15050 \def\@array[#1]#2{% remember global variables to allow recursion:
15051   \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
15052     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
15053   \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
15054   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
15055   \else \let\@tarlinesep\tablinesep \fi
15056   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
15057   \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
15058   \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
15059   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
15060     \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
15061     \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
15062   \fi \setbox\@arstrutbox\hbox{% set up smaller strut
15063     \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
15064   \let\protect\noexpand
15065   \edef\@preamble{\ialign \noexpand\@halignto \bgroup
15066     \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
15067   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
15068   \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
15069   \bgroup \let\par\@empty

```



```

15070 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
15071 \advance\extrarulessep.5\arrayrulewidth
15072 \let\@sharp#\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
15073 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
15074 \@preamble}

```

7.104 tabularx-xetex-bidi.def

```

15075 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package for
15076 \def\TX@endtabularx{%
15077   \expandafter\expandafter\expandafter
15078     \TX@find@endtabularxa\csname end\TX@\endcsname
15079     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
15080   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
15081   \let\verb\TX@verb
15082   \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
15083   \edef\TX@ckpt{\cl@ckpt}%
15084   \let\@elt\relax
15085   \TX@old@table\maxdimen
15086   \TX@col@width\TX@target
15087   \global\TX@cols\@ne
15088   \TX@typeout@
15089     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
15090   \TX@trial{\def\NC@rewrite@X{%
15091     \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
15092   \loop
15093     \TX@arith
15094     \ifTX@
15095       \TX@trial{}}%
15096   \repeat
15097   {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
15098   \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
15099   \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
15100   \csname tabular*\expandafter\endcsname\expandafter\TX@target
15101   \the\toks@
15102   \csname endtabular*\endcsname}%
15103   \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
15104   \ifnum0=`\fi}%
15105   \expandafter\expandafter\expandafter
15106     \TX@find@endtabularxbb
15107     \expandafter\end\expandafter{\TX@}%
15108   \endtabularx\TX@\endtabularx\TX@find@endtabularxb
15109 }
15110
15111 \def\TX@trial#1{%
15112   \setbox\@tempboxa\hbox{%
15113     #1\relax
15114   \let\@footnotetext\TX@trial@ftn
15115   \let\@LTRfootnotetext\TX@trial@ftn
15116   \let\@RTLfootnotetext\TX@trial@ftn

```




```

15117 \let\TX@vwarn\@empty
15118 \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
15119 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
15120 \def\write{\begingroup
15121   \def\let{\afterassignment\endgroup\toks@}%
15122   \afterassignment\let\count@}%
15123   \hbadness\@M
15124   \hfuzz\maxdimen
15125   \let\hbadness\@tempcnta
15126   \let\hfuzz\@tempdima
15127   \expandafter\tabular\the\toks@
15128   \endtabular}%
15129 \TX@ckpt
15130 \TX@typeout@{\@spaces
15131   \expandafter\TX@align
15132   \the\wd\@tempboxa\space\space\space\space\space\@@
15133   \expandafter\TX@align
15134   \the\TX@col@width\space\space\space\space\space\@@
15135   \@spaces\the\TX@cols}}
15136
15137 \long\def\TX@LTRftntext#1{%
15138   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
15139     [\the\csname c@\@mpfn\endcsname]}}%
15140   \global\TX@ftn\expandafter{\@tempa{#1}}}%
15141 \long\def\TX@xLTRftntext[#1]#2{%
15142   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
15143
15144 \long\def\TX@RTLftntext#1{%
15145   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
15146     [\the\csname c@\@mpfn\endcsname]}}%
15147   \global\TX@ftn\expandafter{\@tempa{#1}}}%
15148 \long\def\TX@xRTLftntext[#1]#2{%
15149   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

7.105 tabulary-xetex-bidi.def

```

15150 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package for
15151 \def\@testpach{\@chclass
15152   \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
15153   \ifnum \@lastchclass=7 5 \else
15154   \ifnum \@lastchclass=8 \tw@ \else
15155   \ifnum \@lastchclass=9 \thr@@
15156   \else \z@
15157   \ifnum \@lastchclass = 10 \else
15158   \edef\@nextchar{\expandafter\string\@nextchar}%
15159   \@chnum
15160   \if \@nextchar c\z@ \else
15161   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
15162   \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
15163   \if \@nextchar C7 \else

```



```

15164 \if \@nextchar L8 \else
15165 \if \@nextchar R9 \else
15166 \if \@nextchar J10 \else
15167 \z@ \@chclass
15168 \if \@nextchar | \@ne \else
15169 \if \@nextchar !6 \else
15170 \if \@nextchar @7 \else
15171 \if \@nextchar <8 \else
15172 \if \@nextchar >9 \else
15173 10
15174 \@chnum
15175 \if \@nextchar m\thr@@ \else
15176 \if \@nextchar p4 \else
15177 \if \@nextchar b5 \else
15178 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi
15179 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi

```

7.106 tc-xetex-bidi.def

```

15180 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTeX]
15181 \def\@cliptoboxdim#1{%
15182   \setbox#1=\hbox{%
15183     \Gin@defaultbp\WIDTH{\wd#1}%
15184     \Gin@defaultbp\DEPTH{\dp#1}%
15185     \@tempdima\ht#1%
15186     \advance\@tempdima\dp#1%
15187     \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
15188     \beginL\special{pdf:bcontent }%
15189     \special{%
15190       pdf:literal direct
15191       0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
15192     }%
15193     \special{pdf:literal direct W }%
15194     \special{pdf:literal direct n }%
15195     \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
15196     \special{pdf:econtent }\endL%
15197   }%
15198 }

```

7.107 tikz-xetex-bidi.def

```

15199 \ProvidesFile{tikz-xetex-bidi.def}[2014/11/20 v0.1 bidi adaptations for tikz package for XeTeX]
15200 \def\bidi@tikzpicture{%
15201   \begingroup%
15202   \tikz@startup@env%
15203   \pgfutil@ifnextchar[\bidi@tikz@picture{\bidi@tikz@picture[]}]%
15204   \def\bidi@tikz@picture[#1]{%
15205     \bidi@pgfpicture%
15206     \let\tikz@atbegin@picture=\pgfutil@empty%
15207     \let\tikz@atend@picture=\pgfutil@empty%
15208     \let\tikz@transform=\relax%

```



```

15209 \def\tikz@time{.5}%
15210 \tikz@installcommands%
15211 \scope[every picture,#1]%
15212 \iftikz@handle@active@code%
15213 \tikz@switchoff@shorthands%
15214 \fi%
15215 \expandafter\tikz@atbegin@picture%
15216 \tikz@lib@scope@check%
15217 }
15218 \def\endbidi@tikzpicture{%
15219 \tikz@atend@picture%
15220 \global\let\pgf@shift@baseline@smuggle=\pgf@baseline%
15221 \global\let\pgf@trimleft@final@smuggle=\pgf@trimleft%
15222 \global\let\pgf@trimright@final@smuggle=\pgf@trimright%
15223 \global\let\pgf@remember@smuggle=\ifpgfrememberpicturepositiononpage%
15224 \pgf@remember@layerlist@globally
15225 \endscope%
15226 \let\pgf@baseline=\pgf@shift@baseline@smuggle%
15227 \let\pgf@trimleft=\pgf@trimleft@final@smuggle%
15228 \let\pgf@trimright=\pgf@trimright@final@smuggle%
15229 \let\ifpgfrememberpicturepositiononpage=\pgf@remember@smuggle%
15230 \pgf@restore@layerlist@from@global
15231 \endbidi@pgfpicture\endgroup}

```

7.108 titlesec-xetex-bidi.def

```

15232 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package for
15233 \renewcommand\filright{%
15234 \gdef\ttl@filleft##1{\hskip##1}%
15235 \gdef\ttl@filright##1{\hfill}%
15236 \let\\\@centercr
15237 \advance\rightskip\z@ \@plus 1fil
15238 \parfillskip\z@}
15239 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
15240 \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
15241 \setlength\leftskip{#6}%
15242 \setlength\rightskip{#7}%
15243 \interlinepenalty\@M
15244 \ttl@change@centercr
15245 \ttl@begin@longest
15246 #1{\ifhmode\ttl@hmode@error\fi
15247 \ttl@glcmds
15248 \parindent\z@
15249 \leavevmode
15250 \begin@group
15251 \ifttl@label
15252 \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
15253 \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
15254 \llap{\box\z@}%
15255 \fi

```



```

15256      #4{#8}%
15257      \kern\z@\strut\@@par
15258      \endgroup
15259      \nobreak\ttl@midlongest#5\@@par}%
15260      \ttl@endlongest}

```

7.109 titletoc-xetex-bidi.def

```

15261 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package for
15262 \renewcommand\filright{%
15263   \gdef\ttl@filleft##1{\hskip##1}%
15264   \gdef\ttl@filright##1{\hfill}%
15265   \let\\\@centercr
15266   \advance\rightskip\z@ \@plus 1fil
15267   \parfillskip\z@}
15268 \renewcommand\contentspush[1]{%
15269   \sbox\z@{#1}%
15270   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
15271   \aftergroup\ttl@b
15272   \leavevmode\llap{\box\z@}}
15273 \def\ttl@outnoblock#1#2#3{%
15274   \begingroup
15275   \ifnum\ttl@b>\ttl@a
15276     \nobreak
15277   \else\ifnum\ttl@b<\ttl@a
15278     \addpenalty{\@secpenalty}%
15279   \else
15280     \addpenalty{\z@}%
15281   \fi\fi
15282   \ttl@contentsstretch
15283   \nobreak
15284   \ifcase#1\relax\else\interlinepenalty\@M\fi
15285   \parindent\z@
15286   \ifx\@nil#2%
15287     \PackageError{titletoc}{Unimplemented}%
15288     {The optional argument is currently mandatory}%
15289   \else
15290     \if@RTL\setlength\rightskip{#2}\else
15291       \setlength\leftskip{#2}\fi%
15292     \fi
15293     \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
15294     \let\contentsmargin\ttl@margin
15295     \def\ttl@makeline##1{##1}%
15296     #3%
15297     \addtolength{\parfillskip}{-\ttl@corr}%
15298     \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
15299     \let\ttl@leaders\leaders}
15300 \renewcommand\ttl@margin[2][\z@]{%
15301   \def\ttl@corr{#1}%
15302   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax

```



```

15303 \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
15304 \def\@pnumwidth{#2}}
15305 \let\ttl@savel@part\l@part
15306 \def\l@part{\ttl@lselect{part}}
15307
15308 \let\ttl@savel@chapter\l@chapter
15309 \def\l@chapter{\ttl@lselect{chapter}}

```

7.110 tocbibind-xetex-bidi.def

```

15310 \ProvidesFile{tocbibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocbibind package]
15311 \if@dotocbib
15312 \ifpackageloaded{natbib}{\% natbib not loaded
15313 \renewcommand{\bibsection}{\t@cb@bchapsec}
15314 \renewenvironment{thebibliography}[1]{%
15315 \bibsection
15316 \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
15317 \renewenvironment{thebibitemlist}[1]{
15318 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15319 \list{\@biblabel{\@arabic{c@enumiv}}}%
15320 {\settowidth\labelwidth{\@biblabel{#1}}%
15321 \leftmargin\labelwidth
15322 \advance\leftmargin\labelsep
15323 \openbib@code
15324 \usecounter{enumiv}%
15325 \let\p@enumiv\@empty
15326 \renewcommand\theenumiv{\@arabic{c@enumiv}}}%
15327 \sloppy
15328 \clubpenalty4000
15329 \@clubpenalty \clubpenalty
15330 \widowpenalty4000%
15331 \sfcode`\.\@m}
15332 {\def\@noitemerr
15333 {\@latex@warning{Empty `thebibliography' environment}}%
15334 \endlist}
15335
15336 \ifpackagewith{chapterbib}{sectionbib}%
15337 {\renewcommand{\sectionbib}[2]{}}%
15338 {}
15339
15340 \fi
15341 \if@inltxdoc\else
15342 \renewenvironment{theindex}%
15343 {\if@twocolumn
15344 \@restonecolfalse
15345 \else
15346 \@restonecoltrue
15347 \fi
15348 \if@bibchapter
15349 \if@donumindex

```



```

15350         \refstepcounter{chapter}
15351         \twocolumn[\vspace*{2\topskip}%
15352             \@makechapterhead{\indexname}}%
15353     \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
15354     \chaptermark{\indexname}
15355     \else
15356         \if@dotocind
15357             \twocolumn[\vspace*{2\topskip}%
15358                 \@makeschapterhead{\indexname}}%
15359             \prw@mkboth{\indexname}
15360             \addcontentsline{toc}{chapter}{\indexname}
15361         \else
15362             \twocolumn[\vspace*{2\topskip}%
15363                 \@makeschapterhead{\indexname}}%
15364             \prw@mkboth{\indexname}
15365         \fi
15366     \fi
15367 \else
15368     \if@donumindex
15369         \twocolumn[\vspace*{-1.5\topskip}%
15370             \@nameuse{\@tocextra}{\indexname}}%
15371         \csname \@tocextra mark\endcsname{\indexname}
15372     \else
15373         \if@dotocind
15374             \twocolumn[\vspace*{-1.5\topskip}%
15375                 \toc@headstar{\@tocextra}{\indexname}}%
15376             \prw@mkboth{\indexname}
15377             \addcontentsline{toc}{\@tocextra}{\indexname}
15378         \else
15379             \twocolumn[\vspace*{-1.5\topskip}%
15380                 \toc@headstar{\@tocextra}{\indexname}}%
15381             \prw@mkboth{\indexname}
15382         \fi
15383     \fi
15384     \fi
15385     \thispagestyle{plain}\parindent\z@
15386     \parskip\z@ \@plus .3\p@\relax
15387     \let\item\@idxitem}
15388     {\if@restonecol\onecolumn\else\clearpage\fi}
15389 \fi

```

7.111 tocloft-xetex-bidi.def

```

15390 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for Xe
15391 \let\cftdot\@SepMark
15392 \if@cfthaspart
15393 \renewcommand*{\l@part}[2]{
15394     \@cftdopartfalse
15395     \ifnum \c@tocdepth >-2\relax
15396         \if@cfthaschapter

```



```

15397     \@cftdoparttrue
15398   \fi
15399   \ifnum \c@tocdepth >\m@ne
15400     \if@cfthaschapter\else
15401       \@cftdoparttrue
15402     \fi
15403   \fi
15404 \fi
15405 \if@cftdopart
15406   \if@cfthaschapter
15407     \addpenalty{-\@highpenalty}
15408   \else
15409     \addpenalty\@secpenalty
15410   \fi
15411   \addvspace{\cftbeforepartskip}
15412   \begingroup
15413     {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
15414     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15415     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15416     \parindent \cftpartindent\relax\@afterindenttrue
15417     \interlinepenalty\@M
15418     \leavevmode
15419     \@tempdima \cftpartnumwidth\relax
15420     \let\@cftbsnum \cftpartpresnum
15421     \let\@cftasnum \cftpartaftersnum
15422     \let\@cftasnumb \cftpartaftersnumb
15423     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
15424     {\cftpartfont \cftpartpresnum #1}
15425     \cftpartfillnum{#2}}
15426   \nobreak
15427   \if@cfthaschapter
15428     \global\@nobreaktrue
15429     \everypar{\global\@nobreakfalse\everypar{}}
15430   \else
15431     \if@compatibility
15432       \global\@nobreaktrue
15433       \everypar{\global\@nobreakfalse\everypar{}}
15434     \fi
15435   \fi
15436 \endgroup
15437 \fi}
15438 \fi
15439 \if@cfthaschapter
15440 \renewcommand*{\l@chapter}[2]{
15441   \ifnum \c@tocdepth >\m@ne
15442     \addpenalty{-\@highpenalty}
15443     \vskip \cftbeforechapskip
15444     {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
15445     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15446     \parfillskip -\if@RTL\leftskip\else\rightskip\fi

```



```

15447 \parindent \cftchapindent\relax\@afterindenttrue
15448 \interlinepenalty\@M
15449 \leavevmode
15450 \@tempdima \cftchapnumwidth\relax
15451 \let\@cftbsnum \cftchappresnum
15452 \let\@cftasnum \cftchapaftersnum
15453 \let\@cftasnumb \cftchapaftersnumb
15454 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15455 {\cftchapfont #1}\nobreak
15456 \cftchapfillnum{#2}}
15457 \fi}
15458 \fi
15459 \renewcommand*{\l@section}[2]{%
15460 \ifnum \c@tocdepth >\z@
15461 \if@cfthaschapter
15462 \vskip \cftbeforesecskip
15463 \else
15464 \addpenalty\@secpenalty
15465 \addvspace{\cftbeforesecskip}
15466 \fi
15467 {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
15468 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15469 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15470 \parindent \cftsecindent\relax\@afterindenttrue
15471 \interlinepenalty\@M
15472 \leavevmode
15473 \@tempdima \cftsecnumwidth\relax
15474 \let\@cftbsnum \cftsecpresnum
15475 \let\@cftasnum \cftsecaftersnum
15476 \let\@cftasnumb \cftsecaftersnumb
15477 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15478 {\cftsecfont #1}\nobreak
15479 \cftsecfillnum{#2}}
15480 \fi}
15481 \renewcommand*{\l@subsection}[2]{%
15482 \ifnum \c@tocdepth >\@ne
15483 \vskip \cftbeforesubsecskip
15484 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
15485 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15486 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15487 \parindent \cftsubsecindent\relax\@afterindenttrue
15488 \interlinepenalty\@M
15489 \leavevmode
15490 \@tempdima \cftsubsecnumwidth\relax
15491 \let\@cftbsnum \cftsubsecpresnum
15492 \let\@cftasnum \cftsubsecaftersnum
15493 \let\@cftasnumb \cftsubsecaftersnumb
15494 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15495 {\cftsubsecfont #1}\nobreak
15496 \cftsubsecfillnum{#2}}

```




```

15497 \fi}
15498 \renewcommand*{\l@subsubsection}[2]{%
15499 \ifnum \c@tocdepth >\tw@
15500 \vskip \cftbeforesubsubsecskip
15501 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
15502 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15503 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15504 \parindent \cftsubsubsecindent\relax\@afterindenttrue
15505 \interlinepenalty\@M
15506 \leavevmode
15507 \@tempdima \cftsubsubsecnumwidth\relax
15508 \let\@cftbsnum \cftsubsubsecpresnum
15509 \let\@cftasnum \cftsubsubsecaftersnum
15510 \let\@cftasnumb \cftsubsubsecaftersnumb
15511 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15512 {\cftsubsubsecfont #1}\nobreak
15513 \cftsubsubsecfillnum{#2}}
15514 \fi}
15515 \renewcommand*{\l@paragraph}[2]{%
15516 \ifnum \c@tocdepth >3\relax
15517 \vskip \cftbeforeparaskip
15518 {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
15519 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15520 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15521 \parindent \cftparaindent\relax\@afterindenttrue
15522 \interlinepenalty\@M
15523 \leavevmode
15524 \@tempdima \cftparanumwidth\relax
15525 \let\@cftbsnum \cftparapresnum
15526 \let\@cftasnum \cftparaaftersnum
15527 \let\@cftasnumb \cftparaaftersnumb
15528 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15529 {\cftparafont #1}\nobreak
15530 \cftparafillnum{#2}}
15531 \fi}
15532 \renewcommand*{\l@subparagraph}[2]{%
15533 \ifnum \c@tocdepth >4\relax
15534 \vskip \cftbeforesubparaskip
15535 {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
15536 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15537 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15538 \parindent \cftsubparaindent\relax\@afterindenttrue
15539 \interlinepenalty\@M
15540 \leavevmode
15541 \@tempdima \cftsubparanumwidth\relax
15542 \let\@cftbsnum \cftsubparapresnum
15543 \let\@cftasnum \cftsubparaaftersnum
15544 \let\@cftasnumb \cftsubparaaftersnumb
15545 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15546 {\cftsubparafont #1}\nobreak

```



```

15547     \cftsubparafillnum{#2}}
15548   \fi}
15549 \renewcommand*{\l@figure}[2]{%
15550   \ifnum \c@lofdepth >\z@
15551     \vskip \cftbeforefigskip
15552     {\if@RTL\righskip\else\leftskip\fi \cftfigindent\relax
15553     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
15554     \parfillskip -\if@RTL\leftskip\else\righskip\fi
15555     \parindent \cftfigindent\relax\@afterindenttrue
15556     \interlinepenalty\@M
15557     \leavevmode
15558     \@tempdima \cftfignumwidth\relax
15559     \let\@cftbsnum \cftfigpresnum
15560     \let\@cftasnum \cftfigaftersnum
15561     \let\@cftasnumb \cftfigaftersnumb
15562     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip
15563     {\cftfigfont #1}\nobreak
15564     \cftfigfillnum{#2}}
15565   \fi
15566 }
15567 \renewcommand*{\l@table}[2]{%
15568   \ifnum\c@lotdepth >\z@
15569     \vskip \cftbeforetabskip
15570     {\if@RTL\righskip\else\leftskip\fi \cfttabindent\relax
15571     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
15572     \parfillskip -\if@RTL\leftskip\else\righskip\fi
15573     \parindent \cfttabindent\relax\@afterindenttrue
15574     \interlinepenalty\@M
15575     \leavevmode
15576     \@tempdima \cfttabnumwidth\relax
15577     \let\@cftbsnum \cfttabpresnum
15578     \let\@cftasnum \cfttabaftersnum
15579     \let\@cftasnumb \cfttabaftersnumb
15580     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip
15581     {\cfttabfont #1}\nobreak
15582     \cfttabfillnum{#2}}
15583   \fi
15584 }
15585 \renewcommand{\@cftl@subfig}{
15586 \renewcommand*{\l@subfigure}[2]{%
15587   \ifnum \c@lofdepth > \toclevel@subfigure
15588     \vskip \cftbeforesubfigskip
15589     {\if@RTL\righskip\else\leftskip\fi \cftsubfigindent\relax
15590     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
15591     \parfillskip -\if@RTL\leftskip\else\righskip\fi
15592     \parindent \cftsubfigindent\relax\@afterindenttrue
15593     \interlinepenalty\@M
15594     \leavevmode
15595     \@tempdima \cftsubfignumwidth\relax
15596     \let\@cftbsnum \cftsubfigpresnum

```



```

15597 \let\@cftasnum \cftsubfigaftersnum
15598 \let\@cftasnumb \cftsubfigaftersnumb
15599 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15600 {\cftsubfigfont ##1}\nobreak
15601 \cftsubfigfillnum{##2}}
15602 \fi
15603 }
15604 }
15605 \renewcommand{\@cftl@subtab}{
15606 \renewcommand*{\l@subtable}[2]{%
15607 \ifnum \c@lotdepth > \toclevel@subtable
15608 \vskip \cftbeforesubtabskip
15609 {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
15610 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15611 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15612 \parindent \cftsubtabindent\relax\@afterindenttrue
15613 \interlinepenalty\@M
15614 \leavevmode
15615 \@tempdima \cftsubtabnumwidth\relax
15616 \let\@cftbsnum \cftsubtabpresnum
15617 \let\@cftasnum \cftsubtabaftersnum
15618 \let\@cftasnumb \cftsubtabaftersnumb
15619 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
15620 {\cftsubtabfont ##1}\nobreak
15621 \cftsubtabfillnum{##2}}
15622 \fi
15623 }
15624 }
15625 \renewcommand{\newlistentry}[4][\@empty]{%
15626 \@ifundefined{c@#2}{% check & set the counter
15627 \ifx \@empty#1\relax
15628 \newcounter{#2}
15629 \else
15630 \@ifundefined{c@#1}{\PackageWarning{tocloft}%
15631 {#1 has no counter for use as a `within'}
15632 \newcounter{#2}}%
15633 {\newcounter{#2}[#1}%
15634 \expandafter\edef\csname the#2\endcsname{%
15635 \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}%
15636 \fi
15637 \setcounter{#2}{0}
15638 }
15639 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
15640
15641 \@namedef{l@#2}##1##2{%
15642 \ifnum \@nameuse{c@#3depth} > #4\relax
15643 \vskip \@nameuse{cftbefore#2skip}
15644 {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
15645 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15646 \parfillskip -\if@RTL\leftskip\else\rightskip\fi

```



```

15647 \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
15648 \interlinepenalty\@M
15649 \leavevmode
15650 \@tempdima \@nameuse{cft#2numwidth}\relax
15651 \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
15652 \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
15653 \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
15654 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\rightsk
15655 {\@nameuse{cft#2font}##1}\nobreak
15656 \@nameuse{cft#2fillnum}{##2}}
15657 \fi
15658 } % end of \l@#2
15659
15660 \expandafter\newlength\csname cftbefore#2skip\endcsname
15661 \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
15662 \expandafter\newlength\csname cft#2indent\endcsname
15663 \expandafter\newlength\csname cft#2numwidth\endcsname
15664 \ifcase #4\relax % 0
15665 \setlength{\@nameuse{cft#2indent}}{0em}
15666 \setlength{\@nameuse{cft#2numwidth}}{1.5em}
15667 \or % 1
15668 \setlength{\@nameuse{cft#2indent}}{1.5em}
15669 \setlength{\@nameuse{cft#2numwidth}}{2.3em}
15670 \or % 2
15671 \setlength{\@nameuse{cft#2indent}}{3.8em}
15672 \setlength{\@nameuse{cft#2numwidth}}{3.2em}
15673 \or % 3
15674 \setlength{\@nameuse{cft#2indent}}{7.0em}
15675 \setlength{\@nameuse{cft#2numwidth}}{4.1em}
15676 \else % anything else
15677 \setlength{\@nameuse{cft#2indent}}{10.0em}
15678 \setlength{\@nameuse{cft#2numwidth}}{5.0em}
15679 \fi
15680 \@namedef{cft#2font}{\normalfont}
15681 \@namedef{cft#2presnum}{\}
15682 \@namedef{cft#2aftersnum}{\}
15683 \@namedef{cft#2aftersnumb}{\}
15684 \@namedef{cft#2dotsep}{\cftdotsep}
15685 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
15686 \@namedef{cft#2pagefont}{\normalfont}
15687 \@namedef{cft#2afterpnum}{\}
15688 \@namedef{toclevel@#2}{#4}
15689 \@namedef{cft#2fillnum}##1{%
15690 {\@nameuse{cft#2leader}}\nobreak
15691 \hbxt@{\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}}\par}
15692 } % end \newlistentry
15693 \renewcommand{cftchapterprecistoc}[1]{\addtocontents{toc}{%
15694 {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
15695 \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
15696 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax

```



```
15697 \textit{#1}\protect\par}}}
```

7.112 tocstyle-xetex-bidi.def

```
15698 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package for
15699 \renewcommand*{\tocstyle@dottedtocline}[5]{%
15700 \let\numberline\tocstyle@numberline
15701 \ifnum #1>\c@tocdepth \else
15702 \if@tocstyle@penalties
15703 \begingroup
15704 \@tempcnta 20010
15705 \advance \@tempcnta by -#1
15706 \ifnum \@tempcnta>\lastpenalty
15707 \aftergroup\penalty\aftergroup\@lowpenalty
15708 \fi
15709 \endgroup
15710 \fi
15711 \edef\tocstyle@depth{#1}%
15712 \tocstyle@activate@features
15713 \ifx\tocstyle@feature@entryvskip\relax
15714 \vskip \z@ \@plus.2\p@
15715 \else
15716 \addvspace{\tocstyle@feature@entryvskip}%
15717 \fi
15718 {%
15719 \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else\rightskip\fi
15720 \tocstyle@feature@raggedhook
15721 \@tempdima #3\relax
15722 \@tempdimb #2\relax
15723 \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15724 \ifnum #1>\z@\relax
15725 \@tempcnta #1\relax \advance\@tempcnta \m@ne
15726 \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15727 \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15728 \@tempdimb
15729 \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15730 \advance\@tempdimb
15731 \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15732 \fi
15733 \fi
15734 \fi
15735 \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15736 \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
15737 \ifdim \@tempdimb>
15738 \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
15739 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
15740 @#1\endcsname{\the\@tempdimb}%
15741 \fi
15742 \else
15743 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
```



```

15744      @#1\endcsname{\the\@tempdimb}%
15745 \fi
15746 \iftocstyle@autolength
15747   \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
15748   \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
15749   \relax
15750 \fi
15751   \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
15752   \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
15753   \relax
15754 \fi
15755   \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15756   \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15757 \else
15758   \@tempdimb #2\relax
15759   \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15760 \fi
15761 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
15762 \ifdim \@tempdima>
15763   \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
15764   \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
15765   @\endcsname{\the\@tempdima}%
15766 \fi
15767 \else
15768   \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
15769   @\endcsname{\the\@tempdima}%
15770 \fi
15771 \ifcase\tocstyle@indentstyle\relax\else
15772   \@tempdimb \z@
15773   \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
15774   \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
15775   \relax
15776 \fi
15777   \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15778   \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15779 \fi
15780 \advance\parindent \@tempdimb\@afterindenttrue
15781 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
15782 \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15783 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15784 \ifx\tocstyle@feature@parfillskip\relax\else
15785   \advance\parfillskip \tocstyle@feature@parfillskip\relax
15786 \fi
15787 \interlinepenalty\@M
15788 \leavevmode
15789 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
15790 \null\nobreak
15791 \iftocstyle@indentnotnumbered\else
15792   \hskip -\if@RTL\rightskip\else\leftskip\fi
15793 \fi

```



```

15794 \tocstyle@feature@entryhook
15795 {#4}\nobreak
15796 \ifx\tocstyle@feature@leaders\relax
15797 \leaders\hbox{$\m@th
15798 \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
15799 \mkern \@dotsep mu$}\hfill
15800 \else
15801 \tocstyle@feature@leaders
15802 \fi
15803 \nobreak
15804 \ifx\tocstyle@feature@pagenumberbox\relax
15805 \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
15806 \else
15807 \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
15808 \fi
15809 \par
15810 }%
15811 \if@tocstyle@penalties
15812 \bgroup
15813 \@tempcnta 20009
15814 \advance\@tempcnta by -#1
15815 \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
15816 \reserved@a
15817 \fi
15818 \fi}
15819 \renewcommand*{\tocstyle@numberline}[1]{%
15820 \beginngroup
15821 \ifx\tocstyle@feature@spaceafternumber\relax
15822 \settowidth\@tempdima{\tocstyle@numberline{#1}\enskip}%
15823 \else
15824 \settowidth\@tempdima{\tocstyle@numberline{#1}}%
15825 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
15826 \fi
15827 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
15828 \ifdim \@tempdima >
15829 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
15830 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
15831 @\tocstyledepth\endcsname{\the\@tempdima}%
15832 \fi
15833 \else
15834 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
15835 @\tocstyledepth\endcsname{\the\@tempdima}%
15836 \fi
15837 \endgroup
15838 \iftocstyle@indentnotnumbered
15839 \hskip -\if@RTL\rightskip\else\leftskip\fi
15840 \fi
15841 \ifcase \tocstyle@indentstyle
15842 \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
15843 \or

```



```

15844     \hb@xt@{\tempdima{\tocstyle@numberline{#1}\hfil}%
15845 \else
15846     \ifx\tocstyle@feature@spaceafternumber\relax
15847     \hbox{\tocstyle@numberline{#1}\enskip}%
15848     \else
15849     \hbox{\tocstyle@numberline{#1}\hskip
15850     \tocstyle@feature@spaceafternumber\relax}%
15851     \fi
15852 \fi
15853 }
15854 \AtBeginDocument{%
15855 \ifcsname l@part\endcsname
15856 \ifcsname l@chapter\endcsname
15857     \setbox\@tempboxa\vbox{\hsize\maxdimen
15858     \l@part{\tocstyle@l@define{part}{-1}}{}}%
15859     \else
15860     \setbox\@tempboxa\vbox{\hsize\maxdimen
15861     \l@part{\tocstyle@l@define{part}{0}}{}}%
15862     \fi
15863 \fi
15864 \ifcsname l@chapter\endcsname
15865     \setbox\@tempboxa\vbox{\hsize\maxdimen
15866     \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
15867 \fi
15868 \ifcsname l@section\endcsname
15869     \setbox\@tempboxa\vbox{\hsize\maxdimen
15870     \l@section{\tocstyle@l@define{section}{1}}{}}%
15871 \fi
15872 \ifcsname l@subsection\endcsname
15873     \setbox\@tempboxa\vbox{\hsize\maxdimen
15874     \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
15875 \fi
15876 \ifcsname l@subsubsection\endcsname
15877     \setbox\@tempboxa\vbox{\hsize\maxdimen
15878     \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
15879 \fi
15880 \ifcsname l@paragraph\endcsname
15881     \setbox\@tempboxa\vbox{\hsize\maxdimen
15882     \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
15883 \fi
15884 \ifcsname l@subparagraph\endcsname
15885     \setbox\@tempboxa\vbox{\hsize\maxdimen
15886     \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
15887 \fi
15888 \ifcsname l@table\endcsname
15889     \setbox\@tempboxa\vbox{\hsize\maxdimen
15890     \l@table{\tocstyle@l@define{table}{1}}{}}%
15891 \fi
15892 \ifcsname l@figure\endcsname
15893     \setbox\@tempboxa\vbox{\hsize\maxdimen

```




```

15894 \l@figure{\tocstyle@l@define{figure}{1}}{}}%
15895 \fi
15896 \def\@tempa#1#2#3#4#5{%
15897 \ifnum #1>\c@tocdepth \else
15898 \vskip \z@ \@plus.2\p@
15899 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15900 \parindent #2\relax\@afterindenttrue
15901 \interlinepenalty\@M
15902 \leavevmode
15903 \@tempdima #3\relax
15904 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
15905 {#4}\nobreak
15906 \leaders\hbox{$\m@th
15907 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
15908 mu$}\hfill
15909 \nobreak
15910 \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
15911 \par}%
15912 \fi}%
15913 \ifx\@dottedtocline\@tempa\else
15914 \tocstyle@macrochangewarning\@dottedtocline
15915 \fi
15916 \let\tocstyle@saved@dottedtocline\@dottedtocline
15917 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}}%
15918 \ifx\numberline\@tempa\else
15919 \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}}%
15920 \ifx\numberline\@tempa\else
15921 \tocstyle@macrochangewarning\numberline
15922 \fi
15923 \fi
15924 \let\tocstyle@saved@numberline\numberline
15925 }
15926 \renewcommand*{\tocstyle@l@define}[2]{%
15927 \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
15928 \edef\@tempa{%
15929 \noexpand\global\noexpand\let
15930 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
15931 \expandafter\noexpand\csname l@#1\endcsname
15932 \noexpand\gdef
15933 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
15934 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}}%
15935 \noexpand\g@addto\macro\noexpand\tocstyle@activate@all@l{%
15936 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
15937 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
15938 }%
15939 }%
15940 \PackageInfo{tocstyle}{prepare \expandafter\string
15941 \csname l@#1\endcsname\space for redefinition}%
15942 \@tempa
15943 }

```



7.113 todonotes-xetex-bidi.def

```

15944 \ProvidesFile{todonotes-xetex-bidi.def}[2014/11/23 v0.2 bidi adaptations for todonotes package]
15945 \newif\if@bidi@todonotes@textdirection@RTL
15946 \newif\if@bidi@todonotes@figposition@right
15947 \newcommand{\@bidi@todonotes@align}{}%
15948 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
15949 \newcommand{\@bidi@todonotes@textdirection}{}%
15950 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
15951 \ifcase\@bidi@todonotes@tempb\relax
15952 \@bidi@todonotes@textdirection@RTLtrue
15953 \let\@bidi@todonotes@textdirection\RL
15954 \or
15955 \@bidi@todonotes@textdirection@RTLfalse
15956 \let\@bidi@todonotes@textdirection\LR
15957 \fi}
15958 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
15959 \ifcase\@bidi@todonotes@tempb\relax
15960 \@bidi@todonotes@figposition@righttrue
15961 \or
15962 \@bidi@todonotes@figposition@rightfalse
15963 \fi}
15964 \if@todonotes@disabled%
15965 \else % \if@todonotes@disabled
15966 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
15967 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
15968 \node [coordinate] (inText) {};%
15969 \end{tikzpicture}%
15970 \marginpar[{}% Draw note in left margin
15971 \@todonotes@drawMarginNote%
15972 \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
15973 ]{}% Draw note in right margin
15974 \@todonotes@drawMarginNote%
15975 \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
15976 }%
15977 }%
15978 \renewcommand{\@todonotes@drawMarginNote}{%
15979 \if@todonotes@dviStyle%
15980 \begin{tikzpicture}[remember picture]%
15981 \draw node[notestyle] {};%
15982 \end{tikzpicture}\\%
15983 \begin{minipage}{\@todonotes@textwidth}%
15984 \if@todonotes@authorgiven%
15985 \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
15986 \else%
15987 \@todonotes@sizecommand \@todonotes@text%
15988 \fi%
15989 \end{minipage}\\%
15990 \begin{tikzpicture}[remember picture]%
15991 \draw node[notestyle] (inNote) {};%

```



```

15992 \end{tikzpicture}%
15993 \else%
15994 \let\originalHbadness\hbadness%
15995 \hbadness 100000%
15996 \begin{tikzpicture}[remember picture,baseline=(X.base)]%
15997 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
15998 \node(X){\vphantom{X}};%
15999 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@al
16000 {\@todonotes@text};%
16001 \if@todonotes@authorgiven%
16002 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16003 {\@todonotes@sizecommand\@todonotes@author}};%
16004 \node(Y)[below=of X]{};%
16005 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16006 {\@todonotes@text};%
16007 \else%
16008 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16009 {\@todonotes@text};%
16010 \fi%
16011 \end{tikzpicture}%
16012 \hbadness \originalHbadness%
16013 \fi}%
16014 \renewcommand{\missingfigure}[2][]{%
16015 \setkeys{todonotes}{#1}%
16016 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
16017 \par
16018 \noindent
16019 \begin{tikzpicture}
16020 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
16021 (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
16022 \if@bidi@todonotes@figposition@right%
16023 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
16024 \fi%
16025 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
16026 (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
16027 \if@bidi@todonotes@figposition@right%
16028 \end{scope}
16029 \begin{scope}[xshift=-3.8cm]
16030 \fi%
16031 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
16032 \draw (2, -0.3) node[right, text
16033 width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
16034 \if@bidi@todonotes@figposition@right%
16035 \end{scope}
16036 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
16037 \fi%
16038 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
16039 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
16040 \if@bidi@todonotes@figposition@right%
16041 \end{scope}

```



```

16042 \fi%
16043 \end{tikzpicture}\hfill
16044 }% Ending \missingfigure command
16045 \fi % Ending \@todonotes@ifdisabled
16046 \presetkeys%
16047     {todonotes}%
16048     {align=left,%
16049     textdirection=lefttoright,%
16050     figposition=left}{}%

```

7.114 wrapfig-xetex-bidi.def

```

16051 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for X
16052 \let\WF@@everypar\bidi@n@everypar
16053 \def\WF@putfigmaybe{%
16054 \ifinner
16055 \vskip-\parskip \global\WF@floatfalse
16056 \let\pagetotal\maxdimen % kludge flag for "not top of page"
16057 \else % outer page
16058 \@tempdima\pagedepth % save page depth
16059 {\advance\parskip\@tempdima\ifRTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
16060 \penalty\interlinepenalty % update pg. parameters
16061 \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
16062 \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
16063 \global\WF@floatfalse
16064 \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
16065 \else
16066 \ifdim\WF@size>\@tempdimb
16067 \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
16068 \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
16069 \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
16070 \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
16071 \advance\dimen@.5\baselineskip
16072 \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
16073 \global\WF@floatfalse \pagebreak
16074 \fi
16075 \else % \WF@info{Fits in \the\@tempdimb;}%
16076 \global\WF@floatfalse
16077 \fi\fi
16078 \vskip\@tempdima\relax % (return erased page depth)
16079 \fi
16080 \noindent
16081 \ifWF@float
16082 \WF@fltmes
16083 \else % putting here;
16084 \WF@info{Put \WF@wfname here;}%
16085 {\ifodd\if@twoside\c@page\else\one\fi % assign l/r to i/o placement
16086 \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
16087 \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
16088 \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width

```



```

16089 \@tempdima\wd\WF@box \@tempdimb\WF@ovh
16090 \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
16091 \@tempdimb\hsize \advance\@tempdimb-\@tempdima
16092 \xdef\WF@adjlw{\the\@tempdima}%
16093 \ifnum `l=\WF@place % fig on left
16094 \ifRTL%
16095 \kern\@tempdimb \kern\columnsep
16096 \def\@tempa{\hss}% position to left of the gap
16097 \else%
16098 \hss % figure overlaps space to the left
16099 \def\@tempa{\kern\columnsep}% position to left of the gap
16100 \fi%
16101 \else % fig on right
16102 \ifRTL%
16103 \hss
16104 \@tempdima\z@
16105 \def\@tempa{\kern\columnsep}
16106 \else%
16107 \@tempdima\z@ % no left indentation
16108 \kern\@tempdimb \kern\columnsep
16109 \def\@tempa{\hss}% figure overlaps space to the right
16110 \fi%
16111 \fi
16112 \ifdim\@tempdimb<\hsize
16113 \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
16114 \xdef\WF@adjtlm{\the\@tempdima}%
16115 \else
16116 \xdef\WF@wrapil{\z@ \the\hsize}%
16117 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
16118 \fi
16119 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
16120 \global\advance\WF@size-\intextsep
16121 \else % \WF@info{Putting \WF@wfname in middle of page}%
16122 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
16123 \fi \dp\WF@box\z@ \box\WF@box \@tempa
16124 }% end \hbox to Opt
16125 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
16126 \fi}

```

7.115 xcolor-xetex-bidi.def

```

16127 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for XeT
16128 \long\def\color@b@x#1#2#3%
16129 {\leavevmode\ifmmode\else\ifRTL\beginL\fi\fi
16130 \setbox\z@\hbox{\kern\fbboxsep{\set@color\ifRTL\beginR\fi#3\ifRTL\endR\fi}\kern\fbboxsep}%
16131 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
16132 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
16133 {\if#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\ifRTL\endL\fi\fi}
16134 \def\normalcolor{\let\currentcolor\defaultcolor\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi}
16135 \DeclareRobustCommand\color

```



```

16136 {\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi@ifnextchar[\@undeclaredcolor\@declaredcolor}
16137 \def\@undeclaredcolor[#1]#2%
16138 {\begingroup
16139   \let\@cls\@empty
16140   \XC@getmodclr12{#1}{#2}{}%
16141   {\ifblendcolors
16142     \ifx\colorblend\@empty\else
16143       \edef\@mix{\expandafter\@gobble\colorblend}\@tempswafalse
16144       \XC@coremodel\@mod\@clr\@xcolor@{}{}\@mod\@clr
16145     \fi
16146     \fi
16147     \ifconvertcolorsU
16148       \edef\@tmp{\XC@tgt@mod{\@mod}}%
16149       \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
16150     \fi
16151     \ifmaskcolors
16152       \convertcolorspec\@mod\@clr\XC@mmod\@clr
16153       \let\@mod\XC@mmod
16154       \XC@inflate\@mod\XC@mclr\@clr\@tmp
16155       \expandafter\XC@mul\@tmp,\@clr
16156     \fi
16157     \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
16158     \expandafter\endgroup\@tmp}}
16159 \def\@declaredcolor#1%
16160 {\XC@edef\XC@tmp{#1}\XC@@tstfalse
16161   \ifcase\XC@type\XC@tmp\relax \XC@@tsttrue\or \relax\else
16162     \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
16163     \ifconvertcolorsU\XC@@tsttrue\fi
16164   \fi
16165   \ifXC@@tst
16166     \expandafter\XC@declaredcolor\else
16167     \expandafter\XC@declaredcolor\fi}
16168 \def\XC@undeclaredcolor#1#2%
16169 {\@ifundefinedmodel{#1}%
16170   {\c@lor@error{model `#1'}}%
16171   {\@nameuse{color@#1}\current@color{#2}}%
16172   \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
16173   \XC@display}\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
16174 \def\XC@declaredcolor
16175 {\XC@let\Nc\XC@current@color{\string\color@\XC@tmp}%
16176   \edef\current@color{\XC@current@color}%
16177   \XC@display\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
16178 \DeclareRobustCommand\bidicolor
16179 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
16180 \def\@bidiundeclaredcolor[#1]#2%
16181 {\begingroup
16182   \let\@cls\@empty
16183   \XC@getmodclr12{#1}{#2}{}%
16184   {\ifblendcolors
16185     \ifx\colorblend\@empty\else

```



```

16186         \edef\@@mix{\expandafter@gobble\colorblend}\@tempswafalse
16187         \XC@coremodel\@@mod\@@clr\@xcolor@{\}\@@mod\@@clr
16188         \fi
16189     \fi
16190     \ifconvertcolorsU
16191         \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
16192         \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
16193     \fi
16194     \ifmaskcolors
16195         \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
16196         \let\@@mod\XC@mmod
16197         \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
16198         \expandafter\XC@mul\@@tmp,\@@clr
16199     \fi
16200     \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
16201     \expandafter\endgroup\@@tmp}}
16202 \def\XC@bidiundeclaredcolor#1#2%
16203 {\@ifundefinedmodel{#1}%
16204  {\c@lor@error{model `#1'}}%
16205  {\@nameuse{color@#1}\current@color{#2}%
16206   \edef\XC@current@color{\noexpand\xcolor@{\}\current@color}{#1}{#2}}%
16207   \XC@display}}
16208 \def\@bidideclaredcolor#1%
16209 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
16210  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
16211    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
16212    \ifconvertcolorsU\XC@@tsttrue\fi
16213  \fi
16214  \ifXC@@tst
16215    \expandafter\XC@bidideclaredcolor\else
16216    \expandafter\XC@bidideclaredc@lor\fi}
16217 \def\XC@bidideclaredcolor
16218 {\XC@split\XC@@tmp
16219  \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
16220  \expandafter\endgroup\@@tmp}
16221 \def\XC@bidideclaredc@lor
16222 {\XC@let\Nc\XC@current@color{\string\color@\XC@@tmp}%
16223  \edef\current@color{\XC@current@color}%
16224  \XC@display}
16225 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
16226 \def\color@fbbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
16227 \def\color@fb@x#1#2#3#4%
16228 {\color@b@x{\fbboxsep\z@\bidicolor#1{#2}\XC@fbbox}%
16229  {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
16230 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.116 latex-xetex-bidi.def

```

16231 \ProvidesFile{latex-xetex-bidi.def}[2014/11/29 v1.1.8 bidi adaptations for `latex.ltx' for XeTeX]
16232 \newcommand{\TeXXeTOn}{\TeXXeTstate=1 }

```



```

16233 \newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
16234 \TeXXeTOn
16235 \def\bidirectional@everypar{\ifRTL{\setbox\z@ \lastbox\beginR\ifvoid\z@ \else \usebox\z@ \fi} \fi}
16236 \let\bidirectional@everypar=\everypar
16237 \newtoks\bidirectional@everypar
16238 \bidirectional@everypar\expandafter{\the\bidirectional@everypar}
16239 \bidirectional@everypar{\bidirectional@everypar\the\bidirectional@everypar}
16240 \let\everypar=\bidirectional@everypar
16241 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
16242 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
16243 \protected\def\hboxR{\hbox\bgroup
16244 \everyhbox{%
16245 \aftergroup\egroup
16246 \everyhbox{}}%
16247 \beginR
16248 \bgroup
16249 \aftergroup\endR
16250 \aftergroup\egroup
16251 }\hbox}
16252 \protected\def\hboxL{\hbox\bgroup
16253 \everyhbox{%
16254 \aftergroup\egroup
16255 \everyhbox{}}%
16256 \beginL
16257 \bgroup
16258 \aftergroup\endL
16259 \aftergroup\egroup
16260 }\hbox}
16261 \protected\def\vboxR{\vbox\bgroup
16262 \everyvbox{%
16263 \aftergroup\egroup
16264 \everyvbox{}}%
16265 \@RTLtrue
16266 \bgroup
16267 \aftergroup\egroup
16268 }\vbox}
16269 \protected\def\vboxL{\vbox\bgroup
16270 \everyvbox{%
16271 \aftergroup\egroup
16272 \everyvbox{}}%
16273 \@RTLfalse
16274 \bgroup
16275 \aftergroup\egroup
16276 }\vbox}
16277 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab\
16278 \def\endLTR{\par}
16279 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
16280 \def\endRTL{\par}
16281 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
16282 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab\

```




```

16283 \let\unsetRTL=\setLTR
16284 \let\unsetLTR=\setRTL
16285 \let\LR=\LRE
16286 \let\RL=\RLE
16287 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
16288 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
16289 \let\@ensure@RL=\@ensure@RTL
16290 \let\@ensure@LR=\@ensure@LTR
16291 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
16292 \let\@ensure@maindir=\@ensure@dir
16293 \def\@RTL{RTL}
16294 \def\@LTR{LTR}
16295 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
16296 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi\fi}
16297 \let\@TeX\TeX
16298 \def\TeX{\@ensure@LTR{\@TeX}}
16299 \let\@LaTeX\LaTeX
16300 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
16301 \let\@LaTeXe\LaTeXe
16302 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
16303 \long\def\bidireflect@box#1{%
16304   \leavevmode
16305   \setbox\z@\hbox{#{#1}}%
16306   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
16307   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
16308 }
16309 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
16310   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}$}}
16311 \def\XeLaTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
16312   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \LaTeX}}$}}
16313 \let\setRL=\setRTL
16314 \let\setLR=\setLTR
16315 \let\unsetRL=\setLTR
16316 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
16317   \ialign{##\hfil$&\quad{##}\hfil\crrc#1\crrc}}\,,\right\}}
16318 \def\SepMark#1{\gdef\@SepMark{\if@RTL\fi#1\if@RTL\fi}}
16319 \SepMark{.}
16320 \def\@thmcountersep{\@SepMark}
16321 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
16322 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
16323 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
16324 \def\list#1#2{%
16325   \ifnum \@listdepth >5\relax
16326     \@toodeep
16327   \else
16328     \global\advance\@listdepth\@ne
16329     \fi
16330     \rightmargin\z@
16331     \listparindent\z@
16332     \itemindent\z@

```



```

16333 \csname @list\romannumeral\the\@listdepth\endcsname
16334 \def\@itemlabel{#1}%
16335 \let\makelabel\@mklab
16336 \@nmbrlistfalse
16337 #2\relax
16338 \@trivlist
16339 \parskip\parsep
16340 \parindent\listparindent
16341 \advance\linewidth -\rightmargin
16342 \advance\linewidth -\leftmargin
16343 \if@bidi@list@minipage@parbox
16344 \if@RTL
16345 \advance\@totalleftmargin \leftmargin
16346 \else
16347 \advance\@totalleftmargin \rightmargin
16348 \fi
16349 \else
16350 \if@RTLtab
16351 \if@bidi@list@minipage@parbox@not@nob
16352 \if@RTL
16353 \advance\@totalleftmargin \rightmargin
16354 \else
16355 \advance\@totalleftmargin \leftmargin
16356 \fi
16357 \else
16358 \if@RTL
16359 \advance\@totalleftmargin \leftmargin
16360 \else
16361 \advance\@totalleftmargin \rightmargin
16362 \fi\fi
16363 \else
16364 \if@RTL
16365 \advance\@totalleftmargin \rightmargin
16366 \else
16367 \advance\@totalleftmargin \leftmargin
16368 \fi\fi\fi
16369 \parshape \@ne \@totalleftmargin \linewidth
16370 \ignorespaces}
16371 \def\@item[#1]{%
16372 \if@noparitem
16373 \@donoparitem
16374 \else
16375 \if@inlabel
16376 \indent \par
16377 \fi
16378 \ifhmode
16379 \unskip\unskip \par
16380 \fi
16381 \if@newlist
16382 \if@nobreak

```



```

16383         \@nbitem
16384     \else
16385         \addpenalty\@beginparpenalty
16386         \addvspace\@topsep
16387         \addvspace{-\parskip}%
16388     \fi
16389 \else
16390     \addpenalty\@itempenalty
16391     \addvspace\itemsep
16392 \fi
16393 \global\@inlabeltrue
16394 \fi
16395 \everypar{\if@bidi@list@minipage@parbox\if@RTL\else\beginL\fi\else\if@RTLtab\if@RTL\else\beginR\fi\fi}%
16396 \global\@minipagefalse
16397 \global\@newlistfalse
16398 \if@inlabel
16399     \global\@inlabelfalse
16400     {\setbox\z@\lastbox
16401     \ifvoid\z@
16402         \kern-\itemindent
16403     \fi}%
16404     \box\@labels
16405     \penalty\z@
16406 \fi
16407 \if@nobreak
16408     \@nobreakfalse
16409     \clubpenalty \@M
16410 \else
16411     \clubpenalty \@clubpenalty
16412     \everypar{}%
16413 \fi}%
16414 \if@noitemarg
16415     \@noitemargfalse
16416     \if@nmbrrlist
16417         \refstepcounter\@listctr
16418     \fi
16419 \fi
16420 \sbox\@tempboxa{\makelabel{#1}}%
16421 \global\setbox\@labels\hbox{%
16422     \unhbox\@labels
16423     \hskip \itemindent
16424     \hskip -\labelwidth
16425     \hskip -\labelsep
16426     \ifdim \wd\@tempboxa >\labelwidth
16427         \box\@tempboxa
16428     \else
16429         \hbox to\labelwidth {\unhbox\@tempboxa}%
16430     \fi
16431     \hskip \labelsep}%
16432 \ignorespaces}

```



```

16433 \long\def\@iiiparbox#1#2[#3]#4#5{%
16434   \leavevmode
16435   \@pboxswfalse
16436   \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
16437   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
16438   \setlength\@tempdima{#4}%
16439   \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
16440   \ifx\relax#2\else
16441     \setlength\@tempdimb{#2}%
16442     \edef\@parboxto{to\the\@tempdimb}%
16443     \fi
16444     \if#1b\vbox
16445     \else\if #1t\top
16446     \else\ifmode\vcenter
16447     \else\@pboxswtrue $\vcenter
16448     \fi\fi\fi
16449     \@parboxto{\let\hss\vss\let\unhbox\unvbox
16450       \csname bm@#3\endcsname}%
16451     \if@pboxsw \m@th$\fi
16452   \@end@tempboxa}
16453 \newenvironment{LTRitems}
16454   {\par\@RTLfalse
16455   \if@bidi@list@minipage@parbox
16456     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
16457     \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
16458     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
16459     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
16460     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
16461     \ignorespaces}{\vskip\z@}
16462 \newenvironment{RTLitems}
16463   {\par\@RTLtrue
16464   \if@bidi@list@minipage@parbox
16465     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
16466     \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
16467     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
16468     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
16469     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
16470     \ignorespaces}{\vskip\z@}
16471 \newenvironment{LTRbibitems}
16472   {\par\@RTLfalse
16473   \if@bidi@list@minipage@parbox
16474     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
16475     \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
16476     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
16477     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
16478     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
16479     \ignorespaces}{\vskip\z@}
16480 \newenvironment{RTLbibitems}
16481   {\par\@RTLtrue
16482   \if@bidi@list@minipage@parbox

```



```

16483         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
16484         \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
16485         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
16486         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
16487         \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
16488         \ignorespaces}{\vskip\z@}
16489 \def\raggedright{%
16490   \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
16491   \leftskip\z@skip
16492   \parindent\z@\parfillskip\z@skip}
16493 \let\bidi@orig@raggedleft\raggedleft
16494 \let\bidi@orig@raggedright\raggedright
16495 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@RTLtab\b
16496 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@RTLtab\b
16497 \newcommand\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
16498 \newcommand\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
16499 \def\centerline#1{%
16500 \if@RTL\@@line{\hss\beginR#1\endR\hss}
16501 \else\@@line{\hss#1\hss}\fi}
16502 \def\leftline#1{%
16503 \if@RTL\@@line{\beginR#1\endR\hss}
16504 \else\@@line{#1\hss}\fi}
16505 \def\rightline#1{%
16506 \if@RTL\@@line{\hss\beginR#1\endR}
16507 \else\@@line{\hss#1}\fi}
16508 \let\bidi@orig@leftline\leftline
16509 \let\bidi@orig@rightline\rightline
16510 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\i
16511 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\
16512 \def\bidirlap#1{\hb@xt@{\z@}{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
16513 \def\bidillap#1{\hb@xt@{\z@}{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
16514 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}%
16515 \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
16516 \def\narrower{%
16517 \advance\if@RTL\rightskip\else\leftskip\fi\parindent
16518 \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
16519 \def\underline#1{%
16520 \relax
16521 \ifmmode\@underline{#1}%
16522 \else
16523 \if@RTL $\@underline{\hbox{\beginR#1\endR}}\m@th$\relax
16524 \else
16525 $\@underline{\hbox{#1}}\m@th$\relax\fi\fi}
16526 \ifcompatibility
16527 \let\undertext=\underline
16528 \fi
16529 \global\@RTLtabfalse
16530 \def\@tabular{\if@RTL\@RTLtabtrue\fi
16531 \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
16532 $\let\@acol\@tabacol

```



```

16533 \let\@classz\@tabclassz
16534 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
16535 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
16536 \egroup $\if@RTLtab\endR\fi\egroup
16537 \@RTLtabfalse}
16538 \expandafter \let \csname endtabular*\endcsname = \endtabular
16539 \def\@array[#1]#2{%
16540 \if #1t\top \else \if#1b\vbox \else \vcenter \fi\fi
16541 \bgroup
16542 \setbox\@arstrutbox\hbox{%
16543 \vrule \@height\arraystretch\ht\strutbox
16544 \@depth\arraystretch \dp\strutbox
16545 \@width\z@}%
16546 \mkpream{#2}%
16547 \edef\@preamble{%
16548 \ialign \noexpand\@halignto
16549 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
16550 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
16551 \let\tabularnewline\\%
16552 \let\par\@empty
16553 \let\@sharp##%
16554 \set@typeset@protect
16555 \lineskip\z@skip\baselineskip\z@skip
16556 \ifhmode \@preamerr\z@ \@@par\fi
16557 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
16558 \@preamble}
16559 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
16560 \let\@classiv\@arrayclassiv
16561 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
16562 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
16563 \ifnum \@lastchclass=3 5 \else
16564 \z@ \if #1c\@chnum \z@ \else
16565 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
16566 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
16567 \@chclass \if #1\@ne \else
16568 \if #1@ \tw@ \else
16569 \if #1p3 \else \z@ \@preamerr 0\fi
16570 \fi \fi \fi \fi \fi \fi
16571 \fi}
16572 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
16573 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
16574 \def\bm@t{\unhbox\@tempboxa\hss}
16575 \def\bm@b{\hss\unhbox\@tempboxa}
16576 \def\@dottedtocline#1#2#3#4#5{%
16577 \ifnum #1>\c@tocdepth \else
16578 \vskip \z@ \@plus.2\p@
16579 {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocmarg \
16580 \parindent #2\relax\@afterindenttrue
16581 \interlinepenalty\@M
16582 \leavevmode

```



```

16583 \tempdima #3\relax
16584 \advance\if@RTL\rightrightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightrightskip
16585 {#4}\nobreak
16586 \leaders\hbox{$\m@th
16587 \mkern \dotsep mu\hbox{.}\mkern \dotsep
16588 mu$}\hfill
16589 \nobreak
16590 \hb@xt@\pnumwidth{\hfil\normalfont \normalcolor #5}}%
16591 \par}%
16592 \fi}
16593 \def\RTL@outputdblcol{%
16594 \if@firstcolumn \global\@firstcolumnfalse
16595 \global\setbox\@leftcolumn \box\@outputbox
16596 \else \global\@firstcolumntrue
16597 \setbox\@outputbox \vbox {\hbox to\textwidth {%
16598 \hskip \columnwidth
16599 \hfil \vrule width\columnseprule \hfil
16600 \hbox to\columnwidth {\box\@leftcolumn \hss}}%
16601 \hskip -\textwidth
16602 \hbox to\columnwidth{\box\@outputbox \hss}}%
16603 \hskip \columnsep
16604 \hskip \columnwidth }}%
16605 \@combinedblfloats \@outputpage
16606 \begin@group \@dblfloatplacement \@startdblcolumn
16607 \@whilsw\if@fcolmade \fi
16608 {\@outputpage \@startdblcolumn }\end@group
16609 \fi}
16610 \def\LTR@outputdblcol{%
16611 \if@firstcolumn
16612 \global \@firstcolumnfalse
16613 \global \setbox\@leftcolumn \box\@outputbox
16614 \else
16615 \global \@firstcolumntrue
16616 \setbox\@outputbox \vbox {%
16617 \hb@xt@\textwidth {%
16618 \hb@xt@\columnwidth {%
16619 \box\@leftcolumn \hss}%
16620 \hfil
16621 {\normalcolor\vrule \@width\columnseprule}%
16622 \hfil
16623 \hb@xt@\columnwidth {%
16624 \box\@outputbox \hss}%
16625 }%
16626 }%
16627 \@combinedblfloats
16628 \@outputpage
16629 \begin@group
16630 \@dblfloatplacement
16631 \@startdblcolumn
16632 \@whilsw\if@fcolmade \fi

```



```

16633         {\@outputpage
16634           \@startdblcolumn}%
16635       \endgroup
16636   \fi
16637 }
16638 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
16639 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
16640 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
16641 \def\LTRmarginpar{%
16642   \ifhmode
16643     \@bsphack
16644     \@floatpenalty -\@Mii
16645   \else
16646     \@floatpenalty-\@Miii
16647   \fi
16648   \ifinner
16649     \@parmoderr
16650     \@floatpenalty\z@
16651   \else
16652     \@next\@currbox\@freelist{}\}%
16653     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
16654     {\@floatpenalty\z@
16655       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
16656   \fi
16657   \@ifnextchar [\@LTRxmpar\@LTRympar}
16658 \long\def\@LTRxmpar[#1]#2{%
16659   \@LTRsavemarbox\@marbox{#1}%
16660   \@LTRsavemarbox\@currbox{#2}%
16661   \@xympar}
16662 \long\def\@LTRympar#1{%
16663   \@LTRsavemarbox\@marbox{#1}%
16664   \global\setbox\@currbox\copy\@marbox
16665   \@xympar}
16666 \long\def \@LTRsavemarbox #1#2{%
16667   \global\setbox #1%
16668     \color@vbox
16669     \vtop{%
16670       \hsize\marginparwidth
16671       \@parboxrestore
16672       \@LTRmarginparreset
16673       #2%
16674       \@minipagefalse
16675       \outer@nobreak
16676     }%
16677   \color@endbox
16678 }
16679 \def \@LTRmarginparreset {%
16680   \reset@font
16681   \normalsize
16682   \@minipagetrue

```




```

16683         \everypar{\@minipagefalse\everypar{}\beginL}%
16684     }
16685     \def\RTLmarginpar{%
16686         \ifhmode
16687             \@bsphack
16688             \@floatpenalty -\@Mii
16689         \else
16690             \@floatpenalty-\@Miii
16691         \fi
16692         \ifinner
16693             \@parmoderr
16694             \@floatpenalty\z@
16695         \else
16696             \@next\@currbox\@freelist{}\}%
16697             \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
16698             {\@floatpenalty\z@
16699             \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
16700         \fi
16701         \@ifnextchar [\@RTLxmpar\@RTLympar}
16702 \long\def\@RTLxmpar[#1]#2{%
16703     \@RTLSavemarbox\@marbox{#1}%
16704     \@RTLSavemarbox\@currbox{#2}%
16705     \@xympar}
16706 \long\def\@RTLympar#1{%
16707     \@RTLSavemarbox\@marbox{#1}%
16708     \global\setbox\@currbox\copy\@marbox
16709     \@xympar}
16710 \long\def \@RTLSavemarbox #1#2{%
16711     \global\setbox #1%
16712         \color@vbox
16713         \vtop{%
16714             \hsize\marginparwidth
16715             \@parboxrestore
16716             \@RTLmarginparreset
16717             #2%
16718             \@minipagefalse
16719             \outer@nobreak
16720             }%
16721     \color@endbox
16722 }
16723 \def \@RTLmarginparreset {%
16724     \reset@font
16725     \normalsize
16726     \@minipagetrue
16727     \everypar{\@minipagefalse\everypar{}\beginR}%
16728 }
16729 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
16730     \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
16731     \if@twocolumn
16732         \if@firstcolumn \@tempcnta\m@ne \fi

```



```

16733 \else
16734 \if@mparswitch
16735 \ifodd\c@page \else\@tempcnta\m@ne \fi
16736 \fi
16737 \if@reversemargin \@tempcnta -\@tempcnta \fi
16738 \fi
16739 \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
16740 \@tempdima\@parbottom
16741 \advance\@tempdima -\@pageht
16742 \advance\@tempdima\ht\@marbox
16743 \ifdim\@tempdima >\z@
16744 \latex@warning@no@line {Marginpar on page \thepage\space moved}%
16745 \else
16746 \@tempdima\z@
16747 \fi
16748 \global\@parbottom\@pageht
16749 \global\advance\@parbottom\@tempdima
16750 \global\advance\@parbottom\dp\@marbox
16751 \global\advance\@parbottom\marginparpush
16752 \advance\@tempdima -\ht\@marbox
16753 \global\setbox \@marbox
16754 \vbox {\vskip \@tempdima
16755 \box \@marbox}%
16756 \global \ht\@marbox \z@
16757 \global \dp\@marbox \z@
16758 \kern -\@pagedp
16759 \nointerlineskip
16760 \hb@xt@\columnwidth
16761 {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
16762 \hskip\columnwidth \hskip\marginparsep
16763 \else
16764 \hskip -\marginparsep \hskip -\marginparwidth
16765 \fi
16766 \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else
16767 \nointerlineskip
16768 \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
16769 \long\def\ympar#1{%
16770 \savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
16771 \global\setbox\@currbox\copy\@marbox
16772 \xympar}
16773 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
16774 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
16775 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
16776 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
16777 \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
16778 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
16779 \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
16780 \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
16781 \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
16782 \fi}

```



```

16783 \def\@outputpage{%
16784 \begingroup          % the \endgroup is put in by \aftergroup
16785 \let \protect \noexpand
16786 \@resetactivechars
16787 \global\let\@if@newlist\if@newlist
16788 \global\@newlistfalse
16789 \@parboxrestore
16790 \shipout \vbox{%
16791   \set@typeset@protect
16792   \aftergroup \endgroup
16793   \aftergroup \set@typeset@protect
16794                               % correct? or just restore by ending
16795                               % the group?
16796 \if@specialpage
16797   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
16798 \fi
16799 \if@twoside
16800   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
16801   \let\@themargin\oddsidemargin
16802   \else \let\@thehead\@evenhead
16803   \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
16804 \fi
16805 \ifx\@thehead\@empty \let\@thehead\hfil \fi
16806 \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
16807 \else %% not @twoside
16808   \ifx\@oddhead\@empty \let\@thehead\hfil \fi
16809   \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
16810 \fi
16811 \reset@font
16812 \normalsize
16813 \normalsfcodes
16814 \let\label\@gobble
16815 \let\index\@gobble
16816 \let\glossary\@gobble
16817 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
16818 \@beginndvi
16819 \vskip \topmargin
16820 \moveright\@themargin \vbox {%
16821   \setbox\@tempboxa \vbox to\headheight{%
16822     \vfil
16823     \color@hbox
16824     \normalcolor
16825     \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTL
16826       \color@endbox
16827     }%
16828     \dp\@tempboxa \z@
16829     \box\@tempboxa
16830     \vskip \headsep
16831     \box\@outputbox
16832     \baselineskip \footskip

```



```

16833     \color@hbox
16834     \normalcolor
16835     \hb@xt@{\textwidth}{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTLma
16836     \color@endbox
16837     }%
16838   }%
16839   \global\let\if@newlist\@if@newlist
16840   \global \colht \textheight
16841   \stepcounter{page}%
16842   \let\firstmark\botmark
16843 }
16844 \long\def\@makecaption#1#2{%
16845   \vskip\abovecaptionskip
16846   \sbox\@tempboxa{#1: #2}%
16847   \ifdim \wd\@tempboxa >\hsize
16848     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
16849   \else
16850     \global \@minipagefalse
16851     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
16852     \fi
16853     \vskip\belowcaptionskip}
16854 \let\@bidi@sav@eqno=\eqno
16855 \let\@bidi@sav@leqno=\leqno
16856 \def\eqno{\ifnum\predisplaydirection<\z@ \@bidi@sav@leqno \else \@bidi@sav@eqno \fi}
16857 \def\leqno{\ifnum\predisplaydirection<\z@ \@bidi@sav@eqno \else \@bidi@sav@leqno \fi}
16858 \ifpackageloaded{amsmath}{}{
16859 \def\@eqnnum{\@normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
16860 }
16861 \input{footnote-xetex-bidi.def}
16862 \if@twocolumn
16863   \let\autofootnoterule\relax
16864   \let\leftfootnoterule\relax
16865   \let\rightfootnoterule\relax
16866   \textwidthfootnoterule
16867 \fi
16868 \if@bidi@csundef{@idxitem}{}{%
16869 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40p}%
16870 }
16871 \@ifclassloaded{article}{\@ifclassloaded{svmult}}{\input{article-xetex-bidi.def}}{}
16872 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
16873 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
16874 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
16875 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
16876 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
16877 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
16878 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
16879 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
16880 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
16881 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
16882 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}

```



```

16883 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}}{\input{report-xetex-bidi.def}}{}
16884 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
16885 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
16886 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
16887 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
16888 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
16889 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
16890 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
16891 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
16892 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
16893 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}}{\input{book-xetex-bidi.def}}{}
16894 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
16895 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
16896 \@ifpackageloaded{amsmath}{}{}
16897 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
16898 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
16899 }
16900 \@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}
16901 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
16902 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
16903 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
16904 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
16905 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
16906 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
16907 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
16908 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
16909 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
16910 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
16911 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
16912 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}}{\input{crop-xetex-bidi.def}}{}
16913 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
16914 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
16915 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
16916 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
16917 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
16918 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}}{\input{float-xetex-bidi.def}}{}
16919 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
16920 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
16921 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
16922 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
16923 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
16924 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
16925 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
16926 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
16927 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
16928 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
16929 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
16930 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
16931 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
16932 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}

```



```

16933 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
16934 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
16935 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
16936 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
16937 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
16938 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
16939 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
16940 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
16941 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
16942 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
16943 \@ifpackageloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
16944 \@ifpackageloaded{pgf}{\input{pgf-xetex-bidi.def}}{}
16945 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
16946 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
16947 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
16948 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
16949 \@ifpackagewith{sidecap}{innercaption}{%
16950 \ifRTL \renewcommand*{\SC@FLOAT}[2]{%
16951 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1} {{#1}\hspace{\sidecaptionsep}{#2}}}
16952 \renewcommand*{\SC@justify@caption}{%
16953 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
16954 \renewcommand*{\SC@FLOAT}[2]{%
16955 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} {{#2}\hspace{\sidecaptionsep}{#1}}}
16956 \renewcommand*{\SC@justify@caption}{%
16957 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
16958 }{}
16959 \@ifpackagewith{sidecap}{rightcaption}{%
16960 \ifRTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
16961 \def\SC@justify@caption{\RaggedLeft}\else%
16962 \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
16963 \def\SC@justify@caption{\RaggedRight}\fi%
16964 }{}
16965 \@ifpackagewith{sidecap}{leftcaption}{%
16966 \ifRTL \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
16967 \def\SC@justify@caption{\RaggedRight}\else%
16968 \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
16969 \def\SC@justify@caption{\RaggedLeft}\fi%
16970 }{}
16971 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
16972 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
16973 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
16974 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
16975 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
16976 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
16977 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
16978 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
16979 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
16980 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
16981 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
16982 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}

```



```

16983 \ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
16984 \ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
16985 \ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
16986 \ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
16987 \ifpackageloaded{tocbibind}{\ifclassloaded{memoir}}{\input{tocbibind-xetex-bidi.def}}{}
16988 \ifpackageloaded{tocloft}{\ifclassloaded{memoir}}{\input{tocloft-xetex-bidi.def}}{}
16989 \ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
16990 \ifpackageloaded{tikz}{\input{tikz-xetex-bidi.def}}{}
16991 \ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```

7.117 xltextra-xetex-bidi.def

```

16992 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for Xe
16993 \let\@XeTeX\XeTeX
16994 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
16995 \let\@XeLaTeX\XeLaTeX
16996 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

8 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\# 2543, 2589, 2698, 2706, 10660	\@RTL 12235, 12238, 16293, 16296	16501, 16503, 16504, 16506, 16507
\\$ 10659	\@TeX 12239, 12240, 16297, 16298	\@makecaption 13800, 13879, 14324, 14403, 14915, 14994
\% 9602	\@XeLaTeX 16995, 16996	\@makefnmark . 13457, 13459, 13925, 13927, 14428, 14429, 14559, 14561
\' 9722, 11237, 12337, 12351	\@XeTeX . . 16993, 16994	\@math 5357
\, 3703, 9799, 12921, 12964, 16317	\@author 4304, 4307, 4310	\@mix 16143, 16186
\- 9721, 11236, 12336, 12350	\@clr . . 16144, 16149, 16152, 16154, 16155, 16157, 16187, 16192, 16195, 16197, 16198, 16200, 16219	\@mod . . 16144, 16148, 16149, 16152, 16153, 16154, 16157, 16187, 16191, 16192, 16195, 16196, 16197, 16200, 16219
\. 89, 223, 507, 638, 906, 1158, 4816, 5009, 5322, 6660, 6935, 8848, 11899, 12487, 12880, 13081, 13285, 13756, 14280, 14871, 15331	\@cls 16139, 16182	\@par . . 11235, 12335, 12349, 12916, 12959, 13440, 13447, 13908, 13915, 14414, 14419, 14542, 14549, 15257,
\/ 1702	\@date . 4305, 4308, 4311	
\= 9722, 11237, 12337, 12351	\@end 2787, 2788	
\@ 2613	\@endpbox . . . 11171, 15028, 15067, 16550	
\@@ 15132, 15134	\@ifnewlist . 9158, 9178, 16787, 16839	
\@LTR 12236, 12238, 16294, 16296	\@italiccorr . 263, 5366	
\@LaTeX . . 16299, 16300	\@line 7178, 7182, 13311, 13320, 13358, 13369, 16500,	
\@LaTeXe . . 16301, 16302		



15259, 16439, 16556	13806, 13807,	187, 201, 6250,
\@@protect 2474	13817, 13890,	6271, 6318, 6325,
\@@startpbox . . 11170,	13896, 14330,	6370, 6377, 7132,
15028, 15067, 16550	14331, 14341,	9416, 9432, 9447
\@@title 4303, 4306, 4309	14524, 14530,	\@Mi 2023, 5357
\@@tmp 16148,	14921, 14922,	\@Mii 1914, 3424, 3468,
16149, 16154,	14932, 15098, 15115	3512, 5783, 5792,
16155, 16157,	\@LTRmarginparfalse	5802, 5947, 5956,
16158, 16191, 16773, 16775	5966, 16644, 16688
16192, 16197,	\@LTRmarginparreset	\@Miii 1916, 3426, 3470,
16198, 16200, 16672, 16679	3514, 16646, 16690
16201, 16219, 16220	\@LTRmarginpartrue 16774	\@RTL@footnotefalse
\@@underline	\@LTRsavemarbox 1525,
16521, 16523, 16525 16659,	9241, 9408, 12219,
\@DEBUGfalse 2052	16660, 16663, 16666	12224, 16277, 16282
\@False 5345, 5347	\@LTRxmpar 16657, 16658	\@RTL@footnotetrue
\@LTRbibitemfalse	\@LTRypar 16657, 16662 1523,
. 16321, 16323	\@M 6, 88, 101, 132, 156,	9241, 9407, 12221,
\@LTRbibitemstrue 16322	222, 480, 543,	12223, 16279, 16281
\@LTRbidityftesidenote@sidenote	544, 568, 674,	\@RTLbibitemfalse
. . 3814, 3869, 3873	797, 852, 853, 16322, 16323
\@LTRbidityftesidenotemarginparreset	952, 1048, 1049,	\@RTLbibitemstrue 16321
. 3496, 3503	1055, 1180, 1765,	\@RTLbidityftesidenote@sidenote
\@LTRbidityftesidenotesavemarbox	1770, 4035, 4738,	. . 3841, 3870, 3874
. 3483,	4739, 4745, 4861,	\@RTLbidityftesidenotemarginparreset
3484, 3487, 3490	4917, 4918, 4924, 3540, 3547
\@LTRbidityftesidenotexmpar	5040, 5090, 5287,	\@RTLbidityftesidenotesavemarbox
. 3481, 3482	5295, 5361, 6628, 3527,
\@LTRbidityftesidenoteypar	6641, 6899, 6908,	3528, 3531, 3534
. 3481, 3486	7178, 7182, 8813,	\@RTLbidityftesidenotexmpar
\@LTRfootnotetext 62,	8821, 9131, 11660, 3525, 3526
78, 195, 212,	11672, 11684,	\@RTLbidityftesidenoteypar
1838, 1961, 3747,	12275, 12383, 3525, 3530
3826, 3833, 4474,	12384, 12408,	\@RTLcolumnfootnotesfalse
4485, 4698, 4712,	12520, 12659, 7086
6252, 6253, 7016,	12782, 12835,	\@RTLcolumnfootnotestru
7072, 7079, 7193,	12836, 12899, 7085
7340, 7480, 7627,	12900, 13257,	\@RTLfalse 36, 64, 84,
7774, 7921, 8068,	13265, 13694,	170, 197, 218, 494,
8215, 8362, 8551,	14184, 14791,	628, 896, 1148,
9398, 9404, 9442,	15123, 15243,	1501, 1507, 2278,
9467, 9522, 9547,	15284, 15417,	4806, 4999, 5309,
9553, 10269,	15448, 15471,	5327, 5339, 5352,
10297, 10376,	15488, 15505,	6650, 6922, 6986,
10412, 10606,	15522, 15539,	7018, 7033, 7046,
10610, 10630,	15556, 15574,	7204, 7214, 7249,
10631, 11210,	15593, 15613,	7261, 7351, 7360,
11293, 11791,	15648, 15787,	7393, 7404, 7491,
11792, 11793,	15901, 16409, 16581	7501, 7536, 7548,
13422, 13428,	\@MM . . 40, 53, 68, 174,	7638, 7648, 7683,



7695, 7785, 7795,	14934, 15099, 15116	16242, 16265,
7829, 7841, 7932,	\@RTLmainfalse 1480,	16279, 16281,
7942, 7976, 7988,	1484, 1582, 1586	16463, 16481,
8079, 8089, 8124,	\@RTLmaintrue 1483, 1585	16770, 16825, 16835
8136, 8226, 8236,	\@RTLmarginparfalse	\@RTLxmpar . 16701, 16702
8271, 8283, 8373, 16774, 16775	\@RTLympar . 16701, 16706
8383, 8418, 8430,	\@RTLmarginparreset	\@SepMark 19,
8526, 8537, 8567, 16716, 16723	20, 21, 22, 145,
8578, 8589, 8613,	\@RTLmarginpartrue 16773	146, 147, 148, 261,
8626, 8639, 8838,	\@RTLsavemarbox ...	270, 468, 469,
9412, 9443, 9484, 16703,	470, 471, 621,
9497, 10848,	16704, 16707, 16710	622, 623, 624,
11226, 11450,	\@RTLtabfalse 302, 329, 1295,	877, 878, 879,
11891, 11994,	1854, 2021, 5406,	880, 1141, 1142,
12183, 12215,	15016, 15042,	1143, 1144, 4834,
12219, 12224,	16529, 16537, 16561	4835, 4836, 4837,
12477, 12870,	\@RTLtabtrue 297, 1835, 1982,	4838, 4840, 4842,
13068, 13272,	5383, 15009, 16530	4844, 5013, 5014,
13735, 14259,	\@RTLtrue . 36, 49, 84,	5015, 5016, 5017,
14850, 15318,	170, 183, 218, 494,	5019, 5021, 5023,
16241, 16273,	628, 896, 1148,	5266, 5268, 5270,
16277, 16282,	1499, 1505, 2278,	5272, 5273, 5274,
16454, 16472,	4806, 4999, 5309,	5275, 5276, 6762,
16770, 16825, 16835	5366, 5368, 6650,	6763, 6764, 6765,
\@RTLfootnotetext 47,	6922, 6986, 7002,	6878, 6880, 6882,
77, 181, 211,	7033, 7059, 7204,	6884, 6885, 6886,
1839, 1962, 3764,	7224, 7249, 7274,	6887, 6888, 8940,
3853, 3860, 4475,	7351, 7369, 7393,	8941, 8942, 8943,
4486, 4699, 4713,	7416, 7491, 7511,	8944, 8946, 8948,
6273, 6274, 7000,	7536, 7561, 7638,	8950, 9098, 9104,
7073, 7080, 7194,	7658, 7683, 7708,	9211, 9213, 9215,
7341, 7481, 7628,	7785, 7805, 7829,	9217, 9218, 9219,
7775, 7922, 8069,	7854, 7932, 7952,	9220, 9221, 9224,
8216, 8363, 8552,	7976, 8001, 8079,	9226, 9228, 9230,
9389, 9395, 9427,	8099, 8124, 8149,	9231, 9232, 9233,
9466, 9523, 9562,	8226, 8246, 8271,	9234, 10873,
9568, 10268,	8296, 8373, 8393,	11337, 11339,
10286, 10361,	8418, 8443, 8526,	11341, 11343,
10413, 10605,	8537, 8838, 9412,	11345, 11346,
10609, 10627,	9428, 9471, 9497,	11348, 11349,
10628, 11211,	10848, 11229,	11350, 11933,
11294, 11795,	11450, 11891,	11941, 11943,
11796, 11797,	12184, 12207,	12491, 12492,
13423, 13432,	12221, 12223,	12493, 12494,
13808, 13809,	12477, 12870,	12495, 12497,
13819, 13891,	13068, 13272,	12499, 12501,
13900, 14332,	13735, 14259,	12856, 12857,
14333, 14343,	14850, 15318,	12858, 12859,
14525, 14534,		12860, 12862,
14923, 14924,		12864, 12866,



13055,	13057,	\@afterheading	9224, 9226, 9228,
13059,	13060,	490, 1748, 1758,	9229, 9230, 9231,
13061,	13062,	6638, 6646, 11249	9232, 9233, 9234,
13063,	13064,	\@afterindentfalse	10873, 10875,
13238,	13240,	. . . 1748, 1758, 11248	11337, 11339,
13242,	13244,	\@afterindenttrue .	11341, 11343,
13245,	13246, 568, 797,	11345, 11348,
13247,	13248,	1055, 4034, 4745,	11349, 11350,
13709,	13710,	4924, 11659,	12478, 12485,
13712,	13714,	11671, 11683,	12491, 12492,
13716,	14201,	12408, 12782,	12493, 12494,
14204,	14206,	15416, 15447,	12495, 12497,
14210,	14212,	15470, 15487,	12499, 12501,
14214,	14216,	15504, 15521,	12856, 12857,
14220,	14222,	15538, 15555,	12858, 12859,
14228,	14230,	15573, 15592,	12860, 12862,
14236,	14238,	15612, 15647,	12864, 12866,
14808,	14810,	15780, 15900, 16580	12871, 12878,
14813,	14815,	\@ampacol . . . 1362, 1370	13055, 13057,
14817,	14819,	\@arabic . . . 468, 469,	13059, 13060,
14822,	14826,	470, 471, 495,	13061, 13062,
14830,	15391,	502, 621, 622,	13063, 13064,
15635, 16318, 16320		623, 624, 629,	13069, 13076,
\@True . 5340, 5346, 5378		636, 877, 878,	13238, 13240,
\@Undottedtocline 11667		879, 880, 897,	13242, 13243,
\@Undottedtoclinep 11679		904, 1141, 1142,	13244, 13245,
\@acci 9722,		1143, 1144, 1149,	13246, 13247,
11237, 12337, 12351		1156, 2289, 4807,	13248, 13273,
\@accii 9722,		4814, 4834, 4835,	13280, 13710,
11237, 12337, 12351		4836, 4837, 4838,	13712, 13714,
\@acciii 9722,		4840, 4842, 4844,	13716, 13737,
11237, 12337, 12351		5000, 5007, 5013,	13753, 14208,
\@acol 1364,		5014, 5015, 5016,	14210, 14212,
1372, 1847, 11167,		5017, 5019, 5021,	14214, 14216,
15011, 16532, 16559		5023, 5266, 5268,	14224, 14232,
\@acolampacol . 1362,		5270, 5271, 5272,	14240, 14261,
1364, 1370, 1372		5273, 5274, 5275,	14277, 14811,
\@addamp 1363, 1371		5276, 5310, 5317,	14813, 14815,
\@addfield 16779		6651, 6658, 6762,	14817, 14819,
\@addmarginpar . . . 16729		6763, 6764, 6765,	14823, 14827,
\@address 2170, 6107,		6878, 6880, 6882,	14831, 14852,
6108, 6205, 6207		6883, 6884, 6885,	14868, 15319, 15326
\@addresscolour 2139,		6886, 6887, 6888,	\@argdef 2434
2156, 6106, 6204		6923, 6930, 8839,	\@array 304, 325, 1297,
\@addtopreamble . .		8846, 8940, 8941,	1298, 15050, 16539
. . . 1335, 1398, 5431		8942, 8943, 8944,	\@arrayacol 16559
\@addtoreset 259, 9101,		8946, 8948, 8950,	\@arrayclassiv . . 16560
11931, 11937, 11939		9211, 9213, 9215,	\@arrayclassz
\@adviper 5730		9216, 9217, 9218,	. 1362, 15054, 16559
		9219, 9220, 9221,	\@arraycr 324, 11176, 16561



\@arrayleft 317	\@beginparpenalty 1761, 1770,	\@bidi@todonotes@textdirection@RTLtrue 15952
\@arrayparboxrestore 11213, 12332, 12346	9066, 9080, 16385	\@bidideclaredcolor 5483,
\@arrayright 326	\@bib@break 13730, 14254, 14845	5490, 16179, 16208
\@arrayrule 1317, 1318,	\@biblabel 85,	\@biditytffloat@caption 3035, 3068
1319, 1355, 1356, 1357	219, 495, 496,	\@biditytffloat@caption@box 3027,
\@arstdepth 15047, 15052, 15070	629, 630, 897,	3086, 3097, 3098,
\@arstheight 15052, 15070	898, 1149, 1150,	3121, 3356, 3361
\@arstrut 314,	4807, 4808, 5000,	\@biditytffloat@caption@fill 2976,
1190, 15027, 16549	5001, 5310, 5311,	2985, 2986, 3361
\@arstrutbox . . . 307,	6651, 6652, 6923,	\@biditytffloat@caption@font 2941,
11178, 11214,	6924, 8839, 8840,	2942, 2996, 3187,
15020, 15062,	11892, 12478,	3358, 3364, 3377
15066, 15070, 16542	12479, 12871,	\@biditytffloat@caption@justification 2874, 2999, 3187
\@author 348,	12872, 13069,	\@biditytffloat@caption@vertical@offset 3030,
362, 398, 419,	13070, 13273,	3031, 3039,
685, 687, 705,	13274, 13737,	3097, 3098, 3125
750, 769, 939,	13739, 14261,	\@biditytffloat@checkoddpages 2958, 3055
941, 959, 1004,	14263, 14852,	\@biditytffloat@figure@box 3026, 3079,
1023, 1191, 1193,	14854, 15319, 15320	3097, 3098, 3120
1211, 1256, 1276,	\@bibsetup 11892	\@biditytffloat@float@contents@width 3047,
1287, 1647, 4236,	\@bibtitlestyle . . 81, 215	3077, 3078, 3080
4238, 4307, 4872,	\@bidi@info 1433, 1456, 1458,	\@biditytffloat@float@debug 3016,
4874, 4892, 5051,	1550, 1573, 1575	3022, 3024,
5053, 5071, 5146,	\@bidi@list@minipage@parbox@float@figure@box 9511, 16436	3025, 3057, 3058,
5160, 5196, 5217,	\@bidi@list@minipage@parbox@true 9512, 16437	3061, 3063, 3064,
6689, 6701, 6735,	\@bidi@lst@makecaption 10846, 10861,	3135, 3142, 3149,
6754, 6784, 6798,	10862, 10865, 10867	3150, 3153, 3154
6834, 6855, 8867,	\@bidi@mdf@RTLtrue 11225	\@biditytffloat@float@debug@info 3015, 3017,
8879, 8913, 8932,	\@bidi@saveprimitive 2300	3018, 3019, 3110, 3117
11306, 12531,	\@bidi@todonotes@align 15947, 15948,	\@biditytffloat@float@fullwidth 3097, 3145
12533, 12551,	15999, 16002,	\@biditytffloat@float@textwidth 3098, 3127
12596, 12615,	16005, 16008,	\@biditytffloat@float@fullwidth 3045, 3060
12670, 12672,	16033, 16038, 16039	\@bidi@todonotes@textdirection@RTLtrue 2975, 2981,
12692, 12739,	\@bidi@todonotes@figposition@right@false 15962	
12761, 12772,	15962	
12930, 12944,	\@bidi@todonotes@figposition@right@true 15960	
12985, 13006,	\@bidi@todonotes@textdirection 15949, 15953,	
13118, 13132,	15956, 16038, 16039	
13168, 13189,	\@bidi@todonotes@textdirection@RTLtrue 15955	
13516, 13579,		
13630, 13984,		
14047, 14098,		
14618, 14681, 14732		
\@auxout 2005, 4645		
\@badmath 9063, 9077		
\@begin@tempboxa 9895, 9902, 16439		
\@begin@indvi 9129, 16818		



2982, 2983, 3077	\@bidityftesidenote@citation@font	3791, 3793, 3799,
\@bidityftfloat@justification 3556,	3806, 3818, 3820,
..... 2943	3559, 3641, 3669	3826, 3833, 3845,
\@bidityftfloat@justification@font	\@bidityftesidenote@citation@justification	3847, 3893, 3860
..... 2874, 3013 3562, 3670	\@bidityftesidenote@trim@b
\@bidityftfloat@label	\@bidityftesidenote@citations 3605, 3612
..... 3042, 3069 3656,	\@bidityftesidenote@trim@c
\@bidityftfloat@margin@floatbox	3658, 3659,	.. 3609, 3612, 3617
.. 2991, 2994, 3005	3661, 3666, 3675,	\@bidityftesidenote@trim@spaces
\@bidityftfloat@margin@par	3789, 3816, 3843, 3594,
..... 2913, 3000	3880, 3887, 3894	3597, 3646,
\@bidityftfloat@margin@font	\@bidityftesidenote@infofootnote@c	3648, 3678, 3680
..... 2940, 2941 3689,	\@bidityftesidenotemargin@parreset
\@bidityftfloat@orig@caption	3788, 3815, 3842, 3452, 3459
.. 3066, 3088, 3118	3879, 3886, 3893	\@bidityftesidenotes@vmargin@box
\@bidityftfloat@orig@endfloat	\@bidityftesidenote@justification@autodetect	3439,
.. 3029, 3101, 3352 3560,	3440, 3443, 3446
\@bidityftfloat@orig@float	3561, 3562, 3563	\@bidityftesidenotexmpar
.. 3028, 3075, 3351	\@bidityftesidenote@margin@par 3437, 3438
\@bidityftfloat@orig@label 3564, 3671,	\@bidityftesidenoteympar
..... 3067,	3735, 3752, 3769, 3437, 3442
3073, 3089, 3119	3881, 3888, 3895	\@bidityfttoc@lof@line
\@bidityftfloat@overhang	\@bidityftesidenote@margin@font 4027, 4043
..... 2974, 3553,	\@bidityfttoc@pkgnam
2978, 2979, 3171,	3554, 3555, 3556 3903, 3904
3172, 3211, 3212	\@bidityftesidenote@margin@font	\@bidityftdeclaredcolor
\@bidityftfloat@pkgnam	... 3555, 3558,	... 5483, 5484,
.. 2848, 2849, 2851	3881, 3888, 3895	16179, 16180, 16219
\@bidityftfloat@stored@caption	\@bidityftesidenote@margin@font	\@bidityftjustification
..... 3033, 3561,	\@bidityftseries ... 11329
3040, 3088, 3123	3881, 3888, 3895	\@bidityfttitleempty ... 11298
\@bidityftfloat@stored@label	\@bidityftesidenote@normal@font	\@bidityftshack
..... 3034,	... 3635, 3694,	1913, 3423, 3467,
3043, 3089,	3809, 3836, 3863,	3511, 16643, 16687
3105, 3107, 3124	3883, 3890, 3897	\@bidityftthanksheadpost 11312
\@bidityftfloat@stored@shortcaption	\@bidityftesidenote@print@font	\@bidityftthanksheadpre 11312
... 3032, 3037, 3663,	\@caption
3038, 3088, 3122	3808, 3835, 3862,	.. 3178, 11432, 11435
\@bidityftgeneralstructure@reset@par	3889, 3896	\@captertype ... 11852,
..... 4080, 4086	\@bidityftesidenote@sidenote	1901, 1949, 2997,
\@bidityfteheading@newlinetospace	3787, 3868, 3872	11425, 11429,
..... 3193, 3202	\@bidityftesidenote@sidenote@citations	13295, 13338
\@bidityfteheading@newlinetospace@i 3688	\@ccclv ... 2027, 2032,
..... 3194, 3196	\@bidityftesidenote@sidenote@font	2044, 6285, 6342,
\@bidityfteheading@orig@cr	... 3554, 3557,	8745, 8746, 8763
..... 3201, 3205	3699, 3700, 3703	\@centercr 4108, 12283,
\@bidityftesidenote@add@citation	\@bidityftesidenote@sidenote@justification	11166, 12309,
..... 3657, 3690	.. 3560, 3699, 3700	15236, 15265, 16490
\@bidityftesidenote@check@font	\@bidityftesidenote@sidenote@font	15421,
..... 3713, 3721	... 3784, 3785,	15452, 15475,



15492, 15509,	\@clubpenalty	9761, 9785, 11519,
15526, 15543, 505, 5320,	11598, 16605, 16627
15560, 15578,	6933, 13079,	\@combinefloats . . . 8730
15597, 15617, 15652	13283, 15329, 16411	\@compactenum@ . . . 4090
\@cftasnumb . . . 15422,	\@colht 2038,	\@cons 16729, 16730
15453, 15476,	2039, 5807, 5808,	\@contcshortstyle 11380
15493, 15510,	5818, 5819, 5826,	\@contcstyle
15527, 15544,	5841, 5875, 5878,	. . . 11385, 11391, 11396
15561, 15579,	5900, 5901, 5960,	\@contcwidth 11374, 11375
15598, 15618, 15653	5972, 5973, 5983,	\@contdelim
\@cftbsnum . . . 15420,	5984, 5991, 6008,	. . . 11368, 11379,
15451, 15474,	6012, 8735, 9152,	11383, 11390, 11395
15491, 15508,	11457, 11460,	\@contfield
15525, 15542,	11462, 11464,	. . . 4662, 4677, 4709
15559, 15577,	11469, 11470,	\@contfinal
15596, 15616, 15651	11471, 11490,	. . . 11368, 11380,
\@cftdopartfalse . 15394	11491, 11492,	11386, 11392, 11396
\@cftdoparttrue . . .	11496, 11539,	\@contfmark 11367, 11370
. 15397, 15401	11542, 11544,	\@contfnote 11366, 11369
\@cftl@subfig . . . 15585	11546, 11551,	\@contindw 11391
\@cftl@subtab . . . 15605	11552, 11553,	\@contnfont
\@chapapp 5085, 5282,	11572, 11573,	. . . 11368, 11379,
6894, 8809, 13253	11574, 11578, 16840	11383, 11390, 11395
\@chapterlistsgap@off	\@colourfalse 2082	\@contpost 11400
. 11925	\@colourgreenfalse	\@contpre 11378,
\@chapterlistsgap@on 6025, 6123	11384, 11389, 11394
. 11932, 11940	\@colourgreentru . .	\@conttfnt
\@chclass . . . 272, 284, 6026, 6124	. . . 11368, 11380,
295, 1304, 1316,	\@colourgreyfalse . .	11386, 11392, 11396
1329, 1349, 1354, 6029, 6127	\@curfield
15151, 15167,	\@colourgreytrue . .	4661, 4676, 4696,
15178, 16562, 16567 6030, 6128	4710, 4720, 16779
\@chnum 273, 280, 291,	\@colourorangefalse	\@curline 4659,
1305, 1312, 1325, 6023, 6121	4674, 16779, 16781
1335, 1351, 1352,	\@colourorangetru .	\@currbox 1921, 1952,
1353, 1366, 1374, 6024, 6122	1956, 3388, 3391,
1400, 5433, 15152,	\@colouredfalse . .	3432, 3435, 3440,
15159, 15174, 6027, 6125	3444, 3476, 3479,
16564, 16565, 16566	\@colouredtrue . . .	3484, 3488, 3520,
\@circlefnt 8969 6028, 6126	3523, 3528, 3532,
\@classiv 1849, 11168,	\@colourtrue 2081	16652, 16655,
15013, 16534, 16560	\@colroom 2038,	16660, 16664,
\@classx 1332, 1391, 5427	2047, 5796, 5819,	16696, 16699,
\@classz	5822, 5824, 5825,	16704, 16708,
1332, 1391, 1425,	5984, 5987, 5989,	16730, 16739, 16771
1426, 1848, 5427,	5990, 6285, 6342	\@currentHlabel . . .
11168, 15012,	\@combinedblfloats 10354,
15054, 16533, 16559 5672, 5711,	10369, 10384,
\@cleartopmattertags 125	9020, 9052, 9133,	10395, 10398, 10400
\@cliptoboxdim . . . 15181		



<code>\@currentHref</code> . 10355, 10370, 10385, 10396, 10399, 10401, 10461, 10499, 10532, 10563, 10594, 10686, 10697, 10699 2163, 2165	14691, 14739, 14741
<code>\@currentlabel</code> .. 42, 55, 70, 176, 189, 203, 3737, 3754, 3771, 6992, 7008, 7024, 7037, 7050, 7063, 7208, 7218, 7228, 7254, 7267, 7279, 7306, 7319, 7355, 7364, 7373, 7398, 7410, 7421, 7447, 7459, 7495, 7505, 7515, 7541, 7554, 7566, 7593, 7606, 7642, 7652, 7662, 7688, 7701, 7713, 7740, 7753, 7789, 7799, 7809, 7835, 7848, 7860, 7887, 7900, 7936, 7946, 7956, 7982, 7995, 8007, 8034, 8047, 8083, 8093, 8103, 8129, 8142, 8154, 8181, 8194, 8230, 8240, 8250, 8276, 8289, 8301, 8328, 8341, 8377, 8387, 8397, 8423, 8436, 8448, 8475, 8488, 8571, 8582, 8593, 8618, 8631, 8644, 8678, 8692, 9418, 9434, 9449, 9476, 9489, 9502	<code>\@date</code> 351, 363, 399, 422, 693, 695, 707, 752, 772, 947, 949, 961, 1006, 1026, 1199, 1201, 1213, 1258, 1279, 1288, 1648, 4254, 4308, 4880, 4882, 4894, 5059, 5061, 5073, 5149, 5161, 5197, 5220, 6692, 6702, 6736, 6757, 6787, 6799, 6835, 6858, 6942, 6947, 8870, 8880, 8914, 8935, 10713, 10718, 11307, 12539, 12541, 12553, 12598, 12618, 12678, 12680, 12694, 12741, 12764, 12773, 12933, 12945, 12986, 13008, 13121, 13133, 13169, 13192, 13520, 13580, 13634, 13988, 14048, 14102, 14502, 14503, 14506, 14511, 14622, 14682, 14736	<code>\@dedicatory</code> 250
<code>\@currentlabelname</code> 10356, 10371, 10386, 10462, 10500, 10533, 10564, 10595	<code>\@datefield</code> 14442	<code>\@definitionfileextension</code> 2313, 2315
<code>\@currlist</code> 16729	<code>\@dblarg</code> 11432	<code>\@depth</code> 309, 11180, 15022, 15063, 16544, 16768
<code>\@curtabmar</code> 16778, 16781	<code>\@dblfloatplacement</code> 5673, 5714, 9021, 9056, 9140, 9763, 9787, 11522, 11601, 16606, 16630	<code>\@dgroup</code> 5339
<code>\@cvtheme</code> ... 2162, 2165	<code>\@declaredcolor</code> 5468, 5469, 16136, 16159	<code>\@dischyph</code> ... 9721, 11236, 12336, 12350
<code>\@cvthemeoptions</code> ..	<code>\@dedication</code> 13536, 13538, 13589, 13637, 13639, 14004, 14006, 14057, 14105, 14107, 14638, 14640,	<code>\@displaypagenumbersfalse</code> 2261
		<code>\@displaypagenumberstrue</code> 2260
		<code>\@dmath</code> 5327, 5356
		<code>\@docolbox</code> 9191
		<code>\@dodynamicthefoot</code> 9130
		<code>\@dodynamicthehead</code> 9130
		<code>\@donoparitem</code> 16373
		<code>\@dotsep</code> 15798, 15799, 15907, 16587
		<code>\@dottedtocline</code> 15913, 15914, 15916, 15934, 16576
		<code>\@dseries</code> 5352
		<code>\@eha</code> 2308, 15639
		<code>\@ehc</code> 1991, 2025, 2450, 2885, 2887, 3584, 3586, 10835, 11642, 11648
		<code>\@ehd</code> 11426
		<code>\@eightcol@footgroupv@r</code> 8073
		<code>\@eightcollTRfootfmt</code> ... 8096, 8117, 8145
		<code>\@eightcollTRfootnotetext</code> 8068, 8089
		<code>\@eightcolRTLfootfmt</code> .. 8106, 8120, 8157
		<code>\@eightcolRTLfootnotetext</code> 8069, 8099
		<code>\@eightcolfootfmt</code> 8086, 8114, 8132
		<code>\@eightcolfootnotetext</code> 8067, 8079
		<code>\@elt</code> 3276, 3277, 3278, 3279, 3280, 3281, 3282, 3283, 3284, 3285, 3286, 3287, 3317, 3318, 3319,



3320, 3321, 3322,	10356,	10371,	14075,	14079,
3323, 3324, 3325,	10386,	10462,	14087,	14093,
3326, 3327, 3328,	10500,	10533,	14105,	14119,
3329, 3330, 3331,	10564,	10595,	14146,	14176,
3332, 3333, 3334,	10711,	10865,	14246,	14276,
5378, 6251, 6272,	10867,	11194,	14301,	14302,
6278, 6313, 6315,	11304,	11305,	14413,	14443,
6317, 6323, 6335,	11306,	11307,	14444,	14445,
6365, 6367, 6369,	11919,	12484,	14446,	14447,
6375, 15082, 15084	12550,	12551,	14448,	14449,
\@email .. 2174, 6113, 6211	12552,	12553,	14450,	14454,
\@empty	12595,	12596,	14460,	14466,
83,	12597,	12598,	14472,	14478,
111, 217, 324, 361,	12691,	12692,	14484,	14490,
362, 363, 364,	12693,	12694,	14496,	14502,
397, 398, 399,	12738,	12739,	14511,	14541,
400, 501, 635,	12740,	12741,	14596,	14601,
704, 705, 706,	12877,	12943,	14608,	14614,
707, 749, 750,	12944,	12945,	14638,	14680,
751, 752, 903,	12946,	12984,	14681,	14682,
958, 959, 960,	12985,	12986,	14683,	14684,
961, 1003, 1004,	12987,	13075,	14685,	14686,
1005, 1006, 1155,	13131,	13132,	14687,	14688,
1210, 1211, 1212,	13133,	13134,	14689,	14690,
1213, 1255, 1256,	13167,	13168,	14691,	14709,
1257, 1258, 1646,	13169,	13170,	14713,	14721,
1647, 1648, 1649,	13279,	13439,	14727,	14739,
1908, 2288, 2297,	13494,	13499,	14753,	14783,
3637, 3658, 3665,	13506,	13512,	14837,	14867,
4236, 4303, 4304,	13536,	13578,	14892,	14893,
4305, 4813, 4891,	13579,	13580,	15069,	15117,
4892, 4893, 4894,	13581,	13582,	15325,	15625,
5006, 5070, 5071,	13583,	13584,	15627,	16139,
5072, 5073, 5159,	13585,	13586,	16142,	16182,
5160, 5161, 5162,	13587,	13588,	16185,	16552,
5195, 5196, 5197,	13589,	13607,	16561,	16805,
5198, 5316, 5342,	13611,	13619,	16806, 16808, 16809	
6312, 6364, 6657,	13625,	13637,	\@emptycol 5811, 5814,	
6700, 6701, 6702,	13651,	13686,	5830, 5833, 5976,	
6703, 6734, 6735,	13723,	13752,	5979, 5995, 5998	
6736, 6737, 6797,	13777,	13778,	\@emptytoks 5341	
6798, 6799, 6800,	13907,	13962,	\@end@tempboxa	
6833, 6834, 6835,	13967,	13974,	. 9900, 9917, 16452	
6836, 6929, 6940,	13980,	14004,	\@endfloatbox 1973	
6956, 6960, 8729,	14046,	14047,	\@endmodernpoem ...	
8845, 8878, 8879,	14048,	14049, 4672, 4692	
8880, 8881, 8912,	14050,	14051,	\@endparenv .. 4576,	
8913, 8914, 8915,	14052,	14053,	4689, 11966, 11986	
9004, 9036, 9558,	14054,	14055,	\@endparpenalty 1765,	
9573, 9792, 9793,	14056,	14057,	1774, 9067, 9081	
9794, 9795, 9796,				



\@endpbox	1342, 1343, 1384, 1408, 1409, 1410, 5441, 5442, 5443, 11165, 11171, 15028, 15067, 16550	\@ff@do@allframes 9132, 9137	10671, 11430, 13879, 14403, 14994
\@endtraditionalpoem 4556, 4628	\@ff@fbox 9200	\@firstoftwo .. 2334, 2342, 2348, 2352, 2360, 2366, 2369, 2372, 2386, 2393, 2559, 2577, 2583, 2607, 2634, 2664, 2724, 2734, 11900
\@ensure@LR	12232, 16290	\@ff@setoffset ... 9197	\@fivecol@footgroupv@r 7632
\@ensure@LTR .. 12230, 12232, 12240, 16288, 16290, 16298, 16300, 16302, 16994, 16996		\@ff@background ... 9187	\@fivecolLTRfootfmt .. 7655, 7676, 7704
\@ensure@RL 12231, 16289		\@finalstrut 6997, 7013, 7029, 7043, 7056, 7069, 9423, 9439, 9454, 9480, 9493, 9506	\@fivecolLTRfootnotetext 7627, 7648
\@ensure@RTL .. 12229, 12231, 16287, 16289		\@firstampfalse 1364, 1372	\@fivecolRTLfootfmt .. 7665, 7679, 7716
\@ensure@dir .. 12233, 12234, 16291, 16292		\@firstcolfirstmark 9003, 9004, 9008, 9035, 9036, 9040	\@fivecolRTLfootnotetext 7628, 7658
\@ensure@maindir 12234, 16292		\@firstcoltopmark 9001, 9009, 9033, 9041	\@fivecolfootfmt 7645, 7673, 7691
\@enumctr ... 4091, 4092		\@firstcolumnfalse 5652, 5688, 6016, 8995, 9027, 9147, 9749, 9769, 11455, 11537, 16594, 16612	\@fivecolfootnotetext 7626, 7638
\@eqnnum 9088, 10707, 16859		\@firstcolumntrue 5655, 5691, 5970, 9011, 9044, 9111, 9754, 9774, 11499, 11581, 16596, 16615	\@float 3028, 3351
\@evenfoot 1610, 9123, 16803		\@firstdetailselementfalse 6193	\@floatboxreset ... 1971
\@evenhead . 9122, 16802		\@firstdetailselementtrue 6190	\@floatpenalty 1914, 1916, 1919, 3424, 3426, 3430, 3434, 3468, 3470, 3474, 3478, 3512, 3514, 3518, 3522, 16644, 16646, 16650, 16654, 16688, 16690, 16694, 16698
\@extrafootnotefeaturesfalse 1537		\@firstfooterelementfalse 6109, 6110, 6111, 6112, 6113, 6114	\@fltovf 1954, 3435, 3479, 3523, 16655, 16699
\@extrafootnotefeaturestrue 1535		\@firstfooterelementtrue 6094	\@flushglue .. 4458, 4459, 11242, 12343, 13042, 16490
\@extrainfo 2175, 6114, 6212		\@firstname .. 2107, 2109, 2110, 2167, 6088, 6178, 6199	\@fnsymbol . 373, 668, 727, 922, 981, 1174, 1233, 1634, 4855, 5034, 5171, 6712, 6809, 8890, 12514, 12573, 12653, 12714, 12912, 12955, 13143, 13491,
\@extratitle 13494, 13495, 13583, 13607, 13608, 13962, 13963, 14051, 14075, 14076, 14596, 14597, 14685, 14709, 14710		\@firstnamecolour 2136, 2153	
\@familyname .. 2107, 2109, 2110, 2168, 6088, 6178, 6199		\@firstofone .. 2757, 2764, 2770, 2783, 2789, 10668, 10669, 10670,	
\@familynamecolour 2137, 2154			
\@fancyfoot 8987			
\@fancyhead 8982			
\@fancyvbox . 8983, 8988			
\@fax ... 2173, 6112, 6210			



13555, 13959, 14023, 14593, 14657	\@fourcollTRfootnotetext 7480, 7501	2328, 2329, 10755
\@footgroupv@r	\@fourcolRTLfootfmt .. 7518, 7532, 7569	\@gtempa 2410, 2411
7122, 7171, 7198, 7345, 7485, 7632, 7779, 7926, 8073, 8220, 8367, 8556	\@fourcolRTLfootnotetext 7481, 7511	\@halignto 313, 328, 15026, 15065, 16548, 16561
\@footnote 4185	\@fourcolfootfmt ..	\@hangfrom ... 13832, 13844, 13846, 14356, 14368, 14370, 14947, 14959, 14961, 16514
\@footnotemark . 1881, 1889, 1897, 3709, 3799, 3806, 3826, 3833, 3853, 3860, 4610, 4617, 4624, 9389, 9395, 9398, 9404, 10391, 10414, 10603, 10607, 10621, 10622	\@fourcolfootnotetext 7479, 7491	\@height 308, 1422, 5455, 9702, 11179, 11214, 11262, 13467, 13476, 13935, 13944, 14569, 14578, 15021, 15063, 16543, 16768
\@footnotetext 34, 76, 168, 210, 1837, 1960, 3730, 3799, 3806, 4473, 4484, 4697, 4711, 6231, 6232, 6984, 7071, 7078, 7192, 7339, 7479, 7626, 7773, 7920, 8067, 8214, 8361, 8550, 9411, 9465, 9521, 10267, 10275, 10346, 10411, 10604, 10608, 10624, 10625, 11209, 11292, 11787, 11788, 11789, 13421, 13424, 13804, 13805, 13815, 13889, 13892, 14328, 14329, 14339, 14523, 14526, 14919, 14920, 14930, 15097, 15114	\@fps 1902, 1903, 1905, 1908, 1925	\@highpenalty . 4759, 4775, 4782, 4792, 4938, 4954, 4961, 4971, 5227, 5242, 5252, 6865, 8777, 8792, 8802, 12422, 12438, 12445, 12455, 12796, 12812, 12819, 12829, 13014, 13028, 13038, 13199, 13214, 13224, 13672, 14115, 14136, 14142, 14163, 14171, 14195, 14749, 14770, 14778, 14802, 15407, 15442
\@footstartv@r ... 7122	\@fpsadddefault 1906, 1909	\@hintcolour . 2144, 2160
\@for 3638, 3643, 3666, 3675, 5632	\@freeelist 1921, 3276, 3317, 3432, 3433, 3476, 3477, 3520, 3521, 8728, 16652, 16653, 16696, 16697, 16729, 16730	\@holdpg . 5741, 5747, 5754, 5765, 5775, 5875, 5876, 5878, 5881, 5885, 5890, 5895, 5899, 5907, 5919, 5932, 5939
\@fourcol@footgroupv@r 7485	\@fs@capt 3365, 3378, 3386	\@idxitem 98, 103, 153, 158, 524, 539, 790, 1044, 4149, 4156, 4734, 4913, 5126, 12379, 12636,
\@fourcollTRfootfmt .. 7508, 7529, 7557	\@fs@cfont ... 3358, 3364, 3374, 3377, 3385, 9092, 9093	
	\@fs@iftopcapt 3369, 3382, 3395	
	\@fs@mid 3368, 3381, 3393	
	\@fs@post 3367, 3380, 3394	
	\@fs@pre 3366, 3379, 3387	
	\@g@tnextcol 9109	
	\@getcirc 8965	
	\@gnewline ... 12285, 12298, 12311, 12322	
	\@gobble 1817, 2687, 2688, 2689, 2690, 2691, 2759, 2772, 2776, 2803, 2817, 2829, 2843, 2851, 4358, 4423, 9166, 9167, 9168, 11427, 13805, 13807, 13809, 14329, 14331, 14333, 14920, 14922, 14924, 16143, 16186, 16814, 16815, 16816	
	\@gobbletwo 2324, 2325,	



13099, 15387, 16869	16908, 16909, 16169, 16203
\@ifclassloaded 2872,	16910, 16911,	\@ifxempty 16229
4198, 4200, 5128,	16912, 16913,	\@ignoretrue 5363
7084, 9209,	16914, 16915,	\@iiiminipage 9508
9222, 16871,	16916, 16917,	\@iiiparbox
16872, 16873,	16918, 16919,	. 7159, 9539, 16433
16874, 16875,	16920, 16921,	\@indextitlestyle g6, 151
16876, 16877,	16922, 16923,	\@inlabelfalse
16878, 16879,	16924, 16925, 5330, 16399
16880, 16881,	16926, 16927,	\@inlabeltrue ... 16393
16882, 16883,	16928, 16929,	\@insertfalse 5732, 5840
16884, 16885,	16930, 16931,	\@inserttrue . 5805, 5969
16886, 16887,	16932, 16933,	\@iprintcites 12277
16888, 16889,	16934, 16935,	\@item 16371
16890, 16891,	16936, 16937,	\@itemfudge 16778, 16780
16892, 16893,	16938, 16939,	\@itemlabel 16334
16894, 16895,	16940, 16941,	\@itempenalty ... 16390
16912, 16987, 16988	16942, 16943,	\@ixpt 4049
\@ifdefinable . 2398,	16944, 16945,	\@keywords 251
2401, 2404, 2413,	16946, 16947,	\@kludgeins 8732
2437, 2452, 9312	16948, 16971,	\@labels
\@ifdefinitionfileloaded	16972, 16973,	16404, 16421, 16422
..... 2315, 16989	16974, 16975,	\@lastchclass
\@ifempty 7, 133	16976, 16977, 273, 274,
\@ifl@aded .. 2314, 2315	16978, 16979,	275, 276, 278,
\@ifnextchar ... 325,	16980, 16981,	1305, 1306, 1307,
1785, 1815, 1830,	16982, 16983,	1308, 1310, 1349,
1994, 2427, 3437,	16984, 16985,	1350, 1362, 1370,
3481, 3525, 5468,	16986, 16987,	15152, 15153,
5483, 9387, 9396,	16988, 16990, 16991	15154, 15155,
9545, 9560, 9872,	\@ifpackagewith ...	15157, 16562, 16563
10611, 10635,	... 5609, 15336,	\@lastvipertrue 5816,
11799, 11970,	16949, 16959, 16965	5835, 5981, 6000
11990, 16136,	\@ifstar 2544,	\@latex@error . 2307,
16179, 16657, 16701	3194, 6567, 9875	11426, 11642, 11648
\@ifpackagelater . 9258	\@iftagsloaded	\@latex@warning . 91,
\@ifpackageloaded .	. 2314, 16897, 16898	225, 509, 640,
.... 1381, 2620,	\@ifundefined ... 257,	908, 1160, 2293,
3344, 3349, 3402,	258, 2264, 2884,	4818, 5011, 5324,
6563, 6564, 7175,	2886, 3572, 3580,	6662, 6937, 8850,
8524, 10408,	3583, 3585, 4012,	12489, 12882,
10428, 10506,	4020, 4135, 4137,	13083, 13287,
10675, 10968,	4142, 4232, 4249,	13760, 13767,
11406, 15312,	5470, 5477, 5485,	14284, 14291,
16858, 16883,	5491, 9095, 9305,	14875, 14882, 15333
16893, 16896,	10678, 10679,	\@latex@warning@no@line
16900, 16901,	10837, 10864,	... 5809, 5827,
16902, 16903,	10866, 10870,	5974, 5992, 16744
16904, 16905,	12013, 15626, 15630	\@latexbug 16730
16906, 16907,	\@ifundefinedmodel	



\@leftcolumn . . .	5653, 5659, 5689, 5695, 5848, 5876, 5882, 5891, 8996, 9015, 9028, 9047, 9750, 9757, 9770, 9779, 11456, 11500, 11512, 11538, 11582, 11590, 16595, 16600, 16613, 16619	6236, 6257, 6713, 6810, 8891, 10403, 11311, 12574, 12715, 12913, 12956, 13144, 13492, 13493, 13556, 13557, 13960, 13961, 14024, 14025, 14594, 14595, 14658, 14659	6721, 6726, 6733, 6743, 6816, 6818, 6823, 6832, 6842, 8897, 8899, 8904, 8911, 8921, 11316, 11318, 11325, 12580, 12582, 12587, 12594, 12604, 12721, 12723, 12728, 12737, 12747, 12967, 12969, 12974, 12983, 12993, 13150, 13152, 13157, 13166, 13176, 13560, 13562, 13567, 13577, 13602, 14028, 14030, 14035, 14045, 14070, 14662, 14664, 14669, 14679, 14704
\@lettrine	10735	\@makefntext	44,
\@listl	2898	57, 72, 178, 191,	
\@listctr	16417	205, 375, 665,	
\@listdepth . .	9371,	730, 919, 982,	
	9524, 9726, 9730,	1171, 1236, 1636,	
	16325, 16328, 16333	3703, 3741, 3758,	
\@listi 2898, 2906, 4053		3775, 4852, 5031,	
\@lowertitleback . .		5173, 6714, 6811,	
 13533,	6995, 7011, 7027,	
	13588, 14001,	7041, 7054, 7067,	
	14056, 14635, 14690	8892, 9422, 9438,	
\@lowpenalty .	1761, 15707	9453, 9479, 9492,	
\@m	89, 223,	9505, 9797, 11313,	
	507, 638, 906,	12511, 12576,	
	1158, 4816, 5009,	12650, 12717,	
	5322, 6660, 6935,	12915, 12958,	
	8848, 9751, 9771,	13145, 13437,	
	11899, 12487,	13905, 14412, 14539	
	12880, 13081,	\@makeother . . .	2543,
	13285, 13756,	2589, 2698, 2706	
	14280, 14871, 15331	\@makeschapterhead	
\@mainmatterfalse .		4730, 4909, 5100,	
 4385,	5121, 5291, 6904,	
	4415, 5305, 6918	8817, 12375,	
\@mainmattertrue . .		12632, 13094,	
 4382, 4398	13261, 15358, 15363	
\@makecaption		\@makespecialcolbox	
 3189, 5416, 8733	
	11363, 11413,	\@maketitle	116,
	11445, 13873,	243, 247, 380,	
	14397, 14988, 16844	382, 387, 396,	
\@makechapterhead .		406, 734, 736,	
 228, 5080,	741, 748, 758,	
	5277, 6889, 8805,	988, 990, 995,	
	12268, 13249, 15352	1002, 1012, 1240,	
\@makecol 2033, 2045, 8772		1242, 1247, 1254,	
\@makefnmark . . .	374,	1264, 1639, 1645,	
	728, 1234, 1635,	5178, 5180, 5185,	
	3705, 3716, 5172,	5194, 5204, 6719,	
		6721, 6726, 6733,	
		6743, 6816, 6818,	
		6823, 6832, 6842,	
		8897, 8899, 8904,	
		8911, 8921, 11316,	
		11318, 11325,	
		12580, 12582,	
		12587, 12594,	
		12604, 12721,	
		12723, 12728,	
		12737, 12747,	
		12967, 12969,	
		12974, 12983,	
		12993, 13150,	
		13152, 13157,	
		13166, 13176,	
		13560, 13562,	
		13567, 13577,	
		13602, 14028,	
		14030, 14035,	
		14045, 14070,	
		14662, 14664,	
		14669, 14679, 14704	
		\@maketitle@hook . . .	114
		\@makewincaption .	12047
		\@marbox .	3433, 3435,
			3439, 3443, 3444,
			3477, 3479, 3483,
			3487, 3488, 3521,
			3523, 3527, 3531,
			3532, 16653,
			16655, 16659,
			16663, 16664,
			16697, 16699,
			16703, 16707,
			16708, 16729,
			16739, 16742,
			16750, 16752,
			16753, 16755,
			16756, 16757,
			16766, 16770, 16771
		\@mathmargin . .	6519,
			6526, 6534, 6541
		\@maxdepth	
		. . .	7120, 8744, 8771
		\@memtempa . . .	11363,
			11365, 11379,
			11386, 11390, 11395
		\@midlist . . .	8728, 8729
		\@minipagefalse	1975,



3454, 3463, 3498, 3507, 3542, 3551, 7156, 9536, 10857, 11419, 13863, 14387, 14978, 16396, 16674, 16683, 16718, 16727, 16850	\@mparbottom . . 2018, 16740, 16748, 16749, 16750, 16751	7549, 7561, 7562, 7683, 7684, 7695, 7696, 7708, 7709, 7830, 7831, 7842, 7843, 7855, 7856, 7977, 7978, 7989, 7990, 8002, 8003, 8124, 8125, 8136, 8137, 8149, 8150, 8271, 8272, 8283, 8284, 8296, 8297, 8418, 8419, 8430, 8431, 8443, 8444, 8613, 8614, 8626, 8627, 8639, 8640
\@minipagerestore 9525	\@mpeightcolLTRfootnotetext 8075, 8135	\@mpfootnotetext . . 7032, 7074, 7081, 7199, 7346, 7486, 7633, 7780, 7927, 8074, 8221, 8368, 8557, 9495, 9521, 10275, 10310, 10313, 10415, 11292
\@minipagetrue 3462, 3506, 3550, 16682, 16726	\@mpeightcolRTLfootnotetext 8076, 8148	\@mpfourcol@footgroupv@r 7490
\@minus	\@mpeightcolfootnotetext 8074, 8123	\@mpfourcolLTRfootnotetext 7487, 7547
2211, 2296, 2894, 2896, 2903, 2905, 2907, 2908, 4050, 4052, 4054, 4055, 9640, 9678, 11896	\@mpfivecol@footgroupv@r 7637	\@mpfourcolRTLfootnotetext 7488, 7560
\@mkboth . . . 493, 520, 536, 627, 787, 895, 1041, 1147, 4731, 4805, 4910, 4998, 5122, 5308, 6649, 6921, 8837, 12376, 12476, 12633, 12869, 13067, 13095, 13271	\@mpfivecolLTRfootnotetext 7634, 7694	\@mpfourcolfootnotetext 7486, 7535
\@mklab 16335	\@mpfivecolRTLfootnotetext 7635, 7707	\@mplistdepth 9371, 9524
\@mkpream . 312, 11184, 15024, 15057, 16546	\@mpfivecolfootnotetext 7633, 7682	\@mpninecol@footgroupv@r 8225
\@mobile 2171, 6110, 6208	\@mpfn 1856, 1859, 1862, 1878, 1886, 1894, 3797, 3803, 3824, 3830, 3851, 3857, 4587, 4590, 4593, 4607, 4614, 4621, 9387, 9392, 9396, 9401, 9520, 9550, 9565, 10272, 10283, 10294, 10511, 10542, 10573, 10636, 11289, 15139, 15146	\@mpninecolLTRfootnotetext 8222, 8282
\@modernpoem . 4648, 4692	\@mpfootins . . 7033, 7034, 7046, 7047, 7059, 7060, 7140, 7149, 7150, 7153, 9471, 9472, 9484, 9485, 9497, 9498, 9530, 9531, 9534, 11278, 11283	\@mpninecolRTLfootnotetext 8223, 8295
\@mpLTRfootnotetext 7045, 7075, 7082, 7200, 7347, 7487, 7634, 7781, 7928, 8075, 8222, 8369, 8558, 9482, 9522, 10297, 10312, 10335, 10416, 11293	\@mpfootinsv@r 7139, 7172, 7249, 7250, 7261, 7262, 7274, 7275, 7393, 7394, 7404, 7405, 7416, 7417, 7536, 7537, 7548,	\@mppara@footgroupv@r 8561
\@mpRTLfootnotetext 7058, 7076, 7083, 7201, 7348, 7488, 7635, 7782, 7929, 8076, 8223, 8370, 8559, 9469, 9523, 10286, 10311, 10324, 10417, 11294		\@mpparaLTRfootnotetext 8558, 8625
		\@mpparaRTLfootnotetext 8559, 8638
		\@mpparafootnotetext 8557, 8612
		\@mpsevendcol@footgroupv@r 7931



\@mpsevenscolLTRfootnotetext	8058, 8062, 8066,	8037, 8042, 8043,
..... 7928, 7988	8171, 8172, 8200,	8045, 8048, 8050,
\@mpsevenscolRTLfootnotetext	8205, 8209, 8213,	8055, 8056, 8059,
..... 7929, 8001	8318, 8319, 8347,	8060, 8063, 8064,
\@mpsevenscolfootnotetext	8352, 8356, 8360,	8168, 8170, 8171,
..... 7927, 7976	8465, 8466, 8494,	8172, 8177, 8179,
\@mpsixcol@footgroupv@r	8499, 8503, 8549,	8182, 8184, 8189,
..... 7784	8662, 8663, 8664,	8190, 8192, 8195,
\@mpsixcolLTRfootnotetext	8706, 8713, 8720,	8197, 8202, 8203,
..... 7781, 7841	15641, 15680,	8206, 8207, 8210,
\@mpsixcolRTLfootnotetext	15681, 15682,	8211, 8315, 8317,
..... 7782, 7854	15683, 15684,	8318, 8319, 8324,
\@mpsixcolfootnotetext	15685, 15686,	8326, 8329, 8331,
..... 7780, 7829	15687, 15688, 15689	8336, 8337, 8339,
\@mptencol@footgroupv@r	\@nameuse 4643, 6449,	8342, 8344, 8349,
..... 8372	6499, 6502, 6548,	8350, 8353, 8354,
\@mptencolLTRfootnotetext	7293, 7295, 7296,	8357, 8358, 8462,
..... 8369, 8429	7297, 7302, 7304,	8464, 8465, 8466,
\@mptencolRTLfootnotetext	7307, 7309, 7314,	8471, 8473, 8476,
..... 8370, 8442	7315, 7317, 7320,	8478, 8483, 8484,
\@mptencolfootnotetext	7322, 7327, 7328,	8486, 8489, 8491,
..... 8368, 8417	7331, 7332, 7335,	8496, 8497, 8500,
\@mptthreecol@footgroupv@r	7336, 7434, 7436,	8501, 8504, 8505,
..... 7350	7437, 7438, 7443,	8659, 8661, 8662,
\@mptthreecolLTRfootnotetext	7445, 7448, 7450,	8663, 8664, 8667,
..... 7347, 7403	7454, 7455, 7457,	8674, 8676, 8679,
\@mptthreecolRTLfootnotetext	7460, 7462, 7467,	8682, 8687, 8688,
..... 7348, 7415	7468, 7471, 7472,	8690, 8693, 8696,
\@mptthreecolfootnotetext	7475, 7476, 7580,	8703, 8704, 8707,
..... 7346, 7392	7582, 7583, 7584,	8710, 8714, 8717,
\@mptwocol@footgroupv@r	7589, 7591, 7594,	8725, 9115, 13664,
..... 7203	7596, 7601, 7602,	13702, 14132,
\@mptwocolLTRfootnotetext	7604, 7607, 7609,	14159, 14191,
..... 7200, 7260	7614, 7615, 7618,	14203, 14219,
\@mptwocolRTLfootnotetext	7619, 7622, 7623,	14227, 14235,
..... 7201, 7273	7727, 7729, 7730,	14766, 14798,
\@mptwocolfootnotetext	7731, 7736, 7738,	15370, 15642,
..... 7199, 7248	7741, 7743, 7748,	15643, 15644,
\@namedef 4645, 7161,	7749, 7751, 7754,	15647, 15650,
7191, 7296, 7297,	7756, 7761, 7762,	15655, 15656,
7325, 7330, 7334,	7765, 7766, 7769,	15661, 15665,
7338, 7437, 7438,	7770, 7874, 7876,	15666, 15668,
7470, 7474, 7478,	7877, 7878, 7883,	15669, 15671,
7583, 7584, 7612,	7885, 7888, 7890,	15672, 15674,
7617, 7621, 7625,	7895, 7896, 7898,	15675, 15677,
7730, 7731, 7759,	7901, 7903, 7908,	15678, 15685,
7764, 7768, 7772,	7909, 7912, 7913,	15690, 15691,
7877, 7878, 7906,	7916, 7917, 8021,	16171, 16205, 16797
7911, 7915, 7919,	8023, 8024, 8025,	\@nbitem 16383
8024, 8025, 8053,	8030, 8032, 8035,	\@ne 273, 282,



285, 379, 733,	1343, 1408, 1409,	\@noitemerr
987, 1239, 1305,	1410, 5441, 5442, 91, 225, 508,
1314, 1317, 1318,	5443, 15158,	639, 907, 1159,
1319, 1352, 1355,	15160, 15161,	2293, 4817, 5010,
1356, 1357, 1931,	15162, 15163,	5323, 6661, 6936,
1986, 5177, 5620,	15164, 15165,	8849, 11906,
6718, 6815, 8896,	15166, 15168,	12488, 12881,
9470, 9483, 9496,	15169, 15170,	13082, 13286,
9740, 10821,	15171, 15172,	13759, 13766,
10833, 10841,	15175, 15176, 15177	14283, 14290,
11186, 11315,	\@nil 1393,	14874, 14881, 15332
11392, 11618,	1394, 1396, 1397,	\@normalcr 11245
11969, 11989,	5430, 6279, 6336,	\@notprerr 2759, 2772
12579, 12720,	10681, 10690,	\@nx 120, 121, 261
12919, 12962,	10692, 10704, 15286	\@nxtcol 9107, 9109, 9150
12966, 13149,	\@ninecol@footgroupv@r	\@oddf foot 1605, 9120,
13443, 13559, 8220	9127, 16800, 16809
13911, 14027,	\@ninecolLTRfootfmt	\@oddhead 9119,
14417, 14545, 8243, 8264, 8292	9126, 16800, 16808
14661, 15087,	\@ninecolLTRfootnotetext	\@oldmakefnmark
15091, 15152, 8215, 8236 13492,
15161, 15168,	\@ninecolRTLfootfmt	13493, 13556,
15482, 16085, 8253, 8267, 8304	13557, 13960,
16328, 16369,	\@ninecolRTLfootnotetext	13961, 14024,
16456, 16458, 8216, 8246	14025, 14594,
16459, 16460,	\@ninecolfootfmt . .	14595, 14658, 14659
16465, 16467, 8233, 8261, 8279	\@onelevel@sanitize 1903
16468, 16469,	\@ninecolfootnotetext	\@openbib@code
16474, 16476, 8214, 8226 499, 633,
16477, 16478,	\@nmbrlistfalse 16336	901, 1153, 2286,
16483, 16485,	\@nobreakfalse	2297, 4811, 5004,
16486, 16487, 440, 593,	5314, 6655, 6927,
16565, 16567, 16730	839, 1080, 4769,	8843, 12482,
\@newlistfalse	4948, 5237, 6874,	12875, 13073,
. 9159, 16397, 16788	8787, 12432,	13277, 13742,
\@next 1921,	12806, 13023,	14266, 14857, 15323
3432, 3433, 3476,	13209, 13670,	\@otarlinesep
3477, 3520, 3521,	15429, 15433, 16408 15047, 15053
16652, 16653,	\@nobreaktrue 439,	\@outerparskip 4573, 4686
16696, 16697, 16729	592, 838, 1079,	\@outputbox 5653,
\@nextchar 279,	4768, 4947, 5236,	5656, 5661, 5666,
281, 282, 283,	6873, 8786,	5668, 5689,
285, 286, 287,	12431, 12805,	5692, 5700, 5705,
288, 289, 292,	13022, 13208,	5707, 7119, 7121,
293, 294, 1311,	13669, 15428, 15432	8735, 8737, 8738,
1313, 1314, 1315,	\@nocnterr 258	8743, 8756, 8758,
1317, 1318, 1319,	\@nocounterr 257	8763, 8996, 8999,
1320, 1321, 1322,	\@nodocument 1900	9012, 9017, 9028,
1323, 1326, 1327,	\@noitemargfalse 16415	9031, 9045, 9051,
1328, 1340, 1342,		9132, 9137, 9176,



9750, 9755, 9760, 9770, 9775, 9782, 11456, 11475, 11500, 11503, 11505, 11515, 11538, 11557, 11582, 11585, 11587, 11595, 16595, 16597, 16602, 16613, 16616, 16624, 16831	\@paraRTLfootnotetext 8552, 8589 \@parafootRTLfalse 6983 \@parafootRTLtrue 6982 \@parafootfmt 8575, 8600, 8622 \@parafootnotetext 8550, 8567 \@parboxrestore . 41, 54, 69, 175, 188, 202, 1970, 3183, 3451, 3495, 3539, 5368, 7036, 7049, 7062, 7135, 7253, 7265, 7278, 7318, 7397, 7408, 7420, 7458, 7540, 7552, 7565, 7605, 7687, 7699, 7712, 7752, 7834, 7846, 7859, 7899, 7981, 7993, 8006, 8046, 8128, 8140, 8153, 8193, 8275, 8287, 8300, 8340, 8422, 8434, 8447, 8487, 8617, 8630, 8643, 8691, 9159, 9417, 9433, 9448, 9475, 9488, 9501, 9519, 11440, 11617, 16439, 16671, 16715, 16789 \@parboxto . 16442, 16449 \@parmoderr 1919, 3429, 3473, 3517, 16649, 16693 \@part 472, 6620 \@pboxswfalse 9510, 16435 \@pboxswtrue 16447 \@phone . 2172, 6111, 6209 \@photo .. 2177, 6084, 6086, 6215, 6217 \@photowidth .. 2176, 2177, 6086, 6182 \@plus ... 24, 99, 154, 430, 447, 523, 538, 567, 570, 583, 601, 608, 789, 796, 799, 812, 829, 847,	1043, 1054, 1057, 1070, 1088, 1096, 2211, 2296, 2894, 2895, 2896, 2903, 2904, 2905, 2907, 2908, 4050, 4051, 4052, 4054, 4055, 4121, 4733, 4744, 4747, 4760, 4776, 4783, 4912, 4923, 4926, 4939, 4955, 4962, 5125, 5228, 5243, 6596, 6610, 6866, 8602, 8606, 8610, 8702, 8778, 8793, 9640, 9678, 11669, 11681, 11896, 12378, 12407, 12410, 12423, 12439, 12446, 12635, 12781, 12784, 12797, 12813, 12820, 13015, 13029, 13098, 13200, 13215, 13465, 13474, 13498, 13521, 13539, 13610, 13635, 13648, 13683, 13784, 13791, 13933, 13942, 13966, 13989, 14007, 14078, 14103, 14116, 14143, 14173, 14308, 14315, 14567, 14576, 14600, 14623, 14641, 14712, 14737, 14750, 14780, 14899, 14906, 15237, 15266, 15386, 15661, 15714, 15898, 16578 \@pnumwidth .. 13, 15, 139, 141, 433, 434, 436, 450, 451, 455, 586, 587,
\@outputdblcol 9106, 16638, 16639, 16640 \@outputpage .. 2034, 2046, 5672, 5675, 5712, 5717, 9020, 9023, 9054, 9058, 9134, 9138, 9143, 9154, 9761, 9765, 9785, 9789, 11520, 11525, 11599, 11604, 16605, 16608, 16628, 16633, 16783 \@ovbtrue 8954 \@ovdx 8967, 8975 \@ovdy 8968, 8976 \@ovhorz 8973, 8974 \@ovltrue 8954 \@ovri 8966 \@ovro . 8966, 8975, 8976 \@ovrtrue 8954 \@ovttrue 8954 \@ovvert 8971, 8972 \@ovxx ... 8956, 8957, 8960, 8967, 8972, 8973, 8977, 8978 \@ovyy ... 8958, 8959, 8960, 8968, 8974 \@pagedp ... 16758, 16768 \@pageht 5733, 5842, 16741, 16748 \@para@footgroupv@r 8556 \@paraLTRfootfmt 8586, 8604, 8635 \@paraLTRfootnotetext 8551, 8578 \@paraRTLfootfmt 8597, 8608, 8648		



589, 611, 612, 616, 815, 816, 820, 832, 833, 835, 1073, 1074, 1076, 1099, 1100, 1104, 4763, 4764, 4766, 4786, 4787, 4791, 4942, 4943, 4945, 4965, 4966, 4970, 5231, 5232, 5234, 5246, 5247, 5251, 5505, 5510, 5511, 6599, 6600, 6604, 6613, 6614, 6616, 6868, 6869, 6871, 8781, 8782, 8784, 8796, 8797, 8801, 11689, 12426, 12427, 12429, 12449, 12450, 12454, 12800, 12801, 12803, 12823, 12824, 12828, 13017, 13018, 13020, 13032, 13033, 13037, 13203, 13204, 13206, 13218, 13219, 13223, 13656, 13657, 13663, 13692, 13693, 13700, 14124, 14125, 14131, 14151, 14152, 14158, 14182, 14183, 14190, 14758, 14759, 14765, 14789, 14790, 14797, 15293, 15302, 15304, 15691, 15805, 15910, 16590	\@preamble 313, 314, 324, 326, 1365, 1373, 11190, 15025, 15027, 15034, 15065, 15066, 15074, 16547, 16549, 16558	\@preameightfmt 8109, 8115, 8118, 8121, 8201 \@preamerr 295, 1329, 1359, 15178, 16556, 16569 \@preamfivefmt 7668, 7674, 7677, 7680, 7760 \@preamfntext 6990, 7006, 7022, 7130, 7207, 7217, 7227, 7305, 7354, 7363, 7372, 7446, 7494, 7504, 7514, 7592, 7641, 7651, 7661, 7739, 7788, 7798, 7808, 7886, 7935, 7945, 7955, 8033, 8082, 8092, 8102, 8180, 8229, 8239, 8249, 8327, 8376, 8386, 8396, 8474, 8570, 8581, 8592, 8677 \@preamfourfmt 7521, 7527, 7530, 7533, 7613 \@preamninefmt 8256, 8262, 8265, 8268, 8348 \@preamsevenfmt 7962, 7968, 7971, 7974, 8054 \@preamsixfmt 7815, 7821, 7824, 7827, 7907 \@preamtenfmt 8403, 8409, 8412, 8415, 8495 \@preamthreelfmt 7378, 7384, 7387, 7390, 7466 \@preamtwofmt 7234, 7240, 7243, 7246, 7326 \@printcites 12279 \@ptsize . 2075, 2076, 2077, 2078, 2085 \@publisher . 4213, 4266	\@publishers 13522, 13586, 13636, 13990, 14054, 14104, 14624, 14688, 14738 \@quote . . 2178, 6090, 6092, 6219, 6221 \@quotebox 12278 \@quotecolour 2140, 2157, 2267 \@r@m@msize 15060 \@raggedtwoe@everyselectfont 12292, 12305, 12318, 12329 \@raggedtwoe@gnewline 12285, 12298, 12311 \@raggedtwoe@raggedrightboxes@opt 12331, 12360 \@raggedtwoe@samed@gnewline 12322 \@raggedtwoe@samedcr 12282, 12295, 12308, 12321 \@raggedtwoe@spaceskipfalse 12328 \@raggedtwoe@spaceskiptrue 12291, 12304, 12317 \@rc@ifdefinable 2413, 2452 \@reffalse 14442 \@reftrue 14443, 14444, 14445, 14446, 14447, 14448, 14449, 14450 \@regtocline 564, 602, 619, 793, 823, 848, 1051, 1089, 1107, 4741, 4777, 4795, 4920, 4956, 4974, 12404, 12440, 12458, 12778, 12814, 12832 \@rememsize 15057, 15060 \@removefromreset 11915, 11917 \@reqcolroom . . 5733, 5734, 5735, 5736, 5796, 5841, 5842, 5843, 5844, 5845, 5846, 5960
---	---	---	--



\@resetactivechars	1069, 1087, 1095,	\@sixcolLTRfootfmt
..... 9157, 16786	6595, 6609,	.. 7802, 7823, 7851
\@resetdyn@mics .. 9145	13647, 13681,	\@sixcolLTRfootnotetext
\@resetst@tics ... 9144	15278, 15409, 15464 7774, 7795
\@restonecolfalse .	\@sectiontitlecolour	\@sixcolRTLfootfmt
..... 94, 149, 2141, 2158	.. 7812, 7826, 7863
513, 529, 780,	\@seesize . 15057, 15060	\@sixcolRTLfootnotetext
1034, 4724, 4903,	\@setcol 9151 7775, 7805
5115, 12369,	\@setcolbox . 9112, 9148	\@sixcolfootfmt ...
12626, 13088, 15344	\@setcopyright 108	.. 7792, 7820, 7838
\@restonecoltrue ..	\@setfontsize . 2893,	\@sixcolfootnotetext
94, 149, 515, 531,	2902, 4049, 4059, 7773, 7785
782, 1036, 4726,	4060, 4061, 4062,	\@skip@bove 15051, 15053
4905, 5117, 12371,	4063, 4064, 4065	\@spaces
12628, 13090, 15346	\@setfpsbit	15089, 15130, 15135
\@resumename . 2110, 2166	... 1935, 1938, 1941	\@spart 6639
\@revlabeltrue . 666,	\@setmarks ... 9005,	\@specialpagefalse
920, 1172, 4853,	9007, 9020, 9114, 16797
5032, 12512, 12651	9037, 9039, 9053	\@specialstyle
\@rightcolumn . 11467,	\@setminipage . 3185, 9115, 16797
11472, 11473,	9526, 9734, 11442	\@stabarray 15013
11482, 11483,	\@setpar 12916,	\@stabular 15009
11491, 11495,	12959, 13440,	\@star@or@long 2408,
11501, 11549,	13447, 13908,	2422, 2446, 2457
11554, 11555,	13915, 14414,	\@startdblcolumn ..
11564, 11565,	14419, 14542, 14549 5673,
11573, 11577, 11583	\@settab 4653	5675, 5715, 5718,
\@rightskip	\@sevendcol@footgroupv@r	9021, 9023, 9057,
.. 11241, 12287, 7926	9058, 9141, 9143,
12288, 12300,	\@sevendcolLTRfootfmt	9763, 9765, 9787,
12301, 12313,	.. 7949, 7970, 7998	9789, 11523,
12314, 12324,	\@sevendcolLTRfootnotetext	11526, 11602,
12325, 12342, 16490 7921, 7942	11605, 16606,
\@rjfieldfalse ... 16776	\@sevendcolRTLfootfmt	16608, 16631, 16634
\@s@size 15060	.. 7959, 7973, 8010	\@startfield 4695
\@sarray 15018	\@sevendcolRTLfootnotetext	\@startpbox .. 1342,
\@savemarbox 16770 7922, 7952	1343, 1408, 1409,
\@secondoftwo . 2336,	\@sevendcolfootfmt .	1410, 5441, 5442,
2345, 2354, 2363,	.. 7939, 7967, 7985	5443, 11169,
2369, 2372, 2383,	\@sevendcolfootnotetext	11170, 11176,
2388, 2395, 7920, 7932	15028, 15067, 16550
2550, 2560, 2561,	\@sharp 320,	\@startsection 23
2562, 2563, 2569,	1367, 1368, 1369,	\@starttoc .. 4016, 4024
2578, 2584, 2608,	1375, 1376, 1377,	\@stopfield
2636, 2664, 2713,	10681, 10687,	... 4660, 4675,
2725, 2726, 2735	11182, 15030,	4679, 4707, 16776
\@secpenalty 5,	15066, 15072, 16553	\@stopline . 4679, 16776
131, 429, 446,	\@sixcol@footgroupv@r	\@strip 11614
582, 600, 607, 7779	\@subjclass 251
811, 828, 846,		



\@subject	13506, 13507, 13585, 13619, 13620, 13974, 13975, 14053, 14087, 14088, 14608, 14609, 14687, 14721, 14722	2883, 2884, 2886, 2888, 3582, 3583, 3585, 3587, 8955, 9837, 9838, 9839, 9840, 9877, 9880, 9881, 9887, 9898, 9899, 9905, 9910, 9911, 9913, 9916, 9953, 9954, 9955, 9956, 10430, 10434, 10437, 10449, 10468, 10472, 10475, 10487, 11216, 11217, 11219, 11220, 11918, 11919, 11920, 11923, 11930, 11936, 12559, 12561, 12563, 12567, 12700, 12702, 12704, 12708, 13295, 13296, 13338, 13339, 13439, 13744, 13747, 13907, 14268, 14271, 14413, 14541, 14859, 14862, 15138, 15140, 15145, 15147, 15896, 15913, 15917, 15918, 15919, 15928, 15942, 16096, 16099, 16105, 16109, 16123	6357, 6358, 6359, 6361, 7159, 8966, 8970, 8978, 8979, 9092, 9093, 9094, 9515, 9539, 9577, 9622, 9629, 9639, 9642, 9646, 9648, 9654, 9688, 9690, 9696, 9709, 9713, 9714, 9899, 9916, 10045, 10226, 10228, 10788, 10789, 10849, 10854, 10858, 11199, 11200, 11203, 11368, 11371, 11375, 11377, 11383, 11385, 11386, 11415, 11416, 11420, 12048, 12049, 12052, 13810, 13824, 13828, 13830, 13853, 13854, 13856, 13857, 13859, 13864, 13869, 14334, 14348, 14352, 14354, 14377, 14378, 14380, 14381, 14383, 14388, 14393, 14925, 14939, 14943, 14945, 14968, 14969, 14971, 14972, 14974, 14979, 14984, 15112, 15132, 15857, 15860, 15865, 15869, 15873, 15877, 15881, 15885, 15889, 15893, 16420, 16426, 16427, 16429, 16514, 16515, 16572, 16573, 16574, 16575, 16655,
\@subsectioncolour 2143, 2159		
\@subtitle 13512, 13582, 13625, 13980, 14050, 14093, 14614, 14684, 14727		
\@tabacol 1847, 11167, 15011, 16532		
\@tabarray	. 301, 325, 329, 1849, 11154, 11156, 16534, 16561		
\@tabclassiv	.. 1849, 11168, 15013, 16534		
\@tabclassz	1370, 1848, 11168, 15012, 16533		
\@tabcr 4656, 4666		
\@tabminus 4654		
\@tabplus 4653		
\@tabular	297, 1835, 16530		
\@tabularcr	.. 1849, 11172, 15013, 16534		
\@tagsextension 2312, 2314		
\@tarlinesep	.. 15053, 15054, 15055, 15056, 15059, 15061		
\@temp@bibkey	3638, 3666		
\@temp@bibkeyx	3643, 3644, 3646, 3647, 3648, 3649, 3675, 3676, 3678, 3679, 3680, 3681		
\@temp@last@bibkey 3637, 3638, 3644, 3665, 3666, 3676		
\@tempa 119, 122, 713, 715, 717, 721, 967, 969, 971, 975, 1219, 1221, 1223, 1227, 2301, 2302, 2305,		
\@tempb	.. 2301, 2302, 2304, 2305, 9837, 9838, 9878, 9880, 9908, 9910, 9911, 9913, 9916, 11922, 11923, 11929, 11930, 11935, 11936		
\@tempboxa	3435, 3479, 3523, 5756, 5780, 5789, 5848, 5892, 5933, 5944, 5953, 6302, 6303, 6304, 6305, 6307, 6356,		



16699, 16821,	5503, 5508, 5737,	13035, 13201,
16828, 16829,	5806, 5807, 5821,	13216, 13221,
16846, 16847, 16851	5822, 5826, 5903,	13340, 13341,
\@tempc . . 9879, 9881,	5971, 5972, 5986,	13441, 13442,
9887, 10765, 10770	5987, 5991, 6007,	13443, 13448,
\@tempcnta . . . 1333,	6008, 6248, 6249,	13449, 13452,
1392, 1393, 1394,	6250, 6251, 6269,	13649, 13652,
1396, 1397, 1923,	6270, 6271, 6272,	13659, 13684,
1929, 1931, 1944,	6278, 6280, 6281,	13687, 13696,
1945, 1951, 1952,	6285, 6286, 6287,	13827, 13828,
5428, 5430, 6277,	6288, 6289, 6297,	13853, 13854,
6334, 10816,	6301, 6304, 6305,	13855, 13857,
10817, 10821,	6306, 6320, 6321,	13909, 13910,
12011, 12013,	6322, 6335, 6337,	13911, 13916,
12017, 12020,	6338, 6342, 6343,	13917, 13920,
12022, 13545,	6344, 6345, 6346,	14117, 14120,
13547, 13803,	6352, 6355, 6358,	14127, 14144,
13822, 14013,	6359, 6360, 6372,	14147, 14154,
14015, 14327,	6373, 6374, 6399,	14174, 14177,
14346, 14647,	6401, 6402, 6403,	14186, 14351,
14649, 14918,	6407, 6414, 6416,	14352, 14377,
14937, 15125,	6418, 6425, 6449,	14378, 14379,
15704, 15705,	6450, 6455, 6456,	14381, 14415,
15706, 15725,	6457, 6458, 6459,	14416, 14417,
15726, 15727,	6574, 6576, 6578,	14420, 14421,
15729, 15731,	6597, 6602, 6612,	14424, 14543,
15813, 15814,	8745, 8747, 8780,	14544, 14545,
15815, 16730,	8794, 8799, 8967,	14550, 14551,
16732, 16735,	8968, 8971, 8972,	14554, 14751,
16737, 16739, 16761	9513, 9517, 9896,	14754, 14761,
\@tempcntb . . . 1949,	9898, 9903, 9905,	14781, 14784,
1950, 1951, 13803,	9906, 9908, 9921,	14793, 14942,
13821, 14327,	9926, 9931, 9935,	14943, 14968,
14345, 14918, 14936	10780, 10786,	14969, 14970,
\@tempdima . 8, 10, 12,	10787, 10793,	14972, 15058,
14, 134, 136, 138,	10794, 11164,	15061, 15063,
140, 305, 306,	11174, 11179,	15126, 15185,
308, 431, 448,	11470, 11474,	15186, 15187,
453, 572, 585,	11552, 11556,	15419, 15423,
609, 614, 801,	11614, 11639,	15450, 15454,
802, 813, 818, 831,	11662, 11674,	15473, 15477,
1059, 1072, 1097,	11675, 11686,	15490, 15494,
1102, 1387, 1388,	11687, 12412,	15507, 15511,
1420, 1421, 1422,	12425, 12447,	15524, 15528,
2072, 2074, 4037,	12452, 12786,	15541, 15545,
4038, 4749, 4762,	12799, 12821,	15558, 15562,
4784, 4789, 4928,	12826, 12917,	15576, 15580,
4941, 4963, 4968,	12918, 12919,	15595, 15599,
5229, 5244, 5249,	12960, 12961,	15615, 15619,
5453, 5454, 5455,	12962, 13030,	15650, 15654,



15721, 15723,	15061, 15063,	\@tencolRTLfootnotetext
15752, 15755,	15722, 15728, 8363, 8393
15762, 15765,	15730, 15735,	\@tencolfootfmt ...
15769, 15774,	15737, 15740,	.. 8380, 8408, 8426
15777, 15789,	15744, 15748,	\@tencolfootnotetext
15822, 15824,	15756, 15758, 8361, 8373
15825, 15828,	15759, 15772,	\@testopt 2424,
15831, 15835,	15778, 15780,	2442, 11161, 11162
15842, 15844,	16061, 16062,	\@testpach 272, 1304,
15903, 15904,	16064, 16066,	1349, 15151, 16562
15917, 15919,	16069, 16070,	\@textbottom
15927, 15934,	16072, 16075,	... 8740, 13465,
16058, 16059,	16089, 16090,	13474, 13784,
16078, 16089,	16091, 16095,	13791, 13933,
16090, 16091,	16108, 16112,	13942, 14308,
16092, 16104,	16113, 16441, 16442	14315, 14567,
16107, 16113,	\@tempdimc	14576, 14899, 14906
16114, 16438,	... 5423, 13438,	\@textsuperscript .
16439, 16583,	13445, 13446,	.. 374, 377, 667,
16584, 16740,	13456, 13906,	729, 731, 921,
16741, 16742,	13913, 13914,	985, 1173, 1235,
16743, 16746,	13924, 14540,	1237, 1635, 1638,
16749, 16752,	14547, 14548, 14558	3703, 3705, 4854,
16754, 16777, 16778	\@tempskipa	5033, 5172, 5175,
\@tempdimb ... 5422,	4572, 4573, 4574,	6713, 6716, 6810,
5739, 5742, 5743,	4685, 4686, 4687	6813, 8891, 8894,
5744, 5745, 5748,	\@tempswafalse	11311, 12513,
5749, 5750, 5751,	... 6289, 6346,	12575, 12577,
5752, 5753, 5754,	9844, 16143, 16186	12652, 12716,
5905, 5908, 5909,	\@tempswattrue 6283, 6340	12718, 12914,
5911, 5913, 5916,	\@temptokena	12921, 12957,
5920, 5923, 5926,	... 117, 121, 11997	12964, 13144, 13147
5930, 5932, 6248,	\@tempx	\@texttop
6249, 6269, 6270,	4588, 10508, 10520	8736
6321, 6323, 6326,	\@tempxi	\@tfor
6373, 6375, 6378,	4591, 10539, 10551	1924, 8955
6405, 6407, 6420,	\@tempxii 4593,	\@thanks ... 353, 361,
6421, 6422, 6423,	4594, 10570, 10582	389, 397, 698,
6425, 6452, 6455,	\@tempy	704, 743, 749,
8960, 8961, 8962,	1856, 1857	952, 958, 997,
8963, 8965, 9897,	\@tempyi 1859, 1860	1003, 1204, 1210,
9898, 9904, 9905,	\@tempyii ... 1862, 1863	1249, 1255, 1640,
9907, 9908, 11614,	\@tencol@footgroupv@r	1646, 4885, 4891,
11639, 13450, 8367	5064, 5070, 5151,
13451, 13452,	\@tencolLTRfootfmt	5159, 5187, 5195,
13918, 13919,	.. 8390, 8411, 8439	6694, 6700, 6728,
13920, 14422,	\@tencolLTRfootnotetext	6734, 6789, 6797,
14423, 14424, 8362, 8383	6825, 6833, 8872,
14552, 14553,	\@tencolRTLfootfmt	8878, 8906, 8912,
14554, 15058,	.. 8400, 8414, 8451	9541, 9555, 9558,
		11304, 11327,
		12544, 12550,



12589, 12595,	9397, 9402, 9419,	2108, 2169, 4221,
12683, 12691,	9435, 9450, 9477,	4306, 4863, 4865,
12730, 12738,	9490, 9503, 9546,	4893, 5042, 5044,
12935, 12943,	9551, 9561, 9566,	5072, 5141, 5162,
12976, 12984,	9799, 10273,	5198, 5212, 6200,
13123, 13131,	10284, 10295,	6684, 6703, 6737,
13159, 13167,	10306, 10441,	6749, 6779, 6800,
13525, 13569,	10479, 10512,	6836, 6850, 8862,
13578, 13993,	10543, 10574,	8881, 8915, 8927,
14037, 14046,	10637, 12513,	11305, 12522,
14627, 14671, 14680	12575, 12577,	12524, 12552,
\@thefnmark 43,	12652, 12716,	12597, 12610,
56, 71, 177, 190,	12718, 12914,	12661, 12663,
204, 374, 377,	12921, 12957,	12693, 12740,
667, 729, 731,	12964, 13144, 13147	12756, 12767,
921, 985, 1173,	\@thefoot	12925, 12946,
1235, 1237, 1635,	9120, 9123, 9127,	12987, 13001,
1638, 1879, 1887,	16800, 16803,	13113, 13134,
1895, 3703, 3705,	16806, 16809, 16835	13170, 13184,
3738, 3755, 3772,	\@thehead	13510, 13581,
3798, 3804, 3825,	9119, 9122, 9126,	13623, 13978,
3831, 3852, 3858,	16800, 16802,	14049, 14091,
4608, 4615, 4622,	16805, 16808, 16825	14612, 14683, 14725
4854, 5033, 5172,	\@themargin . . 9172,	\@titlecolour 2138, 2155
5175, 6713, 6716,	16801, 16803, 16820	\@titlehead
6810, 6813, 6993,	\@thm 11951, 11972	. . 13499, 13501,
7009, 7025, 7038,	\@thmcountersep . . .	13584, 13611,
7051, 7064, 7105, 270, 16320	13613, 13967,
7109, 7111, 7209,	\@threecol@footgroupv@r	13969, 14052,
7219, 7229, 7255, 7345	14079, 14081,
7268, 7280, 7356,	\@threecolLTRfootfmt	14601, 14603,
7365, 7374, 7399,	. . 7367, 7386, 7413	14686, 14713, 14715
7411, 7422, 7496,	\@threecolLTRfootnotetext	\@tocextra
7506, 7516, 7542, 7340, 7360	. . 15370, 15371,
7555, 7567, 7643,	\@threecolRTLfootfmt	15375, 15377, 15380
7653, 7663, 7689,	. . 7376, 7389, 7424	\@tocline 2, 128
7702, 7714, 7790,	\@threecolRTLfootnotetext	\@tocpagenum 15, 141
7800, 7810, 7836, 7341, 7369	\@tocrmarg
7849, 7861, 7937,	\@threecolfootfmt .	. . 11658, 11670,
7947, 7957, 7983,	. . 7358, 7383, 7401	11682, 15414,
7996, 8008, 8084,	\@threecolfootnotetext	15445, 15468,
8094, 8104, 8130, 7339, 7351	15485, 15502,
8143, 8155, 8231,	\@title 247,	15519, 15536,
8241, 8251, 8277,	343, 364, 400,	15553, 15571,
8290, 8302, 8378,	414, 676, 678,	15590, 15610,
8388, 8398, 8424,	706, 751, 764,	15645, 15696,
8437, 8449, 8572,	930, 932, 960,	15782, 15899, 16579
8583, 8594, 8619,	1005, 1018, 1182,	\@todonotes@MissingFigureDown
8632, 8645, 8891,	1184, 1212, 1257, 16039
8894, 9388, 9393,	1271, 1282, 1649,	\@todonotes@MissingFigureText



..... 16016	12355, 16345,	\@viiipt 2902, 4059
\@todonotes@MissingFigureUp	16347, 16353,	\@viipt 4059
..... 16038	16355, 16359,	\@viper 5676,
\@todonotes@author	16361, 16365,	5678, 5680,
..... 15985, 16003	16367, 16369,	5719, 5721, 5723,
\@todonotes@currentfigcolor	16456, 16458,	5735, 5799, 5845,
..... 16020	16459, 16460,	5963, 6012, 11615,
\@todonotes@currentfigheight	16465, 16467,	11630, 11632, 11637
..... 16021	16468, 16469,	\@viperoutput 5682, 5725
\@todonotes@currentfigwidth	16474, 16476,	\@vipt 4060
..... 16021,	16477, 16478,	\@vpt 4060
16023, 16033, 16036	16483, 16485,	\@whilenum 10817
\@todonotes@drawLineToLeftMargin	16486, 16487, 16777	\@whilesw
..... 15972, 15975	\@traditionalpoem .	5674, 5716, 9022,
\@todonotes@drawLineToRightMargin 4529, 4628	9058, 9142, 9764,
..... 15972, 15975	\@trivlist	9788, 11524,
\@todonotes@drawMarginNote	11962, 11982, 16338	11603, 16607, 16632
15971, 15974, 15978	\@twocol@footgroupv@r	\@wholewidth
\@todonotes@drawMarginNoteWithLine 7198	.. 8957, 8959, 8977
..... 15966	\@twocolLTRfootfmt	\@width 29, 31, 164, 166,
\@todonotes@ifdisabled	.. 7221, 7242, 7270	310, 460, 466,
..... 16045	\@twocolLTRfootnotetext	645, 653, 883,
\@todonotes@sizecommand 7193, 7214	890, 1130, 1138,
.. 15985, 15987,	\@twocolRTLfootfmt	1422, 2012, 4823,
15999, 16002,	.. 7231, 7245, 7282	4831, 4979, 4987,
16003, 16005, 16008	\@twocolRTLfootnotetext	5257, 5263, 5455,
\@todonotes@text 7194, 7224	5697, 5772, 5937,
.. 15985, 15987,	\@twocolfootfmt ...	6230, 6666, 6672,
16000, 16006, 16009	.. 7211, 7239, 7257	6966, 6972, 6981,
\@todonotes@textwidth	\@twocolfootnotetext	8827, 8833, 9049,
..... 15983 7192, 7204	9337, 9702, 9758,
\@toodeep 16326	\@twocolumntrue .. 1987	10726, 10732,
\@topnum 107,	\@twosidefalse ... 2868	11181, 11214,
241, 386, 740,	\@twosidetrue 2863	11262, 11509,
994, 1246, 4299,	\@typeset@protect .	11592, 11733,
5184, 6725, 6822, 1794,	11744, 11817,
8903, 11324,	1800, 1806, 1821	12463, 12471,
12586, 12727,	\@undeclaredcolor .	12887, 12895,
12973, 13156, 5468,	13046, 13052,
13566, 14034, 14668	5476, 16136, 16137	13229, 13235,
\@topsep	\@undefined .. 1852,	13467, 13476,
11965, 11985, 16386	1984, 11166, 11425	13785, 13792,
\@topsepadd	\@undottedtocline 11655	13935, 13944,
. 1766, 11966, 11986	\@unexpandable@protect	14309, 14316,
\@totalleftmargin 2475	14569, 14578,
..... 9724,	\@unrecurse 15048, 15051	14900, 14907,
9728, 9731, 9740,	\@uppertitleback ..	15023, 15063,
11240, 11968, 13529,	16545, 16621, 16768
11969, 11988,	13587, 13997,	\@x 4645, 4646
11989, 12341,	14055, 14631, 14689	



\@x@sf 3712, 3717, 3723, 3726, 10393, 10405	\@yargdef 2444	11364, 11414,
\@xLTRfootnote 1843, 1966, 4479, 4490, 4703, 4717, 9396, 9399	\@ympar 16769	13877, 13881,
\@xLTRfootnotenext 1842, 1965, 4478, 4489, 4702, 4716, 9545, 9548, 10292, 15098	\@ythm 11970, 11990	14401, 14405,
\@xRTLfootnote 1845, 1968, 4481, 4492, 4705, 4719, 9387, 9390	\[..... 4653, 9062	14992, 14996, 16845
\@xRTLfootnotenext 1844, 1967, 4480, 4491, 4704, 4718, 9560, 9563, 10281, 15099	\ \ 118, 324, 674, 719, 928, 973, 1180, 1225, 1849, 2216, 2222, 2300, 3201, 3202, 3203, 3205, 4108, 4550, 4861, 5040, 6088, 6089, 6092, 6108, 6195, 6200, 6207, 6217, 6221, 6946, 6950, 6959, 10125, 10128, 10141, 10144, 10244, 10661, 10662, 10717, 10721, 10832, 10833, 11159, 11245, 12015, 12027, 12282, 12283, 12295, 12296, 12308, 12309, 12321, 12520, 12565, 12659, 12706, 14517, 15013, 15029, 15046, 15047, 15236, 15265, 15982, 15989, 16490, 16534, 16551, 16561	\abovedisplayshortskip .. 2895, 2904, 4051
\@xaddress 248		\abovedisplayskip 2894, 2897, 2903, 2910, 2944, 4050, 4057
\@xauthor 248		\abstractname .. 550, 556, 559, 859, 865, 867, 1113, 1119, 1122, 4800, 4993, 12390, 12396, 12399, 12842, 12848, 12851
\@xcolor@ .. 16144, 16187		\active 4429, 4430, 4432, 4433
\@xcurraddr 249		\add@strip 11639
\@xemail 249		\addcontentsline 475, 477, 2213, 3180, 6623, 6625, 11437, 15353, 15360, 15377, 16016
\@xfloat 1899		\addfontfeature 2136, 2137, 2138, 2139, 2140, 2141, 2143, 2144
\@xfloatnote ... 1841, 1964, 4477, 4488, 4701, 4715, 10635		\addpenalty .. 5, 131, 429, 446, 582, 600, 607, 811, 828, 846, 1069, 1087, 1095, 4759, 4775, 4782, 4938, 4954, 4961, 5227, 5242, 6595, 6609, 6865, 8777, 8792, 12422, 12438, 12445, 12796, 12812, 12819, 13014, 13028, 13199, 13214, 13647, 13681, 14115, 14142, 14171, 14749, 14778, 15278, 15280, 15407, 15409, 15442, 15464, 16385, 16390
\@xfootnotemark . 10303		\address 248, 2170
\@xfootnotenext 1840, 1963, 4476, 4487, 4700, 4714, 10270, 15097	\{ 1711	
\@xiipt 4062	\} 1712, 16317	
\@xipt 4061	\] 4654, 9072	
\@xivpt 230, 4063	\^ 1549, 4429, 4430, 4432, 4433	
\@xmakefntext .. 730, 1236, 12576, 12717	\` 9722, 11237, 12337, 12351	
\@xp 117, 235, 260, 261, 5377	\ 9601, 9602, 9717	
\@xpt 2893		
\@xthm 11970, 11990		
\@xtitle 247		
\@xxpt 4064		
\@xxxii 1950		
\@xympar 3441, 3445, 3485, 3489, 3529, 3533, 16661, 16665, 16705, 16709, 16772	_ .. 1488, 1590, 3645, 3649, 3677, 3681, 9594, 9596, 14511	

A

\abovecaptionskip .
..... 10847,



\addresscolour	2139, 6040, 6138, 6144, 6150, 6156, 6162	12423, 12439, 12797, 12813, 13015, 13200, 13648, 13683, 14116, 14143, 14750, 15411, 15465, 15716, 16386, 16387, 16391	453, 498, 614, 632, 802, 818, 900, 1102, 1152, 1387, 1421, 1608, 1613, 1931, 1945, 1951, 2030, 2285, 3389, 4038, 4113, 4573, 4686, 4789, 4810, 4968, 5003, 5249, 5313, 5454, 5462, 5463, 5503, 5615, 5735, 5736, 5745, 5806, 5807, 5822, 5842, 5845, 5846, 5855, 5857, 5863, 5864, 5867, 5870, 5873, 5916, 5971, 5972, 5987, 6007, 6008, 6238, 6248, 6249, 6259, 6269, 6270, 6286, 6287, 6288, 6305, 6314, 6321, 6343, 6344, 6345, 6359, 6366, 6373, 6402, 6403, 6416, 6418, 6421, 6422, 6423, 6602, 6654, 6926, 7185, 7187, 8799, 8842, 8957, 8959, 8961, 8967, 8968, 8975, 8976, 8977, 9135, 9136, 9597, 9611, 9624, 9625, 9657, 9662, 9663, 9666, 9675, 9739, 10821, 11174, 11186, 11462, 11464, 11491, 11492, 11495, 11544, 11546, 11573, 11574, 11577, 11628, 11629, 11630, 11631, 11640, 11662, 11675, 11687, 11700, 11963, 11967, 11968, 11983, 11987, 11988,
\addressfont	.. 2148, 2156, 2267, 6078, 6106, 6170, 6204		
\addresssymbol 2130, 6108, 6207		
\addresstyle 2156	\adl@act@classz	.. 1425
\addtocontents	.. 15693	\adl@act@CT@setup	.
\addtocounter	10813, 10814 1383, 1390	
\addtolength 2090, 2091, 2092, 2093, 2094, 2095, 2193, 2194, 2196, 2198, 2199, 2202, 2979, 2982, 2983, 2986, 4074, 6186, 6187, 6188, 6458, 9978, 9979, 10783, 10787, 10789, 10791, 10792, 10793, 10794, 10799, 10801, 10802, 10804, 10805, 10807, 10808, 10809, 10819, 10820, 13442, 13445, 13446, 13449, 13451, 13854, 13855, 13910, 13913, 13914, 13917, 13919, 14378, 14379, 14416, 14421, 14423, 14544, 14547, 14548, 14551, 14553, 14969, 14970, 15297, 15298	\adl@activate	1300, 1383
		\adl@argarraydashrule	
	 1319, 1357	
		\adl@array	.. 1297, 1302
		\adl@arraydashrule	
	 1318, 1356	
		\adl@arrayinit	... 1299
		\adl@arrayrestore	1294
		\adl@arrayrule	1317, 1355
		\adl@box	1340, 1342, 1343
		\adl@class@iiiorvii	
	 1346, 1379	
		\adl@class@start	..
	 1345, 1378	
		\adl@CT@setup
		.. 1382, 1385, 1386	
		\adl@depth 1389
		\adl@endarray 1294
		\adl@endmbox 1341
		\adl@everyvbox	1298, 1299
		\adl@extract@arc	. 1394
		\adl@extract@dgc	. 1397
		\adl@extract@drsc	1395
		\adl@height 1388
		\adl@inactivate	...
	 1300, 1382	
		\adl@LT@array 10679
		\adl@noalign 1301
		\adl@org@activate	1383
		\adl@org@classz	.. 1426
		\adl@org@endpbox	. 1384
		\adl@org@inactivate	1382
		\adl@putlrc
		1337, 1338, 1339, 1367, 1368, 1369, 1375, 1376, 1377	
		\adl@startmbox	... 1340
		\advance	. 12, 86, 138, 220, 238, 306,



12022,	12064,	\afterassignment . .	\AM@currentdocname
12069,	12070, 1490, 1492, 12000, 12006
12071,	12100,	1592, 1594, 2476,	\AM@findfile 12004
12101,	12127,	3617, 15121, 15122	\AM@output 12033
12138,	12275,	\AfterEndPreamble .	\AM@pagecount ... 12002
12452,	12481, 4296, 4319	\AM@pageref 12017, 12020
12826,	12874,	\aftergroup 1748, 1758,	\AM@pagetemp
12918,	12961,	3601, 3616, 5466,	.. 12010, 12015,
13035,	13072,	5468, 5475, 5481,	12016, 12019,
13221,	13276,	5500, 9161, 9163,	12027, 12028, 12032
13341,	13659,	12183, 12184,	\AM@readlist 12032
13692,	13696,	12187, 12191,	\AM@split@options 11996
13741,	14127,	12192, 12196,	\AM@temp ... 11997, 11998
14154,	14182,	12200, 12201,	\AM@theadname
14186,	14265,	12205, 12209,	11995, 12005, 12006
14515,	14761,	12213, 12217,	\AM@xrprefix
14789,	14793,	15271, 15707,	12013, 12017, 12020
14856,	15047,	16125, 16134,	\and 368, 404,
15061,	15071,	16136, 16173,	685, 711, 714, 756,
15091,	15186,	16177, 16230,	939, 965, 968,
15237,	15253,	16241, 16242,	1010, 1191, 1217,
15266,	15270,	16245, 16249,	1220, 1262, 1284,
15302,	15303,	16250, 16254,	1653, 4872, 4898,
15322,	15423,	16258, 16259,	5051, 5077, 5166,
15454,	15477,	16263, 16267,	5202, 6707, 6741,
15494,	15511,	16271, 16275,	6804, 6840, 8885,
15528,	15545,	16784, 16792, 16793	8919, 11302,
15562,	15580,	\ALG@floatstyle ...	11999, 12531,
15599,	15619,	.. 3404, 3405, 3406	12557, 12560,
15654,	15695,	\alignL 5408	12602, 12670,
15705,	15725,	\alignR 5412	12698, 12701,
15730,	15780,	\allowbreak	12745, 12769,
15781,	15782,	... 6244, 6265,	12950, 12991,
15785,	15789,	7241, 7244, 7247,	13138, 13174,
15814,	15825,	7328, 7385, 7388,	13600, 14068, 14702
15904,	15927,	7391, 7468, 7528,	\andify 112
16059,	16061,	7531, 7534, 7615,	\andname ... 719, 973,
16071,	16090,	7675, 7678, 7681,	1225, 12565, 12706
16091,	16120,	7762, 7822, 7825,	\andnext 11303
16131,	16132,	7828, 7909, 7969,	\arabic ... 19, 20, 21,
16328,	16341,	7972, 7975, 8056,	22, 83, 145, 146,
16342,	16345,	8116, 8119, 8122,	147, 148, 217, 256,
16347,	16353,	8203, 8263, 8266,	9098, 9104, 15635
16355,	16359,	8269, 8350, 8410,	\array 327, 16559
16361,	16365,	8413, 8416, 8497	\arraycolsep 327
16367,	16517,	\Alph 11346	\arraylinesep 15054
16518,	16584,	\AM@CheckAtEnd .. 12035	\arrayrulecolor .. 1394
16741,	16742,	\AM@ClearShipoutPicture	\arrayrulewidth .. 15071
16749,	16750, 12037	\arraystretch .. 308,
16751,	16752, 16777		309, 1742, 1753,



11179, 11180, 15021, 15022, 15058, 16543, 16544	B	7550, 7563, 7590, 7603, 7639, 7649, 7659, 7685, 7697,
\aslice . 12107, 12108, 12110, 12112, 12113, 12115, 12128, 12129, 12131	\backmatter 4409, 5299, 6912	7710, 7737, 7750, 7786, 7796, 7806, 7832, 7844, 7857, 7884, 7897, 7933, 7943, 7953, 7979, 7991, 8004, 8031, 8044, 8080, 8090, 8100, 8126, 8138, 8151, 8178, 8191, 8227, 8237, 8247, 8273, 8285, 8298, 8325, 8338, 8374, 8384, 8394, 8420, 8432, 8445, 8472, 8485, 8568, 8579, 8590, 8615, 8628, 8641, 8675, 8689
\At@ViperColsBreak .. 5884, 5894, 5898	\baselineskip .. 322, 644, 646, 652, 654, 1129, 1131, 1137, 1139, 2921, 2923, 2926, 2928, 2930, 2933, 3082, 3672, 3736, 3753, 3770, 3881, 3888, 3895, 3974, 3981, 3988, 3995, 4002, 4102, 4159, 4437, 4498, 4562, 4568, 4822, 4824, 4830, 4832, 4978, 4980, 4986, 4988, 5616, 5617, 5634, 5638, 5808, 5973, 8563, 8668, 9169, 9612, 10780, 11195, 11205, 11243, 11260, 12062, 12065, 12079, 12103, 12107, 12112, 12116, 12128, 12139, 12166, 12344, 12358, 12462, 12464, 12470, 12472, 12886, 12888, 12894, 12896, 14509, 14512, 14514, 14519, 15032, 15072, 16059, 16067, 16071, 16555, 16817, 16832	\BCmd 1747 \BDefaboveskip 1762, 1777, 1780 \BDefbelowskip 1766, 1778, 1781 \BDefinlineskip 1771, 1779, 1782 \begin 332, 342, 347, 410, 418, 659, 672, 683, 762, 768, 913, 926, 937, 1016, 1022, 1165, 1178, 1189, 1269, 1275, 1284, 1286, 1287, 1741, 1743, 1752, 1754, 1757, 2220, 2224, 2226, 2228, 2230, 2234, 2242, 2245, 2279, 2796, 2802, 2824, 2828, 2994, 2995, 3008, 3011, 3079, 3080, 3086, 3087, 3094, 3095, 3120, 3121, 3158, 3161, 3164, 3167, 3171, 3172, 3356, 3357, 3918, 3974, 3981, 3988, 3995, 4002,
\AtBeginDocument 1481, 2105, 2165, 2262, 2763, 2988, 3209, 3343, 3348, 3401, 4155, 4355, 4420, 6117, 6231, 6252, 6273, 6562, 9457, 10242, 10863, 10869, 10945, 15036, 15854	\baselinestretch . . 2120, 3733, 3750, 3767, 6987, 7003, 7019, 7035, 7048, 7061, 7205, 7215, 7225, 7251, 7263, 7276, 7303, 7316, 7352, 7361, 7370, 7395, 7406, 7418, 7444, 7456, 7492, 7502, 7512, 7538,	
\AtBeginPackage .. 11407		
\AtEndDocument 2269, 2776, 4582, 4638		
\AtEndOfClass 2104		
\AtPageLowerLeft . 6392		
\AtPageUpperLeft 6392, 6406, 6424		
\AtTextUpperLeft 6396, 6412		
\author 248, 366, 402, 709, 754, 963, 1008, 1215, 1260, 1651, 4205, 4237, 4896, 5075, 5164, 5200, 6705, 6739, 6802, 6838, 8883, 8917, 12555, 12600, 12696, 12743, 12948, 12989, 13136, 13172, 13590, 14058, 14692		
\auto@footnoterule 9351, 9362		
\autodot 13709, 14201, 14808, 15917		
\autofootnoterule . 1511, 6224, 6975, 9360, 9795, 16863		



4015, 4023, 4145,	15996, 16019,	13554, 13655,
4150, 4283, 4330,	16023, 16029, 16036	13690, 13732,
4353, 4670, 4846,	\beginingroup 6, 115, 132,	13826, 14022,
4859, 4870, 5025,	229, 242, 299,	14123, 14150,
5038, 5049, 5093,	311, 372, 432, 449,	14180, 14256,
5105, 5130, 5140,	584, 610, 726,	14350, 14656,
5145, 5208, 5216,	814, 830, 980,	14757, 14787,
5519, 5529, 5542,	1071, 1098, 1232,	14847, 14941,
5552, 5565, 5575,	1413, 1633, 1877,	15120, 15201,
5588, 5598, 6092,	1885, 1893, 1993,	15250, 15274,
6198, 6203, 6221,	2300, 2391, 2410,	15412, 15703,
6481, 6547, 6675,	2542, 2588, 2595,	15820, 16138,
6683, 6688, 6747,	2625, 2641, 2657,	16181, 16230,
6753, 6768, 6778,	2697, 2705, 2738,	16606, 16629, 16784
6783, 6846, 6854,	2761, 3182, 3599,	\beginL . . 1398, 2267,
6945, 8853, 8861,	3802, 3829, 3856,	3463, 3507, 5431,
8866, 8925, 8931,	4222, 4239, 4255,	5460, 5466, 5468,
9065, 9993, 9998,	4267, 4300, 4539,	5500, 7214, 7266,
10016, 10119,	4606, 4613, 4620,	7360, 7409, 7501,
10121, 10135,	4650, 4761, 4785,	7553, 7648, 7700,
10137, 10716,	4940, 4964, 5170,	7795, 7847, 7942,
11451, 12505,	5230, 5245, 5335,	7994, 8089, 8141,
12518, 12529,	5446, 5500, 5509,	8236, 8288, 8383,
12608, 12614,	5673, 5713, 6397,	8435, 8575, 8586,
12642, 12657,	6413, 6598, 6611,	8622, 8635, 8970,
12668, 12752,	6711, 6808, 6867,	8982, 8984, 8985,
12760, 12769,	8779, 8795, 8889,	8986, 8987, 8989,
12771, 12772,	9021, 9055, 9139,	8990, 8991, 9069,
12904, 12924,	9155, 9391, 9400,	9084, 9236, 9801,
12929, 13005,	9549, 9564, 9571,	9807, 9827, 9843,
13102, 13112,	9623, 9656, 9762,	9853, 10251,
13117, 13180,	9786, 9826, 9842,	10255, 10259,
13188, 13480,	9992, 10271,	10261, 10402,
13500, 13505,	10282, 10293,	10643, 10645,
13515, 13528,	10304, 10419,	10648, 10655,
13532, 13612,	10439, 10477,	10663, 10850,
13618, 13629,	10510, 10541,	12042, 12044,
13733, 13948,	10572, 10658,	12183, 12198,
13968, 13973,	10676, 10691,	12262, 13388,
13983, 13996,	10748, 11183,	13399, 13406,
14000, 14080,	11309, 11439,	13416, 15188,
14086, 14097,	11521, 11600,	16129, 16134,
14257, 14582,	11800, 11804,	16136, 16230,
14602, 14607,	11808, 11993,	16241, 16256,
14617, 14630,	12424, 12448,	16277, 16282,
14634, 14714,	12572, 12713,	16395, 16683,
14720, 14731,	12798, 12822,	16761, 16825, 16835
14848, 15316,	12954, 13016,	\beginR 28, 163,
15967, 15980,	13031, 13142,	263, 268, 299,
15983, 15990,	13202, 13217,	324, 464, 650,



888, 1135, 1399, 1846, 2041, 2044, 3463, 3551, 4828, 4984, 5261, 5366, 5432, 5461, 5466, 5475, 5481, 5500, 6390, 6670, 6970, 7178, 7182, 8575, 8597, 8622, 8648, 8831, 8982, 8984, 8985, 8986, 8987, 8989, 8990, 8991, 9094, 9332, 9803, 9856, 9895, 9902, 10251, 10259, 10643, 10648, 10655, 10663, 10709, 10730, 10850, 11199, 11415, 11417, 11814, 12052, 12177, 12184, 12189, 12256, 12257, 12258, 12468, 12892, 13050, 13233, 13382, 13392, 13403, 13410, 13471, 13789, 13869, 13939, 14313, 14393, 14438, 14573, 14904, 14984, 15010, 15033, 15073, 15195, 16130, 16134, 16173, 16177, 16230, 16235, 16242, 16247, 16500, 16503, 16506, 16523, 16531, 16557, 16727, 16761, 16778, 16780, 16825, 16835, 16848, 16851, 16859	14399, 14407, 14990, 14998, 16853 \belowdisplayshortskip ... 2896, 2905, 4052 \belowdisplayskip 2897, 2910, 2945, 4057 \bf 12048, 12050 \bfseries 25, 230, 436, 452, 483, 486, 589, 613, 817, 835, 1076, 1101, 1697, 2237, 4282, 4766, 4788, 4945, 4967, 5094, 5106, 5234, 5248, 5282, 5288, 5296, 6601, 6616, 6631, 6634, 6643, 6871, 6894, 6900, 6909, 8784, 8798, 8809, 8814, 8822, 12429, 12451, 12803, 12825, 13001, 13020, 13034, 13206, 13220, 13253, 13258, 13266 \bgroup 299, 314, 319, 324, 558, 1121, 1399, 1494, 1596, 1836, 1959, 4471, 4696, 4710, 5368, 5432, 9069, 9070, 9084, 9515, 9676, 11187, 11189, 11208, 11227, 11615, 12185, 12190, 12194, 12199, 12203, 12208, 12211, 12216, 12398, 12850, 15010, 15019, 15027, 15033, 15065, 15069, 15073, 15812, 16243, 16248, 16252, 16257, 16261, 16266, 16269, 16274, 16531,	16541, 16549, 16557 \bib@after@hook 13776, 13778, 14300, 14302, 14891, 14893 \bib@before@hook 13727, 13777, 14251, 14301, 14842, 14892 \bib@beginhook 13720, 13726, 14244, 14250, 14835, 14841 \bib@endhook 13780, 14304, 14895 \bib@heading 13722, 14249, 14840 \bibcleanup 11910 \bibentry 3647, 3649, 3679, 3681 \bibfont 11890 \bibindent .. 2271, 2272 \bibitem@fin 11904 \bibliofont 82, 216 \bibliographyitemlabel 2273, 2279 \bibname . 4138, 4139, 4804, 4805, 4997, 4998, 5307, 5308, 6920, 6921, 8836, 8837, 12475, 12476, 12868, 12869, 13066, 13067, 13270, 13271 \bibpostamble 11905 \bibpreamble 11889, 13723, 13724, 14246, 14247, 14837, 14838 \bibsection 4133, 4136, 4138, 4139, 11449, 11887, 15313, 15315 \bidi@end .. 2787, 2791 \bidi@patchcmd 2590, 2592 \bidi@AfterEndDocument .. 2778, 2783, 2789 \bidi@afterenddocumenthook 2778, 2779, 2784, 2790
\belowcaptionskip 10860, 11405, 11422, 13875, 13883,		



\bidi@AfterEndEnvironment	2584, 2691, 2713,	7535, 7547, 7560,
..... 2833, 2843	2725, 2726, 2735	7572, 7587, 7599,
\bidi@AfterEndPreamble	\bidi@dbg@info	7611, 7616, 7620,
..... 2766,	... 2551, 2553,	7624, 7638, 7648,
2770, 2772, 2776	2556, 2558, 2559,	7658, 7668, 7673,
\bidi@afterendpreamblehook	2570, 2572, 2574,	7676, 7679, 7682,
..... 2766,	2576, 2577, 2579,	7694, 7707, 7719,
2767, 2771, 2773	2581, 2583, 2689,	7734, 7746, 7758,
\bidi@AfterPreamble	2714, 2716, 2718,	7763, 7767, 7771,
..... 2763, 2764	2721, 2727, 2729	7785, 7795, 7805,
\bidi@append . 2699, 2749	\bidi@dbg@init 2548,	7815, 7820, 7823,
\bidi@appto .. 2478, 2522, 2769	2567, 2688, 2711	7826, 7829, 7841,
\bidi@apptocmd	\bidi@dbg@succ	7854, 7866, 7881,
..... 2695, 2696	... 2594, 2690,	7893, 7905, 7910,
\bidi@AtBeginEnvironment	2722, 2730, 2732	7914, 7918, 7932,
..... 2793, 2803	\bidi@dbg@trce	7942, 7952, 7962,
\bidi@AtEndEnvironment	... 2541, 2587,	7967, 7970, 7973,
..... 2807, 2817	2687, 2696, 2704	7976, 7988, 8001,
\bidi@AtEndPreamble	\bidi@eappto .. 2482, 2495, 2523	8013, 8028, 8040,
..... 2752,	\bidi@endpreamblehook	8052, 8057, 8061,
2757, 2759, 2764 2752,	8065, 8079, 8089,
\bidi@autofootnoterulefalse	2753, 2758, 2760	8099, 8109, 8114,
.. 9339, 9343, 9346	\bidi@ensure@new@command	8117, 8120, 8123,
\bidi@autofootnoteruletrue 2408, 2409	8135, 8148, 8160,
..... 9361	\bidi@ensure@newcommand	8175, 8187, 8199,
\bidi@BeforeBeginEnvironment	... 2408, 6982,	8204, 8208, 8212,
..... 2821, 2829	6983, 7077, 7085,	8226, 8236, 8246,
\bidi@csappto 2522	7086, 7087, 7094,	8256, 8261, 8264,
\bidi@csdefcs 2397	7095, 7101, 7102,	8267, 8270, 8282,
\bidi@cseappto	7117, 7118, 7124,	8295, 8307, 8322,
..... 2523, 2526	7125, 7126, 7127,	8334, 8346, 8351,
\bidi@csepreto	7130, 7136, 7138,	8355, 8359, 8373,
..... 2532, 2535	7144, 7145, 7160,	8383, 8393, 8403,
\bidi@csgappto	7171, 7173, 7176,	8408, 8411, 8414,
... 2524, 2794,	7181, 7184, 7186,	8417, 8429, 8442,
2808, 2822, 2834	7190, 7204, 7214,	8454, 8469, 8481,
\bidi@csgpreto ... 2533	7224, 7234, 7239,	8493, 8498, 8502,
\bidi@cslet 2403	7242, 7245, 7248,	8506, 8514, 8521,
\bidi@csletcs 2400	7260, 7273, 7285,	8525, 8536, 8545,
\bidi@cspreto 2531	7300, 7312, 7324,	8547, 8548, 8567,
\bidi@csuse	7329, 7333, 7337,	8578, 8589, 8600,
... 2465, 2798,	7351, 7360, 7369,	8604, 8608, 8612,
2812, 2825, 2838	7378, 7383, 7386,	8625, 8638, 8651,
\bidi@csxappto 2525, 2527	7389, 7392, 7403,	8672, 8685, 8699,
\bidi@csxpreto 2534, 2536	7415, 7426, 7441,	8705, 8712, 8719,
\bidi@dbg@fail 2550,	7452, 7464, 7469,	8727, 8731, 8742,
2560, 2561, 2562,	7473, 7477, 7491,	8743, 8754, 8772
2563, 2569, 2578,	7501, 7511, 7521,	\bidi@ensure@newlength
	7526, 7529, 7532,	... 2415, 7098,
		7099, 7100, 7128



\bidi@epreto	\bidi@isloaded	2616,	11041,	11044,
.. 2504, 2517, 2532	10878,	10879,	11047,	11050,
\bidi@error . 2417, 2450	10880,	10881,	11053,	11056,
\bidi@everyjob 1457,	10882,	10883,	11059,	11062,
1458, 1574, 1575	10884,	10885,	11065,	11068,
\bidi@expandonce ..	10886,	10887,	11071,	11074,
..... 2470,	10888,	10889,	11077,	11080,
2481, 2485, 2489,	10890,	10891,	11083,	11086,
2493, 2503, 2507,	10892,	10893,	11089,	11092,
2511, 2515, 2733	10894,	10895,	11095,	11098,
\bidi@ff@box . 9187, 9205	10896,	10897,	11101,	11104,
\bidi@footdir@footnote	10898,	10899,	11107,	11110,
..... 76,	10900,	10901,	11113, 11116, 11119,	
210, 9459, 9461, 9465	10902,	10903,	11122,	11125,
\bidi@gappto	10904,	10905,	11128,	11131,
... 2486, 2524,	10906,	10907,	11134,	11137, 11140
2752, 2766, 2778	10908,	10909,	\bidi@lst@caption@direction	
\bidi@gpreto . 2508, 2533	10910,	10911, 10833,	
\bidi@hooktocmd ...	10912,	10913,	10834, 10838, 10841	
.. 2699, 2707, 2709	10914,	10915,	\bidi@lst@ensure@caption@direction	
\bidi@hooktocmd@i .	10916,	10917, 10836,	
..... 2723, 2737	10918,	10919,	10848, 10850, 10852	
\bidi@ifblank@i ...	10920,	10921,	\bidi@mpfootnoterule	
.. 2369, 2370, 2372	10922,	10923, 9243,	
\bidi@ifdefmacro ..	10924,	10925,	9470, 9483,	
..... 2375,	10926,	10927,	9496, 9533, 11282	
2377, 2378, 2379	10928,	10929,	\bidi@multicol@align@columns	
\bidi@ifdefparam ..	10930,	10931, 11715,	
..... 2669,	10932,	10933,	11765, 11768, 11770	
2671, 2672, 2673	10934,	10935,	\bidi@n@everypar ..	
\bidi@ifdefprotected	10936,	10937,	.. 12179, 12180,	
..... 2678,	10938,	10939,	12181, 12182,	
2680, 2681, 2682	10940,	10941,	16052, 16237,	
\bidi@ifhashcheck .	10942,	10943,	16238, 16239, 16240	
.. 2555, 2640, 2720	10944,	10947,	\bidi@namelongdef .	
\bidi@ifhashcheck@i	10950,	10953, 2406,	
..... 2644, 2646	10956,	10959,	7292, 7294, 7301,	
\bidi@ifhashcheck@ii	10962,	10965,	7313, 7433, 7435,	
..... 2648,	10969,	10972,	7442, 7453, 7465,	
2651, 2652, 2653	10975,	10978,	7579, 7581, 7588,	
\bidi@ifpatchable .	10981,	10984,	7600, 7726, 7728,	
.. 2544, 2546, 2593	10987,	10990,	7735, 7747, 7873,	
\bidi@ifpatchable@i	10993,	10996,	7875, 7882, 7894,	
..... 2544, 2565	10999,	11002,	8020, 8022, 8029,	
\bidi@ifpattern ...	11005,	11008,	8041, 8167, 8169,	
..... 2557, 2656	11011,	11014,	8176, 8188, 8314,	
\bidi@ifscanable ..	11017,	11020,	8316, 8323, 8335,	
..... 2554,	11023,	11026,	8461, 8463, 8470,	
2575, 2624, 2719	11029,	11032,	8482, 8658, 8660,	
\bidi@info	11035,	11038,	8673, 8686, 8700	



\bidi@new@command .	1866, 1881, 1963	6088, 6204, 8986,
..... 2422,	\bidi@p@xLTRfootnote	8991, 10035, 16498
2424, 2453, 2461	... 1843, 1884, 1966	\bidi@raggedright .
\bidi@newcommand ..	\bidi@p@xLTRftntext	... 8984, 8989,
..... 2424, 2426 1842,	11821, 11824,
\bidi@newrobustcmd	1869, 1889, 1965	11826, 11829,
..... 1489,	\bidi@p@xRTLfootnote	11831, 11833,
1491, 2421, 2422,	.. 1845, 1892, 1968	11836, 11838,
2446, 2457, 2478,	\bidi@p@xRTLftntext	11840, 11842,
2482, 2486, 2490, 1844,	11845, 11847,
2495, 2496, 2500,	1872, 1897, 1967	11849, 11851,
2504, 2508, 2512,	\bidi@patchcmd	11853, 11856,
2517, 2518, 2522,	2586, 2587, 2781,	11858, 11861,
2523, 2524, 2525,	2796, 2810, 2836	11863, 11866,
2526, 2527, 2531,	\bidi@patchcmd@scantoks	11868, 11870,
2532, 2533, 2534,	.. 2604, 2610, 2745	11873, 11875,
2535, 2536, 2540,	\bidi@pgfpicture ..	11877, 11880,
2586, 2685, 2695, 12042, 15205	11882, 11884, 16497
2703, 2752, 2763,	\bidi@prepend 2707, 2750	\bidi@reflect@box .
2766, 2778, 2793,	\bidi@preto 12241, 12248,
2807, 2821, 2833	.. 2500, 2531, 2755	16303, 16310, 16312
\bidi@notblank 2371,	\bidi@pretocmd	\bidi@renew@command
2379, 2673, 2682	.. 2703, 2704, 2824	.. 2446, 2448, 2462
\bidi@o@everypar ..	\bidi@protected 2473,	\bidi@renewrobustcmd
..... 12178,	2495, 2496, 2446
12180, 12181,	2517, 2518, 2526,	\bidi@resrvda . 2596,
16236, 16238, 16239	2527, 2535, 2536	2597, 2598, 2601,
\bidi@orig@leftline	\bidi@protected@cseappto	2602, 2603, 2604,
. 16508, 16510, 16511 2526	2605, 2606, 2611,
\bidi@orig@raggedleft	\bidi@protected@csepreto	2614, 2626, 2627,
16493, 16495, 16496 2535	2628, 2629, 2630,
\bidi@orig@raggedright	\bidi@protected@csxappto	2632, 2633, 2642,
16494, 16495, 16496 2527	2644, 2658, 2659,
\bidi@orig@rightline	\bidi@protected@csxpreto	2661, 2663, 2664,
. 16509, 16510, 16511 2536	2739, 2740, 2741,
\bidi@p@ftn	\bidi@protected@eappto	2742, 2743, 2744,
1790, 1853, 1856, 2495	2745, 2746, 2747
1857, 1859, 1860,	\bidi@protected@epreto	\bidi@resrvdb 2598, 2599
1862, 1863, 1867, 2517	\bidi@RTL@everypar
1870, 1873, 1978	\bidi@protected@xappto 12177,
\bidi@p@ftntext 2496	12181, 16235, 16239
.. 1837, 1855, 1960	\bidi@protected@xpreto	\bidi@s@tffftextcol
\bidi@p@LTRftntext 2518 9184, 9188
... 1838, 1858, 1961	\bidi@provide@command	\bidi@s@saved@eqno ..
\bidi@p@RTLftntext 2457, 2459 12252,
... 1839, 1861, 1962	\bidi@providerobustcmd	12254, 12255,
\bidi@p@xfootnote 2457	16854, 16856, 16857
... 1841, 1876, 1964	\bidi@raggedleft ..	\bidi@s@saved@leqno .
\bidi@p@xftntext 2214, 12253,
..... 1840,	2221, 2226, 2245,	12254, 12255,



16855, 16856, 16857	4708, 10509,	\bigskip 12267
\bidi@tempa 1497, 1503,	10519, 10540,	\bigskipamount
1509, 1521, 1527, 1533	10550, 10571, 10581	... 7162, 7167, 8721
\bidi@tempb	\bidipoem@p@ftntext	\bl ... 12083, 12084,
1497, 1498, 1503,	4473, 4484, 4586,	12087, 12088,
1504, 1509, 1510,	4697, 4711, 10507	12089, 12093,
1521, 1522, 1527,	\bidipoem@p@LTRftntext	12148, 12155, 12159
1528, 1533, 1534	4474, 4485, 4589,	\blacktriangleleft
\bidi@tikz@picture	4698, 4712, 10538 9592, 9594
..... 15203, 15204	\bidipoem@p@RTLftntext	\blacktriangleright
\bidi@tikz@picture 15200 4475, 9592, 9594
\bidi@todonotes@tempa	4486, 4592,	\bm@b 16575
..... 15950, 15958	4699, 4713, 10569	\bm@l 16572
\bidi@todonotes@tempb	\bidipoem@p@xfootnote	\bm@r 16573
..... 15950,	... 4477, 4488,	\bm@t 16574
15951, 15958, 15959	4605, 4701, 4715	\boolean 2850,
\bidi@undef	\bidipoem@p@xftntext	2920, 2922, 2925,
... 2606, 2685,	4476, 4487, 4596,	2929, 2932, 2935,
2747, 2760, 2773	4610, 4700, 4714	2960, 3056,
\bidi@undefined .. 2685	\bidipoem@p@xLTRfootnote	3071, 3076, 3096,
\bidi@warning 4479, 4490,	3103, 3111, 3128,
.... 2418, 2801,	4612, 4703, 4717	3148, 3152, 3170,
2815, 2827, 2841	\bidipoem@p@xLTRftntext	3171, 3174, 3175,
\bidi@xappto 4478,	3210, 3219, 3230,
.. 2490, 2496, 2525	4489, 4599,	3918, 3922, 3970,
\bidi@xargdef 2428, 2436	4617, 4702, 4716	4183, 4320, 4389,
\bidi@xpreto	\bidipoem@p@xRTLfootnote	4400, 9199, 11999
.. 2512, 2518, 2534 4481, 4492,	\botmark 9181, 16842
\bidicolor ... 5426,	4619, 4705, 4719	\box 2035,
5482, 5497, 5499,	\bidipoem@p@xRTLftntext	2041, 3391, 5341,
9185, 16178,	4480, 4491, 4602,	5465, 5622, 5625,
16225, 16228, 16229	4624, 4704, 4718	5642, 5646, 5653,
\bididate 1429,	\bidirlap 16512	5659, 5661, 5667,
1431, 1445, 1545, 1562	\bidituftefloatDebugInfoNL	5668, 5689, 5695,
\bidi@Gscale@box 2850, 2948,	5700, 5706, 5707,
..... 9875, 9876	2952, 3241, 3290	5762, 5765, 5770,
\bidi@Gscale@box ...	\bidituftefloatError	5775, 5799, 5935,
.. 9852, 9853, 9872 2849, 3336	5939, 5963, 6245,
\bidi@Gscale@box@dd	\bidituftefloatInfoNL	6266, 6282, 6339,
.. 9884, 9888, 9894	.. 2850, 2851, 3405	7176, 7181, 8518,
\bidi@Gscale@box@dddd	\bidituftefloatRecalculate	8533, 8543, 8763,
..... 9890, 9901 2977, 2988	9015, 9017, 9047,
\bidillap 16513	\bidituftehyperrefLoadHyperref	9051, 9094, 9176,
\bidipoem@openbox 4173, 4184	9202, 9207, 9690,
..... 4439, 4444	\biditufte sidenotemarginpar	9697, 9700, 9714,
\bidipoem@p@ftn 3421, 3731, 3881	9750, 9757, 9760,
... 4446, 4456,	\biditufte tocError	9770, 9779, 9782,
4587, 4588, 4590,	.. 3904, 3951, 3960	9820, 9823, 9866,
4591, 4593, 4594,	\bidiversion .. 1430,	9869, 9899, 9916,
4597, 4600, 4603,	1431, 1445, 1546, 1562	10858, 11203,



11386,	11420,	12184, 16241, 16242	\bx@l ... 3261, 3284, 3325
11456,	11512,	\break 1160	\bx@LL 3302, 3331
11515,	11538,	\BreakBibliography	\bx@M 3278, 3319
11590,	11595, 13729,	\bx@m .. 3262, 3284, 3325
11731,	11737,	13761, 13763,	\bx@MM 3303, 3331
11752,	11760,	13769, 14253,	\bx@N 3278, 3319
12052,	12056,	14285, 14287,	\bx@n .. 3263, 3284, 3325
12072,	12106,	14293, 14844,	\bx@NN 3304, 3331
12110,	12115,	14876, 14878, 14884	\bx@O 3279, 3320
12119,	12131,	\bs 1707, 1708, 1710	\bx@o .. 3264, 3285, 3326
12142,	12156,	\bslice 12103,	\bx@OO 3305, 3332
12159,	12163,	12104, 12106,	\bx@P 3279, 3320
12168,	12245,	12116, 12117,	\bx@p .. 3265, 3285, 3326
13313,	13322,	12119, 12139,	\bx@PP 3306, 3332
13360,	13371,	12140, 12142,	\bx@Q 3279, 3320
13859,	13869,	12166, 12167, 12168	\bx@q .. 3266, 3285, 3326
14383,	14393,	\bx@A 3276, 3317	\bx@QQ 3307, 3332
14458,	14464,	\bx@a .. 3250, 3282, 3323	\bx@R 3279, 3320
14470,	14476,	\bx@AA .. 3289, 3291, 3329	\bx@r .. 3267, 3285, 3326
14482,	14488,	\bx@B 3276, 3317	\bx@RR 3308, 3332
14494,	14500,	\bx@b ... 3251, 3282, 3323	\bx@S 3240,
14506,	14974,	\bx@BB 3292, 3329	3242, 3280, 3321
14984,	15195,	\bx@C 3276, 3317	\bx@s .. 3268, 3286, 3327
15254,	15272,	\bx@c .. 3252, 3282, 3323	\bx@SS 3309, 3333
16122,	16123,	\bx@CC 3293, 3329	\bx@T ... 3243, 3280, 3321
16133,	16307,	\bx@D 3276, 3317	\bx@t .. 3269, 3286, 3327
16404,	16427,	\bx@d .. 3253, 3282, 3323	\bx@TT 3310, 3333
16515,	16595,	\bx@DD 3294, 3329	\bx@U ... 3244, 3280, 3321
16600,	16602,	\bx@E 3276, 3317	\bx@u .. 3270, 3286, 3327
16613,	16619,	\bx@e .. 3254, 3282, 3323	\bx@UU 3311, 3333
16624,	16739,	\bx@EE 3295, 3329	\bx@V ... 3245, 3280, 3321
16755,	16766,	\bx@F 3277, 3318	\bx@v ... 3271, 3286, 3327
16779,	16781,	\bx@f .. 3255, 3283, 3324	\bx@VV 3312, 3333
16829, 16831, 16851		\bx@FF 3296, 3330	\bx@W ... 3246, 3281, 3322
\boxdef 1739,		\bx@G 3277, 3318	\bx@w .. 3272, 3287, 3328
1741, 1747, 1752, 1757		\bx@g .. 3256, 3283, 3324	\bx@WW 3313, 3334
\boxmaxdepth		\bx@GG 3297, 3330	\bx@X ... 3247, 3281, 3322
... 6237, 6242,		\bx@H 3277, 3318	\bx@x .. 3273, 3287, 3328
6258, 6263, 6290,		\bx@h .. 3257, 3283, 3324	\bx@XX 3314, 3334
6347, 7120, 8744,		\bx@HH 3298, 3330	\bx@Y ... 3248, 3281, 3322
8953, 9643, 9645		\bx@I 3277, 3318	\bx@y .. 3274, 3287, 3328
\br ... 12083, 12085,		\bx@i .. 3258, 3283, 3324	\bx@YY 3315, 3334
12087, 12088,		\bx@II 3299, 3330	\bx@Z ... 3249, 3281, 3322
12089, 12093,		\bx@J 3277, 3318	\bx@z .. 3275, 3287, 3328
12149, 12155, 12163		\bx@j .. 3259, 3283, 3324	\bx@ZZ 3316, 3334
\BR@b@bibitem 3624, 3625		\bx@JJ 3300, 3330	
\BR@bibitem . 3627, 3628		\bx@K 3278, 3319	C
\BR@c@bibitem 3629		\bx@k .. 3260, 3284, 3325	\c@abspage 9274
\bracetext ... 1493,		\bx@KK 3301, 3331	\c@addvipersep 11457,
1595, 12183,		\bx@L 3278, 3319	11475, 11480,



11502, 11529,	13238, 14240, 14831	13063, 13247,
11539, 11557,	\c@figure 4842,	13714, 14214, 14817
11562, 11584, 11608	5021, 5268, 6880,	\c@poem@no . . . 4531,
\c@chapter . . . 4840,	8948, 9213, 9226,	4581, 4632, 4643
4842, 4844, 5019,	11349, 12499,	\c@secnumdepth
5021, 5023, 5266,	12862, 13057, 231, 473,
5268, 5270, 5271,	13240, 14224, 14823	482, 5083, 5280,
6878, 6880, 6882,	\c@footnote 124, 245,	6621, 6630, 6892,
6883, 8946, 8948,	373, 668, 727,	8808, 12271, 13252
8950, 9211, 9213,	922, 981, 1174,	\c@section 4834, 5013,
9215, 9216, 9224,	1233, 1634, 4855,	5272, 6884, 8940,
9226, 9228,	5034, 5171, 6712,	9217, 9230, 11337,
9229, 10873,	6809, 8890, 9542,	11943, 12491,
11348, 11933,	9556, 10305,	12856, 13060,
12497, 12499,	10432, 10440,	13244, 14208, 14811
12501, 12862,	10470, 10478,	\c@subparagraph 471,
12864, 12866,	11216, 11219,	624, 880, 1144,
13055, 13057,	12514, 12573,	4838, 5017, 5276,
13059, 13238,	12653, 12714,	6765, 6888, 8944,
13240, 13242, 13243	12912, 12955,	9221, 9234, 11345,
\c@colht 11457,	13143, 13491,	12495, 12860,
11469, 11495,	13555, 13959,	13064, 13248,
11496, 11539,	14023, 14593, 14657	13716, 14216, 14819
11551, 11577, 11578	\c@L@depth 10814	\c@subsection . . 468,
\c@curpg 9108, 9135, 9136	\c@L@lines . 10815, 10817	621, 877, 1141,
\c@DFNsloppiness . .	\c@ll@chapseci . . . 5507	4835, 5014, 5273,
. 6235, 6256	\c@ll@chapsecii . . 5502	6762, 6885, 8941,
\c@enumiv 495,	\c@lofdepth 15550, 15587	9218, 9231, 11339,
502, 629, 636,	\c@lor@error	12492, 12857,
897, 904, 1149,	5471, 5478, 5486,	13061, 13245,
1156, 2289, 4807,	5492, 16170, 16204	13710, 14210, 14813
4814, 5000, 5007,	\c@lotdepth 15568, 15607	\c@subsubsection 469,
5310, 5317, 6651,	\c@lstlisting	622, 878, 1142,
6658, 6923, 6930, 10873, 10875	4836, 5015, 5274,
8839, 8846,	\c@LT@chunks 11186	6763, 6886, 8942,
12478, 12485,	\c@LT@tables 2007	9219, 9232, 11341,
12871, 12878,	\c@mpfootnote	12493, 12858,
13069, 13076,	. . . 9470, 9483,	13062, 13246,
13273, 13280,	9496, 9520, 11291	13712, 14212, 14815
13737, 13746,	\c@NAT@ctr 11892	\c@table 4844,
13753, 14261,	\c@page 4327,	5023, 5270, 6882,
14270, 14277,	6398, 6415, 9108,	8950, 9215, 9228,
14852, 14861,	9135, 16085, 16735	11350, 12501,
14868, 15319, 15326	\c@paragraph 470, 623,	12864, 13059,
\c@equation . . 4840,	879, 1143, 4837,	13242, 14232, 14827
5019, 5266, 6491,	5016, 5275, 6764,	\c@thisframe . . 9107,
6560, 6878,	6887, 8943, 9220,	9112, 9148, 9150, 9151
8946, 9211, 9224,	9233, 11343,	\c@tocdepth . 3, 129,
11348, 12497,	12494, 12859,	428, 445, 565,
12866, 13055,		581, 599, 794,



827, 845, 1052,	\cals@last@context 5395	14357, 14362,
1068, 1086, 4742,	\cals@paddingL 5409, 5413	14367, 14372,
4758, 4774, 4921,	\cals@paddingR 5410, 5414	14390, 14927,
4937, 4953, 5226,	\cals@set@tohsz 5398	14948, 14953,
5241, 6594, 6608,	\cals@setcellprevdepth	14958, 14963, 14981
6864, 8776, 8791, 5398	\caption 3065,
11656, 11668,	\cals@setpadding . 5398	3066, 3068, 3118,
11680, 12405,	\cals@tbreak@tokens	10008, 10026,
12421, 12437, 5393	11163, 11424, 11426
12779, 12795,	\cals@tfoot@height 5394	\caption@par 5418
12811, 13013,	\cals@tfoot@tokens	\caption@hangindent 5419
13027, 13198, 5392, 5406	\caption@makecaption
13213, 13646,	\cals@thead@tokens 5391 5416
13679, 14114,	\CAny 1728	\caption@parindent 5419
14141, 14169,	\cAny 1736	\caption@startrue 10867
14748, 14776,	\cap@indent .. 13836, 13839,	\captionformat 13812,
15395, 15399,	13844, 13846,	13833, 13838,
15441, 15460,	13847, 14360,	13843, 13848,
15482, 15499,	14363, 14368,	13866, 14336,
15516, 15533,	14370, 14371,	14357, 14362,
15701, 15897, 16577	14951, 14954,	14367, 14372,
\c@twb 5632	14959, 14961, 14962	14390, 14927,
\c@twcompctr 5613	\cap@left 13858,	14948, 14953,
\c@twcompodctr .. 5629	13869, 14382,	14958, 14963, 14981
\c@twfirst ... 5614,	14393, 14973, 14984	\captionlabelfalse 10865
5620, 5627,	\cap@margin	\catcode . 1547, 1598,
5631, 5640, 5643	13801, 14325, 14916	2613, 3596, 3618,
\c@twlftside 5618	\cap@right ... 13860,	4429, 4430, 4432,
\c@twlspec	13869, 14384,	4433, 9601, 9602,
.. 5632, 5635, 5639	14393, 14975, 14984	9717, 10659, 10660
\c@twprune ... 5618,	\cap@width	\Centering 12281
5619, 5635, 5639	.. 13824, 13827,	\centering 230,
\c@twrounds .. 5630,	13830, 14348,	6092, 6105, 6221,
5633, 5636, 5648	14351, 14354,	8985, 8990,
\c@twrtside 5619	14939, 14942, 14945	10038, 10123,
\c@twslicea 5616, 5618,	\capfont 13811, 13832,	10139, 11371,
5622, 5625, 5634,	13837, 13842,	11373, 11375,
5635, 5642, 5646	13846, 13865,	13538, 14006, 14640
\c@twsliceb 5617, 5619,	13869, 14335,	\CenteringLeftskip 12286
5622, 5625, 5638,	14356, 14361,	\CenteringParfillskip
5639, 5642, 5646	14366, 14370, 12289
\c@twwinlines 5615, 5628	14389, 14393,	\CenteringParindent
\c@zabspage 9274	14926, 14947, 12290
\cals@activate@rtl 5383	14952, 14957,	\CenteringRightskip
\cals@borderB 5404	14961, 14980, 14984 12287
\cals@borderL 5401	\caplabelfont . 13812,	\centerline 234, 9697,
\cals@borderR 5402	13833, 13838,	9714, 12256, 16499
\cals@borderT 5403	13843, 13848,	\cftbeforechapskip 15443
\cals@current@context	13866, 14336,	\cftbeforefigskip 15551
..... 5396		\cftbeforeparaskip 15517



\cftbeforepartskip	15411	\cftpartnumwidth	15419	\cftsubsubsecindent	15501, 15504
\cftbeforeseccskip	15462, 15465	\cftpartpresnum	15420, 15424	\cftsubsubsecnumwidth	15507
\cftbeforesubfigskip	15588	\cftsecaftersnum	15475	\cftsubsubsecpresnum	15508
\cftbeforesubparaskip	15534	\cftsecaftersnumb	15476	\cftsubtabaftersnum	15617
\cftbeforesubsecskip	15483	\cftsecfillnum	15479	\cftsubtabaftersnumb	15618
\cftbeforesubsubsecskip	15500	\cftsecfont	15478	\cftsubtabfillnum	15621
\cftbeforesubtabskip	15608	\cftsecindent	15467, 15470	\cftsubtabfont	15620
\cftbeforetabskip	15569	\cftsecnumwidth	15473	\cftsubtabindent	15609, 15612
\cftchapaftersnum	15452	\cftsecpresnum	15474	\cftsubtabnumwidth	15615
\cftchapaftersnumb	15453	\cftsubfigaftersnum	15597	\cftsubtabpresnum	15616
\cftchapfillnum	15456	\cftsubfigaftersnumb	15598	\cfttabaftersnum	15578
\cftchapfont	15455	\cftsubfigfillnum	15601	\cfttabaftersnumb	15579
\cftchapindent	15444, 15447, 15694	\cftsubfigfont	15600	\cfttabfillnum	15582
\cftchapnumwidth	15450, 15695	\cftsubfigindent	15589, 15592	\cfttabfont	15581
\cftchappresnum	15451	\cftsubfignumwidth	15595	\cfttabindent	15570, 15573
\cftchapterprecistoc	15693	\cftsubfigpresnum	15596	\cfttabnumwidth	15576
\cftdot	15391	\cftsubparaaftersnum	15543	\cfttabpresnum	15577
\cftdotfill	15685	\cftsubparaaftersnumb	15544	\chapnumfont	12270
\cftdotsep	15684	\cftsubparafillnum	15547	\chapter	3916, 3944, 4014, 4022, 4138, 4144, 4804, 4997, 5307, 6920, 8836, 12475, 12868, 13066, 13270
\cftfigaftersnum	15560	\cftsubparafont	15546	\chapterheadendvskip	12276
\cftfigaftersnumb	15561	\cftsubparaindent	15535, 15538	\chapterheadstartvskip	12268
\cftfigfillnum	15564	\cftsubparanumwidth	15541	\chaptermark	4401, 15354
\cftfigfont	15563	\cftsubparapresnum	15542	\chaptername	235, 11357
\cftfigindent	15552, 15555	\cftsubsecaftersnum	15492	\chapterstyle	11352
\cftfignumwidth	15558	\cftsubsecaftersnumb	15493	\char	1711, 1712
\cftfigpresnum	15559	\cftsubsecfillnum	15496	\chardef	9601, 10833, 10834
\cftparaaftersnum	15526	\cftsubsecfont	15495	\check@floats	5820, 5985
\cftparaaftersnumb	15527	\cftsubsecindent	15484, 15487	\CheckCommand	10429, 10467, 12332
\cftparafillnum	15530	\cftsubsecnumwidth	15490	\checkoddpage	2959
\cftparafont	15529	\cftsubsecpresnum	15491	\CIIIAAny	1729
\cftparaindent	15518, 15521	\cftsubsubsecaftersnum	15509	\ciiiiAny	1737
\cftparanumwidth	15524	\cftsubsubsecaftersnumb	15510	\circle	5521, 5524, 5531, 5534, 5544, 5547, 5554
\cftparapresnum	15525	\cftsubsubsecfillnum	15513		
\cftpartaftersnum	15421	\cftsubsubsecfont	15512		
\cftpartaftersnumb	15422				
\cftpartfillnum	15425				
\cftpartfont	15424				
\cftpartindent	15413, 15416				



5557, 5567, 5570, 5577, 5580, 5590, 5593, 5600, 5603	\col@number	8330, 8343, 8379, 8389, 8399, 8425, 8438, 8450, 8477, 8490, 8574, 8585, 8596, 8621, 8634, 8647, 8681, 8695, 8749, 9421, 9437, 9452, 9478, 9491, 9504, 9516, 11228
\cite 3633, 3687, 3693, 3694, 3783, 3788, 3809, 3815, 3836, 3842, 3863, 3879, 3883, 3886, 3890, 3893, 3897, 11901, 11902	1239, 1986, 5177, 6718, 6815, 8896, 11315, 11618, 11700, 11705, 11772, 11773, 11775, 11778, 11779, 11786, 12579, 12720, 12966, 13149, 13559, 14027, 14661	\color@block 5464, 16133 \color@box . 5497, 16225 \color@endbox . 1979, 3457, 3501, 3545, 13385, 13395, 13413, 16677, 16721, 16826, 16836
\citeasnoun 11902	\col@sep . . . 299, 327, 5422, 5423, 11175	\color@endgroup . . . 3744, 3761, 3778, 4708, 6998, 7014, 7030, 7044, 7057, 7070, 7157, 7212, 7222, 7232, 7258, 7271, 7283, 7310, 7323, 7359, 7368, 7377, 7402, 7414, 7425, 7451, 7463, 7499, 7509, 7519, 7545, 7558, 7570, 7597, 7610, 7646, 7656, 7666, 7692, 7705, 7717, 7744, 7757, 7793, 7803, 7813, 7839, 7852, 7864, 7891, 7904, 7940, 7950, 7960, 7986, 7999, 8011, 8038, 8051, 8087, 8097, 8107, 8133, 8146, 8158, 8185, 8198, 8234, 8244, 8254, 8280, 8293, 8305, 8332, 8345, 8381, 8391, 8401, 8427, 8440, 8452, 8479, 8492, 8576, 8587, 8598, 8623, 8636, 8649, 8683, 8697, 8753, 9424, 9440, 9455, 9481, 9494, 9507, 9537
\citeN 11901	\color . . . 1668, 1669, 1670, 1671, 2214, 5467, 5470, 5473, 5491, 5494, 6086, 6089, 6099, 6217, 10754, 11254, 16135	
\cites 3688	\color@ 16175, 16222	
\cl@ckpt 15083	\color@b@x . . . 5459, 5497, 5499, 16128, 16225, 16228	
\ClassInfo . . 4358, 4423	\color@begingroup 3740, 3757, 3774, 4706, 4720, 6994, 7010, 7026, 7039, 7052, 7065, 7210, 7220, 7230, 7256, 7269, 7281, 7308, 7321, 7357, 7366, 7375, 7400, 7412, 7423, 7449, 7461, 7497, 7507, 7517, 7543, 7556, 7568, 7595, 7608, 7644, 7654, 7664, 7690, 7703, 7715, 7742, 7755, 7791, 7801, 7811, 7837, 7850, 7862, 7889, 7902, 7938, 7948, 7958, 7984, 7997, 8009, 8036, 8049, 8085, 8095, 8105, 8131, 8144, 8156, 8183, 8196, 8232, 8242, 8252, 8278, 8291, 8303,	
\ClassWarning 13548, 14016, 14650		
\ClassWarningNoLine 11408		
\cleardoubleemptypage 13495, 13540, 13963, 14008, 14597, 14642		
\cleardoublepage 4280, 4325, 4327, 4384, 4397, 4411, 5301, 6914		
\clearpage 525, 541, 792, 1046, 3337, 4292, 4327, 4413, 4736, 4915, 5127, 5303, 6916, 12381, 12638, 13100, 13603, 14071, 14705, 15388		
\closing . . . 6953, 14514		
\clubpenalty 88, 222, 504, 505, 637, 905, 1157, 2290, 4547, 4815, 5008, 5319, 5320, 6659, 6932, 6933, 8847, 11898, 12486, 12879, 13078, 13079, 13282, 13283, 13755, 14279, 14870, 15328, 15329, 16409, 16411		
\coffee@font 11676		



<code>\color@fb@x</code>	16226, 16227	5661, 5663, 5694,	14440, 14572,
<code>\color@fb@x</code>	5498, 16226	5699, 5759, 5761,	14900, 14903,
<code>\color@hbox</code>	5764, 5767, 5769,	14907, 16598,
	.. 13382, 13392,	5774, 5935, 5939,	16600, 16602,
	13410, 16823, 16833	6235, 6256, 6666,	16604, 16618,
<code>\color@setgroup</code>	...	6669, 6672, 6966,	16623, 16760, 16762
 5500, 16230	6969, 6972, 6981,	<code>\contentslabel</code>
<code>\color@vbox</code>	6991, 7007, 7023, 3975, 3982,
	1957, 3448, 3492,	7036, 7049, 7062,	3989, 3996, 4003
	3536, 16668, 16712	7253, 7265, 7278,	<code>\contentsline</code>
<code>\colorA</code>	5085, 5094, 5106	7318, 7397, 7408, 10243
<code>\colorB</code> 5091,	7420, 7458, 7540,	<code>\contentsmargin</code>
	5097, 5103, 5109	7552, 7565, 7605,	.. 15294
<code>\colorblend</code>	.. 16142,	7687, 7699, 7712,	<code>\contentspush</code>
	16143, 16185, 16186	7752, 7834, 7846,	... 15268
<code>\colorbox</code>	1784, 1786, 1787	7859, 7899, 7981,	<code>\convertcolorspec</code>
<code>\columncolor</code>	. 1393, 5430	7993, 8006, 8046, 16149,
<code>\columnsep</code>	95, 150, 518,	8128, 8140, 8153,	16152, 16192, 16195
	534, 785, 1039,	8193, 8275, 8287,	<code>\Coord</code>
	1617, 2123, 4729,	8300, 8340, 8422, 1725
	4908, 5120, 5662,	8434, 8447, 8487,	<code>\coord</code>
	5766, 9018, 9783,	8617, 8630, 8643, 1730
	11517, 11615,	8691, 8827, 8830,	<code>\CoordIII</code>
	11708, 11754,	8833, 9013, 9015, 1727
	12374, 12631,	9017, 9019, 9047,	<code>\coordiii</code>
	13093, 16090,	9051, 9331, 9333, 1732
	16095, 16099,	9335, 9337, 9417,	<code>\Coordn</code>
	16105, 16108, 16603	9433, 9448, 9474, 1726
<code>\columnseprule</code>	9487, 9500, 9518,	<code>\coordn</code>
 95, 150,	9732, 9739, 9756, 1731
	517, 533, 784,	9759, 9776, 9778,	<code>\Coordx</code>
	1038, 1618, 2124,	9781, 9784, 9980, 1722,
	4728, 4907, 5119,	9981, 10726,	1725, 1726, 1727,
	5658, 5697, 5760,	10729, 10732,	1728, 1729, 1730,
	5772, 5937, 9014,	11231, 11507,	1731, 1732, 1736, 1737
	9049, 9758, 9777,	11511, 11514,	<code>\coordx</code>
	11509, 11592,	11516, 11589, 1733
	11733, 11744,	11594, 11615,	<code>\Coordy</code>
	12373, 12630,	11644, 11650, 1723,
	13092, 16599, 16621	11802, 11806,	1725, 1726, 1727,
<code>\columnseprulecolor</code>		11810, 11815,	1728, 1729, 1730,
 11732, 11743	12467, 12891,	1731, 1732, 1736, 1737
<code>\columnwidth</code> 27,	13046, 13049,	<code>\coordy</code>
	40, 53, 68, 162,	13052, 13229, 1734
	174, 187, 201,	13232, 13235,	<code>\Coordz</code>
	460, 463, 466,	13470, 13785, 1724,
	649, 887, 1134,	13788, 13792,	1727, 1729, 1732, 1737
	1969, 4827, 4983,	13938, 14309,	<code>\coordz</code>
	5257, 5260, 5263,	14312, 14316, 1735
	5370, 5657, 5659,	14434, 14437,	<code>\copy</code>
		 2032, 2044,
			2048, 3444, 3488,
			3532, 5374, 5741,
			5747, 5907, 5919,
			6246, 6267, 8996,
			9028, 9811, 9857,
			12176, 12244,
			12278, 16306,
			16664, 16708, 16771
			<code>\cor@height</code>
			.. 11464,
			11465, 11492,
			11493, 11529,
			11546, 11547,
			11574, 11575, 11608
			<code>\count</code>
		 1952,
			3433, 3477, 3521,



7168, 7196, 7299, 7343, 7440, 7483, 7586, 7630, 7733, 7777, 7880, 7924, 8027, 8071, 8174, 8218, 8321, 8365, 8468, 8554, 8666, 9118, 9751, 9771, 16653, 16697, 16800	3188, 3189, 3587, 3738, 3755, 3772, 3803, 3830, 3857, 4091, 4552, 4587, 4590, 4593, 4607, 4614, 4621, 4629, 4630, 4668, 4693, 4694, 5473, 5479, 5487, 5494, 6011, 6993, 7009, 7025, 7038, 7051, 7064, 7209, 7219, 7229, 7255, 7268, 7280, 7298, 7299, 7307, 7320, 7356, 7365, 7374, 7399, 7411, 7422, 7439, 7440, 7448, 7460, 7496, 7506, 7516, 7542, 7555, 7567, 7585, 7586, 7594, 7607, 7643, 7653, 7663, 7689, 7702, 7714, 7732, 7733, 7741, 7754, 7790, 7800, 7810, 7836, 7849, 7861, 7879, 7880, 7888, 7901, 7937, 7947, 7957, 7983, 7996, 8008, 8026, 8027, 8035, 8048, 8084, 8094, 8104, 8130, 8143, 8155, 8173, 8174, 8182, 8195, 8231, 8241, 8251, 8277, 8290, 8302, 8320, 8321, 8329, 8342, 8378, 8388, 8398, 8424, 8437, 8449, 8467, 8468, 8476, 8489, 8572, 8583, 8594, 8619, 8632, 8645, 8665, 8666, 8679, 8693, 8955, 9096, 9097, 9102, 9103, 9193, 9194, 9195, 9196, 9198, 9200, 9201, 9202, 9203, 9205, 9206, 9207,	9264, 9288, 9306, 9392, 9401, 9419, 9435, 9450, 9477, 9490, 9503, 9550, 9565, 10245, 10248, 10250, 10254, 10258, 10272, 10283, 10294, 10511, 10542, 10573, 10758, 10761, 11112, 11437, 11438, 11445, 13426, 13430, 13434, 13894, 13898, 13902, 14528, 14532, 14536, 15017, 15044, 15046, 15078, 15100, 15102, 15118, 15119, 15139, 15146, 15371, 15634, 15635, 15651, 15652, 15653, 15660, 15662, 15663, 15729, 15731, 15738, 15739, 15743, 15748, 15752, 15763, 15764, 15768, 15774, 15829, 15830, 15834, 15930, 15931, 15933, 15936, 15937, 15941, 16333, 16450, 16538 \CT@do@color 5425 \CT@cell@color 1417, 5450 \CT@color 5424 \CT@column@color 1415, 5448 \CT@do@color 1418, 5425, 5451 \CT@extract . 1393, 5430 \CT@row@color 1416, 5449 \CT@setup 1382, 1383, 1385, 1386, 1390, 1414, 5421, 5447
\count@ 1333, 1392, 2317, 2322, 5428, 11695, 11696, 11698, 11700, 11707, 11728, 11729, 11731, 11748, 11749, 11752, 15122		
\counterwithout 11353, 11354, 11355, 11356		
\cr 315, 4494, 4501, 4557, 7179, 7183, 7185, 11190, 15027, 15066, 16549		
\crrcr 326, 1850, 1996, 4497, 15014, 15046, 16317, 16535		
\CROP@llc 5563		
\CROP@lrc 5586		
\CROP@ulc 5517		
\CROP@urc 5540		
\CROP@execopt 5610		
\csname . . . 8, 43, 56, 71, 134, 177, 190, 204, 260, 261, 303, 1296, 1813, 1814, 1828, 1829, 1856, 1859, 1862, 1878, 1886, 1894, 1949, 2007, 2324, 2328, 2340, 2382, 2392, 2398, 2399, 2401, 2402, 2404, 2405, 2407, 2443, 2444, 2467, 2522, 2523, 2524, 2525, 2531, 2532, 2533, 2534, 2617, 2618, 2621, 2622, 2797, 2799, 2811, 2813, 2888, 3180, 3181,		



<code>\cumpartcl</code>	12080	<code>\deadcycles</code> .	2782, 2785	1171, 1172, 1180,
<code>\cumtcl</code>	12080	<code>\debugfootnotedirection</code>		1219, 1220, 1222,
<code>\curraddr</code>	249	9251	1227, 1229, 1234,
<code>\current@color</code> 5466,		<code>\DeclareOption</code>		1236, 1264, 1284,
5472, 5479, 5487,		... 2053, 2056,		1294, 1295, 1298,
5493, 9579, 9584,		2059, 2062, 2065,		1304, 1332, 1345,
16134, 16171,		2068, 2071, 2076,		1346, 1349, 1362,
16172, 16176,		2077, 2078, 2079,		1370, 1378, 1379,
16205, 16206, 16223		2080, 2082, 2854,		1382, 1383, 1386,
<code>\CurrentOption</code> 4339,		2855, 2857, 2859,		1391, 1429, 1430,
4340, 4341, 4342,		2862, 2867, 3910,		1490, 1492, 1493,
4343, 4363, 4364,		3911, 4169, 4170,		1545, 1546, 1583,
4365, 4366,		4195, 4196, 4339,		1591, 1592, 1593,
4367, 6032, 6130		4340, 4341, 4342,		1594, 1595, 1605,
<code>\customername</code>	14474	4343, 4363, 4364,		1610, 1635, 1636,
<code>\CustomFBox</code>	9581	4365, 4366, 4367,		1718, 1719, 1720,
<code>\cvcomputer</code>	2246	6022, 6024, 6026,		1722, 1723, 1724,
<code>\cvdoubleitem</code> 2223, 2247		6028, 6030, 6031,		1725, 1726, 1727,
<code>\cventry</code>	2235	6120, 6122, 6124,		1728, 1729, 1730,
<code>\cvlanguage</code>	2244	6126, 6128, 6129		1731, 1732, 1733,
<code>\cvline</code>	2218,	<code>\DeclareRobustCommand</code>		1734, 1735, 1736,
2219, 2224, 2228,	 1710,		1737, 1742, 1753,
2230, 2236, 2245		1711, 1712, 1713,		1784, 1785, 1786,
<code>\cvlistdoubleitem</code> 2229		1714, 1715, 1716,		1787, 1794, 1800,
<code>\cvlistitem</code>	2227	3193, 3200, 5467,		1806, 1814, 1819,
<code>\cvtheme</code>	2161, 2164	5482, 16135, 16178		1821, 1829, 1834,
D		<code>\dedication</code>		1835, 1850, 1855,
<code>\dollarbegin</code> 299, 328,		13598, 14066, 14700		1858, 1861, 1866,
1337, 1338, 1339,		<code>\dedicatory</code>	250	1869, 1872, 1876,
1402, 1405, 1406,		<code>\def</code>	2, 23,	1884, 1892, 1899,
5435, 5438, 5439		26, 30, 34, 47, 62,		1901, 1902, 1904,
<code>\dollarend</code> 300, 328,		91, 94, 103, 104,		1973, 1982, 1995,
1337, 1338, 1339,		105, 106, 118, 128,		2022, 2136, 2137,
1404, 1405, 1406,		149, 158, 159, 160,		2138, 2139, 2140,
5437, 5438, 5439		161, 165, 168, 181,		2141, 2143, 2144,
<code>\dashgapcolor</code>	1397	195, 225, 228,		2162, 2163, 2166,
<code>\date</code> . . 367, 403, 710,		240, 246, 263,		2167, 2168, 2169,
755, 964, 1009,		265, 270, 272,		2170, 2171, 2172,
1216, 1261, 1652,		297, 302, 304,		2173, 2174, 2175,
4205, 4253, 4897,		325, 326, 327,		2176, 2177, 2178,
5076, 5165, 5201,		328, 374, 375,		2293, 2312, 2313,
6706, 6740, 6803,		406, 472, 508,		2314, 2315, 2316,
6839, 8884, 8918,		639, 665, 666,		2323, 2324, 2328,
12556, 12601,		674, 713, 714, 716,		2370, 2378, 2399,
12697, 12744,		721, 723, 728,		2407, 2408, 2409,
12949, 12990,		730, 758, 907,		2415, 2417, 2418,
13137, 13173,		919, 920, 928,		2419, 2422, 2424,
13599, 14067, 14701		967, 968, 970,		2426, 2432, 2436,
<code>\datename</code>	14504	975, 977, 982,		2439, 2448, 2459,
		983, 1012, 1159,		2461, 2462, 2473,



2546, 2565, 2597,
2598, 2599, 2610,
2624, 2627, 2628,
2640, 2652, 2656,
2659, 2672, 2681,
2709, 2737, 2740,
2741, 2749, 2750,
2759, 2772, 2788,
2883, 2906, 2997,
3018, 3022, 3035,
3109, 3178, 3196,
3202, 3239, 3364,
3366, 3367, 3368,
3377, 3379, 3380,
3381, 3385, 3387,
3393, 3394, 3421,
3435, 3438, 3442,
3446, 3459, 3465,
3479, 3482, 3486,
3490, 3503, 3509,
3523, 3526, 3530,
3534, 3547, 3582,
3597, 3612, 3617,
3703, 3705, 3733,
3750, 3767, 3787,
3814, 3841, 4053,
4090, 4098, 4327,
4435, 4436, 4437,
4438, 4444, 4447,
4458, 4459, 4460,
4470, 4496, 4500,
4507, 4529, 4548,
4549, 4550, 4556,
4586, 4589, 4592,
4596, 4599, 4602,
4605, 4612, 4619,
4629, 4630, 4631,
4641, 4645, 4648,
4653, 4654, 4655,
4657, 4666, 4672,
4693, 4694, 4817,
4852, 4853, 4861,
5010, 5031, 5032,
5040, 5080, 5100,
5172, 5173, 5204,
5277, 5291, 5323,
5327, 5339, 5352,
5359, 5363, 5366,
5421, 5424, 5427,
5459, 5466, 5469,

5476, 5484, 5490,
5497, 5498, 5500,
5614, 5627, 5630,
5631, 5636, 5643,
5648, 5651, 5686,
5730, 6229, 6233,
6236, 6254, 6257,
6275, 6332, 6390,
6432, 6459, 6461,
6466, 6497, 6498,
6571, 6620, 6639,
6661, 6713, 6714,
6743, 6810, 6811,
6842, 6889, 6904,
6936, 6980, 6987,
7003, 7019, 7035,
7048, 7061, 7088,
7089, 7090, 7101,
7146, 7205, 7215,
7225, 7251, 7263,
7276, 7303, 7316,
7352, 7361, 7370,
7395, 7406, 7418,
7444, 7456, 7492,
7502, 7512, 7538,
7550, 7563, 7590,
7603, 7639, 7649,
7659, 7685, 7697,
7710, 7737, 7750,
7786, 7796, 7806,
7832, 7844, 7857,
7884, 7897, 7933,
7943, 7953, 7979,
7991, 8004, 8031,
8044, 8080, 8090,
8100, 8126, 8138,
8151, 8178, 8191,
8227, 8237, 8247,
8273, 8285, 8298,
8325, 8338, 8374,
8384, 8394, 8420,
8432, 8445, 8472,
8485, 8568, 8579,
8590, 8615, 8628,
8641, 8675, 8689,
8805, 8817, 8849,
8891, 8892, 8921,
8952, 8982, 8987,
8993, 9025, 9095,
9106, 9154, 9243,

9330, 9334, 9336,
9338, 9340, 9342,
9344, 9345, 9347,
9351, 9360, 9362,
9369, 9370, 9387,
9390, 9396, 9399,
9407, 9408, 9409,
9411, 9427, 9442,
9469, 9482, 9495,
9508, 9514, 9520,
9527, 9540, 9544,
9548, 9554, 9559,
9563, 9575, 9589,
9591, 9593, 9595,
9603, 9708, 9718,
9748, 9768, 9797,
9801, 9807, 9809,
9825, 9836, 9837,
9839, 9852, 9853,
9855, 9871, 9873,
9876, 9878, 9879,
9894, 9901, 9941,
9942, 9943, 9944,
9953, 9955, 9991,
10243, 10270,
10281, 10292,
10303, 10313,
10324, 10335,
10346, 10361,
10376, 10391,
10410, 10436,
10453, 10461,
10474, 10491,
10499, 10507,
10524, 10532,
10538, 10555,
10563, 10569,
10586, 10594,
10602, 10616,
10620, 10634,
10642, 10645,
10646, 10649,
10651, 10654,
10672, 10673,
10677, 10679,
10680, 10681,
10683, 10692,
10694, 10735,
10754, 10756,
10757, 10764,



10769,	10815,	12562,	12567,	16096,	16099,
10846,	10861,	12569,	12574,	16105,	16109,
10862,	10865,	12576,	12604,	16128,	16134,
10867,	11144,	12650,	12651,	16137,	16159,
11156,	11160,	12659,	12700,	16168,	16174,
11161,	11162,	12701,	12703,	16180,	16202,
11169,	11197,	12708,	12710,	16208,	16217,
11207,	11215,	12715,	12717,	16221,	16225,
11218,	11223,	12747,	12769,	16226,	16227,
11289,	11290,	12881,	12913,	16230,	16235,
11311,	11313,	12915,	12956,	16241,	16242,
11363,	11365,	12958,	12993,	16243,	16252,
11413,	11424,	13082,	13144,	16261,	16269,
11435,	11453,	13145,	13176,	16277,	16278,
11535,	11614,	13249,	13261,	16279,	16280,
11622,	11655,	13286,	13290,	16281,	16282,
11667,	11679,	13333,	13380,	16287,	16288,
11693,	11726,	13383,	13390,	16291,	16293,
11740,	11772,	13393,	13401,	16294,	16295,
11800,	11804,	13408,	13411,	16296,	16298,
11808,	11812,	13437,	13439,	16300,	16302,
11816,	11906,	13459,	13707,	16303,	16309,
11920,	11922,	13708,	13759,	16311,	16316,
11929,	11935,	13766,	13905,	16318,	16320,
12002,	12006,	13907,	13927,	16321,	16322,
12010,	12012,	14200,	14283,	16323,	16324,
12028,	12042,	14290,	14412,	16334,	16371,
12043,	12044,	14429,	14433,	16433,	16489,
12045,	12047,	14436,	14442,	16499,	16502,
12054,	12173,	14514,	14539,	16505,	16510,
12174,	12176,	14541,	14561,	16511,	16512,
12177,	12183,	14807,	14874,	16513,	16514,
12184,	12185,	14881,	15009,	16516,	16519,
12194,	12203,	15014,	15018,	16530,	16535,
12211,	12219,	15041,	15046,	16539,	16559,
12220,	12221,	15050,	15060,	16562,	16572,
12222,	12223,	15076,	15082,	16573,	16574,
12224,	12229,	15090,	15111,	16575,	16576,
12230,	12233,	15120,	15121,	16593,	16610,
12235,	12236,	15137,	15141,	16641,	16655,
12237,	12238,	15144,	15148,	16658,	16662,
12240,	12241,	15151,	15181,	16666,	16679,
12247,	12254,	15200,	15204,	16685,	16699,
12255,	12256,	15209,	15218,	16702,	16706,
12257,	12258,	15239,	15273,	16710,	16723,
12262,	12263,	15295,	15301,	16729,	16769,
12364,	12365,	15304,	15306,	16773,	16774,
12488,	12511,	15309,	15332,	16775,	16776,
12512,	12520,	15896,	15917,	16783,	16844,
12559,	12560,	15919,	16053,	16856,	16857,



16859, 16961, 16963, 16967, 16969, 16994, 16996	\dfn@boxa 6233, 6238, 6241, 6245, 6246, 6247, 6254, 6259, 6262, 6266, 6267, 6268, 6281, 6288, 6291, 6293, 6300, 6308, 6338, 6345, 6348, 6350, 6354, 6362	\dfn@latex@RTLfootnotetext 6258, 6273
\default@color 5466, 16134	\dfn@boxb 6247, 6268, 6285, 6286, 6293, 6298, 6342, 6343, 6350, 6353	\dfn@list 6251, 6272, 6279, 6312, 6314, 6317, 6323, 6336, 6364, 6366, 6369, 6375
\DefaultFindent . . 10742	\dfn@countins 6277, 6334	\dfn@LTRfootnotetext 6233, 6253
\DefaultLhang 10738	\dfn@dimb 6313, 6314, 6316, 6317, 6319, 6365, 6366, 6368, 6369, 6371	\dfn@LTRmakecol 6332, 6384, 6386
\DefaultLoversize 10739	\dfn@elt@adjust 6313, 6365	\dfn@makecol 6384, 6385, 6386
\DefaultLraise . . . 10740	\dfn@elt@getht 6278, 6335	\dfn@makefnmark 6236, 6257
\DefaultNindent . . 10743	\dfn@fnht 6249, 6270, 6311, 6314, 6320, 6321, 6322, 6363, 6366, 6372, 6373, 6374	\dfn@RTLfootnotetext 6254, 6274
\DefaultOptionsFile 10746, 10749, 10752	\dfn@fnmaxdp . . 6237, 6242, 6247, 6258, 6263, 6268, 6290, 6293, 6347, 6350	\dfn@RTLmakecol 6275, 6384, 6385
\DefaultSlope 10744	\dfn@footnoterule 6331, 6383	\dfn@split 6247, 6268, 6281, 6293, 6338, 6350
\deffootnote . . 13436, 13461, 13904, 13929, 14411, 14431, 14538, 14563	\dfn@footnotetext 6232	\DFNalwaysdouble . 6387
\define@choicekey 1497, 1503, 1509, 1521, 1527, 1533, 15950, 15958	\dfn@gobble . 6234, 6255	\DFNcolumnsep 6296, 6309, 6353
\define@key 15948	\dfn@ins 6242, 6243, 6244, 6246, 6263, 6264, 6265, 6267, 6281, 6282, 6338, 6339	\DFNcolumnwidth 6230, 6235, 6256, 6295, 6297, 6300, 6310, 6352, 6354
\definecolor . . 1659, 1660, 1661, 1662, 1663, 2135, 2142, 6036, 6041, 6044, 6045, 6046, 6048, 6049, 6052, 6053, 6055, 6056, 6059, 6060, 6062, 6063, 6066, 6067, 6069, 6070, 6073, 6074, 6139, 6140, 6145, 6146, 6151, 6152, 6157, 6158, 6163, 6164, 6564	\dfn@latex@footnotetext 6231	\dimen 5409, 5410, 5413, 5414, 7129, 7169, 7186, 7187, 7188, 7195, 7298, 7342, 7439, 7482, 7585, 7629, 7732, 7776, 7879, 7923, 8026, 8070, 8173, 8217, 8320, 8364, 8467, 8553, 8563, 8564, 8565, 8566, 8665, 8668, 8669, 8670, 8671, 11712, 11719, 11720, 11728, 11729, 11734, 11735, 11748, 11749, 11756, 11757, 16778, 16781
\delimiter 9572	\dfn@latex@LTRfootnotetext 6237, 6252	\dimen@ 2029, 2030, 2031, 5462, 5463, 8737, 8739
\DEPTH 15184, 15191	\dfn@latex@makecol 6330, 6382	
\depthof 6439, 6444, 6453, 6454, 6458, 6463		
\descriptionlabel . 4131		
\detokenize . . 2376, 2378, 2597, 2599, 2600, 2627, 2642, 2659, 2662, 2670, 2672, 2740, 2741		
\dfn@afteroutput 6324, 6327, 6376, 6379		



9611, 9612, 9613, 9623, 9624, 9625, 9628, 9629, 9630, 9636, 9646, 9648, 9657, 9659, 9666, 9667, 9668, 9669, 16067, 16068, 16069, 16070, 16071, 16072, 16131, 16132	5464, 5867, 6238, 6259, 6286, 6305, 6307, 6343, 6359, 6361, 6438, 6443, 6456, 6462, 6576, 6581, 6585, 6588, 7134, 8516, 8737, 8745, 8966, 8979, 9416, 9432, 9447, 9813, 9814, 9817, 9859, 9860, 9863, 10812, 11180, 11268, 11271, 11712, 11728, 11729, 11734, 11735, 11748, 11749, 11756, 11757, 12068, 12069, 12070, 13299, 13341, 13344, 13398, 13405, 13854, 13857, 14378, 14381, 14969, 14972, 15022, 15058, 15070, 15184, 15186, 16123, 16132, 16133, 16544, 16750, 16757, 16828	2626, 2629, 2642, 2646, 2651, 2658, 2661, 2668, 2671, 2677, 2680, 2733, 2739, 2742, 3607, 3712, 3723, 4587, 4590, 4593, 6488, 6491, 9096, 9102, 9192, 9194, 9195, 9196, 9281, 9302, 9643, 10393, 10430, 10437, 10468, 10475, 10508, 10539, 10570, 10818, 10822, 11216, 11219, 11918, 11997, 12016, 12019, 13295, 13338, 13744, 14268, 14413, 14859, 15025, 15051, 15065, 15083, 15138, 15145, 15158, 15634, 15711, 15815, 15928, 16143, 16148, 16157, 16172, 16176, 16186, 16191, 16200, 16206, 16219, 16223, 16442, 16547
\dimen@ii 9661, 9662, 9663, 9669, 9671, 9674, 9675, 9676	9813, 9814, 9817, 9859, 9860, 9863, 10812, 11180, 11268, 11271, 11712, 11728, 11729, 11734, 11735, 11748, 11749, 11756, 11757, 12068, 12069, 12070, 13299, 13341, 13344, 13398, 13405, 13854, 13857, 14378, 14381, 14969, 14972, 15022, 15058, 15070, 15184, 15186, 16123, 16132, 16133, 16544, 16750, 16757, 16828	9192, 9194, 9195, 9196, 9281, 9302, 9643, 10393, 10430, 10437, 10468, 10475, 10508, 10539, 10570, 10818, 10822, 11216, 11219, 11918, 11997, 12016, 12019, 13295, 13338, 13744, 14268, 14413, 14859, 15025, 15051, 15065, 15083, 15138, 15145, 15158, 15634, 15711, 15815, 15928, 16143, 16148, 16157, 16172, 16176, 16186, 16191, 16200, 16206, 16219, 16223, 16442, 16547
\dimexpr 11260, 11269, 11615, 13464, 13473, 13932, 13941, 14566, 14575, 16456, 16458, 16459, 16460, 16465, 16467, 16468, 16469, 16474, 16476, 16477, 16478, 16483, 16485, 16486, 16487	9813, 9814, 9817, 9859, 9860, 9863, 10812, 11180, 11268, 11271, 11712, 11728, 11729, 11734, 11735, 11748, 11749, 11756, 11757, 12068, 12069, 12070, 13299, 13341, 13344, 13398, 13405, 13854, 13857, 14378, 14381, 14969, 14972, 15022, 15058, 15070, 15184, 15186, 16123, 16132, 16133, 16544, 16750, 16757, 16828	9192, 9194, 9195, 9196, 9281, 9302, 9643, 10393, 10430, 10437, 10468, 10475, 10508, 10539, 10570, 10818, 10822, 11216, 11219, 11918, 11997, 12016, 12019, 13295, 13338, 13744, 14268, 14413, 14859, 15025, 15051, 15065, 15083, 15138, 15145, 15158, 15634, 15711, 15815, 15928, 16143, 16148, 16157, 16172, 16176, 16186, 16191, 16200, 16206, 16219, 16223, 16442, 16547
\display@setup 5328, 5353	\dquad 5361, 5363	\egroup 302, 326, 562, 1125, 1294, 1295, 1412, 1850, 1851, 1977, 4497, 4708, 5372, 5445, 7158, 9074, 9075, 9089, 9538, 9683, 9687, 11623, 12056, 12187, 12192, 12196, 12201, 12205, 12209, 12213, 12217, 12402, 12854, 15014, 15015, 15041, 15048, 15815, 16245, 16250, 16254,
\displayindent . . . 5369	\draw . . . 15981, 15991, 15999, 16002, 16005, 16008, 16020, 16025, 16032, 16038, 16039	
\displaystyle 9069, 9085	\dseries@display@setup 5353	
\displaywidth . 5369, 6435, 6437, 6442, 9088, 10709	E	
\divide . . 7187, 8565, 8670, 8967, 8968, 12088, 12089, 15056	\edef 119, 279, 1311, 1365, 1373, 1433, 1457, 1550, 1574, 1812, 1827, 1856, 1859, 1862, 2301, 2304, 2374, 2377, 2480, 2481, 2484, 2485, 2502, 2503, 2506, 2507, 2596, 2601, 2611,	
\do 246, 247, 248, 249, 250, 251, 1926, 3638, 3643, 3666, 3675, 5632, 8955, 10817		
\do@hvFloat 9941		
\document . . . 2755, 2769		
\doubleitemmaincolumnwidth 2184, 2197, 2198, 2199, 2200, 2224, 2226		
\doublerulesepcolor 1396		
\dp 39, 52, 67, 173, 186, 200, 309, 1389, 5463,		



16259, 16263,
16267, 16271,
16275, 16535, 16536
\eightcolumnfootnotes
..... 8065
\eightcolumnfootstyle
..... 8160
\reject 5877,
9614, 9683, 9703
\else 4,
12, 13, 25, 36, 84,
100, 112, 130, 138,
139, 155, 170, 218,
232, 236, 263,
268, 273, 274,
275, 277, 278,
281, 282, 283,
285, 286, 287,
288, 289, 292,
293, 294, 318,
370, 381, 384,
433, 450, 453,
454, 476, 479,
494, 514, 525,
530, 541, 545,
553, 557, 558,
562, 566, 569,
570, 575, 586,
597, 611, 614, 615,
618, 628, 677,
686, 694, 718,
722, 724, 735,
738, 781, 792,
795, 798, 799,
805, 815, 818,
819, 822, 832,
843, 854, 862,
866, 875, 896,
931, 940, 948,
972, 976, 978,
989, 992, 1035,
1046, 1050, 1053,
1056, 1057, 1062,
1073, 1084, 1099,
1102, 1103, 1106,
1116, 1120, 1121,
1125, 1148, 1183,
1192, 1200, 1224,
1228, 1230, 1241,
1244, 1281, 1286,

1287, 1300, 1305,
1306, 1307, 1309,
1310, 1313, 1314,
1315, 1317, 1318,
1319, 1320, 1321,
1322, 1323, 1326,
1327, 1328, 1348,
1349, 1350, 1351,
1352, 1353, 1355,
1356, 1357, 1358,
1359, 1482, 1484,
1493, 1584, 1586,
1595, 1796, 1802,
1808, 1823, 1907,
1915, 1920, 1930,
1985, 2011, 2021,
2026, 2041, 2043,
2238, 2239, 2240,
2242, 2278, 2303,
2306, 2335, 2343,
2347, 2353, 2361,
2365, 2387, 2394,
2431, 2635, 2963,
2969, 3158, 3161,
3164, 3167, 3197,
3425, 3431, 3463,
3469, 3475, 3513,
3519, 3658, 4038,
4039, 4327, 4412,
4512, 4533, 4558,
4570, 4638, 4658,
4659, 4674, 4679,
4683, 4725, 4736,
4740, 4743, 4746,
4747, 4752, 4763,
4772, 4786, 4789,
4790, 4794, 4806,
4864, 4873, 4881,
4904, 4915, 4919,
4922, 4925, 4926,
4931, 4942, 4951,
4965, 4968, 4969,
4973, 4999, 5043,
5052, 5060, 5082,
5093, 5095, 5116,
5127, 5168, 5179,
5182, 5231, 5246,
5249, 5250, 5279,
5293, 5302, 5309,
5331, 5361, 5366,

5368, 5385, 5386,
5387, 5388, 5409,
5413, 5460, 5465,
5503, 5504, 5510,
5528, 5551, 5574,
5597, 5622, 5623,
5625, 5637, 5642,
5644, 5646, 5654,
5665, 5677, 5690,
5704, 5720, 5737,
5745, 5768, 5786,
5813, 5817, 5832,
5839, 5858, 5868,
5880, 5889, 5903,
5915, 5950, 5978,
5982, 5997, 6006,
6008, 6180, 6194,
6239, 6243, 6245,
6260, 6264, 6266,
6275, 6280, 6289,
6300, 6304, 6312,
6332, 6337, 6346,
6354, 6358, 6364,
6384, 6393, 6400,
6417, 6441, 6446,
6460, 6477, 6517,
6518, 6523, 6524,
6525, 6532, 6533,
6538, 6539, 6540,
6553, 6554, 6555,
6556, 6583, 6599,
6602, 6603, 6613,
6624, 6627, 6640,
6650, 6709, 6720,
6723, 6806, 6817,
6820, 6868, 6891,
6906, 6915, 6922,
6942, 6943, 6945,
6950, 6956, 6958,
6962, 6986, 7033,
7107, 7110, 7122,
7139, 7149, 7204,
7249, 7351, 7393,
7491, 7536, 7638,
7683, 7785, 7829,
7932, 7976, 8079,
8124, 8226, 8271,
8373, 8418, 8526,
8537, 8575, 8622,
8734, 8755, 8764,



8781, 8796, 8799,	10161,	10165,	11103,	11106,
8800, 8807, 8819,	10167,	10169,	11109, 11112, 11115,	
8838, 8887, 8898,	10173,	10177,	11118, 11121, 11124,	
8901, 8960, 8982,	10181,	10187,	11127,	11130,
8984, 8985, 8986,	10190,	10194,	11133,	11136,
8987, 8989, 8990,	10200,	10203,	11139,	11147,
8991, 9006, 9011,	10206,	10212,	11148,	11149,
9038, 9043, 9064,	10227,	10237,	11150,	11173,
9077, 9094, 9121,	10246,	10257,	11202,	11278,
9125, 9146, 9237,	10277,	10288,	11317,	11320,
9241, 9267, 9291,	10299,	10317,	11331,	11332,
9373, 9376, 9412,	10328,	10339,	11333,	11334,
9460, 9496, 9497,	10350,	10365,	11335,	11336,
9512, 9530, 9574,	10380,	10457,	11365,	11381,
9592, 9594, 9610,	10495,	10528,	11387,	11393,
9615, 9635, 9664,	10559,	10590,	11418,	11428,
9670, 9686, 9693,	10643,	10713,	11450,	11468,
9698, 9711, 9741,	10714,	10716,	11481,	11494,
9753, 9773, 9801,	10721,	10745,	11498,	11550,
9803, 9806, 9807,	10747,	10760,	11563,	11576,
9815, 9821, 9824,	10776,	10785,	11580,	11633,
9827, 9834, 9841,	10815,	10818,	11641,	11647,
9843, 9849, 9853,	10822,	10840,	11656,	11658,
9856, 9861, 9867,	10856,	10874,	11662,	11663,
9870, 9883, 9886,	10946,	10949,	11668,	11670,
9889, 9895, 9902,	10952,	10955,	11675,	11680,
9912, 9925, 9934,	10958,	10961,	11682,	11687,
9954, 9957, 9963,	10964,	10967,	11697,	11710,
9964, 9967, 9974,	10971,	10974,	11771,	11787,
9976, 9982, 9993,	10977,	10980,	11791,	11795,
10001, 10003,	10983,	10986,	11891,	11895,
10004, 10005,	10989,	10992,	11928,	11934,
10008, 10013,	10995,	10998,	11942,	11945,
10019, 10021,	11001,	11004,	11969,	11989,
10022, 10023,	11007,	11010,	12018,	12042,
10026, 10036,	11013,	11016,	12043,	12044,
10038, 10051,	11019,	11022,	12045,	12051,
10057, 10060,	11025,	11028,	12085,	12111,
10064, 10070,	11031,	11034,	12149,	12150,
10073, 10076,	11037,	11040,	12151,	12177,
10082, 10087,	11043,	11046,	12229,	12230,
10090, 10094,	11049,	11052,	12233,	12237,
10096, 10099,	11055,	11058,	12238,	12254,
10103, 10105,	11061,	11064,	12255,	12262,
10107, 10111,	11067,	11070,	12263,	12267,
10116, 10120,	11073,	11076,	12269,	12275,
10127, 10132,	11079,	11082,	12286,	12288,
10136, 10143,	11085,	11088,	12299,	12301,
10148, 10152,	11091,	11094,	12312,	12314,
10156, 10158,	11097,	11100,	12323,	12325,



12342,	12364,	13499,	13506,	14417,	14418,
12365,	12370,	13512,	13536,	14424,	14443,
12381,	12385,	13543,	13547,	14444,	14445,
12393,	12397,	13561,	13564,	14446,	14447,
12398,	12402,	13607,	13611,	14448,	14449,
12406,	12409,	13619,	13625,	14450,	14454,
12410,	12415,	13637,	13651,	14457,	14460,
12426,	12435,	13656,	13659,	14463,	14466,
12449,	12452,	13660,	13667,	14469,	14472,
12453,	12457,	13671,	13686,	14475,	14478,
12477,	12523,	13692,	13696,	14481,	14484,
12532,	12540,	13707,	13708,	14487,	14490,
12564,	12568,	13721,	13723,	14493,	14496,
12570,	12581,	13735,	13749,	14499,	14502,
12584,	12627,	13765,	13775,	14505,	14510,
12638,	12662,	13784,	13791,	14511,	14517,
12671,	12679,	13794,	13795,	14545,	14546,
12705,	12709,	13796,	13798,	14554,	14567,
12711,	12722,	13823,	13835,	14576,	14596,
12725,	12766,	13840,	13845,	14601,	14608,
12771,	12772,	13862,	13876,	14614,	14638,
12780,	12783,	13882,	13911,	14645,	14649,
12784,	12789,	13912,	13920,	14663,	14666,
12800,	12809,	13933,	13942,	14709,	14713,
12823,	12826,	13962,	13967,	14721,	14727,
12827,	12831,	13974,	13980,	14739,	14753,
12837,	12845,	14004,	14011,	14758,	14761,
12849,	12850,	14015,	14029,	14762,	14769,
12854,	12870,	14032,	14075,	14783,	14789,
12901,	12952,	14079,	14087,	14793,	14801,
12968,	12971,	14093,	14105,	14807,	14836,
13017,	13032,	14119,	14124,	14837,	14850,
13035,	13036,	14127,	14128,	14864,	14880,
13041,	13042,	14135,	14146,	14890,	14899,
13068,	13089,	14151,	14154,	14906,	14909,
13100,	13140,	14155,	14162,	14910,	14911,
13151,	13154,	14176,	14182,	14913,	14938,
13203,	13218,	14186,	14194,	14950,	14955,
13221,	13222,	14200,	14205,	14960,	14977,
13251,	13263,	14221,	14229,	14991,	14997,
13272,	13303,	14237,	14245,	15003,	15006,
13348,	13382,	14246,	14259,	15047,	15055,
13384,	13388,	14273,	14289,	15068,	15152,
13392,	13394,	14299,	14308,	15153,	15154,
13399,	13403,	14315,	14318,	15156,	15157,
13406,	13410,	14319,	14320,	15160,	15161,
13412,	13416,	14322,	14347,	15162,	15163,
13443,	13444,	14359,	14364,	15164,	15165,
13452,	13465,	14369,	14386,	15166,	15168,
13474,	13494,	14400,	14406,	15169,	15170,



15171,	15172,	15839,	15845,	16567,	16568,
15175,	15176,	15848,	15859,	16569,	16572,
15177,	15253,	15897,	15899,	16573,	16577,
15270,	15277,	15904,	15913,	16579,	16584,
15279,	15284,	15918,	15920,	16596,	16614,
15289,	15290,	15927,	15934,	16638,	16645,
15293,	15298,	15965,	15972,	16651,	16689,
15302,	15303,	15975,	15986,	16695,	16733,
15318,	15341,	15993,	16007,	16735,	16745,
15345,	15355,	16057,	16064,	16761,	16763,
15361,	15367,	16065,	16067,	16766,	16770,
15372,	15378,	16075,	16083,	16779,	16802,
15388,	15400,	16085,	16086,	16807,	16825,
15408,	15413,	16097,	16101,	16835,	16849,
15414,	15415,	16106,	16115,	16856,	16857,
15423,	15430,	16121,	16129,	16953, 16961, 16967	
15444,	15445,	16133,	16142,	\em 4131	
15446,	15454,	16161,	16166,	\email 249, 2174	
15463,	15467,	16185,	16210,	\emaillink 2256, 6113, 6211	
15468,	15469,	16215,	16235,	\emailsymbol	
15477,	15484,	16277,	16282,	. . . 2134, 6113, 6211	
15485,	15486,	16287,	16288,	\empty 9954	
15494,	15501,	16291,	16295,	\end 349, 352,	
15502,	15503,	16296,	16327,	355, 420, 423,	
15511,	15518,	16346,	16349,	689, 697, 700,	
15519,	15520,	16354,	16357,	770, 773, 943,	
15528,	15535,	16360,	16363,	951, 954, 1024,	
15536,	15537,	16366,	16374,	1027, 1195, 1203,	
15545,	15552,	16384,	16389,	1206, 1277, 1280,	
15553,	15554,	16395,	16410,	1285, 1286, 1287,	
15562,	15570,	16428,	16437,	1745, 1756, 1757,	
15571,	15572,	16440,	16445,	2222, 2224, 2226,	
15580,	15589,	16446,	16447,	2228, 2230, 2234,	
15590,	15591,	16457,	16458,	2242, 2245, 2294,	
15599,	15609,	16460,	16466,	2810, 2816, 2836,	
15610,	15611,	16467,	16469,	2842, 3003, 3004,	
15619,	15629,	16475,	16476,	3009, 3012, 3083,	
15644,	15645,	16478,	16484,	3084, 3091, 3092,	
15646,	15654,	16485,	16487,	3099, 3100, 3120,	
15676,	15694,	16495,	16496,	3121, 3159, 3162,	
15695,	15696,	16497,	16498,	3165, 3168, 3175,	
15701,	15715,	16501,	16504,	3176, 3359, 3360,	
15719,	15742,	16507,	16510,	3922, 3978, 3985,	
15757,	15767,	16511,	16512,	3992, 3999, 4006,	
15771,	15781,	16513,	16515,	4017, 4025, 4152,	
15782,	15783,	16517,	16518,	4153, 4289, 4332,	
15784,	15789,	16522,	16524,	4354, 4680, 4876,	
15791,	15792,	16540,	16562,	4884, 4887, 5055,	
15800,	15806,	16563,	16564,	5063, 5066, 5095,	
15823,	15833,	16565,	16566,	5107, 5147, 5150,	



5153, 5218, 5221,	\end@rotdblfloat 13333	7567, 7585, 7586,
5527, 5537, 5550,	\end@rotfloat	7594, 7607, 7643,
5560, 5573, 5583,	13290, 13331, 13332	7653, 7663, 7689,
5596, 5606, 6092,	\endarray	7702, 7714, 7732,
6201, 6213, 6221,	. 302, 326, 1294,	7733, 7741, 7754,
6485, 6559, 6690,	1295, 15041, 15046	7790, 7800, 7810,
6693, 6696, 6755,	\endBCmd 1747	7836, 7849, 7861,
6758, 6785, 6788,	\endbidi@pgfpicture	7879, 7880, 7888,
6791, 6856, 6859, 12043, 15231	7901, 7937, 7947,
6947, 8868, 8871,	\endbidi@tikzpicture	7957, 7983, 7996,
8874, 8933, 8936, 15218	8008, 8026, 8027,
9076, 10011,	\endcsname 8, 43, 56, 71,	8035, 8048, 8084,
10029, 10131,	134, 177, 190, 204,	8094, 8104, 8130,
10147, 10238,	260, 261, 303,	8143, 8155, 8173,
10718, 11451,	1296, 1813, 1814,	8174, 8182, 8195,
12535, 12543,	1828, 1829, 1856,	8231, 8241, 8251,
12546, 12616,	1859, 1862, 1878,	8277, 8290, 8302,
12619, 12674,	1886, 1894, 1949,	8320, 8321, 8329,
12682, 12685,	2007, 2325, 2329,	8342, 8378, 8388,
12762, 12765,	2333, 2339, 2340,	8398, 8424, 8437,
12770, 12771,	2382, 2392, 2398,	8449, 8467, 8468,
12772, 12931,	2399, 2401, 2402,	8476, 8489, 8572,
12934, 12937,	2404, 2405, 2407,	8583, 8594, 8619,
13009, 13119,	2443, 2444, 2466,	8632, 8645, 8665,
13122, 13125,	2467, 2522, 2523,	8666, 8679, 8693,
13190, 13193,	2524, 2525, 2531,	8955, 9096, 9098,
13291, 13334,	2532, 2533, 2534,	9102, 9104, 9193,
13502, 13517,	2617, 2618, 2621,	9194, 9195, 9196,
13524, 13530,	2622, 2797, 2799,	9198, 9200, 9201,
13534, 13542,	2811, 2813, 2888,	9202, 9203, 9205,
13614, 13631,	3180, 3181, 3188,	9206, 9207, 9264,
13641, 13731,	3189, 3587, 3738,	9288, 9306, 9392,
13970, 13985,	3755, 3772, 3803,	9401, 9419, 9435,
13992, 13998,	3830, 3857, 4091,	9450, 9477, 9490,
14002, 14010,	4552, 4587, 4590,	9503, 9550, 9565,
14082, 14099,	4593, 4607, 4614,	10245, 10248,
14109, 14255,	4621, 4629, 4630,	10250, 10254,
14604, 14619,	4668, 4693, 4694,	10258, 10272,
14626, 14632,	5473, 5479, 5487,	10283, 10294,
14636, 14644,	5494, 6011, 6993,	10511, 10542,
14716, 14733,	7009, 7025, 7038,	10573, 10758,
14743, 14846,	7051, 7064, 7209,	10761, 11112,
15107, 15316,	7219, 7229, 7255,	11437, 11438,
15969, 15982,	7268, 7280, 7298,	11445, 11914,
15989, 15992,	7299, 7307, 7320,	11924, 11938,
16011, 16028,	7356, 7365, 7374,	13426, 13430,
16035, 16041, 16043	7399, 7411, 7422,	13434, 13894,
\end@dblfloat 13378	7439, 7440, 7448,	13898, 13902,
\end@float	7460, 7496, 7506,	14528, 14532,
. 3029, 3352, 13329	7516, 7542, 7555,	14536, 15017,



15044,	15046,	4949, 4972, 5188,	8575, 8586, 8622,
15078,	15100,	5238, 5253, 5452,	8635, 8974, 8982,
15102,	15118,	5684, 5727, 6409,	8984, 8985, 8986,
15119,	15139,	6427, 6605, 6618,	8987, 8989, 8990,
15146,	15371,	6729, 6826, 6875,	8991, 9075, 9089,
15634,	15635,	8788, 8803, 8907,	9236, 9806, 9824,
15651,	15652,	9023, 9059, 9143,	9834, 9849, 9870,
15653,	15660,	9162, 9394, 9403,	10251, 10255,
15662,	15663,	9552, 9567, 9586,	10259, 10261,
15726,	15727,	9627, 9658, 9766,	10404, 10643,
15729,	15731,	9790, 9835, 9850,	10645, 10652,
15736,	15738,	10236, 10274,	10655, 10663,
15740,	15744,	10285, 10296,	10852, 12043,
15747,	15748,	10307, 10425,	12045, 12183,
15751,	15752,	10450, 10488,	12200, 12263,
15761,	15763,	10521, 10552,	13388, 13399,
15765,	15769,	10583, 10664,	13406, 13416,
15773,	15774,	10666, 10682,	15196, 16133,
15827,	15829,	10693, 10763,	16134, 16173,
15831,	15835,	11191, 11328,	16177, 16230,
15855,	15856,	11446, 11527,	16241, 16258,
15864,	15868,	11606, 11803,	16766, 16825, 16835
15872,	15876,	11807, 11811,	\endlist 92,
15880,	15884,	12036, 12433,	226, 510, 641,
15888,	15892,	12456, 12590,	875, 909, 1161,
15930,	15931,	12731, 12807,	4116, 4124, 4129,
15933,	15936,	12830, 12977,	4819, 5012, 5325,
15937,	15941,	13024, 13039,	6663, 6938, 8851,
16333, 16450, 16538		13160, 13210,	11909, 12490,
\enddocument 2781		13225, 13570,	12883, 13084,
\endflushleft 1767, 1775		13665, 13674,	13288, 13773,
\endgraf 2016, 2020, 11205		13701, 13732,	14297, 14888, 15334
\endgroup ... 17, 123,		13871, 14038,	\endlongtable 1995
143, 237, 244,		14133, 14137,	\endLTR 12045,
300, 316, 390,		14160, 14164,	12220, 12263, 16278
442, 456, 595,		14192, 14196,	\endMakeFramed ... 9600
617, 744, 821, 841,		14256, 14395,	\endmath 5358
998, 1082, 1105,		14672, 14767,	\endmdf@lrbox 11263
1250, 1419, 1641,		14771, 14799,	\endminipage . 7146, 9527
1880, 1888, 1896,		14803, 14847,	\endmodernpoem ... 4694
2017, 2311, 2391,		14986, 15121,	\endpgfpicture
2410, 2547, 2566,		15231, 15258, 12041, 12045
2611, 2633, 2643,		15436, 15709,	\endpspicture
2660, 2710, 2756,		15837, 16125, 12261, 12263
3190, 3615, 3617,		16158, 16201,	\endR 29, 164, 263, 268,
3805, 3832, 3859,		16220, 16608,	302, 326, 467,
4228, 4245, 4261,		16635, 16784, 16792	654, 891, 1139,
4272, 4312, 4566,		\endL 1423, 2267,	1294, 1295, 1412,
4609, 4616, 4623,		5456, 5465, 5466,	1850, 1851, 2041,
4681, 4770, 4793,		5475, 5481, 5500,	2044, 4832, 4988,



5264, 5366, 5445,	\endtabular 302, 303,	\equal 2232,
5461, 5466, 5468,	1295, 1296, 1850,	2249, 2253, 2257,
5500, 6390, 6673,	15041, 15044,	3017, 3051, 3062,
6973, 7179, 7183,	15128, 16535, 16538	3088, 3089,
8575, 8597, 8622,	\endtabularx	3105, 3146, 3404,
8648, 8834, 8982,	. 15079, 15108, 15119	3644, 3645, 3676,
8984, 8985, 8986,	\endtitlepage . . 552,	3677, 6200, 9184
8987, 8989, 8990,	861, 1115, 4802,	\errmessage
8991, 9094, 9333,	4995, 12392, 12844	. . 1494, 1596, 11710
9803, 9856, 9895,	\endtraditionalpoem	\escapechar . . 2300,
9902, 10251, 4630	2317, 2322, 2410
10259, 10643,	\endtrivlist 9090	\ESO@isMEMOIR 6395
10652, 10655,	\endturn 13383	\evenpage 1602, 1605,
10663, 10709,	\endwindow 12054	1606, 1607, 1609,
10733, 10852,	\enskip 15822, 15847	1610, 1611, 1612, 1614
11199, 11415,	\enspace 235, 12048, 12050	\evensidemargin . . .
11417, 11815,	\EQ 6432, 6438, 6439,	. . 1626, 6418, 16803
12052, 12184,	6443, 6444, 6453,	\everycr 11195
12191, 12256,	6454, 6456, 6458,	\everydisplay 5328
12257, 12258,	6459, 6461, 6462,	\everyhbox . . . 12186,
12472, 12896,	6463, 6464, 6466,	12188, 12195,
13053, 13236,	6467, 6468, 6480,	12197, 16244,
13384, 13394,	6483, 6485, 6487,	16246, 16253, 16255
13403, 13412,	6488, 6490, 6493,	\everyjob 1457,
13477, 13793,	6495, 6497, 6498,	1458, 1574, 1575
13869, 13945,	6500, 6501, 6503,	\everymath 266
14317, 14393,	6506, 6507, 6508,	\everypar 440,
14441, 14579,	6511, 6514, 6522,	593, 839, 1080,
14908, 14984,	6529, 6537, 6544,	3463, 3507, 3551,
15014, 15015,	6546, 6549, 6553,	4769, 4948, 5237,
15041, 15048,	6554, 6555, 6556,	6874, 8787, 8981,
15195, 16130,	6568, 6570, 6571	12178, 12182,
16134, 16136,	\eq@addpunct 5363	12339, 12353,
16230, 16242,	\EQ@box 5368, 5374	12432, 12806,
16249, 16500,	\eq@group . . . 5331, 5340	13023, 13209,
16503, 16506,	\eq@GRP@first@dmath	13670, 15429,
16523, 16535, 5340	15433, 16236,
16536, 16766,	\eq@if . 2320, 2321, 2323	16240, 16395,
16779, 16781,	\eq@isIntertext . . 5378	16412, 16683, 16727
16825, 16835,	\eq@prelim . . 5331, 5348	\everyvbox . . . 1298,
16848, 16851, 16859	\eq@setnumber 5334	1299, 12204,
\endrotate 13393	\eq@setup@a 5336	12206, 12212,
\endRTL . . . 12222, 16280	\eq@startup 5337	12214, 16262,
\ends@math 5358	\eq@wdCond 5355	16264, 16270, 16272
\endscope 15225	\eqnewif 1466,	\ExecuteOptions . . .
\endsideways 13411	. 1467, 1469, 1477, 2316	2083, 2872, 4199,
\endsidewaysfigure 13331	\eqno 254, 12252,	4201, 6033, 6131
\endsidewaysstable 13332	. 12254, 16854, 16856	\exhyphenpenalty . .
\endstabular 15014, 15017	\eqnumform 5366 544, 853,
\endstrip 11622	\eqstyle 5333	



1049, 4739, 4918,
12384, 12836, 12900
\expandafter . . . 279,
303, 676, 685,
693, 719, 722,
930, 939, 947,
973, 976, 1182,
1191, 1199, 1225,
1228, 1296, 1311,
1393, 1394, 1395,
1397, 1795, 1797,
1801, 1803, 1807,
1809, 1813, 1814,
1822, 1824, 1828,
1829, 1853, 1857,
1860, 1863, 1867,
1870, 1873, 1924,
1925, 1978, 2006,
2324, 2325, 2328,
2329, 2334, 2336,
2340, 2341, 2342,
2344, 2345, 2348,
2352, 2354, 2359,
2360, 2362, 2363,
2366, 2375, 2382,
2386, 2388, 2391,
2392, 2393, 2395,
2398, 2399, 2401,
2402, 2404, 2405,
2407, 2411, 2438,
2439, 2440, 2441,
2442, 2444, 2467,
2471, 2522, 2523,
2524, 2525, 2531,
2532, 2533, 2534,
2617, 2618, 2632,
2633, 2634, 2636,
2643, 2644, 2647,
2662, 2669, 2678,
3605, 4091, 4456,
4588, 4591, 4594,
4597, 4600, 4603,
4629, 4630, 4693,
4694, 4708, 4863,
4872, 4880, 5042,
5051, 5059, 5328,
5430, 5472, 5493,
7159, 7298, 7299,
7439, 7440, 7585,
7586, 7732, 7733,

7879, 7880, 8026,
8027, 8173, 8174,
8320, 8321, 8467,
8468, 8566, 8665,
8666, 8671, 9000,
9002, 9032, 9034,
9096, 9097, 9102,
9103, 9185, 9202,
9207, 9266, 9269,
9290, 9293, 9306,
9320, 9321, 9322,
9323, 9325, 9539,
9627, 9649, 9650,
9658, 9840, 9878,
9879, 10276,
10278, 10287,
10289, 10298,
10300, 10420,
10434, 10448,
10472, 10486,
10519, 10550,
10581, 10661,
10682, 10683,
10690, 10704,
10758, 10766,
10771, 11192,
11217, 11220,
11427, 11430,
11998, 12015,
12027, 12032,
12180, 12522,
12531, 12539,
12565, 12568,
12661, 12670,
12678, 12706,
12709, 13296,
13308, 13318,
13339, 13354,
13366, 15017,
15044, 15077,
15080, 15100,
15103, 15105,
15107, 15118,
15119, 15127,
15131, 15133,
15140, 15142,
15147, 15149,
15158, 15215,
15634, 15635,
15651, 15652,

15653, 15660,
15662, 15663,
15739, 15743,
15764, 15768,
15830, 15834,
15930, 15931,
15933, 15936,
15937, 15940,
16143, 16155,
16158, 16166,
16167, 16186,
16198, 16201,
16215, 16216,
16220, 16238, 16538
\extrafeetendmini .
. 7138, 7145
\extrafeetendminihook
. 7143, 7144
\extrafeetins . 7117, 7118
\extrafeetinshook .
. 7123, 7124
\extrafeetminihook 7137
\extrainfo 2175
\extrarowheight . . .
. . . 306, 11166, 11174
\extrarulesep 15071
\extratitle
13592, 14060, 14694

F
\f@size 267
\familyname 2168
\familynamecolour .
. . . 2137, 6037, 6135
\familynamefont 2146,
2154, 6077, 6171
\familynamestyle . .
. 2154,
6088, 6178, 6199
\fancy@oval 8952
\fancy@reset . 8982, 8987
\fancyfoot . . . 2267,
3231, 3232, 6103
\fancyhead 3220, 3221,
3222, 4390, 4391,
4402, 4403, 4404
\fancyhf
2116, 3218, 3227,
3237, 4388, 4399
\fancyhfoffset 3211, 3212



\fancypagestyle . . .	\ff@col 9194	1295, 1300, 1314,
. . . . 2113, 2266,	\ff@frametype 9192, 9203	1315, 1329, 1330,
3226, 3236, 6102	\ff@txtcol	1344, 1352, 1353,
\FAX 2133	. . . 9184, 9185, 9195	1359, 1360, 1364,
\fax 2173	\fi . . 12, 13, 18, 25, 36,	1369, 1372, 1377,
\faxsymbol 2133, 6112, 6210	84, 94, 100, 103,	1380, 1388, 1389,
\fb@adjheight	104, 105, 113, 138,	1398, 1399, 1411,
. . 9614, 9684, 9704	139, 144, 149, 155,	1412, 1423, 1485,
\fb@afterframe	158, 159, 160, 170,	1486, 1493, 1494,
. . 9609, 9634, 9692	218, 232, 236,	1502, 1508, 1520,
\FB@captype	255, 263, 268,	1526, 1532, 1538,
. . . 9101, 9102, 9104	282, 283, 295,	1544, 1587, 1588,
\fb@frh . . 9621, 9625,	296, 297, 299,	1595, 1596, 1798,
9640, 9675, 9678	302, 318, 324,	1804, 1810, 1825,
\fb@put@frame . 9603,	326, 383, 388,	1835, 1846, 1850,
9614, 9685, 9705	426, 433, 441,	1851, 1853, 1910,
\fb@putboxa . . 9608,	443, 450, 453,	1911, 1917, 1932,
9633, 9691, 9708	454, 457, 478,	1933, 1936, 1939,
\fb@resto@set	479, 485, 494,	1942, 1946, 1947,
. . 9643, 9683, 9687	516, 525, 532,	1955, 1982, 1988,
\fb@sizeofframe . . .	541, 545, 558,	1989, 1992, 2009,
. 9616, 9638	561, 562, 563,	2015, 2021, 2036,
\fbox 1747, 1757, 5499,	569, 570, 575,	2037, 2041, 2042,
6572, 10050,	578, 586, 594,	2044, 2049, 2238,
10056, 10063,	596, 603, 604,	2239, 2240, 2242,
10069, 10075,	611, 614, 615, 620,	2270, 2278, 2309,
10081, 10089,	628, 669, 679,	2310, 2337, 2346,
10093, 10098,	688, 696, 720,	2349, 2355, 2364,
10102, 10106,	722, 737, 742,	2367, 2389, 2396,
10110, 10125,	776, 783, 792,	2433, 2468, 2619,
10126, 10141,	798, 799, 805,	2637, 2965, 2971,
10142, 10151,	808, 815, 818, 819,	3158, 3161, 3164,
10155, 10160,	824, 832, 840,	3167, 3186, 3197,
10164, 10168,	842, 849, 850,	3427, 3436, 3463,
10172, 10180,	854, 874, 875,	3471, 3480, 3515,
10186, 10193,	876, 896, 923,	3524, 3660, 3715,
10199, 10205, 10211	933, 942, 950,	3717, 3727, 4038,
\fboxrule 1695,	974, 976, 991,	4039, 4156, 4157,
9577, 9583, 9589,	996, 1030, 1037,	4158, 4336, 4414,
9591, 9593, 9595	1046, 1050, 1056,	4453, 4454, 4509,
\fboxsep . 1696, 1763,	1057, 1062, 1065,	4510, 4514, 4521,
1772, 5461, 5462,	1073, 1081, 1083,	4526, 4535, 4564,
5463, 5499, 9577,	1090, 1091, 1099,	4575, 4577, 4580,
9589, 9591, 9593,	1102, 1103, 1108,	4582, 4636, 4638,
9595, 16130,	1121, 1124, 1125,	4642, 4661, 4663,
16131, 16132, 16228	1126, 1148, 1175,	4664, 4665, 4676,
\fcolorbox 1697	1185, 1194, 1202,	4678, 4679, 4688,
\feetabovelfloat . . .	1226, 1228, 1243,	4690, 4727, 4736,
. 8772, 8773	1248, 1286, 1287,	4740, 4746, 4747,
\ff@backcol 9196	1289, 1292, 1294,	4752, 4755, 4763,



4771, 4778, 4779,
4786, 4789, 4790,
4796, 4806, 4840,
4842, 4844, 4856,
4866, 4875, 4883,
4906, 4915, 4919,
4925, 4926, 4931,
4934, 4942, 4950,
4957, 4958, 4965,
4968, 4969, 4975,
4999, 5019, 5021,
5023, 5035, 5045,
5054, 5062, 5082,
5088, 5089, 5093,
5095, 5118, 5127,
5181, 5186, 5224,
5231, 5239, 5246,
5249, 5250, 5254,
5266, 5268, 5270,
5279, 5285, 5286,
5293, 5304, 5309,
5327, 5329, 5330,
5331, 5339, 5350,
5352, 5361, 5366,
5368, 5383, 5385,
5387, 5390, 5409,
5413, 5419, 5431,
5432, 5444, 5445,
5456, 5460, 5461,
5465, 5466, 5468,
5475, 5481, 5500,
5503, 5504, 5510,
5515, 5538, 5561,
5584, 5607, 5622,
5625, 5626, 5642,
5646, 5647, 5649,
5671, 5674, 5683,
5685, 5710, 5716,
5726, 5728, 5737,
5776, 5783, 5792,
5795, 5802, 5815,
5823, 5829, 5834,
5836, 5837, 5838,
5871, 5872, 5888,
5897, 5902, 5903,
5947, 5956, 5959,
5966, 5980, 5988,
5994, 5999, 6001,
6002, 6003, 6004,
6018, 6053, 6060,

6067, 6074, 6099,
6148, 6154, 6160,
6166, 6180, 6195,
6241, 6244, 6245,
6262, 6265, 6266,
6291, 6307, 6308,
6310, 6319, 6328,
6329, 6348, 6361,
6362, 6371, 6380,
6381, 6384, 6390,
6393, 6404, 6407,
6419, 6425, 6445,
6464, 6465, 6479,
6520, 6521, 6527,
6528, 6529, 6535,
6536, 6542, 6543,
6544, 6545, 6553,
6554, 6555, 6556,
6557, 6558, 6586,
6599, 6602, 6603,
6606, 6613, 6619,
6626, 6627, 6633,
6640, 6650, 6722,
6727, 6761, 6819,
6824, 6862, 6868,
6876, 6878, 6880,
6882, 6891, 6897,
6898, 6906, 6917,
6922, 6942, 6945,
6948, 6950, 6957,
6958, 6962, 6986,
7033, 7112, 7113,
7122, 7142, 7154,
7178, 7179, 7182,
7183, 7185, 7204,
7214, 7249, 7266,
7351, 7360, 7393,
7409, 7491, 7501,
7536, 7553, 7638,
7648, 7683, 7700,
7785, 7795, 7829,
7847, 7932, 7942,
7976, 7994, 8079,
8089, 8124, 8141,
8226, 8236, 8271,
8288, 8373, 8383,
8418, 8435, 8526,
8537, 8546, 8575,
8622, 8741, 8759,
8766, 8781, 8789,

8796, 8799, 8800,
8804, 8807, 8812,
8819, 8838, 8900,
8905, 8939, 8946,
8948, 8950, 8960,
8964, 8971, 8972,
8973, 8974, 8982,
8984, 8985, 8986,
8987, 8989, 8990,
8991, 9010, 9022,
9024, 9042, 9058,
9060, 9071, 9078,
9094, 9116, 9124,
9128, 9142, 9149,
9211, 9213, 9215,
9224, 9226, 9228,
9236, 9239, 9241,
9256, 9270, 9294,
9378, 9380, 9412,
9462, 9470, 9483,
9496, 9497, 9511,
9512, 9535, 9578,
9592, 9594, 9604,
9672, 9673, 9701,
9706, 9715, 9728,
9729, 9730, 9744,
9764, 9767, 9788,
9791, 9801, 9803,
9806, 9807, 9818,
9824, 9827, 9834,
9843, 9849, 9851,
9853, 9856, 9864,
9870, 9885, 9891,
9892, 9895, 9902,
9914, 9915, 9928,
9938, 9954, 9958,
9963, 9967, 9968,
9978, 9979, 9984,
9985, 9986, 9994,
10003, 10005,
10006, 10007,
10008, 10009,
10021, 10023,
10024, 10025,
10026, 10027,
10032, 10038,
10039, 10040,
10053, 10059,
10066, 10072,
10078, 10084,



10085,	10086,	10979,	10982,	11603,	11609,
10091,	10095,	10985,	10988,	11610,	11615,
10100,	10104,	10991,	10994,	11635,	11645,
10108,	10112,	10997,	11000,	11646,	11651,
10113,	10114,	11003,	11006,	11652,	11658,
10115,	10122,	11009,	11012,	11662,	11663,
10130,	10138,	11015,	11018,	11666,	11670,
10146,	10153,	11021,	11024,	11675,	11678,
10157,	10162,	11027,	11030,	11682,	11687,
10166,	10170,	11033,	11036,	11691,	11699,
10174,	10175,	11039,	11042,	11710,	11724,
10176,	10183,	11045,	11048,	11729,	11735,
10189,	10196,	11051,	11054,	11749,	11757,
10202,	10208,	11057,	11060,	11771,	11778,
10214,	10215,	11063,	11066,	11786,	11790,
10216,	10217,	11069,	11072,	11794,	11798,
10218,	10219,	11075,	11078,	11891,	11897,
10220,	10229,	11081,	11084,	11916,	11921,
10234,	10235,	11087,	11090,	11926,	11933,
10239,	10251,	11093,	11096,	11943,	11944,
10259,	10263,	11099,	11102,	11947,	11948,
10264,	10279,	11105,	11108,	11949,	11954,
10290,	10301,	11111, 11114, 11117,		11959,	11963,
10321,	10332,	11120,	11123,	11969,	11975,
10343,	10358,	11126,	11129,	11980,	11983,
10373,	10388,	11132,	11135,	11989,	12007,
10393,	10405,	11138, 11141, 11147,		12021,	12029,
10464,	10502,	11149,	11152,	12030,	12034,
10535,	10566,	11161, 11162, 11177,		12042,	12043,
10597,	10623,	11199,	11204,	12044,	12045,
10626,	10629,	11225,	11229,	12052,	12053,
10632,	10641,	11262,	11284,	12071,	12075,
10643,	10648,	11319,	11323,	12082,	12083,
10652,	10655,	11326,	11331,	12085,	12087,
10663,	10692,	11332,	11333,	12088,	12089,
10696,	10709,	11334,	11335,	12095,	12120,
10713,	10716,	11336,	11348,	12122,	12133,
10719,	10721,	11362,	11365,	12144,	12151,
10745,	10762,	11371,	11375,	12157,	12159,
10772,	10778,	11376,	11397,	12162,	12163,
10795,	10797,	11398,	11399,	12177,	12229,
10815,	10818,	11404,	11415,	12230,	12233,
10822,	10843,	11417,	11421,	12237,	12238,
10844,	10859,	11431,	11443,	12254,	12255,
10873,	10876,	11450,	11463,	12256,	12257,
10948,	10951,	11466,	11487,	12258,	12262,
10954,	10957,	11497,	11524,	12263,	12267,
10960,	10963,	11530,	11531,	12269,	12273,
10966,	10970,	11545,	11548,	12275,	12284,
10973,	10976,	11569,	11579,	12286,	12288,



12297,	12299,	13211,	13218,	14003,	14008,
12301,	12310,	13221,	13222,	14009,	14021,
12312,	12314,	13226,	13238,	14031,	14036,
12323,	12325,	13240,	13242,	14039,	14076,
12342,	12364,	13251,	13256,	14077,	14083,
12365,	12372,	13263,	13272,	14090,	14093,
12381,	12385,	13305,	13309,	14108,	14121,
12398,	12401,	13319,	13350,	14122,	14124,
12402,	12403,	13355,	13356,	14127,	14128,
12409,	12410,	13367,	13368,	14138,	14139,
12415,	12418,	13382,	13384,	14148,	14149,
12426,	12434,	13388,	13392,	14151,	14154,
12441,	12442,	13394,	13399,	14155,	14165,
12449,	12452,	13403,	13406,	14166,	14172,
12453,	12459,	13410,	13412,	14178,	14179,
12477,	12497,	13416,	13443,	14182,	14186,
12499,	12501,	13452,	13454,	14197,	14198,
12515,	12525,	13465,	13474,	14200,	14201,
12534,	12542,	13497,	13503,	14204,	14207,
12566,	12568,	13509,	13512,	14220,	14223,
12583,	12588,	13535,	13540,	14228,	14231,
12622,	12629,	13541,	13553,	14236,	14239,
12638,	12654,	13563,	13568,	14248,	14252,
12664,	12673,	13571,	13608,	14259,	14275,
12681,	12707,	13609,	13615,	14296,	14303,
12709,	12724,	13622,	13625,	14308,	14315,
12729,	12771,	13640,	13653,	14318,	14319,
12772,	12774,	13654,	13656,	14320,	14322,
12777,	12783,	13659,	13660,	14349,	14373,
12784,	12789,	13673,	13675,	14374,	14375,
12792,	12800,	13676,	13682,	14393,	14394,
12808,	12815,	13688,	13689,	14402,	14408,
12816,	12823,	13692,	13696,	14417,	14424,
12826,	12827,	13704,	13705,	14425,	14443,
12833,	12837,	13707,	13708,	14444,	14445,
12850,	12853,	13709,	13725,	14446,	14447,
12854,	12855,	13728,	13735,	14448,	14449,
12862,	12864,	13751,	13772,	14450,	14457,
12866,	12870,	13779,	13784,	14459,	14463,
12901,	12970,	13791,	13794,	14465,	14469,
12975,	13011,	13795,	13796,	14471,	14475,
13017,	13025,	13798,	13825,	14477,	14481,
13032,	13035,	13849,	13850,	14483,	14487,
13036,	13040,	13851,	13869,	14489,	14493,
13041,	13042,	13870,	13878,	14495,	14499,
13055,	13057,	13884,	13911,	14501,	14505,
13059,	13068,	13920,	13922,	14507,	14511,
13091,	13100,	13933,	13942,	14513,	14517,
13153,	13158,	13965,	13971,	14545,	14554,
13196,	13203,	13977,	13980,	14556,	14567,



14576,	14599,	15410,	15413,	15836,	15839,
14605,	14611,	15414,	15415,	15840,	15851,
14614,	14637,	15423,	15434,	15852,	15862,
14642,	14643,	15435,	15437,	15863,	15867,
14655,	14665,	15438,	15444,	15871,	15875,
14670,	14673,	15445,	15446,	15879,	15883,
14710,	14711,	15454,	15457,	15887,	15891,
14717,	14724,	15458,	15466,	15895,	15899,
14727,	14742,	15467,	15468,	15904,	15912,
14755,	14756,	15469,	15477,	15915,	15922,
14758,	14761,	15480,	15484,	15923,	15927,
14762,	14772,	15485,	15486,	15934,	15957,
14773,	14779,	15494,	15497,	15963,	15972,
14785,	14786,	15501,	15502,	15975,	15988,
14789,	14793,	15503,	15511,	15997,	16010,
14804,	14805,	15514,	15518,	16013,	16024,
14807,	14808,	15519,	15520,	16030,	16031,
14839,	14843,	15528,	15531,	16037,	16042,
14850,	14866,	15535,	15536,	16045,	16059,
14887,	14894,	15537,	15545,	16064,	16067,
14899,	14906,	15548,	15552,	16068,	16069,
14909,	14910,	15553,	15554,	16070,	16074,
14911,	14913,	15562,	15565,	16077,	16079,
14940,	14964,	15570,	15571,	16085,	16086,
14965,	14966,	15572,	15580,	16100,	16110,
14984,	14985,	15583,	15589,	16111,	16118,
14993,	14999,	15590,	15591,	16123,	16126,
15004,	15007,	15599,	15602,	16129,	16130,
15009,	15010,	15609,	15610,	16133,	16134,
15014,	15015,	15611,	15619,	16136,	16145,
15033,	15041,	15622,	15636,	16146,	16150,
15048,	15055,	15644,	15645,	16156,	16162,
15062,	15068,	15646,	15654,	16163,	16164,
15073,	15104,	15657,	15679,	16167,	16173,
15161,	15162,	15694,	15695,	16177,	16188,
15178,	15179,	15696,	15708,	16189,	16193,
15195,	15214,	15710,	15717,	16199,	16211,
15246,	15253,	15719,	15732,	16212,	16213,
15255,	15270,	15733,	15734,	16216,	16230,
15281,	15284,	15741,	15745,	16235,	16277,
15291,	15292,	15750,	15754,	16282,	16287,
15293,	15298,	15760,	15766,	16288,	16291,
15302,	15303,	15770,	15776,	16295,	16296,
15318,	15340,	15779,	15781,	16318,	16329,
15347,	15365,	15782,	15783,	16348,	16356,
15366,	15382,	15786,	15789,	16362,	16368,
15383,	15384,	15792,	15793,	16377,	16380,
15388,	15389,	15802,	15808,	16388,	16392,
15398,	15402,	15817,	15818,	16394,	16395,
15403,	15404,	15826,	15832,	16403,	16406,



16413,	16418,	10038,	10233,	\FN@sf@gobble@bracket
16419,	16430,	11147,	11149, 11151 1831, 1834
16436,	16437,	\filright .	15233, 15262	\FN@sf@gobble@opt .
16443,	16448,	\FirstFrameCommand	 1797,
16451,	16459,	9591, 9637	1803, 1809, 1812
16460,	16468,	\firstmark ...	9008,	\FN@sf@gobble@optonly
16469,	16477,	9040,	9181, 16842 1824, 1827
16478,	16486,	\firstname	2167	\FN@sf@gobble@twobracket
16487,	16495,	\firstnamecolour 1816, 1819
16496,	16497,	..	2136, 6038, 6134	\fnch@everypar ...
16498,	16501,	\firstnamefont		8981
16504,	16507,	2145, 2153, 6076,		\fontsize 230,
16510,	16511,	6077, 6168, 6171		4284, 4286,
16512,	16513,	\firstnamestyle 2153,		4288, 6076, 6168
16515,	16517,	6088, 6178, 6199		\foo 12012,
16518,	16525,	\fivecolumnfootnotes		12014, 12024, 12026
16528,	16530,	7624	\footdir@abspage ..
16531,	16535,	\fivecolumnfootstyle		9281, 9284, 9285,
16536,	16540,	7719	9288, 9289, 9292
16556,	16557,	\flnew@within	9101	\footdir@debug
16565,	16566,	\float@newx	9095	... 9253, 9261,
16569,	16570,	\floatalignment 3021,		9265, 9268, 9278,
16571,	16572,	3022, 3063, 3064,		9285, 9289, 9292
16573,	16579,	3080, 3087,		\footdir@debugfalse 1531
16584,	16592,	3095, 3146, 3357		\footdir@debugtrue
16607,	16609,	\FloatBarrier 2993, 3337	 1529, 9251
16632,	16636,	\floatc@bidiutfefloatplain		\footdir@fntext ...
16638,	16647,	... 3355, 3365,		.. 9299, 9316, 9318
16656,	16691,	3372, 3378, 3386		\footdir@LeftRightElse
16700,	16732,	\floatc@bidiutfefloatplaintop		.. 9259, 9275, 9352
16735,	16736,	3372	\footdir@name
16737,	16738,	\floatc@bidiutfefloatruled		.. 9302, 9305, 9306
16739,	16747,	3373	\footdir@ORG@bidi@amsart@footnotetext
16761,	16765,	\floatc@plain	9092 76
16766,	16770,	\floatingpenalty 40,		\footdir@ORG@bidi@amsart@LTRfootnotetext
16778,	16779,	53, 68, 174,	 78
16780,	16781,	187, 201, 6250,		\footdir@ORG@bidi@amsart@RTLfootnotetext
16782,	16798,	6271, 6318, 6325,	 77
16804,	16805,	6370, 6377, 7132,		\footdir@ORG@bidi@amsbook@footnotetext
16806,	16808,	9416, 9432, 9447	 210
16809,	16810,	\floatstyle	3406	\footdir@ORG@bidi@amsbook@LTRfootnotetext
16825,	16835,	\flushleft ..	1764, 1773 212
16848,	16851,	\FN@sf@@footnote ..		\footdir@ORG@bidi@amsbook@RTLfootnotetext
16852,	16856,	1791, 1795 211
16857,	16859,	\FN@sf@@footnotemark		\footdir@ORG@bidi@footnotetext
16867,	16869,	1820, 1822 9465
16957,	16963, 16969	\FN@sf@@LTRfootnote		\footdir@ORG@bidi@LTRfootnotetext
\figcaption 10003, 10021		1792, 1801 9467
\fill	4329, 4333,	\FN@sf@@RTLfootnote		\footdir@ORG@bidi@RTLfootnotetext
5385, 5387, 5389,		1793, 1807 9466



\footdir@temp	7204, 7214, 7224,	9347, 9362, 9367,
. 76, 77, 78, 210,	7342, 7343, 7351,	9368, 9370, 9796
211, 212, 9311,	7360, 7369, 7482,	\footnotes 3696
9465, 9466, 9467	7483, 7491, 7501,	\footnotesep . 29, 31,
\footdir@toks	7511, 7629, 7630,	39, 45, 52, 58, 67,
. . . 9252, 9319,	7638, 7648, 7658,	73, 164, 166, 173,
9320, 9321, 9325	7776, 7777, 7785,	179, 186, 192, 200,
\footdir@write	7795, 7805, 7923,	206, 6247, 6268,
. . 9246, 9276, 9315	7924, 7932, 7942,	6293, 6350, 6996,
\footersymbol	7952, 8070, 8071,	7012, 7028, 7042,
. . . 6095, 6096,	8079, 8089, 8099,	7055, 7068, 7133,
6111, 6112, 6113, 6114	8217, 8218, 8226,	9415, 9423, 9431,
\footfootmark . 7102,	8236, 8246, 8364,	9439, 9446, 9454,
7241, 7244, 7247,	8365, 8373, 8383,	9480, 9493, 9506
7385, 7388, 7391,	8393, 8553, 8554,	\footnotesize . . . 37,
7528, 7531, 7534,	8567, 8578, 8589	50, 65, 102,
7675, 7678, 7681,	\footmarksep 7099	157, 171, 184,
7822, 7825, 7828,	\footmarkstyle 7101, 7114	198, 333, 660,
7969, 7972, 7975,	\footmarkwidth	914, 1166, 2245,
8116, 8119, 8122,	7098, 7103, 7104,	2267, 2901, 2902,
8263, 8266, 8269,	7106, 7108, 7111, 7115	2940, 3553, 3705,
8410, 8413, 8416,	\footnote 337,	3734, 3751, 3768,
8603, 8607, 8611	411, 664, 763,	4847, 5026, 5131,
\footfudgefactor . .	918, 1017, 1170,	6676, 6769, 7125,
. . 8517, 8566, 8671	1270, 1791, 1794,	7126, 7127, 8854,
\footfudgefiddle . .	3872, 4185, 4216,	9413, 9429, 9444,
. 8547, 8565	4851, 5030, 5135,	9473, 9486, 9499,
\footins 35, 48, 63, 169,	5209, 6680, 6748,	12048, 12050,
182, 196, 2021,	6773, 6847, 8858,	12506, 12643,
6250, 6271, 6275,	8926, 11366,	12905, 13103,
6276, 6287, 6290,	11369, 12510,	13484, 13952, 14586
6294, 6318, 6324,	12609, 12647,	\footnotetext . 1856,
6332, 6333, 6344,	12753, 12909,	1867, 4587, 4597
6347, 6351, 6370,	12997, 13107,	\footparindent 7100, 7116
6376, 6985, 7001,	13181, 13488,	\footrule 8988
7017, 7129, 8748,	13604, 13956,	\footrulewidth 2115, 3216
8752, 8762, 9411,	14072, 14590, 14706	\footscript
9427, 9442, 9751,	\footnotelayout . . .	7101, 7105, 7109, 7111
9752, 9771, 9772	. . 3699, 3700, 3703	\footskip . . 8988, 16832
\footinsdim 7128, 7129,	\footnotemark	\foottextfont
7169, 7195, 7298,	1820, 1821, 9540,	. . . 6989, 6996,
7342, 7439, 7482,	9554, 11367, 11370	7036, 7042, 7125,
7585, 7629, 7732,	\footnoterule	7191, 7206, 7241,
7776, 7879, 7923,	. . . 6229, 6291,	7252, 7338, 7353,
8026, 8070, 8173,	6297, 6302, 6330,	7385, 7396, 7478,
8217, 8320, 8364,	6331, 6348, 6352,	7493, 7528, 7539,
8467, 8553, 8665	6356, 6382, 6383,	7625, 7640, 7675,
\footinsv@r . . 7122,	6980, 7141, 7152,	7686, 7772, 7787,
7166, 7167, 7168,	7165, 8726, 8751,	7822, 7833, 7919,
7169, 7195, 7196,	9243, 9340, 9344,	7934, 7969, 7980,



8066, 8081, 8116, 8127, 8213, 8228, 8263, 8274, 8360, 8375, 8410, 8421, 8522, 8549, 8562, 8569, 8603, 8616	\ftn@rule@width 13467, 13476, 13935, 13944, 14569, 14578	\Gin@ii 9836 \Gin@iii 9825, 9839 \Gin@llx 9829 \Gin@lly 9830 \Gin@urx 9831 \Gin@ury 9832 \Gin@graphics 9833, 9845
\forcercerectofloat . 3024 \forceversofloat . 3025 \fourcolumnfootnotes 7477 \fourcolumnfootstyle 7572 \fps@figure 9991 \framebox 6086, 6217, 11644, 11650 \FrameCommand 9589 \FrameHeightAdjust 9663 \FrameRestore . 9597, 9601, 9717, 9718 \fromaddress 6940, 6946, 6956, 10711, 10717 \fromname 6961 \fromplace 14511 \fromsig 6960, 6962, 14518 \frontmatter 4383 \fs@biditytffloatboxed 3384 \fs@biditytffloatplain 3363, 3371 \fs@biditytffloatplaintop 3371 \fs@biditytffloatruled 3376 \fslice 12065, 12066, 12068, 12069, 12072 \ftn@font 13457, 13925, 14559 \ftn@rule@height 13464, 13467, 13473, 13476, 13932, 13935, 13941, 13944, 14566, 14569, 14575, 14578 \ftn@rule@test@values 13463, 13472, 13931, 13940, 14565, 14574	\full@width 11702, 11714, 11762 \futurelet 713, 715, 967, 969, 1219, 1221, 12559, 12561, 12700, 12702 G \g 6451, 6453, 6457, 6550 \g@addto@macro 3019, 3659, 3661, 6480, 6483, 6485, 15935 \gdef . 326, 328, 1694, 2006, 2136, 2137, 2138, 2139, 2140, 2141, 2143, 2144, 3037, 3038, 3040, 3043, 3117, 3122, 3123, 3124, 3276, 3317, 3656, 3789, 3816, 3843, 3880, 3887, 3894, 4221, 4238, 4254, 4266, 4306, 4307, 4308, 4430, 4433, 4695, 4707, 4709, 6434, 6447, 8760, 8772, 9007, 9039, 9306, 9366, 10661, 10662, 10759, 10872, 10875, 11951, 11972, 12237, 15234, 15235, 15240, 15263, 15264, 15932, 16295, 16318 \geometry 2923, 2926, 2930, 2933, 2937 \Gin@bboxtrue 9828 \Gin@defaultbp 9829, 9830, 9831, 9832, 15183, 15184, 15187 \Gin@esetsize 9847 \Gin@exclamation . 9877	359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 386, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 439, 440, 592, 593, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 740, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 838, 839, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 994, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1079, 1080, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1246, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1388, 1389, 1643, 1644, 1645, 1646, 1647, 1648, 1649, 1650, 1651, 1652, 1653, 1835, 1853, 1854, 1857, 1860, 1863, 1867, 1870, 1873, 1952, 1956, 1978, 2018,



2038, 2039, 2047,
2302, 2879, 2888,
3022, 3066, 3067,
3073, 3433, 3444,
3447, 3477, 3488,
3491, 3521, 3532,
3535, 3575, 3587,
4299, 4431, 4434,
4452, 4456, 4472,
4483, 4509, 4510,
4537, 4550, 4551,
4579, 4588, 4591,
4594, 4597, 4600,
4603, 4635, 4645,
4659, 4661, 4666,
4667, 4673, 4674,
4676, 4696, 4708,
4710, 4768, 4769,
4889, 4890, 4891,
4892, 4893, 4894,
4895, 4896, 4897,
4898, 4947, 4948,
5068, 5069, 5070,
5071, 5072, 5073,
5074, 5075, 5076,
5077, 5155, 5156,
5157, 5158, 5159,
5160, 5161, 5162,
5163, 5164, 5165,
5166, 5184, 5190,
5191, 5192, 5193,
5194, 5195, 5196,
5197, 5198, 5199,
5200, 5201, 5202,
5236, 5237, 5330,
5340, 5341, 5342,
5343, 5344, 5345,
5346, 5347, 5355,
5368, 5373, 5377,
5425, 5652, 5653,
5655, 5678, 5688,
5689, 5691, 5721,
5779, 5787, 5797,
5807, 5816, 5818,
5819, 5822, 5825,
5835, 5849, 5850,
5852, 5854, 5855,
5857, 5863, 5864,
5867, 5869, 5870,
5873, 5876, 5881,

5890, 5898, 5943,
5951, 5961, 5970,
5972, 5981, 5983,
5984, 5987, 5990,
6000, 6008,
6009, 6016, 6242,
6249, 6263, 6270,
6282, 6290, 6294,
6311, 6314, 6322,
6327, 6339, 6347,
6351, 6363, 6366,
6374, 6379, 6560,
6698, 6699, 6700,
6701, 6702, 6703,
6704, 6705, 6706,
6707, 6725, 6731,
6732, 6733, 6734,
6735, 6736, 6737,
6738, 6739, 6740,
6741, 6793, 6794,
6795, 6796, 6797,
6798, 6799, 6800,
6801, 6802, 6803,
6804, 6822, 6828,
6829, 6830, 6831,
6832, 6833, 6834,
6835, 6836, 6837,
6838, 6839, 6840,
6873, 6874, 7033,
7046, 7059, 7185,
7249, 7261, 7274,
7314, 7393, 7404,
7416, 7454, 7536,
7548, 7561, 7601,
7683, 7695, 7708,
7748, 7830, 7842,
7855, 7895, 7977,
7989, 8002, 8042,
8124, 8136, 8149,
8189, 8271, 8283,
8296, 8336, 8418,
8430, 8443, 8483,
8508, 8522, 8613,
8626, 8639, 8687,
8729, 8771, 8786,
8787, 8876, 8877,
8878, 8879, 8880,
8881, 8882, 8883,
8884, 8885, 8903,
8909, 8910, 8911,

8912, 8913, 8914,
8915, 8916, 8917,
8918, 8919, 8995,
8996, 9005, 9011,
9027, 9028, 9037,
9044, 9111, 9114,
9147, 9150, 9152,
9158, 9159, 9178,
9470, 9471, 9483,
9484, 9496, 9497,
9749, 9750, 9751,
9752, 9754, 9769,
9770, 9771, 9772,
9774, 10395,
10396, 10398,
10399, 10400,
10401, 10434,
10448, 10472,
10486, 10519,
10550, 10581,
10857, 11186,
11187, 11217,
11220, 11299,
11300, 11301,
11302, 11303,
11304, 11305,
11306, 11307,
11324, 11419,
11455, 11456,
11457, 11460,
11462, 11464,
11465, 11467,
11472, 11480,
11482, 11490,
11491, 11492,
11493, 11495,
11496, 11499,
11500, 11528,
11529, 11537,
11538, 11539,
11542, 11544,
11546, 11547,
11549, 11554,
11562, 11564,
11572, 11573,
11574, 11575,
11577, 11578,
11581, 11582,
11607, 11608,
11614, 11615,



11627,	11628,	13128,	13129,	14700,	14701,
11629,	11630,	13130,	13131,	14702,	14978,
11631,	11632,	13132,	13133,	15047,	15051,
11634,	11640,	13134,	13135,	15052,	15053,
11712,	11729,	13136,	13137,	15070,	15082,
11735,	11749,	13138,	13156,	15087,	15091,
11757,	11892,	13162,	13163,	15103,	15140,
12055,	12079,	13164,	13165,	15142,	15147,
12080,	12081,	13166,	13167,	15149,	15220,
12279,	12431,	13168,	13169,	15221,	15222,
12432,	12548,	13170,	13171,	15223,	15428,
12549,	12550,	13172,	13173,	15429,	15432,
12551,	12552,	13174,	13208,	15433,	15929,
12553,	12554,	13209,	13566,	16055,	16063,
12555,	12556,	13578,	13579,	16073,	16076,
12557,	12586,	13580,	13581,	16120,	16328,
12592,	12593,	13582,	13583,	16393,	16397,
12594,	12595,	13584,	13585,	16399,	16421,
12596,	12597,	13586,	13587,	16529,	16594,
12598,	12599,	13588,	13589,	16595,	16596,
12600,	12601,	13590,	13591,	16612,	16613,
12602,	12687,	13592,	13593,	16615,	16653,
12688,	12689,	13594,	13595,	16664,	16667,
12690,	12691,	13596,	13597,	16697,	16708,
12692,	12693,	13598,	13599,	16711,	16739,
12694,	12695,	13600,	13669,	16748,	16749,
12696,	12697,	13670,	13863,	16750,	16751,
12698,	12727,	14034,	14046,	16753,	16756,
12733,	12734,	14047,	14048,	16757,	16771,
12735,	12736,	14049,	14050,	16776,	16787,
12737,	12738,	14051,	14052,	16788,	16797,
12739,	12740,	14053,	14054,	16839,	16840, 16850
12741,	12742,	14055,	14056,	\glossary . . .	g168, 16816
12743,	12744,	14057,	14058,	\Gm@vrule	g922,
12745,	12805,	14059,	14060,		g923, g924, g926,
12806,	12939,	14061,	14062,		g927, g928, g931,
12940,	12941,	14063,	14064,		g932, g933,
12942,	12943,	14065,	14066,		g936, g937, g938
12944,	12945,	14067,	14068,	\Gm@vrules@mpi . . .	g919
12946,	12947,	14387,	14668,	\Gm@vrules@mpii . .	g929
12948,	12949,	14680,	14681,	\Grot@box	g806, 13388,
12950,	12973,	14682,	14683,		13399, 13406, 13416
12979,	12980,	14684,	14685,	\Grot@box@std	g801
12981,	12982,	14686,	14687,	\Grot@setangle	
12983,	12984,	14688,	14689,		. . . g802, 13381,
12985,	12986,	14690,	14691,		13391, 13402, 13409
12987,	12988,	14692,	14693,	\Grot@x .	g804, 13386,
12989,	12990,	14694,	14695,		13396, 13404, 13414
12991,	13022,	14696,	14697,	\Grot@y .	g805, 13387,
13023,	13127,	14698,	14699,		13397, 13404, 13415



<code>\grp@aligned</code>	5346	5419, 5515, 11385,	<code>\hbox</code> .	15, 27, 141, 162,
<code>\GRP@box</code> 5341, 5373, 5375		11391, 12408,		265, 299, 307,
<code>\grp@eqs@numbered</code> 5345		12782, 16515, 16869		324, 463, 575,
<code>\grp@hasNumber</code> . . .	5350	<code>\hb@xt@</code>		649, 805, 887,
<code>\GRP@label</code>	5342			1062, 1134, 1340,
<code>\grp@linewidth</code> . . .	5344	436, 455, 589,		1399, 1836, 2041,
<code>\GRP@queue</code> . . .	5341, 5377	616, 820, 835,		2044, 2998, 3080,
<code>\grp@setnumber</code> . . .	5350	984, 1076, 1104,		3082, 3087, 3120,
<code>\grp@shiftnumber</code> .	5347	1637, 4766, 4791,		3121, 3130, 3137,
<code>\grp@wdL</code>	5343	4945, 4970, 5174,		3357, 3390, 3668,
<code>\grp@wdNum</code>	5344	5234, 5251, 5505,		3705, 3732, 3749,
<code>\grp@wdR</code>	5343	5693, 5694, 5699,		3766, 3881, 3888,
<code>\grp@wdT</code>	5343	5757, 5761, 5764,		3895, 4328, 4336,
<code>\Gscale@box</code>		5769, 5774, 5934,		4440, 4444, 4455,
.. 9807, 9899, 9916		5935, 5939, 6604,		4472, 4483, 4696,
<code>\Gscale@div</code>		6616, 6715, 6812,		4710, 4752, 4827,
.. 9898, 9905, 9908		6871, 7104, 7111,		4931, 4983, 5260,
<code>\Gscale@end</code> .	9811, 9857	8784, 8801, 8893,		5374, 5432, 5461,
<code>\Gscale@start</code> 9811, 9857		9046, 9047, 9051,		5621, 5624, 5641,
<code>\Gscale@x</code> . . .	9809, 9855	9069, 9084, 9188,		5645, 5656, 5659,
<code>\Gscale@y</code> . . .	9809, 9855	9820, 9866, 9921,		5661, 6294, 6297,
<code>\gsetboolean</code> . .	2882,	9926, 9931, 9935,		6300, 6351, 6352,
3024, 3025, 3052,		10707, 10858,		6354, 6437, 6442,
3053, 3057, 3058,		11420, 11506,		6448, 6669, 6969,
3345, 3346, 3581		11511, 11514,		8515, 8528, 8533,
<code>\gsetlength</code> . .	2877,	11588, 11589,		8538, 8543, 8709,
3039, 3125, 3573,		11594, 11689,		8716, 8830, 8970,
3791, 3793, 3818,		12429, 12454,		8982, 8983, 8987,
3820, 3845, 3847		12803, 12828,		8989, 9012, 9015,
		12921, 12964,		9017, 9088, 9092,
		13037, 13146,		9094, 9132, 9137,
		13206, 13223,		9331, 9755, 9756,
		13663, 13700,		9759, 9775, 9778,
		13829, 13869,		9781, 9798, 9799,
		14131, 14158,		9803, 9810, 9811,
		14190, 14353,		9856, 9857, 9895,
		14393, 14765,		9902, 10729,
		14797, 14944,		11178, 11198,
		14984, 15691,		11203, 11662,
		15805, 15842,		11696, 11712,
		15844, 15910,		11714, 11813,
		15917, 15919,		12048, 12052,
		16307, 16512,		12072, 12105,
		16513, 16590,		12109, 12114,
		16617, 16618,		12118, 12130,
		16623, 16760,		12141, 12158,
		16825, 16835, 16851		12168, 12185,
		<code>\hbadness</code>		12193, 12194,
		3388,		12202, 12243,
		6235, 6256,		12244, 12245,
		15123, 15125,		
		15994, 15995, 16012		



12247,	12248,	6423, 9175, 16830	13037,	13053,
12267,	12415,	\headwidth . . . 2204,	13206,	13223,
12467,	12789,	8982, 8984, 8985,	13236,	13477,
12891,	13020,	8986, 8987,	13662,	13793,
13049,	13232,	8989, 8990, 8991	13945,	14130,
13403,	13457,	\height . 9875, 10063,	14157,	14317,
13459,	13470,	10065, 10069,	14441,	14579,
13788,	13925,	10071, 10098,	14764,	14908,
13927,	13938,	10099, 10102,	15691,	15805,
14312,	14428,	10103, 10160,	15842,	15844,
14429,	14437,	10161, 10164,	15910,	15917,
14456,	14462,	10165, 10193,	15919,	16317,
14468,	14474,	10195, 10199, 10201	16590,	16599,
14480,	14486,	\hfil . 15, 29, 141, 164,	16620,	16622,
14492,	14498,	436, 455, 467,	16779,	16781,
14504,	14559,	589, 616, 654,	16805,	16806,
14561,	14572,	820, 835, 891,	16808, 16809, 16851	
14903,	15020,	985, 1076, 1104,	\hfill 1405,	
15033,	15062,	1139, 1336, 1337,	1406, 2225, 2231,	
15073,	15112,	1338, 1339, 1367,	2245, 3149, 3150,	
15182,	15797,	1368, 1369, 1375,	3153, 3154, 5438,	
15798,	15847,	1376, 1377, 1609,	5439, 6087, 8984,	
15849,	15906,	1614, 4441, 4443,	8985, 8989, 8990,	
15907,	16088,	4548, 4766, 4791,	11664,	11688,
16122,	16124,	4832, 4945, 4970,	11820,	11823,
16130,	16243,	4988, 5234, 5251,	11824,	11825,
16251,	16252,	5264, 5505, 5622,	11828,	11829,
16260,	16305,	5625, 5642, 5646,	11830,	11831,
16306,	16309,	5658, 5696, 5698,	11832,	11835,
16310,	16311,	5760, 5771, 5773,	11836,	11837,
16312,	16421,	5936, 5938, 6604,	11838,	11839,
16429,	16514,	6616, 6673, 6871,	11840,	11841,
16523,	16525,	6973, 7184, 8784,	11844,	11845,
16531,	16542,	8801, 8834, 9014,	11846,	11847,
16557,	16586,	9048, 9050, 9074,	11848,	11849,
16587,	16597,	9087, 9094, 9333,	11850,	11851,
16600,	16602,	9758, 9777, 9928,	11852,	11855,
16768, 16778, 16780		9933, 10733,	11856,	11857,
\hboxL 9697,		10858, 11203,	11860,	11861,
9714, 12194, 16252		11420, 11508,	11862,	11865,
\hboxR 12185, 16243		11510, 11591,	11866,	11867,
\head@style 542, 851,		11593, 11689,	11868,	11869,
1047, 1282, 4737,		11815, 12052,	11872,	11873,
4916, 12382,		12106, 12110,	11874,	11875,
12767, 12834, 12898		12115, 12119,	11876,	11879,
\headheight 1619, 6422,		12131, 12142,	11880,	11881,
8983, 9174, 16821		12168, 12429,	11882,	11883,
\headrule 8986		12454, 12472,	12159,	12163,
\headrulewidth 2114, 3215		12803, 12828,	13699,	14189,
\headsep . 1627, 1630,		12896, 13020,	14458,	14464,



14470, 14476,	\href@split 10661, 10662	7540, 7552, 7565,
14482, 14488,	\HRTL@mpRTLfootnotetext	7605, 7669, 7687,
14494, 14500, 10287,	7699, 7712, 7752,
14796, 15235,	10311, 10325, 10417	7816, 7834, 7846,
15264, 15799,	\HRTL@RTLfootnotetext	7859, 7899, 7963,
15908, 16043, 16588 10268,	7981, 7993, 8006,
\hfilneg 7178, 7182	10289, 10362,	8046, 8110, 8128,
\hfuzz . 6435, 15124, 15126	10413, 10492,	8140, 8153, 8193,
\hintcolour 2144	10587, 10609, 10627	8257, 8275, 8287,
\hintfont 2152, 2160,	\hrule ... 29, 31, 164,	8300, 8340, 8404,
2214, 2221, 2226	166, 460, 466,	8422, 8434, 8447,
\hintscolumnwidth .	645, 653, 883,	8487, 8527, 8565,
.... 2180, 2194,	890, 1130, 1138,	8573, 8584, 8595,
2198, 2206, 2214,	3379, 3380, 3390,	8617, 8620, 8630,
2220, 2226, 2282	3391, 4442, 4823,	8633, 8643, 8646,
\hintstyle 2160	4831, 4979, 4987,	8670, 8680, 8691,
\hline . 11155, 11157, 11163	5091, 5097, 5103,	8694, 9093, 9094,
\HLOFF 1699	5109, 5257, 5263,	9417, 9433, 9448,
\HLON 1693	6230, 6666, 6672,	9474, 9487, 9500,
\HLTR@LTRfootnotetext	6966, 6972, 6981,	9517, 9518, 9597,
..... 10269,	8827, 8833, 9333,	9702, 9732, 9735,
10300, 10377,	9335, 9337, 9369,	9739, 9742, 9743,
10412, 10454,	9702, 10726,	10854, 10858,
10556, 10610, 10630	10732, 11262,	11189, 11200,
\HLTR@mpLTRfootnotetext	11815, 11817,	11203, 11212,
..... 10298,	12160, 12463,	11231, 11232,
10312, 10336, 10416	12471, 12887,	11239, 11262,
\hoffset 1623	12895, 13046,	11416, 11420,
\hold@viper	13052, 13229,	11616, 11696,
... 5664, 5667,	13235, 13467,	11698, 11706,
5703, 5706, 5737,	13476, 13785,	11742, 11746,
5778, 5779, 5787,	13792, 13935,	11750, 11753,
5788, 5797, 5798,	13944, 14309,	11758, 11761,
5806, 5903, 5942,	14316, 14434,	11801, 11805,
5943, 5951, 5952,	14440, 14569,	11809, 12219,
5961, 5962, 5971,	14578, 14900, 14907	12221, 12340,
6007, 6009, 6010	\hspace 40,	12354, 12385,
\holder 12062, 12065,	53, 68, 174, 187,	12837, 12901,
12074, 12084,	201, 545, 854,	12917, 12960,
12085, 12103,	1050, 1969, 3389,	13441, 13448,
12107, 12112,	3390, 3450, 3494,	13450, 13829,
12116, 12128,	3538, 4078, 4740,	13830, 13869,
12132, 12139, 12143	4919, 5370, 5622,	13909, 13916,
\hopatch@AfterPackage	5625, 5642, 5646,	13918, 14353,
... 3703, 3705,	6991, 7007, 7023,	14354, 14393,
3708, 3729, 3871,	7036, 7049, 7062,	14415, 14420,
3915, 3971, 4215	7177, 7235, 7253,	14422, 14543,
\href 2250, 2251, 2254,	7265, 7278, 7318,	14550, 14552,
2255, 2258, 2259	7379, 7397, 7408,	14944, 14945,
\href@ 10661	7420, 7458, 7522,	14984, 15857,



15860,	15865,	11855,	11857,	10233,	13824,
15869,	15873,	11860,	11862,	13839,	13844,
15877,	15881,	11865,	11867,	13846,	13847,
15885,	15889,	11869,	11872,	14348,	14363,
15893,	16091,	11874,	11876,	14368,	14370,
16112,	16116,	11879,	11881,	14371,	14516,
16277,	16279,	11883,	11896,	14939,	14954,
16439,	16670,	12415,	12416,	14959,	14961,
16714,	16847, 16851	12453,	12770,	14962,	15003,
\hskip	14, 140,	12789,	12790,	15004,	15240,
232,	236, 454,	12827,	13036,	15252,	16951,
575,	576, 615,	13222,	13312,	16955,	16960,
805,	806, 819,	13314,	13321,	16962, 16966, 16968	
867,	1062, 1063,	13323,	13359,	\hss 377, 436, 455, 589,	
1103,	1285, 1338,	13361,	13370,	616, 820, 835,	
1339,	1377, 1401,	13372,	13660,	1076, 1104, 1638,	
1404,	2296, 4039,	13696,	14128,	4098, 4766, 4791,	
4458,	4459, 4462,	14155,	14186,	4945, 4970, 5175,	
4464,	4465, 4468,	14762,	14793,	5234, 5251, 5505,	
4752,	4753, 4790,	15234,	15263,	5659, 5661, 5695,	
4931,	4932, 4969,	15423,	15454,	5700, 5762, 5765,	
5250,	5434, 5437,	15477,	15494,	5770, 5775, 5935,	
5504,	5657, 5660,	15511,	15528,	5939, 6298, 6308,	
5662,	5663, 5759,	15545,	15562,	6353, 6362, 6437,	
5763,	5766, 5767,	15580,	15599,	6440, 6442, 6445,	
6295,	6296, 6299,	15619,	15654,	6448, 6604, 6616,	
6309,	6310, 6353,	15792,	15839,	6716, 6813, 6871,	
6603,	8513, 8800,	15849,	15904,	7105, 7111, 8784,	
9013,	9016, 9018,	16423,	16424,	8801, 8894, 9015,	
9019,	9070, 9086,	16425,	16431,	9017, 9047, 9051,	
9776,	9780, 9783,	16584,	16598,	9188, 9757, 9760,	
9784,	9921, 9923,	16601,	16603,	9779, 9782, 9820,	
9924,	9927, 9932,	16604,	16762,	9866, 9924, 9938,	
9935,	9937, 9938,	16764, 16778, 16781		11198,	11206,
10709,	10826,	\hspace	104,	11512,	11515,
11507,	11513,	105,	159, 160,	11590,	11595,
11516,	11517,	475,	2215, 2220,	11732,	11733,
11663,	11675,	2226,	3132, 3139,	11743,	11744,
11687,	11742,	3361,	3982, 3983,	12245,	12256,
11746,	11750,	3989,	3990, 3996,	12257,	12258,
11753,	11754,	3997,	4003, 4004,	12429,	12454,
11758,	11761,	4131,	4157, 4158,	12803,	12828,
11762,	11820,	6217,	6623, 6957,	12921,	12964,
11823,	11825,	7106,	10038,	13020,	13037,
11828,	11830,	10054,	10067,	13147,	13206,
11832,	11835,	10079,	10092,	13223,	13457,
11837,	11839,	10101,	10109,	13663,	13700,
11841,	11844,	10154,	10163,	13925,	14131,
11846,	11848,	10171,	10184,	14158,	14190,
11850,	11852,	10197,	10209,	14428,	14559,



14765,	14797,	12149,	12150,	\hv@shortCap	
16096,	16098,	12151,	12155,	9942,	10008, 10026
16103,	16109,	12170,	13298,	\hv@Top	10061, 10097,
16307,	16449,	13340,	13343,	10117,	10159, 10191
16500,	16501,	13398,	13405,	\hv@Width	9973, 9996
16503,	16504,	13853,	13855,	\hv@Zero	9962, 10225
16506,	16507,	13856,	14377,	\hvAboveCaptionSkip	
16512,	16513,	14379,	14380,	10141, 10144
16572,	16573,	14968,	14970,	\hvBelowCaptionSkip	
16574,	16575,	14971,	15021,	10125, 10128
16600,	16602,	15058,	15070,	\hvCaptionBox	9997,
16619,	16624,	15185,	16131,	10014,	10056,
\ht	305,	16133,	16543,	10058,	10069,
1387,	1420,	16742,	16752,	10071,	10081,
2030,	2031,	\ht@strip	11627, 11628,	10083,	10089,
5462,	5464,	11629,	11630,	10090,	10098,
5737,	5744,	11631,	11634,	10099,	10106,
5751,	5752,	\ht@viper	5734, 5739,	10107,	10118,
5845,	5863,	5762,	5765,	10119,	10125,
5899,	5903,	5775,	5843,	10128,	10134,
5921,	5922,	5899,	5900,	10135,	10142,
5926,	5928,	5905,	5935,	10145,	10151,
5971,	6007,	\httplink	2252	10152,	10160,
6247,	6259,	\Huge	4065, 5094,	10161,	10168,
6276,	6286,	5106,	5288,	10169,	10186,
6304,	6333,	6900,	6909,	10188,	10199,
6345,	6358,	8822,	13258,	10201,	10211, 10213
7186,	7331,	\huge	486,	\hvCapWidth	
7471,	7475,	3919,	3921,	9971, 9973,
7622,	7765,	5085,	5282,	9975,	9977, 9981,
7912,	7916,	6643,	6894,	9983,	9998, 10016
8063,	8206,	13253,	13510,	\hvFloat	9945
8353,	8357,	13623,	13978,	\hvMaxCapWidth	9956,
8504,	8517,	14091,	14612,	9957,	9978,
9622,	9629,	\Hurl	10645	9979,	9980, 9983
9653,	9654,	\hv@Bottom	10133	\hvObjectBox	9960,
9671,	9694,	\hv@Center	10037,	9963,	9965, 9969,
9814,	9816,	10048,	10088,	9975,	10050,
9860,	9862,	10150,	10178,	10052,	10063,
10782,	10783,	\hv@figure	10002, 10020	10065,	10075,
10789,	10792,	\hv@floatObject	9963, 9967	10077,	10093,
10811,	11164,	\hv@floatType	9993,	10094,	10102,
11214,	11260,	10002,	10020,	10103,	10110,
11267,	11270,	\hv@Height	9975	10111,	10118,
11491,	11495,	\hv@label	9944	10121,	10126,
11500,	11573,	\hv@Left	9978, 10046	10129,	10134,
11577,	11582,	\hv@longCap	9943	10137,	10141,
11630,	11632,	\hv@Right	9979, 10035	10144,	10155,
12074,	12132,			10156,	10164,
12143,	12148,			10165,	10172,



10173, 10180, 10182, 10193, 10195, 10205, 10207	10382, 10385, 10399, 10402, 10445, 10483, 10516, 10547, 10578	10530, 10558, 10561, 10589, 10592
\hvObjectWidth	\Hy@gttemp . . 10421, 10426	\hyper@@link 10663
. . . 9969, 9973, 9977, 9978, 9979	\Hy@linkcounter 6488, 6493	\hyper@anchorend 10699
\hvOBox 9963, 9967	\Hy@linktoc 10247	\hyper@anchorstart 10699
\hvSet@capAngle	\Hy@LT@currentHref 10686, 10697	\hyper@link 10642
. 9996, 10015	\Hy@LT@LTrfootnotetext 10444, 10453	\hyper@linkend 10251, 10255, 10259, 10261, 10404, 10643, 10652, 10655
\hvSet@capPos	\Hy@LT@RTLfootnotetext 10482, 10491	\hyper@linkstart 10251, 10255, 10259, 10261, 10402, 10643, 10648, 10655
. . . 9978, 9979, 10046, 10117, 10133	\Hy@maketitle@end 10613, 10618, 10620	\hyper@linkurl . . . 10645
\hvSet@capVPos 10048, 10061, 10088, 10097, 10150, 10159, 10178, 10191	\Hy@maketitle@optarg 10611, 10616	\hyper@makecurrent 10397, 10685
\hvSet@capWidth 9973, 9975, 9980, 9981	\Hy@raisedlink 10318, 10329, 10340, 10351, 10366, 10381, 10458, 10496, 10529, 10560, 10591, 10698	\hyper@nat@current 10649
\hvSet@floatCapSep 10054, 10067, 10079, 10092, 10101, 10109, 10154, 10163, 10171, 10184, 10197, 10209	\Hy@saved@currentHlabel 10395, 10400	\hyper@nat@linkbreak 10654
\hvSet@floatPos . . 9991	\Hy@saved@currentHref 10396, 10401	\hyper@nat@linkend 10651
\hvSet@objectAngle 9962, 9966	\Hy@saved@footnotemark 10603, 10622	\hyper@nat@linkstart 10646
\hvSet@objectPos 10035, 10037, 10231	\Hy@saved@footnotetext 10604, 10625	\hypersetup 2098, 2106, 4175, 4234, 4251
\hvSet@rotAngle 9956, 10225, 10228	\Hy@tabularx@hook 10410, 10422	\hyphenpenalty . . . 6, 101, 132, 156, 544, 853, 1049, 4739, 4918, 12384, 12836, 12900, 13043
\Hy@backout 10647	\Hy@LTr@saved@LTrfootnotetext 10606, 10631	\HyRTL@saved@RTLfootnotetext 10605, 10628
\Hy@bidipoem@footnotetext 10515, 10524	\Hy@Org@maketitle 10601, 10612, 10617	
\Hy@bidipoem@LTrfootnotetext 10546, 10555	\Hy@Org@TX@endtabularx 10409	
\Hy@bidipoem@RTLfootnotetext 10577, 10586	\hyper@@anchor 10316, 10319, 10327, 10330, 10338, 10341, 10349, 10352, 10364, 10367, 10379, 10382, 10456, 10459, 10494, 10497, 10527,	\ialign . . 313, 15026, 15065, 16317, 16548
\Hy@footnote@currentHlabel 10354, 10369, 10384, 10398		\if 281, 282, 283, 285, 286, 287, 288, 289, 292, 293, 294, 318, 1313, 1314, 1315, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1326, 1327, 1328, 1351, 1352, 1353, 1355, 1356, 1357, 1358, 1359, 1928, 1934, 1937, 1940,
\Hy@footnote@currentHref 10316, 10319, 10327, 10330, 10338, 10341, 10349, 10352, 10355, 10364, 10367, 10370, 10379,		



1943, 5331, 5350, 5384, 5386, 5388, 6455, 6509, 6517, 6518, 6524, 6525, 6532, 6533, 6539, 6540, 6550, 6552, 9264, 9288, 9512, 10746, 11146, 11148, 11150, 12005, 15068, 15160, 15161, 15162, 15163, 15164, 15165, 15166, 15168, 15169, 15170, 15171, 15172, 15175, 15176, 15177, 16437, 16444, 16445, 16540, 16564, 16565, 16566, 16567, 16568, 16569	\if@bidi@carydshlnloaded@ 11094 \if@bidi@blank 2368, 2653, 2660 \if@bidi@breqnloaded@ 10955 \if@bidi@calsloaded@ 10958 \if@bidi@captionloaded@ 10961 \if@bidi@colorloaded@ 10967 \if@bidi@colortblloaded@ 10983 \if@bidi@croploaded@ 10964 \if@bidi@csdef 2332, 2381 \if@bidi@csmacro . 2380 \if@bidi@csprimitive 2390 \if@bidi@csundef 2338, 2411, 16868 \if@bidi@cutedloaded@ 10974 \if@bidi@cutwinloaded@ 10971 \if@bidi@dblfnotloaded@ 10977 \if@bidi@def 2350 \if@bidi@defmacro 2373, 2374, 2382, 2552, 2571, 2715 \if@bidi@defparam 2573, 2667, 2668, 2717 \if@bidi@defprimitive 2384 \if@bidi@defprotected 2580, 2676, 2677, 2728 \if@bidi@draftwatermarkloaded@ 11037 \if@bidi@empheqlloaded@ 11040 \if@bidi@fancyboxloaded@ 11031 \if@bidi@fancyhdrloaded@ 11034	\if@bidi@fancyvrbloaded@ 11139 \if@bidi@floatloaded@ 10986 \if@bidi@floatrowloaded@ 10989 \if@bidi@flowframloaded@ 10992 \if@bidi@fontspecloaded@ 11130 \if@bidi@framedloaded@ 10995 \if@bidi@ftnrightloaded@ 10998 \if@bidi@geometryloaded@ 11013 \if@bidi@graphicxloaded@ 11010 \if@bidi@hvfloatloaded@ 11016 \if@bidi@hyperrefloaded@ 11028 \if@bidi@lettrineloaded@ 11046 \if@bidi@list@minipage@parbox ... 1478, 16277, 16282, 16343, 16395, 16455, 16464, 16473, 16482, 16495, 16496, 16510, 16511 \if@bidi@list@minipage@parbox@not@nob 1479, 16351, 16457, 16466, 16475, 16484 \if@bidi@listingsloaded@ 11049 \if@bidi@longtableloaded@ 11091 \if@bidi@mdf@RTL 11222, 11229 \if@bidi@mdf@framedloaded@ 11019 \if@bidi@mdfloatloaded@ 11022 \if@bidi@minitocloaded@ 11103 \if@bidi@multicolloaded@ 11097
\if@allcaps 675, 684, 692, 929, 938, 946, 1181, 1190, 1198, 4862, 4871, 4879, 5041, 5050, 5058, 12521, 12530, 12538, 12660, 12669, 12677		
\if@altsecnumformat 13709, 14201, 14808		
\if@bib@break@ 13719, 13743, 13758, 13774, 14243, 14267, 14282, 14298, 14834, 14858, 14873, 14889		
\if@bibchapter ... 15348		
\if@bidi@amsmathloaded@ 10946		
\if@bidi@amstextloaded@ 10949		
\if@bidi@amsthmloaded@ 10952		
\if@bidi@arabxetexloaded@ 11133		
\if@bidi@arrayloaded@ 11073		



\if@bidi@multienumloaded@	\if@bidi@todonotes@textdir	\if@bidi@p@typagenumbers
..... 11100	15945, 15997, 16031 2260, 2263
\if@bidi@natbibloaded@	\if@bidi@undef	\if@donumindex
..... 11106	2356, 2415, 2449, 15349, 15368
\if@bidi@newfloatloaded@	2460, 2479, 2483,	\if@dotocbib
..... 11109	2487, 2491, 2501,	\if@dotocind 15356, 15373
\if@bidi@theoremloaded@	2505, 2509, 2513,	\if@extrafootnotefeatures
..... 11025	2549, 2568, 2712 1474, 1542
\if@bidi@patchable	\if@bidi@wrapfigloaded@	\if@fcolmade
..... 2540, 2541 11007	5674, 5716, 9022,
\if@bidi@pdfpagesloaded@	\if@bidi@xcolorloaded@	9058, 9142, 9764,
..... 11043 10980	9788, 11524,
\if@bidi@pgfloaded@	\if@bidi@xltextraloaded@	11603, 16607, 16632
..... 11055 11001	\if@ff@nwpg
\if@bidi@picinparloaded@	\if@bidi@xtabloaded@ 9110
..... 11058 11088	\if@filesw
\if@bidi@polyglossialloaded@	\if@bidi@xunicodeloaded@ 2004
..... 11136 11004	\if@firstcolumn 5652,
\if@bidi@pstricksloaded@	\if@capbreak	5687, 5731, 5812,
..... 11052	13841, 14365, 14956	5831, 5977, 5996,
\if@bidi@quotchaploaded@	\if@captionabove ..	8994, 9026, 9748,
..... 11061 13874,	9768, 11454,
\if@bidi@rotatingloaded@	13880, 14398,	11536, 11624,
..... 11115	14404, 14989, 14995	16594, 16611, 16732
\if@bidi@stabularloaded@	\if@cftdopart 15405	\if@firstdetailselement
..... 11076	\if@cfthaschapter 6190, 6192
\if@bidi@subfigloaded@ 15396,	\if@firstfooterelement
..... 11079	15400, 15406, 6094, 6097
\if@bidi@subfigureloaded@	15427, 15439, 15461	\if@flushend@auto@baselineskip
..... 11082	\if@cfthaspart .. 15392 5847
\if@bidi@supertabularloaded@	\if@colour	\if@ignore .. 2837, 2839
..... 11085	\if@colourgreen 6025,	\if@inlabel
\if@bidi@tblsloaded@	6054, 6123, 6149	5330, 16375, 16398
..... 11118	\if@colourgrey 6029,	\if@inltxdoc
\if@bidi@tabularyloaded@	6068, 6127, 6161	15341
..... 11121	\if@colourorange ..	\if@insert
\if@bidi@tikzloaded@ 6023,	\if@Latin . 263, 268,
..... 11064	6047, 6121, 6143	1468, 5366, 5368
\if@bidi@titlesecloaded@	\if@colourred . 6027,	\if@LTRbibitems . 84,
..... 11067	6061, 6125, 6155	218, 494, 628,
\if@bidi@titletocloaded@	\if@compatibility ..	896, 1148, 1472,
..... 11070	.. 438, 591, 669,	2278, 4806, 4999,
\if@bidi@tocbibbindloaded@	837, 923, 1078,	5309, 6650, 6922,
..... 11127	1175, 4856, 5035,	8838, 11450,
\if@bidi@tocstyleloaded@	12515, 12654,	11891, 12477,
..... 11124	13668, 15431, 16526	12870, 13068,
\if@bidi@todonotes@figpos	\if@contcw . 11372, 11401	13272, 13735,
.. 15946, 16022,	\if@contlhang	14259, 14850, 15318
16027, 16034, 16040	11382	\if@LTRmarginpar 1471,
	\if@contindent ... 11388	16761, 16766, 16770
	\if@DEBUG	\if@mainmatter 4382,
	2052	5084, 5281, 6893,



12272, 14204,
 14220, 14228, 14236
 \if@minipage . 3184, 11441
 \if@mparswitch ... 16734
 \if@newlist 9158, 9178,
 16381, 16787, 16839
 \if@nmbrrlist 16416
 \if@nobreak .. 9719,
 11233, 12333,
 12347, 16382, 16407
 \if@noitemarg 16414
 \if@noparitem 16372
 \if@noparlist 4570, 4683
 \if@noskipsec
 ... 5329, 9720,
 11234, 12334, 12348
 \if@oldtoc 579,
 605, 809, 825,
 1066, 1093, 4756,
 4780, 4935,
 4959, 12419,
 12443, 12793, 12817
 \if@openright
 .. 4410, 5300, 6913
 \if@ovb 8974
 \if@ovl 8972
 \if@ovr 8971
 \if@ovt 8973
 \if@parafootRTL ...
 .. 1475, 8526, 8537
 \if@pboxsw 16451
 \if@ref 14453
 \if@restonecol
 525, 541,
 792, 1046, 4736,
 4915, 5127, 12381,
 12638, 13100, 15388
 \if@reversemargin 16737
 \if@rjfield 16776
 \if@rl 1467
 \if@rl@footnote .. 1477
 \if@rlmain 1466
 \if@rot@twoside ...
 13302,
 13307, 13317,
 13347, 13353, 13365
 \if@RTL 12, 13,
 25, 84, 100, 103,
 104, 105, 138, 139,
 155, 158, 159, 160,

218, 232, 236,
 297, 433, 450,
 453, 454, 479,
 494, 545, 558,
 569, 570, 575,
 586, 611, 614, 615,
 628, 798, 799,
 805, 815, 818,
 819, 832, 854,
 896, 1050, 1056,
 1057, 1062, 1073,
 1099, 1102, 1103,
 1121, 1148, 1286,
 1287, 1398, 1399,
 1412, 1423, 1467,
 1483, 1579, 1585,
 1835, 1982, 2278,
 4038, 4039, 4156,
 4157, 4158, 4740,
 4746, 4747, 4752,
 4763, 4786, 4789,
 4790, 4806, 4919,
 4925, 4926, 4931,
 4942, 4965, 4968,
 4969, 4999, 5082,
 5093, 5095, 5231,
 5246, 5249, 5250,
 5279, 5293, 5309,
 5327, 5339, 5352,
 5383, 5419, 5460,
 5461, 5465, 5466,
 5468, 5475, 5481,
 5500, 5503, 5504,
 5510, 5515, 5622,
 5625, 5642, 5646,
 6436, 6516, 6531,
 6553, 6554, 6555,
 6556, 6579, 6599,
 6602, 6603, 6613,
 6627, 6640, 6650,
 6868, 6891, 6906,
 6922, 6942, 6945,
 6950, 6958, 8781,
 8796, 8799, 8800,
 8807, 8819, 8838,
 9094, 9236, 9512,
 9592, 9594, 9801,
 9803, 9806, 9807,
 9824, 9827, 9834,
 9843, 9849, 9853,

9856, 9870, 9895,
 9902, 10047,
 10149, 10251,
 10259, 10643,
 10648, 10652,
 10655, 10663,
 10709, 10713,
 10716, 10721,
 10815, 10818,
 10822, 11199,
 11225, 11331,
 11332, 11333,
 11334, 11335,
 11336, 11415,
 11417, 11450,
 11658, 11662,
 11663, 11670,
 11675, 11682,
 11687, 11891,
 11969, 11989,
 12052, 12102,
 12177, 12229,
 12230, 12233,
 12237, 12256,
 12257, 12258,
 12267, 12269,
 12275, 12286,
 12288, 12299,
 12301, 12312,
 12314, 12323,
 12325, 12342,
 12364, 12365,
 12385, 12398,
 12409, 12410,
 12415, 12426,
 12449, 12452,
 12453, 12477,
 12771, 12772,
 12783, 12784,
 12789, 12800,
 12823, 12826,
 12827, 12837,
 12850, 12870,
 12901, 13017,
 13032, 13035,
 13036, 13041,
 13042, 13068,
 13203, 13218,
 13221, 13222,
 13251, 13263,



13272,	13382,	15537,	15545,	7393, 7491, 7536,
13384,	13388,	15552,	15553,	7638, 7683, 7785,
13392,	13394,	15554,	15562,	7829, 7932, 7976,
13399,	13403,	15570,	15571,	8079, 8124, 8226,
13406,	13410,	15572,	15580,	8271, 8373, 8418,
13412,	13416,	15589,	15590,	8575, 8622, 9412,
13443,	13452,	15591,	15599,	9458, 9496, 9497
13656,	13659,	15609,	15610,	\if@RTLbibitems . 84,
13660,	13692,	15611,	15619,	218, 494, 628,
13696,	13707,	15644,	15645,	896, 1148, 1473,
13708,	13735,	15646,	15654,	2278, 4806, 4999,
13794,	13795,	15694,	15695,	5309, 6650, 6922,
13796,	13798,	15696,	15719,	8838, 11450,
13869,	13911,	15781,	15782,	11891, 12477,
13920,	14124,	15783,	15789,	12870, 13068,
14127,	14128,	15792,	15839,	13272, 13735,
14151,	14154,	15899,	15904,	14259, 14850, 15318
14155,	14182,	15927,	15934,	\if@RTLcolumnfootnotes
14186,	14200,	15972,	15975, 1476, 7178,
14259,	14318,	16059,	16094,	7179, 7182, 7183,
14319,	14320,	16102,	16129,	7214, 7266, 7360,
14322,	14393,	16130,	16133,	7409, 7501, 7553,
14417,	14424,	16134,	16136,	7648, 7700, 7795,
14511,	14517,	16173,	16177,	7847, 7942, 7994,
14545,	14554,	16230,	16235,	8089, 8141, 8236,
14758,	14761,	16287,	16288,	8288, 8383, 8435
14762,	14789,	16291,	16295,	\if@RTLmain . . 1466,
14793,	14807,	16318,	16344,	1482, 1578, 1584,
14850,	14909,	16352,	16358,	5518, 5541, 5564,
14910,	14911,	16364,	16395,	5587, 5758, 6384,
14913,	14984,	16437,	16497,	6390, 6393, 6407,
15002,	15005,	16498,	16500,	6425, 8982, 8984,
15009,	15195,	16503,	16506,	8985, 8986, 8987,
15253,	15270,	16510,	16511,	8989, 8990, 8991,
15290,	15293,	16512,	16513,	9241, 9920, 9930,
15298,	15302,	16515,	16517,	11615, 11771,
15303,	15318,	16518,	16523,	16638, 16825, 16835
15413,	15414,	16530,	16572,	\if@RTLmarginpar . .
15415,	15423,	16573,	16579, 1470,
15444,	15445,	16584,	16761,	16761, 16766, 16770
15446,	15454,	16766,	16770,	\if@RTLtab 282,
15467,	15468,	16778,	16779,	283, 299, 302,
15469,	15477,	16780,	16781,	324, 326, 1294,
15484,	15485,	16848,	16851,	1295, 1314, 1315,
15486,	15494,	16859,	16869,	1352, 1353, 1469,
15501,	15502,	16950, 16960, 16966		1846, 1850, 1851,
15503,	15511,	\if@RTL@footnote 36,		2041, 2044, 5385,
15518,	15519,	170, 1477, 1581,		5387, 5409, 5413,
15520,	15528,	3463, 6986, 7033,		5431, 5432, 5445,
15535,	15536,	7204, 7249, 7351,		5456, 9511, 11147,



11149, 15010,	1125, 1238, 1990,	15761, 15773,
15014, 15015,	4336, 4723, 4902,	15827, 15855,
15033, 15041,	5114, 5176, 6717,	15856, 15864,
15048, 15073,	6814, 8895, 11314,	15868, 15872,
15161, 15162,	12368, 12395,	15876, 15880,
16277, 16282,	12402, 12578,	15884, 15888, 15892
16350, 16395,	12625, 12719,	\ifdefined .. 2351, 2357
16436, 16457,	12847, 12854,	\ifdfn@allowcbreak
16466, 16475,	12965, 13087, 6245, 6266
16484, 16495,	13148, 13558,	\ifdfn@ruleboth ...
16496, 16510,	14026, 14660, 6303, 6357
16511, 16531,	15343, 16731, 16862	\ifdfn@trysingle ..
16535, 16536,	\if@twoside 4327, 9117, 6284, 6341
16557, 16565, 16566	13527, 13540,	\ifdim 1388,
\if@sentdir 1580	13608, 13995,	1389, 2028, 2031,
\if@specialpage ...	14008, 14076,	3197, 3722, 4448,
..... 9113, 16796	14629, 14642,	4450, 4509, 4510,
\if@tab@rl 1469	14710, 16085, 16799	4512, 4518, 4558,
\if@tempswa . 6292, 6349	\if@vihproof 11643, 11649	4571, 4578, 4659,
\if@thmmarks .. 11952,	\ifadl@inactive .. 1300	4661, 4674, 4676,
11956, 11973, 11977	\ifadl@usingarypkg 1303	4684, 5360, 5751,
\if@titlecentered .	\ifAM@output 12031	5796, 5808, 5821,
..... 1268, 12751	\ifAM@survey 12009	5824, 5826, 5856,
\if@titlepage	\ifartopt 11351	5860, 5861, 5875,
..... 331, 546,	\ifbidi@autofootnoterule	5900, 5925, 5960,
656, 855, 910, 9242,	5973, 5986, 5989,
1109, 1162, 5129,	9470, 9483, 9496	5991, 6239, 6260,
6674, 6767, 8852,	\ifblendcolors 16141,	6280, 6289, 6316,
12386, 12502,	16162, 16184, 16211	6320, 6337, 6346,
12639, 12838,	\ifbool 11247, 11256	6368, 6372, 7103,
12903, 13101,	\ifcase 1335,	7108, 8960, 8962,
13479, 13947, 14581	1362, 1366, 1370,	9093, 9604, 9612,
\if@tocleft	1374, 1400, 1498,	9628, 9629, 9659,
.. 13650, 13685,	1504, 1510, 1522,	9667, 9680, 9695,
14118, 14145,	1528, 1534, 5433,	9728, 9729, 9812,
14175, 14752, 14782	10247, 15284,	9819, 9858, 9865,
\if@tocstyle@penalties	15664, 15771,	9910, 9980, 10118,
..... 15702, 15811	15841, 15951,	10134, 10797,
\if@todonotes@authorgiven	15959, 16161, 16210	10854, 11200,
..... 15984, 16001	\ifcat 1493, 1595	11321, 11364,
\if@todonotes@disabled	\ifconvertcolorsU .	11371, 11375,
..... 15964, 15965 16147,	11377, 11416,
\if@todonotes@dviStyle	16163, 16190, 16212	11461, 11469,
..... 15979	\ifcpoddpage 2967	11471, 11543,
\if@ttb@rotate ... 9235	\ifcsname 2333,	11551, 11553,
\if@twocolumn 94, 149,	2339, 2466,	11625, 11636,
378, 512, 528,	11914, 11924,	11720, 11728,
555, 562, 732,	11938, 15726,	11734, 11748,
779, 864, 875,	15727, 15736,	11756, 12049,
986, 1033, 1118,	15747, 15751,	12074, 12132,



12143,	12150,	10164,	10168,	1052,	1068,	1086,
12155,	12170,	10172,	10179,	1239,	1305,	1306,
13828,	13836,	10185,	10192,	1307,	1308,	1310,
14352,	14360,	10198,	10204,	10210	1349,	1350,
14457,	14463,	\ifhv@nonFloat	9992,	1986,	2023,	2024,
14469,	14475,	9999,	10017,	4531,	4742,	4758,
14481,	14487,	10038,	10230,	10232	4774,	4840,
14493,	14499,	\ifhv@onlyText	4844,	4921,	4937,
14505,	14943,	10000,	10018	4953,	5019,
14951,	15059,	\ifhv@useOBox	9963,	9967	5023,	5083,
15737,	15762,	\ifHy@hyperfootnotes	10266	5226,	5241,
15828,	16062,	\ifHy@nesting	5268,	5270,	5280,
16064,	16066,	..	10315,	10326,	5361,	5620,
16068,	16069,	10337,	10348,	5633,	5640,	5783,
16070,	16072,	10363,	10378,	5792,	5802,	5947,
16112,	16119,	10455,	10493,	5956,	5966,	6180,
16426,	16743,	10526,	10557,	10588	6594,	6608,
\ifdofullc@p	\ifinner	. 1918,	3428,	6630,	6718,
13831,	14355,	3472,	3516,	9607,	6864,	6878,
\iffalse	. 2318,	16054,	16648,	16692	6880,	6882,
2321,	9719,	\ifL@image	10774	6892,	7184,
9720,	10870,	\ifLettrineImage	. 10745	\ifmaskcolors	8776,	8791,
11233,	11234,	16151,	16162,	16194,	8808,	8896,
12333,	12334,	16211	\ifmmode	. 5460,	8948,	8949,
12347,	12348	5465,	9063,	9073,	8950,	9211,
\IfFileExists	9801,	9803,	9806,	9215,	9224,
.. 2947,	4356,	9807,	9824,	9827,	9226,	9228,
\iffootdir@debug	..	9834,	9843,	9849,	9374,	9470,
..... 9250,	9254	9853,	9856,	9870,	9483,	9496,
\ifGin@iso 9909	9895,	9902,	10643,	9781,	10781,
\ifhbox	8532,	10643,	12042,	12043,	10838,	10841,
8542,	8546	12044,	12045,	12262,	10873,	11161,
\ifhmode 1912,	12263,	13382,	13384,	11162,	11315,
3422,	3466,	13388,	13392,	13394,	11348,	11458,
3510,	3711,	13399,	13403,	13406,	11488,	11540,
5466,	5475,	13410,	13412,	13416,	11570,	11656,
5481,	5500,	16129,	16133,	16446,	11668,	11680,
10393,	10405,	16521	\ifNAT@openbib	... 11893	11773,	11779,
15246,	16134,	\ifnum	... 3,	129,	11933,	11943,
16136,	16173,	273,	274,	275,	12062,	12068,
16177,	16230,	276,	278,	379,	12080,	12083,
16378,	16510,	428,	445,	473,	12084,	12085,
16511,	16556,	482,	565,	581,	12087,	12088,
16642,	16686	599,	733,	794,	12089,	12090,
\ifhv@fbox	... 10049,	827,	845,	987,	12099,	12121,
10055,	10062,				12126,	12137,
10068,	10074,				12148,	12149,
10080,	10089,				12155,	12159,
10093,	10098,				12162,	12163,
10102,	10106,				12254,	12255,
10110,	10124,				12271,	12405,
10140,	10151,				12421,	12437,
10155,	10160,				12497,	12499,



12501,	12579, 4505, 4511,	\ifvoid .. 2021, 2041,
12720,	12779,	4658, 4665, 4679	5664, 5676, 5703,
12795,	12811,	\ifprimitive . 2385, 2392	5719, 5737, 5745,
12862,	12864,	\ifrot@messages ...	5778, 5903, 5914,
12866,	12966, 13352, 13364	5942, 6243, 6264,
13013,	13027,	\iftagsleft@ .. 255, 6433	6275, 6300, 6332,
13055,	13057,	\ifthenelse .. 2232,	6354, 7122, 7139,
13059,	13149,	2249, 2253, 2257,	7149, 8755, 8762,
13198,	13213,	2265, 2850, 2920,	9530, 9688, 9709,
13238,	13240,	2922, 2925, 2929,	10692, 10696,
13242,	13252,	2932, 2935, 2960,	11278, 11695,
13547,	13559,	3017, 3036, 3051,	12177, 16235, 16401
13646,	13664,	3056, 3062, 3071,	\ifWF@float 16067, 16081
13679,	13680,	3076, 3082, 3088,	\ifx . 111, 717, 721, 971,
13702,	14015,	3089, 3096, 3103,	975, 1223, 1227,
14027,	14114,	3105, 3111, 3128,	1794, 1800, 1806,
14132,	14141,	3146, 3148, 3152,	1821, 1852, 1905,
14159,	14169,	3170, 3171, 3174,	1908, 1984, 2010,
14170,	14191,	3175, 3210, 3219,	2238, 2239, 2240,
14203,	14219,	3230, 3240, 3289,	2242, 2302, 2305,
14227,	14235,	3404, 3626, 3644,	2340, 2358, 2429,
14649,	14661,	3645, 3676, 3677,	2617, 2633, 3658,
14748,	14766,	3790, 3795, 3817,	4582, 4633, 4638,
14776,	14777,	3822, 3844, 3849,	4640, 6312, 6364,
14798,	15104,	3918, 3922, 3970,	6940, 6956, 6960,
15152,	15153,	4183, 4229, 4238,	9004, 9036, 9371,
15154,	15155,	4246, 4273, 4320,	9572, 9838, 9880,
15157,	15275,	4389, 4400, 6084,	9881, 9887, 9954,
15277,	15395,	6090, 6107, 6110,	9956, 9962, 9973,
15399,	15441,	6111, 6112, 6113,	9975, 9978, 9979,
15460,	15482,	6114, 6200, 6205,	9996, 10002,
15499,	15516,	6208, 6209, 6210,	10003, 10005,
15533,	15550,	6211, 6212, 6215,	10008, 10020,
15568,	15587,	6219, 9184, 9199,	10021, 10023,
15607,	15642,	11999, 13306, 13351	10026, 10035,
15701,	15706,	\iftikz@handle@active@code	10037, 10046,
15724,	15897, 15212	10048, 10061,
16093,	16325,	\iftocstyle@autolength	10088, 10097,
16562,	16563, 15746	10117, 10133,
16577,	16739,	\iftocstyle@indentnotnumbered	10150, 10159,
16761, 16856, 16857	 15791, 15838	10178, 10191,
\ifodd 1929, 4327, 6398,		\iftrue 2320,	10225, 10231,
6415, 6475, 9118,		3369, 3382, 3395	10244, 10275,
16085, 16735, 16800		\ifttl@label 15251	10286, 10297,
\ifoddpage 2961		\ifTX@ 15094	10621, 10624,
\ifonelinecaptions		\ifvbox 8732	10627, 10630,
13802, 14326, 14917		\ifvmode 3158,	10711, 10758,
\ifpgfrememberpicturepositiononpage 61, 3164, 3167,		11262, 11710,	11166, 11425,
..... 15223, 15229		11963, 11983, 15046	11787, 11791,
\ifpoem@started ...			11795, 11919,



11923,	11930,	16185,	16296,	\indexname	519,
11936,	12015,	16440,	16805,		520, 521, 535,
12027,	12238,	16806,	16808, 16809		536, 786, 787,
12282,	12295,	\ifXC@tst .	16165, 16214		1040, 1041, 4143,
12308,	12563,	\ignorespaces . . .	45,		4144, 4730, 4731,
12567,	12704,	58,	73, 118,		4909, 4910, 5121,
12708,	13439,	179,	192, 206,		5122, 5123, 12375,
13465,	13474,	263,	551, 560,		12376, 12632,
13494,	13499,	860,	1114, 1123,		12633, 13094,
13506,	13512,	2774,	3181, 3188,		13095, 13096,
13536,	13607,	3189,	3198, 3742,		15352, 15353,
13611,	13619,	3759,	3776, 3810,		15354, 15358,
13625,	13637,	3837,	3864, 4123,		15359, 15360,
13651,	13686,	4482,	4493, 4653,		15363, 15364,
13723,	13784,	4654,	4801, 4994,		15370, 15371,
13791,	13907,	5364,	5370, 5475,		15375, 15376,
13933,	13942,	5481,	5489, 5496,		15377, 15380, 15381
13962,	13967,	6945,	6959, 6996,	\indexspace	4159
13974,	13980,	7012,	7028, 7042,	\input	1495,
14004,	14075,	7055,	7068, 9423,		1496, 1543, 1576,
14079,	14087,	9439,	9454, 9480,		1597, 2085, 4357,
14093,	14105,	9493,	9506, 9922,		4422, 16861,
14119,	14146,	9926,	9931, 9936,		16871, 16872,
14176,	14246,	10716,	11438,		16873, 16874,
14308,	14315,	11445,	12391,		16875, 16876,
14413,	14443,	12400,	12843,		16877, 16878,
14444,	14445,	12852,	13382,		16879, 16880,
14446,	14447,	13392,	13410,		16881, 16882,
14448,	14449,	13811,	13832,		16883, 16884,
14450,	14454,	13837,	13842,		16885, 16886,
14460,	14466,	13847,	13865,		16887, 16888,
14472,	14478,	14335,	14356,		16889, 16890,
14484,	14490,	14361,	14366,		16891, 16892,
14496,	14502,	14371,	14389,		16893, 16894,
14511,	14541,	14517,	14926,		16895, 16897,
14567,	14576,	14947,	14952,		16898, 16904,
14596,	14601,	14957,	14962,		16905, 16906,
14608,	14614,	14980,	16173,		16907, 16908,
14638,	14709,	16177,	16370,		16909, 16910,
14713,	14721,	16432,	16461,		16911, 16912,
14727,	14739,	16470,	16479, 16488		16913, 16914,
14753,	14783,	\ilg	12071, 12094		16915, 16916,
14837,	14899,	\immediate . .	2005, 4645		16917, 16918,
14906,	15054,	\includegraphics . .			16919, 16920,
15286,	15627,	2273,		16921, 16922,
15713,	15784,	6086,	6217, 12001		16923, 16924,
15796,	15804,	\includepdf	11992		16925, 16926,
15821,	15846,	\indent	16376		16927, 16928,
15913,	15918,	\indentedwidth . . .	6958		16929, 16930,
15920,	16142,	\index	9167, 16815		16931, 16932,



16933, 16934,	9414, 9430, 9445	6113, 6114, 6205,
16935, 16936,	\interlinepenalty .	6208, 6209, 6210,
16937, 16938, 38, 51,	6211, 6212, 6215, 6219
16939, 16940,	66, 172, 185, 199,	\item ... 98, 153, 524,
16941, 16942,	480, 543, 568,	539, 790, 873,
16943, 16944,	797, 852, 1048,	1044, 4115, 4123,
16945, 16946,	1055, 4035, 4738,	4128, 4149, 4734,
16947, 16948,	4745, 4917, 4924,	4913, 5126, 9068,
16971, 16972,	5090, 5287, 5295,	9083, 12379,
16973, 16974,	5781, 5790, 5800,	12636, 13099, 15387
16975, 16976,	5945, 5954, 5964,	\itemindent
16977, 16978,	6628, 6641, 6899,	. 4110, 4111, 4119,
16979, 16980,	6908, 7131, 8813,	16332, 16402, 16423
16981, 16982,	8821, 9414, 9430,	\itemsep . 2909, 4056,
16983, 16984,	9445, 11660,	4095, 4109, 16391
16985, 16986,	11672, 11684,	\itemx 11819
16987, 16988,	12275, 12383,	\itemxox 11854
16989, 16990, 16991	12408, 12782,	\itemxoxx 11864
\InputIfFileExists 10749	12835, 12899,	\itemxxx 11822
\insert 35, 48, 63, 169,	13257, 13265,	\itemxxo 11859
182, 196, 2021,	13694, 14184,	\itemxxox 11871
6234, 6250, 6255,	14791, 15243,	\itemxxx 11827
6271, 6318, 6324,	15284, 15417,	\itemxxxo 11878
6370, 6376, 6985,	15448, 15471,	\itemxxxx 11834
7001, 7017, 7204,	15488, 15505,	\itemxxxxx 11843
7214, 7224, 7302,	15522, 15539,	\itshape
7351, 7360, 7369,	15556, 15574,	1702, 2245, 3919,
7443, 7491, 7501,	15593, 15613,	3921, 3925, 3932,
7511, 7589, 7638,	15648, 15787,	3939, 3974, 3981,
7648, 7658, 7736,	15901, 16060, 16581	3988, 3995, 4002,
7785, 7795, 7805,	\intermath@penalty 5363	4306, 4307, 4308
7883, 7932, 7942,	\intertextsep . 16120, 16122	
7952, 8030, 8079,	\InThecType	J
8089, 8099, 8177,	... 6449, 11953,	\jwo@ht 11477,
8226, 8236, 8246,	11955, 11974, 11976	11484, 11559,
8324, 8373, 8383,	\invoice@name 14480	11566, 11632, 11639
8393, 8471, 8567,	\isempty 3036,	\jwo@pr 11460,
8578, 8589, 8674,	3626, 3790, 3795,	11490, 11542, 11572
9411, 9427, 9442	3817, 3822, 3844,	\jwo@sar 11459,
\insert@column 1337,	3849, 4229,	11489, 11528,
1338, 1339, 1340,	4238, 4246, 4273	11541, 11571, 11607
1342, 1343, 1403,	\isodd 13306, 13351	\jwo@sk . 11458, 11488,
1405, 1406, 1408,	\isSC@ODD ... 15003,	11528, 11540,
1409, 1410, 5436,	15004, 15006,	11570, 11607, 11640
5438, 5439,	15007, 16951,	\justifying .. 2943,
5441, 5442, 5443	16953, 16955, 16957	3013, 3563, 12320
\insertpenalties . 9379	\isundefined	\JustifyingParfillskip
\interfootnotelinepenalty	... 3240, 3289, 12326
. 38, 51, 66, 172,	6084, 6090, 6107,	
185, 199, 7131,	6110, 6111, 6112,	



\JustifyingParindent	12461, 12462,	\L@ante 10741, 10800, 10825
..... 2915,	12464, 12469,	\l@chapter 4781, 4795,
3566, 4082, 12327	12470, 12472,	4960, 4974, 5240,
	12513, 12652,	8790, 12444,
K	12885, 12886,	12458, 12818,
\keepthetitle 11297	12888, 12893,	12832, 13026,
\kern 28, 29,	12894, 12896,	13212, 14168,
30, 31, 163, 164,	13045, 13047,	14775, 15308,
165, 166, 459, 461,	13051, 13053,	15309, 15440, 15866
465, 467, 643,	13228, 13230,	\l@color ... 10754, 10755
644, 646, 651,	13234, 13236,	\l@figure 4043,
652, 654, 667,	13464, 13468,	4044, 15549, 15894
882, 884, 889,	13471, 13473,	\L@Findent
891, 921, 1128,	13477, 13783,	10742, 10802, 10826
1129, 1131, 1136,	13786, 13790,	\L@first 10782,
1137, 1139, 1173,	13793, 13932,	10783, 10786,
1401, 1406, 1725,	13936, 13939,	10787, 10789,
1726, 1727, 1728,	13941, 13945,	10790, 10791,
1729, 1730, 1731,	14307, 14310,	10792, 10797,
1732, 1736, 1737,	14314, 14317,	10800, 10801,
1784, 1786, 1787,	14433, 14435,	10803, 10804, 10815
3379, 3380, 3390,	14438, 14439,	\L@hang ... 10738, 10799
3391, 3393, 3811,	14441, 14566,	\L@imagefalse 10745
3812, 3838, 3839,	14570, 14573,	\L@imagetrue 10745
3865, 3866, 4821,	14575, 14579,	\L@lbox 10767,
4822, 4824, 4829,	14898, 14901,	10768, 10775,
4830, 4832, 4854,	14905, 14908,	10777, 10782,
4977, 4978, 4980,	15257, 16095,	10792, 10798,
4985, 4986, 4988,	16099, 16105,	10799, 10810,
5033, 5256, 5258,	16108, 16130,	10811, 10812, 10825
5262, 5264, 5434,	16307, 16310,	\l@LOKeys 10759,
5439, 5461, 6229,	16312, 16402, 16758	10761, 10766, 10771
6230, 6519, 6526,	\keywords 251	\L@lraise 10784,
6534, 6541, 6580,	\kill 11163	10790, 10791,
6584, 6665, 6667,	\KOMAClassName	10793, 10794, 10825
6671, 6673, 6965,	13548, 14016, 14650	\L@next 10806,
6967, 6971, 6973,	\KV@do 10766, 10771	10807, 10818, 10820
6980, 6981, 7096,	\KV@prefix . 10764, 10769	\l@ngrel@x
7097, 8826, 8828,		.. 2429, 2430, 2432
8832, 8834, 8971,	L	\L@Nindent ... 10743,
8972, 8973, 9188,	\l 6475,	10805, 10807,
9332, 9333, 9335,	6491, 6494, 6500,	10809, 10818, 10819
9336, 9337, 9369,	6503, 6505, 6506,	\L@oversize 10739
9577, 9641, 9820,	6509, 6510, 6513,	\l@paragraph 15515, 15882
9866, 10725,	6516, 6517, 6518,	\L@parshape .. 10815,
10727, 10731,	6523, 6524, 6525,	10818, 10822, 10824
10733, 11719,	6531, 6532, 6533,	\l@part 427, 580, 598,
11814, 11815,	6538, 6539, 6540,	826, 844, 1067,
11816, 11817,	6549, 6552, 6560	1085, 4757, 4773,
12245, 12248,	\l@ 15658	4936, 4952, 5225,



6607, 6863, 8775,	11874, 11876,	11881, 11883,
12420, 12436,	11879, 11881, 11883	12479, 12480,
12794, 12810,	\labelsep 82, 86, 216,	12872, 12873,
13012, 13197,	220, 498, 632,	13070, 13071,
13645, 14113,	900, 1152, 2283,	13274, 13275,
14140, 14747,	2285, 4072, 4074,	13739, 13740,
15305, 15306,	4131, 4810, 5003,	14263, 14264,
15393, 15858, 15861	5313, 6654, 6926,	14854, 14855,
\L@Pindent ... 10798,	8842, 11820,	15320, 15321,
10799, 10801,	11823, 11825,	16424, 16426, 16429
10802, 10804,	11828, 11830,	\langle 1703
10805, 10808, 10815	11832, 11835,	\Larg 1702, 1703,
\L@raise .. 10740, 10790	11837, 11839,	1704, 1705, 1706
\l@section . 444, 606,	11841, 11844,	\Larga 1703
619, 810, 823,	11846, 11848,	\Largb 1704
1094, 1107, 6593,	11850, 11852,	\LARGE 343, 414,
13678, 15459, 15870	11855, 11857,	674, 764, 928,
\L@slope	11860, 11862,	1018, 1180, 1271,
10744, 10819, 10820	11865, 11867,	1282, 3974, 3981,
\l@subfigure 15586	11869, 11872,	4063, 4306, 4861,
\l@subparagraph ...	11874, 11876,	5040, 5141, 5212,
..... 15532, 15886	11879, 11881,	6169, 6684, 6749,
\l@subsection	11883, 12481,	6779, 6850, 8862,
..... 15481, 15874	12874, 13072,	8927, 12520,
\l@subsubsection ..	13276, 13741,	12610, 12659,
..... 15498, 15878	14265, 14856,	12756, 12767,
\l@subtable 15606	15322, 16425, 16431	12925, 13113, 13184
\l@table	\labelwidth 85,	\Large 483, 3925, 3988,
. 4044, 15567, 15890	86, 219, 220, 496,	4062, 4307, 4308,
\L@tbox 10779, 10783, 10827	497, 630, 631,	6080, 6173, 6631,
\l@textcolor 10756, 10757	898, 899, 1150,	13001, 13514,
\label 2269,	1151, 2282, 2284,	13520, 13522,
3065, 3067, 3069,	4073, 4074, 4808,	13538, 13627,
3073, 3119, 9166,	4809, 5001, 5002,	13634, 13636,
10010, 10028, 16814	5311, 5312, 6652,	13639, 13982,
\labelitemi 666, 920,	6653, 6924, 6925,	13988, 13990,
983, 1172, 4853,	8840, 8841, 9733,	14006, 14095,
5032, 12512, 12651	11820, 11823,	14102, 14104,
\labelname ... 11820,	11825, 11828,	14107, 14616,
11823, 11825,	11830, 11832,	14622, 14624,
11828, 11830,	11835, 11837,	14640, 14729,
11832, 11835,	11839, 11841,	14736, 14738, 14741
11837, 11839,	11844, 11846,	\large .. 345, 351, 416,
11841, 11844,	11848, 11850,	422, 436, 589,
11846, 11848,	11852, 11855,	681, 691, 766,
11850, 11852,	11857, 11860,	772, 835, 935,
11855, 11857,	11862, 11865,	945, 1020, 1026,
11860, 11862,	11867, 11869,	1076, 1187, 1197,
11865, 11867,	11872, 11874,	1273, 1279, 1283,
11869, 11872,	11876, 11879,	1288, 3932, 3995,



4061, 4766, 4868,	\LaTeX 10673,	15575, 15594,
4878, 4945, 5047,	16299, 16300, 16312	15614, 15649,
5057, 5143, 5149,	\LaTeXe 16301, 16302	15788, 15902,
5214, 5220, 5234,	\LBEG 1707	16129, 16304,
6079, 6081, 6172,	\lcb . 1704, 1707, 1708, 1711	16309, 16311,
6174, 6616, 6686,	\lccode . . . 16086, 16087	16434, 16531, 16582
6692, 6751, 6757,	\Lcs 1718	\left 16316
6781, 6787, 6852,	\LcsStar 1719	\left@footnoterule
6858, 6871, 8784,	\leaders 15299, 30,
8864, 8870, 8929,	15797, 15906, 16586	165, 335, 458,
8935, 12429,	\leavevmode 14,	642, 662, 881,
12527, 12537,	140, 232, 298,	916, 1127, 1168,
12612, 12618,	435, 452, 574,	4820, 4849, 4976,
12666, 12676,	588, 613, 667,	5028, 5133, 5255,
12758, 12764,	804, 817, 834,	6664, 6678, 6771,
12768, 12773,	921, 984, 1061,	6964, 8825, 8856,
12803, 12927,	1075, 1101, 1173,	9334, 9340, 9353,
12933, 13020,	1836, 2214, 3710,	9355, 9483, 9496,
13115, 13121,	4036, 4439, 4515,	10724, 12460,
13186, 13192, 13206	4751, 4765, 4788,	12508, 12645,
\Largr 1706	4854, 4930, 4944,	12884, 12907,
\Largs 1705	4967, 5033, 5233,	13044, 13105,
\lastbox . 5862, 5866,	5248, 5329, 5330,	13227, 13462,
5892, 8508, 8531,	5460, 5512, 6601,	13486, 13782,
8541, 8545, 11259,	6615, 6870, 7238,	13930, 13954,
12177, 16235, 16400	7382, 7525, 7672,	14306, 14433,
\lastbox@a . . . 5862,	7819, 7966, 8113,	14564, 14588, 14897
5863, 5866, 5867	8260, 8407, 8783,	\leftfootnoterule .
\LastFrameCommand .	8798, 9068, 9083, 1513, 6226,
. 9595, 9705	9509, 9808, 9854,	6977, 9338, 9341,
\lastkern . . . 3722, 9680	9874, 10392,	9569, 9792, 16864
\lastpenalty	11254, 11661,	\leftline 12257,
. . . 5361, 13680,	11673, 11685,	16502, 16508, 16510
14170, 14777, 15706	12176, 12242,	\leftmargin 86,
\lastrule 5406	12247, 12278,	220, 497, 498,
\lastskip 3197,	12414, 12428,	631, 632, 870,
4571, 4572, 4684,	12451, 12513,	899, 900, 1151,
4685, 5360, 5849,	12652, 12788,	1152, 2284, 2285,
5850, 5854, 5855,	12802, 12825,	2906, 4053,
5857, 5864, 5869	13019, 13034,	4112, 4113, 4120,
\lastskip@a	13205, 13220,	4126, 4809, 4810,
. . 5852, 5856, 5860	13658, 13695,	5002, 5003, 5312,
\lastskip@b . . 5850,	14126, 14153,	5313, 6653, 6654,
5852, 5854,	14185, 14760,	6925, 6926, 8841,
5856, 5860, 5861	14792, 15010,	8842, 12275,
\lastskip@d . . 5849,	15249, 15272,	12480, 12481,
5855, 5857, 5863,	15418, 15449,	12873, 12874,
5864, 5867, 5869,	15472, 15489,	13071, 13072,
5870, 5873, 5883	15506, 15523,	13275, 13276,
	15540, 15557,	13740, 13741,



14264,	14265,	11670,	11675,	15570,	15571,
14855,	14856,	11682,	11687,	15572,	15580,
15321,	15322,	12286,	12288,	15589,	15590,
16342,	16345,	12299,	12301,	15591,	15599,
16355,	16359,	12312,	12314,	15609,	15610,
16367,	16456,	12323,	12325,	15611,	15619,
16458,	16459,	12342,	12385,	15644,	15645,
16460,	16465,	12398,	12409,	15646,	15654,
16467,	16468,	12410,	12415,	15694,	15695,
16469,	16474,	12426,	12449,	15696,	15719,
16476,	16477,	12452,	12453,	15781,	15782,
16478,	16483,	12783,	12784,	15783,	15789,
16485, 16486, 16487		12789,	12800,	15792,	15839,
\leftmargini . . . 2906,		12823,	12826,	15899,	15904,
4053, 4066, 4073		12827,	12837,	15927,	15934,
\leftmarginii 4067		12850,	12901,	16491,	16517,
\leftmarginiii . . . 4068		13017,	13032,	16518, 16579, 16584	
\leftmarginiv 4069		13035,	13036,	\LEND 1708	
\leftmarginv 4070		13041,	13042,	\LenToUnit	
\leftmarginvi 4071		13203,	13218,	. . . 6393, 6407, 6425	
\leftmarginwidth . 13041		13221,	13222,	\leqno . . . 255, 12253,	
\leftmark 4403		13656,	13659,	12255, 16855, 16857	
\leftskip 12, 13, 138,		13660,	13692,	\let 83, 98,	
139, 232, 236,		13696,	14124,	111, 153, 217, 246,	
433, 450, 453,		14127,	14128,	254, 255, 267,	
454, 545, 558,		14151,	14154,	299, 300, 303,	
569, 570, 575,		14155,	14182,	320, 324, 328,	
586, 611, 614, 615,		14186,	14758,	333, 334, 335,	
798, 799, 805,		14761,	14762,	336, 337, 338,	
815, 818, 819, 832,		14789,	14793,	339, 357, 358,	
854, 1050, 1056,		15241,	15253,	359, 360, 361,	
1057, 1062, 1073,		15270,	15291,	362, 363, 364,	
1099, 1102, 1103,		15293,	15298,	365, 366, 367,	
1121, 4030, 4038,		15302,	15303,	368, 392, 393,	
4039, 4545, 4740,		15413,	15414,	394, 395, 396,	
4746, 4747, 4752,		15415,	15423,	397, 398, 399,	
4763, 4786, 4789,		15444,	15445,	400, 401, 402,	
4790, 4919, 4925,		15446,	15454,	403, 404, 411, 412,	
4926, 4931, 4942,		15467,	15468,	413, 501, 524,	
4965, 4968, 4969,		15469,	15477,	539, 635, 660,	
5231, 5246, 5249,		15484,	15485,	661, 662, 663,	
5250, 5385, 5387,		15486,	15494,	664, 702, 703,	
5389, 5503, 5504,		15501,	15502,	704, 705, 706,	
5510, 6599, 6602,		15503,	15511,	707, 708, 709,	
6603, 6613, 6868,		15518,	15519,	710, 711, 746, 747,	
7163, 8722, 8781,		15520,	15528,	748, 749, 750,	
8796, 8799, 8800,		15535,	15536,	751, 752, 753,	
11241, 11331,		15537,	15545,	754, 755, 756,	
11332, 11658,		15552,	15553,	763, 790, 903,	
11662, 11663,		15554,	15562,	914, 915, 916, 917,	



918, 956, 957,
958, 959, 960,
961, 962, 963,
964, 965, 1000,
1001, 1002, 1003,
1004, 1005, 1006,
1007, 1008, 1009,
1010, 1017, 1044,
1155, 1166, 1167,
1168, 1169, 1170,
1208, 1209, 1210,
1211, 1212, 1213,
1214, 1215, 1216,
1217, 1252, 1253,
1254, 1255, 1256,
1257, 1258, 1259,
1260, 1261, 1262,
1270, 1296, 1297,
1301, 1317, 1318,
1319, 1355, 1356,
1357, 1382, 1383,
1384, 1385, 1390,
1425, 1426, 1488,
1490, 1492, 1548,
1590, 1592, 1594,
1643, 1644, 1645,
1646, 1647, 1648,
1649, 1650, 1651,
1652, 1653, 1791,
1792, 1793, 1820,
1837, 1838, 1839,
1840, 1841, 1842,
1843, 1844, 1845,
1847, 1848, 1849,
1960, 1961, 1962,
1963, 1964, 1965,
1966, 1967, 1968,
1998, 2005, 2288,
2297, 2302, 2318,
2319, 2326, 2327,
2330, 2331, 2402,
2405, 2413, 2430,
2452, 2474, 2475,
2605, 2685, 2687,
2688, 2689, 2690,
2691, 2746, 2757,
2764, 2770, 2776,
2783, 2787, 2789,
2898, 3028, 3029,
3066, 3067, 3073,

3118, 3119, 3201,
3203, 3205, 3351,
3352, 3365, 3369,
3371, 3372, 3378,
3382, 3386, 3395,
3637, 3638, 3665,
3666, 3694, 3788,
3809, 3815, 3836,
3842, 3863, 3879,
3883, 3886, 3890,
3893, 3897, 4044,
4108, 4149, 4236,
4303, 4304, 4305,
4430, 4431, 4433,
4434, 4452, 4473,
4474, 4475, 4476,
4477, 4478, 4479,
4480, 4481, 4484,
4485, 4486, 4487,
4488, 4489, 4490,
4491, 4492, 4553,
4579, 4629, 4635,
4656, 4669, 4679,
4693, 4697, 4698,
4699, 4700, 4701,
4702, 4703, 4704,
4705, 4711, 4712,
4713, 4714, 4715,
4716, 4717, 4718,
4719, 4734, 4813,
4847, 4848, 4849,
4850, 4851, 4889,
4890, 4891, 4892,
4893, 4894, 4895,
4896, 4897, 4898,
4913, 5006, 5026,
5027, 5028, 5029,
5030, 5068, 5069,
5070, 5071, 5072,
5073, 5074, 5075,
5076, 5077, 5126,
5131, 5132, 5133,
5134, 5135, 5136,
5137, 5155, 5156,
5157, 5158, 5159,
5160, 5161, 5162,
5163, 5164, 5165,
5166, 5190, 5191,
5192, 5193, 5194,
5195, 5196, 5197,

5198, 5199, 5200,
5201, 5202, 5209,
5210, 5211, 5316,
5340, 5342, 5345,
5346, 5347, 5353,
5358, 5378, 5391,
5392, 5393, 5395,
5396, 5401, 5402,
5403, 5404, 5416,
5425, 5466, 5472,
5493, 6224, 6225,
6226, 6227, 6228,
6231, 6232, 6234,
6252, 6253, 6255,
6273, 6274, 6278,
6313, 6315, 6327,
6330, 6331, 6335,
6365, 6367, 6379,
6382, 6383, 6657,
6676, 6677, 6678,
6679, 6680, 6698,
6699, 6700, 6701,
6702, 6703, 6704,
6705, 6706, 6707,
6731, 6732, 6733,
6734, 6735, 6736,
6737, 6738, 6739,
6740, 6741, 6748,
6769, 6770, 6771,
6772, 6773, 6774,
6775, 6793, 6794,
6795, 6796, 6797,
6798, 6799, 6800,
6801, 6802, 6803,
6804, 6828, 6829,
6830, 6831, 6832,
6833, 6834, 6835,
6836, 6837, 6838,
6839, 6840, 6847,
6848, 6849, 6929,
6975, 6976, 6977,
6978, 6979, 7071,
7072, 7073, 7074,
7075, 7076, 7078,
7079, 7080, 7081,
7082, 7083, 7084,
7192, 7193, 7194,
7198, 7199, 7200,
7201, 7203, 7339,
7340, 7341, 7345,



7346, 7347, 7348,	10311,	10312,	11796,	11797,
7350, 7479, 7480,	10354,	10355,	11900,	11901,
7481, 7485, 7486,	10356,	10369,	11902,	11995,
7487, 7488, 7490,	10370,	10371,	12000,	12014,
7626, 7627, 7628,	10384,	10385,	12040,	12041,
7632, 7633, 7634,	10386,	10395,	12178,	12182,
7635, 7637, 7773,	10396,	10398,	12225,	12226,
7774, 7775, 7779,	10399,	10400,	12227,	12228,
7780, 7781, 7782,	10401,	10409,	12231,	12232,
7784, 7920, 7921,	10411,	10412,	12234,	12239,
7922, 7926, 7927,	10413,	10414,	12249,	12250,
7928, 7929, 7931,	10415,	10416,	12251,	12252,
8067, 8068, 8069,	10417,	10426,	12253,	12260,
8073, 8074, 8075,	10462,	10500,	12261,	12279,
8076, 8078, 8214,	10533,	10564,	12283,	12285,
8215, 8216, 8220,	10595,	10601,	12296,	12298,
8221, 8222, 8223,	10603,	10604,	12309,	12311,
8225, 8361, 8362,	10605,	10606,	12321,	12322,
8363, 8367, 8368,	10607,	10608,	12333,	12334,
8369, 8370, 8372,	10609,	10610,	12335,	12336,
8550, 8551, 8552,	10622,	10625,	12337,	12347,
8556, 8557, 8558,	10628,	10631,	12348,	12349,
8559, 8561, 8729,	10668,	10669,	12350,	12351,
8845, 8854, 8855,	10670,	10671,	12360,	12362,
8856, 8857, 8858,	10686,	10697,	12363,	12379,
8876, 8877, 8878,	10755,	10765,	12484,	12506,
8879, 8880, 8881,	10770,	10870,	12507,	12508,
8882, 8883, 8884,	11153,	11154,	12509,	12510,
8885, 8909, 8910,	11155,	11157,	12548,	12549,
8911, 8912, 8913,	11159,	11163,	12550,	12551,
8914, 8915, 8916,	11165,	11167,	12552,	12553,
8917, 8918, 8919,	11168,	11170,	12554,	12555,
8926, 8981, 9005,	11171, 11172, 11176,		12556,	12557,
9008, 9009, 9037,	11182,	11194,	12592,	12593,
9040, 9041, 9119,	11209,	11210,	12594,	12595,
9120, 9122, 9123,	11211,	11233,	12596,	12597,
9126, 9127, 9156,	11234,	11235,	12598,	12599,
9158, 9166, 9167,	11236,	11237,	12600,	12601,
9168, 9178, 9181,	11245,	11292,	12602,	12609,
9313, 9341, 9367,	11293,	11294,	12636,	12643,
9368, 9470, 9483,	11299,	11300,	12644,	12645,
9496, 9521, 9522,	11301,	11302,	12646,	12647,
9523, 9524, 9558,	11303,	11304,	12648,	12649,
9573, 9579, 9584,	11305,	11306,	12687,	12688,
9719, 9720, 9721,	11307,	11363,	12689,	12690,
9722, 9792, 9793,	11366,	11367,	12691,	12692,
9794, 9795, 9796,	11369,	11370,	12693,	12694,
9877, 9911, 9913,	11765,	11768,	12695,	12696,
10267,	11788,	11789,	12697,	12698,
10269,	11792,	11793,	12733,	12734,
10310,				



12735,	12736,	13489,	13490,	14332,	14333,
12737,	12738,	13492,	13556,	14339,	14340,
12739,	12740,	13573,	13574,	14341,	14342,
12741,	12742,	13575,	13576,	14343,	14344,
12743,	12744,	13577,	13578,	14523,	14524,
12745,	12753,	13579,	13580,	14525,	14586,
12754,	12755,	13581,	13582,	14587,	14588,
12877,	12905,	13583,	13584,	14589,	14590,
12906,	12907,	13585,	13586,	14591,	14592,
12908,	12909,	13587,	13588,	14594,	14658,
12910,	12911,	13589,	13590,	14675,	14676,
12939,	12940,	13591,	13592,	14677,	14678,
12941,	12942,	13593,	13594,	14679,	14680,
12943,	12944,	13595,	13596,	14681,	14682,
12945,	12946,	13597,	13598,	14683,	14684,
12947,	12948,	13599,	13600,	14685,	14686,
12949,	12950,	13604,	13605,	14687,	14688,
12979,	12980,	13606,	13752,	14689,	14690,
12981,	12982,	13777,	13778,	14691,	14692,
12983,	12984,	13804,	13805,	14693,	14694,
12985,	12986,	13806,	13807,	14695,	14696,
12987,	12988,	13808,	13809,	14697,	14698,
12989,	12990,	13815,	13816,	14699,	14700,
12991,	12997,	13817,	13818,	14701,	14702,
12998,	12999,	13819,	13820,	14706,	14707,
13075,	13099,	13889,	13890,	14708,	14867,
13103,	13104,	13891,	13952,	14892,	14893,
13105,	13106,	13953,	13954,	14919,	14920,
13107,	13108,	13955,	13956,	14921,	14922,
13109,	13127,	13957,	13958,	14923,	14924,
13128,	13129,	13960,	14024,	14930,	14931,
13130,	13131,	14041,	14042,	14932,	14933,
13132,	13133,	14043,	14044,	14934,	14935,
13134,	13135,	14045,	14046,	15011,	15012,
13136,	13137,	14047,	14048,	15013,	15017,
13138,	13162,	14049,	14050,	15028,	15029,
13163,	13164,	14051,	14052,	15030,	15037,
13165,	13166,	14053,	14054,	15038,	15044,
13167,	13168,	14055,	14056,	15053,	15054,
13169,	13170,	14057,	14058,	15055,	15057,
13171,	13172,	14059,	14060,	15060,	15064,
13173,	13174,	14061,	14062,	15067,	15069,
13181,	13182,	14063,	14064,	15072,	15081,
13183,	13279,	14065,	14066,	15084,	15097,
13304,	13331,	14067,	14068,	15098,	15099,
13332,	13349,	14072,	14073,	15114,	15115,
13421,	13422,	14074,	14276,	15116,	15117,
13423,	13484,	14301,	14302,	15118,	15119,
13485,	13486,	14328,	14329,	15121,	15122,
13487,	13488,	14330,	14331,	15125,	15126,



15206,	15207,	16550,	16551,	12528,	12613,
15208,	15220,	16552,	16553,	12667,	12759,
15221,	15222,	16559,	16560,	12768,	12928,
15223,	15226,	16561,	16785,	13004,	13116,
15227,	15228,	16787,	16800,	13187,	13514,
15229,	15236,	16801,	16802,	13628,	13982,
15265,	15294,	16803,	16805,	14096,	14616,
15299,	15305,	16806,	16808,	14730,	15032,
15308,	15325,	16809,	16814,	15072, 16555, 16817	
15387,	15391,	16815,	16816,	\lineskiplimit 9171, 16817	
15420,	15421,	16839,	16842,	\linespacing 24	
15422,	15451,	16854,	16855,	\linewidth . . . 2242,	
15452,	15453,	16863,	16864,	3095, 9069, 9084,	
15474,	15475,	16865, 16993, 16995		9088, 9731, 9739,	
15476,	15491,	\Letter 2134		9740, 9742, 9743,	
15492,	15493,	\lettergroup 4160		9957, 10803,	
15508,	15509,	\LettrineDepth . . . 10812		10806, 10822,	
15510,	15525,	\LettrineFont		11239, 11371,	
15526,	15527, 10767, 10777		11377, 11967,	
15542,	15543,	\LettrineFontEPS . 10775		11969, 11987,	
15544,	15559,	\LettrineHeight . . 10811		11989, 12066,	
15560,	15561,	\LettrineTextFont .		12072, 12158,	
15577,	15578, 10779, 10788		12167, 12168,	
15579,	15596,	\LettrineWidth		12219, 12221,	
15597,	15598, 10768, 10810		12340, 12354,	
15616,	15617,	\lftside 12108,		16277, 16279,	
15618,	15651,	12110, 12113,		16341, 16342,	
15652,	15653,	12115, 12129, 12131		16369, 16456,	
15700,	15916,	\line 5522, 5523,		16458, 16459,	
15924,	15929,	5525, 5526, 5532,		16460, 16465,	
15936,	15953,	5533, 5535, 5536,		16467, 16468,	
15956,	15994,	5545, 5546, 5548,		16469, 16474,	
16052,	16056,	5549, 5555, 5556,		16476, 16477,	
16134,	16139,	5558, 5559, 5568,		16478, 16483,	
16149,	16153,	5569, 5571, 5572,		16485, 16486,	
16182,	16192,	5578, 5579, 5581,		16487, 16777, 16780	
16196,	16236,	5582, 5591, 5592,		\link 2248	
16240,	16283,	5594, 5595, 5601,		\list 85, 219, 495, 629,	
16284,	16285,	5602, 5604, 5605,		868, 897, 1149,	
16286,	16289,	12256, 12257, 12258		4091, 4109, 4118,	
16290,	16292,	\lineskip 321,		4126, 4807, 5000,	
16297,	16299,	346, 417, 682,		5310, 6651, 6923,	
16301,	16313,	767, 936, 1021,		8839, 11892,	
16314,	16315,	1188, 1274, 1283,		12478, 12871,	
16335,	16449,	2118, 4869, 5048,		13069, 13273,	
16490,	16493,	5144, 5215, 6687,		13736, 14260,	
16494,	16508,	6752, 6782, 6853,		14851, 15319, 16324	
16509,	16527,	8865, 8930, 9170,		\listdoubleitemmaincolumnwidth	
16532,	16533,	11195, 11242,		2188, 2201, 2202,	
16534,	16538,	12343, 12357,		2203, 2230, 2234	



<code>\listfigurename</code> ...	10324,	10335,	<code>\lst@alloverstyle</code> .
..... 4013, 4014	10346,	10361, 1694, 1700
<code>\listitemmaincolumnwidth</code>	10376,	10436,	<code>\lst@ifnumberbychapter</code>
..... 2187,	10453,	10474, 10870, 10871
2195, 2196, 2228	10491,	10507,	<code>\lst@Key</code> 10830
<code>\listitemsymbol</code> ...	10524,	10538,	<code>\lst@makecaption</code> . 10861
2129, 2186, 2227,	10555,	10569,	<code>\lst@maketitle</code>
2229, 6035, 6133	10586,	10681,	10862, 10865, 10867
<code>\listitemsymbolwidth</code>	10846,	11313,	<code>\lst@title@dropdelim</code>
..... 2185,	11363,	11413, 10862
2186, 2196, 2202	11435,	11800,	<code>\lstKV@SwitchCases</code> 10831
<code>\listoffigures</code> 4011	11804,	11808,	<code>\lstset</code> 1664
<code>\listoftables</code> 4019	12047,	12241,	<code>\LT@chl</code> 11155, 11157
<code>\listparindent</code>	12511,	12576,	<code>\LT@csave@row</code> 2010
. 868, 4111, 4118,	12650,	12717,	<code>\LT@ctabarray</code> 11154, 11158
4119, 16331, 16340	12915,	12958,	<code>\LT@array</code>
<code>\listtablename</code> 4021, 4022	13145,	13437,	. 1994, 10677, 11144
<code>\llap</code> 4098, 6448,	13905,	14412,	<code>\LT@bchunk</code>
7104, 8986, 8991,	14514,	14539,	. 11185, 11192, 11196
9799, 9922, 9924,	15137,	15141,	<code>\LT@caption</code> 11163
9926, 9928, 9931,	15144,	15148,	<code>\LT@cols</code> 11198
9933, 9936, 9938,	16128,	16303,	<code>\LT@echunk</code> 2000
10825, 15254, 15272	16433,	16658,	<code>\LT@end@pen</code> . 2016, 2024
<code>\LoadClass</code> .. 4345, 4369	16662,	16666,	<code>\LT@endpbox</code> 11165
<code>\long</code> 34, 47,	16702,	16706,	<code>\LT@entry</code> ... 1998, 2005
62, 168, 181, 195,	16710, 16769, 16844		<code>\LT@entry@chop</code> ... 1998
375, 665, 730,	<code>\longindentation</code> . 6957		<code>\LT@entry@write</code> .. 2005
919, 982, 1171,	<code>\longtable</code> 1982		<code>\LT@err</code> 1991, 2025
1236, 1636, 1855,	<code>\longthickrule</code>		<code>\LT@final@warn</code> ... 2014
1858, 1861, 1866, 12996, 13002		<code>\LT@foot</code> 2028,
1869, 1872, 2370,	<code>\loop</code> 5615,		2032, 2041,
2374, 2407, 2432,	5740, 5746, 5851,		2044, 10692, 10696
2436, 2546, 2565,	5906, 5918, 8529,		<code>\LT@get@widths</code> ... 2003
2640, 2656, 2668,	8539, 12064,		<code>\LT@head</code> 2035, 2048
2677, 2709, 2737,	12100, 12127,		<code>\LT@hline</code> 11163
2749, 2750, 3035,	12138, 12165, 15092		<code>\LT@kill</code> 11163
3178, 3438, 3442,	<code>\lower</code> 12247,		<code>\LT@lastfoot</code>
3446, 3482, 3486,	16122, 16309, 16311		.. 2028, 2030, 2041
3490, 3526, 3530,	<code>\lowercase</code> .. 2883, 3582		<code>\LT@LL@FM@cr</code> . 11172, 11176
3534, 3703, 3787,	<code>\lowertitleback</code> ...		<code>\LT@make@row</code> 11193
3814, 3841, 4586,	13597, 14065, 14699		<code>\LT@makecaption</code> .. 11197
4589, 4592, 4596,	<code>\LR</code> 10669, 12227, 12247,		<code>\LT@mcol</code> ... 11153, 11198
4599, 4602, 4852,	16285, 16309, 16311		<code>\LT@no@pgbk</code> . 11161, 11162
5031, 5173, 5459,	<code>\lrb</code> 1706, 1715		<code>\LT@nofcols</code> 11192
6233, 6254, 6714,	<code>\LRE</code> 1489, 1591, 10668,		<code>\LT@output</code> 2022
6811, 8892, 9411,	12227, 12230,		<code>\LT@p@ftn</code> 10431,
9427, 9442, 9469,	15956, 16285, 16288		10434, 10438,
9482, 9495, 9797,	<code>\LRfootnoterule</code> ...		10448, 10469,
9807, 9853, 9894,	.. 6228, 6979, 9341		10472, 10476,
9901, 10313,	<code>\lsb</code> 1705, 1713		



10486, 11216, 11217, 11219, 11220	9544, 10432, 11216, 15138, 15142 11480, 11562
\LT@p@ftntext 11209	\LTRfoottextfont ..	\m@m@float@spacing 7090
\LT@p@LTRftntext 7021, 7028,	\m@m@footnote@spacing
..... 10429,	7049, 7055, 7126,	6987, 7003, 7019,
10436, 11210, 11215	7216, 7244, 7264,	7035, 7048, 7061,
\LT@p@RTLftntext ..	7362, 7388, 7407,	7089, 7205, 7215,
..... 10467,	7503, 7531, 7551,	7225, 7251, 7263,
10474, 11211, 11218	7650, 7678, 7698,	7276, 7303, 7316,
\LT@rows 11187	7797, 7825, 7845,	7352, 7361, 7370,
\LT@save@row	7944, 7972, 7992,	7395, 7406, 7418,
.. 1999, 2008, 2010	8091, 8119, 8139,	7444, 7456, 7492,
\LT@setprevdepth . 11188	8238, 8266, 8286,	7502, 7512, 7538,
\LT@start	8385, 8413, 8433,	7550, 7563, 7590,
.. 2001, 10694, 10704	8580, 8607, 8629	7603, 7639, 7649,
\LT@startpbox	\LTRight 11147,	7659, 7685, 7697,
.. 11169, 11176, 11207	11149, 11151, 11190	7710, 7737, 7750,
\LT@tabularcr 11159	\LTRmarginnote ... 3885	7786, 7796, 7806,
\LT@warn 2012	\LTRmarginpar 16641	7832, 7844, 7857,
\LTcapwidth 11198	\LTRmulticolcolumns	7884, 7897, 7933,
\LTleft 11147, 11767	7943, 7953, 7979,
11149, 11151, 11189	\LTRsidenote 3869	7991, 8004, 8031,
\LTpost 2020	\LTRthanks 338, 358,	8044, 8080, 8090,
\LTR 12044,	393, 412, 4217,	8100, 8126, 8138,
12219, 12262, 16277	4225, 4242, 4258,	8151, 8178, 8191,
\LTR@column@boxes .	4269, 5136, 5156,	8227, 8237, 8247,
.. 11726, 11769, 11771	5191, 5210, 6774,	8273, 8285, 8298,
\LTR@outputdblcol .	6794, 6829, 6848,	8325, 8338, 8374,
... 5686, 9025,	9540, 11300,	8384, 8394, 8420,
9748, 11535,	12648, 12688,	8432, 8445, 8472,
16610, 16638, 16640	12734, 12754,	8485, 8568, 8579,
\LTRbiditufesidenotemarginpar	12910, 12940,	8590, 8615, 8628,
.. 3465, 3748, 3888	12980, 12998,	8641, 8675, 8689
\LTRcolumnfootnotes	13108, 13128,	\m@m@h ... 7174, 7176,
..... 7086	13163, 13182,	7178, 7181, 7182, 7187
\LTRdblcol 16640	13489, 13574,	\m@m@k ... 7174, 7176,
\LTRdfnmakecol ... 6386	13605, 13957,	7181, 7184, 7185, 7187
\LTRfootnote ... 338,	14042, 14073,	\m@m@makecolfloats
412, 1792, 1800,	14591, 14676, 14707 8727, 8768
3873, 4217, 5136,	\ltx@firstofthree .	\m@m@makecolintro .
5210, 6774, 6848, 9266, 9290 8742, 8761
9396, 12648,	\ltx@ifundefined ..	\m@m@makecoltext ..
12754, 12910, 9260, 9284 8731, 8770
12998, 13108,	\ltx@secondofthree	\m@m@singlespace . 7088
13182, 13489, 9269, 9293	\m@make@eightcol@footgroup
13605, 13957,	\ltx@thirdofthree .	.. 8072, 8164, 8204
14073, 14591, 14707	.. 9262, 9279, 9286	\m@make@eightcolfootfmt
\LTRfootnotetext 8163, 8199
.... 1859, 1870,	M	\m@make@eightcolfootnotetext
4590, 4600, 9542,	\m@addvipersep 8161, 8175



\m@make@fivecol@footgroup	\m@make@mpthreecol@footgroup	\m@make@twocol@footnotetext
.. 7631, 7723, 7763	.. 7349, 7431, 7473 7286, 7300
\m@make@fivecol@footfmt	\m@make@mpthreecol@footnotetext	\m@doextrafeet ...
..... 7722, 7758 7428, 7452 7117, 8767
\m@make@fivecol@footnotetext	\m@make@mp@twocol@footgroup	\m@doextrafeetendmini
..... 7720, 7734	.. 7202, 7290, 7333 7145, 7155
\m@make@footstart	\m@make@mp@twocol@footnotetext	\m@doextrafeetmini 7136
.... 7160, 7170, 7287, 7312	\m@mdosplits .. 7179,
7291, 7432, 7578,	\m@make@ninelcol@footgroup	7183, 7184, 7185
7725, 7872, 8019,	... 8219, 8311, 8351	\m@minterparanoteglua
8166, 8313, 8460	\m@make@ninelcol@footfmt 8521, 8523
\m@make@fourcol@footgroup 8310, 8346	\m@nipn@skip
.. 7484, 7576, 7616	\m@make@ninelcol@footnotetext	.. 8513, 8520, 8522
\m@make@fourcol@footfmt 8308, 8322	\m@mmakehboxofhboxes
..... 7575, 7611	\m@make@para@footgroup 8525,
\m@make@fourcol@footnotetext	.. 8555, 8655, 8705	8536, 8708, 8715
..... 7573, 7587	\m@make@para@footstart	\m@mmf@prepare
\m@make@mp@eightcol@footgroup 8657, 8719	6999, 7015, 7031,
.. 8077, 8165, 8208	\m@make@para@footfmt	7095, 7213, 7223,
\m@make@mp@eightcol@footnotetext 8654, 8699	7233, 7259, 7272,
..... 8162, 8187	\m@make@para@footnotetext	7284, 7311, 7323,
\m@make@mp@fivecol@footgroup 8652, 8672	7359, 7368, 7377,
.. 7636, 7724, 7767	\m@make@sevenscol@footgroup	7402, 7414, 7425,
\m@make@mp@fivecol@footnotetext	.. 7925, 8017, 8057	7451, 7463, 7500,
..... 7721, 7746	\m@make@sevenscol@footfmt	7510, 7520, 7546,
\m@make@mp@fourcol@footgroup 8016, 8052	7559, 7571, 7598,
.. 7489, 7577, 7620	\m@make@sevenscol@footnotetext	7610, 7647, 7657,
\m@make@mp@fourcol@footnotetext 8014, 8028	7667, 7693, 7706,
..... 7574, 7599	\m@make@sixcol@footgroup	7718, 7745, 7757,
\m@make@mp@ninelcol@footgroup	.. 7778, 7870, 7910	7794, 7804, 7814,
.. 8224, 8312, 8355	\m@make@sixcol@footfmt	7840, 7853, 7865,
\m@make@mp@ninelcol@footnotetext 7869, 7905	7892, 7904, 7941,
..... 8309, 8334	\m@make@sixcol@footnotetext	7951, 7961, 7987,
\m@make@mp@para@footgroup 7867, 7881	8000, 8012, 8039,
.. 8560, 8656, 8712	\m@make@tencol@footgroup	8051, 8088, 8098,
\m@make@mp@para@footnotetext	.. 8366, 8458, 8498	8108, 8134, 8147,
..... 8653, 8685	\m@make@tencol@footfmt	8159, 8186, 8198,
\m@make@mp@sevenscol@footgroup 8457, 8493	8235, 8245, 8255,
.. 7930, 8018, 8061	\m@make@tencol@footnotetext	8281, 8294, 8306,
\m@make@mp@sevenscol@footnotetext 8455, 8469	8333, 8345, 8382,
..... 8015, 8040	\m@make@threecol@footgroup	8392, 8402, 8428,
\m@make@mp@sixcol@footgroup	.. 7344, 7430, 7469	8441, 8453, 8480,
.. 7783, 7871, 7914	\m@make@threecol@footfmt	8492, 8577, 8588,
\m@make@mp@sixcol@footnotetext 7429, 7464	8599, 8624, 8637,
..... 7868, 7893	\m@make@threecol@footnotetext	8650, 8684, 8698
\m@make@mp@tencol@footgroup 7427, 7441	\m@old@footnotetext
.. 8371, 8459, 8502	\m@make@twocol@footgroup 7071, 7078
\m@make@mp@tencol@footnotetext	.. 7197, 7289, 7329	\m@old@LTR@footnotetext
..... 8456, 8481	\m@make@twocol@footfmt 7072, 7079
 7288, 7324	



\m@old@mpfootnotetext	2195, 2197, 2201,	\maketitledetailwidth
..... 7074, 7081	2216, 2220, 2245	6183, 6185, 6186,
\m@old@mpLTRfootnotetext	\mainmatter 4396	6187, 6188, 6203
..... 7075, 7082	\makeatletter 2612, 2631	\maketitlehookb .. 11358
\m@old@mpRTLfootnotetext	\makebox 6436,	\maketitlehookc .. 11360
..... 7076, 7083	6441, 6510, 6513,	\maketitlenamefullwidth
\m@old@RTLfootnotetext	6516, 6523, 6531,	... 6177, 6178, 6180
..... 7073, 7080	6538, 6579, 6583	\maketitlenamemaxwidth
\m@mopfootnote 8743, 8765	\makefooter 6175, 6176, 6180
\m@mopsidebar 8754, 8769	... 6100, 6101, 6117	\maketitlenamewidth
\m@mremoveboxes ..	\MakeFramed 9597 6179,
..... 8545,	\makelabel	6180, 6186, 6198
8546, 8709, 8716	4098, 16335, 16420	\maketitlepage 4279, 4321
\m@mrigidbalance ..	\maketag@@@	\maketitlepicturewidth
.... 7176, 7181,	... 263, 6434, 6447 6181,
7332, 7336, 7472,	\makethanksmark .. 11313	6182, 6188, 6217
7476, 7619, 7623,	\maketitle 106,	\MakeUppercase
7766, 7770, 7913,	240, 247, 332, 121, 493,
7917, 8060, 8064,	360, 371, 395,	520, 521, 536,
8207, 8211, 8354,	658, 703, 725,	627, 787, 895,
8358, 8501, 8505	747, 912, 957,	1041, 1147, 4731,
\m@msplitoff . 7184, 7186	979, 1001, 1164,	4805, 4910, 4998,
\m@mungebox	1209, 1231, 1253,	5122, 5123, 5308,
8514, 8577, 8588,	1632, 1644, 2209,	6649, 6921, 8837,
8599, 8624, 8637,	4193, 4297, 4321,	12376, 12476,
8650, 8684, 8698	4845, 4890, 5024,	12633, 12869,
\m@munvxh ... 8506, 8515	5069, 5130, 5158,	13095, 13096, 13271
\m@ne 231, 473,	5169, 5193, 6082,	\marginline
482, 2317, 2410,	6196, 6675, 6699,	13797, 14321, 14912
3433, 3477, 3521,	6710, 6732, 6768,	\marginnote 3878
5083, 5241, 5280,	6796, 6807, 6831,	\marginpar ... 3005,
5615, 6621, 6630,	8853, 8877, 8888,	3667, 13798,
6892, 8791, 8808,	8910, 10601,	14322, 14913, 15970
11700, 12271,	10602, 11308,	\marginparpush
13027, 13213,	12504, 12549, 2938, 16751
13252, 13646,	12571, 12593,	\marginparsep
14169, 14776,	12641, 12690,	1622, 2094, 2979,
15399, 15441,	12712, 12736,	2982, 2986, 3132,
15725, 16653,	12904, 12942,	3139, 9921, 9923,
16697, 16732, 16735	12953, 12982,	9927, 9932, 9935,
\m@th 323,	13102, 13130,	9937, 16762, 16764
6437, 6442, 6448,	13141, 13165,	\marginparwidth ...
9069, 9084, 11194,	13478, 13549, 1621, 2095,
15797, 15906,	13576, 13946,	2978, 2983, 2995,
16316, 16451,	14017, 14044,	3087, 3357, 3450,
16523, 16525, 16586	14580, 14651, 14678	3494, 3538, 9921,
\maincolumnwidth ..	\maketitledetailnewline	9923, 9935, 9937,
..... 2183, 6191,	16670, 16714, 16764
2192, 2193, 2194,	6206, 6208, 6209,	\markboth
	6210, 6211, 6212	120, 487, 4401, 6635



<code>\mathindent</code> . 9070, 9086	<code>\mdfframetitleboxdepth</code> 11268	6551, 6567, 6569, 6573, 6574, 6576
<code>\mathsurround</code> 5357	<code>\mdfframetitleboxheight</code> 11267	<code>\MHInternalSyntaxOff</code> 6591
<code>\max@poem@no</code> 4531, 4640, 4641	<code>\mdfframetitleboxtotalheight</code> 11269	<code>\MHInternalSyntaxOn</code> 6431
<code>\maxdepth</code> 8771	<code>\mdfframetitleboxwidth</code> 11266	<code>\MidFrameCommand</code> 9593, 9637, 9705
<code>\maxdimen</code> 8573, 8584, 8595, 8620, 8633, 8646, 8680, 8694, 8953, 8997, 8998, 8999, 9029, 9030, 9031, 9604, 15085, 15124, 15857, 15860, 15865, 15869, 15873, 15877, 15881, 15885, 15889, 15893, 16056	<code>\mdseries</code> 234, 6076, 6078, 6080, 6081, 6168, 6169, 6170, 6173, 6174	<code>\minrowclearance</code> 1387, 1421, 5454
<code>\mbox</code> . 9882, 10825, 14517	<code>\meaning</code> 2301, 2304, 2376, 2602, 2629, 2644, 2662, 2670, 2679, 2743	<code>\mintagvsep</code> 6451
<code>\mc@col@status@write</code> 11730, 11751	<code>\medskip</code> 4438	<code>\missingfigure</code> 16014, 16044
<code>\mc@gridwarn</code> 11720	<code>\medskipamount</code> 6959	<code>\mkern</code> 15798, 15799, 15907, 16587
<code>\mc@lastcol@status@write</code> 11736, 11759	<code>\mem@makecol</code> . 8760, 8772	<code>\mobile</code> 2171
<code>\mdf@footnotedistance@length</code> 11280	<code>\memRTLleftskip</code> . . 11331	<code>\Mobilefone</code> 2131
<code>\mdf@footnoteinput</code> 11288	<code>\memRTLraggedleft</code> 11336	<code>\mobilesymbol</code> 2131, 6110, 6208
<code>\mdf@footnoteoutput</code> 11277	<code>\memRTLraggedright</code> 11335	<code>\modernpoem</code> 4693
<code>\mdf@frametitleaboveskip@length</code> 11272	<code>\memRTLrightskip</code> . 11332	<code>\modernpoem@obeylines</code> 4433, 4693
<code>\mdf@frametitlealignment</code> 11253	<code>\memRTLvleftskip</code> . 11333	<code>\modernpoem@par</code> 4433, 4434, 4657
<code>\mdf@frametitlebelowskip@length</code> 11273	<code>\memRTLvrighskip</code> 11334	<code>\morefloats</code> . 3239, 3336
<code>\mdf@frametitlebox</code> . . 11252, 11265, 11266, 11267, 11268, 11270, 11271	<code>\message</code> 1573, 1575, 9605, 9613, 9617, 9622, 9630, 9636, 9646, 9651, 9653, 9660, 9668, 9681, 9689, 9694, 9699, 9712, 9723, 9731, 9743	<code>\moreLRE</code> 1490, 1592, 12183, 16241
<code>\mdf@frametitlefont</code> 11255	<code>\MessageBreak</code> . 2012, 2802, 2816, 2828, 2842, 3019, 3109, 3336, 3337, 3405, 3952, 3953, 3954, 3956, 3957, 3961, 3962, 3963, 3965, 3966, 11409, 11410, 11703, 11722, 11784, 13550, 13762, 13769, 14018, 14286, 14293, 14652, 14877, 14884	<code>\moreRLE</code> 1492, 1594, 12184, 16242
<code>\mdf@frametitlefontcolor</code> 11254	<code>\MH</code> 6450, 6456, 6469, 6484, 6496, 6504,	<code>\moveleft</code> . . . 3389, 11615
<code>\mdf@horizontalmargin@equation</code> 11230		<code>\moveright</code> 9172, 11713, 16820
<code>\mdf@ignorevbadness</code> 11264		<code>\mp@footgroupv@r</code> 7141, 7173, 7203, 7350, 7490, 7637, 7784, 7931, 8078, 8225, 8372, 8561
<code>\mdf@lrbox</code> . 11223, 11252		<code>\mpfootnoterule</code> 9368, 9372
<code>\mdf@par@local</code> . . 11246		<code>\MT</code> . . . 6470, 6476, 6478
<code>\mdf@patchamsthm</code> . 11224		<code>\mult@cols</code> 11799
<code>\mdfframedtitleenv</code> 11251		<code>\mult@footnotetext</code> 11787, 11789, 11800
		<code>\mult@gfirstbox</code> 11727, 11741, 11747
		<code>\mult@info</code> 11701
		<code>\mult@LTRfootnotetext</code> 11791, 11793, 11804
		<code>\mult@rightbox</code> 11694, 11734,



11735, 11737, 11756, 11757, 11760	2858, 2860, 2861, 2873, 2946, 2956, 3023, 3046, 3341, 3908, 4167, 4194	4214, 4265, 4279, 4439, 4643, 4644, 6191, 6385, 6386, 9184, 9187, 9246, 9251, 9253, 9259, 9275, 9299, 9311, 9365, 9459, 9461, 9945, 10836, 11764, 11767, 11770, 13419, 13420, 13887, 13888, 14521, 14522, 15947, 15949, 16232, 16233, 16497, 16498, 16639, 16640
\mult@RTLfootnotetext . 11795, 11797, 11808	\newbox 4503, 4504	\newcount 1602, 1603, 7174
\multfootsep . 3707, 3725	\newcommand 1693, 1699, 1702, 1703, 1704, 1705, 1706, 1707, 1708, 2075, 2161, 2166, 2167, 2168, 2170, 2171, 2172, 2174, 2175, 2177, 2178, 2189, 2190, 2210, 2217, 2219, 2223, 2227, 2229, 2235, 2244, 2246, 2248, 2252, 2256, 2261, 2273, 2296, 2332, 2338, 2350, 2356, 2368, 2371, 2373, 2380, 2384, 2390, 2397, 2400, 2403, 2406, 2421, 2465, 2470, 2592, 2616, 2667, 2676, 2753, 2767, 2779, 2848, 2849, 2850, 2851, 2874, 2877, 2882, 2913, 2940, 2941, 2942, 2943, 2958, 2977, 3013, 3015, 3016, 3021, 3022, 3024, 3025, 3032, 3033, 3034, 3042, 3045, 3127, 3145, 3355, 3363, 3373, 3376, 3384, 3553, 3554, 3555, 3556, 3557, 3558, 3559, 3560, 3561, 3562, 3563, 3564, 3573, 3581, 3635, 3657, 3663, 3688, 3689, 3721, 3868, 3869, 3870, 3878, 3885, 3892, 3903, 3904, 4027, 4080, 4160, 4173, 4207, 4208, 4209, 4210, 4211, 4212, 4213,	\newcounter . . 3634, 4639, 9095, 9244, 15628, 15632, 15633
\multicol@leftmargin 11704, 11713		\newdimen . . . 4445, 7174
\multicols . . 1984, 11772		\newenvironment 1740, 1751, 1760, 1769, 2274, 2992, 3007, 3010, 3048, 3169, 4628, 4692, 16453, 16462, 16471, 16480
\multicolumn 1153, 15059		\newfloat@@setwithin 11927, 11933, 11941, 11943
\multiplefootnotemarker . . . 3706, 3722, 3811, 3812, 3838, 3839, 3865, 3866, 7094, 7096, 7097		\newfloat@Error . . 11946
\multiply 1606, 1611, 1950, 8564, 8565, 8669, 8670, 12083, 12087		\newfloat@setwithin 11913
\myrefname 14468		\newif . . . 1468, 1470, 1471, 1472, 1473, 1474, 1475, 1476, 1478, 1479, 1578, 1579, 1580, 1581, 2052, 2081, 2260, 2618, 4382, 4505, 6023, 6025, 6027, 6029, 6094, 6121, 6123, 6125, 6127, 6190, 9242, 9250, 11222, 15945, 15946
N		\newinsert . . . 3242, 3243, 3244, 3245, 3246, 3247, 3248, 3249, 3250, 3251,
\n@xt 1488, 1490, 1492, 1493, 1590, 1592, 1594, 1595		
\na . . . 12086, 12088, 12090, 12099, 12101, 12126, 12127		
\narrower 16516		
\NAT@bibitem@first@sw 11900		
\nb 12086, 12089, 12090, 12099, 12100, 12121, 12137, 12138		
\NC@find 15091		
\NC@rewrite@X . . . 15090		
\NeedsTeXFormat 1428, 1599, 1655, 1788, 2050, 2298, 2844, 3414, 3899, 4045, 4161, 4188, 4337, 4361, 4426, 6020, 6118		
\new@command . 2412, 2414		
\new@poem@width 4448, 4449, 4450, 4451, 4536, 4578, 4581		
\newblock 2296, 4548, 4655, 11894, 11896		
\newboolean 2852, 2856,		



3252, 3253,	\newskip . 1777, 1778,	12789, 12790,
3254, 3255, 3256,	1779, 2415, 8520	12804, 12828,
3257, 3258, 3259,	\newthought 4101	13021, 13037,
3260, 3261, 3262,	\newtoks . 1790, 4446,	13207, 13223,
3263, 3264, 3265,	9252, 12179, 16237	13254, 13258,
3266, 3267, 3268,	\next@tpage	13266, 13661,
3269, 3270, 3271,	. . 13495, 13527,	13662, 13696,
3272, 3273, 3274,	13537, 13540,	13697, 13699,
3275, 3291, 3292,	13608, 13963,	13724, 14129,
3293, 3294, 3295,	13995, 14005,	14130, 14156,
3296, 3297, 3298,	14008, 14076,	14157, 14186,
3299, 3300, 3301,	14597, 14629,	14187, 14189,
3302, 3303, 3304,	14639, 14642, 14710	14514, 14763,
3305, 3306, 3307,	\ninecolumnfootnotes	14764, 14793,
3308, 3309, 3310, 8212	14794, 14796,
3311, 3312, 3313,	\ninecolumnfootstyle	15259, 15276,
3314, 3315, 3316, 8307	15283, 15423,
7093, 7166, 7172	\no@bib@break	15426, 15454,
\newlength 2179, 2180,	13748, 14272, 14863	15455, 15477,
2181, 2183, 2184,	\noalign 1301,	15478, 15494,
2185, 2187, 2188,	1997, 4559, 7184,	15495, 15511,
2271, 2974, 2975,	11160, 11161, 11162	15512, 15528,
2976, 3030, 3047,	\nobibliography . . 3631	15529, 15545,
3784, 6175, 6177,	\nobreak . . 14, 16, 140,	15546, 15562,
6179, 6181, 6183,	142, 437, 455,	15563, 15580,
15660, 15662, 15663	484, 488, 575,	15581, 15599,
\newline 2242, 3203	576, 590, 616,	15600, 15619,
\newlinechar 1549	805, 806, 820,	15620, 15654,
\newlinetospace 3200,	836, 1062, 1063,	15655, 15690,
3220, 3221, 3222,	1077, 1104, 2048,	15790, 15795,
4402, 4403, 4404	3714, 4039, 4040,	15803, 15904,
\newlistentry	4459, 4461, 4467,	15905, 15909,
. 15625, 15692	4752, 4753, 4767,	16584, 16585, 16589
\newpage . . . 385, 407,	4791, 4931, 4932,	\nobreakspace 483
739, 759, 993,	4946, 4970, 5086,	\node 15968, 15998, 16004
1013, 1245, 1265,	5094, 5106, 5235,	\noexpand 313,
4298, 4335, 4336,	5251, 5283, 5288,	1812, 1813, 1827,
5183, 5205, 6017,	5296, 5505, 6604,	1828, 1856, 1859,
6724, 6744, 6821,	6617, 6632, 6636,	1862, 2006, 2308,
6843, 8902, 8922,	6644, 6872, 6895,	2375, 2376, 2378,
11160, 11322,	6900, 6909, 6952,	2597, 2598, 2599,
12585, 12605,	6953, 8785, 8801,	2601, 2602, 2627,
12726, 12748,	8810, 8814, 8822,	2629, 2647, 2648,
12972, 12994,	10393, 10723,	2649, 2652, 2659,
13155, 13177,	11279, 11664,	2660, 2661, 2663,
13565, 14033, 14667	11675, 11676,	2669, 2670, 2672,
\newpoem@tabcr	11687, 11688,	2678, 2679, 2681,
. . 4656, 4665, 4666	12274, 12276,	2740, 2742, 2743,
\newsavebox . . 1739,	12415, 12416,	3603, 3605,
2991, 3026, 3027	12430, 12454,	3613, 3951, 3954,



3960, 3963, 4587, 4590, 4593, 4645, 5809, 5974, 6327, 6379, 9097, 9098, 9103, 9104, 9156, 10422, 10432, 10440, 10441, 10442, 10444, 10470, 10478, 10479, 10480, 10482, 10511, 10512, 10513, 10515, 10542, 10543, 10544, 10546, 10573, 10574, 10575, 10577, 11189, 11216, 11219, 11426, 13745, 13746, 14269, 14270, 14860, 14861, 15026, 15064, 15065, 15138, 15145, 15635, 15929, 15930, 15931, 15932, 15933, 15934, 15935, 15936, 15937, 16157, 16172, 16200, 16206, 16219, 16548, 16785	13145, 13456, 13495, 13608, 13724, 13839, 13844, 13924, 13963, 14076, 14363, 14368, 14427, 14458, 14464, 14470, 14476, 14482, 14488, 14494, 14500, 14506, 14515, 14558, 14597, 14710, 14954, 14959, 16018, 16080, 16515	6713, 6716, 6810, 6813, 6891, 6907, 7105, 7109, 7111, 8807, 8820, 8891, 8894, 10709, 11255, 11312, 11689, 12575, 12577, 12716, 12718, 12914, 12921, 12957, 12964, 13144, 13147, 13251, 13264, 15680, 15685, 15686, 15910, 16590, 16859
\noindent . . 375, 551, 560, 860, 1114, 1123, 1636, 3001, 3188, 3736, 3753, 3770, 3881, 3888, 3895, 4103, 4123, 4284, 4286, 4288, 4801, 4994, 5173, 5370, 6714, 6811, 6955, 8575, 8586, 8597, 8622, 8635, 8648, 8682, 8696, 8711, 8718, 8892, 9798, 10823, 11386, 12044, 12391, 12400, 12843, 12852, 12920, 12963,	\nointerlineskip 6244, 6265, 9576, 11262, 11711, 16759, 16767 \nopagebreak 4513, 4523, 11162 \nopagenumbers . . . 2261 \normalbaselines . 16316 \normalbaselineskip 238, 2899, 11243, 12344, 12358 \normalcolor . . 1958, 5466, 6565, 7141, 7151, 8750, 9532, 9585, 10709, 11281, 11689, 15910, 16134, 16590, 16621, 16824, 16834, 16859 \normalfont 25, 37, 50, 65, 82, 171, 184, 198, 216, 374, 377, 481, 729, 731, 985, 1235, 1237, 1635, 1638, 1702, 1707, 1708, 1710, 1711, 1712, 1713, 1714, 1715, 1716, 2940, 3553, 3641, 3705, 3925, 3932, 3939, 4131, 5082, 5102, 5172, 5175, 5279, 5294, 6437, 6442, 6448, 6629, 6642,	\normalfootnotes 7077, 7084 \normallineskip 2119, 11242, 12343, 12357 \normalparindent 41, 54, 69, 175, 188, 202 \normalsfcodes 9165, 16813 \normalsize . . . 234, 2892, 2893, 2900, 3461, 3505, 3549, 3641, 4002, 6078, 6170, 9165, 11444, 13003, 13463, 13472, 13931, 13940, 14565, 14574, 16681, 16725, 16812 \NOT 3088, 3089, 3128, 3148, 3152, 3790, 3817, 3844, 3918, 3922 \null . . 340, 354, 408, 549, 552, 670, 699, 760, 858, 861, 924, 953, 1014, 1112, 1115, 1176, 1205, 1266, 4039, 4548, 4799, 4802, 4857, 4886, 4992, 4995, 5036, 5065, 5138, 5152, 5206, 6681, 6695, 6745, 6776, 6790, 6844, 8859, 8873,



8923,	11665,	\onecolumn	\origin@RaggedRight
11675,	11676,	. . . 525, 541, 792,	12363, 12364, 12365
11687,	11688,	1046, 2128, 4736,	\originalHbadness .
12389,	12392,	4915, 5127, 12381, 15994, 16012
12516,	12545,	12638, 13100, 15388	\othermargin 802
12606,	12655,	\opening 6940, 10711	\outer@nobreak
12684,	12749,	\OptArg 1719, 1785	1976, 3455, 3499,
12841,	12844,	\OptArg@i 1785, 1786	3543, 16675, 16719
12922,	12936,	\OptArg@ii . . . 1785, 1787	\outputpenalty
12995,	13110,	\OptArgs 1784	. . . 2023, 2024,
13124,	13178,	\optparams 3068,	5783, 5784, 5792,
13504,	13526,	3868, 3869, 3870,	5793, 5802, 5803,
13537,	13608,	3872, 3873, 3874	5947, 5948, 5956,
13616,	13696,	\OR 3062, 3128,	5957, 5966, 5967
13972,	13994,	3148, 3152, 3404	\overfullrule 2079, 2080
14005,	14076,	\or 1337, 1338,	
14084,	14186,	1339, 1341, 1342,	P
14606,	14628,	1362, 1363, 1364,	\p@ 28,
14639,	14710,	1368, 1369, 1370,	29, 30, 31, 95, 99,
14718,	14793,	1371, 1372, 1376,	150, 154, 163, 164,
15423,	15454,	1377, 1405, 1406,	165, 166, 238, 341,
15477,	15494,	1407, 1409, 1410,	430, 447, 459,
15511,	15528,	1500, 1506, 1512,	461, 465, 467,
15545,	15562,	1514, 1516, 1518,	518, 523, 534,
15580,	15599,	1524, 1530, 1536,	538, 567, 583,
15619,	15654,	5437, 5438, 5439,	601, 608, 643,
15790, 15904, 16584		5441, 5442, 6509,	651, 671, 785,
\number 8,		6512, 6515, 6530,	789, 796, 812,
134, 2613, 4531,		6553, 6554, 6555,	829, 847, 882,
4632, 6251, 6272,		6556, 10249,	884, 889, 891,
6317, 6323, 6326,		10253, 15667,	925, 1039, 1043,
6369, 6375, 6378,		15670, 15673,	1054, 1070, 1088,
6488, 6491, 11775		15843, 15954,	1096, 1128, 1136,
\numberline		15961, 16161, 16210	1177, 2118, 2119,
. . . 3181, 11438,		\orig@footnotetext	2123, 2124, 2894,
15353, 15700,	 11788, 11803	2895, 2896, 2903,
15918, 15921, 15924		\orig@LTRfootnotetext	2904, 2905, 2907,
\numberline@tempa 15920	 11792, 11807	2908, 4050, 4051,
\numberwithin 256		\orig@RTLfootnotetext	4052, 4054, 4055,
\nxLcs . . . 1718, 1719, 1720	 11796, 11811	4121, 4729, 4733,
		\origin@endpgfpicture	4744, 4760, 4776,
O		12041, 12043, 12045	4783, 4821, 4829,
\obeylines . . 4549, 4657		\origin@endpspicture	4858, 4908, 4912,
\oddpaper 12261, 12263	4923, 4939, 4955,
1603, 1607, 1608,		\origin@pgfpicture	4962, 4977, 4985,
1609, 1612, 1613, 1614		12040, 12042, 12044	5037, 5081, 5087,
\oddsidemargin 1625,		\origin@pspicture .	5092, 5096, 5098,
2090, 6416, 16801	 12260, 12262	5101, 5104, 5108,
\on@stripcols@break		\origin@RaggedLeft	5110, 5120, 5125,
. 5893		12362, 12364, 12365	5139, 5228, 5243,



5256, 5258, 5262,	13477,	13648,	11047,	11050,
5264, 5278, 5284,	13683,	13783,	11053,	11056,
5289, 5292, 5297,	13786,	13790,	11059,	11062,
5520, 5530, 5543,	13793,	13932,	11065,	11068,
5553, 5566, 5576,	13936,	13939,	11071,	11074,
5589, 5599, 5916,	13941,	13945,	11077,	11080,
6229, 6230, 6596,	14116,	14143,	11083,	11086,
6610, 6665, 6667,	14173,	14307,	11089,	11092,
6671, 6673, 6682,	14310,	14314,	11095,	11098,
6777, 6866, 6890,	14317,	14433,	11101,	11104,
6896, 6901, 6905,	14435,	14438,	11107, 11110, 11113,	
6910, 6965, 6967,	14439,	14441,	11116, 11119, 11122,	
6971, 6973, 6980,	14566,	14570,	11125,	11128,
6981, 8778, 8793,	14573,	14575,	11131,	11134,
8806, 8811, 8815,	14579,	14750,	11137,	11140,
8818, 8823, 8826,	14780,	14898,	11780, 15287, 15639	
8828, 8832, 8834,	14901,	14905,	\PackageInfo	
8860, 8961, 9332,	14908,	15386,	.. 2419, 2851, 15940	
9333, 9335, 9336,	15661,	15714,	\PackageWarning 2418,	
9337, 9369, 9812,	15898, 16578, 16869		4634, 6032,	
9819, 9858, 9865,	\p@enumiv 83, 217, 501,		6130, 9099, 9710,	
9910, 10707,	635, 903, 1155,		10751, 11721,	
10725, 10727,	2288, 4813, 5006,		11774, 11907, 15630	
10731, 10733,	5316, 6657, 6929,		\page@sofar 11693	
10797, 11364,	8845, 12484,		\pagebreak	
11657, 11669,	12877, 13075,		. 11161, 16064, 16073	
11681, 11814,	13279, 13752,		\pagedepth 16058	
11815, 11816,	14276, 14867, 15325		\pagefillstretch 16070	
11817, 12374,	\p@subfigure 15037		\pagefilstretch . 16069	
12378, 12407,	\p@subtable 15038		\pagefootnoterule .	
12423, 12439,	\PackageError . 2417,	 9367, 9375	
12446, 12461,	2849, 2885, 2887,		\pagegoal 2019,	
12469, 12517,	3584, 3586, 3904,		2029, 9604, 9606,	
12631, 12635,	10835, 10947,		9611, 9618, 9659,	
12656, 12781,	10950, 10953,		9661, 11627, 16061	
12797, 12813,	10956, 10959,		\pageinwindow 5622	
12820, 12885,	10962, 10965,		\pagenumbering 2126, 4386	
12893, 12923,	10969, 10972,		\pageref 2265, 2267	
13015, 13029,	10975, 10978,		\pageshrink .. 9620,	
13045, 13047,	10981, 10984,		9624, 9640,	
13051, 13053,	10987, 10990,		9666, 9678, 16064	
13093, 13098,	10993, 10996,		\pagestretch .. 9619,	
13111, 13200,	10999, 11002,		9640, 9678, 16068	
13215, 13228,	11005, 11008,		\pagestyle 1601,	
13230, 13234,	11011, 11014,		2117, 2125, 2268,	
13236, 13250,	11017, 11020,		3208, 4387, 6116	
13255, 13259,	11023, 11026,		\pagetotal	
13262, 13267,	11029, 11032,		9606, 9611, 9617,	
13464, 13468,	11035, 11038,		11321, 11625,	
13471, 13473,	11041, 11044,			



11628, 11639,	5141, 5147, 5149,	12267, 12274,
16056, 16061, 16119	5150, 5169, 5212,	12275, 12335,
\paperheight . . 2054,	5218, 5222, 5234,	12349, 12392,
2057, 2060, 2063,	5251, 5283, 5288,	12402, 12416,
2066, 2069,	5296, 5372, 5505,	12429, 12454,
2072, 2073, 6393	5877, 6237, 6258,	12525, 12535,
\paperwidth . . 2055,	6604, 6616, 6632,	12542, 12543,
2058, 2061, 2064,	6635, 6643, 6684,	12571, 12610,
2067, 2070, 2073,	6690, 6692, 6693,	12616, 12620,
2074, 6393, 6401	6710, 6749, 6755,	12664, 12674,
\par 5, 15, 45, 58,	6759, 6779, 6785,	12681, 12682,
73, 103, 104, 105,	6787, 6788, 6807,	12712, 12756,
106, 131, 141, 158,	6850, 6856, 6860,	12762, 12767,
159, 160, 179, 192,	6871, 6895, 6900,	12772, 12775,
206, 237, 240,	6909, 6942, 6947,	12790, 12803,
324, 343, 349,	6950, 6952, 6953,	12828, 12844,
351, 352, 371,	6963, 7147, 7241,	12854, 12920,
414, 420, 424,	7244, 7247, 7328,	12925, 12931,
436, 455, 484,	7385, 7388, 7391,	12933, 12934,
487, 552, 562,	7468, 7528, 7531,	12953, 12963,
576, 589, 616,	7534, 7615, 7675,	13001, 13006,
679, 689, 696,	7678, 7681, 7762,	13009, 13020,
697, 725, 764,	7822, 7825, 7828,	13037, 13113,
770, 774, 806,	7909, 7969, 7972,	13119, 13121,
820, 835, 861,	7975, 8056, 8116,	13122, 13141,
875, 933, 943,	8119, 8122, 8203,	13184, 13190,
950, 951, 979,	8263, 8266, 8269,	13194, 13206,
1018, 1024, 1028,	8350, 8410, 8413,	13223, 13254,
1063, 1076, 1104,	8416, 8497, 8711,	13258, 13266,
1115, 1125, 1185,	8718, 8784, 8801,	13455, 13502,
1195, 1202, 1203,	8810, 8814, 8822,	13507, 13510,
1231, 1271, 1277,	8862, 8868, 8870,	13512, 13517,
1282, 1287, 1290,	8871, 8888, 8927,	13520, 13522,
1632, 1974, 1983,	8933, 8937, 9093,	13524, 13530,
3082, 3090, 3149,	9528, 10713,	13538, 13544,
3150, 3153, 3154,	10718, 10721,	13614, 13620,
3179, 3188, 3189,	10723, 10796,	13623, 13625,
3358, 3374, 4041,	10855, 11194,	13631, 13634,
4156, 4157, 4158,	11235, 11258,	13636, 13639,
4159, 4284, 4286,	11262, 11308,	13642, 13663,
4288, 4306, 4307,	11380, 11386,	13700, 13724,
4308, 4524, 4538,	11392, 11396,	13834, 13838,
4549, 4567, 4649,	11402, 11417,	13839, 13843,
4657, 4682, 4753,	11436, 11445,	13844, 13848,
4766, 4791, 4802,	11665, 11677,	13923, 13970,
4866, 4876, 4883,	11690, 11821,	13975, 13978,
4884, 4932, 4945,	11833, 11894,	13980, 13985,
4970, 4995, 5045,	12050, 12219,	13988, 13990,
5055, 5062, 5063,	12220, 12221,	13992, 13998,
5086, 5094, 5106,	12222, 12266,	14006, 14012,



14082,	14088,	8984, 8985, 8986,	5511, 6600, 6614,
14091,	14093,	8989, 8990, 8991,	6869, 8602, 8606,
14099,	14102,	10050,	8610, 8702, 8782,
14104,	14107,	10056,	8797,
14110,	14131,	10058,	11242,
14158,	14190,	10089,	11658,
14358,	14362,	10090,	11670,
14363,	14367,	10093,	11682,
14368,	14372,	10151,	12289,
14426,	14458,	10152,	12302,
14464,	14470,	10155,	12315,
14476,	14482,	10156,	12326,
14488,	14494,	10180,	12343,
14500,	14506,	10182,	12411,
14508,	14511,	10186,	12427,
14514,	14518,	10188,	12450,
14557,	14604,	11198,	12785,
14609,	14612,	11374,	12801,
14614,	14619,	11403,	12824,
14622,	14624,	11819,	13018,
14626,	14632,	11821,	13033,
14640,	14646,	11822,	13204,
14716,	14722,	11824,	13219,
14725,	14727,	11826,	13657,
14733,	14736,	11827,	13693,
14738,	14741,	11829,	14125,
14744,	14765,	11831,	14152,
14797,	14949,	11833,	14759,
14953,	14954,	11834,	14790,
14958,	14959,	11836,	15238,
14963,	15069,	11838,	15297,
15691,	15697,	11839,	15267,
15809,	15911,	11840,	15297,
16017,	16277,	11841,	15415,
16278,	16279,	11842,	15446,
16280,	16376,	11843,	15469,
16379,	16454,	11844,	15486,
16463,	16472,	11845,	15503,
16481,	16552,	11846,	15520,
16591, 16848, 16869		11847,	15537,
\par@updaterelative		11848,	15554,
..... 13498,		11849,	15572,
13610,		11850,	15591,
13966,		11851,	15611,
14078, 14600, 14712		11852,	15646,
\paragraph 3937		11853,	15783,
\paragraphfootnotes		11854,	15785,
..... 8548		11855,	15899, 16492, 16579
\paragraphfootstyle 8651		11856,	\parindent 12,
\parbox 2214,		11857,	41, 54, 69, 99, 138,
2216, 6104, 6958,		11858,	154, 175, 188, 202,
		11859,	375, 433, 450,
		11860,	479, 522, 537,
		11861,	573, 586, 611,
		11862,	665, 682, 788,
		11863,	803, 815, 832,
		11864,	869, 919, 936,
		11866,	982, 1042, 1060,
		11867,	1073, 1099, 1171,
		11868,	1188, 1636, 2121,
		11869,	2916, 3567, 4033,
		11870,	4075, 4083, 4148,
		11871,	4301, 4542, 4652,
		11872,	4732, 4750, 4763,
		11873,	4786, 4852, 4869,
		11874,	4911, 4929, 4942,
		11875,	4965, 5031, 5048,
		11876,	5082, 5102, 5124,
		11877,	5173, 5231, 5246,
		11878,	5279, 5293, 5397,
		11880,	5419, 5510, 6599,
		11881,	6613, 6627, 6640,
		11882,	
		11883,	
		11884,	
		14458,	
		14470,	
		14476,	
		14482,	
		14488,	
		14494,	
		14500, 14506, 14517	
		\parfillskip . 13, 139,	
		434, 451, 571, 587,	
		612, 800, 816,	
		833, 1058, 1074,	
		1100, 4032, 4543,	
		4748, 4764, 4787,	
		4927, 4943, 4966,	
		5232, 5247, 5400,	



6714, 6811, 6868, 6891, 6906, 7236, 7380, 7523, 7670, 7817, 7964, 8111, 8258, 8405, 8601, 8605, 8609, 8701, 8724, 8781, 8796, 8807, 8819, 8892, 9797, 11238, 11659, 11671, 11683, 11888, 12290, 12303, 12316, 12327, 12338, 12377, 12413, 12426, 12449, 12511, 12528, 12634, 12650, 12667, 12787, 12800, 12823, 12920, 12963, 13000, 13017, 13032, 13097, 13145, 13203, 13218, 13251, 13263, 13456, 13656, 13692, 13924, 14124, 14151, 14182, 14427, 14558, 14758, 14789, 15248, 15285, 15385, 15416, 15447, 15470, 15487, 15504, 15521, 15538, 15555, 15573, 15592, 15612, 15647, 15719, 15780, 15781, 15900, 16340, 16492, 16517, 16518, 16580	12919, 12962, 13443, 13452, 13911, 13920, 14417, 14424, 14545, 14554, 16277, 16279, 16369, 16456, 16458, 16459, 16460, 16465, 16467, 16468, 16469, 16474, 16476, 16477, 16478, 16483, 16485, 16486, 16487	4971, 5040, 5252, 5357, 5363, 5781, 5790, 5800, 5945, 5954, 5964, 8519, 8603, 8607, 8611, 8704, 8802, 9641, 12455, 12520, 12659, 12829, 13038, 13224, 13666, 13672, 13703, 14134, 14136, 14161, 14163, 14193, 14195, 14768, 14770, 14800, 14802, 15707, 15815, 16060, 16405
\parskip 99,	154, 523, 538, 789, 1043, 1629, 2122, 2917, 3568, 4076, 4084, 4147, 4302, 4541, 4573, 4651, 4686, 4733, 4912, 5125, 5783, 5792, 5802, 5947, 5956, 5966, 6946, 6949, 6951, 6953, 10717, 10720, 10722, 11238, 11247, 12056, 12338, 12352, 12378, 12635, 13000, 13098, 14451, 15386, 15719, 16055, 16059, 16339, 16387	\pgf@baseline 15220, 15226 \pgf@remember@layerlist@globally 15224 \pgf@remember@smuggle 15223, 15229 \pgf@restore@layerlist@from@global 15230 \pgf@shift@baseline@smuggle 15220, 15226 \pgf@trimleft 15221, 15227 \pgf@trimleft@final@smuggle 15221, 15227 \pgf@trimright 15222, 15228 \pgf@trimright@final@smuggle 15222, 15228 \pgfpicture 12040, 12044 \pgfutil@empty 15206, 15207 \pgfutil@ifnextchar 15203
\part 23	4340, 4341, 4342, 4343, 4363, 4364, 4365, 4366, 4367	\phantom 11716 \phantomsection . . 2212 \phone 2172 \phonesymbol 2132, 6111, 6209
\partname 483, 6631	\PassOptionsToClass 4339,	\photo 2177 \picbox 12161 \picinwindow 5642 \picwd 12049, 12052, 12160, 12162
\partopsep 4097, 11359, 11361, 11963, 11983	\PassOptionsToPackage 3413, 4186	
\PassOptionsToClass 4339,	\pdfstringdefDisableCommands 10667	
\phantom 11716	\penalty . . . 674, 928, 1180, 2016, 2020, 4463, 4792, 4861,	
\phantomsection . . 2212		
\phone 2172		
\phonesymbol 2132, 6111, 6209		
\photo 2177		
\picbox 12161		
\picinwindow 5642		
\picwd 12049, 12052, 12160, 12162		
\parsep . . . 872, 2908, 2909, 4055, 4056, 4094, 4121, 16339		
\parshape 5369, 9732, 9740, 10824, 11969, 11989, 12056, 12219, 12221,		



<code>\plainauthor</code> .. 3220, 4206, 4208, 4247, 4248, 4251	<code>\poemextrabaseskip</code> .. 4437, 4525, 4560	2432, 2438, 2624, 2640, 2656, 2679,
<code>\plainfootnotes</code> .. 7084	<code>\poemmarginsskip</code> 4436, 4458, 4459	2681, 2731, 2759, 2772, 12185,
<code>\plainpublisher</code> 4209, 4274, 4275	<code>\poemskip</code> 4438, 4538, 4569	12194, 12203,
<code>\plaintitle</code> .. 3221, 3222, 4206, 4207, 4230, 4231, 4234, 4402, 4404	<code>\postbibhook</code> 11451	12211, 16243, 16252, 16261, 16269
<code>\plitemsep</code> 4095	<code>\postdisplaypenalty</code> 9067, 9081	<code>\protected@edef</code> . 42, 55, 70, 176, 189,
<code>\plparsep</code> 4094	<code>\postmath</code> 5363	203, 3737, 3754, 3771, 6992, 7008,
<code>\plpartopsep</code> 4097	<code>\PotEndMark</code> 6440, 6445, 6448	7024, 7037, 7050, 7063, 7208, 7218,
<code>\pLRE</code> 1489, 1490, 1591, 1592	<code>\predisplaydirection</code> 12254, 12255, 16856, 16857	7228, 7254, 7267, 7279, 7306, 7319,
<code>\pltopsep</code> 4096	<code>\predisplaypenalty</code> 9066, 9080	7355, 7364, 7373, 7398, 7410, 7421,
<code>\poem@finish</code> 4582, 4631, 4638	<code>\premath</code> 5359	7447, 7459, 7495, 7505, 7515, 7541,
<code>\poem@line</code> 4501, 4507, 4558	<code>\preparefootins</code> 9753, 9773	7554, 7566, 7593, 7606, 7642, 7652,
<code>\poem@linebegin</code> 4458, 4516	<code>\prepnext@tok</code> 1334, 1344, 1392, 1424, 5429, 5457	7662, 7688, 7701, 7713, 7740, 7753,
<code>\poem@lineend</code> 4459, 4522	<code>\presetkeys</code> 16046	7789, 7799, 7809, 7835, 7848, 7860,
<code>\poem@lineparsebegin</code> .. 4470, 4527, 4554	<code>\presig@skip</code> 14517	7887, 7900, 7936, 7946, 7956, 7982,
<code>\poem@lineparseend</code> .. 4496, 4508, 4565	<code>\prevdepth</code> ... 3082, 3090, 6307, 6361, 11364, 11718	7995, 8007, 8034, 8047, 8083, 8093,
<code>\poem@lineversesep</code> 4460, 4519	<code>\process@cols</code> . 11694, 11727, 11741, 11747	8103, 8129, 8142, 8154, 8181, 8194,
<code>\poem@needrun</code> . 4452, 4579, 4633, 4635	<code>\ProcessOptions</code> 2084, 2875, 3912, 4171, 4203, 4344, 4368, 6034, 6132	8230, 8240, 8250, 8276, 8289, 8301, 8328, 8341, 8377,
<code>\poem@obeylines</code> 4553, 4629, 4669, 4693	<code>\ProcessOptionsX</code> . 1540	8387, 8397, 8423, 8436, 8448, 8475,
<code>\poem@prop</code> .. 4534, 4643	<code>\protect</code> .. 320, 1489, 1490, 1491, 1492, 1548, 1591, 1592, 1593, 1594, 1794, 1800, 1806, 1812, 1821, 1827, 2474, 2475, 3181, 9156, 9542, 9556, 11182, 11438, 15059, 15060, 15064, 15072, 15353, 15697, 16226, 16785	8593, 8618, 8631, 8644, 8678, 8692, 9418, 9434, 9449, 9476, 9489, 9502
<code>\poem@startedfalse</code> .. 4551, 4667, 4673	<code>\protected</code> 1591, 1593, 2417, 2418, 2419, 2422, 2430,	<code>\protected@xdef</code> 3798, 3825, 3852, 4227, 4244, 4260, 4271, 9388, 9397, 9541, 9546, 9555, 9561, 10441, 10479, 10512, 10543, 10574, 10637
<code>\poem@startedtrue</code> 4509, 4510, 4550, 4659, 4661, 4666, 4674, 4676		<code>\providecommand</code> 2129,
<code>\poem@verse</code> 4447, 4517, 4520		
<code>\poem@width</code> .. 4450, 4451, 4455, 4532, 4534, 4537, 4578		
<code>\poem@write@aux</code> 4581, 4632, 4644		
<code>\poemblocksep</code> 4444, 4548, 4655		
<code>\poemcolsepskip</code> 4435, 4464		



2130, 2131, 2132, 2133, 2134, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2300, 3699, 3706, 3707, 4101, 6095, 6100, 9274	15390, 15698, 15944, 16051, 16127, 16231, 16992	\quoteleftfont ... 2149, 2157, 6079, 6172 \quotestyle 2157, 6092, 6221 \quotewidth .. 2179, 2191, 6092, 6221
\ProvidesClass 2051, 4338, 4362	\ProvidesPackage .. 1431, 1600, 1656, 1789, 1981, 2299, 2845, 3415, 3900, 4046, 4162, 4189, 4427, 6021, 6119	R \R@@page 13294, 13295, 13304, 13306, 13337, 13338, 13349, 13351
\ProvidesFile 1, 127, 253, 264, 269, 271, 330, 526, 777, 1031, 1293, 4721, 4900, 5079, 5112, 5326, 5381, 5415, 5417, 5420, 5458, 5501, 5516, 5612, 5650, 6223, 6388, 6391, 6430, 6592, 6766, 6939, 6974, 8774, 8951, 8980, 8992, 9061, 9091, 9100, 9105, 9240, 9570, 9747, 9800, 9918, 9940, 10241, 10706, 10710, 10734, 10829, 10877, 11143, 11221, 11296, 11452, 11654, 11692, 11818, 11885, 11912, 11950, 11971, 11991, 12039, 12046, 12259, 12264, 12280, 12366, 12623, 12902, 13085, 13289, 13418, 13886, 14410, 14520, 15001, 15008, 15035, 15040, 15075, 15150, 15180, 15199, 15232, 15261, 15310,	\prune 12066, 12104, 12108, 12113, 12117, 12129, 12140, 12167 \prw@mkboth .. 15359, 15364, 15376, 15381 \pspicture 12260, 12262 \publisher .. 4264, 4265 \publishers 13595, 14063, 14697 \put . 5521, 5522, 5523, 5524, 5525, 5526, 5531, 5532, 5533, 5534, 5535, 5536, 5544, 5545, 5546, 5547, 5548, 5549, 5554, 5555, 5556, 5557, 5558, 5559, 5567, 5568, 5569, 5570, 5571, 5572, 5577, 5578, 5579, 5580, 5581, 5582, 5590, 5591, 5592, 5593, 5594, 5595, 5600, 5601, 5602, 5603, 5604, 5605, 6393, 6407, 6425	\raggedbottom 2127 \raggedchapterentry 14181, 14788 \raggeddictum 13794, 14318, 14909 \raggeddictumauthor 13796, 14320, 14911 \raggeddictumtext . 13795, 14319, 14910 \RaggedLeft 12294, 12362, 12364, 15006, 15007, 16953, 16957, 16961, 16969 \raggedleft 25, 100, 155, 479, 5082, 5279, 5293, 6627, 6640, 6891, 6906, 6942, 6945, 6950, 6958, 8807, 8819, 10713, 10716, 10721, 11335, 11336, 12267, 12269, 12275, 13251, 13263, 13707, 13708, 13794, 13795, 13796, 13798, 14200, 14318, 14319, 14320, 14322, 14511, 14517, 14807, 14909, 14910, 14911, 14913, 16493, 16495, 16497, 16498
	Q \Q 3596, 3618 \qauthor 12265 \qqquad 3977, 3984, 3991, 3998, 4005, 4040, 12267 \quad 3220, 3221, 3222, 4402, 4403, 4404, 4444, 16317 \quote 2178 \quotecolour 2140, 6039, 6137	\RaggedLeftLeftskip 12299



<code>\RaggedLeftParfillskip</code>	<code>\raisebox</code> 3133, 3138,	663, 667, 676,
..... 12302	3149, 3150, 3153,	685, 702, 703,
<code>\RaggedLeftParindent</code>	3154, 6438, 6443,	708, 709, 710,
..... 12303	6459, 6462, 6578,	711, 714, 717, 721,
<code>\RaggedLeftRightskip</code>	10063, 10065,	746, 747, 748,
..... 12300	10069, 10071,	753, 754, 755,
<code>\raggedpart</code> 13708	10098, 10099,	756, 789, 805,
<code>\RaggedRight</code> .. 12307,	10102, 10103,	827, 845, 854,
12356, 12363,	10160, 10161,	915, 916, 917, 921,
12365, 15006,	10164, 10165,	930, 939, 956,
15007, 16953,	10193, 10195,	957, 962, 963,
16957, 16963, 16967	10199, 10201, 10825	964, 965, 968,
<code>\raggedright</code>	<code>\rangle</code> 1703	971, 975, 1000,
... 25, 100, 155,	<code>\rawtext</code> 12056,	1001, 1002, 1007,
479, 5082, 5102,	12062, 12084,	1008, 1009, 1010,
5279, 5293, 6627,	12085, 12166, 12170	1043, 1050, 1062,
6640, 6891, 6906,	<code>\rcb</code> 1704, 1707, 1708, 1712	1068, 1086, 1167,
6942, 6945, 6950,	<code>\rcol@footinsskip</code> .	1168, 1169, 1173,
6958, 8807, 8819, 9752, 9772	1182, 1191, 1208,
10713, 10716,	<code>\realfootnote</code> 10634	1209, 1214, 1215,
10721, 11335,	<code>\recomputelengths</code> .	1216, 1217, 1220,
11336, 12267, 2190, 2207	1223, 1227, 1252,
12269, 12275,	<code>\recomputethemelengths</code>	1253, 1254, 1259,
13251, 13263, 2189,	1260, 1261, 1262,
13707, 13708,	2205, 6184, 6189	1349, 1350, 1367,
13794, 13795,	<code>\reflectbox</code> 9852	1368, 1369, 1498,
13796, 13798,	<code>\refname</code> 492, 493, 626,	1504, 1510, 1522,
14200, 14318,	627, 894, 895,	1528, 1534, 1548,
14319, 14320,	1146, 1147, 2276,	1643, 1644, 1645,
14322, 14511,	4136, 6648, 6649	1650, 1651, 1652,
14517, 14807,	<code>\refstepcounter</code> 474,	1653, 1878, 1886,
14909, 14910,	6622, 9082,	1894, 1945, 2084,
14911, 14913,	10681, 11145,	2300, 2340, 2358,
16489, 16494,	11429, 11960,	2412, 2429, 2613,
16496, 16497, 16498	11981, 15350, 16417	2617, 2879, 3380,
<code>\RaggedRightLeftskip</code>	<code>\refvskip</code> 14452	3575, 3657, 3718,
..... 12312	<code>\relax</code> . 2, 8, 10, 12, 14,	3722, 3726, 3803,
<code>\RaggedRightParfillskip</code>	82, 99, 128, 134,	3812, 3830, 3839,
..... 12315	136, 138, 140, 154,	3857, 3866, 3918,
<code>\RaggedRightParindent</code>	216, 228, 246,	4115, 4123, 4128,
..... 2914,	320, 334, 335,	4159, 4344, 4368,
3565, 4081, 12316	336, 357, 358,	4452, 4458, 4553,
<code>\RaggedRightRightskip</code>	359, 360, 365,	4579, 4607, 4614,
..... 4078, 12313	366, 367, 368,	4621, 4633, 4669,
<code>\raggedsection</code>	392, 393, 394,	4733, 4740, 4752,
13707, 14200, 14807	395, 396, 401,	4758, 4774, 4848,
<code>\raggedsectionentry</code>	402, 403, 404,	4849, 4850, 4854,
..... 13691	428, 523, 538,	4863, 4872, 4889,
<code>\raise</code> 8974	545, 575, 581,	4890, 4895, 4896,
	599, 661, 662,	4897, 4898, 4912,



4919, 4931, 4937,
4953, 5027, 5028,
5029, 5033, 5042,
5051, 5068, 5069,
5074, 5075, 5076,
5077, 5125, 5132,
5133, 5134, 5155,
5156, 5157, 5158,
5163, 5164, 5165,
5166, 5190, 5191,
5192, 5193, 5194,
5199, 5200, 5201,
5202, 5226, 5369,
5391, 5392, 5393,
5394, 5400, 5401,
5402, 5403, 5404,
5409, 5410, 5413,
5414, 5497, 5515,
6034, 6132, 6224,
6225, 6226, 6227,
6228, 6240, 6261,
6315, 6327, 6330,
6367, 6379, 6382,
6414, 6420, 6481,
6560, 6608, 6677,
6678, 6679, 6698,
6699, 6704, 6705,
6706, 6707, 6731,
6732, 6733, 6738,
6739, 6740, 6741,
6770, 6771, 6772,
6793, 6794, 6795,
6796, 6801, 6802,
6803, 6804, 6828,
6829, 6830, 6831,
6832, 6837, 6838,
6839, 6840, 6864,
6975, 6976, 6977,
6978, 6979, 7097,
7196, 7237, 7299,
7343, 7381, 7440,
7483, 7524, 7586,
7630, 7671, 7733,
7777, 7818, 7880,
7924, 7965, 8027,
8071, 8112, 8174,
8218, 8259, 8321,
8365, 8406, 8468,
8522, 8554, 8666,
8776, 8855, 8856,

8857, 8876, 8877,
8882, 8883, 8884,
8885, 8909, 8910,
8911, 8916, 8917,
8918, 8919, 8956,
8958, 8962, 9005,
9037, 9062, 9072,
9115, 9135, 9136,
9151, 9238, 9370,
9392, 9401, 9550,
9565, 9603, 9625,
9663, 10003,
10005, 10008,
10021, 10023,
10026, 10272,
10283, 10294,
10305, 10319,
10330, 10341,
10352, 10367,
10382, 10406,
10440, 10459,
10478, 10497,
10511, 10530,
10542, 10561,
10573, 10592,
10746, 10758,
10765, 10766,
10770, 10771,
10824, 11182,
11260, 11263,
11266, 11267,
11268, 11274,
11299, 11300,
11301, 11302,
11303, 11363,
11656, 11658,
11659, 11662,
11668, 11670,
11671, 11674,
11680, 11682,
11683, 11686,
11772, 11995,
12000, 12005,
12014, 12022,
12176, 12238,
12279, 12360,
12378, 12385,
12415, 12421,
12437, 12507,
12508, 12509,

12513, 12522,
12531, 12548,
12549, 12554,
12555, 12556,
12557, 12560,
12563, 12567,
12592, 12593,
12594, 12599,
12600, 12601,
12602, 12635,
12644, 12645,
12646, 12652,
12661, 12670,
12687, 12688,
12689, 12690,
12695, 12696,
12697, 12698,
12701, 12704,
12708, 12733,
12734, 12735,
12736, 12737,
12742, 12743,
12744, 12745,
12789, 12795,
12811, 12837,
12901, 12906,
12907, 12908,
12939, 12940,
12941, 12942,
12947, 12948,
12949, 12950,
12979, 12980,
12981, 12982,
12983, 12988,
12989, 12990,
12991, 13013,
13098, 13104,
13105, 13106,
13127, 13128,
13129, 13130,
13135, 13136,
13137, 13138,
13162, 13163,
13164, 13165,
13166, 13171,
13172, 13173,
13174, 13198,
13464, 13465,
13473, 13474,
13485, 13486,



13487,	13547,	15395,	15413,	11833, 11858, 11861
13573,	13574,	15416,	15419,	\remainxxxx .. 11836,
13575,	13576,	15444,	15447,	11838, 11840,
13577,	13590,	15450,	15467,	11842, 11868,
13591,	13592,	15470,	15473,	11870, 11873,
13593,	13594,	15484,	15487,	11877, 11880, 11882
13595,	13596,	15490,	15501,	\remainxxxxx
13597,	13598,	15504,	15507,	... 11845, 11847,
13599,	13600,	15516,	15518,	11849, 11851, 11853
13646,	13664,	15521,	15524,	\remove@strip . 11459,
13702,	13723,	15533,	15535,	11489, 11541, 11571
13784,	13791,	15538,	15541,	\renewcommand ... 19,
13932,	13933,	15552,	15555,	20, 21, 22, 83,
13941,	13942,	15558,	15570,	145, 146, 147, 148,
13953,	13954,	15573,	15576,	217, 256, 332,
13955,	14015,	15589,	15592,	371, 373, 427,
14041,	14042,	15595,	15609,	444, 458, 462,
14043,	14044,	15612,	15615,	468, 469, 470,
14045,	14058,	15627,	15642,	471, 502, 542,
14059,	14060,	15644,	15647,	564, 580, 598,
14061,	14062,	15650,	15664,	606, 619, 621,
14063,	14064,	15694,	15695,	622, 623, 624,
14065,	14066,	15696,	15713,	636, 642, 648,
14067,	14068,	15721,	15722,	657, 658, 668,
14114,	14132,	15724,	15725,	725, 727, 793,
14141,	14159,	15738,	15749,	810, 823, 826,
14191,	14203,	15753,	15758,	844, 851, 877,
14219,	14227,	15763,	15771,	878, 879, 880,
14235,	14246,	15775,	15784,	881, 886, 904,
14308,	14315,	15785,	15796,	911, 912, 922,
14566,	14567,	15804,	15815,	979, 981, 1047,
14575,	14576,	15821,	15825,	1051, 1067, 1085,
14587,	14588,	15829,	15846,	1094, 1107, 1127,
14589,	14649,	15850,	15899,	1133, 1141, 1142,
14675,	14676,	15900,	15903,	1143, 1144, 1156,
14677,	14678,	15951,	15959,	1163, 1164, 1174,
14679,	14692,	16078,	16161,	1231, 1233, 1632,
14693,	14694,	16210,	16225,	1634, 2076, 2077,
14695,	14696,	16296,	16325,	2078, 2114, 2115,
14697,	14698,	16337,	16440,	2120, 2169, 2173,
14699,	14700,	16520,	16523,	2204, 2209, 2289,
14701,	14702,	16525,	16579,	2892, 2901, 2942,
14748,	14766,	16580,	16583,	3060, 3063, 3064,
14798,	14837,	16863, 16864, 16865		3068, 3069, 3215,
14899,	14906,	\remainx	11821	3216, 3557, 3558,
15057,	15072,	\remainxox .	11856, 11863	3559, 3625, 3700,
15082,	15084,	\remainxoxx		3709, 3730, 3747,
15113,	15208,	. 11866, 11875, 11884		3764, 3872, 3873,
15284,	15302,	\remainxx ..	11824, 11826	3874, 3950, 3959,
15303,	15386,	\remainxxx	11829, 11831,	4011, 4019, 4043,



Index 479

13678,	13709,	15549,	15567,	2089, 2096, 2097,
13710,	13711,	15585,	15586,	2112, 2165, 2847,
13714,	13715,	15605,	15606,	2919, 2921, 2928,
13729,	13753,	15625,	15693,	2949, 2953, 2989,
13782,	13787,	15699,	15819,	2990, 3207, 3417,
13794,	13795,	15926,	15948,	3418, 3419, 3420,
13796,	13797,	15966,	15978,	3622, 3623, 3698,
13800,	13873,	16014,	16495,	3902, 4077, 4088,
13892,	13896,	16496,	16638,	4140, 4166, 4174,
13900,	13904,	16639,	16640,	4191, 4346, 4347,
13930,	13937,	16869,	16950,	4348, 4349, 4350,
13946,	13959,	16952,	16954,	4351, 4370, 4371,
13961,	14023,	16956,	16960,	4372, 4373, 4374,
14025,	14070,	16962, 16966, 16968	4375, 16900,	16901, 16902, 16903
14113,	14140,	\renewenvironment	80,	\RequireXeTeX 1460, 1577
14168,	14201,	214, 491, 511, 527,		\reserved@a 1924, 1928,
14202,	14210,	547, 554, 625,		1934, 1937, 1940,
14211,	14214,	778, 856, 863,		1943, 2461, 2462,
14215,	14218,	893, 1032, 1110,		2463, 15815, 15816
14226,	14234,	1117, 1145, 3157,		\reserved@b . 1904, 1905
14253,	14277,	3160, 3163, 3166,		\reset@dir 12238, 16296
14306,	14311,	4107, 4117, 4125,		\reset@font . . 3460,
14318,	14319,	4141, 4352, 4722,		3504, 3548, 3734,
14320,	14321,	4797, 4803, 4901,		3751, 3768, 6988,
14324,	14397,	4990, 4996, 5113,		7004, 7020, 7040,
14411,	14526,	5306, 5367, 5382,		7053, 7066, 7206,
14530,	14534,	5514, 6647, 6919,		7216, 7226, 7252,
14538,	14564,	8835, 9079, 9588,		7264, 7277, 7304,
14571,	14580,	11448, 11886,		7317, 7353, 7362,
14593,	14595,	12367, 12387,		7371, 7396, 7407,
14657,	14659,	12394, 12474,		7419, 7445, 7457,
14704,	14747,	12624, 12839,		7493, 7503, 7513,
14775,	14808,	12846, 12867,		7539, 7551, 7564,
14809,	14813,	13065, 13086,		7591, 7604, 7640,
14814,	14817,	13269, 13718,		7650, 7660, 7686,
14818,	14821,	14242, 14833,		7698, 7711, 7738,
14825,	14829,	15314, 15317, 15342		7751, 7787, 7797,
14844,	14868,	\renewrobustcmd . . .		7807, 7833, 7845,
14897,	14902,	. 11251, 11277, 11288		7858, 7885, 7898,
14909,	14910,	\repeat 5628,		7934, 7944, 7954,
14911,	14912,	5745, 5751, 5859,		7980, 7992, 8005,
14915,	14988,	5917, 5927, 8534,		8032, 8045, 8081,
15002,	15005,	8544, 12074,		8091, 8101, 8127,
15233,	15262,	12121, 12132,		8139, 8152, 8179,
15268,	15300,	12143, 12171, 15096		8192, 8228, 8238,
15313,	15326,	\RequirePackage . . .		8248, 8274, 8286,
15337,	15393, 1459, 1461,		8299, 8326,
15440,	15459,	1462, 1463, 1464,		8339, 8375, 8385,
15481,	15498,	1465, 1657, 1658,		8395, 8421, 8433,
15515,	15532,	2086, 2087, 2088,		



8446, 8473, 8486, 8569, 8580, 8591, 8616, 8629, 8642, 8676, 8690, 9165, 9413, 9429, 9444, 9473, 9486, 9499, 16680, 16724, 16811	16341, 16347, 16353, 16361, 16365	13218, 13221, 13222, 13656, 13659, 13660, 13692, 13696, 14124, 14127, 14128, 14151, 14154, 14155, 14182, 14186, 14758, 14761, 14762, 14789, 14793, 15237, 15242, 15253, 15266, 15270, 15290, 15293, 15298, 15302, 15303, 15413, 15414, 15415, 15423, 15444, 15445, 15446, 15454, 15467, 15468, 15469, 15477, 15484, 15485, 15486, 15494, 15501, 15502, 15503, 15511, 15518, 15519, 15520, 15528, 15535, 15536, 15537, 15545, 15552, 15553, 15554, 15562, 15570, 15571, 15572, 15580, 15589, 15590, 15591, 15599, 15609, 15610, 15611, 15619, 15644, 15645, 15646, 15654, 15694, 15696, 15719, 15781, 15782, 15783, 15789, 15792, 15839, 15899, 15904, 15927, 15934, 16490, 16517, 16518, 16579, 16584
\resizebox 9873	\rightskip 12, 13, 138, 139, 232, 236, 433, 450, 453, 454, 545, 558, 569, 570, 575, 586, 611, 614, 615, 798, 799, 805, 815, 818, 819, 832, 854, 1050, 1056, 1057, 1062, 1073, 1099, 1102, 1103, 1121, 4031, 4038, 4039, 4544, 4740, 4746, 4747, 4752, 4763, 4786, 4789, 4790, 4919, 4925, 4926, 4931, 4942, 4965, 4968, 4969, 5231, 5246, 5249, 5250, 5385, 5387, 5389, 5503, 5504, 5510, 6599, 6602, 6603, 6613, 6868, 7164, 8723, 8781, 8796, 8799, 8800, 11241, 11331, 11332, 11658, 11662, 11663, 11670, 11675, 11682, 11687, 12286, 12288, 12299, 12301, 12312, 12314, 12323, 12325, 12342, 12385, 12398, 12409, 12410, 12415, 12426, 12449, 12452, 12453, 12783, 12784, 12789, 12800, 12823, 12826, 12827, 12837, 12850, 12901, 13017, 13032, 13035, 13036, 13041, 13042, 13203,	\RL . . 10671, 12228, 16286 \rlap . . 233, 374, 728,
\restore@protect . 2476		
\restoreCaptionSkip 10034		
\restorecounters@ 6492		
\restylefloat 3407		
\resumename 2166		
\rightskip 15695		
\right 16317		
\right@cor . . . 11461, 11462, 11543, 11544		
\right@footnoterule 26, 161, 334, 462, 648, 661, 886, 915, 1133, 1167, 4826, 4848, 4982, 5027, 5132, 5259, 6668, 6677, 6770, 6968, 8829, 8855, 9330, 9344, 9354, 9470, 9496, 10728, 11812, 12466, 12507, 12644, 12890, 12906, 13048, 13104, 13231, 13469, 13485, 13787, 13937, 13953, 14311, 14436, 14571, 14587, 14902		
\rightfootnoterule 1515, 6225, 6976, 9342, 9793, 16865		
\rightline . . . 12258, 16505, 16509, 16511		
\rightmargin 871, 4093, 4112, 4120, 4126, 9725, 9729, 10808, 10809, 10822, 12275, 16330,		



1234, 1635, 5172, 6713, 6810, 8891, 8984, 8989, 9577, 9811, 9857, 9923, 9924, 9937, 9938, 10708, 11716, 12244, 12574, 12715, 12914, 12957, 13144, 13493, 13557, 13961, 14025, 14595, 14659, 16306	\rotFPbot 13314, 13321, 13361, 13370 \rotFPtop 13312, 13323, 13359, 13372 \rrb 1706, 1716 \rsb 1705, 1714 \RTL 12221, 16279 \RTL@column@boxes . . 11740, 11766, 11771 \RTL@outputdblcol 5651, 8993, 9768, 11453, 16593, 16638, 16639 \RTLbidituftesidenotemarginpar . . 3509, 3765, 3895 \RLcases 16316 \RTLcolumnfootnotes 7085 \RTLdblcol 16639 \RLdfnmakecol . . . 6385 \RTLfootnote . . . 339, 413, 1793, 1806, 3874, 4218, 5137, 5211, 6775, 6849, 9387, 12649, 12755, 12911, 12999, 13109, 13183, 13490, 13606, 13958, 14074, 14592, 14708 \RTLfootnotetext 1862, 1873, 4593, 4603, 9556, 9559, 10470, 11219, 15145, 15149 \RTLfoottextfont 7005, 7012, 7062, 7068, 7127, 7226, 7247, 7277, 7371, 7391, 7419, 7513, 7534, 7564, 7660, 7681, 7711, 7807, 7828, 7858, 7954, 7975, 8005, 8101, 8122, 8152, 8248, 8269, 8299, 8395, 8416, 8446, 8591, 8611, 8642 \RTLMarginnote . . . 3892 \RTLMarginpar . . . 16685	\RTLmulticolcolumns 11764 \RTLsidenote 3870 \RTLthanks 339, 359, 394, 413, 4218, 4226, 4243, 4259, 4270, 5137, 5157, 5192, 5211, 6775, 6795, 6830, 6849, 9554, 11301, 12649, 12689, 12735, 12755, 12911, 12941, 12981, 12999, 13109, 13129, 13164, 13183, 13490, 13575, 13606, 13958, 14043, 14074, 14592, 14677, 14708 \rtside 12104, 12106, 12117, 12119, 12140, 12142 \rule 45, 58, 73, 179, 192, 206, 2214, 6089, 6581, 6585, 6588, 6996, 7012, 7028, 7042, 7055, 7068, 9423, 9439, 9454, 9480, 9493, 9506 S \save@dir . 12237, 16295 \savebox 6506, 9963, 9965, 10045 \saveCaptionSkip . 9995 \savecounters@ . . . 6489 \saved@dir . . 12237, 12238, 16295, 16296 \sbox 6572, 9997, 10014, 10767, 10775, 10777, 10779, 10788, 10849, 11199, 11368, 11383, 11415, 13810, 13824, 13864, 14334, 14348, 14388, 14925, 14939,
\RLE 1491, 1593, 10670, 12228, 12229, 12233, 15953, 16286, 16287, 16291 \rmfamily 657, 911, 1163, 3921, 3974, 3977, 3981, 3984, 3988, 3991, 3995, 3998, 4002, 4005, 12503, 12640 \romannumeral . 2007, 4581, 4643, 6500, 6503, 6549, 9193, 9194, 9195, 9196, 9198, 9199, 9200, 9201, 9202, 9205, 9206, 9207, 16333 \rot@float@box 13297, 13298, 13299, 13313, 13322, 13340, 13341, 13342, 13343, 13344, 13360, 13371 \rot@label 13293, 13336 \rot@LR . . . 13304, 13349 \rot@mess@toks 13296, 13308, 13318, 13327, 13339, 13354, 13366, 13376 \rot@message 13327, 13376 \rot@pageref 13294, 13337 \rotate 13390 \rotatebox . . . 9236, 9966, 10015, 10228, 13313, 13322, 13360, 13371 \rotateframe . 9198, 9235		



14979, 15252,	13433, 13888,	\sectionbib 15337
15269, 16420, 16846	13891, 13901,	\sectionfont . . 2150,
\sc@@temp 14457,	14522, 14525, 14535	2158, 6080, 6173
14458, 14463,	\scr@smashdp . . 13832,	\sectionstyle 2158, 2216
14464, 14469,	13846, 13847,	\sectiontitlecolour
14470, 14475,	13865, 14356, 2141, 6042,
14476, 14481,	14370, 14371,	6050, 6057, 6064,
14482, 14487,	14389, 14947,	6071, 6141, 6147,
14488, 14493,	14961, 14962, 14980	6153, 6159, 6165
14494, 14499,	\scr@tmp@footnotetext	\selectfont . . . 267,
14500, 14505, 14506	. . 13804, 13815,	4284, 4286, 4288
\SC@FLOAT 15002, 16950,	13816, 14328,	\separatorcolumnwidth
16954, 16960,	14339, 14340, 2181,
16962, 16966, 16968	14919, 14930, 14931	2182, 2193, 2199,
\SC@justify@caption	\scr@tmp@LTRfootnotetext	2215, 2220, 2226,
. . 15005, 16952,	. . 13806, 13817,	2283, 6187, 6217
16956, 16961,	13818, 14330,	\SepMark . . . 16318, 16319
16963, 16967, 16969	14341, 14342,	\set@color 5461, 5466,
\sc@temp 14455,	14921, 14932, 14933	5474, 5480, 5488,
14457, 14461,	\scr@tmp@RTLfootnotetext	5495, 5500, 9584,
14463, 14467,	. . 13808, 13819,	16130, 16134, 16230
14469, 14473,	13820, 14332,	\set@typeset@protect
14475, 14479,	14343, 14344, 9160,
14481, 14485,	14923, 14934, 14935	9164, 15031,
14487, 14491,	\scriptsize . . 4059,	16554, 16791, 16793
14493, 14497,	14456, 14462,	\setboolean . . 2853,
14499, 14503,	14468, 14474,	2854, 2855, 2857,
14505, 14515, 14517	14480, 14486,	2859, 2864, 2865,
\sc@wm@text 6390	14492, 14498, 14504	2869, 2870, 2950,
\scalebox 9871	\scshape 5085	2954, 2957, 2962,
\scantokens . 2612, 2632	\secshape . . 13000, 13041	2964, 2968, 2970,
\scope 15211	\SectFont 550,	3342, 3909, 3910,
\scr@compatibility	559, 859, 867,	3911, 4168, 4169,
. . 13664, 13702,	1113, 1122, 4800,	4170, 4195, 4196
14132, 14159,	4993, 12390,	\setbox . . . 307, 1340,
14191, 14203,	12399, 12842, 12851	1342, 1343, 1399,
14219, 14227,	\sectfont 12269	1956, 2027, 2032,
14235, 14766, 14798	\section 492,	2035, 2044, 3388,
\scr@LT@array . . . 10680	519, 535, 550,	3444, 3447, 3488,
\scr@savet@footnotetext	556, 559, 626,	3491, 3532, 3535,
. 13421,	786, 859, 865,	4472, 4483, 4696,
13425, 13889,	867, 894, 1040,	4710, 5341, 5368,
13893, 14523, 14527	1113, 1119, 1122,	5373, 5432, 5461,
\scr@savet@LTRfootnotetext	1146, 2210, 2276,	5616, 5617, 5621,
. . 13419, 13422,	3923, 3945, 4013,	5624, 5634, 5638,
13429, 13887,	4021, 4136, 4139,	5641, 5645, 5653,
13890, 13897,	4143, 4800, 4993,	5656, 5666, 5678,
14521, 14524, 14531	6648, 12390,	5689, 5692, 5705,
\scr@savet@RTLfootnotetext	12396, 12399,	5721, 5741, 5742,
. . 13420, 13423,	12842, 12848, 12851	5747, 5748, 5753,



5756, 5779, 5787,	11482,	11500,	745, 923, 955,
5797, 5848, 5862,	11505,	11538,	999, 1175, 1207,
5866, 5876, 5881,	11549,	11554,	1251, 1642, 3642,
5890, 5892, 5907,	11564,	11582,	3674, 3907, 4419,
5908, 5919, 5920,	11587,	11615,	4639, 4856, 4888,
5932, 5933, 5943,	11696,	11712,	5035, 5067,
5951, 5961, 6009,	12048,	12062,	5154, 5189, 6697,
6233, 6241, 6242,	12065,	12084,	6730, 6792, 6827,
6246, 6254, 6262,	12085,	12091,	8875, 8908, 9180,
6263, 6267, 6282,	12092,	12103,	10736, 10737,
6285, 6290, 6294,	12105,	12107,	11329, 11958,
6302, 6339, 6342,	12109,	12112,	11979, 12515,
6347, 6351, 6356,	12114,	12116,	12547, 12591,
7033, 7046, 7059,	12118,	12128,	12654, 12686,
7119, 7176, 7181,	12130,	12139,	12732, 12938,
7188, 7249, 7261,	12141,	12156,	12978, 13126,
7274, 7314, 7393,	12158,	12166,	13161, 13481,
7404, 7416, 7454,	12168,	12177,	13572, 13746,
7536, 7548, 7561,	12243,	12244,	13821, 13822,
7601, 7683, 7695,	13382,	13392,	13949, 14040,
7708, 7748, 7830,	13403,	13410,	14270, 14345,
7842, 7855, 7895,	13830,	14354,	14346, 14583,
7977, 7989, 8002,	14456,	14462,	14674, 14861,
8042, 8124, 8136,	14468,	14474,	14936, 14937, 15637
8149, 8189, 8271,	14480,	14486,	\setdefaultbibitems
8283, 8296, 8336,	14492,	14498, 16323
8418, 8430, 8443,	14504,	14945,	\setdefaultmarginpar
8483, 8507, 8508,	15020,	15062, 16775
8515, 8528, 8531,	15112,	15182,	\setDefaults 9952
8533, 8538, 8541,	15857,	15860,	\setfloatalignment 3022
8543, 8545, 8573,	15865,	15869,	\setfootnoteLR ... 9409
8584, 8595, 8613,	15873,	15877,	\setfootnoteRL ... 9407
8620, 8626, 8633,	15881,	15885,	\setkeys 5332,
8639, 8646, 8680,	15889,	15893,	5349, 6470, 6476,
8687, 8694, 8709,	16122,	16130,	6478, 9846, 9954,
8716, 8735, 8743,	16235,	16305,	10773, 11998,
8756, 8763, 8970,	16306,	16400,	13301, 13346, 16015
8996, 8999, 9012,	16421,	16514,	\setlength 431,
9028, 9031, 9045,	16542,	16595,	448, 585, 609,
9092, 9132, 9137,	16597,	16613,	813, 831, 868,
9471, 9484, 9497,	16616,	16664,	869, 870, 871,
9515, 9639, 9648,	16667,	16708,	872, 1072, 1097,
9652, 9676, 9690,	16711,	16739,	1780, 1781, 1782,
9750, 9755, 9770,	16753, 16771, 16821		2054, 2055, 2057,
9775, 9803, 9810,	\setcaptionfont .. 2942		2058, 2060,
9811, 9856, 9857,	\setchapterpreamble		2061, 2063, 2064,
11178, 11187, 14247, 14838		2066, 2067, 2069,
11227, 11259,	\setcitationfont . 3559		2070, 2072, 2073,
11265, 11456,	\setcounter ... 356,		2074, 2079, 2080,
11467, 11472,	391, 669, 701,		2118, 2119, 2121,



2122, 2123, 2124,	14784,	14942,	13739,	14263,
2182, 2191, 2192,	14968,	15241,	14455,	14461,
2195, 2197, 2200,	15242,	15290,	14467,	14473,
2201, 2203, 2206,	15291,	15293,	14479,	14485,
2272, 2281, 2282,	15661,	15665,	14491,	14497,
2283, 2878, 2914,	15666,	15668,	14503,	14854,
2915, 2916, 2917,	15669,	15671,	15320, 15822, 15824	
2938, 2944, 2945,	15672,	15674,	\SetWatermarkText	6389
2978, 2981, 2985,	15675,	15677,	\sevendcolumnfootnotes	
3031, 3077, 3078,	15678, 16438, 16441		7918
3565, 3566, 3567,	\setLR	12250, 16314	\sevendcolumnfootstyle	
3568, 3574, 3785,	\setLTR	12224,	8013
4066, 4067, 4068,	12225,	12238,	\sf	14456, 14462,
4069, 4070, 4071,	12250,	12251,	14468,	14474,
4072, 4073, 4075,	16282,	16283,	14480,	14486,
4076, 4078, 4081,	16296, 16314, 16315		14492, 14498, 14504	
4082, 4083, 4084,	\setLTRbibitems .	16322	\sfcode .	89, 223, 507,
4301, 4302, 4762,	\setLTRmarginpar .	16774	638, 906, 1158,	
4784, 4941, 4963,	\setLTRparagraphfootnotes		4816, 5009, 5322,	
5229, 5244, 5508,	6983	6660, 6935, 8848,	
6176, 6180, 6182,	\setmarginnotefont	3558	11899, 12487,	
6185, 6452, 6597,	\setparsizes ..	13498,	12880, 13081,	
6612, 7115, 7116,	13610, 13966,		13285, 13756,	
7129, 8780, 8794,	14078, 14600, 14712		14280, 14871, 15331	
9513, 9896, 9897,	\setRL	12249, 16313	\shadowbox	6566
9903, 9904, 9906,	\setRTL	12223,	\shadowsize	
9907, 9956, 9957,	12226, 12238,		6576, 6580, 6581,	
9969, 9973, 9975,	12249, 15997,		6584, 6585, 6588	
9977, 9981, 9983,	16031, 16281,		\shipout ...	9160, 16790
10742, 10743,	16284, 16296, 16313		\shortauthors	111, 112, 117
10744, 10768,	\setRTLbibitems ..	16321	\shortcite	11901
10782, 10784,	\setRTLmain	1583	\shorttitle .	110, 111, 117
10786, 10790,	\setRTLmarginpar .	16773	\showbox	9713
10798, 10803,	\setRTLparagraphfootnotes		\showoutput	9713
10806, 10810,	6982	\sidecaptionsep ...	
10811, 10812,	\setsidenotefont .	3557	15003,
11212, 12425,	\setSingleSpace ...		15004, 16951,	
12447, 12799,	7087, 7092	16955, 16960,	
12821, 13030,	\setspace@singlespace		16962, 16966, 16968	
13201, 13216,	..	3733, 3750, 3767	\sidecontents	8757
13438, 13649,	\setthesection ...	11346	\sideins	7093, 8755
13652, 13684,	\settoheight	6449	\sidenote	3639, 3655,
13687, 13827,	\settowidth .	85, 219,	3693, 3783, 3868	
13853, 13906,	496, 630, 898,		\sidenotes	3696
14117, 14120,	1150, 2186, 4808,		\sideways	13408
14144, 14147,	5001, 5311, 6178,		\sigindent	14516
14174, 14177,	6494, 6652, 6924,		\sixcolumnfootnotes	7771
14351, 14377,	8840, 10800,		\sixcolumnfootstyle	
14540, 14751,	12479, 12872,		7866
14754, 14781,	13070, 13274,		\sixt@n	1923, 1945



<code>\size@chapter</code> . . .	12269	5282, 5744, 5750,	9415, 9431, 9446,
<code>\skip</code>	4560, 4561, 6287, 6344, 7140, 7150, 7167, 8725, 8748, 9531, 9752, 9772	5913, 5921, 5922, 6894, 8809, 9613, 9621, 9622, 9646, 9654, 10752,	9644, 9645, 12058
<code>\skip@</code>	238, 239	11702, 11704, 11705, 11706, 11707, 13253,	<code>\stepcounter</code> . .
<code>\sloppy</code> . . .	41, 54, 69, 88, 175, 188, 202, 222, 503, 637, 905, 1157, 2290, 4815, 5008, 5318, 6659, 6931, 8847, 9745, 11244, 11898, 12345, 12359, 12486, 12879, 13077, 13281, 13755, 14279, 14870, 15327	13295, 13338, 13549, 13761, 14017, 14285, 14651, 14876, 15132, 15134, 15191, 15941, 16744	3650, 3682, 3797, 3824, 3851, 4530, 9179, 9247, 9317, 9387, 9396, 10394, 10636, 11145, 11953, 11957, 11974, 11978, 13292, 13335, 16841
<code>\slshape</code> . . .	576, 806, 1063, 2238, 4753, 4932, 6078, 6079, 6169, 6170, 6172, 12416, 12790, 13006	<code>\spacefactor</code>	<code>\stopbreaks</code> 6954, 14515
<code>\small</code> .	333, 559, 660, 867, 914, 1122, 1166, 1667, 2152, 2242, 2247, 2277, 4048, 4049, 4114, 4122, 4127, 4146, 4847, 5026, 5131, 6676, 6769, 8854, 12399, 12506, 12643, 12851, 12905, 13103, 13484, 13952, 14586	3712, 3717, 3723, 3726, 10393, 10405	<code>\stretch</code>
<code>\smallcaps</code>	4402, 4403, 4404	<code>\special</code>	1404, 5434, 5437
<code>\smallskip</code>	11821, 11826, 11833, 11842, 11853, 11858, 11863, 11870, 11877, 11884, 12266	1631, 12244, 15188, 15189, 15193, 15194, 15196, 16306	<code>\string</code>
<code>\smash</code>	3133, 3138, 3149, 3150, 3153, 3154, 3361, 6236, 6257, 9577, 10825, 12247, 16309, 16311	<code>\spinemargin</code> .	279, 1311, 2301, 2307, 2324, 2325, 2328, 2329, 2410, 2443, 2444, 2450, 2598, 2628, 2649, 2652, 2679, 2681, 2741, 2802, 2803, 2816, 2817, 2828, 2829, 2842, 2843, 3336, 3337, 5470, 5473, 5491, 5494, 9617, 9618, 9619, 9620, 9621, 9743, 9878, 9879, 13549, 13761, 13763, 13769, 14017, 14285, 14287, 14293, 14651, 14876, 14878, 14884, 15158, 15940, 16175, 16222
<code>\space</code>	1431, 2598, 2741, 3197, 3202, 3203, 3336, 3337, 5085,	<code>\split@prev</code>	<code>\strip@prefix</code> 2649, 2662
		. .	<code>\strip@pt</code> . . .
		9366, 9374, 9379	8566, 8671
		<code>\splitbotmark</code>	<code>\stripsep</code>
		9650	5679, 5722, 5736, 5782, 5791, 5801, 5846, 5946, 5955, 5965, 11476, 11478, 11485, 11558, 11560, 11567, 11626, 11629, 11631, 11638
		. .	<code>\strut</code>
		9002, 9034, 9649	45, 58, 73, 179, 192, 206, 1697, 6962, 7241,
		<code>\SplitFootnoteRule</code>	
		
		1517, 9365	
		<code>\splitfootnoterule</code>	
		
		9369, 9377	
		<code>\splitmaxdepth</code>	
		39, 52, 67, 173, 186, 200, 7134, 8997, 9029, 9416, 9432, 9447	
		<code>\splittopskip</code>	
		39, 52, 67, 173, 186, 200, 7133, 7178, 7182, 7331, 7332, 7335, 7336, 7471, 7472, 7475, 7476, 7618, 7619, 7622, 7623, 7765, 7766, 7769, 7770, 7912, 7913, 7916, 7917, 8059, 8060, 8063, 8064, 8206, 8207, 8210, 8211, 8353, 8354, 8357, 8358, 8500, 8501, 8504, 8505,	



7244, 7247, 7327, 7328, 7385, 7388, 7391, 7467, 7468, 7528, 7531, 7534, 7614, 7615, 7675, 7678, 7681, 7761, 7762, 7822, 7825, 7828, 7908, 7909, 7969, 7972, 7975, 8055, 8056, 8116, 8119, 8122, 8202, 8203, 8263, 8266, 8269, 8349, 8350, 8410, 8413, 8416, 8496, 8497, 8603, 8607, 8611, 8703, 11258, 13811, 13813, 13832, 13834, 13837, 13839, 13842, 13846, 13848, 13858, 13860, 13865, 13869, 14335, 14337, 14356, 14358, 14361, 14363, 14366, 14370, 14372, 14382, 14384, 14389, 14393, 14518, 14926, 14928, 14947, 14949, 14952, 14954, 14957, 14961, 14963, 14973, 14975, 14980, 14984, 15252, 15257	9447, 9454, 9480, 9493, 9506, 11164, 11180, 11260, 13855, 13856, 14379, 14380, 14970, 14971, 15021, 15022, 15058, 16543, 16544 \subfigure 3072 \subitem .. 104, 159, 4157 \subjclass 251 \subject 13594, 14062, 14696 \subject@font . 13507, 13620, 13975, 14088, 14609, 14722 \subparagraph 3959, 3960, 3963 \subsection 2217, 3930, 3946 \subsectioncolour 2143, 6043, 6051, 6058, 6065, 6072, 6142, 6148, 6154, 6160, 6166 \subsectionfont 2151, 2159, 6081, 6174 \subsectionstyle 2159, 2218 \subsubitem 105, 160, 4158 \subsubsection 3950, 3951, 3954 \subtable 3072 \symbol 1710, 1720 T \t@cb@bchapsec ... 15313 \tabcaption 10005, 10023 \tabcolsep 299, 1283, 11175, 12768 \tablinesep 15055 \tabskip .. 315, 4540, 11189, 11190, 15027, 15066, 16549 \tabular 15127 \tabularnewline 324, 11159, 15029, 16551 \tabularx 15118 \tabularxcolumn . 15080 \tagform@ 263	\tamark 11312 \tcd . 12055, 12062, 12063 \tcdsav 12055 \tcl . 12079, 12080, 12086 \tcn 12063, 12064, 12086, 12087, 12088, 12089 \Telefon 2132 \tencolumnfootnotes 8359 \tencolumnfootstyle 8454 \TeX ... 10672, 12239, 12240, 12248, 16297, 16298, 16310 \textbf 2245, 4103, 9590, 9592, 9594, 9596 \textbullet .. 2129, 6035, 6099, 6133 \textcolor ... 6565, 6580, 6584, 6587, 9580, 10756 \textdef@ 265 \textendash 666, 920, 983, 1172, 4853, 5032, 12512, 12651 \textheight 1616, 2093, 5666, 5705, 9956, 13300, 13345, 16840 \textit 15697 \textsl 3220, 3221, 3222 \textsuperscript .. 3725, 7114, 13461, 13929, 14432, 14563 \texttt 1720, 1784, 1786, 1787 \textwidth 1615, 2091, 2182, 2191, 2192, 2204, 2206, 2981, 2985, 3078, 3379, 3380, 5656, 5660, 5693, 5757, 5763, 5934, 6089, 6104, 6176, 6185, 6299, 6402, 7177, 8527, 9012, 9016, 9046, 9132, 9137, 9518, 9755, 9775, 9780, 9924, 9927,
\strutbox 39, 52, 67, 173, 186, 200, 305, 309, 6997, 7013, 7029, 7043, 7056, 7069, 7134, 7331, 7335, 7471, 7475, 7618, 7622, 7765, 7769, 7912, 7916, 8059, 8063, 8206, 8210, 8353, 8357, 8500, 8504, 9416, 9423, 9432, 9439,		



9932, 9938,	977, 1000, 1017,	5928, 5929, 5930,
11232, 11506,	1170, 1182, 1208,	9001, 9003, 9033,
11513, 11588,	1219, 1220, 1229,	9035, 9245, 9260,
11616, 11801,	1252, 1270, 1643,	9261, 9264, 9265,
11802, 11805,	4210, 4211, 4212,	9268, 9321, 9325,
11806, 11809,	4213, 4216, 4223,	9379, 9542, 9556,
11810, 11813,	4224, 4240, 4241,	9606, 9613, 9617,
11817, 13500,	4256, 4257, 4268,	9618, 9619, 9620,
13528, 13532,	4851, 4863, 4889,	9621, 9622, 9630,
13612, 13968,	5030, 5042, 5068,	9636, 9643, 9644,
13996, 14000,	5135, 5155, 5190,	9646, 9651, 9653,
14080, 14515,	5209, 6680, 6698,	9654, 9668, 9694,
14602, 14630,	6731, 6748, 6773,	9724, 9725, 9726,
14634, 14714,	6793, 6828, 6847,	9731, 9732, 9733,
16597, 16601,	8858, 8876, 8909,	9743, 9848, 9893,
16617, 16825, 16835	8926, 11299,	10393, 10423,
<code>\textwidth@footnoterule</code>	12510, 12522,	10431, 10432,
..... 336,	12548, 12559,	10438, 10440,
663, 917, 1169,	12560, 12569,	10469, 10470,
4850, 5029, 5134,	12592, 12609,	10476, 10478,
6679, 6772, 8857,	12647, 12661,	10509, 10511,
9336, 9347, 11816,	12687, 12700,	10540, 10542,
12509, 12646,	12701, 12710,	10571, 10573,
12908, 13106,	12733, 12753,	10814, 10815,
13487, 13955, 14589	12909, 12939,	10818, 10822,
<code>\textwidthfootnoterule</code>	12979, 12997,	10826, 11216,
1519, 6227, 6978,	13107, 13127,	11219, 11460,
9345, 9794, 16866	13162, 13181,	11477, 11484,
<code>\TeXXeTOff</code> . 12174, 16233	13488, 13573,	11490, 11542,
<code>\TeXXeTOn</code> 12173,	13604, 13956,	11559, 11566,
12175, 16232, 16234	14041, 14072,	11572, 11639,
<code>\TeXXeTstate</code> .. 12173,	14590, 14675, 14706	11702, 11704,
12174, 16232, 16233	<code>\thankses</code> 250	11705, 11706,
<code>\TF@conlab</code>	<code>\the</code> 120, 121,	11707, 11708,
.. 9573, 9575, 9582	1299, 1393, 1394,	11892, 11997,
<code>\TF@savecolor</code> 9579, 9584	1396, 1397, 1457,	12013, 12017,
<code>\TF@Title</code> 9582	1574, 1607, 1609,	12020, 12180,
<code>\thanklessauthor</code> 4211,	1612, 1614, 1853,	12181, 13308,
4244, 4247, 4284	1856, 1859, 1862,	13318, 13327,
<code>\thanklesspublisher</code>	1867, 1870, 1873,	13354, 13366,
..... 4212,	1978, 2613, 3607,	13376, 13746,
4271, 4274, 4288	3617, 3712, 3723,	14270, 14861,
<code>\thanklesstitle</code> 4210,	4449, 4456, 4587,	15051, 15052,
4227, 4230, 4286	4590, 4593, 4597,	15082, 15101,
<code>\thanks</code> 250, 337, 357,	4600, 4603, 4708,	15103, 15127,
392, 411, 664,	5328, 5333, 5377,	15132, 15134,
676, 702, 713,	5430, 5744, 5750,	15135, 15138,
714, 723, 746,	5751, 5752, 5884,	15139, 15142,
763, 918, 930,	5894, 5913, 5921,	15145, 15146,
956, 967, 968,	5922, 5923, 5926,	15149, 15270,



15723,	15726,	3991, 3998, 4005	\thelstlisting
15727,	15729,	\thedate 4206, 4214, 4260 10872, 10875
15731,	15735,	\theDefaultDepth . 10737	\thempfn . 1879, 1887,
15740,	15744,	\theDefaultLines . 10736	1895, 3798, 3804,
15755,	15756,	\theenumiv 83,	3825, 3831, 3852,
15759,	15765,	85, 217, 219, 502,	3858, 4608, 4615,
15769,	15777,	636, 904, 1156,	4622, 9388, 9393,
15778,	15815,	2289, 4814, 5007,	9397, 9402, 9520,
15831,	15835,	5317, 6658, 6930,	9546, 9551, 9561,
15934,	16075,	8846, 12485,	9566, 10273,
16087,	16092,	12878, 13076,	10284, 10295,
16113,	16114,	13280, 13753,	10442, 10480,
16116,	16238,	14277, 14868, 15326	10513, 10544,
16239, 16333, 16442	\theequation . . 4839,	10575, 10637, 11290	\thempfootnote
\the@cornersize . .	5018, 5265, 6877, 9520, 11290	\theorem@indent 11967,
. 8962, 8963	8945, 9210, 9223,	\theorem@prework . 11961	\theorempostskipamount
\thechapter 235, 3919,	10709, 11347, 11962, 11982	\theorempreskipamount
4834, 4840, 4842,	12496, 12865, 11965, 11985	\thepage . 1605, 1610,
4844, 5013, 5019,	13054, 13237,	2267, 3108, 3220,	3221, 3222, 3231,
5021, 5023, 5085,	14234, 14829, 16859	3232, 4390, 4391,	4402, 4403, 4404,
5266, 5268, 5270,	\thefigure 4841, 5020,	5810, 5828, 5975,	5993, 16119, 16744
5271, 5272, 5282,	5267, 6879, 8947,	\theparagraph . . . 21,	22, 147, 148,
6878, 6880, 6882,	9212, 9225, 11349,	470, 471, 623,	624, 879, 880,
6883, 6884, 6894,	12498, 12861,	1143, 1144, 3940,	4837, 4838, 5016,
8809, 8940, 8946,	13056, 13239,	5017, 5275, 5276,	6764, 6765, 6887,
8948, 8950, 9211,	14218, 14821, 15037	6888, 8943, 8944,	9220, 9221, 9233,
9213, 9215, 9216,	\thefootdir@label .	9234, 11342,	11345, 12494,
9217, 9224, 9226, 9245,	12495, 12859,	12860, 13063,
9228, 9229, 9230,	9248, 9277, 9282,	13064, 13247,	13248, 13714,
10873, 11337,	9300, 9303, 9323	13716, 14214,	14216, 14817, 14819
11346, 11348,	\thefootnote . . . 373,	\thepart	475, 483, 6623, 6631
11349, 11350,	668, 727, 922,		
11933, 12272,	981, 1174, 1233,		
12491, 12497,	1634, 4855, 5034,		
12499, 12501,	5171, 6712, 6809,		
12856, 12862,	8890, 10306,		
12864, 12866,	12514, 12573,		
13055, 13057,	12653, 12714,		
13059, 13060,	12912, 12955,		
13238, 13240,	13143, 13491,		
13242, 13243,	13555, 13959,		
13244, 13253,	14023, 14593, 14657		
14204, 14206,	\thefootnotemark . .		
14220, 14222, 13461,		
14228, 14230,	13929, 14432, 14563		
14236, 14238,	\theHchapter 11933		
14810, 14822,	\theHsection 11941, 11943		
14826, 14830, 15353	\theindex 94, 149		
\thecontentspage . .	\theL@lines		
. . . 3977, 3984,	10781, 10786, 10793		



<code>\ther@tfl@t</code> .. 13293,	4836, 4837, 5015, 7426
13294, 13336, 13337	5016, 5274, 5275,	<code>\tikz@atbegin@picture</code>
<code>\thesection</code> 19,	6763, 6764, 6886, 15206, 15215
145, 468, 621,	6887, 8942, 8943,	<code>\tikz@atend@picture</code>
877, 1141, 3926,	9219, 9220, 9232, 15207, 15219
4834, 4835, 5013,	9233, 11340,	<code>\tikz@installcommands</code>
5014, 5272, 5273,	11343, 12493, 15210
6762, 6884, 6885,	12494, 12858,	<code>\tikz@lib@scope@check</code>
8940, 8941, 9217,	12859, 13062, 15216
9218, 9230, 9231,	13063, 13246,	<code>\tikz@startup@env</code> 15202
11337, 11339,	13247, 13711,	<code>\tikz@switchoff@shorthands</code>
11941, 11943,	13714, 14211, 15213
12491, 12492,	14214, 14814, 14817	<code>\tikz@time</code> 15209
12856, 12857,	<code>\thetable</code> 2013,	<code>\tikz@transform</code> . 15208
13060, 13061,	4843, 5022, 5269,	<code>\tiny</code> ... 1680, 3703, 4060
13244, 13245,	6881, 8949, 9214,	<code>\title</code> . 247, 365, 401,
13710, 14202,	9227, 11350,	708, 753, 962,
14210, 14809, 14813	12500, 12863,	1007, 1214, 1259,
<code>\thesubparagraph</code> 22,	13058, 13241,	1650, 2169, 2208,
148, 471, 624,	14226, 14825, 15038	4205, 4220, 4895,
880, 1144, 4838,	<code>\thinlines</code> 5520, 5530,	5074, 5163, 5199,
5017, 5276, 6765,	5543, 5553, 5566,	6704, 6738, 6801,
6888, 8944, 9221,	5576, 5589, 5599	6837, 8882, 8916,
9234, 11344,	<code>\thispagestyle</code>	12554, 12599,
12495, 12860, 97, 109,	12695, 12742,
13064, 13248,	152, 389, 522,	12947, 12988,
13715, 14215, 14818	537, 743, 788,	13135, 13171,
<code>\thesubsection</code> .. 19,	997, 1042, 1249,	13591, 14059, 14693
20, 145, 146,	4291, 4313, 4334,	<code>\TitleBarFrame</code>
468, 469, 621,	4732, 4911, 5124,	... 9571, 9590,
622, 877, 878,	5187, 6728, 6825,	9592, 9594, 9596
1141, 1142, 3933,	6941, 6944, 8906,	<code>\titlecolour</code> . 2138, 6136
4835, 4836, 5014,	10712, 10715,	<code>\titlecontents</code>
5015, 5273, 5274,	11327, 12377,	... 3972, 3979,
6762, 6763, 6885,	12589, 12634,	3986, 3993, 4000
6886, 8941, 8942,	12730, 12976,	<code>\TitleFont</code> . 657, 673,
9218, 9219, 9231,	13097, 13159,	764, 766, 772,
9232, 11338,	13496, 13569,	911, 927, 1018,
11341, 12492,	13964, 14037,	1020, 1026, 1163,
12493, 12857,	14598, 14671, 15385	1179, 1271, 1273,
12858, 13061,	<code>\thm@topsepadd</code> 11962,	1279, 1282, 1283,
13062, 13245,	11963, 11966,	1288, 4860, 5039,
13246, 13710,	11982, 11983, 11986	12503, 12519,
13712, 14210,	<code>\thr@@</code> 276,	12610, 12612,
14212, 14813, 14815	292, 1308, 1326,	12618, 12640,
<code>\thesubsubsection</code> .	1350, 1359, 7472,	12658, 12756,
.... 20, 21, 146,	7476, 15155, 15175	12758, 12764,
147, 469, 470,	<code>\threecolumnfootnotes</code>	12767, 12768, 12773
622, 623, 878, 7337	<code>\titlefont</code> ... 2147,
879, 1142, 1143,	<code>\threecolumnfootstyle</code>	2155, 6169, 13510,



13623, 13978,	\tocstyle@feature@parfillskip	117, 121,
14091, 14612, 14725 15784, 15785	9000, 9001, 9002,
\titleformat .. 3916,	\tocstyle@feature@raggedhook	9003, 9032, 9033,
3923, 3930, 3937 15720	9034, 9035, 9845,
\titlehead	\tocstyle@feature@spaceafternumber	9848, 9882, 9884,
13593, 14061, 14695 15821,	9888, 9890, 9893,
\titlepage 548,	15825, 15846, 15850	10420, 10423,
857, 1111, 4798,	\tocstyle@indentstyle	15101, 15121, 15127
4991, 12388, 12840 15771, 15841	\tolerance
\titlepagestyle ...	\tocstyle@l@define	7237, 7381, 7524,
13569, 14037, 14671	.. 15858, 15861,	7671, 7818, 7965,
\titlespacing	15866, 15870,	8112, 8259, 8406
.. 3944, 3945, 3946	15874, 15878,	\toname 6950, 10721
\titlestyle . 2155, 6200	15882, 15886,	\topheight
\toaddress . 6950, 10721	15890, 15894, 15926	.. 12067, 12069,
\toc@headstar	\tocstyle@macrochangewarning	12070, 12071,
..... 15375, 15380 15914, 15921	12073, 12079,
\toc@l@number . 13651,	\tocstyle@numberline	12081, 12083,
13652, 13686, 15700, 15819	12084, 12085,
13687, 14119,	\tocstyle@samed@dottedtocline	12148, 12149,
14120, 14146, 15916	12150, 12151,
14147, 14176,	\tocstyle@samed@numberline	12155, 12156, 12160
14177, 14753, 15924	\topmargin 1620, 2092,
14754, 14783, 14784	\tocstyledepth 15711,	6421, 9172, 16819
\toclevel@subfigure	15723, 15735,	\topmark 9000,
..... 15587	15755, 15756,	9009, 9032, 9041
\toclevel@subtable 15607	15759, 15777,	\topsep ... 1762, 1771,
\tocstyle@numberline	15778, 15827,	2281, 2907, 4054,
..... 15822,	15829, 15831, 15835	4096, 11359, 11361
15824, 15842,	\tocstyleTOC	\topskip
15844, 15847, 15849	.. 15723, 15726,	1628, 5870, 5873,
\tocstyle@activate@all@l	15727, 15729,	9655, 9657,
..... 15935	15731, 15735,	9662, 11365,
\tocstyle@activate@features	15736, 15738,	11619, 15351,
..... 15712	15739, 15743,	15357, 15362,
\tocstyle@dottedtocline	15747, 15748,	15369, 15374, 15379
..... 15699	15751, 15752,	\TOTALHEIGHT 15187, 15191
\tocstyle@feature@dothook	15755, 15756,	\totalheight 9875
..... 15798	15759, 15761,	\traditionalpoem . 4629
\tocstyle@feature@entryhook	15763, 15764,	\traditionalpoem@cr
..... 15794	15768, 15773,	.. 4500, 4549, 4550
\tocstyle@feature@entryvskip	15774, 15777,	\traditionalpoem@obeylines
..... 15713, 15716	15778, 15827, 4430, 4629
\tocstyle@feature@leaders	15829, 15830, 15834	\traditionalpoem@par
..... 15796, 15801	\today 4430, 4431, 4549
\tocstyle@feature@pagenumberbox	120, 1393, 1394,	\trimb 3602, 3609
..... 15804, 15807	1396, 1397, 3600,	\trimc
\tocstyle@feature@pagenumberhook	3601, 3607, 5430,	\trivlist
..... 15805, 15807	9649, 9650, 9651	. 9083, 11964, 11984
		\ttdefault .. 6075, 6167



<code>\uc@tx</code> 713, 721, 967, 975, 1219, 1227, 12559, 12567, 12700, 12708	<code>\unkern</code> 3724	6362, 7034, 7047, 7060, 7121, 7153, 7159, 7189, 7250, 7262, 7275, 7315, 7394, 7405, 7417, 7455, 7537, 7549, 7562, 7602, 7684, 7696, 7709, 7749, 7831, 7843, 7856, 7896, 7978, 7990, 8003, 8043, 8125, 8137, 8150, 8190, 8272, 8284, 8297, 8337, 8419, 8431, 8444, 8484, 8507, 8614, 8627, 8640, 8688, 8707, 8714, 8738, 8746, 8752, 8758, 9472, 9485, 9498, 9534, 9539, 9642, 9652, 9679, 11265, 11283, 11473, 11475, 11483, 11501, 11503, 11555, 11557, 11565, 11583, 11585, 11637, 12105, 12109, 12114, 12118, 12130, 12141, 12161, 12164, 12169, 16449
<code>\uc@ty</code> 722, 723, 976, 977, 1228, 1229, 12568, 12569, 12709, 12710	<code>\unpenalty</code> . . . 5363, 5853, 5865, 5876, 5882, 8512, 8530, 8540, 9679	<code>\unvcopy</code> 5848, 6285, 6342
<code>\undefined</code> . . . 4582, 4635, 4638, 4640, 13816, 13818, 13820, 14340, 14342, 14344, 14931, 14933, 14935	<code>\unrestored@protected@xdef</code> 1879, 1887, 1895, 3804, 3831, 3858, 4608, 4615, 4622, 9393, 9402, 9551, 9566, 10273, 10284, 10295, 10306	<code>\uppercase</code> 235, 693, 713, 947, 967, 1199, 1219, 4880, 5059, 12539, 12559, 12678, 12700
<code>\underline</code> . . . 16519, 16527	<code>\unsetfootnoteRL</code> 9408, 9409	<code>\uppercasenonmath</code> . 110
<code>\undertext</code> 16527	<code>\unsetLTR</code> . . 12226, 16284	<code>\uppermargin</code> 6405
<code>\unexpanded</code> 2471, 2480, 2481, 2488, 2489, 2502, 2503, 2510, 2511, 2612, 2733	<code>\unsetRTL</code> . . 12251, 16315	<code>\uppertitleback</code> . . . 13596, 14064, 14698
<code>\unhbox</code> 1423, 4455, 4720, 5456, 8509, 8533, 8543, 8546, 8709, 8711, 8716, 8718, 16422, 16429, 16449, 16572, 16573, 16574, 16575	<code>\unsetRTL</code> . . 12225, 16283	<code>\upshape</code> 3977, 3984, 3991, 3998, 4005, 6076, 6080, 6081, 6168, 6173, 6174, 12267
<code>\unhcopy</code> 15066	<code>\unskip</code> 45, 58, 73, 179, 192, 206, 263, 1375, 1376, 1377, 3158, 3161, 3164, 3167, 3810, 3837, 3864, 4482, 4493, 5360, 5853, 5865, 5876, 5878, 5882, 5886, 7148, 8510, 8511, 9529, 11259, 11262, 13385, 13395, 13413, 13813, 13834, 13839, 13848, 14337, 14358, 14363, 14372, 14928, 14949, 14954, 14963, 16379, 16776	<code>\url@</code> 10645
<code>\unitindent</code> . . . 558, 569, 570, 572, 645, 653, 798, 799, 801, 867, 868, 870, 871, 883, 890, 984, 1056, 1057, 1059, 1121, 1130, 1138, 4746, 4747, 4749, 4823, 4831, 4925, 4926, 4928, 4979, 4987, 12398, 12409, 12410, 12412, 12463, 12471, 12783, 12784, 12786, 12850, 12887, 12895	<code>\unvbox</code> . . 2002, 2027, 2032, 2041, 2044, 5374, 5375, 5621, 5624, 5641, 5645, 5680, 5723, 5780, 5788, 5789, 5798, 5876, 5878, 5882, 5885, 5891, 5895, 5944, 5952, 5953, 5962, 6010, 6241, 6244, 6245, 6262, 6265, 6266, 6291, 6298, 6303, 6308, 6348, 6353, 6357,	<code>\urlstyle</code> 2111
<code>\unitlength</code> 5520, 5530, 5543, 5553, 5566, 5576, 5589, 5599		<code>\usebox</code> 1747,



1757, 3005, 3131, 3133, 3138, 3140, 3149, 3150, 3153, 3154, 3361, 6511, 6514, 6522, 6529, 6537, 6544, 6587, 9963, 9967, 10050, 10052, 10056, 10058, 10063, 10065, 10069, 10071, 10075, 10077, 10081, 10083, 10089, 10090, 10093, 10094, 10098, 10099, 10102, 10103, 10106, 10107, 10110, 10111, 10125, 10126, 10128, 10129, 10141, 10142, 10144, 10145, 10151, 10152, 10155, 10156, 10160, 10161, 10164, 10165, 10168, 10169, 10172, 10173, 10180, 10182, 10186, 10188, 10193, 10195, 10199, 10201, 10205, 10207, 10211, 10213, 10226, 10228, 10825, 10827, 12176, 12177, 16235	13625, 13661, 13662, 13697, 13698, 13934, 13943, 13980, 14093, 14129, 14130, 14156, 14157, 14187, 14188, 14568, 14577, 14614, 14727, 14763, 14764, 14794, 14795	\varyourref . . 14443, 14454, 14455, 14458 \vbadness 7178, 7182, 8998, 9030, 9131, 12057 \vbox 28, 163, 233, 318, 324, 464, 650, 888, 1135, 1343, 1410, 1959, 2027, 2032, 2035, 2040, 2041, 2044, 3388, 3389, 3391, 4442, 4828, 4984, 5261, 5368, 5373, 5443, 5621, 5624, 5641, 5645, 5656, 5666, 5678, 5692, 5705, 5721, 5742, 5748, 5753, 5756, 5762, 5765, 5770, 5775, 5779, 5787, 5797, 5848, 5876, 5878, 5881, 5890, 5908, 5920, 5932, 5933, 5935, 5939, 5943, 5951, 5961, 6009, 6015, 6233, 6241, 6242, 6250, 6254, 6262, 6263, 6271, 6285, 6290, 6294, 6297, 6301, 6302, 6319, 6326, 6342, 6347, 6351, 6352, 6355, 6356, 6371, 6378, 6670, 6970, 7033, 7046, 7059, 7119, 7249, 7261, 7274, 7314, 7393, 7404, 7416, 7454, 7536, 7548, 7561, 7601, 7683, 7695, 7708, 7748, 7830, 7842, 7855, 7895, 7977, 7989, 8002, 8042, 8124, 8136, 8149, 8189, 8271, 8283, 8296, 8336, 8418, 8430, 8443, 8483, 8507, 8573, 8584,
	V	
\v@aaa . . .	5741, 5743, 5744, 5745, 5747, 5749, 5750, 5751, 5752, 5907, 5909, 5911, 5913, 5914, 5919, 5920, 5922, 5925, 5926, 5929	
\v@ccc	5742, 5748, 5750, 5751, 5752, 5753, 5762, 5770, 5908, 5920, 5921, 5925, 5928, 5932, 5935	
\vadjust	4458, 4459, 4466	
\valign	7179, 7183	
\value	3645, 3677, 9245, 9260, 9261, 9264, 9265, 9268, 13803, 14327, 14918, 15082	
\varcustomer . .	14446, 14472, 14473, 14476	
\varinvoice . .	14447, 14478, 14479, 14482	
\varmyref	14445, 14466, 14467, 14470	
\varrefitemi . .	14448, 14484, 14485, 14488	
\varrefitemii .	14449, 14490, 14491, 14494	
\varrefitemiii	14450, 14496, 14497, 14500	
\varrefitemnamei .	14486	
\varrefitemnameii	14492	
\varrefitemnameiii	14498	
\varyourmail . .	14444, 14460, 14461, 14464	
\usecounter . 87, 221, 500, 634, 902, 1154, 2287, 4092, 4812, 5005, 5315, 6656, 6928, 8844, 12483, 12876, 13074, 13278, 13745, 13750, 14269, 14274, 14860, 14865, 15324		
\usekomafont . .	13466, 13475, 13512,	



8595, 8613, 8620,	13300, 13345, 16269	\vrule 307, 1422, 3390,
8626, 8633, 8639,	\vboxR 12203, 16261	3391, 4441, 4443,
8646, 8680, 8687,	\vcenter	5455, 5658, 5697,
8694, 8735, 8743,	318, 1407, 5440,	5760, 5772, 5937,
8756, 8831, 9012,	15068, 16316,	9014, 9049, 9758,
9045, 9132, 9137,	16446, 16447, 16540	9777, 11178, 11214,
9160, 9173, 9187,	\veqno 254, 255	11477, 11484,
9332, 9471, 9484,	\verb 15081	11509, 11559,
9497, 9515, 9639,	\VerbBox 6568, 6570	11566, 11592,
9652, 9676, 9755,	\verse@i . 4472, 4503,	11619, 11732,
9775, 10730,	4509, 4517, 4558	11743, 15021,
11187, 11227,	\verse@ii 4483,	15063, 16543,
11265, 11365,	4504, 4510, 4512,	16599, 16621, 16768
11467, 11472,	4518, 4520, 4558	\vsize . . . 2019, 2039,
11474, 11482,	\versewidth	2047, 5818, 5983,
11500, 11505,	. . 4435, 4445, 4537	9152, 9604, 9655
11549, 11554,	\vfil . . 340, 354, 549,	\vskip . 236, 239, 341,
11556, 11564,	552, 670, 699,	344, 350, 409,
11582, 11587,	858, 861, 924,	415, 421, 425,
11615, 11814,	953, 1112, 1115,	489, 567, 671,
12091, 12092,	1176, 1205, 4442,	680, 690, 761,
12105, 12109,	4799, 4802, 4857,	765, 771, 775,
12114, 12118,	4886, 4992, 4995,	796, 925, 934,
12130, 12141,	5036, 5065, 5138,	944, 1015, 1019,
12156, 12158,	5152, 6241, 6262,	1025, 1029, 1054,
12160, 12163,	6681, 6695, 6776,	1177, 1186, 1196,
12168, 12203,	6790, 8859, 8873,	1267, 1272, 1278,
12210, 12211,	12389, 12392,	1282, 1288, 1291,
12218, 12278,	12516, 12545,	1974, 4498, 4525,
12468, 12892,	12655, 12684,	4561, 4562, 4568,
13050, 13233,	12841, 12844,	4572, 4574, 4685,
13471, 13789,	12922, 12936,	4687, 4744, 4783,
13830, 13939,	13110, 13124, 16822	4858, 4867, 4877,
14313, 14354,	\vfill 4287, 7179, 7183,	4923, 4962, 5037,
14438, 14573,	12156, 12161,	5046, 5056, 5087,
14904, 14945,	12162, 13310,	5092, 5096, 5098,
15033, 15068,	13325, 13357,	5104, 5108, 5110,
15073, 15857,	13374, 13504,	5139, 5142, 5148,
15860, 15865,	13526, 13531,	5207, 5213, 5219,
15869, 15873,	13537, 13972,	5223, 5243, 5284,
15877, 15881,	13994, 13999,	5289, 5297, 5679,
15885, 15889,	14005, 14606,	5722, 5782, 5783,
15893, 16261,	14628, 14633, 14639	5791, 5792, 5801,
16268, 16269,	\vfuzz . . 3613, 3616, 3617	5802, 5883, 5946,
16276, 16439,	\vleftskip . 11333, 11334	5947, 5955, 5956,
16444, 16540,	\voffset 1624	5965, 5966, 6306,
16557, 16597,	\voidb@x 5341	6360, 6637, 6645,
16616, 16754,	\vphantom 15998	6682, 6685, 6691,
16790, 16820, 16821	\vpic . 12081, 12091, 12092	6746, 6750, 6756,
\vboxL 12211,	\vrightskip 11333, 11334	6760, 6777, 6780,



6786, 6845, 6851,	13539,	13617,	3888, 3895, 3974,
6857, 6861, 6896,	13621,	13624,	3981, 3988, 3995,
6901, 6910, 7140,	13626,	13633,	4002, 4285, 4329,
7150, 7162, 8721,	13635,	13638,	4333, 5081, 5101,
8725, 8739, 8747,	13643,	13784,	5278, 5292, 6890,
8748, 8793, 8811,	13791,	13875,	6905, 6949, 6951,
8815, 8823, 8860,	13877,	13881,	6953, 8806,
8863, 8869, 8924,	13883,	13933,	8818, 10720,
8928, 8934, 8938,	13942,	13976,	10722, 11247,
9172, 9174, 9175,	13979,	13981,	11260, 13250,
9531, 9640, 9678,	13987,	13989,	13262, 14509,
9683, 10797,	13991,	14007,	14512, 14514,
10847, 10860,	14085,	14089,	14519, 15351,
11205, 11280,	14092,	14094,	15357, 15362,
11359, 11361,	14101,	14103,	15369, 15374, 15379
11364, 11405,	14106,	14111,	\vsplit 5616,
11414, 11422,	14173,	14308,	5617, 5634, 5638,
11475, 11476,	14315,	14399,	5743, 5749, 5754,
11478, 11485,	14401,	14405,	5909, 5911, 5920,
11502, 11557,	14407,	14451,	5932, 6012, 7188,
11558, 11560,	14452,	14567,	8999, 9031, 9648,
11567, 11584,	14576,	14610,	12062, 12065,
11626, 11638,	14613,	14615,	12084, 12085,
11657, 11669,	14621,	14623,	12103, 12107,
11681, 12056,	14625,	14641,	12112, 12116,
12073, 12094,	14719,	14723,	12128, 12139, 12166
12160, 12407,	14726,	14728,	\vss 233, 2032,
12446, 12517,	14735,	14737,	2044, 5669, 5708,
12526, 12536,	14740,	14745,	5743, 5749, 5754,
12607, 12611,	14780,	14899,	5762, 5765, 5770,
12617, 12621,	14906,	14990,	5775, 5910, 5920,
12656, 12665,	14992,	14996,	5932, 5935, 5939,
12675, 12750,	14998,	15443,	6013, 6298, 6308,
12757, 12763,	15462,	15483,	6353, 6362, 9188,
12767, 12773,	15500,	15517,	12091, 12092,
12776, 12781,	15534,	15551,	12163, 12278, 16449
12820, 12923,	15569,	15588,	\vtop . 318, 1342, 1409,
12926, 12932,	15608,	15643,	3449, 3493, 3537,
12996, 13002,	15714,	15898,	5374, 5442, 11169,
13007, 13010,	16055,	16059,	15068, 16445,
13029, 13111,	16078,	16461,	16540, 16669, 16713
13114, 13120,	16470,	16479,	W
13179, 13185,	16488,	16578,	\waslice 12091, 12109,
13191, 13195,	16754,	16819,	12114, 12130,
13215, 13255,	16830, 16845, 16853		12149, 12150, 12159
13259, 13267,	\vspace 2211,		\wbslice 12092,
13465, 13474,	2998, 3082, 3090,		12105, 12118,
13508, 13511,	3668, 3672, 3732,		12141, 12148,
13513, 13519,	3736, 3749, 3753,		12150, 12151,
13521, 13523,	3766, 3770, 3881,		



12155, 12156, 12163, 12168, 12169	16072, 16075, 16084, 16119, 16121	16175, 16176, 16206, 16222, 16223
\wd 4448, 4449, 4509, 4510, 4512, 4518, 4558, 4659, 4661, 4674, 4676, 5464, 6581, 6585, 8517, 8978, 9093, 9577, 9695, 9696, 9820, 9822, 9866, 9868, 9969, 10050, 10052, 10056, 10058, 10089, 10090, 10093, 10094, 10118, 10119, 10121, 10134, 10135, 10137, 10151, 10152, 10155, 10156, 10180, 10182, 10186, 10188, 10768, 10798, 10799, 10810, 10854, 11200, 11266, 11371, 11375, 11377, 11385, 11416, 11698, 12049, 12245, 13297, 13342, 13398, 13405, 13828, 14352, 14457, 14463, 14469, 14475, 14481, 14487, 14493, 14499, 14505, 14943, 15132, 15183, 15253, 15270, 16089, 16133, 16307, 16426, 16515, 16847	\WF@ovh 16089 \WF@place . 16087, 16093 \WF@putfigmaybe . 16053 \WF@size ... 16066, 16120 \WF@startwrapping 16125 \WF@wfname 16084, 16119, 16121 \WF@wrapil . 16113, 16116 \whiledo 9136 \widowpenalty 88, 222, 506, 637, 905, 1157, 2290, 4546, 4815, 5008, 5321, 6659, 6934, 8847, 11898, 12486, 12879, 13080, 13284, 13755, 14279, 14870, 15330 \WIDTH 15183, 15191 \width . 9598, 9888, 9890 \widthof 6436, 6441 \windowbox . 12158, 12164 \wlog 5744, 5750, 5752, 5913, 5921, 5928 \write ... 2005, 4431, 4434, 4645, 15120 \wstrutbox 12068, 12070 X \x 10681, 10690, 10692, 10704 \XC@@tmp 16160, 16161, 16175, 16209, 16210, 16218, 16222 \XC@@tstfalse 16160, 16209 \XC@@tsttrue .. 16161, 16162, 16163, 16210, 16211, 16212 \XC@bidideclaredcolor 16216, 16221 \XC@bidideclaredcolor 16215, 16217 \XC@bidiundeclaredcolor 16200, 16202 \XC@coremodel 16144, 16187 \XC@current@color 16172,	\XC@declaredcolor 16167, 16174 \XC@declaredcolor 16166 \XC@display .. 16173, 16177, 16207, 16224 \XC@edef ... 16160, 16209 \XC@fbox 16228 \XC@getmodclr 16140, 16183 \XC@inflate 16154, 16197 \XC@let@Nc . 16175, 16222 \XC@mclr ... 16154, 16197 \XC@mmod 16152, 16153, 16195, 16196 \XC@mul 16155, 16198 \XC@split 16218 \XC@tgt@mod 16148, 16191 \XC@type ... 16161, 16210 \XC@undeclaredcolor 16157, 16168 \xcolor@ ... 16172, 16206 \xdef .. 260, 313, 1700, 1999, 2410, 2488, 2489, 2492, 2493, 2510, 2511, 2514, 2515, 4449, 4451, 4532, 4534, 4536, 6251, 6272, 6317, 6323, 6324, 6369, 6375, 6376, 8566, 8671, 8728, 9001, 9003, 9033, 9035, 9379, 10421, 10761, 11185, 15270, 15739, 15743, 15764, 15768, 15830, 15834, 16087, 16092, 16113, 16114, 16116, 16117 \XeLaTeX 10673, 16311, 16995, 16996 \XeTeX .. 10672, 12247, 16309, 16993, 16994 \xyzzz 3594 Y \y 10677, 10679, 10680, 10683, 10690
\WF@@everypar ... 16052 \WF@adjlw .. 16092, 16117 \WF@adjltl .. 16114, 16117 \WF@box 16089, 16122, 16123 \WF@floatfalse 16055, 16063, 16073, 16076 \WF@fltmes 16082 \WF@info 16062,		



\yourmailname 14462
 \yourrefname 14456

Z

\z@ 12, 24,
 45, 58, 73, 95, 99,
 107, 124, 138, 150,
 154, 179, 192, 206,
 233, 241, 245,
 277, 281, 284,
 295, 310, 315,
 321, 322, 386,
 433, 445, 450,
 479, 517, 522,
 523, 533, 537,
 538, 567, 568,
 571, 573, 586,
 611, 665, 682,
 740, 784, 788,
 789, 796, 797,
 800, 803, 815,
 832, 869, 872,
 919, 936, 982,
 994, 1038, 1042,
 1043, 1054, 1055,
 1058, 1060, 1073,
 1099, 1171, 1188,
 1246, 1283, 1309,
 1313, 1316, 1329,
 1351, 1359, 1377,
 1387, 1389, 1399,
 1401, 1406, 1420,
 1422, 1423, 1919,
 1974, 2002, 2018,
 2020, 2027, 2031,
 2032, 2035, 2041,
 2895, 2904, 3197,
 3430, 3434, 3474,
 3478, 3518, 3522,
 4051, 4078, 4109,
 4121, 4299, 4462,
 4465, 4468, 4509,
 4510, 4512, 4518,
 4532, 4536, 4540,
 4541, 4542, 4543,
 4544, 4545, 4558,
 4571, 4639, 4651,
 4652, 4659, 4661,
 4674, 4676, 4684,
 4728, 4732, 4733,

4744, 4745, 4748,
 4750, 4763, 4786,
 4840, 4842, 4844,
 4852, 4869, 4907,
 4911, 4912, 4923,
 4924, 4927, 4929,
 4942, 4965, 5019,
 5021, 5023, 5031,
 5048, 5082, 5102,
 5119, 5124, 5125,
 5184, 5231, 5246,
 5266, 5268, 5270,
 5279, 5293, 5343,
 5344, 5355, 5357,
 5385, 5387, 5432,
 5434, 5439, 5453,
 5455, 5456, 5461,
 5462, 5463, 5464,
 5465, 5499, 5510,
 5628, 5737, 5784,
 5793, 5803, 5821,
 5824, 5861, 5903,
 5948, 5957, 5967,
 5986, 5989, 6239,
 6260, 6277, 6278,
 6280, 6281, 6289,
 6311, 6313, 6316,
 6334, 6335, 6337,
 6338, 6346, 6363,
 6365, 6368, 6550,
 6572, 6574, 6576,
 6579, 6581, 6583,
 6585, 6587, 6588,
 6594, 6599, 6613,
 6627, 6640, 6725,
 6822, 6868, 6878,
 6880, 6882, 6891,
 6906, 6996, 7012,
 7028, 7042, 7055,
 7068, 7103, 7108,
 7163, 7164, 7236,
 7380, 7523, 7670,
 7817, 7964, 8111,
 8258, 8405, 8516,
 8601, 8605, 8609,
 8701, 8722, 8723,
 8724, 8781, 8796,
 8807, 8819, 8903,
 8946, 8948, 8950,
 8979, 9118, 9171,

9188, 9211, 9213,
 9215, 9224, 9226,
 9228, 9374, 9423,
 9439, 9454, 9480,
 9493, 9506, 9520,
 9524, 9645, 9695,
 9702, 9728, 9729,
 9730, 9803, 9804,
 9805, 9810, 9811,
 9812, 9813, 9814,
 9816, 9817, 9819,
 9820, 9822, 9856,
 9857, 9858, 9859,
 9860, 9862, 9863,
 9865, 9866, 9868,
 10784, 10834,
 10838, 10873,
 11147, 11149, 11181,
 11187, 11190,
 11195, 11198,
 11214, 11238,
 11240, 11262,
 11291, 11321,
 11324, 11348,
 11457, 11461,
 11471, 11529,
 11539, 11543,
 11553, 11608,
 11625, 11634,
 11636, 11657,
 11669, 11681,
 11701, 11712,
 11718, 11888,
 11892, 11933,
 11943, 12177,
 12219, 12221,
 12243, 12244,
 12245, 12254,
 12255, 12278,
 12323, 12324,
 12338, 12341,
 12355, 12373,
 12377, 12378,
 12407, 12408,
 12411, 12413,
 12426, 12449,
 12497, 12499,
 12501, 12511,
 12528, 12586,
 12630, 12634,



12635,	12650,	13989,	14007,	16132,	16133,
12667,	12727,	14034,	14078,	16228,	16235,
12768,	12781,	14103,	14124,	16277,	16279,
12782,	12785,	14151,	14182,	16305,	16306,
12787,	12800,	14308,	14315,	16307,	16330,
12823,	12862,	14360,	14428,	16331,	16332,
12864,	12866,	14559,	14567,	16400,	16401,
12921,	12964,	14576,	14600,	16405,	16461,
12973,	13000,	14623,	14641,	16470,	16479,
13017,	13032,	14668,	14712,	16488,	16492,
13055,	13057,	14737,	14758,	16512,	16513,
13059,	13092,	14789,	14899,	16545,	16556,
13097,	13098,	14906,	14951,	16564,	16569,
13156,	13203,	15023,	15047,	16578,	16650,
13218,	13238,	15059,	15063,	16654,	16694,
13240,	13242,	15156,	15160,	16698,	16739,
13251,	13263,	15167,	15178,	16743,	16746,
13297,	13298,	15237,	15238,	16756,	16757,
13299,	13342,	15248,	15252,	16761,	16768,
13343,	13344,	15253,	15254,	16800,	16817,
13382,	13386,	15257,	15266,	16828,	16856, 16857
13387,	13392,	15267,	15269,	\z@skip	1974,
13396,	13397,	15270,	15272,	9169, 9170, 11238,	
13398,	13403,	15280,	15285,	11241,	12338,
13404,	13405,	15300,	15385,	12342,	12352,
13410,	13414,	15386,	15460,	15027,	15032,
13415,	13457,	15550,	15568,	15066,	15072,
13465,	13474,	15661,	15714,	16491,	16492,
13498,	13521,	15719,	15724,	16549,	16555, 16817
13539,	13566,	15772,	15898,	\zifrefundefined . .	
13610,	13635,	16062,	16069,	9277, 9300
13656,	13679,	16070,	16088,	\zref@extractdefault	
13692,	13784,	16104,	16107,	9282, 9303
13791,	13836,	16116,	16117,	\zref@labelbyprops	
13925,	13933,	16119,	16123,	9248, 9323
13942,	13966,	16130,	16131,		

9 Change History

v13.9	General: Added implementaion of the package.	o	lot, lof, etc with multicol package.	266	
v14.2	General: Fixed the wrong order of toc,		v14.3	General: Removed \leavevmode to avoid extra \par.	120

