



The bidi Package

Source documentation for version 33.2

*to my Master, **Ferdowsi The Great***

If you enjoy the bidi package and want to support the project, then please consider donating to the project. It allows me to spend more time working on the bidi package, encourages me to continue, and is the perfect way to say thank you!

You can use *My PayPal.Me* to donate to the bidi package at

<https://www.paypal.me/persiantex>

If you have a problem using *My PayPal.Me*, then please email me at persian-tex@tug.org.

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://sourceforge.net/p/persian-tex-dist/tickets>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

Copyright (c) 2007–2018 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bid* Package

Bidirectional typesetting in plain \TeX and \LaTeX , using \XeTeX engine

Source documentation for [version 33.2](#)

Vafa Khalighi
persian-tex@tug.org

September 15, 2018

Contents

1	File <code>amsart-xetex-bidi.def</code>	4	17	File <code>bidicode.sty</code>	43
2	File <code>adjmulticol-xetex-bidi.def</code>	6	18	File <code>bidiftnextra.sty</code>	46
3	File <code>algorithm2e-xetex-bidi.def</code>	7	19	File <code>bidimoderncv.cls</code>	50
4	File <code>amsbook-xetex-bidi.def</code>	8	20	File <code>biditools.sty</code>	55
5	File <code>amsmath-xetex-bidi.def</code>	10	21	File <code>bidituftefloat.sty</code>	89
6	File <code>amstext-xetex-bidi.def</code>	11	22	File <code>bidituftesidenote.sty</code>	101
7	File <code>amsthm-xetex-bidi.def</code>	11	23	File <code>bidituftetoc.sty</code>	112
8	File <code>array-xetex-bidi.def</code>	11	24	File <code>bidituftegeneralstructure.sty</code>	115
9	File <code>article-xetex-bidi.def</code>	12	25	File <code>bidituftehyperref.sty</code>	117
10	File <code>artikel1-xetex-bidi.def</code>	16	26	File <code>bidituftetitle.sty</code>	118
11	File <code>artikel2-xetex-bidi.def</code>	21	27	File <code>biditufte-handout.cls</code>	121
12	File <code>artikel3-xetex-bidi.def</code>	26	28	File <code>biditufte-book.cls</code>	121
13	File <code>arydshln-xetex-bidi.def</code>	32	29	File <code>bidipoem.sty</code>	123
14	File <code>bidi.sty</code>	34	30	File <code>boek3-xetex-bidi.def</code>	130
15	File <code>bidi.tex</code>	40	31	File <code>boek-xetex-bidi.def</code>	133
16	File <code>bidi2in1.sty</code>	42	32	File <code>bookest-xetex-bidi.def</code>	137

33	File book-xetex-bidi.def	138	61	File floatrow-xetex-bidi.def	226
34	File breqn-xetex-bidi.def	142	62	File flowfram-xetex-bidi.def	226
35	File cals-xetex-bidi.def	143	63	File footnote-xetex-bidi.def	229
36	File caption-xetex-bidi.def	144	64	File framed-xetex-bidi.def	236
37	File caption3-xetex-bidi.def	144	65	File ftnright-xetex-bidi.def	240
38	File colortbl-xetex-bidi.def	144	66	File graphicx-xetex-bidi.def	242
39	File color-xetex-bidi.def	145	67	File geometry-xetex-bidi.def	244
40	File combine-xetex-bidi.def	146	68	File hvfloat-xetex-bidi.def	245
41	File crop-xetex-bidi.def	146	69	File hyperref-xetex-bidi.def	251
42	File cutwin-xetex-bidi.def	148	70	File imsgproc-xetex-bidi.def	263
43	File cuted-xetex-bidi.def	149	71	File leqno-xetex-bidi.def	265
44	File cvthemebidicasual.sty	158	72	File letter-xetex-bidi.def	265
45	File cvthemebidiclassic.sty	160	73	File lettrine-xetex-bidi.def	265
46	File dblfnote-xetex-bidi.def	162	74	File lineno-xetex-bidi.def	268
47	File diagbox-xetex-bidi.def	165	75	File listings-xetex-bidi.def	269
48	File draftwatermark-xetex-bidi.def	168	76	File loadingorder-xetex-bidi.def	271
49	File eso-pic-xetex-bidi.def	168	77	File longtable-xetex-bidi.def	277
50	File empheq-xetex-bidi.def	169	78	File mathtools-xetex-bidi.def	279
51	File extarticle-xetex-bidi.def	172	79	File mdframed-xetex-bidi.def	279
52	File extbook-xetex-bidi.def	176	80	File bidi-media9.sty	281
53	File extletter-xetex-bidi.def	179	81	File memoir-xetex-bidi.def	293
54	File extrafootnotefeatures-xetex-bidi.def	181	82	File midfloat-xetex-bidi.def	296
55	File extreport-xetex-bidi.def	219	83	File minitoc-xetex-bidi.def	301
56	File fancybox-xetex-bidi.def	222	84	File multicol-xetex-bidi.def	302
57	File fancyhdr-xetex-bidi.def	223	85	File multienum-xetex-bidi.def	304
58	File fix2col-xetex-bidi.def	223	86	File natbib-xetex-bidi.def	306
59	File fleqn-xetex-bidi.def	225	87	File newfloat-xetex-bidi.def	306
60	File float-xetex-bidi.def	226	88	File ntheorem-xetex-bidi.def	307



89	File theorem-hyper-xetex-bidi.def	308	109	File soul-xetex-bidi.def	378
90	File overpic-xetex-bidi.def	308	110	File stabular-xetex-bidi.def	379
91	File pdfbase-xetex-bidi.def	309	111	File subfigure-xetex-bidi.def	380
92	File pdfpages-xetex-bidi.def	309	112	File tabs-xetex-bidi.def	380
93	File pgfcorescopes.code-xetex-bidi.def	309	113	File tabularx-xetex-bidi.def	380
94	File picinpar-xetex-bidi.def	312	114	File tabulary-xetex-bidi.def	382
95	File plain-xetex-bidi.def	314	115	File tc-xetex-bidi.def	383
96	File pstricks-xetex-bidi.def	317	116	File tcolorbox-xetex-bidi.def	383
97	File quotchap-xetex-bidi.def	317	117	File titlesec-xetex-bidi.def	384
98	File ragged2e-xetex-bidi.def	318	118	File titletoc-xetex-bidi.def	384
99	File rapport1-xetex-bidi.def	320	119	File tocbibind-xetex-bidi.def	385
100	File rapport3-xetex-bidi.def	325	120	File tocloft-xetex-bidi.def	387
101	File refrep-xetex-bidi.def	330	121	File tocbasic-xetex-bidi.def	393
102	File report-xetex-bidi.def	334	122	File tocstyle-xetex-bidi.def	406
103	File rotating-xetex-bidi.def	338	123	File todonotes-xetex-bidi.def	411
104	File scrartcl-xetex-bidi.def	341	124	File wrapfig-xetex-bidi.def	414
105	File scrbook-xetex-bidi.def	352	125	File xcolor-xetex-bidi.def	415
106	File scrlettr-xetex-bidi.def	364	126	File latex-xetex-bidi.def	418
107	File scrreprt-xetex-bidi.def	366	127	File xltextra-xetex-bidi.def	436
108	File sidecap-xetex-bidi.def	378	128	Index	436



1 File amsart-xetex-bidi.def

```

1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for Xe
2 \def\tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \@tempdima\csname r@tocindent\number#1\endcsname\relax
9     }{%
10      \@tempdima#4\relax
11    }%
12    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi
13    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16    \nobreak
17  \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27   \kern-.4p@
28   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29   \kern11p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4p@
31   \hrule\@width 5pc\kern11p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37     \reset@font%
38     \bidi@footnotetext@font% \normalfont\footnotesize
39     \interlinepenalty\interfootnotelinepenalty
40     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41     \floatingpenalty\@MM \hsize\columnwidth
42     \@parboxrestore \parindent\normalparindent \sloppy
43     \protected@edef\@currentlabel{%
44       \csname p@footnote\endcsname\@thefnmark}%
45     \makefnintext{%
46       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
47
48 \long\def\@RTLfootnotetext#1{%

```



```

49 \insert\footins{%
50   \@RTLtrue%
51   \reset@font%
52   \bidi@RTLfootnotetext@font% \normalfont\footnotesize
53   \interlinepenalty\interfootnotelinepenalty
54   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55   \floatingpenalty\@MM \hsize\columnwidth
56   \@parboxrestore \parindent\normalparindent \sloppy
57   \protected@edef\@currentlabel{%
58     \csname p@footnote\endcsname\@thefnmark}%
59   \@makefntext{%
60     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \@RTLfalse%
67     \reset@font%
68     \bidi@LTRfootnotetext@font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \@parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef\@currentlabel{%
74       \csname p@footnote\endcsname\@thefnmark}%
75     \@makefntext{%
76       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
77
78
79 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \@bibtitlestyle
85   \normalfont\bibliofont\labelsep .5em\relax
86   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88   \bidi@thebibliography@font@hook%
89   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90     \leftmargin\labelwidth \advance\leftmargin\labelsep
91     \usecounter{enumiv}}%
92   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93   \sfcode`\.=\@m
94 }{%
95   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96   \endlist
97 }
98 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi

```



```

99 \columnseprule\z@ \columnsep 35\p@
100 \@indextitlestyle
101 \thispagestyle{plain}%
102 \let\item\@idxitem
103 \parindent\z@ \parskip\z@\@plus.3\p@\relax
104 \if@RTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize}
107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\@subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\@subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111 \topnum\z@ % this prevents figures from falling at the top of page 1
112 \setcopyright
113 \thispagestyle{firstpage}% this sets first page specifications
114 \uppercase\nonmath\shorttitle
115 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
116 \else \andify\shortauthors
117 \fi
118 \@maketitle@hook
119 \begingroup
120 \@maketitle
121 \toks@{\xp{\shortauthors}}\@temptokena{\xp{\shorttitle}}%
122 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
123 \edef\@tempa{%
124 \nx\markboth{\the\toks4
125 \nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
126 \@tempa
127 \endgroup
128 \c@footnote\z@
129 \cleartopmattertags
130 }

```

2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol package]
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133 \def\@tempa{#2}%
134 \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135 \def\@tempa{#3}%
136 \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137 \ifnum\col@number<\@ne
138 \PackageWarning{adjmulticol}%
139 {Using '\number\col@number'
140 columns doesn't seem a good idea.^^J
141 I therefore use one column instead}%
142 \col@number\@ne\fi
143 \ifnum\col@number>10
144 \PackageError{adjmulticol}%
145 {Too many columns}%

```



```

146      {Current implementation doesn't
147      support more than 10 columns.%
148      \MessageBreak
149      I therefore use 10 columns instead}%
150      \col@number10 \fi
151      \ifx\@footnotetext\mult@footnotetext\else
152      \let\orig@footnotetext\@footnotetext
153      \let\@footnotetext\mult@footnotetext
154      \fi
155      \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156      \let\orig@LTRfootnotetext\@LTRfootnotetext
157      \let\@LTRfootnotetext\mult@LTRfootnotetext
158      \fi
159      \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160      \let\orig@RTLfootnotetext\@RTLfootnotetext
161      \let\@RTLfootnotetext\mult@RTLfootnotetext
162      \fi
163      \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]{}
164      \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pa
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
169 \fi%
170
171 \def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
172 \def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
173 \def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
174 \def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
175 \renewcommand{\@algocf@start}{%
176   \@algoskip%
177   \begin{bidi@lrbox}{\algocf@algobox}%
178   \setlength{\algowidth}{\hsize}%
179   \vbox\bgroup% save all the algo in a box
180   \hbox to\algowidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
181   \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
182   % initialization
183   \addtolength{\hsize}{-1.5\algomargin}%
184   \let\@mathsemicolon=\;\def\;\{\ifmmode\@mathsemicolon\else\@endalgoln\fi}%
185   \raggedright\AlFnt{}%
186   \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgocfslide}}{}%
187   \@algoinsideskip%
188   % \let\@mathdisplay=\]\def\]\{\algocf@endline\@mathdisplay\nl}%
189 }%
190 \renewcommand{\@algocf@finish}{%
191   \@algoinsideskip%
192   \egroup%end of vtop which contain all the text

```




```

193 \hfill\egroup%end of hbox wich contains [margin][vtop]
194 \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
195 %
196 \egroup%end of main vbox
197 \end{bidi@lrbox}%
198 \algocf@makethealgo% print the algo
199 \@algoskip%
200 % restore dimension and macros
201 \setlength{\hsize}{\algowidth}%
202 \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
203 \let\;=\@mathsemicolon%
204 \let\]=\@mathdisplay%
205 }%

```

4 File amsbook-xetex-bidi.def

```

206 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for Xe
207 \def\tocline#1#2#3#4#5#6#7{\relax
208 \ifnum #1>\c@tocdepth % then omit
209 \else
210 \par \addpenalty\@secpenalty\addvspace{#2}%
211 \begingroup \hyphenpenalty\@M
212 \@ifempty{#4}{%
213 \@tempdima\csname r@tocindent\number#1\endcsname\relax
214 }{%
215 \@tempdima#4\relax
216 }%
217 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip
218 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
219 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
220 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
221 \nobreak
222 \endgroup
223 \fi}
224 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
225 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
226 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
227 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
228 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
229 \columnseprule\z@ \columnsep 35\p@
230 \@indextitlestyle
231 \thispagestyle{plain}%
232 \let\item\@idxitem
233 \parindent\z@ \parskip\z@\@plus.3\p@\relax
234 \if@RTL\raggedleft\else\raggedright\fi
235 \hyphenpenalty\@M
236 \footnotesize}
237 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
238 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
239 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}

```



```

240 \def\right@footnoterule{%
241   \kern-.4\p@
242   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
243   \kern11\p@\kern-\footnotesep}
244 \def\left@footnoterule{\kern-.4\p@
245   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
246
247 \long\def\@footnotetext#1{%
248   \insert\footins{%
249     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
250     \reset@font%
251     \bidi@@footnotetext@font% \normalfont\footnotesize
252     \interlinepenalty\interfootnotelinepenalty
253     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
254     \floatingpenalty\@MM \hsize\columnwidth
255     \@parboxrestore \parindent\normalparindent \sloppy
256     \protected@edef\@currentlabel{%
257       \csname p@footnote\endcsname\@thefnmark}%
258     \@makefnintext{%
259       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
260
261 \long\def\@RTLfootnotetext#1{%
262   \insert\footins{%
263     \@RTLtrue%
264     \reset@font%
265     \bidi@RTL@footnotetext@font% \normalfont\footnotesize
266     \interlinepenalty\interfootnotelinepenalty
267     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
268     \floatingpenalty\@MM \hsize\columnwidth
269     \@parboxrestore \parindent\normalparindent \sloppy
270     \protected@edef\@currentlabel{%
271       \csname p@footnote\endcsname\@thefnmark}%
272     \@makefnintext{%
273       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
274
275
276 \long\def\@LTRfootnotetext#1{%
277   \insert\footins{%
278     \@RTLfalse%
279     \reset@font%
280     \bidi@LTR@footnotetext@font% \normalfont\footnotesize
281     \interlinepenalty\interfootnotelinepenalty
282     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
283     \floatingpenalty\@MM \hsize\columnwidth
284     \@parboxrestore \parindent\normalparindent \sloppy
285     \protected@edef\@currentlabel{%
286       \csname p@footnote\endcsname\@thefnmark}%
287     \@makefnintext{%
288       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
289

```



```

290
291
292 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
293 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
294 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
295
296 \renewenvironment{thebibliography}[1]{%
297   \@bibtitlestyle
298   \normalfont\bibliofont\labelsep .5em\relax
299   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\empty
300   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
301   \bidi@@thebibliography@font@hook%
302   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
303     \leftmargin\labelwidth \advance\leftmargin\labelsep
304     \usecounter{enumiv}}%
305   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
306   \sfcode\`.\=@m
307 }{%
308   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
309   \endlist
310 }
311 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
312   \begingroup
313   \fontsize{\@xivpt}{18}\bfseries\centering
314   \ifnum\c@secnumdepth>\m@ne
315     \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
316     \rlap{\vbox to\z@{\vss
317       \centerline{\normalsize\mdseries
318         \uppercase\@xp{\chaptername}\enspace\thechapter}
319       \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
320   #1\par \endgroup
321   \skip@34p@ \advance\skip@-\normalbaselineskip
322   \vskip\skip@ }
323 \def\maketitle{\par
324   \@topnum\z@ % this prevents figures from falling at the top of page 1
325   \begingroup
326   \@maketitle
327   \endgroup
328   \c@footnote\z@
329   \def\do##1{\let##1\relax}%
330   \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
331   \do\author \do\@xauthor \do\address \do\@xaddress
332   \do\email \do\@xemail \do\curraddr \do\@xcurraddr
333   \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
334   \do\keywords \do\@keywords \do\subjclass \do\@subjclass
335 }

```

5 File amsmath-xetex-bidi.def

```

336 \ProvidesFile{amsmath-xetex-bidi.def}[2018/01/08 v1.1 bidi adaptations for amsmath package for

```



```

337 \let\veqno=\eqno
338 \iftagsleft@ \let\veqno=\leqno \fi
339 \renewcommand{\numberwithin}[3][\arabic]{%
340   \ifundefined{c@#2}{\nocounterr{#2}}{%
341     \ifundefined{c@#3}{\nocnterr{#3}}{%
342       \@addtoreset{#2}{#3}%
343       \exp\xdef\csname the#2\endcsname{%
344         \exp\xdef\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
345     }
346 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@ignorespaces#1\unskip\@italiccor

```

6 File amstext-xetex-bidi.def

```

347 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for Xe
348 \def\textdef@#1#2#3{\hbox{%
349   \everymath{#1}%
350   \let\f@size#2\selectfont
351   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}

```

7 File amsthm-xetex-bidi.def

```

352 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for Xe
353 \def\@thmcountersep{\@SepMark}

```

8 File array-xetex-bidi.def

```

354 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for Xe
355 \def\@testpach{\@chclass
356   \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
357   \ifnum \@lastchclass=7 5 \else
358   \ifnum \@lastchclass=8 \tw@ \else
359   \ifnum \@lastchclass=9 \thr@@
360   \else \z@
361   \ifnum \@lastchclass = 10 \else
362   \edef\@nextchar{\expandafter\string\@nextchar}%
363   \@chnum
364   \if \@nextchar c\z@ \else
365   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
366   \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
367   \z@ \@chclass
368   \if \@nextchar |\@ne \else
369   \if \@nextchar !6 \else
370   \if \@nextchar @7 \else
371   \if \@nextchar <8 \else
372   \if \@nextchar >9 \else
373   10
374   \@chnum
375   \if \@nextchar m\thr@@\else
376   \if \@nextchar p4 \else
377   \if \@nextchar b5 \else

```



```

378 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
379 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
380 \def\@tabular{%
381 \leavevmode
382 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\beginR
383 \let\d@llarend\endR
384 \@tabarray}
385 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
386 \expandafter\let\csname endtabular*\endcsname=\endtabular
387 \def\@array[#1]#2{%
388 \@tempdima \ht \strutbox
389 \advance \@tempdima by\extrarowheight
390 \setbox \@arstrutbox \hbox{\vrule
391 \@height \arraystretch \@tempdima
392 \@depth \arraystretch \dp \strutbox
393 \@width \z@}%
394 \beginR
395 \@mkpream{#2}%
396 \xdef\@preamble{\noexpand \ialign \@halignto
397 \bgroup \@arstrut \@preamble
398 \tabskip \z@ \cr}%
399 \endR
400 \@arrayleft
401 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
402 \bgroup
403 \let \@sharp ##\let \protect \relax
404 \lineskip \z@
405 \baselineskip \z@
406 \m@th
407 \let\\ \@arraycr \let\tabularnewline\\ \let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxRcor
408 \def\@tabarray{\@ifnextchar[\@array]{\@array[c]}}
409 \def\endarray{\crrc \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@pream
410 \def\array{\col@sep\arraycolsep
411 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}%
412 \@RTLtabfalse\@tabarray}

```

9 File article-xetex-bidi.def

```

413 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article c
414 \if@titlepage
415 \renewcommand\maketitle{\begin{titlepage}%
416 \let\footnotesize\small
417 \let\right@footnoterule\relax
418 \let\left@footnoterule\relax
419 \let\textwidth\footnoterule\relax
420 \let \footnote \thanks
421 \let \LTRfootnote \LTRthanks
422 \let \RTLfootnote \RTLthanks
423 \null\vfil
424 \vskip 60\p@

```



```

425 \begin{center}%
426   {\LARGE \@title \par}%
427   \vskip 3em%
428   {\large
429     \lineskip .75em%
430     \begin{tabular}[t]{c}%
431       \@author
432     \end{tabular}\par}%
433   \vskip 1.5em%
434   {\large \@date \par}%           % Set date in \large size.
435 \end{center}\par
436 \@thanks
437 \vfil\null
438 \end{titlepage}%
439 \setcounter{footnote}{0}%
440 \global\let\thanks\relax
441 \global\let\LTRthanks\relax
442 \global\let\RTLthanks\relax
443 \global\let\maketitle\relax
444 \global\let\@thanks\@empty
445 \global\let\@author\@empty
446 \global\let\@date\@empty
447 \global\let\@title\@empty
448 \global\let\title\relax
449 \global\let\author\relax
450 \global\let\date\relax
451 \global\let\and\relax
452 }
453 \else
454 \renewcommand\maketitle{\par
455   \begingroup
456     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
457     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
458     \long\def\@makefntext##1{\parindent 1em\noindent
459       \hb@xt@1.8em{%
460         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
461     \if@twocolumn
462       \ifnum \col@number=\@ne
463         \@maketitle
464       \else
465         \twocolumn[\@maketitle]%
466       \fi
467     \else
468       \newpage
469       \global\@topnum\z@   % Prevents figures from going at top of page.
470       \@maketitle
471     \fi
472     \thispagestyle{plain}\@thanks
473   \endgroup
474   \setcounter{footnote}{0}%

```



```

475 \global\let\thanks\relax
476 \global\let\LTRthanks\relax
477 \global\let\RTLthanks\relax
478 \global\let\maketitle\relax
479 \global\let\@maketitle\relax
480 \global\let\@thanks\@empty
481 \global\let\@author\@empty
482 \global\let\@date\@empty
483 \global\let\@title\@empty
484 \global\let\title\relax
485 \global\let\author\relax
486 \global\let\date\relax
487 \global\let\and\relax
488 }
489 \def\@maketitle{%
490   \newpage
491   \null
492   \vskip 2em%
493   \begin{center}%
494     \let \footnote \thanks
495     \let \LTRfootnote \LTRthanks
496     \let \RTLfootnote \RTLthanks
497     {\LARGE \@title \par}%
498     \vskip 1.5em%
499     {\large
500       \lineskip .5em%
501       \begin{tabular}[t]{c}%
502         \@author
503       \end{tabular}\par}%
504     \vskip 1em%
505     {\large \@date}%
506   \end{center}%
507   \par
508   \vskip 1.5em}
509 \fi
510 \renewcommand*\l@part[2]{%
511   \ifnum \c@tocdepth >-2\relax
512     \addpenalty\@secpenalty
513     \addvspace{2.25em \@plus\p@}%
514     \setlength\@tempdima{3em}%
515     \begingroup
516       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
517       \parfillskip -\@pnumwidth
518       {\leavevmode
519         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
520       \nobreak
521       \if@compatibility
522         \global\@nobreaktrue
523         \everypar{\global\@nobreakfalse\everypar{}}%
524       \fi

```



```

525 \endgroup
526 \fi}
527 \renewcommand*\l@section[2]{%
528 \ifnum \c@tocdepth >\z@
529 \addpenalty\@secpenalty
530 \addvspace{1.0em \@plus\p@}%
531 \setlength\@tempdima{1.5em}%
532 \begingroup
533 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
534 \parfillskip -\@pnumwidth
535 \leavevmode \bfseries
536 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
537 \hskip -\if@RTL\rightskip\else\leftskip\fi
538 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
539 \endgroup
540 \fi}
541 \renewcommand\left@footnoterule{%
542 \kern-3\p@
543 \hrule\@width.4\columnwidth
544 \kern2.6\p@}
545 \renewcommand\right@footnoterule{%
546 \kern-3\p@
547 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
548 \kern2.6\p@}
549 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
550 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
551 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
552 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
553 \def\@part[#1]#2{%
554 \ifnum \c@secnumdepth >\m@ne
555 \refstepcounter{part}%
556 \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
557 \else
558 \addcontentsline{toc}{part}{#1}%
559 \fi
560 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
561 \interlinepenalty \@M
562 \normalfont
563 \ifnum \c@secnumdepth >\m@ne
564 \Large\bfseries \partname\nobreakspace\thepart
565 \par\nobreak
566 \fi
567 \huge \bfseries #2%
568 \markboth{}{\par}%
569 \nobreak
570 \vskip 3ex
571 \@afterheading}
572 \renewenvironment{thebibliography}[1]
573 {\section*{\refname}%
574 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%

```




```

575 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
576 \bidi@@thebibliography@font@hook%
577 \list{\@biblabel{\@arabic\c@enumiv}}%
578 {\settowidth\labelwidth{\@biblabel{#1}}%
579 \leftmargin\labelwidth
580 \advance\leftmargin\labelsep
581 \@openbib@code
582 \usecounter{enumiv}%
583 \let\p@enumiv\@empty
584 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
585 \sloppy
586 \clubpenalty4000
587 \@clubpenalty \clubpenalty
588 \widowpenalty4000%
589 \sfcode`\.\@m}
590 {\def\@noitemerr
591 {\@latex@warning{Empty `thebibliography' environment}}}%
592 \endlist}
593 \renewenvironment{theindex}
594 {\if@twocolumn
595 \@restonecolfalse
596 \else
597 \@restonecoltrue
598 \fi
599 \columnseprule \z@
600 \columnsep 35\p@
601 \twocolumn[\section*{\indexname}]%
602 \@mkboth{\MakeUppercase\indexname}%
603 {\MakeUppercase\indexname}%
604 \thispagestyle{plain}\parindent\z@
605 \parskip\z@ \@plus .3\p@\relax
606 \let\item\@idxitem}
607 {\if@restonecol\onecolumn\else\clearpage\fi}

```

10 File artikel1-xetex-bidi.def

```

608 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class for
609 \renewenvironment{theindex}{%
610 \if@twocolumn
611 \@restonecolfalse
612 \else
613 \@restonecoltrue
614 \fi
615 \columnseprule \z@
616 \columnsep 35\p@
617 \twocolumn[\section*{\indexname}]%
618 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
619 \thispagestyle{plain}\parindent\z@
620 \parskip\z@ \@plus .3\p@\relax
621 \let\item\@idxitem

```



```

622 }{%
623 \if@restonecol\onecolumn\else\clearpage\fi}
624 \renewcommand*\head@style{%
625 \interlinepenalty \@M
626 \hyphenpenalty=\@M \exhyphenpenalty=\@M
627 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
628 \if@titlepage
629 \renewenvironment{abstract}{%
630 \titlepage
631 \null\vfil
632 \section*{\SectFont\abstractname}
633 \noindent\ignorespaces}
634 {\par\vfil\null\endtitlepage}
635 \else
636 \renewenvironment{abstract}{%
637 \if@twocolumn
638 \section*{\abstractname}%
639 \else
640 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
641 \section*{\small\SectFont\abstractname}%
642 \noindent\ignorespaces
643 \fi}
644 {\if@twocolumn\else\par\egroup\fi}
645 \fi
646 \renewcommand*\@regtocline[3]{%
647 \ifnum #1>\c@tocdepth
648 \else
649 \vskip\z@\@plus.2\p@
650 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
651 \if@RTL\rightskip\else\leftskip\fi\unitindent
652 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
653 \parfillskip\z@
654 \@tempdima\unitindent
655 \parindent\z@
656 \leavevmode
657 \hbox{}}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
658 \hskip 1em \nobreak{\slshape #3}\par
659 }%
660 \fi}
661 \if@oldtoc
662 \renewcommand*\l@part[2]{%
663 \ifnum \c@tocdepth >-2\relax
664 \addpenalty\@secpenalty
665 \addvspace{2.25em \@plus\p@}%
666 \begingroup
667 \setlength\@tempdima{3em}%
668 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
669 \parfillskip -\@pnumwidth
670 {\leavevmode
671 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par

```



```

672         \nobreak
673         \if@compatibility
674         \global\@nobreaktrue
675         \everypar{\global\@nobreakfalse\everypar{}}%
676     \fi
677 \endgroup
678 \fi}
679 \else
680     \renewcommand*\l@part{%
681         \ifnum \c@tocdepth >-2\relax
682         \addpenalty\@secpenalty
683         \addvspace{2.25em \@plus \p@}%
684         \@regtocline{0}%
685     \fi}
686 \fi
687 \if@oldtoc
688 \renewcommand*\l@section[2]{%
689     \addpenalty\@secpenalty
690     \addvspace{1.0em \@plus \p@}%
691     \setlength\@tempdima{1.5em}%
692     \begingroup
693     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
694     \parfillskip -\@pnumwidth
695     \leavevmode \bfseries
696     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
697     \hskip -\if@RTL\rightskip\else\leftskip\fi
698     #1\nobreak\hb@xt@\@pnumwidth{\hss #2}\par
699 \endgroup}
700 \else
701     \renewcommand*\l@section{\@regtocline{1}}
702 \fi
703 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
704 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
705 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
706 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
707 \renewenvironment{thebibliography}[1]
708     {\section*\refname}%
709     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
710     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
711     \bidi@thebibliography@font@hook%
712     \list{\@biblabel{\@arabic\c@enumiv}}%
713         {\settowidth\labelwidth{\@biblabel{#1}}%
714         \leftmargin\labelwidth
715         \advance\leftmargin\labelsep
716         \@openbib@code
717         \usecounter{enumiv}%
718         \let\p@enumiv\@empty
719         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
720     \sloppy\clubpenalty4000\widowpenalty4000%
721     \sfcode`\.\@m}

```



```

722     {\def\@noitemerr
723      {\@latex@warning{Empty `thebibliography' environment}}}%
724     \endlist}
725 \renewcommand*\left@footnoterule{%
726   \kern-3\p@
727   \kern.5\baselineskip
728   \hrule\@width\unitindent
729   \kern.4\baselineskip
730 }
731 \renewcommand*\right@footnoterule{%
732   \kern-3\p@
733   \kern.5\baselineskip
734   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
735   \kern.4\baselineskip}
736 \if@titlepage
737 \renewcommand*\TitleFont{\rmfamily}
738 \renewcommand*\maketitle{%
739   \begin{titlepage}%
740     \let\footnotesize\small
741     \let\right@footnoterule\relax
742     \let\left@footnoterule\relax
743     \let\textwidth@footnoterule\relax
744     \let \footnote \thanks
745     \long\def\@makefntext##1{\parindent\z@
746       \def\labelitemi{\textendash}\@revlabeltrue
747       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
748     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
749     \if@compatibility\setcounter{page}{0}\fi
750     \null\vfil
751     \vskip 60\p@
752     \begin{center}%
753       \TitleFont
754       {\LARGE \def\\{\penalty -\@M}
755         \if@allcaps
756           \expandafter\uc@nothanks\@title\thanks\relax
757         \else
758           \@title
759         \fi\par}%
760     \vskip 3em%
761     {\large
762       \lineskip .75em \parindent\z@
763       \begin{tabular}[t]{c}%
764         \if@allcaps
765           \expandafter\uc@authornothanks\@author\and\relax
766         \else
767           \@author
768         \fi
769       \end{tabular}\par}%
770     \vskip 1.5em%
771     {\large

```



```

772     \if@allcaps
773         \uppercase\expandafter{\@date}%
774     \else
775         \@date
776     \fi\par}%
777 \end{center}\par
778 \@thanks
779 \vfil\null
780 \end{titlepage}%
781 \setcounter{footnote}{0}%
782 \global\let\thanks\relax
783 \global\let\maketitle\relax
784 \global\let\@thanks\@empty
785 \global\let\@author\@empty
786 \global\let\@title\@empty
787 \global\let\@date\@empty
788 \global\let\title\relax
789 \global\let\author\relax
790 \global\let\date\relax
791 \global\let\and\relax
792 }
793 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
794 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
795     \futurelet\@tempa\uc@ax}
796 \def\uc@ax{%
797     \ifx\@tempa\relax
798     \else
799         \ \andname \ \ \expandafter\uc@authornothanks
800     \fi}
801 \def\uc@tx{\ifx\@tempa\relax
802     \else \expandafter\uc@ty \fi}
803 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
804 \else
805 \renewcommand*\maketitle{\par
806     \begingroup
807     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
808     \def\@makefnmark{\rlap{%
809         \@textsuperscript{\normalfont\@thefnmark}}}%
810     \long\def\@makefntext{\@xmakefntext{%
811         \@textsuperscript{\normalfont\@thefnmark}}}%
812     \if@twocolumn
813         \ifnum \col@number=\@ne
814             \@maketitle
815         \else
816             \twocolumn[\@maketitle]%
817         \fi
818     \else
819         \newpage
820         \global\@topnum\z@
821         \@maketitle

```



```

822 \fi
823 \thispagestyle{plain}\@thanks
824 \endgroup
825 \setcounter{footnote}{0}%
826 \global\let\thanks\relax
827 \global\let\maketitle\relax
828 \global\let\@maketitle\relax
829 \global\let\@thanks\@empty
830 \global\let\@author\@empty
831 \global\let\@title\@empty
832 \global\let\@date\@empty
833 \global\let\title\relax
834 \global\let\author\relax
835 \global\let\date\relax
836 \global\let\and\relax
837 }
838 \def\@maketitle{%
839 \newpage
840 \null
841 \vskip 2em%
842 \begin{center}%
843 \let \footnote \thanks
844 {\LARGE \TitleFont \@title \par}%
845 \vskip 1.5em%
846 {\large \TitleFont
847 \lineskip .5em%
848 \begin{tabular}[t]{c}%
849 \@author
850 \end{tabular}\par}%
851 \vskip 1em%
852 {\large \TitleFont \@date}%
853 \end{center}%
854 \par
855 \vskip 1.5em}
856 \fi

```

11 File artikel2-xetex-bidi.def

```

857 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class for
858 \renewenvironment{theindex}{%
859 \if@twocolumn
860 \@restonecolfalse
861 \else
862 \@restonecoltrue
863 \fi
864 \columnseprule \z@
865 \columnsep 35\p@
866 \twocolumn[\section*{\indexname}]%
867 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
868 \thispagestyle{plain}\parindent\z@

```



```

869 \parskip\z@ \@plus .3\p@\relax
870 \let\item\@idxitem
871 }{%
872 \if@restonecol\onecolumn\else\clearpage\fi}
873 \renewcommand*\@regtocline[3]{%
874 \ifnum #1>\c@tocdepth
875 \else
876 \vskip\z@ \@plus.2\p@
877 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
878 \if@RTL\righskip\else\leftskip\fi\unitindent
879 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
880 \parfillskip\z@
881 \@tempdima\unitindent
882 \advance\@tempdima by \othermargin
883 \parindent\z@
884 \leavevmode
885 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
886 \hskip 1em \nobreak{\slshape #3}\par
887 }%
888 \fi}
889 \if@oldtoc
890 \renewcommand*\l@section[2]{%
891 \addpenalty\@secpenalty
892 \addvspace{1.0em \@plus\p@}%
893 \setlength\@tempdima{1.5em}%
894 \begingroup
895 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
896 \parfillskip -\@pnumwidth
897 \leavevmode \bfseries
898 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
899 \hskip -\if@RTL\righskip\else\leftskip\fi
900 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
901 \endgroup}
902 \else
903 \renewcommand*\l@section{\@regtocline{1}}
904 \fi
905 \if@oldtoc
906 \renewcommand*\l@part[2]{%
907 \ifnum \c@tocdepth >-2\relax
908 \addpenalty\@secpenalty
909 \addvspace{2.25em \@plus\p@}%
910 \begingroup
911 \setlength\@tempdima{3em}%
912 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
913 \parfillskip -\@pnumwidth
914 {\leavevmode
915 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
916 \nobreak
917 \if@compatibility
918 \global\@nobreaktrue

```



```

919 \everypar{\global\@nobreakfalse\everypar{}}%
920 \fi
921 \endgroup
922 \fi}
923 \else
924 \renewcommand*\l@part{%
925 \ifnum \c@tocdepth >-2\relax
926 \addpenalty\@secpenalty
927 \addvspace{2.25em \@plus \p@}%
928 \@regtocline{0}%
929 \fi}
930 \fi
931 \renewcommand*\head@style{%
932 \interlinepenalty \@M
933 \hyphenpenalty=\@M \exhyphenpenalty=\@M
934 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
935 \if@titlepage
936 \renewenvironment{abstract}{%
937 \titlepage
938 \null\vfil
939 \section*{\SectFont\abstractname}%
940 \noindent\ignorespaces}
941 {\par\vfil\null\endtitlepage}
942 \else
943 \renewenvironment{abstract}{%
944 \if@twocolumn
945 \section*{\abstractname}%
946 \else
947 \section*{\hskip\unitindent\small\SectFont\abstractname}%
948 \list{}{\setlength\listparindent{\unitindent}%
949 \setlength\parindent {\z@}%
950 \setlength\leftmargin {\unitindent}%
951 \setlength\rightmargin {\unitindent}%
952 \setlength\parsep {\z@}}%
953 \item[]%
954 \fi}
955 {\if@twocolumn\else\par\endlist\fi}
956 \fi
957 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
958 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
959 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
960 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
961 \renewcommand*\left@footnoterule{%
962 \kern-3\p@
963 \hrule\@width 3\unitindent
964 \kern 2.6\p@
965 }
966 \renewcommand*\right@footnoterule{%
967 \kern-3\p@
968 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }

```




```

969 \kern 2.6\p@}
970 \renewenvironment{thebibliography}[1]
971   {\section*{\refname}%
972    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
973    \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
974    \bidi@thebibliography@font@hook%
975    \list{\@biblabel{\@arabic\c@enumiv}}%
976      {\settowidth\labelwidth{\@biblabel{#1}}%
977       \leftmargin\labelwidth
978       \advance\leftmargin\labelsep
979       \@openbib@code
980       \usecounter{enumiv}%
981       \let\p@enumiv\@empty
982       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
983    \sloppy\clubpenalty4000\widowpenalty4000%
984    \sfcode`\.\@m}
985  {\def\@noitemerr
986   {\@latex@warning{Empty `thebibliography' environment}}%
987   \endlist}
988 \if@titlepage
989 \renewcommand*\TitleFont{\rmfamily}
990 \renewcommand*\maketitle{%
991   \begin{titlepage}%
992     \let\footnotesize\small
993     \let\right@footnoterule\relax
994     \let\left@footnoterule\relax
995     \let\textwidth@footnoterule\relax
996     \let \footnote \thanks
997     \long\def\@makefnmark##1{\parindent\z@
998       \def\labelitemi{\textendash}\@revlabeltrue
999       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1000    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1001    \if@compatibility\setcounter{page}{0}\fi
1002    \null\vfil
1003    \vskip 60\p@
1004    \begin{center}%
1005      \TitleFont
1006      {\LARGE \def\\{\penalty -\@M}
1007       \if@allcaps
1008         \expandafter\uc@nothanks\@title\thanks\relax
1009       \else
1010         \@title
1011       \fi\par}%
1012    \vskip 3em%
1013    {\large
1014     \lineskip .75em \parindent\z@
1015     \begin{tabular}[t]{c}%
1016       \if@allcaps
1017         \expandafter\uc@authornothanks\@author\and\relax
1018       \else

```



```

1019         \@author
1020         \fi
1021     \end{tabular}\par}%
1022     \vskip 1.5em%
1023     {\large
1024     \if@allcaps
1025         \uppercase\expandafter{\@date}%
1026     \else
1027         \@date
1028     \fi\par}%
1029     \end{center}\par
1030     \@thanks
1031     \vfil\null
1032 \end{titlepage}%
1033 \setcounter{footnote}{0}%
1034 \global\let\thanks\relax
1035 \global\let\maketitle\relax
1036 \global\let\@thanks\@empty
1037 \global\let\@author\@empty
1038 \global\let\@title\@empty
1039 \global\let\@date\@empty
1040 \global\let\title\relax
1041 \global\let\author\relax
1042 \global\let\date\relax
1043 \global\let\and\relax
1044 }
1045 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1046 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1047     \futurelet\@tempa\uc@ax}
1048 \def\uc@ax{%
1049     \ifx\@tempa\relax
1050     \else
1051         \\\ \andname \\\ \expandafter\uc@authornothanks
1052     \fi}
1053 \def\uc@tx{\ifx\@tempa\relax
1054     \else \expandafter\uc@ty \fi}
1055 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1056 \else
1057 \renewcommand*\maketitle{\par
1058     \begin{group}
1059         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1060         \long\def\@makefnmark##1{\parindent\z@
1061             \def\labelitemi{\textendash}%
1062             \leavevmode\hb@xt@.5\unitindent{%
1063                 \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1064         \if@twocolumn
1065             \ifnum \col@number=\@ne
1066                 \@maketitle
1067             \else
1068                 \twocolumn[\@maketitle]%

```



```

1069     \fi
1070   \else
1071     \newpage
1072     \global\@topnum\z@
1073     \@maketitle
1074   \fi
1075   \thispagestyle{plain}\@thanks
1076 \endgroup
1077 \setcounter{footnote}{0}%
1078 \global\let\thanks\relax
1079 \global\let\maketitle\relax
1080 \global\let\@maketitle\relax
1081 \global\let\@thanks\@empty
1082 \global\let\@author\@empty
1083 \global\let\@title\@empty
1084 \global\let\@date\@empty
1085 \global\let\title\relax
1086 \global\let\author\relax
1087 \global\let\date\relax
1088 \global\let\and\relax
1089 }
1090 \def\@maketitle{%
1091   \newpage
1092   \null
1093   \vskip 2em%
1094   \begin{center}%
1095     \let \footnote \thanks
1096     {\LARGE \TitleFont \@title \par}%
1097     \vskip 1.5em%
1098     {\large \TitleFont
1099       \lineskip .5em%
1100       \begin{tabular}[t]{c}%
1101         \@author
1102       \end{tabular}\par}%
1103     \vskip 1em%
1104     {\large \TitleFont \@date}%
1105   \end{center}%
1106   \par
1107   \vskip 1.5em}
1108 \fi

```

12 File artikel3-xetex-bidi.def

```

1109 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class for
1110 \renewenvironment{theindex}{%
1111   \if@twocolumn
1112     \@restonecolfalse
1113   \else
1114     \@restonecoltrue
1115   \fi

```



```

1116 \columnseprule \z@
1117 \columnsep 35\p@
1118 \twocolumn[\section*{\indexname}]%
1119 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1120 \thispagestyle{plain}\parindent\z@
1121 \parskip\z@ \@plus .3\p@\relax
1122 \let\item\@idxitem
1123 }{%
1124 \if@restonecol\onecolumn\else\clearpage\fi}
1125 \renewcommand*{\headstyle}{%
1126 \interlinepenalty \@M
1127 \hyphenpenalty=\@M \exhyphenpenalty=\@M
1128 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1129 \renewcommand*{\@regtocline[3]}{%
1130 \ifnum #1>\c@tocdepth
1131 \else
1132 \vskip\z@ \@plus.2\p@
1133 {\hangindent\z@ \@afterindenttrue \interlinepenalty \@M
1134 \if@RTL\rightskip\else\leftskip\fi\unitindent
1135 \if@RTL\leftskip\else\rightskip\fi\unitindent \@plus 1fil
1136 \parfillskip\z@
1137 \@tempdima\unitindent
1138 \parindent\z@
1139 \leavevmode
1140 \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1141 \hskip 1em \nobreak{\slshape #3}\par
1142 }%
1143 \fi}
1144 \if@oldtoc
1145 \renewcommand*{\l@part[2]}{%
1146 \ifnum \c@tocdepth >-2\relax
1147 \addpenalty\@secpenalty
1148 \addvspace{2.25em \@plus\p@}%
1149 \begingroup
1150 \setlength{\@tempdima}{3em}%
1151 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1152 \parfillskip -\@pnumwidth
1153 {\leavevmode
1154 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1155 \nobreak
1156 \if@compatibility
1157 \global\@nobreaktrue
1158 \everypar{\global\@nobreakfalse\everypar{}}%
1159 \fi
1160 \endgroup
1161 \fi}
1162 \else
1163 \renewcommand*{\l@part}{%
1164 \ifnum \c@tocdepth >-2\relax
1165 \addpenalty\@secpenalty

```



```

1166     \addvspace{2.25em \@plus \p@}%
1167     \regtocline{0}%
1168   \fi}
1169 \fi
1170
1171 \if@oldtoc
1172 \renewcommand*\l@section[2]{%
1173   \addpenalty\secpenalty
1174   \addvspace{1.0em \@plus \p@}%
1175   \setlength\tempdima{1.5em}%
1176   \begingroup
1177   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1178   \parfillskip -\@pnumwidth
1179   \leavevmode \bfseries
1180   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1181   \hskip -\if@RTL\rightskip\else\leftskip\fi
1182   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1183   \endgroup}
1184 \else
1185   \renewcommand*\l@section{\@regtocline{1}}
1186 \fi
1187 \if@titlepage
1188   \renewenvironment{abstract}{%
1189     \titlepage
1190     \null\vfil
1191     \section*{\SectFont\abstractname}%
1192     \noindent\ignorespaces}
1193     {\par\vfil\null\endtitlepage}
1194 \else
1195   \renewenvironment{abstract}{%
1196     \if@twocolumn
1197       \section*{\abstractname}%
1198     \else
1199       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1200       \section*{\small\SectFont\abstractname}%
1201       \noindent\ignorespaces
1202     \fi}
1203     {\if@twocolumn\else\par\egroup\fi}
1204 \fi
1205 \renewcommand*\left@footnoterule{%
1206   \kern-3\p@
1207   \kern.5\baselineskip
1208   \hrule\@width\unitindent
1209   \kern.4\baselineskip
1210 }
1211 \renewcommand*\right@footnoterule{%
1212   \kern-3\p@
1213   \kern.5\baselineskip
1214   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1215   \kern.4\baselineskip}

```



```

1216 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1217 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1218 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1219 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1220 \renewenvironment{thebibliography}[1]
1221     {\section*{\refname}%
1222      \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1223      \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
1224      \bidi@thebibliography@font@hook%
1225      \list{\@biblabel{\@arabic\c@enumiv}}%
1226          {\settowidth\labelwidth{\@biblabel{#1}}%
1227           \leftmargin\labelwidth
1228           \advance\leftmargin\labelsep
1229           \@openbib@code
1230           \usecounter{enumiv}%
1231           \let\p@enumiv\@empty
1232           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1233      \sloppy\clubpenalty4000\widowpenalty4000%
1234      \sfcode`. \m}
1235      {\def\@noitemerr
1236       {\@latex@warning{Empty `thebibliography' environment}}%
1237       \endlist}
1238 \if@titlepage
1239 \renewcommand*\TitleFont{\rmfamily}
1240 \renewcommand*\maketitle{%
1241     \begin{titlepage}%
1242         \let\footnotesize\small
1243         \let\right@footnoterule\relax
1244         \let\left@footnoterule\relax
1245         \let\textwidth@footnoterule\relax
1246         \let \footnote \thanks
1247         \long\def\@makefnmark##1{\parindent\z@
1248             \def\labelitemi{\textendash}\@revlabeltrue
1249             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1250         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1251         \if@compatibility\setcounter{page}{0}\fi
1252         \null\vfil
1253         \vskip 60\p@
1254         \begin{center}%
1255             \TitleFont
1256             {\LARGE \def\{\{\penalty -\@M}
1257              \if@allcaps
1258                  \expandafter\uc@nothanks\@title\thanks\relax
1259              \else
1260                  \@title
1261                  \fi\par}%
1262             \vskip 3em%
1263             {\large
1264              \lineskip .75em \parindent\z@
1265              \begin{tabular}[t]{c}%

```



```

1266         \if@allcaps
1267         \expandafter\uc@authornothanks \@author\and\relax
1268         \else
1269         \@author
1270         \fi
1271     \end{tabular}\par}%
1272     \vskip 1.5em%
1273     {\large
1274     \if@allcaps
1275     \uppercase\expandafter{\@date}%
1276     \else
1277     \@date
1278     \fi\par}%
1279     \end{center}\par
1280     \@thanks
1281     \vfil\null
1282 \end{titlepage}%
1283 \setcounter{footnote}{0}%
1284 \global\let\thanks\relax
1285 \global\let\maketitle\relax
1286 \global\let\@thanks\@empty
1287 \global\let\@author\@empty
1288 \global\let\@title\@empty
1289 \global\let\@date\@empty
1290 \global\let\title\relax
1291 \global\let\author\relax
1292 \global\let\date\relax
1293 \global\let\and\relax
1294 }
1295 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1296 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1297     \futurelet\@tempa\uc@ax}
1298 \def\uc@ax{%
1299     \ifx\@tempa\relax
1300     \else
1301     \ \andname \ \ \expandafter\uc@authornothanks
1302     \fi}
1303 \def\uc@tx{\ifx\@tempa\relax
1304     \else \expandafter\uc@ty \fi}
1305 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1306 \else
1307 \renewcommand*\maketitle{\par
1308     \begin{group}
1309     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1310     \def\@makefnmark{\rlap{%
1311         \@textsuperscript{\normalfont\@thefnmark}}}%
1312     \long\def\@makefntext{\@xmakefntext{%
1313         \@textsuperscript{\normalfont\@thefnmark}}}%
1314     \if@twocolumn
1315         \ifnum \col@number=\@ne

```



```

1316         \@maketitle
1317     \else
1318         \twocolumn[\@maketitle]%
1319     \fi
1320 \else
1321     \newpage
1322     \global\@topnum\z@
1323     \@maketitle
1324 \fi
1325 \thispagestyle{plain}\@thanks
1326 \endgroup
1327 \setcounter{footnote}{0}%
1328 \global\let\thanks\relax
1329 \global\let\maketitle\relax
1330 \global\let\@maketitle\relax
1331 \global\let\@thanks\@empty
1332 \global\let\@author\@empty
1333 \global\let\@title\@empty
1334 \global\let\@date\@empty
1335 \global\let\title\relax
1336 \global\let\author\relax
1337 \global\let\date\relax
1338 \global\let\and\relax
1339 }
1340 \def\@maketitle{%
1341     \newpage
1342     \null
1343     \vskip 2em%
1344     \if@titlecentered
1345         \begin{center}%
1346             \let \footnote \thanks
1347             {\LARGE \TitleFont \@title \par}%
1348             \vskip 1.5em%
1349             {\large \TitleFont
1350              \lineskip .5em%
1351              \begin{tabular}[t]{c}%
1352                  \@author
1353              \end{tabular}\par}%
1354             \vskip 1em%
1355             {\large \TitleFont \@date}%
1356         \end{center}%
1357     \else
1358         {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1359         {\large \TitleFont \lineskip .5em \tabcolsep\z@
1360          \def\and{%% \begin{tabular} has already started
1361           \end{tabular}\hskip 1em plus .17fil
1362           \ifRTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
1363           \ifRTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p
1364          \vskip 1em {\large \TitleFont \@date}
1365     \fi

```




```

1366 \par
1367 \vskip 1.5em}
1368 \fi

```

13 File arydshln-xetex-bidi.def

```

1369 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1370 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1371 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1372 \expandafter\let\csname endtabular*\endcsname\endtabular
1373 \let\adl@array\@array
1374 \def\@array{\adl@everyvbox\everyvbox
1375     \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1376     \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1377     \let\adl@noalign\noalign
1378     \adl@array}
1379 \ifadl@usingarypkg
1380 \def\@testpach{\@chclass
1381 \ifnum \@lastchclass=6 \one \@chnum \one \else
1382 \ifnum \@lastchclass=7 5 \else
1383 \ifnum \@lastchclass=8 \tw@ \else
1384 \ifnum \@lastchclass=9 \thr@@
1385 \else \z@
1386 \ifnum \@lastchclass = 10 \else
1387 \edef\@nextchar{\expandafter\string\@nextchar}%
1388 \@chnum
1389 \if \@nextchar c\z@ \else
1390 \if \@nextchar \if@RTLtab r\else l\fi\one \else
1391 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1392 \z@ \@chclass
1393 \if \@nextchar |\one \let\@arrayrule\adl@arrayrule \else
1394 \if \@nextchar : \one \let\@arrayrule\adl@arraydashrule \else
1395 \if \@nextchar ; \one \let\@arrayrule\adl@argarraydashrule \else
1396 \if \@nextchar !6 \else
1397 \if \@nextchar @7 \else
1398 \if \@nextchar <8 \else
1399 \if \@nextchar >9 \else
1400 10
1401 \@chnum
1402 \if \@nextchar m\thr@@\else
1403 \if \@nextchar p4 \else
1404 \if \@nextchar b5 \else
1405 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1406 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1407
1408 \def\@classz{\@classx
1409 \tempcnta \count@
1410 \prepnext@tok
1411 \@addtopreamble{\ifcase \@chnum
1412 \hfil

```



```

1413 \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1414 \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1415 \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1416 \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1417 \adl@endmbox\or
1418 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1419 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1420 \fi}\prepnext@tok}
1421 \def\adl@class@start{4}
1422 \def\adl@class@iiiorvii{7}
1423
1424 \else
1425 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1426 \ifnum \@lastchclass=\thr@@ 5\relax \else
1427 \z@ \if #1c\@chnum \z@ \else
1428 \if \if@RTLtab#1r\else#1l\fi\@chnum \@one \else
1429 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1430 \@chclass
1431 \if #1|\@one \let\@arrayrule\adl@arrayrule \else
1432 \if #1:\@one \let\@arrayrule\adl@arraydashrule \else
1433 \if #1;\@one \let\@arrayrule\adl@argarraydashrule \else
1434 \if #1@\tw@ \else
1435 \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1436 \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1437
1438 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1439 \or \or \@addamp \or
1440 \@acolampacol \or \@firststampfalse \@acol \fi
1441 \edef\@preamble{\@preamble
1442 \ifcase \@chnum
1443 \hfil\adl@putlrc{\$ \relax \@sharp$}\hfil
1444 \or \adl@putlrc{\$ \relax \@sharp$}\hfil
1445 \or \hfil\adl@putlrc{\$ \relax \@sharp$}\fi}}
1446 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1447 \or \or \@addamp \or
1448 \@acolampacol \or \@firststampfalse \@acol \fi
1449 \edef\@preamble{\@preamble
1450 \ifcase \@chnum
1451 \hfil\adl@putlrc{\@sharp\unskip}\hfil
1452 \or \adl@putlrc{\@sharp\unskip}\hfil
1453 \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1454 \def\adl@class@start{6}
1455 \def\adl@class@iiiorvii{3}
1456 \fi
1457 \ifpackageloaded{colortbl}{%
1458 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1459 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1460 \let\@endpbox\adl@org@endpbox}
1461 \let\adl@CT@setup\CT@setup
1462 \def\CT@setup{\adl@CT@setup

```



```

1463      \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1464      \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1465      \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1466 \let\adl@act@CT@setup@CT@setup
1467 \def\@classz{\@classx
1468     \@tempcnta\count@ \prepnext@tok
1469     \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1470     \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1471     \expandafter\adl@extract@drsc
1472         \the\toks\@tempcnta\doublerulesepcolor!\@nil
1473     \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1474     \@addtopreamble{\if@RTL\beginL\fi%
1475         \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1476         \ifcase \@chnum
1477             \hskip\stretch{.5}\kern\z@
1478             \d@llarbegin
1479             \insert@column
1480             \d@llarend\hskip\stretch{.5}%
1481         \or \d@llarbegin \insert@column \d@llarend \hfill
1482         \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1483         \or $\vcenter
1484             \@startpbox{\@nextchar}\insert@column \@endpbox $%
1485         \or \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
1486         \or \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1487         \fi
1488         \if@RTL\endR\fi\egroup\egroup
1489     \begingroup
1490         \CT@setup
1491         \CT@column@color
1492         \CT@row@color
1493         \CT@cell@color
1494         \CT@do@color
1495     \endgroup
1496     \@tempdima\ht\z@
1497     \advance\@tempdima\minrowclearance
1498     \vrule\@height\@tempdima\@width\z@
1499     \unhbox\z@\if@RTL\endL\fi}%
1500     \prepnext@tok}
1501 \let\adl@act@classz\@classz
1502 \let\adl@org@classz\@classz
1503 }{}

```

14 File bidi.sty

```

1504 \NeedsTeXFormat{LaTeX2e}
1505 \def\bididate{2018/09/15}
1506 \def\bidiversion{33.2}
1507 \ProvidesPackage{bidi}[\bididate\space v\bidiversion\space
1508 Bidirectional typesetting in plain TeX and LaTeX]
1509 \edef\@bidi@info{*****~J%

```



```

1510 * ^^J%
1511 * bidi package (Bidirectional typesetting in^^J%
1512 * plain TeX and LaTeX, using XeTeX engine)^^J%
1513 * ^^J%
1514 * Description: A convenient interface for^^J%
1515 * typesetting bidirectional texts in plain TeX^^J%
1516 * and LaTeX. The package includes adaptations^^J%
1517 * for use with many other commonly-used packages.^^J%
1518 * ^^J%
1519 * Copyright (c) 2009--2018 Vafa Khalighi^^J%
1520 * ^^J%
1521 * v\bidi@version, \bididate^^J%
1522 * ^^J%
1523 * License: LaTeX Project Public License, version^^J%
1524 * 1.3c or higher (your choice)^^J%
1525 * ^^J%
1526 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1527 * ^^J%
1528 * Issue tracker: https://sourceforge.net/p/persian-tex-dist/tickets^^J%
1529 * ^^J%
1530 * Support: persian-tex@tug.org^^J%
1531 * ^^J%
1532 *****}
1533 \typeout{\@bidi@info}
1534 \edef\bidi@everyjob{\the\everyjob}
1535 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
1536 \newcommand*{\bidiversion}{\ensuremath\bidi@version}
1537 \newcommand*{\IfbidiPackageVersionLater}[1]{%
1538   \ifdim\bidi@version pt > #1 pt %
1539     \expandafter\@firstoftwo
1540   \else
1541     \expandafter\@secondoftwo
1542   \fi}
1543 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
1544   \ifdim\bidi@version pt < #1 pt %
1545     \expandafter\@firstoftwo
1546   \else
1547     \expandafter\@secondoftwo
1548   \fi}
1549 \newcommand*{\IfbidiPackageVersion}[1]{%
1550   \ifdim\bidi@version pt = #1 pt %
1551     \expandafter\@firstoftwo
1552   \else
1553     \expandafter\@secondoftwo
1554   \fi}
1555 \RequirePackage{iftex}
1556 \RequireXeTeX
1557 \RequirePackage{biditools}
1558 \RequirePackage{zref-abspage}
1559 \RequirePackage{auxhook}

```



```

1560 \RequirePackage{ltxcmds}
1561 \RequirePackage{xkeyval}
1562 \eqnewif{\if@RTLmain}{\if@rlmain}
1563 \eqnewif{\if@RTL}{\if@rl}
1564 \newif\if@nonlatin
1565 \newcommand*{\setlatin}{\@nonlatinfalse}
1566 \newcommand*{\setnonlatin}{\@nonlatintrue}
1567 \eqnewif{\if@RTLtab}{\if@tab@rl}
1568 \newif\if@hboxRconstruct
1569 \newcommand*{\setRTLtable}{\@RTLtabtrue}
1570 \newcommand*{\setLTRtable}{\@RTLtabfalse}
1571 \newif\if@bidi@pdfm@mark
1572 \newif\if@RTLmarginpar
1573 \newif\if@LTRmarginpar
1574 \newif\if@LTRbibitems
1575 \newif\if@RTLbibitems
1576 \newif\if@extrafootnotefeatures
1577 \newif\if@parafootRTL
1578 \newif\if@RTLcolumnfootnotes
1579 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1580 \newif\if@bidi@list@minipage@parbox
1581 \newif\if@bidi@list@minipage@parbox@not@nob
1582 \newcommand*{\@bidi@pdfcreator}{%
1583   The bidi package, v\@bidi@version, \@bidi@date
1584 }
1585 \newcommand*{\@bidi@pdfproducer}{%
1586   The bidi package, v\@bidi@version, \@bidi@date
1587 }
1588 \newcommand*{\@bidi@pdfcustomproperties}{%
1589   This is the bidi package, Version \@bidi@version,
1590   Released September 15, 2018.
1591 }
1592 \@RTLmainfalse
1593 \AtBeginDocument{%
1594   \if@RTLmain\else
1595     \if@RTL\@RTLmaintrue%
1596     \else\@RTLmainfalse%
1597     \fi%
1598   \fi%
1599 }
1600 \let\n@xt=
1601 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1602 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1603 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1604 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1605 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1606   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1607 \newinsert\@bidi@copyins@
1608 \skip\@bidi@copyins@=12\p@
1609 \dimen\@bidi@copyins@=40pc

```



```

1610 %\count\@bidi@copyins@=1000
1611 \newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
1612 \newcommand*{\@bidi@logo@hb@xt@}{%
1613   \if@RTLmain
1614     \hboxR to
1615   \else
1616     \hboxL to
1617   \fi
1618 }
1619 \newcommand*{\@bidi@logo}[1]{%
1620   \toks@{%
1621     \setbox\z@\hbox{%
1622       \special{%
1623         pdf:image width 50pt height 50pt (#1)%
1624       }
1625     }%
1626     \dp\z@=\z@
1627     \ht\z@=50pt
1628     \wd\z@=50pt
1629     \beginL
1630     \lower20pt\box\z@
1631     \endL
1632   }%
1633   \the\toks@
1634 }
1635 \newcommand*{\@bidi@logo@}{\@bidi@logo@hb@xt@\textwidth{\hss\LRE{\bfseries Typeset by the \tex
1636 \input{latex-xetex-bidi.def}
1637 \input{loadingorder-xetex-bidi.def}
1638 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1639   \ifcase\bidi@tempb\relax
1640     \@RTLtrue
1641   \or
1642     \@RTLfalse
1643   \fi}
1644 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{%
1645   \ifcase\bidi@tempb\relax
1646     \@RTLtrue
1647   \or
1648     \@RTLfalse
1649   \fi}
1650 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{%
1651   \ifcase\bidi@tempb\relax
1652     \@RTLtabtrue
1653   \or
1654     \@RTLtabfalse
1655   \fi}
1656 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
1657   \ifcase\bidi@tempb\relax
1658     \@nonlatinfalse
1659   \or

```



```

1660 \nonlatintrue
1661 \fi}
1662 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1663 \ifcase\bidi@tempb\relax
1664 \RTLtrue
1665 \or
1666 \RTLfalse
1667 \fi}
1668 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,%
1669 \ifcase\bidi@tempb\relax
1670 \autofootnoterule
1671 \or
1672 \leftfootnoterule
1673 \or
1674 \rightfootnoterule
1675 \or
1676 \SplitFootnoteRule
1677 \or
1678 \textwidthfootnoterule
1679 \fi}
1680 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright,%
1681 \ifcase\bidi@tempb\relax
1682 \RTL@footnotetrue
1683 \or
1684 \RTL@footnotefalse
1685 \fi}
1686 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1687 \ifcase\bidi@tempb\relax
1688 \footdir@debugtrue
1689 \or
1690 \footdir@debugfalse
1691 \fi}
1692 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1693 \ifcase\bidi@tempb\relax
1694 \@extrafootnotefeaturestrue
1695 \or
1696 \@extrafootnotefeaturesfalse
1697 \fi}
1698
1699 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1700 \ifcase\bidi@tempb\relax
1701 \def\bidi@firstcolumn@status@write{%
1702 \protected@write\@auxout{%
1703 \string\bidi@column@status
1704 {1}}}%
1705 \def\bidi@lastcolumn@status@write{%
1706 \protected@write\@auxout{%
1707 \string\bidi@column@status{2}}}%
1708 \or
1709 \let\bidi@firstcolumn@status@write\relax

```



```

1710 \let\@bidi@lastcolumn@status@write\relax
1711 \fi}
1712
1713 \define@choicekey{bidi.sty}{logo}{\@bidi@tempa\@bidi@tempb}{on,off}[on]{%
1714 \ifcase\@bidi@tempb\relax
1715 \AtBeginDocument{\@bidi@inslogo@}%
1716 \or
1717 \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
1718 \fi}
1719
1720 \define@choicekey{bidi.sty}{pdfinfo}{\@bidi@tempa\@bidi@tempb}{on,off}[on]{%
1721 \ifcase\@bidi@tempb\relax
1722 \@bidi@pdfm@marktrue
1723 \or
1724 \@bidi@pdfm@markfalse
1725 \fi}
1726
1727 \ExecuteOptionsX{%
1728 DetectColumn=off%
1729 }
1730
1731 \ProcessOptionsX
1732
1733 \if@extrafootnotefeatures
1734 \input{extrafootnotefeatures-xetex-bidi.def}
1735 \fi
1736 \newcount\@bidi@digits
1737 \XeTeXinterchartokenstate=\@ne
1738 \newXeTeXintercharclass\@bidi@digits@charclass
1739 \newXeTeXintercharclass\@bidi@sepmark@charclass
1740 \XeTeXcharclass \. \@bidi@sepmark@charclass
1741 \XeTeXcharclass \- \@bidi@sepmark@charclass
1742 \@bidi@digits=\@0 \loop \XeTeXcharclass \@bidi@digits \@bidi@digits@charclass \ifnum\@bidi@digits<
1743 \@bidi@digits=\@ \loop \XeTeXcharclass \@bidi@digits \@bidi@digits@charclass \ifnum\@bidi@digits<
1744 \XeTeXinterchartoks \@bidi@sepmark@charclass \@bidi@digits@charclass = {\DigitsDotDashInterChar
1745 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
1746 \AtEndDocument{%
1747 \special{pdf:%
1748 docinfo<<%
1749 \if@bidi@pdfm@mark
1750 /Creator(\@bidi@pdfcreator)%
1751 /Producer(\@bidi@pdfproducer)%
1752 \fi
1753 /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
1754 \if@bidi@csdef{xepersian@pdfcustomproperties}{%
1755 /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
1756 }{}%
1757 >>%
1758 }%
1759 }

```



15 File bidi.tex

```
1760 \def\bididate{2018/09/15}
1761 \catcode`\@=11
1762 \def\bidi@version{33.2}
1763 \let \protect \relax
1764 \newlinechar`\^^J
1765 \edef\@bidi@info{*****^^J%
1766 * ^^J%
1767 * bidi package (Bidirectional typesetting in^^J%
1768 * plain TeX and LaTeX, using XeTeX engine)^^J%
1769 * ^^J%
1770 * Description: A convenient interface for^^J%
1771 * typesetting bidirectional texts in plain TeX^^J%
1772 * and LaTeX. The package includes adaptations^^J%
1773 * for use with many other commonly-used packages.^^J%
1774 * ^^J%
1775 * Copyright (c) 2009--2018 Vafa Khalighi^^J%
1776 * ^^J%
1777 * v\bidi@version, \bididate^^J%
1778 * ^^J%
1779 * License: LaTeX Project Public License, version^^J%
1780 * 1.3c or higher (your choice)^^J%
1781 * ^^J%
1782 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1783 * ^^J%
1784 * Issue tracker: https://sourceforge.net/p/persian-tex-dist/tickets^^J%
1785 * ^^J%
1786 * Support: persian-tex@tug.org^^J%
1787 * ^^J%
1788 *****}
1789 \message{\@bidi@info}
1790 \edef\bidi@everyjob{\the\everyjob}
1791 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1792 \def\bidi@version{%
1793   \relax
1794   \ifmmode
1795     \bidi@version
1796   \else
1797     $\bidi@version$
1798   \fi
1799 }
1800 \input iftex.sty
1801 \RequireXeTeX
1802 \newif\if@bidi@pdfm@mark
1803 \newif\if@RTLmain
1804 \newif\if@RTL
1805 \newif\if@hboxRconstruct
1806 \newif\if@sendlr
1807 \newif\if@RTL@footnote
```



```

1808 \@RTLmainfalse
1809 \def\setRTLmain{%
1810   \if@RTLmain\else
1811     \if@RTL\@RTLmaintrue%
1812     \else\@RTLmainfalse%
1813   \fi%
1814 \fi%
1815 }
1816 \let\n@xt=\
1817 \protected\def\LRE{\protect\pLRE}%
1818 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1819 \protected\def\RLE{\protect\pRLE}
1820 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1821 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1822   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1823 \newinsert\@bidi@copyins@
1824 \skip\@bidi@copyins@=12\p@
1825 \dimen\@bidi@copyins@=40pc
1826 \count\@bidi@copyins@=1000
1827 \def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
1828 \def\@bidi@logo@hb@xt@{%
1829   \if@RTLmain
1830     \hboxR to
1831   \else
1832     \hboxL to
1833   \fi
1834 }
1835 \def\@bidi@logo#1{%
1836   \toks@{%
1837     \setbox\z@\hbox{%
1838       \special{%
1839         pdf:image width 50pt height 50pt (#1)%
1840       }
1841     }%
1842     \dp\z@\z@
1843     \ht\z@=50pt
1844     \wd\z@=50pt
1845     \beginL
1846       \lower20pt\box\z@
1847     \endL
1848   }%
1849   \the\toks@
1850 }
1851 \def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bidi@logo@}}
1852 \def\nobidilogo{\let\@bidi@logo@\empty \let\@bidi@inslogo@\empty}
1853 \def\@bidi@pdfcreator{%
1854   The bidi package, v\@bidi@version, \@bidi@date
1855 }
1856 \def\@bidi@pdfproducer{%
1857   The bidi package, v\@bidi@version, \@bidi@date

```



```

1858 }
1859 \def\@bidi@pdfcustomproperties{%
1860   This is the bidi package, Version \bidi@version,
1861   Released September 15, 2018.
1862 }
1863 \def\bidi@pdfm@mark{%
1864   \special{pdf:
1865     docinfo<<%
1866     \if@bidi@pdfm@mark
1867       /Creator(\@bidi@pdfcreator)%
1868       /Producer(\@bidi@pdfproducer)%
1869     \fi
1870     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
1871     >>%
1872   }%
1873 }
1874 \def\bidipdfinfoon{\@bidi@pdfm@marktrue}
1875 \def\bidipdfinfooff{\@bidi@pdfm@markfalse}
1876 \input plain-xetex-bidi.def
1877 \@bidi@inslogo@
1878 \outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
1879 \catcode`\@=12
1880 \bidipdfinfoon

```

16 File bidi2in1.sty

```

1881 \NeedsTeXFormat{LaTeX2e}
1882 \ProvidesPackage{bidi2in1}
1883 \pagestyle{plain}
1884 \newcount\evenpage
1885 \newcount\oddpag
1886 \twocolumn
1887 \def\@oddfont{\evenpage=\thepage%
1888 \multiply\evenpage by 2%
1889 \oddpag=\the\evenpage%
1890 \advance\oddpag by -1%
1891 \hfil\the\evenpage\hfil\hfil\the\oddpag\hfil}%
1892 \def\@evenfont{\evenpage=\thepage%
1893 \multiply\evenpage by 2%
1894 \oddpag=\the\evenpage%
1895 \advance\oddpag by -1%
1896 \hfil\the\oddpag\hfil\hfil\the\evenpage\hfil}%
1897 \textwidth 9.49in
1898 \textheight 6.7in
1899 \columnsep 0.9in
1900 \columnseprule 0.125pt
1901 \headheight 0cm
1902 \topmargin 0in
1903 \marginparwidth 0in
1904 \marginparsep 0in

```



```

1905 \hoffset 0.05in % Corrected
1906 \voffset -0.5in %top margin space is 1.0in by default
1907 \oddsidemargin 0in
1908 \evensidemargin 0in
1909 \headsep 0cm
1910 \topskip 0cm
1911 \parskip 0.15in %
1912 \headsep 0pt
1913 \special{papersize=11.69in,8.26in}
1914 \renewcommand\maketitle{\par
1915 \begingroup
1916 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1917 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1918 \long\def\@makefntext##1{\parindent 1em\noindent
1919 \hb@xt@1.8em{%
1920 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1921 \@maketitle
1922 \@thanks
1923 \endgroup
1924 \setcounter{footnote}{0}%
1925 \global\let\thanks\relax
1926 \global\let\maketitle\relax
1927 \global\let\@maketitle\relax
1928 \global\let\@thanks\@empty
1929 \global\let\@author\@empty
1930 \global\let\@date\@empty
1931 \global\let\@title\@empty
1932 \global\let\title\relax
1933 \global\let\author\relax
1934 \global\let\date\relax
1935 \global\let\and\relax
1936 }

```

17 File bidicode.sty

```

1937 \NeedsTeXFormat{LaTeX2e}
1938 \ProvidesPackage{bidicode}
1939 \RequirePackage{xcolor}
1940 \RequirePackage{showexpl}
1941 \definecolor{hellgelb}{rgb}{1,1,0.85}
1942 \definecolor{colKeys}{rgb}{0,0,1}
1943 \definecolor{colIdentifier}{rgb}{0,0,0}
1944 \definecolor{colComments}{rgb}{1,0,0}
1945 \definecolor{colString}{rgb}{0,0.5,0}
1946 \lstset{
1947   language=[LaTeX]TEX,
1948   float=hb,
1949   basicstyle=\ttfamily\small,
1950   identifierstyle=\color{colIdentifier},
1951   keywordstyle=\color{colKeys},

```



```

1952 stringstyle=\color{colString},
1953 commentstyle=\color{colComments},
1954 backgroundcolor=\color{hellgelb},
1955 columns=flexible,
1956 tabsize=4,
1957 extendedchars=true,
1958 showspace=false,
1959 showstringspaces=false,
1960 numbers=left,
1961 numbersep=0.9em,
1962 numberstyle=\tiny, %
1963 frame=single,
1964 captionpos=b,
1965 xleftmargin=1em,
1966 breaklines=true,
1967 breakautoindent=false,
1968 breakindent=0pt,
1969 escapeinside=**,
1970 pos=r,
1971 explpreset={%
1972 xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1973 morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1974 }
1975 \newcommand\HLON{%
1976 \gdef\lst@alloverstyle##1{%
1977 \fboxrule=0pt
1978 \fboxsep=0pt
1979 \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1980 }}
1981 \newcommand\HLOFF{%
1982 \xdef\lst@alloverstyle##1{##1}%
1983 }
1984 \newcommand\Larg [1]{\normalfont\itshape#1\}
1985 \newcommand\Larga [1]{\angle$\Larg{#1}$\rangle$}
1986 \newcommand\Largb [1]{\lcb\Larg{#1}\rcb}
1987 \newcommand\Largs [1]{\lsb\Larg{#1}\rsb}
1988 \newcommand\Largr [1]{\lrb\Larg{#1}\rrb}
1989 \newcommand\LBEG [1]{\normalfont\ttfamily\bs{}}begin\lcb#1\rcb}
1990 \newcommand\LEND [1]{\normalfont\ttfamily\bs{}}end\lcb#1\rcb}
1991
1992 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
1993 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char`{}}
1994 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char`\}}
1995 \DeclareRobustCommand\lsb{\normalfont\ttfamily[}
1996 \DeclareRobustCommand\rsb{\normalfont\ttfamily]}
1997 \DeclareRobustCommand\lrb{\normalfont\ttfamily(}
1998 \DeclareRobustCommand\rrb{\normalfont\ttfamily)}
1999
2000 \def\Lcs#1{\nxLcs{#1}}
2001 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}

```



```

2002 \def\nxLcs#1{\texttt{\symbol{92}#1}}
2003
2004 \def\Coordx#1{$x_{#1}$}
2005 \def\Coordy#1{$y_{#1}$}
2006 \def\Coordz#1{$z_{#1}$}
2007 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
2008 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
2009 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
2010 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
2011 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
2012 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
2013 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
2014 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
2015 \def\coordx#1{($x_{#1}$)}
2016 \def\coordy#1{($y_{#1}$)}
2017 \def\coordz#1{($z_{#1}$)}
2018 \def\cAny{(\Coordx{},\kern 1pt\Coordy{}}
2019 \def\ciiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
2020
2021 \newsavebox{\boxdef}
2022 \newenvironment{BDef}
2023   {\begin{lrbox}\boxdef
2024     \def\arraystretch{1.0}
2025     \begin{tabular}{@{}l@{}l@{}l@{}}
2026   }
2027   {\end{tabular}\end{lrbox}}
2028
2029   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
2030   \aftergroup\@afterindentfalse\aftergroup\@afterheading
2031 }
2032
2033 \newenvironment{BDef*}
2034   {\begin{lrbox}\boxdef
2035     \def\arraystretch{1.0}
2036     \begin{tabular}{@{}l@{}l@{}l@{}}
2037   }
2038   {\end{tabular}\end{lrbox}}
2039   {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
2040   \aftergroup\@afterindentfalse\aftergroup\@afterheading
2041 }
2042 \newenvironment{BCmd}{
2043   \@beginparpenalty-\@lowpenalty
2044   \topsep\BDefaboveskip
2045   \fbboxsep3pt
2046   \flushleft}
2047   {\@endparpenalty\@M
2048   \@topsepadd\BDefbelowskip
2049   \endflushleft}
2050
2051 \newenvironment{BCmd*}{

```



```

2052 \@beginparpenalty\M
2053 \topsep\BDefinlineskip
2054 \fboxsep3pt
2055 \flushleft}
2056 {\@endparpenalty5000
2057 \endflushleft}
2058
2059 \newskip\BDefaboveskip
2060 \newskip\BDefbelowskip
2061 \newskip\BDefinlineskip
2062 \setlength\BDefaboveskip{10pt plus 4pt}
2063 \setlength\BDefbelowskip{6pt}
2064 \setlength\BDefinlineskip{6pt}
2065
2066 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
2067 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
2068 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}}\kern1pt}
2069 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

18 File bidiftnxtra.sty

```

2070 \NeedsTeXFormat{LaTeX2e}
2071 \ProvidesPackage{bidiftnxtra}
2072 \newtoks\bidi@p@ftn
2073 \let\FN@sfi@@footnote\footnote
2074 \let\FN@sfi@@LTRfootnote\LTRfootnote
2075 \let\FN@sfi@@RTLfootnote\RTLfootnote
2076 \def\footnote{\ifx\protect\@typeset@protect
2077   \expandafter\FN@sfi@@footnote
2078   \else
2079     \expandafter\FN@sfi@gobble@opt
2080   \fi
2081 }
2082 \def\LTRfootnote{\ifx\protect\@typeset@protect
2083   \expandafter\FN@sfi@@LTRfootnote
2084   \else
2085     \expandafter\FN@sfi@gobble@opt
2086   \fi
2087 }
2088 \def\RTLfootnote{\ifx\protect\@typeset@protect
2089   \expandafter\FN@sfi@@RTLfootnote
2090   \else
2091     \expandafter\FN@sfi@gobble@opt
2092   \fi
2093 }
2094 \edef\FN@sfi@gobble@opt{\noexpand\protect
2095   \expandafter\noexpand\csname FN@sfi@gobble@opt \endcsname}
2096 \expandafter\def\csname FN@sfi@gobble@opt \endcsname{%
2097   \@ifnextchar[%]
2098     \FN@sfi@gobble@twobrace

```



```

2099 \gobble
2100 }
2101 \def\FN@sfgobble@twobrace[#1]#2{}
2102 \let\FN@sfgobble@footnotemark\footnotemark
2103 \def\footnotemark{\ifx\protect\@typeset@protect
2104 \expandafter\FN@sfgobble@footnotemark
2105 \else
2106 \expandafter\FN@sfgobble@optonly
2107 \fi
2108 }
2109 \edef\FN@sfgobble@optonly{\noexpand\protect
2110 \expandafter\noexpand\csname FN@sfgobble@optonly\endcsname}
2111 \expandafter\def\csname FN@sfgobble@optonly\endcsname{%
2112 \@ifnextchar[%]
2113 \FN@sfgobble@bracket
2114 }%
2115 }
2116 \def\FN@sfgobble@bracket[#1]{}
2117 \def\@tabular{%
2118 \leavevmode \hbox \bgroup
2119 \let\@footnotetext\@bidi@p@fnttext
2120 \let\@LTRfootnotetext\@bidi@p@LTRfnttext
2121 \let\@RTLfootnotetext\@bidi@p@RTLfnttext
2122 \let\@xfootnotenext\@bidi@p@xftntext
2123 \let\@xfootnote\@bidi@p@xfootnote
2124 \let\@xLTRfootnotenext\@bidi@p@xLTRfnttext
2125 \let\@xLTRfootnote\@bidi@p@xLTRfootnote
2126 \let\@xRTLfootnotenext\@bidi@p@xRTLfnttext
2127 \let\@xRTLfootnote\@bidi@p@xRTLfootnote
2128 \if@RTLtab\beginR \fi
2129 $\let\@acol\@tabacol
2130 \let\@classz\@tabclassz
2131 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
2132 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
2133 \egroup $\if@RTLtab\endR\fi\egroup
2134 \ifx\@captive\undefined
2135 \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi}
2136 \long\def\@bidi@p@fnttext#1{%
2137 \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
2138 \global\@bidi@p@ftn\expandafter{\@tempy{#1}}}%
2139 \long\def\@bidi@p@LTRfnttext#1{%
2140 \edef\@tempyi{\the\@bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2141 \global\@bidi@p@ftn\expandafter{\@tempyi{#1}}}%
2142 \long\def\@bidi@p@RTLfnttext#1{%
2143 \edef\@tempyii{\the\@bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2144 \global\@bidi@p@ftn\expandafter{\@tempyii{#1}}}%
2145
2146
2147 \long\def\@bidi@p@xftntext[#1]#2{%
2148 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\footnotetext[#1]{#2}}}

```




```

2149
2150 \long\def\bidip@xLTRftntext[#1]#2{%
2151   \global\bidip@ftn\expandafter{\the\bidip@ftn\LTRfootnotetext[#1]{#2}}
2152
2153 \long\def\bidip@xRTLftntext[#1]#2{%
2154   \global\bidip@ftn\expandafter{\the\bidip@ftn\RTLfootnotetext[#1]{#2}}
2155
2156
2157 \def\bidip@xfootnote[#1]{%
2158   \begingroup
2159     \csname c@\mpfn\endcsname #1\relax
2160     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2161   \endgroup
2162   \@footnotemark\bidip@xftntext[#1]}
2163
2164
2165 \def\bidip@xLTRfootnote[#1]{%
2166   \begingroup
2167     \csname c@\mpfn\endcsname #1\relax
2168     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2169   \endgroup
2170   \@footnotemark\bidip@xLTRftntext[#1]}
2171
2172
2173 \def\bidip@xRTLfootnote[#1]{%
2174   \begingroup
2175     \csname c@\mpfn\endcsname #1\relax
2176     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2177   \endgroup
2178   \@footnotemark\bidip@xRTLftntext[#1]}
2179
2180 \def\@xfloat #1[#2]{%
2181   \@nodocument
2182   \def \@capttype {#1}%
2183   \def \@fps {#2}%
2184   \@onelevel@sanitize \@fps
2185   \def \reserved@b {!}%
2186   \ifx \reserved@b \@fps
2187     \@fpsadddefault
2188   \else
2189     \ifx \@fps \@empty
2190       \@fpsadddefault
2191     \fi
2192   \fi
2193   \ifhmode
2194     \@bsphack
2195     \@floatpenalty -\@Mii
2196   \else
2197     \@floatpenalty-\@Miii
2198   \fi

```



```

2199 \ifinner
2200   \@parmoderr\@floatpenalty\z@
2201 \else
2202   \@next\@currbox\@freelist
2203   {%
2204     \@tempcnta \sixt@@n
2205     \expandafter \@tfor \expandafter \reserved@a
2206       \expandafter :\expandafter =\@fps
2207     \do
2208     {%
2209       \if \reserved@a h%
2210         \ifodd \@tempcnta
2211         \else
2212           \advance \@tempcnta \@ne
2213         \fi
2214       \fi
2215       \if \reserved@a t%
2216         \@setfpsbit \tw@
2217       \fi
2218       \if \reserved@a b%
2219         \@setfpsbit 4%
2220       \fi
2221       \if \reserved@a p%
2222         \@setfpsbit 8%
2223       \fi
2224       \if \reserved@a !%
2225         \ifnum \@tempcnta>15
2226           \advance\@tempcnta -\sixt@@n\relax
2227         \fi
2228       \fi
2229     }%
2230     \@tempcntb \csname ftype@\@capttype \endcsname
2231     \multiply \@tempcntb \@xxxii
2232     \advance \@tempcnta \@tempcntb
2233     \global \count\@currbox \@tempcnta
2234   }%
2235   \@fltovf
2236 \fi
2237 \global \setbox\@currbox
2238   \color@vbox
2239   \normalcolor
2240   \vbox \bgroup
2241     \let\@footnotetext\@p@ftntext
2242     \let\@LTRfootnotetext\@p@LTRftntext
2243     \let\@RTLfootnotetext\@p@RTLftntext
2244     \let\@xfootnotenext\@p@xftntext
2245     \let\@xfootnote\@p@xfootnote
2246     \let\@xLTRfootnotenext\@p@xLTRftntext
2247     \let\@xLTRfootnote\@p@xLTRfootnote
2248     \let\@xRTLfootnotenext\@p@xRTLftntext

```



```

2249         \let\@xRTLfootnote\@xRTLfootnote
2250         \hsize\columnwidth
2251         \@parboxrestore
2252         \@floatboxreset
2253     }
2254 \def \@endfloatbox{%
2255     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
2256     \@minipagefalse
2257     \outer@nobreak
2258     \egroup                %% end of vbox
2259     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
2260     \color@endbox
2261 }

```

19 File `bidimoderncv.cls`

```

2262 \NeedsTeXFormat{LaTeX2e}
2263 \ProvidesClass{bidimoderncv}
2264 \newif\if@DEBUG\@DEBUGfalse
2265 \DeclareOption{a4paper}{
2266     \setlength\paperheight{297mm}
2267     \setlength\paperwidth{210mm}}
2268 \DeclareOption{a5paper}{
2269     \setlength\paperheight{210mm}
2270     \setlength\paperwidth{148mm}}
2271 \DeclareOption{b5paper}{
2272     \setlength\paperheight{250mm}
2273     \setlength\paperwidth{176mm}}
2274 \DeclareOption{letterpaper}{
2275     \setlength\paperheight{11in}
2276     \setlength\paperwidth{8.5in}}
2277 \DeclareOption{legalpaper}{
2278     \setlength\paperheight{14in}
2279     \setlength\paperwidth{8.5in}}
2280 \DeclareOption{executivepaper}{
2281     \setlength\paperheight{10.5in}
2282     \setlength\paperwidth{7.25in}}
2283 \DeclareOption{landscape}{
2284     \setlength\@tempdima{\paperheight}
2285     \setlength\paperheight{\paperwidth}
2286     \setlength\paperwidth{\@tempdima}}
2287 \newcommand\@ptsize{}
2288 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2289 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
2290 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
2291 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
2292 \DeclareOption{final}{\setlength\overfullrule{0pt}}
2293 \newif\if@colour\@colourtrue
2294 \DeclareOption{nocolour}{\@colourfalse}
2295 \ExecuteOptions{a4paper,11pt,colour,final}

```



```

2296 \ProcessOptions\relax
2297 \input{size1\@ptsize.clo}
2298 \RequirePackage{color}
2299 \RequirePackage{graphicx}
2300 \RequirePackage{ifthen}
2301 \RequirePackage{marvosym}
2302 \addtolength{\oddsidemargin}{-54pt}
2303 \addtolength{\textwidth}{109pt}
2304 \addtolength{\topmargin}{-70pt}
2305 \addtolength{\textheight}{122pt}
2306 \addtolength{\marginparsep}{-5pt}
2307 \addtolength{\marginparwidth}{-10pt}
2308 \RequirePackage{url}
2309 \RequirePackage{hyperref}
2310 \hypersetup{%
2311   breaklinks,
2312   baseurl      = http://,%
2313   pdfborder    = 0 0 0,%
2314   pdfpagemode  = UseNone,%
2315   pdfstartpage = 1}
2316 \AtEndOfClass{%
2317   \AtBeginDocument{%
2318     \hypersetup{%
2319       pdfauthor      = \@firstname~\@familyname,%
2320       pdftitle       = \@title,%
2321       pdfsubject     = \@firstname~\@familyname,%
2322       pdfkeywords    = \@resumename~\@firstname~\@familyname}}}
2323 \urlstyle{tt}
2324 \RequirePackage{fancyhdr}
2325 \fancypagestyle{plain}{%
2326   \renewcommand{\headrulewidth}{0pt}
2327   \renewcommand{\footrulewidth}{0pt}
2328   \fancyhf{}}
2329 \pagestyle{plain}
2330 \setlength\lineskip{1\p@}
2331 \setlength\normallineskip{1\p@}
2332 \renewcommand\baselinestretch{}
2333 \setlength{\parindent}{0pt}
2334 \setlength{\parskip}{0pt}
2335 \setlength\columnsep{10\p@}
2336 \setlength\columnseprule{0\p@}
2337 \pagestyle{empty}
2338 \pagenumbering{arabic}
2339 \raggedbottom
2340 \onecolumn
2341 \providecommand*\listitemsymbol{\textbullet}
2342 \providecommand*\addresssymbol{}
2343 \providecommand*\mobilesymbol{\Mobilefone}
2344 \providecommand*\phonesymbol{\Telefon}
2345 \providecommand*\faxsymbol{\FAX}

```



```

2346 \providecommand*{\emailsymbol}{\Letter}
2347 \definecolor{firstnamecolor}{rgb}{0,0,0}
2348 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2349 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
2350 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2351 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2352 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2353 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2354 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2355 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2356 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2357 \providecommand*{\firstnamefont}{}
2358 \providecommand*{\familynamefont}{}
2359 \providecommand*{\titlefont}{}
2360 \providecommand*{\addressfont}{}
2361 \providecommand*{\quote font}{}
2362 \providecommand*{\sectionfont}{}
2363 \providecommand*{\subsectionfont}{}
2364 \providecommand*{\hintfont}{\small}
2365 \providecommand*{\firstnamestyle}[1]{\{\@firstnamefont\@firstnamecolour#1}}
2366 \providecommand*{\familynamestyle}[1]{\{\@familynamefont\@familynamecolour#1}}
2367 \providecommand*{\titlestyle}[1]{\{\@titlefont\@titlecolour#1}}
2368 \providecommand*{\addresstyle}[1]{\{\@addressfont\@addresscolour#1}}
2369 \providecommand*{\quotestyle}[1]{\{\@quote font\@quote colour#1}}
2370 \providecommand*{\sectionstyle}[1]{\{\@sectionfont\@sectiontitlecolour#1}}
2371 \providecommand*{\subsectionstyle}[1]{\{\@subsectionfont\@subsectioncolour#1}}
2372 \providecommand*{\hintstyle}[1]{\{\@hintfont\@hintcolour#1}}
2373 \newcommand*{\cvtheme}[2]{}
2374 \def\@cvtheme#2{}
2375 \def\@cvthemeoptions#1{}
2376 \cvtheme{bidi-casual}
2377 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
2378 \newcommand*{\resumename}[1]{\def\@resumename{#1}}
2379 \newcommand*{\firstname}[1]{\def\@firstname{#1}}
2380 \newcommand*{\familyname}[1]{\def\@familyname{#1}}
2381 \renewcommand*{\title}[1]{\def\@title{#1}}
2382 \newcommand*{\address}[1]{\def\@address{#1}}
2383 \newcommand*{\mobile}[1]{\def\@mobile{#1}}
2384 \newcommand*{\phone}[1]{\def\@phone{#1}}
2385 \renewcommand*{\fax}[1]{\def\@fax{#1}}
2386 \newcommand*{\email}[1]{\def\@email{#1}}
2387 \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
2388 \def\@photowidth{0pt}
2389 \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
2390 \newcommand*{\quote}[1]{\def\@quote{#1}}
2391 \newlength{\quotewidth}
2392 \newlength{\hintscolumnwidth}
2393 \newlength{\separatorcolumnwidth}
2394 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2395 \newlength{\maincolumnwidth}

```



```

2396 \newlength{\doubleitemmaincolumnwidth}
2397 \newlength{\listitemsymbolwidth}
2398 \settowidth{\listitemsymbolwidth}{\listitemsymbol{~}}
2399 \newlength{\listitemmaincolumnwidth}
2400 \newlength{\listdoubleitemmaincolumnwidth}
2401 \newcommand*{\recomputethemelengths}{%
2402 \newcommand*{\recomputelengths}{%
2403 \setlength{\quotewidth}{0.65\textwidth}%
2404 \setlength{\maincolumnwidth}{\textwidth}%
2405 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2406 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2407 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2408 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2409 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2410 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2411 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2412 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2413 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2414 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2415 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2416 \renewcommand{\headwidth}{\textwidth}%
2417 \recomputethemelengths}
2418 \setlength{\hintscolumnwidth}{0.15\textwidth}
2419 \recomputelengths
2420 \title{}
2421 \renewcommand*{\maketitle}{}
2422 \newcommand*{\section}[1]{%
2423 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
2424 \phantomsection}%
2425 \addcontentsline{toc}{part}{#1}%
2426 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}\hskip\hskip{\separatorcolumnwidth}%
2427 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\}[1ex]}
2428 \newcommand*{\subsection}[1]{%
2429 \cvline[0.45em]{}{\subsectionstyle{#1}}}
2430 \newcommand*{\cvline}[3][.25em]{%
2431 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hskip\hskip{\separatorcolumnwidth}}p{\maincolumnwidth}@{}
2432 \bidi@raggedleft\hintfont{#2} &{#3}%
2433 \end{tabular}}\}[#1]}
2434 \newcommand*{\cvdoubleitem}[4]{%
2435 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2436 \hfill%
2437 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hskip*{\separatorcolumnwidth}%
2438 \newcommand*{\cvlistitem}[2][\listitemsymbol]{%
2439 \cvline[0pt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}%
2440 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{%
2441 \cvline[0pt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
2442 \hfill%
2443 \ifthenelse{\equal{#3}{}}{}%
2444 {}%
2445 }%

```



```

2446 {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
2447 \newcommand*{\cventry}[6]{%
2448   \cvline{#1}{%
2449     {\bfseries#2}%
2450     \ifx#3\else{, {\slshape#3}}\fi%
2451     \ifx#4\else{, #4}\fi%
2452     \ifx#5\else{, #5}\fi%
2453     .%
2454     \ifx#6\else{\newline}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
2455   }%
2456 \newcommand*{\cvlanguage}[3]{%
2457   \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}\textbf{#3}\end{minipage}}
2458 \newcommand*{\cvcomputer}[4]{%
2459   \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
2460 \newcommand*{\link}[2][{}]{%
2461   \ifthenelse{\equal{#1}{}}{%
2462     {\href{#2}{#2}}%
2463     {\href{#2}{#1}}}
2464 \newcommand*{\httplink}[2][{}]{%
2465   \ifthenelse{\equal{#1}{}}{%
2466     {\href{http://#2}{#2}}%
2467     {\href{http://#2}{#1}}}
2468 \newcommand*{\emailink}[2][{}]{%
2469   \ifthenelse{\equal{#1}{}}{%
2470     {\href{mailto:#2}{#2}}%
2471     {\href{mailto:#2}{#1}}}
2472 \newif\if@displaypagenumbers\@displaypagenumberstrue
2473 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2474 \AtBeginDocument{%
2475   \if@displaypagenumbers%
2476     \@ifundefined{r@lastpage}{\fi}{%
2477       \ifthenelse{\pageref{lastpage} > 1}{%
2478         \fancypagestyle{plain}{%
2479           \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL\endL\pageshape}
2480         \pagestyle{plain}}}%
2481   \AtEndDocument{\label{lastpage}}%
2482   \fi}
2483 \newlength{\bibindent}
2484 \setlength{\bibindent}{1.5em}
2485 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2486 \newenvironment{thebibliography}[1]{%
2487   {%
2488     \section{\refname}%
2489     \small%
2490     \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
2491     \bidi@thebibliography@font@hook%
2492     \begin{list}{\bibliographyitemlabel}%
2493       {%
2494         \setlength{\topsep}{0pt}%
2495         \setlength{\labelwidth}{\hintscolumnwidth}%

```



```

2496 \setlength{\labelsep}{\separatorcolumnwidth}%
2497 \leftmargin\labelwidth%
2498 \advance\leftmargin\labelsep%
2499 \@openbib@code%
2500 \usecounter{enumiv}%
2501 \let\p@enumiv\@empty%
2502 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
2503 \sloppy\clubpenalty4000\widowpenalty4000%
2504 }%
2505 {%
2506 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2507 \end{list}%
2508 }
2509 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
2510 \let\@openbib@code\@empty

```

20 File biditools.sty

```

2511 \NeedsTeXFormat{LaTeX2e}
2512 \ProvidesPackage{biditools}[2018/02/22 v1.4 Programming tools for bidi package]
2513 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\relax
2514 \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2515 \ifx\@tempa\@tempb \global\let#2#1%
2516 \else
2517 \edef\@tempb{\meaning#2}%
2518 \ifx\@tempa\@tempb
2519 \else
2520 \@latex@error{Unable to properly define \string#2; primitive
2521 \noexpand#1no longer primitive}\@eha
2522 \fi
2523 \fi
2524 \endgroup}
2525 \newtoks\@bidi@envbody
2526 \newtoks\@bidi@emptytoks
2527 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2528 \def\bidi@collect@body#1{%
2529 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2530 \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2531 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2532 \begingroup
2533 \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
2534 \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2535 \bidi@process@envbody
2536 }
2537 \def\bidi@push@begins#1\begin#2{%
2538 \ifx\end#2\else b\expandafter\bidi@push@begins\fi
2539 }
2540 \def\bidi@collect@@body#1\end#2{%
2541 \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
2542 \ifx\@empty\begin@bidi@stack

```




```

2543 \endgroup
2544 \@checkend{#2}%
2545 \bidi@addto@envbody{#1}%
2546 \else
2547 \bidi@addto@envbody{#1\end{#2}}%
2548 \fi
2549 \bidi@process@envbody % A little tricky! Note the grouping
2550 }
2551 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2552 \long\def\bidi@collect@long@body#1{%
2553 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2554 \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2555 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2556 \begingroup
2557 \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
2558 \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2559 \bidi@process@envbody
2560 }
2561 \long\def\bidi@push@long@begins#1\begin#2{%
2562 \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
2563 }
2564 \long\def\bidi@collect@long@@body#1\end#2{%
2565 \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}
2566 \ifx\@empty\begin@bidi@stack
2567 \endgroup
2568 \@checkend{#2}%
2569 \bidi@addto@long@envbody{#1}%
2570 \else
2571 \bidi@addto@long@envbody{#1\end{#2}}%
2572 \fi
2573 \bidi@process@envbody % A little tricky! Note the grouping
2574 }
2575 \long\def\bidi@new@ifnextchar#1#2#3{%
2576 \let\reserved@d= #1%
2577 \def\reserved@a{#2}\def\reserved@b{#3}%
2578 \futurelet\@let@token\bidi@new@ifnch
2579 }
2580 \def\bidi@new@ifnch{%
2581 \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
2582 \reserved@b
2583 }
2584 \def\bidi@matrix@check#1{%
2585 \expandafter\ifx\csname\@currenvir\endcsname#1%
2586 \else\bidi@matrix@error#1%
2587 \expandafter\@gobble
2588 \fi
2589 }
2590 \def\bidi@matrix@error#1{%
2591 \PackageError{biditools}{%
2592 Old form "\string#1" should be \string\begin{\expandafter\@gobble\string#1}%

```



```

2593 }{%
2594 \string#1{...}' is old bidi package syntax whose use is
2595 ill-advised in the old versions of bidi package.%
2596 }%
2597 }
2598 \def\@tagsextension{clo}
2599 \def\@definitionfileextension{def}
2600 \def\@texfileextension{tex}
2601 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2602 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2603 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
2604 \def\eqnewif#1#2{%
2605   \count@\escapechar \escapechar\m@ne
2606   \let#1\iffalse
2607   \let#2\iffalse
2608   \eq@if#1#2\iftrue
2609   \eq@if#1#2\iffalse
2610   \escapechar\count@}
2611 \def\eq@if#1#2#3{%
2612   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2613     \expandafter\@gobbletwo\string#3\endcsname
2614     {\let#1#3%
2615      \let#2#3}%
2616   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2617     \expandafter\@gobbletwo\string#3\endcsname
2618     {\let#2#3%
2619      \let#1#3}}
2620 \newcommand*\SetBoolean[2]{%
2621   \lowercase{\def\@tempa{#2}}%
2622   \@ifundefined{@tempwa\@tempa}%
2623   {\PackageError{biditools}%
2624    {You can only set a boolean to `true' or `false'}\@ehc}%
2625   {\@ifundefined{#1\@tempa}%
2626    {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2627    {\csname#1\@tempa\endcsname}}}
2628 \newcommand*\GlobalSetBoolean[2]{%
2629   \lowercase{\def\@tempa{#2}}%
2630   \@ifundefined{@tempwa\@tempa}%
2631   {\PackageError{biditools}%
2632    {You can only set a boolean to `true' or `false'}\@ehc}%
2633   {\@ifundefined{#1\@tempa}%
2634    {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2635    {\global\csname#1\@tempa\endcsname}}}
2636 \newcommand*\SetatBoolean[2]{%
2637   \lowercase{\def\@tempa{#2}}%
2638   \@ifundefined{@tempwa\@tempa}%
2639   {\PackageError{biditools}%
2640    {You can only set a boolean to `true' or `false'}\@ehc}%
2641   {\@ifundefined{@#1\@tempa}%
2642    {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%

```



```

2643     {\csname @#1\@tempa\endcsname}}
2644 \newcommand*{\GlobalSetatBoolean}[2]{%
2645   \lowercase{\def\@tempa{#2}}%
2646   \ifundefined{\@tempa\@tempa}%
2647     {\PackageError{biditools}%
2648       {You can only set a boolean to `true' or `false'}\@ehc}%
2649   {\ifundefined{\@#1\@tempa}%
2650     {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2651     {\global\csname @#1\@tempa\endcsname}}}
2652 \def\@bidi@removefromreset#1#2{%
2653   \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
2654   \def\@elt##1{%
2655     \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
2656     \else
2657       \noexpand\@elt{##1}%
2658     \fi}%
2659   \expandafter\xdef\csname cl@#2\endcsname{%
2660     \csname cl@#2\endcsname}}
2661 \newcommand*{\ifRtoL}{%
2662   \if@RTL
2663     \expandafter\@firstoftwo
2664   \else
2665     \expandafter\@secondoftwo
2666   \fi}
2667 \newcommand*{\ifLtoR}{%
2668   \if@RTL
2669     \expandafter\@secondoftwo
2670   \else
2671     \expandafter\@firstoftwo
2672   \fi}
2673 \newcommand*{\ifRtoLtable}{%
2674   \if@RTLtab
2675     \expandafter\@firstoftwo
2676   \else
2677     \expandafter\@secondoftwo
2678   \fi}
2679 \newcommand*{\ifLtoRtable}{%
2680   \if@RTLtab
2681     \expandafter\@secondoftwo
2682   \else
2683     \expandafter\@firstoftwo
2684   \fi}
2685 \newcommand*{\ifRtoLhboxconstruct}{%
2686   \if@hboxRconstruct
2687     \expandafter\@firstoftwo
2688   \else
2689     \expandafter\@secondoftwo
2690   \fi}
2691 \newcommand*{\ifLtoRhboxconstruct}{%
2692   \if@hboxRconstruct

```



```

2693 \expandafter\@secondoftwo
2694 \else
2695 \expandafter\@firstoftwo
2696 \fi}
2697 \newcommand*{\iflatin}{%
2698 \if@nonlatin
2699 \expandafter\@secondoftwo
2700 \else
2701 \expandafter\@firstoftwo
2702 \fi}
2703 \newcommand*{\ifnonlatin}{%
2704 \if@nonlatin
2705 \expandafter\@firstoftwo
2706 \else
2707 \expandafter\@secondoftwo
2708 \fi}
2709
2710 \newcommand*{\bidi@convert@dimen@t@unit}[2]{%
2711 \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
2712
2713 \newcommand*{\bidi@convert@dimen@t@pt}[1]{%
2714 \dimexpr #1*65536/\dimexpr 1pt\relax}
2715
2716 \newcommand*{\if@bidi@csdef}[1]{%
2717 \ifcsname#1\endcsname
2718 \expandafter\@firstoftwo
2719 \else
2720 \expandafter\@secondoftwo
2721 \fi}
2722 \newcommand*{\if@bidi@csundef}[1]{%
2723 \ifcsname#1\endcsname
2724 \expandafter\ifx\csname#1\endcsname\relax
2725 \expandafter\expandafter
2726 \expandafter\@firstoftwo
2727 \else
2728 \expandafter\expandafter
2729 \expandafter\@secondoftwo
2730 \fi
2731 \else
2732 \expandafter\@firstoftwo
2733 \fi}
2734 \newcommand{\if@bidi@def}[1]{%
2735 \ifdefined#1%
2736 \expandafter\@firstoftwo
2737 \else
2738 \expandafter\@secondoftwo
2739 \fi}
2740 \newcommand{\if@bidi@undef}[1]{%
2741 \ifdefined#1%
2742 \ifx#1\relax

```



```

2743 \expandafter\expandafter
2744 \expandafter\@firstoftwo
2745 \else
2746 \expandafter\expandafter
2747 \expandafter\@secondoftwo
2748 \fi
2749 \else
2750 \expandafter\@firstoftwo
2751 \fi}
2752 \newcommand{\if@bidi@blank}[1]{% from url.sty
2753 \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2754 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
2755 \newcommand{\bidi@notblank}[1]{%
2756 \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2757 \newcommand{\if@bidi@defmacro}{%
2758 \long\edef\if@bidi@defmacro#1{%
2759 \noexpand\expandafter\noexpand\bidi@ifdefmacro
2760 \noexpand\meaning#1\detokenize{macro}:&}
2761 \edef\bidi@ifdefmacro{%
2762 \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&
2763 \bidi@ifdefmacro{\bidi@notblank{#2}}
2764 \newcommand*{\if@bidi@csmacro}[1]{%
2765 \if@bidi@csdef{#1}
2766 {\expandafter\if@bidi@defmacro\csname#1\endcsname}
2767 {\@secondoftwo}}
2768 \newcommand{\if@bidi@defprimitive}[1]{%
2769 \ifprimitive#1%
2770 \expandafter\@firstoftwo
2771 \else
2772 \expandafter\@secondoftwo
2773 \fi}
2774 \newcommand{\if@bidi@csprimitive}[1]{%
2775 \begingroup\expandafter\expandafter\expandafter\endgroup%
2776 \expandafter\ifprimitive\csname#1\endcsname%
2777 \expandafter\@firstoftwo
2778 \else
2779 \expandafter\@secondoftwo
2780 \fi}
2781 \newcommand*{\bidi@csdefcs}[2]{%
2782 \expandafter\@ifdefinable \csname#1\endcsname{%
2783 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}
2784 \newcommand*{\bidi@csletcs}[2]{%
2785 \expandafter\@ifdefinable \csname#1\endcsname{%
2786 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
2787 \newcommand*{\bidi@cslet}[2]{%
2788 \expandafter\@ifdefinable \csname#1\endcsname{%
2789 \expandafter\let\csname#1\endcsname#2}}
2790 \newcommand{\bidi@namelongdef}[1]{%
2791 \long\expandafter\def\csname #1\endcsname}
2792 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}

```



```

2793 \def\bidiconsure@new@command#1{%
2794   \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
2795   \expandafter\if@bidi@csundef\@gtempa
2796     {\new@command#1}{\relax%
2797     \let\@ifdefinable\@rc@ifdefinable%
2798     \new@command#1}}
2799 \def\bidiconsure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
2800
2801 \protected\def\bidiconerror{\PackageError{bidi}}
2802 \protected\def\bidiconwarning{\PackageWarning{bidi}}
2803 \protected\def\bidiconinfo{\PackageInfo{bidi}}
2804
2805
2806 \newcommand*{\setbaselineskip}[1]{%
2807   \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax}
2808   \selectfont
2809 }
2810
2811
2812 \newcommand*{\bidinewrobustcmd}{%
2813 \protected\def\bidinewrobustcmd{\@star@or@long\bidinew@command}
2814
2815 \def\bidinew@command#1{\@testopt{\bidinew@command#1}0}
2816
2817 \def\bidinew@command#1[#2]{%
2818   \@ifnextchar[%
2819     {\bidixargdef#1[#2]}
2820     {\ifx\l@ngrel@x\relax
2821       \let\l@ngrel@x\protected
2822       \else
2823       \protected\def\l@ngrel@x{\protected\long}%
2824       \fi
2825       \@argdef#1[#2]}}
2826
2827 \long\def\bidixargdef#1[#2][#3]#4{%
2828   \@ifdefinable#1{%
2829     \expandafter\protected
2830     \expandafter\def
2831     \expandafter#1%
2832     \expandafter{%
2833       \expandafter\@testopt
2834       \csname\string#1\endcsname{#3}}%
2835     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}
2836
2837 \bidinewrobustcmd*{\bidirennewrobustcmd}{\@star@or@long\bidirennew@command}
2838
2839 \def\bidirennew@command#1{%
2840   \if@bidi@undef{#1}
2841     {\bidiconerror{\string#1 undefined}\@ehc}
2842     {}%

```



```

2843 \let\@ifdefinable\@rc@ifdefinable
2844 \bidi@new@command#1}
2845
2846
2847
2848 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2849
2850 \def\bidi@provide@command#1{%
2851   \if@bidi@undef{#1}
2852     {\def\reserved@a{\bidi@new@command#1}}
2853     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2854   \reserved@a}
2855
2856 \newcommand*{\bidi@csuse}[1]{%
2857   \ifcsname#1\endcsname
2858     \csname#1\expandafter\endcsname
2859   \fi}
2860
2861 \newcommand{\bidi@expandonce}[1]{%
2862   \unexpanded\expandafter{#1}}
2863
2864 \def\bidi@protected{%
2865   \let\@@protect\protect
2866   \let\protect\@unexpandable@protect
2867   \afterassignment\restore@protect}
2868
2869 \bidi@newrobustcmd{\bidi@appto}[2]{%
2870   \if@bidi@undef{#1}
2871     {\edef#1{\unexpanded{#2}}}
2872     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2873 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2874   \if@bidi@undef{#1}
2875     {\edef#1{#2}}
2876     {\edef#1{\bidi@expandonce#1#2}}}}
2877 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2878   \if@bidi@undef{#1}
2879     {\xdef#1{\unexpanded{#2}}}
2880     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2881 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2882   \if@bidi@undef{#1}
2883     {\xdef#1{#2}}
2884     {\xdef#1{\bidi@expandonce#1#2}}}}
2885
2886 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2887 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2888
2889
2890
2891 \bidi@newrobustcmd{\bidi@preto}[2]{%
2892   \if@bidi@undef{#1}

```



```

2893 {\edef#1{\unexpanded{#2}}}
2894 {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2895 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2896 \if@bidi@undef{#1}
2897 {\edef#1{#2}}
2898 {\edef#1{#2\bidi@expandonce#1}}}
2899 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2900 \if@bidi@undef{#1}
2901 {\xdef#1{\unexpanded{#2}}}
2902 {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2903 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2904 \if@bidi@undef{#1}
2905 {\xdef#1{#2}}
2906 {\xdef#1{#2\bidi@expandonce#1}}}
2907
2908 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
2909 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
2910
2911
2912
2913 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2914 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2915 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
2916 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2917 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
2918 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
2919
2920
2921
2922 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
2923 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2924 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2925 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2926 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
2927 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
2928
2929
2930
2931 \bidi@newrobustcmd{\if@bidi@patchable}{%
2932 \bidi@dbg@trce\if@bidi@patchable
2933 \begingroup
2934 \@makeother\#%
2935 \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2936
2937 \long\def\bidi@ifpatchable#1#2{%
2938 \endgroup
2939 \bidi@dbg@init#1%
2940 \if@bidi@undef{#1}
2941 {\bidi@dbg@fail{def}\@secondoftwo}
2942 {\bidi@dbg@info{def}}%

```




```

2943 \if@bidi@defmacro{#1}
2944 {\bidi@dbg@info{mac}%
2945 \bidi@ifscanable{#1}
2946 {\bidi@ifhashcheck{#2}
2947 {\bidi@dbg@info{tok}%
2948 \bidi@ifpattern#1{#2}
2949 {\bidi@dbg@info{pat}%
2950 \bidi@dbg@info{pos}\@firstoftwo}
2951 {\bidi@dbg@fail{pat}\@secondoftwo}}
2952 {\bidi@dbg@fail{hsh}\@secondoftwo}}
2953 {\bidi@dbg@fail{tok}\@secondoftwo}}
2954 {\bidi@dbg@fail{mac}\@secondoftwo}}}}
2955
2956 \long\def\bidi@ifpatchable@i#1{%
2957 \endgroup
2958 \bidi@dbg@init#1%
2959 \if@bidi@undef{#1}
2960 {\bidi@dbg@fail{def}\@secondoftwo}
2961 {\bidi@dbg@info{def}%
2962 \if@bidi@defmacro{#1}
2963 {\bidi@dbg@info{mac}%
2964 \if@bidi@defparam{#1}
2965 {\bidi@dbg@info{prm}%
2966 \bidi@ifscanable{#1}
2967 {\bidi@dbg@info{tok}%
2968 \bidi@dbg@info{pos}\@firstoftwo}
2969 {\bidi@dbg@fail{tok}\@secondoftwo}}
2970 {\bidi@dbg@info{prl}%
2971 \if@bidi@defprotected{#1}
2972 {\bidi@dbg@info{pro}}
2973 {}%
2974 \bidi@dbg@info{pos}\@firstoftwo}}
2975 {\bidi@dbg@fail{mac}\@secondoftwo}}}}
2976
2977 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2978 \bidi@dbg@trce\bidi@patchcmd
2979 \begingroup
2980 \@makeother\#%
2981 \bidi@@patchcmd}
2982
2983 \newcommand{\bidi@@patchcmd}[4][#####1]{%
2984 \bidi@ifpatchable#2{#3}
2985 {\bidi@dbg@succ{ret}%
2986 \begingroup
2987 \edef\bidi@resrvda{%
2988 \def\noexpand\bidi@resrvda#####1\detokenize{macro:}####2->####3&{%
2989 #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2990 \def\noexpand\bidi@resrvdb#####1\detokenize{#3}####2&{%
2991 #####1\detokenize{#4}####2}%
2992 \edef\noexpand\bidi@resrvda{%

```



```

2993         \noexpand\bidi@resrvda\meaning#2&}}%
2994     \bidi@resrvda
2995     \bidi@patchcmd@scantoks\bidi@resrvda
2996     \let#2\bidi@resrvda
2997     \bidi@undef\bidi@resrvda
2998     \@firstoftwo}
2999     {\@secondoftwo}}
3000
3001 \def\bidi@patchcmd@scantoks#1{%
3002     \edef\bidi@resrvda{\endgroup
3003         \unexpanded{\makeatletter\scantokens}{#1}%
3004         \catcode\number`\@=\the\catcode`\@ \relax}%
3005     \bidi@resrvda}
3006
3007 \newcommand\bidi@isloaded[2][]{
3008     \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
3009         \expandafter\newif\csname if@bidi@#2loaded@\endcsname
3010         \fi
3011     \@ifpackageloaded{#2}
3012     {\csname @bidi@#2loaded@true\endcsname #1}
3013     {\csname @bidi@#2loaded@false\endcsname}}
3014
3015 \protected\def\bidi@ifscanable#1{%
3016     \begingroup
3017     \edef\bidi@resrvda{%
3018         \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
3019             ####1\def\string\bidi@resrvda####2{####3}}}%
3020     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
3021     \bidi@resrvda
3022     \makeatletter
3023     \scantokens\expandafter{\bidi@resrvda}%
3024     \expandafter\endgroup\ifx#1\bidi@resrvda
3025         \expandafter\@firstoftwo
3026     \else
3027         \expandafter\@secondoftwo
3028     \fi}
3029
3030
3031 \protected\long\def\bidi@ifhashcheck#1{%
3032     \begingroup
3033     \edef\bidi@resrvda{\detokenize{#1}}%
3034     \expandafter\endgroup
3035     \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
3036
3037 \edef\bidi@ifhashcheck@i#1&{%
3038     \noexpand\expandafter
3039     \noexpand\bidi@ifhashcheck@ii
3040     \noexpand\strip@prefix#1\string#\string#&}
3041
3042 \edef\bidi@ifhashcheck@ii{%

```



```

3043 \def\noexpand\bidifhashcheck@ii##1\string#\string###2&}
3044 \bidifhashcheck@ii{\if@bidi@blank{#2}}
3045
3046
3047 \protected\long\def\bidifpattern#1#2{%
3048 \begingroup
3049 \edef\bidiresrvda{%
3050 \def\noexpand\bidiresrvda####1\detokenize{#2}####2&{%
3051 \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}}%
3052 \edef\noexpand\bidiresrvda{\noexpand\bidiresrvda
3053 \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
3054 \noexpand\bidiresrvda}
3055 \bidiresrvda\@secondoftwo\@firstoftwo}
3056
3057
3058 \newcommand{\if@bidi@defparam}{%
3059 \long\edef\if@bidi@defparam#1{%
3060 \noexpand\expandafter\noexpand\bidifdefparam
3061 \noexpand\meaning#1\detokenize{macro}:->&}
3062 \edef\bidifdefparam{%
3063 \def\noexpand\bidifdefparam##1\detokenize{macro}:##2->##3&}
3064 \bidifdefparam{\bidinotblank{#2}}
3065
3066
3067 \newcommand{\if@bidi@defprotected}{%
3068 \long\edef\if@bidi@defprotected#1{%
3069 \noexpand\expandafter\noexpand\bidifdefprotected
3070 \noexpand\meaning#1\string\protected&}
3071 \edef\bidifdefprotected{%
3072 \def\noexpand\bidifdefprotected##1\string\protected##2&}
3073 \bidifdefprotected{\bidinotblank{#2}}
3074
3075
3076 \bidinewrobustcmd{\bidiundef}[1]{\let#1\bidiundefined}
3077
3078 \let\bididbg@trce\@gobble
3079 \let\bididbg@init\@gobble
3080 \let\bididbg@info\@gobble
3081 \let\bididbg@succ\@gobble
3082 \let\bididbg@fail\@gobble
3083
3084
3085
3086 \bidinewrobustcmd*\bidiapptocmd}{%
3087 \bididbg@trce\bidiapptocmd
3088 \begingroup
3089 \@makeother\#%
3090 \bidihooktocmd\bidiaappend}
3091
3092

```



```

3093
3094 \bidi@newrobustcmd*{\bidi@pretocmd}{%
3095   \bidi@dbg@trce\bidi@pretocmd
3096   \begingroup
3097   \@makeoother\#%
3098   \bidi@hooktocmd\bidi@prepend}
3099
3100 \long\def\bidi@hooktocmd#1#2#3{%
3101   \endgroup
3102   \bidi@dbg@init#2%
3103   \if\bidi@undef{#2}
3104     {\bidi@dbg@fail{def}\@secondoftwo}
3105     {\bidi@dbg@info{def}%
3106       \if\bidi@defmacro{#2}
3107         {\bidi@dbg@info{mac}%
3108           \if\bidi@defparam{#2}
3109             {\bidi@dbg@info{prm}%
3110               \bidi@ifscanable{#2}
3111                 {\bidi@ifhashcheck{#3}
3112                   {\bidi@dbg@info{tok}%
3113                     \bidi@dbg@succ{ret}%
3114                     \bidi@hooktocmd@i#1#2{#3}%
3115                     \@firstoftwo}
3116                   {\bidi@dbg@fail{hsh}\@secondoftwo}}
3117                 {\bidi@dbg@fail{tok}\@secondoftwo}}
3118             {\bidi@dbg@info{prl}%
3119               \if\bidi@defprotected{#2}
3120                 {\bidi@dbg@info{pro}%
3121                   \bidi@dbg@succ{red}%
3122                   \protected}
3123                 {\bidi@dbg@succ{red}}}%
3124             \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
3125             \@firstoftwo}}
3126     {\bidi@dbg@fail{mac}\@secondoftwo}}
3127
3128 \long\def\bidi@hooktocmd@i#1#2#3{%
3129   \begingroup
3130   \edef\bidi@resrvda{%
3131     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3{%
3132       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}%
3133     \edef\noexpand\bidi@resrvda{%
3134       \noexpand\bidi@resrvda\meaning#2&}}%
3135   \bidi@resrvda
3136   \bidi@patchcmd@scantoks\bidi@resrvda
3137   \let#2\bidi@resrvda
3138   \bidi@undef\bidi@resrvda}
3139
3140 \long\def\bidi@append#1#2{#1#2}
3141 \long\def\bidi@prepend#1#2{#2#1}
3142

```



```

3143 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
3144 \newcommand*{\bidi@endpreamblehook}{}
3145
3146 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipouthook}
3147 \newcommand*{\bidi@beforeoutputpageshipouthook}{}
3148
3149 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
3150 \newcommand*{\bidi@beforeheaderhook}{}
3151
3152 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpagehook}
3153 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}
3154
3155 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpagehook}
3156 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}
3157
3158 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
3159 \newcommand*{\bidi@beforefooterhook}{}
3160
3161 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
3162 \newcommand*{\bidi@afterfooterhook}{}
3163
3164
3165 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
3166 \newcommand*{\bidi@afteroutputpageshipouthook}{}
3167
3168 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
3169 \newcommand*{\bidi@atendoutputpagehook}{}
3170
3171 \bidi@preto\document{%
3172   \endgroup
3173   \let\bidi@AtEndPreamble\@firstofone
3174   \bidi@endpreamblehook
3175   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
3176   \bidi@undef\bidi@endpreamblehook
3177   \begingroup}
3178
3179 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
3180 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
3181
3182 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
3183 \newcommand*{\bidi@afterendpreamblehook}{}
3184
3185 \bidi@appto\document{%
3186   \let\bidi@AfterEndPreamble\@firstofone
3187   \bidi@afterendpreamblehook
3188   \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
3189   \bidi@undef\bidi@afterendpreamblehook
3190   \ignorespaces}
3191
3192 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}

```



```

3193
3194 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
3195 \newcommand*{\bidi@afterlastshipouthook}{\}
3196
3197 \bidi@patchcmd\enddocument
3198 {\clearpage}
3199 {\clearpage
3200 \let\bidi@AfterLastShipout\@firstofone
3201 \bidi@afterlastshipouthook}
3202 {}
3203 {\let\bidi@clearpage\clearpage
3204 \def\clearpage{%
3205 \bidi@clearpage
3206 \let\bidi@AfterLastShipout\@firstofone
3207 \bidi@afterlastshipouthook}}
3208
3209 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
3210 \newcommand*{\bidi@afterenddocumenthook}{\}
3211
3212 \bidi@patchcmd\enddocument
3213 {\deadcycles}
3214 {\let\bidi@AfterEndDocument\@firstofone
3215 \bidi@afterenddocumenthook
3216 \deadcycles}
3217 {}
3218 {\let\bidi@@end@@end
3219 \def@@end{%
3220 \let\bidi@AfterEndDocument\@firstofone
3221 \bidi@afterenddocumenthook
3222 \bidi@@end}}
3223
3224 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
3225 \bidi@csgappto{\bidi@begin@#1@hook}}
3226
3227 \bidi@patchcmd\begin
3228 {\csname #1\endcsname}
3229 {\bidi@csuse{\bidi@begin@#1@hook}%
3230 \csname #1\endcsname}
3231 {}
3232 {\bidi@warning{%
3233 Patching '\string\begin' failed!\MessageBreak
3234 '\string\bidi@AtBeginEnvironment' will not work\gobble}}
3235
3236
3237
3238 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
3239 \bidi@csgappto{\bidi@end@#1@hook}}
3240
3241 \bidi@patchcmd\end
3242 {\csname end#1\endcsname}

```



```

3243 {\bidi@csuse{@bidi@end@#1@hook}%
3244 \csname end#1\endcsname}
3245 {}
3246 {\bidi@warning{%
3247   Patching '\string\end' failed!\MessageBreak
3248   '\string\bidi@AtEndEnvironment' will not work\@gobble}}
3249
3250
3251
3252 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
3253   \bidi@csgappto{@bidi@beforebegin@#1@hook}}
3254
3255 \bidi@pretocmd\begin
3256   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
3257   {}
3258   {\bidi@warning{%
3259     Patching '\string\begin' failed!\MessageBreak
3260     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}
3261
3262
3263
3264 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
3265   \bidi@csgappto{@bidi@afterend@#1@hook}}
3266
3267 \bidi@patchcmd\end
3268   {\if@ignore}
3269   {\bidi@csuse{@bidi@afterend@#1@hook}%
3270    \if@ignore}
3271   {}
3272   {\bidi@warning{%
3273     Patching '\string\end' failed!\MessageBreak
3274     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}
3275
3276 \chardef\bidi@backslash`\\
3277 \def\bidi@#1{\texttt{\char\bidi@backslash#1}}
3278
3279 % anonymous control sequences
3280 \newcount\bidi@tempcountb
3281 \newtoks\bidi@temptoksa
3282 \newtoks\bidi@temptoksb
3283
3284 % Catcode (re)storing
3285 %
3286 \def\bidi@storecatcode#1%
3287   {\escapechar\m@ne
3288    \bidi@csarg\edef\bidi@restorecatcode\string#1}%
3289    {\catcode`\string#1=
3290     \the\catcode\expandafter`\string#1}%
3291    \catcode\expandafter`\string#1=12\relax
3292    \escapechar`\\relax}

```



```

3293 \def\bidirestorecatcode#1%
3294   {\escapechar\m@ne
3295    \csname bidi@restorecatcode\string#1\endcsname
3296    \escapechar`\\relax}
3297
3298 % Construct a control sequence inside \edef
3299 %
3300 \def\bidicsname#1{\expandafter\noexpand\csname#1\endcsname}
3301
3302 % Construct a control sequence out of #2, and give it to #1
3303 %
3304 \def\bidicsarg#1#2{\expandafter#1\csname#2\endcsname}
3305
3306 % Pick an escapecharacter
3307 % this presumes that its argument is a character.
3308 %
3309 \def\bidipickescape#1{\ifnum`#1=\escapechar\else#1\fi}
3310
3311 % Equality of strings.
3312 % the fast approach: does not work in expansion-only environment.
3313 %
3314 \def\bidiequalstring#1#2{00\fi\def\bidieqs@a{#1}\def\bidieqs@b{#2}%
3315   \ifx\bidieqs@a\bidieqs@b}
3316
3317 % Test by expansion only
3318 %
3319 \def\bidiequalstringx#1#2{00\fi
3320   \csname if\@bidiequalstringx#1&#2&\endcsname}
3321 \def\@bidiequalstringx#1#2$#3#4$ {\ifx#1#3%
3322   \ifx#1&true\else\bidihop@ES\@bidiequalstringx#2$#4$\fi
3323   \else false\fi}
3324 \def\bidihop@ES#1\fi#2\fi{\fi\fi#1}
3325
3326 % Lexicographic ordering
3327 % note the use of \def
3328 % also note the characters 0,127,255 that are used,
3329 % these are not supposed to appear in the strings
3330 %
3331 {\catcode0=12 \catcode255=12 \catcode127=12
3332 \gdef\bidistringbeforenc#1#2{00\fi
3333   \bidicharsbefore#1^^@^^?#2^^ff^^?}
3334 \gdef\bidicharsbeforenc#1#2^^?#3#4^^?{%
3335   \ifcat#1\relax\def\bidinext{\bidicharsbefore#2^^@^^?#3#4^^ff^^?}%
3336   \else\ifcat#3\relax\def\bidinext{\bidicharsbefore#1#2^^@^^?#4^^ff^^?}%
3337   \else\ifnum\lccode`#1<\lccode`#3
3338     \def\bidinext{\csname iftrue\endcsname}%
3339   \else\ifnum\lccode`#1>\lccode`#3
3340     \def\bidinext{\csname iffalse\endcsname}%
3341   \else\def\bidinext{\bidicharsbefore#2^^?#4^^?}%
3342   \fi \fi \fi \fi

```




```

3343 \bidi@next}
3344 \gdef\bidi@StringBefore#1#2{00\fi
3345 \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3346 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
3347 \ifnum`#1<`#3
3348 \def\bidi@next{\csname iftrue\endcsname}%
3349 \else\ifnum`#1>`#3
3350 \def\bidi@next{\csname iffalse\endcsname}%
3351 \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3352 \fi\fi
3353 \bidi@next}
3354 }
3355
3356 % Null argument test
3357 %
3358 \def\bidi@empty{}
3359 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@null}
3360 \def\bidi@ifemptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@null}
3361 %\def\bidi@ifempty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
3362 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
3363
3364 % Next character test
3365 %
3366 \def\bidi@NextChar#1#2#3{00\fi
3367 \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3368 \futurelet\bidi@nxt@c\@bidi@ifnxtc}
3369 \def\bidi@ifNextChar#1#2#3{%
3370 \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3371 \futurelet\bidi@nxt@c\@bidi@ifnxtc}
3372 \def\@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
3373 \else \expandafter\bidi@nxt@b \fi}
3374
3375 % Test for defined-ness of string as control sequence.
3376 % works inside \edef
3377 %
3378 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
3379
3380 % Define uniquely defined dummy macros,
3381 % usually to serve as bumper blocks at the end of a list
3382 %
3383 \newcount\bidi@dummies
3384 \def\DefNewDummy#1{
3385 \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}
3386 \advance\bidi@dummies\@ne
3387 \else
3388 \bidi@error{Attempt at second definition of `#1'}
3389 \fi}
3390
3391 % string case statement
3392 % use: \bidi@switch \iftest{...} in:

```



```

3393%      item1 action1
3394%      ...
3395%      itemn actionn
3396%      default defaultaction [optional]
3397%      \endbidi@switch
3398% inspired by Jonathan Fine: Some Basic Control Macros
3399% Tugboat 12 #4
3400%
3401\let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
3402\def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
3403\def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3404  #1{#2}\bidi@switch@exit #3 \@bidi@fi
3405  \bidi@switch {#1}
3406}
3407% this version puts the test object in {}
3408\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3409  #1{#2}\bidi@switch@exit #3 \@bidi@fi
3410  \bidi@switch #1 in:
3411}
3412% this version assumes that the test object is just one character
3413\def\bidi@cswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3414  #1#2\bidi@switch@exit #3 \@bidi@fi
3415  \bidi@cswitch #1 in:
3416}
3417% this version assumes that the test object can have an optional space
3418\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3419  #1#2 \bidi@switch@exit #3 \@bidi@fi
3420  \bidi@bswitch #1 in:
3421}
3422% this version can cope with significant spaces at the start of #3;
3423% #2 is macro argument
3424\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3425  #1{#2}\bidi@switch@exit #3 \@bidi@fi
3426  \bidi@mswitch #1 in:
3427}
3428% idem; #2 does not have to be enclosed in braces
3429\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3430  #1#2 \bidi@switch@exit #3 \@bidi@fi
3431  \bidi@fswitch #1 in:
3432}
3433
3434% Routines for taking the value of a string:
3435% if the string is defined as control sequence
3436% take the value of that, otherwise take the string itself
3437
3438% String or value of control sequence
3439%
3440\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
3441
3442% String or control sequence

```



```

3443 %
3444 \def\@bidi@ww#1{\if\@bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
3445
3446 % String or \noexpand-ed control sequence;
3447 % for use in \edef
3448 %
3449 \newif\ifbidi@in@label
3450 \def\@bidi@w@w#1{\if\@bidi@undefinedcs{#1}#1\else
3451     \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3452 \newtoks\bidi@are@these@correct
3453 \def\bidi@t@w@w#1{%
3454     \if\@bidi@undefinedcs{#1}#1%
3455     \ifdefined\bidi@append@to@list\bidi@are@these@correct{#1}\fi
3456     \else
3457     \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3458
3459 % List Manipulation .....
3460 % this assumes that #1 is a list of tokens, #2 is the name of a list
3461 %
3462 % Names of lists (and of items to pop into) are given as strings;
3463 % not as control sequences.
3464 %
3465 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
3466 % basic append/prepend macro
3467 \long\def\@bidi@append@to@csl#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3468     \global#1=\expandafter\expandafter\expandafter{\expandafter\the\bidi@toks@lista}
3469 \long\def\@bidi@prepend@to@csl#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3470     \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista}
3471 \def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@csl}
3472 % variations:
3473 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{#2}}
3474 \def\bidi@append@list@to@list#1#2{%
3475     \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter{\expandafter\the\csname#2\endcsname}}
3476 \def\bidi@append@csl@to@csl#1#2{%
3477     \@bidi@append@to@csl{#1}\expandafter{\the#2}}
3478 \def\bidi@append@toks@cst@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
3479
3480 \let\bidi@willbeunhskip\unhskip
3481
3482 % A few list macros for the user
3483 \def\NewList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
3484 \def\EmptyList:#1 {\global\csname#1\endcsname{}}
3485 \long\def\AppendToList:#1=#2 {\@bidi@append@to@list{#1}{#2}}
3486 \def\TheList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\@empty
3487     \if\@bidi@undefinedcs{#1}\bidi@error{List <#1> undefined}
3488     \else\bidi@csarg\the{#1}\fi
3489     \let\bidi@willbeunhskip\bidi@oldwbuskip}
3490
3491 \def\bidi@del@tok@from@list#1#2{\begingroup
3492     \long\def\bidi@cs@list#1#2#2\bidi@tok@SM

```



```

3493     {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
3494     \edef\bidi@cs@listb{\global\bidi@csname{#1}=
3495         {\the\bidi@toks@lista\the\bidi@toks@listb}}%
3496     \bidi@cs@listb}%
3497     \edef\bidi@cs@lista{\noexpand\bidi@cs@listb}\expandafter\the\csname#1\endcsname\noexpand
3498     \bidi@cs@lista \endgroup}
3499 \def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
3500 \bidi@in@front@of@cslist\bidi@cs@lista}
3501 \long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
3502 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista
3503 \endgroup}
3504 \long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
3505 \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
3506     {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter
3507     \expandafter\the\csname#1\endcsname}%
3508 }
3509 \def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
3510 \bidi@set@cslist\bidi@cs@lista}
3511 \long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
3512 \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}
3513
3514 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%% Stack macros
3515 %
3516 % push in terms of prepending of lists
3517 \def\bidi@push@cs@onto@cs#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\\expandafter
3518 \def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{#1}}
3519 \def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1{\{\{#2\}\}}
3520 \def\bidi@local@push@onto#1#2{\let\\=\relax
3521 \bidi@local@in@front@of@list{#1}\{\{#2\}\}}
3522 % pop via auxiliary macro: #1 is result, #2 is stack
3523 % two cs arguments
3524 \def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
3525 {\noexpand\@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@bidi@pop}\bidi@cs@e}
3526 % two string arguments
3527 \def\bidi@pop@into#1#2{\edef\bidi@cs@e
3528 {\noexpand\@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@bidi@pop}
3529 \long\def\@bidi@popinto#1#2\@#3#4\@bidi@pop{#1{#3}#2{#4}}
3530 \def\bidi@copy@stacktop#1#2{%
3531 \edef\bidi@cs@ef\noexpand\@bidi@copy@stacktop
3532     {#1}\bidi@csarg\the{#2}\noexpand\@bidi@pop}%
3533 \bidi@cs@e}
3534 \def\@bidi@copy@stacktop#1\@#2#3\@bidi@pop{\csname#1\endcsname#2\relax}
3535 \newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\{\}}
3536 \def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
3537 \def\bidi@length@of@csstack#1{\def\@#1{\advance\bidi@stack@length\@ne}%
3538 \bidi@stack@length\m@ne \the#1}
3539 % turn a stack upside down
3540 \def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
3541 \bidi@temptcountb\z@ \bidi@temptoksa\bidi@empty@stack
3542 \loop\ifnum\bidi@temptcountb<\bidi@stack@length

```



```

3543 \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
3544 \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
3545 % \bidi@append@cslst@to@cslst\bidi@temptoksb\bidi@temptoksa% append a to b
3546 % \bidi@temptoksa\bidi@temptoksb
3547 \repeat% copy b to a
3548 #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3549 % invert a stack into a list
3550 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
3551 \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
3552 \loop\ifnum\bidi@tempcountb<\bidi@stack@length
3553 \bidi@pop@into{bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
3554 \bidi@append@list@to@list{bidi@temptoksb}{bidi@temptoksa}\repeat
3555 \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3556
3557
3558 % General loop macro:
3559 % \looprepeat
3560 % \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
3561 % \untilcondition{<cond>} \whilecondition{<cond>}
3562 % \doloopbody { <loop body> }
3563 % where all control sequences in between \looprepeat and \doloopbody are optional.
3564 %
3565 % var: characters to form a control sequence;
3566 % after \forvariable{index} you can access the loop counter as \index.
3567 % This is a count register; to print it use \number\index.
3568 % start,step,end: integers with obvious relations to the loop counter;
3569 % start and step have a default value of 1
3570 % cond: (sequence of commands ending in) any TeX \if... test.
3571 %
3572 % Count down instead of up with \downtovalue; the increment given in \bystep
3573 % is always positive, and is added or subtracted accordingly.
3574 %
3575 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
3576 % at the beginning of the loop body.
3577 %
3578 % Exit from middle of loop: \breaklooprepeat
3579 % use this at any place in the loop; in case of a conditional use
3580 % \ifsomething ... \expandafter \breaklooprepeat \fi
3581 %
3582 % Note that the line ends do not cause spaces in the output.
3583 %
3584 % Technical details:
3585 % The loop body is not executed in a group: the braces are those
3586 % of a token list.
3587 % The 'forvariable' variable is \let to a \count register.
3588
3589
3590
3591 % Auxiliary stuff
3592 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}

```



```

3593 \def\bidilooprepeat@csromannumeral#1{\csname #1\romannumeral\bidilooprepeat@depth\endcsname}
3594 \def\bidilooprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidilooprepeat@
3595
3596 \newcount\bidilooprepeat@depth
3597 \let\endlooprepeat\relax \def\bidicsprotect{}
3598 % Trace switches may later be defined by PAC_utils
3599 \let\bidilooprepeat@traceinit\relax \let\bidilooprepeat@traceexit\relax
3600
3601 % Main repeatloop macro
3602 % - go to next level and allocate unique counter/toks if this is the
3603 %   first time we visit this level
3604 % - setup: gather bounds and termination conditions
3605 % - scoop up body in token list; after the assignment define and
3606 %   execute body
3607 \def\looprepeat#1\doloopbody{\bidilooprepeat@traceinit % exit in \breakrepeatloop
3608   \advance\bidilooprepeat@depth\@ne\relax
3609   \bidilooprepeat@csargromannumeral\ifx\bidilooprepeat@count\relax
3610     \bidilooprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}\bidilooprepeat@
3611     \bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}\bidilooprepeat@
3612     \bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}\bidilooprepeat@
3613     \bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}\bidilooprepeat@
3614   \fi \bidilooprepeat@zero \def\bidilooprepeat@sign{}\def\bidilooprepeat@comp{>}\bidiloopre
3615   \edef\bidilooprepeat@tmp
3616     {\def\bidilooprepeat@csargromannumeral\noexpand\bidilooprepeat@looprepeat}\bidiloopre
3617   \afterassignment\bidilooprepeat@dxbody\bidilooprepeat@csromannumeral\bidilooprepeat@toks}
3618
3619 % Define and execute loop body
3620 % This is done with an \edef to construct the actual sequence
3621 \def\bidilooprepeat@dxbody{\bidilooprepeat@csargromannumeral\edef\bidilooprepeat@body}{%
3622   \bidilooprepeat@csargromannumeral\the\bidilooprepeat@wtest}%
3623   \noexpand\the\bidilooprepeat@csargromannumeral\noexpand\bidilooprepeat@toks}%
3624   \bidilooprepeat@csargromannumeral\the\bidilooprepeat@utest}%
3625   \global\bidilooprepeat@csargromannumeral\advance\bidilooprepeat@count by \bidiloopre
3626   \noexpand\endlooprepeat
3627   \bidilooprepeat@csargromannumeral\noexpand\bidilooprepeat@looprepeat}}%
3628   \bidilooprepeat@csromannumeral\bidilooprepeat@body\ignorespaces}
3629
3630 % Stop test
3631 %% In order to stop, issue a
3632 % \breaklooprepeat which scoops up the rest of the body and exits
3633 \def\breaklooprepeat#1\endlooprepeat{\bidilooprepeat@zero\bidilooprepeat@csargromannumeral\
3634   \advance\bidilooprepeat@depth\m@ne \bidilooprepeat@traceexit
3635 }
3636
3637
3638 % Setup
3639 % gather bounds and termination conditions
3640 \def\bidilooprepeat@setup#1{%
3641   \begingroup
3642   \def\forvariable##1{%

```



```

3643 \edef\bidi@looprepeat@tmp{%
3644 \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral\bidi@l
3645 \bidi@looprepeat@tmp}%
3646 \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global\bidi@looprepeat@count}##1\ign
3647 \def\tovalue##1{%
3648 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopre
3649 {\bidi@looprepeat@csargromannumeral\the\bidi@looprepeat@wtest}}%
3650 \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand\bidi@looprepeat@count\bidi
3651 \noexpand\expandafter \noexpand\breaklooprepeat
3652 \noexpand\fi}\ignorespaces}%
3653 \bidi@looprepeat@tmp}%
3654 \def\downtovalue##1{%
3655 \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
3656 \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}\
3657 \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc{-##1}\else
3658 \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc{##1}\fi\ignorespac
3659 \def\untilcondition##1{%
3660 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopre
3661 {\noexpand##1\relax
3662 \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3663 \bidi@looprepeat@tmp}%
3664 \def\whilecondition##1{%
3665 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopre
3666 {\noexpand##1\relax \noexpand\else
3667 \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3668 \bidi@looprepeat@tmp}%
3669 \fromvalue{\@ne}\bystep{\@ne}#1%
3670 \endgroup}
3671 \def\bidi@looprepeat@zero
3672 {\bidi@looprepeat@csromannumeral\bidi@looprepeat@toks}{\bidi@looprepeat@csromannumeral\bi
3673 \bidi@looprepeat@csargromannumeral\def\bidi@looprepeat@body{}}
3674
3675 %\tracingmacros2
3676 %\newcount\tmpcount % used in some examples below
3677
3678 %\looprepeat \forvariable{i}
3679 % \bystep{2}
3680 % \doloopbody {%
3681 % \ifnum i=13 \expandafter\breaklooprepeat \fi
3682 % \number{i} %
3683 %}%
3684
3685 %\looprepeat \forvariable{iii}
3686 % \tovalue{8}
3687 % \doloopbody {}
3688 %After loop: \number{iii}%
3689
3690 %\looprepeat \forvariable{i}
3691 % \fromvalue{10}
3692 % \bystep{2}

```



```

3693%           \downtovalue{0}
3694%   \doloopbody {\number\i} }
3695
3696%\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
3697%   \doloopbody {\number\x} }
3698
3699%\looprepeat \tovalue{3} \doloopbody {Hello world! }
3700
3701%\looprepeat \forvariable{j}
3702%           \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
3703%   \doloopbody {\number\j} }
3704
3705%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
3706% {\looprepeat \forvariable{j} \fromvalue{i} \bystep{3} \tovalue{18}
3707%   \doloopbody {(\number\i.\number\j) }
3708% }
3709
3710% infinite loop
3711%\looprepeat \doloopbody {}
3712
3713\CheckCommand{\InputIfFileExists}[2]{%
3714  \IfFileExists{#1}%
3715    {#2\@addtofilelist{#1}\@input \@filef@und}}
3716
3717\renewcommand{\InputIfFileExists}[2]{%
3718  \begingroup\expandafter\expandafter\expandafter\endgroup
3719  \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
3720    \expandafter\@secondoftwo
3721  \else
3722    \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
3723    \expandafter\@firstoftwo
3724  \fi
3725  {%
3726    \expandafter\InputIfFileExists\expandafter{\csname
3727      #1-@bidi@alias\endcsname}{#2}%
3728  }%
3729  {\IfFileExists{#1}{%
3730    \bidi@load@hook{before}{#1}%
3731    #2\@addtofilelist{#1}%
3732    \@input \@filef@und
3733    \bidi@load@hook{after}{#1}%
3734  }}%
3735}
3736
3737\newcommand*{\bidi@loadwithoptions}{%
3738\newcommand*{\bidi@loadwithoptions}{%
3739\let\bidi@loadwithoptions\@loadwithoptions
3740
3741\renewcommand*{\@loadwithoptions}[3]{%
3742  \begingroup\expandafter\expandafter\expandafter\endgroup

```




```

3743 \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
3744 \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
3745 \else
3746 \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
3747 \def\bidi@@loadwithoptions{%
3748 \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
3749 }%
3750 \fi
3751 \bidi@@loadwithoptions
3752 }
3753
3754 \newcommand*{\bidi@onefilewithoptions}{%
3755 \let\bidi@onefilewithoptions\@onefilewithoptions
3756 \def\bidi@onefilewithoptions#1[#2][#3]#4{%
3757 \begingroup\expandafter\expandafter\expandafter\endgroup
3758 \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
3759 \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
3760 \else
3761 \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
3762 \edef\bidi@onefilewithoptions{%
3763 \noexpand\bidi@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
3764 \fi
3765 \bidi@@onefilewithoptions[#2][#3]{#4}%
3766 \bidi@load@hook{lateafter}{#1.#4}%
3767 }
3768
3769 \newcommand*{\bidi@ReplaceInput}[2]{%
3770 \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
3771 }
3772
3773 \newcommand*{\bidi@UnReplaceInput}[1]{%
3774 \ifcsname #1-@bidi@alias\endcsname
3775 \expandafter\let\csname #1-@bidi@alias\endcsname\relax
3776 \fi
3777 }
3778
3779 \newcommand*{\@bidi@replacefilewithext}[3]{%
3780 \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
3781 }
3782 \newcommand*{\bidi@ReplacePackage}[2]{%
3783 \@bidi@replacefilewithext{#1}{#2}\@pkgextension
3784 }
3785 \newcommand*{\bidi@ReplaceClass}[2]{%
3786 \@bidi@replacefilewithext{#1}{#2}\@clsextension
3787 }
3788 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
3789 \ifcsname #1.#2-@bidi@aliasname\endcsname
3790 \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
3791 \fi
3792 }

```



```

3793 \newcommand*{\bidi@UnReplacePackage}[1]{%
3794   \@bidi@unreplacefilewithext{#1}\@pkgextension
3795 }
3796 \newcommand*{\bidi@UnReplaceClass}[1]{%
3797   \@bidi@unreplacefilewithext{#1}\@clsextension
3798 }
3799 \newcommand*{\bidi@replacefile@msg}[2]{%
3800   \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
3801 }
3802
3803 \newcommand*{\bidi@load@hook}[2]{%
3804   \@ifundefined{#2-@#1}{}%
3805   \nameuse{#2-@#1}%
3806   \expandafter\let\csname #2-@#1\endcsname=\relax}}
3807 \newcommand*{\bidi@set@load@hook}[2]{%
3808   \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}}%
3809   \expandafter\g@addto@macro\csname #2-@#1\endcsname}
3810 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
3811 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
3812 \newcommand*{\bidi@BeforeClass}[1]{%
3813   \bidi@set@load@hook{before}{#1.\@clsextension}}
3814 \newcommand*{\bidi@AfterClass}{%
3815   \@ifstar {\@s@bidi@AfterClass}{%
3816     \@ifnextchar +{\@bidi@AfterClass}%
3817     \@ifnextchar !{\@bidi@AfterClass\bidi@AfterClass
3818       }%
3819   }%
3820 }
3821
3822 \newcommand*{\@@@bidi@AfterClass}[2]{%
3823   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3824     \aftergroup\@s@bidi@AfterClass
3825   \else
3826     \aftergroup\bidi@AfterAtEndOfClass
3827   \fi
3828   \endgroup{#2}%
3829 }
3830
3831 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
3832   \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
3833 \newcommand*{\@@@bidi@AfterClass}[2]{%
3834   \begingroup
3835     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3836       \aftergroup\@s@bidi@AfterClass
3837     \else
3838       \aftergroup\bidi@AfterClass
3839     \fi
3840   \endgroup{#2}%
3841 }
3842

```



```

3843 \newcommand*{\@bidi@AfterClass}[1]{%
3844   \bidi@set@load@hook{after}{#1.\@clsextension}}
3845 \newcommand*{\@s@bidi@AfterClass}[1]{%
3846   \begingroup
3847     \@ifclassloaded{#1}{%
3848       \aftergroup\@secondoftwo
3849     }{%
3850       \aftergroup\@bidi@AfterClass
3851     }%
3852   \endgroup
3853   {#1}%
3854 }
3855
3856
3857 \newcommand*{\bidi@BeforePackage}[1]{%
3858   \bidi@set@load@hook{before}{#1.\@pkgextension}}
3859 \newcommand*{\bidi@AfterPackage}{%
3860   \@ifstar {\@s@bidi@AfterPackage}{%
3861     \@ifnextchar +\@bidi@AfterPackage{%
3862       \@ifnextchar !\@@@bidi@AfterPackage\bidi@AfterPackage
3863     }%
3864   }%
3865 }
3866 \newcommand*{\@@@bidi@AfterPackage}[2]{%
3867   \begingroup\ifx\cename #2.\@pkgextension-h@k\endcename\relax
3868     \aftergroup\@s@bidi@AfterPackage
3869   \else
3870     \aftergroup\bidi@AfterAtEndOfPackage
3871   \fi
3872   \endgroup{#2}%
3873 }
3874 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
3875   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
3876 \newcommand*{\@@@bidi@AfterPackage}[2]{%
3877   \begingroup
3878     \expandafter\ifx\cename #2.\@pkgextension-h@k\endcename\relax
3879     \aftergroup\@s@bidi@AfterPackage
3880   \else
3881     \aftergroup\bidi@AfterPackage
3882   \fi
3883   \endgroup{#2}%
3884 }
3885 \newcommand*{\@bidi@AfterPackage}[1]{%
3886   \bidi@set@load@hook{after}{#1.\@pkgextension}}
3887 \newcommand*{\@s@bidi@AfterPackage}[1]{%
3888   \begingroup
3889     \@ifpackageloaded{#1}{%
3890       \aftergroup\@secondoftwo
3891     }{%
3892       \aftergroup\bidi@AfterPackage

```



```

3893 }%
3894 \endgroup
3895 {#1}%
3896 }
3897
3898 \newcommand*{\bidi@excludedpackages}{}
3899 \let\bidi@excludedpackages\@empty
3900 \newcommand*{\bidi@samed@RequirePackage}{}
3901 \newcommand*{\bidi@PreventPackageFromLoading}{%
3902   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
3903   {\@bidi@PreventPackageFromLoading\PackageWarning}%
3904 }
3905 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
3906   \@ifnextchar [%]
3907   {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1[]}%
3908 }
3909 \newcommand*{\@bidi@PreventPackageFromLoading}{}
3910
3911 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
3912   \edef\reserved@a{\zap@space#3 \@empty}%
3913   \ifx \reserved@a\@empty
3914     #1{\biditytools}{%
3915       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
3916       argument ignored%
3917     }%
3918   \else
3919     \ifx\bidi@excludedpackages\@empty
3920       \let\bidi@samed@RequirePackage\RequirePackage
3921       \let\RequirePackage\bidi@RequirePackage
3922       \def\reserved@a##1##{%
3923         \@latex@error
3924         {\noexpand \usepackage before \string\documentclass}%
3925         {\noexpand \usepackage may only appear in the document
3926          preamble, i.e.,\MessageBreak
3927          between \noexpand\documentclass and
3928          \string\begin{document}.}%
3929         \@gobble}%
3930       \ifx\reserved@a\usepackage\else
3931         \ifx\usepackage\bidi@samed@RequirePackage\else
3932           \PackageWarning{\biditytools}{%
3933             Maybe serious problem: unexpected definition of\MessageBreak
3934             \string\usepackage
3935           }%
3936         \fi
3937         \let\usepackage\RequirePackage
3938       \fi
3939     \fi
3940     \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
3941     \reserved@a\do {%
3942       \ifx\reserved@a\@empty

```



```

3943     #1{biditools}{%
3944         empty package argument for
3945         \string\bid@PreventPackageFromLoading\MessageBreak
3946         ignored%
3947     }%
3948 \else
3949     \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
3950         #1{biditools}{%
3951             package `\'reserved@a' already loaded.\MessageBreak
3952             Cannot prevent it from being loaded%
3953         }%
3954     }{%
3955         \edef\bid@excludedpackages{\bid@excludedpackages,%
3956             \reserved@a}%
3957         \if\relax\detokenize{#2}\relax\else
3958             \@ifundefined{bid@exclude@package@\reserved@a @do}{%
3959                 \@namedef{bid@exclude@package@\reserved@a @do}{}%
3960             }{%
3961                 \expandafter\def
3962                 \csname bid@exclude@package@\reserved@a
3963                     @do\expandafter\expandafter\expandafter\endcsname
3964                 \expandafter\expandafter\expandafter{%
3965                     \csname bid@exclude@package@\reserved@a @do\endcsname
3966                     #2%
3967                 }%
3968             }%
3969         }%
3970     \fi
3971 }%
3972 \ifx\bid@excludedpackages\@empty
3973     \bid@ResetPreventPackageFromLoading
3974 \fi
3975 \fi
3976 }
3977
3978 \@onlypreamble\bid@PreventPackageFromLoading
3979 \newcommand*{\bid@ResetPreventPackageFromLoading}{%
3980     \let\bid@excludedpackages\@empty
3981     \ifx\RequirePackage\bid@RequirePackage
3982         \ifx\usepackage\RequirePackage
3983             \let\usepackage\bid@saved@RequirePackage
3984         \fi
3985         \let\RequirePackage\bid@saved@RequirePackage
3986     \fi
3987 }
3988 \@onlypreamble\bid@ResetPreventPackageFromLoading
3989 \newcommand*{\bid@StorePreventPackageFromLoading}[1]{%
3990     \let#1\bid@excludedpackages
3991 }
3992 \@onlypreamble\bid@StorePreventPackageFromLoading

```



```

3993 \newcommand*{\@bidi@UnPreventPackageFromLoading}{%
3994   \@ifstar {\@tempswatrue \@bidi@UnPreventPackageFromLoading}%
3995             {\@tempswafalse \@bidi@UnPreventPackageFromLoading}%
3996 }
3997
3998 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
3999   \edef\reserved@b{\zap@space#1 \@empty}%
4000   \if@tempswa
4001     \@for\reserved@a:=\reserved@b\do {%
4002       \ifx\reserved@a \@empty \else
4003         \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
4004           \expandafter\let
4005           \csname bidi@exclude@package@\reserved@a @do\endcsname
4006           \undefined
4007         \fi
4008       \fi
4009     }%
4010   \fi
4011   \ifcsname bidi@excludedpackages\endcsname
4012     \let\reserved@a\bidi@excludedpackages
4013     \let\bidi@excludedpackages \@empty
4014     \expandafter \@for\expandafter\reserved@c
4015     \expandafter:\expandafter=\reserved@a
4016     \do{%
4017       \ifx\reserved@c \@empty \else
4018         \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,%}
4019         \ifin@
4020         \else
4021           \edef\bidi@excludedpackages{%
4022             \bidi@excludedpackages,\reserved@c
4023           }%
4024         \fi
4025       \fi
4026     }%
4027     \ifx\bidi@excludedpackages \@empty\bidi@ResetPreventPackageFromLoading\fi
4028   \fi
4029 }
4030
4031
4032 \newcommand*{\@bidi@RequirePackage}[2][ ]{%
4033   \let\reserved@c \@empty
4034   \let\reserved@d \@empty
4035   \edef\reserved@b{\zap@space#2 \@empty}%
4036   \expandafter \@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
4037   \do {%
4038     \begingroup
4039     \@tempswatrue
4040     \@for\reserved@a:=\bidi@excludedpackages\do {%
4041       \ifx\reserved@a\reserved@b
4042         \@tempswafalse

```



```

4043     \fi
4044   }%
4045   \if@tempwa
4046     \xdef\reserved@c{\reserved@c,\reserved@b}%
4047   \else
4048     \ifx\reserved@b\@empty\else
4049       \PackageInfo{biditools}{Excluding package `\'reserved@b\'MessageBreak
4050         from loading}%
4051       \ifundefined{bidi@exclude@package@\reserved@b @do}{%
4052         }{%
4053           \expandafter\g@addto@macro\expandafter\reserved@d
4054             \csname bidi@exclude@package@\reserved@b @do\endcsname
4055         }%
4056     \fi
4057   \fi
4058   \endgroup
4059 }%
4060 \ifx\reserved@c\@empty
4061   \let\reserved@a\bidi@gobbleopt
4062 \else
4063   \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
4064     \expandafter\@gobble\reserved@c\@empty}}%
4065 \fi
4066 \expandafter\reserved@d
4067 \reserved@a
4068 }
4069
4070 \newcommand{\bidi@gobbleopt}[1][{}]{%
4071 \AtEndDocument{%
4072   \let\bidi@saved@checkend=\@checkend
4073   \renewcommand*{\@checkend}[1]{%
4074     \def\reserved@a{#1}\def\reserved@b{document}%
4075     \bidi@saved@checkend{#1}%
4076     \ifx\reserved@a\reserved@b
4077       \let\bidi@saved@clearpage=\clearpage
4078       \renewcommand*{\clearpage}{\bidi@saved@clearpage
4079         \bidi@hook@bcma
4080         \bidi@restore@newpage
4081         \let\clearpage=\bidi@saved@clearpage}%
4082     \fi%
4083     \let\bidi@saved@dofilelist\@dofilelist
4084     \def\@dofilelist{%
4085       \bidi@hook@acma
4086       \let\@dofilelist\bidi@saved@dofilelist
4087       \bidi@saved@dofilelist
4088     }%
4089   }%
4090 }
4091
4092

```



```

4093 \newcommand*{\bidi@saved@checkend}{%
4094 \newcommand*{\bidi@saved@dofilelist}{%
4095 \newcommand*{\bidi@redefine@newpage}{%
4096   \let\bidi@saved@newpage\newpage
4097   \def\bidi@restore@newpage{%
4098     \renewcommand*{\newpage}{%
4099       \PackageWarningNoLine{%
4100         biditools%
4101       }{%
4102         \string\newpage\space at main aux file!\MessageBreak
4103         You have output material at the main aux file.\MessageBreak
4104         Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
4105         are processed before the output from aux file%
4106       }%
4107       \let\newpage\bidi@saved@newpage
4108       \newpage
4109     }%
4110   }%
4111   \renewcommand*{\newpage}{%
4112     \PackageError{%
4113       biditools%
4114     }{%
4115       \string\newpage\space at \string\bidi@BeforeClosingMainAux
4116     }{%
4117       You should never use \string\newpage\space or
4118       \string\clear(double)page or other output material at the\MessageBreak
4119       argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
4120       If you'll continue, the \string\newpage\space will be ignored to
4121       avoid corruption of\MessageBreak
4122       every prior use of \string\bidi@BeforeClosingMainAux.
4123     }%
4124   }%
4125 }
4126
4127 \newcommand*{\bidi@restore@newpage}{}
4128 \newcommand*{\bidi@hook@bcma}{}
4129 \newcommand*{\bidi@hook@acma}{}
4130 \newcommand*{\bidi@BeforeClosingMainAux}{%
4131   \ifx\bidi@hook@bcma\@empty
4132     \gdef\bidi@hook@bcma{%
4133       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
4134       \let\protected@write\bidi@protected@immediate@write
4135       \bidi@redefine@newpage
4136     }%
4137   \fi
4138   \g@addto@macro\bidi@hook@bcma%
4139 }
4140
4141 \newcommand*{\bidi@AfterReadingMainAux}{%
4142   \ifx\bidi@hook@acma\@empty

```




```

4143 \gdef\bidhook@acma{%
4144 \renewcommand*{\bid@AfterReadingMainAux}[1]{###1}%
4145 \let\protected@write\bid@protected@immediate@write
4146 }%
4147 \fi
4148 \g@addto@macro\bidhook@acma%
4149 }
4150
4151 \long\def\bid@protected@immediate@write#1#2#3{%
4152 \begingroup
4153 #2%
4154 \let\protect\@unexpandable@protect
4155 \edef\reserved@a{\immediate\write#1{#3}}%
4156 \reserved@a
4157 \endgroup
4158 \if@nobreak\ifvmode\nobreak\fi\fi
4159 }
4160
4161 \def\bid@patch@counter{0}%
4162 \if@bid@csundef{numexpr}{%
4163 \def\bid@patch@stepcounter{%
4164 \begingroup
4165 \count@\bid@patch@counter\relax
4166 \advance\count@\@ne\relax
4167 \edef\x{\endgroup
4168 \noexpand\def\noexpand\bid@patch@counter{\the\count@}}%
4169 }%
4170 \x
4171 }%
4172 }{%
4173 \def\bid@patch@stepcounter{%
4174 \edef\bid@patch@counter{%
4175 \the\numexpr\bid@patch@counter+\@ne\relax
4176 }%
4177 }%
4178 }
4179 \def\bid@patch@list{}
4180 \def\bid@patch@Add{%
4181 \bid@appto\bid@patch@list
4182 }
4183 \def\bid@patch@AfterPackage#1{%
4184 \@ifpackageloaded{#1}{%
4185 \@firstofone
4186 }{%
4187 \@bid@patch@AfterPackage{#1}%
4188 }%
4189 }
4190 \def\@bid@patch@AfterPackage#1{%
4191 \edef\bid@patch@temp{#1}%
4192 \bid@patch@stepcounter

```



```

4193 \expandafter\bidipatch@@AfterPackage
4194 \csname @bidipatch@\bidipatch@counter\expandafter\endcsname{%
4195   \bidipatch@temp
4196 }%
4197 }
4198 \def\bidipatch@@AfterPackage#1#2#3{%
4199   \begingroup
4200     \toks@{#3}%
4201     \xdef\bidipatch@gtemp{%
4202       \noexpand\@ifpackageloaded{#2}{%
4203         \noexpand\let\noexpand#1\noexpand\relax
4204         \the\toks@
4205       }{}%
4206     }%
4207   \endgroup
4208   \let#1\bidipatch@gtemp
4209   \bidipatch@Add#1%
4210   \bidipatch@try{\bidipatch@AfterPackage}{#2}#1%
4211 }
4212
4213 \def\bidipatch@try#1#2#3{%
4214   \if@bidicsundef{#1}{%{}%
4215     \csname #1\endcsname{#2}{#3}%
4216   }%
4217 }
4218
4219 \AtBeginDocument{\bidipatch@list}
4220
4221 \bidipatch@AtEndPreamble{\bidipatch@list}%
4222
4223 \bidipatch@AfterEndPreamble{%
4224   \let\bidipatch@OrgIfPackageLoaded\@ifpackageloaded
4225   \let\bidipatch@OrgIfPackageLater\@ifpackagelater
4226   \let\bidipatch@OrgIfClassLoaded\@ifclassloaded
4227   \let\bidipatch@OrgIfClassLater\@ifclasslater
4228   \bidipatch@list
4229   \let\@ifpackageloaded\bidipatch@OrgIfPackageLoaded
4230   \let\@ifpackagelater\bidipatch@OrgIfPackageLater
4231   \let\@ifclassloaded\bidipatch@OrgIfClassLoaded
4232   \let\@ifclasslater\bidipatch@OrgIfClassLater
4233 }%

```

21 File bidituftefloat.sty

```

4234 \NeedsTeXFormat{LaTeX2e}
4235 \ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
4236 bidi implementation of tufte float]
4237 \RequirePackage{xifthen}
4238 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
4239 \newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}

```



```

4240 \newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bidit
4241 \newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1@gobble}}
4242 \newboolean{@bidituftefloat@reversegeometry}
4243 \setboolean{@bidituftefloat@reversegeometry}{false}
4244 \DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
4245 \newboolean{@bidituftefloat@a4paper}
4246 \DeclareOption{a4paper}{\setboolean{@bidituftefloat@a4paper}{true}}
4247 \newboolean{@bidituftefloat@b5paper}
4248 \DeclareOption{b5paper}{\setboolean{@bidituftefloat@b5paper}{true}}
4249 \newboolean{@bidituftefloat@symmetric}
4250 \newboolean{@bidituftefloat@twoside}
4251 \DeclareOption{twoside}{%
4252 \@twosidefalse \mparswitchtrue%
4253 \setboolean{@bidituftefloat@twoside}{true}%
4254 \setboolean{@bidituftefloat@symmetric}{true}%
4255 }
4256 \DeclareOption{oneside}{%
4257 \@twosidefalse \mparswitchfalse%
4258 \setboolean{@bidituftefloat@twoside}{false}%
4259 \setboolean{@bidituftefloat@symmetric}{false}%
4260 }
4261 \@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
4262 \newboolean{@bidituftefloat@debug}
4263 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect}
4264 \ProcessOptions
4265 %% Globally sets the length
4266 \newcommand*{\gsetlength}[2]{%
4267   \setlength{#1}{#2}%
4268   \global#1=#1\relax%
4269 }
4270
4271 %% Set the font sizes and baselines to match bidituftefloat's books
4272 \renewcommand\normalsize{%
4273   \@setfontsize\normalsize\@xpt{14}%
4274   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
4275   \abovedisplayshortskip \z@ \@plus3\p@
4276   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
4277   \belowdisplayskip \abovedisplayskip
4278   \let\@listi\@listI}
4279 \normalbaselineskip=14pt
4280 \normalsize
4281 \renewcommand\footnotesize{%
4282   \@setfontsize\footnotesize\@viipt{10}%
4283   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
4284   \abovedisplayshortskip \z@ \@plus\p@
4285   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
4286   \def\@listi{\leftmargin\leftmarginI
4287             \topsep 3\p@ \@plus\p@ \@minus\p@
4288             \parsep 2\p@ \@plus\p@ \@minus\p@
4289             \itemsep \parsep}%

```



```

4290 \belowdisplayskip \abovedisplayskip
4291 }
4292 %% Paragraph indentation and separation for marginal text
4293 \newcommand{\@biditytfloat@margin@par}{%
4294 \setlength{\RaggedRightParindent}{0.5pc}%
4295 \setlength{\JustifyingParindent}{0.5pc}%
4296 \setlength{\parindent}{0.5pc}%
4297 \setlength{\parskip}{0pt}%
4298 }
4299 \RequirePackage{ragged2e}
4300 \ifthenelse{\boolean{@biditytfloat@reversegeometry}}{%
4301 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginparse
4302 \ifthenelse{\boolean{@biditytfloat@a4paper}}
4303 {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
4304 {}
4305 \ifthenelse{\boolean{@biditytfloat@b5paper}}
4306 {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,m
4307 {}}%
4308 \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginparse
4309 \ifthenelse{\boolean{@biditytfloat@a4paper}}
4310 {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
4311 {}
4312 \ifthenelse{\boolean{@biditytfloat@b5paper}}
4313 {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,m
4314 {}}}
4315 \ifthenelse{\boolean{@biditytfloat@symmetric}}
4316 {}
4317 {\geometry{asymmetric}}% forces internal LaTeX `twoside'
4318 \setlength{\marginparpush}{10pt}
4319 %% Font for margin items
4320 \newcommand{\@biditytfloat@marginfont}{\normalfont\footnotesize}
4321 \newcommand*{\@biditytfloat@caption@font}{\@biditytfloat@marginfont}
4322 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@biditytfloat@caption@font}{#1}}
4323 \newcommand{\@biditytfloat@justification}{\justifying}%
4324 \setlength{\abovedisplayskip}{6pt plus 2pt minus 4pt}
4325 \setlength{\belowdisplayskip}{6pt plus 2pt minus 4pt}
4326 \newboolean{@biditytfloat@changepage}
4327 \IfFileExists{changepage.sty}{%
4328 \biditytfloatDebugInfoNL{Found changepage.sty}
4329 \RequirePackage[strict]{changepage}
4330 \setboolean{@biditytfloat@changepage}{true}
4331 }{%
4332 \biditytfloatDebugInfoNL{Found chngpage.sty}
4333 \RequirePackage[strict]{chngpage}
4334 \setboolean{@biditytfloat@changepage}{false}
4335 }
4336 \newboolean{@biditytfloat@odd@page}
4337 \setboolean{@biditytfloat@odd@page}{true}
4338 \newcommand*{\@biditytfloat@checkoddpage}{%
4339 \checkoddpage%

```



```

4340 \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
4341   \ifoddpage%
4342     \setboolean{@bidituftefloat@odd@page}{true}%
4343   \else%
4344     \setboolean{@bidituftefloat@odd@page}{false}%
4345   \fi%
4346 }{%
4347   \ifcpoddpage%
4348     \setboolean{@bidituftefloat@odd@page}{true}%
4349   \else%
4350     \setboolean{@bidituftefloat@odd@page}{false}%
4351   \fi%
4352 }%
4353 }
4354 \newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running heads
4355 \newlength{\@bidituftefloat@fullwidth}
4356 \newlength{\@bidituftefloat@caption@fill}
4357 \newcommand{\@bidituftefloatRecalculate}{%
4358   \setlength{\@bidituftefloat@overhang}{\marginparwidth}
4359   \addtolength{\@bidituftefloat@overhang}{\marginparsep}
4360
4361   \setlength{\@bidituftefloat@fullwidth}{\textwidth}
4362   \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
4363   \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
4364
4365   \setlength{\@bidituftefloat@caption@fill}{\textwidth}
4366   \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
4367 }
4368 \AtBeginDocument{\@bidituftefloatRecalculate}
4369 \RequirePackage{optparams}% provides multiple optional arguments for commands
4370 \RequirePackage{placeins}
4371 \newsavebox{\@bidituftefloat@margin@floatbox}
4372 \newenvironment{@bidituftefloat@margin@float}[2][{-1.2ex}%
4373   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order}
4374   \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
4375   \begin{minipage}{\marginparwidth}%
4376     \@bidituftefloat@caption@font%
4377     \def\@capttype{#2}%
4378     \hbox{\vspace*{#1}%
4379       \@bidituftefloat@caption@justification%
4380       \@bidituftefloat@margin@par%
4381       \noindent%
4382     }
4383   {\end{minipage}%
4384   \end{lrbox}%
4385   \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}}%
4386 }
4387 \newenvironment{marginfigure}[1][{-1.2ex}%
4388   {\begin{@bidituftefloat@margin@float}[#1]{figure}}
4389   {\end{@bidituftefloat@margin@float}}

```



```

4390 \newenvironment{margintable}[1][1.2ex]%
4391   {\begin{@biditytfloat@margin@float}[#1]{table}}
4392   {\end{@biditytfloat@margin@float}}
4393 \newcommand*{@biditytfloat@justification@autodetect}{\justifying}%
4394
4395 \newcommand{@biditytfloat@float@debug@info}{}% contains debug info generated as the float is
4396 \newcommand{@biditytfloat@float@debug}[1]{% adds debug info to the queue for output
4397   \ifthenelse{equal{@biditytfloat@float@debug@info}{}}{%
4398     {\def{@biditytfloat@float@debug@info}{#1}}%
4399     {\g@addto@macro{@biditytfloat@float@debug@info}{\MessageBreak#1}}%
4400 }
4401 \newcommand{@floatalignment}{x}% holds the current float alignment (t, b, h, p)
4402 \newcommand{@setfloatalignment}[1]{\global\def{@floatalignment}{#1}@biditytfloat@float@debug@info}
4403 \newboolean{@biditytfloat@float@recto}
4404 \newcommand{@forcerectofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{true}@biditytfloat@float@debug@info}
4405 \newcommand{@forceversofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{false}@biditytfloat@float@debug@info}
4406 \newsavebox{@biditytfloat@figure@box}
4407 \newsavebox{@biditytfloat@caption@box}
4408 \let{@biditytfloat@orig@float}@float
4409 \let{@biditytfloat@orig@endfloat}@endfloat
4410 \newlength{@biditytfloat@caption@vertical@offset}
4411 \setlength{@biditytfloat@caption@vertical@offset}{0pt}
4412 \newcommand{@biditytfloat@stored@shortcaption}{}
4413 \newcommand{@biditytfloat@stored@caption}{}
4414 \newcommand{@biditytfloat@stored@label}{}
4415 \long\def{@biditytfloat@caption}[1][2]#3{%
4416   \ifthenelse{isempty{#1}}{%
4417     {\gdef{@biditytfloat@stored@shortcaption}{#3}}%
4418     {\gdef{@biditytfloat@stored@shortcaption}{#1}}%
4419     \gsetlength{@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to low
4420     \gdef{@biditytfloat@stored@caption}{#3}%
4421 }
4422 \newcommand{@biditytfloat@label}[1]{%
4423   \gdef{@biditytfloat@stored@label}{#1}%
4424 }
4425 \newcommand{@biditytfloat@fps}{}
4426 \newboolean{@biditytfloat@float@star}
4427 \newlength{@biditytfloat@float@contents@width}
4428 \newenvironment{@biditytfloat@float}[3][htbp]%
4429   {% begin @biditytfloat@float
4430     % Should this float be full-width or just text-width?
4431     \ifthenelse{equal{#3}{star}}{%
4432       {\GlobalSetBoolean{@biditytfloat@float@star}{true}}%
4433       {\GlobalSetBoolean{@biditytfloat@float@star}{false}}%
4434     % Check page side (recto/verso) and store detected value -- can be overridden in environment
4435     @biditytfloat@checkoddpage%
4436     \ifthenelse{boolean{@biditytfloat@odd@page}}{%
4437       {\GlobalSetBoolean{@biditytfloat@float@recto}{true}@biditytfloat@float@debug{Detect}}
4438       {\GlobalSetBoolean{@biditytfloat@float@recto}{false}@biditytfloat@float@debug{Detect}}
4439     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,

```



```

4440 \renewcommand{\@biditytfloat@fps}{#1}%
4441 \@biditytfloat@float@debug{Allowed positions: [#1]}%
4442 \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
4443   {\renewcommand{\floatalignment}{b}\@biditytfloat@float@debug{Presumed position: [bottom]}}%
4444   {\renewcommand{\floatalignment}{t}\@biditytfloat@float@debug{Presumed position: [top]}}%
4445 % Capture the contents of the \caption and \label commands to use later
4446 \global\let\@biditytfloat@orig@caption\caption%
4447 \global\let\@biditytfloat@orig@label\label%
4448 \renewcommand{\caption}{\optparams{\@biditytfloat@caption}{[] [Opt]}}%
4449 \renewcommand{\label}{[1]{\@biditytfloat@label{##1}}}%
4450 % Handle subfigure package compatibility
4451 \ifthenelse{\boolean{@biditytfloat@packages@subfigure}}{%
4452   \bidi@patchcmd{\subfigure}{%
4453     \let\subfig@oldlabel=\label
4454   }{%
4455     \let\subfig@oldlabel=\@biditytfloat@orig@label
4456   }
4457   {}
4458   {}
4459   \let\subtable=\subfigure
4460 }{% subfigure package is not loaded
4461 \@biditytfloat@orig@float{#2}[#1]%
4462 \ifthenelse{\boolean{@biditytfloat@float@star}}%
4463   {\setlength{\@biditytfloat@float@contents@width}{\@biditytfloat@fullwidth}}%
4464   {\setlength{\@biditytfloat@float@contents@width}{\textwidth}}%
4465 \begin{lrbox}{\@biditytfloat@figure@box}%
4466   \begin{minipage}{\floatalignment}{\@biditytfloat@float@contents@width}\hbox{%
4467 }{% end @biditytfloat@float
4468   \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% al
4469   \end{minipage}%
4470 \end{lrbox}%
4471 % build the caption box
4472 \begin{lrbox}{\@biditytfloat@caption@box}%
4473   \begin{minipage}{\floatalignment}{\marginparwidth}\hbox{%
4474     \ifthenelse{\NOT\equal{\@biditytfloat@stored@caption}}{\@biditytfloat@orig@caption}%
4475     \ifthenelse{\NOT\equal{\@biditytfloat@stored@label}}{\@biditytfloat@orig@label}%
4476     \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
4477   \end{minipage}%
4478 \end{lrbox}%
4479 % now typeset the stored boxes
4480 \begin{fullwidth}%
4481   \begin{minipage}{\floatalignment}{\linewidth}%
4482     \ifthenelse{\boolean{@biditytfloat@float@star}}%
4483       {\@biditytfloat@float@fullwidth[\@biditytfloat@caption@vertical@offset]{\@biditytfloat@float@fullwidth}}%
4484       {\@biditytfloat@float@textwidth[\@biditytfloat@caption@vertical@offset]{\@biditytfloat@float@textwidth}}%
4485   \end{minipage}%
4486 \end{fullwidth}%
4487 \@biditytfloat@orig@endfloat% end original LaTeX float environment
4488 % output debug info
4489 \ifthenelse{\boolean{@biditytfloat@debug}}{%

```



```

4490 \typeout{^^J^^J----- biduntuftefloat package float information -----}%
4491 \ifthenelse{\equal{\@biduntuftefloat@stored@label}{}}{%
4492   {\typeout{Warning: Float unlabeled!}}%
4493   {\typeout{Float label: [\@biduntuftefloat@stored@label]}}%
4494 \typeout{Page number: [\thepage]}%
4495 \def\MessageBreak{^^J}%
4496 \typeout{\@biduntuftefloat@float@debug@info}%
4497 \ifthenelse{\boolean{\@biduntuftefloat@symmetric}}{%
4498   {\typeout{Symmetric: [true]}}%
4499   {\typeout{Symmetric: [false]}}%
4500 \typeout{-----^^J^^J}%
4501 }{%
4502 % reset commands and temp boxes and captions
4503 \gdef\@biduntuftefloat@float@debug@info{}%
4504 \let\caption\@biduntuftefloat@orig@caption%
4505 \let\label\@biduntuftefloat@orig@label%
4506 \begin{lrbox}{\@biduntuftefloat@figure@box}\hbox{}\end{lrbox}%
4507 \begin{lrbox}{\@biduntuftefloat@caption@box}\hbox{}\end{lrbox}%
4508 \gdef\@biduntuftefloat@stored@shortcaption{}%
4509 \gdef\@biduntuftefloat@stored@caption{}%
4510 \gdef\@biduntuftefloat@stored@label{}%
4511 \gsetlength{\@biduntuftefloat@caption@vertical@offset}{0pt}% reset caption offset
4512 }
4513 \newcommand{\@biduntuftefloat@float@textwidth}[3][0pt]{%
4514 \ifthenelse{\NOT\boolean{\@biduntuftefloat@symmetric}}\OR\boolean{\@biduntuftefloat@float@recto}}{
4515 % asymmetric or page is odd, so caption is on the right
4516 \hbox{%
4517   \usebox{#2}%
4518   \hspace{\marginparsep}%
4519   \smash{\raisebox{#1}{\usebox{#3}}}%
4520 }
4521 \@biduntuftefloat@float@debug{Caption position: [right]}%
4522 }{% symmetric pages and page is even, so caption is on the left
4523 \hbox{%
4524   \smash{\raisebox{#1}{\usebox{#3}}}%
4525   \hspace{\marginparsep}%
4526   \usebox{#2}%
4527 }
4528 \@biduntuftefloat@float@debug{Caption position: [left]}%
4529 }%
4530 }
4531 \newcommand{\@biduntuftefloat@float@fullwidth}[3][0pt]{%
4532 \ifthenelse{\equal{\floatalignment}{b}}{%
4533   {% place caption above figure
4534     \ifthenelse{\NOT\boolean{\@biduntuftefloat@symmetric}}\OR\boolean{\@biduntuftefloat@float@recto}}{
4535       {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@biduntuftefloat@float@debug{
4536         {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biduntuftefloat@float@debug{
4537       }{% place caption below figure
4538         \ifthenelse{\NOT\boolean{\@biduntuftefloat@symmetric}}\OR\boolean{\@biduntuftefloat@float@recto}}{
4539           {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biduntuftefloat@float@debug{

```




```

4540         {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bituftefloat@float@debug{
4541     }%
4542 }
4543 \renewenvironment{figure}[1][htbp]%
4544   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{figure}{}}
4545   {\end{@bituftefloat@float}}
4546 \renewenvironment{table}[1][htbp]
4547   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{table}{}}
4548   {\end{@bituftefloat@float}}
4549 \renewenvironment{figure*}[1][htbp]%
4550   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{figure}{star}}
4551   {\end{@bituftefloat@float}}
4552 \renewenvironment{table*}[1][htbp]%
4553   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{table}{star}}
4554   {\end{@bituftefloat@float}}
4555 \newenvironment{fullwidth}
4556   {\ifthenelse{\boolean{@bituftefloat@symmetric}}%
4557     {\ifthenelse{\boolean{@bituftefloat@changepage}}{\begin{adjustwidth*}{-}\@bituftefloat@overhang}%
4558     {\begin{adjustwidth}{-}\@bituftefloat@overhang}}%
4559   }%
4560   {\ifthenelse{\boolean{@bituftefloat@symmetric}}%
4561     {\ifthenelse{\boolean{@bituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}%
4562     {\end{adjustwidth}}}%
4563 }
4564 \long\def\@caption#1[#2]#3{%
4565   \par%
4566   \addcontentsline{\csname ext@#1\endcsname}{#1}%
4567     {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
4568   \begingroup%
4569     \@parboxrestore%
4570     \if@minipage%
4571       \@setminipage%
4572     \fi%
4573     \@bituftefloat@caption@font\@bituftefloat@caption@justification%
4574     \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
4575     %\makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
4576   \endgroup}
4577 %%
4578 % Turns newlines into spaces. Based on code from the 'titlesec' package.
4579 \DeclareRobustCommand{\@bitufteheading@newlinetospace}{%
4580   \@ifstar{\@bitufteheading@newlinetospace@i}{\@bitufteheading@newlinetospace@i}%
4581 }
4582 \def\@bitufteheading@newlinetospace@i{%
4583   \ifdim\lastskip>z\else\space\fi
4584   \ignorespaces%
4585 }
4586 \DeclareRobustCommand{\newlinetospace}[1]{%
4587   \let\@bitufteheading@orig@cr\% save the original meaning of \
4588   \def\@bitufteheading@newlinetospace}% turn \ and \* into \space
4589   \let\newline\% turn \newline into \space

```



```

4590 #1%
4591 \let\\@biditytufteheading@orig@cr% revert to original meaning of \\
4592 }
4593 \RequirePackage{fancyhdr}
4594 \pagestyle{fancy}
4595 \AtBeginDocument{%
4596 \ifthenelse{\boolean{@biditytuftefloat@symmetric}}
4597   {\fancyhfoffset[LE,RO]{\@biditytuftefloat@overhang}}
4598   {\fancyhfoffset[RE,RO]{\@biditytuftefloat@overhang}}
4599 }
4600 % The running heads/feet don't have rules
4601 \renewcommand{\headrulewidth}{0pt}
4602 \renewcommand{\footrulewidth}{0pt}
4603 % The 'fancy' page style is the default style for all pages.
4604 \fancyhf{} % clear header and footer fields
4605 \ifthenelse{\boolean{@biditytuftefloat@symmetric}}
4606   {\fancyhead[LE]{\thepage\quad\textrm{\newlinetospace{\plainauthor}}}%
4607    \fancyhead[RO]{\textrm{\newlinetospace{\plaintitle}}\quad\thepage}}%
4608   {\fancyhead[RE,RO]{\textrm{\newlinetospace{\plaintitle}}\quad\thepage}}%
4609 % The 'plain' page style is used on chapter opening pages.
4610 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
4611 % bottom of pages -- the folios are unexpressed.
4612 \fancypagestyle{plain}{
4613   \fancyhf{} % clear header and footer fields
4614   % Uncomment the following five lines of code if you want the opening page
4615   % of the chapter to express the folio in the lower outside corner.
4616   % \ifthenelse{\boolean{@biditytuftefloat@symmetric}}
4617   %   {\fancyfoot[LE,RO]{\thepage}}
4618   %   {\fancyfoot[RE,RO]{\thepage}}
4619 }
4620 % The 'empty' page style suppresses all headers and footers.
4621 % It's used on title pages and 'intentionally blank' pages.
4622 \fancypagestyle{empty}{
4623   \fancyhf{} % clear header and footer fields
4624 }
4625 \def\morefloats{% provides a total of 52 floats
4626   \ifthenelse{\isundefined{\bx@S}}{%
4627     \biditytuftefloatDebugInfoNL{Adding 34 more float slots.}
4628     \newinsert\bx@S
4629     \newinsert\bx@T
4630     \newinsert\bx@U
4631     \newinsert\bx@V
4632     \newinsert\bx@W
4633     \newinsert\bx@X
4634     \newinsert\bx@Y
4635     \newinsert\bx@Z
4636     \newinsert\bx@a
4637     \newinsert\bx@b
4638     \newinsert\bx@c
4639     \newinsert\bx@d

```



```

4640 \newinsert\bx@e
4641 \newinsert\bx@f
4642 \newinsert\bx@g
4643 \newinsert\bx@h
4644 \newinsert\bx@i
4645 \newinsert\bx@j
4646 \newinsert\bx@k
4647 \newinsert\bx@l
4648 \newinsert\bx@m
4649 \newinsert\bx@n
4650 \newinsert\bx@o
4651 \newinsert\bx@p
4652 \newinsert\bx@q
4653 \newinsert\bx@r
4654 \newinsert\bx@s
4655 \newinsert\bx@t
4656 \newinsert\bx@u
4657 \newinsert\bx@v
4658 \newinsert\bx@w
4659 \newinsert\bx@x
4660 \newinsert\bx@y
4661 \newinsert\bx@z
4662 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4663 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4664 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4665 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4666 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4667 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4668 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4669 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4670 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4671 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4672 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4673 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
4674 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
4675 \ifthenelse{isundefined{\bx@AA}}{%
4676 \biditytfloatDebugInfoNL{Adding 26 more float slots.}
4677 \newinsert\bx@AA
4678 \newinsert\bx@BB
4679 \newinsert\bx@CC
4680 \newinsert\bx@DD
4681 \newinsert\bx@EE
4682 \newinsert\bx@FF
4683 \newinsert\bx@GG
4684 \newinsert\bx@HH
4685 \newinsert\bx@II
4686 \newinsert\bx@JJ
4687 \newinsert\bx@KK
4688 \newinsert\bx@LL
4689 \newinsert\bx@MM

```



```

4690 \newinsert\bx@NN
4691 \newinsert\bx@OO
4692 \newinsert\bx@PP
4693 \newinsert\bx@QQ
4694 \newinsert\bx@RR
4695 \newinsert\bx@SS
4696 \newinsert\bx@TT
4697 \newinsert\bx@UU
4698 \newinsert\bx@VV
4699 \newinsert\bx@WW
4700 \newinsert\bx@XX
4701 \newinsert\bx@YY
4702 \newinsert\bx@ZZ
4703 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4704 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4705 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4706 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4707 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4708 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4709 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4710 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4711 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4712 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4713 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4714 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
4715 \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
4716 \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
4717 \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
4718 \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
4719 \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
4720 \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
4721 }{%
4722 \biditytfloatError{You may only call \string\morefloats\space twice. See the\MessageB
4723 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\N
4724 }%
4725 }%
4726 }
4727 \newboolean{@biditytfloat@packages@subfigure}
4728 \setboolean{@biditytfloat@packages@subfigure}{false}
4729 \AtBeginDocument{%
4730 \@ifpackageloaded{subfigure}
4731 {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{true}}
4732 {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{false}}%
4733 }
4734 \AtBeginDocument{%
4735 \@ifpackageloaded{float}{%
4736 % Save the redefined float environment (instead of the LaTeX float environment)
4737 \let\@biditytfloat@orig@float\@float
4738 \let\@biditytfloat@orig@endfloat\endfloat
4739

```



```

4740 % Define Tuftian float styles (with the caption in the margin)
4741 \newcommand{\floatc@bidituftefloatplain}[2]{%
4742   \begin{lrbox}{\@bidituftefloat@caption@box}%
4743     \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
4744       \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
4745     }\end{minipage}%
4746   \end{lrbox}%
4747   \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
4748 }
4749 \newcommand{\fs@bidituftefloatplain}{%
4750   \def\@fs@cfont{\@bidituftefloat@caption@font}%
4751   \let\@fs@capt\floatc@bidituftefloatplain%
4752   \def\@fs@pre{}%
4753   \def\@fs@post{}%
4754   \def\@fs@mid{}%
4755   \let\@fs@iftopcapt\iftrue%
4756 }
4757 \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
4758 \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
4759 \newcommand\floatc@bidituftefloatruled[2]{%
4760   {\@fs@cfont #1} #2\par%
4761 }
4762 \newcommand\fs@bidituftefloatruled{%
4763   \def\@fs@cfont{\@bidituftefloat@caption@font}%
4764   \let\@fs@capt\floatc@bidituftefloatplain%
4765   \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
4766   \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
4767   \def\@fs@mid{}%
4768   \let\@fs@iftopcapt\iftrue%
4769 }
4770 \newcommand\fs@bidituftefloatboxed{%
4771   \def\@fs@cfont{}%
4772   \let\@fs@capt\floatc@bidituftefloatplain%
4773   \def\@fs@pre{%
4774     \setbox\@currbox\vbox{\hbadness10000
4775     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
4776     \hrule \hbox to\hsize{\vrule\kern3pt
4777       \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
4778   }%
4779   \def\@fs@mid{\kern2pt}%
4780   \def\@fs@post{}%
4781   \let\@fs@iftopcapt\iftrue%
4782 }
4783 }{%
4784   % Nothing to do
4785 }
4786 }
4787 \AtBeginDocument{%
4788   \ifpackageloaded{algorithm}{%
4789     % Set the float style to the Tuftian version

```



```

4790 \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{list}}{\@floatstyle{list}}{\@floatstyle{ruled}}
4791 \biditytfloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak
4792 \floatstyle{biditytfloat\ALG@floatstyle}%
4793 \restylefloat{algorithm}%
4794 }{}%
4795 }{}%
4796 % Nothing to do
4797 }
4798 }
4799 \PassOptionsToPackage{caption=false}{subfig}

```

22 File biditytfloatsidenote.sty

```

4800 \NeedsTeXFormat{LaTeX2e}
4801 \ProvidesPackage{biditytfloatsidenote}[2017/08/09 v0.4
4802 bidi implementation of tufte sidenote]
4803 \RequirePackage{xifthen}
4804 \RequirePackage{ragged2e}
4805 \RequirePackage{setspace}
4806 \RequirePackage{biditytools}
4807 \def\biditytfloatsidenotemarginpar{%
4808 \ifhmode
4809 \@bsphack
4810 \@floatpenalty -\@Mii
4811 \else
4812 \@floatpenalty -\@Miii
4813 \fi
4814 \ifinner
4815 \@parmoderr
4816 \@floatpenalty\z@
4817 \else
4818 \@next\@currbox\@freelist{}{}%
4819 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4820 {\@floatpenalty\z@
4821 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4822 \fi
4823 \@ifnextchar [\@biditytfloatsidenotexmpar\@biditytfloatsidenoteympar]
4824 \long\def\@biditytfloatsidenotexmpar[#1]#2{%
4825 \@biditytfloatsidenotesavemarbox\@marbox{#1}%
4826 \@biditytfloatsidenotesavemarbox\@currbox{#2}%
4827 \@xympar}
4828 \long\def\@biditytfloatsidenoteympar#1{%
4829 \@biditytfloatsidenotesavemarbox\@marbox{#1}%
4830 \global\setbox\@currbox\copy\@marbox
4831 \@xympar}
4832 \long\def \@biditytfloatsidenotesavemarbox #1#2{%
4833 \global\setbox #1%
4834 \color@vbox
4835 \vtop{%
4836 \hsize\marginparwidth

```



```

4837         \@parboxrestore
4838         \@bidityftesidenotemarginparreset
4839         #2%
4840         \@minipagefalse
4841         \outer@nobreak
4842     }%
4843     \color@endbox
4844 }
4845 \def \@bidityftesidenotemarginparreset {%
4846     \reset@font
4847     \normalsize
4848     \@minipagetrue
4849     \everypar{\@minipagefalse\everypar{}}\if@RTL@footnote\beginR\else\beginL\fi}%
4850 }
4851 \def \LTRbidityftesidenotemarginpar{%
4852     \ifhmode
4853         \@bsphack
4854         \@floatpenalty -\@Mii
4855     \else
4856         \@floatpenalty-\@Miii
4857     \fi
4858     \ifinner
4859         \@parmoderr
4860         \@floatpenalty\z@
4861     \else
4862         \@next\@currbox\@freelist{ }{}%
4863         \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4864         {\@floatpenalty\z@
4865         \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4866     \fi
4867     \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
4868 \long\def \@LTRbidityftesidenotexmpar[#1]#2{%
4869     \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
4870     \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
4871     \@xympar}
4872 \long\def \@LTRbidityftesidenoteympar#1{%
4873     \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
4874     \global\setbox\@currbox\copy\@marbox
4875     \@xympar}
4876 \long\def \@LTRbidityftesidenotesavemarbox #1#2{%
4877     \global\setbox #1%
4878         \color@vbox
4879         \vtop{%
4880             \hsize\marginparwidth
4881             \@parboxrestore
4882             \@LTRbidityftesidenotemarginparreset
4883             #2%
4884             \@minipagefalse
4885             \outer@nobreak
4886         }%

```



```

4887 \color@endbox
4888 }
4889 \def \LTRbidityftesidenotemarginparreset {%
4890 \reset@font
4891 \normalsize
4892 \@minipagetrue
4893 \everypar{\@minipagefalse\everypar{}\beginL}%
4894 }
4895 \def\RTLbidityftesidenotemarginpar{%
4896 \ifhmode
4897 \@bsphack
4898 \@floatpenalty -\@Mii
4899 \else
4900 \@floatpenalty-\@Miii
4901 \fi
4902 \ifinner
4903 \@parmoderr
4904 \@floatpenalty\z@
4905 \else
4906 \@next\@currbox\@freelist{}\{}%
4907 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4908 {\@floatpenalty\z@
4909 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4910 \fi
4911 \@ifnextchar [\@RTLbidityftesidenotexmpar\@RTLbidityftesidenoteympar}
4912 \long\def\@RTLbidityftesidenotexmpar[#1]#2{%
4913 \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
4914 \@RTLbidityftesidenotesavemarbox\@currbox{#2}%
4915 \@xympar}
4916 \long\def\@RTLbidityftesidenoteympar#1{%
4917 \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
4918 \global\setbox\@currbox\copy\@marbox
4919 \@xympar}
4920 \long\def \@RTLbidityftesidenotesavemarbox #1#2{%
4921 \global\setbox #1%
4922 \color@vbox
4923 \vtop{%
4924 \hsize\marginparwidth
4925 \@parboxrestore
4926 \@RTLbidityftesidenotemarginparreset
4927 #2%
4928 \@minipagefalse
4929 \outer@nobreak
4930 }%
4931 \color@endbox
4932 }
4933 \def \RTLbidityftesidenotemarginparreset {%
4934 \reset@font
4935 \normalsize
4936 \@minipagetrue

```




```

4937 \everypar{\@minipagefalse\everypar{}\beginR}%
4938 }
4939 \newcommand*{\@bidityftesidenote@marginfont}{\normalfont\footnotesize}
4940 \newcommand*{\@bidityftesidenote@LTRmarginfont}{\normalfont\footnotesize}
4941 \newcommand*{\@bidityftesidenote@RTLmarginfont}{\normalfont\footnotesize}
4942 \newcommand*{\@bidityftesidenote@sidenote@font}{\@bidityftesidenote@marginfont}
4943 \newcommand*{\@bidityftesidenote@LTRsidenote@font}{\@bidityftesidenote@LTRmarginfont}
4944 \newcommand*{\@bidityftesidenote@RTLSidenote@font}{\@bidityftesidenote@RTLmarginfont}
4945 \newcommand*{\@bidityftesidenote@marginnote@font}{\@bidityftesidenote@marginfont}
4946 \newcommand*{\@bidityftesidenote@LTRmarginnote@font}{\@bidityftesidenote@LTRmarginfont}
4947 \newcommand*{\@bidityftesidenote@RTLmarginnote@font}{\@bidityftesidenote@RTLmarginfont}
4948 \newcommand*{\@bidityftesidenote@citation@font}{\@bidityftesidenote@marginfont}
4949 \newcommand*{\@bidityftesidenote@LTRcitation@font}{\@bidityftesidenote@LTRmarginfont}
4950 \newcommand*{\@bidityftesidenote@RTLCitation@font}{\@bidityftesidenote@RTLmarginfont}
4951 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@sidenote@font}{#1}}
4952 \newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRsidenote@font}{#1}}
4953 \newcommand*{\setRTLSidenotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLSidenote@font}{#1}}
4954 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@marginnote@font}{#1}}
4955 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRmarginnote@font}{#1}}
4956 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLmarginnote@font}{#1}}
4957 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidityftesidenote@citation@font}{#1}}
4958 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidityftesidenote@LTRcitation@font}{#1}}
4959 \newcommand*{\setRTLCitationfont}[1]{\renewcommand*{\@bidityftesidenote@RTLCitation@font}{#1}}
4960 \newcommand*{\@bidityftesidenote@sidenote@justification}{\@bidityftesidenote@justification@autodetect}
4961 \newcommand*{\@bidityftesidenote@marginnote@justification}{\@bidityftesidenote@justification@autodetect}
4962 \newcommand*{\@bidityftesidenote@citation@justification}{\@bidityftesidenote@justification@autodetect}
4963 \newcommand*{\@bidityftesidenote@justification@autodetect}{\justifying}%
4964 \newcommand{\@bidityftesidenote@margin@par}{%
4965 \setlength{\RaggedRightParindent}{0.5pc}%
4966 \setlength{\JustifyingParindent}{0.5pc}%
4967 \setlength{\parindent}{0.5pc}%
4968 \setlength{\parskip}{0pt}%
4969 }
4970 %%
4971 % Globally sets the length
4972 \ifundefined{gsetlength}{%
4973 \newcommand*{gsetlength}[2]{%
4974 \setlength{#1}{#2}%
4975 \global#1=#1\relax%
4976 }%
4977 }{}
4978
4979 %%
4980 % A function that removes leading and trailing spaces from the supplied macro.
4981 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
4982 % Executing \@bidityftesidenote@trim@spaces\xyzy will result in the contents of \xyzy
4983 % being trimmed of leading and trailing white space.
4984 \catcode`\Q=3
4985 \def\@bidityftesidenote@trim@spaces#1{%
4986 % Use grouping to emulate a multi-token afterassignment queue

```



```

4987 \beginngroup%
4988 % Put \toks 0 {' into the afterassignment queue
4989 \aftergroup\toks\aftergroup0\aftergroup{%
4990 % Apply \trimb to the replacement text of #1, adding a leading
4991 % \noexpand to prevent brace stripping and to serve another purpose
4992 % later.
4993 \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
4994 % Transfer the trimmed text back into #1.
4995 \edef#1{\the\toks0}%
4996 }
4997 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
4998 % clean up any leftover bizarre Qs, and trim a leading space. In
4999 % order for \trimc to work properly we need to put back a Q first.
5000 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
5001 % Execute \vfuzz assignment to remove leading space; the \noexpand
5002 % will now prevent unwanted expansion of a macro or other expandable
5003 % token at the beginning of the trimmed text. The \endgroup will feed
5004 % in the \aftergroup tokens after the \vfuzz assignment is completed.
5005 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
5006 \catcode\Q=11
5007 %%
5008 % Citations should go in the margin as sidenotes
5009
5010 \RequirePackage{natbib}
5011 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography envi
5012 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
5013 \renewcommand\BR@b@bibitem[2] [] {%
5014 \ifthenelse{\isempty{#1}}%
5015 {\BR@b@bibitem{#2}}%
5016 {\BR@b@bibitem[#1]{#2}}%
5017 \BR@c@bibitem{#2}%
5018 }
5019 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
5020 %%
5021 % Normal \cite behavior
5022 \newcounter{@bidityftesidenote@num@bibkeys}%
5023 \newcommand{\@bidityftesidenote@normal@cite}[2] [Opt] {%
5024 % Snag the last bibentry in the list for later comparison
5025 \let\@temp@last@bibkey\@empty%
5026 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5027 \sidenote[] [#1] {%
5028 % Loop through all the bibentries, separating them with semicolons and spaces
5029 \normalsize\normalfont\@bidityftesidenote@citation@font%
5030 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
5031 \@for\@temp@bibkeyx:=#2\do{%
5032 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
5033 {\ifthenelse{\equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
5034 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5035 \bibentry{\@temp@bibkeyx}}%
5036 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey

```



```

5037         \bibentry{\@temp@bibkeyx};\ }%
5038     \stepcounter{@biditytesidenote@num@bibkeys}%
5039 }%
5040 }%
5041 }
5042 \newcommand{\@bidityfteLTRsidenote@normal@cite}[2][Opt]{%
5043 % Snag the last bibentry in the list for later comparison
5044 \let\@temp@last@bibkey\@empty%
5045 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5046 \LTRsidenote[] [#1]{%
5047 % Loop through all the bibentries, separating them with semicolons and spaces
5048 \normalsize\normalfont\@biditytesidenote@LTRcitation@font%
5049 \setcounter{@biditytesidenote@num@bibkeys}{0}%
5050 \@for\@temp@bibkeyx:=#2\do{%
5051     \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5052         {\ifthenelse{\equal{\value{@biditytesidenote@num@bibkeys}}{0}}{\and\ }%
5053         \@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5054         \bibentry{\@temp@bibkeyx}}%
5055         {\@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5056         \bibentry{\@temp@bibkeyx};\ }%
5057     \stepcounter{@biditytesidenote@num@bibkeys}%
5058 }%
5059 }%
5060 }
5061 \newcommand{\@bidityfteRTLsidenote@normal@cite}[2][Opt]{%
5062 % Snag the last bibentry in the list for later comparison
5063 \let\@temp@last@bibkey\@empty%
5064 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5065 \RTLsidenote[] [#1]{%
5066 % Loop through all the bibentries, separating them with semicolons and spaces
5067 \normalsize\normalfont\@biditytesidenote@citation@font%
5068 \setcounter{@biditytesidenote@num@bibkeys}{0}%
5069 \@for\@temp@bibkeyx:=#2\do{%
5070     \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5071         {\ifthenelse{\equal{\value{@biditytesidenote@num@bibkeys}}{0}}{\and\ }%
5072         \@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5073         \bibentry{\@temp@bibkeyx}}%
5074         {\@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5075         \bibentry{\@temp@bibkeyx};\ }%
5076     \stepcounter{@biditytesidenote@num@bibkeys}%
5077 }%
5078 }%
5079 }
5080 %%
5081 % Macros for holding the list of cite keys until after the \sidenote
5082 \gdef\@biditytesidenote@citations{}% list of cite keys
5083 \newcommand\@biditytesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
5084 \ifx\@biditytesidenote@citations\@empty\else
5085     \g@addto@macro\@biditytesidenote@citations{,}% separate by commas
5086 \fi

```



```

5087 \g@addto@macro\@bidityftesidenote@citations{#1}
5088 }
5089 \newcommand{\@bidityftesidenote@print@citations}[1][Opt]{% puts the citations in a margin note
5090 % Snag the last bibentry in the list for later comparison
5091 \let\@temp@last@bibkey\@empty%
5092 \@for\@temp@bibkey:=\@bidityftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
5093 \marginpar{%
5094 \hbox{\vspace*{#1}}%
5095 \@bidityftesidenote@citation@font%
5096 \@bidityftesidenote@citation@justification%
5097 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
5098 \vspace*{-1\baselineskip}%
5099 % Loop through all the bibentries, separating them with semicolons and spaces
5100 \setcounter{\@bidityftesidenote@num@bibkeys}{0}%
5101 \@for\@temp@bibkeyx:=\@bidityftesidenote@citations\do{%
5102 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5103 \ifthenelse{\equal{\value{\@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
5104 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5105 \bibentry{\@temp@bibkeyx}}%
5106 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5107 \bibentry{\@temp@bibkeyx};\ }%
5108 \stepcounter{\@bidityftesidenote@num@bibkeys}%
5109 }%
5110 }%
5111 }
5112 %%
5113 % \cite behavior when executed within a sidenote
5114 \newcommand{\@bidityftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
5115 \newcommand{\@bidityftesidenote@infootnote@cite}[1]{%
5116 \@bidityftesidenote@add@citation{#1}
5117 }
5118 %%
5119 % Set the default \cite style. This is set and reset by the \sidenote command.
5120 \let\cite\@bidityftesidenote@normal@cite
5121 \let\LTRcite\@bidityfteLTRsidenote@normal@cite
5122 \let\RTLCcite\@bidityfteRTLsidenote@normal@cite
5123 %%
5124 % Transform existing \footnotes into \sidenotes
5125 % Sidenote: ``Where God meant footnotes to go.''' ---bidityftesidenote
5126 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
5127 \providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@}
5128 \renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@}
5129 % Override footmisc's definition to set the sidenote marks (numbers) inside the
5130 % sidenote's text block.
5131 \bidi@patch@AfterPackage{bidi}{\long\def\@makefnctext#1{\@textsuperscript{\@bidityftesidenote@}
5132 % Set the in-text footnote mark in the same typeface as the body text itself.
5133 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize
5134 \providecommand*\@multiplefootnotemarker}{3sp}
5135 \providecommand*\@multfootsep}{,}
5136 \bidi@patch@AfterPackage{bidi}{%

```



```

5137 \renewcommand{\@footnotemark}{%
5138   \leavevmode%
5139   \ifhmode%
5140     \edef\x@sf{\the\spacefactor}%
5141     \@bidituftesidenote@check@multiple@sidenotes%
5142     \nobreak%
5143   \fi%
5144   \@makefnmark%
5145   \ifhmode\spacefactor\x@sf\fi%
5146   \relax%
5147 }%
5148 }
5149 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
5150   \ifdim\lastkern=\multiplefootnotemarker\relax%
5151     \edef\x@sf{\the\spacefactor}%
5152     \unkern%
5153     \textsuperscript{\multfootsep}%
5154     \spacefactor\x@sf\relax%
5155   \fi
5156 }
5157 \bidi@patch@AfterPackage{bidi}{%
5158 \renewcommand\@footnotetext[2][0pt]{%
5159   \bidituftesidenotemarginpar{%
5160     \hbox{}\vspace*{#1}%
5161     \def\baselinestretch {\setspace@singlespace}%
5162     \reset@font%
5163     \bidi@footnotetext@font% \reset@font\footnotesize%
5164     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5165     \vspace*{-1\baselineskip}\noindent%
5166     \protected@edef\@currentlabel{%
5167       \csname p@footnote\endcsname\@thefnmark%
5168     }%
5169     \color@begingroup%
5170       \@makefnmark%
5171       \ignorespaces#2%
5172     }%
5173     \color@endgroup%
5174   }%
5175 }%
5176 \renewcommand\@LTRfootnotetext[2][0pt]{%
5177   \LTRbidituftesidenotemarginpar{%
5178     \hbox{}\vspace*{#1}%
5179     \def\baselinestretch {\setspace@singlespace}%
5180     \reset@font%
5181     \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
5182     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5183     \vspace*{-1\baselineskip}\noindent%
5184     \protected@edef\@currentlabel{%
5185       \csname p@footnote\endcsname\@thefnmark%
5186     }%

```



```

5187 \color@begingroup%
5188 \makefnintext{%
5189 \ignorespaces#2%
5190 }%
5191 \color@endgroup%
5192 }%
5193 }%
5194 \renewcommand\@RTLfootnotetext[2][Opt]{%
5195 \RTLbidituftesidenotemarginpar{%
5196 \hbox{}\vspace*{#1}%
5197 \def\baselinestretch {\setspace@singlespace}%
5198 \reset@font%
5199 \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
5200 \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5201 \vspace*{-1\baselineskip}\noindent%
5202 \protected@edef\@currentlabel{%
5203 \csname p@footnote\endcsname\@thefnmark%
5204 }%
5205 \color@begingroup%
5206 \makefnintext{%
5207 \ignorespaces#2%
5208 }%
5209 \color@endgroup%
5210 }%
5211 }%
5212 }
5213 %
5214 % Define \sidenote command. Can handle \cite.
5215 \newlength{\@bidituftesidenote@sidenote@vertical@offset}
5216 \setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
5217 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
5218 \long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
5219 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
5220 \gdef\@bidituftesidenote@citations{}% clear out any old citations
5221 \ifthenelse{\NOT\isempty{#2}}{%
5222 \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5223 }{%
5224 \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5225 }%
5226 \ifthenelse{\isempty{#1}}{%
5227 % no specific footnote number provided
5228 \stepcounter\@mpfn%
5229 \protected@xdef\@thefnmark{\thempfn}%
5230 \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5231 }{%
5232 % specific footnote number provided
5233 \begingroup%
5234 \csname c@\@mpfn\endcsname #1\relax%
5235 \unrestored@protected@xdef\@thefnmark{\thempfn}%
5236 \endgroup%

```



```

5237 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5238 }%
5239 \@bidityftesidenote@print@citations%          print any citations
5240 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite command
5241 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
5242 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTLcite
5243 \unskip\ignorespaces%                          remove extra white space
5244 \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
5245 \kern\multiplefootnotemarker\relax%            add new \kern here to replace the one we yanked
5246 }
5247 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
5248 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
5249 \gdef\@bidityftesidenote@citations{}%         clear out any old citations
5250 \ifthenelse{NOT\isempty{#2}}{%
5251 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
5252 }{%
5253 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
5254 }%
5255 \ifthenelse{\isempty{#1}}{%
5256 % no specific footnote number provided
5257 \stepcounter\@mpfn%
5258 \protected@xdef\@thefnmark{\thempfn}%
5259 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5260 }{%
5261 % specific footnote number provided
5262 \begingroup%
5263 \csname c@\@mpfn\endcsname #1\relax%
5264 \unrestored@protected@xdef\@thefnmark{\thempfn}%
5265 \endgroup%
5266 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5267 }%
5268 \@bidityftesidenote@print@citations%          print any citations
5269 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite command
5270 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
5271 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTLcite
5272 \unskip\ignorespaces%                          remove extra white space
5273 \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
5274 \kern\multiplefootnotemarker\relax%            add new \kern here to replace the one we yanked
5275 }
5276 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
5277 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
5278 \gdef\@bidityftesidenote@citations{}%         clear out any old citations
5279 \ifthenelse{NOT\isempty{#2}}{%
5280 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
5281 }{%
5282 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
5283 }%
5284 \ifthenelse{\isempty{#1}}{%
5285 % no specific footnote number provided
5286 \stepcounter\@mpfn%

```



```

5287 \protected@xdef\@thefnmark{\thempfn}%
5288 \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5289 }{%
5290 % specific footnote number provided
5291 \begingroup%
5292 \csname c@\@mpfn\endcsname #1\relax%
5293 \unrestored@protected@xdef\@thefnmark{\thempfn}%
5294 \endgroup%
5295 \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5296 }%
5297 \@bidituftesidenote@print@citations% print any citations
5298 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
5299 \let\LTRcite\@bidituftesidenote@normal@cite% go back to using normal in-text \LTRcite
5300 \let\RTLcite\@bidituftesidenote@normal@cite% go back to using normal in-text \RTLcite
5301 \unskip\ignorespaces% remove extra white space
5302 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
5303 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
5304 }
5305 \newcommand{\sidenote}{\@optparams{\@bidituftesidenote@sidenote}{[] [Opt]}}%
5306 \newcommand{\LTRsidenote}{\@optparams{\@LTRbidituftesidenote@sidenote}{[] [Opt]}}%
5307 \newcommand{\RTLSidenote}{\@optparams{\@RTLBidituftesidenote@sidenote}{[] [Opt]}}%
5308 \bidi@patch@AfterPackage{bidi}{%
5309 \renewcommand{\footnote}{\@optparams{\@bidituftesidenote@sidenote}{[] [Opt]}}%
5310 \renewcommand{\LTRfootnote}{\@optparams{\@LTRbidituftesidenote@sidenote}{[] [Opt]}}%
5311 \renewcommand{\RTLfootnote}{\@optparams{\@RTLBidituftesidenote@sidenote}{[] [Opt]}}%
5312 }
5313 %%
5314 % Sidenote without the footnote mark
5315 \newcommand\marginnote[2][Opt]{%
5316 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
5317 \gdef\@bidituftesidenote@citations{}% clear out any old citations
5318 \bidituftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituftesidenote@font%
5319 \@bidituftesidenote@print@citations% print any citations
5320 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
5321 \let\LTRcite\@bidituftesidenote@normal@cite% go back to using normal in-text \LTRcite
5322 \let\RTLcite\@bidituftesidenote@normal@cite% go back to using normal in-text \RTLcite
5323 }
5324 \newcommand\LTRmarginnote[2][Opt]{%
5325 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
5326 \gdef\@bidituftesidenote@citations{}% clear out any old citations
5327 \LTRbidituftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@bidituftesidenote@font%
5328 \@bidituftesidenote@print@citations% print any citations
5329 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
5330 \let\LTRcite\@bidituftesidenote@normal@cite% go back to using normal in-text \LTRcite
5331 \let\RTLcite\@bidituftesidenote@normal@cite% go back to using normal in-text \RTLcite
5332 }
5333 \newcommand\RTLMarginnote[2][Opt]{%
5334 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
5335 \gdef\@bidituftesidenote@citations{}% clear out any old citations
5336 \RTLBidituftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidituftesidenote@RTLMarginnote@font\@bidituftesidenote@font%

```




```

5337 \@bidityftesidenote@print@citations%          print any citations
5338 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite command
5339 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
5340 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite
5341 }

```

23 File bidityftetoc.sty

```

5342 \NeedsTeXFormat{LaTeX2e}
5343 \ProvidesPackage{bidityftetoc}[2011/06/17 v0.1
5344 bidi implementation of tufte toc]
5345 \RequirePackage{titlesec,titletoc,xifthen,biditytools}
5346 \newcommand{\@bidityftetoc@pkgname}{bidityftetoc}
5347 \newcommand{\bidityftetocError}[2]{\PackageError{\@bidityftetoc@pkgname}{#1}{#2}}
5348 %%
5349 % Turn off section numbering
5350 \setcounter{secnumdepth}{-1}
5351 \newboolean{@bidityftetoc@toc}
5352 \setboolean{@bidityftetoc@toc}{true}
5353 \DeclareOption{notoc}{\setboolean{@bidityftetoc@toc}{false}}
5354 \DeclareOption{toc}{\setboolean{@bidityftetoc@toc}{true}}
5355 \ProcessOptions
5356 %%
5357 % Make Tufteian-style section headings and TOC formatting
5358 \bidityftpatch@AfterPackage{bidi}{%
5359 \titleformat{\chapter}%
5360 [display]% shape
5361 {\relax\ifthenelse{\NOT\boolean{@bidityftfloat@symmetric}}{\begin{fullwidth}}{}}% format applied to label+text
5362 {\itshape\huge\thechapter}% label
5363 {0pt}% horizontal separation between label and title body
5364 {\huge\rmfamily\itshape}% before the title body
5365 [\ifthenelse{\NOT\boolean{@bidityftfloat@symmetric}}{\end{fullwidth}}{}}% after the title body
5366 \titleformat{\section}%
5367 [hang]% shape
5368 {\normalfont\Large\itshape}% format applied to label+text
5369 {\thesection}% label
5370 {1em}% horizontal separation between label and title body
5371 {}% before the title body
5372 []% after the title body
5373 \titleformat{\subsection}%
5374 [hang]% shape
5375 {\normalfont\large\itshape}% format applied to label+text
5376 {\thesubsection}% label
5377 {1em}% horizontal separation between label and title body
5378 {}% before the title body
5379 []% after the title body
5380 \titleformat{\paragraph}%
5381 [runin]% shape
5382 {\normalfont\itshape}% format applied to label+text
5383 {\theparagraph}% label

```



```

5384 {1em}% horizontal separation between label and title body
5385 {}% before the title body
5386 []% after the title body
5387 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
5388 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
5389 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
5390 }
5391 % Subsubsection and following section headings shouldn't be used.
5392 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
5393 \renewcommand\subsubsection{%
5394   \biditytetocError{\noexpand\subsubsection is undefined by this class.%
5395     \MessageBreak See Robert Bringhurst's _The Elements of
5396     \MessageBreak Typographic Style_, section 4.2.2.
5397     \MessageBreak \noexpand\subsubsection was used}
5398   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
5399     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the mar
5400     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
5401 }
5402 \renewcommand\subparagraph{%
5403   \biditytetocError{\noexpand\subparagraph is undefined by this class.%
5404     \MessageBreak See Robert Bringhurst's _The Elements of
5405     \MessageBreak Typographic Style_, section 4.2.2.
5406     \MessageBreak \noexpand\subparagraph was used}
5407   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
5408     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the mar
5409     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
5410 }
5411 % Formatting for main TOC (printed in front matter)
5412 {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
5413 \ifthenelse{\boolean{@biditytetoc@toc}}{%
5414   \bidi@patch@AfterPackage{bidi}{%
5415     \titlecontents{part}% FIXME
5416     [0em] % distance from left margin
5417     {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
5418     {\contentslabel{2em}} % before w/label (label = ``II'')
5419     {} % before w/o label
5420     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
5421     [\end{fullwidth}] % after
5422     \titlecontents{chapter}%
5423     [0em] % distance from left margin
5424     {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
5425     {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
5426     {\hspace*{0em}} % before w/o label
5427     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
5428     [\end{fullwidth}] % after
5429     \titlecontents{section}% FIXME
5430     [0em] % distance from left margin
5431     {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
5432     {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
5433     {\hspace*{2em}} % before w/o label

```



```

5434 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
5435 [\end{fullwidth}] % after
5436 \titlecontents{subsection}% FIXME
5437 [0em] % distance from left margin
5438 {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format)
5439 {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
5440 {\hspace*{4em}} % before w/o label
5441 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
5442 [\end{fullwidth}] % after
5443 \titlecontents{paragraph}% FIXME
5444 [0em] % distance from left margin
5445 {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global format)
5446 {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
5447 {\hspace*{6em}} % before w/o label
5448 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
5449 [\end{fullwidth}] % after
5450 }%
5451 }{}
5452 %%
5453 % Format lists of figures/tables
5454 \renewcommand\listoffigures{%
5455   \ifundefined{chapter}%
5456     {\section*{\listfigurename}}%
5457     {\chapter*{\listfigurename}}%
5458 % \begin{fullwidth}%
5459 % \starttoc{lof}%
5460 % \end{fullwidth}%
5461 }
5462 \renewcommand\listoftables{%
5463   \ifundefined{chapter}%
5464     {\section*{\listtablename}}%
5465     {\chapter*{\listtablename}}%
5466 % \begin{fullwidth}%
5467 % \starttoc{lot}%
5468 % \end{fullwidth}%
5469 }
5470 \newcommand{\@bidityfttoc@lof@line}[2]{%
5471   % #1 is the figure/table number and its caption text
5472   % #2 is the page number on which the figure/table appears
5473   \leftskip 0.0em
5474   \rightskip 0em
5475   \parfillskip 0em plus 1fil
5476   \parindent 0.0em
5477   \@afterindenttrue
5478   \interlinepenalty\@M
5479   \leavevmode
5480   \@tempdima 2.0em
5481   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
5482   \null\nobreak\hspace*{-\if@RTL\rightskip\else\leftskip\fi
5483   {#1}\nobreak\qqquad\nobreak#2%

```



```

5484 \par%
5485 }
5486 \renewcommand*{\l@figure{\@bidityftetoc@lof@oline}
5487 \let\l@table\l@figure

```

24 File bidityftgeneralstructure.sty

```

5488 \NeedsTeXFormat{LaTeX2e}
5489 \ProvidesPackage{bidityftgeneralstructure}[2011/06/18 v0.1
5490 bidi implementation of tufte general structure]
5491 \renewcommand\small{%
5492   \@setfontsize\small\@ixpt{12}%
5493   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
5494   \abovedisplayshortskip \z@ \@plus2\p@
5495   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
5496   \def\@listi{\leftmargin\leftmargini
5497     \topsep 4\p@ \@plus2\p@ \@minus2\p@
5498     \parsep 2\p@ \@plus\p@ \@minus\p@
5499     \itemsep \parsep}%
5500   \belowdisplayskip \abovedisplayskip
5501 }
5502 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viipt}
5503 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
5504 \renewcommand\large{\@setfontsize\large\@xipt{15}}
5505 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
5506 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
5507 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
5508 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
5509 \setlength\leftmargini {1pc}
5510 \setlength\leftmarginii {1pc}
5511 \setlength\leftmarginiii {1pc}
5512 \setlength\leftmarginiv {1pc}
5513 \setlength\leftmarginv {1pc}
5514 \setlength\leftmarginvi {1pc}
5515 \setlength\labelsep {.5pc}
5516 \setlength\labelwidth {\leftmargini}
5517 \addtolength\labelwidth{-\labelsep}
5518 \setlength{\parindent}{1.0pc}%
5519 \setlength{\parskip}{0pt}%
5520 \RequirePackage{ragged2e}
5521 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
5522 % Paragraph indentation and separation for normal text
5523 \newcommand{\@bidityftgeneralstructure@reset@par}{%
5524   \setlength{\RaggedRightParindent}{1.0pc}%
5525   \setlength{\JustifyingParindent}{1.0pc}%
5526   \setlength{\parindent}{1pc}%
5527   \setlength{\parskip}{0pt}%
5528 }
5529 \@bidityftgeneralstructure@reset@par
5530 % Require paralist package for tighter lists

```



```

5531 \RequirePackage{paralist}
5532 % Add rightmargin to compactenum
5533 \def\@compactenum@{%
5534   \expandafter\list\csname label\@enumctr\endcsname{%
5535     \usecounter{\@enumctr}%
5536     \rightmargin=2em% added this
5537     \parsep\plparsep
5538     \itemsep\plitemsep
5539     \topsep\pltopsep
5540     \partopsep\plpartopsep
5541   \def\makelabel##1{\hss\llap{##1}}}}
5542 %%
5543 % An environment for paragraph-style section
5544 \providecommand\newthought[1]{%
5545   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
5546   \noindent\textbf{#1}%
5547 }
5548 %%
5549 % Redefine the display environments (quote, quotation, etc.)
5550 \renewenvironment{verse}
5551   {\let\\\@centercr
5552    \list{}\{\itemsep      \z@
5553     \itemindent -1pc%
5554     \listparindent\itemindent
5555     \rightmargin \leftmargin
5556     \advance\leftmargin 1pc}%
5557    \small%
5558    \item\relax}
5559   {\endlist}
5560 \renewenvironment{quotation}
5561   {\list{}\{\listparindent 1pc%
5562    \itemindent \listparindent
5563    \rightmargin \leftmargin
5564    \parsep      \z@ \@plus\p@}%
5565    \small%
5566    \item\relax\noindent\ignorespaces}
5567   {\endlist}
5568 \renewenvironment{quote}
5569   {\list{}\{\rightmargin\leftmargin}%
5570    \small%
5571    \item\relax}
5572   {\endlist}
5573 % Italicize description run-in headings (instead of the default bold)
5574 \renewcommand*{descriptionlabel}[1]{\hspace\labelsep\normalfont\em #1}
5575 %%
5576 % Redefine \bibsection to not mark the running heads.
5577 % (Code modified from natbib.sty.)
5578 \@ifundefined{chapter}%
5579   {\renewcommand\bibsection{\section*{\refname}}}
5580   {\@ifundefined{NAT@sectionbib}%

```



```

5581     {\renewcommand\bibsection{\chapter{\bibname}}}
5582     {\renewcommand\bibsection{\section*\bibname}}}
5583 \RequirePackage{multicol}
5584 \renewenvironment{theindex}{%
5585 \ifundefined{chapter}%
5586     {\section*\indexname}%
5587     {\chapter{\indexname}%
5588 \begin{fullwidth}%
5589 \small%
5590 \parskip0pt%
5591 \parindent0pt%
5592 \let\item\@idxitem%
5593 \begin{multicols}{3}%
5594 }{%
5595 \end{multicols}%
5596 \end{fullwidth}%
5597 }
5598 \AtBeginDocument{%
5599 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
5600 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
5601 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
5602 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
5603 \newcommand{\lettergroup}[1]{}% swallow the letter heading in the index

```

25 File `bidituftehyperref.sty`

```

5604 \NeedsTeXFormat{LaTeX2e}
5605 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
5606 bidi implementation of tufte hyperref]
5607 %%
5608 % Color
5609 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
5610 \newboolean{@bidituftehyperref@loadhyper}
5611 \setboolean{@bidituftehyperref@loadhyper}{true}
5612 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
5613 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
5614 \ProcessOptions
5615 %% Loads the hyperref package and sets some default options.
5616 \newcommand{\bidituftehyperrefLoadHyperref}{%
5617 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
5618 \hypersetup{%
5619     bookmarksdepth = section,
5620     citecolor = DarkGreen,
5621     linkcolor = DarkBlue,
5622 %    pagecolor = DarkBlue,
5623     urlcolor = DarkGreen,
5624 }%
5625 }
5626 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
5627 \bidituftehyperrefLoadHyperref%

```



```

5628 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
5629 \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
5630 }

```

26 File `bidituftetitle.sty`

```

5631 \NeedsTeXFormat{LaTeX2e}
5632 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
5633 bidi implementation of tufte title]
5634 \RequirePackage{biditools}
5635 %%
5636 % `titlepage' option -- creates a full title page with \maketitle
5637 \newboolean{@bidituftetitle@titlepage}
5638 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
5639 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
5640 % Default `book' and `handout' options
5641 \@ifclassloaded{book}{%
5642 \ExecuteOptions{titlepage}}{%
5643 \@ifclassloaded{article}{%
5644 \ExecuteOptions{notitlepage}}%
5645 {}}
5646 \ProcessOptions
5647 %%
5648 % Modified \title, \author, and \date commands. These store the
5649 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
5650 \newcommand{\plaintitle}{}% plain-text-only title
5651 \newcommand{\plainauthor}{}% plain-text-only author
5652 \newcommand{\plainpublisher}{}% plain-text-only publisher
5653 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
5654 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
5655 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
5656 \newcommand{\@publisher}{}% full publisher with \thanks{}
5657 \newcommand{\thedate}{\today}
5658 \bidi@patch@AfterPackage{bidi}{%
5659 \renewcommand{\thanks}[1]{\footnote{#1}}
5660 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
5661 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
5662 }
5663 \renewcommand{\title}[2][]{%
5664 \gdef\@title{#2}%
5665 \begingroup%
5666 % TODO store contents of \thanks command
5667 \renewcommand{\thanks}[1]{}% swallow \thanks contents
5668 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5669 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5670 \protected@xdef\thanklesstitle{#2}%
5671 \endgroup%
5672 \ifthenelse{\isempty{#1}}%
5673 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
5674 {\renewcommand{\plaintitle}{#1}}% use provided plain-text title

```



```

5675 \ifundefined{hypersetup}%
5676 {}% hyperref is not loaded; do nothing
5677 {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
5678 }
5679 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
5680 \renewcommand{\author}[2][]{%
5681 \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
5682 \begingroup%
5683 % TODO store contents of \thanks command
5684 \renewcommand{\thanks}[1]{}% swallow \thanks contents
5685 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5686 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5687 \protected@xdef\thanklessauthor{#2}%
5688 \endgroup%
5689 \ifthenelse{\isempty{#1}}%
5690 {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
5691 {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
5692 \ifundefined{hypersetup}%
5693 {}% hyperref is not loaded; do nothing
5694 {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
5695 }
5696 \renewcommand{\date}[1]{}%
5697 \gdef\@date{#1}%
5698 \begingroup%
5699 % TODO store contents of \thanks command
5700 \renewcommand{\thanks}[1]{}% swallow \thanks contents
5701 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5702 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5703 \protected@xdef\thedata{#1}%
5704 \endgroup%
5705 }
5706 %%
5707 % Provides a \publisher command to set the publisher
5708 \newcommand{\publisher}[2][]{%
5709 \gdef\@publisher{#2}%
5710 \begingroup%
5711 \renewcommand{\thanks}[1]{}% swallow \thanks contents
5712 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5713 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5714 \protected@xdef\thanklesspublisher{#2}%
5715 \endgroup%
5716 \ifthenelse{\isempty{#1}}%
5717 {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
5718 {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
5719 }
5720 %%
5721 % Produces a full title page
5722 \newcommand{\maketitlepage}[0]{}%
5723 \cleardoublepage%
5724 {}%

```




```

5725 \bfseries%
5726 \begin{fullwidth}%
5727 \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
5728 \vspace{11.5pc}%
5729 \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
5730 \vfill%
5731 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
5732 \end{fullwidth}%
5733 }
5734 \thispagestyle{empty}%
5735 \clearpage%
5736 }
5737 %%
5738 % Title block
5739 \bidi@AfterEndPreamble{%
5740 \renewcommand{\maketitle}{%
5741 \newpage%
5742 \global\@topnum\z@% prevent floats from being placed at the top of the page
5743 \begingroup%
5744 \setlength{\parindent}{0pt}%
5745 \setlength{\parskip}{4pt}%
5746 \let\@title\@empty%
5747 \let\@author\@empty%
5748 \let\@date\@empty%
5749 \gdef\@title{\LARGE\itshape\@title\par}%
5750 \gdef\@author{\Large\itshape\@author\par}%
5751 \gdef\@date{\Large\itshape\@date\par}%
5752 \@title%
5753 \@author%
5754 \@date%
5755 \endgroup%
5756 \thispagestyle{plain}% suppress the running head
5757 }%
5758 }
5759 %%
5760 % Title page (if the 'titlepage' option was passed to the bidentitetitle-handout
5761 % class.)
5762 \bidi@AfterEndPreamble{%
5763 \ifthenelse{\boolean{@bidentitetitle@titlepage}}
5764 {\renewcommand{\maketitle}{\maketitlepage}}
5765 {}
5766 }
5767 %%
5768 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
5769 % without headers and footers
5770 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
5771 \hbox{}
5772 %\vspace*{\fill}
5773 %\begin{center}
5774 % This page intentionally contains only this sentence.

```



```

5775 %\end{center}
5776 %\vspace{\fill}
5777 \thispagestyle{empty}
5778 \newpage
5779 \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

27 File `biditufte-handout.cls`

```

5780 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5781 \ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
5782 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
5783 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5784 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5785 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5786 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5787 \ProcessOptions\relax
5788 \LoadClass{article}
5789 \RequirePackage{bidituftefloat}
5790 \RequirePackage{bidituftesidenote}
5791 \RequirePackage{bidituftetoc}
5792 \RequirePackage{bidituftegeneralstructure}
5793 \RequirePackage{bidituftehyperref}
5794 \RequirePackage{bidituftetitle}
5795 \renewenvironment{abstract}
5796   {\begin{quotation}}
5797   {\end{quotation}}
5798 \AtBeginDocument{%
5799 \IfFileExists{biditufte-handout.cfg}
5800   {\input{biditufte-handout.cfg}
5801    \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
5802   {}%
5803 }

```

28 File `biditufte-book.cls`

```

5804 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5805 \ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
5806 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5807 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5808 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5809 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5810 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5811 \ProcessOptions\relax
5812 \LoadClass{book}
5813 \RequirePackage{bidituftefloat}
5814 \RequirePackage{bidituftesidenote}
5815 \RequirePackage{bidituftetoc}
5816 \RequirePackage{bidituftegeneralstructure}
5817 \RequirePackage{bidituftehyperref}
5818 \RequirePackage{bidituftetitle}

```



```

5819%%
5820% Set up any book-specific stuff now
5821%%
5822% The front matter in Tufte's /Beautiful Evidence/ contains everything up
5823% to the opening page of Chapter 1. The running heads, when they appear,
5824% contain only the (arabic) page number in the outside corner.
5825%\newif\if@mainmatter \@mainmattertrue
5826\renewcommand\frontmatter{%
5827  \cleardoublepage%
5828  \@mainmatterfalse%
5829  \pagenumbering{arabic}%
5830  %\pagestyle{plain}%
5831  \fancyhf{}%
5832  \ifthenelse{\boolean{@biditytuftefloat@twoside}}%
5833    {\fancyhead[LE,RO]{\thepage}}%
5834    {\fancyhead[RE,RO]{\thepage}}%
5835}
5836%%
5837% The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
5838% numbering---it continues where it left off in the front matter.
5839\renewcommand\mainmatter{%
5840  \cleardoublepage%
5841  \@mainmattertrue%
5842  \fancyhf{}%
5843  \ifthenelse{\boolean{@biditytuftefloat@twoside}}%
5844    {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
5845     \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
5846     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
5847     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
5848}
5849%%
5850% The back matter contains appendices, indices, glossaries, endnotes,
5851% bibliographies, list of contributors, illustration credits, etc.
5852\renewcommand\backmatter{%
5853  \if@openright%
5854    \cleardoublepage%
5855  \else%
5856    \clearpage%
5857  \fi%
5858  \@mainmatterfalse%
5859}
5860%%
5861% Only show the chapter titles in the table of contents
5862\setcounter{tocdepth}{0}
5863\AtBeginDocument{%
5864  \IfFileExists{biditytufte-book.cfg}
5865  {\input{biditytufte-book.cfg}
5866   \ClassInfo{biditytufte-book}{Loading biditytufte-book configuration file \@gobble}}
5867  {}%
5868}

```



29 File bidipoem.sty

```

5869 \NeedsTeXFormat{LaTeX2e}
5870 \ProvidesPackage{bidipoem}%
5871 [2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]
5872
5873 % Usage:
5874 %
5875 % \Setversedim #1#2 % define the layout (within a group):
5876 % #1 = length of both half-verses
5877 % #2 = separation distance = length of a connection, if present
5878 % Variant:
5879 % \Setversedim #1[#2]#3 % for half-verses of unequal length
5880 % #1 = length of first (=right) half-verse
5881 % #2 = length of second (=left) half-verse
5882 % #3 = separation distance = length of a connection, if present
5883 %
5884 % \traditionalhalfverses #1#2 % typeset two separated half-verses
5885 % #1 = text of first (=right) half-verse
5886 % #2 = text of second (=left) half-verse
5887 % Variant:
5888 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
5889 % #1 = text of first (=right) half-verse
5890 % #2 = text of connection
5891 % #3 = text of second (=left) half-verse
5892 %
5893 % Alternative (if preferred):
5894 %
5895 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
5896
5897
5898 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
5899
5900 % define the layout, verses will be centered
5901
5902 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
5903 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
5904
5905 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
5906 \bidipoem@hvind \textwidth
5907 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
5908 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else
5909 \bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@
5910
5911 \def \bidipoem@set@verseI [#1]{% optional parameter
5912 \bidipoem@@hvlen #1\relax \bidipoem@set@@verse }
5913
5914 \newcommand*{\bidipoem@set@@verse}[1]{% separation
5915 \advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
5916 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }

```



```

5917
5918 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
5919 \ifdim Opt > \bidipoem@hvind %
5920 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
5921 \else
5922 \noindent \hspace \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
5923 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
5924 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
5925 \par }
5926
5927 % macro for two half verses
5928 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5929 \ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}%
5930 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
5931 \bidipoem@half@verses@next}
5932
5933 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
5934 \traditionalconnverses {#1}{#2}{#3}}
5935
5936
5937 {\catcode\^M=\active % these lines must end with %
5938 \gdef\traditionalpoem@obeylines{\catcode\^M=\active \let^M\traditionalpoem@par}%
5939 \global\let^M\traditionalpoem@par} % this is in case ^M appears in a \write
5940 {\catcode\^M=\active % these lines must end with %
5941 \gdef\modernpoem@obeylines{\catcode\^M=\active \let^M\modernpoem@par}%
5942 \global\let^M\modernpoem@par} % this is in case ^M appears in a \write
5943 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
5944 \def\poemmarginsskip{1em plus 1fil minus 1em}
5945 \def\poemextrabaselineskip{0\baselineskip}
5946 \def\poemskip{\medskip}
5947 \newcommand{\bidipoem@openbox}{\leavevmode
5948 \hbox to.77778em{%
5949 \hfil\vrule
5950 \vbox to.675em{\hrule width.6em\vfil\hrule}%
5951 \vrule\hfil}}
5952 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5953 \newdimen\versewidth
5954 \newtoks\bidipoem@p@ftn
5955 \def\poem@verse#1{%
5956 \ifdim\wd#1>\new@poem@width
5957 \xdef\new@poem@width{\the\wd#1}%
5958 \ifdim\new@poem@width>\poem@width
5959 \xdef\poem@width{\new@poem@width}%
5960 \global\let\poem@needrun\relax
5961 \fi
5962 \fi
5963 \hbox to\poem@width{\unhbox#1}%
5964 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
5965 }
5966 \def\poem@linebegin{\vadjust{}\hspace\@flushglue\hspace\poemmarginsskip\relax}

```



```

5967 \def\poem@lineend{\nobreak\hskip\poemmarginsskip\hskip\@flushglue\vadjust{}}
5968 \def\poem@lineversesep{%
5969 \nobreak
5970 \hskip\z@ plus 1filll%
5971 \penalty600%
5972 \hskip\poemcolsepskip
5973 \hskip\z@ plus -2filll%
5974 \vadjust{}}%
5975 \nobreak
5976 \hskip\z@ plus 1filll%
5977 }
5978 \def\poem@lineparsebegin{%
5979 \halign\bgroup
5980 \global\setbox\verse@i=\hbox{%
5981 \let\@footnotetext\bidipoem@p@ftntext%
5982 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5983 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5984 \let\@xfootnotenext\bidipoem@p@xftntext%
5985 \let\@xfootnote\bidipoem@p@xfootnote%
5986 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5987 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5988 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5989 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5990 \ignorespaces##\unskip}&&
5991 \global\setbox\verse@ii=\hbox{%
5992 \let\@footnotetext\bidipoem@p@ftntext%
5993 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5994 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5995 \let\@xfootnotenext\bidipoem@p@xftntext%
5996 \let\@xfootnote\bidipoem@p@xfootnote%
5997 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5998 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5999 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6000 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6001 \ignorespaces##\unskip}
6002 \cr
6003 }
6004 \def\poem@lineparseend{%
6005 \crcr\egroup
6006 \vskip-\baselineskip
6007 }
6008 \def\traditionalpoem@cr{%
6009 \cr\poem@line
6010 }
6011 \newbox\verse@i
6012 \newbox\verse@ii
6013 \newif\ifpoem@started
6014
6015 \def\poem@line{%
6016 \poem@lineparseend

```



```

6017 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
6018 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
6019 \ifpoem@started
6020   \ifdim\wd\verse@ii>\z@\else
6021     \nopagebreak[3]
6022     \fi
6023     \leavevmode
6024     \poem@linebegin
6025     \poem@verse\verse@i
6026     \ifdim\wd\verse@ii>\z@
6027       \poem@lineversesep
6028       \poem@verse\verse@ii
6029       \fi
6030     \poem@lineend
6031 %   \nopagebreak
6032   \par
6033   \vskip\poemextrabaselineskip
6034 \fi
6035 \poem@lineparsebegin
6036 }
6037 \def\@traditionalpoem{%
6038   \stepcounter{poem@no}
6039   \ifnum\max@poem@no<\number\c@poem@no%
6040     \xdef\poem@width{\z@}%
6041     \else
6042     \xdef\poem@width{\poem@prop{poem@width}}%
6043     \fi
6044     \xdef\new@poem@width{\z@}%
6045     \global\versewidth=\poem@width
6046     \poemskip\par
6047     \begingroup
6048     \tabskip=\z@
6049     \parskip=\z@
6050     \parindent=\z@
6051     \parfillskip=\z@
6052     \rightskip=\z@
6053     \leftskip=\z@
6054     \widowpenalty=10000% No break between verses of the same line.
6055     \clubpenalty=10000% Same as above. Not really needed.
6056     \def\newblock{\hfil\poemblocksep\hfil\null}%
6057     \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
6058     \def\{\{\global\poem@startedtrue\traditionalpoem@cr}%
6059     \global\poem@startedfalse
6060     \csname poem@obeylines\endcsname
6061     \let\poem@obeylines\relax
6062     \poem@lineparsebegin
6063   }
6064   \def\@endtraditionalpoem{%
6065     \cr
6066     \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else

```



```

6067 \noalign{%
6068 \skip0=\poemextrabaseskip
6069 \vskip-\skip0
6070 \vskip-\baseskip
6071 }%
6072 \fi\fi
6073 \poem@lineparseend
6074 \endgroup
6075 \par
6076 \vskip\baseskip
6077 \poemskip
6078 \if@nparlist \else
6079 \ifdim\lastskip >\z@
6080 \@tempkipa\lastskip \vskip -\lastskip
6081 \advance\@tempkipa\parskip \advance\@tempkipa -\outerparskip
6082 \vskip\@tempkipa
6083 \fi
6084 \@endparenv
6085 \fi
6086 \ifdim\new@poem@width<\poem@width
6087 \global\let\poem@needrun\relax
6088 \fi
6089 \poem@write@aux{\poem@width\romannumeral\c@poem@no}{\new@poem@width}%
6090 \ifx\AtEndDocument\undefined\poem@finish\fi
6091 }
6092
6093
6094 \long\def\bidipoem@p@ftntext#1{%
6095 \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}}%
6096 \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
6097 \long\def\bidipoem@p@LTRftntext#1{%
6098 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
6099 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
6100 \long\def\bidipoem@p@RTLftntext#1{%
6101 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
6102 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
6103
6104 \long\def\bidipoem@p@xftntext[#1]#2{%
6105 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}%
6106
6107 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
6108 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}%
6109
6110 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
6111 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}%
6112
6113 \def\bidipoem@p@xfootnote[#1]{%
6114 \begingroup
6115 \csname c@\@mpfn\endcsname #1\relax
6116 \unrestored@protected@xdef\@thefnmark{\thempfn}%

```




```

6117 \endgroup
6118 \@footnotemark\bidipoem@p@xftntext[#1]}
6119
6120 \def\bidipoem@p@xLTRfootnote[#1]{%
6121 \begingroup
6122 \csname c@ \@mpfn\endcsname #1\relax
6123 \unrestored@protected@xdef\@thefnmark{\thempfn}%
6124 \endgroup
6125 \@footnotemark\bidipoem@p@xLTRftntext[#1]}
6126
6127 \def\bidipoem@p@xRTLfootnote[#1]{%
6128 \begingroup
6129 \csname c@ \@mpfn\endcsname #1\relax
6130 \unrestored@protected@xdef\@thefnmark{\thempfn}%
6131 \endgroup
6132 \@footnotemark\bidipoem@p@xRTLftntext[#1]}
6133
6134
6135
6136 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
6137 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl
6138 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
6139 \def\poem@finish{%
6140 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
6141 \ifx\poem@needrun\relax
6142 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
6143 \global\let\poem@needrun\undefined
6144 \fi
6145 }
6146 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
6147 \newcounter{poem@no}\setcounter{poem@no}{\z@}
6148 \ifx\max@poem@no\undefined
6149 \def\max@poem@no{0}%
6150 \fi
6151 \newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
6152 \newcommand{\poem@write@aux}[2]{%
6153 \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
6154 \@x
6155 }
6156 \def\@modernpoem{%
6157 \par
6158 \begingroup
6159 \parskip=\z@
6160 \parindent=\z@
6161 \def\{ {\@settab\@tabplus\ignorespaces}%
6162 \def\} {\@tabminus\ignorespaces}%
6163 \def\newblock{\poemblocksep}%
6164 \let\newpoem@tabcr\@tabcr
6165 \def\modernpoem@par{% Redefine \par for possible \obeylines
6166 \ifpoem@started\else

```



```

6167 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
6168 \@stopfield
6169 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
6170 \@contfield
6171 \fi
6172 \fi
6173 \ifpoem@started\newpoem@tabcr\fi}%
6174 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
6175 \global\poem@startedfalse
6176 \csname poem@obeylines\endcsname
6177 \let\poem@obeylines\relax
6178 \begin{tabbing}%
6179 }
6180 \def\@endmodernpoem{%
6181 \global\poem@startedfalse
6182 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
6183 \@stopfield
6184 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
6185 \@contfield
6186 \fi
6187 \ifpoem@started\else\let\@stopline\@stopfield\fi
6188 \end{tabbing}%
6189 \endgroup
6190 \par
6191 \if@nolist \else
6192 \ifdim\lastskip >\z@
6193 \@tempskipa\lastskip \vskip -\lastskip
6194 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
6195 \vskip\@tempskipa
6196 \fi
6197 \@endparenv
6198 \fi
6199 }
6200 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
6201 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem@obeylines}
6202 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
6203 \gdef\@startfield{%
6204 \global\setbox\@curfield\hbox\bgroup%
6205 \let\@footnotetext\bidipoem@p@ftntext%
6206 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6207 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6208 \let\@xfootnotenext\bidipoem@p@xftntext%
6209 \let\@xfootnote\bidipoem@p@xfootnote%
6210 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6211 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6212 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6213 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6214 \color@begingroup}
6215 \gdef\@stopfield{%
6216 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}

```



```

6217 \gdef\@contfield{%
6218 \global\setbox\@curfield\hbox\bgroup%
6219 \let\@footnotetext\bidipoem@p@ftntext%
6220 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6221 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6222 \let\@xfootnotenext\bidipoem@p@xftntext%
6223 \let\@xfootnote\bidipoem@p@xfootnote%
6224 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6225 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6226 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6227 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6228 \color@begingroup\unhbox\@curfield}

```

30 File boek3-xetex-bidi.def

```

6229 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTeX]
6230 \renewenvironment{theindex}{%
6231 \if@twocolumn
6232 \@restonecolfalse
6233 \else
6234 \@restonecoltrue
6235 \fi
6236 \columnseprule \z@
6237 \columnsep 35\p@
6238 \twocolumn[\@makeschapterhead{\indexname}]%
6239 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6240 \thispagestyle{plain}\parindent\z@
6241 \parskip\z@ \@plus .3\p@\relax
6242 \let\item\@idxitem
6243 }{%
6244 \if@restonecol\onecolumn\else\clearpage\fi}
6245 \renewcommand*{\head@style}{%
6246 \interlinepenalty \@M
6247 \hyphenpenalty=\@M \exhyphenpenalty=\@M
6248 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6249 \renewcommand*{\@regtocline}[3]{%
6250 \ifnum #1>\c@tocdepth
6251 \else
6252 \vskip\z@ \@plus .2\p@
6253 {\hangindent\z@ \@afterindenttrue \interlinepenalty \@M
6254 \if@RTL\rightskip\else\leftskip\fi\unitindent
6255 \if@RTL\leftskip\else\rightskip\fi\unitindent \@plus 1fil
6256 \parfillskip\z@
6257 \@tempdima\unitindent
6258 \parindent\z@
6259 \leavevmode
6260 \hbox{ }\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
6261 \hskip 1em \nobreak{\slshape #3}\par
6262 }%
6263 \fi}

```



```

6264 \if@oldtoc
6265 \renewcommand*\l@part[2]{%
6266   \ifnum \c@tocdepth >-2\relax
6267     \addpenalty{-\@highpenalty}%
6268     \addvspace{2.25em \@plus\p@}%
6269     \begingroup
6270       \setlength\@tempdima{3em}%
6271       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6272       \parfillskip -\@pnumwidth
6273       {\leavevmode
6274         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6275       \nobreak
6276       \global\@nobreaktrue
6277       \everypar{\global\@nobreakfalse\everypar{}}%
6278     \endgroup
6279   \fi}
6280 \else
6281   \renewcommand*\l@part{%
6282     \ifnum \c@tocdepth >-2\relax
6283       \addpenalty{-\@highpenalty}%
6284       \addvspace{2.25em \@plus\p@}%
6285       \@regtocline{0}%
6286     \fi}
6287 \fi
6288 \if@oldtoc
6289 \renewcommand*\l@chapter[2]{%
6290   \addpenalty{-\@highpenalty}%
6291   \vskip 1.0em \@plus\p@
6292   \setlength\@tempdima{1.5em}%
6293   \begingroup
6294     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6295     \parfillskip -\@pnumwidth
6296     \leavevmode \bfseries
6297     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6298     \hskip -\if@RTL\rightskip\else\leftskip\fi
6299     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6300     \penalty\@highpenalty
6301   \endgroup}
6302 \else
6303   \renewcommand*\l@chapter{\@regtocline{0}}
6304 \fi
6305 \renewenvironment{abstract}{%
6306   \titlepage
6307   \null\vfil
6308   \section*{\SectFont \abstractname}
6309   \noindent\ignorespaces
6310   {\par\vfil\null\endtitlepage}
6311 \renewenvironment{thebibliography}[1]
6312   {\chapter*{\bibname}%
6313     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%

```



```

6314 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
6315 \bidi@@thebibliography@font@hook%
6316 \list{\@biblabel{\@arabic\c@enumiv}}%
6317     {\settowidth\labelwidth{\@biblabel{#1}}%
6318      \leftmargin\labelwidth
6319      \advance\leftmargin\labelsep
6320      \@openbib@code
6321      \usecounter{enumiv}%
6322      \let\p@enumiv\@empty
6323      \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
6324 \sloppy\clubpenalty4000\widowpenalty4000%
6325 \sfcode`. \@m}
6326 {\def\@noitemerr
6327  {\@latex@warning{Empty `thebibliography' environment}}%
6328  \endlist}
6329 \renewcommand*\left@footnoterule{%
6330 \kern-3\p@
6331 \kern.5\baselineskip
6332 \hrule\@width\unitindent
6333 \kern.4\baselineskip
6334 }
6335 \renewcommand*\right@footnoterule{%
6336 \kern-3\p@
6337 \kern.5\baselineskip
6338 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6339 \kern.4\baselineskip}
6340 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
6341 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
6342 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6343 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6344 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6345 \renewcommand*\theequation{%
6346 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
6347 \renewcommand*\thefigure{%
6348 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
6349 \renewcommand*\thetable{%
6350 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
6351 \renewcommand*\maketitle{%
6352 \begin{titlepage}%
6353 \let\footnotesize\small
6354 \let\right@footnoterule\relax
6355 \let\left@footnoterule\relax
6356 \let\textwidth\footnoterule\relax
6357 \let \footnote \thanks
6358 \long\def\@makefnmark{\parindent\z@
6359 \def\labelitemi{\textendash}\@revlabeltrue
6360 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6361 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6362 \if@compatibility\setcounter{page}{0}\fi
6363 \null\vfil

```



```

6364 \vskip 60\p@
6365 \begin{center}%
6366 \TitleFont
6367 {\LARGE \def\{\{\penalty -\@M}
6368 \if@allcaps
6369 \expandafter\uc@nothanks\@title\thanks\relax
6370 \else
6371 \@title
6372 \fi\par}%
6373 \vskip 3em%
6374 {\large
6375 \lineskip .75em \parindent\z@
6376 \begin{tabular}[t]{c}%
6377 \if@allcaps
6378 \expandafter\uc@author\@author\and\relax
6379 \else
6380 \@author
6381 \fi
6382 \end{tabular}\par}%
6383 \vskip 1.5em%
6384 {\large
6385 \if@allcaps
6386 \uppercase\expandafter{\@date}%
6387 \else
6388 \@date
6389 \fi\par}%
6390 \end{center}\par
6391 \@thanks
6392 \vfil\null
6393 \end{titlepage}%
6394 \setcounter{footnote}{0}%
6395 \global\let\thanks\relax
6396 \global\let\maketitle\relax
6397 \global\let\@thanks\@empty
6398 \global\let\@author\@empty
6399 \global\let\@title\@empty
6400 \global\let\@date\@empty
6401 \global\let\title\relax
6402 \global\let\author\relax
6403 \global\let\date\relax
6404 \global\let\and\relax
6405 }

```

31 File boek-xetex-bidi.def

```

6406 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX e
6407 \renewenvironment{theindex}{%
6408 \if@twocolumn
6409 \@restonecolfalse
6410 \else

```



```

6411 \@restonecoltrue
6412 \fi
6413 \columnseprule \z@
6414 \columnsep 35\p@
6415 \twocolumn[\@makeschapterhead{\indexname}]%
6416 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6417 \thispagestyle{plain}\parindent\z@
6418 \parskip\z@ \@plus .3\p@\relax
6419 \let\item\@idxitem
6420 }{%
6421 \if@restonecol\onecolumn\else\clearpage\fi}
6422 \renewcommand*{\head@style}{%
6423 \interlinepenalty \@M
6424 \hyphenpenalty=\@M \exhyphenpenalty=\@M
6425 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6426 \renewcommand*{\@regtocline}[3]{%
6427 \ifnum #1>\c@tocdepth
6428 \else
6429 \vskip\z@ \@plus.2\p@
6430 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
6431 \if@RTL\rightskip\else\leftskip\fi\unitindent
6432 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
6433 \parfillskip\z@
6434 \@tempdima\unitindent
6435 \parindent\z@
6436 \leavevmode
6437 \hbox{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
6438 \hskip 1em \nobreak{\slshape #3}\par
6439 }%
6440 \fi}
6441 \if@oldtoc
6442 \renewcommand*{\l@part}[2]{%
6443 \ifnum \c@tocdepth >-2\relax
6444 \addpenalty{-\@highpenalty}%
6445 \addvspace{2.25em \@plus\p@}%
6446 \begingroup
6447 \setlength{\@tempdima}{3em}%
6448 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6449 \parfillskip -\@pnumwidth
6450 {\leavevmode
6451 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6452 \nobreak
6453 \global\@nobreaktrue
6454 \everypar{\global\@nobreakfalse\everypar{}}}%
6455 \endgroup
6456 \fi}
6457 \else
6458 \renewcommand*{\l@part}{%
6459 \ifnum \c@tocdepth >-2\relax
6460 \addpenalty{-\@highpenalty}%

```



```

6461      \addvspace{2.25em \@plus \p@}%
6462      \@regtocline{0}%
6463    \fi}
6464 \fi
6465 \if@oldtoc
6466 \renewcommand*\l@chapter[2]{%
6467   \addpenalty{-\@highpenalty}%
6468   \vskip 1.0em \@plus\p@
6469   \setlength\@tempdima{1.5em}%
6470   \begingroup
6471   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6472   \parfillskip -\@pnumwidth
6473   \leavevmode \bfseries
6474   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6475   \hskip -\if@RTL\rightskip\else\leftskip\fi
6476   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6477   \penalty\@highpenalty
6478   \endgroup}
6479 \else
6480 \renewcommand*\l@chapter{\@regtocline{0}}
6481 \fi
6482 \renewcommand*\left@footnoterule{%
6483   \kern-3\p@
6484   \kern.5\baselineskip
6485   \hrule\@width\unitindent
6486   \kern.4\baselineskip
6487 }
6488 \renewcommand*\right@footnoterule{%
6489   \kern-3\p@
6490   \kern.5\baselineskip
6491   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6492   \kern.4\baselineskip}
6493 \renewenvironment{abstract}{%
6494   \titlepage
6495   \null\vfil
6496   \section*{\SectFont \abstractname}
6497   \noindent\ignorespaces}
6498   {\par\vfil\null\endtitlepage}
6499 \renewenvironment{thebibliography}[1]
6500   {\chapter*{\bibname}%
6501     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6502     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6503     \bidi@thebibliography@font@hook%
6504     \list{\@biblabel{\@arabic{c@enumiv}}}%
6505       {\settowidth\labelwidth{\@biblabel{#1}}%
6506         \leftmargin\labelwidth
6507         \advance\leftmargin\labelsep
6508         \@openbib@code
6509         \usecounter{enumiv}%
6510         \let\p@enumiv\@empty

```




```

6511         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
6512         \sloppy\clubpenalty4000\widowpenalty4000%
6513         \sfcode`\.\@m}
6514     {\def\@noitemerr
6515      {\@latex@warning{Empty `thebibliography' environment}}}%
6516     \endlist}
6517 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
6518 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
6519 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6520 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6521 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6522 \renewcommand*\theequation{%
6523   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
6524 \renewcommand*\thefigure{%
6525   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
6526 \renewcommand*\thetable{%
6527   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
6528 \renewcommand*\maketitle{%
6529   \begin{titlepage}%
6530     \let\footnotesize\small
6531     \let\rightfootnoterule\relax
6532     \let\leftfootnoterule\relax
6533     \let\textwidth\footnoterule\relax
6534     \let \footnote \thanks
6535     \long\def\@makefnmark##1{\parindent\z@
6536       \def\labelitemi{\textendash}\@revlabeltrue
6537       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6538     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6539     \if@compatibility\setcounter{page}{0}\fi
6540     \null\vfil
6541     \vskip 60\p@
6542     \begin{center}%
6543       \TitleFont
6544       {\LARGE \def\\{\penalty -\@M}
6545         \if@allcaps
6546           \expandafter\uc@nothanks\@title\thanks\relax
6547         \else
6548           \@title
6549           \fi\par}%
6550       \vskip 3em%
6551       {\large
6552         \lineskip .75em \parindent\z@
6553         \begin{tabular}[t]{c}%
6554           \if@allcaps
6555             \expandafter\uc@author\@author\and\relax
6556           \else
6557             \@author
6558           \fi
6559         \end{tabular}\par}%
6560       \vskip 1.5em%

```



```

6561      {\large
6562        \if@allcaps
6563          \uppercase\expandafter{\@date}%
6564        \else
6565          \@date
6566        \fi\par}%
6567      \end{center}\par
6568      \@thanks
6569      \vfil\null
6570    \end{titlepage}%
6571    \setcounter{footnote}{0}%
6572    \global\let\thanks\relax
6573    \global\let\maketitle\relax
6574    \global\let\@thanks\@empty
6575    \global\let\@author\@empty
6576    \global\let\@title\@empty
6577    \global\let\@date\@empty
6578    \global\let\title\relax
6579    \global\let\author\relax
6580    \global\let\date\relax
6581    \global\let\and\relax
6582  }

```

32 File bookest-xetex-bidi.def

```

6583 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for X
6584 \def\@makechapterhead#1{%
6585   \vspace*{20\p@}
6586   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6587     \ifnum \c@secnumdepth >\m@ne
6588       \if@mainmatter
6589         {\colorA\huge\scshape \@chapapp\space \thechapter}
6590         \par\nobreak
6591         \vskip 10\p@
6592       \fi
6593     \fi
6594     \interlinepenalty\@M
6595     {\colorB\hrule}
6596     \vskip 15\p@
6597     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
6598       {\colorA\Huge \bfseries #1}\par\nobreak
6599     \if@RTL\end{flushleft}\else\end{flushright}\fi
6600     \vskip 5\p@
6601     {\colorB\hrule}
6602     \vskip 30\p@
6603   }}
6604 \def\@makeschapterhead#1{%
6605   \vspace*{20\p@}
6606   {\parindent \z@ \raggedright \normalfont
6607     {\colorB\hrule}

```



```

6608 \vskip 15\p@
6609 \begin{center}
6610   {\colorA\Huge \bfseries #1}\par\nobreak
6611 \end{center}
6612 \vskip 5\p@
6613 {\colorB\hrule}
6614 \vskip 30\p@
6615 }}

```

33 File book-xetex-bidi.def

```

6616 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class f
6617 \renewenvironment{theindex}
6618   {\if@twocolumn
6619     \@restonecolfalse
6620   \else
6621     \@restonecoltrue
6622   \fi
6623   \columnseprule \z@
6624   \columnsep 35\p@
6625   \twocolumn[\@makeschapterhead{\indexname}]%
6626   \@mkboth{\MakeUppercase\indexname}%
6627            {\MakeUppercase\indexname}%
6628   \thispagestyle{plain}\parindent\z@
6629   \parskip\z@ \@plus .3\p@\relax
6630   \let\item\@idxitem}
6631   {\if@restonecol\onecolumn\else\clearpage\fi}
6632 \@ifclassloaded{bookest}{-}{%
6633   \if@titlepage
6634     \renewcommand\maketitle{\begin{titlepage}%
6635       \let\footnotesize\small
6636       \let\right@footnoterule\relax
6637       \let\left@footnoterule\relax
6638       \let\textwidth@footnoterule\relax
6639       \let \footnote \thanks
6640       \let \LTRfootnote \LTRthanks
6641       \let \RTLfootnote \RTLthanks
6642       \null\vfil
6643       \vskip 60\p@
6644       \begin{center}%
6645         {\LARGE \@title \par}%
6646         \vskip 3em%
6647         {\large
6648           \lineskip .75em%
6649           \begin{tabular}[t]{c}%
6650             \@author
6651           \end{tabular}\par}%
6652         \vskip 1.5em%
6653         {\large \@date \par}%           % Set date in \large size.
6654       \end{center}\par

```



```

6655 \@thanks
6656 \vfil\null
6657 \end{titlepage}%
6658 \setcounter{footnote}{0}%
6659 \global\let\thanks\relax
6660 \global\let\LTRthanks\relax
6661 \global\let\RTLthanks\relax
6662 \global\let\maketitle\relax
6663 \global\let\@thanks\@empty
6664 \global\let\@author\@empty
6665 \global\let\@date\@empty
6666 \global\let\@title\@empty
6667 \global\let\title\relax
6668 \global\let\author\relax
6669 \global\let\date\relax
6670 \global\let\and\relax
6671 }
6672 \else
6673 \renewcommand\maketitle{\par
6674 \begingroup
6675 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6676 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6677 \long\def\@makefntext##1{\parindent 1em\noindent
6678 \hb@xt@1.8em{%
6679 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6680 \if@twocolumn
6681 \ifnum \col@number=\@ne
6682 \@maketitle
6683 \else
6684 \twocolumn[\@maketitle]%
6685 \fi
6686 \else
6687 \newpage
6688 \global\@topnum\z@ % Prevents figures from going at top of page.
6689 \@maketitle
6690 \fi
6691 \thispagestyle{plain}\@thanks
6692 \endgroup
6693 \setcounter{footnote}{0}%
6694 \global\let\thanks\relax
6695 \global\let\LTRthanks\relax
6696 \global\let\RTLthanks\relax
6697 \global\let\maketitle\relax
6698 \global\let\@maketitle\relax
6699 \global\let\@thanks\@empty
6700 \global\let\@author\@empty
6701 \global\let\@date\@empty
6702 \global\let\@title\@empty
6703 \global\let\title\relax
6704 \global\let\author\relax

```



```

6705 \global\let\date\relax
6706 \global\let\and\relax
6707 }
6708 \def\@maketitle{%
6709 \newpage
6710 \null
6711 \vskip 2em%
6712 \begin{center}%
6713 \let \footnote \thanks
6714 \let \LTRfootnote \LTRthanks
6715 \let \RTLfootnote \RTLthanks
6716 {\LARGE \@title \par}%
6717 \vskip 1.5em%
6718 {\large
6719 \lineskip .5em%
6720 \begin{tabular}[t]{c}%
6721 \@author
6722 \end{tabular}\par}%
6723 \vskip 1em%
6724 {\large \@date}%
6725 \end{center}%
6726 \par
6727 \vskip 1.5em}
6728 \fi}
6729 \renewcommand*\l@part[2]{%
6730 \ifnum \c@tocdepth >-2\relax
6731 \addpenalty{-\@highpenalty}%
6732 \addvspace{2.25em \@plus\p@}%
6733 \setlength\@tempdima{3em}%
6734 \begingroup
6735 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6736 \parfillskip -\@pnumwidth
6737 {\leavevmode
6738 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6739 \nobreak
6740 \global\@nobreaktrue
6741 \everypar{\global\@nobreakfalse\everypar{}}%
6742 \endgroup
6743 \fi}
6744 \renewcommand*\l@chapter[2]{%
6745 \ifnum \c@tocdepth >\m@ne
6746 \addpenalty{-\@highpenalty}%
6747 \vskip 1.0em \@plus\p@
6748 \setlength\@tempdima{1.5em}%
6749 \begingroup
6750 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6751 \parfillskip -\@pnumwidth
6752 \leavevmode \bfseries
6753 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6754 \hskip -\if@RTL\rightskip\else\leftskip\fi

```



```

6755      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6756      \penalty\@highpenalty
6757      \endgroup
6758      \fi}
6759 \renewcommand\left@footnoterule{%
6760   \kern-3\p@
6761   \hrule\@width.4\columnwidth
6762   \kern2.6\p@}
6763 \renewcommand\right@footnoterule{%
6764   \kern-3\p@
6765   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
6766   \kern2.6\p@}
6767 \renewcommand\theequation
6768   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
6769 \renewcommand \thefigure
6770   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
6771 \renewcommand \thetable
6772   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
6773 \renewcommand \thechapter {\@arabic\c@chapter}
6774 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
6775 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
6776 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
6777 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
6778 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}
6779 \def\@makechapterhead#1{%
6780   \vspace*{50\p@}%
6781   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6782     \ifnum \c@secnumdepth >\m@ne
6783       \if@mainmatter
6784         \huge\bfseries \@chapapp\space \thechapter
6785         \par\nobreak
6786         \vskip 20\p@
6787       \fi
6788       \fi
6789     \interlinepenalty\@M
6790     \Huge \bfseries #1\par\nobreak
6791     \vskip 40\p@
6792   }}
6793 \def\@makeschapterhead#1{%
6794   \vspace*{50\p@}%
6795   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6796     \normalfont
6797     \interlinepenalty\@M
6798     \Huge \bfseries #1\par\nobreak
6799     \vskip 40\p@
6800   }}
6801 \renewcommand\backmatter{%
6802   \if@openright
6803     \cleardoublepage
6804   \else

```



```

6805 \clearpage
6806 \fi
6807 \@mainmatterfalse}
6808 \renewenvironment{thebibliography}[1]
6809 { \chapter*{\bibname}%
6810 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6811 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
6812 \bidi@thebibliography@font@hook%
6813 \list{\@biblabel{\@arabic\c@enumiv}}%
6814 { \settowidth\labelwidth{\@biblabel{#1}}%
6815 \leftmargin\labelwidth
6816 \advance\leftmargin\labelsep
6817 \@openbib@code
6818 \usecounter{enumiv}%
6819 \let\p@enumiv\@empty
6820 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6821 \sloppy
6822 \clubpenalty4000
6823 \@clubpenalty \clubpenalty
6824 \widowpenalty4000%
6825 \sfcode`\.\@m}
6826 {\def\@noitemerr
6827 {\@latex@warning{Empty `thebibliography' environment}}%
6828 \endlist}

```

34 File breqn-xetex-bidi.def

```

6829 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe
6830 \def\@dmath[#1]{\ifRTL\@RTLfalse\fi%
6831 \everydisplay\expandafter{\the\everydisplay \display@setup}%
6832 \ifnoskipsec \leavevmode \fi
6833 \if@inlabel \leavevmode \global\@inlabelfalse \fi
6834 \if\eq@group\else\eq@prelim\fi
6835 \setkeys{breqn}{#1}%
6836 \the\eqstyle
6837 \eq@setnumber
6838 \begingroup
6839 \eq@setup@a
6840 \eq@startup
6841 }
6842 \def\@dgroup[#1]{\ifRTL\@RTLfalse\fi%
6843 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
6844 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
6845 \global\let\GRP@label\@empty
6846 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
6847 \global\grp@linewidth\z@\global\grp@wdNum\z@
6848 \global\let\grp@eqs@numbered\@False
6849 \global\let\grp@aligned\@True
6850 \global\let\grp@shiftnumber\@False
6851 \eq@prelim

```



```

6852 \setkeys{breqn}{#1}%
6853 \if\grp@hasNumber \grp@setnumber \fi
6854 }
6855 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
6856 \let\display@setup\dseries@display@setup
6857 % Question: should this be the default for dseries???
6858 \global\eq@wdCond\z@
6859 \@dmath[layout={M},#1]%
6860 \mathsurround\z@ \@math \penalty\@Mi
6861 \let\endmath\ends@math
6862 \def\premath{%
6863 \ifdim\lastskip<.3em \unskip
6864 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
6865 }%
6866 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
6867 \ignorespaces
6868 }
6869 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
6870 \renewenvironment{dsuspend}{%
6871 \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
6872 \parshape 1 \displayindent \displaywidth\relax
6873 \hsize=\columnwidth \noindent\ignorespaces
6874 }{%
6875 \par\egroup
6876 \global\setbox\GRP@box\vbox{%
6877 \hbox{\copy\EQ@box\top{\unvbox\EQ@box}}%
6878 \unvbox\GRP@box
6879 }%
6880 \global\GRP@queue\@xp{\the\GRP@queue
6881 \@elt{\let\eq@isIntertext\@True}}%
6882 }%
6883 }

```

35 File cals-xetex-bidi.def

```

6884 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTeX]
6885 \renewcommand\cals@setup@alignment[1]{%
6886 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
6887 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
6888 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
6889 }
6890 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
6891 \renewenvironment{calstable}[1][\cals@table@alignment]{%
6892 \if@RTLtab\cals@activate@rtl\fi
6893 \let\cals@thead@tokens=\relax
6894 \let\cals@tfoot@tokens=\relax
6895 \let\cals@tbody@tokens=\relax
6896 \cals@tfoot@height=Opt \relax
6897 \let\cals@last@context=n%
6898 \let\cals@current@context=b%

```




```

6899 \parindent=0pt \relax%
6900 \cals@setup@alignment{#1}%
6901 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsiz%
6902 %% Alignment inside is independent on center/flushright outside
6903 \parfillskip=0pt plus1fil\relax
6904 \let\cals@borderL=\relax
6905 \let\cals@borderR=\relax
6906 \let\cals@borderT=\relax
6907 \let\cals@borderB=\relax
6908 \setbox\cals@backup@row=\box\voidb@x\relax
6909 \cals@AtBeginTable
6910 }{% End of the table
6911 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
6912 \renewcommand\alignL{%
6913 \if@RTLtab
6914 \cals@vfillAdd\cals@paddingL
6915 \else
6916 \cals@vfillDrop\cals@paddingL
6917 \fi
6918 \cals@vfillDrop\cals@paddingR}
6919 \renewcommand\alignR{%
6920 \if@RTLtab
6921 \cals@vfillDrop\cals@paddingL
6922 \else
6923 \cals@vfillAdd\cals@paddingL
6924 \fi
6925 \cals@vfillDrop\cals@paddingR}

```

36 File caption-xetex-bidi.def

```

6926 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for
6927 \let\@makecaption\caption@makecaption

```

37 File caption3-xetex-bidi.def

```

6928 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package for
6929 \renewcommand*\caption@par{%
6930 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

38 File colortbl-xetex-bidi.def

```

6931 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package for
6932 \def\CT@setup{%
6933 \@tempdimb\col@sep
6934 \@tempdimc\col@sep
6935 \def\CT@color{%
6936 \global\let\CT@do@color\CT@do@color
6937 \bidicolor}}
6938 \def\@classz{\@classx
6939 \@tempcnta\count@

```



```

6940 \prepnext@tok
6941 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
6942 \@addtopreamble{\if@RTLtab\beginL\fi%
6943 \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
6944 \ifcase \@chnum
6945 \hskip\stretch{.5}\kern\z@
6946 \d@llarbegin
6947 \insert@column
6948 \d@llarend\hskip\stretch{.5}\or
6949 \d@llarbegin \insert@column \d@llarend \hfill \or
6950 \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
6951 $\vcenter
6952 \@startpbox{\@nextchar}\insert@column \@endpbox $\or
6953 \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
6954 \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
6955 \fi
6956 \if@RTLtab\endR\fi\egroup\egroup
6957 \begingroup
6958 \CT@setup
6959 \CT@column@color
6960 \CT@row@color
6961 \CT@cell@color
6962 \CT@do@color
6963 \endgroup
6964 \@tempdima\ht\z@
6965 \advance\@tempdima\minrowclearance
6966 \vrule\@height\@tempdima\@width\z@
6967 \unhbox\z@\if@RTLtab\endL\fi}%
6968 \prepnext@tok}

```

39 File color-xetex-bidi.def

```

6969 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe3
6970 \long\def\color@b@x#1#2#3{%
6971 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
6972 \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
6973 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
6974 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
6975 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
6976 \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
6977 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
6978 \DeclareRobustCommand\color{%
6979 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
6980 \def\@declaredcolor#1{%
6981 \@ifundefined{string\color @#1}%
6982 {\c@lor@error{`#1'}}%
6983 {\expandafter\let\expandafter\current@color
6984 \csname\string\color @#1\endcsname
6985 \set@color}%
6986 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}

```



```

6987 \def\@undeclaredcolor[#1]#2{%
6988   \ifundefined{color@#1}%
6989     {\c@lor@error{model `#1'}}%
6990     {\csname color@#1\endcsname\current@color{#2}%
6991       \set@color}%
6992   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
6993 \DeclareRobustCommand\bidicolor{%
6994   \ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
6995 \def\@bidiundeclaredcolor[#1]#2{%
6996   \ifundefined{color@#1}%
6997     {\c@lor@error{model `#1'}}%
6998     {\csname color@#1\endcsname\current@color{#2}%
6999       \set@color}%
7000   \ignorespaces}
7001 \def\@bidideclaredcolor#1{%
7002   \ifundefined{\string\color @#1}%
7003     {\c@lor@error{`#1'}}%
7004     {\expandafter\let\expandafter\current@color
7005       \csname\string\color @#1\endcsname
7006       \set@color}%
7007   \ignorespaces}
7008 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
7009 \def\color@fbox#1#2#3{%
7010   \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
7011 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

40 File combine-xetex-bidi.def

```

7012 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeTeX]
7013 \renewcommand{\c@ll@chapsecii}[2]{%
7014   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
7015   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
7016   #1\nobreak\hfil\nobreak\hb@xt@\@pnumwidth{\hss #2}\par
7017 }
7018 \renewcommand{\c@ll@chapseci}{%
7019   \setlength\@tempdima{0em}%
7020   \begingroup
7021     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
7022     \parfillskip -\@pnumwidth
7023     \leavevmode
7024 }
7025 \renewenvironment{tocindent}[1]{%
7026   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{%

```

41 File crop-xetex-bidi.def

```

7027 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX]
7028 \renewcommand*\CROP@ulc{%
7029   \if@RTLmain%
7030     \begin{picture}(0,0)

```



```

7031         \unitlength\p@\thinlines
7032         \put(-40,0){\circle{10}}
7033         \put(-30,-5){\line(0,1){10}}
7034         \put(-35,0){\line(1,0){30}}
7035         \put(-10,30){\circle{10}}
7036         \put(-5,30){\line(1,0){10}}
7037         \put(0,35){\line(0,-1){30}}
7038     \end{picture}%
7039 \else%
7040     \begin{picture}(0,0)
7041         \unitlength\p@\thinlines
7042         \put(-30,0){\circle{10}}
7043         \put(-30,-5){\line(0,1){10}}
7044         \put(-35,0){\line(1,0){30}}
7045         \put(0,30){\circle{10}}
7046         \put(-5,30){\line(1,0){10}}
7047         \put(0,35){\line(0,-1){30}}
7048     \end{picture}%
7049 \fi%
7050 }
7051 \renewcommand*\CROP@@urc{%
7052     \if@RTLmain%
7053         \begin{picture}(0,0)
7054             \unitlength\p@\thinlines
7055             \put(20,0){\circle{10}}
7056             \put(30,-5){\line(0,1){10}}
7057             \put(35,0){\line(-1,0){30}}
7058             \put(-10,30){\circle{10}}
7059             \put(-5,30){\line(1,0){10}}
7060             \put(0,35){\line(0,-1){30}}
7061         \end{picture}%
7062     \else%
7063         \begin{picture}(0,0)
7064             \unitlength\p@\thinlines
7065             \put(30,0){\circle{10}}
7066             \put(30,-5){\line(0,1){10}}
7067             \put(35,0){\line(-1,0){30}}
7068             \put(0,30){\circle{10}}
7069             \put(-5,30){\line(1,0){10}}
7070             \put(0,35){\line(0,-1){30}}
7071         \end{picture}%
7072     \fi%
7073 }
7074 \renewcommand*\CROP@@llc{%
7075     \if@RTLmain%
7076         \begin{picture}(0,0)
7077             \unitlength\p@\thinlines
7078             \put(-40,0){\circle{10}}
7079             \put(-30,-5){\line(0,1){10}}
7080             \put(-35,0){\line(1,0){30}}

```



```

7081      \put(-10,-30){\circle{10}}
7082      \put(-5,-30){\line(1,0){10}}
7083      \put(0,-35){\line(0,1){30}}
7084      \end{picture}%
7085    \else%
7086      \begin{picture}(0,0)
7087        \unitlength\p@\thinlines
7088        \put(-30,0){\circle{10}}
7089        \put(-30,-5){\line(0,1){10}}
7090        \put(-35,0){\line(1,0){30}}
7091        \put(0,-30){\circle{10}}
7092        \put(-5,-30){\line(1,0){10}}
7093        \put(0,-35){\line(0,1){30}}
7094      \end{picture}%
7095      \fi%
7096    }
7097    \renewcommand*\CROP@lrc{%
7098      \if@RTLmain%
7099        \begin{picture}(0,0)
7100          \unitlength\p@\thinlines
7101          \put(20,0){\circle{10}}
7102          \put(30,-5){\line(0,1){10}}
7103          \put(35,0){\line(-1,0){30}}
7104          \put(-10,-30){\circle{10}}
7105          \put(-5,-30){\line(1,0){10}}
7106          \put(0,-35){\line(0,1){30}}
7107        \end{picture}%
7108      \else%
7109        \begin{picture}(0,0)
7110          \unitlength\p@\thinlines
7111          \put(30,0){\circle{10}}
7112          \put(30,-5){\line(0,1){10}}
7113          \put(35,0){\line(-1,0){30}}
7114          \put(0,-30){\circle{10}}
7115          \put(-5,-30){\line(1,0){10}}
7116          \put(0,-35){\line(0,1){30}}
7117        \end{picture}%
7118      \fi%
7119    }
7120    \ifpackagewith{crop}{cam}{%
7121      \CROP@execopt{cam}%
7122    }{}

```

42 File cutwin-xetex-bidi.def

```

7123 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for X
7124 \renewcommand*\c@twcompctr}[2]{%
7125   \def\c@twfirst{1}
7126   \loop\advance\c@twwinlines\m@ne
7127   \setbox\c@twslicea=\vsplit#1 to\baselineskip

```



```

7128 \setbox\c@twsliceb=\vsplit#1 to\baselineskip
7129 \c@twprune{\c@twslicea}{\c@twlftside}%
7130 \c@twprune{\c@twsliceb}{\c@twrtside}%
7131 \ifnum\c@twfirst=\@ne
7132   \setbox#2=\vbox{\unvbox#2\hbox
7133     to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@tw
7134 \else
7135   \setbox#2=\vbox{\unvbox#2\hbox
7136     to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box
7137 \fi
7138 \def\c@twfirst{2}
7139 \ifnum\c@twwinlines>\z@\repeat}
7140 \renewcommand*{\c@twcompodctr}[2]{%
7141   \def\c@twrounds{1}
7142   \def\c@twfirst{1}
7143   \@for\c@twlspec:=\c@twb\do{%
7144     \ifnum\c@twrounds=1
7145       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
7146       \c@twprune{\c@twslicea}{\c@twlspec}%
7147       \def\c@twrounds{2}
7148     \else
7149       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
7150       \c@twprune{\c@twsliceb}{\c@twlspec}%
7151       \ifnum\c@twfirst=1
7152         \setbox#2=\vbox{\unvbox#2\hbox
7153           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\bo
7154         \def\c@twfirst{2}
7155       \else
7156         \setbox#2=\vbox{\unvbox#2\hbox
7157           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else
7158       \fi
7159       \def\c@twrounds{1}
7160     \fi}}

```

43 File cuted-xetex-bidi.def

```

7161 \ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for Xe
7162
7163 \def\RTL@outputdblcol{%
7164   \if@firstcolumn
7165     \global\@firstcolumnfalse
7166     \global\setbox\@leftcolumn\copy\@outputbox
7167     \splitmaxdepth\maxdimen
7168     \vbadness\maxdimen
7169     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7170     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7171     \toks@{\expandafter{\topmark}}%
7172     \xdef\@firstcoltopmark{\the\toks@}%
7173     \toks@\expandafter{\splitfirstmark}%
7174     \xdef\@firstcolfirstmark{\the\toks@}%

```



```

7175 \ifx\@firstcolfirstmark\@empty
7176 \global\let\@setmarks\relax
7177 \else
7178 \gdef\@setmarks{%
7179 \let\firstmark\@firstcolfirstmark
7180 \let\topmark\@firstcoltopmark}%
7181 \fi
7182 \else
7183 \global\@firstcolumntrue
7184 \setbox\@outputbox\vbox{%
7185 \hb@xt@\textwidth{%
7186 \hskip \columnwidth
7187 \hfil
7188 {\normalcolor\vrule \@width\columnseprule}%
7189 \hfil
7190 \hb@xt@\columnwidth{%
7191 \bidi@firstcolumn@status@write%
7192 \box\@leftcolumn \hss}%
7193 \hskip -\textwidth
7194 \hb@xt@\columnwidth{%
7195 \bidi@lastcolumn@status@write%
7196 \box\@outputbox \hss}%
7197 \hskip \columnsep
7198 \hskip \columnwidth }}%
7199 \ifvoid\hold@viper
7200 \else
7201 \setbox\@outputbox \vbox to\textheight{%
7202 \box\hold@viper
7203 \box\@outputbox
7204 \vss
7205 }%
7206 \fi
7207 \@combinedblfloats
7208 \@setmarks
7209 \@outputpage
7210 \beginngroup
7211 \@dblfloatplacement
7212 \@startdblcolumn
7213 \@whiles\if@fcolmade \fi{\@outputpage
7214 \@startdblcolumn}%
7215 \ifvoid\@viper
7216 \else
7217 \global\setbox\@viper\vbox{%
7218 \vskip-\stripsep
7219 \unvbox\@viper
7220 }%
7221 \@viperoutput
7222 \fi
7223 \endgroup
7224 \fi}%

```



```

7225
7226 \def\LTR@outputdblcol{%
7227   \if@firstcolumn
7228     \global\@firstcolumnfalse
7229     \global\setbox\@leftcolumn\copy\@outputbox
7230     \splitmaxdepth\maxdimen
7231     \vbadness\maxdimen
7232     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7233     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7234     \toks@\expandafter{\topmark}%
7235     \xdef\@firstcoltopmark{\the\toks@}%
7236     \toks@\expandafter{\splitfirstmark}%
7237     \xdef\@firstcolfirstmark{\the\toks@}%
7238     \ifx\@firstcolfirstmark\@empty
7239       \global\let\@setmarks\relax
7240     \else
7241       \gdef\@setmarks{%
7242         \let\firstmark\@firstcolfirstmark
7243         \let\topmark\@firstcoltopmark}%
7244     \fi
7245   \else
7246     \global\@firstcolumntrue
7247     \setbox\@outputbox\vbox{%
7248       \hb@xt@\textwidth{%
7249         \hb@xt@\columnwidth{%
7250           \bidi@firstcolumn@status@write%
7251           \box\@leftcolumn \hss}%
7252         \hfil
7253         {\normalcolor\vrule \@width\columnseprule}%
7254         \hfil
7255         \hb@xt@\columnwidth{%
7256           \bidi@lastcolumn@status@write%
7257           \box\@outputbox \hss}}}%
7258     \ifvoid\hold@viper
7259     \else
7260       \setbox\@outputbox \vbox to\textheight{%
7261         \box\hold@viper
7262         \box\@outputbox
7263         \vss
7264       }%
7265     \fi
7266   \@combinedblfloats
7267   \@setmarks
7268   \@outputpage
7269   \beginingroup
7270   \@dblfloatplacement
7271   \@startdblcolumn
7272   \@whilesw\if@fcolmade \fi{\@outputpage
7273   \@startdblcolumn}%
7274   \ifvoid\@viper

```




```

7275 \else
7276 \global\setbox\@viper\vbox{%
7277 \vskip-\stripsep
7278 \unvbox\@viper
7279 }%
7280 \@viperoutput
7281 \fi
7282 \endgroup
7283 \fi}%
7284
7285
7286 \def \@addviper {%
7287 \if@firstcolumn
7288 \@insertfalse
7289 \@reqcolroom .5\@pageht
7290 \ht@viper\@reqcolroom
7291 \advance \@reqcolroom \ht\@viper
7292 \advance \@reqcolroom \stripsep
7293 \ifvoid\hold@viper\@tempdima=z@\else\@tempdima\ht\hold@viper\fi
7294 %%
7295 \@tempdimb \ht@viper
7296 \loop
7297 \setbox\v@aaa\copy\@holdpg
7298 \setbox\v@ccc\vbox to\@tempdimb{%
7299 \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
7300 \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7301 \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
7302 \loop
7303 \setbox\v@aaa\copy\@holdpg
7304 \setbox\v@ccc\vbox to\@tempdimb{%
7305 \vsplit\v@aaa to\@tempdimb\vss}%
7306 \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
7307 \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
7308 \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
7309 \setbox\v@ccc\vbox to\@tempdimb{%
7310 \vsplit\@holdpg to\@tempdimb\vss}%
7311 %%
7312 \setbox\@tempboxa \vbox {%
7313 \hb@xt@\textwidth {%
7314 \if@RTLmain%
7315 \hskip \columnwidth
7316 \hfil \vrule width\columnseprule \hfil
7317 \hb@xt@\columnwidth {%
7318 \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7319 \hskip -\textwidth
7320 \hb@xt@\columnwidth {%
7321 \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7322 \hskip \columnsep
7323 \hskip \columnwidth
7324 \else%

```



```

7325         \hb@xt@\columnwidth {%
7326             \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7327             \hfil
7328             \vrule \@width\columnseprule
7329             \hfil
7330             \hb@xt@\columnwidth {%
7331                 \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7332                 \fi}%
7333             }%
7334 \ifvoid\hold@viper
7335     \global\setbox\hold@viper \vbox {%
7336         \unvbox\@tempboxa
7337         \penalty\interlinepenalty
7338         \vskip\stripsep
7339         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7340         \outputpenalty \z@
7341     }%
7342 \else
7343     \global\setbox\hold@viper \vbox {%
7344         \unvbox\hold@viper
7345         \unvbox\@tempboxa
7346         \penalty\interlinepenalty
7347         \vskip\stripsep
7348         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7349         \outputpenalty \z@
7350     }%
7351 \fi
7352 \ifdim \@colroom>\@reqcolroom
7353     \global\setbox\hold@viper \vbox {%
7354         \unvbox\hold@viper
7355         \box\@viper
7356         \penalty\interlinepenalty
7357         \vskip\stripsep
7358         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7359         \outputpenalty \z@
7360     }%
7361 \@inserttrue
7362 \advance\@tempdima by-\ht\hold@viper
7363 \global \advance \@colht \@tempdima
7364 \ifdim \@colht<2.5\baselineskip
7365     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7366         too tall on page \thepage (1 stulpelis)}%
7367     \@emptycol
7368     \if@firstcolumn
7369     \else
7370         \@emptycol
7371     \fi
7372     \global\@lastvipertrue
7373 \else
7374     \global \vsize \@colht

```



```

7375         \global \@colroom \@colht
7376         \check@floats
7377         \ifdim \@tempdima > \z@
7378             \global \advance \@colroom by -\@tempdima
7379         \fi
7380         \ifdim \@colroom < \z@
7381             \global \@colroom 1pt
7382             \ifdim \@tempdima > \@colht
7383                 \latex@warning@no@line {TOP ir/ar BOT FLOAT's
7384                     netelpa lape \thepage (1 stulpelis)}%
7385             \fi
7386             \@emptycol
7387             \if@firstcolumn
7388                 \else
7389                     \@emptycol
7390             \fi
7391             \global \@lastviper true
7392         \fi
7393     \fi
7394 \fi
7395 \else
7396     \@insertfalse
7397     \@reqcolroom \@colht
7398     \advance \@reqcolroom \@pageht
7399     \ht@viper .5 \@reqcolroom
7400     \@reqcolroom \ht@viper
7401     \advance \@reqcolroom \ht@viper
7402     \advance \@reqcolroom \stripsep
7403     \if@flushend@auto@baselineskip
7404         \setbox \@tempboxa \vbox {\unvcopy \@leftcolumn
7405             \global \lastskip@d \lastskip
7406             \global \lastskip@b \lastskip
7407         \loop
7408             \global \lastskip@a \lastskip@b
7409             \unskip \unpenalty
7410             \global \lastskip@b \lastskip
7411             \global \advance \lastskip@d by \lastskip
7412         \ifdim \lastskip@b = -\lastskip@a
7413             \global \advance \lastskip@d by -\lastskip
7414         \else
7415             \repeat
7416         \ifdim \lastskip@b = -\lastskip@a
7417             \ifdim \lastskip@b = \z@
7418                 \setbox \lastbox@a \lastbox
7419                 \global \advance \lastskip@d by \ht \lastbox@a
7420                 \global \advance \lastskip@d by \lastskip
7421                 \unskip \unpenalty
7422                 \setbox \lastbox@a \lastbox
7423                 \global \advance \lastskip@d by \dp \lastbox@a
7424             \else

```



```

7425         \global\lastskip@d\lastskip
7426         \global\advance\lastskip@d by\topskip
7427     \fi
7428 \fi
7429     \global\advance\lastskip@d by-\topskip
7430 }%
7431 \ifdim\ht\@holdpg>\@colht
7432     \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
7433     \par\eject
7434     \vbox to \@colht{\unvbox\@holdpg\unskip}}%
7435 }%
7436 \else
7437     \global\setbox\@holdpg\vbox{%
7438     \unvbox\@leftcolumn\unskip\unpenalty
7439     \vskip\lastskip@d
7440     \the\At@ViperColsBreak
7441     \unvbox\@holdpg
7442     \unskip
7443     }%
7444 \fi
7445 \else
7446     \global\setbox\@holdpg\vbox{%
7447         \unvbox\@leftcolumn
7448         \setbox\@tempboxa\lastbox
7449         \on@stripcols@break
7450         \the\At@ViperColsBreak
7451         \unvbox\@holdpg
7452     }%
7453 \fi
7454 \global\At@ViperColsBreak{}}%
7455 \ht@viper .5\ht\@holdpg
7456 \ifdim \ht@viper>\@colht
7457     \ht@viper \@colht
7458 \fi
7459 \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
7460 %%
7461 \@tempdimb \ht@viper
7462 \loop
7463     \setbox\v@aaa\copy\@holdpg
7464     \setbox\v@ccc\vbox to\@tempdimb{%
7465         \vsplit\v@aaa to\@tempdimb
7466         \vss
7467         \vsplit\v@aaa to\@tempdimb
7468     }%
7469     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7470 \ifvoid\v@aaa
7471 \else
7472     \advance\@tempdimb 1\p@
7473 \repeat
7474 \loop

```



```

7475 \setbox\v@aaa\copy\@holdpg
7476 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
7477 \wlog{(2)Left:\the\ht\v@ccc\space
7478 Right:\the\ht\v@aaa\space
7479 Output:\the\@tempdimb
7480 }%
7481 \ifdim\ht\v@ccc<\ht\v@aaa
7482 \@tempdimb \the\ht\v@aaa
7483 \repeat
7484 \wlog{- LAST -^^JLeft:\the\ht\v@ccc
7485 ^^JRight:\the\ht\v@aaa
7486 ^^JOutput:\the\@tempdimb
7487 }%
7488 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
7489 \setbox\@tempboxa\vbox{%
7490 \hb@xt@\textwidth {%
7491 \if@RTLmain%
7492 \hskip \columnwidth
7493 \hfil \vrule width\columnseprule \hfil
7494 \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7495 \hskip -\textwidth
7496 \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7497 \hskip \columnsep
7498 \hskip \columnwidth
7499 \else
7500 \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7501 \hfil
7502 \vrule \@width\columnseprule
7503 \hfil
7504 \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7505 \fi%
7506 }%
7507 }%
7508 \ifvoid\hold@viper
7509 \global\setbox\hold@viper \vbox {%
7510 \unvbox\@tempboxa
7511 \penalty\interlinepenalty
7512 \vskip\stripsep
7513 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7514 \outputpenalty \z@
7515 }%
7516 \else
7517 \global\setbox\hold@viper \vbox {%
7518 \unvbox\hold@viper
7519 \unvbox\@tempboxa
7520 \penalty\interlinepenalty
7521 \vskip\stripsep
7522 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7523 \outputpenalty \z@
7524 }%

```



```

7525 \fi
7526 \ifdim \@colht>\@reqcolroom
7527 \global\setbox\hold@viper \vbox {%
7528 \unvbox\hold@viper
7529 \box\@viper
7530 \penalty\interlinepenalty
7531 \vskip\stripsep
7532 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7533 \outputpenalty \z@
7534 }%
7535 \@inserttrue
7536 \global\@firstcolumntrue
7537 \advance\@tempdima by-\ht\hold@viper
7538 \global \advance \@colht \@tempdima
7539 \ifdim \@colht<2.5\baselineskip
7540 \latex@warning@no@line {Optional argument of \noexpand\twocolumn
7541 too tall on page \thepage (2 stulpelis)}%
7542 \emptycol
7543 \if@firstcolumn
7544 \else
7545 \emptycol
7546 \fi
7547 \global\@lastvipertrue
7548 \else
7549 \global \vsize \@colht
7550 \global \@colroom \@colht
7551 \check@floats
7552 \ifdim\@tempdima>\z@
7553 \global\advance\@colroom by-\@tempdima
7554 \fi
7555 \ifdim\@colroom<\z@
7556 \global\@colroom 1pt
7557 \ifdim\@tempdima>\@colht
7558 \latex@warning@no@line {TOP ir/ar BOT FLOAT's
7559 netelpe lape \thepage (2 stulpelis)}%
7560 \fi
7561 \emptycol
7562 \if@firstcolumn
7563 \else
7564 \emptycol
7565 \fi
7566 \global\@lastvipertrue
7567 \fi
7568 \fi
7569 \fi
7570 \fi
7571 \if@insert
7572 \else
7573 \advance\@tempdima by-\ht\hold@viper
7574 \global \advance \@colht \@tempdima

```



```

7575     \global\setbox\hold@viper \vbox {%
7576                                     \unvbox\hold@viper
7577                                     \csname viper@top@hook\endcsname
7578                                     \vsplit\@viper to \colht
7579                                     \vss
7580                                     }%
7581     \vbox{}%
7582     \global\@firstcolumnfalse
7583     \newpage
7584 \fi
7585 }

```

44 File cvthemebidicasual.sty

```

7586 \NeedsTeXFormat{LaTeX2e}
7587 \ProvidesPackage{cvthemebidicasual}
7588 \DeclareOption{blue}{}
7589 \newif\if@colourorange\@colourorangefalse
7590 \DeclareOption{orange}{\@colourorangetrue}
7591 \newif\if@colourgreen\@colourgreenfalse
7592 \DeclareOption{green}{\@colourgreentrue}
7593 \newif\if@colourred\@colourredfalse
7594 \DeclareOption{red}{\@colourredtrue}
7595 \newif\if@colourgrey\@colourgreyfalse
7596 \DeclareOption{grey}{\@colourgreytrue}
7597 \DeclareOption*{
7598   \PackageWarning{cvthemebidicasual}{Unknown option ‘\CurrentOption’}}
7599 \ExecuteOptions{colour}
7600 \ProcessOptions\relax
7601 \renewcommand*{\listitemsymbol}{\textbullet}
7602 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
7603 \familynamecolour{808080}
7604 \firstnamecolour{A9A9A9}
7605 \quotecolour{696969}
7606 \addresscolour{696969}
7607 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
7608 \sectiontitlecolour{1E90FF}
7609 \subsectioncolour{4682B4}
7610 \definecolor{rulecolour}{gray}{0.6}
7611 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
7612 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
7613 \if@colourorange
7614   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7615   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7616   \sectiontitlecolour{FF8C00}
7617   \subsectioncolour{FF8C00}
7618   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
7619   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
7620 \if@colourgreen
7621   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}

```



```

7622 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7623 \sectiontitlecolour{008000}
7624 \subsectioncolour{008000}
7625 \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
7626 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
7627 \if@coloured
7628 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7629 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7630 \sectiontitlecolour{FF0000}
7631 \subsectioncolour{FF0000}
7632 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
7633 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
7634 \if@colourgrey
7635 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7636 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7637 \sectiontitlecolour{808080}
7638 \subsectioncolour{808080}
7639 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
7640 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
7641 \renewcommand*{\ttdefault}{pcr}
7642 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
7643 \renewcommand*{\familynamefont}{\firstnamefont}
7644 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
7645 \renewcommand*{\quoteontext}{\large\slshape}
7646 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
7647 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
7648 \renewcommand*{\maketitle}{%
7649   {%
7650     \ifthenelse{\isundefined{\@photo}}{%
7651       {}%
7652       {\color{firstnamecolor}\framebox{\includegraphics[width=\photowidth]{\@photo}}}%
7653       \hfill%
7654       \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}%
7655       {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]}%
7656     \ifthenelse{\isundefined{\@quote}}{%
7657       {}%
7658       {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\[2.5em]}%
7659     }%
7660 \newif\if@firstfooterelement\@firstfooterelementtrue
7661 \providecommand*{\footersymbol}{%
7662 \renewcommand*{\footersymbol}{%
7663   \if@firstfooterelement%
7664   \else%
7665     {~~\color{footersymbolcolor}\textbullet~~}\fi}
7666 \providecommand*{\makefooter}{%
7667 \renewcommand*{\makefooter}{%
7668   \fancypagestyle{plain}{%
7669     \fancyfoot[c]{%
7670       \parbox{0.8\textwidth}{%
7671         \centering%

```




```

7672 \addressfont\@addresscolour%
7673 \ifthenelse{\isundefined{\@address}}{\}{\%
7674 \addresssymbol~\@address\%
7675 \@firstfooterelementfalse}%
7676 \ifthenelse{\isundefined{\@mobile}}{\}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
7677 \ifthenelse{\isundefined{\@phone}}{\}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
7678 \ifthenelse{\isundefined{\@fax}}{\}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}%
7679 \ifthenelse{\isundefined{\@email}}{\}{\footersymbol\emailsymbol~\email\@firstfooterelementfalse}%
7680 \ifthenelse{\isundefined{\@extrainfo}}{\}{\footersymbol\@extrainfo\@firstfooterelementfalse}%
7681 }%
7682 \pagestyle{plain}}
7683 \AtBeginDocument{\makefooter}

```

45 File cvthemebidiclassic.sty

```

7684 \NeedsTeXFormat{LaTeX2e}
7685 \ProvidesPackage{cvthemebidiclassic}
7686 \DeclareOption{blue}{\}
7687 \newif\if@colourorange\@colourorangefalse
7688 \DeclareOption{orange}{\@colourorange>true}
7689 \newif\if@colourgreen\@colourgreenfalse
7690 \DeclareOption{green}{\@colourgreen>true}
7691 \newif\if@colouredred\@colouredredfalse
7692 \DeclareOption{red}{\@colouredred>true}
7693 \newif\if@colourgrey\@colourgreyfalse
7694 \DeclareOption{grey}{\@colourgrey>true}
7695 \DeclareOption*{
7696 \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
7697 \ExecuteOptions{colour}
7698 \ProcessOptions\relax
7699 \renewcommand*{\listitemsymbol}{\textbullet}
7700 \firstnamecolour{}
7701 \familynamecolour{}
7702 \titlecolour{808080}
7703 \quotecolour{696969}
7704 \addresscolour{696969}
7705 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
7706 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
7707 \sectiontitlecolour{1E90FF}
7708 \subsectioncolour{4682B4}
7709 \if@colourorange
7710 \addresscolour{FF8C00}
7711 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
7712 \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
7713 \sectiontitlecolour{FF8C00}
7714 \subsectioncolour{FF8C00}\fi
7715 \if@colourgreen
7716 \addresscolour{008000}
7717 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7718 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}

```



```

7719 \sectiontitlecolour{008000}
7720 \subsectioncolour{008000}\fi
7721 \if@colourred
7722 \addresscolour{FF0000}
7723 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7724 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7725 \sectiontitlecolour{FF0000}
7726 \subsectioncolour{FF0000}\fi
7727 \if@colourgrey
7728 \addresscolour{808080}
7729 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7730 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7731 \sectiontitlecolour{808080}
7732 \subsectioncolour{808080}\fi
7733 \renewcommand*{\ttdefault}{pcr}
7734 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
7735 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
7736 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
7737 \renewcommand*{\familynamefont}{\firstnamefont}
7738 \renewcommand*{\quoteont}{\large\slshape}
7739 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
7740 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
7741 \newlength{\maketitlemaxwidth}
7742 \setlength{\maketitlemaxwidth}{.525\textwidth}
7743 \newlength{\maketitlefullwidth}
7744 \settowidth{\maketitlefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
7745 \newlength{\maketitlewidth}
7746 \ifnum\maketitlemaxwidth<\maketitlefullwidth\setlength{\maketitlewidth}{\maketitlefullwidth}\fi
7747 \newlength{\maketitlepicturewidth}
7748 \setlength{\maketitlepicturewidth}{\@photowidth}
7749 \newlength{\maketitledetailwidth}
7750 \renewcommand*{\recomputethemelengths}{%
7751 \setlength{\maketitledetailwidth}{\textwidth}%
7752 \addtolength{\maketitledetailwidth}{-\maketitlewidth}%
7753 \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
7754 \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}}
7755 \recomputethemelengths
7756 \newif\if@firstdetailselement\@firstdetailselementtrue
7757 \newcommand*{\maketitledetailsnewline}{%
7758 \if@firstdetailselement%
7759 \@firstdetailselementfalse%
7760 \else%
7761 \[\.2em]\fi}
7762 \renewcommand*{\maketitle}{%
7763 % name and title
7764 \begin{minipage}[b]{\maketitlewidth}%
7765 \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
7766 \ifthenelse{\equal{\@title}{}}{\[\1.25em]\titlestyle{\@title}}{}
7767 \end{minipage}%
7768 % optional data

```



```

7769 \begin{minipage}[b]{\maketitledetailswidth}%
7770 \bidi@raggedleft\addressfont\@addresscolour%
7771 \ifthenelse{\isundefined{\@address}}{}{%
7772 \maketitledetailsnewline%
7773 \addresssymbol~\\ \@address}%
7774 \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
7775 \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
7776 \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
7777 \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emailink{\@email}%
7778 \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
7779 \end{minipage}%
7780 % optional photo
7781 \ifthenelse{\isundefined{\@photo}}%
7782 {}%
7783 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\maketitledetailswidth]{\@photo}}}%
7784 % optional quote
7785 \ifthenelse{\isundefined{\@quote}}%
7786 {}%
7787 {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2ex]}
7788 }

```

46 File dblfnote-xetex-bidi.def

```

7789 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
7790 \let\autofootnoterule\relax
7791 \let\rightfootnoterule\relax
7792 \let\leftfootnoterule\relax
7793 \let\textwidthfootnoterule\relax
7794 \let\LRfootnoterule\relax
7795 \def\footnoterule{\kern-3\p@
7796 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
7797 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
7798 \let\@footnotetext\dfn@footnotetext}
7799 \long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
7800 \let\insert\dfn@gobble
7801 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7802 \def\@makefnmark{\smash{\dfn@makefnmark}}
7803 \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7804 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7805 \ifdim\dfn@dima>\z@ \else
7806 \dfn@dima\sp\relax
7807 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7808 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7809 \ifvoid\dfn@ins\else
7810 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7811 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7812 \setbox\dfn@boxa\copy\dfn@ins
7813 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7814 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7815 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb

```



```

7816 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
7817 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}%
7818 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
7819 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
7820 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
7821 \let\insert\dfn@gobble
7822 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7823 \def\@makefnmark{\smash{\dfn@makefnmark}}
7824 \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7825 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7826 \ifdim\dfn@dima>\z@\else
7827 \dfn@dima\sp\relax
7828 \setbox\dfn@boxa\vbox{\vbox to\sp{\unvbox\dfn@boxa\vfil}}\fi
7829 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7830 \ifvoid\dfn@ins\else
7831 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7832 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7833 \setbox\dfn@boxa\copy\dfn@ins
7834 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7835 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7836 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7837 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
7838 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}%
7839 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
7840 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
7841 \def\dfn@RTLmakecol{\ifvoid\footins\else
7842 \dfn@dima\ht\footins
7843 \@tempcnta\z@ \dfn@countins
7844 \@tempdima\z@ \let\@elt\dfn@elt@getht
7845 \dfn@list\@nil
7846 \ifdim\@tempdima=\z@\else
7847 \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
7848 \global\setbox\dfn@ins\box\dfn@ins
7849 \@tempswatrue
7850 \ifdfn@trysingle
7851 \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7852 \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7853 \advance\@tempdima-\skip\footins
7854 \advance\@tempdima-\ht\dfn@boxa
7855 \ifdim\@tempdima<\z@\else \@tempswafalse
7856 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7857 \footnoterule \unvbox\dfn@boxa}\fi\fi
7858 \if@tempswa
7859 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7860 \global\setbox\footins\vbox{\hbox{%
7861 \hskip \DFNcolumnwidth
7862 \hskip\DFNcolumnsep
7863 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7864 \unvbox\dfn@boxb\vss}\hss}
7865 \hskip -\textwidth

```



```

7866         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7867             \vbox to\@tempdima{
7868                 \setbox\@tempboxa\vbox{\footnoterule}
7869                 \ifdfn@ruleboth \unvbox\@tempboxa
7870                 \else \@tempdima\ht\@tempboxa
7871                     \advance\@tempdima\dp\@tempboxa
7872                     \vskip\@tempdima
7873                     \prevdepth\dp\@tempboxa \fi
7874                 \unvbox\dfn@boxa\vss}\fi\hss}
7875                 \hskip \DFNcolumnsep
7876                 \hskip \DFNcolumnwidth}}\fi\fi
7877 \global\dfn@fnht\z@
7878 \ifx\dfn@list\@empty\else
7879     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7880     \dfn@list \global\advance\dfn@fnht\dfn@dimb
7881     \let\@elt\relax
7882     \ifdim\dfn@dimb>\z@
7883         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7884         \insert\footins{\floatingpenalty\@MM
7885             \vbox to\dfn@dimb{}}\fi
7886     \ifdim\dfn@fnht>\@tempdima
7887         \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7888         \global\dfn@fnht\@tempdima
7889         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7890         \xdef\dfn@afteroutput{\insert\footins{
7891             \floatingpenalty\@MM
7892             \vbox to\number\@tempdimb sp{}}}%
7893         \global\let\noexpand\dfn@afteroutput\relax}%
7894     \fi\fi
7895 \fi}%
7896 \let\footnoterule\relax \dfn@latex@makecol
7897 \let\footnoterule\dfn@footnoterule}
7898 \def\dfn@LTRmakecol{\ifvoid\footins\else
7899     \dfn@dima\ht\footins
7900     \@tempcnta\z@ \dfn@countins
7901     \@tempdima\z@ \let\@elt\dfn@elt@getht
7902     \dfn@list\@nil
7903     \ifdim\@tempdima=\z@\else
7904         \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
7905         \global\setbox\dfn@ins\box\dfn@ins
7906         \@tempswatrue
7907         \ifdfn@trysingle
7908             \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7909             \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7910             \advance\@tempdima-\skip\footins
7911             \advance\@tempdima-\ht\dfn@boxa
7912             \ifdim\@tempdima<\z@\else \@tempswafalse
7913                 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7914                     \footnoterule \unvbox\dfn@boxa}\fi\fi
7915 \if@tempswa

```



```

7916 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7917 \global\setbox\footins\vbox{\hbox{%
7918 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7919 \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
7920 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7921 \vbox to\@tempdima{
7922 \setbox\@tempboxa\vbox{\footnoterule}
7923 \ifdfn@ruleboth \unvbox\@tempboxa
7924 \else \@tempdima\ht\@tempboxa
7925 \advance\@tempdima\dp\@tempboxa
7926 \vskip\@tempdima
7927 \prevdepth\dp\@tempboxa \fi
7928 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
7929 \global\dfn@fnht\z@
7930 \ifx\dfn@list\@empty\else
7931 \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7932 \dfn@list \global\advance\dfn@fnht\dfn@dimb
7933 \let\@elt\relax
7934 \ifdim\dfn@dimb>\z@
7935 \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7936 \insert\footins{\floatingpenalty\@MM
7937 \vbox to\dfn@dimb{}}\fi
7938 \ifdim\dfn@fnht>\@tempdima
7939 \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7940 \global\dfn@fnht\@tempdima
7941 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7942 \xdef\dfn@afteroutput{\insert\footins{
7943 \floatingpenalty\@MM
7944 \vbox to\number\@tempdimb sp{}}}%
7945 \global\let\noexpand\dfn@afteroutput\relax}%
7946 \fi\fi
7947 \fi}%
7948 \let\footnoterule\relax \dfn@latex@makecol
7949 \let\footnoterule\dfn@footnoterule}
7950 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
7951 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
7952 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
7953 \DFNalwaysdouble

```

47 File diagbox-xetex-bidi.def

```

7954 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package for
7955 \bidi@patchcmd{\diagbox@double}{%
7956 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
7957 }{\bidi@@diagbox@double@ii}{-}{-}
7958 \bidi@patchcmd{\diagbox@double}{%
7959 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}}
7960 }{\bidi@@diagbox@double@iii}{-}{-}
7961 \newcommand*{\bidi@@diagbox@double@ii}{%
7962 \if@RTL

```



```

7963 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}}
7964 \else
7965 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
7966 \fi
7967 }
7968 \newcommand*{\bidi@diagbox@double@iii}{%
7969 \if@RTL
7970 \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
7971 \else
7972 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}}
7973 \fi
7974 }
7975 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
7976 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
7977 }{\bidi@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
7978 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
7979 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
7980 }{\bidi@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
7981 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
7982 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}}
7983 }{\bidi@diagbox@triple@setbox@NW@tabular@iii}{-}{-}
7984 \newcommand*{\bidi@diagbox@triple@setbox@NW@tabular@i@ii}{%
7985 \if@RTL
7986 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}}
7987 \else
7988 \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
7989 \fi}
7990 \newcommand*{\bidi@diagbox@triple@setbox@NW@tabular@iii}{%
7991 \if@RTL
7992 \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
7993 \else
7994 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}}
7995 \fi}
7996 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
7997 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
7998 \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
7999 }{\bidi@diagbox@triple@setbox@SE@tabular@i}{-}{-}
8000 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8001 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}%
8002 }{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
8003 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8004 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}%
8005 }{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
8006 \newcommand*{\bidi@diagbox@triple@setbox@SE@tabular@i}{%
8007 \if@RTL
8008 \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}}
8009 \else
8010 \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
8011 \fi
8012 }

```



```

8013 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
8014   \if@RTL
8015     \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
8016   \else
8017     \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}
8018   \fi
8019 }
8020 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
8021 \bidi@patchcmd{\diagbox@double@pict@SE}{%
8022   \diagbox@setlinecolor
8023   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
8024 }{%
8025   {\diagbox@setlinecolor
8026     \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
8027 }{}{}
8028 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
8029 \bidi@patchcmd{\diagbox@double@pict@NE}{%
8030   \diagbox@setlinecolor
8031   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
8032 }{%
8033   {\diagbox@setlinecolor
8034     \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
8035 }{}{}
8036 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
8037 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
8038   \diagbox@setlinecolor
8039   \Line(0,\yym)(\x,0)
8040   \Line(\xm,\y)(\x,0)%
8041 }{%
8042   {\diagbox@setlinecolor
8043     \Line(0,\yym)(\x,0)
8044     \Line(\xm,\y)(\x,0)}%
8045 }{}{}
8046 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
8047   \diagbox@setlinecolor
8048   \Line(0,0)(\xxm,\y)
8049   \Line(0,0)(\x,\yym)%
8050 }{%
8051   {\diagbox@setlinecolor
8052     \Line(0,0)(\xxm,\y)
8053     \Line(0,0)(\x,\yym)}%
8054 }{}{}
8055 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
8056   \diagbox@setlinecolor
8057   \Line(0,\ym)(\x,\y)
8058   \Line(\xm,0)(\x,\y)%
8059 }{%
8060   {\diagbox@setlinecolor
8061     \Line(0,\ym)(\x,\y)
8062     \Line(\xm,0)(\x,\y)}%

```




```

8063 }{}{}
8064 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
8065   \diagbox@setlinecolor
8066   \Line(0,\y)(\xxm,0)
8067   \Line(0,\y)(\x,\ym)%
8068 }{%
8069   {\diagbox@setlinecolor
8070     \Line(0,\y)(\xxm,0)
8071     \Line(0,\y)(\x,\ym)}%
8072 }{}{}

```

48 File draftwatermark-xetex-bidi.def

```

8073 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwatermark]
8074 \renewcommand\SetWatermarkText[1]{%
8075   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

49 File eso-pic-xetex-bidi.def

```

8076 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for xetex]
8077 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
8078   \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}
8079 }
8080 \ESO@isMEMOIR{%
8081   \renewcommand\AtTextUpperLeft[1]{%
8082     \begingroup
8083       \ifodd\c@page
8084         \@tempdima=\spinemargin
8085       \else
8086         \@tempdima=\paperwidth
8087         \advance\@tempdima-\textwidth
8088         \advance\@tempdima-\spinemargin
8089       \fi
8090       \@tempdimb=-\uppermargin
8091       \AtPageUpperLeft{%
8092         \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
8093       }%
8094     \endgroup
8095   }
8096 }{%
8097   \renewcommand\AtTextUpperLeft[1]{%
8098     \begingroup
8099       \@tempdima=1in\relax
8100       \ifodd\c@page
8101         \advance\@tempdima\oddsidemargin
8102       \else
8103         \advance\@tempdima\evensidemargin
8104       \fi
8105       \@tempdimb=-1in\relax
8106       \advance\@tempdimb-\topmargin

```



```

8107      \advance\@tempdimb-\headheight
8108      \advance\@tempdimb-\headsep
8109      \AtPageUpperLeft{%
8110        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
8111      }%
8112      \endgroup
8113    }
8114 }

```

50 File empheq-xetex-bidi.def

```

8115 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for X
8116 \MHInternalSyntaxOn
8117 \def\EQ_tag_plus_endmark:{%
8118   \iftagsleft@
8119     \gdef\maketag@@@##1{%
8120       \hfuzz\displaywidth
8121       \if@RTL\makebox[\widthof{##1}][r]{%
8122         \hbox to \displaywidth{\m@th\normalfont##1\hss
8123           \raisebox{-\dp\EQ_mathdisplay_box
8124             -\depthof{\EQ_outerbox:}}{
8125             {\PotEndMark{\hss}}}}
8126       \else\makebox[\widthof{##1}][l]{%
8127         \hbox to \displaywidth{\m@th\normalfont##1\hss
8128           \raisebox{-\dp\EQ_mathdisplay_box
8129             -\depthof{\EQ_outerbox:}}{
8130             {\PotEndMark{\hss}}}}}\fi}%
8131   \MH_else:
8132     \gdef\maketag@@@##1{%
8133       \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{
8134         \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}}%
8135       \MH_addtolength:dn \@tempdima
8136         {\g_EQ_bottomtag_depth_dim+\mintagvsep}
8137       \setlength{\@tempdimb}
8138         {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:}}
8139         +\depthof{\EQ_innerbox:}}}}
8140     \MH_if_dim:w \@tempdima>\@tempdimb
8141     \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
8142       -\@tempdima+\g_EQ_bottomrow_depth_dim}
8143     \addtolength{\@tempdima}{\depthof{\EQ_innerbox:}}}%
8144     \def\EQ_next:{\raisebox{\@tempdima}}%
8145     \MH_else:
8146     \def\EQ_next:{
8147       \raisebox{-\dp\EQ_mathdisplay_box
8148         -\depthof{\EQ_outerbox:}}}%
8149     \MH_fi:\EQ_next:}}}%
8150 \MH_fi:}
8151 \def\EQ_post_process:{%
8152   \EQ_initialize:
8153   \EQ_begin_equation:

```



```

8154 \MH_if_boolean:nT {outer_mult}{
8155   \setkeys{\MT_options_name:}{
8156     firstline-afterskip=0pt,
8157     lastline-preskip=0pt,
8158     multlined-width=0pt,
8159   }
8160   \ifodd \l_EQ_alignmentmode_int
8161     \setkeys{\MT_options_name:}{multlined-pos=b}
8162   \MH_else:
8163     \setkeys{\MT_options_name:}{multlined-pos=t}
8164   \MH_fi:
8165   \g@addto@macro\EQ_complete_mathdisplay:{
8166     \begin{MTmultlined}\relax}
8167 }
8168 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
8169 \MH_if_boolean:nT {outer_mult}{
8170   \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
8171 }
8172 \EQ_end_equation:
8173 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
8174 \savecounters@
8175 \EQ_typeset_tags:
8176 \edef\l_EQ_equation_fint{\number\c@equation}
8177 \restorecounters@
8178 \Hy@linkcounter=\EQ_hyperref_link_fint
8179 \settowidth\l_EQ_totalwidth_dim{%
8180   $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
8181 \MH_if_boolean:nTF {outer_mult}
8182 { \def\EQ_next:{_mult} }
8183 { \def\EQ_next:{} }
8184 \@nameuse{EQ_modify_linewidth_
8185   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
8186 \EQ_typeset_display:
8187 \@nameuse{EQ_find_displaywidth_
8188   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
8189 \MH_addtolength:dn
8190 \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
8191 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
8192   $\EQ_left_side:
8193   \EQ_innerbox:{%
8194     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
8195     \makebox[\l_EQ_displaywidth_dim][c]
8196     {\usebox{\EQ_mathdisplay_box}}}%
8197   \MH_or:
8198     \makebox[\l_EQ_displaywidth_dim][c]
8199     {\usebox{\EQ_mathdisplay_box}}}%
8200   \MH_or:
8201     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
8202       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8203         \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:

```



```

8204         \kern-\@mathmargin
8205         \MH_fi:
8206         \MH_fi:
8207         \usebox{\EQ_mathdisplay_box}}%
8208     \else\makebox[\l_EQ_displaywidth_dim][l]{%
8209         \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8210         \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8211         \kern-\@mathmargin
8212         \MH_fi:
8213         \MH_fi:
8214         \usebox{\EQ_mathdisplay_box}}\fi%
8215 \MH_or:
8216 \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
8217     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8218     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8219     \kern-\@mathmargin
8220     \MH_fi:
8221     \MH_fi:
8222     \usebox{\EQ_mathdisplay_box}}
8223 \else\makebox[\l_EQ_displaywidth_dim][l]{%
8224     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8225     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8226     \kern-\@mathmargin
8227     \MH_fi:
8228     \MH_fi:
8229     \usebox{\EQ_mathdisplay_box}}\fi%
8230 \MH_fi:}%
8231 \EQ_right_side:$}%
8232 \begin{AmSequation*}
8233 \@nameuse{EQ_place_display_
8234     \romannumeral\l_EQ_equationtype_int\EQ_next: :}
8235 \MH_if_dim:w \g_EQ_widesttag_dim>\z@
8236 \MH_set_boolean_T:n {show_manual_tags}
8237 \MH_if_case:w \l_EQ_alignmentmode_int
8238 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %\#1
8239 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %\#2
8240 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %\#3
8241 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %\#4
8242 \MH_fi:
8243 \MH_fi:
8244 \end{AmSequation*}
8245 \global\c@equation=\l_EQ_equation_fint\relax
8246 }
8247 \AtBeginDocument{%
8248     \ifpackageloaded{fancybox}{%
8249         \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
8250         {\renewcommand*{\textcolor[2]{\normalcolor{\#2}}}%
8251         \renewcommand*{\shadowbox{%
8252             \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
8253                 \VerbBox\EQ_shadowbox:n}

```



```

8254         {\MH_set_boolean_F:n {shadowbox_star}
8255          \VerbBox\EQ_shadowbox:n}}
8256 \def\EQ_shadowbox:n #1{%
8257   \sbox{\z@}{\fbox{#1}}%
8258   \MH_if_boolean:nTF {shadowbox_star}{
8259     \MH_setlength:dn \@tempdima{\z@}%
8260   }{
8261     \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
8262   }
8263   \raisebox{\@tempdima}{%
8264     \if@RTL\makebox[\z@][r]{%
8265       \kern\shadowsize \textcolor{shadowcolor}{%
8266         \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}}%
8267     }%
8268     \else\makebox[\z@][l]{%
8269       \kern\shadowsize \textcolor{shadowcolor}{%
8270         \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}}%
8271     }\fi%
8272     \usebox\z@\textcolor{shadowcolor}{%
8273       \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
8274   }{}%
8275 }
8276 \MHInternalSyntaxOff

```

51 File extarticle-xetex-bidi.def

```

8277 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
8278 \renewcommand*\l@section[2]{%
8279   \ifnum \c@tocdepth >\z@
8280     \addpenalty\@secpenalty
8281     \addvspace{1.0em \@plus\p@}%
8282     \setlength\@tempdima{1.5em}%
8283     \begingroup
8284       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8285       \parfillskip -\@pnumwidth
8286       \leavevmode \bfseries
8287       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
8288       \hskip -\if@RTL\rightskip\else\leftskip\fi
8289       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
8290     \endgroup
8291   \fi}
8292 \renewcommand*\l@part[2]{%
8293   \ifnum \c@tocdepth >-2\relax
8294     \addpenalty\@secpenalty
8295     \addvspace{2.25em \@plus\p@}%
8296     \begingroup
8297       \setlength\@tempdima{3em}%
8298       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8299       \parfillskip -\@pnumwidth
8300     {\leavevmode

```



```

8301      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
8302      \nobreak
8303    \endgroup
8304  \fi}
8305  \def\@part[#1]#2{%
8306    \ifnum \c@secnumdepth >\m@ne
8307      \refstepcounter{part}%
8308      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
8309    \else
8310      \addcontentsline{toc}{part}{#1}%
8311    \fi
8312    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8313     \interlinepenalty \@M
8314     \normalfont
8315     \ifnum \c@secnumdepth >\m@ne
8316       \Large\bfseries \partname~\thepart
8317       \par\nobreak
8318     \fi
8319     \huge \bfseries #2%
8320     \markboth{}{}\par}%
8321    \nobreak
8322    \vskip 3ex
8323    \@afterheading}
8324  \def\@spart#1{%
8325    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8326     \interlinepenalty \@M
8327     \normalfont
8328     \huge \bfseries #1\par}%
8329    \nobreak
8330    \vskip 3ex
8331    \@afterheading}
8332  \renewenvironment{thebibliography}[1]
8333    {\section*{\refname
8334      \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
8335      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8336      \bidi@thebibliography@font@hook%
8337      \list{\@biblabel{\@arabic\c@enumiv}}%
8338        {\settowidth\labelwidth{\@biblabel{#1}}%
8339         \leftmargin\labelwidth
8340         \advance\leftmargin\labelsep
8341         \@openbib@code
8342         \usecounter{enumiv}%
8343         \let\p@enumiv\@empty
8344         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8345      \sloppy\clubpenalty4000\widowpenalty4000%
8346      \sfcode`.\@m}
8347    {\def\@noitemerr
8348     {\@latex@warning{Empty `thebibliography' environment}}%
8349     \endlist}
8350  \renewcommand\left@footnoterule{%

```



```

8351 \kern-3\p@
8352 \hrule\@width.4\columnwidth
8353 \kern2.6\p@}
8354 \renewcommand\right@footnoterule{%
8355 \kern-3\p@
8356 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
8357 \kern2.6\p@}
8358 \if@titlepage
8359 \renewcommand\maketitle{\begin{titlepage}%
8360 \let\footnotesize\small
8361 \let\right@footnoterule\relax
8362 \let\left@footnoterule\relax
8363 \let\textwidth\footnoterule\relax
8364 \let \footnote \thanks
8365 \null\vfil
8366 \vskip 60\p@
8367 \begin{center}%
8368 {\LARGE \@title \par}%
8369 \vskip 3em%
8370 {\large
8371 \lineskip .75em%
8372 \begin{tabular}[t]{c}%
8373 \@author
8374 \end{tabular}\par}%
8375 \vskip 1.5em%
8376 {\large \@date \par}% % Set date in \large size.
8377 \end{center}\par
8378 \@thanks
8379 \vfil\null
8380 \end{titlepage}%
8381 \setcounter{footnote}{0}%
8382 \global\let\thanks\relax
8383 \global\let\maketitle\relax
8384 \global\let\@thanks\@empty
8385 \global\let\@author\@empty
8386 \global\let\@date\@empty
8387 \global\let\@title\@empty
8388 \global\let\title\relax
8389 \global\let\author\relax
8390 \global\let\date\relax
8391 \global\let\and\relax
8392 }
8393 \else
8394 \renewcommand\maketitle{\par
8395 \begingroup
8396 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8397 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8398 \long\def\@makefntext##1{\parindent 1em\noindent
8399 \hb@xt@1.8em{%
8400 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%

```



```

8401 \if@twocolumn
8402 \ifnum \col@number=\@ne
8403 \maketitle
8404 \else
8405 \twocolumn[\maketitle]%
8406 \fi
8407 \else
8408 \newpage
8409 \global\@topnum\z@ % Prevents figures from going at top of page.
8410 \maketitle
8411 \fi
8412 \thispagestyle{plain}\@thanks
8413 \endgroup
8414 \setcounter{footnote}{0}%
8415 \global\let\thanks\relax
8416 \global\let\maketitle\relax
8417 \global\let\@maketitle\relax
8418 \global\let\@thanks\@empty
8419 \global\let\@author\@empty
8420 \global\let\@date\@empty
8421 \global\let\@title\@empty
8422 \global\let\title\relax
8423 \global\let\author\relax
8424 \global\let\date\relax
8425 \global\let\and\relax
8426 }
8427 \def\@maketitle{%
8428 \newpage
8429 \null
8430 \vskip 2em%
8431 \begin{center}%
8432 \let \footnote \thanks
8433 {\LARGE \@title \par}%
8434 \vskip 1.5em%
8435 {\large
8436 \lineskip .5em%
8437 \begin{tabular}[t]{c}%
8438 \@author
8439 \end{tabular}\par}%
8440 \vskip 1em%
8441 {\large \@date}%
8442 \end{center}%
8443 \par
8444 \vskip 1.5em}
8445 \fi
8446 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
8447 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
8448 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8449 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```



52 File extbook-xetex-bidi.def

```

8450 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for X
8451 \if@titlepage
8452 \renewcommand\maketitle{\begin{titlepage}%
8453 \let\footnotesize\small
8454 \let\right@footnoterule\relax
8455 \let\left@footnoterule\relax
8456 \let\textwidth@footnoterule\relax
8457 \let \footnote \thanks
8458 \let \LTRfootnote \LTRthanks
8459 \let \RTLfootnote \RTLthanks
8460 \null\vfil
8461 \vskip 60\p@
8462 \begin{center}%
8463 {\LARGE \@title \par}%
8464 \vskip 3em%
8465 {\large
8466 \lineskip .75em%
8467 \begin{tabular}[t]{c}%
8468 \@author
8469 \end{tabular}\par}%
8470 \vskip 1.5em%
8471 {\large \@date \par}% % Set date in \large size.
8472 \end{center}\par
8473 \@thanks
8474 \vfil\null
8475 \end{titlepage}%
8476 \setcounter{footnote}{0}%
8477 \global\let\thanks\relax
8478 \global\let\LTRthanks\relax
8479 \global\let\RTLthanks\relax
8480 \global\let\maketitle\relax
8481 \global\let\@thanks\@empty
8482 \global\let\@author\@empty
8483 \global\let\@date\@empty
8484 \global\let\@title\@empty
8485 \global\let\title\relax
8486 \global\let\author\relax
8487 \global\let\date\relax
8488 \global\let\and\relax
8489 }
8490 \else
8491 \renewcommand\maketitle{\par
8492 \begingroup
8493 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8494 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8495 \long\def\@makefntext##1{\parindent 1em\noindent
8496 \hb@xt@1.8em{%
8497 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%

```



```

8498 \if@twocolumn
8499 \ifnum \col@number=\@ne
8500 \maketitle
8501 \else
8502 \twocolumn[\maketitle]%
8503 \fi
8504 \else
8505 \newpage
8506 \global\@topnum\z@ % Prevents figures from going at top of page.
8507 \maketitle
8508 \fi
8509 \thispagestyle{plain}\@thanks
8510 \endgroup
8511 \setcounter{footnote}{0}%
8512 \global\let\thanks\relax
8513 \global\let\LTRthanks\relax
8514 \global\let\RTLthanks\relax
8515 \global\let\maketitle\relax
8516 \global\let\@maketitle\relax
8517 \global\let\@thanks\@empty
8518 \global\let\@author\@empty
8519 \global\let\@date\@empty
8520 \global\let\@title\@empty
8521 \global\let\title\relax
8522 \global\let\author\relax
8523 \global\let\date\relax
8524 \global\let\and\relax
8525 }
8526 \def\@maketitle{%
8527 \newpage
8528 \null
8529 \vskip 2em%
8530 \begin{center}%
8531 \let \footnote \thanks
8532 \let \LTRfootnote \LTRthanks
8533 \let \RTLfootnote \RTLthanks
8534 {\LARGE \@title \par}%
8535 \vskip 1.5em%
8536 {\large
8537 \lineskip .5em%
8538 \begin{tabular}[t]{c}%
8539 \@author
8540 \end{tabular}\par}%
8541 \vskip 1em%
8542 {\large \@date}%
8543 \end{center}%
8544 \par
8545 \vskip 1.5em}
8546 \fi
8547 \renewcommand*{\l@part[2]}{%

```



```

8548 \ifnum \c@tocdepth >-2\relax
8549 \addpenalty{-\@highpenalty}%
8550 \addvspace{2.25em \@plus\p@}%
8551 \beginingroup
8552 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8553 \parfillskip -\@pnumwidth
8554 {\leavevmode
8555 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
8556 \nobreak
8557 \global\@nobreaktrue
8558 \everypar{\global\@nobreakfalse\everypar{}}%
8559 \endgroup
8560 \fi}
8561 \renewcommand\theequation
8562 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
8563 \renewcommand \thefigure
8564 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
8565 \renewcommand \thetable
8566 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
8567 \renewcommand \thechapter {\@arabic\c@chapter}
8568 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
8569 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
8570 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
8571 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8572 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
8573 \def\@makechapterhead#1{%
8574 \vspace*{50\p@}%
8575 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8576 \ifnum \c@secnumdepth >\m@ne
8577 \if@mainmatter
8578 \huge\bfseries \@chapapp\space \thechapter
8579 \par\nobreak
8580 \vskip 20\p@
8581 \fi
8582 \fi
8583 \interlinepenalty\@M
8584 \Huge \bfseries #1\par\nobreak
8585 \vskip 40\p@
8586 }}
8587
8588 \def\@makeschapterhead#1{%
8589 \vspace*{50\p@}%
8590 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8591 \normalfont
8592 \interlinepenalty\@M
8593 \Huge \bfseries #1\par\nobreak
8594 \vskip 40\p@
8595 }}
8596 \renewcommand\backmatter{%
8597 \if@openright

```



```

8598 \cleardoublepage
8599 \else
8600 \clearpage
8601 \fi
8602 \@mainmatterfalse}
8603 \renewenvironment{thebibliography}[1]
8604 { \chapter*{\bibname
8605 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8606 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8607 \bidi@@thebibliography@font@hook%
8608 \list{\@biblabel{\@arabic\c@enumiv}}%
8609 {\settowidth\labelwidth{\@biblabel{#1}}%
8610 \leftmargin\labelwidth
8611 \advance\leftmargin\labelsep
8612 \@openbib@code
8613 \usecounter{enumiv}%
8614 \let\p@enumiv\@empty
8615 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8616 \sloppy
8617 \clubpenalty4000
8618 \@clubpenalty \clubpenalty
8619 \widowpenalty4000%
8620 \sfcode`. \@m}
8621 {\def\@noitemerr
8622 {\@latex@warning{Empty `thebibliography' environment}}%
8623 \endlist}

```

53 File extletter-xetex-bidi.def

```

8624 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]
8625 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
8626 \thispagestyle{firstpage}%
8627 {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
8628 \else % home address
8629 \thispagestyle{empty}%
8630 {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignorespaces
8631 \fromaddress \*[2\parskip]%
8632 \@date \end{tabular}\par}%
8633 \fi
8634 \vspace{2\parskip}%
8635 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
8636 \vspace{2\parskip}%
8637 #1\par\nobreak}
8638 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
8639 \stopbreaks
8640 \noindent
8641 \ifx\@empty\fromaddress\else
8642 \hspace*{\longindentation}\fi
8643 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
8644 \ignorespaces #1\ [6\medskipamount]}%

```



```

8645     \ifx\@empty\fromsig
8646         \fromname
8647     \else \fromsig \fi\strut}%
8648 \par}
8649 \renewcommand\left@footnoterule{%
8650     \kern-\p@
8651     \hrule \@width .4\columnwidth
8652     \kern .6\p@}
8653 \renewcommand\right@footnoterule{%
8654     \kern-\p@
8655     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
8656     \kern .6\p@}

```

54 File extrafootnotefeatures-xetex-bidi.def

```

8657 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2017/05/19 v1.1 bidi extra footnote featur
8658 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
8659 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8660 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
8661 \ifHy@hyperfootnotes
8662     \let\@H@footnotetext\@footnotetext
8663     \let\@HLTR@LTRfootnotetext\@LTRfootnotetext
8664     \let\@HRTL@RTLfootnotetext\@RTLfootnotetext
8665     \let\@H@mpfootnotetext\@mpfootnotetext
8666     \let\@HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
8667     \let\@HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
8668 \fi
8669 }%
8670 }%
8671 }
8672 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
8673 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8674 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
8675 \ifHy@hyperfootnotes
8676     \let\H@footnotetext\@footnotetext
8677     \let\@footnotetext\@H@footnotetext
8678     \let\HLTR@LTRfootnotetext\@LTRfootnotetext
8679     \let\@LTRfootnotetext\@HLTR@LTRfootnotetext
8680     \let\HRTL@RTLfootnotetext\@RTLfootnotetext
8681     \let\@RTLfootnotetext\@HRTL@RTLfootnotetext
8682     \let\H@mpfootnotetext\@mpfootnotetext
8683     \let\@mpfootnotetext\@H@mpfootnotetext
8684     \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
8685     \let\@mpLTRfootnotetext\@HLTR@mpLTRfootnotetext
8686     \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
8687     \let\@mpRTLfootnotetext\@HRTL@mpRTLfootnotetext
8688 \fi
8689 }%
8690 }%
8691 }

```



```

8692 \let\autofootnoterule\relax
8693 \let\rightfootnoterule\relax
8694 \let\leftfootnoterule\relax
8695 \let\textwidthfootnoterule\relax
8696 \let\LRfootnoterule\relax
8697 \def\footnoterule{\kern-3\p@
8698   \hrule \@width \columnwidth \kern 2.6\p@}
8699 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
8700 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
8701 \renewcommand{\@footnotetext}[1]{%
8702   \insert\footins{%
8703     \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8704     \def\baselinestretch{\m@m@footnote@spacing}%
8705     \reset@font
8706     \foottextfont
8707     \@preamfntext
8708     \hsize\columnwidth
8709     \protected@edef\@currentlabel{%
8710       \csname p@footnote\endcsname\@thefnmark}%
8711     \color@begingroup
8712     \@makefntext{%
8713       \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
8714       \@finalstrut\strutbox}%
8715     \color@endgroup}%
8716     \m@mmf@prepare}
8717 \renewcommand{\@RTLfootnotetext}[1]{%
8718   \insert\footins{%
8719     \@RTLtrue%
8720     \def\baselinestretch{\m@m@footnote@spacing}%
8721     \reset@font
8722     \RTLfoottextfont
8723     \@preamfntext
8724     \hsize\columnwidth
8725     \protected@edef\@currentlabel{%
8726       \csname p@footnote\endcsname\@thefnmark}%
8727     \color@begingroup
8728     \@makefntext{%
8729       \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
8730       \@finalstrut\strutbox}%
8731     \color@endgroup}%
8732     \m@mmf@prepare}
8733 \renewcommand{\@LTRfootnotetext}[1]{%
8734   \insert\footins{%
8735     \@RTLfalse%
8736     \def\baselinestretch{\m@m@footnote@spacing}%
8737     \reset@font
8738     \LTRfoottextfont
8739     \@preamfntext
8740     \hsize\columnwidth
8741     \protected@edef\@currentlabel{%

```



```

8742     \csname p@footnote\endcsname\@thefnmark}%
8743     \color@begingroup
8744     \@makefnintext{%
8745         \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
8746         \@finalstrut\strutbox}%
8747     \color@endgroup}%
8748     \m@mmf@prepare}
8749 \renewcommand{\@mpfootnotetext}[1]{%
8750 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8751     \unvbox\@mpfootins
8752     \def\baselinestretch{\m@m@footnote@spacing}%
8753     \foottextfont \hsize\columnwidth \@parboxrestore
8754     \protected@edef\@currentlabel{%
8755         \csname p@mpfootnote\endcsname\@thefnmark}%
8756     \color@begingroup
8757     \reset@font%
8758     \@makefnintext{%
8759         \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
8760         \@finalstrut\strutbox}%
8761     \color@endgroup}}
8762 \renewcommand{\@mpLTRfootnotetext}[1]{%
8763 \global\setbox\@mpfootins\vbox{\@RTLfalse%
8764     \unvbox\@mpfootins
8765     \def\baselinestretch{\m@m@footnote@spacing}%
8766     \LTRfoottextfont \hsize\columnwidth \@parboxrestore
8767     \protected@edef\@currentlabel{%
8768         \csname p@mpfootnote\endcsname\@thefnmark}%
8769     \color@begingroup
8770     \reset@font%
8771     \@makefnintext{%
8772         \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
8773         \@finalstrut\strutbox}%
8774     \color@endgroup}}
8775 \renewcommand{\@mpRTLfootnotetext}[1]{%
8776 \global\setbox\@mpfootins\vbox{\@RTLtrue%
8777     \unvbox\@mpfootins
8778     \def\baselinestretch{\m@m@footnote@spacing}%
8779     \RTLfoottextfont \hsize\columnwidth \@parboxrestore
8780     \protected@edef\@currentlabel{%
8781         \csname p@mpfootnote\endcsname\@thefnmark}%
8782     \color@begingroup
8783     \reset@font%
8784     \@makefnintext{%
8785         \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
8786         \@finalstrut\strutbox}%
8787     \color@endgroup}}
8788 \let\m@mold@footnotetext\@footnotetext
8789 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
8790 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
8791 \let\m@mold@mpfootnotetext\@mpfootnotetext

```



```

8792 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
8793 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
8794 \bidi@ensure@newcommand{\normalfootnotes}{%
8795   \@bidi@before@Hy@hyperfootnotes
8796   \let\@footnotetext\m@mold@footnotetext
8797   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
8798   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
8799   \let\@mpfootnotetext\m@mold@mpfootnotetext
8800   \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
8801   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
8802   \@bidi@after@Hy@hyperfootnotes}
8803 \ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{%
8804 \bidi@ensure@newcommand*\{RTLcolumnfootnotes\}{\@RTLcolumnfootnotestru}
8805 \bidi@ensure@newcommand*\{LTRcolumnfootnotes\}{\@RTLcolumnfootnotesfalse}
8806 \bidi@ensure@newcommand*\{setSingleSpace\}[1]{%
8807   \def\m@m@singlespace{#1}%
8808   \def\m@m@footnote@spacing{#1}%
8809   \def\m@m@float@spacing{#1} %
8810 }
8811 \setSingleSpace{1}
8812 \bidi@ensure@newcommand*\{multiplefootnotemarker\}{3sp}
8813 \bidi@ensure@newcommand*\{m@mmf@prepare\}{%
8814   \kern-\multiplefootnotemarker
8815   \kern\multiplefootnotemarker\relax}
8816 \bidi@ensure@newlength{\footmarkwidth}
8817 \bidi@ensure@newlength{\footmarksep}
8818 \bidi@ensure@newlength{\footparindent}
8819 \bidi@ensure@newcommand*\{footmarkstyle\}[1]{\def\footscript##1{#1}}
8820 \bidi@ensure@newcommand*\{LTRfootmarkstyle\}[1]{\def\LTRfootscript##1{#1}}
8821 \bidi@ensure@newcommand*\{RTLfootmarkstyle\}[1]{\def\RTLfootscript##1{#1}}
8822 \bidi@ensure@newcommand{\footfootmark}{%
8823   \ifdim\footmarkwidth < \z@
8824     \llap{\hb@xt@ -\footmarkwidth{%
8825       \hss\normalfont\footscript{\@thefnmark}}}%
8826     \hspace*{-\footmarkwidth}}%
8827   \else
8828     \ifdim\footmarkwidth = \z@
8829       {\normalfont\footscript{\@thefnmark}}%
8830     \else
8831       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
8832     \fi
8833   \fi}
8834 \bidi@ensure@newcommand{\LTRfootfootmark}{%
8835   \ifdim\footmarkwidth < \z@
8836     \llap{\hb@xt@ -\footmarkwidth{%
8837       \hss\normalfont\LTRfootscript{\@thefnmark}}}%
8838     \hspace*{-\footmarkwidth}}%
8839   \else
8840     \ifdim\footmarkwidth = \z@
8841       {\normalfont\LTRfootscript{\@thefnmark}}%

```




```

8842 \else
8843 \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
8844 \fi
8845 \fi}
8846 \bidi@ensure@newcommand{\RTLfootfootmark}{%
8847 \ifdim\footmarkwidth < \z@
8848 \llap{\hb@xt@-\footmarkwidth{%
8849 \hss\normalfont\RTLfootscript{\@thefnmark}}%
8850 \hspace*{-\footmarkwidth}}%
8851 \else
8852 \ifdim\footmarkwidth = \z@
8853 {\normalfont\RTLfootscript{\@thefnmark}}%
8854 \else
8855 \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
8856 \fi
8857 \fi}
8858 \footmarkstyle{\textsuperscript{#1}}
8859 \LTRfootmarkstyle{\textsuperscript{#1}}
8860 \RTLfootmarkstyle{\textsuperscript{#1}}
8861 \setlength{\footmarkwidth}{1em plus.4em minus.4em}
8862 \setlength{\footparindent}{1em}
8863 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
8864 \bidi@ensure@newcommand*{\extrafeetins}{%
8865 \setbox\@outputbox \vbox{%
8866 \boxmaxdepth \@maxdepth
8867 \unvbox\@outputbox
8868 \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
8869 \extrafeetinshook}}
8870 \bidi@ensure@newcommand{\extrafeetinshook}{%
8871 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
8872 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
8873 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
8874 \bidi@ensure@newlength{\footinsdim}
8875 \setlength{\footinsdim}{8in} % standard for \dimen\footins
8876 \bidi@ensure@newcommand{\@preamfntext}{%
8877 \interlinepenalty\interfootnotelinepenalty
8878 \floatingpenalty \@MM
8879 \splittopskip=\footnotesep
8880 \splitmaxdepth=\dp\strutbox
8881 \@parboxrestore}
8882 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
8883 \extrafeetminihook}
8884 \bidi@ensure@newcommand{\extrafeetendmini}{%
8885 \ifvoid\@mpfootinsv@r\else
8886 \vskip\skip\@mpfootins
8887 \normalcolor\footnoterule\mp@footgroupv@r
8888 \fi
8889 \extrafeetendminihook}
8890 \bidi@ensure@newcommand{\extrafeetendminihook}{%
8891 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}

```



```

8892 \def\endminipage{%
8893   \par
8894   \unskip
8895   \ifvoid\@mpfootins\else
8896     \vskip\skip\@mpfootins
8897     \normalcolor
8898     \footnoterule
8899     \unvbox\@mpfootins
8900   \fi
8901   \m@mdoextrafeetendmini
8902   \@minipagefalse
8903   \color@endgroup
8904   \egroup
8905   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
8906 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
8907   \@namedef{@footstart#1}{%
8908     \bidi@mopfn@bottom
8909     \vskip\bigskipamount
8910     \leftskip=\z@
8911     \rightskip=\z@
8912     \footnoterule}}
8913 \newinsert\footinsv@r
8914 \skip\footinsv@r\bigskipamount
8915 \count\footinsv@r=1000 % no magnification
8916 \dimen\footinsv@r=\footinsdim
8917 \m@make@footstart{v@r}
8918 \bidi@ensure@newcommand{\@footgroupv@r}{%
8919 \newinsert\@mpfootinsv@r
8920 \bidi@ensure@newcommand{\mp@footgroupv@r}{%
8921 \newcount\m@m@k \newdimen\m@m@h
8922 \@ifpackageloaded{multicol}{%
8923 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
8924 \hsize\textwidth
8925 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
8926 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
8927 }{%
8928 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
8929 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
8930 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
8931 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
8932 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
8933 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
8934 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
8935 \setbox2 \vsplit0 to \dimen0
8936 \unvbox2 }
8937 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
8938   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8939   \@bidi@before@Hy@hyperfootnotes
8940   \let\@footnotetext\@twocolfootnotetext
8941   \let\@LTRfootnotetext\@twocolLTRfootnotetext

```



```

8942 \let\@RTLfootnotetext\@twocolRTLfootnotetext
8943 \dimen\footinsv@r=2\footinsdim
8944 \count\footinsv@r=500\relax
8945 \m@make@twocol@footgroup{v@r}%
8946 \let\@footgroupv@r\@twocol@footgroupv@r
8947 \let\@mpfootnotetext\@mptwocolfootnotetext
8948 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
8949 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
8950 \@bidi@after@Hy@hyperfootnotes
8951 \m@make@mptwocol@footgroup{v@r}%
8952 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
8953 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
8954 \def\baselinestretch{\m@m@footnote@spacing}%
8955 \reset@font\foottextfont
8956 \@preamfntext
8957 \protected@edef\@currentlabel{%
8958 \csname p@footnote\endcsname\@thefnmark}%
8959 \color@begingroup
8960 \@twocolfootfmt{#1}%
8961 \color@endgroup}%
8962 \m@mmf@prepare}
8963 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
8964 \def\baselinestretch{\m@m@footnote@spacing}%
8965 \reset@font\LTRfoottextfont
8966 \@preamfntext
8967 \protected@edef\@currentlabel{%
8968 \csname p@footnote\endcsname\@thefnmark}%
8969 \color@begingroup
8970 \@twocolLTRfootfmt{#1}%
8971 \color@endgroup}%
8972 \m@mmf@prepare}
8973 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8974 \def\baselinestretch{\m@m@footnote@spacing}%
8975 \reset@font\RTLfoottextfont
8976 \@preamfntext
8977 \protected@edef\@currentlabel{%
8978 \csname p@footnote\endcsname\@thefnmark}%
8979 \color@begingroup
8980 \@twocolRTLfootfmt{#1}%
8981 \color@endgroup}%
8982 \m@mmf@prepare}
8983 \bidi@ensure@newcommand{\@preamtwofmt}{%
8984 \hspace{.45\hspace}
8985 \parindent=\z@
8986 \tolerance=5000\relax
8987 \leavevmode}
8988 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
8989 \@preamtwofmt
8990 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8991 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%

```



```

8992 \@preamtwofmt
8993 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8994 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
8995 \@preamtwofmt
8996 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8997 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
8998 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8999 \unvbox\@mpfootinsv@r
9000 \def\baselinestretch{\m@m@footnote@spacing}%
9001 \reset@font\foottextfont
9002 \hsize\columnwidth \@parboxrestore
9003 \protected@edef\@currentlabel{%
9004 \csname p@mpfootnote\endcsname\@thefnmark}%
9005 \color@begingroup
9006 \@twocolfootfmt{#1}%
9007 \color@endgroup}%
9008 \m@m@mmf@prepare}
9009 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
9010 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9011 \unvbox\@mpfootinsv@r
9012 \def\baselinestretch{\m@m@footnote@spacing}%
9013 \reset@font\LTRfoottextfont
9014 \hsize\columnwidth \@parboxrestore
9015 \if@RTLcolumnfootnotes\beginL\fi
9016 \protected@edef\@currentlabel{%
9017 \csname p@mpfootnote\endcsname\@thefnmark}%
9018 \color@begingroup
9019 \@twocolLTRfootfmt{#1}%
9020 \color@endgroup}%
9021 \m@m@mmf@prepare}
9022 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
9023 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9024 \unvbox\@mpfootinsv@r
9025 \def\baselinestretch{\m@m@footnote@spacing}%
9026 \reset@font\RTLfoottextfont
9027 \hsize\columnwidth \@parboxrestore
9028 \protected@edef\@currentlabel{%
9029 \csname p@mpfootnote\endcsname\@thefnmark}%
9030 \color@begingroup
9031 \@twocolRTLfootfmt{#1}%
9032 \color@endgroup}%
9033 \m@m@mmf@prepare}
9034 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
9035 \m@make@twocolfootnotetext{#1}%
9036 \m@make@mptwocolfootnotetext{#1}%
9037 \m@make@twocolfootfmt{#1}%
9038 \m@make@twocol@footgroup{#1}%
9039 \m@make@mptwocol@footgroup{#1}%
9040 \m@make@footstart{#1}%
9041 \bidi@namelongdef{\footnotetext#1}##1{%

```



```

9042 \nameuse{@twocolfootnotetext#1}{##1}}%
9043 \bidi@namelongdef{@mpfootnotetext#1}{##1}{%
9044 \nameuse{@mptwocolfootnotetext#1}{##1}}%
9045 \namedef{@footgroup#1}{\nameuse{@twocol@footgroup#1}}%
9046 \namedef{@mp@footgroup#1}{\nameuse{@mptwocol@footgroup#1}}%
9047 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9048 \expandafter\count\csname footins#1\endcsname=500\relax}
9049 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
9050 \bidi@namelongdef{@twocolfootnotetext#1}{##1}{%
9051 \insert\nameuse{footins#1}{%
9052 \def\baselinestretch{\m@m@footnote@spacing}%
9053 \reset@font\nameuse{foottextfont#1}%
9054 \preamfntext
9055 \protected@edef\currentlabel{%
9056 \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9057 \color@begingroup
9058 \nameuse{@twocolfootfmt#1}{##1}%
9059 \color@endgroup}%
9060 \m@mmf@prepare}}
9061 \bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
9062 \bidi@namelongdef{@mptwocolfootnotetext#1}{##1}{%
9063 \global\setbox\nameuse{@mpfootins#1}\vbox{%
9064 \unvbox\nameuse{@mpfootins#1}
9065 \def\baselinestretch{\m@m@footnote@spacing}%
9066 \reset@font\nameuse{foottextfont#1}%
9067 \hsize\columnwidth \parboxrestore
9068 \protected@edef\currentlabel{%
9069 \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9070 \color@begingroup
9071 \nameuse{@twocolfootfmt#1}{##1}%
9072 \color@endgroup}\m@mmf@prepare}}
9073 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
9074 \namedef{@twocolfootfmt#1}{##1}{%
9075 \preamtwofmt
9076 {\nameuse{footfootmark#1}\strut
9077 {\nameuse{foottextfont#1}{##1}\strut\par}\allowbreak}}
9078 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
9079 \namedef{@twocol@footgroup#1}{%
9080 \def\baselinestretch{\m@m@footnote@spacing}%
9081 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9082 \m@mrigidbalance{\nameuse{footins#1}{\tw@}{\splittopskip}}}}
9083 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
9084 \namedef{@mptwocol@footgroup#1}{%
9085 \def\baselinestretch{\m@m@footnote@spacing}%
9086 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9087 \m@mrigidbalance{\nameuse{@mpfootins#1}{\tw@}{\splittopskip}}}}
9088 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
9089 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
9090 \bidi@before@Hy@hyperfootnotes
9091 \let\@footnotetext\@threecolfootnotetext

```



```

9092 \let\@LTRfootnotetext\@threecolLTRfootnotetext
9093 \let\@RTLfootnotetext\@threecolRTLfootnotetext
9094 \dimen\footinsv@r=3\footinsdim
9095 \count\footinsv@r=333\relax
9096 \m@make@threecol@footgroup{v@r}%
9097 \let\@footgroupv@r\@threecol@footgroupv@r
9098 \let\@mpfootnotetext\@mpthreecolfootnotetext
9099 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
9100 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
9101 \@bidi@after@Hy@hyperfootnotes
9102 \m@make@mpthreecol@footgroup{v@r}%
9103 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
9104 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
9105 \def\baselinestretch{\m@m@footnote@spacing}%
9106 \reset@font\foottextfont
9107 \@preamfntext
9108 \protected@edef\@currentlabel{%
9109 \csname p@footnote\endcsname\@thefnmark}%
9110 \color@begingroup
9111 \@threecolfootfmt{#1}%
9112 \color@endgroup}\m@mmf@prepare}
9113 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
9114 \def\baselinestretch{\m@m@footnote@spacing}%
9115 \reset@font\LTRfoottextfont
9116 \@preamfntext
9117 \protected@edef\@currentlabel{%
9118 \csname p@footnote\endcsname\@thefnmark}%
9119 \color@begingroup
9120 \@threecolLTRfootfmt{#1}%
9121 \color@endgroup}\m@mmf@prepare}
9122 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9123 \def\baselinestretch{\m@m@footnote@spacing}%
9124 \reset@font\RTLfoottextfont
9125 \@preamfntext
9126 \protected@edef\@currentlabel{%
9127 \csname p@footnote\endcsname\@thefnmark}%
9128 \color@begingroup
9129 \@threecolRTLfootfmt{#1}%
9130 \color@endgroup}\m@mmf@prepare}
9131 \bidi@ensure@newcommand{\@preamthreefmt}{%
9132 \hspace{.3\hspace}
9133 \parindent=\z@
9134 \tolerance=5000\relax
9135 \leavevmode}
9136 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
9137 \@preamthreefmt
9138 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9139 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
9140 \@preamthreefmt
9141 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}

```



```

9142 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
9143   \@preamthreefmt
9144   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9145 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
9146   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9147     \unvbox\@mpfootinsv@r
9148     \def\baselinestretch{\m@m@footnote@spacing}%
9149     \reset@font\foottextfont
9150     \hsize\columnwidth \@parboxrestore
9151     \protected@edef\@currentlabel{%
9152       \csname p@mpfootnote\endcsname\@thefnmark}%
9153   \color@begingroup
9154     \@threecolfootfmt{#1}%
9155   \color@endgroup}\m@mmf@prepare}
9156 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
9157   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9158     \unvbox\@mpfootinsv@r
9159     \def\baselinestretch{\m@m@footnote@spacing}%
9160     \reset@font\LTRfoottextfont
9161     \hsize\columnwidth \@parboxrestore
9162     \if@RTLcolumnfootnotes\beginL\fi
9163     \protected@edef\@currentlabel{%
9164       \csname p@mpfootnote\endcsname\@thefnmark}%
9165   \color@begingroup
9166     \@threecolLTRfootfmt{#1}%
9167   \color@endgroup}\m@mmf@prepare}
9168 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
9169   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9170     \unvbox\@mpfootinsv@r
9171     \def\baselinestretch{\m@m@footnote@spacing}%
9172     \reset@font\RTLfoottextfont
9173     \hsize\columnwidth \@parboxrestore
9174     \protected@edef\@currentlabel{%
9175       \csname p@mpfootnote\endcsname\@thefnmark}%
9176   \color@begingroup
9177     \@threecolRTLfootfmt{#1}%
9178   \color@endgroup}\m@mmf@prepare}
9179 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
9180   \m@make@threecolfootnotetext{#1}%
9181   \m@make@mpthreecolfootnotetext{#1}%
9182   \m@make@threecolfootfmt{#1}%
9183   \m@make@threecol@footgroup{#1}%
9184   \m@make@mpthreecol@footgroup{#1}%
9185   \m@make@footstart{#1}%
9186   \bidi@namelongdef{\@footnotetext#1}##1{%
9187     \@nameuse{\@threecolfootnotetext#1}{##1}}%
9188   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
9189     \@nameuse{\@mpthreecolfootnotetext#1}{##1}}%
9190   \@namedef{\@footgroup#1}{\@nameuse{\@threecol@footgroup#1}}%
9191   \@namedef{\@mpfootgroup#1}{\@nameuse{\@mpthreecol@footgroup#1}}%

```



```

9192 \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
9193 \expandafter\count\csname footins#1\endcsname=333\relax}
9194 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
9195 \bidi@namelongdef{@threecolfootnotetext#1}##1{%
9196 \insert\@nameuse{footins#1}{%
9197 \def\baselinestretch{\m@m@footnote@spacing}%
9198 \reset@font\@nameuse{foottextfont#1}%
9199 \@preamfntext
9200 \protected@edef\@currentlabel{%
9201 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
9202 \color@begingroup
9203 \@nameuse{@threecolfootfmt#1}{##1}%
9204 \color@endgroup}\m@mmf@prepare}}
9205 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
9206 \bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
9207 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9208 \unvbox\@nameuse{@mpfootins#1}
9209 \def\baselinestretch{\m@m@footnote@spacing}%
9210 \reset@font\@nameuse{foottextfont#1}%
9211 \hsize\columnwidth \@parboxrestore
9212 \protected@edef\@currentlabel{%
9213 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9214 \color@begingroup
9215 \@nameuse{@threecolfootfmt#1}{##1}%
9216 \color@endgroup}\m@mmf@prepare}}
9217 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
9218 \bidi@namelongdef{@threecolfootfmt#1}##1{%
9219 \@preamthreefmt
9220 {\@nameuse{footfootmark#1}\strut
9221 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9222 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
9223 \namedef{@threecol@footgroup#1}{%
9224 \def\baselinestretch{\m@m@footnote@spacing}%
9225 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9226 \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
9227 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
9228 \namedef{@mpthreecol@footgroup#1}{%
9229 \def\baselinestretch{\m@m@footnote@spacing}%
9230 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9231 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
9232 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
9233 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
9234 \@bidi@before@Hy@hyperfootnotes
9235 \let\@footnotetext\@fourcolfootnotetext
9236 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
9237 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
9238 \dimen\footinsv@r=4\footinsdim
9239 \count\footinsv@r=250\relax
9240 \m@make@fourcol@footgroup{v@r}%
9241 \let\@footgroupv@r\@fourcol@footgroupv@r

```




```

9242 \let\@mpfootnotetext\@mpfourcolfootnotetext
9243 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
9244 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
9245 \@bidi@after@Hy@hyperfootnotes
9246 \m@make@mpfourcol@footgroup{v@r}%
9247 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
9248 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9249 \def\baselinestretch{\m@m@footnote@spacing}%
9250 \reset@font\foottextfont
9251 \@preamfntext
9252 \protected@edef\@currentlabel{%
9253 \csname p@footnote\endcsname\@thefnmark}%
9254 \color@begingroup
9255 \@fourcolfootfmt{#1}%
9256 \color@endgroup}%
9257 \m@mmf@prepare}
9258 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9259 \def\baselinestretch{\m@m@footnote@spacing}%
9260 \reset@font\LTRfoottextfont
9261 \@preamfntext
9262 \protected@edef\@currentlabel{%
9263 \csname p@footnote\endcsname\@thefnmark}%
9264 \color@begingroup
9265 \@fourcolLTRfootfmt{#1}%
9266 \color@endgroup}%
9267 \m@mmf@prepare}
9268 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9269 \def\baselinestretch{\m@m@footnote@spacing}%
9270 \reset@font\RTLfoottextfont
9271 \@preamfntext
9272 \protected@edef\@currentlabel{%
9273 \csname p@footnote\endcsname\@thefnmark}%
9274 \color@begingroup
9275 \@fourcolRTLfootfmt{#1}%
9276 \color@endgroup}%
9277 \m@mmf@prepare}
9278 \bidi@ensure@newcommand{\@preamfourfmt}{%
9279 \hspace{.25\hspace}
9280 \parindent=\z@
9281 \tolerance=5000\relax
9282 \leavevmode}
9283 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
9284 \@preamfourfmt
9285 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9286 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
9287 \@preamfourfmt
9288 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9289 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
9290 \@preamfourfmt
9291 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}

```



```

9292 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
9293   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9294     \unvbox\@mpfootinsv@r
9295     \def\baselinestretch{\m@m@footnote@spacing}%
9296     \reset@font\foottextfont
9297     \hsize\columnwidth \@parboxrestore
9298     \protected@edef\@currentlabel{%
9299       \csname p@mpfootnote\endcsname\@thefnmark}%
9300   \color@begingroup
9301     \@fourcolfootfmt{#1}%
9302   \color@endgroup}%
9303 \m@m@mmf@prepare}
9304 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
9305   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9306     \unvbox\@mpfootinsv@r
9307     \def\baselinestretch{\m@m@footnote@spacing}%
9308     \reset@font\LTRfoottextfont
9309     \hsize\columnwidth \@parboxrestore
9310     \if@RTLcolumnfootnotes\beginL\fi
9311     \protected@edef\@currentlabel{%
9312       \csname p@mpfootnote\endcsname\@thefnmark}%
9313   \color@begingroup
9314     \@fourcolLTRfootfmt{#1}%
9315   \color@endgroup}%
9316 \m@m@mmf@prepare}
9317 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
9318   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9319     \unvbox\@mpfootinsv@r
9320     \def\baselinestretch{\m@m@footnote@spacing}%
9321     \reset@font\RTLfoottextfont
9322     \hsize\columnwidth \@parboxrestore
9323     \protected@edef\@currentlabel{%
9324       \csname p@mpfootnote\endcsname\@thefnmark}%
9325   \color@begingroup
9326     \@fourcolRTLfootfmt{#1}%
9327   \color@endgroup}%
9328 \m@m@mmf@prepare}
9329 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
9330   \m@make@fourcolfootnotetext{#1}%
9331   \m@make@mpfourcolfootnotetext{#1}%
9332   \m@make@fourcolfootfmt{#1}%
9333   \m@make@fourcol@footgroup{#1}%
9334   \m@make@mpfourcol@footgroup{#1}%
9335   \m@make@footstart{#1}%
9336   \bidi@namelongdef{\@footnotetext#1}##1{%
9337     \nameuse{\@fourcolfootnotetext#1}{##1}}%
9338   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
9339     \nameuse{\@mpfourcolfootnotetext#1}{##1}}%
9340   \@namedef{\@footgroup#1}{\@nameuse{\@fourcol@footgroup#1}}%
9341   \@namedef{\mp@footgroup#1}{\@nameuse{\@mpfourcol@footgroup#1}}%

```



```

9342 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9343 \expandafter\count\csname footins#1\endcsname=500\relax}
9344 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
9345 \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
9346 \insert\@nameuse{footins#1}{%
9347 \def\baselinestretch{\m@m@footnote@spacing}%
9348 \reset@font\@nameuse{foottextfont#1}%
9349 \@preamfntext
9350 \protected@edef\@currentlabel{%
9351 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
9352 \color@begingroup
9353 \@nameuse{@fourcolfootfmt#1}{##1}%
9354 \color@endgroup}%
9355 \m@mmf@prepare}}
9356 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
9357 \bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
9358 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9359 \unvbox\@nameuse{@mpfootins#1}
9360 \def\baselinestretch{\m@m@footnote@spacing}%
9361 \reset@font\@nameuse{foottextfont#1}%
9362 \hsize\columnwidth \@parboxrestore
9363 \protected@edef\@currentlabel{%
9364 \csname p@mpfootnote#1\endcsname \@nameuse{@thefnmark#1}}%
9365 \color@begingroup
9366 \@nameuse{@fourcolfootfmt#1}{##1}%
9367 \color@endgroup}\m@mmf@prepare}}
9368 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
9369 \@namedef{@fourcolfootfmt#1}##1{%
9370 \@preamfourfmt
9371 {\@nameuse{footfootmark#1}\strut
9372 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9373 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
9374 \@namedef{@fourcol@footgroup#1}{%
9375 \def\baselinestretch{\m@m@footnote@spacing}%
9376 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9377 \m@r@rigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
9378 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
9379 \@namedef{@mpfourcol@footgroup#1}{%
9380 \def\baselinestretch{\m@m@footnote@spacing}%
9381 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9382 \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
9383 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
9384 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9385 \@bidi@before@Hy@hyperfootnotes
9386 \let\@footnotetext\@fivecolfootnotetext
9387 \let\@LTRfootnotetext\@fivecolLTRfootnotetext
9388 \let\@RTLfootnotetext\@fivecolRTLfootnotetext
9389 \dimen\footinsv@r=5\footinsdim
9390 \count\footinsv@r=200\relax
9391 \m@make@fivecol@footgroup{v@r}%

```



```

9392 \let\@footgroupv@r\@fivecol@footgroupv@r
9393 \let\@mpfootnotetext\@mpfivecolfootnotetext
9394 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
9395 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
9396 \@bidi@after@Hy@hyperfootnotes
9397 \m@make@mpfivecol@footgroup{v@r}%
9398 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
9399 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9400 \def\baselinestretch{\m@m@footnote@spacing}%
9401 \reset@font\foottextfont
9402 \@preamfntext
9403 \protected@edef\@currentlabel{%
9404 \csname p@footnote\endcsname\@thefnmark}%
9405 \color@begingroup
9406 \@fivecolfootfmt{#1}%
9407 \color@endgroup}%
9408 \m@mmf@prepare}
9409 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9410 \def\baselinestretch{\m@m@footnote@spacing}%
9411 \reset@font\LTRfoottextfont
9412 \@preamfntext
9413 \protected@edef\@currentlabel{%
9414 \csname p@footnote\endcsname\@thefnmark}%
9415 \color@begingroup
9416 \@fivecolLTRfootfmt{#1}%
9417 \color@endgroup}%
9418 \m@mmf@prepare}
9419 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9420 \def\baselinestretch{\m@m@footnote@spacing}%
9421 \reset@font\RTLfoottextfont
9422 \@preamfntext
9423 \protected@edef\@currentlabel{%
9424 \csname p@footnote\endcsname\@thefnmark}%
9425 \color@begingroup
9426 \@fivecolRTLfootfmt{#1}%
9427 \color@endgroup}%
9428 \m@mmf@prepare}
9429 \bidi@ensure@newcommand{\@preamfivefmt}{%
9430 \hspace{.2\hspace}
9431 \parindent=\z@
9432 \tolerance=5000\relax
9433 \leavevmode}
9434 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
9435 \@preamfivefmt
9436 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9437 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
9438 \@preamfivefmt
9439 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9440 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
9441 \@preamfivefmt

```



```

9442 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9443 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
9444 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9445 \unvbox\@mpfootinsv@r
9446 \def\baselinestretch{\m@m@footnote@spacing}%
9447 \reset@font\foottextfont
9448 \hsize\columnwidth \@parboxrestore
9449 \protected@edef\@currentlabel{%
9450 \csname p@mpfootnote\endcsname\@thefnmark}%
9451 \color@begingroup
9452 \@fivecolfootfmt{#1}%
9453 \color@endgroup}%
9454 \m@m@mmf@prepare}
9455 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
9456 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9457 \unvbox\@mpfootinsv@r
9458 \def\baselinestretch{\m@m@footnote@spacing}%
9459 \reset@font\LTRfoottextfont
9460 \hsize\columnwidth \@parboxrestore
9461 \if@RTLcolumnfootnotes\beginL\fi
9462 \protected@edef\@currentlabel{%
9463 \csname p@mpfootnote\endcsname\@thefnmark}%
9464 \color@begingroup
9465 \@fivecolLTRfootfmt{#1}%
9466 \color@endgroup}%
9467 \m@m@mmf@prepare}
9468 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
9469 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9470 \unvbox\@mpfootinsv@r
9471 \def\baselinestretch{\m@m@footnote@spacing}%
9472 \reset@font\RTLfoottextfont
9473 \hsize\columnwidth \@parboxrestore
9474 \protected@edef\@currentlabel{%
9475 \csname p@mpfootnote\endcsname\@thefnmark}%
9476 \color@begingroup
9477 \@fivecolRTLfootfmt{#1}%
9478 \color@endgroup}%
9479 \m@m@mmf@prepare}
9480 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
9481 \m@make@fivecolfootnotetext{#1}%
9482 \m@make@mpfivecolfootnotetext{#1}%
9483 \m@make@fivecolfootfmt{#1}%
9484 \m@make@fivecol@footgroup{#1}%
9485 \m@make@mpfivecol@footgroup{#1}%
9486 \m@make@footstart{#1}%
9487 \bidi@namelongdef{\@footnotetext#1}##1{%
9488 \@nameuse{\@fivecolfootnotetext#1}{##1}}%
9489 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
9490 \@nameuse{\@mpfivecolfootnotetext#1}{##1}}%
9491 \@namedef{\@footgroup#1}{\@nameuse{\@fivecol@footgroup#1}}%

```



```

9492 \namedef{mp@footgroup#1}{\nameuse{mpfivecol@footgroup#1}}%
9493 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9494 \expandafter\count\csname footins#1\endcsname=500\relax}
9495 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
9496 \bidi@namelongdef{fivecolfootnotetext#1}##1{%
9497 \insert\nameuse{footins#1}{%
9498 \def\baselinestretch{\m@m@footnote@spacing}%
9499 \reset@font\nameuse{foottextfont#1}%
9500 \@preamfntext
9501 \protected@edef\currentlabel{%
9502 \csname p@footnote#1\endcsname \nameuse{thefnmark#1}}%
9503 \color@begingroup
9504 \nameuse{fivecolfootfmt#1}##1}%
9505 \color@endgroup}%
9506 \m@m@mmf@prepare}}
9507 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
9508 \bidi@namelongdef{mpfivecolfootnotetext#1}##1{%
9509 \global\setbox\nameuse{mpfootins#1}\vbox{%
9510 \unvbox\nameuse{mpfootins#1}
9511 \def\baselinestretch{\m@m@footnote@spacing}%
9512 \reset@font\nameuse{foottextfont#1}%
9513 \hsize\columnwidth \@parboxrestore
9514 \protected@edef\currentlabel{%
9515 \csname p@mpfootnote#1\endcsname\nameuse{thefnmark#1}}%
9516 \color@begingroup
9517 \nameuse{fivecolfootfmt#1}##1}%
9518 \color@endgroup}\m@m@mmf@prepare}}
9519 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
9520 \namedef{fivecolfootfmt#1}##1{%
9521 \@preamfivefmt
9522 {\nameuse{footfootmark#1}\strut
9523 {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9524 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
9525 \namedef{fivecol@footgroup#1}{%
9526 \def\baselinestretch{\m@m@footnote@spacing}%
9527 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9528 \m@m@rigidbalance{\nameuse{footins#1}}{5}{\splittopskip}}}%
9529 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
9530 \namedef{mpfivecol@footgroup#1}{%
9531 \def\baselinestretch{\m@m@footnote@spacing}%
9532 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9533 \m@m@rigidbalance{\nameuse{mpfootins#1}}{5}{\splittopskip}}}%
9534 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
9535 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
9536 \@bidi@before@Hy@hyperfootnotes
9537 \let\@footnotetext\@sixcolfootnotetext
9538 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
9539 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
9540 \dimen\footinsv@r=6\footinsdim
9541 \count\footinsv@r=166\relax

```



```

9542 \m@make@sixcol@footgroup{v@r}%
9543 \let\@footgroupv@r\@sixcol@footgroupv@r
9544 \let\@mpfootnotetext\@mpsixcolfootnotetext
9545 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
9546 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
9547 \@bidi@after@Hy@hyperfootnotes
9548 \m@make@mpsixcol@footgroup{v@r}%
9549 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
9550 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9551 \def\baselinestretch{\m@m@footnote@spacing}%
9552 \reset@font\foottextfont
9553 \@preamfntext
9554 \protected@edef\@currentlabel{%
9555 \csname p@footnote\endcsname\@thefnmark}%
9556 \color@begingroup
9557 \@sixcolfootfmt{#1}%
9558 \color@endgroup}%
9559 \m@mmf@prepare}
9560 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9561 \def\baselinestretch{\m@m@footnote@spacing}%
9562 \reset@font\LTRfoottextfont
9563 \@preamfntext
9564 \protected@edef\@currentlabel{%
9565 \csname p@footnote\endcsname\@thefnmark}%
9566 \color@begingroup
9567 \@sixcolLTRfootfmt{#1}%
9568 \color@endgroup}%
9569 \m@mmf@prepare}
9570 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9571 \def\baselinestretch{\m@m@footnote@spacing}%
9572 \reset@font\RTLfoottextfont
9573 \@preamfntext
9574 \protected@edef\@currentlabel{%
9575 \csname p@footnote\endcsname\@thefnmark}%
9576 \color@begingroup
9577 \@sixcolRTLfootfmt{#1}%
9578 \color@endgroup}%
9579 \m@mmf@prepare}
9580 \bidi@ensure@newcommand{\@preamsixfmt}{%
9581 \hsize .16\hsize
9582 \parindent=\z@
9583 \tolerance=5000\relax
9584 \leavevmode}
9585 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
9586 \@preamsixfmt
9587 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9588 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
9589 \@preamsixfmt
9590 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9591 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%

```



```

9592 \@preamsixfmt
9593 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9594 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}
9595 \global\setbox\@mpfootinsv@r\vbox{%
9596   \unvbox\@mpfootinsv@r
9597   \def\baselinestretch{\m@m@footnote@spacing}%
9598   \reset@font\foottextfont
9599   \hsize\columnwidth \@parboxrestore
9600   \protected@edef\@currentlabel{%
9601     \csname p@mpfootnote\endcsname\@thefnmark}%
9602   \color@begingroup
9603     \@sixcolfootfmt{#1}%
9604   \color@endgroup}%
9605   \m@mmf@prepare}
9606 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
9607   \global\setbox\@mpfootinsv@r\vbox{%
9608     \unvbox\@mpfootinsv@r
9609     \def\baselinestretch{\m@m@footnote@spacing}%
9610     \reset@font\LTRfoottextfont
9611     \hsize\columnwidth \@parboxrestore
9612     \if@RTLcolumnfootnotes\beginL\fi
9613     \protected@edef\@currentlabel{%
9614       \csname p@mpfootnote\endcsname\@thefnmark}%
9615     \color@begingroup
9616       \@sixcolLTRfootfmt{#1}%
9617     \color@endgroup}%
9618     \m@mmf@prepare}
9619 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
9620   \global\setbox\@mpfootinsv@r\vbox{%
9621     \unvbox\@mpfootinsv@r
9622     \def\baselinestretch{\m@m@footnote@spacing}%
9623     \reset@font\RTLfoottextfont
9624     \hsize\columnwidth \@parboxrestore
9625     \protected@edef\@currentlabel{%
9626       \csname p@mpfootnote\endcsname\@thefnmark}%
9627     \color@begingroup
9628       \@sixcolRTLfootfmt{#1}%
9629     \color@endgroup}%
9630     \m@mmf@prepare}
9631 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
9632   \m@make@sixcolfootnotetext{#1}%
9633   \m@make@mpsixcolfootnotetext{#1}%
9634   \m@make@sixcolfootfmt{#1}%
9635   \m@make@sixcol@footgroup{#1}%
9636   \m@make@mpsixcol@footgroup{#1}%
9637   \m@make@footstart{#1}%
9638   \bidi@namelongdef{\@footnotetext#1}##1{%
9639     \@nameuse{\@sixcolfootnotetext#1}{##1}}%
9640   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
9641     \@nameuse{\@mpsixcolfootnotetext#1}{##1}}%

```




```

9642 \namedef{@footgroup#1}{\@nameuse{@sixcol@footgroup#1}}%
9643 \namedef{mp@footgroup#1}{\@nameuse{@mpsixcol@footgroup#1}}%
9644 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9645 \expandafter\count\csname footins#1\endcsname=500\relax}
9646 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
9647 \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
9648 \insert\@nameuse{footins#1}{%
9649 \def\baselinestretch{\m@m@footnote@spacing}%
9650 \reset@font\@nameuse{foottextfont#1}%
9651 \@preamfntext
9652 \protected@edef\@currentlabel{%
9653 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
9654 \color@begingroup
9655 \@nameuse{@sixcolfootfmt#1}{##1}%
9656 \color@endgroup}%
9657 \m@m@mmf@prepare}}
9658 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
9659 \bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
9660 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9661 \unvbox\@nameuse{@mpfootins#1}
9662 \def\baselinestretch{\m@m@footnote@spacing}%
9663 \reset@font\@nameuse{foottextfont#1}%
9664 \hsize\columnwidth \@parboxrestore
9665 \protected@edef\@currentlabel{%
9666 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9667 \color@begingroup
9668 \@nameuse{@sixcolfootfmt#1}{##1}%
9669 \color@endgroup}\m@m@mmf@prepare}}
9670 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
9671 \namedef{@sixcolfootfmt#1}##1{%
9672 \@preamsixfmt
9673 {\@nameuse{footfootmark#1}\strut
9674 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9675 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
9676 \namedef{@sixcol@footgroup#1}{%
9677 \def\baselinestretch{\m@m@footnote@spacing}%
9678 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9679 \m@m@rigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}%
9680 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
9681 \namedef{@mpsixcol@footgroup#1}{%
9682 \def\baselinestretch{\m@m@footnote@spacing}%
9683 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9684 \m@m@rigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}%
9685 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
9686 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
9687 \@bidi@before@Hy@hyperfootnotes
9688 \let\@footnotetext\@sevendcolumnfootnotetext
9689 \let\@LTRfootnotetext\@sevendcolumnLTRfootnotetext
9690 \let\@RTLfootnotetext\@sevendcolumnRTLfootnotetext
9691 \dimen\footinsv@r=7\footinsdim

```



```

9692 \count\footinsv@r=142\relax
9693 \m@make@sevenscol@footgroup{v@r}%
9694 \let\@footgroupv@r\@sevenscol@footgroupv@r
9695 \let\@mpfootnotetext\@mpsevenscolfootnotetext
9696 \let\@mpLTRfootnotetext\@mpsevenscolLTRfootnotetext
9697 \let\@mpRTLfootnotetext\@mpsevenscolRTLfootnotetext
9698 \@bidi@after@Hy@hyperfootnotes
9699 \m@make@mpsevenscol@footgroup{v@r}%
9700 \let\mp@footgroupv@r\@mpsevenscol@footgroupv@r}
9701 \bidi@ensure@newcommand{\@sevenscolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9702 \def\baselinestretch{\m@m@footnote@spacing}%
9703 \reset@font\foottextfont
9704 \@preamfntext
9705 \protected@edef\@currentlabel{%
9706 \csname p@footnote\endcsname\@thefnmark}%
9707 \color@begingroup
9708 \@sevenscolfootfmt{#1}%
9709 \color@endgroup}%
9710 \m@mmf@prepare}
9711 \bidi@ensure@newcommand{\@sevenscolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
9712 \def\baselinestretch{\m@m@footnote@spacing}%
9713 \reset@font\LTRfoottextfont
9714 \@preamfntext
9715 \protected@edef\@currentlabel{%
9716 \csname p@footnote\endcsname\@thefnmark}%
9717 \color@begingroup
9718 \@sevenscolLTRfootfmt{#1}%
9719 \color@endgroup}%
9720 \m@mmf@prepare}
9721 \bidi@ensure@newcommand{\@sevenscolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9722 \def\baselinestretch{\m@m@footnote@spacing}%
9723 \reset@font\RTLfoottextfont
9724 \@preamfntext
9725 \protected@edef\@currentlabel{%
9726 \csname p@footnote\endcsname\@thefnmark}%
9727 \color@begingroup
9728 \@sevenscolRTLfootfmt{#1}%
9729 \color@endgroup}%
9730 \m@mmf@prepare}
9731 \bidi@ensure@newcommand{\@preamsevenfmt}{%
9732 \hsize .142\hsize
9733 \parindent=\z@
9734 \tolerance=5000\relax
9735 \leavevmode}
9736 \bidi@ensure@newcommand{\@sevenscolfootfmt}[1]{%
9737 \@preamsevenfmt
9738 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9739 \bidi@ensure@newcommand{\@sevenscolLTRfootfmt}[1]{%
9740 \@preamsevenfmt
9741 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}

```



```

9742 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
9743   \@preamsevenfmt
9744   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9745 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse%
9746   \global\setbox\@mpfootinsv@r\vbox{%
9747     \unvbox\@mpfootinsv@r
9748     \def\baselinestretch{\m@m@footnote@spacing}%
9749     \reset@font\foottextfont
9750     \hsize\columnwidth \@parboxrestore
9751     \protected@edef\@currentlabel{%
9752       \csname p@mpfootnote\endcsname\@thefnmark}%
9753     \color@begingroup
9754       \@sevencolfootfmt{#1}%
9755     \color@endgroup}%
9756   \m@mmf@prepare}
9757 \bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
9758   \global\setbox\@mpfootinsv@r\vbox{%
9759     \unvbox\@mpfootinsv@r
9760     \def\baselinestretch{\m@m@footnote@spacing}%
9761     \reset@font\LTRfoottextfont
9762     \hsize\columnwidth \@parboxrestore
9763     \if@RTLcolumnfootnotes\beginL\fi
9764     \protected@edef\@currentlabel{%
9765       \csname p@mpfootnote\endcsname\@thefnmark}%
9766     \color@begingroup
9767       \@sevencolLTRfootfmt{#1}%
9768     \color@endgroup}%
9769   \m@mmf@prepare}
9770 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
9771   \global\setbox\@mpfootinsv@r\vbox{%
9772     \unvbox\@mpfootinsv@r
9773     \def\baselinestretch{\m@m@footnote@spacing}%
9774     \reset@font\RTLfoottextfont
9775     \hsize\columnwidth \@parboxrestore
9776     \protected@edef\@currentlabel{%
9777       \csname p@mpfootnote\endcsname\@thefnmark}%
9778     \color@begingroup
9779       \@sevencolRTLfootfmt{#1}%
9780     \color@endgroup}%
9781   \m@mmf@prepare}
9782 \bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
9783   \m@make@sevencolfootnotetext{#1}%
9784   \m@make@mpsevencolfootnotetext{#1}%
9785   \m@make@sevencolfootfmt{#1}%
9786   \m@make@sevencol@footgroup{#1}%
9787   \m@make@mpsevencol@footgroup{#1}%
9788   \m@make@footstart{#1}%
9789   \bidi@namelongdef{\@footnotetext#1}##1{%
9790     \@nameuse{\@sevencolfootnotetext#1}{##1}}%
9791   \bidi@namelongdef{\@mpfootnotetext#1}##1{%

```



```

9792 \nameuse{@mpsevencolfootnotetext#1}{##1}}%
9793 \@namedef{@footgroup#1}{\nameuse{@sevencol@footgroup#1}}%
9794 \@namedef{mp@footgroup#1}{\nameuse{@mpsevencol@footgroup#1}}%
9795 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9796 \expandafter\count\csname footins#1\endcsname=500\relax
9797 \bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
9798 \bidi@namelongdef{@sevencolfootnotetext#1}{##1}{%
9799 \insert\nameuse{footins#1}{%
9800 \def\baselinestretch{\m@m@footnote@spacing}%
9801 \reset@font\nameuse{foottextfont#1}%
9802 \@preamfntext
9803 \protected@edef\currentlabel{%
9804 \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9805 \color@begingroup
9806 \nameuse{@sevencolfootfmt#1}{##1}%
9807 \color@endgroup}%
9808 \m@m@prepare}}
9809 \bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
9810 \bidi@namelongdef{@mpsevencolfootnotetext#1}{##1}{%
9811 \global\setbox\nameuse{@mpfootins#1}\vbox{%
9812 \unvbox\nameuse{@mpfootins#1}
9813 \def\baselinestretch{\m@m@footnote@spacing}%
9814 \reset@font\nameuse{foottextfont#1}%
9815 \hsize\columnwidth \@parboxrestore
9816 \protected@edef\currentlabel{%
9817 \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9818 \color@begingroup
9819 \nameuse{@sevencolfootfmt#1}{##1}%
9820 \color@endgroup}\m@m@prepare}}
9821 \bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
9822 \@namedef{@sevencolfootfmt#1}{##1}{%
9823 \@preamsevenfmt
9824 {\nameuse{footfootmark#1}\strut
9825 {\nameuse{foottextfont#1}{##1}\strut\par}\allowbreak}}
9826 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
9827 \@namedef{@sevencol@footgroup#1}{%
9828 \def\baselinestretch{\m@m@footnote@spacing}%
9829 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9830 \m@mrigidbalance{\nameuse{footins#1}}{7}{\splittopskip}}}%
9831 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
9832 \@namedef{@mpsevencol@footgroup#1}{%
9833 \def\baselinestretch{\m@m@footnote@spacing}%
9834 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9835 \m@mrigidbalance{\nameuse{@mpfootins#1}}{7}{\splittopskip}}}%
9836 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
9837 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9838 \@bidi@before@Hy@hyperfootnotes
9839 \let\@footnotetext\@eightcolfootnotetext
9840 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
9841 \let\@RTLfootnotetext\@eightcolRTLfootnotetext

```



```

9842 \dimen\footinsv@r=8\footinsdim
9843 \count\footinsv@r=125\relax
9844 \m@make@eightcol@footgroup{v@r}%
9845 \let\@footgroupv@r\@eightcol@footgroupv@r
9846 \let\@mpfootnotetext\@mpeightcolfootnotetext
9847 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
9848 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
9849 \@bidi@after@Hy@hyperfootnotes
9850 \m@make@mpeightcol@footgroup{v@r}%
9851 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
9852 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
9853 \def\baselinestretch{\m@m@footnote@spacing}%
9854 \reset@font\foottextfont
9855 \@preamfntext
9856 \protected@edef\@currentlabel{%
9857 \csname p@footnote\endcsname\@thefnmark}%
9858 \color@begingroup
9859 \@eightcolfootfmt{#1}%
9860 \color@endgroup}%
9861 \m@mmf@prepare}
9862 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
9863 \def\baselinestretch{\m@m@footnote@spacing}%
9864 \reset@font\LTRfoottextfont
9865 \@preamfntext
9866 \protected@edef\@currentlabel{%
9867 \csname p@footnote\endcsname\@thefnmark}%
9868 \color@begingroup
9869 \@eightcolLTRfootfmt{#1}%
9870 \color@endgroup}%
9871 \m@mmf@prepare}
9872 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9873 \def\baselinestretch{\m@m@footnote@spacing}%
9874 \reset@font\RTLfoottextfont
9875 \@preamfntext
9876 \protected@edef\@currentlabel{%
9877 \csname p@footnote\endcsname\@thefnmark}%
9878 \color@begingroup
9879 \@eightcolRTLfootfmt{#1}%
9880 \color@endgroup}%
9881 \m@mmf@prepare}
9882 \bidi@ensure@newcommand{\@preameightfmt}{%
9883 \hsize .125\hsize
9884 \parindent=\z@
9885 \tolerance=5000\relax
9886 \leavevmode}
9887 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
9888 \@preameightfmt
9889 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9890 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
9891 \@preameightfmt

```



```

9892 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9893 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
9894   \@preambleeightfmt
9895   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9896 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
9897   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9898     \unvbox\@mpfootinsv@r
9899     \def\baselinestretch{\m@m@footnote@spacing}%
9900     \reset@font\foottextfont
9901     \hsize\columnwidth \@parboxrestore
9902     \protected@edef\@currentlabel{%
9903       \csname p@mpfootnote\endcsname\@thefnmark}%
9904     \color@begingroup
9905       \@eightcolfootfmt{#1}%
9906     \color@endgroup}%
9907   \m@m@mmf@prepare}
9908 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
9909   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9910     \unvbox\@mpfootinsv@r
9911     \def\baselinestretch{\m@m@footnote@spacing}%
9912     \reset@font\LTRfoottextfont
9913     \hsize\columnwidth \@parboxrestore
9914     \if@RTLcolumnfootnotes\beginL\fi
9915     \protected@edef\@currentlabel{%
9916       \csname p@mpfootnote\endcsname\@thefnmark}%
9917     \color@begingroup
9918       \@eightcolLTRfootfmt{#1}%
9919     \color@endgroup}%
9920   \m@m@mmf@prepare}
9921 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
9922   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9923     \unvbox\@mpfootinsv@r
9924     \def\baselinestretch{\m@m@footnote@spacing}%
9925     \reset@font\RTLfoottextfont
9926     \hsize\columnwidth \@parboxrestore
9927     \protected@edef\@currentlabel{%
9928       \csname p@mpfootnote\endcsname\@thefnmark}%
9929     \color@begingroup
9930       \@eightcolRTLfootfmt{#1}%
9931     \color@endgroup}%
9932   \m@m@mmf@prepare}
9933 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
9934   \m@make@eightcolfootnotetext{#1}%
9935   \m@make@mpeightcolfootnotetext{#1}%
9936   \m@make@eightcolfootfmt{#1}%
9937   \m@make@eightcol@footgroup{#1}%
9938   \m@make@mpeightcol@footgroup{#1}%
9939   \m@make@footstart{#1}%
9940   \bidi@namelongdef{\footnotetext#1}##1{%
9941     \@nameuse{\@eightcolfootnotetext#1}{##1}}%

```



```

9942 \bidi@namelongdef{@mpfootnotetext#1}##1{%
9943   \@nameuse{@mpeightcolfootnotetext#1}{##1}}%
9944 \@namedef{@footgroup#1}{\@nameuse{@eightcol@footgroup#1}}%
9945 \@namedef{mp@footgroup#1}{\@nameuse{@mpeightcol@footgroup#1}}%
9946 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9947 \expandafter\count\csname footins#1\endcsname=500\relax
9948 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
9949   \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
9950     \insert\@nameuse{footins#1}{%
9951       \def\baselinestretch{\m@m@footnote@spacing}%
9952       \reset@font\@nameuse{foottextfont#1}%
9953       \@preamfntext
9954       \protected@edef\@currentlabel{%
9955         \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
9956       \color@begingroup
9957         \@nameuse{@eightcolfootfmt#1}{##1}%
9958       \color@endgroup}%
9959       \m@mmf@prepare}}
9960 \bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
9961 \bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
9962   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9963     \unvbox\@nameuse{@mpfootins#1}
9964     \def\baselinestretch{\m@m@footnote@spacing}%
9965     \reset@font\@nameuse{foottextfont#1}%
9966     \hsize\columnwidth \@parboxrestore
9967     \protected@edef\@currentlabel{%
9968       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9969     \color@begingroup
9970       \@nameuse{@eightcolfootfmt#1}{##1}%
9971     \color@endgroup}\m@mmf@prepare}}
9972 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
9973   \@namedef{@eightcolfootfmt#1}##1{%
9974     \@preameightfmt
9975     {\@nameuse{footfootmark#1}\strut
9976      {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9977 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
9978   \@namedef{@eightcol@footgroup#1}{%
9979     \def\baselinestretch{\m@m@footnote@spacing}%
9980     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9981     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}%
9982 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
9983   \@namedef{@mpeightcol@footgroup#1}{%
9984     \def\baselinestretch{\m@m@footnote@spacing}%
9985     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9986     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}%
9987 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
9988   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9989   \@bidi@before@Hy@hyperfootnotes
9990   \let\@footnotetext\@ninecolfootnotetext
9991   \let\@LTRfootnotetext\@ninecollTRfootnotetext

```



```

9992 \let\@RTLfootnotetext\@ninelcolRTLfootnotetext
9993 \dimen\footinsv@r=9\footinsdim
9994 \count\footinsv@r=111\relax
9995 \m@make@ninelcol@footgroup{v@r}%
9996 \let\@footgroupv@r\@ninelcol@footgroupv@r
9997 \let\@mpfootnotetext\@mpninelcolfootnotetext
9998 \let\@mpLTRfootnotetext\@mpninelcolLTRfootnotetext
9999 \let\@mpRTLfootnotetext\@mpninelcolRTLfootnotetext
10000 \@bidi@after@Hy@hyperfootnotes
10001 \m@make@mpninelcol@footgroup{v@r}%
10002 \let\mp@footgroupv@r\@mpninelcol@footgroupv@r}
10003 \bidi@ensure@newcommand{\@ninelcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
10004 \def\baselinestretch{\m@m@footnote@spacing}%
10005 \reset@font\foottextfont
10006 \@preamfntext
10007 \protected@edef\@currentlabel{%
10008 \csname p@footnote\endcsname\@thefnmark}%
10009 \color@begingroup
10010 \@ninelcolfootfmt{#1}%
10011 \color@endgroup}%
10012 \m@mmf@prepare}
10013 \bidi@ensure@newcommand{\@ninelcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
10014 \def\baselinestretch{\m@m@footnote@spacing}%
10015 \reset@font\LTRfoottextfont
10016 \@preamfntext
10017 \protected@edef\@currentlabel{%
10018 \csname p@footnote\endcsname\@thefnmark}%
10019 \color@begingroup
10020 \@ninelcolLTRfootfmt{#1}%
10021 \color@endgroup}%
10022 \m@mmf@prepare}
10023 \bidi@ensure@newcommand{\@ninelcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
10024 \def\baselinestretch{\m@m@footnote@spacing}%
10025 \reset@font\RTLfoottextfont
10026 \@preamfntext
10027 \protected@edef\@currentlabel{%
10028 \csname p@footnote\endcsname\@thefnmark}%
10029 \color@begingroup
10030 \@ninelcolRTLfootfmt{#1}%
10031 \color@endgroup}%
10032 \m@mmf@prepare}
10033 \bidi@ensure@newcommand{\@preamninefmt}{%
10034 \hsize .1\hsize
10035 \parindent=\z@
10036 \tolerance=5000\relax
10037 \leavevmode}
10038 \bidi@ensure@newcommand{\@ninelcolfootfmt}[1]{%
10039 \@preamninefmt
10040 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
10041 \bidi@ensure@newcommand{\@ninelcolLTRfootfmt}[1]{%

```




```

10042 \@preamninefmt
10043 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
10044 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
10045   \@preamninefmt
10046   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
10047 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
10048   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10049     \unvbox\@mpfootinsv@r
10050     \def\baselinestretch{\m@m@footnote@spacing}%
10051     \reset@font\foottextfont
10052     \hsize\columnwidth \@parboxrestore
10053     \protected@edef\@currentlabel{%
10054       \csname p@mpfootnote\endcsname\@thefnmark}%
10055     \color@begingroup
10056       \@ninecolfootfmt{#1}%
10057     \color@endgroup}%
10058   \m@m@mmf@prepare}
10059 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
10060   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
10061     \unvbox\@mpfootinsv@r
10062     \def\baselinestretch{\m@m@footnote@spacing}%
10063     \reset@font\LTRfoottextfont
10064     \hsize\columnwidth \@parboxrestore
10065     \if@RTLcolumnfootnotes\beginL\fi
10066     \protected@edef\@currentlabel{%
10067       \csname p@mpfootnote\endcsname\@thefnmark}%
10068     \color@begingroup
10069       \@ninecolLTRfootfmt{#1}%
10070     \color@endgroup}%
10071   \m@m@mmf@prepare}
10072 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
10073   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
10074     \unvbox\@mpfootinsv@r
10075     \def\baselinestretch{\m@m@footnote@spacing}%
10076     \reset@font\RTLfoottextfont
10077     \hsize\columnwidth \@parboxrestore
10078     \protected@edef\@currentlabel{%
10079       \csname p@mpfootnote\endcsname\@thefnmark}%
10080     \color@begingroup
10081       \@ninecolRTLfootfmt{#1}%
10082     \color@endgroup}%
10083   \m@m@mmf@prepare}
10084 \bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
10085   \m@make@ninecolfootnotetext{#1}%
10086   \m@make@mpninecolfootnotetext{#1}%
10087   \m@make@ninecolfootfmt{#1}%
10088   \m@make@ninecol@footgroup{#1}%
10089   \m@make@mpninecol@footgroup{#1}%
10090   \m@make@footstart{#1}%
10091   \bidi@namelongdef{\footnotetext#1}##1{%

```



```

10092 \nameuse{@ninecolfootnotetext#1}{##1}}%
10093 \bidi@namelongdef{@mpfootnotetext#1}##1{%
10094 \nameuse{@mpninecolfootnotetext#1}{##1}}%
10095 \@namedef{footgroup#1}{\nameuse{@ninecolfootgroup#1}}%
10096 \@namedef{mpfootgroup#1}{\nameuse{@mpninecolfootgroup#1}}%
10097 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
10098 \expandafter\count\csname footins#1\endcsname=500\relax
10099 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
10100 \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
10101 \insert\nameuse{footins#1}{%
10102 \def\baselinestretch{\m@m@footnote@spacing}%
10103 \reset@font\nameuse{foottextfont#1}%
10104 \preamfntext
10105 \protected@edef\currentlabel{%
10106 \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
10107 \color@begingroup
10108 \nameuse{@ninecolfootfmt#1}{##1}%
10109 \color@endgroup}%
10110 \m@mmf@prepare}}
10111 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
10112 \bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
10113 \global\setbox\nameuse{@mpfootins#1}\vbox{%
10114 \unvbox\nameuse{@mpfootins#1}
10115 \def\baselinestretch{\m@m@footnote@spacing}%
10116 \reset@font\nameuse{foottextfont#1}%
10117 \hsize\columnwidth \parboxrestore
10118 \protected@edef\currentlabel{%
10119 \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
10120 \color@begingroup
10121 \nameuse{@ninecolfootfmt#1}{##1}%
10122 \color@endgroup}\m@mmf@prepare}}
10123 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
10124 \@namedef{@ninecolfootfmt#1}##1{%
10125 \preamninefmt
10126 {\nameuse{footfootmark#1}\strut
10127 {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
10128 \bidi@ensure@newcommand{\m@make@ninecolfootgroup}[1]{%
10129 \@namedef{@ninecolfootgroup#1}{%
10130 \def\baselinestretch{\m@m@footnote@spacing}%
10131 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10132 \m@mrigidbalance{\nameuse{footins#1}}{9}{\splittopskip}}}}
10133 \bidi@ensure@newcommand{\m@make@mpninecolfootgroup}[1]{%
10134 \@namedef{@mpninecolfootgroup#1}{%
10135 \def\baselinestretch{\m@m@footnote@spacing}%
10136 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10137 \m@mrigidbalance{\nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
10138 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
10139 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
10140 \@bidi@before@Hy@hyperfootnotes
10141 \let\@footnotetext\@tencolfootnotetext

```



```

10142 \let\@LTRfootnotetext\@tencolLTRfootnotetext
10143 \let\@RTLfootnotetext\@tencolRTLfootnotetext
10144 \dimen\footinsv@r=10\footinsdim
10145 \count\footinsv@r=100\relax
10146 \m@make@tencol@footgroup{v@r}%
10147 \let\@footgroupv@r\@tencol@footgroupv@r
10148 \let\@mpfootnotetext\@mptencolfootnotetext
10149 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
10150 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
10151 \@bidi@after@Hy@hyperfootnotes
10152 \m@make@mptencol@footgroup{v@r}%
10153 \let\mp@footgroupv@r\@mptencol@footgroupv@r
10154 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
10155 \def\baselinestretch{\m@m@footnote@spacing}%
10156 \reset@font\foottextfont
10157 \@preamfntext
10158 \protected@edef\@currentlabel{%
10159 \csname p@footnote\endcsname\@thefnmark}%
10160 \color@begingroup
10161 \@tencolfootfmt{#1}%
10162 \color@endgroup}%
10163 \m@mmf@prepare}
10164 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
10165 \def\baselinestretch{\m@m@footnote@spacing}%
10166 \reset@font\LTRfoottextfont
10167 \@preamfntext
10168 \protected@edef\@currentlabel{%
10169 \csname p@footnote\endcsname\@thefnmark}%
10170 \color@begingroup
10171 \@tencolLTRfootfmt{#1}%
10172 \color@endgroup}%
10173 \m@mmf@prepare}
10174 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
10175 \def\baselinestretch{\m@m@footnote@spacing}%
10176 \reset@font\RTLfoottextfont
10177 \@preamfntext
10178 \protected@edef\@currentlabel{%
10179 \csname p@footnote\endcsname\@thefnmark}%
10180 \color@begingroup
10181 \@tencolRTLfootfmt{#1}%
10182 \color@endgroup}%
10183 \m@mmf@prepare}
10184 \bidi@ensure@newcommand{\@preamtenfmt}{%
10185 \hspace{.1\hspace}
10186 \parindent=\z@
10187 \tolerance=5000\relax
10188 \leavevmode}
10189 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
10190 \@preamtenfmt
10191 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}

```



```

10192 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
10193   \@preamtenfmt
10194   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
10195 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
10196   \@preamtenfmt
10197   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
10198 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
10199   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10200     \unvbox\@mpfootinsv@r
10201     \def\baselinestretch{\m@m@footnote@spacing}%
10202     \reset@font\foottextfont
10203     \hsize\columnwidth \@parboxrestore
10204     \protected@edef\@currentlabel{%
10205       \csname p@mpfootnote\endcsname\@thefnmark}%
10206     \color@begingroup
10207       \@tencolfootfmt{#1}%
10208     \color@endgroup}%
10209   \m@m@mmf@prepare}
10210 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
10211   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
10212     \unvbox\@mpfootinsv@r
10213     \def\baselinestretch{\m@m@footnote@spacing}%
10214     \reset@font\LTRfoottextfont
10215     \hsize\columnwidth \@parboxrestore
10216     \if@RTLcolumnfootnotes\beginL\fi
10217     \protected@edef\@currentlabel{%
10218       \csname p@mpfootnote\endcsname\@thefnmark}%
10219     \color@begingroup
10220       \@tencolLTRfootfmt{#1}%
10221     \color@endgroup}%
10222   \m@m@mmf@prepare}
10223 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
10224   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
10225     \unvbox\@mpfootinsv@r
10226     \def\baselinestretch{\m@m@footnote@spacing}%
10227     \reset@font\RTLfoottextfont
10228     \hsize\columnwidth \@parboxrestore
10229     \protected@edef\@currentlabel{%
10230       \csname p@mpfootnote\endcsname\@thefnmark}%
10231     \color@begingroup
10232       \@tencolRTLfootfmt{#1}%
10233     \color@endgroup}%
10234   \m@m@mmf@prepare}
10235 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
10236   \m@make@tencolfootnotetext{#1}%
10237   \m@make@mptencolfootnotetext{#1}%
10238   \m@make@tencolfootfmt{#1}%
10239   \m@make@tencol@footgroup{#1}%
10240   \m@make@mptencol@footgroup{#1}%
10241   \m@make@footstart{#1}%

```



```

10242 \bidi@namelongdef{@footnotetext#1}##1{%
10243   \@nameuse{@tencolfootnotetext#1}{##1}}%
10244 \bidi@namelongdef{@mpfootnotetext#1}##1{%
10245   \@nameuse{@mptencolfootnotetext#1}{##1}}%
10246 \@namedef{@footgroup#1}{\@nameuse{@tencol@footgroup#1}}%
10247 \@namedef{@mp@footgroup#1}{\@nameuse{@mptencol@footgroup#1}}%
10248 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
10249 \expandafter\count\csname footins#1\endcsname=500\relax}
10250 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
10251   \bidi@namelongdef{@tencolfootnotetext#1}##1{%
10252     \insert\@nameuse{footins#1}{%
10253       \def\baselinestretch{\m@m@footnote@spacing}%
10254       \reset@font\@nameuse{foottextfont#1}%
10255       \@preamfntext
10256       \protected@edef\@currentlabel{%
10257         \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
10258       \color@begingroup
10259         \@nameuse{@tencolfootfmt#1}{##1}%
10260       \color@endgroup}%
10261       \m@mmf@prepare}}
10262 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
10263   \bidi@namelongdef{@mptencolfootnotetext#1}##1{%
10264     \global\setbox\@nameuse{@mpfootins#1}\vbox{%
10265       \unvbox\@nameuse{@mpfootins#1}
10266       \def\baselinestretch{\m@m@footnote@spacing}%
10267       \reset@font\@nameuse{foottextfont#1}%
10268       \hsize\columnwidth \@parboxrestore
10269       \protected@edef\@currentlabel{%
10270         \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
10271       \color@begingroup
10272         \@nameuse{@tencolfootfmt#1}{##1}%
10273       \color@endgroup}\m@mmf@prepare}}
10274 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
10275   \@namedef{@tencolfootfmt#1}##1{%
10276     \@preamtenfmt
10277     {\@nameuse{footfootmark#1}\strut
10278     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
10279 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
10280   \@namedef{@tencol@footgroup#1}{%
10281     \def\baselinestretch{\m@m@footnote@spacing}%
10282     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10283     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
10284 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
10285   \@namedef{@mptencol@footgroup#1}{%
10286     \def\baselinestretch{\m@m@footnote@spacing}%
10287     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10288     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
10289 \bidi@ensure@newcommand{\m@munvxh}[1]{%
10290   \setbox0=\vbox{\unvbox#1}
10291   \global\setbox1=\lastbox}%

```



```

10292 \unhbox1
10293 \unskip
10294 \unskip
10295 \unpenalty
10296 \hskip\m@mipn@skip}
10297 \bidi@ensure@newcommand{\m@mungebox}{%
10298 \setbox0=\hbox{\m@munvxh0}%
10299 \dp0=\z@
10300 \ht0=\footfudgefactor\wd0
10301 \box0
10302 \penalty0}
10303 \newskip\m@mipn@skip
10304 \bidi@ensure@newcommand*{\m@minterparanoteglua}[1]{%
10305 {\foottextfont\global\m@mipn@skip=#1\relax}}
10306 \m@minterparanoteglua{1em plus.4em minus.4em}
10307 \@ifpackageloaded{multicol}{%
10308 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
10309 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
10310 \hsize\textwidth%
10311 \setbox0=\hbox{}%
10312 \loop
10313 \unpenalty
10314 \setbox2=\lastbox
10315 \ifhbox2
10316 \setbox0=\hbox{\box2\unhbox0}
10317 \repeat}
10318 }{%
10319 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
10320 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
10321 \setbox0=\hbox{}%
10322 \loop
10323 \unpenalty
10324 \setbox2=\lastbox
10325 \ifhbox2
10326 \setbox0=\hbox{\box2\unhbox0}
10327 \repeat}}
10328 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
10329 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
10330 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
10331 \bidi@ensure@newcommand{\paragraphfootnotes}{%
10332 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
10333 \@bidi@before@Hy@hyperfootnotes
10334 \let\@footnotetext\@parafootnotetext
10335 \let\@LTRfootnotetext\@paraLTRfootnotetext
10336 \let\@RTLfootnotetext\@paraRTLfootnotetext
10337 \dimen\footinsv@r=\footinsdim
10338 \count\footinsv@r=1000\relax
10339 \m@make@para@footgroup{v@r}%
10340 \let\@footgroupv@r\@para@footgroupv@r
10341 \let\@mpfootnotetext\@mpparafootnotetext

```



```

10342 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
10343 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
10344 \@bidi@after@Hy@hyperfootnotes
10345 \m@make@mppara@footgroup{v@r}%
10346 \let\mp@footgroupv@r\@mppara@footgroupv@r
10347 \begingroup
10348 \def\baselinestretch{\m@m@footnote@spacing}%
10349 \foottextfont
10350 \@tempdima\normalbaselineskip
10351 \multiply \@tempdima \@cclvi
10352 \@tempdimb \columnwidth
10353 \divide \@tempdimb \@cclvi
10354 \divide \@tempdima \@tempdimb
10355 \xdef\footfudgefactor{\strip@pt\@tempdima}%
10356 \endgroup
10357 }
10358 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
10359 \let\bidi@RTL@everypar\@empty%
10360 \def\baselinestretch{\m@m@footnote@spacing}%
10361 \reset@font\foottextfont
10362 \@preamfntext
10363 \protected@edef\@currentlabel{%
10364 \csname p@footnote\endcsname\@thefnmark}%
10365 \setbox0=\vbox{\hsize=\maxdimen
10366 \color@begingroup
10367 \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
10368 \color@endgroup}%
10369 \m@mungebox}\m@m@mmf@prepare}
10370 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
10371 \let\bidi@RTL@everypar\@empty%
10372 \def\baselinestretch{\m@m@footnote@spacing}%
10373 \reset@font\LTRfoottextfont
10374 \@preamfntext
10375 \protected@edef\@currentlabel{%
10376 \csname p@footnote\endcsname\@thefnmark}%
10377 \setbox0=\vbox{\hsize=\maxdimen
10378 \color@begingroup
10379 \noindent \@paraLTRfootfmt{\beginL#1\endL}%
10380 \color@endgroup}%
10381 \m@mungebox}\m@m@mmf@prepare}
10382 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
10383 \let\bidi@RTL@everypar\@empty%
10384 \def\baselinestretch{\m@m@footnote@spacing}%
10385 \reset@font\RTLfoottextfont
10386 \@preamfntext
10387 \protected@edef\@currentlabel{%
10388 \csname p@footnote\endcsname\@thefnmark}%
10389 \setbox0=\vbox{\hsize=\maxdimen
10390 \color@begingroup
10391 \noindent \@paraRTLfootfmt{\beginR#1\endR}%

```



```

10392 \color@endgroup}%
10393 \m@mungebox}\m@mmf@prepare}
10394 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
10395 \parindent=\z@
10396 \parfillskip=0pt \@plus 1fil
10397 {\footfootmark\strut {\foottextfont #1}\penalty-10}}
10398 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
10399 \parindent=\z@
10400 \parfillskip=0pt \@plus 1fil
10401 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
10402 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
10403 \parindent=\z@
10404 \parfillskip=0pt \@plus 1fil
10405 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
10406 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
10407 \global\setbox\@mpfootinsv@r\vbox{%
10408 \let\bidi@RTL@everypar\@empty%
10409 \def\baselinestretch{\m@m@footnote@spacing}%
10410 \unvbox\@mpfootinsv@r
10411 \reset@font\foottextfont
10412 \hsize\columnwidth \@parboxrestore
10413 \protected@edef\@currentlabel{%
10414 \csname p@mpfootnote\endcsname\@thefnmark}%
10415 \setbox0=\vbox{\hsize=\maxdimen
10416 \color@begingroup
10417 \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
10418 \color@endgroup}%
10419 \m@mungebox}\m@mmf@prepare}
10420 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
10421 \global\setbox\@mpfootinsv@r\vbox{%
10422 \let\bidi@RTL@everypar\@empty%
10423 \def\baselinestretch{\m@m@footnote@spacing}%
10424 \unvbox\@mpfootinsv@r
10425 \reset@font\LTRfoottextfont
10426 \hsize\columnwidth \@parboxrestore
10427 \protected@edef\@currentlabel{%
10428 \csname p@mpfootnote\endcsname\@thefnmark}%
10429 \setbox0=\vbox{\hsize=\maxdimen
10430 \color@begingroup
10431 \noindent \@paraLTRfootfmt{\beginL#1\endL}%
10432 \color@endgroup}%
10433 \m@mungebox}\m@mmf@prepare}
10434 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
10435 \global\setbox\@mpfootinsv@r\vbox{%
10436 \let\bidi@RTL@everypar\@empty%
10437 \def\baselinestretch{\m@m@footnote@spacing}%
10438 \unvbox\@mpfootinsv@r
10439 \reset@font\RTLfoottextfont
10440 \hsize\columnwidth \@parboxrestore
10441 \protected@edef\@currentlabel{%

```




```

10442      \csname p@mpfootnote\endcsname\@thefnmark}%
10443      \setbox0=\vbox{\hsize=\maxdimen
10444      \color@begingroup
10445      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
10446      \color@endgroup}%
10447      \m@mungebox}\m@mmf@prepare}
10448 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
10449   \m@make@parafootnotetext{#1}%
10450   \m@make@mpparafootnotetext{#1}%
10451   \m@make@parafootfmt{#1}%
10452   \m@make@para@footgroup{#1}%
10453   \m@make@mppara@footgroup{#1}%
10454   \m@make@para@footstart{#1}%
10455   \bidi@namelongdef{@footnotetext#1}##1{%
10456     \@nameuse{@parafootnotetext#1}{##1}}%
10457   \bidi@namelongdef{@mpfootnotetext#1}##1{%
10458     \@nameuse{@mpparafootnotetext#1}{##1}}%
10459   \@namedef{@footgroup#1}{\@nameuse{@para@footgroup#1}}%
10460   \@namedef{@mp@footgroup#1}{\@nameuse{@mppara@footgroup#1}}%
10461   \@namedef{@footstart#1}{\@nameuse{@para@footstart#1}}%
10462   \expandafter\dimen\csname footins#1\endcsname=\footinsdim
10463   \expandafter\count\csname footins#1\endcsname=1000\relax
10464   \begingroup
10465   \def\baselinestretch{\m@m@footnote@spacing}%
10466   \@nameuse{foottextfont#1}%
10467   \@tempdima\normalbaselineskip
10468   \multiply \@tempdima \@cclvi
10469   \@tempdimb \columnwidth
10470   \divide \@tempdimb \@cclvi
10471   \divide \@tempdima \@tempdimb
10472   \xdef\footfudgefactor{\strip@pt\@tempdima}%
10473   \endgroup
10474 }
10475 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
10476 \bidi@namelongdef{@parafootnotetext#1}##1{%
10477   \insert\@nameuse{footins#1}{
10478     \def\baselinestretch{\m@m@footnote@spacing}%
10479     \reset@font\@nameuse{foottextfont#1}%
10480     \@preamfntext
10481     \protected@edef\@currentlabel{%
10482       \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
10483     \setbox0=\vbox{\hsize=\maxdimen
10484     \color@begingroup
10485     \noindent \@nameuse{@parafootfmt#1}{##1}%
10486     \color@endgroup}%
10487     \m@mungebox}\m@mmf@prepare}}
10488 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
10489 \bidi@namelongdef{@mpparafootnotetext#1}##1{%
10490   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
10491     \unvbox\@nameuse{@mpfootins#1}

```



```

10492 \def\baselinestretch{\m@m@footnote@spacing}%
10493 \reset@font\@nameuse{foottextfont#1}%
10494 \hsize\columnwidth \@parboxrestore
10495 \protected@edef\@currentlabel{%
10496   \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
10497 \setbox0=\vbox{\hsize=\maxdimen
10498   \color@begingroup
10499   \noindent \@nameuse{@parafootfmt#1}{##1}%
10500   \color@endgroup}%
10501 \m@mungebox}\m@mmf@prepare}}
10502 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
10503 \bidi@namelongdef{@parafootfmt#1}##1{%
10504   \parindent=\z@
10505   \parfillskip=0pt \@plus 1fil
10506   {\@nameuse{footfootmark#1}\strut
10507     {\@nameuse{foottextfont#1}##1\penalty-10}}}
10508 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
10509 \@namedef{@para@footgroup#1}{%
10510   \unvbox\@nameuse{footins#1}
10511   \m@mmakehboxofhboxes
10512   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10513   \@parboxrestore%
10514   \def\baselinestretch{\m@m@footnote@spacing}%
10515   \@nameuse{foottextfont#1}%
10516   \noindent\unhbox0\par}}
10517 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
10518 \@namedef{@mppara@footgroup#1}{%
10519   \unvbox\@nameuse{mpfootins#1}
10520   \m@mmakehboxofhboxes
10521   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10522   \def\baselinestretch{\m@m@footnote@spacing}%
10523   \@nameuse{foottextfont#1}%
10524   \noindent\unhbox0\par}}
10525 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
10526 \@namedef{@para@footstart#1}{%
10527   \vskip\bigskipamount
10528   \leftskip=\z@
10529   \rightskip=\z@
10530   \parindent=\z@
10531   \vskip\skip\@nameuse{footins#1}%
10532   \footnoterule}}
10533 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
10534 \xdef\@freelist{\@freelist\@midlist}%
10535 \global\let\@midlist\@empty
10536 \@combinefloats}
10537 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
10538   \ifvbox\@kludgeins
10539     \@makespecialcolbox
10540   \else
10541     \setbox\@outputbox \vbox to\@colht{%

```



```

10542      \@texttop
10543      \dimen@ \dp\@outputbox
10544      \unvbox \@outputbox
10545      \vskip -\dimen@
10546      \@textbottom}%
10547 \fi}
10548 \bidi@ensure@newcommand*{\m@m@makecolintro}{%
10549 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
10550 \boxmaxdepth\@maxdepth
10551 \@tempdima\dp\@cclv
10552 \unvbox\@cclv
10553 \vskip-\@tempdima
10554 \bidi@mopfn@bottom
10555 \vskip \skip\footins
10556 \color@begingroup
10557 \normalcolor
10558 \footnoterule
10559 \unvbox \footins
10560 \color@endgroup}}
10561 \newcommand*{\bidi@mopfootnotebf}{%
10562 \setbox\@outputbox \vbox{%
10563 \boxmaxdepth\@maxdepth
10564 \unvbox\@outputbox
10565 \bidi@mopfn@bottom
10566 \vskip\skip\footins
10567 \color@begingroup
10568 \normalcolor
10569 \footnoterule
10570 \unvbox \footins
10571 \color@endgroup}}
10572 \gdef\mem@makecol{%
10573 \m@m@makecolintro
10574 \ifvoid\footins
10575 \setbox\@outputbox \box\@cclv
10576 \else
10577 \m@mopfootnote
10578 \fi
10579 \m@mdoextrafeet
10580 \m@m@makecolfloats
10581 \m@m@makecoltext
10582 \global \maxdepth \@maxdepth}
10583 \gdef\bidi@makecolbf{%
10584 \m@m@makecolintro
10585 \setbox\@outputbox \box\@cclv
10586 \m@m@makecolfloats
10587 \ifvoid\footins
10588 \else
10589 \bidi@mopfootnotebf
10590 \fi
10591 \m@mdoextrafeet

```



```

10592 \m@m@makecoltext
10593 \global \maxdepth \@maxdepth}
10594 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
10595 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
10596 \newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
10597 \newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
10598 \FeetAboveFloat
10599 \FeetBelowRagged

```

55 File extreport-xetex-bidi.def

```

10600 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class]
10601 \renewcommand*\l@part[2]{%
10602   \ifnum \c@tocdepth >-2\relax
10603     \addpenalty{-\@highpenalty}%
10604     \addvspace{2.25em \@plus\p@}%
10605     \begingroup
10606       \setlength\@tempdima{3em}%
10607       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10608       \parfillskip -\@pnumwidth
10609       {\leavevmode
10610         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
10611       \nobreak
10612       \global\@nobreaktrue
10613       \everypar{\global\@nobreakfalse\everypar{}}%
10614     \endgroup
10615   \fi}
10616 \renewcommand*\l@chapter[2]{%
10617   \ifnum \c@tocdepth >\m@ne
10618     \addpenalty{-\@highpenalty}%
10619     \vskip 1.0em \@plus\p@
10620     \setlength\@tempdima{1.5em}%
10621     \begingroup
10622       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10623       \parfillskip -\@pnumwidth
10624       \leavevmode \bfseries
10625       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
10626       \hskip -\if@RTL\rightskip\else\leftskip\fi
10627       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
10628       \penalty\@highpenalty
10629     \endgroup
10630   \fi}
10631 \def\@makechapterhead#1{%
10632   \vspace*{50\p@}%
10633   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
10634     \ifnum \c@secnumdepth >\m@ne
10635       \huge\bfseries \@chapapp\space \thechapter
10636       \par\nobreak
10637       \vskip 20\p@
10638     \fi}

```



```

10639 \interlinepenalty\@M
10640 \Huge \bfseries #1\par\nobreak
10641 \vskip 40\p@
10642 }}
10643 \def\@makeschapterhead#1{%
10644 \vspace*{50\p@}%
10645 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10646 \normalfont
10647 \interlinepenalty\@M
10648 \Huge \bfseries #1\par\nobreak
10649 \vskip 40\p@
10650 }}
10651 \renewcommand\left@footnoterule{%
10652 \kern-3\p@
10653 \hrule\@width.4\columnwidth
10654 \kern2.6\p@}
10655 \renewcommand\right@footnoterule{%
10656 \kern-3\p@
10657 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
10658 \kern2.6\p@}
10659 \renewenvironment{thebibliography}[1]
10660 {\chapter*{\bibname
10661 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
10662 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
10663 \bidi@@thebibliography@font@hook%
10664 \list{\@biblabel{\@arabic\c@enumiv}}%
10665 {\settowidth\labelwidth{\@biblabel{#1}}%
10666 \leftmargin\labelwidth
10667 \advance\leftmargin\labelsep
10668 \@openbib@code
10669 \usecounter{enumiv}%
10670 \let\p@enumiv\@empty
10671 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
10672 \sloppy\clubpenalty4000\widowpenalty4000%
10673 \sfcode`. \@m}
10674 {\def\@noitemerr
10675 {\@latex@warning{Empty `thebibliography' environment}}%
10676 \endlist}
10677 \if@titlepage
10678 \renewcommand\maketitle{\begin{titlepage}%
10679 \let\footnotesize\small
10680 \let\right@footnoterule\relax
10681 \let\left@footnoterule\relax
10682 \let\textwidth\footnoterule\relax
10683 \let \footnote \thanks
10684 \null\vfil
10685 \vskip 60\p@
10686 \begin{center}%
10687 {\LARGE \@title \par}%
10688 \vskip 3em%

```



```

10689 {\large
10690 \lineskip .75em%
10691 \begin{tabular}[t]{c}%
10692 \@author
10693 \end{tabular}\par}%
10694 \vskip 1.5em%
10695 {\large \@date \par}% % Set date in \large size.
10696 \end{center}\par
10697 \@thanks
10698 \vfil\null
10699 \end{titlepage}%
10700 \setcounter{footnote}{0}%
10701 \global\let\thanks\relax
10702 \global\let\maketitle\relax
10703 \global\let\@thanks\@empty
10704 \global\let\@author\@empty
10705 \global\let\@date\@empty
10706 \global\let\@title\@empty
10707 \global\let\title\relax
10708 \global\let\author\relax
10709 \global\let\date\relax
10710 \global\let\and\relax
10711 }
10712 \else
10713 \renewcommand\maketitle{\par
10714 \begingroup
10715 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
10716 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10717 \long\def\@makefntext##1{\parindent 1em\noindent
10718 \hb@xt@1.8em{%
10719 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
10720 \if@twocolumn
10721 \ifnum \col@number=\@ne
10722 \@maketitle
10723 \else
10724 \twocolumn[\@maketitle]%
10725 \fi
10726 \else
10727 \newpage
10728 \global\@topnum\z@ % Prevents figures from going at top of page.
10729 \@maketitle
10730 \fi
10731 \thispagestyle{plain}\@thanks
10732 \endgroup
10733 \setcounter{footnote}{0}%
10734 \global\let\thanks\relax
10735 \global\let\maketitle\relax
10736 \global\let\@maketitle\relax
10737 \global\let\@thanks\@empty
10738 \global\let\@author\@empty

```



```

10739 \global\let\@date\@empty
10740 \global\let\@title\@empty
10741 \global\let\title\relax
10742 \global\let\author\relax
10743 \global\let\date\relax
10744 \global\let\and\relax
10745 }
10746 \def\@maketitle{%
10747   \newpage
10748   \null
10749   \vskip 2em%
10750   \begin{center}%
10751     \let \footnote \thanks
10752     {\LARGE \@title \par}%
10753     \vskip 1.5em%
10754     {\large
10755       \lineskip .5em%
10756       \begin{tabular}[t]{c}%
10757         \@author
10758         \end{tabular}\par}%
10759     \vskip 1em%
10760     {\large \@date}%
10761   \end{center}%
10762   \par
10763   \vskip 1.5em}
10764 \fi
10765 \renewcommand\thesection    {\thechapter\@SepMark\@arabic\c@section}
10766 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\csubsection}
10767 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\csubsubsection}
10768 \renewcommand\theparagraph  {\thesubsubsection\@SepMark\@arabic\cparagraph}
10769 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\csubparagraph}
10770 \renewcommand\theequation{%
10771   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
10772 \renewcommand\thefigure{%
10773   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
10774 \renewcommand\thetable{%
10775   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}

```

56 File fancybox-xetex-bidi.def

```

10776 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
10777 \def\fancy@oval#1#2#3{%
10778   \boxmaxdepth \maxdimen
10779   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
10780   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
10781   \@ovxx#1\relax
10782   \advance\@ovxx-\@wholewidth
10783   \@ovyy#2\relax
10784   \advance\@ovyy-\@wholewidth
10785   \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \else \@ovyy \fi

```



```

10786 \advance\@tempdimb-2\p@
10787 \ifdim\@tempdimb>\the@cornersize\relax
10788   \@tempdimb=\the@cornersize
10789 \fi
10790 \@getcirc\@tempdimb
10791 \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
10792 \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
10793 \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
10794 \@circlefnt
10795 \setbox\@tempboxa\hbox{\beginL%
10796   \if@ovr \@ovvert32\kern -\@tempdima \fi
10797   \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
10798   \if@ovt \@ovhorz \kern -\@ovxx \fi
10799   \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
10800 \advance\@ovdx\@ovro
10801 \advance\@ovdy\@ovro
10802 \advance\@ovxx\@wholewidth
10803 \wd\@tempboxa=\@ovxx
10804 \dp\@tempboxa=\z@}

```

57 File fancyhdr-xetex-bidi.def

```

10805 \ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package]
10806
10807 \let\f@nch@everypar\everypar
10808
10809 \def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10810   \f@nch@vbox\headheight{\hbox
10811     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
10812     \parbox[b]{\headwidth}{\centering#3}\hfill
10813     \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}
10814
10815 \def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10816   \f@nch@vbox\footskip{\footrule
10817     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
10818     \parbox[t]{\headwidth}{\centering#3}\hfill
10819     \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}\footrule}}#5}
10820

```

58 File fix2col-xetex-bidi.def

```

10821 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package]
10822 \def\RTL@outputdblcol{%
10823   \if@firstcolumn
10824     \global\@firstcolumnfalse
10825     \global\setbox\@leftcolumn\copy\@outputbox
10826     \splitmaxdepth\maxdimen
10827     \vbadness\maxdimen
10828     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10829     \toks@\expandafter{\topmark}%

```




```

10830 \xdef\@firstcoltopmark{\the\toks@}%
10831 \toks@\expandafter{\splitfirstmark}%
10832 \xdef\@firstcolfirstmark{\the\toks@}%
10833 \ifx\@firstcolfirstmark\@empty
10834 \global\let\@setmarks\relax
10835 \else
10836 \gdef\@setmarks{%
10837 \let\firstmark\@firstcolfirstmark
10838 \let\topmark\@firstcoltopmark}%
10839 \fi
10840 \else \global\@firstcolumntrue
10841 \setbox\@outputbox \vbox {\hbox to\textwidth {%
10842 \hskip \columnwidth
10843 \hfil \vrule width\columnseprule \hfil
10844 \hbox to\columnwidth {%
10845 \bidi@firstcolumn@status@write%
10846 \box\@leftcolumn \hss}%
10847 \hskip -\textwidth
10848 \hbox to\columnwidth{%
10849 \bidi@lastcolumn@status@write%
10850 \box\@outputbox \hss}%
10851 \hskip \columnsep
10852 \hskip \columnwidth }}}%
10853 \@combinedblfloats \@setmarks \@outputpage
10854 \begingroup \@dblfloatplacement \@startdblcolumn
10855 \@whilesw\if@fcolmade \fi
10856 {\@outputpage \@startdblcolumn }\endgroup
10857 \fi}
10858 \def\LTR@outputdblcol{%
10859 \if@firstcolumn
10860 \global\@firstcolumnfalse
10861 \global\setbox\@leftcolumn\copy\@outputbox
10862 \splitmaxdepth\maxdimen
10863 \vbadness\maxdimen
10864 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10865 \toks@\expandafter{\topmark}%
10866 \xdef\@firstcoltopmark{\the\toks@}%
10867 \toks@\expandafter{\splitfirstmark}%
10868 \xdef\@firstcolfirstmark{\the\toks@}%
10869 \ifx\@firstcolfirstmark\@empty
10870 \global\let\@setmarks\relax
10871 \else
10872 \gdef\@setmarks{%
10873 \let\firstmark\@firstcolfirstmark
10874 \let\topmark\@firstcoltopmark}%
10875 \fi
10876 \else
10877 \global\@firstcolumntrue
10878 \setbox\@outputbox\vbox{%
10879 \hb@xt@\textwidth{%

```



```

10880      \hb@xt@\columnwidth{%
10881      \bidi@firstcolumn@status@write%
10882      \box\@leftcolumn \hss}%
10883      \hfil
10884      \vrule \@width\columnseprule
10885      \hfil
10886      \hb@xt@\columnwidth{%
10887      \bidi@lastcolumn@status@write%
10888      \box\@outputbox \hss}}}%
10889 \@combinedblfloats
10890 \setmarks
10891 \outputpage
10892 \begingroup
10893 \dblfloatplacement
10894 \startdblcolumn
10895 \@whiles\if@fcolmade \fi{\@outputpage\startdblcolumn}%
10896 \endgroup
10897 \fi}

```

59 File fleqn-xetex-bidi.def

```

10898 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
10899 \renewcommand\relax
10900     \ifmmode\@badmath
10901     \else
10902         \begin{trivlist}%
10903             \@beginparpenalty\predisplaypenalty
10904             \@endparpenalty\postdisplaypenalty
10905             \item[]\leavevmode
10906             \hb@xt@\linewidth\bggroup \beginL$\m@th\displaystyle %$
10907             \hskip\mathindent\bggroup
10908         \fi}
10909 \renewcommand\relax
10910     \ifmmode
10911         \egroup $\hfil% $
10912         \endL\egroup
10913         \end{trivlist}%
10914     \else \@badmath
10915     \fi}
10916 \renewenvironment{equation}%
10917 {\@beginparpenalty\predisplaypenalty
10918 \endparpenalty\postdisplaypenalty
10919 \refstepcounter{equation}%
10920 \trivlist \item[]\leavevmode
10921 \hb@xt@\linewidth\bggroup\beginL $ \m@th% $
10922 \displaystyle
10923 \hskip\mathindent}%
10924 {$\hfil % $
10925 \displaywidth\linewidth\hbox{\@eqnnum}%
10926 \endL\egroup

```



```
10927 \endtrivlist}
```

60 File float-xetex-bidi.def

```
10928 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeLaTeX]
10929 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
10930 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
10931 \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
10932 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
10933 \expandafter\edef\csname the#1\endcsname{%
10934 \expandafter\noexpand\csname
10935 the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
10936 {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

61 File floatrow-xetex-bidi.def

```
10937 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package for XeLaTeX]
10938 \renewcommand\flnew@within[1]{\@addtoreset{FB@capttype}{#1}%
10939 \expandafter\edef\csname the\FB@capttype\endcsname{%
10940 \expandafter\noexpand\csname
10941 the#1\endcsname\@SepMark\noexpand\arabic{FB@capttype}}}
```

62 File flowfram-xetex-bidi.def

```
10942 \ProvidesFile{flowfram-xetex-bidi.def}[2018/02/22 v0.3 bidi adaptations for flowfram package for XeLaTeX]
10943 \def\@outputdblcol{%
10944 \@nxtcol=\c@thisframe
10945 \c@curpg=\c@page
10946 \@g@tnextcol{\@nxtcol}%
10947 \if@ff@nwpg % next flow frame starts on new page
10948 \global\@firstcolumntrue
10949 \@setcolbox\c@thisframe
10950 \if@specialpage
10951 \global\@specialpagefalse
10952 \nameuse{ps@\@specialstyle}\relax
10953 \fi
10954 \if@twoside
10955 \ifodd\count\z@
10956 \let\@thehead\@oddhead
10957 \let\@thefoot\@oddfoot
10958 \else
10959 \let\@thehead\@evenhead
10960 \let\@thefoot\@evenfoot
10961 \fi
10962 \else
10963 \let\@thehead\@oddhead
10964 \let\@thefoot\@oddfoot
10965 \fi
10966 \@begindvi
10967 \@dodynamicthehead\@dodynamicthefoot}
```



```

10968 \vbadness=\@M
10969 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
10970 \@combinedblfloats
10971 \@outputpage
10972 \advance\c@curpg by -\c@page\relax
10973 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
10974 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
10975 \@outputpage}
10976 \begingroup
10977 \dblfloatplacement
10978 \startdblcolumn
10979 \@whilesw \if@fcolmade \fi
10980 {\@outputpage \startdblcolumn }\endgroup
10981 \@resetst@tics
10982 \@resetdyn@mics
10983 \else % still on same page, save contents of box255
10984 \global\@firstcolumnfalse
10985 \setcolbox\c@thisframe
10986 \fi
10987 \global\c@thisframe=\@nxtcol
10988 \@setcol{\c@thisframe}\relax
10989 \global\@colht\vsiz
10990 }
10991 \def\@outputpage{%
10992 \begingroup
10993 \let\protect\noexpand
10994 \@resetactivechars
10995 \global\let\@if@newlist\if@newlist
10996 \global\@newlistfalse\@parboxrestore
10997 \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
10998 \bidi@beforeoutputpageshipouthook
10999 \shipout\vbox{\set@typeset@protect
11000 \aftergroup
11001 \endgroup
11002 \aftergroup
11003 \set@typeset@protect
11004 \reset@font\normalsize\normalsfcodes
11005 \let\label\@gobble
11006 \let\index\@gobble
11007 \let\glossary\@gobble
11008 \baselineskip\z@skip
11009 \lineskip\z@skip
11010 \lineskiplimit\z@
11011 \vskip\topmargin\moveright\@themargin
11012 \vbox{%
11013 \global\let\@bidi@BeforeHeader\@firstofone
11014 \bidi@beforeheaderhook
11015 \vskip\headheight
11016 \vskip\headsep
11017 \global\let\@bidi@BeforeOutputBoxOutputPage\@firstofone

```



```

11018 \bidi@beforeoutputboxoutputpagehook
11019 \box\@outputbox
11020 \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
11021 \bidi@afteroutputboxoutputpagehook
11022 \ifvoid\@bidi@copyins@
11023 \else
11024 \vskip\skip\@bidi@copyins@
11025 \unvbox\@bidi@copyins@
11026 \fi
11027 }}%
11028 \global\let\bidi@AfterOutputPageShipOut\@firstofone
11029 \bidi@afteroutputpageshipouthook
11030 \global\let\if@newlist\@if@newlist
11031 \stepcounter{page}%
11032 \setcounter{displayedframe}{0}%
11033 \let\firstmark\botmark
11034 \global\let\bidi@AtEndOutputPage\@firstofone
11035 \bidi@atendoutputpagehook
11036 }
11037
11038
11039 \newcommand*\bidi@s@tfftextcol{\ifthenelse{equal{\ff@txtcol}{}}{}}{%
11040 \expandafter\bidi@color\ff@txtcol}}
11041
11042 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
11043 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}%
11044
11045
11046 \renewcommand*{\@docolbox}[1]{%
11047 \edef\ff@frametype{%
11048 \csname @ff@frametype@\romannumeral#1\endcsname}%
11049 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
11050 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
11051 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
11052 \@ff@setoffset{#1}%
11053 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
11054 \ifthenelse{\boolean{columnframe}\romannumeral#1}}{%
11055 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
11056 {\csname colheight\romannumeral#1\endcsname}{%
11057 \expandafter\box\csname column\romannumeral#1\endcsname}{%
11058 \csname\ff@frametype\endcsname}%
11059 }{%
11060 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
11061 {\csname colheight\romannumeral#1\endcsname}{%
11062 \expandafter\box\csname column\romannumeral#1\endcsname}%
11063 }}}
11064 \ifclassloaded{book}{%
11065 \renewcommand\theequation
11066 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11067 \renewcommand \thefigure

```



```

11068      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
11069 \renewcommand \thetable
11070      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
11071 \renewcommand \thechapter {\@arabic\c@chapter}
11072 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
11073 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11074 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
11075 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
11076 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}}{}
11077 \@ifclassloaded{report}{%
11078 \renewcommand \theequation
11079      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11080 \renewcommand \thefigure
11081      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
11082 \renewcommand \thetable
11083      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
11084 \renewcommand \thechapter {\@arabic\c@chapter}
11085 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
11086 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11087 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
11088 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
11089 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}}{}
11090 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
11091 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
11092 \else
11093 #2\relax
11094 \fi}

```

63 File footnote-xetex-bidi.def

```

11095 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
11096 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
11097 \newif\ifbidi@autofootnoterule
11098 \def\bidi@mpfootnoterule{\footnoterule}
11099 \newcounter{footdir@label}
11100 \renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
11101 \newcommand*{\footdir@write}{%
11102   \stepcounter{footdir@label}%
11103   \zref@labelbyprops{\thefootdir@label}{abspage}%
11104 }
11105 \newif\iffootdir@debug
11106 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
11107 \newtoks\footdir@toks
11108 \newcommand*{\footdir@debug}[1]{%
11109   \iffootdir@debug
11110     \typeout{[footdir] #1}%
11111   \fi
11112 }
11113 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
11114 %  \newcommand*{\footdir@LeftRightElse}{%

```



```

11115% \ltx@ifundefined{footdir@the\value{zabspage}}{%
11116% \footdir@debug{abspage \the\value{zabspage}: else}%
11117% \ltx@thirdofthree
11118% }{%
11119% \if\csname footdir@the\value{zabspage}\endcsname L%
11120% \footdir@debug{abspage \the\value{zabspage}: left}%
11121% \expandafter\ltx@firstofthree
11122% \else
11123% \footdir@debug{abspage \the\value{zabspage}: right}%
11124% \expandafter\ltx@secondofthree
11125% \fi
11126% }%
11127% }%
11128% }{%
11129 \providecommand*{\c@zabspage}{\c@abspage}%
11130 \newcommand*{\footdir@LeftRightElse}{%
11131 \footdir@write
11132 \zifrefundefined{\thefootdir@label}{%
11133 \footdir@debug{abspage ??: else}%
11134 \ltx@thirdofthree
11135 }{%
11136 \edef\footdir@abspage{%
11137 \zref@extractdefault{\thefootdir@label}{abspage}{0}%
11138 }%
11139 \ltx@ifundefined{footdir@\footdir@abspage}{%
11140 \footdir@debug{\footdir@abspage: else}%
11141 \ltx@thirdofthree
11142 }{%
11143 \if\csname footdir@\footdir@abspage\endcsname L%
11144 \footdir@debug{\footdir@abspage: left}%
11145 \expandafter\ltx@firstofthree
11146 \else
11147 \footdir@debug{\footdir@abspage: right}%
11148 \expandafter\ltx@secondofthree
11149 \fi
11150 }%
11151 }%
11152 }%
11153 }%}
11154 \newcommand*{\footdir@fntext}[1]{%
11155 \zifrefundefined{\thefootdir@label}{%
11156 }{%
11157 \edef\footdir@name{%
11158 footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
11159 }%
11160 \@ifundefined{\footdir@name}{%
11161 \expandafter\gdef\csname\footdir@name\endcsname{#1}%
11162 }{%
11163 }%
11164 }

```



```

11165
11166 \newcommand*{\footdir@temp}[3]{%
11167   \@ifdefinable{#1}{%
11168     \let#1#2%
11169     \renewcommand{#2}[1]{%
11170       \footdir@write
11171       \footdir@fntext{#3}%
11172       \stepcounter{footdir@label}%
11173       \footdir@fntext{#3}%
11174       \footdir@toks{##1}%
11175       \footdir@toks\expandafter{%
11176         \the\expandafter\footdir@toks
11177         \expandafter
11178         \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
11179       }%
11180       \expandafter#1\expandafter{\the\footdir@toks}%
11181     }%
11182   }%
11183 }
11184
11185 \def\right@footnoterule{%
11186   \kern-3\p@
11187   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11188   \kern2.6\p@}
11189 \def\left@footnoterule{\kern-3\p@
11190   \hrule \@width .4\columnwidth \kern 2.6\p@}
11191 \def\textwidth@footnoterule{\kern-3\p@
11192   \hrule \@width \columnwidth \kern 2.6\p@}
11193 \def\leftfootnoterule{%
11194   \bidi@autofootnoterulefalse%
11195   \def\footnoterule{\left@footnoterule}}
11196 \let\LRfootnoterule=\leftfootnoterule
11197 \def\rightfootnoterule{%
11198   \bidi@autofootnoterulefalse%
11199   \def\footnoterule{\right@footnoterule}}
11200 \def\textwidthfootnoterule{%
11201   \bidi@autofootnoterulefalse%
11202   \def\footnoterule{\textwidth@footnoterule}}
11203
11204
11205
11206 \def\auto@footnoterule{%
11207   \footdir@LeftRightElse%
11208   \left@footnoterule%
11209   \right@footnoterule%
11210   \left@footnoterule%
11211 }
11212
11213
11214

```




```

11215 \def\autofootnoterule{%
11216 \bidi@autofootnoteruletrue%
11217 \def\footnoterule{\auto@footnoterule}%
11218 }
11219
11220 \newcommand*{\SplitFootnoteRule}{%
11221   \gdef\split@prev{0}
11222   \let\pagefootnoterule\footnoterule
11223   \let\mpfootnoterule\footnoterule
11224   \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
11225   \def\footnoterule{\relax
11226     \ifx \@listdepth\@mplistdepth
11227       \mpfootnoterule
11228     \else
11229       \ifnum\split@prev=\z@
11230         \pagefootnoterule
11231       \else
11232         \splitfootnoterule
11233       \fi
11234       \xdef\split@prev{\the\insertpenalties}%
11235     \fi
11236   }%
11237 }
11238
11239
11240
11241
11242 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
11243   \protected@xdef\@thefnmark{\thempfn}%
11244   \@footnotemark\@RTLfootnotetext}}
11245 \def\@xRTLfootnote[#1]{%
11246   \begingroup
11247     \csname c@\@mpfn\endcsname #1\relax
11248     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11249   \endgroup
11250   \@footnotemark\@RTLfootnotetext}
11251 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
11252   \protected@xdef\@thefnmark{\thempfn}%
11253   \@footnotemark\@LTRfootnotetext}}
11254 \def\@xLTRfootnote[#1]{%
11255   \begingroup
11256     \csname c@\@mpfn\endcsname #1\relax
11257     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11258   \endgroup
11259   \@footnotemark\@LTRfootnotetext}
11260
11261
11262 \def\setfootnoteRL{\@RTL@footnotetrue}
11263 \def\unsetfootnoteRL{\@RTL@footnotefalse}
11264 \def\setfootnoteLR{\unsetfootnoteRL}

```



```

11265
11266 \newcommand*{\bidi@footnotetext@font}{\footnotesize}
11267 \newcommand*{\bidi@LTRfootnotetext@font}{\footnotesize}
11268 \newcommand*{\bidi@RTLfootnotetext@font}{\footnotesize}
11269
11270 \long\def\@footnotetext#1{\insert\footins{%
11271   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11272   \reset@font%
11273   \bidi@footnotetext@font% \reset@font\footnotesize
11274   \interlinepenalty\interfootnotelinepenalty
11275   \splittopskip\footnotesep
11276   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
11277   \hsize\columnwidth \@parboxrestore
11278   \protected@edef\@currentlabel{%
11279     \csname p@footnote\endcsname\@thefnmark
11280   }%
11281   \color@begingroup
11282     \@makefntext{%
11283       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11284   \color@endgroup}}%
11285
11286
11287 \long\def\@RTLfootnotetext#1{\insert\footins{%
11288   \@RTLtrue%
11289   \reset@font%
11290   \bidi@RTLfootnotetext@font% \reset@font\footnotesize
11291   \interlinepenalty\interfootnotelinepenalty
11292   \splittopskip\footnotesep
11293   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
11294   \hsize\columnwidth \@parboxrestore
11295   \protected@edef\@currentlabel{%
11296     \csname p@footnote\endcsname\@thefnmark
11297   }%
11298   \color@begingroup
11299     \@makefntext{%
11300       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11301   \color@endgroup}}%
11302
11303 \long\def\@LTRfootnotetext#1{\insert\footins{%
11304   \@RTLfalse%
11305   \reset@font%
11306   \bidi@LTRfootnotetext@font% \reset@font\footnotesize
11307   \interlinepenalty\interfootnotelinepenalty
11308   \splittopskip\footnotesep
11309   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
11310   \hsize\columnwidth \@parboxrestore
11311   \protected@edef\@currentlabel{%
11312     \csname p@footnote\endcsname\@thefnmark
11313   }%
11314   \color@begingroup

```



```

11315 \makefnintext{%
11316 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11317 \color@endgroup}}%
11318
11319 \AtBeginDocument{%
11320 \if@RTL@footnote
11321 \newcommand*{\bidi@footdir@footnote}{R}
11322 \else
11323 \newcommand*{\bidi@footdir@footnote}{L}
11324 \fi%
11325 }
11326
11327 \footdir@temp\footdir@ORG\bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
11328 \footdir@temp\footdir@ORG\bidi@RTLfootnotetext\@RTLfootnotetext{R}%
11329 \footdir@temp\footdir@ORG\bidi@LTRfootnotetext\@LTRfootnotetext{L}%
11330
11331 \long\def\@mpRTLfootnotetext#1{%
11332 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnoterule%
11333 \global\setbox\@mpfootins\vbox{\@RTLtrue%
11334 \unvbox\@mpfootins
11335 \reset@font%
11336 \bidi@RTLfootnotetext@font% \reset@font\footnotesize
11337 \hsize\columnwidth
11338 \@parboxrestore
11339 \protected@edef\@currentlabel
11340 {\csname p@mpfootnote\endcsname\@thefnmark}%
11341 \color@begingroup
11342 \makefnintext{%
11343 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11344 \color@endgroup}}
11345 \long\def\@mpLTRfootnotetext#1{%
11346 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnoterule%
11347 \global\setbox\@mpfootins\vbox{\@RTLfalse%
11348 \unvbox\@mpfootins
11349 \reset@font%
11350 \bidi@LTRfootnotetext@font% \reset@font\footnotesize
11351 \hsize\columnwidth
11352 \@parboxrestore
11353 \protected@edef\@currentlabel
11354 {\csname p@mpfootnote\endcsname\@thefnmark}%
11355 \color@begingroup
11356 \makefnintext{%
11357 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11358 \color@endgroup}}
11359 \long\def\@mpfootnotetext#1{%
11360 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\right@footnoterule%
11361 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11362 \unvbox\@mpfootins
11363 \reset@font%
11364 \bidi@@footnotetext@font% \reset@font\footnotesize

```



```

11365 \hsize\columnwidth
11366 \@parboxrestore
11367 \protected@edef\@currentlabel
11368     {\csname p@mpfootnote\endcsname\@thefnmark}%
11369 \color@begingroup
11370     \@makefnmark{\rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11371     \color@endgroup}}
11372 \def\@iiiminipage#1#2[#3]#4{%
11373 \leavevmode
11374 \@pboxswfalse
11375 \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
11376 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
11377 \setlength\@tempdima{#4}%
11378 \def\@mpargs{#1}{#2}{#3}{#4}}%
11379 \setbox\@tempboxa\vbox\bgroup
11380 \color@begingroup
11381 \hsize\@tempdima
11382 \textwidth\hsize \columnwidth\hsize
11383 \@parboxrestore
11384 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
11385 \let\@footnotetext\@mpfootnotetext
11386 \let\@LTRfootnotetext\@mpLTRfootnotetext
11387 \let\@RTLfootnotetext\@mpRTLfootnotetext
11388 \let\@listdepth\@mplistdepth \@mplistdepth\z@
11389 \@minipagerestore
11390 \setminipage}
11391 \def\endminipage{%
11392 \par
11393 \unskip
11394 \ifvoid\@mpfootins\else
11395 \vskip\skip\@mpfootins
11396 \normalcolor
11397 \bidi@mpfootnoterule
11398 \unvbox\@mpfootins
11399 \fi
11400 \@minipagefalse %% added 24 May 89
11401 \color@endgroup
11402 \egroup
11403 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
11404 \def\LTRthanks#1{\footnotemark
11405 \protected@xdef\@thanks{\@thanks
11406 \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
11407 }
11408 }
11409 \def\LTRfootnotetext{%
11410 \ifnextchar [\@xLTRfootnotenext
11411 {\protected@xdef\@thefnmark{\thempfn}%
11412 \@LTRfootnotetext}}
11413 \def\@xLTRfootnotenext[#1]{%
11414 \begingroup

```



```

11415 \csname c@\mpfn\endcsname #1\relax
11416 \unrestored@protected@xdef\@thefnmark{\thempfn}%
11417 \endgroup
11418 \@LTRfootnotetext}
11419 \def\RTLthanks#1{\footnotemark
11420 \protected@xdef\@thanks{\@thanks
11421 \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
11422 }
11423 \let\@thanks\@empty
11424 \def\RTLfootnotetext{%
11425 \ifnextchar [\@xRTLfootnotenext
11426 {\protected@xdef\@thefnmark{\thempfn}%
11427 \@RTLfootnotetext}}
11428 \def\@xRTLfootnotenext[#1]{%
11429 \begingroup
11430 \csname c@\mpfn\endcsname #1\relax
11431 \unrestored@protected@xdef\@thefnmark{\thempfn}%
11432 \endgroup
11433 \@RTLfootnotetext}
11434 \leftfootnoterule

```

64 File framed-xetex-bidi.def

```

11435 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for XeTeX]
11436 \renewcommand\TitleBarFrame[3][\begingroup
11437 \ifx\delimiter#1\delimiter
11438 \let\TF@conlab\@empty
11439 \else
11440 \def\TF@conlab{% continuation label
11441 \nointerlineskip
11442 \smash{\rlap{\kern\wd\@tempboxa\kern\fbboxrule\kern\fbboxsep #1}}}%
11443 \fi
11444 %\let\TF@savecolor\current@color
11445 \textcolor{TF@FrameColor}{%
11446 \CustomFBox
11447 {\TF@Title{#2}}{\TF@conlab}%
11448 \fbboxrule\fbboxrule\fbboxrule\fbboxrule
11449 %{\let\current@color\TF@savecolor\set@color #3}%
11450 {\normalcolor #3}%
11451 }\endgroup
11452 }
11453 \renewenvironment{titled-frame}[1]{%
11454 \def\FrameCommand{\fbboxsep8pt\fbboxrule2pt
11455 \TitleBarFrame{\textbf{#1}}}%
11456 \def\FirstFrameCommand{\fbboxsep8pt\fbboxrule2pt
11457 \TitleBarFrame[\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
11458 \def\MidFrameCommand{\fbboxsep8pt\fbboxrule2pt
11459 \TitleBarFrame[\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1} (cont.)}%
11460 \def\LastFrameCommand{\fbboxsep8pt\fbboxrule2pt
11461 \TitleBarFrame{\textbf{#1} (cont.)}}%

```



```

11462 \MakeFramed{\advance\hsize-20pt \FrameRestore}}}%
11463 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
11464 % could interfere with the width measurement.
11465 {\endMakeFramed}
11466 \chardef\FrameRestore=\catcode`\| % for debug
11467 \catcode`\|=\catcode`\% % (debug: insert space after backslash)
11468 \def\fb@put@frame#1#2{\relax
11469 \ifdim\pagegoal=\maxdimen \pagegoal\vspace \fi
11470 | \message{===== Entering putframe =====^~J
11471 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
11472 \ifinner
11473 \fb@putboxa#1%
11474 \fb@afterframe
11475 \else
11476 \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
11477 \ifdim\dimen@<2\baselineskip % Too little room on page
11478 | \message{Page has only \the\dimen@\space room left; eject. }%
11479 \eject \fb@adjheight \fb@put@frame#1#2%
11480 \else % there's appreciable room left on the page
11481 \fb@sizeofframe#1%
11482 | \message{\string\pagetotal=\the\pagetotal,
11483 | \string\pagegoal=\the\pagegoal,
11484 | \string\pagestretch=\the\pagestretch,
11485 | \string\pageshrink=\the\pageshrink,
11486 | \string\fb@frh=\the\fb@frh. \space}
11487 | \message{^^JBox of size \the\ht@tempboxa\space}%
11488 \begingroup % temporarily set \dimen@ to be...
11489 \advance\dimen@.8\pageshrink % maximum space available on page
11490 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
11491 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
11492 \expandafter\endgroup
11493 % expand \ifdim, then restore \dimen@ to real room left on page
11494 \ifdim\dimen@>\ht@tempboxa % whole box does fit
11495 | \message{fits in \the\dimen@. }%
11496 % ToDo: Change this to use vsplit anyway to capture the marks
11497 % MERGE THIS WITH THE else CLAUSE!!!
11498 \fb@putboxa#1%
11499 \fb@afterframe
11500 \else % box must be split
11501 | \message{must be split to fit in \the\dimen@. }%
11502 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11503 \fb@sizeofframe#2%
11504 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
11505 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
11506 \kern137sp\kern-137sp\penalty-30
11507 \unvbox\@tempboxa}%
11508 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
11509 \splittopskip\the\splittopskip}%
11510 \boxmaxdepth\z@ \splittopskip\z@
11511 | \message{^~JPadded box of size \the\ht@tempboxa\space split to \the\dimen@}%

```



```

11512 % Split box here
11513 \setbox\tw@\vsplit\@tempboxa to\dimen@
11514 | \toks99\expandafter{\splitfirstmark}%
11515 | \toks98\expandafter{\splitbotmark}%
11516 | \message{Marks are: \the\toks99, \the\toks98. }%
11517 \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
11518 | \message{Natural height of split box is \the\ht\tw@, leaving
11519 | \the\ht\@tempboxa\space remainder. }%
11520 % If the split-to size > (\vsize-\topskip), then set box to full size.
11521 \begingroup
11522 \advance\dimen@\topskip
11523 \expandafter\endgroup
11524 \ifdim\dimen@>\pagegoal
11525 | \message{Frame is big -- Use up the full column. }%
11526 | \dimen@ii\pagegoal
11527 | \advance\dimen@ii -\topskip
11528 | \advance\dimen@ii \FrameHeightAdjust\relax
11529 \else % suspect this is implemented incorrectly:
11530 | % If the split-to size > feasible room_on_page, rebox it smaller.
11531 | \advance\dimen@.8\pageshrink
11532 | \ifdim\ht\tw@>\dimen@
11533 | \message{Box too tall; rebox it to \the\dimen@. }%
11534 | \dimen@ii\dimen@
11535 | \else % use natural size
11536 | \dimen@ii\ht\tw@
11537 | \fi
11538 \fi
11539 % Re-box contents to desired size \dimen@ii
11540 \advance\dimen@ii -\fb@frh
11541 \setbox\tw@\vbox to\dimen@ii \bgroup
11542 % remove simulated frame and page flexibility:
11543 \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
11544 \unvbox\tw@ \unpenalty\unpenalty
11545 \ifdim\lastkern=-137sp % whole box went to next page
11546 | \message{box split at beginning! }%
11547 | % need work here???
11548 | \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11549 | \fb@adjheight
11550 | \fb@put@frame#1#2% INSERTED ???
11551 \else % Got material split off at the head
11552 | \egroup \fb@resto@set
11553 | \ifvoid\@tempboxa % it all fit after all
11554 | \message{box split at end! }%
11555 | \setbox\@tempboxa\box\tw@
11556 | \fb@putboxa#1%
11557 | \fb@afterframe
11558 \else % it really did split
11559 | \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11560 | \ifdim\wd\tw@>\z@
11561 | \wd\tw@\wd\@tempboxa

```



```

11562         \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
11563     \else
11564 |         \message{Zero width means likely blank. Don't frame it (guess)}%
11565         \box\tw@
11566     \fi
11567     \hrule \@height\z@ \@width\hsize
11568     \eject
11569     \fb@adjheight
11570     \fb@put@frame\LastFrameCommand\MidFrameCommand
11571 \fi\fi\fi\fi\fi
11572 }
11573 \def\fb@putboxa#1{%
11574 \ifvoid\@tempboxa
11575     \PackageWarning{framed}{Boxa is void -- discard it.}%
11576 \else
11577 |     \message{Frame and place boxa.}%
11578 |     %{\showoutput\showbox\@tempboxa}%
11579     \centerline{#1{\hboxL{\box\@tempboxa}}}%
11580 \fi
11581 }
11582 \catcode`\|=\FrameRestore
11583 \def\FrameRestore{%
11584     \let\if@nobreak\iffalse
11585     \let\if@noskipsec\iffalse
11586     \let\-\@dischyp
11587     \let'\@acci\let\`\@accii\let\=\@acciii
11588     % \message{FrameRestore:
11589     %     \@totalleftmargin=\the \@totalleftmargin,
11590     %     \rightmargin=\the\rightmargin,
11591     %     \@listdepth=\the\@listdepth.}%
11592     % Test if we are in a list (or list-like paragraph)
11593     \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
11594         \ifdim\rightmargin>\z@ 1\fi
11595         \ifnum\@listdepth>\z@ 1\fi 0>\z@
11596         % \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
11597         %     \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
11598         %     \labelwidth=\the\labelwidth.}%
11599         \@setminipage % snug fit around the item
11600         % Now try to propagate changes of width from \hsize to list parameters.
11601         % This is deficient, but a more advanced way to indicate modification to text
11602         % dimensions is not (yet) provided; in particular, no separate left/right
11603         % adjustment.
11604         \advance\linewidth-\columnwidth \advance\linewidth\hsize
11605         \parshape\@ne \@totalleftmargin \linewidth
11606     \else % Not in list
11607         \linewidth=\hsize
11608         %\message{No list, set \string\linewidth=\the\hsize.}%
11609     \fi
11610     \sloppy
11611 }

```



65 File ftnright-xetex-bidi.def

```

11612 \ProvidesFile{ftnright-xetex-bidi.def}[2017/05/06 v0.5 bidi adaptations for ftnright package]
11613
11614 \def\LTR@outputdblcol{%
11615   \if@firstcolumn
11616     \global\@firstcolumnfalse
11617     \global\setbox\@leftcolumn\copy\@outputbox
11618     \global\count\footins\@m
11619     \global\skip\footins\rcol\footinsskip
11620     \splitmaxdepth\maxdimen
11621     \vbadness\maxdimen
11622     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11623     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11624     \toks@ \expandafter{\topmark}%
11625     \xdef\@firstcoltopmark{\the\toks@}%
11626     \toks@ \expandafter{\splitfirstmark}%
11627     \xdef\@firstcolfirstmark{\the\toks@}%
11628     \ifx\@firstcolfirstmark\@empty
11629       \global\let\@setmarks\relax
11630     \else
11631       \gdef\@setmarks{%
11632         \let\firstmark\@firstcolfirstmark
11633         \let\topmark\@firstcoltopmark}%
11634     \fi
11635   \else
11636     \preparefootins
11637     \global\@firstcolumntrue
11638     \setbox\@outputbox\vbox{%
11639       \hb@xt@\textwidth{%
11640         \hb@xt@\columnwidth{%
11641           \bidi@firstcolumn@status@write%
11642           \box\@leftcolumn \hss}%
11643         \hfil
11644         {\normalcolor\vrule \@width\columnseprule}%
11645         \hfil
11646         \hb@xt@\columnwidth{%
11647           \bidi@lastcolumn@status@write%
11648           \box\@outputbox \hss}}}%
11649     \@combinedblfloats
11650     \@setmarks
11651     \@outputpage
11652     \begingroup
11653       \@dblfloatplacement
11654       \@startdblcolumn
11655       \@whiles\if@fcolmade \fi{\@outputpage
11656         \@startdblcolumn}%
11657     \endgroup
11658   \fi}%
11659

```



```

11660
11661
11662 \def\RTL@outputdblcol{%
11663   \if@firstcolumn
11664     \global\@firstcolumnfalse
11665     \global\setbox\@leftcolumn\copy\@outputbox
11666     \global\count\footins\@m
11667     \global\skip\footins\rcol\footinsskip
11668     \splitmaxdepth\maxdimen
11669     \vbadness\maxdimen
11670     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11671     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11672     \toks@{\expandafter{\topmark}}%
11673     \xdef\@firstcoltopmark{\the\toks@}%
11674     \toks@\expandafter{\splitfirstmark}%
11675     \xdef\@firstcolfirstmark{\the\toks@}%
11676     \ifx\@firstcolfirstmark\@empty
11677       \global\let\@setmarks\relax
11678     \else
11679       \gdef\@setmarks{%
11680         \let\firstmark\@firstcolfirstmark
11681         \let\topmark\@firstcoltopmark}%
11682     \fi
11683   \else
11684     \preparefootins
11685     \global\@firstcolumntrue
11686     \setbox\@outputbox\vbox{%
11687       \hb@xt@\textwidth{%
11688         \hskip \columnwidth
11689         \hfil
11690         {\normalcolor\vrule \@width\columnseprule}%
11691         \hfil
11692         \hb@xt@\columnwidth{%
11693           \bidi@firstcolumn@status@write%
11694           \box\@leftcolumn \hss}%
11695         \hskip -\textwidth
11696         \hb@xt@\columnwidth{%
11697           \bidi@lastcolumn@status@write%
11698           \box\@outputbox \hss}%
11699         \hskip \columnsep
11700         \hskip \columnwidth }}%
11701     \@combinedblfloats
11702     \@setmarks
11703     \@outputpage
11704     \begingroup
11705       \@dblfloatplacement
11706       \@startdblcolumn
11707       \@whiles\if@fcolmade \fi{\@outputpage
11708         \@startdblcolumn}%
11709     \endgroup

```




```

11757 \begingroup
11758 \ifmmode\else\if@RTL\beginL\fi\fi
11759 \Gin@bboxtrue
11760 \Gin@defaultbp\Gin@llx{#1}%
11761 \Gin@defaultbp\Gin@lly{#2}%
11762 \Gin@defaultbp\Gin@urx{#3}%
11763 \Gin@defaultbp\Gin@ury{#4}%
11764 \Gininclude@graphics{#5}%
11765 \ifmmode\else\if@RTL\endL\fi\fi
11766 \endgroup}
11767 \def\Gin@ii[#1]#2{%
11768   \def\@tempa{[]}\def\@tempb{#2}%
11769   \ifx\@tempa\@tempb
11770     \def\@tempa{\Gin@iii[#1] []}%
11771     \expandafter\@tempa
11772   \else
11773     \begingroup
11774       \ifmmode\else\if@RTL\beginL\fi\fi
11775       \@tempswafalse
11776       \toks@{\Gininclude@graphics{#2}}%
11777       \setkeys{Gin}{#1}%
11778       \Gin@esetsize
11779       \the\toks@
11780       \ifmmode\else\if@RTL\endL\fi\fi
11781     \endgroup
11782   \fi}
11783 \def\reflectbox{\bidiGscale@box-1[1]}
11784 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11785   \leavevmode
11786   \def\Gscale@x{#1}\def\Gscale@y{#2}%
11787   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
11788   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
11789   \ifdim#2\p<\z@
11790     \ht\tw@-#2\dp\z@
11791     \dp\tw@-#2\ht\z@
11792   \else
11793     \ht\tw@#2\ht\z@
11794     \dp\tw@#2\dp\z@
11795   \fi
11796   \ifdim#1\p<\z@
11797     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
11798   \else
11799     \wd\tw@#1\wd\z@
11800     \box\tw@
11801   \fi\ifmmode\else\if@RTL\endL\fi\fi}
11802 \def\scalebox#1{%
11803   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}%
11804 \def\resizebox{%
11805   \leavevmode
11806   \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}

```



```

11807 \def\bidigscale@@box#1#2#3{%
11808   \let\@tempa\Gin@exclamation
11809   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
11810   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
11811   \ifx\@tempb\@tempa
11812     \ifx\@tempc\@tempa
11813       \toks@{\mbox}%
11814     \else
11815       \toks@{\bidigscale@box@odd{#3}#1}%
11816     \fi
11817   \else
11818     \ifx\@tempc\@tempa
11819       \toks@{\bidigscale@box@odd{#2}\width}%
11820     \else
11821       \toks@{\bidigscale@box@dddd{#2}\width{#3}#1}%
11822     \fi
11823   \fi
11824   \the\toks@}
11825 \long\def\bidigscale@box@odd#1#2#3{%
11826   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
11827   \setlength\@tempdima{#1}%
11828   \setlength\@tempdimb{#2}%
11829   \Gscale@div\@tempa\@tempdima\@tempdimb
11830   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
11831   \@end@tempboxa}
11832 \long\def\bidigscale@box@dddd#1#2#3#4#5{%
11833   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@RTL\endR\fi}%
11834   \setlength\@tempdima{#1}%
11835   \setlength\@tempdimb{#2}%
11836   \Gscale@div\@tempa\@tempdima\@tempdimb
11837   \setlength\@tempdima{#3}%
11838   \setlength\@tempdimb{#4}%
11839   \Gscale@div\@tempb\@tempdima\@tempdimb
11840   \ifGin@iso
11841     \ifdim\@tempa\p@>\@tempb\p@
11842       \let\@tempa\@tempb
11843     \else
11844       \let\@tempb\@tempa
11845     \fi
11846   \fi
11847   \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
11848   \@end@tempboxa}

```

67 File geometry-xetex-bidi.def

```

11849 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
11850 \renewcommand*{\Gm@vrules@mpi}{%
11851   \if@RTLmain%
11852     \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11853       \llap{\Gm@vrule}\ignorespaces

```



```

11854      \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11855      \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
11856    \else%
11857    \hb@xt@{\@tempdima{\llap{\Gm@vrule}\ignorespaces
11858    \hskip \textwidth\Gm@vrule\hskip \marginparsep
11859    \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
11860 \renewcommand*{\Gm@vrules@mpii}{%
11861 \if@RTLmain%
11862   \hb@xt@{\@tempdima{\llap{\Gm@vrule}\ignorespaces
11863   \hskip \textwidth\Gm@vrule\hskip \marginparsep
11864   \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
11865 \else%
11866   \hb@xt@{\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11867   \llap{\Gm@vrule}\ignorespaces
11868   \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11869   \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
11870 \bidi@patchcmd{\Gm@pageframes}{%
11871   \ifodd\count\z@
11872   \let\@themargin\oddsidemargin
11873   \else
11874   \let\@themargin\evensidemargin
11875   \fi
11876 }{%
11877   \ifodd\count\z@
11878   \if@RTLmain
11879   \let\@themargin\evensidemargin
11880   \else
11881   \let\@themargin\oddsidemargin
11882   \fi
11883   \else
11884   \if@RTLmain
11885   \let\@themargin\oddsidemargin
11886   \else
11887   \let\@themargin\evensidemargin
11888   \fi
11889   \fi
11890 }{}{}

```

68 File hvfloat-xetex-bidi.def

```

11891 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for
11892 \def\do@hvFloat[#1]#2#3{%
11893 \def\hv@shortCap{#1}
11894 \def\hv@longCap{#2}
11895 \def\hv@label{#3}
11896 %\newcommand*{\hvFloat}[5][[]]{%
11897 %  [#1]: keyvalues
11898 %  #2: type figure | table | ...
11899 %  #3: float contents
11900 %  [#4]: short caption

```



```

11901 % #5: caption
11902 % #6: label
11903 % \setDefault%
11904 % \def\@tempa{#1}%
11905 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
11906 % \def\@tempa{90}%
11907 % \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
11908 % \else \setlength{\hvMaxCapWidth}{\linewidth}
11909 % \fi
11910 %
11911 % First we save the object in \hvObjectBox
11912 %
11913 % \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
11914 % \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
11915 % \else
11916 % \savebox{\hvObjectBox}{%
11917 % \rotatebox{\hvSet@objectAngle}{%
11918 % \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
11919 % \fi
11920 % \setlength{\hvObjectWidth}{\wd\hvObjectBox}
11921 %
11922 % Now we save the caption with its defined \hvCapWidth
11923 %
11924 % \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
11925 % \else
11926 % \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
11927 % \else
11928 % \setlength{\hvCapWidth}{\hvObjectWidth}
11929 % \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11930 % \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11931 % \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
11932 % \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
11933 % \else
11934 % \setlength{\hvCapWidth}{\hvMaxCapWidth}
11935 % \fi
11936 % \fi
11937 % \fi
11938 %
11939 % now we have the object and the caption with the right
11940 % rotated angles saved in boxes
11941 %
11942 % \def\fps@figure{\hvSet@floatPos}
11943 % \ifhv@nonFloat\begin{group}% Start the nonfloat part
11944 % \else \begin{\hv@floatType}% Start the floating environment
11945 % \fi%
11946 % \saveCaptionSkip% we put this space ourselves
11947 % \ifx\hvSet@capAngle\hv@Width % need rotation?
11948 % \sbox{\hvCaptionBox}{%
11949 % \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
11950 % \ifhv@nonFloat%

```



```

11951 \ifhv@onlyText#2%
11952 \else%
11953 \ifx\hv@floatType\hv@figure
11954 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
11955 \else
11956 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
11957 \fi
11958 \fi
11959 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
11960 \fi%
11961 \label{#3}%
11962 \end{minipage}%
11963 }%
11964 \else%
11965 \sbox{\hvCaptionBox}{%
11966 \rotatebox{\hvSet@capAngle}{%
11967 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
11968 \ifhv@nonFloat%
11969 \ifhv@onlyText#2%
11970 \else%
11971 \ifx\hv@floatType\hv@figure
11972 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
11973 \else
11974 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
11975 \fi
11976 \fi
11977 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
11978 \fi%
11979 \label{#3}%
11980 \end{minipage}%
11981 }%
11982 }%
11983 \fi%
11984 %%
11985 \restoreCaptionSkip% save old values
11986 \ifx\hvSet@objectPos\hv@Right\bidiraggedleft%
11987 \else%
11988 \ifx\hvSet@objectPos\hv@Center
11989 \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
11990 \fi%
11991 \fi%
11992 %
11993 % to rotate object and caption together, we save all in another box
11994 % the caption comes first, if its on the left or the top
11995 %
11996 \savebox{\@tempboxa}{%
11997 \ifx\hvSet@capPos\hv@Left % caption on left side
11998 \if@RTL%
11999 \ifx\hvSet@capVPos\hv@Center%
12000 \ifhv@fbox

```




```

12001 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12002 \else
12003 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12004 \fi%
12005 \hspace{\hvSet@floatCapSep pt}%
12006 \ifhv@fbox
12007 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12008 \else
12009 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
12010 \fi%
12011 \else%
12012 \ifx\hvSet@capVPos\hv@Top
12013 \ifhv@fbox
12014 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12015 \else
12016 \raisebox{-\height}{\usebox{\hvObjectBox}}%
12017 \fi%
12018 \hspace{\hvSet@floatCapSep pt}%
12019 \ifhv@fbox
12020 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12021 \else
12022 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12023 \fi
12024 \else
12025 \ifhv@fbox
12026 \fbox{\usebox{\hvObjectBox}}%
12027 \else
12028 \usebox{\hvObjectBox}%
12029 \fi
12030 \hspace{\hvSet@floatCapSep pt}%
12031 \ifhv@fbox
12032 \fbox{\usebox{\hvCaptionBox}}%
12033 \else
12034 \usebox{\hvCaptionBox}%
12035 \fi%
12036 \fi%
12037 \fi%
12038 \else% not RTL
12039 \ifx\hvSet@capVPos\hv@Center%
12040 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12041 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
12042 \fi%
12043 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12044 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12045 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12046 \fi%
12047 \else%
12048 \ifx\hvSet@capVPos\hv@Top % caption at top
12049 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12050 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%

```



```

12051 \fi
12052 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12053 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12054 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
12055 \fi%
12056 \else% caption on bottom
12057 \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
12058 \else\usebox{\hvCaptionBox}
12059 \fi%
12060 \hspace{\hvSet@floatCapSep pt}%
12061 \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
12062 \else \usebox{\hvObjectBox}
12063 \fi%
12064 \fi%
12065 \fi% end of RTL
12066 \fi%
12067 \else
12068 \ifx\hvSet@capPos\hv@Top
12069 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12070 \begin{minipage}{\wd\hvCaptionBox}
12071 \else
12072 \begin{minipage}{\wd\hvObjectBox}
12073 \fi
12074 \centering
12075 \ifhv@fbox
12076 \fbbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
12077 \fbbox{\usebox{\hvObjectBox}}
12078 \else
12079 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
12080 \usebox{\hvObjectBox}
12081 \fi%
12082 \end{minipage}
12083 \else
12084 \ifx\hvSet@capPos\hv@Bottom
12085 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12086 \begin{minipage}{\wd\hvCaptionBox}
12087 \else
12088 \begin{minipage}{\wd\hvObjectBox}
12089 \fi
12090 \centering
12091 \ifhv@fbox
12092 \fbbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
12093 \fbbox{\usebox{\hvCaptionBox}}
12094 \else
12095 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
12096 \usebox{\hvCaptionBox}
12097 \fi%
12098 \end{minipage}
12099 \else% the last option: put the caption on the right
12100 \if@RTL%

```



```

12101 \ifx\hvSet@capVPos\hv@Center%
12102 \ifhv@fbox\fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12103 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
12104 \fi%
12105 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12106 \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12107 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12108 \fi%
12109 \else%
12110 \ifx\hvSet@capVPos\hv@Top % caption at top
12111 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12112 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12113 \fi
12114 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12115 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12116 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
12117 \fi%
12118 \else% caption on bottom
12119 \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
12120 \else\usebox{\hvCaptionBox}
12121 \fi%
12122 \hspace{\hvSet@floatCapSep pt}%
12123 \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
12124 \else \usebox{\hvObjectBox}
12125 \fi%
12126 \fi%
12127 \fi%
12128 \else% not RTL
12129 \ifx\hvSet@capVPos\hv@Center%
12130 \ifhv@fbox
12131 \fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12132 \else
12133 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12134 \fi%
12135 \hspace{\hvSet@floatCapSep pt}%
12136 \ifhv@fbox
12137 \fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12138 \else
12139 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
12140 \fi%
12141 \else%
12142 \ifx\hvSet@capVPos\hv@Top
12143 \ifhv@fbox
12144 \fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12145 \else
12146 \raisebox{-\height}{\usebox{\hvObjectBox}}%
12147 \fi%
12148 \hspace{\hvSet@floatCapSep pt}%
12149 \ifhv@fbox
12150 \fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%

```



```

12151 \else
12152 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12153 \fi
12154 \else
12155 \ifhv@fbox
12156 \fbox{\usebox{\hvObjectBox}}%
12157 \else
12158 \usebox{\hvObjectBox}%
12159 \fi
12160 \hspace{\hvSet@floatCapSep pt}%
12161 \ifhv@fbox
12162 \fbox{\usebox{\hvCaptionBox}}%
12163 \else
12164 \usebox{\hvCaptionBox}%
12165 \fi%
12166 \fi%
12167 \fi
12168 \fi% end of RTL
12169 \fi
12170 \fi
12171 \fi
12172 }% End savebox Object and caption
12173 %
12174 % now we rotate the object and caption, if needed
12175 %
12176 \ifx\hvSet@rotAngle\hv@Zero
12177 \usebox{\@tempboxa}
12178 \else
12179 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
12180 \fi
12181 \ifhv@nonFloat
12182 \ifx\hvSet@objectPos\hv@Center
12183 \ifhv@nonFloat
12184 \hspace{\fill}
12185 \fi
12186 \fi
12187 \endgroup% End the nonfloat part
12188 \else
12189 \end{\hv@floatType}% End the floating environment
12190 \fi
12191 }

```

69 File hyperref-xetex-bidi.def

```

12192 \ProvidesFile{hyperref-xetex-bidi.def}[2017/08/09 v1.0 bidi adaptations for hyperref package]
12193 \AtBeginDocument{%
12194 \def\contentsline#1#2#3#4{%
12195   \ifx\#4\%
12196     \csname l@#1\endcsname{#2}{#3}%
12197   \else

```



```

12198 \ifcase\Hy@linktoc % none
12199 \csname l@#1\endcsname{#2}{#3}%
12200 \or % section
12201 \csname l@#1\endcsname{%
12202 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
12203 }{#3}%
12204 \or % page
12205 \csname l@#1\endcsname{#2}{#3}%
12206 \hyper@linkstart{link}{#4}{#3}\hyper@linkend
12207 }%
12208 \else % all
12209 \csname l@#1\endcsname{%
12210 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
12211 }{#3}%
12212 \hyper@linkstart{link}{#4}{#3}\hyper@linkend
12213 }%
12214 \fi
12215 \fi
12216 }
12217 \ifHy@hyperfootnotes
12218 \let\H@@footnotetext\@footnotetext
12219 \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
12220 \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
12221 \def\@xfootnotenext[#1]{%
12222 \begingroup
12223 \csname c@\@mpfn\endcsname #1\relax
12224 \unrestored@protected@xdef\@thefnmark{\thempfn}%
12225 \endgroup
12226 \ifx\@footnotetext\@mpfootnotetext
12227 \expandafter\H@@mpfootnotetext
12228 \else
12229 \expandafter\H@@footnotetext
12230 \fi
12231 }%
12232 \def\@xRTLfootnotenext[#1]{%
12233 \begingroup
12234 \csname c@\@mpfn\endcsname #1\relax
12235 \unrestored@protected@xdef\@thefnmark{\thempfn}%
12236 \endgroup
12237 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
12238 \expandafter\HRTL@@mpRTLfootnotetext
12239 \else
12240 \expandafter\HRTL@@RTLfootnotetext
12241 \fi
12242 }%
12243 \def\@xLTRfootnotenext[#1]{%
12244 \begingroup
12245 \csname c@\@mpfn\endcsname #1\relax
12246 \unrestored@protected@xdef\@thefnmark{\thempfn}%
12247 \endgroup

```



```

12248 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
12249 \expandafter\HLTR@\@mpLTRfootnotetext
12250 \else
12251 \expandafter\HLTR@\@LTRfootnotetext
12252 \fi
12253 }%
12254 \def\@xfootnotemark[#1]{%
12255 \begingroup
12256 \c@footnote #1\relax
12257 \unrestored@protected@xdef\@thefnmark{\thefootnote}%
12258 \endgroup
12259 \H@\@footnotemark
12260 }%
12261 \let\H@\@mpfootnotetext\@mpfootnotetext
12262 \let\HRTL@\@mpRTLfootnotetext\@mpRTLfootnotetext
12263 \let\HLTR@\@mpLTRfootnotetext\@mpLTRfootnotetext
12264 \long\def\@mpfootnotetext#1{%
12265 \H@\@mpfootnotetext{%
12266 \ifHy@nesting
12267 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12268 \else
12269 \Hy@raisedlink{%
12270 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12271 }#1%
12272 \fi
12273 }%
12274 }%
12275 \long\def\@mpRTLfootnotetext#1{%
12276 \HRTL@\@mpRTLfootnotetext{%
12277 \ifHy@nesting
12278 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12279 \else
12280 \Hy@raisedlink{%
12281 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12282 }#1%
12283 \fi
12284 }%
12285 }%
12286 \long\def\@mpLTRfootnotetext#1{%
12287 \HLTR@\@mpLTRfootnotetext{%
12288 \ifHy@nesting
12289 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12290 \else
12291 \Hy@raisedlink{%
12292 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12293 }#1%
12294 \fi
12295 }%
12296 }%
12297 \long\def\@footnotetext#1{%

```



```

12298 \H@@footnotetext{%
12299 \ifHy@nesting
12300 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12301 \else
12302 \Hy@raisedlink{%
12303 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12304 }%
12305 \let\@currentHlabel\Hy@footnote@currentHlabel
12306 \let\@currentHref\Hy@footnote@currentHref
12307 \let\@currentlabelname\@empty
12308 #1%
12309 \fi
12310 }%
12311 }%
12312 \long\def\@RTLfootnotetext#1{%
12313 \HRTL@RTLfootnotetext{%
12314 \ifHy@nesting
12315 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12316 \else
12317 \Hy@raisedlink{%
12318 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12319 }%
12320 \let\@currentHlabel\Hy@footnote@currentHlabel
12321 \let\@currentHref\Hy@footnote@currentHref
12322 \let\@currentlabelname\@empty
12323 #1%
12324 \fi
12325 }%
12326 }%
12327 \long\def\@LTRfootnotetext#1{%
12328 \HLTR@LTRfootnotetext{%
12329 \ifHy@nesting
12330 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12331 \else
12332 \Hy@raisedlink{%
12333 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12334 }%
12335 \let\@currentHlabel\Hy@footnote@currentHlabel
12336 \let\@currentHref\Hy@footnote@currentHref
12337 \let\@currentlabelname\@empty
12338 #1%
12339 \fi
12340 }%
12341 }%
12342 \@ifpackageloaded{tabularx}{%
12343 \let\HyOrg@TX@endtabularx\TX@endtabularx
12344 \def\Hy@tabularx@hook{%
12345 \let\@footnotetext\H@@footnotetext
12346 \let\@LTRfootnotetext\HLTR@LTRfootnotetext
12347 \let\@RTLfootnotetext\HRTL@RTLfootnotetext

```



```

12348 \let\@footnotemark\H@@footnotemark
12349 \let\@mpfootnotetext\H@@mpfootnotetext
12350 \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
12351 \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
12352 }%
12353 \begingroup
12354 \toks@\expandafter{\TX@endtabularx}%
12355 \xdef\Hy@gtemp{%
12356 \noexpand\Hy@tabularx@hook
12357 \the\toks@
12358 }%
12359 \endgroup
12360 \let\TX@endtabularx\Hy@gtemp
12361 }{}%
12362 \@ifpackageloaded{longtable}{%
12363 \CheckCommand*{\LT@p@LTRftntext}[1]{%
12364 \edef\@tempa{%
12365 \the\LT@p@ftn
12366 \noexpand\LTRfootnotetext[\the\c@footnote]%
12367 }%
12368 \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12369 }%
12370 \long\def\LT@p@LTRftntext#1{%
12371 \edef\@tempa{%
12372 \the\LT@p@ftn
12373 \begingroup
12374 \noexpand\c@footnote=\the\c@footnote\relax
12375 \noexpand\protected@xdef\noexpand\@thefnmark{%
12376 \noexpand\thempfn
12377 }%
12378 \noexpand\Hy@LT@LTRfootnotetext{%
12379 \Hy@footnote@currentHref
12380 }%
12381 }%
12382 \global\LT@p@ftn\expandafter{%
12383 \@tempa{#1}%
12384 \endgroup
12385 }%
12386 }%
12387 \long\def\Hy@LT@LTRfootnotetext#1#2{%
12388 \HLTR@@LTRfootnotetext{%
12389 \ifHy@nesting
12390 \hyper@@anchor{#1}{#2}%
12391 \else
12392 \Hy@raisedlink{%
12393 \hyper@@anchor{#1}{\relax}%
12394 }%
12395 \def\@currentHref{#1}%
12396 \let\@currentlabelname\@empty
12397 #2%

```




```

12398     \fi
12399   }%
12400 }%
12401 \CheckCommand*{\LT@p@RTLftntext}[1]{%
12402   \edef\@tempa{%
12403     \the\LT@p@ftn
12404     \noexpand\RTLfootnotetext[\the\c@footnote]%
12405   }%
12406   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12407 }%
12408 \long\def\LT@p@RTLftntext#1{%
12409   \edef\@tempa{%
12410     \the\LT@p@ftn
12411     \begingroup
12412       \noexpand\c@footnote=\the\c@footnote\relax
12413       \noexpand\protected@xdef\noexpand\@thefnmark{%
12414         \noexpand\thempfn
12415       }%
12416       \noexpand\Hy@LT@RTLfootnotetext{%
12417         \Hy@footnote@currentHref
12418       }%
12419     }%
12420     \global\LT@p@ftn\expandafter{%
12421       \@tempa{#1}%
12422     }\endgroup
12423   }%
12424 }%
12425 \long\def\Hy@LT@RTLfootnotetext#1#2{%
12426   \HRTL@RTLfootnotetext{%
12427     \ifHy@nesting
12428       \hyper@@anchor{#1}{#2}%
12429     \else
12430       \Hy@raisedlink{%
12431         \hyper@@anchor{#1}{\relax}%
12432       }%
12433       \def\@currentHref{#1}%
12434       \let\@currentlabelname\@empty
12435       #2%
12436     \fi
12437   }%
12438 }%
12439 }{}%
12440 \@ifpackageloaded{bidipoem}{%
12441   \long\def\bidipoem@p@ftntext#1{%
12442     \edef\@tempx{%
12443       \the\bidipoem@p@ftn
12444     }\begingroup
12445       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12446       \noexpand\protected@xdef\noexpand\@thefnmark{%
12447         \noexpand\thempfn

```



```

12448      }%
12449      \noexpand\Hy@bidipoem@footnotetext{%
12450        \Hy@footnote@currentHref
12451      }%
12452    }%
12453    \global\bidipoem@p@ftn\expandafter{%
12454      \@temp{x}{#1}%
12455    \endgroup
12456  }%
12457 }%
12458 \long\def\Hy@bidipoem@footnotetext#1#2{%
12459   \H@@footnotetext{%
12460     \ifHy@nesting
12461       \hyper@@anchor{#1}{#2}%
12462     \else
12463       \Hy@raisedlink{%
12464         \hyper@@anchor{#1}{\relax}%
12465       }%
12466       \def\@currentHref{#1}%
12467       \let\@currentlabelname\@empty
12468       #2%
12469     \fi
12470   }%
12471 }%
12472 \long\def\bidipoem@p@LTRftntext#1{%
12473   \edef\@tempxi{%
12474     \the\bidipoem@p@ftn
12475   \begingroup
12476     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12477     \noexpand\protected@xdef\noexpand\@thefnmark{%
12478       \noexpand\thempfn
12479     }%
12480     \noexpand\Hy@bidipoem@LTRfootnotetext{%
12481       \Hy@footnote@currentHref
12482     }%
12483   }%
12484   \global\bidipoem@p@ftn\expandafter{%
12485     \@tempxi{#1}%
12486   \endgroup
12487 }%
12488 }%
12489 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
12490   \HLTR@@LTRfootnotetext{%
12491     \ifHy@nesting
12492       \hyper@@anchor{#1}{#2}%
12493     \else
12494       \Hy@raisedlink{%
12495         \hyper@@anchor{#1}{\relax}%
12496       }%
12497       \def\@currentHref{#1}%

```



```

12498         \let\@currentlabelname\@empty
12499         #2%
12500     \fi
12501 }%
12502 }%
12503     \long\def\bidipoem@p@RTLftntext#1{%
12504     \edef\@tempxi{%
12505     \the\bidipoem@p@ftn
12506     \begingroup
12507     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12508     \noexpand\protected@xdef\noexpand\@thefnmark{%
12509     \noexpand\thempfn
12510     }%
12511     \noexpand\Hy@bidipoem@RTLfootnotetext{%
12512     \Hy@footnote@currentHref
12513     }%
12514     }%
12515     \global\bidipoem@p@ftn\expandafter{%
12516     \@tempxi{#1}%
12517     \endgroup
12518     }%
12519 }%
12520 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
12521     \HRTL@RTLfootnotetext{%
12522     \ifHy@nesting
12523     \hyper@@anchor{#1}{#2}%
12524     \else
12525     \Hy@raisedlink{%
12526     \hyper@@anchor{#1}{\relax}%
12527     }%
12528     \def\@currentHref{#1}%
12529     \let\@currentlabelname\@empty
12530     #2%
12531     \fi
12532     }%
12533 }%
12534 }{}%
12535 \let\HyOrg@maketitle\maketitle
12536 \def\maketitle{%
12537     \let\Hy@saved@footnotemark\@footnotemark
12538     \let\Hy@saved@footnotetext\@footnotetext
12539     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
12540     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
12541     \let\@footnotemark\H@@footnotemark
12542     \let\@footnotetext\H@@footnotetext
12543     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
12544     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
12545     \@ifnextchar[\Hy@maketitle@optarg{% ]
12546     \HyOrg@maketitle
12547     \Hy@maketitle@end

```



```

12548 }%
12549 }%
12550 \def\Hy@maketitle@optarg[#1]{%
12551   \HyOrg@maketitle[#{#1}]%
12552   \Hy@maketitle@end
12553 }%
12554 \def\Hy@maketitle@end{%
12555   \ifx\@footnotemark\H@@footnotemark
12556     \let\@footnotemark\Hy@saved@footnotemark
12557   \fi
12558   \ifx\@footnotetext\H@@footnotetext
12559     \let\@footnotetext\Hy@saved@footnotetext
12560   \fi
12561   \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
12562     \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
12563   \fi
12564   \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
12565     \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
12566   \fi
12567 }%
12568 \def\realfootnote{%
12569   \@ifnextchar[\@xfootnote{%
12570     \stepcounter{\@mpfn}%
12571     \protected@xdef\@thefnmark{\thempfn}%
12572     \H@@@footnotemark\H@@@footnotetext
12573   }%
12574 }%
12575 \fi
12576 \def\Hy@BeginAnnot#1{%
12577   \ifmmode\else\beginL\fi%
12578   \global\advance\c@Hy@AnnotLevel\@ne
12579   \ifnum\c@Hy@AnnotLevel=\@ne
12580     #1%
12581   \fi
12582 }
12583 \def\Hy@endAnnot{%
12584   \ifnum\c@Hy@AnnotLevel=\@ne
12585     \Hy@endcolorlink
12586     \@pdfm@mark{eann}%
12587   \fi
12588   \global\advance\c@Hy@AnnotLevel\m@ne
12589   \ifmmode\else\endL\fi%
12590 }
12591 \def\hyper@link#1#2#3{%
12592   \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi\endR%
12593 }
12594 \def\hyper@linkfile#1#2#3{%
12595   \leavevmode
12596   \Hy@BeginAnnot{%
12597     \def\Hy@pstringF{#2}%

```



```

12598 \Hy@CleanupFile\Hy@pstringF
12599 \Hy@pstringdef\Hy@pstringF\Hy@pstringF
12600 \Hy@pstringdef\Hy@pstringD{#3}%
12601 \Hy@MakeRemoteAction
12602 \@pdfm@mark{%
12603   bann<<%
12604     /Type/Annot%
12605     /Subtype/Link%
12606     \ifHy@pdfa /F 4\fi
12607     \Hy@setpdfborder
12608     \ifx\@filebordercolor\relax
12609     \else
12610       /C[\@filebordercolor]%
12611     \fi
12612     /A<<%
12613     /S/GoToR%
12614     /F(\Hy@pstringF)%
12615     /D%
12616     \ifx\#3\%
12617       [\Hy@href@page\@pdfremotestartview]%
12618     \else
12619       (\Hy@pstringD)%
12620     \fi
12621     \Hy@SetNewWindow
12622     \Hy@href@nextactionraw
12623     >>%
12624   >>%
12625 }%
12626 \Hy@colorlink\@filecolor
12627 }%
12628 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12629 \Hy@EndAnnot
12630 }
12631 \def\@hyper@launch run:#1\#2#3{% filename, anchor text linkname
12632 \leavevmode
12633 \Hy@BeginAnnot{%
12634   \Hy@pstringdef\Hy@pstringF{#1}%
12635   \Hy@pstringdef\Hy@pstringP{#3}%
12636   \@pdfm@mark{%
12637     bann<<%
12638       /Type/Annot%
12639       /Subtype/Link%
12640       \ifHy@pdfa /F 4\fi
12641       \Hy@setpdfborder
12642       \ifx\@runbordercolor\relax
12643       \else
12644         /C[\@runbordercolor]%
12645       \fi
12646       /A<<%
12647       /F(\Hy@pstringF)%

```



```

12648         /S/Launch%
12649         \Hy@SetNewWindow
12650         \ifx\|#3\|%
12651         \else
12652         /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
12653         \fi
12654         \Hy@href@nextactionraw
12655         >>%
12656     >>%
12657     }%
12658     \Hy@colorlink\@runcolor
12659 }%
12660 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12661 \Hy@EndAnnot
12662 }
12663 \def\hyper@linkurl#1#2{%
12664     \leavevmode
12665     \Hy@BeginAnnot{%
12666         \Hy@pstringdef\Hy@pstringURI{#2}%
12667         \@pdfm@mark{%
12668             bann<<%
12669             /Type/Annot%
12670             /Subtype/Link%
12671             \ifHy@pdfa /F 4\fi
12672             \Hy@setpdfborder
12673             \ifx\@urlbordercolor\relax
12674             \else
12675             /C[\@urlbordercolor]%
12676             \fi
12677             /A<<%
12678             /S/URI%
12679             /URI(\Hy@pstringURI)%
12680             \ifHy@href@ismap
12681             /IsMap true%
12682             \fi
12683             \Hy@href@nextactionraw
12684             >>%
12685         >>%
12686         }%
12687         \Hy@colorlink\@urlcolor
12688     }%
12689     \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12690     \Hy@EndAnnot
12691 }
12692 \def\Acrobatmenu#1#2{%
12693     \Hy@Acrobatmenu{#1}{#2}{%
12694         \Hy@BeginAnnot{%
12695             \EdefEscapeName\Hy@temp@menu{#1}%
12696             \@pdfm@mark{%
12697                 bann<<%

```



```

12698      /Type/Annot%
12699      /Subtype/Link%
12700      \ifHy@pdfa /F 4\fi
12701      \Hy@setpdfborder
12702      \ifx\@menubordercolor\relax
12703      \else
12704      /C[\@menubordercolor]%
12705      \fi
12706      /A<<%
12707      /S/Named%
12708      /N/\Hy@temp@menu
12709      \Hy@href@nextactionraw
12710      >>%
12711      >>%
12712      }%
12713      \Hy@colorlink\@menucolor
12714      }%
12715      \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12716      \Hy@endAnnot
12717      }%
12718      }
12719      \def\hyper@natlinkstart#1{%
12720      \Hy@backout{#1}%
12721      \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
12722      \def\hyper@nat@current{#1}%
12723      }
12724      \def\hyper@natlinkend{%
12725      \if@RTL\endR\fi\hyper@linkend
12726      }
12727      \def\hyper@natlinkbreak#1#2{%
12728      \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
12729      }%
12730      }
12731      \pdfstringdefDisableCommands{%
12732      \let\LRE\@firstofone
12733      \let\LR\@firstofone
12734      \let\RLE\@firstofone
12735      \let\RL\@firstofone
12736      \def\XeTeX{Xe\TeX}
12737      \def\XeLaTeX{Xe\LaTeX}
12738      }
12739      \@ifpackageloaded{longtable}{%
12740      \begingroup
12741      \def\y{\LT@array}%
12742      \@ifundefined{scr@LT@array}{%
12743      \@ifundefined{adl@LT@array}{\def\y{\adl@LT@array}}%
12744      }\def\y{\scr@LT@array}%
12745      \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
12746      \expandafter\endgroup
12747      \expandafter\def\y[##1]##2{%

```



```

12748      \H@refstepcounter{#1}%
12749      \hyper@makecurrent{table}%
12750      \let\Hy@LT@currentHref\@currentHref
12751      #2\@sharp####4%
12752    }%
12753  }%
12754  \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
12755  \begingroup
12756    \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
12757    \endgroup
12758    \def\LT@start{%
12759      #1%
12760      \ifvoid\LT@foot#2\fi
12761      \let\@currentHref\Hy@LT@currentHref
12762      \Hy@raisedlink{%
12763        \hyper@anchorstart{\@currentHref}\hyper@anchorend
12764      }%
12765      #3%
12766    }%
12767  }%
12768  \expandafter\x\LT@start\@nil
12769 }{}

```

70 File `imsproc-xetex-bidi.def`

```

12770 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for ]
12771 \newenvironment{thebibliography}[1]{%
12772   \@bibtitlestyle
12773   \normalfont\bibliofont\labelsep .5em\relax
12774   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
12775   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12776   \bidi@thebibliography@font@hook
12777   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
12778     \leftmargin\labelwidth \advance\leftmargin\labelsep
12779     \usecounter{enumiv}}%
12780   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
12781   \sfcode`\.=\@m
12782 }{%
12783   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
12784   \endlist
12785 }
12786
12787 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
12788   \columnseprule\z@ \columnsep 35\p@
12789   \@indextitlestyle
12790   \thispagestyle{plain}%
12791   \let\item\@idxitem
12792   \parindent\z@ \parskip\z@\@plus.3\p@\relax
12793   \if@RTL\raggedleft\else\raggedright\fi
12794   \hyphenpenalty\@M

```




```

12795 \footnotesize}
12796 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
12797 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
12798 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
12799
12800 \def\right@footnoterule{%
12801 \kern-.4\p@
12802 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
12803 \kern11\p@\kern-\footnotesep}
12804 \def\left@footnoterule{\kern-.4\p@
12805 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
12806 \def\@makefnmark{%
12807 \leavevmode
12808 \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
12809 }
12810
12811 \def\part{\@startsection{part}{0}%
12812 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
12813 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
12814 \def\@tocline#1#2#3#4#5#6#7{\relax
12815 \ifnum #1>\c@tocdepth % then omit
12816 \else
12817 \par \addpenalty\@secpenalty\addvspace{#2}%
12818 \begingroup \hyphenpenalty\@M
12819 \@ifempty{#4}{%
12820 \@tempdima\csname r@tocindent\number#1\endcsname\relax
12821 }{%
12822 \@tempdima#4\relax
12823 }%
12824 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi#4\relax
12825 \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
12826 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
12827 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
12828 \nobreak
12829 \endgroup
12830 \fi}
12831 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
12832 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
12833 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
12834 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
12835 \def\maketitle{\par
12836 \@topnum\z@ % this prevents figures from falling at the top of page 1
12837 \@setcopyright
12838 \thispagestyle{firstpage}% this sets first page specifications
12839 \uppercase\nonmath\shorttitle
12840 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
12841 \else \andify\shortauthors
12842 \fi
12843 \@maketitle@hook
12844 \begingroup

```



```

12845 \@maketitle
12846 \toks@{\xp{\shortauthors}\@temptokena\xp{\shorttitle}%
12847 \toks4{\def\\{\ \ignorespaces}}% defend against questionable usage
12848 \edef\@tempa{%
12849   \@nx\markboth{\the\toks4
12850     \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
12851 \@tempa
12852 \endgroup
12853 \c@footnote\z@
12854 \clearatopmattertags
12855 }

```

71 File leqno-xetex-bidi.def

```

12856 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX e
12857 \renewcommand\@eqnnum{\hb@xt@.01\p@{}}%
12858 \rlap{\hskip -\displaywidth
12859 \normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}

```

72 File letter-xetex-bidi.def

```

12860 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter clas
12861 \renewcommand*\opening[1]{\ifx\@empty\fromaddress
12862 \thispagestyle{firstpage}%
12863 {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
12864 \else % home address
12865 \thispagestyle{empty}%
12866 {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@{}}
12867 \fromaddress \*[2\parskip]%
12868 \@date \end{tabular}\par}%
12869 \fi
12870 \vspace{2\parskip}%
12871 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ \toaddress \par}%
12872 \vspace{2\parskip}%
12873 #1\par\nobreak}
12874 \renewcommand\left@footnoterule{%
12875 \kern-\p@
12876 \hrule \@width .4\columnwidth
12877 \kern .6\p@}
12878 \renewcommand\right@footnoterule{%
12879 \kern-\p@
12880 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
12881 \kern .6\p@}

```

73 File lettrine-xetex-bidi.def

```

12882 \ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package
12883 \def\@lettrine[#1]#2#3{%
12884 \setcounter{L@lines}{\theDefaultLines}%
12885 \setcounter{L@depth}{\theDefaultDepth}%

```



```

12886 \renewcommand*{\L@hang}{\DefaultLhang}%
12887 \renewcommand*{\L@oversize}{\DefaultLoversize}%
12888 \renewcommand*{\L@raise}{\DefaultLraise}%
12889 \renewcommand*{\L@ante}{}%
12890 \setlength{\L@Findent}{\DefaultFindent}%
12891 \setlength{\L@Nindent}{\DefaultNindent}%
12892 \setlength{\L@slope}{\DefaultSlope}%
12893 \setlength{\L@novskip}{\DiscardVskip}%
12894 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
12895 \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
12896 \if\DefaultOptionsFile\relax
12897 \else
12898 \begingroup
12899 \InputIfFileExists{\DefaultOptionsFile}%
12900 {}%
12901 {\PackageWarning{lettrine.sty}%
12902 {File \DefaultOptionsFile\space not found}}%
12903 }%
12904 \def\color##1##{\l@color{##1}}%
12905 \let\l@color\@gobbletwo
12906 \def\textcolor##1##{\l@textcolor{##1}}%
12907 \def\l@textcolor##1##2##3{##3}%
12908 \expandafter\ifx\csname l@#2-keys\endcsname\relax
12909 \gdef\l@LOKeys{}%
12910 \else
12911 \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
12912 \fi
12913 \endgroup
12914 \def\KV@prefix{KV@L@}%
12915 \let\@tempc\relax
12916 \expandafter\KV@do\l@LOKeys,\relax,
12917 \sbox{\L@lbox}{\LettrineFont #2}%
12918 \setlength{\LettrineWidth}{\wd\L@lbox}%
12919 \def\KV@prefix{KV@L@}%
12920 \let\@tempc\relax
12921 \expandafter\KV@do\l@LOKeys,\relax,
12922 \fi
12923 \setkeys{L}{#1}%
12924 \ifL@image
12925 \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
12926 \else
12927 \sbox{\L@lbox}{\LettrineFont #2}%
12928 \fi
12929 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
12930 \@tempdima=\baselineskip
12931 \ifnum\theL@lines=1
12932 \setlength{\L@first}{\ht\L@lbox}%
12933 \addtolength{\L@first}{-\ht\L@tbox}%
12934 \setlength{\L@lraise}{\z@}%
12935 \else

```



```

12936 \setlength{\L@first}{-\theL@lines\@tempdima}%
12937 \addtolength{\L@first}{\@tempdima}%
12938 \sbox{\@tempboxa}{\LettrineTextFont x}%
12939 \addtolength{\L@first}{-\ht\@tempboxa}%
12940 \setlength{\L@lraise}{-\L@raise\L@first}%
12941 \addtolength{\L@first}{\L@lraise}%
12942 \addtolength{\L@first}{\ht\L@lbox}%
12943 \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
12944 \addtolength{\L@lraise}{\@tempdima}%
12945 \fi
12946 \par
12947 \ifdim\L@first>\L@novskip
12948 \ifL@grid
12949 \@tempdima=\baselineskip
12950 \@tempdimb=\@tempdima
12951 \advance\@tempdimb by \L@novskip
12952 \@tempcnta=1
12953 \loop\ifdim\L@first>\@tempdimb
12954 \advance\@tempcnta by 1
12955 \advance\L@first by -\@tempdima
12956 \repeat
12957 \vskip\@tempcnta\baselineskip
12958 \else
12959 \vskip\L@first
12960 \fi
12961 \fi
12962 \setlength{\L@Pindent}{\wd\L@lbox}%
12963 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
12964 \settowidth{\L@first}{\L@ante}%
12965 \addtolength{\L@Pindent}{\L@first}%
12966 \addtolength{\L@Pindent}{\L@Findent}%
12967 \setlength{\L@first}{\linewidth}%
12968 \addtolength{\L@first}{-\L@Pindent}%
12969 \addtolength{\L@Nindent}{\L@Pindent}%
12970 \setlength{\L@next}{\linewidth}%
12971 \addtolength{\L@next}{-\L@Nindent}%
12972 \addtolength{\L@Pindent}{\rightmargin}%
12973 \addtolength{\L@Nindent}{\rightmargin}%
12974 \setlength{\LettrineWidth}{\wd\L@lbox}%
12975 \setlength{\LettrineHeight}{\ht\L@lbox}%
12976 \setlength{\LettrineDepth}{\dp\L@lbox}%
12977 \addtocounter{L@lines}{1}%
12978 \addtocounter{L@lines}{\the\c@L@depth}%
12979 \ifRTL\def\L@parshape{\c@L@lines Opt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@P
12980 \@tempcnta=\tw@
12981 \@whilenum \@tempcnta<\c@L@lines\do{%
12982 \ifRTL\edef\L@parshape{\L@parshape Opt \the\L@next}\else\edef\L@parshape{\L@parshape \t
12983 \addtolength{\L@Nindent}{\L@slope}%
12984 \addtolength{\L@next}{-\L@slope}%
12985 \advance\@tempcnta\@ne}%

```



```

12986 \if@RTL \edef\L@parshape{\L@parshape Opt \the\linewidth}\else\edef\L@parshape{\L@parshape \
12987 \noindent
12988 \parshape=\L@parshape\relax
12989 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%
12990 \hskip \the\L@Findent}}%
12991 \usebox{\L@tbox}%
12992 }

```

74 File lineno-xetex-bidi.def

```

12993 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for X
12994 \bidi@patchcmd{\MakeLineNo}{%
12995 \hb@xt@{z@{\makeLineNumber}}%
12996 }{%
12997 \hboxL to {z@{\makeLineNumber}}%
12998 }{}{}
12999
13000 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
13001 \if@RTL
13002 \hb@xt@{\linewidthwidth{\LineNumber\hss}}%
13003 \else
13004 \LineNumber
13005 \fi
13006 }{}{}
13007
13008 \bidi@patchcmd{\makeLineNumberRight}{%
13009 \hb@xt@{\linewidthwidth{\hss\LineNumber}}%
13010 }{%
13011 \if@RTL
13012 \LineNumber
13013 \else
13014 \hb@xt@{\linewidthwidth{\hss\LineNumber}}%
13015 \fi
13016 }{}{}
13017
13018 \bidi@AfterPreamble{%
13019 \if@RTLmain
13020 \rightlinenumbers*
13021 \else
13022 \leftlinenumbers*
13023 \fi
13024 \@ifpackagewith{lineno}{left}{%
13025 \leftlinenumbers*
13026 }{}
13027 \@ifpackagewith{lineno}{right}{%
13028 \rightlinenumbers*
13029 }{}
13030 }
13031

```



75 File listings-xetex-bidi.def

```

13032 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package]
13033 \lst@Key{captiondirection}{textdirection}{%
13034   \lstKV@SwitchCases{#1}%
13035   {textdirection:\\%
13036     RTL:\chardef\bidi@lst@caption@direction\@ne\\%
13037     LTR:\chardef\bidi@lst@caption@direction\z@%
13038   }\PackageError{Listings}{direction #1 unknown}\@ehc}}
13039
13040 \lst@Key{captionscript}{textscript}{%
13041   \lstKV@SwitchCases{#1}%
13042   {textscript:\\%
13043     latin:\chardef\bidi@lst@caption@script\@ne\\%
13044     nonlatin:\chardef\bidi@lst@caption@script\z@%
13045   }\PackageError{Listings}{direction #1 unknown}\@ehc}}
13046
13047 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
13048   \@ifundefined{bidi@lst@caption@direction}{\@%
13049     \ifnum\bidi@lst@caption@direction=\z@%
13050       #1%
13051     \else%
13052       \ifnum\bidi@lst@caption@direction=\@ne%
13053         #2%
13054       \fi%
13055     \fi%
13056   }}
13057
13058 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
13059   \@ifundefined{bidi@lst@caption@script}{\@%
13060     \ifnum\bidi@lst@caption@script=\z@%
13061       #1%
13062     \else%
13063       \ifnum\bidi@lst@caption@script=\@ne%
13064         #2%
13065       \fi%
13066     \fi%
13067   }}
13068
13069 \long\def\bidi@lst@makecaption#1#2{%
13070   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13071   \vskip\abovecaptionskip
13072   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13073   \sbox\@tempboxa{%
13074     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
13075     #1: #2%
13076     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
13077   }%
13078   \ifdim \wd\@tempboxa >\hsize
13079     #1: #2\par

```



```

13080 \else
13081 \global \@minipagefalse
13082 \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
13083 \fi
13084 \vskip\belowcaptionskip}%
13085 \def\lst@makecaption{\@bidi@lst@makecaption}
13086 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
13087 \bidi@AtEndPreamble{%
13088 \bidi@patchcmd{\lst@MakeCaption}{%
13089 \ifx #1%
13090 \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
13091 \expandafter\refstepcounter
13092 \fi {lstlisting}%
13093 }{%
13094 \ifx #1%
13095 \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13096 \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
13097 \expandafter\refstepcounter
13098 \fi {lstlisting}%
13099 \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
13100 }{}}%
13101 \bidi@patchcmd{\lst@MakeCaption}{%
13102 \addcontentsline{lol}{lstlisting}%
13103 {\protect\numberline{\thelstlisting}\lst@@caption}%
13104 }{%
13105 \begingroup%
13106 \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13107 \addcontentsline{lol}{lstlisting}%
13108 {\protect\numberline{\thelstlisting}\lst@@caption}%
13109 \endgroup%
13110 }{}}%
13111 }
13112 \@ifpackageloaded{caption}{%
13113 \AtBeginCaption{%
13114 \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13115 \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13116 }
13117 \let\@bidi@lst@makecaption\caption@makecaption%
13118 \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
13119 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
13120 }{%
13121 \AtBeginDocument{%
13122 \@ifundefined{captionlabelfalse}{}%
13123 \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
13124 \@ifundefined{caption@startrue}{}%
13125 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
13126 }%
13127 }
13128 \AtBeginDocument{
13129 \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{%

```



```

13130 \lst@ifnumberbychapter
13131     \gdef\thelstlisting%
13132         {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
13133 \else
13134     \gdef\thelstlisting{\@arabic\c@lstlisting}
13135 \fi}

```

76 File loadingorder-xetex-bidi.def

```

13136 \ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
13137 \bidi@isloaded{amsmath}
13138 \bidi@isloaded{amstext}
13139 \bidi@isloaded{amsthm}
13140 \bidi@isloaded{animate}
13141 \bidi@isloaded{breqn}
13142 \bidi@isloaded{cals}
13143 \bidi@isloaded{caption}
13144 \bidi@isloaded{crop}
13145 \bidi@isloaded{cuted}
13146 \bidi@isloaded{cutwin}
13147 \bidi@isloaded{color}
13148 \bidi@isloaded{dblfnote}
13149 \bidi@isloaded{diagbox}
13150 \bidi@isloaded{xcolor}
13151 \bidi@isloaded{colortbl}
13152 \bidi@isloaded{float}
13153 \bidi@isloaded{floatrow}
13154 \bidi@isloaded{flowfram}
13155 \bidi@isloaded{framed}
13156 \bidi@isloaded{ftnright}
13157 \bidi@isloaded{xltextra}
13158 \bidi@isloaded{xunicode}
13159 \bidi@isloaded{wrapfig}
13160 \bidi@isloaded{graphicx}
13161 \bidi@isloaded{geometry}
13162 \bidi@isloaded{hvfloat}
13163 \bidi@isloaded{mdframed}
13164 \bidi@isloaded{midfloat}
13165 \bidi@isloaded{ntheorem}
13166 \bidi@isloaded{ntheorem-hyper}
13167 \bidi@isloaded{hyperref}
13168 \bidi@isloaded{fancybox}
13169 \bidi@isloaded{fancyhdr}
13170 \bidi@isloaded{fix2col}
13171 \bidi@isloaded{draftwatermark}
13172 \bidi@isloaded{empheq}
13173 \bidi@isloaded{overpic}
13174 \bidi@isloaded{pdfpages}
13175 \bidi@isloaded{listings}
13176 \bidi@isloaded{lettrine}

```




```

13177 \bidi@isloaded{lineno}
13178 \bidi@isloaded{media9}
13179 \bidi@isloaded{pstricks}
13180 \bidi@isloaded{pgf}
13181 \bidi@isloaded{picinpar}
13182 \bidi@isloaded{quotchap}
13183 \bidi@isloaded{tikz}
13184 \bidi@isloaded{titlesec}
13185 \bidi@isloaded{titletoc}
13186 \bidi@isloaded{array}
13187 \bidi@isloaded{soul}
13188 \bidi@isloaded{stabular}
13189 \bidi@isloaded{subfig}
13190 \bidi@isloaded{subfigure}
13191 \bidi@isloaded{supertabular}
13192 \bidi@isloaded{xtab}
13193 \bidi@isloaded{longtable}
13194 \bidi@isloaded{arydshln}
13195 \bidi@isloaded{multicol}
13196 \bidi@isloaded{multienum}
13197 \bidi@isloaded{minitoc}
13198 \bidi@isloaded{natbib}
13199 \bidi@isloaded{newfloat}
13200 \bidi@isloaded{ragged2e}
13201 \bidi@isloaded{rotating}
13202 \bidi@isloaded{tbls}
13203 \bidi@isloaded{tabulary}
13204 \bidi@isloaded{tocbasic}
13205 \bidi@isloaded{tocstyle}
13206 \bidi@isloaded{tocbibind}
13207 \bidi@isloaded{fontspec}
13208 \bidi@isloaded{arabxetex}
13209 \bidi@isloaded{polyglossia}
13210 \bidi@isloaded{fancyvrb}
13211 \AtBeginDocument{
13212   \if@bidi@amsmathloaded@ \else
13213     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package}{}]
13214   \fi%
13215   \if@bidi@amstextloaded@ \else
13216     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package}{}]
13217   \fi%
13218   \if@bidi@amsthmloaded@ \else
13219     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package}{}]
13220   \fi%
13221   \if@bidi@animateloaded@ \else
13222     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi package}{}]
13223   \fi%
13224   \if@bidi@breqnloaded@ \else
13225     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package}{}]
13226   \fi%

```



```

13227 \if@bidi@calsloaded@else
13228 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package.
13229 \fi%
13230 \if@bidi@captionloaded@else
13231 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi packa
13232 \fi%
13233 \if@bidi@croplloaded@else
13234 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package.
13235 \fi%
13236 \if@bidi@colorloaded@else
13237 \@ifpackageloaded{hyperref}{-}{%
13238 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package
13239 \fi%
13240 \if@bidi@cutwinloaded@else
13241 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package
13242 \fi%
13243 \if@bidi@cutedloaded@else
13244 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package
13245 \fi%
13246 \if@bidi@dblnoteloaded@else
13247 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi packa
13248 \fi%
13249 \if@bidi@diagboxloaded@else
13250 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi packa
13251 \fi%
13252 \if@bidi@xcolorloaded@else
13253 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package
13254 \fi%
13255 \if@bidi@colortblloaded@else
13256 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi packa
13257 \fi%
13258 \if@bidi@floatloaded@else
13259 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package
13260 \fi%
13261 \if@bidi@floatrowloaded@else
13262 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi packa
13263 \fi%
13264 \if@bidi@flowframloaded@else
13265 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi packa
13266 \fi%
13267 \if@bidi@framedloaded@else
13268 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package
13269 \fi%
13270 \if@bidi@ftnrightloaded@else
13271 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi packa
13272 \fi%
13273 \if@bidi@xltxtraloaded@else
13274 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi packa
13275 \fi%
13276 \if@bidi@xunicodeloaded@else

```



```

13277 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi packa
13278 \fi%
13279 \if@bidi@wrapfigloaded@else
13280 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packa
13281 \fi%
13282 \if@bidi@graphicxloaded@else
13283 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi packa
13284 \fi%
13285 \if@bidi@geometryloaded@else
13286 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi packa
13287 \fi%
13288 \if@bidi@hvfloatloaded@else
13289 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packa
13290 \fi%
13291 \if@bidi@mdframedloaded@else
13292 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi packa
13293 \fi%
13294 \if@bidi@midfloatloaded@else
13295 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi packa
13296 \fi%
13297 \if@bidi@ntheoremloaded@else
13298 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi packa
13299 \fi%
13300 \if@bidi@hyperrefloaded@else
13301 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi packa
13302 \fi%
13303 \if@bidi@fancyboxloaded@else
13304 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi packa
13305 \fi%
13306 \if@bidi@fancyhdrloaded@else
13307 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi packa
13308 \fi%
13309 \if@bidi@draftwatermarkloaded@else
13310 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bid
13311 \fi%
13312 \if@bidi@empheqloaded@else
13313 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package
13314 \fi%
13315 \if@bidi@overpicloaded@else
13316 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi packa
13317 \fi%
13318 \if@bidi@pdfpagesloaded@else
13319 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi packa
13320 \fi%
13321 \if@bidi@lettrineloaded@else
13322 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi packa
13323 \fi%
13324 \if@bidi@linenoloaded@else
13325 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi package
13326 \fi%

```



```

13327 \if@bidi@listingsloaded@else
13328   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi packa
13329 \fi%
13330 \csname if@bidi@media9loaded@\endcsname\else
13331   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package
13332 \fi%
13333 \if@bidi@pstricksloaded@else
13334   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi packa
13335 \fi%
13336 \if@bidi@pgfloaded@else
13337   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
13338 \fi%
13339 \if@bidi@picinparloaded@else
13340   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi packa
13341 \fi%
13342 \if@bidi@quotchaploaded@else
13343   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi packa
13344 \fi%
13345 \if@bidi@tikzloaded@else
13346   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
13347 \fi%
13348 \if@bidi@titlesecloaded@else
13349   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi packa
13350 \fi%
13351 \if@bidi@titletocloaded@else
13352   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi packa
13353 \fi%
13354 \if@bidi@arrayloaded@else
13355   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package
13356 \fi%
13357 \if@bidi@stabularloaded@else
13358   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi packa
13359 \fi%
13360 \if@bidi@soulloaded@else
13361   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.
13362 \fi%
13363 \if@bidi@subfigloaded@else
13364   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package
13365 \fi%
13366 \if@bidi@subfigureloaded@else
13367   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pack
13368 \fi%
13369 \if@bidi@supertabularloaded@else
13370   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi p
13371 \fi%
13372 \if@bidi@xtabloaded@else
13373   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
13374 \fi%
13375 \if@bidi@longtableloaded@else
13376   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pack

```



```

13377 \fi%
13378 \if@bidi@arydshlnloaded@else
13379 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi packa
13380 \fi%
13381 \if@bidi@multicolloaded@else
13382 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi packa
13383 \fi%
13384 \if@bidi@multienumloaded@else
13385 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pack
13386 \fi%
13387 \if@bidi@minitocloaded@else
13388 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packa
13389 \fi%
13390 \if@bidi@natbibloaded@else
13391 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package
13392 \fi%
13393 \if@bidi@newfloatloaded@else
13394 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi packa
13395 \fi%
13396 \csname if@bidi@ragged2eloaded@endcsnameelse
13397 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi packa
13398 \fi%
13399 \if@bidi@rotatingloaded@else
13400 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi packa
13401 \fi%
13402 \if@bidi@tblsloaded@else
13403 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi package
13404 \fi%
13405 \if@bidi@tabularyloaded@else
13406 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi packa
13407 \fi%
13408 \if@bidi@tocbasicloaded@else
13409 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi packa
13410 \fi%
13411 \if@bidi@tocstyleloaded@else
13412 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi packa
13413 \fi%
13414 \if@bidi@tocbibindloaded@else
13415 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pack
13416 \fi%
13417 \if@bidi@fontspecloaded@else
13418 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi packa
13419 \fi%
13420 \if@bidi@arabxetexloaded@else
13421 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pack
13422 \fi%
13423 \if@bidi@polyglossialloaded@else
13424 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi p
13425 \fi%
13426 \if@bidi@fancyvrbloaded@else

```



```

13427 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi packa
13428 \fi%
13429 }

```

77 File longtable-xetex-bidi.def

```

13430 \ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package]
13431 \def\LT@array[#1]#2{%
13432 \refstepcounter{table}\stepcounter{LT@tables}%
13433 \if l#1%
13434 \if RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
13435 \else\if r#1%
13436 \if RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
13437 \else\if c#1%
13438 \LTleft\fill \LTright\fill
13439 \fi\fi\fi
13440 \let\LT@mc\multicolumn
13441 \let\LT@@tabarray\@tabarray
13442 \let\LT@hline\hline
13443 \def\@tabarray{%
13444 \let\hline\LT@hline
13445 \LT@@tabarray}%
13446 \let\LT@tabularcr\let\tabularnewline\%
13447 \def\newpage{\noalign{\break}}%
13448 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
13449 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}%
13450 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
13451 \@tempdima\ht\strutbox
13452 \let\@endpbox\LT@endpbox
13453 \ifx\extrarowheight\@undefined
13454 \let\@acol\@tabacol
13455 \let\@classz\@tabclassz \let\@classiv\@tabclassiv
13456 \def\@startpbox{\vtop\LT@startpbox}%
13457 \let\@@startpbox\@startpbox
13458 \let\@@endpbox\@endpbox
13459 \let\LT@LL@FM@cr\@tabularcr
13460 \else
13461 \advance\@tempdima\extrarowheight
13462 \col@sep\@tabcolsep
13463 \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
13464 \fi
13465 \setbox\@arstrutbox\hbox{\vrule
13466 \@height \arraystretch \@tempdima
13467 \@depth \arraystretch \dp \strutbox
13468 \@width \z@}%
13469 \let\@sharp#\let\protect\relax
13470 \begingroup
13471 \mkpream{#2}%
13472 \xdef\LT@bchunk{%
13473 \global\advance\c@LT@chunks\@ne

```



```

13474 \global\LT@rows\z@\setbox\z@\vbox\bgroup
13475 \LT@setprevdepth
13476 \tabskip\LTleft \noexpand\halign to\hsize\bgroup
13477 \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
13478 \endgroup
13479 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
13480 \LT@make@row
13481 \m@th\let\par\@empty
13482 \everycr{}\lineskip\z@\baselineskip\z@
13483 \LT@bchunk}
13484 \def\LT@makecaption#1#2#3{%
13485 \LT@mc\LT@cols c{\hbox to\z@{\hss\parbox[t]{\LTcapwidth{%
13486 \sbox\@tempboxa{\ifRTL\beginR\fi#1{#2: }#3\ifRTL\endR\fi}%
13487 \ifdim\wd\@tempboxa>\hsize
13488 #1{#2: }#3%
13489 \else
13490 \hbox to\hsize{\hfil\box\@tempboxa\hfil}}%
13491 \fi
13492 \endgraf\vskip\baselineskip}%
13493 \hss}}
13494 \@ifpackageloaded{caption}{%
13495 \renewcommand\LT@makecaption[3]{%
13496 \caption@LT@make{%
13497 \caption@settype*\LTcaptype
13498 \ifdim\LTcapwidth=4in \else
13499 \setcaptionwidth\LTcapwidth
13500 \fi
13501 \caption@setoptions{longtable}%
13502 \caption@setoptions{@longtable}%
13503 \caption@LT@setup
13504 \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
13505 \caption@startrue#1\caption@starfalse
13506 \caption@prepare@stepcounter\LTcaptype{LT}%
13507 \caption@begin\LTcaptype
13508 \caption@normalsize
13509 \vskip-\ht\strutbox
13510 \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
13511 \caption@@make{#2}{#3}\endgraf
13512 \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
13513 \caption@end}}%
13514 }{}
13515 \def\LT@startpbox#1{%
13516 \bgroup
13517 \let\@footnotetext\LT@p@ftntext
13518 \let\@LTRfootnotetext\LT@p@LTRftntext
13519 \let\@RTLfootnotetext\LT@p@RTLftntext
13520 \setlength\hsize{#1}%
13521 \@arrayparboxrestore
13522 \vrule \@height \ht\@arstrutbox \@width \z@}
13523 \def\LT@p@LTRftntext#1{%

```



```

13524 \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]]}%
13525 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
13526 \def\LT@p@RTLftntext#1{%
13527 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]]}%
13528 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
13529
13530
13531 \def\LT@output{%
13532 \ifnum\outputpenalty <-\@Mi
13533 \ifnum\outputpenalty > -\LT@end@pen
13534 \LT@err{floats and marginpars not allowed in a longtable}\@ehc
13535 \else
13536 \setbox\z@\vbox{\unvbox\@cclv}%
13537 \ifdim \ht\LT@lastfoot>\ht\LT@foot
13538 \dimen@ \pagegoal
13539 \advance\dimen@-\ht\LT@lastfoot
13540 \ifdim\dimen@<\ht\z@
13541 \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
13542 \makecol
13543 \outputpage
13544 \setbox\z@\vbox{\box\LT@head}%
13545 \fi
13546 \fi
13547 \global\@colroom\@colht
13548 \global\vsizel\colht
13549 \vbox
13550 { \ifRTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot
13551 \fi
13552 \else
13553 \setbox\@cclv\vbox{\ifRTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot
13554 \makecol
13555 \outputpage
13556 \global\vsizel\colroom
13557 \copy\LT@head\nobreak
13558 \fi}

```

78 File mathtools-xetex-bidi.def

```

13559 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package]
13560 \MHInternalSyntaxOn
13561 \def\MT_define_tagform:nwnn #1[#2]#3#4{
13562 \namedef{MT_tagform_#1:n}##1
13563 {\maketag@@@{\ifnonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@italiccorr#4\i
13564 }
13565 \renewtagform{default}{\{()\}}
13566 \MHInternalSyntaxOff

```

79 File mdframed-xetex-bidi.def

```

13567 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]

```




```

13568 \newif\if@bidi@mdf@RTL
13569 \def\mdf@lrbox#1{%
13570   \mdf@patchamsthm\patch amsthm
13571   \if@RTL\@bidi@mdf@RTLtrue\fi%
13572   \@RTLfalse%
13573   \setbox#1\vbox\bgroup%
13574   \color@begingroup%
13575   \if@bidi@mdf@RTL\@RTLtrue\fi%
13576   \mdf@horizontalmargin@equation%
13577   \columnwidth=\hsize%
13578   \textwidth=\hsize%
13579   \let\if@nobreak\iffalse%
13580   \let\if@noskipsec\iffalse%
13581   \let\par@@@par%
13582   \let\-\@dischyph%
13583   \let'\@acci\let\` \@accii\let\=\@acciii%
13584   \parindent\z@ \parskip\z@skip%
13585   \linewidth\hsize%
13586   \@totalleftmargin\z@%
13587   \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
13588   \parfillskip\@flushglue \lineskip\normallineskip%
13589   \baselineskip\normalbaselineskip%
13590 %% \sloppy%
13591   \let\\\@normalcr%
13592   \mdf@par@local%New feature to restore parskip/parindent local in save box
13593   \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
13594   \@afterindentfalse%
13595   %\@afterheading%
13596 }
13597 \renewrobustcmd\mdfframedtitleenv[1]{%
13598   \mdf@lrbox{\mdf@frametitlebox}%
13599   \mdf@frametitlealignment%
13600   \leavevmode{\color{\mdf@frametitlefontcolor}%
13601     \normalfont\mdf@frametitlefont{#1}
13602     \ifbool{mdf@ignorelastdescenders}%
13603       {%
13604         \par\strut\par
13605         \unskip\unskip\setbox0=\lastbox
13606         \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
13607       }{}}%
13608   \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%
13609   \endmdf@lrbox\relax%
13610   \mdf@ignorevbadness%
13611   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
13612   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
13613   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
13614   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
13615   \mdfframetitleboxtotalheight=\dimexpr
13616     \ht\mdf@frametitlebox
13617     +\dp\mdf@frametitlebox%

```



```

13618             +\mdf@frametitleaboveskip@length
13619             +\mdf@frametitlebelowskip@length
13620             \relax%
13621 }
13622
13623 \renewrobustcmd*\mdf@footnoteoutput{%
13624     \ifvoid\@mpfootins\else%
13625         \nobreak%
13626         \vskip\mdf@footnotedistance@length%
13627         \normalcolor%
13628         \bidi@mpfootnoterule%
13629         \unvbox\@mpfootins%
13630     \fi%
13631 }
13632
13633
13634 \renewrobustcmd*\mdf@footnoteinput{%
13635     \def\@mpfn{mpfootnote}%
13636     \def\thempfn{\thempfootnote}%
13637     \c@mpfootnote\z@%
13638     \let\@footnotetext\@mpfootnotetext%
13639     \let\@LTRfootnotetext\@mpLTRfootnotetext%
13640     \let\@RTLfootnotetext\@mpRTLfootnotetext%
13641 }

```

80 File bidi-media9.sty

```

13642 \ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
13643 {bidi fixes for media9 package for the XeTeX engine}
13644
13645 \keys_define:nn{media9/mbtn}{
13646     draft .code:n = {},
13647     final .code:n = {},
13648
13649     tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
13650     tooltip .value_required:n = {true},
13651
13652     overface .code:n = {
13653         \sbox\l_mix_poster_box{
13654             \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
13655         \mix_pdfxform:n{\l_mix_poster_box}
13656         \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
13657     },
13658     overface .value_required:n = {true},
13659
13660     downface .code:n = {
13661         \sbox\l_mix_poster_box{
13662             \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
13663         \mix_pdfxform:n{\l_mix_poster_box}
13664         \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}

```



```

13665 },
13666 downface .value_required:n = {true},
13667
13668 3Dgotoview .code:n = {
13669   \tl_set:Nx\l_tmpa_tl{#1}           %extract ref
13670   \regex_replace_once:nnN{([~:~]+):??.*}{\1}\l_tmpa_tl
13671   \tl_trim_spaces:N\l_tmpa_tl
13672   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
13673     \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
13674       \tl_set:Nx\l_tmpb_tl{#1}       %extract idx
13675       \regex_replace_once:nnN{([~:~]+:~?){}\l_tmpb_tl
13676       \tl_trim_spaces:N\l_tmpb_tl
13677       \tl_if_blank:VF\l_tmpb_tl{
13678         \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
13679           \tl_set:Nx\l_mix_vidx_tl{/~\l_tmpb_tl}
13680         }{
13681           \regex_match:nVTF{^[d+~$]\l_tmpb_tl{
13682             \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
13683           }{
13684             \regex_replace_once:nnN{^[~\s*~]{}\l_tmpb_tl
13685             \regex_replace_once:nnN{\s*~}{}\l_tmpb_tl
13686             \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
13687           }
13688         }
13689       }
13690       \mix_pdfobj:nnn~{}{dict}{
13691         /S/JavaScript/JS~(
13692           if(typeof(annotRM)=='undefined'){annotRM=new-Array();}
13693           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13694             annotRM['\l_tmpa_tl']=
13695               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
13696           }
13697           annotRM['\l_tmpa_tl'].activated=true;
13698         )
13699         \tl_if_blank:VF\l_tmpb_tl{
13700           /Next~<<
13701           /S/GoTo3DView
13702           /TA~\tl_use:c{ann@\l_tmpa_tl}
13703           /V\l_mix_vidx_tl
13704         >>
13705       }
13706     }
13707     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
13708   }
13709   }{
13710     \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
13711     \cs_if_exist:NF\g_mix_refundefwarned_tl{
13712       \tl_new:N\g_mix_refundefwarned_tl
13713       \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
13714     }

```



```

13715     }
13716   },
13717   3Dgotoview .value_required:n = {true},
13718
13719   mediacommand .code:n = {
13720     \tl_set:Nx\l_tmpa_tl{#1}
13721     \regex_replace_once:nnN{([^\:]+):??.*}{\1}\l_tmpa_tl %extract ref
13722     \tl_trim_spaces:N\l_tmpa_tl
13723     \tl_if_exist:cTF{ann@\l_tmpa_tl}{
13724       \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
13725         \tl_set:Nx\l_tmpb_tl{#1}
13726         \regex_replace_once:nnN{([^\:]+\:)?}{\1}\l_tmpb_tl
13727         \tl_trim_spaces:N\l_tmpb_tl
13728         \regex_replace_all:nnN{^{\|}$}{\1}\l_tmpb_tl
13729         \tl_set:Nx\l_mix_cmd_tl{
13730           \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
13731         \tl_trim_spaces:N\l_mix_cmd_tl
13732         \tl_set:Nx\l_mix_arg_tl{
13733           \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
13734         \tl_trim_spaces:N\l_mix_arg_tl
13735         \mix_pdfobj:nnn{}{dict}{
13736           /S/JavaScript/JS~(
13737             if(typeof(annotRM)=='undefined'){annotRM=new-Array();}
13738             if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13739               annotRM['\l_tmpa_tl']=
13740                 this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
13741             }
13742             annotRM['\l_tmpa_tl'].activated=true;
13743           )
13744           \tl_if_blank:VF\l_mix_cmd_tl{
13745             /Next~<<
13746             /S/RichMediaExecute
13747             /TA~\tl_use:c{ann@\l_tmpa_tl}
13748             /TI~\tl_use:c{main@\l_tmpa_tl}
13749             /CMD~<<
13750             /C~(\l_mix_cmd_tl)
13751             \tl_if_blank:VF\l_mix_arg_tl{
13752               /A~[\l_mix_arg_tl]
13753             }
13754             >>
13755             >>
13756           }
13757         }
13758         \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
13759       }
13760     }{
13761       \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
13762       \cs_if_exist:NF\g_mix_refundefwarned_tl{
13763         \tl_new:N\g_mix_refundefwarned_tl
13764         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}

```



```

13765     }
13766   }
13767 },
13768 mediacommand .value_required:n = {true},
13769
13770 jsaction .code:n = {
13771   \tl_set:Nx\l_tmpa_tl{#1}
13772   \regex_match:nVTF{^[^[:]+:.*$}\l_tmpa_tl{
13773     \regex_replace_once:nnN{([[:]+):??.*}{\1}\l_tmpa_tl %extract ref
13774     \tl_trim_spaces:N\l_tmpa_tl
13775   }\tl_clear:N\l_tmpa_tl}
13776   \tl_set:Nx\l_tmpb_tl{#1}
13777   \tl_if_blank:VF\l_tmpa_tl{
13778     \tl_if_exist:cF{ann@\l_tmpa_tl}{
13779       \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
13780       \cs_if_exist:NF\g_mix_refundefwarned_tl{
13781         \tl_new:N\g_mix_refundefwarned_tl
13782         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
13783       }
13784     }
13785     \regex_replace_once:nnN{[^:]+\:}{ }\l_tmpb_tl
13786   }
13787   \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
13788   \tl_trim_spaces:N\l_tmpb_tl
13789   \tl_if_blank:VF\l_tmpb_tl{
13790     \mix_pdfobj:nnn{}{dict}{
13791       /S/JavaScript/JS~(
13792         try{\l_tmpb_tl}catch(e){console.show();console.println(e)}}}
13793   \bool_lazy_and:nnT{
13794     \tl_if_exist_p:c{ann@\l_tmpa_tl}
13795   }{
13796     !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
13797   }{
13798     \mix_pdfobj:nnn{}{dict}{
13799       /S/JavaScript/JS~(
13800         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13801         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13802           annotRM['\l_tmpa_tl']=
13803             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
13804         }
13805         annotRM['\l_tmpa_tl'].activated=true;
13806       )
13807     \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
13808   }
13809 }
13810 \bool_if:nT{
13811   \bool_lazy_and_p:nn{
13812     \tl_if_exist_p:c{ann@\l_tmpa_tl}
13813   }{
13814     !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}

```



```

13815     }
13816     || !\tl_if_blank_p:V\l_tmpb_tl
13817   }{
13818     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
13819   }
13820 },
13821 jsaction .value_required:n = {true},
13822
13823 unknown .code:n = {
13824   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
13825 }
13826 }
13827
13828 \RenewDocumentCommand\includemedia{0}{mm}{%#1 options, #2 text/image #3 media file
13829   \mix_uriend:
13830   \group_begin:
13831   \mix_beginLTR:
13832   \leavevmode
13833   %empty stream as appearance dummy
13834   \cs_if_exist:NF\g_mix_appearance_tl{
13835     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
13836     \mix_pdfxform:n{\l_mix_poster_box}
13837     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
13838   }
13839   \mix_reset:
13840   \mix_uribegin: %treat URI characters correctly
13841   \keys_set:nn{media9/user}{#1}
13842   \mix_uriend:
13843   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
13844   \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
13845   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
13846   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~}{=}
13847   \tl_gtrim_spaces:N\g_mix_flashvars_tl
13848
13849   \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
13850
13851   %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
13852   %\hbox_set:Nn\l_mix_poster_box{#2}
13853   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
13854   \mix_scale:n{\l_mix_poster_box}
13855   \bool_if:nT{
13856     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
13857     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
13858   }{
13859     \tl_gset:Nn\g_mix_usrpbtn_tl{none}
13860   }
13861   \bool_if:NTF\g_mix_usrdraft_bool{
13862     \tl_if_empty:NF\g_mix_usrlabel_tl{
13863       \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
13864     }

```



```

13865 \tl_if_blank:oTF{#2}{
13866   \mix_uribegin: %treat URI characters correctly
13867   \mix_draftbox:n{\tl_to_str:n{#3}}
13868   \mix_uriend:
13869 }{
13870   \hbox_to_wd:nn{\g_mix_wd_tl}{
13871     \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
13872     \box_use:N\l_mix_poster_box\hss
13873   }
13874 }
13875 }{
13876   \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
13877     %attach script that switches off play button overlay upon activation
13878     \mix_pdfobj:nnn{}{stream}{
13879       {}{
13880         var~ocgs=host.getOCGs(host.pageNum);
13881         for(var~i=0;i<ocgs.length;i++){
13882           if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
13883             ocgs[i].state=false;
13884           }
13885         }
13886       }
13887     }
13888     \mix_pdfobj:nnn{}{dict}{
13889       /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
13890     }
13891     \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
13892     \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
13893     %enforce plain playbutton overlay for XeTeX
13894     \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
13895   }
13896   %embed main asset
13897   \mix_uribegin:
13898   \mix_embedasset:n{#3}
13899   \bool_if:nTF{
13900     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
13901   }{
13902     \bool_gset_true:N\g_mix_iiid_bool
13903     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
13904   }{
13905     \str_case_x:nnF{\l_mix_base_tl}{
13906       {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13907       {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13908       {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13909       {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13910       {StrobeMediaPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13911     }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
13912   }
13913   \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
13914   \mix_uriend:

```



```

13915 %secondary assets (added by addresource)
13916 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
13917 \seq_map_inline:Nn\g_mix_script_seq{
13918   \mix_embedasset:n{##1}
13919   \tl_put_right:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl}
13920 }
13921 %attach 3D calculation script
13922 \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
13923   \mix_embedasset:n{3Dmenu.js}
13924   \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
13925 }
13926 %create 3D views from file (option 3Dviews)
13927 \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
13928   \tl_set:Nn\l_mix_level_tl{\c_minus_one}
13929   \int_zero:N\l_mix_viewcnt_int
13930   \int_zero:N\l_mix_lineno_int
13931
13932   \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
13933   \ior_map_inline:Nn\l_mix_vfile_stream{
13934     \int_incr:N\l_mix_lineno_int
13935     \keys_set:nn{media9/views}{##1} %process input line
13936   }
13937   \ior_close:N\l_mix_vfile_stream
13938 }
13939 \bool_if:nT{ %create default 3D view if required
13940   \g_mix_iiid_bool &&
13941   (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
13942 }{
13943   \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
13944   \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
13945   \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
13946   \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
13947   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
13948   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
13949   \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
13950
13951   \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
13952   \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
13953   \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
13954   \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
13955
13956   \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
13957   \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
13958   \tl_clear:N\l_mix_naarray_tl
13959
13960   \bool_if:NF\l_mix_ciiw_bool{
13961     \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
13962     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
13963   }
13964

```




```

13965 \tl_clear:N\l_mix_naarray_tl
13966 \tl_clear:N\l_mix_saarray_tl
13967 \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
13968
13969 \mix_view:n{Default}
13970 \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
13971
13972 }
13973 \mix_pdfobj:nnn{}{dict}{
13974 /Type/RichMediaInstance
13975 /Subtype/\g_mix_mainassetsub_tl
13976 /Asset~\g_mix_mainasset_tl
13977 \bool_if:NF\g_mix_iiid_bool{
13978 /Params~<<
13979 /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
13980 /Foreground
13981 }{
13982 /Background
13983 }
13984 \tl_if_blank:VF\g_mix_flashvars_tl{
13985 /FlashVars~(\g_mix_flashvars_tl)
13986 }
13987 >>
13988 }
13989 }
13990 \tl_if_empty:NF\g_mix_usrlabel_tl{
13991 \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
13992 }
13993 \mix_pdfobj:nnn{}{dict}{
13994 /Type/RichMediaConfiguration
13995 /Subtype/\g_mix_mainassetsub_tl
13996 /Instances~[\mix_pdflastobj:]
13997 }
13998 \mix_pdfobj:nnn{}{dict}{
13999 /Type/RichMediaContent
14000 /Assets~<</Names~[\g_mix_assets_tl]>>
14001 /Configurations~[\mix_pdflastobj:]
14002 \bool_if:nT{
14003 \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
14004 }{
14005 /Views~[\l_mix_iiidviewarray_tl]
14006 }
14007 }
14008 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
14009 \bool_if:nT{
14010 \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{0oscillating}
14011 }{
14012 \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
14013 }
14014 %determine floating window size

```



```

14015 \bool_if:NT\g_mix_opt_windowed_bool{
14016 \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
14017 }
14018 \mix_pdfobj:nnn{}{dict}{
14019 /Activation~<<
14020 /Condition\g_mix_act_tl
14021 \bool_if:nT{
14022 \g_mix_iiid_bool &&
14023 !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
14024 }{%seems to work only with 3D content
14025 /Animation~<<
14026 /Subtype\g_mix_playtpe_tl
14027 /PlayCount~\g_mix_playcnt_tl
14028 /Speed~\g_mix_playspd_tl
14029 >>
14030 }
14031 \bool_if:nT{
14032 \g_mix_iiid_bool && (
14033 \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
14034 )
14035 }{/View~\l_mix_dfltview_tl}
14036 /Presentation~<<
14037 /Transparent~\g_mix_transp_tl
14038 \bool_if:NTF\g_mix_opt_windowed_bool{
14039 /Style/Windowed
14040 /Window~<<
14041 /Width~<</Default~\tl_mix_fltd>>
14042 /Height~<</Default~\tl_mix_fltht>>
14043 /Position~<<
14044 /HOffset~0/VOffset~0
14045 \str_case_x:nnF{\g_mix_winpos_tl}{
14046 {tl}{/VAlign/Near/HAlign/Near}
14047 {cl}{/VAlign/Center/HAlign/Near}
14048 {bl}{/VAlign/Far/HAlign/Near}
14049 {bc}{/VAlign/Far/HAlign/Center}
14050 {br}{/VAlign/Far/HAlign/Far}
14051 {cr}{/VAlign/Center/HAlign/Far}
14052 {tr}{/VAlign/Near/HAlign/Far}
14053 {tc}{/VAlign/Near/HAlign/Center}
14054 }{/HAlign/Center/VAlign/Center}
14055 >>
14056 >>
14057 }{
14058 /Style/Embedded
14059 }
14060 \bool_if:NTF\g_mix_iiid_bool{
14061 /Toolbar~\g_mix_tools_tl
14062 /NavigationPane~\g_mix_nav_tl
14063 }{
14064 /PassContextClick~\g_mix_contextclick_tl

```



```

14065     }
14066     >>
14067     \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
14068     >>
14069     /Deactivation~<</Condition\g_mix_deact_tl>>
14070   }
14071   \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
14072   \tl_if_empty:NF\g_mix_usrlabel_tl{
14073     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
14074   }
14075   % #1:width, #2:height, #3:depth, #4:content (key-value)
14076   \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
14077     /Subtype/RichMedia
14078     /F~4
14079     /BS~<</W~0/S/S>>
14080     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
14081     /NM~(\g_mix_label_tl)
14082     /AP~<</N~\g_mix_appearance_tl>>
14083     /RichMediaSettings~\l_mix_settings_tl
14084     /RichMediaContent~\l_mix_content_tl
14085   }
14086   \tl_if_empty:NF\g_mix_usrlabel_tl{
14087     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
14088     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
14089       \noexpand\the\g@mix@page@int}
14090   }
14091   \mix_pdfobj:nnn{}{dict}{
14092     /S/JavaScript/JS~(
14093       try{
14094         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14095         if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
14096           annotRM['\g_mix_label_tl']=
14097             this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
14098         }
14099         \str_if_eq:x:nnF{\g_mix_usrpbtn_tl}{none}{
14100           if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
14101             var~ocgs=this.getOCGs(this.pageNum);
14102             for(var~i=0;i<ocgs.length;i++){
14103               if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
14104                 var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
14105               }
14106             }
14107           }
14108           if(
14109             !annotRM['\g_mix_label_tl'].activated&&(
14110               app.viewerType=='Reader' ||
14111               app.viewerType=='Exchange' ||
14112               app.viewerType=='Exchange-Pro'
14113             )&&app.viewerVersion>=9
14114           ){

```



```

14115         ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
14116     }
14117 }
14118 }catch(e){}
14119 this.dirty=false;
14120 )
14121 }
14122 \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
14123   /Subtype/Widget
14124   /FT/Btn/Ff~65537/F~2
14125   /BS~<</W~0>>
14126   /T~(fd@\g_mix_label_tl)
14127   /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
14128 }
14129 \mix_appendtofields:n{\mix_pdflastann:}
14130 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
14131 \str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
14132   \hbox_to_wd:nn{\g_mix_wd_tl}{
14133     \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
14134   }
14135 }{%insert play button overlay
14136   \mix_insert_btnocg: %create OCG
14137   \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
14138   \group_begin:
14139   \cs_if_exist:NT\textdir{\textdir TLT}
14140   \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
14141   \box_move_down:nn{\g_mix_dp_tl}{
14142     \hbox_to_wd:nn{\g_mix_wd_tl}{
14143       \vbox_to_ht:nn{\g_mix_tt_tl}{
14144         \vss
14145         \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
14146         \box_use:N\l_mix_pbtn_box
14147         \ocgbase_oc_emc:
14148       }
14149     }
14150   }
14151   \group_end:
14152 }
14153 \int_gincr:N\g_mix_rmcnt_int
14154 }
14155 \mix_endLTR:
14156 \group_end:
14157 }
14158 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
14159 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
14160
14161 \RenewDocumentCommand\mediabutton{0{}m}{%#1 options, #2 normal button text
14162   \mix_urien:
14163   \group_begin:
14164   \mix_beginLTR:

```



```

14165 \leavevmode
14166 %reset various variables
14167 \tl_gclear:N\g_mix_overbtn_tl
14168 \tl_gclear:N\g_mix_downbtn_tl
14169 \tl_gclear:N\g_mix_btnactions_tl
14170 \tl_gclear:N\g_mix_tooltip_tl
14171 %process options
14172 \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
14173 \mix_uribegin: %treat URI characters correctly
14174 \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
14175 \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
14176 \mix_uriend:
14177 %normal button appearance
14178 %\hbox_set:Nn\l_mix_poster_box{#2}
14179 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
14180 \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
14181 \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
14182 \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
14183 \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
14184   \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
14185     \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
14186   \mix_pdfxform:n{\l_mix_poster_box}
14187   \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
14188   %insert widget annotation
14189   \mix_pdfannot:nnnn{\width}{\height}{\depth}{
14190     /Subtype/Widget
14191     /T~(mbtn@int_use:N\g_mix_mbtncnt_int)
14192     \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
14193     /FT/Btn/Ff~65536
14194     \tl_if_empty:NF\g_mix_downbtn_tl{/H/I}{/H/P}
14195     /AP~<<
14196     /N~\g_mix_normalbtn_tl
14197     \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
14198     \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
14199     >>
14200     /MK~<<
14201     /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
14202     /I~\g_mix_normalbtn_tl
14203     \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
14204     \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
14205     >>
14206     /A~<<
14207     /S/JavaScript/JS~(app.focusRect=false;)
14208     %sequence of actions to perform
14209     \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
14210     >>
14211   }
14212   \mix_appendtofields:n{\mix_pdflastann:}
14213   \hbox_to_wd:nn{\width}{
14214     \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss

```



```

14215     }
14216     \int_gincr:N\g_mix_mbtncnt_int
14217   }
14218   \mix_endLTR:
14219   \group_end:
14220 }
14221
14222 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
14223 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
14224
14225

```

81 File memoir-xetex-bidi.def

```

14226 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for Xe
14227 \renewcommand{\keepthetitle}{%
14228   \@bsmtitleempty
14229   \global\let\thanks\relax
14230   \global\let\LTRthanks\relax
14231   \global\let\RTLthanks\relax
14232   \global\let\and\relax
14233   \global\let\andnext\relax
14234   \global\let\@thanks\@empty
14235   \global\let\@title\@empty
14236   \global\let\@author\@empty
14237   \global\let\@date\@empty}
14238 \renewcommand{\maketitle}{\par
14239   \begingroup
14240     \@bsmarkseries
14241     \def\@makefnmark{\@textsuperscript{%
14242       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
14243     \long\def\@makefntext##1{\makethanksmark ##1}
14244     \if@twocolumn
14245       \ifnum \col@number=\@ne
14246         \@maketitle
14247       \else
14248         \twocolumn[\@maketitle]%
14249       \fi
14250     \else
14251       \ifdim\pagetotal>\z@
14252         \newpage
14253       \fi
14254       \global\@topnum\z@
14255       \@maketitle
14256     \fi
14257     \thispagestyle{title}\@thanks
14258   \endgroup
14259   \@bscontmark % \setcounter{footnote}{0}%
14260 }
14261 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}

```



```

14262 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
14263 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
14264 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
14265 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
14266 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
14267 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
14268 \renewcommand*{\thesubsection}{\%
14269     \thesection\@SepMark\@arabic\c@subsection}
14270 \renewcommand*{\thesubsubsection}{\%
14271     \thesubsection\@SepMark\@arabic\c@subsubsection}
14272 \renewcommand*{\theparagraph}{\%
14273     \thesubsubsection\@SepMark\@arabic\c@paragraph}
14274 \renewcommand*{\thesubparagraph}{\%
14275     \theparagraph\@SepMark\@arabic\c@subparagraph}
14276 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
14277 \renewcommand{\theequation}{\%
14278     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14279 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
14280 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
14281 \ifartopt
14282 \chapterstyle{article}
14283 \counterwithout{figure}{chapter}
14284 \counterwithout{table}{chapter}
14285 \counterwithout{footnote}{chapter}
14286 \counterwithout{equation}{chapter}
14287 \renewcommand{\chaptername}{\%
14288     \renewcommand{\maketitlehookb}{\%
14289         \vskip -1.5\topsep\vskip -1.5\partopsep}
14290     \renewcommand{\maketitlehookc}{\%
14291         \vskip -1.5\topsep\vskip -1.5\partopsep}
14292 \fi
14293 \long\def\@makecaption#1#2{\let\@memtempa\relax
14294     \ifdim\prevdepth>-99\p@ \vskip\abovcaptionskip
14295     \else \def\@memtempa{\vbox to\topskip{}}\fi
14296     \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
14297     \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
14298     \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
14299     \let\footnote\@contfnote
14300     \let\footnotemark\@contfmark
14301     \ifdim\wd\@tempboxa<\linewidth \centering \fi
14302     \if@contcw
14303         \centering
14304         \parbox{\@contcwidth}{\%
14305             \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
14306         \fi
14307     \ifdim\wd\@tempboxa<\linewidth
14308         \@contpre
14309         {\@contnfont #1\@contdelim}\@memtempa
14310         {\@contcshortstyle \@conttfont #2\@contfinal\par}
14311     \else

```



```

14312 \if@conthang
14313 \sbox\@tempboxa{\@contnfont #1\@contdelim}
14314 \@contpre%
14315 {\@contcstyle\hangindent=\wd\@tempboxa
14316 \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
14317 \else
14318 \if@contindent
14319 \@contpre%
14320 {\@contnfont #1\@contdelim}\@memtempa
14321 {\@contcstyle\hangindent=\@contindw
14322 \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
14323 \else
14324 \@contpre%
14325 {\@contnfont #1\@contdelim}\@memtempa
14326 {\@contcstyle \@conttfont #2\@contfinal\par}
14327 \fi
14328 \fi
14329 \fi
14330 \@contpost
14331 \if@contcw
14332 \par
14333 } % end of the \parbox
14334 \fi
14335 \vskip\belowcaptionskip}
14336 \@ifpackageloaded{caption}{%
14337 \AtBeginPackage{caption}{
14338 \ClassWarningNoLine{memoir}{%
14339 You are using the caption package with the memoir \MessageBreak
14340 class. This may cause unexpected or inconsistent \MessageBreak
14341 results if you use any of memoir's captioning facilities}
14342
14343 \long\def\@makecaption##1##2{%
14344 \vskip\abovecaptionskip
14345 \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
14346 \ifdim \wd\@tempboxa >\hsize
14347 \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
14348 \else
14349 \global \@minipagefalse
14350 \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
14351 \fi
14352 \vskip\belowcaptionskip}
14353
14354 \def\caption{%
14355 \ifx\@capytype\@undefined
14356 \@latex@error{\noexpand\caption outside float}\@ehd
14357 \expandafter\@gobble
14358 \else
14359 \refstepcounter\@capytype
14360 \expandafter\@firstofone
14361 \fi

```




```

14362   {\@dblarg{\@caption\@capttype}}%
14363 }
14364
14365 \long\def\@caption##1[##2]##3{%
14366   \par
14367   \addcontentsline{\csname ext@##1\endcsname}{##1}%
14368   {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
14369   \begingroup
14370     \@parboxrestore
14371     \if@minipage
14372       \setminipage
14373     \fi
14374     \normalsize
14375     \makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
14376   \endgroup}
14377 }}{}
14378 \renewenvironment{thebibliography}[1]{%
14379   \bibsection
14380   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14381   \bidi@thebibliography@font@hook%
14382   \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}

```

82 File midfloat-xetex-bidi.def

```

14383 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
14384 \def\RTL@outputdblcol{%
14385   \if@firstcolumn
14386     \global \@firstcolumnfalse
14387     \global\setbox\@leftcolumn\copy\@outputbox
14388     \splitmaxdepth\maxdimen
14389     \vbadness\maxdimen
14390     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14391     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14392     \toks@\expandafter{\topmark}%
14393     \xdef\@firstcoltopmark{\the\toks@}%
14394     \toks@\expandafter{\splitfirstmark}%
14395     \xdef\@firstcolfirstmark{\the\toks@}%
14396     \ifx\@firstcolfirstmark\@empty
14397       \global\let\@setmarks\relax
14398     \else
14399       \gdef\@setmarks{%
14400         \let\firstmark\@firstcolfirstmark
14401         \let\topmark\@firstcoltopmark}%
14402     \fi
14403     \global\c@colht\@colht\global\c@addvipersep\z@
14404     \ifnum\jua@sk>0
14405       \remove@strip\jua@sar
14406       \global\@colht\the\jua@pr
14407       \ifdim\right@cor>\z@
14408         \global\advance\@colht by\right@cor

```



```

14409      \fi
14410      \global\advance\@colht by\cor@height
14411      \global\cor@height=0pt
14412    \fi
14413    \global \setbox\@rightcolumn \vbox{%
14414  \else
14415    \ifdim\c@colht>\@colht
14416      \@tempdima\@colht
14417      \ifdim\@colht>\z@
14418        \global\setbox\@rightcolumn \vbox{%
14419          \unvbox\@rightcolumn
14420          \vbox to\@tempdima{%
14421            \vskip\c@addvipersep\unvbox\@outputbox}%
14422          \vskip\stripsep
14423          \vrule height\the\juo@ht width Opt depth Opt
14424          \vskip\stripsep
14425          }%
14426        \global\c@addvipersep\m@addvipersep
14427      \else
14428        \global\setbox\@rightcolumn \vbox{%
14429          \unvbox\@rightcolumn
14430          \vrule height\the\juo@ht width Opt depth Opt
14431          \vskip\stripsep
14432          }%
14433      \fi
14434      \ifnum\juo@sk>0
14435        \remove@strip\juo@sar
14436        \global\@colht\the\juo@pr
14437        \global\advance\@colht by -\ht\@rightcolumn
14438        \global\advance\@colht by\cor@height
14439        \global\cor@height=0pt
14440      \else
14441        \global\advance\c@colht by-\ht\@rightcolumn
14442        \global\@colht\c@colht
14443      \fi
14444    \else
14445      \global\@firstcolumntrue
14446      \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14447        \unvbox\@rightcolumn
14448        \vskip\c@addvipersep
14449        \unvbox\@outputbox
14450        }%
14451      \setbox\@outputbox \vbox {%
14452        \hb@xt@\textwidth {%
14453          \hskip \columnwidth
14454          \hfil
14455          \vrule \@width\columnseprule
14456          \hfil
14457          \hb@xt@\columnwidth {%
14458            \bidi@firstcolumn@status@write%

```



```

14459             \box\@leftcolumn \hss}%
14460         \hskip-\textwidth
14461         \hb@xt@\columnwidth {%
14462             \bidi@lastcolumn@status@write%
14463             \box\@outputbox \hss}%
14464         \hskip\columnwidth
14465         \hskip\columnsep}%
14466     }%
14467 \@@combinedblfloats
14468 \@@setmarks
14469 \@@outputpage
14470 \begin@group
14471     \@dblfloatplacement
14472     \@startdblcolumn
14473     \@whiles\if@fcolmade \fi
14474     {\@outputpage
14475     \@startdblcolumn}%
14476 \end@group
14477 \global\jua@sk=0\global\jua@sar={}
14478 \global\cor@height\z@\global\c@advvipersep\z@
14479 \fi
14480 \fi
14481 }
14482
14483
14484 \def\LTR@outputdblcol{%
14485     \if@firstcolumn
14486         \global \@firstcolumnfalse
14487         \global\setbox\@leftcolumn\copy\@outputbox
14488         \splitmaxdepth\maxdimen
14489         \vbadness\maxdimen
14490         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14491         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14492         \toks@\expandafter{\topmark}%
14493         \xdef\@firstcoltopmark{\the\toks@}%
14494         \toks@\expandafter{\splitfirstmark}%
14495         \xdef\@firstcolfirstmark{\the\toks@}%
14496         \ifx\@firstcolfirstmark\@empty
14497             \global\let\@setmarks\relax
14498         \else
14499             \gdef\@setmarks{%
14500                 \let\firstmark\@firstcolfirstmark
14501                 \let\topmark\@firstcoltopmark}%
14502         \fi
14503         \global\c@colht\@colht\global\c@advvipersep\z@
14504         \ifnum\jua@sk>0
14505             \remove@strip\jua@sar
14506             \global\@colht\the\jua@pr
14507             \ifdim\right@cor>\z@
14508                 \global\advance\@colht by\right@cor

```



```

14509         \fi
14510         \global\advance\@colht by\cor@height
14511         \global\cor@height=0pt
14512     \fi
14513     \global \setbox\@rightcolumn \vbox{%
14514 \else
14515     \ifdim\c@colht>\@colht
14516         \@tempdima\@colht
14517         \ifdim\@colht>\z@
14518             \global\setbox\@rightcolumn \vbox{%
14519                 \unvbox\@rightcolumn
14520                 \vbox to\@tempdima{%
14521                     \vskip\c@addvipersep\unvbox\@outputbox}%
14522                 \vskip\stripsep
14523                 \vrule height\the\jua@ht width 0pt depth 0pt
14524                 \vskip\stripsep
14525             }%
14526             \global\c@addvipersep\m@addvipersep
14527         \else
14528             \global\setbox\@rightcolumn \vbox{%
14529                 \unvbox\@rightcolumn
14530                 \vrule height\the\jua@ht width 0pt depth 0pt
14531                 \vskip\stripsep
14532             }%
14533         \fi
14534         \ifnum\jua@sk>0
14535             \remove@strip\jua@sar
14536             \global\@colht\the\jua@pr
14537             \global\advance\@colht by -\ht\@rightcolumn
14538             \global\advance\@colht by\cor@height
14539             \global\cor@height=0pt
14540         \else
14541             \global\advance\c@colht by-\ht\@rightcolumn
14542             \global\@colht\c@colht
14543         \fi
14544     \else
14545         \global\@firstcolumntrue
14546         \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14547             \unvbox\@rightcolumn
14548             \vskip\c@addvipersep
14549             \unvbox\@outputbox
14550             }%
14551         \setbox\@outputbox \vbox {%
14552             \hb@xt@\textwidth {%
14553                 \hb@xt@\columnwidth {%
14554                     \bidi@firstcolumn@status@write%
14555                     \box\@leftcolumn \hss}%
14556                 \hfil
14557                 \vrule \@width\columnseprule
14558                 \hfil

```



```

14559             \hb@xt@\columnwidth {%
14560                 \bidi@lastcolumn@status@write%
14561                 \box\@outputbox \hss}%
14562                 }%
14563             }%
14564     \@combinedblfloats
14565     \@setmarks
14566     \@outputpage
14567     \beginngroup
14568         \@dblfloatplacement
14569         \@startdblcolumn
14570         \@whiles\if@fcolmade \fi
14571         {\@outputpage
14572          \startdblcolumn}%
14573     \endgroup
14574     \global\jua@sk=0\global\jua@sar={}%
14575     \global\cor@height\z@\global\c@addvipersep\z@
14576     \fi
14577 \fi
14578 }
14579
14580
14581 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
14582   \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\
14583     \hsize\textwidth
14584     \@parboxrestore
14585     \col@number \@ne
14586     \vrule height\topskip width0pt depth0pt
14587 }
14588
14589 \def\endstrip{%
14590     \egroup\egroup
14591     \if@firstcolumn
14592         \ifdim\pagetotal>\z@
14593             \vskip\stripsep
14594             \global\ht@strip\pagegoal
14595             \global\advance\ht@strip by-\pagetotal
14596             \global\advance\ht@strip by-\stripsep
14597             \global\advance\ht@strip by-\ht@viper
14598             \global\advance\ht@strip by-\stripsep
14599             \global\jua@ht=\ht@viper
14600         \else
14601             \global\ht@strip\z@
14602         \fi
14603         \ifdim\ht@strip>\z@
14604             \unvbox\@viper
14605             \vskip\stripsep
14606             \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
14607             \global\advance\jua@sk by1
14608         \else

```



```

14609             \@latex@error{Strip needs more place!}\@ehc
14610             \if@vihproof
14611               \framebox[\columnwidth]{??? Strip ???}%
14612             \fi
14613           \fi
14614         \else
14615           \@latex@error{Strip is used only on left column!}\@ehc
14616           \if@vihproof
14617             \framebox[\columnwidth]{??? Strip ???}%
14618           \fi
14619         \fi
14620 }

```

83 File minitoc-xetex-bidi.def

```

14621 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
14622 \def\@undottedtocline#1#2#3#4#5{%
14623   \ifnum #1>\c@tocdepth\relax \else
14624     \vskip \z@ plus.2\p@
14625     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
14626     \parindent #2\relax\@afterindenttrue
14627     \interlinepenalty\@M
14628     \leavevmode
14629     \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
14630     \hskip -\if@RTL\rightskip\else\leftskip\fi
14631     #4\nobreak\hfill \nobreak
14632     \null\par}%
14633   \fi}
14634 \def\@Undottedtocline#1#2#3#4#5{%
14635   \ifnum #1>\c@tocdepth\relax \else
14636     \vskip \z@ \@plus.2\p@
14637     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
14638     \parindent #2\relax\@afterindenttrue
14639     \interlinepenalty\@M
14640     \leavevmode
14641     \@tempdima #3\relax
14642     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
14643     {\coffefont #4}\nobreak \nobreak\null
14644     \par}%
14645   \fi}
14646 \def\@Undottedtoclinep#1#2#3#4#5{%
14647   \ifnum #1>\c@tocdepth\relax \else
14648     \vskip \z@ \@plus.2\p@
14649     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
14650     \parindent #2\relax\@afterindenttrue
14651     \interlinepenalty\@M
14652     \leavevmode
14653     \@tempdima #3\relax
14654     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
14655     {#4}\nobreak \hfill \nobreak\null

```



```

14656     \hb@xt@{\@pnumwidth{\hfil\normalfont \normalcolor #5}}}%
14657     \par}%
14658 \fi}

```

84 File multicol-xetex-bidi.def

```

14659 \ProvidesFile{multicol-xetex-bidi.def}[2016/11/27 v0.8 bidi adaptations for multicol package]
14660 \def\page@sofar{%
14661   \process@cols\mult@rightbox
14662   {\ifvoid\count@
14663     \setbox\count@\hbox to\hsize{}}%
14664   \else
14665     \wd\count@\hsize
14666   \fi}%
14667 \count@\col@number \advance\count@\m@ne
14668 \mult@info\z@
14669 {Column spec: \the\full@width\space = indent
14670               + columns + sep =\MessageBreak
14671   \the\multicol@leftmargin\space
14672   + \the\col@number\space
14673   x \the\hsize\space
14674   + \the\count@\space
14675   x \the\columnsep
14676   }%
14677 \ifvmode\else\errmessage{Multicol Error}\fi
14678 \nointerlineskip
14679 \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
14680 \moveright\multicol@leftmargin
14681 \hbox to\full@width{%
14682   \bidi@multicol@align@columns
14683   \rlap{\phantom p}%
14684   }%
14685 \prevdepth\z@
14686 \kern-\dimen\tw@
14687 \ifdim\dimen\tw@ > \mc@gridwarn
14688   \PackageWarning{multicol}%
14689     {Very deep columns!\MessageBreak
14690      Grid alignment might be broken}%
14691 \fi
14692 }
14693 \def\LTR@column@boxes{%
14694   \process@cols\mult@gfirstbox{%
14695     \ifdim\dp\count@>\dimen\tw@
14696       \global\dimen\tw@\dp\count@ \fi
14697     \mc@col@status@write
14698     \box\count@
14699     \hss{\columnseprulecolor\vrule
14700          \@width\columnseprule}\hss}%
14701   \ifdim\dp\mult@rightbox>\dimen\tw@
14702     \global\dimen\tw@\dp\mult@rightbox \fi

```



```

14703     \mc@lastcol@status@write
14704     \box\mult@rightbox
14705 }
14706
14707 \def\RTL@column@boxes{%
14708   \ifnum\col@number<\tw@
14709     \LTR@column@boxes
14710   \else
14711     \process@cols\mult@gfirstbox{%
14712       \hskip\hsize
14713       \hss{\columnseprulecolor\vrule
14714         \@width\columnseprule}\hss
14715     }%
14716     \hskip\hsize
14717     \process@cols\mult@gfirstbox{%
14718       \ifdim\dp\count@>\dimen\tw@
14719         \global\dimen\tw@\dp\count@ \fi
14720       \hskip-\hsize
14721       \mc@col@status@write
14722       \box\count@
14723       \hskip-\hsize
14724       \hskip-\columnsep
14725     }%
14726     \ifdim\dp\mult@rightbox>\dimen\tw@
14727       \global\dimen\tw@\dp\mult@rightbox \fi
14728     \hskip-\hsize
14729     \mc@lastcol@status@write
14730     \box\mult@rightbox
14731     \hskip-\hsize
14732     \hskip\full@width
14733   \fi
14734 }
14735 \newcommand\RTLmulticolcolumns
14736   {\let\bidicol@multicol@align@columns
14737     \RTL@column@boxes}
14738 \newcommand\LTRmulticolcolumns
14739   {\let\bidicol@multicol@align@columns
14740     \LTR@column@boxes}
14741 \newcommand\bidicol@multicol@align@columns
14742   {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
14743 \def\multicols#1{\col@number#1\relax
14744   \ifnum\col@number<\tw@
14745     \PackageWarning{multicol}%
14746       {Using `number\col@number'
14747         columns doesn't seem a good idea.^^J
14748         I therefore use two columns instead}%
14749     \col@number\tw@ \fi
14750   \ifnum\col@number>10
14751     \PackageError{multicol}%
14752       {Too many columns}%

```




```

14753 {Current implementation doesn't
14754 support more than 10 columns.%
14755 \MessageBreak
14756 I therefore use 10 columns instead}%
14757 \col@number10 \fi
14758 \ifx\@footnotetext\mult@footnotetext\else
14759 \let\orig@footnotetext\@footnotetext
14760 \let\@footnotetext\mult@footnotetext
14761 \fi
14762 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
14763 \let\orig@LTRfootnotetext\@LTRfootnotetext
14764 \let\@LTRfootnotetext\mult@LTRfootnotetext
14765 \fi
14766 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
14767 \let\orig@RTLfootnotetext\@RTLfootnotetext
14768 \let\@RTLfootnotetext\mult@RTLfootnotetext
14769 \fi
14770 \@ifnextchar[\mult@cols{\mult@cols[]}]
14771 \long\def\mult@footnotetext#1{\begingroup
14772 \hsize\textwidth
14773 \columnwidth\textwidth
14774 \orig@footnotetext{#1}\endgroup}
14775 \long\def\mult@LTRfootnotetext#1{\begingroup
14776 \hsize\textwidth
14777 \columnwidth\textwidth
14778 \orig@LTRfootnotetext{#1}\endgroup}
14779 \long\def\mult@RTLfootnotetext#1{\begingroup
14780 \hsize\textwidth
14781 \columnwidth\textwidth
14782 \orig@RTLfootnotetext{#1}\endgroup}
14783 \def\right@footnoterule{%
14784 \kern-3\p@
14785 \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
14786 \kern2.6\p@}
14787 \def\textwidth@footnoterule{\kern-3\p@
14788 \hrule \@width \textwidth \kern 2.6\p@}

```

85 File multienum-xetex-bidi.def

```

14789 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
14790 \renewcommand{\itemx}[1]{\parbox[t]{%
14791 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14792 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
14793 \renewcommand{\itemxx}[2]{\parbox[t]{%
14794 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14795 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
14796 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14797 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
14798 \renewcommand{\itemxxx}[3]{\parbox[t]{%
14799 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%

```



```

14800 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
14801 {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
14802 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
14803 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14804 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
14805 \renewcommand{\itemxxxx}[4]{\parbox[t]%
14806 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14807 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
14808 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14809 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
14810 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14811 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
14812 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14813 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
14814 \renewcommand{\itemxxxx}[5]{\parbox[t]%
14815 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14816 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
14817 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14818 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
14819 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14820 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
14821 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14822 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
14823 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14824 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
14825 \renewcommand{\itemxox}[2]{\parbox[t]%
14826 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14827 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
14828 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14829 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
14830 \renewcommand{\itemxox}[2]{\parbox[t]%
14831 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14832 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
14833 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14834 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
14835 \renewcommand{\itemxox}[3]{\parbox[t]%
14836 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14837 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
14838 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14839 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
14840 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14841 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
14842 \renewcommand{\itemxox}[3]{\parbox[t]%
14843 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14844 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
14845 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14846 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
14847 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14848 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
14849 \renewcommand{\itemxxxx}[3]{\parbox[t]%

```



```

14850 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14851 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
14852 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14853 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
14854 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14855 \parbox[t]{\remainxxx}{\bidi@raggedright #3}\smallskip}

```

86 File natbib-xetex-bidi.def

```

14856 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for X
14857 \renewenvironment{thebibliography}[1]{%
14858   \bibsection
14859   \parindent\z@
14860   \bibpreamble
14861   \bibfont
14862   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14863   \bidi@thebibliography@font@hook%
14864   \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
14865   \ifNAT@openbib
14866     \renewcommand\newblock{\par}%
14867   \else
14868     \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
14869   \fi
14870   \sloppy\clubpenalty4000\widowpenalty4000
14871   \sfcode`\.\@m
14872   \let\NAT@bibitem@first@sw\@firstoftwo
14873     \let\citeN\cite \let\shortcite\cite
14874     \let\citeasnoun\cite
14875 }{%
14876   \bibitem@fin
14877   \bibpostamble
14878   \def\@noitemerr{%
14879     \PackageWarning{natbib}{Empty `thebibliography' environment}%
14880   }%
14881   \endlist
14882   \bibcleanup
14883 }%

```

87 File newfloat-xetex-bidi.def

```

14884 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package for X
14885 \renewcommand*\newfloat@setwithin[2]{%
14886   \ifcsname c@chapter\endcsname
14887     \@removefromreset{#1}{chapter}%
14888   \fi
14889   \@removefromreset{#1}{section}%
14890   \edef\@tempa{#2}%
14891   \ifx\@tempa\@empty
14892     \def\@tempa{none}%
14893   \fi

```



```

14894 \def\@tempb{none}%
14895 \ifx\@tempa\@tempb
14896 \ifcsname c@chapter\endcsname
14897 \chapterlistsgap@off{#1}%
14898 \fi
14899 \newfloat@@setwithin{#1}{}{}%
14900 \else
14901 \def\@tempb{chapter}%
14902 \ifx\@tempa\@tempb
14903 \@addtoreset{#1}{chapter}%
14904 \chapterlistsgap@on{#1}%
14905 \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMark}%
14906 \else
14907 \def\@tempb{section}%
14908 \ifx\@tempa\@tempb
14909 \@addtoreset{#1}{section}%
14910 \ifcsname c@chapter\endcsname
14911 \@addtoreset{#1}{chapter}%
14912 \chapterlistsgap@on{#1}%
14913 \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
14914 \else
14915 \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\@SepMark}%
14916 \fi
14917 \else
14918 \newfloat@Error{Invalid value `#2' for option `within'}%
14919 \fi
14920 \fi
14921 \fi}

```

88 File ntheorem-xetex-bidi.def

```

14922 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]
14923 \gdef\@thm#1#2#3{%
14924 \if@thmmarks
14925 \stepcounter{end\InTheoType ctr}%
14926 \fi
14927 \renewcommand{\InTheoType}{#1}%
14928 \if@thmmarks
14929 \stepcounter{curr#1ctr}%
14930 \setcounter{end#1ctr}{0}%
14931 \fi
14932 \refstepcounter{#2}%
14933 \theorem@prework
14934 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14935 \ifvmode \advance\thm@topsepadd\partopsep\fi
14936 \trivlist
14937 \@topsep \theorempreskipamount
14938 \@topsepadd \thm@topsepadd % used by \@endparenv
14939 \advance\linewidth -\theorem@indent
14940 \advance\@totalleftmargin \theorem@indent

```



```

14941 \ifRTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
14942 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

89 File ntheorem-hyper-xetex-bidi.def

```

14943 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hy
14944 \gdef\@thm#1#2#3{%
14945   \if@thmmarks
14946     \stepcounter{end\InTheoType ctr}%
14947   \fi
14948   \renewcommand{\InTheoType}{#1}%
14949   \if@thmmarks
14950     \stepcounter{curr#1ctr}%
14951     \setcounter{end#1ctr}{0}%
14952   \fi
14953   \refstepcounter{#2}%
14954   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14955   \ifvmode \advance\thm@topsepadd\partopsep\fi
14956   \trivlist
14957   \@topsep \theorempreskipamount
14958   \@topsepadd \thm@topsepadd % used by \@endparenv
14959   \advance\linewidth -\theoremindent
14960   \advance\@totalleftmargin \theoremindent
14961   \ifRTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
14962   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

90 File overpic-xetex-bidi.def

```

14963 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package fo
14964 \renewenvironment{overpic}[2][\]{%
14965   \sbox{\z@}{\includegraphics[#1]{#2}}%
14966   \settodepth{\@tempcnta}{\usebox{\z@}}%
14967   \settoheight{\@tempcntb}{\usebox{\z@}}%
14968   \advance\@tempcntb\@tempcnta%
14969   \settowidth{\@tempcnta}{\usebox{\z@}}%
14970   \setlength{\@tempdima}{\unitlength}%
14971   \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
14972 %
14973   \OVP@calc%
14974 %
14975   \begin{picture}(\@tempcnta,\@tempcntb)%
14976     \ifRTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
14977     \ifGin@grid%
14978       \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
14979         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
14980     \fi\fi%
14981     % reset the graphics parameter
14982     \let\Gin@outer@scalex\relax
14983     \let\Gin@outer@scaley\relax
14984     \let\Gin@angle\relax

```



```

14985 \let\Gin@ewidth\Gin@exclamation
14986 \let\Gin@eheight\Gin@ewidth
14987 \def\Gin@scalex{1}
14988 \let\Gin@scaley\Gin@exclamation
14989 }{%
14990 \if@RTL\ifGin@grid%
14991 \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
14992 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
14993 \fi%
14994 \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
14995 \end{picture}%
14996 }%

```

91 File pdfbase-xetex-bidi.def

```

14997 \ProvidesFile{pdfbase-xetex-bidi.def}[2017/08/27 v0.1 bidi adaptations for pdfbase package for
14998 \ExplSyntaxOn
14999 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
15000 \cs_set_nopar:Npn\@outputpage{
15001 \int_gincr:N\g_pbs_page_int
15002 \iow_now:Nx\@mainaux{
15003 \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}
15004 }
15005 \box_if_vertical:cTF{\@outputbox}{
15006 \bool_set_true:N\l_pbs_is_vertical_bool
15007 }{
15008 \bool_set_false:N\l_pbs_is_vertical_bool
15009 }
15010 \hbox_set:Nn\@outputbox{
15011 %begin of page
15012 \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
15013 \box_use_clear:N\@outputbox
15014 %end of page
15015 \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
15016 %end of dvi
15017 \int_compare:nT{\pbs@last@page=\g_pbs_page_int}{
15018 \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eod_seq{##1}}
15019 }
15020 }
15021 \bool_if:NT\l_pbs_is_vertical_bool{
15022 \vbox_set:Nn\@outputbox{\box_use_clear:N\@outputbox}
15023 }
15024 %insert /Properties into current page's resources
15025 \pbs_insert_properties_entry:
15026 \pbs_outputpage_orig:
15027 }
15028 \ExplSyntaxOff

```

92 File pdfpages-xetex-bidi.def



```

15029 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
15030 \renewcommand*{\includepdf}[2][{}]{%
15031   \begingroup
15032   \RTLfalse
15033   \let\AM@threadname\relax
15034   \AM@split@options{pdfpages}{#1}%
15035   \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
15036   \expandafter\setkeys\AM@temp
15037   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
15038     \let\AM@currentdocname\relax
15039     \renewcommand\includegraphics[2][{}]{Survey in draft-mode}%
15040     \def\AM@pagecount{0}%
15041   }{%
15042     \AM@findfile{#2}%
15043     \if\AM@threadname\relax
15044       \def\AM@threadname{\AM@currentdocname}%
15045     \fi
15046   }%
15047   \ifAM@survey
15048     \def\AM@pagestemp{}%
15049     \@tempcnta=0
15050     \def\foo{%
15051       \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
15052         {\let\foo\relax}
15053       {\expandafter\ifx\expandafter\\AM@pagestemp\\
15054         \edef\AM@pagestemp{%
15055           \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
15056         \else
15057           \edef\AM@pagestemp{\AM@pagestemp,%
15058             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
15059         \fi
15060         \advance\@tempcnta 1\relax
15061       }%
15062     \foo
15063   }%
15064   \foo
15065   \expandafter\ifx\expandafter\\AM@pagestemp\\
15066     \def\AM@pagestemp{1}%
15067   \fi
15068 \fi
15069 \ifAM@output
15070   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
15071   \AM@output{#1}%
15072 \fi
15073 \AM@CheckAtEnd
15074 \endgroup
15075 \AM@ClearShipoutPicture
15076 }

```



93 File pgfcorescopes.code-xetex-bidi.def

```

15077 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pack
15078 \def\pgfpicture{%
15079   \begingroup%
15080   \ifmmode\else\@RTLfalse\beginL\fi%
15081   \pgfpicturetrue%
15082   \global\advance\pgf@picture@serial@count by1\relax%
15083   \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
15084   \let\pgf@nodecallback=\pgfutil@gobble%
15085   \pgf@picmaxx=-16000pt\relax%
15086   \pgf@picminx=16000pt\relax%
15087   \pgf@picmaxy=-16000pt\relax%
15088   \pgf@picminy=16000pt\relax%
15089   \pgf@relevantforpicturesizetrue%
15090   \pgf@resetpathsizes%
15091   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
15092 \def\endpgfpicture{%
15093   \ifpgfrememberpicturepositiononpage%
15094     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
15095   \fi%
15096   % ok, now let's position the box
15097   \ifdim\pgf@picmaxx=-16000pt\relax%
15098     % empty picture. make size 0.
15099     \global\pgf@picmaxx=0pt\relax%
15100     \global\pgf@picminx=0pt\relax%
15101     \global\pgf@picmaxy=0pt\relax%
15102     \global\pgf@picminy=0pt\relax%
15103   \fi%
15104   % Shift baseline outside:
15105   \pgf@relevantforpicturesizefalse%
15106   \pgf@process{\pgf@baseline}%
15107   \xdef\pgf@shift@baseline{\the\pgf@y}%
15108   %
15109   \pgf@process{\pgf@trimleft}%
15110   \global\advance\pgf@x by-\pgf@picminx
15111   % prepare \hskip\pgf@trimleft@final.
15112   % note that \pgf@trimleft@final is also queried
15113   % by the pgf image externalization.
15114   \xdef\pgf@trimleft@final{-\the\pgf@x}%
15115   %
15116   \pgf@process{\pgf@trimright}%
15117   \global\advance\pgf@x by-\pgf@picmaxx
15118   % prepare \hskip\pgf@trimright@final.
15119   % note that \pgf@trimright@final is also queried
15120   % by the pgf image externalization.
15121   \xdef\pgf@trimright@final{\the\pgf@x}%
15122   %
15123   \pgf@remember@layerlist@globally
15124   \endgroup%

```




```

15125         \hss%
15126     \egroup%
15127     \pgf@restore@layerlist@from@global
15128     \pgf@insertlayers%
15129     \endgroup%
15130     \pgfsys@discardpath%
15131     \endgroup%
15132     \pgfsys@endscope%
15133     \pgfsys@endpicture%
15134     \endgroup%
15135     \hss
15136 \egroup%
15137 \pgfsys@typesetpicturebox\pgfpic%
15138 \ifmmode\else\endL\fi%
15139 \endgroup%
15140 }

```

94 File `picinpar-xetex-bidi.def`

```

15141 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package]
15142 \long\def\@makewincaption#1#2{%
15143     \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
15144     \ifdim\wd\@tempboxa>\picwd
15145         {\footnotesize{\bf #1:\enspace}{#2\par}}
15146     \else
15147         \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
15148     \fi}
15149 \def\endwindow{%
15150     \global\tcd=\tcdsav
15151     \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
15152     \vbadness=10000
15153     \splittopskip=0pt
15154 %
15155 % Typeset the lines above the window
15156 %
15157 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
15158 \tcn=\tcd
15159 \loop\advance\tcn -1
15160 \setbox\fslice=\vsplit\holder to\baselineskip
15161 \prune\fslice\linewidth
15162 \topheight=0pt
15163 \ifnum\dp\fslice>\dp\wstrutbox
15164     \advance\topheight-\dp\fslice
15165     \advance\topheight\dp\wstrutbox
15166     \advance\topheight\ilg\fi
15167 \hbox to\linewidth{\box\fslice}
15168 \vskip-\topheight
15169 \ifdim\ht\holder>0pt\repeat
15170 \fi
15171 %

```



```

15172 % Now we build the boxes beside the window
15173 %
15174 \global\topheight=\tcl\baselineskip
15175 \ifnum\cumpartcl>0\global\tcl=\cumtcl
15176     \global\topheight=\vpic
15177 \fi
15178 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
15179 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
15180 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
15181 \tcn=\tcl \na=0 \nb=0
15182 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
15183 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
15184 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
15185 \ifnum\na=0\ifnum\nb=0
15186     \setbox\waslice=\vbox to\vpic{\vss}
15187     \setbox\wbslice=\vbox to\vpic{\vss}
15188     \bl=1\br=1
15189     \vskip\ilg
15190 \fi\fi
15191 %
15192 % both sides
15193 %
15194 \ifnum\na>0 \ifnum\nb>0
15195 \loop\advance\nb -1
15196 \advance\na -1
15197 \if@RTL%
15198 \setbox\bslice=\vsplit\holder to\baselineskip
15199 \prune\bslice\rtside
15200 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15201 to\rtside{\box\bslice\hfil}}
15202 \setbox\aslice=\vsplit\holder to\baselineskip
15203 \prune\aslice\lftside
15204 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15205 to\lftside{\box\aslice\hfil}}
15206 \else%
15207 \setbox\aslice=\vsplit\holder to\baselineskip
15208 \prune\aslice\lftside
15209 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15210 to\lftside{\box\aslice\hfil}}
15211 \setbox\bslice=\vsplit\holder to\baselineskip
15212 \prune\bslice\rtside
15213 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15214 to\rtside{\box\bslice\hfil}}
15215 \fi%
15216 \ifnum\nb>0\repeat
15217 \fi\fi
15218 %
15219 % only text on the left side
15220 %
15221 \ifnum\na>0

```



```

15222 \loop\advance\na -1
15223 \setbox\aslice=\vsplit\holder to\baselineskip
15224 \prune\aslice\lftside
15225 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15226 to\lftside{\box\aslice\hfil}}
15227 \ifdim\ht\holder>0pt\repeat
15228 \fi
15229 %
15230 % only text on the right side
15231 %
15232 \ifnum\nb>0
15233 \loop\advance\nb -1
15234 \setbox\bslice=\vsplit\holder to\baselineskip
15235 \prune\bslice\rtside
15236 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15237 to\rtside{\box\bslice\hfil}}
15238 \ifdim\ht\holder>0pt\repeat
15239 \fi
15240 %
15241 % fixing the dimensions of the window part
15242 %
15243 \ifnum\bl=0\topheight=\ht\wbslice
15244 \else\ifnum\br=0\topheight=\ht\waslice
15245 \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
15246 \else\topheight=\ht\wbslice\fi\fi\fi
15247 %
15248 % ship out the window material to the main vertical list
15249 %
15250 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
15251 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
15252 \fi\fi\fi
15253 \setbox>windowbox=\vbox{\hbox to\linewidth{%
15254 \ifnum\bl>0\box\waslice\hfill\fi%
15255 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
15256 \vfill\unvbox\picbox%
15257 \ifnum\picwd>0\vfill\fi%
15258 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
15259 \unvbox>windowbox%
15260 \loop
15261 \setbox\bslice=\vsplit\rawtext to\baselineskip
15262 \prune\bslice\linewidth
15263 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
15264 \unvbox\wbslice
15265 \ifdim\ht\rawtext>0pt
15266 \repeat
15267 }% FINITO

```

95 File plain-xetex-bidi.def

```

15268 \def\TeXeTOn{\TeXeTstate=1 }

```



```

15269 \def\TeXeTOff{\TeXeTstate=0 }
15270 \TeXeTOn
15271 \def\usebox#1{\leavevmode\copy #1\relax}
15272 \def\bidirTL@everypar{\setbox\z@ \lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@
15273   \let\bidio@everypar=\everypar
15274   \newtoks\bidin@everypar
15275   \bidin@everypar\expandafter{\the\bidio@everypar}
15276   \bidio@everypar{\bidirTL@everypar\the\bidin@everypar}
15277   \let\everypar=\bidin@everypar
15278 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
15279 \def\moreRE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
15280 \protected\def\hboxR{\hbox\bgroup
15281   \everyhbox{%
15282     \aftergroup\egroup
15283     \everyhbox{}}%
15284   \beginR
15285   \@hboxRconstructtrue
15286   \bgroup
15287   \aftergroup\endR
15288   \aftergroup\egroup
15289 } \hbox}
15290 \protected\def\hboxL{\hbox\bgroup
15291   \everyhbox{%
15292     \aftergroup\egroup
15293     \everyhbox{}}%
15294   \beginL
15295   \@hboxRconstructfalse
15296   \bgroup
15297   \aftergroup\endL
15298   \aftergroup\egroup
15299 } \hbox}
15300 \protected\def\vboxR{\vbox\bgroup
15301   \everyvbox{%
15302     \aftergroup\egroup
15303     \everyvbox{}}%
15304   \@RTLtrue
15305   \bgroup
15306   \aftergroup\egroup
15307 } \vbox}
15308 \protected\def\vboxL{\vbox\bgroup
15309   \everyvbox{%
15310     \aftergroup\egroup
15311     \everyvbox{}}%
15312   \@RTLfalse
15313   \bgroup
15314   \aftergroup\egroup
15315 } \vbox}
15316 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
15317 \def\endLTR{\par}
15318 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}

```



```

15319 \def\endRTL{\par}
15320 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
15321 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
15322 \let\unsetRTL=\setLTR
15323 \let\unsetLTR=\setRTL
15324 \let\LR=\LRE
15325 \let\RL=\RLE
15326 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
15327 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
15328 \let\@ensure@RL=\@ensure@RTL
15329 \let\@ensure@LR=\@ensure@LTR
15330 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
15331 \let\@ensure@maindir=\@ensure@dir
15332 \def\@@RTL{RTL}
15333 \def\@@LTR{LTR}
15334 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
15335 \def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi}
15336 \let\@@TeX\TeX
15337 \def\TeX{\@ensure@LTR{\@@TeX}}
15338 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi}
15339 \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
15340 \ifvoid\footins\else % footnote info is present
15341 \vskip\skip\footins
15342 \footnoterule
15343 \unvbox\footins\fi
15344 \ifr@ggedbottom \kern-\dimen@ \vfil \fi
15345 \ifvoid\@bidi@copyins@
15346 \else
15347 \vskip\skip\@bidi@copyins@
15348 \unvbox\@bidi@copyins@
15349 \fi
15350 }
15351 \long\def\bidi@reflect@box#1{%
15352 \leavevmode
15353 \setbox\z@\hbox{#1}}%
15354 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
15355 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
15356 }
15357 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
15358 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
15359 \let\setRL=\setRTL
15360 \let\setLR=\setLTR
15361 \let\unsetRL=\setLTR
15362 \let\bidi@saved@eqno=\eqno
15363 \let\bidi@saved@leqno=\leqno
15364 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
15365 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
15366 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15367 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15368 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```



96 File pstricks-xetex-bidi.def

```

15369 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
15370 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
15371 \def\endpspicture{%
15372   \ifshowgrid\ifnum\showgridp>0
15373     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
15374   \pst@killglue
15375 %   \global\pst@shift=\pst@shift% in fact of the following endgroup
15376   \endgroup
15377   \egroup
15378   \ifdim\wd\pst@hbox=\z@ \else
15379     %\@pstrickserr{Extraneous space in the pspicture environment}%
15380     %\Type \space <return> \space to proceed.}%
15381   \fi
15382   \ht\pst@hbox=\pst@dimd
15383   \dp\pst@hbox=-\pst@dimb
15384   \setbox\pst@hbox=\hbox{%
15385     \kern-\pst@dima
15386 %   Orig version -----
15387 %\ifx\pst@tempa\@empty\else
15388 %\advance\pst@dimd-\pst@dimb
15389 %\pst@dimd=\pst@tempa\pst@dimd
15390 %\advance\pst@dimd\pst@dimb
15391 %\lower\pst@dimd
15392 %\fi
15393 %----- end Orig
15394   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}% shift=*
15395     \advance\pst@dimd-\pst@dimb
15396     \pst@dimd=0.5\pst@dimd
15397   \else\pst@dimd-\pst@shift\fi
15398   \advance\pst@dimd\pst@dimb
15399   \lower\pst@dimd
15400   \box\pst@hbox
15401   \kern\pst@dimc}%
15402   \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
15403   \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
15404     \fboxsep=0pt
15405     \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
15406   \ifmmode\else\endL\fi
15407   \endgroup%
15408   \psset[pstricks]{shift=0}% reset value
15409 }

```

97 File quotchap-xetex-bidi.def

```

15410 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
15411 \renewcommand{\qauthor}[1]{%
15412   \par\smallskip
15413   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\quad\hbox{}\par}\bigskip}

```



```

15414 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
15415   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
15416     {\chapnumfont
15417       \ifnum \c@secnumdepth >\m@ne%
15418       \if@mainmatter\thechapter%
15419       \fi\fi
15420       \par\nobreak}%
15421     {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightrightmargin\else\leftmargin\fi10pt}
15422     \nobreak\chapterheadendvskip}}
15423 \renewcommand*{\@iprintcites}{%
15424   \vbox to\z@{\leavevmode\copy\@quotebox\vss}
15425   \global\let\@printcites\relax}

```

98 File ragged2e-xetex-bidi.def

```

15426 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package]
15427 \renewcommand{\Centering}{%
15428   \ifx\\ \@raggedtwoe@savedcr
15429     \let\\ \@centercr
15430   \fi
15431   \let\@gnewline\@raggedtwoe@gnewline
15432   \if@RTL\rightrightmargin\else\leftmargin\fi\CenteringLeftskip
15433   \@rightskip\CenteringRightskip
15434   \if@RTL\leftmargin\else\rightmargin\fi\@rightskip
15435   \parfillskip\CenteringParfillskip
15436   \parindent\CenteringParindent
15437   \@raggedtwoe@spaceskiptrue
15438   \@raggedtwoe@everyselectfont
15439 }
15440 \renewcommand{\RaggedLeft}{%
15441   \ifx\\ \@raggedtwoe@savedcr
15442     \let\\ \@centercr
15443   \fi
15444   \let\@gnewline\@raggedtwoe@gnewline
15445   \if@RTL\rightrightmargin\else\leftmargin\fi\RaggedLeftLeftskip
15446   \@rightskip\RaggedLeftRightskip
15447   \if@RTL\leftmargin\else\rightmargin\fi\@rightskip
15448   \parfillskip\RaggedLeftParfillskip
15449   \parindent\RaggedLeftParindent
15450   \@raggedtwoe@spaceskiptrue
15451   \@raggedtwoe@everyselectfont
15452 }
15453 \renewcommand{\RaggedRight}{%
15454   \ifx\\ \@raggedtwoe@savedcr
15455     \let\\ \@centercr
15456   \fi
15457   \let\@gnewline\@raggedtwoe@gnewline
15458   \if@RTL\rightrightmargin\else\leftmargin\fi\RaggedRightLeftskip
15459   \@rightskip\RaggedRightRightskip
15460   \if@RTL\leftmargin\else\rightmargin\fi\@rightskip

```



```

15461 \parfillskip\RaggedRightParfillskip
15462 \parindent\RaggedRightParindent
15463 \@raggedtwoe@spaceskiptrue
15464 \@raggedtwoe@everyselectfont
15465 }
15466 \renewcommand{\justifying}{%
15467 \let\\@raggedtwoe@savedcr
15468 \let\@gnewline\@raggedtwoe@saved@gnewline
15469 \if@RTL\rightright\else\leftskip\fi\z@
15470 \@rightskip\z@
15471 \if@RTL\leftskip\else\rightskip\fi\@rightskip
15472 \parfillskip\JustifyingParfillskip
15473 \parindent\JustifyingParindent
15474 \@raggedtwoe@spaceskipfalse
15475 \@raggedtwoe@everyselectfont
15476 }
15477 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{%
15478 \CheckCommand*{\@arrayparboxrestore}{%
15479 \let\if@nobreak\iffalse
15480 \let\if@noskipsec\iffalse
15481 \let\par\@par
15482 \let\-\@dischph
15483 \let'\@acci\let'\@accii\let\=\@acciii
15484 \parindent\z@ \parskip\z@skip
15485 \everypar{}%
15486 \linewidth\hsize
15487 \@totalleftmargin\z@
15488 \if@RTL\rightright\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@right
15489 \parfillskip\@flushglue \lineskip\normallineskip
15490 \baselineskip\normalbaselineskip
15491 \sloppy}%
15492 \renewcommand{\@arrayparboxrestore}{%
15493 \let\if@nobreak\iffalse
15494 \let\if@noskipsec\iffalse
15495 \let\par\@par
15496 \let\-\@dischph
15497 \let'\@acci\let'\@accii\let\=\@acciii
15498 \parskip\z@skip
15499 \everypar{}%
15500 \linewidth\hsize
15501 \@totalleftmargin\z@
15502 \RaggedRight
15503 \lineskip\normallineskip
15504 \baselineskip\normalbaselineskip
15505 \sloppy}%
15506 \let\@raggedtwoe@raggedrightboxes@opt\relax
15507 }
15508 \let\origin@RaggedLeft=\RaggedLeft
15509 \let\origin@RaggedRight=\RaggedRight
15510 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}

```




```
15511 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

99 File rapport1-xetex-bidi.def

```
15512 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class for
15513 \renewenvironment{theindex}{%
15514   \if@twocolumn
15515     \@restonecolfalse
15516   \else
15517     \@restonecoltrue
15518   \fi
15519   \columnseprule \z@
15520   \columnsep 35\p@
15521   \twocolumn[\@makeschapterhead{\indexname}]{%
15522     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
15523     \thispagestyle{plain}\parindent\z@
15524     \parskip\z@ \@plus .3\p@\relax
15525     \let\item\@idxitem
15526   }{%
15527     \if@restonecol\onecolumn\else\clearpage\fi}
15528 \renewcommand*{\head@style}{%
15529   \interlinepenalty \@M
15530   \hyphenpenalty=\@M \exhyphenpenalty=\@M
15531   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15532 \if@titlepage
15533   \renewenvironment{abstract}{%
15534     \titlepage
15535     \null\vfil
15536     \section*{\SectFont\abstractname}%
15537     \noindent\ignorespaces}
15538   {\par\vfil\null\endtitlepage}
15539 \else
15540   \renewenvironment{abstract}{%
15541     \if@twocolumn
15542       \section*{\abstractname}%
15543     \else
15544       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15545       \section*{\small\SectFont\abstractname}%
15546       \noindent\ignorespaces
15547     \fi}
15548   {\if@twocolumn\else\par\egroup\fi}
15549 \fi
15550 \renewcommand*{\@regtocline}[3]{%
15551   \ifnum #1>\c@tocdepth
15552   \else
15553     \vskip\z@ \@plus .2\p@
15554     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
15555     \if@RTL\rightskip\else\leftskip\fi=\unitindent
15556     \if@RTL\leftskip\else\rightskip\fi=\unitindent\@plus 1fil
15557     \parfillskip\z@}
```



```

15558 \@tempdima\unitindent
15559 \parindent\z@
15560 \leavevmode
15561 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
15562 \hskip 1em \nobreak{\slshape #3}\par
15563 }%
15564 \fi}
15565 \if@oldtoc
15566 \renewcommand*\l@part[2]{%
15567 \ifnum \c@tocdepth >-2\relax
15568 \addpenalty{-\@highpenalty}%
15569 \addvspace{2.25em \@plus\p@}%
15570 \begingroup
15571 \setlength\@tempdima{3em}%
15572 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
15573 \parfillskip -\@pnumwidth
15574 {\leavevmode
15575 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
15576 \nobreak
15577 \global\@nobreaktrue
15578 \everypar{\global\@nobreakfalse\everypar{}}}%
15579 \endgroup
15580 \fi}
15581 \else
15582 \renewcommand*\l@part{%
15583 \ifnum \c@tocdepth >-2\relax
15584 \addpenalty{-\@highpenalty}%
15585 \addvspace{2.25em \@plus\p@}%
15586 \@regtocline{0}%
15587 \fi}
15588 \fi
15589 \if@oldtoc
15590 \renewcommand*\l@chapter[2]{%
15591 \addpenalty{-\@highpenalty}%
15592 \vskip 1.0em \@plus\p@
15593 \setlength\@tempdima{1.5em}%
15594 \begingroup
15595 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
15596 \parfillskip -\@pnumwidth
15597 \leavevmode \bfseries
15598 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
15599 \hskip -\if@RTL\righskip\else\leftskip\fi
15600 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
15601 \penalty\@highpenalty
15602 \endgroup}
15603 \else
15604 \renewcommand*\l@chapter{\@regtocline{0}}
15605 \fi
15606 \renewcommand*\left@footnoterule{%
15607 \kern-3\p@

```



```

15608 \kern.5\baselineskip
15609 \hrule\@width\unitindent
15610 \kern.4\baselineskip
15611 }
15612 \renewcommand*\right@footnoterule{%
15613 \kern-3\p@
15614 \kern.5\baselineskip
15615 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
15616 \kern.4\baselineskip}
15617 \renewenvironment{thebibliography}[1]
15618 {
15619 \chapter*\bibname}%
15620 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
15621 \ifRTL\ifLTR\bibitems\@RTLfalse\else\fi\else\ifRTL\bibitems\@RTLtrue\else\fi\fi
15622 \bidi@thebibliography@font@hook%
15623 \list{\@biblabel{\@arabic\c@enumiv}}%
15624 {\settowidth\labelwidth{\@biblabel{#1}}%
15625 \leftmargin\labelwidth
15626 \advance\leftmargin\labelsep
15627 \openbib@code
15628 \usecounter{enumiv}%
15629 \let\p@enumiv\@empty
15630 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
15631 \sloppy\clubpenalty4000\widowpenalty4000%
15632 \sfcode\.\@m}
15633 {\def\@noitemerr
15634 {\@latex@warning{Empty `thebibliography' environment}}}%
15635 \endlist}
15636 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
15637 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
15638 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
15639 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15640 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
15641 \renewcommand*\theequation{%
15642 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
15643 \renewcommand*\thefigure{%
15644 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
15645 \renewcommand*\thetable{%
15646 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
15647 \if@titlepage
15648 \renewcommand*\TitleFont{\rmfamily}
15649 \renewcommand*\maketitle{%
15650 \begin{titlepage}%
15651 \let\footnotesize\small
15652 \let\right@footnoterule\relax
15653 \let\left@footnoterule\relax
15654 \let\textwidth\footnoterule\relax
15655 \let\footnote\thanks
15656 \long\def\@makefnmark##1{\parindent\z@
15657 \def\labelitemi{\textendash}\@revlabeltrue
15658 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}

```



```

15658 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15659 \if@compatibility\setcounter{page}{0}\fi
15660 \null\vfil
15661 \vskip 60\p@
15662 \begin{center}%
15663 \TitleFont
15664 {\LARGE \def\{\penalty -\@M}
15665 \if@allcaps
15666 \expandafter\uc@nothanks\@title\thanks\relax
15667 \else
15668 \@title
15669 \fi\par}%
15670 \vskip 3em%
15671 {\large
15672 \lineskip .75em \parindent\z@
15673 \begin{tabular}[t]{c}%
15674 \if@allcaps
15675 \expandafter\uc@authornothanks\@author\and\relax
15676 \else
15677 \@author
15678 \fi
15679 \end{tabular}\par}%
15680 \vskip 1.5em%
15681 {\large
15682 \if@allcaps
15683 \uppercase\expandafter{\@date}%
15684 \else
15685 \@date
15686 \fi\par}%
15687 \end{center}\par
15688 \@thanks
15689 \vfil\null
15690 \end{titlepage}%
15691 \setcounter{footnote}{0}%
15692 \global\let\thanks\relax
15693 \global\let\maketitle\relax
15694 \global\let\@thanks\@empty
15695 \global\let\@author\@empty
15696 \global\let\@title\@empty
15697 \global\let\@date\@empty
15698 \global\let\title\relax
15699 \global\let\author\relax
15700 \global\let\date\relax
15701 \global\let\and\relax
15702 }
15703 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
15704 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
15705 \futurelet\@tempa\uc@ax}
15706 \def\uc@ax{%
15707 \ifx\@tempa\relax

```



```

15708 \else
15709     \ \ \andname \ \ \expandafter\uc@authornothanks
15710 \fi}
15711 \def\uc@tx{\ifx\@tempa\relax
15712     \else \expandafter\uc@ty \fi}
15713 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
15714 \else
15715 \renewcommand*\maketitle{\par
15716 \begingroup
15717     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15718     \def\@makefnmark{\rlap{%
15719         \@textsuperscript{\normalfont\@thefnmark}}}%
15720     \long\def\@makefnmark{\@xmakefnmark}%
15721     \@textsuperscript{\normalfont\@thefnmark}}}%
15722 \if@twocolumn
15723     \ifnum \col@number=\@ne
15724         \@maketitle
15725     \else
15726         \twocolumn[\@maketitle]%
15727     \fi
15728 \else
15729     \newpage
15730     \global\@topnum\z@
15731     \@maketitle
15732 \fi
15733 \thispagestyle{plain}\@thanks
15734 \endgroup
15735 \setcounter{footnote}{0}%
15736 \global\let\thanks\relax
15737 \global\let\maketitle\relax
15738 \global\let\@maketitle\relax
15739 \global\let\@thanks\@empty
15740 \global\let\@author\@empty
15741 \global\let\@title\@empty
15742 \global\let\@date\@empty
15743 \global\let\title\relax
15744 \global\let\author\relax
15745 \global\let\date\relax
15746 \global\let\and\relax
15747 }
15748 \def\@maketitle{%
15749 \newpage
15750 \null
15751 \vskip 2em%
15752 \begin{center}%
15753     \let \footnote \thanks
15754     {\LARGE \TitleFont \@title \par}%
15755     \vskip 1.5em%
15756     {\large \TitleFont
15757         \lineskip .5em%

```



```

15758     \begin{tabular}[t]{c}%
15759         \@author
15760     \end{tabular}\par}%
15761     \vskip 1em%
15762     {\large \TitleFont \@date}%
15763 \end{center}%
15764 \par
15765 \vskip 1.5em}
15766 \fi

```

100 File rapport3-xetex-bidi.def

```

15767 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class for
15768 \renewenvironment{theindex}{%
15769     \if@twocolumn
15770         \@restonecolfalse
15771     \else
15772         \@restonecoltrue
15773     \fi
15774     \columnseprule \z@
15775     \columnsep 35\p@
15776     \twocolumn[\@makeschapterhead{\indexname}]%
15777     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
15778     \thispagestyle{plain}\parindent\z@
15779     \parskip\z@ \@plus .3\p@\relax
15780     \let\item\@idxitem
15781     }{%
15782     \if@restonecol\onecolumn\else\clearpage\fi}
15783 \if@titlepage
15784 \renewcommand*\TitleFont{\rmfamily}
15785 \renewcommand*\maketitle{%
15786     \begin{titlepage}%
15787         \let\footnotesize\small
15788         \let\right@footnoterule\relax
15789         \let\left@footnoterule\relax
15790         \let\textwidth@footnoterule\relax
15791         \let \footnote \thanks
15792         \let \LTRfootnote \LTRthanks
15793         \let \RTLfootnote \RTLthanks
15794         \long\def\@makefnmark##1{\parindent\z@
15795             \def\labelitemi{\textendash}\@revlabeltrue
15796             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
15797     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15798     \if@compatibility\setcounter{page}{0}\fi
15799     \null\vfil
15800     \vskip 60\p@
15801     \begin{center}%
15802         \TitleFont
15803         {\LARGE \def\\{\penalty -\@M}
15804         \if@allcaps

```



```

15805         \expandafter\uc@nothanks \@title\thanks\relax
15806     \else
15807         \@title
15808     \fi\par}%
15809     \vskip 3em%
15810     {\large
15811     \lineskip .75em \parindent\z@
15812     \begin{tabular}[t]{c}%
15813         \if@allcaps
15814             \expandafter\uc@authornothanks \@author\and\relax
15815         \else
15816             \@author
15817         \fi
15818     \end{tabular}\par}%
15819     \vskip 1.5em%
15820     {\large
15821     \if@allcaps
15822         \uppercase\expandafter{\@date}%
15823     \else
15824         \@date
15825     \fi\par}%
15826     \end{center}\par
15827     \@thanks
15828     \vfil\null
15829 \end{titlepage}%
15830 \setcounter{footnote}{0}%
15831 \global\let\thanks\relax
15832 \global\let\LTRthanks\relax
15833 \global\let\RTLthanks\relax
15834 \global\let\maketitle\relax
15835 \global\let\@thanks\@empty
15836 \global\let\@author\@empty
15837 \global\let\@title\@empty
15838 \global\let\@date\@empty
15839 \global\let\title\relax
15840 \global\let\author\relax
15841 \global\let\date\relax
15842 \global\let\and\relax
15843 }
15844 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
15845 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
15846     \futurelet\@tempa\uc@ax}
15847 \def\uc@ax{%
15848     \ifx\@tempa\relax
15849     \else
15850         \ \ \andname \ \ \expandafter\uc@authornothanks
15851     \fi}
15852 \def\uc@tx{\ifx\@tempa\relax
15853     \else \expandafter\uc@ty \fi}
15854 \def\uc@ty#1{\thanks{#1}\uc@nothanks}

```



```

15855 \else
15856 \renewcommand*\maketitle{\par
15857   \begingroup
15858     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15859     \def\@makefnmark{\rlap{%
15860       \@textsuperscript{\normalfont\@thefnmark}}}%
15861     \long\def\@makefnmark{\@xmakefnmark{%
15862       \@textsuperscript{\normalfont\@thefnmark}}}%
15863     \if@twocolumn
15864       \ifnum \col@number=\@ne
15865         \@maketitle
15866       \else
15867         \twocolumn[\@maketitle]%
15868       \fi
15869     \else
15870       \newpage
15871       \global\@topnum\z@
15872       \@maketitle
15873     \fi
15874     \thispagestyle{plain}\@thanks
15875   \endgroup
15876   \setcounter{footnote}{0}%
15877   \global\let\thanks\relax
15878   \global\let\LTRthanks\relax
15879   \global\let\RTLthanks\relax
15880   \global\let\maketitle\relax
15881   \global\let\@maketitle\relax
15882   \global\let\@thanks\@empty
15883   \global\let\@author\@empty
15884   \global\let\@title\@empty
15885   \global\let\@date\@empty
15886   \global\let\title\relax
15887   \global\let\author\relax
15888   \global\let\date\relax
15889   \global\let\and\relax
15890 }
15891 \def\@maketitle{%
15892   \newpage
15893   \null
15894   \vskip 2em%
15895   \if@titlecentered
15896     \begin{center}%
15897       \let \footnote \thanks
15898       \let \LTRfootnote \LTRthanks
15899       \let \RTLfootnote \RTLthanks
15900       {\LARGE \TitleFont \@title \par}%
15901       \vskip 1.5em%
15902       {\large \TitleFont
15903         \lineskip .5em%
15904         \begin{tabular}[t]{c}%

```




```

15905         \@author
15906         \end{tabular}\par}%
15907         \vskip 1em%
15908         {\large \TitleFont \@date}%
15909     \end{center}%
15910 \else
15911     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
15912     {\large \TitleFont \lineskip .5em \tabcolsep\z@
15913         \def\and{%% \begin{tabular} has already started
15914             \end{tabular}\hskip 1em plus .17fil
15915             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
15916             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
15917     \vskip 1em {\large \TitleFont \@date}
15918 \fi
15919 \par
15920 \vskip 1.5em}
15921 \fi
15922 \renewcommand*\@regtocline[3]{%
15923     \ifnum #1>\c@tocdepth
15924     \else
15925         \vskip\z@\@plus.2\p@
15926         {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
15927             \if@RTL\righskip\else\leftskip\fi\unitindent
15928             \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
15929             \parfillskip\z@
15930             \@tempdima\unitindent
15931             \parindent\z@
15932             \leavevmode
15933             \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
15934             \hskip 1em \nobreak{\slshape #3}\par
15935         }%
15936     \fi}
15937 \if@oldtoc
15938 \renewcommand*\l@part[2]{%
15939     \ifnum \c@tocdepth >-2\relax
15940         \addpenalty{-\@highpenalty}%
15941         \addvspace{2.25em \@plus\p@}%
15942         \begingroup
15943             \setlength\@tempdima{3em}%
15944             \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
15945             \parfillskip -\@pnumwidth
15946             {\leavevmode
15947                 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
15948             \nobreak
15949             \global\@nobreaktrue
15950             \everypar{\global\@nobreakfalse\everypar{}}%
15951         \endgroup
15952     \fi}
15953 \else
15954     \renewcommand*\l@part{%

```



```

15955 \ifnum \c@tocdepth >-2\relax
15956 \addpenalty{-\@highpenalty}%
15957 \addvspace{2.25em \@plus \p@}%
15958 \@regtocline{0}%
15959 \fi}
15960 \fi
15961 \if@oldtoc
15962 \renewcommand*\l@chapter[2]{%
15963 \addpenalty{-\@highpenalty}%
15964 \vskip 1.0em \@plus \p@
15965 \setlength\@tempdima{1.5em}%
15966 \begingroup
15967 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15968 \parfillskip -\@pnumwidth
15969 \leavevmode \bfseries
15970 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
15971 \hskip -\if@RTL\rightskip\else\leftskip\fi
15972 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
15973 \penalty\@highpenalty
15974 \endgroup}
15975 \else
15976 \renewcommand*\l@chapter{\@regtocline{0}}
15977 \fi
15978 \renewcommand*\head@style{%
15979 \interlinepenalty \@M
15980 \hyphenpenalty=\@M \exhyphenpenalty=\@M
15981 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15982 \if@titlepage
15983 \renewenvironment{abstract}{%
15984 \titlepage
15985 \null\vfil
15986 \section*{\SectFont\abstractname}%
15987 \noindent\ignorespaces}
15988 {\par\vfil\null\endtitlepage}
15989 \else
15990 \renewenvironment{abstract}{%
15991 \if@twocolumn
15992 \section*{\abstractname}%
15993 \else
15994 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15995 \section*{\small\SectFont\abstractname}%
15996 \noindent\ignorespaces
15997 \fi}
15998 {\if@twocolumn\else\par\egroup\fi}
15999 \fi
16000 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
16001 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
16002 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
16003 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
16004 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}

```



```

16005 \renewcommand*\thefigure{%
16006   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
16007 \renewcommand*\thetable{%
16008   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
16009 \renewcommand*\theequation{%
16010   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@equation}
16011 \renewenvironment{thebibliography}[1]
16012   {\chapter*{\bibname}%
16013    \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16014    \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
16015    \bidi@thebibliography@font@hook%
16016    \list{\@biblabel{\@arabic\c@enumiv}}%
16017      {\settowidth\labelwidth{\@biblabel{#1}}%
16018       \leftmargin\labelwidth
16019       \advance\leftmargin\labelsep
16020       \@openbib@code
16021       \usecounter{enumiv}%
16022       \let\p@enumiv\@empty
16023       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
16024     \sloppy\clubpenalty4000\widowpenalty4000%
16025     \sfcode`\.\@m}
16026   {\def\@noitemerr
16027     {\@latex@warning{Empty `thebibliography' environment}}%
16028    \endlist}
16029 \renewcommand*\left@footnoterule{%
16030   \kern-3\p@
16031   \kern.5\baselineskip
16032   \hrule\@width\unitindent
16033   \kern.4\baselineskip
16034 }
16035 \renewcommand*\right@footnoterule{%
16036   \kern-3\p@
16037   \kern.5\baselineskip
16038   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
16039   \kern.4\baselineskip}
16040 \renewcommand*\head@style{%
16041   \interlinepenalty \@M
16042   \hyphenpenalty=\@M \exhyphenpenalty=\@M
16043   \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

101 File refrep-xetex-bidi.def

```

16044 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for XeLaTeX]
16045 \if@titlepage
16046   \renewcommand\maketitle{\begin{titlepage}%
16047     \let\footnotesize\small
16048     \let\right@footnoterule\relax
16049     \let\left@footnoterule\relax
16050     \let\textwidth\footnoterule\relax
16051     \let\footnote\thanks

```



```

16052 \let\LTRfootnote\LTRthanks
16053 \let\RTLfootnote\RTLthanks
16054 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16055 \def\@makefnmark%
16056   {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16057 \long\def\@makefntext##1{%
16058   \setpar{\@par
16059     \tempdima = \hsize
16060     \advance\tempdima -1em
16061     \parshape \one 1em \tempdima}%
16062   \par\parindent 1em \noindent
16063   \hbext@z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
16064 \null\vfil
16065 \vskip 60\p@
16066 \begin{center}%
16067   {\LARGE \@title \par}%
16068   \vskip 3em%
16069   {\large
16070     \lineskip .75em%
16071     \begin{tabular}[t]{c}%
16072       \@author
16073     \end{tabular}\par}%
16074   \vskip 1.5em%
16075   {\large \@date \par}%           % Set date in \large size.
16076 \end{center}\par
16077 \@thanks
16078 \vfil\null
16079 \end{titlepage}%
16080 \setcounter{footnote}{0}%
16081 \global\let\thanks\relax
16082 \global\let\LTRthanks\relax
16083 \global\let\RTLthanks\relax
16084 \global\let\maketitle\relax
16085 \global\let\@thanks\@empty
16086 \global\let\@author\@empty
16087 \global\let\@date\@empty
16088 \global\let\@title\@empty
16089 \global\let\title\relax
16090 \global\let\author\relax
16091 \global\let\date\relax
16092 \global\let\and\relax
16093 }
16094 \else
16095 \renewcommand\maketitle{\par
16096   \begingroup
16097     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16098     \def\@makefnmark%
16099       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16100     \long\def\@makefntext##1{%
16101       \setpar{\@par

```



```

16102         \@tempdima = \hsize
16103         \advance\@tempdima -1em
16104         \parshape \@ne 1em \@tempdima}%
16105     \par\parindent 1em \noindent
16106     \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
16107 \if@twocolumn
16108     \ifnum \col@number=\@ne
16109         \@maketitle
16110     \else
16111         \twocolumn[\@maketitle]%
16112     \fi
16113 \else
16114     \newpage
16115     \global\@topnum\z@    % Prevents figures from going at top of page.
16116     \@maketitle
16117 \fi
16118 \thispagestyle{empty}\@thanks
16119 \endgroup
16120 \setcounter{footnote}{0}%
16121 \global\let\thanks\relax
16122 \global\let\LTRthanks\relax
16123 \global\let\RTLthanks\relax
16124 \global\let\maketitle\relax
16125 \global\let\@maketitle\relax
16126 \global\let\@thanks\@empty
16127 \global\let\@author\@empty
16128 \global\let\@date\@empty
16129 \global\let\@title\@empty
16130 \global\let\title\relax
16131 \global\let\author\relax
16132 \global\let\date\relax
16133 \global\let\and\relax
16134 }
16135 \def\@maketitle{%
16136     \newpage
16137     \null
16138     \longthickrule\vskip1.5em%
16139     \let \footnote \thanks
16140     \let \LTRfootnote \LTRthanks
16141     \let \RTLfootnote \RTLthanks
16142     {\secshape \parskip\z@ \parindent\z@
16143     \Large\bfseries \@title \par}%
16144     \vskip1.5em\longthickrule\vskip1.5em%
16145     {\normalsize
16146         \lineskip .5em%
16147         \begin{flushright}%
16148             {\slshape\@author\par}
16149             \vskip 1em%
16150             {\@date}%
16151         \end{flushright}\par}%

```



```

16152 \vskip 1.5em}
16153 \fi
16154 \renewcommand*\l@part[2]{%
16155 \ifnum \c@tocdepth >-2\relax
16156 \addpenalty{-\@highpenalty}%
16157 \addvspace{2.25em \@plus\p@}%
16158 \begingroup
16159 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16160 \parfillskip -\@pnumwidth
16161 {\leavevmode
16162 \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
16163 \nobreak
16164 \global\@nobreaktrue
16165 \everypar{\global\@nobreakfalse\everypar{}}%
16166 \endgroup
16167 \fi}
16168 \renewcommand*\l@chapter[2]{%
16169 \ifnum \c@tocdepth >\m@ne
16170 \addpenalty{-\@highpenalty}%
16171 \vskip 1.0em \@plus\p@
16172 \setlength\@tempdima{1.5em}%
16173 \begingroup
16174 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16175 \parfillskip -\@pnumwidth
16176 \leavevmode \bfseries
16177 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16178 \hskip -\if@RTL\rightskip\else\leftskip\fi
16179 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16180 \penalty\@highpenalty
16181 \endgroup
16182 \fi}
16183 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
16184 \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
16185 \hyphenpenalty=2000}
16186 \renewcommand\left@footnoterule{%
16187 \kern-3\p@
16188 \hrule\@width.4\columnwidth
16189 \kern 2.6\p@}
16190 \renewcommand\right@footnoterule{%
16191 \kern-3\p@
16192 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16193 \kern2.6\p@}
16194 \renewcommand\theequation
16195 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
16196 \renewcommand\thefigure
16197 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
16198 \renewcommand\thetable%
16199 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
16200 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
16201 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}

```



```

16202 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
16203 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
16204 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
16205 \renewenvironment{thebibliography}[1]
16206     {\chapter*{\bibname
16207         \@mkboth{\bibname}{\bibname}}%
16208         \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
16209         \bidi@@thebibliography@font@hook%
16210         \list{\@biblabel{\@arabic\c@enumiv}}%
16211             {\settowidth\labelwidth{\@biblabel{#1}}%
16212             \leftmargin\labelwidth
16213             \advance\leftmargin\labelsep
16214             \@openbib@code
16215             \usecounter{enumiv}%
16216             \let\p@enumiv\@empty
16217             \renewcommand\theenumiv{\@arabic\c@enumiv}}%
16218             \sloppy
16219             \clubpenalty4000
16220             \@clubpenalty \clubpenalty
16221             \widowpenalty4000%
16222         \sfcode`\.=\@m}
16223 {\def\@noitemerr
16224     {\@latex@warning{Empty `thebibliography' environment}}}%
16225 \endlist}

```

102 File report-xetex-bidi.def

```

16226 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report class]
16227 \renewenvironment{theindex}
16228     {\if@twocolumn
16229         \@restonecolfalse
16230         \else
16231             \@restonecoltrue
16232         \fi
16233         \columnseprule \z@
16234         \columnsep 35\p@
16235         \twocolumn[\@makeschapterhead{\indexname}]%
16236         \@mkboth{\MakeUppercase\indexname}%
16237             {\MakeUppercase\indexname}%
16238         \thispagestyle{plain}\parindent\z@
16239         \parskip\z@ \@plus .3\p@\relax
16240         \let\item\@idxitem}
16241     {\if@restonecol\onecolumn\else\clearpage\fi}
16242 \if@titlepage
16243 \renewcommand\maketitle{\begin{titlepage}%
16244 \let\footnotesize\small
16245 \let\right@footnoterule\relax
16246 \let\left@footnoterule\relax
16247 \let\textwidth\footnoterule\relax
16248 \let \footnote \thanks

```



```

16249 \let \LTRfootnote \LTRthanks
16250 \let \RTLfootnote \RTLthanks
16251 \null\vfil
16252 \vskip 60\p@
16253 \begin{center}%
16254   {\LARGE \@title \par}%
16255   \vskip 3em%
16256   {\large
16257     \lineskip .75em%
16258     \begin{tabular}[t]{c}%
16259       \@author
16260     \end{tabular}\par}%
16261     \vskip 1.5em%
16262     {\large \@date \par}%           % Set date in \large size.
16263 \end{center}\par
16264 \@thanks
16265 \vfil\null
16266 \end{titlepage}%
16267 \setcounter{footnote}{0}%
16268 \global\let\thanks\relax
16269 \global\let\LTRthanks\relax
16270 \global\let\RTLthanks\relax
16271 \global\let\maketitle\relax
16272 \global\let\@thanks\@empty
16273 \global\let\@author\@empty
16274 \global\let\@date\@empty
16275 \global\let\@title\@empty
16276 \global\let\title\relax
16277 \global\let\author\relax
16278 \global\let\date\relax
16279 \global\let\and\relax
16280 }
16281 \else
16282 \renewcommand\maketitle{\par
16283   \begingroup
16284     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16285     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16286     \long\def\@makefntext##1{\parindent 1em\noindent
16287       \hb@xt@1.8em{%
16288         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
16289     \if@twocolumn
16290       \ifnum \col@number=\@ne
16291         \@maketitle
16292       \else
16293         \twocolumn[\@maketitle]%
16294       \fi
16295     \else
16296       \newpage
16297       \global\@topnum\z@      % Prevents figures from going at top of page.
16298       \@maketitle

```




```

16299 \fi
16300 \thispagestyle{plain}\@thanks
16301 \endgroup
16302 \setcounter{footnote}{0}%
16303 \global\let\thanks\relax
16304 \global\let\LTRthanks\relax
16305 \global\let\RTLthanks\relax
16306 \global\let\maketitle\relax
16307 \global\let\@maketitle\relax
16308 \global\let\@thanks\@empty
16309 \global\let\@author\@empty
16310 \global\let\@date\@empty
16311 \global\let\@title\@empty
16312 \global\let\title\relax
16313 \global\let\author\relax
16314 \global\let\date\relax
16315 \global\let\and\relax
16316 }
16317 \def\@maketitle{%
16318 \newpage
16319 \null
16320 \vskip 2em%
16321 \begin{center}%
16322 \let \footnote \thanks
16323 \let \LTRfootnote \LTRthanks
16324 \let \RTLfootnote \RTLthanks
16325 {\LARGE \@title \par}%
16326 \vskip 1.5em%
16327 {\large
16328 \lineskip .5em%
16329 \begin{tabular}[t]{c}%
16330 \@author
16331 \end{tabular}\par}%
16332 \vskip 1em%
16333 {\large \@date}%
16334 \end{center}%
16335 \par
16336 \vskip 1.5em}
16337 \fi
16338 \renewcommand*\l@part[2]{%
16339 \ifnum \c@tocdepth >-2\relax
16340 \addpenalty{-\@highpenalty}%
16341 \addvspace{2.25em \@plus\p}%
16342 \setlength\@tempdima{3em}%
16343 \begingroup
16344 \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
16345 \parfillskip -\@pnumwidth
16346 {\leavevmode
16347 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
16348 \nobreak

```



```

16349         \global\@nbreaktrue
16350         \everypar{\global\@nbreakfalse\everypar{}}%
16351     \endgroup
16352 \fi}
16353 \renewcommand*\l@chapter[2]{%
16354     \ifnum \c@tocdepth >\m@ne
16355         \addpenalty{-\@highpenalty}%
16356         \vskip 1.0em \@plus\p@
16357         \setlength\@tempdima{1.5em}%
16358         \begingroup
16359             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16360             \parfillskip -\@pnumwidth
16361             \leavevmode \bfseries
16362             \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16363             \hskip -\if@RTL\rightskip\else\leftskip\fi
16364             #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16365             \penalty\@highpenalty
16366         \endgroup
16367 \fi}
16368 \renewcommand\left@footnoterule{%
16369     \kern-3\p@
16370     \hrule\@width.4\columnwidth
16371     \kern2.6\p@}
16372 \renewcommand\right@footnoterule{%
16373     \kern-3\p@
16374     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16375     \kern2.6\p@}
16376 \renewcommand\theequation
16377     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
16378 \renewcommand \thefigure
16379     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
16380 \renewcommand \thetable
16381     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
16382 \renewcommand \thechapter {\@arabic\c@chapter}
16383 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
16384 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
16385 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
16386 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
16387 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}
16388 \def\@makechapterhead#1{%
16389     \vspace*{50\p@}%
16390     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
16391         \ifnum \c@secnumdepth >\m@ne
16392             \huge\bfseries \@chapapp\space \thechapter
16393             \par\nobreak
16394             \vskip 20\p@
16395         \fi
16396         \interlinepenalty\@M
16397         \Huge \bfseries #1\par\nobreak
16398         \vskip 40\p@

```



```

16399 }}
16400 \def\@makeschapterhead#1{%
16401   \vspace*{50\p@}%
16402   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
16403     \normalfont
16404     \interlinepenalty\@M
16405     \Huge \bfseries #1\par\nobreak
16406     \vskip 40\p@
16407   }}
16408 \renewenvironment{thebibliography}[1]
16409   {\chapter*{\bibname}%
16410    \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16411    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16412    \bidi@thebibliography@font@hook%
16413    \list{\@biblabel{\@arabic\c@enumiv}}%
16414      {\settowidth\labelwidth{\@biblabel{#1}}%
16415       \leftmargin\labelwidth
16416       \advance\leftmargin\labelsep
16417       \@openbib@code
16418       \usecounter{enumiv}%
16419       \let\p@enumiv\@empty
16420       \renewcommand\theenumiv{\@arabic\c@enumiv}}%
16421    \sloppy
16422    \clubpenalty4000
16423    \@clubpenalty \clubpenalty
16424    \widowpenalty4000%
16425    \sfcode`\.\@m}
16426 {\def\@noitemerr
16427   {\@latex@warning{Empty `thebibliography' environment}}%
16428 \endlist}

```

103 File rotating-xetex-bidi.def

```

16429 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
16430 \def\end@rotfloat{%
16431   \end{minipage}\end{lrbox}%
16432   \stepcounter{r@tfl@t}%
16433   \rot@label{RF\ther@tfl@t}%
16434   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16435   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
16436   \rot@mess@toks\expandafter{\@tempa}
16437   \wd\rot@float@box\z@
16438   \ht\rot@float@box\z@
16439   \dp\rot@float@box\z@
16440   \vboxL to \textheight{%
16441     \setkeys{Grot}{units=360}%
16442     \if@rot@twoside
16443     \else
16444       \let\R@@page\rot@LR
16445     \fi

```



```

16446 \ifthenelse{\isodd{\R@@page}}{%
16447 \if@rot@twoside
16448 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16449 \fi
16450 \vfill
16451 \@@line{%
16452 \hskip\rotFPtop
16453 \rotatebox{90}{\box\rot@float@box}%
16454 \hskip\rotFPbot
16455 }%
16456 }{%
16457 \if@rot@twoside
16458 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16459 \fi
16460 \@@line{%
16461 \hskip\rotFPbot
16462 \rotatebox{-90}{\box\rot@float@box}%
16463 \hskip\rotFPtop
16464 }%
16465 \vfill
16466 }%
16467 \rot@message{\the\rot@mess@toks}
16468 }%
16469 \end@float
16470 }
16471 \let\endsidewaysfigure\end@rotfloat
16472 \let\endsidewaysstable\end@rotfloat
16473 \def\end@rotdblfloat{%
16474 \end{minipage}\end{lrbox}%
16475 \stepcounter{r@tfl@t}%
16476 \rot@label{RF\ther@tfl@t}%
16477 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16478 \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
16479 \rot@mess@toks\expandafter{\@tempa}
16480 \@tempdima\ht\rot@float@box
16481 \advance\@tempdima by \dp\rot@float@box
16482 \wd\rot@float@box\z@
16483 \ht\rot@float@box\z@
16484 \dp\rot@float@box\z@
16485 \vboxL to \textheight{%
16486 \setkeys{Grot}{units=360}%
16487 \if@rot@twoside
16488 \else
16489 \let\R@@page\rot@LR
16490 \fi
16491 \ifthenelse{\isodd{\R@@page}}{%
16492 \ifrot@messages
16493 \if@rot@twoside
16494 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16495 \fi

```



```

16496     \fi
16497     \vfill
16498     \@@line{%
16499         \hskip\rotFPtop
16500         \rotatebox{90}{\box\rot@float@box}%
16501         \hskip\rotFPbot
16502     }%
16503 }{%
16504     \ifrot@messages
16505     \ifrot@twoside
16506     \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16507 \fi
16508     \fi%
16509     \@@line{%
16510         \hskip\rotFPbot
16511         \rotatebox{-90}{\box\rot@float@box}%
16512         \hskip\rotFPtop
16513     }%
16514     \vfill
16515 }%
16516     \rot@message{\the\rot@mess@toks}%
16517 }%
16518 \end@dblfloat
16519 }
16520 \def\turn#1{%
16521     \Grot@setangle{#1}%
16522     \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16523 \def\endturn{%
16524     \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16525     \unskip\color@endbox
16526     \Grot@x\z@
16527     \Grot@y\z@
16528     \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16529 }
16530 \def\rotate#1{%
16531     \Grot@setangle{#1}%
16532     \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16533 \def\endrotate{%
16534     \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16535     \unskip\color@endbox
16536     \Grot@x\z@
16537     \Grot@y\z@
16538     \wd0\z@\dp0\z@\ht0\z@
16539     \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16540 }
16541 \def\turnbox#1#2{%
16542     \Grot@setangle{#1}%
16543     \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
16544     \Grot@x\z@\Grot@y\z@
16545     \wd0\z@\dp0\z@\ht0\z@

```



```

16546 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16547 }
16548 \def\sideways{%
16549 \Grot@setangle{90}%
16550 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16551 \def\endsideways{%
16552 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16553 \unskip\color@endbox
16554 \Grot@x\z@
16555 \Grot@y\z@
16556 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16557 }

```

104 File scrartcl-xetex-bidi.def

```

16558 \ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class for
16559 \newcommand{\scr@saved@LTRfootnotetext}{}
16560 \newcommand{\scr@saved@RTLfootnotetext}{}
16561 \let\scr@saved@footnotetext\@footnotetext
16562 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
16563 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
16564 \renewcommand{\@footnotetext}[1]{%
16565 \scr@saved@footnotetext{#1}%
16566 \csname FN@mfp@prepare\endcsname
16567 }
16568 \renewcommand{\@LTRfootnotetext}[1]{%
16569 \scr@saved@LTRfootnotetext{#1}%
16570 \csname FN@mfp@prepare\endcsname
16571 }
16572 \renewcommand{\@RTLfootnotetext}[1]{%
16573 \scr@saved@RTLfootnotetext{#1}%
16574 \csname FN@mfp@prepare\endcsname
16575 }
16576 \renewcommand\deffootnote[4][1]{%
16577 \long\def\@makefnintext##1{%
16578 \setlength{\@tempdimc}{#3}%
16579 \def\@tempa{#1}\ifx\@tempa\@empty
16580 \setpar{\@par
16581 \@tempdima = \hsize
16582 \addtolength{\@tempdima}{-#2}%
16583 \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
16584 \else
16585 \addtolength{\@tempdimc}{#2}%
16586 \addtolength{\@tempdimc}{-#1}%
16587 \setpar{\@par
16588 \@tempdima = \hsize
16589 \addtolength{\@tempdima}{-#1}%
16590 \@tempdimb = \hsize
16591 \addtolength{\@tempdimb}{-#2}%
16592 \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #

```



```

16593     }%
16594     \fi
16595     \par
16596     \parindent\@tempdimc\noindent
16597     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
16598 }%
16599 \def\@makefnmark{\hbox{\ftnm@font{#4}}}%
16600 }
16601 \def\footnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
16602 \renewcommand*\left@footnoterule{%
16603   \normalsize\ftn@rule@test@values
16604   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16605   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16606   {\usekomafont{footnoterule}{%
16607     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
16608   \kern 2.6\p@}
16609 \renewcommand*\right@footnoterule{%
16610   \normalsize\ftn@rule@test@values
16611   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16612   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16613   {\usekomafont{footnoterule}{%
16614     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16615     \kern 2.6\p@}
16616 \renewcommand*\maketitle[1][1]{%
16617   \if@titlepage
16618     \begin{titlepage}
16619       \setcounter{page}{%
16620         #1%
16621       }%
16622       \let\footnotesize\small
16623       \let\right@footnoterule\relax
16624       \let\left@footnoterule\relax
16625       \let\textwidth@footnoterule\relax
16626       \let\footnote\thanks
16627       \let\LTRfootnote\LTRthanks
16628       \let\RTLfootnote\RTLthanks
16629       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16630       \let\@oldmakefnmark\@makefnmark
16631       \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
16632       \ifx\@extratitle\@empty \else
16633         \noindent\@extratitle\next@tpage\cleardoubleemptypage
16634         \thispagestyle{empty}%
16635       \fi
16636       \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16637       \ifx\@titlehead\@empty \else
16638         \begin{minipage}[t]{\textwidth}%
16639           \@titlehead
16640         \end{minipage}\par
16641       \fi
16642       \null\vfill

```



```

16643 \begin{center}
16644 \ifx\@subject\@empty \else
16645   {\subject@font \@subject \par}%
16646   \vskip 3em
16647 \fi
16648 {\titlefont\huge \@title\par}%
16649 \vskip 1em
16650 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16651 \vskip 2em
16652 {\Large \lineskip 0.75em
16653   \begin{tabular}[t]{c}
16654     \@author
16655   \end{tabular}\par
16656 }%
16657 \vskip 1.5em
16658 {\Large \@date \par}%
16659 \vskip \z@ \@plus3fill
16660 {\Large \@publishers \par}%
16661 \vskip 3em
16662 \end{center}\par
16663 \@thanks
16664 \vfill\null
16665 \if@twoside\next@tpage
16666   \begin{minipage}[t]{\textwidth}
16667     \@uppertitleback
16668   \end{minipage}\par
16669 \vfill
16670   \begin{minipage}[b]{\textwidth}
16671     \@lowertitleback
16672   \end{minipage}
16673 \fi
16674 \ifx\@dedication\@empty \else
16675   \next@tpage\null\vfill
16676   {\centering \Large \@dedication \par}%
16677   \vskip \z@ \@plus3fill
16678   \if@twoside \next@tpage\cleardoubleemptypage \fi
16679 \fi
16680 \end{titlepage}
16681 \else
16682 \par
16683 \@tempcnta=%
16684 #1%
16685 \relax\ifnum\@tempcnta=1\else
16686   \ClassWarning{\KOMAClassName}{%
16687     Optional argument of \string\maketitle\space ignored
16688     at\MessageBreak
16689     notitlepage-mode%
16690   }%
16691 \fi
16692 \begingroup

```




```

16693 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16694 \let\@oldmakefnmark\@makefnmark
16695 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
16696 \if@twocolumn
16697 \ifnum \col@number=\@ne
16698 \maketitle
16699 \else
16700 \twocolumn[\maketitle]%
16701 \fi
16702 \else
16703 \newpage
16704 \global\@topnum\z@
16705 \maketitle
16706 \fi
16707 \thispagestyle{\titlepagestyle}\@thanks
16708 \endgroup
16709 \fi
16710 \setcounter{footnote}{0}%
16711 \let\thanks\relax
16712 \let\LTRthanks\relax
16713 \let\RTLthanks\relax
16714 \let\maketitle\relax
16715 \let\@maketitle\relax
16716 \global\let\@thanks\@empty
16717 \global\let\@author\@empty
16718 \global\let\@date\@empty
16719 \global\let\@title\@empty
16720 \global\let\@subtitle\@empty
16721 \global\let\@extratitle\@empty
16722 \global\let\@titlehead\@empty
16723 \global\let\@subject\@empty
16724 \global\let\@publishers\@empty
16725 \global\let\@uppertitleback\@empty
16726 \global\let\@lowertitleback\@empty
16727 \global\let\@dedication\@empty
16728 \global\let\author\relax
16729 \global\let\title\relax
16730 \global\let\extratitle\relax
16731 \global\let\titlehead\relax
16732 \global\let\subject\relax
16733 \global\let\publishers\relax
16734 \global\let\uppertitleback\relax
16735 \global\let\lowertitleback\relax
16736 \global\let\dedication\relax
16737 \global\let\date\relax
16738 \global\let\and\relax
16739 }%
16740 \renewcommand*{\@maketitle}{%
16741 \clearpage
16742 \let\footnote\thanks

```



```

16743 \let\LTRfootnote\LTRthanks
16744 \let\RTLfootnote\RTLthanks
16745 \ifx\@extratitle\@empty \else
16746   \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
16747 \fi
16748 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updateerelative
16749 \ifx\@titlehead\@empty \else
16750   \begin{minipage}[t]{\textwidth}
16751     \@titlehead
16752   \end{minipage}\par
16753 \fi
16754 \null
16755 \vskip 2em%
16756 \begin{center}%
16757   \ifx\@subject\@empty \else
16758     {\subject@font \@subject \par}
16759     \vskip 1.5em
16760   \fi
16761   {\titlefont\huge \@title \par}%
16762   \vskip .5em
16763   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16764   \vskip 1em
16765   {\Large
16766     \lineskip .5em%
16767     \begin{tabular}[t]{c}
16768       \@author
16769     \end{tabular}\par
16770   }%
16771   \vskip 1em%
16772   {\Large \@date \par}%
16773   \vskip \z@ \@plus 1em
16774   {\Large \@publishers \par}
16775   \ifx\@dedication\@empty \else
16776     \vskip 2em
16777     {\Large \@dedication \par}
16778   \fi
16779 \end{center}%
16780 \par
16781 \vskip 2em
16782 }%
16783 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
16784 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
16785 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
16786 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
16787 \renewcommand*\thesubsubsection{\%
16788   \thesubsection\@SepMark\@arabic\c@subsubsection
16789 }
16790 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
16791 \renewcommand*\thesubparagraph{\%
16792   \theparagraph\@SepMark\@arabic\c@subparagraph

```



```

16793 }
16794 \renewenvironment{thebibliography}[1]{%
16795   \if@bib@break@
16796     \bib@beginhook
16797   \else
16798     \bib@heading
16799     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
16800       \noindent\bibpreamble\par\nobreak
16801     \fi\fi
16802     \bib@beginhook
16803     \bib@before@hook
16804   \fi
16805   \renewcommand{\BreakBibliography}[1]{%
16806     \@bib@break
16807     \end{thebibliography}%
16808     \begingroup ##1\endgroup
16809     \begin{thebibliography}{#1}
16810   }%
16811   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16812   \bidi@thebibliography@font@hook%
16813   \list{%
16814     \@biblabel{\@arabic\c@enumiv}%
16815   }{%
16816     \settowidth\labelwidth{\@biblabel{#1}}%
16817     \leftmargin\labelwidth
16818     \advance\leftmargin\labelsep
16819     \openbib@code
16820     \if@bib@break@
16821       \edef\@tempa{%
16822         \noexpand\usecounter{enumiv}%
16823         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
16824       }\@tempa
16825       \no@bib@break
16826     \else
16827       \usecounter{enumiv}%
16828     \fi
16829     \let\p@enumiv\@empty
16830     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
16831   }%
16832   \sloppy\clubpenalty4000 \widowpenalty4000
16833   \sfcode`\.=\@m
16834 }{%
16835   \if@bib@break@
16836     \def\@noitemerr{%
16837       \@latex@warning{%
16838         \string\BreakBibliography\space at begin of `thebibliography'
16839         environment\MessageBreak
16840         or following \string\BreakBibliography}%
16841     }%
16842   \else

```



```

16843 \def\@noitemerr{%
16844 \latex@warning{%
16845 Empty `thebibliography' environment or
16846 \string\BreakBibliography\MessageBreak
16847 before end of `thebibliography' environment}%
16848 }%
16849 \fi
16850 \endlist
16851 \if@bib@break@
16852 \else
16853 \bib@after@hook
16854 \let\bib@before@hook\@empty
16855 \let\bib@after@hook\@empty
16856 \fi
16857 \bib@endhook
16858 }
16859 \renewcommand*\left@footnoterule{%
16860 \kern-3\p@
16861 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16862 \hrule\@width.4\columnwidth
16863 \kern 2.6\p@}
16864 \renewcommand*\right@footnoterule{%
16865 \kern-3\p@
16866 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16867 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16868 \kern2.6\p@}
16869 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
16870 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
16871 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
16872 \renewcommand\marginline[1]{%
16873 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
16874 }
16875 \renewcommand{\@makecaption}[3]{%
16876 \cap@margin
16877 \ifonelinecaptions
16878 \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
16879 \let\scr@tmp@footnotetext=\@footnotetext
16880 \let\@footnotetext=\@gobble
16881 \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
16882 \let\@LTRfootnotetext=\@gobble
16883 \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
16884 \let\@RTLfootnotetext=\@gobble
16885 \sbox\@tempboxa{%
16886 {\capfont{\strut\ignorespaces
16887 #1{\caplabelfont{#2\captionformat}}}%
16888 #3\unskip\strut}}%
16889 }%
16890 \let\@footnotetext=\scr@tmp@footnotetext
16891 \let\scr@tmp@footnotetext=\undefined
16892 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext

```



```

16893 \let\scr@tmp@LTRfootnotetext=\undefined
16894 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
16895 \let\scr@tmp@RTLfootnotetext=\undefined
16896 \setcounter{footnote}{\@tempcntb}%
16897 \setcounter{mpfootnote}{\@tempcnta}%
16898 \else
16899 \sbox\@tempboxa{\hspace*{2\cap@width}}%
16900 \fi
16901 \begingroup%
16902 \setlength{\@tempdima}{\cap@width}%
16903 \ifdim \wd\@tempboxa >\@tempdima
16904 \hb@xt@\hsize{%
16905 \setbox\@tempboxa\vbox{\hsize=\cap@width
16906 \ifdoofullc@p
16907 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
16908 #1{\caplabelfont{#2\captionformat}}}}}%
16909 {#3\unskip\strut\par}}}%
16910 \else%
16911 \ifdim\cap@indent<\z@
16912 {\capfont{\strut\ignorespaces
16913 #1{\caplabelfont{#2\captionformat\par}}}%
16914 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}}%
16915 \else%
16916 \if@capbreak
16917 {\capfont{\strut\ignorespaces
16918 #1{\caplabelfont{#2\captionformat\par}}}%
16919 \noindent\hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
16920 \else
16921 {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}%
16922 {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
16923 {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
16924 \fi
16925 \fi
16926 \fi
16927 }%
16928 \setlength{\@tempdima}{\ht\@tempboxa}%
16929 \addtolength{\@tempdima}{\dp\@tempboxa}%
16930 \addtolength{\@tempdima}{-\ht\strutbox}%
16931 \ht\@tempboxa\ht\strutbox
16932 \dp\@tempboxa\@tempdima
16933 \strut\cap@left
16934 \box\@tempboxa
16935 \cap@right\strut
16936 }%
16937 \else
16938 \global \@minipagefalse
16939 \sbox\@tempboxa{%
16940 {\capfont{\scr@smashdp{\strut\ignorespaces
16941 #1{\caplabelfont{#2\captionformat}}}}}%
16942 #3}%

```



```

16943     }%
16944     {\capfont{\hb@xt@\hsize{\strut\cap@left@if@RTL\beginR\fi\box\@tempboxa@if@RTL\endR\fi\cap@right}}
16945     \fi
16946     \endgroup
16947 }
16948 \renewcommand{\@makecaption}[2]{%
16949   \if@captionabove
16950     \vskip\belowcaptionskip
16951   \else
16952     \vskip\abovecaptionskip
16953   \fi
16954   @@makecaption\@firstofone{#1}{#2}%
16955   \if@captionabove
16956     \vskip\abovecaptionskip
16957   \else
16958     \vskip\belowcaptionskip
16959   \fi
16960 }
16961 \bidi@AfterFile{longtable-xetex-bidi.def}{%
16962   \@ifpackageloaded{caption2}{\@komalongtablefalse
16963     \scr@caption@before@longtable@warning{caption2}%
16964   }{}%
16965   \if@komalongtable
16966     \renewcommand{\LT@makecaption}[3]{%
16967       \noalign{%
16968         \if@captionabove
16969           \vskip\belowcaptionskip
16970         \else
16971           \vskip\abovecaptionskip
16972         \fi
16973       }%
16974       \LT@mcol\LT@cols c{%
16975         \hbox to\z@{\hss\parbox[t]{\linewidth{%
16976           @@makecaption{#1}{#2}{#3}%
16977         }}
16978         \endgraf
16979         \if@captionabove
16980           \vskip\abovecaptionskip
16981         \else
16982           \vskip\belowcaptionskip
16983         \fi
16984       }%
16985       \hss
16986     }%
16987   }%
16988   \renewcommand*{\scr@LT@array}{}%
16989   \let\scr@LT@array=\LT@array
16990   \renewcommand*{\LT@array}{%
16991     \let\scr@caption=\LT@caption
16992     \def\captionabove{\noalign{\global\@captionabovetrue}%

```



```

16993         \scr@caption}%
16994     \def\captionbelow{\noalign{\global\@captionabovefalse}%
16995         \scr@caption}%
16996     \if@tablecaptionabove
16997         \let\LT@caption=\captionabove
16998     \else
16999         \let\LT@caption=\captionbelow
17000     \fi
17001     \scr@LT@array
17002 }%
17003 \ClassInfo{\KOMAClassName}{%
17004     longtable captions redefined%
17005 }%
17006 \fi
17007 }
17008
17009 \CloneTOCEntryStyle{tocline}{part}
17010 \TOCEntryStyleStartInitCode{part}{%
17011     \expandafter\renewcommand%
17012     \csname scr@tso@#1@linefill\endcsname{\hfill}%
17013     \expandafter\renewcommand%
17014     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17015     \expandafter\renewcommand%
17016     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17017         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17018     \expandafter\renewcommand\expandafter*%
17019     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
17020 }
17021
17022 \CloneTOCEntryStyle{tocline}{section}
17023 \TOCEntryStyleStartInitCode{section}{%
17024     \expandafter\renewcommand%
17025     \csname scr@tso@#1@linefill\endcsname{%
17026         \if@sectionentrywithdots
17027             \TOCLineLeaderFill\relax
17028         \else
17029             \hfill
17030         \fi
17031     }%
17032     % F^fcr die Eintr^e4ge die Schrift von Element sectionentry verwenden.
17033     \expandafter\renewcommand%
17034     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
17035     \expandafter\renewcommand%
17036     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{sectionentrypagenumber}{##1}}}%
17037     \expandafter\renewcommand\expandafter*%
17038     \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
17039 }
17040
17041 \CloneTOCEntryStyle{tocline}{subsection}
17042 \TOCEntryStyleStartInitCode{subsection}{%

```



```

17043 \expandafter\renewcommand%
17044 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17045 }
17046
17047 \CloneTOCEntryStyle{subsection}{default}
17048
17049 \DeclareSectionCommand[%
17050   style=part,%
17051   level=\z@,%
17052   tocstyle=part,%
17053   toplevel=\m@ne,%
17054   tocindent=\z@,%
17055   tocnumwidth=2em%
17056 ]{part}
17057 \DeclareSectionCommand[%
17058   style=section,%
17059   level=1,%
17060   indent=\z@,%
17061   beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
17062   afterskip=2.3ex \@plus .2ex,%
17063   tocstyle=section,%
17064   tocindent=0pt,%
17065   tocnumwidth=1.5em%
17066 ]{section}
17067 \DeclareSectionCommand[%
17068   style=section,%
17069   level=2,%
17070   indent=\z@,%
17071   beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
17072   afterskip=1.5ex \@plus .2ex,%
17073   tocstyle=subsection,%
17074   tocindent=1.5em,%
17075   tocnumwidth=2.3em%
17076 ]{subsection}
17077 \DeclareSectionCommand[%
17078   style=section,%
17079   level=3,%
17080   indent=\z@,%
17081   beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
17082   afterskip=1.5ex \@plus .2ex,%
17083   tocstyle=subsection,%
17084   tocindent=3.8em,%
17085   tocnumwidth=3.2em%
17086 ]{subsubsection}
17087 \DeclareSectionCommand[%
17088   style=section,%
17089   level=4,%
17090   indent=\z@,%
17091   beforekip=3.25ex \@plus 1ex \@minus .2ex,%
17092   afterskip=-1em,%

```




```

17093   tocstyle=subsection,%
17094   tocindent=7.0em,%
17095   tocnumwidth=4.1em%
17096 }{paragraph}
17097 \DeclareSectionCommand[%
17098   style=section,%
17099   level=5,%
17100   indent=\scr@parindent,%
17101   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17102   afterskip=-1em,%
17103   tocstyle=subsection,%
17104   tocindent=10em,%
17105   tocnumwidth=5em%
17106 ]{subparagraph}

```

105 File scrbook-xetex-bidi.def

```

17107 \ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for X
17108 \newcommand{\scr@saved@LTRfootnotetext}{}
17109 \newcommand{\scr@saved@RTLfootnotetext}{}
17110 \let\scr@saved@footnotetext\@footnotetext
17111 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
17112 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
17113 \renewcommand{\@footnotetext}[1]{%
17114   \scr@saved@footnotetext{#1}%
17115   \csname FN@mfb@prepare\endcsname
17116 }
17117 \renewcommand{\@LTRfootnotetext}[1]{%
17118   \scr@saved@LTRfootnotetext{#1}%
17119   \csname FN@mfb@prepare\endcsname
17120 }
17121 \renewcommand{\@RTLfootnotetext}[1]{%
17122   \scr@saved@RTLfootnotetext{#1}%
17123   \csname FN@mfb@prepare\endcsname
17124 }
17125 \renewcommand\deffootnote[4][1]{%
17126   \long\def\@makefnmark##1{%
17127     \setlength{\@tempdimc}{#3}%
17128     \def\@tempa{#1}\ifx\@tempa\@empty
17129       \setpar{\@par
17130         \@tempdima = \hsize
17131         \addtolength{\@tempdima}{-#2}%
17132         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
17133     \else
17134       \addtolength{\@tempdimc}{#2}%
17135       \addtolength{\@tempdimc}{-#1}%
17136       \setpar{\@par
17137         \@tempdima = \hsize
17138         \addtolength{\@tempdima}{-#1}%
17139         \@tempdimb = \hsize

```



```

17140      \addtolength{\@tempdimb}{-#2}%
17141      \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
17142      }%
17143      \fi
17144      \par
17145      \parindent\@tempdimc\noindent
17146      \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
17147      }%
17148      \def\@makefnmark{\hbox{\ftn@font{#4}}}%
17149      }
17150      \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
17151      \renewcommand*\left@footnoterule{%
17152      \normalsize\ftn@rule@test@values
17153      \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17154      \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17155      {\usekomafont{footnoterule}{%
17156      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
17157      \kern 2.6\p@}
17158      \renewcommand*\right@footnoterule{%
17159      \normalsize\ftn@rule@test@values
17160      \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17161      \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17162      {\usekomafont{footnoterule}{%
17163      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
17164      \kern 2.6\p@}
17165      \renewcommand*\maketitle[1][1]{%
17166      \if@titlepage
17167      \begin{titlepage}
17168      \setcounter{page}{%
17169      #1%
17170      }%
17171      \let\footnotesize\small
17172      \let\right@footnoterule\relax
17173      \let\left@footnoterule\relax
17174      \let\textwidth\footnoterule\relax
17175      \let\footnote\thanks
17176      \let\LTRfootnote\LTRthanks
17177      \let\RTLfootnote\RTLthanks
17178      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17179      \let\@oldmakefnmark\@makefnmark
17180      \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
17181      \ifx\@extratitle\@empty \else
17182      \noindent\@extratitle\next@tpage\cleardoubleemptypage
17183      \thispagestyle{empty}%
17184      \fi
17185      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17186      \ifx\@titlehead\@empty \else
17187      \begin{minipage}[t]{\textwidth}%
17188      \@titlehead
17189      \end{minipage}\par

```



```

17190 \fi
17191 \null\vfill
17192 \begin{center}
17193 \ifx\@subject\@empty \else
17194   {\subject@font \@subject \par}%
17195   \vskip 3em
17196 \fi
17197 {\titlefont\huge \@title\par}%
17198 \vskip 1em
17199 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17200 \vskip 2em
17201 {\Large \lineskip 0.75em
17202   \begin{tabular}[t]{c}
17203     \@author
17204   \end{tabular}\par
17205   }%
17206 \vskip 1.5em
17207 {\Large \@date \par}%
17208 \vskip \z@ \@plus3fill
17209 {\Large \@publishers \par}%
17210 \vskip 3em
17211 \end{center}\par
17212 \@thanks
17213 \vfill\null
17214 \if@twoside\next@tpage
17215   \begin{minipage}[t]{\textwidth}
17216     \@uppertitleback
17217   \end{minipage}\par
17218 \vfill
17219 \begin{minipage}[b]{\textwidth}
17220   \@lowertitleback
17221 \end{minipage}
17222 \fi
17223 \ifx\@dedication\@empty \else
17224   \next@tpage\null\vfill
17225   {\centering \Large \@dedication \par}%
17226   \vskip \z@ \@plus3fill
17227   \if@twoside \next@tpage\cleardoubleemptypage \fi
17228 \fi
17229 \end{titlepage}
17230 \else
17231 \par
17232 \@tempcnta=%
17233 #1%
17234 \relax\ifnum\@tempcnta=1\else
17235   \ClassWarning{KOMAClassName}{%
17236     Optional argument of \string\maketitle\space ignored
17237     at\MessageBreak
17238     notitlepage-mode%
17239   }%

```



```

17240 \fi
17241 \beginingroup
17242 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17243 \let\@oldmakefnmark\@makefnmark
17244 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
17245 \if@twocolumn
17246 \ifnum \col@number=\@one
17247 \@maketitle
17248 \else
17249 \twocolumn[\@maketitle]%
17250 \fi
17251 \else
17252 \newpage
17253 \global\@topnum\z@
17254 \@maketitle
17255 \fi
17256 \thispagestyle{\titlepagestyle}\@thanks
17257 \endgroup
17258 \fi
17259 \setcounter{footnote}{0}%
17260 \let\thanks\relax
17261 \let\LTRthanks\relax
17262 \let\RTLthanks\relax
17263 \let\maketitle\relax
17264 \let\@maketitle\relax
17265 \global\let\@thanks\@empty
17266 \global\let\@author\@empty
17267 \global\let\@date\@empty
17268 \global\let\@title\@empty
17269 \global\let\@subtitle\@empty
17270 \global\let\@extratitle\@empty
17271 \global\let\@titlehead\@empty
17272 \global\let\@subject\@empty
17273 \global\let\@publishers\@empty
17274 \global\let\@uppertitleback\@empty
17275 \global\let\@lowertitleback\@empty
17276 \global\let\@dedication\@empty
17277 \global\let\author\relax
17278 \global\let\title\relax
17279 \global\let\extratitle\relax
17280 \global\let\titlehead\relax
17281 \global\let\subject\relax
17282 \global\let\publishers\relax
17283 \global\let\uppertitleback\relax
17284 \global\let\lowertitleback\relax
17285 \global\let\dedication\relax
17286 \global\let\date\relax
17287 \global\let\and\relax
17288 }%
17289 \renewcommand*{\@maketitle}{%

```



```

17290 \clearpage
17291 \let\footnote\thanks
17292 \let\LTRfootnote\LTRthanks
17293 \let\RTLfootnote\RTLthanks
17294 \ifx\@extratitle\@empty \else
17295   \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17296 \fi
17297 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@update relative
17298 \ifx\@titlehead\@empty \else
17299   \begin{minipage}[t]{\textwidth}
17300     \@titlehead
17301   \end{minipage}\par
17302 \fi
17303 \null
17304 \vskip 2em%
17305 \begin{center}%
17306   \ifx\@subject\@empty \else
17307     {\subject@font \@subject \par}
17308     \vskip 1.5em
17309   \fi
17310   {\titlefont\huge \@title \par}%
17311   \vskip .5em
17312   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17313   \vskip 1em
17314   {\Large
17315     \lineskip .5em%
17316     \begin{tabular}[t]{c}
17317       \@author
17318     \end{tabular}\par
17319   }%
17320   \vskip 1em%
17321   {\Large \@date \par}%
17322   \vskip \z@ \@plus 1em
17323   {\Large \@publishers \par}
17324   \ifx\@dedication\@empty \else
17325     \vskip 2em
17326     {\Large \@dedication \par}
17327   \fi
17328 \end{center}%
17329 \par
17330 \vskip 2em
17331 }%
17332 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17333 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
17334 \renewcommand*\thesection{%
17335   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17336   \if@mainmatter\thechapter\@SepMark\fi
17337   \else
17338   \thechapter\@SepMark%
17339   \fi

```



```

17340 \@arabic\c@section
17341 }
17342 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
17343 \renewcommand*{\thesubsubsection}{%
17344   \thesubsection\@SepMark\@arabic\c@subsubsection
17345 }
17346 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
17347 \renewcommand*{\thesubparagraph}{%
17348   \theparagraph\@SepMark\@arabic\c@subparagraph
17349 }
17350 \renewcommand*\thefigure{%
17351   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17352     \if@mainmatter\thechapter\@SepMark\fi
17353   \else
17354     \thechapter\@SepMark%
17355   \fi
17356   \@arabic\c@figure
17357 }
17358 \renewcommand*\thetable{%
17359   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17360     \if@mainmatter\thechapter\@SepMark\fi
17361   \else
17362     \thechapter\@SepMark%
17363   \fi
17364   \@arabic\c@table
17365 }
17366 \renewcommand*\theequation{%
17367   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17368     \if@mainmatter\thechapter\@SepMark\fi
17369   \else
17370     \thechapter\@SepMark%
17371   \fi
17372   \@arabic\c@equation
17373 }
17374 \renewenvironment{thebibliography}[1]{%
17375   \if@bib@break@
17376     \bib@beginhook
17377   \else
17378     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
17379       \setchapterpreamble{\bibpreamble}%
17380     \fi\fi
17381     \bib@heading
17382     \bib@beginhook
17383     \bib@before@hook
17384   \fi
17385   \renewcommand{\BreakBibliography}[1]{%
17386     \@bib@break
17387     \end{thebibliography}%
17388     \begingroup ##1\endgroup
17389     \begin{thebibliography}{#1}

```



```

17390 }%
17391 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17392 \bidi@thebibliography@font@hook%
17393 \list{%
17394   \@biblabel{\@arabic\c@enumiv}%
17395 }{%
17396   \settowidth\labelwidth{\@biblabel{#1}}%
17397   \leftmargin\labelwidth
17398   \advance\leftmargin\labelsep
17399   \@openbib@code
17400   \if@bib@break@
17401     \edef\@tempa{%
17402       \noexpand\usecounter{enumiv}%
17403       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17404     }\@tempa
17405     \no@bib@break
17406   \else
17407     \usecounter{enumiv}%
17408   \fi
17409   \let\p@enumiv\@empty
17410   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
17411 }%
17412 \sloppy\clubpenalty4000 \widowpenalty4000
17413 \sfcode`\.=\@m
17414 }{%
17415   \if@bib@break@
17416     \def\@noitemerr{%
17417       \@latex@warning{%
17418         \string\BreakBibliography\space at begin of `thebibliography'
17419         environment\MessageBreak
17420         or following \string\BreakBibliography}%
17421     }%
17422   \else
17423     \def\@noitemerr{%
17424       \@latex@warning{%
17425         Empty `thebibliography' environment or
17426         \string\BreakBibliography\MessageBreak
17427         before end of `thebibliography' environment}%
17428     }%
17429   \fi
17430 \endlist
17431 \if@bib@break@
17432 \else
17433   \bib@after@hook
17434   \let\bib@before@hook\@empty
17435   \let\bib@after@hook\@empty
17436 \fi
17437 \bib@endhook
17438 }
17439 \renewcommand*\left@footnoterule{%

```



```

17440 \kern-3\p@
17441 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17442 \hrule\@width.4\columnwidth
17443 \kern 2.6\p@}
17444 \renewcommand*\right@footnoterule{%
17445 \kern-3\p@
17446 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17447 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
17448 \kern2.6\p@}
17449 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
17450 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
17451 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
17452 \renewcommand\marginline[1]{%
17453 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
17454 }
17455 \renewcommand{\@@makecaption}[3]{%
17456 \cap@margin
17457 \ifonelinecaptions
17458 \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
17459 \let\scr@tmp@footnotetext=\@footnotetext
17460 \let\@footnotetext=\@gobble
17461 \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
17462 \let\@LTRfootnotetext=\@gobble
17463 \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
17464 \let\@RTLfootnotetext=\@gobble
17465 \sbox\@tempboxa{%
17466 {\capfont{\strut\ignorespaces
17467 #1{\caplabelfont{#2\captionformat}}}%
17468 #3\unskip\strut}}%
17469 }%
17470 \let\@footnotetext=\scr@tmp@footnotetext
17471 \let\scr@tmp@footnotetext=\undefined
17472 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17473 \let\scr@tmp@LTRfootnotetext=\undefined
17474 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17475 \let\scr@tmp@RTLfootnotetext=\undefined
17476 \setcounter{footnote}{\tempcntb}%
17477 \setcounter{mpfootnote}{\tempcnta}%
17478 \else
17479 \sbox\@tempboxa{\hspace*{2\cap@width}}%
17480 \fi
17481 \begingroup%
17482 \setlength{\@tempdima}{\cap@width}%
17483 \ifdim \wd\@tempboxa >\@tempdima
17484 \hb@xt@\hsize{%
17485 \setbox\@tempboxa\vbox{\hsize=\cap@width
17486 \ifdofullc@p
17487 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
17488 #1{\caplabelfont{#2\captionformat}}}}}%
17489 #3\unskip\strut\par}}}%

```




```

17490         \else%
17491         \ifdim\cap@indent<\z@
17492         {\capfont{\strut\ignorespaces
17493         #1{\caplabelfont{#2\captionformat\par}}}%
17494         \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
17495         \else%
17496         \if@capbreak
17497         {\capfont{\strut\ignorespaces
17498         #1{\caplabelfont{#2\captionformat\par}}}%
17499         \noindent\hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
17500         \else
17501         {\capfont{\hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
17502         {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
17503         {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
17504         \fi
17505     \fi
17506     \fi
17507 }%
17508 \setlength{\@tempdima}{\ht\@tempboxa}%
17509 \addtolength{\@tempdima}{\dp\@tempboxa}%
17510 \addtolength{\@tempdima}{-\ht\strutbox}%
17511 \ht\@tempboxa\ht\strutbox
17512 \dp\@tempboxa\@tempdima
17513 \strut\cap@left
17514 \box\@tempboxa
17515 \cap@right\strut
17516 }%
17517 \else
17518 \global \@minipagefalse
17519 \sbox\@tempboxa{%
17520 {\capfont{\scr@smashdp{\strut\ignorespaces
17521 #1{\caplabelfont{#2\captionformat}}}}}%
17522 #3}}%
17523 }%
17524 {\capfont{\hb@xt{\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}}%
17525 \fi
17526 \endgroup
17527 }
17528 \renewcommand{\@makecaption}[2]{%
17529 \if@captionabove
17530 \vskip\belowcaptionskip
17531 \else
17532 \vskip\abovecaptionskip
17533 \fi
17534 @@makecaption\@firstofone{#1}{#2}%
17535 \if@captionabove
17536 \vskip\abovecaptionskip
17537 \else
17538 \vskip\belowcaptionskip
17539 \fi

```



```

17540 }
17541 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17542   \@ifpackageloaded{caption2}{\@komalongtablefalse
17543     \scr@caption@before@longtable@warning{caption2}%
17544   }{}%
17545   \if@komalongtable
17546     \renewcommand{\LT@makecaption}[3]{%
17547       \noalign{%
17548         \if@captionabove
17549           \vskip\belowcaptionskip
17550         \else
17551           \vskip\abovecaptionskip
17552         \fi
17553       }%
17554       \LT@mcol\LT@cols c{%
17555         \hbox to\z@{\hss\parbox[t]\linewidth{%
17556           \@makecaption{#1}{#2}{#3}%
17557         \endgraf
17558         \if@captionabove
17559           \vskip\abovecaptionskip
17560         \else
17561           \vskip\belowcaptionskip
17562         \fi
17563       }%
17564       \hss
17565     }%
17566   }%
17567 }%
17568 \renewcommand*{\scr@LT@array}{}%
17569 \let\scr@LT@array=\LT@array
17570 \renewcommand*{\LT@array}{%
17571   \let\scr@caption=\LT@caption
17572   \def\captionabove{\noalign{\global\@captionabovetrue}%
17573     \scr@caption}%
17574   \def\captionbelow{\noalign{\global\@captionabovetrue}%
17575     \scr@caption}%
17576   \if@tablecaptionabove
17577     \let\LT@caption=\captionabove
17578   \else
17579     \let\LT@caption=\captionbelow
17580   \fi
17581   \scr@LT@array
17582 }%
17583 \ClassInfo{\KOMAClassName}{%
17584   longtable captions redefined%
17585 }%
17586 \fi
17587 }
17588
17589 \CloneTOCEntryStyle{tocline}{part}

```



```

17590 \TOCEntryStyleStartInitCode{part}{%
17591   \expandafter\renewcommand%
17592   \csname scr@tso@#1@linefill\endcsname{\hfill}%
17593   \expandafter\renewcommand%
17594   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17595   \expandafter\renewcommand%
17596   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17597     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17598   \expandafter\renewcommand\expandafter*%
17599   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
17600 }
17601
17602 \CloneTOCEntryStyle{tocline}{chapter}
17603 \TOCEntryStyleStartInitCode{chapter}{%
17604   \expandafter\renewcommand%
17605   \csname scr@tso@#1@linefill\endcsname{%
17606     \if@chapterentrywithdots
17607       \TOCLineLeaderFill\relax
17608     \else
17609       \hfill
17610     \fi
17611   }%
17612   \expandafter\renewcommand%
17613   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
17614   \expandafter\renewcommand%
17615   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17616     \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
17617   \expandafter\renewcommand\expandafter*%
17618   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
17619 }
17620
17621 \CloneTOCEntryStyle{tocline}{section}
17622 \TOCEntryStyleStartInitCode{section}{%
17623   \expandafter\renewcommand%
17624   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17625 }
17626
17627 \CloneTOCEntryStyle{section}{default}
17628
17629 \DeclareSectionCommand[%
17630   style=part,%
17631   level=\m@ne,%
17632   pagestyle=plain,%
17633   tocstyle=part,%
17634   toplevel=\m@ne,%
17635   tocindent=\z@,%
17636   tocnumwidth=2em%
17637 ]{part}
17638 \DeclareSectionCommand[%
17639   style=chapter,%

```



```

17640 level=\z@,%
17641 pagestyle=plain,%
17642 tocstyle=chapter,%
17643 tocindent=\z@,%
17644 tocnumwidth=1.5em%
17645 ]{chapter}
17646 \DeclareSectionCommand[%
17647 style=section,%
17648 level=1,%
17649 indent=\z@,%
17650 beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
17651 afterskip=2.3ex \@plus .2ex,%
17652 tocstyle=section,%
17653 tocindent=1.5em,%
17654 tocnumwidth=2.3em%
17655 ]{section}
17656 \DeclareSectionCommand[%
17657 style=section,%
17658 level=2,%
17659 indent=\z@,%
17660 beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
17661 afterskip=1.5ex \@plus .2ex,%
17662 tocstyle=section,%
17663 tocindent=3.8em,%
17664 tocnumwidth=3.2em%
17665 ]{subsection}
17666 \DeclareSectionCommand[%
17667 style=section,%
17668 level=3,%
17669 indent=\z@,%
17670 beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
17671 afterskip=1.5ex \@plus .2ex,%
17672 tocstyle=section,%
17673 tocindent=7.0em,%
17674 tocnumwidth=4.1em%
17675 ]{subsubsection}
17676 \DeclareSectionCommand[%
17677 style=section,%
17678 level=4,%
17679 indent=\z@,%
17680 beforekip=3.25ex \@plus 1ex \@minus .2ex,%
17681 afterskip=-1em,%
17682 tocstyle=section,%
17683 tocindent=10em,%
17684 tocnumwidth=5em%
17685 ]{paragraph}
17686 \DeclareSectionCommand[%
17687 style=section,%
17688 level=5,%
17689 indent=\scr@parindent,%

```



```

17690 beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17691 afterskip=-1em,%
17692 tocstyle=section,%
17693 tocindent=12em,%
17694 tocnumwidth=6em%
17695 ]{subparagraph}
17696
17697

```

106 File scrlettr-xetex-bidi.def

```

17698 \ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
17699 \renewcommand\deffootnote[4] [] {%
17700   \long\def\@makefnmark##1{%
17701     \edef\@tempa{#1}\ifx\@tempa\@empty
17702       \setpar{\@par
17703         \@tempdima = \hsize
17704         \addtolength{\@tempdima}{-#2}
17705         \ifRTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
17706     \else
17707       \setpar{\@par
17708         \@tempdima = \hsize
17709         \addtolength{\@tempdima}{-#1}
17710         \@tempdimb = \hsize
17711         \addtolength{\@tempdimb}{-#2}
17712         \ifRTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
17713       \fi
17714       \par
17715       \parindent #3\noindent
17716       \hbox to \z@{\hss\@makefnmark}##1}
17717 \def\@makefnmark{\hbox{#4}}
17718 }
17719 \deffootnote[1em]{1.5em}{1em}
17720 {\textsuperscript{\thefootnotemark}}
17721 \def\left@footnoterule{\kern-1\p@
17722   \hrule width 0.4\columnwidth
17723   \kern .6\p@}
17724 \def\right@footnoterule{%
17725   \kern-1\p@
17726   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
17727   \kern .6\p@}
17728 \def\@datefield{\@reffalse
17729   \ifx\varyourref\@empty \else \@reftrue \fi
17730   \ifx\varyourmail\@empty \else \@reftrue \fi
17731   \ifx\varmyref\@empty \else \@reftrue \fi
17732   \ifx\varcustomer\@empty \else \@reftrue \fi
17733   \ifx\varinvoice\@empty \else \@reftrue \fi
17734   \ifx\varrefitemi\@empty \else \@reftrue \fi
17735   \ifx\varrefitemii\@empty \else \@reftrue \fi
17736   \ifx\varrefitemiii\@empty \else \@reftrue \fi

```



```

17737 \vskip -\parskip
17738 \vskip \refvskip
17739 \if@ref
17740 \ifx\varyourref\@empty \else
17741 \settowidth{\sc@temp}{\varyourref}
17742 \setbox0\hbox{\scriptsize \sf \yourrefname}
17743 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17744 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
17745 \fi
17746 \ifx\varyourmail\@empty \else
17747 \settowidth{\sc@temp}{\varyourmail}
17748 \setbox0\hbox{\scriptsize \sf \yourmailname}
17749 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17750 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
17751 \fi
17752 \ifx\varmyref\@empty \else
17753 \settowidth{\sc@temp}{\varmyref}
17754 \setbox0\hbox{\scriptsize \sf \myrefname}
17755 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17756 \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
17757 \fi
17758 \ifx\varcustomer\@empty \else
17759 \settowidth{\sc@temp}{\varcustomer}
17760 \setbox0\hbox{\scriptsize \sf \customername}
17761 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17762 \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
17763 \fi
17764 \ifx\varinvoice\@empty \else
17765 \settowidth{\sc@temp}{\varinvoice}
17766 \setbox0\hbox{\scriptsize \sf \invoicename}
17767 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17768 \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
17769 \fi
17770 \ifx\varrefitemi\@empty \else
17771 \settowidth{\sc@temp}{\varrefitemi}
17772 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
17773 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17774 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
17775 \fi
17776 \ifx\varrefitemii\@empty \else
17777 \settowidth{\sc@temp}{\varrefitemii}
17778 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
17779 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17780 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
17781 \fi
17782 \ifx\varrefitemiii\@empty \else
17783 \settowidth{\sc@temp}{\varrefitemiii}
17784 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
17785 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17786 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill

```



```

17787 \fi
17788 \ifx\@date\@empty \else
17789 \settowidth{\sc@temp}{\@date}
17790 \setbox0\hbox{\scriptsize \sf \datename}
17791 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
17792 \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
17793 \fi
17794 \par
17795 \vspace{2.5\baselineskip}
17796 \else
17797 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
17798 \vspace{1.5\baselineskip}
17799 \fi}
17800 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
17801 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
17802 -\sigindent \hspace{\sigindent}}%
17803 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\}\[\presig@sk
17804 \fromsig\strut}\par
17805 \vspace{1.5\baselineskip}}

```

107 File scrreprt-xetex-bidi.def

```

17806 \ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
17807 \newcommand{\scr@saved@LTRfootnotetext}{}
17808 \newcommand{\scr@saved@RTLfootnotetext}{}
17809 \let\scr@saved@footnotetext\@footnotetext
17810 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
17811 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
17812 \renewcommand{\@footnotetext}[1]{%
17813 \scr@saved@footnotetext{#1}%
17814 \csname FN@mf@prepare\endcsname
17815 }
17816 \renewcommand{\@LTRfootnotetext}[1]{%
17817 \scr@saved@LTRfootnotetext{#1}%
17818 \csname FN@mf@prepare\endcsname
17819 }
17820 \renewcommand{\@RTLfootnotetext}[1]{%
17821 \scr@saved@RTLfootnotetext{#1}%
17822 \csname FN@mf@prepare\endcsname
17823 }
17824 \renewcommand\deffootnote[4][1]{%
17825 \long\def\@makefntext##1{%
17826 \setlength{\@tempdimc}{#3}%
17827 \def\@tempa{#1}\ifx\@tempa\@empty
17828 \setpar{\@par
17829 \@tempdima = \hsize
17830 \addtolength{\@tempdima}{-#2}%
17831 \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
17832 \else
17833 \addtolength{\@tempdimc}{#2}%

```



```

17834 \addtolength{\@tempdimc}{-#1}%
17835 \@setpar{\@par
17836 \@tempdima = \hsize
17837 \addtolength{\@tempdima}{-#1}%
17838 \@tempdimb = \hsize
17839 \addtolength{\@tempdimb}{-#2}%
17840 \ifRTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
17841 }%
17842 \fi
17843 \par
17844 \parindent\@tempdimc\noindent
17845 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
17846 }%
17847 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
17848 }
17849 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
17850 \renewcommand*\left@footnoterule{%
17851 \normalsize\ftn@rule@test@values
17852 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17853 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17854 {\usekomafont{footnoterule}{%
17855 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
17856 \kern 2.6\p@}
17857 \renewcommand*\right@footnoterule{%
17858 \normalsize\ftn@rule@test@values
17859 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17860 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17861 {\usekomafont{footnoterule}{%
17862 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
17863 \kern 2.6\p@}
17864 \renewcommand*\maketitle[1][1]{%
17865 \if@titlepage
17866 \begin{titlepage}
17867 \setcounter{page}{%
17868 #1%
17869 }%
17870 \let\footnotesize\small
17871 \let\right@footnoterule\relax
17872 \let\left@footnoterule\relax
17873 \let\textwidth\footnoterule\relax
17874 \let\footnote\thanks
17875 \let\LTRfootnote\LTRthanks
17876 \let\RTLfootnote\RTLthanks
17877 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17878 \let\@oldmakefnmark\@makefnmark
17879 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
17880 \ifx\@extratitle\@empty \else
17881 \noindent\@extratitle\next@tpage\cleardoubleemptypage
17882 \thispagestyle{empty}%
17883 \fi

```




```

17884 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@update relative
17885 \ifx\@titlehead\@empty \else
17886 \begin{minipage}[t]{\textwidth}%
17887 \@titlehead
17888 \end{minipage}\par
17889 \fi
17890 \null\vfill
17891 \begin{center}
17892 \ifx\@subject\@empty \else
17893 {\subject@font \@subject \par}%
17894 \vskip 3em
17895 \fi
17896 {\titlefont\huge \@title\par}%
17897 \vskip 1em
17898 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17899 \vskip 2em
17900 {\Large \lineskip 0.75em
17901 \begin{tabular}[t]{c}
17902 \@author
17903 \end{tabular}\par
17904 }%
17905 \vskip 1.5em
17906 {\Large \@date \par}%
17907 \vskip \z@ \@plus3fill
17908 {\Large \@publishers \par}%
17909 \vskip 3em
17910 \end{center}\par
17911 \@thanks
17912 \vfill\null
17913 \if@twoside\next@tpage
17914 \begin{minipage}[t]{\textwidth}
17915 \@uppertitleback
17916 \end{minipage}\par
17917 \vfill
17918 \begin{minipage}[b]{\textwidth}
17919 \@lowertitleback
17920 \end{minipage}
17921 \fi
17922 \ifx\@dedication\@empty \else
17923 \next@tpage\null\vfill
17924 {\centering \Large \@dedication \par}%
17925 \vskip \z@ \@plus3fill
17926 \if@twoside \next@tpage\cleardoubleemptypage \fi
17927 \fi
17928 \end{titlepage}
17929 \else
17930 \par
17931 \@tempcnta=%
17932 #1%
17933 \relax\ifnum\@tempcnta=1\else

```



```

17934 \ClassWarning{\KOMAClassName}{%
17935   Optional argument of \string\maketitle\space ignored
17936   at\MessageBreak
17937   notitlepage-mode%
17938 }%
17939 \fi
17940 \begingroup
17941 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17942 \let\@oldmakefnmark\@makefnmark
17943 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
17944 \if@twocolumn
17945   \ifnum \col@number=\@ne
17946     \@maketitle
17947   \else
17948     \twocolumn[\@maketitle]%
17949   \fi
17950 \else
17951   \newpage
17952   \global\@topnum\z@
17953   \@maketitle
17954 \fi
17955 \thispagestyle{\titlepagestyle}\@thanks
17956 \endgroup
17957 \fi
17958 \setcounter{footnote}{0}%
17959 \let\thanks\relax
17960 \let\LTRthanks\relax
17961 \let\RTLthanks\relax
17962 \let\maketitle\relax
17963 \let\@maketitle\relax
17964 \global\let\@thanks\@empty
17965 \global\let\@author\@empty
17966 \global\let\@date\@empty
17967 \global\let\@title\@empty
17968 \global\let\@subtitle\@empty
17969 \global\let\@extratitle\@empty
17970 \global\let\@titlehead\@empty
17971 \global\let\@subject\@empty
17972 \global\let\@publishers\@empty
17973 \global\let\@uppertitleback\@empty
17974 \global\let\@lowertitleback\@empty
17975 \global\let\@dedication\@empty
17976 \global\let\author\relax
17977 \global\let\title\relax
17978 \global\let\extratitle\relax
17979 \global\let\titlehead\relax
17980 \global\let\subject\relax
17981 \global\let\publishers\relax
17982 \global\let\uppertitleback\relax
17983 \global\let\lowertitleback\relax

```



```

17984 \global\let\dedication\relax
17985 \global\let\date\relax
17986 \global\let\and\relax
17987 }%
17988 \renewcommand*{\@maketitle}{%
17989 \clearpage
17990 \let\footnote\thanks
17991 \let\LTRfootnote\LTRthanks
17992 \let\RTLfootnote\RTLthanks
17993 \ifx\@extratitle\@empty \else
17994 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17995 \fi
17996 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17997 \ifx\@titlehead\@empty \else
17998 \begin{minipage}[t]{\textwidth}
17999 \@titlehead
18000 \end{minipage}\par
18001 \fi
18002 \null
18003 \vskip 2em%
18004 \begin{center}%
18005 \ifx\@subject\@empty \else
18006 {\subject@font \@subject \par}
18007 \vskip 1.5em
18008 \fi
18009 {\titlefont\huge \@title \par}%
18010 \vskip .5em
18011 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
18012 \vskip 1em
18013 {\Large
18014 \lineskip .5em%
18015 \begin{tabular}[t]{c}
18016 \@author
18017 \end{tabular}\par
18018 }%
18019 \vskip 1em%
18020 {\Large \@date \par}%
18021 \vskip \z@ \@plus 1em
18022 {\Large \@publishers \par}
18023 \ifx\@dedication\@empty \else
18024 \vskip 2em
18025 {\Large \@dedication \par}
18026 \fi
18027 \end{center}%
18028 \par
18029 \vskip 2em
18030 }%
18031 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
18032 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
18033 \renewcommand*\thesection{%

```



```

18034 \thechapter\@SepMark%
18035 \@arabic\c@section
18036 }
18037 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
18038 \renewcommand*{\thesubsubsection}{%
18039 \thesubsection\@SepMark\@arabic\c@subsubsection
18040 }
18041 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
18042 \renewcommand*{\thesubparagraph}{%
18043 \theparagraph\@SepMark\@arabic\c@subparagraph
18044 }
18045 \renewcommand*{\thefigure}{%
18046 \thechapter\@SepMark%
18047 \@arabic\c@figure
18048 }
18049 \renewcommand*{\thetable}{%
18050 \thechapter\@SepMark%
18051 \@arabic\c@table
18052 }
18053 \renewcommand*{\theequation}{%
18054 \thechapter\@SepMark%
18055 \@arabic\c@equation
18056 }
18057 \renewenvironment{thebibliography}[1]{%
18058 \if@bib@break@
18059 \bib@beginhook
18060 \else
18061 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
18062 \setchapterpreamble{\bibpreamble}%
18063 \fi\fi
18064 \bib@heading
18065 \bib@beginhook
18066 \bib@before@hook
18067 \fi
18068 \renewcommand{\BreakBibliography}[1]{%
18069 \@bib@break
18070 \end{thebibliography}%
18071 \begingroup ##1\endgroup
18072 \begin{thebibliography}{#1}
18073 }%
18074 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18075 \bidi@thebibliography@font@hook%
18076 \list{%
18077 \@biblabel{\@arabic\c@enumiv}%
18078 }{%
18079 \settowidth\labelwidth{\@biblabel{#1}}%
18080 \leftmargin\labelwidth
18081 \advance\leftmargin\labelsep
18082 \@openbib@code
18083 \if@bib@break@

```



```

18084 \edef\@tempa{%
18085 \noexpand\usecounter{enumiv}%
18086 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
18087 }\@tempa
18088 \no@bib@break
18089 \else
18090 \usecounter{enumiv}%
18091 \fi
18092 \let\p@enumiv\@empty
18093 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
18094 }%
18095 \sloppy\clubpenalty4000 \widowpenalty4000
18096 \sfcode`\.=\@m
18097 }{%
18098 \if@bib@break@
18099 \def\@noitemerr{%
18100 \@latex@warning{%
18101 \string\BreakBibliography\space at begin of `thebibliography'
18102 environment\MessageBreak
18103 or following \string\BreakBibliography}%
18104 }%
18105 \else
18106 \def\@noitemerr{%
18107 \@latex@warning{%
18108 Empty `thebibliography' environment or
18109 \string\BreakBibliography\MessageBreak
18110 before end of `thebibliography' environment}%
18111 }%
18112 \fi
18113 \endlist
18114 \if@bib@break@
18115 \else
18116 \bib@after@hook
18117 \let\bib@before@hook\@empty
18118 \let\bib@after@hook\@empty
18119 \fi
18120 \bib@endhook
18121 }
18122 \renewcommand*\left@footnoterule{%
18123 \kern-3\p@
18124 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
18125 \hrule\@width.4\columnwidth
18126 \kern 2.6\p@}
18127 \renewcommand*\right@footnoterule{%
18128 \kern-3\p@
18129 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
18130 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
18131 \kern2.6\p@}
18132 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
18133 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}

```



```

18134 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
18135 \renewcommand\marginline[1]{%
18136   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
18137 }
18138 \renewcommand{\@@makecaption}[3]{%
18139   \cap@margin
18140   \ifonelinecaptions
18141     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
18142     \let\scr@tmp@footnotetext=\@footnotetext
18143     \let\@footnotetext=\@gobble
18144     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
18145     \let\@LTRfootnotetext=\@gobble
18146     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
18147     \let\@RTLfootnotetext=\@gobble
18148     \sbox\@tempboxa{%
18149       {\capfont{\strut\ignorespaces
18150         #1{\caplabelfont{#2\captionformat}}}%
18151         #3\unskip\strut}}%
18152     }%
18153     \let\@footnotetext=\scr@tmp@footnotetext
18154     \let\scr@tmp@footnotetext=\undefined
18155     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
18156     \let\scr@tmp@LTRfootnotetext=\undefined
18157     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
18158     \let\scr@tmp@RTLfootnotetext=\undefined
18159     \setcounter{footnote}{\@tempcntb}%
18160     \setcounter{mpfootnote}{\@tempcnta}%
18161   \else
18162     \sbox\@tempboxa{\hspace*{2\cap@width}}%
18163   \fi
18164   \begingroup%
18165     \setlength{\@tempdima}{\cap@width}%
18166     \ifdim \wd\@tempboxa >\@tempdima
18167       \hb@xt@\hsize{%
18168         \setbox\@tempboxa\vbox{\hsize=\cap@width
18169           \ifdofullc@p
18170             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
18171               #1{\caplabelfont{#2\captionformat}}}}}%
18172               #3\unskip\strut\par}}}%
18173       \else%
18174         \ifdim\cap@indent<\z@
18175           {\capfont{\strut\ignorespaces
18176             #1{\caplabelfont{#2\captionformat\par}}}%
18177             \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
18178         \else%
18179           \if@capbreak
18180             {\capfont{\strut\ignorespaces
18181               #1{\caplabelfont{#2\captionformat\par}}}%
18182               \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
18183         \else

```



```

18184         {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}}%
18185         {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
18186         {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
18187     \fi
18188 \fi
18189 \fi
18190 }%
18191 \setlength{\@tempdima}{\ht\@tempboxa}%
18192 \addtolength{\@tempdima}{\dp\@tempboxa}%
18193 \addtolength{\@tempdima}{-\ht\strutbox}%
18194 \ht\@tempboxa\ht\strutbox
18195 \dp\@tempboxa\@tempdima
18196 \strut\cap@left
18197 \box\@tempboxa
18198 \cap@right\strut
18199 }%
18200 \else
18201 \global \@minipagefalse
18202 \sbox\@tempboxa{%
18203     {\capfont{\scr@smashdp{\strut\ignorespaces
18204     #1{\caplabelfont{#2\captionformat}}}}}%
18205     #3}}}%
18206 }%
18207 {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}%
18208 \fi
18209 \endgroup
18210 }
18211 \renewcommand{\@makecaption}[2]{%
18212 \if@captionabove
18213 \vskip\belowcaptionskip
18214 \else
18215 \vskip\abovecaptionskip
18216 \fi
18217 @@makecaption\@firstofone{#1}{#2}%
18218 \if@captionabove
18219 \vskip\abovecaptionskip
18220 \else
18221 \vskip\belowcaptionskip
18222 \fi
18223 }
18224 \bidi@AfterFile{longtable-xetex-bidi.def}{%
18225 \@ifpackageloaded{caption2}{\@komalongtablefalse
18226 \scr@caption@before@longtable@warning{caption2}}%
18227 }{}%
18228 \if@komalongtable
18229 \renewcommand{\LT@makecaption}[3]{%
18230 \noalign{%
18231 \if@captionabove
18232 \vskip\belowcaptionskip
18233 \else

```



```

18234         \vskip\abovecaptionskip
18235     \fi
18236 }%
18237 \LT@mcol\LT@cols c{%
18238     \hbox to\z@{\hss\parbox[t]{\linewidth{%
18239         \@makecaption{#1}{#2}{#3}%
18240     \endgraf
18241     \if@captionabove
18242         \vskip\abovecaptionskip
18243     \else
18244         \vskip\belowcaptionskip
18245     \fi
18246 }%
18247 \hss
18248 }%
18249 }%
18250 }%
18251 \renewcommand*{\scr@LT@array}{}%
18252 \let\scr@LT@array=\LT@array
18253 \renewcommand*{\LT@array}{%
18254     \let\scr@caption=\LT@caption
18255     \def\captionabove{\noalign{\global\@captionabovetrue}%
18256         \scr@caption}%
18257     \def\captionbelow{\noalign{\global\@captionabovetrue}%
18258         \scr@caption}%
18259     \if@tablecaptionabove
18260         \let\LT@caption=\captionabove
18261     \else
18262         \let\LT@caption=\captionbelow
18263     \fi
18264     \scr@LT@array
18265 }%
18266 \ClassInfo{\KOMAClassName}{%
18267     longtable captions redefined%
18268 }%
18269 \fi
18270 }
18271
18272 \CloneTOCEntryStyle{tocline}{part}
18273 \TOCEntryStyleStartInitCode{part}{%
18274     \expandafter\renewcommand%
18275     \csname scr@tso@#1@linefill\endcsname{\hfill}%
18276     \expandafter\renewcommand%
18277     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
18278     \expandafter\renewcommand%
18279     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18280         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
18281     \expandafter\renewcommand\expandafter*%
18282     \csname scr@tso@#1@beforekip\endcsname{2.25em \@plus\p}%
18283 }

```




```

18284
18285 \CloneTOCEntryStyle{tocline}{chapter}
18286 \TOCEntryStyleStartInitCode{chapter}{%
18287   \expandafter\renewcommand%
18288   \csname scr@tso@#1@linefill\endcsname{%
18289     \if@chapterentrywithdots
18290       \TOCLineLeaderFill\relax
18291     \else
18292       \hfill
18293     \fi
18294   }%
18295   \expandafter\renewcommand%
18296   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}}%
18297   \expandafter\renewcommand%
18298   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18299     \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
18300   \expandafter\renewcommand\expandafter*%
18301   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
18302 }
18303
18304 \CloneTOCEntryStyle{tocline}{section}
18305 \TOCEntryStyleStartInitCode{section}{%
18306   \expandafter\renewcommand%
18307   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
18308 }
18309
18310 \CloneTOCEntryStyle{section}{default}
18311
18312 \DeclareSectionCommand[%
18313   style=part,%
18314   level=\m@ne,%
18315   pagestyle=plain,%
18316   tocstyle=part,%
18317   toplevel=\m@ne,%
18318   tocindent=\z@,%
18319   tocnumwidth=2em%
18320 ]{part}
18321 \DeclareSectionCommand[%
18322   style=chapter,%
18323   level=\z@,%
18324   pagestyle=plain,%
18325   tocstyle=chapter,%
18326   tocindent=\z@,%
18327   tocnumwidth=1.5em%
18328 ]{chapter}
18329 \DeclareSectionCommand[%
18330   style=section,%
18331   level=1,%
18332   indent=\z@,%
18333   beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%

```



```

18334 afterskip=2.3ex \@plus.2ex,%
18335 tocstyle=section,%
18336 tocindent=1.5em,%
18337 tocnumwidth=2.3em%
18338]{section}
18339\DeclareSectionCommand[%
18340 style=section,%
18341 level=2,%
18342 indent=\z@,%
18343 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
18344 afterskip=1.5ex \@plus .2ex,%
18345 tocstyle=section,%
18346 tocindent=3.8em,%
18347 tocnumwidth=3.2em%
18348]{subsection}
18349\DeclareSectionCommand[%
18350 style=section,%
18351 level=3,%
18352 indent=\z@,%
18353 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
18354 afterskip=1.5ex \@plus .2ex,%
18355 tocstyle=section,%
18356 tocindent=7.0em,%
18357 tocnumwidth=4.1em%
18358]{subsubsection}
18359\DeclareSectionCommand[%
18360 style=section,%
18361 level=4,%
18362 indent=\z@,%
18363 beforekip=3.25ex \@plus1ex \@minus .2ex,%
18364 afterskip=-1em,%
18365 tocstyle=section,%
18366 tocindent=10em,%
18367 tocnumwidth=5em%
18368]{paragraph}
18369\DeclareSectionCommand[%
18370 style=section,%
18371 level=5,%
18372 indent=\scr@parindent,%
18373 beforekip=3.25ex \@plus1ex \@minus .2ex,%
18374 afterskip=-1em,%
18375 tocstyle=section,%
18376 tocindent=12em,%
18377 tocnumwidth=6em%
18378]{subparagraph}
18379
18380

```



108 File sidecap-xetex-bidi.def

```
18381 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for XeTeX]
18382 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
18383   \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
18384 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
18385 \renewcommand*{\SC@justify@caption}{\if@RTL%
18386 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
18387   \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
```

109 File soul-xetex-bidi.def

```
18388 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX]
18389 \long\def\SOUL@start#1{%
18390   \let\bidi@RTL@everypar\@empty
18391   \let\<\SOUL@lowerthan
18392   \let\>\empty
18393   \def\soulomit{\noexpand\soulomit}%
18394   \gdef\SOUL@eventuallyexhyphen##1{%
18395     \let\SOUL@soeventuallyskip\relax
18396     \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@\font
18397       \@minus\fontdimen4\font
18398     \SOUL@ignorespacesfalse
18399     \leavevmode
18400     \SOUL@preamble
18401     \SOUL@lasttoken={}
18402     \SOUL@word={}
18403     \SOUL@minus\z@
18404     \SOUL@comma\z@
18405     \SOUL@apo\z@
18406     \SOUL@grave\z@
18407     \SOUL@do{#1}%
18408     \SOUL@postamble
18409   }}
18410 \def\SOUL@ulunderline#1{%
18411   \setbox\z@\hbox{#1}%
18412   \dimen@=\wd\z@
18413   \dimen@i=\SOUL@uloverlap
18414   \advance\dimen@2\dimen@i
18415   \if@RTL
18416     \unhcopy\z@
18417     \llap{%
18418       \null
18419       \kern-\dimen@i
18420       \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18421     }%
18422   \else
18423     \rlap{%
18424       \null
18425       \kern-\dimen@i
```



```

18426      \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18427    }%
18428    \unhcopy\z@
18429    \fi
18430  }}
18431  \def\bidi@SOUL@ulleaders{%
18432    \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\re
18433  }
18434  \def\SOUL@uleveryspace#1{%
18435    \if@RTL
18436      #1%
18437      \bidi@SOUL@ulleaders
18438      \hskip\spaceskip
18439    \else
18440      \SOUL@ulcolor{%
18441        #1%
18442        \SOUL@ulleaders
18443        \hskip\spaceskip
18444      }%
18445      \fi
18446      \null
18447  }

```

110 File stabular-xetex-bidi.def

```

18448 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package ]
18449 \def\@stabular{%
18450   \leavevmode \bgroup \if@RTLtab\beginR \fi
18451   \let\@acol\@tabacol
18452   \let\@classz\@tabclassz
18453   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
18454 \def\endstabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
18455   \egroup \if@RTLtab\endR\fi\egroup}
18456 \expandafter \let \csname endstabular*\endcsname = \endstabular
18457 \def\@sarray[#1]#2{%
18458   \bgroup
18459   \setbox\@arstrutbox\hbox{%
18460     \vrule \@height\arraystretch\ht\strutbox
18461     \@depth\arraystretch \dp\strutbox
18462     \@width\z@}%
18463   \@mkpream{#2}%
18464   \edef\@preamble{%
18465     \ialign \noexpand\@halignto
18466       \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
18467   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18468   \let\@tabularnewline\%
18469   \let\@sharp##%
18470   \set@typeset@protect
18471   \lineskip\z@skip\baselineskip\z@skip
18472   \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\top \else \vbox \fi\bgroup\fi

```



```
18473 \@preamble}
```

111 File subfigure-xetex-bidi.def

```
18474 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
18475 \AtBeginDocument{%
18476 \let\p@subfigure=\thefigure
18477 \let\p@subtable=\thetable%
18478 }
```

112 File tabs-xetex-bidi.def

```
18479 \ProvidesFile{tabs-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabs package for XeTeX]
18480 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
18481
18482 \expandafter\let\csname endtabular*\endcsname=\endtabular
18483
18484 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crr if \ given
18485 \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
18486 \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
18487
18488 \def\@array[#1]#2{% remember global variables to allow recursion:
18489 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
18490 \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
18491 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
18492 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
18493 \else \let\@tarlinesep\tablinesep \fi
18494 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
18495 \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
18496 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
18497 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
18498 \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
18499 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
18500 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
18501 \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
18502 \let\protect\noexpand
18503 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
18504 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
18505 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18506 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
18507 \bgroup \let\par\@empty
18508 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
18509 \advance\extrarulesep.5\arrayrulewidth
18510 \let\@sharp#\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
18511 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
18512 \@preamble}
```

113 File tabularx-xetex-bidi.def

```
18513 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
```



```

18514 \def\TX@endtabularx{%
18515   \expandafter\expandafter\expandafter
18516     \TX@find@endtabularxa\csname end\TX@\endcsname
18517     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
18518   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
18519   \let\verb\TX@verb
18520   \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
18521   \edef\TX@ckpt{\cl@ckpt}%
18522   \let\@elt\relax
18523   \TX@old@table\maxdimen
18524   \TX@col@width\TX@target
18525   \global\TX@cols\@ne
18526   \TX@typeout@
18527     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
18528   \TX@trial{\def\NC@rewrite@X{%
18529     \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
18530   \loop
18531     \TX@arith
18532     \ifTX@
18533     \TX@trial{}%
18534   \repeat
18535   {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
18536     \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
18537     \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
18538     \csname tabular*\expandafter\endcsname\expandafter\TX@target
18539       \the\toks@
18540     \csname endtabular*\endcsname}%
18541   \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
18542   \ifnum0=\fi}%
18543   \expandafter\expandafter\expandafter
18544     \TX@find@endtabularxbb
18545     \expandafter\end\expandafter{\TX@}%
18546     \endtabularx\TX@\endtabularx\TX@find@endtabularxb
18547 }
18548
18549 \def\TX@trial#1{%
18550   \setbox\@tempboxa\hbox{%
18551     #1\relax
18552     \let\@footnotetext\TX@trial@ftn
18553     \let\@LTRfootnotetext\TX@trial@ftn
18554     \let\@RTLfootnotetext\TX@trial@ftn
18555     \let\TX@vwarn\@empty
18556     \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
18557     \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
18558     \def\write{\begingroup
18559       \def\let{\afterassignment\endgroup\toks@}%
18560       \afterassignment\let\count@}%
18561     \hbadness\@M
18562     \hfuzz\maxdimen
18563     \let\hbadness\@tempcnta

```



```

18564 \let\hfuzz\@tempdima
18565 \expandafter\tabular\the\toks@
18566 \endtabular}%
18567 \TX@ckpt
18568 \TX@typeout@{\@spaces
18569 \expandafter\TX@align
18570 \the\wd\@tempboxa\space\space\space\space\space\@@
18571 \expandafter\TX@align
18572 \the\TX@colwidth\space\space\space\space\space\@@
18573 \@spaces\the\TX@cols}}
18574
18575 \long\def\TX@LTRftntext#1{%
18576 \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
18577 [\the\csname c@\@mpfn\endcsname]]}%
18578 \global\TX@ftn\expandafter{\@tempa{#1}}}%
18579 \long\def\TX@xLTRftntext[#1]#2{%
18580 \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
18581
18582 \long\def\TX@RTLftntext#1{%
18583 \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
18584 [\the\csname c@\@mpfn\endcsname]]}%
18585 \global\TX@ftn\expandafter{\@tempa{#1}}}%
18586 \long\def\TX@xRTLftntext[#1]#2{%
18587 \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

114 File tabulary-xetex-bidi.def

```

18588 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
18589 \def\@testpach{\@chclass
18590 \ifnum \@lastchclass=6 \one \@chnum \one \else
18591 \ifnum \@lastchclass=7 5 \else
18592 \ifnum \@lastchclass=8 \tw@ \else
18593 \ifnum \@lastchclass=9 \thr@@
18594 \else \z@
18595 \ifnum \@lastchclass = 10 \else
18596 \edef\@nextchar{\expandafter\string\@nextchar}%
18597 \@chnum
18598 \if \@nextchar c\z@ \else
18599 \if \@nextchar \if@RTLtab r\else l\fi\one \else
18600 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
18601 \if \@nextchar C7 \else
18602 \if \@nextchar L8 \else
18603 \if \@nextchar R9 \else
18604 \if \@nextchar J10 \else
18605 \z@ \@chclass
18606 \if \@nextchar |\@one \else
18607 \if \@nextchar !6 \else
18608 \if \@nextchar @7 \else
18609 \if \@nextchar <8 \else
18610 \if \@nextchar >9 \else

```



```

18611 10
18612 \@chnum
18613 \if \@nextchar m\thr@@\else
18614 \if \@nextchar p4 \else
18615 \if \@nextchar b5 \else
18616 \z@\@chclass \z@\@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi
18617 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}

```

115 File tc-xetex-bidi.def

```

18618 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTeX]
18619 \def\@cliptoboxdim#1{%
18620     \setbox#1=\hbox{%
18621         \Gin@defaultbp\WIDTH{\wd#1}%
18622         \Gin@defaultbp\DEPTH{\dp#1}%
18623         \@tempdima\ht#1%
18624         \advance\@tempdima\dp#1%
18625         \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
18626         \beginL\special{pdf:bcontent }%
18627         \special{%
18628             pdf:literal direct
18629             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
18630         }%
18631         \special{pdf:literal direct W }%
18632         \special{pdf:literal direct n }%
18633         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
18634         \special{pdf:econtent }\endL%
18635     }%
18636 }

```

116 File tcolorbox-xetex-bidi.def

```

18637 \ProvidesFile{tcolorbox-xetex-bidi.def}[2017/08/15 v0.1 bidi adaptations for tcolorbox package]
18638 \let\endtcbl@rbox=\endminipage
18639 \let\endtcbl@savebox=\endtcbl@rbox
18640
18641 \bidi@patchcmd{\tcb@vbox}{\%
18642   \let\@footnotetext\@mpfootnotetext%
18643 }{\%
18644   \let\@footnotetext\@mpfootnotetext%
18645   \let\@LTRfootnotetext\@mplTRfootnotetext%
18646   \let\@RTLfootnotetext\@mpRTLfootnotetext%
18647 }{}{}
18648
18649 \bidi@patchcmd{\endtcbl@vbox}{\%
18650   \footnoterule%
18651 }{\%
18652   \bidi@mpfootnoterule%
18653 }{}{}

```



117 File titlesec-xetex-bidi.def

```
18654 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package]
18655 \renewcommand\filright{%
18656   \gdef\ttl@filleft##1{\hskip##1}%
18657   \gdef\ttl@filright##1{\hfill}%
18658   \let\\\@centercr
18659   \advance\rightskip\z@ \@plus 1fil
18660   \parfillskip\z@}
18661 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
18662   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
18663   \setlength\leftskip{#6}%
18664   \setlength\rightskip{#7}%
18665   \interlinepenalty\@M
18666   \ttl@change@centercr
18667   \ttl@beginlongest
18668   #1{\ifhmode\ttl@hmode@error\fi
18669     \ttl@glcmds
18670     \parindent\z@
18671     \leavevmode
18672     \begingroup
18673     \ifttl@label
18674       \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
18675       \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
18676       \llap{\box\z@}%
18677     \fi
18678     #4{#8}%
18679     \kern\z@\strut\@@par
18680   \endgroup
18681   \nobreak\ttl@midlongest#5\@@par}%
18682 \ttl@endlongest}
```

118 File titletoc-xetex-bidi.def

```
18683 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
18684 \renewcommand\filright{%
18685   \gdef\ttl@filleft##1{\hskip##1}%
18686   \gdef\ttl@filright##1{\hfill}%
18687   \let\\\@centercr
18688   \advance\rightskip\z@ \@plus 1fil
18689   \parfillskip\z@}
18690 \renewcommand\contentspush[1]{%
18691   \sbox\z@{#1}%
18692   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
18693   \aftergroup\ttl@b
18694   \leavevmode\llap{\box\z@}}
18695 \def\ttl@outnoblock#1#2#3{%
18696   \begingroup
18697   \ifnum\ttl@b>\ttl@a
18698     \nobreak
```



```

18699 \else\ifnum\ttl@b<\ttl@a
18700 \addpenalty{\@secpenalty}%
18701 \else
18702 \addpenalty{\z@}%
18703 \fi\fi
18704 \ttl@contentsstretch
18705 \nobreak
18706 \ifcase#1\relax\else\interlinepenalty\@M\fi
18707 \parindent\z@
18708 \ifx\@nil#2%
18709 \PackageError{titletoc}{Unimplemented}%
18710 {The optional argument is currently mandatory}%
18711 \else
18712 \if@RTL\setlength\rightskip{#2}\else
18713 \setlength\leftskip{#2}\fi%
18714 \fi
18715 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
18716 \let\contentsmargin\ttl@margin
18717 \def\ttl@makeline##1{##1}%
18718 #3%
18719 \addtolength{\parfillskip}{-\ttl@corr}%
18720 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
18721 \let\ttl@leaders\leaders}
18722 \renewcommand\ttl@margin[2][\z@]{%
18723 \def\ttl@corr{#1}%
18724 \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
18725 \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
18726 \def\@pnumwidth{#2}}
18727 \let\ttl@savel@part\l@part
18728 \def\l@part{\ttl@lselect{part}}
18729
18730 \let\ttl@savel@chapter\l@chapter
18731 \def\l@chapter{\ttl@lselect{chapter}}

```

119 File tocbibind-xetex-bidi.def

```

18732 \ProvidesFile{tocabibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package]
18733 \if@dotocbib
18734 \@ifpackageloaded{natbib}{\% natbib not loaded
18735 \renewcommand{\bibsection}{\t@cb@bchapsec}
18736 \renewenvironment{thebibliography}[1]{%
18737 \bibsection
18738 \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}{
18739 \renewenvironment{thebibitemlist}[1]{
18740 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18741 \bidi@thebibliography@font@hook%
18742 \list{\@biblabel{\@arabic{cenumiv}}}{%
18743 \settowidth\labelwidth{\@biblabel{#1}}%
18744 \leftmargin\labelwidth
18745 \advance\leftmargin\labelsep

```



```

18746         \@openbib@code
18747         \usecounter{enumiv}%
18748         \let\p@enumiv\@empty
18749         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
18750     \sloppy
18751     \clubpenalty4000
18752     \@clubpenalty \clubpenalty
18753     \widowpenalty4000%
18754     \sfcode\.\@m}
18755 {\def\@noitemerr
18756   {\@latex@warning{Empty `thebibliography' environment}}}%
18757   \endlist}
18758
18759   \ifpackagewith{chapterbib}{sectionbib}%
18760     {\renewcommand{\sectionbib}[2]{}}%
18761     {}
18762
18763 \fi
18764 \if@inltxdoc\else
18765   \renewenvironment{theindex}%
18766     {\if@twocolumn
18767       \@restonecolfalse
18768       \else
18769         \@restonecoltrue
18770       \fi
18771       \if@bibchapter
18772         \if@donumindex
18773           \refstepcounter{chapter}
18774           \twocolumn[\vspace*{2\topskip}%
18775             \@makechapterhead{\indexname}}%
18776           \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
18777           \chaptermark{\indexname}
18778         \else
18779           \if@dotocind
18780             \twocolumn[\vspace*{2\topskip}%
18781               \@makeschapterhead{\indexname}}%
18782             \prw@mkboth{\indexname}
18783             \addcontentsline{toc}{chapter}{\indexname}
18784           \else
18785             \twocolumn[\vspace*{2\topskip}%
18786               \@makeschapterhead{\indexname}}%
18787             \prw@mkboth{\indexname}
18788           \fi
18789         \fi
18790       \else
18791         \if@donumindex
18792           \twocolumn[\vspace*{-1.5\topskip}%
18793             \@nameuse{\@tocextra}{\indexname}}%
18794           \csname \@tocextra mark\endcsname{\indexname}
18795         \else

```



```

18796         \if@dotocind
18797             \twocolumn[\vspace*{-1.5\topskip}%
18798                 \toc@headstar{\@tocextra{\indexname}}%
18799                 \prw@mkboth{\indexname}
18800                 \addcontentsline{toc}{\@tocextra}{\indexname}
18801         \else
18802             \twocolumn[\vspace*{-1.5\topskip}%
18803                 \toc@headstar{\@tocextra{\indexname}}%
18804                 \prw@mkboth{\indexname}
18805         \fi
18806     \fi
18807     \fi
18808     \thispagestyle{plain}\parindent\z@
18809     \parskip\z@ \@plus .3\p@\relax
18810     \let\item\@idxitem}
18811     {\if@restonecol\onecolumn\else\clearpage\fi}
18812 \fi

```

120 File tocloft-xetex-bidi.def

```

18813 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
18814 \let\cftdot\@SepMark
18815 \if@cfthaspart
18816 \renewcommand*{\l@part}[2]{
18817     \@cftdopartfalse
18818     \ifnum \c@tocdepth >-2\relax
18819         \if@cfthaschapter
18820             \@cftdoparttrue
18821         \fi
18822         \ifnum \c@tocdepth >\m@ne
18823             \if@cfthaschapter\else
18824                 \@cftdoparttrue
18825             \fi
18826         \fi
18827     \fi
18828     \if@cftdopart
18829         \if@cfthaschapter
18830             \addpenalty{-\@highpenalty}
18831         \else
18832             \addpenalty\@secpenalty
18833         \fi
18834         \addvspace{\cftbeforepartskip}
18835         \begingroup
18836             {\if@RTL\righskip\else\leftskip\fi \cftpartindent\relax
18837                 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
18838                 \parfillskip -\if@RTL\leftskip\else\righskip\fi
18839                 \parindent \cftpartindent\relax\@afterindenttrue
18840                 \interlinepenalty\@M
18841                 \leavevmode
18842                 \@tempdima \cftpartnumwidth\relax

```



```

18843 \let\@cftbsnum \cftpartpresnum
18844 \let\@cftasnum \cftpartaftersnum
18845 \let\@cftasnumb \cftpartaftersnumb
18846 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
18847 {\cftpartfont \cftpartpresnum #1}
18848 \cftpartfillnum{#2}}
18849 \nobreak
18850 \if@cfthaschapter
18851 \global\@nobreaktrue
18852 \everypar{\global\@nobreakfalse\everypar{}}
18853 \else
18854 \ifcompatibility
18855 \global\@nobreaktrue
18856 \everypar{\global\@nobreakfalse\everypar{}}
18857 \fi
18858 \fi
18859 \endgroup
18860 \fi}
18861 \fi
18862 \if@cfthaschapter
18863 \renewcommand*{\l@chapter}[2]{
18864 \ifnum \c@tocdepth >\m@ne
18865 \addpenalty{-\@highpenalty}
18866 \vskip \cftbeforechapskip
18867 {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
18868 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18869 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18870 \parindent \cftchapindent\relax\@afterindenttrue
18871 \interlinepenalty\@M
18872 \leavevmode
18873 \@tempdima \cftchapnumwidth\relax
18874 \let\@cftbsnum \cftchappresnum
18875 \let\@cftasnum \cftchapaftersnum
18876 \let\@cftasnumb \cftchapaftersnumb
18877 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
18878 {\cftchapfont #1}\nobreak
18879 \cftchapfillnum{#2}}
18880 \fi}
18881 \fi
18882 \renewcommand*{\l@section}[2]{%
18883 \ifnum \c@tocdepth >\z@
18884 \if@cfthaschapter
18885 \vskip \cftbeforesecskip
18886 \else
18887 \addpenalty\@secpenalty
18888 \addvspace{\cftbeforesecskip}
18889 \fi
18890 {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
18891 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18892 \parfillskip -\if@RTL\leftskip\else\rightskip\fi

```



```

18893 \parindent \cftsecindent\relax\@afterindenttrue
18894 \interlinepenalty\@M
18895 \leavevmode
18896 \@tempdima \cftsecnumwidth\relax
18897 \let\@cftbsnum \cftsecpresnum
18898 \let\@cftasnum \cftsecaftersnum
18899 \let\@cftasnumb \cftsecaftersnumb
18900 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
18901 {\cftsecfont #1}\nobreak
18902 \cftsecfillnum{#2}}
18903 \fi}
18904 \renewcommand*{\l@section}[2]{%
18905 \ifnum \c@tocdepth >\@ne
18906 \vskip \cftbeforesubsecskip
18907 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
18908 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18909 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18910 \parindent \cftsubsecindent\relax\@afterindenttrue
18911 \interlinepenalty\@M
18912 \leavevmode
18913 \@tempdima \cftsubsecnumwidth\relax
18914 \let\@cftbsnum \cftsubsecpresnum
18915 \let\@cftasnum \cftsubsecaftersnum
18916 \let\@cftasnumb \cftsubsecaftersnumb
18917 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
18918 {\cftsubsecfont #1}\nobreak
18919 \cftsubsecfillnum{#2}}
18920 \fi}
18921 \renewcommand*{\l@subsubsection}[2]{%
18922 \ifnum \c@tocdepth >\tw@
18923 \vskip \cftbeforesubsubsecskip
18924 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
18925 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18926 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18927 \parindent \cftsubsubsecindent\relax\@afterindenttrue
18928 \interlinepenalty\@M
18929 \leavevmode
18930 \@tempdima \cftsubsubsecnumwidth\relax
18931 \let\@cftbsnum \cftsubsubsecpresnum
18932 \let\@cftasnum \cftsubsubsecaftersnum
18933 \let\@cftasnumb \cftsubsubsecaftersnumb
18934 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
18935 {\cftsubsubsecfont #1}\nobreak
18936 \cftsubsubsecfillnum{#2}}
18937 \fi}
18938 \renewcommand*{\l@paragraph}[2]{%
18939 \ifnum \c@tocdepth >3\relax
18940 \vskip \cftbeforeparaskip
18941 {\if@RTL\rightskip\else\leftskip\fi \cftparindent\relax
18942 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg

```



```

18943 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18944 \parindent \cftpargin\relax\@afterindenttrue
18945 \interlinepenalty\@M
18946 \leavevmode
18947 \@tempdima \cftparginwidth\relax
18948 \let\@cftbsnum \cftparginpresnum
18949 \let\@cftasnum \cftparginaftersnum
18950 \let\@cftasnumb \cftparginaftersnumb
18951 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip\fi
18952 {\cftpargfont #1}\nobreak
18953 \cftpargfillnum{#2}}
18954 \fi}
18955 \renewcommand*{\l@subparagraph}[2]{%
18956 \ifnum \c@tocdepth >4\relax
18957 \vskip \cftbeforesubparskip
18958 {\if@RTL\rightskip\else\leftskip\fi \cftsubparindent\relax
18959 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18960 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18961 \parindent \cftsubparindent\relax\@afterindenttrue
18962 \interlinepenalty\@M
18963 \leavevmode
18964 \@tempdima \cftsubparnumwidth\relax
18965 \let\@cftbsnum \cftsubparapresnum
18966 \let\@cftasnum \cftsubparaaftersnum
18967 \let\@cftasnumb \cftsubparaaftersnumb
18968 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip\fi
18969 {\cftsubparafont #1}\nobreak
18970 \cftsubparafillnum{#2}}
18971 \fi}
18972 \renewcommand*{\l@figure}[2]{%
18973 \ifnum \c@lofdepth >\z@
18974 \vskip \cftbeforefigskip
18975 {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
18976 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18977 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18978 \parindent \cftfigindent\relax\@afterindenttrue
18979 \interlinepenalty\@M
18980 \leavevmode
18981 \@tempdima \cftfignumwidth\relax
18982 \let\@cftbsnum \cftfigpresnum
18983 \let\@cftasnum \cftfigaftersnum
18984 \let\@cftasnumb \cftfigaftersnumb
18985 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip\fi
18986 {\cftfigfont #1}\nobreak
18987 \cftfigfillnum{#2}}
18988 \fi
18989 }
18990 \renewcommand*{\l@table}[2]{%
18991 \ifnum \c@lotdepth >\z@
18992 \vskip \cftbeforetabskip

```



```

18993 {\if@RTL\rightrightskip\else\leftskip\fi \cfttabindent\relax
18994 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18995 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18996 \parindent \cfttabindent\relax\@afterindenttrue
18997 \interlinepenalty\@M
18998 \leavevmode
18999 \@tempdima \cfttabnumwidth\relax
19000 \let\@cftbsnum \cfttabpresnum
19001 \let\@cftasnum \cfttabaftersnum
19002 \let\@cftasnumb \cfttabaftersnumb
19003 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19004 {\cfttabfont #1}\nobreak
19005 \cfttabfillnum{#2}}
19006 \fi
19007 }
19008 \renewcommand{\@cftl@subfig}{
19009 \renewcommand*{\l@subfigure}[2]{%
19010 \ifnum \c@lofdepth > \toclevel@subfigure
19011 \vskip \cftbeforesubfigskip
19012 {\if@RTL\rightrightskip\else\leftskip\fi \cftsubfigindent\relax
19013 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19014 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19015 \parindent \cftsubfigindent\relax\@afterindenttrue
19016 \interlinepenalty\@M
19017 \leavevmode
19018 \@tempdima \cftsubfignumwidth\relax
19019 \let\@cftbsnum \cftsubfigpresnum
19020 \let\@cftasnum \cftsubfigaftersnum
19021 \let\@cftasnumb \cftsubfigaftersnumb
19022 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19023 {\cftsubfigfont ##1}\nobreak
19024 \cftsubfigfillnum{##2}}
19025 \fi
19026 }
19027 }
19028 \renewcommand{\@cftl@subtab}{
19029 \renewcommand*{\l@subtable}[2]{%
19030 \ifnum \c@lotdepth > \toclevel@subtable
19031 \vskip \cftbeforesubtabskip
19032 {\if@RTL\rightrightskip\else\leftskip\fi \cftsubtabindent\relax
19033 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19034 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19035 \parindent \cftsubtabindent\relax\@afterindenttrue
19036 \interlinepenalty\@M
19037 \leavevmode
19038 \@tempdima \cftsubtabnumwidth\relax
19039 \let\@cftbsnum \cftsubtabpresnum
19040 \let\@cftasnum \cftsubtabaftersnum
19041 \let\@cftasnumb \cftsubtabaftersnumb
19042 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright

```




```

19043     {\cftsubtabfont ##1}\nobreak
19044     \cftsubtabfillnum{##2}}
19045   \fi
19046 }
19047 }
19048 \renewcommand{\newlistentry}[4][\@empty]{%
19049   \@ifundefined{c@#2}{%      check & set the counter
19050     \ifx \@empty#1\relax
19051       \newcounter{#2}
19052     \else
19053       \@ifundefined{c@#1}{\PackageWarning{tocloft}%
19054         {#1 has no counter for use as a `within'}
19055         \newcounter{#2}}%
19056       {\newcounter{#2}[#1]%
19057         \expandafter\edef\csname the#2\endcsname{%
19058           \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
19059     \fi
19060     \setcounter{#2}{0}
19061   }
19062   {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
19063 }
19064 \@namedef{l@#2}##1##2{%
19065   \ifnum \@nameuse{c@#3depth} > #4\relax
19066     \vskip \@nameuse{cftbefore#2skip}
19067     {\if@RTL\righskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
19068     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
19069     \parfillskip -\if@RTL\leftskip\else\righskip\fi
19070     \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
19071     \interlinepenalty\@M
19072     \leavevmode
19073     \@tempdima \@nameuse{cft#2numwidth}\relax
19074     \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
19075     \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
19076     \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
19077     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\righ
19078     {\@nameuse{cft#2font}##1}\nobreak
19079     \@nameuse{cft#2fillnum}{##2}}
19080   \fi
19081 } % end of l@#2
19082
19083 \expandafter\newlength\csname cftbefore#2skip\endcsname
19084 \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
19085 \expandafter\newlength\csname cft#2indent\endcsname
19086 \expandafter\newlength\csname cft#2numwidth\endcsname
19087 \ifcase #4\relax % 0
19088   \setlength{\@nameuse{cft#2indent}}{0em}
19089   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
19090 \or % 1
19091   \setlength{\@nameuse{cft#2indent}}{1.5em}
19092   \setlength{\@nameuse{cft#2numwidth}}{2.3em}

```



```

19093 \or % 2
19094 \setlength{\@nameuse{cft#2indent}}{3.8em}
19095 \setlength{\@nameuse{cft#2numwidth}}{3.2em}
19096 \or % 3
19097 \setlength{\@nameuse{cft#2indent}}{7.0em}
19098 \setlength{\@nameuse{cft#2numwidth}}{4.1em}
19099 \else % anything else
19100 \setlength{\@nameuse{cft#2indent}}{10.0em}
19101 \setlength{\@nameuse{cft#2numwidth}}{5.0em}
19102 \fi
19103 \@namedef{cft#2font}{\normalfont}
19104 \@namedef{cft#2presnum}{\}
19105 \@namedef{cft#2aftersnum}{\}
19106 \@namedef{cft#2aftersnumb}{\}
19107 \@namedef{cft#2dotsep}{\cftdotsep}
19108 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
19109 \@namedef{cft#2pagefont}{\normalfont}
19110 \@namedef{cft#2afterpnum}{\}
19111 \@namedef{toclevel@#2}{#4}
19112 \@namedef{cft#2fillnum}##1{%
19113 \{\@nameuse{cft#2leader}\nobreak
19114 \hb@xt@{\@pnumwidth}{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
19115 } % end \newlistentry
19116 \renewcommand{cftchapterprecistoc}[1]{\addtocontents{toc}{%
19117 {\if@RTL\righskip\else\leftskip\fi \cftchapindent\relax
19118 \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
19119 \if@RTL\leftskip\else\righskip\fi \@tocrmarg\relax
19120 \textit{#1}\protect\par}}}}

```

121 File tocbasic-xetex-bidi.def

```

19121 \ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package]
19122 \bidi@undef\scr@dte@def@1@undottedtocline
19123 \bidi@undef\scr@dte@undottedtocline@init
19124 \DeclareTOCEntryStyle{undottedtocline}[{%
19125 \DefineTOCEntryLengthOption{indent}%
19126 {scr@tso@}{@indent}{entry indent}%
19127 \DefineTOCEntryLengthOption{numwidth}%
19128 {scr@tso@}{@numwidth}{entry number width}%
19129 \@ifundefined{#1tocdepth}{%
19130 \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19131 \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19132 \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19133 \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19134 \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19135 \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19136 \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19137 \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19138 \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19139 \expandafter\let\csname #1tocdepth\expandafter\endcsname

```



```

19140             \csname #1numdepth\endcsname
19141         }%
19142     }%
19143 }%
19144 }%
19145 }%
19146 }%
19147 }%
19148 }%
19149 }%
19150 }{}%
19151 \@ifundefined{scr@tso@#1@indent}{%
19152     \@ifundefined{scr@#1@tocindent}{%
19153         \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19154             \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19155                 \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19156                     \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19157                         \scr@ifundefinedorrelax{1@chapter}{%
19158                             \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19159                                 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19160                                     \ifstr{#1}{subsubsection}{%
19161                                         \@namedef{scr@tso@#1@indent}{3.8em}%
19162                                     }{%
19163                                         \ifstr{#1}{paragraph}{%
19164                                             \@namedef{scr@tso@#1@indent}{7em}%
19165                                         }{%
19166                                             \ifstr{#1}{subparagraph}{%
19167                                                 \@namedef{scr@tso@#1@indent}{10em}%
19168                                             }{%
19169                                                 }%
19170                                             }%
19171                                         }%
19172                                     }%
19173                                 }%
19174                             }{%
19175                                 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19176                                     \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19177                                         \ifstr{#1}{subsubsection}{%
19178                                             \@namedef{scr@tso@#1@indent}{7.0em}%
19179                                         }{%
19180                                             \ifstr{#1}{paragraph}{%
19181                                                 \@namedef{scr@tso@#1@indent}{10em}%
19182                                             }{%
19183                                                 \ifstr{#1}{subparagraph}{%
19184                                                     \@namedef{scr@tso@#1@indent}{12em}%
19185                                                 }{%
19186                                                     }%
19187                                                 }%
19188                                             }%
19189                                         }%

```



```

19190         }%
19191     }%
19192 }%
19193     }%
19194 }%
19195 }%
19196 }{%
19197     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
19198 }%
19199 }{}%
19200 \@ifundefined{scr@tso@#1@numwidth}{%
19201     \@ifundefined{scr@#1@tocnumwidth}{%
19202         \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19203             \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19204                 \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19205                     \scr@ifundefinedorrelax{chapter}{%
19206                         \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19207                             \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19208                                 \ifstr{#1}{subsubsection}{%
19209                                     \@namedef{scr@tso@#1@numwidth}{3.2em}%
19210                                 }{%
19211                                     \ifstr{#1}{paragraph}{%
19212                                         \@namedef{scr@tso@#1@numwidth}{4.1em}%
19213                                     }{%
19214                                         \ifstr{#1}{subparagraph}{%
19215                                             \@namedef{scr@tso@#1@numwidth}{5m}%
19216                                         }{%
19217                                             }%
19218                                         }%
19219                                     }%
19220                                 }%
19221                             }%
19222                         }{%
19223                             \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19224                                 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
19225                                     \ifstr{#1}{subsubsection}{%
19226                                         \@namedef{scr@tso@#1@numwidth}{3.1em}%
19227                                     }{%
19228                                         \ifstr{#1}{paragraph}{%
19229                                             \@namedef{scr@tso@#1@numwidth}{5em}%
19230                                         }{%
19231                                             \ifstr{#1}{subparagraph}{%
19232                                                 \@namedef{scr@tso@#1@numwidth}{6em}%
19233                                             }{%
19234                                                 }%
19235                                             }%
19236                                         }%
19237                                     }%
19238                                 }%
19239                             }%

```



```

19240         }%
19241     }%
19242 }%
19243 }{%
19244     \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
19245 }%
19246 }{}%
19247 }]{%
19248     \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
19249         \ifnum \@nameuse{#1tocdepth}<\@ne
19250             \scr@ifundefinedorrelax{chapter}{%
19251                 \addpenalty\@secpenalty
19252                 \advspace{1.0em \@plus\p}%
19253             }{%
19254                 \addpenalty{-\@highpenalty}%
19255                 \vskip 1.0em \@plus\p@
19256             }%
19257         \else
19258             \addpenalty\@secpenalty
19259             \advspace{1.0em \@plus\p}%
19260         \fi
19261         \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
19262         \begingroup
19263             \parindent \z@ \bidi@rightskip \@pnumwidth
19264             \parfillskip -\@pnumwidth
19265             \leavevmode
19266             \bfseries
19267             \advance\bidi@leftskip\@tempdima
19268             \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
19269             \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
19270             ##1%
19271             \nobreak
19272             \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
19273             \par
19274             \penalty\@highpenalty
19275         \endgroup
19276     \fi
19277 }
19278
19279 \bidi@undef\scr@dte@def@l@largetocline
19280 \bidi@undef\scr@dte@largetocline@init
19281 \DeclareTOCEntryStyle{largetocline}{%
19282     \DefineTOCEntryLengthOption{indent}%
19283     {scr@tso@}{@indent}{entry indent}%
19284     \@ifundefined{#1tocdepth}{%
19285         \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19286             \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19287                 \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19288                     \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19289                         \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%

```



```

19290 \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19291 \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19292 \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19293 \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19294 \expandafter\let\csname #1tocdepth\expandafter\endcsname
19295 \csname #1numdepth\endcsname
19296 }%
19297 }%
19298 }%
19299 }%
19300 }%
19301 }%
19302 }%
19303 }%
19304 }%
19305 }{}%
19306 \@ifundefined{scr@tso@#1@indent}{%
19307 \@ifundefined{scr@#1@tocindent}{%
19308 \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19309 \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19310 \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19311 \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19312 \scr@ifundefinedorrelax{1@chapter}{%
19313 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{Opt}}{%
19314 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19315 \ifstr{#1}{subsubsection}{%
19316 \@namedef{scr@tso@#1@indent}{3.8em}%
19317 }%
19318 \ifstr{#1}{paragraph}{%
19319 \@namedef{scr@tso@#1@indent}{7em}%
19320 }%
19321 \ifstr{#1}{subparagraph}{%
19322 \@namedef{scr@tso@#1@indent}{10em}%
19323 }%
19324 }%
19325 }%
19326 }%
19327 }%
19328 }%
19329 }{}%
19330 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19331 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19332 \ifstr{#1}{subsubsection}{%
19333 \@namedef{scr@tso@#1@indent}{7.0em}%
19334 }%
19335 \ifstr{#1}{paragraph}{%
19336 \@namedef{scr@tso@#1@indent}{10em}%
19337 }%
19338 \ifstr{#1}{subparagraph}{%
19339 \@namedef{scr@tso@#1@indent}{12em}%

```



```

19340         }{%
19341       }%
19342     }%
19343   }%
19344 }%
19345 }%
19346 }%
19347 }%
19348 }%
19349 }%
19350 }%
19351 }{%
19352   \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
19353 }%
19354 }{%
19355 }{%
19356 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
19357   \ifnum \@nameuse{#1tocdepth}<\@ne
19358     \scr@ifundefinedorrelax{chapter}{%
19359       \addpenalty\@secpenalty
19360       \addvspace{2.25em \@plus\p@}%
19361     }{%
19362       \addpenalty{-\@highpenalty}%
19363       \addvspace{2.25em \@plus\p@}%
19364     }%
19365   \else
19366     \addpenalty\@secpenalty
19367     \addvspace{2.25em \@plus\p@}%
19368   \fi
19369   \setlength\@tempdima{3em}%
19370   \begingroup
19371     \parindent \z@ \bidi@rightskip \@pnumwidth
19372     \parfillskip -\@pnumwidth
19373     \leavevmode
19374     \large
19375     \bfseries
19376     \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
19377     ##1%
19378     \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
19379     \par
19380     \nobreak
19381     \ifnum 0=
19382       \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
19383       \global\@nobreaktrue
19384       \everypar{\global\@nobreakfalse\everypar{}}%
19385     \fi
19386   \endgroup
19387 \fi
19388 }
19389

```



```

19390 \renewcommand*{\scr@dte@tocline}[3]{%
19391   \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
19392   \else
19393     \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
19394     \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
19395     {%
19396       \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
19397       \bidi@rightskip \@tocrmarg
19398       \parfillskip -\bidi@rightskip
19399       \@nameuse{Ifscr@tso@#1@raggedpage}{%
19400         \addtolength{\parfillskip}{\z@ \@plus 1fil}%
19401       }{}%
19402       \parindent \@nameuse{scr@tso@#1@indent}\relax
19403       \@afterindenttrue
19404       \interlinepenalty\@M
19405       \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
19406         \addtolength\bidi@rightskip\@flushglue
19407       \else
19408         \def\reserved@a{\raggedright}%
19409         \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19410           \addtolength\bidi@rightskip\@flushglue
19411         \else
19412           \renewcommand\reserved@a{\raggedright}%
19413           \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19414             \addtolength\bidi@rightskip\@flushglue
19415           \fi
19416         \fi
19417       \fi
19418     \leavevmode
19419     \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
19420     \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
19421       \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{%
19422         \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
19423           \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
19424         \fi
19425       }{}%
19426     }{}%
19427     \advance\bidi@leftskip \@tempdima
19428     \null\nobreak\hskip -\bidi@leftskip
19429     {%
19430       \usetocbasicnumberline
19431       \let\scr@dte@numberline@box\numberline@box
19432       \def\numberline@box##1{%
19433         \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}}{##1}}%
19434       \global\scr@dte@tocline@numberwidth
19435       \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
19436       \ifdim \scr@dte@tocline@numberwidth
19437         >\@nameuse{scr@dte@#1@maxnumwidth}\relax
19438       \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
19439     \fi

```




```

19440 \nameuse{Ifscr@tso@#1@dynnumwidth}}{%
19441 \ifdim \scr@dte@tocline@numberwidth
19442 >\dimexpr \nameuse{scr@tso@#1@numwidth}%
19443 +\nameuse{scr@tso@#1@numsep}\relax
19444 \PackageWarning{tocbasic%
19445 }{%
19446 number width of #1 toc entries should be
19447 increased!\MessageBreak
19448 Currently used number width =
19449 \the\wd\scr@dte@tocline@numbox,\MessageBreak
19450 Wanted number separation
19451 \space\space\space =
19452 \the\dimexpr\nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
19453 Reserved number width \space\space\space\space\space\space =
19454 \the\dimexpr\nameuse{scr@tso@#1@numwidth}\relax%
19455 }%
19456 \fi
19457 }%
19458 \scr@dte@numberline@box{\nameuse{scr@tso@#1@numberformat}}{##1}}%
19459 \nameuse{Ifscr@tso@#1@breakafternumber}}{%
19460 {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
19461 }{}%
19462 }%
19463 \nameuse{scr@tso@#1@entryformat}}{%
19464 #2%
19465 \nobreak
19466 {%
19467 \normalfont\normalsize\nameuse{scr@tso@#1@linefill}}%
19468 \nobreak
19469 \nameuse{scr@tso@#1@pagenumberbox}}{%
19470 \nameuse{scr@tso@#1@pagenumberformat}}{#3}%
19471 }%
19472 }%
19473 \@par
19474 }%
19475 }%
19476 }%
19477 \tocbasic@SetPenaltyByTOCLevel{#1}%
19478 \fi
19479 }
19480
19481 \bidi@undef\scr@dte@def@1@tocline
19482 \bidi@undef\scr@dte@tocline@init
19483 \DeclareTOCEntryStyle{tocline}{{%
19484 \DefineTOCEntryLengthOption{beforeskip}}%
19485 {scr@tso@}{@beforeskip}{vertical skip before the entry}%
19486 \DefineTOCEntryIfOption{breakafternumber}%
19487 {scr@tso@}{@breakafternumber}{line break after number flag}%
19488 \DefineTOCEntryIfOption{dynnumwidth}%
19489 {scr@tso@}{@dynnumwidth}{dynamic number width flag}%

```



```

19490 \DefineTOCEntryCommandOption{entryformat}%
19491   {scr@tso@}{@entryformat}[1]{entry format}%
19492 \DefineTOCEntryCommandOption{entrynumberformat}%
19493   {scr@tso@}{@numberformat}[1]{entry number format}%
19494 \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
19495   {scr@tso@}{@linefill}{filling between text and page number}%
19496 \DefineTOCEntryLengthOption{numsep}%
19497   {scr@tso@}{@numsep}{entry number separation}%
19498 \DefineTOCEntryCommandOption{onstarthigherlevel}%
19499   {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
19500 \DefineTOCEntryCommandOption{onstartlowerlevel}%
19501   {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
19502 \DefineTOCEntryCommandOption{onstartsamelevel}%
19503   {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
19504 \DefineTOCEntryCommandOption{pagenumberbox}%
19505   {scr@tso@}{@pagenumberbox}[1]{page number box}%
19506 \DefineTOCEntryCommandOption{pagenumberformat}%
19507   {scr@tso@}{@pagenumberformat}[1]{page number format}%
19508 \DefineTOCEntryOption{raggedentrytext}[true]{%
19509   \FamilySetBool{KOMAAarg}{raggedentrytext}{@tempswa}{##1}%
19510   \ifx\FamilyKeyState\FamilyKeyStateProcessed
19511     \if@tempswa
19512       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19513       \raggedright
19514     \else
19515       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19516       \relax
19517     \fi
19518   \fi
19519 }%
19520 \DefineTOCEntryIfOption{raggedpagenumber}%
19521   {scr@tso@}{@raggedpage}{page number ragged flag}%
19522 \DefineTOCEntryLengthOption{indent}%
19523   {scr@tso@}{@indent}{entry indent}%
19524 \DefineTOCEntryLengthOption{numwidth}%
19525   {scr@tso@}{@numwidth}{entry number width}%
19526 \scr@ifundefinedorrelax{#1tocdepth}{%
19527   \ifstrstart{#1}{sub}{%
19528     \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{%
19529       \expandafter\edef\csname #1tocdepth\endcsname{%
19530         \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
19531       }%
19532     }%
19533   }-{}%
19534 }{}%
19535 \@ifundefined{#1tocdepth}{%
19536   \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19537     \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19538       \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19539         \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%

```



```

19540 \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19541 \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19542 \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19543 \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19544 \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19545 \expandafter\let\csname #1tocdepth\expandafter\endcsname
19546 \csname #1numdepth\endcsname
19547 }%
19548 }%
19549 }%
19550 }%
19551 }%
19552 }%
19553 }%
19554 }%
19555 }%
19556 }{}%
19557 \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
19558 \@ifundefined{scr@#1@tocindent}{%
19559 \ifstrstart{#1}{sub}{%
19560 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
19561 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{-}{%
19562 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19563 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19564 \relax
19565 }%
19566 }%
19567 }{%
19568 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{-}{%
19569 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19570 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
19571 \relax
19572 }%
19573 }{%
19574 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19575 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
19576 +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19577 \relax
19578 }%
19579 }%
19580 }%
19581 }{}%
19582 }{%
19583 \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
19584 }%
19585 }{}%
19586 \@ifundefined{scr@tso@#1@indent}{%
19587 \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19588 \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19589 \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%

```



```

19590 \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19591 \scr@ifundefinedorrelax{1@chapter}{%
19592 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19593 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19594 \ifstr{#1}{subsubsection}{%
19595 \@namedef{scr@tso@#1@indent}{3.8em}%
19596 }{%
19597 \ifstr{#1}{paragraph}{%
19598 \@namedef{scr@tso@#1@indent}{7em}%
19599 }{%
19600 \ifstr{#1}{subparagraph}{%
19601 \@namedef{scr@tso@#1@indent}{10em}%
19602 }{%
19603 }%
19604 }%
19605 }%
19606 }%
19607 }%
19608 }{%
19609 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19610 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19611 \ifstr{#1}{subsubsection}{%
19612 \@namedef{scr@tso@#1@indent}{7.0em}%
19613 }{%
19614 \ifstr{#1}{paragraph}{%
19615 \@namedef{scr@tso@#1@indent}{10em}%
19616 }{%
19617 \ifstr{#1}{subparagraph}{%
19618 \@namedef{scr@tso@#1@indent}{12em}%
19619 }{%
19620 }%
19621 }%
19622 }%
19623 }%
19624 }%
19625 }%
19626 }%
19627 }%
19628 }%
19629 }%
19630 }{}%
19631 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
19632 \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
19633 \ifstrstart{#1}{sub}{%
19634 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}%
19635 \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
19636 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19637 +.9em%
19638 \relax
19639 }%

```



```

19640     }%
19641   }{}%
19642 }{%
19643   \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
19644 }%
19645 }{}%
19646 \@ifundefined{scr@tso@#1@numwidth}{%
19647   \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19648     \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19649       \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19650         \scr@ifundefinedorrelax{chapter}{%
19651           \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19652             \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19653               \ifstr{#1}{subsubsection}{%
19654                 \@namedef{scr@tso@#1@numwidth}{3.2em}%
19655               }{%
19656                 \ifstr{#1}{paragraph}{%
19657                   \@namedef{scr@tso@#1@numwidth}{4.1em}%
19658                 }{%
19659                   \ifstr{#1}{subparagraph}{%
19660                     \@namedef{scr@tso@#1@numwidth}{5em}%
19661                   }{%
19662                     }%
19663                   }%
19664                 }%
19665               }%
19666             }%
19667           }{}%
19668         \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19669           \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
19670             \ifstr{#1}{subsubsection}{%
19671               \@namedef{scr@tso@#1@numwidth}{3.1em}%
19672             }{%
19673               \ifstr{#1}{paragraph}{%
19674                 \@namedef{scr@tso@#1@numwidth}{5em}%
19675               }{%
19676                 \ifstr{#1}{subparagraph}{%
19677                   \@namedef{scr@tso@#1@numwidth}{6em}%
19678                 }{%
19679                   }%
19680                 }%
19681               }%
19682             }%
19683           }%
19684         }%
19685       }%
19686     }%
19687   }%
19688 }{}%
19689 \expandafter\renewcommand%

```



```

19690 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
19691 \expandafter\renewcommand%
19692 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
19693 \expandafter\renewcommand%
19694 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
19695 \@ifundefined{scr@tso@#1@beforeskip}{%
19696   \ifstr{#1}{part}{%
19697     \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
19698   }{%
19699     \ifstr{#1}{chapter}{%
19700       \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
19701     }{%
19702       \ifstr{#1}{section}{%
19703         \scr@ifundefinedorrelax{1@chapter}{%
19704           \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
19705         }{}%
19706       }{}%
19707     }%
19708   }%
19709   \expandafter\renewcommand\expandafter*%
19710   \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
19711 }{}%
19712 \@ifundefined{scr@dte@#1@maxnumwidth}{%
19713   \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
19714   \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
19715 }{}%
19716 \renewcommand*{\scr@dte@donumwidth}{}%
19717 \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
19718 \expandafter\renewcommand\expandafter*%
19719 \csname scr@tso@#1@numsep\endcsname{.4em}%
19720 \expandafter\renewcommand%
19721 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
19722 \ifstr{#1}{part}{%
19723   \expandafter\renewcommand%
19724   \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
19725 }{%
19726   \ifstr{#1}{chapter}{%
19727     \expandafter\renewcommand%
19728     \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
19729   }{%
19730     \scr@ifundefinedorrelax{1@chapter}{%
19731       \ifstr{#1}{section}{%
19732         \expandafter\renewcommand%
19733         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
19734       }{}%
19735     }{}%
19736     \expandafter\renewcommand%
19737     \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
19738   }%
19739 }%

```



```

19740 \expandafter\renewcommand
19741 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
19742 \@ifundefined{scr@tso@#1@linefill}{%
19743   \ifstr{#1}{part}{%
19744     \@namedef{scr@tso@#1@linefill}{\hfill}%
19745   }{%
19746     \ifstr{#1}{chapter}{%
19747       \@namedef{scr@tso@#1@linefill}{\hfill}%
19748     }{%
19749       \scr@ifundefinedorrelax{1@chapter}{%
19750         \ifstr{#1}{section}{%
19751           \@namedef{scr@tso@#1@linefill}{\hfill}%
19752         }{}
19753       }{}
19754       \expandafter\renewcommand%
19755       \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
19756     }%
19757   }%
19758 }{}%
19759 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
19760 \ifstr{#1}{part}{%
19761   \expandafter\renewcommand%
19762   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
19763 }{%
19764   \expandafter\renewcommand%
19765   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
19766     {\normalfont\normalcolor ##1}}%
19767 }%
19768 \expandafter\renewcommand%
19769 \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
19770   \hb@xt@\@pnumwidth{\hfil ##1}}%
19771 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
19772 }}%
19773 \scr@dte@tocline{#1}{##1}{##2}%
19774 }
19775

```

122 File tocstyle-xetex-bidi.def

```

19776 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
19777 \renewcommand*{\tocstyle@dottedtocline}[5]{%
19778   \let\numberline\tocstyle@numberline
19779   \ifnum #1>\c@tocdepth \else
19780     \if@tocstyle@penalties
19781       \begingroup
19782         \@tempcnta 20010
19783         \advance \@tempcnta by -#1
19784         \ifnum \@tempcnta>\lastpenalty
19785           \aftergroup\penalty\aftergroup\@lowpenalty
19786         \fi

```



```

19787     \endgroup
19788 \fi
19789 \edef\tocstyledepth{#1}%
19790 \tocstyle@activate@features
19791 \ifx\tocstyle@feature@entryvskip\relax
19792     \vskip \z@ \@plus.2\p@
19793 \else
19794     \advspace{\tocstyle@feature@entryvskip}%
19795 \fi
19796 {%
19797     \parskip \z@ \parindent \z@ \ifRTL\righskip\else\leftskip\fi \z@ \ifRTL\leftskip\else
19798     \tocstyle@feature@raggedhook
19799     \@tempdima #3\relax
19800     \@tempdimb #2\relax
19801     \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
19802     \ifnum #1>\z@\relax
19803         \@tempcnta #1\relax \advance\@tempcnta \m@ne
19804         \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
19805             \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
19806                 \@tempdimb
19807                 \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
19808                 \advance\@tempdimb
19809                 \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
19810             \fi
19811         \fi
19812     \fi
19813     \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
19814     \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
19815         \ifdim \@tempdimb>
19816             \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
19817             \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
19818                 @#1\endcsname{\the\@tempdimb}%
19819         \fi
19820     \else
19821         \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
19822             @#1\endcsname{\the\@tempdimb}%
19823     \fi
19824     \iftocstyle@autolength
19825         \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
19826             \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
19827             \relax
19828         \fi
19829         \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
19830             \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
19831             \relax
19832         \fi
19833         \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
19834         \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
19835     \else
19836         \@tempdimb #2\relax

```




```

19837      \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
19838    \fi
19839    \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
19840      \ifdim \@tempdima>
19841        \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
19842        \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
19843          @\endcsname{\the\@tempdima}%
19844      \fi
19845    \else
19846      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
19847        @\endcsname{\the\@tempdima}%
19848    \fi
19849    \ifcase\tocstyle@indentstyle\relax\else
19850      \@tempdimb \z@
19851      \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
19852        \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
19853        \relax
19854      \fi
19855      \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
19856      \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
19857    \fi
19858    \advance\parindent \@tempdimb\@afterindenttrue
19859    \advance\if@RTL\rightskip\else\leftskip\fi \parindent
19860    \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
19861    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19862    \ifx\tocstyle@feature@parfillskip\relax\else
19863      \advance\parfillskip \tocstyle@feature@parfillskip\relax
19864    \fi
19865    \interlinepenalty\@M
19866    \leavevmode
19867    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
19868    \null\nobreak
19869    \iftocstyle@indentnotnumbered\else
19870      \hskip -\if@RTL\rightskip\else\leftskip\fi
19871    \fi
19872    \tocstyle@feature@entryhook
19873    {#4}\nobreak
19874    \ifx\tocstyle@feature@leaders\relax
19875      \leaders\hbox{$\m@th
19876        \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
19877        \mkern \@dotsep mu$}\hfill
19878    \else
19879      \tocstyle@feature@leaders
19880    \fi
19881    \nobreak
19882    \ifx\tocstyle@feature@pagenumberbox\relax
19883      \hbxt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
19884    \else
19885      \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
19886    \fi

```



```

19887 \par
19888 }%
19889 \if@tocstyle@penalties
19890 \bgroup
19891 \@tempcnta 20009
19892 \advance\@tempcnta by -#1
19893 \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
19894 \reserved@a
19895 \fi
19896 \fi}
19897 \renewcommand*{\tocstyle@numberline}[1]{%
19898 \begingroup
19899 \ifx\tocstyle@feature@spaceafternumber\relax
19900 \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
19901 \else
19902 \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
19903 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
19904 \fi
19905 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
19906 \ifdim \@tempdima >
19907 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
19908 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
19909 @\tocstyledepth\endcsname{\the\@tempdima}%
19910 \fi
19911 \else
19912 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
19913 @\tocstyledepth\endcsname{\the\@tempdima}%
19914 \fi
19915 \endgroup
19916 \iftocstyle@indentnotnumbered
19917 \hskip -\if@RTL\rightskip\else\leftskip\fi
19918 \fi
19919 \ifcase \tocstyle@indentstyle
19920 \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
19921 \or
19922 \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
19923 \else
19924 \ifx\tocstyle@feature@spaceafternumber\relax
19925 \hbox{\tocstyle@@numberline{#1}\enskip}%
19926 \else
19927 \hbox{\tocstyle@@numberline{#1}\hskip
19928 \tocstyle@feature@spaceafternumber\relax}%
19929 \fi
19930 \fi
19931 }
19932 \AtBeginDocument{%
19933 \ifcsname l@part\endcsname
19934 \ifcsname l@chapter\endcsname
19935 \setbox\@tempboxa\vbox{\hsize\maxdimen
19936 \l@part{\tocstyle@l@define{part}{-1}}{}}%

```



```

19937 \else
19938 \setbox\@tempboxa\vbox{\hsize\maxdimen
19939 \l@part{\tocstyle@l@define{part}{0}}{}}%
19940 \fi
19941 \fi
19942 \ifcsname l@chapter\endcsname
19943 \setbox\@tempboxa\vbox{\hsize\maxdimen
19944 \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
19945 \fi
19946 \ifcsname l@section\endcsname
19947 \setbox\@tempboxa\vbox{\hsize\maxdimen
19948 \l@section{\tocstyle@l@define{section}{1}}{}}%
19949 \fi
19950 \ifcsname l@subsection\endcsname
19951 \setbox\@tempboxa\vbox{\hsize\maxdimen
19952 \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
19953 \fi
19954 \ifcsname l@subsubsection\endcsname
19955 \setbox\@tempboxa\vbox{\hsize\maxdimen
19956 \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
19957 \fi
19958 \ifcsname l@paragraph\endcsname
19959 \setbox\@tempboxa\vbox{\hsize\maxdimen
19960 \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
19961 \fi
19962 \ifcsname l@subparagraph\endcsname
19963 \setbox\@tempboxa\vbox{\hsize\maxdimen
19964 \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
19965 \fi
19966 \ifcsname l@table\endcsname
19967 \setbox\@tempboxa\vbox{\hsize\maxdimen
19968 \l@table{\tocstyle@l@define{table}{1}}{}}%
19969 \fi
19970 \ifcsname l@figure\endcsname
19971 \setbox\@tempboxa\vbox{\hsize\maxdimen
19972 \l@figure{\tocstyle@l@define{figure}{1}}{}}%
19973 \fi
19974 \def\@tempa#1#2#3#4#5{%
19975 \ifnum #1>\c@tocdepth \else
19976 \vskip \z@ \@plus.2\p@
19977 {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrm
19978 \parindent #2\relax\@afterindenttrue
19979 \interlinepenalty\@M
19980 \leavevmode
19981 \@tempdima #3\relax
19982 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
19983 {#4}\nobreak
19984 \leaders\hbox{$\m@th
19985 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
19986 mu$}\hfill

```



```

19987      \nobreak
19988      \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
19989      \par}%
19990      \fi}%
19991      \ifx\@dottedtocline\@tempa\else
19992      \tocstyle@macrochangewarning\@dottedtocline
19993      \fi
19994      \let\tocstyle@saved@dottedtocline\@dottedtocline
19995      \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
19996      \ifx\numberline\@tempa\else
19997      \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
19998      \ifx\numberline\@tempa\else
19999      \tocstyle@macrochangewarning\numberline
20000      \fi
20001      \fi
20002      \let\tocstyle@saved@numberline\numberline
20003  }
20004  \renewcommand*{\tocstyle@l@define}[2]{%
20005  \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
20006  \edef\@tempa{%
20007  \noexpand\global\noexpand\let
20008  \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
20009  \expandafter\noexpand\csname l@#1\endcsname
20010  \noexpand\gdef
20011  \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
20012  \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
20013  \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
20014  \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
20015  \expandafter\noexpand\csname tocstyle@l@#1\endcsname
20016  }%
20017  }%
20018  \PackageInfo{tocstyle}{prepare \expandafter\string
20019  \csname l@#1\endcsname\space for redefinition}%
20020  \@tempa
20021  }

```

123 File todonotes-xetex-bidi.def

```

20022 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package]
20023 \newif\if@bidi@todonotes@textdirection@RTL
20024 \newif\if@bidi@todonotes@figposition@right
20025 \newcommand{\@bidi@todonotes@align}{}%
20026 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
20027 \newcommand{\@bidi@todonotes@textdirection}{}%
20028 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right|left|center}
20029 \ifcase\@bidi@todonotes@tempb\relax
20030 \@bidi@todonotes@textdirection@RTLtrue
20031 \let\@bidi@todonotes@textdirection@RLE
20032 \or
20033 \@bidi@todonotes@textdirection@RTLfalse

```



```

20034 \let\@bidi@todonotes@textdirection\LRE
20035 \fi}
20036 \define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,1
20037 \ifcase\bidi@todonotes@tempb\relax
20038 \@bidi@todonotes@figposition@righttrue
20039 \or
20040 \@bidi@todonotes@figposition@rightfalse
20041 \fi}
20042 \if@todonotes@disabled%
20043 \else % \if@todonotes@disabled
20044 \renewcommand{\@todonotes@drawInlineNote}{%
20045 \if@todonotes@dviStyle%
20046 {\par\noindent\begin{tikzpicture}[remember picture]%
20047 \draw node[inline notestyle] {};\end{tikzpicture}\par}%
20048 \if@todonotes@authorgiven%
20049 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
20050 \else%
20051 {\noindent \@todonotes@sizecommand \@todonotes@text}%
20052 \fi
20053 {\par\noindent\begin{tikzpicture}[remember picture]%
20054 \draw node[inline notestyle] {};\end{tikzpicture}\par}%
20055 \else%
20056 {\par\noindent\begin{tikzpicture}[remember picture]%
20057 \if\bidi@todonotes@textdirection@RTL\setRTL\fi%
20058 \draw node[inline notestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@al
20059 \if@todonotes@authorgiven%
20060 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
20061 \else%
20062 {\noindent \@todonotes@sizecommand \@todonotes@text}%
20063 \fi};%
20064 \end{tikzpicture}\par}%
20065 \fi}%
20066 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
20067 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
20068 \node [coordinate] (inText) {};%
20069 \end{tikzpicture}%
20070 \marginpar[{}]{% Draw note in left margin
20071 \@todonotes@drawMarginNote%
20072 \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
20073 }]{% Draw note in right margin
20074 \@todonotes@drawMarginNote%
20075 \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
20076 }%
20077 }%
20078 \renewcommand{\@todonotes@drawMarginNote}{%
20079 \if@todonotes@dviStyle%
20080 \begin{tikzpicture}[remember picture]%
20081 \draw node[notestyle] {};%
20082 \end{tikzpicture}\\%
20083 \begin{minipage}{\@todonotes@textwidth}%

```



```

20084 \if@todonotes@authorgiven%
20085 \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
20086 \else%
20087 \@todonotes@sizecommand \@todonotes@text%
20088 \fi%
20089 \end{minipage}}\%
20090 \begin{tikzpicture}[remember picture]%
20091 \draw node[notestyle] (inNote) {};%
20092 \end{tikzpicture}%
20093 \else%
20094 \let\originalHbadness\hbadness%
20095 \hbadness 100000%
20096 \begin{tikzpicture}[remember picture,baseline=(X.base)]%
20097 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20098 \node(X){\vphantom{X}};%
20099 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@text};%
20100 \if@todonotes@authorgiven%
20101 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@sizecommand \@todonotes@author};%
20102 \node(Y)[below=of X]{};%
20103 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@text};%
20104 \else%
20105 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@text};%
20106 \fi%
20107 \end{tikzpicture}%
20108 \hbadness \originalHbadness%
20109 \fi}%
20110 \renewcommand{\missingfigure}[2][]{%
20111 \setkeys{todonotes}{#1}%
20112 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
20113 \par
20114 \noindent
20115 \begin{tikzpicture}
20116 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
20117 (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
20118 \if@bidi@todonotes@figposition@right%
20119 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
20120 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
20121 (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
20122 \if@bidi@todonotes@figposition@right%
20123 \end{scope}
20124 \begin{scope}[xshift=-3.8cm]
20125 \draw (2, -0.3) node[right, text
20126 width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};

```



```

20134 \if@bidi@todonotes@figposition@right%
20135 \end{scope}
20136 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
20137 \fi%
20138 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
20139 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
20140 \if@bidi@todonotes@figposition@right%
20141 \end{scope}
20142 \fi%
20143 \end{tikzpicture}}\hfill
20144 }% Ending \missingfigure command
20145 \fi % Ending \@todonotes@ifdisabled
20146 \presetkeys%
20147     {todonotes}%
20148     {align=left,%
20149     textdirection=lefttoright,%
20150     figposition=left}{}%

```

124 File wrapfig-xetex-bidi.def

```

20151 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
20152 \let\WF@@everypar\bidi@n@everypar
20153 \def\WF@putfigmaybe{%
20154 \ifinner
20155   \vskip-\parskip \global\WF@floatfalse
20156   \let\pagetotal\maxdimen % kludge flag for "not top of page"
20157 \else % outer page
20158   \@tempdima\pagedepth % save page depth
20159   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
20160   \penalty\interlinepenalty % update pg. parameters
20161   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
20162   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
20163     \global\WF@floatfalse
20164     \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
20165   \else
20166     \ifdim\WF@size>\@tempdimb
20167       \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
20168       \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
20169       \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
20170       \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
20171       \advance\dimen@.5\baselineskip
20172       \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
20173         \global\WF@floatfalse \pagebreak
20174       \fi
20175     \else % \WF@info{Fits in \the\@tempdimb;}%
20176       \global\WF@floatfalse
20177     \fi\fi
20178   \vskip\@tempdima\relax % (return erased page depth)
20179 \fi
20180 \noindent

```



```

20181 \ifWF@float
20182   \WF@fltnes
20183 \else % putting here;
20184   \WF@info{Put \WF@wfname here:}%
20185   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
20186     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
20187     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
20188 \hbox to\z@{\% llap or rlap depending on {l} or {r}; calc effective width
20189   \@tempdima\wd\WF@box \@tempdimb\WF@ovh
20190   \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
20191   \@tempdimb\hsize \advance\@tempdimb-\@tempdima
20192   \xdef\WF@ad战略w{\the\@tempdima}%
20193   \ifnum `l=\WF@place % fig on left
20194     \if@RTL%
20195       \kern\@tempdimb \kern\columnsep
20196       \def\@tempa{\hss}% position to left of the gap
20197       \else%
20198       \hss % figure overlaps space to the left
20199       \def\@tempa{\kern\columnsep}% position to left of the gap
20200       \fi%
20201   \else % fig on right
20202     \if@RTL%
20203       \hss
20204       \@tempdima\z@
20205       \def\@tempa{\kern\columnsep}
20206       \else%
20207       \@tempdima\z@ % no left indentation
20208       \kern\@tempdimb \kern\columnsep
20209       \def\@tempa{\hss}% figure overlaps space to the right
20210       \fi%
20211   \fi
20212   \ifdim\@tempdimb<\hsize
20213     \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
20214     \xdef\WF@ad战略lm{\the\@tempdima}%
20215   \else
20216     \xdef\WF@wrapil{\z@ \the\hsize}%
20217     \xdef\WF@ad战略lw{\z@}\xdef\WF@ad战略lm{\z@}%
20218   \fi
20219   \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
20220     \global\advance\WF@size-\intextsep
20221   \else % \WF@info{Putting \WF@wfname in middle of page}%
20222     \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
20223     \fi \dp\WF@box\z@ \box\WF@box \@tempa
20224   }% end \hbox to Opt
20225   \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
20226 \fi}

```

125 File xcolor-xetex-bidi.def

20227 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for X




```

20228 \long\def\color@b@x#1#2#3%
20229 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
20230 \setbox\z@\hbox{\kern\fbboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
20231 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
20232 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
20233 {\#1{\#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
20234 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
20235 \DeclareRobustCommand\color
20236 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi@ifnextchar[\@undeclaredcolor\@declaredcolor}
20237 \def\@undeclaredcolor[#1]#2%
20238 {\begingroup
20239 \let\@cls\@empty
20240 \XC@getmodclr12{#1}{#2}{}%
20241 {\ifblendcolors
20242 \ifx\colorblend\@empty\else
20243 \edef\@mix{\expandafter\@gobble\colorblend}\@tempwafalse
20244 \XC@coremodel\@mod\@clr\@xcolor@{ }\@mod\@clr
20245 \fi
20246 \fi
20247 \ifconvertcolorsU
20248 \edef\@tmp{\XC@tgt@mod{\@mod}}%
20249 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
20250 \fi
20251 \ifmaskcolors
20252 \convertcolorspec\@mod\@clr\XC@mmod\@clr
20253 \let\@mod\XC@mmod
20254 \XC@inflate\@mod\XC@mclr\@clr\@tmp
20255 \expandafter\XC@mul\@tmp,\@clr
20256 \fi
20257 \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
20258 \expandafter\endgroup\@tmp}}
20259 \def\@declaredcolor#1%
20260 {\XC@edef\XC@tmp{#1}\XC@tstfalse
20261 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
20262 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
20263 \ifconvertcolorsU\XC@tsttrue\fi
20264 \fi
20265 \ifXC@tst
20266 \expandafter\XC@declaredcolor\else
20267 \expandafter\XC@declaredcolor\fi}
20268 \def\XC@undeclaredcolor#1#2%
20269 {\@ifundefinedmodel{#1}%
20270 {\c@lor@error{model `#1'}}%
20271 {\@nameuse{color@#1}\current@color{#2}}%
20272 \edef\XC@current@color{\noexpand\xcolor@{ }\current@color}{#1}{#2}}%
20273 \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
20274 \def\XC@declaredcolor
20275 {\XC@let@Nc\XC@current@color{\string\color\XC@tmp}%
20276 \edef\current@color{\XC@current@color}%
20277 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}

```



```

20278 \DeclareRobustCommand\bidicolor
20279 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
20280 \def\@bidiundeclaredcolor[#1]#2%
20281 {\begingroup
20282 \let\@ccl\@empty
20283 \XC@getmodclr12{#1}{#2}{}%
20284 {\ifblendcolors
20285 \ifx\colorblend\@empty\else
20286 \edef\@mix{\expandafter\@gobble\colorblend}\@tempswafalse
20287 \XC@coremodel\@mod\@ccl\@xcolor@{ }\@mod\@ccl
20288 \fi
20289 \fi
20290 \ifconvertcolorsU
20291 \edef\@tmp{\XC@tgtmod{\@mod}}%
20292 \convertcolorspec\@mod\@ccl\@tmp\@ccl \let\@mod\@tmp
20293 \fi
20294 \ifmaskcolors
20295 \convertcolorspec\@mod\@ccl\XC@mmod\@ccl
20296 \let\@mod\XC@mmod
20297 \XC@inflate\@mod\XC@mcl\@ccl\@tmp
20298 \expandafter\XC@mul\@tmp,\@ccl
20299 \fi
20300 \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@ccl}}%
20301 \expandafter\endgroup\@tmp}}
20302 \def\XC@bidiundeclaredcolor#1#2%
20303 {\@ifundefinedmodel{#1}%
20304 {\c@lor@error{model `#1'}}%
20305 {\@nameuse{color@#1}\current@color{#2}%
20306 \edef\XC@current@color{\noexpand\xcolor@{ }\current@color}{#1}{#2}}%
20307 \XC@display}}
20308 \def\@bidideclaredcolor#1%
20309 {\XC@edef\XC@tmp{#1}\XC@tstfalse
20310 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
20311 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
20312 \ifconvertcolorsU\XC@tsttrue\fi
20313 \fi
20314 \ifXC@tst
20315 \expandafter\XC@bidideclaredcolor\else
20316 \expandafter\XC@bidideclaredc@lor\fi}
20317 \def\XC@bidideclaredcolor
20318 {\XC@split\XC@tmp
20319 \edef\@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@ccl}}%
20320 \expandafter\endgroup\@tmp}
20321 \def\XC@bidideclaredc@lor
20322 {\XC@let\Nc\XC@current@color{\string\color\@XC@tmp}%
20323 \edef\current@color{\XC@current@color}%
20324 \XC@display}
20325 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
20326 \def\color@fbbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
20327 \def\color@fb@x#1#2#3#4%

```



```

20328 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
20329 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
20330 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

126 File latex-xetex-bidi.def

```

20331 \ProvidesFile{latex-xetex-bidi.def}[2018/02/22 v1.3.3 bidi adaptations for `latex.ltx' for Xe
20332 \newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
20333 \newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
20334 \TeXXeTOn
20335 \def\ bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\
20336 \let\ bidi@o@everypar=\everypar
20337 \newtoks\ bidi@n@everypar
20338 \ bidi@n@everypar\expandafter{\the\ bidi@o@everypar}
20339 \ bidi@o@everypar{\ bidi@RTL@everypar\the\ bidi@n@everypar}
20340 \let\ everypar=\ bidi@n@everypar
20341 \def\ moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
20342 \def\ moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
20343 \protected\def\ hboxR{\hbox\bgroup
20344 \everyhbox{%
20345 \aftergroup\egroup
20346 \everyhbox{}}%
20347 \beginR
20348 \@hboxRconstructtrue
20349 \bgroup
20350 \aftergroup\endR
20351 \aftergroup\egroup
20352 }\hbox}
20353 \protected\def\ hboxL{\hbox\bgroup
20354 \everyhbox{%
20355 \aftergroup\egroup
20356 \everyhbox{}}%
20357 \beginL
20358 \@hboxRconstructfalse
20359 \bgroup
20360 \aftergroup\endL
20361 \aftergroup\egroup
20362 }\hbox}
20363 \protected\def\ vboxR{\vbox\bgroup
20364 \everyvbox{%
20365 \aftergroup\egroup
20366 \everyvbox{}}%
20367 \@RTLtrue
20368 \@RTLtabtrue
20369 \bgroup
20370 \aftergroup\egroup
20371 }\vbox}
20372 \protected\def\ vboxL{\vbox\bgroup
20373 \everyvbox{%
20374 \aftergroup\egroup

```



```

20375 \everyvbox{}%
20376 \@RTLfalse
20377 \@RTLtabfalse
20378 \bgroup
20379 \aftergroup\egroup
20380 }\vbox}
20381 \newcommand*{\bidi@leftskip}{\if@RTL\righskip\else\leftskip\fi}
20382 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\righskip\fi}
20383 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
20384 \def\endLTR{\par}
20385 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
20386 \def\endRTL{\par}
20387 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
20388 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
20389 \let\unsetRTL=\setLTR
20390 \let\unsetLTR=\setRTL
20391 \let\LR=\LRE
20392 \let\RL=\RLE
20393 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
20394 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
20395 \let\@ensure@RL=\@ensure@RTL
20396 \let\@ensure@LR=\@ensure@LTR
20397 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
20398 \let\@ensure@maindir=\@ensure@dir
20399 \def\@RTL{RTL}
20400 \def\@LTR{LTR}
20401 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
20402 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
20403 \let\@TeX\TeX
20404 \def\TeX{\@ensure@LTR{\@TeX}}
20405 \let\@LaTeX\LaTeX
20406 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
20407 \let\@LaTeXe\LaTeXe
20408 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
20409 \long\def\bidi@reflect@box#1{%
20410 \leavevmode
20411 \setbox\z@\hbox{#1}%
20412 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
20413 \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
20414 }
20415 \bidi@newrobustcmd*\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
20416 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
20417 \bidi@newrobustcmd*\XeLaTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
20418 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
20419 \let\setRL=\setRTL
20420 \let\setLR=\setLTR
20421 \let\unsetRL=\setLTR
20422 \def\bidi@tabular@RTLCases{\let\@halignto\@empty\@bidi@tabular@RTLCases}
20423 \ifpackageloaded{array}{%
20424 \def\@bidi@tabular@RTLCases{\@RTLtabtrue%

```



```

20425 \leavevmode
20426 \hbox \bgroup $\left.\col@sep\tabcolsep \let\dollarbegin\begin\group
20427 \let\dollarend\endgroup
20428 \@tabarray}
20429 \def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
20430 }{%
20431 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
20432 \leavevmode \hbox \bgroup
20433 $\left.\let\@acol\@tabacol
20434 \let\@classz\@tabclassz
20435 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
20436
20437 \def\endbidi@tabular@RTLcases{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
20438 \egroup\right\rbrace $\egroup}}
20439 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
20440 \ialign{##\hfil$\quad{##}\hfil\crr#1\crr}}\,\right)}
20441 \renewenvironment{RTLcases}{%
20442 \bidi@matrix@check\RTLcases\env@RTLcases
20443 }{%
20444 \endbidi@tabular@RTLcases%
20445 }
20446 \def\env@RTLcases{%
20447 \let\@ifnextchar\bidi@new@ifnextchar
20448 \def\arraystretch{1.2}%
20449 \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
20450 }
20451 \def\SepMark#1{\gdef\@SepMark{#1}}
20452 \SepMark{.}
20453 \def\@thmcountersep{\@SepMark}
20454 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
20455 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
20456 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
20457 \newcommand*{\bidi@thebibliography@font@hook}{}
20458 \def\list#1#2{%
20459 \ifnum \@listdepth >5\relax
20460 \toodeep
20461 \else
20462 \global\advance\@listdepth\@ne
20463 \fi
20464 \rightmargin\z@
20465 \listparindent\z@
20466 \itemindent\z@
20467 \csname @list\romannumeral\the\@listdepth\endcsname
20468 \def\@itemlabel{#1}%
20469 \let\makelabel\@mklab
20470 \@nmbrrlistfalse
20471 #2\relax
20472 \@trivlist
20473 \parskip\parsep
20474 \parindent\listparindent

```



```

20475 \advance\linewidth -\rightmargin
20476 \advance\linewidth -\leftmargin
20477 \if@bidi@list@minipage@parbox
20478 \if@RTL
20479 \advance\@totalleftmargin \leftmargin
20480 \else
20481 \advance\@totalleftmargin \rightmargin
20482 \fi
20483 \else
20484 \if@hboxRconstruct
20485 \if@bidi@list@minipage@parbox@not@nob
20486 \if@RTL
20487 \advance\@totalleftmargin \rightmargin
20488 \else
20489 \advance\@totalleftmargin \leftmargin
20490 \fi
20491 \else
20492 \if@RTL
20493 \advance\@totalleftmargin \leftmargin
20494 \else
20495 \advance\@totalleftmargin \rightmargin
20496 \fi\fi
20497 \else
20498 \if@RTL
20499 \advance\@totalleftmargin \rightmargin
20500 \else
20501 \advance\@totalleftmargin \leftmargin
20502 \fi\fi\fi
20503 \parshape \@ne \@totalleftmargin \linewidth
20504 \ignorespaces}
20505 \long\def\@iiiparbox#1#2[#3]#4#5{%
20506 \leavevmode
20507 \@pboxswfalse
20508 \if@hboxRconstruct
20509 \@bidi@list@minipage@parbox@not@nobtrue
20510 \fi
20511 \if@RTL
20512 \ifx#1t%
20513 \@bidi@list@minipage@parboxtrue
20514 \else
20515 \ifx#1b%
20516 \@bidi@list@minipage@parboxtrue
20517 \fi
20518 \fi
20519 \fi
20520 \setlength\@tempdima{#4}%
20521 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
20522 \ifx\relax#2\else
20523 \setlength\@tempdimb{#2}%
20524 \edef\@parboxto{to\the\@tempdimb}%

```



```

20525 \fi
20526 \if#1b\vbox
20527 \else\if #1t\vtop
20528 \else\ifmode\vcenter
20529 \else\@pboxswtrue $\vcenter
20530 \fi\fi\fi
20531 \@parboxto{\let\hss\vss\let\unhbox\unvbox
20532 \csname bm@#3\endcsname}%
20533 \if@pboxsw \m@th$\fi
20534 \@endtempboxa}
20535 \def\bidilrbox#1{%
20536 \edef\reserved@a{%
20537 \endgroup
20538 \setbox#1\hbox{%
20539 \begingroup\aftergroup}%
20540 \def\noexpand\@currentenv{\@currentenv}%
20541 \def\noexpand\@currentvline{\on@line}}%
20542 \reserved@a
20543 \@endpefalse
20544 \color@begingroup
20545 \ignorespaces}
20546 \def\endbidilrbox{\unskip\color@endgroup}
20547 \newenvironment{LTRitems}
20548 {\par\@RTLfalse\@RTLtabfalse
20549 \if@bidi@list@minipage@parbox
20550 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20551 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20552 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20553 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20554 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\ignorespaces}{\vskip\z@}
20555 \newenvironment{RTLitems}
20556 {\par\@RTLtrue\@RTLtabtrue
20557 \if@bidi@list@minipage@parbox
20558 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20559 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20560 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20561 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20562 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\ignorespaces}{\vskip\z@}
20563 \newenvironment{LTRbibitems}
20564 {\par\@RTLfalse\@RTLtabfalse
20565 \if@bidi@list@minipage@parbox
20566 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20567 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20568 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20569 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20570 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\ignorespaces}{\vskip\z@}
20571 \newenvironment{RTLbibitems}

```



```

20575             {\par\@RTLtrue\@RTLtabtrue
20576             \if@bidi@list@minipage@parbox
20577             \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20578             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20579             \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20580             \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20581             \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\
20582             \ignorespaces}{\vskip\z@}
20583 \def\raggedright{%
20584 \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
20585 \leftskip\z@skip
20586 \parindent\z@\parfillskip\z@skip}
20587 \let\bidiorig@raggedleft\raggedleft
20588 \let\bidiorig@raggedright\raggedright
20589 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidiorig@raggedright\else\if@hboxRcons
20590 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidiorig@raggedleft\else\if@hboxRcons
20591 \newcommand{\bidioraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
20592 \newcommand{\bidioraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
20593 \def\centerline#1{%
20594 \if@RTL\@@line{\hss\beginR#1\endR\hss}
20595 \else\@@line{\hss#1\hss}\fi}
20596 \def\leftline#1{%
20597 \if@RTL\@@line{\beginR#1\endR\hss}
20598 \else\@@line{#1\hss}\fi}
20599 \def\rightline#1{%
20600 \if@RTL\@@line{\hss\beginR#1\endR}
20601 \else\@@line{\hss#1}\fi}
20602 \let\bidiorig@leftline\leftline
20603 \let\bidiorig@rightline\rightline
20604 \def\leftline#1{\ifhmode\if@RTL\bidiorig@rightline{#1}\else\bidiorig@leftline{#1}\fi\else\i
20605 \def\rightline#1{\ifhmode\if@RTL\bidiorig@leftline{#1}\else\bidiorig@rightline{#1}\fi\else\
20606 \def\bidirlap#1{\hbext@z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
20607 \def\bidillap#1{\hbext@z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
20608 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}%
20609 \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
20610 \def\narrower{%
20611 \advance\if@RTL\rightskip\else\leftskip\fi\parindent
20612 \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
20613 \def\underline#1{%
20614 \relax
20615 \ifmmode\@@underline{#1}%
20616 \else
20617 \if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
20618 \else
20619 $\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
20620 \ifcompatibility
20621 \let\undertext=\underline
20622 \fi
20623 \def\@tabular{%
20624 \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi

```




```

20625 $\let\@acol\@tabacol
20626 \let\@classz\@tabclassz
20627 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
20628 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
20629 \egroup $\if@RTLtab\endR\fi\egroup}
20630 \expandafter \let \csname endtabular*\endcsname = \endtabular
20631 \def\@array[#1]#2{%
20632 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
20633 \bgroup
20634 \setbox\@arstrutbox\hbox{%
20635 \vrule \@height\arraystretch\ht\strutbox
20636 \@depth\arraystretch \dp\strutbox
20637 \@width\z@}%
20638 \@mkpream{#2}%
20639 \edef\@preamble{%
20640 \ialign \noexpand\@halignto
20641 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
20642 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
20643 \let\@tabularnewline\\%
20644 \let\par\@empty
20645 \let\@sharp##%
20646 \set@typeset@protect
20647 \lineskip\z@skip\baselineskip\z@skip
20648 \ifhmode \@preamerr\z@ \@@par\fi
20649 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
20650 \@preamble}
20651 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
20652 \let\@classiv\@arrayclassiv
20653 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
20654 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
20655 \ifnum \@lastchclass=3 5 \else
20656 \z@ \if #1c\@chnum \z@ \else
20657 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
20658 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
20659 \@chclass \if #1|\@ne \else
20660 \if #1@\tw@ \else
20661 \if #1p3 \else \z@ \@preamerr 0\fi
20662 \fi \fi \fi \fi \fi \fi
20663 \fi}
20664 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
20665 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
20666 \def\bm@t{\unhbox\@tempboxa\hss}
20667 \def\bm@b{\hss\unhbox\@tempboxa}
20668 \def\@dottedtocline#1#2#3#4#5{%
20669 \ifnum #1>\c@tocdepth \else
20670 \vskip \z@ \@plus.2\p@
20671 {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocmargin
20672 \parindent #2\relax\@afterindenttrue
20673 \interlinepenalty\@M
20674 \leavevmode

```



```

20675 \@tempdima #3\relax
20676 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip
20677 {#4}\nobreak
20678 \leaders\hbox{$\m@th
20679 \mkern \dotsep mu\hbox{.}\mkern \dotsep
20680 mu$}\hfill
20681 \nobreak
20682 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
20683 \par}%
20684 \fi}
20685
20686 \newcount\ bidi@column@check@number
20687
20688 \def\ bidi@column@status#1{\gdef\ bidi@current@column@status{#1}}
20689
20690 \def\ bidi@set@column@status#1#2{%
20691 \global\expandafter\let\csname #1\endcsname\ bidi@current@column@status}
20692
20693 \if@twocolumn
20694 \newcommand\DetectColumn[3][1]{%
20695 \ifx\ bidi@firstcolumn@status@write\relax
20696 \PackageError{bidi}%
20697 {Option 'DetectColumn' not selected}%
20698 {\string\DetectColumn\space
20699 requires the use of the 'DetectColumn'
20700 option on the package}%
20701 \fi
20702 \global\advance\ bidi@column@check@number\@ne
20703 \edef\ bidi@column@type{\expandafter\ifx
20704 \csname bidi@column-\the\ bidi@column@check@number\endcsname\relax
20705 0\else
20706 \csname bidi@column-\the\ bidi@column@check@number\endcsname
20707 \fi}%
20708 \ifcase \ bidi@column@type\relax
20709 \ifcase #1\or #2\or #3\fi % 0 not known use first column as default
20710 \or
20711 #2% % 1 First column
20712 \or
20713 #3% % 2 Second (Last column)
20714 \else
20715 \ERROR
20716 \fi
20717 \edef\next{\write\@auxout
20718 {\string\ bidi@set@column@status{\ bidi@column-\the\ bidi@column@check@number}}%
20719 {\ \ bidi@column@type}}}%
20720 \next
20721 }
20722
20723 \AtEndDocument{\def\ bidi@set@column@status#1#2{%
20724 \ifnum #2=\ bidi@current@column@status\else

```



```

20725      \@tempwattrue
20726      \fi}%
20727 }
20728 \fi
20729
20730 \def\RTL@outputdblcol{%
20731   \if@firstcolumn
20732     \global\@firstcolumnfalse
20733     \global\setbox\@leftcolumn\copy\@outputbox
20734     \splitmaxdepth\maxdimen
20735     \vbadness\maxdimen
20736     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
20737     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
20738     \toks@\expandafter{\topmark}%
20739     \xdef\@firstcoltopmark{\the\toks@}%
20740     \toks@\expandafter{\splitfirstmark}%
20741     \xdef\@firstcolfirstmark{\the\toks@}%
20742     \ifx\@firstcolfirstmark\@empty
20743       \global\let\@setmarks\relax
20744     \else
20745       \gdef\@setmarks{%
20746         \let\firstmark\@firstcolfirstmark
20747         \let\topmark\@firstcoltopmark}%
20748     \fi
20749   \else
20750     \global\@firstcolumntrue
20751     \setbox\@outputbox\vbox{%
20752       \hb@xt@\textwidth{%
20753         \hskip \columnwidth
20754         \hfil
20755         {\normalcolor\vrule \@width\columnseprule}%
20756         \hfil
20757         \hb@xt@\columnwidth{%
20758           \bidi@firstcolumn@status@write%
20759           \box\@leftcolumn \hss}%
20760         \hskip -\textwidth
20761         \hb@xt@\columnwidth{%
20762           \bidi@lastcolumn@status@write%
20763           \box\@outputbox \hss}%
20764         \hskip \columnsep
20765         \hskip \columnwidth }}%
20766     \@combinedblfloats
20767     \@setmarks
20768     \@outputpage
20769     \begingroup
20770       \@dblfloatplacement
20771       \@startdblcolumn
20772       \@whilesw\if@fcolmade \fi{\@outputpage
20773         \@startdblcolumn}%
20774     \endgroup

```



```

20775 \fi}%
20776
20777 \def\LTR@outputdblcol{%
20778 \if@firstcolumn
20779 \global\@firstcolumnfalse
20780 \global\setbox\@leftcolumn\copy\@outputbox
20781 \splitmaxdepth\maxdimen
20782 \vbadness\maxdimen
20783 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
20784 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
20785 \toks@\expandafter{\topmark}%
20786 \xdef\@firstcoltopmark{\the\toks@}%
20787 \toks@\expandafter{\splitfirstmark}%
20788 \xdef\@firstcolfirstmark{\the\toks@}%
20789 \ifx\@firstcolfirstmark\@empty
20790 \global\let\@setmarks\relax
20791 \else
20792 \gdef\@setmarks{%
20793 \let\firstmark\@firstcolfirstmark
20794 \let\topmark\@firstcoltopmark}%
20795 \fi
20796 \else
20797 \global\@firstcolumntrue
20798 \setbox\@outputbox\vbox{%
20799 \hb@xt@\textwidth{%
20800 \hb@xt@\columnwidth{%
20801 \bidi@firstcolumn@status@write%
20802 \box\@leftcolumn \hss}%
20803 \hfil
20804 {\normalcolor\vrule \@width\columnseprule}%
20805 \hfil
20806 \hb@xt@\columnwidth{%
20807 \bidi@lastcolumn@status@write%
20808 \box\@outputbox \hss}}}%
20809 \@combinedblfloats
20810 \setmarks
20811 \outputpage
20812 \begingroup
20813 \@dblfloatplacement
20814 \@startdblcolumn
20815 \@whiles\if@fcolmade \fi{\@outputpage
20816 \@startdblcolumn}%
20817 \endgroup
20818 \fi}%
20819
20820
20821 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
20822 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
20823 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
20824 \def\LTRmarginpar{%

```



```

20825 \ifhmode
20826   \@bsphack
20827   \@floatpenalty -\@Mii
20828 \else
20829   \@floatpenalty-\@Miii
20830 \fi
20831 \ifinner
20832   \@parmoderr
20833   \@floatpenalty\z@
20834 \else
20835   \@next\@currbox\@freelist{\}%
20836   \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
20837   {\@floatpenalty\z@
20838    \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
20839 \fi
20840 \@ifnextchar [\@LTRxmpar\@LTRympar}
20841 \long\def\@LTRxmpar[#1]#2{%
20842   \@LTRsavemarbox\@marbox{#1}%
20843   \@LTRsavemarbox\@currbox{#2}%
20844   \@xympar}
20845 \long\def\@LTRympar#1{%
20846   \@LTRsavemarbox\@marbox{#1}%
20847   \global\setbox\@currbox\copy\@marbox
20848   \@xympar}
20849 \long\def \@LTRsavemarbox #1#2{%
20850   \global\setbox #1%
20851   \color@vbox
20852   \vtop{%
20853     \hsize\marginparwidth
20854     \@parboxrestore
20855     \@LTRmarginparreset
20856     #2%
20857     \@minipagefalse
20858     \outer@nobreak
20859   }%
20860   \color@endbox
20861 }
20862 \def \@LTRmarginparreset {%
20863   \reset@font
20864   \normalsize
20865   \@minipagetrue
20866   \everypar{\@minipagefalse\everypar{}\beginL}%
20867 }
20868 \def\RTLmarginpar{%
20869   \ifhmode
20870     \@bsphack
20871     \@floatpenalty -\@Mii
20872   \else
20873     \@floatpenalty-\@Miii
20874   \fi

```



```

20875 \ifinner
20876   \@parmoderr
20877   \@floatpenalty\z@
20878 \else
20879   \@next\@currbox\@freelist{}\}%
20880   \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
20881   {\@floatpenalty\z@
20882   \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
20883 \fi
20884 \@ifnextchar [\@RTLxmpar\@RTLympar}
20885 \long\def\@RTLxmpar[#1]#2{%
20886   \@RTLSavemarbox\@marbox{#1}%
20887   \@RTLSavemarbox\@currbox{#2}%
20888   \@xympar}
20889 \long\def\@RTLympar#1{%
20890   \@RTLSavemarbox\@marbox{#1}%
20891   \global\setbox\@currbox\copy\@marbox
20892   \@xympar}
20893 \long\def \@RTLSavemarbox #1#2{%
20894   \global\setbox #1%
20895   \color@vbox
20896   \vtop{%
20897     \hsize\marginparwidth
20898     \@parboxrestore
20899     \@RTLmarginparreset
20900     #2%
20901     \@minipagefalse
20902     \outer@nobreak
20903   }%
20904   \color@endbox
20905 }
20906 \def \@RTLmarginparreset {%
20907   \reset@font
20908   \normalsize
20909   \@minipagetrue
20910   \everypar{\@minipagefalse\everypar{}\beginR}%
20911 }
20912 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
20913   \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
20914   \if@twocolumn
20915     \if@firstcolumn \@tempcnta\m@ne \fi
20916   \else
20917     \if@mparswitch
20918       \ifodd\c@page \else\@tempcnta\m@ne \fi
20919     \fi
20920     \if@reversemargin \@tempcnta -\@tempcnta \fi
20921   \fi
20922   \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
20923   \@tempdima\@mparbottom
20924   \advance\@tempdima -\@pageht

```



```

20925 \advance\@tempdima\ht\@marbox
20926 \ifdim\@tempdima >\z@
20927 \latex@warning@no@line {Marginpar on page \thepage\space moved}%
20928 \else
20929 \@tempdima\z@
20930 \fi
20931 \global\@mparbottom\@pageht
20932 \global\advance\@mparbottom\@tempdima
20933 \global\advance\@mparbottom\dp\@marbox
20934 \global\advance\@mparbottom\marginparpush
20935 \advance\@tempdima -\ht\@marbox
20936 \global\setbox \@marbox
20937 \vbox {\vskip \@tempdima
20938 \box \@marbox}%
20939 \global \ht\@marbox \z@
20940 \global \dp\@marbox \z@
20941 \kern -\@pagedp
20942 \nointerlineskip
20943 \hbxt@\columnwidth
20944 {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi}
20945 \hskip\columnwidth \hskip\marginparsep
20946 \else
20947 \hskip -\marginparsep \hskip -\marginparwidth
20948 \fi
20949 \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else\endL\fi}
20950 \nointerlineskip
20951 \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
20952 \long\def\@ympar#1{%
20953 \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
20954 \global\setbox\@currbox\copy\@marbox
20955 \@xympar}
20956 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
20957 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
20958 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
20959 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
20960 \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
20961 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
20962 \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
20963 \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
20964 \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}}%
20965 \fi}
20966
20967 \newcommand*{\bidi@font@outputpage}{}
20968
20969 \def\@outputpage{%
20970 \begingroup % the \endgroup is put in by \aftergroup
20971 \let \protect \noexpand
20972 \@resetactivechars
20973 \global\let\@if@newlist\if@newlist
20974 \global\@newlistfalse

```



```

20975 \@parboxrestore
20976 \global\let\bidibeforeoutputpageshipout\@firstofone
20977 \bidibeforeoutputpageshipouthook
20978 \shipout \vbox{%
20979   \set@typeset@protect
20980   \aftergroup \endgroup
20981   \aftergroup \set@typeset@protect
20982                                     % correct? or just restore by ending
20983                                     % the group?
20984 \if@specialpage
20985   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
20986 \fi
20987 \if@twoside
20988   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
20989   \if@RTLmain
20990     \let\@themargin\evensidemargin
20991   \else
20992     \let\@themargin\oddsidemargin
20993   \fi
20994 \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
20995   \if@RTLmain
20996     \let\@themargin\oddsidemargin
20997   \else
20998     \let\@themargin\evensidemargin
20999   \fi
21000 \fi
21001 \ifx\@thehead\@empty \let\@thehead\hfil \fi
21002 \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
21003 \else %% not @twoside
21004   \ifx\@oddhead\@empty \let\@thehead\hfil \fi
21005   \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
21006 \fi
21007 \reset@font
21008 \normalsize
21009 \bidi@font@@outputpage
21010 \normalsfcodes
21011 \let\label\@gobble
21012 \let\index\@gobble
21013 \let\glossary\@gobble
21014 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
21015 \@begindvi
21016 \vskip \topmargin
21017 \moveright\@themargin \vbox {%
21018   \global\let\bidibeforeheader\@firstofone
21019   \bidibeforeheaderhook
21020   \setbox\@tempboxa \vbox to\headheight{%
21021     \vfil
21022     \color@hbox
21023     \normalcolor
21024     \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@

```




```

21025      \color@endbox
21026      }%
21027      \dp\@tempboxa \z@
21028      \box\@tempboxa
21029      \vskip \headsep
21030      \global\let\@bidi@BeforeOutputBoxOutputPage\@firstofone
21031      \bidi@beforeoutputboxoutputpagehook
21032      \box\@outputbox
21033      \global\let\@bidi@AfterOutputBoxOutputPage\@firstofone
21034      \bidi@afteroutputboxoutputpagehook
21035      \ifvoid\@bidi@copyins@
21036      \else
21037      \vskip\skip\@bidi@copyins@
21038      \unvbox\@bidi@copyins@
21039      \fi
21040      \global\let\@bidi@BeforeFooter\@firstofone
21041      \bidi@beforefooterhook
21042      \baselineskip \footskip
21043      \color@hbox
21044      \normalcolor
21045      \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTL
21046      \color@endbox
21047      \global\let\@bidi@AfterFooter\@firstofone
21048      \bidi@afterfooterhook
21049      }%
21050      }%
21051      \global\let\@bidi@AfterOutputPageShipOut\@firstofone
21052      \bidi@afteroutputpageshipouthook
21053      \global\let\if@newlist\@if@newlist
21054      \global \colht \textheight
21055      \stepcounter{page}%
21056      \let\firstmark\botmark
21057      \global\let\@bidi@AtEndOutputPage\@firstofone
21058      \bidi@atendoutputpagehook
21059      }
21060      \long\def\@makecaption#1#2{%
21061      \vskip\abovecaptionskip
21062      \sbox\@tempboxa{#1: #2}%
21063      \ifdim \wd\@tempboxa >\hsize
21064      \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
21065      \else
21066      \global \@minipagefalse
21067      \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
21068      \fi
21069      \vskip\belowcaptionskip}
21070      \let\@bidi@saves@eqno=\eqno
21071      \let\@bidi@saves@leqno=\leqno
21072      \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saves@leqno \else \bidi@saves@eqno \fi}
21073      \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saves@eqno \else \bidi@saves@leqno \fi}
21074      \@ifpackageloaded{amsmath}{-}{-}

```



```

21075 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
21076 }
21077 \input{footnote-xetex-bidi.def}
21078 \if@twocolumn
21079   \let\autofooterule\relax
21080   \let\leftfootnoterule\relax
21081   \let\rightfootnoterule\relax
21082   \textwidthfootnoterule
21083 \fi
21084 \if@bidi@csundef{\idxitem}{\%
21085 \renewcommand\idxitem{\par\hangindent \if@RTL-\fi40\p@}%
21086 }
21087 \@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
21088 \@ifclassloaded{article}{\@ifclassloaded{svmult}}{\input{article-xetex-bidi.def}}{}
21089 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
21090 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
21091 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
21092 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
21093 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
21094 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
21095 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
21096 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
21097 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
21098 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
21099 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
21100 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}}{\input{report-xetex-bidi.def}}{}
21101 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
21102 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
21103 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
21104 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
21105 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
21106 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
21107 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
21108 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
21109 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
21110 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}}{\input{book-xetex-bidi.def}}{}
21111 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
21112 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
21113 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
21114 \@ifpackageloaded{amsmath}{\%
21115 \iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
21116 \iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
21117 }
21118 \@ifpackageloaded{mathtools}{\%
21119   \RequirePackage{graphicx}%
21120   \input{mathtools-xetex-bidi.def}%
21121 }{}
21122 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
21123 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
21124 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}

```



```

21125 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
21126 \@ifpackagewith{algorithm2e}{algonl}{%
21127 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{AlgoLine}}
21128 }{}
21129 \@ifpackagewith{algorithm2e}{algotpart}{\renewcommand{\algocf@within}{part}}{}
21130 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
21131 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
21132 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
21133 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
21134 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
21135 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
21136 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
21137 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
21138 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
21139 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
21140 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{\input{crop-xetex-bidi.def}}{}}{}
21141 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
21142 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
21143 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
21144 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
21145 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
21146 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{\input{float-xetex-bidi.def}}{}}{}
21147 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
21148 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
21149 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
21150 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
21151 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
21152 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
21153 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
21154 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
21155 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
21156 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
21157 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
21158 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
21159 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
21160 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
21161 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
21162 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
21163 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
21164 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
21165 \@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
21166 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
21167 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
21168 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
21169 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
21170 \@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
21171 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
21172 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
21173 \@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
21174 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}

```



```

21175 \ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
21176 \iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
21177 \iftexfileloaded{pgfcorescope}{\input{pgfcorescope.code-xetex-bidi.def}}{}
21178 \ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
21179 \ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
21180 \ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
21181 \ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
21182 \ifpackagewith{sidecap}{innercaption}{%
21183 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
21184 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1} \{{#1}\hspace{\sidecaptionsep}{#2}}
21185 \renewcommand*{\SC@justify@caption}{%
21186 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
21187 \renewcommand*{\SC@FLOAT}[2]{%
21188 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} \{{#2}\hspace{\sidecaptionsep}{#1}}
21189 \renewcommand*{\SC@justify@caption}{%
21190 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
21191 }{}
21192 \ifpackagewith{sidecap}{rightcaption}{%
21193 \if@RTL\renewcommand*{\SC@FLOAT}[2]{\{{#1}\hspace{\sidecaptionsep}{#2}}
21194 \def\SC@justify@caption{\RaggedLeft}\else%
21195 \renewcommand*{\SC@FLOAT}[2]{\{{#2}\hspace{\sidecaptionsep}{#1}}
21196 \def\SC@justify@caption{\RaggedRight}\fi%
21197 }{}
21198 \ifpackagewith{sidecap}{leftcaption}{%
21199 \if@RTL \renewcommand*{\SC@FLOAT}[2]{\{{#2}\hspace{\sidecaptionsep}{#1}}
21200 \def\SC@justify@caption{\RaggedRight}\else%
21201 \renewcommand*{\SC@FLOAT}[2]{\{{#1}\hspace{\sidecaptionsep}{#2}}
21202 \def\SC@justify@caption{\RaggedLeft}\fi%
21203 }{}
21204 \ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
21205 \ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
21206 \ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
21207 \ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
21208 \ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
21209 \ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
21210 \ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
21211 \ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
21212 \ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
21213 \ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
21214 \ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
21215 \ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
21216 \ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
21217 \ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
21218 \ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
21219 \ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
21220 \ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
21221 \ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
21222 \ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
21223 \ifpackageloaded{tocbibind}{\ifclassloaded{memoir}}{\input{tocbibind-xetex-bidi.def}}{}
21224 \ifpackageloaded{tocloft}{\ifclassloaded{memoir}}{\input{tocloft-xetex-bidi.def}}{}

```



```

21225 \ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
21226 \ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```

127 File xltextra-xetex-bidi.def

```

21227 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for
21228 \let\@XeTeX\XeTeX
21229 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
21230 \let\@XeLaTeX\XeLaTeX
21231 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

128 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\# .. 2934, 2980, 3089, 3097	\@@@bidi@AfterPackage	\@@bidi@pop 3525, 3528, 3529, 3532, 3534
\% 11467	\@@H@@footnotetext	\@@bidi@popinto ...
\' 11587, 13583, 15483, 15497	\@@H@@mpfootnotetext 3525, 3528, 3529
\(..... 13684	\@@HLTR@@LTrfootnotetext	\@@clr .. 20244, 20249,
\) 13685	\@@HLTR@@LTrfootnotetext	20252, 20254,
\, 5131, 11721,	\@@HLTR@@mpLTrfootnotetext	20255, 20257,
16063, 16106, 8663, 8679	20287, 20292,
20049, 20060, 20440	\@@HLTR@@mpLTrfootnotetext	20295, 20297,
\- 1741, 11586, 8666, 8685	20298, 20300, 20319
13582, 15482, 15496	\@@HRTL@@RTLfootnotetext	\@@cls 20239, 20282
\. 93, 306, 589, 8664, 8681	\@@date .. 5748, 5751, 5754
721, 984, 1234,	\@@HRTL@@mpRTLfootnotetext	\@@end 3218, 3219
1740, 6325, 6513, 8667, 8687	\@@endpbox ... 13458,
6825, 8346, 8620,	\@@LTR 15333,	18467, 18505, 20642
10673, 12781,	15335, 20400, 20402	\@@if@newlist . 10995,
14871, 15631,	\@@LaTeX ... 20405, 20406	11030, 20973, 21053
16025, 16222,	\@@LaTeXe .. 20407, 20408	\@@input 3715, 3732
16425, 16833,	\@@RTL 15332,	\@@italiccorr
17413, 18096, 18754	15335, 20399, 20402	... 346, 6869, 13563
\ / 1984	\@@TeX 15336,	\@@line 8925,
\: 13726, 13785	15337, 20403, 20404	8929, 16451,
\; 184, 203	\@@XeLaTeX . 21230, 21231	16460, 16498,
\< 18391	\@@XeTeX ... 21228, 21229	16509, 20594,
\= 11587, 13583, 15483, 15497	\@@author 5747, 5750, 5753	20595, 20597,
\> 18392	\@@bidi@AfterClass	20598, 20600, 20601
\@ 3004 3816, 3833	\@@makecaption
\@@ 18570, 18572	\@@bidi@AfterPackage 16875, 16954,
\@@@bidi@AfterClass 3861, 3876	16976, 17455,
..... 3817, 3822	\@@bidi@PreventPackageFromLoading	7534, 17556,
	... 3907, 3909, 3911	18138, 18217, 18239



<code>\@makefnmark</code> . 16597, 16599, 17146, 17148, 17716, 17717, 17845, 17847	<code>\@LTRfootnotetext</code> 64, 81, 155, 156, 157, 276, 294, 2120, 2242, 5176, 5259, 5266, 5982, 5993, 6206, 6220, 7818, 7819, 8663, 8678, 8679, 8733, 8789, 8797, 8941, 9092, 9236, 9387, 9538, 9689, 9840, 9991, 10142, 10335, 11253, 11259, 11303, 11329, 11387, 11412, 11418, 12220, 12248, 12327, 12346, 12540, 12544, 12564, 12565, 13518, 13639, 14762, 14763, 14764, 16562, 16568, 16881, 16882, 16892, 17111, 17117, 17461, 17462, 17472, 17810, 17816, 18144, 18145, 18155, 18536, 18553, 18645	8313, 8326, 8583, 8592, 8925, 8929, 10639, 10647, 10968, 12780, 12794, 12818, 14627, 14639, 14651, 15421, 15529, 15530, 15554, 15664, 15803, 15926, 15979, 15980, 16041, 16042, 16396, 16404, 18561, 18665, 18706, 18840, 18871, 18894, 18911, 18928, 18945, 18962, 18979, 18997, 19016, 19036, 19071, 19404, 19865, 19979, 20673
<code>\@par</code> . . 13581, 15481, 15495, 16058, 16101, 16580, 16587, 17129, 17136, 17702, 17707, 17828, 17835, 18679, 18681, 20521, 20648	<code>\@MM</code> . . . 41, 55, 71, 254, 268, 283, 7816, 7837, 7884, 7891, 7936, 7943, 8878, 11276, 11293, 11309	
<code>\@protect</code> 2865	<code>\@Mi</code> 6860, 13532	
<code>\@startpbox</code> . . 13457, 18467, 18505, 20642	<code>\@Mii</code> . 2195, 4810, 4854, 4898, 7339, 7348, 7358, 7513, 7522, 7532, 20827, 20871	
<code>\@title</code> . 5746, 5749, 5752	<code>\@Miii</code> 2197, 4812, 4856, 4900, 20829, 20873	
<code>\@tmp</code> 20248, 20249, 20254, 20255, 20257, 20258, 20291, 20292, 20297, 20298, 20300, 20301, 20319, 20320	<code>\@RTL@footnotefalse</code> ... 1684, 11096, 11263, 15316, 15321, 20383, 20388	
<code>\@underline</code> 20615, 20617, 20619	<code>\@RTL@footnotetrue</code> ... 1682, 11096, 11262, 15318, 15320, 20385, 20387	
<code>\@DEBUGfalse</code> 2264	<code>\@RTLbibitemfalse</code> 20455, 20456	
<code>\@False</code> 6848, 6850	<code>\@RTLbibitemtrue</code> 20454	
<code>\@LTRbibitemfalse</code> 20454, 20456	<code>\@RTLbidituftesidenote@sidenote</code> ... 5276, 5307, 5311	
<code>\@LTRbibitemtrue</code> 20455	<code>\@RTLbidituftesidenotemarginparreset</code> 4926, 4933	
<code>\@LTRbidituftesidenote@sidenote</code> ... 5247, 5306, 5310	<code>\@RTLbidituftesidenotesavemabox</code>	
<code>\@LTRbidituftesidenotemarginparreset</code> 4882, 4889		
<code>\@LTRbidituftesidenotesavemabox</code> 4869, 4870, 4873, 4876		
<code>\@LTRbidituftesidenotexmpar</code> 4867, 4868		
<code>\@LTRbidituftesidenoteympar</code> 4867, 4872		



..... 4913,	20953, 21024, 21045	20431, 20557, 20575
4914, 4917, 4920	\@RTLfootnotetext .	\@RTLtrue 36,
\@RTLbidityftesidenotexmpar 48, 80,	50, 87, 249, 263,
..... 4911, 4912	159, 160, 161, 261,	300, 575, 710, 973,
\@RTLbidityftesidenoteypar	293, 2121, 2243,	1223, 1640, 1646,
..... 4911, 4916	5194, 5288, 5295,	1664, 2490, 6314,
\@RTLcolumnfootnotesfalse	5983, 5994, 6207,	6502, 6811, 6869,
..... 8805	6221, 7839, 7840,	6871, 8335, 8606,
\@RTLcolumnfootnotesttrue	8664, 8680, 8681,	8703, 8719, 8750,
..... 8804	8717, 8790, 8798,	8776, 8953, 8973,
\@RTLfalse 36, 66, 87,	8942, 9093, 9237,	8998, 9023, 9104,
249, 278, 300, 575,	9388, 9539, 9690,	9122, 9146, 9169,
710, 973, 1223,	9841, 9992, 10143,	9248, 9268, 9293,
1642, 1648, 1666,	10336, 11244,	9318, 9399, 9419,
2490, 6314, 6502,	11250, 11287,	9444, 9469, 9550,
6811, 6830, 6842,	11328, 11388,	9570, 9594, 9619,
6855, 8335, 8606,	11427, 11433,	9701, 9721, 9745,
8703, 8735, 8750,	12219, 12237,	9770, 9852, 9872,
8763, 8953, 8963,	12312, 12347,	9897, 9922, 10003,
8998, 9010, 9104,	12539, 12543,	10023, 10048,
9113, 9146, 9157,	12561, 12562,	10073, 10154,
9248, 9258, 9293,	13519, 13640,	10174, 10199,
9305, 9399, 9409,	14766, 14767,	10224, 10309,
9444, 9456, 9550,	14768, 16563,	10320, 10662,
9560, 9594, 9606,	16572, 16883,	11271, 11288,
9701, 9711, 9745,	16884, 16894,	11333, 11361,
9757, 9852, 9862,	17112, 17121,	12775, 13072,
9897, 9909, 10003,	17463, 17464,	13095, 13106,
10013, 10048,	17474, 17811,	13115, 13575,
10060, 10154,	17820, 18146,	14380, 14862,
10164, 10199,	18147, 18157,	15279, 15304,
10211, 10309,	18537, 18554, 18646	15318, 15320,
10320, 10662,	\@RTLmainfalse . 1592,	15620, 16014,
11271, 11304,	1596, 1808, 1812	16208, 16411,
11347, 11361,	\@RTLmaintrue . 1595, 1811	16811, 17391,
12775, 13072,	\@RTLMarginparfalse	18074, 18740,
13095, 13099, 20957, 20958	20342, 20367,
13106, 13115,	\@RTLMarginparreset	20385, 20387,
13572, 14380, 20899, 20906	20557, 20575,
14862, 15032,	\@RTLMarginpartrue 20956	20953, 21024, 21045
15080, 15278,	\@RTLsavemarbox 20886,	\@RTLxmpar . 20884, 20885
15312, 15316,	20887, 20890, 20893	\@RTLympar . 20884, 20889
15321, 15370,	\@RTLtabfalse .. 412,	\@SepMark 19,
15620, 16014,	1570, 1654, 20377,	20, 21, 22, 168,
16208, 16411,	20383, 20388,	224, 225, 226, 227,
16811, 17391,	20548, 20566, 20653	344, 353, 549, 550,
18074, 18740,	\@RTLtabtrue 1569, 1652,	551, 552, 703, 704,
20341, 20376,	20368, 20385,	705, 706, 957, 958,
20383, 20388,	20387, 20424,	959, 960, 1216,
20548, 20566,		1217, 1218, 1219,



6340, 6341, 6342,	16786, 16788,	5477, 6253, 6430,
6343, 6344, 6346,	16790, 16792,	14626, 14638,
6348, 6350, 6517,	17333, 17336,	14650, 15554,
6518, 6519, 6520,	17338, 17342,	15926, 18839,
6521, 6523, 6525,	17344, 17346,	18870, 18893,
6527, 6768, 6770,	17348, 17352,	18910, 18927,
6772, 6774, 6775,	17354, 17360,	18944, 18961,
6776, 6777, 6778,	17362, 17368,	18978, 18996,
8446, 8447, 8448,	17370, 18032,	19015, 19035,
8449, 8562, 8564,	18034, 18037,	19070, 19403,
8566, 8568, 8569,	18039, 18041,	19858, 19978, 20672
8570, 8571, 8572,	18043, 18046,	\@algocf@finish ... 190
10765, 10766,	18050, 18054,	\@algocf@post@boxed 172
10767, 10768,	18814, 19058,	\@algocf@post@boxruled
10769, 10771,	20451, 20453, 21127 174
10773, 10775,	\@True ... 6843, 6849, 6881	\@algocf@pre@boxed 171
10935, 10941,	\@Undottedtocline 14634	\@algocf@pre@boxruled
11066, 11068,	\@Undottedtoclinep 14646 173
11070, 11072,	\@acci ... 11587,	\@algocf@start 175
11073, 11074,	13583, 15483, 15497	\@algoinsideskip 187, 191
11075, 11076,	\@accii ... 11587,	\@algoskip 176, 199
11079, 11081,	13583, 15483, 15497	\@ampacol 1438, 1446
11083, 11085,	\@acciii ... 11587,	\@arabic ... 168,
11086, 11087,	13583, 15483, 15497	549, 550, 551, 552,
11088, 11089,	\@acol 1440, 1448, 2129,	577, 584, 703, 704,
12831, 12832,	13454, 18451,	705, 706, 712, 719,
12833, 12834,	20433, 20625, 20651	957, 958, 959, 960,
13132, 14267,	\@acolampacol .. 1438,	975, 982, 1216,
14269, 14271,	1440, 1446, 1448	1217, 1218, 1219,
14273, 14275,	\@addamp 1439, 1447	1225, 1232, 2502,
14276, 14278,	\@addfield 20962	6316, 6323, 6340,
14279, 14280,	\@addmarginpar ... 20912	6341, 6342, 6343,
14905, 14913,	\@address 2382,	6344, 6346, 6348,
14915, 15635,	7673, 7674, 7771, 7773	6350, 6504, 6511,
15636, 15637,	\@addresscolour 2351,	6517, 6518, 6519,
15638, 15639,	2368, 7672, 7770	6520, 6521, 6523,
15641, 15643,	\@addtofilelist 3715, 3731	6525, 6527, 6768,
15645, 16000,	\@addtopreamble ...	6770, 6772, 6773,
16001, 16002,	... 1411, 1474, 6942	6774, 6775, 6776,
16003, 16004,	\@addtoreset	6777, 6778, 6813,
16006, 16008, 342, 10938,	6820, 8337, 8344,
16010, 16195,	14903, 14909, 14911	8446, 8447, 8448,
16197, 16199,	\@adviper 7286	8449, 8562, 8564,
16200, 16201,	\@afterheading	8566, 8567, 8568,
16202, 16203,	. 571, 2030, 2040,	8569, 8570, 8571,
16204, 16377,	8323, 8331, 13595	8572, 8608, 8615,
16379, 16381,	\@afterindentfalse	10664, 10671,
16383, 16384,	.. 2030, 2040, 13594	10765, 10766,
16385, 16386,	\@afterindenttrue .	10767, 10768,
16387, 16785,	.. 650, 877, 1133,	10769, 10771,



10773,	10775,	\@array 387, 408, 1373,	17266,	17317,
11066,	11068,	1374, 18488, 20631	17902, 17965, 18016	
11070,	11071,	\@arrayacol 20651	\@auxout 1702,	
11072,	11073,	\@arrayclassiv . . . 20652	1706, 6153, 20717	
11074,	11075,	\@arrayclassz	\@badmath . . 10900, 10914	
11076,	11079,	. 1438, 18492, 20651	\@begin@tempboxa . .	
11081,	11083,	\@arraycr 407, 13463, 20653 11730,	
11084,	11085,	\@arrayleft 400	11826, 11833, 20521	
11086,	11087,	\@arrayparboxrestore	\@begin@dv . 10966, 21015	
11088,	11089,	. 13521, 15478, 15492	\@begin@parpenalty .	
13132,	13134,	\@arrayright 409 2043,	
14267,	14269,	\@arrayrule 1393, 1394,	2052, 10903, 10917	
14271,	14273,	1395, 1431, 1432, 1433	\@bib@break	
14275,	14278,	\@arstdepth 16806, 17386, 18069	
14279,	14280,	. 18485, 18490, 18508	\@biblabel . . 89, 302,	
15622,	15629,	\@arstheight 18490, 18508	577, 578, 712, 713,	
15635,	15636,	\@arstrut 397,	975, 976, 1225,	
15637,	15638,	13477, 18466, 20641	1226, 6316, 6317,	
15639,	15641,	\@arstrutbox . . . 390,	6504, 6505, 6813,	
15643,	15645,	13465, 13522,	6814, 8337, 8338,	
16000,	16001,	18459, 18500,	8608, 8609, 10664,	
16002,	16003,	18504, 18508, 20634	10665, 12777,	
16004,	16006,	\@author 431,	14864, 15622,	
16008,	16010,	445, 481, 502, 765,	15623, 16016,	
16016,	16023,	767, 785, 830, 849,	16017, 16210,	
16195,	16197,	1017, 1019, 1037,	16211, 16413,	
16199,	16200,	1082, 1101, 1267,	16414, 16814,	
16201,	16202,	1269, 1287, 1332,	16816, 17394,	
16203,	16204,	1352, 1363, 1929,	17396, 18077,	
16210,	16217,	5679, 5681, 5750,	18079, 18742, 18743	
16377,	16379,	6378, 6380, 6398,	\@bibsetup 14864	
16381,	16382,	6555, 6557, 6575,	\@bibtitlestyle . . .	
16383,	16384,	6650, 6664, 6700, 84, 297, 12772	
16385,	16386,	6721, 8373, 8385,	\@bidi@AfterClass .	
16387,	16413,	8419, 8438, 8468, 3817,	
16420,	16786,	8482, 8518, 8539,	3838, 3843, 3850	
16788,	16790,	10692, 10704,	\@bidi@AfterPackage	
16792,	16814,	10738, 10757, 3862,	
16830,	17340,	14236, 15675,	3881, 3885, 3892	
17342,	17344,	15677, 15695,	\@bidi@EqualStringX	
17346,	17348,	15740, 15759,	. . . 3320, 3321, 3322	
17356,	17364,	15814, 15816,	\@bidi@PreventPackageFromLoading	
17372,	17394,	15836, 15883,	. . . 3902, 3903, 3905	
17410,	18035,	15905, 15916,	\@bidi@UnPreventPackageFromLoading	
18037,	18039,	16072, 16086,	. . . 3994, 3995, 3998	
18041,	18043,	16127, 16148,	\@bidi@after@Hy@hyperfootnotes	
18047,	18051,	16259, 16273,	8672, 8802, 8950,	
18055,	18077,	16309, 16330,	9101, 9245, 9396,	
18093, 18742, 18749		16654, 16717,	9547, 9698, 9849,	
\@argdef 2825		16768, 17203,	10000, 10151, 10344	



\@bidi@append@to@cslist	\@bidi@lst@makecaption	\@bidi@w@w 3450
... 3467, 3471, 3477 13069,	\@bidi@w@w 3444
\@bidi@append@to@list	13085, 13086,	\@bidi@declaredcolor
..... 3471,	13117, 13118, 6994,
3473, 3475, 3478, 3485	13119, 13123, 13125	7001, 20279, 20308
\@bidi@before@Hy@hyperfootnote@true	\@bidi@cmd@RTLtrue 13571	\@bidi@tuft@RTL@sidenote@normal@cite
8658, 8795, 8939,	\@bidi@patch@AfterPackage 5042,
9090, 9234, 9385, 4187, 4190	5121, 5241, 5270,
9536, 9687, 9838,	\@bidi@pdfcreator .	5299, 5321, 5330, 5339
9989, 10140, 10333 1582,	\@bidi@tuft@RTL@sidenote@normal@cite
\@bidi@copy@stacktop	1750, 1853, 1867 5061,
..... 3531, 3534	\@bidi@pdfcustomproperties	5122, 5242, 5271,
\@bidi@copyins@ 1607, 1588,	5300, 5322, 5331, 5340
1608, 1609, 1610,	1753, 1859, 1870	\@bidi@tuft@float@caption
1611, 1823, 1824,	\@bidi@pdfm@markfalse 4415, 4448
1825, 1826, 1827, 1724, 1875	\@bidi@tuft@float@caption@box
11022, 11024,	\@bidi@pdfm@marktrue	4407, 4472, 4483,
11025, 15345, 1722, 1874	4484, 4507, 4742, 4747
15347, 15348,	\@bidi@pdfproducer	\@bidi@tuft@float@caption@fill
21035, 21037, 21038 1585, 4356,
\@bidi@emptytoks ..	1751, 1856, 1868	4365, 4366, 4747
... 2526, 2531, 2555	\@bidi@prepend@to@cslist	\@bidi@tuft@float@caption@font
\@bidi@envbody 3469, 3517, 3519	4321, 4322, 4376,
.... 2525, 2527,	\@bidi@removefromreset	4573, 4744, 4750, 4763
2529, 2530, 2531,	... 2652, 2653, 2655	\@bidi@tuft@float@caption@justification
2551, 2553, 2554, 2555	\@bidi@replacefilewithtext	... 4263, 4379, 4573
\@bidi@fi 3401,	... 3779, 3783, 3786	\@bidi@tuft@float@caption@vertical@offset
3402, 3403, 3404,	\@bidi@saveprimitive 4410, 4411,
3408, 3409, 3413, 2513	4419, 4483, 4484, 4511
3414, 3418, 3419,	\@bidi@tabular@RTLcases	\@bidi@tuft@float@checkoddpage
3424, 3425, 3429, 3430	. 20422, 20424, 20431 4338, 4435
\@bidi@ifnxtc 3368, 3371, 3372	\@bidi@todonotes@align	\@bidi@tuft@float@figure@box
... 3368, 3371, 3372 20025, 4406,
\@bidi@info 1509, 1533,	20026, 20058,	4465, 4483, 4484, 4506
1535, 1765, 1789, 1791	20099, 20102,	\@bidi@tuft@float@float@contents@width
\@bidi@inslogo@ ...	20105, 20108, 4427,
.... 1611, 1715,	20133, 20138, 20139	4463, 4464, 4466
1717, 1827, 1852, 1877	\@bidi@todonotes@figureposition@right@float@debug 4396, 4402,
\@bidi@list@minipage@parbox@not@nobtrue 20040	\@bidi@todonotes@figureposition@right@true 4405, 4437,
..... 11376, 20509 20038	4438, 4441, 4443,
\@bidi@list@minipage@parboxtrue . 11377, 20513, 20516	\@bidi@todonotes@textdirection	4444, 4521, 4528,
\@bidi@logo 1619,	.. 20027, 20031,	4535, 4536, 4539, 4540
1635, 1835, 1851	20034, 20138, 20139	\@bidi@tuft@float@float@debug@info
\@bidi@logo@ 1611, 1635,	\@bidi@todonotes@textdirection@RTL@false 4395, 4397,
.... 1611, 1635, 20033	4398, 4399, 4496, 4503
1717, 1827, 1851, 1852	\@bidi@todonotes@textdirection@RTL@true	\@bidi@tuft@float@float@fullwidth
\@bidi@logo@hb@xt@ 20030 4483, 4531
..... 1612,	\@bidi@unreplacefilewithtext	\@bidi@tuft@float@float@textwidth
1635, 1828, 1851	... 3788, 3794, 3797 4484, 4513



\@biditytfloat@fps	\@biditytfloat@fullwidth	\@biditytfloat@justification	\@biditytfloat@label	\@biditytfloat@margin@floatbox	\@biditytfloat@margin@par	\@biditytfloat@margin@font	\@biditytfloat@orig@caption	\@biditytfloat@orig@endfloat	\@biditytfloat@orig@float	\@biditytfloat@orig@label	\@biditytfloat@overhang	\@biditytfloat@pkgname	\@biditytfloat@stored@caption	\@biditytfloat@stored@label	\@biditytfloat@stored@shortcaption	\@biditytgeneralstructure@list@par	\@bidityttheheading@newlinetospace	\@bidityttheheading@newlinetospace@i	\@bidityttheheading@orig@cr	\@biditytfloat@orig@float	
..... 4425, 4440 4940, 4943, 4946, 4949 4355, 4944, 4953 4944, 4953 4944, 4953 5083, 5116 5141, 5149 4948, 4957, 5029, 5067, 5095 4962, 5096 5082, 5084,	5115, 5219, 5248, 4960, 4964, 5097, 5164, 5182, 4942, 4945, 4948 4945, 4954, 5318 4961, 5023,	
4361, 4362, 4363, 4463 4943, 4946, 4949 4943, 4952 4263, 4393 4422, 4449	... 4371, 4374, 4385 4293, 4380 4320, 4321	... 4446, 4474, 4504	... 4409, 4487, 4738	... 4408, 4461, 4737 4447, 4455, 4475, 4505	4354, 4358, 4359,	5277, 5316, 5325, 5334 4960, 4964, 5097, 5164, 5182, 4942, 4945, 4948 4945, 4954, 5318 4961, 5023,	
5298, 5320, 5329, 5338	\@biditytfloat@print@citations	\@biditytfloat@margin@font	\@biditytfloat@margin@font	4951, 5127, 5128, 5131	... 4960, 5127, 5128 5215,	5230, 5237, 5251,	5280, 5282, 5288, 5295 4993, 5000 5000, 5005	4982, 4985, 5034, 4838, 4845 4825, 4823, 4824 4823, 4828 5346, 5347 6994, 6995, 14259 14240 14228	2194, 4809, 4853,
5297, 5319, 5328, 5337	\@biditytfloat@margin@font	\@biditytfloat@margin@font	\@biditytfloat@margin@font	4951, 5127, 5128, 5131	... 4960, 5127, 5128 5215,	5230, 5237, 5251,	5280, 5282, 5288, 5295 4993, 5000 5000, 5005	4982, 4985, 5034, 4838, 4845 4825, 4823, 4824 4823, 4828 5346, 5347 6994, 6995, 14259 14240 14228	4897, 20826, 20870



<code>\@bstthanksheadpost</code> 14242	<code>\@chclass</code> .. 355, 367,	14536, 14537,
<code>\@bstthanksheadpre</code> 14242	378, 1380, 1392,	14538, 14542, 21054
<code>\@caption</code>	1405, 1425, 1430,	<code>\@colourfalse</code> 2294
. 4564, 14362, 14365	18589, 18605,	<code>\@colourgreenfalse</code>
<code>\@captionabovefalse</code>	18616, 20654, 20659 7591, 7689
. 16994, 17574, 18257	<code>\@checkend</code> 2544,	<code>\@colourgreentrue</code> .
<code>\@captionabovetrue</code>	2568, 4072, 4073 7592, 7690
. 16992, 17572, 18255	<code>\@chnum</code> . 356, 363, 374,	<code>\@colourgreyfalse</code> .
<code>\@capttype</code> 2134,	1381, 1388, 1401, 7595, 7693
2182, 2230, 4377,	1411, 1427, 1428,	<code>\@colourgreytrue</code> ..
14355, 14359,	1429, 1442, 1450, 7596, 7694
14362, 16435, 16478	1476, 6944, 18590,	<code>\@colourorangefalse</code>
<code>\@cclv</code> 7851, 7908, 10551,	18597, 18612, 7589, 7687
10552, 10575,	20656, 20657, 20658	<code>\@colourorangetrue</code>
10585, 13536,	<code>\@circlefnt</code> 10794 7590, 7688
13541, 13553, 15339	<code>\@classiv</code> 2131,	<code>\@colouredfalse</code> ..
<code>\@cclvi</code> 10351,	13455, 18453, 7593, 7691
10353, 10468, 10470	20435, 20627, 20652	<code>\@colouredtrue</code> 7594, 7692
<code>\@centercr</code> 5551, 15429,	<code>\@classx</code> . 1408, 1467, 6938	<code>\@colourtrue</code> 2293
15442, 15455,	<code>\@classz</code> 1408,	<code>\@colroom</code> 7352,
18658, 18687, 20584	1467, 1501, 1502,	7375, 7378, 7380,
<code>\@cftasnum</code> ... 18844,	2130, 6938, 13455,	7381, 7550, 7553,
18875, 18898,	18452, 18492,	7555, 7556, 7851,
18915, 18932,	20434, 20626, 20651	7908, 13547, 13556
18949, 18966,	<code>\@cleartopmattertags</code>	<code>\@combinedblfloats</code>
18983, 19001, 129, 12854 7207, 7266,
19020, 19040, 19075	<code>\@cliptoboxdim</code> ... 18619	10853, 10889,
<code>\@cftasnumb</code> ... 18845,	<code>\@clsextension</code>	10970, 11649,
18876, 18899,	3786, 3797, 3813,	11701, 14467,
18916, 18933,	3823, 3832, 3835, 3844	14564, 20766, 20809
18950, 18967,	<code>\@clubpenalty</code>	<code>\@combinefloats</code> .. 10536
18984, 19002,	. 587, 6823, 8618,	<code>\@compactenum@</code> 5533
19021, 19041, 19076	16220, 16423, 18752	<code>\@cons</code> 20912, 20913
<code>\@cftbsnum</code> ... 18843,	<code>\@colht</code> 7363, 7364, 7374,	<code>\@contcshortstyle</code> 14310
18874, 18897,	7375, 7382, 7397,	<code>\@contcstyle</code>
18914, 18931,	7431, 7434, 7456,	. 14315, 14321, 14326
18948, 18965,	7457, 7526, 7538,	<code>\@contcwidth</code> 14304, 14305
18982, 19000,	7539, 7549, 7550,	<code>\@contdelim</code>
19019, 19039, 19074	7557, 7574, 7578,	.. 14298, 14309,
<code>\@cftdopartfalse</code> . 18817	10541, 10989,	14313, 14320, 14325
<code>\@cftdoparttrue</code> ...	13547, 13548,	<code>\@contfield</code>
..... 18820, 18824	14403, 14406,	... 6170, 6185, 6217
<code>\@cftl@subfig</code> 19008	14408, 14410,	<code>\@contfinal</code>
<code>\@cftl@subtab</code> 19028	14415, 14416,	.. 14298, 14310,
<code>\@chapapp</code> . 6589, 6784,	14417, 14436,	14316, 14322, 14326
8578, 10635, 16392	14437, 14438,	<code>\@contfmark</code> . 14297, 14300
<code>\@chapterlistsgap@off</code>	14442, 14503,	<code>\@contfnote</code> . 14296, 14299
..... 14897	14506, 14508,	<code>\@contindw</code> 14321
<code>\@chapterlistsgap@on</code>	14510, 14515,	
..... 14904, 14912	14516, 14517,	



\@contnfont	9613, 9625, 9652,	10739, 10760,
.. 14298, 14309,	9665, 9705, 9715,	12863, 12868,
14313, 14320, 14325	9725, 9751, 9764,	14237, 15683,
\@contpost 14330	9776, 9803, 9816,	15685, 15697,
\@contpre 14308,	9856, 9866, 9876,	15742, 15762,
14314, 14319, 14324	9902, 9915, 9927,	15822, 15824,
\@conttfnt	9954, 9967, 10007,	15838, 15885,
.. 14298, 14310,	10017, 10027,	15908, 15917,
14316, 14322, 14326	10053, 10066,	16075, 16087,
\@curfield	10078, 10105,	16128, 16150,
6169, 6184, 6204,	10118, 10158,	16262, 16274,
6218, 6228, 20962	10168, 10178,	16310, 16333,
\@curline 6167,	10204, 10217,	16658, 16718,
6182, 20962, 20964	10229, 10256,	16772, 17207,
\@currbox . 2202, 2233,	10269, 10363,	17267, 17321,
2237, 4774, 4777,	10375, 10387,	17788, 17789,
4818, 4821, 4826,	10413, 10427,	17792, 17797,
4830, 4862, 4865,	10441, 10481,	17906, 17966, 18020
4870, 4874, 4906,	10495, 11278,	\@datefield 17728
4909, 4914, 4918,	11295, 11311,	\@dblarg 14362
20835, 20838,	11339, 11353, 11367	\@dblfloatplacement
20843, 20847,	\@currentlabelname 7211, 7270,
20879, 20882, 12307,	10854, 10893,
20887, 20891,	12322, 12337,	10977, 11653,
20913, 20922, 20954	12396, 12434,	11705, 14471,
\@currentHlabel . . .	12467, 12498, 12529	14568, 20770, 20813
. 12305, 12320, 12335	\@currenvir 2530, 2533,	\@declaredcolor 6979,
\@currentHref	2534, 2554, 2557,	6980, 20236, 20259
.. 12306, 12321,	2558, 2585, 20540	\@dedication
12336, 12395,	\@currenvline 20541	.. 16674, 16676,
12433, 12466,	\@currlist 20912	16727, 16775,
12497, 12528,	\@curtabmar . 20961, 20964	16777, 17223,
12750, 12761, 12763	\@cvtheme 2374, 2377	17225, 17276,
\@currentlabel 43, 57,	\@cvthemeoptions . .	17324, 17326,
73, 256, 270, 285, 2375, 2377	17922, 17924,
5166, 5184, 5202,	\@date . . 434, 446, 482,	17975, 18023, 18025
8709, 8725, 8741,	505, 773, 775, 787,	\@dedicatory 333
8754, 8767, 8780,	832, 852, 1025,	\@defaultskiptotal 202
8957, 8967, 8977,	1027, 1039, 1084,	\@definitionfileextension
9003, 9016, 9028,	1104, 1275, 1277, 2599, 2602
9055, 9068, 9108,	1289, 1334, 1355,	\@depth . . . 392, 13467,
9117, 9126, 9151,	1364, 1930, 5697,	18432, 18461,
9163, 9174, 9200,	5751, 6386, 6388,	18501, 20636, 20951
9212, 9252, 9262,	6400, 6563, 6565,	\@dgroup 6842
9272, 9298, 9311,	6577, 6653, 6665,	\@dischyp . . . 11586,
9323, 9350, 9363,	6701, 6724, 8376,	13582, 15482, 15496
9403, 9413, 9423,	8386, 8420, 8441,	\@displaypagenumbersfalse
9449, 9462, 9474,	8471, 8483, 8519, 2473
9501, 9514, 9554,	8542, 8627, 8632,	\@displaypagenumberstrue
9564, 9574, 9600,	10695, 10705, 2472



<code>\@dmath</code>	6830, 6859	<code>\@email</code> . .	2386, 7679, 7777	10739,	10740,
<code>\@docolbox</code>	11046	<code>\@emathdisplay</code> .	188, 204	10833,	10869,
<code>\@dodynamictheft</code>	10967	<code>\@empty</code> . .	86, 115, 134,	11423,	11438,
<code>\@dodynamicthead</code>	10967		136, 299, 407, 444,	11628,	11676,
<code>\@dofilelist</code>			445, 446, 447, 480,	11714,	11715,
. . .	4083, 4084, 4086		481, 482, 483, 583,	11716,	11717,
<code>\@dotsep</code>	19877, 19985, 20679		718, 784, 785, 786,	11718,	12307,
<code>\@dottedtocline</code> . . .			787, 829, 830, 831,	12322,	12337,
. .	19991, 19992,		832, 981, 1036,	12396,	12434,
. . .	19994, 20012, 20668		1037, 1038, 1039,	12467,	12498,
<code>\@dseries</code>	6855		1081, 1082, 1083,	12529,	12774,
<code>\@eha</code>	2521, 19062		1084, 1231, 1286,	12840,	12861,
<code>\@ehc</code>	2624,		1287, 1288, 1289,	13090,	13096,
. . .	2626, 2632, 2634,		1331, 1332, 1333,	13119,	13123,
. . .	2640, 2642, 2648,		1334, 1717, 1852,	13125,	13481,
. . .	2650, 2841, 3656,		1928, 1929, 1930,	14234,	14235,
. . .	13038, 13045,		1931, 2189, 2501,	14236,	14237,
. . .	13534, 14609, 14615		2510, 2542, 2566,	14396,	14496,
<code>\@ehd</code>	14356		3486, 3899, 3912,	14891,	15387,
<code>\@eightcol@footgroupv@r</code>			3913, 3919, 3942,	15628,	15694,
.	9845		3972, 3980, 3999,	15695,	15696,
<code>\@eightcolLTRfootfmt</code>			4002, 4013, 4017,	15697,	15739,
. . .	9869, 9890, 9918		4027, 4033, 4034,	15740,	15741,
<code>\@eightcolLTRfootnotetext</code>			4035, 4048, 4060,	15742,	15835,
.	9840, 9862		4064, 4131, 4142,	15836,	15837,
<code>\@eightcolRTLfootfmt</code>			5025, 5044, 5063,	15838,	15882,
. . .	9879, 9893, 9930		5084, 5091, 5679,	15883,	15884,
<code>\@eightcolRTLfootnotetext</code>			5746, 5747, 5748,	15885,	16022,
.	9841, 9872		6322, 6397, 6398,	16085,	16086,
<code>\@eightcolfootfmt</code> .			6399, 6400, 6510,	16087,	16088,
. . .	9859, 9887, 9905		6574, 6575, 6576,	16126,	16127,
<code>\@eightcolfootnotetext</code>			6577, 6663, 6664,	16128,	16129,
.	9839, 9852		6665, 6666, 6699,	16216,	16272,
<code>\@elt</code>	2654, 2657,		6700, 6701, 6702,	16273,	16274,
. . .	4662, 4663, 4664,		6819, 6845, 7175,	16275,	16308,
. . .	4665, 4666, 4667,		7238, 7878, 7930,	16309,	16310,
. . .	4668, 4669, 4670,		8343, 8384, 8385,	16311,	16419,
. . .	4671, 4672, 4673,		8386, 8387, 8418,	16579,	16632,
. . .	4703, 4704, 4705,		8419, 8420, 8421,	16637,	16644,
. . .	4706, 4707, 4708,		8481, 8482, 8483,	16650,	16674,
. . .	4709, 4710, 4711,		8484, 8517, 8518,	16716,	16717,
. . .	4712, 4713, 4714,		8519, 8520, 8614,	16718,	16719,
. . .	4715, 4716, 4717,		8625, 8641, 8645,	16720,	16721,
. . .	4718, 4719, 4720,		10359, 10371,	16722,	16723,
. . .	6881, 7817, 7838,		10383, 10408,	16724,	16725,
. . .	7844, 7879, 7881,		10422, 10436,	16726,	16727,
. . .	7883, 7889, 7901,		10535, 10670,	16745,	16749,
. . .	7931, 7933, 7935,		10703, 10704,	16757,	16763,
. . .	7941, 18520, 18522		10705, 10706,	16775,	16799,
			10737, 10738,	16829,	16854,



16855,	17128,	\@end@tempboxa 11737,	17880,	17881,
17181,	17186,	11831, 11848, 20534	17969, 17993, 17994	
17193,	17199,	\@endalgoln 184	\@familyname	
17223,	17265,	\@endfloatbox 2254	2319, 2321, 2322,	
17266,	17267,	\@endmodernpoem 6180, 6200	2380, 7654, 7744, 7765	
17268,	17269,	\@endparenv 6084,	\@familynamecolour	
17270,	17271,	6197, 14938, 14958 2349, 2366	
17272,	17273,	\@endparpenalty 2047,	\@fax 2385, 7678, 7776	
17274,	17275,	2056, 10904, 10918	\@ff@do@allframes .	
17276,	17294,	\@endpbox 10969, 10974	
17298,	17306,	1418, 1419, 1460,	\@ff@fbox 11055	
17312,	17324,	1484, 1485, 1486,	\@ff@setoffset . . . 11052	
17378,	17409,	6952, 6953, 6954,	\@ff@background . . . 11042	
17434,	17435,	13452, 13458,	\@filebordercolor .	
17701,	17729,	18467, 18505, 20642 12608, 12610	
17730,	17731,	\@endpefalse 20543	\@filecolor 12626	
17732,	17733,	\@endtraditionalpoem	\@filef@und . . . 3715, 3732	
17734,	17735, 6064, 6136	\@finalstrut . . . 8714,	
17736,	17740,	\@ensure@LR . 15329, 20396	8730, 8746, 8760,	
17746,	17752,	\@ensure@LTR . . 15327,	8773, 8786, 11283,	
17758,	17764,	15329, 15337,	11300, 11316,	
17770,	17776,	20394, 20396,	11343, 11357, 11371	
17782,	17788,	20404, 20406,	\@firstampfalse 1440, 1448	
17797,	17827,	20408, 21229, 21231	\@firstcolfirstmark	
17880,	17885,	\@ensure@RL . 15328, 20395 7174,	
17892,	17898,	\@ensure@RTL . . 15326,	7175, 7179, 7237,	
17922,	17964,	15328, 20393, 20395	7238, 7242, 10832,	
17965,	17966,	\@ensure@dir . . 15330,	10833, 10837,	
17967,	17968,	15331, 20397, 20398	10868, 10869,	
17969,	17970,	\@ensure@maindir . .	10873, 11627,	
17971,	17972, 15331, 20398	11628, 11632,	
17973,	17974,	\@enumctr 5534, 5535	11675, 11676,	
17975,	17993,	\@eqnnum	11680, 14395,	
17997,	18005,	. 10925, 12857, 21075	14396, 14400,	
18011,	18023,	\@evenfoot	14495, 14496,	
18061,	18092,	. 1892, 10960, 20994	14500, 20741,	
18117,	18118,	\@evenhead . 10959, 20994	20742, 20746,	
18390,	18507,	\@expandtwoargs . . . 4018	20788, 20789, 20793	
18555,	18748,	\@extrafootnotefeaturesfalse	\@firstcoltopmark .	
19048,	19050, 1696 7172, 7180,	
20239,	20242,	\@extrafootnotefeaturestrue	7235, 7243, 10830,	
20282,	20285, 1694	10838, 10866,	
20422,	20644,	\@extrainfo	10874, 11625,	
20653,	20742,	. . . 2387, 7680, 7778	11633, 11673,	
20789,	21001,	\@extratitle	11681, 14393,	
21002, 21004, 21005		. . 16632, 16633,	14401, 14493,	
\@emptycol 7367,		16721, 16745,	14501, 20739,	
7370, 7386, 7389,		16746, 17181,	20747, 20786, 20794	
7542, 7545, 7561, 7564		17182, 17270,	\@firstcolumnfalse	
\@emptytoks 6844		17294, 17295,	7165, 7228, 7582,	



10824, 10860,	\@fivecol@footgroupv@r	\@footnotemark . 2162,
10984, 11616, 9392	2170, 2178, 5137,
11664, 14386,	\@fivecollTRfootfmt	5230, 5237, 5259,
14486, 20732, 20779	... 9416, 9437, 9465	5266, 5288, 5295,
\@firstcolumntrue .	\@fivecollTRfootnotetext	6118, 6125, 6132,
7183, 7246, 7536, 9387, 9409	11244, 11250,
10840, 10877,	\@fivecolRTLfootfmt	11253, 11259,
10948, 11637,	... 9426, 9440, 9477	12348, 12537,
11685, 14445,	\@fivecolRTLfootnotetext	12541, 12555, 12556
14545, 20750, 20797 9388, 9419	\@footnotetext .. 34,
\@firstdetailselementfalse	\@fivecolfootfmt ..	79, 151, 152, 153,
..... 7759	... 9406, 9434, 9452	247, 292, 2119,
\@firstdetailselementtrue	\@fivecolfootnotetext	2241, 5158, 5230,
..... 7756 9386, 9399	5237, 5981, 5992,
\@firstfooterelementfalse	\@float 4408, 4737	6205, 6219, 7797,
.... 7675, 7676,	\@floatboxreset ... 2252	7798, 8662, 8676,
7677, 7678, 7679, 7680	\@floatpenalty . 2195,	8677, 8701, 8788,
\@firstfooterelementtrue	2197, 2200, 4810,	8796, 8940, 9091,
..... 7660	4812, 4816, 4820,	9235, 9386, 9537,
\@firstname	4854, 4856, 4860,	9688, 9839, 9990,
2319, 2321, 2322,	4864, 4898, 4900,	10141, 10334,
2379, 7654, 7744, 7765	4904, 4908, 20827,	11270, 11327,
\@firstnamecolour .	20829, 20833,	11386, 12218,
..... 2348, 2365	20837, 20871,	12226, 12297,
\@firstofone ... 3173,	20873, 20877, 20881	12345, 12538,
3180, 3186, 3200,	\@fltovf	12542, 12558,
3206, 3214, 3220,	2235, 4821, 4865,	12559, 13517,
4185, 10997,	4909, 20838, 20882	13638, 14758,
11013, 11017,	\@flushglue 5966,	14759, 14760,
11020, 11028,	5967, 13588,	16561, 16564,
11034, 12732,	15489, 16184,	16879, 16880,
12733, 12734,	19406, 19410,	16890, 17110,
12735, 14360,	19414, 19460, 20584	17113, 17459,
16954, 17534,	\@fnsymbol . 456, 748,	17460, 17470,
18217, 20976,	807, 1000, 1059,	17809, 17812,
21018, 21030,	1250, 1309, 1916,	18142, 18143,
21033, 21040,	6361, 6538, 6675,	18153, 18535,
21047, 21051, 21057	8396, 8493, 10715,	18552, 18642, 18644
\@firstoftwo ... 1539,	15658, 15717,	\@footstartv@r 8868
1545, 1551, 2663,	15797, 15858,	\@for
2671, 2675, 2683,	16054, 16097,	3940,
2687, 2695, 2701,	16284, 16629,	4001, 4014, 4036,
2705, 2718, 2726,	16693, 17178,	4040, 5026, 5031,
2732, 2736, 2744,	17242, 17877, 17941	5045, 5050, 5064,
2750, 2753, 2756,	\@footgroupv@r	5069, 5092, 5101, 7143
2770, 2777, 2950,	8868, 8918, 8946,	\@fourcol@footgroupv@r
2968, 2974, 2998,	9097, 9241, 9392, 9241
3025, 3055, 3115,	9543, 9694, 9845,	\@fourcollTRfootfmt
3125, 3723, 14872	9996, 10147, 10340	... 9265, 9286, 9314
	\@footnote	\@fourcollTRfootnotetext
	5628 9236, 9258



\@fourcolRTLfootfmt	\@halignto 396,	16240, 18810, 21085
. . . 9275, 9289, 9326	411, 18465, 18503,	\@ifclasslater 4227, 4232
\@fourcolRTLfootnotetext	20422, 20640, 20653	\@ifclassloaded . . .
. 9237, 9268	\@hangfrom . . . 16907, 3847, 4226,
\@fourcolfootfmt . .	16919, 16921,	4231, 4261, 5641,
. . . 9255, 9283, 9301	17487, 17499,	5643, 6632, 8803,
\@fourcolfootnotetext	17501, 18170,	11064, 11077,
. 9235, 9248	18182, 18184, 20608	21088, 21089,
\@fps 2183,	\@hboxRconstructfalse	21090, 21091,
2184, 2186, 2189, 2206 15295, 20358	21092, 21093,
\@fpsadddefault 2187, 2190	\@hboxRconstructtrue	21094, 21095,
\@freelist	407, 15285, 18472,	21096, 21097,
2202, 4662, 4703,	18511, 20348, 20649	21098, 21099,
4818, 4819, 4862,	\@height 391, 1498, 6966,	21100, 21101,
4863, 4906, 4907,	11567, 13466,	21102, 21103,
10534, 20835,	13522, 13608,	21104, 21105,
20836, 20879,	16607, 16614,	21106, 21107,
20880, 20912, 20913	17156, 17163,	21108, 21109,
\@fs@capt 4751, 4764, 4772	17855, 17862,	21110, 21111,
\@fs@cfont 4744,	18432, 18460,	21112, 21113,
4750, 4760, 4763,	18501, 20635, 20951	21140, 21223, 21224
4771, 10929, 10930	\@highpenalty . . 6267,	\@ifdefinable . . 2782,
\@fs@iftopcapt	6283, 6290, 6300,	2785, 2788, 2797,
. . . 4755, 4768, 4781	6444, 6460, 6467,	2828, 2843, 11167
\@fs@mid . 4754, 4767, 4779	6477, 6731, 6746,	\@ifdefinitionfileloaded
\@fs@post 4753, 4766, 4780	6756, 8549, 10603, 2602, 21225
\@fs@pre . 4752, 4765, 4773	10618, 10628,	\@ifempty . . 7, 212, 12819
\@g@tnextcol 10946	15568, 15584,	\@ifl@aded 2601, 2602, 2603
\@getcirc 10790	15591, 15601,	\@ifnextchar . . . 163,
\@gnewline . . . 15431,	15940, 15956,	408, 2067, 2097,
15444, 15457, 15468	15963, 15973,	2112, 2818, 3816,
\@gobble . . 2099, 2541,	16156, 16170,	3817, 3861, 3862,
2565, 2587, 2592,	16180, 16340,	3906, 4823, 4867,
3078, 3079, 3080,	16355, 16365,	4911, 6979, 6994,
3081, 3082, 3175,	18830, 18865,	11242, 11251,
3188, 3192, 3234,	19254, 19274, 19362	11410, 11425,
3248, 3260, 3274,	\@hintcolour . . 2356, 2372	11803, 12545,
3929, 4064, 4241,	\@holdpg . . 7297, 7303,	12569, 14770,
5801, 5866, 11005,	7310, 7321, 7331,	14942, 14962,
11006, 11007,	7431, 7432, 7434,	20236, 20279,
14357, 16880,	7437, 7441, 7446,	20447, 20840, 20884
16882, 16884,	7451, 7455, 7463,	\@ifpackagelater . .
17460, 17462,	7475, 7488, 7496, 7504	. . 4225, 4230, 11113
17464, 18143,	\@hyper@launch . . . 12631	\@ifpackageloaded .
18145, 18147,	\@idxitem 102, 107, 232,	1457, 3011, 3889,
20243, 20286,	237, 606, 621, 870,	3949, 4184, 4202,
21011, 21012, 21013	1122, 5592, 5599,	4224, 4229, 4730,
\@gobbletwo 2612, 2613,	6242, 6419, 6630,	4735, 4788, 8248,
2616, 2617, 12905	12791, 12796,	8249, 8922, 10307,
\@gtempa 2794, 2795	15525, 15780,	12342, 12362,



12440,	12739,	21182, 21192, 21198	\@komalongtablefalse
13112,	13237,	\@ifstar .. 2935, 3815,	. 16962, 17542, 18225
13494,	14336,	3860, 3902, 3994,	\@lastchclass .. 356,
16962,	17542,	4580, 8252, 11806	357, 358, 359, 361,
18225,	18734,	\@iftagsloaded	1381, 1382, 1383,
20423,	21074,	. 2601, 21115, 21116	1384, 1386, 1425,
21087,	21100,	\@iftexfileloaded .	1426, 1438, 1446,
21110,	21114,	. 2603, 21176, 21177	18590, 18591,
21118,	21122,	\@ifundefined	18592, 18593,
21123,	21124,	.. 340, 341, 2476,	18595, 20654, 20655
21125,	21132,	2622, 2625, 2630,	\@lastvipertrue 7372,
21133,	21134,	2633, 2638, 2641,	7391, 7547, 7566
21135,	21136,	2646, 2649, 3804,	\@latex@error
21137,	21138,	3808, 3958, 4051, 2520, 3923,
21139,	21140,	4972, 5455, 5463,	14356, 14609, 14615
21141,	21142,	5578, 5580, 5585,	\@latex@warning ...
21143,	21144,	5675, 5692, 6981,	... 95, 308, 591,
21145,	21146,	6988, 6996, 7002,	723, 986, 1236,
21147,	21148,	10932, 11160,	2506, 6327, 6515,
21149,	21150,	12742, 12743,	6827, 8348, 8622,
21151,	21152,	13048, 13059,	10675, 12783,
21153,	21154,	13122, 13124,	15633, 16027,
21155,	21156,	13129, 15051,	16224, 16427,
21157,	21158,	19049, 19053,	16837, 16844,
21159,	21160,	19129, 19151,	17417, 17424,
21161,	21162,	19152, 19200,	18100, 18107, 18756
21163,	21164,	19201, 19284,	\@latex@warning@no@line
21165,	21166,	19306, 19307, 7365, 7383,
21167,	21168,	19535, 19558,	7540, 7558, 20927
21169,	21170,	19586, 19646,	\@latexbug 20913
21171,	21172,	19695, 19712, 19742	\@leftcolumn ... 7166,
21173,	21174,	\@ifundefinedmodel	7192, 7229, 7251,
21175,	21178, 20269, 20303	7404, 7432, 7438,
21179,	21180,	\@ifxempty 20329	7447, 10825,
21181,	21204,	\@ignoretrue 6866	10846, 10861,
21205,	21206,	\@iiiminipage 11373	10882, 11617,
21207,	21208,	\@iiiparbox	11642, 11665,
21209,	21210,	. 8905, 11404, 20505	11694, 14387,
21211,	21212,	\@indextitlestyle .	14446, 14459,
21213,	21214, 100, 230, 12789	14487, 14546,
21215,	21216,	\@inlabelfalse 6833	14555, 20733,
21217,	21218,	\@insertfalse . 7288, 7396	20759, 20780, 20802
21219,	21220,	\@inserttrue .. 7361, 7535	\@let@token ... 2578, 2581
21221,	21222,	\@iprintcites 15423	\@lettrine 12883
21223, 21224, 21226		\@itemfudge . 20961, 20963	\@listI 4278
\@ifpackagewith ...		\@itemlabel 20468	\@listdepth
... 7120, 13024,		\@ixpt 5492	.. 11226, 11389,
13027, 18759,		\@keywords 334	11591, 11595,
21126, 21129,		\@kludgeins 10538	20459, 20462, 20467
21130, 21131,			\@listi .. 4278, 4286, 5496



<code>\@loadwithoptions .</code>	997, 1060, 1247,	16116, 16125,
... 3739, 3741, 3748	1312, 1918, 5131,	16135, 16291,
<code>\@lowertitleback ..</code>	5170, 5188, 5206,	16293, 16298,
..... 16671,	6358, 6535, 6677,	16307, 16317,
16726, 17220,	8398, 8495, 8712,	16698, 16700,
17275, 17919, 17974	8728, 8744, 8758,	16705, 16715,
<code>\@lowpenalty . 2043, 19785</code>	8771, 8784, 10717,	16740, 17247,
<code>\@m 93, 306, 589, 721, 984,</code>	11282, 11299,	17249, 17254,
1234, 6325, 6513,	11315, 11342,	17264, 17289,
6825, 8346, 8620,	11356, 11370,	17946, 17948,
10673, 11618,	11719, 14243,	17953, 17963, 17988
11666, 12781,	15655, 15720,	<code>\@maketitle@hook ..</code>
14871, 15631,	15794, 15861, 118, 12843
16025, 16222,	16057, 16100,	<code>\@makewincaption . 15142</code>
16425, 16833,	16286, 16577,	<code>\@marbox 4819,</code>
17413, 18096, 18754	17126, 17700, 17825	4821, 4825, 4829,
<code>\@mainaux 15002</code>	<code>\@makeother 2934,</code>	4830, 4863, 4865,
<code>\@mainmatterfalse .</code>	2980, 3089, 3097	4869, 4873, 4874,
..... 5828,	<code>\@makeschapterhead</code>	4907, 4909, 4913,
5858, 6807, 8602	6238, 6415, 6604,	4917, 4918, 20836,
<code>\@mainmattertrue ..</code>	6625, 6793, 8588,	20838, 20842,
..... 5825, 5841	10643, 15521,	20846, 20847,
<code>\@makecaption 4575, 6927,</code>	15776, 16235,	20880, 20882,
14293, 14343,	16400, 18781, 18786	20886, 20890,
14375, 16948,	<code>\@makespecialcolbox</code>	20891, 20912,
17528, 18211, 21060 10539	20922, 20925,
<code>\@makechapterhead .</code>	<code>\@maketitle 120,</code>	20933, 20935,
..... 311, 6584,	326, 330, 463, 465,	20936, 20938,
6779, 8573, 10631,	470, 479, 489,	20939, 20940,
15414, 16388, 18775	814, 816, 821,	20949, 20953, 20954
<code>\@makecol 10594,</code>	828, 838, 1066,	<code>\@mathmargin ... 8204,</code>
10595, 13542, 13554	1068, 1073, 1080,	8211, 8219, 8226
<code>\@makefnmark ... 457,</code>	1090, 1316, 1318,	<code>\@mathsemicolon 184, 203</code>
808, 1310, 1917,	1323, 1330, 1340,	<code>\@maxdepth 8866, 10550,</code>
5133, 5144, 6676,	1921, 1927, 6682,	10563, 10582, 10593
7802, 7823, 8397,	6684, 6689, 6698,	<code>\@memtempa ... 14293,</code>
8494, 10716,	6708, 8403, 8405,	14295, 14309,
12806, 14241,	8410, 8417, 8427,	14316, 14320, 14325
15718, 15859,	8500, 8502, 8507,	<code>\@menubordercolor .</code>
16055, 16098,	8516, 8526, 10722, 12702, 12704
16285, 16630,	10724, 10729,	<code>\@menucolor 12713</code>
16631, 16694,	10736, 10746,	<code>\@midlist .. 10534, 10535</code>
16695, 17179,	12845, 14246,	<code>\@minipagefalse ...</code>
17180, 17243,	14248, 14255, 2256, 4840,
17244, 17878,	15724, 15726,	4849, 4884, 4893,
17879, 17942, 17943	15731, 15738,	4928, 4937, 8902,
<code>\@makefnmark ... 45,</code>	15748, 15865,	11401, 13081,
59, 75, 258, 272,	15867, 15872,	14349, 16938,
287, 458, 745, 810,	15881, 15891,	17518, 18201,
	16109, 16111,	



20857, 20866,	11388, 12237,	9010, 9011, 9023,
20901, 20910, 21066	12262, 12275,	9024, 9146, 9147,
\@minipagerestore 11390	12351, 13640, 18646	9157, 9158, 9169,
\@minipagetrue	\@mparbottom	9170, 9293, 9294,
.... 4848, 4892,	.. 20923, 20931,	9305, 9306, 9318,
4936, 20865, 20909	20932, 20933, 20934	9319, 9444, 9445,
\@minus 2423, 2509, 4274,	\@mpargs 8905, 11379, 11404	9456, 9457, 9469,
4276, 4283, 4285,	\@mparswitchfalse . 4257	9470, 9595, 9596,
4287, 4288, 5493,	\@mparswitchtrue .. 4252	9607, 9608, 9620,
5495, 5497, 5498,	\@mpeightcol@footgroupv@r	9621, 9746, 9747,
11505, 11543, 9851	9758, 9759, 9771,
14868, 17061,	\@mpeightcolLTRfootnotetext	9772, 9897, 9898,
17071, 17081, 9847, 9908	9909, 9910, 9922,
17091, 17101,	\@mpeightcolRTLfootnotetext	9923, 10048,
17650, 17660, 9848, 9921	10049, 10060,
17670, 17680,	\@mpeightcolfootnotetext	10061, 10073,
17690, 18333, 9846, 9896	10074, 10199,
18343, 18353,	\@mpfivecol@footgroupv@r	10200, 10211,
18363, 18373, 18397 9398	10212, 10224,
\@mkboth 574,	\@mpfivecolLTRfootnotetext	10225, 10407,
602, 618, 709, 867, 9394, 9455	10410, 10421,
972, 1119, 1222,	\@mpfivecolRTLfootnotetext	10424, 10435, 10438
6239, 6313, 6416, 9395, 9468	\@mpfootnotetext ..
6501, 6626, 6810,	\@mpfivecolfootnotetext 8665, 8682,
8334, 8605, 10661, 9393, 9443	8683, 8749, 8791,
15522, 15619,	\@mpfn 2137, 2140, 2143,	8799, 8947, 9098,
15777, 16013,	2159, 2167, 2175,	9242, 9393, 9544,
16207, 16236, 16410	5228, 5234, 5257,	9695, 9846, 9997,
\@mklab 20469	5263, 5286, 5292,	10148, 10341,
\@mkpream . 395, 13471,	6095, 6098, 6101,	11359, 11386,
18463, 18495, 20638	6115, 6122, 6129,	12226, 12261,
\@mobile . 2383, 7676, 7774	11242, 11247,	12264, 12349,
\@modernpoem .. 6156, 6200	11251, 11256,	13638, 18642, 18644
\@mpLTRfootnotetext	11385, 11415,	\@mpfourcol@footgroupv@r
8666, 8684, 8685,	11430, 12223, 9247
8762, 8792, 8800,	12234, 12245,	\@mpfourcolLTRfootnotetext
8948, 9099, 9243,	12445, 12476, 9243, 9304
9394, 9545, 9696,	12507, 12570,	\@mpfourcolRTLfootnotetext
9847, 9998, 10149,	13635, 18577, 18584 9244, 9317
10342, 11345,	\@mpfootins 8750,	\@mpfourcolfootnotetext
11387, 12248,	8751, 8763, 8764, 9242, 9292
12263, 12286,	8776, 8777, 8886,	\@mplistdepth 11226, 11389
12350, 13639, 18645	8895, 8896, 8899,	\@mpninecol@footgroupv@r
\@mpRTLfootnotetext	11333, 11334, 10002
8667, 8686, 8687,	11347, 11348,	\@mpninecolLTRfootnotetext
8775, 8793, 8801,	11361, 11362, 9998, 10059
8949, 9100, 9244,	11395, 11396,	\@mpninecolRTLfootnotetext
9395, 9546, 9697,	11399, 13624, 13629 9999, 10072
9848, 9999, 10150,	\@mpfootinsv@r . 8885,	\@mpninecolfootnotetext
10343, 11331,	8919, 8998, 8999, 9997, 10047



\@mppara@footgroupv@r	9045, 9046, 9074,	19290, 19291,
..... 10346	9079, 9084, 9089,	19292, 19293,
\@mpparaLTRfootnotetext	9190, 9191, 9223,	19308, 19309,
..... 10342, 10420	9228, 9233, 9340,	19310, 19311,
\@mpparaRTLfootnotetext	9341, 9369, 9374,	19313, 19314,
..... 10343, 10434	9379, 9384, 9491,	19316, 19319,
\@mpparafootnotetext	9492, 9520, 9525,	19322, 19330,
..... 10341, 10406	9530, 9535, 9642,	19331, 19333,
\@mpsevenscol@footgroupv@r	9643, 9671, 9676,	19336, 19339,
..... 9700	9681, 9686, 9793,	19352, 19536,
\@mpsevenscolLTRfootnotetext	9794, 9822, 9827,	19537, 19538,
..... 9696, 9757	9832, 9837, 9944,	19539, 19540,
\@mpsevenscolRTLfootnotetext	9945, 9973, 9978,	19541, 19542,
..... 9697, 9770	9983, 9988, 10095,	19543, 19544,
\@mpsevenscolfootnotetext	10096, 10124,	19583, 19587,
..... 9695, 9745	10129, 10134,	19588, 19589,
\@mpsixcol@footgroupv@r	10139, 10246,	19590, 19592,
..... 9549	10247, 10275,	19593, 19595,
\@mpsixcolLTRfootnotetext	10280, 10285,	19598, 19601,
..... 9545, 9606	10332, 10459,	19609, 19610,
\@mpsixcolRTLfootnotetext	10460, 10461,	19612, 19615,
..... 9546, 9619	10509, 10518,	19618, 19643,
\@mpsixcolfootnotetext	10526, 13562,	19647, 19648,
..... 9544, 9594	19064, 19103,	19649, 19651,
\@mptencol@footgroupv@r	19104, 19105,	19652, 19654,
..... 10153	19106, 19107,	19657, 19660,
\@mptencolLTRfootnotetext	19108, 19109,	19668, 19669,
..... 10149, 10210	19110, 19111,	19671, 19674,
\@mptencolRTLfootnotetext	19112, 19130,	19677, 19697,
..... 10150, 10223	19131, 19132,	19700, 19704,
\@mptencolfootnotetext	19133, 19134,	19744, 19747, 19751
..... 10148, 10198	19135, 19136,	\@nameuse . 3805, 6151,
\@mpthreecol@footgroupv@r	19137, 19138,	8134, 8184, 8187,
..... 9103	19153, 19154,	8233, 9042, 9044,
\@mpthreecolLTRfootnotetext	19155, 19156,	9045, 9046, 9051,
..... 9099, 9156	19158, 19159,	9053, 9056, 9058,
\@mpthreecolRTLfootnotetext	19161, 19164,	9063, 9064, 9066,
..... 9100, 9168	19167, 19175,	9069, 9071, 9076,
\@mpthreecolfootnotetext	19176, 19178,	9077, 9081, 9082,
..... 9098, 9145	19181, 19184,	9086, 9087, 9187,
\@mptwocol@footgroupv@r	19197, 19202,	9189, 9190, 9191,
..... 8952	19203, 19204,	9196, 9198, 9201,
\@mptwocolLTRfootnotetext	19206, 19207,	9203, 9207, 9208,
..... 8948, 9009	19209, 19212,	9210, 9213, 9215,
\@mptwocolRTLfootnotetext	19215, 19223,	9220, 9221, 9225,
..... 8949, 9022	19224, 19226,	9226, 9230, 9231,
\@mptwocolfootnotetext	19229, 19232,	9337, 9339, 9340,
..... 8947, 8997	19244, 19285,	9341, 9346, 9348,
\@namedef . 3808, 3959,	19286, 19287,	9351, 9353, 9358,
6153, 8907, 8938,	19288, 19289,	9359, 9361, 9364,



9366, 9371, 9372,	10479,	10482,	1737, 1742, 1743,
9376, 9377, 9381,	10485,	10490,	2212, 3386, 3537,
9382, 9488, 9490,	10491,	10493,	3608, 3669, 4166,
9491, 9492, 9497,	10496,	10499,	4175, 6681, 7131,
9499, 9502, 9504,	10506,	10507,	8402, 8499, 10721,
9509, 9510, 9512,	10510,	10515,	11332, 11346,
9515, 9517, 9522,	10519,	10523,	11360, 11605,
9523, 9527, 9528,	10531,	10952,	12578, 12579,
9532, 9533, 9639,	17335,	17351,	12584, 12985,
9641, 9642, 9643,	17359,	17367,	13036, 13043,
9648, 9650, 9653,	18793,	19065,	13052, 13063,
9655, 9660, 9661,	19066,	19067,	13473, 14245,
9663, 9666, 9668,	19070,	19073,	14322, 14585,
9673, 9674, 9678,	19078,	19079,	14941, 14961,
9679, 9683, 9684,	19084,	19088,	15723, 15864,
9790, 9792, 9793,	19089,	19091,	16061, 16104,
9794, 9799, 9801,	19092,	19094,	16108, 16290,
9804, 9806, 9811,	19095,	19097,	16583, 16697,
9812, 9814, 9817,	19098,	19100,	17132, 17246,
9819, 9824, 9825,	19101,	19108,	17705, 17831,
9829, 9830, 9834,	19113,	19114,	17945, 18525,
9835, 9941, 9943,	19197,	19244,	18529, 18590,
9944, 9945, 9950,	19248,	19249,	18599, 18606,
9952, 9955, 9957,	19261,	19268,	18905, 19248,
9962, 9963, 9965,	19269,	19352,	19249, 19356,
9968, 9970, 9975,	19356,	19357,	19357, 19530,
9976, 9980, 9981,	19376,	19391,	20185, 20462,
9985, 9986, 10092,	19394,	19396,	20503, 20550,
10094, 10095,	19399,	19402,	20552, 20553,
10096, 10101,	19419,	19420,	20554, 20559,
10103, 10106,	19422,	19423,	20561, 20562,
10108, 10113,	19433,	19435,	20563, 20568,
10114, 10116,	19437,	19438,	20570, 20571,
10119, 10121,	19440,	19442,	20572, 20577,
10126, 10127,	19443,	19452,	20579, 20580,
10131, 10132,	19454,	19458,	20581, 20657,
10136, 10137,	19459,	19463,	20659, 20702, 20913
10243, 10245,	19467,	19469,	\@newlistfalse
10246, 10247,	19470,	19530, 10996, 20974
10252, 10254,	19563,	19570,	\@next 2202,
10257, 10259,	19575,	19576,	4818, 4819, 4862,
10264, 10265,	19583,	19636,	4863, 4906, 4907,
10267, 10270,	19643,	19714,	20835, 20836,
10272, 10277,	20271, 20305, 20985		20879, 20880, 20912
10278, 10282,	\@ne 137, 142,		\@nextchar 362,
10283, 10287,	356, 365, 368, 462,		364, 365, 366,
10288, 10456,	813, 1065, 1315,		368, 369, 370, 371,
10458, 10459,	1381, 1390, 1393,		372, 375, 376, 377,
10460, 10461,	1394, 1395, 1428,		1387, 1389, 1390,
10466, 10477,	1431, 1432, 1433,		1391, 1393, 1394,



1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1416, 1418, 1419, 1484, 1485, 1486, 6952, 6953, 6954, 18596, 18598, 18599, 18600, 18601, 18602, 18603, 18604, 18606, 18607, 18608, 18609, 18610, 18613, 18614, 18615	\@noitemerr 95, 308, 590, 722, 985, 1235, 2506, 6326, 6514, 6826, 8347, 8621, 10674, 12783, 14878, 15632, 16026, 16223, 16426, 16836, 16843, 17416, 17423, 18099, 18106, 18755	7229, 7232, 7233, 7247, 7257, 7260, 7262, 8865, 8867, 10541, 10543, 10544, 10549, 10562, 10564, 10575, 10585, 10825, 10828, 10841, 10850, 10861, 10864, 10878, 10888, 10969, 10974, 11019, 11617,
\@nil 1469, 1470, 1472, 1473, 6941, 7845, 7902, 12745, 12754, 12756, 12768, 18708	\@nonlatinfalse 1565, 1658, 13070, 13114 \@nonlatintrue . 1566, 1660, 13070, 13114 \@normalcr 13591 \@notprerr . . . 3175, 3188 \@nx 124, 125, 344, 12849, 12850	11622, 11623, 11638, 11648, 11665, 11670, 11671, 11686, 11698, 14387, 14390, 14391, 14421, 14446, 14449, 14451, 14463, 14487, 14490, 14491, 14521, 14546, 14549, 14551, 14561, 15010, 15013, 15022, 20733, 20736, 20737, 20751, 20763, 20780, 20783, 20784, 20798, 20808, 21032
\@ninecol@footgroupv@r 9996 \@ninecolLTRfootfmt . 10020, 10041, 10069 \@ninecolLTRfootnotetext 9991, 10013 \@ninecolRTLfootfmt . 10030, 10044, 10081 \@ninecolRTLfootnotetext 9992, 10023 \@ninecolfootfmt . . . 10010, 10038, 10056 \@ninecolfootnotetext 9990, 10003 \@nmbrlistfalse . . 20470 \@nobreakfalse . 523, 675, 919, 1158, 6277, 6454, 6741, 8558, 10613, 15578, 15950, 16165, 16350, 18852, 18856, 19384 \@nobreaktrue . . 522, 674, 918, 1157, 6276, 6453, 6740, 8557, 10612, 15577, 15949, 16164, 16349, 18851, 18855, 19383 \@nocnterr 341 \@nocounterr 340 \@nodocument 2181	\@oncol 124, 125, 344, 12849, 12850 \@onxcol 10944, 10946, 10987 \@oddfoot 1887, 10957, 10964, 20988, 21005 \@oddhead 10956, 10963, 20988, 21004 \@oldmakefnmark 16630, 16631, 16694, 16695, 17179, 17180, 17243, 17244, 17878, 17879, 17942, 17943 \@onefilewithoptions . . . 3755, 3756, 3763 \@onelevel@sanitize 2184 \@onlypreamble 3978, 3988, 3992 \@openbib@code 581, 716, 979, 1229, 2499, 2510, 6320, 6508, 6817, 8341, 8612, 10668, 15626, 16020, 16214, 16417, 16819, 17399, 18082, 18746 \@otarlinesep 18485, 18491 \@outerparskip 6081, 6194 \@outputbox 7166, 7169, 7170, 7184, 7196, 7201, 7203,	\@outputdblcol 10943, 20821, 20822, 20823 \@outputpage . . . 7209, 7213, 7268, 7272, 10853, 10856, 10891, 10895, 10971, 10975, 10980, 10991, 11651, 11655, 11703, 11707, 13543, 13555, 14469, 14474, 14566, 14571, 14999, 15000, 20768, 20772, 20811, 20815, 20969 \@ovbtrue 10779 \@ovdx 10792, 10800



\@ovdy	10793, 10801	10077, 10117,	10396, 10400,
\@ovhorz . . .	10798, 10799	10203, 10215,	10404, 10505,
\@ovltrue	10779	10228, 10268,	10604, 10619,
\@ovri	10791	10412, 10426,	11505, 11543,
\@ovro 10791, 10800, 10801		10440, 10494,	12792, 12812,
\@ovrtrue	10779	10513, 10996,	14636, 14648,
\@ovttrue	10779	11277, 11294,	14868, 15524,
\@ovvert . . .	10796, 10797	11310, 11338,	15553, 15556,
\@ovxx	10781,	11352, 11366,	15569, 15585,
	10782, 10785,	11384, 14370,	15592, 15779,
	10792, 10797,	14584, 20521,	15925, 15928,
	10798, 10802, 10803	20854, 20898, 20975	15941, 15957,
\@ovyy . .	10783, 10784,	\@parboxto . 20524, 20531	15964, 16157,
	10785, 10793, 10799	\@parmoderr	16171, 16239,
\@pagedp . . .	20941, 20951	2200, 4815, 4859,	16341, 16356,
\@pageht	7289,	4903, 20832, 20876	16605, 16612,
	7398, 20924, 20931	\@part	16636, 16659,
\@par	19473	\@pboxswfalse 11375, 20507	16677, 16748,
\@para@footgroupv@r		\@pboxswtrue	16773, 16861,
	10340	\@pdfm@mark	16866, 17019,
\@paraLTRfootfmt 12586, 12602,	17038, 17061,
	10379, 10398, 10431	12636, 12667, 12696	17062, 17071,
\@paraLTRfootnotetext		\@pdfremotestartview	17072, 17081,
	10335, 10370	17082, 17091,
\@paraRTLfootfmt . .		\@phone . . 2384, 7677, 7775	17101, 17154,
	10391, 10402, 10445	\@photo	17161, 17185,
\@paraRTLfootnotetext		7650, 7652, 7781, 7783	17208, 17226,
	10336, 10382	\@photowidth . . . 2388,	17297, 17322,
\@parafootRTLfalse 8700		2389, 7652, 7748	17441, 17446,
\@parafootRTLtrue . 8699		\@pkgextension	17599, 17618,
\@parafootfmt		3783, 3794, 3858,	17650, 17651,
	10367, 10394, 10417	3867, 3875, 3878, 3886	17660, 17661,
\@parafootnotetext		\@plus 24, 103, 233, 513,	17670, 17671,
	10334, 10358	530, 605, 620, 649,	17680, 17690,
\@parboxrestore . 42,		652, 665, 683, 690,	17853, 17860,
	56, 72, 255, 269,	869, 876, 879, 892,	17884, 17907,
	284, 2251, 4569,	909, 927, 1121,	17925, 17996,
	4837, 4881, 4925,	1132, 1135, 1148,	18021, 18124,
	6871, 8753, 8766,	1166, 1174, 2423,	18129, 18282,
	8779, 8881, 9002,	2509, 4274, 4275,	18301, 18333,
	9014, 9027, 9067,	4276, 4283, 4284,	18334, 18343,
	9150, 9161, 9173,	4285, 4287, 4288,	18344, 18353,
	9211, 9297, 9309,	5493, 5494, 5495,	18354, 18363,
	9322, 9362, 9448,	5497, 5498, 5564,	18373, 18396,
	9460, 9473, 9513,	6241, 6252, 6255,	18659, 18688,
	9599, 9611, 9624,	6268, 6284, 6291,	18809, 19084,
	9664, 9750, 9762,	6418, 6429, 6432,	19252, 19255,
	9775, 9815, 9901,	6445, 6461, 6468,	19259, 19360,
	9913, 9926, 9966,	6629, 6732, 6747,	19363, 19367,
	10052, 10064,	8281, 8295, 8550,	19400, 19697,



19700, 19704,	\@preameightfmt 9882,	\@quote 2390,
19792, 19976, 20670	9888, 9891, 9894, 9974	7656, 7658, 7785, 7787
\@pnumwidth ... 13, 15,	\@preamerr	\@quotebox 15424
218, 220, 516, 517,	. 378, 1405, 1435,	\@quotecolour
519, 533, 534, 538,	18616, 20648, 20661	... 2352, 2369, 2479
668, 669, 671, 693,	\@preamfivefmt . 9429,	\@rc@m@msize 18498
694, 698, 895, 896,	9435, 9438, 9441, 9521	\@raggedtwoe@everyselectfont
900, 912, 913, 915,	\@preamfntext .. 8707, 15438,
1151, 1152, 1154,	8723, 8739, 8876,	15451, 15464, 15475
1177, 1178, 1182,	8956, 8966, 8976,	\@raggedtwoe@gnewline
6271, 6272, 6274,	9054, 9107, 9116,	. 15431, 15444, 15457
6294, 6295, 6299,	9125, 9199, 9251,	\@raggedtwoe@raggedrightboxes@opt
6448, 6449, 6451,	9261, 9271, 9349, 15477, 15506
6471, 6472, 6476,	9402, 9412, 9422,	\@raggedtwoe@samed@gnewline
6735, 6736, 6738,	9500, 9553, 9563, 15468
6750, 6751, 6755,	9573, 9651, 9704,	\@raggedtwoe@samed@cr
7016, 7021, 7022,	9714, 9724, 9802, 15428,
8284, 8285, 8289,	9855, 9865, 9875,	15441, 15454, 15467
8298, 8299, 8301,	9953, 10006,	\@raggedtwoe@spaceskipfalse
8552, 8553, 8555,	10016, 10026, 15474
10607, 10608,	10104, 10157,	\@raggedtwoe@spaceskiptrue
10610, 10622,	10167, 10177,	. 15437, 15450, 15463
10623, 10627,	10255, 10362,	\@rc@ifdefinable ..
12825, 12827,	10374, 10386, 10480 2797, 2843
14656, 15572,	\@preamfourfmt . 9278,	\@reffalse 17728
15573, 15575,	9284, 9287, 9290, 9370	\@reftrue 17729,
15595, 15596,	\@preamninefmt	17730, 17731,
15600, 15944,	.. 10033, 10039,	17732, 17733,
15945, 15947,	10042, 10045, 10125	17734, 17735, 17736
15967, 15968,	\@preamsevenfmt 9731,	\@regtocline ... 646,
15972, 16159,	9737, 9740, 9743, 9823	684, 701, 873,
16160, 16162,	\@preamsixfmt .. 9580,	903, 928, 1129,
16174, 16175,	9586, 9589, 9592, 9672	1167, 1185, 6249,
16179, 16344,	\@preamtenfmt	6285, 6303, 6426,
16345, 16347,	.. 10184, 10190,	6462, 6480, 15550,
16359, 16360,	10193, 10196, 10276	15586, 15604,
16364, 18715,	\@preamthreefmt 9131,	15922, 15958, 15976
18724, 18726,	9137, 9140, 9143, 9219	\@rememsize . 18495, 18498
19114, 19263,	\@preamtwofmt .. 8983,	\@removefromreset .
19264, 19272,	8989, 8992, 8995, 9075 14887, 14889
19371, 19372,	\@printcites 15425	\@reqcolroom
19378, 19770,	\@pstrickserr 15379 7289, 7290,
19883, 19988, 20682	\@ptsize 2287,	7291, 7292, 7352,
\@preamble 396,	2288, 2289, 2290, 2297	7397, 7398, 7399,
397, 407, 409,	\@publisher ... 5656, 5709	7400, 7401, 7402, 7526
1441, 1449, 13477,	\@publishers	\@resetactivechars
18464, 18466,	.. 16660, 16724, 10994, 20972
18473, 18503,	16774, 17209,	\@resetdyn@mics .. 10982
18504, 18512,	17273, 17323,	\@resetst@tics ... 10981
20639, 20641, 20650	17908, 17972, 18022	



<code>\@restonecolfalse .</code>	2779, 2941, 2951,	<code>\@sevenscollTRfootfmt</code>
... 98, 228, 595,	2952, 2953, 2954,	... 9718, 9739, 9767
611, 860, 1112,	2960, 2969, 2975,	<code>\@sevenscollTRfootnotetext</code>
6232, 6409, 6619,	2999, 3027, 3055,	... 9689, 9711
12787, 15515,	3104, 3116, 3117,	<code>\@sevenscolRTLfootfmt</code>
15770, 16229, 18767	3126, 3720, 3848, 3890	... 9728, 9742, 9779
<code>\@restonecoltrue ..</code>	<code>\@secpenalty .. 5, 210,</code>	<code>\@sevenscolRTLfootnotetext</code>
... 98, 228, 597,	512, 529, 664, 682,	... 9690, 9721
613, 862, 1114,	689, 891, 908, 926,	<code>\@sevenscolfootfmt .</code>
6234, 6411, 6621,	1147, 1165, 1173,	... 9708, 9736, 9754
12787, 15517,	8280, 8294, 12817,	<code>\@sevenscolfootnotetext</code>
15772, 16231, 18769	18700, 18832,	... 9688, 9701
<code>\@resumename .. 2322, 2378</code>	18887, 19251,	<code>\@sharp 403,</code>
<code>\@revlabeltrue . 746,</code>	19258, 19359, 19366	1443, 1444, 1445,
998, 1248, 6359,	<code>\@sectiontitlecolour</code>	1451, 1452, 1453,
6536, 15656, 15795	... 2353, 2370	12745, 12751,
<code>\@rightcolumn . 14413,</code>	<code>\@seesize .. 18495, 18498</code>	13469, 18469,
14418, 14419,	<code>\@setcol 10988</code>	18504, 18510, 20645
14428, 14429,	<code>\@setcolbox . 10949, 10985</code>	<code>\@sixcol@footgroupv@r</code>
14437, 14441,	<code>\@setcopyright 112, 12837</code>	... 9543
14447, 14513,	<code>\@setfontsize 4273, 4282, 5492,</code>	<code>\@sixcolLTRfootfmt</code>
14518, 14519,	5502, 5503, 5504,	... 9567, 9588, 9616
14528, 14529,	5505, 5506, 5507, 5508	<code>\@sixcolLTRfootnotetext</code>
14537, 14541, 14547	<code>\@setfpsbit 2216, 2219, 2222</code>	... 9538, 9560
<code>\@rightskip 13587, 15433,</code>	<code>\@setmarks 7176,</code>	<code>\@sixcolRTLfootfmt</code>
15434, 15446,	7178, 7208, 7239,	... 9577, 9591, 9628
15447, 15459,	7241, 7267, 10834,	<code>\@sixcolRTLfootnotetext</code>
15460, 15470,	10836, 10853,	... 9539, 9570
15471, 15488, 20584	10870, 10872,	<code>\@sixcolfootfmt ... 9557, 9585, 9603</code>
<code>\@rjfieldfalse ... 20959</code>	10890, 11629,	<code>\@sixcolfootnotetext</code>
<code>\@runbordercolor .. 12642, 12644</code>	11631, 11650,	... 9537, 9550
<code>\@runcolor 12658</code>	11677, 11679,	<code>\@skip@above . 18489, 18491</code>
<code>\@s@@size 18498</code>	11702, 14397,	<code>\@spaces 18527, 18568, 18573</code>
<code>\@s@bidi@AfterClass</code>	14399, 14468,	<code>\@spart 8324</code>
... 3815,	14497, 14499,	<code>\@specialpagefalse</code>
3824, 3836, 3845	14565, 20743,	... 10951, 20985
<code>\@s@bidi@AfterPackage</code>	20745, 20767,	<code>\@specialstyle 10952, 20985</code>
... 3860,	20790, 20792, 20810	<code>\@stabarray 18453</code>
3868, 3879, 3887	<code>\@setminipage .. 4571,</code>	<code>\@stabular 18449</code>
<code>\@sarray 18457</code>	11391, 11599, 14372	<code>\@star@or@long . 2792,</code>
<code>\@savemarbox 20953</code>	<code>\@setpar 16058,</code>	2813, 2837, 2848
<code>\@secondoftwo .. 1541,</code>	16101, 16580,	<code>\@startdblcolumn .. 7212, 7214,</code>
1547, 1553, 2665,	16587, 17129,	7271, 7273, 10854,
2669, 2677, 2681,	17136, 17702,	10856, 10894,
2689, 2693, 2699,	17707, 17828, 17835	10895, 10978,
2707, 2720, 2729,	<code>\@settab 6161</code>	10980, 11654,
2738, 2747, 2753,	<code>\@sevenscol@footgroupv@r</code>	
2756, 2767, 2772,	... 9694	



11656, 11706,	\@tabularcr	12851, 13524,
11708, 14472,	. . . 2131, 13459,	13525, 13527,
14475, 14569,	18453, 20435, 20627	13528, 14890,
14572, 20771,	\@tagsextension 2598, 2601	14891, 14892,
20773, 20814, 20816	\@tarlinesep . . 18491,	14895, 14902,
\@startfield 6203	18492, 18493,	14908, 15703,
\@startpbox 1418,	18494, 18497, 18499	15705, 15707,
1419, 1484, 1485,	\@temp@bibkey . . 5026,	15711, 15844,
1486, 6952, 6953,	5045, 5064, 5092	15846, 15848,
6954, 13456,	\@temp@bibkeyx	15852, 16435,
13457, 13463, 5031, 5032,	16436, 16478,
18467, 18505, 20642	5034, 5035, 5036,	16479, 16579,
\@startsection 23, 12811	5037, 5050, 5051,	16821, 16824,
\@starttoc . . . 5459, 5467	5053, 5054, 5055,	17128, 17401,
\@stopfield 6168, 6183,	5056, 5069, 5070,	17404, 17701,
6187, 6215, 20959	5072, 5073, 5074,	17827, 18084,
\@stopline . . 6187, 20959	5075, 5101, 5102,	18087, 18576,
\@strip 14581	5104, 5105, 5106, 5107	18578, 18583,
\@subjclass 334	\@temp@last@bibkey	18585, 19974,
\@subject 16644, 16645, 5025, 5026,	19991, 19995,
16723, 16757,	5032, 5044, 5045,	19996, 19997,
16758, 17193,	5051, 5063, 5064,	20006, 20020,
17194, 17272,	5070, 5091, 5092, 5102	20196, 20199,
17306, 17307,	\@tempa 123,	20205, 20209, 20223
17892, 17893,	126, 133, 134, 135,	\@tempb 2514,
17971, 18005, 18006	136, 793, 795,	2515, 2517, 2518,
\@subsectioncolour	797, 801, 1045,	11768, 11769,
. 2355, 2371	1047, 1049, 1053,	11809, 11811,
\@subtitle	1295, 1297, 1299,	11839, 11841,
. . 16650, 16720,	1303, 2514, 2515,	11842, 11844,
16763, 17199,	2518, 2621, 2622,	11847, 14894,
17269, 17312,	2625, 2627, 2629,	14895, 14901,
17898, 17968, 18011	2630, 2633, 2635,	14902, 14907, 14908
\@tabacol 2129, 13454,	2637, 2638, 2641,	\@tempboxa 4821,
18451, 20433, 20625	2643, 2645, 2646,	4865, 4909, 7312,
\@tabarray . 384, 408,	2649, 2651, 10780,	7336, 7345, 7404,
412, 2131, 13441,	11768, 11769,	7448, 7489, 7510,
13443, 20428,	11770, 11771,	7519, 7868, 7869,
20435, 20627, 20653	11808, 11811,	7870, 7871, 7873,
\@tabclassiv	11812, 11818,	7922, 7923, 7924,
. . . 2131, 13455,	11829, 11830,	7925, 7927, 8905,
18453, 20435, 20627	11836, 11841,	10791, 10795,
\@tabclassz	11842, 11844,	10803, 10804,
1446, 2130, 13455,	11847, 11904,	10929, 10930,
18452, 20434, 20626	11905, 11906,	10931, 11380,
\@tabcr 6164, 6174	11907, 12364,	11404, 11442,
\@tabminus 6162	12368, 12371,	11487, 11494,
\@tabplus 6161	12383, 12402,	11504, 11507,
\@tabular 380, 2117, 20623	12406, 12409,	11511, 11513,
	12421, 12848,	11519, 11553,



11555,	11561,	2212, 2225, 2226,	7363, 7377, 7378,
11574,	11578,	2232, 2233, 6939,	7382, 7459, 7537,
11579,	11734,	6941, 7843, 7900,	7538, 7552, 7553,
11830,	11847,	12952, 12954,	7557, 7573, 7574,
11996,	12177,	12957, 12980,	7814, 7815, 7816,
12179,	12938,	12981, 12985,	7817, 7835, 7836,
12939,	13073,	14966, 14968,	7837, 7838, 7844,
13078,	13082,	14969, 14975,	7846, 7847, 7851,
13486,	13487,	14979, 14992,	7852, 7853, 7854,
13490,	14298,	15049, 15051,	7855, 7863, 7867,
14301,	14305,	15055, 15058,	7870, 7871, 7872,
14307,	14313,	15060, 16683,	7886, 7887, 7888,
14315,	14316,	16685, 16878,	7901, 7903, 7904,
14345,	14346,	16897, 17232,	7908, 7909, 7910,
14350,	15143,	17234, 17458,	7911, 7912, 7918,
15144,	15147,	17477, 17931,	7921, 7924, 7925,
16885,	16899,	17933, 18141,	7926, 7938, 7939,
16903,	16905,	18160, 18563,	7940, 8084, 8086,
16928,	16929,	19782, 19783,	8087, 8088, 8092,
16931,	16932,	19784, 19803,	8099, 8101, 8103,
16934,	16939,	19804, 19805,	8110, 8134, 8135,
16944,	17465,	19807, 19809,	8140, 8141, 8142,
17479,	17483,	19891, 19892,	8143, 8144, 8259,
17485,	17508,	19893, 20913,	8261, 8263, 8282,
17509,	17511,	20915, 20918,	8287, 8297, 10350,
17512,	17514,	20920, 20922, 20944	10351, 10354,
17519,	17524,	\@tempcntb	10355, 10467,
18148,	18162,	2230, 2231, 2232,	10468, 10471,
18166,	18168,	14967, 14968,	10472, 10551,
18191,	18192,	14975, 14979,	10553, 10606,
18194,	18195,	14992, 16878,	10620, 10625,
18197,	18202,	16896, 17458,	10792, 10793,
18207,	18550,	17476, 18141, 18159	10796, 10797,
18570,	19935,	\@tempdima 8,	11378, 11382,
19938,	19943,	10, 12, 14, 213,	11827, 11829,
19947,	19951,	215, 217, 219, 388,	11834, 11836,
19955,	19959,	389, 391, 514, 531,	11837, 11839,
19963,	19967,	536, 654, 667, 691,	11852, 11857,
19971,	20608,	696, 881, 882, 893,	11862, 11866,
20609,	20664,	898, 911, 1137,	12820, 12822,
20665,	20666,	1150, 1175, 1180,	12824, 12826,
20667,	20838,	1463, 1464, 1496,	12930, 12936,
20882,	21020,	1497, 1498, 2284,	12937, 12943,
21027,	21028,	2286, 5480, 5481,	12944, 12949,
21062, 21063, 21067		6257, 6270, 6292,	12950, 12955,
\@tempc . 11810, 11812,		6297, 6434, 6447,	13451, 13461,
11818, 12915, 12920		6469, 6474, 6733,	13466, 14416,
\@tempcnta 1409, 1468,		6748, 6753, 6964,	14420, 14516,
1469, 1470, 1472,		6965, 6966, 7014,	14520, 14581,
1473, 2204, 2210,		7019, 7293, 7362,	14606, 14629,



14641,	14642,	19267,	19369,	12950,	12951,
14653,	14654,	19419,	19422,	12953,	14581,
14970,	15558,	19423,	19427,	14606,	16590,
15571,	15593,	19799,	19801,	16591,	16592,
15598,	15930,	19830,	19833,	17139,	17140,
15943,	15965,	19840,	19843,	17141,	17710,
15970,	16059,	19847,	19852,	17711,	17712,
16060,	16061,	19855,	19867,	17838,	17839,
16102,	16103,	19900,	19902,	17840,	18496,
16104,	16172,	19903,	19906,	18499,	18501,
16177,	16342,	19909,	19913,	19800,	19806,
16357,	16362,	19920,	19922,	19808,	19813,
16480,	16481,	19981,	19982,	19815,	19818,
16581,	16582,	19995,	19997,	19822,	19826,
16583,	16588,	20005,	20012,	19834,	19836,
16589,	16592,	20158,	20159,	19837,	19850,
16902,	16903,	20178,	20189,	19856,	19858,
16928,	16929,	20190,	20191,	20161,	20162,
16930,	16932,	20192,	20204,	20164,	20166,
17130,	17131,	20207,	20213,	20169,	20170,
17132,	17137,	20214,	20520,	20172,	20175,
17138,	17141,	20521,	20675,	20189,	20190,
17482,	17483,	20676,	20923,	20191,	20195,
17508,	17509,	20924,	20925,	20208,	20212,
17510,	17512,	20926,	20929,	20213, 20523, 20524	
17703,	17704,	20932,	20935,	\@tempdimc 6934, 16578,	
17705,	17708,	20937, 20960, 20961		16585,	16586,
17709,	17712,	\@tempdimb 6933, 7295,		16596,	17127,
17829,	17830,	7298, 7299, 7300,		17134,	17135,
17831,	17836,	7301, 7304, 7305,		17145,	17826,
17837,	17840,	7306, 7307, 7308,		17833, 17834, 17844	
18165,	18166,	7309, 7310, 7461,		\@tempskipa 6080, 6081,	
18191,	18192,	7464, 7465, 7467,		6082, 6193, 6194, 6195	
18193,	18195,	7469, 7472, 7476,		\@tempwafalse . 3995,	
18496,	18499,	7479, 7482, 7486,		4042, 7855, 7912,	
18501,	18564,	7488, 7814, 7815,		11775, 20243, 20286	
18623,	18624,	7835, 7836, 7887,		\@tempwatruue	
18625,	18842,	7889, 7892, 7939,	 3994, 4039,	
18846,	18873,	7941, 7944, 8090,		7849, 7906, 20725	
18877,	18896,	8092, 8105, 8106,		\@temptokena 121, 125,	
18900,	18913,	8107, 8108, 8110,		12846, 12850, 15035	
18917,	18930,	8137, 8140, 10352,		\@tempx 6095,	
18934,	18947,	10353, 10354,		6096, 12442, 12454	
18951,	18964,	10469, 10470,		\@tempxi 6098,	
18968,	18981,	10471, 10785,		6099, 12473, 12485	
18985,	18999,	10786, 10787,		\@tempxii 6101,	
19003,	19018,	10788, 10790,		6102, 12504, 12516	
19022,	19038,	11828, 11829,		\@tempy 2137, 2138	
19042,	19073,	11835, 11836,		\@tempyi 2140, 2141	
19077,	19261,	11838, 11839,		\@tempyii 2143, 2144	



<code>\@tencol@footgroupv@r</code>	1928, 6391, 6397,	9614, 9626, 9706,
..... 10147	6568, 6574, 6655,	9716, 9726, 9752,
<code>\@tencollTRfootfmt</code>	6663, 6691, 6699,	9765, 9777, 9857,
. 10171, 10192, 10220	8378, 8384, 8412,	9867, 9877, 9903,
<code>\@tencollTRfootnotetext</code>	8418, 8473, 8481,	9916, 9928, 10008,
..... 10142, 10164	8509, 8517, 10697,	10018, 10028,
<code>\@tencolRTLfootfmt</code>	10703, 10731,	10054, 10067,
. 10181, 10195, 10232	10737, 11406,	10079, 10159,
<code>\@tencolRTLfootnotetext</code>	11420, 11423,	10169, 10179,
..... 10143, 10174	14234, 14257,	10205, 10218,
<code>\@tencolfootfmt ...</code>	15688, 15694,	10230, 10364,
. 10161, 10189, 10207	15733, 15739,	10376, 10388,
<code>\@tencolfootnotetext</code>	15827, 15835,	10414, 10428,
..... 10141, 10154	15874, 15882,	10442, 10716,
<code>\@testopt</code> 2815,	16077, 16085,	10719, 11243,
2833, 13448, 13449	16118, 16126,	11248, 11252,
<code>\@testpach</code> 355, 1380,	16264, 16272,	11257, 11279,
1425, 18589, 20654	16300, 16308,	11296, 11312,
<code>\@texfileextension</code>	16663, 16707,	11340, 11354,
..... 2600, 2603	16716, 17212,	11368, 11411,
<code>\@textbottom</code>	17256, 17265,	11416, 11426,
.. 10546, 16605,	17911, 17955, 17964	11431, 11721,
16612, 16861,	<code>\@thefnmark</code> 44, 58, 74,	12224, 12235,
16866, 17154,	257, 271, 286, 457,	12246, 12257,
17161, 17441,	460, 747, 809, 811,	12375, 12413,
17446, 17853,	999, 1063, 1249,	12446, 12477,
17860, 18124, 18129	1311, 1313, 1917,	12508, 12571,
<code>\@textsuperscript</code> .	1920, 2160, 2168,	12808, 15657,
457, 460, 747, 809,	2176, 5131, 5133,	15719, 15721,
811, 999, 1063,	5167, 5185, 5203,	15796, 15860,
1249, 1311, 1313,	5229, 5235, 5258,	15862, 16056,
1917, 1920, 5131,	5264, 5287, 5293,	16063, 16099,
5133, 6360, 6537,	6116, 6123, 6130,	16106, 16285, 16288
6676, 6679, 8397,	6360, 6537, 6676,	<code>\@thefoot</code> 10957,
8400, 8494, 8497,	6679, 8397, 8400,	10960, 10964,
10716, 10719,	8494, 8497, 8710,	20988, 20994,
14241, 15657,	8726, 8742, 8755,	21002, 21005, 21045
15719, 15721,	8768, 8781, 8825,	<code>\@thehead</code> 10956,
15796, 15860,	8829, 8831, 8837,	10959, 10963,
15862, 16056,	8841, 8843, 8849,	20988, 20994,
16063, 16099,	8853, 8855, 8958,	21001, 21004, 21024
16106, 16285, 16288	8968, 8978, 9004,	<code>\@themargin</code> ... 11011,
<code>\@texttop</code> 10542	9017, 9029, 9109,	11872, 11874,
<code>\@tfor</code> 2205, 10780	9118, 9127, 9152,	11879, 11881,
<code>\@thanks</code> 436,	9164, 9175, 9253,	11885, 11887,
444, 472, 480,	9263, 9273, 9299,	20990, 20992,
778, 784, 823, 829,	9312, 9324, 9404,	20996, 20998, 21017
1030, 1036, 1075,	9414, 9424, 9450,	<code>\@thm</code> 14923, 14944
1081, 1280, 1286,	9463, 9475, 9555,	<code>\@thmcountersep</code> 353, 20453
1325, 1331, 1922,	9565, 9575, 9601,	<code>\@threecol@footgroupv@r</code>



..... 9097	17298, 17300,	20085, 20087,
\@threecolLTRfootfmt	17885, 17887,	20099, 20102,
... 9120, 9139, 9166	17970, 17997, 17999	20103, 20105, 20108
\@threecolLTRfootnotetext	\@tocextra	\@todonotes@text ..
..... 9092, 9113	.. 18793, 18794,	.. 20049, 20051,
\@threecolRTLfootfmt	18798, 18800, 18803	20060, 20062,
... 9129, 9142, 9177	\@tocline .. 2, 207, 12814	20085, 20087,
\@threecolRTLfootnotetext	\@tocpagenum 15, 220, 12827	20100, 20106, 20109
..... 9093, 9122	\@tocrmarg ... 14625,	\@todonotes@textwidth
\@threecolfootfmt .	14637, 14649, 20083
... 9111, 9136, 9154	18837, 18868,	\@toodeep
\@threecolfootnotetext	18891, 18908,	20460
..... 9091, 9104	18925, 18942,	\@topnum ... 111, 324,
\@title	18959, 18976,	469, 820, 1072,
426, 447, 483, 497,	18994, 19013,	1322, 5742, 6688,
756, 758, 786, 831,	19033, 19068,	8409, 8506, 10728,
844, 1008, 1010,	19119, 19397,	12836, 14254,
1038, 1083, 1096,	19860, 19977, 20671	15730, 15871,
1258, 1260, 1288,	\@todonotes@MissingFigureDown	16115, 16297,
1333, 1347, 1358, 20139	16704, 17253, 17952
1931, 2320, 2381,	\@todonotes@MissingFigureText	\@topsep ... 14937, 14957
5664, 5749, 6369, 20116	\@topsepadd
6371, 6399, 6546,	\@todonotes@MissingFigureUp	.. 2048, 14938, 14958
6548, 6576, 6645, 20138	\@totalleftmargin .
6666, 6702, 6716,	\@todonotes@author	.. 11589, 11593,
7766, 8368, 8387, 20049,	11596, 11605,
8421, 8433, 8463,	20060, 20085, 20103	13586, 14940,
8484, 8520, 8534,	\@todonotes@currentfigcolor	14941, 14960,
10687, 10706, 20120	14961, 15487,
10740, 10752,	\@todonotes@currentfigheight	15501, 20479,
14235, 15666, 20121	20481, 20487,
15668, 15696,	\@todonotes@currentfigwidth	20489, 20493,
15741, 15754, 20121,	20495, 20499,
15805, 15807,	20123, 20133, 20136	20501, 20503,
15837, 15884,	\@todonotes@drawInlineNote	20550, 20552,
15900, 15911, 20044	20553, 20554,
16067, 16088,	\@todonotes@drawLineToLeftMargin	20559, 20561,
16129, 16143, 20072, 20075	20562, 20563,
16254, 16275,	\@todonotes@drawLineToRightMargin	20568, 20570,
16311, 16325, 20072, 20075	20571, 20572,
16648, 16719,	\@todonotes@drawMarginNote	20577, 20579,
16761, 17197,	.. 20071, 20074, 20078	20580, 20581, 20960
17268, 17310,	\@todonotes@drawMarginNoteWithLine	\@traditionalpoem .
17896, 17967, 18009 20066 6037, 6136
\@titlecolour . 2350, 2367	\@todonotes@ifdisabled	\@trivlist
\@titlehead 20145	.. 14934, 14954, 20472
.. 16637, 16639,	\@todonotes@sizecommand	\@twocol@footgroupv@r
16722, 16749, 20049, 8946
16751, 17186,	20051, 20058,	\@twocolLTRfootfmt
17188, 17271,	20060, 20062,	... 8970, 8991, 9019



\@twocollTRfootnotetext	\@width	\@xfloat
..... 8941, 8963	31, 245, 393, 543, 728,	2180
\@twocolRTLfootfmt	963, 1208, 1498,	\@xfootnote
... 8980, 8994, 9031	6332, 6485, 6761, 2123,
\@twocolRTLfootnotetext	6966, 7188, 7253,	2245, 5985, 5996,
..... 8942, 8973	7328, 7502, 7796,	6209, 6223, 12569
\@twocolfootfmt	8352, 8651, 8698,	\@xfootnotemark
... 8960, 8988, 9006	10653, 10884,	.. 12254
\@twocolfootnotetext	11190, 11192,	\@xfootnotenext
..... 8940, 8953	11567, 11644, 2122, 2244,
\@twosidefalse	11690, 12805,	5984, 5995, 6208,
.... 4257	12876, 13468,	6222, 12221, 18535
\@twosidetrue	13522, 13608,	\@xiipt
.... 4252	14455, 14557, 5505
\@typeset@protect	14700, 14714,	\@xipt
..... 2076,	14788, 15609, 5504
2082, 2088, 2103	16032, 16188,	\@xivpt
\@undeclaredcolor	16370, 16607, 313, 5506
..... 6979,	16862, 17156,	\@xmakeintext
6987, 20236, 20237	17442, 17855,	.. 810,
\@undefined	18125, 18462,	1312, 15720, 15861
..... 2134, 13453, 14355	18501, 20637,	\@xp
\@undottedtocline	20755, 20804, 20951 121, 318,
14622	\@x	343, 344, 6880, 12846
\@unexpandable@protect 6153, 6154	\@xpt
..... 2866, 4154	\@xsf 4273
\@unrecurse	5140, 5145, 5151, 5154	\@xthm
.. 18486, 18489	\@xLTRfootnote 14942, 14962
\@uppertitleback 2125, 2247,	\@xtitle
.. 16667,	5987, 5998, 6211, 330
16725, 17216,	6225, 11251, 11254	\@xxpt
17274, 17915, 17973	\@xLTRfootnotenext 5507
\@urlbordercolor 2124,	\@xxxii
.. 12673, 12675	2246, 5986, 5997, 2231
\@urlcolor	6210, 6224, 11410,	\@xympar
..... 12687	11413, 12243, 18536
\@viipt	\@xRTLfootnote	4827, 4831, 4871,
..... 4282, 2127, 2249,	4875, 4915, 4919,
5502, 14978, 14991	5989, 6000, 6213,	20844, 20848,
\@viipt	6227, 11242, 11245	20888, 20892, 20955
5502, 14978, 14991	\@xRTLfootnotenext	\@yargdef
\@vipr 2126, 2835
7215, 7217, 7219,	2248, 5988, 5999,	\@ympar
7274, 7276, 7278,	6212, 6226, 11425, 20952
7291, 7355, 7401,	11428, 12232, 18537	\@ythm
7529, 7578, 14582,	\@xaddress 14942, 14962
14597, 14599, 14604 331	\[
\@viproutput	\@xauthor 6161, 10899
.. 7221, 7280 331	\
\@vipt	\@xcolor 122, 407, 754,
..... 5503	.. 20244, 20287	799, 1006, 1051,
\@vpt	\@xcurraddr	1256, 1301, 2131,
..... 5503 332	2428, 2434, 2513,
\@whilenum	\@xemail	3276, 3292, 3296,
..... 12981 332	3517, 3519, 3520,
\@whiles	\@xepersian@pdfcustomproperties	3521, 3529, 3534,
.. 7213, 7272, 1755	3535, 3537, 4587,
10855, 10895,		4588, 4589, 4591,
10979, 11655,		5551, 5920, 6058,
11707, 14473,		6367, 6544, 7654,
14570, 20772, 20815		7655, 7658, 7674,
\@wholewidth		7761, 7766, 7773,
..... 10782, 10784, 10802		7783, 7787, 8631,
		8635, 8644, 12076,
		12079, 12092,
		12095, 12195,
		12616, 12631,
		12650, 12847,
		12867, 12871,



13035, 13036,	\abstractname 632, 638,	\addtocounter 12977, 12978
13042, 13043,	641, 939, 945, 947,	\addtolength . . . 183,
13446, 13591,	1191, 1197, 1200,	2302, 2303, 2304,
15053, 15065,	6308, 6496, 15536,	2305, 2306, 2307,
15428, 15429,	15542, 15545,	2405, 2406, 2408,
15441, 15442,	15986, 15992, 15995	2410, 2411, 2414,
15454, 15455,	\Acrobatmenu 12692	4359, 4362, 4363,
15467, 15664,	\active 5937,	4366, 5517, 7752,
15709, 15803,	5938, 5940, 5941	7753, 7754, 8143,
15850, 17803,	\add@strip 14606	11929, 11930,
18453, 18468,	\addcontentsline . .	12933, 12937,
18484, 18485,	. . 556, 558, 2425,	12939, 12941,
18658, 18687,	4566, 8308, 8310,	12942, 12943,
20082, 20089,	13102, 13107,	12944, 12963,
20435, 20584,	14367, 18776,	12965, 12966,
20627, 20643, 20653	18783, 18800, 20116	12968, 12969,
\{ 1993, 13728, 13772	\addfontfeature 2348,	12971, 12972,
\} 1994, 13728, 20440	2349, 2350, 2351,	12973, 12983,
\] . . 188, 204, 6162, 10909	2352, 2353, 2355, 2356	12984, 16582,
\^ 1764,	\addpenalty 5,	16585, 16586,
5937, 5938, 5940, 5941	210, 512, 529, 664,	16589, 16591,
\` 11587, 13583, 15483, 15497	682, 689, 891, 908,	16929, 16930,
\ . . . 11466, 11467, 11582	926, 1147, 1165,	17131, 17134,
	1173, 6267, 6283,	17135, 17138,
Numbers	6290, 6444, 6460,	17140, 17509,
\0 1742	6467, 6731, 6746,	17510, 17704,
\1 . . . 13670, 13721, 13773	8280, 8294, 8549,	17709, 17711,
\9 1742	10603, 10618,	17830, 17833,
	12817, 15568,	17834, 17837,
	15584, 15591,	17839, 18192,
_ 1600, 1816, 5033, 5037,	15940, 15956,	18193, 18719,
5052, 5056, 5071,	15963, 16156,	18720, 19400,
5075, 5103, 5107,	16170, 16340,	19406, 19410, 19414
11459, 11461, 17797	16355, 18700,	\addvspace 5,
A	18702, 18830,	210, 513, 530, 665,
\abovecaptionskip .	18832, 18865,	683, 690, 892,
. 13071,	18887, 19251,	909, 927, 1148,
13510, 13512,	19254, 19258,	1166, 1174, 5545,
14294, 14344,	19359, 19362, 19366	5602, 6268, 6284,
16952, 16956,	\address 331, 2382	6445, 6461, 6732,
16971, 16979,	\addresscolour	8281, 8295, 8550,
17532, 17536,	2351, 7606, 7704,	10604, 12817,
17551, 17559,	7710, 7716, 7722, 7728	15569, 15585,
18215, 18219,	\addressfont	15941, 15957,
18234, 18242, 21061	2360, 2368, 2479,	16157, 16341,
\abovedisplayshortskip	7644, 7672, 7736, 7770	18834, 18888,
. . . 4275, 4284, 5494	\addresssymbol	19252, 19259,
\abovedisplayskip 2342, 7674, 7773	19360, 19363,
4274, 4277, 4283,	\addresstyle 2368	19367, 19394, 19794
4290, 4324, 5493, 5500	\addtocontents . . . 19116	\adjmc@inner 134



\adjmc@outer	136	2498, 3386, 3537,	14598,	14607,
\adjmc@page@sofar@orig		3543, 3553, 3608,	14629,	14642,
.....	164	3625, 3634, 4166,	14654,	14667,
\adjmult@cols	163	4775, 5481, 5556,	14935,	14939,
\adjmulticols	132	5907, 5915, 5916,	14940,	14955,
\adl@act@classz ...	1501	6081, 6194, 6297,	14959,	14960,
\adl@act@CT@setup .		6319, 6474, 6507,	14968,	15060,
.....	1459, 1466	6753, 6816, 6965,	15082,	15110,
\adl@activate .	1376, 1459	6973, 6974, 7014,	15117,	15159,
\adl@argarraydashrule		7126, 7291, 7292,	15164,	15165,
.....	1395, 1433	7301, 7362, 7363,	15166,	15195,
\adl@array ...	1373, 1378	7378, 7398, 7401,	15196,	15222,
\adl@arraydashrule		7402, 7411, 7413,	15233,	15388,
.....	1394, 1432	7419, 7420, 7423,	15390,	15395,
\adl@arrayinit ...	1375	7426, 7429, 7472,	15398,	15421,
\adl@arrayrestore .	1370	7537, 7538, 7553,	15598,	15625,
\adl@arrayrule	1393, 1431	7573, 7574, 7804,	15970,	16019,
\adl@box .	1416, 1418, 1419	7814, 7815, 7825,	16060,	16103,
\adl@class@iiiorvii		7835, 7836, 7852,	16177,	16213,
.....	1422, 1455	7853, 7854, 7871,	16362,	16416,
\adl@class@start ..		7880, 7887, 7909,	16481,	16818,
.....	1421, 1454	7910, 7911, 7925,	17398,	17801,
\adl@CT@setup		7932, 7939, 8087,	18081,	18414,
... ..	1458, 1461, 1462	8088, 8101, 8103,	18485,	18499,
\adl@depth	1465	8106, 8107, 8108,	18509,	18529,
\adl@endarray	1370	8287, 8340, 8611,	18624,	18659,
\adl@endmbox	1417	8932, 8934, 10625,	18675,	18688,
\adl@everyvbox	1374, 1375	10667, 10782,	18692,	18724,
\adl@extract@arc ..	1470	10784, 10786,	18725,	18745,
\adl@extract@dgc ..	1473	10792, 10793,	18846,	18877,
\adl@extract@drsc .	1471	10800, 10801,	18900,	18917,
\adl@height	1464	10802, 10972,	18934,	18951,
\adl@inactivate	1376, 1458	10973, 11462,	18968,	18985,
\adl@LT@array	12743	11476, 11489,	19003,	19022,
\adl@noalign	1377	11490, 11522,	19042,	19077,
\adl@org@activate .	1459	11527, 11528,	19118,	19267,
\adl@org@classz ...	1502	11531, 11540,	19268,	19376,
\adl@org@endpbox ..	1460	11604, 11732,	19427,	19783,
\adl@org@inactivate	1458	12578, 12588,	19803,	19808,
\adl@putlrc	1413, 1414,	12778, 12824,	19858,	19859,
1415, 1443, 1444,		12951, 12954,	19860,	19863,
1445, 1451, 1452, 1453		12955, 12985,	19867,	19892,
\adl@startmbox	1416	13461, 13473,	19903,	19982,
\advance	12, 90, 217, 303,	13539, 14408,	20005,	20159,
321, 389, 536, 580,		14410, 14437,	20161,	20171,
696, 715, 882, 898,		14438, 14441,	20190,	20191,
978, 1180, 1228,		14508, 14510,	20220,	20231,
1463, 1497, 1742,		14537, 14538,	20232,	20462,
1743, 1890, 1895,		14541, 14595,	20475,	20476,
2212, 2226, 2232,		14596, 14597,	20479,	20481,



20487, 20489,	\algomargin 180, 183	15701, 15704,
20493, 20495,	\algowidth . 178, 180, 201	15746, 15814,
20499, 20501,	\alignL 6912	15842, 15845,
20611, 20612,	\alignR 6919	15889, 15913,
20676, 20702,	\allowbreak 7810,	16092, 16133,
20924, 20925,	7831, 8990, 8993,	16279, 16315,
20932, 20933,	8996, 9077, 9138,	16738, 17287, 17986
20934, 20935, 20960	9141, 9144, 9221,	\andify 116, 12841
\afterassignment . .	9285, 9288, 9291,	\andname . . 799, 1051,
1602, 1604, 1818,	9372, 9436, 9439,	1301, 15709, 15850
1820, 2867, 3617,	9442, 9523, 9587,	\andnext 14233
5005, 18559, 18560	9590, 9593, 9674,	\AppendToList 3485
\aftergroup 2030,	9738, 9741, 9744,	\arabic 19,
2040, 3824, 3826,	9825, 9889, 9892,	20, 21, 22, 86, 224,
3836, 3838, 3848,	9895, 9976, 10040,	225, 226, 227, 299,
3850, 3868, 3870,	10043, 10046,	339, 10935, 10941,
3879, 3881, 3890,	10127, 10191,	12774, 12831,
3892, 4989, 5004,	10194, 10197, 10278	12832, 12833,
6977, 6979, 6986,	\Alph 14276	12834, 19058, 21127
6992, 7011, 11000,	\AM@CheckAtEnd . . . 15073	\array 410, 20651
11002, 15278,	\AM@ClearShipoutPicture	\arraycolsep 410
15279, 15282, 15075	\arraylinesep 18492
15287, 15288,	\AM@currentdocname	\arrayrulecolor . . . 1470
15292, 15297, 15038, 15044	\arrayrulewidth . . 18509
15298, 15302,	\AM@findfile 15042	\arraystretch 391, 392,
15306, 15310,	\AM@output 15071	2024, 2035, 13466,
15314, 18693,	\AM@pagecount 15040	13467, 18460,
19785, 20225,	\AM@pageref . 15055, 15058	18461, 18496,
20234, 20236,	\AM@pagetemp	20448, 20635, 20636
20273, 20277,	. . 15048, 15053,	\aslice . 15202, 15203,
20330, 20341,	15054, 15057,	15205, 15207,
20342, 20345,	15065, 15066, 15070	15208, 15210,
20350, 20351,	\AM@readlist 15070	15223, 15224, 15226
20355, 20360,	\AM@split@options 15034	\At@ViperColsBreak
20361, 20365,	\AM@temp . . . 15035, 15036	. . . 7440, 7450, 7454
20370, 20374,	\AM@threadname	\AtBeginCaption . . 13113
20379, 20539,	. 15033, 15043, 15044	\AtBeginDocument . .
20970, 20980, 20981	\AM@xrprefix 1593, 1715,
\AlFnt 185	. 15051, 15055, 15058	2317, 2377, 2474,
\ALG@floatstyle . . .	\and 451, 487,	3179, 4219, 4368,
. . . 4790, 4791, 4792	765, 791, 794, 836,	4595, 4729, 4734,
\algocf@algobox . . . 177	1017, 1043, 1046,	4787, 5598, 5798,
\algocf@algoframe .	1088, 1267, 1293,	5863, 7683, 7797,
. . 171, 172, 173, 174	1296, 1338, 1360,	7818, 7839, 8247,
\algocf@endline . . . 188	1935, 6378, 6404,	11319, 12193,
\algocf@float 21127	6555, 6581, 6670,	13121, 13128,
\algocf@makethealgo 198	6706, 8391, 8425,	13211, 18475, 19932
\algocf@within	8488, 8524, 10710,	\AtBeginPackage . . 14337
. 166, 168,	10744, 14232,	\AtEndDocument . 1746,
21129, 21130, 21131	15037, 15675,	2481, 3192, 4071,



6090, 6146, 13713,	12930,	12949,	10115,	10130,
13764, 13782, 20723	12957,	13482,	10135,	10155,
\AtEndOfClass 2316	13492,	13589,	10165,	10175,
\AtPageLowerLeft . . 8077	13606,	15157,	10201,	10213,
\AtPageUpperLeft . .	15160,	15174,	10226,	10253,
. . . 8077, 8091, 8109	15198,	15202,	10266,	10281,
\AtTextUpperLeft . .	15207,	15211,	10286,	10348,
. 8081, 8097	15223,	15234,	10360,	10372,
\author 331,	15261,	15490,	10384,	10409,
449, 485, 789, 834,	15504,	15608,	10423,	10437,
1041, 1086, 1291,	15610,	15614,	10465,	10478,
1336, 1933, 5648,	15616,	16031,	10492, 10514, 10522	
5680, 6402, 6579,	16033,	16037,	\BCmd 2029	
6668, 6704, 8389,	16039,	17795,	\BDefaboveskip	
8423, 8486, 8522,	17798,	17800,	. . . 2044, 2059, 2062	
10708, 10742,	17805,	18471,	\BDefbelowskip	
15699, 15744,	18510,	20159,	. . . 2048, 2060, 2063	
15840, 15887,	20167,	20171,	\BDefinlineskip	
16090, 16131,	20647, 21014, 21042		. . . 2053, 2061, 2064	
16277, 16313,	\baselinestretch 2332,		\begin 171,	
16728, 17277, 17976	5161, 5179, 5197,		173, 177, 415, 425,	
\auto@footnoterule	8704, 8720, 8736,		430, 493, 501, 739,	
. 11206, 11217	8752, 8765, 8778,		752, 763, 842, 848,	
\autodot 16785,	8954, 8964, 8974,		991, 1004, 1015,	
17333, 18032, 19995	9000, 9012, 9025,		1094, 1100, 1241,	
\autofootnoterule .	9052, 9065, 9080,		1254, 1265, 1345,	
1670, 7790, 8692,	9085, 9105, 9114,		1351, 1360, 1362,	
11215, 11717, 21079	9123, 9148, 9159,		1363, 2023, 2025,	
	9171, 9197, 9209,		2034, 2036, 2039,	
	9224, 9229, 9249,		2432, 2436, 2438,	
B	9259, 9269, 9295,		2440, 2442, 2446,	
\backmatter	9307, 9320, 9347,		2454, 2457, 2492,	
. . . 5852, 6801, 8596	9360, 9375, 9380,		2537, 2541, 2561,	
\baselineskip . . 405,	9400, 9410, 9420,		2565, 2592, 3227,	
727, 729, 733,	9446, 9458, 9471,		3233, 3255, 3259,	
735, 1207, 1209,	9498, 9511, 9526,		3928, 4374, 4375,	
1213, 1215, 2807,	9531, 9551, 9561,		4388, 4391, 4465,	
4301, 4303, 4306,	9571, 9597, 9609,		4466, 4472, 4473,	
4308, 4310, 4313,	9622, 9649, 9662,		4480, 4481, 4506,	
4468, 5098, 5165,	9677, 9682, 9702,		4507, 4544, 4547,	
5183, 5201, 5318,	9712, 9722, 9748,		4550, 4553, 4557,	
5327, 5336, 5417,	9760, 9773, 9800,		4558, 4742, 4743,	
5424, 5431, 5438,	9813, 9828, 9833,		5361, 5417, 5424,	
5445, 5545, 5602,	9853, 9863, 9873,		5431, 5438, 5445,	
5945, 6006, 6070,	9899, 9911, 9924,		5458, 5466, 5588,	
6076, 6331, 6333,	9951, 9964, 9979,		5593, 5726, 5773,	
6337, 6339, 6484,	9984, 10004,		5796, 6178, 6352,	
6486, 6490, 6492,	10014, 10024,		6365, 6376, 6529,	
7127, 7128, 7145,	10050, 10062,		6542, 6553, 6597,	
7149, 7364, 7539,	10075, 10102,		6609, 6634, 6644,	
11008, 11477,				



6649, 6712, 6720,	18738, 20046,	12233, 12244,
7030, 7040, 7053,	20053, 20056,	12255, 12353,
7063, 7076, 7086,	20067, 20080,	12373, 12411,
7099, 7109, 7658,	20083, 20090,	12444, 12475,
7764, 7769, 7787,	20096, 20119,	12506, 12740,
7956, 7959, 7963,	20123, 20129, 20136	12755, 12818,
7965, 7970, 7972,	\begin@bidi@stack .	12844, 12898,
7976, 7979, 7982, 2531, 2541,	13105, 13470,
7986, 7988, 7992,	2542, 2555, 2565, 2566	14239, 14369,
7994, 7998, 8001,	\begin@group 6, 119, 211,	14470, 14567,
8004, 8008, 8010,	312, 325, 382, 394,	14771, 14775,
8015, 8017, 8166,	455, 515, 532, 666,	14779, 15031,
8232, 8359, 8367,	692, 806, 894, 910,	15079, 15370,
8372, 8431, 8437,	1058, 1149, 1176,	15570, 15594,
8452, 8462, 8467,	1308, 1489, 1915,	15716, 15857,
8530, 8538, 8630,	2158, 2166, 2174,	15942, 15966,
10678, 10686,	2513, 2532, 2556,	16096, 16158,
10691, 10750,	2775, 2794, 2933,	16173, 16283,
10756, 10902,	2979, 2986, 3016,	16343, 16358,
11944, 11949,	3032, 3048, 3088,	16692, 16808,
11967, 12070,	3096, 3129, 3177,	16901, 17241,
12072, 12086,	3467, 3469, 3491,	17388, 17481,
12088, 12866,	3501, 3511, 3641,	17940, 18071,
14382, 14975,	3718, 3742, 3757,	18164, 18558,
15649, 15662,	3823, 3834, 3846,	18672, 18696,
15673, 15752,	3867, 3877, 3888,	18835, 19262,
15758, 15786,	4038, 4152, 4164,	19370, 19781,
15801, 15812,	4199, 4568, 4987,	19898, 20238,
15896, 15904,	5233, 5262, 5291,	20281, 20330,
15913, 15915,	5665, 5682, 5698,	20426, 20539,
15916, 16046,	5710, 5743, 6047,	20769, 20812, 20970
16066, 16071,	6114, 6121, 6128,	\beginL 1474,
16147, 16243,	6158, 6269, 6293,	1629, 1845, 2479,
16253, 16258,	6446, 6470, 6674,	4849, 4893, 6942,
16321, 16329,	6734, 6749, 6838,	6971, 6977, 6979,
16618, 16638,	6957, 7011, 7020,	7011, 8963, 9015,
16643, 16653,	7210, 7269, 8082,	9113, 9162, 9258,
16666, 16670,	8098, 8283, 8296,	9310, 9409, 9461,
16750, 16756,	8395, 8492, 8551,	9560, 9612, 9711,
16767, 16809,	10347, 10464,	9763, 9862, 9914,
17167, 17187,	10605, 10621,	10013, 10065,
17192, 17202,	10714, 10854,	10164, 10216,
17215, 17219,	10892, 10976,	10367, 10379,
17299, 17305,	10992, 11246,	10417, 10431,
17316, 17389,	11255, 11414,	10795, 10906,
17866, 17886,	11429, 11436,	10921, 11091,
17891, 17901,	11488, 11521,	11723, 11729,
17914, 17918,	11652, 11704,	11738, 11758,
17998, 18004,	11757, 11773,	11774, 11784,
18015, 18072,	11943, 12222,	12577, 13074,



15080,	15272,	21024,	21045,	13476,	13516,
15278,	15294,	21064,	21067, 21075	13550,	13553,
15370,	16528,	\belowcaptionskip .		13573,	14582,
16539,	16546, 13084,		15091,	15280,
16556,	18626,	13510,	13512,	15286,	15290,
20229,	20234,	14335,	14352,	15296,	15300,
20236,	20330,	16950,	16958,	15305,	15308,
20335,	20341,	16969,	16981,	15313,	15544,
20357,	20866,	17530,	17538,	15994,	18450,
20944, 21024, 21045		17549,	17561,	18458,	18466,
\beginR	346,	18213,	18221,	18472,	18503,
351, 382, 407,		18232, 18244, 21069		18507,	18511,
1475, 2128, 4849,		\belowdisplayshortskip		19890,	20343,
4937, 6869, 6943,		... 4276, 4285, 5495		20349,	20353,
6972, 6977, 6986,		\belowdisplayskip .		20359,	20363,
6992, 7011, 8075,	 4277,		20369,	20372,
8925, 8929, 10367,		4290, 4325, 5500		20378,	20426,
10391,	10417,	\bf 1851, 15143, 15145		20432,	20624,
10445,	10931,	\bfseries ... 25, 313,		20633, 20641, 20649	
11725,	11730,	519, 535, 564, 567,		\bib@after@hook 16853,	
11787,	11826,	671, 695, 897, 915,		16855,	17433,
11833,	12202,	1154, 1179, 1635,		17435, 18116, 18118	
12210,	12592,	1979, 2449, 5725,		\bib@before@hook ..	
12628,	12660,	6274, 6296, 6451,	 16803,	
12689,	12715,	6473, 6598, 6610,		16854,	17383,
12721,	12728,	6738, 6752, 6784,		17434, 18066, 18117	
12859,	13074,	6790, 6798, 8286,		\bib@beginhook 16796,	
13486,	13550,	8301, 8316, 8319,		16802,	17376,
13553,	13563,	8328, 8555, 8578,		17382, 18059, 18065	
13654,	13662,	8584, 8593, 10610,		\bib@endhook	
13853,	14179,	10624,	10635,	. 16857, 17437, 18120	
14345,	14347,	10640,	10648,	\bib@heading	
15147,	15272,	12813,	15575,	. 16798, 17381, 18064	
15279,	15284,	15597,	15947,	\bibcleanup	14882
15366,	15367,	15969,	16143,	\bibentry	5035,
15368,	16522,	16162,	16176,	5037, 5054, 5056,	
16532,	16543,	16347,	16361,	5073, 5075, 5105, 5107	
16550,	16944,	16392,	16397,	\bibfont	14861
17524,	18207,	16405,	19266,	\bibindent ...	2483, 2484
18450,	18472,	19375,	19724,	\bibitem@fin	14876
18511,	18633,	19728, 19733, 19762		\bibliofont 85, 298, 12773	
20230,	20234,	\bgroup 179, 180,		\bibliographyitemlabel	
20273,	20277,	382, 397, 402, 407,	 2485, 2492	
20330,	20335,	640, 1199, 1475,		\bibname ..	5581, 5582,
20342,	20347,	1606, 1822, 2118,		6312, 6313, 6500,	
20594,	20597,	2240, 5979, 6204,		6501, 6809, 6810,	
20600,	20617,	6218, 6871, 6943,		8604, 8605, 10660,	
20624,	20649,	10906,	10907,	10661,	15618,
20910,	20944,	10921,	11380,	15619,	16012,
20961,	20963,	11541,	13474,		



16013, 16206, 16207, 16409, 16410 \bibpostamble 14877 \bibpreamble 14860, 16799, 16800, 17378, 17379, 18061, 18062 \bibsection 5576, 5579, 5581, 5582, 14379, 14858, 18735, 18737 \bidi@@convert@dimen@t@pt 2713 \bidi@@convert@dimen@t@unit 2710 \bidi@@diagbox@double@ii 7957, 7961 \bidi@@diagbox@double@iii 7960, 7968 \bidi@@diagbox@triple@setbox@SECTabular@i ... 7977, 7980, 7984 \bidi@@diagbox@triple@setbox@SECTabular@ii 7983, 7990 \bidi@@diagbox@triple@setbox@SECTabular@iii 7999, 8006 \bidi@@diagbox@triple@setbox@SECTabular@iiii ... 8002, 8005, 8013 \bidi@@end ... 3218, 3222 \bidi@@footnotetext@font .. 38, 251, 5163, 11266, 11273, 11364 \bidi@@loadwithoptions 3737, 3744, 3747, 3751 \bidi@@LTRfootnotetext@font .. 68, 280, 5181, 11267, 11306, 11350 \bidi@@null ... 3359, 3360 \bidi@@onefilewithoptions ... 3759, 3762, 3765 \bidi@@patchcmd 2981, 2983 \bidi@@RTLfootnotetext@font .. 52, 265, 5199, 11268, 11290, 11336 \bidi@@thebibliography@font@hook ... 88, 301, 576, 711, 974, 1224, 2491, 6315, 6503, 6812, 8336, 8607, 10663, 12776, 14381, 14863,	15621, 16015, 16209, 16412, 16812, 17392, 18075, 18741, 20457 \bidi@addto@envbody ... 2527, 2545, 2547 \bidi@addto@long@envbody ... 2551, 2569, 2571 \bidi@AfterAtEndOfClass 3826, 3831 \bidi@AfterAtEndOfPackage 3870, 3874 \bidi@AfterClass .. 3814 \bidi@AfterEndDocument ... 3209, 3214, 3220 \bidi@afterenddocumenthook 3209, 3210, 3215, 3221 \bidi@AfterEndEnvironment 3264, 3274 \bidi@AfterEndPreamble 3182, 3186, 3188, 3189, 5739, 5762 \bidi@afterendpreamblehook 3183, 3187, 3189 \bidi@AfterFile 3811, 16961, 17541, 18224 \bidi@AfterFooter 3161, 21047 \bidi@afterfooterhook .. 3161, 3162, 21048 \bidi@AfterLastShipout ... 3194, 3200, 3206 \bidi@afterlastshipouthook 3194, 3195, 3201, 3207 \bidi@AfterOutputBoxOutputPage .. 3155, 11020, 21033 \bidi@afteroutputboxoutputpagehook 3155, 3156, 11021, 21034 \bidi@AfterOutputPageShipOut 3165, 11028, 21051 \bidi@afteroutputpageshipouthook 3165, 3166, 11029, 21052 \bidi@AfterPackage 3859 \bidi@AfterPreamble .. 3179, 3180, 13018	\bidi@AfterReadingMainAux 4141, 4144 \bidi@append .. 3090, 3140 \bidi@append@cslist@to@cslist 3476, 3545 \bidi@append@list@to@list 3474, 3554 \bidi@append@to@list 3455, 3473 \bidi@append@toks@cs@to@list 3478 \bidi@appto 2869, 2913, 3185, 4181 \bidi@apptocmd 3086, 3087 \bidi@care@these@correct 3452, 3455 \bidi@AtBeginEnvironment 3224, 3234 \bidi@AtEndEnvironment 3238, 3248 \bidi@AtEndOutputPage .. 3168, 11034, 21057 \bidi@atendoutputpagehook 3168, 3169, 11035, 21058 \bidi@AtEndPreamble 3143, 3173, 3175, 3180, 4221, 5019, 13087 \bidi@autofooterulefalse .. 11194, 11198, 11201 \bidi@autofooteruletrue 11216 \bidi@backslash 3276, 3277 \bidi@BeforeBeginEnvironment 3252, 3260 \bidi@BeforeClass .. 3812 \bidi@BeforeClosingMainAux ... 4104, 4115, 4119, 4122, 4130, 4133 \bidi@BeforeFile .. 3810 \bidi@BeforeFooter 3158, 21040 \bidi@beforefooterhook .. 3158, 3159, 21041 \bidi@BeforeHeader .. 3149, 11013, 21018 \bidi@beforeheaderhook 3149, 3150, 11014, 21019
--	---	---



\bidi@BeforeOutputBoxOutputPage	\bidi@Csepreto 2923, 2926	\bidi@empty
. 3152, 11017, 21030	\bidi@Csgappto . 2915,	. . . 3358, 3361, 3362
\bidi@BeforeOutputBoxOutputPageHook	345, 3239, 3253, 3265	\bidi@empty@stack .
. 3152,	\bidi@Csgpreto 2924 3535, 3541
3153, 11018, 21031	\bidi@Cslet 2787	\bidi@empty@toks . .
\bidi@BeforeOutputPageShipOut	\bidi@Csletcs 2784	. . . 3548, 3551, 3555
. 3146, 10997, 20976	\bidi@Csname . . . 3300,	\bidi@endpreamblehook
\bidi@BeforeOutputPageShipPouthook	3451, 3457, 3494, 3528 3143,
. 3146,	\bidi@Cspreto 2922	3144, 3174, 3176
3147, 10998, 20977	\bidi@Csprotect . . . 3597	\bidi@ensure@new@command
\bidi@BeforePackage 3857	\bidi@Csuse 2856, 2792, 2793
\bidi@bswitch . 3418, 3420	3229, 3243, 3256, 3269	\bidi@ensure@newcommand
\bidi@CharsBefore .	\bidi@Cswitch . 3413, 3415	2792, 8699, 8700,
3333, 3335, 3336,	\bidi@Csxappto 2916, 2918	8794, 8804, 8805,
3341, 3345, 3346, 3351	\bidi@Csxpreto 2925, 2927	8806, 8812, 8813,
\bidi@CharsBeforeNC 3334	\bidi@current@column@status	8819, 8820, 8821,
\bidi@clearpage 3203, 3205	. 20688, 20691, 20724	8822, 8834, 8846,
\bidi@collect@body	\bidi@dbg@fail	8863, 8864, 8870,
. 2533, 2540	2941, 2951, 2952,	8871, 8872, 8873,
\bidi@collect@body 2528	2953, 2954, 2960,	8876, 8882, 8884,
\bidi@collect@long@body	2969, 2975, 3082,	8890, 8891, 8906,
. 2557, 2564	3104, 3116, 3117, 3126	8918, 8920, 8923,
\bidi@collect@long@body	\bidi@dbg@info . 2942,	8928, 8931, 8933,
. 2552	2944, 2947, 2949,	8937, 8953, 8963,
\bidi@column@check@number	2950, 2961, 2963,	8973, 8983, 8988,
. . 20686, 20702,	2965, 2967, 2968,	8991, 8994, 8997,
20704, 20706, 20718	2970, 2972, 2974,	9009, 9022, 9034,
\bidi@column@status	3080, 3105, 3107,	9049, 9061, 9073,
. . 1703, 1707, 20688	3109, 3112, 3118, 3120	9078, 9083, 9088,
\bidi@column@type .	\bidi@dbg@init . 2939,	9104, 9113, 9122,
. 20703, 20708, 20719	2958, 3079, 3102	9131, 9136, 9139,
\bidi@copy@stacktop 3530	\bidi@dbg@succ . 2985,	9142, 9145, 9156,
\bidi@Cs@a . . . 3361, 3362	3081, 3113, 3121, 3123	9168, 9179, 9194,
\bidi@Cs@e 3524, 3525,	\bidi@dbg@trce . 2932,	9205, 9217, 9222,
3527, 3528, 3531, 3533	2978, 3078, 3087, 3095	9227, 9232, 9248,
\bidi@Cs@lista	\bidi@default	9258, 9268, 9278,
. . . . 3497, 3498, 3403, 3408,	9283, 9286, 9289,
3499, 3500, 3509, 3510	3413, 3418, 3424, 3429	9292, 9304, 9317,
\bidi@Cs@listb 3494, 3496	\bidi@del@tok@from@list	9329, 9344, 9356,
\bidi@Cs@liste 3492, 3497 3491	9368, 9373, 9378,
\bidi@Csappto 2913	\bidi@digits	9383, 9399, 9409,
\bidi@Csarg 1736, 1742, 1743	9419, 9429, 9434,
3288, 3304, 3378,	\bidi@digits@charclass	9437, 9440, 9443,
3385, 3403, 3408, 1738,	9455, 9468, 9480,
3413, 3418, 3424,	1742, 1743, 1744	9495, 9507, 9519,
3429, 3471, 3483,	\bidi@dummies	9524, 9529, 9534,
3488, 3499, 3509,	. . . 3383, 3385, 3386	9550, 9560, 9570,
3518, 3528, 3532, 3536	\bidi@eappto	9580, 9585, 9588,
\bidi@Csdefcs 2781	. . . 2873, 2886, 2914	9591, 9594, 9606,
\bidi@Cseappto 2914, 2917		9619, 9631, 9646,



9658, 9670, 9675,	\bidi@EqualString . 3314	\bidi@ifdefparam 3060,
9680, 9685, 9701,	\bidi@EqualStringX 3319	3062, 3063, 3064
9711, 9721, 9731,	\bidi@error 2801,	\bidi@ifdefprotected
9736, 9739, 9742,	2841, 3388, 3487, 3656 3069,
9745, 9757, 9770,	\bidi@everyjob . 1534,	3071, 3072, 3073
9782, 9797, 9809,	1535, 1790, 1791	\bidi@ifEmpty 3361
9821, 9826, 9831,	\bidi@excludedpackages	\bidi@ifempty 3359
9836, 9852, 9862,	3898, 3899, 3919,	\bidi@ifEmptyX 3360
9872, 9882, 9887,	3955, 3972, 3980,	\bidi@ifhashcheck .
9890, 9893, 9896,	3990, 4012, 4013,	. . . 2946, 3031, 3111
9908, 9921, 9933,	4021, 4022, 4027, 4040	\bidi@ifhashcheck@i
9948, 9960, 9972,	\bidi@expandonce 3035, 3037
9977, 9982, 9987,	2861, 2872, 2876,	\bidi@ifhashcheck@ii
10003, 10013,	2880, 2884, 2894, 3039,
10023, 10033,	2898, 2902, 2906, 3124	3042, 3043, 3044
10038, 10041,	\bidi@ff@box 11042, 11060	\bidi@ifNextChar . . 3369
10044, 10047,	\bidi@firstcolumn@status@write	\bidi@ifpatchable .
10059, 10072, 1701,	. . . 2935, 2937, 2984
10084, 10099,	1709, 7191, 7250,	\bidi@ifpatchable@i
10111, 10123,	10845, 10881, 2935, 2956
10128, 10133,	11641, 11693,	\bidi@ifpattern 2948, 3047
10138, 10154,	14458, 14554,	\bidi@ifscanable 2945,
10164, 10174,	20695, 20758, 20801	2966, 3015, 3110
10184, 10189,	\bidi@font@@outputpage	\bidi@in@front@of@cslist
10192, 10195, 20967, 21009 3500, 3501
10198, 10210,	\bidi@footdir@footnote	\bidi@in@front@of@list
10223, 10235, 79, 292, 3499
10250, 10262,	11321, 11323, 11327	\bidi@info 2803
10274, 10279,	\bidi@fswitch . 3429, 3431	\bidi@invert@csstack
10284, 10289,	\bidi@gappto . . . 2877, 3540
10297, 10304,	2915, 3143, 3146,	\bidi@IsEmptyList . 3362
10308, 10319,	3149, 3152, 3155,	\bidi@isloaded
10328, 10330,	3158, 3161, 3165,	. . . 3007, 13137,
10331, 10358,	3168, 3182, 3194, 3209	13138, 13139,
10370, 10382,	\bidi@gobbleopt 4061, 4070	13140, 13141,
10394, 10398,	\bidi@gpreto . . 2899, 2924	13142, 13143,
10402, 10406,	\bidi@hook@acma 4085,	13144, 13145,
10420, 10434,	4129, 4142, 4143, 4148	13146, 13147,
10448, 10475,	\bidi@hook@bcma 4079,	13148, 13149,
10488, 10502,	4128, 4131, 4132, 4138	13150, 13151,
10508, 10517,	\bidi@hooktocmd . . .	13152, 13153,
10525, 10533,	. . . 3090, 3098, 3100	13154, 13155,
10537, 10548, 10549	\bidi@hooktocmd@i .	13156, 13157,
\bidi@ensure@newlength 3114, 3128	13158, 13159,
. 2799,	\bidi@hop@ES . . 3322, 3324	13160, 13161,
8816, 8817, 8818, 8874	\bidi@ifblank@i . . .	13162, 13163,
\bidi@epreto 2753, 2754, 2756	13164, 13165,
. . . 2895, 2908, 2923	\bidi@ifdefmacro 2759,	13166, 13167,
\bidi@eqs@a . . . 3314, 3315	2761, 2762, 2763	13168, 13169,
\bidi@eqs@b . . . 3314, 3315		13170, 13171,



13172,	13173,	13397,	13400,	\bidi@looprepeat@setup
13174,	13175,	13403,	13406, 3614, 3640
13176,	13177,	13409,	13412,	\bidi@looprepeat@sign
13178,	13179,	13415,	13418,	... 3614, 3625, 3655
13180,	13181,	13421, 13424, 13427		\bidi@looprepeat@tmp
13182,	13183,	\bidi@lastcolumn@status@write	3615, 3616, 3643,	
13184,	13185, 1705, 1710,	3645, 3648, 3653,	
13186,	13187,	7195, 7256, 10849,	3660, 3663, 3665, 3668	
13188,	13189,	10887,	11647,	\bidi@looprepeat@traceexit
13190,	13191,	11697,	14462, 3599, 3634
13192,	13193,	14560, 20762, 20807		\bidi@looprepeat@traceinit
13194,	13195,	\bidi@leftskip 3599, 3607	
13196,	13197,	.. 19267, 19268,		\bidi@looprepeat@zero
13198,	13199,	19269,	19376,	... 3614, 3633, 3671
13200,	13201,	19396,	19427,	\bidi@lrbbox 20535
13202,	13203,	19428, 19460, 20381		\bidi@lst@caption@direction
13204,	13205,	\bidi@length@of@csstack 13036,	
13206,	13207,	... 3536, 3537, 3540	13037, 13049, 13052	
13208,	13209,	\bidi@length@of@stack	\bidi@lst@caption@script	
13210,	13213, 3536, 3550 13043,	
13216,	13219,	\bidi@load@hook 3730,	13044, 13060, 13063	
13222,	13225,	3733, 3766, 3803	\bidi@lst@ensure@caption@direction	
13228,	13231,	\bidi@loadwithoptions 13047,	
13234,	13238,	... 3738, 3739, 3744	13072, 13074,	
13241,	13244,	\bidi@local@in@front@of@list	13076, 13095,	
13247,	13250, 3504, 3521	13099, 13106, 13115	
13253,	13256,	\bidi@local@push@onto	\bidi@lst@ensure@caption@script	
13259,	13262, 3520	. 13058, 13070, 13114	
13265,	13268,	\bidi@looprepeat@comp	\bidi@makecolbf ...	
13271,	13274,	... 3614, 3650, 3655 10583, 10595	
13277,	13280,	\bidi@looprepeat@csarg	\bidi@matrix@check	
13283,	13286, 3592, 3644 2584, 20442	
13289,	13292,	\bidi@looprepeat@csargromannumeral	\bidi@matrix@error	
13295,	13298, 3594, 2586, 2590	
13301,	13304,	3609, 3610, 3611,	\bidi@mopfn@bottom	
13307,	13310,	3612, 3613, 3616,	... 8908, 10554,	
13313,	13316,	3621, 3622, 3623,	10565, 10596, 10597	
13319,	13322,	3624, 3625, 3627,	\bidi@mopfootnotebf	
13325,	13328,	3633, 3646, 3648, 10561, 10589	
13331,	13334,	3649, 3650, 3657,	\bidi@mpfootnoterule	
13337,	13340,	3658, 3660, 3665, 3673	.. 11098, 11332,	
13343,	13346,	\bidi@looprepeat@csromannumeral	11346, 11360,	
13349,	13352, 3593, 3617,	11398, 13628, 18652	
13355,	13358,	3625, 3628, 3644, 3672	\bidi@mswitch . 3424, 3426	
13361,	13364,	\bidi@looprepeat@depth	\bidi@multicol@align@columns	
13367,	13370, 3593, 14682,	
13373,	13376,	3594, 3596, 3608, 3634	14736, 14739, 14741	
13379,	13382,	\bidi@looprepeat@dxbody	\bidi@n@everypar ..	
13385,	13388, 3617, 3621	.. 15274, 15275,	
13391,	13394,		15276, 15277,	



20152, 20337,	\bidi@NextChar 3366	\bidi@p@xRTLftntext
20338, 20339, 20340	\bidi@notblank . 2755,	2153, 2178, 2248
\bidi@namelongdef .	2763, 3064, 3073	\bidi@patch@@AfterPackage
2790, 9041, 9043,	\bidi@nxt@a	4193, 4198
9050, 9062, 9186,	... 3367, 3370, 3372	\bidi@patch@Add 4180, 4209
9188, 9195, 9206,	\bidi@nxt@b	\bidi@patch@AfterPackage
9218, 9336, 9338,	... 3367, 3370, 3373	4183, 5131,
9345, 9357, 9487,	\bidi@nxt@c	5133, 5136, 5157,
9489, 9496, 9508,	... 3368, 3371, 3372	5308, 5358, 5414, 5658
9638, 9640, 9647,	\bidi@nxt@ch	\bidi@patch@counter
9659, 9789, 9791,	... 3367, 3370, 3372	4161, 4165,
9798, 9810, 9940,	\bidi@o@everypar . .	4168, 4174, 4175, 4194
9942, 9949, 9961,	... 15273,	\bidi@patch@gtmp .
10091, 10093,	15275, 15276,	4201, 4208
10100, 10112,	20336, 20338, 20339	\bidi@patch@list 4179,
10242, 10244,	\bidi@oldwbuskip . .	4181, 4219, 4221, 4228
10251, 10263,	... 3486, 3489	\bidi@patch@OrgIfClassLater
10455, 10457,	\bidi@onefilewithoptions	4227, 4232
10476, 10489, 10503	... 3754, 3755, 3759	\bidi@patch@OrgIfClassLoaded
\bidi@new@command .	\bidi@orig@leftline	4226, 4231
2813,	. 20602, 20604, 20605	\bidi@patch@OrgIfPackageLater
2815, 2844, 2852	\bidi@orig@raggedleft	4225, 4230
\bidi@new@ifnch 2578, 2580	. 20587, 20589, 20590	\bidi@patch@OrgIfPackageLoaded
\bidi@new@ifnextchar	\bidi@orig@raggedright	4224, 4229
2575, 20447	. 20588, 20589, 20590	\bidi@patch@stepcounter
\bidi@newcommand . .	\bidi@orig@rightline	4163, 4173, 4192
2815, 2817	. 20603, 20604, 20605	\bidi@patch@temp . .
\bidi@newrobustcmd	\bidi@oswitch 3408	4191, 4195
1601, 1603, 2812,	\bidi@p@ftn 2072, 2135,	\bidi@patch@try 4210, 4213
2813, 2837, 2848,	2137, 2138, 2140,	\bidi@patchcmd
2869, 2873, 2877,	2141, 2143, 2144,	2977, 2978,
2881, 2886, 2887,	2148, 2151, 2154, 2259	3197, 3212, 3227,
2891, 2895, 2899,	\bidi@p@ftntext . . .	3241, 3267, 4452,
2903, 2908, 2909,	... 2119, 2136, 2241	7955, 7958, 7975,
2913, 2914, 2915,	\bidi@p@LTRftntext	7978, 7981, 7997,
2916, 2917, 2918,	... 2120, 2139, 2242	8000, 8003, 8021,
2922, 2923, 2924,	\bidi@p@RTLftntext	8029, 8037, 8046,
2925, 2926, 2927,	... 2121, 2142, 2243	8055, 8064, 11870,
2931, 2977, 3076,	\bidi@p@xfootnote .	12994, 13000,
3086, 3094, 3143,	... 2123, 2157, 2245	13008, 13088,
3146, 3149, 3152,	\bidi@p@xftntext 2122,	13101, 18641, 18649
3155, 3158, 3161,	2147, 2162, 2244	\bidi@patchcmd@scantoks
3165, 3168, 3179,	\bidi@p@xLTRfootnote	2995, 3001, 3136
3182, 3194, 3209,	... 2125, 2165, 2247	\bidi@pdfm@mark 1863, 1878
3224, 3238, 3252,	\bidi@p@xLTRftntext	\bidi@pickescape . . 3309
3264, 20415, 20417	... 2124,	\bidi@pop@cs@into .
\bidi@next	2150, 2170, 2246	3524, 3543
3335, 3336, 3338,	\bidi@p@xRTLfootnote	\bidi@pop@into 3527, 3553
3340, 3341, 3343,	... 2127, 2173, 2249	\bidi@prepend . 3098, 3141
3348, 3350, 3351, 3353		



\bidi@preto	\bidi@raggedright .	\bidi@restore@newpage
... 2891, 2922, 3171	.. 10811, 10817,	... 4080, 4097, 4127
\bidi@pretocmd	14792, 14795,	\bidi@restorecatcode
... 3094, 3095, 3255	14797, 14800, 3293
\bidi@PreventPackageFromLoading	14802, 14804,	\bidi@rightskip 19263,
..... 3901,	14807, 14809,	19371, 19397,
3915, 3945, 3978	14811, 14813,	19398, 19406,
\bidi@process@envbody	14816, 14818,	19410, 19414, 20382
..... 2530,	14820, 14822,	\bidi@RTL@everypar
2534, 2535, 2549,	14824, 14827,	.. 10359, 10371,
2554, 2558, 2559, 2573	14829, 14832,	10383, 10408,
\bidi@protected . . .	14834, 14837,	10422, 10436,
.... 2864, 2886,	14839, 14841,	15272, 15276,
2887, 2908, 2909,	14844, 14846,	18390, 20335, 20339
2917, 2918, 2926, 2927	14848, 14851,	\bidi@sttf@textcol
\bidi@protected@cseappto	14853, 14855, 20591 11039, 11043
..... 2917	\bidi@redefine@newpage	\bidi@saved@checkend
\bidi@protected@csepreto 4095, 4135	... 4072, 4075, 4093
..... 2926	\bidi@reflect@box .	\bidi@saved@clearpage
\bidi@protected@csxappto	.. 15351, 15358,	... 4077, 4078, 4081
..... 2918	20409, 20416, 20418	\bidi@saved@dofilelist
\bidi@protected@csxpreto	\bidi@renew@command 4083,
..... 2927	... 2837, 2839, 2853	4086, 4087, 4094
\bidi@protected@eappto	\bidi@renew@robustcmd	\bidi@saved@eqno . .
..... 2886 2837 15362,
\bidi@protected@epreto	\bidi@ReplaceClass 3785	15364, 15365,
..... 2908	\bidi@replacefile@msg	21070, 21072, 21073
\bidi@protected@immediate@write 3722,	\bidi@saved@leqno .
... 4134, 4145, 4151	3746, 3761, 3799 15363,
\bidi@protected@xappto	\bidi@ReplaceInput 3769	15364, 15365,
..... 2887	\bidi@ReplacePackage	21071, 21072, 21073
\bidi@protected@xpreto 3782	\bidi@saved@newpage
..... 2909	\bidi@RequirePackage 4096, 4107
\bidi@provide@command	... 3921, 3981, 4032	\bidi@saved@RequirePackage
..... 2848, 2850	\bidi@ResetPreventPackageFromLoading.	3900, 3920,
\bidi@provider@robustcmd 3973,	3931, 3983, 3985, 4063
..... 2848	3979, 3988, 4027	\bidi@sepmark@charclass
\bidi@push@begins .	\bidi@resrvda 1739,
... 2537, 2538, 2541	2987, 2988, 2989,	1740, 1741, 1744
\bidi@push@cs@onto@cs	2992, 2993, 2994,	\bidi@set@column@status
..... 3517, 3544	2995, 2996, 2997,	. 20690, 20718, 20723
\bidi@push@long@begins	3002, 3005, 3017,	\bidi@set@cslist . .
... 2561, 2562, 2565	3018, 3019, 3020, 3510, 3511
\bidi@push@onto . . . 3518	3021, 3023, 3024,	\bidi@set@list 3509
\bidi@push@onto@cs	3033, 3035, 3049,	\bidi@set@load@hook
..... 3518, 3519	3050, 3052, 3054, 3807, 3810,
\bidi@raggedleft 2426,	3055, 3130, 3131,	3811, 3813, 3832,
2433, 2438, 2457,	3132, 3133, 3134,	3844, 3858, 3875, 3886
7654, 7770, 10813,	3135, 3136, 3137, 3138	\bidi@SOUL@ulleaders
10819, 11986, 20592	\bidi@resrvdb . 2989, 2990 18431, 18437



\bidi@stack@length	\bidi@toks@listb ..	\bidiGscale@box@odd
3535, 3537, 3538,	... 3465, 3493, 3495	. 11815, 11819, 11825
3542, 3543, 3552, 3553	\bidi@undef 2997,	\bidiGscale@box@dddd
\bidi@storecatcode 3286	3076, 3138, 3176, 11821, 11832
\bidi@storepreventpackagefromload	3176, 19122,	\bidillap 20607
..... 3989, 3992	19123, 19279,	\bidipdfinfooff ... 1875
\bidi@stringbefore 3344	19280, 19481, 19482	\bidipdfinfoon 1874, 1880
\bidi@stringbeforenc	\bidi@undefined ... 3076	\bidipoem@chvlen 5903,
..... 3332	\bidi@undefinedcs .	5909, 5912, 5915, 5924
\bidi@switch ... 3392,	3378, 3385, 3440,	\bidipoem@half@verses
3403, 3405, 3410	3444, 3450, 3454, 3487	... 5929, 5930, 5933
\bidi@switch@exit .	\bidi@unpreventpackagefromloading	\bidipoem@half@verses@next
3402, 3403, 3404, 3993	... 5929, 5930, 5931
3408, 3409, 3413,	\bidi@unreplaceclass	\bidipoem@hvind ...
3414, 3418, 3419, 3796	5903, 5906, 5907,
3424, 3425, 3429, 3430	\bidi@unreplaceinput	5915, 5916, 5919, 5922
\bidi@tw@w 3453 3773	\bidipoem@hvlen 5902,
\bidi@tabular@RTLcases	\bidi@unreplacepackage	5907, 5909, 5920, 5922
..... 20422, 20449 3793	\bidipoem@hvsep 5902,
\bidi@tempa 1638, 1644,	\bidi@version .. 1506,	5915, 5916, 5923
1650, 1656, 1662,	1507, 1521, 1536,	\bidipoem@next 5908, 5909
1668, 1680, 1686,	1538, 1544, 1550,	\bidipoem@openbox .
1692, 1699, 1713, 1720	1583, 1586, 1589, 5947, 5952
\bidi@tempb 1638, 1639,	1762, 1777, 1795,	\bidipoem@p@ftn 5954,
1644, 1645, 1650,	1797, 1854, 1857, 1860	5964, 6095, 6096,
1651, 1656, 1657,	\bidi@w@w 3440	6098, 6099, 6101,
1662, 1663, 1668,	\bidi@warning .. 2802,	6102, 6105, 6108,
1669, 1680, 1681,	3232, 3246, 3258, 3272	6111, 6216, 12443,
1686, 1687, 1692,	\bidi@willbeunhskip	12453, 12474,
1693, 1699, 1700,	... 3480, 3486, 3489	12484, 12505, 12515
1713, 1714, 1720, 1721	\bidi@x@stack@to@list	\bidipoem@p@ftntext
\bidi@tempcountb 3280, 3550	5981, 5992, 6094,
3541, 3542, 3551, 3552	\bidi@xappto	6205, 6219, 12441
\bidi@temptoksa 3281,	... 2881, 2887, 2916	\bidipoem@p@LTRftntext
3541, 3544, 3545,	\bidi@xargdef . 2819, 2827	5982, 5993, 6097,
3546, 3548, 3551, 3555	\bidi@xpreto	6206, 6220, 12472
\bidi@temptoksb 3282,	... 2903, 2909, 2925	\bidipoem@p@RTLftntext
3543, 3544, 3545, 3546	\bidicolor 6937,	5983, 5994, 6100,
\bidi@todonotes@tempa	6993, 7008, 7010,	6207, 6221, 12503
..... 20028, 20036	11040, 20278,	\bidipoem@p@xfootnote
\bidi@todonotes@tempb	20325, 20328, 20329 5985,
..... 20028,	\bidics 3277	5996, 6113, 6209, 6223
20029, 20036, 20037	\bididate . 1505, 1507,	\bidipoem@p@xftntext
\bidi@tok@SM .. 3492, 3497	1521, 1583, 1586,	... 5984, 5995,
\bidi@toks@lista ..	1760, 1777, 1854, 1857	6104, 6118, 6208, 6222
3465, 3467, 3468,	\bidiGscale@@box ..	\bidipoem@p@xLTRfootnote
3469, 3470, 3493, 11806, 11807 5987,
3495, 3501, 3502,	\bidiGscale@box ...	5998, 6120, 6211, 6225
3504, 3506, 3511, 3512	. 11783, 11784, 11803	\bidipoem@p@xLTRftntext
	 5986, 5997,



6107, 6125, 6210, 6224	13899, 13902,	13490, 13544,
\bidipoem@p@xRTLfootnote	13922, 13927,	13550, 13872,
..... 5989,	13939, 13956,	14130, 14141,
6000, 6127, 6213, 6227	13957, 13960,	14146, 14180,
\bidipoem@p@xRTLftntext	13977, 14002,	14181, 14182,
.... 5988, 5999,	14009, 14015,	14183, 14185,
6110, 6132, 6212, 6226	14021, 14031,	14316, 14350,
\bidipoem@set@verse	14038, 14060,	14459, 14463,
... 5909, 5912, 5914	14172, 14175,	14555, 14561,
\bidipoem@set@verseI	14183, 14184,	14698, 14704,
..... 5908, 5911	15006, 15008, 15021	14722, 14730,
\bidipoem@spreadbox	\boolean 181, 186, 194,	15005, 15013,
..... 5898,	4240, 4300, 4302,	15022, 15147,
5920, 5922, 5923, 5924	4305, 4309, 4312,	15151, 15167,
\bidirlap	4315, 4340, 4436,	15201, 15205,
\bidituftefloatDebugInfoNL	4451, 4462, 4482,	15210, 15214,
..... 4240,	4489, 4497, 4514,	15226, 15237,
4328, 4332, 4627, 4676	4534, 4538, 4556,	15251, 15254,
\bidituftefloatError	4557, 4560, 4561,	15258, 15263,
..... 4239, 4722	4596, 4605, 4616,	15339, 15355,
\bidituftefloatInfoNL	5361, 5365, 5413,	15400, 15403,
... 4240, 4241, 4791	5626, 5763, 5832,	16453, 16462,
\bidituftefloatRecalculate	5843, 11054, 15037	16500, 16511,
..... 4357, 4368	\botmark ... 11033, 21056	16934, 16944,
\bidituftehyperrefLoadHyperref	172, 174, 1630, 1846,	17514, 17524,
..... 5616, 5627	4777, 6844, 6908,	17744, 17750,
\bidituftesidenotemarginpar	6976, 7133, 7136,	17756, 17762,
... 4807, 5159, 5318	7153, 7157, 7192,	17768, 17774,
\bidituftetocError	7196, 7202, 7203,	17780, 17786,
... 5347, 5394, 5403	7251, 7257, 7261,	17792, 18197,
\bidiversion ..	7262, 7318, 7321,	18207, 18633,
\bigskip	7326, 7331, 7355,	18676, 18694,
\bigskipamount	7494, 7496, 7500,	20222, 20223,
.. 8909, 8914, 10527	7504, 7529, 7811,	20233, 20413,
\bl	7832, 7848, 7905,	20609, 20759,
15178, 15179,	8923, 8928, 10301,	20763, 20802,
15182, 15183,	10316, 10326,	20808, 20922,
15184, 15188,	10575, 10585,	20938, 20949,
15243, 15250, 15254	10846, 10850,	20962, 20964,
\blacktriangleleft	10882, 10888,	21028, 21032, 21067
..... 11457, 11459	10931, 11019,	\boxdef
\blacktriangleright	11057, 11062,	2021,
..... 11457, 11459	11555, 11562,	2023, 2029, 2034, 2039
\bm@b	11565, 11579,	\boxmaxdepth ...
20667	11642, 11648,	7803,
\bm@l	11694, 11698,	7808, 7824, 7829,
20664	11734, 11751,	7856, 7913, 8866,
\bm@r	11754, 11797,	10550, 10563,
20665	11800, 11830,	10778, 11508, 11510
\bm@t	11847, 13082,	\br
20666		15178, 15180,
\bool ... 13654, 13662,		15182, 15183,
13793, 13810,		15184, 15188,
13811, 13855,		
13861, 13876,		



15244, 15250, 15258	\bx@I 4663, 4704	\bx@YY 4701, 4720
\BR@b@bibitem . 5012, 5013	\bx@i 4644, 4669, 4710	\bx@Z 4635, 4667, 4708
\BR@bibitem . . . 5015, 5016	\bx@II 4685, 4716	\bx@z 4661, 4673, 4714
\BR@c@bibitem 5017	\bx@J 4663, 4704	\bx@ZZ 4702, 4720
\bracetext	\bx@j 4645, 4669, 4710	\bye 1878
1605, 1821, 15278,	\bx@JJ 4686, 4716	\bystep 3560,
15279, 20341, 20342	\bx@K 4664, 4705	3572, 3656, 3669,
\break 13447	\bx@k 4646, 4670, 4711	3679, 3692, 3705, 3706
\BreakBibliography	\bx@KK 4687, 4717	
. 16805,	\bx@L 4664, 4705	C
16838, 16840,	\bx@l 4647, 4670, 4711	\c 13856, 13857, 13871,
16846, 17385,	\bx@LL 4688, 4717	13928, 14133, 14214
17418, 17420,	\bx@M 4664, 4705	\c@abspage 11129
17426, 18068,	\bx@m 4648, 4670, 4711	\c@addvipersep 14403,
18101, 18103, 18109	\bx@MM 4689, 4717	14421, 14426,
\breaklooprepeat 3578,	\bx@N 4664, 4705	14448, 14478,
3580, 3632, 3633,	\bx@n 4649, 4670, 4711	14503, 14521,
3651, 3662, 3667, 3681	\bx@NN 4690, 4717	14526, 14548, 14575
\breakrepeatloop . . 3607	\bx@O 4665, 4706	\c@algocf 168
\bs 1989, 1990, 1992	\bx@o 4650, 4671, 4712	\c@chapter 6346, 6348,
\bslice 15198,	\bx@OO 4691, 4718	6350, 6523, 6525,
15199, 15201,	\bx@P 4665, 4706	6527, 6768, 6770,
15211, 15212,	\bx@p 4651, 4671, 4712	6772, 6773, 8562,
15214, 15234,	\bx@PP 4692, 4718	8564, 8566, 8567,
15235, 15237,	\bx@Q 4665, 4706	10771, 10773,
15261, 15262, 15263	\bx@q 4652, 4671, 4712	10775, 11066,
\bx@A 4662, 4703	\bx@QQ 4693, 4718	11068, 11070,
\bx@a 4636, 4668, 4709	\bx@R 4665, 4706	11071, 11079,
\bx@AA . . . 4675, 4677, 4715	\bx@r 4653, 4671, 4712	11081, 11083,
\bx@B 4662, 4703	\bx@RR 4694, 4718	11084, 13132,
\bx@b 4637, 4668, 4709	\bx@S 4626, 4628, 4666, 4707	14278, 14905,
\bx@BB 4678, 4715	\bx@s 4654, 4672, 4713	15641, 15643,
\bx@C 4662, 4703	\bx@SS 4695, 4719	15645, 16006,
\bx@c 4638, 4668, 4709	\bx@T 4629, 4666, 4707	16008, 16010,
\bx@CC 4679, 4715	\bx@t 4655, 4672, 4713	16195, 16197,
\bx@D 4662, 4703	\bx@TT 4696, 4719	16199, 16377,
\bx@d 4639, 4668, 4709	\bx@U 4630, 4666, 4707	16379, 16381, 16382
\bx@DD 4680, 4715	\bx@u 4656, 4672, 4713	\c@colht 14403,
\bx@E 4662, 4703	\bx@UU 4697, 4719	14415, 14441,
\bx@e 4640, 4668, 4709	\bx@V 4631, 4666, 4707	14442, 14503,
\bx@EE 4681, 4715	\bx@v 4657, 4672, 4713	14515, 14541, 14542
\bx@F 4663, 4704	\bx@VV 4698, 4719	\c@curpg
\bx@f 4641, 4669, 4710	\bx@W 4632, 4667, 4708	. 10945, 10972, 10973
\bx@FF 4682, 4716	\bx@w 4658, 4673, 4714	\c@DFNsloppiness . .
\bx@G 4663, 4704	\bx@WW 4699, 4720 7801, 7822
\bx@g 4642, 4669, 4710	\bx@X 4633, 4667, 4708	\c@enumiv 577,
\bx@GG 4683, 4716	\bx@x 4659, 4673, 4714	584, 712, 719,
\bx@H 4663, 4704	\bx@XX 4700, 4720	975, 982, 1225,
\bx@h 4643, 4669, 4710	\bx@Y 4634, 4667, 4708	1232, 2502, 6316,
\bx@HH 4684, 4716	\bx@y 4660, 4673, 4714	6323, 6504, 6511,



6813, 6820, 8337,	\c@lor@error	11086, 14269,
8344, 8608, 8615,	6982, 6989, 6997,	15636, 16001,
10664, 10671,	7003, 20270, 20304	16201, 16384,
15622, 15629,	\c@lotdepth . 18991, 19030	16786, 17342, 18037
16016, 16023,	\c@lstlisting 13132, 13134	\c@subsubsection . .
16210, 16217,	\c@LT@chunks 13473	. . 550, 704, 958,
16413, 16420,	\c@mpfootnote	1217, 6342, 6519,
16814, 16823,	. . 11332, 11346,	6776, 8447, 8570,
16830, 17394,	11360, 11385, 13637	10767, 11074,
17403, 17410,	\c@NAT@ctr 14864	11087, 14271,
18077, 18086,	\c@page 5770,	15637, 16002,
18093, 18742, 18749	8083, 8100, 10945,	16202, 16385,
\c@equation 6346,	10972, 20185, 20918	16788, 17344, 18039
6523, 6768, 8176,	\c@paragraph	\c@table . . 6350, 6527,
8245, 8562, 10771,	. . 551, 705, 959,	6772, 8566, 10775,
11066, 11079,	1218, 6343, 6520,	11070, 11083,
14278, 15641,	6777, 8448, 8571,	14280, 15645,
16010, 16195,	10768, 11075,	16008, 16199,
16377, 17372, 18055	11088, 14273,	16381, 17364, 18051
\c@figure . 6348, 6525,	15638, 16003,	\c@thisframe
6770, 8564, 10773,	16203, 16386,	. . 10944, 10949,
11068, 11081,	16790, 17346, 18041	10985, 10987, 10988
14279, 15643,	\c@poem@no 6039,	\c@tocdepth . . . 3, 208,
16006, 16197,	6089, 6140, 6151	511, 528, 647, 663,
16379, 17356, 18047	\c@secnumdepth	681, 874, 907, 925,
\c@footnote 128, 314, 554,	1130, 1146, 1164,
328, 456, 748,	563, 6587, 6782,	6250, 6266, 6282,
807, 1000, 1059,	8306, 8315, 8576,	6427, 6443, 6459,
1250, 1309, 1916,	10634, 15417, 16391	6730, 6745, 8279,
6361, 6538, 6675,	\c@section 6340,	8293, 8548, 10602,
8396, 8493, 10715,	6517, 6774, 8568,	10617, 12815,
11407, 11421,	10765, 11072,	14623, 14635,
12256, 12366,	11085, 14267,	14647, 15551,
12374, 12404,	14915, 15635,	15567, 15583,
12412, 12853,	16000, 16200,	15923, 15939,
13524, 13527,	16383, 17340, 18035	15955, 16155,
15658, 15717,	\c@subparagraph . . .	16169, 16339,
15797, 15858,	. . 552, 706, 960,	16354, 18818,
16054, 16097,	1219, 6344, 6521,	18822, 18864,
16284, 16629,	6778, 8449, 8572,	18883, 18905,
16693, 17178,	10769, 11076,	18922, 18939,
17242, 17877, 17941	11089, 14275,	18956, 19248,
\c@Hy@AnnotLevel . .	15639, 16004,	19356, 19391,
. 12578,	16204, 16387,	19779, 19975, 20669
12579, 12584, 12588	16792, 17348, 18043	\c@twb 7143
\c@L@depth 12978	\c@subsection	\c@twcompctr 7124
\c@L@lines . 12979, 12981	. . 549, 703, 957,	\c@twcompodctr . . . 7140
\c@ll@chapseci 7018	1216, 6341, 6518,	\c@twfirst 7125, 7131,
\c@ll@chapsecii . . . 7013	6775, 8446, 8569,	7138, 7142, 7151, 7154
\c@lofdepth . 18973, 19010	10766, 11073,	\c@twlftside 7129



\c@twlspec 7143, 7146, 7150	16919, 16921,	\caption@LT@setup 13503
\c@twprune 7129,	16922, 17491,	\caption@makecaption
7130, 7146, 7150	17494, 17499, 6927, 13117
\c@twrounds 7141,	17501, 17502,	\caption@normalsize
7144, 7147, 7159	18174, 18177, 13508
\c@twrtside 7130	18182, 18184, 18185	\caption@parindent 6930
\c@twslicea 7127,	\cap@left 16933,	\caption@prepare@stepcounter
7129, 7133, 7136,	16944, 17513, 13506
7145, 7146, 7153, 7157	17524, 18196, 18207	\caption@setautoposition
\c@twsliceb 7128,	\cap@margin 13504
7130, 7133, 7136,	. 16876, 17456, 18139	\caption@setoptions
7149, 7150, 7153, 7157	\cap@right ... 16935, 13501, 13502
\c@twwinlines . 7126, 7139	16944, 17515,	\caption@settype . 13497
\c@zabspage 11129	17524, 18198, 18207	\caption@starfalse
\cals@activate@rtl 6892	\cap@width 13118, 13505
\cals@AtBeginTable 6909	.. 16899, 16902,	\caption@startrue .
\cals@AtEndTable .. 6911	16905, 17479,	. 13119, 13125, 13505
\cals@backup@row .. 6908	17482, 17485,	\captionabove . 16992,
\cals@borderB 6907	18162, 18165, 18168	16997, 17572,
\cals@borderL 6904	\capfont 16886, 16907,	17577, 18255, 18260
\cals@borderR 6905	16912, 16917,	\captionbelow . 16994,
\cals@borderT 6906	16921, 16940,	16999, 17574,
\cals@current@context	16944, 17466,	17579, 18257, 18262
..... 6898	17487, 17492,	\captionformat 16887,
\cals@last@context 6897	17497, 17501,	16908, 16913,
\cals@paddingL . 6914,	17520, 17524,	16918, 16923,
6916, 6921, 6923	18149, 18170,	16941, 17467,
\cals@paddingR 6918, 6925	18175, 18180,	17488, 17493,
\cals@set@tohsize . 6901	18184, 18203, 18207	17498, 17503,
\cals@setcellprevdepth	\caplabelfont . 16887,	17521, 18150,
..... 6901	16908, 16913,	18171, 18176,
\cals@setpadding .. 6901	16918, 16923,	18181, 18186, 18204
\cals@setup@alignment	16941, 17467,	\captionlabelfalse 13123
..... 6885, 6900	17488, 17493,	\catcode 1761,
\cals@table@alignment	17498, 17503,	1879, 3004, 3289,
..... 6890, 6891	17521, 18150,	3290, 3291, 3331,
\cals@tbreak@tokens 6895	18171, 18176,	4984, 5006, 5937,
\cals@tfoot@height 6896	18181, 18186, 18204	5938, 5940, 5941,
\cals@tfoot@tokens	\caption 4445,	11466, 11467, 11582
..... 6894, 6911	4446, 4448, 4504,	\Centering 15427
\cals@thead@tokens 6893	11959, 11977,	\centering 313,
\cals@vfillAdd . 6886,	13450, 14354, 14356	7658, 7671, 7787,
6888, 6914, 6923	\caption@make ... 13511	10812, 10818,
\cals@vfillDrop ...	\caption@@par 6929	11989, 12074,
.... 6887, 6888,	\caption@begin ... 13507	12090, 14301,
6916, 6918, 6921, 6925	\caption@end 13513	14303, 14305,
\CAny 2010	\caption@hangindent 6930	16676, 17225, 17924
\cAny 2018	\caption@iftop	\CenteringLeftskip 15432
\cap@indent 13510, 13512	\CenteringParfillskip
.. 16911, 16914,	\caption@LT@make . 13496 15435



\CenteringParindent	\cftparanumwidth . 18947	\cftsubsubsecaftersnum
..... 15436	\cftparapresnum .. 18948 18932
\CenteringRightskip	\cftpartaftersnum 18844	\cftsubsubsecaftersnumb
..... 15433	\cftpartaftersnumb 18845 18933
\centerline 317, 11562,	\cftpartfillnum .. 18848	\cftsubsubsecfillnum
11579, 15366, 20593	\cftpartfont 18847 18936
\cftbeforechapskip 18866	\cftpartindent	\cftsubsubsecfont 18935
\cftbeforefigskip 18974 18836, 18839	\cftsubsubsecindent
\cftbeforeparaskip 18940	\cftpartnumwidth . 18842 18924, 18927
\cftbeforepartskip 18834	\cftpartpresnum ...	\cftsubsubsecnumwidth
\cftbeforesecskip 18843, 18847 18930
..... 18885, 18888	\cftsecaftersnum . 18898	\cftsubsubsecpresnum
\cftbeforesubfigskip	\cftsecaftersnumb 18899 18931
..... 19011	\cftsecfillnum ... 18902	\cftsubtabaftersnum
\cftbeforesubparaskip	\cftsecfont 18901 19040
..... 18957	\cftsecindent 18890, 18893	\cftsubtabaftersnumb
\cftbeforesubsecskip	\cftsecnumwidth .. 18896 19041
..... 18906	\cftsecpresnum ... 18897	\cftsubtabfillnum 19044
\cftbeforesubsubsecskip	\cftsubfigaftersnum	\cftsubtabfont ... 19043
..... 18923 19020	\cftsubtabindent ..
\cftbeforesubtabskip	\cftsubfigaftersnumb 19032, 19035
..... 19031 19021	\cftsubtabnumwidth 19038
\cftbeforetabskip 18992	\cftsubfigfillnum 19024	\cftsubtabpresnum 19039
\cftchapaftersnum 18875	\cftsubfigfont ... 19023	\cfttabaftersnum . 19001
\cftchapaftersnumb 18876	\cftsubfigindent ..	\cfttabaftersnumb 19002
\cftchapfillnum .. 18879 19012, 19015	\cfttabfillnum ... 19005
\cftchapfont 18878	\cftsubfignumwidth 19018	\cfttabfont 19004
\cftchapindent	\cftsubfigpresnum 19019	\cfttabindent 18993, 18996
. 18867, 18870, 19117	\cftsubparaaftersnum	\cfttabnumwidth .. 18999
\cftchapnumwidth 18966	\cfttabpresnum ... 19000
..... 18873, 19118	\cftsubparaaftersnumb	\chapnumfont 15416
\cftchappresnum .. 18874 18967	\chapter 5359,
\cftchapterprecistoc	\cftsubparafillnum 18970	5387, 5457, 5465,
..... 19116	\cftsubparafont .. 18969	5581, 5587, 6312,
\cftdot 18814	\cftsubparaindent .	6500, 6809, 8604,
\cftdotfill 19108 18958, 18961	10660, 15618,
\cftdotsep 19107	\cftsubparanumwidth	16012, 16206, 16409
\cftfigaftersnum . 18983 18964	\chapterheadendvskip
\cftfigaftersnumb 18984	\cftsubparapresnum 18965 15422
\cftfigfillnum ... 18987	\cftsubsecaftersnum	\chapterheadstartvskip
\cftfigfont 18986 18915 15414
\cftfigindent 18975, 18978	\cftsubsecaftersnumb	\chaptermark . 5844, 18777
\cftfignumwidth .. 18981 18916	\chaptername .. 318, 14287
\cftfigpresnum ... 18982	\cftsubsecfillnum 18919	\chapterstyle 14282
\cftparaaftersnum 18949	\cftsubsecfont ... 18918	\char 1745, 1993, 1994, 3277
\cftparaaftersnumb 18950	\cftsubsecindent ..	\chardef 3276,
\cftparafillnum .. 18953 18907, 18910	11466, 13036,
\cftparafont 18952	\cftsubsecnumwidth 18913	13037, 13043, 13044
\cftparaindent	\cftsubsecpresnum 18914	\check@floats . 7376, 7551
..... 18941, 18944		



\CheckCommand .. 3713, 12363, 12401, 15478	17602, 17621, 17627, 18272, 18285, 18304, 18310	8979, 9005, 9018, 9030, 9057, 9070, 9110, 9119, 9128, 9153, 9165, 9176, 9202, 9214, 9254, 9264, 9274, 9300, 9313, 9325, 9352, 9365, 9405, 9415, 9425, 9451, 9464, 9476, 9503, 9516, 9556, 9566, 9576, 9602, 9615, 9627, 9654, 9667, 9707, 9717, 9727, 9753, 9766, 9778, 9805, 9818, 9858, 9868, 9878, 9904, 9917, 9929, 9956, 9969, 10009, 10019, 10029, 10055, 10068, 10080, 10107, 10120, 10160, 10170, 10180, 10206, 10219, 10231, 10258, 10271, 10366, 10378, 10390, 10416, 10430, 10444, 10484, 10498, 10556, 10567, 11281, 11298, 11314, 11341, 11355, 11369, 11381, 13574, 20544
\checkoddpaper 4339	\closing 8638, 17800	\color@block . 6975, 20233
\CIIIIAny 2011	\clubpenalty 92, 305, 586, 587, 720, 983, 1233, 2503, 6055, 6324, 6512, 6822, 6823, 8345, 8617, 8618, 10672, 12780, 14870, 15630, 16024, 16219, 16220, 16422, 16423, 16832, 17412, 18095, 18751, 18752	\color@box .. 7008, 20325
\ciiiiAny 2019	\coffeeFont 14643	\color@endbox .. 2260, 4843, 4887, 4931, 16525, 16535, 16553, 20860, 20904, 21025, 21046
\circle 7032, 7035, 7042, 7045, 7055, 7058, 7065, 7068, 7078, 7081, 7088, 7091, 7101, 7104, 7111, 7114	\col@number 132, 137, 139, 142, 143, 150, 462, 813, 1065, 1315, 6681, 8402, 8499, 10721, 14245, 14585, 14667, 14672, 14708, 14743, 14744, 14746, 14749, 14750, 14757, 15723, 15864, 16108, 16290, 16697, 17246, 17945	\color@endgroup 5173, 5191, 5209, 6216, 8715, 8731, 8747, 8761, 8774, 8787, 8903, 8961, 8971, 8981, 9007, 9020, 9032, 9059, 9072, 9112,
\cite 5021, 5113, 5119, 5120, 5214, 5219, 5240, 5248, 5269, 5277, 5298, 5316, 5320, 5325, 5329, 5334, 5338, 14873, 14874	\col@sep 382, 410, 6933, 6934, 13462, 20426	
\citeasnoun 14874	\color 181, 1950, 1951, 1952, 1953, 1954, 2426, 6978, 6981, 6984, 7002, 7005, 7652, 7655, 7665, 7783, 12904, 13600, 20235	
\citeN 14873	\color@ 20275, 20322	
\cites 5114	\color@b@x 6970, 7008, 7010, 20228, 20325, 20328	
\cl@ckpt 18521	\color@begingroup 5169, 5187, 5205, 6214, 6228, 8711, 8727, 8743, 8756, 8769, 8782, 8959, 8969,	
\ClassInfo 5801, 5866, 17003, 17583, 18266		
\ClassWarning 16686, 17235, 17934		
\ClassWarningNoLine 14338		
\clear 4118		
\cleardoubleemptypage 16633, 16678, 17182, 17227, 17881, 17926		
\cleardoublepage 5723, 5768, 5770, 5827, 5840, 5854, 6803, 8598		
\clearpage . 607, 623, 872, 1124, 3198, 3199, 3203, 3204, 4077, 4078, 4081, 4723, 5735, 5770, 5856, 6244, 6421, 6631, 6805, 8600, 15527, 15782, 16241, 16741, 17290, 17989, 18811		
\clipbox@@ 15402		
\CloneTOCEntryStyle 17009, 17022, 17041, 17047, 17589,		



9121, 9130, 9155,	616, 865, 1117,	9815, 9901, 9913,
9167, 9178, 9204,	1899, 2335, 6237,	9926, 9966, 10052,
9216, 9256, 9266,	6414, 6624, 7197,	10064, 10077,
9276, 9302, 9315,	7322, 7497, 10851,	10117, 10203,
9327, 9354, 9367,	11699, 12788,	10215, 10228,
9407, 9417, 9427,	14465, 14582,	10268, 10352,
9453, 9466, 9478,	14675, 14724,	10412, 10426,
9505, 9518, 9558,	15520, 15775,	10440, 10469,
9568, 9578, 9604,	16234, 20190,	10494, 10653,
9617, 9629, 9656,	20195, 20199,	10657, 10842,
9669, 9709, 9719,	20205, 20208, 20764	10844, 10848,
9729, 9755, 9768,	\columnseprule	10852, 10880,
9780, 9807, 9820,	. . . 99, 229, 599,	10886, 11187,
9860, 9870, 9880,	615, 864, 1116,	11190, 11192,
9906, 9919, 9931,	1900, 2336, 6236,	11277, 11294,
9958, 9971, 10011,	6413, 6623, 7188,	11310, 11337,
10021, 10031,	7253, 7316, 7328,	11351, 11365,
10057, 10070,	7493, 7502, 10843,	11383, 11597,
10082, 10109,	10884, 11644,	11604, 11640,
10122, 10162,	11690, 12788,	11646, 11688,
10172, 10182,	14455, 14557,	11692, 11696,
10208, 10221,	14700, 14714,	11700, 11931,
10233, 10260,	15519, 15774,	11932, 12802,
10273, 10368,	16233, 20755, 20804	12876, 12880,
10380, 10392,	\columnseprulecolor	13577, 14453,
10418, 10432, 14699, 14713	14457, 14461,
10446, 10486,	\columnwidth . . 28, 41,	14464, 14553,
10500, 10560,	55, 71, 242, 254,	14559, 14582,
10571, 11284,	268, 283, 543, 547,	14611, 14617,
11301, 11317,	734, 968, 1214,	14773, 14777,
11344, 11358,	2250, 6338, 6491,	14781, 14785,
11372, 11402, 20546	6761, 6765, 6873,	15615, 16038,
\color@fb@x . 20326, 20327	7186, 7190, 7194,	16188, 16192,
\color@fb@x . . 7009, 20326	7198, 7249, 7255,	16370, 16374,
\color@hbox	7315, 7317, 7320,	16614, 16862,
. . 16522, 16532,	7323, 7325, 7330,	16867, 17163,
16550, 21022, 21043	7492, 7494, 7496,	17442, 17447,
\color@setgroup . . .	7498, 7500, 7504,	17722, 17726,
. 7011, 20330	7801, 7822, 8352,	17862, 18125,
\color@vbox	8356, 8651, 8655,	18130, 20753,
2238, 4834, 4878,	8698, 8708, 8724,	20757, 20761,
4922, 20851, 20895	8740, 8753, 8766,	20765, 20800,
\colorA . . 6589, 6598, 6610	8779, 9002, 9014,	20806, 20943, 20945
\colorB 6595,	9027, 9067, 9150,	\contentslabel . 5418,
6601, 6607, 6613	9161, 9173, 9211,	5425, 5432, 5439, 5446
\colorblend . . . 20242,	9297, 9309, 9322,	\contentsline 12194
20243, 20285, 20286	9362, 9448, 9460,	\contentsmargin . . 18716
\colorbox 2066, 2068, 2069	9473, 9513, 9599,	\contentspush 18690
\columncolor . . 1469, 6941	9611, 9624, 9664,	\convertcolorspec .
\columnsep 99, 229, 600,	9750, 9762, 9775, 20249,



20252, 20292, 20295	11618, 11666,	2922, 2923, 2924,
\Coord 2007	11871, 11877,	2925, 3008, 3009,
\coord 2012	20836, 20880, 20988	3012, 3013, 3228,
\CoordIII 2009	\count@ ... 1409, 1468,	3230, 3242, 3244,
\coordi 2014	2605, 2610, 4165,	3295, 3300, 3304,
\Coordn 2008	4166, 4168, 6939,	3320, 3338, 3340,
\coordn 2013	14662, 14663,	3348, 3350, 3359,
\Coordx 2004,	14665, 14667,	3360, 3440, 3444,
2007, 2008, 2009,	14674, 14695,	3475, 3483, 3484,
2010, 2011, 2012,	14696, 14698,	3497, 3505, 3507,
2013, 2014, 2018, 2019	14718, 14719,	3534, 3555, 3592,
\coordx 2015	14722, 14971,	3593, 3594, 3610,
\Coordy 2005,	14979, 14992, 18560	3611, 3612, 3613,
2007, 2008, 2009,	\counterwithout 14283,	3719, 3722, 3726,
2010, 2011, 2012,	14284, 14285, 14286	3743, 3746, 3748,
2013, 2014, 2018, 2019	\cr 398, 6002,	3758, 3761, 3763,
\coordy 2016	6009, 6065, 8926,	3770, 3775, 3780,
\Coordz 2006,	8930, 8932, 13477,	3790, 3806, 3809,
2009, 2011, 2014, 2019	18466, 18504, 20641	3823, 3835, 3867,
\coordz 2017	\crrcr . 409, 2132, 6005,	3878, 3962, 3965,
\copy 4830,	18454, 18484,	4005, 4054, 4194,
4874, 4918, 6877,	20437, 20440, 20628	4215, 4566, 4567,
7166, 7229, 7297,	\CROP@llc 7074	4574, 4575, 5167,
7303, 7463, 7475,	\CROP@lrc 7097	5185, 5203, 5234,
7812, 7833, 10825,	\CROP@ulc 7028	5263, 5292, 5534,
10861, 11617,	\CROP@urc 7051	6060, 6095, 6098,
11665, 11742,	\CROP@execopt 7121	6101, 6115, 6122,
11788, 13541,	\cs 13711, 13762,	6129, 6137, 6138,
13553, 13557,	13780, 13834,	6176, 6201, 6202,
14387, 14487,	13849, 14137,	6984, 6990, 6998,
15271, 15354,	14139, 14999, 15000	7005, 7577, 8710,
15424, 20412,	\cs@a 3362	8726, 8742, 8755,
20733, 20780,	\csname .. 8, 44, 58, 74,	8768, 8781, 8958,
20847, 20891, 20954	166, 168, 213, 257,	8968, 8978, 9004,
\cor@height ... 14410,	271, 286, 343, 344,	9017, 9029, 9047,
14411, 14438,	386, 1372, 2095,	9048, 9056, 9069,
14439, 14478,	2096, 2110, 2111,	9109, 9118, 9127,
14510, 14511,	2137, 2140, 2143,	9152, 9164, 9175,
14538, 14539, 14575	2159, 2167, 2175,	9192, 9193, 9201,
\count ... 1610, 1826,	2230, 2533, 2534,	9213, 9253, 9263,
2233, 3587, 4819,	2557, 2558, 2585,	9273, 9299, 9312,
4863, 4907, 8915,	2612, 2616, 2627,	9324, 9342, 9343,
8944, 9048, 9095,	2635, 2643, 2651,	9351, 9364, 9404,
9193, 9239, 9343,	2653, 2655, 2659,	9414, 9424, 9450,
9390, 9494, 9541,	2660, 2724, 2766,	9463, 9475, 9493,
9645, 9692, 9796,	2776, 2782, 2783,	9494, 9502, 9515,
9843, 9947, 9994,	2785, 2786, 2788,	9555, 9565, 9575,
10098, 10145,	2789, 2791, 2834,	9601, 9614, 9626,
10249, 10338,	2835, 2858, 2913,	9644, 9645, 9653,
10463, 10955,	2914, 2915, 2916,	9666, 9706, 9716,



<code>\d@llarend</code>	17656, 17666,	1878, 1887, 1892,
.. 383, 411, 1413,	17676, 17686,	1917, 1918, 2000,
1414, 1415, 1480,	18312, 18321,	2001, 2002, 2004,
1481, 1482, 6948,	18329, 18339,	2005, 2006, 2007,
6949, 6950, 20427	18349, 18359, 18369	2008, 2009, 2010,
<code>\dashgapcolor</code> 1473	<code>\DeclareTOCEntryStyle</code>	2011, 2012, 2013,
<code>\date</code> 450, 486, 790, 835,	. 19124, 19281, 19483	2014, 2015, 2016,
1042, 1087, 1292,	<code>\DecMargin</code> 194	2017, 2018, 2019,
1337, 1934, 5648,	<code>\dedication</code>	2024, 2035, 2066,
5696, 6403, 6580,	. 16736, 17285, 17984	2067, 2068, 2069,
6669, 6705, 8390,	<code>\dedicatory</code> 333	2076, 2082, 2088,
8424, 8487, 8523,	<code>\def</code> 2, 23,	2096, 2101, 2103,
10709, 10743,	26, 30, 34, 48, 64,	2111, 2116, 2117,
15700, 15745,	95, 98, 107, 108,	2132, 2136, 2139,
15841, 15888,	109, 110, 122, 132,	2142, 2147, 2150,
16091, 16132,	133, 135, 171, 172,	2153, 2157, 2165,
16278, 16314,	173, 174, 184, 188,	2173, 2180, 2182,
16737, 17286, 17985	207, 228, 237, 238,	2183, 2185, 2254,
<code>\datename</code> 17790	239, 240, 244, 247,	2348, 2349, 2350,
<code>\deadcycles</code> . . . 3213, 3216	261, 276, 308, 311,	2351, 2352, 2353,
<code>\debugfootnotedirection</code>	323, 329, 346, 348,	2355, 2356, 2374,
. 11106	353, 355, 380, 385,	2375, 2378, 2379,
<code>\DeclareOption</code>	387, 408, 409, 410,	2380, 2381, 2382,
2265, 2268, 2271,	411, 457, 458, 489,	2383, 2384, 2385,
2274, 2277, 2280,	553, 590, 722, 745,	2386, 2387, 2388,
2283, 2288, 2289,	746, 754, 793, 794,	2389, 2390, 2506,
2290, 2291, 2292,	796, 801, 803, 808,	2527, 2528, 2531,
2294, 4244, 4246,	810, 838, 985, 997,	2537, 2540, 2551,
4248, 4251, 4256,	998, 1006, 1045,	2552, 2555, 2561,
5353, 5354, 5612,	1046, 1048, 1053,	2564, 2575, 2577,
5613, 5638, 5639,	1055, 1060, 1061,	2580, 2584, 2590,
5782, 5783, 5784,	1090, 1235, 1247,	2598, 2599, 2600,
5785, 5786, 5806,	1248, 1256, 1295,	2601, 2602, 2603,
5807, 5808, 5809,	1296, 1298, 1303,	2604, 2611, 2612,
5810, 7588, 7590,	1305, 1310, 1312,	2616, 2621, 2629,
7592, 7594, 7596,	1340, 1360, 1370,	2637, 2645, 2652,
7597, 7686, 7688,	1371, 1374, 1380,	2654, 2754, 2762,
7690, 7692, 7694, 7695	1408, 1421, 1422,	2783, 2791, 2792,
<code>\DeclareRobustCommand</code>	1425, 1438, 1446,	2793, 2799, 2801,
. 1992,	1454, 1455, 1458,	2802, 2803, 2813,
1993, 1994, 1995,	1459, 1462, 1467,	2815, 2817, 2823,
1996, 1997, 1998,	1505, 1506, 1602,	2827, 2830, 2839,
4579, 4586, 6978,	1604, 1605, 1701,	2850, 2852, 2853,
6993, 20235, 20278	1705, 1760, 1762,	2864, 2937, 2956,
<code>\DeclareSectionCommand</code>	1792, 1809, 1817,	2988, 2989, 2990,
. 17049,	1818, 1819, 1820,	3001, 3015, 3018,
17057, 17067,	1821, 1827, 1828,	3019, 3031, 3043,
17077, 17087,	1835, 1851, 1852,	3047, 3050, 3063,
17097, 17629,	1853, 1856, 1859,	3072, 3100, 3128,
17638, 17646,	1863, 1874, 1875,	3131, 3132, 3140,



3141, 3175, 3188,
3204, 3219, 3277,
3286, 3293, 3300,
3304, 3309, 3314,
3319, 3321, 3324,
3327, 3335, 3336,
3338, 3340, 3341,
3348, 3350, 3351,
3358, 3359, 3360,
3361, 3362, 3366,
3367, 3369, 3370,
3372, 3378, 3384,
3402, 3403, 3408,
3413, 3418, 3424,
3429, 3440, 3444,
3450, 3453, 3467,
3469, 3471, 3473,
3474, 3476, 3478,
3483, 3484, 3485,
3486, 3491, 3492,
3499, 3501, 3504,
3509, 3511, 3517,
3518, 3519, 3520,
3524, 3527, 3529,
3530, 3534, 3536,
3537, 3540, 3550,
3592, 3593, 3594,
3597, 3607, 3614,
3616, 3621, 3633,
3640, 3642, 3646,
3647, 3654, 3656,
3659, 3664, 3671,
3673, 3744, 3747,
3756, 3759, 3911,
3922, 3961, 4074,
4084, 4097, 4151,
4161, 4163, 4168,
4173, 4179, 4180,
4183, 4190, 4198,
4213, 4286, 4377,
4398, 4402, 4415,
4495, 4564, 4582,
4588, 4625, 4750,
4752, 4753, 4754,
4763, 4765, 4766,
4767, 4771, 4773,
4779, 4780, 4807,
4821, 4824, 4828,
4832, 4845, 4851,
4865, 4868, 4872,

4876, 4889, 4895,
4909, 4912, 4916,
4920, 4933, 4985,
5000, 5005, 5131,
5133, 5161, 5179,
5197, 5218, 5247,
5276, 5496, 5533,
5541, 5770, 5908,
5909, 5911, 5929,
5930, 5933, 5943,
5944, 5945, 5946,
5952, 5955, 5966,
5967, 5968, 5978,
6004, 6008, 6015,
6037, 6056, 6057,
6058, 6064, 6094,
6097, 6100, 6104,
6107, 6110, 6113,
6120, 6127, 6137,
6138, 6139, 6149,
6153, 6156, 6161,
6162, 6163, 6165,
6174, 6180, 6201,
6202, 6326, 6358,
6359, 6367, 6514,
6535, 6536, 6544,
6584, 6604, 6676,
6677, 6708, 6779,
6793, 6826, 6830,
6842, 6855, 6862,
6866, 6869, 6932,
6935, 6938, 6970,
6977, 6980, 6987,
6995, 7001, 7008,
7009, 7011, 7125,
7138, 7141, 7142,
7147, 7154, 7159,
7163, 7226, 7286,
7795, 7799, 7802,
7820, 7823, 7841,
7898, 8075, 8117,
8144, 8146, 8151,
8182, 8183, 8256,
8305, 8324, 8347,
8397, 8398, 8427,
8494, 8495, 8526,
8573, 8588, 8621,
8697, 8704, 8720,
8736, 8752, 8765,
8778, 8807, 8808,

8809, 8819, 8820,
8821, 8892, 8954,
8964, 8974, 9000,
9012, 9025, 9052,
9065, 9080, 9085,
9105, 9114, 9123,
9148, 9159, 9171,
9197, 9209, 9224,
9229, 9249, 9259,
9269, 9295, 9307,
9320, 9347, 9360,
9375, 9380, 9400,
9410, 9420, 9446,
9458, 9471, 9498,
9511, 9526, 9531,
9551, 9561, 9571,
9597, 9609, 9622,
9649, 9662, 9677,
9682, 9702, 9712,
9722, 9748, 9760,
9773, 9800, 9813,
9828, 9833, 9853,
9863, 9873, 9899,
9911, 9924, 9951,
9964, 9979, 9984,
10004, 10014,
10024, 10050,
10062, 10075,
10102, 10115,
10130, 10135,
10155, 10165,
10175, 10201,
10213, 10226,
10253, 10266,
10281, 10286,
10348, 10360,
10372, 10384,
10409, 10423,
10437, 10465,
10478, 10492,
10514, 10522,
10596, 10631,
10643, 10674,
10716, 10717,
10746, 10777,
10809, 10815,
10822, 10858,
10932, 10943,
10991, 11098,
11185, 11189,



11191,	11193,	12554,	12568,	15142,	15149,
11195,	11197,	12576,	12583,	15268,	15269,
11199,	11200,	12591,	12594,	15271,	15272,
11202,	11206,	12597,	12631,	15278,	15279,
11215,	11217,	12663,	12692,	15280,	15290,
11224,	11225,	12719,	12722,	15300,	15308,
11242,	11245,	12724,	12727,	15316,	15317,
11251,	11254,	12736,	12737,	15318,	15319,
11262,	11263,	12741,	12743,	15320,	15321,
11264,	11270,	12744,	12745,	15326,	15327,
11287,	11303,	12747,	12756,	15330,	15332,
11331,	11345,	12758,	12783,	15333,	15334,
11359,	11373,	12787,	12796,	15335,	15337,
11379,	11385,	12797,	12798,	15338,	15351,
11392,	11405,	12800,	12804,	15357,	15364,
11409,	11413,	12806,	12811,	15365,	15366,
11419,	11424,	12814,	12835,	15367,	15368,
11428,	11440,	12847,	12883,	15370,	15371,
11454,	11456,	12904,	12906,	15510,	15511,
11458,	11460,	12907,	12914,	15632,	15655,
11468,	11573,	12919,	12979,	15656,	15664,
11583,	11614,	13069,	13085,	15703,	15704,
11662,	11719,	13086,	13118,	15706,	15711,
11723,	11729,	13119,	13123,	15713,	15718,
11738,	11740,	13125,	13431,	15720,	15748,
11756,	11767,	13443,	13447,	15794,	15795,
11768,	11770,	13448,	13449,	15803,	15844,
11783,	11784,	13456,	13484,	15845,	15847,
11786,	11802,	13515,	13523,	15852,	15854,
11804,	11807,	13526,	13531,	15859,	15861,
11809,	11810,	13561,	13569,	15891,	15913,
11825,	11832,	13635,	13636,	16026,	16055,
11892,	11893,	14241,	14243,	16057,	16098,
11894,	11895,	14293,	14295,	16100,	16135,
11904,	11906,	14343,	14354,	16223,	16285,
11942,	12194,	14365,	14384,	16286,	16317,
12221,	12232,	14484,	14581,	16388,	16400,
12243,	12254,	14589,	14622,	16426,	16430,
12264,	12275,	14634,	14646,	16473,	16520,
12286,	12297,	14660,	14693,	16523,	16530,
12312,	12327,	14707,	14743,	16533,	16541,
12344,	12370,	14771,	14775,	16548,	16551,
12387,	12395,	14779,	14783,	16577,	16579,
12408,	12425,	14787,	14878,	16599,	16783,
12433,	12441,	14892,	14894,	16784,	16836,
12458,	12466,	14901,	14907,	16843,	16992,
12472,	12489,	14987,	15040,	16994,	17126,
12497,	12503,	15044,	15048,	17128,	17148,
12520,	12528,	15050,	15066,	17332,	17416,
12536,	12550,	15078,	15092,	17423,	17572,



17574,	17700,	20437,	20439,	1650, 1656, 1662,
17717,	17721,	20446,	20448,	1668, 1680, 1686,
17724,	17728,	20451,	20453,	1692, 1699, 1713,
17800,	17825,	20454,	20455,	1720, 20028, 20036
17827,	17847,	20456,	20458,	\define@key 20026
18031,	18099,	20468,	20505,	\definecolor
18106,	18255,	20535,	20540, 1941, 1942,
18257,	18389,	20541,	20546,	1943, 1944, 1945,
18393,	18410,	20583,	20593,	2347, 2354, 7602,
18431,	18434,	20596,	20599,	7607, 7610, 7611,
18449,	18454,	20604,	20605,	7612, 7614, 7615,
18457,	18480,	20606,	20607,	7618, 7619, 7621,
18484,	18488,	20608,	20610,	7622, 7625, 7626,
18498,	18514,	20613,	20623,	7628, 7629, 7632,
18520,	18528,	20628,	20631,	7633, 7635, 7636,
18549,	18558,	20651,	20654,	7639, 7640, 7705,
18559,	18575,	20664,	20665,	7706, 7711, 7712,
18579,	18582,	20666,	20667,	7717, 7718, 7723,
18586,	18589,	20668,	20688,	7724, 7729, 7730, 8249
18619,	18661,	20690,	20723,	\DefineTOCEntryCommandOption
18695,	18717,	20730,	20777, 19490,
18723,	18726,	20824,	20838,	19492, 19494,
18728,	18731,	20841,	20845,	19498, 19500,
18755,	19408,	20849,	20862,	19502, 19504, 19506
19432,	19974,	20868,	20882,	\DefineTOCEntryIfOption
19995,	19997,	20885,	20889,	. 19486, 19488, 19520
20153,	20196,	20893,	20906,	\DefineTOCEntryLengthOption
20199,	20205,	20912,	20952,	. . 19125, 19127,
20209,	20228,	20956,	20957,	19282, 19484,
20234,	20237,	20958,	20959,	19496, 19522, 19524
20259,	20268,	20969,	21060,	\DefineTOCEntryOption
20274,	20280,	21072,	21073, 19508
20302,	20308,	21075,	21194,	\DefNewDummy . . 3384, 3401
20317,	20321,	21196,	21200,	\delimiter 11437
20325,	20326,	21202, 21229, 21231		\DEPTH 18622, 18629
20327,	20330,	\default@color 6977, 20234		\depth 11732,
20335,	20341,	\DefaultFindent . . 12890		14182, 14189, 14214
20342,	20343,	\DefaultLhang 12886		\depthof . . 8124, 8129,
20353,	20363,	\DefaultLoversize 12887		8138, 8139, 8143, 8148
20372,	20383,	\DefaultLraise . . . 12888		\descriptionlabel . 5574
20384,	20385,	\DefaultNindent . . 12891		\DetectColumn 20694, 20698
20386,	20387,	\DefaultOptionsFile		\detokenize 2760,
20388,	20393,	. 12896, 12899, 12902		2762, 2988, 2990,
20394,	20397,	\DefaultSlope 12892		2991, 3018, 3033,
20399,	20400,	\deffootnote . . 16576,		3050, 3053, 3061,
20401,	20402,	16601, 17125,		3063, 3131, 3132, 3957
20404,	20406,	17150, 17699,		\dfn@afteroutput 7890,
20408,	20409,	17719, 17824, 17849		7893, 7942, 7945
20422,	20424,	\define@choicekey .		\dfn@boxa . 7799, 7804,
20429,	20431, 1638, 1644,		7807, 7811, 7812,



7813, 7820, 7825, 7828, 7832, 7833, 7834, 7847, 7854, 7857, 7859, 7866, 7874, 7904, 7911, 7914, 7916, 7920, 7928	\dfn@LTRfootnotetext 7799, 7819	\diagbox@triple@pict@NE 8046
\dfn@boxb	\dfn@LTRmakecol 7898, 7950, 7952	\diagbox@triple@pict@NW 8037
7813, 7834, 7851, 7852, 7859, 7864, 7908, 7909, 7916, 7919	\dfn@makecol 7950, 7951, 7952	\diagbox@triple@pict@SE 8064
\dfn@countins . 7843, 7900	\dfn@makefnmark 7802, 7823	\diagbox@triple@pict@SW 8055
\dfn@dima 7804, 7805, 7806, 7817, 7825, 7826, 7827, 7838, 7842, 7859, 7879, 7899, 7916, 7931	\dfn@RTLfootnotetext 7820, 7840	\diagbox@triple@setbox@NE 8020
\dfn@dimb	\dfn@RTLmakecol 7841, 7950, 7951	\diagbox@triple@setbox@NW 7975, 7978, 7981, 7996
7879, 7880, 7882, 7883, 7885, 7931, 7932, 7934, 7935, 7937	\dfn@split 7813, 7834, 7847, 7859, 7904, 7916	\diagbox@triple@setbox@SE 7997, 8000, 8003, 8020
\dfn@elt@adjust 7879, 7931	\DFNalwaysdouble .. 7953	\diagbox@triple@setbox@SW 7996
\dfn@elt@getht 7844, 7901	\DFNcolumnsep 7862, 7875, 7919	\diagbox@wd 8023, 8026, 8031, 8034
\dfn@fnht . 7815, 7836, 7877, 7880, 7886, 7887, 7888, 7929, 7932, 7938, 7939, 7940	\DFNcolumnwidth 7796, 7801, 7822, 7861, 7863, 7866, 7876, 7918, 7920	\DigitsDotDashInterCharToks 1744, 1745
\dfn@fnmaxdp	\diagbox@double 7955, 7958	\dim 13856, 13857, 14180, 14181, 14182
7803, 7808, 7813, 7824, 7829, 7834, 7856, 7859, 7913, 7916	\diagbox@double@pict@NE 8029, 8036	\dimen 1609, 1825, 8875, 8916, 8933, 8934, 8935, 8943, 9047, 9094, 9192, 9238, 9342, 9389, 9493, 9540, 9644, 9691, 9795, 9842, 9946, 9993, 10097, 10144, 10248, 10337, 10462, 14679, 14686, 14687, 14695, 14696, 14701, 14702, 14718, 14719, 14726, 14727, 20961, 20964
\dfn@footnoterule 7897, 7949	\diagbox@double@pict@NW 8028	\dimen@ ... 6973, 6974, 10543, 10545, 11476, 11477, 11478, 11488, 11489, 11490, 11493, 11494, 11495, 11501, 11511, 11513, 11522, 11524, 11531, 11532,
\dfn@footnotetext . 7798	\diagbox@double@pict@SE 8021, 8028	
\dfn@gobble ... 7800, 7821	\diagbox@double@pict@SW 8036	
\dfn@ins .. 7808, 7809, 7810, 7812, 7829, 7830, 7831, 7833, 7847, 7848, 7904, 7905	\diagbox@font 7956, 7959, 7963, 7965, 7970, 7972, 7976, 7979, 7982, 7986, 7988, 7992, 7994	
\dfn@latex@footnotetext 7797	\diagbox@ht 8023, 8026, 8031, 8034	
\dfn@latex@LTRfootnotetext 7803, 7818	\diagbox@insepl ... 7956, 7963, 7965, 7976, 7979, 7986, 7988, 7998, 8008, 8010	
\dfn@latex@makecol 7896, 7948	\diagbox@insepr ... 7959, 7970, 7972, 7982, 7992, 7994, 8001, 8004, 8015, 8017	
\dfn@latex@RTLfootnotetext 7824, 7839	\diagbox@setlinecolor 8022, 8025, 8030, 8033, 8038, 8042, 8047, 8051, 8056, 8060, 8065, 8069	
\dfn@list . 7817, 7838, 7845, 7878, 7880, 7883, 7889, 7902, 7930, 7932, 7935, 7941		



11533, 11534,	\do 329, 330,	16932, 17509,
13538, 13539,	331, 332, 333, 334,	17512, 18192,
13540, 15339,	2207, 3941, 4001,	18195, 18461,
15344, 18412,	4016, 4037, 4040,	18496, 18508,
18414, 18420,	5026, 5031, 5045,	18622, 18624,
18426, 20167,	5050, 5064, 5069,	20223, 20232,
20168, 20169,	5092, 5101, 7143,	20233, 20636,
20170, 20171,	10780, 12981, 19717	20933, 20940, 21027
20172, 20231, 20232	\do@@hvFloat 11892	\dquad 6864, 6866
\dimen@i 18413,	\document 3171, 3185	\draw 20047,
18414, 18419, 18425	\documentclass 3924, 3927	20054, 20058,
\dimen@ii 11526,	\doloopbody 3562, 3563,	20081, 20091,
11527, 11528,	3607, 3680, 3687,	20099, 20102,
11534, 11536,	3694, 3697, 3699,	20105, 20108,
11539, 11540, 11541	3703, 3705, 3707, 3711	20120, 20125,
\dimexpr 28,	\doubleitemmaincolumnwidth	20132, 20138, 20139
242, 734, 968,	2396, 2409, 2410,	\dseries@display@setup
1214, 2711, 2714,	2411, 2412, 2436, 2438 6856
2807, 6338, 6491,	\doublerulesepcolor 1472	
12802, 13606,	\downtovalue . . . 3560,	E
13615, 14582,	3572, 3654, 3693	\edef 123,
14785, 15615,	\dp 40, 54,	362, 1387, 1441,
16038, 16604,	70, 253, 267, 282,	1449, 1509, 1534,
16611, 16614,	392, 1465, 1626,	1765, 1790, 2094,
17153, 17160,	1842, 6974, 6975,	2109, 2137, 2140,
17163, 17852,	7423, 7804, 7825,	2143, 2514, 2517,
17859, 17862,	7852, 7871, 7873,	2530, 2534, 2541,
19269, 19435,	7909, 7925, 7927,	2554, 2558, 2565,
19442, 19452,	8123, 8128, 8141,	2758, 2761, 2871,
19454, 20550,	8147, 8261, 8266,	2872, 2875, 2876,
20552, 20553,	8270, 8273, 8880,	2893, 2894, 2897,
20554, 20559,	10299, 10543,	2898, 2987, 2992,
20561, 20562,	10551, 10791,	3002, 3017, 3020,
20563, 20568,	10804, 11276,	3033, 3037, 3042,
20570, 20571,	11293, 11309,	3049, 3052, 3059,
20572, 20577,	11744, 11745,	3062, 3068, 3071,
20579, 20580, 20581	11748, 11790,	3124, 3130, 3133,
\DiscardVskip 12893	11791, 11794,	3288, 3298, 3376,
\display@setup 6831, 6856	12976, 13467,	3385, 3447, 3494,
\displayindent 6872	13614, 13617,	3497, 3524, 3527,
\displaystyle 10906, 10922	14679, 14695,	3531, 3615, 3620,
\displaywidth	14696, 14701,	3621, 3643, 3648,
6872, 8120, 8122,	14702, 14718,	3660, 3665, 3762,
8127, 10925, 12858	14719, 14726,	3770, 3780, 3912,
\divide 3702, 5916, 8934,	14727, 15163,	3955, 3999, 4021,
10353, 10354,	15164, 15165,	4035, 4063, 4155,
10470, 10471,	15339, 15383,	4167, 4174, 4191,
10792, 10793,	16439, 16481,	4995, 5140, 5151,
11731, 11732,	16484, 16538,	6095, 6098, 6101,
15183, 15184, 18494	16545, 16929,	8173, 8176, 10933,



10939,	11047,	18455,	18480,	1363, 1376, 1381,
11049,	11050,	18486,	19893,	1382, 1383, 1385,
11051,	11136,	20345,	20351,	1386, 1389, 1390,
11157,	11508,	20355,	20361,	1391, 1393, 1394,
12364,	12371,	20365,	20370,	1395, 1396, 1397,
12402,	12409,	20374,	20379,	1398, 1399, 1402,
12442,	12473,	20429,	20437,	1403, 1404, 1424,
12504,	12848,	20438, 20628, 20629		1425, 1426, 1427,
12982,	12986,	\eightcolumnfootnotes		1428, 1429, 1431,
13524,	13527, 9836		1432, 1433, 1434,
14890,	15035,	\eightcolumnfootstyle		1435, 1540, 1546,
15054,	15057, 9933		1552, 1594, 1596,
15083,	16435,	\eject 7433,		1605, 1615, 1796,
16478,	16821,	11479, 11548, 11568		1810, 1812, 1821,
17401,	17701,	\else 4, 12, 13, 25,		1831, 2078, 2084,
18084,	18464,	36, 87, 104, 116,		2090, 2105, 2188,
18489,	18503,	134, 136, 151, 155,		2196, 2201, 2211,
18521,	18576,	159, 167, 184, 209,		2450, 2451, 2452,
18583,	18596,	217, 218, 234, 249,		2454, 2490, 2516,
19057,	19529,	300, 315, 319, 356,		2519, 2538, 2546,
19562,	19569,	357, 358, 360, 361,		2562, 2570, 2586,
19574,	19635,	364, 365, 366, 368,		2656, 2664, 2670,
19789,	19893,	369, 370, 371, 372,		2676, 2682, 2688,
20006,	20243,	375, 376, 377, 401,		2694, 2700, 2706,
20248,	20257,	407, 453, 464, 467,		2719, 2727, 2731,
20272,	20276,	516, 533, 536, 537,		2737, 2745, 2749,
20286,	20291,	557, 560, 575, 596,		2771, 2778, 2822,
20300,	20306,	607, 612, 623, 627,		3026, 3309, 3322,
20319,	20323,	635, 639, 640, 644,		3323, 3336, 3337,
20524,	20536,	648, 651, 652, 657,		3339, 3341, 3349,
20639, 20703, 20717		668, 679, 693, 696,		3351, 3373, 3387,
\EdefEscapeName .. 12695		697, 700, 710, 757,		3440, 3444, 3450,
\egroup 192, 193,		766, 774, 798, 802,		3456, 3488, 3657,
196, 385, 409, 644,		804, 815, 818, 861,		3666, 3721, 3745,
1203, 1370, 1371,		872, 875, 878, 879,		3760, 3825, 3837,
1488, 2132, 2133,		885, 895, 898, 899,		3869, 3880, 3918,
2258, 6005, 6216,		902, 912, 923, 934,		3930, 3931, 3948,
6875, 6956, 8904,		942, 946, 955, 973,		3957, 4002, 4017,
10911,	10912,	1009, 1018, 1026,		4020, 4047, 4048,
10926,	11403,	1050, 1054, 1056,		4062, 4343, 4349,
11548,	11552,	1067, 1070, 1113,		4544, 4547, 4550,
13550,	13553,	1124, 1128, 1131,		4553, 4583, 4811,
14590,	15126,	1134, 1135, 1140,		4817, 4849, 4855,
15136,	15151,	1151, 1162, 1177,		4861, 4899, 4905,
15282,	15288,	1180, 1181, 1184,		5084, 5481, 5482,
15292,	15298,	1194, 1198, 1199,		5770, 5855, 5908,
15302,	15306,	1203, 1223, 1259,		5921, 5930, 6020,
15310,	15314,	1268, 1276, 1300,		6041, 6066, 6078,
15377,	15548,	1304, 1306, 1317,		6146, 6166, 6167,
15998,	18454,	1320, 1357, 1362,		6182, 6187, 6191,



6233, 6244, 6248,	8501, 8504, 8552,	11772,	11774,
6251, 6254, 6255,	8575, 8590, 8599,	11780,	11784,
6260, 6271, 6280,	8606, 8627, 8628,	11787,	11792,
6294, 6297, 6298,	8630, 8635, 8641,	11798,	11801,
6302, 6314, 6370,	8643, 8647, 8703,	11814,	11817,
6379, 6387, 6410,	8750, 8827, 8830,	11820,	11826,
6421, 6425, 6428,	8839, 8842, 8851,	11833,	11843,
6431, 6432, 6437,	8854, 8868, 8885,	11856,	11865,
6448, 6457, 6471,	8895, 8953, 8998,	11873,	11880,
6474, 6475, 6479,	9104, 9146, 9248,	11883,	11886,
6502, 6547, 6556,	9293, 9399, 9444,	11905,	11908,
6564, 6586, 6597,	9550, 9594, 9701,	11914,	11915,
6599, 6620, 6631,	9745, 9852, 9897,	11918,	11925,
6672, 6683, 6686,	10003, 10048,	11927,	11933,
6735, 6750, 6753,	10154, 10199,	11944,	11952,
6754, 6781, 6795,	10309, 10320,	11954,	11955,
6804, 6811, 6834,	10367, 10417,	11956,	11959,
6864, 6890, 6915,	10540, 10576,	11964,	11970,
6922, 6971, 6976,	10588, 10607,	11972,	11973,
7014, 7015, 7021,	10622, 10625,	11974,	11977,
7039, 7062, 7085,	10626, 10633,	11987,	11989,
7108, 7133, 7134,	10645, 10662,	12002,	12008,
7136, 7148, 7153,	10712, 10723,	12011,	12015,
7155, 7157, 7177,	10726, 10785,	12021,	12024,
7182, 7200, 7216,	10835, 10840,	12027,	12033,
7240, 7245, 7259,	10871, 10876,	12038,	12041,
7275, 7293, 7301,	10901, 10914,	12045,	12047,
7324, 7342, 7369,	10931, 10958,	12050,	12054,
7373, 7388, 7395,	10962, 10983,	12056,	12058,
7414, 7424, 7436,	11023, 11092,	12062,	12067,
7445, 7459, 7471,	11096, 11122,	12071,	12078,
7499, 7516, 7544,	11146, 11228,	12083,	12087,
7548, 7563, 7572,	11231, 11271,	12094,	12099,
7664, 7746, 7760,	11322, 11360,	12103,	12107,
7805, 7809, 7811,	11361, 11377,	12109,	12112,
7826, 7830, 7832,	11395, 11439,	12116,	12118,
7841, 7846, 7855,	11457, 11459,	12120,	12124,
7866, 7870, 7878,	11475, 11480,	12128,	12132,
7898, 7903, 7912,	11500, 11529,	12138,	12141,
7920, 7924, 7930,	11535, 11551,	12145,	12151,
7950, 7964, 7971,	11558, 11563,	12154,	12157,
7987, 7993, 8009,	11576, 11606,	12163,	12178,
8016, 8078, 8085,	11630, 11635,	12188,	12197,
8102, 8126, 8208,	11678, 11683,	12208,	12228,
8223, 8238, 8239,	11723, 11725,	12239,	12250,
8240, 8241, 8268,	11728, 11729,	12268,	12279,
8284, 8287, 8288,	11730, 11736,	12290,	12301,
8298, 8309, 8312,	11738, 11746,	12316,	12331,
8325, 8335, 8393,	11752, 11755,	12391,	12429,
8404, 8407, 8490,	11758, 11765,	12462,	12493,



12524,	12577,	13381,	13384,	15364,	15365,
12589,	12592,	13387,	13390,	15370,	15378,
12609,	12618,	13393,	13396,	15387,	15397,
12628,	12643,	13399,	13402,	15403,	15406,
12651,	12660,	13405,	13408,	15413,	15415,
12674,	12689,	13411,	13414,	15421,	15432,
12703,	12715,	13417,	13420,	15434,	15445,
12775,	12793,	13423,	13426,	15447,	15458,
12813,	12816,	13434,	13435,	15460,	15469,
12824,	12825,	13436,	13437,	15471,	15488,
12841,	12863,	13460,	13489,	15510,	15511,
12864,	12866,	13498,	13504,	15516,	15527,
12871,	12894,	13535,	13550,	15531,	15539,
12895,	12897,	13552,	13624,	15543,	15544,
12910,	12926,	14247,	14250,	15548,	15552,
12935,	12958,	14261,	14262,	15555,	15556,
12979,	12982,	14263,	14264,	15561,	15572,
12986,	13003,	14265,	14266,	15581,	15595,
13013,	13021,	14295,	14311,	15598,	15599,
13051,	13062,	14317,	14323,	15603,	15620,
13080,	13090,	14348,	14358,	15667,	15676,
13096,	13133,	14380,	14398,	15684,	15708,
13212,	13215,	14414,	14427,	15712,	15714,
13218,	13221,	14440,	14444,	15725,	15728,
13224,	13227,	14498,	14514,	15771,	15782,
13230,	13233,	14527,	14540,	15806,	15815,
13236,	13240,	14544,	14600,	15823,	15849,
13243,	13246,	14608,	14614,	15853,	15855,
13249,	13252,	14623,	14625,	15866,	15869,
13255,	13258,	14629,	14630,	15910,	15915,
13261,	13264,	14635,	14637,	15916,	15924,
13267,	13270,	14642,	14647,	15927,	15928,
13273,	13276,	14649,	14654,	15933,	15944,
13279,	13282,	14664,	14677,	15953,	15967,
13285,	13288,	14710,	14742,	15970,	15971,
13291,	13294,	14758,	14762,	15975,	15981,
13297,	13300,	14766,	14862,	15989,	15993,
13303,	13306,	14867,	14900,	15994,	15998,
13309,	13312,	14906,	14914,	16014,	16043,
13315,	13318,	14917,	14941,	16094,	16110,
13321,	13324,	14961,	14976,	16113,	16159,
13327,	13330,	15056,	15080,	16174,	16177,
13333,	13336,	15138,	15146,	16178,	16183,
13339,	13342,	15180,	15206,	16184,	16208,
13345,	13348,	15244,	15245,	16230,	16241,
13351,	13354,	15246,	15272,	16281,	16292,
13357,	13360,	15326,	15327,	16295,	16344,
13363,	13366,	15330,	15334,	16359,	16362,
13369,	13372,	15335,	15338,	16363,	16390,
13375,	13378,	15340,	15346,	16402,	16411,



16443,	16488,	17550,	17560,	18606,	18607,
16522,	16524,	17578,	17608,	18608,	18609,
16528,	16532,	17705,	17706,	18610,	18613,
16534,	16539,	17712,	17729,	18614,	18615,
16543,	16546,	17730,	17731,	18675,	18692,
16550,	16552,	17732,	17733,	18699,	18701,
16556,	16583,	17734,	17735,	18706,	18711,
16584,	16592,	17736,	17740,	18712,	18715,
16605,	16612,	17743,	17746,	18720,	18724,
16632,	16637,	17749,	17752,	18725,	18740,
16644,	16650,	17755,	17758,	18764,	18768,
16674,	16681,	17761,	17764,	18778,	18784,
16685,	16699,	17767,	17770,	18790,	18795,
16702,	16745,	17773,	17776,	18801,	18811,
16749,	16757,	17779,	17782,	18823,	18831,
16763,	16775,	17785,	17788,	18836,	18837,
16783,	16784,	17791,	17796,	18838,	18846,
16797,	16799,	17797,	17803,	18853,	18867,
16811,	16826,	17831,	17832,	18868,	18869,
16842,	16852,	17840,	17853,	18877,	18886,
16861,	16866,	17860,	17880,	18890,	18891,
16869,	16870,	17885,	17892,	18892,	18900,
16871,	16873,	17898,	17922,	18907,	18908,
16898,	16910,	17929,	17933,	18909,	18917,
16915,	16920,	17947,	17950,	18924,	18925,
16937,	16951,	17993,	17997,	18926,	18934,
16957,	16970,	18005,	18011,	18941,	18942,
16980,	16998,	18023,	18031,	18943,	18951,
17028,	17132,	18060,	18061,	18958,	18959,
17133,	17141,	18074,	18089,	18960,	18968,
17154,	17161,	18105,	18115,	18975,	18976,
17181,	17186,	18124,	18129,	18977,	18985,
17193,	17199,	18132,	18133,	18993,	18994,
17223,	17230,	18134,	18136,	18995,	19003,
17234,	17248,	18161,	18173,	19012,	19013,
17251,	17294,	18178,	18183,	19014,	19022,
17298,	17306,	18200,	18214,	19032,	19033,
17312,	17324,	18220,	18233,	19034,	19042,
17332,	17337,	18243,	18261,	19052,	19067,
17353,	17361,	18291,	18383,	19068,	19069,
17369,	17377,	18386,	18422,	19077,	19099,
17378,	17391,	18439,	18472,	19117,	19118,
17406,	17422,	18485,	18493,	19119,	19257,
17432,	17441,	18506,	18511,	19365,	19382,
17446,	17449,	18590,	18591,	19392,	19407,
17450,	17451,	18592,	18594,	19411,	19514,
17453,	17478,	18595,	18598,	19779,	19793,
17490,	17495,	18599,	18600,	19797,	19820,
17500,	17517,	18601,	18602,	19835,	19845,
17531,	17537,	18603,	18604,	19849,	19859,



19860,	19861,	20618,	20632,	4478, 4485, 4486,
19862,	19867,	20649,	20654,	4506, 4507, 4545,
19869,	19870,	20655,	20656,	4548, 4551, 4554,
19878,	19884,	20657,	20658,	4561, 4562, 4745,
19901,	19911,	20659,	20660,	4746, 5365, 5421,
19917,	19923,	20661,	20664,	5428, 5435, 5442,
19926,	19937,	20665,	20669,	5449, 5460, 5468,
19975,	19977,	20671,	20676,	5595, 5596, 5732,
19982,	19991,	20705,	20714,	5775, 5797, 6188,
19996,	19998,	20724,	20744,	6382, 6390, 6393,
20005,	20012,	20749,	20791,	6559, 6567, 6570,
20043,	20050,	20796,	20821,	6599, 6611, 6651,
20055,	20061,	20828,	20834,	6654, 6657, 6722,
20072,	20075,	20872,	20878,	6725, 7038, 7048,
20086,	20093,	20916,	20918,	7061, 7071, 7084,
20107,	20157,	20928,	20944,	7094, 7107, 7117,
20164,	20165,	20946,	20949,	7658, 7767, 7779,
20167,	20175,	20953,	20962,	7787, 8170, 8244,
20183,	20185,	20991,	20994,	8374, 8377, 8380,
20186,	20197,	20997,	21003,	8439, 8442, 8469,
20201,	20206,	21024,	21036,	8472, 8475, 8540,
20215,	20221,	21045,	21065,	8543, 8632, 10693,
20229,	20233,	21072,	21073,	10696, 10699,
20242,	20261,	21186, 21194, 21200		10758, 10761,
20266,	20285,	\em 5574		10913, 11962,
20310,	20315,	\email 332, 2386		11980, 12082,
20335,	20381,	\emailink 2468, 7679, 7777		12098, 12189,
20382,	20393,	\emailsymbol		12868, 14382,
20394,	20397,	. . . 2346, 7679, 7777		14995, 15679,
20401,	20402,	\empty 11905, 18392		15687, 15690,
20461,	20480,	\EmptyList 3484		15760, 15763,
20483,	20488,	\end . 172, 174, 197, 432,		15818, 15826,
20491,	20494,	435, 438, 503, 506,		15829, 15906,
20497,	20500,	769, 777, 780, 850,		15909, 15914,
20514,	20522,	853, 1021, 1029,		15915, 15916,
20527,	20528,	1032, 1102, 1105,		16073, 16076,
20529,	20551,	1271, 1279, 1282,		16079, 16151,
20552,	20554,	1353, 1356, 1361,		16260, 16263,
20560,	20561,	1362, 1363, 1878,		16266, 16331,
20563,	20569,	2027, 2038, 2039,		16334, 16431,
20570,	20572,	2434, 2436, 2438,		16474, 16640,
20578,	20579,	2440, 2442, 2446,		16655, 16662,
20581,	20589,	2454, 2457, 2507,		16668, 16672,
20590,	20591,	2530, 2538, 2540,		16680, 16752,
20592,	20595,	2541, 2547, 2554,		16769, 16779,
20598,	20601,	2562, 2564, 2565,		16807, 17189,
20604,	20605,	2571, 3241, 3247,		17204, 17211,
20606,	20607,	3267, 3273, 4383,		17217, 17221,
20609,	20611,	4384, 4389, 4392,		17229, 17301,
20612,	20616,	4469, 4470, 4477,		17318, 17328,



17387,	17888,	3244, 3295, 3300,	9817, 9857, 9867,
17903,	17910,	3304, 3320, 3338,	9877, 9903, 9916,
17916,	17920,	3340, 3348, 3350,	9928, 9946, 9947,
17928,	18000,	3359, 3360, 3440,	9955, 9968, 10008,
18017,	18027,	3444, 3475, 3483,	10018, 10028,
18070,	18545,	3484, 3497, 3505,	10054, 10067,
18738,	20047,	3507, 3534, 3555,	10079, 10097,
20054,	20064,	3592, 3593, 3594,	10098, 10106,
20069,	20082,	3610, 3611, 3612,	10119, 10159,
20089,	20092,	3613, 3719, 3722,	10169, 10179,
20111,	20128,	3727, 3743, 3746,	10205, 10218,
20135, 20141, 20143		3748, 3758, 3761,	10230, 10248,
\end@dblfloat	16518	3763, 3770, 3774,	10249, 10257,
\end@float		3775, 3780, 3789,	10270, 10364,
. 4409, 4738, 16469		3790, 3806, 3809,	10376, 10388,
\end@rotdblfloat	16473	3823, 3835, 3867,	10414, 10428,
\end@rotfloat		3878, 3963, 3965,	10442, 10462,
. 16430, 16471, 16472		4003, 4005, 4011,	10463, 10482,
\endarray	385,	4054, 4194, 4215,	10496, 10780,
. 409, 1370, 1371,		4566, 4567, 4574,	10933, 10935,
. 18480, 18484, 20429		4575, 5167, 5185,	10939, 10941,
\endBCmd	2029	5203, 5234, 5263,	11048, 11049,
\endbidi@lrbox	20546	5292, 5534, 6060,	11050, 11051,
\endbidi@switch		6095, 6098, 6101,	11053, 11055,
. 3397, 3401, 3402		6115, 6122, 6129,	11056, 11057,
\endbidi@tabular@RTLcases		6137, 6138, 6176,	11058, 11060,
. 20429, 20437, 20444		6201, 6202, 6984,	11061, 11062,
\endcsname	8, 44, 58,	6990, 6998, 7005,	11119, 11143,
. 74, 166, 168, 213,		7577, 8710, 8726,	11161, 11247,
. 257, 271, 286, 343,		8742, 8755, 8768,	11256, 11279,
. 344, 386, 1372,		8781, 8958, 8968,	11296, 11312,
. 2095, 2096, 2110,		8978, 9004, 9017,	11340, 11354,
. 2111, 2137, 2140,		9029, 9047, 9048,	11368, 11415,
. 2143, 2159, 2167,		9056, 9069, 9109,	11430, 12196,
. 2175, 2230, 2533,		9118, 9127, 9152,	12199, 12201,
. 2534, 2557, 2558,		9164, 9175, 9192,	12205, 12209,
. 2585, 2613, 2617,		9193, 9201, 9213,	12223, 12234,
. 2627, 2635, 2643,		9253, 9263, 9273,	12245, 12445,
. 2651, 2653, 2655,		9299, 9312, 9324,	12476, 12507,
. 2659, 2660, 2717,		9342, 9343, 9351,	12820, 12908,
. 2723, 2724, 2766,		9364, 9404, 9414,	12911, 13330,
. 2776, 2782, 2783,		9424, 9450, 9463,	13396, 14367,
. 2785, 2786, 2788,		9475, 9493, 9494,	14368, 14375,
. 2789, 2791, 2834,		9502, 9515, 9555,	14886, 14896,
. 2835, 2857, 2858,		9565, 9575, 9601,	14910, 16566,
. 2913, 2914, 2915,		9614, 9626, 9644,	16570, 16574,
. 2916, 2922, 2923,		9645, 9653, 9666,	17012, 17014,
. 2924, 2925, 3008,		9706, 9716, 9726,	17016, 17019,
. 3009, 3012, 3013,		9752, 9765, 9777,	17025, 17034,
. 3228, 3230, 3242,		9795, 9796, 9804,	17036, 17038,



17044,	17115,	19933,	19934,	11432,	11451,
17119,	17123,	19942,	19946,	11492,	11523,
17592,	17594,	19950,	19954,	11657,	11709,
17596,	17599,	19958,	19962,	11766,	11781,
17605,	17613,	19966,	19970,	12187,	12225,
17615,	17618,	20008,	20009,	12236,	12247,
17624,	17814,	20011,	20014,	12258,	12359,
17818,	17822,	20015,	20019,	12384,	12422,
18275,	18277,	20467,	20532,	12455,	12486,
18279,	18282,	20630,	20691,	12517,	12746,
18288,	18296,	20704,	20706,	12757,	12829,
18298,	18301,	21127		12852,	12913,
18307,	18456,	\enddocument	.. 3197, 3212	13109,	13478,
18482,	18484,	\endflushleft	. 2049, 2057	14258,	14376,
18516,	18538,	\endgraf	13492, 13511,	14476,	14573,
18540,	18556,	16977,	17557, 18240	14774,	14778,
18557,	18577,	\endgroup	... 17, 127,	14782,	15074,
18584,	18794,	222,	320, 327, 383,	15124,	15129,
19057,	19058,	399,	473, 525, 539,	15131,	15134,
19074,	19075,	677,	699, 824, 901,	15139,	15376,
19076,	19083,	921,	1076, 1160,	15407,	15579,
19085,	19086,	1183,	1326, 1495,	15602,	15734,
19139,	19140,	1923,	2161, 2169,	15875,	15951,
19294,	19295,	2177,	2524, 2543,	15974,	16119,
19405,	19409,	2567,	2775, 2794,	16166,	16181,
19413,	19512,	2938,	2957, 3002,	16301,	16351,
19515,	19529,	3024,	3034, 3051,	16366,	16708,
19545,	19546,	3101,	3172, 3468,	16808,	16946,
19562,	19569,	3470,	3498, 3503,	17257,	17388,
19574,	19635,	3512,	3670, 3718,	17526,	17956,
19690,	19692,	3742,	3757, 3828,	18071,	18209,
19694,	19710,	3840,	3852, 3872,	18559,	18680,
19713,	19719,	3883,	3894, 4058,	18859,	19275,
19721,	19724,	4157,	4167, 4207,	19386,	19787,
19728,	19733,	4576,	5003, 5005,	19915,	20225,
19737,	19741,	5236,	5265, 5294,	20258,	20301,
19755,	19759,	5671,	5688, 5704,	20320,	20427,
19762,	19765,	5715,	5755, 6074,	20537,	20774,
19769,	19771,	6117,	6124, 6131,	20817,	20970, 20980
19804,	19805,	6189,	6278, 6301,	\endL 1499,
19807,	19809,	6455,	6478, 6692,	1631,	1847, 2479,
19814,	19816,	6742,	6757, 6963,	6967,	6976, 6977,
19818,	19822,	7223,	7282, 8094,	6986,	6992, 7011,
19825,	19826,	8112,	8290, 8303,	10367,	10379,
19829,	19830,	8413,	8510, 8559,	10417,	10431,
19839,	19841,	10356,	10473,	10799,	10912,
19843,	19847,	10614,	10629,	10926,	11091,
19851,	19852,	10732,	10856,	11728,	11736,
19905,	19907,	10896,	10980,	11755,	11765,
19909,	19913,	11001,	11249,	11780,	11801,
		11258,	11417,		



12589,	13076,	13853,	14179,	\EQ	8117, 8123,
15138,	15278,	14345,	14347,		8124, 8128, 8129,
15297,	15406,	15147,	15279,		8138, 8139, 8141,
16528,	16539,	15287,	15366,		8143, 8144, 8146,
16546,	16556,	15367,	15368,		8147, 8148, 8149,
18634,	20233,	16524,	16534,		8151, 8152, 8153,
20234,	20273,	16543,	16552,		8165, 8168, 8170,
20277,	20330,	16944,	17524,		8172, 8173, 8175,
20341,	20360,	18207,	18454,		8178, 8180, 8182,
20949, 21024, 21045		18455,	18480,		8183, 8185, 8186,
\endlist	96, 309,	18486,	18633,		8188, 8191, 8192,
	592, 724, 955, 987,	20230,	20234,		8193, 8196, 8199,
	1237, 5559, 5567,	20236,	20330,		8207, 8214, 8222,
	5572, 6328, 6516,	20342,	20350,		8229, 8231, 8234,
	6828, 8349, 8623,	20437,	20594,		8238, 8239, 8240,
	10676, 12784,	20597,	20600,		8241, 8253, 8255, 8256
	14881, 15634,	20617,	20628,	\eq@addpunct	6866
	16028, 16225,	20629,	20949,	\EQ@box	6871, 6877
	16428, 16850,	20962,	20964,	\eq@group	6834, 6843
	17430, 18113, 18757	21024,	21045,	\eq@GRP@first@dmath	6843
\endlooprepeat		21064, 21067, 21075		\eq@if . . .	2608, 2609, 2611
. . .	3597, 3626, 3633	\endrotate	16533	\eq@isIntertext . . .	6881
\endLTR	15317, 20384	\endRTL	15319, 20386	\eq@prelim . . .	6834, 6851
\endMakeFramed . . .	11465	\ends@math	6861	\eq@setnumber	6837
\endmath	6861	\endsideways	16551	\eq@setup@a	6839
\endmdf@lrbox	13609	\endsidewaysfigure	16471	\eq@startup	6840
\endminipage		\endsidewaystable	16472	\eq@wdCond	6858
. . .	8892, 11392, 18638	\endstabular	18454, 18456	\eqnewif	1562,
\endmodernpoem	6202	\endstrip	14589		1563, 1567, 1579, 2604
\endpgfpicture . . .	15092	\endtabular	385, 386,	\eqno	337, 15362,
\endpspicture	15371		1371, 1372, 2132,		15364, 21070, 21072
\endR	346, 351, 385, 409,		18480, 18482,	\eqnumform	6869
	1370, 1371, 1488,		18566, 20628, 20630	\eqstyle	6836
	2132, 2133, 6869,	\endtabularx		\equal	2444,
	6956, 6972, 6977,	. . .	18517, 18546, 18557		2461, 2465, 2469,
	6979, 7011, 8075,	\endtcbox@lrbox	18638, 18639		4397, 4431, 4442,
	8926, 8930, 10367,	\endtcbox@savebox . .	18639		4474, 4475, 4491,
	10391, 10417,	\endtcbox@vbox	18649		4532, 4790, 5032,
	10445, 10931,	\endtitlepage . .	634,		5033, 5051, 5052,
	11725, 11730,		941, 1193, 6310,		5070, 5071, 5102,
	11787, 11826,		6498, 15538, 15988		5103, 7766, 11039
	11833, 12202,	\endtraditionalpoem	6138	\errmessage	
	12210, 12592,	\endtrivlist	10927	. . .	1606, 1822, 14677
	12628, 12660,	\endturn	16523	\ERROR	20715
	12689, 12715,	\endwindow	15149	\escapechar	2513, 2605,
	12725, 12728,	\enskip	19900, 19925		2610, 2794, 3287,
	12859, 13076,	\enspace	318, 15143, 15145		3292, 3294, 3296, 3309
	13486, 13550,	\ensuremath	1536	\ESO@isMEMOIR	8080
	13553, 13563,	\env@RTLcases	20442, 20446	\evenpage	1884, 1887,
	13654, 13662,				1888, 1889, 1891,



1892, 1893, 1894, 1896	1545, 1547, 1551,	3612, 3613, 3651,
<code>\evensidemargin</code> ...	1553, 2077, 2079,	3662, 3667, 3681,
.... 1908, 8103,	2083, 2085, 2089,	3718, 3719, 3720,
11874, 11879,	2091, 2095, 2096,	3723, 3726, 3742,
11887, 20990, 20998	2104, 2106, 2110,	3743, 3757, 3758,
<code>\everycr</code> 13482	2111, 2135, 2138,	3770, 3775, 3780,
<code>\everydisplay</code> 6831	2141, 2144, 2148,	3790, 3806, 3809,
<code>\everyhbox</code> ... 15281,	2151, 2154, 2205,	3835, 3878, 3940,
15283, 15291,	2206, 2259, 2527,	3949, 3961, 3963,
15293, 20344,	2529, 2533, 2534,	3964, 4004, 4014,
20346, 20354, 20356	2538, 2541, 2551,	4015, 4036, 4053,
<code>\everyjob</code> 1534,	2553, 2557, 2558,	4064, 4066, 4193,
1535, 1790, 1791	2562, 2565, 2585,	4194, 4993, 5534,
<code>\everymath</code> 349	2587, 2592, 2612,	5964, 6096, 6099,
<code>\everypar</code> .. 523, 675,	2613, 2616, 2617,	6102, 6105, 6108,
919, 1158, 4849,	2653, 2655, 2659,	6111, 6137, 6138,
4893, 4937, 6277,	2663, 2665, 2669,	6201, 6202, 6216,
6454, 6741, 8558,	2671, 2675, 2677,	6369, 6378, 6386,
10613, 10807,	2681, 2683, 2687,	6546, 6555, 6563,
15273, 15277,	2689, 2693, 2695,	6831, 6941, 6983,
15485, 15499,	2699, 2701, 2705,	7004, 7171, 7173,
15578, 15950,	2707, 2718, 2720,	7234, 7236, 8905,
16165, 16350,	2724, 2725, 2726,	9047, 9048, 9192,
18852, 18856,	2728, 2729, 2732,	9193, 9342, 9343,
19384, 20336,	2736, 2738, 2743,	9493, 9494, 9644,
20340, 20866, 20910	2744, 2746, 2747,	9645, 9795, 9796,
<code>\everyvbox</code> 1374,	2750, 2759, 2766,	9946, 9947, 10097,
1375, 15301,	2770, 2772, 2775,	10098, 10248,
15303, 15309,	2776, 2777, 2779,	10249, 10462,
15311, 20364,	2782, 2783, 2785,	10463, 10829,
20366, 20373, 20375	2786, 2788, 2789,	10831, 10865,
<code>\ExecuteOptions</code> ...	2791, 2795, 2829,	10867, 10933,
.... 2295, 4261,	2830, 2831, 2832,	10934, 10939,
5642, 5644, 7599, 7697	2833, 2835, 2858,	10940, 11040,
<code>\ExecuteOptionsX</code> .. 1727	2862, 2913, 2914,	11057, 11062,
<code>\exhyphenpenalty</code> ..	2915, 2916, 2922,	11121, 11124,
..... 626, 933,	2923, 2924, 2925,	11145, 11148,
1127, 6247, 6424,	3008, 3009, 3023,	11161, 11175,
15530, 15980, 16042	3024, 3025, 3027,	11176, 11177,
<code>\exp</code> 13730, 13733,	3034, 3035, 3038,	11178, 11180,
13787, 13962, 14016	3053, 3060, 3069,	11404, 11492,
<code>\expandafter</code> ... 166,	3290, 3291, 3300,	11514, 11515,
362, 386, 756,	3304, 3359, 3360,	11523, 11624,
765, 773, 799, 802,	3372, 3373, 3468,	11626, 11672,
1008, 1017, 1025,	3470, 3475, 3477,	11674, 11771,
1051, 1054, 1258,	3478, 3497, 3499,	11809, 11810,
1267, 1275, 1301,	3502, 3505, 3506,	12227, 12229,
1304, 1372, 1387,	3507, 3509, 3512,	12238, 12240,
1469, 1470, 1471,	3517, 3580, 3592,	12249, 12251,
1473, 1539, 1541,	3594, 3610, 3611,	12354, 12368,



12026,	12032,	644, 645, 651, 652,	2451, 2452, 2454,
12040,	12044,	657, 660, 668, 676,	2482, 2490, 2522,
12049,	12053,	678, 685, 686, 693,	2523, 2538, 2548,
12057,	12061,	696, 697, 702, 710,	2562, 2572, 2581,
12076,	12077,	749, 759, 768, 776,	2588, 2658, 2666,
12092,	12093,	800, 802, 817, 822,	2672, 2678, 2684,
12102,	12106,	856, 863, 872, 878,	2690, 2696, 2702,
12111,	12115,	879, 885, 888, 895,	2708, 2721, 2730,
12119,	12123,	898, 899, 904, 912,	2733, 2739, 2748,
12131,	12137,	920, 922, 929, 930,	2751, 2773, 2780,
12144,	12150,	934, 954, 955, 956,	2824, 2859, 3010,
12156, 12162, 15405		973, 1001, 1011,	3028, 3309, 3314,
\fboxrule	1977, 11442,	1020, 1028, 1052,	3319, 3322, 3323,
	11448, 11454,	1054, 1069, 1074,	3324, 3332, 3342,
	11456, 11458, 11460	1108, 1115, 1124,	3344, 3352, 3359,
\fboxsep	.. 1978, 2045,	1128, 1134, 1135,	3362, 3366, 3373,
	2054, 6972, 6973,	1140, 1143, 1151,	3378, 3389, 3401,
	6974, 7010, 11442,	1159, 1161, 1168,	3402, 3440, 3444,
	11454, 11456,	1169, 1177, 1180,	3451, 3455, 3457,
	11458, 11460,	1181, 1186, 1199,	3488, 3580, 3614,
	15404, 20230,	1202, 1203, 1204,	3652, 3658, 3662,
	20231, 20232, 20328	1223, 1251, 1261,	3667, 3681, 3724,
\fcolorbox 1979	1270, 1278, 1302,	3750, 3764, 3776,
\FeetAboveFloat	...	1304, 1319, 1324,	3791, 3827, 3839,
 10594, 10598	1362, 1363, 1365,	3871, 3882, 3936,
\FeetAtBottom 10596	1368, 1370, 1371,	3938, 3939, 3968,
\FeetBelowFloat	.. 10595	1376, 1390, 1391,	3970, 3974, 3975,
\FeetBelowRagged	..	1405, 1406, 1420,	3984, 3986, 4007,
 10597, 10599	1428, 1429, 1435,	4008, 4010, 4024,
\ff@backcol 11051	1436, 1440, 1445,	4025, 4027, 4028,
\ff@col 11049	1448, 1453, 1456,	4043, 4056, 4057,
\ff@frametype	11047, 11058	1464, 1465, 1474,	4065, 4082, 4137,
\ff@txtcol	1475, 1487, 1488,	4147, 4158, 4345,
	. 11039, 11040, 11050	1499, 1542, 1548,	4351, 4544, 4547,
\fi	12, 13, 18, 25, 36, 87,	1554, 1597, 1598,	4550, 4553, 4572,
	98, 104, 107, 108,	1605, 1606, 1617,	4583, 4813, 4822,
	109, 117, 134, 136,	1643, 1649, 1655,	4849, 4857, 4866,
	142, 150, 154, 158,	1661, 1667, 1679,	4901, 4910, 5086,
	162, 169, 184, 217,	1685, 1691, 1697,	5143, 5145, 5155,
	218, 223, 228, 234,	1711, 1718, 1725,	5481, 5482, 5599,
	237, 238, 239, 249,	1735, 1745, 1752,	5600, 5601, 5779,
	300, 315, 319, 338,	1798, 1813, 1814,	5857, 5909, 5922,
	346, 351, 365, 366,	1821, 1822, 1833,	5930, 5961, 5962,
	378, 379, 382, 385,	1869, 2080, 2086,	6017, 6018, 6022,
	401, 407, 409, 466,	2092, 2107, 2128,	6029, 6034, 6043,
	471, 509, 516, 524,	2132, 2133, 2135,	6072, 6083, 6085,
	526, 533, 536, 537,	2191, 2192, 2198,	6088, 6090, 6144,
	540, 559, 560, 566,	2213, 2214, 2217,	6146, 6150, 6169,
	575, 598, 607, 614,	2220, 2223, 2227,	6171, 6172, 6173,
	623, 627, 640, 643,	2228, 2236, 2450,	6184, 6186, 6187,



6196, 6198, 6235,	7522, 7525, 7532,	10154,	10164,
6244, 6248, 6254,	7546, 7554, 7560,	10199,	10216,
6255, 6260, 6263,	7565, 7567, 7568,	10309,	10320,
6271, 6279, 6286,	7569, 7570, 7584,	10329,	10367,
6287, 6294, 6297,	7619, 7626, 7633,	10417,	10547,
6298, 6304, 6314,	7640, 7665, 7714,	10578,	10590,
6346, 6348, 6350,	7720, 7726, 7732,	10607,	10615,
6362, 6372, 6381,	7746, 7761, 7807,	10622,	10625,
6389, 6412, 6421,	7810, 7811, 7828,	10626,	10630,
6425, 6431, 6432,	7831, 7832, 7857,	10633,	10638,
6437, 6440, 6448,	7873, 7874, 7876,	10645,	10662,
6456, 6463, 6464,	7885, 7894, 7895,	10725,	10730,
6471, 6474, 6475,	7914, 7927, 7928,	10764,	10771,
6481, 6502, 6523,	7937, 7946, 7947,	10773,	10775,
6525, 6527, 6539,	7950, 7966, 7973,	10785,	10789,
6549, 6558, 6566,	7989, 7995, 8011,	10796,	10797,
6586, 6592, 6593,	8018, 8075, 8078,	10798,	10799,
6597, 6599, 6622,	8089, 8092, 8104,	10839,	10855,
6631, 6685, 6690,	8110, 8130, 8214,	10857,	10875,
6728, 6735, 6743,	8229, 8238, 8239,	10895,	10897,
6750, 6753, 6754,	8240, 8241, 8271,	10908,	10915,
6758, 6768, 6770,	8284, 8287, 8288,	10931,	10953,
6772, 6781, 6787,	8291, 8298, 8304,	10961,	10965,
6788, 6795, 6806,	8311, 8312, 8318,	10979,	10986,
6811, 6830, 6832,	8325, 8335, 8406,	11026,	11066,
6833, 6834, 6842,	8411, 8445, 8503,	11068,	11070,
6853, 6855, 6864,	8508, 8546, 8552,	11079,	11081,
6869, 6871, 6886,	8560, 8562, 8564,	11083,	11091,
6887, 6888, 6890,	8566, 8575, 8581,	11094,	11096,
6892, 6917, 6924,	8582, 8590, 8601,	11111,	11125,
6930, 6942, 6943,	8606, 8627, 8630,	11149,	11233,
6955, 6956, 6967,	8633, 8635, 8642,	11235,	11271,
6971, 6972, 6976,	8643, 8647, 8668,	11324,	11332,
6977, 6979, 6986,	8688, 8703, 8750,	11346,	11360,
6992, 7011, 7014,	8832, 8833, 8844,	11361,	11376,
7015, 7021, 7026,	8845, 8856, 8857,	11377,	11400,
7049, 7072, 7095,	8868, 8888, 8900,	11443,	11457,
7118, 7133, 7136,	8925, 8926, 8929,	11459,	11469,
7137, 7153, 7157,	8930, 8932, 8953,	11537,	11538,
7158, 7160, 7181,	8963, 8998, 9015,	11566,	11571,
7206, 7213, 7222,	9104, 9113, 9146,	11580,	11593,
7224, 7244, 7265,	9162, 9248, 9258,	11594,	11595,
7272, 7281, 7283,	9293, 9310, 9399,	11609,	11634,
7293, 7332, 7339,	9409, 9444, 9461,	11655,	11658,
7348, 7351, 7358,	9550, 9560, 9594,	11682,	11707,
7371, 7379, 7385,	9612, 9701, 9711,	11710,	11723,
7390, 7392, 7393,	9745, 9763, 9852,	11725,	11728,
7394, 7427, 7428,	9862, 9897, 9914,	11729,	11730,
7444, 7453, 7458,	10003, 10013,	11736,	11738,
7459, 7505, 7513,	10048, 10065,	11749,	11755,



11758,	11765,	12252,	12272,	13272,	13275,
11774,	11780,	12283,	12294,	13278,	13281,
11782,	11784,	12309,	12324,	13284,	13287,
11787,	11795,	12339,	12398,	13290,	13293,
11801,	11816,	12436,	12469,	13296,	13299,
11822,	11823,	12500,	12531,	13302,	13305,
11826,	11833,	12557,	12560,	13308,	13311,
11845,	11846,	12563,	12566,	13314,	13317,
11859,	11869,	12575,	12577,	13320,	13323,
11875,	11882,	12581,	12587,	13326,	13329,
11888,	11889,	12589,	12592,	13332,	13335,
11905,	11909,	12606,	12611,	13338,	13341,
11914,	11918,	12620,	12628,	13344,	13347,
11919,	11929,	12640,	12645,	13350,	13353,
11930,	11935,	12653,	12660,	13356,	13359,
11936,	11937,	12671,	12676,	13362,	13365,
11945,	11954,	12682,	12689,	13368,	13371,
11956,	11957,	12700,	12705,	13374,	13377,
11958,	11959,	12715,	12721,	13380,	13383,
11960,	11972,	12725,	12728,	13386,	13389,
11974,	11975,	12756,	12760,	13392,	13395,
11976,	11977,	12775,	12787,	13398,	13401,
11978,	11983,	12793,	12796,	13404,	13407,
11989,	11990,	12797,	12798,	13410,	13413,
11991,	12004,	12813,	12824,	13416,	13419,
12010,	12017,	12825,	12830,	13422,	13425,
12023,	12029,	12842,	12859,	13428,	13434,
12035,	12036,	12863,	12866,	13436,	13439,
12037,	12042,	12869,	12871,	13448,	13449,
12046,	12051,	12894,	12895,	13464,	13486,
12055,	12059,	12912,	12922,	13491,	13500,
12063,	12064,	12928,	12945,	13504,	13545,
12065,	12066,	12960,	12961,	13546,	13550,
12073,	12081,	12979,	12982,	13551,	13553,
12089,	12097,	12986,	13005,	13558,	13563,
12104,	12108,	13015,	13023,	13571,	13575,
12113,	12117,	13054,	13055,	13608,	13630,
12121,	12125,	13065,	13066,	13654,	13662,
12126,	12127,	13083,	13092,	13853,	14179,
12134,	12140,	13098,	13132,	14249,	14253,
12147,	12153,	13135,	13214,	14256,	14261,
12159,	12165,	13217,	13220,	14262,	14263,
12166,	12167,	13223,	13226,	14264,	14265,
12168,	12169,	13229,	13232,	14266,	14278,
12170,	12171,	13235,	13239,	14292,	14295,
12180,	12185,	13242,	13245,	14301,	14305,
12186,	12190,	13248,	13251,	14306,	14327,
12202,	12210,	13254,	13257,	14328,	14329,
12214,	12215,	13260,	13263,	14334,	14345,
12230,	12241,	13266,	13269,	14347,	14351,



14361,	14373,	15272,	15326,	15994,	15997,
14380,	14402,	15327,	15330,	15998,	15999,
14409,	14412,	15334,	15335,	16006,	16008,
14433,	14443,	15338,	15343,	16010,	16014,
14473,	14479,	15344,	15349,	16043,	16112,
14480,	14502,	15364,	15365,	16117,	16153,
14509,	14512,	15366,	15367,	16159,	16167,
14533,	14543,	15368,	15370,	16174,	16177,
14570,	14576,	15373,	15381,	16178,	16182,
14577,	14582,	15392,	15397,	16183,	16184,
14602,	14612,	15402,	15405,	16195,	16197,
14613,	14618,	15406,	15413,	16199,	16208,
14619,	14625,	15415,	15419,	16232,	16241,
14629,	14630,	15421,	15430,	16294,	16299,
14633,	14637,	15432,	15434,	16337,	16344,
14642,	14645,	15443,	15445,	16352,	16359,
14649,	14654,	15447,	15456,	16362,	16363,
14658,	14666,	15458,	15460,	16367,	16377,
14677,	14691,	15469,	15471,	16379,	16381,
14696,	14702,	15488,	15510,	16390,	16395,
14719,	14727,	15511,	15518,	16402,	16411,
14733,	14742,	15527,	15531,	16445,	16449,
14749,	14757,	15544,	15547,	16459,	16490,
14761,	14765,	15548,	15549,	16495,	16496,
14769,	14862,	15555,	15556,	16507,	16508,
14869,	14888,	15561,	15564,	16522,	16524,
14893,	14898,	15572,	15580,	16528,	16532,
14905,	14915,	15587,	15588,	16534,	16539,
14916,	14919,	15595,	15598,	16543,	16546,
14920,	14921,	15599,	15605,	16550,	16552,
14926,	14931,	15620,	15641,	16556,	16583,
14935,	14941,	15643,	15645,	16592,	16594,
14947,	14952,	15659,	15669,	16605,	16612,
14955,	14961,	15678,	15686,	16635,	16641,
14980,	14993,	15710,	15712,	16647,	16650,
14994,	15045,	15727,	15732,	16673,	16678,
15059,	15067,	15766,	15773,	16679,	16691,
15068,	15072,	15782,	15798,	16701,	16706,
15080,	15095,	15808,	15817,	16709,	16746,
15103,	15138,	15825,	15851,	16747,	16753,
15147,	15148,	15853,	15868,	16760,	16763,
15166,	15170,	15873,	15915,	16778,	16783,
15177,	15178,	15916,	15918,	16784,	16785,
15180,	15182,	15921,	15927,	16801,	16804,
15183,	15184,	15928,	15933,	16811,	16828,
15190,	15215,	15936,	15944,	16849,	16856,
15217,	15228,	15952,	15959,	16861,	16866,
15239,	15246,	15960,	15967,	16869,	16870,
15252,	15254,	15970,	15971,	16871,	16873,
15257,	15258,	15977,	15981,	16900,	16924,



16925,	16926,	17831,	17840,	18857,	18858,
16944,	16945,	17842,	17853,	18860,	18861,
16953,	16959,	17860,	17883,	18867,	18868,
16972,	16982,	17889,	17895,	18869,	18877,
17000,	17006,	17898,	17921,	18880,	18881,
17030,	17132,	17926,	17927,	18889,	18890,
17141,	17143,	17939,	17949,	18891,	18892,
17154,	17161,	17954,	17957,	18900,	18903,
17184,	17190,	17994,	17995,	18907,	18908,
17196,	17199,	18001,	18008,	18909,	18917,
17222,	17227,	18011,	18026,	18920,	18924,
17228,	17240,	18031,	18032,	18925,	18926,
17250,	17255,	18063,	18067,	18934,	18937,
17258,	17295,	18074,	18091,	18941,	18942,
17296,	17302,	18112,	18119,	18943,	18951,
17309,	17312,	18124,	18129,	18954,	18958,
17327,	17332,	18132,	18133,	18959,	18960,
17333,	17336,	18134,	18136,	18968,	18971,
17339,	17352,	18163,	18187,	18975,	18976,
17355,	17360,	18188,	18189,	18977,	18985,
17363,	17368,	18207,	18208,	18988,	18993,
17371,	17380,	18216,	18222,	18994,	18995,
17384,	17391,	18235,	18245,	19003,	19006,
17408,	17429,	18263,	18269,	19012,	19013,
17436,	17441,	18293,	18384,	19014,	19022,
17446,	17449,	18387,	18429,	19025,	19032,
17450,	17451,	18445,	18450,	19033,	19034,
17453,	17480,	18454,	18455,	19042,	19045,
17504,	17505,	18472,	18480,	19059,	19067,
17506,	17524,	18486,	18493,	19068,	19069,
17525,	17533,	18500,	18506,	19077,	19080,
17539,	17552,	18511,	18542,	19102,	19117,
17562,	17580,	18599,	18600,	19118,	19119,
17586,	17610,	18616,	18617,	19260,	19276,
17705,	17712,	18633,	18668,	19368,	19382,
17713,	17729,	18675,	18677,	19385,	19387,
17730,	17731,	18692,	18703,	19415,	19416,
17732,	17733,	18706,	18713,	19417,	19424,
17734,	17735,	18714,	18715,	19439,	19456,
17736,	17743,	18720,	18724,	19478,	19517,
17745,	17749,	18725,	18740,	19518,	19786,
17751,	17755,	18763,	18770,	19788,	19795,
17757,	17761,	18788,	18789,	19797,	19810,
17763,	17767,	18805,	18806,	19811,	19812,
17769,	17773,	18807,	18811,	19819,	19823,
17775,	17779,	18812,	18821,	19828,	19832,
17781,	17785,	18825,	18826,	19838,	19844,
17787,	17791,	18827,	18833,	19848,	19854,
17793,	17797,	18836,	18837,	19857,	19859,
17799,	17803,	18838,	18846,	19860,	19861,



19864,	19867,	20437,	20463,	21068,	21072,
19870,	19871,	20482,	20490,	21073,	21075,
19880,	19886,	20496,	20502,	21083,	21085,
19895,	19896,	20510,	20517,	21190,	21196, 21202
19904,	19910,	20518,	20519,	\figcaption .	11954, 11972
19914,	19917,	20525,	20530,	\fill	5772, 5776,
19918,	19929,	20533,	20553,	11989,	12184,
19930,	19940,	20554,	20562,	13434,	13436, 13438
19941,	19945,	20563,	20571,	\filright . .	18655, 18684
19949,	19953,	20572,	20580,	\FirstFrameCommand	
19957,	19961,	20581,	20589,	11456, 11502
19965,	19969,	20590,	20591,	\firstmark	7179,
19973,	19977,	20592,	20595,	7242,	10837,
19982,	19990,	20598,	20601,	10873,	11033,
19993,	20000,	20604,	20605,	11632,	11680,
20001,	20005,	20606,	20607,	14400,	14500,
20012,	20035,	20609,	20611,	20746,	20793, 21056
20041,	20052,	20612,	20619,	\firstname	2379
20057,	20063,	20622,	20624,	\firstnamecolour . .	
20065,	20072,	20628,	20629,	. . .	2348, 7604, 7700
20075,	20088,	20632,	20648,	\firstnamefont	
20097,	20110,	20649,	20657,	2357, 2365,
20113,	20124,	20658,	20661,	7642, 7643,	7734, 7737
20130,	20131,	20662,	20663,	\firstnamestyle	2365,
20137,	20142,	20664,	20665,	7654,	7744, 7765
20145,	20159,	20671,	20676,	\fivecolumnfootnotes	
20164,	20167,	20684,	20701,	9383
20168,	20169,	20707,	20709,	\fivecolumnfootstyle	
20170,	20174,	20716,	20726,	9480
20177,	20179,	20728,	20748,	\flnew@within	10938
20185,	20186,	20772,	20775,	\float@newx	10932
20200,	20210,	20795,	20815,	\floatalignment . . .	
20211,	20218,	20818,	20821,	4401, 4402,
20223,	20226,	20830,	20839,	4443, 4444,	4466,
20229,	20230,	20874,	20883,	4473, 4481,	4532, 4743
20233,	20234,	20915,	20918,	\FloatBarrier .	4373, 4723
20236,	20245,	20919,	20920,	\floatc@biditytfloatplain	
20246,	20250,	20921,	20922,	4741,
20256,	20262,	20930,	20944,	4751, 4758,	4764, 4772
20263,	20264,	20948,	20949,	\floatc@biditytfloatplaintop	
20267,	20273,	20953,	20961,	4758
20277,	20288,	20962,	20963,	\floatc@biditytfloatruled	
20289,	20293,	20964,	20965,	4759
20299,	20311,	20986,	20993,	\floatc@plain	10929
20312,	20313,	20999,	21000,	\floatingpenalty . .	
20316,	20330,	21001,	21002,	. .	41, 55, 71, 254,
20335,	20381,	21004,	21005,	268,	283, 7816,
20382,	20393,	21006,	21024,	7837,	7884, 7891,
20394,	20397,	21039,	21045,	7936,	7943, 8878,
20401,	20402,	21064,	21067,	11276,	11293, 11309



\floatstyle	4792	\footdir@ORG@bidi@amsbook@footnotetext	9047, 9094, 9192, 9238, 9342,
\flushleft . . .	2046, 2055	\footdir@ORG@bidi@amsbook@LTRfootnotetext	9540, 9644, 9691, 9795,
\FN@sfc@footnote	2073, 2077	\footdir@ORG@bidi@amsbook@RTLfootnotetext	9993, 10097, 10144,
\FN@sfc@footnotemark	2102, 2104	\footdir@ORG@bidi@footnotetext	10248, 10337, 10462
\FN@sfc@LTRfootnote	2074, 2083	\footinsvcr	
\FN@sfc@RTLfootnote	2075, 2089	\footdir@ORG@bidi@LTRfootnotetext	8868, 8913, 8914,
\FN@sfc@gobble@bracket	2113, 2116	\footdir@ORG@bidi@LTRfootnotetext	8915, 8916, 8943,
\FN@sfc@gobble@opt	2079,	\footdir@ORG@bidi@RTLfootnotetext	8944, 8953, 8963,
2085, 2091, 2094		\footdir@temp	8973, 9094, 9095,
\FN@sfc@gobble@optonly	2106, 2109	. . 79, 80, 81, 292,	9104, 9113, 9122,
\FN@sfc@gobble@twobracket	2098, 2101	293, 294, 11166,	9238, 9239, 9248,
\font	18396, 18397	11327, 11328, 11329	9258, 9268, 9389,
\fontdimen	18396, 18397	\footdir@toks	9390, 9399, 9409,
\fontsize 11107, 11174,	9419, 9540, 9541,
. 313, 5727, 5729,		11175, 11176, 11180	9550, 9560, 9570,
5731, 7642, 7734,		\footdir@write	9691, 9692, 9701,
12808, 14978, 14991		. 11101, 11131, 11170	9711, 9721, 9842,
\foo	15050,	\footersymbol	9843, 9852, 9862,
15052, 15062, 15064	 7661, 7662,	9872, 9993, 9994,
\footdir@abspage	11136,	7677, 7678, 7679, 7680	10003, 10013,
11139, 11140,		\footfootmark	10023, 10144,
11143, 11144, 11147	 8822, 8990,	10145, 10154,
\footdir@debug 11108,		9138, 9285, 9436,	10164, 10174,
11116, 11120,		9587, 9738, 9889,	10337, 10338,
11123, 11133,		10040, 10191, 10397	10358, 10370, 10382
11140, 11144, 11147		\footfudgefactor	\footmarksep 8817
\footdir@debugfalse 1690		. 10300, 10355, 10472	\footmarkstyle 8819, 8858
\footdir@debugtrue	1688, 11106	\footfudgefiddle . 10330	\footmarkwidth . 8816,
\footdir@fntext	11154, 11171, 11173	\footins 35, 49,	8823, 8824, 8826,
\footdir@LeftRightElse	11114, 11130, 11207	65, 248, 262, 277,	8828, 8831, 8835,
\footdir@name	11157, 11160, 11161	7816, 7837, 7841,	8836, 8838, 8840,
\footdir@ORG@bidi@amsart@footnotetext	79	7842, 7853, 7856,	8843, 8847, 8848,
\footdir@ORG@bidi@amsart@LTRfootnotetext	81	7860, 7884, 7890,	8850, 8852, 8855, 8861
\footdir@ORG@bidi@amsart@RTLfootnotetext	80	7898, 7899, 7910,	\footnote 420,
		7913, 7917, 7936,	494, 744, 843,
		7942, 8702, 8718,	996, 1095, 1246,
		8734, 8875, 10555,	1346, 2073, 2076,
		10559, 10566,	5309, 5628, 5659,
		10570, 10574,	6357, 6534, 6639,
		10587, 11270,	6713, 8364, 8432,
		\footnotetext 11303,	8457, 8531, 10683,
		11618, 11619,	10751, 14296,
		11667, 15340, 15341, 15343	14299, 15654,
		\footinsdir	15753, 15791,
			15897, 16051,
			16139, 16248,
			16322, 16626,



16742, 17175, 17291, 17874, 17990	15650, 15787, 16047, 16244, 16622, 17171, 17870	8641, 12861, 12867
\footnotelayout ...	\footnotetext .. 2137,	\fromname 8646
... 5127, 5128, 5131	2148, 6095, 6105	\fromplace 17797
\footnotemark	\footparindent 8818, 8862	\fromsig 8645, 8647, 17804
2102, 2103, 11405,	\footrule 10816	\fromvalue 3560,
11419, 14297, 14300	\footrulewidth 2327, 4602	3646, 3669, 3691, 3706
\footnoterule .. 7795,	\footscript 8819,	\frontmatter 5826
7857, 7863, 7868,	8825, 8829, 8831	\fs@biditytfloatboxed
7896, 7897, 7914,	\footskip .. 10816, 21042 4770
7918, 7922, 7948,	\foottextfont .. 8706,	\fs@biditytfloatplain
7949, 8697, 8887,	8713, 8753, 8759, 4749, 4757
8898, 8912, 10532,	8871, 8938, 8955,	\fs@biditytfloatplaintop
10558, 10569,	8990, 9001, 9089, 4757
11098, 11195,	9106, 9138, 9149,	\fs@biditytfloatruled
11199, 11202,	9233, 9250, 9285, 4762
11217, 11222,	9296, 9384, 9401,	\fslice . 15160, 15161,
11223, 11225,	9436, 9447, 9535,	15163, 15164, 15167
11718, 15342, 18650	9552, 9587, 9598,	\ftn@font
\footnotes	9686, 9703, 9738,	. 16597, 17146, 17845
5124	9749, 9837, 9854,	\ftn@rule@height ..
\footnotesep .. 29, 31,	9889, 9900, 9988, 16604,
40, 46, 54, 60, 70,	10005, 10040,	16607, 16611,
76, 243, 245, 253,	10051, 10139,	16614, 17153,
259, 267, 273, 282,	10156, 10191,	17156, 17160,
288, 7813, 7834,	10202, 10305,	17163, 17852,
7859, 7916, 8713,	10332, 10349,	17855, 17859, 17862
8729, 8745, 8759,	10361, 10397, 10411	\ftn@rule@test@values
8772, 8785, 8879,	\forcerectofloat .. 4404 16603,
11275, 11283,	\forceversofloat .. 4405	16610, 17152,
11292, 11300,	\forvariable	17159, 17851, 17858
11308, 11316,	3560, 3566, 3642,	\ftn@rule@width 16607,
11343, 11357,	3678, 3685, 3690,	16614, 17156,
11371, 12803, 12805	3696, 3701, 3705, 3706	17163, 17855, 17862
\footnotesize ... 38,	\fourcolumnfootnotes	\ftnm@font
52, 68, 106, 236, 9232	. 16599, 17148, 17847
251, 265, 280, 416,	\fourcolumnfootstyle	\full@width
740, 992, 1242, 9329	. 14669, 14681, 14732
2457, 2479, 4281,	\fp	\futurelet 793,
4282, 4320, 4939,	13951, 13952, 13953, 13954	795, 1045, 1047,
4940, 4941, 5133,	\fps@figure 11942	1295, 1297, 2578,
5163, 5181, 5199,	\framebox 172, 174, 7652,	3368, 3371, 15703,
6353, 6530, 6635,	7783, 14611, 14617	15705, 15844, 15846
8360, 8453, 8871,	\FrameCommand 11454	
8872, 8873, 10679,	\FrameHeightAdjust 11528	
11266, 11267,	\FrameRestore . 11462,	
11268, 11273,	11466, 11582, 11583	
11290, 11306,	\fromaddress	
11336, 11350, 8625, 8631,	
11364, 12795,		
15143, 15145,		



13763,	13780,	14103,	14104,	14399,	14499,
13781,	13818,	14109,	14115,	14923,	14944,
13834,	13837,	14126,	14131,	15334,	18394,
13843,	13844,	14132,	14133,	18656,	18657,
13845,	13846,	14137,	14140,	18662,	18685,
13847,	13856,	14141,	14142,	18686,	20010,
13857,	13859,	14143,	14145,	20401,	20451,
13861,	13862,	14153,	14167,	20688,	20745, 20792
13863,	13870,	14168,	14169,	\geometry	4303,
13871,	13876,	14170,	14172,		4306, 4310, 4313, 4317
13882,	13891,	14175,	14183,	\Gin@angle	14984
13894,	13902,	14184,	14187,	\Gin@bboxtrue	11759
13903,	13906,	14191,	14192,	\Gin@defaultbp	
13907,	13908,	14194,	14196,		. . 11760, 11761,
13909,	13910,	14197,	14198,		11762, 11763,
13911,	13913,	14202,	14203,		18621, 18622, 18625
13916,	13917,	14204,	14209,	\Gin@eheight	14986
13919,	13922,	14216,	15001,	\Gin@esetsize	11778
13924,	13927,	15003,	15012,	\Gin@ewidth	14985, 14986
13932,	13940,	15015, 15017, 15018		\Gin@exclamation . .	
13941,	13943,	\g@addto@macro 11808, 14985, 14988
13944,	13945,	3809, 4053, 4138,		\Gin@gridfalse . . .	14971
13946,	13947,	4148, 4399, 5085,		\Gin@iii	11767
13948,	13949,	5087, 8165, 8168,		\Gin@iii	11756, 11770
13951,	13952,	8170, 19717, 20013		\Gin@llx	11760
13953,	13954,	\g@mix@page@int . .	14089	\Gin@lly	11761
13956,	13957,	\gdef	409, 411, 1976,	\Gin@outer@scalex	14982
13967,	13975,	2348, 2349, 2350,		\Gin@outer@scaley	14983
13976,	13977,	2351, 2352, 2353,		\Gin@scalex	14987
13979,	13984,	2355, 2356, 3332,		\Gin@scaley	14988
13985,	13990,	3334, 3344, 3346,		\Gin@urx	11762
13991,	13995,	3655, 3657, 3658,		\Gin@ury	11763
14000,	14003,	4132, 4143, 4417,		\Gin@urx	11762
14010,	14012,	4418, 4420, 4423,		\Gin@ury	11763
14015,	14016,	4503, 4508, 4509,		\Gin@urx	11762
14020,	14022,	4510, 4662, 4703,		\Gin@ury	11763
14023,	14026,	5082, 5220, 5249,		\Gin@urx	11762
14027,	14028,	5278, 5317, 5326,		\Gin@ury	11763
14032,	14033,	5335, 5664, 5681,		\Gin@urx	11762
14037,	14038,	5697, 5709, 5749,		\Gin@ury	11763
14045,	14060,	5750, 5751, 5938,		\Gin@urx	11762
14061,	14062,	5941, 6203, 6215,		\Gin@ury	11763
14064,	14069,	6217, 7178, 7241,		\Gin@urx	11762
14072,	14073,	8119, 8132, 10572,		\Gin@ury	11763
14076,	14080,	10583, 10594,		\Gin@urx	11762
14081,	14082,	10595, 10836,		\Gin@ury	11763
14086,	14087,	10872, 11161,		\Gin@urx	11762
14088,	14095,	11221, 11631,		\Gin@ury	11763
14096,	14097,	11679, 12909,		\Gin@urx	11762
14099,	14100,	13131, 13134,		\Gin@ury	11763



1035, 1036, 1037,
1038, 1039, 1040,
1041, 1042, 1043,
1072, 1078, 1079,
1080, 1081, 1082,
1083, 1084, 1085,
1086, 1087, 1088,
1157, 1158, 1284,
1285, 1286, 1287,
1288, 1289, 1290,
1291, 1292, 1293,
1322, 1328, 1329,
1330, 1331, 1332,
1333, 1334, 1335,
1336, 1337, 1338,
1464, 1465, 1925,
1926, 1927, 1928,
1929, 1930, 1931,
1932, 1933, 1934,
1935, 2135, 2138,
2141, 2144, 2148,
2151, 2154, 2233,
2237, 2259, 2515,
2527, 2551, 2635,
2651, 3468, 3470,
3483, 3484, 3494,
3502, 3512, 3625,
3644, 3646, 3648,
3660, 3665, 4268,
4402, 4446, 4447,
4819, 4830, 4833,
4863, 4874, 4877,
4907, 4918, 4921,
4975, 5742, 5939,
5942, 5960, 5964,
5980, 5991, 6017,
6018, 6045, 6058,
6059, 6087, 6096,
6099, 6102, 6105,
6108, 6111, 6143,
6153, 6167, 6169,
6174, 6175, 6181,
6182, 6184, 6204,
6216, 6218, 6276,
6277, 6395, 6396,
6397, 6398, 6399,
6400, 6401, 6402,
6403, 6404, 6453,
6454, 6572, 6573,
6574, 6575, 6576,

6577, 6578, 6579,
6580, 6581, 6659,
6660, 6661, 6662,
6663, 6664, 6665,
6666, 6667, 6668,
6669, 6670, 6688,
6694, 6695, 6696,
6697, 6698, 6699,
6700, 6701, 6702,
6703, 6704, 6705,
6706, 6740, 6741,
6833, 6843, 6844,
6845, 6846, 6847,
6848, 6849, 6850,
6858, 6871, 6876,
6880, 6936, 7165,
7166, 7176, 7183,
7217, 7228, 7229,
7239, 7246, 7276,
7335, 7343, 7353,
7363, 7372, 7374,
7375, 7378, 7381,
7391, 7405, 7406,
7408, 7410, 7411,
7413, 7419, 7420,
7423, 7425, 7426,
7429, 7432, 7437,
7446, 7454, 7509,
7517, 7527, 7536,
7538, 7547, 7549,
7550, 7553, 7556,
7566, 7574, 7575,
7582, 7808, 7815,
7829, 7836, 7848,
7856, 7860, 7877,
7880, 7888, 7893,
7905, 7913, 7917,
7929, 7932, 7940,
7945, 8245, 8382,
8383, 8384, 8385,
8386, 8387, 8388,
8389, 8390, 8391,
8409, 8415, 8416,
8417, 8418, 8419,
8420, 8421, 8422,
8423, 8424, 8425,
8477, 8478, 8479,
8480, 8481, 8482,
8483, 8484, 8485,
8486, 8487, 8488,

8506, 8512, 8513,
8514, 8515, 8516,
8517, 8518, 8519,
8520, 8521, 8522,
8523, 8524, 8557,
8558, 8750, 8763,
8776, 8932, 8998,
9010, 9023, 9063,
9146, 9157, 9169,
9207, 9293, 9305,
9318, 9358, 9444,
9456, 9469, 9509,
9595, 9607, 9620,
9660, 9746, 9758,
9771, 9811, 9897,
9909, 9922, 9962,
10048, 10060,
10073, 10113,
10199, 10211,
10224, 10264,
10291, 10305,
10407, 10421,
10435, 10490,
10535, 10582,
10593, 10612,
10613, 10701,
10702, 10703,
10704, 10705,
10706, 10707,
10708, 10709,
10710, 10728,
10734, 10735,
10736, 10737,
10738, 10739,
10740, 10741,
10742, 10743,
10744, 10824,
10825, 10834,
10840, 10860,
10861, 10870,
10877, 10948,
10951, 10984,
10987, 10989,
10995, 10996,
10997, 11013,
11017, 11020,
11028, 11030,
11034, 11332,
11333, 11346,
11347, 11360,



11361,	11616,	14864,	15082,	16274,	16275,
11617,	11618,	15099,	15100,	16276,	16277,
11619,	11629,	15101,	15102,	16278,	16279,
11637,	11664,	15110,	15117,	16297,	16303,
11665,	11666,	15150,	15174,	16304,	16305,
11667,	11677,	15175,	15176,	16306,	16307,
11685,	12368,	15375,	15425,	16308,	16309,
12382,	12406,	15577,	15578,	16310,	16311,
12420,	12453,	15692,	15693,	16312,	16313,
12484,	12515,	15694,	15695,	16314,	16315,
12578,	12588,	15696,	15697,	16349,	16350,
13081,	13473,	15698,	15699,	16704,	16716,
13474,	13525,	15700,	15701,	16717,	16718,
13528,	13547,	15730,	15736,	16719,	16720,
13548,	13556,	15737,	15738,	16721,	16722,
14229,	14230,	15739,	15740,	16723,	16724,
14231,	14232,	15741,	15742,	16725,	16726,
14233,	14234,	15743,	15744,	16727,	16728,
14235,	14236,	15745,	15746,	16729,	16730,
14237,	14254,	15831,	15832,	16731,	16732,
14349,	14386,	15833,	15834,	16733,	16734,
14387,	14397,	15835,	15836,	16735,	16736,
14403,	14406,	15837,	15838,	16737,	16738,
14408,	14410,	15839,	15840,	16938,	16992,
14411,	14413,	15841,	15842,	16994,	17253,
14418,	14426,	15871,	15877,	17265,	17266,
14428,	14436,	15878,	15879,	17267,	17268,
14437,	14438,	15880,	15881,	17269,	17270,
14439,	14441,	15882,	15883,	17271,	17272,
14442,	14445,	15884,	15885,	17273,	17274,
14446,	14477,	15886,	15887,	17275,	17276,
14478,	14486,	15888,	15889,	17277,	17278,
14487,	14497,	15949,	15950,	17279,	17280,
14503,	14506,	16081,	16082,	17281,	17282,
14508,	14510,	16083,	16084,	17283,	17284,
14511,	14513,	16085,	16086,	17285,	17286,
14518,	14526,	16087,	16088,	17287,	17518,
14528,	14536,	16089,	16090,	17572,	17574,
14537,	14538,	16091,	16092,	17952,	17964,
14539,	14541,	16115,	16121,	17965,	17966,
14542,	14545,	16122,	16123,	17967,	17968,
14546,	14574,	16124,	16125,	17969,	17970,
14575,	14581,	16126,	16127,	17971,	17972,
14582,	14594,	16128,	16129,	17973,	17974,
14595,	14596,	16130,	16131,	17975,	17976,
14597,	14598,	16132,	16133,	17977,	17978,
14599,	14601,	16164,	16165,	17979,	17980,
14607,	14679,	16268,	16269,	17981,	17982,
14696,	14702,	16270,	16271,	17983,	17984,
14719,	14727,	16272,	16273,	17985,	17986,



18201,	18255,	11863,	11864,	H
18257,	18485,	11867, 11868, 11869		\H@@footnotemark ..
18489,	18490,	\Gm@vrules@mpi ... 11850		.. 12259, 12348,
18491,	18508,	\Gm@vrules@mpii .. 11860		12541, 12555, 12572
18520,	18525,	\grid 14979, 14992		\H@@footnotetext ..
18529,	18541,	\Grot@box 11728,		... 8676, 12218,
18578,	18580,	11736, 16528,		12229, 12298,
18585,	18587,	16539, 16546, 16556		12345, 12459,
18851,	18852,	\Grot@box@kv 11729		12542, 12558, 12572
18855,	18856,	\Grot@box@std 11723		\H@@mpfootnotetext
19383,	19384,	\Grot@setangle 11724,		... 8682, 12227,
19434,	19438,	11735, 16521,		12261, 12265, 12349
20007,	20155,	16531, 16542, 16549		\H@refstepcounter 12748
20163,	20173,	\Grot@x 11726,		\halign 5979, 13476
20176,	20220,	11731, 16526,		\hangafter .. 7026, 14322
20462,	20691,	16536, 16544, 16554		\hangindent 107,
20702,	20732,	\Grot@y 11727,		108, 109, 237,
20733,	20743,	11732, 16527,		238, 239, 650,
20750,	20779,	16537, 16544, 16555		877, 1133, 5599,
20780,	20790,	\group .. 13830, 13851,		5600, 5601, 6253,
20797,	20836,	14138, 14151,		6430, 6930, 7026,
20847,	20850,	14156, 14163, 14219		12796, 12797,
20880,	20891,	\grp@aligned 6849		12798, 14315,
20894,	20922,	\GRP@box . 6844, 6876, 6878		14321, 15554,
20931,	20932,	\grp@eqs@numbered . 6848		15926, 20609, 21085
20933,	20934,	\grp@hasNumber 6853		\hb@xt@ 459,
20936,	20939,	\GRP@label 6845		519, 538, 671, 698,
20940,	20954,	\grp@linewidth 6847		900, 915, 1062,
20959,	20973,	\GRP@queue ... 6844, 6880		1154, 1182, 1919,
20974,	20976,	\grp@setnumber 6853		6274, 6299, 6451,
20985,	21018,	\grp@shiftnumber .. 6850		6476, 6678, 6738,
21030,	21033,	\grp@wdL 6846		6755, 7016, 7185,
21040,	21047,	\grp@wdNum 6847		7190, 7194, 7248,
21051,	21053,	\grp@wdR 6846		7249, 7255, 7313,
21054, 21057, 21066		\grp@wdT 6846		7317, 7320, 7325,
\GlobalSetatBoolean 2644		\Gscale@box 11738, 11830, 11847		7330, 7490, 7494,
\GlobalSetBoolean .		\Gscale@div 11829, 11836, 11839		7496, 7500, 7504,
.... 2628, 4404,		\Gscale@end . 11742, 11788		8289, 8301, 8399,
4405, 4432, 4433,		\Gscale@start 11742, 11788		8496, 8555, 8824,
4437, 4438, 4731, 4732		\Gscale@x .. 11740, 11786		8831, 8836, 8843,
\glossary .. 11007, 21013		\Gscale@y .. 11740, 11786		8848, 8855, 10610,
\glueexpr 19563,		\gsetlength 4266, 4419, 4511,		10627, 10718,
19570, 19575,		4973, 5222, 5224,		10879, 10880,
19636, 19697,		5251, 5253, 5280, 5282		10886, 10906,
19700, 19704, 19710				10921, 11043,
\Gm@pageframes ... 11870				11639, 11640,
\Gm@vrule 11853,				11646, 11687,
11854, 11855,				11692, 11696,
11857, 11858,				11751, 11797,
11859, 11862,				11852, 11857,



11862,	11866,	7132, 7135, 7152,	16543,	16597,	
12857,	12995,	7156, 7860, 7863,	16599,	16614,	
13002,	13009,	7866, 7917, 7918,	16867,	16975,	
13014,	13082,	7920, 8122, 8127,	17146,	17148,	
14350,	14452,	8133, 8356, 8655,	17163,	17447,	
14457,	14461,	10298,	10311,	17555,	17716,
14552,	14553,	10316,	10321,	17717,	17726,
14559,	14656,	10326,	10512,	17742,	17748,
15575,	15600,	10521,	10657,	17754,	17760,
15947,	15972,	10795,	10809,	17766,	17772,
16063,	16106,	10810,	10815,	17778,	17784,
16179,	16287,	10817,	10841,	17790,	17845,
16347,	16364,	10844,	10848,	17847,	17862,
16904,	16944,	10925,	10929,	18130,	18238,
17484,	17524,	10931,	10969,	18411,	18459,
18167,	18207,	10974,	11187,	18472,	18500,
18432,	19114,	11720,	11721,	18511,	18550,
19272,	19378,	11725,	11730,	18620,	19875,
19770,	19883,	11741,	11742,	19876,	19925,
19920,	19922,	11787,	11788,	19927,	19984,
19988,	19995,	11826,	11833,	19985,	20188,
19997,	20413,	12802,	12808,	20222,	20224,
20606,	20607,	12827,	12880,	20230,	20343,
20682,	20752,	13465,	13485,	20352,	20353,
20757,	20761,	13490,	13550,	20362,	20411,
20799,	20800,	13553,	13835,	20412,	20415,
20806,	20943,	13851,	13852,	20416,	20417,
21024, 21045, 21067		13870,	14130,	20418,	20426,
\hbadness		14132,	14142,	20432,	20538,
4774, 7801, 7822,		14178,	14213,	20608,	20617,
18561, 18563,		14629,	14663,	20619,	20624,
20094, 20095, 20112		14679,	14681,	20634,	20649,
\hbox . 15, 28, 180, 220,		14785,	15010,	20678,	20679,
242, 348, 382, 390,		15012,	15015,	20951, 20961, 20963	
407, 547, 657, 734,		15018,	15094,	\hboxL 1616, 1832,	
885, 968, 1140,		15143,	15147,	11562, 11579,	
1214, 1416, 1475,		15167,	15200,	12997, 15290, 20353	
1621, 1837, 2118,		15204,	15209,	\hboxR 1614,	
4378, 4466, 4468,		15213,	15225,	1830, 15280, 20343	
4473, 4506, 4507,		15236,	15253,	\head@style 624,	
4516, 4523, 4743,		15263,	15280,	931, 1125, 1358,	
4776, 5094, 5133,		15289,	15290,	6245, 6422, 15528,	
5160, 5178, 5196,		15299,	15353,	15911, 15978, 16040	
5318, 5327, 5336,		15354,	15355,	\headheight 1901, 8107,	
5771, 5779, 5898,		15357,	15358,	10810, 11015, 21020	
5948, 5952, 5963,		15384,	15402,	\headrule 10813	
5980, 5991, 6204,		15413,	15561,	\headrulewidth 2326, 4601	
6218, 6260, 6338,		15615,	15933,	\headsep . . 1909, 1912,	
6437, 6491, 6765,		16038,	16162,	8108, 11016, 21029	
6877, 6943, 6972,		16192,	16374,	\headwidth 2416, 10809,	



	10811, 10812,	19378, 19770,	18275, 18292,
	10813, 10815,	19883, 19920,	18657, 18686,
	10817, 10818, 10819	19922, 19988,	19744, 19747,
\height	. 11732, 11806,	19995, 19997,	19751, 19877,
	12014, 12016,	20440, 20682,	19986, 20143, 20680
	12020, 12022,	20754, 20756,	\hfilneg 8925, 8929
	12049, 12050,	20803, 20805,	\hfuzz . 8120, 18562, 18564
	12053, 12054,	20962, 20964,	\hintcolour 2356
	12111, 12112,	21001, 21002,	\hintfont 2364,
	12115, 12116,	21004, 21005, 21067	2372, 2426, 2433, 2438
	12144, 12146,	\hfill 180, 193,	\hintscolumnwidth .
	12150, 12152,	1481, 1482, 2437, 2392,
\hfil 15, 220, 519,	2443, 2457, 4535,	2406, 2410, 2418,
	538, 671, 698, 900,	4536, 4539, 4540,	2426, 2432, 2438, 2495
	915, 1063, 1154,	5920, 5930, 6949,	\hintstyle 2372
	1182, 1412, 1413,	6950, 7653, 10811,	\hline 13442, 13444, 13450
	1414, 1415, 1443,	10812, 10817,	\HLOFF 1981
	1444, 1445, 1451,	10818, 14631,	\HLON 1975
	1452, 1453, 1891,	14655, 14791,	\HLTR@LTrfootnotetext
	1896, 5949, 5951,	14794, 14795,	. . . 8678, 12220,
	6056, 6274, 6299,	14796, 14799,	12251, 12328,
	6451, 6476, 6738,	14800, 14801,	12346, 12388,
	6755, 7016, 7133,	14802, 14803,	12490, 12544, 12564
	7136, 7153, 7157,	14806, 14807,	\HLTR@mpLTrfootnotetext
	7187, 7189, 7252,	14808, 14809,	. . . 8684, 12249,
	7254, 7316, 7327,	14810, 14811,	12263, 12287, 12350
	7329, 7493, 7501,	14812, 14815,	\hoffset 1905
	7503, 8289, 8301,	14816, 14817,	\hold@viper 7199,
	8555, 8931, 10610,	14818, 14819,	7202, 7258, 7261,
	10627, 10843,	14820, 14821,	7293, 7334, 7335,
	10883, 10885,	14822, 14823,	7343, 7344, 7353,
	10911, 10924,	14826, 14827,	7354, 7362, 7459,
	10931, 11643,	14828, 14831,	7508, 7509, 7517,
	11645, 11689,	14832, 14833,	7518, 7527, 7528,
	11691, 11859,	14836, 14837,	7537, 7573, 7575, 7576
	11864, 12827,	14838, 14839,	\holder . 15157, 15160,
	13082, 13490,	14840, 14843,	15169, 15179,
	14350, 14454,	14844, 14845,	15180, 15198,
	14456, 14556,	14846, 14847,	15202, 15207,
	14558, 14656,	14850, 14851,	15211, 15223,
	15147, 15201,	14852, 14853,	15227, 15234, 15238
	15205, 15210,	14854, 15254,	\href 2462, 2463,
	15214, 15226,	15258, 16614,	2466, 2467, 2470, 2471
	15237, 15263,	17012, 17029,	\HRTL@mpRTLfootnotetext
	15575, 15600,	17163, 17592,	. . . 8686, 12238,
	15947, 15972,	17609, 17744,	12262, 12276, 12351
	16162, 16179,	17750, 17756,	\HRTL@RTLfootnotetext
	16347, 16364,	17762, 17768,	. . . 8680, 12219,
	19114, 19272,	17774, 17780,	12240, 12313,
		17786, 17862,	



	12347, 12426,	9624, 9664, 9732,	18167, 18168,
	12521, 12543, 12561	9750, 9762, 9775,	18207, 19935,
<code>\hrule</code> 31,	9815, 9883, 9901,	19938, 19943,
	245, 543, 728, 963,	9913, 9926, 9966,	19947, 19951,
	1208, 4765, 4766,	10034, 10052,	19955, 19959,
	4776, 4777, 5950,	10064, 10077,	19963, 19967,
	6332, 6485, 6595,	10117, 10185,	19971, 20191,
	6601, 6607, 6613,	10203, 10215,	20212, 20216,
	6761, 7796, 8352,	10228, 10268,	20383, 20385,
	8651, 8698, 10653,	10310, 10365,	20521, 20853,
	11190, 11192,	10377, 10389,	20897, 21063, 21067
	11224, 11567,	10412, 10415,	<code>\hskip</code> 14,
	12805, 12876,	10426, 10429,	28, 219, 242, 315,
	13608, 14788,	10440, 10443,	319, 537, 547, 657,
	15255, 15609,	10483, 10494,	658, 697, 734, 885,
	16032, 16188,	10497, 10930,	886, 899, 947, 968,
	16370, 16607,	10931, 11277,	1140, 1141, 1181,
	16614, 16862,	11294, 11310,	1214, 1361, 1414,
	17156, 17163,	11337, 11351,	1415, 1453, 1477,
	17442, 17722,	11365, 11382,	1480, 2509, 5482,
	17855, 17862, 18125	11383, 11462,	5922, 5966, 5967,
<code>\hrulefill</code> 28,	11567, 11597,	5970, 5972, 5973,
	242, 547, 734, 968,	11600, 11604,	5976, 6260, 6261,
	1214, 6338, 6491,	11607, 11608,	6298, 6338, 6437,
	6765, 8356, 8655,	13078, 13082,	6438, 6475, 6491,
	10657, 11187,	13476, 13487,	6754, 6765, 6945,
	12802, 12880,	13490, 13520,	6948, 7015, 7186,
	14785, 15615,	13577, 13578,	7193, 7197, 7198,
	16038, 16192,	13585, 13608,	7315, 7319, 7322,
	16374, 16867,	14346, 14350,	7323, 7492, 7495,
	17447, 17726, 18130	14583, 14663,	7497, 7498, 7861,
<code>\hspace</code> 41, 55, 71,	14665, 14673,	7862, 7865, 7875,
	172, 174, 178, 183,	14712, 14716,	7876, 7919, 8288,
	201, 254, 268, 283,	14720, 14723,	8356, 8655, 10296,
	627, 934, 1128,	14728, 14731,	10626, 10657,
	1851, 2250, 4775,	14772, 14776,	10842, 10847,
	4776, 4836, 4880,	14780, 15316,	10851, 10852,
	4924, 5521, 6248,	15318, 15486,	10907, 10923,
	6425, 6873, 7133,	15500, 15531,	11187, 11688,
	7136, 7153, 7157,	15981, 16043,	11695, 11699,
	8708, 8724, 8740,	16059, 16102,	11700, 11852,
	8753, 8766, 8779,	16581, 16588,	11854, 11855,
	8924, 8984, 9002,	16590, 16904,	11858, 11863,
	9014, 9027, 9067,	16905, 16944,	11866, 11868,
	9132, 9150, 9161,	17130, 17137,	11869, 12802,
	9173, 9211, 9279,	17139, 17484,	12826, 12858,
	9297, 9309, 9322,	17485, 17524,	12880, 12990,
	9362, 9430, 9448,	17703, 17708,	14453, 14460,
	9460, 9473, 9513,	17710, 17829,	14464, 14465,
	9581, 9599, 9611,	17836, 17838,	14630, 14642,



14654,	14712,	20947, 20961, 20964	7919, 7928, 8122,
14716,	14720,	\hspace 108,	8125, 8127, 8130,
14723,	14724,	109, 238, 239,	8133, 8289, 8301,
14728,	14731,	556, 2427, 2432,	8400, 8497, 8555,
14732,	14785,	2438, 4518, 4525,	8825, 8831, 8837,
14791,	14794,	4747, 5425, 5426,	8843, 8849, 8855,
14796,	14799,	5432, 5433, 5439,	10610, 10627,
14801,	14803,	5440, 5446, 5447,	10719, 10846,
14806,	14808,	5574, 5600, 5601,	10850, 10882,
14810,	14812,	7783, 7956, 7959,	10888, 11043,
14815,	14817,	7963, 7965, 7970,	11642, 11648,
14819,	14821,	7972, 7976, 7979,	11694, 11698,
14823,	14826,	7982, 7986, 7988,	11751, 11797,
14828,	14831,	7992, 7994, 7998,	11855, 11869,
14833,	14836,	8001, 8004, 8008,	13002, 13009,
14838,	14840,	8010, 8015, 8017,	13014, 13485,
14843,	14845,	8308, 8642, 8826,	13493, 13872,
14847,	14850,	8838, 8850, 11989,	14133, 14214,
14852,	14854,	12005, 12018,	14459, 14463,
14868,	15111,	12030, 12043,	14555, 14561,
15118,	15561,	12052, 12060,	14699, 14700,
15562,	15599,	12105, 12114,	14713, 14714,
15615,	15914,	12122, 12135,	15125, 15135,
15933,	15934,	12148, 12160,	15355, 15366,
15971,	16038,	12184, 12797,	15367, 15368,
16178,	16192,	12798, 16899,	15575, 15600,
16363,	16374,	16914, 16919,	15947, 15972,
16452,	16454,	16921, 16922,	16063, 16106,
16461,	16463,	17479, 17494,	16162, 16179,
16499,	16501,	17499, 17501,	16288, 16347,
16510,	16512,	17502, 17802,	16364, 16597,
16614,	16867,	18162, 18177,	16975, 16984,
17163,	17447,	18182, 18184,	17146, 17555,
17726,	17862,	18185, 18383,	17564, 17716,
18130,	18420,	18384, 18662,	17845, 18238,
18426,	18438,	18674, 21184,	18247, 18432,
18443,	18656,	21188, 21193,	19272, 19378,
18685,	18846,	21195, 21199, 21201	20196, 20198,
18877,	18900,	\hss 460,	20203, 20209,
18917,	18934,	519, 538, 671, 698,	20413, 20531,
18951,	18968,	900, 915, 1154,	20594, 20595,
18985,	19003,	1182, 1635, 1851,	20597, 20598,
19022,	19042,	1920, 5541, 6274,	20600, 20601,
19077,	19269,	6299, 6451, 6476,	20606, 20607,
19428,	19460,	6679, 6738, 6755,	20664, 20665,
19870,	19917,	7016, 7192, 7196,	20666, 20667,
19927,	19982,	7251, 7257, 7318,	20759, 20763,
20676,	20753,	7321, 7326, 7331,	20802, 20808, 20949
20760,	20764,	7494, 7496, 7500,	\ht 388, 1463, 1496, 1627,
20765,	20945,	7504, 7864, 7874,	1843, 6964, 6973,



6975, 7291, 7293,	18194, 18460,	\hvCaptionBox . 11948,
7300, 7306, 7307,	18496, 18508,	11965, 12007,
7308, 7362, 7401,	18623, 20231,	12009, 12020,
7419, 7431, 7455,	20233, 20635,	12022, 12032,
7459, 7469, 7477,	20925, 20935, 20939	12034, 12040,
7478, 7481, 7482,	\ht@strip 14594, 14595,	12041, 12049,
7484, 7485, 7537,	14596, 14597,	12050, 12057,
7573, 7804, 7813,	14598, 14601, 14603	12058, 12069,
7825, 7834, 7842,	\ht@viper	12070, 12076,
7852, 7854, 7870,	7290, 7295, 7318,	12079, 12085,
7899, 7909, 7911,	7321, 7326, 7331,	12086, 12093,
7924, 8273, 8933,	7399, 7400, 7455,	12096, 12102,
9081, 9086, 9225,	7456, 7457, 7461,	12103, 12111,
9230, 9376, 9381,	7494, 7496, 7500, 7504	12112, 12119,
9527, 9532, 9678,	\httplink 2464	12120, 12137,
9683, 9829, 9834,	\Huge 5508, 6598,	12139, 12150,
9980, 9985, 10131,	6610, 6790, 6798,	12152, 12162, 12164
10136, 10282,	8584, 8593, 10640,	\hvCapWidth . . . 11922,
10287, 10300,	10648, 16397, 16405	11924, 11926,
10791, 11487,	\huge 567,	11928, 11932,
11494, 11511,	5362, 5364, 5507,	11934, 11949, 11967
11518, 11519,	6589, 6784, 8319,	\hvFloat 11896
11532, 11536,	8328, 8578, 10635,	\hvMaxCapWidth 11907,
11559, 11744,	16392, 16648,	11908, 11929,
11745, 11747,	16761, 17197,	11930, 11931, 11934
11790, 11791,	17310, 17896, 18009	\hvObjectBox
1193, 11926,	\hv@Bottom 12084	. . 11911, 11914,
12932, 12933,	\hv@Center . . . 11988,	11916, 11920,
12939, 12942,	11999, 12039,	11926, 12001,
12975, 13451,	12101, 12129, 12182	12003, 12014,
13509, 13522,	\hv@figure . 11953, 11971	12016, 12026,
13537, 13539,	\hv@floatObject . . .	12028, 12044,
13540, 13606, 11914, 11918	12045, 12053,
13613, 13616,	\hv@floatType . 11944,	12054, 12061,
14437, 14441,	11953, 11971, 12189	12062, 12069,
14446, 14537,	\hv@Height 11926	12072, 12077,
14541, 14546,	\hv@label 11895	12080, 12085,
14597, 14599,	\hv@Left . . . 11929, 11997	12088, 12092,
15169, 15227,	\hv@longCap 11894	12095, 12106,
15238, 15243,	\hv@Right . . 11930, 11986	12107, 12115,
15244, 15245,	\hv@shortCap	12116, 12123,
15246, 15250,	. 11893, 11959, 11977	12124, 12131,
15265, 15382,	\hv@Top . 12012, 12048,	12133, 12144,
15405, 16438,	12068, 12110, 12142	12146, 12156, 12158
16480, 16483,	\hv@Width . . 11924, 11947	\hvObjectWidth
16538, 16545,	\hv@Zero . . . 11913, 12176	. . 11920, 11924,
16928, 16930,	\hvAboveCaptionSkip	11928, 11929, 11930
16931, 17508, 12092, 12095	\hvOBox 11914, 11918
17510, 17511,	\hvBelowCaptionSkip	\hvSet@capAngle . . .
18191, 18193, 12076, 12079 11947, 11966



\hvSet@capPos	12321, 12330,	\Hy@tabularx@hook .
.. 11929, 11930,	12333, 12336, 12344, 12356
11997, 12068, 12084	12379, 12417,	\Hy@temp@menu 12695, 12708
\hvSet@capVPos 11999,	12450, 12481, 12512	\Hy@xspace@end
12012, 12039,	\Hy@gttemp .. 12355, 12360	.. 12592, 12628,
12048, 12101,	\Hy@href@nextactionraw	12660, 12689, 12715
12110, 12129, 12142 12622,	\HyLTR@saved@LTRfootnotetext
\hvSet@capWidth 11924,	12654, 12683, 12709 12540, 12565
11926, 11931, 11932	\Hy@href@page 12617	\HyOrg@maketitle ..
\hvSet@floatCapSep	\Hy@linkcounter 8173, 8178	. 12535, 12546, 12551
..... 12005,	\Hy@linktoc 12198	\HyOrg@TX@endtabularx
12018, 12030,	\Hy@LT@currentHref 12343
12043, 12052, 12750, 12761	\hyper@anchorend 12267,
12060, 12105,	\Hy@LT@LTRfootnotetext	12270, 12278,
12114, 12122, 12378, 12387	12281, 12289,
12135, 12148, 12160	\Hy@LT@RTLfootnotetext	12292, 12300,
\hvSet@floatPos .. 11942 12416, 12425	12303, 12315,
\hvSet@objectAngle	\Hy@MakeRemoteAction	12318, 12330,
..... 11913, 11917 12601	12333, 12390,
\hvSet@objectPos ..	\Hy@maketitle@end .	12393, 12428,
. 11986, 11988, 12182	. 12547, 12552, 12554	12431, 12461,
\hvSet@rotAngle ...	\Hy@maketitle@optarg	12464, 12492,
. 11907, 12176, 12179 12545, 12550	12495, 12523, 12526
\Hy@Acrobatmenu .. 12693	\Hy@pstringD 12600, 12619	\hyper@anchorend . 12763
\Hy@backout 12720	\Hy@pstringdef	\hyper@anchorstart 12763
\Hy@BeginAnnot 12599, 12600,	\hyper@link 12591
.. 12576, 12596,	12634, 12635, 12666	\hyper@linkend
12633, 12665, 12694	\Hy@pstringF 12202, 12206,
\Hy@bidipoem@footnotetext	.. 12597, 12598,	12210, 12212,
..... 12449, 12458	12599, 12614,	12592, 12725, 12728
\Hy@bidipoem@LTRfootnotetext	12634, 12647, 12652	\hyper@linkfile .. 12594
..... 12480, 12489	\Hy@pstringP 12635, 12652	\hyper@linkstart ..
\Hy@bidipoem@RTLfootnotetext	\Hy@pstringURI 12202, 12206,
..... 12511, 12520 12666, 12679	12210, 12212,
\Hy@CleanupFile .. 12598	\Hy@raisedlink 12269,	12592, 12721, 12728
\Hy@colorlink . 12626,	12280, 12291,	\hyper@linkurl ... 12663
12658, 12687, 12713	12302, 12317,	\hyper@makecurrent 12749
\Hy@EndAnnot	12332, 12392,	\hyper@nat@current 12722
.. 12583, 12629,	12430, 12463,	\hyper@natlinkbreak
12661, 12690, 12716	12494, 12525, 12762 12727
\Hy@endcolorlink . 12585	\Hy@saved@footnotemark	\hyper@natlinkend 12724
\Hy@footnote@currentHlabel 12537, 12556	\hyper@natlinkstart
. 12305, 12320, 12335	\Hy@saved@footnotetext 12719
\Hy@footnote@currentHref 12538, 12559	\hypersetup 2310,
..... 12267,	\Hy@SetNewWindow ..	2318, 5618, 5677, 5694
12270, 12278, 12621, 12649	\hyphenpenalty ... 6,
12281, 12289,	\Hy@setpdfborder ..	105, 211, 235,
12292, 12300, 12607,	626, 933, 1127,
12303, 12306,	12641, 12672, 12701	6247, 6424, 12794,
12315, 12318,		



12818, 15530, 15980, 16042, 16185 \HyRTL@saved@RTLfootnotetext@altsecnumformat 12539, 12562	15674, 15682, 15804, 15813, 15821 . 16785, 17333, 18032 \if@bib@break@ 16795, 16820, 16835, 16851, 17375, 17400, 17415, 17431, 18058, 18083, 18098, 18114 \if@bib@chapter ... 18771 \if@bidi@amsmathloaded@ 13212 \if@bidi@amstextloaded@ 13215 \if@bidi@amsthmloaded@ 13218 \if@bidi@animateloaded@ 13221 \if@bidi@arabxetexloaded@ 13420 \if@bidi@arrayloaded@ 13354 \if@bidi@arydshnloaded@ 13378 \if@bidi@blank 2752, 3044, 3051 \if@bidi@breqnloaded@ 13224 \if@bidi@calsloaded@ 13227 \if@bidi@captionloaded@ 13230 \if@bidi@colorloaded@ 13236 \if@bidi@colortblloaded@ 13255 \if@bidi@croplloaded@ 13233 \if@bidi@csdef 1754, 2716, 2765 \if@bidi@csmacro .. 2764 \if@bidi@csprimitive 2774 \if@bidi@csundef .. 2722, 2795, 4162, 4214, 8659, 8660, 8673, 8674, 21084 \if@bidi@cutedloaded@ 13243	\if@bidi@cutwinloaded@ 13240 \if@bidi@dblfnoteloaded@ 13246 \if@bidi@def 2734 \if@bidi@defmacro 2757, 2758, 2766, 2943, 2962, 3106 \if@bidi@defparam 2964, 3058, 3059, 3108 \if@bidi@defprimitive 2768 \if@bidi@defprotected 2971, 3067, 3068, 3119 \if@bidi@diagboxloaded@ 13249 \if@bidi@draftwatermarkloaded@ 13309 \if@bidi@empheqlloaded@ 13312 \if@bidi@fancyboxloaded@ 13303 \if@bidi@fancyhdrloaded@ 13306 \if@bidi@fancyvrbloaded@ 13426 \if@bidi@floatloaded@ 13258 \if@bidi@floatrowloaded@ 13261 \if@bidi@flowframloaded@ 13264 \if@bidi@fontspecloaded@ 13417 \if@bidi@framedloaded@ 13267 \if@bidi@ftnrightloaded@ 13270 \if@bidi@geometryloaded@ 13285 \if@bidi@graphicxloaded@ 13282 \if@bidi@hvfloatloaded@ 13288 \if@bidi@hyperrefloaded@ 13300 \if@bidi@lettrineloaded@ 13321
I \i 3681, 3682, 3694, 3706, 3707 \ialign ... 396, 18465, 18503, 20440, 20640 \if 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 401, 407, 1389, 1390, 1391, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 2209, 2215, 2218, 2221, 2224, 3385, 3440, 3444, 3450, 3454, 3487, 3570, 3957, 6834, 6853, 6886, 6887, 6888, 11119, 11143, 11377, 12896, 13433, 13435, 13437, 15043, 18472, 18506, 18511, 18598, 18599, 18600, 18601, 18602, 18603, 18604, 18606, 18607, 18608, 18609, 18610, 18613, 18614, 18615, 20526, 20527, 20632, 20649, 20656, 20657, 20658, 20659, 20660, 20661 \if@allcaps 755, 764, 772, 1007, 1016, 1024, 1257, 1266, 1274, 6368, 6377, 6385, 6545, 6554, 6562, 15665,		



\if@bidi@linenoloaded@	\if@bidi@pstricksloaded@	\if@bidi@xtabloaded@
..... 13324 13333 13372
\if@bidi@list@minipage@parbox@	\if@bidi@quotchaploaded@	\if@bidi@unicodeloaded@
..... 1580, 13342 13276
20477, 20549,	\if@bidi@rotatingloaded@	\if@capbreak
20558, 20567, 13399	. 16916, 17496, 18179
20576, 20589,	\if@bidi@soulloaded@	\if@captionabove ..
20590, 20604, 20605 13360 16949,
\if@bidi@list@minipage@parbox@	\if@bidi@supertabularloaded@	16955, 16968,
..... 1581, 13357	16978, 17529,
20485, 20551,	\if@bidi@subfigloaded@	17535, 17548,
20560, 20569, 20578 13363	17558, 18212,
\if@bidi@listingsloaded@	\if@bidi@subfigureloaded@	18218, 18231, 18241
..... 13327 13366	\if@cftdopart 18828
\if@bidi@longtableloaded@	\if@bidi@supertabularloaded@	\if@cfthaschapter .
..... 13375 13369 18819,
\if@bidi@mdf@RTL ..	\if@bidi@tblsloaded@	18823, 18829,
..... 13568, 13575 13402	18850, 18862, 18884
\if@bidi@mdframedloaded@	\if@bidi@tabularyloaded@	\if@cfthaspart ... 18815
..... 13291 13405	\if@chapterentrywithdots
\if@bidi@midfloatloaded@	\if@bidi@tikzloaded@ 17606, 18289
..... 13294 13345	\if@colour
\if@bidi@minitocloaded@	\if@bidi@titlesecloaded@	\if@colougreen 7591,
..... 13387 13348	7620, 7689, 7715
\if@bidi@multicolloaded@	\if@bidi@titletocloaded@	\if@colougrey . 7595,
..... 13381 13351	7634, 7693, 7727
\if@bidi@multienumloaded@	\if@bidi@tocbasicloaded@	\if@colouorange 7589,
..... 13384 13408	7613, 7687, 7709
\if@bidi@natbibloaded@	\if@bidi@tocbibbindloaded@	\if@coloured .. 7593,
..... 13390 13414	7627, 7691, 7721
\if@bidi@newfloatloaded@	\if@bidi@tocstyleloaded@	\if@compatibility .
..... 13393 13411	.. 521, 673, 749,
\if@bidi@ontheoremloaded@	\if@bidi@todonotes@figposition@right	1001, 1156,
..... 13297	.. 20024, 20122,	1251, 6362, 6539,
\if@bidi@overpicloaded@	20127, 20134, 20140	15659, 15798,
..... 13315	\if@bidi@todonotes@textdirection@RTL	14934, 19382, 20620
\if@bidi@patchable 20023,	\if@contcw . 14302, 14331
..... 2931, 2932	20057, 20097, 20131	\if@conthang 14312
\if@bidi@pdfm@mark	\if@bidi@undef	\if@continent 14318
..... 1571, 2740, 2799,	\if@DEBUG
1749, 1802, 1866	2840, 2851, 2870,	\if@displaypagenumbers
\if@bidi@pdfpagesloaded@	2874, 2878, 2882, 2472, 2475
..... 13318	2892, 2896, 2900,	\if@donumindex
\if@bidi@pgfloaded@	2904, 2940, 2959, 3103 18772, 18791
..... 13336	\if@bidi@wrapfigloaded@	\if@dotocbib 18733
\if@bidi@picinparloaded@ 13279	\if@dotocind 18779, 18796
..... 13339	\if@bidi@xcolorloaded@	\if@extrafootnotefeatures
\if@bidi@polyglossialloaded@ 13252 1576, 1733
..... 13423	\if@bidi@xltxtalloaded@	\if@fcolmade
 13273 7213, 7272,



10855, 10895,	\if@mparswitch ... 20917	710, 878, 879, 885,
10979, 11655,	\if@newlist ... 10995,	895, 898, 899, 912,
11707, 14473,	11030, 20973, 21053	934, 973, 1128,
14570, 20772, 20815	\if@nobreak	1134, 1135, 1140,
\if@ff@nwpq 10947	... 4158, 11584,	1151, 1177, 1180,
\if@firstcolumn ...	13579, 15479, 15493	1181, 1199, 1223,
.... 7164, 7227,	\if@nonlatin	1362, 1363, 1474,
7287, 7368, 7387,	.. 346, 351, 1564,	1475, 1488, 1499,
7543, 7562, 10823,	1745, 2698, 2704,	1563, 1595, 1804,
10859, 11615,	6869, 6871, 13563	1811, 2490, 2662,
11663, 14385,	\if@noparlist . 6078, 6191	2668, 5481, 5482,
14485, 14591,	\if@noskipsec	5599, 5600, 5601,
20731, 20778, 20915	... 6832, 11585,	6248, 6254, 6255,
\if@firstdetailselement	13580, 15480, 15494	6260, 6271, 6294,
..... 7756, 7758	\if@oldtoc . 661, 687,	6297, 6298, 6314,
\if@firstfooterelement	889, 905, 1144,	6425, 6431, 6432,
..... 7660, 7663	1171, 6264, 6288,	6437, 6448, 6471,
\if@flushend@auto@baselineskip	6441, 6465, 15565,	6474, 6475, 6502,
..... 7403	15589, 15937, 15961	6586, 6597, 6599,
\if@hboxRconstruct	\if@openright	6735, 6750, 6753,
..... 1568,	... 5853, 6802, 8597	6754, 6781, 6795,
1805, 2686, 2692,	\if@ovb 10799	6811, 6830, 6842,
11376, 20484,	\if@ovl 10797	6855, 6930, 6971,
20508, 20551,	\if@ovr 10796	6972, 6976, 6977,
20560, 20569,	\if@ovt 10798	6979, 6986, 6992,
20578, 20589,	\if@parafootRTL ...	7011, 7014, 7015,
20590, 20604, 20605	. 1577, 10309, 10320	7021, 7026, 7133,
\if@ignore ... 3268, 3270	\if@pboxsw 20533	7136, 7153, 7157,
\if@inlabel 6833	\if@ref 17739	7962, 7969, 7985,
\if@inltxdoc 18764	\if@restonecol	7991, 8007, 8014,
\if@insert 7571 607, 623,	8121, 8201, 8216,
\if@komalongtable .	872, 1124, 6244,	8238, 8239, 8240,
. 16965, 17545, 18228	6421, 6631, 15527,	8241, 8264, 8284,
\if@LTRbibitems . 87,	15782, 16241, 18811	8287, 8288, 8298,
300, 575, 710, 973,	\if@reversemargin 20920	8312, 8325, 8335,
1223, 1574, 2490,	\if@rjfield 20959	8552, 8575, 8590,
6314, 6502, 6811,	\if@rl 1563	8606, 8627, 8630,
8335, 8606, 10662,	\if@rl@footnote ... 1579	8635, 8643, 10607,
12775, 14380,	\if@rlmain 1562	10622, 10625,
14862, 15620,	\if@rot@twoside 16442,	10626, 10633,
16014, 16208,	16447, 16457,	10645, 10662,
16411, 16811,	16487, 16493, 16505	10931, 11091,
17391, 18074, 18740	\if@RTL . 12, 13, 25, 87,	11377, 11457,
\if@LTRmarginpar 1573,	104, 107, 108, 109,	11459, 11723,
20944, 20949, 20953	217, 218, 234, 237,	11725, 11728,
\if@mainmatter . 5825,	238, 239, 300, 315,	11729, 11730,
6588, 6783, 8577,	319, 516, 533, 536,	11736, 11738,
15418, 17336,	537, 560, 575, 627,	11755, 11758,
17352, 17360, 17368	640, 651, 652, 657,	11765, 11774,
\if@minipage . 4570, 14371	668, 693, 696, 697,	11780, 11784,



11787,	11801,	15967,	15970,	18951,	18958,
11826,	11833,	15971,	15981,	18959,	18960,
11998,	12100,	15994,	16014,	18968,	18975,
12202,	12210,	16043,	16159,	18976,	18977,
12592,	12628,	16174,	16177,	18985,	18993,
12660,	12689,	16178,	16183,	18994,	18995,
12715,	12721,	16184,	16208,	19003,	19012,
12725,	12728,	16344,	16359,	19013,	19014,
12775,	12793,	16362,	16363,	19022,	19032,
12796,	12797,	16390,	16402,	19033,	19034,
12798,	12813,	16411,	16522,	19042,	19067,
12824,	12825,	16524,	16528,	19068,	19069,
12859,	12863,	16532,	16534,	19077,	19117,
12866,	12871,	16539,	16543,	19118,	19119,
12979,	12982,	16546,	16550,	19797,	19859,
12986,	13001,	16552,	16556,	19860,	19861,
13011,	13486,	16583,	16592,	19867,	19870,
13571,	13654,	16783,	16784,	19917,	19977,
13662,	13853,	16811,	16869,	19982,	20005,
14179,	14261,	16870,	16871,	20012,	20072,
14262,	14263,	16873,	16944,	20075,	20159,
14264,	14265,	17132,	17141,	20194,	20202,
14266,	14345,	17332,	17391,	20229,	20230,
14347,	14380,	17449,	17450,	20233,	20234,
14625,	14629,	17451,	17453,	20236,	20273,
14630,	14637,	17524,	17705,	20277,	20330,
14642,	14649,	17712,	17797,	20335,	20381,
14654,	14862,	17803,	17831,	20382,	20393,
14941,	14961,	17840,	18031,	20394,	20397,
14976,	14990,	18074,	18132,	20401,	20478,
15147,	15197,	18133,	18134,	20486,	20492,
15272,	15326,	18136,	18207,	20498,	20511,
15327,	15330,	18382,	18385,	20591,	20592,
15334,	15366,	18415,	18435,	20594,	20597,
15367,	15368,	18633,	18675,	20600,	20604,
15413,	15415,	18692,	18712,	20605,	20606,
15421,	15432,	18715,	18720,	20607,	20609,
15434,	15445,	18724,	18725,	20611,	20612,
15447,	15458,	18740,	18836,	20617,	20664,
15460,	15469,	18837,	18838,	20665,	20671,
15471,	15488,	18846,	18867,	20676,	20944,
15510,	15511,	18868,	18869,	20949,	20953,
15531,	15544,	18877,	18890,	20961,	20962,
15555,	15556,	18891,	18892,	20963,	20964,
15561,	15572,	18900,	18907,	21064,	21067,
15595,	15598,	18908,	18909,	21075,	21085,
15599,	15620,	18917,	18924,	21183,	21193, 21199
15915,	15916,	18925,	18926,	\if@RTL@footnote 36,	
15927,	15928,	18934,	18941,	249, 1579, 1807,	
15933,	15944,	18942,	18943,	4849, 8703, 8750,	



8953, 8998, 9104, 9146, 9248, 9293, 9399, 9444, 9550, 9594, 9701, 9745, 9852, 9897, 10003, 10048, 10154, 10199, 10367, 10417, 11271, 11320, 11360, 11361	6956, 6967, 13434, 13436, 13550, 13553, 18450, 18454, 18455, 18472, 18480, 18486, 18511, 18599, 18600, 20437, 20624, 20628, 20629, 20649, 20657, 20658	6680, 8401, 8498, 10720, 12787, 14244, 15514, 15541, 15548, 15722, 15769, 15863, 15991, 15998, 16107, 16228, 16289, 16696, 17245, 17944, 18766, 20693, 20914, 21078
\if@RTLbibitems . 87, 300, 575, 710, 973, 1223, 1575, 2490, 6314, 6502, 6811, 8335, 8606, 10662, 12775, 14380, 14862, 15620, 16014, 16208, 16411, 16811, 17391, 18074, 18740	\if@sectionentrywithdots 17026 \if@sentedir 1806 \if@specialpage 10950, 20984 \if@star 15402 \if@tab@rl 1567 \if@tablecaptionabove . 16996, 17576, 18259	\if@twoside 5770, 10954, 16665, 16678, 16746, 17214, 17227, 17295, 17913, 17926, 17994, 20185, 20987
\if@RTLcolumnfootnotes 1578, 8925, 8926, 8929, 8930, 8963, 9015, 9113, 9162, 9258, 9310, 9409, 9461, 9560, 9612, 9711, 9763, 9862, 9914, 10013, 10065, 10164, 10216	\if@tempswa 4000, 4045, 7858, 7915, 19511 \if@thmmarks .. 14924, 14928, 14945, 14949 \if@titlecentered 1344, 15895 \if@titlepage .. 414, 628, 736, 935, 988, 1187, 1238, 6633, 8358, 8451, 10677, 15532, 15646, 15783, 15982, 16045, 16242, 16617, 17166, 17865	\if@vihproof 14610, 14616 \ifadl@inactive ... 1376 \ifadl@usingarypkg 1379 \ifAM@output 15069 \ifAM@survey 15047 \ifartopt 14281 \ifbidi@autofootnoterule 11097, 11332, 11346, 11360
\if@RTLmain 1562, 1594, 1613, 1803, 1810, 1829, 7029, 7052, 7075, 7098, 7314, 7491, 7950, 8075, 8078, 8092, 8110, 11096, 11851, 11861, 11878, 11884, 13019, 14582, 14742, 20821, 20989, 20995, 21024, 21045	\if@tocstyle@penalties 19780, 19889 \if@todonotes@authorgiven 20048, 20059, 20084, 20101 \if@todonotes@disabled 20042, 20043 \if@todonotes@dviStyle 20045, 20079 \if@ttb@rotate ... 11090 \if@twocolumn ... 98, 228, 461, 594, 610, 637, 644, 812, 859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5779, 6231, 6408, 6618,	\ifbidi@in@label 3449, 3451 \IfbidiPackageVersion 1549 \IfbidiPackageVersionBefore 1543 \IfbidiPackageVersionLater 1537 \ifblendcolors 20241, 20262, 20284, 20311 \ifbool 13593, 13602 \ifcase ... 1411, 1438, 1442, 1446, 1450, 1476, 1639, 1645, 1651, 1657, 1663, 1669, 1681, 1687, 1693, 1700, 1714, 1721, 6944, 12198, 13504, 18706, 19087, 19849, 19919, 20029, 20037, 20261, 20310, 20708, 20709
\if@RTLmarginpar 1572, 20944, 20949, 20953		
\if@RTLtab . 365, 366, 382, 385, 407, 409, 1370, 1371, 1390, 1391, 1428, 1429, 1567, 2128, 2132, 2133, 2674, 2680, 6890, 6892, 6913, 6920, 6942, 6943,		



\ifcat 1605,1821,3335,3336	11743,	11750,	\ifGin@grid . 14977,14990
\ifconvertcolorsU .	11789,	11796,	\ifGin@iso 11840
..... 20247,	11841,	11931,	\ifhbox 10315,10325,10329
20263, 20290, 20312	12069,	12085,	\ifhmode . . 2193,4808,
\ifcoddpage 4347	12947,	12953,	4852, 4896, 5139,
\ifcsname 2717,	13078,	13487,	5145, 6977, 6979,
2723, 2857, 3774,	13498,	13537,	6986, 6992, 7011,
3789, 4003, 4011,	13540,	14251,	18668, 20234,
14886, 14896,	14294,	14301,	20236, 20273,
14910, 19804,	14305,	14307,	20277, 20330,
19805, 19814,	14346,	14407,	20604, 20605,
19825, 19829,	14415,	14417,	20648, 20825, 20869
19839, 19851,	14507,	14515,	\ifhv@fbox . . . 12000,
19905, 19933,	14517,	14592,	12006, 12013,
19934, 19942,	14603,	14687,	12019, 12025,
19946, 19950,	14695,	14701,	12031, 12040,
19954, 19958,	14718,	14726,	12044, 12049,
19962, 19966, 19970	15097,	15144,	12053, 12057,
\ifdefined . . . 2735,2741	15169,	15227,	12061, 12075,
\ifdefining 3455	15238,	15245,	12091, 12102,
\ifdfn@allowcbreak	15250,	15265,	12106, 12111,
..... 7811,7832	15378,	15403,	12115, 12119,
\ifdfn@ruleboth 7869,7923	16903,	16911,	12123, 12130,
\ifdfn@trysingle . .	17483,	17491,	12136, 12143,
..... 7850,7907	17743,	17749,	12149, 12155, 12161
\ifdim 1464,1465,1538,	17755,	17761,	\ifhv@nonFloat 11943,
1544, 1550, 4583,	17767,	17773,	11950, 11968,
5150, 5919, 5956,	17779,	17785,	11989, 12181, 12183
5958, 6017, 6018,	17791,	18166,	\ifhv@onlyText
6020, 6026, 6066,	18174,	18497, 11951,11969
6079, 6086, 6167,	19422,	19436,	\ifhv@cuseOBox 11914,11918
6169, 6182, 6184,	19441,	19815,	\ifHy@href@ismap . 12680
6192, 6863, 7307,	19840,	19906,	\ifHy@hyperfootnotes
7352, 7364, 7377,	20162,	20164,	. . 8661,8675,12217
7380, 7382, 7412,	20166,	20168,	\ifHy@nesting
7416, 7417, 7431,	20169,	20170,	. . 12266,12277,
7456, 7481, 7526,	20172,	20212,	12288, 12299,
7539, 7552, 7555,	20219, 20926, 21063		12314, 12329,
7557, 7805, 7826,	\ifdofullc@p		12389, 12427,
7846, 7855, 7882,	. 16906,17486,18169		12460, 12491, 12522
7886, 7903, 7912,	\iffalse		\ifHy@pdfa . . . 12606,
7934, 7938, 8823,	2606,2607,2609,		12640, 12671, 12700
8828, 8835, 8840,	11584, 11585,		\ifin@ 4019
8847, 8852, 10785,	13129, 13579,		\ifin@label 3457
10787, 10930,	13580, 15479,		\ifinner . . 2199,4814,
11469, 11477,	15480, 15493, 15494		4858,4902,11472,
11493, 11494,	\IfFileExists . . 3714,		20154, 20831, 20875
11524, 11532,	3729,4327,5799,5864		\ifL@grid 12948
11545, 11560,	\iffootdir@debug . .		\ifL@image 12924
11593, 11594, 11105,11109		\iflatin 2697



\ifLettrineImage . 12894	6346, 6348, 6350,	15641, 15643,
\ifLettrineOnGrid 12895	6427, 6443, 6459,	15645, 15723,
\ifLtoR 2667	6523, 6525, 6527,	15864, 15923,
\ifLtoRhboxconstruct	6587, 6681, 6730,	15939, 15955,
. 2691	6745, 6768, 6770,	16006, 16008,
\ifLtoRtable 2679	6772, 6782, 6864,	16010, 16108,
\ifmaskcolors . 20251,	7131, 7139, 7144,	16155, 16169,
20262, 20294, 20311	7151, 7339, 7348,	16195, 16197,
\ifmmode 184,	7358, 7513, 7522,	16199, 16290,
1794, 6971, 6976,	7532, 7746, 8279,	16339, 16354,
10900, 10910,	8293, 8306, 8315,	16377, 16379,
11723, 11725,	8402, 8499, 8548,	16381, 16391,
11728, 11729,	8562, 8564, 8566,	16685, 16697,
11730, 11736,	8576, 8931, 10602,	17234, 17246,
11738, 11755,	10617, 10634,	17335, 17351,
11758, 11765,	10721, 10771,	17359, 17367,
11774, 11780,	10773, 10775,	17933, 17945,
11784, 11787,	11066, 11068,	18542, 18590,
11801, 11826,	11070, 11079,	18591, 18592,
11833, 12577,	11081, 11083,	18593, 18595,
12589, 12592,	11229, 11332,	18697, 18699,
12628, 12660,	11346, 11360,	18818, 18822,
12689, 12715,	11593, 11595,	18864, 18883,
15080, 15138,	12579, 12584,	18905, 18922,
15370, 15406,	12815, 12931,	18939, 18956,
16522, 16524,	13049, 13052,	18973, 18991,
16528, 16532,	13060, 13063,	19010, 19030,
16534, 16539,	13132, 13448,	19065, 19248,
16543, 16546,	13449, 13532,	19249, 19356,
16550, 16552,	13533, 14245,	19357, 19381,
16556, 20229,	14278, 14404,	19391, 19779,
20233, 20528, 20615	14434, 14504,	19784, 19802,
\ifNAT@openbib . . . 14865	14534, 14623,	19975, 20193,
\ifnonlatin 2703	14635, 14647,	20459, 20654,
\ifnum 3, 137, 143, 208,	14708, 14744,	20655, 20669,
314, 356, 357, 358,	14750, 14905,	20724, 20922,
359, 361, 462, 511,	14915, 15157,	20944, 21072, 21073
528, 554, 563, 647,	15163, 15175,	\ifodd 2210, 5770, 8083,
663, 681, 813, 874,	15178, 15179,	8100, 8160, 10955,
907, 925, 1065,	15180, 15182,	11871, 11877,
1130, 1146, 1164,	15183, 15184,	20185, 20918, 20988
1315, 1381, 1382,	15185, 15194,	\ifoddpage 4341
1383, 1384, 1386,	15216, 15221,	\ifonelinecaptions
1425, 1426, 1742,	15232, 15243,	. 16877, 17457, 18140
1743, 2225, 3309,	15244, 15250,	\ifpgfrememberpicturepositiononpage
3337, 3339, 3347,	15254, 15257, 15093
3349, 3542, 3552,	15258, 15364,	\ifpoem@started 6013,
3650, 3656, 3681,	15365, 15372,	6019, 6166, 6173, 6187
3696, 3702, 6039,	15417, 15551,	\ifprimitive . . 2769, 2776
6250, 6266, 6282,	15567, 15583,	\ifPst@shift@star 15394



\ifr@gedbottom .. 15344	19647, 19648, 19869, 19916
\ifrot@messages ...	19649, 19651,	\iftrue 2608,
..... 16492, 16504	19652, 19653,	4755, 4768, 4781
\ifRtoL 2661	19656, 19659,	\ifttl@label 18673
\ifRtoLhboxconstruct	19668, 19669,	\ifTX@ 18532
..... 2685	19670, 19673,	\ifvbox 10538
\ifRtoLtable 2673	19676, 19696,	\ifvmode .. 4158, 4544,
\ifshowgrid 15372	19699, 19702,	4547, 4550, 4553,
\ifsomething 3580	19722, 19726,	13608, 14677,
\ifstr .. 19130, 19131,	19731, 19743,	14935, 14955, 18484
19132, 19133,	19746, 19750, 19760	\ifvoid 7199,
19134, 19135,	\ifstrstart	7215, 7258, 7274,
19136, 19137,	. 19527, 19559, 19633	7293, 7301, 7334,
19138, 19153,	\iftagsleft@ .. 338, 8118	7459, 7470, 7508,
19154, 19155,	\iftest 3392	7809, 7830, 7841,
19156, 19158,	\ifthenelse	7866, 7898, 7920,
19159, 19160,	.. 181, 186, 194,	8868, 8885, 8895,
19163, 19166,	2444, 2461, 2465,	10574, 10587,
19175, 19176,	2469, 2477, 4240,	11022, 11395,
19177, 19180,	4300, 4302, 4305,	11553, 11574,
19183, 19202,	4309, 4312, 4315,	12756, 12760,
19203, 19204,	4340, 4397, 4416,	13550, 13624,
19206, 19207,	4431, 4436, 4442,	14662, 15272,
19208, 19211,	4451, 4462, 4468,	15338, 15340,
19214, 19223,	4474, 4475, 4482,	15345, 20335, 21035
19224, 19225,	4489, 4491, 4497,	\ifWF@float . 20167, 20181
19228, 19231,	4514, 4532, 4534,	\ifx . 115, 134, 136, 151,
19285, 19286,	4538, 4556, 4557,	155, 159, 166, 797,
19287, 19288,	4560, 4561, 4596,	801, 1049, 1053,
19289, 19290,	4605, 4616, 4626,	1299, 1303, 2076,
19291, 19292,	4675, 4790, 5014,	2082, 2088, 2103,
19293, 19308,	5032, 5033, 5051,	2134, 2186, 2189,
19309, 19310,	5052, 5070, 5071,	2450, 2451, 2452,
19311, 19313,	5102, 5103, 5221,	2454, 2515, 2518,
19314, 19315,	5226, 5250, 5255,	2538, 2542, 2562,
19318, 19321,	5279, 5284, 5361,	2566, 2581, 2585,
19330, 19331,	5365, 5413, 5626,	2655, 2724, 2742,
19332, 19335,	5672, 5681, 5689,	2820, 3008, 3024,
19338, 19536,	5716, 5763, 5832,	3315, 3321, 3322,
19537, 19538,	5843, 7650, 7656,	3359, 3360, 3361,
19539, 19540,	7673, 7676, 7677,	3362, 3372, 3378,
19541, 19542,	7678, 7679, 7680,	3403, 3408, 3413,
19543, 19544,	7766, 7771, 7774,	3418, 3424, 3429,
19587, 19588,	7775, 7776, 7777,	3609, 3719, 3743,
19589, 19590,	7778, 7781, 7785,	3758, 3823, 3835,
19592, 19593,	11039, 11054,	3867, 3878, 3913,
19594, 19597,	15037, 16446, 16491	3919, 3930, 3931,
19600, 19609,	\iftocstyle@autolength	3942, 3972, 3981,
19610, 19611, 19824	3982, 4002, 4017,
19614, 19617,	\iftocstyle@indentnotnumbered	4027, 4041, 4048,



4060, 4076, 4131,	16637,	16644,	633, 642, 940,
4142, 5084, 5908,	16650,	16674,	1192, 1201, 3190,
5929, 6090, 6141,	16745,	16749,	3628, 3644, 3646,
6146, 6148, 7175,	16757,	16763,	3652, 3655, 3658,
7238, 7878, 7930,	16775,	16799,	3662, 3667, 4567,
8625, 8641, 8645,	16861,	16866,	4574, 4575, 4584,
10833, 10869,	17128,	17154,	5171, 5189, 5207,
11226, 11437,	17161,	17181,	5243, 5272, 5301,
11628, 11676,	17186,	17193,	5566, 5990, 6001,
11769, 11811,	17199,	17223,	6161, 6162, 6309,
11812, 11818,	17294,	17298,	6497, 6867, 6873,
11905, 11907,	17306,	17312,	6986, 6992, 7000,
11913, 11924,	17324,	17378,	7007, 8630, 8644,
11926, 11929,	17441,	17446,	8713, 8729, 8745,
11930, 11947,	17701,	17729,	8759, 8772, 8785,
11953, 11954,	17730,	17731,	11283, 11300,
11956, 11959,	17732,	17733,	11316, 11343,
11971, 11972,	17734,	17735,	11357, 11371,
11974, 11977,	17736,	17740,	11853, 11857,
11986, 11988,	17746,	17752,	11862, 11867,
11997, 11999,	17758,	17764,	12847, 12866,
12012, 12039,	17770,	17776,	13563, 14368,
12048, 12068,	17782,	17788,	14375, 15537,
12084, 12101,	17797,	17827,	15546, 15987,
12110, 12129,	17853,	17860,	15996, 16522,
12142, 12176,	17880,	17885,	16532, 16550,
12182, 12195,	17892,	17898,	16886, 16907,
12226, 12237,	17922,	17993,	16912, 16917,
12248, 12555,	17997,	18005,	16922, 16940,
12558, 12561,	18011,	18023,	17466, 17487,
12564, 12608,	18061,	18124,	17492, 17497,
12616, 12642,	18129,	18492,	17502, 17520,
12650, 12673,	18708,	19050,	17803, 18149,
12702, 12840,	19405,	19409,	18170, 18175,
12861, 12908,	19413,	19510,	18180, 18185,
13089, 13090,	19791,	19862,	18203, 20273,
13094, 13096,	19874,	19882,	20277, 20504,
13453, 14355,	19899,	19924,	20545, 20555,
14396, 14496,	19991,	19996,	20564, 20573, 20582
14758, 14762,	19998,	20242,	\iii 3688
14766, 14891,	20285,	20402,	\ilg 15166, 15189
14895, 14902,	20512,	20515,	\immediate ... 4155, 6153
14908, 15053,	20522,	20695,	\in@ 4018
15065, 15335,	20703,	20742,	\includegraphics ..
15387, 15428,	20789,	21001, 2485, 7652,
15441, 15454,	21002, 21004, 21005		7783, 14965, 15039
15707, 15711,	\ifXC@tst . 20265, 20314		\includemedia
15848, 15852,	\ignorespaces ... 46,		. 13828, 14158, 14159
16579, 16605,	60, 76, 122, 259,		\includepdf 15030
16612, 16632,	273, 288, 346,		\IncMargin 186



<code>\indentedwidth</code> 8643	21153, 21154,	10382, 10477,
<code>\index</code> 3566,	21155, 21156,	11270, 11287, 11303
3567, 11006, 21012	21157, 21158,	<code>\insert@column</code>
<code>\indexname</code> 601,	21159, 21160, 1413, 1414,
602, 603, 617,	21161, 21162,	1415, 1416, 1418,
618, 866, 867,	21163, 21164,	1419, 1479, 1481,
1118, 1119, 5586,	21165, 21166,	1482, 1484, 1485,
5587, 6238, 6239,	21167, 21168,	1486, 6947, 6949,
6415, 6416, 6625,	21169, 21170,	6950, 6952, 6953, 6954
6626, 6627, 15521,	21171, 21172,	<code>\insertpenalties</code> . 11234
15522, 15776,	21173, 21174,	<code>\int</code> 13882, 13929,
15777, 16235,	21176, 21177,	13930, 13934,
16236, 16237,	21178, 21179,	14012, 14100,
18775, 18776,	21180, 21181,	14103, 14104,
18777, 18781,	21204, 21205,	14115, 14153,
18782, 18783,	21206, 21207,	14191, 14216,
18786, 18787,	21208, 21209,	15001, 15003, 15017
18793, 18794,	21210, 21211,	<code>\interfootnotelinepenalty</code>
18798, 18799,	21212, 21213,	. . 39, 53, 69, 252,
18800, 18803, 18804	21214, 21215,	266, 281, 8877,
<code>\indexspace</code> 5602	21216, 21217,	11274, 11291, 11307
<code>\input</code> 1636, 1637, 1734,	21218, 21219,	<code>\interlinepenalty</code> 39,
1800, 1876, 2297,	21220, 21221,	53, 69, 252, 266,
5800, 5865, 21077,	21222, 21223,	281, 561, 625,
21087, 21088,	21224, 21225, 21226	650, 877, 932,
21089, 21090,	<code>\input@path</code> 13849	1126, 1133, 5478,
21091, 21092,	<code>\InputIfFileExists</code>	6246, 6253, 6423,
21093, 21094, 3713,	6430, 6594, 6789,
21095, 21096,	3717, 3726, 12899	6797, 7337, 7346,
21097, 21098,	<code>\insert</code> 35,	7356, 7511, 7520,
21099, 21100,	49, 65, 248, 262,	7530, 8313, 8326,
21101, 21102,	277, 1611, 1827,	8583, 8592, 8877,
21103, 21104,	7800, 7816, 7821,	10639, 10647,
21105, 21106,	7837, 7884, 7890,	11274, 11291,
21107, 21108,	7936, 7942, 8702,	11307, 14627,
21109, 21110,	8718, 8734, 8953,	14639, 14651,
21111, 21112,	8963, 8973, 9051,	15421, 15529,
21113, 21115,	9104, 9113, 9122,	15554, 15926,
21116, 21120,	9196, 9248, 9258,	15979, 16041,
21125, 21132,	9268, 9346, 9399,	16396, 16404,
21133, 21134,	9409, 9419, 9497,	18665, 18706,
21135, 21136,	9550, 9560, 9570,	18840, 18871,
21137, 21138,	9648, 9701, 9711,	18894, 18911,
21139, 21140,	9721, 9799, 9852,	18928, 18945,
21141, 21142,	9862, 9872, 9950,	18962, 18979,
21143, 21144,	10003, 10013,	18997, 19016,
21145, 21146,	10023, 10101,	19036, 19071,
21147, 21148,	10154, 10164,	19404, 19865,
21149, 21150,	10174, 10252,	19979, 20160, 20673
21151, 21152,	10358, 10370,	<code>\intermath@penalty</code> 6866



\intertextsep . 20220, 20222	J	8351, 8353, 8355,
\InTheoType	\j 3702, 3703, 3707	8357, 8650, 8652,
. . . 8134, 14925,	\jua@ht 14423,	8654, 8656, 8697,
14927, 14946, 14948	14430, 14523,	8698, 8814, 8815,
\invoiceName 17766	14530, 14599, 14606	10652, 10654,
\ior . . 13932, 13933, 13937	\jua@pr 14406,	10656, 10658,
\iow 15002	14436, 14506, 14536	10796, 10797,
\isempty . . 4416, 5014,	\jua@sar 14405,	10798, 11043,
5221, 5226, 5250,	14435, 14477,	11186, 11188,
5255, 5279, 5284,	14505, 14535, 14574	11189, 11190,
5672, 5681, 5689, 5716	\jua@sk . 14404, 14434,	11191, 11192,
\isodd 16446, 16491	14477, 14504,	11224, 11442,
\isSC@ODD 18383,	14534, 14574, 14607	11506, 11751,
18384, 18386,	\justifying 4323,	11797, 12801,
18387, 21184,	4393, 4963, 15466	12803, 12804,
21186, 21188, 21190	\JustifyingParfillskip	12805, 12875,
\isundefined 15472	12877, 12879,
. . . . 4626, 4675,	\JustifyingParindent	12881, 13563,
7650, 7656, 7673, 4295,	14686, 14784,
7676, 7677, 7678,	4966, 5525, 15473	14786, 14787,
7679, 7680, 7771,	K	14788, 15344,
7774, 7775, 7776,	\keepthetitle 14227	15355, 15358,
7777, 7778, 7781, 7785	\kern . . . 27, 29, 30, 31,	15385, 15401,
\item 102,	241, 243, 244, 245,	15607, 15608,
232, 606, 621, 870,	346, 542, 544, 546,	15610, 15613,
953, 1122, 5558,	548, 726, 727, 729,	15614, 15616,
5566, 5571, 5592,	732, 733, 735, 747,	15657, 15796,
6242, 6419, 6630,	962, 964, 967, 969,	16030, 16031,
10905, 10920,	999, 1206, 1207,	16033, 16036,
12791, 15525,	1209, 1212, 1213,	16037, 16039,
15780, 16240, 18810	1215, 1249, 1477,	16187, 16189,
\itemindent 5553,	1482, 2007, 2008,	16191, 16193,
5554, 5562, 20466	2009, 2010, 2011,	16369, 16371,
\itemsep 4289,	2012, 2013, 2014,	16373, 16375,
5499, 5538, 5552	2018, 2019, 2066,	16604, 16608,
\itemx 14790	2068, 2069, 4765,	16611, 16614,
\itemxox 14825	4766, 4776, 4777,	16615, 16860,
\itemxoxx 14835	4779, 5244, 5245,	16863, 16865,
\itemxxx 14793	5273, 5274, 5302,	16868, 17153,
\itemxxo 14830	5303, 6330, 6331,	17157, 17160,
\itemxxox 14842	6333, 6336, 6337,	17163, 17164,
\itemxxx 14798	6339, 6360, 6483,	17440, 17443,
\itemxxxo 14849	6484, 6486, 6489,	17445, 17448,
\itemxxxx 14805	6490, 6492, 6537,	17721, 17723,
\itemxxxxx 14814	6760, 6762, 6764,	17725, 17727,
\itshape . . 1984, 2457,	6766, 6945, 6950,	17852, 17856,
5362, 5364, 5368,	6972, 7795, 7796,	17859, 17862,
5375, 5382, 5417,	8204, 8211, 8219,	17863, 18123,
5424, 5431, 5438,	8226, 8265, 8269,	18126, 18128,
5445, 5749, 5750, 5751		18131, 18419,



18425, 18679,	13751, 13752,	\l@chapter 6289, 6303,
20195, 20199,	13761, 13771,	6466, 6480, 6744,
20205, 20208,	13772, 13773,	10616, 15590,
20230, 20413,	13774, 13775,	15604, 15962,
20416, 20418, 20941	13776, 13777,	15976, 16168,
\keys ... 13645, 13841,	13778, 13779,	16353, 18730,
13935, 14174, 14175	13785, 13787,	18731, 18863, 19944
\keywords 334	13788, 13789,	\l@color ... 12904, 12905
\kill 13450	13792, 13794,	\l@figure 5486,
\KOMAClassName 16686,	13796, 13801,	5487, 18972, 19972
17003, 17235,	13802, 13803,	\L@Findent
17583, 17934, 18266	13805, 13807,	. 12890, 12966, 12990
\KV@do 12916, 12921	13812, 13814,	\L@first 12932, 12933,
\KV@prefix . 12914, 12919	13816, 13824,	12936, 12937,
	13835, 13836,	12939, 12940,
	13851, 13852,	12941, 12942,
	13853, 13854,	12947, 12953,
L	13872, 13892,	12955, 12959,
\l 8160, 8176,	13900, 13905,	12964, 12965,
8179, 8185, 8188,	13919, 13924,	12967, 12968, 12979
8190, 8191, 8194,	13928, 13929,	\L@gridfalse 12895
8195, 8198, 8201,	13930, 13932,	\L@gridtrue 12895
8202, 8203, 8208,	13933, 13934,	\L@hang 12886, 12963
8209, 8210, 8216,	13937, 13941,	\L@imagefalse 12894
8217, 8218, 8223,	13943, 13944,	\L@imagetrue 12894
8224, 8225, 8234,	13945, 13946,	\L@lbox 12917,
8237, 8245, 13653,	13947, 13948,	12918, 12925,
13655, 13661,	13949, 13951,	12927, 12932,
13663, 13669,	13952, 13953,	12942, 12962,
13670, 13671,	13954, 13956,	12963, 12974,
13672, 13673,	13957, 13958,	12975, 12976, 12989
13674, 13675,	13960, 13961,	\l@LOKeys 12909,
13676, 13677,	13962, 13965,	12911, 12916, 12921
13678, 13679,	13966, 13967,	\L@lraise 12934,
13681, 13682,	13970, 14003,	12940, 12941,
13684, 13685,	14005, 14008,	12943, 12944, 12989
13686, 13693,	14033, 14035,	\L@next 12970,
13694, 13695,	14067, 14071,	12971, 12982, 12984
13697, 13699,	14083, 14084,	\l@ngrel@x 2820, 2821, 2823
13702, 13703,	14130, 14140,	\L@Nindent ... 12891,
13710, 13720,	14146, 14158,	12969, 12971,
13721, 13722,	14159, 14178,	12973, 12982, 12983
13723, 13724,	14179, 14180,	\L@novskip
13725, 13726,	14181, 14182,	. 12893, 12947, 12951
13727, 13728,	14183, 14184,	\L@oversize 12887
13729, 13730,	14185, 14186,	\l@paragraph 18938, 19960
13731, 13732,	14222, 14223,	\L@parshape ... 12979,
13733, 13734,	15006, 15008, 15021	12982, 12986, 12988
13738, 13739,	\l@ 19081	\l@part . 510, 662, 680,
13740, 13742,	\L@ante 12889, 12964, 12989	906, 924, 1145,
13744, 13747,		
13748, 13750,		



1163, 6265, 6281,	\labelsep 85, 90,	14854, 15623,
6442, 6458, 6729,	298, 303, 580, 715,	15624, 16017,
8292, 8547, 10601,	978, 1228, 2496,	16018, 16211,
15566, 15582,	2498, 5515, 5517,	16212, 16414,
15938, 15954,	5574, 6319, 6507,	16415, 16816,
16154, 16338,	6816, 8340, 8611,	16817, 17396,
18727, 18728,	10667, 12773,	17397, 18079,
18816, 19936, 19939	12778, 14791,	18080, 18743, 18744
\L@Pindent . . . 12962,	14794, 14796,	\langle 1985
12963, 12965,	14799, 14801,	\Larg 1984,
12966, 12968,	14803, 14806,	1985, 1986, 1987, 1988
12969, 12972, 12979	14808, 14810,	\Larga 1985
\L@raise . . . 12888, 12940	14812, 14815,	\Largb 1986
\l@section 527,	14817, 14819,	\LARGE 426, 497,
688, 701, 890,	14821, 14823,	754, 844, 1006,
903, 1172, 1185,	14826, 14828,	1096, 1256, 1347,
8278, 18882, 19948	14831, 14833,	1358, 5417, 5424,
\L@slope	14836, 14838,	5506, 5749, 6367,
. 12892, 12983, 12984	14840, 14843,	6544, 6645, 6716,
\l@subfigure 19009	14845, 14847,	7735, 8368, 8433,
\l@subparagraph . . .	14850, 14852,	8463, 8534, 10687,
. 18955, 19964	14854, 15625,	10752, 15664,
\l@subsection 18904, 19952	16019, 16213,	15754, 15803,
\l@subsubsection . .	16416, 16818,	15900, 15911,
. 18921, 19956	17398, 18081, 18745	16067, 16254, 16325
\l@subtable 19029	\labelwidth 89,	\Large 564, 5368, 5431,
\l@table 5487, 18990, 19968	90, 302, 303, 578,	5505, 5750, 5751,
\L@tbox 12929, 12933, 12991	579, 713, 714,	7646, 7739, 8316,
\l@textcolor 12906, 12907	976, 977, 1226,	16143, 16652,
\label 2481,	1227, 2495, 2497,	16658, 16660,
4445, 4447, 4449,	5516, 5517, 6317,	16676, 16765,
4453, 4505, 11005,	6318, 6505, 6506,	16772, 16774,
11961, 11979, 21011	6814, 6815, 8338,	16777, 17201,
\labelitemi . 746, 998,	8339, 8609, 8610,	17207, 17209,
1061, 1248, 6359,	10665, 10666,	17225, 17314,
6536, 15656, 15795	11598, 12777,	17321, 17323,
\labelname . . . 14791,	12778, 14791,	17326, 17900,
14794, 14796,	14794, 14796,	17906, 17908,
14799, 14801,	14799, 14801,	17924, 18013,
14803, 14806,	14803, 14806,	18020, 18022, 18025
14808, 14810,	14808, 14810,	\large 428,
14812, 14815,	14812, 14815,	434, 499, 505, 519,
14817, 14819,	14817, 14819,	671, 761, 771, 846,
14821, 14823,	14821, 14823,	852, 915, 1013,
14826, 14828,	14826, 14828,	1023, 1098, 1104,
14831, 14833,	14831, 14833,	1154, 1263, 1273,
14836, 14838,	14836, 14838,	1349, 1355, 1359,
14840, 14843,	14840, 14843,	1364, 5375, 5438,
14845, 14847,	14845, 14847,	5504, 6274, 6374,
14850, 14852, 14854	14850, 14852,	6384, 6451, 6551,



6561, 6647, 6653,	\LastTOCLevelWasLower	16161, 16176,
6718, 6724, 6738, 19690	16346, 16361,
7645, 7647, 7738,	\LastTOCLevelWasSame	16614, 17163,
7740, 8301, 8370, 19692	17862, 18399,
8376, 8435, 8441,	\LaTeX 12737,	18450, 18671,
8465, 8471, 8536,	20405, 20406, 20418	18694, 18841,
8542, 8555, 10610,	\LaTeXe 20407, 20408	18872, 18895,
10689, 10695,	\LBEG 1989	18912, 18929,
10754, 10760,	\lcb . 1986, 1989, 1990, 1993	18946, 18963,
15575, 15671,	\lccode 3337,	18980, 18998,
15681, 15756,	3339, 20186, 20187	19017, 19037,
15762, 15810,	\Lcs 2000	19072, 19265,
15820, 15902,	\LcsStar 2001	19373, 19418,
15908, 15912,	\leaders 16614,	19866, 19980,
15917, 15947,	17163, 17862,	20229, 20410,
16069, 16075,	18432, 18721,	20415, 20417,
16162, 16256,	19875, 19984, 20678	20425, 20432,
16262, 16327,	\leavevmode 14,	20506, 20624, 20674
16333, 16347,	219, 315, 381, 518,	\left . 20426, 20433, 20439
19374, 19724, 19762	535, 656, 670, 695,	\left@footnoterule
\Largr 1988	747, 884, 897, 914, 30, 244,
\Largs 1987	999, 1062, 1139,	418, 541, 725, 742,
\lastbox	1153, 1179, 1249,	961, 994, 1205,
7418, 7422, 7448,	2118, 2426, 5138,	1244, 6329, 6355,
10291, 10314,	5479, 5947, 6023,	6482, 6532, 6637,
10324, 10328,	6259, 6273, 6296,	6759, 8350, 8362,
13605, 15272, 20335	6360, 6436, 6450,	8455, 8649, 10651,
\lastbox@a 7418,	6473, 6537, 6737,	10681, 11189,
7419, 7422, 7423	6752, 6832, 6833,	11195, 11208,
\LastFrameCommand .	6971, 7023, 8286,	11210, 11346,
..... 11460, 11570	8300, 8554, 8987,	11360, 12804,
\lastkern ... 5150, 11545	9135, 9282, 9433,	12874, 15606,
\lastpenalty . 6864, 19784	9584, 9735, 9886,	15652, 15789,
\lastrule 6911	10037, 10188,	16029, 16049,
\lastskip	10609, 10624,	16186, 16246,
4583, 6079, 6080,	10905, 10920,	16368, 16602,
6192, 6193, 6863,	11374, 11739,	16624, 16859,
7405, 7406, 7410,	11785, 11805,	17151, 17173,
7411, 7413, 7420, 7425	12595, 12632,	17439, 17721,
\lastskip@a	12664, 12807,	17850, 17872, 18122
... 7408, 7412, 7416	12826, 13600,	\leftfootnoterule .
\lastskip@b 7406, 7408,	13832, 14165,	1672, 7792, 8694,
7410, 7412, 7416, 7417	14628, 14640,	11193, 11196,
\lastskip@d	14652, 15271,	11434, 11714, 21080
7405, 7411, 7413,	15352, 15357,	\leftline 15367,
7419, 7420, 7423,	15403, 15424,	20596, 20602, 20604
7425, 7426, 7429, 7439	15560, 15574,	\leftlinenumbers ..
\LastTOCLevelWasHigher	15597, 15657, 13022, 13025
..... 19694	15796, 15932,	\leftmargin 90,
	15946, 15969,	303, 579, 580, 714,



715, 950, 977,	6260, 6271, 6294,	18926, 18934,
978, 1227, 1228,	6297, 6298, 6425,	18941, 18942,
2497, 2498, 4286,	6431, 6432, 6437,	18943, 18951,
5496, 5555, 5556,	6448, 6471, 6474,	18958, 18959,
5563, 5569, 6318,	6475, 6735, 6750,	18960, 18968,
6319, 6506, 6507,	6753, 6754, 6886,	18975, 18976,
6815, 6816, 8339,	6887, 6888, 7014,	18977, 18985,
8340, 8610, 8611,	7015, 7021, 8284,	18993, 18994,
10666, 10667,	8287, 8288, 8298,	18995, 19003,
12778, 15421,	8552, 8910, 10528,	19012, 19013,
15624, 15625,	10607, 10622,	19014, 19022,
16018, 16019,	10625, 10626,	19032, 19033,
16212, 16213,	12824, 12825,	19034, 19042,
16415, 16416,	13587, 14261,	19067, 19068,
16817, 16818,	14262, 14625,	19069, 19077,
17397, 17398,	14629, 14630,	19117, 19118,
18080, 18081,	14637, 14642,	19119, 19797,
18744, 18745,	14649, 14654,	19859, 19860,
20476, 20479,	15432, 15434,	19861, 19867,
20489, 20493,	15445, 15447,	19870, 19917,
20501, 20550,	15458, 15460,	19977, 19982,
20552, 20553,	15469, 15471,	20005, 20012,
20554, 20559,	15488, 15531,	20381, 20382,
20561, 20562,	15544, 15555,	20585, 20611,
20563, 20568,	15556, 15561,	20612, 20671, 20676
20570, 20571,	15572, 15595,	\LEND 1990
20572, 20577,	15598, 15599,	\LenToUnit 8078, 8092, 8110
20579, 20580, 20581	15927, 15928,	\leqno 338, 15363,
\leftmargini ... 4286,	15933, 15944,	15365, 21071, 21073
5496, 5509, 5516	15967, 15970,	\let 86, 102, 115,
\leftmarginii 5510	15971, 15981,	152, 153, 156, 157,
\leftmarginiii 5511	15994, 16043,	160, 161, 164, 184,
\leftmarginiv 5512	16159, 16174,	188, 203, 204, 232,
\leftmarginv 5513	16177, 16178,	299, 329, 337, 338,
\leftmarginvi 5514	16183, 16184,	350, 382, 383, 386,
\leftmarginwidth . 16183	16344, 16359,	403, 407, 411, 416,
\leftmark 5846	16362, 16363,	417, 418, 419, 420,
\leftskip 12,	18663, 18675,	421, 422, 440, 441,
13, 217, 218, 315,	18692, 18713,	442, 443, 444, 445,
319, 516, 533, 536,	18715, 18720,	446, 447, 448, 449,
537, 627, 640, 651,	18724, 18725,	450, 451, 475, 476,
652, 657, 668, 693,	18836, 18837,	477, 478, 479, 480,
696, 697, 878, 879,	18838, 18846,	481, 482, 483, 484,
885, 895, 898, 899,	18867, 18868,	485, 486, 487, 494,
912, 934, 1128,	18869, 18877,	495, 496, 583, 606,
1134, 1135, 1140,	18890, 18891,	621, 718, 740, 741,
1151, 1177, 1180,	18892, 18900,	742, 743, 744, 782,
1181, 1199, 5473,	18907, 18908,	783, 784, 785, 786,
5481, 5482, 6053,	18909, 18917,	787, 788, 789, 790,
6248, 6254, 6255,	18924, 18925,	791, 826, 827, 828,



829, 830, 831, 832,
833, 834, 835, 836,
843, 870, 981, 992,
993, 994, 995, 996,
1034, 1035, 1036,
1037, 1038, 1039,
1040, 1041, 1042,
1043, 1078, 1079,
1080, 1081, 1082,
1083, 1084, 1085,
1086, 1087, 1088,
1095, 1122, 1231,
1242, 1243, 1244,
1245, 1246, 1284,
1285, 1286, 1287,
1288, 1289, 1290,
1291, 1292, 1293,
1328, 1329, 1330,
1331, 1332, 1333,
1334, 1335, 1336,
1337, 1338, 1346,
1372, 1373, 1377,
1393, 1394, 1395,
1431, 1432, 1433,
1458, 1459, 1460,
1461, 1466, 1501,
1502, 1600, 1602,
1604, 1709, 1710,
1717, 1763, 1816,
1818, 1820, 1852,
1925, 1926, 1927,
1928, 1929, 1930,
1931, 1932, 1933,
1934, 1935, 2073,
2074, 2075, 2102,
2119, 2120, 2121,
2122, 2123, 2124,
2125, 2126, 2127,
2129, 2130, 2131,
2241, 2242, 2243,
2244, 2245, 2246,
2247, 2248, 2249,
2501, 2510, 2515,
2533, 2557, 2576,
2581, 2606, 2607,
2614, 2615, 2618,
2619, 2653, 2786,
2789, 2797, 2821,
2843, 2865, 2866,
2996, 3076, 3078,

3079, 3080, 3081,
3082, 3137, 3173,
3180, 3186, 3192,
3200, 3203, 3206,
3214, 3218, 3220,
3367, 3370, 3401,
3480, 3486, 3489,
3499, 3509, 3520,
3587, 3597, 3599,
3633, 3644, 3739,
3755, 3775, 3790,
3806, 3899, 3920,
3921, 3937, 3980,
3983, 3985, 3990,
4004, 4012, 4013,
4033, 4034, 4061,
4072, 4077, 4081,
4083, 4086, 4096,
4107, 4134, 4145,
4154, 4203, 4208,
4224, 4225, 4226,
4227, 4229, 4230,
4231, 4232, 4278,
4408, 4409, 4446,
4447, 4453, 4455,
4459, 4504, 4505,
4587, 4589, 4591,
4737, 4738, 4751,
4755, 4757, 4758,
4764, 4768, 4772,
4781, 5025, 5026,
5044, 5045, 5063,
5064, 5091, 5092,
5120, 5121, 5122,
5219, 5240, 5241,
5242, 5248, 5269,
5270, 5271, 5277,
5298, 5299, 5300,
5316, 5320, 5321,
5322, 5325, 5329,
5330, 5331, 5334,
5338, 5339, 5340,
5487, 5551, 5592,
5679, 5746, 5747,
5748, 5938, 5939,
5941, 5942, 5960,
5981, 5982, 5983,
5984, 5985, 5986,
5987, 5988, 5989,
5992, 5993, 5994,

5995, 5996, 5997,
5998, 5999, 6000,
6061, 6087, 6137,
6143, 6164, 6177,
6187, 6201, 6205,
6206, 6207, 6208,
6209, 6210, 6211,
6212, 6213, 6219,
6220, 6221, 6222,
6223, 6224, 6225,
6226, 6227, 6242,
6322, 6353, 6354,
6355, 6356, 6357,
6395, 6396, 6397,
6398, 6399, 6400,
6401, 6402, 6403,
6404, 6419, 6510,
6530, 6531, 6532,
6533, 6534, 6572,
6573, 6574, 6575,
6576, 6577, 6578,
6579, 6580, 6581,
6630, 6635, 6636,
6637, 6638, 6639,
6640, 6641, 6659,
6660, 6661, 6662,
6663, 6664, 6665,
6666, 6667, 6668,
6669, 6670, 6694,
6695, 6696, 6697,
6698, 6699, 6700,
6701, 6702, 6703,
6704, 6705, 6706,
6713, 6714, 6715,
6819, 6843, 6845,
6848, 6849, 6850,
6856, 6861, 6881,
6893, 6894, 6895,
6897, 6898, 6904,
6905, 6906, 6907,
6927, 6936, 6977,
6983, 7004, 7176,
7179, 7180, 7239,
7242, 7243, 7790,
7791, 7792, 7793,
7794, 7797, 7798,
7800, 7818, 7819,
7821, 7839, 7840,
7844, 7879, 7881,
7893, 7896, 7897,



7901, 7931, 7933,	9688, 9689, 9690,	11360,	11386,
7945, 7948, 7949,	9694, 9695, 9696,	11387,	11388,
7996, 8020, 8028,	9697, 9700, 9839,	11389,	11423,
8036, 8343, 8360,	9840, 9841, 9845,	11438,	11444,
8361, 8362, 8363,	9846, 9847, 9848,	11449,	11584,
8364, 8382, 8383,	9851, 9990, 9991,	11585,	11586,
8384, 8385, 8386,	9992, 9996, 9997,	11587,	11629,
8387, 8388, 8389,	9998, 9999, 10002,	11632,	11633,
8390, 8391, 8415,	10141, 10142,	11677,	11680,
8416, 8417, 8418,	10143, 10147,	11681,	11714,
8419, 8420, 8421,	10148, 10149,	11715,	11716,
8422, 8423, 8424,	10150, 10153,	11717,	11718,
8425, 8432, 8453,	10334, 10335,	11808,	11842,
8454, 8455, 8456,	10336, 10340,	11844,	11872,
8457, 8458, 8459,	10341, 10342,	11874,	11879,
8477, 8478, 8479,	10343, 10346,	11881,	11885,
8480, 8481, 8482,	10359, 10371,	11887,	12218,
8483, 8484, 8485,	10383, 10408,	12219,	12220,
8486, 8487, 8488,	10422, 10436,	12261,	12262,
8512, 8513, 8514,	10535, 10597,	12263,	12305,
8515, 8516, 8517,	10670, 10679,	12306,	12307,
8518, 8519, 8520,	10680, 10681,	12320,	12321,
8521, 8522, 8523,	10682, 10683,	12322,	12335,
8524, 8531, 8532,	10701, 10702,	12336,	12337,
8533, 8614, 8662,	10703, 10704,	12343,	12345,
8663, 8664, 8665,	10705, 10706,	12346,	12347,
8666, 8667, 8676,	10707, 10708,	12348,	12349,
8677, 8678, 8679,	10709, 10710,	12350,	12351,
8680, 8681, 8682,	10734, 10735,	12360,	12396,
8683, 8684, 8685,	10736, 10737,	12434,	12467,
8686, 8687, 8692,	10738, 10739,	12498,	12529,
8693, 8694, 8695,	10740, 10741,	12535,	12537,
8696, 8788, 8789,	10742, 10743,	12538,	12539,
8790, 8791, 8792,	10744, 10751,	12540,	12541,
8793, 8796, 8797,	10807, 10834,	12542,	12543,
8798, 8799, 8800,	10837, 10838,	12544,	12556,
8801, 8803, 8940,	10870, 10873,	12559,	12562,
8941, 8942, 8946,	10874, 10956,	12565,	12732,
8947, 8948, 8949,	10957, 10959,	12733,	12734,
8952, 9091, 9092,	10960, 10963,	12735,	12750,
9093, 9097, 9098,	10964, 10993,	12761,	12774,
9099, 9100, 9103,	10995, 10997,	12791,	12840,
9235, 9236, 9237,	11005, 11006,	12905,	12915,
9241, 9242, 9243,	11007, 11013,	12920,	13117,
9244, 9247, 9386,	11017, 11020,	13129,	13440,
9387, 9388, 9392,	11028, 11030,	13441,	13442,
9393, 9394, 9395,	11033, 11034,	13444,	13446,
9398, 9537, 9538,	11168, 11196,	13450,	13452,
9539, 9543, 9544,	11222, 11223,	13454,	13455,
9545, 9546, 9549,	11332, 11346,	13457,	13458,



13459,	13463,	15654,	15692,	16247,	16248,
13469,	13481,	15693,	15694,	16249,	16250,
13517,	13518,	15695,	15696,	16268,	16269,
13519,	13579,	15697,	15698,	16270,	16271,
13580,	13581,	15699,	15700,	16272,	16273,
13582,	13583,	15701,	15736,	16274,	16275,
13591,	13638,	15737,	15738,	16276,	16277,
13639,	13640,	15739,	15740,	16278,	16279,
14229,	14230,	15741,	15742,	16303,	16304,
14231,	14232,	15743,	15744,	16305,	16306,
14233,	14234,	15745,	15746,	16307,	16308,
14235,	14236,	15753,	15780,	16309,	16310,
14237,	14293,	15787,	15788,	16311,	16312,
14296,	14297,	15789,	15790,	16313,	16314,
14299,	14300,	15791,	15792,	16315,	16322,
14397,	14400,	15793,	15831,	16323,	16324,
14401,	14497,	15832,	15833,	16419,	16444,
14500,	14501,	15834,	15835,	16471,	16472,
14736,	14739,	15836,	15837,	16489,	16561,
14759,	14760,	15838,	15839,	16562,	16563,
14763,	14764,	15840,	15841,	16622,	16623,
14767,	14768,	15842,	15877,	16624,	16625,
14872,	14873,	15878,	15879,	16626,	16627,
14874,	14982,	15880,	15881,	16628,	16630,
14983,	14984,	15882,	15883,	16694,	16711,
14985,	14986,	15884,	15885,	16712,	16713,
14988,	15033,	15886,	15887,	16714,	16715,
15038,	15052,	15888,	15889,	16716,	16717,
15084,	15273,	15897,	15898,	16718,	16719,
15277,	15322,	15899,	16022,	16720,	16721,
15323,	15324,	16047,	16048,	16722,	16723,
15325,	15328,	16049,	16050,	16724,	16725,
15329,	15331,	16051,	16052,	16726,	16727,
15336,	15359,	16053,	16081,	16728,	16729,
15360,	15361,	16082,	16083,	16730,	16731,
15362,	15363,	16084,	16085,	16732,	16733,
15425,	15429,	16086,	16087,	16734,	16735,
15431,	15442,	16088,	16089,	16736,	16737,
15444,	15455,	16090,	16091,	16738,	16742,
15457,	15467,	16092,	16121,	16743,	16744,
15468,	15479,	16122,	16123,	16829,	16854,
15480,	15481,	16124,	16125,	16855,	16879,
15482,	15483,	16126,	16127,	16880,	16881,
15493,	15494,	16128,	16129,	16882,	16883,
15495,	15496,	16130,	16131,	16884,	16890,
15497,	15506,	16132,	16133,	16891,	16892,
15508,	15509,	16139,	16140,	16893,	16894,
15525,	15628,	16141,	16216,	16895,	16989,
15650,	15651,	16240,	16244,	16991,	16997,
15652,	15653,	16245,	16246,	16999,	17110,



17111,	17112,	17986,	17990,	19000,	19001,
17171,	17172,	17991,	17992,	19002,	19019,
17173,	17174,	18092,	18117,	19020,	19021,
17175,	17176,	18118,	18142,	19039,	19040,
17177,	17179,	18143,	18144,	19041,	19074,
17243,	17260,	18145,	18146,	19075,	19076,
17261,	17262,	18147,	18153,	19139,	19294,
17263,	17264,	18154,	18155,	19431,	19512,
17265,	17266,	18156,	18157,	19515,	19545,
17267,	17268,	18158,	18252,	19778,	19994,
17269,	17270,	18254,	18260,	20002,	20007,
17271,	17272,	18262,	18390,	20014,	20031,
17273,	17274,	18391,	18392,	20034,	20094,
17275,	17276,	18395,	18451,	20152,	20156,
17277,	17278,	18452,	18453,	20234,	20239,
17279,	17280,	18456,	18467,	20249,	20253,
17281,	17282,	18468,	18469,	20282,	20292,
17283,	17284,	18476,	18477,	20296,	20336,
17285,	17286,	18482,	18491,	20340,	20389,
17287,	17291,	18492,	18493,	20390,	20391,
17292,	17293,	18495,	18498,	20392,	20395,
17409,	17434,	18502,	18505,	20396,	20398,
17435,	17459,	18507,	18510,	20403,	20405,
17460,	17461,	18519,	18522,	20407,	20419,
17462,	17463,	18535,	18536,	20420,	20421,
17464,	17470,	18537,	18552,	20422,	20426,
17471,	17472,	18553,	18554,	20427,	20433,
17473,	17474,	18555,	18556,	20434,	20435,
17475,	17569,	18557,	18559,	20447,	20469,
17571,	17577,	18560,	18563,	20531,	20584,
17579,	17809,	18564,	18638,	20587,	20588,
17810,	17811,	18639,	18642,	20602,	20603,
17870,	17871,	18644,	18645,	20621,	20625,
17872,	17873,	18646,	18658,	20626,	20627,
17874,	17875,	18687,	18716,	20630,	20642,
17876,	17878,	18721,	18727,	20643,	20644,
17942,	17959,	18730,	18748,	20645,	20651,
17960,	17961,	18810,	18814,	20652,	20653,
17962,	17963,	18843,	18844,	20691,	20743,
17964,	17965,	18845,	18874,	20746,	20747,
17966,	17967,	18875,	18876,	20790,	20793,
17968,	17969,	18897,	18898,	20794,	20971,
17970,	17971,	18899,	18914,	20973,	20976,
17972,	17973,	18915,	18916,	20988,	20990,
17974,	17975,	18931,	18932,	20992,	20994,
17976,	17977,	18933,	18948,	20996,	20998,
17978,	17979,	18949,	18950,	21001,	21002,
17980,	17981,	18965,	18966,	21004,	21005,
17982,	17983,	18967,	18982,	21011,	21012,
17984,	17985,	18983,	18984,	21013,	21018,



21030, 21033,	8466, 8537, 10690,	6316, 6504, 6813,
21040, 21047,	10755, 11009,	8337, 8608, 10664,
21051, 21053,	13482, 13588,	12777, 14864,
21056, 21057,	15489, 15503,	15622, 16016,
21070, 21071,	15672, 15757,	16210, 16413,
21079, 21080,	15811, 15903,	16813, 17393,
21081, 21228, 21230	15912, 16070,	18076, 18742, 20458
\Letter 2346	16146, 16257,	\listdoubleitemmaincolumnwidth
\lettergroup 5603	16328, 16652, 2400, 2413,
\LettrineDepth ... 12976	16766, 17201,	2414, 2415, 2442, 2446
\LettrineFont 12917, 12927	17315, 17900,	\listfigurename 5456, 5457
\LettrineFontEPS . 12925	18014, 18471,	\listitemmaincolumnwidth
\LettrineHeight .. 12975	18510, 20647, 21014 2399,
\LettrineTextFont .	\lineskiplimit	2407, 2408, 2440
..... 12929, 12938 11010, 21014	\listitemsymbol ...
\LettrineWidth	\linespacing .. 24, 12812 2341, 2398,
..... 12918, 12974	\linespread 2807	2439, 2441, 7601, 7699
\lftside 15203,	\linewidth 2454,	\listitemsymbolwidth
15205, 15208,	4481, 10906, 2397,
15210, 15224, 15226	10921, 10925,	2398, 2408, 2414
\Line 8023,	11596, 11604,	\listoffigures 5454
8026, 8031, 8034,	11605, 11607,	\listoftables 5462
8039, 8040, 8043,	11608, 11908,	\listparindent
8044, 8048, 8049,	12967, 12970,	. 948, 5554, 5561,
8052, 8053, 8057,	12986, 13585,	5562, 20465, 20474
8058, 8061, 8062,	14301, 14307,	\listtablename 5464, 5465
8066, 8067, 8070, 8071	14939, 14941,	\llap 5541, 8133,
\line 7033, 7034,	14959, 14961,	8824, 8836, 8848,
7036, 7037, 7043,	15161, 15167,	10813, 10819,
7044, 7046, 7047,	15253, 15262,	11721, 11853,
7056, 7057, 7059,	15263, 15316,	11855, 11857,
7060, 7066, 7067,	15318, 15486,	11859, 11862,
7069, 7070, 7079,	15500, 16975,	11864, 11867,
7080, 7082, 7083,	17555, 18238,	11869, 12989,
7089, 7090, 7092,	20383, 20385,	18417, 18676, 18694
7093, 7102, 7103,	20475, 20476,	\LoadClass ... 5788, 5812
7105, 7106, 7112,	20503, 20550,	\long .. 34, 48, 64, 247,
7113, 7115, 7116,	20552, 20553,	261, 276, 458, 745,
15366, 15367, 15368	20554, 20559,	810, 997, 1060,
\LineNumber ... 13000,	20561, 20562,	1247, 1312, 1918,
13002, 13004,	20563, 20568,	2136, 2139, 2142,
13009, 13012, 13014	20570, 20571,	2147, 2150, 2153,
\linenumberwidth ..	20572, 20577,	2551, 2552, 2561,
. 13002, 13009, 13014	20579, 20580,	2564, 2575, 2754,
\lineskip .. 202, 404,	20581, 20960, 20963	2758, 2791, 2823,
429, 500, 762, 847,	\link 2460	2827, 2937, 2956,
1014, 1099, 1264,	\list 89,	3031, 3047, 3059,
1350, 1359, 2330,	302, 577, 712, 948,	3068, 3100, 3128,
6375, 6552, 6648,	975, 1225, 5534,	3140, 3141, 3467,
6719, 8371, 8436,	5552, 5561, 5569,	3469, 3473, 3485,



3492, 3501, 3504,	7126, 7296, 7302,	\LT@array 12741,
3511, 3529, 4151,	7407, 7462, 7474,	13431, 16989,
4415, 4564, 4824,	10312, 10322,	16990, 17569,
4828, 4832, 4868,	12953, 15159,	17570, 18252, 18253
4872, 4876, 4912,	15195, 15222,	\LT@bchunk
4916, 4920, 5131,	15233, 15260, 18530	. 13472, 13479, 13483
5218, 5247, 5276,	\looprepeat 3559, 3563,	\LT@caption . . . 13450,
6094, 6097, 6100,	3607, 3678, 3685,	16991, 16997,
6104, 6107, 6110,	3690, 3696, 3699,	16999, 17571,
6358, 6535, 6677,	3701, 3705, 3706, 3711	17577, 17579,
6970, 7799, 7820,	\lower 1630, 1846, 15357,	18254, 18260, 18262
8398, 8495, 10717,	15391, 15399,	\LT@cols 13485,
11270, 11287,	20222, 20415, 20417	16974, 17554, 18237
11303, 11331,	\lowercase 2621,	\LT@end@open 13533
11345, 11359,	2629, 2637, 2645	\LT@endpbox 13452
11719, 11729,	\lowertitleback . . .	\LT@err 13534
11738, 11784,	. 16735, 17284, 17983	\LT@foot 12756,
11825, 11832,	\LR 12733, 15324, 15357,	12760, 13537,
12264, 12275,	20391, 20415, 20417	13541, 13550, 13553
12286, 12297,	\lrb 1988, 1997	\LT@head . . . 13544, 13557
12312, 12327,	\LRE 1601, 1635,	\LT@hline 13450
12370, 12387,	1817, 1851, 12732,	\LT@kill 13450
12408, 12425,	15324, 15327,	\LT@lastfoot
12441, 12458,	20034, 20391, 20394	. 13537, 13539, 13550
12472, 12489,	\LRfootnoterule . . .	\LT@LL@FM@cr 13459, 13463
12503, 12520,	. . 7794, 8696, 11196	\LT@make@row 13480
12745, 13069,	\lsb 1987, 1995	\LT@makecaption . . .
14243, 14293,	\lst@caption . 13090,	. . 13484, 13495,
14343, 14365,	13096, 13103, 13108	16966, 17546, 18229
14771, 14775,	\lst@alloverstyle .	\LT@mcol 13440, 13485,
14779, 15142, 1976, 1982	16974, 17554, 18237
15351, 15655,	\lst@HRefStepCounter	\LT@no@pgbk . 13448, 13449
15720, 15794, 13090, 13096	\LT@nofcols 13479
15861, 16057,	\lst@ifnumberbychapter	\LT@output 13531
16100, 16286, 13129, 13130	\LT@p@ftn 12365,
16577, 17126,	\lst@Key . . . 13033, 13040	12368, 12372,
17700, 17800,	\lst@MakeCaption . .	12382, 12403,
17825, 18389, 13088, 13101	12406, 12410,
18575, 18579,	\lst@makecaption . .	12420, 13524,
18582, 18586, 13085, 13118	13525, 13527, 13528
20228, 20409,	\lst@maketitle 13086,	\LT@p@ftntext . . . 13517
20505, 20841,	13119, 13123, 13125	\LT@p@LTRftntext . .
20845, 20849,	\lst@title@dropdelim 12363,
20885, 20889, 13086	12370, 13518, 13523
20893, 20952, 21060	\lstKV@SwitchCases	\LT@p@RTLftntext . .
\longindentation . . 8642 13034, 13041 12401,
\longthickrule	\lstset 1946	12408, 13519, 13526
. 16138, 16144	\LT@chl 13442, 13444	\LT@rows . . . 13474, 13504
\loop 1742,	\LT@ctabarray 13441, 13445	\LT@setprevdepth . 13475
1743, 3542, 3552,		\LT@start . . 12758, 12768



\LT@startpbox	\LTRfoottextfont . .	\m@m@float@spacing 8809
. 13456, 13463, 13515 8738, 8745,	\m@m@footnote@spacing
\LT@tabularcr 13446	8766, 8772, 8872,	8704, 8720, 8736,
\LTcapytype	8965, 8993, 9013,	8752, 8765, 8778,
. 13497, 13506, 13507	9115, 9141, 9160,	8808, 8954, 8964,
\LTcapwidth	9260, 9288, 9308,	8974, 9000, 9012,
. 13485, 13498, 13499	9411, 9439, 9459,	9025, 9052, 9065,
\LTleft 13434,	9562, 9590, 9610,	9080, 9085, 9105,
13436, 13438, 13476	9713, 9741, 9761,	9114, 9123, 9148,
\LTR 15316, 20383	9864, 9892, 9912,	9159, 9171, 9197,
\LTR@column@boxes .	10015, 10043,	9209, 9224, 9229,
. 14693,	10063, 10166,	9249, 9259, 9269,
14709, 14740, 14742	10194, 10214,	9295, 9307, 9320,
\LTR@outputdblcol .	10373, 10401, 10425	9347, 9360, 9375,
. . . 7226, 10858,	\LTRright 13434,	9380, 9400, 9410,
11614, 14484,	13436, 13438, 13477	9420, 9446, 9458,
20777, 20821, 20823	\LTRmarginnote 5324	9471, 9498, 9511,
\LTRbiditufesidenotemarginpar	\LTRmarginpar 20824	9526, 9531, 9551,
. . . 4851, 5177, 5327	\LTRmulticolcolumns	9561, 9571, 9597,
\LTRcite 14738	9609, 9622, 9649,
5121, 5241, 5270,	\LTRsidenote . . 5046, 5306	9662, 9677, 9682,
5299, 5321, 5330, 5339	\LTRthanks . 421, 441,	9702, 9712, 9722,
\LTRcolumnfootnotes 8805	476, 495, 5660,	9748, 9760, 9773,
\LTRdblcol 20823	5668, 5685, 5701,	9800, 9813, 9828,
\LTRdfnmakecol 7952	5712, 6640, 6660,	9833, 9853, 9863,
\LTRfootfootmark . .	6695, 6714, 8458,	9873, 9899, 9911,
. . . . 8834, 8993,	8478, 8513, 8532,	9924, 9951, 9964,
9141, 9288, 9439,	11405, 14230,	9979, 9984, 10004,
9590, 9741, 9892,	15792, 15832,	10014, 10024,
10043, 10194, 10401	15878, 15898,	10050, 10062,
\LTRfootmarkstyle .	16052, 16082,	10075, 10102,
. 8820, 8859	16122, 16140,	10115, 10130,
\LTRfootnote . . . 421,	16249, 16269,	10135, 10155,
495, 2074, 2082,	16304, 16323,	10165, 10175,
5310, 5660, 6640,	16627, 16712,	10201, 10213,
6714, 8458, 8532,	16743, 17176,	10226, 10253,
11251, 15792,	17261, 17292,	10266, 10281,
15898, 16052,	17875, 17960, 17991	10286, 10348,
16140, 16249,	\ltx@firstofthree .	10360, 10372,
16323, 16627, 11121, 11145	10384, 10409,
16743, 17176,	\ltx@ifundefined . .	10423, 10437,
17292, 17875, 17991 11115, 11139	10465, 10478,
\LTRfootnotetext . .	\ltx@secondofthree	10492, 10514, 10522
. . . . 2140, 2151, 11124, 11148	\m@m@h 8921, 8923,
6098, 6108, 11407,	\ltx@thirdofthree .	8925, 8928, 8929, 8934
11409, 12366,	. 11117, 11134, 11141	\m@m@k 8921, 8923,
13524, 18576, 18580	M	8928, 8931, 8932, 8934
\LTRfootscript . 8820,	\m@advipersep	\m@m@makecolfloats
8837, 8841, 8843 14426, 14526	. 10533, 10580, 10586
		\m@m@makecolintro .



. 10548, 10573, 10584	\m@make@mpsevendcolfootnotetext	\m@make@threecol@footgroup
\m@make@coltext 9784, 9809	... 9096, 9183, 9222
. 10537, 10581, 10592	\m@make@mpsixcol@footgroup	\m@make@threecol@footfmt
\m@make@singlespace .. 8807	... 9548, 9636, 9680 9182, 9217
\m@make@eightcol@footgroup	\m@make@mpsixcolfootnotetext	\m@make@threecolfootnotetext
... 9844, 9937, 9977 9633, 9658 9180, 9194
\m@make@eightcolfootfmt	\m@make@mpthreecol@footgroup	\m@make@twocol@footgroup
..... 9936, 9972	. 10152, 10240, 10284	... 8945, 9038, 9078
\m@make@eightcolfootnotetext	\m@make@mpthreecolfootnotetext	\m@make@twocolfootfmt
..... 9934, 9948 10237, 10262 9037, 9073
\m@make@fivecol@footgroup	\m@make@mpthreecol@footgroup	\m@make@twocolfootnotetext
... 9391, 9484, 9524	... 9102, 9184, 9227 9035, 9049
\m@make@fivecolfootfmt	\m@make@mpthreecolfootnotetext	\m@doextrafeet ...
..... 9483, 9519 9181, 9205	. 8863, 10579, 10591
\m@make@fivecolfootnotetext	\m@make@mpthreecolfootnotetext	\m@doextrafeetendmini
..... 9481, 9495	... 8951, 9039, 9083 8891, 8901
\m@make@footstart .	\m@make@mpthreecolfootnotetext	\m@doextrafeetmini 8882
.... 8906, 8917, 9036, 9061	\m@dosplits ... 8926,
9040, 9185, 9335,	\m@make@ninecol@footgroup	8930, 8931, 8932
9486, 9637, 9788,	. 9995, 10088, 10128	\m@interparanoteglue
9939, 10090, 10241	\m@make@ninecolfootfmt 10304, 10306
\m@make@fourcol@footgroup 10087, 10123	\m@mipn@skip
... 9240, 9333, 9373	\m@make@ninecolfootnotetext	. 10296, 10303, 10305
\m@make@fourcolfootfmt 10085, 10099	\m@makehboxoffhboxes
..... 9332, 9368	\m@make@para@footgroup 10308,
\m@make@fourcolfootnotetext	. 10339, 10452, 10508	10319, 10511, 10520
..... 9330, 9344	\m@make@para@footstart	\m@mfm@prepare . 8716,
\m@make@mpeightcol@footgroup 10454, 10525	8732, 8748, 8813,
... 9850, 9938, 9982	\m@make@parafootfmt	8962, 8972, 8982,
\m@make@mpeightcolfootnotetext 10451, 10502	9008, 9021, 9033,
..... 9935, 9960	\m@make@parafootnotetext	9060, 9072, 9112,
\m@make@mpfivecol@footgroup 10449, 10475	9121, 9130, 9155,
... 9397, 9485, 9529	\m@make@sevendcol@footgroup	9167, 9178, 9204,
\m@make@mpfivecolfootnotetext	... 9693, 9786, 9826	9216, 9257, 9267,
..... 9482, 9507	\m@make@sevendcolfootfmt	9277, 9303, 9316,
\m@make@mpfourcol@footgroup 9785, 9821	9328, 9355, 9367,
... 9246, 9334, 9378	\m@make@sevendcolfootnotetext	9408, 9418, 9428,
\m@make@mpfourcolfootnotetext 9783, 9797	9454, 9467, 9479,
..... 9331, 9356	\m@make@sixcol@footgroup	9506, 9518, 9559,
\m@make@mpninecol@footgroup	... 9542, 9635, 9675	9569, 9579, 9605,
. 10001, 10089, 10133	\m@make@sixcolfootfmt	9618, 9630, 9657,
\m@make@mpninecolfootnotetext 9634, 9670	9669, 9710, 9720,
..... 10086, 10111	\m@make@sixcolfootnotetext	9730, 9756, 9769,
\m@make@mppara@footgroup 9632, 9646	9781, 9808, 9820,
. 10345, 10453, 10517	\m@make@tencol@footgroup	9861, 9871, 9881,
\m@make@mpparafootnotetext	. 10146, 10239, 10279	9907, 9920, 9932,
..... 10450, 10488	\m@make@tencolfootfmt	9959, 9971, 10012,
\m@make@mpsevendcol@footgroup 10238, 10274	10022, 10032,
... 9699, 9787, 9831	\m@make@tencolfootnotetext	10058, 10071,
 10236, 10250	10083, 10110,



10122, 10163,	16391, 17053,	8480, 8491, 8515,
10173, 10183,	17631, 17634,	10678, 10702,
10209, 10222,	18314, 18317,	10713, 10735,
10234, 10261,	18822, 18864,	12535, 12536,
10273, 10369,	19803, 20836,	12835, 14238,
10381, 10393,	20880, 20915, 20918	15648, 15693,
10419, 10433,	\m@th 406, 8122,	15715, 15737,
10447, 10487, 10501	8127, 8133, 10906,	15785, 15834,
\m@old@footnotetext	10921, 13481,	15856, 15880,
..... 8788, 8796	19875, 19984,	16046, 16084,
\m@old@LTRfootnotetext	20439, 20533,	16095, 16124,
..... 8789, 8797	20617, 20619, 20678	16243, 16271,
\m@old@mpfootnotetext	\maincolumnwidth ..	16282, 16306,
..... 8791, 8799	2395, 2404, 2405,	16616, 16687,
\m@old@mpLTRfootnotetext	2406, 2407, 2409,	16714, 17165,
..... 8792, 8800	2413, 2428, 2432, 2457	17236, 17263,
\m@old@mpRTLfootnotetext	\mainmatter 5839	17864, 17935, 17962
..... 8793, 8801	\makeatletter . 3003, 3022	\maketitledetailsnewline
\m@old@RTLfootnotetext	\makebox	7757, 7772, 7774,
..... 8790, 8798	8121, 8126, 8195,	7775, 7776, 7777, 7778
\m@mopfootnote	8198, 8201, 8208,	\maketitledetailswidth
..... 10549, 10577	8216, 8223, 8264, 7749, 7751,
\m@removehboxes ..	8268, 14976, 14994	7752, 7753, 7754, 7769
..... 10328,	\makefooter	\maketitlehookb .. 14288
10329, 10512, 10521	... 7666, 7667, 7683	\maketitlehookc .. 14290
\m@rgridbalance ..	\MakeFramed 11462	\maketitlenamefullwidth
.... 8923, 8928,	\makelabel .. 5541, 20469	... 7743, 7744, 7746
9082, 9087, 9226,	\MakeLineNo 12994	\maketitlenamemaxwidth
9231, 9377, 9382,	\makeLineNumber 7741, 7742, 7746
9528, 9533, 9679, 12995, 12997	\maketitlenamewidth
9684, 9830, 9835,	\makeLineNumberLeft 7745,
9981, 9986, 10132, 13000	7746, 7752, 7764
10137, 10283, 10288	\makeLineNumberRight	\maketitlepage 5722, 5764
\m@msplitoff .. 8931, 8933 13008	\maketitlepicturewidth
\m@mungebox	\maketag@@@ 346, 7747,
.. 10297, 10369,	8119, 8132, 13563	7748, 7754, 7783
10381, 10393,	\makethanksmark .. 14243	\MakeUppercase . 125,
10419, 10433,	\maketitle . 110, 323,	574, 602, 603,
10447, 10487, 10501	330, 415, 443, 454,	618, 709, 867,
\m@munvxh .. 10289, 10298	478, 738, 783, 805,	972, 1119, 1222,
\m@ne 314, 554, 563, 2605,	827, 990, 1035,	6239, 6313, 6416,
2794, 3287, 3294,	1057, 1079, 1240,	6501, 6626, 6627,
3538, 3543, 3553,	1285, 1307, 1329,	6810, 8334, 8605,
3634, 4819, 4863,	1914, 1926, 2421,	10661, 12850,
4907, 6587, 6745,	5636, 5740, 5764,	15522, 15619,
6782, 7126, 8306,	6351, 6396, 6528,	15777, 16013,
8315, 8576, 10617,	6573, 6634, 6662,	16236, 16237, 16410
10634, 12588,	6673, 6697, 7648,	\marginline
14667, 15417,	7762, 8359, 8383,	. 16872, 17452, 18135
16169, 16354,	8394, 8416, 8452,	\marginnote 5315



\marginpar	20781, 20782, 20784	\mediabutton
4385, 5093, 16873,	\mbox . 11813, 12989, 17803	. 14161, 14222, 14223
17453, 18136, 20070	\mc@col@status@write	\medskip 5946
\marginparpush 4318, 20934 14697, 14721	\medskipamount 8644
\marginparsep	\mc@gridwarn 14687	\mem@makecol 10572, 10594
. . . . 1904, 2306,	\mc@lastcol@status@write	\memRTLleftskip . . 14261
4359, 4362, 4366, 14703, 14729	\memRTLraggedleft 14266
4518, 4525, 11852,	\mdf@footnotedistance@length	\memRTLraggedright 14265
11854, 11858, 13626	\memRTLrightskip . 14262
11863, 11866,	\mdf@footnoteinput 13634	\memRTLvleftskip . 14263
11868, 20945, 20947	\mdf@footnoteoutput	\memRTLvrightskip 14264
\marginparwidth 1903, 13623	\message . . 1789, 1791,
2307, 4358, 4363,	\mdf@frametitleaboveskip@length	11470, 11478,
4375, 4473, 4743, 13618	11482, 11487,
4836, 4880, 4924,	\mdf@frametitlealignment	11495, 11501,
11852, 11854, 13599	11511, 11516,
11866, 11868,	\mdf@frametitlebelowskip@length	11518, 11525,
20853, 20897, 20947 13619	11533, 11546,
\markboth 124,	\mdf@frametitlebox	11554, 11559,
568, 5844, 8320, 12849	. . 13598, 13611,	11564, 11577,
\mathindent . 10907, 10923	13612, 13613,	11588, 11596, 11608
\mathsurround 6860	13614, 13616, 13617	\MessageBreak
\max@poem@no	\mdf@frametitlefont 148, 3233,
. . . 6039, 6148, 6149 13601	3247, 3259, 3273,
\maxdepth . . 10582, 10593	\mdf@frametitlefontcolor	3915, 3926, 3933,
\maxdimen 13600	3945, 3951, 4049,
7167, 7168, 7170,	\mdf@horizontalmargin@equation	4102, 4103, 4104,
7230, 7231, 7233, 13576	4118, 4119, 4121,
10365, 10377,	\mdf@ignorevbadness	4399, 4495, 4722,
10389, 10415, 13610	4723, 4791, 5395,
10429, 10443,	\mdf@lrbox . 13569, 13598	5396, 5397, 5399,
10483, 10497,	\mdf@par@local . . . 13592	5400, 5404, 5405,
10778, 10826,	\mdf@patchamsthm . 13570	5406, 5408, 5409,
10827, 10828,	\mdfframedtitleenv 13597	14339, 14340,
10862, 10863,	\mdfframetitleboxdepth	14670, 14689,
10864, 11469, 13614	14755, 16688,
11620, 11621,	\mdfframetitleboxheight	16839, 16846,
11623, 11668, 13613	17237, 17419,
11669, 11671,	\mdfframetitleboxtotalheight	17426, 17936,
14388, 14389, 13615	18102, 18109,
14391, 14488,	\mdfframetitleboxwidth	19447, 19449, 19452
14489, 14491, 13612	\MH 8131, 8135,
18523, 18562,	\mdseries	8140, 8141, 8145,
19935, 19938,	. 317, 7642, 7644,	8149, 8150, 8154,
19943, 19947,	7646, 7647, 7734,	8162, 8164, 8169,
19951, 19955,	7735, 7736, 7739, 7740	8181, 8189, 8194,
19959, 19963,	\meaning	8197, 8200, 8202,
19967, 19971,	2514, 2517, 2760,	8203, 8205, 8206,
20156, 20734,	2993, 3020, 3035,	8209, 8210, 8212,
20735, 20737,	3053, 3061, 3070, 3134	8213, 8215, 8217,



8218, 8220, 8221,	14176, 14186,	\multfootsep .. 5135, 5153
8224, 8225, 8227,	14187, 14189,	\multicol@leftmargin
8228, 8230, 8235,	14212, 14218, 14223 14671, 14680
8236, 8237, 8238,	\mkern 19876,	\multicols 14743
8239, 8240, 8241,	19877, 19985, 20679	\multicolumn 13440, 18497
8242, 8243, 8252,	\mobile 2383	\multiplefootnotemarker
8254, 8258, 8259, 8261	\Mobilefone 2343 5134,
\MHInternalSyntaxOff	\mobilesymbol	5150, 5244, 5245,
..... 8276, 13566	... 2343, 7676, 7774	5273, 5274, 5302,
\MHInternalSyntaxOn	\modernpoem 6201	5303, 8812, 8814, 8815
..... 8116, 13560	\modernpoem@obeylines	\multiply 1888,
\MidFrameCommand 5941, 6201	1893, 2231, 10351,
. 11458, 11502, 11570	\modernpoem@par ...	10468, 15178, 15182
\minrowclearance 5941, 5942, 6165	\myrefname 17754
... 1463, 1497, 6965	\morefloats ... 4625, 4722	
\mintagvsep 8136	\moreLRE 1602,	N
\missingfigure	1818, 15278, 20341	\next 1600,
..... 20114, 20144	\moreRLE 1604,	1602, 1604, 1605,
\mix 13655, 13656, 13663,	1820, 15279, 20342	1816, 1818, 1820, 1821
13664, 13690,	\moveleft ... 4775, 14582	\na 15181, 15183,
13707, 13730,	\moveright	15185, 15194,
13733, 13735,	. 11011, 14680, 21017	15196, 15221, 15222
13758, 13790,	\mp@footgroupv@r ..	\narrower 20610
13798, 13807,	8887, 8920, 8952,	\NAT@bibitem@first@sw
13818, 13829,	9103, 9247, 9398, 14872
13831, 13836,	9549, 9700, 9851,	\nb 15181, 15184, 15185,
13837, 13839,	10002, 10153, 10346	15194, 15195,
13840, 13842,	\mpfootnoterule ...	15216, 15232, 15233
13854, 13863, 11223, 11227	\NC@find 18529
13866, 13867,	\msg 13710, 13713,	\NC@rewrite@X 18528
13868, 13878,	13761, 13764,	\NeedsTeXFormat 1504,
13888, 13889,	13779, 13782, 13824	1881, 1937, 2070,
13891, 13892,	\MT . 8155, 8161, 8163, 13561	2262, 2511, 4234,
13897, 13898,	\mult@cols 14770	4800, 5342, 5488,
13914, 13916,	\mult@footnotetext	5604, 5631, 5780,
13918, 13923, 151, 153,	5804, 5869, 7586, 7684
13962, 13969,	14758, 14760, 14771	\new@command .. 2796, 2798
13970, 13973,	\mult@gfirstbox ...	\new@poem@width ...
13991, 13993,	. 14694, 14711, 14717	5956, 5957, 5958,
13996, 13998,	\mult@info 14668	5959, 6044, 6086, 6089
14001, 14008,	\mult@LTRfootnotetext	\newblock . 2509, 6056,
14016, 14018, 155, 157,	6163, 14866, 14868
14071, 14076,	14762, 14764, 14775	\newboolean 4242,
14087, 14088,	\mult@rightbox	4245, 4247, 4249,
14091, 14122,	. 14661, 14701,	4250, 4262, 4326,
14127, 14129,	14702, 14704,	4336, 4403, 4426,
14136, 14137,	14726, 14727, 14730	4727, 5351, 5610, 5637
14140, 14155,	\mult@RTLfootnotetext	\newbox 6011, 6012
14159, 14162, 159, 161,	\newcommand 1536,
14164, 14173,	14766, 14768, 14779	1537, 1543, 1549,



1565, 1566, 1569,	4241, 4263, 4266,	17807, 17808,
1570, 1582, 1585,	4293, 4320, 4321,	20025, 20027,
1588, 1611, 1612,	4322, 4323, 4338,	20332, 20333,
1619, 1635, 1745,	4357, 4393, 4395,	20381, 20382,
1975, 1981, 1984,	4396, 4401, 4402,	20457, 20591,
1985, 1986, 1987,	4404, 4405, 4412,	20592, 20694,
1988, 1989, 1990,	4413, 4414, 4422,	20822, 20823, 20967
2287, 2373, 2378,	4425, 4513, 4531,	\newcount 1736,
2379, 2380, 2382,	4741, 4749, 4759,	1884, 1885, 3280,
2383, 2384, 2386,	4762, 4770, 4939,	3383, 3535, 3596,
2387, 2389, 2390,	4940, 4941, 4942,	3676, 8921, 20686
2401, 2402, 2422,	4943, 4944, 4945,	\newcounter 5022, 6147,
2429, 2431, 2435,	4946, 4947, 4948,	10932, 11099,
2439, 2441, 2447,	4949, 4950, 4951,	19051, 19055, 19056
2456, 2458, 2460,	4952, 4953, 4954,	\newdimen 5902,
2464, 2468, 2473,	4955, 4956, 4957,	5903, 5953, 8921
2485, 2509, 2620,	4958, 4959, 4960,	\newenvironment . . .
2628, 2636, 2644,	4961, 4962, 4963,	2022, 2033, 2042,
2661, 2667, 2673,	4964, 4973, 5023,	2051, 2486, 4372,
2679, 2685, 2691,	5042, 5061, 5083,	4387, 4390, 4428,
2697, 2703, 2710,	5089, 5114, 5115,	4555, 6136, 6200,
2713, 2716, 2722,	5149, 5305, 5306,	12771, 20547,
2734, 2740, 2752,	5307, 5315, 5324,	20556, 20565, 20574
2755, 2757, 2764,	5333, 5346, 5347,	\newfloat@@setwithin
2768, 2774, 2781,	5470, 5523, 5603, 14899,
2784, 2787, 2790,	5616, 5650, 5651,	14905, 14913, 14915
2806, 2812, 2856,	5652, 5653, 5654,	\newfloat@Error .. 14918
2861, 2983, 3007,	5655, 5656, 5657,	\newfloat@setwithin
3058, 3067, 3144,	5708, 5722, 5898, 14885
3147, 3150, 3153,	5905, 5914, 5918,	\newif 1564, 1568,
3156, 3159, 3162,	5928, 5947, 6151,	1571, 1572, 1573,
3166, 3169, 3183,	6152, 7757, 7951,	1574, 1575, 1576,
3195, 3210, 3737,	7952, 7961, 7968,	1577, 1578, 1580,
3738, 3754, 3769,	7984, 7990, 8006,	1581, 1802, 1803,
3773, 3779, 3782,	8013, 8658, 8672,	1804, 1805, 1806,
3785, 3788, 3793,	10561, 10594,	1807, 2264, 2293,
3796, 3799, 3803,	10595, 10596,	2472, 3009, 3449,
3807, 3810, 3811,	10597, 11039,	5825, 6013, 7589,
3812, 3814, 3822,	11042, 11101,	7591, 7593, 7595,
3831, 3833, 3843,	11106, 11108,	7660, 7687, 7689,
3845, 3857, 3859,	11114, 11130,	7691, 7693, 7756,
3866, 3874, 3876,	11154, 11166,	11097, 11105,
3885, 3887, 3898,	11220, 11266,	13568, 20023, 20024
3900, 3901, 3905,	11267, 11268,	\newinsert
3909, 3979, 3989,	11321, 11323,	1607, 1823, 4628,
3993, 3998, 4032,	11896, 13047,	4629, 4630, 4631,
4070, 4093, 4094,	13058, 14735,	4632, 4633, 4634,
4095, 4127, 4128,	14738, 14741,	4635, 4636, 4637,
4129, 4130, 4141,	16559, 16560,	4638, 4639, 4640,
4238, 4239, 4240,	17108, 17109,	4641, 4642, 4643,



4644, 4645, 4646,	4371, 4406, 4407	8317, 8321, 8329,
4647, 4648, 4649,	\newskip .. 2059, 2060,	8556, 8579, 8584,
4650, 4651, 4652,	2061, 2799, 10303	8593, 8637, 8638,
4653, 4654, 4655,	\newthought 5544	10611, 10627,
4656, 4657, 4658,	\newtoks 2072,	10636, 10640,
4659, 4660, 4661,	2525, 2526, 3281,	10648, 12826,
4677, 4678, 4679,	3282, 3452, 3465,	12828, 12873,
4680, 4681, 4682,	3483, 3535, 5954,	13557, 13625,
4683, 4684, 4685,	11107, 15274, 20337	14631, 14642,
4686, 4687, 4688,	\newXeTeXintercharclass	14643, 14654,
4689, 4690, 4691, 1738, 1739	14655, 15420,
4692, 4693, 4694,	\next 20717, 20720	15422, 15561,
4695, 4696, 4697,	\next@tpage	15562, 15576,
4698, 4699, 4700,	.. 16633, 16665,	15600, 15933,
4701, 4702, 8913, 8919	16675, 16678,	15934, 15948,
\newlength	16746, 17182,	15972, 16163,
2391, 2392, 2393,	17214, 17224,	16179, 16348,
2395, 2396, 2397,	17227, 17295,	16364, 16393,
2399, 2400, 2483,	17881, 17913,	16397, 16405,
4354, 4355, 4356,	17923, 17926, 17994	16800, 17800,
4410, 4427, 5215,	\ninecolumnfootnotes	18681, 18698,
7741, 7743, 7745, 9987	18705, 18846,
7747, 7749, 19083,	\ninecolumnfootstyle	18849, 18877,
19085, 19086, 19713 10084	18878, 18900,
\newline 2454, 4589	\nl 188	18901, 18917,
\newlinechar 1764	\no@bib@break	18918, 18934,
\newlinetospace 16825, 17405, 18088	18935, 18951,
4586, 4606, 4607,	\noalign 1377,	18952, 18968,
4608, 5845, 5846, 5847	6067, 8931, 13447,	18969, 18985,
\NewList 3483	13448, 13449,	18986, 19003,
\newlistentry 19048, 19115	16967, 16992,	19004, 19022,
\newpage 468, 490, 819,	16994, 17547,	19023, 19042,
839, 1071, 1091,	17572, 17574,	19043, 19077,
1321, 1341, 4096,	18230, 18255, 18257	19078, 19113,
4098, 4102, 4107,	\nobibliography ... 5019	19271, 19272,
4108, 4111, 4115,	\nobidilogo 1852	19378, 19380,
4117, 4120, 5741,	\nobreak 14, 16, 219, 221,	19428, 19460,
5778, 5779, 6687,	520, 538, 565, 569,	19465, 19468,
6709, 7583, 8408,	657, 658, 672, 698,	19868, 19873,
8428, 8505, 8527,	885, 886, 900, 916,	19881, 19982,
10727, 10747,	1140, 1141, 1155,	19983, 19987,
13447, 14252,	1182, 4158, 5142,	20676, 20677, 20681
15729, 15749,	5482, 5483, 5967,	\nobreakspace 564
15870, 15892,	5969, 5975, 6260,	\node . 20068, 20098, 20104
16114, 16136,	6261, 6275, 6299,	\noexpand 396,
16296, 16318,	6437, 6438, 6452,	2094, 2095, 2109,
16703, 17252, 17951	6476, 6590, 6598,	2110, 2137, 2140,
\newpoem@tabcr	6610, 6739, 6755,	2143, 2521, 2530,
... 6164, 6173, 6174	6785, 6790, 6798,	2534, 2554, 2558,
\newsavebox 2021,	7016, 8289, 8302,	2657, 2759, 2760,



2762, 2988, 2989,	19636, 20007,	11441, 13608,
2990, 2992, 2993,	20008, 20009,	14678, 20942, 20950
3018, 3020, 3038,	20010, 20011,	\nopagebreak
3039, 3040, 3043,	20012, 20013,	. . 6021, 6031, 13449
3050, 3051, 3052,	20014, 20015,	\nopagenumbers 2473
3054, 3060, 3061,	20257, 20272,	\normalbaselines . 20439
3063, 3069, 3070,	20300, 20306,	\normalbaselineskip
3072, 3131, 3133,	20319, 20540, 321, 4279,
3134, 3300, 3446,	20541, 20640, 20971	10350, 10467,
3451, 3457, 3497,	\noindent 171,	13589, 15490, 15504
3525, 3528, 3531,	173, 458, 633,	\normalcolor
3532, 3616, 3623,	642, 940, 1192, 2239, 6977,
3626, 3627, 3644,	1201, 1918, 4381,	7188, 7253, 8250,
3648, 3650, 3651,	4574, 5165, 5183,	8887, 8897, 10557,
3652, 3660, 3661,	5201, 5318, 5327,	10568, 11397,
3662, 3665, 3666,	5336, 5546, 5566,	11450, 11644,
3667, 3702, 3763,	5727, 5729, 5731,	11690, 12859,
3924, 3925, 3927,	5922, 6309, 6497,	13627, 14656,
4063, 4168, 4202,	6677, 6873, 8398,	19766, 19988,
4203, 4991, 4993,	8495, 8640, 10367,	20234, 20682,
5001, 5394, 5397,	10379, 10391,	20755, 20804,
5403, 5406, 6095,	10417, 10431,	21023, 21044, 21075
6098, 6101, 6153,	10445, 10485,	\normalfont 25,
7365, 7540, 7893,	10499, 10516,	38, 52, 68, 85,
7945, 10934,	10524, 10717,	251, 265, 280, 298,
10935, 10940,	11720, 12987,	457, 460, 562, 809,
10941, 10993,	14316, 15537,	811, 1063, 1311,
12356, 12366,	15546, 15987,	1313, 1917, 1920,
12374, 12375,	15996, 16062,	1984, 1989, 1990,
12376, 12378,	16105, 16286,	1992, 1993, 1994,
12404, 12412,	16596, 16633,	1995, 1996, 1997,
12413, 12414,	16746, 16800,	1998, 4320, 4939,
12416, 12445,	16914, 16919,	4940, 4941, 5029,
12446, 12447,	17145, 17182,	5048, 5067, 5133,
12449, 12476,	17295, 17494,	5368, 5375, 5382,
12477, 12478,	17499, 17715,	5574, 6586, 6606,
12480, 12507,	17744, 17750,	6676, 6679, 6781,
12508, 12509,	17756, 17762,	6796, 8122, 8127,
12511, 13476,	17768, 17774,	8133, 8314, 8327,
13524, 13527,	17780, 17786,	8397, 8400, 8494,
14089, 14356,	17792, 17801,	8497, 8575, 8591,
16822, 16823,	17844, 17881,	8825, 8829, 8831,
17402, 17403,	17994, 18177,	8837, 8841, 8843,
18085, 18086,	18182, 20046,	8849, 8853, 8855,
18393, 18465,	20049, 20051,	10633, 10646,
18502, 18503,	20053, 20056,	10716, 10719,
18576, 18583,	20060, 20062,	12773, 12808,
19058, 19530,	20118, 20180, 20609	12813, 12859,
19563, 19570,	\nointerlineskip . .	13601, 14242,
19575, 19576, 7810, 7831,	14656, 14978,



<code>\origin@RaggedRight</code>	6732, 6747, 6760,	16341, 16356,
. 15509, 15510, 15511	6762, 6764, 6766,	16369, 16371,
<code>\originalHbadness</code> .	6780, 6786, 6791,	16373, 16375,
. 20094, 20112	6794, 6799, 7031,	16389, 16394,
<code>\othermargin</code> 882	7041, 7054, 7064,	16398, 16401,
<code>\outer</code> 1878	7077, 7087, 7100,	16406, 16604,
<code>\outer@nobreak</code>	7110, 7472, 7795,	16608, 16611,
2257, 4841, 4885,	7796, 8281, 8295,	16615, 16860,
4929, 20858, 20902	8351, 8353, 8355,	16863, 16865,
<code>\outputpenalty</code>	8357, 8366, 8461,	16868, 17019,
. . . . 7339, 7340,	8550, 8574, 8580,	17038, 17153,
7348, 7349, 7358,	8585, 8589, 8594,	17157, 17160,
7359, 7513, 7514,	8650, 8652, 8654,	17164, 17440,
7522, 7523, 7532,	8656, 8697, 8698,	17443, 17445,
7533, 13532, 13533	10604, 10619,	17448, 17599,
<code>\overfullrule</code>	10632, 10637,	17618, 17721,
. . 2291, 2292, 15403	10641, 10644,	17723, 17725,
<code>\OVP@calc</code> 14973	10649, 10652,	17727, 17852,
	10654, 10656,	17856, 17859,
	10658, 10685,	17863, 18123,
P	10786, 11186,	18126, 18128,
<code>\p@</code> . . . 27, 29, 30, 31, 99,	11188, 11189,	18131, 18282,
103, 229, 233, 241,	11190, 11191,	18301, 18809,
243, 244, 245, 321,	11192, 11224,	19084, 19252,
424, 513, 530, 542,	11743, 11750,	19255, 19259,
544, 546, 548, 600,	11789, 11796,	19360, 19363,
605, 616, 620, 649,	11841, 12788,	19367, 19697,
665, 683, 690, 726,	12792, 12801,	19700, 19704,
732, 751, 865, 869,	12803, 12804,	19710, 19792,
876, 892, 909, 927,	12805, 12857,	19976, 20670, 21085
962, 964, 967, 969,	12875, 12877,	
1003, 1117, 1121,	12879, 12881,	<code>\p@enumiv</code> 86,
1132, 1148, 1166,	14294, 14624,	299, 583, 718,
1174, 1206, 1212,	14636, 14648,	981, 1231, 2501,
1253, 1608, 1824,	14784, 14786,	6322, 6510, 6819,
2330, 2331, 2335,	14787, 14788,	8343, 8614, 10670,
2336, 4274, 4275,	15520, 15524,	12774, 15628,
4276, 4283, 4284,	15553, 15569,	16022, 16216,
4285, 4287, 4288,	15585, 15592,	16419, 16829,
5493, 5494, 5495,	15607, 15613,	17409, 18092, 18748
5497, 5498, 5564,	15661, 15775,	<code>\p@subfigure</code> 18476
6237, 6241, 6252,	15779, 15800,	<code>\p@subtable</code> 18477
6268, 6284, 6291,	15925, 15941,	<code>\PackageError</code> . . 144,
6330, 6336, 6364,	15957, 15964,	2591, 2623, 2626,
6414, 6418, 6429,	16030, 16036,	2631, 2634, 2639,
6445, 6461, 6468,	16065, 16157,	2642, 2647, 2650,
6483, 6489, 6541,	16171, 16187,	2801, 4112, 4239,
6585, 6591, 6596,	16189, 16191,	5347, 13038,
6600, 6602, 6605,	16193, 16234,	13045, 13213,
6608, 6612, 6614,	16239, 16252,	13216, 13219,
6624, 6629, 6643,		13222, 13225,



13228, 13231,	\pagecontents 15338	1154, 1182, 1193,
13234, 13238,	\pagedepth 20158	1203, 1261, 1271,
13241, 13244,	\pagefillstretch . 20170	1278, 1279, 1307,
13247, 13250,	\pagefilstretch . . 20169	1347, 1353, 1358,
13253, 13256,	\pagefootnoterule .	1363, 1366, 1878,
13259, 13262, 11222, 11230	1914, 2255, 4468,
13265, 13268,	\pagegoal 11469, 11471,	4476, 4535, 4536,
13271, 13274,	11476, 11483,	4539, 4540, 4565,
13277, 13280,	11524, 11526,	4574, 4575, 4744,
13283, 13286,	13538, 14594, 20161	4760, 5484, 5599,
13289, 13292,	\pageinwindow 7133	5600, 5601, 5602,
13295, 13298,	\pagenumbering 2338, 5829	5727, 5729, 5731,
13301, 13304,	\pageref 2477, 2479	5749, 5750, 5751,
13307, 13310,	\pageshrink . . . 11485,	5925, 6032, 6046,
13313, 13316,	11489, 11505,	6057, 6075, 6157,
13319, 13322,	11531, 11543, 20164	6165, 6190, 6261,
13325, 13328,	\pagestretch . . 11484,	6274, 6299, 6310,
13331, 13334,	11505, 11543, 20168	6372, 6382, 6389,
13337, 13340,	\pagestyle	6390, 6438, 6451,
13343, 13346,	1883, 2329, 2337,	6476, 6498, 6549,
13349, 13352,	2480, 4594, 5830, 7682	6559, 6566, 6567,
13355, 13358,	\pagetotal . . . 11471,	6590, 6598, 6610,
13361, 13364,	11476, 11482,	6645, 6651, 6653,
13367, 13370,	14251, 14592,	6654, 6673, 6716,
13373, 13376,	14595, 14606,	6722, 6726, 6738,
13379, 13382,	20156, 20161, 20219	6755, 6785, 6790,
13385, 13388,	\paperheight	6798, 6875, 7016,
13391, 13394, 2266, 2269,	7433, 7803, 7824,
13397, 13400,	2272, 2275, 2278,	8289, 8301, 8317,
13403, 13406,	2281, 2284, 2285, 8078	8320, 8328, 8368,
13409, 13412,	\paperwidth	8374, 8376, 8377,
13415, 13418,	2267, 2270, 2273,	8394, 8433, 8439,
13421, 13424,	2276, 2279, 2282,	8443, 8463, 8469,
13427, 14751,	2285, 2286, 8078, 8086	8471, 8472, 8491,
18709, 19062, 20696	\par 5, 15, 46, 60,	8534, 8540, 8544,
\PackageInfo	76, 107, 108, 109,	8555, 8579, 8584,
2803, 3800, 3902,	110, 172, 174, 210,	8593, 8627, 8632,
4049, 4241, 20018	220, 237, 238, 239,	8635, 8637, 8638,
\PackageWarning . . .	259, 273, 288, 320,	8648, 8893, 8990,
. 138, 2802,	323, 407, 426, 432,	8993, 8996, 9077,
3903, 3932, 6142,	434, 435, 454, 497,	9138, 9141, 9144,
7598, 7696, 10936,	503, 507, 519, 538,	9221, 9285, 9288,
11575, 12901,	565, 568, 634, 644,	9291, 9372, 9436,
14688, 14745,	658, 671, 698, 759,	9439, 9442, 9523,
14879, 19053, 19444	769, 776, 777, 805,	9587, 9590, 9593,
\PackageWarningNoLine	844, 850, 854, 886,	9674, 9738, 9741,
. 4099	900, 915, 941, 955,	9744, 9825, 9889,
\page@sofar . . . 164, 14660	1011, 1021, 1028,	9892, 9895, 9976,
\pagebreak	1029, 1057, 1096,	10040, 10043,
. 13448, 20164, 20173	1102, 1106, 1141,	10046, 10127,



10191,	10194,	16151,	16162,	18011,	18017,
10197,	10278,	16179,	16254,	18020,	18022,
10516,	10524,	16260,	16262,	18025,	18028,
10610,	10627,	16263,	16282,	18172,	18176,
10636,	10640,	16325,	16331,	18177,	18181,
10648,	10687,	16335,	16347,	18182,	18186,
10693,	10695,	16364,	16393,	18507,	19114,
10696,	10713,	16397,	16405,	19120,	19273,
10752,	10758,	16595,	16640,	19379,	19460,
10762,	10930,	16645,	16648,	19887,	19989,
11393,	12796,	16650,	16655,	20046,	20047,
12797,	12798,	16658,	16660,	20053,	20054,
12817,	12827,	16662,	16668,	20056,	20064,
12835,	12863,	16676,	16682,	20117,	20383,
12868,	12871,	16752,	16758,	20384,	20385,
12873,	12946,	16761,	16763,	20386,	20548,
13079,	13481,	16769,	16772,	20557,	20566,
13581,	13604,	16774,	16777,	20575,	20644,
13608,	14238,	16780,	16800,	20683,	21064, 21085
14310,	14316,	16909,	16913,	\par@update{relative}	
14322,	14326,	16914,	16918,	16636,
14332,	14347,	16919,	16923,	16748,	17185,
14366,	14375,	17144,	17189,	17297,	17884, 17996
14632,	14644,	17194,	17197,	\paragraph{..... 5380}	
14657,	14792,	17199,	17204,	\paragraph{footnotes}	
14804,	14866,	17207,	17209,	10331
15145,	15316,	17211,	17217,	\paragraph{footstyle}	
15317,	15318,	17225,	17231,	10448
15319,	15412,	17301,	17307,	\parbox{... 2426, 2428,	
15413,	15420,	17310,	17312,	7670, 8643,	10811,
15421,	15481,	17318,	17321,	10812,	10813,
15495,	15538,	17323,	17326,	10817,	10818,
15548,	15562,	17329,	17489,	10819,	12001,
15575,	15600,	17493,	17494,	12003,	12007,
15669,	15679,	17498,	17499,	12009,	12040,
15686,	15687,	17503,	17714,	12041,	12044,
15715,	15754,	17744,	17750,	12045,	12102,
15760,	15764,	17756,	17762,	12103,	12106,
15808,	15818,	17768,	17774,	12107,	12131,
15825,	15826,	17780,	17786,	12133,	12137,
15856,	15900,	17792,	17794,	12139,	13485,
15906,	15911,	17797,	17800,	14304,	14333,
15916,	15919,	17804,	17843,	14790,	14792,
15934,	15947,	17888,	17893,	14793,	14795,
15972,	15988,	17896,	17898,	14797,	14798,
15998,	16062,	17903,	17906,	14800,	14802,
16067,	16073,	17908,	17910,	14804,	14805,
16075,	16076,	17916,	17924,	14807,	14809,
16095,	16105,	17930,	18000,	14810,	14811,
16143,	16148,	18006,	18009,	14812,	14813,



14814,	14816,	18943,	18960,	15672,	15778,
14817,	14818,	18977,	18995,	15794,	15811,
14819,	14820,	19014,	19034,	15931,	15944,
14821,	14822,	19069,	19264,	15967,	16062,
14823,	14824,	19372,	19398,	16105,	16142,
14825,	14827,	19400,	19460,	16159,	16174,
14828,	14829,	19861,	19863,	16238,	16286,
14830,	14832,	19977, 20586, 20671		16344,	16359,
14833,	14834,	\parindent 12,		16390,	16402,
14835,	14837,	42, 56, 72, 103,		16596,	17145,
14838,	14839,	217, 233, 255, 269,		17715,	17844,
14840,	14841,	284, 458, 516, 533,		18670,	18707,
14842,	14844,	560, 604, 619, 655,		18808,	18839,
14845,	14846,	668, 693, 745, 762,		18870,	18893,
14847,	14848,	868, 883, 895, 912,		18910,	18927,
14849,	14851,	949, 997, 1014,		18944,	18961,
14852,	14853,	1060, 1120, 1138,		18978,	18996,
14854,	14855,	1151, 1177, 1247,		19015,	19035,
16975,	17555,	1264, 1918, 2333,		19070,	19263,
17744,	17750,	4296, 4967, 5476,		19371,	19402,
17756,	17762,	5518, 5526, 5591,		19797,	19858,
17768,	17774,	5744, 6050, 6160,		19859,	19978,
17780,	17786,	6240, 6258, 6271,		20474,	20586,
17792, 17803, 18238		6294, 6358, 6375,		20611, 20612, 20672	
\parfillskip . 13, 218,		6417, 6435, 6448,		\parsep . . . 952, 4288,	
517, 534, 653, 669,		6471, 6535, 6552,		4289, 5498, 5499,	
694, 880, 896, 913,		6586, 6606, 6628,		5537, 5564, 20473	
1136, 1152, 1178,		6677, 6735, 6750,		\parshape 6872,	
5475, 6051, 6256,		6781, 6795, 6899,		11597,	11605,
6272, 6295, 6433,		6930, 7021, 8284,		12988,	14941,
6449, 6472, 6736,		8298, 8312, 8325,		14961,	15151,
6751, 6903, 7022,		8398, 8495, 8552,		15316,	15318,
8285, 8299, 8553,		8575, 8590, 8985,		16061,	16104,
10396,	10400,	9133, 9280, 9431,		16583,	16592,
10404,	10505,	9582, 9733, 9884,		17132,	17141,
10608,	10623,	10035,	10186,	17705,	17712,
12825,	13588,	10395,	10399,	17831,	17840,
14625,	14637,	10403,	10504,	20383,	20385,
14649,	15435,	10530,	10607,	20503,	20550,
15448,	15461,	10622,	10633,	20552,	20553,
15472,	15489,	10645,	10717,	20554,	20559,
15557,	15573,	11719,	12792,	20561,	20562,
15596,	15929,	12824,	13584,	20563,	20568,
15945,	15968,	14626,	14638,	20570,	20571,
16160,	16175,	14650,	14859,	20572,	20577,
16345,	16360,	15436,	15449,	20579, 20580, 20581	
18660,	18689,	15462,	15473,	\parskip 103,	
18719,	18838,	15484,	15523,	181, 233, 605, 620,	
18869,	18892,	15559,	15572,	869, 1121, 1911,	
18909,	18926,	15595,	15655,	2334, 4297, 4968,	



5519, 5527, 5590,	\pgf@picmaxx .. 15085,	\phonesymbol
5745, 6049, 6081,	15097, 15099, 15117	... 2344, 7677, 7775
6159, 6194, 6241,	\pgf@picmaxy 15087, 15101	\photo
6418, 6629, 7339,	\pgf@picminx	\picbox
7348, 7358, 7513,	. 15086, 15100, 15110	\picinwindow
7522, 7532, 8631,	\pgf@picminy 15088, 15102	\picwd
8634, 8636, 8638,	\pgf@picture	15147, 15255, 15257
12792, 12867,	\pgf@picture@serial@count	\plainauthor
12870, 12872, 15082, 15083	... 4606, 5649,
13584, 13593,	\pgf@process	5651, 5690, 5691, 5694
15151, 15484,	. 15106, 15109, 15116	\plainfootnotes ... 8803
15498, 15524,	\pgf@relevantforpicturesize	\plainpublisher ...
15779, 16142, 15105	... 5652, 5717, 5718
16239, 17737,	\pgf@relevantforpicturesize	\plaintitle 4607, 4608,
18809, 19797, 15089	5649, 5650, 5673,
20155, 20159, 20473	\pgf@remember@layerlist@	\globally 5674, 5677, 5845, 5847
\part 15123	\plitemsep
\partname 564, 8316	\pgf@resetpathsizes	\plparsep
\partopsep 5540, 14289, 15090	\plpartopsep
14291, 14935, 14955	\pgf@restore@layerlist@	\globally 1601, 1602, 1817, 1818
\PassOptionsToClass 15127	\pltopsep
5782, 5783, 5784,	\pgf@shift@baseline	\poem@finish
5785, 5786, 5806, 15107	... 6090, 6139, 6146
5807, 5808, 5809, 5810	\pgf@trimleft 15109	\poem@line 6009, 6015, 6066
\PassOptionsToPackage	\pgf@trimleft@final	\poem@linebegin 5966, 6024
..... 4799, 5629	. 15111, 15112, 15114	\poem@lineend . 5967, 6030
\pbs .. 14999, 15025, 15026	\pgf@trimright ... 15116	\poem@lineparsebegin
\pbs@last@page ... 15017	\pgf@trimright@final	... 5978, 6035, 6062
\pbs@newkey 15118, 15119, 15121	\poem@lineparseend
\pdfstringdefDisableCommands	\pgf@x 6004, 6016, 6073
..... 12731	15114, 15117, 15121	\poem@lineversesep
\penalty .. 754, 1006,	\pgf@y 5968, 6027
1256, 5971, 6300,	\pgfpic	\poem@needrun .. 5960,
6367, 6477, 6544,	\pgfpicture	6087, 6141, 6143
6756, 6860, 6866,	\pgfpictureid 15083, 15094	\poem@obeylines 6061,
7337, 7346, 7356,	\pgfpicturetrue .. 15081	6137, 6177, 6201
7511, 7520, 7530,	\pgfsys@discardpath	\poem@prop ... 6042, 6151
10302, 10397, 15130	\poem@startedfalse
10401, 10405,	\pgfsys@endpicture 15133	... 6059, 6175, 6181
10507, 10628,	\pgfsys@endscope . 15132	\poem@startedtrue .
11506, 15601,	\pgfsys@markposition 6017,
15664, 15803, 15094	6018, 6058, 6167,
15973, 16180,	\pgfsys@typesetpicturebox	6169, 6174, 6182, 6184
16365, 19274, 15137	\poem@verse
19785, 19893, 20160	\pgfutil@gobble .. 15084	... 5955, 6025, 6028
\pgf@baseline 15106	\pgfutil@ifnextchar	\poem@width
\pgf@insertlayers 15128 15091	5958, 5959, 5963,
\pgf@nodecallback 15084	\phantom ... 13835, 14683	6040, 6042, 6045, 6086
\pgf@oldpicture .. 15091	\phantomsection ... 2424	\poem@write@aux ...
	\phone 6089, 6140, 6152
	2384	



<code>\poemblocksep</code>	18498, 18502,	11339, 11353, 11367
. . . 5952, 6056, 6163	18510, 18776,	<code>\protected@write</code> 1702,
<code>\poemcolsepskip</code> 5943, 5972	19120, 20326, 20971	1706, 4134, 4145
<code>\poemextrabaselineskip</code>	<code>\protected</code> 1817,	<code>\protected@xdef</code> . . .
. . . 5945, 6033, 6068	1819, 2801, 2802, 5229, 5258,
<code>\poemmarginsskip</code> . . .	2803, 2813, 2821,	5287, 5670, 5687,
. . . 5944, 5966, 5967	2823, 2829, 3015,	5703, 5714, 11243,
<code>\poemskip</code> 5946, 6046, 6077	3031, 3047, 3070,	11252, 11406,
<code>\postbibhook</code> 14382	3072, 3122, 3175,	11411, 11420,
<code>\postdisplaypenalty</code>	3188, 15280,	11426, 12375,
. 10904, 10918	15290, 15300,	12413, 12446,
<code>\postmath</code> 6866	15308, 20343,	12477, 12508, 12571
<code>\PotEndMark</code>	20353, 20363, 20372	<code>\providecommand</code> . . .
. . . 8125, 8130, 8133	<code>\protected@edef</code> 43, 57,	2341, 2342, 2343,
<code>\predisplaydirection</code>	73, 256, 270, 285,	2344, 2345, 2346,
. 15364,	5166, 5184, 5202,	2357, 2358, 2359,
15365, 21072, 21073	8709, 8725, 8741,	2360, 2361, 2362,
<code>\predisplaypenalty</code>	8754, 8767, 8780,	2363, 2364, 2365,
. 10903, 10917	8957, 8967, 8977,	2366, 2367, 2368,
<code>\premath</code> 6862	9003, 9016, 9028,	2369, 2370, 2371,
<code>\preparefootins</code> . . .	9055, 9068, 9108,	2372, 2513, 5127,
. 11636, 11684	9117, 9126, 9151,	5134, 5135, 5544,
<code>\prepnxt@tok</code>	9163, 9174, 9200,	7661, 7666, 11129
. . . . 1410, 1420,	9212, 9252, 9262,	<code>\ProvidesClass</code>
1468, 1500, 6940, 6968	9272, 9298, 9311,	. . . 2263, 5781, 5805
<code>\presetkeys</code> 20146	9323, 9350, 9363,	<code>\ProvidesExplPackage</code>
<code>\presig@skip</code> 17803	9403, 9413, 9423, 13642
<code>\prevdepth</code>	9449, 9462, 9474,	<code>\ProvidesFile</code> 1,
4468, 4476, 7873,	9501, 9514, 9554,	131, 165, 206, 336,
7927, 14294, 14685	9564, 9574, 9600,	347, 352, 354, 413,
<code>\pRLE</code> 1603, 1604, 1819, 1820	9613, 9625, 9652,	608, 857, 1109,
<code>\process@cols</code> . 14661,	9665, 9705, 9715,	1369, 6229, 6406,
14694, 14711, 14717	9725, 9751, 9764,	6583, 6616, 6829,
<code>\ProcessOptions</code> . . .	9776, 9803, 9816,	6884, 6926, 6928,
. . . . 2296, 4264,	9856, 9866, 9876,	6931, 6969, 7012,
5355, 5614, 5646,	9902, 9915, 9927,	7027, 7123, 7161,
5787, 5811, 7600, 7698	9954, 9967, 10007,	7789, 7954, 8073,
<code>\ProcessOptionsX</code> . . 1731	10017, 10027,	8076, 8115, 8277,
<code>\protect</code> 403,	10053, 10066,	8450, 8624, 8657,
1601, 1602, 1603,	10078, 10105,	10600, 10776,
1604, 1763, 1817,	10118, 10158,	10805, 10821,
1818, 1819, 1820,	10168, 10178,	10898, 10928,
2076, 2082, 2088,	10204, 10217,	10937, 10942,
2094, 2103, 2109,	10229, 10256,	11095, 11435,
2865, 2866, 3451,	10269, 10363,	11612, 11722,
3457, 4154, 4567,	10375, 10387,	11849, 11891,
10993, 11407,	10413, 10427,	12192, 12770,
11421, 13103,	10441, 10481,	12856, 12860,
13108, 13469,	10495, 11278,	12882, 12993,
14368, 18497,	11295, 11311,	13032, 13136,



<code>\RaggedLeftRightskip</code>	12014, 12016,	487, 511, 605, 620,
..... 15446	12020, 12022,	627, 657, 663, 681,
<code>\raggedpart</code> 16784	12049, 12050,	734, 741, 742, 743,
<code>\RaggedRight</code> .. 15453,	12053, 12054,	747, 756, 765, 782,
15502, 15509,	12111, 12112,	783, 788, 789, 790,
15511, 18386,	12115, 12116,	791, 794, 797, 801,
18387, 21186,	12144, 12146,	826, 827, 828, 833,
21190, 21196, 21200	12150, 12152, 12989	834, 835, 836, 869,
<code>\raggedright</code> 25,	<code>\rangle</code> 1985	885, 907, 925, 934,
104, 185, 234, 560,	<code>\rawtext</code> 15151,	968, 993, 994, 995,
6586, 6606, 6781,	15157, 15179,	999, 1008, 1017,
6795, 8312, 8325,	15180, 15261, 15265	1034, 1035, 1040,
8575, 8590, 8627,	<code>\rbrace</code> 20429, 20438	1041, 1042, 1043,
8630, 8635, 8643,	<code>\rcb</code> . 1986, 1989, 1990, 1994	1046, 1049, 1053,
10633, 10645,	<code>\rcol@footinsskip</code> .	1078, 1079, 1080,
12793, 12813, 11619, 11667	1085, 1086, 1087,
12863, 12866,	<code>\realfootnote</code> 12568	1088, 1121, 1128,
12871, 14265,	<code>\recomputelengths</code> .	1140, 1146, 1164,
14266, 15413, 2402, 2419	1214, 1243, 1244,
15415, 15421,	<code>\recomputethemelengths</code>	1245, 1249, 1258,
16390, 16402, 2401,	1267, 1284, 1285,
16783, 16784,	2417, 7750, 7755	1290, 1291, 1292,
16869, 16870,	<code>\reflectbox</code> 11783	1293, 1296, 1299,
16871, 16873,	<code>\refname</code> 573,	1303, 1328, 1329,
17332, 17449,	574, 708, 709, 971,	1330, 1335, 1336,
17450, 17451,	972, 1221, 1222,	1337, 1338, 1425,
17453, 17797,	2488, 5579, 8333, 8334	1426, 1443, 1444,
17803, 18031,	<code>\refstepcounter</code> ...	1445, 1639, 1645,
18132, 18133, 555, 8307,	1651, 1657, 1663,
18134, 18136,	10919, 12745,	1669, 1681, 1687,
19405, 19408,	13091, 13097,	1693, 1700, 1709,
19412, 19513,	13432, 14359,	1710, 1714, 1721,
20583, 20588,	14932, 14953, 18773	1763, 1793, 1925,
20590, 20591, 20592	<code>\refvskip</code> 17738	1926, 1927, 1932,
<code>\RaggedRightLeftskip</code>	<code>\regex</code> 13670,	1933, 1934, 1935,
..... 15458	13675, 13678,	2159, 2167, 2175,
<code>\RaggedRightParfillskip</code>	13681, 13684,	2226, 2296, 2513,
..... 15461	13685, 13721,	2711, 2714, 2724,
<code>\RaggedRightParindent</code>	13726, 13728,	2742, 2796, 2807,
..... 4294,	13772, 13773, 13785	2820, 3004, 3008,
4965, 5524, 15462	<code>\relax</code> 2, 8, 10,	3291, 3292, 3296,
<code>\RaggedRightRightskip</code>	12, 14, 28, 85, 103,	3335, 3336, 3378,
..... 5521, 15459	132, 166, 207, 213,	3401, 3520, 3534,
<code>\raggedsection</code>	215, 217, 219, 233,	3597, 3599, 3608,
. 16783, 17332, 18031	242, 298, 311, 329,	3609, 3625, 3633,
<code>\raise</code> 10799, 12808	403, 417, 418, 419,	3650, 3661, 3666,
<code>\raisebox</code> . 4519, 4524,	440, 441, 442, 443,	3719, 3743, 3758,
4535, 4536, 4539,	448, 449, 450, 451,	3775, 3790, 3806,
4540, 8123, 8128,	475, 476, 477, 478,	3823, 3835, 3867,
8144, 8147, 8263,	479, 484, 485, 486,	3878, 3957, 4165,



4166, 4175, 4203,	8455, 8456, 8477,	12431,	12445,
4268, 4766, 4975,	8478, 8479, 8480,	12464,	12476,
5083, 5146, 5150,	8485, 8486, 8487,	12495,	12507,
5154, 5234, 5245,	8488, 8512, 8513,	12526,	12608,
5263, 5274, 5292,	8514, 8515, 8516,	12642,	12673,
5303, 5361, 5558,	8521, 8522, 8523,	12702,	12773,
5566, 5571, 5602,	8524, 8548, 8692,	12792,	12802,
5787, 5811, 5907,	8693, 8694, 8695,	12814,	12820,
5912, 5915, 5922,	8696, 8815, 8944,	12822,	12824,
5960, 5966, 6061,	8986, 9048, 9095,	12826,	12896,
6087, 6115, 6122,	9134, 9193, 9239,	12908,	12915,
6129, 6141, 6177,	9281, 9343, 9390,	12916,	12920,
6241, 6248, 6260,	9432, 9494, 9541,	12921,	12988,
6266, 6282, 6338,	9583, 9645, 9692,	13469,	13606,
6354, 6355, 6356,	9734, 9796, 9843,	13609,	13612,
6360, 6369, 6378,	9885, 9947, 9994,	13613,	13614,
6395, 6396, 6401,	10036, 10098,	13620,	14229,
6402, 6403, 6404,	10145, 10187,	14230,	14231,
6418, 6425, 6437,	10249, 10305,	14232,	14233,
6443, 6459, 6491,	10338, 10463,	14293,	14397,
6531, 6532, 6533,	10596, 10597,	14497,	14623,
6537, 6546, 6555,	10602, 10680,	14625,	14626,
6572, 6573, 6578,	10681, 10682,	14629,	14635,
6579, 6580, 6581,	10701, 10702,	14637,	14638,
6629, 6636, 6637,	10707, 10708,	14641,	14647,
6638, 6659, 6660,	10709, 10710,	14649,	14650,
6661, 6662, 6667,	10734, 10735,	14653,	14743,
6668, 6669, 6670,	10736, 10741,	14785,	14982,
6694, 6695, 6696,	10742, 10743,	14983,	14984,
6697, 6698, 6703,	10744, 10781,	15033,	15038,
6704, 6705, 6706,	10783, 10787,	15043,	15052,
6730, 6872, 6886,	10834, 10870,	15060,	15082,
6887, 6888, 6893,	10899, 10909,	15085,	15086,
6894, 6895, 6896,	10952, 10972,	15087,	15088,
6899, 6903, 6904,	10973, 10988,	15097,	15099,
6905, 6906, 6907,	11093, 11225,	15100,	15101,
6908, 7008, 7026,	11247, 11256,	15102,	15271,
7176, 7239, 7600,	11415, 11430,	15335,	15425,
7698, 7790, 7791,	11468, 11490,	15506,	15524,
7792, 7793, 7794,	11528, 11629,	15531,	15561,
7806, 7827, 7881,	11677, 11954,	15567,	15583,
7893, 7896, 7933,	11956, 11959,	15615,	15651,
7945, 7948, 8099,	11972, 11974,	15652,	15653,
8105, 8166, 8245,	11977, 12223,	15657,	15666,
8293, 8361, 8362,	12234, 12245,	15675,	15692,
8363, 8382, 8383,	12256, 12270,	15693,	15698,
8388, 8389, 8390,	12281, 12292,	15699,	15700,
8391, 8415, 8416,	12303, 12318,	15701,	15704,
8417, 8422, 8423,	12333, 12374,	15707,	15711,
8424, 8425, 8454,	12393, 12412,	15736,	15737,



15738,	15743,	16733,	16734,	18927,	18930,
15744,	15745,	16735,	16736,	18939,	18941,
15746,	15779,	16737,	16738,	18944,	18947,
15788,	15789,	16799,	16861,	18956,	18958,
15790,	15796,	16866,	17027,	18961,	18964,
15805,	15814,	17044,	17153,	18975,	18978,
15831,	15832,	17154,	17160,	18981,	18993,
15833,	15834,	17161,	17163,	18996,	18999,
15839,	15840,	17172,	17173,	19012,	19015,
15841,	15842,	17174,	17234,	19018,	19032,
15845,	15848,	17260,	17261,	19035,	19038,
15852,	15877,	17262,	17263,	19050,	19065,
15878,	15879,	17264,	17277,	19067,	19070,
15880,	15881,	17278,	17279,	19073,	19087,
15886,	15887,	17280,	17281,	19117,	19118,
15888,	15889,	17282,	17283,	19119,	19248,
15933,	15939,	17284,	17285,	19269,	19356,
15955,	15981,	17286,	17287,	19382,	19394,
16038,	16043,	17335,	17351,	19396,	19402,
16048,	16049,	17359,	17367,	19419,	19423,
16050,	16081,	17378,	17441,	19435,	19437,
16082,	16083,	17446,	17607,	19443,	19452,
16084,	16089,	17624,	17852,	19454,	19516,
16090,	16091,	17853,	17859,	19530,	19564,
16092,	16121,	17860,	17862,	19571,	19577,
16122,	16123,	17871,	17872,	19638,	19697,
16124,	16125,	17873,	17933,	19700,	19704,
16130,	16131,	17959,	17960,	19710,	19755,
16132,	16133,	17961,	17962,	19791,	19799,
16155,	16239,	17963,	17976,	19800,	19802,
16245,	16246,	17977,	17978,	19803,	19816,
16247,	16268,	17979,	17980,	19827,	19831,
16269,	16270,	17981,	17982,	19836,	19841,
16271,	16276,	17983,	17984,	19849,	19853,
16277,	16278,	17985,	17986,	19862,	19863,
16279,	16303,	18061,	18124,	19874,	19882,
16304,	16305,	18129,	18290,	19893,	19899,
16306,	16307,	18307,	18395,	19903,	19907,
16312,	16313,	18432,	18495,	19924,	19928,
16314,	16315,	18510,	18520,	19977,	19978,
16339,	16604,	18522,	18551,	19981,	20029,
16605,	16611,	18706,	18724,	20037,	20178,
16612,	16614,	18725,	18809,	20261,	20310,
16623,	16624,	18818,	18836,	20325,	20402,
16625,	16685,	18839,	18842,	20459,	20471,
16711,	16712,	18867,	18870,	20522,	20614,
16713,	16714,	18873,	18890,	20617,	20619,
16715,	16728,	18893,	18896,	20671,	20672,
16729,	16730,	18907,	18910,	20675,	20695,
16731,	16732,	18913,	18924,	20704,	20708,



20743, 20790,
 21079, 21080, 21081
 \remainx 14792
 \remainxox . 14827, 14834
 \remainxxx
 . 14837, 14846, 14855
 \remainxx .. 14795, 14797
 \remainxxx
 .. 14800, 14802,
 14804, 14829, 14832
 \remainxxxx ... 14807,
 14809, 14811,
 14813, 14839,
 14841, 14844,
 14848, 14851, 14853
 \remainxxxxx
 .. 14816, 14818,
 14820, 14822, 14824
 \remove@strip . 14405,
 14435, 14505, 14535
 \renewcommand ... 19,
 20, 21, 22, 86,
 168, 175, 190,
 224, 225, 226,
 227, 299, 339, 415,
 454, 456, 510, 527,
 541, 545, 549, 550,
 551, 552, 584, 624,
 646, 662, 680, 688,
 701, 703, 704, 705,
 706, 719, 725, 731,
 737, 738, 748, 805,
 807, 873, 890, 903,
 906, 924, 931, 957,
 958, 959, 960, 961,
 966, 982, 989, 990,
 1000, 1057, 1059,
 1125, 1129, 1145,
 1163, 1172, 1185,
 1205, 1211, 1216,
 1217, 1218, 1219,
 1232, 1239, 1240,
 1250, 1307, 1309,
 1914, 1916, 2288,
 2289, 2290, 2326,
 2327, 2332, 2381,
 2385, 2416, 2421,
 2502, 3717, 3741,
 4073, 4078, 4098,
 4111, 4133, 4144,

4272, 4281, 4322,
 4440, 4443, 4444,
 4448, 4449, 4601,
 4602, 4951, 4952,
 4953, 4954, 4955,
 4956, 4957, 4958,
 4959, 5013, 5128,
 5137, 5158, 5176,
 5194, 5309, 5310,
 5311, 5393, 5402,
 5454, 5462, 5486,
 5491, 5502, 5503,
 5504, 5505, 5506,
 5507, 5508, 5574,
 5579, 5581, 5582,
 5599, 5600, 5601,
 5602, 5659, 5660,
 5661, 5663, 5667,
 5668, 5669, 5673,
 5674, 5680, 5684,
 5685, 5686, 5690,
 5691, 5696, 5700,
 5701, 5702, 5711,
 5712, 5713, 5717,
 5718, 5740, 5764,
 5826, 5839, 5844,
 5852, 6245, 6249,
 6265, 6281, 6289,
 6303, 6323, 6329,
 6335, 6340, 6341,
 6342, 6343, 6344,
 6345, 6347, 6349,
 6351, 6361, 6422,
 6426, 6442, 6458,
 6466, 6480, 6482,
 6488, 6511, 6517,
 6518, 6519, 6520,
 6521, 6522, 6524,
 6526, 6528, 6538,
 6634, 6673, 6675,
 6729, 6744, 6759,
 6763, 6767, 6769,
 6771, 6773, 6774,
 6775, 6776, 6777,
 6778, 6801, 6820,
 6885, 6890, 6912,
 6919, 6929, 7013,
 7018, 7028, 7051,
 7074, 7097, 7124,
 7140, 7601, 7641,

7642, 7643, 7644,
 7645, 7646, 7647,
 7648, 7662, 7667,
 7699, 7733, 7734,
 7735, 7736, 7737,
 7738, 7739, 7740,
 7750, 7762, 7950,
 7951, 7952, 8074,
 8077, 8081, 8097,
 8250, 8251, 8278,
 8292, 8344, 8350,
 8354, 8359, 8394,
 8396, 8446, 8447,
 8448, 8449, 8452,
 8491, 8493, 8547,
 8561, 8563, 8565,
 8567, 8568, 8569,
 8570, 8571, 8572,
 8596, 8615, 8625,
 8638, 8649, 8653,
 8701, 8717, 8733,
 8749, 8762, 8775,
 10601, 10616,
 10651, 10655,
 10671, 10678,
 10713, 10715,
 10765, 10766,
 10767, 10768,
 10769, 10770,
 10772, 10774,
 10899, 10909,
 10929, 10938,
 11046, 11065,
 11067, 11069,
 11071, 11072,
 11073, 11074,
 11075, 11076,
 11078, 11080,
 11082, 11084,
 11085, 11086,
 11087, 11088,
 11089, 11090,
 11100, 11169,
 11436, 11850,
 11860, 12774,
 12831, 12832,
 12833, 12834,
 12857, 12861,
 12874, 12878,
 12886, 12887,



12888,	12889,	16154,	16168,	17528,	17546,
13495,	14227,	16183,	16186,	17568,	17570,
14238,	14261,	16190,	16194,	17591,	17593,
14262,	14263,	16196,	16198,	17595,	17598,
14264,	14265,	16200,	16201,	17604,	17612,
14266,	14267,	16202,	16203,	17614,	17617,
14268,	14270,	16204,	16217,	17623,	17699,
14272,	14274,	16243,	16282,	17812,	17816,
14276,	14277,	16284,	16338,	17820,	17824,
14279,	14280,	16353,	16368,	17850,	17857,
14287,	14288,	16372,	16376,	17864,	17877,
14290,	14296,	16378,	16380,	17879,	17941,
14297,	14790,	16382,	16383,	17943,	17988,
14793,	14798,	16384,	16385,	18032,	18033,
14805,	14814,	16386,	16387,	18037,	18038,
14825,	14830,	16420,	16564,	18041,	18042,
14835,	14842,	16568,	16572,	18045,	18049,
14849,	14866,	16576,	16602,	18053,	18068,
14868,	14885,	16609,	16616,	18093,	18122,
14927,	14948,	16629,	16631,	18127,	18132,
15030,	15039,	16693,	16695,	18133,	18134,
15411,	15414,	16740,	16785,	18135,	18138,
15423,	15427,	16786,	16787,	18211,	18229,
15440,	15453,	16790,	16791,	18251,	18253,
15466,	15477,	16805,	16830,	18274,	18276,
15492,	15528,	16859,	16864,	18278,	18281,
15550,	15566,	16869,	16870,	18287,	18295,
15582,	15590,	16871,	16872,	18297,	18300,
15604,	15606,	16875,	16948,	18306,	18382,
15612,	15629,	16966,	16988,	18385,	18655,
15635,	15636,	16990,	17011,	18684,	18690,
15637,	15638,	17013,	17015,	18722,	18735,
15639,	15640,	17018,	17024,	18749,	18760,
15642,	15644,	17033,	17035,	18816,	18863,
15647,	15648,	17037,	17043,	18882,	18904,
15658,	15715,	17113,	17117,	18921,	18938,
15717,	15784,	17121,	17125,	18955,	18972,
15785,	15797,	17151,	17158,	18990,	19008,
15856,	15858,	17165,	17178,	19009,	19028,
15922,	15938,	17180,	17242,	19029,	19048,
15954,	15962,	17244,	17289,	19116,	19390,
15976,	15978,	17333,	17334,	19412,	19689,
16000,	16001,	17342,	17343,	19691,	19693,
16002,	16003,	17346,	17347,	19709,	19716,
16004,	16005,	17350,	17358,	19718,	19720,
16007,	16009,	17366,	17385,	19723,	19727,
16023,	16029,	17410,	17439,	19732,	19736,
16035,	16040,	17444,	17449,	19740,	19754,
16046,	16054,	17450,	17451,	19759,	19761,
16095,	16097,	17452,	17455,	19764,	19768,



19771, 19777,	\RequirePackage . . .	2581, 4034, 4053, 4066
19897, 20004,	1555, 1557, 1558,	\reset@dir . 15335, 20402
20026, 20044,	1559, 1560, 1561,	\reset@font . . . 37, 51,
20066, 20078,	1939, 1940, 2298,	67, 250, 264, 279,
20114, 20589,	2299, 2300, 2301,	4846, 4890, 4934,
20590, 20821,	2308, 2309, 2324,	5162, 5163, 5180,
20822, 20823,	2377, 3920, 3921,	5181, 5198, 5199,
21085, 21127,	3937, 3981, 3982,	8705, 8721, 8737,
21129, 21130,	3985, 4237, 4299,	8757, 8770, 8783,
21131, 21183,	4301, 4308, 4329,	8955, 8965, 8975,
21185, 21187,	4333, 4369, 4370,	9001, 9013, 9026,
21189, 21193,	4593, 4803, 4804,	9053, 9066, 9106,
21195, 21199, 21201	4805, 4806, 5010,	9115, 9124, 9149,
\RenewDocumentCommand	5011, 5126, 5345,	9160, 9172, 9198,
. 13828, 14161	5520, 5531, 5583,	9210, 9250, 9260,
\renewenvironment 83,	5609, 5617, 5634,	9270, 9296, 9308,
296, 572, 593,	5789, 5790, 5791,	9321, 9348, 9361,
609, 629, 636, 707,	5792, 5793, 5794,	9401, 9411, 9421,
858, 936, 943, 970,	5813, 5814, 5815,	9447, 9459, 9472,
1110, 1188, 1195,	5816, 5817, 5818,	9499, 9512, 9552,
1220, 4543, 4546,	21119, 21122,	9562, 9572, 9598,
4549, 4552, 5550,	21123, 21124, 21175	9610, 9623, 9650,
5560, 5568, 5584,	\RequireXeTeX . 1556, 1801	9663, 9703, 9713,
5795, 6230, 6305,	\reserved@a 2205, 2209,	9723, 9749, 9761,
6311, 6407, 6493,	2215, 2218, 2221,	9774, 9801, 9814,
6499, 6617, 6808,	2224, 2577, 2581,	9854, 9864, 9874,
6870, 6891, 7025,	2852, 2853, 2854,	9900, 9912, 9925,
8332, 8603, 10659,	3922, 3930, 3940,	9952, 9965, 10005,
10916, 11453,	3942, 3949, 3951,	10015, 10025,
14378, 14857,	3956, 3958, 3959,	10051, 10063,
14964, 15513,	3962, 3965, 4001,	10076, 10103,
15533, 15540,	4002, 4003, 4005,	10116, 10156,
15617, 15768,	4012, 4015, 4040,	10166, 10176,
15983, 15990,	4041, 4061, 4063,	10202, 10214,
16011, 16205,	4067, 4074, 4076,	10227, 10254,
16227, 16408,	4155, 4156, 19408,	10267, 10361,
16794, 17374,	19409, 19412,	10373, 10385,
18057, 18736,	19413, 19893,	10411, 10425,
18739, 18765, 20441	19894, 20536, 20542	10439, 10479,
\renewrobustcmd . . .	\reserved@b 2185, 2186,	10493, 11004,
. 13597, 13623, 13634	2577, 2581, 2582,	11272, 11273,
\renewtagform 13565	3912, 3913, 3941,	11289, 11290,
\repeat 1742,	3999, 4001, 4018,	11305, 11306,
1743, 3547, 3554,	4035, 4036, 4041,	11335, 11336,
7139, 7301, 7307,	4046, 4048, 4049,	11349, 11350,
7415, 7473, 7483,	4051, 4054, 4074, 4076	11363, 11364,
10317, 10327,	\reserved@c 4014,	20863, 20907, 21007
12956, 15169,	4017, 4018, 4022,	\resizebox 11804
15216, 15227,	4033, 4046, 4060, 4064	\restore@protect . . 2867
15238, 15266, 18534	\reserved@d 2576,	\restoreCaptionSkip



..... 11985	898, 899, 912, 934,	18846, 18867,
\restorecounters@ . 8177	1128, 1134, 1135,	18868, 18869,
\restylefloat 4793	1140, 1151, 1177,	18877, 18890,
\resumename 2378	1180, 1181, 1199,	18891, 18892,
\rightskip 19118	5474, 5481, 5482,	18900, 18907,
\right 20429, 20438, 20440	6052, 6248, 6254,	18908, 18909,
\right@cor ... 14407,	6255, 6260, 6271,	18917, 18924,
14408, 14507, 14508	6294, 6297, 6298,	18925, 18926,
\right@footnoterule	6425, 6431, 6432,	18934, 18941,
..... 26, 240,	6437, 6448, 6471,	18942, 18943,
417, 545, 731, 741,	6474, 6475, 6735,	18951, 18958,
966, 993, 1211,	6750, 6753, 6754,	18959, 18960,
1243, 6335, 6354,	6886, 6887, 6888,	18968, 18975,
6488, 6531, 6636,	7014, 7015, 7021,	18976, 18977,
6763, 8354, 8361,	8284, 8287, 8288,	18985, 18993,
8454, 8653, 10655,	8298, 8552, 8911,	18994, 18995,
10680, 11185,	10529, 10607,	19003, 19012,
11199, 11209,	10622, 10625,	19013, 19014,
11332, 11360,	10626, 12824,	19022, 19032,
12800, 12878,	12825, 13587,	19033, 19034,
14783, 15612,	14261, 14262,	19042, 19067,
15651, 15788,	14625, 14629,	19068, 19069,
16035, 16048,	14630, 14637,	19077, 19117,
16190, 16245,	14642, 14649,	19119, 19797,
16372, 16609,	14654, 15432,	19859, 19860,
16623, 16864,	15434, 15445,	19861, 19867,
17158, 17172,	15447, 15458,	19870, 19917,
17444, 17724,	15460, 15469,	19977, 19982,
17857, 17871, 18127	15471, 15488,	20005, 20012,
\rightfootnoterule	15531, 15544,	20381, 20382,
1674, 7791, 8693,	15555, 15556,	20584, 20611,
11197, 11715, 21081	15561, 15572,	20612, 20671, 20676
\rightline ... 15368,	15595, 15598,	\RL ... 12735, 15325, 20392
20599, 20603, 20605	15599, 15927,	\rlap ... 316, 457, 808,
\rightlinenumbers .	15928, 15933,	1310, 1917, 6676,
..... 13020, 13028	15944, 15967,	8397, 8494, 10716,
\rightmargin ... 951,	15970, 15971,	10811, 10817,
5536, 5555, 5563,	15981, 15994,	11442, 11742,
5569, 11590,	16043, 16159,	11788, 11854,
11594, 12972,	16174, 16177,	11855, 11868,
12973, 12986,	16178, 16183,	11869, 12858,
15421, 20464,	16184, 16344,	14683, 15354,
20475, 20481,	16359, 16362,	15718, 15859,
20487, 20495, 20499	16363, 18659,	16056, 16099,
\rightskip 12, 13, 217,	18664, 18675,	16285, 16631,
218, 315, 319, 516,	18688, 18692,	16695, 17180,
533, 536, 537, 627,	18712, 18715,	17244, 17879,
640, 651, 652, 657,	18720, 18724,	17943, 18423, 20412
668, 693, 696, 697,	18725, 18836,	\RLE . 1603, 1819, 12734,
878, 879, 885, 895,	18837, 18838,	15325, 15326,



15330, 20031, 20392, 20393, 20397	11662, 14384, 20730, 20821, 20822	\RTLmarginpar 20868 \RTLmulticolcolumns
\rmfamily 737, 989, 1239, 5364, 5417, 5420, 5424, 5427, 5431, 5434, 5438, 5441, 5445, 5448, 15647, 15784	\RTLbidituftesidenotemarginpar 14735 ... 4895, 5195, 5336 \RTLcases .. 20439, 20442 \RTLcite 5122, 5242, 5271, 5300, 5322, 5331, 5340	\RTLsidenote .. 5065, 5307 \RTLthanks . 422, 442, 477, 496, 5661, 5669, 5686, 5702, 5713, 6641, 6661, 6696, 6715, 8459, 8479, 8514, 8533, 11419, 14231, 15793, 15833, 15879, 15899, 16053, 16083, 16123, 16141, 16250, 16270, 16305, 16324, 16628, 16713, 16744, 17177, 17262, 17293, 17876, 17961, 17992
\romannumeral .. 3593, 3594, 6089, 6151, 8185, 8188, 8234, 11048, 11049, 11050, 11051, 11053, 11054, 11055, 11056, 11057, 11060, 11061, 11062, 20467	\RTLcolumnfootnotes 8804 \RTLdblcol 20822 \RTLdfnmakecol 7951 \RTLfootfootmark 8846, 8996, 9144, 9291, 9442, 9593, 9744, 9895, 10046, 10197, 10405	\rule 46, 60, 76, 259, 273, 288, 2426, 7655, 8266, 8270, 8273, 8713, 8729, 8745, 8759, 8772, 8785, 11283, 11300, 11316, 11343, 11357, 11371, 13835, 15405
\rot@float@box 16437, 16438, 16439, 16453, 16462, 16480, 16481, 16482, 16483, 16484, 16500, 16511	\RTLfootmarkstyle 8821, 8860 \RTLfootnote ... 422, 496, 2075, 2088, 5311, 5661, 6641, 6715, 8459, 8533, 11242, 15793, 15899, 16053, 16141, 16250, 16324, 16628, 16744, 17177, 17293, 17876, 17992	\rtside 15199, 15201, 15212, 15214, 15235, 15237
\rot@label . 16433, 16476 \rot@LR 16444, 16489 \rot@mess@toks 16436, 16448, 16458, 16467, 16479, 16494, 16506, 16516	\RTLfootnotetext 2143, 2154, 6101, 6111, 11421, 11424, 12404, 13527, 18583, 18587	\s 13684, 13685 \save@dir .. 15334, 20401 \savebox 8191, 11914, 11916, 11996 \saveCaptionSkip . 11946 \savecounters@ 8174 \saved@dir ... 15334, 15335, 20401, 20402
\rot@message 16467, 16516 \rot@pageref 16434, 16477 \rotate 16530 \rotatebox 11091, 11917, 11966, 12179, 13654, 13662, 14184, 16453, 16462, 16500, 16511	\RTLfootscript . 8821, 8849, 8853, 8855 \RTLfoottextfont 8722, 8729, 8779, 8785, 8873, 8975, 8996, 9026, 9124, 9144, 9172, 9270, 9291, 9321, 9421, 9442, 9472, 9572, 9593, 9623, 9723, 9744, 9774, 9874, 9895, 9925, 10025, 10046, 10076, 10176, 10197, 10227, 10385, 10405, 10439	\sbox 8257, 11948, 11965, 12917, 12925, 12927, 12929, 12938, 13073, 13486, 13653, 13661, 13853, 14140,
\rot@frame 11053, 11090 \rotFPbot 16454, 16461, 16501, 16510 \rotFPtop 16452, 16463, 16499, 16512 \rrb 1988, 1998 \rsb 1987, 1996 \RTL 15318, 20385 \RTL@column@boxes . . 14707, 14737, 14742 \RTL@outputdblcol 7163, 10822,	\RTLmarginnote 5333	



14179, 14184,	\scr@dte@def@l@targetocline	16565, 17110,
14298, 14313, 19279	17114, 17809, 17813
14345, 14965,	\scr@dte@def@l@tocline	\scr@samed@LTRfootnotetext
16885, 16899, 19481	.. 16559, 16562,
16939, 17465,	\scr@dte@def@l@undottedtocline	16569, 17108,
17479, 17519, 19122	17111, 17118,
18148, 18162,	\scr@dte@donumwidth	17807, 17810, 17817
18202, 18674, 19716, 19717	\scr@samed@RTLfootnotetext
18691, 19433, 21062	\scr@dte@targetocline@init	.. 16560, 16563,
\sc@@temp 17743, 19280	16573, 17109,
17744, 17749,	\scr@dte@nosub	17112, 17122,
17750, 17755,	.. 19528, 19530,	17808, 17811, 17821
17756, 17761,	19560, 19561,	\scr@smashdp .. 16907,
17762, 17767,	19563, 19568,	16921, 16922,
17768, 17773,	19570, 19575,	16940, 17487,
17774, 17779,	19576, 19634, 19636	17501, 17502,
17780, 17785,	\scr@dte@numberline@box	17520, 18170,
17786, 17791, 17792 19431, 19458	18184, 18185, 18203
\SC@FLOAT 18382, 21183,	\scr@dte@tocline ..	\scr@tmp@footnotetext
21187, 21193, 19390, 19773	.. 16879, 16890,
21195, 21199, 21201	\scr@dte@tocline@init	16891, 17459,
\SC@justify@caption 19482	17470, 17471,
.. 18385, 21185,	\scr@dte@tocline@numberwidth	18142, 18153, 18154
21189, 21194, 19434,	\scr@tmp@LTRfootnotetext
21196, 21200, 21202	19436, 19438, 19441	.. 16881, 16892,
\sc@temp 17741,	\scr@dte@tocline@numbox	16893, 17461,
17743, 17747,	.. 19433, 19435, 19449	17472, 17473,
17749, 17753,	\scr@dte@undottedtocline@init	18144, 18155, 18156
17755, 17759, 19123	\scr@tmp@RTLfootnotetext
17761, 17765,	\scr@ifundefined@relax	.. 16883, 16894,
17767, 17771,	.. 19157, 19205,	16895, 17463,
17773, 17777,	19250, 19312,	17474, 17475,
17779, 17783,	19358, 19382,	18146, 18157, 18158
17785, 17789,	19421, 19526,	\scriptsize 5502,
17791, 17801, 17803	19528, 19557,	17742, 17748,
\sc@wm@text 8075	19560, 19561,	17754, 17760,
\scalebox 11802	19568, 19591,	17766, 17772,
\scantokens ... 3003, 3023	19631, 19632,	17778, 17784, 17790
\scr@caption	19634, 19650,	\scshape 6589
.. 16991, 16993,	19703, 19730, 19749	\secshape .. 16142, 16183
16995, 17571,	\scr@LT@array . 12744,	\SectFont 632, 641, 939,
17573, 17575,	16988, 16989,	947, 1191, 1200,
18254, 18256, 18258	17568, 17581,	6308, 6496, 15536,
\scr@caption@before@longtable@warning	17569, 17581,	15545, 15986, 15995
.. 16963, 17543, 18226	18251, 18252, 18264	\sectfont 15415
\scr@compatibility	\scr@parindent	\section 573,
..... 17335,	.. 17100, 17689, 18372	601, 617, 632,
17351, 17359, 17367	\scr@samed@footnotetext	638, 641, 708, 866,
\scr@dte@current 16561,	939, 945, 947, 971,
..... 19512, 19515		1118, 1191, 1197,



1200, 1221, 2422,	4918, 4921, 5980,	10443,	10483,
2488, 5366, 5388,	5991, 6204, 6218,	10490,	10497,
5456, 5464, 5579,	6844, 6871, 6876,	10512,	10521,
5582, 5586, 6308,	6908, 6943, 6972,	10541,	10549,
6496, 8333, 15536,	7127, 7128, 7132,	10562,	10575,
15542, 15545,	7135, 7145, 7149,	10585,	10795,
15986, 15992, 15995	7152, 7156, 7166,	10825,	10828,
\sectionbib 18760	7169, 7170, 7184,	10841,	10861,
\sectionfont . . . 2362,	7201, 7217, 7229,	10864,	10878,
2370, 7646, 7739	7232, 7233, 7247,	10929,	10969,
\sectionstyle . 2370, 2428	7260, 7276, 7297,	10974,	11333,
\sectiontitlecolour	7298, 7303, 7304,	11347,	11361,
. 2353,	7309, 7312, 7335,	11380,	11504,
7608, 7616, 7623,	7343, 7353, 7404,	11513,	11517,
7630, 7637, 7707,	7418, 7422, 7432,	11541,	11555,
7713, 7719, 7725, 7731	7437, 7446, 7448,	11617,	11622,
\selectfont 350,	7463, 7464, 7475,	11623,	11638,
2808, 5727, 5729,	7476, 7488, 7489,	11665,	11670,
5731, 14978, 14991	7509, 7517, 7527,	11671,	11686,
\separatorcolumnwidth	7575, 7799, 7807,	11725,	11734,
2393, 2394, 2405,	7808, 7812, 7820,	11741,	11742,
2411, 2427, 2432,	7828, 7829, 7833,	11787,	11788,
2438, 2496, 7753, 7783	7848, 7851, 7856,	13465,	13474,
\SepMark . . . 20451, 20452	7860, 7868, 7905,	13536,	13541,
\seq 13916, 13917,	7908, 7913, 7917,	13544,	13553,
15012, 15015, 15018	7922, 8750, 8763,	13573,	13605,
\set@color 6972, 6977,	8776, 8865, 8923,	13611,	14387,
6985, 6991, 6999,	8928, 8935, 8998,	14390,	14391,
7006, 7011, 11449,	9010, 9023, 9063,	14413,	14418,
20230, 20234, 20330	9146, 9157, 9169,	14428,	14446,
\set@typeset@protect	9207, 9293, 9305,	14451,	14487,
. 10999,	9318, 9358, 9444,	14490,	14491,
11003, 18470,	9456, 9469, 9509,	14513,	14518,
20646, 20979, 20981	9595, 9607, 9620,	14528,	14546,
\SetatBoolean 2636	9660, 9746, 9758,	14551,	14582,
\setbaselineskip . . 2806	9771, 9811, 9897,	14663,	14679,
\SetBoolean 2620	9909, 9922, 9962,	15143,	15157,
\setboolean 4243, 4244,	10048, 10060,	15160,	15179,
4246, 4248, 4253,	10073, 10113,	15180,	15186,
4254, 4258, 4259,	10199, 10211,	15187,	15198,
4330, 4334, 4337,	10224, 10264,	15200,	15202,
4342, 4344, 4348,	10290, 10291,	15204,	15207,
4350, 4728, 5352,	10298, 10311,	15209,	15211,
5353, 5354, 5611,	10314, 10316,	15213,	15223,
5612, 5613, 5638, 5639	10321, 10324,	15225,	15234,
\setbox 390,	10326, 10328,	15236,	15251,
1416, 1418, 1419,	10365, 10377,	15253,	15261,
1475, 1621, 1837,	10389, 10407,	15263,	15272,
2237, 4774, 4830,	10415, 10421,	15353,	15354,
4833, 4874, 4877,	10429, 10435,	15384,	15402,



16522,	16532,	16120,	16267,	5513, 5514, 5515,
16543,	16550,	16302,	16619,	5516, 5518, 5519,
16905,	17485,	16710,	16823,	5521, 5524, 5525,
17742,	17748,	16896,	16897,	5526, 5527, 5744,
17754,	17760,	17168,	17259,	5745, 6270, 6292,
17766,	17772,	17403,	17476,	6447, 6469, 6733,
17778,	17784,	17477,	17867,	6748, 7019, 7742,
17790,	18168,	17958,	18086,	7746, 7748, 7751,
18411,	18459,	18159, 18160, 19060		8137, 8282, 8297,
18500,	18550,	\setdefaultbibitems		8861, 8862, 8875,
18620,	19935, 20456		10606, 10620,
19938,	19943,	\setdefaultmarginpar		11378, 11827,
19947,	19951, 20958		11828, 11834,
19955,	19959,	\setDefaults 11903		11835, 11837,
19963,	19967,	\setfloatalignment 4402		11838, 11907,
19971,	20222,	\setfootnoteLR ... 11264		11908, 11920,
20230,	20335,	\setfootnoteRL ... 11262		11924, 11926,
20411,	20412,	\setkeys .. 6835, 6852,		11928, 11932,
20538,	20608,	8155, 8161, 8163,		11934, 12890,
20634,	20733,	11733, 11777,		12891, 12892,
20736,	20737,	11905, 12923,		12893, 12918,
20751,	20780,	14971, 15036,		12932, 12934,
20783,	20784,	16441, 16486, 20115		12936, 12940,
20798,	20847,	\setlatin 1565		12962, 12967,
20850,	20891,	\setlength 178,		12970, 12974,
20894,	20922,	201, 202, 514, 531,		12975, 12976,
20936,	20954, 21020	667, 691, 893, 911,		13520, 14970,
\setcaptionfont ... 4322		948, 949, 950, 951,		15571, 15593,
\setcaptionwidth . 13499		952, 1150, 1175,		15943, 15965,
\setchapterpreamble		2062, 2063, 2064,		16172, 16342,
..... 17379, 18062		2266, 2267, 2269,		16357, 16578,
\setcitationfont .. 4957		2270, 2272, 2273,		16902, 16928,
\setcounter		2275, 2276, 2278,		17127, 17482,
.. 439, 474, 749,		2279, 2281, 2282,		17508, 17826,
781, 825, 1001,		2284, 2285, 2286,		18165, 18191,
1033, 1077, 1251,		2291, 2292, 2330,		18663, 18664,
1283, 1327, 1924,		2331, 2333, 2334,		18712, 18713,
5030, 5049, 5068,		2335, 2336, 2394,		18715, 19084,
5100, 5350, 5862,		2403, 2404, 2407,		19088, 19089,
6147, 6362, 6394,		2409, 2412, 2413,		19091, 19092,
6539, 6571, 6658,		2415, 2418, 2484,		19094, 19095,
6693, 8381, 8414,		2494, 2495, 2496,		19097, 19098,
8476, 8511, 10700,		4267, 4294, 4295,		19100, 19101,
10733, 11032,		4296, 4297, 4318,		19261, 19369,
12884, 12885,		4324, 4325, 4358,		19714, 20520, 20523
14259, 14930,		4361, 4365, 4411,	\setLR 15360, 20420	
14951, 15659,		4463, 4464, 4965,	\setLTR 15321,	
15691, 15735,		4966, 4967, 4968,	15322, 15335,	
15798, 15830,		4974, 5216, 5509,	15360, 15361,	
15876, 16080,		5510, 5511, 5512,	20388, 20389,	



20402, 20420, 20421	17765, 17771,	\sixcolumnfootnotes 9534
\setLTRbibitems .. 20455	17777, 17783,	\sixcolumnfootstyle 9631
\setLTRcitationfont 4958	17789, 18079,	\sxt@n 2204, 2226
\setLTRmarginnotefont	18743, 19900, 19902	\size@chapter 15415
..... 4955	\Setversedim	\skip 1608,
\setLTRmarginpar . 20957	... 5875, 5879, 5905	1824, 6068, 6069,
\setLTRparagraphfootnotes	\SetWatermarkText . 8074	7853, 7910, 8886,
..... 8700	\sevendcolumnfootnotes	8896, 8914, 10531,
\setLTRsidenotefont 4952 9685	10555, 10566,
\setLTRtable 1570	\sevendcolumnfootstyle	11024, 11396,
\setmarginnotefont 4954 9782	11619, 11667,
\setnonlatin 1566	\sf 17742, 17748,	15341, 15347, 21037
\setparsizes .. 16636,	17754, 17760,	\skip@ 321, 322
16748, 17185,	17766, 17772,	\skipalgocfslide 186, 194
17297, 17884, 17996	17778, 17784, 17790	\skiptotal 202
\setRL 15359, 20419	\sf@size 12808	\sloppy 42,
\setRTL . 15320, 15323,	\sfcode 93,	56, 72, 92, 255,
15335, 15359,	306, 589, 721, 984,	269, 284, 305, 585,
20057, 20097,	1234, 6325, 6513,	720, 983, 1233,
20131, 20387,	6825, 8346, 8620,	2503, 6324, 6512,
20390, 20402, 20419	10673, 12781,	6821, 8345, 8616,
\setRTLbibitems .. 20454	14871, 15631,	10672, 11610,
\setRTLcitationfont 4959	16025, 16222,	12780, 13590,
\setRTLmain 1809	16425, 16833,	14870, 15491,
\setRTLmarginnotefont	17413, 18096, 18754	15505, 15630,
..... 4956	\sh@wgridXunit ... 15373	16024, 16218,
\setRTLmarginpar . 20956	\sh@wgridYunit ... 15373	16421, 16832,
\setRTLparagraphfootnotes	\shadowbox 8251	17412, 18095, 18750
..... 8699	\shadowsize 8261, 8265,	\slshape ... 658, 886,
\setRTLsidenotefont 4953	8266, 8269, 8270, 8273	1141, 2450, 6261,
\setRTLtable 1569	\shipout ... 10999, 20978	6438, 7644, 7645,
\setsidenotefont .. 4951	\shortauthors	7735, 7736, 7738,
\setSingleSpace 8806, 8811	.. 115, 116, 121,	15562, 15934, 16148
\setspace@singlespace	12840, 12841, 12846	\small .. 416, 641, 740,
... 5161, 5179, 5197	\shortcite 14873	947, 992, 1200,
\setthesection ... 14276	\shorttitle	1242, 1949, 2364,
\settodepth 14966	.. 114, 115, 121,	2454, 2459, 2489,
\settoheight . 8134, 14967	12839, 12840, 12846	5491, 5492, 5557,
\settowidth 89,	\showbox 11578	5565, 5570, 5589,
302, 578, 713, 976,	\showgridps 15372	6353, 6530, 6635,
1226, 2398, 6317,	\showoutput 11578	8360, 8453, 10679,
6505, 6814, 7744,	\sidecaptionsep 18383,	15545, 15650,
8179, 8338, 8609,	18384, 21184,	15787, 15995,
10665, 12777,	21188, 21193,	16047, 16244,
12964, 14969,	21195, 21199, 21201	16622, 17171, 17870
15623, 16017,	\sidenote 5027,	\smallcaps 5845, 5846, 5847
16211, 16414,	5081, 5119, 5214, 5305	\smallskip
16816, 17396,	\sidenotes 5124	.. 14792, 14797,
17741, 17747,	\sideways 16548	14804, 14813,
17753, 17759,	\sigindent 17802	14824, 14829,



14834, 14841,	16392, 16435,	9985, 9986, 10131,
14848, 14855, 15412	16478, 16687,	10132, 10136,
\smash 4519, 4524, 4535,	16838, 17236,	10137, 10282,
4536, 4539, 4540,	17418, 17935,	10283, 10287,
4747, 7802, 7823,	18101, 18570,	10288, 11275,
11442, 12989,	18572, 18629,	11292, 11308,
15357, 20415, 20417	19451, 19453,	11509, 11510, 15153
\SOUL@apo 18405	20019, 20698, 20927	\stepcounter ... 5038,
\SOUL@comma 18404	\spacefactor ... 5140,	5057, 5076, 5108,
\SOUL@do 18407	5145, 5151, 5154	5228, 5257, 5286,
\SOUL@eventuallyexhyphen	\spaceskip . 18438, 18443	6038, 11031,
..... 18394	\special .. 1622, 1747,	11102, 11172,
\SOUL@grave 18406	1838, 1864, 1913,	11242, 11251,
\SOUL@ignorespacesfalse	15354, 18626,	12570, 13432,
..... 18398	18627, 18631,	14925, 14929,
\SOUL@lasttoken .. 18401	18632, 18634, 20412	14946, 14950,
\SOUL@lowerthan .. 18391	\spinemargin .. 8084, 8088	16432, 16475, 21055
\SOUL@minus 18403	\split@prev	\stopbreaks .. 8639, 17801
\SOUL@postamble .. 18408	. 11221, 11229, 11234	\str 13673, 13724,
\SOUL@preamble ... 18400	\splitbotmark 11515	13796, 13814,
\SOUL@soeventuallyskip	\splitfirstmark ...	13876, 13900,
..... 18395 7173, 7236,	13905, 13979,
\SOUL@spaceskip .. 18396	10831, 10867,	14010, 14023,
\SOUL@start 18389	11514, 11626,	14045, 14099, 14131
\SOUL@ulcolor . 18420,	11674, 14394,	\stretch 1477,
18426, 18432, 18440	14494, 20740, 20787	1480, 6945, 6948
\SOUL@uldp 18432	\SplitFootnoteRule	\string ... 362, 1387,
\SOUL@uleverySPACE 18434 1676, 11220	1703, 1707, 2514,
\SOUL@ulht 18432	\splitfootnoterule	2520, 2592, 2594,
\SOUL@ulleaders 11224, 11232	2612, 2613, 2616,
. 18420, 18426, 18442	\splitmaxdepth 40, 54,	2617, 2794, 2834,
\SOUL@uloverlap .. 18413	70, 253, 267, 282,	2835, 2841, 2989,
\SOUL@ulunderline 18410	7167, 7230, 8880,	3019, 3040, 3043,
\SOUL@word 18402	10826, 10862,	3070, 3072, 3132,
\soulomit 18393	11276, 11293,	3233, 3234, 3247,
\space 1507,	11309, 11620,	3248, 3259, 3260,
2989, 3132, 3915,	11668, 14388,	3273, 3274, 3288,
4102, 4104, 4115,	14488, 20734, 20781	3289, 3290, 3291,
4117, 4120, 4583,	\splittopskip ... 40,	3295, 3915, 3924,
4588, 4589, 4722,	54, 70, 253, 267,	3928, 3934, 3945,
4723, 6589, 6784,	282, 8879, 8925,	4102, 4104, 4115,
7300, 7306, 7469,	8929, 9081, 9082,	4117, 4118, 4119,
7477, 7478, 8578,	9086, 9087, 9225,	4120, 4122, 4722,
10635, 11478,	9226, 9230, 9231,	4723, 6981, 6984,
11486, 11487,	9376, 9377, 9381,	7002, 7005, 11482,
11511, 11519,	9382, 9527, 9528,	11483, 11484,
12902, 13961,	9532, 9533, 9678,	11485, 11486,
14669, 14671,	9679, 9683, 9684,	11608, 11809,
14672, 14673,	9829, 9830, 9834,	11810, 16687,
14674, 15380,	9835, 9980, 9981,	16838, 16840,



16846, 17236,	17497, 17501, 2355,
17418, 17420,	17503, 17513,	7609, 7617, 7624,
17426, 17935,	17515, 17520,	7631, 7638, 7708,
18101, 18103,	17524, 17804,	7714, 7720, 7726, 7732
18109, 18596,	18149, 18151,	\subsectionfont 2363,
20018, 20275,	18170, 18172,	2371, 7647, 7740
20322, 20698, 20718	18175, 18177,	\subsectionstyle ..
\strip@prefix . 3040, 3053	18180, 18184, 2371, 2430
\strip@pt . 2711, 2807,	18186, 18196,	\subsubitem
8023, 8026, 8031,	18198, 18203,	109, 239, 5601, 12798
8034, 10355, 10472	18207, 18674, 18679	\subsubsection
\stripsep . 7218, 7277,	\strutbox 40, 54,	... 5393, 5394, 5397
7292, 7338, 7347,	70, 253, 267, 282,	\subtable 4459
7357, 7402, 7512,	388, 392, 8714,	\supereject 1878
7521, 7531, 14422,	8730, 8746, 8760,	\symbol 1992, 2002
14424, 14431,	8773, 8786, 8880,	\sys 13894
14522, 14524,	9081, 9086, 9225,	
14531, 14593,	9230, 9376, 9381,	T
14596, 14598, 14605	9527, 9532, 9678,	\t@cb@bchapsec ... 18735
\strut . 46, 60, 76, 259,	9683, 9829, 9834,	\tabcaption . 11956, 11974
273, 288, 1979,	9980, 9985, 10131,	\tabcolsep 382, 1359,
8647, 8990, 8993,	10136, 10282,	13462, 15912, 20426
8996, 9076, 9077,	10287, 11276,	\tablinesep 18493
9138, 9141, 9144,	11283, 11293,	\tabskip .. 398, 6048,
9220, 9221, 9285,	11300, 11309,	13476, 13477,
9288, 9291, 9371,	11316, 11343,	18466, 18504, 20641
9372, 9436, 9439,	11357, 11371,	\tabular 18565
9442, 9522, 9523,	13451, 13467,	\tabularnewline 407,
9587, 9590, 9593,	13509, 13606,	13446, 18468, 20643
9673, 9674, 9738,	16930, 16931,	\tabularx 18556
9741, 9744, 9824,	17510, 17511,	\tabularxcolumn .. 18518
9825, 9889, 9892,	18193, 18194,	\tagform@ 346
9895, 9975, 9976,	18460, 18461,	\tamark 14242
10040, 10043,	18496, 20635, 20636	\tcb@vbox 18641
10046, 10126,	\subfig@oldlabel ..	\tcd .. 15150, 15157, 15158
10127, 10191, 4453, 4455	\tcdsav 15150
10194, 10197,	\subfigure ... 4452, 4459	\tcl .. 15174, 15175, 15181
10277, 10278,	\subitem	\tcn 15158, 15159, 15181,
10397, 10401,	108, 238, 5600, 12797	15182, 15183, 15184
10405, 10506,	\subjclass 334	\Telefon 2344
13604, 16886,	\subject	\tencolumnfootnotes
16888, 16907,	. 16732, 17281, 17980 10138
16909, 16912,	\subject@font . 16645,	\tencolumnfootstyle
16914, 16917,	16758, 17194, 10235
16921, 16923,	17307, 17893, 18006	\TeX 12736, 15336,
16933, 16935,	\subparagraph	15337, 15358,
16940, 16944,	... 5402, 5403, 5406	20403, 20404, 20416
17466, 17468,	\subsection	\textbf
17487, 17489,	... 2429, 5373, 5389	2457, 5546, 11455,
17492, 17494,	\subsectioncolour .	11457, 11459, 11461



<code>\textbullet</code> 2341,	17886, 17914,	8432, 8457, 8477,
7601, 7665, 7699	17918, 17998,	8512, 8531, 10683,
<code>\textcolor</code>	20752, 20760,	10701, 10734,
8250, 8265, 8269,	20799, 21024, 21045	10751, 14229,
8272, 11445, 12906	<code>\textwidth@footnoterule</code>	15654, 15666,
<code>\textdef@</code> 348	. . . 419, 743, 995,	15692, 15703,
<code>\textdir</code> 14139	1245, 6356, 6533,	15704, 15713,
<code>\textendash</code> . 746, 998,	6638, 8363, 8456,	15736, 15753,
1061, 1248, 6359,	10682, 11191,	15791, 15805,
6536, 15656, 15795	11202, 14787,	15831, 15844,
<code>\textheight</code> 1898, 2305,	15653, 15790,	15845, 15854,
7201, 7260, 11907,	16050, 16247,	15877, 15897,
16440, 16485, 21054	16625, 17174, 17873	16051, 16081,
<code>\textit</code> 19120	<code>\textwidthfootnoterule</code>	16121, 16139,
<code>\textsf</code> 1635	1678, 7793, 8695,	16248, 16268,
<code>\textsl</code> . . 4606, 4607, 4608	11200, 11716, 21082	16303, 16322,
<code>\textsuperscript</code> . .	<code>\TeXeTOff</code> . 15269, 20333	16626, 16711,
. 5153, 8858,	<code>\TeXeTOn</code> 15268,	16742, 17175,
8859, 8860, 16601,	15270, 20332, 20334	17260, 17291,
17150, 17720, 17849	<code>\TeXeTstate</code> . . 15268,	17874, 17959, 17990
<code>\texttt</code> 2002,	15269, 20332, 20333	<code>\thankses</code> 333
2066, 2068, 2069, 3277	<code>\TF@conlab</code>	<code>\the</code> . . . 124, 125, 1375,
<code>\textwidth</code> 1635,	. 11438, 11440, 11447	1469, 1470, 1472,
1897, 2303, 2394,	<code>\TF@savecolor</code> 11444, 11449	1473, 1534, 1633,
2403, 2404, 2416,	<code>\TF@Title</code> 11447	1790, 1849, 1889,
2418, 4361, 4365,	<code>\thanklessauthor</code> 5654,	1891, 1894, 1896,
4464, 4765, 4766,	5687, 5690, 5727	2135, 2137, 2140,
5906, 7185, 7193,	<code>\thanklesspublisher</code>	2143, 2148, 2151,
7248, 7313, 7319, 5655,	2154, 2259, 2527,
7490, 7495, 7655,	5714, 5717, 5731	2529, 2530, 2551,
7670, 7742, 7751,	<code>\thanklesstitle</code> 5653,	2553, 2554, 3004,
7865, 8087, 8924,	5670, 5673, 5729	3290, 3385, 3440,
10310, 10841,	<code>\thanks</code> 333,	3468, 3470, 3475,
10847, 10879,	420, 440, 475, 494,	3477, 3478, 3488,
10969, 10974,	744, 756, 782, 793,	3495, 3497, 3502,
11383, 11639,	794, 803, 826, 843,	3506, 3507, 3512,
11687, 11695,	996, 1008, 1034,	3517, 3525, 3528,
11855, 11858,	1045, 1046, 1055,	3532, 3538, 3622,
11863, 11869,	1078, 1095, 1246,	3623, 3624, 3649,
13578, 14452,	1258, 1284, 1295,	4168, 4175, 4204,
14460, 14552,	1296, 1305, 1328,	4995, 5005, 5140,
14583, 14772,	1346, 1925, 5653,	5151, 5957, 5964,
14773, 14776,	5654, 5655, 5656,	6095, 6098, 6101,
14777, 14780,	5659, 5666, 5667,	6105, 6108, 6111,
14781, 14785,	5683, 5684, 5699,	6216, 6831, 6836,
14788, 16638,	5700, 5711, 6357,	6880, 6941, 7172,
16666, 16670,	6369, 6395, 6534,	7174, 7235, 7237,
16750, 17187,	6546, 6572, 6639,	7300, 7306, 7307,
17215, 17219,	6659, 6694, 6713,	7308, 7440, 7450,
17299, 17801,	8364, 8382, 8415,	7469, 7477, 7478,



7479, 7482, 7484,	15114,	15121,	11070,	11071,
7485, 7486, 10830,	15275,	15276,	11072,	11079,
10832,	16448,	16458,	11081,	11083,
10868,	16467,	16494,	11084,	11085,
11115,	16506,	16516,	13132,	14267,
11119,	16823,	17403,	14276,	14278,
11123,	18086,	18489,	14279,	14280,
11180,	18490,	18520,	14905,	15418,
11407,	18539,	18541,	15635,	15641,
11471,	18565,	18570,	15643,	15645,
11482,	18572,	18573,	16000,	16006,
11484,	18576,	18577,	16008,	16010,
11486,	18580,	18583,	16195,	16197,
11495,	18584,	18587,	16199,	16200,
11508,	18692,	19449,	16377,	16379,
11511,	19452,	19454,	16381,	16382,
11518,	19530,	19801,	16383,	16392,
11533,	19804,	19805,	17336,	17338,
11589,	19807,	19809,	17352,	17354,
11591,	19813,	19818,	17360,	17362,
11597,	19822,	19833,	17368,	17370,
11608,	19834,	19837,	18034,	18046,
11627,	19843,	19847,	18050, 18054, 18776	
11675,	19855,	19856,	\thecontentspage 5420,	
11824,	19893,	19909,	5427, 5434, 5441, 5448	
12365,	19913,	20012,	\thedata . 5649, 5657, 5703	
12372,	20175,	20187,	\theDefaultDepth . 12885	
12403,	20192,	20213,	\theDefaultLines . 12884	
12410,	20214,	20216,	\theenumiv 86,	
12443,	20338,	20339,	89, 299, 302, 584,	
12474,	20467,	20524,	719, 982, 1232,	
12505,	20704,	20706,	2502, 6323, 6511,	
12849,	20718,	20739,	6820, 8344, 8615,	
12978,	20741, 20786, 20788		10671, 12774,	
12982,	\the@cornersize . . .		12777, 15629,	
12990, 10787, 10788		16023, 16217,	
13527,	\thealgocf 168		16420, 16830,	
14393,	\theAlgoLine 21127		17410, 18093, 18749	
14406,	\thechapter 318,		\theequation	
14430,	5362, 6340, 6346,	 6345, 6522,	
14493,	6348, 6350, 6517,		6767, 8561, 10770,	
14506,	6523, 6525, 6527,		11065, 11078,	
14530,	6589, 6768, 6770,		12859, 14277,	
14606,	6772, 6773, 6774,		15640, 16009,	
14671,	6784, 8562, 8564,		16194, 16376,	
14673,	8566, 8567, 8568,		17366, 18053, 21075	
14675,	8578, 10635,		\thefigure 6347,	
15035,	10765, 10771,		6524, 6769, 8563,	
15055,	10773, 10775,		10772, 11067,	
15083,	11066, 11068,		11080, 14279,	



15642, 16005,	\theorempostskipamount	17342, 18033, 18037
16196, 16378, 14934, 14954	\thesubparagraph ...
17350, 18045, 18476	\theorempreskipamount	... 22, 227, 552,
\thefootdir@label 14937, 14957	706, 960, 1219,
.. 11100, 11103,	\thepage .. 1887, 1892,	6344, 6521, 6778,
11132, 11137,	2479, 4494, 4606,	8449, 8572, 10769,
11155, 11158, 11178	4607, 4608, 4617,	11076, 11089,
\thefootnote ... 456,	4618, 5833, 5834,	12834, 14274,
748, 807, 1000,	5845, 5846, 5847,	15639, 16004,
1059, 1250, 1309,	7366, 7384, 7541,	16204, 16387,
1916, 6361, 6538,	7559, 20219, 20927	16791, 17347, 18042
6675, 8396, 8493,	\theparagraph ... 21,	\thesubsection .. 19,
10715, 12257,	22, 226, 227, 551,	20, 224, 225, 549,
15658, 15717,	552, 705, 706, 959,	550, 703, 704, 957,
15797, 15858,	960, 1218, 1219,	958, 1216, 1217,
16054, 16097,	5383, 6343, 6344,	5376, 6341, 6342,
16284, 16629,	6520, 6521, 6777,	6518, 6519, 6775,
16693, 17178,	6778, 8448, 8449,	6776, 8446, 8447,
17242, 17877, 17941	8571, 8572, 10768,	8569, 8570, 10766,
\thefootnotemark ..	10769, 11075,	10767, 11073,
..... 16601,	11076, 11088,	11074, 11086,
17150, 17720, 17849	11089, 12833,	11087, 12831,
\theHchapter 14905	12834, 14272,	12832, 14268,
\theHsection 14913, 14915	14275, 15638,	14271, 15636,
\theindex . 98, 228, 12787	15639, 16003,	15637, 16001,
\theL@lines	16004, 16203,	16002, 16201,
. 12931, 12936, 12943	16204, 16386,	16202, 16384,
\TheList 3486	16387, 16790,	16385, 16786,
\thelstlisting 13103,	16792, 17346,	16788, 17342,
13108, 13131, 13134	17348, 18041, 18043	17344, 18037, 18039
\thempfn	\thepart	\thesubsubsection 20,
2160, 2168, 2176,	. 556, 564, 8308, 8316	21, 225, 226, 550,
5229, 5235, 5258,	\ther@tfl@t ... 16433,	551, 704, 705,
5264, 5287, 5293,	16434, 16476, 16477	958, 959, 1217,
6116, 6123, 6130,	\thesection 19,	1218, 6342, 6343,
11243, 11248,	224, 549, 703, 957,	6519, 6520, 6776,
11252, 11257,	1216, 5369, 6340,	6777, 8447, 8448,
11385, 11411,	6341, 6517, 6518,	8570, 8571, 10767,
11416, 11426,	6774, 6775, 8446,	10768, 11074,
11431, 12224,	8568, 8569, 10765,	11075, 11087,
12235, 12246,	10766, 11072,	11088, 12832,
12376, 12414,	11073, 11085,	12833, 14270,
12447, 12478,	11086, 12831,	14273, 15637,
12509, 12571, 13636	14267, 14269,	15638, 16002,
\thempfootnote	14913, 14915,	16003, 16202,
..... 11385, 13636	15635, 15636,	16203, 16385,
\theorem@indent 14939,	16000, 16001,	16386, 16787,
14940, 14959, 14960	16200, 16201,	16790, 17343,
\theorem@prework . 14933	16383, 16384,	17346, 18038, 18041
	16786, 17334,	\thetable 6349,



6526, 6771, 8565,	16729, 17278, 17977	13744,	13747,
10774, 11069,	\TitleBarFrame	13748,	13751,
11082, 14280,	. . 11436, 11455,	13758,	13763,
15644, 16007,	11457, 11459, 11461	13771,	13774,
16198, 16380,	\titlecolour . . 2350, 7702	13775,	13776,
17358, 18049, 18477	\titlecontents . 5415,	13777,	13778,
\thinlines 7031,	5422, 5429, 5436, 5443	13781,	13787,
7041, 7054, 7064,	\TitleFont 737,	13788,	13789,
7077, 7087, 7100, 7110	753, 844, 846, 852,	13794,	13796,
\thispagestyle . 101,	989, 1005, 1096,	13803,	13807,
113, 231, 472,	1098, 1104, 1239,	13812,	13814,
604, 619, 823, 868,	1255, 1347, 1349,	13816,	13818,
1075, 1120, 1325,	1355, 1358, 1359,	13837,	13843,
5734, 5756, 5777,	1364, 6366, 6543,	13844,	13845,
6240, 6417, 6628,	15647, 15663,	13846,	13847,
6691, 8412, 8509,	15754, 15756,	13859,	13862,
8626, 8629, 10731,	15762, 15784,	13865,	13867,
12790, 12838,	15802, 15900,	13891,	13892,
12862, 12865,	15902, 15908,	13894,	13903,
14257, 15523,	15911, 15912, 15917	13906,	13907,
15733, 15778,	\titlefont 2359,	13908,	13909,
15874, 16118,	2367, 7735, 16648,	13910,	13911,
16238, 16300,	16761, 17197,	13913,	13919,
16634, 16707,	17310, 17896, 18009	13924,	13927,
17183, 17256,	\titleformat . . . 5359,	13928,	13941,
17882, 17955, 18808	5366, 5373, 5380	13943,	13944,
\thm@topsepadd 14934,	\titlehead	13945,	13946,
14935, 14938,	. 16731, 17280, 17979	13947,	13948,
14954, 14955, 14958	\titlepage 630,	13949,	13958,
\thr@@ 359, 375,	937, 1189, 6306,	13961,	13965,
1384, 1402, 1426,	6494, 15534, 15984	13966,	13967,
1435, 9226, 9231,	\titlepagestyle . . .	13970,	13984,
18396, 18593, 18613	. 16707, 17256, 17955	13990,	14003,
\threecolumnfootnotes	\titlespacing	14008,	14012,
. 9088	. . . 5387, 5388, 5389	14033,	14041,
\threecolumnfootstyle	\titlestyle . . . 2367, 7766	14042,	14067,
. 9179	\tl 13656, 13664,	14071,	14072,
\tiny 1962, 5131, 5503	13669, 13671,	14073,	14086,
\title 330, 448, 484, 788,	13672, 13673,	14158,	14159,
833, 1040, 1085,	13674, 13676,	14167,	14168,
1290, 1335, 1932,	13677, 13679,	14169,	14170,
2381, 2420, 5648,	13682, 13686,	14180,	14181,
5663, 6401, 6578,	13695, 13699,	14182,	14187,
6667, 6703, 8388,	13702, 13707,	14192,	14194,
8422, 8485, 8521,	13712, 13720,	14197,	14198,
10707, 10741,	13722, 13723,	14203,	14204,
15698, 15743,	13724, 13725,	14209, 14222, 14223	
15839, 15886,	13727, 13729,	\tmpcount . . . 3676, 3702	
16089, 16130,	13731, 13732,	\toaddress . . 8635, 12871	
16276, 16312,	13734, 13740,	\toc@headstar 18798, 18803	



\tocbasic@DependOnPenaltyAndTOCLevel	1994, 19948,	10868, 11624,
..... 19393	19952, 19956,	11625, 11626,
\tocbasic@SetPenaltyByTOCLevel	19960, 19964,	11627, 11672,
..... 19477	19968, 19972, 20004	11673, 11674,
\TOCEntryStyleStartInitCode	\tocstyle@macrochangewarning	11675, 11776,
.. 17010, 17023, 19992, 19999	11779, 11813,
17042, 17590,	\tocstyle@numberline	11815, 11819,
17603, 17622, 19778, 19897	11821, 11824,
18273, 18286, 18305	\tocstyle@saved@dottedtocline	12354, 12357,
\toclevel@subfigure 19994	12846, 12850,
..... 19010	\tocstyle@saved@numberline	14392, 14393,
\toclevel@subtable 19030 20002	14394, 14395,
\TOCLineLeaderFill	\tocstyledepth 19789,	14492, 14493,
..... 17027,	19801, 19813,	14494, 14495,
17044, 17607,	19833, 19834,	18539, 18559,
17624, 18290,	19837, 19855,	18565, 20738,
18307, 19494, 19755	19856, 19905,	20739, 20740,
\tocstyle@@numberline	19907, 19909, 19913	20741, 20785,
..... 19900,	\tocstyleTOC	20786, 20787, 20788
19902, 19920,	.. 19801, 19804,	\tolerance
19922, 19925, 19927	19805, 19807,	8986, 9134, 9281,
\tocstyle@activate@all@l	19809, 19813,	9432, 9583, 9734,
..... 20013	19814, 19816,	9885, 10036, 10187
\tocstyle@activate@features	19817, 19821,	\toname 8635, 12871
..... 19790	19825, 19826,	\topheight
\tocstyle@dottedtocline	19829, 19830,	.. 15162, 15164,
..... 19777	19833, 19834,	15165, 15166,
\tocstyle@feature@dothook	19837, 19839,	15168, 15174,
..... 19876	19841, 19842,	15176, 15178,
\tocstyle@feature@entryhook	19846, 19851,	15179, 15180,
..... 19872	19852, 19855,	15243, 15244,
\tocstyle@feature@entryvskip	19856, 19905,	15245, 15246,
..... 19791, 19794	19907, 19908, 19912	15250, 15251, 15255
\tocstyle@feature@leaders	\today 5657	\topins 15338
..... 19874, 19879	\token 15003	\topmargin 1902, 2304,
\tocstyle@feature@pagenumberhook 122,	8106, 11011, 21016
..... 19882, 19885	124, 1469, 1470,	\topmark .. 7171, 7180,
\tocstyle@feature@pagenumberhook	1472, 1473, 4988,	7234, 7243, 10829,
..... 19883, 19885	4989, 4995, 6941,	10838, 10865,
\tocstyle@feature@parfillskip	11514, 11515,	10874, 11624,
..... 19862, 19863	11516, 12847, 12849	11633, 11672,
\tocstyle@feature@raggedhooks@ 121, 125,	11681, 14392,
..... 19798	1620, 1633, 1836,	14401, 14492,
\tocstyle@feature@spaceafternumber	1849, 4200, 4204,	14501, 20738,
..... 19899,	7171, 7172, 7173,	20747, 20785, 20794
19903, 19924, 19928	7174, 7234, 7235,	\topsep ... 2044, 2053,
\tocstyle@indentstyle	7236, 7237, 10829,	2494, 4287, 5497,
..... 19849, 19919	10830, 10831,	5539, 14289, 14291
\tocstyle@l@define	10832, 10865,	\topskip 311,
.. 19936, 19939,	10866, 10867,	1910, 7426, 7429,



11520, 11522,	\ttl@makeline 18662, 18717	8405, 8502, 10724,
11527, 14295,	\ttl@margin . 18716, 18722	14248, 15521,
14586, 18774,	\ttl@midlongest .. 18681	15726, 15776,
18780, 18785,	\ttl@outnoblock .. 18695	15867, 16111,
18792, 18797, 18802	\ttl@savel@chapter 18730	16235, 16293,
\TOTALHEIGHT 18625, 18629	\ttl@savel@part .. 18727	16700, 17249,
\totalheight 11806	\ttlh@hang 18661	17948, 18774,
\tovalue	\turn 16520	18780, 18785,
3560, 3647, 3655,	\turnbox 16541	18792, 18797, 18802
3686, 3699, 3705, 3706	\tw@ ... 358, 366, 1383,	\twocolumnfootnotes 8937
\tracingmacros 3675	1391, 1425, 1429,	\twocolumnfootstyle 9034
\traditionalconnverses	1434, 2216, 2835,	\TX@ 18516,
... 5895, 5918, 5934	9082, 9087, 10792,	18517, 18545, 18546
\traditionalhalfverses	10793, 11513,	\TX@align .. 18569, 18571
..... 5884,	11517, 11518,	\TX@arith 18531
5888, 5895, 5928	11532, 11536,	\TX@ckpt ... 18521, 18567
\traditionalpoem .. 6137	11541, 11544,	\TX@col@width . 18518,
\traditionalpoem@cr	11555, 11559,	18524, 18529, 18572
... 6008, 6057, 6058	11560, 11561,	\TX@cols
\traditionalpoem@obeylines	11562, 11565,	. 18525, 18529, 18573
..... 5938, 6137	11731, 11732,	\TX@endtabularx 12343,
\traditionalpoem@par	11742, 11744,	12354, 12360, 18514
... 5938, 5939, 6057	11745, 11747,	\TX@find@endtabularxa
\trimb 4990, 4997	11748, 11751, 18516, 18517
\trimc 4999	11753, 11754,	\TX@find@endtabularxb
\trivlist	11788, 11790, 18546
. 10920, 14936, 14956	11791, 11793,	\TX@find@endtabularxb
\ttdefault ... 7641, 7733	11794, 11797, 18544
\ttfamily	11799, 11800,	\TX@ftn . 18541, 18576,
1949, 1989, 1990,	12980, 14679,	18578, 18580,
1992, 1993, 1994,	14686, 14687,	18583, 18585, 18587
1995, 1996, 1997, 1998	14695, 14696,	\TX@ftntext 18535
\ttl@a 18697, 18699	14701, 14702,	\TX@LTRftntext
\ttl@b 18692,	14708, 14718, 18536, 18575
18693, 18697, 18699	14719, 14726,	\TX@newcol 18518
\ttl@beginlongest 18667	14727, 14744,	\TX@old@table 18523
\ttl@calc .. 18662, 18674	14749, 15354,	\TX@RTLftntext
\ttl@changecentercr	15355, 16592, 18537, 18582
..... 18666	17141, 17712,	\TX@target . 18524, 18538
\ttl@contentsstretch	17840, 18396,	\TX@trial
..... 18704	18494, 18592,	. 18528, 18533, 18549
\ttl@corr	18600, 18922,	\TX@trial@ftn
. 18719, 18720, 18723	20412, 20413,	. 18552, 18553, 18554
\ttl@endlongest .. 18682	20654, 20658, 20660	\TX@typeout@ 18526, 18568
\ttl@filleft 18656, 18685	\twocolumn	\TX@verb 18519
\ttl@filright 18657, 18686	... 465, 601, 617,	\TX@vwarn 18555
\ttl@glcmds 18669	816, 866, 1068,	\TX@xftntext 18535
\ttl@hmode@error . 18668	1118, 1318, 1886,	\TX@xLTRftntext ...
\ttl@leaders 18721	6238, 6415, 6625, 18536, 18579
\ttl@lselect 18728, 18731	6684, 7365, 7540,	



\TX@xRTLftntext . . .	2880, 2893, 2894,	\unsetRTL . . 15322, 20389
. 18537, 18586	2901, 2902, 3003, 3124	\unskip 46,
\typeout 1533,	\unhbox 1499,	60, 76, 259, 273,
1535, 4490, 4492,	5963, 6228, 6967,	288, 346, 1451,
4493, 4494, 4496,	10292, 10316,	1452, 1453, 4544,
4498, 4499, 4500,	10326, 10329,	4547, 4550, 4553,
11110, 15394,	10512, 10516,	5243, 5272, 5301,
19801, 19813,	10521, 10524,	5990, 6001, 6863,
19833, 19834,	20531, 20664,	7169, 7232, 7409,
19837, 19855, 19856	20665, 20666, 20667	7421, 7432, 7434,
	\unhcopy	7438, 7442, 8894,
U	. 18416, 18428, 18504	10293, 10294,
\uc@authornothanks	\unhskip 3480	11394, 11622,
. . 765, 794, 799,	\unitindent 640,	11670, 13563,
1017, 1046, 1051,	651, 652, 654,	13605, 13608,
1267, 1296, 1301,	728, 734, 878,	14390, 14490,
6378, 6555, 15675,	879, 881, 947, 948,	16525, 16535,
15704, 15709,	950, 951, 963, 968,	16553, 16888,
15814, 15845, 15850	1062, 1134, 1135,	16909, 16914,
\uc@ax 795,	1137, 1199, 1208,	16923, 17468,
796, 1047, 1048,	1214, 6254, 6255,	17489, 17494,
1297, 1298, 15705,	6257, 6332, 6338,	17503, 18151,
15706, 15846, 15847	6431, 6432, 6434,	18172, 18177,
\uc@nothanks	6485, 6491, 15544,	18186, 20546,
. . 756, 793, 794,	15555, 15556,	20736, 20783, 20959
803, 1008, 1045,	15558, 15609,	\untilcondition 3561,
1046, 1055, 1258,	15615, 15927,	3575, 3659, 3702
1295, 1296, 1305,	15928, 15930,	\unvbox . . . 6877, 6878,
6369, 6546, 15666,	15994, 16032, 16038	7132, 7135, 7152,
15703, 15704,	\unitlength	7156, 7169, 7219,
15713, 15805,	7031, 7041, 7054,	7232, 7278, 7336,
15844, 15845, 15854	7064, 7077, 7087,	7344, 7345, 7354,
\uc@tx 793,	7100, 7110, 14970	7432, 7434, 7438,
801, 1045, 1053,	\unkern 5152	7441, 7447, 7451,
1295, 1303, 15703,	\unpenalty	7510, 7518, 7519,
15711, 15844, 15852	6866, 7409, 7421,	7528, 7576, 7807,
\uc@ty 802,	7432, 7438, 10295,	7810, 7811, 7828,
803, 1054, 1055,	10313, 10323, 11544	7831, 7832, 7857,
1304, 1305, 15712,	\unrestored@protected@xdef	7864, 7869, 7874,
15713, 15853, 15854 2160,	7914, 7919, 7923,
\undefined 4006, 6090,	2168, 2176, 5235,	7928, 8751, 8764,
6143, 6146, 6148,	5264, 5293, 6116,	8777, 8867, 8899,
16891, 16893,	6123, 6130, 11248,	8905, 8936, 8999,
16895, 17471,	11257, 11416,	9011, 9024, 9064,
17473, 17475,	11431, 12224,	9147, 9158, 9170,
18154, 18156, 18158	12235, 12246, 12257	9208, 9294, 9306,
\underline . 20613, 20621	\unsetfootnoteRL . .	9319, 9359, 9445,
\undertext 20621 11263, 11264	9457, 9470, 9510,
\unexpanded . . . 2862,	\unsetLTR . . 15323, 20390	9596, 9608, 9621,
2871, 2872, 2879,	\unsetRL . . 15361, 20421	9661, 9747, 9759,



9772, 9812, 9898,	7739, 7740, 15413	15627, 16021,
9910, 9923, 9963,	<code>\urlstyle</code> 2323	16215, 16418,
10049, 10061,	<code>\use</code> 13787	16822, 16827,
10074, 10114,	<code>\usebox</code> . . . 2029, 2039,	17402, 17407,
10200, 10212,	4385, 4517, 4519,	18085, 18090, 18747
10225, 10265,	4524, 4526, 4535,	<code>\usekomafont</code> . . 16606,
10290, 10410,	4536, 4539, 4540,	16613, 16650,
10424, 10438,	4747, 8196, 8199,	16763, 17014,
10491, 10510,	8207, 8214, 8222,	17017, 17034,
10519, 10544,	8229, 8272, 11914,	17036, 17155,
10552, 10559,	11918, 12001,	17162, 17199,
10564, 10570,	12003, 12007,	17312, 17594,
11025, 11334,	12009, 12014,	17597, 17613,
11348, 11362,	12016, 12020,	17616, 17854,
11399, 11404,	12022, 12026,	17861, 17898,
11507, 11517,	12028, 12032,	18011, 18277,
11544, 11622,	12034, 12040,	18280, 18296, 18299
11670, 13536,	12041, 12044,	<code>\usepackage</code> 3924,
13541, 13550,	12045, 12049,	3925, 3930, 3931,
13553, 13611,	12050, 12053,	3934, 3937, 3982, 3983
13629, 14390,	12054, 12057,	<code>\usetocbasicnumberline</code>
14419, 14421,	12058, 12061, 19430
14429, 14447,	12062, 12076,	
14449, 14490,	12077, 12079,	V
14519, 14521,	12080, 12092,	<code>\v@aaa</code> 7297,
14529, 14547,	12093, 12095,	7299, 7300, 7301,
14549, 14604,	12096, 12102,	7303, 7305, 7306,
15200, 15204,	12103, 12106,	7307, 7308, 7463,
15209, 15213,	12107, 12111,	7465, 7467, 7469,
15225, 15236,	12112, 12115,	7470, 7475, 7476,
15256, 15259,	12116, 12119,	7478, 7481, 7482, 7485
15264, 15338,	12120, 12123,	<code>\v@ccc</code> 7298, 7304, 7306,
15339, 15343,	12124, 12131,	7307, 7308, 7309,
15348, 20531,	12133, 12137,	7318, 7326, 7464,
20736, 20783, 21038	12139, 12144,	7476, 7477, 7481,
<code>\unvcopy</code> . 7404, 7851, 7908	12146, 12150,	7484, 7488, 7494, 7500
<code>\uppercase</code> 318,	12152, 12156,	<code>\vadjust</code> . 5966, 5967, 5974
773, 793, 1025,	12158, 12162,	<code>\valign</code> 8926, 8930
1045, 1275, 1295,	12164, 12177,	<code>\value</code> 5033, 5052,
6386, 6563, 15683,	12179, 12989,	5071, 5103, 11100,
15703, 15822, 15844	12991, 14966,	11115, 11116,
<code>\uppercasenonmath</code> .	14967, 14969,	11119, 11120,
. 114, 12839	14976, 14994,	11123, 16878,
<code>\uppermargin</code> 8090	15271, 15272, 20335	17458, 18141, 18520
<code>\uppertitleback</code> . . .	<code>\usecounter</code> 91,	<code>\varcustomer</code> . . 17732,
. 16734, 17283, 17982	304, 582, 717,	17758, 17759, 17762
<code>\upshape</code>	980, 1230, 2500,	<code>\varinvoice</code> . . . 17733,
5420, 5427, 5434,	5535, 6321, 6509,	17764, 17765, 17768
5441, 5448, 7642,	6818, 8342, 8613,	<code>\varmyref</code> 17731,
7646, 7647, 7734,	10669, 12779,	17752, 17753, 17756



<code>\varrefitemi</code> . . 17734,	9318, 9358, 9444,	17485, 18168,
17770, 17771, 17774	9456, 9469, 9509,	18472, 18506,
<code>\varrefitemii</code> . 17735,	9595, 9607, 9620,	18511, 19935,
17776, 17777, 17780	9660, 9746, 9758,	19938, 19943,
<code>\varrefitemiii</code> 17736,	9771, 9811, 9897,	19947, 19951,
17782, 17783, 17786	9909, 9922, 9962,	19955, 19959,
<code>\varrefitemnamei</code> . 17772	10048, 10060,	19963, 19967,
<code>\varrefitemnameii</code> 17778	10073, 10113,	19971, 20363,
<code>\varrefitemnameiii</code> 17784	10199, 10211,	20371, 20372,
<code>\varyourmail</code> . . 17730,	10224, 10264,	20380, 20521,
17746, 17747, 17750	10290, 10365,	20526, 20632,
<code>\varyourref</code> . . . 17729,	10377, 10389,	20649, 20736,
17740, 17741, 17744	10407, 10415,	20751, 20783,
<code>\vbadness</code> . 7168, 7231,	10421, 10429,	20798, 20937,
8925, 8929, 10827,	10435, 10443,	20978, 21017, 21020
10863, 10968,	10483, 10490,	<code>\vboxL</code> 15308,
11621, 11669,	10497, 10541,	16440, 16485, 20372
14389, 14489,	10549, 10562,	<code>\vboxR</code> 15300, 20363
15152, 20735, 20782	10841, 10878,	<code>\vcenter</code> 401, 1483, 6951,
<code>\vbox</code> . . . 179, 316, 401,	10969, 10974,	18506, 20439,
407, 1419, 1486,	10999, 11012,	20528, 20529, 20632
2240, 4774, 4775,	11042, 11333,	<code>\veqno</code> 337, 338
4777, 5950, 6871,	11347, 11361,	<code>\verb</code> 18519
6876, 6954, 7132,	11380, 11504,	<code>\VerbBox</code> 8253, 8255
7135, 7152, 7156,	11517, 11541,	<code>\verse@i</code> 5980,
7169, 7184, 7201,	11622, 11638,	6011, 6017, 6025, 6066
7217, 7232, 7247,	11670, 11686,	<code>\verse@ii</code>
7260, 7276, 7298,	13474, 13536,	5991, 6012, 6018,
7304, 7309, 7312,	13541, 13544,	6020, 6026, 6028, 6066
7318, 7321, 7326,	13549, 13550,	<code>\versewidth</code>
7331, 7335, 7343,	13553, 13573,	. . . 5943, 5953, 6045
7353, 7404, 7432,	13611, 14143,	<code>\vfil</code> 423, 437, 631, 634,
7434, 7437, 7446,	14295, 14390,	750, 779, 938, 941,
7464, 7476, 7488,	14413, 14418,	1002, 1031, 1190,
7489, 7494, 7496,	14420, 14428,	1193, 1252, 1281,
7500, 7504, 7509,	14446, 14451,	5950, 6307, 6310,
7517, 7527, 7575,	14490, 14513,	6363, 6392, 6495,
7581, 7799, 7807,	14518, 14520,	6498, 6540, 6569,
7808, 7816, 7820,	14528, 14546,	6642, 6656, 7807,
7828, 7829, 7837,	14551, 14582,	7828, 8365, 8379,
7851, 7856, 7860,	15022, 15186,	8460, 8474, 10684,
7863, 7867, 7868,	15187, 15200,	10698, 15344,
7885, 7892, 7908,	15204, 15209,	15535, 15538,
7913, 7917, 7918,	15213, 15225,	15660, 15689,
7921, 7922, 7937,	15236, 15251,	15799, 15828,
7944, 8750, 8763,	15253, 15255,	15985, 15988,
8776, 8865, 8998,	15258, 15263,	16064, 16078,
9010, 9023, 9063,	15300, 15307,	16251, 16265, 21021
9146, 9157, 9169,	15308, 15315,	<code>\vfill</code> 1878, 5730,
9207, 9293, 9305,	15424, 16905,	8926, 8930, 10596,



15251,	15256,	6193, 6195, 6252,	14648,	15151,
15257,	16450,	6291, 6364, 6373,	15168,	15189,
16465,	16497,	6383, 6429, 6468,	15255,	15341,
16514,	16642,	6541, 6550, 6560,	15347,	15553,
16664,	16669,	6591, 6596, 6600,	15592,	15661,
16675,	17191,	6602, 6608, 6612,	15670,	15680,
17213,	17218,	6614, 6643, 6646,	15751,	15755,
17224,	17890,	6652, 6711, 6717,	15761,	15765,
17912, 17917, 17923		6723, 6727, 6747,	15800,	15809,
\vfuzz . . . 5001, 5004, 5005		6786, 6791, 6799,	15819,	15894,
\vleftskip . 14263, 14264		7218, 7277, 7338,	15901,	15907,
\voffset 1906		7339, 7347, 7348,	15911,	15917,
\voidb@x 6844, 6908		7357, 7358, 7439,	15920,	15925,
\vphantom 20098		7512, 7513, 7521,	15964,	16065,
\vpic . 15176, 15186, 15187		7522, 7531, 7532,	16068,	16074,
\vrighskip . 14263, 14264		7872, 7926, 8322,	16138,	16144,
\vrule 390,		8330, 8366, 8369,	16149,	16152,
1498, 4776, 4777,		8375, 8430, 8434,	16171,	16252,
5949, 5951, 6966,		8440, 8444, 8461,	16255,	16261,
7188, 7253, 7316,		8464, 8470, 8529,	16320,	16326,
7328, 7493, 7502,		8535, 8541, 8545,	16332,	16336,
10843,	10884,	8580, 8585, 8594,	16356,	16394,
11644,	11690,	8886, 8896, 8909,	16398,	16406,
13465,	13522,	10527,	10531,	16605,
13871,	14133,	10545,	10553,	16646,
14214,	14423,	10555,	10566,	16651,
14430,	14455,	10619,	10637,	16659,
14523,	14530,	10641,	10649,	16677,
14557,	14586,	10685,	10688,	16759,
14699,	14713,	10694,	10749,	16764,
18432,	18460,	10753,	10759,	16773,
18501,	20635,	10763,	11011,	16781,
20755, 20804, 20951		11015,	11016,	16866,
\vsize 7374, 7549,		11024,	11396,	16952,
10989,	11469,	11505,	11543,	16958,
11520, 13548, 13556		11548,	12957,	16971,
\vskip 319,		12959,	13071,	16981,
322, 424, 427, 433,		13084,	13492,	17161,
492, 498, 504, 508,		13509,	13510,	17195,
570, 649, 751, 760,		13512,	13626,	17200,
770, 841, 845, 851,		14289,	14291,	17206,
855, 876, 1003,		14294,	14335,	17210,
1012, 1022, 1093,		14344,	14352,	17226,
1097, 1103, 1107,		14421,	14422,	17304,
1132, 1253, 1262,		14424,	14431,	17308,
1272, 1343, 1348,		14448,	14521,	17311,
1354, 1358, 1364,		14522,	14524,	17313,
1367, 2255, 6006,		14531,	14548,	17320,
6033, 6069, 6070,		14593,	14605,	17322,
6076, 6080, 6082,		14624,	14636,	17325,
				17330,
				17441,
				17446,
				17530,
				17532,
				17536,
				17538,
				17549,
				17551,
				17559,
				17561,



17737,	17738,	7305, 7310, 7465,	11561,	11751,
17853,	17860,	7467, 7476, 7488,	11753,	11797,
17894,	17897,	7578, 8935, 10828,	11799,	11920,
17899,	17905,	10864, 11513,	12001,	12003,
17907,	17909,	11623, 11671,	12007,	12009,
17925,	18003,	14391, 14491,	12040,	12041,
18007,	18010,	15157, 15160,	12044,	12045,
18012,	18019,	15179, 15180,	12069,	12070,
18021,	18024,	15198, 15202,	12072,	12085,
18029,	18124,	15207, 15211,	12086,	12088,
18129,	18213,	15223, 15234,	12102,	12103,
18215,	18219,	15261, 20737, 20784	12106,	12107,
18221,	18232,	\vss 316,	12131,	12133,
18234,	18242,	7204, 7263, 7299,	12137,	12139,
18244,	18866,	7305, 7310, 7318,	12918,	12962,
18885,	18906,	7321, 7326, 7331,	12963,	12974,
18923,	18940,	7466, 7476, 7488,	13078,	13487,
18957,	18974,	7494, 7496, 7500,	13612,	14301,
18992,	19011,	7504, 7579, 7864,	14305,	14307,
19031,	19066,	7874, 7919, 7928,	14315,	14346,
19255,	19792,	11043, 13541,	14665,	15144,
19976,	20155,	13553, 14144,	15355,	15378,
20159,	20178,	15186, 15187,	15405,	16437,
20555,	20564,	15258, 15424, 20531	16482,	16538,
20573,	20582,	\vtop 180, 401, 407, 1418,	16545,	16903,
20670,	20937,	1485, 4835, 4879,	17483,	17743,
21016,	21029,	4923, 6877, 6953,	17749,	17755,
21037, 21061, 21069		13456, 18472,	17761,	17767,
\vspace 2423, 4378, 4468,		18506, 18511,	17773,	17779,
4476, 5094, 5098,		20527, 20632,	17785,	17791,
5160, 5165, 5178,		20649, 20852, 20896	18166,	18412,
5183, 5196, 5201,			18570,	18621,
5318, 5327, 5336,		W	18675,	18692,
5417, 5424, 5431,		\waslice 15186, 15204,	19435,	19449,
5438, 5445, 5728,		15209, 15225,	20189,	20233,
5772, 5776, 6585,		15244, 15245, 15254	20413, 20609, 21063	
6605, 6780, 6794,		\wbslice 15187,	\WF@everypar 20152	
8574, 8589, 8634,		15200, 15213,	\WF@adjlw 20192, 20217	
8636, 8638, 10632,		15236, 15243,	\WF@adjtlm 20214, 20217	
10644, 12870,		15245, 15246,	\WF@box 20189, 20222, 20223	
12872, 13593,		15250, 15251,	\WF@floatfalse 20155,	
13606, 16389,		15258, 15263, 15264	20163, 20173, 20176	
16401, 17795,		\wd 1628, 1844,	\WF@fltmcs 20182	
17798, 17800,		5956, 5957, 6017,	\WF@info 20162,	
17805, 18774,		6018, 6020, 6026,	20172, 20175,	
18780, 18785,		6066, 6167, 6169,	20184, 20219, 20221	
18792, 18797, 18802		6182, 6184, 6975,	\WF@ovh 20189	
\vsplit 7127,		8266, 8270, 10300,	\WF@place 20187, 20193	
7128, 7145, 7149,		10803, 10930,	\WF@putfigmaybe 20153	
7170, 7233, 7299,		11442, 11560,	\WF@size 20166, 20220	



<code>\WF@startwrapping</code> 20225	<code>\XC@coremodel</code> 20244, 20287	19912, 20187,
<code>\WF@wfname</code>	<code>\XC@current@color</code> .	20192, 20213,
. 20184, 20219, 20221 20272,	20214, 20216,
<code>\WF@wrapil</code> . 20213, 20216	20275, 20276,	20217, 20739,
<code>\whilecondition</code> 3561,	20306, 20322, 20323	20741, 20786, 20788
3575, 3664, 3696	<code>\XC@declaredc@lor</code> .	<code>\XeLaTeX</code> 12737,
<code>\whiledo</code> 10973 20267, 20274	20417, 21230, 21231
<code>\widowpenalty</code> . . . 92,	<code>\XC@declaredcolor</code> 20266	<code>\XeTeX</code> . . 12736, 15357,
305, 588, 720,	<code>\XC@display</code> . . . 20273,	20415, 21228, 21229
983, 1233, 2503,	20277, 20307, 20324	<code>\XeTeXcharclass</code> 1740,
6054, 6324, 6512,	<code>\XC@edef</code> . . . 20260, 20309	1741, 1742, 1743
6824, 8345, 8619,	<code>\XC@fbox</code> 20328	<code>\XeTeXinterchartokenstate</code>
10672, 12780,	<code>\XC@getmodclr</code> 20240, 20283 1737
14870, 15630,	<code>\XC@inflate</code> . 20254, 20297	<code>\XeTeXinterchartoks</code> 1744
16024, 16221,	<code>\XC@let@Nc</code> . 20275, 20322	<code>\xm</code> . . 8040, 8044, 8058, 8062
16424, 16832,	<code>\XC@mclr</code> . . . 20254, 20297	<code>\xxm</code> . 8048, 8052, 8066, 8070
17412, 18095, 18753	<code>\XC@mmod</code> 20252,	<code>\xyzzxy</code> 4982
<code>\WIDTH</code> 18621, 18629	20253, 20295, 20296	
<code>\width</code> . . 11463, 11731,	<code>\XC@mul</code> 20255, 20298	Y
11819, 11821,	<code>\XC@split</code> 20318	<code>\y</code> . . . 8040, 8044, 8048,
14180, 14189, 14213	<code>\XC@tgt@mod</code> . 20248, 20291	8052, 8057, 8058,
<code>\widthof</code> 8121, 8126	<code>\XC@type</code> . . . 20261, 20310	8061, 8062, 8066,
<code>\windowbox</code> . 15253, 15259	<code>\XC@undeclaredcolor</code>	8067, 8070, 8071,
<code>\wlog</code> 7300, 7306, 20257, 20268	12741, 12743,
7308, 7469, 7477, 7484	<code>\xcolor@</code> . . . 20272, 20306	12744, 12747, 12754
<code>\write</code> 4155, 5939, 5942,	<code>\xdef</code> 343, 396,	<code>\ym</code> . . 8057, 8061, 8067, 8071
6153, 18558, 20717	1982, 2659, 2794,	<code>\yourmailname</code> 17748
<code>\wstrutbox</code> . 15163, 15165	2879, 2880, 2883,	<code>\yourrefname</code> 17742
	2884, 2901, 2902,	<code>\yym</code> . 8039, 8043, 8049, 8053
	2905, 2906, 4046,	
X	4201, 5957, 5959,	Z
<code>\x</code> 3696, 3697,	6040, 6042, 6044,	<code>\z@</code> . . . 12, 24, 46, 60, 76,
4167, 4170, 8039,	7172, 7174, 7235,	99, 103, 111, 128,
8040, 8043, 8044,	7237, 7817, 7838,	134, 136, 217, 229,
8049, 8053, 8057,	7883, 7889, 7890,	233, 259, 273, 288,
8058, 8061, 8062,	7935, 7941, 7942,	316, 324, 328, 346,
8067, 8071, 12745,	10355, 10472,	360, 364, 367, 378,
12754, 12756, 12768	10534, 10830,	393, 398, 404, 405,
<code>\XC@@tmp</code> 20260, 20261,	10832, 10866,	469, 516, 528, 533,
20275, 20309,	10868, 11234,	560, 599, 604, 605,
20310, 20318, 20322	11625, 11627,	615, 619, 620, 649,
<code>\XC@@tstfalse</code> 20260, 20309	11673, 11675,	650, 653, 655, 668,
<code>\XC@@tsttrue</code> . . 20261,	12355, 12911,	693, 745, 762, 820,
20262, 20263,	13472, 14393,	864, 868, 869, 876,
20310, 20311, 20312	14395, 14493,	877, 880, 883, 895,
<code>\XC@bidideclaredc@lor</code>	14495, 15107,	912, 949, 952, 997,
. 20316, 20321	15114, 15121,	1014, 1060, 1072,
<code>\XC@bidideclaredcolor</code>	18692, 19817,	1116, 1120, 1121,
. 20315, 20317	19821, 19842,	1132, 1133, 1136,
<code>\XC@bidiundeclaredcolor</code>	19846, 19908,	1138, 1151, 1177,
. 20300, 20302		



1247, 1264, 1322,	7855, 7877, 7879,	11794,	11796,
1359, 1385, 1389,	7882, 7900, 7901,	11797,	11799,
1392, 1405, 1427,	7903, 7904, 7912,	11871,	11877,
1435, 1453, 1463,	7929, 7931, 7934,	12788,	12792,
1465, 1475, 1477,	8235, 8257, 8259,	12808,	12812,
1482, 1496, 1498,	8261, 8264, 8266,	12824,	12836,
1499, 1621, 1626,	8268, 8270, 8272,	12853,	12934,
1627, 1628, 1630,	8273, 8279, 8284,	12995,	12997,
1837, 1842, 1843,	8298, 8312, 8325,	13037,	13044,
1844, 1846, 2200,	8409, 8506, 8552,	13049,	13060,
2255, 3541, 3551,	8562, 8564, 8566,	13132,	13434,
4275, 4284, 4583,	8575, 8590, 8713,	13436,	13468,
4816, 4820, 4860,	8729, 8745, 8759,	13474,	13477,
4864, 4904, 4908,	8772, 8785, 8823,	13482,	13485,
5494, 5521, 5552,	8828, 8835, 8840,	13522,	13536,
5564, 5742, 5970,	8847, 8852, 8910,	13540,	13541,
5973, 5976, 6017,	8911, 8985, 9133,	13544,	13550,
6018, 6020, 6026,	9280, 9431, 9582,	13563,	13584,
6040, 6044, 6048,	9733, 9884, 10035,	13586,	13608,
6049, 6050, 6051,	10186, 10299,	13637,	14251,
6052, 6053, 6066,	10395, 10399,	14254,	14278,
6079, 6147, 6159,	10403, 10504,	14403,	14407,
6160, 6167, 6169,	10528, 10529,	14417,	14478,
6182, 6184, 6192,	10530, 10607,	14503,	14507,
6236, 6240, 6241,	10622, 10633,	14517,	14575,
6252, 6253, 6256,	10645, 10728,	14592,	14601,
6258, 6271, 6294,	10771, 10773,	14603,	14624,
6346, 6348, 6350,	10775, 10804,	14636,	14648,
6358, 6375, 6413,	10955, 11010,	14668,	14679,
6417, 6418, 6429,	11043, 11066,	14685,	14859,
6430, 6433, 6435,	11068, 11070,	14864,	14905,
6448, 6471, 6523,	11079, 11081,	14915,	14965,
6525, 6527, 6535,	11083, 11229,	14966,	14967,
6552, 6586, 6606,	11283, 11300,	14969,	14971,
6623, 6628, 6629,	11316, 11343,	14976,	14994,
6688, 6735, 6750,	11357, 11371,	15272,	15316,
6768, 6770, 6772,	11385, 11389,	15318,	15353,
6781, 6795, 6846,	11510, 11560,	15354,	15355,
6847, 6858, 6860,	11567, 11593,	15364,	15365,
6943, 6945, 6950,	11594, 11595,	15378,	15402,
6964, 6966, 6967,	11725, 11726,	15403,	15424,
6972, 6973, 6974,	11727, 11734,	15469,	15470,
6975, 6976, 7010,	11741, 11742,	15484,	15487,
7021, 7139, 7293,	11743, 11744,	15501,	15519,
7340, 7349, 7359,	11745, 11747,	15523,	15524,
7377, 7380, 7417,	11748, 11750,	15553,	15554,
7459, 7514, 7523,	11751, 11753,	15557,	15559,
7533, 7552, 7555,	11787, 11788,	15572,	15595,
7805, 7826, 7843,	11789, 11790,	15641,	15643,
7844, 7846, 7847,	11791, 11793,	15645,	15655,



15672,	15730,	17322,	17441,	20207,	20216,
15774,	15778,	17446,	17491,	20217,	20219,
15779,	15794,	17555,	17635,	20223,	20230,
15811,	15871,	17640,	17643,	20231,	20232,
15912,	15925,	17649,	17659,	20233,	20328,
15926,	15929,	17669,	17679,	20335,	20383,
15931,	15944,	17716,	17845,	20385,	20411,
15967,	16006,	17853,	17860,	20412,	20413,
16008,	16010,	17862,	17884,	20464,	20465,
16063,	16106,	17907,	17925,	20466,	20555,
16115,	16142,	17952,	17996,	20564,	20573,
16159,	16174,	18021,	18124,	20582,	20586,
16195,	16197,	18129,	18174,	20606,	20607,
16199,	16233,	18238,	18318,	20637,	20648,
16238,	16239,	18323,	18326,	20656,	20661,
16297,	16344,	18332,	18342,	20670,	20833,
16359,	16377,	18352,	18362,	20837,	20877,
16379,	16381,	18403,	18404,	20881,	20922,
16390,	16402,	18405,	18406,	20926,	20929,
16437,	16438,	18411,	18412,	20939,	20940,
16439,	16482,	18416,	18428,	20944,	20951,
16483,	16484,	18462,	18485,	20988,	21014,
16522,	16526,	18497,	18501,	21027,	21072, 21073
16527,	16532,	18594,	18598,	\z@skip .. 2255, 11008,	
16536,	16537,	18605,	18616,	11009,	13584,
16538,	16543,	18659,	18660,	13587,	15484,
16544,	16545,	18670,	18674,	15488,	15498,
16550,	16554,	18675,	18676,	18466,	18471,
16555,	16597,	18679,	18688,	18504,	18510,
16605,	16612,	18689,	18691,	20585,	20586,
16614,	16636,	18692,	18694,	20641,	20647, 21014
16659,	16677,	18702,	18707,	\zap@space 3912, 3999, 4035	
16704,	16748,	18722,	18808,	\zifrefundefined ..	
16773,	16861,	18809,	18883, 11132, 11155	
16866,	16911,	18973,	18991,	\zref@extractdefault	
16975,	17051,	19084,	19263, 11137, 11158	
17054,	17060,	19371,	19400,	\zref@labelbyprops	
17070,	17080,	19710,	19714, 11103, 11178	
17090,	17146,	19792,	19797,		
17154,	17161,	19802,	19850,	⊠	
17163,	17185,	19976,	20162,	\	1743
17208,	17226,	20169,	20170,	\	1743
17253,	17297,	20188,	20204,		

