



The *bidi* Package

Source documentation for [version 35.7](#)

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/vafa-ac/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

Copyright (c) 2007–2019 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the \LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting in plain T_EX and L_AT_EX, using XeT_EX engine

Source documentation for [version 35.7](#)

Vafa Khalighi

March 3, 2019

Contents

1 File amsart-xetex-bidi.def	4	17 File bidicode.sty	44
2 File adjmulticol-xetex-bidi.def	6	18 File bidiftnxtra.sty	47
3 File algorithm2e-xetex-bidi.def	7	19 File bidimoderncv.cls	51
4 File amsbook-xetex-bidi.def	8	20 File bidi-perpage.sty	56
5 File amsmath-xetex-bidi.def	10	21 File biditools.sty	57
6 File amstext-xetex-bidi.def	11	22 File biditufefloat.sty	93
7 File amsthm-xetex-bidi.def	11	23 File biditufesidenote.sty	104
8 File array-xetex-bidi.def	11	24 File bidituftetoc.sty	115
9 File article-xetex-bidi.def	12	25 File bidituftegeneralstructure.sty	118
10 File artikel1-xetex-bidi.def	16	26 File bidituftehyperref.sty	120
11 File artikel2-xetex-bidi.def	21	27 File bidituftetitle.sty	121
12 File artikel3-xetex-bidi.def	26	28 File biditufte-handout.cls	124
13 File arydshln-xetex-bidi.def	31	29 File biditufte-book.cls	125
14 File bidi.sty	34	30 File bidipoem.sty	126
15 File bidi.tex	41	31 File boek3-xetex-bidi.def	133
16 File bidi2in1.sty	43	32 File boek-xetex-bidi.def	137

33 File bookest-xetex-bidi.def	140	61 File float-xetex-bidi.def	224
34 File book-xetex-bidi.def	141	62 File floatrow-xetex-bidi.def	225
35 File breqn-xetex-bidi.def	145	63 File flowfram-xetex-bidi.def	225
36 File cals-xetex-bidi.def	146	64 File footnote-xetex-bidi.def	228
37 File caption-xetex-bidi.def	147	65 File framed-xetex-bidi.def	235
38 File caption3-xetex-bidi.def	147	66 File ftnright-xetex-bidi.def	238
39 File colortbl-xetex-bidi.def	148	67 File graphicx-xetex-bidi.def	243
40 File color-xetex-bidi.def	148	68 File geometry-xetex-bidi.def	246
41 File combine-xetex-bidi.def	149	69 File hfloat-xetex-bidi.def	247
42 File crop-xetex-bidi.def	150	70 File hyperref-xetex-bidi.def	253
43 File cutwin-xetex-bidi.def	152	71 File imsproc-xetex-bidi.def	266
44 File cuted-xetex-bidi.def	152	72 File leqno-xetex-bidi.def	268
45 File cvthemedibicasual.sty	161	73 File letter-xetex-bidi.def	268
46 File cvthemedibiclassic.sty	163	74 File lettrine-xetex-bidi.def	268
47 File dblfnote-xetex-bidi.def	165	75 File lineno-xetex-bidi.def	271
48 File diagbox-xetex-bidi.def	169	76 File listings-xetex-bidi.def	272
49 File draftwatermark-xetex-bidi.def	171	77 File loadingorder-xetex-bidi.def	274
50 File eso-pic-xetex-bidi.def	171	78 File longtable-xetex-bidi.def	280
51 File empheq-xetex-bidi.def	172	79 File mathtools-xetex-bidi.def	283
52 File extarticle-xetex-bidi.def	175	80 File mdframed-xetex-bidi.def	283
53 File extbook-xetex-bidi.def	179	81 File bidi-media9.sty	284
54 File extletter-xetex-bidi.def	182	82 File memoir-xetex-bidi.def	296
55 File extrafootnotefeatures-xetex-bidi.def	186	83 File midfloat-xetex-bidi.def	299
56 File extreport-xetex-bidi.def	218	84 File minitoc-xetex-bidi.def	304
57 File fancybox-xetex-bidi.def	221	85 File multicol-xetex-bidi.def	305
58 File fancyhdr-xetex-bidi.def	222	86 File multienum-xetex-bidi.def	310
59 File fix2col-xetex-bidi.def	222	87 File natbib-xetex-bidi.def	311
60 File fleqn-xetex-bidi.def	224	88 File newfloat-xetex-bidi.def	312



89 File <i>ntheorem-xetex-bidi.def</i>	312	110 File <i>soul-xetex-bidi.def</i>	383
90 File <i>entheorem-hyper-xetex-bidi.def</i>	313	111 File <i>stabular-xetex-bidi.def</i>	384
91 File <i>overpic-xetex-bidi.def</i>	313	112 File <i>subfigure-xetex-bidi.def</i>	385
92 File <i>pdfbase-xetex-bidi.def</i>	314	113 File <i>tabls-xetex-bidi.def</i>	385
93 File <i>pdffpages-xetex-bidi.def</i>	315	114 File <i>tabularx-xetex-bidi.def</i>	386
94 File <i>pgfcorescopes.code-xetex-bidi.def</i>	316	115 File <i>tabulary-xetex-bidi.def</i>	388
95 File <i>picinpar-xetex-bidi.def</i>	317	116 File <i>tc-xetex-bidi.def</i>	388
96 File <i>plain-xetex-bidi.def</i>	320	117 File <i>tcolorbox-xetex-bidi.def</i>	389
97 File <i>pstricks-xetex-bidi.def</i>	322	118 File <i>titlesec-xetex-bidi.def</i>	389
98 File <i>quotchap-xetex-bidi.def</i>	323	119 File <i>titletoc-xetex-bidi.def</i>	390
99 File <i>ragged2e-xetex-bidi.def</i>	323	120 File <i>tocbibind-xetex-bidi.def</i>	391
100 File <i>rapport1-xetex-bidi.def</i>	325	121 File <i>tocloft-xetex-bidi.def</i>	392
101 File <i>rapport3-xetex-bidi.def</i>	330	122 File <i>tocbasic-xetex-bidi.def</i>	399
102 File <i>refrep-xetex-bidi.def</i>	336	123 File <i>tocstyle-xetex-bidi.def</i>	412
103 File <i>report-xetex-bidi.def</i>	340	124 File <i>todonotes-xetex-bidi.def</i>	417
104 File <i>rotating-xetex-bidi.def</i>	344	125 File <i>wrapfig-xetex-bidi.def</i>	419
105 File <i>scrartcl-xetex-bidi.def</i>	346	126 File <i>xcolor-xetex-bidi.def</i>	421
106 File <i>scrbook-xetex-bidi.def</i>	357	127 File <i>latex-xetex-bidi.def</i>	423
107 File <i>scrlettr-xetex-bidi.def</i>	369	128 File <i>xltextra-xetex-bidi.def</i>	442
108 File <i>scrreprt-xetex-bidi.def</i>	371		
109 File <i>sidecap-xetex-bidi.def</i>	383	129 Index	442



1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for XeT
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \atempdima\csname r@tocindent\endcsname\relax
9     }{%
10       \atempdima#4\relax
11     }%
12     \parindent\z@\if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#5\leavevmode\hskip-\atempdima #6\nobreak\relax
13     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14     \hfil\hbox to\@pnumwidth{\atocpagenum{#7}}\par
15     \nobreak
16     \endgroup
17   \fi}
18 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
19 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
20 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
21 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{ subparagraph}}
22 \def\part{\@startsection{part}{0}%
23   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
24   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
25 \def\right@footnoterule{%
26   \kern-.4\p@
27   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
28   \kern11\p@\kern-\footnotesep}
29 \def\left@footnoterule{\kern-.4\p@
30   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
31
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL\@footnote\@RTLtrue\else\@RTLfalse\fi%
37     \reset@font%
38     \bidi@@footnotetext@font\normalfont\footnotesize
39     \interlinepenalty\interfootnotelinepenalty
40     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41     \floatingpenalty\@MM \hsize\columnwidth
42     \parboxrestore \parindent\normalparindent \sloppy
43     \protected@edef\@currentlabel{%
44       \csname p@footnote\endcsname\@thefnmark}%
45     \makefntext{%
46       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
```



```

49  \insert\footins{%
50    \@RTLtrue%
51    \reset@font%
52    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
53    \interlinepenalty\interfootnotelinepenalty
54    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55    \floatingpenalty\@MM \hsize\columnwidth
56    \parboxrestore \parindent\normalparindent \sloppy
57    \protected@edef@\currentlabel{%
58      \csname p@footnote\endcsname\@thefnmark}%
59    \makefntext{%
60      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \@RTLfalse%
67     \reset@font%
68     \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef@\currentlabel{%
74       \csname p@footnote\endcsname\@thefnmark}%
75     \makefntext{%
76       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
77
78
79 \footdir@temp\footdir@ORG@\bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@\bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@\bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \bibtitlestyle
85   \normalfont\bibliofont\labelsep .5em\relax
86   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88   \bidi@thebibliography@font@hook%
89   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90     \leftmargin\labelwidth\advance\leftmargin\labelsep
91     \usecounter{enumiv}}%
92   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93   \sfcode`.=\@m
94 }{%
95   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96   \endlist
97 }
98 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi

```



```

99  \columnseprule{z@ \columnsep 35\p@}
100 \@inindexstyle
101 \thispagestyle{plain}%
102 \let\item\@idxitem
103 \parindent{z@ \parskip{z@ \plus.3\p@ \relax
104 \if@RTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize}
107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111   \topnum{z@ % this prevents figures from falling at the top of page 1
112   \setcopyright
113   \thispagestyle{firstpage}%
114   \uppercase\nonmath\shorttitle
115   \ifx\@empty\shortauthors \let\shortauthors\shorttitle
116   \else \andify\shortauthors
117   \fi
118   \maketitle@hook
119   \begingroup
120   \maketitle
121   \toks@{\exp{\shortauthors}}\temptokena{\exp{\shorttitle}}%
122   \toks4{\def{\ignorespaces}}% defend against questionable usage
123   \edef\@tempa{%
124     \nx\markboth{\the\toks4
125     \nx\MakeUppercase{\the\toks@}{\the\temptokena}}%
126   \@tempa
127   \endgroup
128   \c@footnote{z@}
129   \cleartopmattertags
130 }

```

2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pac
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133   \def\@tempa{#2}%
134   \ifx\@tempa\empty\adjmc@inner{z@ \else\adjmc@inner#2\fi
135   \def\@tempa{#3}%
136   \ifx\@tempa\empty\adjmc@outer{z@ \else\adjmc@outer#3\fi
137   \ifnum\col@number<\@ne
138     \PackageWarning{adjmulticol}%
139     {Using ` \number\col@number'
140      columns doesn't seem a good idea.^^J
141      I therefore use one columns instead}%
142     \col@number\@ne\fi
143   \ifnum\col@number>10
144     \PackageError{adjmulticol}%
145     {Too many columns}%

```



```

146     {Current implementation doesn't
147      support more than 10 columns.%}
148     \MessageBreak
149     I therefore use 10 columns instead}%
150   \col@number10 \fi
151   \ifx\@footnotetext\mult@footnotetext\else
152     \let\orig@footnotetext\@footnotetext
153     \let\@footnotetext\mult@footnotetext
154   \fi
155   \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156     \let\orig@LTRfootnotetext\@LTRfootnotetext
157     \let\@LTRfootnotetext\mult@LTRfootnotetext
158   \fi
159   \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160     \let\orig@RTLfootnotetext\@RTLfootnotetext
161     \let\@RTLfootnotetext\mult@RTLfootnotetext
162   \fi
163   \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e pa
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%                                         else
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\SepMark\arabic{c}\algocf}%
169 \fi
170 \@ifpackageloaded{color}{}{%
171   \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172     \bgroup
173     \if@RTL
174       \beginR
175     \else
176       \beginL
177     \fi
178   }{}{%
179   \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180     \if@RTL
181       \endR
182     \else
183       \endL
184     \fi
185     \egroup
186     \end{lrbox}%
187 }{}{%
188 \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189   \if@RTL
190     \hboxR
191   \else
192     \hboxL

```



```

193      \fi
194  }{}{{
195 }

```

4 File amsbook-xetex-bidi.def

```

196 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for ]
197 \def\@tocline#1#2#3#4#5#6#7{\relax
198   \ifnum #1>\c@tocdepth % then omit
199   \else
200     \par \addpenalty\@secpenalty\addvspace{#2}%
201     \begingroup \hyphenpenalty\@M
202     \@ifempty{#4}{%
203       \tempdima\csname r@tocindent\endcsname\relax
204     }{%
205       \tempdima#4\relax
206     }%
207     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi
208     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
209     #5\leavevmode\hskip-\tempdima #6\nobreak\relax
210     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
211     \nobreak
212     \endgroup
213   \fi}
214 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
215 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
216 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
217 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
218 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
219   \columnseprule\z@ \columnsep 35\p@
220   \inindexstyle
221   \thispagestyle{plain}%
222   \let\item\idxitem
223   \parindent\z@ \parskip\z@\@plus.3\p@\relax
224   \if@RTL\raggedleft\else\raggedright\fi
225   \hyphenpenalty\@M
226   \footnotesize}
227 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
228 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
229 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
230 \def\right@footnoterule{%
231   \kern-.4\p@
232   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
233   \kern11\p@\kern-\footnotesep}
234 \def\left@footnoterule{\kern-.4\p@
235   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
236
237 \long\def\@footnotetext#1{%
238   \insert\footins{%
239     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%

```



```

240  \reset@font%
241  \bidi@@footnotetext@font% \normalfont\footnotesize
242  \interlinepenalty\interfootnotelinepenalty
243  \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
244  \floatingpenalty\@MM \hsize\columnwidth
245  \@parboxrestore \parindent\normalparindent \sloppy
246  \protected@edef@\currentlabel{%
247   \csname p@footnote\endcsname@\thefnmark}%
248  \makefntext{%
249   \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
250
251 \long\def@\RTLfootnotetext#1{%
252  \insert\footins{%
253   \RTLtrue%
254   \reset@font%
255   \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
256   \interlinepenalty\interfootnotelinepenalty
257   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
258   \floatingpenalty\@MM \hsize\columnwidth
259   \@parboxrestore \parindent\normalparindent \sloppy
260   \protected@edef@\currentlabel{%
261    \csname p@footnote\endcsname@\thefnmark}%
262   \makefntext{%
263    \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
264
265
266 \long\def@\LTRfootnotetext#1{%
267  \insert\footins{%
268   \RTLfalse%
269   \reset@font%
270   \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
271   \interlinepenalty\interfootnotelinepenalty
272   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
273   \floatingpenalty\@MM \hsize\columnwidth
274   \@parboxrestore \parindent\normalparindent \sloppy
275   \protected@edef@\currentlabel{%
276    \csname p@footnote\endcsname@\thefnmark}%
277   \makefntext{%
278    \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
279
280
281 \footdir@temp\footdir@ORG\bidi@amsbook@footnotetext@\footnotetext{\bidi@footdir@footnote}%
282 \footdir@temp\footdir@ORG\bidi@amsbook@RTLfootnotetext@\RTLfootnotetext{R}%
283 \footdir@temp\footdir@ORG\bidi@amsbook@LTRfootnotetext@\LTRfootnotetext{L}%
284
285 \renewenvironment{thebibliography}[1]{%
286  \bibttitlestyle
287  \normalfont\biblio\labelsep .5em\relax
288  \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty

```



```

290  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
291  \bidi@thebibliography@font@hook%
292  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}}{%
293  \leftmargin\labelwidth \advance\leftmargin\labelsep
294  \usecounter{enumiv}}%
295  \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
296  \sfcodes`.=\@m
297 }{%
298  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
299  \endlist
300 }
301 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
302  \begingroup
303  \fontsize{\xivpt}{18}\bfseries\centering
304  \ifnum\c@secnumdepth>\@ne
305  \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
306  \rlap{\vbox to\z@{\vss
307  \centerline{\normalsize\mdseries
308  \uppercase\expandafter{\chaptername}\enspace\thechapter}
309  \vskip 3pc}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
310  #1\par \endgroup
311  \skip@34\p@ \advance\skip@-\normalbaselineskip
312  \vskip\skip@ }
313 \def\maketitle{\par
314  \atopnum\z@ % this prevents figures from falling at the top of page 1
315  \begingroup
316  \@maketitle
317  \endgroup
318  \c@footnote\z@
319  \def\do##1{\let##1\relax}%
320  \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
321  \do\author \do\@xauthor \do\address \do\@xaddress
322  \do\email \do\@xemail \do\curraddr \do\@curraddr
323  \do\dedication \do\@dedication \do\thanks \do\thankses
324  \do\keywords \do\@keywords \do\subjclass \do\@subjclass
325 }

```

5 File amsmath-xetex-bidi.def

```

326 \ProvidesFile{amsmath-xetex-bidi.def}[2018/01/08 v1.1 bidi adaptations for amsmath package for
327 \let\veqno=\eqno
328 \iftagsleft@ \let\veqno=\leqno \fi
329 \renewcommand{\numberwithin}[3]{[\arabic]}{%
330  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
331  \@ifundefined{c@#3}{\@nocnterr{#3}}{%
332  \addtoreset{#2}{#3}}{%
333  \expandafter\csname the#2\endcsname{%
334  \expandafter\csname the#3\endcsname \nx\@SepMark\@nx{#2}}}}{%
335 }
336 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@italiccorr

```



6 File amstext-xetex-bidi.def

```
337 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for Xe
338 \def\textdef@#1#2{\hbox{%
339         \everymath{#1}%
340         \let\f@size#2\selectfont
341         \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7 File amsthm-xetex-bidi.def

```
342 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for Xe
343 \def\@thmcountersep{\@SepMark}
```

8 File array-xetex-bidi.def

```
344 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for Xe
345 \def\@testpach{\@chclass
346 \ifnum \@lastchclass=6 \one \@chnum \one \else
347 \ifnum \@lastchclass=7 5 \else
348 \ifnum \@lastchclass=8 \tw@ \else
349 \ifnum \@lastchclass=9 \thr@@
350 \else \z@
351 \ifnum \@lastchclass = 10 \else
352 \edef\@nextchar{\expandafter\string\@nextchar}%
353 \@chnum
354 \if \@nextchar c\z@ \else
355 \if \@nextchar \if@RTLtab r\else l\fi\one \else
356 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
357 \z@ \@chclass
358 \if \@nextchar |\one \else
359 \if \@nextchar !6 \else
360 \if \@nextchar @7 \else
361 \if \@nextchar <8 \else
362 \if \@nextchar >9 \else
363 10
364 \@chnum
365 \if \@nextchar m\thr@@\else
366 \if \@nextchar p4 \else
367 \if \@nextchar b5 \else
368 \z@ \@chclass \z@ \preamerr \z@ \fi \fi \fi \fi \fi
369 \fi \fi
370 \def\@tabular{%
371 \leavevmode
372 \hbox \bgroup\if@RTLtab\beginR \fi $ \col@sep\tabcolsep \let\d@llarbegin\begingroup
373 \let\d@llarend\endgroup
374 \@tabarray}
375 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
376 \expandafter\let\csname endtabular*\endcsname=\endtabular
377 \def\@array[#1]#2{%
378 \tempdima \ht \strutbox}
```



```

379 \advance \@tempdima by\extrarowheight
380 \setbox \carstrutbox \hbox{\vrule
381           \height \arraystretch \@tempdima
382           \depth \arraystretch \dp \strutbox
383           \width \z@}%
384 \begingroup
385 \@mkpream{#2}%
386 \xdef\@preamble{\noexpand \ialign \halignto
387             \bgroup \carstrut \preamble
388             \tabskip \z@ \cr}%
389 \endgroup
390 \arrayleft
391 \if #1\top \else \if#1\box \else \vcenter \fi \fi
392 \bgroup
393 \let \sharp ##\let \protect \relax
394 \lineskip \z@
395 \baselineskip \z@
396 \m@th
397 \let\\@arraycr \let\tabularnewline\\\let\par\empty \if@RTLtab\hbox\bgroup\beginR\hboxRco
398 \def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
399 \def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \arrayright \gdef\@pream
400 \def\array{\colsep\arraycolsep
401 \def\dollarbegin{$}\let\dollarend\dollarbegin\gdef\halign{\{}%
402 \def\@RTLtabfalse\@tabarray}

```

9 File article-xetex-bidi.def

```

403 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article c
404 \if@titlepage
405   \renewcommand\maketitle{\begin{titlepage}%
406     \let\footnotesize\small
407     \let\right@footnoterule\relax
408     \let\left@footnoterule\relax
409     \let\textwidth@footnoterule\relax
410     \let\footnote \thanks
411     \let\LTRfootnote \LTRthanks
412     \let\RTLfootnote \RTLthanks
413     \null\vfil
414     \vskip 60\p@
415     \begin{center}%
416       {\LARGE \title \par}%
417       \vskip 3em%
418       {\large
419         \lineskip .75em%
420         \begin{tabular}[t]{c}%
421           \author
422         \end{tabular}\par}%
423         \vskip 1.5em%
424       {\large \date \par}          % Set date in \large size.
425     \end{center}\par

```



```

426  \@thanks
427  \vfil\null
428  \end{titlepage}%
429  \setcounter{footnote}{0}%
430  \global\let\thanks\relax
431  \global\let\LTRthanks\relax
432  \global\let\RTLthanks\relax
433  \global\let\maketitle\relax
434  \global\let\@thanks\@empty
435  \global\let\@author\@empty
436  \global\let\@date\@empty
437  \global\let\@title\@empty
438  \global\let\title\relax
439  \global\let\author\relax
440  \global\let\date\relax
441  \global\let\and\relax
442 }
443 \else
444 \renewcommand\maketitle{\par
445   \begingroup
446     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
447     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
448     \long\def\@makefntext{\#1\par\indent 1em\noindent
449       \hb@xt@1.8em{%
450         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
451       \if@twocolumn
452         \ifnum \col@number=\@ne
453           \maketitle
454         \else
455           \twocolumn[\maketitle]%
456         \fi
457       \else
458         \newpage
459         \global\@topnum\z@    % Prevents figures from going at top of page.
460         \maketitle
461       \fi
462       \thispagestyle{plain}\@thanks
463     \endgroup
464     \setcounter{footnote}{0}%
465     \global\let\thanks\relax
466     \global\let\LTRthanks\relax
467     \global\let\RTLthanks\relax
468     \global\let\maketitle\relax
469     \global\let\@maketitle\relax
470     \global\let\@thanks\@empty
471     \global\let\@author\@empty
472     \global\let\@date\@empty
473     \global\let\@title\@empty
474     \global\let\title\relax
475     \global\let\author\relax

```



```

476  \global\let\date\relax
477  \global\let\and\relax
478 }
479 \def\@maketitle{%
480   \newpage
481   \null
482   \vskip 2em%
483   \begin{center}%
484     \let \footnote \thanks
485     \let \LTRfootnote \LTRthanks
486     \let \RTLfootnote \RTLthanks
487     {\LARGE \@title \par}%
488     \vskip 1.5em%
489     {\large
490       \lineskip .5em%
491       \begin{tabular}[t]{c}%
492         \author
493       \end{tabular}\par}%
494     \vskip 1em%
495     {\large \@date}%
496   \end{center}%
497   \par
498   \vskip 1.5em}
499 \fi
500 \renewcommand*\l@part[2]{%
501   \ifnum \c@tocdepth >-2\relax
502     \addpenalty\@secpenalty
503     \addvspace{2.25em \oplus \p@}%
504     \setlength{\tempdima}{3em}%
505     \begingroup
506       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
507       \parfillskip -\pnumwidth
508       \leavevmode
509       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
510       \nobreak
511       \if@compatibility
512         \global\@nobreaktrue
513         \everypar{\global\@nobreakfalse\everypar{}}
514       \fi
515     \endgroup
516   \fi}
517 \renewcommand*\l@section[2]{%
518   \ifnum \c@tocdepth >\z@
519     \addpenalty\@secpenalty
520     \addvspace{1.0em \oplus \p@}%
521     \setlength{\tempdima}{1.5em}%
522     \begingroup
523       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
524       \parfillskip -\pnumwidth
525       \leavevmode \bfseries

```



```

526      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
527      \hskip -\if@RTL\rightskip\else\leftskip\fi
528      #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
529      \endgroup
530  \fi}
531 \renewcommand\left@footnoterule{%
532   \kern-3\p@
533   \hrule\@width.4\columnwidth
534   \kern2.6\p@}
535 \renewcommand\right@footnoterule{%
536   \kern-3\p@
537   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
538   \kern2.6\p@}
539 \renewcommand\thesubsection {\thesection \@SepMark\@arabic\c@subsection}
540 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
541 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
542 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
543 \def\@part[#1]{%
544   \ifnum \c@secnumdepth >\m@ne
545     \refstepcounter{part}%
546     \addcontentsline{toc}{part}{\thepart\hskip.1em\#1}%
547   \else
548     \addcontentsline{toc}{part}{\#1}%
549   \fi
550   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
551   \interlinepenalty \OM
552   \normalfont
553   \ifnum \c@secnumdepth >\m@ne
554     \Large\bfseries \partname\nobreakspace\thepart
555     \par\nobreak
556   \fi
557   \huge\bfseries \#2%
558   \markboth{}{}\par}%
559   \nobreak
560   \vskip 3ex
561   \cafterheading}
562 \renewenvironment{thebibliography}[1]
563   {\section*{\refname}%
564    \omkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
565    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
566    \bidi@thebibliography@font@hook%
567    \list{\@biblabel{\@arabic\c@enumiv}}{%
568      \settowidth\labelwidth{\@biblabel{#1}}%
569      \leftmargin\labelwidth
570      \advance\leftmargin\labelsep
571      \openbib@code
572      \usecounter{enumiv}%
573      \let\p@enumiv\empty
574      \renewcommand\theenumiv{\@arabic\c@enumiv}%
575      \sloppy

```



```

576      \clubpenalty4000
577      \cclubpenalty \clubpenalty
578      \widowpenalty4000%
579      \sfcode`\. \om{ }
580      {\def\@noitemerr
581       {\@latex@warning{Empty `thebibliography' environment}}%
582      \endlist}
583 \renewenvironment{theindex}
584     {\if@twocolumn
585      \restonecolfalse
586     \else
587      \restonecoltrue
588     \fi
589     \columnseprule \z@%
590     \columnsep 35\p@
591     \twocolumn[\section*{\indexname}]%
592     \mkboth{\MakeUppercase{\indexname}}%
593      {\MakeUppercase{\indexname}}%
594     \thispagestyle{plain}\parindent\z@
595     \parskip\z@ \plus .3\p@\relax
596     \let\item\@idxitem
597     {\if@restonecol\onecolumn\else\clearpage\fi}

```

10 File artikel1-xetex-bidi.def

```

598 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class for
599 \renewenvironment{theindex}{%
600   \if@twocolumn
601     \restonecolfalse
602   \else
603     \restonecoltrue
604   \fi
605   \columnseprule \z@%
606   \columnsep 35\p@
607   \twocolumn[\section*{\indexname}]%
608   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
609   \thispagestyle{plain}\parindent\z@
610   \parskip\z@ \plus .3\p@\relax
611   \let\item\@idxitem
612 }{%
613   \if@restonecol\onecolumn\else\clearpage\fi}
614 \renewcommand*\head@style{%
615   \interlinepenalty \OM
616   \hyphenpenalty=\OM \exhyphenpenalty=\OM
617   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
618 \if@titlepage
619   \renewenvironment{abstract}{%
620     \titlepage
621     \null\vfil
622     \section*{\SectFont\abstractname}

```



```

623     \noindent\ignorespaces}
624     {\par\vfil\null\endtitlepage}
625 \else
626   \renewenvironment{abstract}{%
627     \if@twocolumn
628       \section*{\abstractname}%
629     \else
630       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
631       \section*{\small\SectFont\abstractname}%
632       \noindent\ignorespaces
633     \fi}
634   {\if@twocolumn\else\par\egroup\fi}
635 \fi
636 \renewcommand*\@regtocline[3]{%
637   \ifnum #1>\c@tocdepth
638   \else
639     \vskip\z@\@plus.2\p@
640     \hangindent\z@\@afterindenttrue \interlinepenalty\@M
641     \if@RTL\rightskip\else\leftskip\fi\unitindent
642     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
643     \parfillskip\z@
644     \tempdima\unitindent
645     \parindent\z@
646     \leavevmode
647     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
648     \hskip 1em \nobreak{\slshape #3}\par
649   }%
650   \fi}
651 \if@oldtoc
652 \renewcommand*\l@part[2]{%
653   \ifnum \c@tocdepth >-2\relax
654     \addpenalty\@secpenalty
655     \addvspace{2.25em \@plus\p@}%
656     \begingroup
657       \setlength\tempdima{3em}%
658       \parindent \z@\if@RTL\leftskip\else\rightskip\fi \pnumwidth
659       \parfillskip -\pnumwidth
660       \leavevmode
661       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
662       \nobreak
663     \if@compatibility
664       \global\@nobreaktrue
665       \everypar{\global\@nobreakfalse\everypar{} }%
666     \fi
667     \endgroup
668   \fi}
669 \else
670   \renewcommand*\l@part{%
671     \ifnum \c@tocdepth >-2\relax
672       \addpenalty\@secpenalty

```



```

673      \addvspace{2.25em \oplus \p@}%
674      \regtocline{0}%
675  \fi}
676 \fi
677 \if@oldtoc
678 \renewcommand*\l@section[2]{%
679   \addpenalty\secpenalty
680   \addvspace{1.0em \oplus \p@}%
681   \setlength\tempdima{1.5em}%
682   \begingroup
683   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
684   \parfillskip -\pnumwidth
685   \leavevmode \bfseries
686   \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
687   \hskip -\if@RTL\rightskip\else\leftskip\fi
688   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
689   \endgroup}
690 \else
691   \renewcommand*\l@section{\regtocline{1}}
692 \fi
693 \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@subsection}
694 \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
695 \renewcommand*\theparagraph{\thesubsubsection\SepMark\arabic\c@paragraph}
696 \renewcommand*\thesubparagraph{\theparagraph\SepMark\arabic\c@subparagraph}
697 \renewenvironment{thebibliography}[1]
698   {\section*{\refname}%
699    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
700    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
701    \bidi@thebibliography\font@hook%
702    \list{\biblabel{\arabic\c@enumiv}}%
703    {\settowidth\labelwidth{\biblabel{#1}}%
704     \leftmargin\labelwidth
705     \advance\leftmargin\labelsep
706     \openbib@code
707     \usecounter{enumiv}%
708     \let\p@enumiv\empty
709     \renewcommand*\theenumiv{\arabic\c@enumiv}%
710     \sloppy\clubpenalty4000\widowpenalty4000%
711     \sfcode`.\@m}
712    \def\noitemerr
713    {\@latex@warning{Empty `thebibliography' environment}}%
714    \endlist}
715 \renewcommand*\left@footnoterule{%
716   \kern-3\p@
717   \kern.5\baselineskip
718   \hrule\width\unitindent
719   \kern.4\baselineskip
720 }
721 \renewcommand*\right@footnoterule{%
722   \kern-3\p@

```



```

723  \kern.5\baselineskip
724  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
725  \kern.4\baselineskip
726 \if@titlepage
727 \renewcommand*\TitleFont{\rmfamily}
728 \renewcommand*\maketitle{%
729   \begin{titlepage}%
730     \let\footnotesize\small
731     \let\right@footnoterule\relax
732     \let\left@footnoterule\relax
733     \let\textwidth@footnoterule\relax
734     \let \footnote \thanks
735     \long\def\@makefntext##1{\par\indent\z@\relax
736       \def\labelitemi{\textendash}\revlabeltrue
737       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
738     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
739     \if@compatibility\setcounter{page}{0}\fi
740     \null\vfil
741     \vskip 60\p@
742     \begin{center}%
743       \TitleFont
744       {\LARGE \def\penalty -\@M}
745       \if@allcaps
746         \expandafter\uc@nothanks\@title\thanks\relax
747       \else
748         \@title
749       \fi\par}%
750     \vskip 3em%
751     {\large
752       \lineskip .75em \par\indent\z@\relax
753       \begin{tabular}[t]{c}%
754         \if@allcaps
755           \expandafter\uc@author\nothanks\@author\and\relax
756         \else
757           \@author
758         \fi
759       \end{tabular}\par}%
760     \vskip 1.5em%
761     {\large
762       \if@allcaps
763         \uppercase\expandafter{\@date}%
764       \else
765         \@date
766       \fi\par}%
767       \end{center}\par
768     \@thanks
769     \vfil\null
770   \end{titlepage}%
771   \setcounter{footnote}{0}%
772   \global\let\thanks\relax

```



```

773  \global\let\maketitle\relax
774  \global\let\@thanks\@empty
775  \global\let\@author\@empty
776  \global\let\@title\@empty
777  \global\let\@date\@empty
778  \global\let\title\relax
779  \global\let\author\relax
780  \global\let\date\relax
781  \global\let\and\relax
782 }
783 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
784 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
785   \futurelet\@tempa\uc@ax}
786 \def\uc@ax{%
787   \ifx\@tempa\relax
788   \else
789     \\\andname \\ \expandafter\uc@authornothanks
790   \fi}
791 \def\uc@tx{\ifx\@tempa\relax
792   \else \expandafter\uc@ty \fi}
793 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
794 \else
795 \renewcommand*\maketitle{\par
796   \begingroup
797     \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
798     \def\@makefnmark{\rlap{%
799       \textsuperscript{\normalfont\thefnmark}}}}%
800     \long\def\makefntext{\xmakefntext{%
801       \textsuperscript{\normalfont\thefnmark}}}}%
802     \if@twocolumn
803       \ifnum\col@number=\@ne
804         \maketitle
805       \else
806         \twocolumn[\maketitle]%
807       \fi
808     \else
809       \newpage
810       \global\@topnum\z@
811       \maketitle
812     \fi
813     \thispagestyle{plain}\@thanks
814   \endgroup
815   \setcounter{footnote}{0}%
816   \global\let\thanks\relax
817   \global\let\maketitle\relax
818   \global\let\@maketitle\relax
819   \global\let\@thanks\@empty
820   \global\let\@author\@empty
821   \global\let\@title\@empty
822   \global\let\@date\@empty

```



```

823  \global\let\title\relax
824  \global\let\author\relax
825  \global\let\date\relax
826  \global\let\and\relax
827  }
828 \def\@maketitle{%
829   \newpage
830   \null
831   \vskip 2em%
832   \begin{center}%
833     \let \footnote \thanks
834     {\LARGE \TitleFont \@title \par}%
835     \vskip 1.5em%
836     {\large \TitleFont
837       \lineskip .5em%
838       \begin{tabular}[t]{c}%
839         \author
840       \end{tabular}\par}%
841     \vskip 1em%
842     {\large \TitleFont \date}%
843   \end{center}%
844   \par
845   \vskip 1.5em}
846 \fi

```

11 File artikel2-xetex-bidi.def

```

847 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class for
848 \renewenvironment{theindex}{%
849   \if@twocolumn
850     \restonecolfalse
851   \else
852     \restonecoltrue
853   \fi
854   \columnseprule \z@
855   \columnsep 35\p@
856   \twocolumn[\section*{\indexname}]%
857   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
858   \thispagestyle{plain}\parindent\z@
859   \parskip\z@ \plus .3\p@\relax
860   \let\item\idxitem
861 }{%
862   \if@restonecol\onecolumn\else\clearpage\fi}
863 \renewcommand*\@regtocline[3]{%
864   \ifnum #1>\c@tocdepth
865   \else
866     \vskip\z@\plus.2\p@
867     \hangindent\z@ \if@afterindenttrue \interlinepenalty\@M
868     \if@RTL\rightskip\else\leftskip\fi\unitindent
869     \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil

```



```

870   \parfillskip\z@  

871   \tempdima\unitindent  

872   \advance\tempdima by \othermargin  

873   \parindent\z@  

874   \leavevmode  

875   \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi \relax#2\nobreak  

876   \hskip 1em \nobreak{\slshape #3}\par  

877 }%  

878 \fi}  

879 \if@oldtoc  

880 \renewcommand*\l@section[2]{%  

881   \addpenalty\secpenalty  

882   \addvspace{1.0em \oplus\p@}%  

883   \setlength\tempdima{1.5em}%  

884   \begingroup  

885   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth  

886   \parfillskip -\pnumwidth  

887   \leavevmode \bfseries  

888   \advance\if@RTL\rightskip\else\leftskip\fi\tempdima  

889   \hskip -\if@RTL\rightskip\else\leftskip\fi  

890   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par  

891   \endgroup}  

892 \else  

893   \renewcommand*\l@section{\regtocline{1}}  

894 \fi  

895 \if@oldtoc  

896 \renewcommand*\l@part[2]{%  

897   \ifnum \c@tocdepth >-2\relax  

898     \addpenalty\secpenalty  

899     \addvspace{2.25em \oplus\p@}%  

900     \begingroup  

901       \setlength\tempdima{3em}%  

902       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth  

903       \parfillskip -\pnumwidth  

904       \leavevmode  

905         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par  

906         \nobreak  

907         \if@compatibility  

908           \global\nobreaktrue  

909           \everypar{\global\nobreakfalse\everypar{}}%  

910         \fi  

911       \endgroup  

912     \fi}  

913 \else  

914   \renewcommand*\l@part{%
915     \ifnum \c@tocdepth >-2\relax  

916       \addpenalty\secpenalty  

917       \addvspace{2.25em \oplus\p@}%  

918       \regtocline{0}}%  

919 \fi}

```



```

920 \fi
921 \renewcommand*\head@style{%
922     \interlinepenalty \OM
923     \hyphenpenalty=\OM \exhyphenpenalty=\OM
924     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
925 \if@titlepage
926     \renewenvironment{abstract}{%
927         \titlepage
928         \null\vfil
929         \section*{\SectFont\abstractname}%
930         \noindent\ignorespaces
931         {\par\vfil\null\endtitlepage}
932 \else
933     \renewenvironment{abstract}{%
934         \if@twocolumn
935             \section*{\abstractname}%
936         \else
937             \section*{\hskip\unitindent\small\SectFont\abstractname}%
938             \list{}{\setlength{\listparindent}{\unitindent}%
939                 \setlength{\parindent}{\z@}%
940                 \setlength{\leftmargin}{\unitindent}%
941                 \setlength{\rightmargin}{\unitindent}%
942                 \setlength{\parsep}{\z@}%
943                 \item[]%
944             \fi}
945             {\if@twocolumn\else\par\endlist\fi}
946 \fi
947 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
948 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
949 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
950 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
951 \renewcommand*\left@footnoterule{%
952     \kern-3\p@
953     \hrule\@width 3\unitindent
954     \kern 2.6\p@
955 }
956 \renewcommand*\right@footnoterule{%
957     \kern-3\p@
958     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
959     \kern 2.6\p@
960 \renewenvironment{thebibliography}[1]
961     {\section*{\refname}%
962         \OMkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
963         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
964         \bidi@@thebibliography@font@hook%
965         \list{\@biblabel{\@arabic\c@enumiv}}%
966             {\settowidth\labelwidth{\@biblabel{\#1}}%
967             \leftmargin\labelwidth
968             \advance\leftmargin\labelsep
969             \openbib@code

```



```

970          \usecounter{enumiv}%
971          \let\p@enumiv\@empty
972          \renewcommand*\theenumiv{\@arabic\c@enumiv}%
973          \sloppy\clubpenalty4000\widowpenalty4000%
974          \sfcodes`.\.@\m}
975          {\def\@noitemerr
976              {\@latex@warning{Empty `thebibliography' environment}}%
977          \endlist}
978 \if@titlepage
979 \renewcommand*\TitleFont{\rmfamily}
980 \renewcommand*\maketitle{%
981     \begin{titlepage}%
982         \let\footnotesize\small
983         \let\right@footnoterule\relax
984         \let\left@footnoterule\relax
985         \let\textwidth@footnoterule\relax
986         \let\footnote\thanks
987         \long\def\@makefntext##1{\par\indent\z@%
988             \def\labelitemi{\textendash}\revlabeltrue
989             \leavevmode\@textsuperscript{\@thefnmark}\kern\relax ##1}
990         \renewcommand*\thefootnote{\@fnnsymbol\c@footnote}%
991         \if@compatibility\setcounter{page}{0}\fi
992         \null\vfil
993         \vskip 60\p@
994         \begin{center}%
995             \TitleFont
996             {\LARGE \def\\{\penalty -\@M}%
997                 \if@allcaps
998                     \expandafter\uc@nothanks\@title\thanks\relax
999                 \else
1000                     \@title
1001                     \fi\par}%
1002         \vskip 3em%
1003         {\large
1004             \lineskip .75em \par\indent\z@%
1005             \begin{tabular}[t]{c}%
1006                 \if@allcaps
1007                     \expandafter\uc@author\nothanks\@author\and\relax
1008                 \else
1009                     \@author
1010                     \fi
1011             \end{tabular}\par}%
1012         \vskip 1.5em%
1013         {\large
1014             \if@allcaps
1015                 \uppercase\expandafter{\@date}%
1016             \else
1017                 \@date
1018                 \fi\par}%
1019         \end{center}\par

```



```

1020     \@thanks
1021     \vfil\null
1022 \end{titlepage}%
1023 \setcounter{footnote}{0}%
1024 \global\let\thanks\relax
1025 \global\let\maketitle\relax
1026 \global\let\@thanks\empty
1027 \global\let\@author\empty
1028 \global\let\@title\empty
1029 \global\let\@date\empty
1030 \global\let\title\relax
1031 \global\let\author\relax
1032 \global\let\date\relax
1033 \global\let\and\relax
1034 }
1035 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1036 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1037   \futurelet\@tempa\uc@ax}
1038 \def\uc@ax{%
1039   \ifx\@tempa\relax
1040   \else
1041     \\ \andname \\ \expandafter\uc@authornothanks
1042   \fi}
1043 \def\uc@tx{\ifx\@tempa\relax
1044   \else \expandafter\uc@ty \fi}
1045 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1046 \else
1047 \renewcommand*\maketitle{\par
1048   \begingroup
1049     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1050     \long\def\@makefntext##1{\parindent\z@
1051       \def\labelitemi{\textendash}%
1052       \leavevmode\hb@xt@.5\unitindent{%
1053         \textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1054     \if@twocolumn
1055       \ifnum \col@number=\@ne
1056         \@maketitle
1057       \else
1058         \twocolumn[\@maketitle]%
1059       \fi
1060     \else
1061       \newpage
1062       \global\@topnum\z@
1063       \@maketitle
1064     \fi
1065     \thispagestyle{plain}\@thanks
1066   \endgroup
1067   \setcounter{footnote}{0}%
1068   \global\let\thanks\relax
1069   \global\let\maketitle\relax

```



```

1070 \global\let\@maketitle\relax
1071 \global\let\@thanks\@empty
1072 \global\let\@author\@empty
1073 \global\let\@title\@empty
1074 \global\let\@date\@empty
1075 \global\let\title\relax
1076 \global\let\author\relax
1077 \global\let\date\relax
1078 \global\let\and\relax
1079 }
1080 \def\@maketitle{%
1081   \newpage
1082   \null
1083   \vskip 2em%
1084   \begin{center}%
1085     \let \footnote \thanks
1086     {\LARGE \TitleFont \@title \par}%
1087     \vskip 1.5em%
1088     {\large \TitleFont
1089       \lineskip .5em%
1090       \begin{tabular}[t]{c}%
1091         \author
1092       \end{tabular}\par}%
1093     \vskip 1em%
1094     {\large \TitleFont \@date}%
1095   \end{center}%
1096   \par
1097   \vskip 1.5em}
1098 \fi

```

12 File artikel3-xetex-bidi.def

```

1099 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class for
1100 \renewenvironment{theindex}{%
1101   \if@twocolumn
1102     \restonecolfalse
1103   \else
1104     \restonecoltrue
1105   \fi
1106   \columnseprule \z@
1107   \columnsep 35\p@
1108   \twocolumn[\section*{\indexname}]%
1109   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1110   \thispagestyle{plain}\parindent\z@
1111   \parskip\z@ \oplus .3\p@\relax
1112   \let\item\@idxitem
1113 }{%
1114   \if@restonecol\onecolumn\else\clearpage\fi}
1115 \renewcommand*\head@style{%
1116   \interlinepenalty \zM

```



```

1117   \hyphenpenalty=\@M \exhyphenpenalty=\@M
1118   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1119 \renewcommand*\@regtocline[3]{%
1120   \ifnum #1>\c@tocdepth
1121   \else
1122     \vskip\z@\@plus.2\p@
1123     {\hangindent\z@\@afterindenttrue \interlinepenalty\@M
1124       \if@RTL\rightskip\else\leftskip\fi\unitindent
1125       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1126       \parfillskip\z@
1127       \tempdima\unitindent
1128       \parindent\z@
1129       \leavevmode
1130       \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1131       \hspace{1em}\nobreak{\slshape #3}\par
1132     }%
1133   \fi}
1134 \if@oldtoc
1135 \renewcommand*\l@part[2]{%
1136   \ifnum \c@tocdepth >-2\relax
1137     \addpenalty\@secpenalty
1138     \addvspace{2.25em \@plus\p@}%
1139     \begingroup
1140       \setlength\tempdima{3em}%
1141       \parindent \z@\if@RTL\leftskip\else\rightskip\fi \pnumwidth
1142       \parfillskip -\pnumwidth
1143       \leavevmode
1144         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
1145         \nobreak
1146         \if@compatibility
1147           \global\@nobreaktrue
1148           \everypar{\global\@nobreakfalse\everypar{}}
1149         \fi
1150       \endgroup
1151     \fi}
1152 \else
1153   \renewcommand*\l@part{%
1154     \ifnum \c@tocdepth >-2\relax
1155       \addpenalty\@secpenalty
1156       \addvspace{2.25em \@plus\p@}%
1157       \regtocline{0}%
1158     \fi}
1159 \fi
1160
1161 \if@oldtoc
1162 \renewcommand*\l@section[2]{%
1163   \addpenalty\@secpenalty
1164   \addvspace{1.0em \@plus\p@}%
1165   \setlength\tempdima{1.5em}%
1166   \begingroup

```



```

1167     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1168     \parfillskip -\@pnumwidth
1169     \leavevmode \bfseries
1170     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1171     \hskip -\if@RTL\rightskip\else\leftskip\fi
1172     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1173     \endgroup}
1174 \else
1175   \renewcommand*\l@section{\@regtocline{1}}
1176 \fi
1177 \if@titlepage
1178   \renewenvironment{abstract}{%
1179     \titlepage
1180     \null\vfil
1181     \section*{\SectFont\abstractname}%
1182     \noindent\ignorespaces
1183     {\par\vfil\null\endtitlepage}
1184 \else
1185   \renewenvironment{abstract}{%
1186     \if@twocolumn
1187       \section*{\abstractname}%
1188     \else
1189       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1190       \section*{\small\SectFont\abstractname}%
1191       \noindent\ignorespaces
1192     \fi
1193     {\if@twocolumn\else\par\egroup\fi}
1194 \fi
1195 \renewcommand*\left@footnoterule{%
1196   \kern-3\p@
1197   \kern.5\baselineskip
1198   \hrule\@width\unitindent
1199   \kern.4\baselineskip
1200 }
1201 \renewcommand*\right@footnoterule{%
1202   \kern-3\p@
1203   \kern.5\baselineskip
1204   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1205   \kern.4\baselineskip}
1206 \renewcommand*\thesubsection{\thesection \@SepMark \arabic \c@subsection}
1207 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \arabic \c@subsubsection}
1208 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \arabic \c@paragraph}
1209 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \arabic \c@subparagraph}
1210 \renewenvironment{\thebibliography}[1]
1211   {\section*{\refname}%
1212     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1213     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1214     \bidi@{\thebibliography\font@hook}%
1215     \list{\@biblabel{\arabic \c@enumiv}}%
1216       \settowidth\labelwidth{\@biblabel{#1}}%

```



```

1217           \leftmargin\labelwidth
1218           \advance\leftmargin\labelsep
1219           \openbib@code
1220           \usecounter{enumiv}%
1221           \let\p@enumiv\empty
1222           \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1223           \sloppy\clubpenalty4000\widowpenalty4000%
1224           \sfcode`.\.0m}
1225           {\def\@noitemerr
1226             {\@latex@warning{Empty `thebibliography' environment}}%
1227           \endlist}
1228 \if@titlepage
1229 \renewcommand*\TitleFont{\rmfamily}
1230 \renewcommand*\maketitle{%
1231   \begin{titlepage}%
1232     \let\footnotesize\small
1233     \let\right@footnoterule\relax
1234     \let\left@footnoterule\relax
1235     \let\textwidth@footnoterule\relax
1236     \let\footnote\thanks
1237     \long\def\@makefntext{\par\indent\z@
1238       \def\labelitemi{\textendash}\revlabeltrue
1239       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}%
1240     \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
1241     \if@compatibility\setcounter{page}{0}\fi
1242     \null\vfil
1243     \vskip 60\p@
1244     \begin{center}%
1245       \TitleFont
1246       {\LARGE \def\\{\penalty -\OM}}
1247       \if@allcaps
1248         \expandafter\uc@nothanks\@title\thanks\relax
1249       \else
1250         \@title
1251       \fi\par}%
1252     \vskip 3em%
1253     {\large
1254       \lineskip .75em \par\indent\z@
1255     \begin{tabular}[t]{c}%
1256       \if@allcaps
1257         \expandafter\uc@author\nothanks\@author\and\relax
1258       \else
1259         \@author
1260       \fi
1261     \end{tabular}\par}%
1262     \vskip 1.5em%
1263     {\large
1264       \if@allcaps
1265         \uppercase\expandafter{\@date}%
1266       \else

```



```

1267      \@date
1268      \fi\par}%
1269      \end{center}\par
1270      \@thanks
1271      \vfil\null
1272      \end{titlepage}%
1273      \setcounter{footnote}{0}%
1274      \global\let\thanks\relax
1275      \global\let\maketitle\relax
1276      \global\let\@thanks\empty
1277      \global\let\@author\empty
1278      \global\let\@title\empty
1279      \global\let\@date\empty
1280      \global\let\title\relax
1281      \global\let\author\relax
1282      \global\let\date\relax
1283      \global\let\and\relax
1284 }
1285 \def\uc@nothanks#1\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
1286 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1287     \futurelet\@tempa\uc@ax}
1288 \def\uc@ax{%
1289     \ifx\@tempa\relax
1290     \else
1291     \\ \andname \\ \expandafter\uc@authornothanks
1292     \fi}
1293 \def\uc@tx{\ifx\@tempa\relax
1294     \else \expandafter\uc@ty \fi}
1295 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
1296 \else
1297 \renewcommand*\maketitle{\par
1298   \begingroup
1299     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1300     \def\@makefnmark{\rlap{%
1301       \textsuperscript{\normalfont\@thefnmark}}}%
1302     \long\def\@makefntext{\xmakefntext{%
1303       \textsuperscript{\normalfont\@thefnmark}}}%
1304     \if@twocolumn
1305       \ifnum \col@number=\@ne
1306         \maketitle
1307       \else
1308         \twocolumn[\maketitle]%
1309       \fi
1310     \else
1311       \newpage
1312       \global\@topnum\z@
1313       \maketitle
1314     \fi
1315     \thispagestyle{plain}\@thanks
1316   \endgroup

```



```

1317 \setcounter{footnote}{0}%
1318 \global\let\thanks\relax
1319 \global\let\maketitle\relax
1320 \global\let\@maketitle\relax
1321 \global\let\@thanks\@empty
1322 \global\let\@author\@empty
1323 \global\let\@title\@empty
1324 \global\let\@date\@empty
1325 \global\let\title\relax
1326 \global\let\author\relax
1327 \global\let\date\relax
1328 \global\let\and\relax
1329 }
1330 \def\@maketitle{%
1331   \newpage
1332   \null
1333   \vskip 2em%
1334 \if@titlecentered
1335   \begin{center}%
1336     \let \footnote \thanks
1337     {\LARGE \TitleFont \title \par}%
1338     \vskip 1.5em%
1339     {\large \TitleFont
1340       \lineskip .5em%
1341       \begin{tabular}[t]{c}%
1342         \author
1343       \end{tabular}\par}%
1344     \vskip 1em%
1345     {\large \TitleFont \date}%
1346   \end{center}%
1347 \else
1348   {\LARGE \TitleFont \head@style \title \par} \vskip 1.5em
1349   {\large \TitleFont \lineskip .5em \tabcolsep\z@
1350     \def\and{\% \begin{tabular} has already started
1351       \end{tabular}\hskip 1em plus .17fil
1352       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}
1353       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par
1354     \vskip 1em {\large \TitleFont \date}
1355   \fi
1356   \par
1357   \vskip 1.5em}
1358 \fi

```

13 File `arydshln-xetex-bidi.def`

```

1359 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1360 \def\endarray{\adl\endarray \egroup \adl\arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1361 \def\endtabular{\endarray $ \if@RTLtab\endR\fi\egroup}
1362 \expandafter\let\csname endtabular*\endcsname\endtabular
1363 \let\adl\array@array

```



```

1364 \def\@array{\adl@everyvbox\everyvbox
1365         \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1366         \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1367         \let\adl@noalign\noalign
1368         \adl@array}
1369 \ifadl@usingarypk
1370 \def\@testpach{\@chclass
1371 \ifnum \@lastchclass=6 \one \chnum \one \else
1372 \ifnum \@lastchclass=7 5 \else
1373 \ifnum \@lastchclass=8 \tw@ \else
1374 \ifnum \@lastchclass=9 \thr@@
1375 \else \z@
1376 \ifnum \@lastchclass = 10 \else
1377 \edef\@nextchar{\expandafter\string\@nextchar}%
1378 \chnum
1379 \if \@nextchar c\z@ \else
1380 \if \@nextchar \if@RTLtab r\else l\fi\one \else
1381 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1382 \z@ \chclass
1383 \if\@nextchar |\one \let\@arrayrule\adl@arrayrule \else
1384 \if\@nextchar :\one \let\@arrayrule\adl@arraydashrule \else
1385 \if\@nextchar ;\one \let\@arrayrule\adl@argarraydashrule \else
1386 \if \@nextchar !6 \else
1387 \if \@nextchar @7 \else
1388 \if \@nextchar <8 \else
1389 \if \@nextchar >9 \else
1390 10
1391 \chnum
1392 \if \@nextchar m\thr@@\else
1393 \if \@nextchar p4 \else
1394 \if \@nextchar b5 \else
1395 \z@ \chclass \z@ \preamerr \z@ \fi \fi \fi \fi \fi \fi
1396 \fi \fi
1397
1398 \def\@classz{\@classx
1399 \tempcnta \count@
1400 \prepnext@tok
1401 \addtopreamble{\ifcase \chnum
1402 \hfil
1403 \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1404 \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1405 \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1406 \setbox\adl@box\vbox \adl@startmbx{\@nextchar}\insert@column
1407 \adl@endmbx\or
1408 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \endpbox \or
1409 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \endpbox
1410 \fi}\prepnext@tok}
1411 \def\adl@class@start{4}
1412 \def\adl@class@iiiorvii{7}
1413

```



```

1414 \else
1415 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1416     \ifnum \@lastchclass=\thr@@ 5\relax \else
1417         \z@ \if #1c\@chnum \z@ \else
1418             \if \if@RTLtab#1r\else#1\fi\@chnum \one \else
1419                 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1420                     \@chclass
1421                         \if #1|\one \let\@arrayrule\adl@arrayrule \else
1422                             \if #1:\one \let\@arrayrule\adl@arraydashrule \else
1423                                 \if #1;\one \let\@arrayrule\adl@argarraydashrule \else
1424                                     \if #1@\tw@ \else
1425                                         \if #1p\thr@@ \else \z@ \preamerr 0\fi
1426                                         \fi \fi \fi \fi \fi \fi \fi}
1427
1428 \def\@arrayclassz{\ifcase \@lastchclass \acolampacol \or \campacol \or
1429     \or \or \caddamp \or
1430     \acolampacol \or \firststampfalse \acol \fi
1431 \edef\@preamble{\@preamble
1432     \ifcase \chnum
1433         \hfil\adl@putlrc{$\relax\sharp$}\hfil
1434         \or \adl@putlrc{$\relax\sharp$}\hfil
1435         \or \hfil\adl@putlrc{$\relax\sharp$}\fi}
1436 \def\@tabclassz{\ifcase \@lastchclass \acolampacol \or \campacol \or
1437     \or \or \caddamp \or
1438     \acolampacol \or \firststampfalse \acol \fi
1439 \edef\@preamble{\@preamble
1440     \ifcase \chnum
1441         \hfil\adl@putlrc{@sharp\unskip}\hfil
1442         \or \adl@putlrc{@sharp\unskip}\hfil
1443         \or \hfil\hskip\z@ \adl@putlrc{@sharp\unskip}\fi}
1444 \def\adl@class@start{6}
1445 \def\adl@class@iiiorvii{3}
1446 \fi
1447 \ifpackage{colortbl}{%
1448 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1449 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1450     \let\endpbox\adl@org@endpbox}
1451 \let\adl@CT@setup\CT@setup
1452 \def\CT@setup{\adl@CT@setup
1453     \tempdima\ht\z@ \advance\tempdima\minrowclearance
1454     \ifdim\adl@height<\tempdima \global\adl@height\tempdima \fi
1455     \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1456 \let\adl@act@CT@setup\CT@setup
1457 \def\@classz{\@classx
1458     \tempcnta\count@ \prepnext@tok
1459     \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
1460     \expandafter\adl@extract@arc\the\toks\tempcnta\arrayrulecolor!\@nil
1461     \expandafter\adl@extract@drsc
1462         \the\toks\tempcnta\doublerulesepcolor!\@nil
1463     \expandafter\adl@extract@dgc\the\toks\tempcnta\dashgapcolor!\@nil

```



```

1464     \c@addtopreamble{\if@RTL\beginL\fi%
1465         \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1466         \ifcase \c@chnum
1467             \hskip\stretch{.5}\kern\z@
1468             \d@llarbegin
1469             \insert@column
1470             \d@llarend\hskip\stretch{.5}%
1471         \or \d@llarbegin \insert@column \d@llarend \hfill
1472         \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1473         \or \$\vcenter
1474             \c@startpbox{\c@nextchar}\insert@column \c@endpbox $%
1475         \or \vtop \c@startpbox{\c@nextchar}\insert@column \c@endpbox
1476         \or \vbox \c@startpbox{\c@nextchar}\insert@column \c@endpbox
1477         \fi
1478     \if@RTL\endR\fi\egroup\egroup
1479     \begingroup
1480         \CT@setup
1481         \CT@column@color
1482         \CT@row@color
1483         \CT@cell@color
1484         \CT@do@color
1485     \endgroup
1486     \tempdima\ht\z@
1487     \advance\tempdima\minrowclearance
1488     \vrule\@height\tempdima\@width\z@
1489     \unhbox\z@\if@RTL\endL\fi}%
1490     \prepnext@tok}
1491 \let\adl@act@classz\@classz
1492 \let\adl@org@classz\@classz
1493 }{}

```

14 File bidi.sty

```

1494 \NeedsTeXFormat{LaTeX2e}
1495 \def\bidi@date{2019/03/03}
1496 \def\bidi@version{35.7}
1497 \ProvidesPackage{bidi}[\bidi@space v\bidi@version\bidi@space
1498 Bidirectional typesetting in plain TeX and LaTeX]
1499 \edef\bidi@info{*****^J%
1500 * ^J%
1501 * bidi package (Bidirectional typesetting in^J%
1502 * plain TeX and LaTeX, using XeTeX engine)^J%
1503 * ^J%
1504 * Description: A convenient interface for^J%
1505 * typesetting bidirectional texts in plain TeX^J%
1506 * and LaTeX. The package includes adaptations^J%
1507 * for use with many other commonly-used packages.^J%
1508 * ^J%
1509 * Copyright (c) 2009--2019 Vafa Khalighi^J%
1510 * ^J%

```



```

1511 * v\bidi@version, \bididate^^J%
1512 * ^^J%
1513 * License: LaTeX Project Public License, version^^J%
1514 * 1.3c or higher (your choice)^^J%
1515 * ^^J%
1516 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1517 * ^^J%
1518 * Issue tracker: https://github.com/vafa-ac/bidi/issues^^J%
1519 * ^^J%
1520 ****}
1521 \typeout{\@bidi@info}
1522 \edef\bidi@everyjob{\the\everyjob}
1523 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
1524 \newcommand*{\bidi diversion}{\ensuremath{\bidi@version}}
1525 \newcommand*{\IfbidiPackageVersionLater}[1]{%
1526   \ifdim\bidi@version pt > #1 pt %
1527     \expandafter\@firstoftwo
1528   \else
1529     \expandafter\@secondoftwo
1530   \fi}
1531 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
1532   \ifdim\bidi@version pt < #1 pt %
1533     \expandafter\@firstoftwo
1534   \else
1535     \expandafter\@secondoftwo
1536   \fi}
1537 \newcommand*{\IfbidiPackageVersion}[1]{%
1538   \ifdim\bidi@version pt = #1 pt %
1539     \expandafter\@firstoftwo
1540   \else
1541     \expandafter\@secondoftwo
1542   \fi}
1543 \RequirePackage{iftex}
1544 \RequireXeTeX
1545 \RequirePackage{biditools}
1546 \RequirePackage{zref-abspage}
1547 \RequirePackage{auxhook}
1548 \RequirePackage{ltxcmds}
1549 \RequirePackage{xkeyval}
1550 \eqnewif{\if@RTLmain}{\if@rlmain}
1551 \eqnewif{\if@RTL}{\if@rl}
1552 \newif\if@nonlatin
1553 \newif\if@bidi@perpage@footnote
1554 \newcommand*{\setlatin}{\@nonlatinfalse}
1555 \newcommand*{\setnonlatin}{\@nonlatintrue}
1556 \eqnewif{\if@RTLtab}{\if@tab@rl}
1557 \newif\if@hboxRconstruct
1558 \newif\if@bidi@pdfencrypt
1559 \newcommand*{\setRTLtable}{\@RTLtabtrue}
1560 \newcommand*{\setLTRtable}{\@RTLtabfalse}

```



```

1561 \newif\if@bidi@pdfm@mark
1562 \newif\if@RTLmarginpar
1563 \newif\if@LTRmarginpar
1564 \newif\if@LTRbibitems
1565 \newif\if@RTLbibitems
1566 \newif\if@extrafootnotefeatures
1567 \newif\if@RTLcolumnfootnotes
1568 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1569 \newif\if@bidi@list@minipage@parbox
1570 \newif\if@bidi@list@minipage@parbox@not@nob
1571 \newcommand*{\@bidi@pdfcreator}{%
1572   The bidi package, v\bidi@version, \bididate
1573 }
1574 \newcommand*{\@bidi@pdfproducer}{%
1575   The bidi package, v\bidi@version, \bididate
1576 }
1577 \newcommand*{\@bidi@pdfcustomproperties}{%
1578   This is the bidi package, Version \bidi@version,
1579   Released March 3, 2019.
1580 }
1581 \@RTLmainfalse
1582 \AtBeginDocument{%
1583   \if@RTL\@RTLmaintrue%
1584   \else\@RTLmainfalse%
1585   \fi%
1586   \fi%
1587   \fi%
1588 }
1589 \let\n@xt=\
1590 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1591 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1592 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1593 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1594 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt\fi
1595   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1596 \newinsert{\bidi@copyins@}
1597 \skip{\bidi@copyins@=12\p@}
1598 \dimen{\bidi@copyins@=40pc}
1599 \count{\bidi@copyins@=1000}
1600 \newcommand*{\@bidi@inslogo@}{\insert{\bidi@copyins@{\@bidi@logo@}}}
1601 \newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
1602   \if@RTLmain
1603     \if@twocolumn
1604       \hboxR to \columnwidth
1605     \else
1606       \hboxR to \textwidth
1607     \fi
1608   \else
1609     \if@twocolumn
1610       \hboxL to \columnwidth

```



```

1611     \else
1612         \hboxL to \textwidth
1613     \fi
1614 \fi
1615 }
1616 \newcommand*{\@bidi@logo}[1]{%
1617   \toks@{%
1618     \setbox\z@\hbox{%
1619       \special{%
1620         pdf:image width 50pt height 50pt (#1)}%
1621       }%
1622     }%
1623     \dp\z@\z@
1624     \ht\z@=50pt
1625     \wd\z@=50pt
1626     \beginL
1627       \lower20pt\box\z@
1628     \endL
1629   }%
1630   \the\toks@
1631 }
1632 \newcommand*{\@bidi@logo@}{%
1633   \@bidi@logo@hb@xt@columnwidth
1634   {\hss\LR{\bfseries Typeset by the \textsf{bidi}}
1635     package\quad\@bidi@logo{bidi-logo.pdf}}}}
1636 \define@key{bidi@pdfencrypt}{userpassword}{}{%
1637   \def\bidi@pdfencrypt@userpassword{#1}%
1638 }
1639 \define@key{bidi@pdfencrypt}{ownerpassword}{}{%
1640   \def\bidi@pdfencrypt@ownerpassword{#1}%
1641 }
1642 \define@key{bidi@pdfencrypt}{keylength}[128]{%
1643   \def\bidi@pdfencrypt@keylength{#1}%
1644 }
1645 \define@key{bidi@pdfencrypt}{permissionflags}[2052]{%
1646   \def\bidi@pdfencrypt@permissionflags{#1}%
1647 }
1648 \newcommand*{\pdfencryptsetup}{\setkeys{bidi@pdfencrypt}}
1649 \onlypreamble\pdfencryptsetup
1650 \input{latex-xetex-bidi.def}
1651 \input{loadingorder-xetex-bidi.def}
1652 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1653   \ifcase\bidi@tempb\relax
1654     \RTLtrue
1655   \or
1656     \RTLfalse
1657   \fi}
1658 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}[righttoleft]{%
1659   \ifcase\bidi@tempb\relax
1660     \RTLtrue

```



```

1661   \or
1662     \@RTLfalse
1663   \fi}
1664 \define@choicekey{bidi.sty}{tableddirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}{%
1665   \ifcase\bidi@tempb\relax
1666     \@RTLtabtrue
1667   \or
1668     \@RTLtabfalse
1669   \fi}
1670 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
1671   \ifcase\bidi@tempb\relax
1672     \@nonlatinfalse
1673   \or
1674     \@nonlatintrue
1675   \fi}
1676 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1677   \ifcase\bidi@tempb\relax
1678     \@RTLtrue
1679   \or
1680     \@RTLfalse
1681   \fi}
1682 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,ta}
1683   \ifcase\bidi@tempb\relax
1684     \autofootnoterule
1685   \or
1686     \leftfootnoterule
1687   \or
1688     \rightfootnoterule
1689   \or
1690     \SplitFootnoteRule
1691   \or
1692     \textwidthfootnoterule
1693   \fi}
1694 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}{%
1695   \ifcase\bidi@tempb\relax
1696     \@RTL@footnotetrue
1697   \or
1698     \@RTL@footnotefalse
1699   \fi}
1700 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1701   \ifcase\bidi@tempb\relax
1702     \footdir@debugtrue
1703   \or
1704     \footdir@debugfalse
1705   \fi}
1706 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1707   \ifcase\bidi@tempb\relax
1708     \@extrafootnotefeaturestrue
1709   \or
1710     \@extrafootnotefeaturesfalse

```



```

1711   \fi}
1712
1713 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1714   \ifcase\bidi@tempb\relax
1715   \def\bidi@firstcolumn@status@write{%
1716     \protected@write{\auxout}{%
1717       {\string\bidi@column@status
1718       {1}}}}
1719   \def\bidi@lastcolumn@status@write{%
1720     \protected@write{\auxout}{%
1721       {\string\bidi@column@status{2}}}}
1722   \or
1723   \let\bidi@firstcolumn@status@write\relax
1724   \let\bidi@lastcolumn@status@write\relax
1725   \fi}
1726
1727 \define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1728   \ifcase\bidi@tempb\relax
1729   \AtBeginDocument{\@bidi@inslogo@}}
1730   \or
1731   \let\@bidi@logo@\empty\let\@bidi@inslogo@\empty
1732   \fi}
1733
1734 \define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1735   \ifcase\bidi@tempb\relax
1736     \@bidi@pdfm@marktrue
1737   \or
1738     \@bidi@pdfm@markfalse
1739   \fi}
1740
1741% The `perpagefootnote' option is documented in UK TeX FAQ at
1742% <https://texfaq.org/FAQ-footnpp> (see last paragraph)
1743
1744 \define@choicekey{bidi.sty}{perpagefootnote}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1745   \ifcase\bidi@tempb\relax
1746     \@bidi@perpage@footnotetrue
1747   \or
1748     \@bidi@perpage@footnotefalse
1749   \fi}
1750
1751 \ExecuteOptionsX{%
1752   DetectColumn=off%
1753 }
1754
1755 \ProcessOptionsX
1756
1757 \pdfencryptsetup{%
1758   userpassword,%
1759   ownerpassword,%
1760   keylength,%

```



```

1761   permissionflags%
1762 }
1763
1764 \if@extrafootnotefeatures
1765   \input{extrafootnotefeatures-xetex-bidi.def}
1766 \fi
1767 \newcount\bidi@digits
1768 \XeTeXinterchartokenstate=\@ne
1769 \newXeTeXintercharclass\bidi@digits@charclass
1770 \newXeTeXintercharclass\bidi@sepmark@charclass
1771 \XeTeXcharclass `.\bidi@sepmark@charclass
1772 \XeTeXcharclass `-\bidi@sepmark@charclass
1773 \bidi@digits=\@0 \loop \XeTeXcharclass \bidi@digits @charclass \ifnum\bidi@digits<
1774 \bidi@digits=\@ \loop \XeTeXcharclass \bidi@digits @charclass \ifnum\bidi@digits<
1775 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterChar
1776 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
1777 \bidi@AtEndPreamble{%
1778   \if@bidi@perpage@footnote
1779     \RequirePackage{bidi-perpage}%
1780     \ResetCounterPerPage{footnote}%
1781   \fi
1782   \ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
1783     \ifx\bidi@pdfencrypt@userpassword\bidi@empty
1784       \bidi@pdfencryptfalse
1785     \else
1786       \bidi@pdfencrypttrue
1787     \fi
1788   \else
1789     \bidi@pdfencrypttrue
1790   \fi
1791   \if@bidi@pdfencrypt
1792     \special{pdf:encrypt
1793       userpw (\bidi@pdfencrypt@userpassword)
1794       ownerpw (\bidi@pdfencrypt@ownerpassword)
1795       length \bidi@pdfencrypt@keylength
1796       perm \bidi@pdfencrypt@permissionflags
1797     }%
1798   \fi
1799 }
1800 \AtEndDocument{%
1801   \special{pdf:%
1802     docinfo<<%
1803     \if@bidi@pdfm@mark
1804       /Creator(\bidi@pdfcreator)%
1805       /Producer(\bidi@pdfproducer)%
1806     \fi
1807     /BIDI.Fullbanner(\bidi@pdfcustomproperties)%
1808     \if@bidi@csdef{@xepersian@pdfcustomproperties}%
1809       /XEPERSIAN.Fullbanner(@xepersian@pdfcustomproperties)%
1810     \{}%

```



```

1811      >>%
1812      }%
1813 }

15 File bidi.tex

1814 \def\bidi@date{2019/03/03}
1815 \catcode`@=11
1816 \def\bidi@version{35.7}
1817 \let \protect \relax
1818 \newlinechar`\^^J
1819 \edef\@bidi@info{*****}
1820 * `^^J%
1821 * bidi package (Bidirectional typesetting in`^^J%
1822 * plain TeX and LaTeX, using XeTeX engine)`^^J%
1823 * `^^J%
1824 * Description: A convenient interface for`^^J%
1825 * typesetting bidirectional texts in plain TeX`^^J%
1826 * and LaTeX. The package includes adaptations`^^J%
1827 * for use with many other commonly-used packages.`^^J%
1828 * `^^J%
1829 * Copyright (c) 2009--2019 Vafa Khalighi`^^J%
1830 * `^^J%
1831 * v\bidi@version, \bidi@date`^^J%
1832 * `^^J%
1833 * License: LaTeX Project Public License, version`^^J%
1834 * 1.3c or higher (your choice)`^^J%
1835 * `^^J%
1836 * Location on CTAN: /macros/xetex/latex/bidi`^^J%
1837 * `^^J%
1838 * Issue tracker: https://github.com/vafa-ac/bidi/issues`^^J%
1839 * `^^J%
1840 ****}
1841 \message{\@bidi@info}
1842 \edef\bidi@everyjob{\the\everyjob}
1843 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1844 \def\bidiversion{%
1845   \relax
1846   \ifmmode
1847     \bidi@version
1848   \else
1849     \$\bidi@version$
1850   \fi
1851 }
1852 \input iftex.sty
1853 \RequireXeTeX
1854 \newif\if@bidi@pdfm@mark
1855 \newif\if@RTLmain
1856 \newif\if@RTL
1857 \newif\if@hboxRconstruct

```



```

1858 \newif\if@sentdir
1859 \newif\if@RTL@footnote
1860 \oRTLmainfalse
1861 \def\setRTLmain{%
1862   \if@RTLmain\else
1863     \if@RTL\oRTLmaintrue%
1864     \else\oRTLmainfalse%
1865   \fi%
1866   \fi%
1867 }
1868 \let\n@xt=\
1869 \protected\def\LRE{\protect\pLRE}%
1870 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1871 \protected\def\RLE{\protect\pRLE}%
1872 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1873 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1874   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1875 \newinsert@\bidi@copyins@
1876 \skip@\bidi@copyins@=12\p@
1877 \dimen@\bidi@copyins@=40pc
1878 \count@\bidi@copyins@=1000
1879 \def@\bidi@inslogo@{\insert@\bidi@copyins@{\bidi@logo@}}
1880 \def@\bidi@logo@hb@xt@{%
1881   \if@RTLmain
1882     \hboxR to
1883   \else
1884     \hboxL to
1885   \fi
1886 }
1887 \def@\bidi@logo#1{%
1888   \toks@{%
1889     \setbox\z@\hbox{%
1890       \special{%
1891         pdf:image width 50pt height 50pt (#1)%
1892     }%
1893   }%
1894   \dp\z@ \z@
1895   \ht\z@=50pt
1896   \wd\z@=50pt
1897   \beginL
1898     \lower20pt\box\z@
1899   \endL
1900 }%
1901   \the\toks@
1902 }
1903 \def@\bidi@logo@{\bidi@logo@hb@xt@\hsize{\hss\bf Typeset by the bidi package\quad\bidi@logo@}}
1904 \def\nobidilogo{\let@\bidi@logo@\empty\let@\bidi@inslogo@\empty}
1905 \def@\bidi@pdfcreator{%
1906   The bidi package, v\bidi@version, \bididate
1907 }

```



```

1908 \def\@bidi@pdfproducer{%
1909   The bidi package, v\bidi@version, \bididate
1910 }
1911 \def\@bidi@pdfcustomproperties{%
1912   This is the bidi package, Version \bidi@version,
1913   Released March 3, 2019.
1914 }
1915 \def\bidi@pdfm@mark{%
1916   \special{pdf:%
1917     docinfo<<%
1918     \if@bidi@pdfm@mark
1919       /Creator(\@bidi@pdfcreator)%
1920       /Producer(\@bidi@pdfproducer)%
1921     \fi
1922     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
1923     >>%
1924   }%
1925 }
1926 \def\bidi@pdfinfoon{\@bidi@pdfm@marktrue}
1927 \def\bidi@pdfinfooff{\@bidi@pdfm@markfalse}
1928 \input plain-xetex-bidi.def
1929 \@bidi@inslogo@
1930 \outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
1931 \catcode`@=12
1932 \bidi@pdfinfoon

```

16 File `bidi2in1.sty`

```

1933 \NeedsTeXFormat{LaTeX2e}
1934 \ProvidesPackage{bidi2in1}
1935 \pagestyle{plain}
1936 \newcount\evenpage
1937 \newcount\oddpage
1938 \twocolumn
1939 \def\@oddfoot{\evenpage=\thepage%
1940 \multiply\evenpage by 2%
1941 \oddpage=\the\evenpage%
1942 \advance\oddpage by -1%
1943 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
1944 \def\@evenfoot{\evenpage=\thepage%
1945 \multiply\evenpage by 2%
1946 \oddpage=\the\evenpage%
1947 \advance\oddpage by -1%
1948 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
1949 \textwidth 9.49in
1950 \textheight 6.7in
1951 \columnsep 0.9in
1952 \columnseprule 0.125pt
1953 \headheight 0cm
1954 \topmargin 0in

```



```

1955 \marginparwidth 0in
1956 \marginparsep 0in
1957 \hoffset 0.05in % Corrected
1958 \voffset -0.5in %top margin space is 1.0in by default
1959 \oddsidemargin 0in
1960 \evensidemargin 0in
1961 \headsep 0cm
1962 \topskip 0cm
1963 \parskip 0.15in      %
1964 \headsep 0pt
1965 \special{papersize=11.69in,8.26in}
1966 \renewcommand\maketitle{\par
1967 \begingroup
1968 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1969 \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
1970 \long\def\@makefntext##1{\par\indent 1em\noindent
1971 \hb@xt@1.8em{%
1972 \hss\textsuperscript{\normalfont\@thefnmark}}##1}%
1973 \maketitle
1974 \thanks
1975 \endgroup
1976 \setcounter{footnote}{0}%
1977 \global\let\thanks\relax
1978 \global\let\maketitle\relax
1979 \global\let\@maketitle\relax
1980 \global\let\@thanks\@empty
1981 \global\let\@author\@empty
1982 \global\let\@date\@empty
1983 \global\let\@title\@empty
1984 \global\let\title\relax
1985 \global\let\author\relax
1986 \global\let\date\relax
1987 \global\let\and\relax
1988 }

```

17 File `bidicode.sty`

```

1989 \NeedsTeXFormat{LaTeX2e}
1990 \ProvidesPackage{bidicode}
1991 \RequirePackage{xcolor}
1992 \RequirePackage{showexpl}
1993 \definecolor{hellgelb}{rgb}{1,1,0.85}
1994 \definecolor{colKeys}{rgb}{0,0,1}
1995 \definecolor{colIdentifier}{rgb}{0,0,0}
1996 \definecolor{colComments}{rgb}{1,0,0}
1997 \definecolor{colString}{rgb}{0,0.5,0}
1998 \lstset{
1999   language=[LaTeX]TEX,
2000   float=hbp,
2001   basicstyle=\ttfamily\small,

```



```

2002 identifierstyle=\color{colIdentifier},
2003 keywordstyle=\color{colKeys},
2004 stringstyle=\color{colString},
2005 commentstyle=\color{colComments},
2006 backgroundcolor=\color{hellgelb},
2007 columns=flexible,
2008 tabsize=4,
2009 extendedchars=true,
2010 showspaces=false,
2011 showstringspaces=false,
2012 numbers=left,
2013 numbersep=0.9em,
2014 numberstyle=\tiny, %
2015 frame=single,
2016 captionpos=b,
2017 xleftmargin=1em,
2018 breaklines=true,
2019 breakautoindent=false,
2020 breakindent=0pt,
2021 escapeinside=**,
2022 pos=r,
2023 explpreset={%
2024 xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
2025 morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
2026 }
2027 \newcommand\HLON{%
2028   \gdef\lst@alloverstyle##1{%
2029     \fboxrule=0pt
2030     \fboxsep=0pt
2031     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
2032   }%
2033 \newcommand\HLOFF{%
2034   \xdef\lst@alloverstyle##1{##1}%
2035 }%
2036 \newcommand\Larg[1]{\normalfont\itshape#1\!}
2037 \newcommand\Large[1]{\$\langle\$Larg{\#1}\$rangle\$}
2038 \newcommand\Largb[1]{\lcb\Large{\#1}\rcb}
2039 \newcommand\Largs[1]{\lsb\Large{\#1}\rsb}
2040 \newcommand\Lagr[1]{\lrb\Large{\#1}\rrb}
2041 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}\begin{lcb\#1\rcb}}
2042 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}\end{lcb\#1\rcb}}
2043
2044 \DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
2045 \DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\\}}
2046 \DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\\}}
2047 \DeclareRobustCommand\lsb{{\normalfont\ttfamily[]}}
2048 \DeclareRobustCommand\rsb{{\normalfont\ttfamily[]}}
2049 \DeclareRobustCommand\lrb{{\normalfont\ttfamily()}}
2050 \DeclareRobustCommand\rrb{{\normalfont\ttfamily()}}}
2051

```



```

2052 \def\Lcs#1{\nxLcs{#1}}
2053 \def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
2054 \def\nxLcs#1{\texttt{\symbol{92}#1}}
2055
2056 \def\Coordx#1{$x_{\#1}$}
2057 \def\Coordy#1{$y_{\#1}$}
2058 \def\Coordz#1{$z_{\#1}$}
2059 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
2060 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
2061 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
2062 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
2063 \def\CIIAAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
2064 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
2065 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
2066 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
2067 \def\coordx#1{($x_{\#1}$)}
2068 \def\coordy#1{($y_{\#1}$)}
2069 \def\coordz#1{($z_{\#1}$)}
2070 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
2071 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
2072
2073 \newsavebox{\boxdef}
2074 \newenvironment{BDef}
2075   {\begin{lrbox}\boxdef
2076     \def\arraystretch{1.0}
2077     \begin{tabular}{@{}l@{}l@{}l@{}}
2078   }
2079   {\end{tabular}\end{lrbox}}
2080
2081   {\BCmd\fbox{\usebox{\boxdef}}\endBCmd}
2082   \aftergroup\afterindentfalse\aftergroup\afterheading
2083 }
2084
2085 \newenvironment{BDef*}
2086   {\begin{lrbox}\boxdef
2087     \def\arraystretch{1.0}
2088     \begin{tabular}{@{}l@{}l@{}l@{}}
2089   }
2090   {\end{tabular}\end{lrbox}}
2091   {\begin{BCmd*}\fbox{\usebox{\boxdef}}\end{BCmd*}}
2092   \aftergroup\afterindentfalse\aftergroup\afterheading
2093 }
2094 \newenvironment{BCmd}{
2095   \@beginparpenalty-\@lowpenalty
2096   \topsep\BDefaboveskip
2097   \fboxsep3pt
2098   \flushleft}
2099 {\@endparpenalty\OM
2100 \topsepadd\BDefbelowskip
2101 \endflushleft}

```



```

2102
2103 \newenvironment{BCmd*}{
2104   \@beginparpenalty\@M
2105   \topsep\BDefinlineskip
2106   \fboxsep3pt
2107   \flushleft}
2108 {\@endparpenalty5000
2109   \endflushleft}
2110
2111 \newskip\BDefaboveskip
2112 \newskip\BDefbelowskip
2113 \newskip\BDefinlineskip
2114 \setlength{\BDefaboveskip}{10pt plus 4pt}
2115 \setlength{\BDefbelowskip}{6pt}
2116 \setlength{\BDefinlineskip}{6pt}
2117
2118 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
2119 \def\OptArg{\ifnextchar*\OptArg@i{\OptArg@ii*}}
2120 \def\OptArg@i#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}
2121 \def\OptArg@ii#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

18 File `bidiftnxtra.sty`

```

2122 \NeedsTeXFormat{LaTeX2e}
2123 \ProvidesPackage{bidiftnxtra}
2124 \newtoks\bidi@p@ftn
2125 \let\FN@sf@@footnote\footnote
2126 \let\FN@sf@@LTRfootnote\LTRfootnote
2127 \let\FN@sf@@RTLfootnote\RTLfootnote
2128 \def\footnote{\ifx\protect\@typeset@protect
2129   \expandafter\FN@sf@@footnote
2130   \else
2131   \expandafter\FN@sf@gobble@opt
2132   \fi
2133 }
2134 \def\LTRfootnote{\ifx\protect\@typeset@protect
2135   \expandafter\FN@sf@@LTRfootnote
2136   \else
2137   \expandafter\FN@sf@gobble@opt
2138   \fi
2139 }
2140 \def\RTLfootnote{\ifx\protect\@typeset@protect
2141   \expandafter\FN@sf@@RTLfootnote
2142   \else
2143   \expandafter\FN@sf@gobble@opt
2144   \fi
2145 }
2146 \edef\FN@sf@gobble@opt{\noexpand\protect
2147   \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
2148 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%

```



```

2149  \@ifnextchar[%]
2150    \FN@sf@gobble@twobracket
2151    \@gobble
2152  }
2153 \def\FN@sf@gobble@twobracket[#1]#2{%
2154 \let\FN@sf@@footnotemark\footnotemark
2155 \def\footnotemark{\ifx\protect\@typeset@protect
2156   \expandafter\FN@sf@@footnotemark
2157 \else
2158   \expandafter\FN@sf@gobble@optionally
2159 \fi
2160 }
2161 \edef\FN@sf@gobble@optionally{\noexpand\protect
2162 \expandafter\noexpand\csname FN@sf@gobble@optionally \endcsname}
2163 \expandafter\def\csname FN@sf@gobble@optionally \endcsname{%
2164 \@ifnextchar[%]
2165 \FN@sf@gobble@bracket
2166 {}%
2167 }
2168 \def\FN@sf@gobble@bracket[#1]{}
2169 \def\@tabular{%
2170   \leavevmode \hbox \bgroup
2171   \let\@footnotetext\bidi@p@ftntext
2172   \let\@LTRfootnotetext\bidi@p@LTRftntext
2173   \let\@RTLfootnotetext\bidi@p@RTLftntext
2174   \let\@xfootnotenext\bidi@p@xftntext
2175   \let\@xfootnote\bidi@p@xfootnote
2176   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
2177   \let\@xLTRfootnote\bidi@p@xLTRfootnote
2178   \let\@xRTLfootnotenext\bidi@p@xRTLftntext
2179   \let\@xRTLfootnote\bidi@p@xRTLfootnote
2180   \if@RTLtab\beginR \fi
2181   \$\let\@acol\@tabacol
2182   \let\@classz\@tabclassz
2183   \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
2184 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
2185   \egroup \$\if@RTLtab\endR\fi\egroup
2186   \ifx\@capttype\@undefined
2187     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
2188 \long\def\bidi@p@ftntext#1{%
2189   \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
2190   \global\bidi@p@ftn\expandafter{\@tempy{#1}}%
2191 \long\def\bidi@p@LTRftntext#1{%
2192   \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2193   \global\bidi@p@ftn\expandafter{\@tempyi{#1}}%
2194 \long\def\bidi@p@RTLftntext#1{%
2195   \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2196   \global\bidi@p@ftn\expandafter{\@tempyii{#1}}%
2197
2198

```



```

2199 \long\def\bidi@p@xftntext [#1]#2{%
2200   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext [#1]{#2}}}
2201
2202 \long\def\bidi@p@xLTRftntext [#1]#2{%
2203   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext [#1]{#2}}}
2204
2205 \long\def\bidi@p@xRTLftntext [#1]#2{%
2206   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext [#1]{#2}}}
2207
2208
2209 \def\bidi@p@xfootnote [#1]{%
2210   \begingroup
2211     \csname c@\@mpfn\endcsname #1\relax
2212     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2213   \endgroup
2214   \footnotemark\bidi@p@xftntext [#1]}
2215
2216
2217 \def\bidi@p@xLTRfootnote [#1]{%
2218   \begingroup
2219     \csname c@\@mpfn\endcsname #1\relax
2220     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2221   \endgroup
2222   \footnotemark\bidi@p@xLTRftntext [#1]}
2223
2224
2225 \def\bidi@p@xRTLfootnote [#1]{%
2226   \begingroup
2227     \csname c@\@mpfn\endcsname #1\relax
2228     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2229   \endgroup
2230   \footnotemark\bidi@p@xRTLftntext [#1]}
2231
2232 \def\xffloat #1[#2]{%
2233   \nodocument
2234   \def \capttype {#1}%
2235   \def \fps {#2}%
2236   \onelevel@sanitize \fps
2237   \def \reserved@b {\!}%
2238   \ifx \reserved@b \fps
2239     \fpsadddefault
2240   \else
2241     \ifx \fps \empty
2242       \fpsadddefault
2243     \fi
2244   \fi
2245   \ifhmode
2246     \bsphack
2247     \floatpenalty -\Mi
2248   \else

```



```

2249      \@floatpenalty-\@Mii
2250      \fi
2251      \ifinner
2252          \parmoderr\@floatpenalty\z@
2253      \else
2254          \next\currbox\freelist
2255          {%
2256              \tempcnta \sixt@n
2257              \expandafter \tfor \expandafter \reserved@a
2258                  \expandafter :\expandafter =\fps
2259                  \do
2260                      {%
2261                          \if \reserved@a h%
2262                              \ifodd \tempcnta
2263                              \else
2264                                  \advance \tempcnta \one
2265                              \fi
2266                          \fi
2267                          \if \reserved@a t%
2268                              \setfpsbit \tw@
2269                          \fi
2270                          \if \reserved@a b%
2271                              \setfpsbit 4%
2272                          \fi
2273                          \if \reserved@a p%
2274                              \setfpsbit 8%
2275                          \fi
2276                          \if \reserved@a !
2277                              \ifnum \tempcnta>15
2278                                  \advance\tempcnta -\sixt@n\relax
2279                              \fi
2280                          \fi
2281                      }%
2282          \tempcntb \csname ftype@\capttype \endcsname
2283          \multiply \tempcntb \xxxii
2284          \advance \tempcnta \tempcntb
2285          \global \count\currbox \tempcnta
2286      }%
2287      \fltofvf
2288  \fi
2289  \global \setbox\currbox
2290      \color@vbox
2291          \normalcolor
2292          \vbox \bgroup
2293              \let\footnotetext\bidi@p@ftntext
2294              \let\LTRfootnotetext\bidi@p@LTRftntext
2295              \let\RTLfootnotetext\bidi@p@RTLftntext
2296              \let\xfootnotenext\bidi@p\xftntext
2297              \let\xfootnote\bidi@p\xfootnote
2298              \let\xLTRfootnotenext\bidi@p\xLTRftntext

```



```

2299      \let\@xLTRfootnote\bidi@p@\xLTRfootnote
2300      \let\@xRTLfootnotenext\bidi@p@\xRTLftnttext
2301      \let\@xRTLfootnote\bidi@p@\xRTLfootnote
2302      \hsize\columnwidth
2303      \parboxrestore
2304      \floatboxreset
2305 }
2306 \def \endfloatbox{%
2307     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
2308     \minipagetrue
2309     \outer\nobreak
2310     \egroup              %% end of vbox
2311     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
2312     \color@endbox
2313 }

```

19 File `bidimoderncv.cls`

```

2314 \NeedsTeXFormat{LaTeX2e}
2315 \ProvidesClass{bidimoderncv}
2316 \newif\if@DEBUG\@DEBUGfalse
2317 \DeclareOption{a4paper}{%
2318     \setlength\paperheight{297mm}
2319     \setlength\paperwidth{210mm}}
2320 \DeclareOption{a5paper}{%
2321     \setlength\paperheight{210mm}
2322     \setlength\paperwidth{148mm}}
2323 \DeclareOption{b5paper}{%
2324     \setlength\paperheight{250mm}
2325     \setlength\paperwidth{176mm}}
2326 \DeclareOption{letterpaper}{%
2327     \setlength\paperheight{11in}
2328     \setlength\paperwidth{8.5in}}
2329 \DeclareOption{legalpaper}{%
2330     \setlength\paperheight{14in}
2331     \setlength\paperwidth{8.5in}}
2332 \DeclareOption{executivepaper}{%
2333     \setlength\paperheight{10.5in}
2334     \setlength\paperwidth{7.25in}}
2335 \DeclareOption{landscape}{%
2336     \setlength\tempdima{\paperheight}
2337     \setlength\paperheight{\paperwidth}
2338     \setlength\paperwidth{\tempdima}}
2339 \newcommand\@ptsize{}
2340 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2341 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
2342 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
2343 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
2344 \DeclareOption{final}{\setlength\overfullrule{0pt}}
2345 \newif\if@colour\@colourtrue

```



```

2340 \DeclareOption{nocolour}{\@colourfalse}
2341 \ExecuteOptions{a4paper,11pt,colour,final}
2342 \ProcessOptions\relax
2343 \input{size1\@ptsize.clo}
2344 \RequirePackage{color}
2345 \RequirePackage{graphicx}
2346 \RequirePackage{ifthen}
2347 \RequirePackage{marvosym}
2348 \addtolength{\oddsidemargin}{-54pt}
2349 \addtolength{\textwidth}{109pt}
2350 \addtolength{\topmargin}{-70pt}
2351 \addtolength{\textheight}{122pt}
2352 \addtolength{\marginparsep}{-5pt}
2353 \addtolength{\marginparwidth}{-10pt}
2354 \RequirePackage{url}
2355 \RequirePackage{hyperref}
2356 \hypersetup{%
2357   breaklinks,
2358   baseurl      = http://,%
2359   pdfborder    = 0 0 0,%
2360   pdfpagemode = UseNone,%
2361   pdfstartpage = 1}
2362 \AtEndOfClass{%
2363   \AtBeginDocument{%
2364     \hypersetup{%
2365       pdfauthor    = \@firstname~\@familyname,%
2366       pdftitle     = \@title,%
2367       pdfsubject   = \@firstname~\@familyname,%
2368       pdfkeywords  = \@resumename~\@firstname~\@familyname}}}
2369 \urlstyle{tt}
2370 \RequirePackage{fancyhdr}
2371 \fancypagestyle{plain}{%
2372   \renewcommand{\headrulewidth}{0pt}
2373   \renewcommand{\footrulewidth}{0pt}
2374   \fancyhf{}}
2375 \pagestyle{plain}
2376 \setlength{\lineskip}{1\p@}
2377 \setlength{\normallineskip}{1\p@}
2378 \renewcommand{\baselinestretch}{}
2379 \setlength{\parindent}{0pt}
2380 \setlength{\parskip}{0pt}
2381 \setlength{\columnsep}{10\p@}
2382 \setlength{\columnseprule}{0\p@}
2383 \pagestyle{empty}
2384 \pagenumbering{arabic}
2385 \raggedbottom
2386 \onecolumn
2387 \providecommand*\listitemsymbol{\textbullet}
2388 \providecommand*\addresssymbol{}
2389 \providecommand*\mobilesymbol{\Mobilefone}

```



```

2396 \providecommand*{\phonesymbol}{\Telefon}
2397 \providecommand*{\faxsymbol}{\FAX}
2398 \providecommand*{\emailsymbol}{\Letter}
2399 \definecolor{firstnamecolor}{rgb}{0,0,0}
2400 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2401 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
2402 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2403 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2404 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2405 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2406 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2407 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2408 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2409 \providecommand*{\firstnamefont}{}
2410 \providecommand*{\familynamefont}{}
2411 \providecommand*{\titlefont}{}
2412 \providecommand*{\addressfont}{}
2413 \providecommand*{\quotefont}{}
2414 \providecommand*{\sectionfont}{}
2415 \providecommand*{\subsectionfont}{}
2416 \providecommand*{\hintfont}{\small}
2417 \providecommand*{\firstnamestyle}[1]{\{\firstnamenewfont\@firstnamecolour#1\}}
2418 \providecommand*{\familynamestyle}[1]{\{\familynamenewfont\@familynamecolour#1\}}
2419 \providecommand*{\titlestyle}[1]{\{\titlefont\@titlecolour#1\}}
2420 \providecommand*{\addresstyle}[1]{\{\addressfont\@addresscolour#1\}}
2421 \providecommand*{\quotestyle}[1]{\{\quotefont\@quotecolour#1\}}
2422 \providecommand*{\sectionstyle}[1]{\{\sectionfont\@sectiontitlecolour#1\}}
2423 \providecommand*{\subsectionstyle}[1]{\{\subsectionfont\@subsectioncolour#1\}}
2424 \providecommand*{\hintstyle}[1]{\{\hintfont\@hintcolour#1\}}
2425 \newcommand*{\cvtheme}[2][]{%
2426   \def\@cvtheme{#2}
2427   \def\@cvthemeoptions{#1}
2428   \cvtheme{bidi-casual}
2429   \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
2430   \newcommand*{\resumename}[1]{\def\@resumename{#1}}
2431   \newcommand*{\firstname}[1]{\def\@firstname{#1}}
2432   \newcommand*{\familynamenewfont}{\def\@familynamefont{\rmfamily}}
2433   \renewcommand*{\title}[1]{\def\@title{#1}}
2434   \newcommand*{\address}[1]{\def\@address{#1}}
2435   \newcommand*{\mobile}[1]{\def\@mobile{#1}}
2436   \newcommand*{\phone}[1]{\def\@phone{#1}}
2437   \renewcommand*{\fax}[1]{\def\@fax{#1}}
2438   \newcommand*{\email}[1]{\def\@email{#1}}
2439   \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
2440   \def\@photowidth{0pt}
2441   \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
2442   \newcommand*{\quote}[1]{\def\@quote{#1}}
2443   \newlength{\quotewidth}
2444   \newlength{\hintscolumnwidth}
2445   \newlength{\separatorcolumnwidth}

```



```

2446 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2447 \newlength{\maincolumnwidth}
2448 \newlength{\doubleitemmaincolumnwidth}
2449 \newlength{\listitemsymbolwidth}
2450 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
2451 \newlength{\listitemmaincolumnwidth}
2452 \newlength{\listdoubleitemmaincolumnwidth}
2453 \newcommand*{\recomputethemelengths}){}
2454 \newcommand*{\recomputelengths}{%
2455 \setlength{\quotewidth}{0.65\textwidth}%
2456 \setlength{\maincolumnwidth}{\textwidth}%
2457 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2458 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2459 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2460 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2461 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2462 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2463 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2464 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2465 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2466 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2467 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2468 \renewcommand{\headwidth}{\textwidth}%
2469 \recomputethemelengths}
2470 \setlength{\hintscolumnwidth}{0.15\textwidth}
2471 \recomputelengths
2472 \title{%
2473 \renewcommand*{\maketitle}{}}
2474 \newcommand*{\section}[1]{%
2475 \vspace*{2.5ex} \oplus 1ex \ominus .2ex}%
2476 \phantomsection{}%
2477 \addcontentsline{toc}{part}{\#1}%
2478 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}\rule[.5ex]{\doubleitemmaincolumnwidth}{.4pt}}\rule[.5ex]{\separatorcolumnwidth}{.4pt}}%
2479 \hspace{\separatorcolumnwidth}%
2480 \parbox[m]{\maincolumnwidth}{\sectionstyle{\#1}}\rule[1ex]{\doubleitemmaincolumnwidth}{.4pt}}%
2481 \newcommand*{\subsection}[1]{%
2482 \cvline[0.45em]{}{\subsectionstyle{\#1}}}%
2483 \newcommand*{\cvline}[3][.25em]{%
2484 \begin{tabular}[@{}p{\hintscolumnwidth}@{}p{\separatorcolumnwidth}@\hspace{\separatorcolumnwidth}p{\maincolumnwidth}]}
2485 \bidi@raggedleft\hintfont{\#2} & \#3}%
2486 \end{tabular}\rule[1ex]{\#1}{.4pt}}%
2487 \newcommand*{\cvdoubleitem}[4]{%
2488 \cvline{\#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}\#2\end{minipage}}%
2489 \hfill}%
2490 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{\#3}\end{minipage}\hspace*{\separatorcolumnwidth}%
2491 \newcommand*{\cvlistitem}[2]{\listitemsymbol{}~}
2492 \cvline[0pt]{}{\#1\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}%
2493 \newcommand*{\cvlistdoubleitem}[3]{\listitemsymbol{}~}
2494 \cvline[0pt]{}{\#1\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}%
2495 \hfill}%

```



```

2496 \ifthenelse{\equal{#3}{}}{%
2497   {}%
2498   {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}%
2499 \newcommand*{\cventry}[6]{%
2500   \cvline{#1}{%
2501     {\bfseries#2}%
2502     \ifx#3\else{, {\slshape#3}}\fi%
2503     \ifx#4\else{, #4}\fi%
2504     \ifx#5\else{, #5}\fi%
2505     .%
2506     \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
2507   }%
2508 \newcommand*{\cvlanguage}[3]{%
2509   \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}#3\end{minipage}}%
2510 \newcommand*{\cvcomputer}[4]{%
2511   \cvdoubleitem{#1}{\small#2}{#3}{\small#4}%
2512 \newcommand*{\link}[2]{[]}{%
2513   \ifthenelse{\equal{#1}{}}{%
2514     {\ href{#2}{#2}}%
2515     {\ href{#2}{#1}}}
2516 \newcommand*{\httplink}[2]{[]}{%
2517   \ifthenelse{\equal{#1}{}}{%
2518     {\ href{http://#2}{#2}}%
2519     {\ href{http://#2}{#1}}}
2520 \newcommand*{\emaillink}[2]{[]}{%
2521   \ifthenelse{\equal{#1}{}}{%
2522     {\ href{mailto:#2}{#2}}%
2523     {\ href{mailto:#2}{#1}}}
2524 \newif\if@displaypagenumbers@\displaypagenumberstrue
2525 \newcommand*{\nopagenumbers}{@\displaypagenumbersfalse}
2526 \AtBeginDocument{%
2527   \if@displaypagenumbers%
2528     @ifundefined{r@lastpage}{}{%
2529       \ifthenelse{\pageref{lastpage} > 1}{%
2530         \fancypagestyle{plain}{%
2531           \fancyfoot[r]{\begin{LARGE}\addressfont\quotecolour\footnotesize\thepage\end{LARGE}\pagestyle{plain}}}}%
2532       \AtEndDocument{\label{lastpage}}%
2533     \fi}
2534   \newlength{\bibindent}
2535   \setlength{\bibindent}{1.5em}
2536 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2537 \newenvironment{thebibliography}[1]{%
2538   \begin{list}{\bibliographyitemlabel}%
2539   {}%
2540     \section{\refname}%
2541     \small%
2542     \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
2543     \bidi@thebibliography@font@hook%
2544     \begin{list}{\bibliographyitemlabel}%
2545   {}%

```



```

2546      \setlength{\topsep}{0pt}%
2547      \setlength{\labelwidth}{\hintscolumnwidth}%
2548      \setlength{\labelsep}{\separatorcolumnwidth}%
2549      \leftmargin\labelwidth%
2550      \advance\leftmargin\labelsep%
2551      \openbib@code%
2552      \usecounter{enumiv}%
2553      \let\p@enumiv\empty%
2554      \renewcommand\theenumiv{\@arabic\c@enumiv}%
2555      \sloppy\clubpenalty4000\widowpenalty4000%
2556  }%
2557 {%
2558   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2559   \end{list}%
2560 }
2561 \newcommand\newblock{\hspace{.11em}\@plus.33em\@minus.07em}
2562 \let\openbib@code\empty

```

20 File `bidi-perpage.sty`

```

2563 \NeedsTeXFormat{LaTeX2e}
2564 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
2565 \newcount\bidi@page@count
2566 \bidi@page@count\one
2567 \newcommand*\ResetCounterPerPage[2]{[\z@]{%
2568   \if@bidi@csundef{bidi@stepcounterhook@@#2}{%
2569     \expandafter\gdef\csname bidi@stepcounterhook@@#2\endcsname{}%
2570   }{%
2571     \if@bidi@csundef{if@bidi@reset@#2@rerun}{%
2572       \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
2573     }{%
2574       \if@bidi@csundef{bidi@#2@count}{%
2575         \expandafter\newcount\csname bidi@#2@count\endcsname
2576       }{%
2577         \csname bidi@#2@count\endcsname\z@
2578         \if@bidi@csundef{bidi@previous@page@@#2@count}{%
2579           \expandafter\newcount\csname
2580             bidi@previous@page@@#2@count\endcsname
2581         }{%
2582           \csname bidi@previous@page@@#2@count\endcsname\z@
2583           \if@bidi@csundef{bidi@reset@#2@perpage}{%
2584             \bidi@AfterEndDocumentCheckLabelsRerun{%
2585               \csname if@bidi@reset@#2@rerun\endcsname
2586               \PackageWarningNoLine{bidi-perpage}{%
2587                 Counter `#2' may not have been reset per page.
2588                 Rerun to reset counter `#2' per page%
2589               }%
2590             \fi
2591           }%
2592         }%
2593       }%
2594     }%
2595   }%
2596 }
```



```

2593 \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
2594   \global\advance\csname bidi@#2@count\endcsname@ne
2595   \if@filesw
2596     \edef\@tempa{%
2597       \write\auxout{%
2598         \string\bidi@counter@page{#2}%
2599         {\number\csname bidi@#2@count\endcsname}%
2600         {\noexpand\number\noexpand\bidi@page@count}%
2601       }%
2602     }%
2603     \@tempa
2604   \fi
2605   \begingroup\expandafter\expandafter\expandafter\endgroup
2606   \expandafter\ifx\csname bidi@#2@count\endcsname\relax
2607   \bidi@#2@count\endcsname\relax
2608   \global\csname @bidi@reset@#2@reruntrue\endcsname
2609   \else
2610     \global\csname @bidi@reset@#2@rerunfalse\endcsname
2611     \expandafter\@tempcpta\csname bidi@#2@count\endcsname
2612     \csname bidi@#2@count\endcsname\relax
2613     \ifnum\@tempcpta=\csname
2614       bidi@previous@page@@#2@count\endcsname
2615     \else
2616       \global\csname
2617       bidi@previous@page@@#2@count\endcsname\@tempcpta
2618       \global\csname c@#2\endcsname#1\relax
2619     \fi
2620   \fi
2621 }%
2622 \expandafter\bidi@gappto\csname
2623 \bidi@stepcounterhook@@#2\endcsname{%
2624   \csname bidi@reset@#2@perpage\endcsname
2625 }%
2626 }
2627 \def\bidi@counter@page#1#2#3{\bidi@namegdef{bidi@#1@@#2}{#3}}
2628 \bidi@AtEndOutputPage{%
2629   \global\advance\bidi@page@count\@ne
2630 }

```

21 File `biditools.sty`

```

2631 \NeedsTeXFormat{LaTeX2e}
2632 \ProvidesPackage{biditools}[2018/12/11 v1.9 Programming tools for bidi package]
2633 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\relax
2634   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2635   \ifx\@tempa\@tempb \global\let#2#1%
2636   \else
2637     \edef\@tempb{\meaning#2}%
2638     \ifx\@tempa\@tempb
2639     \else

```



```

2640      \@latex@error{Unable to properly define \string#2; primitive
2641      \noexpand#1 no longer primitive}\@eha
2642      \fi
2643      \fi
2644      \endgroup
2645 \newtoks\@bidi@envbody
2646 \newtoks\@bidi@emptytoks
2647 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2648 \def\bidi@collect@body#1{%
2649   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2650   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2651   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2652   \begingroup
2653   \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
2654   \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2655   \bidi@process@envbody
2656 }
2657 \def\bidi@push@begins#1\begin#2{%
2658   \ifx\end#2\else b\expandafter\bidi@push@begins\fi
2659 }
2660 \def\bidi@collect@@body#1\end#2{%
2661   \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
2662   \ifx\@empty\begin@bidi@stack
2663   \endgroup
2664   \@checkend{#2}%
2665   \bidi@addto@envbody{#1}%
2666 \else
2667   \bidi@addto@envbody{#1\end{#2}}%
2668 \fi
2669 \bidi@process@envbody % A little tricky! Note the grouping
2670 }
2671 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2672 \long\def\bidi@collect@long@body#1{%
2673   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2674   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2675   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2676   \begingroup
2677   \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
2678   \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2679   \bidi@process@envbody
2680 }
2681 \long\def\bidi@push@long@begins#1\begin#2{%
2682   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
2683 }
2684 \long\def\bidi@collect@long@@body#1\end#2{%
2685   \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
2686   \ifx\@empty\begin@bidi@stack
2687   \endgroup
2688   \@checkend{#2}%
2689   \bidi@addto@long@envbody{#1}%

```



```

2690 \else
2691   \bidi@addto@long@envbody{#1\end{#2}}%
2692 \fi
2693 \bidi@process@envbody % A little tricky! Note the grouping
2694 }
2695 \long\def\bidi@new@ifnextchar#1#2#3{%
2696   \let\reserved@d= #1%
2697   \def\reserved@a{#2}\def\reserved@b{#3}%
2698   \futurelet\@let@token\bidi@new@ifnch
2699 }
2700 \def\bidi@new@ifnch{%
2701   \ifx\@let@token\reserved@d \let\reserved@c\reserved@a \fi
2702   \reserved@c
2703 }
2704 \def\bidi@matrix@check#1{%
2705   \expandafter\ifx\csname@currenvir\endcsname#1%
2706   \else\bidi@matrix@error#1%
2707     \expandafter@gobble
2708   \fi
2709 }
2710 \def\bidi@matrix@error#1{%
2711   \PackageError{biditools}{%
2712 Old form `#1' should be \string\begin{\expandafter\gobble\string#1}%
2713 }{%
2714 `#1' is old bidi package syntax whose use is
2715 ill-advised in the old versions of bidi package.%}
2716 }%
2717 }
2718 \def\@tagsextension{clo}
2719 \def\@definitionfileextension{def}
2720 \def\@texfileextension{tex}
2721 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2722 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2723 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
2724 \def\eqnewif#1#2{%
2725   \count@\escapechar \escapechar\m@ne
2726   \let#1\iffalse
2727   \let#2\iffalse
2728   \eq@if#1#2\iftrue
2729   \eq@if#1#2\iffalse
2730   \escapechar\count@}
2731 \def\eq@if#1#2#3{%
2732   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2733     \expandafter\@gobbletwo\string#3\endcsname
2734     {\let#1#3%
2735     \let#2#3}%
2736   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2737     \expandafter\@gobbletwo\string#3\endcsname
2738     {\let#2#3%
2739     \let#1#3}%

```



```

2740 \newcommand*{\SetBoolean}[2]{%
2741   \lowercase{\def\@tempa{#2}}%
2742   \@ifundefined{@tempswa\@tempa}%
2743     {\PackageError{biditools}%
2744       {You can only set a boolean to `true' or `false'}\@ehc}%
2745     {\@ifundefined{#1\@tempa}%
2746       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2747       {\csname#1\@tempa\endcsname}}}
2748 \newcommand*{\GlobalSetBoolean}[2]{%
2749   \lowercase{\def\@tempa{#2}}%
2750   \@ifundefined{@tempswa\@tempa}%
2751     {\PackageError{biditools}%
2752       {You can only set a boolean to `true' or `false'}\@ehc}%
2753     {\@ifundefined{#1\@tempa}%
2754       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2755       {\global\csname#1\@tempa\endcsname}}}
2756 \newcommand*{\SetatBoolean}[2]{%
2757   \lowercase{\def\@tempa{#2}}%
2758   \@ifundefined{@tempswa\@tempa}%
2759     {\PackageError{biditools}%
2760       {You can only set a boolean to `true' or `false'}\@ehc}%
2761     {\@ifundefined{@#1\@tempa}%
2762       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2763       {\csname @#1\@tempa\endcsname}}}
2764 \newcommand*{\GlobalSetatBoolean}[2]{%
2765   \lowercase{\def\@tempa{#2}}%
2766   \@ifundefined{@tempswa\@tempa}%
2767     {\PackageError{biditools}%
2768       {You can only set a boolean to `true' or `false'}\@ehc}%
2769     {\@ifundefined{@#1\@tempa}%
2770       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2771       {\global\csname @#1\@tempa\endcsname}}}
2772 \def@\bidi@removefromreset#1#2{%
2773   \expandafter\let\csname c@#1\endcsname@\bidi@removefromreset
2774   \def@\elt##1{%
2775     \expandafter\ifx\csname c@##1\endcsname@\bidi@removefromreset
2776     \else
2777       \noexpand\@elt{##1}%
2778     \fi}%
2779   \expandafter\xdef\csname c1@#2\endcsname{%
2780     \csname c1@#2\endcsname}}}
2781 \newcommand*{\ifRtoL}{%
2782   \if@RTL
2783     \expandafter@\firstoftwo
2784   \else
2785     \expandafter@\secondoftwo
2786   \fi}
2787 \newcommand*{\ifLtoR}{%
2788   \if@RTL
2789     \expandafter@\secondoftwo

```



```

2790  \else
2791    \expandafter\@firstoftwo
2792  \fi}
2793 \newcommand*{\ifRtoLtable}{%
2794   \if@RTLtab
2795     \expandafter\@firstoftwo
2796   \else
2797     \expandafter\@secondoftwo
2798   \fi}
2799 \newcommand*{\ifLtoRtable}{%
2800   \if@RTLtab
2801     \expandafter\@secondoftwo
2802   \else
2803     \expandafter\@firstoftwo
2804   \fi}
2805 \newcommand*{\ifRtoLhboxconstruct}{%
2806   \if@hboxRconstruct
2807     \expandafter\@firstoftwo
2808   \else
2809     \expandafter\@secondoftwo
2810   \fi}
2811 \newcommand*{\ifLtoRhboxconstruct}{%
2812   \if@hboxRconstruct
2813     \expandafter\@secondoftwo
2814   \else
2815     \expandafter\@firstoftwo
2816   \fi}
2817 \newcommand*{\iflatin}{%
2818   \if@nonlatin
2819     \expandafter\@secondoftwo
2820   \else
2821     \expandafter\@firstoftwo
2822   \fi}
2823 \newcommand*{\ifnonlatin}{%
2824   \if@nonlatin
2825     \expandafter\@firstoftwo
2826   \else
2827     \expandafter\@secondoftwo
2828   \fi}
2829
2830 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
2831   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
2832
2833 \newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
2834   \dimexpr #1*65536/\dimexpr 1pt\relax}
2835
2836 \newcommand*{\if@bidi@csdef}[1]{%
2837   \ifcsname#1\endcsname
2838     \expandafter\@firstoftwo
2839   \else

```



```

2840      \expandafter\@secondoftwo
2841      \fi}
2842 \newcommand*{\if@bidi@csundef}[1]{%
2843     \ifcsname#1\endcsname
2844         \expandafter\ifx\csname#1\endcsname\relax
2845             \expandafter\expandafter
2846             \expandafter\@firstoftwo
2847         \else
2848             \expandafter\expandafter
2849             \expandafter\@secondoftwo
2850         \fi
2851     \else
2852         \expandafter\@firstoftwo
2853     \fi}
2854 \newcommand{\if@bidi@def}[1]{%
2855     \ifdefined#1%
2856         \expandafter\@firstoftwo
2857     \else
2858         \expandafter\@secondoftwo
2859     \fi}
2860 \newcommand{\if@bidi@undef}[1]{%
2861     \ifdefined#1%
2862         \ifx#1\relax
2863             \expandafter\expandafter
2864             \expandafter\@firstoftwo
2865         \else
2866             \expandafter\expandafter
2867             \expandafter\@secondoftwo
2868         \fi
2869     \else
2870         \expandafter\@firstoftwo
2871     \fi}
2872 \newcommand{\if@bidi@blank}[1]{% from url.sty
2873     \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2874 \long\def\bidi@ifblank@i#1#2#3#4#5:{#4}
2875 \newcommand{\bidi@notblank}[1]{%
2876     \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2877 \newcommand{\if@bidi@defmacro}{}%
2878 \long\edef\if@bidi@defmacro#1{%
2879     \noexpand\expandafter\noexpand\bidi@ifdefmacro
2880     \noexpand\meaning#1\detokenize{macro}:&%
2881 \edef\bidi@ifdefmacro{%
2882     \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}%
2883 \bidi@ifdefmacro{\bidi@notblank{#2}}%
2884 \newcommand*{\if@bidi@csmacro}[1]{%
2885     \if@bidi@csdef{#1}
2886         {\expandafter\if@bidi@defmacro\csname#1\endcsname}%
2887         {\@secondoftwo}}
2888 \newcommand{\if@bidi@defprimitive}[1]{%
2889     \ifprimitive#1%

```



```

2890      \expandafter\@firstoftwo
2891  \else
2892      \expandafter\@secondoftwo
2893  \fi}
2894 \newcommand{\if@bidi@csprimitive}{1}{%
2895 \begingroup\expandafter\expandafter\expandafter\endgroup%
2896 \expandafter\ifprimitive\csname#1\endcsname%
2897 \expandafter\@firstoftwo
2898 \else
2899 \expandafter\@secondoftwo
2900 \fi}
2901 \newcommand*{\bidi@csdefcs}{2}{%
2902 \expandafter\@ifdefinable \csname#1\endcsname{%
2903 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
2904 \newcommand*{\bidi@csletcs}{2}{%
2905 \expandafter\@ifdefinable \csname#1\endcsname{%
2906 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
2907 \newcommand*{\bidi@cslet}{2}{%
2908 \expandafter\@ifdefinable \csname#1\endcsname{%
2909 \expandafter\let\csname#1\endcsname#2}}
2910 \newcommand{\bidi@namelongdef}{1}{%
2911 \long\expandafter\def\csname #1\endcsname}
2912 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
2913 \def\bidi@ensure@new@command#1{%
2914 \begingroup \escapechar`m@ne\xdef\@gtempa{{\string#1}}\endgroup
2915 \expandafter\if@bidi@csundef\@gtempa
2916 {\new@command#1{\relax}}
2917 \let\@ifdefinable\@rc@ifdefinable%
2918 \new@command#1}
2919 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}}
2920
2921 \protected\def\bidi@error{\PackageError{bidi}}
2922 \protected\def\bidi@warning{\PackageWarning{bidi}}
2923 \protected\def\bidi@info{\PackageInfo{bidi}}
2924
2925
2926 \newcommand*{\setbaselineskip}{1}{%
2927 \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\relax}
2928 \selectfont
2929 }
2930
2931
2932 \newcommand*{\bidi@newrobustcmd}{}}
2933 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
2934 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2935
2936 \def\bidi@newcommand#1[#2]{%
2937 \ifnextchar[%
2938 {\bidi@xargdef#1[#2]}}
2939

```



```

2940   {\ifx\l@ngrel@x\relax
2941     \let\l@ngrel@x\protected
2942   \else
2943     \protected\def\l@ngrel@x{\protected\long}%
2944   \fi
2945   \argdef#1[#2]}}
2946
2947 \long\def\bidi@xargdef#1[#2][#3]#4{%
2948   \@ifndefable#1{%
2949     \expandafter\protected
2950     \expandafter\def
2951     \expandafter#1%
2952     \expandafter{%
2953       \expandafter\@testopt
2954       \csname\string#1\endcsname{#3}}%
2955     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2956
2957 \bidi@newrobustcmd*\bidi@renewrobustcmd}{\star@or@long\bidi@renew@command}
2958
2959 \def\bidi@renew@command#1{%
2960   \if\bidi@undef{#1}
2961     {\bidi@error{\string#1 undefined}\@ehc}
2962   {}%
2963   \let\@ifndefable\rc@ififndefable
2964   \bidi@new@command#1}
2965
2966
2967
2968 \bidi@newrobustcmd*\bidi@providerobustcmd}{\star@or@long\bidi@provide@command}
2969
2970 \def\bidi@provide@command#1{%
2971   \if\bidi@undef{#1}
2972     {\def\reserved@a{\bidi@new@command#1}}
2973     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2974   \reserved@a}
2975
2976 \newcommand*\bidi@csuse}[1]{%
2977   \ifcsname#1\endcsname
2978     \csname#1\expandafter\endcsname
2979   \fi}
2980
2981 \newcommand{\bidi@expandonce}[1]{%
2982   \unexpanded\expandafter{#1}}
2983
2984 \def\bidi@protected{%
2985   \let\@protect\protect
2986   \let\protect\@unexpandable@protect
2987   \afterassignment\restore@protect}
2988
2989 \bidi@newrobustcmd{\bidi@appto}[2]{%

```



```

2990  \if@bidi@undef{#1}
2991      {\edef#1{\unexpanded{#2}}
2992      {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2993 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2994     \if@bidi@undef{#1}
2995         {\edef#1{#2}}
2996         {\edef#1{\bidi@expandonce#1#2}}}
2997 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2998     \if@bidi@undef{#1}
2999         {\xdef#1{\unexpanded{#2}}}
3000         {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
3001 \bidi@newrobustcmd{\bidi@xappto}[2]{%
3002     \if@bidi@undef{#1}
3003         {\xdef#1{#2}}
3004         {\xdef#1{\bidi@expandonce#1#2}}}
3005
3006 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
3007 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
3008
3009
3010
3011 \bidi@newrobustcmd{\bidi@preto}[2]{%
3012     \if@bidi@undef{#1}
3013         {\edef#1{\unexpanded{#2}}}
3014         {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
3015 \bidi@newrobustcmd{\bidi@epreto}[2]{%
3016     \if@bidi@undef{#1}
3017         {\edef#1{#2}}
3018         {\edef#1{#2\bidi@expandonce#1}}}
3019 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
3020     \if@bidi@undef{#1}
3021         {\xdef#1{\unexpanded{#2}}}
3022         {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
3023 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
3024     \if@bidi@undef{#1}
3025         {\xdef#1{#2}}
3026         {\xdef#1{#2\bidi@expandonce#1}}}
3027
3028 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
3029 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
3030
3031
3032
3033 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
3034 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
3035 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
3036 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
3037 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
3038 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
3039

```



```

3040
3041
3042 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
3043 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
3044 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
3045 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
3046 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
3047 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
3048
3049
3050
3051 \bidi@newrobustcmd{\if@bidi@patchable}{%
3052   \bidi@dbg@trc\if@bidi@patchable
3053   \begingroup
3054   \makeother\#%
3055   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
3056
3057 \long\def\bidi@ifpatchable#1#2{%
3058   \endgroup
3059   \bidi@dbg@init#1%
3060   \if@bidi@undef{#1}
3061     {\bidi@dbg@fail{def}\@secondoftwo}
3062     {\bidi@dbg@info{def}\%
3063      \if@bidi@defmacro{#1}
3064        {\bidi@dbg@info{mac}\%
3065         \bidi@ifscanable{#1}
3066           {\bidi@ifhashcheck{#2}
3067             {\bidi@dbg@info{tok}\%
3068               \bidi@ifpattern#1{#2}
3069                 {\bidi@dbg@info{pat}\%
3070                   \bidi@dbg@info{pos}\@firstoftwo}
3071                   {\bidi@dbg@fail{pat}\@secondoftwo}}
3072                 {\bidi@dbg@fail{hsh}\@secondoftwo}}
3073               {\bidi@dbg@fail{tok}\@secondoftwo}}
3074             {\bidi@dbg@fail{mac}\@secondoftwo}}}
3075
3076 \long\def\bidi@ifpatchable@i#1{%
3077   \endgroup
3078   \bidi@dbg@init#1%
3079   \if@bidi@undef{#1}
3080     {\bidi@dbg@fail{def}\@secondoftwo}
3081     {\bidi@dbg@info{def}\%
3082      \if@bidi@defmacro{#1}
3083        {\bidi@dbg@info{mac}\%
3084         \if@bidi@defparam{#1}
3085           {\bidi@dbg@info{prm}\%
3086             \bidi@ifscanable{#1}
3087               {\bidi@dbg@info{tok}\%
3088                 \bidi@dbg@info{pos}\@firstoftwo}
3089               {\bidi@dbg@fail{tok}\@secondoftwo}}}

```



```

3090      {\bidi@dbg@info{prl}%
3091          \if@bidi@defprotected{#1}%
3092              {\bidi@dbg@info{pro}%
3093                  {}%
3094                  \bidi@dbg@info{pos}\@firstoftwo}%
3095              {\bidi@dbg@fail{mac}\@secondoftwo}}%
3096
3097 \bidi@newrobustcmd*{\bidi@patchcmd}{%
3098     \bidi@dbg@trce\bidi@patchcmd
3099     \begingroup
3100     \makeother\#%
3101     \bidi@@patchcmd}
3102
3103 \newcommand{\bidi@@patchcmd}[4] [#####
3104     \bidi@ifpatchable#2{#3}%
3105         {\bidi@dbg@succ{ret}%
3106             \begingroup
3107             \edef\bidi@resrvda{%
3108                 \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
3109                     #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}%
3110                     \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
3111                         ####1\detokenize{#4}####2}%
3112                     \edef\noexpand\bidi@resrvda{%
3113                         \noexpand\bidi@resrvda\meaning#2&}}%
3114                     \bidi@resrvda
3115                     \bidi@patchcmd@scantoks\bidi@resrvda
3116                     \let#2\bidi@resrvda
3117                     \bidi@undef\bidi@resrvda
3118                     \@firstoftwo
3119                     {\@secondoftwo}}%
3120
3121 \def\bidi@patchcmd@scantoks#1{%
3122     \edef\bidi@resrvda{\endgroup
3123         \unexpanded{\makeatletter\scantokens}{#1}%
3124         \catcode\number`@=\the\catcode`\@relax}%
3125     \bidi@resrvda}
3126
3127 \newcommand\bidi@isloaded[2] [] {
3128     \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
3129         \expandafter\newif\csname if@bidi@#2loaded@\endcsname
3130     \fi
3131     \ifpackageloaded{#2}
3132         {\csname @bidi@#2loaded@true\endcsname #1}
3133         {\csname @bidi@#2loaded@false\endcsname}%
3134
3135 \protected\def\bidi@ifscanable#1{%
3136     \begingroup
3137     \edef\bidi@resrvda{%
3138         \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
3139             ####1\def\string\bidi@resrvda####2{####3}}%
```



```

3140   \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}{%
3141   \bidi@resrvda
3142   \makeatletter
3143   \scantokens\expandafter{\bidi@resrvda}%
3144   \expandafter\endgroup\ifx#1\bidi@resrvda
3145     \expandafter\@firstoftwo
3146   \else
3147     \expandafter\@secondoftwo
3148   \fi}
3149
3150
3151 \protected\long\def\bidi@ifhashcheck#1{%
3152   \begingroup
3153   \edef\bidi@resrvda{\detokenize{#1}}%
3154   \expandafter\endgroup
3155   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
3156
3157 \edef\bidi@ifhashcheck@i#1&{%
3158   \noexpand\expandafter
3159   \noexpand\bidi@ifhashcheck@ii
3160   \noexpand\strip@prefix#1\string#\string##&}
3161
3162 \edef\bidi@ifhashcheck@ii{%
3163   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string##2&}
3164 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}
3165
3166
3167 \protected\long\def\bidi@ifpattern#1#2{%
3168   \begingroup
3169   \edef\bidi@resrvda{%
3170     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
3171       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
3172     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
3173       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
3174     \noexpand\bidi@resrvda}
3175   \bidi@resrvda\@secondoftwo\@firstoftwo}
3176
3177
3178 \newcommand{\if@bidi@defparam}{}
3179 \long\edef\if@bidi@defparam#1{%
3180   \noexpand\expandafter\noexpand\bidi@ifdefparam
3181   \noexpand\meaning#1\detokenize{macro}:->&}
3182 \edef\bidi@ifdefparam{%
3183   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
3184 \bidi@ifdefparam{\bidi@notblank{#2}}
3185
3186
3187 \newcommand{\if@bidi@defprotected}{}
3188 \long\edef\if@bidi@defprotected#1{%
3189   \noexpand\expandafter\noexpand\bidi@ifdefprotected

```



```

3190  \noexpand\meaning#1\string\protected&}
3191 \edef\bidi@ifdefprotected{%
3192   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
3193 \bidi@ifdefprotected{\bidi@notblank{#2}}
3194
3195
3196 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
3197
3198 \let\bidi@dbg@trce@gobble
3199 \let\bidi@dbg@init@gobble
3200 \let\bidi@dbg@info@gobble
3201 \let\bidi@dbg@succ@gobble
3202 \let\bidi@dbg@fail@gobble
3203
3204
3205
3206 \bidi@newrobustcmd*{\bidi@apptocmd}{%
3207   \bidi@dbg@trce\bidi@apptocmd
3208   \begingroup
3209   \@makeother\#%
3210   \bidi@hooktocmd\bidi@append}
3211
3212
3213
3214 \bidi@newrobustcmd*{\bidi@pretocmd}{%
3215   \bidi@dbg@trce\bidi@pretocmd
3216   \begingroup
3217   \@makeother\#%
3218   \bidi@hooktocmd\bidi@prepend}
3219
3220 \long\def\bidi@hooktocmd#1#2#3{%
3221   \endgroup
3222   \bidi@dbg@init#2%
3223   \if@bidi@undef{#2}
3224     {\bidi@dbg@fail{def}\@secondoftwo}
3225     {\bidi@dbg@info{def}%
3226      \if@bidi@defmacro{#2}
3227        {\bidi@dbg@info{mac}%
3228          \if@bidi@defparam{#2}
3229            {\bidi@dbg@info{prm}%
3230              \bidi@ifscanable{#2}
3231                {\bidi@ifhashcheck{#3}
3232                  {\bidi@dbg@info{tok}%
3233                    \bidi@dbg@succ{ret}%
3234                    \bidi@hooktocmd@i#1#2{#3}%
3235                      \@firstoftwo
3236                        {\bidi@dbg@fail{hsh}\@secondoftwo}
3237                        {\bidi@dbg@fail{tok}\@secondoftwo}%
3238                      {\bidi@dbg@info{prl}%
3239                        \if@bidi@defprotected{#2}

```



```

3240          {\bidi@dbg@info{pro}%
3241              \bidi@dbg@succ{red}%
3242                  \protected}%
3243          {\bidi@dbg@succ{red}}%
3244          \edef#2{\#1{\bidi@expandonce#2}{\unexpanded{\#3}}}}%
3245          \@firstoftwo}%
3246          {\bidi@dbg@fail{mac}\@secondoftwo}}}

3247
3248 \long\def\bidi@hooktocomd@i#1#2#3{%
3249   \begingroup
3250   \edef\bidi@resrvda{%
3251     \def\noexpand\bidi@resrvda####1{\detokenize{macro}:####2->####3&{%
3252       ####1\def$string\bidi@resrvda\space####2{\#1{####3}{\detokenize{\#3}}}}}%
3253     \edef\noexpand\bidi@resrvda{%
3254       \noexpand\bidi@resrvda\meaning#2&}}%
3255   \bidi@resrvda
3256   \bidi@patchcmd@scantoks\bidi@resrvda
3257   \let#2\bidi@resrvda
3258   \bidi@undef\bidi@resrvda}

3259
3260 \long\def\bidi@append#1#2{\#1#2}
3261 \long\def\bidi@prepend#1#2{\#2#1}
3262
3263 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
3264 \newcommand*{\bidi@endpreamblehook}{}}
3265
3266 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipouthook}
3267 \newcommand*{\bidi@beforeoutputpageshipouthook}{}}
3268
3269 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
3270 \newcommand*{\bidi@beforeheaderhook}{}}
3271
3272 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpagehook}
3273 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}}
3274
3275 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpagehook}
3276 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}}
3277
3278 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
3279 \newcommand*{\bidi@beforefooterhook}{}}
3280
3281 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
3282 \newcommand*{\bidi@afterfooterhook}{}}
3283
3284
3285 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
3286 \newcommand*{\bidi@afteroutputpageshipouthook}{}}
3287
3288 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
3289 \newcommand*{\bidi@atendoutputpagehook}{}}

```



```

3290
3291 \bidi@preto\document{%
3292   \endgroup
3293   \let\bidi@AtEndPreamble\@firstofone
3294   \bidi@endpreamblehook
3295   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
3296   \bidi@undef\bidi@endpreamblehook
3297   \begingroup}
3298
3299 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
3300 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
3301
3302 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
3303 \newcommand*{\bidi@afterendpreamblehook}{}
3304
3305 \bidi@appto\document{%
3306   \let\bidi@AfterEndPreamble\@firstofone
3307   \bidi@afterendpreamblehook
3308   \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
3309   \bidi@undef\bidi@afterendpreamblehook
3310   \ignorespaces}
3311
3312 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocument
3313 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}
3314
3315 \bidi@patchcmd\enddocument
3316   {\fi\endgroup}
3317   {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
3318   \bidi@afterenddocumentchecklabelsrerunhook
3319   \fi\endgroup}
3320   {}
3321   {\PackageWarning{biditools}{Patching `\\string\\enddocument' failed}}
3322
3323 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
3324
3325 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
3326 \newcommand*{\bidi@afterlastshipouthook}{}
3327
3328 \bidi@patchcmd\enddocument
3329   {\clearpage}
3330   {\clearpage
3331     \let\bidi@AfterLastShipout\@firstofone
3332     \bidi@afterlastshipouthook}
3333   {}
3334   {\let\bidi@clearpage\clearpage
3335     \def\clearpage{%
3336       \bidi@clearpage
3337       \let\bidi@AfterLastShipout\@firstofone
3338       \bidi@afterlastshipouthook}}
3339

```



```

3340 \bidi@newrobustcmd*\{\bidi@AfterEndDocument\}{\bidi@gappto\bidi@afterenddocumenthook}
3341 \newcommand*{\bidi@afterenddocumenthook}{}%
3342
3343 \bidi@patchcmd\enddocument
3344 {\deadcycles}
3345 {\let\bidi@AfterEndDocument\@firstofone
3346 \bidi@afterenddocumenthook
3347 \deadcycles}
3348 {}
3349 {\let\bidi@@end\@@end
3350 \def\@@end{%
3351 \let\bidi@AfterEndDocument\@firstofone
3352 \bidi@afterenddocumenthook
3353 \bidi@@end}}
3354
3355 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
3356 \bidi@csgappto{\bidi@begin@#1@hook}}%
3357
3358 \bidi@patchcmd\begin
3359 {\csname #1\endcsname}
3360 {\bidi@csuse{\bidi@begin@#1@hook}}%
3361 \csname #1\endcsname
3362 {}
3363 {\bidi@warning{%
3364 Patching '\string\begin' failed!\MessageBreak
3365 '\string\bidi@AtBeginEnvironment' will not work\@gobble}}%
3366
3367
3368
3369 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
3370 \bidi@csgappto{\bidi@end@#1@hook}}%
3371
3372 \bidi@patchcmd\end
3373 {\csname end#1\endcsname}
3374 {\bidi@csuse{\bidi@end@#1@hook}}%
3375 \csname end#1\endcsname
3376 {}
3377 {\bidi@warning{%
3378 Patching '\string\end' failed!\MessageBreak
3379 '\string\bidi@AtEndEnvironment' will not work\@gobble}}%
3380
3381
3382
3383 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
3384 \bidi@csgappto{\bidi@beforebegin@#1@hook}}%
3385
3386 \bidi@pretocmd\begin
3387 {\bidi@csuse{\bidi@beforebegin@#1@hook}}%
3388 {}
3389 {\bidi@warning{%

```



```

3390      Patching '\string\begin' failed!\MessageBreak
3391      '\string\bidi@BeforeBeginEnvironment' will not work@\gobble}
3392
3393
3394 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
3395   \bidi@csgappto{@bidi@afterend@#1@hook}}
3396
3397 \bidi@patchcmd\end
3398   {\if@ignore}
3399   {\bidi@csuse{@bidi@afterend@#1@hook}%
3400     \if@ignore}
3401   {}
3402   {\bidi@warning{%
3403     Patching '\string\end' failed!\MessageBreak
3404     '\string\bidi@AfterEndEnvironment' will not work@\gobble}}
3405
3406 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
3407 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
3408 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
3409 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
3410
3411
3412 % From David Carlisle:
3413 % The \cspelt redefinition below belongs to Heiko Oberdiek
3414 % See also https://github.com/ho-tex/oberdiek/issues/26
3415
3416 \let\bidi@stepcounter\stepcounter
3417 \let\bidi@@stpelt@\cspelt
3418
3419 \def@\cspelt#1{%
3420   \ifcsname bidi@reset@#1@perpage\endcsname
3421     \begingroup
3422       \let\stepcounter\bidi@stepcounter
3423       \bidi@@stpelt{#1}%
3424     \endgroup
3425     \expandafter\gobbletwo
3426   \fi
3427   \bidi@@stpelt{#1}%
3428 }
3429
3430 \bidi@pretocmd\stepcounter
3431   {%
3432     \if@bidi@csundef{bidi@stepcounterhook@@#1}{}{%
3433       \csname bidi@stepcounterhook@@#1\endcsname
3434     }%
3435   }{%
3436     {\PackageWarning{biditools}{Patching `'\string\stepcounter' failed}}
3437
3438 \chardef\bidi@backslash`\\
3439 \def\bidics#1{\texttt{\char\bidi@backslash#1}}

```



```

3440
3441% anonymous control sequences
3442 \newcount\bidi@tempcountb
3443 \newtoks\bidi@temptoksa
3444 \newtoks\bidi@temptoksb
3445
3446% Catcode (re)storing
3447%
3448 \def\bidi@storecatcode#1%
3449   {\escapechar\m@ne
3450     \bidi@csarg\edef{\bidi@restorecatcode\string#1}%
3451       {\catcode`\string#1=
3452         \the\catcode\expandafter`\string#1}%
3453       \catcode\expandafter`\string#1=12\relax
3454       \escapechar`\\relax}
3455 \def\bidi@restorecatcode#1%
3456   {\escapechar\m@ne
3457     \csname bidi@restorecatcode\string#1\endcsname
3458     \escapechar`\\relax}
3459
3460% Construct a control sequence inside \edef
3461%
3462 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
3463
3464% Construct a control sequence out of #2, and give it to #1
3465%
3466 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
3467
3468% Pick an escapecharacter
3469% this presumes that its argument is a character.
3470%
3471 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
3472
3473% Equality of strings.
3474% the fast approach: does not work in expansion-only environment.
3475%
3476 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
3477   \ifx\bidi@eqs@a\bidi@eqs@b}
3478
3479% Test by expansion only
3480%
3481 \def\bidi@EqualStringX#1#2{00\fi
3482   \csname if\bidi@EqualStringX#1&#2&$\endcsname}
3483 \def\@bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
3484   \ifx#1&true\else\bidi@hop@ES@\bidi@EqualStringX#2$#4$\fi
3485   \else false\fi}
3486 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
3487
3488% Lexicographic ordering
3489% note the use of \def

```



```

3490% also note the characters 0,127,255 that are used,
3491% these are not supposed to appear in the strings
3492%
3493{\catcode0=12 \catcode255=12 \catcode127=12
3494 \gdef\bidi@StringBeforeNC#1#2{00\fi
3495   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3496 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
3497   \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
3498   \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
3499   \else\ifnum\lccode`#1<\lccode`#3
3500     \def\bidi@next{\csname iftrue\endcsname}%
3501     \else\ifnum\lccode`#1>\lccode`#3
3502       \def\bidi@next{\csname ifffalse\endcsname}%
3503       \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3504   \fi \fi \fi
3505   \bidi@next}
3506 \gdef\bidi@StringBefore#1#2{00\fi
3507   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3508 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
3509   \ifnum`#1<`#3
3510     \def\bidi@next{\csname iftrue\endcsname}%
3511   \else\ifnum`#1>`#3
3512     \def\bidi@next{\csname ifffalse\endcsname}%
3513     \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3514   \fi\fi
3515   \bidi@next}
3516 }
3517
3518% Null argument test
3519%
3520 \def\bidi@empty{}
3521 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
3522 \def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
3523 %\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
3524 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
3525
3526% Next character test
3527%
3528 \def\bidi@NextChar#1#2#3{00\fi
3529   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3530   \futurelet\bidi@nxt@c@\bidi@ifnxtc}
3531 \def\bidi@ifNextChar#1#2#3{%
3532   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3533   \futurelet\bidi@nxt@c@\bidi@ifnxtc}
3534 \def\bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
3535   \else \expandafter\bidi@nxt@b \fi}
3536
3537% Test for defined-ness of string as control sequence.
3538% works inside \edef
3539%

```



```

3540 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{\#1}\relax}
3541
3542% Define uniquely defined dummy macros,
3543% usually to serve as bumper blocks at the end of a list
3544%
3545 \newcount\bidi@dummies
3546 \def\DefNewDummy#1{
3547     \if\bidi@undefinedcs{\#1}\bidi@csarg\edef{\#1}{\bidi@dum\the\bidi@dummies}
3548         \advance\bidi@dummies\@ne
3549     \else
3550         \bidi@error{Attempt at second definition of `#1'}
3551     \fi}
3552
3553% string case statement
3554% use: \bidi@switch \iftest{...} in:
3555%     item1 action1
3556%     ...
3557%     itemn actionn
3558%     default defaultaction [optional]
3559%     \endbidi@switch
3560% inspired by Jonathan Fine: Some Basic Control Macros
3561% Tugboat 12 #4
3562%
3563 \let\bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{\bidi@default}
3564 \def\bidi@switch@exit #1 \bidi@fi #2 \endbidi@switch {\fi #1}
3565 \def\bidi@switch #1#2#3{\bidi@csarg\ifx{\#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3566 #1{\#2}\bidi@switch@exit #3 \bidi@fi
3567 \bidi@switch {\#1}
3568 }
3569% this version puts the test object in {}
3570 \def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{\#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3571 #1{\#2}\bidi@switch@exit #3 \bidi@fi
3572 \bidi@switch #1 in:
3573 }
3574% this version assumes that the test object is just one character
3575 \def\bidi@csswitch #1 in: #2 #3; {\bidi@csarg\ifx{\#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3576 #1#2\bidi@switch@exit #3 \bidi@fi
3577 \bidi@csswitch #1 in:
3578 }
3579% this version assumes that the test object can have an optional space
3580 \def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{\#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3581 #1#2 \bidi@switch@exit #3 \bidi@fi
3582 \bidi@bswitch #1 in:
3583 }
3584% this version can cope with significant spaces at the start of #3;
3585% #2 is macro argument
3586 \def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{\#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
3587 #1{\#2}\bidi@switch@exit #3 \bidi@fi
3588 \bidi@mswitch #1 in:
3589 }

```



```

3590% idem; #2 does not have to be enclosed in braces
3591\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fswitch #1 in: #1#2 \bidi@switch@exit #3 \@bidi@fi
3592  #1#2 \bidi@fswitch #1 in:
3593  \bidi@fswitch #1 in:
3594}
3595
3596% Routines for taking the value of a string:
3597% if the string is defined as control sequence
3598% take the value of that, otherwise take the string itself
3599
3600% String or value of control sequence
3601%
3602\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
3603
3604% String or control sequence
3605%
3606\def@\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
3607
3608% String or \noexpand-ed control sequence;
3609% for use in \edef
3610%
3611\newif\ifbidi@in@label
3612\def@\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
3613          \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3614\newtoks\bidi@are@these@correct
3615\def\bidi@t@w@w#1{%
3616  \if\bidi@undefinedcs{#1}#1%
3617    \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
3618  \else
3619    \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3620
3621% List Manipulation .....
3622% this assumes that #1 is a list of tokens, #2 is the name of a list
3623%
3624% Names of lists (and of items to pop into) are given as strings;
3625% not as control sequences.
3626%
3627\newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
3628% basic append/prepend macro
3629\long\def@\bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3630  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@listb}
3631\long\def@\bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3632  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@listb}
3633\def@\bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
3634\def@\bidi@prepend@to@list{\bidi@csarg\@bidi@prepend@to@cslist}
3635% variations:
3636\long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{ }{#2}}
3637\long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{ }{#2}}
3638\def\bidi@append@list@to@list#1#2{%
3639  \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter{\expandafter\the\csname#2\endcsname}}}
```





```

3690 \def\bidi@local@push@onto#1#2{\let\\=\relax
3691   \bidi@local@in@front@of@list{#1}{\\{#2}}}
3692% pop via auxiliary macro: #1 is result, #2 is stack
3693% two cs arguments
3694 \def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
3695   {\noexpand\@@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
3696% two string arguments
3697 \def\bidi@pop@into#1#2{\edef\bidi@cs@e
3698   {\noexpand\@@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}\bidi@cs@e}
3699 \long\def\@@bidi@popinto#1#2\#3\@@bidi@pop{#1{#3}\#2{#4}}
3700 \def\bidi@copy@stacktop#1#2{%
3701   \edef\bidi@cs@e{\noexpand\@bidi@copy@stacktop
3702     {#1}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}%
3703   \bidi@cs@e}
3704 \def\@bidi@copy@stacktop#1\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
3705 \newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\{}}
3706 \def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
3707 \def\bidi@length@of@csstack#1{\def\#\#1{\advance\bidi@stack@length\m@ne}%
3708   \bidi@stack@length\m@ne \the#1}
3709% turn a stack upside down
3710 \def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
3711   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
3712   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
3713     \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
3714     \bidi@push@cs@onto\cs\bidi@temptoksa\bidi@temptoksb
3715%   \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
3716%   \bidi@temptoksa\bidi@temptoksb
3717     \repeat% copy b to a
3718   #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3719% invert a stack into a list
3720 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
3721   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
3722   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
3723     \bidi@pop@into{\bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
3724     \bidi@append@list@to@list{\bidi@temptoksb}{\bidi@temptoksa}\repeat
3725   \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3726
3727
3728% General loop macro:
3729% \looprepeat
3730%   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
3731%           \untilcondition{<cond>} \whilecondition{<cond>}
3732%   \doloopbody { <loop body> }
3733% where all control sequences in between \looprepeat and \doloopbody are optional.
3734%
3735% var: characters to form a control sequence;
3736%   after \forvariable{index} you can access the loop counter as \index.
3737%   This is a count register; to print it use \number\index.
3738% start,step,end: integers with obvious relations to the loop counter;
3739%   start and step have a default value of 1

```



```

3740% cond: (sequence of commands ending in) any TeX \if... test.
3741%
3742% Count down instead of up with \downto; the increment given in \bystep
3743% is always positive, and is added or subtracted accordingly.
3744%
3745% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
3746% at the beginning of the loop body.
3747%
3748% Exit from middle of loop: \breaklooprepeat
3749% use this at any place in the loop; in case of a conditional use
3750% \ifsomething ... \expandafter \breaklooprepeat \fi
3751%
3752% Note that the line ends do not cause spaces in the output.
3753%
3754% Technical details:
3755% The loop body is not executed in a group: the braces are those
3756% of a token list.
3757% The `forvariable' variable is \let to a \count register.
3758
3759
3760
3761% Auxiliary stuff
3762\def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
3763\def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
3764\def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepeat@depth\endcsname}
3765
3766\newcount\bidi@looprepeat@depth
3767\let\endlooprepeat\relax \def\bidi@csprotect(){}
3768% Trace switches may later be defined by PAC_utils
3769\let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax
3770
3771% Main repeatloop macro
3772% - go to next level and allocate unique counter/toks if this is the
3773% first time we visit this level
3774% - setup: gather bounds and termination conditions
3775% - scoop up body in token list; after the assignment define and
3776% execute body
3777\def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
3778\advance\bidi@looprepeat@depth\@ne\relax
3779\bidi@looprepeat@csargromannumeral\ifx{bidi@looprepeat@count}\relax
3780\bidi@looprepeat@csargromannumeral\{\csname newcount\expandafter\endcsname\}{bidi@looprepeat@count}
3781\bidi@looprepeat@csargromannumeral\{\csname newtoks\expandafter\endcsname\}{bidi@looprepeat@toks}
3782\bidi@looprepeat@csargromannumeral\{\csname newtoks\expandafter\endcsname\}{bidi@looprepeat@toks}
3783\bidi@looprepeat@csargromannumeral\{\csname newtoks\expandafter\endcsname\}{bidi@looprepeat@toks}
3784\fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{}{\bidi@looprepeat@count}
3785\edef\bidi@looprepeat@tmp
3786{\def\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}{\bidi@looprepeat@looprepeat}}
3787\afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumeral{\bidi@looprepeat@toks}
3788
3789% Define and execute loop body

```



```

3790% This is done with an \edef to construct the actual sequence
3791\def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumeral\edef{bidi@looprepeat@body}{%
3792    \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
3793    \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@toks}%
3794    \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@utest}%
3795    \global\bidi@looprepeat@csargromannumeral\advance{bidi@looprepeat@count} by \bidi@looprepe
3796    \noexpand\endlooprepeat
3797    \bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}}%
3798 \bidi@looprepeat@csromannumeral{bidi@looprepeat@body}\ignorespaces}
3799
3800% Stop test
3801%% In order to stop, issue a
3802% \breaklooprepeat which scoops up the rest of the body and exits
3803\def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral\l
3804    \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
3805}
3806
3807
3808% Setup
3809% gather bounds and termination conditions
3810\def\bidi@looprepeat@setup#1{%
3811    \begingroup
3812        \def\forvariable##1{%
3813            \edef\bidi@looprepeat@tmp{%
3814                \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{bidi@l
3815                \bidi@looprepeat@tmp}%
3816            \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{bidi@looprepeat@count}##1\igno
3817            \def\tovalue##1{%
3818                \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
3819                    {\bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
3820                    \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@count}\bid
3821                    \noexpand\expandafter \noexpand\breaklooprepeat
3822                    \noexpand\fi}\ignorespaces}%
3823                \bidi@looprepeat@tmp}%
3824            \def\downtovalue##1{%
3825                \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
3826            \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}\l
3827                \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{-##1}\else
3828                \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{##1}\fi\ignorespac
3829            \def\untilcondition##1{%
3830                \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
3831                    {\noexpand##1\relax
3832                        \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3833                    \bidi@looprepeat@tmp}%
3834            \def\whilecondition##1{%
3835                \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
3836                    {\noexpand##1\relax \noexpand\else
3837                        \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3838                    \bidi@looprepeat@tmp}%
3839            \fromvalue{\@ne}\bystep{\@ne}#1%

```



```

3840  \endgroup}
3841 \def\bidi@looprepeat@zero
3842   {\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}{} \bidi@looprepeat@csromannumeral{bidi@looprepeat@csargromannumeral{\def\bidi@looprepeat@body}{}}}
3843   \bidi@looprepeat@csargromannumeral{\def\bidi@looprepeat@body}{}}
3844
3845 %\tracingmacros2
3846 %\newcount\tmpcount % used in some examples below
3847
3848 %\looprepeat \forvariable{i}
3849 %           \bystep{2}
3850 %   \doloopbody {%
3851 %     \ifnum\i=13 \expandafter\breaklooprepeat \fi
3852 %     \number\i{} %
3853 %}%
3854
3855 %\looprepeat \forvariable{iiii}
3856 %           \tovalue{8}
3857 %   \doloopbody {}%
3858 %After loop: \number\iiii%
3859
3860 %\looprepeat \forvariable{i}
3861 %           \fromvalue{10}
3862 %           \bystep{2}
3863 %           \downtovalue{0}
3864 %   \doloopbody {\number\i{} }
3865
3866 %\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
3867 %   \doloopbody {\number\x{} }
3868
3869 %\looprepeat \tovalue{3} \doloopbody {Hello world! }
3870
3871 %\looprepeat \forvariable{j}
3872 %           \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
3873 %   \doloopbody {\number\j{} }
3874
3875 %\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
3876 % {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}
3877 %   \doloopbody {(\number\i.\number\j) }
3878 %}%
3879
3880 % infinite loop
3881 %\looprepeat \doloopbody {}
3882
3883 \renewcommand{\InputIfFileExists}[2]{%
3884   \begingroup\expandafter\expandafter\expandafter\endgroup
3885   \expandafter\ifx\csname #1-\@bidi@alias\endcsname\relax
3886   \expandafter\@secondoftwo
3887   \else
3888   \bidi@replacefile@msg{\csname #1-\@bidi@alias\endcsname}{#1}%
3889   \expandafter\@firstoftwo

```



```

3890   \fi
3891   {%
3892     \expandafter\InputIfFileExists\expandafter{\csname
3893       #1-@bidi@alias\endcsname}{#2}%
3894   }%
3895   {\IfFileExists{#1}{%
3896     \bidi@load@hook{before}{#1}%
3897     #2\@addtofilelist{#1}%
3898     \@@input \@@filef@und
3899     \bidi@load@hook{after}{#1}%
3900   }{}}%
3901 }
3902
3903 \newcommand*{\bidi@@loadwithoptions}{}%
3904 \newcommand*{\bidi@loadwithoptions}{}%
3905 \let\bidi@loadwithoptions\@loadwithoptions
3906
3907 \renewcommand*{\@loadwithoptions}[3]{%
3908   \begingroup\expandafter\expandafter\expandafter\endgroup
3909   \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
3910     \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
3911   \else
3912     \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
3913     \def\bidi@loadwithoptions{%
3914       \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}}%
3915   }%
3916   \fi
3917   \bidi@loadwithoptions
3918 }
3919
3920 \newcommand*{\bidi@onefilewithoptions}{}%
3921 \let\bidi@onefilewithoptions\@onefilewithoptions
3922 \def@\onefilewithoptions#1[#2][#3]#4{%
3923   \begingroup\expandafter\expandafter\expandafter\endgroup
3924   \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
3925     \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
3926   \else
3927     \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
3928     \edef\bidi@onefilewithoptions{%
3929       \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
3930   \fi
3931   \bidi@onefilewithoptions[{#2}][{#3}]{#4}%
3932   \bidi@load@hook{lateafter}{#1.#4}%
3933 }
3934
3935 \newcommand*{\bidi@ReplaceInput}[2]{%
3936   \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
3937 }
3938
3939 \newcommand*{\bidi@UnReplaceInput}[1]{%

```



```

3940  \ifcsname #1-@bidi@alias\endcsname
3941    \expandafter\let\csname #1-@bidi@alias\endcsname\relax
3942  \fi
3943 }
3944
3945 \newcommand*{\@bidi@replacefilewithext}[3]{%
3946   \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
3947 }
3948 \newcommand*{\bidi@ReplacePackage}[2]{%
3949   \@bidi@replacefilewithext{#1}{#2}\@pkgextension
3950 }
3951 \newcommand*{\bidi@ReplaceClass}[2]{%
3952   \@bidi@replacefilewithext{#1}{#2}\@clsextension
3953 }
3954 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
3955   \ifcsname #1.#2-@bidi@aliasname\endcsname
3956     \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
3957   \fi
3958 }
3959 \newcommand*{\bidi@UnReplacePackage}[1]{%
3960   \@bidi@unreplacefilewithext{#1}\@pkgextension
3961 }
3962 \newcommand*{\bidi@UnReplaceClass}[1]{%
3963   \@bidi@unreplacefilewithext{#1}\@clsextension
3964 }
3965 \newcommand*{\bidi@replacefile@msg}[2]{%
3966   \PackageInfo{biditools}{inputting `#1' instead of `#2'}%
3967 }
3968
3969 \newcommand*{\bidi@load@hook}[2]{%
3970   \@ifundefined{#2-@#1}{}{%
3971     \@nameuse{#2-@#1}%
3972     \expandafter\let\csname #2-@#1\endcsname=\relax}
3973 \newcommand*{\bidi@set@load@hook}[2]{%
3974   \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}{}}%
3975   \expandafter\g@addto@macro\csname #2-@#1\endcsname}
3976 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
3977 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
3978 \newcommand*{\bidi@BeforeClass}[1]{%
3979   \bidi@set@load@hook{before}{#1.\@clsextension}}
3980 \newcommand*{\bidi@AfterClass}{%
3981   \@ifstar {\@s@bidi@AfterClass}{%
3982     \@ifnextchar +\@@bidi@AfterClass{%
3983       \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
3984     }%
3985   }%
3986 }
3987
3988 \newcommand*{\@@@bidi@AfterClass}[2]{%
3989   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax

```



```

3990      \aftergroup\@s@bidi@AfterClass
3991  \else
3992      \aftergroup\bidi@AfterAtEndOfClass
3993  \fi
3994  \endgroup{#2}%
3995 }
3996
3997 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
3998   \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
3999 \newcommand*{\@bidi@AfterClass}[2]{%
4000   \begingroup
4001     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
4002       \aftergroup\@s@bidi@AfterClass
4003     \else
4004       \aftergroup\@bidi@AfterClass
4005     \fi
4006   \endgroup{#2}%
4007 }
4008
4009 \newcommand*{\@bidi@AfterClass}[1]{%
4010   \bidi@set@load@hook{after}{#1.\@clsextension}}
4011 \newcommand*{\@s@bidi@AfterClass}[1]{%
4012   \begingroup
4013     \@ifclassloaded{#1}{%
4014       \aftergroup\@secondoftwo
4015     }{%
4016       \aftergroup\@bidi@AfterClass
4017     }%
4018   \endgroup
4019   {#1}%
4020 }
4021
4022
4023 \newcommand*{\bidi@BeforePackage}[1]{%
4024   \bidi@set@load@hook{before}{#1.\@pkgextension}}
4025 \newcommand*{\bidi@AfterPackage}{%
4026   \@ifstar {\@s@bidi@AfterPackage}{%
4027     \@ifnextchar +\@bidi@AfterPackage{%
4028       \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
4029     }%
4030   }%
4031 }
4032 \newcommand*{\@@@bidi@AfterPackage}[2]{%
4033   \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
4034     \aftergroup\@s@bidi@AfterPackage
4035   \else
4036     \aftergroup\bidi@AfterAtEndOfPackage
4037   \fi
4038   \endgroup{#2}%
4039 }

```



```

4040 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
4041   \bidi@set@load@hook{lateafter}{\#1.\@pkextension}}
4042 \newcommand*{\@@bidi@AfterPackage}[2]{%
4043   \begingroup
4044     \expandafter\ifx\csname #2.\@pkextension-h\@k\endcsname\relax
4045       \aftergroup\@s@bidi@AfterPackage
4046     \else
4047       \aftergroup\@bidi@AfterPackage
4048     \fi
4049   \endgroup{#2}%
4050 }
4051 \newcommand*{\@bidi@AfterPackage}[1]{%
4052   \bidi@set@load@hook{after}{\#1.\@pkextension}}
4053 \newcommand*{\@s@bidi@AfterPackage}[1]{%
4054   \begingroup
4055     \@ifpackageloaded{\#1}{%
4056       \aftergroup\@secondoftwo
4057     }{%
4058       \aftergroup\@bidi@AfterPackage
4059     }%
4060   \endgroup
4061   {\#1}%
4062 }
4063
4064 \newcommand*{\bidi@excludedpackages}{}%
4065 \let\bidi@excludedpackages\empty
4066 \newcommand*{\bidi@saved@RequirePackage}{}%
4067 \newcommand*{\bidi@PreventPackageFromLoading}{}%
4068   \@ifstar{%
4069     {%
4070   }%
4071   \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
4072     \@ifnextchar [%]
4073       {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1[]}}%
4074 }
4075 \newcommand*{\@bidi@PreventPackageFromLoading}{}%
4076
4077 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
4078   \edef\reserved@b{\zap@space#3 \empty}%
4079   \ifx\reserved@b\empty
4080     #1{biditools}{%
4081       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
4082       argument ignored%
4083     }%
4084   \else
4085     \ifx\reserved@b\empty
4086       \let\bidi@saved@RequirePackage\RequirePackage
4087       \let\RequirePackage\bidi@RequirePackage
4088       \def\reserved@a##1##{%
4089         \@latex@error

```



```

4090  {\noexpand \usepackage before \string\documentclass}%
4091  {\noexpand \usepackage may only appear in the document
4092    preamble, i.e., \MessageBreak
4093    between \noexpand\documentclass and
4094    \string\begin{document}.}%
4095  \@gobble}%
4096  \ifx\reserved@a\usepackage\else
4097    \ifx\usepackage\bidi@saved@RequirePackage\else
4098      \PackageWarning{\bidi@tools}{%
4099        Maybe serious problem: unexpected definition of \MessageBreak
4100        \string\usepackage
4101      }%
4102      \fi
4103      \let\usepackage\RequirePackage
4104    \fi
4105  \fi
4106  \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
4107  \reserved@b\do {%
4108    \ifx\reserved@a\@empty
4109      #1\bidi@tools}%
4110      empty package argument for
4111      \string\bidi@PreventPackageFromLoading\MessageBreak
4112      ignored%
4113    }%
4114  \else
4115    \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
4116      #1\bidi@tools}%
4117      package `'\reserved@a' already loaded.\MessageBreak
4118      Cannot prevent it from beeing loaded%
4119    }%
4120  }{%
4121    \edef\bidi@excludedpackages{\bidi@excludedpackages,%
4122      \reserved@a}%
4123    \if\relax\detokenize{\#2}\relax\else
4124      \@ifundefined{\bidi@exclude@package@\reserved@a @do}{%
4125        \@namedef{\bidi@exclude@package@\reserved@a @do}{}%
4126      }{%
4127        \expandafter\def
4128        \csname \bidi@exclude@package@\reserved@a
4129          @do\expandafter\expandafter\expandafter\endcsname
4130        \expandafter\expandafter\expandafter{%
4131          \csname \bidi@exclude@package@\reserved@a @do\endcsname
4132          \#2%
4133        }%
4134      }%
4135    }%
4136  }%
4137 }%
4138 \ifx\bidi@excludedpackages\@empty
4139   \bidi@ResetPreventPackageFromLoading

```



```

4140      \fi
4141  \fi
4142 }
4143
4144 \@onlypreamble\bidi@PreventPackageFromLoading
4145 \newcommand*{\bidi@ResetPreventPackageFromLoading}{%
4146   \let\bidi@excludedpackages\empty
4147   \ifx\RequirePackage\bidi@RequirePackage
4148     \ifx\usepackage\RequirePackage
4149       \let\usepackage\bidi@saved@RequirePackage
4150     \fi
4151   \let\RequirePackage\bidi@saved@RequirePackage
4152   \fi
4153 }
4154 \@onlypreamble\bidi@ResetPreventPackageFromLoading
4155 \newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
4156   \let#1\bidi@excludedpackages
4157 }
4158 \@onlypreamble\bidi@StorePreventPackageFromLoading
4159 \newcommand*{\bidi@UnPreventPackageFromLoading}{%
4160   \@ifstar {\@tempswatrue\@bidi@UnPreventPackageFromLoading}%
4161   {\@tempswafalse\@bidi@UnPreventPackageFromLoading}%
4162 }
4163
4164 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
4165   \edef\reserved@b{\zap@space#1 \empty}%
4166   \if@tempswa
4167     \@for\reserved@a:=\reserved@b\do {%
4168       \ifx\reserved@a\empty \else
4169         \ifcsname bidi@exclude@package@\reserved@a \do\endcsname
4170           \expandafter\let
4171             \csname bidi@exclude@package@\reserved@a \do\endcsname
4172             \undefined
4173         \fi
4174       \fi
4175     }%
4176   \fi
4177   \ifcsname bidi@excludedpackages\endcsname
4178     \let\reserved@a\bidi@excludedpackages
4179     \let\bidi@excludedpackages\empty
4180     \expandafter\@for\expandafter\reserved@c
4181     \expandafter:\expandafter=\reserved@a
4182     \do{%
4183       \ifx\reserved@c\empty\else
4184         \@expandtwoargs\in@{\,\reserved@c,}{\,\reserved@b,}%
4185         \ifin@
4186         \else
4187           \edef\bidi@excludedpackages{%
4188             \bidi@excludedpackages,\reserved@c
4189           }%

```



```

4190         \fi
4191     \fi
4192 }%
4193 \ifx\bidi@excludedpackages\empty\bidi@ResetPreventPackageFromLoading\fi
4194 \fi
4195 }
4196
4197
4198 \newcommand*{\bidi@RequirePackage}[2] []{%
4199   \let\reserved@c\empty
4200   \let\reserved@d\empty
4201   \edef\reserved@b{\zap@space#2 \empty}%
4202   \expandafter\for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
4203   \do {%
4204     \begingroup
4205       \tempswatru
4206       \for\reserved@a:=\bidi@excludedpackages\do {%
4207         \ifx\reserved@a\reserved@b
4208           \tempswafalse
4209         \fi
4210       }%
4211       \if@tempswa
4212         \xdef\reserved@c{\reserved@c,\reserved@b}%
4213       \else
4214         \ifx\reserved@b\empty\else
4215           \PackageInfo{biditools}{Excluding package ` \reserved@b '\MessageBreak
4216             from loading}%
4217           \ifundefined{bidi@exclude@package@\reserved@b}{%
4218             }{%
4219               \expandafter\g@addto@macro\expandafter\reserved@d
4220               \csname bidi@exclude@package@\reserved@b \do\endcsname
4221             }%
4222           \fi
4223         \fi
4224       \endgroup
4225     }%
4226     \ifx\reserved@c\empty
4227       \let\reserved@a\bidi@gobbleopt
4228     \else
4229       \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
4230         \expandafter\@gobble\reserved@c\empty}}%
4231     \fi
4232     \expandafter\reserved@d
4233     \reserved@a
4234   }
4235
4236 \newcommand{\bidi@gobbleopt}[1] []{%
4237 \AtEndDocument{%
4238   \let\bidi@saved@checkend=\@checkend
4239   \renewcommand*{\@checkend}[1]{%

```



```

4240 \def\reserved@a{\#1}\def\reserved@b{document}%
4241 \bidi@saved@checkend{\#1}%
4242 \ifx\reserved@a\reserved@b
4243   \let\bidi@saved@clearpage=\clearpage
4244   \renewcommand*\{\clearpage}{\bidi@saved@clearpage
4245     \bidi@hook@bcma
4246     \bidi@restore@newpage
4247     \let\clearpage=\bidi@saved@clearpage}%
4248 \fi%
4249 \let\bidi@saved@ofilelist\@ofilelist
4250 \def\@ofilelist{%
4251   \bidi@hook@acma
4252   \let\@ofilelist\bidi@saved@ofilelist
4253   \bidi@saved@ofilelist
4254 }%
4255 }%
4256 }
4257
4258
4259 \newcommand*\{\bidi@saved@checkend}{}%
4260 \newcommand*\{\bidi@saved@ofilelist}{}%
4261 \newcommand*\{\bidi@ redefine@newpage}{}%
4262   \let\bidi@saved@newpage\newpage
4263   \def\bidi@restore@newpage{%
4264     \renewcommand*\{\newpage}{%
4265       \PackageWarningNoLine{%
4266         biditools}%
4267     }{%
4268       \string\newpage\space at main aux file!\MessageBreak
4269       You have output material at the main aux file.\MessageBreak
4270       Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
4271       are processed before the output from aux file%
4272     }%
4273     \let\newpage\bidi@saved@newpage
4274     \newpage
4275   }%
4276 }%
4277 \renewcommand*\{\newpage}{%
4278   \PackageError{%
4279     biditools}%
4280   }{%
4281     \string\newpage\space at \string\bidi@BeforeClosingMainAux
4282   }{%
4283     You should never use \string\newpage\space or
4284     \string\clear(double)page or other output material at the\MessageBreak
4285     argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
4286     If you'll continue, the \string\newpage\space will be ignored to
4287     avoid corruption of\MessageBreak
4288     every prior use of \string\bidi@BeforeClosingMainAux.
4289   }%

```



```

4290  }%
4291 }
4292
4293 \newcommand*{\bidi@restore@newpage}{}
4294 \newcommand*{\bidi@hook@bcma}{}
4295 \newcommand*{\bidi@hook@acma}{}
4296 \newcommand*{\bidi@BeforeClosingMainAux}{%
4297   \ifx\bidi@hook@bcma\empty
4298     \gdef\bidi@hook@bcma{%
4299       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
4300       \let\protected@write\bidi@protected@immediate@write
4301       \bidi@ redefine@newpage
4302     }%
4303   \fi
4304   \g@addto@macro\bidi@hook@bcma%
4305 }
4306
4307 \newcommand*{\bidi@AfterReadingMainAux}{%
4308   \ifx\bidi@hook@acma\empty
4309     \gdef\bidi@hook@acma{%
4310       \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
4311       \let\protected@write\bidi@protected@immediate@write
4312     }%
4313   \fi
4314   \g@addto@macro\bidi@hook@acma%
4315 }
4316
4317 \long\def\bidi@protected@immediate@write#1#2#3{%
4318   \begingroup
4319     #2%
4320     \let\protect\@unexpandable@protect
4321     \edef\reserved@a{\immediate\write#1{#3}}%
4322     \reserved@a
4323   \endgroup
4324   \if@nobreak\ifvmode\nobreak\fi\fi
4325 }
4326
4327 \def\bidi@patch@counter{0}%
4328 \if@bidi@csundef{numexpr}{%
4329   \def\bidi@patch@stepcounter{%
4330     \begingroup
4331       \count@\bidi@patch@counter\relax
4332       \advance\count@\@ne\relax
4333       \edef\x{\endgroup
4334         \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
4335       }%
4336       \x
4337     }%
4338 }{%
4339   \def\bidi@patch@stepcounter{%

```



```

4340     \edef\bidi@patch@counter{%
4341         \the\numexpr\bidi@patch@counter+\@ne\relax
4342     }%
4343 }%
4344 }
4345 \def\bidi@patch@list{}
4346 \def\bidi@patch@Add{%
4347     \bidi@appto\bidi@patch@list
4348 }
4349 \def\bidi@patch@AfterPackage#1{%
4350     \@ifpackageloaded{#1}{%
4351         \@firstofone
4352     }{%
4353         \bidi@patch@AfterPackage{#1}%
4354     }%
4355 }
4356 \def\@bidi@patch@AfterPackage#1{%
4357     \edef\bidi@patch@temp{#1}%
4358     \bidi@patch@stepcounter
4359     \expandafter\bidi@patch@@AfterPackage
4360     \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
4361         \bidi@patch@temp
4362     }%
4363 }
4364 \def\bidi@patch@@AfterPackage#1#2#3{%
4365     \begingroup
4366     \toks@{#3}%
4367     \xdef\bidi@patch@gtemp{%
4368         \noexpand\@ifpackageloaded{#2}{%
4369             \noexpand\let\noexpand#1\noexpand\relax
4370             \the\toks@
4371         }{%
4372     }%
4373     \endgroup
4374     \let#1\bidi@patch@gtemp
4375     \bidi@patch@Add#1%
4376     \bidi@patch@try{\bidi@AfterPackage}{#2}{#1}%
4377 }
4378
4379 \def\bidi@patch@try#1#2#3{%
4380     \if@bidi@csundef{#1}{}{%
4381         \csname #1\endcsname{#2}{#3}%
4382     }%
4383 }
4384
4385 \AtBeginDocument{\bidi@patch@list}
4386
4387 \bidi@AtEndPreamble{\bidi@patch@list}%
4388
4389 \bidi@AfterEndPreamble{%

```



```

4390 \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
4391 \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
4392 \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
4393 \let\bidi@patch@OrgIfClassLater\@ifclasslater
4394 \bidi@patch@list
4395 \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
4396 \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
4397 \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
4398 \let\@ifclasslater\bidi@patch@OrgIfClassLater
4399 }%

```

22 File `buditufefloat.sty`

```

4400 \NeedsTeXFormat{LaTeX2e}
4401 \ProvidesPackage{buditufefloat}[2017/05/19 v0.2
4402 bidi implementation of tufte float]
4403 \RequirePackage{xifthen}
4404 \newcommand{\@buditufefloat@pkgname}{\buditufefloat}
4405 \newcommand{\buditufefloatError}[2]{\PackageError{\@buditufefloat@pkgname}{#1}{#2}}
4406 \newcommand{\buditufefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@buditufefloat@debug}}{\buditufefloatDebugInfoNL@#1}{\buditufefloatDebugInfoNL@#1\gobble}}
4407 \newcommand{\buditufefloatInfoNL}[1]{\PackageInfo{\@buditufefloat@pkgname}{#1\gobble}}
4408 \newboolean{@buditufefloat@reversegeometry}
4409 \setboolean{@buditufefloat@reversegeometry}{false}
4410 \DeclareOption{reversegeometry}{\setboolean{@buditufefloat@reversegeometry}{true}}
4411 \newboolean{@buditufefloat@afourpaper}
4412 \DeclareOption{a4paper}{\setboolean{@buditufefloat@afourpaper}{true}}
4413 \newboolean{@buditufefloat@bfivepaper}
4414 \DeclareOption{b5paper}{\setboolean{@buditufefloat@bfivepaper}{true}}
4415 \newboolean{@buditufefloat@symmetric}
4416 \newboolean{@buditufefloat@twoside}
4417 \DeclareOption{twoside}{%
4418 \@twosidetrue \c@mparswitchtrue%
4419 \setboolean{@buditufefloat@twoside}{true}%
4420 \setboolean{@buditufefloat@symmetric}{true}%
4421 }
4422 \DeclareOption{oneside}{%
4423 \@twosidefalse \c@mparswitchfalse%
4424 \setboolean{@buditufefloat@twoside}{false}%
4425 \setboolean{@buditufefloat@symmetric}{false}%
4426 }
4427 \@ifclassloaded{book}{\ExecuteOptions{twoside}{}}
4428 \newboolean{@buditufefloat@debug}
4429 \newcommand*{\@buditufefloat@caption@justification}{\@buditufefloat@justification@autodetect}
4430 \ProcessOptions
4431 %% Globally sets the length
4432 \newcommand*{\gsetlength}[2]{%
4433   \setlength{#1}{#2}%
4434   \global\#1=\#1\relax%
4435 }
4436

```



```

4437 %% Set the font sizes and baselines to match biditufefloat's books
4438 \renewcommand\normalsize{%
4439   \@setfontsize\normalsize\@xpt{14}%
4440   \abovedisplayskip 10\p@ \oplus2\p@ \minus5\p@
4441   \abovedisplayshortskip \z@ \oplus3\p@
4442   \belowdisplayshortskip 6\p@ \oplus3\p@ \minus3\p@
4443   \belowdisplayskip \abovedisplayskip
4444   \let\@listi\@listI}
4445 \normalbaselineskip=14pt
4446 \normalsize
4447 \renewcommand\footnotesize{%
4448   \@setfontsize\footnotesize\@viiipt{10}%
4449   \abovedisplayskip 6\p@ \oplus2\p@ \minus4\p@
4450   \abovedisplayshortskip \z@ \oplus\p@
4451   \belowdisplayshortskip 3\p@ \oplus\p@ \minus2\p@
4452   \def\@listi{\leftmargin\leftmargini
4453     \topsep 3\p@ \oplus\p@ \minus\p@
4454     \parsep 2\p@ \oplus\p@ \minus\p@
4455     \itemsep \parsep}%
4456   \belowdisplayskip \abovedisplayskip
4457 }
4458 %% Paragraph indentation and separation for marginal text
4459 \newcommand{\@biditufefloat@margin@par}{%
4460   \setlength{\RaggedRightParindent}{0.5pc}%
4461   \setlength{\JustifyingParindent}{0.5pc}%
4462   \setlength{\parindent}{0.5pc}%
4463   \setlength{\parskip}{0pt}%
4464 }
4465 \RequirePackage{ragged2e}
4466 \ifthenelse{\boolean{@biditufefloat@reversegeometry}}{%
4467 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginpar=10mm]{geometry}
4468 \ifthenelse{\boolean{@biditufefloat@afourpaper}}{%
4469   {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginpar=10mm}}
4470 }{%
4471 \ifthenelse{\boolean{@biditufefloat@bfivepaper}}{%
4472   {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm, marginpar=10mm}}
4473 }{%
4474 \RequirePackage[letterpaper, left=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginpar=10mm]{geometry}
4475 \ifthenelse{\boolean{@biditufefloat@afourpaper}}{%
4476   {\geometry{a4paper, left=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginpar=10mm}}
4477 }{%
4478 \ifthenelse{\boolean{@biditufefloat@bfivepaper}}{%
4479   {\geometry{paperwidth=176mm,paperheight=250mm, left=14.66mm,top=13.88mm, textwidth=102.66mm, marginpar=10mm}}
4480 }{%
4481 \ifthenelse{\boolean{@biditufefloat@symmetric}}{%
4482 }{%
4483   {\geometry{asymmetric}}% forces internal LaTeX `twoside'
4484 \setlength\marginparpush{10pt}
4485 %% Font for margin items
4486 \newcommand{\@biditufefloat@marginfont}{\normalfont\footnotesize}

```



```

4487 \newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
4488 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
4489 \newcommand{\@bidituftefloat@justification}{\justify}
4490 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
4491 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
4492 \newboolean{@bidituftefloat@changepage}
4493 \IfFileExists{changepage.sty}{%
4494   \bidituftefloatDebugInfoNL{Found changepage.sty}
4495   \RequirePackage[strict]{changepage}
4496   \setboolean{@bidituftefloat@changepage}{true}
4497 }{%
4498   \bidituftefloatDebugInfoNL{Found chngpage.sty}
4499   \RequirePackage[strict]{chngpage}
4500   \setboolean{@bidituftefloat@changepage}{false}
4501 }
4502 \newboolean{@bidituftefloat@odd@page}
4503 \setboolean{@bidituftefloat@odd@page}{true}
4504 \newcommand*{\@bidituftefloat@checkoddpage}{%
4505   \checkoddpage%
4506   \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
4507     \ifoddpage%
4508       \setboolean{@bidituftefloat@odd@page}{true}%
4509     \else%
4510       \setboolean{@bidituftefloat@odd@page}{false}%
4511     \fi%
4512   }{%
4513     \ifcpoddpage%
4514       \setboolean{@bidituftefloat@odd@page}{true}%
4515     \else%
4516       \setboolean{@bidituftefloat@odd@page}{false}%
4517     \fi%
4518   }%
4519 }
4520 \newlength{\@bidituftefloat@overhang}%
4521 \newlength{\@bidituftefloat@fullwidth}
4522 \newlength{\@bidituftefloat@caption@fill}
4523 \newcommand{\bidituftefloatRecalculate}{%
4524   \setlength{\@bidituftefloat@overhang}{\marginparwidth}
4525   \addtolength{\@bidituftefloat@overhang}{\marginparsep}
4526
4527   \setlength{\@bidituftefloat@fullwidth}{\textwidth}
4528   \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
4529   \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
4530
4531   \setlength{\@bidituftefloat@caption@fill}{\textwidth}
4532   \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
4533 }
4534 \AtBeginDocument{\bidituftefloatRecalculate}
4535 \RequirePackage{optparams}%
4536 \RequirePackage{placeins}

```



```

4537 \newsavebox{\@bidituftefloat@margin@floatbox}
4538 \newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
4539   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order
4540   \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
4541   \begin{minipage}{\marginparwidth}%
4542     \@bidituftefloat@caption@font%
4543     \def\@capttype{\#2}%
4544     \hbox{}\vspace*{\#1}%
4545     \@bidituftefloat@caption@justification%
4546     \@bidituftefloat@margin@par%
4547     \noindent%
4548   }
4549   {\end{minipage}%
4550   \end{lrbox}%
4551   \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
4552 }
4553 \newenvironment{marginfigure}[1][-1.2ex]%
4554   {\begin{@bidituftefloat@margin@float}[#1]{figure}%
4555   \end{@bidituftefloat@margin@float}%
4556 \newenvironment{marginable}[1][-1.2ex]%
4557   {\begin{@bidituftefloat@margin@float}[#1]{table}%
4558   \end{@bidituftefloat@margin@float}%
4559 \newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%
4560
4561 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float is processed
4562 \newcommand{\@bidituftefloat@float@debug}[1]{}% adds debug info to the queue for output
4563 \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}
4564   {\def\@bidituftefloat@float@debug@info{\#1}%
4565   \g@addto@macro{\@bidituftefloat@float@debug@info{\MessageBreak\#1}}%
4566 }
4567 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
4568 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{\#1}\@bidituftefloat@float@debug}
4569 \newboolean{@bidituftefloat@float@recto}
4570 \newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug}
4571 \newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug}
4572 \newsavebox{\@bidituftefloat@figure@box}
4573 \newsavebox{\@bidituftefloat@caption@box}
4574 \let\@bidituftefloat@orig@float\@float
4575 \let\@bidituftefloat@orig@endfloat\end@float
4576 \newlength{\@bidituftefloat@caption@vertical@offset}
4577 \setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
4578 \newcommand{\@bidituftefloat@stored@shortcaption}{}%
4579 \newcommand{\@bidituftefloat@stored@caption}{}%
4580 \newcommand{\@bidituftefloat@stored@label}{}%
4581 \long\def\@bidituftefloat@caption[#1][#2]#3{%
4582   \ifthenelse{\isempty{\#1}}%
4583     {\gdef\@bidituftefloat@stored@shortcaption{\#3}}%
4584     {\gdef\@bidituftefloat@stored@shortcaption{\#1}}%
4585   \gsetlength{\@bidituftefloat@caption@vertical@offset}{-\#2}% we want a positive offset to lower the caption
4586   \gdef\@bidituftefloat@stored@caption{\#3}%

```



```

4587 }
4588 \newcommand{\@bidituftefloat@label}[1]{%
4589   \gdef\@bidituftefloat@stored@label{#1}%
4590 }
4591 \newcommand{\@bidituftefloat@fps}{}
4592 \newboolean{@bidituftefloat@float@star}
4593 \newlength{\@bidituftefloat@float@contents@width}
4594 \newenvironment{@bidituftefloat@float}[3][htbp]{%
4595   % begin @bidituftefloat@float
4596   % Should this float be full-width or just text-width?
4597   \ifthenelse{\equal{#3}{star}}{%
4598     {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
4599     {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
4600   % Check page side (recto/verso) and store detected value -- can be overridden in environment
4601   \@bidituftefloat@checkoddpage%
4602   \ifthenelse{\boolean{@bidituftefloat@odd@page}}{%
4603     {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detector}{recto}}%
4604     {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detector}{verso}}%
4605   % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
4606   \renewcommand{\@bidituftefloat@fps}{#1}%
4607   \@bidituftefloat@float@debug{Allowed positions: [#1]}%
4608   \ifthenelse{\equal{#1}{b} \OR \equal{#1}{B}}{%
4609     {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bottom]}%
4610     {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]}}%
4611   % Capture the contents of the \caption and \label commands to use later
4612   \global\let@\bidituftefloat@orig@caption\caption%
4613   \global\let@\bidituftefloat@orig@label\label%
4614   \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[] [Opt]}}%
4615   \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
4616   % Handle subfigure package compatibility
4617   \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
4618     \bidi@patchcmd{\subfigure}{%
4619       \let\subfig@oldlabel=\label
4620     }{%
4621       \let\subfig@oldlabel=\@bidituftefloat@orig@label
4622     }
4623     {}
4624     {}
4625     \let\subtable=\subfigure
4626   }% subfigure package is not loaded
4627   \@bidituftefloat@orig@float{#2}[#1]%
4628   \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
4629     {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
4630     {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
4631     \begin{lrbox}{\@bidituftefloat@figure@box}%
4632       \begin{minipage}{\floatalignment}{\@bidituftefloat@float@contents@width}\hbox{}%
4633     }% end @bidituftefloat@float
4634     \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% align
4635     \end{minipage}%
4636   \end{lrbox}%

```



```

4637 % build the caption box
4638 \begin{lrbox}{\@bidituftefloat@caption@box}%
4639   \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
4640     \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}
4641       {\@bidituftefloat@orig@caption{}}%
4642     \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}
4643       {\@bidituftefloat@orig@label{}}%
4644     \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
4645   }%
4646 \end{lrbox}%
4647 % now typeset the stored boxes
4648 \begin{fullwidth}%
4649   \begin{minipage}[\floatalignment]{\ linewidth}%
4650     \ifthenelse{\boolean{@bidituftefloat@float@star}}%
4651       {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bidituftefloat@orig@caption{}}%
4652         {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidituftefloat@orig@label{}}%
4653       }%
4654     \end{minipage}%
4655   \end{fullwidth}%
4656 \@bidituftefloat@orig@endfloat% end original LaTeX float environment
4657 % output debug info
4658 \ifthenelse{\boolean{@bidituftefloat@debug}}{%
4659   \typeout{^^J^^J----- bidituftefloat package float information -----}%
4660   \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}
4661     {\typeout{Warning: Float unlabeled!} }%
4662     {\typeout{Float label: [\@bidituftefloat@stored@label]} }%
4663   \typeout{Page number: [\thepage]}%
4664   \def\MessageBreak{^^J}%
4665   \typeout{\@bidituftefloat@float@debug@info}%
4666   \ifthenelse{\boolean{@bidituffefloat@symmetric}}{%
4667     \typeout{Symmetric: [true]}%
4668     \typeout{Symmetric: [false]}%
4669   \typeout{-----^^J^^J}%
4670 }{%
4671 % reset commands and temp boxes and captions
4672 \gdef\@bidituftefloat@float@debug@info{}%
4673 \let\caption\@bidituftefloat@orig@caption%
4674 \let\label\@bidituftefloat@orig@label%
4675 \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
4676 \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
4677 \gdef\@bidituftefloat@stored@shortcaption{}%
4678 \gdef\@bidituftefloat@stored@caption{}%
4679 \gdef\@bidituftefloat@stored@label{}%
4680 \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
4681 }%
4682 \newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
4683   \ifthenelse{\NOT\boolean{@bidituffefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
4684     % asymmetric or page is odd, so caption is on the right
4685     \hbox{%
4686       \usebox{#2}%
4687       \hspace{\marginparsep}%
4688       \smash{\raisebox{#1}{\usebox{#3}}}%
4689     }%
4690   }%

```



```

4687      \@budituftefloat@float@debug{Caption position: [right]}%
4688  }{\% symmetric pages and page is even, so caption is on the left
4689  \hbox{%
4690    \smash{\raisebox{\#1}{\usebox{\#3}}}\%
4691    \hspace{\marginparsep}\%
4692    \usebox{\#2}\%
4693  }
4694  \@budituftefloat@float@debug{Caption position: [left]}%
4695 }%
4696 }
4697 \newcommand{\@budituftefloat@float@fullwidth}[3][0pt]{%
4698   \ifthenelse{\equal{\floatalignment}{b}}{%
4699     \% place caption above figure
4700     \ifthenelse{\NOT\boolean{@budituftefloat@symmetric}}{\OR\boolean{@budituftefloat@float@red{}}}{}
4701     {\hfill\smash{\raisebox{\#1}{\usebox{\#3}}}\par\usebox{\#2}\@budituftefloat@float@debug{}}%
4702     {\smash{\raisebox{\#1}{\usebox{\#3}}}\hfill\par\usebox{\#2}\@budituftefloat@float@debug{}}%
4703   }{\% place caption below figure
4704     \ifthenelse{\NOT\boolean{@budituftefloat@symmetric}}{\OR\boolean{@budituftefloat@float@red{}}}{}
4705     {\usebox{\#2}\par\hfill\smash{\raisebox{\#1}{\usebox{\#3}}}\@budituftefloat@float@debug{}}%
4706     {\usebox{\#2}\par\smash{\raisebox{\#1}{\usebox{\#3}}}\hfill\@budituftefloat@float@debug{}}%
4707   }%
4708 }
4709 \renewenvironment{figure}[1][htbp]{%
4710   \ifvmode\else\unskip\fi\begin{@budituftefloat@float}{\#1}{figure}{}{}}%
4711   \end{@budituftefloat@float}%
4712 \renewenvironment{table}[1][htbp]{%
4713   \ifvmode\else\unskip\fi\begin{@budituftefloat@float}{\#1}{table}{}{}}%
4714   \end{@budituftefloat@float}%
4715 \renewenvironment{figure*}[1][htbp]{%
4716   \ifvmode\else\unskip\fi\begin{@budituftefloat@float}{\#1}{figure}{star}{}{}}%
4717   \end{@budituftefloat@float}%
4718 \renewenvironment{table*}[1][htbp]{%
4719   \ifvmode\else\unskip\fi\begin{@budituftefloat@float}{\#1}{table}{star}{}{}}%
4720   \end{@budituftefloat@float}%
4721 \newenvironment{fullwidth}{%
4722   \ifthenelse{\boolean{@budituftefloat@symmetric}}{%
4723     \ifthenelse{\boolean{@budituftefloat@changepage}}{\begin{adjustwidth}{}{-\@budituftefloat@overhang}}{%
4724       \begin{adjustwidth}{}{-\@budituftefloat@overhang}}%
4725   }%
4726   \ifthenelse{\boolean{@budituftefloat@symmetric}}{%
4727     \ifthenelse{\boolean{@budituftefloat@changepage}}{\end{adjustwidth}\end{adjustwidth}}{%
4728       \end{adjustwidth}}%
4729   }%
4730 \long\def\@caption{\#1[\#2]\#3{%
4731   \par%
4732   \addcontentsline{\csname ext@\#1\endcsname}{\#1}{%
4733     \protect\numberline{\csname the\#1\endcsname}\ignorespaces \#2}}%
4734   \begingroup%
4735     \parboxrestore%
4736     \if@minipage%

```



```

4737     \@setminipage%
4738     \fi%
4739     \@bidiutfefloat@caption@font\@bidiutfefloat@caption@justification%
4740     \noindent\csname fnum@\#1\endcsname: \ignorespaces#3\par%
4741     \%@\makecaption{\csname fnum@\#1\endcsname}{\ignorespaces #3}\par
4742     \endgroup%
4743 /**
4744 % Turns newlines into spaces. Based on code from the `titlesec' package.
4745 \DeclareRobustCommand{\@bidiutftheading@newlinetospace}{%
4746   \@ifstar{\@bidiutftheading@newlinetospace@i}{\@bidiutftheading@newlinetospace@i}%
4747 }
4748 \def\@bidiutftheading@newlinetospace@i{%
4749   \ifdim\lastskip>z@\else\space\fi
4750   \ignorespaces%
4751 }
4752 \DeclareRobustCommand{\newlinetospace}[1]{%
4753   \let\@bidiutftheading@orig@cr\% save the original meaning of \\
4754   \def\\{\@bidiutftheading@newlinetospace}\% turn \\ and \\* into \space
4755   \let\newline\% turn \newline into \space
4756   #1%
4757   \let\\{\@bidiutftheading@orig@cr}\% revert to original meaning of \\
4758 }
4759 \RequirePackage{fancyhdr}
4760 \pagestyle{fancy}
4761 \AtBeginDocument{%
4762   \ifthenelse{\boolean{@bidiutfefloat@symmetric}}%
4763     {\fancyhf[LE,RO]{\@bidiutfefloat@overhang}}%
4764     {\fancyhf[RE,RO]{\@bidiutfefloat@overhang}}%
4765 }
4766 % The running heads/feet don't have rules
4767 \renewcommand{\headrulewidth}{0pt}
4768 \renewcommand{\footrulewidth}{0pt}
4769 % The 'fancy' page style is the default style for all pages.
4770 \fancyhf{} % clear header and footer fields
4771   \ifthenelse{\boolean{@bidiutfefloat@symmetric}}%
4772     {\fancyhead[LE]{\thepage\quad\textsf{\newlinetospace{\plainauthor}}}\%}
4773     {\fancyhead[RO]{\textsf{\newlinetospace{\plaintitle}}\quad\thepage}}\%
4774     {\fancyhead[RE,RO]{\textsf{\newlinetospace{\plaintitle}}\quad\thepage}}\%
4775 % The 'plain' page style is used on chapter opening pages.
4776 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
4777 % bottom of pages -- the folios are unexpressed.
4778 \fancypagestyle{plain}{%
4779   \fancyhf{} % clear header and footer fields
4780   % Uncomment the following five lines of code if you want the opening page
4781   % of the chapter to express the folio in the lower outside corner.
4782   % \ifthenelse{\boolean{@bidiutfefloat@symmetric}}%
4783   % {\fancyfoot[LE,RO]{\thepage}}%
4784   % {\fancyfoot[RE,RO]{\thepage}}%
4785 }
4786 % The 'empty' page style suppresses all headers and footers.

```



```

4787 % It's used on title pages and `intentionally blank' pages.
4788 \fancypagestyle{empty}{%
4789   \fancyhf{} % clear header and footer fields
4790 }
4791 \def\morefloats{\% provides a total of 52 floats
4792 \ifthenelse{\isundefined{\bx@S}}{\%
4793   \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
4794   \newinsert\bx@S
4795   \newinsert\bx@T
4796   \newinsert\bx@U
4797   \newinsert\bx@V
4798   \newinsert\bx@W
4799   \newinsert\bx@X
4800   \newinsert\bx@Y
4801   \newinsert\bx@Z
4802   \newinsert\bx@a
4803   \newinsert\bx@b
4804   \newinsert\bx@c
4805   \newinsert\bx@d
4806   \newinsert\bx@e
4807   \newinsert\bx@f
4808   \newinsert\bx@g
4809   \newinsert\bx@h
4810   \newinsert\bx@i
4811   \newinsert\bx@j
4812   \newinsert\bx@k
4813   \newinsert\bx@l
4814   \newinsert\bx@m
4815   \newinsert\bx@n
4816   \newinsert\bx@o
4817   \newinsert\bx@p
4818   \newinsert\bx@q
4819   \newinsert\bx@r
4820   \newinsert\bx@s
4821   \newinsert\bx@t
4822   \newinsert\bx@u
4823   \newinsert\bx@v
4824   \newinsert\bx@w
4825   \newinsert\bx@x
4826   \newinsert\bx@y
4827   \newinsert\bx@z
4828 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4829   \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4830   \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4831   \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4832   \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4833   \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4834   \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4835   \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4836   \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n

```



```

4837           \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4838           \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4839           \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
4840 }{%
4841     we've already added another 34 floats, so we'll add 26 more, but that's it!
4842     \ifthenelse{\isundefined{\bx@AA}}{%
4843         \bidoituftefloatDebugInfoNL{Adding 26 more float slots.}
4844         \newinsert\bx@AA
4845         \newinsert\bx@BB
4846         \newinsert\bx@CC
4847         \newinsert\bx@DD
4848         \newinsert\bx@EE
4849         \newinsert\bx@FF
4850         \newinsert\bx@GG
4851         \newinsert\bx@HH
4852         \newinsert\bx@II
4853         \newinsert\bx@JJ
4854         \newinsert\bx@KK
4855         \newinsert\bx@LL
4856         \newinsert\bx@MM
4857         \newinsert\bx@NN
4858         \newinsert\bx@OO
4859         \newinsert\bx@PP
4860         \newinsert\bx@QQ
4861         \newinsert\bx@RR
4862         \newinsert\bx@SS
4863         \newinsert\bx@TT
4864         \newinsert\bx@UU
4865         \newinsert\bx@VV
4866         \newinsert\bx@WW
4867         \newinsert\bx@XX
4868         \newinsert\bx@YY
4869         \newinsert\bx@ZZ
4870         \gdef\@freelist{@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4871             \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4872             \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4873             \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4874             \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4875             \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4876             \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4877             \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4878             \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4879             \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4880             \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4881             \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
4882             \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
4883             \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
4884             \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
4885             \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
4886             \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
4887             \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%

```



```

4887    }{%
4888      \budituftefloatError{You may only call \string\morefloats\space twice. See the\MessageB
4889      {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\N
4890    }%
4891  }%
4892}%
4893 \newboolean{@budituftefloat@packages@subfigure}
4894 \setboolean{@budituftefloat@packages@subfigure}{false}
4895 \AtBeginDocument{%
4896   \@ifpackageloaded{subfigure}
4897     {\GlobalSetBoolean{@budituftefloat@packages@subfigure}{true}}
4898     {\GlobalSetBoolean{@budituftefloat@packages@subfigure}{false}}%
4899}%
4900 \AtBeginDocument{%
4901  \@ifpackageloaded{float}{%
4902    % Save the redefined float environment (instead of the LaTeX float environment)
4903    \let\@budituftefloat@orig@float\@float
4904    \let\@budituftefloat@orig@endfloat\end@float
4905
4906    % Define Tuftian float styles (with the caption in the margin)
4907    \newcommand{\floatc@budituftefloatplain}[2]{%
4908      \begin{lrbox}{\@budituftefloat@caption@box}}%
4909      \begin{minipage}{\floatalignment}{\marginparwidth}\hbox{}%
4910        \@budituftefloat@caption@font{\@fs@cfont #1:} #2\par%
4911      \end{minipage}%
4912    \end{lrbox}%
4913    \smash{\hspace{\@budituftefloat@caption@fill}\usebox{\@budituftefloat@caption@box}}%
4914  }%
4915  \newcommand{\fs@budituftefloatplain}{%
4916    \def\@fs@cfont{\@budituftefloat@caption@font}%
4917    \let\@fs@capt\floatc@budituftefloatplain%
4918    \def\@fs@pre{}%
4919    \def\@fs@post{}%
4920    \def\@fs@mid{}%
4921    \let\@fs@iftopcapt\iftrue%
4922  }%
4923  \let\fs@budituftefloatplaintop=\fs@budituftefloatplain
4924  \let\floatc@budituftefloatplaintop=\floatc@budituftefloatplain
4925  \newcommand\floatc@budituftefloatruled[2]{%
4926    {\@fs@cfont #1} #2\par%
4927  }%
4928  \newcommand\fs@budituftefloatruled{%
4929    \def\@fs@cfont{\@budituftefloat@caption@font}%
4930    \let\@fs@capt\floatc@budituftefloatplain%
4931    \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
4932    \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
4933    \def\@fs@mid{}%
4934    \let\@fs@iftopcapt\iftrue%
4935  }%
4936  \newcommand\fs@budituftefloatboxed{%

```



```

4937 \def\@fs@cfont{}%
4938 \let\@fs@capt\floatac@bidituftefloatplain%
4939 \def\@fs@pref{%
4940   \setbox\@currbox\vbox{\hbadness10000
4941     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
4942       \hrule\hbox to\hsize{\vrule\kern3pt
4943         \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
4944 }%
4945 \def\@fs@mid{\kern2pt}%
4946 \def\@fs@post{}%
4947 \let\@fs@iftopcapt\iftrue%
4948 }%
4949 }{%
4950   % Nothing to do
4951 }
4952 }%
4953 \AtBeginDocument{%
4954   \@ifpackageloaded{algorithm}{%
4955     % Set the float style to the Tuftian version
4956     \ifthenelse{\equal{\ALG@floatstyle}{plain}}{\OR\equal{\ALG@floatstyle}{ruled}}{\OR\equal{\ALG@floatstyle}{MessageBreak}}
4957       \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}
4958       \floatstyle{bidituftefloat\ALG@floatstyle}%
4959       \restylefloat{algorithm}%
4960   }{%
4961 }%
4962 }{%
4963   % Nothing to do
4964 }
4965 \PassOptionsToPackage{caption=false}{subfig}

```

23 File `budituftesidenote.sty`

```

4966 \NeedsTeXFormat{LaTeX2e}
4967 \ProvidesPackage{budituftesidenote}[2017/08/09 v0.4
4968 bidi implementation of tufte sidenote]
4969 \RequirePackage{xifthen}
4970 \RequirePackage{ragged2e}
4971 \RequirePackage{setspace}
4972 \RequirePackage{buditools}
4973 \def\budituftesidenotemargininpar{%
4974   \ifhmode
4975     \obspshack
4976     \floatpenalty -\@Mii
4977   \else
4978     \floatpenalty-\@Miii
4979   \fi
4980   \ifinner
4981     \parmoderr
4982     \floatpenalty\z@
4983   \else

```



```

4984     \next\currbox\freelist{}%
4985     \next\marbox\freelist{\global\count\marbox\m@ne}%
4986     {\@floatpenalty\z@%
4987      \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
4988   \fi
4989   \ifnextchar [\@bidiutfesidenotexmpar\@bidiutfesidenoteypar}%
4990 \long\def\@bidiutfesidenotexmpar[#1]#2{%
4991   \@bidiutfesidenotesavemarbox\@marbox{#1}%
4992   \@bidiutfesidenotesavemarbox\@currbox{#2}%
4993   \xympar}%
4994 \long\def\@bidiutfesidenoteypar#1{%
4995   \@bidiutfesidenotesavemarbox\@marbox{#1}%
4996   \global\setbox\currbox\copy\marbox
4997   \xympar}%
4998 \long\def\@bidiutfesidenotesavemarbox #1#2{%
4999   \global\setbox #1%
5000   \color@vbox
5001   \vtop{%
5002     \hsize\marginparwidth
5003     \parboxrestore
5004     \@bidiutfesidenotemarginparreset
5005     #2%
5006     \minipagetrue
5007     \outer@nobreak
5008     }%
5009   \color@endbox
5010 }
5011 \def\@bidiutfesidenotemarginparreset {%
5012   \reset@font
5013   \normalsize
5014   \minipagetrue
5015   \everypar{\minipagetrue\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
5016 }
5017 \def\LTRbidiutfesidenotemarginpar{%
5018   \ifhmode
5019     \bsphack
5020     \floatpenalty -\Mii
5021   \else
5022     \floatpenalty-\Miii
5023   \fi
5024   \ifinner
5025     \parmoderr
5026     \floatpenalty\z@
5027   \else
5028     \next\currbox\freelist{}%
5029     \next\marbox\freelist{\global\count\marbox\m@ne}%
5030     {\@floatpenalty\z@%
5031      \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
5032   \fi
5033   \ifnextchar [\@LTRbidiutfesidenotexmpar\@LTRbidiutfesidenoteypar}%

```



```

5034 \long\def\@LTRbidituftesidenotexmpar[#1]#2{%
5035   \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
5036   \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
5037   \@xympar}
5038 \long\def\@LTRbidituftesidenoteypar#1{%
5039   \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
5040   \global\setbox\@currbox\copy\@marbox
5041   \@xympar}
5042 \long\def\@LTRbidituftesidenotesavemarbox #1#2{%
5043   \global\setbox #1%
5044   \color@vbox
5045   \vtop{%
5046     \hsize\marginparwidth
5047     \parboxrestore
5048     \@LTRbidituftesidenotemarginparreset
5049     #2%
5050     \minipagetrue
5051     \outer@nobreak
5052   }%
5053   \color@endbox
5054 }
5055 \def\@LTRbidituftesidenotemarginparreset {%
5056   \reset@font
5057   \normalsize
5058   \minipagetrue
5059   \everypar{\minipagetrue\everypar{}\beginL}%
5060 }
5061 \def\RTLbidituftesidenotemarginpar{%
5062   \ifhmode
5063     \bsphack
5064     \floatpenalty -\Mii
5065   \else
5066     \floatpenalty-\Miii
5067   \fi
5068   \ifinner
5069     \parmoderr
5070     \floatpenalty\z@
5071   \else
5072     \next\currbox\freelist{}%
5073     \next\marbox\freelist\global\count\marbox\mone}%
5074     \floatpenalty\z@
5075     \flostovf\def\currbox{@tempboxa}\def\marbox{@tempboxa}%
5076   \fi
5077   \ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar]
5078 \long\def\@RTLbidituftesidenotexmpar[#1]#2{%
5079   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
5080   \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
5081   \@xympar}
5082 \long\def\@RTLbidituftesidenoteypar#1{%
5083   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%

```



```

5084 \global\setbox@\currbox\copy\@marbox
5085 \@xmpar}
5086 \long\def \@RTLbidituftesidenotesavemarbox #1#2{%
5087 \global\setbox #1%
5088 \color@vbox
5089 \vtop{%
5090 \hsize\marginparwidth
5091 \parboxrestore
5092 \@RTLbidituftesidenotemarginparreset
5093 #2%
5094 \minipagefalse
5095 \outer@nobreak
5096 }%
5097 \color@endbox
5098 }
5099 \def \@RTLbidituftesidenotemarginparreset {%
5100 \reset@font
5101 \normalsize
5102 \minipagetrue
5103 \everypar{\minipagefalse\everypar{}\beginR}%
5104 }
5105 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
5106 \newcommand*{\@bidituftesidenote@LTrmarginfont}{\normalfont\footnotesize}
5107 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
5108 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
5109 \newcommand*{\@bidituftesidenote@LTrsidenote@font}{\@bidituftesidenote@LTrmarginfont}
5110 \newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
5111 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
5112 \newcommand*{\@bidituftesidenote@LTrmarginnote@font}{\@bidituftesidenote@LTrmarginfont}
5113 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
5114 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
5115 \newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTrmarginfont}
5116 \newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
5117 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
5118 \newcommand*{\setLTrsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTrsidenote@font}{#1}}
5119 \newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
5120 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
5121 \newcommand*{\setLTrmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTrmarginnote@font}{#1}}
5122 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{#1}}
5123 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
5124 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
5125 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
5126 \newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@auto}
5127 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@auto}
5128 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@auto}
5129 \newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
5130 \newcommand*{\@bidituftesidenote@margin@par}{%
5131 \setlength{\RaggedRightParindent}{0.5pc}%
5132 \setlength{\JustifyingParindent}{0.5pc}%
5133 \setlength{\parindent}{0.5pc}%

```



```

5134 \setlength{\parskip}{0pt}%
5135 }
5136 %%
5137 % Globally sets the length
5138 @ifundefined{gsetlength}{%
5139 \newcommand*{\gsetlength}[2]{%
5140 \setlength{#1}{#2}%
5141 \global\#1=\#1\relax%
5142 }%
5143 }{}%
5144 %
5145 %%
5146 % A function that removes leading and trailing spaces from the supplied macro.
5147 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
5148 % Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
5149 % being trimmed of leading and trailing white space.
5150 \catcode`\Q=3
5151 \def\@bidituftesidenote@trim@spaces#1{%
5152 % Use grouping to emulate a multi-token afterassignment queue
5153 \begingroup%
5154 % Put `\'toks 0 {' into the afterassignment queue
5155 \aftergroup\toks\aftergroup0\aftergroup{%
5156 % Apply \trimb to the replacement text of #1, adding a leading
5157 % \noexpand to prevent brace stripping and to serve another purpose
5158 % later.
5159 \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
5160 % Transfer the trimmed text back into #1.
5161 \edef#1{\the\toks0}%
5162 }%
5163 % \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
5164 % clean up any leftover bizarre Qs, and trim a leading space. In
5165 % order for \trimc to work properly we need to put back a Q first.
5166 \def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}%
5167 % Execute \vfuzz assignment to remove leading space; the \noexpand
5168 % will now prevent unwanted expansion of a macro or other expandable
5169 % token at the beginning of the trimmed text. The \endgroup will feed
5170 % in the \aftergroup tokens after the \vfuzz assignment is completed.
5171 \def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
5172 \catcode`\Q=11
5173 %%
5174 % Citations should go in the margin as sidenotes
5175
5176 \RequirePackage{natbib}
5177 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography environment
5178 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
5179 \renewcommand\BR@b@bibitem[2][]{%
5180 \ifthenelse{\isempty{#1}}{%
5181 {\BR@bibitem{#2}}%
5182 {\BR@bibitem[#1]{#2}}%
5183 \BR@c@bibitem{#2}}%

```



```

5184 }
5185 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
5186 %%
5187 % Normal \cite behavior
5188 \newcounter{@bidituftesidenote@num@bibkeys}%
5189 \newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
5190   % Snag the last bibentry in the list for later comparison
5191   \let\@temp@last@bibkey\empty%
5192   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5193   \sidenote[] [#1]{%
5194     % Loop through all the bibentries, separating them with semicolons and spaces
5195     \normalsize\normalfont\@bidituftesidenote@citation@font%
5196     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5197     \@for\@temp@bibkeyx:=#2\do{%
5198       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5199         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5200         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5201         \bibentry{\@temp@bibkeyx}%
5202         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5203         \bibentry{\@temp@bibkeyx};\ }%
5204         \stepcounter{@bidituftesidenote@num@bibkeys}%
5205       }%
5206     }%
5207   }%
5208 \newcommand{\@biditufteLTRsidenote@normal@cite}[2][0pt]{%
5209   % Snag the last bibentry in the list for later comparison
5210   \let\@temp@last@bibkey\empty%
5211   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5212   \LTRsidenote[] [#1]{%
5213     % Loop through all the bibentries, separating them with semicolons and spaces
5214     \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
5215     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5216     \@for\@temp@bibkeyx:=#2\do{%
5217       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5218         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5219         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5220         \bibentry{\@temp@bibkeyx}%
5221         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5222         \bibentry{\@temp@bibkeyx};\ }%
5223         \stepcounter{@bidituftesidenote@num@bibkeys}%
5224       }%
5225     }%
5226   }%
5227 \newcommand{\@biditufteRTNsidenote@normal@cite}[2][0pt]{%
5228   % Snag the last bibentry in the list for later comparison
5229   \let\@temp@last@bibkey\empty%
5230   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5231   \RTNsidenote[] [#1]{%
5232     % Loop through all the bibentries, separating them with semicolons and spaces
5233     \normalsize\normalfont\@bidituftesidenote@citation@font%

```



```

5234     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5235     \@for\@temp@bibkeyx:=#2\do{%
5236         \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5237             \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5238                 \@bidituftesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
5239                 \bibentry{\@temp@bibkeyx}}%
5240             {\@bidituftesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
5241                 \bibentry{\@temp@bibkeyx};\ }%
5242             \stepcounter{@bidituftesidenote@num@bibkeys}%
5243         }%
5244     }%
5245 }
5246 %%
5247 % Macros for holding the list of cite keys until after the \sidenote
5248 \gdef\@bidituftesidenote@citations{}% list of cite keys
5249 \newcommand{\@bidituftesidenote@add@citation[1][]{\relax}}% adds a new bibkey to the list of cite keys
5250     \ifx\@bidituftesidenote@citations\empty\else
5251         \g@addto@macro{\@bidituftesidenote@citations{,}}% separate by commas
5252     \fi
5253     \g@addto@macro{\@bidituftesidenote@citations{#1}}
5254 }
5255 \newcommand{\@bidituftesidenote@print@citations}[1][Opt]{% puts the citations in a margin note
5256     % Snag the last bibentry in the list for later comparison
5257     \let\@temp@last@bibkey\empty%
5258     \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
5259     \marginpar{%
5260         \hbox{}\vspace*{#1}%
5261         \@bidituftesidenote@citation@font%
5262         \@bidituftesidenote@citation@justification%
5263         \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5264         \vspace*{-1\baselineskip}%
5265         % Loop through all the bibentries, separating them with semicolons and spaces
5266         \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5267         \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
5268             \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5269                 \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5270                     \@bidituftesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
5271                     \bibentry{\@temp@bibkeyx}}%
5272                 {\@bidituftesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
5273                     \bibentry{\@temp@bibkeyx};\ }%
5274             \stepcounter{@bidituftesidenote@num@bibkeys}%
5275         }%
5276     }%
5277 }
5278 %%
5279 % \cite behavior when executed within a sidenote
5280 \newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
5281 \newcommand{\@bidituftesidenote@infofootnote@cite}[1]{%
5282     \@bidituftesidenote@add@citation{#1}
5283 }

```



```

5284 %%
5285 % Set the default \cite style. This is set and reset by the \sidenote command.
5286 \let\cite\@bidituftesidenote@normal@cite
5287 \let\LTRcite\@biditufteLTRsidenote@normal@cite
5288 \let\RTLcite\@biditufteRTLsidenote@normal@cite
5289 %%
5290 % Transform existing \footnotes into \sidenotes
5291 % Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
5292 \RequirePackage{optparams}%
5293 \providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote}
5294 \renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@font}
5295 % Override footmisc's definition to set the sidenote marks (numbers) inside the
5296 % sidenote's text block.
5297 \bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote@\#1}}}
5298 % Set the in-text footnote mark in the same typeface as the body text itself.
5299 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize\#1}}}}
5300 \providecommand*\multiplefootnotemarker{3sp}
5301 \providecommand*\multfootsep{,}
5302 \bidi@patch@AfterPackage{bidi}{%
5303 \renewcommand{\@footnotemark}{%
5304   \leavevmode%
5305   \ifhmode%
5306     \edef\@x@sf{\the\spacefactor}%
5307     \@bidituftesidenote@check@multiple@sidenotes%
5308     \nobreak%
5309   \fi%
5310   \makefnmark%
5311   \ifhmode\spacefactor\@x@sf\fi%
5312   \relax%
5313 }%
5314 }
5315 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
5316   \ifdim\lastkern=\multiplefootnotemarker\relax%
5317     \edef\@x@sf{\the\spacefactor}%
5318     \unkern%
5319     \textsuperscript{\multfootsep}%
5320     \spacefactor\@x@sf\relax%
5321   \fi
5322 }
5323 \bidi@patch@AfterPackage{bidi}{%
5324 \renewcommand{\footnotetext}[2][0pt]{%
5325   \bidituftesidenotemarginpar{%
5326     \hbox{}\vspace*{#1}%
5327     \def\baselinestretch{\setspace@singlespace}%
5328     \reset@font%
5329     \bidi@@footnotetext@font\reset@font\footnotesize%
5330     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5331     \vspace*{-\baselineskip}\noindent%
5332     \protected@edef{\currentlabel}{%
5333       \csname p@footnote\endcsname\@thefnmark%

```



```

5334     }%
5335     \color@begingroup%
5336         \makefntext{%
5337             \ignorespaces#2%
5338         }%
5339     \color@endgroup%
5340 }%
5341 }%
5342 \renewcommand{\LTRfootnotetext}[2][0pt]{%
5343     \LTrbidituftesidenotemarginpar{%
5344         \hbox{}\vspace*{#1}%
5345         \def\baselinestretch {\setspace@singlespace}%
5346         \reset@font%
5347         \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
5348         \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5349         \vspace*{-1\baselineskip}\noindent%
5350         \protected@edef{\currentlabel}{%
5351             \csname p@footnote\endcsname\@thefnmark%
5352         }%
5353         \color@begingroup%
5354             \makefntext{%
5355                 \ignorespaces#2%
5356             }%
5357         \color@endgroup%
5358     }%
5359 }%
5360 \renewcommand{\RTLfootnotetext}[2][0pt]{%
5361     \RTLbidituftesidenotemarginpar{%
5362         \hbox{}\vspace*{#1}%
5363         \def\baselinestretch {\setspace@singlespace}%
5364         \reset@font%
5365         \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
5366         \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5367         \vspace*{-1\baselineskip}\noindent%
5368         \protected@edef{\currentlabel}{%
5369             \csname p@footnote\endcsname\@thefnmark%
5370         }%
5371         \color@begingroup%
5372             \makefntext{%
5373                 \ignorespaces#2%
5374             }%
5375         \color@endgroup%
5376     }%
5377 }%
5378 }%
5379 %
5380 % Define \sidenote command. Can handle \cite.
5381 \newlength{\bidituftesidenote@sidenote@vertical@offset}
5382 \setlength{\bidituftesidenote@sidenote@vertical@offset}{0pt}
5383 % #1 = footnote num, #2 = vertical offset, #3 = footnote text

```



```

5384 \long\def\@bidituftesidenote@sidenote[#1][#2]{%
5385   \let\cite\@bidituftesidenote@infofootnote@cite%    use the in-sidenote \cite command
5386   \gdef\@bidituftesidenote@citations{}%            clear out any old citations
5387   \ifthenelse{\NOT\isempty{#2}}{%
5388     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5389   }{%
5390     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5391   }%
5392   \ifthenelse{\isempty{#1}}{%
5393     % no specific footnote number provided
5394     \stepcounter\@mpfn%
5395     \protected@xdef\@thefnmark{\thempfn}%
5396     \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5397   }{%
5398     % specific footnote number provided
5399     \begingroup%
5400       \csname c@\@mpfn\endcsname #1\relax%
5401       \unrestored@protected@xdef\@thefnmark{\thempfn}%
5402     \endgroup%
5403     \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5404   }%
5405   \@bidituftesidenote@print@citations%           print any citations
5406   \let\cite\@bidituftesidenote@normal@cite%        go back to using normal in-text \cite command
5407   \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTRc
5408   \let\RTLcite\@biditufteRTLsidenote@normal@cite%  go back to using normal in-text \RTLc
5409   \unskip\ignorespaces%                           remove extra white space
5410   \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
5411   \kern\multiplefootnotemarker\relax%           add new \kern here to replace the one we yanked
5412 }%
5413 \long\def\@LTRobidituftesidenote@sidenote[#1][#2]{%
5414   \let\cite\@bidituftesidenote@infofootnote@cite%    use the in-sidenote \cite command
5415   \gdef\@bidituftesidenote@citations{}%            clear out any old citations
5416   \ifthenelse{\NOT\isempty{#2}}{%
5417     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5418   }{%
5419     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5420   }%
5421   \ifthenelse{\isempty{#1}}{%
5422     % no specific footnote number provided
5423     \stepcounter\@mpfn%
5424     \protected@xdef\@thefnmark{\thempfn}%
5425     \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5426   }{%
5427     % specific footnote number provided
5428     \begingroup%
5429       \csname c@\@mpfn\endcsname #1\relax%
5430       \unrestored@protected@xdef\@thefnmark{\thempfn}%
5431     \endgroup%
5432     \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5433   }%

```



```

5434  \@bidituftesidenote@print@citations%          print any citations
5435  \let\cite\@bidituftesidenote@normal@cite%      go back to using normal in-text \cite command
5436  \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTRcite
5437  \let\RTLcite\@biditufteRTLsidenote@normal@cite%  go back to using normal in-text \RTLcite
5438  \unskip\ignorespaces%                         remove extra white space
5439  \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
5440  \kern\multiplefootnotemarker\relax%           add new \kern here to replace the one we yanked
5441 }
5442 \long\def\@RTLbidituftesidenote@sidenote[#1][#2]{%
5443   \let\cite\@bidituftesidenote@infofootnote@cite%  use the in-sidenote \cite command
5444   \gdef\@bidituftesidenote@citations{}%            clear out any old citations
5445   \ifthenelse{\NOT\isempty{#2}}{%
5446     \gsetlength{\@bidituftesidenote@vertical@offset}{#2}%
5447   }{%
5448     \gsetlength{\@bidituftesidenote@vertical@offset}{0pt}%
5449   }%
5450   \ifthenelse{\isempty{#1}}{%
5451     % no specific footnote number provided
5452     \stepcounter\@mpfn%
5453     \protected\@xdef\@thefnmark{\thempfn}%
5454     \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5455   }{%
5456     % specific footnote number provided
5457     \begin{group}%
5458       \csname c@\@mpfn\endcsname #1\relax%
5459       \unrestored\protected\@xdef\@thefnmark{\thempfn}%
5460     \end{group}%
5461     \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5462   }%
5463   \@bidituftesidenote@print@citations%          print any citations
5464   \let\cite\@bidituftesidenote@normal@cite%      go back to using normal in-text \cite command
5465   \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTRcite
5466   \let\RTLcite\@biditufteRTLsidenote@normal@cite%  go back to using normal in-text \RTLcite
5467   \unskip\ignorespaces%                         remove extra white space
5468   \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
5469   \kern\multiplefootnotemarker\relax%           add new \kern here to replace the one we yanked
5470 }
5471 \newcommand{\sidenote}[1]{\optparams{\@bidituftesidenote@sidenote}{[] [0pt]}}
5472 \newcommand{\LTRsidenote}[1]{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}
5473 \newcommand{\RTLsidenote}[1]{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}
5474 \bidi@patch@AfterPackage{bidi}{%
5475 \renewcommand{\footnote}[1]{\optparams{\@bidituftesidenote@sidenote}{[] [0pt]}}%
5476 \renewcommand{\LTRfootnote}[1]{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}%
5477 \renewcommand{\RTLfootnote}[1]{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}%
5478 }%
5479 %%%
5480 % Sidenote without the footnote mark
5481 \newcommand{\marginnote}[2][0pt]{%
5482   \let\cite\@bidituftesidenote@infofootnote@cite%  use the in-sidenote \cite command
5483   \gdef\@bidituftesidenote@citations{}%            clear out any old citations

```



```

5484 \bidoftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidoftesidenote@marginnote@font\@bidoft
5485 \@bidoftesidenote@print@citations% print any citations
5486 \let\cite@\bidoftesidenote@normal@cite% go back to using normal in-text \cite command
5487 \let\LTRcite@\bidofteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5488 \let\RTLcite@\bidofteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5489 }
5490 \newcommand{\LTRmarginnote}[2][Opt]{%
5491 \let\cite@\bidoftesidenote@infofootnote@cite% use the in-sidenote \cite command
5492 \gdef\@bidoftesidenote@citations{}% clear out any old citations
5493 \LTRbidoftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidoftesidenote@LTRmarginnote@font\@b
5494 \@bidoftesidenote@print@citations% print any citations
5495 \let\cite@\bidoftesidenote@normal@cite% go back to using normal in-text \cite command
5496 \let\LTRcite@\bidofteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5497 \let\RTLcite@\bidofteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5498 }
5499 \newcommand{\RTLmarginnote}[2][Opt]{%
5500 \let\cite@\bidoftesidenote@infofootnote@cite% use the in-sidenote \cite command
5501 \gdef\@bidoftesidenote@citations{}% clear out any old citations
5502 \RTLbidoftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidoftesidenote@RTLmarginnote@font\@b
5503 \@bidoftesidenote@print@citations% print any citations
5504 \let\cite@\bidoftesidenote@normal@cite% go back to using normal in-text \cite command
5505 \let\LTRcite@\bidofteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5506 \let\RTLcite@\bidofteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5507 }

```

24 File `bidoftetoc.sty`

```

5508 \NeedsTeXFormat{LaTeX2e}
5509 \ProvidesPackage{bidoftetoc}[2011/06/17 v0.1
5510 bidi implementation of tufte toc]
5511 \RequirePackage{titlesec,titletoc,xifthen,biditools}
5512 \newcommand{\@bidoftetoc@pkgname}{bidoftetoc}
5513 \newcommand{\bidoftetocError}[2]{\PackageError{\@bidoftetoc@pkgname}{#1}{#2}}
5514 %%%
5515 % Turn off section numbering
5516 \setcounter{secnumdepth}{-1}
5517 \newboolean{@bidoftetoc@toc}
5518 \setboolean{@bidoftetoc@toc}{true}
5519 \DeclareOption{notoc}{\setboolean{@bidoftetoc@toc}{false}}
5520 \DeclareOption{toc}{\setboolean{@bidoftetoc@toc}{true}}
5521 \ProcessOptions
5522 %%%
5523 % Make Tuftian-style section headings and TOC formatting
5524 \bidi@patch@AfterPackage{bidi}{%
5525 \titleformat{\chapter}{%
5526 [display]%
5527 {\relax\ifthenelse{\NOT\boolean{@bidoftefloat@symmetric}}{\begin{fullwidth}{}{}% format ap
5528 {\itshape\huge\thechapter}}% label
5529 {0pt}}% horizontal separation between label and title body
5530 {\huge\rmfamily\itshape}}% before the title body

```



```

5531  [\\ifthenelse{\\NOT\\boolean{@bidituftefloat@symmetric}}{\\end{fullwidth}}{}]{} after the title %
5532 \\titleformat{\\section}{%
5533   [hang]{% shape
5534   {\\normalfont\\Large\\itshape}{% format applied to label+text
5535   {\\thesection}{% label
5536   {1em}{% horizontal separation between label and title body
5537   {}{% before the title body
5538   []{% after the title body
5539 \\titleformat{\\subsection}{%
5540   [hang]{% shape
5541   {\\normalfont\\large\\itshape}{% format applied to label+text
5542   {\\thesubsection}{% label
5543   {1em}{% horizontal separation between label and title body
5544   {}{% before the title body
5545   []{% after the title body
5546 \\titleformat{\\paragraph}{%
5547   [runin]{% shape
5548   {\\normalfont\\itshape}{% format applied to label+text
5549   {\\theparagraph}{% label
5550   {1em}{% horizontal separation between label and title body
5551   {}{% before the title body
5552   []{% after the title body
5553 \\titlespacing*{\\chapter}{0pt}{50pt}{40pt}
5554 \\titlespacing*{\\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
5555 \\titlespacing*{\\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
5556 }
5557 % Subsubsection and following section headings shouldn't be used.
5558 % See Bringhurst's The Elements of Typography, section 4.2.2.
5559 \\renewcommand{\\subsubsection}{%
5560   \\bidituftetocError{\\noexpand\\subsubsection is undefined by this class.%}
5561   \\MessageBreak See Robert Bringhurst's The Elements of
5562   \\MessageBreak Typographic Style, section 4.2.2.
5563   \\MessageBreak \\noexpand\\subsubsection was used}
5564   {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as
5565   \\MessageBreak many levels of headings as you need, no more and no fewer. Also see the man
5566   \\MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
5567 }
5568 \\renewcommand{\\subparagraph}{%
5569   \\bidituftetocError{\\noexpand\\subparagraph is undefined by this class.%}
5570   \\MessageBreak See Robert Bringhurst's The Elements of
5571   \\MessageBreak Typographic Style, section 4.2.2.
5572   \\MessageBreak \\noexpand\\subparagraph was used}
5573   {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as
5574   \\MessageBreak many levels of headings as you need, no more and no fewer. Also see the man
5575   \\MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
5576 }
5577 % Formatting for main TOC (printed in front matter)
5578 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
5579 \\ifthenelse{\\boolean{@bidituftetoc@toc}}{%
5580   \\bidi@patch@AfterPackage{bidi}{%

```



```

5581 \titlecontents{part}%
5582   [0em] % distance from left margin
5583   {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format)
5584   {\contentslabel{2em}} % before w/label (label = ``II'')
5585   {} % before w/o label
5586   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5587   [\end{fullwidth}] % after
5588 \titlecontents{chapter}%
5589   [0em] % distance from left margin
5590   {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format)
5591   {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
5592   {\hspace*{0em}} % before w/o label
5593   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5594   [\end{fullwidth}] % after
5595 \titlecontents{section}%
5596   [0em] % distance from left margin
5597   {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format)
5598   {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
5599   {\hspace*{2em}} % before w/o label
5600   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5601   [\end{fullwidth}] % after
5602 \titlecontents{subsection}%
5603   [0em] % distance from left margin
5604   {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format)
5605   {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
5606   {\hspace*{4em}} % before w/o label
5607   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5608   [\end{fullwidth}] % after
5609 \titlecontents{paragraph}%
5610   [0em] % distance from left margin
5611   {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global format)
5612   {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
5613   {\hspace*{6em}} % before w/o label
5614   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5615   [\end{fullwidth}] % after
5616 }%
5617 }{%
5618 }%
5619 % Format lists of figures/tables
5620 \renewcommand\listoffigures{%
5621   \@ifundefined{chapter}%
5622     {\section*{\listfigurename}}%
5623     {\chapter*{\listfigurename}}%
5624   \begin{fullwidth}%
5625     \starttoc{lof}%
5626   \end{fullwidth}%
5627 }
5628 \renewcommand\listoftables{%
5629   \@ifundefined{chapter}%
5630     {\section*{\listtablename}}%

```



```

5631      {\chapter*{\listtablename}}%
5632 %  \begin{fullwidth}%
5633   \@starttoc{lot}%
5634 %  \end{fullwidth}%
5635 }
5636 \newcommand{\@bidituftetoc@lof@line}[2]{%
5637   % #1 is the figure/table number and its caption text
5638   % #2 is the page number on which the figure/table appears
5639   \leftskip 0.0em
5640   \rightskip 0em
5641   \parfillskip 0em plus 1fil
5642   \parindent 0.0em
5643   \@afterindenttrue
5644   \interlinepenalty\@M
5645   \leavevmode
5646   \tempdima 2.0em
5647   \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
5648   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
5649   {#1}\nobreak\qquad\nobreak#2%
5650   \par%
5651 }
5652 \renewcommand*\l@figure{\@bidituftetoc@lof@line}
5653 \let\l@table\l@figure

```

25 File `bidituftegeneralstructure.sty`

```

5654 \NeedsTeXFormat{LaTeX2e}
5655 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
5656 bidi implementation of tufte general structure]
5657 \renewcommand\small{%
5658   \setfontsize\small\xipt{12}%
5659   \abovedisplayskip 8.5\p@ \plus3\p@ \minus4\p@
5660   \abovedisplayshortskip \z@ \plus2\p@
5661   \belowdisplayshortskip 4\p@ \plus2\p@ \minus2\p@
5662   \def\@listi{\leftmargin\leftmargini
5663     \topsep 4\p@ \plus2\p@ \minus2\p@
5664     \parsep 2\p@ \plus\p@ \minus\p@
5665     \itemsep \parsep}%
5666   \belowdisplayskip \abovedisplayskip
5667 }
5668 \renewcommand\scriptsize{\setfontsize\scriptsize\@viipt\@viiipt}
5669 \renewcommand\tiny{\setfontsize\tiny\@vpt\@vipt}
5670 \renewcommand\large{\setfontsize\large\xipt{15}}
5671 \renewcommand\Large{\setfontsize\Large\xipt{16}}
5672 \renewcommand\LARGE{\setfontsize\LARGE\xipt{18}}
5673 \renewcommand\huge{\setfontsize\huge\xxpt{30}}
5674 \renewcommand\Huge{\setfontsize\Huge\xxpt{36}}
5675 \setlength\leftmargini {1pc}
5676 \setlength\leftmarginii {1pc}
5677 \setlength\leftmarginiii {1pc}

```



```

5678 \setlength{\leftmarginiv}{1pc}
5679 \setlength{\leftmarginv}{1pc}
5680 \setlength{\leftmarginvi}{1pc}
5681 \setlength{\labelsep}{.5pc}
5682 \setlength{\labelwidth}{\leftmargini}
5683 \addtolength{\labelwidth}{-\labelsep}
5684 \setlength{\parindent}{1.0pc}%
5685 \setlength{\parskip}{0pt}%
5686 \RequirePackage{ragged2e}
5687 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
5688 % Paragraph indentation and separation for normal text
5689 \newcommand{\@bidituftegeneralstructure@reset@par}{%
5690   \setlength{\RaggedRightParindent}{1.0pc}%
5691   \setlength{\JustifyingParindent}{1.0pc}%
5692   \setlength{\parindent}{1pc}%
5693   \setlength{\parskip}{0pt}%
5694 }
5695 \@bidituftegeneralstructure@reset@par
5696 % Require paralist package for tighter lists
5697 \RequirePackage{paralist}
5698 % Add rightmargin to compactenum
5699 \def\@compactenum@{%
5700   \expandafter\list\csname label\@enumctr\endcsname{%
5701     \usecounter{\@enumctr}%
5702     \rightmargin=2em% added this
5703     \parsep\plparsep
5704     \itemsep\plitemsep
5705     \topsep\pltopsep
5706     \partopsep\plpartopsep
5707     \def\makelabel##1{\hss\llap{##1}}}}
5708 %%%
5709 % An environment for paragraph-style section
5710 \providecommand{\newthought}[1]{%
5711   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
5712   \noindent\textbf{#1}%
5713 }
5714 %%%
5715 % Redefine the display environments (quote, quotation, etc.)
5716 \renewenvironment{verse}
5717   {\let\\@centercr
5718    \list{}{\itemsep \z@
5719      \itemindent -1pc%
5720      \listparindent\itemindent
5721      \rightmargin \leftmargin
5722      \advance\leftmargin 1pc}%
5723      \small%
5724      \item\relax
5725    \endlist}
5726 \renewenvironment{quotation}
5727   {\list{}{\listparindent 1pc%

```



```

5728           \itemindent      \listparindent
5729           \rightmargin   \leftmargin
5730           \parsep        \z@ \oplus \p@%
5731           \small%
5732           \item\relax\noindent\ignorespaces}
5733       {\endlist}
5734 \renewenvironment{quote}
5735     {\list{}{\rightmargin\leftmargin}%
5736     \small%
5737     \item\relax}
5738   {\endlist}
5739 % Italicize description run-in headings (instead of the default bold)
5740 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
5741 %%
5742 % Redefine \bibsection to not mark the running heads.
5743 % (Code modified from natbib.sty.)
5744 \@ifundefined{chapter}%
5745   {\renewcommand{\bibsection}{\section*{\refname}}}
5746   {\ifundefined{NAT@sectionbib}%
5747     {\renewcommand{\bibsection}{\chapter{\bibname}}}
5748     {\renewcommand{\bibsection}{\section*{\bibname}}}}
5749 \RequirePackage{multicol}
5750 \renewenvironment{theindex}%
5751 \ifundefined{chapter}%
5752   {\section*{\indexname}%
5753   {\chapter{\indexname}}%
5754   \begin{fullwidth}%
5755   \small%
5756   \parskip0pt%
5757   \parindent0pt%
5758   \let\item\idxitem%
5759   \begin{multicols}{3}%
5760 }{%
5761   \end{multicols}%
5762   \end{fullwidth}%
5763 }
5764 \AtBeginDocument{%
5765 \renewcommand{\idxitem}{\par\hangindent \if@RTL-\fi2em}%
5766 \renewcommand{\subitem}{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
5767 \renewcommand{\subsubitem}{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
5768 \renewcommand{\indexspace}{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
5769 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```

26 File `budituftehyperref.sty`

```

5770 \NeedsTeXFormat{LaTeX2e}
5771 \ProvidesPackage{budituftehyperref}[2011/06/18 v0.1
5772 bidi implementation of tufte hyperref]
5773 %%
5774 % Color

```



```

5775 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
5776 \newboolean{@biditufthyperref@loadhyper}
5777 \setboolean{@biditufthyperref@loadhyper}{true}
5778 \DeclareOption{hyper}{\setboolean{@biditufthyperref@loadhyper}{true}}
5779 \DeclareOption{nohyper}{\setboolean{@biditufthyperref@loadhyper}{false}}
5780 \ProcessOptions
5781 %% Loads the hyperref package and sets some default options.
5782 \newcommand{\biditufthyperrefLoadHyperref}{%
5783 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
5784 \hypersetup{%
5785   bookmarksdepth = section,
5786   citecolor = DarkGreen,
5787   linkcolor = DarkBlue,
5788   pagecolor = DarkBlue,
5789   urlcolor = DarkGreen,
5790 }%
5791 }
5792 \ifthenelse{\boolean{@biditufthyperref@loadhyper}}{%
5793 \biditufthyperrefLoadHyperref%
5794 }{%
5795 \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
5796 }

```

27 File `budituftetitle.sty`

```

5797 \NeedsTeXFormat{LaTeX2e}
5798 \ProvidesPackage{budituftetitle}[2011/06/18 v0.1
5799 bidi implementation of tufte title]
5800 \RequirePackage{bidiutils}
5801 %%
5802 % `titlepage' option -- creates a full title page with \maketitle
5803 \newboolean{@budituftetitle@titlepage}
5804 \DeclareOption{titlepage}{\setboolean{@budituftetitle@titlepage}{true}}
5805 \DeclareOption{notitlepage}{\setboolean{@budituftetitle@titlepage}{false}}
5806 % Default `book' and `handout' options
5807 \@ifclassloaded{book}{%
5808 \ExecuteOptions{titlepage}{%
5809 \ifclassloaded{article}{%
5810 \ExecuteOptions{notitlepage}{%
5811 {}}
5812 \ProcessOptions
5813 %%
5814 % Modified \title, \author, and \date commands. These store the
5815 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
5816 \newcommand{\plaintitle}{}% plain-text-only title
5817 \newcommand{\plainauthor}{}% plain-text-only author
5818 \newcommand{\plainpublisher}{}% plain-text-only publisher
5819 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
5820 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
5821 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}

```



```

5822 \newcommand{\@publisher}{}% full publisher with \thanks{}
5823 \newcommand{\thedate}{\today}
5824 \bidi@patch@AfterPackage{bidi}{%
5825 \renewcommand{\thanks}[1]{\footnote{\#1}}
5826 \renewcommand{\LTRthanks}[1]{\LTRfootnote{\#1}}
5827 \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
5828 }
5829 \renewcommand{\title}[2][]{%
5830   \gdef\@title{\#2}%
5831   \begingroup%
5832     % TODO store contents of \thanks command
5833     \renewcommand{\thanks}[1]{% swallow \thanks contents
5834     \renewcommand{\LTRthanks}[1]{% swallow \LTRthanks contents
5835     \renewcommand{\RTLthanks}[1]{% swallow \RTLthanks contents
5836     \protected@xdef\thanklessitle{\#2}%
5837   \endgroup%
5838   \ifthenelse{\isempty{\#1}}{%
5839     {\renewcommand{\plaintitle}{\thanklessitle}}% use thankless title
5840     {\renewcommand{\plaintitle}{\#1}}% use provided plain-text title
5841   \@ifundefined{hypersetup}{%
5842     {}% hyperref is not loaded; do nothing
5843     {\hypersetup{pdftitle={\plaintitle}}}}% set the PDF metadata title
5844 }
5845 \let\@author\empty% suppress default latex.ltx ``no author'' warning
5846 \renewcommand{\author}[2][]{%
5847   \ifthenelse{\isempty{\#2}}{\gdef\@author{\#2}}%
5848   \begingroup%
5849     % TODO store contents of \thanks command
5850     \renewcommand{\thanks}[1]{% swallow \thanks contents
5851     \renewcommand{\LTRthanks}[1]{% swallow \LTRthanks contents
5852     \renewcommand{\RTLthanks}[1]{% swallow \RTLthanks contents
5853     \protected@xdef\thanklessauthor{\#2}%
5854   \endgroup%
5855   \ifthenelse{\isempty{\#1}}{%
5856     {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
5857     {\renewcommand{\plainauthor}{\#1}}% use provided plain-text author
5858   \@ifundefined{hypersetup}{%
5859     {}% hyperref is not loaded; do nothing
5860     {\hypersetup{pdfauthor={\plainauthor}}}}% set the PDF metadata author
5861 }
5862 \renewcommand{\date}[1]{%
5863   \gdef\@date{\#1}%
5864   \begingroup%
5865     % TODO store contents of \thanks command
5866     \renewcommand{\thanks}[1]{% swallow \thanks contents
5867     \renewcommand{\LTRthanks}[1]{% swallow \LTRthanks contents
5868     \renewcommand{\RTLthanks}[1]{% swallow \RTLthanks contents
5869     \protected@xdef\thedate{\#1}%
5870   \endgroup%
5871 }

```



```

5872 %%
5873 % Provides a \publisher command to set the publisher
5874 \newcommand{\publisher}[2][]{%
5875   \gdef\@publisher{#2}%
5876   \begingroup%
5877     \renewcommand{\thanks}{\% swallow \thanks contents}
5878     \renewcommand{\LTRthanks}{\% swallow \LTRthanks contents}
5879     \renewcommand{\RTLthanks}{\% swallow \RTLthanks contents}
5880     \protected\xdef\thanklesspublisher{#2}%
5881   \endgroup%
5882   \ifthenelse{\isempty{#1}}%
5883     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
5884     {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
5885 }
5886 %%
5887 % Produces a full title page
5888 \newcommand{\maketitlepage}[0]{%
5889   \cleardoublepage%
5890   {%
5891     \bfseries%
5892     \begin{fullwidth}%
5893       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
5894       \vspace{11.5pc}%
5895       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
5896       \vfill%
5897       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
5898     \end{fullwidth}%
5899   }
5900   \thispagestyle{empty}%
5901   \clearpage%
5902 }
5903 %%
5904 % Title block
5905 \bidi@AfterEndPreamble{%
5906   \renewcommand{\maketitle}{%
5907     \newpage%
5908     \global\@topnum\z@% prevent floats from being placed at the top of the page
5909     \begingroup%
5910       \setlength{\parindent}{0pt}%
5911       \setlength{\parskip}{4pt}%
5912       \let\@@title\@empty%
5913       \let\@@author\@empty%
5914       \let\@@date\@empty%
5915       \gdef\@@title{\LARGE\itshape\@title\par}%
5916       \gdef\@@author{\Large\itshape\@author\par}%
5917       \gdef\@@date{\Large\itshape\@date\par}%
5918       \@@title%
5919       \@@author%
5920       \@@date%
5921     \endgroup%

```



```

5922 \thispagestyle{plain}%
5923 }%
5924 }
5925 %%%
5926 % Title page (if the `titlepage' option was passed to the biditufte-handout
5927 % class.)
5928 \bidi@AfterEndPreamble{%
5929 \ifthenelse{\boolean{@bidituftetitle@titlepage}}%
5930 {\renewcommand{\maketitle}{\maketitlepage}}%
5931 {}%
5932 }%
5933 %%%
5934 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
5935 % without headers and footers
5936 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
5937 \hbox{}%
5938 \%vspace*\{\fill\}%
5939 \%begin{center}%
5940 % This page intentionally contains only this sentence.
5941 \%end{center}%
5942 \%vspace{\fill}%
5943 \thispagestyle{empty}%
5944 \newpage
5945 \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

28 File `biditufte-handout.cls`

```

5946 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5947 \ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
5948 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
5949 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5950 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5951 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5952 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5953 \ProcessOptions\relax
5954 \LoadClass{article}
5955 \RequirePackage{bidituftefloat}
5956 \RequirePackage{bidituftesidenote}
5957 \RequirePackage{bidituftetoc}
5958 \RequirePackage{bidituftegeneralstructure}
5959 \RequirePackage{bidituftehyperref}
5960 \RequirePackage{bidituftetitle}
5961 \renewenvironment{abstract}%
5962 {\begin{quotation}}%
5963 {\end{quotation}}%
5964 \AtBeginDocument{%
5965 \IfFileExists{biditufte-handout.cfg}%
5966 {\input{biditufte-handout.cfg}}%
5967 \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \gobble}%
5968 {}%

```



5969 }

29 File `buditufte-book.cls`

```
5970 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5971 \ProvidesClass{buditufte-book}[2011/06/18 v0.1 biditufte-book class]
5972 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5973 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
5974 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}
5975 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftehyperref}}
5976 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetitle}}
5977 \ProcessOptions\relax
5978 \LoadClass{book}
5979 \RequirePackage{budituftefloat}
5980 \RequirePackage{budituftesidenote}
5981 \RequirePackage{budituftetoc}
5982 \RequirePackage{budituftegeneralstructure}
5983 \RequirePackage{budituftehyperref}
5984 \RequirePackage{budituftetitle}
5985 %%
5986 % Set up any book-specific stuff now
5987 %%
5988 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
5989 % to the opening page of Chapter 1. The running heads, when they appear,
5990 % contain only the (arabic) page number in the outside corner.
5991 \%newif\if@mainmatter \@mainmattertrue
5992 \renewcommand\frontmatter{%
5993   \cleardoublepage%
5994   \@mainmatterfalse%
5995   \pagenumbering{arabic}%
5996   \%pagestyle{plain}%
5997   \fancyhf{}%
5998   \ifthenelse{\boolean{@budituftefloat@twoside}}{%
5999     \fancyhead[LE,RO]{\thepage}%
6000     \fancyhead[RE,RO]{\thepage}%
6001   }%
6002 %%
6003 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
6004 % numbering---it continues where it left off in the front matter.
6005 \renewcommand\mainmatter{%
6006   \cleardoublepage%
6007   \@mainmattertrue%
6008   \fancyhf{}%
6009   \ifthenelse{\boolean{@budituftefloat@twoside}}{%
6010     \renewcommand\chaptermark[1]{\markboth{\#1}{}}%
6011     \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}\% book title
6012     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}\% chapter title
6013     \fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}\% book title
6014   }%
6015 %%
```



```

6016% The back matter contains appendices, indices, glossaries, endnotes,
6017% bibliographies, list of contributors, illustration credits, etc.
6018 \renewcommand\backmatter{%
6019   \if@openright%
6020     \cleardoublepage%
6021   \else%
6022     \clearpage%
6023   \fi%
6024   \@mainmatterfalse%
6025 }
6026%%
6027% Only show the chapter titles in the table of contents
6028 \setcounter{tocdepth}{0}
6029 \AtBeginDocument{%
6030 \IfFileExists{biditufte-book.cfg}%
6031   {\input{biditufte-book.cfg}%
6032     \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}%
6033   {}%
6034 }

```

30 File `bidipoem.sty`

```

6035 \NeedsTeXFormat{LaTeX2e}
6036 \ProvidesPackage{bidipoem}%
6037 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
6038
6039% Usage:
6040%
6041% \Setversedim #1#2 % define the layout (within a group):
6042% #1 = length of both half-verses
6043% #2 = separation distance = length of a connection, if present
6044% Variant:
6045% \Setversedim #1[#2]#3 % for half-verses of unequal length
6046% #1 = length of first (=right) half-verse
6047% #2 = length of second (=left) half-verse
6048% #3 = separation distance = length of a connection, if present
6049%
6050% \traditionalhalfverses #1#2 % typeset two separated half-verses
6051% #1 = text of first (=right) half-verse
6052% #2 = text of second (=left) half-verse
6053% Variant:
6054% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
6055% #1 = text of first (=right) half-verse
6056% #2 = text of connection
6057% #3 = text of second (=left) half-verse
6058%
6059% Alternative (if preferred):
6060%
6061% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
6062

```



```

6063
6064 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
6065
6066% define the layout, verses will be centered
6067
6068 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
6069 \newdimen \bidipoem@hvind \newdimen \bidipoem@hvlen
6070
6071 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
6072 \bidipoem@hvind \textwidth
6073 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
6074 \ifx [#2]\def \bidipoem@next {\bidipoem@set@verseI []}\else
6075 \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse [#2]}\fi \bidipoem@hvlen
6076
6077 \def \bidipoem@set@verseI [#1]{% optional parameter
6078 \bidipoem@hvlen #1\relax \bidipoem@set@verse }
6079
6080 \newcommand*{\bidipoem@set@@verse}[1]{% separation
6081 \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
6082 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
6083
6084 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
6085 \ifdim Opt > \bidipoem@hvind %
6086 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\\hfill % first block
6087 \else
6088 \noindent \hspace{-\bidipoem@hvlen} \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
6089 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
6090 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
6091 \par }
6092
6093% macro for two half verses
6094 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
6095 \ifx [#2]\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}
6096 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
6097 \bidipoem@half@verses@next}
6098
6099 \def \bidipoem@half@verses #1[#2]#3{%
6100 \traditionalconnverses {#1}{#2}{#3}}
6101
6102
6103 {\catcode`^\^M=\active % these lines must end with %
6104 \gdef\traditionalpoem@obeylines{\catcode`^\^M\active \let^\^M\traditionalpoem@par}%
6105 \global\let^\^M\traditionalpoem@par} % this is in case ^M appears in a \write
6106 {\catcode`^\^M=\active % these lines must end with %
6107 \gdef\modernpoem@obeylines{\catcode`^\^M\active \let^\^M\modernpoem@par}%
6108 \global\let^\^M\modernpoem@par} % this is in case ^M appears in a \write
6109 \def\poemcolskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
6110 \def\poemmarginskip{1em plus 1fil minus 1em}
6111 \def\poemextrabaselinekip{0\baselineskip}
6112 \def\poemskip{\medskip}

```



```

6113 \newcommand{\bidipoem@openbox}{\leavevmode
6114   \hbox to .77778em{%
6115   \hfil\vrule
6116   \vbox to .675em{\hrule width.6em\vfil\hrule}%
6117   \vrule\hfil}}
6118 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
6119 \newdimen\versewidth
6120 \newtoks\bidipoem@p@ftn
6121 \def\poem@verse#1{%
6122 \ifdim\wd#1>\new@poem@width
6123 \xdef\new@poem@width{\the\wd#1}%
6124 \ifdim\new@poem@width>\poem@width
6125 \xdef\poem@width{\new@poem@width}%
6126 \global\let\poem@needrun\relax
6127 \fi
6128 \fi
6129 \hbox to\poem@width{\unhbox#1}%
6130 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
6131 }
6132 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
6133 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
6134 \def\poem@lineversesep{%
6135 \nobreak
6136 \hskip\z@ plus 1filll%
6137 \penalty600%
6138 \hskip\poemcolsepskip
6139 \hskip\z@ plus -2filll%
6140 \vadjust{%
6141 \nobreak
6142 \hskip\z@ plus 1filll%
6143 }
6144 \def\poem@lineparsebegin{%
6145 \halign\bgroup
6146 \global\setbox\verse@i=\hbox{%
6147 \let\@footnotetext\bidipoem@p@ftntext%
6148 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6149 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6150 \let\@xfootnotenext\bidipoem@p@xftntext%
6151 \let\@xfootnote\bidipoem@p@xfootnote%
6152 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6153 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6154 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6155 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6156 \ignorespaces##\unskip}%%
6157 \global\setbox\verse@ii=\hbox{%
6158 \let\@footnotetext\bidipoem@p@ftntext%
6159 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6160 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6161 \let\@xfootnotenext\bidipoem@p@xftntext%
6162 \let\@xfootnote\bidipoem@p@xfootnote%
```



```

6163 \let\@xLTRfootnotenext\bidi poem@p@xLTRftntext%
6164 \let\@xLTRfootnote\bidi poem@p@xLTRfootnote%
6165 \let\@xRTLfootnotenext\bidi poem@p@xRTLftntext%
6166 \let\@xRTLfootnote\bidi poem@p@xRTLfootnote%
6167 \ignorespaces##\unskip}
6168 \cr
6169 }
6170 \def\poem@lineparseend{%
6171 \crcr\egroup
6172 \vskip-\baselineskip
6173 }
6174 \def\traditionalpoem@cr{%
6175 \cr\poem@line
6176 }
6177 \newbox\verse@i
6178 \newbox\verse@ii
6179 \newif\ifpoem@started
6180
6181 \def\poem@line{%
6182 \poem@lineparseend
6183 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
6184 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
6185 \ifpoem@started
6186 \ifdim\wd\verse@ii>\z@\else
6187 \nopagebreak[3]
6188 \fi
6189 \leavevmode
6190 \poem@linebegin
6191 \poem@verse\verse@i
6192 \ifdim\wd\verse@ii>\z@
6193 \poem@lineversesep
6194 \poem@verse\verse@ii
6195 \fi
6196 \poem@lineend
6197 % \nopagebreak
6198 \par
6199 \vskip\poemextrabaselineskip
6200 \fi
6201 \poem@lineparsebegin
6202 }
6203 \def\@traditionalpoem{%
6204 \stepcounter{poem@no}
6205 \ifnum\max@poem@no<\number\c@poem@no%
6206 \xdef\poem@width{\z@}%
6207 \else
6208 \xdef\poem@width{\poem@prop{poem@width}}%
6209 \fi
6210 \xdef\new@poem@width{\z@}%
6211 \global\versewidth=\poem@width
6212 \poemskip\par

```



```

6213 \begingroup
6214 \tabskip=\z@
6215 \parskip=\z@
6216 \parindent=\z@
6217 \parfillskip=\z@
6218 \rightskip=\z@
6219 \leftskip=\z@
6220 \widowpenalty=10000% No break between verses of the same line.
6221 \clubpenalty=10000% Same as above. Not really needed.
6222 \def\newblock{\hfil\poemblocksep\hfil\null}%
6223 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
6224 \def\\{\global\poem@startedtrue\traditionalpoem@cr}%
6225 \global\poem@startedfalse
6226 \csname poem@obeylines\endcsname
6227 \let\poem@obeylines\relax
6228 \poem@lineparsebegin
6229 }
6230 \def\@endtraditionalpoem{%
6231 \cr
6232 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
6233 \noalign{%
6234 \skip0=\poemextrabaselineskip
6235 \vskip-\skip0
6236 \vskip-\baselineskip
6237 }%
6238 \fi\fi
6239 \poem@lineparseend
6240 \endgroup
6241 \par
6242 \vskip\baselineskip
6243 \poemskip
6244 \ifdim\new@poem@width<\poem@width
6245 \global\let\poem@needrun\relax
6246 \fi
6247 \poem@write@aux{\poem@width@romannumeral\c@poem@no}{\new@poem@width}%
6248 \ifx\AtEndDocument\undefined\poem@finish\fi
6249 \endparenv
6250 }
6251
6252
6253 \long\def\bidipoem@p@ftntext#1{%
6254 \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
6255 \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}%
6256 \long\def\bidipoem@p@LTRftntext#1{%
6257 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
6258 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}%
6259 \long\def\bidipoem@p@RTLftntext#1{%
6260 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
6261 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}%
6262

```



```

6263 \long\def\bidoem@p@xftntext[#1]{%
6264   \global\bidoem@p@ftn\expandafter{\the\bidoem@p@ftn\footnotetext[#1]{#2}}}
6265
6266 \long\def\bidoem@p@xLTRftntext[#1]{%
6267   \global\bidoem@p@ftn\expandafter{\the\bidoem@p@ftn\LTRfootnotetext[#1]{#2}}}
6268
6269 \long\def\bidoem@p@xRTLftntext[#1]{%
6270   \global\bidoem@p@ftn\expandafter{\the\bidoem@p@ftn\RTLfootnotetext[#1]{#2}}}
6271
6272 \def\bidoem@p@xfootnote[#1]{%
6273   \begingroup
6274     \csname c@\@mpfn\endcsname #1\relax
6275     \unrestored@protected@xdef\@thefnmark{\thempfn}%
6276   \endgroup
6277   \footnotemark\bidoem@p@xftntext[#1]}
6278
6279 \def\bidoem@p@xLTRfootnote[#1]{%
6280   \begingroup
6281     \csname c@\@mpfn\endcsname #1\relax
6282     \unrestored@protected@xdef\@thefnmark{\thempfn}%
6283   \endgroup
6284   \footnotemark\bidoem@p@xLTRftntext[#1]}
6285
6286 \def\bidoem@p@xRTLfootnote[#1]{%
6287   \begingroup
6288     \csname c@\@mpfn\endcsname #1\relax
6289     \unrestored@protected@xdef\@thefnmark{\thempfn}%
6290   \endgroup
6291   \footnotemark\bidoem@p@xRTLftntext[#1]}
6292
6293
6294
6295 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
6296 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyline}
6297 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
6298 \def\poem@finish{%
6299   \poem@write@aux{max@poem@no}{\number\c@poem@no}%
6300   \ifx\poem@needrun\relax
6301     \PackageWarning{bidoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
6302   \global\let\poem@needrun\undefined
6303   \fi
6304 }
6305 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
6306 \newcounter{poem@no}\setcounter{poem@no}{\z@}
6307 \ifx\max@poem@no\undefined
6308   \def\max@poem@no{0}%
6309 \fi
6310 \newcommand{\poem@prop}[1]{\nameuse{#1@\romannumeral\c@poem@no}}
6311 \newcommand{\poem@write@aux}[2]{%
6312   \def\@x{\immediate\write\auxout{\global\noexpand\@namedef{#1}{#2}}}}

```



```

6313          \@x
6314 }
6315 \def\@modernpoem{%
6316 \par
6317 \begingroup
6318 \parskip=\z@
6319 \parindent=\z@
6320 \def\[{\@settab\@tabplus\ignorespaces}%
6321 \def\]{\@tabminus\ignorespaces}%
6322 \def\newblock{\poemblocksep}%
6323 \let\newpoem@tabcr\@tabcr
6324 \def\modernpoem@par{%
  Redefine \par for possible \obeylines
  \ifpoem@started\else
    \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
      \@stopfield
    \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
      \@contfield
    \fi
  \fi
  \ifpoem@started\newpoem@tabcr\fi}%
6325 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
6326 \global\poem@startedfalse
6327 \csname poem@obeylines\endcsname
6328 \let\poem@obeylines\relax
6329 \begin{tabbing}%
6330   \\
6331   \\
6332   \ifpoem@started\newpoem@tabcr\fi}%
6333 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
6334 \global\poem@startedfalse
6335 \csname poem@obeylines\endcsname
6336 \let\poem@obeylines\relax
6337 \begin{tabbing}%
6338   \\
6339 \def\@endmodernpoem{%
6340 \global\poem@startedfalse
6341 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
  \@stopfield
6342   \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
  \@contfield
6343 \fi
6344 \ifpoem@started\else\let\@stopline\@stopfield\fi
6345 \end{tabbing}%
6346 \end{tabbing}%
6347 \end{tabbing}%
6348 \endgroup
6349 \par
6350 \if@noparlist \else
6351   \ifdim\lastskip >\z@
6352     \tempskipa\lastskip \vskip -\lastskip
6353     \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
6354     \vskip\tempskipa
6355   \fi
6356   \endparenv
6357 \fi
6358 \}
6359 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
6360 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem}
6361 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
6362 \gdef\@startfield{%

```



```

6363 \global\setbox\@curfield\hbox\bgroup%
6364 \let\@footnotetext\bidipoem@p@ftntext%
6365 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6366 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6367 \let\@xfootnotenext\bidipoem@p@xftntext%
6368 \let\@xfootnote\bidipoem@p@xfootnote%
6369 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6370 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6371 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6372 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6373 \color@begingroup}
6374 \gdef\@stopfield{%
6375   \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}%
6376 \gdef\@contfield{%
6377 \global\setbox\@curfield\hbox\bgroup%
6378 \let\@footnotetext\bidipoem@p@ftntext%
6379 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6380 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6381 \let\@xfootnotenext\bidipoem@p@xftntext%
6382 \let\@xfootnote\bidipoem@p@xfootnote%
6383 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6384 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6385 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6386 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6387 \color@begingroup\unhbox\@curfield}

```

3.1 File boek3-xetex-bidi.def

```

6388 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTe
6389 \renewenvironment{theindex}{%
6390   \if@twocolumn
6391     \restonecolfalse
6392   \else
6393     \restonecoltrue
6394   \fi
6395   \columnseprule \z@
6396   \columnsep 35\p@
6397   \twocolumn[\@makeschapterhead{\indexname}]%
6398   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6399   \thispagestyle{plain}\parindent\z@
6400   \parskip\z@ \plus .3\p@\relax
6401   \let\item\@idxitem
6402 }{%
6403   \if@restonecol\onecolumn\else\clearpage\fi}
6404 \renewcommand*\head@style{%
6405   \interlinepenalty \OM
6406   \hyphenpenalty=\OM \exhyphenpenalty=\OM
6407   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6408 \renewcommand*\regtocline[3]{%
6409   \ifnum #1>\c@tocdepth

```



```

6410 \else
6411   \vskip\z@\@plus.2\p@
6412 { \hangindent\z@ \if@afterindenttrue \interlinepenalty\@M
6413   \if@RTL\rightskip\else\leftskip\fi\unitindent
6414   \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
6415   \parfillskip\z@
6416   \tempdima\unitindent
6417   \parindent\z@
6418   \leavevmode
6419   \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
6420   \hskip 1em \nobreak{\slshape #3}\par
6421 }
6422 \fi}
6423 \if@oldtoc
6424 \renewcommand*\l@part[2]{%
6425   \ifnum \c@tocdepth >-2\relax
6426     \addpenalty{-\highpenalty}%
6427     \addvspace{2.25em \@plus\p@}%
6428     \begingroup
6429       \setlength\tempdima{3em}%
6430       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6431       \parfillskip -\pnumwidth
6432       \leavevmode
6433         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6434         \nobreak
6435         \global\@nobreaktrue
6436         \everypar{\global\@nobreakfalse\everypar{}}%
6437     \endgroup
6438   \fi}
6439 \else
6440   \renewcommand*\l@part{%
6441     \ifnum \c@tocdepth >-2\relax
6442       \addpenalty{-\highpenalty}%
6443       \addvspace{2.25em \@plus \p@}%
6444       \regtocline{0}%
6445   \fi}
6446 \fi
6447 \if@oldtoc
6448 \renewcommand*\l@chapter[2]{%
6449   \addpenalty{-\highpenalty}%
6450   \vskip 1.0em \@plus\p@
6451   \setlength\tempdima{1.5em}%
6452   \begingroup
6453     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6454     \parfillskip -\pnumwidth
6455     \leavevmode \bfseries
6456     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6457     \hskip -\if@RTL\rightskip\else\leftskip\fi
6458     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
6459   \penalty\highpenalty

```



```

6460   \endgroup}
6461 \else
6462   \renewcommand*\l@chapter{\@egregtocline{0}}
6463 \fi
6464 \renewenvironment{abstract}{%
6465   \titlepage
6466   \null\vfil
6467   \section*{\SectFont \abstractname}
6468   \noindent\ignorespaces
6469   {\par\vfil\null\endtitlepage}
6470 \renewenvironment{thebibliography}[1]
6471   {\chapter*{\bibname}%
6472     \if@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6473     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6474     \bidi@thebibliography@font@hook%
6475     \list{\@biblabel{\arabic{enumiv}}%
6476       {\settowidth\labelwidth{\@biblabel{#1}}%
6477         \leftmargin\labelwidth
6478         \advance\leftmargin\labelsep
6479         \openbib@code
6480         \usecounter{enumiv}%
6481         \let\p@enumiv\empty
6482         \renewcommand*\theenumiv{\arabic{enumiv}}%
6483         \sloppy\clubpenalty4000\widowpenalty4000%
6484         \sfcode`\. \c@m}
6485       \def\@noitemerr
6486         {\@latex@warning{Empty `thebibliography' environment}}%
6487       \endlist}
6488 \renewcommand*\left@footnoterule{%
6489   \kern-3\p@
6490   \kern.5\baselineskip
6491   \hrule\@width\unitindent
6492   \kern.4\baselineskip
6493 }
6494 \renewcommand*\right@footnoterule{%
6495   \kern-3\p@
6496   \kern.5\baselineskip
6497   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax}\hrulefill }
6498   \kern.4\baselineskip}
6499 \renewcommand*\thesection{\thechapter\c@SepMark\arabic{c@section}}
6500 \renewcommand*\thesubsection{\thesection\c@SepMark\arabic{c@subsection}}
6501 \renewcommand*\thesubsubsection{\thesubsection\c@SepMark\arabic{c@subsubsection}}
6502 \renewcommand*\theparagraph{\thesubsubsection\c@SepMark\arabic{c@paragraph}}
6503 \renewcommand*\thesubparagraph{\theparagraph\c@SepMark\arabic{c@subparagraph}}
6504 \renewcommand*\theequation{%
6505   \ifnum\c@chapter>\z@\thechapter\c@SepMark\fi\arabic{c@equation}}
6506 \renewcommand*\thefigure{%
6507   \ifnum\c@chapter>\z@\thechapter\c@SepMark\fi\arabic{c@figure}}
6508 \renewcommand*\thetable{%
6509   \ifnum\c@chapter>\z@\thechapter\c@SepMark\fi\arabic{c@table}}

```



```

6510 \renewcommand*\maketitle{%
6511   \begin{titlepage}%
6512     \let\footnotesize\small
6513     \let\right@footnoterule\relax
6514     \let\left@footnoterule\relax
6515     \let\textwidth@footnoterule\relax
6516     \let \footnote \thanks
6517     \long\def\@makefntext##1{\par\indent\z@\def\labelitemi{\textendash}\@revlabeltrue
6518       \leavevmode@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6519     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6520     \if@compatibility\setcounter{page}{0}\fi
6521     \null\vfil
6522     \vskip 60\p@
6523     \begin{center}%
6524       \TitleFont
6525       {\LARGE \def\\{\penalty -\@M}
6526         \if@allcaps
6527           \expandafter\uc@nothanks\@title\thanks\relax
6528         \else
6529           \@title
6530         \fi\par}%
6531       \vskip 3em%
6532       {\large
6533         \lineskip .75em \par\indent\z@
6534         \begin{tabular}[t]{c}%
6535           \if@allcaps
6536             \expandafter\uc@author\nothanks\@author\and\relax
6537           \else
6538             \@author
6539           \fi
6540         \end{tabular}\par}%
6541       \vskip 1.5em%
6542       {\large
6543         \if@allcaps
6544           \uppercase\expandafter{\@date}%
6545         \else
6546           \@date
6547         \fi\par}%
6548       \end{center}\par
6549       \thanks
6550       \vfil\null
6551     \end{titlepage}%
6552     \setcounter{footnote}{0}%
6553     \global\let\thanks\relax
6554     \global\let\maketitle\relax
6555     \global\let\@thanks\@empty
6556     \global\let\@author\@empty
6557     \global\let\@title\@empty
6558     \global\let\@date\@empty
6559   \global\let\@empty

```



```

6560 \global\let\title\relax
6561 \global\let\author\relax
6562 \global\let\date\relax
6563 \global\let\and\relax
6564 }

```

32 File boek-xetex-bidi.def

```

6565 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX e%
6566 \renewenvironment{theindex}{%
6567   \if@twocolumn
6568     \restonecolfalse
6569   \else
6570     \restonecoltrue
6571   \fi
6572   \columnseprule \z@
6573   \columnsep 35\p@
6574   \twocolumn[\@makeschapterhead{\indexname}]%
6575   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6576   \thispagestyle{plain}\parindent\z@
6577   \parskip\z@ \oplus .3\p@\relax
6578   \let\item\@idxitem
6579 }{%
6580   \if@restonecol\onecolumn\else\clearpage\fi}
6581 \renewcommand*\head@style{%
6582   \interlinepenalty \OM
6583   \hyphenpenalty=\OM \exhyphenpenalty=\OM
6584   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6585 \renewcommand*\@regtocline[3]{%
6586   \ifnum #1>\c@tocdepth
6587   \else
6588     \vskip\z@\oplus.2\p@
6589     {\hangindent\z@ \ifafterindenttrue \interlinepenalty\OM
6590       \if@RTL\rightskip\else\leftskip\fi\unitindent
6591       \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
6592       \parfillskip\z@
6593       \tempdima\unitindent
6594       \parindent\z@
6595       \leavevmode
6596       \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
6597       \hspace{1em}\nobreak\slshape #3}\par
6598     }%
6599   \fi}
6600 \if@oldtoc
6601 \renewcommand*\l@part[2]{%
6602   \ifnum \c@tocdepth >-2\relax
6603     \addpenalty{-\highpenalty}%
6604     \addvspace{2.25em \oplus\p@}%
6605     \begingroup
6606       \setlength\tempdima{3em}%

```



```

6607 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
6608 \parfillskip -\c@pnumwidth
6609 {\leavevmode
6610 \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
6611 \nobreak
6612 \global\c@nobreaktrue
6613 \everypar{\global\c@nobreakfalse\everypar{}}
6614 \endgroup
6615 \fi}
6616 \else
6617 \renewcommand*\l@part{%
6618 \ifnum \c@tocdepth >-2\relax
6619 \addpenalty{-\c@highpenalty}%
6620 \addvspace{2.25em \c@plus \p@}%
6621 \c@regtocline{0}%
6622 \fi}
6623 \fi
6624 \if@oldtoc
6625 \renewcommand*\l@chapter[2]{%
6626 \addpenalty{-\c@highpenalty}%
6627 \vskip 1.0em \c@plus\p@
6628 \setlength\c@tempdima{1.5em}%
6629 \begin{group}
6630 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
6631 \parfillskip -\c@pnumwidth
6632 \leavevmode \bfseries
6633 \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
6634 \hskip -\if@RTL\rightskip\else\leftskip\fi
6635 #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
6636 \penalty\c@highpenalty
6637 \endgroup}
6638 \else
6639 \renewcommand*\l@chapter{\c@regtocline{0}}
6640 \fi
6641 \renewcommand*\left@footnoterule{%
6642 \kern-3\p@
6643 \kern.5\baselineskip
6644 \hrule\c@width\unitindent
6645 \kern.4\baselineskip
6646 }
6647 \renewcommand*\right@footnoterule{%
6648 \kern-3\p@
6649 \kern.5\baselineskip
6650 \hbox to \columndwidth{\hskip \dimexpr\columndwidth-\unitindent\relax \hrulefill }
6651 \kern.4\baselineskip}
6652 \renewenvironment{abstract}{%
6653 \titlepage
6654 \null\vfil
6655 \section*{\SectFont \abstractname}
6656 \noindent\ignorespaces}

```



```

6657     {\par\vfil\null\endtitlepage}
6658 \renewenvironment{thebibliography}[1]
6659     {\chapter*{\bibname}%
6660      \OMkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6661      \if@RTL\if@LTRbibitems\else\fi\else\if@RTLbibitems\else\fi\if@RTLtrue\else\fi\fi
6662      \bidi@@thebibliography@font@hook%
6663      \list{\@biblabel{\@arabic\c@enumiv}}%
6664      {\settowidth\labelwidth{\@biblabel{\#1}}%
6665       \leftmargin\labelwidth
6666       \advance\leftmargin\labelsep
6667       \openbib@code
6668       \usecounter{enumiv}%
6669       \let\p@enumiv\empty
6670       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
6671       \sloppy\clubpenalty4000\widowpenalty4000%
6672       \sfcode`.\.0m}
6673     {\def\@noitemerr
6674      {\@latex@warning{Empty `thebibliography' environment}}%
6675     \endlist}
6676 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
6677 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
6678 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6679 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6680 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6681 \renewcommand*\theequation{%
6682   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@equation}
6683 \renewcommand*\thefigure{%
6684   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
6685 \renewcommand*\thetable{%
6686   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
6687 \renewcommand*\maketitle{%
6688   \begin{titlepage}%
6689     \let\footnotesize\small
6690     \let\right@footnoterule\relax
6691     \let\left@footnoterule\relax
6692     \let\textwidth@footnoterule\relax
6693     \let\footnote\thanks
6694     \long\def\@makefntext{\par\indent\z@
6695       \def\labelitemi{\textendash}\@revlabeltrue
6696       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6697     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6698     \if@compatibility\setcounter{page}{0}\fi
6699     \null\vfil
6700     \vskip 60\p@
6701     \begin{center}%
6702       \TitleFont
6703       {\LARGE \def\{\penalty -\OM}
6704       \if@allcaps
6705         \expandafter\uc@nothanks\@title\thanks\relax
6706       \else

```



```

6707     \@title
6708     \fi\par}%
6709     \vskip 3em%
6710     {\large
6711         \lineskip .75em \parindent\z@
6712         \begin{tabular}[t]{c}%
6713             \if@allcaps
6714                 \expandafter\uc@authornothanks\@author\and\relax
6715             \else
6716                 \@author
6717             \fi
6718         \end{tabular}\par}%
6719     \vskip 1.5em%
6720     {\large
6721         \if@allcaps
6722             \uppercase\expandafter{\@date}%
6723         \else
6724             \@date
6725         \fi\par}%
6726     \end{center}\par
6727     \@thanks
6728     \vfil\null
6729 \end{titlepage}%
6730 \setcounter{footnote}{0}%
6731 \global\let\thanks\relax
6732 \global\let\maketitle\relax
6733 \global\let\@thanks\@empty
6734 \global\let\@author\@empty
6735 \global\let\@title\@empty
6736 \global\let\@date\@empty
6737 \global\let\title\relax
6738 \global\let\author\relax
6739 \global\let\date\relax
6740 \global\let\and\relax
6741 }

```

33 File `bookest-xetex-bidi.def`

```

6742 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for Xe
6743 \def\@makechapterhead#1{%
6744     \vspace*{[20\p@]}
6745     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6746         \ifnum \c@secnumdepth >\m@ne
6747             \if@mainmatter
6748                 {\colorA\huge\scshape \chapapp\space \thechapter}
6749                 \par\nobreak
6750                 \vskip 10\p@
6751             \fi
6752         \fi
6753         \interlinepenalty\@M

```



```

6754  {\colorB\hrule}
6755  \vskip 15\p@
6756  \if@RTL\begin{flushleft}\else\begin{flushright}\fi
6757  {\colorA\Huge \bfseries #1}\par\nobreak
6758  \if@RTL\end{flushleft}\else\end{flushright}\fi
6759  \vskip 5\p@
6760  {\colorB\hrule}
6761  \vskip 30\p@
6762  }
6763 \def\@makeschapterhead#1{%
6764  \vspace*{20\p@}
6765  \parindent \z@ \raggedright \normalfont
6766  {\colorB\hrule}
6767  \vskip 15\p@
6768  \begin{center}
6769  {\colorA\Huge \bfseries #1}\par\nobreak
6770  \end{center}
6771  \vskip 5\p@
6772  {\colorB\hrule}
6773  \vskip 30\p@
6774  }

```

34 File book-xetex-bidi.def

```

6775 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class f
6776 \renewenvironment{theindex}
6777  {\if@twocolumn
6778  \restonecolfalse
6779  \else
6780  \restonecoltrue
6781  \fi
6782  \columnseprule \z@
6783  \columnsep 35\p@
6784  \twocolumn[\@makeschapterhead{\indexname}]%
6785  \mkboth{\MakeUppercase\indexname}%
6786  {\MakeUppercase\indexname}%
6787  \thispagestyle{plain}\parindent\z@
6788  \parskip\z@ \relax
6789  \let\item\@idxitem
6790  {\if@restonecol\onecolumn\else\clearpage\fi}
6791 \@ifclassloaded{bookest}{}{%
6792  \if@titlepage
6793  \renewcommand\maketitle{\begin{titlepage}%
6794  \let\footnotesize\small
6795  \let\right@footnoterule\relax
6796  \let\left@footnoterule\relax
6797  \let\textwidth@footnoterule\relax
6798  \let\footnote\thanks
6799  \let\LTRfootnote\LTRthanks
6800  \let\RTLfootnote\RTLthanks

```



```

6801  \null\vfil
6802  \vskip 60\p@
6803  \begin{center}%
6804    {\LARGE \@title \par}%
6805    \vskip 3em%
6806    {\large
6807      \lineskip .75em%
6808      \begin{tabular}[t]{c}%
6809        \author
6810      \end{tabular}\par}%
6811      \vskip 1.5em%
6812    {\large \@date \par}      % Set date in \large size.
6813  \end{center}\par
6814  \@thanks
6815  \vfil\null
6816  \end{titlepage}%
6817  \setcounter{footnote}{0}%
6818  \global\let\thanks\relax
6819  \global\let\LTRthanks\relax
6820  \global\let\RTLthanks\relax
6821  \global\let\maketitle\relax
6822  \global\let\@thanks\empty
6823  \global\let\@author\empty
6824  \global\let\@date\empty
6825  \global\let\@title\empty
6826  \global\let\title\relax
6827  \global\let\author\relax
6828  \global\let\date\relax
6829  \global\let\and\relax
6830 }
6831 \else
6832 \renewcommand\maketitle{\par
6833   \begingroup
6834     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6835     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6836     \long\def\@makefntext#1{\parindent 1em\noindent
6837       \hb@xt@1.8em{%
6838         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
6839       \if@twocolumn
6840         \ifnum \col@number=\@ne
6841           \maketitle
6842         \else
6843           \twocolumn[\maketitle]%
6844         \fi
6845       \else
6846         \newpage
6847         \global\@topnum\z@    % Prevents figures from going at top of page.
6848         \maketitle
6849       \fi
6850     \thispagestyle{plain}\@thanks

```



```

6851 \endgroup
6852 \setcounter{footnote}{0}%
6853 \global\let\thanks\relax
6854 \global\let\LTRthanks\relax
6855 \global\let\RTLthanks\relax
6856 \global\let\maketitle\relax
6857 \global\let\@maketitle\relax
6858 \global\let\@thanks\@empty
6859 \global\let\@author\@empty
6860 \global\let\@date\@empty
6861 \global\let\@title\@empty
6862 \global\let\title\relax
6863 \global\let\author\relax
6864 \global\let\date\relax
6865 \global\let\and\relax
6866 }
6867 \def\@maketitle{%
6868 \newpage
6869 \null
6870 \vskip 2em%
6871 \begin{center}%
6872 \let \footnote \thanks
6873 \let \LTRfootnote \LTRthanks
6874 \let \RTLfootnote \RTLthanks
6875 {\LARGE \@title \par}%
6876 \vskip 1.5em%
6877 {\large
6878 \lineskip .5em%
6879 \begin{tabular}[t]{c}%
6880 \author
6881 \end{tabular}\par}%
6882 \vskip 1em%
6883 {\large \@date}%
6884 \end{center}%
6885 \par
6886 \vskip 1.5em}
6887 \fi}
6888 \renewcommand*\l@part[2]{%
6889 \ifnum \c@tocdepth >-2\relax
6890 \addpenalty{-\highpenalty}%
6891 \addvspace{2.25em \plus\p@}%
6892 \settowidth\tempdima{3em}%
6893 \begingroup
6894 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6895 \parfillskip -\pnumwidth
6896 {\leavevmode
6897 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6898 \nobreak
6899 \global\@nobreaktrue
6900 \everypar{\global\@nobreakfalse\everypar{}}%
```



```

6901     \endgroup
6902   \fi}
6903 \renewcommand*\l@chapter[2]{%
6904   \ifnum \c@tocdepth >\m@ne
6905     \addpenalty{-\@highpenalty}%
6906     \vskip 1.0em \oplus\p@
6907     \setlength\tempdima{1.5em}%
6908   \begin{group}
6909     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6910     \parfillskip -\pnumwidth
6911     \leavevmode \bfseries
6912     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
6913     \hskip -\if@RTL\rightskip\else\leftskip\fi
6914     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
6915     \penalty\@highpenalty
6916   \endgroup
6917 \fi}
6918 \renewcommand\left@footnoterule{%
6919   \kern-3\p@
6920   \hrule\width.4\columnwidth
6921   \kern2.6\p@}
6922 \renewcommand\right@footnoterule{%
6923   \kern-3\p@
6924   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill}}
6925   \kern2.6\p@}
6926 \renewcommand\theequation
6927   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
6928 \renewcommand \thefigure
6929   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
6930 \renewcommand \thetable
6931   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
6932 \renewcommand \thechapter {\arabic\c@chapter}
6933 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
6934 \renewcommand \thesubsection {\thesection\SepMark\arabic\c@subsection}
6935 \renewcommand \thesubsubsection {\thesubsection\SepMark\arabic\c@subsubsection}
6936 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
6937 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
6938 \def\makechapterhead#1{%
6939   \vspace*{50\p@}%
6940   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6941   \ifnum \c@secnumdepth >\m@ne
6942     \if@mainmatter
6943       \huge\bfseries \chapapp\space \thechapter
6944       \par\nobreak
6945       \vskip 20\p@
6946     \fi
6947   \fi
6948   \interlinepenalty\OM
6949   \Huge\bfseries #1\par\nobreak
6950   \vskip 40\p@

```



```

6951   }
6952 \def\@makeschapterhead#1{%
6953   \vspace*{50\p@}%
6954   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
6955     \normalfont
6956     \interlinepenalty\@M
6957     \Huge \bfseries #1\par\nobreak
6958     \vskip 40\p@
6959   }%
6960 \renewcommand\backmatter{%
6961   \if@openright
6962     \cleardoublepage
6963   \else
6964     \clearpage
6965   \fi
6966   \mainmatterfalse
6967 \renewenvironment{\thebibliography}[1]
6968   {\chapter*{\bibname}%
6969     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
6970     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6971     \bidi@thebibliography\font@hook%
6972     \list{\@biblabel{\arabic{enumiv}}}{%
6973       \settowidth\labelwidth{\@biblabel{#1}}%
6974       \leftmargin\labelwidth
6975       \advance\leftmargin\labelsep
6976       \openbib@code
6977       \usecounter{enumiv}%
6978       \let\p@enumiv\empty
6979       \renewcommand\theenumiv{\arabic{enumiv}}%
6980       \sloppy
6981       \clubpenalty4000
6982       \clubpenalty \clubpenalty
6983       \widowpenalty4000%
6984       \sfcode`\.\@m}
6985     {\def\@noitemerr
6986       {\@latex@warning{Empty `thebibliography' environment}}%
6987     \endlist}

```

35 File breqn-xetex-bidi.def

```

6988 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe%
6989 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
6990   \everydisplay\expandafter{\the\everydisplay \display@setup}%
6991   \if@noskipsec \leavevmode \fi
6992   \if@inlabel \leavevmode \global\@inlabelfalse \fi
6993   \if\eq@group\else\eq@prelim\fi
6994   \setkeys{breqn}{#1}%
6995   \the\eqstyle
6996   \eq@setnumber
6997   \begingroup

```



```

6998  \eq@setup@a
6999  \eq@startup
7000 }
7001 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
7002   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
7003   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
7004   \global\let\GRP@label\empty
7005   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
7006   \global\grp@linewidth\z@\global\grp@wdNum\z@
7007   \global\let\grp@eqs@numbered\@False
7008   \global\let\grp@aligned\@True
7009   \global\let\grp@shiftnumber\@False
7010   \eq@prelim
7011   \setkeys{breqn}{#1}%
7012   \if\grp@hasNumber \grp@setnumber \fi
7013 }
7014 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
7015   \let\display@setup\dseries@display@setup
7016   % Question: should this be the default for dseries???
7017   \global\eq@wdCond\z@
7018   \@dmath[layout={M},#1]%
7019   \mathsurround\z@\@@math \penalty\@Mi
7020   \let\endmath\ends@math
7021   \def\premath{%
7022     \ifdim\lastskip<.3em \unskip
7023     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
7024 }%
7025   \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
7026 \ignorespaces
7027 }
7028 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@italiccorr)\if@nonlatin\endR\fi}
7029 \renewenvironment{dsuspend}{%
7030   \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \parboxrestore
7031   \parshape 1 \displayindent \displaywidth\relax
7032   \hsize=\columnwidth \noindent\ignorespaces
7033 }{%
7034   \par\egroup
7035   \global\setbox\GRP@box\vbox{%
7036     \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
7037     \unvbox\GRP@box
7038 }%
7039   \global\GRP@queue\@xp{\the\GRP@queue
7040     \@elt{\let\eq@isIntertext\@True}%
7041   }%
7042 }

```

36 File `cals-xetex-bidi.def`

```

7043 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTe
7044 \renewcommand\cals@setup@alignment[1]{%

```



```

7045 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
7046 \if 1#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
7047 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
7048 }
7049 \renewcommand{\cals@table@alignment}{\if@RTLtab r\else l\fi}
7050 \renewenvironment{calstable}[1][\cals@table@alignment]{%
7051 \if@RTLtab\cals@activate@rtl\fi
7052 \let\cals@thead@tokens=\relax
7053 \let\cals@tfoot@tokens=\relax
7054 \let\cals@tbreak@tokens=\relax
7055 \cals@tfoot@height=0pt \relax
7056 \let\cals@last@context=n%
7057 \let\cals@current@context=b%
7058 \parindent=0pt \relax%
7059 \cals@setup@alignment{#1}%
7060 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
7061 %% Alignment inside is independent on center/flushright outside
7062 \parfillskip=0pt plus1fil\relax
7063 \let\cals@borderL=\relax
7064 \let\cals@borderR=\relax
7065 \let\cals@borderT=\relax
7066 \let\cals@borderB=\relax
7067 \setbox\cals@backup@row=\box\voidb@x\relax
7068 \cals@AtBeginTable
7069 }% End of the table
7070 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
7071 \renewcommand{\alignL}{%
7072 \if@RTLtab
7073   \cals@vfillAdd\cals@paddingL
7074 \else
7075   \cals@vfillDrop\cals@paddingL
7076 \fi
7077 \cals@vfillDrop\cals@paddingR}
7078 \renewcommand{\alignR}{%
7079 \if@RTLtab
7080   \cals@vfillDrop\cals@paddingL
7081 \else
7082   \cals@vfillAdd\cals@paddingL
7083 \fi
7084 \cals@vfillDrop\cals@paddingR}

```

37 File `caption-xetex-bidi.def`

```

7085 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for
7086 \let\@makecaption\caption\@makecaption

```

38 File `caption3-xetex-bidi.def`

```

7087 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package for
7088 \renewcommand*\caption@par{%

```



```
7089 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent} %
```

39 File colortbl-xetex-bidi.def

```
7090 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package 1
7091 \def\CT@setup{%
7092   \tempdimb\col@sep
7093   \tempdimc\col@sep
7094   \def\CT@color{%
7095     \global\let\CT@do@color\CT@do@color
7096     \bidicolor}}
7097 \def@classz{\classx
7098   \tempcnta \count@
7099   \prepnext@tok
7100 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
7101   \addtopreamble{\if@RTLtab\beginL\fi%
7102   \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
7103     \ifcase \chnum
7104       \hskip\stretch{.5}\kern\z@
7105       \d@llarbegin
7106       \insert@column
7107       \d@llarend\hskip\stretch{.5}\or
7108       \d@llarbegin \insert@column \d@llarend \hfill \or
7109       \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
7110     \$\vcenter
7111     \@startpbox{\@nextchar}\insert@column \endpbox \$\or
7112     \vtop \@startpbox{\@nextchar}\insert@column \endpbox \or
7113     \vbox \@startpbox{\@nextchar}\insert@column \endpbox
7114   \fi
7115 \if@RTLtab\endR\fi\egroup\egroup
7116 \begingroup
7117   \CT@setup
7118   \CT@column@color
7119   \CT@row@color
7120   \CT@cell@color
7121   \CT@do@color
7122 \endgroup
7123   \tempdima\ht\z@
7124   \advance\tempdima\minrowclearance
7125   \vrule\height\tempdima\width\z@
7126   \unhbox\z@\if@RTLtab\endL\fi}%
7127 \prepnext@tok}
```

40 File color-xetex-bidi.def

```
7128 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeT
7129 \long\def\color@b@#1#2#3{%
7130   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
7131   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
7132 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
```



```

7133 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
7134 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
7135 \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
7136 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
7137 \ DeclareRobustCommand\color{%
7138 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
7139 \def\@declaredcolor#1{%
7140 \@ifundefined{\string\color @#1}%
7141 {\c@lor@error{`#1'}}%
7142 {\expandafter\let\expandafter\current@color
7143 \csname\string\color @#1\endcsname
7144 \set@color}%
7145 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
7146 \def\@undeclaredcolor[#1]#2{%
7147 \@ifundefined{color@#1}%
7148 {\c@lor@error{model `#1'}}%
7149 {\csname color@#1\endcsname\current@color{#2}%
7150 \set@color}%
7151 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
7152 \ DeclareRobustCommand\bidi{%
7153 \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}%
7154 \def\@bidiundeclaredcolor[#1]#2{%
7155 \@ifundefined{color@#1}%
7156 {\c@lor@error{model `#1'}}%
7157 {\csname color@#1\endcsname\current@color{#2}%
7158 \set@color}%
7159 \ignorespaces}%
7160 \def\@bidideclaredcolor#1{%
7161 \@ifundefined{\string\color @#1}%
7162 {\c@lor@error{`#1'}}%
7163 {\expandafter\let\expandafter\current@color
7164 \csname\string\color @#1\endcsname
7165 \set@color}%
7166 \ignorespaces}%
7167 \def\color@box#1#2{\color@b@x\relax{\bidi{#2}}}%
7168 \def\color@fbox#1#2#3{%
7169 \color@b@x{\fboxsep\z@\bidi{#1}{#2}\fbox}{\bidi{#3}}}%
7170 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

41 File combine-xetex-bidi.def

```

7171 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeLaTeX]
7172 \renewcommand{\c@ll@chapsecii}[2]{%
7173 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
7174 \if@RTL\hskip -\rights skip\else\hskip -\leftskip\fi
7175 #1\nobreak\hfil \nobreak\hb@xt@{\@pnumwidth}{\hss #2}\par
7176 }
7177 \renewcommand{\c@ll@chapseci}{%
7178 \setlength\@tempdima{0em}%
7179 \begingroup
```



```

7180     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
7181     \parfillskip -\pnumwidth
7182     \leavevmode
7183 }
7184 \renewenvironment{tocindent}[1]{%
7185   \hangindent \if@RTL-\fi#1 \hangafter -100\relax{}}

```

42 File crop-xetex-bidi.def

```

7186 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTe
7187 \renewcommand*\CROP@ulc{%
7188   \if@RTLmain%
7189     \begin{picture}(0,0)
7190       \unitlength\p@\thinlines
7191       \put(-40,0){\circle{10}}
7192       \put(-30,-5){\line(0,1){10}}
7193       \put(-35,0){\line(1,0){30}}
7194       \put(-10,30){\circle{10}}
7195       \put(-5,30){\line(1,0){10}}
7196       \put(0,35){\line(0,-1){30}}
7197     \end{picture}%
7198   \else%
7199     \begin{picture}(0,0)
7200       \unitlength\p@\thinlines
7201       \put(-30,0){\circle{10}}
7202       \put(-30,-5){\line(0,1){10}}
7203       \put(-35,0){\line(1,0){30}}
7204       \put(0,30){\circle{10}}
7205       \put(-5,30){\line(1,0){10}}
7206       \put(0,35){\line(0,-1){30}}
7207     \end{picture}%
7208   \fi%
7209 }
7210 \renewcommand*\CROP@urc{%
7211   \if@RTLmain%
7212     \begin{picture}(0,0)
7213       \unitlength\p@\thinlines
7214       \put(20,0){\circle{10}}
7215       \put(30,-5){\line(0,1){10}}
7216       \put(35,0){\line(-1,0){30}}
7217       \put(-10,30){\circle{10}}
7218       \put(-5,30){\line(1,0){10}}
7219       \put(0,35){\line(0,-1){30}}
7220     \end{picture}%
7221   \else%
7222     \begin{picture}(0,0)
7223       \unitlength\p@\thinlines
7224       \put(30,0){\circle{10}}
7225       \put(30,-5){\line(0,1){10}}
7226       \put(35,0){\line(-1,0){30}}

```



```

7227      \put(0,30){\circle{10}}
7228      \put(-5,30){\line(1,0){10}}
7229      \put(0,35){\line(0,-1){30}}
7230  \end{picture}%
7231  \fi%
7232 }
7233 \renewcommand*\CROP@0llc{%
7234   \if@RTLmain%
7235     \begin{picture}(0,0)
7236       \unitlength\p@\thinlines
7237       \put(-40,0){\circle{10}}
7238       \put(-30,-5){\line(0,1){10}}
7239       \put(-35,0){\line(1,0){30}}
7240       \put(-10,-30){\circle{10}}
7241       \put(-5,-30){\line(1,0){10}}
7242       \put(0,-35){\line(0,1){30}}
7243   \end{picture}%
7244 \else%
7245   \begin{picture}(0,0)
7246     \unitlength\p@\thinlines
7247     \put(-30,0){\circle{10}}
7248     \put(-30,-5){\line(0,1){10}}
7249     \put(-35,0){\line(1,0){30}}
7250     \put(0,-30){\circle{10}}
7251     \put(-5,-30){\line(1,0){10}}
7252     \put(0,-35){\line(0,1){30}}
7253   \end{picture}%
7254 \fi%
7255 }
7256 \renewcommand*\CROP@0lrc{%
7257   \if@RTLmain%
7258     \begin{picture}(0,0)
7259       \unitlength\p@\thinlines
7260       \put(20,0){\circle{10}}
7261       \put(30,-5){\line(0,1){10}}
7262       \put(35,0){\line(-1,0){30}}
7263       \put(-10,-30){\circle{10}}
7264       \put(-5,-30){\line(1,0){10}}
7265       \put(0,-35){\line(0,1){30}}
7266   \end{picture}%
7267 \else%
7268   \begin{picture}(0,0)
7269     \unitlength\p@\thinlines
7270     \put(30,0){\circle{10}}
7271     \put(30,-5){\line(0,1){10}}
7272     \put(35,0){\line(-1,0){30}}
7273     \put(0,-30){\circle{10}}
7274     \put(-5,-30){\line(1,0){10}}
7275     \put(0,-35){\line(0,1){30}}
7276   \end{picture}%

```



```

7277     \fi%
7278 }
7279 \@ifpackagewith{crop}{cam}%
7280 \CROP@exec{cam}%
7281 }{}
```

43 File `cutwin-xetex-bidi.def`

```

7282 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for Xe
7283 \renewcommand*{\c@twcomptr}[2]{%
7284   \def\c@twffirst{1}
7285   \loop\advance\c@twinlines\m@ne
7286   \setbox\c@twslicea=\vsplit#1 to\baselineskip
7287   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
7288   \c@twprune{\c@twslicea}{\c@twlftside}%
7289   \c@twprune{\c@twsliceb}{\c@tvrtside}%
7290   \ifnum\c@twffirst=\@ne
7291     \setbox#2=\vbox{\unvbox#2\hbox
7292       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7293   \else
7294     \setbox#2=\vbox{\unvbox#2\hbox
7295       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7296   \fi
7297   \def\c@twffirst{2}
7298   \ifnum\c@twinlines>\z@\repeat}
7299 \renewcommand*{\c@twcomppddctr}[2]{%
7300   \def\c@twrounds{1}
7301   \def\c@twffirst{1}
7302   \def\c@twlspec:=\c@twb\do{%
7303     \ifnum\c@twrounds=1
7304       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
7305       \c@twprune{\c@twslicea}{\c@twlspec}%
7306       \def\c@twrounds{2}
7307     \else
7308       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
7309       \c@twprune{\c@twsliceb}{\c@twlspec}%
7310       \ifnum\c@twffirst=1
7311         \setbox#2=\vbox{\unvbox#2\hbox
7312           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7313         \def\c@twffirst{2}
7314       \else
7315         \setbox#2=\vbox{\unvbox#2\hbox
7316           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
7317         \fi
7318       \def\c@twrounds{1}
7319     \fi}}}
```

44 File `cuted-xetex-bidi.def`

```

7320 \ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for Xe
```



```

7321
7322 \def\RTL@outputdblcol{%
7323   \if@firstcolumn
7324     \global\@firstcolumnfalse
7325     \global\setbox\@leftcolumn\copy\@outputbox
7326     \splitmaxdepth\maxdimen
7327     \vbadness\maxdimen
7328     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7329     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7330     \toks@\expandafter{\topmark}%
7331     \xdef\@firstcoltopmark{\the\toks@}%
7332     \toks@\expandafter{\splitfirstmark}%
7333     \xdef\@firstcolfirstmark{\the\toks@}%
7334     \ifx\@firstcolfirstmark\empty
7335       \global\let\@setmarks\relax
7336     \else
7337       \gdef\@setmarks{%
7338         \let\firstmark\@firstcolfirstmark
7339         \let\topmark\@firstcoltopmark}%
7340     \fi
7341   \else
7342     \global\@firstcolumntrue
7343     \setbox\@outputbox\vbox{%
7344       \hb@xt@\textwidth{%
7345         \hskip \columnwidth
7346         \hfil
7347         {\normalcolor\vrule \@width\columnsep}%
7348         \hfil
7349         \hb@xt@\columnwidth{%
7350           \bidi@firstcolumn@status@write%
7351           \box\@leftcolumn \hss}%
7352           \hskip -\textwidth
7353           \hb@xt@\columnwidth{%
7354             \bidi@lastcolumn@status@write%
7355             \box\@outputbox \hss}%
7356             \hskip \columnsep
7357             \hskip \columnwidth } }%
7358     \ifvoid\hold@viper
7359     \else
7360       \setbox\@outputbox \vbox to\textheight{%
7361         \box\hold@viper
7362         \box\@outputbox
7363         \vss
7364       }%
7365     \fi
7366   \combinedblfloats
7367   \setmarks
7368   \outputpage
7369   \begingroup
7370     \cdblfloatplacement

```



```

7371     \@startdblcolumn
7372     \@whilesw\if@fcolmade \fi{\@outputpage
7373     \@startdblcolumn}%
7374     \ifvoid\@viper
7375     \else
7376         \global\setbox\@viper\vbox{%
7377             \vskip-\stripsep
7378             \unvbox\@viper
7379         }%
7380         \@viperoutput
7381     \fi
7382     \endgroup
7383 \fi}%
7384
7385 \def\LTR@outputdblcol{%
7386   \if@firstcolumn
7387     \global\@firstcolumnfalse
7388     \global\setbox\@leftcolumn\copy\@outputbox
7389     \splitmaxdepth\maxdimen
7390     \vbadness\maxdimen
7391     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7392     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7393     \toks@\expandafter{\topmark}%
7394     \xdef\@firstcoltopmark{\the\toks@}%
7395     \toks@\expandafter{\splitfirstmark}%
7396     \xdef\@firstcolfirstmark{\the\toks@}%
7397     \ifx\@firstcolfirstmark\@empty
7398       \global\let\@setmarks\relax
7399     \else
7400       \gdef\@setmarks{%
7401         \let\firstmark\@firstcolfirstmark
7402         \let\topmark\@firstcoltopmark}%
7403     \fi
7404   \else
7405     \global\@firstcolumntrue
7406     \setbox\@outputbox\vbox{%
7407       \hb@xt@{\textwidth}{%
7408         \hb@xt@{\columnwidth}{%
7409           \bidi@firstcolumn@status@write%
7410           \box\@leftcolumn \hss}%
7411           \hfil
7412           {\normalcolor\vrule \width\columnseprule}%
7413           \hfil
7414         \hb@xt@{\columnwidth}{%
7415           \bidi@lastcolumn@status@write%
7416           \box\@outputbox \hss}}}%
7417     \ifvoid\hold@viper
7418     \else
7419       \setbox\@outputbox\vbox to\textheight{%
7420         \box\hold@viper

```



```

7421           \box\@outputbox
7422           \vss
7423       }%
7424   \fi
7425   \@combinedblfloats
7426   \@setmarks
7427   \@outputpage
7428   \begin{group}
7429     \@dblfloatplacement
7430     \startdblcolumn
7431     \whilesw\if@fcolmade \fi{\@outputpage
7432     \startdblcolumn}%
7433     \ifvoid\@viper
7434     \else
7435       \global\setbox\@viper\vbox{%
7436         \vskip-\stripsep
7437         \unvbox\@viper
7438       }%
7439     \viperoutput
7440   \fi
7441   \endgroup
7442 \fi}%
7443
7444
7445 \def \addviper {%
7446   \if@firstcolumn
7447     \insertfalse
7448     \reqcolroom .5\pageht
7449     \ht@\viper\reqcolroom
7450     \advance \reqcolroom \ht@\viper
7451     \advance \reqcolroom \stripsep
7452     \ifvoid\hold@\viper\tempdima=\z@\else\tempdima\ht\hold@\viper\fi
7453   }%
7454   \tempdimb \ht@\viper
7455   \loop
7456     \setbox\v@aaa\copy\holdpg
7457     \setbox\v@ccc\vbox to\tempdimb{%
7458       \vsplit\v@aaa to\tempdimb\vss\vsplit\v@aaa to\tempdimb}%
7459     \wlog{Extra height:\the\ht\v@aaa\space when \the\tempdimb}%
7460     \ifvoid\v@aaa \else \advance\tempdimb 1pt \repeat
7461   \loop
7462     \setbox\v@aaa\copy\holdpg
7463     \setbox\v@ccc\vbox to\tempdimb{%
7464       \vsplit\v@aaa to\tempdimb\vss}%
7465     \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\tempdimb}%
7466     \ifdim \ht\v@ccc<\ht\v@aaa \tempdimb \the\ht\v@aaa \repeat
7467     \wlog{- LAST -^\JLeft:\the\ht\v@ccc^\JRight:\the\ht\v@aaa^\JOutput:\the\tempdimb}%
7468     \setbox\v@ccc\vbox to\tempdimb{%
7469       \vsplit\holdpg to\tempdimb\vss}%
7470 }%

```



```

7471 \setbox\@tempboxa \vbox {%
7472   \hb@xt@\textwidth {%
7473     \if@RTLmain%
7474       \hskip \columnwidth
7475       \hfil \vrule width\columnseprule \hfil
7476       \hb@xt@\columnwidth {%
7477         \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7478       \hskip -\textwidth
7479       \hb@xt@\columnwidth {%
7480         \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7481       \hskip \columnsep
7482       \hskip \columnwidth
7483     \else%
7484       \hb@xt@\columnwidth {%
7485         \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7486         \hfil
7487         \vrule \@width\columnseprule
7488         \hfil
7489         \hb@xt@\columnwidth {%
7490           \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7491           \fi}%
7492     }%
7493 \ifvoid\hold@viper
7494   \global\setbox\hold@viper \vbox {%
7495     \unvbox\@tempboxa
7496     \penalty\interlinepenalty
7497     \vskip\stripsep
7498     \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7499     \outputpenalty \z@
7500   }%
7501 \else
7502   \global\setbox\hold@viper \vbox {%
7503     \unvbox\hold@viper
7504     \unvbox\@tempboxa
7505     \penalty\interlinepenalty
7506     \vskip\stripsep
7507     \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7508     \outputpenalty \z@
7509   }%
7510 \fi
7511 \ifdim \@colroom>\@reqcolroom
7512   \global\setbox\hold@viper \vbox {%
7513     \unvbox\hold@viper
7514     \box\@viper
7515     \penalty\interlinepenalty
7516     \vskip\stripsep
7517     \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7518     \outputpenalty \z@
7519   }%
7520 \@inserttrue

```



```

7521   \advance\@tempdima by-\ht\hold@viper
7522   \global \advance \colht \@tempdima
7523   \ifdim \colht<2.5\baselineskip
7524     \@latex@warning{no@line {Optional argument of \noexpand\twocolumn
7525       too tall on page \thepage (1 stulpelis)}%
7526     \emptycol
7527     \if@firstcolumn
7528     \else
7529       \emptycol
7530     \fi
7531     \global\@lastvipertrue
7532   \else
7533     \global \vsize \colht
7534     \global \colroom \colht
7535     \checkfloats
7536     \ifdim\@tempdima>z@
7537       \global\advance\colroom by-\@tempdima
7538     \fi
7539     \ifdim\colroom<z@
7540       \global\colroom \ipt
7541       \ifdim\@tempdima>\colht
7542         \@latex@warning{no@line {TOP ir/ar BOT FLOAT's
7543           netelpa lape \thepage (1 stulpelis)}%
7544       \fi
7545       \emptycol
7546       \if@firstcolumn
7547       \else
7548         \emptycol
7549       \fi
7550       \global\@lastvipertrue
7551     \fi
7552   \fi
7553 \fi
7554 \else
7555   \insertfalse
7556   \reqcolroom\colht
7557   \advance\reqcolroom \pageht
7558   \ht\viper.5\reqcolroom
7559   \reqcolroom\ht\viper
7560   \advance \reqcolroom \ht\viper
7561   \advance \reqcolroom \stripsep
7562   \if@flushend@auto@baselineskip
7563     \setbox\tempboxa\vbox{\unvcopy\leftcolumn
7564     \global\lastskip@d\lastskip
7565     \global\lastskip@b\lastskip
7566     \loop
7567       \global\lastskip@a\lastskip@b
7568       \unskip\unpenalty
7569       \global\lastskip@b\lastskip
7570       \global\advance\lastskip@d by\lastskip

```



```

7571     \ifdim\lastskip@b=-\lastskip@a
7572         \global\advance\lastskip@d by-\lastskip
7573     \else
7574     \repeat
7575     \ifdim\lastskip@b=-\lastskip@a
7576         \ifdim\lastskip@b=\z@
7577             \setbox\lastbox@a\lastbox
7578             \global\advance\lastskip@d by\ht\lastbox@a
7579             \global\advance\lastskip@d by\lastskip
7580             \unskip\unpenalty
7581             \setbox\lastbox@a\lastbox
7582             \global\advance\lastskip@d by\dp\lastbox@a
7583         \else
7584             \global\lastskip@d\lastskip
7585             \global\advance\lastskip@d by\topskip
7586         \fi
7587     \fi
7588     \global\advance\lastskip@d by-\topskip
7589 }
7590 \ifdim\ht\@holdpg>\@colht
7591     \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
7592         \par\eject
7593         \vbox to \@colht{\unvbox\@holdpg\unskip}%
7594     }%
7595 \else
7596     \global\setbox\@holdpg\vbox{%
7597         \unvbox\@leftcolumn\unskip\unpenalty
7598         \vskip\lastskip@d
7599         \the\At@ViperColsBreak
7600         \unvbox\@holdpg
7601         \unskip
7602     }%
7603 \fi
7604 \else
7605     \global\setbox\@holdpg\vbox{%
7606         \unvbox\@leftcolumn
7607         \setbox\@tempboxa\lastbox
7608         \on@stripcols@break
7609         \the\At@ViperColsBreak
7610         \unvbox\@holdpg
7611     }%
7612 \fi
7613 \global\At@ViperColsBreak{}%
7614 \ht@\viper .5\ht\@holdpg
7615 \ifdim \ht@\viper>\@colht
7616     \ht@\viper \@colht
7617 \fi
7618 \ifvoid\hold@\viper\@tempdima=\z@\else\@tempdima\ht\hold@\viper\fi
7619 }%
7620 \@tempdimb \ht@\viper

```



```

7621   \loop
7622     \setbox\v@aaa\copy\@holdpg
7623     \setbox\v@ccc\vbox to\@tempdimb{%
7624       \vsplit\v@aaa to\@tempdimb
7625       \vss
7626       \vsplit\v@aaa to\@tempdimb
7627     }%
7628     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7629   \ifvoid\v@aaa
7630   \else
7631     \advance\@tempdimb 1\p@
7632   \repeat
7633   \loop
7634     \setbox\v@aaa\copy\@holdpg
7635     \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
7636     \wlog{(2)Left:\the\ht\v@ccc\space
7637           Right:\the\ht\v@aaa\space
7638           Output:\the\@tempdimb
7639         }%
7640     \ifdim\ht\v@ccc<\ht\v@aaa
7641       \@tempdimb \the\ht\v@aaa
7642     \repeat
7643     \wlog{- LAST -^JLeft:\the\ht\v@ccc
7644           ^JRight:\the\ht\v@aaa
7645           ^JOutput:\the\@tempdimb
7646         }%
7647     \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
7648   \setbox\@tempboxa\vbox{%
7649     \hb@xt@\textwidth {%
7650       \if@RTLmain%
7651         \hskip \columnwidth
7652         \hfil \vrule width\columnseprule \hfil
7653         \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7654         \hskip -\textwidth
7655         \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7656         \hskip \columnsep
7657         \hskip \columnwidth
7658       \else
7659         \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7660         \hfil
7661         \vrule \@width\columnseprule
7662         \hfil
7663         \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7664       \fi%
7665     }%
7666   }%
7667   \ifvoid\hold@viper
7668     \global\setbox\hold@viper \vbox {%
7669       \unvbox\@tempboxa
7670       \penalty\interlinepenalty

```



```

7671           \vskip\stripsep
7672           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7673           \outputpenalty \z@
7674           }%
7675     \else
7676       \global\setbox\hold@viper \vbox {%
7677         \unvbox\hold@viper
7678         \unvbox\@tempboxa
7679         \penalty\interlinepenalty
7680         \vskip\stripsep
7681         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7682         \outputpenalty \z@
7683         }%
7684   \fi
7685   \ifdim \@colht>\@reqcolroom
7686     \global\setbox\hold@viper \vbox {%
7687       \unvbox\hold@viper
7688       \box\@viper
7689       \penalty\interlinepenalty
7690       \vskip\stripsep
7691       \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7692       \outputpenalty \z@
7693       }%
7694     \cinserttrue
7695     \global\@firstcolumntrue
7696     \advance\@tempdima by-\ht\hold@viper
7697     \global\advance\@colht\@tempdima
7698     \ifdim\@colht<2.5\baselineskip
7699       \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7700          too tall on page \thepage (2 stulpelis)}%
7701       \emptycol
7702       \if@firstcolumn
7703       \else
7704         \emptycol
7705       \fi
7706       \global\@lastvipertrue
7707     \else
7708       \global\vsize\@colht
7709       \global\@colroom\@colht
7710       \check@floats
7711       \ifdim\@tempdima>\z@
7712         \global\advance\@colroom by-\@tempdima
7713       \fi
7714       \ifdim\@colroom<\z@
7715         \global\@colroom 1pt
7716         \ifdim\@tempdima>\@colht
7717           \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7718             netelpa lape \thepage (2 stulpelis)}%
7719         \fi
7720         \emptycol

```



```

7721           \if@firstcolumn
7722           \else
7723               \@emptycol
7724           \fi
7725           \global\@lastviperttrue
7726       \fi
7727   \fi
7728 \fi
7729 \fi
7730 \if@insert
7731 \else
7732     \advance\@tempdima by-\ht\hold@viper
7733     \global \advance \@colht \@tempdima
7734     \global\setbox\hold@viper \vbox {%
7735             \unvbox\hold@viper
7736             \csname viper@top@hook\endcsname
7737             \vsplit\@viper to \@colht
7738             \vss
7739 }%
7740     \vbox{}%
7741     \global\@firstcolumnfalse
7742     \newpage
7743 \fi
7744 }

```

45 File `cvthemebidicasual.sty`

```

7745 \NeedsTeXFormat{LaTeX2e}
7746 \ProvidesPackage{cvthemebidicasual}
7747 \DeclareOption{blue}{}
7748 \newif\if@colourorange\@colourorangefalse
7749 \DeclareOption{orange}{\@colourorangeltrue}
7750 \newif\if@colourgreen\@colourgreenfalse
7751 \DeclareOption{green}{\@colourgreentrue}
7752 \newif\if@colourred\@colourredfalse
7753 \DeclareOption{red}{\@colourredtrue}
7754 \newif\if@colourgrey\@colourgreyfalse
7755 \DeclareOption{grey}{\@colourgreytrue}
7756 \DeclareOption*{%
7757     \PackageWarning{cvthemebidicasual}{Unknown option '\CurrentOption'}}
7758 \ExecuteOptions{colour}
7759 \ProcessOptions\relax
7760 \renewcommand*\listitemsymbol{\textbullet}
7761 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
7762 \familynamecolour{808080}
7763 \firstnamecolour{A9A9A9}
7764 \quotecolour{696969}
7765 \addresscolour{696969}
7766 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
7767 \sectiontitlecolour{1E90FF}

```



```

7768 \subsectioncolour{4682B4}
7769 \definecolor{rulecolour}{gray}{0.6}
7770 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
7771 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
7772 \if@colourorange
7773   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7774   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7775   \sectiontitlecolour{FF8C00}
7776   \subsectioncolour{FF8C00}
7777   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
7778   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
7779 \if@colourgreen
7780   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7781   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7782   \sectiontitlecolour{008000}
7783   \subsectioncolour{008000}
7784   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
7785   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
7786 \if@coloured
7787   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7788   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7789   \sectiontitlecolour{FF0000}
7790   \subsectioncolour{FF0000}
7791   \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
7792   \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
7793 \if@colourgrey
7794   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7795   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7796   \sectiontitlecolour{808080}
7797   \subsectioncolour{808080}
7798   \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
7799   \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
7800 \renewcommand*\ttdefault{pcr}
7801 \renewcommand*\firstnamefont{\fontsize{38}{40}\mdseries\upshape}
7802 \renewcommand*\familynamefont{\firstnamefont}
7803 \renewcommand*\addressfont{\normalsize\mdseries\slshape}
7804 \renewcommand*\quotefont{\large\slshape}
7805 \renewcommand*\sectionfont{\Large\mdseries\upshape}
7806 \renewcommand*\subsectionfont{\large\mdseries\upshape}
7807 \renewcommand*\maketitle{%
7808   %
7809   \ifthenelse{\isundefined{\@photo}}{%
7810     {}%
7811     {{\color{firstnamecolor}\framebox{\includegraphics[width=\photowidth]{\@photo}}}}%
7812     \hfill%
7813     \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}\hphantom{[-.35em]}%}
7814     {\color{firstnamecolor}\rule{\textwidth}{.25ex}\hphantom{[2.5em]}}%
7815   \ifthenelse{\isundefined{\@quote}}{%
7816     {}%
7817     {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}}%

```



```

7818  }%
7819 \newif\if@firstfooterelement\@firstfooterelementtrue
7820 \providecommand*\{\footersymbol}{}
7821 \renewcommand*\{\footersymbol}{%
7822   \if@firstfooterelement%
7823   \else%
7824     { \color{footersymbolcolor}\textbullet~~}\fi}
7825 \providecommand*\{\makefooter}{}
7826 \renewcommand*\{\makefooter}{%
7827   \fancypagestyle{plain}{%
7828     \fancyfoot[c]{%
7829       \parbox{0.8\textwidth}{%
7830         \centering%
7831         \addressfont\@addresscolour%
7832         \ifthenelse{\isundefined{\@address}}{}{%
7833           \addresssymbol~\@address\%%
7834           \if@firstfooterelementfalse\%
7835             \ifthenelse{\isdefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse\%}
7836             \ifthenelse{\isdefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse\%}
7837             \ifthenelse{\isdefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse\%}
7838             \ifthenelse{\isdefined{\@email}}{}{\footersymbol\mailsymbol~\emaillink{\@email}\@firstfooterelementfalse\%}
7839             \ifthenelse{\isdefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfalse\%}
7840           }%
7841         \pagestyle{plain}}
7842 \AtBeginDocument{\makefooter}

```

46 File `cvthemebidiclassic.sty`

```

7843 \NeedsTeXFormat{LaTeX2e}
7844 \ProvidesPackage{cvthemebidiclassic}
7845 \DeclareOption{blue}{}
7846 \newif\if@colourorange\@colourorangefalse
7847 \DeclareOption{orange}{\@colourorangeredtrue}
7848 \newif\if@colourgreen\@colourgreenfalse
7849 \DeclareOption{green}{\@colourgreentrue}
7850 \newif\if@colouredred\@colouredredfalse
7851 \DeclareOption{red}{\@colouredredtrue}
7852 \newif\if@colourgrey\@colourgreyfalse
7853 \DeclareOption{grey}{\@colourgreytrue}
7854 \DeclareOption*{%
7855   \PackageWarning{cvthemebidiclassic}{Unknown option '\CurrentOption'}}
7856 \ExecuteOptions{colour}
7857 \ProcessOptions\relax
7858 \renewcommand*\{\listitemsymbol}{\textbullet}
7859 \firstnamecolour{}
7860 \familynamecolour{}
7861 \titlecolour{808080}
7862 \quotecolour{696969}
7863 \addresscolour{696969}
7864 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}

```



```

7865 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
7866 \sectiontitlecolour{1E90FF}
7867 \subsectioncolour{4682B4}
7868 \if@colourorange
7869   \addresscolour{FF8C00}
7870   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
7871   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
7872   \sectiontitlecolour{FF8C00}
7873   \subsectioncolour{FF8C00}\fi
7874 \if@colourgreen
7875   \addresscolour{008000}
7876   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7877   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7878   \sectiontitlecolour{008000}
7879   \subsectioncolour{008000}\fi
7880 \if@coloured
7881   \addresscolour{FF0000}
7882   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7883   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7884   \sectiontitlecolour{FF0000}
7885   \subsectioncolour{FF0000}\fi
7886 \if@colourgrey
7887   \addresscolour{808080}
7888   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7889   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7890   \sectiontitlecolour{808080}
7891   \subsectioncolour{808080}\fi
7892 \renewcommand*\{\ttdefault\}{pcr}
7893 \renewcommand*\{\firstnamefont\}{\fontsize{34}{36}\mdseries\upshape}
7894 \renewcommand*\{\titlefont\}{\LARGE\mdseries\slshape}
7895 \renewcommand*\{\addressfont\}{\normalsize\mdseries\slshape}
7896 \renewcommand*\{\familynamefont\}{\firstnamefont}
7897 \renewcommand*\{\quotefont\}{\large\slshape}
7898 \renewcommand*\{\sectionfont\}{\Large\mdseries\upshape}
7899 \renewcommand*\{\subsectionfont\}{\large\mdseries\upshape}
7900 \newlength{\maketitlenamemaxwidth}
7901 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
7902 \newlength{\maketitlenamefullwidth}
7903 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{@firstname~}\familynamestyle{@familyname}}
7904 \newlength{\maketitlenamewidth}
7905 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
7906 \newlength{\maketitlepicturewidth}
7907 \setlength{\maketitlepicturewidth}{\photowidth}
7908 \newlength{\maketitledetailswidth}
7909 \renewcommand*\{\recomputethemelengths\}%
7910   \setlength{\maketitledetailswidth}{\textwidth}%
7911   \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
7912   \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
7913   \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}%
7914 \recomputethemelengths

```



```

7915 \newif\if@firstdetailselement@\firstdetailselementtrue
7916 \newcommand*{\maketitledetailsnewline}{
7917   \if@firstdetailselement%
7918     \@firstdetailselementfalse%
7919   \else%
7920     \\[.2em]\fi}
7921 \renewcommand*{\maketitle}{%
7922   % name and title
7923   \begin{minipage}[b]{\maketitlenewwidth}%
7924     \firstnamestyle{@firstname~}\familynamestyle{@familyname}%
7925     \ifthenelse{\equal{\@title}{}{}}{\|[1.25em]\titlesyle{@title}}{%
7926   \end{minipage}%
7927   % optional data
7928   \begin{minipage}[b]{\maketitledetailswidth}%
7929     \bidi@raggedleft\addressfont\addresscolour%
7930     \ifthenelse{\isundefined{\@address}}{}{%
7931       \maketitledetailsnewline%
7932       \addresssymbol~\\@address}%
7933     \ifthenelse{\isundefined{@mobile}}{\maketitledetailsnewline\mobilesymbol~@mobile}%
7934     \ifthenelse{\isundefined{@phone}}{\maketitledetailsnewline\phonesymbol~@phone}%
7935     \ifthenelse{\isundefined{@fax}}{\maketitledetailsnewline\faxsymbol~@fax}%
7936     \ifthenelse{\isundefined{@email}}{\maketitledetailsnewline\mailsymbol~\mailto{\email}}{%
7937     \ifthenelse{\isundefined{@extrainfo}}{\maketitledetailsnewline@extrainfo}{%
7938   \end{minipage}%
7939   % optional photo
7940   \ifthenelse{\isundefined{@photo}}{}{%
7941     {}%
7942     \hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\maketitledetailswidth]{@photo}}%
7943   % optional quote
7944   \ifthenelse{\isundefined{@quote}}{}{%
7945     {}%
7946     {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{@quote}\end{minipage}}\\[.2em]
7947   }

```

47 File dblfnote-xetex-bidi.def

```

7948 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
7949 \let\autofootnoterule\relax
7950 \let\rightfootnoterule\relax
7951 \let\leftfootnoterule\relax
7952 \let\textwidthfootnoterule\relax
7953 \let\LRfootnoterule\relax
7954 \def\footnoterule{\kern-3\p@%
7955   \hrule\@width\DFNcolumnwidth\kern2.6\p@}%
7956 \AtBeginDocument{\let\dfn@latex@footnotetext\footnotetext
7957 \let@\footnotetext\dfn@footnotetext}
7958 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{%
7959   \let\insert\dfn@gobble
7960   \columnwidth\DFNcolumnwidth\hbadness\c@DFNsloppiness
7961   \def\makefnmark{\smash{\dfn@makefnmark}}}

```



```

7962 \dfn@latex@LTRfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7963 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7964 \ifdim\dfn@dima>\z@\else
7965     \dfn@dima1sp\relax
7966     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7967 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7968     \ifvoid\dfn@ins\else
7969         \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7970     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7971 \setbox\dfn@boxa\copy\dfn@ins
7972 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7973 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7974 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7975 \insert\footins{\floatingpenalty@MM \vbox to\@tempdima{} }%
7976 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
7977 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext@LTRfootnotetext
7978 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
7979 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
7980     \let\insert\dfn@gobble
7981     \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7982     \def\@makefnmark{\smash{\dfn@makefnmark}}
7983     \dfn@latex@RTLfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7984     \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7985     \ifdim\dfn@dima>\z@\else
7986         \dfn@dima1sp\relax
7987         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7988 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7989     \ifvoid\dfn@ins\else
7990         \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7991     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7992 \setbox\dfn@boxa\copy\dfn@ins
7993 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7994 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7995 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7996 \insert\footins{\floatingpenalty@MM \vbox to\@tempdima{} }%
7997 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
7998 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext@RTLfootnotetext
7999 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
8000 \def\dfn@RTLmakecol{\ifvoid\footins\else
8001     \dfn@dima\ht\footins
8002     \atempcnta\z@ \dfn@countins
8003     \atempdima\z@ \let\@elt\dfn@elt@getht
8004     \dfn@list\@nil
8005     \ifdim\@tempdima=\z@\else
8006     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
8007     \global\setbox\dfn@ins\box\dfn@ins
8008     \atempswattrue
8009     \ifdfn@trysingle
8010         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
8011         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb

```



```

8012     \advance\@tempdima-\skip\footins
8013     \advance\@tempdima-\ht\dfn@boxa
8014     \ifdim\@tempdima<\z@\else \c@tempswafalse
8015         \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
8016             \footnoterule \unvbox\dfn@boxa}\fi\fi
8017     \if@ctempswa
8018     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
8019     \global\setbox\footins\vbox{\hbox{%
8020         \hskip \DFNcolumnwidth
8021         \hskip\DFNcolumnsep
8022         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{ \footnoterule
8023             \unvbox\dfn@boxb\vss}\hss}
8024         \hskip -\textwidth
8025         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
8026             \vbox to\@tempdima{%
8027                 \setbox\@tempboxa\vbox{\footnoterule}
8028                 \ifdfn@ruleboth \unvbox\@tempboxa
8029                 \else \c@tempdima\ht\@tempboxa
8030                     \advance\@tempdima\dp\@tempboxa
8031                     \vskip\@tempdima
8032                     \prevdepth\dp\@tempboxa \fi
8033                     \unvbox\dfn@boxa\vss}\fi\hss}
8034         \hskip \DFNcolumnsep
8035         \hskip \DFNcolumnwidth}}\fi\fi
8036     \global\dfn@fnht\z@
8037     \ifx\dfn@list\empty\else
8038         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
8039         \dfn@list \global\advance\dfn@fnht\dfn@dimb
8040         \let\@elt\relax
8041         \ifdim\dfn@dimb>\z@
8042             \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
8043             \insert\footins{\floatingpenalty\@MM
8044                 \vbox to\dfn@dimb{}\fi
8045             \ifdim\dfn@fnht\@tempdima
8046                 \c@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
8047                 \global\dfn@fnht\@tempdima
8048                 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
8049                 \xdef\dfn@afteroutput{\insert\footins{
8050                     \floatingpenalty\@MM
8051                     \vbox to\number\@tempdimb sp{}\}}%
8052                     \global\let\noexpand\dfn@afteroutput\relax}%
8053             \fi\fi
8054         \fi}%
8055         \let\footnoterule\relax \dfn@latec@makecol
8056         \let\footnoterule\dfn@footnoterule}
8057 \def\dfn@LTRmakecol{\ifvoid\footins\else
8058     \dfn@dim\ht\footins
8059     \c@tempcnta\z@ \dfn@countins
8060     \c@tempdima\z@ \let\@elt\dfn@elt@getht
8061     \dfn@list\@nil

```



```

8062 \ifdim\@tempdima=\z@\else
8063   \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
8064   \global\setbox\dfn@ins\box\dfn@ins
8065   \atempswattrue
8066   \ifdfn@trysingle
8067     \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
8068     \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
8069     \advance\@tempdima-\skip\footins
8070     \advance\@tempdima-\ht\dfn@boxa
8071     \ifdim\@tempdima<\z@\else \atempswafalse
8072       \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
8073         \footnoterule \unvbox\dfn@boxa}\fi\fi
8074   \if@tempswa
8075     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
8076     \global\setbox\footins\vbox{\hbox{%
8077       \hbox to\DFNcolumnwidth{\vbox to\@tempdima{ \footnoterule
8078         \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
8079       \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
8080         \vbox to\@tempdima{%
8081           \setbox\@tempboxa\vbox{\footnoterule}
8082           \ifdfn@ruleboth \unvbox\@tempboxa
8083             \else \atempdima\ht\@tempboxa
8084               \advance\@tempdima\dp\@tempboxa
8085               \vskip\@tempdima
8086               \prevdepth\dp\@tempboxa \fi
8087             \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
8088 \global\dfn@fnht\z@
8089 \ifx\dfn@list\empty\else
8090   \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
8091   \dfn@list \global\advance\dfn@fnht\dfn@dimb
8092   \let\@elt\relax
8093   \ifdim\dfn@dimb>\z@
8094     \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
8095     \insert\footins{\floatingpenalty\@MM
8096       \vbox to\dfn@dimb{} }\fi
8097   \ifdim\dfn@fnht>\@tempdima
8098     \atempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
8099     \global\dfn@fnht\@tempdima
8100     \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
8101     \xdef\dfn@afteroutput{\insert\footins{
8102       \floatingpenalty\@MM
8103       \vbox to\number\@tempdimb sp{} }%
8104       \global\let\noexpand\dfn@afteroutput\relax}%
8105     \fi\fi
8106   \fi\% \let\footnoterule\relax \dfn@latex@makecol
8107   \let\footnoterule\dfn@footnoterule}
8108 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
8109 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
8110 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
8111

```



```
8112 \DFN{alwaysdouble}
```

48 File diagbox-xetex-bidi.def

```
8113 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package for
8114 \bidi@patchcmd{\diagbox@double}{%
8115   \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
8116 }{\bidi@@diagbox@double@ii}{}
8117 \bidi@patchcmd{\diagbox@double}{%
8118   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
8119 }{\bidi@@diagbox@double@iii}{}
8120 \newcommand*\bidi@@diagbox@double@ii{%
8121   \if@RTL
8122     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepL}}}
8123   \else
8124     \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
8125   \fi
8126 }
8127 \newcommand*\bidi@@diagbox@double@iii{%
8128   \if@RTL
8129     \begin{tabular}{@{\hspace{\diagbox@insepR}}>{\diagbox@font}l@{}}
8130   \else
8131     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
8132   \fi
8133 }
8134 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
8135   \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
8136 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}
8137 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
8138   \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
8139 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}
8140 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
8141   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
8142 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{}
8143 \newcommand*\bidi@@diagbox@triple@setbox@NW@tabular@i@ii{%
8144   \if@RTL
8145     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepL}}}
8146   \else
8147     \begin{tabular}{@{\hspace{\diagbox@insepL}}>{\diagbox@font}l@{}}
8148   \fi
8149 }
8150 \newcommand*\bidi@@diagbox@triple@setbox@NW@tabular@iii{%
8151   \if@RTL
8152     \begin{tabular}{@{\hspace{\diagbox@insepR}}>{\diagbox@font}l@{}}
8153   \else
8154     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepR}}}
8155   \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
8156 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8157   \begin{tabular}{@{\hspace{\diagbox@insepL}}l@{}}
8158 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{}
```



```

8159 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8160   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}%
8161 }{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{(){}}
8162 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8163   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}%
8164 }{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{(){}}
8165 \newcommand*{\bidi@diagbox@triple@setbox@SE@tabular@i}{%
8166   \if@RTL
8167     \begin{tabular}{@{}r@{\hspace{\diagbox@insep1}}}}%
8168   \else
8169     \begin{tabular}{@{\hspace{\diagbox@insep1}}l@{}}%
8170   \fi
8171 }
8172 \newcommand*{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{%
8173   \if@RTL
8174     \begin{tabular}{@{\hspace{\diagbox@insep1}}l@{}}%
8175   \else
8176     \begin{tabular}{@{}r@{\hspace{\diagbox@insep1}}}}%
8177   \fi
8178 }
8179 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
8180 \bidi@patchcmd{\diagbox@double@pict@SE}{%
8181   \diagbox@setlinecolor
8182   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
8183 }{%
8184   {\diagbox@setlinecolor
8185   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
8186 }{%
8187 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
8188 \bidi@patchcmd{\diagbox@double@pict@NE}{%
8189   \diagbox@setlinecolor
8190   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
8191 }{%
8192   {\diagbox@setlinecolor
8193   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
8194 }{%
8195 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
8196 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
8197   \diagbox@setlinecolor
8198   \Line(0,\yym)(\x,0)
8199   \Line(\xm,\y)(\x,0)%
8200 }{%
8201   {\diagbox@setlinecolor
8202   \Line(0,\yym)(\x,0)
8203   \Line(\xm,\y)(\x,0)}%
8204 }{%
8205 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
8206   \diagbox@setlinecolor
8207   \Line(0,0)(\xxm,\y)
8208   \Line(0,0)(\x,\yym)%

```



```

8209 }{%
8210   {\diagbox@setlinecolor
8211   \Line(0,0)(\xxm,\y)
8212   \Line(0,0)(\x,\yy)}%
8213 }{}{%
8214 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
8215   \diagbox@setlinecolor
8216   \Line(0,\ym)(\x,\y)
8217   \Line(\xm,0)(\x,\y)}%
8218 }{%
8219   {\diagbox@setlinecolor
8220   \Line(0,\ym)(\x,\y)
8221   \Line(\xm,0)(\x,\y)}%
8222 }{}{%
8223 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
8224   \diagbox@setlinecolor
8225   \Line(0,\y)(\xxm,0)
8226   \Line(0,\y)(\x,\ym)}%
8227 }{%
8228   {\diagbox@setlinecolor
8229   \Line(0,\y)(\xxm,0)
8230   \Line(0,\y)(\x,\ym)}%
8231 }{}{%

```

49 File `draftwatermark-xetex-bidi.def`

```

8232 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterma
8233 \renewcommand\SetWatermarkText[1]{%
8234   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

50 File `eso-pic-xetex-bidi.def`

```

8235 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for
8236 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
8237   \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}
8238
8239 \ESO@isMEMOIR{%
8240   \renewcommand\AtTextUpperLeft[1]{%
8241     \begingroup
8242       \ifodd\c@page
8243         \tempdima=\spinemargin
8244       \else
8245         \tempdima=\paperwidth
8246         \advance\tempdima-\textwidth
8247         \advance\tempdima-\spinemargin
8248       \fi
8249       \tempdimb=-\uppermargin
8250       \AtPageUpperLeft{%
8251         \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
8252       }%

```



```

8253     \endgroup
8254 }
8255 }{%
8256 \renewcommand{\AtTextUpperLeft}[1]{%
8257     \begin{group}
8258         \tempdima=1in\relax
8259         \ifodd\c@page
8260             \advance\tempdima\oddsidemargin
8261         \else
8262             \advance\tempdima\evensidemargin
8263         \fi
8264         \tempdimb=-1in\relax
8265         \advance\tempdimb-\topmargin
8266         \advance\tempdimb-\headheight
8267         \advance\tempdimb-\headsep
8268         \AtPageUpperLeft{%
8269             \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
8270         }%
8271     \endgroup
8272 }
8273 }

```

51 File empheq-xetex-bidi.def

```

8274 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for XeLaTeX]
8275 \MHInternalSyntaxOn
8276 \def\EQ_tag_plus_endmark:{%
8277     \iftagsleft@
8278         \gdef\maketag@@@##1{%
8279             \hfuzz\displaywidth
8280             \if@RTL\makebox[\widthof{##1}][r]{%
8281                 \hbox to \displaywidth{\m@th\normalfont##1\hss
8282                     \raisebox{-\dp\EQ_mathdisplay_box}{%
8283                         -\depthof{\EQ_outerbox:[]}}%
8284                         {\PotEndMark{\hss}}}}%
8285             \else\makebox[\widthof{##1}][l]{%
8286                 \hbox to \displaywidth{\m@th\normalfont##1\hss
8287                     \raisebox{-\dp\EQ_mathdisplay_box}{%
8288                         -\depthof{\EQ_outerbox:[]}}%
8289                         {\PotEndMark{\hss}}}}\fi}%
8290     \MH_else:
8291         \gdef\maketag@@@##1{%
8292             \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
8293                 \settoheight{\tempdima}{\nameuse{\InTheoType Symbol}}%
8294                 \MH_addtolength:dn \tempdima
8295                 {(\g_EQ_bottomtag_depth_dim+\mintagvsep}%
8296                 \setlength{\tempdimb}
8297                 {(\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:[]}%
8298                     +\depthof{\EQ_innerbox:[]}}%
8299                 \MH_if_dim:w \tempdima>\tempdimb

```



```

8300      \MH_setlength:dn \tempdima{-\dp\EQ_mathdisplay_box
8301          -\tempdima+\g_EQ_bottomrow_depth_dim}
8302      \addtolength{\tempdima}{\depthof{\EQ_innerbox:[]}}%
8303      \def\EQ_next:{\raisebox{\tempdima}{%
8304          \MH_else:
8305              \def\EQ_next:{%
8306                  \raisebox{-\dp\EQ_mathdisplay_box
8307                      -\depthof{\EQ_outerbox:[]}}{%
8308                      \MH_fi:\EQ_next:}}}}%
8309      \MH_fi:}%
8310 \def\EQ_post_process:{%
8311     \EQ_initialize:
8312     \EQ_begin_equation:
8313     \MH_if_boolean:nT {outer_mult}{%
8314         \setkeys{\MT_options_name:}{%
8315             firstline-afterskip=0pt,
8316             lastline-preskip=0pt,
8317             multlined-width=0pt,
8318         }%
8319         \ifodd \l_EQ_alignmentmode_int
8320             \setkeys{\MT_options_name:}{multlined-pos=b}
8321         \MH_else:
8322             \setkeys{\MT_options_name:}{multlined-pos=t}
8323         \MH_fi:
8324             \g@addto@macro\EQ_complete_mathdisplay:{%
8325                 \begin{MTmultlined}\relax
8326             }%
8327             \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
8328             \MH_if_boolean:nT {outer_mult}{%
8329                 \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
8330             }%
8331             \EQ_end_equation:
8332             \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
8333             \savecounters@
8334             \EQ_typeset_tags:
8335             \edef\l_EQ_equation_fint{\number\c@equation}
8336             \restorecounters@
8337             \Hy@linkcounter=\EQ_hyperref_link_fint
8338             \setwidth{\l_EQ_totalwidth_dim}{%
8339                 $ \EQ_left_side:\EQ_innerbox:{} \EQ_right_side:$ }%
8340             \MH_if_boolean:nTF {outer_mult}{%
8341                 { \def\EQ_next:{_mult} }
8342                 { \def\EQ_next:{} }
8343                 \nameuse{EQ_modify_linewidth_
8344                     \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
8345                 \EQ_typeset_display:
8346                 \nameuse{EQ_find_displaywidth_
8347                     \romannumeral\l_EQ_equationtype_int\EQ_next: :}
8348             \MH_addtolength:dn
8349                 \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}

```



```

8350  \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim] [c]{%
8351    $EQ_left_side:
8352    \EQ_innerbox:{%
8353      \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
8354        \makebox[\l_EQ_displaywidth_dim] [c]
8355          {\usebox{\EQ_mathdisplay_box}}%
8356      \MH_or:
8357        \makebox[\l_EQ_displaywidth_dim] [c]
8358          {\usebox{\EQ_mathdisplay_box}}%
8359    \MH_or:
8360      \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
8361        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8362          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8363            \kern-\@mathmargin
8364            \MH_fi:
8365            \MH_fi:
8366              \usebox{\EQ_mathdisplay_box}}%
8367            \else\makebox[\l_EQ_displaywidth_dim] [1]{%
8368              \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8369                \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8370                  \kern-\@mathmargin
8371                  \MH_fi:
8372                  \MH_fi:
8373                    \usebox{\EQ_mathdisplay_box}}\fi%
8374    \MH_or:
8375      \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
8376        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8377          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8378            \kern-\@mathmargin
8379            \MH_fi:
8380            \MH_fi:
8381              \usebox{\EQ_mathdisplay_box}}%
8382            \else\makebox[\l_EQ_displaywidth_dim] [1]{%
8383              \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8384                \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8385                  \kern-\@mathmargin
8386                  \MH_fi:
8387                  \MH_fi:
8388                    \usebox{\EQ_mathdisplay_box}}\fi%
8389        \MH_fi:}%
8390        \EQ_right_side:$}%
8391  \begin{AmSequation*}
8392  \nameuse{EQ_place_display_%
8393    \romannumeral\l_EQ_equationtype_int\l_EQ_next: :}
8394  \MH_if_dim:w \g_EQ_widesttag_dim>\z@%
8395  \MH_set_boolean_T:n {show_manual_tags}
8396  \MH_if_case:w \l_EQ_alignmentmode_int
8397  \MH_or: \if@RTL\l_EQ_place_tag:N l\else\l_EQ_place_tag:N r\fi %#1
8398  \MH_or: \if@RTL\l_EQ_place_tag:N r\else\l_EQ_place_tag:N l\fi %#2
8399  \MH_or: \if@RTL\l_EQ_place_tag:N l\else\l_EQ_place_tag:N r\fi %#3

```



```

8400   \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
8401   \MH_fi:
8402   \MH_fi:
8403   \end{AmSequation*}
8404   \global\c@equation=\l_EQ_equation_fint\relax
8405 }
8406 \AtBeginDocument{%
8407   \@ifpackageloaded{fancybox}{%
8408     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
8409       \renewcommand*\textcolor[2]{\normalcolor{#2}}{}%
8410       \renewcommand*\shadowbox{%
8411         \@ifstar{\MH_set_boolean_T:n \shadowbox_star}%
8412           \VerbBox\EQ_shadowbox:n}%
8413         {\MH_set_boolean_F:n \shadowbox_star}%
8414           \VerbBox\EQ_shadowbox:n}%
8415       \def\EQ_shadowbox:n #1{%
8416         \sbox{\z@\fbox{#1}}%
8417         \MH_if_boolean:nTF \shadowbox_star{%
8418           \MH_setlength:dn \tempdima{\z@}%
8419         }{%
8420           \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}%
8421         }%
8422         \raisebox{\tempdima}{%
8423           \if@RTL\makebox[\z@][r]{%
8424             \kern\shadowsize \textcolor{shadowcolor}{%
8425               \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
8426             }%
8427             \else\makebox[\z@][l]{%
8428               \kern\shadowsize \textcolor{shadowcolor}{%
8429                 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
8430               }%
8431             \usebox\z@\textcolor{shadowcolor}{%
8432               \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
8433         }{%
8434       }%
8435 \MHInternalSyntaxOff

```

52 File extarticle-xetex-bidi.def

```

8436 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
8437 \renewcommand*\l@section[2]{%
8438   \ifnum \c@tocdepth >\z@
8439     \addpenalty\secpenalty
8440     \addvspace{1.0em \oplus \p@}%
8441     \setlength\tempdima{1.5em}%
8442     \begingroup
8443       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \tempdima
8444       \parfillskip -\tempdima
8445       \leavevmode \bfseries
8446       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima

```



```

8447     \hskip -\if@RTL\rightskip\else\leftskip\fi
8448     #1\nobreak\hfil \nobreak\hb@xt@\opnumwidth{\hss #2}\par
8449     \endgroup
8450 \fi}
8451 \renewcommand*\l@part[2]{%
8452 \ifnum \c@tocdepth >-2\relax
8453   \addpenalty\@secpenalty
8454   \addvspace{2.25em \@plus\p@}%
8455   \begingroup
8456     \setlength\@tempdima{3em}%
8457     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \opnumwidth
8458     \parfillskip -\opnumwidth
8459     {\leavevmode
8460       \large \bfseries #1\hfil \hb@xt@\opnumwidth{\hss #2}}\par
8461     \nobreak
8462   \endgroup
8463 \fi}
8464 \def\@part[#1]#2{%
8465   \ifnum \c@secnumdepth >\m@ne
8466     \refstepcounter{part}%
8467     \addcontentsline{toc}{part}{\the\part\hskip{1em}#1}%
8468   \else
8469     \addcontentsline{toc}{part}{#1}%
8470   \fi
8471   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8472     \interlinepenalty \OM
8473     \normalfont
8474     \ifnum \c@secnumdepth >\m@ne
8475       \Large\bfseries \partname~\the\part
8476       \par\nobreak
8477     \fi
8478     \huge \bfseries #2%
8479     \markboth{}{}\par}%
8480   \nobreak
8481   \vskip 3ex
8482   \cafterheading}
8483 \def\@spart#1{%
8484   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8485     \interlinepenalty \OM
8486     \normalfont
8487     \huge \bfseries #1\par}%
8488     \nobreak
8489     \vskip 3ex
8490     \cafterheading}
8491 \renewenvironment{thebibliography}[1]
8492   {\section*{\refname}
8493     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
8494     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
8495     \bidi@thebibliography@font@hook%
8496     \list{\@biblabel{\@arabic\c@enumiv}}%}

```



```

8497      {\settowidth\labelwidth{\@biblabel{#1}}%
8498          \leftmargin\labelwidth
8499          \advance\leftmargin\labelsep
8500          \openbib@code
8501          \usecounter{enumiv}%
8502          \let\p@enumiv\empty
8503          \renewcommand\theenumiv{\arabic{enumiv}}%
8504          \sloppy\clubpenalty4000\widowpenalty4000%
8505          \sfcode`.\@m}
8506          {\def\noitemerr
8507              {\@latex@warning{Empty `thebibliography' environment}}%
8508          \endlist}
8509 \renewcommand\left@footnoterule{%
8510     \kern-3\p@
8511     \hrule\@width.4\columnwidth
8512     \kern2.6\p@}
8513 \renewcommand\right@footnoterule{%
8514     \kern-3\p@
8515     \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill }
8516     \kern2.6\p@}
8517     \if@titlepage
8518     \renewcommand\maketitle{\begin{titlepage}%
8519         \let\footnotesize\small
8520         \let\right@footnoterule\relax
8521         \let\left@footnoterule\relax
8522         \let\textwidth@footnoterule\relax
8523         \let\footnote\thanks
8524         \null\vfil
8525         \vskip 60\p@
8526         \begin{center}%
8527             {\LARGE \@title \par}%
8528             \vskip 3em%
8529             {\large
8530                 \lineskip .75em%
8531                 \begin{tabular}[t]{c}%
8532                     \author
8533                     \end{tabular}\par}%
8534                     \vskip 1.5em%
8535                     {\large \@date \par}        % Set date in \large size.
8536         \end{center}\par
8537         \thanks
8538         \vfil\null
8539         \end{titlepage}%
8540         \setcounter{footnote}{0}%
8541         \global\let\thanks\relax
8542         \global\let\maketitle\relax
8543         \global\let\@thanks\empty
8544         \global\let\@author\empty
8545         \global\let\@date\empty
8546         \global\let\@title\empty

```



```

8547 \global\let\title\relax
8548 \global\let\author\relax
8549 \global\let\date\relax
8550 \global\let\and\relax
8551 }
8552 \else
8553 \renewcommand\maketitle{\par
8554 \begingroup
8555 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8556 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8557 \long\def\@makefntext{\#1{\parindent 1em\noindent
8558 \hb@xt@1.8em{%
8559 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
8560 \if@twocolumn
8561 \ifnum \col@number=\@ne
8562 \maketitle
8563 \else
8564 \twocolumn[\maketitle]%
8565 \fi
8566 \else
8567 \newpage
8568 \global\@topnum\z@ % Prevents figures from going at top of page.
8569 \maketitle
8570 \fi
8571 \thispagestyle{plain}\@thanks
8572 \endgroup
8573 \setcounter{footnote}{0}%
8574 \global\let\thanks\relax
8575 \global\let\maketitle\relax
8576 \global\let\@maketitle\relax
8577 \global\let\@thanks\empty
8578 \global\let\@author\empty
8579 \global\let\@date\empty
8580 \global\let\@title\empty
8581 \global\let\title\relax
8582 \global\let\author\relax
8583 \global\let\date\relax
8584 \global\let\and\relax
8585 }
8586 \def\@maketitle{%
8587 \newpage
8588 \null
8589 \vskip 2em%
8590 \begin{center}%
8591 \let \footnote \thanks
8592 {\LARGE \@title \par}%
8593 \vskip 1.5em%
8594 {\large
8595 \lineskip .5em%
8596 \begin{tabular}[t]{c}%

```



```

8597      \@author
8598      \end{tabular}\par}%
8599      \vskip 1em%
8600      {\large \@date}%
8601  \end{center}%
8602  \par
8603  \vskip 1.5em}
8604 \fi
8605 \renewcommand\thesubsection  {\thesection \@SepMark \arabic{c@subsection}%
8606 \renewcommand\thesubsubsection{\thesubsection \@SepMark \arabic{c@subsubsection}%
8607 \renewcommand\theparagraph   {\thesubsubsection \@SepMark \arabic{c@paragraph}%
8608 \renewcommand\thesubparagraph{\theparagraph \@SepMark \arabic{c@subparagraph}}%

```

53 File extbook-xetex-bidi.def

```

8609 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for XeLaTeX]
8610 \if@titlepage
8611 \renewcommand\maketitle{\begin{titlepage}%
8612 \let\footnotesize\small
8613 \let\right@footnoterule\relax
8614 \let\left@footnoterule\relax
8615 \let\textwidth@footnoterule\relax
8616 \let\footnote\thanks
8617 \let\LTRfootnote\LTRthanks
8618 \let\RTLfootnote\RTLthanks
8619 \null\vfil
8620 \vskip 60\p@
8621 \begin{center}%
8622 {\LARGE \@title \par}%
8623 \vskip 3em%
8624 {\large
8625 \lineskip .75em%
8626 \begin{tabular}[t]{c}%
8627 \@author
8628 \end{tabular}\par}%
8629 \vskip 1.5em%
8630 {\large \@date \par}%
8631 % Set date in \large size.
8632 \end{center}\par
8633 \thanks
8634 \vfilspace
8635 \end{titlepage}%
8636 \setcounter{footnote}{0}%
8637 \global\let\thanks\relax
8638 \global\let\LTRthanks\relax
8639 \global\let\RTLthanks\relax
8640 \global\let\maketitle\relax
8641 \global\let\@thanks\empty
8642 \global\let\@author\empty
8643 \global\let\@date\empty
8644 \global\let\@title\empty

```



```

8644 \global\let\title\relax
8645 \global\let\author\relax
8646 \global\let\date\relax
8647 \global\let\and\relax
8648 }
8649 \else
8650 \renewcommand\maketitle{\par
8651 \begingroup
8652 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8653 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8654 \long\def\@makefntext{\#1\par\indent 1em\noindent
8655 \hb@xt@1.8em{%
8656 \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
8657 \if@twocolumn
8658 \ifnum \col@number=\@ne
8659 \maketitle
8660 \else
8661 \twocolumn[\maketitle]%
8662 \fi
8663 \else
8664 \newpage
8665 \global\@topnum\z@ % Prevents figures from going at top of page.
8666 \maketitle
8667 \fi
8668 \thispagestyle{plain}\@thanks
8669 \endgroup
8670 \setcounter{footnote}{0}%
8671 \global\let\thanks\relax
8672 \global\let\LTRthanks\relax
8673 \global\let\RTLthanks\relax
8674 \global\let\maketitle\relax
8675 \global\let\@maketitle\relax
8676 \global\let\@thanks\@empty
8677 \global\let\@author\@empty
8678 \global\let\@date\@empty
8679 \global\let\@title\@empty
8680 \global\let\title\relax
8681 \global\let\author\relax
8682 \global\let\date\relax
8683 \global\let\and\relax
8684 }
8685 \def\@maketitle{%
8686 \newpage
8687 \null
8688 \vskip 2em%
8689 \begin{center}%
8690 \let \footnote \thanks
8691 \let \LTRfootnote \LTRthanks
8692 \let \RTLfootnote \RTLthanks
8693 {\LARGE \@title \par}%

```



```

8694     \vskip 1.5em%
8695     {\large
8696         \lineskip .5em%
8697         \begin{tabular}[t]{c}%
8698             \author
8699             \end{tabular}\par}%
8700     \vskip 1em%
8701     {\large \@date}%
8702     \end{center}%
8703     \par
8704     \vskip 1.5em}
8705 \fi
8706 \renewcommand*\l@part[2]{%
8707     \ifnum \c@tocdepth >-2\relax
8708         \addpenalty{-\highpenalty}%
8709         \addvspace{2.25em \oplus \p@}%
8710         \begingroup
8711             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8712             \parfillskip -\pnumwidth
8713             {\leavevmode
8714                 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
8715             \nobreak
8716             \global\nobreaktrue
8717             \everypar{\global\nobreakfalse\everypar{}}
8718         \endgroup
8719     \fi}
8720 \renewcommand\theequation
8721     {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
8722 \renewcommand \thefigure
8723     {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
8724 \renewcommand \thetable
8725     {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
8726 \renewcommand \thechapter {\arabic\c@chapter}
8727 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
8728 \renewcommand \thesubsection {\thesection\SepMark\arabic\c@subsection}
8729 \renewcommand \thesubsubsection {\thesubsection\SepMark\arabic\c@subsubsection}
8730 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
8731 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
8732 \def\@makechapterhead#1{%
8733     \vspace*{50\p@}%
8734     \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8735     \ifnum \c@secnumdepth >\m@ne
8736         \if@mainmatter
8737             \huge\bfseries \chapapp\space \thechapter
8738             \par\nobreak
8739             \vskip 20\p@
8740         \fi
8741     \fi
8742     \interlinepenalty\OM
8743     \Huge \bfseries #1\par\nobreak

```



```

8744     \vskip 40

8745 }
8746
8747 \def\@makeschapterhead#1{%
8748   \vspace*{50

8749   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
8750     \normalfont
8751     \interlinepenalty\OM
8752     \Huge \bfseries #1\par\nobreak
8753     \vskip 40

8754   }%
8755 \renewcommand\backmatter{%
8756   \if@openright
8757     \cleardoublepage
8758   \else
8759     \clearpage
8760   \fi
8761   \atmainmatterfalse}
8762 \ renewenvironment{thebibliography}[1]
8763   {\chapter*{\bibname
8764     \atmkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8765     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8766     \bidi@thebibliography@font@hook%
8767     \list{\@biblabel{\@arabic\c@enumiv}}%
8768       {\settowidth\labelwidth{\@biblabel{#1}}%
8769         \leftmargin\labelwidth
8770         \advance\leftmargin\labelsep
8771         \atopenbib@code
8772         \usecounter{enumiv}%
8773         \let\p@enumiv\empty
8774         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8775       \sloppy
8776       \clubpenalty4000
8777       \atclubpenalty \clubpenalty
8778       \widowpenalty4000%
8779       \sfcode`.\@m}
8780   {\def\@noitemerr
8781     {\@latex@warning{Empty `thebibliography' environment}}%
8782   }%
8783 }


```

54 File extletter-xetex-bidi.def

```

8783 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]
8784 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
8785   \thispagestyle{firstpage}%
8786   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
8787   \else % home address
8788   \thispagestyle{empty}%
8789   {\if@RTL\raggedright\begin{tabular}{r@{} }\else\raggedleft\begin{tabular}{l@{} }\fi\ignoreskip
8790     \fromaddress \\*[2\parskip]%
```



```

8791      \cdate \end{tabular}\par}%
8792 \fi
8793 \vspace{2\parskip}%
8794 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
8795 \vspace{2\parskip}%
8796 #1\par\nobreak}
8797 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
8798 \stopbreaks
8799 \noindent
8800 \ifx\empty\fromaddress\else
8801 \hspace*{\longindentation}\fi
8802 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
8803 \ignorespaces #1\\[6\medskipamount]%
8804 \ifx\empty\fromsig
8805 \fromname
8806 \else \fromsig \fi\strut}%
8807 \par}
8808 \renewcommand\left@footnoterule{%
8809 \kern-\p@
8810 \hrule \ewidth .4\columnwidth
8811 \kern .6\p@}
8812 \renewcommand\right@footnoterule{%
8813 \kern-\p@
8814 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
8815 \kern .6\p@}

```

55 File extrafootnotefeatures-xetex-bidi.def

```

8816 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2018/10/11 v1.7 bidi extra footnote featur
8817 \newif\if@bidi@void@footins
8818 \newif\if@bidi@void@mpfootins
8819 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
8820 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8821 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
8822 \ifHy@hyperfootnotes
8823 \let\@@H@footnotetext\footnotetext
8824 \let\@@HLTR@LTRfootnotetext\LTRfootnotetext
8825 \let\@@HRTL@RTLfootnotetext\RTLfootnotetext
8826 \let\@@H@mpfootnotetext\mpfootnotetext
8827 \let\@@HLTR@mpLTRfootnotetext\mpLTRfootnotetext
8828 \let\@@HRTL@mpRTLfootnotetext\mpRTLfootnotetext
8829 \fi
8830 }%
8831 }%
8832 }
8833 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
8834 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8835 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
8836 \ifHy@hyperfootnotes
8837 \let\H@footnotetext\footnotetext

```



```

8838 \let\@footnotetext\@@H@@footnotetext
8839 \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
8840 \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
8841 \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
8842 \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
8843 \let\H@@mpfootnotetext\@mpfootnotetext
8844 \let\@mpfootnotetext\@@H@@mpfootnotetext
8845 \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
8846 \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
8847 \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
8848 \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
8849 \fi
8850 }%
8851 }%
8852 }
8853 \let\autofootnoterule\relax
8854 \let\rightfootnoterule\relax
8855 \let\leftfootnoterule\relax
8856 \let\textwidthfootnoterule\relax
8857 \let\LRfootnoterule\relax
8858 \def\footnoterule{\kern-3\p@
8859   \hrule \width \columnwidth \kern 2.6\p@}
8860 \newcommand{\@preamnormalfmt}{%
8861   \parindent 1em%
8862   \noindent
8863 }
8864 \newcommand{\@normalfootfmt}[1]{%
8865   \@preamnormalfmt
8866   \footfootmark
8867   \rule{z@\footnotesep}{\ignorespaces{\foottextfont #1}}%
8868   \finalstrut\strutbox
8869 }
8870 \newcommand{\@normalRTLfootfmt}[1]{%
8871   \@preamnormalfmt
8872   \RTLfootfootmark
8873   \rule{z@\footnotesep}{\ignorespaces{\RTLfoottextfont #1}}%
8874   \finalstrut\strutbox
8875 }
8876 \newcommand{\@normalLTRfootfmt}[1]{%
8877   \@preamnormalfmt
8878   \LTRfootfootmark
8879   \rule{z@\footnotesep}{\ignorespaces{\LTRfoottextfont #1}}%
8880   \finalstrut\strutbox
8881 }
8882 \renewcommand{\@footnotetext}[1]{%
8883   \insert\footins{%
8884     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8885     \def\baselinestretch{\m@m@footnote@spacing}%
8886     \reset@font
8887     \foottextfont

```



```

8888  \@preamfntext
8889  \hsize\columnwidth
8890  \protected@edef{@currentlabel{%
8891    \csname p@footnote\endcsname\@thefnmark}%
8892    \color@begingroup
8893      @normalfootfmt{#1}%
8894    \color@endgroup}%
8895    \m@mmf@prepare}
8896 \renewcommand{\@RTLfootnotetext}[1]{%
8897  \insert\footins{%
8898    \@RTLtrue%
8899    \def\baselinestretch{\m@m@footnote@spacing}%
8900    \reset@font
8901    \RTLfoottextfont
8902    \@preamfntext
8903    \hsize\columnwidth
8904    \protected@edef{@currentlabel{%
8905      \csname p@footnote\endcsname\@thefnmark}%
8906      \color@begingroup
8907        @normalRTLfootfmt{#1}%
8908      \color@endgroup}%
8909      \m@mmf@prepare}
8910 \renewcommand{\@LTRfootnotetext}[1]{%
8911  \insert\footins{%
8912    \@RTLfalse%
8913    \def\baselinestretch{\m@m@footnote@spacing}%
8914    \reset@font
8915    \LTRfoottextfont
8916    \@preamfntext
8917    \hsize\columnwidth
8918    \protected@edef{@currentlabel{%
8919      \csname p@footnote\endcsname\@thefnmark}%
8920      \color@begingroup
8921        @normalLTRfootfmt{#1}%
8922      \color@endgroup}%
8923      \m@mmf@prepare}
8924 \renewcommand{\@mpfootnotetext}[1]{%
8925  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8926    \unvbox\@mpfootins
8927    \def\baselinestretch{\m@m@footnote@spacing}%
8928    \reset@font%
8929    \foottextfont \hsize\columnwidth \parboxrestore
8930    \protected@edef{@currentlabel{%
8931      \csname p@mpfootnote\endcsname\@thefnmark}%
8932      \color@begingroup
8933        @normalfootfmt{#1}%
8934      \color@endgroup}%
8935 \renewcommand{\@mpLTRfootnotetext}[1]{%
8936  \global\setbox\@mpfootins\vbox{\@RTLfalse%
8937    \unvbox\@mpfootins

```



```

8938     \def\baselinestretch{\m@m@footnote@spacing}%
8939     \reset@font%
8940     \LTRfoottextfont \hsize\columnwidth \parboxrestore
8941     \protected@edef@\currentlabel{%
8942         \csname p@mpfootnote\endcsname\@thefnmark}%
8943     \color@begingroup
8944         \normalLTRfootfmt{\#1}%
8945     \color@endgroup}%
8946 \renewcommand{\@mpRTLfootnotetext}[1]{%
8947     \global\setbox\@mpfootins\vbox{\@RTLtrue%
8948         \unvbox\@mpfootins
8949         \def\baselinestretch{\m@m@footnote@spacing}%
8950         \reset@font%
8951         \RTLfoottextfont \hsize\columnwidth \parboxrestore
8952         \protected@edef@\currentlabel{%
8953             \csname p@mpfootnote\endcsname\@thefnmark}%
8954         \color@begingroup
8955             \normalRTLfootfmt{\#1}%
8956         \color@endgroup}%
8957 \let\m@mold@footnotetext\@footnotetext
8958 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
8959 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
8960 \let\m@mold@mpfootnotetext\@mpfootnotetext
8961 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
8962 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
8963 \bidi@ensure@newcommand{\normalfootnotes}{%
8964     \bidi@before@Hy@hyperfootnotes
8965     \let\@footnotetext\m@mold@footnotetext
8966     \let\@LTRfootnotetext\m@mold@LTRfootnotetext
8967     \let\@RTLfootnotetext\m@mold@RTLfootnotetext
8968     \let\@mpfootnotetext\m@mold@mpfootnotetext
8969     \let\@mplTRfootnotetext\m@mold@mplTRfootnotetext
8970     \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
8971     \bidi@after@Hy@hyperfootnotes
8972     \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
8973 }
8974 \ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}%
8975 \bidi@ensure@newcommand*\{@RTLcolumnfootnotes}{\@RTLcolumnfootnotestru}%
8976 \bidi@ensure@newcommand*\{@LTRcolumnfootnotes}{\@RTLcolumnfootnotesfa}%
8977 \bidi@ensure@newcommand*\{@setSingleSpace}{1}%
8978 \def\m@m@singlespace{\#1}%
8979 \def\m@m@footnote@spacing{\#1}%
8980 \def\m@m@float@spacing{\#1} %
8981 }
8982 \setSingleSpace{1}
8983 \bidi@ensure@newcommand*\{@multiplefootnotemarker}{3sp}%
8984 \bidi@ensure@newcommand*\{@mmf@prepare}{%
8985     \kern-\multiplefootnotemarker
8986     \kern\multiplefootnotemarker\relax
8987 \bidi@ensure@newlength{\footmarkwidth}

```



```

8988 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
8989 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
8990 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
8991 \bidi@ensure@newcommand{\footfootmark}{%
8992   \ifdim\footmarkwidth < \z@%
8993     \llap{\hb@xt@ -\footmarkwidth{%
8994       \hss\normalfont\footscript{\@thefnmark}}%%
8995       \hspace*{-\footmarkwidth}}}%%
8996 \else%
8997   \ifdim\footmarkwidth = \z@%
8998     {\normalfont\footscript{\@thefnmark}}%%
8999   \else%
9000     \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%%
9001   \fi%
9002 \fi}%
9003 \bidi@ensure@newcommand{\LTRfootfootmark}{%
9004   \ifdim\footmarkwidth < \z@%
9005     \llap{\hb@xt@ -\footmarkwidth{%
9006       \hss\normalfont\LTRfootscript{\@thefnmark}}%%
9007       \hspace*{-\footmarkwidth}}}%%
9008 \else%
9009   \ifdim\footmarkwidth = \z@%
9010     {\normalfont\LTRfootscript{\@thefnmark}}%%
9011   \else%
9012     \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%%
9013   \fi%
9014 \fi}%
9015 \bidi@ensure@newcommand{\RTLfootfootmark}{%
9016   \ifdim\footmarkwidth < \z@%
9017     \llap{\hb@xt@ -\footmarkwidth{%
9018       \hss\normalfont\RTLfootscript{\@thefnmark}}%%
9019       \hspace*{-\footmarkwidth}}}%%
9020 \else%
9021   \ifdim\footmarkwidth = \z@%
9022     {\normalfont\RTLfootscript{\@thefnmark}}%%
9023   \else%
9024     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%%
9025   \fi%
9026 \fi}%
9027 \footmarkstyle{\textsuperscript{#1}}%
9028 \LTRfootmarkstyle{\textsuperscript{#1}}%
9029 \RTLfootmarkstyle{\textsuperscript{#1}}%
9030 \newcommand*{\bidi@normal@footmarkwidth}{%
9031   \setlength{\footmarkwidth}{1em plus .4em minus .4em}}%
9032 }%
9033 \newcommand*{\bidi@star@footmarkwidth}{%
9034   \setlength{\footmarkwidth}{0em plus .4em minus .4em}}%
9035 }%
9036 \bidi@normal@footmarkwidth
9037 \bidi@ensure@newcommand{\m@ndoextrafeet}{\extrafeetins}

```



```

9038 \bidi@ensure@newcommand*\{\\extrafeetins}{%
9039   \\setbox\\@outputbox \\vbox{%
9040     \\boxmaxdepth \\@maxdepth
9041     \\unvbox\\@outputbox
9042     \\ifvoid\\footinsv@r
9043       \\ifvoid\\footinsv@l
9044       \\else
9045         \\@footstartv@l
9046         \\@LTRfootgroupv@l
9047       \\fi
9048     \\else
9049       \\@footstartv@r
9050       \\@footgroupv@r
9051       \\ifvoid\\footinsv@l
9052       \\else
9053         \\@@footstart@@v@l
9054         \\@LTRfootgroupv@l
9055       \\fi
9056     \\fi
9057     \\ifvoid\\@bidi@copyins@
9058     \\else
9059       \\vskip \\skip\\@bidi@copyins@
9060       \\color@begingroup
9061         \\normalcolor
9062         \\unvbox \\@bidi@copyins@
9063       \\color@endgroup
9064     \\fi
9065     \\extrafeetinshook}
9066 \\bidi@ensure@newcommand{\\extrafeetinshook}{}
9067 \\bidi@ensure@newcommand{\\foottextfont}{\\footnotesize}
9068 \\bidi@ensure@newcommand{\\LTRfoottextfont}{\\footnotesize}
9069 \\bidi@ensure@newcommand{\\RTLfoottextfont}{\\footnotesize}
9070 \\bidi@ensure@newlength{\\footinsdim}
9071   \\setlength{\\footinsdim}{8in} % standard for \\dimen\\footins
9072 \\bidi@ensure@newcommand{\\@preamfntext}{%
9073   \\interlinepenalty\\interfootnotelinepenalty
9074   \\floatingpenalty \\OMM
9075   \\splittopskip=\\footnotesep
9076   \\splitmaxdepth=\\dp\\strutbox
9077   \\@parboxrestore}
9078 \\bidi@ensure@newcommand{\\m@ndoextrafeetmini}{%
9079   \\extrafeetminihook}
9080 \\bidi@ensure@newcommand{\\extrafeetendmini}{%
9081   \\ifvoid\\cmpfootinsv@r
9082     \\ifvoid\\@mpfootinsv@l
9083     \\else
9084       \\vskip\\skip\\@mpfootins
9085       \\normalcolor
9086       \\if@bidi@void@@mpfootins
9087         \\footnoterule

```



```

9088     \fi
9089     \mp@LTRfootgroupv@l
9090   \fi
9091 \else
9092   \vskip\skip\@mpfootins
9093   \normalcolor
9094   \if@bidi@void@@@mpfootins
9095     \footnoterule
9096   \fi
9097   \mp@footgroupv@r
9098   \ifvoid\@mpfootinsv@l
9099   \else
9100     \vskip\skip\@mpfootins
9101     \normalcolor\mp@LTRfootgroupv@l
9102   \fi
9103 \fi
9104 \extrafeetendminihook}
9105 \bidi@ensure@newcommand{\extrafeetendminihook}{}%
9106 \bidi@ensure@newcommand{\m@ndoextrafeetendmini}{\extrafeetendmini}
9107 \def\endminipage{%
9108   \par
9109   \unskip
9110   \ifvoid\@mpfootins
9111     \global\@bidi@void@@@mpfootintrue
9112   \else
9113     \global\@bidi@void@@@mpfootinsfalse
9114     \vskip\skip\@mpfootins
9115     \normalcolor
9116     \footnoterule
9117     \unvbox\@mpfootins
9118   \fi
9119 \m@ndoextrafeetendmini
9120 \minipagetrue
9121 \color@endgroup
9122 \egroup
9123 \expandafter\ciiiparbox\cmpargs{\unvbox\@tempboxa}%
9124 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
9125   \namedef{footstart#1}{%
9126     \bidi@mopfn@bottom
9127     \leftskip=\z@
9128     \rightskip=\z@
9129     \parindent=\z@
9130     \vskip\skip\footins
9131     \footnoterule}}
9132 \newinsert\footinsv@r
9133 \skip\footinsv@r\bigskipamount
9134 \count\footinsv@r=1000 % no magnification
9135 \dimen\footinsv@r=\footinsdim
9136 \m@make@footstart{v@r}
9137 \newinsert\footinsv@l

```



```

9138 \skip\footinsv@l\bigskipamount
9139 \bidi@ensure@newcommand{\@footgroupv@r}{}
9140 \newinsert\@mpfootinsv@r
9141 \newinsert\@mpfootinsv@l
9142 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
9143 \newcount\m@m@k \newdimen\m@m@h
9144 \@ifpackageloaded{multicol}{%
9145 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
9146 \hspace*{\textwidth}
9147 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
9148 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
9149 }%}
9150 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
9151 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
9152 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
9153 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
9154 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
9155 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
9156 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
9157 \setbox2\vsplit0 to \dimen0
9158 \unvbox2 }
9159 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
9160 \namedef{foottextfontv@r}{\foottextfont}%
9161 \bidi@before@Hy@hyperfootnotes
9162 \let\@footnotetext\@twocolfootnotetext
9163 \let\@LTRfootnotetext\@twocolLTRfootnotetext
9164 \let\@RTLfootnotetext\@twocolRTLfootnotetext
9165 \dimen\footinsv@r=2\footinsdim
9166 \count\footinsv@r=500\relax
9167 \m@make@twocol@footgroup{v@r}%
9168 \let\@footgroupv@r\@twocol@footgroupv@r
9169 \let\@mpfootnotetext\@mptwocolfootnotetext
9170 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
9171 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
9172 \bidi@after@Hy@hyperfootnotes
9173 \m@make@mp@twocol@footgroup{v@r}%
9174 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
9175 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9176 }
9177 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
9178 \def\baselinestretch{\m@m@footnote@spacing}%
9179 \reset@font\foottextfont
9180 \preamfntext
9181 \protected@edef\@currentlabel{%
9182 \csname p@footnote\endcsname\@thefnmark}%
9183 \color@begingroup
9184 \@twocolfootfmt{\#1}%
9185 \color@endgroup}%
9186 \m@mmf@prepare}
9187 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes

```



```

9188 \def\baselinestretch{\m@m@footnote@spacing}%
9189 \reset@font\LTRfoottextfont
9190 \preamfntext
9191 \protected@edef\@currentlabel{%
9192   \csname p@footnote\endcsname\@thefnmark}%
9193 \color@begingroup
9194   \atwocolLTrfootfmt{\#1}%
9195 \color@endgroup}%
9196 \m@mmf@prepare}
9197 \bidi@ensure@newcommand{\atwocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
9198 \def\baselinestretch{\m@m@footnote@spacing}%
9199 \reset@font\RTLfoottextfont
9200 \preamfntext
9201 \protected@edef\@currentlabel{%
9202   \csname p@footnote\endcsname\@thefnmark}%
9203 \color@begingroup
9204   \atwocolRTLfootfmt{\#1}%
9205 \color@endgroup}%
9206 \m@mmf@prepare}
9207 \bidi@ensure@newcommand{\@preamtwofmt}{%
9208   \hsize .45\hsize
9209   \parindent=\z@
9210   \tolerance=5000\relax
9211   \leavevmode}
9212 \bidi@ensure@newcommand{\atwocolfootfmt}[1]{%
9213   \preamtwofmt
9214   {\footfootmark\strut {\foottextfont \#1}\strut\par}\allowbreak}
9215 \bidi@ensure@newcommand{\atwocolLTrfootfmt}[1]{%
9216   \preamtwofmt
9217   {\LTrfootfootmark\strut {\LTrfoottextfont \#1}\strut\par}\allowbreak}
9218 \bidi@ensure@newcommand{\atwocolRTLfootfmt}[1]{%
9219   \preamtwofmt
9220   {\RTLfootfootmark\strut {\RTLfoottextfont \#1}\strut\par}\allowbreak}
9221 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
9222   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9223     \unvbox\@mpfootinsv@r
9224     \def\baselinestretch{\m@m@footnote@spacing}%
9225     \reset@font\foottextfont
9226     \hsize\columnwidth \parboxrestore
9227     \protected@edef\@currentlabel{%
9228       \csname p@mpfootnote\endcsname\@thefnmark}%
9229     \color@begingroup
9230       \atwocolfootfmt{\#1}%
9231     \color@endgroup}%
9232     \m@mmf@prepare}
9233 \bidi@ensure@newcommand{\@mptwocolLTrfootnotetext}[1]{%
9234   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse}%
9235   \unvbox\@mpfootinsv@r
9236   \def\baselinestretch{\m@m@footnote@spacing}%
9237   \reset@font\LTRfoottextfont

```



```

9238   \hsize\columnwidth \parboxrestore
9239   \if@RTLcolumnfootnotes\beginL\fi
9240   \protected@edef@\currentlabel{%
9241     \csname p@mpfootnote\endcsname\thefnmark}%
9242   \color@begingroup
9243     \atwocolLTRfootfmt{\#1}%
9244   \color@endgroup}%
9245   \m@mmf@prepare}
9246 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
9247   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue}%
9248   \unvbox\@mpfootinsv@r
9249   \def\baselinestretch{\m@m@footnote@spacing}%
9250   \reset@font\RTLfoottextfont
9251   \hsize\columnwidth \parboxrestore
9252   \protected@edef@\currentlabel{%
9253     \csname p@mpfootnote\endcsname\thefnmark}%
9254   \color@begingroup
9255     \atwocolRTLfootfmt{\#1}%
9256   \color@endgroup}%
9257   \m@mmf@prepare}
9258 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
9259   \namedef{@twocol@footgroup#1}{%
9260     \def\baselinestretch{\m@m@footnote@spacing}%
9261     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9262     \m@mrigidbalance{\nameuse{footins#1}\tw@{\splittopskip}}}%
9263 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
9264   \namedef{@mptwocol@footgroup#1}{%
9265     \def\baselinestretch{\m@m@footnote@spacing}%
9266     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9267     \m@mrigidbalance{\nameuse{@mpfootins#1}\tw@{\splittopskip}}}%
9268 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
9269   \namedef{foottextfontv@r}{\foottextfont} \% [RS]
9270   @bidi@before@Hy@hyperfootnotes
9271   \let@\footnotetext@threecolfootnotetext
9272   \let@\LTRfootnotetext@threecolLTRfootnotetext
9273   \let@\RTLfootnotetext@threecolRTLfootnotetext
9274   \dimen\footinsv@r=3\footinsdim
9275   \count\footinsv@r=333\relax
9276   \m@make@threecol@footgroup{v@r}%
9277   \let@\footgroupv@r@threecol@footgroupv@r
9278   \let@\mpfootnotetext@mpthreecolfootnotetext
9279   \let@\mpLTRfootnotetext@mpthreecolLTRfootnotetext
9280   \let@\mpRTLfootnotetext@mpthreecolRTLfootnotetext
9281   @bidi@after@Hy@hyperfootnotes
9282   \m@make@mpthreecol@footgroup{v@r}%
9283   \let\mp@footgroupv@r\mpthreecol@footgroupv@r
9284   @ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9285 }
9286 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
9287   \def\baselinestretch{\m@m@footnote@spacing}%

```



```

9288  \reset@font\foottextfont
9289  \@preamfntext
9290  \protected@edef{@currentlabel{%
9291    \csname p@footnote\endcsname\@thefnmark}%
9292  \color@begingroup
9293    @threecolfootfmt{#1}%
9294  \color@endgroup}\m@mmf@prepare}
9295 \bidi@ensure@newcommand{@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
9296  \def\baselinestretch{\m@m@footnote@spacing}%
9297  \reset@font\LTRfoottextfont
9298  \@preamfntext
9299  \protected@edef{@currentlabel{%
9300    \csname p@footnote\endcsname\@thefnmark}%
9301  \color@begingroup
9302    @threecolLTRfootfmt{#1}%
9303  \color@endgroup}\m@mmf@prepare}
9304 \bidi@ensure@newcommand{@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9305  \def\baselinestretch{\m@m@footnote@spacing}%
9306  \reset@font\RTLfoottextfont
9307  \@preamfntext
9308  \protected@edef{@currentlabel{%
9309    \csname p@footnote\endcsname\@thefnmark}%
9310  \color@begingroup
9311    @threecolRTLfootfmt{#1}%
9312  \color@endgroup}\m@mmf@prepare}
9313 \bidi@ensure@newcommand{@preamthreefmt}{%
9314  \hsize .3\hsize
9315  \parindent=\z@
9316  \tolerance=5000\relax
9317  \leavevmode}
9318 \bidi@ensure@newcommand{@threecolfootfmt}[1]{%
9319  \@preamthreefmt
9320  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9321 \bidi@ensure@newcommand{@threecolLTRfootfmt}[1]{%
9322  \@preamthreefmt
9323  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9324 \bidi@ensure@newcommand{@threecolRTLfootfmt}[1]{%
9325  \@preamthreefmt
9326  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9327 \bidi@ensure@newcommand{@mpthreecolfootnotetext}[1]{%
9328  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9329  \unvbox\@mpfootinsv@r
9330  \def\baselinestretch{\m@m@footnote@spacing}%
9331  \reset@font\foottextfont
9332  \hsize\columnwidth \parboxrestore
9333  \protected@edef{@currentlabel{%
9334    \csname p@mpfootnote\endcsname\@thefnmark}%
9335  \color@begingroup
9336    @threecolfootfmt{#1}%
9337  \color@endgroup}\m@mmf@prepare}

```



```

9338 \bidi@ensure@newcommand{\@mpthreeccolLTRfootnotetext}[1]{%
9339   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9340     \unvbox\@mpfootinsv@r
9341     \def\baselinestretch{\m@m@footnote@spacing}%
9342     \reset@font\LTRfoottextfont
9343     \hsize\columnwidth \parboxrestore
9344     \if@RTLcolumnfootnotes\beginL\fi
9345     \protected@edef\@currentlabel{%
9346       \csname p@mpfootnote\endcsname\@thefnmark}%
9347     \color@begingroup
9348       \@threecollTRfootfmt{#1}%
9349     \color@endgroup}\m@mmf@prepare}
9350 \bidi@ensure@newcommand{\@mpthreeccolRTLfootnotetext}[1]{%
9351   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9352     \unvbox\@mpfootinsv@r
9353     \def\baselinestretch{\m@m@footnote@spacing}%
9354     \reset@font\RTLfoottextfont
9355     \hsize\columnwidth \parboxrestore
9356     \protected@edef\@currentlabel{%
9357       \csname p@mpfootnote\endcsname\@thefnmark}%
9358     \color@begingroup
9359       \@threecolRTLfootfmt{#1}%
9360     \color@endgroup}\m@mmf@prepare}
9361 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
9362 \namedef{@threecol@footgroup#1}{%
9363   \def\baselinestretch{\m@m@footnote@spacing}%
9364   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9365   \m@mrigidbalance{\nameuse{footins#1}}{\thr@@}{\splittopskip}}}
9366 \bidi@ensure@newcommand{\m@make@mpthreeccol@footgroup}[1]{%
9367 \namedef{@mpthreeccol@footgroup#1}{%
9368   \def\baselinestretch{\m@m@footnote@spacing}%
9369   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9370   \m@mrigidbalance{\nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}
9371 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
9372   \namedef{foottextfontv@r}{\foottextfont}%
9373   \bidi@before@Hy@hyperfootnotes
9374   \let\footnotetext\fourcolfootnotetext
9375   \let\@LTRfootnotetext\fourcolLTRfootnotetext
9376   \let\@RTLfootnotetext\fourcolRTLfootnotetext
9377   \dimen\footinsv@r=4\footinsdim
9378   \count\footinsv@r=250\relax
9379   \m@make@fourcol@footgroup{v@r}%
9380   \let\@footgroupv@r\fourcol@footgroupv@r
9381   \let\@mpfootnotetext\mpfourcolfootnotetext
9382   \let\@mplTRfootnotetext\mpfourcolLTRfootnotetext
9383   \let\@mpRTLfootnotetext\mpfourcolRTLfootnotetext
9384   \bidi@after@Hy@hyperfootnotes
9385   \m@make@mpfourcol@footgroup{v@r}%
9386   \let\mp@footgroupv@r\mpfourcol@footgroupv@r
9387   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth

```



```

9388 }
9389 \bidi@ensure@newcommand{\fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
9390   \def\baselinestretch{\m@m@footnote@spacing}%
9391   \reset@font\foottextfont
9392   \preamfntext
9393   \protected@edef\@currentlabel{%
9394     \csname p@footnote\endcsname\@thefnmark}%
9395   \color@begingroup
9396     \fourcolfootfmt{#1}%
9397   \color@endgroup}%
9398   \m@mmf@prepare}
9399 \bidi@ensure@newcommand{\fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9400   \def\baselinestretch{\m@m@footnote@spacing}%
9401   \reset@font\LTRfoottextfont
9402   \preamfntext
9403   \protected@edef\@currentlabel{%
9404     \csname p@footnote\endcsname\@thefnmark}%
9405   \color@begingroup
9406     \fourcolLTRfootfmt{#1}%
9407   \color@endgroup}%
9408   \m@mmf@prepare}
9409 \bidi@ensure@newcommand{\fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9410   \def\baselinestretch{\m@m@footnote@spacing}%
9411   \reset@font\RTLfoottextfont
9412   \preamfntext
9413   \protected@edef\@currentlabel{%
9414     \csname p@footnote\endcsname\@thefnmark}%
9415   \color@begingroup
9416     \fourcolRTLfootfmt{#1}%
9417   \color@endgroup}%
9418   \m@mmf@prepare}
9419 \bidi@ensure@newcommand{\preamfourfmt}{%
9420   \hsize .25\hsize
9421   \parindent=\z@
9422   \tolerance=5000\relax
9423   \leavevmode}
9424 \bidi@ensure@newcommand{\fourcolfootfmt}[1]{%
9425   \preamfourfmt
9426   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9427 \bidi@ensure@newcommand{\fourcolLTRfootfmt}[1]{%
9428   \preamfourfmt
9429   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9430 \bidi@ensure@newcommand{\fourcolRTLfootfmt}[1]{%
9431   \preamfourfmt
9432   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9433 \bidi@ensure@newcommand{\mpfourcolfootnotetext}[1]{%
9434   \global\setbox\mpfootinsv@r\vbox{\if@RTL@footnote@\RTLtrue\else\RTLfalse\fi%
9435   \unvbox\mpfootinsv@r
9436   \def\baselinestretch{\m@m@footnote@spacing}%
9437   \reset@font\foottextfont

```



```

9438   \hsize\columnwidth \@parboxrestore
9439   \protected@edef{@currentlabel{%
9440     \csname p@mpfootnote\endcsname\@thefnmark}%
9441   \color@begingroup
9442     \@fourcolfootfmt{#1}%
9443   \color@endgroup}%
9444   \m@mmf@prepare}
9445 \bidi@ensure@newcommand{\@mpfourcollTRfootnotetext}[1]{%
9446   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9447     \unvbox\@mpfootinsv@r
9448     \def\baselinestretch{\m@m@footnote@spacing}%
9449     \reset@font\LTRfoottextfont
9450     \hsize\columnwidth \@parboxrestore
9451     \if@RTLcolumnfootnotes\beginL\fi
9452     \protected@edef{@currentlabel{%
9453       \csname p@mpfootnote\endcsname\@thefnmark}%
9454     \color@begingroup
9455       \@fourcollTRfootfmt{#1}%
9456     \color@endgroup}%
9457     \m@mmf@prepare}
9458 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
9459   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9460     \unvbox\@mpfootinsv@r
9461     \def\baselinestretch{\m@m@footnote@spacing}%
9462     \reset@font\RTLfoottextfont
9463     \hsize\columnwidth \@parboxrestore
9464     \protected@edef{@currentlabel{%
9465       \csname p@mpfootnote\endcsname\@thefnmark}%
9466     \color@begingroup
9467       \@fourcolRTLfootfmt{#1}%
9468     \color@endgroup}%
9469     \m@mmf@prepare}
9470 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
9471   \@namedef{@fourcol@footgroup#1}{%
9472     \def\baselinestretch{\m@m@footnote@spacing}%
9473     \nameuse{foottextfont}{1} \splittopskip=\ht\strutbox
9474     \m@mrigidbalance{\nameuse{footins}{1}}{4}{\splittopskip}}}
9475 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
9476   \@namedef{@mpfourcol@footgroup#1}{%
9477     \def\baselinestretch{\m@m@footnote@spacing}%
9478     \nameuse{foottextfont}{1} \splittopskip=\ht\strutbox
9479     \m@mrigidbalance{\nameuse{@mpfootins}{1}}{4}{\splittopskip}}}
9480 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
9481   \@namedef{foottextfontv@r}{\foottextfont}%
9482   \bidi@before@Hy@hyperfootnotes
9483   \let\@footnotetext\@fivecolfootnotetext
9484   \let\@LTRfootnotetext\@fivecollTRfootnotetext
9485   \let\@RTLfootnotetext\@fivecolRTLfootnotetext
9486   \dimen\footinsv@r=5\footinsdim
9487   \count\footinsv@r=200\relax

```



```

9488  \m@make@fivecol@footgroup{v@r}%
9489  \let\@footgroupv@r\@fivecol@footgroupv@r
9490  \let\@mpfootnotetext\@mpfivecolfootnotetext
9491  \let\@mplTRfootnotetext\@mpfivecolLTRfootnotetext
9492  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
9493  \@bidi@after@Hy@hyperfootnotes
9494  \m@make@mpfivecol@footgroup{v@r}%
9495  \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
9496  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9497 }
9498 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9499  \def\baselinestretch{\m@m@footnote@spacing}%
9500  \reset@font\foottextfont
9501  \preamfntext
9502  \protected@edef\@currentlabel{%
9503   \csname p@footnote\endcsname\@thefnmark}%
9504  \color@begingroup
9505   \@fivecolfootfmt{\#1}%
9506  \color@endgroup}%
9507  \m@mmf@prepare}
9508 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9509  \def\baselinestretch{\m@m@footnote@spacing}%
9510  \reset@font\LTRfoottextfont
9511  \preamfntext
9512  \protected@edef\@currentlabel{%
9513   \csname p@footnote\endcsname\@thefnmark}%
9514  \color@begingroup
9515   \@fivecolLTRfootfmt{\#1}%
9516  \color@endgroup}%
9517  \m@mmf@prepare}
9518 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9519  \def\baselinestretch{\m@m@footnote@spacing}%
9520  \reset@font\RTLfoottextfont
9521  \preamfntext
9522  \protected@edef\@currentlabel{%
9523   \csname p@footnote\endcsname\@thefnmark}%
9524  \color@begingroup
9525   \@fivecolRTLfootfmt{\#1}%
9526  \color@endgroup}%
9527  \m@mmf@prepare}
9528 \bidi@ensure@newcommand{\@preamfivefmt}{%
9529  \hsize .2\hsize
9530  \parindent=\z@
9531  \tolerance=5000\relax
9532  \leavevmode}
9533 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
9534  \preamfivefmt
9535  {\footfootmark\strut {\foottextfont \#1}\strut\par}\allowbreak}
9536 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
9537  \preamfivefmt

```



```

9538   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9539 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
9540   \preamfivefmt
9541   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9542 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
9543   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9544     \unvbox\@mpfootinsv@r
9545     \def\baselinestretch{\m@m@footnote@spacing}%
9546     \reset@font\foottextfont
9547     \hsize\columnwidth \parboxrestore
9548     \protected@edef@\currentlabel{%
9549       \csname p@mpfootnote\endcsname\@thefnmark}%
9550     \color@begingroup
9551       \@fivecolfootfmt{#1}%
9552     \color@endgroup}%
9553     \m@mmf@prepare}
9554 \bidi@ensure@newcommand{\@mpfivecollTRfootnotetext}[1]{%
9555   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9556     \unvbox\@mpfootinsv@r
9557     \def\baselinestretch{\m@m@footnote@spacing}%
9558     \reset@font\LTRfoottextfont
9559     \hsize\columnwidth \parboxrestore
9560     \if@RTLcolumnfootnotes\beginL\fi
9561     \protected@edef@\currentlabel{%
9562       \csname p@mpfootnote\endcsname\@thefnmark}%
9563     \color@begingroup
9564       \@fivecolLTRfootfmt{#1}%
9565     \color@endgroup}%
9566     \m@mmf@prepare}
9567 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
9568   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9569     \unvbox\@mpfootinsv@r
9570     \def\baselinestretch{\m@m@footnote@spacing}%
9571     \reset@font\RTLfoottextfont
9572     \hsize\columnwidth \parboxrestore
9573     \protected@edef@\currentlabel{%
9574       \csname p@mpfootnote\endcsname\@thefnmark}%
9575     \color@begingroup
9576       \@fivecolRTLfootfmt{#1}%
9577     \color@endgroup}%
9578     \m@mmf@prepare}
9579 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
9580   \namedef{@fivecol@footgroup#1}{{%
9581     \def\baselinestretch{\m@m@footnote@spacing}%
9582     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9583     \m@rigidbalance{\nameuse{footins#1}}{5}{\splittopskip}}}%
9584 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
9585   \namedef{@mpfivecol@footgroup#1}{{%
9586     \def\baselinestretch{\m@m@footnote@spacing}%
9587     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```



```

9588  \m@mrigidbalance{\@nameuse{\mpfootins#1}}{5}{\splittopskip}]}
9589 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
9590  \@namedef{foottextfontv@r}{\foottextfont}\% % [RS]
9591  \@bidi@before@Hy@hyperfootnotes
9592  \let\@footnotetext\@sixcolfootnotetext
9593  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
9594  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
9595  \dimen\footinsv@r=6\footinsdim
9596  \count\footinsv@r=166\relax
9597  \m@make@sixcol@footgroup{v@r}\%
9598  \let\@footgroupv@r\@sixcol@footgroupv@r
9599  \let\@mpfootnotetext\@mpsixcolfootnotetext
9600  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
9601  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
9602  \@bidi@after@Hy@hyperfootnotes
9603  \m@make@mpsixcol@footgroup{v@r}\%
9604  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
9605  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9606 }
9607 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9608  \def\baselinestretch{\m@m@footnote@spacing}\%
9609  \reset@font\foottextfont
9610  \@preamfntext
9611  \protected@edef\@currentlabel{%
9612   \csname p@footnote\endcsname\@thefnmark}\%
9613  \color@begingroup
9614   \@sixcolfootfmt{#1}\%
9615  \color@endgroup}\%
9616  \m@mmf@prepare}
9617 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\%
9618  \def\baselinestretch{\m@m@footnote@spacing}\%
9619  \reset@font\LTRfoottextfont
9620  \@preamfntext
9621  \protected@edef\@currentlabel{%
9622   \csname p@footnote\endcsname\@thefnmark}\%
9623  \color@begingroup
9624   \@sixcolLTRfootfmt{#1}\%
9625  \color@endgroup}\%
9626  \m@mmf@prepare}
9627 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue\%
9628  \def\baselinestretch{\m@m@footnote@spacing}\%
9629  \reset@font\RTLfoottextfont
9630  \@preamfntext
9631  \protected@edef\@currentlabel{%
9632   \csname p@footnote\endcsname\@thefnmark}\%
9633  \color@begingroup
9634   \@sixcolRTLfootfmt{#1}\%
9635  \color@endgroup}\%
9636  \m@mmf@prepare}
9637 \bidi@ensure@newcommand{\@preamsixfmt}{%

```



```

9638  \hsize .16\hsize
9639  \parindent=\z@
9640  \tolerance=5000\relax
9641  \leavevmode}
9642 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
9643  \@preamsixfmt
9644  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9645 \bidi@ensure@newcommand{\@sixcollTRfootfmt}[1]{%
9646  \@preamsixfmt
9647  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9648 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
9649  \@preamsixfmt
9650  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9651 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\f
9652  \global\setbox\@mpfootinsv@r\vbox{%
9653   \unvbox\@mpfootinsv@r
9654   \def\baselinestretch{\m@m@footnote@spacing}%
9655   \reset@font\foottextfont
9656   \hsize\columnwidth \parboxrestore
9657   \protected@edef\@currentlabel{%
9658     \csname p@mpfootnote\endcsname\@thefnmark}%
9659   \color@begingroup
9660   \@sixcolfootfmt{#1}%
9661   \color@endgroup}%
9662   \m@mmf@prepare}
9663 \bidi@ensure@newcommand{\@mpsixcollTRfootnotetext}[1]{\@RTLfalse%
9664  \global\setbox\@mpfootinsv@r\vbox{%
9665   \unvbox\@mpfootinsv@r
9666   \def\baselinestretch{\m@m@footnote@spacing}%
9667   \reset@font\LTRfoottextfont
9668   \hsize\columnwidth \parboxrestore
9669   \if@RTLcolumnfootnotes\beginL\fi
9670   \protected@edef\@currentlabel{%
9671     \csname p@mpfootnote\endcsname\@thefnmark}%
9672   \color@begingroup
9673   \@sixcollTRfootfmt{#1}%
9674   \color@endgroup}%
9675   \m@mmf@prepare}
9676 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
9677  \global\setbox\@mpfootinsv@r\vbox{%
9678   \unvbox\@mpfootinsv@r
9679   \def\baselinestretch{\m@m@footnote@spacing}%
9680   \reset@font\RTLfoottextfont
9681   \hsize\columnwidth \parboxrestore
9682   \protected@edef\@currentlabel{%
9683     \csname p@mpfootnote\endcsname\@thefnmark}%
9684   \color@begingroup
9685   \@sixcolRTLfootfmt{#1}%
9686   \color@endgroup}%
9687   \m@mmf@prepare}

```



```

9688 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
9689   \@namedef{@sixcol@footgroup#1}{{%
9690     \def\baselinestretch{\m@m@footnote@spacing}%
9691     \cnameuse{foottextfont#1} \splittopskip=\ht\strutbox
9692     \m@mrigidbalance{\cnameuse{footins#1}}{6}{\splittopskip}}}%
9693 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
9694   \@namedef{@mpsixcol@footgroup#1}{{%
9695     \def\baselinestretch{\m@m@footnote@spacing}%
9696     \cnameuse{foottextfont#1} \splittopskip=\ht\strutbox
9697     \m@mrigidbalance{\cnameuse{@mpfootins#1}}{6}{\splittopskip}}}%
9698 \bidi@ensure@newcommand{\sevencolumnfootnotes}{%
9699   \@namedef{foottextfont@r}{foottextfont}%
9700   % [RS]
9701   \@bidi@before@Hy@hyperfootnotes
9702   \let@\footnotetext@\sevencolfootnotetext
9703   \let@\LTRfootnotetext@\sevencolLTRfootnotetext
9704   \let@\RTLfootnotetext@\sevencolRTLfootnotetext
9705   \dimen@footinsv@r=7\footinsdim
9706   \count@footinsv@r=142\relax
9707   \m@make@sevencol@footgroup{v@r}%
9708   \let@\footgroupv@r@\sevencol@footgroupv@r
9709   \let@\mpfootnotetext@\mpsevencolfootnotetext
9710   \let@\mpLTRfootnotetext@\mpsevencolLTRfootnotetext
9711   \let@\mpRTLfootnotetext@\mpsevencolRTLfootnotetext
9712   \@bidi@after@Hy@hyperfootnotes
9713   \m@make@mpsevencol@footgroup{v@r}%
9714   \let@\mp@footgroupv@r@\mpsevencol@footgroupv@r
9715   \@ifstar{\bidi@star@footmarkwidth}{\bidi@normal@footmarkwidth}%
9716 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\else\@sevencolfootnotetext\fi}}
9717   \def\baselinestretch{\m@m@footnote@spacing}%
9718   \reset@font\foottextfont
9719   \preamfntext
9720   \protected@edef{\currentlabel}{%
9721     \csname p@footnote\endcsname\@thefnmark}%
9722   \color@begingroup
9723     \@sevencolfootfmt{#1}%
9724   \color@endgroup}%
9725   \m@mmf@prepare}
9726 \bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote\@RTLtrue\else\@sevencolLTRfootnotetext\fi}}
9727   \def\baselinestretch{\m@m@footnote@spacing}%
9728   \reset@font\LTRfoottextfont
9729   \preamfntext
9730   \protected@edef{\currentlabel}{%
9731     \csname p@footnote\endcsname\@thefnmark}%
9732   \color@begingroup
9733     \@sevencolLTRfootfmt{#1}%
9734   \color@endgroup}%
9735   \m@mmf@prepare}
9736 \bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\if@RTLtrue\@sevencolRTLfootnotetext\else\@sevencolfootnotetext\fi}}
9737   \def\baselinestretch{\m@m@footnote@spacing}%

```



```

9738  \reset@font\RTLfoottextfont
9739  \@preamfntext
9740  \protected@edef\@currentlabel{%
9741    \csname p@footnote\endcsname\@thefnmark}%
9742  \color@begingroup
9743  \@sevencolRTLfootfmt{\#1}%
9744  \color@endgroup}%
9745  \m@mmf@prepare}
9746 \bidi@ensure@newcommand{\@preamsevenfmt}{%
9747  \hsize .142\hsize
9748  \parindent=\z@
9749  \tolerance=5000\relax
9750  \leavevmode}
9751 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
9752  \@preamsevenfmt
9753  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9754 \bidi@ensure@newcommand{\@sevencollTRfootfmt}[1]{%
9755  \@preamsevenfmt
9756  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9757 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
9758  \@preamsevenfmt
9759  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9760 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote@\RTLtrue\else@\RTLfalse%
9761  \global\setbox\@mpfootinsv@r\vbox{%
9762    \unvbox\@mpfootinsv@r
9763    \def\baselinestretch{\m@m@footnote@spacing}%
9764    \reset@font\foottextfont
9765    \hsize\columnwidth \parboxrestore
9766    \protected@edef\@currentlabel{%
9767      \csname p@mpfootnote\endcsname\@thefnmark}%
9768    \color@begingroup
9769    \@sevencolfootfmt{\#1}%
9770    \color@endgroup}%
9771  \m@mmf@prepare}
9772 \bidi@ensure@newcommand{\@mpsevencollTRfootnotetext}[1]{\@RTLfalse%
9773  \global\setbox\@mpfootinsv@r\vbox{%
9774    \unvbox\@mpfootinsv@r
9775    \def\baselinestretch{\m@m@footnote@spacing}%
9776    \reset@font\LTRfoottextfont
9777    \hsize\columnwidth \parboxrestore
9778    \if@RTLcolumnfootnotes\beginL\fi
9779    \protected@edef\@currentlabel{%
9780      \csname p@mpfootnote\endcsname\@thefnmark}%
9781    \color@begingroup
9782    \@sevencollTRfootfmt{\#1}%
9783    \color@endgroup}%
9784  \m@mmf@prepare}
9785 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
9786  \global\setbox\@mpfootinsv@r\vbox{%
9787    \unvbox\@mpfootinsv@r

```



```

9788     \def\baselinestretch{\m@m@footnote@spacing}%
9789     \reset@font\RTLfoottextfont
9790     \hsize\columnwidth \parboxrestore
9791     \protected@edef\@currentlabel{%
9792         \csname p@mpfootnote\endcsname\@thefnmark}%
9793     \color@begingroup
9794     \sevencolRTLfootfmt{\#1}%
9795     \color@endgroup}%
9796     \m@mmf@prepare}
9797 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
9798     \namedef{\sevencol@footgroup}{\%}
9799     \def\baselinestretch{\m@m@footnote@spacing}%
9800     \nameuse{foottextfont}{\#1} \splittopskip=\ht\strutbox
9801     \m@mrigidbalance{\nameuse{footins}{\#1}}{7}{\splittopskip}}}
9802 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
9803     \namedef{\mpsevencol@footgroup}{\%}
9804     \def\baselinestretch{\m@m@footnote@spacing}%
9805     \nameuse{foottextfont}{\#1} \splittopskip=\ht\strutbox
9806     \m@mrigidbalance{\nameuse{\mpfootins}{\#1}}{7}{\splittopskip}}}
9807 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
9808     \namedef{\foottextfontv}{\#1}\foottextfont\% % [RS]
9809     \bidi@before@Hy@hyperfootnotes
9810     \let\@footnotetext\@eightcolfootnotetext
9811     \let\@LTRfootnotetext\@eightcollTRfootnotetext
9812     \let\@RTLfootnotetext\@eightcolRTLfootnotetext
9813     \dimen\footinsv=8\footinsdim
9814     \count\footinsv=125\relax
9815     \m@make@eightcol@footgroup{v@r}%
9816     \let\@footgroupv\@eightcol@footgroupv@r
9817     \let\@mpfootnotetext\@mpheightcolfootnotetext
9818     \let\@mplTRfootnotetext\@mpheightcollTRfootnotetext
9819     \let\@mpRTLfootnotetext\@mpheightcolRTLfootnotetext
9820     \bidi@after@Hy@hyperfootnotes
9821     \m@make@mpeightcol@footgroup{v@r}%
9822     \let\@mpfootgroupv\@r\@mpheightcol@footgroupv@r
9823     \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9824 }
9825 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
9826     \def\baselinestretch{\m@m@footnote@spacing}%
9827     \reset@font\foottextfont
9828     \preamfntext
9829     \protected@edef\@currentlabel{%
9830         \csname p@footnote\endcsname\@thefnmark}%
9831     \color@begingroup
9832     \eightcolfootfmt{\#1}%
9833     \color@endgroup}%
9834     \m@mmf@prepare}
9835 \bidi@ensure@newcommand{\@eightcollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
9836     \def\baselinestretch{\m@m@footnote@spacing}%
9837     \reset@font\LTRfoottextfont

```



```

9838  \@preamfntext
9839  \protected@edef{\currentlabel}{%
9840    \csname p@footnote\endcsname\@thefnmark}%
9841  \color@begingroup
9842    \eightcollTRfootfmt{#1}%
9843  \color@endgroup}%
9844  \m@mmf@prepare}
9845 \bidi@ensure@newcommand{\eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
9846  \def\baselinestretch{\m@m@footnote@spacing}%
9847  \reset@font\RTLfoottextfont
9848  \@preamfntext
9849  \protected@edef{\currentlabel}{%
9850    \csname p@footnote\endcsname\@thefnmark}%
9851  \color@begingroup
9852    \eightcolRTLfootfmt{#1}%
9853  \color@endgroup}%
9854  \m@mmf@prepare}
9855 \bidi@ensure@newcommand{\preameightfmt}{%
9856  \hsize .125\hsize
9857  \parindent=\z@
9858  \tolerance=5000\relax
9859  \leavevmode}
9860 \bidi@ensure@newcommand{\eightcolfootfmt}[1]{%
9861  \preameightfmt
9862  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9863 \bidi@ensure@newcommand{\eightcollTRfootfmt}[1]{%
9864  \preameightfmt
9865  {\LTrfootfootmark\strut {\LTrfoottextfont #1}\strut\par}\allowbreak}
9866 \bidi@ensure@newcommand{\eightcolRTLfootfmt}[1]{%
9867  \preameightfmt
9868  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9869 \bidi@ensure@newcommand{\mpheightcolfootnotetext}[1]{%
9870  \global\setbox\mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
9871  \unvbox\mpfootinsv@r
9872  \def\baselinestretch{\m@m@footnote@spacing}%
9873  \reset@font\foottextfont
9874  \hsize\columnwidth \parboxrestore
9875  \protected@edef{\currentlabel}{%
9876    \csname p@mpfootnote\endcsname\@thefnmark}%
9877  \color@begingroup
9878    \eightcolfootfmt{#1}%
9879  \color@endgroup}%
9880  \m@mmf@prepare}
9881 \bidi@ensure@newcommand{\mpheightcollTRfootnotetext}[1]{%
9882  \global\setbox\mpfootinsv@r\vbox{\@RTLfalse}%
9883  \unvbox\mpfootinsv@r
9884  \def\baselinestretch{\m@m@footnote@spacing}%
9885  \reset@font\LTRfoottextfont
9886  \hsize\columnwidth \parboxrestore
9887  \if@RTLcolumnfootnotes\beginL\fi

```



```

9888     \protected@edef{\currentlabel}{%
9889         \csname p@mpfootnote\endcsname\@thefnmark}%
9890     \color@begingroup
9891     \eightcolLTRfootfmt{#1}%
9892     \color@endgroup}%
9893     \m@mmf@prepare}
9894 \bidi@ensure@newcommand{\@mpfootnotetext}[1]{%
9895     \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue}%
9896     \unvbox\@mpfootinsv@r
9897     \def\baselinestretch{\m@m@footnote@spacing}%
9898     \reset@font\RTLfoottextfont
9899     \hsize\columnwidth \parboxrestore
9900     \protected@edef{\currentlabel}{%
9901         \csname p@mpfootnote\endcsname\@thefnmark}%
9902     \color@begingroup
9903     \eightcolRTLfootfmt{#1}%
9904     \color@endgroup}%
9905     \m@mmf@prepare}
9906 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
9907     \namedef{@eightcol@footgroup#1}{{%
9908         \def\baselinestretch{\m@m@footnote@spacing}%
9909         \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9910         \m@mrigidbalance{\nameuse{footins#1}}{8}{\splittopskip}}}%
9911 \bidi@ensure@newcommand{\m@make@mpfootgroup}[1]{%
9912     \namedef{@mpfootgroup#1}{{%
9913         \def\baselinestretch{\m@m@footnote@spacing}%
9914         \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9915         \m@mrigidbalance{\nameuse{mpfootins#1}}{8}{\splittopskip}}}%
9916 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
9917     \namedef{foottextfontv@r}{\foottextfont} \% [RS]
9918     \bidi@before@Hy@hyperfootnotes
9919     \let\footnotetext\ninecolfootnotetext
9920     \let\@LTRfootnotetext\ninecolLTRfootnotetext
9921     \let\@RTLfootnotetext\ninecolRTLfootnotetext
9922     \dimen\footinsv@r=9\footinsdim
9923     \count\footinsv@r=111\relax
9924     \m@make@ninecol@footgroup{v@r}%
9925     \let\footgroupv@r\ninecol@footgroupv@r
9926     \let\mpfootnotetext\mpninecolfootnotetext
9927     \let\@mpfootnotetext\mpninecolLTRfootnotetext
9928     \let\@mpfootnotetext\mpninecolRTLfootnotetext
9929     \bidi@after@Hy@hyperfootnotes
9930     \m@make@mpninecol@footgroup{v@r}%
9931     \let\mp@footgroupv@r\mpninecol@footgroupv@r
9932     \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9933 }%
9934 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue}%
9935     \def\baselinestretch{\m@m@footnote@spacing}%
9936     \reset@font\foottextfont
9937     \preamfntext

```



```

9938 \protected@edef{@currentlabel{%
9939   \csname p@footnote\endcsname\@thefnmark}%
9940 \color@begingroup
9941   \c@ninecolfootfmt{#1}%
9942 \color@endgroup}%
9943 \m@mmf@prepare}
9944 \bidi@ensure@newcommand{\c@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
9945 \def\baselinestretch{\m@m@footnote@spacing}%
9946 \reset@font\LTRfoottextfont
9947 \preamfntext
9948 \protected@edef{@currentlabel{%
9949   \csname p@footnote\endcsname\@thefnmark}%
9950 \color@begingroup
9951   \c@ninecolLTRfootfmt{#1}%
9952 \color@endgroup}%
9953 \m@mmf@prepare}
9954 \bidi@ensure@newcommand{\c@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9955 \def\baselinestretch{\m@m@footnote@spacing}%
9956 \reset@font\RTLfoottextfont
9957 \preamfntext
9958 \protected@edef{@currentlabel{%
9959   \csname p@footnote\endcsname\@thefnmark}%
9960 \color@begingroup
9961   \c@ninecolRTLfootfmt{#1}%
9962 \color@endgroup}%
9963 \m@mmf@prepare}
9964 \bidi@ensure@newcommand{\c@preamninefmt}{%
9965 \hsize .1\hsize
9966 \parindent=\z@
9967 \tolerance=5000\relax
9968 \leavevmode}
9969 \bidi@ensure@newcommand{\c@ninecolfootfmt}[1]{%
9970 \preamninefmt
9971 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9972 \bidi@ensure@newcommand{\c@ninecolLTRfootfmt}[1]{%
9973 \preamninefmt
9974 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9975 \bidi@ensure@newcommand{\c@ninecolRTLfootfmt}[1]{%
9976 \preamninefmt
9977 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9978 \bidi@ensure@newcommand{\c@mpninecolfootnotetext}[1]{%
9979 \global\setbox\c@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9980 \unvbox\c@mpfootinsv@r
9981 \def\baselinestretch{\m@m@footnote@spacing}%
9982 \reset@font\foottextfont
9983 \hsize\columnwidth \parboxrestore
9984 \protected@edef{@currentlabel{%
9985   \csname p@mpfootnote\endcsname\@thefnmark}%
9986 \color@begingroup
9987   \c@ninecolfootfmt{#1}}%

```



```

9988  \color@endgroup}%
9989  \m@mmf@prepare}
9990 \bidi@ensure@newcommand{\@mpninecollTRfootnotetext}[1]{%
9991  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse}%
9992  \unvbox\@mpfootinsv@r
9993  \def\baselinestretch{\m@m@footnote@spacing}%
9994  \reset@font\LTRfoottextfont
9995  \hsize\columnwidth \parboxrestore
9996  \if@RTLcolumnfootnotes\beginL\fi
9997  \protected@edef@\currentlabel{%
9998   \csname p@mpfootnote\endcsname\@thefnmark}%
9999  \color@begingroup
10000   \ninelTRfootfmt{#1}%
10001  \color@endgroup}%
10002  \m@mmf@prepare}
10003 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
10004  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue}%
10005  \unvbox\@mpfootinsv@r
10006  \def\baselinestretch{\m@m@footnote@spacing}%
10007  \reset@font\RTLfoottextfont
10008  \hsize\columnwidth \parboxrestore
10009  \protected@edef@\currentlabel{%
10010   \csname p@mpfootnote\endcsname\@thefnmark}%
10011  \color@begingroup
10012   \ninelcolRTLfootfmt{#1}%
10013  \color@endgroup}%
10014  \m@mmf@prepare}
10015 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
10016  \namedef{@ninecol@footgroup#1}{%
10017   \def\baselinestretch{\m@m@footnote@spacing}%
10018   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10019   \m@mrigidbalance{\nameuse{footins#1}}{9}{\splittopskip}}}
10020 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
10021  \namedef{@mpninecol@footgroup#1}{%
10022   \def\baselinestretch{\m@m@footnote@spacing}%
10023   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10024   \m@mrigidbalance{\nameuse{@mpfootins#1}}{9}{\splittopskip}}}
10025 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
10026  \namedef{foottextfont@r}{foottextfont}%
10027  \bidi@before@Hy@hyperfootnotes
10028  \let\@footnotetext\tencolfootnotetext
10029  \let\@LTRfootnotetext\tencollTRfootnotetext
10030  \let\@RTLfootnotetext\tencolRTLfootnotetext
10031  \dimen\footinsv@r=10\footinsdim
10032  \count\footinsv@r=100\relax
10033  \m@make@tencol@footgroup{v@r}%
10034  \let\@footgroupv@r\tencol@footgroupv@r
10035  \let\@mpfootnotetext\@ptencolfootnotetext
10036  \let\@mpLTRfootnotetext\@ptencollTRfootnotetext
10037  \let\@mpRTLfootnotetext\@ptencolRTLfootnotetext

```



```

10038  \bidi@after@Hy@hyperfootnotes
10039  \m@make@mp@tencol@footgroup{v@r}%
10040  \let\mp@footgroupv@r\@mp@tencol@footgroupv@r
10041  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
10042  }
10043 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
10044  \def\baselinestretch{\m@m@footnote@spacing}%
10045  \reset@font\foottextfont
10046  \@preamfntext
10047  \protected@edef\@currentlabel{%
10048    \csname p@footnote\endcsname\@thefnmark}%
10049  \color@begingroup
10050    \atencolfootfmt{#1}%
10051  \color@endgroup}%
10052  \m@mmf@prepare}
10053 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
10054  \def\baselinestretch{\m@m@footnote@spacing}%
10055  \reset@font\LTRfoottextfont
10056  \@preamfntext
10057  \protected@edef\@currentlabel{%
10058    \csname p@footnote\endcsname\@thefnmark}%
10059  \color@begingroup
10060    \atencolLTRfootfmt{#1}%
10061  \color@endgroup}%
10062  \m@mmf@prepare}
10063 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
10064  \def\baselinestretch{\m@m@footnote@spacing}%
10065  \reset@font\RTLfoottextfont
10066  \@preamfntext
10067  \protected@edef\@currentlabel{%
10068    \csname p@footnote\endcsname\@thefnmark}%
10069  \color@begingroup
10070    \atencolRTLfootfmt{#1}%
10071  \color@endgroup}%
10072  \m@mmf@prepare}
10073 \bidi@ensure@newcommand{\@preamtenfmt}{%
10074  \hsize .1\hsize
10075  \parindent=\z@
10076  \tolerance=5000\relax
10077  \leavevmode}
10078 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
10079  \@preamtenfmt
10080  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
10081 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
10082  \@preamtenfmt
10083  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
10084 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
10085  \@preamtenfmt
10086  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
10087 \bidi@ensure@newcommand{\@mp@tencolfootnotetext}[1]{%

```



```

10088 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10089   \unvbox\@mpfootinsv@r
10090   \def\baselinestretch{\m@m@footnote@spacing}%
10091   \reset@font\foottextfont
10092   \hsize\columnwidth \parboxrestore
10093   \protected@edef\@currentlabel{%
10094     \csname p@mpfootnote\endcsname\@thefnmark}%
10095   \color@begingroup
10096     \tencolfootfmt{#1}%
10097   \color@endgroup}%
10098   \m@mmf@prepare}
10099 \bidi@ensure@newcommand{\@ptencolLTRfootnotetext}[1]{%
10100   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
10101     \unvbox\@mpfootinsv@r
10102     \def\baselinestretch{\m@m@footnote@spacing}%
10103     \reset@font\LTRfoottextfont
10104     \hsize\columnwidth \parboxrestore
10105     \if@RTLcolumnfootnotes\beginL\fi
10106     \protected@edef\@currentlabel{%
10107       \csname p@mpfootnote\endcsname\@thefnmark}%
10108     \color@begingroup
10109       \tencollTRfootfmt{#1}%
10110     \color@endgroup}%
10111   \m@mmf@prepare}
10112 \bidi@ensure@newcommand{\@ptencolRTLfootnotetext}[1]{%
10113   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
10114     \unvbox\@mpfootinsv@r
10115     \def\baselinestretch{\m@m@footnote@spacing}%
10116     \reset@font\RTLfoottextfont
10117     \hsize\columnwidth \parboxrestore
10118     \protected@edef\@currentlabel{%
10119       \csname p@mpfootnote\endcsname\@thefnmark}%
10120     \color@begingroup
10121       \tencolRTLfootfmt{#1}%
10122     \color@endgroup}%
10123   \m@mmf@prepare}
10124 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
10125   \namedef{@tencol@footgroup#1}{%
10126     \def\baselinestretch{\m@m@footnote@spacing}%
10127     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10128     \m@mrigidbalance{\nameuse{footins#1}}{10}{\splittopskip}}}
10129 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
10130   \namedef{@mptencol@footgroup#1}{%
10131     \def\baselinestretch{\m@m@footnote@spacing}%
10132     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10133     \m@mrigidbalance{\nameuse{@mpfootins#1}}{10}{\splittopskip}}}
10134 \bidi@ensure@newcommand{\m@munvxh}[1]{%
10135   \setbox0=\vbox{\unvbox#1%
10136     \global\setbox1=\lastbox}%
10137   \unhbox1

```



```

10138  \unskip
10139  \unskip
10140  \unpenalty
10141  \hskip\m@mipn@skip}
10142 \bidi@ensure@newcommand{\m@mungebox}{%
10143  \setbox0=\hbox{\m@munvxh0}%
10144  \dp0=\z@
10145  \ht0=\footfudgefactor\wd0
10146  \box0
10147  \penalty0}
10148 \newskip\m@mipn@skip
10149 \bidi@ensure@newcommand*\{\m@minterparanote glue}[1]{%
10150  {\foottextfont\global\m@mipn@skip=#1\relax}}
10151 \m@minterparanote glue{1em plus .4em minus .4em}
10152 \@ifpackageloaded{multicol}{%
10153 \bidi@ensure@newcommand*\{\m@mmakehboxofhboxes}{%
10154  \hsize\textwidth%
10155  \setbox0=\hbox{}%
10156  \loop
10157  \unpenalty
10158  \setbox2=\lastbox
10159  \ifhbox2
10160  \setbox0=\hbox{\box2\unhbox0}
10161  \repeat}
10162 }{%
10163 \bidi@ensure@newcommand*\{\m@mmakehboxofhboxes}{%
10164  \setbox0=\hbox{}%
10165  \loop
10166  \unpenalty
10167  \setbox2=\lastbox
10168  \ifhbox2
10169  \setbox0=\hbox{\box2\unhbox0}
10170  \repeat}}
10171 \bidi@ensure@newcommand*\{\m@mremovehboxes}{\setbox0=\lastbox
10172  \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
10173 \newcommand*\AddExtraParaSkip[1]{%
10174  \if@bidi@csdef{footfudgefactor}{%
10175    \PackageError{bidi}{%
10176      The control sequence `\\string\\AddExtraParaSkip'
10177      must be used before the control sequence
10178      `\\string\\paragraphfootnotes' in the preamble%
10179    }\\@ehc
10180  }{%
10181    \\def\\bidi@xparaskip{\\advance\\tempdima#1\\relax}%
10182  }%
10183 }
10184 \bidi@ensure@newcommand{\paragraphfootnotes}{%
10185  \\@namedef{foottextfontv@r}{\\foottextfont}%
10186  \\@bidi@before@Hy@hyperfootnotes
10187  \\let\\@footnotetext\\@parafootnotetext

```



```

10188 \let\@LTRfootnotetext\@paraLTRfootnotetext
10189 \let\@RTLfootnotetext\@paraRTLfootnotetext
10190 \dimen\footinsv@r=\footinsdim
10191 \count\footinsv@r=1000\relax
10192 \m@make@para@footgroup{v@r}%
10193 \m@make@para@footstart{v@r}%
10194 \let\@footgroupv@r\@para@footgroupv@r
10195 \let\@footstartv@r\@para@footstartv@r
10196 \dimen\footinsv@l=\footinsdim
10197 \count\footinsv@l=1000\relax
10198 \bidi@m@ke@para@LTRfootgroup{v@l}%
10199 \m@make@para@footstart{v@l}%
10200 \bidi@m@ke@para@footstart@@{v@l}%
10201 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
10202 \let\@footstartv@l\@para@footstartv@l
10203 \let\@footstart@@v@l\@para@footstart@@v@l
10204 \let\@mpfootnotetext\@mpparafootnotetext
10205 \let\@mplTRfootnotetext\@mpparaLTRfootnotetext
10206 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
10207 \bidi@after@Hy@hyperfootnotes
10208 \m@make@mppara@footgroup{v@r}%
10209 \bidi@m@ke@mppara@LTRfootgroup{v@l}%
10210 \let\@mp@footgroupv@r\@mppara@footgroupv@r
10211 \let\@mp@footgroupv@l\@mppara@LTRfootgroupv@l
10212 \begingroup
10213 \def\baselinestretch{\m@m@footnote@spacing}%
10214 \foottextfont
10215 \tempdima\footnotesep
10216 \advance\tempdima -\ht\strutbox
10217 \ifdim\tempdima<\z@ \tempdima\z@ \fi
10218 \advance\tempdima.5\normalbaselineskip
10219 \bidi@paraskip
10220 \xdef\bidi@paraskip{\the\tempdima\relax}%
10221 \ifdim\skip\footinsv@r>\bigskipamount
10222 \else
10223   \global\advance\skip\footinsv@r\bidi@paraskip
10224 \fi
10225 \ifdim\skip\footinsv@l>\bigskipamount
10226 \else
10227   \global\advance\skip\footinsv@l\bidi@paraskip
10228 \fi
10229 \tempdima\normalbaselineskip
10230 \multiply\tempdima \ccclvi
10231 \tempdimb \columnwidth
10232 \divide\tempdimb \ccclvi
10233 \divide\tempdima \tempdimb
10234 \xdef\footfudgefactor{\strip@pt\tempdima}%
10235 \endgroup
10236 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
10237 }

```



```

10238 \newcommand{\normalRTLparalTRfootnotes}{%
10239   \@namedef{foottextfontv@r}{\foottextfont}%
10240   \@bidi@before@Hy@hyperfootnotes
10241   \if@RTL@footnote
10242     \let\@footnotetext\m@mold@footnotetext
10243   \else
10244     \let\@footnotetext\parafootnotetext
10245   \fi
10246   \let\@LTRfootnotetext\paraLTRfootnotetext
10247   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
10248   \dimen\footinsv@r=\footinsdim
10249   \count\footinsv@r=1000\relax
10250   \m@make@para@footgroup{v@r}%
10251   \m@make@para@footstart{v@r}%
10252   \let\@footgroupv@r\para@footgroupv@r
10253   \let\@footstartv@r\para@footstartv@r
10254   \dimen\footinsv@l=\footinsdim
10255   \count\footinsv@l=1000\relax
10256   \bidi@make@para@LTRfootgroup{v@l}%
10257   \m@make@para@footstart{v@l}%
10258   \bidi@make@para@footstart@@{v@l}%
10259   \let\@LTRfootgroupv@l\para@LTRfootgroupv@l
10260   \let\@footstartv@l\para@footstartv@l
10261   \let\@footstart@@v@l\@para@footstart@@v@l
10262   \if@RTL@footnote
10263     \let\@mpfootnotetext\m@mold@mpfootnotetext
10264   \else
10265     \let\@mpfootnotetext\mpparafootnotetext
10266   \fi
10267   \let\@mplTRfootnotetext\mpparaLTRfootnotetext
10268   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
10269   \@bidi@after@Hy@hyperfootnotes
10270   \m@make@mppara@footgroup{v@r}%
10271   \bidi@make@mppara@LTRfootgroup{v@l}%
10272   \let\mp@footgroupv@r\mppara@footgroupv@r
10273   \let\mp@LTRfootgroupv@l\mppara@LTRfootgroupv@l
10274   \begingroup
10275   \def\baselinestretch{\m@m@footnote@spacing}%
10276   \foottextfont
10277   \tempdima\footnotesep
10278   \advance\tempdima -\ht\strutbox
10279   \ifdim\tempdima<\z@ \tempdima\z@ \fi
10280   \advance\tempdima.5\normalbaselineskip
10281   \bidi@paraskip
10282   \xdef\bidi@paraskip{\the\tempdima\relax}%
10283   \ifdim\skip\footinsv@r>\bigskipamount
10284   \else
10285     \global\advance\skip\footinsv@r\bidi@paraskip
10286   \fi
10287   \ifdim\skip\footinsv@l>\bigskipamount

```



```

10288 \else
10289   \global\advance\skip\footinsv@l\bidi@paraskip
10290 \fi
10291 \tempdima\normalbaselineskip
10292 \multiply \tempdima \cclvi
10293 \tempdimb \columnwidth
10294 \divide \tempdimb \cclvi
10295 \divide \tempdima \tempdimb
10296 \xdef\footfudgefactor{\strip@pt\tempdima}%
10297 \endgroup
10298 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
10299 }
10300 \let\bidi@xparaskip\relax
10301 \onlypreamble\AddExtraParaSkip
10302 \bidi@ensure@newcommand{\parafootnotetext}[1]{\insert
10303   \if@RTL@footnote
10304     \footinsv@r
10305   \else
10306     \footinsv@l
10307   \fi
10308   {%
10309     \let\bidi@RTL@everypar\empty%
10310     \def\baselinestretch{\m@m@footnote@spacing}%
10311     \reset@font\foottextfont
10312     \preamfntext
10313     \protected@edef\@currentlabel{%
10314       \csname p@footnote\endcsname\@thefnmark}%
10315     \setbox0=\vbox{\hsize=\maxdimen
10316       \color@begingroup
10317         \noindent \parafootfmt{#1}%
10318       \color@endgroup}%
10319     \m@mungebox\m@mmpf@prepare}
10320 \bidi@ensure@newcommand{\paraLTRfootnotetext}[1]{\insert\footinsv@l{%
10321   \let\bidi@RTL@everypar\empty%
10322   \def\baselinestretch{\m@m@footnote@spacing}%
10323   \reset@font\LTRfoottextfont
10324   \preamfntext
10325   \protected@edef\@currentlabel{%
10326     \csname p@footnote\endcsname\@thefnmark}%
10327   \setbox0=\vbox{\hsize=\maxdimen
10328     \color@begingroup
10329       \noindent \paraLTRfootfmt{#1}%
10330     \color@endgroup}%
10331   \m@mungebox\m@mmpf@prepare}
10332 \bidi@ensure@newcommand{\paraRTLfootnotetext}[1]{\insert\footinsv@r{%
10333   \let\bidi@RTL@everypar\empty%
10334   \def\baselinestretch{\m@m@footnote@spacing}%
10335   \reset@font\RTLfoottextfont
10336   \preamfntext
10337   \protected@edef\@currentlabel{%

```



```

10338   \csname p@footnote\endcsname\@thefnmark}%
10339   \setbox0=\vbox{\hsize=\maxdimen
10340     \color@begingroup
10341       \noindent \paraRTLfootfmt{#1}%
10342     \color@endgroup}%
10343   \m@mungebox}\m@mmpf@prepare}
10344 \bidi@ensure@newcommand{\parafootfmt}[1]{%
10345   \parindent=\z@
10346   \parfillskip=0pt \plus 1fil
10347   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
10348 \bidi@ensure@newcommand{\paraLTRfootfmt}[1]{%
10349   \parindent=\z@
10350   \parfillskip=0pt \plus 1fil
10351   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
10352 \bidi@ensure@newcommand{\paraRTLfootfmt}[1]{%
10353   \parindent=\z@
10354   \parfillskip=0pt \plus 1fil
10355   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
10356 \bidi@ensure@newcommand{\mparafootnotetext}[1]{%
10357   \global\setbox
10358   \if@RTL@footnote
10359     \mpfootinsv@r
10360   \else
10361     \mpfootinsv@l
10362   \fi
10363   \vbox{%
10364     \let\bidi@RTL@everypar\empty%
10365     \def\baselinestretch{\m@mfootnote@spacing}%
10366     \unvbox
10367     \if@RTL@footnote
10368       \mpfootinsv@r
10369     \else
10370       \mpfootinsv@l
10371     \fi
10372     \reset@font\foottextfont
10373     \hsize\columnwidth \parboxrestore
10374     \protected@edef@\currentlabel{%
10375       \csname p@mpfootnote\endcsname\@thefnmark}%
10376     \setbox0=\vbox{\hsize=\maxdimen
10377       \color@begingroup
10378       \noindent \parafootfmt{#1}%
10379     \color@endgroup}%
10380   \m@mungebox}\m@mmpf@prepare}
10381 \bidi@ensure@newcommand{\mparaLTRfootnotetext}[1]{%
10382   \global\setbox\mpfootinsv@l\vbox{%
10383     \let\bidi@RTL@everypar\empty%
10384     \def\baselinestretch{\m@mfootnote@spacing}%
10385     \unvbox\mpfootinsv@l
10386     \reset@font\LTRfoottextfont
10387     \hsize\columnwidth \parboxrestore

```



```

10388     \protected@edef{\currentlabel}{%
10389         \csname p@mpfootnote\endcsname\@thefnmark}%
10390     \setbox0=\vbox{\hsize=\maxdimen
10391         \color@begingroup
10392         \noindent \paraLTRfootfmt{#1}%
10393         \color@endgroup}%
10394     \m@mungebox}\m@mmpf@prepare}
10395 \bidi@ensure@newcommand{\@mparaRTLfootnotetext}[1]{%
10396     \global\setbox\@mpfootinsv@r\vbox{%
10397         \let\bidi@RTL@everypar\empty%
10398         \def\baselinestretch{\m@m@footnote@spacing}%
10399         \unvbox\@mpfootinsv@r
10400         \reset@font\RTLfoottextfont
10401         \hsize\columnwidth \parboxrestore
10402         \protected@edef{\currentlabel}{%
10403             \csname p@mpfootnote\endcsname\@thefnmark}%
10404         \setbox0=\vbox{\hsize=\maxdimen
10405             \color@begingroup
10406             \noindent \paraRTLfootfmt{#1}%
10407             \color@endgroup}%
10408         \m@mungebox}\m@mmpf@prepare}
10409 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
10410     \namedef{@para@footgroup#1}{%
10411         \unvbox\@nameuse{footins#1}
10412         \RTLtrue
10413         \m@mmakehboxofhboxes
10414         \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10415         \parboxrestore%
10416         \def\baselinestretch{\m@m@footnote@spacing}%
10417         \nameuse{foottextfont#1}%
10418         \noindent\unhbox0\par}}
10419 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
10420     \namedef{@para@LTRfootgroup#1}{%
10421         \unvbox\@nameuse{footins#1}
10422         \RTLfalse
10423         \m@mmakehboxofhboxes
10424         \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10425         \parboxrestore%
10426         \def\baselinestretch{\m@m@footnote@spacing}%
10427         \nameuse{foottextfont#1}%
10428         \noindent\unhbox0\par}}
10429 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
10430     \namedef{@mpara@footgroup#1}{%
10431         \unvbox\@nameuse{@mpfootins#1}
10432         \RTLtrue
10433         \m@mmakehboxofhboxes
10434         \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10435         \def\baselinestretch{\m@m@footnote@spacing}%
10436         \nameuse{foottextfont#1}%
10437         \noindent\unhbox0\par}}

```



```

10438 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
10439 @namedef{@mppara@LTRfootgroup#1}{%
10440   \unvbox\nameuse{mpfootins#1}
10441   \RTLfalse
10442   \m@mmakehboxofhboxes
10443   \setbox0=\hbox{\unhbox0 \m@removehboxes}%
10444   \def\baselinestretch{\m@m@footnote@spacing}%
10445   \nameuse{foottextfont#1}%
10446   \noindent\unhbox0\par}}
10447 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
10448 @namedef{@para@footstart#1}{%
10449   \if@bidi@void@footins
10450     \bidi@mopfn@bottom
10451   \fi
10452   \leftskip=z@
10453   \rightskip=z@
10454   \parindent=z@
10455   \vskip\skip@footins
10456   \if@bidi@void@footins
10457     \footnoterule
10458   \fi}}
10459 \bidi@ensure@newcommand{\bidi@make@para@footstart@@}[1]{%
10460 @namedef{@@para@footstart@@#1}{%
10461   \leftskip=z@
10462   \rightskip=z@
10463   \parindent=z@
10464   \vskip\skip@footins}}
10465 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
10466   \xdef@\freelist{\@freelist\@midlist}%
10467   \global\let@\midlist\empty
10468   \@combinefloats}
10469 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
10470   \ifvbox\kludgeins
10471     @makespecialcolbox
10472   \else
10473     \setbox\outputbox\vbox to\colht{%
10474       \texttop
10475       \dimen@\dp\outputbox
10476       \unvbox\outputbox
10477       \vskip-\dimen@
10478       \textbottom}%
10479   \fi}
10480 \bidi@ensure@newcommand*{\m@m@makecolintro}{}
10481 \bidi@ensure@newcommand*{\m@m@mpfootnote}{\setbox\outputbox\vbox{%
10482   \boxmaxdepth\maxdepth
10483   \tempdima\dp\cclv
10484   \unvbox\cclv
10485   \vskip-\tempdima
10486   \bidi@mopfn@bottom
10487   \vskip\skip@footins

```



```

10488 \color@begingroup
10489   \normalcolor
10490   \footnoterule
10491   \unvbox \footins
10492 \color@endgroup
10493 }%
10494 }
10495 \newcommand*{\bidi@mopfootnotebf}{%
10496   \setbox\@outputbox \vbox{%
10497     \boxmaxdepth\@maxdepth
10498     \unvbox\@outputbox
10499     \bidi@mopfn@bottom
10500     \vskip\skip\footins
10501   \color@begingroup
10502     \normalcolor
10503     \footnoterule
10504     \unvbox \footins
10505   \color@endgroup
10506 }%
10507 }
10508 \gdef\mem@makecol{%
10509   \m@m@makecolintro
10510   \ifvoid\footins
10511     \global\@bidi@void@footintrue
10512     \setbox\@outputbox \box\@cclv
10513   \else
10514     \global\@bidi@void@footinsfalse
10515     \m@m@mopfootnote
10516   \fi
10517   \m@m@doextrafeet
10518   \m@m@makecolfloats
10519   \m@m@makecoltext
10520   \global \maxdepth \maxdepth}
10521 \gdef\bidi@makecolbf{%
10522   \m@m@makecolintro
10523   \setbox\@outputbox \box\@cclv
10524   \m@m@makecolfloats
10525   \ifvoid\footins
10526     \global\@bidi@void@footintrue
10527   \else
10528     \global\@bidi@void@footinsfalse
10529     \bidi@mopfootnotebf
10530   \fi
10531   \m@m@doextrafeet
10532   \m@m@makecoltext
10533   \global \maxdepth \maxdepth}
10534 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
10535 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
10536 \newcommand{\FeetAtBottom}{\def\bidi@mopfn@bottom{\vfill\relax}}
10537 \newcommand{\FeetBelowRagged}{\let\bidi@mopfn@bottom\relax}

```



```
10538 \FeetAboveFloat  
10539 \FeetBelowRagged
```

56 File extreport-xetex-bidi.def

```
10540 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class if  
10541 \renewcommand*\l@part[2]{%  
10542   \ifnum \c@tocdepth >-2\relax  
10543     \addpenalty{-\@highpenalty} %  
10544     \addvspace{2.25em \oplus \p@} %  
10545     \begingroup  
10546       \setlength{\tempdima}{3em} %  
10547       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth  
10548       \parfillskip -\pnumwidth  
10549       {\leavevmode  
10550         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par  
10551       \nobreak  
10552         \global\nobreaktrue  
10553         \everypar{\global\nobreakfalse\everypar{}%}  
10554       \endgroup  
10555     \fi}  
10556 \renewcommand*\l@chapter[2]{%  
10557   \ifnum \c@tocdepth >\m@ne  
10558     \addpenalty{-\@highpenalty} %  
10559     \vskip 1.0em \oplus \p@  
10560     \setlength{\tempdima}{1.5em} %  
10561     \begingroup  
10562       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth  
10563       \parfillskip -\pnumwidth  
10564       \leavevmode \bfseries  
10565       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima  
10566       \hskip -\if@RTL\rightskip\else\leftskip\fi  
10567       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par  
10568       \penalty\@highpenalty  
10569     \endgroup  
10570   \fi}  
10571 \def\@makechapterhead#1{ %  
10572   \vspace*{50\p@} %  
10573   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont  
10574     \ifnum \c@sectiondepth >\m@ne  
10575       \huge \bfseries \chapapp\space \thechapter  
10576       \par\nobreak  
10577       \vskip 20\p@  
10578     \fi  
10579     \interlinepenalty\@M  
10580     \Huge \bfseries #1\par\nobreak  
10581     \vskip 40\p@  
10582   } }  
10583 \def\@makeschapterhead#1{ %  
10584   \vspace*{50\p@} %
```



```

10585   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10586     \normalfont
10587     \interlinepenalty\@M
10588     \Huge \bfseries #1\par\nobreak
10589     \vskip 40\p@
10590   }{%
10591 \renewcommand{\left@footnoterule}{%
10592   \kern-3\p@
10593   \hrule\@width.4\columnwidth
10594   \kern2.6\p@}
10595 \renewcommand{\right@footnoterule}{%
10596   \kern-3\p@
10597   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }%
10598   \kern2.6\p@}
10599 \renewenvironment{thebibliography}[1]
10600   {\chapter*{\bibname
10601     \c@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
10602     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
10603     \bidi@\thebibliography\font@hook%
10604     \list{\@biblabel{\@arabic\c@enumiv}}%
10605       {\settowidth\labelwidth{\@biblabel{#1}}%
10606         \leftmargin\labelwidth
10607         \advance\leftmargin\labelsep
10608         \c@openbib@code
10609         \usecounter{enumiv}}%
10610         \let\p@enumiv\@empty
10611         \renewcommand{\theenumiv{\@arabic\c@enumiv}}%
10612         \sloppy\clubpenalty4000\widowpenalty4000%
10613         \sfcode`\. \c@m}
10614   {\def\@noitemerr
10615     {\@latex@warning{Empty `thebibliography' environment}}%
10616   \endlist}
10617 \if@titlepage
10618 \renewcommand{\maketitle}{\begin{titlepage}%
10619   \let\footnotesize\small
10620   \let\right@footnoterule\relax
10621   \let\left@footnoterule\relax
10622   \let\textwidth@footnoterule\relax
10623   \let\footnote\thanks
10624   \null\vfil
10625   \vskip 60\p@
10626   \begin{center}%
10627     {\LARGE \c@title \par}%
10628     \vskip 3em%
10629     {\large
10630       \lineskip .75em%
10631       \begin{tabular}[t]{c}%
10632         \c@author
10633       \end{tabular}\par}%
10634     \vskip 1.5em%

```



```

10635   {\large \@date \par}%
10636   \end{center}\par
10637   \@thanks
10638   \vfil\null
10639   \end{titlepage}%
10640   \setcounter{footnote}{0}%
10641   \global\let\thanks\relax
10642   \global\let\maketitle\relax
10643   \global\let\@thanks\empty
10644   \global\let\@author\empty
10645   \global\let\@date\empty
10646   \global\let\@title\empty
10647   \global\let\title\relax
10648   \global\let\author\relax
10649   \global\let\date\relax
10650   \global\let\and\relax
10651 }
10652 \else
10653 \renewcommand\maketitle{\par
10654   \begingroup
10655     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
10656     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10657     \long\def\@makefntext#1{\parindent 1em\noindent
10658       \hb@xt@1.8em{%
10659         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
10660     \if@twocolumn
10661       \ifnum \col@number=\@ne
10662         \maketitle
10663       \else
10664         \twocolumn[\maketitle]%
10665       \fi
10666     \else
10667       \newpage
10668       \global\@topnum\z@    % Prevents figures from going at top of page.
10669       \maketitle
10670     \fi
10671     \thispagestyle{plain}\@thanks
10672   \endgroup
10673   \setcounter{footnote}{0}%
10674   \global\let\thanks\relax
10675   \global\let\maketitle\relax
10676   \global\let\@maketitle\relax
10677   \global\let\@thanks\empty
10678   \global\let\@author\empty
10679   \global\let\@date\empty
10680   \global\let\@title\empty
10681   \global\let\title\relax
10682   \global\let\author\relax
10683   \global\let\date\relax
10684   \global\let\and\relax

```



```

10685 }
10686 \def\@maketitle{%
10687   \newpage
10688   \null
10689   \vskip 2em%
10690   \begin{center}%
10691   \let \footnote \thanks
10692     {\LARGE \@title \par}%
10693   \vskip 1.5em%
10694   {\large
10695     \lineskip .5em%
10696     \begin{tabular}[t]{c}%
10697       \author
10698     \end{tabular}\par}%
10699   \vskip 1em%
10700   {\large \@date}%
10701   \end{center}%
10702   \par
10703   \vskip 1.5em}
10704 \fi
10705 \renewcommand\thesection {\thechapter \@SepMark \arabic \c@section}
10706 \renewcommand\thesubsection {\thesection \@SepMark \arabic \c@subsection}
10707 \renewcommand\thesubsubsection{\thesubsection \atSepMark \arabic \c@subsubsection}
10708 \renewcommand\theparagraph {\thesubsubsection \atSepMark \arabic \c@paragraph}
10709 \renewcommand\thesubparagraph {\theparagraph \atSepMark \arabic \c@subparagraph}
10710 \renewcommand\theequation{%
10711   \ifnum \c@chapter > \z@ \thechapter \atSepMark \fi \arabic \c@equation}
10712 \renewcommand\thefigure{%
10713   \ifnum \c@chapter > \z@ \thechapter \atSepMark \fi \arabic \c@figure}
10714 \renewcommand\thetable{%
10715   \ifnum \c@chapter > \z@ \thechapter \atSepMark \fi \arabic \c@table}

```

57 File fancybox-xetex-bidi.def

```

10716 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
10717 \def\fancy@oval#1#2#3{%
10718   \boxmaxdepth \maxdimen
10719   \ovttrue \ovbtrue \ovltrue \ovrtrue
10720   \tfor@tempa := #3 \do{ \csname \ov@tempa false \endcsname }%
10721   \ovxx#1\relax
10722   \advance \ovxx - \wholewidth
10723   \ovyy#2\relax
10724   \advance \ovyy - \wholewidth
10725   \tempdimb \ifdim \ovyy > \ovxx \atovxx \else \atovyy \fi
10726   \advance \tempdimb - 2 \p@
10727   \ifdim \tempdimb > \the \cornersize \relax
10728     \tempdimb = \the \cornersize
10729   \fi
10730   \getcirc \tempdimb
10731   \ovro \ht \tempboxa \ovri \dp \tempboxa

```



```

10732  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
10733  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
10734  \@circlefnt
10735  \setbox\@tempboxa\hbox{\beginL%
10736  \if@ovr \@ovvert32\kern -\@tempdima \fi
10737  \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
10738  \if@ovt \@ovhorz \kern -\@ovxx \fi
10739  \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
10740  \advance\@ovdx\@ovro
10741  \advance\@ovdy\@ovro
10742  \advance\@ovxx\@wholewidth
10743  \wd\@tempboxa=\@ovxx
10744  \dp\@tempboxa=\z@}

```

58 File fancyhdr-xetex-bidi.def

```

10745 \ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package]
10746
10747 \let\f@nch@everypar\everypar
10748
10749 \def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10750   \f@nch@vbox\headheight{\hbox
10751     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
10752       \parbox[b]{\headwidth}{\centering#3}\hfill
10753         \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}#5}
10754
10755 \def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10756   \f@nch@vbox\footskip{\footrule
10757     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
10758       \parbox[t]{\headwidth}{\centering#3}\hfill
10759         \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}\headrule}#5}
10760

```

59 File fix2col-xetex-bidi.def

```

10761 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package for
10762 \def\RTL@outputdblcol{%
10763   \if@firstcolumn
10764     \global\@firstcolumnfalse
10765     \global\setbox\@leftcolumn\copy\@outputbox
10766     \splitmaxdepth\maxdimen
10767     \vbadness\maxdimen
10768     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10769     \toks@\expandafter{\topmark}%
10770     \xdef\@firstcoltopmark{\the\toks@}%
10771     \toks@\expandafter{\splitfirstmark}%
10772     \xdef\@firstcolfirstmark{\the\toks@}%
10773     \ifx\@firstcolfirstmark\empty
10774       \global\let\@setmarks\relax
10775     \else

```



```

10776      \gdef\@setmarks{%
10777          \let\firstmark\@firstcolfirstmark
10778          \let\topmark\@firstcoltopmark}%
10779      \fi
10780 \else \global\@firstcolumntrue
10781 \setbox\@outputbox \vbox {\hbox to\textwidth {%
10782 \hskip \columnwidth
10783 \hfil \vrule width\columnseprule \hfil
10784 \hbox to\columnwidth {%
10785 \bidi@firstcolumn@status@write}%
10786 \box\@leftcolumn \hss}%
10787 \hskip -\textwidth
10788 \hbox to\columnwidth{%
10789 \bidi@lastcolumn@status@write}%
10790 \box\@outputbox \hss}%
10791 \hskip \columnsep
10792 \hskip \columnwidth }}%
10793 \@combinedblfloats \@setmarks \@outputpage
10794 \begingroup \@dblfloatplacement \@startdblcolumn
10795 \@whilesw\if@fcolmade \fi
10796 {\@outputpage \@startdblcolumn }\endgroup
10797 \fi}
10798 \def\LTR@outputdblcol{%
10799   \if@firstcolumn
10800     \global\@firstcolumnfalse
10801     \global\setbox\@leftcolumn\copy\@outputbox
10802     \splitmaxdepth\maxdimen
10803     \vbadness\maxdimen
10804     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10805     \toks@\expandafter{\topmark}%
10806     \xdef\@firstcoltopmark{\the\toks@}%
10807     \toks@\expandafter{\splitfirstmark}%
10808     \xdef\@firstcolfirstmark{\the\toks@}%
10809     \ifx\@firstcolfirstmark\@empty
10810       \global\let\@setmarks\relax
10811     \else
10812       \gdef\@setmarks{%
10813         \let\firstmark\@firstcolfirstmark
10814         \let\topmark\@firstcoltopmark}%
10815       \fi
10816   \else
10817     \global\@firstcolumntrue
10818     \setbox\@outputbox\vbox{%
10819       \hb@xt@\textwidth{%
10820         \hb@xt@\columnwidth{%
10821           \bidi@firstcolumn@status@write}%
10822           \box\@leftcolumn \hss}%
10823           \hfil
10824           \vrule \@width\columnseprule
10825           \hfil

```



```

10826      \hb@xt@\columnwidth{%
10827          \bidi@lastcolumn@status@write%
10828          \box{\outputbox \hss}}}%}
10829  \combinedblfloats
10830      \setmarks
10831      \outputpage
10832      \begingroup
10833          \dblfloatplacement
10834          \startdblcolumn
10835          \whilesw\if@fcolmade \fi{\outputpage\startdblcolumn}%
10836      \endgroup
10837  \fi}

```

60 File `fleqn-xetex-bidi.def`

```

10838 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX e
10839 \renewcommand{\relax
10840             \ifmmode@\badmath
10841             \else
10842                 \begin{trivlist}%
10843                     \begin{parpenalty}\predisplaypenalty
10844                     \end{parpenalty}\postdisplaypenalty
10845                     \item[]\leavevmode
10846                     \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$%
10847                     \hskip\mathindent\bgroup
10848                     \fi}
10849 \renewcommand{\relax
10850             \ifmmode
10851                 \egroup $\hfil% $
10852                 \endL\egroup
10853             \end{trivlist}%
10854             \else \badmath
10855             \fi}
10856 \renewenvironment{equation}%
10857     {\begin{parpenalty}\predisplaypenalty
10858     \end{parpenalty}\postdisplaypenalty
10859     \refstepcounter{equation}%
10860     \trivlist \item[]\leavevmode
10861         \hb@xt@\linewidth\bgroup\beginL $\m@th% $
10862             \displaystyle
10863             \hskip\mathindent}%
10864             {$\hfil % $
10865             \displaywidth\linewidth\hbox{\eqnnum}%
10866             \endL\egroup
10867         \endtrivlist}

```

61 File `float-xetex-bidi.def`

```

10868 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
10869 \renewcommand{\floatc@plain[2]{\setbox\tempboxa\hbox{\cfs@cfont #1:} #2}%

```



```

10870 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
10871   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
10872 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]}%
10873   \expandafter\edef\csname the#1\endcsname{%
10874     \expandafter\noexpand\csname
10875       the#2\endcsname\@SepMark\noexpand\arabic{#1}}\}%
10876   {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

62 File floatrow-xetex-bidi.def

```

10877 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package]
10878 \renewcommand{\fnewwithin}[1]{\@addtoreset{\FB@capttype}{#1}}%
10879   \expandafter\edef\csname the\FB@capttype\endcsname{%
10880     \expandafter\noexpand\csname
10881       the#1\endcsname\@SepMark\noexpand\arabic{\FB@capttype}}}

```

63 File flowfram-xetex-bidi.def

```

10882 \ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package]
10883 \def\@outputdblcol{%
10884   \nxtcol=\c@thisframe
10885   \c@curpg=\c@page
10886   \g@tnextcol{\nxtcol}%
10887   \if@ff@nwpg % next flow frame starts on new page
10888     \global\@firstcolumntrue
10889     \setcolbox\c@thisframe
10890   \if@specialpage
10891     \global\@specialpagefalse
10892     \nameuse{ps@\@specialstyle}\relax
10893   \fi
10894   \if@twoside
10895     \ifodd\count\z@
10896       \let\@thehead\@oddhead
10897       \let\@tfoot\@oddfoot
10898     \else
10899       \let\@thehead\@evenhead
10900       \let\@tfoot\@evenfoot
10901     \fi
10902   \else
10903     \let\@thehead\@oddhead
10904     \let\@tfoot\@oddfoot
10905   \fi
10906   \begindvi
10907   \dodynamicthehead\dodynamicthefoot
10908   \vbadness=\@M
10909   \setbox\@outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
10910   \combinedblfloats
10911   \outputpage
10912 \advance\c@curpg by -\c@page\relax
10913 \while{\c@curpg>0}{\advance\c@curpg by -1\relax}

```



```

10914   \setbox\@outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
10915 \outputpage}
10916   \begingroup
10917     \dblfloatplacement
10918     \startdblcolumn
10919     \whilesw \if@fcolmade \fi
10920       {\outputpage \startdblcolumn }\endgroup
10921   \resetst@tics
10922   \resetdyn@mics
10923 \else % still on same page, save contents of box255
10924   \global\firstcolumnfalse
10925   \setcolbox{c@thisframe}
10926 \fi
10927 \global\c@thisframe=\nxtcol
10928 \setcol{\c@thisframe}\relax
10929 \global\colht\vsiz
10930 }
10931 \def\outputpage{%
10932 \begingroup
10933   \let\protect\noexpand
10934   \resetactivechars
10935   \global\let\@if@newlist\if@newlist
10936   \global\@newlistfalse\parboxrestore
10937   \global\let\bidi@BeforeOutputPageShipOut\firstofone
10938   \bidi@beforeoutputpageshipouthook
10939   \shipout\vbox{\set@typeset@protect
10940     \aftergroup
10941   \endgroup
10942   \aftergroup
10943   \set@typeset@protect
10944   \reset@font\normalsize
10945   \bidi@font@outputpage
10946   \normalsfcodes
10947   \let\label@gobble
10948   \let\index@gobble
10949   \let\glossary@gobble
10950   \baselineskip\z@skip
10951   \lineskip\z@skip
10952   \lineskiplimit\z@
10953   \vskip\topmargin\overright\themargin
10954   \vbox{%
10955     \global\let\bidi@BeforeHeader\firstofone
10956     \bidi@beforeheaderhook
10957     \vskip\headheight
10958     \vskip\headsep
10959     \global\let\bidi@BeforeOutputBoxOutputPage\firstofone
10960     \bidi@beforeoutputboxoutputpagehook
10961     \box\@outputbox
10962     \global\let\bidi@AfterOutputBoxOutputPage\firstofone
10963     \bidi@afteroutputboxoutputpagehook

```



```

10964    }};
10965    \global\let\bidi@AfterOutputPageShipOut@\firstofone
10966    \bidi@afteroutputpageshipouthook
10967    \global\let\if@newlist\@@if@newlist
10968    \stepcounter{page}%
10969    \setcounter{displayedframe}{0}%
10970    \let\firstmark\botmark
10971    \global\let\bidi@AtEndOutputPage@\firstofone
10972    \bidi@atendoutputpagehook
10973 }
10974
10975
10976 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}
10977 {\expandafter\bidi@color\ff@txtcol}}
10978
10979 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
10980 { \hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}
10981
10982
10983 \renewcommand*{\@docolbox}[1]{%
10984 \edef\ff@frametype{%
10985 \csname @ff@frametype@\romannumeral#1\endcsname}%
10986 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
10987 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
10988 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
10989 \@ff@setoffset{#1}%
10990 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}%
10991 \ifthenelse{\boolean{columnframe}\romannumeral#1}{%
10992 @ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
10993 {\csname colheight\romannumeral#1\endcsname}%
10994 \expandafter\box\csname column\romannumeral#1\endcsname}%
10995 \csname\ff@frametype\endcsname}%
10996 }{%
10997 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
10998 {\csname colheight\romannumeral#1\endcsname}%
10999 \expandafter\box\csname column\romannumeral#1\endcsname}%
11000 }}}
11001 \@ifclassloaded{book}{%
11002 \renewcommand\theequation
11003   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@equation}}
11004 \renewcommand \thefigure
11005   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@figure}}
11006 \renewcommand \thetable
11007   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@table}}
11008 \renewcommand \thechapter {\arabic{c@chapter}}
11009 \renewcommand \thesection {\thechapter\@SepMark\arabic{c@section}}
11010 \renewcommand \thesubsection {\thesection\@SepMark\arabic{c@subsection}}
11011 \renewcommand \thesubsubsection{\thesubsection\@SepMark\arabic{c@subsubsection}}
11012 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{c@paragraph}}
11013 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{c@subparagraph}}{%

```



```

11014 \@ifclassloaded{report}{%
11015 \renewcommand{\theequation}%
11016   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{equation}}%
11017 \renewcommand{\thefigure}%
11018   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{figure}}%
11019 \renewcommand{\thetable}%
11020   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{table}}%
11021 \renewcommand{\thechapter}{\arabic{chapter}}%
11022 \renewcommand{\thesection}{\thechapter\@SepMark\arabic{section}}%
11023 \renewcommand{\thesubsection}{\thesection\@SepMark\arabic{subsection}}%
11024 \renewcommand{\thesubsubsection}{\thesubsection\@SepMark\arabic{subsubsection}}%
11025 \renewcommand{\theparagraph}{\thesubsubsection\@SepMark\arabic{paragraph}}%
11026 \renewcommand{\thesubparagraph}{\theparagraph\@SepMark\arabic{subparagraph}}{}%
11027 \renewcommand{\rotateframe}[2]{\if@ttb@rotate%
11028 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
11029 \else%
11030 #2\relax%
11031 \fi}%

```

64 File `footnote-xetex-bidi.def`

```

11032 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]%
11033 \if@RTLmain@\RTL@footnotetrue\else@\RTL@footnotefalse\fi%
11034 \newif\ifbidi@autofootnoterule%
11035 \def\bidi@mpfootnoterule{\footnoterule}%
11036 \newcounter{footdir@label}%
11037 \renewcommand*{\thefootdir@label}{\footdir@the\value{footdir@label}}%
11038 \newcommand*{\footdir@write}{%
11039   \stepcounter{footdir@label}%
11040   \zref@labelbyprops{\thefootdir@label}{abspage}%
11041 }%
11042 \newif\iffootdir@debug%
11043 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}%
11044 \newtoks\footdir@toks%
11045 \newcommand*{\footdir@debug}[1]{%
11046   \iffootdir@debug%
11047     \typeout{[footdir] #1}%
11048   \fi%
11049 }%
11050 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
11051 %  \newcommand*{\footdir@LeftRightElse}{%
11052 %    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
11053 %      \footdir@debug{abspage \the\value{zabspage}: else}%
11054 %      \ltx@thirdofthree%
11055 %    }{%
11056 %      \if\csname footdir@\the\value{zabspage}\endcsname L%
11057 %        \footdir@debug{abspage \the\value{zabspage}: left}%
11058 %        \expandafter\ltx@firstofthree%
11059 %      \else%
11060 %        \footdir@debug{abspage \the\value{zabspage}: right}%

```



```

11061 %           \expandafter\ltx@secondofthree
11062 %           \fi
11063 %       }%
11064 %   }%
11065 %}{%
11066 \providecommand*\c@zabspage{\c@abspage}%
11067 \newcommand*\footdir@LeftRightElse}{%
11068     \footdir@write
11069     \zifrefundefined{\thefootdir@label}{%
11070         \footdir@debug{abspage ??: else}%
11071         \ltx@thirddofthree
11072     }{%
11073         \edef\footdir@abspage{%
11074             \zref@extractdefault{\thefootdir@label}{abspage}{0}%
11075         }%
11076         \ltx@ifundefined{footdir@\footdir@abspage}{%
11077             \footdir@debug{\footdir@abspage: else}%
11078             \ltx@thirddofthree
11079         }{%
11080             \if\csname footdir@\footdir@abspage\endcsname I%
11081                 \footdir@debug{\footdir@abspage: left}%
11082                 \expandafter\ltx@firstofthree
11083             \else
11084                 \footdir@debug{\footdir@abspage: right}%
11085                 \expandafter\ltx@secondofthree
11086             \fi
11087         }%
11088     }%
11089 }%
11090 }%
11091 \newcommand*\footdir@fntext[1]{%
11092     \zifrefundefined{\thefootdir@label}{%
11093     }{%
11094         \edef\footdir@name{%
11095             footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
11096         }%
11097         \@ifundefined{\footdir@name}{%
11098             \expandafter\gdef\csname\footdir@name\endcsname{\#1}%
11099         }{%
11100     }%
11101 }
11102
11103 \newcommand*\footdir@temp[3]{%
11104     \@ifdefinable{\#1}{%
11105         \let\#1\#2%
11106         \renewcommand{\#2}[1]{%
11107             \footdir@write
11108             \footdir@fntext{\#3}%
11109             \stepcounter{footdir@label}%
11110             \footdir@fntext{\#3}%

```



```

11111     \footdir@toks{##1}%
11112     \footdir@toks\expandafter{%
11113         \the\expandafter\footdir@toks
11114         \expandafter
11115         \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
11116     }%
11117     \expandafter#1\expandafter{\the\footdir@toks}%
11118     }%
11119     }%
11120 }
11121
11122 \def\right@footnoterule{%
11123   \kern-3\p@
11124   \hbox to \columnwidth{\hspace .6\columnwidth \hrulefill }%
11125   \kern2.6\p@}
11126 \def\left@footnoterule{\kern-3\p@
11127   \hrule \@width .4\columnwidth \kern 2.6\p@}
11128 \def\textwidth@footnoterule{\kern-3\p@
11129   \hrule \@width \columnwidth \kern 2.6\p@}
11130 \def\leftfootnoterule{%
11131 \bidi@autofootnoterulefalse}%
11132 \def\footnoterule{\left@footnoterule}%
11133 \let\LRfootnoterule=\leftfootnoterule
11134 \def\rightfootnoterule{%
11135 \bidi@autofootnoterulefalse}%
11136 \def\footnoterule{\right@footnoterule}%
11137 \def\textwidthfootnoterule{%
11138 \bidi@autofootnoterulefalse}%
11139 \def\footnoterule{\textwidth@footnoterule}%
11140
11141
11142
11143 \def\auto@footnoterule{%
11144 \footdir@LeftRightElse%
11145 \left@footnoterule}%
11146 \right@footnoterule}%
11147 \left@footnoterule}%
11148 }
11149
11150
11151
11152 \def\autofootnoterule{%
11153 \bidi@autofootnoteruletrue}%
11154 \def\footnoterule{\auto@footnoterule}%
11155 }
11156
11157 \newcommand*\SplitFootnoteRule{%
11158   \gdef\split@prev{0}%
11159   \let\pagefootnoterule\footnoterule
11160   \let\mpfootnoterule\footnoterule

```



```

11161 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
11162 \def\footnoterule{\relax
11163   \ifx \@listdepth\@mplistdepth
11164     \mpfootnoterule
11165   \else
11166     \ifnum\split@prev=\z@
11167       \pagefootnoterule
11168     \else
11169       \splitfootnoterule
11170     \fi
11171     \xdef\split@prev{\the\insertpenalties}%
11172   \fi
11173 }%
11174 }
11175
11176
11177
11178
11179 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
11180   \protected@xdef\@thefnmark{\thempfn}%
11181   \footnotemark\@RTLfootnotetext}}
11182 \def\@xRTLfootnote[#1]{%
11183   \begingroup
11184     \csname c@\@mpfn\endcsname #1\relax
11185     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11186   \endgroup
11187   \footnotemark\@RTLfootnotetext}
11188 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
11189   \protected@xdef\@thefnmark{\thempfn}%
11190   \footnotemark\@LTRfootnotetext}}
11191 \def\@xLTRfootnote[#1]{%
11192   \begingroup
11193     \csname c@\@mpfn\endcsname #1\relax
11194     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11195   \endgroup
11196   \footnotemark\@LTRfootnotetext}
11197
11198
11199 \def\setfootnoteRL{\@RTL@footnotetrue}
11200 \def\unsetfootnoteRL{\@RTL@footnotefalse}
11201 \def\setfootnoteLR{\unsetfootnoteRL}
11202
11203 \newcommand*{\bidi@@footnotetext@font}{\footnotesize}
11204 \newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
11205 \newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}
11206
11207 \long\def\@footnotetext#1{\insert\footins{%
11208   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11209   \reset@font%
11210   \bidi@@footnotetext@font\footnotesize \reset@font\footnotesize

```



```

11211   \interlinepenalty\interfootnotelinepenalty
11212   \splittopskip\footnotesep
11213   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
11214   \hsize\columnwidth \parboxrestore
11215   \protected@edef@\currentlabel{%
11216     \csname p@footnote\endcsname\thefnmark
11217   }%
11218   \color@begingroup
11219     \makefntext{%
11220       \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
11221     }%
11222
11223
11224 \long\def\@RTLfootnotetext#1{\insert\footins{%
11225   \@RTLtrue%
11226   \reset@font%
11227   \bidi@RTLfootnotetext@font% \reset@font\footnotesize
11228   \interlinepenalty\interfootnotelinepenalty
11229   \splittopskip\footnotesep
11230   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
11231   \hsize\columnwidth \parboxrestore
11232   \protected@edef@\currentlabel{%
11233     \csname p@footnote\endcsname\thefnmark
11234   }%
11235   \color@begingroup
11236     \makefntext{%
11237       \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
11238     }%
11239
11240 \long\def\@LTRfootnotetext#1{\insert\footins{%
11241   \@RTLfalse%
11242   \reset@font%
11243   \bidi@LTRfootnotetext@font% \reset@font\footnotesize
11244   \interlinepenalty\interfootnotelinepenalty
11245   \splittopskip\footnotesep
11246   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
11247   \hsize\columnwidth \parboxrestore
11248   \protected@edef@\currentlabel{%
11249     \csname p@footnote\endcsname\thefnmark
11250   }%
11251   \color@begingroup
11252     \makefntext{%
11253       \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}%
11254     }%
11255
11256 \AtBeginDocument{%
11257   \if@RTL@footnote
11258     \newcommand*{\bidi@footdir@footnote}{R}
11259   \else
11260     \newcommand*{\bidi@footdir@footnote}{L}

```



```

11261 \fi%
11262 }
11263
11264 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
11265 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
11266 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
11267
11268 \long\def\@mpRTLfootnotetext#1{%
11269   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno%
11270   \global\setbox\@mpfootins\vbox{\@RTLtrue%
11271     \unvbox\@mpfootins
11272     \reset@font%
11273     \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
11274     \hsize\columnwidth
11275     \parboxrestore
11276     \protected@edef\@currentlabel
11277       {\csname p@mpfootnote\endcsname\@thefnmark}%
11278     \color@begingroup
11279     \makemfntext{%
11280       \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11281     \color@endgroup}}
11282 \long\def\@mpLTRfootnotetext#1{%
11283   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno%
11284   \global\setbox\@mpfootins\vbox{\@RTLfalse%
11285     \unvbox\@mpfootins
11286     \reset@font%
11287     \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
11288     \hsize\columnwidth
11289     \parboxrestore
11290     \protected@edef\@currentlabel
11291       {\csname p@mpfootnote\endcsname\@thefnmark}%
11292     \color@begingroup
11293     \makemfntext{%
11294       \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11295     \color@endgroup}}
11296 \long\def\@mpfootnotetext#1{%
11297   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\right@footno%
11298   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11299     \unvbox\@mpfootins
11300     \reset@font%
11301     \bidi@@footnotetext@font% \reset@font\footnotesize
11302     \hsize\columnwidth
11303     \parboxrestore
11304     \protected@edef\@currentlabel
11305       {\csname p@mpfootnote\endcsname\@thefnmark}%
11306     \color@begingroup
11307     \makemfntext{%
11308       \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11309     \color@endgroup}}
11310 \def\@iiminipage#1#2[#3]#4{%

```



```

11311   \leavevmode
11312   \@pboxswfalse
11313   \if@hboxRconstruct@\bidi@list@minipage@parbox@not@nobtrue\fi
11314   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
11315   \setlength\@tempdima{#4}%
11316   \def\@mpargs{{#1}{#2}[#3]{#4}}%
11317   \setbox\@tempboxa\vbox\bgroup
11318     \color@begingroup
11319       \hsize\@tempdima
11320       \textwidth\hsize \columnwidth\hsize
11321       \parboxrestore
11322       \def\@mpfn{\mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@%
11323       \let\@footnotetext\@mpfootnotetext
11324       \let\@LTRfootnotetext\@mpLTRfootnotetext
11325       \let\@RTLfootnotetext\@mpRTLfootnotetext
11326       \let\@listdepth\@mplistdepth \c@mplistdepth\z@
11327       \minipagerestore
11328       \c@setminipage}
11329 \def\endminipage{%
11330   \par
11331   \unskip
11332   \ifvoid\@mpfootins\else
11333     \vskip\skip\@mpfootins
11334     \normalcolor
11335     \bidi@mpfootnoterule
11336     \unvbox\@mpfootins
11337   \fi
11338   \c@minipagefalse %% added 24 May 89
11339   \color@endgroup
11340   \egroup
11341   \expandafter\iiiparbox\@mpargs{\unvbox\@tempboxa}}
11342 \def\LTRthanks#1{\footnotemark
11343   \protected\@xdef\@thanks{\@thanks
11344     \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
11345 }
11346 \def\LTRfootnotetext{%
11347   \c@fnnextchar [\@xLTRfootnotenext
11348   {\protected\@xdef\@thefnmark{\thempfn}}%
11349   \c@LTRfootnotetext]}
11350 \def\@xLTRfootnotenext[#1]{%
11351   \begin{group}
11352     \csname c@\@mpfn\endcsname #1\relax
11353     \unrestored\protected\@xdef\@thefnmark{\thempfn}%
11354   \endgroup
11355   \c@LTRfootnotetext}
11356 \def\RTLthanks#1{\footnotemark
11357   \protected\@xdef\@thanks{\@thanks
11358     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
11359 }
11360 \let\@thanks\empty

```



```

11361 \def\RTLfootnotetext{%
11362     \@ifnextchar [\@xRTLfootnotenext
11363         {\protected@xdef\@thefnmark{\thempfn}%
11364         \c@RTLfootnotetext}%
11365 \def\@xRTLfootnotenext[#1]{%
11366     \begingroup
11367         \csname c@\@mpfn\endcsname #1\relax
11368         \unrestored@protected@xdef\@thefnmark{\thempfn}%
11369     \endgroup
11370     \c@RTLfootnotetext}%
11371 \leftfootnoterule

```

65 File framed-xetex-bidi.def

```

11372 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for XeLaTeX]
11373 \renewcommand\TitleBarFrame[3][]{\begingroup
11374     \ifx\delimiter#1\delimiter
11375         \let\TF@conlab@\empty
11376     \else
11377         \def\TF@conlab{\% continuation label
11378             \nointerlineskip
11379             \smash{\rlap{\kern\wd\tempboxa\kern\fboxrule\kern\fboxsep #1}}\%
11380     \fi
11381     \%{\let\TF@savecolor\currentcolor
11382     \textcolor{TFFrameColor}{%
11383         \CustomFBox
11384             {\TF@Title{#2}\{\TF@conlab\}%
11385             \fboxrule\fboxrule\fboxrule\fboxrule
11386             \%{\let\currentcolor\TF@savecolor\setcolor #3}%
11387             \normalcolor #3}%
11388     }\endgroup
11389 }
11390 \renewenvironment{titled-frame}[1]{%
11391     \def\FrameCommand{\fboxsep8pt\fboxrule2pt
11392         \TitleBarFrame{\textbf{#1}}\%
11393     \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
11394         \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\{\textbf{#1}}\%
11395     \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
11396         \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\{\textbf{#1}\ (cont)}
11397     \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
11398         \TitleBarFrame{\textbf{#1}\ (cont)}\%
11399     \MakeFramed{\advance\hsize-20pt \FrameRestore}\%
11400     \% note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
11401     \% could interfere with the width measurement.
11402     {\endMakeFramed}
11403 \chardef\FrameRestore=\catcode`\| % for debug
11404 \catcode`\|=\\catcode`\% % (debug: insert space after backslash)
11405 \def\fb@put@frame#1#2{\relax
11406 \ifdim\pagegoal=\maxdimen \pagegoal\vsiz\fi
11407 | \message{===== Entering putframe =====^J

```



```

11408 |     \pagegoal=\the\pagegoal,  \pagetotal=\the\pagetotal. }%
11409 | \ifinner
11410 |   \fb@putboxa#1%
11411 |   \fb@afterframe
11412 | \else
11413 |   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
11414 |   \ifdim\dimen@<2\baselineskip % Too little room on page
11415 |   \message{Page has only \the\dimen@space room left; eject. }%
11416 |   \eject \fb@adjheight \fb@put@frame#1#2%
11417 | \else % there's appreciable room left on the page
11418 |   \fb@sizeofframe#1%
11419 |   \message{\string\pagetotal=\the\pagetotal,
11420 |     \string\pagegoal=\the\pagegoal,
11421 |     \string\pagestretch=\the\pagestretch,
11422 |     \string\pageshrink=\the\pageshrink,
11423 |     \string\fb@frh=\the\fb@frh. \space}
11424 |   \message{^^JBox of size \the\ht@tempboxa\space}%
11425 |   \begingroup % temporarily set \dimen@ to be...
11426 |   \advance\dimen@.8\pageshrink % maximum space available on page
11427 |   \advance\dimen@-\fb@frh\relax % max space available for frame's contents
11428 %% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
11429 |   \expandafter\endgroup
11430 |   % expand \ifdim, then restore \dimen@ to real room left on page
11431 |   \ifdim\dimen@>\ht@tempboxa % whole box does fit
11432 |     \message{fits in \the\dimen@. }%
11433 |     % ToDo: Change this to use vsplit anyway to capture the marks
11434 |     % MERGE THIS WITH THE else CLAUSE!!!
11435 |     \fb@putboxa#1%
11436 |     \fb@afterframe
11437 | \else % box must be split
11438 |   \message{must be split to fit in \the\dimen@. }%
11439 |   % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11440 |   \fb@sizeofframe#2%
11441 |   \setbox@tempboxa\vbox{% simulate frame and flexibility of the page:
11442 |     \vskip \fb@frh \oplus\pagestretch \ominus.8\pageshrink
11443 |     \kern137sp\kern-137sp\penalty-30
11444 |     \unvbox@tempboxa}%
11445 |   \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
11446 |     \splittopskip\the\splittopskip}%
11447 |   \boxmaxdepth\z@ \splittopskip\z@
11448 |   \message{^^JPadded box of size \the\ht@tempboxa\space split to \the\dimen@}%
11449 |   % Split box here
11450 |   \setbox\tw@\vsplit@tempboxa to\dimen@
11451 |   \toks99\expandafter{\splitfirstmark}%
11452 |   \toks98\expandafter{\splitbotmark}%
11453 |   \message{Marks are: \the\toks99, \the\toks98. }%
11454 |   \setbox\tw@\vbox{\unvbox\tw@}%
11455 |   \message{Natural height of split box is \the\ht\tw@, leaving
11456 |     \the\ht@tempboxa\space remainder. }%
11457 |   % If the split-to size > (\vsize-\topskip), then set box to full size.

```



```

11458 \begingroup
11459 \advance\dimen@\topskip
11460 \expandafter\endgroup
11461 \ifdim\dimen@>\pagegoal
11462 |   \message{Frame is big -- Use up the full column. }%
11463   \dimen@ii\pagegoal
11464   \advance\dimen@ii -\topskip
11465   \advance\dimen@ii \FrameHeightAdjust\relax
11466 \else % suspect this is implemented incorrectly:
11467   % If the split-to size > feasible room_on_page, rebox it smaller.
11468   \advance\dimen@.8\pageshrink
11469   \ifdim\ht\tw@>\dimen@
11470 |     \message{Box too tall; rebox it to \the\dimen@. }%
11471     \dimen@ii\dimen@
11472   \else % use natural size
11473     \dimen@ii\ht\tw@
11474   \fi
11475 \fi
11476 % Re-box contents to desired size \dimen@ii
11477 \advance\dimen@ii -\fb@frh
11478 \setbox\tw@\vbox to\dimen@ii \bgroup
11479 % remove simulated frame and page flexibility:
11480 \vskip -\fb@frh \oplus-\pagestretch \minus-.8\pageshrink
11481 \unvbox\tw@ \unpenalty\unpenalty
11482 \ifdim\lastkern=-137sp % whole box went to next page
11483 |   \message{box split at beginning! }%
11484   % need work here???
11485   \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11486   \fb@adjheight
11487   \fb@put@frame#1#2% INSERTED ???
11488 \else % Got material split off at the head
11489   \egroup \fb@resto@set
11490   \ifvoid\@tempboxa % it all fit after all
11491 |     \message{box split at end! }%
11492     \setbox\@tempboxa\box\tw@
11493     \fb@putboxa#1%
11494     \fb@afterframe
11495 \else % it really did split
11496 |   \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11497   \ifdim\wd\tw@>\z@
11498     \wd\tw@\wd\@tempboxa
11499     \centerline{\#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
11500   \else
11501     \message{Zero width means likely blank. Don't frame it (guess)}%
11502     \box\tw@
11503   \fi
11504   \hrule \height\z@ \width\hsize
11505   \eject
11506   \fb@adjheight
11507   \fb@put@frame\LastFrameCommand\MidFrameCommand

```



```

11508   \fi\fi\fi\fi\fi
11509 }
11510 \def\fb@putboxa#1{%
11511   \ifvoid@\tempboxa
11512     \PackageWarning{framed}{Boxa is void -- discard it. }%
11513   \else
11514   |   \message{Frame and place boxa. }%
11515   |   \%{\showoutput\showbox@\tempboxa}%
11516   |   \centerline{\#1{\hboxL{\box\tempboxa}}}}%
11517   \fi
11518 }
11519 \catcode`|=FrameRestore
11520 \def\FrameRestore{%
11521   \let\ifnobreak\iffalse
11522   \let\ifnoskipsec\iffalse
11523   \let\-\@dischyp
11524   \let'\@acci\let`@\accii\let=\@acciii
11525   % \message{FrameRestore:
11526   %   \totallmargin=\the\totallmargin,
11527   %   \rightmargin=\the\rightmargin,
11528   %   \listdepth=\the\listdepth. }%
11529   % Test if we are in a list (or list-like paragraph)
11530   \ifnum\ifdim\totallmargin>\z@ 1\fi
11531     \ifdim\rightmargin>\z@ 1\fi
11532     \ifnum\listdepth>\z@ 1\fi 0>\z@
11533     % \message{In a list: \linewidth=\the\linewidth, \totallmargin=\the\totallmargin
11534     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
11535     %   \labelwidth=\the\labelwidth. }%
11536     \setminipage % snug fit around the item
11537     % Now try to propagate changes of width from \hsize to list parameters.
11538     % This is deficient, but a more advanced way to indicate modification to text
11539     % dimensions is not (yet) provided; in particular, no separate left/right
11540     % adjustment.
11541     \advance\linewidth-\columnwidth \advance\linewidth\hsize
11542     \parshape@ne \totallmargin \linewidth
11543   \else % Not in list
11544     \linewidth=\hsize
11545     %\message{No list, set \string\linewidth=\the\hsize. }%
11546   \fi
11547   \sloppy
11548 }

```

66 File ftnright-xetex-bidi.def

```

11549 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
11550
11551 \def\prepare@bidi@copyins{%
11552   \global\bidi@rcol@copyinsskip\skip@\bidi@copyins@%
11553   \global\skip@\bidi@copyins@\z@%
11554   \global\count@\bidi@copyins@\z@%

```



```

11555 \global\dimen@\bidi@copyins@\textheight}
11556
11557 \newskip\bidi@rcol@copyinsskip
11558
11559 \def\LTR@outputdblcol{%
11560   \if@firstcolumn
11561     \global\@firstcolumnfalse
11562     \global\setbox@\leftcolumn\copy\@outputbox
11563     \global\count\footins\@m
11564     \global\skip\footins\rcol@footinsskip
11565     \global\count\@bidi@copyins\@m
11566     \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
11567     \splitmaxdepth\maxdimen
11568     \vbadness\maxdimen
11569     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11570     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11571     \toks@\expandafter{\topmark}%
11572     \xdef\@firstcoltopmark{\the\toks@}%
11573     \toks@\expandafter{\splitfirstmark}%
11574     \xdef\@firstcolfirstmark{\the\toks@}%
11575     \ifx\@firstcolfirstmark\empty
11576       \global\let\@setmarks\relax
11577     \else
11578       \gdef\@setmarks{%
11579         \let\firstmark\@firstcolfirstmark
11580         \let\topmark\@firstcoltopmark}%
11581       \fi
11582   \else
11583     \preparefootins
11584     \prepare@bidi@copyins
11585     \global\@firstcolumntrue
11586     \setbox\@outputbox\vbox{%
11587       \hb@xt@\textwidth{%
11588         \hb@xt@\columnwidth{%
11589           \bidi@firstcolumn@status@write}%
11590           \box@\leftcolumn \hss}%
11591           \hfil
11592           {\normalcolor\vrule \width\columnseprule}%
11593           \hfil
11594           \hb@xt@\columnwidth{%
11595             \bidi@lastcolumn@status@write}%
11596             \box\@outputbox \hss}}}}%
11597   \combinedblfloats
11598     \@setmarks
11599     \@outputpage
11600     \begingroup
11601       \cdblfloatplacement
11602       \startdblcolumn
11603       \whilesw\if@fcolmade \fi\{@outputpage
11604       \startdblcolumn}%

```



```

11605      \endgroup
11606  \fi}%
11607
11608 \def\RTL@outputdblcol{%
11609  \if@firstcolumn
11610    \global\@firstcolumnfalse
11611    \global\setbox\@leftcolumn\copy\@outputbox
11612    \global\count\footins\@m
11613    \global\skip\footins\rcol@footinsskip
11614    \global\count\@bidi@copyins\@m
11615    \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
11616    \splitmaxdepth\maxdimen
11617    \vbadness\maxdimen
11618    \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11619    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11620    \toks@\expandafter{\topmark}%
11621    \xdef\@firstcoltopmark{\the\toks}%
11622    \toks@\expandafter{\splitfirstmark}%
11623    \xdef\@firstcolfirstmark{\the\toks}%
11624    \ifx\@firstcolfirstmark\empty
11625      \global\let\@setmarks\relax
11626    \else
11627      \gdef\@setmarks{%
11628        \let\firstmark\@firstcolfirstmark
11629        \let\topmark\@firstcoltopmark}%
11630      \fi
11631    \else
11632      \preparefootins
11633      \prepare@bidi@copyins
11634      \global\@firstcolumntrue
11635      \setbox\@outputbox\vbox{%
11636        \hb@xt@{\textwidth}{%
11637          \hskip \columnwidth
11638          \hfil
11639          {\normalcolor\vrule \width\columnseprule}%
11640          \hfil
11641          \hb@xt@{\columnwidth}{%
11642            \bidi@firstcolumn@status@write%
11643            \box\@leftcolumn \hss}%
11644            \hskip -\textwidth
11645            \hb@xt@{\columnwidth}{%
11646              \bidi@lastcolumn@status@write%
11647              \box\@outputbox \hss}%
11648              \hskip \columnsep
11649              \hskip \columnwidth }%}
11650    \combinedblfloats
11651    \@setmarks
11652    \@outputpage
11653    \begingroup
11654      \cdblfloatplacement

```



```

11655      \@startdblcolumn
11656      \@whilesw\if@fcolmade \fi{\@outputpage
11657      \@startdblcolumn}%
11658      \endgroup
11659  \fi}%
11660
11661 \def\@startcolumn{%
11662 \ifx\@deferlist\@empty
11663   \global\@fcolmadefalse
11664   \global\@colroom\@colht
11665 \else
11666   \ifvoid\footins\else
11667     \ftn@amount\ht\footins
11668     \advance\ftn@amount\dp\footins
11669     \advance\ftn@amount\skip\footins
11670   \fi
11671 \ifvoid\@bidi@copyins\else
11672   \bidi@copyins@amount\ht\@bidi@copyins@
11673   \advance\bidi@copyins@amount\dp\@bidi@copyins@
11674   \advance\bidi@copyins@amount\skip\@bidi@copyins@
11675 \fi
11676 \global\advance\@colht-\ftn@amount
11677 \global\advance\@colht-\bidi@copyins@amount
11678 \global\@colroom\@colht
11679 \@xstartcol
11680 \global\advance\@colht\ftn@amount
11681 \global\advance\@colroom\ftn@amount
11682 \global\advance\@colht\bidi@copyins@amount
11683 \global\advance\@colroom\bidi@copyins@amount
11684 \fi
11685 \if@fcolmade
11686 \setbox\@cclv\box\@outputbox
11687 \makecol
11688 \else
11689   \ifvoid\footins\else
11690     \insert\footins{\unvbox\footins}\fi
11691   \ifvoid\@bidi@copyins\else
11692     \insert\@bidi@copyins@\{\unvbox\@bidi@copyins@\}\fi
11693 \fi}
11694
11695 \newdimen\bidi@copyins@amount
11696
11697 \def\@makecol{\if@firstcolumn
11698   \setbox\@outputbox\box\@cclv
11699   \if@twocolumn \else
11700     \ifvoid\footins \else
11701       \@latexerr{ftnright package
11702                   used in one-column mode}%
11703     {The ftnright package was designed to
11704      work with LaTeX's standard^^Jtwocolumn

```



```

11705     option. It does *not* work with the
11706     multicol package.^^JSo please specify
11707     `twocolumn' in the
11708     \noexpand\documentclass command.}%
11709     \shipout\box\footins \fi
11710     \ifvoid\@bidi@copyins@ \else
11711       \@latexerr{ftnright package
11712         used in one-column mode}%
11713     {The ftnright package was designed to
11714       work with LaTeX's standard^^Jtwocolumn
11715       option. It does *not* work with the
11716       multicol package.^^JSo please specify
11717       `twocolumn' in the
11718       \noexpand\documentclass command.}%
11719       \shipout\box\@bidi@copyins@ \fi\fi
11720     \ifnum\insertpenalties>\z@
11721       \@latexerr{ftnright package
11722         scrambled footnotes}%
11723     {There is too much footnote material in
11724       the first column and ftnright^^Jis
11725       unable to cope with this.^^JYou need
11726       to reduce the amount to get a properly
11727       formatted page.}%
11728   \fi
11729 \else
11730   \ifvoid\footins
11731     \ifvoid\@bidi@copyins@
11732       \setbox\@outputbox\box\@cclv
11733     \else
11734       \setbox\@outputbox\vbox
11735         {\ifvoid\@cclv \else
11736           \unvbox\@cclv
11737           \vskip \skip\@bidi@copyins@
11738         \fi
11739           \color@begingroup
11740             \normalcolor
11741             \unvbox \@bidi@copyins@
11742               \color@endgroup}%
11743   \fi
11744 \else
11745   \setbox\@outputbox\vbox
11746     {\ifvoid\@cclv \else
11747       \unvbox\@cclv
11748       \vskip\skip\footins\fi
11749       \color@begingroup
11750         \normalcolor
11751         \footnoterule\unvbox\footins
11752         \color@endgroup
11753         \ifvoid\@bidi@copyins@
11754           \else

```



```

11755      \vskip \skip@\bidi@copyins@
11756      \color@begingroup
11757      \normalcolor
11758      \unvbox \bidi@copyins@
11759      \color@endgroup
11760      \fi
11761  }%
11762 \fi
11763 \fi
11764 \xdef\@freelist{\@freelist\@midlist}%
11765 \global \let \@midlist \empty
11766 \combinefloats
11767 \ifvbox\@kludgeins
11768   \makespecialcolbox
11769 \else
11770   \setbox\@outputbox\vbox to\@colht
11771     {\boxmaxdepth\maxdepth
11772       \texttop
11773       \tempdima\dp\@outputbox
11774       \unvbox\@outputbox
11775       \vskip-\tempdima
11776       \textbottom}%
11777 \fi
11778 \global\maxdepth\@maxdepth}
11779
11780 \let\leftfootnoterule\empty
11781 \let\rightfootnoterule\empty
11782 \let\textwidthfootnoterule\empty
11783 \let\autofootnoterule\empty
11784 \let\footnoterule\empty
11785 \long\def\makefn#1{\parindent 1em
11786   \noindent\hbox to 2em{}}%
11787   \llap{\thefnmark\hbox{.,,}#1}
11788
11789 \setlength{\skip\bidi@copyins@}
11790   {10pt plus 5pt minus 3pt}
11791 \AtBeginDocument{\preparebidi@copyins}

```

67 File `graphicx-xetex-bidi.def`

```

11792 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
11793 \def\Grot@box@std#1{\ifmmode\else\if@RTL\beginL\fi\fi%
11794   \Grot@setangle{#1}%
11795   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi}%
11796   \Grot@x\z@
11797   \Grot@y\z@
11798   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
11799 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11800   \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi}%
11801   \Grot@x\width \divide\Grot@x\two@

```



```

11802   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
11803   \setkeys{Grot}{#1}%
11804   \setbox\z@\box\@tempboxa
11805   \Grot@setangle{#2}%
11806   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
11807   \end@tempboxa}
11808 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11809   \leavevmode
11810   \def\Gscale@x[#1]\def\Gscale@y[#2]%
11811   \setbox\z@\hbox{{#3}}%
11812   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
11813   \ifdim#2pt<\z@
11814     \ht\tw@-#2dp\z@
11815     \dp\tw@-#2ht\z@
11816   \else
11817     \ht\tw@#2ht\z@
11818     \dp\tw@#2dp\z@
11819   \fi
11820   \ifdim#1pt<\z@
11821     \hb@xt@-#1wd\z@{\kern-#1wd\z@\box\tw@\hss}%
11822   \else
11823     \wd\tw@#1wd\z@
11824     \box\tw@
11825   \fi\ifmmode\else\if@RTL\endL\fi\fi}
11826 \def\Gin@iii[#1,#2][#3,#4]#5{%
11827   \begingroup
11828   \ifmmode\else\if@RTL\beginL\fi\fi
11829   \Gin@bboxtrue
11830   \Gin@defaultbp\Gin@llx{#1}%
11831   \Gin@defaultbp\Gin@lly{#2}%
11832   \Gin@defaultbp\Gin@urx{#3}%
11833   \Gin@defaultbp\Gin@ury{#4}%
11834   \Gin@include@graphics{#5}%
11835   \ifmmode\else\if@RTL\endL\fi\fi
11836   \endgroup
11837 \def\Gin@ii[#1]#2{%
11838   \def\@tempa{} \def\@tempb{#2}%
11839   \ifx\@tempa\@tempb
11840     \def\@tempa{\Gin@iii[#1]}%
11841     \expandafter\@tempa
11842   \else
11843     \begingroup
11844       \ifmmode\else\if@RTL\beginL\fi\fi
11845       \tempswafalse
11846       \toks@{\Gin@include@graphics{#2}}%
11847       \setkeys{Gin}{#1}%
11848       \Gin@esetsize
11849       \the\toks@
11850       \ifmmode\else\if@RTL\endL\fi\fi
11851   \endgroup

```



```

11852     \fi}
11853 \def\reflectbox{\bidiGscale@box-1[1]}
11854 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11855   \leavevmode
11856   \def\Gscale@x{\#1}\def\Gscale@y{\#2}%
11857   \setbox\z@\hbox{\{ \ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL\endR\fi\}%
11858   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
11859   \ifdim#2\p@<\z@
11860     \ht\tw@-\#2\dp\z@
11861     \dp\tw@-\#2\ht\z@
11862   \else
11863     \ht\tw@#2\ht\z@
11864     \dp\tw@#2\dp\z@
11865   \fi
11866   \ifdim#1\p@<\z@
11867     \hb@xt@-#1\wd\z@\kern-#1\wd\z@\box\tw@\hss}%
11868   \else
11869     \wd\tw@#1\wd\z@
11870     \box\tw@
11871   \fi\ifmmode\else\if@RTL\endL\fi\fi}
11872 \def\scalebox#1{%
11873   \@ifnextchar[\bidiGscale@box{\#1}]{\bidiGscale@box{\#1}[\#1]}%
11874 \def\resizebox{%
11875   \leavevmode
11876   \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}%
11877 \def\bidiGscale@@box#1#2#3{%
11878   \let\@tempa\Gin@exclamation
11879   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
11880   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
11881   \ifx\@tempb\@tempa
11882     \ifx\@tempc\@tempa
11883       \toks@{\mbox}%
11884     \else
11885       \toks@{\bidiGscale@box@dd{\#3}{#1}}%
11886     \fi
11887   \else
11888     \ifx\@tempc\@tempa
11889       \toks@{\bidiGscale@box@dd{\#2}{width}}%
11890     \else
11891       \toks@{\bidiGscale@box@dd{\#2}{width{\#3}{#1}}}%
11892     \fi
11893   \fi
11894   \the\toks@}
11895 \long\def\bidiGscale@box@dd#1#2#3{%
11896   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL\endR\fi\}%
11897   \setlength\@tempdima{\#1}%
11898   \setlength\@tempdimb{\#2}%
11899   \Gscale@div\@tempa\@tempdima\@tempdimb
11900   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
11901 \@end@tempboxa}

```



```
11902 \long\def\bidiGscale@box#1#2#3#4#5{%
11903   \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi}
11904     \setlength{\tempdima}{#1}%
11905     \setlength{\tempdimb}{#2}%
11906     \Gscale@div{\tempa}{\tempdima}{\tempdimb}
11907     \setlength{\tempdima}{#3}%
11908     \setlength{\tempdimb}{#4}%
11909     \Gscale@div{\tempb}{\tempdima}{\tempdimb}
11910     \ifGin@iso
11911       \ifdim\tempa>\tempb
11912         \let\tempa\tempb
11913       \else
11914         \let\tempb\tempa
11915       \fi
11916     \fi
11917     \Gscale@box{\tempa[\tempb]}{\box{\tempboxa}}%
11918   \end{tempboxa}
```

68 File geometry-xetex-bidi.def

```
11919 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
11920 \renewcommand*{\Gm@vrules@mpi}{%
11921 \if@RTLmain%
11922     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11923         \llap{\Gm@vrule}\ignorespaces
11924         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11925         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
11926 \else%
11927     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
11928         \hskip \textwidth\Gm@vrule\hskip \marginparsep
11929         \llap{\Gm@vrule}\hfil\Gm@vrule\fi}%
11930 \renewcommand*{\Gm@vrules@mpi}{%
11931 \if@RTLmain%
11932     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
11933         \hskip \textwidth\Gm@vrule\hskip \marginparsep
11934         \llap{\Gm@vrule}\hfil\Gm@vrule}%
11935 \else%
11936     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11937         \llap{\Gm@vrule}\ignorespaces
11938         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11939         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss\fi}%
11940 \bidi@patchcmd{\Gm@pageframes}{%
11941     \ifodd\count\z@
11942         \let\@themargin\oddsidemargin
11943     \else
11944         \let\@themargin\evensidemargin
11945     \fi
11946 }{%
11947     \ifodd\count\z@
11948         \if@RTLmain
```



```

11949      \let\@themargin\evensidemargin
11950      \else
11951          \let\@themargin\oddsidemargin
11952      \fi
11953  \else
11954      \if@RTLmain
11955          \let\@themargin\oddsidemargin
11956      \else
11957          \let\@themargin\evensidemargin
11958      \fi
11959  \fi
11960 }\f\{\f\}

```

69 File hvfloat-xetex-bidi.def

```

11961 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for
11962 \def\do@@hvFloat[#1]#2#3{%
11963 \def\hv@shortCap{#1}
11964 \def\hv@longCap{#2}
11965 \def\hv@label{#3}
11966 %\newcommand*{\hvFloat}[5][]{%
11967 % [#1]: keyvalues
11968 % #2: type figure | table | ...
11969 % #3: float contents
11970 % [#4]: short caption
11971 % #5: caption
11972 % #6: label
11973 % \setDefaults%
11974 % \def\@tempa{#1}%
11975 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
11976 \def\@tempa{90}%
11977 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
11978 \else \setlength{\hvMaxCapWidth}{\linewidth}
11979 \fi
11980 %
11981 % First we save the object in \hvObjectBox
11982 %
11983 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
11984     \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
11985 \else
11986     \savebox{\hvObjectBox}{%
11987         \rotatebox{\hvSet@objectAngle}{%
11988             \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
11989 \fi
11990 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
11991 %
11992 % Now we save the caption with its defined \hvCapWidth
11993 %
11994 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
11995 \else

```



```

11996     \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
11997     \else
11998         \setlength{\hvCapWidth}{\hvObjectWidth}
11999         \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
12000         \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
12001         \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
12002             \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
12003         \else
12004             \setlength{\hvCapWidth}{\hvMaxCapWidth}
12005         \fi
12006     \fi
12007 \fi
12008%
12009% now we have the object and the caption with the right
12010% rotated angles saved in boxes
12011%
12012 \def\fps@figure{\hvSet@floatPos}
12013 \ifhv@nonFloat\begingroup% Start the nonfloat part
12014 \else \begin{\hv@floatType}% Start the floating environment
12015 \fi%
12016 \saveCaptionSkip% we put this space ourselve
12017 \ifx\hvSet@capAngle\hv@Width % need rotation?
12018     \sbox{\hvCaptionBox}%
12019     \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
12020         \ifhv@nonFloat%
12021         \ifhv@onlyText#2%
12022             \else%
12023             \ifx\hv@floatType\hv@figure
12024                 \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
12025             \else
12026                 \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
12027             \fi
12028         \fi
12029 \else\ifx\relax\hv@shortCap\relax\caption[#2]\else\caption[#1]{#2}\fi%
12030 \fi%
12031 \label{#3}%
12032     \end{minipage}%
12033     }%
12034 \else%
12035     \sbox{\hvCaptionBox}%
12036     \rotatebox{\hvSet@capAngle}%
12037     \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
12038 \ifhv@nonFloat%
12039     \ifhv@onlyText#2%
12040     \else%
12041     \ifx\hv@floatType\hv@figure
12042         \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
12043     \else
12044         \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
12045     \fi

```



```

12046  \fi
12047 \else\ifx\relax\hv@shortCap\relax\caption{\#2}\else\caption[\#1]{\#2}\fi%
12048      \fi%
12049      \label{\#3}%
12050      \end{minipage}%
12051  }%
12052  }%
12053  \fi%
12054 %%%
12055  \restoreCaptionSkip% save old values
12056  \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
12057  \else%
12058      \ifx\hvSet@objectPos\hv@Center
12059          \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
12060      \fi%
12061  \fi%
12062 %
12063 % to rotate object and caption together, we save all in another box
12064 % the caption comes first, if its on the left or the top
12065 %
12066  \savebox{\@tempboxa}{%
12067  \ifx\hvSet@capPos\hv@Left  % caption on left side
12068 \if@RTL%
12069 \ifx\hvSet@capVPos\hv@Center%
12070 \ifhv@fbox
12071 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12072 \else
12073 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12074 \fi%
12075 \hspace{\hvSet@floatCapSep pt}%
12076 \ifhv@fbox
12077 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12078 \else
12079 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
12080 \fi%
12081 \else%
12082 \ifx\hvSet@capVPos\hv@Top
12083 \ifhv@fbox
12084 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12085 \else
12086 \raisebox{-\height}{\usebox{\hvObjectBox}}%
12087 \fi%
12088 \hspace{\hvSet@floatCapSep pt}%
12089 \ifhv@fbox
12090 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12091 \else
12092 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12093 \fi
12094 \else
12095 \ifhv@fbox

```



```

12096 \fbox{\usebox{\hvObjectBox}}%
12097 \else
12098 \usebox{\hvObjectBox}%
12099 \fi
12100 \hskip{\hvSet@floatCapSep pt}%
12101 \ifhv@fbox
12102 \fbox{\usebox{\hvCaptionBox}}%
12103 \else
12104 \usebox{\hvCaptionBox}%
12105 \fi%
12106 \fi%
12107 \fi%
12108 \else% not RTL
12109   \ifx\hvSet@capVPos\hv@Center%
12110     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12111     \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
12112     \fi%
12113   \hskip{\hvSet@floatCapSep pt}% capfloatsep
12114   \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
12115   \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
12116   \fi%
12117 \else%
12118   \ifx\hvSet@capVPos\hv@Top % caption at top
12119     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12120     \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12121     \fi
12122   \hskip{\hvSet@floatCapSep pt}% capfloatsep
12123   \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12124   \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
12125   \fi%
12126 \else% caption on bottom
12127   \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
12128     \else\usebox{\hvCaptionBox}
12129   \fi%
12130   \hskip{\hvSet@floatCapSep pt}%
12131   \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
12132   \else     \usebox{\hvObjectBox}
12133   \fi%
12134 \fi%
12135 \fi% end of RTL
12136 \fi%
12137 \else
12138 \ifx\hvSet@capPos\hv@Top
12139 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12140 \begin{minipage}{\wd\hvCaptionBox}
12141 \else
12142 \begin{minipage}{\wd\hvObjectBox}
12143 \fi
12144 \centering
12145 \ifhv@fbox

```



```

12146 \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
12147 \fbox{\usebox{\hvObjectBox}}
12148 \else
12149 \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
12150 \usebox{\hvObjectBox}
12151 \fi%
12152 \end{minipage}
12153 \else
12154 \ifx\hvSet@capPos\hv@Bottom
12155 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12156 \begin{minipage}{\wd\hvCaptionBox}
12157 \else
12158 \begin{minipage}{\wd\hvObjectBox}
12159 \fi
12160 \centering
12161 \ifhv@fbox
12162 \fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
12163 \fbox{\usebox{\hvCaptionBox}}
12164 \else
12165 \usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
12166 \usebox{\hvCaptionBox}
12167 \fi%
12168 \end{minipage}
12169 \else% the last option: put the caption on the right
12170 \if@RTL%
12171     \ifx\hvSet@capVPos\hv@Center%
12172         \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12173         \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
12174         \fi%
12175         \hspace{\hvSet@floatCapSep pt}%
12176         \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
12177         \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
12178         \fi%
12179     \else%
12180         \ifx\hvSet@capVPos\hv@Top % caption at top
12181             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12182             \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12183             \fi
12184             \hspace{\hvSet@floatCapSep pt}%
12185             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12186             \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
12187             \fi%
12188     \else% caption on bottom
12189         \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
12190             \else\usebox{\hvCaptionBox}
12191             \fi%
12192             \hspace{\hvSet@floatCapSep pt}%
12193             \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
12194             \else     \usebox{\hvObjectBox}
12195             \fi%

```



```

12196    \fi%
12197    \fi%
12198 \else% not RTL
12199 \ifx\hvSet@capVPos\hv@Center%
12200 \ifhv@fbox
12201 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12202 \else
12203 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12204 \fi%
12205 \hskip{\hvSet@floatCapSep pt}%
12206 \ifhv@fbox
12207 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12208 \else
12209 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
12210 \fi%
12211 \else%
12212 \ifx\hvSet@capVPos\hv@Top
12213 \ifhv@fbox
12214 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12215 \else
12216 \raisebox{-\height}{\usebox{\hvObjectBox}}%
12217 \fi%
12218 \hskip{\hvSet@floatCapSep pt}%
12219 \ifhv@fbox
12220 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12221 \else
12222 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12223 \fi
12224 \else
12225 \ifhv@fbox
12226 \fbox{\usebox{\hvObjectBox}}%
12227 \else
12228 \usebox{\hvObjectBox}%
12229 \fi
12230 \hskip{\hvSet@floatCapSep pt}%
12231 \ifhv@fbox
12232 \fbox{\usebox{\hvCaptionBox}}%
12233 \else
12234 \usebox{\hvCaptionBox}%
12235 \fi%
12236 \fi%
12237 \fi
12238 \fi% end of RTL
12239 \fi
12240 \fi
12241 \fi
12242 }% End savebox Object and caption
12243 %
12244 % now we rotate the object and caption, if needed
12245 %

```



```

12246 \ifx\hvSet@rotAngle\hv@Zero
12247 \usebox{\@tempboxa}
12248 \else
12249 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
12250 \fi
12251 \ifhv@nonFloat
12252 \ifx\hvSet@objectPos\hv@Center
12253 \ifhv@nonFloat
12254 \hskip{\fill}
12255 \fi
12256 \fi
12257 \endgroup% End the nonfloat part
12258 \else
12259 \end{\hv@floatType}% End the floating environment
12260 \fi
12261 }

```

70 File hyperref-xetex-bidi.def

```

12262 \ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package]
12263 \AtBeginDocument{%
12264 \def\contentsline#1#2#3#4{%
12265   \ifx\#4\%
12266     \csname l@\#1\endcsname{\#2}{\#3}%
12267   \else
12268     \ifcase\Hy@linktoc % none
12269       \csname l@\#1\endcsname{\#2}{\#3}%
12270     \or % section
12271       \csname l@\#1\endcsname{%
12272         \hyper@linkstart{link}{\#4}{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}\hyper@linkend
12273       }{\#3}%
12274     \or % page
12275       \csname l@\#1\endcsname{\{#2\}}{%
12276         \hyper@linkstart{link}{\#4}{\#3}\hyper@linkend
12277       }%
12278     \else % all
12279       \csname l@\#1\endcsname{%
12280         \hyper@linkstart{link}{\#4}{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}\hyper@linkend
12281       }{%
12282         \hyper@linkstart{link}{\#4}{\#3}\hyper@linkend
12283       }%
12284     \fi
12285   \fi
12286 }
12287 \ifHy@hyperfootnotes
12288   \let\H@footnotetext\footnotetext
12289   \let\HRTL@RTLfootnotetext\RTLfootnotetext
12290   \let\HLTR@LTRfootnotetext\LTRfootnotetext
12291   \def\xfootnotenext[#1]{%
12292     \begingroup

```



```

12293      \csname c@\@mpfn\endcsname #1\relax
12294      \unrestored@protected@xdef\@thefnmark{\thempfn}%
12295  \endgroup
12296  \ifx\@footnotetext\@mpfootnotetext
12297      \expandafter\H@@mpfootnotetext
12298  \else
12299      \expandafter\H@@footnotetext
12300  \fi
12301 }%
12302 \def\@RTLfootnotenext[#1]{%
12303 \begingroup
12304     \csname c@\@mpfn\endcsname #1\relax
12305     \unrestored@protected@xdef\@thefnmark{\thempfn}%
12306  \endgroup
12307  \ifx\@RTLfootnotetext\@mpRTLfootnotetext
12308      \expandafter\HRTL\@mpRTLfootnotetext
12309  \else
12310      \expandafter\HRTL\@RTLfootnotetext
12311  \fi
12312 }%
12313 \def\@LTRfootnotenext[#1]{%
12314 \begingroup
12315     \csname c@\@mpfn\endcsname #1\relax
12316     \unrestored@protected@xdef\@thefnmark{\thempfn}%
12317  \endgroup
12318  \ifx\@LTRfootnotetext\@mpLTRfootnotetext
12319      \expandafter\HLTR\@mpLTRfootnotetext
12320  \else
12321      \expandafter\HLTR\@LTRfootnotetext
12322  \fi
12323 }%
12324 \def\@xfootnotemark[#1]{%
12325 \begingroup
12326     \c@footnote #1\relax
12327     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
12328  \endgroup
12329  \H@@footnotemark
12330 }%
12331 \let\H@@mpfootnotetext\@mpfootnotetext
12332 \let\HRTL\@mpRTLfootnotetext\@mpRTLfootnotetext
12333 \let\HLTR\@mpLTRfootnotetext\@mpLTRfootnotetext
12334 \long\def\@mpfootnotetext#1{%
12335     \H@@mpfootnotetext{%
12336         \ifHy@nesting
12337             \hyper@anchor{\Hy@footnote@currentHref}{#1}%
12338         \else
12339             \Hy@raisedlink{%
12340                 \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
12341             }#1%
12342     \fi

```



```

12343    }%
12344 }%
12345 \long\def\@mpRTLfootnotetext#1{%
12346   \HRTL@@mpRTLfootnotetext{%
12347     \ifHy@nesting
12348       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12349     \else
12350       \Hy@raisedlink{%
12351         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12352       }#1%
12353     \fi
12354   }%
12355 }%
12356 \long\def\@mpLTRfootnotetext#1{%
12357   \HLTR@@mpLTRfootnotetext{%
12358     \ifHy@nesting
12359       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12360     \else
12361       \Hy@raisedlink{%
12362         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12363       }#1%
12364     \fi
12365   }%
12366 }%
12367 \long\def\@footnotetext#1{%
12368   \H@@footnotetext{%
12369     \ifHy@nesting
12370       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12371     \else
12372       \Hy@raisedlink{%
12373         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12374       }%
12375       \let\@currentHlabel\Hy@footnote@currentHlabel
12376       \let\@currentHref\Hy@footnote@currentHref
12377       \let\@currentlabelname\@empty
12378       #1%
12379     \fi
12380   }%
12381 }%
12382 \long\def\@RTLfootnotetext#1{%
12383   \HRTL@@RTLfootnotetext{%
12384     \ifHy@nesting
12385       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12386     \else
12387       \Hy@raisedlink{%
12388         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12389       }%
12390       \let\@currentHlabel\Hy@footnote@currentHlabel
12391       \let\@currentHref\Hy@footnote@currentHref
12392       \let\@currentlabelname\@empty

```



```

12393      #1%
12394      \fi
12395  }%
12396 }%
12397 \long\def\@LTRfootnotetext#1{%
12398 \HLTR@@LTRfootnotetext{%
12399   \ifHy@nesting
12400     \hyper@anchor{\Hy@footnote@currentHref}{#1}%
12401   \else
12402     \Hy@raisedlink{%
12403       \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
12404     }%
12405     \let\@currentHlabel\Hy@footnote@currentHlabel
12406     \let\@currentHref\Hy@footnote@currentHref
12407     \let\@currentlabelname\@empty
12408     #1%
12409   \fi
12410 }%
12411 }%
12412 \@ifpackageloaded{tabularx}{%
12413 \let\HyOrg@TX@endtabularx\TX@endtabularx
12414 \def\Hy@tabularx@hook{%
12415   \let\@footnotetext\H@@footnotetext
12416   \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
12417   \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
12418   \let\@footnotemark\H@@footnotemark
12419   \let\@mpfootnotetext\H@@mpfootnotetext
12420   \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
12421   \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
12422 }%
12423 \begingroup
12424   \toks@\expandafter{\TX@endtabularx}%
12425   \xdef\Hy@gtemp{%
12426     \noexpand\Hy@tabularx@hook
12427     \the\toks@
12428   }%
12429 \endgroup
12430 \let\TX@endtabularx\Hy@gtemp
12431 }{}}%
12432 \@ifpackageloaded{longtable}{%
12433 \CheckCommand*{\LT@p@LTRftntext}[1]{%
12434   \edef\@tempa{%
12435     \the\LT@p@ftn
12436     \noexpand\LTRfootnotetext[\the\c@footnote]%
12437   }%
12438   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12439 }%
12440 \long\def\LT@p@LTRftntext#1{%
12441   \edef\@tempa{%
12442     \the\LT@p@ftn

```



```

12443 \begingroup
12444   \noexpand\c@footnote=\the\c@footnote\relax
12445   \noexpand\protected@xdef\noexpand\@thefnmark{%
12446     \noexpand\thempfn
12447   }%
12448   \noexpand\Hy@LT@LTRfootnotetext{%
12449     \Hy@footnote@currentHref
12450   }%
12451 }%
12452 \global\LT@p@ftn\expandafter{%
12453   \tempa{#1}%
12454   \endgroup
12455 }%
12456 }%
12457 \long\def\Hy@LT@LTRfootnotetext#1#2{%
12458   \HLTR@LTRfootnotetext{%
12459     \ifHy@nesting
12460       \hyper@@anchor{#1}{#2}%
12461     \else
12462       \Hy@raisedlink{%
12463         \hyper@@anchor{#1}{\relax}%
12464       }%
12465       \def\@currentHref{#1}%
12466       \let\@currentlabelname\@empty
12467       #2%
12468       \fi
12469     }%
12470   }%
12471 \CheckCommand*\{\LT@p@RTLftntext\}[1]{%
12472   \edef\tempa{%
12473     \the\LT@p@ftn
12474     \noexpand\RTLfootnotetext[\the\c@footnote]%
12475   }%
12476   \global\LT@p@ftn\expandafter{\tempa}%
12477 }%
12478 \long\def\LT@p@RTLftntext#1{%
12479   \edef\tempa{%
12480     \the\LT@p@ftn
12481     \begingroup
12482       \noexpand\c@footnote=\the\c@footnote\relax
12483       \noexpand\protected@xdef\noexpand\@thefnmark{%
12484         \noexpand\thempfn
12485       }%
12486       \noexpand\Hy@LT@RTLfootnotetext{%
12487         \Hy@footnote@currentHref
12488       }%
12489     }%
12490   \global\LT@p@ftn\expandafter{%
12491     \tempa{#1}%
12492   \endgroup

```



```

12493      }%
12494      }%
12495      \long\def\Hy@LT@RTLfootnotetext#1#2{%
12496      \HRTL@RTLfootnotetext{%
12497          \ifHy@nesting
12498              \hyper@@anchor{#1}{#2}%
12499          \else
12500              \Hy@raisedlink{%
12501                  \hyper@@anchor{#1}{\relax}%
12502              }%
12503              \def\@currentHref{#1}%
12504              \let\@currentlabelname\empty
12505              #2%
12506          \fi
12507      }%
12508      }%
12509  }{}}%
12510  \@ifpackageloaded{bidipoem}{%
12511      \long\def\bidipoem@p@ftntext#1{%
12512          \edef\@tempx{%
12513              \the\bidipoem@p@ftn
12514              \begingroup
12515                  \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12516                  \noexpand\protected@xdef\noexpand\@thefnmark{%
12517                      \noexpand\thempfn
12518                  }%
12519                  \noexpand\Hy@bidipoem@footnotetext{%
12520                      \Hy@footnote@currentHref
12521                  }%
12522          }%
12523          \global\bidipoem@p@ftn\expandafter{%
12524              \@tempx{#1}%
12525              \endgroup
12526          }%
12527      }%
12528      \long\def\Hy@bidipoem@footnotetext#1#2{%
12529          \H@footnotetext{%
12530              \ifHy@nesting
12531                  \hyper@@anchor{#1}{#2}%
12532              \else
12533                  \Hy@raisedlink{%
12534                      \hyper@@anchor{#1}{\relax}%
12535                  }%
12536                  \def\@currentHref{#1}%
12537                  \let\@currentlabelname\empty
12538                  #2%
12539              \fi
12540          }%
12541      \long\def\bidipoem@p@LTRftntext#1{%

```



```

12543 \edef\@tempxi{%
12544   \the\bidi poem@p@ftn
12545   \begingroup
12546     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12547     \noexpand\protected@xdef\noexpand\@thefnmark{%
12548       \noexpand\thempfn
12549     }%
12550     \noexpand\Hy@bidipoem@LTRfootnotetext{%
12551       \Hy@footnote@currentHref
12552     }%
12553   }%
12554   \global\bidi poem@p@ftn\expandafter{%
12555     \@tempxi{#1}%
12556     \endgroup
12557   }%
12558 }%
12559 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
12560   \HTR@@LTRfootnotetext{%
12561     \ifHy@nesting
12562       \hyper@@anchor{#1}{#2}%
12563     \else
12564       \Hy@raisedlink{%
12565         \hyper@@anchor{#1}{\relax}%
12566       }%
12567       \def\@currentHref{#1}%
12568       \let\@currentlabelname\empty
12569       #2%
12570     \fi
12571   }%
12572 }%
12573   \long\def\bidi poem@p@RTLftnttext#1{%
12574     \edef\@tempxii{%
12575       \the\bidi poem@p@ftn
12576       \begingroup
12577         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12578         \noexpand\protected@xdef\noexpand\@thefnmark{%
12579           \noexpand\thempfn
12580         }%
12581         \noexpand\Hy@bidipoem@RTLfootnotetext{%
12582           \Hy@footnote@currentHref
12583         }%
12584       }%
12585       \global\bidi poem@p@ftn\expandafter{%
12586         \@tempxii{#1}%
12587         \endgroup
12588       }%
12589     }%
12590     \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
12591       \HRTL@@RTLfootnotetext{%
12592         \ifHy@nesting

```



```

12593           \hyper@@anchor{\#1}{\#2}%
12594     \else
12595       \Hy@raisedlink{%
12596         \hyper@@anchor{\#1}{\relax}%
12597       }%
12598       \def\@currentHref{\#1}%
12599       \let\@currentlabelname\@empty
12600       \#2%
12601     \fi
12602   }%
12603 }%
12604 }{%
12605 \let\HyOrg@maketitle\maketitle
12606 \def\maketitle{%
12607   \let\Hy@saved@footnotemark\@footnotemark
12608   \let\Hy@saved@footnotetext\@footnotetext
12609   \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
12610   \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
12611   \let\@footnotemark\H@@footnotemark
12612   \let\@footnotetext\H@@footnotetext
12613   \let\@RTLfootnotetext\HRTL@RTLfootnotetext
12614   \let\@LTRfootnotetext\HLTR@LTRfootnotetext
12615   \@ifnextchar[\Hy@maketitle@optarg{%
12616     \HyOrg@maketitle
12617     \Hy@maketitle@end
12618   }%
12619 }%
12620 \def\Hy@maketitle@optarg[#1]{%
12621   \HyOrg@maketitle[{\#1}]%
12622   \Hy@maketitle@end
12623 }%
12624 \def\Hy@maketitle@end{%
12625   \ifx\@footnotemark\H@@footnotemark
12626     \let\@footnotemark\Hy@saved@footnotemark
12627   \fi
12628   \ifx\@footnotetext\H@@footnotetext
12629     \let\@footnotetext\Hy@saved@footnotetext
12630   \fi
12631   \ifx\@RTLfootnotetext\HRTL@RTLfootnotetext
12632     \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
12633   \fi
12634   \ifx\@LTRfootnotetext\HLTR@LTRfootnotetext
12635     \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
12636   \fi
12637 }%
12638 \def\realfootnote{%
12639   \ifx\@xfootnote{%
12640     \stepcounter{@mpfn}%
12641     \protected@xdef\@thefnmark{\thempfn}%
12642     \H@@footnotemark\H@@footnotetext

```



```

12643      }%
12644  }%
12645 \fi
12646 \def\Hy@BeginAnnot#1{%
12647   \ifmmode\else\beginL\fi%
12648   \global\advance\c@Hy@AnnotLevel\@ne
12649   \ifnum\c@Hy@AnnotLevel=\@ne
12650     #1%
12651   \fi
12652 }
12653 \def\Hy@EndAnnot{%
12654   \ifnum\c@Hy@AnnotLevel=\@ne
12655     \Hy@endcolorlink
12656     \pdfmark{eann}%
12657   \fi
12658   \global\advance\c@Hy@AnnotLevel\m@ne
12659   \ifmmode\else\endL\fi%
12660 }
12661 \def\hyper@link#1#2#3{%
12662   \hyper@linkstart{\#1}{\#2}\ifmmode\else\if@RTL\beginR\fi\fi\#3\ifmmode\else\if@RTL\endR\fi\fi\fi
12663 }
12664 \def\hyper@linkfile#1#2#3{%
12665   \leavevmode
12666   \Hy@BeginAnnot{%
12667     \def\Hy@pstringF{\#2}%
12668     \Hy@CleanupFile\Hy@pstringF
12669     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
12670     \Hy@pstringdef\Hy@pstringD{\#3}%
12671     \Hy@MakeRemoteAction
12672     \pdfmark{%
12673       bann<<%
12674         /Type/Annot%
12675         /Subtype/Link%
12676         \ifHy@pdfa /F 4\fi
12677         \Hy@setpdfborder
12678         \ifx\@filebordercolor\relax
12679           \else
12680             /C[\@filebordercolor]%
12681           \fi
12682         /A<<%
12683           /S/GoToR%
12684           /F(\Hy@pstringF)%
12685           /D%
12686           \ifx\\#3\\%
12687             [\Hy@href@page\@pdfremotestartview]%
12688           \else
12689             (\Hy@pstringD)%
12690           \fi
12691           \Hy@SetNewWindow
12692           \Hy@href@nextactionraw

```



```

12693      >>%
12694      >>%
12695      }%
12696      \Hy@colorlink\@filecolor
12697  }%
12698  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12699  \Hy@EndAnnot
12700 }
12701 \def\@hyper@launch run:#1\\#2#3{%
12702   \leavevmode
12703   \Hy@BeginAnnot{%
12704     \Hy@pstringdef\Hy@pstringF{#1}%
12705     \Hy@pstringdef\Hy@pstringP{#3}%
12706     \Hy@pdfm@mark{%
12707       bann<<%
12708       /Type/Annot%
12709       /Subtype/Link%
12710       \ifHy@pdfa /F 4\fi
12711       \Hy@setpdfborder
12712       \ifx\@runbordercolor\relax
12713       \else
12714         /C[\@runbordercolor]%
12715       \fi
12716     /A<<%
12717       /F(\Hy@pstringF)%
12718       /S/Launch%
12719       \Hy@SetNewWindow
12720       \ifx\\#3\\%
12721       \else
12722         /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
12723       \fi
12724       \Hy@href@nextactionraw
12725     >>%
12726   >>%
12727 }%
12728   \Hy@colorlink\@runcolor
12729 }%
12730 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12731 \Hy@EndAnnot
12732 }
12733 \def\hyper@linkurl#1#2{%
12734   \leavevmode
12735   \Hy@BeginAnnot{%
12736     \Hy@pstringdef\Hy@pstringURI{#2}%
12737     \Hy@pdfm@mark{%
12738       bann<<%
12739       /Type/Annot%
12740       /Subtype/Link%
12741       \ifHy@pdfa /F 4\fi
12742       \Hy@setpdfborder

```



```

12743     \ifx\@urlbordercolor\relax
12744     \else
12745         /C[\@urlbordercolor]%
12746     \fi
12747 /A<<%
12748     /S/URI%
12749     /URI(\Hy@pstringURI)%
12750     \ifHy@href@ismap
12751         /IsMap true%
12752     \fi
12753     \Hy@href@nextactionraw
12754     >>%
12755     >>%
12756 }%
12757     \Hy@colorlink\@urlcolor
12758 }%
12759 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12760 \Hy@EndAnnot
12761 }
12762 \def\Acrobatmenu#1#2{%
12763     \Hy@Acrobatmenu{#1}{#2}{%
12764         \Hy@BeginAnnot{%
12765             \EdefEscapeName\Hy@temp@menu{#1}%
12766             \Opdfm@mark{%
12767                 bann<<%
12768                 /Type/Annot%
12769                 /Subtype/Link%
12770                 \ifHy@pdfa /F 4\fi
12771                 \Hy@setpdfborder
12772                 \ifx\@menubordercolor\relax
12773                 \else
12774                     /C[\@menubordercolor]%
12775                 \fi
12776             /A<<%
12777                 /S/Named%
12778                 /N/\Hy@temp@menu
12779                 \Hy@href@nextactionraw
12780                 >>%
12781                 >>%
12782             }%
12783             \Hy@colorlink\@menucolor
12784         }%
12785         \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12786         \Hy@EndAnnot
12787     }%
12788 }
12789 \def\hyper@natlinkstart#1{%
12790     \Hy@backout{#1}%
12791     \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
12792     \def\hyper@nat@current{#1}%

```



```

12793 }
12794 \def\hyper@natlinkend{%
12795   \if@RTL\endR\fi\hyper@linkend
12796 }
12797 \def\hyper@natlinkbreak#1#2{%
12798   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.\#2}\if@RTL\beginR\fi%
12799 }%
12800 }
12801 \pdfstringdefDisableCommands{%
12802 \let\LRE\@firstofone
12803 \let\LR\@firstofone
12804 \let\RLE\@firstofone
12805 \let\RL\@firstofone
12806 \def\XeTeX{\XeTeX}%
12807 \def\XeLaTeX{\XeLaTeX}%
12808 }
12809 @ifpackageloaded{longtable}{%
12810   \begingroup
12811     \def\y{\LT@array}%
12812     \@ifundefined{scr@LT@array}{%
12813       \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
12814     }{\def\y{\scr@LT@array}}%
12815     \long\def\x{\refstepcounter#1#2\sharp#3#4@nil{%
12816       \expandafter\endgroup
12817       \expandafter\def\y[##1]##2{%
12818         \H@refstepcounter{##1}%
12819         \hyper@makecurrent{table}%
12820         \let\Hy@LT@currentHref\currentHref
12821         ##2\sharp####4%
12822       }%
12823     }%
12824   \expandafter\expandafter\expandafter\x\y[##1]{##2}@nil
12825   \begingroup
12826     \def\x#1\ifvoid\LT@foot#2\fi#3@nil{%
12827       \endgroup
12828       \def\LT@start{%
12829         #1%
12830         \ifvoid\LT@foot#2\fi
12831         \let\@currentHref\Hy@LT@currentHref
12832         \Hy@raisedlink{%
12833           \hyper@anchorstart{@currentHref}\hyper@anchorend
12834         }%
12835         #3%
12836       }%
12837     }%
12838   \expandafter\x\LT@start@nil
12839 }{%
12840 \bidi@patchcmd@TextField{%
12841   \opdfm@mark
12842 }{%

```



```

12843  \if@RTL
12844    \hskip\Fl@width
12845  \fi
12846  \pdfmark
12847 }{}%
12848 \bidi@patchcmd\@TextField{%
12849   \unhbox
12850 }{}%
12851  \if@RTL
12852    \hskip-\Fl@width
12853  \fi
12854  \unhbox
12855 }{}%
12856 \bidi@patchcmd\@Radio{%
12857  \pdfmark
12858 }{}%
12859  \if@RTL
12860    \hskip\Fl@width
12861  \fi
12862  \pdfmark
12863 }{}%
12864 \bidi@patchcmd\@Radio{%
12865   \unhcopy
12866 }{}%
12867  \if@RTL
12868    \hskip-\Fl@width
12869  \fi
12870  \unhcopy
12871 }{}%
12872 \bidi@patchcmd\@Submit{%
12873  \pdfmark
12874 }{}%
12875  \if@RTL
12876    \null
12877  \hskip\wd\pdfbox
12878  \fi
12879  \pdfmark
12880 }{}%
12881 \bidi@patchcmd\@Submit{%
12882  \unhbox
12883 }{}%
12884  \if@RTL
12885    \hskip-\wd\pdfbox
12886  \fi
12887  \unhbox
12888 }{}%
12889 \bidi@patchcmd\@Reset{%
12890  \pdfmark
12891 }{}%
12892  \if@RTL

```



```

12893     \null
12894     \hskip\wd\pdfm@box
12895   \fi
12896   \pdfm@mark
12897 }{}}
12898 \bidi@patchcmd\@Reset{%
12899   \unhbox
12900 }{%
12901   \if@RTL
12902     \hskip-\wd\pdfm@box
12903   \fi
12904   \unhbox
12905 }{}}

```

71 File imsproc-xetex-bidi.def

```

12906 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for X
12907 \newenvironment{thebibliography}[1]{%
12908   \bibtitlestyle
12909   \normalfont\biblio\labelsep .5em\relax
12910   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
12911   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12912   \bidi@\thebibliography@font@hook
12913   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
12914     \leftmargin\labelwidth \advance\leftmargin\labelsep
12915     \usecounter{enumiv}}%
12916   \sloppy \clubpenalty@M \widowpenalty\clubpenalty
12917   \sfcodes`.=\@m
12918 }{%
12919   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
12920   \endlist
12921 }
12922
12923 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
12924   \columnseprule\z@ \columnsep 35\p@
12925   \indextitlestyle
12926   \thispagestyle{plain}%
12927   \let\item\idxitem
12928   \parindent\z@ \parskip\z@\@plus.3\p@\relax
12929   \if@RTL\raggedleft\else\raggedright\fi
12930   \hyphenpenalty\@M
12931   \footnotesize}
12932 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
12933 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
12934 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
12935
12936 \def\right@footnoterule{%
12937   \kern-.4\p@
12938   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
12939   \kern11\p@\kern-\footnotesep}

```



```

12940 \def\left@footnoterule{\kern-.4\p@
12941         \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
12942 \def\@makefnmark{%
12943     \leavevmode
12944     \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
12945 }
12946
12947 \def\part{\@startsection{part}{0}%
12948     \z@\@linespacing\@plus\@linespacing}{.5\@linespacing}%
12949     {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
12950 \def\@tocline#1#2#3#4#5#6#7{\relax
12951     \ifnum #1>\c@tocdepth % then omit
12952     \else
12953         \par \addpenalty\@secpenalty\addvspace{#2}%
12954         \begingroup \hyphenpenalty\@M
12955         \@ifempty{#4}{%
12956             \tempdima\csname r@tocindent\endcsname\relax
12957         }{%
12958             \tempdima#4\relax
12959         }%
12960         \parindent\z@\if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#5\@tempdima\hskip-\@tempdima #6\nobreak\relax
12961         \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
12962         \leavevmode\hskip-\@tempdima #6\nobreak\relax
12963         \hfill\hbox{to\@pnumwidth{\@tocpagenum{#7}}}\par
12964         \nobreak
12965         \endgroup
12966     \fi}
12967 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
12968 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
12969 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
12970 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
12971 \def\maketitle{\par
12972     \@topnum\z@ % this prevents figures from falling at the top of page 1
12973     \setcopyright
12974     \thispagestyle{firstpage} % this sets first page specifications
12975     \uppercaseonmath\shorttitle
12976     \ifx\empty\shortauthors \let\shortauthors\shorttitle
12977     \else \andify\shortauthors
12978     \fi
12979     \maketitle@hook
12980     \begingroup
12981     \maketitle
12982     \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
12983     \toks4{\def\\{\ignorespaces}}% defend against questionable usage
12984     \edef\@tempa{%
12985         \nx\markboth{\the\toks4
12986             \nx\MakeUppercase{\the\toks@}\{\the\@temptokena}\}%
12987     \@tempa
12988     \endgroup
12989     \c@footnote\z@

```



```
12990  \@cleartopmattertags
12991 }
```

72 File leqno-xetex-bidi.def

```
12992 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX e
12993 \renewcommand{\eqnnum}{\hb@xt@.01\p@{}}
12994         \rlap{\hskip -\displaywidth
12995             {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
```

73 File letter-xetex-bidi.def

```
12996 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter clas
12997 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
12998     \thispagestyle{firstpage}%
12999     {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
13000 \else % home address
13001     \thispagestyle{empty}%
13002     {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l}%
13003         \fromaddress \\*[2\parskip]%
13004         \@date \end{tabular}\par}%
13005 \fi
13006     \vspace{2\parskip}%
13007     {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
13008     \vspace{2\parskip}%
13009     #1\par\nobreak}
13010 \renewcommand{\left@footnoterule}{%
13011     \kern-\p@
13012     \hrule \@width .4\columnwidth
13013     \kern .6\p@}
13014 \renewcommand{\right@footnoterule}{%
13015     \kern-\p@
13016     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
13017     \kern .6\p@}
```

74 File lettrine-xetex-bidi.def

```
13018 \ProvidesFile{lettrine-xetex-bidi.def}[2018/10/01 v0.6 bidi adaptations for lettrine package i
13019 \def@\lettrine[#1]#2#3{%
13020     \def\l@initial{#2}\let\l@refstring\l@initial
13021     \setcounter{L@lines}{\value{DefaultLines}}%
13022     \setcounter{L@depth}{\value{DefaultDepth}}%
13023     \renewcommand*{\L@hang}{\DefaultLhang}%
13024     \renewcommand*{\L@oversize}{\DefaultLoversize}%
13025     \renewcommand*{\L@raise}{\DefaultLraise}%
13026     \renewcommand*{\L@ante}{}%
13027     \setlength{\L@Findent}{\DefaultFindent}%
13028     \setlength{\L@Nindent}{\DefaultNindent}%
13029     \setlength{\L@slope}{\DefaultSlope}%
13030     \setlength{\L@novskip}{\DiscardVsip}%
```



```

13031 \ifLettrineImage{L@imagetrue}{\else{L@imagefalse}\fi}
13032 \ifLettrineOnGrid{L@gridtrue}{\else{L@gridfalse}\fi}
13033 \ifLettrineRealHeight{L@realhtrue}{\else{L@realhfalsse}\fi}
13034 \ifLettrineSelfRef{L@selfreftrue}{\else{L@selfreffalse}\fi}
13035 \setkeys{L}{#1}%
13036 \sbox{\L@tbox}{\LettrineTextFont{\LettrineSecondString}}%
13037 \ifL@realh
13038   \def\@tempa{#3}%
13039   \ifx\@tempa\@empty
13040     \PackageWarning{lettrine.sty}%
13041     {Empty second argument,\MessageBreak
13042       ignoring option `realheight';}%
13043   \else
13044     \sbox{\L@tbox}{\LettrineTextFont{#3}}%
13045   \fi
13046 \fi
13047 \if\DefaultOptionsFile\relax
13048 \else
13049   \begingroup
13050   \InputIfFileExists{\DefaultOptionsFile}%
13051   {}%
13052   {\PackageWarning{lettrine.sty}%
13053     {File \DefaultOptionsFile\space not found}%
13054   }%
13055   \def\color##1##{\l@color{##1}}%
13056   \let\l@color\gobbletwo
13057   \def\textcolor##1##{\l@textcolor{##1}}%
13058   \def\l@textcolor##1##2##3{##3}%
13059   \expandafter\ifx\csname l@#2-keys\endcsname\relax
13060     \gdef\l@LOKeys{}%
13061   \else
13062     \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
13063   \fi
13064 \endgroup
13065 \def\KV@prefix{KV@L@}%
13066 \let\@tempc\relax
13067 \expandafter\KV@do\l@LOKeys,\relax,
13068 \setupL@lbox
13069 \setlength{\LettrineWidth}{\wd\l@lbox}%
13070 \def\KV@prefix{KV@L@}%
13071 \let\@tempc\relax
13072 \expandafter\KV@do\l@LOKeys,\relax,
13073 \setkeys{L}{#1}%
13074 \fi
13075 \setupL@lbox
13076 \setlength{\LettrineWidth}{\wd\l@lbox}%
13077 \setlength{\LettrineHeight}{\ht\l@lbox}%
13078 \setlength{\LettrineDepth}{\dp\l@lbox}%
13079 \begingroup
13080 \def\IeC##1{##1}%

```



```

13081  \tempdima=\L@oversize pt\relax
13082  \PackageInfo{lettrine.sty}%
13083    {Targeted height = \the\L@target@tht\MessageBreak
13084      (no accent, oversize=0),\MessageBreak
13085      Lettrine height = \the\LettrineHeight\space (#2)%
13086      \ifdim\tempdima=z@\else\space oversize=\L@oversize\fi;%
13087      \MessageBreak reported}%
13088  \endgroup
13089  \sbox{\L@tbox}{\LettrineTextFont{#3}}%
13090  \setlength{\L@first}{\LettrineHeight}%
13091  \setlength{\L@raise}{\L@raise\L@target@tht}%
13092  \addtolength{\L@first}{\L@raise}%
13093  \ifnum\value{L@lines}=1
13094    \addtolength{\L@first}{-\ht\L@tbox}%
13095  \else
13096    \addtolength{\L@first}{-\L@target@tht}%
13097    \addtolength{\L@raise}{-\L@target@dp}%
13098  \fi
13099  \par
13100  \ifdim\L@first>\L@novskip
13101    \ifL@grid
13102      \tempdima=\baselineskip
13103      \tempdimb=\tempdima
13104      \advance\tempdimb by \L@novskip
13105      \tempcpta=1
13106      \loop\ifdim\L@first>\tempdimb
13107        \advance\tempcpta by 1
13108        \advance\L@first by -\tempdima
13109      \repeat
13110      \L@first=\tempcpta\baselineskip
13111    \fi
13112    \vskip\L@first
13113  \fi
13114  \setlength{\L@Pindent}{\wd\lbox}%
13115  \addtolength{\L@Pindent}{-\L@hang\wd\lbox}%
13116  \settowidth{\L@first}{\L@ante}%
13117  \addtolength{\L@Pindent}{\L@first}%
13118  \addtolength{\L@Pindent}{\L@Findent}%
13119  \setlength{\L@first}{\linewidth}%
13120  \addtolength{\L@first}{-\L@Pindent}%
13121  \addtolength{\L@Nindent}{\L@Pindent}%
13122  \setlength{\L@next}{\linewidth}%
13123  \addtolength{\L@next}{-\L@Nindent}%
13124  \addtolength{\L@Pindent}{\rightmargin}%
13125  \addtolength{\L@Nindent}{\rightmargin}%
13126  \addtocounter{L@lines}{1}%
13127  \addtocounter{L@lines}{\value{L@depth}}%
13128  \if@RTL
13129    \def\L@parshape{\c@L@lines \z@\the\L@first}%
13130  \else

```



```

13131   \def\L@parshape{\c@L@lines \the\L@Pindent \the\L@first}%
13132   \fi
13133   \tempcnta=\tw@
13134   \whilenum \tempcnta<\c@L@lines\do{%
13135     \if@RTL
13136       \edef\L@parshape{\L@parshape \z@ \the\L@next}%
13137     \else
13138       \edef\L@parshape{\L@parshape \the\L@Nindent \the\L@next}%
13139     \fi
13140     \addtolength{\L@Nindent}{\L@slope}%
13141     \addtolength{\L@next}{-\L@slope}%
13142     \advance\tempcnta\@ne}%
13143   \if@RTL
13144     \edef\L@parshape{\L@parshape \z@ \the\linewidth}%
13145   \else
13146     \edef\L@parshape{\L@parshape \rightmargin \the\linewidth}%
13147   \fi
13148   \noindent
13149   \parshape=\L@parshape\relax
13150   \smash{\llap{\mbox{\L@ante}\raisebox{\L@raise}{\usebox{\L@lbox}}}}%
13151     \hskip \the\L@Findent}%
13152   \usebox{\L@tbox}%
13153 }

```

75 File lineno-xetex-bidi.def

```

13154 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for XeTeX]
13155 \bidi@patchcmd{\MakeLineNo}{%
13156   \hb@xt@z@{\makeLineNumber}%
13157 }{%
13158   \hboxL to \z@{\makeLineNumber}%
13159 }{}{%
13160
13161 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
13162   \if@RTL
13163     \hb@xt@\linenumberwidth{\LineNumber\hss}%
13164   \else
13165     \LineNumber
13166   \fi
13167 }{}{%
13168
13169 \bidi@patchcmd{\makeLineNumberRight}{%
13170   \hb@xt@\linenumberwidth{\hss\LineNumber}%
13171 }{%
13172   \if@RTL
13173     \LineNumber
13174   \else
13175     \hb@xt@\linenumberwidth{\hss\LineNumber}%
13176   \fi
13177 }{}{%

```



```

13178
13179 \bidi@AfterPreamble{%
13180   \if@RTLmain
13181     \rightlinenumbers*
13182   \else
13183     \leftlinenumbers*
13184   \fi
13185   \@ifpackagewith{lineno}{left}{%
13186     \leftlinenumbers*
13187   }{%
13188   \@ifpackagewith{lineno}{right}{%
13189     \rightlinenumbers*
13190   }{%
13191 }
13192

```

76 File listings-xetex-bidi.def

```

13193 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package]
13194 \lst@Key{captiondirection}{textdirection}{%
13195   \lstKV@SwitchCases{#1}{%
13196     {textdirection}:\\%
13197       RTL:\chardef\bidi@lst@caption@direction\@ne\\%
13198       LTR:\chardef\bidi@lst@caption@direction\z@%
13199   }{\PackageError{Listings}{direction #1 unknown}\@ehc}%
13200
13201 \lst@Key{captionscript}{textscript}{%
13202   \lstKV@SwitchCases{#1}{%
13203     {textscript}:\\%
13204       latin:\chardef\bidi@lst@caption@script\@ne\\%
13205       nonlatin:\chardef\bidi@lst@caption@script\z@%
13206   }{\PackageError{Listings}{direction #1 unknown}\@ehc}%
13207
13208 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
13209   \@ifundefined{bidi@lst@caption@direction}{}{%
13210     \ifnum\bidi@lst@caption@direction=\z@%
13211       #1%
13212     \else%
13213       \ifnum\bidi@lst@caption@direction=\@ne%
13214         #2%
13215       \fi%
13216     \fi%
13217   }%
13218
13219 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
13220   \@ifundefined{bidi@lst@caption@script}{}{%
13221     \ifnum\bidi@lst@caption@script=\z@%
13222       #1%
13223     \else%
13224       \ifnum\bidi@lst@caption@script=\@ne%

```



```

13225          #2%
13226          \fi%
13227          \fi%
13228 }}
13229
13230 \long\def\@bidi@lst@makecaption#1#2{%
13231   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13232   \vskip\abovecaptionskip
13233   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13234   \sbox\@tempboxa{%
13235   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
13236   #1: #2%
13237   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
13238 }%
13239   \ifdim \wd\@tempboxa >\hsize
13240     #1: #2\par
13241   \else
13242     \global \minipagetrue
13243     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
13244   \fi
13245   \vskip\belowcaptionskip}%
13246 \def\lst@makecaption{\@bidi@lst@makecaption}
13247 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
13248 \bidi@AtEndPreamble{%
13249 \bidi@patchcmd{\lst@MakeCaption}{%
13250   \ifx #1t%
13251     \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
13252       \expandafter\refstepcounter
13253     \fi {lstlisting}%
13254 }{%
13255   \ifx #1t%
13256     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13257     \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
13258       \expandafter\refstepcounter
13259     \fi {lstlisting}%
13260     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
13261 }{}}%
13262 \bidi@patchcmd{\lst@MakeCaption}{%
13263   \addcontentsline{lol}{lstlisting}%
13264   {\protect\numberline{\thelstlisting}\lst@@caption}%
13265 }{%
13266 \begingroup%
13267   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13268   \addcontentsline{lol}{lstlisting}%
13269   {\protect\numberline{\thelstlisting}\lst@@caption}%
13270 \endgroup%
13271 }{}}%
13272 }
13273 \@ifpackageloaded[caption]{%
13274   \AtBeginCaption{%

```



```

13275  \bidi@lst@ensure@caption@script{\nonlatintrue}{\nonlatinfalse}%
13276  \bidi@lst@ensure@caption@direction{\RTLfalse}{\RTLtrue}%
13277 }%
13278 \let\@bidi@lst@makecaption\caption@makecaption%
13279 \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
13280 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\empty}%
13281 }{%
13282 \AtBeginDocument{%
13283 \@ifundefined{captionlabelfalse}{}{%
13284 \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\empty}}%
13285 \@ifundefined{caption@startrue}{}{%
13286 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\empty}}%
13287 }%
13288 }%
13289 \AtBeginDocument{%
13290 \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}%
13291 \lst@ifnumberbychapter
13292 \gdef\thelstlisting{%
13293 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@lstlisting}%
13294 \else
13295 \gdef\thelstlisting{\arabic\c@lstlisting}%
13296 \fi}%

```

77 File loadingorder-xetex-bidi.def

```

13297 \ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
13298 \bidi@isloaded{amsmath}%
13299 \bidi@isloaded{amstext}%
13300 \bidi@isloaded{amsthm}%
13301 \bidi@isloaded{animate}%
13302 \bidi@isloaded{breqn}%
13303 \bidi@isloaded{cals}%
13304 \bidi@isloaded{caption}%
13305 \bidi@isloaded{crop}%
13306 \bidi@isloaded{cuted}%
13307 \bidi@isloaded{cutwin}%
13308 \bidi@isloaded{color}%
13309 \bidi@isloaded{dblfnote}%
13310 \bidi@isloaded{diagbox}%
13311 \bidi@isloaded{xcolor}%
13312 \bidi@isloaded{colortbl}%
13313 \bidi@isloaded{float}%
13314 \bidi@isloaded{floatrow}%
13315 \bidi@isloaded{flowfram}%
13316 \bidi@isloaded{framed}%
13317 \bidi@isloaded{ftnright}%
13318 \bidi@isloaded{xltxtra}%
13319 \bidi@isloaded{xunicode}%
13320 \bidi@isloaded{wrapfig}%
13321 \bidi@isloaded{graphicx}%

```



```

13322 \bidi@isloaded{geometry}
13323 \bidi@isloaded{hvfloat}
13324 \bidi@isloaded{mdframed}
13325 \bidi@isloaded{midfloat}
13326 \bidi@isloaded{ntheorem}
13327 \bidi@isloaded{ntheorem-hyper}
13328 \bidi@isloaded{hyperref}
13329 \bidi@isloaded{fancybox}
13330 \bidi@isloaded{fancyhdr}
13331 \bidi@isloaded{fix2col}
13332 \bidi@isloaded{draftwatermark}
13333 \bidi@isloaded{empheq}
13334 \bidi@isloaded{overpic}
13335 \bidi@isloaded{pdfpages}
13336 \bidi@isloaded{listings}
13337 \bidi@isloaded{lettrine}
13338 \bidi@isloaded{lineno}
13339 \bidi@isloaded{media9}
13340 \bidi@isloaded{pstricks}
13341 \bidi@isloaded{pgf}
13342 \bidi@isloaded{picinpar}
13343 \bidi@isloaded{quotchap}
13344 \bidi@isloaded{tikz}
13345 \bidi@isloaded{titlesec}
13346 \bidi@isloaded{titletoc}
13347 \bidi@isloaded{array}
13348 \bidi@isloaded{soul}
13349 \bidi@isloaded{stabular}
13350 \bidi@isloaded{subfig}
13351 \bidi@isloaded{subfigure}
13352 \bidi@isloaded{supertabular}
13353 \bidi@isloaded{xtab}
13354 \bidi@isloaded{longtable}
13355 \bidi@isloaded{arydshln}
13356 \bidi@isloaded{multicol}
13357 \bidi@isloaded{multienum}
13358 \bidi@isloaded{minitoc}
13359 \bidi@isloaded{natbib}
13360 \bidi@isloaded{newfloat}
13361 \bidi@isloaded{ragged2e}
13362 \bidi@isloaded{rotating}
13363 \bidi@isloaded{tbls}
13364 \bidi@isloaded{tabulary}
13365 \bidi@isloaded{tocbasic}
13366 \bidi@isloaded{tocstyle}
13367 \bidi@isloaded{tocbibind}
13368 \bidi@isloaded{fontspec}
13369 \bidi@isloaded{arabxetex}
13370 \bidi@isloaded{polyglossia}
13371 \bidi@isloaded{fancyvrb}

```



```

13372 \AtBeginDocument{
13373   \if@bidi@amsmathloaded@\else
13374     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package}]
13375   \fi%
13376   \if@bidi@amstextloaded@\else
13377     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package}]
13378   \fi%
13379   \if@bidi@amsthmloaded@\else
13380     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package}]
13381   \fi%
13382   \if@bidi@animateloaded@\else
13383     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi package}]
13384   \fi%
13385   \if@bidi@breqnloaded@\else
13386     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package}]
13387   \fi%
13388   \if@bidi@calsloaded@\else
13389     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package}]
13390   \fi%
13391   \if@bidi@captionloaded@\else
13392     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package}]
13393   \fi%
13394   \if@bidi@croploaded@\else
13395     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}]
13396   \fi%
13397   \if@bidi@colorloaded@\else
13398     \@ifpackageloaded{hyperref}{}{%
13399       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}]
13400     \fi%
13401   \if@bidi@cutwinloaded@\else
13402     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}]
13403   \fi%
13404   \if@bidi@cutedloaded@\else
13405     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}]
13406   \fi%
13407   \if@bidi@dblfnoteloaded@\else
13408     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}]
13409   \fi%
13410   \if@bidi@diagboxloaded@\else
13411     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi package}]
13412   \fi%
13413   \if@bidi@xcolorloaded@\else
13414     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}]
13415   \fi%
13416   \if@bidi@colortblloaded@\else
13417     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package}]
13418   \fi%
13419   \if@bidi@floatloaded@\else
13420     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}]
13421   \fi%

```



```

13422   \if@bidi@floatrowloaded@\else
13423     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi packa
13424   \fi%
13425 \if@bidi@flowframloaded@\else
13426   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi packa
13427 \fi%
13428 \if@bidi@framedloaded@\else
13429   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package
13430 \fi%
13431   \if@bidi@ftnrightloaded@\else
13432     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi packa
13433 \fi%
13434 \if@bidi@xltxtraloaded@\else
13435   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxttra after bidi packag
13436 \fi%
13437 \if@bidi@xunicodeloaded@\else
13438   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi packa
13439 \fi%
13440 \if@bidi@wrapfigloaded@\else
13441   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packag
13442 \fi%
13443 \if@bidi@graphicxloaded@\else
13444   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi packa
13445 \fi%
13446   \if@bidi@geometryloaded@\else
13447     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi packa
13448 \fi%
13449 \if@bidi@hvfload@\else
13450   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfload after bidi packag
13451 \fi%
13452   \if@bidi@mdframedloaded@\else
13453     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi packa
13454 \fi%
13455   \if@bidi@midfloatloaded@\else
13456     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi packa
13457 \fi%
13458   \if@bidi@ntheoremloaded@\else
13459     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi packa
13460 \fi%
13461 \if@bidi@hyperrefloaded@\else
13462   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi packa
13463 \fi%
13464   \if@bidi@fancyboxloaded@\else
13465     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi packa
13466 \fi%
13467 \if@bidi@fancyhdrloaded@\else
13468   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi packa
13469 \fi%
13470 \if@bidi@draftwatermarkloaded@\else
13471   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bid

```



```

13472 \fi%
13473 \if@bidi@empheqloaded@\else
13474   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package}]
13475 \fi%
13476   \if@bidi@overpicloaded@\else
13477     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi package}]
13478 \fi%
13479 \if@bidi@pdfpagesloaded@\else
13480   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi package}]
13481 \fi%
13482 \if@bidi@lettrineloaded@\else
13483   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi package}]
13484 \fi%
13485 \if@bidi@linenoloaded@\else
13486   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi package}]
13487 \fi%
13488 \if@bidi@listingsloaded@\else
13489   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi package}]
13490 \fi%
13491 \csname if@bidi@media9loaded@\endcsname\else
13492   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package}]
13493 \fi%
13494 \if@bidi@pstricksloaded@\else
13495   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi package}]
13496 \fi%
13497 \if@bidi@pgfloaded@\else
13498   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. It is recommended to load pgf after bidi.}]
13499 \fi%
13500 \if@bidi@picinparloaded@\else
13501   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi package}]
13502 \fi%
13503 \if@bidi@quotchaploaded@\else
13504   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi package}]
13505 \fi%
13506 \if@bidi@tikzloaded@\else
13507   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package. It is recommended to load tikz after bidi.}]
13508 \fi%
13509 \if@bidi@titlesecloaded@\else
13510   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi package}]
13511 \fi%
13512 \if@bidi@titletocloaded@\else
13513   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi package}]
13514 \fi%
13515 \if@bidi@arrayloaded@\else
13516   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package}]
13517 \fi%
13518 \if@bidi@stabularloaded@\else
13519   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package}]
13520 \fi%
13521 \if@bidi@soulloaded@\else

```



```

13522   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package}]
13523   \fi%
13524   \if@bidi@subfigloaded@\else
13525     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package}]
13526   \fi%
13527   \if@bidi@subfigureloaded@\else
13528     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package}]
13529   \fi%
13530   \if@bidi@supertabularloaded@\else
13531     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi package}]
13532   \fi%
13533   \if@bidi@xtabloaded@\else
13534     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package}]
13535   \fi%
13536   \if@bidi@longtableloaded@\else
13537     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package}]
13538   \fi%
13539   \if@bidi@arydshlnloaded@\else
13540     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package}]
13541   \fi%
13542   \if@bidi@multicolloaded@\else
13543     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package}]
13544   \fi%
13545   \if@bidi@multienumloaded@\else
13546     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi package}]
13547   \fi%
13548   \if@bidi@minitocloaded@\else
13549     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi package}]
13550   \fi%
13551   \if@bidi@natbibloaded@\else
13552     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package}]
13553   \fi%
13554   \if@bidi@newfloatloaded@\else
13555     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi package}]
13556   \fi%
13557   \csname if@bidi@ragged2eloaded@\endcsname\else
13558     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi package}]
13559   \fi%
13560   \if@bidi@rotatingloaded@\else
13561     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi package}]
13562   \fi%
13563   \if@bidi@tblsloaded@\else
13564     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi package}]
13565   \fi%
13566   \if@bidi@tabularyloaded@\else
13567     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi package}]
13568   \fi%
13569   \if@bidi@tocbasicloaded@\else
13570     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi package}]
13571   \fi%

```



```

13572 \if@bidi@tocstyleloaded@\else
13573   \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi packa
13574 \fi%
13575 \if@bidi@tocbibindloaded@\else
13576   \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi packa
13577 \fi%
13578 \if@bidi@fontspecloaded@\else
13579   \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package fontspec after bidi packa
13580 \fi%
13581 \if@bidi@arabxetexloaded@\else
13582   \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi packa
13583 \fi%
13584 \if@bidi@polyglossialoaded@\else
13585   \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi pa
13586 \fi%
13587 \if@bidi@fancyvrbloaded@\else
13588   \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi packa
13589 \fi%
13590 }

```

78 File longtable-xetex-bidi.def

```

13591 \ProvidesFile{longtable-xetex-bidi.def}[2019/01/19 v0.5 bidi adaptations for longtable package]
13592 \def\LT@array[#1]#2{%
13593   \refstepcounter{table}\stepcounter{LT@tables}%
13594   \if l#1%
13595     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
13596   \else\if r#1%
13597     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
13598   \else\if c#1%
13599     \LTleft\fill \LTright\fill
13600   \fi\fi\fi
13601   \let\LT@mcoll\multicolumn
13602   \let\LT@@tabarray\@tabarray
13603   \let\LT@hline\hline
13604   \def\@tabarray{%
13605     \let\hline\LT@@hline
13606     \LT@@tabarray}%
13607   \let\\LT@tabularcr\let\tabularnewline\\%
13608   \def\newpage{\noalign{\break}}%
13609   \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
13610   \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}%
13611   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
13612   \tempdima\ht\strutbox
13613   \let\@endpbox\LT@endpbox
13614   \ifx\extrarowheight\undefined
13615     \let\@acol\@tabacol
13616     \let\@classz\@tabclassz \let\@classiv\@tabclassiv
13617     \def\@startpbox{\vtop\LT@startpbox}%
13618     \let\@@startpbox\@startpbox

```



```

13619   \let\@endpbox\@endpbox
13620   \let\LT@LL@FM@cr\@tabularcr
13621 \else
13622   \advance\@tempdima\extrarowheight
13623   \col@sep\tabcolsep
13624   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
13625 \fi
13626 \setbox\@arstrutbox\hbox{\vrule
13627   \@height \arraystretch \@tempdima
13628   \@depth \arraystretch \dp \strutbox
13629   \@width \z@\%}
13630 \let\csharp##\let\protect\relax
13631 \begingroup
13632   \mkpream{#2}%
13633   \xdef\LT@bchunk{%
13634     \global\advance\c@LT@chunks\@ne
13635     \global\LT@rows\z@\setbox\z@\vbox\bgroup
13636     \LT@setprevdepth
13637     \tabskip\LTleft\noexpand\halign to\hsize\bgroup
13638     \tabskip\z@\@arstrut \preamble \tabskip\LTright \cr}%
13639 \endgroup
13640 \expandafter\LT@nofcols\LT@bchunk\LT@nofcols
13641 \LT@make@row
13642 \m@th\let\par\@empty
13643 \everycr{}\lineskip\z@\baselineskip\z@
13644 \LT@bchunk}
13645 \def\LT@makecaption#1#2#3{%
13646   \LT@mcoll\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
13647     \sbox\@tempboxa\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
13648     \ifdim\wd\@tempboxa>\hsize
13649       #1{#2: }#3%
13650     \else
13651       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
13652     \fi
13653   }\endgraf\vskip\baselineskip}%
13654 \hss}}}
13655 @ifpackageloaded{caption}{%
13656   \renewcommand\LT@makecaption[3]{%
13657     \caption@LT@makef%
13658     \caption@settype*\LTcaptype
13659     \ifdim\LTcapwidth=4in \else
13660       \setcaptionwidth\LTcapwidth
13661     \fi
13662     \caption@setoptions{longtable}%
13663     \caption@setoptions{@longtable}%
13664     \caption@LT@setup
13665     \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
13666     \caption@startrue#1\caption@starfalse
13667     \caption@prepare@stepcounter\LTcaptype{LT}%
13668     \caption@begin\LTcaptype

```



```

13669      \caption@normalsize
13670      \vskip-\ht\strutbox
13671      \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
13672      \caption@@make{#2}{#3}\endgraf
13673      \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
13674      \caption@end}}%
13675 }{%
13676 \def\LT@startpbox#1{%
13677   \bgroup\color@begingroup
13678   \let\@footnotetext\LT@p@ftntext
13679   \let\@LTRfootnotetext\LT@p@LTRftntext
13680   \let\@RTLfootnotetext\LT@p@RTLftntext
13681   \setlength\hsize{#1}%
13682   \arrayparboxrestore
13683   \vrule\@height\ht\@arstrutbox\@width\z@}
13684 \def\LT@p@LTRftntext#1{%
13685   \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
13686   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
13687 \def\LT@p@RTLftntext#1{%
13688   \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
13689   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
13690
13691
13692 \def\LT@output{%
13693   \ifnum\outputpenalty<-\@Mi
13694     \ifnum\outputpenalty>-\LT@end@open
13695       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
13696     \else
13697       \setbox\z@\vbox{\unvbox\@cclv}%
13698       \ifdim\ht\LT@lastfoot>\ht\LT@foot
13699         \dimen@\pagegoal
13700         \advance\dimen@-\ht\LT@lastfoot
13701         \ifdim\dimen@<\ht\z@
13702           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
13703           \makecol
13704           \outputpage
13705           \setbox\z@\vbox{\box\LT@head}%
13706           \fi
13707           \fi
13708           \global\@colroom\@colht
13709           \global\vsiz@\@colht
13710           \vbox
13711             {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot
13712             \fi
13713           \else
13714             \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot
13715             \makecol
13716             \outputpage
13717             \global\vsiz@\@colroom
13718             \copy\LT@head\nobreak

```



```
13719 \fi}
```

79 File mathtools-xetex-bidi.def

```
13720 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package
13721 \MHInternalSyntaxOn
13722 \def\MT_define_tagform:nwnn #1[#2]#3#4{
13723   \@namedef{MT_tagform_#1:n}##1
13724   {\maketag@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2##1}\unskip\@italiccorr#4\if
13725 }
13726 \renewtagform{default}{(){}}
13727 \MHInternalSyntaxOff
```

80 File mdframed-xetex-bidi.def

```
13728 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
13729 \newif\if@bidi@mdf@RTL
13730 \def\mdf@lrbox#1{%
13731   \mdf@patchamsthm%patch amsthm
13732   \if@RTL\@bidi@mdf@RTLtrue\fi%
13733   \RTLfalse%
13734   \setbox#1\vbox\bgroup%
13735   \color@begingroup%
13736   \if@bidi@mdf@RTL\@RTLtrue\fi%
13737   \mdf@horizontalmargin@equation%
13738   \columnwidth=\hsize%
13739   \textwidth=\hsize%
13740   \let\if@nobreak\iffalse%
13741   \let\if@noskipsec\iffalse%
13742   \let\par\@par%
13743   \let\-\@dischph%
13744   \let'\@acci\let`\@accii\let=\@acciii%
13745   \parindent\z@\parskip\z@skip%
13746   \linewidth\hsize%
13747   \totalleftmargin\z@%
13748   \leftskip\z@skip \rightskip\z@skip \rightskip\z@skip%
13749   \parfillskip\@flushglue \lineskip\normallineskip%
13750   \baselineskip\normalbaselineskip%
13751 %% \sloppy%
13752   \let\\@normalcr%
13753   \mdf@par@local%New feature to restore parskip/parindent local in save box
13754   \ifbooleq{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
13755   \afterindentfalse%
13756   \afterheading%
13757 }
13758 \renewrobustcmd\mdfframedtitleenv[1]{%
13759   \mdf@lrbox{\mdf@frametitlebox}%
13760   \mdf@frametitlealignment%
13761   \leavevmode{\color{\mdf@frametitlefontcolor}%
13762     \normalfont\mdf@frametitlefont{\#1}}
```



```

13763     \ifboolex{\mdf@ignorelastdescenders}{%
13764         {%
13765             \par\strut\par
13766             \unskip\unskip\setbox0=\lastbox
13767             \vspace*{(\dimexpr\ht\strutbox-\baselineskip)\relax}%
13768         }{}%
13769     \par\unskip\ifvmode\nointerlineskip\hrule \height\z@\width\hsize\fi\%
13770     \endmdf@lrbox\relax%
13771     \mdf@ignorevbadness%
13772     \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
13773     \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
13774     \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
13775     \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
13776     \mdfframetitleboxtotalheight=\dimexpr
13777         \ht\mdf@frametitlebox
13778         +\dp\mdf@frametitlebox\relax%
13779         +\mdf@frametitleaboveskip@length
13780         +\mdf@frametitlebelowskip@length
13781     \relax%
13782 }
13783
13784 \renewrobustcmd*\mdf@footnoteoutput{%
13785     \ifvoid\@mpfootins\else%
13786         \nobreak%
13787         \vskip\mdf@footnotedistance@length%
13788         \normalcolor%
13789         \bidi@mpfootnoterule%
13790         \unvbox\@mpfootins%
13791     \fi%
13792 }
13793
13794
13795 \renewrobustcmd*\mdf@footnoteinput{%
13796     \def\@mpfn{mpfootnote}%
13797     \def\thempfn{\thempfootnote}%
13798     \c@mpfootnote\z@%
13799     \let\@footnotetext\@mpfootnotetext%
13800     \let\@LTRfootnotetext\@mpLTRfootnotetext%
13801     \let\@RTLfootnotetext\@mpRTLfootnotetext%
13802 }

```

81 File bidi-media9.sty

```

13803 \ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
13804 {bidi fixes for media9 package for the XeTeX engine}
13805
13806 \keys_define:nn{media9/mbtn}{%
13807     draft .code:n = {},
13808     final .code:n = {},
13809

```



```

13810 tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
13811 tooltip .value_required:n = {true},
13812
13813 overface .code:n = {
13814     \sbox{l_mix_poster_box{
13815         \bool_if:NTF{g_pbs_lscape_bool}{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
13816         \mix_pdfxform:n{ l_mix_poster_box}
13817         \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
13818     },
13819     overface .value_required:n = {true},
13820
13821     downface .code:n = {
13822         \sbox{l_mix_poster_box{
13823             \bool_if:NTF{g_pbs_lscape_bool}{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
13824             \mix_pdfxform:n{ l_mix_poster_box}
13825             \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
13826         },
13827     downface .value_required:n = {true},
13828
13829     3Dgotoview .code:n = {
13830         \tl_set:Nx\l_tmpa_tl{#1} %extract ref
13831         \regex_replace_once:nnN{([^\:]+)\:.*}{\1}\l_tmpa_tl
13832         \tl_trim_spaces:N\l_tmpa_tl
13833         \tl_if_exist:cTF{ann@\l_tmpa_tl}{
13834             \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
13835                 \tl_set:Nx\l_tmpb_tl{#1} %extract idx
13836                 \regex_replace_once:nnN{[^\:]+:\?}{ }\l_tmpb_tl
13837                 \tl_trim_spaces:N\l_tmpb_tl
13838                 \tl_if_blank:VF\l_tmpb_tl{
13839                     \regex_match:nVTF{^ [DFLNP]$}\l_tmpb_tl{
13840                         \tl_set:Nx\l_mix_vidx_t1{/ \l_tmpb_tl}
13841                     }{
13842                         \regex_match:nVTF{^\d+$}\l_tmpb_tl{
13843                             \tl_set:Nx\l_mix_vidx_t1{~ \l_tmpb_tl}
13844                         }{
13845                             \regex_replace_once:nnN{^\(\s*\){ }}\l_tmpb_tl
13846                             \regex_replace_once:nnN{\s*\)$}{ }\l_tmpb_tl
13847                             \tl_set:Nx\l_mix_vidx_t1{~ (\l_tmpb_tl)}
13848                         }
13849                     }
13850                 }
13851             \mix_pdfobj:nnn{}{dict}{%
13852                 /S/JavaScript/JS~(
13853                     if(typeof(annotRM)=='undefined') {annotRM=new~Array();}
13854                     if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13855                         annotRM['\l_tmpa_tl']=
13856                             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl}, '\l_tmpa_tl');
13857                     }
13858                     annotRM['\l_tmpa_tl'].activated=true;
13859                 )

```



```

13860          \tl_if_blank:VF\l_tmpb_tl{
13861              /Next-<<
13862                  /S/GoTo3DView
13863                  /TA~\tl_use:c{ann@\l_tmpa_tl}
13864                  /V\l_mix_vidx_tl
13865          >>
13866      }
13867  }
13868  \tl_gput_right:Nx\g_mix_btnactions_tl{\~\mix_pdstobj:}
13869 }
13870 }{
13871     \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
13872     \cs_if_exist:NF\g_mix_refundefwarned_tl{
13873         \tl_new:N\g_mix_refundefwarned_tl
13874         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
13875     }
13876 }
13877 },
13878 3Dgotoview .value_required:n = {true},
13879
13880 mediacommand .code:n = {
13881     \tl_set:Nx\l_tmpa_tl{\#1}
13882     \regex_replace_once:nnN{([^\:]+):??.*}{\1}\l_tmpa_tl %extract ref
13883     \tl_trim_spaces:N\l_tmpa_tl
13884     \tl_if_exist:cTF{ann@\l_tmpa_tl}){
13885         \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
13886             \tl_set:Nx\l_tmpb_tl{\#1}
13887             \regex_replace_once:nnN{[^:]+:\?}{ }\l_tmpb_tl
13888             \tl_trim_spaces:N\l_tmpb_tl
13889             \regex_replace_all:nnN{^{|}|$}{ }\l_tmpb_tl
13890             \tl_set:Nx\l_mix_cmd_tl{
13891                 \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
13892             \tl_trim_spaces:N\l_mix_cmd_tl
13893             \tl_set:Nx\l_mix_arg_tl{
13894                 \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
13895             \tl_trim_spaces:N\l_mix_arg_tl
13896             \mix_pdfobj:nnn{}{dict}{%
13897                 /S/JavaScript/JS~(
13898                     if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13899                     if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13900                         annotRM['\l_tmpa_tl']=
13901                             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
13902                     }
13903                     annotRM['\l_tmpa_tl'].activated=true;
13904                 )
13905                 \tl_if_blank:VF\l_mix_cmd_tl{
13906                     /Next-<<
13907                         /S/RichMediaExecute
13908                         /TA~\tl_use:c{ann@\l_tmpa_tl}
13909                         /TI~\tl_use:c{main@\l_tmpa_tl}

```



```

13910          /CMD~<<
13911              /C~(\l_mix_cmd_t1)
13912                  \tl_if_blank:VF\l_mix_arg_t1{
13913                      /A~[\l_mix_arg_t1]
13914                  }
13915          >>
13916          >>
13917      }
13918      \tl_gput_right:Nx\g_mix_btnactions_t1{\~\mix_pdflastobj:}
13919  }
13920  \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_t1}
13921  \cs_if_exist:NF\g_mix_refundefwarned_t1{
13922      \tl_new:N\g_mix_refundefwarned_t1
13923          \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
13924      }
13925  }
13926  }
13927  }
13928 },
13929 mediacommand .value_required:n = {true},
13930
13931 jsaction .code:n = {
13932     \tl_set:Nx\l_tmpa_t1{\#1}
13933     \regex_match:nNTF{^[\^\{:]+.*$}\l_tmpa_t1{
13934         \regex_replace_once:nnN{([^\:]):??.*}{\1}\l_tmpa_t1 %extract ref
13935         \tl_trim_spaces:N\l_tmpa_t1
13936     }{\tl_clear:N\l_tmpa_t1}
13937     \tl_set:Nx\l_tmpb_t1{\#1}
13938     \tl_if_blank:VF\l_tmpa_t1{
13939         \tl_if_exist:c{ann@\l_tmpa_t1}{

13940             \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_t1}
13941             \cs_if_exist:NF\g_mix_refundefwarned_t1{
13942                 \tl_new:N\g_mix_refundefwarned_t1
13943                     \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
13944             }
13945         }
13946         \regex_replace_once:nnN{[^:]+:\}{}{\l_tmpb_t1}
13947     }
13948     \tl_set:Nx\l_tmpb_t1{\exp_after:wN\use:n\l_tmpb_t1}
13949     \tl_trim_spaces:N\l_tmpb_t1
13950     \tl_if_blank:VF\l_tmpb_t1{
13951         \mix_pdfobj:nnn{}{dict}{

13952             /S/JavaScript/JS~(
13953                 try{\l_tmpb_t1}catch(e){console.show();console.println(e))}}
13954             \bool_lazy_and:nnT{
13955                 \tl_if_exist_p:c{ann@\l_tmpa_t1}
13956             }{
13957                 !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_t1}}{draft}
13958             }{
13959                 \mix_pdfobj:nnn{}{dict}{


```



```

13960      /S/JavaScript/JS~(
13961          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13962          if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){
13963              annotRM['\l_tmpa_t1']=
13964                  this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');
13965          }
13966          annotRM['\l_tmpa_t1'].activated=true;
13967      )
13968      \tl_if_blank:VF\l_tmpb_t1{/Next~\mix_pdflastobj:}
13969  }
13970 }
13971 \bool_if:nT{
13972     \bool_lazy_and_p:nn{
13973         \tl_if_exist_p:c{ann@\l_tmpa_t1}
13974     }{
13975         !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_t1}}{draft}
13976     }
13977     || !\tl_if_blank_p:V\l_tmpb_t1
13978 }{
13979     \tl_gput_right:Nx\g_mix_btnactions_t1{~\mix_pdflastobj:}
13980 }
13981 },
13982 jsaction .value_required:n = {true},
13983 unknown .code:n = {
13984     \msg_error:nnx{media9}{unknown~option}{\l_keys_key_t1}
13985 }
13986 }
13987 }
13988 \RenewDocumentCommand\includemedia{0{}mm}{%#1 options, #2 text/image #3 media file
13989     \mix_urriend:
13990     \group_begin:
13991     \mix_beginLTR:
13992     \leavevemode
13993     %empty stream as appearance dummy
13994     \cs_if_exist:NF\g_mix_appearance_t1{
13995         \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
13996         \mix_pdfxform:n{\l_mix_poster_box}
13997         \tl_gset:Nx\g_mix_appearance_t1{\mix_pdflastxform:}
13998     }
13999 }
14000 \mix_reset:
14001 \mix_uribegin: %treat URI characters correctly
14002 \keys_set:nn{media9/user}{#1}
14003 \mix_urriend:
14004 \tl_greplace_all:Nnn\g_mix_flashvars_t1{~&}{&}
14005 \tl_greplace_all:Nnn\g_mix_flashvars_t1{&~}{&}
14006 \tl_greplace_all:Nnn\g_mix_flashvars_t1{~=}{=}
14007 \tl_greplace_all:Nnn\g_mix_flashvars_t1{=~}{=}
14008 \tl_gtrim_spaces:N\g_mix_flashvars_t1
14009

```



```

14010 \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
14011
14012 \%\\hbox_set:Nn\\l_mix_poster_box{\\group_begin:#2\\group_end:}
14013 \%\\hbox_set:Nn\\l_mix_poster_box{#2}
14014 \\sbox\\l_mix_poster_box{\\if@RTL\\beginR\\fi#2\\if@RTL\\endR\\fi}
14015 \\mix_scale:n{\\l_mix_poster_box}
14016 \\bool_if:nT{
14017     \\dim_compare_p:n{\\g_mix_tt_tl=\\c_zero_dim} ||
14018     \\dim_compare_p:n{\\g_mix_wd_tl=\\c_zero_dim}
14019 }
14020     \\tl_gset:Nn\\g_mix_usrbtn_tl{none}
14021 }
14022 \\bool_if:NTF\\g_mix_usrdraft_bool{
14023     \\tl_if_empty:NF\\g_mix_usrlabel_tl{
14024         \\mix_keytoaux_now:nn{ann@\\g_mix_usrlabel_tl}{draft}
14025     }
14026     \\tl_if_blank:oTF{#2}{
14027         \\mix_uribegin: %treat URI characters correctly
14028         \\mix_draftbox:n{\\tl_to_str:n{#3}}
14029         \\mix_urriend:
14030     }
14031     \\hbox_to_wd:nnf{\\g_mix_wd_tl}{
14032         \\vrule~width~\\c_zero_dim~height~\\g_mix_ht_tl~depth~\\g_mix_dp_tl
14033         \\box_use:N\\l_mix_poster_box\\hss
14034     }
14035 }
14036 }
14037 \\bool_if:nF{\\str_if_eq_p:Vn\\g_mix_usrbtn_tl{none}}{
14038     %attach script that switches off play button overlay upon activation
14039     \\mix_pdfobj:nnn{}{stream}{}{
14040         {}
14041         var~ocgs=host.getOCGs(host.pageNum);
14042         for(var~i=0;i<ocgs.length;i++){
14043             if(ocgs[i].name=='MediaPlayButton\\int_use:N\\g_mix_rmcnt_int'){
14044                 ocgs[i].state=false;
14045             }
14046         }
14047     }
14048 }
14049 \\mix_pdfobj:nnn{}{dict}{}{
14050     /Type/Filespec/EF~<</F~\\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
14051 }
14052 \\tl_gset:Nx\\g_mix_assets_tl{(btnoff)~\\mix_pdflastobj:}
14053 \\tl_set:Nx\\l_mix_scripts_tl{~\\mix_pdflastobj:~}
14054 %enforce plain playbutton overlay for XeTeX
14055 \\sys_if_engine_xetex:T{\\tl_gset:Nn\\g_mix_usrbtn_tl{plain}}
14056 }
14057 %embed main asset
14058 \\mix_uribegin:
14059 \\mix_embedasset:n{#3}

```



```

14060 \bool_if:nTF{
14061   \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
14062 }{
14063   \bool_gset_true:N\g_mix_iid_bool
14064   \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
14065 }{
14066   \str_case_x:nnF{\l_mix_base_tl}{
14067     {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
14068     {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
14069     {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
14070     {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
14071     {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
14072     {\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
14073   }
14074 \tl_gset:Nx\g_mix_mainasset_tl{\g_mix_lastasset_tl}
14075 \mix_urield:
14076 %secondary assets (added by addresource)
14077 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
14078 \seq_map_inline:Nn\g_mix_script_seq{
14079   \mix_embedasset:n{##1}
14080   \tl_put_right:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl}
14081 }
14082 %attach 3D calculation script
14083 \bool_if:nT{\g_mix_iid_bool && \g_mix_iidcalc_bool}{
14084   \mix_embedasset:n{3Dmenu.js}
14085   \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
14086 }
14087 %create 3D views from file (option 3Dviews)
14088 \bool_if:nT{\g_mix_iid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
14089   \tl_set:Nn\l_mix_level_tl{\c_minus_one}
14090   \int_zero:N\l_mix_viewcnt_int
14091   \int_zero:N\l_mix_lineno_int
14092
14093   \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
14094   \ior_map_inline:Nn\l_mix_vfile_stream{
14095     \int_incr:N\l_mix_lineno_int
14096     \keys_set:nn{media9/views}{##1} %process input line
14097   }
14098   \ior_close:N\l_mix_vfile_stream
14099 }
14100 \bool_if:nT{ %create default 3D view if required
14101   \g_mix_iid_bool &&
14102   (\g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl)
14103 }{
14104   \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
14105   \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
14106   \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
14107   \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
14108   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
14109   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl

```



```

14110 \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
14111
14112 \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
14113 \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
14114 \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
14115 \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
14116
14117 \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
14118 \bool_set_eq:NN\l_mix_iidortho_bool\g_mix_opt_iidortho_bool
14119 \tl_clear:N\l_mix_naarray_tl
14120
14121 \bool_if:NF\l_mix_ciiw_bool{
14122     \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
14123     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
14124 }
14125
14126 \tl_clear:N\l_mix_naarray_tl
14127 \tl_clear:N\l_mix_saarray_tl
14128 \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdfltl
14129
14130 \mix_view:n{Default}
14131 \tl_set:Nx\l_mix_dfltvview_tl{\mix_pdflastobj:}
14132
14133 }
14134 \mix_pdfobj:nnn{}{dict}{
14135     /Type/RichMediaInstance
14136     /Subtype/\g_mix_mainassetsub_tl
14137     /Asset~\g_mix_mainasset_tl
14138     \bool_if:NF\g_mix_iid_bool{
14139         /Params~<-
14140             /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
14141                 /Foreground
14142             }{
14143                 /Background
14144             }
14145             \tl_if_blank:VF\g_mix_flashvars_tl{
14146                 /FlashVars~(\g_mix_flashvars_tl)
14147             }
14148         >>
14149     }
14150 }
14151 \tl_if_empty:NF\g_mix_usrlabel_tl{
14152     \mix_keytoaux_now:nn{\main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
14153 }
14154 \mix_pdfobj:nnn{}{dict}{
14155     /Type/RichMediaConfiguration
14156     /Subtype/\g_mix_mainassetsub_tl
14157     /Instances~[\mix_pdflastobj:]
14158 }
14159 \mix_pdfobj:nnn{}{dict}{


```



```

14160 /Type/RichMediaContent
14161 /Assets~<</Names~[\g_mix_assets_t1]>>
14162 /Configurations~[\mix_pdflastobj:]
14163 \bool_if:nT{
14164     \g_mix_iid_bool && !(\tl_if_empty_p:V\l_mix_iidviewarray_t1)
14165 }{
14166     /Views~[\l_mix_iidviewarray_t1]
14167 }
14168 }
14169 \tl_set:Nx\l_mix_content_t1{\mix_pdflastobj:}
14170 \bool_if:nT{
14171     \g_mix_iid_bool && \str_if_eq_p:Vn\g_mix_playtpe_t1{Oscillating}
14172 }{
14173     \tl_gset:Nx\g_mix_playcnt_t1{\int_eval:n{\g_mix_playcnt_t1*2}}
14174 }
14175 %determine floating window size
14176 \bool_if:NT\g_mix_opt_windowed_bool{
14177     \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_t1\q_stop
14178 }
14179 \mix_pdfobj:nnn{}{dict}){
14180     /Activation~<<
14181         /Condition\g_mix_act_t1
14182         \bool_if:nT{
14183             \g_mix_iid_bool &&
14184             !(\str_if_eq_p:Vn\g_mix_playtpe_t1{None})
14185 }{ %seems to work only with 3D content
14186             /Animation~<<
14187                 /Subtype/\g_mix_playtpe_t1
14188                 /PlayCount~\g_mix_playcnt_t1
14189                 /Speed~\g_mix_playspd_t1
14190             >>
14191         }
14192         \bool_if:nT{
14193             \g_mix_iid_bool && (
14194                 \g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_t1
14195             )
14196 }{/View~\l_mix_dfltvew_t1}
14197     /Presentation~<<
14198         /Transparent~\g_mix_transp_t1
14199         \bool_if:NTF\g_mix_opt_windowed_bool{
14200             /Style/Windowed
14201             /Window~<<
14202                 /Width~<</Default~\tl_mix_fltwd>>
14203                 /Height~<</Default~\tl_mix_flht>>
14204                 /Position~<<
14205                     /HOffset~0/VOffset~0
14206                     \str_case_x:nnF{\g_mix_winpos_t1}{
14207                         {t1}{/VAlign/Near/HAlign/Near}
14208                         {c1}{/VAlign/Center/HAlign/Near}
14209                         {b1}{/VAlign/Far/HAlign/Near}

```



```

14210           {bc}{/VAlign/Far/HAlign/Center}
14211           {br}{/VAlign/Far/HAlign/Far}
14212           {cr}{/VAlign/Center/HAlign/Far}
14213           {tr}{/VAlign/Near/HAlign/Far}
14214           {tc}{/VAlign/Near/HAlign/Center}
14215       }{/HAlign/Center/VAlign/Center}
14216           >>
14217           >>
14218       }{
14219           /Style/Embedded
14220       }
14221           \bool_if:NTF\g_mix_iid_bool{
14222               /Toolbar-\g_mix_tools_tl
14223               /NavigationPane-\g_mix_nav_tl
14224       }{
14225           /PassContextClick-\g_mix_contextclick_tl
14226       }
14227           >>
14228           \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
14229           >>
14230           /Deactivation-<</Condition\g_mix_deact_tl>>
14231       }
14232           \tl_set:Nx\l_mix_settings_tl{\mix_pdstobj:}
14233           \tl_if_empty:NF\g_mix_usrlabel_tl{
14234               \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
14235           }
14236           % #1:width, #2:height, #3:depth, #4:content (key-value)
14237           \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
14238               /Subtype/RichMedia
14239               /F~4
14240               /BS~<</W~0/S/S>>
14241               /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
14242               /NM~(\g_mix_label_tl)
14243               /AP~<</N~\g_mix_appearance_tl>>
14244               /RichMediaSettings~\l_mix_settings_tl
14245               /RichMediaContent~\l_mix_content_tl
14246           }
14247           \tl_if_empty:NF\g_mix_usrlabel_tl{
14248               \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdstann:}
14249               \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
14250                   \noexpand\the\g@mix@page@int}
14251           }
14252           \mix_pdstobj:nnn{}{dict}{
14253               /S/JavaScript/JS~(
14254                   try{
14255                       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14256                       if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
14257                           annotRM['\g_mix_label_tl']=
14258                               this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
14259                   }

```



```

14260 \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
14261   if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
14262     var~ocgs=this.getOCGs(this.pageNum);
14263     for(var~i=0;i<ocgs.length;i++){
14264       if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
14265         var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
14266       }
14267     }
14268   }
14269   if(
14270     !annotRM['\g_mix_label_t1'].activated&&(
14271       app.viewerType=='Reader' ||
14272       app.viewerType=='Exchange' ||
14273       app.viewerType=='Exchange-Pro'
14274     )&&app.viewerVersion>=9
14275   ){
14276     ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
14277   }
14278 }
14279 }catch(e){}
14280 this.dirty=false;
14281 )
14282 }
14283 \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{}{
14284   /Subtype/Widget
14285   /FT/Btn/Ff~65537/F~2
14286   /BS~<</W~0>>
14287   /T~(fd@\g_mix_label_t1)
14288   /AA~<</P0~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
14289 }
14290 \mix_appendtofields:n{\mix_pdflastann:}
14291 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
14292 \str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
14293   \hbox_to_wd:nn{\g_mix_wd_t1}{
14294     \vrule~width~\c_zero_dim~height~\g_mix_ht_t1~depth~\g_mix_dp_t1\hss
14295   }
14296 }%insert play button overlay
14297 \mix_insert_btncog: %create OCG
14298 \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_t1 @t1}
14299 \group_begin:
14300 \cs_if_exist:NT\textdir{\textdir TLT}
14301   \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_t1\g_mix_tt_t1}
14302   \box_move_down:nn{\g_mix_dp_t1}{
14303     \hbox_to_wd:nn{\g_mix_wd_t1}{
14304       \vbox_to_ht:nn{\g_mix_tt_t1}{
14305         \vss
14306         \ocgbase_oc_bdc:n{\g_mix_btncog_t1}
14307         \box_use:N\l_mix_pbtn_box
14308         \ocgbase_oc_emc:
14309       }

```



```

14310         }
14311     }
14312     \group_end:
14313   }
14314   \int_gincr:N\g_mix_rmcnt_int
14315 }
14316 \mix_endLTR:
14317 \group_end:
14318 }
14319 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
14320 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
14321
14322 \RenewDocumentCommand\mediabutton{0{}m}{%#1 options, #2 normal button text
14323   \mix_urriend:
14324   \group_begin:
14325   \mix_beginLTR:
14326   \leavevmode
14327   %reset various variables
14328   \tl_gclear:N\g_mix_overbtn_tl
14329   \tl_gclear:N\g_mix_downbtn_tl
14330   \tl_gclear:N\g_mix_btnactions_tl
14331   \tl_gclear:N\g_mix_tooltip_tl
14332   %process options
14333   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
14334   \mix_uribegin: %treat URI characters correctly
14335   \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
14336   \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
14337   \mix_urriend:
14338   %normal button appearance
14339   \%hbox_set:Nn\l_mix_poster_box{#2}
14340   \sbox\l_mix_poster_box{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}
14341   \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
14342   \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
14343   \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
14344   \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
14345     \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}}{
14346       \box_use:N\l_mix_poster_box}\box_use:N\l_mix_poster_box}
14347     \mix_pdfxform:n{\l_mix_poster_box}
14348     \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
14349     %insert widget annotation
14350     \mix_pfdannot:nnnn{\width}{\height}{\depth}{

14351       /Subtype/Widget
14352       /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
14353       \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
14354       /FT/Btn/Ff~65536
14355       \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
14356       /AP~<<
14357         /N~\g_mix_normalbtn_tl
14358         \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
14359         \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}

```



```

14360      >>
14361      /MK~<<
14362          /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
14363          /I~\g_mix_normalbtn_tl
14364          \tl_if_empty:N\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
14365          \tl_if_empty:N\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
14366      >>
14367      /A~<<
14368          /S/JavaScript/JS~(app.focusRect=false;)
14369          %sequence of actions to perform
14370          \tl_if_empty:N\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
14371      >>
14372  }
14373  \mix_appendtofields:n{\mix_pdflastann:}
14374  \hbox_to_wd:nn{\width}{
14375      \vrule~width~c_zero_dim~height~\height~depth~\depth\hss
14376  }
14377  \int_gincr:N\g_mix_mbtncnt_int
14378 }
14379 \mix_endLTR:
14380 \group_end:
14381 }
14382 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
14383 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
14384
14385

```

82 File memoir-xetex-bidi.def

```

14386 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for XeT
14387 \renewcommand{\keepthetitle}{%
14388     \@bsmtitleempty
14389     \global\let\thanks\relax
14390     \global\let\LTRthanks\relax
14391     \global\let\RTLthanks\relax
14392     \global\let\and\relax
14393     \global\let\andnext\relax
14394     \global\let{@thanks}\empty
14395     \global\let{@title}\empty
14396     \global\let{@author}\empty
14397     \global\let{@date}\empty
14398 \renewcommand{\maketitle}{\par
14399     \begingroup
14400         \@bsmarkseries
14401         \def\@makefnmark{\@textsuperscript{%
14402             \normalfont\@bstthanksheadpre \tamark \@bstthanksheadpost}}%
14403         \long\def\@makefntext##1{\makethanksmark ##1}
14404         \if@twocolumn
14405             \ifnum \col@number=\@ne
14406                 \maketitle

```



```

14407     \else
14408         \twocolumn[\@maketitle]%
14409     \fi
14410 \else
14411     \ifdim\pagetotal>\z@
14412         \newpage
14413     \fi
14414     \global\@topnum\z@
14415     \@maketitle
14416     \fi
14417     \thispagestyle{title}\@thanks
14418 \endgroup
14419 \@bscontmark % \setcounter{footnote}{0}%
14420 }
14421 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
14422 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
14423 \renewcommand*{\memRTLleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
14424 \renewcommand*{\memRTLrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
14425 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
14426 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
14427 \renewcommand*{\thesection}{\thechapter \@SepMark @arabic \c@section}
14428 \renewcommand*{\thesubsection}{%
14429             \thesection \@SepMark @arabic \c@subsection}
14430 \renewcommand*{\thesubsubsection}{%
14431             \thesubsection \@SepMark @arabic \c@subsubsection}
14432 \renewcommand*{\theparagraph}{%
14433             \thesubsubsection \@SepMark @arabic \c@paragraph}
14434 \renewcommand*{\thesubparagraph}{%
14435             \theparagraph \@SepMark @arabic \c@subparagraph}
14436 \renewcommand{\setthesection}{\thechapter \@SepMark \Alph{section}}
14437 \renewcommand{\theequation}{%
14438   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi @arabic \c@equation}
14439 \renewcommand{\thefigure}{\thechapter \@SepMark @arabic \c@figure}
14440 \renewcommand{\thetable}{\thechapter \@SepMark @arabic \c@table}
14441 \ifartopt
14442   \chapterstyle{article}
14443   \counterwithout{figure}{chapter}
14444   \counterwithout{table}{chapter}
14445   \counterwithout{footnote}{chapter}
14446   \counterwithout{equation}{chapter}
14447   \renewcommand{\chaptername}{}
14448   \renewcommand{\maketitlehookb}{%
14449     \vskip -1.5\topsep\vskip -1.5\partopsep}
14450   \renewcommand{\maketitlehookc}{%
14451     \vskip -1.5\topsep\vskip -1.5\partopsep}
14452 \fi
14453 \long\def\@makecaption#1#2{\let\@memtempa\relax
14454   \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
14455   \else \def\@memtempa{\vbox to\topskip{} }\fi
14456   \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}

```



```

14457 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
14458 \sbox{@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}}
14459 \let\footnote\@contfnote
14460 \let\footnotemark\@contfmark
14461 \ifdim\wd@\tempboxa<\linewidth \centering \fi
14462 \if@contcw
14463   \centering
14464   \parbox{\@contcwidth}{%
14465     \ifdim\wd@\tempboxa<\@contcwidth \centering \fi
14466   \fi
14467 \ifdim\wd@\tempboxa<\linewidth
14468   \@contpre
14469   {\@contnfont #1\@contdelim}\@memtempa
14470   {\@contcshortstyle \@conttfont #2\@contfinal\par}
14471 \else
14472   \if@conthang
14473     \sbox{@tempboxa{\@contnfont #1\@contdelim}
14474     \@contpre%
14475     {\@contcstyle\hangindent=\wd@\tempboxa
14476       \noindent\box@\tempboxa\@memtempa \@conttfont #2\@contfinal\par}
14477 \else
14478   \if@contindent
14479     \@contpre%
14480     {\@contnfont #1\@contdelim}\@memtempa
14481     {\@contcstyle\hangindent=\@contindw
14482       \hangafter=\@ne\@conttfont #2\@contfinal\par}%- v1.4
14483 \else
14484   \@contpre%
14485   {\@contnfont #1\@contdelim}\@memtempa
14486   {\@contcstyle \@conttfont #2\@contfinal\par}
14487 \fi
14488 \fi
14489 \fi
14490 \@contpost
14491 \if@contcw
14492   \par
14493 } % end of the \parbox
14494 \fi
14495 \vskip\belowcaptionskip
14496 \@ifpackageloaded{caption}{%
14497 \AtBeginPackage{caption}{%
14498 \ClassWarningNoLine{memoir}{%
14499 You are using the caption package with the memoir \MessageBreak
14500 class. This may cause unexpected or inconsistent \MessageBreak
14501 results if you use any of memoir's captioning facilities}
14502 \long\def\@makecaption##1##2{%
14503   \vskip\abovecaptionskip
14504   \sbox{@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
14505   \ifdim \wd@\tempboxa >\hsize

```



```

14507   \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
14508   \else
14509     \global \ominipagefalse
14510     \hb@xt@hsize{\hfil\box\@tempboxa\hfil}%
14511   \fi
14512   \vskip\belowcaptionskip
14513
14514 \def\caption{%
14515   \ifx\@captiontype\@undefined
14516     \@latex@error{\noexpand\caption outside float}\@ehd
14517     \expandafter\@gobble
14518   \else
14519     \refstepcounter\@captiontype
14520     \expandafter\@firstofone
14521   \fi
14522   {\@dblarg{\@caption\@captiontype}}%
14523 }
14524
14525 \long\def\@caption##1[##2]##3{%
14526   \par
14527   \addcontentsline{\csname ext@##1\endcsname}{##1}%
14528   {\protect\numberline{\csname the##1\endcsname}\ignorespaces ##2}%
14529   \begingroup
14530     \parboxrestore
14531     \ifominipage
14532       \setminipage
14533     \fi
14534     \normalsize
14535     \makecaption{\csname fnum@\endcsname}\ignorespaces ##3\par
14536   \endgroup
14537 }{}}
14538 \renewenvironment{thebibliography}[1]{%
14539   \bibsection
14540   \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14541   \bidi@thebibliography\font@hook%
14542   \begin{bitemlist}{#1}\end{bitemlist}\postbibhook}

```

83 File `midfloat-xetex-bidi.def`

```

14543 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
14544 \def\@RTL@outputdblcol{%
14545   \if@firstcolumn
14546     \global \firstcolumnfalse
14547     \global\setbox\leftcolumn\copy\outputbox
14548     \splitmaxdepth\maxdimen
14549     \vbadness\maxdimen
14550     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
14551     \setbox\outputbox\vsplit\outputbox to\maxdimen
14552     \toks@\expandafter{\topmark}%
14553     \xdef\@firstcoltopmark{\the\toks@}%

```



```

14554 \toks@{\expandafter{\splitfirstmark}%
14555 \xdef\@firstcolfirstmark{\the\toks@}%
14556 \ifx\@firstcolfirstmark\empty
14557   \global\let\@setmarks\relax
14558 \else
14559   \gdef\@setmarks{%
14560     \let\firstmark\@firstcolfirstmark
14561     \let\topmark\@firstcoltopmark}%
14562 \fi
14563 \global\c@colht\@colht\global\c@addvipersep\z@
14564 \ifnum\juo@sk>0
14565   \remove@strip\juo@sar
14566   \global\@colht\the\juo@pr
14567   \ifdim\right@cor>\z@
14568     \global\advance\@colht by\right@cor
14569   \fi
14570   \global\advance\@colht by\cor@height
14571   \global\cor@height=0pt
14572 \fi
14573 \global\setbox\@rightcolumn\vbox{}%
14574 \else
14575   \ifdim\c@colht>\@colht
14576     \tempdima\@colht
14577     \ifdim\@colht>\z@
14578       \global\setbox\@rightcolumn\vbox{%
14579         \unvbox\@rightcolumn
14580         \vbox to\tempdima{%
14581           \vskip\c@addvipersep\unvbox\outputbox}%
14582           \vskip\stripsep
14583           \vrule height\the\juo@ht width 0pt depth 0pt
14584           \vskip\stripsep
14585         }%
14586       \global\c@addvipersep\m@addvipersep
14587     \else
14588       \global\setbox\@rightcolumn\vbox{%
14589         \unvbox\@rightcolumn
14590         \vrule height\the\juo@ht width 0pt depth 0pt
14591         \vskip\stripsep
14592       }%
14593     \fi
14594     \ifnum\juo@sk>0
14595       \remove@strip\juo@sar
14596       \global\@colht\the\juo@pr
14597       \global\advance\@colht by -\ht\@rightcolumn
14598       \global\advance\@colht by\cor@height
14599       \global\cor@height=0pt
14600     \else
14601       \global\advance\c@colht by-\ht\@rightcolumn
14602       \global\@colht\c@colht
14603     \fi

```



```

14604 \else
14605 \global\@firstcolumntrue
14606 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14607     \unvbox\@rightcolumn
14608     \vskip\c@addvipersep
14609     \unvbox\@outputbox
14610 }%
14611 \setbox\@outputbox\vbox{%
14612     \hb@xt@\textwidth{%
14613         \hskip\columnwidth
14614         \hfil
14615         \vrule\@width\columnseprule
14616         \hfil
14617         \hb@xt@\columnwidth{%
14618             \bidi@firstcolumn@status@write%
14619             \box\@leftcolumn\hss}%
14620             \hskip-\textwidth
14621             \hb@xt@\columnwidth{%
14622                 \bidi@lastcolumn@status@write%
14623                 \box\@outputbox\hss}%
14624             \hskip\columnwidth
14625             \hskip\columnsep}%
14626 }%
14627 \@combinedblfloats
14628 \@setmarks
14629 \@outputpage
14630 \begingroup
14631     \@dblfloatplacement
14632     \@startdblcolumn
14633     \@whilesw@if@fcolmade\fi
14634     {\@outputpage
14635         \@startdblcolumn}%
14636     \endgroup
14637     \global\juo@sk=0\global\juo@sar={}%
14638     \global\cor@height\z@\global\c@addvipersep\z@
14639     \fi
14640 \fi
14641 }
14642
14643
14644 \def\LTR@outputdblcol{%
14645     \if@firstcolumn
14646         \global\@firstcolumnfalse
14647         \global\setbox\@leftcolumn\copy\@outputbox
14648         \splitmaxdepth\maxdimen
14649         \vbadness\maxdimen
14650         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14651         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14652         \toks@\expandafter{\topmark}%
14653         \xdef\@firstcoltopmark{\the\toks@}%

```



```

14654 \toks@{\expandafter{\splitfirstmark}%
14655 \xdef\@firstcolfirstmark{\the\toks@}%
14656 \ifx\@firstcolfirstmark\empty
14657   \global\let\@setmarks\relax
14658 \else
14659   \gdef\@setmarks{%
14660     \let\firstmark\@firstcolfirstmark
14661     \let\topmark\@firstcoltopmark}%
14662 \fi
14663 \global\c@colht\@colht\global\c@addvipersep\z@
14664 \ifnum\juo@sk>0
14665   \remove@strip\juo@sar
14666   \global\@colht\the\juo@pr
14667   \ifdim\right@cor>\z@
14668     \global\advance\@colht by\right@cor
14669   \fi
14670   \global\advance\@colht by\cor@height
14671   \global\cor@height=0pt
14672 \fi
14673 \global\setbox\@rightcolumn\vbox{}%
14674 \else
14675 \ifdim\c@colht>\@colht
14676   \tempdima\@colht
14677   \ifdim\@colht>\z@
14678     \global\setbox\@rightcolumn\vbox{%
14679       \unvbox\@rightcolumn
14680       \vbox to\@tempdima{%
14681         \vskip\c@addvipersep\unvbox\outputbox}%
14682         \vskip\stripsep
14683         \vrule height\the\juo@ht width 0pt depth 0pt
14684         \vskip\stripsep
14685       }%
14686     \global\c@addvipersep\m@addvipersep
14687   \else
14688     \global\setbox\@rightcolumn\vbox{%
14689       \unvbox\@rightcolumn
14690       \vrule height\the\juo@ht width 0pt depth 0pt
14691       \vskip\stripsep
14692     }%
14693   \fi
14694 \ifnum\juo@sk>0
14695   \remove@strip\juo@sar
14696   \global\@colht\the\juo@pr
14697   \global\advance\@colht by -\ht\@rightcolumn
14698   \global\advance\@colht by\cor@height
14699   \global\cor@height=0pt
14700 \else
14701   \global\advance\c@colht by-\ht\@rightcolumn
14702   \global\@colht\c@colht
14703 \fi

```



```

14704 \else
14705 \global\@firstcolumntrue
14706 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14707             \unvbox\@rightcolumn
14708             \vskip\c@addvipersep
14709             \unvbox\@outputbox
14710         }%
14711 \setbox\@outputbox\vbox{%
14712             \hb@xt@\textwidth{%
14713                 \hb@xt@\columnwidth{%
14714                     \bidi@firstcolumn@status@write%
14715                     \box\@leftcolumn \hss}%
14716                     \hfil
14717                     \vrule \width\columnseprule
14718                     \hfil
14719                     \hb@xt@\columnwidth{%
14720                         \bidi@lastcolumn@status@write%
14721                         \box\@outputbox \hss}%
14722                     }%
14723                 }%
14724             \combinedblfloats
14725             \setmarks
14726             \outputpage
14727             \begin{group}
14728                 \dblfloatplacement
14729                 \startdblcolumn
14730                 \whilesw\if@fcolmade \fi
14731                 {\outputpage
14732                     \startdblcolumn}%
14733             \endgroup
14734             \global\juo@sk=0\global\juo@sar={}%
14735             \global\cor@height\z@\global\c@addvipersep\z@
14736             \fi
14737         \fi
14738     }
14739
14740
14741 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
14742   \global\setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\hsize\textwidth
14743   \parboxrestore
14744   \col@number \one
14745   \vrule height\topskip width0pt depth0pt
14746 }
14747
14748 \def\endstrip{%
14749   \egroup\egroup
14750   \if@firstcolumn
14751       \ifdim\pagetotal>\z@
14752           \vskip\stripsep
14753

```



```

14754           \global\ht@strip\pagegoal
14755           \global\advance\ht@strip by-\pagetotal
14756           \global\advance\ht@strip by-\stripsep
14757           \global\advance\ht@strip by-\ht\@viper
14758           \global\advance\ht@strip by-\stripsep
14759           \global\juo@ht=\ht\@viper
14760       \else
14761           \global\ht@strip\z@
14762       \fi
14763   \ifdim\ht@strip>\z@
14764       \unvbox\@viper
14765       \vskip\stripsep
14766       \add@strip{\the\pagetotal}{\the\juo@ht}{\the\tempdima}{\the\tempdimb}%
14767       \global\advance\juo@sk by1
14768   \else
14769       \Q@latex@error{Strip needs more place!}\@ehc
14770   \if@vihproof
14771       \framebox[\columnwidth]{??? Strip ???}%
14772   \fi
14773   \fi
14774 \else
14775     \Q@latex@error{Strip is used only on left column!}\@ehc
14776   \if@vihproof
14777     \framebox[\columnwidth]{??? Strip ???}%
14778   \fi
14779 \fi
14780 }

```

84 File minitoc-xetex-bidi.def

```

14781 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
14782 \def\@undottedtocline#1#2#3#4#5{%
14783   \ifnum #1>\c@tocdepth\relax \else
14784     \vskip \z@ plus.2\p@
14785     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocrmarg \hbox{}%
14786     \parindent #2\relax\@afterindenttrue
14787     \interlinepenalty\@M
14788     \leavevmode
14789     \tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \hbox{}%
14790     \hskip -\if@RTL\rightskip\else\leftskip\fi
14791     #4\nobreak\hfill \nobreak
14792     \null\par}%
14793   \fi}
14794 \def\@Undottedtocline#1#2#3#4#5{%
14795   \ifnum #1>\c@tocdepth\relax \else
14796     \vskip \z@ \qplus.2\p@
14797     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocrmarg \hbox{}%
14798     \parindent #2\relax\@afterindenttrue
14799     \interlinepenalty\@M
14800     \leavevmode

```



```

14801     \tempdima #3\relax
14802     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
14803     {\coffeefont #4}\nobreak \nobreak\null
14804     \par}%
14805   \fi}
14806 \def\@Undottedtocline#1#2#3#4#5{%
14807   \ifnum #1>\c@tocdepth\relax \else
14808     \vskip \z@ \cplus.2\p@
14809     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocrmarg
14810     \parindent #2\relax\@afterindenttrue
14811     \interlinepenalty\@M
14812     \leavevmode
14813     \tempdima #3\relax
14814     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
14815     {#4}\nobreak \hfill \nobreak\null
14816     \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
14817     \par}%
14818   \fi}

```

85 File `multicol-xetex-bidi.def`

```

14819 \ProvidesFile{multicol-xetex-bidi.def}[2018/10/07 v1.1 bidi adaptations for multicol package]
14820 \def\page@sofar{%
14821   \process@cols\mult@rightbox
14822   {\ifvoid\count@
14823     \setbox\count@\hbox to\hsize{}%
14824   \else
14825     \wd\count@\hsize
14826   \fi}%
14827   \count@\col@number \advance\count@\m@ne
14828   \mult@info{z@%
14829     {Column spec: \the\full@width\space = indent
14830       + columns + sep =\MessageBreak
14831       \the\multicol@leftmargin\space
14832       + \the\col@number\space
14833       x \the\hsize\space
14834       + \the\count@\space
14835       x \the\columnsep
14836     }%
14837   \ifvmode\else\errmessage{Multicol Error}\fi
14838   \nointerlineskip
14839   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
14840   \moveleft\multicol@leftmargin
14841   \hbox to\full@width{%
14842     \bidi@multicol@align@columns
14843     \rlap{\phantom p}%
14844   }%
14845   \prevdepth\z@
14846   \kern-\dimen\tw@
14847   \ifdim\dimen\tw@ > \mc@gridwarn

```



```

14848 \PackageWarning{multicol}%
14849 {Very deep columns! \MessageBreak
14850 Grid alignment might be broken}%
14851 \fi
14852 }
14853 \def\LTR@column@boxes{%
14854 \process@cols\mult@gfirstbox{%
14855 \ifdim\dp\count@>\dimen\tw@
14856 \global\dimen\tw@\dp\count@ \fi
14857 \mc@col@status@write
14858 \box\count@%
14859 \hss{\columnseprulecolor\vrule
14860 \width\columnseprule}\hss}%
14861 \ifdim\dp\mult@rightbox>\dimen\tw@
14862 \global\dimen\tw@\dp\mult@rightbox \fi
14863 \mc@lastcol@status@write
14864 \box\mult@rightbox
14865 }
14866
14867 \def\RTL@column@boxes{%
14868 \ifnum\col@number<\tw@
14869 \LTR@column@boxes
14870 \else
14871 \process@cols\mult@gfirstbox{%
14872 \hskip\hsize
14873 \hss{\columnseprulecolor\vrule
14874 \width\columnseprule}\hss
14875 }%
14876 \hskip\hsize
14877 \process@cols\mult@gfirstbox{%
14878 \ifdim\dp\count@>\dimen\tw@
14879 \global\dimen\tw@\dp\count@ \fi
14880 \hskip-\hsize
14881 \mc@col@status@write
14882 \box\count@%
14883 \hskip-\hsize
14884 \hskip-\columnsep
14885 }%
14886 \ifdim\dp\mult@rightbox>\dimen\tw@
14887 \global\dimen\tw@\dp\mult@rightbox \fi
14888 \hskip-\hsize
14889 \mc@lastcol@status@write
14890 \box\mult@rightbox
14891 \hskip-\hsize
14892 \hskip\full@width
14893 \fi
14894 }
14895 \newcommand\RTLmulticolcolumns
14896 {\let\bidi@multicol@align@columns
14897 \RTL@column@boxes}

```



```

14898 \newcommand{\LTRmulticolcolumns}
14899     {\let\bidi@multicol@align@columns
14900         \LTR@column@boxes}
14901 \newcommand{\bidi@multicol@align@columns}
14902     {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
14903 \bidi@AtEndPreamble{%
14904     \if\bidi@csdef{footinsv@1}{%
14905         \def\footnoterule{\kern-3\p@
14906             \hrule\@width\textwidth\kern2.6\p@}%
14907     }{}%
14908 }
14909 \def\multicols#1{\col@number#1\relax
14910   \ifnum\col@number<\tw@
14911     \PackageWarning{multicol}%
14912     {Using `~\number\col@number'%
14913      columns doesn't seem a good idea.^^J
14914      I therefore use two columns instead}%
14915     \col@number\tw@\fi
14916 \ifnum\col@number>10
14917   \PackageError{multicol}%
14918   {Too many columns}%
14919   {Current implementation doesn't%
14920     support more than 10 columns.%%
14921     \MessageBreak
14922     I therefore use 10 columns instead}%
14923     \col@number10\fi
14924 \ifx\@footnotetext\mult@footnotetext\else
14925   \let\orig@footnotetext\@footnotetext
14926   \let\@footnotetext\mult@footnotetext
14927 \fi
14928 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
14929   \let\orig@LTRfootnotetext\@LTRfootnotetext
14930   \let\@LTRfootnotetext\mult@LTRfootnotetext
14931 \fi
14932 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
14933   \let\orig@RTLfootnotetext\@RTLfootnotetext
14934   \let\@RTLfootnotetext\mult@RTLfootnotetext
14935 \fi
14936 @ifnextchar[\mult@cols{\mult@cols[]}]
14937 \long\def\mult@footnotetext#1{\begingroup
14938   \hsize\textwidth
14939   \columnwidth\textwidth
14940   \orig@footnotetext{#1}\endgroup}
14941 \long\def\mult@LTRfootnotetext#1{\begingroup
14942   \hsize\textwidth
14943   \columnwidth\textwidth
14944   \orig@LTRfootnotetext{#1}\endgroup}
14945 \long\def\mult@RTLfootnotetext#1{\begingroup
14946   \hsize\textwidth
14947   \columnwidth\textwidth

```



```

14948      \orig@RTLfootnotetext{\#1}\endgroup}
14949 \def\right@footnoterule{%
14950   \kern-3\p@
14951   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
14952   \kern2.6\p@}
14953 \def\textwidth@footnoterule{\kern-3\p@
14954   \hrule \vwidth \textwidth \kern 2.6\p@}
14955 \def\bidi@leave@mult@copyins{%
14956   \advance\dimen@-\skip\@bidi@copyins@%
14957   \advance\dimen@-\ht\@bidi@copyins@%
14958 }
14959 \bidi@AtEndPreamble{%
14960   \if@bidi@csdef{footinsv@l}{%
14961     \def\bidi@leave@mult@footins@vr{%
14962       \advance\dimen@-\skip\footinsv@r%
14963       \advance\dimen@-\ht\footinsv@r%
14964     }%
14965     \def\bidi@leave@mult@footins@vl{%
14966       \advance\dimen@-\skip\footinsv@l%
14967       \advance\dimen@-\ht\footinsv@l%
14968     }%
14969     \def\bidi@init@mult@footinsv@r{%
14970       \multiply\count\footinsv@r\col@number%
14971       \multiply\skip \footinsv@r\col@number%
14972     }%
14973     \def\bidi@init@mult@footinsv@l{%
14974       \multiply\count\footinsv@l\col@number%
14975       \multiply\skip \footinsv@l\col@number%
14976     }%
14977     \def\bidi@reinsert@footnotesv@r{\ifvoid\footinsv@r\else%
14978       \insert\footinsv@r{}\fi}%
14979     \def\bidi@reinsert@footnotesv@l{\ifvoid\footinsv@l\else%
14980       \insert\footinsv@l{}\fi}%
14981     \bidi@patchcmd{\prepare@multicols}{%
14982       \reinsert@footnotes%
14983     }{%
14984       \reinsert@footnotes%
14985       \bidi@init@mult@footinsv@r%
14986       \bidi@reinsert@footnotesv@r%
14987       \bidi@init@mult@footinsv@l%
14988       \bidi@reinsert@footnotesv@l%
14989     }{%
14990     \bidi@patchcmd{\multi@column@out}{%
14991       \ifnum \c@tracingmulticols>\thr@@%
14992     }{%
14993       \ifvoid\footinsv@r%
14994       \ifvoid\footinsv@l%
14995       \else%
14996         \PackageWarning{multicol}%
14997         {I moved some lines to%

```



```

14998      the next page.\MessageBreak
14999      Footnotes on page
15000      \thepage\space might be wrong}%
15001      \fi
15002      \else
15003      \PackageWarning{multicol}%
15004      {I moved some lines to
15005      the next page.\MessageBreak
15006      Footnotes on page
15007      \thepage\space might be wrong}%
15008      \fi
15009      \ifnum \c@tracingmulticols>\thr@@
15010    }{}{%
15011 \bidi@patchcmd{\endmulticols}{%
15012   \reinsert@footnotes
15013 }{%
15014   \reinsert@footnotes
15015   \bidi@reinsert@footnotesv@r
15016   \bidi@reinsert@footnotesv@l
15017 }{}{%
15018 \bidi@patchcmd{\speci@ls}{%
15019   \reinsert@footnotes
15020 }{%
15021   \reinsert@footnotes
15022   \bidi@reinsert@footnotesv@r
15023   \bidi@reinsert@footnotesv@l
15024 }{}{%
15025 \bidi@patchcmd{\speci@ls}{%
15026   \reinsert@footnotes
15027 }{%
15028   \reinsert@footnotes
15029   \bidi@reinsert@footnotesv@r
15030   \bidi@reinsert@footnotesv@l
15031 }{}{%
15032 }{}{%
15033 \bidi@patchcmd{\multi@column@out}{%
15034   \let\ifshr@kingsaved\ifshr@king
15035 }{%
15036   \if@bidi@csdef{footinsv@l}{%
15037     \divide\skip\footinsv@r\col@number
15038     \ifvoid\footinsv@r \else
15039       \bidi@leave@mult@footins@vr
15040     \fi
15041     \divide\skip\footinsv@l\col@number
15042     \ifvoid\footinsv@l \else
15043       \bidi@leave@mult@footins@vl
15044     \fi
15045   }{}{%
15046   \ifvoid\@bidi@copyins@ \else
15047     \bidi@leave@mult@copyins

```



```

15048     \fi
15049     \let\ifshr@kingsaved\ifshr@king
15050 }{}{%
15051 }

```

86 File multienum-xetex-bidi.def

```

15052 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
15053 \renewcommand{\itemx}[1]{\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}}
15054 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15055 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%
15056 \smallskip%
15057 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15058 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15059 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15060 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip%
15061 \renewcommand{\itemxxx}[3]{\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}}
15062 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15063 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15064 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15065 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15066 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15067 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%
15068 \smallskip%
15069 \renewcommand{\itemxxxx}[4]{\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}}
15070 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15071 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15072 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15073 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15074 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15075 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #5}\smallskip%
15076 \renewcommand{\itemxxxxx}[5]{\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}}
15077 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15078 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15079 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15080 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15081 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15082 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip%
15083 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #6}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15084 \parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15085 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #7}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15086 \parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15087 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #8}\smallskip%
15088 \renewcommand{\itemxo}[2]{\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}}
15089 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15090 \parbox[t]{\remainxo}{\bidi@raggedright #1}\hfill\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15091 \parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%
15092 \parbox[t]{0.3333\remainxx}{\bidi@raggedright #2}\smallskip%
15093 \renewcommand{\itemxo}[2]{\parbox[t]{\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}}
15094 {\labelwidth}{\hfill{\labelname}\hspace{\labelsep}}%

```



```

15095 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
15096 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15097 \parbox[t]{\remainxo}{\bidi@raggedright #2}\smallskip
15098 \renewcommand{\itemxoxx}[3]{\parbox[t]%
15099 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15100 \parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
15101 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15102 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
15103 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15104 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip
15105 \renewcommand{\itemxxox}[3]{\parbox[t]%
15106 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15107 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
15108 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15109 \parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
15110 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15111 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip
15112 \renewcommand{\itemxxxo}[3]{\parbox[t]%
15113 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15114 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
15115 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15116 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
15117 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15118 \parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}

```

87 File natbib-xetex-bidi.def

```

15119 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for XeLaTeX]
15120 \renewenvironment{thebibliography}[1]{%
15121   \bibsection
15122   \parindent\z@
15123   \bibpreamble
15124   \bibfont
15125   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15126   \bidi@@thebibliography@font@hook%
15127   \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{\#1}\global\c@NAT@ctr\z@}%
15128   \ifNAT@openbib
15129     \renewcommand{\newblock}{\par}%
15130   \else
15131     \renewcommand{\newblock}{\hskip .11em \oplus .33em \ominus .07em}%
15132   \fi
15133   \sloppy\clubpenalty4000\widowpenalty4000
15134   \sfcode`.\@m
15135   \let\NAT@bibitem@first@sw\@firstoftwo
15136     \let\citeN\cite \let\shortcite\cite
15137     \let\citeasnoun\cite
15138 }{%
15139   \bibitem@fin
15140   \bibpostamble
15141   \def\@noitemerr{%

```



```

15142  \PackageWarning{natbib}{Empty `thebibliography' environment}%
15143  }%
15144  \endlist
15145  \bibcleanup
15146 }%

```

88 File newfloat-xetex-bidi.def

```

15147 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
15148 \renewcommand*\newfloat@setwithin[2]{%
15149   \ifcsname c@chapter\endcsname
15150     \removefromreset{\#1}{chapter}%
15151   \fi
15152   \removefromreset{\#1}{section}%
15153   \edef\@tempa{\#2}%
15154   \ifx\@tempa\empty
15155     \def\@tempa{none}%
15156   \fi
15157   \def\@tempb{none}%
15158   \ifx\@tempa\@tempb
15159     \ifcsname c@chapter\endcsname
15160       \chapterlistsgap@off{\#1}%
15161     \fi
15162     \newfloat@@setwithin{\#1}{}{}%
15163   \else
15164     \def\@tempb{chapter}%
15165     \ifx\@tempa\@tempb
15166       \addtoreset{\#1}{chapter}%
15167       \chapterlistsgap@on{\#1}%
15168       \newfloat@@setwithin{\#1}{\ifnum\c@chapter>\z@\thechapter\@SepMark\fi}{\theHchapter\@Sep}
15169     \else
15170       \def\@tempb{section}%
15171       \ifx\@tempa\@tempb
15172         \addtoreset{\#1}{section}%
15173         \ifcsname c@chapter\endcsname
15174           \addtoreset{\#1}{chapter}%
15175           \chapterlistsgap@on{\#1}%
15176           \newfloat@@setwithin{\#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
15177         \else
15178           \newfloat@@setwithin{\#1}{\ifnum\c@section>\z@\thesection\@SepMark\fi}{\theHsection}
15179         \fi
15180       \else
15181         \newfloat@Error{Invalid value `#2' for option `within'}%
15182       \fi
15183     \fi
15184   \fi}

```

89 File ntheorem-xetex-bidi.def

```

15185 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]

```



```

15186 \gdef\@thm#1#2#3{%
15187   \if@thmmarks
15188     \stepcounter{end\InTheoType ctr}%
15189   \fi
15190   \renewcommand{\InTheoType}{#1}%
15191   \if@thmmarks
15192     \stepcounter{curr#1ctr}%
15193     \setcounter{end#1ctr}{0}%
15194   \fi
15195   \refstepcounter{#2}%
15196   \theorem@prework
15197   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
15198   \ifvmode \advance\thm@topsepadd\partopsep\fi
15199   \trivlist
15200   \@topsep \theorempreskipamount
15201   \@topsepadd \thm@topsepadd % used by \endparenv
15202   \advance\linewidth -\theorem@indent
15203   \advance\@totalleftmargin \theorem@indent
15204   \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
15205   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

90 File ntheorem-hyper-xetex-bidi.def

```

15206 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyp
15207 \gdef\@thm#1#2#3{%
15208   \if@thmmarks
15209     \stepcounter{end\InTheoType ctr}%
15210   \fi
15211   \renewcommand{\InTheoType}{#1}%
15212   \if@thmmarks
15213     \stepcounter{curr#1ctr}%
15214     \setcounter{end#1ctr}{0}%
15215   \fi
15216   \refstepcounter{#2}%
15217   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
15218   \ifvmode \advance\thm@topsepadd\partopsep\fi
15219   \trivlist
15220   \@topsep \theorempreskipamount
15221   \@topsepadd \thm@topsepadd % used by \endparenv
15222   \advance\linewidth -\theorem@indent
15223   \advance\@totalleftmargin \theorem@indent
15224   \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
15225   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

91 File overpic-xetex-bidi.def

```

15226 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package for
15227 \renewenvironment{overpic}[2] []{%
15228   \sbox{\z@}{\includegraphics[#1]{#2}}%
15229   \settodepth{\tempcnta}{\usebox{\z@}}%

```



```

15230 \settoheight{\@tempcntb}{\usebox{\z@}}%
15231 \advance\@tempcntb\@tempcnta%
15232 \settowidth{\@tempcnta}{\usebox{\z@}}%
15233 \setlength{\@tempdima}{\unitlength}%
15234 \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
15235 %
15236 \OVP@calc%
15237 %
15238 \begin{picture}(\@tempcnta,\@tempcntb)%
15239 \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\%
15240 \ifGin@grid%
15241 \put(0,0){\normalfont\fontsize@viipt\@viiipt\selectfont%
15242 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}\%
15243 \fi\fi%
15244 % reset the graphics parameter
15245 \let\Gin@outer@scalex\relax
15246 \let\Gin@outer@scaley\relax
15247 \let\Gin@angle\relax
15248 \let\Gin@ewidht\Gin@exclamation
15249 \let\Gin@eheight\Gin@ewidth
15250 \def\Gin@scalex{1}
15251 \let\Gin@scaley\Gin@exclamation
15252 }\{%
15253 \if@RTL\ifGin@grid%
15254 \put(0,0){\normalfont\fontsize@viipt\@viiipt\selectfont%
15255 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}\%
15256 \fi%
15257 \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
15258 \end{picture}%
15259 }%

```

92 File pdfbase-xetex-bidi.def

```

15260 \ProvidesFile{pdfbase-xetex-bidi.def}[2018/09/29 v0.2 bidi adaptations for pdfbase package for
15261 \ExplSyntaxOn
15262 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
15263 \cs_set_nopar:Npn\@outputpage{%
15264   \int_gincr:N\g_pbs_page_int
15265   \iow_now:Nx\@mainaux{%
15266     \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}%
15267   }%
15268   \box_if_vertical:cTF{@outputbox}{%
15269     \bool_set_true:N\l_pbs_is_vertical_bool
15270   }{%
15271     \bool_set_false:N\l_pbs_is_vertical_bool
15272   }%
15273   \hbox_set:Nn\@outputbox{%
15274     \begin{of page}%
15275       \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}%
15276       \box_use_clear:N\@outputbox

```



```

15277     %end of page
15278     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
15279 }
15280 \bool_if:NT\l_pbs_is_vertical_bool{
15281   \vbox_set:Nn\@outputbox{\box_use_clear:N\@outputbox}
15282 }
15283 \pbs_outputpage_orig:
15284 }
15285 \ExplSyntaxOff

```

93 File pdfpages-xetex-bidi.def

```

15286 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
15287 \renewcommand*{\includepdf}[2][]{%
15288   \begingroup
15289   \ifRTLfalse
15290     \let\AM@threadname\relax
15291     \AM@split@options{pdfpages}{#1}%
15292     \edef\AM@temp{\pdfpages{\the\@temptokena}}%
15293     \expandafter\setkeys\AM@temp
15294     \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
15295       \let\AM@currentdocname\relax
15296       \renewcommand\includegraphics[2][]{Survey in draft-mode}%
15297       \def\AM@pagecount{0}%
15298     }{%
15299       \AM@findfile{#2}%
15300       \if\AM@threadname\relax
15301         \def\AM@threadname{\AM@currentdocname}%
15302       \fi
15303     }%
15304   \ifAM@survey
15305     \def\AM@pagestemp{}%
15306     \tempcnta=0
15307     \def\foo{%
15308       \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
15309         {\let\foo\relax}
15310         {\expandafter\ifx\expandafter\\AM@pagestemp\\
15311           \edef\AM@pagestemp{%
15312             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
15313         \else
15314           \edef\AM@pagestemp{\AM@pagestemp,%
15315             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
15316         \fi
15317         \advance\@tempcnta 1\relax
15318       }%
15319     \foo
15320   }%
15321   \foo
15322   \expandafter\ifx\expandafter\\AM@pagestemp\\
15323     \def\AM@pagestemp{1}%

```



```

15324     \fi
15325   \fi
15326 \ifAM@output
15327   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
15328   \AM@output{#1}%
15329 \fi
15330 \AM@CheckAtEnd
15331 \endgroup
15332 \AM@ClearShipoutPicture
15333 }

```

94 File pgfcorescopes.code-xetex-bidi.def

```

15334 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pack
15335 \def\pgfpicture{%
15336   \begingroup%
15337   \ifmmode\else\@RTLfalse\beginL\fi%
15338   \pgfpicturetrue%
15339   \global\advance\pgf@picture@serial@count by1\relax%
15340   \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
15341   \let\pgf@nodecallback=\pgfutil@gobble%
15342   \pgf@picmaxx=-16000pt\relax%
15343   \pgf@picminx=16000pt\relax%
15344   \pgf@picmaxy=-16000pt\relax%
15345   \pgf@picminy=16000pt\relax%
15346   \pgf@relevantforpicturesizetrue%
15347   \pgf@resetpathsizes%
15348   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
15349 \def\endpgfpicture{%
15350   \ifpgfrememberpicturepositiononpage%
15351     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
15352   \fi%
15353   % ok, now let's position the box
15354   \ifdim\pgf@picmaxx=-16000pt\relax%
15355     % empty picture. make size 0.
15356     \global\pgf@picmaxx=0pt\relax%
15357     \global\pgf@picminx=0pt\relax%
15358     \global\pgf@picmaxy=0pt\relax%
15359     \global\pgf@picminy=0pt\relax%
15360   \fi%
15361   % Shift baseline outside:
15362   \pgf@relevantforpicturesizefalse%
15363   \pgf@process{\pgf@baseline}%
15364   \xdef\pgf@shift@baseline{\the\pgf@y}%
15365   %
15366   \pgf@process{\pgf@trimleft}%
15367   \global\advance\pgf@x by-\pgf@picminx
15368   % prepare \hskip\pgf@trimleft@final.
15369   % note that \pgf@trimleft@final is also queried
15370   % by the pgf image externalization.

```



```

15371      \xdef\pgf@trimleft@final{-\the\pgf@x}%
15372      %
15373      \pgf@process{\pgf@trimright}%
15374      \global\advance\pgf@x by-\pgf@picmaxx
15375      % prepare \hskip\pgf@trimright@final.
15376      % note that \pgf@trimright@final is also queried
15377      % by the pgf image externalization.
15378      \xdef\pgf@trimright@final{\the\pgf@x}%
15379      %
15380      \pgf@remember@layerlist@globally
15381          \endgroup%
15382          \hss%
15383          \egroup%
15384          \pgf@restore@layerlist@from@global
15385              \pgf@insertlayers%
15386              \endgroup%
15387              \pgfsys@discardpath%
15388              \endgroup%
15389          \pgfsys@endscope%
15390          \pgfsys@endpicture%
15391          \endgroup%
15392          \hss
15393          \egroup%
15394          \pgfsys@typesetpicturebox\pgfpic%
15395          \ifmmode\else\endL\fi%
15396          \endgroup%
15397 }

```

95 File picinpar-xetex-bidi.def

```

15398 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package]
15399 \long\def\@makewincaption#1#2{%
15400     \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
15401     \ifdim\wd\@tempboxa>\picwd
15402         {\footnotesize{\bf #1:\enspace}{#2\par}}
15403     \else
15404         \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
15405     \fi}
15406 \def\endwindow{%
15407     \global\tcd=\tcdsav
15408     \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
15409     \vbadness=10000
15410     \splittopskip=0pt
15411 %
15412 % Typeset the lines above the window
15413 %
15414 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
15415 \tcn=\tcd
15416 \loop\advance\tcn -1
15417 \setbox\fslice=\vsplit\holder to\baselineskip

```



```

15418 \prune\fslice\linewidth
15419 \topheight=0pt
15420 \ifnum\dp\fslice>\dp\wstrutbox
15421     \advance\topheight-\dp\fslice
15422     \advance\topheight\dp\wstrutbox
15423     \advance\topheight\ilg\fi
15424 \hbox to\linewidth{\box\fslice}
15425 \vskip-\topheight
15426 \ifdim\ht\holder>0pt\repeat
15427 \fi
15428%
15429% Now we build the boxes beside the window
15430%
15431 \global\topheight=\tcl\baselineskip
15432 \ifnum\cumpartcl>0\global\tcl=\cumtcl
15433     \global\topheight=\vpic
15434 \fi
15435 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
15436 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
15437 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
15438 \tcn=\tcl \na=0 \nb=0
15439 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
15440 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
15441 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
15442 \ifnum\na=0\ifnum\nb=0
15443     \setbox\waslice=\vbox to\vpic{\vss}
15444     \setbox\wbslice=\vbox to\vpic{\vss}
15445     \bl=1\br=1
15446     \vskip\ilg
15447 \fi\fi
15448%
15449% both sides
15450%
15451 \ifnum\na>0 \ifnum\nb>0
15452 \loop\advance\nb -1
15453 \advance\na -1
15454 \if@RTL%
15455 \setbox\bslice=\vsplit\holder to\baselineskip
15456 \prune\bslice\rtside
15457 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15458 to\rtside{\box\bslice\hfil}}
15459 \setbox\aslice=\vsplit\holder to\baselineskip
15460 \prune\aslice\lftside
15461 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15462 to\lftside{\box\aslice\hfil}}
15463 \else%
15464 \setbox\aslice=\vsplit\holder to\baselineskip
15465 \prune\aslice\lftside
15466 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15467 to\lftside{\box\aslice\hfil}}

```



```

15468 \setbox\bslice=\vsplit\holder to\baselineskip
15469 \prune\bslice\rtside
15470 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15471 to\rtside{\box\bslice\hfil}}
15472 \fi%
15473 \ifnum\nb>0\repeat
15474 \fi\fi
15475 %
15476% only text on the left side
15477%
15478 \ifnum\na>0
15479     \loop\advance\na -1
15480     \setbox\aslice=\vsplit\holder to\baselineskip
15481     \prune\aslice\lftside
15482     \setbox\waslice=\vbox{\unvbox\waslice\hbox
15483     to\lftside{\box\aslice\hfil}}
15484     \ifdim\ht\holder>0pt\repeat
15485 \fi
15486%
15487% only text on the right side
15488%
15489 \ifnum\nb>0
15490     \loop\advance\nb -1
15491     \setbox\bslice=\vsplit\holder to\baselineskip
15492     \prune\bslice\rtside
15493     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15494     to\rtsize{\box\bslice\hfil}}
15495     \ifdim\ht\holder>0pt\repeat
15496 \fi
15497%
15498% fixing the dimensions of the window part
15499%
15500 \ifnum\bl=0\topheight=\ht\wbslice
15501 \else\ifnum\br=0\topheight=\ht\waslice
15502     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
15503         \else\topheight=\ht\wbslice\fi\fi\fi
15504%
15505% ship out the window material to the main vertical list
15506%
15507 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
15508 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
15509 \fi\fi\fi
15510 \setbox>windowbox=\vbox{\hbox to\linewidth{%
15511 \ifnum\bl>0\box\waslice\hfill\fi%
15512 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
15513 \vfill\unvbox\picbox%
15514 \ifnum\picwd>0\vfill\fi%
15515 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}%
15516 \unvbox>windowbox%
15517 \loop

```



```

15518 \setbox\bslice=\vsplit\rawtext to\baselineskip
15519 \prune\bslice\linewidth
15520 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
15521 \unvbox\wbslice
15522 \ifdim\ht\rawtext>0pt
15523 \repeat
15524 }% FINITO

```

96 File plain-xetex-bidi.def

```

15525 \def\TeXeTO{\TeXeTstate=1 }
15526 \def\TeXeTOff{\TeXeTstate=0 }
15527 \TeXeTO
15528 \def\usebox#1{\leavevmode\copy #1\relax}
15529 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox
15530 \let\bidi@o@everypar=\everypar
15531 \newtoks\bidi@n@everypar
15532 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
15533 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
15534 \let\everypar=\bidi@n@everypar
15535 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
15536 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
15537 \protected\def\hboxR{\hbox\bgp
15538 \everyhbox{%
15539 \aftergroup\egroup
15540 \everyhbox{}}%
15541 \beginR
15542 \hboxRconstructtrue
15543 \bgp
15544 \aftergroup\endR
15545 \aftergroup\egroup
15546 }\hbox}
15547 \protected\def\hboxL{\hbox\bgp
15548 \everyhbox{%
15549 \aftergroup\egroup
15550 \everyhbox{}}%
15551 \beginL
15552 \hboxRconstructfalse
15553 \bgp
15554 \aftergroup\endL
15555 \aftergroup\egroup
15556 }\hbox}
15557 \protected\def\vboxR{\vbox\bgp
15558 \everyvbox{%
15559 \aftergroup\egroup
15560 \everyvbox{}}%
15561 \@RTLtrue
15562 \bgp
15563 \aftergroup\egroup
15564 }\vbox}

```



```

15565 \protected\def\vboxL{\vbox\bgroup
15566 \everyvbox{%
15567 \aftergroup\egroup
15568 \everyvbox{}%
15569 \RTLfalse
15570 \bgroup
15571 \aftergroup\egroup
15572 }\vbox}
15573 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
15574 \def\endLTR{\par}
15575 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
15576 \def\endRTL{\par}
15577 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
15578 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
15579 \let\unsetRTL=\setRTL
15580 \let\unsetLTR=\setRTL
15581 \let\LR=\LRE
15582 \let\RL=\RLE
15583 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
15584 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
15585 \let\@ensure@RL=\@ensure@RTL
15586 \let\@ensure@LR=\@ensure@LTR
15587 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
15588 \let\@ensure@maindir=\@ensure@dir
15589 \def\@RTL{RTL}
15590 \def\@LTR{LTR}
15591 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
15592 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
15593 \let\@TeX\TeX
15594 \def\TeX{\@ensure@LTR{\@TeX}}
15595 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
15596 \dimen@=dp\@ccly\unvbox\@ccly % open up \box255
15597 \ifvoid\footins\else % footnote info is present
15598 \vskip\skip\footins
15599 \footnoterule
15600 \unvbox\footins\fi
15601 \ifr@ggedbottom \kern-\dimen@ \vfil \fi
15602 \ifvoid\@bidi@copyins@
15603 \else
15604 \vskip\skip\@bidi@copyins@
15605 \unvbox\@bidi@copyins@
15606 \fi
15607 }
15608 \long\def\bidi@reflect@box#1{%
15609 \leavevmode
15610 \setbox\z@\hbox{\{#1\}}%
15611 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
15612 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
15613 }
15614 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex

```



```

15615 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX} }$}}
15616 \let\setRL=\setRTL
15617 \let\setLR=\setLTR
15618 \let\unsetRL=\setLTR
15619 \let\bidi@saved@eqno=\eqno
15620 \let\bidi@saved@leqno=\leqno
15621 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
15622 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@leqno \fi}
15623 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15624 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15625 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

97 File pstricks-xetex-bidi.def

```

15626 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
15627 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
15628 \def\endpspicture{%
15629   \ifshowgrid\ifnum\showgridp@s>0
15630     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
15631   \pst@killglue
15632% \global\pst@shift=\pst@shift% in fact of the following endgroup
15633   \endgroup
15634   \egroup
15635   \ifdim\wd\pst@hbox=\z@\else
15636     \%@pstrickserr{Extraneous space in the pspicture environment}%
15637     \%{Type \space <return> \space to proceed.}%
15638   \fi
15639   \ht\pst@hbox=\pst@dimd
15640   \dp\pst@hbox=-\pst@dimb
15641   \setbox\pst@hbox=\hbox{%
15642     \kern-\pst@dima
15643% Orig version -----
15644% \ifx\pst@tempa\empty\else
15645% \advance\pst@dimd-\pst@dimb
15646% \pst@dimd=\pst@tempa\pst@dimd
15647% \advance\pst@dimd\pst@dimb
15648% \lower\pst@dimd
15649% \fi
15650% ----- end Orig
15651   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%      shift=*
15652     \advance\pst@dimd-\pst@dimb
15653     \pst@dimd=0.5\pst@dimd
15654     \else\pst@dimd-\pst@shift\fi
15655     \advance\pst@dimd\pst@dimb
15656     \lower\pst@dimd
15657     \box\pst@hbox
15658     \kern\pst@dimc}%
15659   \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
15660   \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
15661   \fboxsep=0pt

```



```

15662  \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
15663  \ifmmode\else\endL\fi
15664  \endgroup%
15665  \psset[pstricks]{shift=0}%
15666 }

```

98 File `quotchap-xetex-bidi.def`

```

15667 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
15668 \renewcommand{\qauthor}[1]{%
15669   \par\smallskip
15670   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
15671 \renewcommand{\makechapterhead}[1]{\chapterheadstartvskip%
15672   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
15673     {\chapnumfont
15674       \ifnum \c@secnumdepth >\m@ne%
15675         \if@mainmatter\thechapter%
15676         \fi\fi
15677         \par\nobreak}%
15678       {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10pt
15679       \nobreak\chapterheadendvskip}}}
15680 \renewcommand*{\ciprintcites}{%
15681   \vbox to \z@{\leavevmode\copy\@quotebox\vss}
15682   \global\let\@printcites\relax}

```

99 File `ragged2e-xetex-bidi.def`

```

15683 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
15684 \renewcommand{\Centering}{%
15685   \ifx\\@\raggedtwoe@savedcr
15686     \let\\@\centercr
15687   \fi
15688   \let\@gnewline\@raggedtwoe@gnewline
15689   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
15690   \@rightskip\CenteringRightskip
15691   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15692   \parfillskip\CenteringParfillskip
15693   \parindent\CenteringParindent
15694   \@raggedtwoe@spaceskiptrue
15695   \@raggedtwoe@everyselectfont
15696 }
15697 \renewcommand{\RaggedLeft}{%
15698   \ifx\\@\raggedtwoe@savedcr
15699     \let\\@\centercr
15700   \fi
15701   \let\@gnewline\@raggedtwoe@gnewline
15702   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
15703   \@rightskip\RaggedLeftRightskip
15704   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15705   \parfillskip\RaggedLeftParfillskip

```



```

15706   \parindent\RaggedLeftParindent
15707   \@raggedtwoe@spaceskiptrue
15708   \@raggedtwoe@everyselectfont
15709   }
15710 \renewcommand{\RaggedRight}{%
15711   \ifx\\@\raggedtwoe@savedcr
15712     \let\\@\centercr
15713   \fi
15714   \let@gnewline@\raggedtwoe@gnewline
15715   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
15716   \@rightskip\RaggedRightRightskip
15717   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15718   \parfillskip\RaggedRightParfillskip
15719   \parindent\RaggedRightParindent
15720   \@raggedtwoe@spaceskiptrue
15721   \@raggedtwoe@everyselectfont
15722   }
15723 \renewcommand{\justify}{%
15724   \let\\@\raggedtwoe@savedcr
15725   \let@gnewline@\raggedtwoe@saved@gnewline
15726   \if@RTL\rightskip\else\leftskip\fi\z@
15727   \@rightskip\z@
15728   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15729   \parfillskip\JustifyingParfillskip
15730   \parindent\JustifyingParindent
15731   \@raggedtwoe@spaceskipfalse
15732   \@raggedtwoe@everyselectfont
15733   }
15734 \def@\raggedtwoe@raggedrightboxes@opt{%
15735   \renewcommand{\@arrayparboxrestore}{%
15736     \let\ifnobreak\iffalse
15737     \let\ifnoskipsec\iffalse
15738     \let\par\@par
15739     \let\-\@dischyp
15740     \let\\@\acci\let\`@\accii\let\=\@acciii
15741     \parskip\z@skip
15742     \everypar{}%
15743     \linewidth\hsize
15744     \totallftmargin\z@
15745     \if@RTL
15746       \RaggedLeft
15747     \else
15748       \RaggedRight
15749     \fi
15750     \lineskip\normallineskip
15751     \baselineskip\normalbaselineskip
15752     \loose\%}
15753   \let@\raggedtwoe@raggedrightboxes@opt\relax
15754   }
15755 \def@\raggedtwoe@document@opt{%

```



```

15756 \AtBeginDocument{\@raggedtwoe@abdhook}%
15757 \@raggedtwoe@raggedrightboxes@opt
15758 \@raggedtwoe@footmisctrue
15759 \let\@raggedtwoe@document@opt\relax
15760 }
15761 \def\@raggedtwoe@abdhook{%
15762 \PackageInfo{ragged2e}{ABD: executing `string\RaggedLeft' for
15763 right to left documents and `string\RaggedRight' for left
15764 to right documents}%
15765 \if@RTL
15766 \RaggedLeft
15767 \else
15768 \RaggedRight
15769 \fi
15770 \ifundefined{@tocrmarg}{}{\edef\@tocrmarg{\@tocrmarg plus 2em} }%
15771 \let\@raggedtwoe@abdhook\relax
15772 }
15773 \ifpackagewith{ragged2e}{raggedrightboxes}{}%
15774 \@raggedtwoe@raggedrightboxes@opt
15775 }{%
15776 \ifpackagewith{ragged2e}{document}{}%
15777 \@raggedtwoe@document@opt
15778 }{%
15779 \let\origin@RaggedLeft=\RaggedLeft
15780 \let\origin@RaggedRight=\RaggedRight
15781 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
15782 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

100 File rapport1-xetex-bidi.def

```

15783 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class for
15784 \renewenvironment{theindex}{%
15785 \if@twocolumn
15786 \restonecolfalse
15787 \else
15788 \restonecoltrue
15789 \fi
15790 \columnseprule \z@
15791 \columnsep 35\p@
15792 \twocolumn[\@makeschapterhead{\indexname}]%
15793 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
15794 \thispagestyle{plain}\parindent\z@
15795 \parskip\z@ \plus .3\p@\relax
15796 \let\item\idxitem
15797 }{%
15798 \if@restonecol\onecolumn\else\clearpage\fi}
15799 \renewcommand*\head@style{%
15800 \interlinepenalty \OM
15801 \hyphenpenalty=\OM \exhyphenpenalty=\OM
15802 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```



```

15803 \if@titlepage
15804   \renewenvironment{abstract}{%
15805     \titlepage
15806     \null\vfil
15807     \section*{\SectFont\abstractname}%
15808     \noindent\ignorespaces
15809   {\par\vfil\null\endtitlepage}
15810 \else
15811   \renewenvironment{abstract}{%
15812     \if@twocolumn
15813       \section*{\abstractname}%
15814     \else
15815       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15816       \section*{\small\SectFont\abstractname}%
15817       \noindent\ignorespaces
15818     \fi}
15819   {\if@twocolumn\else\par\egroup\fi}
15820 \fi
15821 \renewcommand*{\regtocline}[3]{%
15822   \ifnum #1>\c@tocdepth
15823   \else
15824     \vskip\z@\cplus.2\p@
15825     \ifhangindent\z@\c@afterindenttrue \interlinepenalty\@M
15826     \if@RTL\rightskip\else\leftskip\fi\unitindent
15827     \if@RTL\leftskip\else\rightskip\fi\unitindent\cplus 1fil
15828     \parfillskip\z@
15829     \c@tempdima\unitindent
15830     \parindent\z@
15831     \leavevmode
15832     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15833     \hskip 1em \nobreak{\slshape #3}\par
15834   }%
15835 \fi}
15836 \if@oldtoc
15837 \renewcommand*{\l@part}[2]{%
15838   \ifnum \c@tocdepth >-2\relax
15839     \addpenalty{-\c@highpenalty}%
15840     \addvspace{2.25em \cplus\p@}%
15841     \begingroup
15842       \setlength{\c@tempdima}{3em}%
15843       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15844       \parfillskip -\c@pnumwidth
15845       \leavevmode
15846         \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
15847         \nobreak
15848         \global\c@nobreaktrue
15849         \everypar{\global\c@nobreakfalse\everypar{}}%
15850       \endgroup
15851     \fi}
15852 \else

```



```

15853 \renewcommand*\l@part{%
15854   \ifnum \c@tocdepth >-2\relax
15855   \addpenalty{-\@highpenalty}%
15856   \addvspace{2.25em \@plus \p@}%
15857   \oregtocline{0}%
15858 }
15859 \fi
15860 \if@oldtoc
15861 \renewcommand*\l@chapter[2]{%
15862   \addpenalty{-\@highpenalty}%
15863   \vskip 1.0em \@plus\p@
15864   \setlength\tempdima{1.5em}%
15865   \begingroup
15866   \parindent \z@\if@RTL\leftskip\else\rightskip\fi \pnumwidth
15867   \parfillskip -\pnumwidth
15868   \leavevmode \bfseries
15869   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15870   \hskip -\if@RTL\rightskip\else\leftskip\fi\fi
15871   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
15872   \penalty\@highpenalty
15873   \endgroup}
15874 \else
15875   \renewcommand*\l@chapter{\oregtocline{0}}
15876 \fi
15877 \renewcommand*\left@footnoterule{%
15878   \kern-3\p@
15879   \kern.5\baselineskip
15880   \hrule\@width\unitindent
15881   \kern.4\baselineskip
15882 }
15883 \renewcommand*\right@footnoterule{%
15884   \kern-3\p@
15885   \kern.5\baselineskip
15886   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
15887   \kern.4\baselineskip}
15888 \ renewenvironment{thebibliography}[1]
15889   {\chapter*{\bibname}%
15890     \omkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
15891     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15892     \bidi@thebibliography@font@hook%
15893     \list{\biblabel{\@arabic\c@enumiv}}{%
15894       {\settowidth\labelwidth{\biblabel{\#1}}}%
15895       \leftmargin\labelwidth
15896       \advance\leftmargin\labelsep
15897       \openbib@code
15898       \usecounter{enumiv}%
15899       \let\p@enumiv\empty
15900       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
15901       \sloppy\clubpenalty4000\widowpenalty4000%
15902       \sfcode`.\.0m}

```



```

15903     {\def\@noitemerr
15904         {\@latex@warning{Empty `thebibliography' environment}}%
15905     \endlist}
15906 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
15907 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
15908 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
15909 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15910 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
15911 \renewcommand*\theequation{%
15912   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
15913 \renewcommand*\thefigure{%
15914   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
15915 \renewcommand*\thetable{%
15916   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
15917 \if@titlepage
15918 \renewcommand*\TitleFont{\rmfamily}
15919 \renewcommand*\maketitle{%
15920   \begin{titlepage}%
15921     \let\footnotesize\small
15922     \let\right@footnoterule\relax
15923     \let\left@footnoterule\relax
15924     \let\textwidth@footnoterule\relax
15925     \let \footnote \thanks
15926     \long\def\@makefntext##1{\par\indent\z@
15927       \def\labelitemi{\textendash}\@revlabeltrue
15928       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
15929     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15930     \if@compatibility\setcounter{page}{0}\fi
15931     \null\vfil
15932     \vskip 60\p@
15933     \begin{center}%
15934       \TitleFont
15935       {\LARGE \def\\{\penalty -\@M}
15936         \if@allcaps
15937           \expandafter\uc@nothanks\@title\thanks\relax
15938         \else
15939           \@title
15940           \fi\par}%
15941     \vskip 3em%
15942     \begin{large}
15943       \lineskip .75em \par\indent\z@
15944     \begin{tabular}[t]{c}%
15945       \if@allcaps
15946         \expandafter\uc@author\nothanks\@author\and\relax
15947       \else
15948         \@author
15949         \fi
15950     \end{tabular}\par}%
15951     \vskip 1.5em%
15952     \begin{large}

```



```

15953     \if@allcaps
15954         \uppercase\expandafter{\@date}%
15955     \else
15956         \@date
15957     \fi\par}%
15958     \end{center}\par
15959     \@thanks
15960     \vfil\null
15961 \end{titlepage}%
15962 \setcounter{footnote}{0}%
15963 \global\let\thanks\relax
15964 \global\let\maketitle\relax
15965 \global\let\@thanks\empty
15966 \global\let\@author\empty
15967 \global\let\@title\empty
15968 \global\let\@date\empty
15969 \global\let\title\relax
15970 \global\let\author\relax
15971 \global\let\date\relax
15972 \global\let\and\relax
15973 }
15974 \def\uc@nothanks#1\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
15975 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
15976     \futurelet\@tempa\uc@ax}
15977 \def\uc@ax{%
15978     \ifx\@tempa\relax
15979     \else
15980         \\ \andname \\ \expandafter\uc@authornothanks
15981     \fi}
15982 \def\uc@tx{\ifx\@tempa\relax
15983     \else \expandafter\uc@ty \fi}
15984 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
15985 \else
15986 \renewcommand*\maketitle{\par
15987     \begin{group}
15988         \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
15989         \def\@makefnmark{\rlap{%
15990             \textsuperscript{\normalfont\@thefnmark}}}%
15991         \long\def\@makefntext{\xmakefntext{%
15992             \textsuperscript{\normalfont\@thefnmark}}}%
15993         \if@twocolumn
15994             \ifnum \col@number=\@ne
15995                 \maketitle
15996             \else
15997                 \twocolumn[\maketitle]%
15998             \fi
15999         \else
16000             \newpage
16001             \global\@topnum\z@
16002             \maketitle

```



```

16003   \fi
16004   \thispagestyle{plain}\@thanks
16005   \endgroup
16006   \setcounter{footnote}{0}%
16007   \global\let\thanks\relax
16008   \global\let\maketitle\relax
16009   \global\let\@maketitle\relax
16010   \global\let\@thanks\@empty
16011   \global\let\@author\@empty
16012   \global\let\@title\@empty
16013   \global\let\@date\@empty
16014   \global\let\title\relax
16015   \global\let\author\relax
16016   \global\let\date\relax
16017   \global\let\and\relax
16018 }
16019 \def\@maketitle{%
16020   \newpage
16021   \null
16022   \vskip 2em%
16023   \begin{center}%
16024     \let \footnote \thanks
16025     {\LARGE \TitleFont \title \par}%
16026     \vskip 1.5em%
16027     {\large \TitleFont
16028       \lineskip .5em%
16029       \begin{tabular}[t]{c}%
16030         \author
16031       \end{tabular}\par}%
16032     \vskip 1em%
16033     {\large \TitleFont \date}%
16034   \end{center}%
16035   \par
16036   \vskip 1.5em}
16037 \fi

```

101 File rapport3-xetex-bidi.def

```

16038 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class for
16039 \renewenvironment{theindex}{%
16040   \if@twocolumn
16041     \restonecolfalse
16042   \else
16043     \restonecoltrue
16044   \fi
16045   \columnseprule \z@
16046   \columnsep 35\p@
16047   \twocolumn[\@makeschapterhead{\indexname}]%
16048   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
16049   \thispagestyle{plain}\parindent\z@

```



```

16050  \parskip\z@ \relax
16051  \let\item\@idxitem
16052  }{%
16053  \if@restonecol\onecolumn\else\clearpage\fi}
16054 \if@titlepage
16055 \renewcommand*\TitleFont{\rmfamily}
16056 \renewcommand*\maketitle{%
16057  \begin{titlepage}%
16058    \let\footnotesize\small
16059    \let\right@footnoterule\relax
16060    \let\left@footnoterule\relax
16061    \let\textwidth@footnoterule\relax
16062    \let \footnote \thanks
16063    \let \LTRfootnote \LTrthanks
16064    \let \RTLfootnote \RTLthanks
16065    \long\def\@makefntext##1{\par\indent\z@
16066      \def\labelitemi{\textendash}\revlabeltrue
16067      \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
16068 \renewcommand*\thefootnote{\@fnnsymbol\c@footnote}%
16069 \if@compatibility\setcounter{page}{0}\fi
16070 \null\vfil
16071 \vskip 60\p@
16072 \begin{center}%
16073   \TitleFont
16074   {\LARGE \def\\{\penalty -\@M}
16075     \if@allcaps
16076       \expandafter\uc@nothanks\@title\thanks\relax
16077     \else
16078       \@title
16079     \fi\par}%
16080   \vskip 3em%
16081   {\large
16082     \lineskip .75em \par\indent\z@
16083     \begin{tabular}[t]{c}%
16084       \if@allcaps
16085         \expandafter\uc@authornothanks\@author\and\relax
16086       \else
16087         \@author
16088       \fi
16089     \end{tabular}\par}%
16090   \vskip 1.5em%
16091   {\large
16092     \if@allcaps
16093       \uppercase\expandafter{\@date}%
16094     \else
16095       \@date
16096     \fi\par}%
16097   \end{center}\par
16098   \thanks
16099   \vfil\null

```



```

16100 \end{titlepage}%
16101 \setcounter{footnote}{0}%
16102 \global\let\thanks\relax
16103 \global\let\LTRthanks\relax
16104 \global\let\RTLthanks\relax
16105 \global\let\maketitle\relax
16106 \global\let{@thanks}{\empty}
16107 \global\let{@author}{\empty}
16108 \global\let{@title}{\empty}
16109 \global\let{@date}{\empty}
16110 \global\let\title\relax
16111 \global\let\author\relax
16112 \global\let\date\relax
16113 \global\let\and\relax
16114 }
16115 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet@\tempa\uc@tx}
16116 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
16117 \futurelet@\tempa\uc@ax}
16118 \def\uc@ax{%
16119 \ifx@\tempa\relax
16120 \else
16121 \ \ \andname \ \ \expandafter\uc@authornothanks
16122 \fi}
16123 \def\uc@tx{\ifx@\tempa\relax
16124 \else \expandafter\uc@ty \fi}
16125 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
16126 \else
16127 \renewcommand*\maketitle{\par
16128 \begingroup
16129 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16130 \def@\makefnmark{\rlap{%
16131 \textsuperscript{\normalfont\@thefnmark}}}%
16132 \long\def@\makefntext{\@xmakefntext{%
16133 \textsuperscript{\normalfont\@thefnmark}}}%
16134 \if@twocolumn
16135 \ifnum \col@number=\@ne
16136 \maketitle
16137 \else
16138 \twocolumn[\maketitle]
16139 \fi
16140 \else
16141 \newpage
16142 \global\@topnum\z@
16143 \maketitle
16144 \fi
16145 \thispagestyle{plain}\@thanks
16146 \endgroup
16147 \setcounter{footnote}{0}%
16148 \global\let\thanks\relax
16149 \global\let\LTRthanks\relax

```



```

16150 \global\let\RTLthanks\relax
16151 \global\let\maketitle\relax
16152 \global\let@\maketitle\relax
16153 \global\let@\thanks\@empty
16154 \global\let@\author\@empty
16155 \global\let@\title\@empty
16156 \global\let@\date\@empty
16157 \global\let\title\relax
16158 \global\let\author\relax
16159 \global\let\date\relax
16160 \global\let\and\relax
16161 }
16162 \def\@maketitle{%
16163 \newpage
16164 \null
16165 \vskip 2em%
16166 \if@titlecentered
16167 \begin{center}%
16168 \let \footnote \thanks
16169 \let \LTRfootnote \LTRthanks
16170 \let \RTLfootnote \RTLthanks
16171 {\LARGE \TitleFont \title \par}%
16172 \vskip 1.5em%
16173 {\large \TitleFont
16174 \lineskip .5em%
16175 \begin{tabular}[t]{c}%
16176 \author
16177 \end{tabular}\par}%
16178 \vskip 1em%
16179 {\large \TitleFont \date}%
16180 \end{center}%
16181 \else
16182 {\LARGE \TitleFont \head@style \title \par} \vskip 1.5em
16183 {\large \TitleFont \lineskip .5em \tabcolsep\z@
16184 \def\and{\% \begin{tabular} has already started
16185 \end{tabular}\hskip 1em plus .17fil
16186 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
16187 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
16188 \vskip 1em {\large \TitleFont \date}
16189 \fi
16190 \par
16191 \vskip 1.5em}
16192 \fi
16193 \renewcommand*\@regtocline[3]{%
16194 \ifnum #1>\c@tocdepth
16195 \else
16196 \vskip\z@\plus.2\p@
16197 \hangindent\z@\afterindenttrue \interlinepenalty\@M
16198 \if@RTL\rightskip\else\leftskip\fi\unitindent
16199 \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil

```



```

16200   \parfillskip\z@
16201   \tempdima\unitindent
16202   \parindent\z@
16203   \leavevmode
16204   \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi}\relax#2\nobreak
16205   \hspace{1em}\nobreak{\slshape #3}\par
16206   }%
16207   \fi}
16208 \if@oldtoc
16209 \renewcommand*\l@part[2]{%
16210   \ifnum \c@tocdepth >-2\relax
16211     \addpenalty{-\highpenalty}%
16212     \addvspace{2.25em \oplus \p@}%
16213     \begingroup
16214       \setlength{\tempdima{3em}}%
16215       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16216       \parfillskip -\pnumwidth
16217       \leavevmode
16218         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
16219         \nobreak
16220         \global\@nobreaktrue
16221         \everypar{\global\@nobreakfalse\everypar{}}
16222       \endgroup
16223     \fi}
16224 \else
16225   \renewcommand*\l@part{%
16226     \ifnum \c@tocdepth >-2\relax
16227       \addpenalty{-\highpenalty}%
16228       \addvspace{2.25em \oplus \p@}%
16229       \regtocline{0}%
16230     \fi}
16231 \fi
16232 \if@oldtoc
16233 \renewcommand*\l@chapter[2]{%
16234   \addpenalty{-\highpenalty}%
16235   \vskip 1.0em \oplus \p@%
16236   \setlength{\tempdima{1.5em}}%
16237   \begingroup
16238     \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16239     \parfillskip -\pnumwidth
16240     \leavevmode \bfseries
16241     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
16242     \hspace{-\if@RTL\rightskip\else\leftskip\fi\fi}
16243     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
16244     \penalty\highpenalty
16245   \endgroup
16246 \else
16247   \renewcommand*\l@chapter{\regtocline{0}}
16248 \fi
16249 \renewcommand*\head@style{%

```



```

16250   \interlinepenalty \OM
16251   \hyphenpenalty=\OM \exhyphenpenalty=\OM
16252   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
16253 \if@titlepage
16254   \renewenvironment{abstract}{%
16255     \titlepage
16256     \null\vfil
16257     \section*\{\SectFont\abstractname\}%
16258     \noindent\ignorespaces
16259     {\par\vfil\null\endtitlepage}
16260 \else
16261   \renewenvironment{abstract}{%
16262     \if@twocolumn
16263       \section*\{\abstractname\}%
16264     \else
16265       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
16266       \section*\{\small\SectFont\abstractname\}%
16267       \noindent\ignorespaces
16268       \fi
16269     {\if@twocolumn\else\par\egroup\fi}
16270 \fi
16271 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
16272 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
16273 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
16274 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
16275 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
16276 \renewcommand*\thefigure{%
16277   \ifnum\c@chapter>z@\thechapter\@SepMark\fi\@arabic\c@figure}
16278 \renewcommand*\thetable{%
16279   \ifnum\c@chapter>z@\thechapter\@SepMark\fi\@arabic\c@table}
16280 \renewcommand*\theequation{%
16281   \ifnum\c@chapter>z@\thechapter\@SepMark\fi\@arabic\c@equation}
16282 \renewenvironment{thebibliography}[1]
16283   {\chapter*\{\bibname\}%
16284     \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16285     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16286     \bidi@thebibliography@font@hook\%
16287     \list{\@biblabel{\@arabic\c@enumiv}}%
16288       {\settowidth\labelwidth{\@biblabel{\#1}}\%
16289         \leftmargin\labelwidth
16290         \advance\leftmargin\labelsep
16291         \openbib@code
16292         \usecounter{enumiv}\%
16293         \let\p@enumiv\@empty
16294         \renewcommand*\theenumiv{\@arabic\c@enumiv}\%
16295         \sloppy\clubpenalty4000\widowpenalty4000\%
16296         \sfcodes`.\.\@m}
16297     \def\@noitemerr
16298       {\@latex@warning{Empty `thebibliography' environment}}%
16299   \endlist}

```



```

16300 \renewcommand*\left@footnoterule{%
16301   \kern-3\p@
16302   \kern.5\baselineskip
16303   \hrule\@width\unitindent
16304   \kern.4\baselineskip
16305 }
16306 \renewcommand*\right@footnoterule{%
16307   \kern-3\p@
16308   \kern.5\baselineskip
16309   \hbox to \columnwidth{\hspace \dimexpr\columnwidth-\unitindent\relax \hrulefill }
16310   \kern.4\baselineskip
16311 \renewcommand*\head@style{%
16312   \interlinepenalty \OM
16313   \hyphenpenalty=\OM \exhyphenpenalty=\OM
16314   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

102 File `refrep-xetex-bidi.def`

```

16315 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for XeLaTeX]
16316 \if@titlepage
16317   \renewcommand\maketitle{\begin{titlepage}%
16318   \let\footnotesize\small
16319   \let\right@footnoterule\relax
16320   \let\left@footnoterule\relax
16321   \let\textwidth@footnoterule\relax
16322   \let\footnote\thanks
16323   \let\LTRfootnote\LTRthanks
16324   \let\RTLfootnote\RTLthanks
16325   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16326   \def\@makefnmark{%
16327     {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}\%
16328   \long\def\@makefntext##1{%
16329     \csetpar{\@@par
16330       \tempdima = \hsize
16331       \advance\tempdima -1em
16332       \parshape @ne 1em \tempdima}%
16333       \par\parindent 1em \noindent
16334       \hb@xt@z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,,}##1}
16335   \null\vfil
16336   \vskip 60\p@
16337   \begin{center}%
16338     {\LARGE \@title \par}%
16339     \vskip 3em%
16340     {\large
16341       \lineskip .75em%
16342       \begin{tabular}[t]{c}%
16343         \author
16344       \end{tabular}\par}%
16345     \vskip 1.5em%
16346     {\large \@date \par}%
16347     % Set date in \large size.

```



```

16347 \end{center}\par
16348 \@thanks
16349 \vfil\null
16350 \end{titlepage}%
16351 \setcounter{footnote}{0}%
16352 \global\let\thanks\relax
16353 \global\let\LTRthanks\relax
16354 \global\let\RTLthanks\relax
16355 \global\let\maketitle\relax
16356 \global\let\@thanks\empty
16357 \global\let\@author\empty
16358 \global\let\@date\empty
16359 \global\let\@title\empty
16360 \global\let\title\relax
16361 \global\let\author\relax
16362 \global\let\date\relax
16363 \global\let\and\relax
16364 }
16365 \else
16366 \renewcommand\maketitle{\par
16367 \begin{group}
16368 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16369 \def\@makefnmark%
16370 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16371 \long\def\@makefntext##1{%
16372 \setpar{\@par
16373 \tempdima = \hsize
16374 \advance\tempdima -1em
16375 \parshape \one 1em \tempdima}%
16376 \par\parindent 1em \noindent
16377 \hb@xt@{\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\},}##1}
16378 \if@twocolumn
16379 \ifnum \col@number=\one
16380 \maketitle
16381 \else
16382 \twocolumn[\maketitle]%
16383 \fi
16384 \else
16385 \newpage
16386 \global\@topnum\z@ % Prevents figures from going at top of page.
16387 \maketitle
16388 \fi
16389 \thispagestyle{empty}\@thanks
16390 \end{group}
16391 \setcounter{footnote}{0}%
16392 \global\let\thanks\relax
16393 \global\let\LTRthanks\relax
16394 \global\let\RTLthanks\relax
16395 \global\let\maketitle\relax
16396 \global\let\@makefnmark\relax

```



```

16397 \global\let\@thanks\@empty
16398 \global\let\@author\@empty
16399 \global\let\@date\@empty
16400 \global\let\@title\@empty
16401 \global\let\title\relax
16402 \global\let\author\relax
16403 \global\let\date\relax
16404 \global\let\and\relax
16405 }
16406 \def\@maketitle{%
16407   \newpage
16408   \null
16409   \longthickrule\vskip1.5em%
16410   \let \footnote \thanks
16411   \let \LTRfootnote \LTRthanks
16412   \let \RTLfootnote \RTLthanks
16413   {\secshape \parskip\z@\parindent\z@
16414   \Large\bfseries \@title \par}%
16415   \vskip1.5em\longthickrule\vskip1.5em%
16416   {\normalsize
16417     \lineskip .5em%
16418     \begin{flushright}%
16419       {\slshape\@author\par}
16420       \vskip 1em%
16421       {\@date}%
16422       \end{flushright}\par}%
16423   \vskip 1.5em}
16424 \fi
16425 \renewcommand*\l@part[2]{%
16426   \ifnum \c@tocdepth >-2\relax
16427     \addpenalty{-\@highpenalty}%
16428     \addvspace{2.25em \@plus\p@}%
16429     \begingroup
16430       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16431       \parfillskip -\pnumwidth
16432       {\leavevmode
16433         \large \bfseries #1\hfil \hbox to\pnumwidth{\hss #2}\par
16434         \nobreak
16435         \global\@nobreaktrue
16436         \everypar{\global\@nobreakfalse\everypar{}}%
16437       \endgroup
16438     \fi}
16439 \renewcommand*\l@chapter[2]{%
16440   \ifnum \c@tocdepth >\m@ne
16441     \addpenalty{-\@highpenalty}%
16442     \vskip 1.0em \@plus\p@
16443     \setlength\tempdima{1.5em}%
16444     \begingroup
16445       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16446       \parfillskip -\pnumwidth

```



```

16447   \leavevmode \bfseries
16448   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16449   \hskip -\if@RTL\rightskip\else\leftskip\fi
16450   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16451   \penalty\@highpenalty
16452   \endgroup
16453   \fi}
16454 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
16455                               \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
16456                               \hyphenpenalty=2000}
16457 \renewcommand\left@footnoterule{%
16458   \kern-3\p@
16459   \hrule\@width.4\columnwidth
16460   \kern 2.6\p@}
16461 \renewcommand\right@footnoterule{%
16462   \kern-3\p@
16463   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16464   \kern2.6\p@}
16465 \renewcommand\theequation
16466 {\ifnum \c@chapter>z@ \thechapter\@SepMark\fi \arabic\c@equation}
16467 \renewcommand\thefigure
16468 {\ifnum \c@chapter>z@ \thechapter\@SepMark\fi \arabic\c@figure}
16469 \renewcommand\thetable{%
16470   {\ifnum \c@chapter>z@ \thechapter\@SepMark\fi \arabic\c@table}}
16471 \renewcommand\thesection {\thechapter\@SepMark\arabic\c@section}
16472 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}
16473 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic\c@subsubsection}
16474 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}
16475 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}
16476 \renewenvironment{thebibliography}[1]
16477   {\chapter*{\bibname
16478     \mkboth{\bibname}{\bibname}}%
16479     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16480     \bidi@thebibliography@font@hook%
16481     \list{\@biblabel{\arabic\c@enumiv}}{%
16482       \settowidth\labelwidth{\@biblabel{#1}}%
16483       \leftmargin\labelwidth
16484       \advance\leftmargin\labelsep
16485       \openbib@code
16486       \usecounter{enumiv}}%
16487       \let\p@enumiv\empty
16488       \renewcommand\theenumiv{\arabic\c@enumiv}}%
16489       \sloppy
16490       \clubpenalty4000
16491       \clubpenalty \clubpenalty
16492       \widowpenalty4000%
16493       \sfcodes`.=\@m}
16494   {\def\@noitemerr
16495     {\@latex@warning{Empty `thebibliography' environment}}%
16496   \endlist}

```



103 File report-xetex-bidi.def

```
16497 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report class
16498 \renewenvironment{theindex}
16499     {\if@twocolumn
16500         \Orestonecolfalse
16501     \else
16502         \Orestonecoltrue
16503     \fi
16504     \columnseprule \z@
16505     \columnsep 35\p@
16506     \twocolumn[\Omakeschapterhead{\indexname}]%
16507     \Omkboth{\MakeUppercase{\indexname}}%
16508         {\MakeUppercase{\indexname}}%
16509     \thispagestyle{plain}\par\indent\z@
16510     \parskip\z@ \Oplus .3\p@\relax
16511     \let\item\@idxitem
16512     {\if@restonecol\onecolumn\else\clearpage\fi}
16513     \if@titlepage
16514     \renewcommand\maketitle{\begin{titlepage}%
16515     \let\footnotesize\small
16516     \let\right@footnoterule\relax
16517     \let\left@footnoterule\relax
16518     \let\textwidth@footnoterule\relax
16519     \let\footnote\thanks
16520     \let\LTRfootnote\LTRthanks
16521     \let\RTLfootnote\RTLthanks
16522     \null\vf
16523     \vskip 60\p@
16524     \begin{center}%
16525         {\LARGE \@title \par}%
16526         \vskip 3em%
16527         {\large
16528             \lineskip .75em%
16529             \begin{tabular}[t]{c}%
16530                 \author
16531             \end{tabular}\par}%
16532             \vskip 1.5em%
16533             {\large \@date \par}      % Set date in \large size.
16534     \end{center}\par
16535     \thanks
16536     \vf\null
16537     \end{titlepage}%
16538     \setcounter{footnote}{0}%
16539     \global\let\thanks\relax
16540     \global\let\LTRthanks\relax
16541     \global\let\RTLthanks\relax
16542     \global\let\maketitle\relax
16543     \global\let\@thanks\empty
16544     \global\let\author\empty
```



```

16545 \global\let\@date\@empty
16546 \global\let\@title\@empty
16547 \global\let\title\relax
16548 \global\let\author\relax
16549 \global\let\date\relax
16550 \global\let\and\relax
16551 }
16552 \else
16553 \renewcommand\maketitle{\par
16554 \begingroup
16555 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16556 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16557 \long\def\@makefntext{\#1{\parindent 1em\noindent
16558 \hb@xt@1.8em{%
16559 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
16560 \if@twocolumn
16561 \ifnum \col@number=\@ne
16562 \maketitle
16563 \else
16564 \twocolumn[\maketitle]%
16565 \fi
16566 \else
16567 \newpage
16568 \global\@topnum\z@ % Prevents figures from going at top of page.
16569 \maketitle
16570 \fi
16571 \thispagestyle{plain}\@thanks
16572 \endgroup
16573 \setcounter{footnote}{0}%
16574 \global\let\thanks\relax
16575 \global\let\LTRthanks\relax
16576 \global\let\RTLthanks\relax
16577 \global\let\maketitle\relax
16578 \global\let\@maketitle\relax
16579 \global\let\@thanks\@empty
16580 \global\let\@author\@empty
16581 \global\let\@date\@empty
16582 \global\let\@title\@empty
16583 \global\let\title\relax
16584 \global\let\author\relax
16585 \global\let\date\relax
16586 \global\let\and\relax
16587 }
16588 \def\@maketitle{%
16589 \newpage
16590 \null
16591 \vskip 2em%
16592 \begin{center}%
16593 \let \footnote \thanks
16594 \let \LTFootnote \LTRthanks

```



```

16595 \let \RTLfootnote \RTLthanks
16596   {\LARGE \@title \par}%
16597   \vskip 1.5em%
16598   {\large
16599     \lineskip .5em%
16600     \begin{tabular}[t]{c}%
16601       \author
16602     \end{tabular}\par}%
16603   \vskip 1em%
16604   {\large \date}%
16605 \end{center}%
16606 \par
16607 \vskip 1.5em}
16608 \fi
16609 \renewcommand*\l@part[2]{%
16610   \ifnum \c@tocdepth >-2\relax
16611     \addpenalty{-\highpenalty}%
16612     \addvspace{2.25em \oplus \p@}%
16613     \setlength{\tempdima}{3em}%
16614     \begingroup
16615       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16616       \parfillskip -\pnumwidth
16617       \leavevmode
16618       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
16619       \nobreak
16620       \global\nobreaktrue
16621       \everypar{\global\nobreakfalse\everypar{}}
16622     \endgroup
16623   \fi}
16624 \renewcommand*\l@chapter[2]{%
16625   \ifnum \c@tocdepth >\m@ne
16626     \addpenalty{-\highpenalty}%
16627     \vskip 1.0em \oplus \p@
16628     \setlength{\tempdima}{1.5em}%
16629     \begingroup
16630       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
16631       \parfillskip -\pnumwidth
16632       \leavevmode \bfseries
16633       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
16634       \hskip -\if@RTL\rightskip\else\leftskip\fi\fi
16635       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
16636       \penalty\highpenalty
16637     \endgroup
16638   \fi}
16639 \renewcommand\left@footnoterule{%
16640   \kern-3\p@
16641   \hrule\width.4\columnwidth
16642   \kern2.6\p@}
16643 \renewcommand\right@footnoterule{%
16644   \kern-3\p@

```



```

16645   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
16646   \kern2.6\p@}
16647 \renewcommand{\theequation}
16648   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
16649 \renewcommand{\thefigure}
16650   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
16651 \renewcommand{\thetable}
16652   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
16653 \renewcommand{\thechapter}{\@arabic\c@chapter}
16654 \renewcommand{\thesection}{\thechapter\@SepMark\@arabic\c@section}
16655 \renewcommand{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
16656 \renewcommand{\thesubsubsection}{\thesubsection\@SepMark\@arabic\c@subsubsection}
16657 \renewcommand{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
16658 \renewcommand{\thesubparagraph}{\theparagraph\@SepMark\@arabic\c@subparagraph}
16659 \def\@makechapterhead#1{%
16660   \vspace*{50\p@}%
16661   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
16662     \ifnum \c@secnumdepth >\m@ne
16663       \huge\bfseries \chapapp\space \thechapter
16664       \par\nobreak
16665       \vskip 20\p@
16666     \fi
16667     \interlinepenalty\@M
16668     \Huge\bfseries #1\par\nobreak
16669     \vskip 40\p@
16670   }%
16671 \def\@makeschapterhead#1{%
16672   \vspace*{50\p@}%
16673   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
16674     \interlinepenalty\@M
16675     \Huge\bfseries #1\par\nobreak
16676     \vskip 40\p@
16677   }%
16678 }%
16679 \renewenvironment{\thebibliography}[1]
16680   {\chapter*{\bibname}%
16681     \Omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16682     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16683     \bidi@thebibliography@font@hook\%
16684     \list{\@biblabel{\@arabic\c@enumiv}}%
16685       {\settowidth\labelwidth{\@biblabel{\#1}}%
16686         \leftmargin\labelwidth
16687         \advance\leftmargin\labelsep
16688         \openbib@code
16689         \usecounter{enumiv}%
16690         \let\p@enumiv\empty
16691         \renewcommand{\theenumiv}{\@arabic\c@enumiv}%
16692         \sloppy
16693         \clubpenalty4000
16694         \clubpenalty \clubpenalty

```



```

16695     \widowpenalty4000%
16696     \sffcode`.\.\@m}
16697     {\def\@noitemerr
16698       {\@latex@warning{Empty `thebibliography' environment}}%
16699     \endlist}

```

104 File rotating-xetex-bidi.def

```

16700 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
16701 \def\end@rotfloat{%
16702   \end{minipage}\end{lrbox}%
16703   \stepcounter{r@tfl@t}%
16704   \rot@label{RF\ther@tfl@t}%
16705   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16706   \edef{@tempa{Adding sideways \capttype\space on page \R@@page\space}%
16707   \rot@mess@toks\expandafter{\@tempa}%
16708   \wd\rot@float@box\z@%
16709   \ht\rot@float@box\z@%
16710   \dp\rot@float@box\z@%
16711   \vboxL to \textheight{%
16712     \setkeys{Grot}{units=360}%
16713     \if@rot@twoside
16714     \else
16715       \let\R@@page\rot@LR
16716     \fi
16717     \ifthenelse{\isodd{\R@@page}}{%
16718       \if@rot@twoside
16719         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16720       \fi
16721       \vfill
16722       \@@line{%
16723         \hskip\rotFPtop
16724         \rotatebox{90}{\box\rot@float@box}%
16725         \hskip\rotFPbot
16726       }%
16727     }{%
16728       \if@rot@twoside
16729         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16730       \fi
16731       \@@line{%
16732         \hskip\rotFPbot
16733         \rotatebox{-90}{\box\rot@float@box}%
16734         \hskip\rotFPtop
16735       }%
16736       \vfill
16737     }%
16738     \rot@message{\the\rot@mess@toks}%
16739   }%
16740   \end@float
16741 }

```



```

16742 \let\endsidewaysfigure\end@rotfloat
16743 \let\endsidewaystable\end@rotfloat
16744 \def\end@rot dbl float{%
16745   \end{minipage}\end{lrbox}%
16746   \stepcounter{r@tfl@t}%
16747   \rot@label{RF\ther@tfl@t}%
16748   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16749   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
16750   \rot@mess@toks\expandafter{\@tempa}%
16751   \tempdima\ht\rot@float@box
16752   \advance\tempdima by \dp\rot@float@box
16753   \wd\rot@float@box\z@
16754   \ht\rot@float@box\z@
16755   \dp\rot@float@box\z@
16756   \vboxL to \textheight{%
16757     \setkeys{Grot}{units=360}%
16758     \if@rot@twoside
16759     \else
16760       \let\R@@page\rot@LR
16761     \fi
16762     \ifthenelse{\isodd{\R@@page}}{%
16763       \ifrot@messages
16764         \if@rot@twoside
16765         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16766       \fi
16767       \fi
16768       \vfill
16769       \@@line{%
16770         \hskip\rotFPtop
16771         \rotatebox{90}{\box\rot@float@box}%
16772         \hskip\rotFPbot
16773       }%
16774     }{%
16775       \ifrot@messages
16776         \if@rot@twoside
16777         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16778       \fi
16779       \fi
16780       \@@line{%
16781         \hskip\rotFPbot
16782         \rotatebox{-90}{\box\rot@float@box}%
16783         \hskip\rotFPtop
16784       }%
16785       \vfill
16786     }%
16787     \rot@message{\the\rot@mess@toks}%
16788   }%
16789   \end@dblfloat
16790 }
16791 \def\turn#1{%

```



```

16792 \Grot@setangle{#1}%
16793 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
16794 \def\endturn{%
16795 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16796 \unskip\color@endbox
16797 \Grot@x\z@
16798 \Grot@y\z@
16799 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16800 }
16801 \def\rotate#1{%
16802 \Grot@setangle{#1}%
16803 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
16804 \def\endrotate{%
16805 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16806 \unskip\color@endbox
16807 \Grot@x\z@
16808 \Grot@y\z@
16809 \wd0\z@\dp0\z@\ht0\z@
16810 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16811 }
16812 \def\turnbox#1#2{%
16813 \Grot@setangle{#1}%
16814 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\#2\ifmmode\if@RTL\endR\fi\fi}%
16815 \Grot@x\z@\Grot@y\z@
16816 \wd0\z@\dp0\z@\ht0\z@
16817 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16818 }
16819 \def\sideways{%
16820 \Grot@setangle{90}%
16821 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
16822 \def\endsideways{%
16823 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16824 \unskip\color@endbox
16825 \Grot@x\z@
16826 \Grot@y\z@
16827 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16828 }

```

105 File `scrartcl-xetex-bidi.def`

```

16829 \ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class for
16830 \newcommand{\scr@saved@LTRfootnotetext}{}
16831 \newcommand{\scr@saved@RTLfootnotetext}{}
16832 \let\scr@saved@footnotetext\@footnotetext
16833 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
16834 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
16835 \renewcommand{\@footnotetext}[1]{%
16836 \scr@saved@footnotetext{#1}%
16837 \csname FN@mf@prepare\endcsname
16838 }

```



```

16839 \renewcommand{\@LTRfootnotetext}[1]{%
16840   \scr@saved@LTRfootnotetext{#1}%
16841   \csname FN@mf@prepare\endcsname
16842 }
16843 \renewcommand{\@RTLfootnotetext}[1]{%
16844   \scr@saved@RTLfootnotetext{#1}%
16845   \csname FN@mf@prepare\endcsname
16846 }
16847 \renewcommand\deffootnote[4][]{%
16848   \long\def\@makefntext##1{%
16849     \setlength{\@tempdimc}{#3}%
16850     \def\@tempa{#1}\ifx\@tempa\@empty
16851       \o@setpar{\o@par
16852         \o@tempdima = \hsize
16853         \addtolength{\o@tempdima}{-#2}%
16854         \if@RTL\parshape \one Opt \o@tempdima\else\parshape \one #2 \o@tempdima\fi}%
16855     \else
16856       \addtolength{\@tempdimc}{#2}%
16857       \addtolength{\@tempdimc}{-#1}%
16858       \o@setpar{\o@par
16859         \o@tempdima = \hsize
16860         \addtolength{\o@tempdima}{-#1}%
16861         \o@tempdimb = \hsize
16862         \addtolength{\o@tempdimb}{-#2}%
16863         \if@RTL\parshape \tw@ Opt \o@tempdima Opt \o@tempdimb\else\parshape \tw@ #1 \o@tempdima #
16864       }%
16865     \fi
16866     \par
16867     \parindent\@tempdimc\noindent
16868     \ftn@font\hbox to \z@\{\hss\o@makefnmark\}##1%
16869   }%
16870   \def\o@makefnmark{\hbox{\ftn@font{#4}}}%
16871 }
16872 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
16873 \renewcommand*\left@footnoterule{%
16874   \normalsize\ftn@rule@test@values
16875   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16876   \ifx\@textbottom\relax\else\vskip \z@ \o@plus.05fil\fi
16877   {\usekomafont{footnoterule}}%
16878   \hrule \o@height\ftn@rule@height \o@width\ftn@rule@width}%
16879   \kern 2.6\p@}
16880 \renewcommand*\right@footnoterule{%
16881   \normalsize\ftn@rule@test@values
16882   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16883   \ifx\@textbottom\relax\else\vskip \z@ \o@plus.05fil\fi
16884   {\usekomafont{footnoterule}}%
16885   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16886   \kern 2.6\p@}
16887 \renewcommand*\maketitle[1][1]{%
16888   \if@titlepage

```



```

16889 \begin{titlepage}
16890   \setcounter{page}{%
16891     #1%
16892   }%
16893   \let\footnotesize\small
16894   \let\right@footnoterule\relax
16895   \let\left@footnoterule\relax
16896   \let\textwidth@footnoterule\relax
16897   \let\footnote\thanks
16898   \let\LTRfootnote\LTRthanks
16899   \let\RTLfootnote\RTLthanks
16900   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16901   \let\@oldmakefnmark\@makefnmark
16902   \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
16903   \ifx\@extratitle\@empty \else
16904     \noindent\@extratitle\next@tpage\cleardoubleemptypage
16905     \thispagestyle{\empty}%
16906   \fi
16907   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16908   \ifx\@titlehead\@empty \else
16909     \begin{minipage}[t]{\textwidth}%
16910       \@titlehead
16911     \end{minipage}\par
16912   \fi
16913   \null\vfill
16914   \begin{center}
16915     \ifx\@subject\@empty \else
16916       {\@subject\font \@subject \par}%
16917       \vskip 3em
16918     \fi
16919     {\@titlefont\huge \@title\par}%
16920     \vskip 1em
16921     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16922     \vskip 2em
16923     {\Large \lineskip 0.75em
16924       \begin{tabular}[t]{c}
16925         \author
16926       \end{tabular}\par
16927     }%
16928     \vskip 1.5em
16929     {\Large \@date \par}%
16930     \vskip \z@ \@plus3fill
16931     {\Large \@publishers \par}%
16932     \vskip 3em
16933   \end{center}\par
16934   \@thanks
16935   \vfill\null
16936   \if@twoside\next@tpage
16937     \begin{minipage}[t]{\textwidth}%
16938       \uppertitleback

```



```

16939      \end{minipage}\par
16940      \vfill
16941      \begin{minipage}[b]{\textwidth}
16942          \@lowertitleback
16943      \end{minipage}
16944  \fi
16945  \ifx\@dedication\@empty \else
16946      \next@tpage\null\vfill
16947      {\centering \Large \@dedication \par}%
16948      \vskip \z@ \oplus3fill
16949      \if@twoside \next@tpage\cleardoubleemptypage \fi
16950  \fi
16951  \end{titlepage}
16952 \else
16953     \par
16954     \tempcnta=%
16955     #1%
16956     \relax\ifnum\tempcnta=1\else
16957         \ClassWarning{\KOMAClassName}{%
16958             Optional argument of \string\maketitle\space ignored
16959             at\MessageBreak
16960             notitlepage-mode%
16961         }%
16962     \fi
16963     \begingroup
16964         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16965         \let\oldmakefnmark\makefnmark
16966         \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
16967         \if@twocolumn
16968             \ifnum \col@number=\@ne
16969                 \maketitle
16970             \else
16971                 \twocolumn[\maketitle]%
16972             \fi
16973         \else
16974             \newpage
16975             \global\c@topnum\z@
16976             \maketitle
16977             \fi
16978             \thispagestyle{\titlepagestyle}\@thanks
16979         \endgroup
16980     \fi
16981     \setcounter{footnote}{0}%
16982     \let\thanks\relax
16983     \let\LTRthanks\relax
16984     \let\RTLthanks\relax
16985     \let\maketitle\relax
16986     \let\@maketitle\relax
16987     \global\let\@thanks\@empty
16988     \global\let\@author\@empty

```



```

16989 \global\let\@date\@empty
16990 \global\let\@title\@empty
16991 \global\let\@subtitle\@empty
16992 \global\let\@extratitle\@empty
16993 \global\let\@titlehead\@empty
16994 \global\let\@subject\@empty
16995 \global\let\@publishers\@empty
16996 \global\let\@uppertitleback\@empty
16997 \global\let\@lowertitleback\@empty
16998 \global\let\@dedication\@empty
16999 \global\let\author\relax
17000 \global\let\title\relax
17001 \global\let\extratitle\relax
17002 \global\let\titlehead\relax
17003 \global\let\subject\relax
17004 \global\let\publishers\relax
17005 \global\let\uppertitleback\relax
17006 \global\let\lowertitleback\relax
17007 \global\let\dedication\relax
17008 \global\let\date\relax
17009 \global\let\and\relax
17010 }%
17011 \renewcommand*{\@maketitle}{%
17012   \clearpage
17013   \let\footnote\thanks
17014   \let\LTRfootnote\LTRthanks
17015   \let\RTLfootnote\RTLthanks
17016   \ifx\@extratitle\@empty \else
17017     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17018   \fi
17019   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17020   \ifx\@titlehead\@empty \else
17021     \begin{minipage}[t]{\textwidth}
17022       \@titlehead
17023     \end{minipage}\par
17024   \fi
17025   \null
17026   \vskip 2em%
17027   \begin{center}%
17028     \ifx\@subject\@empty \else
17029       {\@subject\font \@subject \par}
17030       \vskip 1.5em
17031     \fi
17032     {\@titlefont\huge \@title \par}%
17033     \vskip .5em
17034     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17035     \vskip 1em
17036     {\Large
17037       \lineskip .5em%
17038       \begin{tabular}[t]{c}
```



```

17039      \@author
17040      \end{tabular}\par
17041  }%
17042  \vskip 1em%
17043  {\Large \@date \par}%
17044  \vskip \z@ \@plus 1em
17045  {\Large \@publishers \par}
17046  \ifx\@dedication\@empty \else
17047    \vskip 2em
17048    {\Large \@dedication \par}
17049  \fi
17050  \end{center}%
17051  \par
17052  \vskip 2em
17053 }%
17054 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17055 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
17056 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
17057 \renewcommand*{\thesubsection}{\thesection \@SepMark \@arabic\c@section}
17058 \renewcommand*{\thesubsubsection}{%
17059   \thesubsection \@SepMark \@arabic\c@section
17060 }
17061 \renewcommand*{\theparagraph}{\thesubsubsection \@SepMark \@arabic\c@paragraph}
17062 \renewcommand*{\thesubparagraph}{%
17063   \theparagraph \@SepMark \@arabic\c@subparagraph
17064 }
17065 \renewenvironment{thebibliography}[1]{%
17066  \if@bib@break@
17067    \bib@beginhook
17068  \else
17069    \bib@heading
17070    \ifx\@bibpreamble\relax\else\ifx\@bibpreamble\@empty\else
17071      \noindent\@bibpreamble\par\nobreak
17072    \fi\fi
17073    \bib@beginhook
17074    \bib@before@hook
17075  \fi
17076  \renewcommand{\BreakBibliography}[1]{%
17077    \bib@break
17078    \end{thebibliography}%
17079    \begingroup ##1\endgroup
17080    \begin{thebibliography}{##1}
17081  }%
17082  \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbitems\@RTLtrue\else\fi\fi
17083  \bidi@@thebibliography@font@hook%
17084  \list{%
17085    \biblabel{\@arabic\c@enumiv}%
17086  }{%
17087    \settowidth\labelwidth{\biblabel{##1}}%
17088    \leftmargin\labelwidth

```



```

17089     \advance\leftmargin\labelsep
17090     \openbib@code
17091     \if@bib@break@
17092       \edef@\tempa{%
17093         \noexpand\usecounter{enumiv}%
17094         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17095       }\@tempa
17096     \no@bib@break
17097   \else
17098     \usecounter{enumiv}%
17099   \fi
17100   \let\p@enumiv\empty
17101   \renewcommand*\theenumiv{@arabic\c@enumiv}%
17102 }
17103 \sloppy\clubpenalty4000 \widowpenalty4000
17104 \sfcode`.=\@m
17105 }{%
17106   \if@bib@break@
17107     \def\@noitemerr{%
17108       \@latex@warning{%
17109         \string\BreakBibliography\space at begin of `thebibliography'
17110         environment\MessageBreak
17111         or following \string\BreakBibliography}%
17112     }%
17113   \else
17114     \def\@noitemerr{%
17115       \@latex@warning{%
17116         Empty `thebibliography' environment or
17117         \string\BreakBibliography\MessageBreak
17118         before end of `thebibliography' environment}%
17119     }%
17120   \fi
17121   \endlist
17122   \if@bib@break@
17123   \else
17124     \bib@after@hook
17125     \let\bib@before@hook\empty
17126     \let\bib@after@hook\empty
17127   \fi
17128   \bib@endhook
17129 }
17130 \renewcommand*\left@footnoterule{%
17131   \kern-3\p@
17132   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17133   \hrule\@width.4\columnwidth
17134   \kern 2.6\p@}
17135 \renewcommand*\right@footnoterule{%
17136   \kern-3\p@
17137   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17138   \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill} }

```



```

17139   \kern2.6\p@}
17140 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
17141 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
17142 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
17143 \renewcommand\marginline[1]{%
17144   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
17145 }
17146 \renewcommand{\@@makecaption}[3]{%
17147   \cap@margin
17148   \ifonelinecaptions
17149     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
17150     \let\scr@tmp@footnotetext=\@footnotetext
17151     \let\@footnotetext=\gobble
17152     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
17153     \let\@LTRfootnotetext=\gobble
17154     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
17155     \let\@RTLfootnotetext=\gobble
17156     \sbox\@tempboxa{%
17157       \capfont{\strut\ignorespaces
17158         #1{\caplabelfont{#2\captionformat}}}}%
17159       #3\unskip\strut}}%
17160   }%
17161   \let\@footnotetext=\scr@tmp@footnotetext
17162   \let\scr@tmp@footnotetext=\undefined
17163   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17164   \let\scr@tmp@LTRfootnotetext=\undefined
17165   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17166   \let\scr@tmp@RTLfootnotetext=\undefined
17167   \setcounter{footnote}{\@tempcntb}%
17168   \setcounter{mpfootnote}{\@tempcnta}%
17169 \else
17170   \sbox\@tempboxa{\hspace*{2\cap@width}}%
17171 \fi
17172 \begingroup%
17173   \setlength{\@tempdima}{\cap@width}%
17174   \ifdim \wd\@tempboxa >\@tempdima
17175     \hb@xt@{\hsizes}%
17176     \setbox\@tempboxa\vbox{\hsize=\cap@width
17177       \ifdofullc@p
17178         \capfont{\changefrom{\scr@smashdp{\strut\ignorespaces
17179           #1{\caplabelfont{#2\captionformat}}}}}{%
17180             #3\unskip\strut\par}}%
17181       \else%
17182         \ifdim\cap@indent<\z@
17183           \capfont{\strut\ignorespaces
17184             #1{\caplabelfont{#2\captionformat\par}}}}%
17185             \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
17186       \else%
17187         \if@capbreak
17188           \capfont{\strut\ignorespaces

```



```

17189      #1{\caplabelfont{#2\captionformat\par}}}%
17190      \noindent\@hangfrom{\hspace*{\cap@indent}{#3\par}}}}%
17191      \else
17192          {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}}%
17193              {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1}%
17194                  {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}}%
17195      \fi
17196      \fi
17197      \fi
17198  }%
17199  \setlength{\tempdima}{\ht\tempboxa}%
17200  \addtolength{\tempdima}{\dp\tempboxa}%
17201  \addtolength{\tempdima}{-\ht\strutbox}%
17202  \ht\tempboxa\ht\strutbox
17203  \dp\tempboxa\tempdima
17204  \strut\cap@left
17205  \box\tempboxa
17206  \cap@right\strut
17207  }%
17208 \else
17209     \global \minipagetrue
17210     \sbox\tempboxa{%
17211         {\capfont{\scr@smashdp{\strut\ignorespaces
17212             #1{\caplabelfont{#2\captionformat}}}}%
17213             #3}}}}%
17214  }%
17215  {\capfont{\hb@xt@\hspace{\strut\cap@left\if@RTL\beginR\fi\box\tempboxa\if@RTL\endR\fi\cap@right\strut}}%
17216  \fi
17217  \endgroup
17218 }
17219 \renewcommand{\makecaption}[2]{%
17220   \if@captionabove
17221     \vskip\belowcaptionskip
17222   \else
17223     \vskip\abovecaptionskip
17224   \fi
17225   \if@firstofone{#1}{#2}%
17226   \if@captionabove
17227     \vskip\abovecaptionskip
17228   \else
17229     \vskip\belowcaptionskip
17230   \fi
17231 }
17232 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17233   \@ifpackageloaded{caption2}{\komalongtablefalse
17234       \scr@caption@before@longtable@warning{caption2}}%
17235   }{}%
17236   \if@komalongtable
17237     \renewcommand{\LT@makecaption}[3]{%
17238       \noalign{%

```



```

17239      \if@captionabove
17240          \vskip\belowcaptionskip
17241      \else
17242          \vskip\abovecaptionskip
17243      \fi
17244  }%
17245  \LT@mcol\LT@cols c{%
17246      \hbox to\z@\{\hss\parbox[t]\linewidth{%
17247          \@@makecaption{\#1}{\#2}{\#3}%
17248          \endgraf
17249          \if@captionabove
17250              \vskip\abovecaptionskip
17251          \else
17252              \vskip\belowcaptionskip
17253          \fi
17254      }%
17255      \hss
17256  }%
17257 }%
17258 }%
17259 \renewcommand*{\scr@LT@array}{%
17260 \let\scr@LT@array=\LT@array
17261 \renewcommand*{\LT@array}{%
17262     \let\scr@caption=\LT@caption
17263     \def\captionabove{\noalign{\global\@captionabovetrue}%
17264         \scr@caption}%
17265     \def\captionbelow{\noalign{\global\@captionabovefalse}%
17266         \scr@caption}%
17267     \if@tablecaptionabove
17268         \let\LT@caption=\captionabove
17269     \else
17270         \let\LT@caption=\captionbelow
17271     \fi
17272     \scr@LT@array
17273 }%
17274     \ClassInfo{\KOMAClassName}{%
17275         longtable captions redefined%
17276     }%
17277 }%
17278 }%
17279 \CloneTOCEEntryStyle{tocline}{part}
17280 \TOCEEntryStyleStartInitCode{part}{%
17281     \expandafter\renewcommand%
17282         \csname scr@tso@#1@linefill\endcsname{\hfill}%
17283     \expandafter\renewcommand%
17284         \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17285     \expandafter\renewcommand%
17286         \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17287             \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%

```



```

17289 \expandafter\renewcommand\expandafter*%
17290 \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p@}%
17291 }
17292
17293 \CloneTOCEntryStyle{tocline}{section}
17294 \TOCEntryStyleStartInitCode{section}{%
17295 \expandafter\renewcommand%
17296 \csname scr@tso@#1@linefill\endcsname{%
17297 \if@sectionentrywithdots
17298 \TOCLineLeaderFill\relax
17299 \else
17300 \hfill
17301 \fi
17302 }%
17303 % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
17304 \expandafter\renewcommand%
17305 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
17306 \expandafter\renewcommand%
17307 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{sectionentry}{\usekomafont{sec
17308 \expandafter\renewcommand\expandafter*%
17309 \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p@}%
17310 }
17311
17312 \CloneTOCEntryStyle{tocline}{subsection}
17313 \TOCEntryStyleStartInitCode{subsection}{%
17314 \expandafter\renewcommand%
17315 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17316 }
17317
17318 \CloneTOCEntryStyle{subsection}{default}
17319
17320 \DeclareSectionCommand[%]
17321 style=part,%
17322 level=\z@,%
17323 tocstyle=part,%
17324 toplevel=\m@ne,%
17325 tocindent=\z@,%
17326 tocnumwidth=2em%
17327 ]{part}
17328 \DeclareSectionCommand[%]
17329 style=section,%
17330 level=1,%
17331 indent=\z@,%
17332 beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
17333 afterskip=2.3ex \oplus .2ex,%
17334 tocstyle=section,%
17335 tocindent=Opt,%
17336 tocnumwidth=1.5em%
17337 ]{section}
17338 \DeclareSectionCommand[%]

```



```

17339 style=section,%
17340 level=2,%
17341 indent=\z@,%
17342 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17343 afterskip=1.5ex \@plus .2ex,%
17344 tocstyle=subsection,%
17345 tocindent=1.5em,%
17346 tocnumwidth=2.3em%
17347 ]{subsection}
17348 \DeclareSectionCommand[%]
17349 style=section,%
17350 level=3,%
17351 indent=\z@,%
17352 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17353 afterskip=1.5ex \@plus .2ex,%
17354 tocstyle=subsection,%
17355 tocindent=3.8em,%
17356 tocnumwidth=3.2em%
17357 ]{subsubsection}
17358 \DeclareSectionCommand[%]
17359 style=section,%
17360 level=4,%
17361 indent=\z@,%
17362 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
17363 afterskip=-1em,%
17364 tocstyle=subsection,%
17365 tocindent=7.0em,%
17366 tocnumwidth=4.1em%
17367 ]{paragraph}
17368 \DeclareSectionCommand[%]
17369 style=section,%
17370 level=5,%
17371 indent=\scr@parindent,%
17372 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
17373 afterskip=-1em,%
17374 tocstyle=subsection,%
17375 tocindent=10em,%
17376 tocnumwidth=5em%
17377 ]{subparagraph}

```

106 File scrbook-xetex-bidi.def

```

17378 \ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for XeLaTeX]
17379 \newcommand{\scr@saved@LTRfootnotetext}{}
17380 \newcommand{\scr@saved@RTLfootnotetext}{}
17381 \let\scr@saved@footnotetext\footnotetext
17382 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
17383 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
17384 \renewcommand{\@footnotetext}[1]{%
17385   \scr@saved@footnotetext{\#1}%
}

```



```

17386 \csname FN@mf@prepare\endcsname
17387 }
17388 \renewcommand{\@LTRfootnotetext}[1]{%
17389 \scr@saved@LTRfootnotetext{#1}%
17390 \csname FN@mf@prepare\endcsname
17391 }
17392 \renewcommand{\@RTLfootnotetext}[1]{%
17393 \scr@saved@RTLfootnotetext{#1}%
17394 \csname FN@mf@prepare\endcsname
17395 }
17396 \renewcommand\deffootnote[4][]{%
17397 \long\def\@makefntext##1{%
17398 \setlength{\@tempdimc}{#3}%
17399 \def\@tempa{#1}\ifx\@tempa\empty
17400 \csetpar{\@par
17401 \tempdima = \hsize
17402 \addtolength{\tempdima}{-#2}%
17403 \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
17404 \else
17405 \addtolength{\tempdima}{#2}%
17406 \addtolength{\tempdima}{-#1}%
17407 \csetpar{\@par
17408 \tempdima = \hsize
17409 \addtolength{\tempdima}{-#1}%
17410 \tempdimb = \hsize
17411 \addtolength{\tempdimb}{-#2}%
17412 \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima %
17413 }%
17414 \fi
17415 \par
17416 \parindent\tempdima\noindent
17417 \ftn@font\hbox to \z@\{\hss\@makefnmark\}##1%
17418 }%
17419 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
17420 }
17421 \def\footnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
17422 \renewcommand*\left@footnoterule{%
17423 \normalsize\ftn@rule@test@values
17424 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17425 \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17426 {\usekomafont{footnoterule}{%
17427 \hrule \height\ftn@rule@height \width\ftn@rule@width}%
17428 \kern 2.6\p@}%
17429 \renewcommand*\right@footnoterule{%
17430 \normalsize\ftn@rule@test@values
17431 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17432 \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17433 {\usekomafont{footnoterule}{%
17434 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
17435 \kern 2.6\p@}%

```



```

17436 \renewcommand*\maketitle[1][1]{%
17437   \if@titlepage
17438     \begin{titlepage}
17439       \setcounter{page}{%
17440         #1%
17441       }%
17442       \let\footnotesize\small
17443       \let\right@footnoterule\relax
17444       \let\left@footnoterule\relax
17445       \let\textwidth@footnoterule\relax
17446       \let\footnote\thanks
17447       \let\LTRfootnote\LTRthanks
17448       \let\RTLfootnote\RTLthanks
17449       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17450       \let@\oldmakefnmark\@makefnmark
17451       \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}}%
17452       \ifx\@extratitle\@empty \else
17453         \noindent\@extratitle\next@tpage\cleardoubleemptypage
17454         \thispagestyle{empty}%
17455       \fi
17456       \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17457       \ifx\@titlehead\@empty \else
17458         \begin{minipage}[t]{\textwidth}%
17459           \@titlehead
17460         \end{minipage}\par
17461       \fi
17462       \null\vfill
17463       \begin{center}
17464         \ifx\@subject\@empty \else
17465           {\@subject\font \@subject \par}%
17466           \vskip 3em
17467         \fi
17468         {\@titlefont\huge \@title\par}%
17469         \vskip 1em
17470         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17471         \vskip 2em
17472         {\Large \lineskip 0.75em
17473           \begin{tabular}[t]{c}
17474             \author
17475           \end{tabular}\par
17476         }%
17477         \vskip 1.5em
17478         {\Large \@date \par}%
17479         \vskip \z@ \@plus3fill
17480         {\Large \@publishers \par}%
17481         \vskip 3em
17482         \end{center}\par
17483         \@thanks
17484         \vfill\null
17485         \if@twoside\next@tpage

```



```

17486      \begin{minipage}[t]{\textwidth}
17487          \@uppertitleback
17488      \end{minipage}\par
17489      \vfill
17490      \begin{minipage}[b]{\textwidth}
17491          \@lowertitleback
17492      \end{minipage}
17493  \fi
17494  \ifx\@dedication\@empty \else
17495      \next@tpage\null\vfill
17496      {\centering \Large \@dedication \par}%
17497      \vskip \z@ \oplus3fill
17498      \if@twoside \next@tpage\cleardoubleemptypage \fi
17499  \fi
17500  \end{titlepage}
17501 \else
17502     \par
17503     \tempcnta=%
17504     #1%
17505     \relax\ifnum\tempcnta=1\else
17506         \ClassWarning{\KOMAClassName}{%
17507             Optional argument of \string\maketitle\space ignored
17508             at \MessageBreak
17509             notitlepage-mode%
17510         }%
17511     \fi
17512     \begingroup
17513         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17514         \let\oldmakefnmark\makefnmark
17515         \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
17516         \if@twocolumn
17517             \ifnum \col@number=\@ne
17518                 \maketitle
17519             \else
17520                 \twocolumn[\maketitle]%
17521             \fi
17522         \else
17523             \newpage
17524             \global\@topnum\z@
17525             \maketitle
17526         \fi
17527         \thispagestyle{\titlepagestyle}\@thanks
17528     \endgroup
17529 \fi
17530 \setcounter{footnote}{0}%
17531 \let\thanks\relax
17532 \let\LTRthanks\relax
17533 \let\RTLthanks\relax
17534 \let\maketitle\relax
17535 \let\@maketitle\relax

```



```

17536 \global\let\@thanks\@empty
17537 \global\let\@author\@empty
17538 \global\let\@date\@empty
17539 \global\let\@title\@empty
17540 \global\let\@subtitle\@empty
17541 \global\let\@extratitle\@empty
17542 \global\let\@titlehead\@empty
17543 \global\let\@subject\@empty
17544 \global\let\@publishers\@empty
17545 \global\let\@uppertitleback\@empty
17546 \global\let\@lowertitleback\@empty
17547 \global\let\@dedication\@empty
17548 \global\let\author\relax
17549 \global\let\title\relax
17550 \global\let\extratitle\relax
17551 \global\let\titlehead\relax
17552 \global\let\subject\relax
17553 \global\let\publishers\relax
17554 \global\let\uppertitleback\relax
17555 \global\let\lowertitleback\relax
17556 \global\let\dedication\relax
17557 \global\let\date\relax
17558 \global\let\and\relax
17559 }%
17560 \renewcommand*{\@maketitle}{%
17561   \clearpage
17562   \let\footnote\thanks
17563   \let\LTRfootnote\LTRthanks
17564   \let\RTLfootnote\RTLthanks
17565   \ifx\@extratitle\@empty \else
17566     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17567   \fi
17568   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17569   \ifx\@titlehead\@empty \else
17570     \begin{minipage}[t]{\textwidth}
17571       \begin{titlehead}
17572         \end{minipage}\par
17573   \fi
17574   \null
17575   \vskip 2em%
17576   \begin{center}%
17577     \ifx\@subject\@empty \else
17578       {\@subject\font \@subject \par}
17579       \vskip 1.5em
17580     \fi
17581     {\@titlefont\huge \@title \par}%
17582     \vskip .5em
17583     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17584     \vskip 1em
17585     {\Large

```



```

17586      \lineskip .5em%
17587      \begin{tabular}[t]{c}
17588          \author
17589      \end{tabular}\par
17590  }%
17591  \vskip 1em%
17592  {\Large \@date \par}%
17593  \vskip \z@ \@plus 1em
17594  {\Large \@publishers \par}
17595  \ifx\@dedication\empty \else
17596      \vskip 2em
17597      {\Large \@dedication \par}
17598  \fi
17599  \end{center}%
17600  \par
17601  \vskip 2em
17602 }%
17603 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17604 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
17605 \renewcommand*\thesection{%
17606     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17607         \if@mainmatter\thechapter\@SepMark\fi
17608     \else
17609         \thechapter\@SepMark%
17610     \fi
17611     \@arabic\c@section
17612 }
17613 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
17614 \renewcommand*{\thesubsubsection}{%
17615     \thesubsection\@SepMark\@arabic\c@subsubsection
17616 }
17617 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
17618 \renewcommand*{\thesubparagraph}{%
17619     \theparagraph\@SepMark\@arabic\c@subparagraph
17620 }
17621 \renewcommand*\thefigure{%
17622     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17623         \if@mainmatter\thechapter\@SepMark\fi
17624     \else
17625         \thechapter\@SepMark%
17626     \fi
17627     \@arabic\c@figure
17628 }
17629 \renewcommand*\thetable{%
17630     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17631         \if@mainmatter\thechapter\@SepMark\fi
17632     \else
17633         \thechapter\@SepMark%
17634     \fi
17635     \@arabic\c@table

```



```

17636 }
17637 \renewcommand*\theequation{%
17638   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17639     \if@mainmatter\thechapter\SepMark\fi
17640   \else
17641     \thechapter\SepMark%
17642   \fi
17643   \arabic{equation}
17644 }
17645 \renewenvironment{thebibliography}[1]{%
17646   \if@bib@break@
17647     \bib@beginhook
17648   \else
17649     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
17650       \setchapterpreamble{\bibpreamble}%
17651     \fi\fi
17652     \bib@heading
17653     \bib@beginhook
17654     \bib@before@hook
17655   \fi
17656   \renewcommand{\BreakBibliography}[1]{%
17657     \bib@break
17658     \end{thebibliography}%
17659     \begingroup ##1\endgroup
17660     \begin{thebibliography}{##1}
17661   }%
17662   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17663   \bidi@thebibliography@font@hook%
17664   \list{%
17665     \biblabel{\arabic{enumiv}}%
17666   }%
17667   \settowidth\labelwidth{\biblabel{#1}}%
17668   \leftmargin\labelwidth
17669   \advance\leftmargin\labelsep
17670   \openbib@code
17671   \if@bib@break@
17672     \edef@\tempa{%
17673       \noexpand\usecounter{enumiv}%
17674       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17675     }@\tempa
17676     \no@bib@break
17677   \else
17678     \usecounter{enumiv}%
17679   \fi
17680   \let\p@enumiv\empty
17681   \renewcommand*\theenumiv{\arabic{enumiv}}%
17682 }
17683 \sloppy\clubpenalty4000 \widowpenalty4000
17684 \sfcode`.=\@m
17685 }%

```



```

17686 \if@bib@break@
17687   \def\@noitemerr{%
17688     \@latex@warning{%
17689       \string\BreakBibliography\space at begin of `thebibliography'
17690       environment\MessageBreak
17691       or following \string\BreakBibliography}%
17692     }%
17693 \else
17694   \def\@noitemerr{%
17695     \@latex@warning{%
17696       Empty `thebibliography' environment or
17697       \string\BreakBibliography\MessageBreak
17698       before end of `thebibliography' environment}%
17699     }%
17700 \fi
17701 \endlist
17702 \if@bib@break@
17703 \else
17704   \bib@after@hook
17705   \let\bib@before@hook\empty
17706   \let\bib@after@hook\empty
17707 \fi
17708 \bib@endhook
17709 }
17710 \renewcommand*\left@footnoterule{%
17711   \kern-3\p@
17712   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17713   \hrule\@width.4\columnwidth
17714   \kern 2.6\p@}
17715 \renewcommand*\right@footnoterule{%
17716   \kern-3\p@
17717   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17718   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
17719   \kern2.6\p@}
17720 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
17721 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
17722 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
17723 \renewcommand\marginline[1]{%
17724   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{\#1}]\{\if@RTL\raggedleft\else\raggedright\fi}
17725 }
17726 \renewcommand{\@@makecaption}[3]{%
17727   \cap@margin
17728   \ifonecaption
17729     \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
17730     \let\scr@tmp@footnotetext=\footnotetext
17731     \let\@footnotetext=\gobble
17732     \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
17733     \let\@LTRfootnotetext=\gobble
17734     \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
17735     \let\@RTLfootnotetext=\gobble

```



```

17736   \sbox{\tempboxa}%
17737     {\capfont{\strut\ignorespaces
17738       #1{\caplabelfont{#2\captionformat}}}}%
17739     #3\unskip\strut}}}%
17740   }%
17741   \let\@footnotetext=\scr@tmp@footnotetext
17742   \let\scr@tmp@footnotetext=\undefined
17743   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17744   \let\scr@tmp@LTRfootnotetext=\undefined
17745   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17746   \let\scr@tmp@RTLfootnotetext=\undefined
17747   \setcounter{footnote}{\tempcntb}%
17748   \setcounter{mpfootnote}{\tempcnta}%
17749 \else
17750   \sbox{\tempboxa}{\hspace*{2\cap@width}}%
17751 \fi
17752 \begingroup%
17753   \setlength{\tempdima}{\cap@width}%
17754   \ifdim \wd\tempboxa >\tempdima
17755     \hb@xt@\hsize{%
17756       \setbox\tempboxa\vbox{\hsize=\cap@width
17757         \ifdofullc@%
17758           \capfont{\hangfrom{\scr@smashdp{\strut\ignorespaces
17759             #1{\caplabelfont{#2\captionformat}}}}}}%
17760           #3\unskip\strut\par}}}%
17761   \else%
17762     \ifdim\cap@indent<\z@
17763       \capfont{\strut\ignorespaces
17764         #1{\caplabelfont{#2\captionformat\par}}}}%
17765         \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}}%
17766   \else%
17767     \ifcapbreak
17768       \capfont{\strut\ignorespaces
17769         #1{\caplabelfont{#2\captionformat\par}}}}%
17770         \noindent\hangfrom{\hspace*{\cap@indent}#3\par}}}%
17771   \else
17772     \capfont{\hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}}%
17773       \hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
17774         {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
17775       \fi
17776     \fi
17777   \fi
17778 }%
17779 \setlength{\tempdima}{\ht\tempboxa}%
17780 \addtolength{\tempdima}{\dp\tempboxa}%
17781 \addtolength{\tempdima}{-\ht\strutbox}%
17782 \ht\tempboxa\ht\strutbox
17783 \dp\tempboxa\tempdima
17784 \strut\cap@left
17785 \box\tempboxa

```



```

17786         \cap@right\strut
17787     }%
17788 \else
17789     \global \cminipagefalse
17790     \sbox\@tempboxa{%
17791         {\capfont{\scr@smashdp{\strut\ignorespaces
17792             #1{\caplabelfont{#2\captionformat}}}}}}%
17793         #3} }%
17794     }%
17795     {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
17796     \fi
17797 \endgroup
17798 }
17799 \renewcommand{\@makecaption}[2]{%
17800   \if@captionabove
17801     \vskip\belowcaptionskip
17802   \else
17803     \vskip\abovecaptionskip
17804   \fi
17805   \@@makecaption\@firstofone{#1}{#2}%
17806   \if@captionabove
17807     \vskip\abovecaptionskip
17808   \else
17809     \vskip\belowcaptionskip
17810   \fi
17811 }
17812 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17813   \ifpackageloaded{caption2}{\komalongtablefalse
17814     \scr@caption@before@longtable@warning{caption2}%
17815   }{}%
17816   \ifkomalongtable
17817     \renewcommand{\LT@makecaption}[3]{%
17818       \noalign{%
17819         \if@captionabove
17820           \vskip\belowcaptionskip
17821         \else
17822           \vskip\abovecaptionskip
17823         \fi
17824       }%
17825       \LT@mcol\LT@cols c{%
17826         \hbox to\z@\{\hss\parbox[t]\linewidth{%
17827           \@@makecaption{#1}{#2}{#3}%
17828           \endgraf
17829           \if@captionabove
17830             \vskip\abovecaptionskip
17831           \else
17832             \vskip\belowcaptionskip
17833           \fi
17834         }%
17835         \hss

```



```

17836      }%
17837      }%
17838      }%
17839      \renewcommand*{\scr@LT@array}{\relax}
17840      \let\scr@LT@array=\LT@array
17841      \renewcommand*{\LT@array}{%
17842          \let\scr@caption=\LT@caption
17843          \def\captionabove{\noalign{\global\@captionabovetrue}%
17844              \scr@caption}%
17845          \def\captionbelow{\noalign{\global\@captionabovefalse}%
17846              \scr@caption}%
17847          \if@tablecaptionabove
17848              \let\LT@caption=\captionabove
17849          \else
17850              \let\LT@caption=\captionbelow
17851          \fi
17852          \scr@LT@array
17853      }%
17854      \ClassInfo{\KOMAClassName}{%
17855          longtable captions redefined}%
17856      }%
17857      \fi
17858  }
17859
17860 \CloneTOCEntryStyle{tocline}{part}
17861 \TOCEntryStyleStartInitCode{part}{%
17862     \expandafter\renewcommand%
17863     {\csname scr@tso@#1@linefill\endcsname{\hfill}}%
17864     \expandafter\renewcommand%
17865     {\csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17866     \expandafter\renewcommand%
17867     {\csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17868         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17869     \expandafter\renewcommand\expandafter*%
17870     {\csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus \p@}}%
17871  }
17872
17873 \CloneTOCEntryStyle{tocline}{chapter}
17874 \TOCEntryStyleStartInitCode{chapter}{%
17875     \expandafter\renewcommand%
17876     {\csname scr@tso@#1@linefill\endcsname{%
17877         \if@chapterentrywithdots
17878             \TOCLineLeaderFill\relax
17879         \else
17880             \hfill
17881         \fi
17882     }%
17883     \expandafter\renewcommand%
17884     {\csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
17885     \expandafter\renewcommand%

```



```

17886 \csname scr@tso@#1@pageumberformat\endcsname[1]{%
17887   \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}{}}%
17888 \expandafter\renewcommand\expandafter*{%
17889 \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus p@}%
17890 }%
17891 \CloneTOCEntryStyle{tocline}{section}%
17893 \TOCEntryStyleStartInitCode{section}{%
17894 \expandafter\renewcommand\expandafter*{%
17895 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}}%
17896 }%
17897 \CloneTOCEntryStyle{section}{default}%
17899 \DeclareSectionCommand[%%
17901   style=part,%%
17902   level=\m@ne,%%
17903   pagestyle=plain,%%
17904   tocstyle=part,%%
17905   toplevel=\m@ne,%%
17906   tocindent=\z@,%%
17907   tocnumwidth=2em%%
17908 ]{part}%
17909 \DeclareSectionCommand[%%
17910   style=chapter,%%
17911   level=\z@,%%
17912   pagestyle=plain,%%
17913   tocstyle=chapter,%%
17914   tocindent=\z@,%%
17915   tocnumwidth=1.5em%%
17916 ]{chapter}%
17917 \DeclareSectionCommand[%%
17918   style=section,%%
17919   level=1,%%
17920   indent=\z@,%%
17921   beforeskip=-3.5ex \oplus -1ex \ominus -.2ex,%%
17922   afterskip=2.3ex \oplus .2ex,%%
17923   tocstyle=section,%%
17924   tocindent=1.5em,%%
17925   tocnumwidth=2.3em%%
17926 ]{section}%
17927 \DeclareSectionCommand[%%
17928   style=section,%%
17929   level=2,%%
17930   indent=\z@,%%
17931   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%%
17932   afterskip=1.5ex \oplus .2ex,%%
17933   tocstyle=section,%%
17934   tocindent=3.8em,%%
17935   tocnumwidth=3.2em%%

```



```

17936 ]{subsection}
17937 \DeclareSectionCommand[%]
17938   style=section,%
17939   level=3,%
17940   indent=\z@,%
17941   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17942   afterskip=1.5ex \@plus .2ex,%
17943   tocstyle=section,%
17944   tocindent=7.0em,%
17945   tocnumwidth=4.1em%
17946 ]{subsubsection}
17947 \DeclareSectionCommand[%]
17948   style=section,%
17949   level=4,%
17950   indent=\z@,%
17951   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17952   afterskip=-1em,%
17953   tocstyle=section,%
17954   tocindent=10em,%
17955   tocnumwidth=5em%
17956 ]{paragraph}
17957 \DeclareSectionCommand[%]
17958   style=section,%
17959   level=5,%
17960   indent=\scr@parindent,%
17961   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17962   afterskip=-1em,%
17963   tocstyle=section,%
17964   tocindent=12em,%
17965   tocnumwidth=6em%
17966 ]{subparagraph}
17967
17968

```

107 File `scrlettr-xetex-bidi.def`

```

17969 \ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
17970 \renewcommand\deffootnote[4][]{%
17971   \long\def\@makefntext##1{%
17972     \edef\@tempa{\#1}\ifx\@tempa\empty
17973       \qsetpar{\@par
17974         \tempdima = \hsize
17975         \addtolength{\tempdima}{-\#2}
17976         \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
17977     \else
17978       \qsetpar{\@@par
17979         \tempdima = \hsize
17980         \addtolength{\tempdima}{-\#1}
17981         \tempdimb = \hsize
17982         \addtolength{\tempdimb}{-\#2}}

```



```

17983     \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima #
17984     \fi
17985     \par
17986     \parindent #3\noindent
17987     \hbox to \z@\{\hss\@@makefnmark}##1}
17988     \def\@@makefnmark{\hbox{#4}}
17989 }
17990 \def\footnote[1em]{1.5em}{1em}
17991   {\textsuperscript{\thefootnotemark}}
17992 \def\left@footnoterule{\kern-1\p@
17993 \hrule width 0.4\columnwidth
17994 \kern .6\p@}
17995 \def\right@footnoterule{%
17996   \kern-1\p@
17997   \hbox to \columnwidth{\hspace{.6\columnwidth}\rulefill }
17998 \kern .6\p@}
17999 \def\@datefield{\@reffalse
18000 \ifx\varyourref\empty \else \reftrue \fi
18001 \ifx\varyourmail\empty \else \reftrue \fi
18002 \ifx\varmyref\empty \else \reftrue \fi
18003 \ifx\varcustomer\empty \else \reftrue \fi
18004 \ifx\varinvoice\empty \else \reftrue \fi
18005 \ifx\varrefitemi\empty \else \reftrue \fi
18006 \ifx\varrefitemii\empty \else \reftrue \fi
18007 \ifx\varrefitemiii\empty \else \reftrue \fi
18008 \vskip -\parskip
18009 \vskip \refvskip
18010 \if@ref
18011   \ifx\varyourref\empty \else
18012     \settowidth{\sc@temp}{\varyourref}
18013     \setbox0\hbox{\scriptsize \sf \yourrefname}
18014     \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18015     \parbox[t]{\sc@temp}{\noindent \box0\par \varyourref}\hfill
18016   \fi
18017 \ifx\varyourmail\empty \else
18018   \settowidth{\sc@temp}{\varyourmail}
18019   \setbox0\hbox{\scriptsize \sf \yourmailname}
18020   \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18021   \parbox[t]{\sc@temp}{\noindent \box0\par \varyourmail}\hfill
18022 \fi
18023 \ifx\varmyref\empty \else
18024   \settowidth{\sc@temp}{\varmyref}
18025   \setbox0\hbox{\scriptsize \sf \myrefname}
18026   \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18027   \parbox[t]{\sc@temp}{\noindent \box0\par \varmyref}\hfill
18028 \fi
18029 \ifx\varcustomer\empty \else
18030   \settowidth{\sc@temp}{\varcustomer}
18031   \setbox0\hbox{\scriptsize \sf \customername}
18032   \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi

```



```

18033 \parbox[t]{\sc@temp}{\noindent \box0\par \varcustomer}\hfill
18034 \fi
18035 \ifx\varinvoice\empty \else
18036 \settowidth{\sc@temp}{\varinvoice}
18037 \setbox0\hbox{\scriptsize \sf \invoicename}
18038 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18039 \parbox[t]{\sc@temp}{\noindent \box0\par \varinvoice}\hfill
18040 \fi
18041 \ifx\varrefitemi\empty \else
18042 \settowidth{\sc@temp}{\varrefitemi}
18043 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
18044 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18045 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemi}\hfill
18046 \fi
18047 \ifx\varrefitemii\empty \else
18048 \settowidth{\sc@temp}{\varrefitemii}
18049 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
18050 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18051 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
18052 \fi
18053 \ifx\varrefitemiii\empty \else
18054 \settowidth{\sc@temp}{\varrefitemiii}
18055 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
18056 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18057 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
18058 \fi
18059 \ifx\@date\empty \else
18060 \settowidth{\sc@temp}{\@date}
18061 \setbox0\hbox{\scriptsize \sf \datename}
18062 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18063 \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
18064 \fi
18065 \par
18066 \vspace{2.5\baselineskip}
18067 \else
18068 {\ifx\@date\empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
18069 \vspace{1.5\baselineskip}
18070 \fi}
18071 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
18072 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
18073 -\sigindent \hspace{\sigindent}%
18074 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@sk
18075 \fromsig\strut}\par
18076 \vspace{1.5\baselineskip}}

```

108 File scrreprt-xetex-bidi.def

```

18077 \ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
18078 \newcommand{\scr@saved@LTRfootnotetext}{}
18079 \newcommand{\scr@saved@RTLfootnotetext}{}

```



```

18080 \let\scr@saved@footnotetext\@footnotetext
18081 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
18082 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
18083 \renewcommand{\@footnotetext}[1]{%
18084   \scr@saved@footnotetext{#1}%
18085   \csname FN@mf@prepare\endcsname
18086 }
18087 \renewcommand{\@LTRfootnotetext}[1]{%
18088   \scr@saved@LTRfootnotetext{#1}%
18089   \csname FN@mf@prepare\endcsname
18090 }
18091 \renewcommand{\@RTLfootnotetext}[1]{%
18092   \scr@saved@RTLfootnotetext{#1}%
18093   \csname FN@mf@prepare\endcsname
18094 }
18095 \renewcommand\deffootnote[4][]{%
18096   \long\def\@makefntext##1{%
18097     \setlength{\@tempdimc}{#3}%
18098     \def\@tempa{#1}\ifx\@tempa\empty
18099       \c@setpar{\c@par
18100         \tempdima = \hsize
18101         \addtolength{\tempdima}{-#2}%
18102         \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
18103     \else
18104       \addtolength{\@tempdimc}{#2}%
18105       \addtolength{\@tempdimc}{-#1}%
18106       \c@setpar{\c@par
18107         \tempdima = \hsize
18108         \addtolength{\tempdima}{-#1}%
18109         \tempdimb = \hsize
18110         \addtolength{\tempdimb}{-#2}%
18111         \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima %
18112       }%
18113     \fi
18114   \par
18115   \parindent\@tempdimc\noindent
18116   \ftn@font\hbox to \z@\{\hss\@makefnmark\}##1%
18117 }%
18118 \def\@makefnmark{\hbox{\ftnm@font{#4}}}%
18119 }
18120 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
18121 \renewcommand*\left@footnoterule{%
18122   \normalsize\ftn@rule@test@values
18123   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
18124   \ifx\@textbottom\relax\else\vskip \z@ \cplus.05fil\fi
18125   {\usekomafont{footnoterule}{%
18126     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
18127   \kern 2.6\p@}
18128 \renewcommand*\right@footnoterule{%
18129   \normalsize\ftn@rule@test@values

```



```

18130 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
18131 \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
18132 {\usekomafont{footnoterule}{%
18133     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
18134     \kern 2.6\p@}
18135 \renewcommand*\maketitle[1][1]{%
18136     \if@titlepage
18137         \begin{titlepage}
18138             \setcounter{page}{%
18139                 #1%
18140             }%
18141             \let\footnotesize\small
18142             \let\right@footnoterule\relax
18143             \let\left@footnoterule\relax
18144             \let\textwidth@footnoterule\relax
18145             \let\footnote\thanks
18146             \let\LTRfootnote\LTRthanks
18147             \let\RTLfootnote\RTLthanks
18148             \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18149             \let\@oldmakefnmark\@makefnmark
18150             \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
18151             \ifx\@extratitle\empty \else
18152                 \noindent\@extratitle\next@tpage\cleardoubleemptypage
18153                 \thispagestyle{\empty}%
18154             \fi
18155             \setparsizes{\z@}{\z@}{\z@\oplus 1fil}\par@updaterelative
18156             \ifx\@titlehead\empty \else
18157                 \begin{minipage}[t]{\textwidth}%
18158                     \begin{titlehead}
18159                     \end{minipage}\par
18160             \fi
18161             \null\vfill
18162             \begin{center}
18163                 \ifx\@subject\empty \else
18164                     {\@subject\font \@subject \par}%
18165                     \vskip 3em
18166                 \fi
18167                 {\@titlefont\huge \begin{title}\par}%
18168                 \vskip 1em
18169                 {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
18170                 \vskip 2em
18171                 {\Large \lineskip 0.75em
18172                     \begin{tabular}[t]{c}
18173                         \begin{author}
18174                         \end{author}
18175                     \end{tabular}\par
18176                 \vskip 1.5em
18177                 {\Large \begin{date}\par}%
18178                 \vskip \z@ \oplus3fill
18179                 {\Large \begin{publishers}\par}%

```



```

18180      \vskip 3em
18181      \end{center}\par
18182      \@thanks
18183      \vfill\null
18184      \if@twoside\next@tpage
18185          \begin{minipage}[t]{\textwidth}
18186              \@uppertitleback
18187          \end{minipage}\par
18188          \vfill
18189          \begin{minipage}[b]{\textwidth}
18190              \@lowertitleback
18191          \end{minipage}
18192      \fi
18193      \ifx\@dedication\@empty \else
18194          \next@tpage\null\vfill
18195          {\centering \Large \@dedication \par}%
18196          \vskip \z@\@plus3fill
18197          \if@twoside \next@tpage\cleardoubleemptypage \fi
18198      \fi
18199      \end{titlepage}
18200  \else
18201      \par
18202      \tempcnta=%
18203      #1%
18204      \relax\ifnum\tempcnta=1\else
18205          \ClassWarning{\KOMAClassName}{%
18206              Optional argument of \string\maketitle\space ignored
18207              at\MessageBreak
18208              notitlepage-mode%
18209          }%
18210      \fi
18211      \begingroup
18212          \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18213          \let\oldmakefnmark\makefnmark
18214          \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
18215          \if@twocolumn
18216              \ifnum \col@number=\@ne
18217                  \maketitle
18218              \else
18219                  \twocolumn[\maketitle]%
18220              \fi
18221          \else
18222              \newpage
18223              \global\@topnum\z@
18224              \maketitle
18225          \fi
18226          \thispagestyle{\titlepagestyle}\@thanks
18227      \endgroup
18228  \fi
18229  \setcounter{footnote}{0}%

```



```

18230 \let\thanks\relax
18231 \let\LTRthanks\relax
18232 \let\RTLthanks\relax
18233 \let\maketitle\relax
18234 \let\@maketitle\relax
18235 \global\let\@thanks\@empty
18236 \global\let\@author\@empty
18237 \global\let\@date\@empty
18238 \global\let\@title\@empty
18239 \global\let\@subtitle\@empty
18240 \global\let\@extratitle\@empty
18241 \global\let\@titlehead\@empty
18242 \global\let\@subject\@empty
18243 \global\let\@publishers\@empty
18244 \global\let\@uppertitleback\@empty
18245 \global\let\@lowertitleback\@empty
18246 \global\let\@dedication\@empty
18247 \global\let\author\relax
18248 \global\let\title\relax
18249 \global\let\extratitle\relax
18250 \global\let\titlehead\relax
18251 \global\let\subject\relax
18252 \global\let\publishers\relax
18253 \global\let\uppertitleback\relax
18254 \global\let\lowertitleback\relax
18255 \global\let\dedication\relax
18256 \global\let\date\relax
18257 \global\let\and\relax
18258 }%
18259 \renewcommand*\@maketitle}{%
18260 \clearpage
18261 \let\footnote\thanks
18262 \let\LTRfootnote\LTRthanks
18263 \let\RTLfootnote\RTLthanks
18264 \ifx\@extratitle\@empty \else
18265   \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
18266 \fi
18267 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
18268 \ifx\@titlehead\@empty \else
18269   \begin{minipage}[t]{\textwidth}
18270     \begin{titlehead}
18271       \end{minipage}\par
18272 \fi
18273 \null
18274 \vskip 2em%
18275 \begin{center}%
18276   \ifx\@subject\@empty \else
18277     {\@subject@font \@subject \par}
18278     \vskip 1.5em
18279 \fi

```



```

18280      {\titlefont\huge \@title \par}%
18281      \vskip .5em
18282      {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
18283      \vskip 1em
18284      {\Large
18285          \lineskip .5em%
18286          \begin{tabular}[t]{c}
18287              \author
18288          \end{tabular}\par
18289      }%
18290      \vskip 1em%
18291      {\Large \@date \par}%
18292      \vskip \z@ \oplus 1em
18293      {\Large \@publishers \par}
18294      \ifx\@dedication\empty \else
18295          \vskip 2em
18296          {\Large \@dedication \par}
18297      \fi
18298      \end{center}%
18299      \par
18300      \vskip 2em
18301 }%
18302 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
18303 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
18304 \renewcommand*\thesection{%
18305     \thechapter \@SepMark%
18306     \@arabic\c@section
18307 }
18308 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@subsection}
18309 \renewcommand*\thesubsubsection{%
18310     \thesubsection \@SepMark \@arabic\c@subsubsection
18311 }
18312 \renewcommand*\thesubsubsubsection{\thesubsubsection \@SepMark \@arabic\c@paragraph}
18313 \renewcommand*\thesubparagraph{%
18314     \thesubsubsubsection \@SepMark \@arabic\c@subparagraph
18315 }
18316 \renewcommand*\thefigure{%
18317     \thechapter \@SepMark%
18318     \@arabic\c@figure
18319 }
18320 \renewcommand*\thetable{%
18321     \thechapter \@SepMark%
18322     \@arabic\c@table
18323 }
18324 \renewcommand*\theequation{%
18325     \thechapter \@SepMark%
18326     \@arabic\c@equation
18327 }
18328 \renewenvironment{thebibliography}[1]{%
18329     \if@bib@break@
```



```

18330      \bib@beginhook
18331  \else
18332      \ifx\@bibpreamble\relax\else\ifx\@bibpreamble\empty\else
18333          \setchapterpreamble{\@bibpreamble}%
18334      \fi\fi
18335      \bib@heading
18336      \bib@beginhook
18337      \bib@before@hook
18338  \fi
18339  \renewcommand{\BreakBibliography}[1]{%
18340      \bib@break
18341      \end{thebibliography}%
18342      \begingroup ##1\endgroup
18343      \begin{thebibliography}{##1}
18344  }%
18345  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18346  \bidi@thebibliography@font@hook%
18347  \list{%
18348      \biblabel{\@arabic\c@enumiv}%
18349  }{%
18350      \settowidth\labelwidth{\biblabel{#1}}%
18351      \leftmargin\labelwidth
18352      \advance\leftmargin\labelsep
18353      \openbib@code
18354      \if@bib@break@
18355          \edef@\tempa{%
18356              \noexpand\usecounter{enumiv}%
18357              \noexpand\setcounter{enumiv}{\the\c@enumiv}%
18358          }@\tempa
18359          \no@bib@break
18360      \else
18361          \usecounter{enumiv}%
18362      \fi
18363      \let\p@enumiv\empty
18364      \renewcommand*\theenumiv{\@arabic\c@enumiv}%
18365  }%
18366  \sloppy\clubpenalty4000 \widowpenalty4000
18367  \sfcode`.=\@m
18368 }%
18369  \if@bib@break@
18370      \def@\noitemerr{%
18371          \@latex@warning{%
18372              \string\BreakBibliography space at begin of `thebibliography'
18373              environment\MessageBreak
18374              or following \string\BreakBibliography}%
18375      }%
18376  \else
18377      \def@\noitemerr{%
18378          \@latex@warning{%
18379              Empty `thebibliography' environment or

```



```

18380      \string\BreakBibliography\MessageBreak
18381      before end of `thebibliography' environment}%
18382  }%
18383  \fi
18384  \endlist
18385  \if@bib@break@
18386  \else
18387    \bib@after@hook
18388    \let\bib@before@hook\empty
18389    \let\bib@after@hook\empty
18390  \fi
18391  \bib@endhook
18392 }
18393 \renewcommand*\left@footnoterule{%
18394   \kern-3\p@
18395   \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
18396   \hrule\@width.4\columnwidth
18397   \kern 2.6\p@}
18398 \renewcommand*\right@footnoterule{%
18399   \kern-3\p@
18400   \ifx\@textbottom\relax\else\vskip \z@ \plus.05fil\fi
18401   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
18402   \kern2.6\p@}
18403 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
18404 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
18405 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
18406 \renewcommand\marginline[1]{%
18407   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{\#1}]{\if@RTL\raggedleft\else\raggedright\fi}
18408 }
18409 \renewcommand{\@makecaption}[3]{%
18410   \cap@margin
18411   \ifonelinecaptions
18412     \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
18413     \let\scr@tmp@footnotetext=\footnotetext
18414     \let\@footnotetext=\gobble
18415     \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
18416     \let\@LTRfootnotetext=\gobble
18417     \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
18418     \let\@RTLfootnotetext=\gobble
18419     \sbox\tempboxa{%
18420       \capfont\strut\ignorespaces
18421       #1{\caplabelfont{\#2\captionformat}}%
18422       #3\unskip\strut}%
18423     }%
18424     \let\@footnotetext=\scr@tmp@footnotetext
18425     \let\scr@tmp@footnotetext=\undefined
18426     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
18427     \let\scr@tmp@RTLfootnotetext=\undefined
18428     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
18429     \let\scr@tmp@RTLfootnotetext=\undefined

```



```

18430      \setcounter{footnote}{\@tempcntb}%
18431      \setcounter{mpfootnote}{\@tempcnta}%
18432 \else
18433   \sbox{\@tempboxa}{\hspace*{2\cap@width}}%
18434 \fi
18435 \begingroup%
18436   \setlength{\@tempdima}{\cap@width}%
18437   \ifdim \wd\@tempboxa >\@tempdima
18438     \hb@xt@\hsize{%
18439       \setbox\@tempboxa\vbox{\hsize=\cap@width
18440         \ifdofullc@p
18441           \capfont{\changefrom{\scr@smashdp{\strut\ignorespaces
18442             #1{{\caplabelfont{#2\captionformat}}}}}}%
18443             {\#3\unskip\strut\par}}}}%
18444   \else%
18445     \ifdim\cap@indent<\z@
18446       \capfont{\strut\ignorespaces
18447         #1{{\caplabelfont{#2\captionformat\par}}}}%
18448         \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}}}%
18449   \else%
18450     \if@capbreak
18451       \capfont{\strut\ignorespaces
18452         #1{{\caplabelfont{#2\captionformat\par}}}}%
18453         \noindent\changefrom{\hspace*{\cap@indent}\#3\par}}}}%
18454   \else
18455     \capfont{\changefrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}}%
18456       {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
18457         {\caplabelfont{#2\captionformat}}}}\#3\unskip\strut\par}}}}%
18458     \fi
18459   \fi
18460   \fi
18461 }%
18462 \setlength{\@tempdima}{\ht\@tempboxa}%
18463 \addtolength{\@tempdima}{\dp\@tempboxa}%
18464 \addtolength{\@tempdima}{-\ht\strutbox}%
18465 \ht\@tempboxa\ht\strutbox
18466 \dp\@tempboxa\@tempdima
18467 \strut\cap@left
18468 \box\@tempboxa
18469 \cap@right\strut
18470 }%
18471 \else
18472   \global \minipagetrue
18473   \sbox{\@tempboxa}{%
18474     \capfont{\scr@smashdp{\strut\ignorespaces
18475       #1{{\caplabelfont{#2\captionformat}}}}}}%
18476       #3}}%
18477   }%
18478   {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
18479 \fi

```



```

18480  \endgroup
18481 }
18482 \renewcommand{\@makecaption}[2]{%
18483   \if@captionabove
18484     \vskip\belowcaptionskip
18485   \else
18486     \vskip\abovecaptionskip
18487   \fi
18488   \@@makecaption\@firstofone{#1}{#2}%
18489   \if@captionabove
18490     \vskip\abovecaptionskip
18491   \else
18492     \vskip\belowcaptionskip
18493   \fi
18494 }
18495 \bidi@AfterFile{longtable-xetex-bidi.def}{%
18496   \@ifpackageloaded[caption2]{\komalalongtablefalse
18497     \scr@caption@before@longtable@warning{caption2}%
18498   }{}%
18499   \if@komalalongtable
18500     \renewcommand{\LT@makecaption}[3]{%
18501       \noalign{%
18502         \if@captionabove
18503           \vskip\belowcaptionskip
18504         \else
18505           \vskip\abovecaptionskip
18506         \fi
18507       }%
18508       \LT@mcol\LT@cols c{%
18509         \hbox to\z@\{ \hss\parbox[t]\linewidth{%
18510           \@@makecaption{#1}{#2}{#3}%
18511           \endgraf
18512           \if@captionabove
18513             \vskip\abovecaptionskip
18514           \else
18515             \vskip\belowcaptionskip
18516           \fi
18517         }%
18518         \hss
18519       }%
18520     }%
18521   }%
18522   \renewcommand*{\scr@LT@array}{}%
18523   \let\scr@LT@array=\LT@array
18524   \renewcommand*{\LT@array}{%
18525     \let\scr@caption=\LT@caption
18526     \def\captionabove{\noalign{\global\@captionabovetrue}%
18527       \scr@caption}%
18528     \def\captionbelow{\noalign{\global\@captionabovefalse}%
18529       \scr@caption}%

```



```

18530     \if@tablecaptionabove
18531         \let\LT@caption=\captionabove
18532     \else
18533         \let\LT@caption=\captionbelow
18534     \fi
18535     \scr@LT@array
18536 }
18537 \ClassInfo{\KOMAClassName}{%
18538     longtable captions redefined%
18539 }
18540 \fi
18541 }
18542
18543 \CloneTOCEntryStyle{tocline}{part}
18544 \TOCEntryStyleStartInitCode{part}{%
18545     \expandafter\renewcommand%
18546     \csname scr@tso@#1@linefill\endcsname{\hfill}%
18547     \expandafter\renewcommand%
18548     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
18549     \expandafter\renewcommand%
18550     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18551         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
18552     \expandafter\renewcommand\expandafter*%
18553     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
18554 }
18555
18556 \CloneTOCEntryStyle{tocline}{chapter}
18557 \TOCEntryStyleStartInitCode{chapter}{%
18558     \expandafter\renewcommand%
18559     \csname scr@tso@#1@linefill\endcsname{%
18560         \if@chapterentrywithdots
18561             \TOCLineLeaderFill\relax
18562         \else
18563             \hfill
18564         \fi
18565     }%
18566     \expandafter\renewcommand%
18567     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
18568     \expandafter\renewcommand%
18569     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18570         \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
18571     \expandafter\renewcommand\expandafter*%
18572     \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
18573 }
18574
18575 \CloneTOCEntryStyle{tocline}{section}
18576 \TOCEntryStyleStartInitCode{section}{%
18577     \expandafter\renewcommand%
18578     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
18579 }

```



```

18580
18581 \CloneTOCEntryStyle{section}{default}
18582
18583 \DeclareSectionCommand[%]
18584   style=part,%
18585   level=\m@ne,%
18586   pagestyle=plain,%
18587   tocstyle=part,%
18588   toplevel=\m@ne,%
18589   tocindent=\z@,%
18590   tocnumwidth=2em%
18591 ]{part}
18592 \DeclareSectionCommand[%]
18593   style=chapter,%
18594   level=\z@,%
18595   pagestyle=plain,%
18596   tocstyle=chapter,%
18597   tocindent=\z@,%
18598   tocnumwidth=1.5em%
18599 ]{chapter}
18600 \DeclareSectionCommand[%]
18601   style=section,%
18602   level=1,%
18603   indent=\z@,%
18604   beforeskip=-3.5ex \oplus -1ex \ominus -.2ex,%
18605   afterskip=2.3ex \oplus .2ex,%
18606   tocstyle=section,%
18607   tocindent=1.5em,%
18608   tocnumwidth=2.3em%
18609 ]{section}
18610 \DeclareSectionCommand[%]
18611   style=section,%
18612   level=2,%
18613   indent=\z@,%
18614   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%
18615   afterskip=1.5ex \oplus .2ex,%
18616   tocstyle=section,%
18617   tocindent=3.8em,%
18618   tocnumwidth=3.2em%
18619 ]{subsection}
18620 \DeclareSectionCommand[%]
18621   style=section,%
18622   level=3,%
18623   indent=\z@,%
18624   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%
18625   afterskip=1.5ex \oplus .2ex,%
18626   tocstyle=section,%
18627   tocindent=7.0em,%
18628   tocnumwidth=4.1em%
18629 ]{subsubsection}

```



```

18630 \DeclareSectionCommand[%]
18631   style=section,%
18632   level=4,%
18633   indent=\z@,%
18634   beforeskip=3.25ex \oplus1ex \ominus.2ex,%
18635   afterskip=-1em,%
18636   tocstyle=section,%
18637   tocindent=10em,%
18638   tocnumwidth=5em%
18639 ]{paragraph}
18640 \DeclareSectionCommand[%]
18641   style=section,%
18642   level=5,%
18643   indent=\scr@parindent,%
18644   beforeskip=3.25ex \oplus1ex \ominus.2ex,%
18645   afterskip=-1em,%
18646   tocstyle=section,%
18647   tocindent=12em,%
18648   tocnumwidth=6em%
18649 ]{subparagraph}
18650
18651

```

109 File `sidecap-xetex-bidi.def`

```

18652 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for XeTeX]
18653 \renewcommand*\SC@FLOAT}[2]{\if@RTL%
18654   \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2}} {\#2}\hspace{\sidecaptionsep}{\#1}}\else%
18655 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1}} {\#1}\hspace{\sidecaptionsep}{\#2}}\fi%
18656 \renewcommand*\SC@justify@caption{\if@RTL%
18657 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
18658 \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

110 File `soul-xetex-bidi.def`

```

18650 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX]
18651 \long\def\SOUL@start#1{%
18652   \let\bidi@RTL@everypar\empty
18653   \let\<\SOUL@lowerthan
18654   \let\>\empty
18655   \def\soulomit{\noexpand\soulomit}%
18656   \gdef\SOUL@eventuallyexhyphen##1{}%
18657   \let\SOUL@soeventuallyskip\relax
18658   \SOUL@spaceskip=\fontdimen\tw@\font\oplus\fontdimen\thr@@\font
18659     \ominus\fontdimen4\font
18660   \SOUL@ignorespacesfalse
18661   \leavevmode
18662   \SOUL@preamble
18663   \SOUL@lasttoken={}%
18664   \SOUL@word={}%

```



```

18674     \SOUL@minus\z@%
18675     \SOUL@comma\z@%
18676     \SOUL@apo\z@%
18677     \SOUL@grave\z@%
18678     \SOUL@do{\#1}%
18679     \SOUL@postamble%
18680   }%
18681 \def\SOUL@ulunderline#1{%%
18682   \setbox\z@\hbox{\#1}%
18683   \dimen@=\wd\z@%
18684   \dimen@i=\SOUL@uloverlap%
18685   \advance\dimen@2\dimen@i%
18686   \if@RTL%
18687     \unhcopy\z@%
18688     \rlap{%
18689       \null%
18690       \kern-\dimen@i%
18691       \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18692     }%
18693   \else%
18694     \rlap{%
18695       \null%
18696       \kern-\dimen@i%
18697       \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18698     }%
18699     \unhcopy\z@%
18700   \fi%
18701 }%
18702 \def\bidi@SOUL@ulleaders{%
18703   \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\relax%
18704 }%
18705 \def\SOUL@uleverspace#1{%
18706   \if@RTL%
18707     #1%
18708     \bidi@SOUL@ulleaders%
18709     \hskip\spaceskip%
18710   \else%
18711     \SOUL@ulcolor{%
18712       #1%
18713       \SOUL@ulleaders%
18714       \hskip\spaceskip%
18715     }%
18716   \fi%
18717   \null%
18718 }%

```

111 File stabular-xetex-bidi.def

```

18719 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
18720 \def\@stabular{%

```



```

18721  \leavevmode \bgroup \if@RTLtab\beginR \fi
18722  \let\@acol\@tabacol
18723  \let\@classz\@tabclassz
18724  \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray}
18725 \def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
18726  \egroup \if@RTLtab\endR\fi\egroup}
18727 \expandafter \let \csname endstabular*\endcsname = \endstabular
18728 \def\@sarray[#1]#2{%
18729  \bgroup
18730  \setbox\@arstrutbox\hbox{%
18731  \vrule \@height\arraystretch\ht\strutbox
18732  \@depth\arraystretch \dp\strutbox
18733  \@width\z@}%
18734  \mkpream{#2}%
18735  \edef\@preamble{%
18736  \ialign \noexpand\@halignto
18737  \bgroup \@arstrut \preamble \tabskip\z@skip \cr}%
18738 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18739 \let\tabularnewline\\%
18740  \let\@sharp##%
18741  \set@typeset@protect
18742  \lineskip\z@skip\baselineskip\z@skip
18743 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
18744  \preamble}
```

112 File subfigure-xetex-bidi.def

```

18745 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
18746 \AtBeginDocument{%
18747 \let\p@subfigure=\thefigure
18748 \let\p@subtable=\thetable%
18749 }
```

113 File tabls-xetex-bidi.def

```

18750 \ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for Xe%
18751 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
18752
18753 \expandafter\let\csname endtabular*\endcsname=\endtabular
18754
18755 \def\endarray{\ifvmode\csname crcr\endcsname % just do \cr\cr if \\ given
18756  \else \\[\z@ \global\advance\carstdepth-\@tarlinesep]%
18757  \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecuse\egroup}
18758
18759 \def\@array[#1]#2{%
18760  \edef\@unrecuse{\global\@skip@bove\the\@skip@bove
18761  \global\carstheight\the\carstheight\global\carstdepth\the\carstdepth}%
18762  \let\@tarlinesep@\tarlinesep \global\@skip@bove-\@tarlinesep
18763  \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
18764  \else \let\@tarlinesep\tablinesep \fi}
```



```

18765 \divide@tarlinesep\tw@ % half sep is applied to height & depth
18766 \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
18767 \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
18768 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
18769 \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
18770 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
18771 \fi \setbox\@arstrutbox\hbox{\% set up smaller strut
18772 \vrule \height\@tempdima \depth\@tempdimb \width\z@\%}
18773 \let\protect\noexpand
18774 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
18775 \unhcopy\@arstrutbox \preamble \tabskip\z@skip &\@sharp \cr}%
18776 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18777 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
18778 \bgroup \let\par\empty
18779 \global\carstheight\ht\@arstrutbox \global\carstdepth\dp\@arstrutbox
18780 \advance\extrarulesep.5\arrayrulewidth
18781 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
18782 \if@RTLtab\hbox\bgroup\beginR\hboxR\constructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
18783 \preamble}

```

114 File tabularx-xetex-bidi.def

```

18784 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
18785 \def\TX@endtabularxf{%
18786   \expandafter\expandafter\expandafter
18787     \TX@find@endtabularxa\csname end\TX@\endcsname
18788   \endtabularx\TX@\endtabularx\TX@find@endtabularxa
18789   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
18790   \let\verb\TX@verb
18791   \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
18792   \edef\TX@ckpt{\cl@ckpt}%
18793   \let\@elt\relax
18794   \TX@old@table\maxdimen
18795   \TX@col@width\TX@target
18796   \global\TX@cols\@ne
18797   \TX@typeout@
18798     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
18799   \TX@trial{\def\NC@rewrite@X{%
1880     \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
18801 \loop
18802   \TX@arith
18803   \ifTX@
18804   \TX@trial{}%
18805 \repeat
18806 {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
18807 \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
18808 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
18809   \csname tabular*\expandafter\endcsname\expandafter\TX@target
18810   \the\toks@
18811 \csname endtabular*\endcsname}%

```



```

18812 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
18813 \ifnum0=\`{fi}%
18814 \expandafter\expandafter\expandafter
18815 \TX@find@endtabularxbb
18816 \expandafter\end\expandafter{\TX@}%
18817 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
18818 }
18819
18820 \def\TX@trial#1{%
18821   \setbox\@tempboxa\hbox{%
18822     #1\relax
18823   \let\@footnotetext\TX@trial@ftn
18824   \let\@LTRfootnotetext\TX@trial@ftn
18825   \let\@RTLfootnotetext\TX@trial@ftn
18826   \let\TX@vwarn\@empty
18827   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
18828   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
18829   \def\write{\begingroup
18830     \def\let{\afterassignment\endgroup\toks@}%
18831       \afterassignment\let\count@}%
18832     \hbadness\@M
18833     \hfuzz\maxdimen
18834     \let\hbadness\@tempcnta
18835     \let\hfuzz\@tempdima
18836     \expandafter\tabular\the\toks@
18837     \endtabular}%
18838 \TX@ckpt
18839 \TX@typeout@\{@spaces
18840   \expandafter\TX@align
18841     \the\wd\@tempboxa\space\space\space\space\space\@O
18842   \expandafter\TX@align
18843     \the\TX@col@width\space\space\space\space\space\@O
18844   \@spaces\the\TX@cols\}}
18845
18846 \long\def\TX@LTRftntext#1{%
18847   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
18848     [\the\csname c@\@mpfn\endcsname]}%
18849   \global\TX@ftn\expandafter{\@tempa{#1}}%
18850 \long\def\TX@xLTRftntext[#1]#2{%
18851   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
18852
18853 \long\def\TX@RTLftntext#1{%
18854   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
18855     [\the\csname c@\@mpfn\endcsname]}%
18856   \global\TX@ftn\expandafter{\@tempa{#1}}%
18857 \long\def\TX@xRTLftntext[#1]#2{%
18858   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```



115 File tabulary-xetex-bidi.def

116 File `tc-xetex-bidi.def`

```
18889 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeT
18890 \def\@cliptoboxdim#1{%
18891     \setbox#1=\hbox{%
18892         \Gin@defaultbp\WIDTH{\wd#1}%
18893         \Gin@defaultbp\DEPTH{\dp#1}%
18894         \tempdima\ht#1%
18895         \advance\tempdima\dp#1%
18896         \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
18897         \beginL\special{pdf:bcontent }%
18898         \special{%
18899             pdf:literal direct
18900             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
18901         }%
18902         \special{pdf:literal direct W }%
18903         \special{pdf:literal direct n }%
```



```

18904         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
18905         \special{pdf:econtent }\endL%
18906     }%
18907 }

```

117 File `tcolorbox-xetex-bidi.def`

```

18908 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox package
18909 \let\endtcb@lrbox=\endminipage
18910 \let\endtcb@savebox=\endtcb@lrbox
18911
18912 \bidi@patchcmd{\tcb@vbox}{%
18913   \let\@footnotetext\mpfootnotetext%
18914 }{%
18915   \let\@footnotetext\mpfootnotetext%
18916   \let\@LTRfootnotetext\mpLTRfootnotetext%
18917   \let\@RTLfootnotetext\mpRTLfootnotetext%
18918 }{}{%
18919
18920 \bidi@patchcmd{\endtcb@vbox}{%
18921   \footnoterule%
18922 }{%
18923   \bidi@mpfootnoterule%
18924 }{}{%
18925 \bidi@apptocmd\tcb@@icolorbox{%
18926   \@bidi@list@minipage@parboxfalse
18927 }{}{%

```

118 File `titlesec-xetex-bidi.def`

```

18928 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
18929 \renewcommand\firight{%
18930   \gdef\ttl@filleft##1{\hskip##1}%
18931   \gdef\ttl@filright##1{\hfill}%
18932   \let\\@\centercr
18933   \advance\rightskip\z@ \oplus 1fil
18934 \parfillskip\z@}
18935 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
18936   \gdef\ttl@makeline##1{\ttl@calc\hskip{#6}##1\ttl@calc\hskip{#7}}%
18937   \setlength\leftskip{#6}%
18938   \setlength\rightskip{#7}%
18939   \interlinepenalty@M
18940   \ttl@changecentercr
18941   \ttl@beginlongest
18942   #1{\ifhmode\ttl@hmode@error\fi
18943     \ttl@glcmds
18944     \parindent\z@
18945     \leavevmode
18946     \begingroup
18947       \ifttl@label

```



```

18948      \sbox{z@{\#2\strut\ttl@calc\hspace{\#3}}}{%
18949      \if@RTL\advance\rightskip\wd{z@}\else\advance\leftskip\wd{z@}\fi
18950      \llap{\box{z@}}{%
18951      \fi
18952      #4{\#8}{%
18953      \kern{z@}\strut\@@par
18954      \endgroup
18955      \nobreak\ttl@midlongest#5\@@par}{%
18956      \ttl@endlongest}

```

119 File `titletoc-xetex-bidi.def`

```

18957 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
18958 \renewcommand\firight{%
18959   \gdef\ttl@filleft##1{\hskip##1}%
18960   \gdef\ttl@filright##1{\hfill}%
18961   \let\\=\@centercr
18962   \advance\rightskip{z@}\oplus 1fil
18963 \parfillskip{z@}%
18964 \renewcommand\contentspush[1]{%
18965   \sbox{z@{\#1}}{%
18966   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd{z@}}%
18967   \aftergroup\ttl@b
18968   \leavevmode\llap{\box{z@}}{%
18969 \def\ttl@outnoblock#1#2#3{%
18970   \begingroup
18971   \ifnum\ttl@b>\ttl@a
18972     \nobreak
18973   \else\ifnum\ttl@b<\ttl@a
18974     \addpenalty{\@secpenalty}%
18975   \else
18976     \addpenalty{\z@}%
18977   \fi\fi
18978   \ttl@contentsstretch
18979   \nobreak
18980   \ifcase#1\relax\else\interlinepenalty\@M\fi
18981   \parindent{z@}
18982   \ifx\@nil#2%
18983     \PackageError{titletoc}{Unimplemented}%
18984     {The optional argument is currently mandatory}%
18985   \else
18986     \if@RTL\setlength\rightskip{\#2}\else
18987       \setlength\leftskip{\#2}\fi%
18988   \fi
18989   \if@RTL\setlength\leftskip{@pnumwidth}\else\setlength\rightskip{@pnumwidth}\fi%
18990   \let\contentsmargin\ttl@margin
18991   \def\ttl@makeline##1{##1}%
18992   #3%
18993   \addtolength{\parfillskip}{-\ttl@corr}%
18994   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%

```



```

18995 \let\ttl@leaders\leaders}
18996 \renewcommand\ttl@margin[2][\z@]{%
18997 \def\ttl@corr{\#1}%
18998 \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
18999 \advance\if@RTL\leftskip\else\rightskip\fi\#2\relax
19000 \def\@pnumwidth{\#2}}
19001 \let\ttl@savel@part\l@part
19002 \def\l@part{\ttl@lselect{part}}
19003
19004 \let\ttl@savel@chapter\l@chapter
19005 \def\l@chapter{\ttl@lselect{chapter}}

```

120 File `tocbibind-xetex-bidi.def`

```

19006 \ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package]
19007 \if@dotocbib
19008 \@ifpackageloaded{natbib}{}{%
19009   \renewcommand{\bibsection}{\t@cb@bchapsec}
19010   \renewenvironment{thebibliography}[1]{%
19011     \bibsection
19012     \begin{thebibitemlist}[\#1]{\end{thebibitemlist}}}
19013 \renewenvironment{thebibitemlist}[1]{%
19014   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19015   \bidi@\thebibliography@font@hook%
19016   \list{\@biblabel{\@arabic\c@enumiv}}{%
19017     \settowidth\labelwidth{\@biblabel{\#1}}%
19018     \leftmargin\labelwidth
19019     \advance\leftmargin\labelsep
19020     \openbib@code
19021     \usecounter{enumiv}%
19022     \let\p@enumiv\empty
19023     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
19024   \sloppy
19025   \clubpenalty4000
19026   \clubpenalty \clubpenalty
19027   \widowpenalty4000%
19028   \sfcode`\.\@m}
19029 \def\noitemerr
19030   {\@latex@warning{Empty `thebibliography' environment}}%
19031 \endlist}
19032
19033 \@ifpackagewith{chapterbib}{sectionbib}%
19034   {\renewcommand{\sectionbib}[2]{}}
19035   {}
19036
19037 \fi
19038 \if@inltxdoc\else
19039   \renewenvironment{theindex}%
19040   {\if@twocolumn
19041     \restonecolfalse

```



```

19042     \else
19043         \c@restonecoltrue
19044     \fi
19045     \if@bibchapter
19046         \if@donumindex
19047             \refstepcounter{chapter}
19048             \twocolumn[\vspace*{2\topskip}%
19049                 \makechapterhead{\indexname}]%
19050             \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
19051             \chaptermark{\indexname}
19052     \else
19053         \if@dotocind
19054             \twocolumn[\vspace*{2\topskip}%
19055                 \makeschapterhead{\indexname}]%
19056             \prw@mkboth{\indexname}
19057             \addcontentsline{toc}{chapter}{\indexname}
19058     \else
19059         \twocolumn[\vspace*{2\topskip}%
19060                 \makeschapterhead{\indexname}]%
19061             \prw@mkboth{\indexname}
19062     \fi
19063   \fi
19064 \else
19065     \if@donumindex
19066         \twocolumn[\vspace*{-1.5\topskip}%
19067             \nameuse{\@tocextra}{\indexname}]%
19068             \csname \@tocextra mark\endcsname{\indexname}
19069   \else
19070     \if@dotocind
19071         \twocolumn[\vspace*{-1.5\topskip}%
19072             \toc@headstar{\@tocextra}{\indexname}]%
19073             \prw@mkboth{\indexname}
19074             \addcontentsline{toc}{\@tocextra}{\indexname}
19075   \else
19076         \twocolumn[\vspace*{-1.5\topskip}%
19077             \toc@headstar{\@tocextra}{\indexname}]%
19078             \prw@mkboth{\indexname}
19079   \fi
19080 \fi
19081 \fi
19082 \thispagestyle{plain}\parindent\z@
19083 \parskip\z@\cplus .3\p@\relax
19084 \let\item\idxitem
19085 {\if@restonecol\onecolumn\else\clearpage\fi}
19086 \fi

```

121 File `tocloft-xetex-bidi.def`

```

19087 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
19088 \let\cftdot\@SepMark

```



```

19089 \if@cfthaspart
19090 \renewcommand*{\l@part}[2]{
19091   \@cftdopartfalse
19092   \ifnum \c@tocdepth >-2\relax
19093     \if@cfthaschapter
19094       \@cftdoparttrue
19095     \fi
19096     \ifnum \c@tocdepth >\m@ne
19097       \if@cfthaschapter\else
19098         \@cftdoparttrue
19099       \fi
19100     \fi
19101   \fi
19102 \if@cftdopart
19103   \if@cfthaschapter
19104     \addpenalty{-\@highpenalty}
19105   \else
19106     \addpenalty\@secpenalty
19107   \fi
19108   \addvspace{\cftbeforepartskip}
19109 \begingroup
19110   {\if@RTL\rightskip\else\leftskip\fi \cftpardindent\relax
19111   \if@RTL\leftskip\else\rightskip\fi \cftpartmarg
19112   \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19113   \parindent \cftpardindent\relax\@afterindenttrue
19114   \interlinepenalty\@M
19115   \leavevmode
19116   \cftpardnumwidth\relax
19117   \let\@cftbsnum \cftpardpresnum
19118   \let\@cftasnum \cftpardafersnum
19119   \let\@cftasnumb \cftpardafersnumb
19120   \advance\if@RTL\rightskip\else\leftskip\fi \cftpardpresnum \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftpardpresnum #1}
19121   {\cftpardfont \cftpardpresnum #1}
19122   \cftpardfillnum{#2}}
19123 \nobreak
19124 \if@cfthaschapter
19125   \global\@nobreaktrue
19126   \everypar{\global\@nobreakfalse\everypar{}}
19127 \else
19128   \if@compatibility
19129     \global\@nobreaktrue
19130     \everypar{\global\@nobreakfalse\everypar{}}
19131   \fi
19132   \fi
19133 \endgroup
19134 \fi}
19135 \fi
19136 \if@cfthaschapter
19137 \renewcommand*{\l@chapter}[2]{
19138   \ifnum \c@tocdepth >\m@ne

```



```

19139   \addpenalty{-\@highpenalty}
19140   \vskip \cftbeforechapskip
19141   {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
19142     \if@RTL\leftskip\else\rightskip\fi \cftchapmarg
19143     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19144     \parindent \cftchapindent\relax\cftchapaftertrue
19145     \interlinepenalty\@M
19146     \leavevmode
19147     \cftchapnumwidth\relax
19148     \let\cftbsnum \cftchappresnum
19149     \let\cftasnum \cftchapaftersnum
19150     \let\cftasnumb \cftchapaftersnumb
19151     \advance\if@RTL\rightskip\else\leftskip\fi \cftchapfont \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
19152     {\cftchapfont #1}\nobreak
19153     \cftchapfillnum{\#2}}
19154   \fi}
19155 \fi
19156 \renewcommand*{\l@section}[2]{%
19157   \ifnum \c@tocdepth >\z@
19158     \if@cfthaschapter
19159       \vskip \cftbeforesecskip
19160     \else
19161       \addpenalty\@secpenalty
19162       \addvspace{\cftbeforesecskip}
19163     \fi
19164     {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
19165       \if@RTL\leftskip\else\rightskip\fi \cftchapmarg
19166       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19167       \parindent \cftsecindent\relax\cftchapaftertrue
19168       \interlinepenalty\@M
19169       \leavevmode
19170       \cftsecnumwidth\relax
19171       \let\cftbsnum \cftsecpresnum
19172       \let\cftasnum \cftsecaftersnum
19173       \let\cftasnumb \cftsecaftersnumb
19174       \advance\if@RTL\rightskip\else\leftskip\fi \cftsecfont \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
19175       {\cftsecfont #1}\nobreak
19176       \cftsecfillnum{\#2}}
19177   \fi}
19178 \renewcommand*{\l@subsection}[2]{%
19179   \ifnum \c@tocdepth >\@ne
19180     \vskip \cftbeforesubsecskip
19181     {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
19182       \if@RTL\leftskip\else\rightskip\fi \cftchapmarg
19183       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19184       \parindent \cftsubsecindent\relax\cftchapaftertrue
19185       \interlinepenalty\@M
19186       \leavevmode
19187       \cftsubsecnumwidth\relax
19188       \let\cftbsnum \cftsubsecpresnum

```



```

19189   \let\@cftasnum \cftsubsecaftersnum
19190   \let\@cftasnumb \cftsubsecaftersnumb
19191   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
19192   {\cftsubsecfont #1}\nobreak
19193   \cftsubsecfillnum{#2}}
19194 \fi}
19195 \renewcommand*{\l@subsubsection}[2]{%
19196   \ifnum \c@tocdepth >\tw@
19197     \vskip \cftbeforesubsecskip
19198     {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
19199       \if@RTL\leftskip\else\rightskip\fi \cftsubsubsecindent\relax
19200       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19201       \parindent \cftsubsubsecindent\relax\@afterindenttrue
19202       \interlinepenalty\@M
19203       \leavevmode
19204       \tempdima \cftsubsubsecnumwidth\relax
19205       \let\@cftbsnum \cftsubsubsecpresnum
19206       \let\@cftasnum \cftsubsubsecaftersnum
19207       \let\@cftasnumb \cftsubsubsecaftersnumb
19208       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
19209       {\cftsubsubsecfont #1}\nobreak
19210       \cftsubsubsecfillnum{#2}}
19211 \fi}
19212 \renewcommand*{\l@paragraph}[2]{%
19213   \ifnum \c@tocdepth >3\relax
19214     \vskip \cftbeforeparaskip
19215     {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
19216       \if@RTL\leftskip\else\rightskip\fi \cftparaindent\relax
19217       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19218       \parindent \cftparaindent\relax\@afterindenttrue
19219       \interlinepenalty\@M
19220       \leavevmode
19221       \tempdima \cftparanumwidth\relax
19222       \let\@cftbsnum \cftparapresnum
19223       \let\@cftasnum \cftparaftersnum
19224       \let\@cftasnumb \cftparaftersnumb
19225       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
19226       {\cftparafont #1}\nobreak
19227       \cftparafillnum{#2}}
19228 \fi}
19229 \renewcommand*{\l@ subparagraph}[2]{%
19230   \ifnum \c@tocdepth >4\relax
19231     \vskip \cftbeforesubparaskip
19232     {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
19233       \if@RTL\leftskip\else\rightskip\fi \cftsubparaindent\relax
19234       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19235       \parindent \cftsubparaindent\relax\@afterindenttrue
19236       \interlinepenalty\@M
19237       \leavevmode
19238       \tempdima \cftsubparanumwidth\relax

```



```

19239   \let\@cftbsnum \cftsubparapresnum
19240   \let\@cftasnum \cftsubparaafersnum
19241   \let\@cftasnumb \cftsubparaafersnumb
19242   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hspace -\if@RTL\rightskip\else\leftskip\fi
19243   {\cftsubparafont #1}\nobreak
19244   \cftsubparafillnum{#2}}
19245   \fi}
19246 \renewcommand*{\l@figure}[2]{%
19247   \ifnum \c@lofdepth >\z@
19248     \vskip \cftbeforefigskip
19249     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
19250     \if@RTL\leftskip\else\rightskip\fi \tocrmarg
19251     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19252     \parindent \cftfigindent\relax\@afterindenttrue
19253     \interlinepenalty\@M
19254     \leavevmode
19255     \tempdima \cftfignumwidth\relax
19256     \let\@cftbsnum \cftfigpresnum
19257     \let\@cftasnum \cftfigaftersnum
19258     \let\@cftasnumb \cftfigaftersnumb
19259     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hspace -\if@RTL\rightskip\else\leftskip\fi
19260     {\cftfigfont #1}\nobreak
19261     \cftfigfillnum{#2}}
19262   \fi
19263 }
19264 \renewcommand*{\l@table}[2]{%
19265   \ifnum\c@lotdepth >\z@
19266     \vskip \cftbeforetabskip
19267     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
19268     \if@RTL\leftskip\else\rightskip\fi \tocrmarg
19269     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19270     \parindent \cfttabindent\relax\@afterindenttrue
19271     \interlinepenalty\@M
19272     \leavevmode
19273     \tempdima \cfttabnumwidth\relax
19274     \let\@cftbsnum \cfttabpresnum
19275     \let\@cftasnum \cfttabaftersnum
19276     \let\@cftasnumb \cfttabaftersnumb
19277     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hspace -\if@RTL\rightskip\else\leftskip\fi
19278     {\cfttabfont #1}\nobreak
19279     \cfttabfillnum{#2}}
19280   \fi
19281 }
19282 \renewcommand{\@cftl@subfig}{%
19283 \renewcommand*{\l@subfigure}[2]{%
19284   \ifnum \c@lofdepth > \toclevel@subfigure
19285     \vskip \cftbeforesubfigskip
19286     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
19287     \if@RTL\leftskip\else\rightskip\fi \tocrmarg
19288     \parfillskip -\if@RTL\leftskip\else\rightskip\fi

```



```

19289 \parindent \cftsubfigindent\relax\@afterindenttrue
19290 \interlinepenalty\@M
19291 \leavevmode
19292 \tempdima \cftsubfignumwidth\relax
19293 \let\cftbsnum \cftsubfigpresnum
19294 \let\cftasnum \cftsubfigaftersnum
19295 \let\cftasnumb \cftsubfigaftersnumb
19296 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftsubfigfont ##1\nobreak
19297 \cftsubfigfillnum{##2}
19298 \cftsubfigfillnum{##2}}
19299 \fi
19300 }
19301 }
19302 \renewcommand{\cftl@subtab}{%
19303 \renewcommand*{\l@subtable}[2]{%
19304   \ifnum \c@lotdepth > \toclevel@subtable
19305     \vskip \cftbeforesubtabskip
19306     {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
19307       \if@RTL\leftskip\else\rightskip\fi \cftsubtabmarg
19308       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19309       \parindent \cftsubtabindent\relax\@afterindenttrue
19310       \interlinepenalty\@M
19311       \leavevmode
19312       \tempdima \cftsubtabnumwidth\relax
19313       \let\cftbsnum \cftsubtabpresnum
19314       \let\cftasnum \cftsubtabaftersnum
19315       \let\cftasnumb \cftsubtabaftersnumb
19316       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftsubtabfont ##1\nobreak
19317       \cftsubtabfillnum{##2}
19318     }
19319   \fi
19320 }
19321 }
19322 \renewcommand{\newlistentry}[4][\empty][]{%
19323   \@ifundefined{c@#2}{%      check & set the counter
19324     \ifx \empty\relax
19325       \newcounter{#2}
19326     \else
19327       \PackageWarning{tocloft}%
19328         {#1 has no counter for use as a `within'}
19329       \newcounter{#2}%
19330     \newcounter{#2}[#1]%
19331     \expandafter\edef\csname the#2\endcsname{%
19332       \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}%
19333   \fi
19334   \setcounter{#2}{0}
19335 }
19336 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
19337
19338 \namedef{l@#2}##1##2{%

```



```

19339 \ifnum \@nameuse{c@#3depth} > #4\relax
19340   \vskip \@nameuse{cftbefore#2skip}
19341   {\if@RTL\rightskip\else\leftskip\fi \cnameuse{cft#2indent}\relax
19342     \if@RTL\leftskip\else\rightskip\fi \cocrmarg
19343     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19344     \parindent \cnameuse{cft#2indent}\relax\@afterindenttrue
19345     \interlinepenalty\@M
19346     \leavevmode
19347     \tempdima \cnameuse{cft#2numwidth}\relax
19348     \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
19349     \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
19350     \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
19351     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\right
19352     {\@nameuse{cft#2font}##1}\nobreak
19353     \cnameuse{cft#2fillnum}##2}
19354   \fi
19355 } % end of \l@#2
19356
19357 \expandafter\newlength\csname cftbefore#2skip\endcsname
19358   \setlength{\@nameuse{cftbefore#2skip}}{\z@ \plus .2\p@}
19359 \expandafter\newlength\csname cft#2indent\endcsname
19360 \expandafter\newlength\csname cft#2numwidth\endcsname
19361 \ifcase #4\relax % 0
19362   \setlength{\@nameuse{cft#2indent}}{0em}
19363   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
19364 \or % 1
19365   \setlength{\@nameuse{cft#2indent}}{1.5em}
19366   \setlength{\@nameuse{cft#2numwidth}}{2.3em}
19367 \or % 2
19368   \setlength{\@nameuse{cft#2indent}}{3.8em}
19369   \setlength{\@nameuse{cft#2numwidth}}{3.2em}
19370 \or % 3
19371   \setlength{\@nameuse{cft#2indent}}{7.0em}
19372   \setlength{\@nameuse{cft#2numwidth}}{4.1em}
19373 \else % anything else
19374   \setlength{\@nameuse{cft#2indent}}{10.0em}
19375   \setlength{\@nameuse{cft#2numwidth}}{5.0em}
19376 \fi
19377 \namedef{cft#2font}{\normalfont}
19378 \namedef{cft#2presnum}{}
19379 \namedef{cft#2aftersnum}{}
19380 \namedef{cft#2aftersnumb}{}
19381 \namedef{cft#2dotsep}{\cftdotsep}
19382 \namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
19383 \namedef{cft#2pagefont}{\normalfont}
19384 \namedef{cft#2afterpnum}{}
19385 \namedef{toclevel0#2}{#4}
19386 \namedef{cft#2fillnum}##1%
19387   {\@nameuse{cft#2leader}}\nobreak
19388   \hb@xt@\pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}

```



```

19389 } % end \newlistentry
19390 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
19391   {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
19392     \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
19393     \if@RTL\leftskip\else\rightskip\fi \atocrmarg\relax
19394     \textit{\#1}\protect\par}}}

```

122 File `tocbasic-xetex-bidi.def`

```

19395 \ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package]
19396 \bidi@undef\scr@dte@def@l@undottedtocline
19397 \bidi@undef\scr@dte@undottedtocline@init
19398 \DeclareTOCEEntryStyle{undottedtocline}[{%
19399   \DefineTOCEEntryLengthOption{indent}%
19400   {scr@tso@}{@indent}{entry indent}%
19401   \DefineTOCEEntryLengthOption{numwidth}%
19402   {scr@tso@}{@numwidth}{entry number width}%
19403   \@ifundefined{#1tocdepth}{%
19404     \ifstr{\#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19405       \ifstr{\#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19406         \ifstr{\#1}{section}{\@namedef{#1tocdepth}{1}}{%
19407           \ifstr{\#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19408             \ifstr{\#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19409               \ifstr{\#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19410                 \ifstr{\#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19411                   \ifstr{\#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19412                     \ifstr{\#1}{table}{\@namedef{#1tocdepth}{1}}{%
19413                       \expandafter\let\csname #1tocdepth\expandafter\endcsname
19414                         \csname #1numdepth\endcsname
19415                       }%
19416                     }%
19417                   }%
19418                 }%
19419               }%
19420             }%
19421           }%
19422         }%
19423       }%
19424     }{%
19425       \@ifundefined{scr@tso@#1@indent}{%
19426         \@ifundefined{scr@#1@tocindent}{%
19427           \ifstr{\#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19428             \ifstr{\#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19429               \ifstr{\#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19430                 \ifstr{\#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19431                   \scr@ifundefinedorrelax{l@chapter}{%
19432                     \ifstr{\#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19433                       \ifstr{\#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19434                         \ifstr{\#1}{subsubsection}{%
19435                           \@namedef{scr@tso@#1@indent}{3.8em}}%

```



```

19436 }{%
19437     \ifstr{#1}{paragraph}{%
19438         \cnamedef{scr@tso@#1@indent}{7em}%
19439     }{%
19440         \ifstr{#1}{subparagraph}{%
19441             \cnamedef{scr@tso@#1@indent}{10em}%
19442         }{%
19443             }%
19444         }%
19445     }%
19446     }%
19447 }{%
19448     \ifstr{#1}{section}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19449         \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@indent}{3.8em}}{%
19450             \ifstr{#1}{subsubsection}{%
19451                 \cnamedef{scr@tso@#1@indent}{7.0em}%
19452             }{%
19453                 \ifstr{#1}{paragraph}{%
19454                     \cnamedef{scr@tso@#1@indent}{10em}%
19455                 }{%
19456                     \ifstr{#1}{subparagraph}{%
19457                         \cnamedef{scr@tso@#1@indent}{12em}%
19458                     }{%
19459                         }%
19460                     }%
19461                 }%
19462             }%
19463         }%
19464     }%
19465     }%
19466     }%
19467     }%
19468     }%
19469 }{%
19470     \cnamedef{scr@tso@#1@indent}{\cnameuse{scr@#1@tocindent}}%
19471 }{%
19472 }{%
19473 }{%
19474 \cifundefined{scr@tso@#1@numwidth}{%
19475     \cifundefined{scr@#1@tocnumwidth}{%
19476         \ifstr{#1}{figure}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19477             \ifstr{#1}{table}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19478                 \ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
19479                     \scr@ifundefinedorrelax{chapter}{%
19480                         \ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
19481                             \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
19482                                 \ifstr{#1}{subsubsection}{%
19483                                     \cnamedef{scr@tso@#1@numwidth}{3.2em}%
19484                                 }{%
19485                                     \ifstr{#1}{paragraph}{%

```



```

19486           \c@numwidth}{4.1em}%
19487 }{%
19488     \ifstr{#1}{subparagraph}{%
19489       \c@numwidth}{5m}%
19490     }{%
19491   }%
19492   }%
19493   }%
19494   }%
19495   }%
19496 }{%
19497   \ifstr{#1}{section}{\c@numwidth}{2.3em}%
19498     \ifstr{#1}{subsection}{\c@numwidth}{3.2em}%
19499       \ifstr{#1}{subsubsection}{%
19500         \c@numwidth}{3.1em}%
19501       }{%
19502         \ifstr{#1}{paragraph}{%
19503           \c@numwidth}{5em}%
19504         }{%
19505           \ifstr{#1}{subparagraph}{%
19506             \c@numwidth}{6em}%
19507           }{%
19508         }%
19509         }%
19510         }%
19511       }%
19512       }%
19513       }%
19514       }%
19515       }%
19516     }%
19517   }{%
19518     \c@numwidth}{\c@nameuse{scr@#1@tocnumwidth}}%
19519   }%
19520 }{%
19521 }]{%
19522   \ifnum \c@tocdepth >\numexpr \c@nameuse{#1tocdepth}-\c@ne\relax
19523     \ifnum \c@nameuse{#1tocdepth}<\c@ne
19524       \scr@ifundefinedorrelax{chapter}{%
19525         \addpenalty\secpenalty
19526         \addvspace{1.0em \c@plus\p@}%
19527       }{%
19528         \addpenalty{-\highpenalty}%
19529         \vskip 1.0em \c@plus\p@
19530       }%
19531     \else
19532       \addpenalty\secpenalty
19533       \addvspace{1.0em \c@plus\p@}%
19534     \fi
19535   \setlength\tempdima{\c@nameuse{scr@#1@numwidth}}%

```



```

19536 \begingroup
19537   \parindent \z@ \bidi@rightskip \pnumwidth
19538   \parfillskip -\pnumwidth
19539   \leavevmode
19540   \bfseries
19541   \advance\bidi@leftskip\tempdima
19542   \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
19543   \hskip -\dimexpr \bidi@leftskip-\nameuse{scr@tso@#1@indent}\relax
19544   ##1%
19545   \nobreak
19546   \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
19547   \par
19548   \penalty\highpenalty
19549   \endgroup
19550   \fi
19551 }
19552
19553 \bidi@undef\scr@dte@def@l@argetocline
19554 \bidi@undef\scr@dte@argetocline@init
19555 \DeclareTOCEEntryStyle{argetocline}{%
19556   \DefineTOCEEntryLengthOption{indent}%
19557   {scr@tso@}{@indent}{entry indent}%
19558   \@ifundefined{#1tocdepth}{%
19559     \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19560       \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19561         \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19562           \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19563             \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19564               \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19565                 \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19566                   \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19567                     \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19568                       \expandafter\let\csname #1tocdepth\expandafter\endcsname
19569                         \csname #1numdepth\endcsname
19570                     }%
19571                   }%
19572                 }%
19573               }%
19574             }%
19575           }%
19576         }%
19577       }%
19578     }%
19579   }{}%
19580   \@ifundefined{scr@tso@#1@indent}{%
19581     \@ifundefined{scr@#1@tocindent}{%
19582       \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19583         \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19584           \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19585             \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%

```



```

19586     \scr@ifundefinedorrelax{1@chapter}{%
19587         \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19588             \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19589                 \ifstr{#1}{subsubsection}{%
19590                     \@namedef{scr@tso@#1@indent}{3.8em}}{%
19591                 }{%
19592                     \ifstr{#1}{paragraph}{%
19593                         \@namedef{scr@tso@#1@indent}{7em}}{%
19594                     }{%
19595                         \ifstr{#1}{subparagraph}{%
19596                             \@namedef{scr@tso@#1@indent}{10em}}{%
19597                         }{%
19598                         }{%
19599                         }{%
19600                         }{%
19601                         }{%
19602                         }{%
19603                     }{%
19604                         \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19605                             \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19606                                 \ifstr{#1}{subsubsection}{%
19607                                     \@namedef{scr@tso@#1@indent}{7.0em}}{%
19608                                 }{%
19609                                     \ifstr{#1}{paragraph}{%
19610                                         \@namedef{scr@tso@#1@indent}{10em}}{%
19611                                         }{%
19612                                         \ifstr{#1}{subparagraph}{%
19613                                             \@namedef{scr@tso@#1@indent}{12em}}{%
19614                                             }{%
19615                                             }{%
19616                                             }{%
19617                                             }{%
19618                                             }{%
19619                                             }{%
19620                                             }{%
19621                                             }{%
19622                                             }{%
19623                                             }{%
19624                                             }{%
19625                                         }{%
19626                                         \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}}{%
19627                                         }{%
19628                                         }{%
19629                                         }{%
19630                                         \ifnum \c@tocdepth > \numexpr \@nameuse{#1tocdepth} - \@ne \relax
19631                                         \ifnum \@nameuse{#1tocdepth} < \@ne
19632                                         \scr@ifundefinedorrelax{chapter}{%
19633                                         \addpenalty\@secpenalty
19634                                         \addvspace{2.25em \oplus \p@}}{%
19635                                         }{%

```



```

19636      \addpenalty{-\@highpenalty}%
19637      \addvspace{2.25em \@plus\p@}%
19638      }%
19639 \else
19640     \addpenalty\@secpenalty
19641     \addvspace{2.25em \@plus\p@}%
19642 \fi
19643 \setlength\@tempdima{3em}%
19644 \begingroup
19645   \parindent \z@ \bidi@rightskip \pnumwidth
19646   \parfillskip -\pnumwidth
19647   \leavevmode
19648   \large
19649   \bfseries
19650   \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
19651   ##1%
19652   \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
19653 \par
19654 \nobreak
19655 \ifnum 0=
19656   \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
19657   \global\@nobreaktrue
19658   \everypar{\global\@nobreakfalse\everypar{}}%
19659   \fi
19660 \endgroup
19661 \fi
19662 }
19663
19664 \renewcommand*\scr@dte@tocline}[3]{%
19665   \ifnum \nameuse{#1tocdepth}>\c@tocdepth
19666   \else
19667     \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
19668     \addvspace{\nameuse{scr@tso@#1@beforeskip}}\relax
19669   }%
19670   \bidi@leftskip \nameuse{scr@tso@#1@indent}\relax
19671   \bidi@rightskip \tocrmarg
19672   \parfillskip -\bidi@rightskip
19673   \nameuse{Ifscr@tso@#1@raggedpage}{%
19674     \addtolength{\parfillskip}{\z@ \@plus 1fil}%
19675   }%
19676   \parindent \nameuse{scr@tso@#1@indent}\relax
19677   \afterindenttrue
19678   \interlinepenalty\@M
19679   \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
19680     \addtolength\bidi@rightskip\@flushglue
19681   \else
19682     \def\reserved@a{\raggedright}%
19683     \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19684       \addtolength\bidi@rightskip\@flushglue
19685   \else

```



```

19686      \renewcommand\reserved@a{\raggedright}%
19687      \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19688          \addtolength\bidi@rights skip\@flushglue
19689      \fi
19690      \fi
19691  \fi
19692  \leavevmode
19693  \atempdima \nameuse{scr@tso@#1@numwidth}\relax
19694  \nameuse{Ifscr@tso@#1@dynnumwidth}{%
19695      \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
19696          \ifdim \nameuse{scr@dte@#1@lastmaxnumwidth}>\atempdima
19697              \atempdima \nameuse{scr@dte@#1@lastmaxnumwidth}\relax
19698          \fi
19699      }%
19700  }{%
19701  \advance\bidi@leftskip \atempdima
19702  \null\nobreak\hskip -\bidi@leftskip
19703  {%
19704      \usetocbasicnumberline
19705      \let\scr@dte@numberline@box\numberline@box
19706      \def\numberline@box##1{%
19707          \sbox\scr@dte@tocline@numbox{\nameuse{scr@tso@#1@numberformat}##1}%
19708          \global\scr@dte@tocline@numberwidth
19709          \dimexpr\wd\scr@dte@tocline@numbox+\nameuse{scr@tso@#1@numsep}\relax
19710          \ifdim \scr@dte@tocline@numberwidth
19711              >\nameuse{scr@dte@#1@maxnumwidth}\relax
19712              \global\nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
19713          \fi
19714          \nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
19715              \ifdim \scr@dte@tocline@numberwidth
19716                  \dimexpr \nameuse{scr@tso@#1@numwidth}%
19717                      +\nameuse{scr@tso@#1@numsep}\relax
19718                  \PackageWarning{tocbasic}%
19719              }{%
19720                  number width of #1 toc entries should be
19721                  increased!\MessageBreak
19722                  Currently used number width =
19723                  \the\wd\scr@dte@tocline@numbox,\MessageBreak
19724                  Wanted number separation
19725                  \space\space\space =
19726                  \the\dimexpr\nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
19727                  Reserved number width \space\space\space\space\space\space =
19728                  \the\dimexpr\nameuse{scr@tso@#1@numwidth}\relax%
19729              }%
19730          \fi
19731      }%
19732      \scr@dte@numberline@box{\nameuse{scr@tso@#1@numberformat}##1}%
19733      \nameuse{Ifscr@tso@#1@breakafternumber}{%
19734          \parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
19735  }{%

```



```

19736      }%
19737      \nameuse{scr@tso@#1@entryformat}{%
19738          #2%
19739          \nobreak
19740      }%
19741          \normalfont\normalsize\nameuse{scr@tso@#1@linefill}{%
19742          \nobreak
19743          \nameuse{scr@tso@#1@pagenumberbox}{%
19744              \nameuse{scr@tso@#1@pagenumberformat}{#3}%
19745          }%
19746      }%
19747      \par
19748  }%
19749  }%
19750  }%
19751      \tocbasic@SetPenaltyByTOCLevel{#1}%
19752  \fi
19753 }
19754
19755 \bidi@undef\scr@dte@def@l@tocline
19756 \bidi@undef\scr@dte@tocline@init
19757 \DeclareTOCEntryStyle{tocline}[{%
19758     \DefineTOCEntryLengthOption{beforeskip}{%
19759         {scr@tso@}{@beforeskip}{vertical skip before the entry}%
19760     \DefineTOCEntryIfOption{breakafternumber}{%
19761         {scr@tso@}{@breakafternumber}{line break after number flag}%
19762     \DefineTOCEntryIfOption{dynnumwidth}{%
19763         {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
19764     \DefineTOCEntryCommandOption{entryformat}{%
19765         {scr@tso@}{@entryformat}[1]{entry format}%
19766     \DefineTOCEntryCommandOption{entrynumberformat}{%
19767         {scr@tso@}{@numberformat}[1]{entry number format}%
19768     \DefineTOCEntryCommandOption{linefill}{[\TOCLineLeaderFill]}%
19769         {scr@tso@}{@linefill}{filling between text and page number}%
19770     \DefineTOCEntryLengthOption{numsep}{%
19771         {scr@tso@}{@numsep}{entry number separation}%
19772     \DefineTOCEntryCommandOption{onstarthigherlevel}{%
19773         {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
19774     \DefineTOCEntryCommandOption{onstartlowerlevel}{%
19775         {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
19776     \DefineTOCEntryCommandOption{onstartsamelevel}{%
19777         {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
19778     \DefineTOCEntryCommandOption{pagenumberbox}{%
19779         {scr@tso@}{@pagenumberbox}[1]{page number box}%
19780     \DefineTOCEntryCommandOption{pagenumberformat}{%
19781         {scr@tso@}{@pagenumberformat}[1]{page number format}%
19782     \DefineTOCEntryOption{raggedentrytext}{true}{%
19783         \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
19784         \ifx\FamilyKeyState\FamilyKeyStateProcessed
19785             \if@tempswa

```



```

19786      \expandafter\let\csname ragged\scr@tso@\currententry\endcsname
19787          \raggedright
19788      \else
19789          \expandafter\let\csname ragged\scr@tso@\currententry\endcsname
19790              \relax
19791      \fi
19792  \fi
19793 }
19794 \DefineTOCEEntryIfOption{raggedpagenumber}%
19795     {\scr@tso@}{@raggedpage}{page number ragged flag}%
19796 \DefineTOCEEntryLengthOption{indent}%
19797     {\scr@tso@}{@indent}{entry indent}%
19798 \DefineTOCEEntryLengthOption{numwidth}%
19799     {\scr@tso@}{@numwidth}{entry number width}%
19800 \scr@ifundefinedorrelax{\#1tocdepth}{%
19801     \ifstrstart{\#1}{sub}{%
19802         \scr@ifundefinedorrelax{\scr@tso@nosub{\#1}tocdepth}{%
19803             \expandafter\edef\csname #1tocdepth\endcsname{%
19804                 \the\numexpr \noexpand\nameuse{\scr@tso@nosub{\#1}tocdepth}+\@ne\relax
19805             }%
19806         }%
19807     }{}%
19808 }
19809 \scr@ifundefined{\#1tocdepth}{%
19810     \ifstr{\#1}{part}{\@namedef{\#1tocdepth}{-1}}{%
19811         \ifstr{\#1}{chapter}{\@namedef{\#1tocdepth}{0}}{%
19812             \ifstr{\#1}{section}{\@namedef{\#1tocdepth}{1}}{%
19813                 \ifstr{\#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
19814                     \ifstr{\#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
19815                         \ifstr{\#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
19816                             \ifstr{\#1}{ subparagraph}{\@namedef{\#1tocdepth}{5}}{%
19817                                 \ifstr{\#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
19818                                     \ifstr{\#1}{table}{\@namedef{\#1tocdepth}{1}}{%
19819                                         \expandafter\let\csname #1tocdepth\expandafter\endcsname
19820                                             \csname #1numdepth\endcsname
19821                                         }%
19822                                     }%
19823                                 }%
19824                             }%
19825                         }%
19826                     }%
19827                 }%
19828             }%
19829         }%
19830     }{}%
19831 \scr@ifundefinedorrelax{\scr@tso@{\#1@indent}}{%
19832     \scr@ifundefined{\scr@{\#1@tocindent}}{%
19833         \ifstrstart{\#1}{sub}{%
19834             \scr@ifundefinedorrelax{\scr@tso@\scr@tde@nosub{\#1}@indent}{%
19835                 \scr@ifundefinedorrelax{\scr@tso@\scr@tde@nosub{\#1}@numwidth}{%

```



```

19836     \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19837         \glueexpr \noexpand\cnameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19838             \relax
19839             }%
19840             }%
19841     }{%
19842         \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
19843             \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19844                 \glueexpr \noexpand\cnameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
19845                     \relax
19846                     }%
19847             }{%
19848                 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19849                     \glueexpr \noexpand\cnameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
19850                         +\noexpand\cnameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19851                             \relax
19852                             }%
19853             }%
19854             }%
19855         }{%
19856             }{%
19857                 \cnamedef{scr@tso@#1@indent}{\cnameuse{scr@#1@tocindent}}%
19858             }%
19859         }{%
19860             \cifundefined{scr@tso@#1@indent}{%
19861                 \ifstr{#1}{figure}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19862                     \ifstr{#1}{table}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19863                         \ifstr{#1}{part}{\cnamedef{scr@tso@#1@indent}{0em}}{%
19864                             \ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@indent}{0em}}{%
19865                                 \scr@ifundefinedorrelax{l@chapter}{%
19866                                     \ifstr{#1}{section}{\cnamedef{scr@tso@#1@indent}{0pt}}{%
19867                                         \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19868                                             \ifstr{#1}{subsubsection}{%
19869                                                 \cnamedef{scr@tso@#1@indent}{3.8em}}%
19870                                         }{%
19871                                             \ifstr{#1}{paragraph}{%
19872                                                 \cnamedef{scr@tso@#1@indent}{7em}}%
19873                                         }{%
19874                                             \ifstr{#1}{subparagraph}{%
19875                                                 \cnamedef{scr@tso@#1@indent}{10em}}%
19876                                         }{%
19877                                             }%
19878                                         }%
19879                                         }%
19880                                         }{%
19881                                         }%
19882                                         }{%
19883                                         \ifstr{#1}{section}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19884                                         \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@indent}{3.8em}}{%
19885                                         \ifstr{#1}{subsubsection}{%

```



```

19886     \@namedef{scr@tso@#1@indent}{7.0em}%
19887 }{%
19888     \ifstr{#1}{paragraph}{%
19889         \@namedef{scr@tso@#1@indent}{10em}%
19890     }{%
19891         \ifstr{#1}{subparagraph}{%
19892             \@namedef{scr@tso@#1@indent}{12em}%
19893         }{%
19894             }%
19895         }%
19896     }%
19897     }%
19898     }%
19899     }%
19900     }%
19901     }%
19902     }%
19903     }%
19904 }{%
19905 \scr@ifundefinedorrelax{\scr@tso@#1@numwidth}{%
19906     \scr@ifundefinedorrelax{\scr@#1@tocnumwidth}{%
19907         \ifstrstart{#1}{sub}{%
19908             \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{#1}@numwidth}{%
19909                 \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
19910                     \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@numwidth}%
19911                         +.9em%
19912                     \relax
19913                 }%
19914             }%
19915         }{%
19916             }%
19917             \@namedef{\scr@tso@#1@numwidth}{\@nameuse{\scr@#1@tocnumwidth}}%
19918         }%
19919     }{%
19920     \@ifundefined{\scr@tso@#1@numwidth}{%
19921         \ifstr{#1}{figure}{\@namedef{\scr@tso@#1@numwidth}{2.3em}}{%
19922             \ifstr{#1}{table}{\@namedef{\scr@tso@#1@numwidth}{2.3em}}{%
19923                 \ifstr{#1}{chapter}{\@namedef{\scr@tso@#1@numwidth}{1.5em}}{%
19924                     \scr@ifundefinedorrelax{\chapter}{%
19925                         \ifstr{#1}{section}{\@namedef{\scr@tso@#1@numwidth}{1.5em}}{%
19926                             \ifstr{#1}{subsection}{\@namedef{\scr@tso@#1@numwidth}{2.3em}}{%
19927                                 \ifstr{#1}{subsubsection}{%
19928                                     \@namedef{\scr@tso@#1@numwidth}{3.2em}%
19929                                 }{%
19930                                     \ifstr{#1}{paragraph}{%
19931                                         \@namedef{\scr@tso@#1@numwidth}{4.1em}%
19932                                     }{%
19933                                         \ifstr{#1}{subparagraph}{%
19934                                             \@namedef{\scr@tso@#1@numwidth}{5m}%
19935                                         }{%

```



```

19936      }%
19937      }%
19938      }%
19939      }%
19940      }%
19941      }{%
19942      \ifstr{\#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19943      \ifstr{\#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
19944      \ifstr{\#1}{subsubsection}{%
19945          \@namedef{scr@tso@#1@numwidth}{3.1em}%
19946      }{%
19947          \ifstr{\#1}{paragraph}{%
19948              \@namedef{scr@tso@#1@numwidth}{5em}%
19949          }{%
19950              \ifstr{\#1}{subparagraph}{%
19951                  \@namedef{scr@tso@#1@numwidth}{6em}%
19952          }{%
19953      }%
19954      }%
19955      }%
19956      }%
19957      }%
19958      }%
19959      }%
19960      }%
19961      }%
19962      }{%
19963      \expandafter\renewcommand%
19964      \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
19965      \expandafter\renewcommand%
19966      \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
19967      \expandafter\renewcommand%
19968      \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
19969      \@ifundefined{scr@tso@#1@beforeskip}{%
19970          \ifstr{\#1}{part}{%
19971              \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \oplus \p@ \relax}%
19972          }{%
19973              \ifstr{\#1}{chapter}{%
19974                  \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
19975          }{%
19976              \ifstr{\#1}{section}{%
19977                  \scr@ifundefinedorrelax{l@chapter}{%
19978                      \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
19979                  }{%
19980                      \relax%
19981                  }%
19982          }%
19983          \expandafter\renewcommand\expandafter*%
19984          \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@ \relax}%
19985      }{%

```



```

19986  \@ifundefined{scr@dte@#1@maxnumwidth}{%
19987      \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
19988      \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
19989 }{%
19990 \renewcommand*\@scr@dte@donumwidth}{%
19991 \g@addto@macro{\@scr@dte@donumwidth}{\do{\#1}}%
19992 \expandafter\renewcommand\expandafter*%
19993 \csname scr@tso@#1@numsep\endcsname{.4em}%
19994 \expandafter\renewcommand%
19995 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
19996 \ifstr{\#1}{part}{%
19997     \expandafter\renewcommand%
19998     \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
19999 }{%
20000 \ifstr{\#1}{chapter}{%
20001     \expandafter\renewcommand%
20002     \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
20003 }{%
20004     \scr@ifundefinedorrelax{l@chapter}{%
20005         \ifstr{\#1}{section}{%
20006             \expandafter\renewcommand%
20007             \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
20008         }{%
20009     }{%
20010     \expandafter\renewcommand%
20011     \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
20012 }{%
20013 }{%
20014 \expandafter\renewcommand
20015 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
20016 \@ifundefined{scr@tso@#1@linefill}{%
20017     \ifstr{\#1}{part}{%
20018         \namedef{scr@tso@#1@linefill}{\hfill}%
20019     }{%
20020         \ifstr{\#1}{chapter}{%
20021             \namedef{scr@tso@#1@linefill}{\hfill}%
20022         }{%
20023             \scr@ifundefinedorrelax{l@chapter}{%
20024                 \ifstr{\#1}{section}{%
20025                     \namedef{scr@tso@#1@linefill}{\hfill}%
20026                 }{%
20027             }{%
20028             \expandafter\renewcommand%
20029             \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
20030         }{%
20031     }{%
20032 }{%
20033 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
20034 \ifstr{\#1}{part}{%
20035     \expandafter\renewcommand%

```



```

20036   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
20037 }{%
20038   \expandafter\renewcommand%
20039   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20040     {\normalfont\normalcolor ##1}}%
20041 }%
20042   \expandafter\renewcommand%
20043   \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
20044     \hb@xt@{\pnumwidth}{\hfil ##1}}%
20045   \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
20046 }]{%
20047   \scr@dte@tocline{#1}{##1}{##2}%
20048 }
20049

```

123 File `tocstyle-xetex-bidi.def`

```

20050 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
20051 \renewcommand*{\tocstyle@dottedtocline}[5]{%
20052   \let\numberline\tocstyle@numberline
20053   \ifnum #1>\c@tocdepth \else
20054     \if@tocstyle@penalties
20055       \begingroup
20056         \tempcnta 20010
20057         \advance \tempcnta by -#1
20058         \ifnum \tempcnta>\lastpenalty
20059           \aftergroup\penalty\aftergroup\lowpenalty
20060         \fi
20061       \endgroup
20062     \fi
20063     \edef\tocstyledepth{#1}%
20064     \tocstyle@activate@features
20065     \ifx\tocstyle@feature@entryvskip\relax
20066       \vskip \z@ \oplus .2\p@
20067     \else
20068       \addvspace{\tocstyle@feature@entryvskip}%
20069     \fi
20070   }%
20071   \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
20072     \tocstyle@feature@raggedhook
20073     \tempdima #3\relax
20074     \tempdimb #2\relax
20075     \typeout{(\tocstyleTOC, \tocstyledepth): \the\tempdima}%
20076   \ifnum #1>\z@\relax
20077     \tempcnta #1\relax \advance \tempcnta \m@ne
20078     \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\tempcnta\endcsname
20079       \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\tempcnta\endcsname
20080         \tempdimb
20081         \csname tocstyle@skipwidth@\tocstyleTOC @\the\tempcnta\endcsname
20082         \advance\tempdimb

```



```

20083           \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
20084           \fi
20085           \fi
20086           \fi
20087           \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20088           \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
20089               \ifdim \@tempdimb>
20090                   \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
20091                   \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
20092                       @#1\endcsname{\the\@tempdimb}%
20093               \fi
20094           \else
20095               \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
20096                   @#1\endcsname{\the\@tempdimb}%
20097           \fi
20098           \iftocstyle@autolength
20099               \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
20100                   \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
20101                   \relax
20102               \fi
20103               \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
20104                   \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
20105                   \relax
20106               \fi
20107               \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
20108               \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20109           \else
20110               \@tempdimb #2\relax
20111               \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20112           \fi
20113           \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
20114               \ifdim \@tempdima>
20115                   \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
20116                   \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
20117                       @\endcsname{\the\@tempdima}%
20118               \fi
20119           \else
20120               \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
20121                   @\endcsname{\the\@tempdima}%
20122           \fi
20123           \ifcase\tocstyle@indentstyle\relax\else
20124               \@tempdimb \z@
20125               \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
20126                   \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
20127                   \relax
20128               \fi
20129               \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
20130               \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20131           \fi
20132           \advance\parindent \@tempdimb\@afterindenttrue

```



```

20133     \advance\if@RTL\rightskip\else\leftskip\fi \parindent
20134     \advance\if@RTL\leftskip\else\rightskip\fi \z@tocrmarg
20135     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
20136     \ifx\tocstyle@feature@parfillskip\relax\else
20137         \advance\parfillskip \tocstyle@feature@parfillskip\relax
20138     \fi
20139     \interlinepenalty\z@M
20140     \leavevmode
20141     \advance\if@RTL\rightskip\else\leftskip\fi \z@tempdima
20142     \null\nobreak
20143     \iftocstyle@indentnotnumbered\else
20144         \hskip -\if@RTL\rightskip\else\leftskip\fi
20145     \fi
20146     \tocstyle@feature@entryhook
20147     \#\z@\nobreak
20148     \ifx\tocstyle@feature@leaders\relax
20149         \leaders\hbox{$\m@th
20150             \mkern \z@dotsep mu\hbox{\tocstyle@feature@dothook .}%
20151             \mkern \z@dotsep mu$\}\hfill
20152     \else
20153         \tocstyle@feature@leaders
20154     \fi
20155     \nobreak
20156     \ifx\tocstyle@feature@pagenumberbox\relax
20157         \hb@xt@\z@pnumwidth{\hfil\tocstyle@feature@pagenumberhook \#\z}%
20158     \else
20159         \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook \#\z}%
20160     \fi
20161     \par
20162 \}%
20163 \if@tocstyle@penalties
20164     \bgroup
20165         \z@tempcpta 20009
20166         \advance\z@tempcpta by -\#1
20167         \edef\reserved@a{\egroup\penalty\the\z@tempcpta\relax}%
20168         \reserved@a
20169     \fi
20170 \fi}
20171 \renewcommand*{\tocstyle@numberline}[1]{%
20172     \begingroup
20173         \ifx\tocstyle@feature@spaceafternumber\relax
20174             \settowidth\z@tempdima{\tocstyle@numberline{\#1}\enskip}%
20175         \else
20176             \settowidth\z@tempdima{\tocstyle@numberline{\#1}}%
20177             \advance \z@tempdima \tocstyle@feature@spaceafternumber\relax
20178         \fi
20179         \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
20180             \ifdim \z@tempdima >
20181                 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
20182                     \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC

```



```

20183      @\tocstyledepth\endcsname{\the\@tempdima}%
20184      \fi
20185  \else
20186      \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
20187      @\tocstyledepth\endcsname{\the\@tempdima}%
20188      \fi
20189  \endgroup
20190  \iftocstyle@indentnotnumbered
20191      \hskip -\if@RTL\rightskip\else\leftskip\fi
20192  \fi
20193  \ifcase \tocstyle@indentstyle
20194      \hb@xt@{\@tempdima}{\tocstyle@@numberline{#1}\hfil}%
20195  \or
20196      \hb@xt@{\@tempdima}{\tocstyle@@numberline{#1}\hfil}%
20197  \else
20198      \ifx\tocstyle@feature@spaceafternumber\relax
20199          \hbox{\tocstyle@@numberline{#1}\enskip}%
20200      \else
20201          \hbox{\tocstyle@@numberline{#1}\hskip
20202              \tocstyle@feature@spaceafternumber\relax}%
20203      \fi
20204  \fi
20205 }
20206 \AtBeginDocument{%
20207  \ifcsname l@part\endcsname
20208      \ifcsname l@chapter\endcsname
20209          \setbox\@tempboxa\vbox{\hsize\maxdimen
20210          \l@part{\tocstyle@l@define{part}{-1}}{}}
20211      \else
20212          \setbox\@tempboxa\vbox{\hsize\maxdimen
20213          \l@part{\tocstyle@l@define{part}{0}}{}}
20214      \fi
20215  \fi
20216  \ifcsname l@chapter\endcsname
20217      \setbox\@tempboxa\vbox{\hsize\maxdimen
20218      \l@chapter{\tocstyle@l@define{chapter}{0}}{}}
20219  \fi
20220  \ifcsname l@section\endcsname
20221      \setbox\@tempboxa\vbox{\hsize\maxdimen
20222      \l@section{\tocstyle@l@define{section}{1}}{}}
20223  \fi
20224  \ifcsname l@subsection\endcsname
20225      \setbox\@tempboxa\vbox{\hsize\maxdimen
20226      \l@subsection{\tocstyle@l@define{subsection}{2}}{}}
20227  \fi
20228  \ifcsname l@subsubsection\endcsname
20229      \setbox\@tempboxa\vbox{\hsize\maxdimen
20230      \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}
20231  \fi
20232  \ifcsname l@paragraph\endcsname

```



```

20233   \setbox\@tempboxa\vbox{\hsize\maxdimen
20234     \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}%
20235   \fi
20236   \ifcsname l@subparagraph\endcsname
20237     \setbox\@tempboxa\vbox{\hsize\maxdimen
20238       \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}%
20239   \fi
20240   \ifcsname l@table\endcsname
20241     \setbox\@tempboxa\vbox{\hsize\maxdimen
20242       \l@table{\tocstyle@l@define{table}{1}}{}%
20243   \fi
20244   \ifcsname l@figure\endcsname
20245     \setbox\@tempboxa\vbox{\hsize\maxdimen
20246       \l@figure{\tocstyle@l@define{figure}{1}}{}%
20247   \fi
20248 \def\@tempa#1#2#3#4#5{%
20249   \ifnum #1>\c@tocdepth \else
20250     \vskip \z@ \oplus .2\p@
20251     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \c@tocrm
20252       \parindent #2\relax\oafterindenttrue
20253       \interlinepenalty\@M
20254       \leavevmode
20255       \c@tempdima #3\relax
20256       \advance\if@RTL\rightskip\else\leftskip\fi \c@tempdima \null\nobreak\hskip -\if@RTL\right
20257       {#4}\nobreak
20258       \leaders\hbox{$\m@th
20259         \mkern \c@dotsep mu\hbox{.}\mkern \c@dotsep
20260           mu$}\hfill
20261       \nobreak
20262       \hb@xt@\c@pnumwidth{\hfil \normalfont \normalcolor #5}}%
20263     \par}%
20264   \fi}%
20265 \ifx\@dottedtocline\@tempa\else
20266   \tocstyle@macrochangepwarning\@dottedtocline
20267 \fi
20268 \let\tocstyle@saved@dottedtocline\@dottedtocline
20269 \def\@tempa#1{\hb@xt@\c@tempdima{#1\autodot\hfil}}%
20270 \ifx\numberline\@tempa\else
20271   \def\@tempa#1{\hb@xt@\c@tempdima{#1\hfil}}%
20272   \ifx\@tempa\else
20273     \tocstyle@macrochangepwarning\numberline
20274   \fi
20275 \fi
20276 \let\tocstyle@saved@numberline\numberline
20277 }
20278 \renewcommand*\tocstyle@l@define}[2]{%
20279   \advance\if@RTL\rightskip\else\leftskip\fi-\c@tempdima
20280   \edef\@tempa{%
20281     \noexpand\global\noexpand\let
20282       \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname

```



```

20283   \expandafter\noexpand\csname l@#1\endcsname
20284   \noexpand\gdef
20285   \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
20286     \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
20287   \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
20288     \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
20289     \expandafter\noexpand\csname tocstyle@l@#1\endcsname
20290   }%
20291 }%
20292 \PackageInfo{tocstyle}{prepare \expandafter\string
20293   \csname l@#1\endcsname\space for redefinition}%
20294 \tempa
20295 }

```

124 File todonotes-xetex-bidi.def

```

20296 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package]
20297 \newif\if@bidi@todonotes@textdirection@RTL
20298 \newif\if@bidi@todonotes@figposition@right
20299 \newcommand{\@bidi@todonotes@align}{}%
20300 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
20301 \newcommand{\@bidi@todonotes@textdirection}{}%
20302 \define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,
20303   \ifcase\bidi@todonotes@tempb\relax
20304     \@bidi@todonotes@textdirection@RTLtrue
20305     \let\@bidi@todonotes@textdirection\RLE
20306   \or
20307     \@bidi@todonotes@textdirection@RTLfalse
20308     \let\@bidi@todonotes@textdirection\LRE
20309   \fi}
20310 \define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right, left,
20311   \ifcase\bidi@todonotes@tempb\relax
20312     \@bidi@todonotes@figposition@righttrue
20313   \or
20314     \@bidi@todonotes@figposition@rightfalse
20315   \fi}
20316 \if@todonotes@disabled%
20317 \else % \if@todonotes@disabled
20318 \renewcommand{\@todonotes@drawInlineNote}{%
20319   \if@todonotes@dviStyle%
20320     {\par\noindent\begin{tikzpicture}[remember picture]%
20321       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
20322     \if@todonotes@authorgiven%
20323       {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
20324     \else%
20325       {\noindent \@todonotes@sizecommand \@todonotes@text}%
20326     \fi
20327     {\par\noindent\begin{tikzpicture}[remember picture]%
20328       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
20329   \else%

```



```

20330   {\par\noindent\begin{tikzpicture}[remember picture]%
20331     \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20332       \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@ali%
20333         \if@todonotes@authorgiven%
20334           {\noindent \@todonotes@sizecommand \@todonotes@author:\!,\@todonotes@text}%
20335         \else%
20336           {\noindent \@todonotes@sizecommand \@todonotes@text}%
20337         \fi};%
20338       \end{tikzpicture}\par}%
20339     \fi}%
20340 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
20341 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
20342   \node [coordinate] (inText) {};%
20343 \end{tikzpicture}%
20344 \marginpar[{\% Draw note in left margin
20345   \@todonotes@drawMarginNote%
20346   \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
20347 }]{\% Draw note in right margin
20348   \@todonotes@drawMarginNote%
20349   \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
20350 }%
20351 }%
20352 \renewcommand{\@todonotes@drawMarginNote}{%
20353 \if@todonotes@dviStyle%
20354   \begin{tikzpicture}[remember picture]%
20355     \draw node[notestyle] {};%
20356   \end{tikzpicture}%%
20357   \begin{minipage}{\@todonotes@textwidth}%
20358     \if@todonotes@authorgiven%
20359       \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
20360     \else%
20361       \@todonotes@sizecommand \@todonotes@text%
20362     \fi%
20363   \end{minipage}%%
20364   \begin{tikzpicture}[remember picture]%
20365     \draw node[notestyle] (inNote) {};%
20366   \end{tikzpicture}%
20367 \else%
20368   \let\originalHbadness\hbadness%
20369   \hbadness 100000%
20370   \begin{tikzpicture}[remember picture,baseline=(X.base)]%
20371     \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20372       \node(X){\vphantom{X}};%
20373       \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@ali%
20374         {\@todonotes@text}};%
20375       \if@todonotes@authorgiven%
20376         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@ali%
20377           {\@todonotes@sizecommand\@todonotes@author}};%
20378         \node(Y)[below=of X]{};%
20379         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@ali%

```



```

20380           {\@todonotes@text};%
20381     \else%
20382       \draw node[neststyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@align]{\@todonotes@text};%
20383   \fi%
20384 \end{tikzpicture}%
20385 \hbadness \originalHbadness%
20387 \fi}%
20388 \renewcommand{\missingfigure}[2][]{%
20389 \setkeys{todonotes}{#1}%
20390 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
20391 \par
20392 \noindent
20393 \begin{tikzpicture}
20394 \draw[fill=\@todonotes@currentfgcolor, draw = black!40, line width=2pt]
20395   (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
20396 \if@bidi@todonotes@figposition@right%
20397 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
20398 \fi%
20399 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
20400   (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
20401 \if@bidi@todonotes@figposition@right%
20402 \end{scope}
20403 \begin{scope}[xshift=-3.8cm]
20404 \fi%
20405 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20406 \draw (2, -0.3) node[right, text
20407   width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2}%;
20408 \if@bidi@todonotes@figposition@right%
20409 \end{scope}
20410 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
20411 \fi%
20412 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@text}}%
20413 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@text}}%
20414 \if@bidi@todonotes@figposition@right%
20415 \end{scope}
20416 \fi%
20417 \end{tikzpicture}\hfill
20418 }% Ending \missingfigure command
20419 \fi % Ending \@todonotes@ifdisabled
20420 \presetkeys{%
20421   {todonotes}%
20422   {align=left,%
20423   textdirection=lefttoright,%
20424   figposition=left}{}%

```

125 File wrapfig-xetex-bidi.def

```

20425 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
20426 \let\WF@@everypar\bidi@n@everypar

```



```

20427 \def\WF@putfigmaybe{%
20428 \ifinner
20429   \vskip-\parskip \global\WF@floatfalse
20430   \let\pagetotal\maxdimen % kludge flag for "not top of page"
20431 \else % outer page
20432   \tempdima\pagedepth % save page depth
20433   {\advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
20434   \penalty\interlinepenalty % update pg. parameters
20435   \tempdimb\pagegoal\advance\tempdimb-\pagetotal % room left on page
20436   \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
20437     \global\WF@floatfalse
20438     \ifdim\tempdimb>\pageshrink \else \pagebreak \fi
20439   \else
20440     \ifdim\WF@size>\tempdimb
20441       \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
20442       \ifdim\pagestretch\dimen@ \dimen@\pagestretch \fi
20443       \ifdim\pagefilstretch\z@ \dimen@\tempdimb \fi
20444       \ifdim\pagefillstretch\z@ \dimen@\tempdimb \fi
20445       \advance\dimen@.5\baselineskip
20446       \ifdim\dimen@>\tempdimb % \WF@info{Page nearly full; can stretch}%
20447         \global\WF@floatfalse \pagebreak
20448       \fi
20449     \else % \WF@info{Fits in \the\tempdimb;}%
20450       \global\WF@floatfalse
20451     \fi\fi
20452   \vskip\tempdima\relax % (return erased page depth)
20453 \fi
20454 \noindent
20455 \ifWF@float
20456   \WF@fltmes
20457 \else % putting here;
20458   \WF@info{Put \WF@wfname here:}%
20459   {\ifodd\if@twoside\c@page\else\one\fi % assign l/r to i/o placement
20460     \lccode`i`\lccode`o`\r\else \lccode`i`\r\lccode`o`\l\fi
20461     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
20462   \hbox to\z@{\% llap or rlap depending on {l} or {r}; calc effective width
20463   \tempdima\wd\WF@box \tempdimb\WF@ovh
20464   \advance\tempdima-\tempdimb \advance\tempdima\columnsep
20465   \tempdimb\hsize \advance\tempdimb-\tempdima
20466   \xdef\WF@adjlw{\the\tempdima}%
20467   \ifnum `l=\WF@place % fig on left
20468     \if@RTL%
20469       \kern\tempdimb \kern\columnsep
20470     \def\tempa{\hss}% position to left of the gap
20471     \else%
20472       \hss % figure overlaps space to the left
20473     \def\tempa{\kern\columnsep}% position to left of the gap
20474   \fi%
20475   \else % fig on right
20476     \if@RTL%

```



```

20477   \hss
20478     \c@tempdima\z@%
20479     \def\@tempa{\kern\columnsep}
20480   \else%
20481     \c@tempdima\z@ % no left indentation
20482     \kern\c@tempdimb \kern\columnsep
20483     \def\@tempa{\hss}% figure overlaps space to the right
20484   \fi%
20485 \fi
20486 \ifdim\c@tempdimb<\hsize
20487   \xdef\WF@wrapil{\the\c@tempdima \the\c@tempdimb}% indentation and length
20488   \xdef\WF@adjtlm{\the\c@tempdima}%
20489 \else
20490   \xdef\WF@wrapil{\z@ \the\hsize}%
20491   \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
20492 \fi
20493 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
20494   \global\advance\WF@size-\intextsep
20495 \else % \WF@info{Putting \WF@wfname in middle of page}%
20496   \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
20497 \fi \dp\WF@box\z@ \box\WF@box \c@tempa
20498 }% end \hbox to Opt
20499 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
20500 \fi}

```

126 File `xcolor-xetex-bidi.def`

```

20501 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for Xe
20502 \long\def\color@b@x#1#2#3%
20503 { \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
20504   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
20505   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
20506   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
20507   {\#1\if#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
20508 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
20509 \DeclareRobustCommand\color
20510 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
20511 \def\@undeclaredcolor[#1]#2%
20512 {\begin{group}
20513   \let\@cls\@empty
20514   \XC@getmodclr12{#1}{#2}{}
20515   {\ifblendcolors
20516     \ifx\colorblend\@empty\else
20517       \edef\@@mix{\expandafter\gobble\colorblend}\c@tempswafalse
20518       \XC@coremodel\c@mod\c@clr\c@xcolor\{\}\c@mod\c@clr
20519     \fi
20520   \fi
20521   \ifconvertcolorsU
20522     \edef\@tmp{\XC@tgt\c@mod\{\c@mod\}}
20523     \convertcolorspec\c@mod\c@clr\c@tmp\c@clr \let\c@mod\c@tmp

```



```

20524     \fi
20525     \ifmaskcolors
20526         \convertcolorspec\@mod\@@clr\XC@mmod\@@clr
20527         \let\@mod\XC@mmod
20528         \XC@inflate\@mod\XC@mclr\@@clr\@@tmp
20529         \expandafter\XC@mul\@@tmp,\@@clr
20530     \fi
20531     \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@@clr}}%
20532     \expandafter\endgroup\@@tmp}
20533 \def\@declaredcolor#1%
20534 {\XC@edef\XC@tmp{#1}\XC@tstfalse
20535   \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
20536     \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
20537     \ifconvertcolorsU\XC@tsttrue\fi
20538   \fi
20539   \ifXC@tst
20540     \expandafter\XC@declaredcolor\else
20541     \expandafter\XC@declaredc@lor\fi
20542 \def\XC@undeclaredcolor#1#2%
20543 {\@ifundefinedmodel{#1}%
20544   {\c@lor@error{model `#1'}}%
20545   {\@nameuse{color@#1}\current@color{#2}}%
20546   \edef\XC@current@color{\noexpand\xcolor@{}\current@color{#1}{#2}}%
20547   \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
20548 \def\XC@declaredc@lor
20549 {\XC@let@Nc\XC@current@color{\string\color@\XC@tmp}%
20550   \edef\current@color{\XC@current@color}%
20551   \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
20552 \DeclareRobustCommand\bidi@color
20553 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
20554 \def\@bidiundeclaredcolor[#1]#2%
20555 {\begingroup
20556   \let\@cls\@empty
20557   \XC@getmodclr12{#1}{#2}{}%
20558   \ifblendcolors
20559     \ifx\colorblend\@empty\else
20560       \edef\@mix{\expandafter\gobble\colorblend}\@tempswafalse
20561       \XC@coremodel\@mod\@@clr\@xcolor@{}{}\@mod\@@clr
20562     \fi
20563   \fi
20564   \ifconvertcolorsU
20565     \edef\@tmp{\XC@tgt@mod{\@mod}}%
20566     \convertcolorspec\@mod\@@clr\@@tmp\@@clr \let\@mod\@@tmp
20567   \fi
20568   \ifmaskcolors
20569     \convertcolorspec\@mod\@@clr\XC@mmod\@@clr
20570     \let\@mod\XC@mmod
20571     \XC@inflate\@mod\XC@mclr\@@clr\@@tmp
20572     \expandafter\XC@mul\@@tmp,\@@clr
20573   \fi

```



```

20574     \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
20575     \expandafter\endgroup\@@tmp}
20576 \def\XC@bidiundeclaredcolor#1#2%
20577 {\@ifundefined{model}{#1}%
20578   {\c@lor@error{model `#1'}}%
20579   {\@nameuse{color@#1}\current@color{#2}%
20580     \edef\XC@current@color{\noexpand\xcolor@{}\current@color{#1}{#2}}%
20581     \XC@display}}
20582 \def\@bidideclaredcolor#1%
20583 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
20584   \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
20585   \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
20586   \ifconvertcolorsU\XC@@tsttrue\fi
20587   \fi
20588 \ifXC@@tst
20589   \expandafter\XC@bidideclaredcolor\else
20590   \expandafter\XC@bidideclaredc@lor\fi
20591 \def\XC@bidideclaredcolor
20592 {\XC@split\XC@@tmp
20593   \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
20594   \expandafter\endgroup\@@tmp}
20595 \def\XC@bidideclaredc@lor
20596 {\XC@let{Nc}{\XC@current@color\string\color@\XC@@tmp}%
20597   \edef\current@color{\XC@current@color}%
20598   \XC@display}
20599 \def\color@box#1#2{\color@b@x\relax{\bidicolor{#1}{#2}}}
20600 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
20601 \def\color@fb@x#1#2#3#4%
20602 {\color@b@x\fboxsep{z@\bidicolor{#1}{#2}\XC@fbox}%
20603 {\@ifxempty{#3}{\bidicolor{#1}{\bidicolor{#3}{#4}}}}}
20604 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode}

```

127 File `latex-xetex-bidi.def`

```

20605 \ProvidesFile{latex-xetex-bidi.def}[2019/03/03 v1.3.7 bidi adaptations for `latex.ltx' for Xe
20606 \newcommand{\TeXeTOn}{\TeXeTstate{ne}}
20607 \newcommand{\TeXeTOff}{\TeXeTstate{z@}}
20608 \TeXeTOn
20609 \def\bidi@RTL@everypar{\setbox{z@\lastbox}\if@RTL\beginR\else\beginL\fi\ifvoid{z@}\else\usebox{z@}\fi}
20610 \let\bidi@o@everypar=\everypar
20611 \newtoks\bidi@n@everypar
20612 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
20613 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
20614 \let\everypar=\bidi@n@everypar
20615 \def\moreLRE{\brace{text}\aftergroup\endL\beginL\@RTLfalse}
20616 \def\moreRLE{\brace{text}\aftergroup\endR\beginR\@RTLtrue}
20617 \protected\def\hboxR{\hbox\bgroup
20618 \everyhbox{%
20619 \aftergroup\egroup
20620 \everybox{}}}

```



```

20621  \beginR
20622  \@hboxRconstructtrue
20623  \bgroup
20624  \aftergroup\endR
20625  \aftergroup\egroup
20626 }\hbox}
20627 \protected\def\hboxL{\hbox\bgroup
20628 \everyhbox{%
20629 \aftergroup\egroup
20630 \everyhbox{}%}
20631 \beginL
20632 \@hboxRconstructfalse
20633 \bgroup
20634 \aftergroup\endL
20635 \aftergroup\egroup
20636 }\hbox}
20637 \protected\def\vboxR{\vbox\bgroup
20638 \everyvbox{%
20639 \aftergroup\egroup
20640 \everyvbox{}%}
20641 \@RTLtrue
20642 \@RTLtabtrue
20643 \bgroup
20644 \aftergroup\egroup
20645 }\vbox}
20646 \protected\def\vboxL{\vbox\bgroup
20647 \everyvbox{%
20648 \aftergroup\egroup
20649 \everyvbox{}%}
20650 \@RTLfalse
20651 \@RTLtabfalse
20652 \bgroup
20653 \aftergroup\egroup
20654 }\vbox}
20655 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
20656 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
20657 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hspace\linewidth\parshape\z@}
20658 \def\endLTR{\par}
20659 \newenvironment{LTR*}{\LTR
20660 \everypar{%
20661 {\setbox\z@\lastbox
20662 \ifvoid\z@
20663 \kern-\parindent
20664 \fi}%
20665 }%
20666 }{\endLTR\@endpetrue}
20667 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hspace\linewidth\parshape\z@}
20668 \def\endRTL{\par}
20669 \newenvironment{RTL*}{\RTL
20670 \everypar{%

```



```

20671     {\setbox\z@\lastbox
20672         \ifvoid\z@
20673             \kern-\parindent
20674             \fi}%
20675     }%
20676 }{\endRTL\@endpetrue}
20677 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
20678 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
20679 \let\unsetRTL=\setLTR
20680 \let\unsetLTR=\setRTL
20681 \let\LR=\LRE
20682 \let\RL=\RLE
20683 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
20684 \def\@ensure@LTR#1{\if@RTL\LR{#1}\else#1\fi}
20685 \let\@ensure@RL=\@ensure@RTL
20686 \let\@ensure@LR=\@ensure@LTR
20687 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
20688 \let\@ensure@maindir=\@ensure@dir
20689 \def\@@RTL{RTL}
20690 \def\@@LTR{LTR}
20691 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
20692 \def\reset@dir{\ifx\saved@dir\@@RTL\setRTL\else\ifx\saved@dir\@@LTR\setLTR\else\relax\fi\fi}
20693 \let\@TeX\TeX
20694 \def\TeX{\@ensure@LTR{\@TeX}}
20695 \let\@LaTeX\LaTeX
20696 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
20697 \let\@LaTeXe\LaTeXe
20698 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
20699 \long\def\bidi@reflect@box#1{%
20700     \leavevmode
20701     \setbox\z@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
20702     \hb@xt@wd\z@{\kern\wd\z@\box\tw@\hss}%
20703 }
20704 }
20705 \bidi@newrobustcmd*\{XeTeX\}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
20706     \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
20707 \bidi@newrobustcmd*\{XeLaTeX\}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
20708     \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
20709 \let\setRL=\setRTL
20710 \let\setLR=\setLTR
20711 \let\unsetRL=\setLTR
20712 \def\bidi@tabular@RTLcases{\let\@halignto\empty\@bidi@tabular@RTLcases}
20713 \ifpackageloaded{array}{%
20714 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
20715     \leavevmode
20716     \hbox \bgroup $\left.\right.\col@sep\ta@colsep \let\d@llarbegin\begin\begin@group
20717                                         \let\d@llarend\endgroup
20718     \tabarray
20719 \def\endbidi@tabular@RTLcases{\endarray \right.\rbrace$\egroup}
20720 }%

```



```

20721 \def\bidi@tabular@RTLcases{\@RTLtabtrue%
20722   \leavevmode \hbox \bgroup
20723   \$\left.\let\@acol\@tabacol
20724   \let\@classz\@tabclassz
20725   \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
20726
20727 \def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
20728   \egroup\right\rbrace \$\egroup\}}
20729 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
20730   \ialign{\$##\hfil\$&\quad\#\hfil\crcr#1\crcr}\},\right\}}
20731 \renewenvironment{RTLcases}{%
20732   \bidi@matrix@check\RTLcases\env@RTLcases
20733 }{%
20734   \endbidi@tabular@RTLcases%
20735 }
20736 \def\env@RTLcases{%
20737   \let\@ifnextchar\bidi@new@ifnextchar
20738   \def\arraystretch{1.2}%
20739   \bidi@tabular@RTLcases{@{}r@{\quad}r@{}%}
20740 }
20741 \def\SepMark#1{\gdef\@SepMark{#1}}
20742 \SepMark{.}
20743 \def\@thmcountersep{\@SepMark}
20744 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
20745 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
20746 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
20747 \newcommand*{\bidi@thebibliography@font@hook}{}
20748 \def\list#1#2{%
20749   \ifnum \listdepth >5\relax
20750     @toodeep
20751   \else
20752     \global\advance\listdepth\ne
20753   \fi
20754   \rightmargin\z@
20755   \listparindent\z@
20756   \itemindent\z@
20757   \csname\list\romannumeral\the\listdepth\endcsname
20758   \def\@itemlabel{\#1}%
20759   \let\makelabel\@mklab
20760   \nmblistfalse
20761   #2\relax
20762   \trivlist
20763   \parskip\parsep
20764   \parindent\listparindent
20765   \advance\linewidth -\rightmargin
20766   \advance\linewidth -\leftmargin
20767   \if\bidi@list@minipage@parbox
20768   \if@RTL
20769   \advance\@totalleftmargin \leftmargin
20770   \else

```



```

20771 \advance\@totalleftmargin \rightmargin
20772 \fi
20773 \else
20774 \if@hboxRconstruct
20775 \if@bidi@list@minipage@parbox@not@nob
20776 \if@RTL
20777   \advance\@totalleftmargin \rightmargin
20778 \else
20779   \advance\@totalleftmargin \leftmargin
20780 \fi
20781 \else
20782 \if@RTL
20783 \advance\@totalleftmargin \leftmargin
20784 \else
20785 \advance\@totalleftmargin \rightmargin
20786 \fi\fi
20787 \else
20788 \if@RTL
20789   \advance\@totalleftmargin \rightmargin
20790 \else
20791   \advance\@totalleftmargin \leftmargin
20792 \fi\fi\fi
20793 \parshape \cne \@totalleftmargin \linewidth
20794 \ignorespaces}
20795 \long\def\@iiiparbox#1#2[#3]#4#5{%
20796   \leavevmode
20797   \pboxswfalse
20798   \if@hboxRconstruct
20799     \bidi@list@minipage@parbox@not@nobtrue
20800   \fi
20801   \if@RTL
20802     \ifx#1t%
20803       \bidi@list@minipage@parboxtrue
20804     \else
20805       \ifx#1b%
20806         \bidi@list@minipage@parboxtrue
20807       \fi
20808     \fi
20809   \fi
20810   \setlength\@tempdima{#4}%
20811   \begin@tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
20812   \ifx\relax#2\else
20813     \setlength\@tempdimb{#2}%
20814     \edef\@parboxto{\to\the\@tempdimb}%
20815   \fi
20816   \if#1b\vbox
20817   \else\if #1t\vtop
20818   \else\ifmmode\vcenter
20819   \else\pboxswtrue \$\vcenter
20820   \fi\fi\fi

```



```

20821     \parboxto{\let\hss\vss\let\unhbox\unvbox
20822         \csname bm@#3\endcsname}%
20823     \if@pboxsw \m@th$\fi
20824     \end@tempboxa}
20825 \newenvironment{LTRitems}
20826     {\par\@RTLfalse\@RTLTabfalse
20827         \if@bidi@list@minipage@parbox
20828             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20829             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20830                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20831                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20832                 \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20833                 \ignorespaces}{\vskip\z@}
20834 \newenvironment{RTLItems}
20835     {\par\@RTLtrue\@RTLTabtrue
20836         \if@bidi@list@minipage@parbox
20837             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20838             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20839                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20840                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20841                 \else \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20842                 \ignorespaces}{\vskip\z@}
20843 \newenvironment{LTRbibitems}
20844     {\par\@RTLfalse\@RTLTabfalse
20845         \if@bidi@list@minipage@parbox
20846             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20847             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20848                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20849                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20850                 \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20851                 \ignorespaces}{\vskip\z@}
20852 \newenvironment{RTLbibitems}
20853     {\par\@RTLtrue\@RTLTabtrue
20854         \if@bidi@list@minipage@parbox
20855             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20856             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20857                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20858                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20859                 \else \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20860                 \ignorespaces}{\vskip\z@}
20861 \def\raggedright{%
20862     \let\\@centercr@rightskip\@flushglue \rightskip\@rightskip
20863     \leftskip\z@skip
20864     \parindent\z@\parfillskip\z@skip}
20865 \let\bidi@orig@raggedleft\raggedleft
20866 \let\bidi@orig@raggedright\raggedright
20867 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRconstruct\if@bidi@list@minipage@parbox\else\fi\fi}
20868 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRconstruct\if@bidi@list@minipage@parbox\else\fi\fi}
20869 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
20870 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}

```



```
20871 \def\centerline#1{%
20872 \if@RTL\@@line{\hss\beginR#1\endR\hss}
20873 \else\@@line{\hss#1\hss}\fi}
20874 \def\leftline#1{%
20875 \if@RTL\@@line{\beginR#1\endR\hss}
20876 \else\@@line{\#1\hss}\fi}
20877 \def\rightline#1{%
20878 \if@RTL\@@line{\hss\beginR#1\endR}
20879 \else\@@line{\hss#1}\fi}
20880 \let\bidi@orig@leftline\leftline
20881 \let\bidi@orig@rightline\rightline
20882 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\ii@leftline{#1}\fi}
20883 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\ii@rightline{#1}\fi}
20884 \def\bidirlap#1{\hb@xt@z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
20885 \def\bidillap#1{\hb@xt@z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
20886 \def\@changfrom#1{\setbox@\tempboxa\hbox{#1}}%
20887 \hangindent \if@RTL-\else\fi\wd\tempboxa\noindent\box@\tempboxa}
20888 \def\narrower{%
20889 \advance\if@RTL\rightskip\else\leftskip\fi\parindent
20890 \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
20891 \def\underline#1{%
20892 \relax
20893 \ifmmode\@@underline{#1}%
20894 \else
20895 \if@RTL $@\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
20896 \else
20897 $@\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
20898 \if@compatibility
20899 \let\undertext=\underline
20900 \fi
20901 \def\@tabular{%
20902 \leavevmode \hbox \bgroup \if@RTL\beginR\else\beginL\fi
20903 \$\let\@acol\@tabacol
20904 \let\@classz\@tabclassz
20905 \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
20906 \def\@endtabular{\crcr\egroup\if@RTL\beginR\else\beginL\fi\egroup\endR\egroup\fi
20907 \egroup \$\if@RTL\beginR\else\beginL\fi\egroup\fi}
20908 \expandafter \let \csname endtabular*\endcsname = \endtabular
20909 \def\@array[#1]#2{%
20910 \if #1\@ttop \else \if#1\@vbox \else \vcenter \fi\fi
20911 \bgroup
20912 \setbox\@arstrutbox\hbox{%
20913 \vrule \height\arraystretch\ht\strutbox
20914 \depth\arraystretch \dp\strutbox
20915 \width\z@}%
20916 \mkpream{#2}%
20917 \edef\@preamble{%
20918 \ialign \noexpand\@halignto
20919 \bgroup \Carstrut\@preamble \tabskip\z@skip \cr}%
20920 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
```



```

20921 \let\tabularnewline\\%
20922   \let\par\@empty
20923   \let\sharp##%
20924   \set@typeset@protect
20925   \lineskip\z@skip\baselineskip\z@skip
20926   \ifhmode \preamerr\z@ \@@par\fi
20927 \if@RTLtab\hbox\bgroup\beginR\hboxRconstructtrue\if #1\vtop \else \vbox \fi\bgroup\fi
20928 \@preamble}
20929 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
20930 \let\@classiv\@arrayclassiv
20931 \let\\\@arraycr\let\haligno\@empty\@RTLtabfalse\@tabarray}
20932 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
20933   \ifnum \lastchclass=3 5 \else
20934     \z@ \if #1c\@chnum \z@ \else
20935       \if \if@RTLtab#1r\else#1l\fi\@chnum \one \else
20936         \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
20937           \@chclass \if #1|\one \else
20938             \if #1@\tw@ \else
20939               \if #1p3 \else \z@ \preamerr 0\fi
20940     \fi \fi \fi \fi \fi
20941 \fi}
20942 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
20943 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
20944 \def\bm@t{\unhbox\@tempboxa\hss}
20945 \def\bm@b{\hss\unhbox\@tempboxa}
20946 \def\@dottedtocline#1#2#3#4#5{%
20947   \ifnum #1>\c@tocdepth \else
20948     \vskip \z@ \oplus .2\p@
20949     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocrmarg
20950       \parindent #2\relax \afterindenttrue
20951       \interlinepenalty\@M
20952       \leavevmode
20953       \tempdima #3\relax
20954       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi #4\relax
20955       \nobreak
20956       \leaders\hbox{$\m@th
20957         \mkern \dotsep \mu\hbox{.}\mkern \dotsep
20958         \mu$}\hfill
20959       \nobreak
20960       \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
20961       \par}%
20962   \fi}
20963
20964 \newcount\bidi@column@check@number
20965
20966 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
20967
20968 \def\bidi@set@column@status#1#2{%
20969   \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
20970

```



```

20971 \if@twocolumn
20972 \newcommand{\DetectColumn}[3][1]{%
20973   \ifx\bidi@firstcolumn@status@write\relax
20974     \PackageError{bidi}{%
20975       {Option 'DetectColumn' not selected}%
20976       {\string\DetectColumn\space
20977         requires the use of the 'DetectColumn'
20978         option on the package}%
20979   \fi
20980   \global\advance\bidi@column@check@number\@ne
20981   \edef\bidi@column@type{\expandafter\ifx
20982     \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
20983     \else
20984       \csname bidi@column-\the\bidi@column@check@number\endcsname
20985     \fi}%
20986   \ifcase \bidi@column@type\relax
20987     \ifcase #1\or #2\or#3\fi % 0 not known use first column as default
20988   \or
20989     #2% % 1 First column
20990   \or
20991     #3% % 2 Second (Last column)
20992   \else
20993     \ERROR
20994   \fi
20995   \edef\next{\write\@auxout
20996     {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
20997       {\bidi@column@type}}}\%
20998   \next
20999 }
21000
21001 \AtEndDocument{\def\bidi@set@column@status#1#2{%
21002   \ifnum #2=\bidi@current@column@status\else
21003     \c@tempswattrue
21004   \fi}%
21005 }
21006 \fi
21007
21008 \def\RTL@outputdblcol{%
21009   \if@firstcolumn
21010     \global\@firstcolumnfalse
21011     \global\setbox\@leftcolumn\copy\@outputbox
21012     \splitmaxdepth\maxdimen
21013     \vbadness\maxdimen
21014     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
21015     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
21016     \toks@\expandafter{\topmark}%
21017     \xdef\@firstcoltopmark{\the\toks@}%
21018     \toks@\expandafter{\splitfirstmark}%
21019     \xdef\@firstcolfirstmark{\the\toks@}%
21020     \ifx\@firstcolfirstmark\empty

```



```

21021     \global\let\@setmarks\relax
21022     \else
21023       \gdef\@setmarks{%
21024         \let\firstmark\@firstcolfirstmark
21025         \let\topmark\@firstcoltopmark}%
21026     \fi
21027   \else
21028     \global\@firstcolumntrue
21029     \setbox\@outputbox\vbox{%
21030       \hb@xt@\textwidth{%
21031         \hskip \columnwidth
21032         \hfil
21033         {\normalcolor\vrule \@width\columnsep\hss}%
21034         \hfil
21035         \hb@xt@\columnwidth{%
21036           \bidi@firstcolumn@status@write%
21037           \box\@leftcolumn \hss}%
21038           \hskip -\textwidth
21039           \hb@xt@\columnwidth{%
21040             \bidi@lastcolumn@status@write%
21041             \box\@outputbox \hss}%
21042             \hskip \columnsep
21043             \hskip \columnwidth }}}}%
21044   \@combinedblfloats
21045     \@setmarks
21046     \@outputpage
21047     \begingroup
21048       \cdblfloatplacement
21049       \cstartdblcolumn
21050       \cwhilesw\if@fcolmade \fi{\@outputpage
21051         \cstartdblcolumn}%
21052       \endgroup
21053     \fi}%
21054
21055 \def\LTR@outputdblcol{%
21056   \if@firstcolumn
21057     \global\@firstcolumnfalse
21058     \global\setbox\@leftcolumn\copy\@outputbox
21059     \splitmaxdepth\maxdimen
21060     \vbadness\maxdimen
21061     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
21062     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
21063     \toks@\expandafter{\topmark}%
21064     \xdef\@firstcoltopmark{\the\toks@}%
21065     \toks@\expandafter{\splitfirstmark}%
21066     \xdef\@firstcolfirstmark{\the\toks@}%
21067     \ifx\@firstcolfirstmark\empty
21068       \global\let\@setmarks\relax
21069     \else
21070       \gdef\@setmarks{%

```



```

21071      \let\firstmark\@firstcolfirstmark
21072      \let\topmark\@firstcoltopmark}%
21073      \fi
21074  \else
21075      \global\@firstcolumntrue
21076      \setbox\@outputbox\vbox{%
21077          \hb@xt@\textwidth{%
21078              \hb@xt@\columnwidth{%
21079                  \bidi@firstcolumn@status@write%
21080                  \box@\leftcolumn \hss}%
21081                  \hfil
21082                  {\normalcolor\vrule \width\columnsep}%
21083                  \hfil
21084              \hb@xt@\columnwidth{%
21085                  \bidi@lastcolumn@status@write%
21086                  \box@\outputbox \hss}}}%
21087  \@combinedblfloats
21088      \@setmarks
21089      \@outputpage
21090      \begingroup
21091          \@dblfloatplacement
21092          \@startdblcolumn
21093          \@whilesw\if@fcolmade \fi{\@outputpage
21094          \@startdblcolumn}%
21095      \endgroup
21096  \fi}%
21097
21098
21099 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
21100 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
21101 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
21102
21103 \bidi@patchcmd\@makecol{%
21104     \ifvoid\footins
21105         \setbox\@outputbox \box\@cclv
21106     \else
21107         \setbox\@outputbox \vbox {%
21108             \boxmaxdepth \@maxdepth
21109             \unvbox \@cclv
21110             \vskip \skip\footins
21111             \color\begin{group}
21112                 \normalcolor
21113                 \footnoterule
21114                 \unvbox \footins
21115                 \color\endgroup
21116             }%
21117         \fi
21118 }{%
21119     \ifvoid\footins
21120         \ifvoid\@bidi@copyins@
```



```

21121      \setbox\@outputbox \box\@cclv
21122  \else
21123      \setbox\@outputbox \vbox {%
21124          \boxmaxdepth \@maxdepth
21125          \unvbox \@cclv
21126          \vskip \skip\@bidi@copyins@
21127          \color@begingroup
21128              \normalcolor
21129              \unvbox \@bidi@copyins@
21130          \color@endgroup
21131      }%
21132  \fi
21133  \else
21134      \setbox\@outputbox \vbox {%
21135          \boxmaxdepth \@maxdepth
21136          \unvbox \@cclv
21137          \vskip \skip\footins
21138          \color@begingroup
21139              \normalcolor
21140              \footnoterule
21141              \unvbox \footins
21142          \color@endgroup
21143          \ifvoid\@bidi@copyins@
21144      \else
21145          \vskip \skip\@bidi@copyins@
21146          \color@begingroup
21147              \normalcolor
21148              \unvbox \@bidi@copyins@
21149          \color@endgroup
21150      \fi
21151  }%
21152  \fi
21153 }{}{%
21154 \def\LTRmarginpar{%
21155     \ifhmode
21156         \@bsphack
21157         \@floatpenalty -\@Mii
21158     \else
21159         \@floatpenalty-\@Miii
21160     \fi
21161     \ifinner
21162         \parmoderr
21163         \@floatpenalty\z@
21164     \else
21165         \next\@currbox\@freelist{}{}%
21166         \next\@marbox\@freelist{\global\count\@marbox\m@ne}%
21167         {\@floatpenalty\z@
21168             \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
21169     \fi
21170 }

```



```

21171  \@ifnextchar [\@LTXmpar\@LTYmpar]
21172  \long\def\@LTXmpar[#1]#2{%
21173    \@LTrsavemarbox\@marbox{#1}%
21174    \@LTrsavemarbox\@currbox{#2}%
21175    \@xympar}
21176  \long\def\@LTYmpar#1{%
21177    \@LTrsavemarbox\@marbox{#1}%
21178    \global\setbox\@currbox\copy\@marbox
21179    \@xympar}
21180  \long\def\@LTrsavemarbox #1#2{%
21181    \global\setbox #1%
21182    \color@vbox
21183      \vtop{%
21184        \hsize\marginparwidth
21185        \parboxrestore
21186        \@LTRmarginparreset
21187        #2%
21188        \minipagetrue
21189        \outer@nobreak
21190        }%
21191      \color@endbox
21192 }
21193 \def\@LTRmarginparreset {%
21194   \reset@font
21195   \normalsize
21196   \minipagetrue
21197   \everypar{\minipagetrue\everypar{}{\beginL}}%
21198 }
21199 \def\RTLmarginpar{%
21200   \ifhmode
21201     \bsphack
21202     \floatpenalty -\Mii
21203   \else
21204     \floatpenalty-\Miii
21205   \fi
21206   \ifinner
21207     \parmoderr
21208     \floatpenalty\z@
21209   \else
21210     \next@\currbox\@freelist{}{}}%
21211     \next@\marbox\@freelist{\global\count\marbox\m@ne}%
21212     {\floatpenalty\z@
21213       \f@tovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
21214   \fi
21215   \@ifnextchar [\@RTLXmpar\@RTLYmpar]
21216  \long\def\@RTLXmpar[#1]#2{%
21217    \@RTLsavemarbox\@marbox{#1}%
21218    \@RTLsavemarbox\@currbox{#2}%
21219    \@xympar}
21220  \long\def\@RTLYmpar#1{%

```



```

21221  \@RTLsavemarbox{\marbox{#1}}%
21222  \global\setbox\currbox\copy\marbox
21223  \xympar}
21224 \long\def \@RTLsavemarbox #1#2{%
21225  \global\setbox #1%
21226  \color@vbox
21227  \vtop{%
21228  \hsize\marginparwidth
21229  \parboxrestore
21230  \@RTLmarginparreset
21231  #2%
21232  \minipagetrue
21233  \outer@nobreak
21234  }%
21235  \color@endbox
21236 }
21237 \def \@RTLmarginparreset {%
21238  \reset@font
21239  \normalsize
21240  \minipagetrue
21241  \everypar{\minipagetrue\everypar{}{\beginR}}%
21242 }
21243 \def \caddmarginpar{\next\marbox\currlist{\cons\freelist\marbox
21244  \cons\freelist\currbox}\atexbug\tempcnta\ne
21245  \if@twocolumn
21246  \if@firstcolumn \tempcnta\ne \fi
21247  \else
21248  \ifmparswitch
21249  \ifodd\c@page \else\tempcnta\ne \fi
21250  \fi
21251  \if@reversemargin \tempcnta -\tempcnta \fi
21252  \fi
21253  \ifnum\tempcnta <\z@ \global\setbox\marbox\box\currbox \fi
21254  \tempdima\mparbottom
21255  \advance\tempdima -\pageht
21256  \advance\tempdima\ht\marbox
21257  \ifdim\tempdima >\z@
21258  \atexwarning{no@line {Marginpar on page \thepage\space moved}}%
21259  \else
21260  \tempdima\z@
21261  \fi
21262  \global\mparbottom\pageht
21263  \global\advance\mparbottom\tempdima
21264  \global\advance\mparbottom\dp\marbox
21265  \global\advance\mparbottom\marginparpush
21266  \advance\tempdima -\ht\marbox
21267  \global\setbox\marbox
21268  \vbox {\vskip \tempdima
21269  \box \marbox}%
21270  \global\ht\marbox \z@

```



```

21271   \global \dp\@marbox \z@%
21272   \kern -\@pagedp%
21273   \nointerlineskip%
21274   \hb@xt@\columnwidth{%
21275     \if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi%
21276       \hskip\columnwidth \hskip\marginparsep%
21277     \else%
21278       \hskip -\marginparsep \hskip -\marginparwidth%
21279     \fi%
21280     \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else\endL\fi%
21281     \nointerlineskip%
21282     \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}%
21283   \long\def\@ympar#1{%
21284     \savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar\@RTLtrue\else\@RTLfalse\fi}%
21285     \global\setbox\currbox\copy\@marbox%
21286     \@xmpar}%
21287   \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}%
21288   \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}%
21289   \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}%
21290   \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse%
21291     \tempdima\@totalleftmargin \advance\tempdima\linewidth%
21292   \hbox to\tempdima{\if@RTL\beginR\fi\itemfudge\hskip\dimen\curtabmar%
21293     \box\curline\hfil\box\curfield\if@RTL\endR\fi}\else\addfield%
21294     \hbox to\linewidth{\if@RTL\beginR\fi\itemfudge%
21295     \hskip\dimen\curtabmar\box\curline\hfil\if@RTL\endR\fi}%
21296   \fi}%
21297%
21298 \newcommand*\bidi@font@outputpage{}%
21299%
21300 \def\@outputpage{%
21301   \begingroup % the \endgroup is put in by \aftergroup
21302   \let \protect \noexpand%
21303   \resetactivechars%
21304   \global\let\@if@newlist\if@newlist%
21305   \global\@newlistfalse%
21306   \parboxrestore%
21307   \global\let\bidi@BeforeOutputPageShipOut\@firstofone%
21308   \bidi@beforeoutputpageshipouthook%
21309   \shipout \vbox{%
21310     \set@typeset@protect%
21311     \aftergroup \endgroup%
21312     \aftergroup \set@typeset@protect%
21313       % correct? or just restore by ending%
21314       % the group?%
21315   \if@specialpage%
21316     \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
21317   \fi%
21318   \if@twoside%
21319     \ifodd\count\z@ \let\@thehead\@oddhead \let\@tfoot\@oddfoot%
21320       \if@RTLmain%

```



```

21321           \let\@themargin\evensidemargin
21322           \else
21323               \let\@themargin\oddsidemargin
21324           \fi
21325       \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
21326           \if@RTLmain
21327               \let\@themargin\oddsidemargin
21328           \else
21329               \let\@themargin\evensidemargin
21330           \fi
21331       \fi
21332           \ifx\@thehead\@empty \let\@thehead\hfil \fi
21333           \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
21334           \else %% not @twoside
21335               \ifx\@oddhead\@empty \let\@thehead\hfil \fi
21336               \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
21337       \fi
21338           \reset@font
21339           \normalsize
21340           \bidi@font@@outputpage
21341           \normalsfcodes
21342           \let\label@gobble
21343           \let\index@gobble
21344           \let\glossary@gobble
21345           \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
21346               \begindvi
21347               \vskip \topmargin
21348           \moveright\@themargin \vbox {%
21349               \global\let\bidi@BeforeHeader\@firstofone
21350               \bidi@beforeheaderhook
21351               \setbox\@tempboxa \vbox to\headheight{%
21352                   \vfil
21353                   \color@hbox
21354                       \normalcolor
21355                       \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@
21356                           \color@endbox
21357                   }%                                %% 22 Feb 87
21358               \dp\@tempboxa \z@
21359               \box\@tempboxa
21360               \vskip \headsep
21361               \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
21362               \bidi@beforeoutputboxoutputpagehook
21363               \box\@outputbox
21364               \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
21365               \bidi@afteroutputboxoutputpagehook
21366               \global\let\bidi@BeforeFooter\@firstofone
21367               \bidi@beforefooterhook
21368               \baselineskip \footskip
21369               \color@hbox
21370                   \normalcolor

```



```

21371      \hb@xt@{\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTI
21372      \color@endbox
21373      \global\let\bidi@AfterFooter\@firstofone
21374      \bidi@afterfooterhook
21375      }%
21376      }%
21377      \global\let\bidi@AfterOutputPageShipOut\@firstofone
21378      \bidi@afteroutputpageshipouthook
21379      \global\let\if@newlist\@@if@newlist
21380      \global \@colht \textheight
21381      \stepcounter{page}%
21382      \let\firstmark\botmark
21383      \global\let\bidi@AtEndOutputPage\@firstofone
21384      \bidi@atendoutputpagehook
21385  }
21386 \long\def\@makecaption#1#2{%
21387   \vskip\abovecaptionskip
21388   \sbox\@tempboxa{#1: #2}%
21389   \ifdim \wd\@tempboxa >\hsize
21390     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
21391   \else
21392     \global \minipagefalse
21393     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
21394   \fi
21395   \vskip\belowcaptionskip}
21396 \let\bidi@saved@eqno=\eqno
21397 \let\bidi@saved@leqno=\leqno
21398 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
21399 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
21400 @ifpackageloaded{amsmath}{}{
21401 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}
21402 }
21403 \input{footnote-xetex-bidi.def}
21404 \if@twocolumn
21405   \let\autofootnoterule\relax
21406   \let\leftfootnoterule\relax
21407   \let\rightfootnoterule\relax
21408   \textwidthfootnoterule
21409 \fi
21410 \if@bidi@csundef{@idxitem}{}{%
21411   \renewcommand{@idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
21412 }
21413 @ifpackageloaded{tocbasic}{}{\input{tocbasic-xetex-bidi.def}}{}
21414 @ifclassloaded{article}{@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}%
21415 @ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}%
21416 @ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}%
21417 @ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}%
21418 @ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}%
21419 @ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}%
21420 @ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}%

```



```

21421 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
21422 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
21423 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
21424 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
21425 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
21426 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
21427 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
21428 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
21429 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
21430 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
21431 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
21432 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
21433 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
21434 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
21435 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
21436 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
21437 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
21438 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
21439 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
21440 \@ifpackageloaded{amsmath}{}{%
21441 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}%
21442 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}%
21443 }%
21444 \@ifpackageloaded{mathtools}{%
21445   \RequirePackage{graphicx}%
21446   \input{mathtools-xetex-bidi.def}%
21447 }%
21448 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}%
21449 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}%
21450 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}%
21451 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}%
21452 \@ifpackagewith{algorithm2e}{algonl}{}%
21453 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Alg}%
21454 }%
21455 \@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}%
21456 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}%
21457 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}%
21458 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}%
21459 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}%
21460 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}%
21461 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}%
21462 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}%
21463 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}%
21464 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}%
21465 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}%
21466 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}%
21467 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}%
21468 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}%
21469 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}%
21470 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}%

```



```

21471 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
21472 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{\{\input{float-xetex-bidi.def}\}}{}}
21473 \@ifpackageloaded{flowfram}{\{\input{flowfram-xetex-bidi.def}\}}{}
21474 \@ifpackageloaded{xltextra}{\{\input{xltextra-xetex-bidi.def}\}}{}
21475 \@ifpackageloaded{wrapfig}{\{\input{wrapfig-xetex-bidi.def}\}}{}
21476 \@ifpackageloaded{graphicx}{\{\input{graphicx-xetex-bidi.def}\}}{}
21477 \@ifpackageloaded{geometry}{\{\input{geometry-xetex-bidi.def}\}}{}
21478 \@ifpackageloaded{hfloat}{\{\input{hfloat-xetex-bidi.def}\}}{}
21479 \@ifpackageloaded{ntheorem}{\{\input{ntheorem-xetex-bidi.def}\}}{}
21480 \@ifpackageloaded{tabularx}{\{\input{tabularx-xetex-bidi.def}\}}{}
21481 \@ifpackageloaded{longtable}{\{\input{longtable-xetex-bidi.def}\}}{}
21482 \@ifpackageloaded{hyperref}{\{\input{hyperref-xetex-bidi.def}\}}{}
21483 \@ifpackageloaded{ntheorem-hyper}{\{\input{ntheorem-hyper-xetex-bidi.def}\}}{}
21484 \@ifpackageloaded{fancybox}{\{\input{fancybox-xetex-bidi.def}\}}{}
21485 \@ifpackageloaded{fancyhdr}{\{\input{fancyhdr-xetex-bidi.def}\}}{}
21486 \@ifpackageloaded{fix2col}{\{\input{fix2col-xetex-bidi.def}\}}{}
21487 \@ifpackageloaded{ftnright}{\{\input{ftnright-xetex-bidi.def}\}}{}
21488 \@ifpackageloaded{midfloat}{\{\input{midfloat-xetex-bidi.def}\}}{}
21489 \@ifpackageloaded{draftwatermark}{\{\input{draftwatermark-xetex-bidi.def}\}}{}
21490 \@ifpackageloaded{dblfnote}{\{\input{dblfnote-xetex-bidi.def}\}}{}
21491 \@ifpackageloaded{diagbox}{\{\input{diagbox-xetex-bidi.def}\}}{}
21492 \@ifpackageloaded{eso-pic}{\{\input{eso-pic-xetex-bidi.def}\}}{}
21493 \@ifpackageloaded{empheq}{\{\input{empheq-xetex-bidi.def}\}}{}
21494 \@ifpackageloaded{framed}{\{\input{framed-xetex-bidi.def}\}}{}
21495 \@ifpackageloaded{overpic}{\{\input{overpic-xetex-bidi.def}\}}{}
21496 \@ifpackageloaded{pdfbase}{\{\input{pdfbase-xetex-bidi.def}\}}{}
21497 \@ifpackageloaded{pdfpages}{\{\input{pdfpages-xetex-bidi.def}\}}{}
21498 \@ifpackageloaded{lettrine}{\{\input{lettrine-xetex-bidi.def}\}}{}
21499 \@ifpackageloaded{lineno}{\{\input{lineno-xetex-bidi.def}\}}{}
21500 \@ifpackageloaded{listings}{\{\input{listings-xetex-bidi.def}\}}{}
21501 \@ifpackageloaded{media9}{\{\RequirePackage{bidi-media9}\}}{}
21502 \@iftexfileloaded{pstricks}{\{\input{pstricks-xetex-bidi.def}\}}{}
21503 \@iftexfileloaded{pgfcorescopes.code}{\{\input{pgfcorescopes.code-xetex-bidi.def}\}}{}
21504 \@ifpackageloaded{titlesec}{\{\input{titlesec-xetex-bidi.def}\}}{}
21505 \@ifpackageloaded{titletoc}{\{\input{titletoc-xetex-bidi.def}\}}{}
21506 \@ifpackageloaded{array}{\{\input{array-xetex-bidi.def}\}}{}
21507 \@ifpackageloaded{sidecap}{\{\input{sidecap-xetex-bidi.def}\}}{}
21508 \@ifpackagewith{sidecap}{innercaption}{%
21509 \if@RTL \ renewcommand*\{SC@FLOAT\}[2]{%
21510 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1} {{\#1}\hspace{\sidecaptionsep}{\#2}}}%
21511 \renewcommand*\{SC@justify@caption\%%
21512 \isSC@ODD{\RaggedRight}{\RaggedLeft}\}\else%
21513 \renewcommand*\{SC@FLOAT\}[2]{%
21514 \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} {{\#2}\hspace{\sidecaptionsep}{\#1}}}%
21515 \renewcommand*\{SC@justify@caption\%%
21516 \isSC@ODD{\RaggedLeft}{\RaggedRight}\}\fi%
21517 }%
21518 \@ifpackagewith{sidecap}{rightcaption}{%
21519 \if@RTL\renewcommand*\{SC@FLOAT\}[2]{{\#1}\hspace{\sidecaptionsep}{\#2}}%
21520 \def\SC@justify@caption{\RaggedLeft}\else%

```



```

21521 \renewcommand*{\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{\#1}}
21522 \def\SC@justify@caption{\RaggedRight}\fi%
21523 {}}
21524 @ifpackagewith{sidecap}{leftcaption}{%
21525 @ifRTL \renewcommand*{\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{\#1}}
21526 \def\SC@justify@caption{\RaggedRight}\else%
21527 \renewcommand*{\SC@FLOAT}[2]{\#1}\hspace{\sidecaptionsep}{\#2}}
21528 \def\SC@justify@caption{\RaggedLeft}\fi%
21529 {}}
21530 @ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
21531 @ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
21532 @ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
21533 @ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
21534 @ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
21535 @ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
21536 @ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
21537 @ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
21538 @ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
21539 @ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
21540 @ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
21541 @ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
21542 @ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
21543 @ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
21544 @ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
21545 @ifpackageloaded{tbls}{\input{tbls-xetex-bidi.def}}{}
21546 @ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
21547 @ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
21548 @ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
21549 @ifpackageloaded{tocbibind}{@\ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}{}}
21550 @ifpackageloaded{tocloft}{@\ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}{}}
21551 @ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
21552 @ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```

128 File `xltxttra-xetex-bidi.def`

```

21553 \ProvidesFile{xltxttra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxttra package for
21554 \let\@@XeTeX\XeTeX
21555 \def\XeTeX{\@ensure@LTR{\@@XeTeX}}
21556 \let\@@XeLaTeX\XeLaTeX
21557 \def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}

```

129 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		\% 11404		\' 11524, 13744, 15740
\# .. 3054, 3100, 3209, 3217				



\(.	13845	\@@bidi@AfterClass	20569, 20570,
\)	13846 3982, 3999	20571, 20574, 20593
\,	5297, 11787,	\@@bidi@AfterPackage	\@@par 13742,
16334, 16377,	 4027, 4042	15738, 16329,
20323, 20334, 20730		\@@bidi@PreventPackageFromLoading	6372, 16851,
\- 1772, 11523, 13743, 15739		... 4073, 4075, 4077	16858, 17400,
\.	93, 296, 579,	\@@bidi@pop	17407, 17973,
711, 974, 1224,		3698, 3699, 3702, 3704	17978, 18099,
1771, 6484, 6672,		\@@bidi@popinto	18106, 18953,
6984, 8505, 8779,		3695, 3698, 3699	18955, 20811, 20926
10613, 12917,		\@@clr 20518, 20523,	\@@para@footstart@v@l
15134, 15902,		20526, 20528, 10203, 10261
16296, 16493,		20529, 20531,	\@@protect 2985
16696, 17104,		20561, 20566,	\@@startpbox . . . 13618,
17684, 18367, 19028		20569, 20571,	18738, 18776, 20920
\/	2036	20572, 20574, 20593	\@@title . 5912, 5915, 5918
\:	13887, 13946	\@@cls 20513, 20556	\@@tmp 20522,
\<	18662	\@@date . . . 5914, 5917, 5920	20523, 20528,
\=	11524, 13744, 15740	\@@end 3349, 3350	20529, 20531,
\>	18663	\@@endpbox . . . 13619,	20532, 20565,
\@	3124	18738, 18776, 20920	20566, 20571,
\@c	18841, 18843	\@@footstart@v@l	20572, 20574,
\@@@bidi@AfterClass		. 9053, 10203, 10261	20575, 20593, 20594
 3983, 3988	\@@if@newlist 10935,	\@@underline
\@@@bidi@AfterPackage		10967, 21304, 21379	. 20893, 20895, 20897
 4028, 4032	\@@input 3898	\@DEBUGfalse 2316
\@H@footnotetext		\@@italiccorr	\@False 7007, 7009
 8823, 8838	... 336, 7028, 13724	\@LTRbibitemsfalse
\@H@mpfootnotetext		\@@line 9147, 20744, 20746
 8826, 8844	9151, 16722,	\@LTRbibitemstrue 20745
\@HLTR@LTRfootnotetext		16731, 16769,	\@LTRbidiutufstesidenote@sidenote
 8824, 8840	16780, 20872,	... 5413, 5472, 5476
\@HLTR@mpLTRfootnotetext		20873, 20875,	\@LTRbidiutufstesidenotemarginparreset
 8827, 8846	20876, 20878, 20879 5048, 5055
\@CHRTL@RTLfootnotetext		\@@makecaption	\@LTRbidiutufstesidenotesavemarbox
 8825, 8842	.. 17146, 17225, 5035,
\@CHRTL@mpRTLfootnotetext		17247, 17726,	5036, 5039, 5042
 8828, 8848	17805, 17827,	\@LTRbidiutufstesidenotexmpar
\@CLTR	15590,	18409, 18488, 18510 5033, 5034
	15592, 20690, 20692	\@@makefnmark 16868,	\@LTRbidiutufstesidenoteympar
\@LaTeX	20695, 20696	16870, 17417, 5033, 5038
\@LaTeXe	20697, 20698	17419, 17987,	\@LTRfootgroupv@l .
\@RTL	15589,	17988, 18116, 18118 9046,
	15592, 20689, 20692	\@@math 7019	9054, 10201, 10259
\@Radio	12856, 12864	\@@mix 20517, 20560	\@LTRfootnotetext 64,
\@TeX	15593,	\@@mod 20518, 20522,	81, 155, 156, 157,
	15594, 20693, 20694	20523, 20526,	266, 284, 2172,
\@XeLaTeX	21556, 21557	20527, 20528,	2294, 5342, 5425,
\@XeTeX	21554, 21555	20531, 20561,	5432, 6148, 6159,
\@author	5913, 5916, 5919	20565, 20566,	6365, 6379, 7977,



7978, 8824, 8839, 8840, 8910, 8958, 8966, 9163, 9272, 9375, 9484, 9593, 9702, 9811, 9920, 10029, 10188, 10246, 11190, 11196, 11240, 11266, 11324, 11349, 11355, 12290, 12318, 12397, 12416, 12610, 12614, 12634, 12635, 13679, 13800, 14928, 14929, 14930, 16833, 16839, 17152, 17153, 17163, 17382, 17388, 17732, 17733, 17743, 18081, 18087, 18415, 18416, 18426, 18807, 18824, 18916	14811, 15678, 15800, 15801, 15825, 15935, 16074, 16197, 16250, 16251, 16312, 16313, 16667, 16675, 18832, 18939, 18980, 19114, 19145, 19168, 19185, 19202, 19219, 19236, 19253, 19271, 19290, 19310, 19345, 19678, 20139, 20253, 20951	\@RTLcolumnfootnotesfalse 8976 \@RTLcolumnfootnotestrue 8975 \@RTLfalse 36, 66, 87, 239, 268, 290, 565, 700, 963, 1213, 1656, 1662, 1680, 2542, 6473, 6661, 6970, 6989, 7001, 7014, 8494, 8765, 8884, 8912, 8925, 8936, 9177, 9187, 9222, 9234, 9286, 9295, 9328, 9339, 9389, 9399, 9434, 9446, 9498, 9508, 9543, 9555, 9607, 9617, 9651, 9663, 9716, 9726, 9760, 9772, 9825, 9835, 9870, 9882, 9934, 9944, 9979, 9991, 10043, 10053, 10088, 10100, 10422, 10441, 10602, 11208, 11241, 11284, 11298, 12911, 13233, 13256, 13260, 13267, 13276, 13733, 14540, 15125, 15289, 15337, 15535, 15569, 15573, 15578, 15627, 15891, 16285, 16479, 16682, 17082, 17662, 18345, 19014, 20650, 20657, 20678, 20826, 20844, 21284, 21355, 21371
\@LTrmarginparfalse 21287, 21289	\@Mii .. 41, 55, 71, 244, 258, 273, 7975, 7996, 8043, 8050, 8095, 8102, 9074, 11213, 11230, 11246	
\@LTrmarginparreset 21186, 21193	\@Mi 7019, 13693	
\@LTrmarginpartrue 21288	\@Miii . 2247, 4976, 5020,	
\@LTrsavemarbox 21173, 21174, 21177, 21180	5064, 7498, 7507, 7517, 7672, 7681, 7691, 21158, 21202	
\@LTrxmpar . 21171, 21172	\@Mii . 2249, 4978, 5022, 5066, 21160, 21204	
\@LTRYmpar . 21171, 21176	\@RTL@footnotefalse ... 1698, 11033, 11200, 15573, 15578, 20657, 20678	
\@M . 6, 92, 105, 201, 225, 295, 551, 615, 616, 640, 744, 867, 922, 923, 996, 1116, 1117, 1123, 1246, 2099, 2104, 5644, 6405, 6406, 6412, 6526, 6582, 6583, 6589, 6703, 6753, 6948, 6956, 7023, 8472, 8485, 8742, 8751, 9147, 9151, 10579, 10587, 10908, 12916, 12930, 12954, 14787, 14799,	\@RTL@footnotetrue ... 1696, 11033, 11199, 15575, 15577, 20667, 20677	
	\@RTLbibitemsfalse 20745, 20746	
	\@RTLbibitemstrue 20744	
	\@RTLbidituftesidenote@sidenote 17082,	
	... 5442, 5473, 5477	
	\@RTLbidituftesidenotemarginparreset5, 20650, 5092, 5099	
	20657, 20678, \@RTLbidituftesidenotesavemarbox 20826,	
	20844, 21284, 21355, 21371	
	5079, 5080, 5083, 5086	\@RTLfootnotetext 48,
	\@RTLbidituftesidenotexmpar	80, 159, 160, 161,
 5077, 5078	251, 283, 2173,
	\@RTLbidituftesidenoteympar	2295, 5360, 5454,
 5077, 5082	5461, 6149, 6160,



6366, 6380, 7998, 7999, 8825, 8841, 8842, 8896, 8959, 8967, 9164, 9273, 9376, 9485, 9594, 9703, 9812, 9921, 10030, 10189, 10247, 11181, 11187, 11224, 11265, 11325, 11364, 11370, 12289, 12307, 12382, 12417, 12609, 12613, 12631, 12632, 13680, 13801, 14932, 14933, 14934, 16834, 16843, 17154, 17155, 17165, 17383, 17392, 17734, 17735, 17745, 18082, 18091, 18417, 18418, 18428, 18808, 18825, 18917	7028, 7030, 8494, 8765, 8884, 8898, 8925, 8947, 9177, 9197, 9222, 9247, 9286, 9304, 9328, 9351, 9389, 9409, 9434, 9459, 9498, 9518, 9543, 9568, 9607, 9627, 9651, 9676, 9716, 9736, 9760, 9785, 9825, 9845, 9870, 9895, 9934, 9954, 9979, 10004, 10043, 10063, 10088, 10113, 10412, 10432, 10602, 11208, 11225, 11270, 11298, 12911, 13233, 13256, 13267, 13276, 13736, 14540, 15125, 15536, 15561, 15575, 15577, 15891, 16285, 16479, 16682, 17082, 17662, 18345, 19014, 20616, 20641, 20667, 20677, 20835, 20853, 21284, 21355, 21371 \@RTLmainfalse . 1581, 1585, 1860, 1864 \@RTLmaintrue . 1584, 1863 \@RTLmarginparfalse 21288, 21289 \@RTLmarginparreset 21230, 21237 \@RTLmarginpartrue 21287 \@RTLSavemarbox 21217, 21218, 21221, 21224 \@RTLtabfalse .. 402, 1560, 1668, 20651, 20657, 20678, 20826, 20844, 20931 \@RTLtabtrue 1559, 1666, 20642, 20667, 20677, 20714, 20721, 20835, 20853 \@RTLtrue 36, 50, 87, 239, 253, 290, 565, 700, 963, 1213, 1654, 1660, 1678, 2542, 6473, 6661, 6970,	6931, 6933, 6934, 6935, 6936, 6937, 8605, 8606, 8607, 8608, 8721, 8723, 8725, 8727, 8728, 8729, 8730, 8731, 10705, 10706, 10707, 10708, 10709, 10711, 10713, 10715, 10875, 10881, 11003, 11005, 11007, 11009, 11010, 11011, 11012, 11013, 11016, 11018, 11020, 11022, 11023, 11024, 11025, 11026, 12967, 12968, 12969, 12970, 13293, 14427, 14429, 14431, 14433, 14435, 14436, 14438, 14439, 14440, 15168, 15176, 15178, 15906, 15907, 15908, 15909, 15910, 15912, 15914, 15916, 16271, 16272, 16273, 16274, 16275, 16277, 16279, 16281, 16466, 16468, 16470, 16471, 16472, 16473, 16474, 16475, 16648, 16650, 16652, 16654, 16655, 16656, 16657, 16658, 17056, 17057, 17059, 17061, 17063, 17604, 17607, 17609, 17613, 17615, 17617, 17619, 17623,
--	--	--



17625,	17631,	19218,	19235,	14439,	14440,
17633,	17639,	19252,	19270,	15893,	15900,
17641,	18303,	19289,	19309,	15906,	15907,
18305,	18308,	19344,	19677,	15908,	15909,
18310,	18312,	20132,	20252,	15910,	15912,
18314,	18317,	\@algcfc@finish . . .	179	15914,	15916,
18321,	18325,	\@algcfc@start . . .	171	16271,	16272,
19088,	19332,	\@campacol . . .	1428, 1436	16273,	16274,
20741,	20743,	\@arabic	168,	16275,	16277,
\@Submit . . .	12872, 12881	539, 540, 541, 542,		16279,	16281,
\@TextField .	12840, 12848	567, 574, 693, 694,		16287,	16294,
\@True . . .	7002, 7008, 7040	695, 696, 702, 709,		16466,	16468,
\@Undottedtocline .	14794	947, 948, 949, 950,		16470,	16471,
\@Undottedtoclinep .	14806	965, 972, 1206,		16472,	16473,
\@acci .	11524, 13744, 15740	1207, 1208, 1209,		16474,	16475,
\@accii .	11524, 13744, 15740	1215, 1222, 2554,		16481,	16488,
\@acciii 11524, 13744, 15740	6475, 6482, 6499,		16648,	16650,
\@acol .	1430, 1438, 2181,	6500, 6501, 6502,		16652,	16653,
	13615,	6503, 6505, 6507,		16654,	16655,
	18722,	6509, 6663, 6670,		16656,	16657,
	20723,	6676, 6677, 6678,		16658,	16684,
\@acolampacol . . .	1428,	6679, 6680, 6682,		16691,	17057,
	1430,	6684, 6686, 6927,		17059,	17061,
\@addamp	1429, 1437	6929, 6931, 6932,		17063,	17085,
\@addfield	21293	6933, 6934, 6935,		17101,	17611,
\@addmarginpar . . .	21243	6936, 6937, 6972,		17613,	17615,
\@address	2434,	6979, 8496, 8503,		17617,	17619,
	7832, 7833, 7930, 7932	8605, 8606, 8607,		17627,	17635,
\@addresscolour .	2403,	8608, 8721, 8723,		17643,	17665,
	2420,	8725, 8726, 8727,		17681,	18306,
\@addtofilelist . . .	3897	8728, 8729, 8730,		18308,	18310,
\@addtopreamble . . .		8731, 8767, 8774,		18312,	18314,
	. . . 1401, 1464, 7101	10604,	10611,	18318,	18322,
\@addtoreset		10705,	10706,	18326,	18348,
	. . . 332, 10878,	10707,	10708,	18364,	19016, 19023
	15166,	10709,	10711,	\@argdef	2945
	15172,	10713,	10715,	\@array .	377, 398, 1363,
\@addviper	7445	11003,	11005,		1364,
\@afterheading		11007,	11008,	\@arrayacol	20929
	. 561, 2082, 2092,	11009,	11010,	\@arrayclassiv . . .	20930
	8482,	11011,	11012,	\@arrayclassz	
\@afterindentfalse .	8490,	11013,	11016,	. 1428, 18763,	20929
	. . . 2082, 2092, 13755	11018,	11020,	\@arraycrc .	397, 13624, 20931
\@afterindenttrue .		11021,	11022,	\@arrayleft	390
	. . 640, 867, 1123,	11023,	11024,	\@arrayparboxrestore	
	5643,	11025,	11026,		. . . 13682, 15735
	6412,	13293,	13295,	\@arrayright	399
	6589,	14427,	14429,	\@arrayrule	1383, 1384,
	14786,	14431,	14433,		1385, 1421, 1422,
	14798,	14435,	14438,		1423
	14810,				
	15825,				
	16197,				
	19113,				
	19144,				
	19167,				
	19184,				
	19201,				



\@carstdepth	\@bib@break	9700, 9809, 9918,
. 18756, 18761, 18779	. 17077, 17657, 18340	10027, 10186, 10240
\@carstheight 18761, 18779	\@biblabel .. 89, 292,	\@bidi@copy@stacktop
\@carstrut 387,	567, 568, 702, 703, 3701, 3704
13638, 18737, 20919	965, 966, 1215,	\@bidi@copyins@ 1596,
\@carstrutbox 380,	1216, 6475, 6476,	1597, 1598, 1599,
13626, 13683,	6663, 6664, 6972,	1600, 1875, 1876,
18730, 18771,	6973, 8496, 8497,	1877, 1878, 1879,
18775, 18779, 20912	8767, 8768, 10604,	9057, 9059, 9062,
\@author 421,	10605, 12913,	11552, 11553,
435, 471, 492, 755,	15127, 15893,	11554, 11555,
757, 775, 820, 839,	15894, 16287,	11565, 11566,
1007, 1009, 1027,	16288, 16481,	11614, 11615,
1072, 1091, 1257,	16482, 16684,	11671, 11672,
1259, 1277, 1322,	16685, 17085,	11673, 11674,
1342, 1353, 1981,	17087, 17665,	11691, 11692,
5845, 5847, 5916,	17667, 18348,	11710, 11719,
6537, 6539, 6557,	18350, 19016, 19017	11731, 11737,
6714, 6716, 6734,	\@bibsetup 15127	11741, 11753,
6809, 6823, 6859,	\@bibtitlestyle	11755, 11758,
6880, 8532, 8544,	84, 287, 12908	11789, 14956,
8578, 8597, 8627,	\@bidi@stpelt	14957, 15046,
8641, 8677, 8698,	3417, 3423, 3427	15602, 15604,
10632, 10644,	\@bidi@AfterClass	15605, 21120,
10678, 10697,	3983,	21126, 21129,
14396, 15946,	4004, 4009, 4016	21143, 21145, 21148
15948, 15966,	\@bidi@AfterPackage	\@bidi@emptytoks
16011, 16030,	4028,	... 2646, 2651, 2675
16085, 16087,	4047, 4051, 4058	\@bidi@envbody
16107, 16154,	\@bidi@EqualStringX 2645, 2647,
16176, 16187,	... 3482, 3483, 3484	2649, 2650, 2651,
16343, 16357,	\@bidi@PreventPackageFromLoading	2671, 2673, 2674, 2675
16398, 16419,	... 4068, 4069, 4071	\@bidi@ifi 3563,
16530, 16544,	\@bidi@UnPreventPackageFromLoading	3564, 3565, 3566,
16580, 16601,	... 4160, 4161, 4164	3570, 3571, 3575,
16925, 16988,	\@bidi@after@Hy@hyperfootnotes	3576, 3580, 3581,
17039, 17474, 8833,	3586, 3587, 3591, 3592
17537, 17588,	8971, 9172, 9281,	\@bidi@ifnxtc
18173, 18236, 18287	9384, 9493, 9602,	... 3530, 3533, 3534
\@auxout . . 1716, 1720,	9711, 9820, 9929,	\@bidi@info 1499, 1521,
2597, 6312, 20995	10038, 10207, 10269	1523, 1819, 1841, 1843
\@badmath .. 10840, 10854	\@bidi@append@to@cslist	\@bidi@inslogo@
\@begin@tempboxa 3629, 3633, 3643	... 1600, 1729,
.... 11800,	\@bidi@append@to@list	1731, 1879, 1904, 1929
11896, 11903, 20811 3633,	\@bidi@list@minipage@parbox@not@nobtrue
\@begindvi . 10906, 21346	3636, 3639, 3646, 3654 11313, 20799
\@beginparpenalty . .	\@bidi@before@Hy@hyperfootnotes@list@minipage@parbox@false	\@bidi@list@minipage@parbox@true
.... 2095, 8819, 18926
2104, 10843, 10857	8964, 9161, 9270,	\@bidi@list@minipage@parbox@true
	9373, 9482, 9591,	. 11314, 20803, 20806



\@bidi@logo . . .	1616, 1635, 1887, 1903	\@bidi@stepcounter 3416, 3422	\@bidituftefloat@caption@fill 4522, 4531, 4532, 4913
\@bidi@logo@ . . .	1600, 1632, 1731, 1879, 1903, 1904	\@bidi@tabular@RTLcases . 20712, 20714, 20721	\@bidituftefloat@caption@font 4487, 4488, 4542, 4739, 4910, 4916, 4929
\@bidi@logo@hb@xt@ 1880, 1903	\@bidi@todonotes@align 20299, 20300, 20332,	\@bidituftefloat@caption@justification ... 4429, 4545, 4739
\@bidi@logo@hb@xt@columnwidth 1601, 1633	20373, 20376, 20379, 20382,	\@bidituftefloat@caption@vertical@offset 4576, 4577,
\@bidi@lst@makecaption 13230, 13246, 13247, 13278, 13279, 13280, 13284, 13286	20407, 20412, 20413 20314	\@bidituftefloat@caption@rightfalse 4549, 4650, 4677
\@bidi@mdf@RTLtrue	13732	\@bidi@todonotes@figposition@righttrue.. 20312	\@bidituftefloat@checkoddpage 4504, 4601
\@bidi@patch@AfterPackage 4353, 4356	\@bidi@todonotes@textdirection ... 20301, 20305, 20308, 20412, 20413	\@bidituftefloat@figure@box
\@bidi@pdfcreator	.	\@bidi@todonotes@textdirection@RTLfalse.. 20307	\@bidituftefloat@float@contents@width 4593, 4629, 4630, 4632
\@bidi@pdfcustomproperties 1571, 1804, 1905, 1919	\@bidi@todonotes@textdirection@info 20304	\@bidituftefloat@float@debug 4562, 4568,
\@bidi@pdfencryptfalse 1577, 1807, 1911, 1922	\@bidi@unreplacefilewithext ... 3954, 3960, 3963	4570, 4571, 4603, 4604, 4607, 4609,
\@bidi@pdfencrypttrue 1784	\@bidi@void@mpfootinsfalse 9113	4610, 4687, 4694, 4701, 4702, 4705, 4706
\@bidi@pdfm@markfalse 1786, 1789	\@bidi@void@mpfootintrue 9111	\@bidituftefloat@float@info 4561, 4563, 4564, 4565, 4662, 4669
\@bidi@pdfm@marktrue 1738, 1927	\@bidi@void@footinsfalse 10514, 10528	\@bidituftefloat@float@fullwidth 4649, 4697
\@bidi@pdfproducer 1736, 1926	\@bidi@void@footinstrue 10511, 10526	\@bidituftefloat@float@textwidth 4650, 4679
\@bidi@perpage@footnotefalse 1574, 1805, 1908, 1920	\@bidi@w@w	\@bidituftefloat@fps 4591, 4606
\@bidi@perpage@footnotetrue 1748	3612	\@bidituftefloat@fullwidth 4521,
\@bidi@prepend@to@cslist 1746	\@bidi@ww	\@bidituftefloat@justify 4489
\@bidi@prepend@to@clist 3631, 3634, 3645, 3687, 3689	5208, 5287, 5407, 5436, 5465, 5487, 5496, 5505	\@bidituftefloat@justify@autodetect 4429, 4559
\@bidi@removefromreset 3637, 3641, 3647, 3655	\@biditufteRTLsidenote@normal@cite 5227, 5288, 5408, 5437, 5466, 5488, 5497, 5506	\@bidituftefloat@label 4588, 4615
\@bidi@replacefilewithext	... 2772, 2773, 2775	\@bidituftefloat@caption 4581, 4614	\@bidituftefloat@margin@floatbox 4537, 4540, 4551
\@bidi@saveprimitive	... 3945, 3949, 3952	\@bidituftefloat@caption@box 4573, 4638, 4649, 4650, 4673, 4908, 4913	\@bidituftefloat@margin@par 4459, 4546
 2633		\@bidituftefloat@margin@font 4486, 4487



\@bidituftefloat@orig@caption @miditufte sidenote@add@citation 5382, 5388, 5390,
... 4612, 4640, 4670 5249, 5282 5396, 5403, 5417,
\@bidituftefloat@orig@endfloat @biditufte sidenote@check@multiple 5405, 5406, 5432,
... 4575, 4653, 4904 5307, 5315 5446, 5448, 5454, 5461
\@bidituftefloat@orig@float @biditufte sidenote@citation @miditufte sidenote@trim@b
... 4574, 4627, 4903 5114, 5159, 5166
\@bidituftefloat@orig@label 5123, 5195, 5233, 5261 \@biditufte sidenote@trim@c
..... 4613, \@biditufte sidenote@citation@justification 5166, 5171
4621, 4641, 4671 5128, 5262 \@biditufte sidenote@trim@spaces
\@bidituftefloat@overhang \@biditufte sidenote@citations 5148, 5151, 5200,
4520, 4524, 4525, 5248, 5250, 5202, 5219, 5221,
4723, 4724, 4763, 4764 5251, 5253, 5258, 5238, 5240, 5270, 5272
\@bidituftefloat@pkgnname \@biditufte sidenote@margin@par@reset
... 4404, 4405, 4407 5267, 5386, 5415, \@biditufte sidenote@margin@par@reset
..... 4579, 5444, 5483, 5492, 5501 5004, 5011
\@bidituftefloat@stored@caption \@biditufte sidenote@info@footnote @miditufte sidenote@save@marbox
4586, 4640, 4675 5281, 5385, 5414, 4991,
..... 4580, 4589, 5443, 5482, 5491, 5500 4992, 4995, 4998
\@bidituftefloat@stored@label \@biditufte sidenote@justify@caption@font@size@text@ex@par
... 4580, 4589, 5126, 4989, 4990
4641, 4657, 4659, 4676 5127, 5128, 5129 \@biditufte sidenote@eyempar
..... 4578, 5130, \@biditufte toc@lof@line
4583, 4584, 4640, 4674 5263, 5330, 5348, 5636, 5652
\@bidituftegeneralstructure@reset@par \@biditufte sidenote@margin@font 5512, 5513
..... 5689, 5695 5366, 5484, 5493, 5502 \@biditufte toc@pkgnname
\@biditufteheading@newline@space 5105, \@bidiundeclaredcolor
..... 4745, 4754 5108, 5111, 5114 7153, 7154,
\@biditufteheading@newline@space@i 5127, 4753, 4757
..... 4746, 4748 5111, 5120, 5484 \@bscontmark 14419
\@biditufteheading@orig@cr 5484, 5493, 5502 \@bidiunstylistification 14400
..... 4753, 4757 5127, \@bsmtitleempty 14388
\@biditufte sidenote@LTRcitation@font 5189, \@bsphack
... 5115, 5124, 5214 5286, 5406, 5435, 2246, 4975, 5019,
\@biditufte sidenote@LTRmargin@font 5106, 5063, 21157, 21201
..... 5109, 5112, 5115 \@biditufte sidenote@print@captions
\@biditufte sidenote@LTRmargin@note@font 5112, 5121, 5493 4730, 14522, 14525
... 5112, 5121, 5493 5255, 5405, 5434, \@captionabove@false
\@biditufte sidenote@LTRside@font 5463, 5485, 5494, 5503 \@captionabove@true
..... 5109, 5118 \@biditufte sidenote@sidenote 17265, 17845, 18528
... 5116, 5125 5384, 5471, 5475 \@captionabove@true
\@biditufte sidenote@RTLcitation@font 5116, 5125 5280 \@captiontype 2186,
..... 5107, 5108, 14515, 14519,
5110, 5113, 5116 5117, 5293, 5294, 5297 14522, 16706, 16749
\@biditufte sidenote@RTLmargin@font 5113, 5122, 5502 \@biditufte sidenote@font@justification@font@size@vertical@offset@font@size@vertical@offset
... 5113, 5122, 5502 5126, 5293, 5294 10483, 10512,
\@biditufte sidenote@RTLside@font 5110, 5119 5381, 11698, 11732,



11735,	11736,	1419, 1432, 1440,	\@colourgreentrue .
11746,	11747,	1466, 7103, 18861, 7751, 7849
13697,	13702,	18868, 18883,	\@colourgreyfalse .
13714,	15596,	20934, 20935, 20936 7754, 7852
21105,	21109,	\@circlefnt 10734	\@colourgreytrue ..
21121,	21125, 21136	\@classiv 2183, 7755, 7853
\@cclvi	10230,	13616, 18724,	\@colourorangefalse
10232,	10292, 10294	20725, 20905, 20930 7748, 7846
\@centercr	5717, 15686,	\@classx . 1398, 1457, 7097	\@colourorangeredtrue
15699,	15712,	\@classz 1398, 7749, 7847
18932,	18961, 20862	1457, 1491, 1492,	\@colourredfalse ..
\@cftasnum . . .	19118,	2182, 7097, 13616, 7752, 7850
19149,	19172,	18723, 18763,	\@colourredtrue 7753, 7851
19189,	19206,	20724, 20904, 20929	\@colourtrue 2345
19223,	19240,	\@cleartopmattertags	\@colroom 7511,
19257,	19275, 129, 12990	7534, 7537, 7539,
19294,	19314, 19349	\@cliptoboxdim . . . 18890	7540, 7709, 7712,
\@cftasnumb . . .	19119,	\@clsextension	7714, 7715, 8010,
19150,	19173,	3952, 3963, 3979,	8067, 11664,
19190,	19207,	3989, 3998, 4001, 4010	11678, 11681,
19224,	19241,	\@clubpenalty	11683, 13708, 13717
19258,	19276,	.. 577, 6982, 8777,	\@combinedblfloats
19295,	19315, 19350	16491, 16694, 19026 7366, 7425,
\@cftbsnum . . .	19117,	\@colht 7522,	10793, 10829,
19148,	19171,	7523, 7533, 7534,	10910, 11597,
19188,	19205,	7541, 7556, 7590,	11650, 14627,
19222,	19239,	7593, 7615, 7616,	14724, 21044, 21087
19256,	19274,	7685, 7697, 7698,	\@combinefloats . .
19293,	19313, 19348	7708, 7709, 7716, 10468, 11766
\@cftdopartfalse .	19091	7733, 7737, 10473,	\@compactenum@ . . . 5699
\@cftdoparttrue . .	19094, 19098	10929, 11664,	\@cons 21243, 21244
\@cftl@subfig . . .	19282	11676, 11677,	\@contcshortstyle 14470
\@cftl@subtab . . .	19302	11678, 11680,	\@contcstyle 14475, 14481, 14486
\@chapapp .	6748, 6943,	11682, 11770,	\@contcwidth 14464, 14465
	8737, 10575, 16663	13708, 13709,	\@contdelim 14458, 14469,
\@chapterlistsgap@off		14563, 14566,	14473, 14480, 14485
 15160	14568, 14570,	\@contfield 6329, 6344, 6376
\@chapterlistsgap@on		14575, 14576,	\@contfinal 14458, 14470,
 15167, 15175	14577, 14596,	14476, 14482, 14486
\@chclass ..	345, 357,	14597, 14598,	\@contfmark . 14457, 14460
	368, 1370, 1382,	14602, 14663,	\@contfnote . 14456, 14459
	1395, 1415, 1420,	14666, 14668,	\@contindw 14481
	18860, 18876,	14670, 14675,	\@contnfont 14458, 14469,
	18887, 20932, 20937	14676, 14677,	14473, 14480, 14485
\@checkend . . .	2664,	14696, 14697,	\@contpost 14490
	2688, 4238, 4239	14698, 14702, 21380	
\@chnum .	346, 353, 364,	\@colourfalse 2346	
	1371, 1378, 1391,	\@colourgreenfalse	
	1401, 1417, 1418, 7750, 7848	



\@contpre . . .	14468,	10009,	10047,	17043,	17478,
	14474, 14479, 14484	10057,	10067,	17538,	17592,
\@conttfont		10093,	10106,	18059,	18060,
..	14458, 14470,	10118,	10313,	18063,	18068,
\@curfield	14476, 14482, 14486	10325,	10337,	18177,	18237, 18291
	6328, 6343, 6363,	10374,	10388,	\@datefield	17999
	6377, 6387, 21293	10402,	11215,	\@dblarg	14522
\@curline	6326,	11232,	11248,	\@dblfloataplacement	
	6341, 21293, 21295	11276,	11290, 11304	..	7370, 7429,
\@currbox .	2254, 2285,	\@currentlabelname	12377,	10794,	10833,
	2289, 4940, 4943,	12392,	12407,	10917,	11601,
	4984, 4987, 4992,	12466,	12504,	11654,	14631,
	4996, 5028, 5031,	12537,	12568, 12599	14728,	21048, 21091
	5036, 5040, 5072,	\@currenvir	2650, 2653, 2654,	\@declaredcolor	7138,
	5075, 5080, 5084,		2674, 2677, 2678, 2705	7139,	20510, 20533
	21166,		\@currlist	\@dedication	
	21169,		21243	..	16945, 16947,
	21174,		\@curtabmar .	16998,	17046,
	21178,		21292, 21295	17048,	17494,
	21210,		\@cvtheme	17496,	17547,
	21213,		2426, 2429	17595,	17597,
	21218,		\@cvthemeoptions . .	18193,	18195,
	21222,		2427, 2429	18246,	18294, 18296
	21244,		\@date	\@dedicatory	323
	21253,		424, 436, 472,	\@deferlist	11662
	21285		495, 763, 765, 777,	\@definitionfileextension	
\@currentHlabel		822,	..	2719, 2722
	12375, 12390, 12405		842,	\@depth	382, 13628,
\@currentHref			1015,	18703,	18732,
	..		1017,	18772,	20914, 21282
	12376, 12391,		1029, 1074,	\@dgroup	7001
	12406,		1094,	\@dischypf	
	12465,		1265, 1267,	. 11523, 13743, 15739	
	12503,		1279,	\@displaypagenumbersfalse	
	12536,		1324, 1345,	..	2525
	12567,		1354,	\@displaypagenumberstrue	
	12598,		1982, 5863,	..	2524
	12820,		5917,	\@dmath	6989, 7018
	12831,		6545, 6547,	\@docolbox	10983
\@currentlabel . . .	43,		6559,	\@dodynamicthefoot	10907
	57,		6722,	\@dodynamicthehead	10907
	73,		6724,	\@dofilelist	
	246,		6736,	..	4249, 4250, 4252
	260,		6812,	\@dotsep	20150,
	275,		6824,	20151,	20259, 20957
	5332,		6860,	\@dottedtocline . . .	
	5350,		6883,	..	20265, 20266,
	5368,		8535,		20268, 20286, 20946
	8890,		8545,	\@dseries	7014
	8904,		8579,	\@eha	2641, 19336
	8918,		8600,		
	8930,		8630,		
	8941,		8642,		
	8952,		8678,		
	9181,		8701,		
	9191,		8786,		
	9201,		8791,		
	9227,				
	9240,				
	9252,				
	9290,				
	9299,				
	9308,				
	9333,				
	9345,				
	9356,				
	9393,				
	9403,				
	9413,				
	9439,				
	9452,				
	9464,				
	9502,				
	9512,				
	9522,				
	9548,				
	9561,				
	9573,				
	9611,				
	9621,				
	9631,				
	9657,				
	9670,				
	9682,				
	9720,				
	9730,				
	9740,				
	9766,				
	9779,				
	9791,				
	9829,				
	9839,				
	9849,				
	9875,				
	9888,				
	9900,				
	9938,				
	9948,				
	9958,				
	9984,				
	9997,				



\@enc	2744, 2746,	1731, 1904, 1980,	13280, 13284,
2752, 2754,	2760,	1981, 1982, 1983,	13286, 13642,
2762, 2768,	2770,	2241, 2553, 2562,	14394, 14395,
2961, 3826,	10179,	2662, 2686, 3656,	14396, 14397,
13199,	13206,	4065, 4078, 4079,	14556, 14656,
13695,	14769, 14775	4085, 4108, 4138,	15154, 15644,
\@ehd	14516	4146, 4165, 4168,	15899, 15965,
\@eightcol@footgroupv@r 9816	4179, 4183, 4193,	15966, 15967,
\@eightcolLTRfootfmt 9842, 9863, 9891	4199, 4200, 4201,	15968, 16010,
\@eightcolLTRfootnotetext 9811, 9835	4214, 4226, 4230,	16011, 16012,
\@eightcolRTLfootfmt 9852, 9866, 9903	4297, 4308, 5191,	16013, 16106,
\@eightcolRTLfootnotetext 9812, 9845	5210, 5229, 5250,	16107, 16108,
\@eightcolfootfmt 9832, 9860, 9878	5257, 5845, 5912,	16109, 16153,
\@eightcolfootnotetext 9810, 9825	5913, 5914, 6481,	16154, 16155,
\@elt	2774, 2777,	6556, 6557, 6558,	16156, 16293,
4828, 4829,	4830,	6559, 6669, 6733,	16356, 16357,
4831, 4832,	4833,	6734, 6735, 6736,	16358, 16359,
4834, 4835,	4836,	6822, 6823, 6824,	16397, 16398,
4837, 4838,	4839,	6825, 6858, 6859,	16399, 16400,
4869, 4870,	4871,	6860, 6861, 6978,	16487, 16543,
4872, 4873,	4874,	7004, 7334, 7397,	16544, 16545,
4875, 4876,	4877,	8037, 8089, 8502,	16546, 16579,
4878, 4879,	4880,	8543, 8544, 8545,	16580, 16581,
4881, 4882,	4883,	8546, 8577, 8578,	16582, 16690,
4884, 4885,	4886,	8579, 8580, 8640,	16850, 16903,
7040, 7976,	7997,	8641, 8642, 8643,	16908, 16915,
8003, 8038,	8040,	8676, 8677, 8678,	16921, 16945,
8042, 8048,	8060,	8679, 8773, 8784,	16987, 16988,
8090, 8092,	8094,	8800, 8804, 10309,	16989, 16990,
8100,	18791, 18793	10321, 10333,	16991, 16992,
\@email . .	2438, 7838, 7936	10364, 10383,	16993, 16994,
\@empty 86,	115, 134, 136,	10397, 10467,	16995, 16996,
289, 397,	434, 435,	10610, 10643,	16997, 16998,
436, 437,	470, 471,	10644, 10645,	17016, 17020,
472, 473,	573, 708,	10646, 10677,	17028, 17034,
774, 775,	776, 777,	10678, 10679,	17046, 17070,
819, 820,	821, 822,	10680, 10773,	17100, 17125,
971, 1026,	1027,	10809, 11360,	17126, 17399,
1028, 1029,	1071,	11375, 11575,	17452, 17457,
1072, 1073,	1074,	11624, 11662,	17464, 17470,
1221, 1276,	1277,	11765, 11780,	17494, 17536,
1278, 1279,	1321,	11781, 11782,	17537, 17538,
1322, 1323,	1324,	11783, 11784,	17539, 17540,
		12377, 12392,	17541, 17542,
		12407, 12466,	17543, 17544,
		12504, 12537,	17545, 17546,
		12568, 12599,	17547, 17565,
		12910, 12976,	17569, 17577,
		12997, 13039,	17583, 17595,
		13251, 13257,	17649, 17680,



17705,	17706,	18738, 18776, 20920	\@filebordercolor .
17972,	18000,	\@endpetrue . 20666, 20676 12678, 12680
18001,	18002,	\@endtraditionalpoem	\@filecolor 12696
18003,	18004, 6230, 6295	\@filef@und 3898
18005,	18006,	\@ensure@LR . 15586, 20686	\@finalstrut ... 8868,
18007,	18011,	\@ensure@LTR .. 15584,	8874, 8880, 11220,
18017,	18023,	15586, 15594,	11237, 11253,
18029,	18035,	20684, 20686,	11280, 11294, 11308
18041,	18047,	20694, 20696,	\@firststampfalse 1430, 1438
18053,	18059,	20698, 21555, 21557	\@firstcolfirstmark
18068,	18098,	\@ensure@RL . 15585, 20685 7333,
18151,	18156,	\@ensure@RTL .. 15583,	7334, 7338, 7396,
18163,	18169,	15585, 20683, 20685	7397, 7401, 10772,
18193,	18235,	\@ensure@dir .. 15587,	10773, 10777,
18236,	18237,	15588, 20687, 20688	10808, 10809,
18238,	18239,	\@ensure@maindir ..	10813, 11574,
18240,	18241, 15588, 20688	11575, 11579,
18242,	18243,	\@enumctr 5700, 5701	11623, 11624,
18244,	18245,	\@eqnnum	11628, 14555,
18246,	18264,	. 10865, 12993, 21401	14556, 14560,
18268,	18276,	\@evenfoot	14655, 14656,
18282,	18294,	. 1944, 10900, 21325	14660, 21019,
18332,	18363,	\@evenhead .. 10899, 21325	21020, 21024,
18388,	18389,	\@expandtwoargs ... 4184	21066, 21067, 21071
18661,	18778,	\@extrafootnotefeaturesfalse	\@firstcoltopmark .
18826,	19022, 1710 7331, 7339,
19322,	19324,	\@extrafootnotefeaturestrue	7394, 7402, 10770,
20513,	20516, 1708	10778, 10806,
20556,	20559,	\@extrainfo	10814, 11572,
20712,	20922,	... 2439, 7839, 7937	11580, 11621,
20931,	21020,	\@extratitle	11629, 14553,
21067,	21332,	.. 16903, 16904,	14561, 14653,
21333,	21335, 21336	16992, 17016,	14661, 21017,
\@emptycol	7526,	17017, 17452,	21025, 21064, 21072
7529,	7545, 7548,	17453, 17541,	\@firstcolumnfalse
7701,	7704, 7720, 7723	17565, 17566,	7324, 7387, 7741,
\@emptytoks	7003	18151, 18152,	10764, 10800,
\@end@tempboxa	11807,	18240, 18264, 18265	10924, 11561,
11901,	11918, 20824	\@familyname	11610, 14546,
\@endfloatbox	2306	2371, 2373, 2374,	14646, 21010, 21057
\@endmodernpoem	6339, 6359	2432, 7813, 7903, 7924	\@firstcolumntrue .
\@endparenv	6249,	\@familynamecolour	7342, 7405, 7695,
6356,	15201, 15221 2401, 2418	10780, 10817,
\@endparpenalty	2099,	\@fax 2437, 7837, 7935	10888, 11585,
2108,	10844, 10858	\@fcollmadefalse .. 11663	11634, 14605,
\@endpbox		\@ff@do@allframes ..	14705, 21028, 21075
1408,	1409, 1450, 10909, 10914	\@firstdetailselementfalse
1474,	1475, 1476,	\@ff@fbbox 7918
7111,	7112, 7113,	\@ff@setoffset .. 10989	\@firstdetailselementtrue
13613,	13619,	\@ffbackground .. 10979 7915



\@firstfooterelementfalse	\@floatboxreset . . . 2304	8838, 8882, 8957,
.... 7834, 7835, 7836, 7837, 7838, 7839	\@floatpenalty . 2247, 2249, 2252, 4976,	8965, 9162, 9271,
\@firstfooterelementtrue	4978, 4982, 4986, 5020, 5022, 5026,	9374, 9483, 9592,
..... 7819	5030, 5064, 5066, 5070, 5074, 21158,	9701, 9810, 9919,
\@firstname	21160, 21164, 21168, 21202,	10028, 10187,
2371, 2373, 2374, 2431, 7813, 7903, 7924	21204, 21208, 21212	10242, 10244,
\@firstnamecolour .	\@fltovf	11207, 11264,
..... 2400, 2417	2287, 4987, 5031, 5075, 21169, 21213	11323, 12288,
\@firstfone . . . 3293,	\@flushglue 6132, 6133, 13749, 16455,	12296, 12367,
3300, 3306, 3317, 3331, 3337, 3345, 3351, 4351, 10937, 10955, 10959, 10962, 10965, 10971, 12802, 12803, 12804, 12805, 14520, 17225, 17805, 18488, 21307, 21349, 21361, 21364, 21366, 21373, 21377, 21383	19680, 19684, 19688, 19734, 20862	12415, 12608,
\@firstoftwo . . . 1527, 1533, 1539, 2783, 2791, 2795, 2803, 2807, 2815, 2821, 2825, 2838, 2846, 2852, 2856, 2864, 2870, 2873, 2876, 2890, 2897, 3070, 3088, 3094, 3118, 3145, 3175, 3235, 3245, 3889, 15135	\@fnssymbol . 446, 738, 797, 990, 1049, 1240, 1299, 1968, 6520, 6697, 6834, 8555, 8652, 10655, 15929, 15988, 16068, 16129, 16325, 16368, 16555, 16900, 16964, 17449, 17513, 18148, 18212	12612, 12628, 12629, 13678, 13799, 14924, 14925, 14926, 16832, 16835, 17150, 17151, 17161, 17381, 17384, 17730, 17731, 17741, 18080, 18083, 18413, 18414, 18424, 18806, 18823, 18913, 18915
\@footstartv@l . . .	\@footstartv@l . . .	\@footstartv@l . . .
9045, 10202, 10260		. 9045, 10195, 10253
\@footstartv@r . . .		\@footstartv@r . . .
9049, 10195, 10253		. 9049, 10195, 10253
\@for	\@footgroupv@r . 9050, 9139, 9168, 9277, 9380, 9489, 9598, 9707, 9816, 9925, 10034, 10194, 10252	\@for 4106, 4167, 4180, 4202, 4206, 5192, 5197, 5211, 5216, 5230, 5235, 5258, 5267, 7302
9380	\@footnote 5794	\@fourcol@footgroupv@r 9380
	\@footnotemark . 2214, 2222, 2230, 5303, 5396, 5403, 5425, 5432, 5454, 5461, 6277, 6284, 6291, 11181, 11187, 11190, 11196, 12418, 12607, 12611, 12625, 12626	\@fourcolLTRfootfmt ... 9406, 9427, 9455
9489	\@footnotetext . . . 34, 79, 151, 152, 153, 237, 282, 2171, 2293, 5324, 5396, 5403, 6147, 6158, 6364, 6378, 7956, 7957, 8823, 8837,	\@fourcolLTRfootnotetext 9375, 9399
		\@fourcolRTLfootfmt ... 9416, 9430, 9467
9515, 9536, 9564		\@fourcolRTLfootnotetext 9376, 9409
		\@fourcolfootfmt 9396, 9424, 9442
9525, 9539, 9576		\@fourcolfootnotetext 9374, 9389
		\@fps 2235, 2236, 2238, 2241, 2258
9485, 9518		\@fpsadddefault 2239, 2242
\@fivecol@footgroupv@r		
..... 9489		
\@fivecolLTRfootfmt		
... 9515, 9536, 9564		
\@fivecolLTRfootnotetext		
..... 9484, 9508		
\@fivecolRTLfootfmt		
... 9525, 9539, 9576		
\@fivecolRTLfootnotetext		
..... 9485, 9518		
\@fivecolfootfmt ..		
... 9505, 9533, 9551		
\@fivecolfootnotetext		
..... 9483, 9498		
\@float 4574, 4903		



\@freelist . . .	2254,	\@hboxRconstructtrue	21420,
4828,	4869,	397, 15542, 18743,	21422,
4984,		18782, 20622, 20927	21423,
4985,	5028,	\@height	21424,
5029,	5072,	381, 1488, 7125,	21425,
5073,	10466,	11504, 13627,	21426,
11764,	21166,	13683, 13769,	21427,
21167,	21210,	16878, 16885,	21428,
21211,	21243,	17427, 17434,	21429,
21244,		18126, 18133,	21430,
\@fs@capt	4917, 4930,	18703, 18731,	21431,
4938		18772, 20913, 21282	21432,
\@fs@cfont 4910,	\@highpenalty ..	21433,
	4916,	6426,	21434,
4926,	4929,	6442, 6449, 6459,	21435,
4937,	10869,	6603, 6619, 6626,	21436,
10870		6636, 6890, 6905,	21437,
\@fs@iftopcapt	6915, 8708, 10543,	21438,
 4921,	10558, 10568,	21439,
4934,	4947	15839, 15855,	21446,
\@fs@mid	4920, 4933,	15862, 15872,	21549,
4945		16211, 16227,	21550
\@fs@post	4919, 4932,	16234, 16244,	\@ifdefinable ..
4946		16427, 16441,	2902,
\@fs@pre	4918, 4931,	16451, 16611,	2905,
4939		16626, 16636,	2908,
\@g@tnextcol 10886	19104, 19139,	2917,
		19528, 19548, 19636	2948,
\@getcirc 10730	\@hintcolour ..	2963,
		2408, 2424	11104
\@gnewline 15688,	\@holdpg ..	\@ifdefinitionfileloaded
	15701,	7456, 7462, 2722,
15714,	15725	7469, 7480, 7490,	21551
\@gobble	.. 2151,	7590, 7591, 7593,	\@isempty ..
2661,		7596, 7600, 7605,	7, 202,
2685,	2707,	7610, 7614, 7622,	12955
2712,		7634, 7647, 7655,	\@ifl@aded
3198,	3199,	7663	2721, 2722,
3200,		\@ifnextchar ..	2723
3201,	3202,	102, 107, 222,	163,
3295,		227, 596, 611, 860,	398,
3308,	3323,	1112, 5758, 5765,	2119,
3365,		6401, 6578, 6789,	2149,
3379,	3391,	12927, 12932,	2164,
3405,		15796, 16051,	2938,
4095,	4230,	16511, 19084,	4027,
4407,		21411	4989,
5967,	6032,	\@ifclasslater	5033,
10947,		4393, 4398	5077,
10948,	10949,	\@ifclassloaded ..	7138,
14517,	17151, 4013, 4392,	7153,
17153,	17155,	4397, 4427, 5807,	11179,
17731,	17733,	5809, 6791, 8974,	11188,
17735,	18414,	11001, 11014,	11347,
18416,	18418,	21414, 21415,	11362,
20517,	20560,	21416, 21417,	11873,
21342,	21343,	21418, 21419,	12615,
21344			12639,
\@gobbletwo		14936,
	2732,		15205,
2733,	2736,		15225,
2737,	3425,		20510,
13056			20553,
\@gtempa 2914,		20737,
2915			21171,
\@halignto 386,		21215
	401,	\@hyper@launch ..	\@ifpackagelater ..
18736,	18774,	12701	.. 4391,
20712,	20918,	\@idxitem	4396,
20931		102, 107, 222,	11050
\@hangfrom	... 17178,	227, 596, 611, 860,	\@ifpackageloaded ..
	17190,	1112, 5758, 5765, 170,
	17192,	6401, 6578, 6789,	1447,
	17758,	12927, 12932,	3131,
	17770,	15796, 16051,	4055,
	17772,	16511, 19084,	4115,
	18441,	21411	4350,
	18453,	\@ifclasslater	4368,
	18455,	4393, 4398	4390,
	20886	\@ifclassloaded ..	4395,
	 4013, 4392,	4896,
		4397, 4427, 5807,	4901,
		5809, 6791, 8974,	4954,
		11001, 11014,	8407,
		21414, 21415,	8408,
		21416, 21417,	9144,
		21418, 21419,	10152,



21449,	21450,	\@iftagsloaded . . .	1374, 1376, 1415,
21451,	21458,	. 2721, 21441, 21442	1416, 1428, 1436,
21459,	21460,	\@iftexfileloaded .	18861, 18862,
21461,	21462,	. 2723, 21502, 21503	18863, 18864,
21463,	21464,	\@ifundefined .. 330,	18866, 20932, 20933
21465,	21466,	331, 2528, 2742,	\@lastvipertrue 7531,
21467,	21468,	2745, 2750, 2753,	7550, 7706, 7725
21469,	21470,	2758, 2761, 2766,	\@latex@error
21471,	21472,	2769, 3970, 3974, 2640, 4089,
21473,	21474,	4124, 4217, 5138,	14516, 14769, 14775
21475,	21476,	5621, 5629, 5744,	\@latex@warning . . .
21477,	21478,	5746, 5751, 5841,	. . . 95, 298, 581,
21479,	21480,	5858, 7140, 7147,	713, 976, 1226,
21481,	21482,	7155, 7161, 10872,	2558, 6486, 6674,
21483,	21484,	11097, 12812,	6986, 8507, 8781,
21485,	21486,	12813, 13209,	10615, 12919,
21487,	21488,	13220, 13283,	15904, 16298,
21489,	21490,	13285, 13290,	16495, 16698,
21491,	21492,	15308, 15770,	17108, 17115,
21493,	21494,	19323, 19327,	17688, 17695,
21495,	21496,	19403, 19425,	18371, 18378, 19030
21497,	21498,	19426, 19474,	\@latex@warning@no@line
21499,	21500,	19475, 19558, 7524, 7542,
21501,	21504,	19580, 19581,	7699, 7717, 21258
21505,	21506,	19809, 19832,	\@latexbug 21244
21507,	21530,	19860, 19920,	\@latexerr
21531,	21532,	19969, 19986, 20016	. 11701, 11711, 11721
21533,	21534,	\@ifundefinedmodel	\@leftcolumn . . . 7325,
21535,	21536, 20543, 20577	7351, 7388, 7410,
21537,	21538,	\@ifxempty 20603	7563, 7591, 7597,
21539,	21540,	\@ignoretrue 7025	7606, 10765,
21541,	21542,	\@iiiminipage 11310	10786, 10801,
21543,	21544,	\@iiiparbox	10822, 11562,
21545,	21546,	. 9123, 11341, 20795	11590, 11611,
21547,	21548,	\@indextitlestyle .	11643, 14547,
21549,	21550, 21552 100, 220, 12925	14606, 14619,
\@ifpackagewith . . .		\@inlabelfalse 6992	14647, 14706,
. 7279, 13185,		\@insertfalse . 7447, 7555	14715, 21011,
13188, 15773,		\@inserttrue . 7520, 7694	21037, 21058, 21080
15776, 19033,		\@iprintcites 15680	\@let@token 2698, 2701
21452, 21455,		\@itemfudge . 21292, 21294	\@lettrine 13019
21456, 21457,		\@itemlabel 20758	\@listI 4444
21508, 21518, 21524		\@ixpt 5658	\@listdepth
\@ifstar .. 3055, 3981,		\@keywords 324	. . . 11163, 11326,
4026, 4068, 4160,		\@kludgeins . 10470, 11767	11528, 11532,
4746, 8411, 8972,		\@komalongtablefalse	20749, 20752, 20757
9175, 9284, 9387,		. 17233, 17813, 18496	\@listi .. 4444, 4452, 5662
9496, 9605, 9714,		\@lastchclass .. 346,	\@loadwithoptions .
9823, 9932, 10041,		347, 348, 349, 351,	. . . 3905, 3907, 3914
10236, 10298, 11876		1371, 1372, 1373,	



\@lowertitleback ..	987, 1050, 1237, 1302, 1970, 5297, 5336, 5354, 5372, 6517, 6694, 6836, 8557, 8654, 10657, 11219, 11236, 11252, 11279, 11293, 11307, 11785, 14403, 15926, 15991, 16065, 16132, 16328, 16371, 16557, 16848, 17397, 17971, 18096	16564, 16569, 16578, 16588, 16969, 16971, 16976, 16986, 17011, 17518, 17520, 17525, 17535, 17560, 18217, 18219, 18224, 18234, 18259
\@lowpenalty .	2095, 20059	\@maketitle@hook ..
\@m	93, 296, 579, 711, 974, 1224, 6484, 6672, 6984, 8505, 8779, 10613, 11563, 11565, 11612, 11614, 12917, 15134, 15902, 16296, 16493, 16696, 17104, 17684, 18367, 19028 118, 12979
\@mainaux 15265	\@makewincaption .
\@mainmatterfalse 5994, 6024, 6966, 8761	\@marbox
\@mainmattertrue 5991, 6007	4985, 4987, 4991, 4995, 4996, 5029, 5031, 5035, 5039, 5040, 5073, 5075, 5079, 5083, 5084, 21167, 21169, 21173, 21177, 21178, 21211, 21213, 21217, 21221, 21222, 21243, 21253, 21256, 21264, 21266, 21267, 21269, 21270, 21271, 21280, 21284, 21285
\@makecaption 4741, 7086, 14453, 14503, 14535, 17219, 17799, 18482, 21386	\@mathmargin ... 8363, 8370, 8378, 8385
\@makechapterhead 301, 6743, 6938, 8732, 10571, 15671, 16659, 19049	\@maxdepth 9040, 10482, 10497, 10520, 10533, 11778, 21108, 21124, 21135
\@makecol	10534, 10535, 11687, 11697, 13703, 13715, 21103	\@memtempa ... 14453, 14455, 14469, 14476, 14480, 14485
\@makefnmark 447, 798, 1300, 1969, 5299, 5310, 6835, 7961, 7982, 8556, 8653, 10656, 12942, 14401, 15989, 16130, 16326, 16369, 16556, 16901, 16902, 16965, 16966, 17450, 17451, 17514, 17515, 18149, 18150, 18213, 18214	\@menubordercolor 12772, 12774
\@makefntext 45, 59, 75, 248, 262, 277, 448, 735, 800,	\@menucolor
		\@midlist 10466, 10467, 11764, 11765
		\@minipagefalse 2308, 5006, 5015, 5050, 5059, 5094, 5103, 9120, 11338, 13242, 14509, 17209, 17789, 18472, 21188, 21197,



21232, 21241, 21392	10268, 11268,	\@mpfootins@l . 9082,
\@minipagerestore 11327	11325, 12307,	9098, 9141, 10361,
\@minipagetrue . . .	12332, 12345,	10370, 10382, 10385
.... 5014, 5058,	12421, 13801, 18917	\@mpfootins@r . 9081,
5102, 21196, 21240	\@mparbottom	9140, 9222, 9223,
\@minus 2475, 2561, 4440,	.. 21254, 21262,	9234, 9235, 9247,
4442, 4449, 4451,	21263, 21264, 21265	9248, 9328, 9329,
4453, 4454, 5659,	\@mpargs 9123, 11316, 11341	9339, 9340, 9351,
5661, 5663, 5664,	\@mparswitchfalse . 4423	9352, 9434, 9435,
11442, 11480,	\@mparswitchtrue . 4418	9446, 9447, 9459,
15131, 17332,	\@mpeightcol@footgroupv@r	9460, 9543, 9544,
17342, 17352, 9822	9555, 9556, 9568,
17362, 17372,	\@mpeightcollTRfootnotetext	9569, 9652, 9653,
17921, 17931, 9818, 9881	9664, 9665, 9677,
17941, 17951,	\@mpeightcolRTLfootnotetext	9678, 9761, 9762,
17961, 18604, 9819, 9894	9773, 9774, 9786,
18614, 18624,	\@mpeightcolfootnotetext	9787, 9870, 9871,
18634, 18644, 18668 9817, 9869	9882, 9883, 9895,
\@mkboth 564,	\@mpfivecol@footgroupv@r	9896, 9979, 9980,
592, 608, 699, 857, 9495	9991, 9992, 10004,
962, 1109, 1212,	\@mpfivecolLTRfootnotetext	10005, 10088,
6398, 6472, 6575, 9491, 9554	10089, 10100,
6660, 6785, 6969,	\@mpfivecolRTLfootnotetext	10101, 10113,
8493, 8764, 10601, 9492, 9567	10114, 10359,
15793, 15890,	\@mpfivecolfootnotetext	10368, 10396, 10399
16048, 16284, 9490, 9542	\@mpfootnotetext . .
16478, 16507, 16681	\@mpfn 2189, 2192, 2195, 8826, 8843,
\@mklab 20759	2211, 2219, 2227,	8844, 8924, 8960,
\@mpkream . 385, 13632,	5394, 5400, 5423,	8968, 9169, 9278,
18734, 18766, 20916	5429, 5452, 5458,	9381, 9490, 9599,
\@mobile . 2435, 7835, 7933	6254, 6257, 6260,	9708, 9817, 9926,
\@modernpoem . 6315, 6359	6274, 6281, 6288,	10035, 10204,
\@mpLTRfootnotetext	11179, 11184,	10263, 10265,
.... 8827, 8845,	11188, 11193,	11296, 11323,
8846, 8935, 8961,	11322, 11352,	12296, 12331,
8969, 9170, 9279,	11367, 12293,	12334, 12419,
9382, 9491, 9600,	12304, 12315,	13799, 18913, 18915
9709, 9818, 9927,	12515, 12546,	\@mpfourcol@footgroupv@r
10036, 10205,	12577, 12640, 9386
10267, 11282,	13796, 18848, 18855	\@mpfourcollTRfootnotetext
11324, 12318,	\@mpfootins 9382, 9445
12333, 12356,	8925, 8926, 8936,	\@mpfourcolRTLfootnotetext
12420, 13800, 18916	8937, 8947, 8948, 9383, 9458
\@mpRTLfootnotetext	9084, 9092, 9100,	\@mpfourcolfootnotetext
.... 8828, 8847,	9110, 9114, 9117, 9381, 9433
8848, 8946, 8962,	11270, 11271,	\@mplistdepth 11163, 11326
8970, 9171, 9280,	11284, 11285,	\@mpninecol@footgroupv@r
9383, 9492, 9601,	11298, 11299, 9931
9710, 9819, 9928,	11332, 11333,	\@mpninecollTRfootnotetext
10037, 10206,	11336, 13785, 13790 9927, 9990



\@mpninecolRTLfootnotetext	\@mptwocolRTLfootnotetext	19584, 19585,
..... 9928, 10003 9171, 9246	19587, 19588,
\@mpninecolfootnotetext	\@mptwocolfootnotetext	19590, 19593,
..... 9926, 9978 9169, 9221	19596, 19604,
\@mppara@LTRfootgroupv@l	\@namedef . 3974, 4125,	19605, 19607,
..... 10211, 10273	6312, 9125, 9160,	19610, 19613,
\@mppara@footgroupv@r	9259, 9264, 9269,	19626, 19810,
..... 10210, 10272	9362, 9367, 9372,	19811, 19812,
\@mpparaLTRfootnotetext	9471, 9476, 9481,	19813, 19814,
. 10205, 10267, 10381	9580, 9585, 9590,	19815, 19816,
\@mpparaRTLfootnotetext	9689, 9694, 9699,	19817, 19818,
..... 10206, 10395	9798, 9803, 9808,	19857, 19861,
\@mpparafootnotetext	9907, 9912, 9917,	19862, 19863,
. 10204, 10265, 10356	10016, 10021,	19864, 19866,
\@mpsevencol@footgroupv@r	10026, 10125,	19867, 19869,
..... 9713	10130, 10185,	19872, 19875,
\@mpsevencolLTRfootnotetext	10239, 10410,	19883, 19884,
..... 9709, 9772	10420, 10430,	19886, 19889,
\@mpsevencolRTLfootnotetext	10439, 10448,	19892, 19917,
..... 9710, 9785	10460, 13723,	19921, 19922,
\@mpsevencolfootnotetext	19338, 19377,	19923, 19925,
..... 9708, 9760	19378, 19379,	19926, 19928,
\@mpsixcol@footgroupv@r	19380, 19381,	19931, 19934,
..... 9604	19382, 19383,	19942, 19943,
\@mpsixcolLTRfootnotetext	19384, 19385,	19945, 19948,
..... 9600, 9663	19386, 19404,	19951, 19971,
\@mpsixcolRTLfootnotetext	19405, 19406,	19974, 19978,
..... 9601, 9676	19407, 19408,	20018, 20021, 20025
\@mpsixcolfootnotetext	19409, 19410,	\@nameuse . 3971, 6310,
..... 9599, 9651	19411, 19412,	8293, 8343, 8346,
\@mptencol@footgroupv@r	19427, 19428,	8392, 9261, 9262,
..... 10040	19429, 19430,	9266, 9267, 9364,
\@mptencolLTRfootnotetext	19432, 19433,	9365, 9369, 9370,
..... 10036, 10099	19435, 19438,	9473, 9474, 9478,
\@mptencolRTLfootnotetext	19441, 19449,	9479, 9582, 9583,
..... 10037, 10112	19450, 19452,	9587, 9588, 9691,
\@mptencolfootnotetext	19455, 19458,	9692, 9696, 9697,
..... 10035, 10087	19471, 19476,	9800, 9801, 9805,
\@mpthreecol@footgroupv@r	19477, 19478,	9806, 9909, 9910,
..... 9283	19480, 19481,	9914, 9915, 10018,
\@mpthreecolLTRfootnotetext	19483, 19486,	10019, 10023,
..... 9279, 9338	19489, 19497,	10024, 10127,
\@mpthreecolRTLfootnotetext	19498, 19500,	10128, 10132,
..... 9280, 9350	19503, 19506,	10133, 10411,
\@mpthreecolfootnotetext	19518, 19559,	10417, 10421,
..... 9278, 9327	19560, 19561,	10427, 10431,
\@mptwocol@footgroupv@r	19562, 19563,	10436, 10440,
..... 9174	19564, 19565,	10445, 10892,
\@mptwocolLTRfootnotetext	19566, 19567,	17606, 17622,
..... 9170, 9233	19582, 19583,	17630, 17638,



19067,	19339,	13142,	13197,	18873,	18874,
19340,	19341,	13204,	13213,	18875,	18877,
19344,	19347,	13224,	13634,	18878,	18879,
19352,	19353,	14405,	14482,	18880,	18881,
19358,	19362,	14745,	15204,	18884,	18885,
19363,	19365,	15224,	15994,	\@nil	1459,
19366,	19368,	16135,	16332,	1460,	1462,
19369,	19371,	16375,	16379,	1463,	
19372,	19374,	16561,	16854,	7100,	8004,
19375,	19382,	16968,	17403,	8061,	
19387,	19388,	17517,	17976,	12815,	12824,
19471,	19518,	18102,	18216,	12826,	12838,
19522,	19523,	18796,	18800,	18982	
19535,	19542,	18861,	18870,	\@ninecol@footgroupv@r	
19543,	19626,	18877,	19179,	9925
19630,	19631,	19522,	19523,	\@ninecolLTRfootfmt	
19650,	19665,	19630,	19631,	.. . 9951, 9972,	10000
19668,	19670,	19804,	20459,	\@ninecolLTRfootnotetext	
19673,	19676,	20606,	20752,	9920, 9944
19693,	19694,	20793,	20828,	\@ninecolRTLfootfmt	
19696,	19697,	20830,	20831,	.. . 9961, 9975,	10012
19707,	19709,	20832,	20837,	\@ninecolRTLfootnotetext	
19711,	19712,	20839,	20840,	9921, 9954
19714,	19716,	20841,	20846,	\@ninecolfootfmt ..	
19717,	19726,	20848,	20849,	... 9941, 9969,	9987
19728,	19732,	20850,	20855,	\@ninecolfootnotetext	
19733,	19737,	20857,	20858,	9919, 9934
19741,	19743,	20859,	20935,	\@nmbrlistfalse ..	
19744,	19804,	20937,	20980,	21244	20760
19837,	19844,	10936, 21305	\@nobreakfalse .	
19849,	19850,	\@newlistfalse . . .		513,	
19857,	19910,	\@next	2254,	665,	909,
19917,	19988,	4984,	4985,	1148,	
20545,	20579,	5028,	5029,	6436,	6613,
\@ne	137,	5073,	5072,	6900,	
142,	346,	21166,	21167,	8717,	10553,
355,	358,	21210,	21211,	15849,	16221,
452,	803,	21243		16436,	16621,
1055,		\@nextchar	352,	19126,	19130,
1305,	1371,	354,	355,	19658	
1380,	1384,	356,	358,	\@nobreaktrue ..	
1385,	1384,	359,	360,	512,	
1418,	1421,	361,	362,	664,	908,
1422,		367,	365,	1147,	
1423,	1768,	1377,	366,	6435,	6612,
1773,		1379,	367,	6899,	
1774,	2264,	1380,	1381,	8716,	10552,
2566,		1384,	1383,	15848,	16220,
2594,	2629,	1385,	1385,	16435,	16620,
3548,		1386,	1386,	19125,	19129,
3707,	3778,	1387,	1388,	19657	
3839,		1392,	1389,	\@nocnterr	331
4332,	4341,	1393,	1394,	\@nocounterr	330
6840,		1406,	1408,	\@nodocument	2233
7290,	8561,	1409,	1409,	\@noitemerr	95
8658,		1474,	1475,	298,	580,
10661,	11269,	7111,	1476,	712,	
11283,	11297,	7112,	7113,	975,	1225,
11542,	12648,	18867,	18869,	2558,	
12649,	12654,	18870,	18871,	6485,	6673,
			18872,	6985,	
				8506,	8780,
				10614,	
				12919,	15141,
				15903,	16297,
				16494,	16697,



17107, 17114, 17687, 17694, 18370, 18377, 19029 \@nonlatinfalse 1554, 1672, 13231, 13275 \@nonlatintrue . 1555, 1674, 13231, 13275 \@normalLTrfootfmt . . 8876, 8921, 8944 \@normalRTLfootfmt . . 8870, 8907, 8955 \@normalcr . . . 13752 \@normalfootfmt 8864, 8893, 8933 \@notprerr . . 3295, 3308 \@nx 124, 125, 334, 12985, 12986 \@nxtcol 10884, 10886, 10927 \@oddfoot 1939, 10897, 10904, 21319, 21336 \@oddhead . . . 10896, 10903, 21319, 21335 \@oldmakefnmark 16901, 16902, 16965, 16966, 17450, 17451, 17514, 17515, 18149, 18150, 18213, 18214 \@onefilewithoptions . . . 3921, 3922, 3929 \@onelvel@sanitize 2236 \@onlypreamble 1649, 4144, 4154, 4158, 10301 \@openbib@code 571, 706, 969, 1219, 2551, 2562, 6479, 6667, 6976, 8500, 8771, 10608, 15897, 16291, 16485, 16688, 17090, 17670, 18353, 19020 \@otarlinesep 18756, 18762 \@outerparskip . . . 6353 \@outputbox 7325, 7328, 7329, 7343, 7355, 7360, 7362, 7388, 7391, 7392, 7406,	7416, 7419, 7421, 9039, 9041, 10473, 10475, 10476, 10481, 10496, 10498, 10512, 10523, 10765, 10768, 10781, 10790, 10801, 10804, 10818, 10828, 10909, 10914, 10961, 11562, 11569, 11570, 11586, 11596, 11611, 11618, 11619, 11635, 11647, 11686, 11698, 11732, 11734, 11745, 11770, 11773, 11774, 14547, 14550, 14551, 14581, 14606, 14609, 14611, 14623, 14647, 14650, 14651, 14681, 14706, 14709, 14711, 14721, 15273, 15276, 15281, 21011, 21014, 21015, 21029, 21041, 21058, 21061, 21062, 21076, 21086, 21105, 21107, 21121, 21123, 21134, 21363 \@outputdblcol 10883, 21099, 21100, 21101 \@outputpage . . . 7368, 7372, 7427, 7431, 10793, 10796, 10831, 10835, 10911, 10915, 10920, 10931, 11599, 11603, 11652, 11656, 13704, 13716, 14629, 14634, 14726, 14731,	15262, 15263, 21046, 21050, 21089, 21093, 21300 \@ovbtrue 10719 \@ovdx 10732, 10740 \@ovdy 10733, 10741 \@ovhorz . . . 10738, 10739 \@owltrue 10719 \@ovri 10731 \@ovro 10731, 10740, 10741 \@ovrtrue 10719 \@ovttrue 10719 \@ovvert 10736, 10737 \@ovxx 10721, 10722, 10725, 10732, 10737, 10738, 10742, 10743 \@ovyy . . 10723, 10724, 10725, 10733, 10739 \@pagedp . . . 21272, 21282 \@pageht 7448, 7557, 21255, 21262 \@par 19747 \@para@LTRfootgroupv@l 10201, 10259 \@para@footgroupv@r 10194, 10252 \@para@footstartv@l 10202, 10260 \@para@footstartv@r 10195, 10253 \@paraLTrfootfmt 10329, 10348, 10392 \@paraLTrfootnotetext . . . 10188, 10246, 10320 \@paraRTLfootfmt 10341, 10352, 10406 \@paraRTLfootnotetext 10189, 10332 \@parafootfmt 10317, 10344, 10378 \@parafootnotetext . . . 10187, 10244, 10302 \@parboxrestore 42, 56, 72, 245, 259, 274, 2303, 4735, 5003, 5047, 5091, 7030, 8929, 8940, 8951, 9077, 9226, 9238, 9251, 9332, 9343,
--	--	---



9355, 9438, 9450,	4449, 4450, 4451,	18615, 18624,
9463, 9547, 9559,	4453, 4454, 5659,	18625, 18634,
9572, 9656, 9668,	5660, 5661, 5663,	18644, 18667,
9681, 9765, 9777,	5664, 5730, 6400,	18933, 18962,
9790, 9874, 9886,	6411, 6414, 6427,	19083, 19358,
9899, 9983, 9995,	6443, 6450, 6577,	19526, 19529,
10008, 10092,	6588, 6591, 6604,	19533, 19634,
10104, 10117,	6620, 6627, 6788,	19637, 19641,
10373, 10387,	6891, 6906, 8440,	19674, 19971,
10401, 10415,	8454, 8709, 10346,	19974, 19978,
10425, 10936,	10350, 10354,	20066, 20250, 20948
11214, 11231,	10544, 10559,	\@pnumwidth ... 13, 15,
11247, 11275,	11442, 11480,	208, 210, 506, 507,
11289, 11303,	12928, 12948,	509, 523, 524, 528,
11321, 14530,	14796, 14808,	658, 659, 661, 683,
14744, 20811,	15131, 15795,	684, 688, 885, 886,
21185, 21229, 21306	15824, 15827,	890, 902, 903, 905,
\@parboxto . 20814, 20821	15840, 15856,	1141, 1142, 1144,
\@parmmoderr	15863, 16050,	1167, 1168, 1172,
2252, 4981, 5025,	16196, 16199,	6430, 6431, 6433,
5069, 21163, 21207	16212, 16228,	6453, 6454, 6458,
\@part 543, 8464	16235, 16428,	6607, 6608, 6610,
\@pboxswfalse 11312, 20797	16442, 16510,	6630, 6631, 6635,
\@pboxswtrue 20819	16612, 16627,	6894, 6895, 6897,
\@pdfm@mark	16876, 16883,	6909, 6910, 6914,
. . 12656, 12672,	16907, 16930,	7175, 7180, 7181,
12706, 12737,	16948, 17019,	8443, 8444, 8448,
12766, 12841,	17044, 17132,	8457, 8458, 8460,
12846, 12857,	17137, 17290,	8711, 8712, 8714,
12862, 12873,	17309, 17332,	10547, 10548,
12879, 12890, 12896	17333, 17342,	10550, 10562,
\@pd fremotestartview	17343, 17352,	10563, 10567,
. 12687	17353, 17362,	12961, 12963,
\@phone . . 2436, 7836, 7934	17372, 17425,	14816, 15843,
\@photo 2441,	17432, 17456,	15844, 15846,
7809, 7811, 7940, 7942	17479, 17497,	15866, 15867,
\@photowidth . . . 2440,	17568, 17593,	15871, 16215,
2441, 7811, 7907	17712, 17717,	16216, 16218,
\@pkgextension . . .	17870, 17889,	16238, 16239,
3949, 3960, 4024,	17921, 17922,	16243, 16430,
4033, 4041, 4044, 4052	17931, 17932,	16431, 16433,
\@plus 24,	17941, 17942,	16445, 16446,
103, 223, 503, 520,	17951, 17961,	16450, 16615,
595, 610, 639, 642,	18124, 18131,	16616, 16618,
655, 673, 680, 859,	18155, 18178,	16630, 16631,
866, 869, 882, 899,	18196, 18267,	16635, 18989,
917, 1111, 1122,	18292, 18395,	18998, 19000,
1125, 1138, 1156,	18400, 18553,	19388, 19537,
1164, 2475, 2561,	18572, 18604,	19538, 19546,
4440, 4441, 4442,	18605, 18614,	19645, 19646,



19652, 20044, 20157, 20262, 20960	\@publishers 16931, 16995, 17045, 17480, 17544, 17594, 18179, 18243, 18293	\@removefromreset 15150, 15152
\@preamble 386, 387, 397, 399, 1431, 1439, 13638, 18735, 18737, 18744, 18774, 18775, 18783, 20917, 20919, 20928	\@quote 2442, 7815, 7817, 7944, 7946	\@reqcolroom 7448, 7449, 7450, 7451, 7511, 7556, 7557, 7558, 7559, 7560, 7561, 7685
\@preameightfmt 9855, 9861, 9864, 9867	\@quotebox 15681	\@resetactivechars 10934, 21303
\@preamerr 368, 1395, 1425, 18887, 20926, 20939	\@quotecolour 2404, 2421, 2531	\@resetdyn@mics . . . 10922
\@preamfivefmt . 9528, 9534, 9537, 9540	\@r@em@msize 18769	\@resetst@tics 10921
\@preamfntext 8888, 8902, 8916, 9072, 9180, 9190, 9200, 9289, 9298, 9307, 9392, 9402, 9412, 9501, 9511, 9521, 9610, 9620, 9630, 9719, 9729, 9739, 9828, 9838, 9848, 9937, 9947, 9957, 10046, 10056, 10066, 10312, 10324, 10336	\@raggedtwoe@abdhook 15756, 15761, 15771	\@restonecolfalse 98, 218, 585, 601, 850, 1102, 6391, 6568, 6778,
\@preamfourfmt . 9419, 9425, 9428, 9431	\@raggedtwoe@document@opt 15755, 15759, 15777	\@raggedtwoe@everyselectfont 12923, 15786, 16041, 16500, 19041
\@preamninefmt . 9964, 9970, 9973, 9976	\@raggedtwoe@footmiscttrue 15758	\@restonecoltrue 98, 218, 587, 603, 852, 1104,
\@preamnormalfmt 8860, 8865, 8871, 8877	\@raggedtwoe@gnewline 15688, 15701, 15714	6393, 6570, 6780, 12923, 15788,
\@preamsevenfmt 9746, 9752, 9755, 9758	\@raggedtwoe@raggedrightboxes@opt#6043, 16502, 19043 15734, 15753, 15757, 15774	\@resumename . . . 2374, 2430 \@revlabeltrue . 736,
\@preamsixfmt . 9637, 9643, 9646, 9649	\@raggedtwoe@spaceskipfalse 15731	\@raggedtwoe@saved@gnewline 988, 1238, 6518, 6695, 15927, 16066
\@preamtenfmt . 10073, 10079, 10082, 10085	\@raggedtwoe@spaceskiptrue 15694, 15707, 15720	\@rightcolumn . 14573, 14578, 14579, 14588, 14589,
\@preamthreefmt 9313, 9319, 9322, 9325	\@rc@ifdefinable 2917, 2963	14597, 14601, 14607, 14673, 14678, 14679, 14688, 14689, 14697, 14701, 14707
\@preamtwofmt . 9207, 9213, 9216, 9219	\@reffalse 17999	\@rightsip 13748, 15690, 15691,
\@printcites 15682	\@reftrue 18000, 18001, 18002, 18003, 18004, 18005, 18006, 18007	15703, 15704, 15716, 15717, 15727, 15728, 20862
\@pstrickserr 15636	\@regtocline 636, 674, 691, 863, 893, 918, 1119, 1157, 1175, 6408, 6444, 6462, 6585, 6621, 6639, 15821, 15857, 15875, 16193, 16229, 16247	\@rjfieldfalse 21290 \@runbordercolor 12712, 12714
\@ptsize 2339, 2340, 2341, 2342, 2349	\@rememsize 18766, 18769	\@runcolor 12728 \@s@size 18769 \@s@bidi@AfterClass 3981, 3990, 4002, 4011 \@s@bidi@AfterPackage 4026,
\@publisher 5822, 5875		



4034, 4045, 4053	\@setminipage .. 4737, 11328, 11536, 14532	\@stabarray 18724
\@sarray 18728	\@stabular 18720	
\@savemarbox 21284	\@star@or@long . 2912, 2933, 2957, 2968	
\@secondoftwo .. 1529,	\@startcolumn 11661	
1535, 1541, 2785, 2789, 2797, 2801, 2809, 2813, 2819, 2827, 2840, 2849, 2858, 2867, 2873, 2876, 2887, 2892, 2899, 3061, 3071, 3072, 3073, 3074, 3080, 3089, 3095, 3119, 3147, 3175, 3224, 3236, 3237, 3246, 3886, 4014, 4056	\@startdblcolumn 7371, 7373, 7430, 7432, 10794, 10796, 10834, 10835, 10918, 10920, 11602, 11604, 11655, 11657, 14632, 14635, 14729, 14732, 21049, 21051, 21092, 21094	
\@secpenalty .. 5, 200, 502, 519, 654, 672, 679, 881, 898, 916, 1137, 1155, 1163, 8439, 8453, 12953, 18974, 19106, 19161, 19525, 19532, 19633, 19640	\@sevencol@footgroupv@r 9707	\@startfield 6362
\@sectiontitlecolour 2405, 2422	\@sevencolLTRfootfmt ... 9733, 9754, 9782	\@startpbox 1408, 1409, 1474, 1475, 1476, 7111, 7112, 7113, 13617, 13618, 13624,
\@seesize .. 18766, 18769	\@sevencolfootnotetext 9702, 9726	18738, 18776, 20920
\@setcol 10928	\@sevencolLTLfootfmt ... 9743, 9757, 9794	\@startsection .. 23, 12947
\@setcolbox .. 10889, 10925	\@sevencolfootnotetext 9703, 9736	\@starttoc 5625, 5633
\@setcopyright 112, 12973	\@sevencolfootfmt 9723, 9751, 9769	\@stopfield 6327, 6342, 6346, 6374, 21290
\@setfontsize	\@sevencolfootnotetext 9701, 9716	\@stoline 6346, 21290
4439, 4448, 5658, 5668, 5669, 5670, 5671, 5672, 5673, 5674	\@sharp 393, 1433, 1434, 1435, 1441, 1442, 1443, 12815, 12821, 13630, 18740, 18775, 18781, 20923	\@stpelt 3413, 3417, 3419
\@setfpsbit	\@sixcol@footgroupv@r 9598	\@strip 14741
2268, 2271, 2274	\@sixcolLTRfootfmt ... 9624, 9645, 9673	\@subjclass 324
\@setmarks 7335, 7337, 7367, 7398, 7400, 7426, 10774, 10776, 10793, 10810, 10812, 10830, 11576, 11578, 11598, 11625, 11627, 11651, 14557, 14559, 14628, 14657, 14659, 14725, 21021, 21023, 21045, 21068, 21070, 21088	\@sixcolLTLfootfmt ... 9634, 9648, 9685	\@subject 16915, 16916, 16994, 17028, 17029, 17464, 17465, 17543, 17577, 17578, 18163, 18164, 18242, 18276, 18277
	\@sixcolfootnotetext 9593, 9617	\@subsectioncolour 2407, 2423
	\@sixcolfootfmt 9614, 9642, 9660	\@subtitle
	\@sixcolfootnotetext 9592, 9607	. 16921, 16991, 17034, 17470, 17540, 17583,
	\@skip@bove .. 18760, 18762	18169, 18239, 18282
	\@spaces 18798, 18839, 18844	\@tabacol 2181, 13615, 18722, 20723, 20903
	\@spart 8483	\@tabarray 374, 398, 402, 2183, 13602,
	\@specialpagefalse 10891, 21316	
	\@specialstyle 10892, 21316	



13604, 20718,	11878, 11881,	7678, 8027, 8028,
20725, 20905, 20931	11882, 11888,	8029, 8030, 8032,
\@tabclassiv	11899, 11900,	8081, 8082, 8083,
... 2183, 13616,	11906, 11911,	8084, 8086, 9123,
18724, 20725, 20905	11912, 11914,	10731, 10735,
\@tabclassz	11917, 11974,	10743, 10744,
1436, 2182, 13616,	11975, 11976,	10869, 10870,
18723, 20724, 20904	11977, 12434,	10871, 11317,
\@tabcr 6323, 6333	12438, 12441,	11341, 11379,
\@tabminus 6321	12453, 12472,	11424, 11431,
\@tabplus 6320	12476, 12479,	11441, 11444,
\@tabular 370, 2169, 20901	12491, 12984,	11448, 11450,
\@tabularcr	12987, 13038,	11456, 11490,
... 2183, 13620,	13039, 13685,	11492, 11498,
18724, 20725, 20905	13686, 13688,	11511, 11515,
\@tagsextension 2718, 2721	13689, 15153,	11516, 11804,
\@tarlinesep .. 18762,	15154, 15155,	11900, 11917,
18763, 18764,	15158, 15165,	12066, 12247,
18765, 18768, 18770	15171, 15974,	12249, 13234,
\@temp@bibkey .. 5192,	15976, 15978,	13239, 13243,
5211, 5230, 5258	15982, 16115,	13647, 13648,
\@temp@bibkeyx . . .	16117, 16119,	13651, 14458,
.... 5197, 5198,	16123, 16706,	14461, 14465,
5200, 5201, 5202,	16707, 16749,	14467, 14473,
5203, 5216, 5217,	16750, 16850,	14475, 14476,
5219, 5220, 5221,	17092, 17095,	14505, 14506,
5222, 5235, 5236,	17399, 17672,	14510, 15400,
5238, 5239, 5240,	17675, 17972,	15401, 15404,
5241, 5267, 5268,	18098, 18355,	17156, 17170,
5270, 5271, 5272, 5273	18358, 18847,	17174, 17176,
\@temp@last@bibkey	18849, 18854,	17199, 17200,
.... 5191, 5192,	18856, 20248,	17202, 17203,
5198, 5210, 5211,	20265, 20269,	17205, 17210,
5217, 5229, 5230,	20270, 20271,	17215, 17736,
5236, 5257, 5258, 5268	20280, 20294,	17750, 17754,
\@tempa 123, 126,	20470, 20473,	17756, 17779,
133, 134, 135, 136,	20479, 20483, 20497	17780, 17782,
783, 785, 787, 791,	\@tempb 2634,	17783, 17785,
1035, 1037, 1039,	2635, 2637, 2638,	17790, 17795,
1043, 1285, 1287,	11838, 11839,	18419, 18433,
1289, 1293, 2596,	11879, 11881,	18437, 18439,
2603, 2634, 2635,	11909, 11911,	18462, 18463,
2638, 2741, 2742,	11912, 11914,	18465, 18466,
2745, 2747, 2749,	11917, 15157,	18468, 18473,
2750, 2753, 2755,	15158, 15164,	18478, 18821,
2757, 2758, 2761,	15165, 15170, 15171	18841, 20209,
2763, 2765, 2766,	\@tempboxa 4987,	20212, 20217,
2769, 2771, 10720,	5031, 5075, 7471,	20221, 20225,
11838, 11839,	7495, 7504, 7563,	20229, 20233,
11840, 11841,	7607, 7648, 7669,	20237, 20241,



20245,	20886,	526, 644, 657, 681,	10733,	10736,
20887,	20942,	686, 871, 872, 883,	10737,	11315,
20943,	20944,	888, 901, 1127,	11319,	11773,
20945,	21169,	1140, 1165, 1170,	11775,	11897,
21213,	21351,	1453, 1454, 1486,	11899,	11904,
21358,	21359,	1487, 1488, 2336,	11906,	11907,
21388,	21389, 21393	2338, 5646, 5647,	11909,	11922,
\@tempc .	11880, 11882,	6416, 6429, 6451,	11927,	11932,
	11888, 13066, 13071	6456, 6593, 6606,	11936,	12956,
\@tempcnta	1399, 1458,	6628, 6633, 6892,	12958,	12960,
	1459, 1460, 1462,	6907, 6912, 7123,	12962,	13081,
	1463, 2256, 2262,	7124, 7125, 7173,	13086,	13102,
	2264, 2277, 2278,	7178, 7452, 7521,	13103,	13108,
	2284, 2285, 2611,	7522, 7536, 7537,	13612,	13622,
	2613, 2617, 7098,	7541, 7618, 7696,	13627,	14576,
	7100, 8002, 8059,	7697, 7711, 7712,	14580,	14676,
	13105,	7716, 7732, 7733,	14680,	14741,
	13110,	7973, 7974, 7975,	14766,	14789,
	13134,	7976, 7994, 7995,	14801,	14802,
	15229,	7996, 7997, 8003,	14813,	14814,
	15232,	8005, 8006, 8010,	15233,	15829,
	15242,	8011, 8012, 8013,	15842,	15864,
	15306,	8014, 8022, 8026,	15869,	16201,
	15312,	8029, 8030, 8031,	16214,	16236,
	15317,	8045, 8046, 8047,	16241,	16330,
	16956,	8060, 8062, 8063,	16331,	16332,
	17168,	8067, 8068, 8069,	16373,	16374,
	17505,	8070, 8071, 8077,	16375,	16443,
	17748,	8080, 8083, 8084,	16448,	16613,
	18204,	8085, 8097, 8098,	16628,	16633,
	18431,	8099, 8243, 8245,	16751,	16752,
	20056,	8246, 8247, 8251,	16852,	16853,
	20058,	8258, 8260, 8262,	16854,	16859,
	20078,	8269, 8293, 8294,	16860,	16863,
	20081,	8299, 8300, 8301,	17173,	17174,
	20165,	8302, 8303, 8418,	17199,	17200,
	20167,	8420, 8422, 8441,	17201,	17203,
	21246,	8446, 8456, 10181,	17401,	17402,
	21251, 21253, 21275	10215, 10216,	17403,	17408,
\@tempcntb		10217, 10218,	17409,	17412,
	2282, 2283, 2284,	10220, 10229,	17753,	17754,
	15230,	10230, 10233,	17779,	17780,
	15238,	10234, 10277,	17781,	17783,
	15242,	10278, 10279,	17974,	17975,
	15255,	10280, 10282,	17976,	17979,
	17167,	10291, 10292,	17980,	17983,
	17747,	10295, 10296,	18100,	18101,
\@tempdima	8,	10483, 10485,	18102,	18107,
	10, 12, 14, 203,	10546, 10560,	18108,	18111,
	205, 207, 209, 378,	10565, 10732,	18436,	18437,
	379, 381, 504, 521,			



18462,	18463,	7623, 7624, 7626, 7628, 7631, 7635, 7638, 7641, 7645, 7647, 7973, 7974, 7994, 7995, 8046, 8048, 8051, 8098, 8100, 8103, 8249, 8251, 8264, 8265, 8266, 8267, 8269, 8296, 8299, 10231, 10232, 10233, 10293, 10294, 10295, 10725, 10726, 10727, 10728, 10730, 11898, 11899, 11905, 11906, 11908, 11909, 13103, 13104, 13106, 14741, 14766, 16861, 16862, 16863, 17410, 17411, 17412, 17981, 17982, 17983, 18109, 18110, 18111, 18767, 18770, 18772, 20074, 20080, 20082, 20087, 20089, 20092, 20096, 20100, 20108, 20110, 20111, 20124, 20130, 20132, 20435, 20436, 20438, 20440, 20443, 20444, 20446, 20449, 20463, 20464, 20465, 20469, 20482, 20486, 20487, 20813, 20814 \@tempdimc 7093, 16849, 16856, 16857, 16867, 17398, 17405, 17406, 17416, 18097, 18104, 18105, 18115 \@tempskipa 6352, 6353, 6354 \@tempswafalse . 4161, 4208, 8014, 8071, 11845, 20517, 20560 \@tempswatrue 4160, 4205, 8008, 8065, 21003 \@temptokena 121, 125, 12982, 12986, 15292 \@tempx 6254, 6255, 12512, 12524 \@tempxi 6257, 6258, 12543, 12555 \@tempxii 6260, 6261, 12574, 12586 \@tempy 2189, 2190 \@tempyi 2192, 2193 \@tempyii 2195, 2196 \@tencol@footgroupv@r 10034 \@tencollTRfootfmt . 10060, 10081, 10109 \@tencollTRfootnotetext 10029, 10053 \@tencolRTLfootfmt . 10070, 10084, 10121 \@tencolRTLfootnotetext 10030, 10063 \@tencolfootfmt 10050, 10078, 10096 \@tencolfootnotetext 10028, 10043 \@testopt 2935, 2953, 13609, 13610 \@testpach 345, 1370, 1415, 18860, 20932 \@texfileextension 2720, 2723 \@textbottom .. 10478, 11776, 16876, 16883, 17132, 17137, 17425, 17432, 17712, 17717, 18124, 18131, 18395, 18400 \@textsuperscript . 447, 450, 737, 799, 801, 989, 1053, 1239, 1301, 1303, 1969, 1972, 5297,
--------	--------	---	--



5299, 6519, 6696, 6835, 6838, 8556, 8559, 8653, 8656, 10656, 10659, 14401, 15928, 15990, 15992, 16067, 16131, 16133, 16327, 16334, 16370, 16377, 16556, 16559	5453, 5459, 6275, 6282, 6289, 6519, 6696, 6835, 6838, 8556, 8559, 8653, 8656, 8891, 8905, 8919, 8931, 8942, 8953, 8994, 8998, 9000, 9006, 9010, 9012, 9018, 9022, 9024, 9182, 9192, 9202, 9228, 9241, 9253, 9291, 9300, 9309, 9334, 9346, 9357, 9394, 9404, 9414, 9440, 9453, 9465, 9503, 9513, 9523, 9549, 9562, 9574, 9612, 9622, 9632, 9658, 9671, 9683, 9721, 9731, 9741, 9767, 9780, 9792, 9830, 9840, 9850, 9876, 9889, 9901, 9939, 9949, 9959, 9985, 9998, 10010, 10048, 10058, 10068, 10094, 10107, 10119, 10314, 10326, 10338, 10375, 10389, 10403, 10656, 10659, 11180, 11185, 11189, 11194, 11216, 11233, 11249, 11277, 11291, 11305, 11348, 11353, 11363, 11368, 11787, 12294, 12305, 12316, 12327, 12445, 12483, 12516, 12547, 12578, 12641, 12944, 15928, 15990, 15992, 16067, 16131, 16133, 16327, 16334, 16370,	16377, 16556, 16559 \@thefoot 10897, 10900, 10904, 21319, 21325, 21333, 21336, 21371 \@thehead 10896, 10899, 10903, 21319, 21325, 21332, 21335, 21355 \@themargin . . . 10953, 11942, 11944, 11949, 11951, 11955, 11957, 21321, 21323, 21327, 21329, 21348 \@thm 15186, 15207 \@thmcOUNTERsep 343, 20743 \@threecol@footgroupv@r 9277 \@threecolLTrfootfmt ... 9302, 9321, 9348 \@threecolLTrfootnotetext 9272, 9295 \@threecolRTLfootfmt ... 9311, 9324, 9359 \@threecolRTLfootnotetext 9273, 9304 \@threecolfootfmt 9293, 9318, 9336 \@threecolfootnotetext 9271, 9286 \@title 320, 416, 437, 473, 487, 746, 748, 776, 821, 834, 998, 1000, 1028, 1073, 1086, 1248, 1250, 1278, 1323, 1337, 1348, 1983, 2372, 2433, 5830, 5915, 6528, 6530, 6558, 6705, 6707, 6735, 6804, 6825, 6861, 6875, 7925, 8527, 8546, 8580, 8592, 8622, 8643, 8679, 8693, 10627, 10646, 10680, 10692, 14395, 15937, 15939, 15967,
--	--	--



16012,	16025,	\@todonotes@currentfigwidth	20785,	20789,
16076,	16078, 20395,	20791,	20793,
16108,	16155,	20397, 20407, 20410	20828,	20830,
16171,	16182,	\@todonotes@drawInlineNote	20831,	20832,
16338,	16359, 20318	20837,	20839,
16400,	16414,	\@todonotes@drawLineToLeftMargin	20840,	20841,
16525,	16546, 20346, 20349	20846,	20848,
16582,	16596,	\@todonotes@drawLineToRightMargin	20849,	20850,
16919,	16990, 20346, 20349	20855,	20857,
17032,	17468,	\@todonotes@drawMarginNote	20858,	20859, 21291
17539,	17581,	. 20345, 20348, 20352	\@traditionalpoem .	
18167,	18238, 18280	\@todonotes@drawMarginNoteWithLine 6203, 6295	
\@titlecolour	. 2402, 2419 20340	\@trivlist	
\@titlehead	\@todonotes@ifdisabled	.. 15197, 15217, 20762	
.. 16908, 16910,	 20419	\@twocol@footgroupv@r	
16993,	17020,	\@todonotes@sizecommand 9168	
17022,	17457, 20323,	\@twocolLTRfootfmt	
17459,	17542,	20325, 20332,	... 9194, 9215, 9243	
17569,	17571,	20334, 20336,	\@twocolLTRfootnotetext	
18156,	18158,	20359, 20361, 9163, 9187	
18241,	18268, 18270	20373, 20376,	\@twocolRTLfootfmt	
\@tocextra	20377, 20379, 20382	... 9204, 9218, 9255	
.. 19067, 19068,		\@todonotes@text ..	\@twocolRTLfootnotetext	
19072,	19074, 19077	.. 20323, 20325, 9164, 9197	
\@tocline	.. 2, 197, 12950	20334, 20336,	\@twocolfootfmt ...	
\@tocpagenum	15, 210, 12963	20359, 20361,	... 9184, 9212, 9230	
\@tocrmarg	20374, 20380, 20383	\@twocolfootnotetext	
.. 14785, 14797,		\@todonotes@textwidth 9162, 9177	
14809,	15770, 20357	\@twosidefalse ... 4423	
19111,	19142,	\@toodeep	\@twosidetrue ... 4418	
19165,	19182,	\@topnum ... 111, 314,	\@typeset@protect ..	
19199,	19216,	459, 810, 1062, 2128,	
19233,	19250,	1312, 5908, 6847,	2134, 2140, 2155	
19268,	19287,	8568, 8665, 10668,	\@undeclaredcolor ..	
19307,	19342,	12972, 14414, 7138,	
19393,	19671,	16001, 16142,	7146, 20510, 20511	
20134,	20251, 20949	16386, 16568,	\@undefined	
\@todonotes@MissingFigureDown	16975, 17524, 18223	\@topsep ... 15200, 15220	. 2186, 13614, 14515	
..... 20413		\@topsepadd ...	\@undottedtocline 14782	
\@todonotes@MissingFigureText	 2100, 15201, 15221	\@unexpandable@protect	
\@todonotes@MissingFigureUp		\@totallleftmargin 2986, 4320	
..... 20412	 11526,	\@unrecurve . 18757, 18760	
\@todonotes@author		11530, 11533,	\@uppertitleback ..	
..... 20323,		11542, 13747, 16938,	
20334,	20359, 20377	15203, 15204,	16996, 17487,	
\@todonotes@currentfigcolor		15223, 15224,	17545, 18186, 18244	
..... 20394		15744, 20769,	\@urlbordercolor ..	
\@todonotes@currentfigheight		20771, 20777, 12743, 12745	
..... 20395		20779, 20783,	\@urlcolor 12757	



\@viiipt	4448,		2298, 6152, 6163,		\\"	122, 397, 744,	
	5668, 15241, 15254		6369, 6383, 11347,			789, 996, 1041,	
\@viipt	5668, 15241, 15254		11350, 12313, 18807			1246, 1291, 2183,	
\@viper	7374, 7376, 7378,		\@xRTLfootnote			2480, 2486, 2633,	
	7433, 7435, 7437,	 2179, 2301,			3438, 3454, 3458,	
	7450, 7514, 7560,		6155, 6166, 6372,			3687, 3689, 3690,	
	7688, 7737, 14742,		6386, 11179, 11182			3691, 3699, 3704,	
	14757, 14759, 14764		\@xRTLfootnotenext			3705, 3707, 4753,	
\@viperoutput	. 7380, 7439	 2178,			4754, 4755, 4757,	
\@vipt	5669	2300, 6154, 6165,			5717, 6086, 6224,	
\@vpt	5669	6371, 6385, 11362,			6526, 6703, 7813,	
\@whilenum	13134	11365, 12302, 18808			7814, 7817, 7833,	
\@whilesw	. 7372, 7431,		\@xaddress	321		7920, 7925, 7932,	
	10795, 10835,		\@xauthor	321		7942, 7946, 8790,	
	10919, 11603,		\@xcolor@ . . 20518, 20561			8794, 8803, 12146,	
	11656, 14633,		\@curraddr	322		12149, 12162,	
	14730, 21050, 21093		\@email	322		12165, 12265,	
\@wholewidth		\@xepersian@pdfcustomproperties	12686,		12686, 12701,	
	. 10722, 10724, 10742			12701		12720, 12983,	
\@width	31, 235,				13003, 13007,	
	383, 533, 718, 953,		\@xfloat	2232		13196, 13197,	
	1198, 1488, 6491,		\@xfootnote	2175,		13203, 13204,	
	6644, 6920, 7125,		2297, 6151, 6162,			13607, 13752,	
	7347, 7412, 7487,		6368, 6382, 12639			15310, 15322,	
	7661, 7955, 8511,		\@xfootnotemark . . 12324			15685, 15686,	
	8810, 8859, 10593,		\@xfootnotenext . . .			15698, 15699,	
	10824, 11127,	 2174, 2296,			15711, 15712,	
	11129, 11504,		6150, 6161, 6367,			15724, 15935,	
	11592, 11639,		6381, 12291, 18806			15980, 16074,	
	12941, 13012,		\@xipt	5671		16121, 18074,	
	13629, 13683,		\@xipt	5670		18724, 18739,	
	13769, 14615,		\@xivpt	303, 5672		18755, 18756,	
	14717, 14860,		\@xmakefntext . . . 800,			18932, 18961,	
	14874, 14906,		1302, 15991, 16132			20356, 20363,	
	14954, 15880,		\@xp	121, 308,		20725, 20862,	
	16303, 16459,		333, 334, 7039, 12982			20905, 20921, 20931	
	16641, 16878,		\@xpt	4439		\{	2045, 13889, 13933
	17133, 17427,		\@xstartcol	11679		\}	2046, 13889, 20730
	17713, 18126,		\@xthm	15205, 15225		\]	6321, 10849
	18396, 18733,		\@xtitle	320		\`	1818,
	18772, 20915,		\@xxpt	5673		6103, 6104, 6106, 6107	
	21033, 21082, 21282		\@xxxii	2283		\`	11524, 13744, 15740
\@x	6312, 6313	\@xympar			\ 	11403, 11404, 11519
\@x@sf	5306, 5311, 5317, 5320		4993, 4997, 5037,			\`	13831, 13882, 13934
\@xLTRfootnote		5041, 5081, 5085,			\`	1773
		21175, 21179,			\`	1773
	2177, 2299,		21219, 21223, 21286				
	6153, 6164, 6370,		\@yargdef	2955			
	6384, 11188, 11191		\@ympar	21283			
\@xLTRfootnotenext		\@ythm	15205, 15225			
	2176,		\`	6320, 10839			



\ 1589, 1868, 5199, 5203, 5218, 5222, 5237, 5241, 5269, 5273, 11396, 11398, 18068	8439, 8453, 8708, 10543, 10558, 12953, 15839, 15855, 15862, 16211, 16227, 16234, 16427, 16441, 16611, 16626, 18974, 18976, 19104, 19106, 19139, 19161, 19525, 19528, 19532, 19633, 19636, 19640	18105, 18108, 18110, 18463, 18464, 18993, 18994, 19674, 19680, 19684, 19688
A	16441, 16611, 16626, 18974, 18976, 19104, 19106, 19139, 19161, 19525, 19528, 19532, 19633, 19636, 19640	\addvspace 5, 200, 503, 520, 655, 673, 680, 882, 899, 917, 1138, 1156, 1164, 5711, 5768, 6427, 6443, 6604, 6620, 6891, 8440, 8454, 8709,
\abovecaptionskip 13232, 13671, 13673, 14454, 14504, 17223, 17227, 17242, 17250, 17803, 17807, 17822, 17830, 18486, 18490, 18505, 18513, 21387	19161, 19525, 19528, 19532, 19633, 19636, 19640 \address 321, 2434 \addresscolour 2403, 7765, 7863, 7869, 7875, 7881, 7887	10544, 12953, 15840, 15856, 16212, 16228, 16428, 16612, 19108, 19162, 19526, 19533, 19634, 19637, 19641, 19668, 20068
\abovedisplayshortskip . . . 4441, 4450, 5660	\addressfont 2412, 2420, 2531, 7803, 7831, 7895, 7929	\adjmc@inner 134 \adjmc@outer 136 \adjmc@page@sofar@orig 164
\abovedisplayskip 4440, 4443, 4449, 4456, 4490, 5659, 5666	\addresssymbol 2394, 7833, 7932	\adjmult@cols 163 \adjmulticols 132 \adl@act@classz . . . 1491 \adl@act@CT@setup 1449, 1456
\abstractname 622, 628, 631, 929, 935, 937, 1181, 1187, 1190, 6467, 6655, 15807, 15813, 15816, 16257, 16263, 16266	\addressesstyle 2420 \addtocontents . . . 19390 \addtocounter 13126, 13127	\adl@activate . 1366, 1449 \adl@argarraydashrule 1385, 1423
\Acrobatmenu 12762	\addtolength . . . 2354, 2355, 2356, 2357, 2358, 2359, 2457, 2458, 2460, 2462, 2463, 2466, 4525, 4528, 4529, 4532, 5683, 7911, 7912, 7913, 8302, 11999, 12000, 13092, 13094, 13096, 13097, 13115, 13117, 13118, 13120, 13121, 13123, 13124, 13125, 13140, 13141, 16853, 16856, 16857, 16860, 16862, 17200, 17201, 17402, 17405, 17406, 17409, 17411, 17780, 17781, 17975, 17980, 17982, 18101, 18104,	\adl@array . . . 1363, 1368 \adl@arraydashrule 1384, 1422 \adl@arrayinit 1365 \adl@arrayrestore . 1360 \adl@arrayrule 1383, 1421 \adl@box . 1406, 1408, 1409 \adl@class@iiiorvii 1412, 1445 \adl@class@start 1411, 1444 \adl@CT@setup 1448, 1451, 1452 \adl@depth 1455 \adl@endarray 1360 \adl@endmbox 1407 \adl@everyvbox 1364, 1365
\AddExtraParaSkip 10173, 10176, 10301		
\addfontfeature 2400, 2401, 2402, 2403, 2404, 2405, 2407, 2408		
\addpenalty 5, 200, 502, 519, 654, 672, 679, 881, 898, 916, 1137, 1155, 1163, 6426, 6442, 6449, 6603, 6619, 6626, 6890, 6905,		



\adl@extract@arc ..	1460	10218,	10223,	15869,	15896,
\adl@extract@dgc ..	1463	10227,	10278,	16241,	16290,
\adl@extract@drsc ..	1461	10280,	10285,	16331,	16374,
\adl@height	1454	10289,	10565,	16448,	16484,
\adl@inactivate	1366, 1448	10607,	10722,	16633,	16687,
\adl@LT@array	12813	10724,	10726,	16752,	17089,
\adl@noalign	1367	10732,	10733,	17669,	18072,
\adl@org@activate ..	1449	10740,	10741,	18352,	18685,
\adl@org@classz ..	1492	10742,	10912,	18756,	18770,
\adl@org@endpbox ..	1450	10913,	11399,	18780,	18800,
\adl@org@inactivate	1448	11413,	11426,	18895,	18933,
\adl@putlrc	1403, 1404, 1405, 1433, 1434, 1435, 1441, 1442, 1443	11427,	11459,	18949,	18962,
\adl@startmbox	1406	11464,	11465,	18966,	18998,
\advance	12, 90, 207, 293, 311, 379, 526, 570, 686, 705, 872, 888, 968, 1170, 1218, 1453, 1487, 1773, 1774, 1942, 1947, 2264, 2278, 2284, 2550, 2594, 2629, 3548, 3707, 3713, 3723, 3778, 3795, 3804, 4332, 4941, 5647, 5722, 6073, 6081, 6082, 6353, 6456, 6478, 6633, 6666, 6912, 6975, 7124, 7132, 7133, 7173, 7285, 7450, 7451, 7460, 7521, 7522, 7537, 7557, 7560, 7561, 7570, 7572, 7578, 7579, 7582, 7585, 7588, 7631, 7696, 7697, 7712, 7732, 7733, 7963, 7973, 7974, 7984, 7994, 7995, 8011, 8012, 8013, 8030, 8039, 8046, 8068, 8069, 8070, 8084, 8091, 8098, 8246, 8247, 8260, 8262, 8265, 8266, 8267, 8446, 8499, 8770, 9154, 9156, 10181, 10216,	11468,	11477,	18999,	19019,
		11541,	11668,	19120,	19151,
		11669,	11673,	19174,	19191,
		11674,	11676,	19208,	19225,
		11677,	11680,	19242,	19259,
		11681,	11682,	19277,	19296,
		11683,	11802,	19316,	19351,
		12648,	12658,	19392,	19541,
		12914,	12960,	19542,	19650,
		13104,	13107,	19701,	20057,
		13108,	13142,	20077,	20082,
		13622,	13634,	20132,	20133,
		13700,	14568,	20134,	20137,
		14570,	14597,	20141,	20166,
		14598,	14601,	20177,	20256,
		14668,	14670,	20279,	20433,
		14697,	14698,	20435,	20445,
		14701,	14755,	20464,	20465,
		14756,	14757,	20494,	20505,
		14758,	14767,	20506,	20752,
		14789,	14802,	20765,	20766,
		14814,	14827,	20769,	20771,
		14956,	14957,	20777,	20779,
		14962,	14963,	20783,	20785,
		14966,	14967,	20789,	20791,
		15198,	15202,	20889,	20890,
		15203,	15218,	20954,	20980,
		15222,	15223,	21255,	21256,
		15231,	15317,	21263,	21264,
		15339,	15367,	21265,	21266, 21291
		15374,	15416,	\afterassignment ..	
		15421,	15422,	1591, 1593, 1870,	
		15423,	15452,	1872, 2987, 3787,	
		15453,	15479,	5171, 18830, 18831	
		15490,	15645,	\aftergroup	
		15647,	15652,	2082, 2092, 3990,	
		15655,	15678,	3992, 4002, 4004,	



4014, 4016, 4034,	\AM@pagecount . . . 15297	13628, 18731,
4036, 4045, 4047,	\AM@pageref . 15312, 15315	18732, 18767,
4056, 4058, 5155,	\AM@pagestemp	20738, 20913, 20914
5170, 7136, 7138,	. . . 15305, 15310,	\aslice . 15459, 15460,
7145, 7151, 7170,	15311, 15314,	15462, 15464,
10940, 10942,	15322, 15323, 15327	15465, 15467,
15535, 15536,	\AM@readlist 15327	15480, 15481, 15483
15539, 15544,	\AM@split@options 15291	\At@ViperColsBreak
15545, 15549,	\AM@temp . . . 15292, 15293 7599, 7609, 7613
15554, 15555,	\AM@threadname	\AtBeginCaption . . 13274
15559, 15563,	. . . 15290, 15300, 15301	\AtBeginDocument . .
15567, 15571,	\AM@xrprefix 1582, 1729,
18967, 20059,	. . . 15308, 15312, 15315	2369, 2429, 2526,
20499, 20508,	\and 441, 477,	3299, 4385, 4534,
20510, 20547,	755, 781, 784, 826,	4761, 4895, 4900,
20551, 20604,	1007, 1033, 1036,	4953, 5764, 5964,
20615, 20616,	1078, 1257, 1283,	6029, 7842, 7956,
20619, 20624,	1286, 1328, 1350,	7977, 7998, 8406,
20625, 20629,	1987, 6537, 6563,	11256, 11791,
20634, 20635,	6714, 6740, 6829,	12263, 13282,
20639, 20644,	6865, 8550, 8584,	13289, 13372,
20648, 20653,	8647, 8683, 10650,	15756, 18746, 20206
21301, 21311, 21312	10684, 14392,	\AtBeginPackage . . 14497
\ALG@floatstyle . . .	15294, 15946,	\AtEndDocument . 1800,
. . . 4956, 4957, 4958	15972, 15975,	2533, 3323, 4237,
\algocf@float 21453	16017, 16085,	6248, 6305, 13874,
\algocf@makecaption 188	16113, 16116,	13925, 13943, 21001
\algocf@within	16160, 16184,	\AtEndOfClass 2368
. 166, 168,	16363, 16404,	\AtPageLowerLeft . . 8236
21455, 21456, 21457	16550, 16586,	\AtPageUpperLeft . .
\alignL 7071	17009, 17558, 18257 8236, 8250, 8268
\alignR 7078	\andify 116, 12977	\AtTextUpperLeft . .
\allowbreak 7969, 7990,	\andname 789, 1041, 8240, 8256
9214, 9217, 9220,	1291, 15980, 16121	\author 321,
9320, 9323, 9326,	\andnext 14393	439, 475, 779, 824,
9426, 9429, 9432,	\AppendToTokenList 3654	1031, 1076, 1281,
9535, 9538, 9541,	\arabic 19,	1326, 1985, 5814,
9644, 9647, 9650,	20, 21, 22, 86, 214,	5846, 6561, 6738,
9753, 9756, 9759,	215, 216, 217, 289,	6827, 6863, 8548,
9862, 9865, 9868,	329, 10875, 10881,	8582, 8645, 8681,
9971, 9974, 9977,	12910, 12967,	10648, 10682,
10080, 10083, 10086	12968, 12969,	15970, 16015,
\Alph 14436	12970, 19332, 21453	16111, 16158,
\AM@CheckAtEnd . . . 15330	\array 400, 20929	16361, 16402,
\AM@ClearShipoutPicture	\arraycolsep 400	16548, 16584,
. 15332	\arraylinesep 18763	16999, 17548, 18247
\AM@currentdocname	\arrayrulecolor 1460	\auto@footnoterule
. 15295, 15301	\arrayrulewidth . . . 18780 11143, 11154
\AM@findfile 15299	\arraystretch 381, 382,	\autodot 17056,
\AM@output 15328	2076, 2087, 13627,	17604, 18303, 20269



\autofootnoterule .	9265, 9287, 9296,	3364, 3386, 3390,
1684, 7949, 8853,	9305, 9330, 9341,	4094, 4540, 4541,
11152, 11783, 21405	9353, 9363, 9368,	4554, 4557, 4631,
B	9390, 9400, 9410,	4632, 4638, 4639,
\backmatter	9436, 9448, 9461,	4646, 4647, 4672,
... 6018, 6960, 8755	9472, 9477, 9499,	4673, 4710, 4713,
\baselineskip . . 395,	9509, 9519, 9545,	4716, 4719, 4723,
717, 719, 723,	9557, 9570, 9581,	4724, 4908, 4909,
725, 1197, 1199,	9586, 9608, 9618,	5527, 5583, 5590,
1203, 1205, 2927,	9628, 9654, 9666,	5597, 5604, 5611,
4467, 4469, 4472,	9679, 9690, 9695,	5624, 5632, 5754,
4474, 4476, 4479,	9717, 9727, 9737,	5759, 5892, 5939,
4634, 5264, 5331,	9763, 9775, 9788,	5962, 6337, 6511,
5349, 5367, 5484,	9799, 9804, 9826,	6524, 6535, 6688,
5493, 5502, 5583,	9836, 9846, 9872,	6701, 6712, 6756,
5590, 5597, 5604,	9884, 9897, 9908,	6768, 6793, 6803,
5611, 5711, 5768,	9913, 9935, 9945,	6808, 6871, 6879,
6111, 6172, 6236,	9955, 9981, 9993,	7189, 7199, 7212,
6242, 6490, 6492,	10006, 10017,	7222, 7235, 7245,
6496, 6498, 6643,	10022, 10044,	7258, 7268, 7817,
6645, 6649, 6651,	10054, 10064,	7923, 7928, 7946,
7286, 7287, 7304,	10090, 10102,	8115, 8118, 8122,
7308, 7523, 7698,	10115, 10126,	8124, 8129, 8131,
10950, 11414,	10131, 10213,	8135, 8138, 8141,
13102, 13110,	10275, 10310,	8145, 8147, 8151,
13643, 13653,	10322, 10334,	8153, 8157, 8160,
13750, 13767,	10365, 10384,	8163, 8167, 8169,
15414, 15417,	10398, 10416,	8174, 8176, 8325,
15431, 15455,	10426, 10435, 10444	8391, 8518, 8526,
15459, 15464,	\BCmd 2081	8531, 8590, 8596,
15468, 15480,	\BDefaboveskip . . .	8611, 8621, 8626,
15491, 15518,	... 2096, 2111, 2114	8689, 8697, 8789,
15751, 15879,	\BDefbelowskip . . .	10618, 10626,
15881, 15885,	... 2100, 2112, 2115	10631, 10690,
15887, 16302,	\BDefinlineskip . . .	10696, 10842,
16304, 16308,	... 2105, 2113, 2116	12014, 12019,
16310, 18066,	\begin{ 405, 415,	12037, 12140,
18069, 18071,	420, 483, 491, 729,	12142, 12156,
18076, 18742,	742, 753, 832, 838,	12158, 13002,
18781, 20433,	981, 994, 1005,	14542, 15238,
20441, 20445,	1084, 1090, 1231,	15920, 15933,
20925, 21345, 21368	1244, 1255, 1335,	15944, 16023,
\baselinestretch . .	1341, 1350, 1352,	16029, 16057,
.... 2384, 5327,	1353, 2075, 2077,	16072, 16083,
5345, 5363, 8885,	2086, 2088, 2091,	16167, 16175,
8899, 8913, 8927,	2484, 2488, 2490,	16184, 16186,
8938, 8949, 9178,	2492, 2494, 2498,	16187, 16317,
9188, 9198, 9224,	2506, 2509, 2544,	16337, 16342,
9236, 9249, 9260,	2657, 2661, 2681,	16418, 16514,
	2685, 2712, 3358,	16524, 16529,



16592,	16600,	6605, 6629, 6833,	2531, 5015, 5059,
16889,	16909,	6893, 6908, 6997,	7101, 7130, 7136,
16914,	16924,	7116, 7170, 7179,	7138, 7170, 9187,
16937,	16941,	7369, 7428, 8241,	9239, 9295, 9344,
17021,	17027,	8257, 8442, 8455,	9399, 9451, 9508,
17038,	17080,	8554, 8651, 8710,	9560, 9617, 9669,
17438,	17458,	10212, 10274,	9726, 9778, 9835,
17463,	17473,	10545, 10561,	9887, 9944, 9996,
17486,	17490,	10654, 10794,	10053, 10105,
17570,	17576,	10832, 10916,	10735, 10846,
17587,	17660,	10932, 11183,	10861, 11028,
18137,	18157,	11192, 11351,	11793, 11799,
18162,	18172,	11366, 11373,	11808, 11828,
18185,	18189,	11425, 11458,	11844, 11854,
18269,	18275,	11600, 11653,	12647, 13235,
18286,	18343,	11827, 11843,	15337, 15529,
19012,	20320,	12013, 12292,	15535, 15551,
20327,	20330,	12303, 12314,	15627, 16799,
20341,	20354,	12325, 12423,	16810, 16817,
20357,	20364,	12443, 12481,	16827, 18897,
20370,	20393,	12514, 12545,	20503, 20508,
20397,	20403, 20410	12576, 12810,	20510, 20604,
\begin{bidi@stack .		12825, 12954,	20609, 20615,
....	2651, 2661,	12980, 13049,	20631, 21197,
	2662, 2675, 2685, 2686	13079, 13266,	21275, 21355, 21371
\begingroup . . .	6, 119,	13631, 14399,	\begin{R} 174,
	201, 302, 315, 372,	14529, 14630,	336, 341, 372, 397,
	384, 445, 505, 522,	14727, 14937,	1465, 2180, 5015,
	656, 682, 796, 884,	14941, 14945,	5103, 7028, 7102,
	900, 1048, 1139,	15288, 15336,	7131, 7136, 7145,
	1166, 1298, 1479,	15627, 15841,	7151, 7170, 8234,
	1967, 2210, 2218,	15865, 15987,	9147, 9151, 10871,
	2226, 2605, 2633,	16128, 16213,	11795, 11800,
	2652, 2676, 2895,	16237, 16367,	11857, 11896,
	2914, 3053, 3099,	16429, 16444,	11903, 12272,
	3106, 3136, 3152,	16554, 16614,	12280, 12662,
	3168, 3208, 3216,	16629, 16963,	12698, 12730,
	3249, 3297, 3421,	17079, 17172,	12759, 12785,
	3629, 3631, 3661,	17512, 17659,	12791, 12798,
	3671, 3681, 3811,	17752, 18211,	12995, 13235,
	3884, 3908, 3923,	18342, 18435,	13647, 13711,
	3989, 4000, 4012,	18829, 18946,	13714, 13724,
	4033, 4043, 4054,	18970, 19109,	13815, 13823,
	4204, 4318, 4330,	19536, 19644,	14014, 14340,
	4365, 4734, 5153,	20055, 20172,	14505, 14507,
	5399, 5428, 5457,	20512, 20555,	15404, 15529,
	5831, 5848, 5864,	20604, 20716,	15536, 15541,
	5876, 5909, 6213,	21047, 21090, 21301	15623, 15624,
	6273, 6280, 6287,	\begin{L} 176,	15625, 16793,
	6317, 6428, 6452,	1464, 1626, 1897,	16803, 16814,



16821, 17215, 17795, 18478, 18721, 18743, 18782, 18904, 20504, 20508, 20547, 20551, 20604, 20609, 20616, 20621, 20872, 20875, 20878, 20895, 20902, 20927, 21241, 21275, 21292, 21294, 21355, 21371, 21390, 21393, 21401	16663, 16668, 16676, 19540, 19649, 19998, 20002, 20007, 20036 \bgroup 171, 172, 372, 387, 392, 397, 630, 1189, 1465, 1595, 1874, 2170, 2292, 6145, 6363, 6377, 7030, 7102, 10846, 10847, 10861, 11317, 11478, 13635, 13637, 13677, 13711, 13714, 13734, 14742, 15348, 15537, 15543, 15547, 15553, 15557, 15562, 15565, 15570, 15815, 16265, 18721, 18729, 18737, 18743, 18774, 18778, 18782, 20164, 20617, 20623, 20627, 20633, 20637, 20643, 20646, 20652, 20716, 20722, 20902, 20911, 20919, 20927	\bibfont 15124 \bibindent . . . 2535, 2536 \bibitem@fin 15139 \biblofont 85, 288, 12909 \bibliographyitemlabel 2537, 2544 \bibname . . . 5747, 5748, 6471, 6472, 6659, 6660, 6968, 6969, 8763, 8764, 10600, 10601, 15889, 15890, 16283, 16284, 16477, 16478, 16680, 16681 \bibpostamble 15140 \bibpreamble 15123, 17070, 17071, 17649, 17650, 18332, 18333 \bibsection 5742, 5745, 5747, 5748, 14539, 15121, 19009, 19011 \bidi@@convert@dimen@t@opt 2833 \bidi@@convert@dimen@t@unit 2830 \bidi@@diagbox@double@ii 8116, 8120 \bidi@@diagbox@double@iii 8119, 8127 \bidi@@diagbox@triple@setbox@NW@tabular@i@ii ... 8136, 8139, 8143 \bidi@@diagbox@triple@setbox@NW@tabular@iii 8142, 8149 \bidi@@diagbox@triple@setbox@SE@tabular@i 8158, 8165 \bidi@@diagbox@triple@setbox@SE@tabular@ii@iii ... 8161, 8164, 8172 \bidi@@end . . . 3349, 3353 \bidi@@footnotetext@font .. 38, 241, 5329, 11203, 11210, 11301 \bidi@@loadwithoptions 3903, 3910, 3913, 3917 \bidi@@LTRfootnotetext@font .. 68, 270, 5347, 11204, 11243, 11287 \bidi@@null . . . 3521, 3522
---	---	--



\bidi@onefilewithoptions	\bidi@AfterLastShipout	\bidi@autofootnoterulefalse
... 3925, 3928, 3931	... 3325, 3331, 3337	. 11131, 11135, 11138
\bidi@patchcmd 3101, 3103	\bidi@afterlastshipouthook	\bidi@autofootnoteruletrue
\bidi@RTLfootnotetext@font 3325, 11153
.. 52, 255, 5365, 11205, 11227, 11273	3326, 3332, 3338	\bidi@backslash 3438, 3439
\bidi@thebibliography@font@hook	. 3275, 10962, 21364	\bidi@BeforeBeginEnvironment
.. 88, 291, 566, 701, 964, 1214, 2543, 6474, 6662, 6971, 8495, 8766, 10603, 12912, 14541, 15126, 15892, 16286, 16480, 16683, 17083, 17663, 18346, 19015, 20747	\bidi@afteroutputboxoutput 3275, 3276, 10963, 21365	\bidi@BeforeClass . 3978
\bidi@addto@envbody	\bidi@AfterOutputPageShipOut	\bidi@BeforeClosingMainAux
... 2647, 2665, 2667	.. 3285, 10965, 21377 4270, 4281, 4285, 4288, 4296, 4299
\bidi@addto@long@envbody	\bidi@afteroutputpageshippo	\bidi@BeforeFile .. 3976
... 2671, 2689, 2691 3285, 3286, 10966, 21378	\bidi@BeforeFooter
\bidi@AfterAtEndOfClass	\bidi@AfterPackage 4025 3278, 21366
..... 3992, 3997	\bidi@AfterPreamble	\bidi@beforefooterhook
\bidi@AfterAtEndOfPackage	.. 3299, 3300, 13179	.. 3278, 3279, 21367
..... 4036, 4040	\bidi@AfterReadingMainAux	\bidi@BeforeHeader
\bidi@AfterClass .. 3980	\bidi@Append .. 4307, 4310	.. 3269, 10955, 21349
\bidi@AfterEndDocument	\bidi@Append .. 3210, 3260	\bidi@beforeheaderhook
.. 3340, 3345, 3351	\bidi@Append@cslist@to@cs 3269,
\bidi@AfterEndDocumentCheckLabelsRerun 3642, 3715	3270, 10956, 21350
... 2584, 3312, 3317	\bidi@Append@list@to@list	\bidi@BeforeOutputBoxOutputPage
\bidi@afterenddocumentchecklabelsrerunhook 3638, 3724 3272, 10959, 21361
... 3312, 3313, 3318	\bidi@Append@to@list	\bidi@beforeoutputboxoutputpagehook
\bidi@afterenddocumenthook 3617, 3636 3272, 3273, 10960, 21362
\bidi@care@these@correct	\bidi@Append@toks@cs@to@list	\bidi@BeforeOutputPageShipOut
..... 3340, 3341, 3346, 3352 3646	.. 3266, 10937, 21307
\bidi@AfterEndEnvironment	\bidi@appto .. 2989,	\bidi@beforeoutputpageshipouthook
..... 3395, 3405	3033, 3305, 4347 3266,
\bidi@AfterEndPreamble	\bidi@apptocmd ..	3267, 10938, 21308
3302, 3306, 3308, 3323, 4389, 5905, 5928	.. 3206, 3207, 18925	\bidi@BeforePackage 4023
\bidi@afterendpreamblehook	\bidi@atbeginenvironment	\bidi@bswitch . 3580, 3582
..... 3302, 3303, 3307, 3309 3355, 3365	\bidi@CharsBefore .
\bidi@AfterFile 3977, 17232, 17812, 18495	\bidi@atendenvironment	3495, 3497, 3498,
\bidi@AfterFooter 3369, 3379	3503, 3507, 3508, 3513
..... 3281, 21373	\bidi@AtEndOutputPage	\bidi@CharsBeforeNC 3496
\bidi@afterfooterhook 2628,	\bidi@clearpage 3334, 3336
.. 3281, 3282, 21374	3288, 10971, 21383	\bidi@collect@body
	\bidi@atendoutputpagehook 2653, 2660
 3288,	\bidi@collect@body 2648
	3289, 10972, 21384	\bidi@collect@long@body
	\bidi@AtEndPreamble 2677, 2684
 1777,	\bidi@collect@long@body
	3263, 3293, 3295, 2672
	3300, 4387, 5185,	\bidi@column@check@number
	13248, 14903, 14959	.. 20964, 20980,
		20982, 20984, 20996
		\bidi@column@status
		.. 1717, 1721, 20966



\bidi@column@type .		
. 20981, 20986, 20997	3062,	9159, 9177, 9187,
\bidi@copy@stacktop 3700	3064, 3067, 3069,	9197, 9207, 9212,
\bidi@copyins@amount	3070, 3081, 3083,	9215, 9218, 9221,
. 11672, 11673,	3085, 3087, 3088,	9233, 9246, 9258,
11674, 11677,	3090, 3092, 3094,	9263, 9268, 9286,
11682, 11683, 11695	3200, 3225, 3227,	9295, 9304, 9313,
\bidi@counter@page	3229, 3232, 3238, 3240	9318, 9321, 9324,
..... 2598, 2627	\bidi@dbg@info . 3059,	9327, 9338, 9350,
\bidi@cs@a . 3523, 3524	3078, 3199, 3222	9361, 9366, 9371,
\bidi@cs@e 3694, 3695,	\bidi@dbg@succ . 3105,	9389, 9399, 9409,
3697, 3698, 3701, 3703	3201, 3233, 3241, 3243	9419, 9424, 9427,
\bidi@cs@lista	\bidi@dbg@trce . 3052,	9430, 9433, 9445,
. . . . 3667, 3668,	3098, 3198, 3207, 3215	9458, 9470, 9475,
3669, 3670, 3679, 3680	\bidi@default	9480, 9498, 9508,
\bidi@cs@listb 3664, 3666 3565, 3570,	9518, 9528, 9533,
\bidi@cs@liste 3662, 3667	3575, 3580, 3586, 3591	9536, 9539, 9542,
\bidi@csappto 3033	\bidi@del@tok@from@list	9554, 9567, 9579,
\bidi@csarg 3450, 3661	9584, 9589, 9607,
3466, 3540, 3547,	\bidi@digits	9617, 9627, 9637,
3565, 3570, 3575, 1767, 1773, 1774	9642, 9645, 9648,
3580, 3586, 3591,	\bidi@digits@charclass	9651, 9663, 9676,
3633, 3634, 3652, 1769,	9688, 9693, 9698,
3658, 3669, 3679,	1773, 1774, 1775	9716, 9726, 9736,
3688, 3698, 3702, 3706	\bidi@dummies	9746, 9751, 9754,
\bidi@csdefcs 2901 3545, 3547, 3548	9757, 9760, 9772,
\bidi@cseappto 3034, 3037	\bidi@eappto	9785, 9797, 9802,
\bidi@csepreto 3043, 3046 2993, 3006, 3034	9807, 9825, 9835,
\bidi@csgappto . 3035,	\bidi@empty 1782,	9845, 9855, 9860,
3356, 3370, 3384, 3396	1783, 3520, 3523, 3524	9863, 9866, 9869,
\bidi@csgpreto 3044	\bidi@empty@stack .	9881, 9894, 9906,
\bidi@cslet 2907 3705, 3711	9911, 9916, 9934,
\bidi@csletcs 2904	\bidi@empty@toks .	9944, 9954, 9964,
\bidi@csname 3462, 3718, 3721, 3725	9969, 9972, 9975,
3613, 3619, 3664, 3698	\bidi@endpreamblehook	9978, 9990, 10003,
\bidi@cspreto 3042 3263,	10015, 10020,
\bidi@csprotect 3767	3264, 3294, 3296	10025, 10043,
\bidi@csuse 2976,	\bidi@ensure@new@command	10053, 10063,
3360, 3374, 3387, 3400 2912, 2913	10073, 10078,
\bidi@cswitch . 3575, 3577	\bidi@ensure@newcommand	10081, 10084,
\bidi@csxappto 3036, 3038 2912,	10087, 10099,
\bidi@csxpreto 3045, 3047	8963, 8975, 8976,	10112, 10124,
\bidi@current@column@status	8977, 8983, 8984,	10129, 10134,
. 20966, 20969, 21002	8988, 8989, 8990,	10142, 10149,
\bidi@dbg@fail	8991, 9003, 9015,	10153, 10163,
3061, 3071, 3072,	9037, 9038, 9066,	10171, 10184,
3073, 3074, 3080,	9067, 9068, 9069,	10302, 10320,
3089, 3095, 3202,	9072, 9078, 9080,	10332, 10344,
3224, 3236, 3237, 3246	9105, 9106, 9124,	10348, 10352,
	9139, 9142, 9145,	10356, 10381,
	9150, 9153, 9155,	10395, 10409,



10419, 10429,	\bidi@hook@bcma 4245,	13303, 13304,
10438, 10447,	4294, 4297, 4298, 4304	13305, 13306,
10459, 10465,	\bidi@hooktocmd ...	13307, 13308,
10469, 10480, 10481	... 3210, 3218, 3220	13309, 13310,
\bidi@ensure@newlength	\bidi@hooktocmd@i .	13311, 13312,
... 2919, 8987, 9070 3234, 3248	13313, 13314,
\bidi@epreto	\bidi@hop@ES .. 3484, 3486	13315, 13316,
... 3015, 3028, 3043	\bidi@ifblank@i ...	13317, 13318,
\bidi@eqs@a ... 3476, 3477	... 2873, 2874, 2876	13319, 13320,
\bidi@eqs@b ... 3476, 3477	\bidi@ifdefmacro 2879,	13321, 13322,
\bidi@EqualString . 3476	2881, 2882, 2883	13323, 13324,
\bidi@EqualStringX 3481	\bidi@ifdefparam 3180,	13325, 13326,
\bidi@error 2921,	3182, 3183, 3184	13327, 13328,
2961, 3550, 3657, 3826	\bidi@ifdefprotected	13329, 13330,
\bidi@everyjob . 1522, 3189,	13331, 13332,
1523, 1842, 1843	3191, 3192, 3193	13333, 13334,
\bidi@excludedpackages	\bidi@ifEmpty 3523	13335, 13336,
4064, 4065, 4085,	\bidi@ifempty 3521	13337, 13338,
4121, 4138, 4146,	\bidi@ifEmptyX 3522	13339, 13340,
4156, 4178, 4179,	\bidi@ifhashcheck .	13341, 13342,
4187, 4188, 4193, 4206	... 3066, 3151, 3231	13343, 13344,
\bidi@expandonce ..	\bidi@ifhashcheck@i	13345, 13346,
2981, 2992, 2996, 3155, 3157	13347, 13348,
3000, 3004, 3014,	\bidi@ifhashcheck@ii	13349, 13350,
3018, 3022, 3026, 3244 3159,	13351, 13352,
\bidi@ff@box 10979, 10997	3162, 3163, 3164	13353, 13354,
\bidi@firstcolumn@status@write	\bidi@ifNextChar .. 3531	13355, 13356,
..... 1715,	\bidi@ifpatchable .	13357, 13358,
1723, 7350, 7409,	... 3055, 3057, 3104	13359, 13360,
10785, 10821,	\bidi@ifpatchable@i	13361, 13362,
11589, 11642, 3055, 3076	13363, 13364,
14618, 14714,	\bidi@ifpattern 3068, 3167	13365, 13366,
20973, 21036, 21079	\bidi@ifscanable 3065,	13367, 13368,
\bidi@font@@outputpage	3086, 3135, 3230	13369, 13370,
. 10945, 21298, 21340	\bidi@in@front@of@cslist	13371, 13374,
\bidi@footdir@footnote 3670, 3671	13377, 13380,
..... 79, 282,	\bidi@in@front@of@list	13383, 13386,
11258, 11260, 11264 3669	13389, 13392,
\bidi@fswitch . 3591, 3593	\bidi@info 2923	13395, 13399,
\bidi@gappto	\bidi@init@mult@footinsv@l	13402, 13405,
2622, 2997, 3035, 14973, 14987	13408, 13411,
3263, 3266, 3269,	\bidi@init@mult@footinsv@r	13414, 13417,
3272, 3275, 3278, 14969, 14985	13420, 13423,
3281, 3285, 3288,	\bidi@invert@cssstack	13426, 13429,
3302, 3312, 3325, 3340 3710	13432, 13435,
\bidi@gobbleopt 4227, 4236	\bidi@IsEmptyList . 3524	13438, 13441,
\bidi@gpreto .. 3019, 3044	\bidi@isloaded	13444, 13447,
\bidi@hook@acma 4251,	... 3127, 13298,	13450, 13453,
4295, 4308, 4309, 4314	13299, 13300,	13456, 13459,
	13301, 13302,	13462, 13465,



13468,	13471,	\bidi@looprepeat@comp	\bidi@make@para@footstart@@
13474,	13477,	... 3784, 3820, 3825	. 10200, 10258, 10459
13480,	13483,	\bidi@looprepeat@csarg	\bidi@make@para@LTRfootgroup
13486,	13489, 3762, 3814	. 10198, 10256, 10419
13492,	13495,	\bidi@looprepeat@csargromam	\bidi@makecolbf ...
13498,	13501, 3764, 10521, 10535
13504,	13507,	3779, 3780, 3781,	\bidi@matrix@check
13510,	13513,	3782, 3783, 3786, 2704, 20732
13516,	13519,	3791, 3792, 3793,	\bidi@matrix@error
13522,	13525,	3794, 3795, 3797, 2706, 2710
13528,	13531,	3803, 3816, 3818,	\bidi@mopfn@bottom
13534,	13537,	3819, 3820, 3827, 9126,
13540,	13543,	3828, 3830, 3835, 3843	10450, 10486,
13546,	13549,	\bidi@looprepeat@csromannumeral	10499, 10536, 10537
13552,	13555, 3763, 3787,	\bidi@mopfootnotebf
13558,	13561,	3795, 3798, 3814, 3842 10495, 10529
13564,	13567,	\bidi@looprepeat@depth	\bidi@mpfootnoterule
13570,	13573, 3763,	.. 11035, 11269,
13576,	13579,	3764, 3766, 3778, 3804	11283, 11297,
13582,	13585, 13588	\bidi@looprepeat@dxbody	11335, 13789, 18923
\bidi@lastcolumn@status@write	 3787, 3791	\bidi@mswitch . 3586, 3588
.... 1719, 1724,		\bidi@looprepeat@setup	\bidi@multicol@align@columns
7354, 7415, 10789,	 3784, 3810 14842,
10827,	11595,	\bidi@looprepeat@sign	14896, 14899, 14901
11646,	14622,	... 3784, 3795, 3825	\bidi@n@everypar ..
14720,	21040, 21085	\bidi@looprepeat@tmp	.. 15531, 15532,
\bidi@leave@mult@copyins		3785, 3786, 3813,	15533, 15534,
.... 14955, 15047		3815, 3818, 3823,	20426, 20611,
\bidi@leave@mult@footins@vl		3830, 3833, 3835, 3838	20612, 20613, 20614
.... 14965, 15043		\bidi@looprepeat@traceexit	\bidi@namedef 3407
\bidi@leave@mult@footins@vr	 3769, 3804	\bidi@namedef 3409
.... 14961, 15039		\bidi@looprepeat@traceinit	\bidi@namegdef 2627, 3408
\bidi@leftskip 3769, 3777	\bidi@namelongdef . 2910
.. 19541, 19542,		\bidi@looprepeat@zero	\bidi@namexdef 3410
19543,	19650,	... 3784, 3803, 3841	\bidi@new@command .
19670,	19701,	\bidi@lst@caption@direction 2933,
19702,	19734, 20655 13197,	2935, 2964, 2972
\bidi@length@of@csstack		13198, 13210, 13213	\bidi@new@ifnch 2698, 2700
... 3706, 3707, 3710		\bidi@lst@caption@script	\bidi@new@ifnextchar
\bidi@length@of@stack	 13204, 2695, 20737
..... 3706, 3720		13205, 13221, 13224	\bidi@newcommand ..
\bidi@load@hook	3896,	\bidi@lst@ensure@caption@direction 2935, 2937
3899,	3932, 3969 13208,	\bidi@newrobustcmd
\bidi@loadwithoptions		13233, 13235, 1590,
... 3904, 3905, 3910		13237, 13256,	1592, 2932, 2933,
\bidi@local@in@front@of@list		13260, 13267, 13276	2957, 2968, 2989,
.... 3674, 3691		\bidi@lst@ensure@caption@script	2993, 2997, 3001,
\bidi@local@push@onto		. 13219, 13231, 13275	3006, 3007, 3011,
.... 3690		\bidi@make@mppara@LTRfootgroup	3015, 3019, 3023,
		. 10209, 10271, 10438	3028, 3029, 3033,



3034, 3035, 3036, 3037, 3038, 3042, 3043, 3044, 3045, 3046, 3047, 3051, 3097, 3196, 3206, 3214, 3263, 3266, 3269, 3272, 3275, 3278, 3281, 3285, 3288, 3299, 3302, 3312, 3325, 3340, 3355, 3369, 3383, 3395, 20705, 20707	\bidi@p@ftn 2124, 2187, 2189, 2190, 2192, 2193, 2195, 2196, 2200, 2203, 2206, 2311 \bidi@p@ftntext 2171, 2188, 2293 \bidi@p@LTRftntext ... 2172, 2191, 2294 \bidi@p@RTLftntext ... 2173, 2194, 2295 \bidi@p@xfootnote 2175, 2209, 2297 \bidi@p@xftntext 2174, 2199, 2214, 2296 \bidi@p@xLTRfootnote ... 2177, 2217, 2299 \bidi@p@xLTRftntext 2176, 2202, 2222, 2298 \bidi@p@xRTLfootnote ... 2179, 2225, 2301 \bidi@p@xRTLftntext 2178, 2205, 2230, 2300 \bidi@page@count 2565, 2566, 2600, 2629 \bidi@paraskip 10220, 10223, 10227, 10282, 10285, 10289 \bidi@patch@@AfterPackage 4359, 4364 \bidi@patch@Add 4346, 4375 \bidi@patch@AfterPackage 4349, 5297, 5299, 5302, 5323, 5474, 5524, 5580, 5824 \bidi@patch@counter 4327, 4331, 4334, 4340, 4341, 4360 \bidi@patch@gtemp 4367, 4374 \bidi@patch@list 4345, 4347, 4385, 4387, 4394 \bidi@patch@OrgIfClassLater 4393, 4398 \bidi@patch@OrgIfClassLoad 4392, 4397 \bidi@patch@OrgIfPackageLater 4391, 4396	\bidi@patch@OrgIfPackageLoaded 4390, 4395 \bidi@patch@stepcounter ... 4329, 4339, 4358 \bidi@patch@temp 4357, 4361 \bidi@patch@try 4376, 4379 \bidi@patchcmd 171, 179, 188, 3097, 3098, 3315, 3328, 3343, 3358, 3372, 3398, 4618, 8114, 8117, 8134, 8137, 8140, 8156, 8159, 8162, 8180, 8188, 8196, 8205, 8214, 8223, 11940, 12840, 12848, 12856, 12864, 12872, 12881, 12889, 12898, 13155, 13161, 13169, 13249, 13262, 14981, 14990, 15011, 15018, 15025, 15033, 18912, 18920, 21103 \bidi@patchcmd@scantoks ... 3115, 3121, 3256 \bidi@pdfencrypt@keylength 1643, 1795 \bidi@pdfencrypt@ownerpassword ... 1640, 1782, 1794 \bidi@pdfencrypt@permissionflags 1646, 1796 \bidi@pdfencrypt@userpassword ... 1637, 1783, 1793 \bidi@pdfm@mark 1915, 1930 \bidi@pickescape .. 3471 \bidi@pop@cs@into 3694, 3713 \bidi@pop@into 3697, 3723 \bidi@prepend .. 3218, 3261 \bidi@prepend@cslist@to@cslist 3644 \bidi@prepend@list@to@list 3640 \bidi@prepend@to@list 3637
\bidi@next		
3497, 3498, 3500, 3502, 3503, 3505, 3510, 3512, 3513, 3515		
\bidi@NextChar 3528	\bidi@p@xLTRftntext	
\bidi@normal@footmarkwidth 2176,	
.... 8972, 9030, 9036, 9175, 9284, 9387, 9496, 9605, 9714, 9823, 9932, 10041, 10236, 10298	2202, 2222, 2298	
\bidi@notblank . 2875, 2883, 3184, 3193	\bidi@p@xRTLfootnote	
\bidi@nxt@a 2179, 2225, 2301	
... 3529, 3532, 3534	\bidi@p@xRTLftntext	
\bidi@nxt@b 2178,	
... 3529, 3532, 3535	2205, 2230, 2300	
\bidi@nxt@c	\bidi@page@count 2565,	
... 3530, 3533, 3534	2566, 2600, 2629	
\bidi@nxt@ch	\bidi@patch@paraskip 10220,	
... 3529, 3532, 3534	10223, 10227,	
\bidi@o@everypar ..	10282, 10285, 10289	
.... 15530, 15532, 15533, 20610, 20612, 20613	\bidi@patch@AfterPackage	
\bidi@oldwbuskip 4359, 4364	
.... 3656, 3659	\bidi@patch@Add 4346, 4375	
\bidi@onefilewithoptions	\bidi@patch@AfterPackage	
... 3920, 3921, 3925 4349, 5297,	
\bidi@orig@leftline	5299, 5302, 5323,	
. 20880, 20882, 20883	5474, 5524, 5580, 5824	
\bidi@orig@raggedleft	\bidi@patch@counter	
. 20865, 20867, 20868 4327, 4331,	
\bidi@orig@raggedright	4334, 4340, 4341, 4360	
. 20866, 20867, 20868	\bidi@patch@gtemp .	
\bidi@orig@rightline 4367, 4374	
. 20881, 20882, 20883	\bidi@patch@list 4345,	
\bidi@oswitch 3570	4347, 4385, 4387, 4394	



\bidi@prepend@toks@cs@to@list	7813, 7929, 10753, 3647	10759, 12056, 20870	3112, 3113, 3114, 3115, 3116, 3117, 3122, 3125, 3137, 3138, 3139, 3140, 3141, 3143, 3144, 3153, 3155, 3169, 3170, 3172, 3174, 3175, 3250, 3251, 3252, 3253, 3254, 3255, 3256, 3257, 3258
\bidi@preto	\bidi@raggedright 3011, 3042, 3291	.. 10751, 10757, 15055, 15058, 15060, 15063	3141, 3143, 3144, 3153, 3155, 3169, 3170, 3172, 3174, 3175, 3250, 3251, 3252, 3253, 3254, 3255, 3256, 3257, 3258
\bidi@pretocmd . 3214, 3215, 3386, 3430	\bidi@PreventPackageFromLoading 4067, 4081, 4111, 4144	15065, 15067, 15070, 15072, 15074, 15076, 15079, 15081, 15083, 15085, 15087, 15090, 15092, 15095	\bidi@resrvdb . 3109, 3110 \bidi@restore@newpage ... 4246, 4263, 4293
\bidi@process@envbody 2650, 2654, 2655, 2669, 2674, 2678, 2679, 2693	\bidi@protected 2984, 3006, 3007, 3028, 3029, 3037, 3038, 3046, 3047	15097, 15100, 15102, 15104, 15107, 15109, 15111, 15114, 15116, 15118, 20869	\bidi@restorecatcode 3455 \bidi@rightskip 19537, 19645, 19671, 19672, 19680, 19684, 19688, 20656
\bidi@protected@cseappto 3037	\bidi@rcol@copyinsskip 3046 11552, 11557, 11566, 11615	\bidi@RTL@everypar .. 10309, 10321, 10333, 10364, 10383, 10397,
\bidi@protected@csxappto 3038	\bidi@ redefine@newpage 4261, 4301 4261, 4301	15529, 15533, 18661, 20609, 20613
\bidi@protected@csxpreto 3047	\bidi@reflect@box 15608, 15615,	15608, 15615, 20699, 20706, 20708	\bidi@s@tfftextcol 10976, 10980
\bidi@protected@eappto 3006	\bidi@reinsert@footnotesv@l 3028	.. 14979, 14988, 15016, 15023, 15030	\bidi@saved@checkend ... 4238, 4241, 4259
\bidi@protected@immediate ... 4300, 4311, 4317	\bidi@reinsert@footnotesv@l 4300, 4311, 4317	.. 14977, 14986, 15015, 15022, 15029	\bidi@saved@clearpage ... 4243, 4244, 4247
\bidi@protected@xappto 3007	\bidi@ renew@command ... 2957, 2959, 2973	15015, 15022, 15029	\bidi@saved@ofilelist 4249, 4252, 4253, 4260
\bidi@protected@xpreto 3029	\bidi@ renewrobustcmd 2957	\bidi@ renewrobustcmd 2957	\bidi@saved@eqno 15619,
\bidi@provide@command 2968, 2970	\bidi@ReplaceClass 3951 2957	15621, 15622, 21396, 21398, 21399
\bidi@providerobustcmd 2968	\bidi@replacefile@msg 3888,	\bidi@replacefile@msg 3888,	\bidi@saved@leqno 15620,
\bidi@push@begins 2657, 2658, 2661	3912, 3927, 3965	3912, 3927, 3965	15621, 15622, 21397, 21398, 21399
\bidi@push@cs@onto@cs 3687, 3714	\bidi@ReplaceInput 3935	\bidi@ReplacePackage 3948	\bidi@saved@newpage 4262, 4273
\bidi@push@long@begins ... 2681, 2682, 2685	\bidi@RequirePackage ... 4087, 4147, 4198 3948	\bidi@saved@RequirePackage 4262, 4273
\bidi@push@onto ... 3688	\bidi@ResetPreventPackageFromLoading 4139,	\bidi@ResetPreventPackageFromLoading 4139,	\bidi@saved@RequirePackage ... 4097, 4149, 4151, 4229
\bidi@push@onto@cs 3688, 3689	4145, 4154, 4193	4145, 4154, 4193	\bidi@sepmark@charclass 1770,
\bidi@raggedleft 2478, 2485, 2490, 2509,	\bidi@resrvda	3107, 3108, 3109,	1771, 1772, 1775



\bidi@set@column@status .. 20968, 20996, 21001	\bidi@tempcountb 3442, 3711, 3712, 3721, 3722	\bidi@xappto 3001, 3007, 3036
\bidi@set@cslist 3680, 3681	\bidi@temptoksa 3443, 3711, 3714, 3715, 3716, 3718, 3721, 3725	\bidi@xargdef . 2939, 2947
\bidi@set@list .. 3679	\bidi@temptoksb 3444, 3713, 3714, 3715, 3716	\bidi@xparaskip 10181, 10219, 10281, 10300
\bidi@set@load@hook 3973, 3976, 3977, 3979, 3998, 4010, 4024, 4041, 4052	\bidi@todonotes@tempa 20302, 20310	\bidi@xpreto 3023, 3029, 3045
\bidi@SOUL@ulleaders 18702, 18708	\bidi@todonotes@tempb 20302, 20303, 20310, 20311	\bidicolor ... 7096, 7152, 7167, 7169, 10977, 20552, 20599, 20602, 20603
\bidi@stack@length 3705, 3707, 3708, 3712, 3713, 3722, 3723	\bidi@tok@SM .. 3662, 3667	\bidics 3439
\bidi@star@footmarkwidth 8972, 9033, 9175, 9284, 9387, 9496, 9605, 9714, 9823, 9932, 10041, 10236, 10298	\bidi@toks@lista .. 3627, 3629, 3630, 3631, 3632, 3663, 3665, 3671, 3672, 3674, 3676, 3681, 3682	\bididate . 1495, 1497, 1511, 1572, 1575, 1814, 1831, 1906, 1909
\bidi@storecatcode 3448	\bidi@toks@listb 3627, 3663, 3665	\bidiGscale@@box 11876, 11877
\bidi@StorePreventPackageFromLoading .. 4155, 4158	\bidi@undef ... 3117, 19397, 19553, 19554, 19755, 19756	\bidiGscale@box .. . 11853, 11854, 11873
\bidi@StringBefore 3506	\bidi@undefined ... 3196	\bidiGscale@box@odd . 11885, 11889, 11895
\bidi@StringBeforeNC 3494	\bidi@undefinedcs .. 3540, 3547, 3602, 3606, 3612, 3616, 3657	\bidiGscale@box@dddd 11891, 11902
\bidi@switch ... 3554, 3565, 3567, 3572	\bidi@UnPreventPackageFromLoading .. 4159	\bidillap 20885
\bidi@switch@exit .. 3564, 3565, 3566, 3570, 3571, 3575, 3576, 3580, 3581, 3586, 3587, 3591, 3592	\bidi@UnReplaceClass 3962	\bidipdfinfoff ... 1927
\bidi@t@w@w 3615	\bidi@UnReplaceInput 3939	\bidipdfinfoon 1926, 1932
\bidi@tabular@RTLcases 20712, 20739	\bidi@UnReplacePackage 3959	\bidipoem@hvlen 6069, 6075, 6078, 6081, 6090
\bidi@tempa	\bidi@version .. 1496, 1497, 1511, 1524, 1526, 1532, 1538, 1572, 1575, 1578, 1816, 1831, 1847, 1849, 1906, 1909, 1912	\bidipoem@half@verses ... 6095, 6096, 6099
1652, 1658, 1664, 1670, 1676, 1682, 1694, 1700, 1706, 1713, 1727, 1734, 1744	\bidi@w@w 3602	\bidipoem@half@verses@next ... 6095, 6096, 6097
\bidi@tempb ... 1652, 1653, 1658, 1659, 1664, 1665, 1670, 1671, 1676, 1677, 1682, 1683, 1694, 1695, 1700, 1701, 1706, 1707, 1713, 1714, 1727, 1728, 1734, 1735, 1744, 1745	\bidi@warning .. 2922, 3363, 3377, 3389, 3403	\bidipoem@hvind ... 6069, 6072, 6073, 6081, 6082, 6085, 6088
	\bidi@willbeunhskip ... 3649, 3656, 3659	\bidipoem@hvlen 6068, 6073, 6075, 6086, 6088
	\bidi@x@stack@to@list 3720	\bidipoem@hvsep 6068, 6081, 6082, 6089
		\bidipoem@next 6074, 6075
		\bidipoem@openbox 6113, 6118
		\bidipoem@p@ftn 6120, 6130, 6254, 6255, 6257, 6258, 6260, 6261, 6264, 6267, 6270, 6375, 12513, 12523, 12544, 12554, 12575, 12585



\bidipoem@p@ftntext		
6147, 6158, 6253,	\bidiversion .. 1524, 1844	7362, 7410, 7416,
6364, 6378, 12511	\bigskip 15670	7420, 7421, 7477,
\bidipoem@p@LTRftntext	\bigskipamount	7480, 7485, 7490,
6148, 6159, 6256,	9133, 9138, 10221,	7514, 7653, 7655,
6365, 6379, 12542	10225, 10283, 10287	7659, 7663, 7688,
\bidipoem@p@RTLftntext	\bl 15435, 15436,	7970, 7991, 8007,
6149, 6160, 6259,	15439, 15440,	8064, 9145, 9150,
6366, 6380, 12573	15441, 15445,	10146, 10160,
\bidipoem@p@xfootnote	15500, 15507, 15511	10169, 10512,
..... 6151,	\blacktriangleleft	10523, 10786,
6162, 6272, 6368, 6382 11394, 11396	10790, 10822,
\bidipoem@p@xftntext	\blacktriangleright	10828, 10871,
.... 6150, 6161, 11394, 11396	10961, 10994,
6263, 6277, 6367, 6381	\bm@b	10999, 11492,
\bidipoem@p@xLTrfootnote	\bm@l	11499, 11502,
.... 6153,	\bm@r	11516, 11590,
6164, 6279, 6370, 6384	\bm@t	11596, 11643,
\bidipoem@p@xLTrftntext	\bool ... 13815, 13823,	11647, 11686,
.... 6152, 6163,	13954, 13971,	11698, 11709,
6266, 6284, 6369, 6383	13972, 14016,	11719, 11732,
\bidipoem@p@xRTLfootnote	14022, 14037,	11804, 11821,
.... 6155,	14060, 14063,	11824, 11867,
6166, 6286, 6372, 6386	14083, 14088,	11870, 11900,
\bidipoem@p@xRTLftntext	14100, 14117,	11917, 13243,
.... 6154, 6165,	14118, 14121,	13651, 13705,
6269, 6291, 6371, 6385	14138, 14163,	13711, 14033,
\bidipoem@set@verse	14170, 14176,	14291, 14302,
... 6075, 6078, 6080	14182, 14192,	14307, 14341,
\bidipoem@set@verseI	14199, 14221,	14342, 14343,
.... 6074, 6077	14333, 14336,	14344, 14346,
\bidipoem@spreadbox	14344, 14345,	14476, 14510,
.... 6064,	15269, 15271, 15280	14619, 14623,
6086, 6088, 6089, 6090	\boolean	14715, 14721,
\bidirlap	4406, 4466, 4468,	14858, 14864,
\biditufefloatDebugInfoNL	4471, 4475, 4478,	14882, 14890,
.... 4406,	4481, 4506, 4602,	15268, 15276,
4494, 4498, 4793, 4842	4617, 4628, 4648,	15281, 15404,
\biditufefloatError	4655, 4663, 4680,	15408, 15424,
.... 4405, 4888	4700, 4704, 4722,	15458, 15462,
\biditufefloatInfoNL	4723, 4726, 4727,	15467, 15471,
... 4406, 4407, 4957	4762, 4771, 4782,	15483, 15494,
\biditufefloatRecalculate	5527, 5531, 5579,	15508, 15511,
.... 4523, 4534	5792, 5929, 5998,	15515, 15520,
\biditufehyperrefLoadHyper	6009, 10991, 15294	15596, 15612,
.... 5782, 5793	\box	15657, 15660,
\biditufesidenotemarginpar	1627,	16724, 16733,
... 4973, 5325, 5484	1898, 4943, 7003,	16771, 16782,
\bidituftetocError	7067, 7135, 7292,	17205, 17215,
... 5513, 5560, 5569	7295, 7312, 7316,	17785, 17795,
	7351, 7355, 7361,	18015, 18021,



18027,	18033,	15471,	15491,	\bx@PP
18039,	18045,	15492,	15494,	\bx@Q
18051,	18057,	15518,	15519, 15520	\bx@q
18063,	18468,	\bx@A	4828, 4869	\bx@QQ
18478,	18904,	\bx@aa	4802, 4834, 4875	\bx@R
18950,	18968,	\bx@AA	4841, 4843, 4881	\bx@rr
20496,	20497,	\bx@B	4828, 4869	\bx@RR
20507,	20703,	\bx@b	4803, 4834, 4875	\bx@S
20887,	21037,	\bx@BB	4844, 4881	\bx@s
21041,	21080,	\bx@C	4828, 4869	\bx@SS
21086,	21105,	\bx@c	4804, 4834, 4875	\bx@T
21121,	21253,	\bx@CC	4845, 4881	\bx@t
21269,	21280,	\bx@D	4828, 4869	\bx@TT
21293,	21295,	\bx@d	4805, 4834, 4875	\bx@U
21359,	21363, 21393	\bx@DD	4846, 4881	\bx@u
\boxdef	2073,	\bx@E	4828, 4869	\bx@UU
	2075, 2081, 2086, 2091	\bx@e	4806, 4834, 4875	\bx@V
\boxmaxdepth . . .	7962,	\bx@EE	4847, 4881	\bx@v
	7967, 7983, 7988,	\bx@F	4829, 4870	\bx@VV
	8015, 8072, 9040,	\bx@f	4807, 4835, 4876	\bx@W
	10482,	\bx@FF	4848, 4882	\bx@w
	10718,	\bx@G	4829, 4870	\bx@WW
	11447,	\bx@g	4808, 4835, 4876	\bx@X
	11771,	\bx@GG	4849, 4882	\bx@x
	21108, 21124, 21135	\bx@H	4829, 4870	\bx@XX
\br	15435, 15437,	\bx@h	4809, 4835, 4876	\bx@Y
	15439,	\bx@HH	4850, 4882	\bx@y
	15441,	\bx@I	4829, 4870	\bx@YY
	15501, 15507, 15515	\bx@i	4810, 4835, 4876	\bx@Z
\BR@b@bibitem .	5178, 5179	\bx@II	4851, 4882	\bx@z
\BR@bibitem . . .	5181, 5182	\bx@J	4829, 4870	\bx@ZZ
\BR@c@bibitem . . .	5183	\bx@j	4811, 4835, 4876	\bye
\brace{text}		\bx@JJ	4852, 4882	1930
	1594, 1873, 15535,	\bx@K	4830, 4871	\bystep
	15536, 20615, 20616	\bx@L	4812, 4836, 4877	3742, 3826, 3839,
\break	13608	\bx@KK	4853, 4883	3849, 3862, 3875, 3876
\BreakBibliography		\bx@L	4830, 4871	
	17076,	\bx@O	4813, 4836, 4877	C
	17109,	\bx@M	4854, 4883	\c
	17111,	\bx@m	4830, 4871	14017, 14018, 14032,
	17117,	\bx@MM	4814, 4836, 4877	14089, 14294, 14375
	17656,	\bx@N	4855, 4883	\c@abspage
	17689,	\bx@NN	4830, 4871	11066
	17691,	\bx@O	4815, 4836, 4877	\c@addvipersep
	17697,	\bx@o	4856, 4883	14563,
	18339,	\bx@P	4857, 4884	14581, 14586,
	18372,	\bx@P	4831, 4872	14608, 14638,
	18374,	\bx@p	4817, 4837, 4878	14663, 14681,
\breakloop{repeat}	3748,			14686, 14708, 14735
	3750, 3802, 3803,			\c@algocf
	3821, 3832, 3837, 3851			168
\breakrepeatloop	.. 3777			\c@chapter
\bs	.. 2041, 2042, 2044			6505, 6507,
\bslice	.. 15455,			6509, 6682, 6684,
	15456,			6686, 6927, 6929,
	15458,			6931, 6932, 8721,
	15468,			



<p>8723, 8725, 8726, 10711, 10713, 10715, 11003, 11005, 11007, 11008, 11016, 11018, 11020, 11021, 13293, 14438, 15168, 15912, 15914, 15916, 16277, 16279, 16281, 16466, 16468, 16470, 16648, 16650, 16652, 16653</p> <p>\c@colht 14563, 14575, 14601, 14602, 14663, 14675, 14701, 14702</p> <p>\c@curpg 10885, 10912, 10913</p> <p>\c@DFNsloppiness 7960, 7981</p> <p>\c@enumiv 567, 574, 702, 709, 965, 972, 1215, 1222, 2554, 6475, 6482, 6663, 6670, 6972, 6979, 8496, 8503, 8767, 8774, 10604, 10611, 15893, 15900, 16287, 16294, 16481, 16488, 16684, 16691, 17085, 17094, 17101, 17665, 17674, 17681, 18348, 18357, 18364, 19016, 19023</p> <p>\c@equation 6505, 6682, 6927, 8335, 8404, 8721, 10711, 11003, 11016, 14438, 15912, 16281, 16466, 16648, 17643, 18326</p> <p>\c@figure 6507, 6684, 6929, 8723, 10713, 11005, 11018, 14439, 15914,</p>	<p>16277, 16468, 16650, 17627, 18318</p> <p>\c@footnote 128, 318, 446, 738, 797, 990, 1049, 1240, 1299, 1968, 6520, 6697, 6834, 8555, 8652, 10655, 11344, 11358, 12326, 12436, 12444, 12474, 12482, 12989, 13685, 13688, 15929, 15988, 16068, 16129, 16325, 16368, 16555, 16900, 16964, 17449, 17513, 18148, 18212</p> <p>\c@Hy@AnnotLevel 12648, 12649, 12654, 12658</p> <p>\c@L@lines 13129, 13131, 13134</p> <p>\c@ll@chapseci 7177</p> <p>\c@ll@chapsecii 7172</p> <p>\c@lofdepth . 19247, 19284</p> <p>\c@lor@error 7141, 7148, 7156, 7162, 20544, 20578</p> <p>\c@lotdepth . 19265, 19304</p> <p>\c@lstlisting 13293, 13295</p> <p>\c@LT@chunks 13634</p> <p>\c@mpfootnote 11269, 11283, 11297, 11322, 13798</p> <p>\c@NAT@ctr 15127</p> <p>\c@page 5936, 8242, 8259, 10885, 10912, 20459, 21249</p> <p>\c@paragraph 541, 695, 949, 1208, 6502, 6679, 6936, 8607, 8730, 10708, 11012, 11025, 14433, 15909, 16274, 16474, 16657, 17061, 17617, 18312</p>	<p>\c@poem@no 6205, 6247, 6299, 6310</p> <p>\c@section 6499, 6676, 6933, 8727, 10705, 11009, 11022, 14427, 15178, 15906, 16271, 16471, 16654, 17611, 18306</p> <p>\c@subparagraph 542, 696, 950, 1209, 6503, 6680, 6937, 8608, 8731, 10709, 11013, 11026, 14435, 15910, 16275, 16475, 16658, 17063, 17619, 18314</p> <p>\c@subsection 539, 693, 947, 1206, 6500, 6677, 6934, 8605, 8728, 10706, 11010, 11023, 14429, 15907, 16272, 16472, 16655, 17057, 17613, 18308</p> <p>\c@subsubsection 540, 694, 948, 1207, 6501, 6678, 6935, 8606, 8729, 10707, 11011, 11024, 14431, 15908, 16273, 16473, 16656, 17059, 17615, 18310</p> <p>\c@table 6509, 6686, 6931, 8725, 10715, 11007, 11020, 14440, 15916, 16279, 16470, 16652, 17635, 18322</p> <p>\c@thisframe 10884, 10889, 10925, 10927, 10928</p>
---	--	--



\c@tocdepth . . .	3, 198,	\cals@borderR	7064	\capfont	17157, 17178,
501, 518, 637, 653,		\cals@borderT	7065	17183,	17188,
671, 864, 897, 915,		\cals@current@context		17192,	17211,
1120, 1136, 1154,		7057	17215,	17737,
6409, 6425, 6441,		\cals@last@context	7056	17758,	17763,
6586, 6602, 6618,		\cals@paddingL	7073,	17768,	17772,
6889, 6904, 8438,		7075, 7080, 7082		17791,	17795,
8452, 8707, 10542,		\cals@paddingR	7077, 7084	18420,	18441,
10557,	12951,	\cals@set@tohsize	7060	18446,	18451,
14783,	14795,	\cals@setcellprevdepth		18455,	18474, 18478
14807,	15822,	7060	\caplabelfont .	17158,
15838,	15854,	\cals@setpadding	7060	17179,	17184,
16194,	16210,	\cals@setup@alignment		17189,	17194,
16226,	16426,	7044, 7059	17212,	17738,
16440,	16610,	\cals@table@alignment		17759,	17764,
16625,	19092,	7049, 7050	17769,	17774,
19096,	19138,	\cals@tbreak@tokens	7054	17792,	18421,
19157,	19179,	\cals@tfoot@height	7055	18442,	18447,
19196,	19213,	\cals@tfoot@tokens		18452,	18457, 18475
19230,	19522,	7053, 7070	\caption	4611,
19630,	19665,	\cals@thead@tokens	7052	4612, 4614, 4670,	
20053,	20249, 20947	\cals@vfillAdd	7045,	12029,	12047,
\c@tracingmulticols		7047, 7073, 7082		13611, 14514, 14516	
.....	14991, 15009	\cals@vfillDrop		\caption@@make	13672
\c@twb	7046, 7047,	\caption@@par	7088
\c@twcompctr	7075, 7077, 7080, 7084		\caption@begin	13668
\c@twcomppdctr	...	\CAny	2062	\caption@end	13674
\c@twfirst	7284, 7290,	\cAny	2070	\caption@hangindent	7089
7297, 7301, 7310, 7313		\cap@indent		\caption@iftop	
\c@twlfside	13671, 13673
\c@twlspec	7302, 7305, 7309	..	17182, 17185,	\caption@LT@make .	13657
\c@twprune	17190,	17192,	\caption@LT@setup .	13664
7288,	7305, 7309	17193,	17762,	\caption@makecaption	
\c@twrounds	17765,	17770,	7086, 13278
7303,	7306, 7318	17772,	17773,	\caption@normalsize	
\c@twrtside	18445,	18448,	13669
7289		18453,	18455, 18456	\caption@parindent	7089
\c@twslicea	\cap@left	17204,	\caption@prepare@stepcounter	
7286,		17215,	17784,	13667
7288, 7292, 7295,		17795,	18467, 18478	\caption@setautoposition	
7304, 7305, 7312, 7316		\cap@margin	13665
\c@twsliceb	17147, 17727, 18410	\caption@setoptions	
7287,		\cap@right	17206,	13662, 13663
7289, 7292, 7295,		17215,	17786,	\caption@settype .	13658
7308, 7309, 7312, 7316		17795,	18469, 18478	\caption@starfalse	
\c@twinlines	7285, 7298	\cap@width	13279, 13666
\c@zabspage	17170, 17173,	\caption@startrue .	
11066		17176,	17750,	13280, 13286, 13666
\cals@activate@rtl	7051	17753,	17756,	\captionabove .	17263,
\cals@AtBeginTable	7068	18433,	18436, 18439	17268,	17843,
\cals@AtEndTable	..				
\cals@backup@row	..				
7067					
\cals@borderB				
7066					
\cals@borderL				
7063					



17848, 18526, 18531	\cftbeforeoresubsubsecskip	\cftsubfigaftersnum
\captionbelow . 17265, 19197 19294
17270, 17845,	\cftbeforeoresubtabskip	\cftsubfigaftersnumb
17850, 18528, 18533 19305 19295
\captionformat 17158,	\cftbeforetabskip	\cftsubfigfillnum 19298
17179, 17184,	\cftchapafthersnum	\cftsubfigfont ... 19297
17189, 17194,	\cftchapafthersnumb	\cftsubfigindent ..
17212, 17738,	\cftchapfillnum 19286, 19289
17759, 17764,	\cftchapfont	\cftsubfignumwidth 19292
17769, 17774,	\cftchapindent ..	\cftsubfigpresnum 19293
17792, 18421, 19141, 19144, 19391	\cftsubparaafthersnum
18442, 18447,	\cftchapnumwidth 19240
18452, 18457, 18475 19147, 19392	\cftsubparaafthersnumb
\captionlabelfalse 13284	\cftchappresnum 19241
\catcode 1815,	\cftchapterprecistoc	\cftsubparafillnum 19244
1931, 3124, 3451,	\cftdot	\cftsubparaindent ..
3452, 3453, 3493,	\cftdotfill 19232, 19235
5150, 5172, 6103,	\cftdotsep	\cftsubparanumwidth
6104, 6106, 6107,	\cftfigaftersnum 19238
11403, 11404, 11519	\cftfigaftersnumb	\cftsubparapresnum 19239
\Centering 15684	\cftfigfillnum ..	\cftsubsecaftersnum
\centering 303,	\cftfigfont 19189
7817, 7830, 7946,	\cftfigindent 19249, 19252	\cftsubsecaftersnumb
10752, 10758,	\cftfignumwidth 19190
12059, 12144,	\cftfigpresnum ...	\cftsubsecfillnum 19193
12160, 14461,	\cftparaafthersnum	\cftsubsecfont ... 19192
14463, 14465,	\cftparaafthersnumb	\cftsubsecindent ..
16947, 17496, 18195	\cftparafillnum 19181, 19184
\CenteringLeftskip 15689	\cftparafont	\cftsubsecnumwidth 19187
\CenteringParfillskip	\cftparaindent ..	\cftsubsecpresnum 19188
..... 15692 19215, 19218	\cftsubsubsecaftersnum
\CenteringParindent	\cftparanumwidth 19206
..... 15693	\cftparapresnum ..	\cftsubsubsecaftersnumb
\CenteringRightskip	\cftpartaftersnum 19207
..... 15690	\cftpartaftersnumb	\cftsubsubsecfillnum
\centerline 307, 11499,	\cftpardfillnum 19210
11516, 15623, 20871	\cftpardfont	\cftsubsubsecfont 19209
\cftbeforechapskip 19140	\cftpardindent ..	\cftsubsubsecindent
\cftbeforefigskip 19248 19110, 19113 19198, 19201
\cftbeforeparaskip 19214	\cftpardnumwidth ..	\cftsubsubsecnumwidth
\cftbeforepartskeep 19108	\cftpardpresnum 19204
\cftbeforesecskip 19117, 19121	\cftsubsubsecpresnum
.... 19159, 19162	\cftsecaftersnum 19205
\cftbeforeoresubfigskip	\cftsecaftersnumb	\cftsubtabaftersnum
..... 19285	\cftsecfillnum 19314
\cftbeforeoresubparaskip	\cftsecfont	\cftsubtabaftersnumb
..... 19231	\cftsecindent 19164, 19167 19315
\cftbeforeoresubsecskip	\cftsecnumwidth ..	\cftsubtabfillnum 19318
..... 19180	\cftsecpresnum ..	\cftsubtabfont ... 19317



\cftsubtabindent ..	\ClassInfo 5967, 6032, 17274, 17854, 18537	6840, 8561, 8658, 10661, 14405,
\cftsubtabnumwidth 19312	\ClassWarning 16957, 17506, 18205	14745, 14827, 14832, 14868,
\cftsubtabpresnum 19313	\ClassWarningNoLine 14498	14909, 14910, 14912, 14915,
\cfttabaftersnum . 19275	\clear 4284	14916, 14923, 14970, 14971,
\cfttabaftersnumb 19276	\cleardoubleemptypage 16904,	14974, 14975, 15037, 15041,
\cfttabfillnum ... 19279	16949, 17453, 17498, 18152, 18197	15994, 16135, 16379, 16561, 16968, 17517, 18216
\cfttabfont 19278	\cleardoublepage 5889, 5934, 5936, 5993, 6006, 6020, 6962, 8757	\col@sep 372, 400, 7092, 7093, 13623, 20716
\cfttabindent 19267, 19270	\clearpage . 597, 613, 862, 1114, 3329, 3330, 3334, 3335, 4243, 4244, 4247, 4889, 5901, 5936, 6022, 6403, 6580, 6790, 6964, 8759, 15798, 16053, 16512, 17012, 17561, 18260, 19085	\color 2002, 2003, 2004, 2005, 2006, 2478, 7137, 7140, 7143, 7161, 7164, 7811, 7814, 7824, 7942, 13055, 13761, 20509
\cfttabnumwidth ... 19273	\clipbox@@ 15659	\color@ 20549, 20596
\cfttabpresnum ... 19274	\CloneTOCEEntryStyle 17280, 17293, 17312, 17318, 17860, 17873, 17892, 17898, 18543, 18556, 18575, 18581	\color@b@x 7129, 7167, 7169, 20502, 20599, 20602
\chapnumfont ... 15673	\closing 8797, 18071	\color@begingroup ..
\chapter 5525, 5553, 5623, 5631, 5747, 5753, 6471, 6659, 6968, 8763, 10600, 15889, 16283, 16477, 16680	\clubpenalty 92, 295, 576, 577, 710, 973, 1223, 2555, 6221, 6483, 6671, 6981, 6982, 8504, 8776, 8777, 10612, 12916, 15133, 15901, 16295, 16490, 16491, 16693, 16694, 17103, 17683, 18366, 19025, 19026 5335, 5353, 5371, 6373, 6387, 8892, 8906, 8920, 8932, 8943, 8954, 9060, 9183, 9193, 9203, 9229, 9242, 9254, 9292, 9301, 9310, 9335, 9347, 9358, 9395, 9405, 9415, 9441, 9454, 9466, 9504, 9514, 9524, 9550, 9563, 9575, 9613, 9623, 9633, 9659, 9672, 9684, 9722, 9732, 9742, 9768, 9781, 9793, 9831, 9841, 9851, 9877, 9890, 9902, 9940, 9950, 9960, 9986, 9999, 10011, 10049, 10059, 10069, 10095, 10108, 10120, 10316,
\chapterheadendvskip	\coffeefont 14803	
..... 15679	\col@number 132, 137, 139, 142,	
\chapterheadstartvskip	143, 150, 452, 803, 1055, 1305,	
..... 15671		
\chaptermark . 6010, 19051		
\chaptername ... 308, 14447		
\chapterstyle 14442		
\char 1776, 2045, 2046, 3439		
\chardef 3438, 11403, 13197, 13198, 13204, 13205		
\check@floats . 7535, 7710		
\CheckCommand 12433, 12471		
\checkoddpage 4505		
\CIIIAny 2063		
\ciiiAny 2071		
\circle 7191, 7194, 7201, 7204, 7214, 7217, 7224, 7227, 7237, 7240, 7247, 7250, 7260, 7263, 7270, 7273		
\cite 5187, 5279, 5285, 5286, 5380, 5385, 5406, 5414, 5435, 5443, 5464, 5482, 5486, 5491, 5495, 5500, 5504, 15136, 15137		
\citeasnoun 15137		
\citeN 15136		
\cites 5280		
\cl@ckpt 18792		



10328,	10340,	11742,	11752,	533, 537, 724, 958,
10377,	10391,	11759,	21115,	1204, 1604, 1610,
10405,	10488,	21130,	21142, 21149	2302, 6497, 6650,
10501,	11218,	\color@fb@x .	20600, 20601	6920, 6924, 7032,
11235,	11251,	\color@fbox . .	7168, 20600	7345, 7349, 7353,
11278,	11292,	\color@hbox		7357, 7408, 7414,
11306,	11318,	. .	16793, 16803,	7474, 7476, 7479,
11739,	11749,	16821,	21353, 21369	7482, 7484, 7489,
11756,	13677,	\color@setgroup		7651, 7653, 7655,
13735,	21111,	7170, 20604	7657, 7659, 7663,
	21127, 21138, 21146	\color@vbox		7960, 7981, 8511,
	\color@block . 7134, 20507	2290, 5000, 5044,		8515, 8810, 8814,
	\color@box .. 7167, 20599	5088,	21182, 21226	8859, 8889, 8903,
	\color@endbox .. 2312,	\colorA .. 6748, 6757, 6769		8917, 8929, 8940,
	5009, 5053, 5097,	\colorB	6754,	8951, 9226, 9238,
	16796,	6760,	6766, 6772	9251, 9332, 9343,
	16824,	\colorblend	20516,	9355, 9438, 9450,
	21191,	20517, 20559, 20560	20517,	9463, 9547, 9559,
	21235, 21356, 21372	\colorbox 2118, 2120, 2121	20559,	9572, 9656, 9668,
	\color@endgroup	\columncolor .. 1459, 7100	20560,	9681, 9765, 9777,
 5339, 5357,	\columnsep 99, 219, 590,	2118,	9790, 9874, 9886,
	5375, 6375, 8894,	606,	855, 1107,	9899, 9983, 9995,
	8908, 8922, 8934,	1951,	2387, 6396,	10008, 10092,
	8945, 8956, 9063,	6573,	6783, 7356,	10104, 10117,
	9121, 9185, 9195,	7481,	7656, 10791,	10231, 10293,
	9205, 9231, 9244,	10791,	11648,	10373, 10387,
	9256, 9294, 9303,	11648,	12924,	10401, 10593,
	9312, 9337, 9349,	14625,	14742,	10597, 10782,
	9360, 9397, 9407,	14835,	14884,	10784, 10788,
	9417, 9443, 9456,	15791,	16046,	10792, 10820,
	9468, 9506, 9516,	16505,	20464,	10826, 11124,
	9526, 9552, 9565,	20469,	20473,	11127, 11129,
	9577, 9615, 9625,	20479,	20482, 21042	11214, 11231,
	9635, 9661, 9674,	\columnseprule		11247, 11274,
	9686, 9724, 9734, 99, 219, 589,		11288, 11302,
	9744, 9770, 9783,	605,	854, 1106,	11320, 11534,
	9795, 9833, 9843,	1952,	2388, 6395,	11541, 11588,
	9853, 9879, 9892,	6572,	6782, 7347,	11594, 11637,
	9904, 9942, 9952,	7412,	7475, 7487,	11641, 11645,
	9962, 9988, 10001,	7652,	7661, 10783,	11649, 12001,
	10013,	10051,	10824,	12002, 12938,
	10061,	10071,	11592,	13012, 13016,
	10097,	10110,	11639,	13738, 14613,
	10122,	10318,	12924,	14617, 14621,
	10330,	10342,	14615,	14624, 14713,
	10379,	10393,	14860,	14719, 14742,
	10407,	10492,	14874,	14771, 14777,
	10505,	11221,	15790,	14939, 14943,
	11238,	11254,	16504,	14947, 14951,
	11281,	11295,	21033, 21082	15886, 16309,
	11309,	11339,	\columnseprulecolor	
		14859, 14873	
		\columnwidth	28,	
		41,	55, 71, 232,	
		244,	258, 273,	



16459,	16463,	21011, 21058,	\csname 8, 44, 58, 74, 166,
16641,	16645,	21178, 21222, 21285	168, 203, 247, 261,
16885,	17133,	\cor@height ... 14570,	276, 333, 334, 376,
17138,	17434,	14571, 14598,	1362, 2147, 2148,
17713,	17718,	14599, 14638,	2162, 2163, 2189,
17993,	17997,	14670, 14671,	2192, 2195, 2211,
18133,	18396,	14698, 14699, 14735	2219, 2227, 2282,
18401,	21031,	\count ... 1599, 1878,	2569, 2572, 2575,
21035,	21039,	2285, 3757, 4985,	2577, 2579, 2582,
21043,	21078,	5029, 5073, 9134,	2585, 2593, 2594,
	21084, 21274, 21276	9166, 9275, 9378,	2599, 2606, 2608,
		9487, 9596, 9705,	2610, 2611, 2612,
		9814, 9923, 10032,	2613, 2616, 2618,
		10191, 10197,	2622, 2624, 2653,
		10249, 10255,	2654, 2677, 2678,
		10895, 11554,	2705, 2732, 2736,
		11563, 11565,	2747, 2755, 2763,
		11612, 11614,	2771, 2773, 2775,
		11941, 11947,	2779, 2780, 2844,
		14970, 14974,	2886, 2896, 2902,
		21167, 21211, 21319	2903, 2905, 2906,
		\count@ ... 1399, 1458,	2908, 2909, 2911,
		2725, 2730, 4331,	2954, 2955, 2978,
		4332, 4334, 7098,	3033, 3034, 3035,
		14822, 14823,	3036, 3042, 3043,
		14825, 14827,	3044, 3045, 3128,
		14834, 14855,	3129, 3132, 3133,
		14856, 14858,	3359, 3361, 3373,
		14878, 14879,	3375, 3407, 3408,
		14882, 15234,	3409, 3410, 3433,
		15242, 15255, 18831	3457, 3462, 3466,
		\counterwithout 14443,	3482, 3500, 3502,
		14444, 14445, 14446	3510, 3512, 3521,
		\cr ... 388, 6168,	3522, 3602, 3606,
		6175, 6231, 9148,	3639, 3641, 3652,
		9152, 9154, 13638,	3653, 3667, 3675,
		18737, 18775, 20919	3677, 3704, 3725,
		\crcr . 399, 2184, 6171,	3762, 3763, 3764,
		18725, 18755,	3780, 3781, 3782,
		20727, 20730, 20906	3783, 3885, 3888,
		\CROP@@llc ... 7233	3892, 3909, 3912,
		\CROP@@lrc ... 7256	3914, 3924, 3927,
		\CROP@@ulc ... 7187	3929, 3936, 3941,
		\CROP@@urc ... 7210	3946, 3956, 3972,
		\CROP@execpt ... 7280	3975, 3989, 4001,
		\cs ... 13872, 13923,	4033, 4044, 4128,
		13941, 13995,	4131, 4171, 4220,
		14010, 14298,	4360, 4381, 4732,
		14300, 15262, 15263	4733, 4740, 4741,
		\cs@a ... 3524	5333, 5351, 5369,



5400,	5429,	5458,	12515,	12546,	20081,	20083,
5700,	6226,	6254,	12577,	12956,	20090,	20091,
6257,	6260,	6274,	13059,	13062,	20095,	20100,
6281,	6288,	6296,	13491,	13557,	20104,	20115,
6297,	6335,	6360,	14527,	14528,	20116,	20120,
6361,	7143,	7149,	14535,	16837,	20126,	20181,
7157,	7164,	7736,	16841,	16845,	20182,	20186,
8891,	8905,	8919,	17283,	17285,	20282,	20283,
8931,	8942,	8953,	17287,	17290,	20285,	20288,
9182,	9192,	9202,	17296,	17305,	20289,	20293,
9228,	9241,	9253,	17307,	17309,	20757,	20822,
9291,	9300,	9309,	17315,	17386,	20908,	20969,
9334,	9346,	9357,	17390,	17394,	20982,	20984,
9394,	9404,	9414,	17863,	17865,	21453	\CT@do@color 7095
9440,	9453,	9465,	17867,	17870,	\CT@cell@color 1483, 7120	\CT@color 7094
9503,	9513,	9523,	17876,	17884,	\CT@column@color 1481, 7118	\CT@color 1481, 7118
9549,	9562,	9574,	17886,	17889,	\CT@do@color 1484, 7095, 7121	\CT@extract . . . 1459, 7100
9612,	9622,	9632,	17895,	18085,	\CT@row@color . 1482, 7119	\CT@setup 1448,
9658,	9671,	9683,	18089,	18093,	1449, 1451, 1452,	1456, 1480, 7091, 7117
9721,	9731,	9741,	18546,	18548,	1456, 1480, 7091, 7117	\cumpartcl 15432
9767,	9780,	9792,	18550,	18553,	\cumtcl 15432	\curraddr 322
9830,	9840,	9850,	18559,	18567,	\current@color 7136, 7142,	\CurrentOption 7149, 7157, 7163,
9876,	9889,	9901,	18569,	18572,	11381, 11386,	20508, 20545,
9939,	9949,	9959,	18578,	18727,	20546, 20550,	20579, 20580, 20597
9985,	9998,	10010,	18753,	18755,	\Customername 18031	\CustomFBox 11383
10048,	10058,		18787,	18809,	\cvcomputer 2510	\cvdoubleitem . 2487, 2511
10068,	10094,		18811,	18827,	\cventry 2499	\cvlanguage 2508
10107,	10119,		18828,	18848,	\cvline 2482, 2483, 2488,	\cvlistdoubleitem . 2493
10314,	10326,		18855,	19068,	2492, 2494, 2500, 2509	\cvlistitem 2491
10338,	10375,		19331,	19332,		
10389,	10403,		19348,	19349,		
10720,	10873,		19350,	19357,		
10874,	10879,		19359,	19360,		
10880,	10985,		19413,	19414,		
10986,	10987,		19568,	19569,		
10988,	10990,		19679,	19683,		
10992,	10993,		19687,	19786,		
10994,	10995,		19789,	19803,		
10997,	10998,		19819,	19820,		
10999,	11056,		19836,	19843,		
11080,	11098,		19848,	19909,		
11184,	11193,		19964,	19966,		
11216,	11233,		19968,	19984,		
11249,	11277,		19987,	19993,		
11291,	11305,		19995,	19998,		
11352,	11367,		20002,	20007,		
12266,	12269,		20011,	20015,		
12271,	12275,		20029,	20033,		
12279,	12293,		20036,	20039,		
12304,	12315,		20043,	20045,		



\cvtheme	2425, 2428	2048, 2049, 2050, 4745, 4752, 7137, 7152, 20509, 20552	1719, 1814, 1816, 1844, 1861, 1869, 1870, 1871, 1872, 1873, 1879, 1880, 1887, 1903, 1904, 1905, 1908, 1911, 1915, 1926, 1927, 1930, 1939, 1944, 1969, 1970, 2052, 2053, 2054, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2076, 2087, 2118, 2119, 2120, 2121, 2128, 2134, 2140, 2148, 2153, 2155, 2163, 2168, 2169, 2184, 2188, 2191, 2194, 2199, 2202, 2205, 2209, 2217, 2225, 2232, 2234, 2235, 2237, 2306, 2400, 2401, 2402, 2403, 2404, 2405, 2407, 2408, 2426, 2427, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2558, 2627, 2647, 2648, 2651, 2657, 2660, 2671, 2672, 2675, 2681, 2684, 2695, 2697, 2700, 2704, 2710, 2718, 2719, 2720, 2721, 2722, 2723, 2724, 2731, 2732, 2736, 2741, 2749, 2757, 2765, 2772, 2774, 2874, 2882, 2903, 2911, 2912, 2913, 2919, 2921, 2922, 2923, 2933, 2935, 2937, 2943, 2947, 2950, 2959, 2970, 2972,
D			
\d	13842	\DeclareSectionCommand	
\d@llarbegin		17320, 17328, 17338, 17348, 17358, 17368, 17900, 17909, 17917, 17927, 17937, 17947, 17957, 18583, 18592, 18600, 18610, 18620, 18630, 18640	
\d@llarend		\DeclareTOCEEntryStyle . 19398, 19555, 19757	
\dashgapcolor	1463	\dedication 17007, 17556, 18255	
\date	440, 476, 780, 825, 1032, 1077, 1282, 1327, 1986, 5814, 5862, 6562, 6739, 6828, 6864, 8549, 8583, 8646, 8682, 10649, 10683, 15971, 16016, 16112, 16159, 16362, 16403, 16549, 16585, 17008, 17557, 18256	\dedicatory 323	
\datename	18061	\def 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 197, 218, 227, 228, 229, 230, 234, 237, 251, 266, 298, 301, 313, 319, 336, 338, 343, 345, 370, 375, 377, 398, 399, 400, 401, 447, 448, 479, 543, 580, 712, 735, 736, 744, 783, 784, 786, 791, 793, 798, 800, 828, 975, 987, 988, 996, 1035, 1036, 1038, 1043, 1045, 1050, 1051, 1080, 1225, 1237, 1238, 1246, 1285, 1286, 1288, 1293, 1295, 1300, 1302, 1330, 1350, 1360, 1361, 1364, 1370, 1398, 1411, 1412, 1415, 1428, 1436, 1444, 1445, 1448, 1449, 1452, 1457, 1495, 1496, 1591, 1593, 1594, 1637, 1640, 1643, 1646, 1715,	
\deadcycles	3344, 3347		
\debugfootnotedirection	11043		
\DeclareOption			
2317, 2320, 2323, 2326, 2329, 2332, 2335, 2340, 2341, 2342, 2343, 2344, 2346, 4410, 4412, 4414, 4417, 4422, 5519, 5520, 5778, 5779, 5804, 5805, 5948, 5949, 5950, 5951, 5952, 5972, 5973, 5974, 5975, 5976, 7747, 7749, 7751, 7753, 7755, 7756, 7845, 7847, 7849, 7851, 7853, 7854			
\DeclareRobustCommand	2044, 2045, 2046, 2047,		



2973, 2984, 3057,	4379, 4452, 4543,	7979, 7982, 8000,
3076, 3108, 3109,	4564, 4568, 4581,	8057, 8234, 8276,
3110, 3121, 3135,	4661, 4730, 4748,	8303, 8305, 8310,
3138, 3139, 3151,	4754, 4791, 4916,	8341, 8342, 8415,
3163, 3167, 3170,	4918, 4919, 4920,	8464, 8483, 8506,
3183, 3192, 3220,	4929, 4931, 4932,	8556, 8557, 8586,
3248, 3251, 3252,	4933, 4937, 4939,	8653, 8654, 8685,
3260, 3261, 3295,	4945, 4946, 4973,	8732, 8747, 8780,
3308, 3335, 3350,	4987, 4990, 4994,	8858, 8885, 8899,
3407, 3408, 3409,	4998, 5011, 5017,	8913, 8927, 8938,
3410, 3419, 3439,	5031, 5034, 5038,	8949, 8978, 8979,
3448, 3455, 3462,	5042, 5055, 5061,	8980, 8988, 8989,
3466, 3471, 3476,	5075, 5078, 5082,	8990, 9107, 9178,
3481, 3483, 3486,	5086, 5099, 5151,	9188, 9198, 9224,
3489, 3497, 3498,	5166, 5171, 5297,	9236, 9249, 9260,
3500, 3502, 3503,	5299, 5327, 5345,	9265, 9287, 9296,
3510, 3512, 3513,	5363, 5384, 5413,	9305, 9330, 9341,
3520, 3521, 3522,	5442, 5662, 5699,	9353, 9363, 9368,
3523, 3524, 3528,	5707, 5936, 6074,	9390, 9400, 9410,
3529, 3531, 3532,	6075, 6077, 6095,	9436, 9448, 9461,
3534, 3540, 3546,	6096, 6099, 6109,	9472, 9477, 9499,
3564, 3565, 3570,	6110, 6111, 6112,	9509, 9519, 9545,
3575, 3580, 3586,	6118, 6121, 6132,	9557, 9570, 9581,
3591, 3602, 3606,	6133, 6134, 6144,	9586, 9608, 9618,
3612, 3615, 3629,	6170, 6174, 6181,	9628, 9654, 9666,
3631, 3633, 3634,	6203, 6222, 6223,	9679, 9690, 9695,
3636, 3637, 3638,	6224, 6230, 6253,	9717, 9727, 9737,
3640, 3642, 3644,	6256, 6259, 6263,	9763, 9775, 9788,
3646, 3647, 3652,	6266, 6269, 6272,	9799, 9804, 9826,
3653, 3654, 3655,	6279, 6286, 6296,	9836, 9846, 9872,
3656, 3661, 3662,	6297, 6298, 6308,	9884, 9897, 9908,
3669, 3671, 3674,	6312, 6315, 6320,	9913, 9935, 9945,
3679, 3681, 3687,	6321, 6322, 6324,	9955, 9981, 9993,
3688, 3689, 3690,	6333, 6339, 6360,	10006, 10017,
3694, 3697, 3699,	6361, 6485, 6517,	10022, 10044,
3700, 3704, 3706,	6518, 6526, 6673,	10054, 10064,
3707, 3710, 3720,	6694, 6695, 6703,	10090, 10102,
3762, 3763, 3764,	6743, 6763, 6835,	10115, 10126,
3767, 3777, 3784,	6836, 6867, 6938,	10131, 10181,
3786, 3791, 3803,	6952, 6985, 6989,	10213, 10275,
3810, 3812, 3816,	7001, 7014, 7021,	10310, 10322,
3817, 3824, 3826,	7025, 7028, 7091,	10334, 10365,
3829, 3834, 3841,	7094, 7097, 7129,	10384, 10398,
3843, 3910, 3913,	7136, 7139, 7146,	10416, 10426,
3922, 3925, 4077,	7154, 7160, 7167,	10435, 10444,
4088, 4127, 4240,	7168, 7170, 7284,	10536, 10571,
4250, 4263, 4317,	7297, 7300, 7301,	10583, 10614,
4327, 4329, 4334,	7306, 7313, 7318,	10656, 10657,
4339, 4345, 4346,	7322, 7385, 7445,	10686, 10717,
4349, 4356, 4364,	7954, 7958, 7961,	10749, 10755,



10762,	10798,	12511,	12528,	14945,	14949,
10872,	10883,	12536,	12542,	14953,	14955,
10931,	11035,	12559,	12567,	14961,	14965,
11122,	11126,	12573,	12590,	14969,	14973,
11128,	11130,	12598,	12606,	14977,	14979,
11132,	11134,	12620,	12624,	15141,	15155,
11136,	11137,	12638,	12646,	15157,	15164,
11139,	11143,	12653,	12661,	15170,	15250,
11152,	11154,	12664,	12667,	15297,	15301,
11161,	11162,	12701,	12733,	15305,	15307,
11179,	11182,	12762,	12789,	15323,	15335,
11188,	11191,	12792,	12794,	15349,	15399,
11199,	11200,	12797,	12806,	15406,	15525,
11201,	11207,	12807,	12811,	15526,	15528,
11224,	11240,	12813,	12814,	15529,	15535,
11268,	11282,	12815,	12817,	15536,	15537,
11296,	11310,	12826,	12828,	15547,	15557,
11316,	11322,	12919,	12923,	15565,	15573,
11329,	11342,	12932,	12933,	15574,	15575,
11346,	11350,	12934,	12936,	15576,	15577,
11356,	11361,	12940,	12942,	15578,	15583,
11365,	11377,	12947,	12950,	15584,	15587,
11391,	11393,	12971,	12983,	15589,	15590,
11395,	11397,	13019,	13020,	15591,	15592,
11405,	11510,	13038,	13055,	15594,	15595,
11520,	11551,	13057,	13058,	15608,	15614,
11559,	11608,	13065,	13070,	15621,	15622,
11661,	11697,	13080,	13129,	15623,	15624,
11785,	11793,	13131,	13230,	15625,	15627,
11799,	11808,	13246,	13247,	15628,	15734,
11810,	11826,	13279,	13280,	15755,	15761,
11837,	11838,	13284,	13286,	15781,	15782,
11840,	11853,	13592,	13604,	15903,	15926,
11854,	11856,	13608,	13609,	15927,	15935,
11872,	11874,	13610,	13617,	15974,	15975,
11877,	11879,	13645,	13676,	15977,	15982,
11880,	11895,	13684,	13687,	15984,	15989,
11902,	11962,	13692,	13722,	15991,	16019,
11963,	11964,	13730,	13796,	16065,	16066,
11965,	11974,	13797,	14401,	16074,	16115,
11976,	12012,	14403,	14453,	16116,	16118,
12264,	12291,	14455,	14503,	16123,	16125,
12302,	12313,	14514,	14525,	16130,	16132,
12324,	12334,	14544,	14644,	16162,	16184,
12345,	12356,	14741,	14749,	16297,	16326,
12367,	12382,	14782,	14794,	16328,	16369,
12397,	12414,	14806,	14820,	16371,	16406,
12440,	12457,	14853,	14867,	16494,	16556,
12465,	12478,	14905,	14909,	16557,	16588,
12495,	12503,	14937,	14941,	16659,	16671,



16697,	16701,	20616,	20617,	\DefaultLraise . . . 13025
16744,	16791,	20627,	20637,	\DefaultNindent . . . 13028
16794,	16801,	20646,	20657,	\DefaultOptionsFile . 13047, 13050, 13053
16804,	16812,	20658,	20667,	\DefaultSlope 13029
16819,	16822,	20668,	20677,	\deffootnote . . 16847, 16872, 17396, 17421, 17970, 17990, 18095, 18120
16848,	16850,	20678,	20683,	\define@choicekey . 1652, 1658, 1664, 1670, 1676, 1682, 1694, 1700, 1706, 1713, 1727, 1734, 1744, 20302, 20310
16870,	17054,	20684,	20687,	\define@key 1636, 1639, 1642, 1645, 20300
17055,	17107,	20689,	20690,	\definecolor 1993, 1994, 1995, 1996, 1997, 2399, 2406, 7761, 7766, 7769, 7770, 7771, 7773, 7774, 7777, 7778, 7780, 7781, 7784, 7785, 7787, 7788, 7791, 7792, 7794, 7795, 7798, 7799, 7864, 7865, 7870, 7871, 7876, 7877, 7882, 7883, 7888, 7889, 8408
17114,	17263,	20691,	20692,	\DefineTOCEEntryCommandOption 19764, 19766, 19768, 19772, 19774, 19776, 19778, 19780
17265,	17397,	20694,	20696,	\DefineTOCEEntryIfOption . 19760, 19762, 19794
17399,	17419,	20698,	20699,	\DefineTOCEEntryLengthOption .. 19399, 19401, 19556, 19758, 19770, 19796, 19798
17603,	17687,	20712,	20714,	\DefineTOCEEntryOption 19782
17694,	17843,	20719,	20721,	\DefNewDummy .. 3546, 3563
17845,	17971,	20727,	20729,	\delimiter 11374
17988,	17992,	20736,	20738,	\DEPTH 18893, 18900
17995,	17999,	20741,	20743,	\depth 11802, 14343, 14350, 14375
18071,	18096,	20744,	20745,	
18098,	18118,	20746,	20748,	
18302,	18370,	20758,	20795,	
18377,	18526,	20861,	20871,	
18528,	18660,	20874,	20877,	
18664,	18681,	20882,	20883,	
18702,	18705,	20884,	20885,	
18720,	18725,	20886,	20888,	
18728,	18751,	20891,	20901,	
18755,	18759,	20906,	20909,	
18769,	18785,	20929,	20932,	
18791,	18799,	20942,	20943,	
18820,	18829,	20944,	20945,	
18830,	18846,	20946,	20966,	
18850,	18853,	20968,	21001,	
18857,	18860,	21008,	21055,	
18890,	18935,	21155,	21169,	
18969,	18991,	21172,	21176,	
18997,	19000,	21180,	21193,	
19002,	19005,	21199,	21213,	
19029,	19682,	21216,	21220,	
19706,	20248,	21224,	21237,	
20269,	20271,	21243,	21283,	
20427,	20470,	21287,	21288,	
20473,	20479,	21289,	21290,	
20483,	20502,	21300,	21386,	
20508,	20511,	21398,	21399,	
20533,	20542,	21401,	21520,	
20548,	20554,	21522,	21526,	
20576,	20582,	21528,	21555, 21557	
20591,	20595,	\default@color 7136, 20508		
20599,	20600,	\DefaultFindent .. 13027		
20601,	20604,	\DefaultLhang .. . 13023		
20609,	20615,	\DefaultLoversize 13024		



\depthof ..	8283, 8288, 8297, 8298, 8302, 8307	7989, 7990, 7992, 8006, 8007, 8063, 8064	\diagbox@insepl .. .
\descriptionlabel ..	5740	\dfn@latex@footnotetext	8115, 8122, 8124, 8135, 8138, 8145,
\DetectColumn ..	20972, 20976	\dfn@latex@LTRfootnotetext	8147, 8157, 8167, 8169
\detokenize	2880, 2882, 3108, 3110, 3111, 3138, 3153, 3170, 3173, 3181, 3183, 3251, 3252, 4123	\dfn@latex@makecol	\diagbox@insepr
\dfn@afteroutput ..	8049, 8052, 8101, 8104	\dfn@list	8118, 8129, 8131, 8141, 8151, 8153,
\dfn@boxa ..	7958, 7963, 7966, 7970, 7971, 7972, 7979, 7984, 7987, 7991, 7992, 7993, 8006, 8013, 8016, 8018, 8025, 8033, 8063, 8070, 8073, 8075, 8079, 8087	\dfn@RTLfootnotetext	8160, 8163, 8174, 8176
\dfn@boxb	7972, 7993, 8010, 8011, 8018, 8023, 8067, 8068, 8075, 8078	\dfn@makefnmark	\diagbox@setlinecolor
\dfn@countins ..	8002, 8059	\dfn@RTLfootnotetext	8181, 8184, 8189, 8192, 8197,
\dfn@dima	7963, 7964, 7965, 7976, 7984, 7985, 7986, 7997, 8001, 8018, 8038, 8058, 8075, 8090	\dfn@makecol	8201, 8206, 8210, 8215, 8219, 8224, 8228
\dfn@dimb	8038, 8039, 8041, 8042, 8044, 8090, 8091, 8093, 8094, 8096	\dfn@split	\diagbox@triple@pict@NE
\dfn@elt@adjust ..	8038, 8090	\dfn@RTLmakecol	8205
\dfn@elt@getht ..	8003, 8060	\dfn@makefnmark	\diagbox@triple@pict@NW
\dfn@fnht ..	7974, 7995, 8036, 8039, 8045, 8046, 8047, 8088, 8091, 8097, 8098, 8099	\dfn@RTLfootnotetext	8196
\dfn@fnmaxdp	7962, 7967, 7972, 7983, 7988, 7993, 8015, 8018, 8072, 8075	\dfn@columnsep	\diagbox@triple@pict@SE
\dfn@footnoterule	8056, 8108	\dfn@columnwidth	8223
\dfn@footnotetext ..	7957	\dfn@double	\diagbox@triple@pict@SW
\dfn@gobble	7959, 7980	\dfn@double@pict@NE	8214
\dfn@ins	7967, 7968, 7969, 7971, 7988,	\dfn@double@pict@NW	\diagbox@triple@setbox@NE
		\dfn@double@pict@SW	8179
		\dfn@font	\diagbox@triple@setbox@NW
		\dfn@wd	8134, 8137, 8140, 8155
		\diagbox@double	\diagbox@triple@setbox@SE
		\diagbox@double@pict@NE	8156, 8159, 8162, 8179
		\diagbox@double@pict@NW	\diagbox@triple@setbox@SW
		\diagbox@double@pict@SE	8155
		\diagbox@double@pict@SW	\diagbox@wd
		\dfn@font	8182, 8185, 8190, 8193
		\dim	\DigitsDotDashInterCharToks
		14017, 14018, 14341, 14342, 14343	1775, 1776
		\dimen ..	\dim
		1598, 1877, 9071, 9135, 9155, 9156, 9157, 9165, 9274, 9377, 9486, 9595, 9704, 9813, 9922, 10031, 10190, 10196, 10248, 10254, 11555, 14839, 14846, 14847, 14855, 14856, 14861, 14862, 14878,	14017, 14018, 14341, 14342, 14343



14879,	14886,	20850,	20855,	11213,	11230,
14887,	21292,	20857,	20858,	11246,	11668,
\dimen@ . . .	7132, 7133,	\DiscardVskip . . .	13030	11673,	11773,
10475,	10477,	\display@setup	6990, 7015	11814,	11815,
11413,	11414,	\displayindent . . .	7031	11818,	11860,
11415,	11425,	\displaystyle	10846, 10862	11861,	11864,
11426,	11427,	\displaywidth		13078,	13628,
11430,	11431,	7031, 8279, 8281,		13775,	13778,
11432,	11438,	8286, 10865, 12994		14839,	14855,
11448,	11450,	\divide	3872, 6082, 9156,	14856,	14861,
11459,	11461,	10232,	10233,	14862,	14878,
11468,	11469,	10294,	10295,	14879,	14886,
11470,	11471,	10732,	10733,	14887,	15420,
13699,	13700,	11801,	11802,	15421,	15422,
13701,	14956,	15037,	15041,	15596,	15640,
14957,	14962,	15440,	15441, 18765	16710,	16752,
14963,	14966,	\do	319, 320,	16755,	16809,
14967,	15596,	321, 322, 323, 324,		16816,	17200,
15601,	18683,	2259, 4107, 4167,		17203,	17780,
18685,	18691,	4182, 4203, 4206,		17783,	18463,
18697,	20441,	5192, 5197, 5211,		18466,	18732,
20442,	20443,	5216, 5230, 5235,		18767,	18779,
20444,	20445,	5258, 5267, 7302,		18893,	18895,
20446,	20505, 20506	10720, 13134, 19991		20497,	20506,
\dimen@i	18684,	\do@@hvFloat	11962	20507,	20914,
18685,	18690, 18696	\document	3291, 3305	21264,	21271, 21358
\dimen@ii	11463,	\documentclass .	4090,	\dquad	7023, 7025
11464,	11465,	4093, 11708, 11718		\draw	20321,
11471,	11473,	\doloopbody	3732, 3733,	20328,	20332,
11476,	11477, 11478	3777, 3850, 3857,		20355,	20365,
\dimexpr	28,	3864, 3867, 3869,		20373,	20376,
232,	724, 958,	3873, 3875, 3877, 3881		20379,	20382,
1204,	2831, 2834,	\doubleitemmaincolumnwidth	2448, 2461, 2462,	20394,	20399,
2927,	6497, 6650,	2463, 2464, 2488, 2490		20406,	20412, 20413
12938,	13767,	\doublerulesepcolor	1462	\dseries@display@setup	
13776,	14742,	\downtovalue . . .	3730,	7015
14951,	15886,	3742, 3824, 3863		E	
16309,	16875,	\dp	40, 54, 70,	\edef . .	123, 352, 1377,
16882,	16885,	243, 257, 272, 382,		1431,	1439, 1499,
17424,	17431,	1455, 1623, 1894,		1522,	1819, 1842,
17434,	18123,	7133, 7134, 7582,		2146,	2161, 2189,
18130,	18133,	7963, 7984, 8011,		2192,	2195, 2596,
19543,	19709,	8030, 8032, 8068,		2634,	2637, 2650,
19716,	19726,	8084, 8086, 8282,		2654,	2661, 2674,
19728,	20828,	8287, 8300, 8306,		2678,	2685, 2878,
20830,	20831,	8420, 8425, 8429,		2881,	2991, 2992,
20832,	20837,	8432, 9076, 10144,		2995,	2996, 3013,
20839,	20840,	10475, 10483,		3014,	3017, 3018,
20841,	20846,	10731, 10744,		3107,	3112, 3122,



3137, 3140, 3153,	\EdefEscapeName . . 12765	764, 788, 792, 794,
3157, 3162, 3169,	\egroup 179,	805, 808, 851, 862,
3172, 3179, 3182,	185, 375, 399, 634,	865, 868, 869, 875,
3188, 3191, 3244,	1193, 1360, 1361,	885, 888, 889, 892,
3250, 3253, 3409,	1478, 2184, 2185,	902, 913, 924, 932,
3450, 3460, 3538,	2310, 6171, 6375,	936, 945, 963, 999,
3547, 3609, 3664,	7034, 7115, 9122,	1008, 1016, 1040,
3667, 3694, 3697,	10851, 10852,	1044, 1046, 1057,
3701, 3785, 3790,	10866, 11340,	1060, 1103, 1114,
3791, 3813, 3818,	11485, 11489,	1118, 1121, 1124,
3830, 3835, 3928,	13711, 13714,	1125, 1130, 1141,
3936, 3946, 4078,	14750, 15383,	1152, 1167, 1170,
4121, 4165, 4187,	15393, 15408,	1171, 1174, 1184,
4201, 4229, 4321,	15539, 15545,	1188, 1189, 1193,
4333, 4340, 4357,	15549, 15555,	1213, 1249, 1258,
5161, 5306, 5317,	15559, 15563,	1266, 1290, 1294,
6254, 6257, 6260,	15567, 15571,	1296, 1307, 1310,
8332, 8335, 10873,	15634, 15819,	1347, 1352, 1353,
10879, 10984,	16269, 18725,	1366, 1371, 1372,
10986, 10987,	18726, 18751,	1373, 1375, 1376,
10988, 11073,	18757, 20167,	1379, 1380, 1381,
11094, 11445,	20619, 20625,	1383, 1384, 1385,
12434, 12441,	20629, 20635,	1386, 1387, 1388,
12472, 12479,	20639, 20644,	1389, 1392, 1393,
12512, 12543,	20648, 20653,	1394, 1414, 1415,
12574, 12984,	20719, 20727,	1416, 1417, 1418,
13136, 13138,	20728, 20906, 20907	1419, 1421, 1422,
13144, 13146,	\eightcolumnfootnotes	1423, 1424, 1425,
13685, 13688, 9807	1528, 1534, 1540,
15153, 15292,	\eject 7592,	1583, 1585, 1594,
15311, 15314,	11416, 11485, 11505	1605, 1608, 1611,
15340, 15770,	\else 4, 12,	1785, 1788, 1848,
16706, 16749,	13, 25, 36, 87, 104,	1862, 1864, 1873,
17092, 17672,	116, 134, 136, 151,	1883, 2130, 2136,
17972, 18355,	155, 159, 167, 175,	2142, 2157, 2240,
18735, 18760,	182, 191, 199, 207,	2248, 2253, 2263,
18774, 18792,	208, 224, 239, 290,	2502, 2503, 2504,
18847, 18854,	305, 309, 346, 347,	2506, 2542, 2609,
18867, 19331,	348, 350, 351, 354,	2615, 2636, 2639,
19803, 19836,	355, 356, 358, 359,	2658, 2666, 2682,
19843, 19848,	360, 361, 362, 365,	2690, 2706, 2776,
19909, 20063,	366, 367, 391, 397,	2784, 2790, 2796,
20167, 20280,	443, 454, 457, 506,	2802, 2808, 2814,
20517, 20522,	523, 526, 527, 547,	2820, 2826, 2839,
20531, 20546,	550, 565, 586, 597,	2847, 2851, 2857,
20550, 20560,	602, 613, 617, 625,	2865, 2869, 2891,
20565, 20574,	629, 630, 634, 638,	2898, 2942, 3146,
20580, 20593,	641, 642, 647, 658,	3471, 3484, 3485,
20597, 20814,	669, 683, 686, 687,	3498, 3499, 3501,
20917, 20981, 20995	690, 700, 747, 756,	3503, 3511, 3513,



3535, 3549, 3602,	7630, 7658, 7675,	10871, 10898,
3606, 3612, 3618,	7703, 7707, 7722,	10902, 10923,
3658, 3827, 3836,	7731, 7823, 7905,	11029, 11033,
3887, 3911, 3926,	7919, 7964, 7968,	11059, 11083,
3991, 4003, 4035,	7970, 7985, 7989,	11165, 11168,
4046, 4084, 4096,	7991, 8000, 8005,	11208, 11259,
4097, 4114, 4123,	8014, 8025, 8029,	11297, 11298,
4168, 4183, 4186,	8037, 8057, 8062,	11314, 11332,
4213, 4214, 4228,	8071, 8079, 8083,	11376, 11394,
4509, 4515, 4710,	8089, 8109, 8123,	11396, 11412,
4713, 4716, 4719,	8130, 8146, 8152,	11417, 11437,
4749, 4977, 4983,	8168, 8175, 8237,	11466, 11472,
5015, 5021, 5027,	8244, 8261, 8285,	11488, 11495,
5065, 5071, 5250,	8367, 8382, 8397,	11500, 11513,
5647, 5648, 5936,	8398, 8399, 8400,	11543, 11577,
6021, 6074, 6087,	8427, 8443, 8446,	11582, 11626,
6096, 6186, 6207,	8447, 8457, 8468,	11631, 11665,
6232, 6305, 6325,	8471, 8484, 8494,	11666, 11671,
6326, 6341, 6346,	8552, 8563, 8566,	11688, 11689,
6350, 6392, 6403,	8649, 8660, 8663,	11691, 11699,
6407, 6410, 6413,	8711, 8734, 8749,	11700, 11710,
6414, 6419, 6430,	8758, 8765, 8786,	11729, 11733,
6439, 6453, 6456,	8787, 8789, 8794,	11735, 11744,
6457, 6461, 6473,	8800, 8802, 8806,	11746, 11754,
6529, 6538, 6546,	8884, 8925, 8996,	11769, 11793,
6569, 6580, 6584,	8999, 9008, 9011,	11795, 11798,
6587, 6590, 6591,	9020, 9023, 9044,	11799, 11800,
6596, 6607, 6616,	9048, 9052, 9058,	11806, 11808,
6630, 6633, 6634,	9083, 9091, 9099,	11816, 11822,
6638, 6661, 6706,	9112, 9177, 9222,	11825, 11828,
6715, 6723, 6745,	9286, 9328, 9389,	11835, 11842,
6756, 6758, 6779,	9434, 9498, 9543,	11844, 11850,
6790, 6831, 6842,	9607, 9651, 9716,	11854, 11857,
6845, 6894, 6909,	9760, 9825, 9870,	11862, 11868,
6912, 6913, 6940,	9934, 9979, 10043,	11871, 11884,
6954, 6963, 6970,	10088, 10222,	11887, 11890,
6993, 7023, 7049,	10226, 10243,	11896, 11903,
7074, 7081, 7130,	10264, 10284,	11913, 11926,
7135, 7173, 7174,	10288, 10305,	11935, 11943,
7180, 7198, 7221,	10360, 10369,	11950, 11953,
7244, 7267, 7292,	10472, 10513,	11956, 11975,
7293, 7295, 7307,	10527, 10547,	11978, 11984,
7312, 7314, 7316,	10562, 10565,	11985, 11988,
7336, 7341, 7359,	10566, 10573,	11995, 11997,
7375, 7399, 7404,	10585, 10602,	12003, 12014,
7418, 7434, 7452,	10652, 10663,	12022, 12024,
7460, 7483, 7501,	10666, 10725,	12025, 12026,
7528, 7532, 7547,	10775, 10780,	12029, 12034,
7554, 7573, 7583,	10811, 10816,	12040, 12042,
7595, 7604, 7618,	10841, 10854,	12043, 12044,



12047,	12057,	13182,	13212,	14471,	14477,
12059,	12072,	13223,	13241,	14483,	14508,
12078,	12081,	13251,	13257,	14518,	14540,
12085,	12091,	13294,	13373,	14558,	14574,
12094,	12097,	13376,	13379,	14587,	14600,
12103,	12108,	13382,	13385,	14604,	14658,
12111,	12115,	13388,	13391,	14674,	14687,
12117,	12120,	13394,	13397,	14700,	14704,
12124,	12126,	13401,	13404,	14760,	14768,
12128,	12132,	13407,	13410,	14774,	14783,
12137,	12141,	13413,	13416,	14785,	14789,
12148,	12153,	13419,	13422,	14790,	14795,
12157,	12164,	13425,	13428,	14797,	14802,
12169,	12173,	13431,	13434,	14807,	14809,
12177,	12179,	13437,	13440,	14814,	14824,
12182,	12186,	13443,	13446,	14837,	14870,
12188,	12190,	13449,	13452,	14902,	14924,
12194,	12198,	13455,	13458,	14928,	14932,
12202,	12208,	13461,	13464,	14977,	14979,
12211,	12215,	13467,	13470,	14995,	15002,
12221,	12224,	13473,	13476,	15038,	15042,
12227,	12233,	13479,	13482,	15046,	15125,
12248,	12258,	13485,	13488,	15130,	15163,
12267,	12278,	13491,	13494,	15169,	15177,
12298,	12309,	13497,	13500,	15180,	15204,
12320,	12338,	13503,	13506,	15224,	15239,
12349,	12360,	13509,	13512,	15313,	15337,
12371,	12386,	13515,	13518,	15395,	15403,
12401,	12461,	13521,	13524,	15437,	15463,
12499,	12532,	13527,	13530,	15501,	15502,
12563,	12594,	13533,	13536,	15503,	15529,
12647,	12659,	13539,	13542,	15583,	15584,
12662,	12679,	13545,	13548,	15587,	15591,
12688,	12698,	13551,	13554,	15592,	15595,
12713,	12721,	13557,	13560,	15597,	15603,
12730,	12744,	13563,	13566,	15621,	15622,
12759,	12773,	13569,	13572,	15627,	15635,
12785,	12911,	13575,	13578,	15644,	15654,
12929,	12949,	13581,	13584,	15660,	15663,
12952,	12960,	13587,	13595,	15670,	15672,
12961,	12977,	13596,	13597,	15678,	15689,
12999,	13000,	13598,	13621,	15691,	15702,
13002,	13007,	13650,	13659,	15704,	15715,
13031,	13032,	13665,	13696,	15717,	15726,
13033,	13034,	13711,	13713,	15728,	15747,
13043,	13048,	13785,	14407,	15767,	15781,
13061,	13086,	14410,	14421,	15782,	15787,
13095,	13130,	14422,	14423,	15798,	15802,
13137,	13145,	14424,	14425,	15810,	15814,
13164,	13174,	14426,	14455,	15815,	15819,



15823,	15826,	17028,	17034,	18053,	18056,
15827,	15832,	17046,	17054,	18059,	18062,
15843,	15852,	17055,	17068,	18067,	18068,
15866,	15869,	17070,	17082,	18074,	18102,
15870,	15874,	17097,	17113,	18103,	18111,
15891,	15938,	17123,	17132,	18124,	18131,
15947,	15955,	17137,	17140,	18151,	18156,
15979,	15983,	17141,	17142,	18163,	18169,
15985,	15996,	17144,	17169,	18193,	18200,
15999,	16042,	17181,	17186,	18204,	18218,
16053,	16077,	17191,	17208,	18221,	18264,
16086,	16094,	17222,	17228,	18268,	18276,
16120,	16124,	17241,	17251,	18282,	18294,
16126,	16137,	17269,	17299,	18302,	18331,
16140,	16181,	17403,	17404,	18332,	18345,
16186,	16187,	17412,	17425,	18360,	18376,
16195,	16198,	17432,	17452,	18386,	18395,
16199,	16204,	17457,	17464,	18400,	18403,
16215,	16224,	17470,	17494,	18404,	18405,
16238,	16241,	17501,	17505,	18407,	18432,
16242,	16246,	17519,	17522,	18444,	18449,
16252,	16260,	17565,	17569,	18454,	18471,
16264,	16265,	17577,	17583,	18485,	18491,
16269,	16285,	17595,	17603,	18504,	18514,
16314,	16365,	17608,	17624,	18532,	18562,
16381,	16384,	17632,	17640,	18654,	18657,
16430,	16445,	17648,	17649,	18693,	18710,
16448,	16449,	17662,	17677,	18743,	18756,
16454,	16455,	17693,	17703,	18764,	18777,
16479,	16501,	17712,	17717,	18782,	18861,
16512,	16552,	17720,	17721,	18862,	18863,
16563,	16566,	17722,	17724,	18865,	18866,
16615,	16630,	17749,	17761,	18869,	18870,
16633,	16634,	17766,	17771,	18871,	18872,
16661,	16673,	17788,	17802,	18873,	18874,
16682,	16714,	17808,	17821,	18875,	18877,
16759,	16793,	17831,	17849,	18878,	18879,
16795,	16799,	17879,	17976,	18880,	18881,
16803,	16805,	17977,	17983,	18884,	18885,
16810,	16814,	18000,	18001,	18886,	18949,
16817,	16821,	18002,	18003,	18966,	18973,
16823,	16827,	18004,	18005,	18975,	18980,
16854,	16855,	18006,	18007,	18985,	18986,
16863,	16876,	18011,	18014,	18989,	18994,
16883,	16903,	18017,	18020,	18998,	18999,
16908,	16915,	18023,	18026,	19014,	19038,
16921,	16945,	18029,	18032,	19042,	19052,
16952,	16956,	18035,	18038,	19058,	19064,
16970,	16973,	18041,	18044,	19069,	19075,
17016,	17020,	18047,	18050,	19085,	19097,



19105,	19110,	20367,	20381,	21165,	21203,
19111,	19112,	20431,	20438,	21209,	21247,
19120,	19127,	20439,	20441,	21249,	21259,
19141,	19142,	20449,	20457,	21275,	21277,
19143,	19151,	20459,	20460,	21280,	21284,
19160,	19164,	20471,	20475,	21293,	21322,
19165,	19166,	20480,	20489,	21325,	21328,
19174,	19181,	20495,	20503,	21334,	21355,
19182,	19183,	20507,	20516,	21371,	21391,
19191,	19198,	20535,	20540,	21398,	21399,
19199,	19200,	20559,	20584,	21512,	21520,
19208,	19215,	20589,	20609,	21526	\em 5740
19216,	19217,	20655,	20656,	\email	322, 2438
19225,	19232,	20683,	20684,	\emaillink	2520, 7838, 7936
19233,	19234,	20687,	20691,	\emailsymbol	
19242,	19249,	20692,	20751,	2398, 7838, 7936
19250,	19251,	20770,	20773,	\empty	11975, 18663
19259,	19267,	20778,	20781,	\EmptyTokenList ...	3653
19268,	19269,	20784,	20787,	\end	179, 186, 422,
19277,	19286,	20790,	20804,	425, 428, 493, 496,	
19287,	19288,	20812,	20817,	759, 767, 770, 840,	
19296,	19306,	20818,	20819,	843, 1011, 1019,	
19307,	19308,	20829,	20830,	1022, 1092, 1095,	
19316,	19326,	20832,	20838,	1261, 1269, 1272,	
19341,	19342,	20839,	20841,	1343, 1346, 1351,	
19343,	19351,	20847,	20848,	1352, 1353, 1930,	
19373,	19391,	20850,	20856,	2079, 2090, 2091,	
19392,	19393,	20857,	20859,	2486, 2488, 2490,	
19531,	19639,	20867,	20868,	2492, 2494, 2498,	
19656,	19666,	20869,	20870,	2506, 2509, 2559,	
19681,	19685,	20873,	20876,	2650, 2658, 2660,	
19788,	20053,	20879,	20882,	2661, 2667, 2674,	
20067,	20071,	20883,	20884,	2682, 2684, 2685,	
20094,	20109,	20885,	20887,	2691, 3372, 3378,	
20119,	20123,	20889,	20890,	3398, 3404, 4549,	
20133,	20134,	20894,	20896,	4550, 4555, 4558,	
20135,	20136,	20910,	20927,	4635, 4636, 4643,	
20141,	20143,	20932,	20933,	4644, 4651, 4652,	
20144,	20152,	20934,	20935,	4672, 4673, 4711,	
20158,	20175,	20936,	20937,	4714, 4717, 4720,	
20185,	20191,	20938,	20939,	4727, 4728, 4911,	
20197,	20200,	20942,	20943,	4912, 5531, 5587,	
20211,	20249,	20947,	20949,	5594, 5601, 5608,	
20251,	20256,	20954,	20983,	5615, 5626, 5634,	
20265,	20270,	20992,	21002,	5761, 5762, 5898,	
20272,	20279,	21022,	21027,	5941, 5963, 6347,	
20286,	20317,	21069,	21074,	6541, 6549, 6552,	
20324,	20329,	21099,	21106,	6718, 6726, 6729,	
20335,	20346,	21122,	21133,	6758, 6770, 6810,	
20349,	20360,	21144,	21159,	6813, 6816, 6881,	



6884, 7197, 7207,	\end@float	3653, 3667, 3675,
7220, 7230, 7243,	.. 4575, 4904, 16740	3677, 3704, 3725,
7253, 7266, 7276,	\end@rotdblfloat . 16744	3762, 3763, 3764,
7817, 7926, 7938,	\end@rotfloat	3780, 3781, 3782,
7946, 8329, 8403,	. 16701, 16742, 16743	3783, 3885, 3888,
8533, 8536, 8539,	\endarray 375,	3893, 3909, 3912,
8598, 8601, 8628,	399, 1360, 1361,	3914, 3924, 3927,
8631, 8634, 8699,	18751, 18755, 20719	3929, 3936, 3940,
8702, 8791, 10633,	\endBCmd 2081	3941, 3946, 3955,
10636, 10639,	\endbidi@switch . . .	3956, 3972, 3975,
10698, 10701,	.. 3559, 3563, 3564	3989, 4001, 4033,
10853, 12032,	\endbidi@tabular@RTLcases . 20719, 20727, 20734	4044, 4129, 4131,
12050, 12152,	\endcsname 8,	4169, 4171, 4177,
12168, 12259,	44, 58, 74, 166,	4220, 4360, 4381,
13004, 14542,	168, 203, 247, 261,	4732, 4733, 4740,
15258, 15950,	276, 333, 334, 376,	4741, 5333, 5351,
15958, 15961,	1362, 2147, 2148,	5369, 5400, 5429,
16031, 16034,	2162, 2163, 2189,	5458, 5700, 6226,
16089, 16097,	2192, 2195, 2211,	6254, 6257, 6260,
16100, 16177,	2219, 2227, 2282,	6274, 6281, 6288,
16180, 16185,	2569, 2572, 2575,	6296, 6297, 6335,
16186, 16187,	2577, 2580, 2582,	6360, 6361, 7143,
16344, 16347,	2585, 2593, 2594,	7149, 7157, 7164,
16350, 16422,	2599, 2607, 2608,	7736, 8891, 8905,
16531, 16534,	2610, 2612, 2614,	8919, 8931, 8942,
16537, 16602,	2617, 2618, 2623,	8953, 9182, 9192,
16605, 16702,	2624, 2653, 2654,	9202, 9228, 9241,
16745, 16911,	2677, 2678, 2705,	9253, 9291, 9300,
16926, 16933,	2733, 2737, 2747,	9309, 9334, 9346,
16939, 16943,	2755, 2763, 2771,	9357, 9394, 9404,
16951, 17023,	2773, 2775, 2779,	9414, 9440, 9453,
17040, 17050,	2780, 2837, 2843,	9465, 9503, 9513,
17078, 17460,	2844, 2886, 2896,	9523, 9549, 9562,
17475, 17482,	2902, 2903, 2905,	9574, 9612, 9622,
17488, 17492,	2906, 2908, 2909,	9632, 9658, 9671,
17500, 17572,	2911, 2954, 2955,	9683, 9721, 9731,
17589, 17599,	2977, 2978, 3033,	9741, 9767, 9780,
17658, 18159,	3034, 3035, 3036,	9792, 9830, 9840,
18174, 18181,	3042, 3043, 3044,	9850, 9876, 9889,
18187, 18191,	3045, 3128, 3129,	9901, 9939, 9949,
18199, 18271,	3132, 3133, 3359,	9959, 9985, 9998,
18288, 18298,	3361, 3373, 3375,	10010, 10048,
18341, 18816,	3407, 3408, 3409,	10058, 10068,
19012, 20321,	3410, 3420, 3433,	10094, 10107,
20328, 20338,	3457, 3462, 3466,	10119, 10314,
20343, 20356,	3482, 3500, 3502,	10326, 10338,
20363, 20366,	3510, 3512, 3521,	10375, 10389,
20385, 20402,	3522, 3602, 3606,	10403, 10720,
20409, 20415, 20417	3639, 3641, 3652,	10873, 10875,
\end@dblfloat . . . 16789		10879, 10881,



10985,	10986,	19359,	19360,	1316, 1485, 1975,
10987,	10988,	19413,	19414,	2213, 2221, 2229,
10990,	10992,	19568,	19569,	2605, 2644, 2663,
10993,	10994,	19679,	19683,	2687, 2895, 2914,
10995,	10997,	19687,	19786,	3058, 3077, 3122,
10998,	10999,	19789,	19803,	3144, 3154, 3171,
11056,	11080,	19819,	19820,	3221, 3292, 3316,
11098,	11184,	19836,	19843,	3319, 3424, 3630,
11193,	11216,	19848,	19909,	3632, 3668, 3673,
11233,	11249,	19964,	19966,	3682, 3840, 3884,
11277,	11291,	19968,	19984,	3908, 3923, 3994,
11305,	11352,	19987,	19993,	4006, 4018, 4038,
11367,	12266,	19995,	19998,	4049, 4060, 4224,
12269,	12271,	20002,	20007,	4323, 4333, 4373,
12275,	12279,	20011,	20015,	4742, 5169, 5171,
12293,	12304,	20029,	20033,	5402, 5431, 5460,
12315,	12515,	20036,	20039,	5837, 5854, 5870,
12546,	12577,	20043,	20045,	5881, 5921, 6240,
12956,	13059,	20078,	20079,	6276, 6283, 6290,
13062,	13491,	20081,	20083,	6348, 6437, 6460,
13557,	14527,	20088,	20090,	6614, 6637, 6851,
14528,	14535,	20092,	20096,	6901, 6916, 7122,
15149,	15159,	20099,	20100,	7382, 7441, 8253,
15173,	16837,	20103,	20104,	8271, 8449, 8462,
16841,	16845,	20113,	20115,	8572, 8669, 8718,
17283,	17285,	20117,	20121,	10235, 10297,
17287,	17290,	20125,	20126,	10554, 10569,
17296,	17305,	20179,	20181,	10672, 10796,
17307,	17309,	20183,	20187,	10836, 10920,
17315,	17386,	20207,	20208,	10941, 11186,
17390,	17394,	20216,	20220,	11195, 11354,
17863,	17865,	20224,	20228,	11369, 11388,
17867,	17870,	20232,	20236,	11429, 11460,
17876,	17884,	20240,	20244,	11605, 11658,
17886,	17889,	20282,	20283,	11836, 11851,
17895,	18085,	20285,	20288,	12257, 12295,
18089,	18093,	20289,	20293,	12306, 12317,
18546,	18548,	20757,	20822,	12328, 12429,
18550,	18553,	20908,	20969,	12454, 12492,
18559,	18567,	20982, 20984, 21453	\enddocument . . . 3315,	12525, 12556,
18569,	18572,	3321, 3328, 3343	3321, 3328, 3343	12587, 12816,
18578,	18727,	\endflushleft . 2101, 2109	\endflushleft . 2101, 2109	12827, 12965,
18753,	18755,	\endgraf 13653, 13672,	\endgraf 13653, 13672,	12988, 13064,
18787,	18809,	17248, 17828, 18511	17248, 17828, 18511	13088, 13270,
18811,	18827,	\endgroup 17, 127, 212,	\endgroup 17, 127, 212,	13639, 14418,
18828,	18848,	310, 317, 373, 389,	310, 317, 373, 389,	14536, 14636,
18855,	19068,	463, 515, 529, 667,	463, 515, 529, 667,	14733, 14940,
19331,	19332,	689, 814, 891, 911,	689, 814, 891, 911,	14944, 14948,
19348,	19349,	1066, 1150, 1173,	1066, 1150, 1173,	15331, 15381,
19350,	19357,			15386, 15388,



15391,	15396,	... 3767, 3796, 3803	\endrotate 16804
15633,	15664,	\endLTR 15574, 20658, 20666	\endRTL 15576, 20668, 20676
15850,	15873,	\endMakeFramed ... 11402	\ends@math 7020
16005,	16146,	\endmath 7020	\endsideways 16822
16222,	16245,	\endmdf@lrbox ... 13770	\endsidewaysfigure 16742
16390,	16437,	\endminipage	\endsidewaystable 16743
16452,	16572,	. 9107, 11329, 18909	\endstabular 18725, 18727
16622,	16637,	\endmodernpoem ... 6361	\endstrip 14749
16979,	17079,	\endmulticols ... 15011	\endtabular . 375, 376,
17217,	17528,	\endpgfpicture ... 15349	1361, 1362, 2184,
17659,	17797,	\endpspicture ... 15628	18751, 18753,
18227,	18342,	\endR 181,	18837, 20906, 20908
18480,	18830,	336, 341, 375, 399,	\endtabularx
18954,	19133,	1360, 1361, 1478,	. 18788, 18817, 18828
19549,	19660,	2184, 2185, 7028,	\endtcb@lrbox 18909, 18910
20061,	20189,	7115, 7131, 7136,	\endtcb@savebox .. 18910
20499,	20532,	7138, 7170, 8234,	\endtcb@vbox 18920
20575,	20594,	9148, 9152, 10871,	\endtitlepage .. 624,
20717,	21052,	11795, 11800,	931, 1183, 6469,
21095,	21301, 21311	11857, 11896,	6657, 15809, 16259
\endL	183, 1489,	11903, 12272,	\endtraditionalpoem 6297
1628,	1899, 2531,	12280, 12662,	\endtrivlist 10867
7126,	7135, 7136,	12698, 12730,	\endturn 16794
7145,	7151, 7170,	12759, 12785,	\endwindow 15406
10739,	10852,	12795, 12798,	\enskip 20174, 20199
10866,	11028,	12995, 13237,	\enspace 308, 15400, 15402
11798,	11806,	13647, 13711,	\ensuremath 1524
11825,	11835,	13714, 13724,	\env@RTLcases 20732, 20736
11850,	11871,	13815, 13823,	\EQ 8276, 8282,
12659,	13237,	14014, 14340,	8283, 8287, 8288,
15395,	15535,	14505, 14507,	8297, 8298, 8300,
15554,	15663,	15404, 15536,	8302, 8303, 8305,
16799,	16810,	15544, 15623,	8306, 8307, 8308,
16817,	16827,	15624, 15625,	8310, 8311, 8312,
18905,	20507,	16795, 16805,	8324, 8327, 8329,
20508,	20547,	16814, 16823,	8331, 8332, 8334,
20551,	20604,	17215, 17795,	8337, 8339, 8341,
20615,	20634,	18478, 18725,	8342, 8344, 8345,
21280,	21355, 21371	18726, 18751,	8347, 8350, 8351,
\endlist	96, 299,	18757, 18904,	8352, 8355, 8358,
582,	714, 945, 977,	20504, 20508,	8366, 8373, 8381,
1227,	5725, 5733,	20510, 20604,	8388, 8390, 8393,
5738,	6487, 6675,	20616, 20624,	8397, 8398, 8399,
6987,	8508, 8782,	20727, 20872,	8400, 8412, 8414, 8415
10616,	12920,	20875, 20878,	\eq@addpunct 7025
15144,	15905,	20895, 20906,	\EQ@box 7030, 7036
16299,	16496,	20907, 21280,	\eq@group 6993, 7002
16699,	17121,	21293, 21295,	\eq@GRP@first@dmath 7002
17701,	18384, 19031	21355, 21371,	\eq@if ... 2728, 2729, 2731
\endlooprepeat		21390, 21393, 21401	\eq@isIntertext ... 7040



\eq@prelim . . .	6993, 7010	19126, 19130,	2809, 2813, 2815,
\eq@setnumber . . .	6996	19658, 20610,	2819, 2821, 2825,
\eq@setup@a . . .	6998	20614, 20660,	2827, 2838, 2840,
\eq@startup . . .	6999	20670, 21197, 21241	2844, 2845, 2846,
\eq@wdCond . . .	7017	\everyvbox . . .	2848, 2849, 2852,
\eqnewif . . .	1550,	1364, 1365, 15558,	2856, 2858, 2863,
	1551, 1556, 1568, 2724	15560, 15566,	2864, 2866, 2867,
\eqno . . .	327, 15619,	15568, 20638,	2870, 2879, 2886,
	15621, 21396, 21398	20640, 20647, 20649	2890, 2892, 2895,
\eqnumform . . .	7028	\ExecuteOptions . . .	2896, 2897, 2899,
\eqstyle . . .	6995	2347, 4427,	2902, 2903, 2905,
\equal . . .	2496,	5808, 5810, 7758, 7856	2906, 2908, 2909,
	2513, 2517, 2521,	\ExecuteOptionsX . .	2911, 2915, 2949,
	4563, 4597, 4608,	1751	2950, 2951, 2952,
	4640, 4641, 4657,	\exhyphenpenalty . .	2953, 2955, 2978,
	4698, 4956, 5198,	616, 923, 1117, 6406, 6583,	2982, 3033, 3034,
	5199, 5217, 5218,	15801, 16251, 16313	3035, 3036, 3042,
	5236, 5237, 5268,	\exp . . .	3043, 3044, 3045,
	5269, 7925, 10976	13891, 13894, 13948, 14123, 14177	3128, 3129, 3143,
\errmessage . . .		\expandafter . . .	3144, 3145, 3147,
	1595, 1874, 14837	166, 352, 376, 746, 755,	3154, 3155, 3158,
\ERROR . . .	20993	763, 789, 792,	3173, 3180, 3189,
\escapechar	2633, 2725,	998, 1007, 1015,	3407, 3408, 3409,
	2730, 2914, 3449,	1041, 1044, 1248,	3410, 3425, 3452,
	3454, 3456, 3458, 3471	1257, 1265, 1291,	3453, 3462, 3466,
\ESO@isMEMOIR . . .	8239	1294, 1362, 1377,	3521, 3522, 3534,
\evenpage .	1936, 1939,	1459, 1460, 1461,	3535, 3630, 3632,
	1940, 1941, 1943,	1463, 1527, 1529,	3639, 3641, 3643,
	1944, 1945, 1946, 1948	1533, 1535, 1539,	3645, 3646, 3647,
\evensidemargin . . .		1541, 2129, 2131,	3667, 3669, 3672,
	1960, 8262,	2135, 2137, 2141,	3675, 3676, 3677,
	11944, 11949,	2143, 2147, 2148,	3679, 3682, 3687,
	11957, 21321, 21329	2156, 2158, 2162,	3750, 3762, 3764,
\everycr . . .	13643	2163, 2187, 2190,	3780, 3781, 3782,
\everydisplay . . .	6990	2193, 2196, 2200,	3783, 3821, 3832,
\everyhbox . . .	15538,	2203, 2206, 2257,	3837, 3851, 3884,
	15540, 15548,	2258, 2311, 2569,	3885, 3886, 3889,
	15550, 20618,	2572, 2575, 2579,	3892, 3908, 3909,
	20620, 20628, 20630	2593, 2605, 2606,	3923, 3924, 3936,
\everyjob . . .	1522,	2611, 2622, 2647,	3941, 3946, 3956,
	1523, 1842, 1843	2649, 2653, 2654,	3972, 3975, 4001,
\everymath . . .	339	2658, 2661, 2671,	4044, 4106, 4115,
\everypar .	513, 665, 909,	2673, 2677, 2678,	4127, 4129, 4130,
	1148, 5015, 5059,	2682, 2685, 2705,	4170, 4180, 4181,
	5103, 6436, 6613,	2707, 2712, 2732,	4202, 4219, 4230,
	6900, 8717, 10553,	2733, 2736, 2737,	4232, 4359, 4360,
	10747, 15530,	2773, 2775, 2779,	5159, 5700, 6130,
	15534, 15742,	2783, 2785, 2789,	6255, 6258, 6261,
	15849, 16221,	2791, 2795, 2797,	6264, 6267, 6270,
	16436, 16621,	2801, 2803, 2807,	6296, 6297, 6360,



6361, 6375, 6528, 6537, 6545, 6705, 6714, 6722, 6990, 7100, 7142, 7163, 7330, 7332, 7393, 7395, 9123, 10769, 10771, 10805, 10807, 10873, 10874, 10879, 10880, 10977, 10994, 10999, 11058, 11061, 11082, 11085, 11098, 11112, 11113, 11114, 11115, 11117, 11341, 11429, 11451, 11452, 11460, 11571, 11573, 11620, 11622, 11841, 11879, 11880, 12297, 12299, 12308, 12310, 12319, 12321, 12424, 12438, 12452, 12476, 12490, 12523, 12554, 12585, 12816, 12817, 12824, 12838, 13059, 13067, 13072, 13251, 13252, 13257, 13258, 13640, 13686, 13689, 14517, 14520, 14552, 14554, 14652, 14654, 15293, 15310, 15322, 15327, 15532, 15937, 15946, 15954, 15980, 15983, 16076, 16085, 16093, 16121, 16124, 16707, 16719, 16729, 16750, 16765, 16777, 17282,	17284, 17286, 17289, 17295, 17304, 17306, 17308, 17314, 17862, 17864, 17866, 17869, 17875, 17883, 17885, 17888, 17894, 18545, 18547, 18549, 18552, 18558, 18566, 18568, 18571, 18577, 18727, 18753, 18786, 18789, 18809, 18812, 18814, 18816, 18827, 18828, 18836, 18840, 18842, 18849, 18851, 18856, 18858, 18867, 19331, 19332, 19348, 19349, 19350, 19357, 19359, 19360, 19413, 19568, 19679, 19683, 19687, 19786, 19789, 19803, 19819, 19836, 19843, 19848, 19909, 19963, 19965, 19967, 19983, 19987, 19992, 19994, 19997, 20001, 20006, 20010, 20014, 20028, 20033, 20035, 20038, 20042, 20045, 20091, 20095, 20116, 20120, 20182, 20186, 20282, 20283, 20285, 20288, 20289, 20292, 20517, 20529, 20532, 20540, 20541,	20560, 20572, 20575, 20589, 20590, 20594, 20612, 20908, 20969, 20981, 21016, 21018, 21063, 21065, 21453 \ExplSyntaxOff ... 15285 \ExplSyntaxOn 15261 \extrafeetendmini 9080, 9106 \extrafeetendminihook 9104, 9105 \extrafeetins . 9037, 9038 \extrafeetinshook 9065, 9066 \extrafeetminihook 9079 \extrainfo 2439 \extrarowheight 379, 13614, 13622 \extrarulesep 18780 \extratitle 17001, 17550, 18249
F		
		\f@nch@everypar .. 10747 \f@nch@foot 10755 \f@nch@head 10749 \f@nch@reset 10749, 10755 \f@nch@vbox . 10750, 10756 \f@size 340 \FamilyKeyState .. 19784 \FamilyKeyStateProcessed 19784 \familyname 2432 \familynamecolour 2401, 7762, 7860 \familynamefont 2410, 2418, 7802, 7896 \familynamestyle 2418, 7813, 7903, 7924 \FamilySetBool ... 19783 \fancy@oval 10717 \fancyfoot 2531, 4783, 4784, 7828 \fancyhead 4772, 4773, 4774, 5999, 6000, 6011, 6012, 6013 \fancyhf .. 2380, 4770, 4779, 4789, 5997, 6008



\fancyhf[offset	4763, 4764	\FeetAboveFloat	10534, 10538
\fancypagestyle	2377, 2530, 4778, 4788, 7827	\FeetAtBottom	10536
\FAX	2397	\FeetBelowFloat	10535
\fax	2437	\FeetBelowRagged	10537, 10539
\faxsymbol	2397, 7837, 7935	\ff@backcol	10988
\fb@adjheight 11416, 11486, 11506	\ff@col	10986
\fb@afterframe 11411, 11436, 11494	\ff@frametype	10984, 10995
\FB@captype 10878, 10879, 10881	\ff@txtcol 10976, 10977, 10987
\fb@frh	. . 11423, 11427, 11442, 11477, 11480	\fi 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117,	134, 136, 142, 150, 154, 158, 162, 169, 177, 184, 193, 207, 208, 213, 218, 224, 227, 228, 229, 239, 290, 305, 309, 328, 336, 341, 355, 356, 368, 369, 372, 375, 391, 397, 399, 456,
\fb@put@frame	. . 11405, 11416, 11487, 11507	461, 499, 506, 514, 516, 523, 526, 527, 530, 549, 550, 556, 565, 588, 597, 604, 613, 617, 630, 633, 634, 635, 641, 642, 647, 650, 658, 666, 668, 675, 676, 683, 686, 687, 692, 700, 739, 749, 758, 766, 790, 792, 807, 812, 846, 853, 862, 868, 869, 875, 878, 885, 888, 889, 894, 902, 910, 912, 919, 920, 924, 944, 945, 946, 963, 991, 1001, 1010, 1018, 1042, 1044, 1059, 1064, 1098, 1105, 1114, 1118, 1124, 1125, 1130, 1133, 1141, 1149, 1151, 1158, 1159, 1167, 1170, 1171, 1176, 1189, 1192, 1193, 1194, 1213, 1241, 1251,	1260, 1268, 1292, 1294, 1309, 1314, 1352, 1353, 1355, 1358, 1360, 1361, 1366, 1380, 1381, 1395, 1396, 1410, 1418, 1419, 1425, 1426, 1430, 1435, 1438, 1443, 1446, 1454, 1455, 1464, 1465, 1477, 1478, 1489, 1530, 1536, 1542, 1586, 1587, 1594, 1595, 1607, 1613, 1614, 1657, 1663, 1669, 1675, 1681, 1693, 1699, 1705, 1711, 1725, 1732, 1739, 1749, 1766, 1776, 1781, 1787, 1790, 1798, 1806, 1850, 1865, 1866, 1873, 1874, 1885, 1921, 2132, 2138, 2144, 2159, 2180, 2184, 2185, 2187, 2243, 2244, 2250, 2265, 2266, 2269, 2272, 2275, 2279, 2280, 2288, 2502, 2503, 2504, 2506, 2534, 2542, 2590, 2604, 2619, 2620, 2642, 2643, 2658, 2668, 2682, 2692, 2701, 2708, 2778, 2786, 2792, 2798, 2804, 2810, 2816, 2822, 2828, 2841, 2850, 2853, 2859, 2868, 2871, 2893, 2900, 2944, 2979, 3130, 3148, 3316, 3319, 3426, 3471, 3476, 3481, 3484, 3485, 3486, 3494, 3504, 3506, 3514, 3521, 3524, 3528, 3535, 3540, 3551, 3563, 3564,
\fbox 2081, 2091, 7169, 8416, 12071, 12077, 12084, 12090, 12096, 12102, 12110, 12114, 12119, 12123, 12127, 12131, 12146, 12147, 12162, 12163, 12172, 12176, 12181, 12185, 12189, 12193, 12201, 12207, 12214, 12220, 12226, 12232, 15662		
\fboxrule	2029, 11379, 11385, 11391, 11393, 11395, 11397		
\fboxsep	. . 2030, 2097, 2106, 7131, 7132, 7133, 7169, 11379, 11391, 11393, 11395, 11397, 15661, 20504, 20505, 20506, 20602		
\fcolorbox 2031		



3602, 3606, 3613,	6790, 6844, 6849,	8269, 8289, 8373,
3617, 3619, 3658,	6887, 6894, 6902,	8388, 8397, 8398,
3750, 3784, 3822,	6909, 6912, 6913,	8399, 8400, 8430,
3828, 3832, 3837,	6917, 6927, 6929,	8443, 8446, 8447,
3851, 3890, 3916,	6931, 6940, 6946,	8450, 8457, 8463,
3930, 3942, 3957,	6947, 6954, 6965,	8470, 8471, 8477,
3993, 4005, 4037,	6970, 6989, 6991,	8484, 8494, 8565,
4048, 4102, 4104,	6992, 6993, 7001,	8570, 8604, 8662,
4105, 4134, 4136,	7012, 7014, 7023,	8667, 8705, 8711,
4140, 4141, 4150,	7028, 7030, 7045,	8719, 8721, 8723,
4152, 4173, 4174,	7046, 7047, 7049,	8725, 8734, 8740,
4176, 4190, 4191,	7051, 7076, 7083,	8741, 8749, 8760,
4193, 4194, 4209,	7089, 7101, 7102,	8765, 8786, 8789,
4222, 4223, 4231,	7114, 7115, 7126,	8792, 8794, 8801,
4248, 4303, 4313,	7130, 7131, 7135,	8802, 8806, 8829,
4324, 4511, 4517,	7136, 7138, 7145,	8849, 8884, 8925,
4710, 4713, 4716,	7151, 7170, 7173,	9001, 9002, 9013,
4719, 4738, 4749,	7174, 7180, 7185,	9014, 9025, 9026,
4979, 4988, 5015,	7208, 7231, 7254,	9047, 9055, 9056,
5023, 5032, 5067,	7277, 7292, 7295,	9064, 9088, 9090,
5076, 5252, 5309,	7296, 7312, 7316,	9096, 9102, 9103,
5311, 5321, 5647,	7317, 7319, 7340,	9118, 9147, 9148,
5648, 5765, 5766,	7365, 7372, 7381,	9151, 9152, 9154,
5767, 5945, 6023,	7383, 7403, 7424,	9177, 9187, 9222,
6075, 6088, 6096,	7431, 7440, 7442,	9239, 9286, 9295,
6127, 6128, 6183,	7452, 7491, 7498,	9328, 9344, 9389,
6184, 6188, 6195,	7507, 7510, 7517,	9399, 9434, 9451,
6200, 6209, 6238,	7530, 7538, 7544,	9498, 9508, 9543,
6246, 6248, 6303,	7549, 7551, 7552,	9560, 9607, 9617,
6305, 6309, 6328,	7553, 7586, 7587,	9651, 9669, 9716,
6330, 6331, 6332,	7603, 7612, 7617,	9726, 9760, 9778,
6343, 6345, 6346,	7618, 7664, 7672,	9825, 9835, 9870,
6355, 6357, 6394,	7681, 7684, 7691,	9887, 9934, 9944,
6403, 6407, 6413,	7705, 7713, 7719,	9979, 9996, 10043,
6414, 6419, 6422,	7724, 7726, 7727,	10053, 10088,
6430, 6438, 6445,	7728, 7729, 7743,	10105, 10172,
6446, 6453, 6456,	7778, 7785, 7792,	10217, 10224,
6457, 6463, 6473,	7799, 7824, 7873,	10228, 10245,
6505, 6507, 6509,	7879, 7885, 7891,	10266, 10279,
6521, 6531, 6540,	7905, 7920, 7966,	10286, 10290,
6548, 6571, 6580,	7969, 7970, 7987,	10307, 10362,
6584, 6590, 6591,	7990, 7991, 8016,	10371, 10451,
6596, 6599, 6607,	8032, 8033, 8035,	10458, 10479,
6615, 6622, 6623,	8044, 8053, 8054,	10516, 10530,
6630, 6633, 6634,	8073, 8086, 8087,	10547, 10555,
6640, 6661, 6682,	8096, 8105, 8106,	10562, 10565,
6684, 6686, 6698,	8109, 8125, 8132,	10566, 10570,
6708, 6717, 6725,	8148, 8154, 8170,	10573, 10578,
6745, 6751, 6752,	8177, 8234, 8237,	10585, 10602,
6756, 6758, 6781,	8248, 8251, 8263,	10665, 10670,



10704,	10711,	11886,	11892,	12539,	12570,
10713,	10715,	11893,	11896,	12601,	12627,
10725,	10729,	11903,	11915,	12630,	12633,
10736,	10737,	11916,	11929,	12636,	12645,
10738,	10739,	11939,	11945,	12647,	12651,
10779,	10795,	11952,	11958,	12657,	12659,
10797,	10815,	11959,	11975,	12662,	12676,
10835,	10837,	11979,	11984,	12681,	12690,
10848,	10855,	11988,	11989,	12698,	12710,
10871,	10893,	11999,	12000,	12715,	12723,
10901,	10905,	12005,	12006,	12730,	12741,
10919,	10926,	12007,	12015,	12746,	12752,
11003,	11005,	12024,	12026,	12759,	12770,
11007,	11016,	12027,	12028,	12775,	12785,
11018,	11020,	12029,	12030,	12791,	12795,
11028,	11031,	12042,	12044,	12798,	12826,
11033,	11048,	12045,	12046,	12830,	12845,
11062,	11086,	12047,	12048,	12853,	12861,
11170,	11172,	12053,	12059,	12869,	12878,
11208,	11261,	12060,	12061,	12886,	12895,
11269,	11283,	12074,	12080,	12903,	12911,
11297,	11298,	12087,	12093,	12923,	12929,
11313,	11314,	12099,	12105,	12932,	12933,
11337,	11380,	12106,	12107,	12934,	12949,
11394,	11396,	12112,	12116,	12960,	12961,
11406,	11474,	12121,	12125,	12966,	12978,
11475,	11503,	12129,	12133,	12995,	12999,
11508,	11517,	12134,	12135,	13002,	13005,
11530,	11531,	12136,	12143,	13007,	13031,
11532,	11546,	12151,	12159,	13032,	13033,
11581,	11603,	12167,	12174,	13034,	13045,
11606,	11630,	12178,	12183,	13046,	13063,
11656,	11659,	12187,	12191,	13074,	13086,
11670,	11675,	12195,	12196,	13098,	13111,
11684,	11690,	12197,	12204,	13113,	13132,
11692,	11693,	12210,	12217,	13139,	13147,
11709,	11719,	12223,	12229,	13166,	13176,
11728,	11738,	12235,	12236,	13184,	13215,
11743,	11748,	12237,	12238,	13216,	13226,
11760,	11762,	12239,	12240,	13227,	13244,
11763,	11777,	12241,	12250,	13253,	13259,
11793,	11795,	12255,	12256,	13293,	13296,
11798,	11799,	12260,	12272,	13375,	13378,
11800,	11806,	12280,	12284,	13381,	13384,
11808,	11819,	12285,	12300,	13387,	13390,
11825,	11828,	12311,	12322,	13393,	13396,
11835,	11844,	12342,	12353,	13400,	13403,
11850,	11852,	12364,	12379,	13406,	13409,
11854,	11857,	12394,	12409,	13412,	13415,
11865,	11871,	12468,	12506,	13418,	13421,



13424,	13427,	14505,	14507,	15447,	15472,
13430,	13433,	14511,	14521,	15474,	15485,
13436,	13439,	14533,	14540,	15496,	15503,
13442,	13445,	14562,	14569,	15509,	15511,
13448,	13451,	14572,	14593,	15514,	15515,
13454,	13457,	14603,	14633,	15529,	15583,
13460,	13463,	14639,	14640,	15584,	15587,
13466,	13469,	14662,	14669,	15591,	15592,
13472,	13475,	14672,	14693,	15595,	15600,
13478,	13481,	14703,	14730,	15601,	15606,
13484,	13487,	14736,	14737,	15621,	15622,
13490,	13493,	14742,	14762,	15623,	15624,
13496,	13499,	14772,	14773,	15625,	15627,
13502,	13505,	14778,	14779,	15630,	15638,
13508,	13511,	14785,	14789,	15649,	15654,
13514,	13517,	14790,	14793,	15659,	15662,
13520,	13523,	14797,	14802,	15663,	15670,
13526,	13529,	14805,	14809,	15672,	15676,
13532,	13535,	14814,	14818,	15678,	15687,
13538,	13541,	14826,	14837,	15689,	15691,
13544,	13547,	14851,	14856,	15700,	15702,
13550,	13553,	14862,	14879,	15704,	15713,
13556,	13559,	14887,	14893,	15715,	15717,
13562,	13565,	14902,	14915,	15726,	15728,
13568,	13571,	14923,	14927,	15749,	15769,
13574,	13577,	14931,	14935,	15781,	15782,
13580,	13583,	14978,	14980,	15789,	15798,
13586,	13589,	15001,	15008,	15802,	15815,
13595,	13597,	15040,	15044,	15818,	15819,
13600,	13609,	15048,	15125,	15820,	15826,
13610,	13625,	15132,	15151,	15827,	15832,
13647,	13652,	15156,	15161,	15835,	15843,
13661,	13665,	15168,	15178,	15851,	15858,
13706,	13707,	15179,	15182,	15859,	15866,
13711,	13712,	15183,	15184,	15869,	15870,
13714,	13719,	15189,	15194,	15876,	15891,
13724,	13732,	15198,	15204,	15912,	15914,
13736,	13769,	15210,	15215,	15916,	15930,
13791,	13815,	15218,	15224,	15940,	15949,
13823,	14014,	15243,	15256,	15957,	15981,
14340,	14409,	15257,	15302,	15983,	15998,
14413,	14416,	15316,	15324,	16003,	16037,
14421,	14422,	15325,	15329,	16044,	16053,
14423,	14424,	15337,	15352,	16069,	16079,
14425,	14426,	15360,	15395,	16088,	16096,
14438,	14452,	15404,	15405,	16122,	16124,
14455,	14461,	15423,	15427,	16139,	16144,
14465,	14466,	15434,	15435,	16186,	16187,
14487,	14488,	15437,	15439,	16189,	16192,
14489,	14494,	15440,	15441,	16198,	16199,



16204,	16207,	17099,	17120,	18044,	18046,
16215,	16223,	17127,	17132,	18050,	18052,
16230,	16231,	17137,	17140,	18056,	18058,
16238,	16241,	17141,	17142,	18062,	18064,
16242,	16248,	17144,	17171,	18068,	18070,
16252,	16265,	17195,	17196,	18074,	18102,
16268,	16269,	17197,	17215,	18111,	18113,
16270,	16277,	17216,	17224,	18124,	18131,
16279,	16281,	17230,	17243,	18154,	18160,
16285,	16314,	17253,	17271,	18166,	18169,
16383,	16388,	17277,	17301,	18192,	18197,
16424,	16430,	17403,	17412,	18198,	18210,
16438,	16445,	17414,	17425,	18220,	18225,
16448,	16449,	17432,	17455,	18228,	18265,
16453,	16454,	17461,	17467,	18266,	18272,
16455,	16466,	17470,	17493,	18279,	18282,
16468,	16470,	17498,	17499,	18297,	18302,
16479,	16503,	17511,	17521,	18303,	18334,
16512,	16565,	17526,	17529,	18338,	18345,
16570,	16608,	17566,	17567,	18362,	18383,
16615,	16623,	17573,	17580,	18390,	18395,
16630,	16633,	17583,	17598,	18400,	18403,
16634,	16638,	17603,	17604,	18404,	18405,
16648,	16650,	17607,	17610,	18407,	18434,
16652,	16661,	17623,	17626,	18458,	18459,
16666,	16673,	17631,	17634,	18460,	18478,
16682,	16716,	17639,	17642,	18479,	18487,
16720,	16730,	17651,	17655,	18493,	18506,
16761,	16766,	17662,	17679,	18516,	18534,
16767,	16778,	17700,	17707,	18540,	18564,
16779,	16793,	17712,	17717,	18655,	18658,
16795,	16799,	17720,	17721,	18700,	18716,
16803,	16805,	17722,	17724,	18721,	18725,
16810,	16814,	17751,	17775,	18726,	18743,
16817,	16821,	17776,	17777,	18751,	18757,
16823,	16827,	17795,	17796,	18764,	18771,
16854,	16863,	17804,	17810,	18777,	18782,
16865,	16876,	17823,	17833,	18813,	18870,
16883,	16906,	17851,	17857,	18871,	18887,
16912,	16918,	17881,	17976,	18888,	18904,
16921,	16944,	17983,	17984,	18942,	18949,
16949,	16950,	18000,	18001,	18951,	18966,
16962,	16972,	18002,	18003,	18977,	18980,
16977,	16980,	18004,	18005,	18987,	18988,
17017,	17018,	18006,	18007,	18989,	18994,
17024,	17031,	18014,	18016,	18998,	18999,
17034,	17049,	18020,	18022,	19014,	19037,
17054,	17055,	18026,	18028,	19044,	19062,
17056,	17072,	18032,	18034,	19063,	19079,
17075,	17082,	18038,	18040,	19080,	19081,



19085,	19086,	20097,	20102,	20587,	20590,
19095,	19099,	20106,	20112,	20604,	20609,
19100,	19101,	20118,	20122,	20655,	20656,
19107,	19110,	20128,	20131,	20664,	20674,
19111,	19112,	20133,	20134,	20683,	20684,
19120,	19131,	20135,	20138,	20687,	20691,
19132,	19134,	20141,	20144,	20692,	20727,
19135,	19141,	20145,	20154,	20753,	20772,
19142,	19143,	20160,	20169,	20780,	20786,
19151,	19154,	20170,	20178,	20792,	20800,
19155,	19163,	20184,	20188,	20807,	20808,
19164,	19165,	20191,	20192,	20809,	20815,
19166,	19174,	20203,	20204,	20820,	20823,
19177,	19181,	20214,	20215,	20831,	20832,
19182,	19183,	20219,	20223,	20840,	20841,
19191,	19194,	20227,	20231,	20849,	20850,
19198,	19199,	20235,	20239,	20858,	20859,
19200,	19208,	20243,	20247,	20867,	20868,
19211,	19215,	20251,	20256,	20869,	20870,
19216,	19217,	20264,	20267,	20873,	20876,
19225,	19228,	20274,	20275,	20879,	20882,
19232,	19233,	20279,	20286,	20883,	20884,
19234,	19242,	20309,	20315,	20885,	20887,
19245,	19249,	20326,	20331,	20889,	20890,
19250,	19251,	20337,	20339,	20897,	20900,
19259,	19262,	20346,	20349,	20902,	20906,
19267,	19268,	20362,	20371,	20907,	20910,
19269,	19277,	20384,	20387,	20926,	20927,
19280,	19286,	20398,	20404,	20935,	20936,
19287,	19288,	20405,	20411,	20939,	20940,
19296,	19299,	20416,	20419,	20941,	20942,
19306,	19307,	20433,	20438,	20943,	20949,
19308,	19316,	20441,	20442,	20954,	20962,
19319,	19333,	20443,	20444,	20979,	20985,
19341,	19342,	20448,	20451,	20987,	20994,
19343,	19351,	20453,	20459,	21004,	21006,
19354,	19376,	20460,	20474,	21026,	21050,
19391,	19392,	20484,	20485,	21053,	21073,
19393,	19534,	20492,	20497,	21093,	21096,
19550,	19642,	20500,	20503,	21099,	21117,
19656,	19659,	20504,	20507,	21132,	21150,
19661,	19689,	20508,	20510,	21152,	21161,
19690,	19691,	20519,	20520,	21170,	21205,
19698,	19713,	20524,	20530,	21214,	21246,
19730,	19752,	20536,	20537,	21249,	21250,
19791,	19792,	20538,	20541,	21251,	21252,
20060,	20062,	20547,	20551,	21253,	21261,
20069,	20071,	20562,	20563,	21275,	21279,
20084,	20085,	20567,	20573,	21280,	21284,
20086,	20093,	20585,	20586,	21292,	21293,



21294,	21295,	\floatc@bidituftefloatrule	\footdir@LeftRightElse
21296,	21317, 4925	. 11051, 11067, 11144
21324,	21330,	\floatc@plain	\footdir@name
21331,	21332,	\floatingpenalty ..	. 11094, 11097, 11098
21333,	21335,	.. 41, 55, 71, 244,	\footdir@ORG@bidi@amsart@footnotetext
21336,	21337,	258, 273, 7975, 79
21355,	21371,	7996, 8043, 8050,	\footdir@ORG@bidi@amsart@LTRfootnotetext
21390,	21393,	8095, 8102, 9074, 81
21394,	21398,	11213, 11230, 11246	\footdir@ORG@bidi@amsart@RTLfootnotetext
21399,	21401,	\floatstyle 80
21409,	21411,	\flushleft ... 2098, 2107	\footdir@ORG@bidi@amsbook@footnotetext
21516,	21522, 21528	\FN@sf@@footnote 282
\figcaption .	12024, 12042 2125, 2129	\footdir@ORG@bidi@amsbook@LTRfootnotetext
\fill	5938, 5942,	\FN@sf@@footnotemark 284
12059,	12254, 2154, 2156	\footdir@ORG@bidi@amsbook@RTLfootnotetext
13595,	13597, 13599	\FN@sf@@LTRfootnote 283
\filright ..	18929, 18958 2126, 2135	\footdir@ORG@bidi@footnotetext
\FirstFrameCommand		\FN@sf@@RTLfootnote 11264
 11393, 11439 2127, 2141	\footdir@ORG@bidi@LTRfootnotetext
\firstmark	7338,	\FN@sf@gobble@bracket 11266
7401,	10777, 2165, 2168	\footdir@ORG@bidi@RTLfootnotetext
10813,	10970,	\FN@sf@gobble@opt 11265
11579,	11628, 2131,	\footdir@temp
14560,	14660,	2137, 2143, 2146	.. 79, 80, 81, 282,
21024,	21071, 21382	\FN@sf@gobble@optionly	283, 284, 11103,
\firstname	2431 2158, 2161	11264, 11265, 11266
\firstnamecolour ..		\FN@sf@gobble@twobracket	\footdir@toks
... 2400, 7763, 7859	 2150, 2153	.. 11044, 11111,
\firstnamefont		\font	11112, 11113, 11117
.... 2409, 2417,		18667, 18668	\footdir@write
7801, 7802, 7893, 7896		\fontdimen . 18667, 18668	. 11038, 11068, 11107
\firstnamestyle 2417,		\fontsize	\footersymbol
7813, 7903, 7924		. 303, 5893, 5895, 7820, 7821,
\fivecolumnfootnotes		5897, 7801, 7893,	7836, 7837, 7838, 7839
..... 9480		12944, 15241, 15254	\footfootmark
\Fld@width ... 12844,		\foo	8866, 8991, 9214,
12852, 12860, 12868		15307, 15309, 15319, 15321	9320, 9426, 9535,
\flnnew@within ... 10878		\footdir@abspage ..	9644, 9753, 9862,
\float@newx	10872 11073,	9971, 10080, 10347
\floatalignment ...		11076, 11077,	\footfudgefactor ..
.... 4567, 4568,		11080, 11081, 11084	. 10145, 10234, 10296
4609, 4610, 4632,		\footdir@debug 11045,	\footins
4639, 4647, 4698, 4909		11053, 11057,	35, 49,
\FloatBarrier . 4539, 4889		11060, 11070,	65, 238, 252, 267,
\floatc@bidituftefloatplain		11077, 11081, 11084	7975, 7996, 8000,
..... 4907,		\footdir@debugfalse 1704	8001, 8012, 8015,
4917, 4924, 4930, 4938		\footdir@debugtrue	8019, 8043, 8049,
\floatc@bidituftefloatplain	 1702, 11043	8057, 8058, 8069,
..... 4924		\footdir@fntext ...	8072, 8076, 8095,
		. 11091, 11108, 11110	8101, 8883, 8897,



10455,	10464,	10032,	10043,	11154,	11159,
10487,	10491,	10053,	10063,	11160,	11162,
10500,	10504,	10190,	10191,	11751,	11784,
10510,	10525,	10221,	10223,	14905,	15599,
11207,	11224,	10248,	10249,	18921,	21113,
11240,	11563,	10283,	10285,	\footnotes	5290
11564,	11612,	10304,	10332,	\footnotesep . .	29, 31,
11613,	11666,	14962,	14963,	40,	46,
11667,	11668,	14970,	14971,	54,	60,
11669,	11689,	14977,	14978,	70,	76,
11690,	11700,	14993,	15037,	243,	249,
11709,	11730,	\footmarkstyle	8988,	257,	263,
11748,	11751,	\footmarkwidth . . .	9027	272,	278,
15597,	15598,	8987,	7972,	7993,
15600,	21104,	8993,	8995,	8018,	8075,
21110,	21114,	8997,	9000,	8867,	8875,
21119,	21137,	9007,	9004,	10215,	10277,
\footinsdim	9070,	9012,	9005,	11212,	11220,
9071,	9135,	9016,	9017,	11229,	11237,
9165,	9274,	9019,	9021,	11245,	11253,
9377,	9486,	9024,	9024,	11280,	11294,
9595,	9704,	9031,	9031,	11308,	12939,
9922,	9813,	9034	9034	\footnotesize . . .	38,
10031,	10190,	\footnote	410,	52,	68,
10196,	10248,	484,	734,	106,	226,
10225,	10227,	986,	1085,	241,	255,
10254,	10255,	1336,	1236,	270,	406,
10287,	10289,	2125,	2128,	730,	982,
10306,	10320,	5475,	5794,	1232,	1259,
14966,	14967,	6516,	6693,	2531,	4447,
14974,	14975,	6872,	8523,	4448,	4486,
14979,	14980,	8591,	8616,	5105,	5106,
14994,	15041,	8690,	10623,	5299,	5347,
15042,	9132,	10691,	14456,	5365,	5612,
\footinsv@r . . .	9133,	14459,	15925,	6689,	6794,
9042,	9134,	16024,	16062,	8519,	8612,
9135,	9165,	16168,	16322,	9069,	9067,
9166,	9177,	16410,	16519,	11203,	11204,
9197,	9187,	16593,	16897,	11205,	11210,
9274,	9275,	17013,	17446,	11227,	11243,
9286,	9295,	17562,	18145,	11273,	11287,
9377,	9304,	18261	\footnotelayout . . .	11301,	12931,
9399,	9409,	\footnotemark	15400,	15402,	
9486,	9487,	2154,	5293,	15921,	16058,
9518,	9498,	2155,	5294,	16318,	16515,
9607,	9508,	11342,	5297	16893,	17442,
9627,	9596,	11356,	\footnoterule	\footnotetext	18141,
9704,	9617,	14457,	14460	2200,	6254,
9726,	9716,	10457,	\footnoterule	6264	
9814,	9736,	9116,	10756	\footrule	
9845,	9825,	9131,	8022,	\footrulewidth	4768,
9934,	9922,	10457,	8027,	\footscript	
9944,	9954,	10490,	8055,	8988,	
10031,		11035,	8073,	8994,	
		11136,	8077,	8998,	
		11139,	8081,	9000	
			8858,	\footskip . . .	
			9087,	10756,	21368
			9095,	\foottextfont . . .	
			9116,	8867,	
			9131,	8887,	
			10457,	8929,	
			10503,	9067,	
			11132,	9160,	
			11139,	9179,	
				9214,	
				9225,	
				9269,	
				9288,	



9320, 9331, 9372,	\ftn@amount . . . 11667,	14070, 14071,
9391, 9426, 9437,	11668, 11669,	14072, 14074,
9481, 9500, 9535,	11676, 11680, 11681	14077, 14078,
9546, 9590, 9609,	\ftn@font	14080, 14083,
9644, 9655, 9699,	. 16868, 17417, 18116	14085, 14088,
9718, 9753, 9764,	\ftn@rule@height . .	14093, 14101,
9808, 9827, 9862, 16875,	14102, 14104,
9873, 9917, 9936,	16878, 16882,	14105, 14106,
9971, 9982, 10026,	16885, 17424,	14107, 14108,
10045, 10080,	17427, 17431,	14109, 14110,
10091, 10150,	17434, 18123,	14112, 14113,
10185, 10214,	18126, 18130, 18133	14114, 14115,
10239, 10276,	\ftn@rule@test@values	14117, 14118,
10311, 10347, 10372 16874,	14128, 14136,
\forcerectofloat . . 4570	16881, 17423,	14137, 14138,
\forceversofloat . . 4571	17430, 18122, 18129	14140, 14145,
\forvariable	\ftn@rule@width 16878,	14146, 14151,
3730, 3736, 3812,	16885, 17427,	14152, 14156,
3848, 3855, 3860,	17434, 18126, 18133	14161, 14164,
3866, 3871, 3875, 3876	\ftnm@font	14171, 14173,
\fourcolumnfootnotes	. 16870, 17419, 18118	14176, 14177,
..... 9371	\full@width	14181, 14183,
\fp 14112,	. 14829, 14841, 14892	14184, 14187,
14113, 14114, 14115	\futurelet . . . 783,	14188, 14189,
\fps@figure 12012	785, 1035, 1037,	14193, 14194,
\framebox 7811,	1285, 1287, 2698,	14198, 14199,
7942, 14771, 14777	3530, 3533, 15974,	14206, 14221,
\FrameCommand 11391	15976, 16115, 16117	14222, 14223,
\FrameHeightAdjust 11465		14225, 14230,
\FrameRestore . 11399,		14233, 14234,
11403, 11519, 11520	G	
\fromaddress	\g 8295, 8297, 8301, 8394,	14237, 14241,
.... 8784, 8790,	13810, 13815,	14242, 14243,
8800, 12997, 13003	13817, 13823,	14247, 14248,
\fromname 8805	13825, 13868,	14249, 14256,
\fromplace 18068	13872, 13873,	14257, 14258,
\fromsig 8804, 8806, 18075	13919, 13923,	14260, 14261,
\fromvalue 3730,	13924, 13941,	14264, 14265,
3816, 3839, 3861, 3876	13942, 13979,	14270, 14276,
\frontmatter 5992	13995, 13998,	14287, 14292,
\fs@bidituftefloatboxed	14004, 14005,	14293, 14294,
..... 4936	14006, 14007,	14298, 14301,
\fs@bidituftefloatplain	14008, 14017,	14302, 14303,
..... 4915, 4923	14018, 14020,	14304, 14306,
\fs@bidituftefloatplaintop	14022, 14023,	14314, 14328,
..... 4923	14024, 14031,	14329, 14330,
\fs@bidituftefloatruled	14032, 14037,	14331, 14333,
..... 4928	14043, 14052,	14336, 14344,
\fslice . 15417, 15418,	14055, 14063,	14345, 14348,
15420, 15421, 15424	14064, 14067,	14352, 14353,
	14068, 14069,	14355, 14357,



14358,	14359,	11832,	11833,	1326,
14363,	14364,	18892,	18893,	1454,
14365,	14370,	\Gin@eheight	1455,
14377,	15264,	\Gin@esetsize	1977,
15266,	15275,	\Gin@ewidth .	15248,	1978,
15278		\Gin@exclamation ..	15249	1979,
\g@addto@macro ..		. 11878,	15248,	1980,
3975,	4219,	15251		1981,
4304,	4565,	\Gin@gridfalse ..	15234	1982,
5251,	5253,	\Gin@ii	11837	1983,
8324,	8327,	\Gin@iii ...	11826,	1984,
8329,	19991,	11840		1985,
20287		\Gin@llx	11830	1986,
\g@mix@page@int ..	14250	\Gin@lly	11831	1987,
\gdef ..	399,	\Gin@outer@scalex	15245	2187,
401,	2028,	\Gin@outer@scaley	15246	2190,
2400,	2401,	\Gin@scalex	15250	2193,
2402,	2403,	\Gin@scaley	15251	2196,
2405,	2407,	\Gin@urx	11832	2200,
2408,	2569,	\Gin@ury	11833	2203,
2593,	3408,	\Ginclude@graphics	2206,
3494,	3496,	11834,	11846	2285,
3506,	3508,	\Gininput@path	14010	2289,
3825,	3827,	\global	301,	2311,
3828,	4298,	430,	431,	2594,
4309,	4583,	432,	433,	2608,
4584,	4586,	434,	435,	2610,
4589,	4669,	436,	437,	2616,
4674,	4675,	438,	439,	2618,
4675,	4676,	440,	441,	2629,
4828,	4869,	459,	465,	2635,
5248,	5386,	466,	467,	2647,
5415,	5444,	468,	469,	2671,
5492,	5483,	470,	471,	2755,
5501,	5830,	472,	473,	2771,
5847,	5875,	474,	475,	3630,
5915,	5916,	476,	477,	3632,
5917,	5917,	512,	513,	3652,
6104,	6107,	664,	665,	3653,
6362,	6374,	772,	773,	3664,
6376,	7337,	774,	775,	3672,
7400,	8278,	776,	777,	3795,
8291,	10508,	778,	779,	3814,
10521,	10534,	780,	781,	3816,
10535,	10776,	810,	816,	3818,
10812,	11098,	817,	818,	3830,
11158,	11578,	819,	820,	3835,
11627,	13060,	821,	822,	4434,
13292,	13295,	823,	824,	4568,
14559,	14659,	825,	826,	4612,
15186,	15207,	908,	909,	4613,
15591,	18665,	1024,		4985,
18930,	18931,	1025,	1026,	4996,
18936,	18959,	1027,		4999,
18960,	20284,	1028,	1029,	5029,
20691,	20741,	1030,		5040,
20966,	21023,	1031,	1032,	5043,
21070		1033,		5073,
\geometry	4469,	1062,	1068,	5084,
4472,	4476,	1069,		5087,
4479,	4483	1070,	1071,	5141,
\Gin@angle	15247	1072,		5908,
\Gin@bboxtrue	11829	1073,	1074,	6105,
\Gin@defaultbp		1075,		6108,
..	11830,	1076,	1077,	6126,
	11831,	1078,		6130,
		1147,	1148,	6146,
		1274,		6157,
		1275,	1276,	6183,
		1277,		6184,
		1278,	1279,	6211,
		1280,		6224,
		1281,	1282,	6245,
		1283,		6255,
		1312,	1318,	6258,
		1319,		6261,
		1320,	1321,	6264,
		1322,		6267,
		1323,	1324,	6270,
		1325,		6302,
				6312,
				6326,
				6328,
				6333,
				6334,
				6340,
				6341,
				6343,
				6363,
				6375,
				6377,
				6435,
				6436,
				6554,
				6555,
				6556,
				6557,
				6558,
				6559,
				6560,
				6561,
				6562,
				6563,
				6612,
				6613,
				6731,
				6732,
				6733,
				6734,
				6735,
				6736,
				6737,
				6738,
				6739,
				6740,
				6818,
				6819,
				6820,
				6821,
				6822,
				6823,
				6824,
				6825,
				6826,
				6827,
				6828,
				6829,
				6847,
				6853,
				6854,
				6855,
				6856,
				6857,
				6858,
				6859,
				6860,
				6861,
				6862,
				6863,
				6864,
				6865,
				6899,
				6900,
				6992,
				7002,
				7003,



7004, 7005, 7006,	9677, 9761, 9773,	11676, 11677,
7007, 7008, 7009,	9786, 9870, 9882,	11678, 11680,
7017, 7030, 7035,	9895, 9979, 9991,	11681, 11682,
7039, 7095, 7324,	10004, 10088,	11683, 11765,
7325, 7335, 7342,	10100, 10113,	11778, 12438,
7376, 7387, 7388,	10136, 10150,	12452, 12476,
7398, 7405, 7435,	10223, 10227,	12490, 12523,
7494, 7502, 7512,	10285, 10289,	12554, 12585,
7522, 7531, 7533,	10357, 10382,	12648, 12658,
7534, 7537, 7540,	10396, 10467,	13242, 13634,
7550, 7564, 7565,	10511, 10514,	13635, 13686,
7567, 7569, 7570,	10520, 10526,	13689, 13708,
7572, 7578, 7579,	10528, 10533,	13709, 13717,
7582, 7584, 7585,	10552, 10553,	14389, 14390,
7588, 7591, 7596,	10641, 10642,	14391, 14392,
7605, 7613, 7668,	10643, 10644,	14393, 14394,
7676, 7686, 7695,	10645, 10646,	14395, 14396,
7697, 7706, 7708,	10647, 10648,	14397, 14414,
7709, 7712, 7715,	10649, 10650,	14509, 14546,
7725, 7733, 7734,	10668, 10674,	14547, 14557,
7741, 7967, 7974,	10675, 10676,	14563, 14566,
7988, 7995, 8007,	10677, 10678,	14568, 14570,
8015, 8019, 8036,	10679, 10680,	14571, 14573,
8039, 8047, 8052,	10681, 10682,	14578, 14586,
8064, 8072, 8076,	10683, 10684,	14588, 14596,
8088, 8091, 8099,	10764, 10765,	14597, 14598,
8104, 8404, 8541,	10774, 10780,	14599, 14601,
8542, 8543, 8544,	10800, 10801,	14602, 14605,
8545, 8546, 8547,	10810, 10817,	14606, 14637,
8548, 8549, 8550,	10888, 10891,	14638, 14646,
8568, 8574, 8575,	10924, 10927,	14647, 14657,
8576, 8577, 8578,	10929, 10935,	14663, 14666,
8579, 8580, 8581,	10936, 10937,	14668, 14670,
8582, 8583, 8584,	10955, 10959,	14671, 14673,
8636, 8637, 8638,	10962, 10965,	14678, 14686,
8639, 8640, 8641,	10967, 10971,	14688, 14696,
8642, 8643, 8644,	11269, 11270,	14697, 14698,
8645, 8646, 8647,	11283, 11284,	14699, 14701,
8665, 8671, 8672,	11297, 11298,	14702, 14705,
8673, 8674, 8675,	11552, 11553,	14706, 14734,
8676, 8677, 8678,	11554, 11555,	14735, 14741,
8679, 8680, 8681,	11561, 11562,	14742, 14754,
8682, 8683, 8716,	11563, 11564,	14755, 14756,
8717, 8925, 8936,	11565, 11566,	14757, 14758,
8947, 9111, 9113,	11576, 11585,	14759, 14761,
9154, 9222, 9234,	11610, 11611,	14767, 14839,
9247, 9328, 9339,	11612, 11613,	14856, 14862,
9351, 9434, 9446,	11614, 11615,	14879, 14887,
9459, 9543, 9555,	11625, 11634,	15127, 15339,
9568, 9652, 9664,	11663, 11664,	15356, 15357,



15358,	15359,	16549,	16550,	18760,	18761,
15367,	15374,	16568,	16574,	18762,	18779,
15407,	15431,	16575,	16576,	18791,	18796,
15432,	15433,	16577,	16578,	18800,	18812,
15632,	15682,	16579,	16580,	18849,	18851,
15848,	15849,	16581,	16582,	18856,	18858,
15963,	15964,	16583,	16584,	19125,	19126,
15965,	15966,	16585,	16586,	19129,	19130,
15967,	15968,	16620,	16621,	19657,	19658,
15969,	15970,	16975,	16987,	19708,	19712,
15971,	15972,	16988,	16989,	20281,	20429,
16001,	16007,	16990,	16991,	20437,	20447,
16008,	16009,	16992,	16993,	20450,	20494,
16010,	16011,	16994,	16995,	20752,	20969,
16012,	16013,	16996,	16997,	20980,	21010,
16014,	16015,	16998,	16999,	21011,	21021,
16016,	16017,	17000,	17001,	21028,	21057,
16102,	16103,	17002,	17003,	21058,	21068,
16104,	16105,	17004,	17005,	21075,	21167,
16106,	16107,	17006,	17007,	21178,	21181,
16108,	16109,	17008,	17009,	21211,	21222,
16110,	16111,	17209,	17263,	21225,	21253,
16112,	16113,	17265,	17524,	21262,	21263,
16142,	16148,	17536,	17537,	21264,	21265,
16149,	16150,	17538,	17539,	21267,	21270,
16151,	16152,	17540,	17541,	21271,	21285,
16153,	16154,	17542,	17543,	21290,	21304,
16155,	16156,	17544,	17545,	21305,	21307,
16157,	16158,	17546,	17547,	21316,	21349,
16159,	16160,	17548,	17549,	21361,	21364,
16220,	16221,	17550,	17551,	21366,	21373,
16352,	16353,	17552,	17553,	21377,	21379,
16354,	16355,	17554,	17555,	21380,	21383,
16356,	16357,	17556,	17557,	21392,	
16358,	16359,	17558,	17789,	\GlobalSetatBoolean	2764
16360,	16361,	17843,	17845,	\GlobalSetBoolean .	
16362,	16363,	18223,	18235, 2748, 4570,	
16386,	16392,	18236,	18237,	4571, 4598, 4599,	
16393,	16394,	18238,	18239,	4603, 4604, 4897, 4898	
16395,	16396,	18240,	18241,	\glossary . . 10949, 21344	
16397,	16398,	18242,	18243,	\glueexpr . . . 19837,	
16399,	16400,	18244,	18245,	19844, 19849,	
16401,	16402,	18246,	18247,	19910, 19971,	
16403,	16404,	18248,	18249,	19974, 19978, 19984	
16435,	16436,	18250,	18251,	\Gm@pageframes . . . 11940	
16539,	16540,	18252,	18253,	\Gm@vrule . . . 11923,	
16541,	16542,	18254,	18255,	11924, 11925,	
16543,	16544,	18256,	18257,	11927, 11928,	
16545,	16546,	18472,	18526,	11929, 11932,	
16547,	16548,	18528,	18756,	11933, 11934,	
				11937, 11938, 11939	



\Gm@vrules@mpi . . .	11920	\H@Cfootnotetext . . .	14510,	14612,
\Gm@vrules@mpii . . .	11930	... 8837, 12288,	14617,	14621,
\grid	15242, 15255	12299, 12368,	14712,	14713,
\Grot@box	11798,	12415, 12529,	14719,	14816,
11806, 16799,		12612, 12628, 12642	15846,	15871,
16810, 16817, 16827		\H@Cmpfootnotetext	16218,	16243,
\Grot@box@kv	11799	... 8843, 12297,	16334,	16377,
\Grot@box@std	11793	12331, 12335, 12419	16450,	16558,
\Grot@setangle	11794,	\H@refstepcounter 12818	16618,	16635,
11805, 16792,		\halign 6145, 13637	17175,	17215,
16802, 16813, 16820		\hangafter . . . 7185, 14482	17755,	17795,
\Grot@x	11796,	\hangindent 107,	18438,	18478,
11801, 16797,		108, 109, 227,	18703,	19388,
16807, 16815, 16825		228, 229, 640,	19546,	19652,
\Grot@y	11797,	867, 1123, 5765,	20044,	20157,
11802, 16798,		5766, 5767, 6412,	20194,	20196,
16808, 16815, 16826		6589, 7089, 7185,	20262,	20269,
\group	13991, 14012,	12932, 12933,	20271,	20703,
14299, 14312,		12934, 14475,	20884,	20885,
14317, 14324, 14380		14481, 15825,	20960,	21030,
\grp@aligned	7008	16197, 20887, 21411	21035,	21039,
\GRP@box	7003, 7035, 7037	\hb@xt@ 449,	21077,	21078,
\grp@eqs@numbered . .	7007	509, 528, 661, 688,	21084,	21274,
\grp@hasNumber	7012	890, 905, 1052,	21355,	21371, 21393
\GRP@label	7004	1144, 1172, 1971,	\hbadness	
\grp@linewidth	7006	6433, 6458, 6610,	4940, 7960, 7981,	
\GRP@queue	7003, 7039	6635, 6837, 6897,	18832,	18834,
\grp@setnumber	7012	6914, 7175, 7344,	20368, 20369, 20386	
\grp@shiftnumber . .	7009	7349, 7353, 7407,	\hbox	
\grp@wdL	7005	7408, 7414, 7472,	15, 28, 188, 210,	
\grp@wdNum	7006	7476, 7479, 7484,	232, 338, 372, 380,	
\grp@wdR	7005	7489, 7649, 7653,	397, 537, 647, 724,	
\grp@wdT	7005	7655, 7659, 7663,	875, 958, 1130,	
\Gscale@box		8448, 8460, 8558,	1204, 1406, 1465,	
. 11808, 11900, 11917		8655, 8714, 8993,	1618, 1889, 2170,	
\Gscale@div		9000, 9005, 9012,	4544, 4632, 4634,	
. 11899, 11906, 11909		9017, 9024, 10550,	4639, 4672, 4673,	
\Gscale@end	11812, 11858	10567, 10658,	4682, 4689, 4909,	
\Gscale@start	11812, 11858	10819, 10820,	4942, 5260, 5299,	
\Gscale@x	11810, 11856	10826, 10846,	5326, 5344, 5362,	
\Gscale@y	11810, 11856	10861, 10980,	5484, 5493, 5502,	
\gsetlength		11587, 11588,	5937, 5945, 6064,	
4432, 4585, 4677,		11594, 11636,	6114, 6118, 6129,	
5139, 5388, 5390,		11641, 11645,	6146, 6157, 6363,	
5417, 5419, 5446, 5448		11821, 11867,	6377, 6419, 6497,	
H		11922, 11927,	6596, 6650, 6924,	
\H@Cfootnotemark . .		11932, 11936,	7036, 7102, 7131,	
. 12329, 12418,		12993, 13156,	7291, 7294, 7311,	
12611, 12625, 12642		13163, 13170,	7315, 8019, 8022,	
		13175, 13243,	8025, 8076, 8077,	
			8079, 8281, 8286,	



8292,	8515,	8814,	17419,	17434,	\height .	11802,	11876,
10143,	10155,		17718,	17826,		12084,	12086,
10160,	10164,		17987,	17988,		12090,	12092,
10169,	10414,		17997,	18013,		12119,	12120,
10424,	10434,		18019,	18025,		12123,	12124,
10443,	10597,		18031,	18037,		12181,	12182,
10735,	10749,		18043,	18049,		12185,	12186,
10750,	10755,		18055,	18061,		12214,	12216,
10757,	10781,		18116,	18118,		12220,	12222,
10784,	10788,		18133,	18401,		14342,	14350,
10865,	10869,		18509,	18682,	\hfil . . .	15,	210,
10871,	10909,		18730,	18743,	509,	528,	661,
10914,	11124,		18771,	18782,	688,	890,	905,
11786,	11787,		18821,	18891,	1053,	1144,	1172,
11795,	11800,		20149,	20150,	1402,	1403,	1404,
11811,	11812,		20199,	20201,	1405,	1433,	1434,
11857,	11858,		20258,	20259,	1435,	1441,	1442,
11896,	11903,		20462,	20496,	1443,	1943,	1948,
12938,	12944,		20498,	20504,	6115,	6117,	6222,
12963,	13016,		20617,	20626,	6433,	6458,	6610,
13626,	13646,		20627,	20636,	6635,	6897,	6914,
13651,	13711,		20701,	20702,	7175,	7292,	7295,
13714,	13996,		20705,	20706,	7312,	7316,	7346,
14012,	14013,		20707,	20708,	7448,	7486,	7413,
14031,	14291,		20716,	20722,	7652,	7660,	7475,
14293,	14303,		20886,	20895,	7662,	8448,	8460,
14339,	14374,		20897,	20902,	8714,	9153,	10550,
14789,	14823,		20912,	20927,	10567,	10783,	
14839,	14841,		20956,	20957,	10823,	10825,	
14951,	15273,		21282,	21292,	10851,	10864,	
15275,	15278,		\hboxL	192,	10871,	11591,	
15351,	15400,		1610,	1612,	11593,	11638,	
15404,	15424,		11499,	11516,	11640,	11929,	
15457,	15461,		13158,	15547,	11934,	12963,	
15466,	15470,		\hboxR 190,	1604,	13243,	13651,	
15482,	15493,		1606,	1882,	14510,	14614,	
15510,	15520,		15537,	15537,	14616,	14716,	
15537,	15546,		\head@style . . .	614,	14718,	14816,	
15547,	15556,		921,	1115,	15404,	15458,	
15610,	15611,		15546,	1348,	15462,	15467,	
15612,	15614,		6404,	6581,	15471,	15483,	
15615,	15641,		15556,	15799,	15494,	15520,	
15659,	15670,		15611,	16182,	15846,	15871,	
15832,	15886,		15614,	16249,	16218,	16243,	
16204,	16309,		15641,	16311	16433,	16450,	
16433,	16463,		15659,	10957,	16618,	16635,	
16645,	16814,		15832,	21351	19388,	19546,	
16868,	16870,		16204,	10753,	19652,	20044,	
16885,	17138,		16433,	10755,	20157,	20194,	
17246,	17417,		16645,	10757,	20196,	20262,	
			16868,	10758,			
			16885,	10759,			



20269,	20271,	20260, 20417, 20958	6116, 6491, 6644,
20730,	20960,	\hfilneg 9147, 9151	6754, 6760, 6766,
21032,	21034,	\hfuzz . 8279, 18833, 18835	6772, 6920, 7955,
21081,	21083,	\hintcolour 2408	8511, 8810, 8859,
21293,	21295,	\hintfont 2416,	10593, 11127,
21332,	21333,	2424, 2478, 2485, 2490	11129, 11161,
21335,	21336, 21393	\hintscolumnwidth .	11504, 12941,
	 2444,	13012, 13769,
		2458, 2462, 2470,	14906, 14954,
		2478, 2484, 2490, 2547	15512, 15880,
		\hintstyle 2424	16303, 16459,
		\hline 13603, 13605, 13611	16641, 16878,
		\HLOFF 2033	16885, 17133,
		\HLON 2027	17427, 17434,
		\HLTR@LTRfootnotetext	17713, 17993,
		... 8839, 12290,	18126, 18133, 18396
		12321, 12398,	\hrulefill 28,
		12416, 12458,	232, 537, 724, 958,
		12560, 12614, 12634	1204, 6497, 6650,
		\HLTR@mpLTRfootnotetext	6924, 8515, 8814,
		... 8845, 12319,	10597, 11124,
		12333, 12357, 12420	12938, 13016,
		\hoffset 1957	14951, 15886,
		\hold@viper 7358,	16309, 16463,
		7361, 7417, 7420,	16645, 17138,
		7452, 7493, 7494,	17718, 17997, 18401
		7502, 7503, 7512,	\hspace 41, 55,
		7513, 7521, 7618,	71, 244, 258, 273,
		7667, 7668, 7676,	617, 924, 1118,
		7677, 7686, 7687,	1903, 2302, 4941,
		7696, 7732, 7734, 7735	4942, 5002, 5046,
		\holder . 15414, 15417,	5090, 5687, 6407,
		15426, 15436,	6584, 7032, 7292,
		15437, 15455,	7295, 7312, 7316,
		15459, 15464,	8889, 8903, 8917,
		15468, 15480,	8929, 8940, 8951,
		15484, 15491, 15495	9146, 9208, 9226,
		\href 2514, 2515,	9238, 9251, 9314,
		2518, 2519, 2522, 2523	9332, 9343, 9355,
		\HRTL@mpRTLfootnotetext	9420, 9438, 9450,
		... 8847, 12308,	9463, 9529, 9547,
		12332, 12346, 12421	9559, 9572, 9638,
		\HRTL@RTLfootnotetext	9656, 9668, 9681,
		... 8841, 12289,	9747, 9765, 9777,
		12310, 12383,	9790, 9856, 9874,
		12417, 12496,	9886, 9899, 9965,
		12591, 12613, 12631	9983, 9995, 10008,
		\hrule 31, 235, 533, 718,	10074, 10092,
		953, 1198, 4931,	10104, 10117,
		4932, 4942, 4943,	10154, 10315,



10327,	10339,	28, 209, 232, 305,	15069,	15071,
10373,	10376,	309, 527, 537, 647,	15073,	15075,
10387,	10390,	648, 687, 724, 875,	15078,	15080,
10401,	10404,	876, 889, 937, 958,	15082,	15084,
10870,	10871,	1130, 1131, 1171,	15086,	15089,
11214,	11231,	1204, 1351, 1404,	15091,	15094,
11247,	11274,	1405, 1443, 1467,	15096,	15099,
11288,	11302,	1470, 2561, 5648,	15101,	15103,
11319,	11320,	6088, 6132, 6133,	15106,	15108,
11399,	11504,	6136, 6138, 6139,	15110,	15113,
11534,	11537,	6142, 6419, 6420,	15115,	15117,
11541,	11544,	6457, 6497, 6596,	15131,	15368,
11545,	13239,	6597, 6634, 6650,	15375,	15832,
13243,	13637,	6913, 6924, 7104,	15833,	15870,
13648,	13651,	7107, 7174, 7345,	15886,	16185,
13681,	13738,	7352, 7356, 7357,	16204,	16205,
13739,	13746,	7474, 7478, 7481,	16242,	16309,
13769,	14506,	7482, 7651, 7654,	16449,	16463,
14510,	14743,	7656, 7657, 8020,	16634,	16645,
14823,	14825,	8021, 8024, 8034,	16723,	16725,
14833,	14872,	8035, 8078, 8447,	16732,	16734,
14876,	14880,	8515, 8814, 10141,	16770,	16772,
14883,	14888,	10566, 10597,	16781,	16783,
14891,	14938,	10782, 10787,	16885,	17138,
14942,	14946,	10791, 10792,	17434,	17718,
15573,	15575,	10847, 10863,	17997,	18133,
15743,	15802,	11124, 11637,	18401,	18691,
16252,	16314,	11644, 11648,	18697,	18709,
16330,	16373,	11649, 11922,	18714,	18930,
16852,	16859,	11924, 11925,	18959,	19120,
16861,	17175,	11928, 11933,	19151,	19174,
17176,	17215,	11936, 11938,	19191,	19208,
17401,	17408,	11939, 12844,	19225,	19242,
17410,	17755,	12852, 12860,	19259,	19277,
17756,	17795,	12868, 12877,	19296,	19316,
17974,	17979,	12885, 12894,	19351,	19543,
17981,	18100,	12902, 12938,	19702,	19734,
18107,	18109,	12962, 12994,	20144,	20191,
18438,	18439,	13016, 13151,	20201,	20256,
18478,	20209,	14613, 14620,	20954,	21031,
20212,	20217,	14624, 14625,	21038,	21042,
20221,	20225,	14790, 14802,	21043,	21276,
20229,	20233,	14814, 14872,	21278,	21292, 21295
20237,	20241,	14876, 14880,	\hspace{.},	108,
20245,	20465,	14883, 14884,	109,	228, 229,
20486,	20490,	14888, 14891,	546,	2479, 2484,
20657,	20667,	14892, 14951,	2490,	4684, 4691,
20811,	21184,	15054, 15057,	4913,	5591, 5592,
21228,	21389, 21393	15059, 15062,	5598,	5599, 5605,
\hspace{.}	14,	15064, 15066,	5606,	5612, 5613,



5740, 5766, 5767,	10790, 10822,	7984, 7993, 8001,
7942, 8115, 8118,	10828, 10980,	8011, 8013, 8029,
8122, 8124, 8129,	11590, 11596,	8058, 8068, 8070,
8131, 8135, 8138,	11643, 11647,	8083, 8432, 9155,
8141, 8145, 8147,	11821, 11867,	9261, 9266, 9364,
8151, 8153, 8157,	11925, 11939,	9369, 9473, 9478,
8160, 8163, 8167,	13163, 13170,	9582, 9587, 9691,
8169, 8174, 8176,	13175, 13646,	9696, 9800, 9805,
8467, 8801, 8995,	13654, 14033,	9909, 9914, 10018,
9007, 9019, 12059,	14294, 14375,	10023, 10127,
12075, 12088,	14619, 14623,	10132, 10145,
12100, 12113,	14715, 14721,	10216, 10278,
12122, 12130,	14859, 14860,	10731, 11424,
12175, 12184,	14873, 14874,	11431, 11448,
12192, 12205,	15382, 15392,	11455, 11456,
12218, 12230,	15612, 15623,	11469, 11473,
12254, 12933,	15624, 15625,	11496, 11667,
12934, 17170,	15846, 15871,	11672, 11814,
17185, 17190,	16218, 16243,	11815, 11817,
17192, 17193,	16334, 16377,	11860, 11861,
17750, 17765,	16433, 16450,	11863, 11996,
17770, 17772,	16559, 16618,	13077, 13094,
17773, 18073,	16635, 16868,	13612, 13670,
18433, 18448,	17246, 17255,	13683, 13698,
18453, 18455,	17417, 17826,	13700, 13701,
18456, 18654,	17835, 17987,	13767, 13774,
18655, 18936,	18116, 18509,	13777, 14597,
18948, 21510,	18518, 18703,	14601, 14606,
21514, 21519,	19546, 19652,	14697, 14701,
21521, 21525, 21527	20470, 20472,	14706, 14757,
\hss	20477, 20483,	14759, 14957,
450,	20703, 20821,	14963, 14967,
509, 528, 661, 688,	20872, 20873,	15426, 15484,
890, 905, 1144,	20875, 20876,	15495, 15500,
1172, 1634, 1903,	20878, 20879,	15501, 15502,
1972, 5707, 6433,	20884, 20885,	15503, 15507,
6458, 6610, 6635,	20942, 20943,	15522, 15639,
6838, 6897, 6914,	20944, 20945,	15662, 16709,
7175, 7351, 7355,	21037, 21041,	16751, 16754,
7410, 7416, 7477,	21080, 21086, 21280	16809, 16816,
7480, 7485, 7490,	\ht 378, 1453, 1486, 1624,	17199, 17201,
7653, 7655, 7659,	1895, 7123, 7132,	17202, 17779,
7663, 8023, 8033,	7134, 7450, 7452,	17781, 17782,
8078, 8087, 8281,	7459, 7465, 7466,	18462, 18464,
8284, 8286, 8289,	7467, 7521, 7560,	18465, 18731,
8292, 8448, 8460,	7578, 7590, 7614,	18767, 18779,
8559, 8656, 8714,	7618, 7628, 7636,	18894, 20505,
8994, 9000, 9006,	7637, 7640, 7641,	20507, 20913,
9012, 9018, 9024,	7643, 7644, 7696,	21256, 21266, 21270
10550, 10567,	7732, 7963, 7972,	\ht@strip 14754, 14755,
10659, 10786,		



14756, 14757,	12120, 12127,	12180, 12199, 12212
14758, 14761, 14763	12128, 12139,	\hvSet@capWidth 11994,
\ht@viper	12140, 12146,	11996, 12001, 12002
7449, 7454, 7477,	12149, 12155,	\hvSet@floatCapSep
7480, 7485, 7490,	12156, 12163, 12075,
7558, 7559, 7614,	12166, 12172,	12088, 12100,
7615, 7616, 7620,	12173, 12181,	12113, 12122,
7653, 7655, 7659, 7663	12182, 12189,	12130, 12175,
\httplink 2516	12190, 12207,	12184, 12192,
\Huge 5674, 6757,	12209, 12220,	12205, 12218, 12230
6769, 6949, 6957,	12222, 12232, 12234	\hvSet@floatPos . . 12012
8743, 8752, 10580,	\hvCapWidth . . . 11992,	\hvSet@objectAngle
10588, 16668, 16676	11994, 11996, 11983, 11987
\huge 557,	11998, 12002,	\hvSet@objectPos . .
5528, 5530, 5673,	12004, 12019, 12037 12056, 12058, 12252
6748, 6943, 8478,	\hvFloat 11966	\hvSet@rotAngle . . .
8487, 8737, 10575,	\hvMaxCapWidth 11977, 11977, 12246, 12249
16663, 16919,	11978, 11999,	\Hy@Acrobatmenu . . 12763
17032, 17468,	12000, 12001, 12004	\Hy@backout 12790
17581, 18167, 18280	\hvObjectBox	\Hy@BeginAnnot . . .
\hv@Bottom 12154	.. 11981, 11984, 12646, 12666,
\hv@Center 12058,	11986, 11990,	12703, 12735, 12764
12069, 12109,	11996, 12071,	\Hy@bidipoem@footnotetext
12171, 12199, 12252	12073, 12084, 12519, 12528
\hv@figure . . 12023, 12041	12086, 12096,	\Hy@bidipoem@LTRfootnotetext
\hv@floatObject . . .	12098, 12114, 12550, 12559
. 11984, 11988	12115, 12123,	\Hy@bidipoem@RTLfootnotetext
\hv@floatType . . 12014,	12124, 12131, 12581, 12590
12023, 12041, 12259	12132, 12139,	\Hy@CleanupFile . . 12668
\hv@Height 11996	12142, 12147,	\Hy@colorlink . . 12696,
\hv@label 11965	12150, 12155,	12728, 12757, 12783
\hv@Left 11999, 12067	12158, 12162,	\Hy@EndAnnot
\hv@longCap 11964	12165, 12176, 12653, 12699,
\hv@Right 12000, 12056	12177, 12185,	12731, 12760, 12786
\hv@shortCap	12186, 12193,	\Hy@endcolorlink . . 12655
. 11963, 12029, 12047	12194, 12201,	\Hy@footnote@currentHlabel
\hv@Top 12082, 12118,	12203, 12214, 12375, 12390, 12405
12138, 12180, 12212	12216, 12226, 12228	\Hy@footnote@currentHref
\hv@Width 11994, 12017	\hvObjectWidth 12337,
\hv@Zero 11983, 12246	.. 11990, 11994,	12340, 12348,
\hvAboveCaptionSkip	11998, 11999, 12000	12351, 12359,
. 12162, 12165	\hvOBox 11984, 11988	12362, 12370,
\hvBelowCaptionSkip	\hvSet@capAngle . . .	12373, 12376,
. 12146, 12149 12017, 12036	12385, 12388,
\hvCaptionBox 12018,	\hvSet@capPos	12391, 12400,
12035, 12077,	.. 11999, 12000,	12403, 12406,
12079, 12090,	12067, 12138, 12154	12449, 12487,
12092, 12102,	\hvSet@capVPos 12069,	12520, 12551, 12582
12104, 12110,	12082, 12109,	\Hy@gtemp . . 12425, 12430
12111, 12119,	12118, 12171,	



\Hy@href@nextactionraw		\HyLTR@saved@LTfootnotetext	3852, 3864, 3876, 3877
..... 12692,	 12610, 12635	\ialign ... 386, 18736,
12724, 12753, 12779	 12605, 12616, 12621	18774, 20730, 20918
\Hy@href@page	12687	\HyOrg@maketitle ..	\IeC 13080
\Hy@linkcounter 8332, 8337	 12413	\if 354, 355, 356,
\Hy@linktoc	12268	\hyper@anchor 12337,	358, 359, 360, 361,
\Hy@LT@currentHref		12340, 12348,	362, 365, 366, 367,
..... 12820, 12831		12351, 12359,	391, 397, 1379,
\Hy@LT@LTfootnotetext		12362, 12370,	1380, 1381, 1383,
..... 12448, 12457		12373, 12385,	1384, 1385, 1386,
\Hy@LT@RTLfootnotetext		12388, 12400,	1387, 1388, 1389,
..... 12486, 12495		12403, 12460,	1392, 1393, 1394,
\Hy@MakeRemoteAction		12463, 12498,	1417, 1418, 1419,
..... 12671		12501, 12531,	1421, 1422, 1423,
\Hy@maketitle@end .		12534, 12562,	1424, 1425, 2261,
. 12617, 12622, 12624		12565, 12593, 12596	2267, 2270, 2273,
\Hy@maketitle@optarg		\hyper@anchorend . 12833	2276, 3547, 3602,
..... 12615, 12620		\hyper@anchorstart 12833	3606, 3612, 3616,
\Hy@pstringD 12670, 12689		\hyper@link 12661	3657, 3740, 4123,
\Hy@pstringdef		\hyper@linkend	6993, 7012, 7045,
... 12669, 12670,		.. 12272, 12276,	7046, 7047, 11056,
12704, 12705, 12736		12280, 12282,	11080, 11314,
\Hy@pstringF		12662, 12795, 12798	13047, 13594,
... 12667, 12668,		\hyper@linkfile .. 12664	13596, 13598,
12669, 12684,		\hyper@linkstart ..	15300, 18743,
12704, 12717, 12722		.. 12272, 12276,	18777, 18782,
\Hy@pstringP 12705, 12722		12280, 12282,	18869, 18870,
\Hy@pstringURI		12662, 12791, 12798	18871, 18872,
..... 12736, 12749		\hyper@linkurl .. 12733	18873, 18874,
\Hy@raisedlink 12339,		\hyper@makecurrent 12819	18875, 18877,
12350, 12361,		\hyper@nat@current 12792	18878, 18879,
12372, 12387,		\hyper@natlinkbreak	18880, 18881,
12402, 12462,	 12797	18884, 18885,
12500, 12533,		\hyper@natlinkend 12794	18886, 20816,
12564, 12595, 12832		\hyper@natlinkstart	20817, 20910,
\Hy@saved@footnotemark	 12789	20927, 20934,
..... 12607, 12626		\hypersetup	20935, 20936,
\Hy@saved@footnotetext		2362, 2370, 5784, 5843, 5860	20937, 20938, 20939
..... 12608, 12629		\hyphenpenalty	\if@allcaps 745,
\Hy@SetNewWindow ..		6, 105, 201, 225,	754, 762, 997,
..... 12691, 12719		616, 923, 1117,	1006, 1014, 1247,
\Hy@setpdfborder ..		6406, 6583, 12930,	1256, 1264, 6527,
..... 12677,		12954, 15801,	6536, 6544, 6704,
12711, 12742, 12771		16251, 16313, 16456	6713, 6721, 15936,
\Hy@tabularx@hook .		\HyRTL@saved@RTLfootnotetext	15945, 15953,
..... 12414, 12426	 12609, 12632	16075, 16084, 16092
\Hy@temp@menu 12765, 12778		I	\if@altsecnumformat
\Hy@xspace@end		\i 17056, 17604, 18303
... 12662, 12698,		3851,	\if@bib@break@ 17066,
12730, 12759, 12785			17091, 17106,



17122, 17646, 17671, 17686, 17702, 18329, 18354, 18369, 18385 \if@bidi@bibchapter ... 19045 \if@bidi@amsmathloaded@ 13373 \if@bidi@amstextloaded@ 13376 \if@bidi@amsthmloaded@ 13379 \if@bidi@animateloaded@ 13382 \if@bidi@arabxetexloaded@ 13581 \if@bidi@arrayloaded@ 13515 \if@bidi@arydshlnloaded@ 13539 \if@bidi@blank 2872, 3164, 3171 \if@bidi@breqnloaded@ 13385 \if@bidi@calsloaded@ 13388 \if@bidi@captionloaded@ 13391 \if@bidi@colorloaded@ 13397 \if@bidi@colortblloaded@ 13416 \if@bidi@croploaded@ 13394 \if@bidi@csdef . 1808, 2836, 2885, 10174, 14904, 14960, 15036 \if@bidi@csmacro .. 2884 \if@bidi@csprimitive 2894 \if@bidi@csundef .. 2568, 2571, 2574, 2578, 2583, 2842, 2915, 3432, 4328, 4380, 8820, 8821, 8834, 8835, 21410 \if@bidi@cutedloaded@ 13404 \if@bidi@cutwinloaded@ 13401	\if@bidi@dblfnote loaded@ 13407 \if@bidi@def 2854 \if@bidi@defmacro 2877, 2878, 2886, 3063, 3082, 3226 \if@bidi@defparam 3084, 3178, 3179, 3228 \if@bidi@defprimitive 2888 \if@bidi@defprotected 3091, 3187, 3188, 3239 \if@bidi@diagboxloaded@ 13410 \if@bidi@draftwatermarkloaded@ 13470 \if@bidi@empheqloaded@ 13473 \if@bidi@fancyboxloaded@ 13464 \if@bidi@fancyhdrloaded@ 13467 \if@bidi@fancyvrbloaded@ 13587 \if@bidi@floatloaded@ 13419 \if@bidi@floatrowloaded@ 13422 \if@bidi@flowframloaded@ 13425 \if@bidi@fontspecloaded@ 13578 \if@bidi@framedloaded@ 13428 \if@bidi@ftnrightloaded@ 13431 \if@bidi@geometryloaded@ 13446 \if@bidi@graphicxloaded@ 13443 \if@bidi@hvfload@ 13449 \if@bidi@hyperrefloaded@ 13461 \if@bidi@lettrine loaded@ 13482 \if@bidi@linenoloaded@ 13485	\if@bidi@list@minipage@parbox 1569, 20767, 20827, 20836, 20845, 20854, 20867, 20868, 20882, 20883 \if@bidi@list@minipage@parbox@not@nob 1570, 20775, 20829, 20838, 20847, 20856 \if@bidi@listingsloaded@ 13488 \if@bidi@longtableloaded@ 13536 \if@bidi@mfd@RTL 13729, 13736 \if@bidi@mfdframedloaded@ 13452 \if@bidi@midfloatloaded@ 13455 \if@bidi@minitocloaded@ 13548 \if@bidi@multicolloaded@ 13542 \if@bidi@multienumloaded@ 13545 \if@bidi@natbibloaded@ 13551 \if@bidi@newfloatloaded@ 13554 \if@bidi@ntheoremloaded@ 13458 \if@bidi@overpicloaded@ 13476 \if@bidi@patchable 3051, 3052 \if@bidi@pdfencrypt 1558, 1791 \if@bidi@pdfm@mark 1561, 1803, 1854, 1918 \if@bidi@pdfpagesloaded@ 13479 \if@bidi@perpage@footnote 1553, 1778 \if@bidi@pgfloaded@ 13497 \if@bidi@picinparloaded@ 13500
--	---	--



\if@bidi@polyglossialoaded@	13584	\if@bidi@wrapfigloaded@	13440	\if@dotocbib 19007
.....	13494	13413	\if@dotocind 19053, 19070
\if@bidi@pstricksloaded@	13503	\if@bidi@xcolorloaded@	13434	\if@extrafootnotefeatures
.....	13560	13533 1566, 1764
\if@bidi@quotchaploaded@	13521	\if@bidi@xltxtxtraloaded@	13437	\if@fcolmade . . . 7372,
.....	13518	17187, 17767, 18450	7431, 10795,
\if@bidi@rotatingloaded@	13524	\if@bidi@xtabloaded@	17226, 17239,	10835, 10919,
.....	13527	17249, 17800,	11603, 11656,
\if@bidi@soulloaded@	13527	\if@bidi@xunicodeloaded@	17806, 17819,	11685, 14633,
.....	13530	17829, 18483,	14730, 21050, 21093
\if@bidi@stabularloaded@	13563	\if@capbreak	18489, 18502, 18512	\if@ff@nwpg 10887
.....	13566	\if@captionabove	19093,	\if@files w 2595
\if@bidi@tabularyloaded@	13506	\if@cfthaschapter	19097, 19103,	\if@firstcolumn 7323,
.....	13509	19124, 19136, 19158	7386, 7446, 7527,
\if@bidi@tikzloaded@	13512	\if@cfthaspart	19089	7546, 7702, 7721,
.....	13515	17877, 18560	10763, 10799,
\if@bidi@titlesecloaded@	13569	\if@chapterentrywithdots	17877, 18560	11560, 11609,
.....	13575	17877, 18560	11697, 14545,
\if@bidi@titletocloaded@	13572	\if@colour	19093,	14645, 14751,
.....	13575	\if@colourgreen	19097, 19103,	21009, 21056, 21246
\if@bidi@tocbasicloaded@	13575	\if@colourgrey	19124, 19136, 19158	\if@firstdetailselement
.....	13575	\if@colourorange	19124, 19136, 19158 7915, 7917
\if@bidi@tocbibindloaded@	13572	\if@colourorange	19089	\if@firstfooterelement
.....	13572	\if@colourorange	17877, 18560 7819, 7822
\if@bidi@tocstyleloaded@	13572	\if@coloured	17877, 18560	\if@flushend@auto@baselineskip
.....	13572	\if@coloured	17877, 18560 7562
\if@bidi@todonotes@figpos@rightred	20298, 20396, 20401, 20408, 20414	\if@compatibility	19093,	\if@hboxRconstruct
\if@bidi@todonotes@textdirection@RTL	511, 663, 739, 907, 991, 1146, 1241, 6521, 6698, 15930, 16069, 19128, 19656, 20898	19128, 19656, 20898	19093, 1557,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19097, 19103, 19124, 19136, 19158	1857, 2806, 2812,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	11313, 20774,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	20798, 20829,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	20838, 20847,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	20856, 20867,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	20868, 20882, 20883
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	\if@ignore 3399, 3401
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	\if@inlabel 6992
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	\if@inltxdoc 19038
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	\if@insert 7730
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	\if@komalongtable
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	. 17236, 17816, 18499
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	\if@LTRbibitems
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	87, 290, 565, 700, 963,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	1213, 1564, 2542,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	6473, 6661, 6970,
\if@bidi@todonotes@textdirection@RTL	20297, 20331, 20371, 20405	\if@compatibility	19124, 19136, 19158	8494, 8765, 10602,
\if@bidi@void@mpfootins	8818, 9086, 9094	\if@contcw	2316	12911, 14540,
\if@bidi@void@mpfootins	8817, 10449, 10456	\if@conthang	2524, 2527	15125, 15891,
\if@bidi@void@mpfootins	8817, 10449, 10456	\if@continent	19046, 19065	16285, 16479,
\if@bidi@void@mpfootins	8817, 10449, 10456	\if@DEBUG	19046, 19065	16682, 17082,
\if@bidi@void@mpfootins	8817, 10449, 10456	\if@displaypagenumbers	19046, 19065	17662, 18345, 19014



\if@LTrmarginpar	1563,	290, 305, 309, 506,	11800, 11806,
	21275, 21280, 21284	523, 526, 527, 550,	11808, 11825,
\if@mainmatter	. 5991,	565, 617, 630, 641,	11828, 11835,
	6747, 6942, 8736,	642, 647, 658, 683,	11844, 11850,
	15675, 17607,	686, 687, 700, 868,	11854, 11857,
	17623, 17631, 17639	869, 875, 885, 888,	11871, 11896,
\if@minipage	. 4736, 14531	889, 902, 924, 963,	11903, 12068,
\if@mparswitch	... 21248	1118, 1124, 1125,	12170, 12272,
\if@newlist	... 10935,	1130, 1141, 1167,	12280, 12662,
	10967, 21304, 21379	1170, 1171, 1189,	12698, 12730,
\if@nobreak	... 4324,	1213, 1352, 1353,	12759, 12785,
	11521, 13740, 15736	1464, 1465, 1478,	12791, 12795,
\if@nonlatin	1489, 1551, 1584,	12798, 12843,
	. . 336, 341, 1552,	1856, 1863, 2542,	12851, 12859,
	1776, 2818, 2824,	2782, 2788, 5647,	12867, 12875,
	7028, 7030, 13724	5648, 5765, 5766,	12884, 12892,
\if@noparlist	... 6350	5767, 6407, 6413,	12901, 12911,
\if@noskipsec	. 6991,	6414, 6419, 6430,	12929, 12932,
	11522, 13741, 15737	6453, 6456, 6457,	12933, 12934,
\if@oldtoc	. 651, 677,	6473, 6584, 6590,	12949, 12960,
	879, 895, 1134,	6591, 6596, 6607,	12961, 12995,
	1161, 6423, 6447,	6630, 6633, 6634,	12999, 13002,
	6600, 6624, 15836,	6661, 6745, 6756,	13007, 13128,
	15860, 16208, 16232	6758, 6894, 6909,	13135, 13143,
\if@openright	6912, 6913, 6940,	13162, 13172,
 6019, 6961, 8756	6954, 6970, 6989,	13647, 13732,
\if@ovb 10739	7001, 7014, 7089,	13815, 13823,
\if@ovl 10737	7130, 7131, 7135,	14014, 14340,
\if@ovr 10736	7136, 7138, 7145,	14421, 14422,
\if@ovt 10738	7151, 7170, 7173,	14423, 14424,
\if@pboxsw 20823	7174, 7180, 7185,	14425, 14426,
\if@ref 18010	7292, 7295, 7312,	14505, 14507,
\if@restonecol	7316, 8121, 8128,	14540, 14785,
 597, 613,	8144, 8150, 8166,	14789, 14790,
	862, 1114, 6403,	8173, 8280, 8360,	14797, 14802,
	6580, 6790, 15798,	8375, 8397, 8398,	14809, 14814,
	16053, 16512, 19085	8399, 8400, 8423,	15125, 15204,
\if@reversemargin	21251	8443, 8446, 8447,	15224, 15239,
\if@rjfield 21290	8457, 8471, 8484,	15253, 15404,
\if@rl 1551	8494, 8711, 8734,	15454, 15529,
\if@rl@footnote 1568	8749, 8765, 8786,	15583, 15584,
\if@rlmain 1550	8789, 8794, 8802,	15587, 15591,
\if@rot@twoside	16713,	10547, 10562,	15623, 15624,
	16718, 16728,	10565, 10566,	15625, 15670,
	16758, 16764, 16776	10573, 10585,	15672, 15678,
\if@RTL 12,	10602, 10871,	15689, 15691,
	13, 25, 87, 104,	11028, 11314,	15702, 15704,
	107, 108, 109, 173,	11394, 11396,	15715, 15717,
	180, 189, 207, 208,	11793, 11795,	15726, 15728,
	224, 227, 228, 229,	11798, 11799,	15745, 15765,



15781,	15782,	19142,	19143,	21280,	21284,
15802,	15815,	19151,	19164,	21292,	21293,
15826,	15827,	19165,	19166,	21294,	21295,
15832,	15843,	19174,	19181,	21390,	21393,
15866,	15869,	19182,	19183,	21401,	21411,
15870,	15891,	19191,	19198,	21509,	21519,
16186,	16187,	19199,	19200,	\if@RTL@footnote ..	21525
16198,	16199,	19208,	19215,	36, 239,
16204,	16215,	19216,	19217,	1568,	1859,
16238,	16241,	19225,	19232,	8884,	8925,
16242,	16252,	19233,	19234,	9177,	9222,
16265,	16285,	19242,	19249,	9286,	9328,
16314,	16430,	19250,	19251,	9389,	9434,
16445,	16448,	19259,	19267,	9498,	9543,
16449,	16454,	19268,	19269,	9607,	9651,
16455,	16479,	19277,	19286,	9716,	9760,
16615,	16630,	19287,	19288,	9825,	9870,
16633,	16634,	19296,	19306,	9934,	9979,
16661,	16673,	19307,	19308,	10043,	10088,
16682,	16793,	19316,	19341,	10241,	10262,
16795,	16799,	19342,	19343,	10303,	10358,
16803,	16805,	19351,	19391,	10367,	11208,
16810,	16814,	19392,	19393,	11257,	11297,
16817,	16821,	20071,	20133,	11298	\if@RTLbibtitems .
16823,	16827,	20134,	20135,	87,	290,
16854,	16863,	20141,	20144,	565,	700,
17054,	17055,	20191,	20251,	963,	1213,
17082,	17140,	20256,	20279,	1565,	2542,
17141,	17142,	20286,	20346,	6473,	6661,
17144,	17215,	20349,	20433,	6970,	8494,
17403,	17412,	20468,	20476,	14540,	8765,
17603,	17662,	20503,	20504,	15125,	15891,
17720,	17721,	20507,	20508,	16285,	16479,
17722,	17724,	20510,	20547,	16682,	17082,
17795,	17976,	20551,	20604,	17662,	18345,
17983,	18068,	20609,	20655,	19014	\if@RTLcolumnfootnotes
18074,	18102,	20656,	20683,	1567,
18111,	18302,	20684,	20687,	9147,	9148,
18345,	18403,	20691,	20768,	9151,	9152,
18404,	18405,	20776,	20782,	9187,	9239,
18407,	18478,	20788,	20801,	9295,	9344,
18653,	18656,	20869,	20870,	9399,	9451,
18686,	18706,	20872,	20875,	9508,	9560,
18904,	18949,	20878,	20882,	9617,	9669,
18966,	18986,	20883,	20884,	9726,	9778,
18989,	18994,	20885,	20887,	9835,	9887,
18998,	18999,	20889,	20890,	9944,	9996,
19014,	19110,	20895,	20942,	10053,	10105
19111,	19112,	20943,	20949,	\if@RTLmain	1550,
19120,	19141,	20954,	21275,	1583,	1602,
					1855,
					1862,
					1881,
					7188,
					7211,
					7234,
					7257,
					7473,
					7650,
					8109,
					8234,
					8237,
					8251,
					8269,
					11033,
					11921,
					11931,
					11948,
					11954,
					13180,
					14742,
					14902,
					21099,
					21320,



21326, 21355, 21371	\if@todonotes@disabled	\ifbool . . . 13754, 13763
\if@RTLmarginpar 1562, 21275, 21280, 21284 20316, 20317	\ifcase 1401, 1428, 1432, 1436, 1440, 1466,
\if@RTLTab . 355, 356, 372, 375, 397, 399, 1360, 1361, 1380, 1381, 1418, 1419, 1556, 2180, 2184, 2185, 2794, 2800, 7049, 7051, 7072, 7079, 7101, 7102, 7115, 7126, 13595, 13597, 13711, 13714, 18721, 18725, 18726, 18743, 18751, 18757, 18782, 18870, 18871, 20727, 20902, 20906, 20907, 20927, 20935, 20936 20319, 20353 \if@ttb@rotate . . . 11027 \if@twocolumn . . . 98, 218, 451, 584, 600, 627, 634, 802, 849, 934, 945, 1054, 1101, 1186, 1193, 1304, 1603, 1609, 5945, 6390, 6567, 6777, 6839, 8560, 8657, 10660, 11699, 12923, 14404, 15785, 15812, 15819, 15993, 16040, 16134, 16262, 16269, 16378, 16499, 16560, 16967, 17516, 18215, 19040, 20971, 21245, 21404	1653, 1659, 1665, 1671, 1677, 1683, 1695, 1701, 1707, 1714, 1728, 1735, 1745, 7103, 12268, 13665, 18980, 19361, 20123, 20193, 20303, 20311, 20535, 20584, 20986, 20987
\if@sectionentrywithdots 17297		\ifcat 1594, 1873, 3497, 3498
\if@sentdir 1858		\ifconvertcolorsU 20521, 20537, 20564, 20586
\if@specialpage 10890, 21315		\ifcpoddpage 4513
\if@star 15659		\ifcsname . 2837, 2843, 2977, 3420, 3940, 3955, 4169, 4177, 15149, 15159, 15173, 20078, 20079, 20088,
\if@tab@rl 1556		20099, 20103, 20113, 20125, 20179, 20207, 20208, 20216, 20220, 20224, 20228, 20232, 20236, 20240, 20244
\if@tablecaptionabove . 17267, 17847, 18530		\ifdefined . . . 2855, 2861
\if@tempswa 4166, 4211, 8017, 8074, 19785		\ifdefining 3617
\if@thmmarks . 15187, 15191, 15208, 15212		\ifdfn@allowcbreak 7970, 7991
\if@titlecentered 1334, 16166		\ifdfn@ruleboth 8028, 8082
\if@titlepage . 404, 618, 726, 925, 978, 1177, 1228, 6792, 8517, 8610, 10617, 15803, 15917, 16054, 16253, 16316, 16513, 16888, 17437, 18136		\ifdfn@trysingle 8009, 8066
\if@tocstyle@penalties 20054, 20163		\ifdim 1454, 1455, 1526, 1532, 1538, 4749, 5316, 6085, 6122, 6124, 6183, 6184, 6186, 6192, 6232, 6244, 6326, 6328, 6341, 6343, 6351, 7022, 7466, 7511, 7523, 7536, 7539, 7541, 7571, 7575, 7576, 7590, 7615, 7640,
\if@todonotes@authorgiven 20322, 20333, 20358, 20375		



7685, 7698, 7711,	20436, 20438,	\ifHy@nesting
7714, 7716, 7964,	20440, 20442,	. . . 12336, 12347,
7985, 8005, 8014,	20443, 20444,	12358, 12369,
8041, 8045, 8062,	20446, 20486,	12384, 12399,
8071, 8093, 8097,	20493, 21257, 21389	12459, 12497,
8992, 8997, 9004,	\ifdofullc@p	12530, 12561, 12592
9009, 9016, 9021,	. 17177, 17757, 18440	\ifHy@pdfa . . . 12676,
10217, 10221,	\iffalse	12710, 12741, 12770
10225, 10279,	2726, 2727, 2729,	\ifin@ 4185
10283, 10287,	11521, 11522,	\ifin@label 3619
10725, 10727,	13290, 13740,	\ifinner . . 2251, 4980,
10870, 11406,	13741, 15736, 15737	5024, 5068, 11409,
11414, 11430,	\IfFileExists . . 3895,	20428, 21162, 21206
11431, 11461,	4493, 5965, 6030	\ifL@grid 13101
11469, 11482,	\iffootdir@debug	\ifL@realh 13037
11497, 11530,	11042, 11046	\iflatin 2817
11531, 11813,	\ifGin@grid . 15240, 15253	\ifLettrineImage . 13031
11820, 11859,	\ifGin@iso 11910	\ifLettrineOnGrid 13032
11866, 11911,	\ifhbox 10159, 10168, 10172	\ifLettrineRealHeight
12001, 12139,	\ifhmode . . 2245, 4974, 13033
12155, 13086,	5018, 5062, 5305,	\ifLettrineSelfRef 13034
13100, 13106,	5311, 7136, 7138,	\ifLtoR 2787
13239, 13648,	7145, 7151, 7170,	\ifLtoRbboxconstruct
13659, 13698,	18942, 20508, 2811
13701, 14411,	20510, 20547,	\ifLtoRtable 2799
14454, 14461,	20551, 20604,	\ifmaskcolors . 20525,
14465, 14467,	20882, 20883,	20536, 20568, 20585
14506, 14567,	20926, 21156, 21200	\ifmmode
14575, 14577,	\ifhv@fbox . . . 12070,	1846, 7130, 7135,
14667, 14675,	12076, 12083,	10840, 10850,
14677, 14752,	12089, 12095,	11793, 11795,
14763, 14847,	12101, 12110,	11798, 11799,
14855, 14861,	12114, 12119,	11800, 11806,
14878, 14886,	12123, 12127,	11808, 11825,
15354, 15401,	12131, 12145,	11828, 11835,
15426, 15484,	12161, 12172,	11844, 11850,
15495, 15502,	12176, 12181,	11854, 11857,
15507, 15522,	12185, 12189,	11871, 11896,
15635, 15660,	12193, 12200,	11903, 12647,
17174, 17182,	12206, 12213,	12659, 12662,
17754, 17762,	12219, 12225, 12231	\ifhv@nonFloat 12013,
18014, 18020,	\ifhv@onlyText . . .	12698, 12730,
18026, 18032,	12020, 12038,	12759, 12785,
18038, 18044,	12059, 12251, 12253	15337, 15395,
18050, 18056,	\ifhv@useBox 11984, 11988	15627, 15663,
18062, 18437, 12021, 12039	16793, 16795,
18445, 18768,	\ifHy@href@ismap . 12750	16799, 16803,
19696, 19710,	\ifHy@hyperfootnotes	16805, 16810,
19715, 20089,	. . . 8822, 8836, 12287	16814, 16817,
20114, 20180,		16821, 16823,



16827,	20503,	13694,	14405,	19523,	19630,
20507,	20818,	14438,	14564,	19631,	19655,
\ifNAT@openbib . . .	15128	14594,	14664,	19665,	20053,
\ifnonlatin	2823	14694,	14783,	20058,	20076,
\ifnum 3,	137, 143, 198,	14795,	14807,	20249,	20467,
304, 346, 347, 348,		14868,	14910,	20749,	20932,
349, 351, 452, 501,		14916,	14991,	20933,	20947,
518, 544, 553, 637,		15009,	15168,	21002,	21253,
653, 671, 803, 864,		15178,	15414,	21275,	21398, 21399
897, 915, 1055,		15420,	15432,	\ifodd 2262,	5936, 8242,
1120, 1136, 1154,		15435,	15436,	8259, 8319, 10895,	
1305, 1371, 1372,		15437,	15439,	11941,	11947,
1373, 1374, 1376,		15440,	15441,	20459,	21249, 21319
1415, 1416, 1773,		15442,	15451,	\ifoddpage	4507
1774, 2277, 2613,		15473,	15478,	\ifonelinecaptions .	
3471, 3499, 3501,		15489,	15500,	. 17148, 17728, 18411	
3509, 3511, 3712,		15501,	15507,	\ifpgfrememberpicturepositiononpage	15350
3722, 3820, 3826,		15511,	15514,	\ifpoem@started 6179,	
3851, 3866, 3872,		15515,	15621,	6185, 6325, 6332, 6346	
6205, 6409, 6425,		15622,	15629,	\ifprimitive .. 2889, 2896	
6441, 6505, 6507,		15674,	15822,	\ifPst@shift@star 15651	
6509, 6586, 6602,		15838,	15854,	\ifrggedbottom .. 15601	
6618, 6682, 6684,		15912,	15914,	\ifrot@messages .. .	
6686, 6746, 6840,		15916,	15994,	. 16763, 16775	
6889, 6904, 6927,		16135,	16194,	\ifRtoL	2781
6929, 6931, 6941,		16210,	16226,	\ifRtoLhboxconstruct	
7023, 7290, 7298,		16277,	16279,	2805	
7303, 7310, 7498,		16281,	16379,	\ifRtoLtable	2793
7507, 7517, 7672,		16426,	16440,	\ifshowgrid	15629
7681, 7691, 7905,		16466,	16468,	\ifshrq@king . 15034, 15049	
8438, 8452, 8465,		16470,	16561,	\ifshrq@kingsaved .. .	
8474, 8561, 8658,		16610,	16625, 15034, 15049	
8707, 8721, 8723,		16648,	16650,	\ifsomething	3750
8725, 8735, 9153,		16652,	16662,	\ifstr .. 19404, 19405,	
10542,	10557,	16956,	16968,	19406, 19407,	
10574,	10661,	17505,	17517,	19408, 19409,	
10711,	10713,	17606,	17622,	19410, 19411,	
10715,	11003,	17630,	17638,	19412, 19427,	
11005,	11007,	18204,	18216,	19428, 19429,	
11016,	11018,	18813,	18861,	19430, 19432,	
11020,	11166,	18862,	18863,	19433, 19434,	
11269,	11283,	18864,	18866,	19437, 19440,	
11297,	11530,	18971,	18973,	19449, 19450,	
11532,	11720,	19092,	19096,	19451, 19454,	
12649,	12654,	19138,	19157,	19457, 19476,	
12951,	13093,	19179,	19196,	19477, 19478,	
13210,	13213,	19213,	19230,	19480, 19481,	
13221,	13224,	19247,	19265,	19482, 19485,	
13293,	13609,	19284,	19304,	19488, 19497,	
13610,	13693,	19339,	19522,		



19498,	19499,	4680, 4698, 4700,	12826, 12830,
19502,	19505,	4704, 4722, 4723,	13711, 13785,
19559,	19560,	4726, 4727, 4762,	14822, 14977,
19561,	19562,	4771, 4782, 4792,	14979, 14993,
19563,	19564,	4841, 4956, 5180,	14994, 15038,
19565,	19566,	5198, 5199, 5217,	15042, 15046,
19567,	19582,	5218, 5236, 5237,	15529, 15595,
19583,	19584,	5268, 5269, 5387,	15597, 15602,
19585,	19587,	5392, 5416, 5421,	20609, 20662,
19588,	19589,	5445, 5450, 5527,	20672, 21104,
19592,	19595,	5531, 5579, 5792,	21119, 21120, 21143
19604,	19605,	5838, 5847, 5855,	\ifWF@float . 20441, 20455
19606,	19609,	5882, 5929, 5998,	\ifx . 115, 134, 136, 151,
19612,	19810,	6009, 7809, 7815,	155, 159, 166, 787,
19811,	19812,	7832, 7835, 7836,	791, 1039, 1043,
19813,	19814,	7837, 7838, 7839,	1289, 1293, 1782,
19815,	19816,	7925, 7930, 7933,	1783, 2128, 2134,
19817,	19818,	7934, 7935, 7936,	2140, 2155, 2186,
19861,	19862,	7937, 7940, 7944,	2238, 2241, 2502,
19863,	19864,	10976, 10991,	2503, 2504, 2506,
19866,	19867,	15294, 16717, 16762	2606, 2635, 2638,
19868,	19871,	\iftocstyle@autolength	2658, 2662, 2682,
19874,	19883, 20098	2686, 2701, 2705,
19884,	19885,	\iftocstyle@indentnotnumbered	2775, 2844, 2862,
19888,	19891, 20143, 20190	2940, 3128, 3144,
19921,	19922,	\iftrue	3477, 3483, 3484,
19923,	19925,	2728, 4921, 4934, 4947	3521, 3522, 3523,
19926,	19927,	\ifttl@label	3524, 3534, 3540,
19930,	19933,	18947 \iftX@	3565, 3570, 3575,
19942,	19943,	18803 \ifvbox	3580, 3586, 3591,
19944,	19947,	10470, 11767 \ifvmode ..	3779, 3885, 3909,
19950,	19970,	4324, 4710, 4713, 4716, 4719,	3924, 3989, 4001,
19973,	19976,	13769, 14837,	4033, 4044, 4079,
19996,	20000,	15198, 15218, 18755	4085, 4096, 4097,
20005,	20017,	\ifvoid 7358, 7374, 7417,	4108, 4138, 4147,
20020,	20024, 20034	7433, 7452, 7460, 7493, 7618, 7629,	4148, 4168, 4183,
		7667, 7968, 7989,	4193, 4207, 4214,
		8000, 8025, 8057,	4226, 4242, 4297,
		8079, 9042, 9043,	4308, 5250, 6074,
		9051, 9057, 9081,	6095, 6248, 6300,
		9082, 9098, 9110,	6305, 6307, 7334,
		10510, 10525,	7397, 8037, 8089,
		11332, 11490,	8784, 8800, 8804,
		11511, 11666,	10773, 10809,
		11671, 11689,	11163, 11374,
		11691, 11700,	11575, 11624,
		11710, 11730,	11662, 11839,
		11731, 11735,	11881, 11882,
		11746, 11753,	11888, 11975,
			11977, 11983,



11994,	11996,	17595,	17649,	8789, 8803, 8867,
11999,	12000,	17712,	17717,	8873, 8879, 11220,
12017,	12023,	17972,	18000,	11237, 11253,
12024,	12026,	18001,	18002,	11280, 11294,
12029,	12041,	18003,	18004,	11308, 11923,
12042,	12044,	18005,	18006,	11927, 11932,
12047,	12056,	18007,	18011,	11937, 12983,
12058,	12067,	18017,	18023,	13002, 13724,
12069,	12082,	18029,	18035,	14528, 14535,
12109,	12118,	18041,	18047,	15808, 15817,
12138,	12154,	18053,	18059,	16258, 16267,
12171,	12180,	18068,	18098,	16793, 16803,
12199,	12212,	18124,	18131,	16821, 17157,
12246,	12252,	18151,	18156,	17178, 17183,
12265,	12296,	18163,	18169,	17188, 17193,
12307,	12318,	18193,	18264,	17211, 17737,
12625,	12628,	18268,	18276,	17758, 17763,
12631,	12634,	18282,	18294,	17768, 17773,
12678,	12686,	18332,	18395,	17791, 18074,
12712,	12720,	18400,	18763,	18420, 18441,
12743,	12772,	18982,	19324,	18446, 18451,
12976,	12997,	19679,	19683,	18456, 18474,
13039,	13059,	19687,	19784,	20547, 20551,
13250,	13251,	20065,	20136,	20794, 20833,
13255,	13257,	20148,	20156,	20842, 20851, 20860
13614,	14515,	20173,	20198,	\iii 3858
14556,	14656,	20265,	20270,	\ilg 15423, 15446
14924,	14928,	20272,	20516,	\immediate ... 4321, 6312
14932,	15154,	20559,	20692,	\in@ 4184
15158,	15165,	20802,	20805,	\includegraphics ..
15171,	15310,	20812,	20973, 2537, 7811,
15322,	15592,	20981,	21020,	7942, 15228, 15296
15644,	15685,	21067,	21332,	\includemedia
15698,	15711,	21333,	21335, 21336	. 13989, 14319, 14320
15978,	15982,	\ifXC@tst . 20539, 20588		\includepdf 15287
16119,	16123,	\ignorespaces ... 46,		\indentedwidth 8802
16850,	16876,	60, 76, 122, 249,		\index 3736,
16883,	16903,	263, 278, 336, 623,		3737, 10948, 21343
16908,	16915,	632, 930, 1182,		\indexname 591,
16921,	16945,	1191, 3310, 3798,		592, 593, 607,
17016,	17020,	3814, 3816, 3822,		608, 856, 857,
17028,	17034,	3825, 3828, 3832,		1108, 1109, 5752,
17046,	17070,	3837, 4733, 4740,		5753, 6397, 6398,
17132,	17137,	4741, 4750, 5337,		6574, 6575, 6784,
17399,	17425,	5355, 5373, 5409,		6785, 6786, 15792,
17432,	17452,	5438, 5467, 5732,		15793, 16047,
17457,	17464,	6156, 6167, 6320,		16048, 16506,
17470,	17494,	6321, 6468, 6656,		16507, 16508,
17565,	17569,	7026, 7032, 7145,		19049, 19050,
17577,	17583,	7151, 7159, 7166,		19051, 19055,



19056,	19057,	21532,	21533,	256, 271, 9073,
19060,	19061,	21534,	21535,	11211, 11228, 11244
19067,	19068,	21536,	21537,	\interlinepenalty 39,
19072,	19073,	21538,	21539,	53, 69, 242, 256,
19074,	19077, 19078	21540,	21541,	271, 551, 615,
\indexspace	5768	21542,	21543,	640, 867, 922,
\input 1650, 1651, 1765,		21544,	21545,	1116, 1123, 5644,
1852, 1928, 2349,		21546,	21547,	6405, 6412, 6582,
5966, 6031, 21403,		21548,	21549,	6589, 6753, 6948,
21413,	21414,	21550,	21551, 21552	6956, 7496, 7505,
21415,	21416,	\input@path	14010	7515, 7670, 7679,
21417,	21418,	\InputIfFileExists		7689, 8472, 8485,
21419,	21420,	.	3883, 3892, 13050	8742, 8751, 9073,
21421,	21422,	\insert	35, 49, 65, 238,	10579, 10587,
21423,	21424,		252, 267, 1600,	11211, 11228,
21425,	21426,		1879, 7959, 7975,	11244, 14787,
21427,	21428,		7980, 7996, 8043,	14799, 14811,
21429,	21430,		8049, 8095, 8101,	15678, 15800,
21431,	21432,		8883, 8897, 8911,	15825, 16197,
21433,	21434,		9177, 9187, 9197,	16250, 16312,
21435,	21436,		9286, 9295, 9304,	16667, 16675,
21437,	21438,		9389, 9399, 9409,	18939, 18980,
21439,	21441,		9498, 9508, 9518,	19114, 19145,
21442,	21446,		9607, 9617, 9627,	19168, 19185,
21451,	21458,		9716, 9726, 9736,	19202, 19219,
21459,	21460,		9825, 9835, 9845,	19236, 19253,
21461,	21462,		9934, 9944, 9954,	19271, 19290,
21463,	21464,	\insert@column . . .	10043, 10053,	19310, 19345,
21465,	21466,		10063, 10302,	19678, 20139,
21467,	21468,		10320, 10332,	20253, 20434, 20951
21469,	21470,		11207, 11224,	\intermath@penalty 7025
21471,	21472,		11240, 11690,	\intextsep . 20494, 20496
21473,	21474,		11692, 14978, 14980	\InTheoType
21475,	21476,			.
21477,	21478,			8293, 15188,
21479,	21480,			15190, 15209, 15211
21481,	21482,			\invoicename
21483,	21484,		1405, 1406, 1408,	18037
21485,	21486,		1409, 1469, 1471,	\ior .. 14093, 14094, 14098
21487,	21488,		1472, 1474, 1475,	\iow 15265
21489,	21490,		1476, 7106, 7108,	\isempty .. 4582, 5180,
21491,	21492,		7109, 7111, 7112, 7113	5387, 5392, 5416,
21493,	21494,	\insertpenalties ..		5421, 5445, 5450,
21495,	21496,			5838, 5847, 5855, 5882
21497,	21498,		14095, 14173,	\isodd 16717, 16762
21499,	21500,		14261, 14264,	\isSCODD 18654,
21502,	21503,		14265, 14276,	18655, 18657,
21504,	21505,		14314, 14352,	18658, 21510,
21506,	21507,		14377, 15264, 15266	21512, 21514, 21516
21530,	21531,	\interfootnotelinepenalty		\isundefined
			.	.
			39, 53, 69, 242,	4792, 4841,
				7809, 7815, 7832,



	7835, 7836, 7837, 7838, 7839, 7930, 7933, 7934, 7935, 7936, 7937, 7940, 7944	\JustifyingParindent 4461, 5132, 5691, 15730	K \keepthetitle 14387 \kern ... 27, 29, 30, 31, 231, 233, 234, 235, 336, 532, 534, 536, 538, 716, 717, 719, 722, 723, 725, 737, 952, 954, 957, 959, 989, 1196, 1197, 1199, 1202, 1203, 1205, 1239, 1467, 1472, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2070, 2071, 2118, 2120, 2121, 4931, 4932, 4942, 4943, 4945, 5410, 5411, 5439, 5440, 5468, 5469, 6489, 6490, 6492, 6495, 6496, 6498, 6519, 6642, 6643, 6645, 6648, 6649, 6651, 6696, 6919, 6921, 6923, 6925, 7104, 7109, 7131, 7954, 7955, 8363, 8370, 8378, 8385, 8424, 8428, 8510, 8512, 8514, 8516, 8809, 8811, 8813, 8815, 8858, 8859, 8985, 8986, 10592, 10594, 10596, 10598, 10736, 10737, 10738, 10980, 11123, 11125, 11126, 11127, 11128, 11129, 11161, 11379, 11443, 11821, 11867, 12937, 12939, 12940, 12941, 13011, 13013, 13015,	13017, 13724, 14846, 14905, 14906, 14950, 14952, 14953, 14954, 15601, 15612, 15615, 15642, 15658, 15878, 15879, 15881, 15884, 15885, 15887, 15928, 16067, 16301, 16302, 16304, 16307, 16308, 16310, 16458, 16460, 16462, 16464, 16640, 16642, 16644, 16646, 16875, 16879, 16882, 16885, 16886, 17131, 17134, 17136, 17139, 17424, 17428, 17431, 17434, 17435, 17711, 17714, 17716, 17719, 17992, 17994, 17996, 17998, 18123, 18127, 18130, 18133, 18134, 18394, 18397, 18399, 18402, 18690, 18696, 18953, 20469, 20473, 20479, 20482, 20504, 20663, 20673, 20703, 20706, 20708, 21272	\keys ... 13806, 14002, 14096, 14335, 14336
	J				
	\j 3872, 3873, 3877				
	\juo@ht 14583, 14590, 14683, 14690, 14759, 14766				
	\juo@pr 14566, 14596, 14666, 14696				
	\juo@sar 14565, 14595, 14637, 14665, 14695, 14734				
	\juo@sk . 14564, 14594, 14637, 14664, 14694, 14734, 14767				
	\justifying 4489, 4559, 5129, 15723				
	\JustifyingParfillskip 15729				
			\kill 13611		
			\KOMAClassName 16957, 17274, 17506, 17854, 18205, 18537		
			\KV@do 13067, 13072		
			\KV@prefix . 13065, 13070		



L			
\l	8319, 8335, 8338, 8344, 8347, 8349, 8350, 8353, 8354, 8357, 8360, 8361, 8362, 8367, 8368, 8369, 8375, 8376, 8377, 8382, 8383, 8384, 8393, 8396, 8404, 13814, 13816, 13822, 13824, 13830, 13831, 13832, 13833, 13834, 13835, 13836, 13837, 13838, 13839, 13840, 13842, 13843, 13845, 13846, 13847, 13854, 13855, 13856, 13858, 13860, 13863, 13864, 13871, 13881, 13882, 13883, 13884, 13885, 13886, 13887, 13888, 13889, 13890, 13891, 13892, 13893, 13894, 13895, 13899, 13900, 13901, 13903, 13905, 13908, 13909, 13911, 13912, 13913, 13922, 13932, 13933, 13934, 13935, 13936, 13937, 13938, 13939, 13940, 13946, 13948, 13949, 13950, 13953, 13955, 13957, 13962, 13963, 13964, 13966, 13968, 13973, 13975, 13977, 13985, 13996, 13997,	14012, 14013, 14014, 14015, 14033, 14053, 14061, 14066, 14080, 14085, 14089, 14090, 14091, 14093, 14094, 14095, 14098, 14102, 14104, 14105, 14106, 14107, 14108, 14109, 14110, 14112, 14113, 14114, 14115, 14117, 14118, 14119, 14121, 14122, 14123, 14126, 14127, 14128, 14131, 14164, 14166, 14169, 14194, 14196, 14228, 14232, 14244, 14245, 14291, 14301, 14307, 14319, 14320, 14339, 14340, 14341, 14342, 14343, 14344, 14345, 14346, 14347, 14382, 14383, 15269, 15271, 15280 \l@ \L@ante 13026, 13116, 13150 \l@chapter 6448, 6462, 6625, 6639, 6903, 10556, 15861, 15875, 16233, 16247, 16439, 16624, 19004, 19005, 19137, 20218 \l@color . . . 13055, 13056 \l@figure 5652, 5653, 19246, 20246 \L@Findent 13027, 13118, 13151 \L@first 13090, 13092, 13094, 13096, 13100, 13106,	13108, 13110, 13112, 13116, 13117, 13119, 13120, 13129, 13131 \L@gridfalse 13032 \L@gridtrue 13032 \L@hang 13023, 13115 \L@imagefalse 13031 \L@imagetrue 13031 \l@initial 13020 \L@lbox . 13069, 13076, 13077, 13078, 13114, 13115, 13150 \l@LOKeys 13060, 13062, 13067, 13072 \L@lraise 13091, 13092, 13097, 13150 \L@next . 13122, 13123, 13136, 13138, 13141 \l@ngrel@x 2940, 2941, 2943 \L@Nindent 13028, 13121, 13123, 13125, 13138, 13140 \L@novskip 13030, 13100, 13104 \L@oversize 13024, 13081, 13086 \l@paragraph 19212, 20234 \L@parshape 13129, 13131, 13136, 13138, 13144, 13146, 13149 \l@part . 500, 652, 670, 896, 914, 1135, 1153, 6424, 6440, 6601, 6617, 6888, 8451, 8706, 10541, 15837, 15853, 16209, 16225, 16425, 16609, 19001, 19002, 19090, 20210, 20213 \L@Pindent . . . 13114, 13115, 13117, 13118, 13120, 13121, 13124, 13131 \L@raise . . . 13025, 13091 \L@realhfalse 13033 \L@realhtrue 13033 \l@refstring 13020



\l@section . . .	517,	12914,	15054,	18351, 19017, 19018
678, 691, 880,		15057,	15059,	\langle 2037
893, 1162, 1175,		15062,	15064,	\Larg 2036,
8437, 19156, 20222		15066,	15069,	2037, 2038, 2039, 2040
\L@selfreffalse . .	13034	15071,	15073,	\Larga 2037
\L@selfreftrue . .	13034	15075,	15078,	\Largb 2038
\L@slope		15080,	15082,	\LARGE 416,
. 13029, 13140, 13141		15084,	15086,	487, 744, 834, 996,
\l@subfigure	19283	15089,	15091,	1086, 1246, 1337,
\l@ subparagraph		15094,	15096,	1348, 5583, 5590,
. 19229, 20238		15099,	15101,	5672, 5915, 6526,
\l@subsection 19178, 20226		15103,	15106,	6703, 6804, 6875,
\l@subsubsection		15108,	15110,	7894, 8527, 8592,
. 19195, 20230		15113,	15115,	8622, 8693, 10627,
\l@subtable	19303	15117,	15896,	10692, 15935,
\l@table 5653, 19264, 20242		16290,	16484,	16025, 16074,
\L@target@dp	13097	16687,	17089,	16171, 16182,
\L@target@tht		17669,	18352, 19019	16338, 16525, 16596
\L@tbox . . 13036, 13044,			\labelwidth 89,	\Large 554, 5534, 5597,
13089, 13094, 13152			5671, 5916, 5917,	
\l@textcolor 13057, 13058			7805, 7898, 8475,	
\label 2533,			16414, 16923,	
4611, 4613, 4615,			16929, 16931,	
4619, 4671, 10947,			16947, 17036,	
12031, 12049, 21342			17043, 17045,	
\labelitemi . 736, 988,			17048, 17472,	
1051, 1238, 6518,			17478, 17480,	
6695, 15927, 16066			17496, 17585,	
\labelname . . . 15054,		12914,	15054,	17592, 17594,
15057, 15059,		15057,	15059,	17597, 18171,
15062, 15064,		15062,	15064,	18177, 18179,
15066, 15069,		15066,	15069,	18195, 18284,
15071, 15073,		15071,	15073,	18291, 18293, 18296
15075, 15078,		15075,	15078,	\large 418,
15080, 15082,		15080,	15082,	424, 489, 495, 509,
15084, 15086,		15084,	15086,	661, 751, 761, 836,
15089, 15091,		15089,	15091,	842, 905, 1003,
15094, 15096,		15094,	15096,	1013, 1088, 1094,
15099, 15101,		15099,	15101,	1144, 1253, 1263,
15103, 15106,		15103,	15106,	1339, 1345, 1349,
15108, 15110,		15108,	15110,	1354, 5541, 5604,
15113, 15115, 15117		15113,	15115,	5670, 6433, 6533,
\labelsep . . . 85, 90,		15117,	15894,	6543, 6610, 6710,
288, 293, 570, 705,		15895,	16288,	6720, 6806, 6812,
968, 1218, 2548,		16289,	16482,	6877, 6883, 6897,
2550, 5681, 5683,		16483,	16685,	7804, 7806, 7897,
5740, 6478, 6666,		16686,	17087,	7899, 8460, 8529,
6975, 8499, 8770,		17088,	17667,	8535, 8594, 8600,
10607, 12909,		17668,	18350,	8624, 8630, 8695,
				8701, 8714, 10550,



10629,	10635,	\lcb . 2038, 2041, 2042, 2045	19220,	19237,
10694,	10700,	\lccode 3499, 3501, 20460, 20461	19254,	19272,
15846,	15942,	\Lcs 2052	19291,	19311,
15952,	16027,	\LcsStar 2053	19346,	19539,
16033,	16081,	\leaders 16885, 17434, 18133,	19647,	19692,
16091,	16173,	18703, 18995, 20149, 20258, 20956	20140,	20254,
16179,	16183,	\leavevmode 14, 209, 305, 371, 508,	20503,	20700,
16188,	16218,	525, 646, 660, 685, 737, 874, 887,	20705,	20707,
16340,	16346,	904, 989, 1052, 1129, 1143, 1169,	20715,	20722,
16433,	16527,	1239, 2170, 2478, 5304, 5645, 6113,	20796,	20902, 20952
16533,	16598,	6189, 6418, 6432, 6455, 6519, 6595,	\left . 20716, 20723, 20729	
16604,	16618,	6609, 6632, 6696, 6896, 6911, 6991,	\left@footnoterule	
19648,	19998,	6992, 7130, 7182, 8445, 8459, 8713, 30, 234,	
\Largr 2040	9211, 9317, 9423, 9532, 9641, 9750,	408, 531, 715, 732,	
\Largs 2039	9859, 9968, 10077, 10549, 10564,	951, 984, 1195,	
\lastbox 7577, 7581, 7607, 10136, 10158, 10167, 10171, 13766, 15529, 20609, 20661, 20671	10845, 10860, 11311, 11809, 11855, 11875, 12665, 12702, 12734, 12943, 12962, 13761, 13993, 14326, 14788, 14800, 14812, 15528, 15609, 15614, 15660, 15681, 15831, 15845, 15868, 15928, 16067, 16203, 16217, 16240, 16432, 16447, 16617, 16632, 16885, 17434, 18133, 18670, 18721, 18945, 18968, 19115, 19146, 19169, 19186, 19203,	1234, 6488, 6514, 6641, 6691, 6796, 6918, 8509, 8521, 8614, 8808, 10591, 10621, 11126, 11132, 11145, 11147, 11283, 11297, 12940, 13010, 15877, 15923, 16060, 16300, 16320, 16457, 16517, 16639, 16873, 16895, 17130, 17422, 17444, 17710, 17992, 18121, 18143, 18393	
\lastbox@a 7577, 7578, 7581, 7582	\leftfootnoterule .		
\LastFrameCommand 11397, 11507	1686, 7951, 8855, 11130, 11133, 11371, 11780, 21406		
\lastkern	... 5316, 11482	\leftline 15624, 20874, 20880, 20882		
\lastpenalty	. 7023, 20058	\leftlinenumbers 13183, 13186		
\lastrule 7070	\leftmargin 90, 293, 569, 570, 704, 705, 940, 967, 968, 1217, 1218, 2549, 2550, 4452, 5662, 5721, 5722, 5729, 5735, 6477, 6478, 6665, 6666, 6974, 6975, 8498, 8499, 8769, 8770,		
\lastskip 4749, 6351, 6352, 7022, 7564, 7565, 7569, 7570, 7572, 7579, 7584			
\lastskip@a			
	... 7567, 7571, 7575			
\lastskip@b	7565, 7567, 7569, 7571, 7575, 7576			
\lastskip@d			
	7564, 7570, 7572, 7578, 7579, 7582, 7584, 7585, 7588, 7598			
\LastTOCLevelWasHigher 19968			
\LastTOCLevelWasLower 19964			
\LastTOCLevelWasSame 19966			
\LaTeX 12807, 20695, 20696, 20708			
\LaTeXe 20697, 20698			
\LBEG 2041			



10606,	10607,	8446, 8447, 8457,	19269, 19277,
12914,	15678,	8711, 9127, 10452,	19286, 19287,
15895,	15896,	10461, 10547,	19288, 19296,
16289,	16290,	10562, 10565,	19306, 19307,
16483,	16484,	10566, 12960,	19308, 19316,
16686,	16687,	12961, 13748,	19341, 19342,
17088,	17089,	14421, 14422,	19343, 19351,
17668,	17669,	14785, 14789,	19391, 19392,
18351,	18352,	14790, 14797,	19393, 20071,
19018,	19019,	14802, 14809,	20133, 20134,
20766,	20769,	14814, 15689,	20135, 20141,
20779,	20783,	15691, 15702,	20144, 20191,
20791,	20828,	15704, 15715,	20251, 20256,
20830,	20831,	15717, 15726,	20279, 20286,
20832,	20837,	15728, 15802,	20655, 20656,
20839,	20840,	15815, 15826,	20863, 20889,
20841,	20846,	15827, 15832,	20890, 20949, 20954
20848,	20849,	15843, 15866,	\LEND 2042
20850,	20855,	15869, 15870,	\LenToUnit 8237, 8251, 8269
20857,	20858, 20859	16198, 16199,	\leqno 328, 15620,
\leftmargini 4452,	16204, 16215,	15622, 21397, 21399
	5662, 5675, 5682	16238, 16241,	\let 86,
\leftmarginii 5676	16242, 16252,	102, 115, 152, 153,
\leftmarginiii 5677	16265, 16314,	156, 157, 160, 161,
\leftmarginiv 5678	16430, 16445,	164, 222, 289, 319,
\leftmarginv 5679	16448, 16449,	327, 328, 340, 372,
\leftmarginvi 5680	16454, 16455,	373, 376, 393, 397,
\leftmarginwidth 16454	16615, 16630,	401, 406, 407, 408,
\leftmark 6012	16633, 16634,	409, 410, 411, 412,
\leftskip 12,	18937, 18949,	430, 431, 432, 433,
	13, 207, 208, 305,	18966, 18987,	434, 435, 436, 437,
	309, 506, 523, 526,	18989, 18994,	438, 439, 440, 441,
	527, 617, 630, 641,	18998, 18999,	465, 466, 467, 468,
	642, 647, 658, 683,	19110, 19111,	469, 470, 471, 472,
	686, 687, 868, 869,	19112, 19120,	473, 474, 475, 476,
	875, 885, 888, 889,	19141, 19142,	477, 484, 485, 486,
	902, 924, 1118,	19143, 19151,	573, 596, 611, 708,
	1124, 1125, 1130,	19164, 19165,	730, 731, 732, 733,
	1141, 1167, 1170,	19166, 19174,	734, 772, 773, 774,
	1171, 1189, 5639,	19181, 19182,	775, 776, 777, 778,
	5647, 5648, 6219,	19183, 19191,	779, 780, 781, 816,
	6407, 6413, 6414,	19198, 19199,	817, 818, 819, 820,
	6419, 6430, 6453,	19200, 19208,	821, 822, 823, 824,
	6456, 6457, 6584,	19215, 19216,	825, 826, 833, 860,
	6590, 6591, 6596,	19217, 19225,	971, 982, 983, 984,
	6607, 6630, 6633,	19232, 19233,	985, 986, 1024,
	6634, 6894, 6909,	19234, 19242,	1025, 1026, 1027,
	6912, 6913, 7045,	19249, 19250,	1028, 1029, 1030,
	7046, 7047, 7173,	19251, 19259,	1031, 1032, 1033,
	7174, 7180, 8443,	19267, 19268,	1068, 1069, 1070,



1071, 1072, 1073,	3669, 3679, 3690,	6371, 6372, 6378,
1074, 1075, 1076,	3757, 3767, 3769,	6379, 6380, 6381,
1077, 1078, 1085,	3803, 3814, 3905,	6382, 6383, 6384,
1112, 1221, 1232,	3921, 3941, 3956,	6385, 6386, 6401,
1233, 1234, 1235,	3972, 4065, 4086,	6481, 6512, 6513,
1236, 1274, 1275,	4087, 4103, 4146,	6514, 6515, 6516,
1276, 1277, 1278,	4149, 4151, 4156,	6554, 6555, 6556,
1279, 1280, 1281,	4170, 4178, 4179,	6557, 6558, 6559,
1282, 1283, 1318,	4199, 4200, 4227,	6560, 6561, 6562,
1319, 1320, 1321,	4238, 4243, 4247,	6563, 6578, 6669,
1322, 1323, 1324,	4249, 4252, 4262,	6689, 6690, 6691,
1325, 1326, 1327,	4273, 4300, 4311,	6692, 6693, 6731,
1328, 1336, 1362,	4320, 4369, 4374,	6732, 6733, 6734,
1363, 1367, 1383,	4390, 4391, 4392,	6735, 6736, 6737,
1384, 1385, 1421,	4393, 4395, 4396,	6738, 6739, 6740,
1422, 1423, 1448,	4397, 4398, 4444,	6789, 6794, 6795,
1449, 1450, 1451,	4574, 4575, 4612,	6796, 6797, 6798,
1456, 1491, 1492,	4613, 4619, 4621,	6799, 6800, 6818,
1589, 1591, 1593,	4625, 4670, 4671,	6819, 6820, 6821,
1723, 1724, 1731,	4753, 4755, 4757,	6822, 6823, 6824,
1817, 1868, 1870,	4903, 4904, 4917,	6825, 6826, 6827,
1872, 1904, 1977,	4921, 4923, 4924,	6828, 6829, 6853,
1978, 1979, 1980,	4930, 4934, 4938,	6854, 6855, 6856,
1981, 1982, 1983,	4947, 5191, 5192,	6857, 6858, 6859,
1984, 1985, 1986,	5210, 5211, 5229,	6860, 6861, 6862,
1987, 2125, 2126,	5230, 5257, 5258,	6863, 6864, 6865,
2127, 2154, 2171,	5286, 5287, 5288,	6872, 6873, 6874,
2172, 2173, 2174,	5385, 5406, 5407,	6978, 7002, 7004,
2175, 2176, 2177,	5408, 5414, 5435,	7007, 7008, 7009,
2178, 2179, 2181,	5436, 5437, 5443,	7015, 7020, 7040,
2182, 2183, 2293,	5464, 5465, 5466,	7052, 7053, 7054,
2294, 2295, 2296,	5482, 5486, 5487,	7056, 7057, 7063,
2297, 2298, 2299,	5488, 5491, 5495,	7064, 7065, 7066,
2300, 2301, 2553,	5496, 5497, 5500,	7086, 7095, 7136,
2562, 2635, 2653,	5504, 5505, 5506,	7142, 7163, 7335,
2677, 2696, 2701,	5653, 5717, 5758,	7338, 7339, 7398,
2726, 2727, 2734,	5845, 5912, 5913,	7401, 7402, 7949,
2735, 2738, 2739,	5914, 6104, 6105,	7950, 7951, 7952,
2773, 2906, 2909,	6107, 6108, 6126,	7953, 7956, 7957,
2917, 2941, 2963,	6147, 6148, 6149,	7959, 7977, 7978,
2985, 2986, 3116,	6150, 6151, 6152,	7980, 7998, 7999,
3196, 3198, 3199,	6153, 6154, 6155,	8003, 8038, 8040,
3200, 3201, 3202,	6158, 6159, 6160,	8052, 8055, 8056,
3257, 3293, 3300,	6161, 6162, 6163,	8060, 8090, 8092,
3306, 3317, 3323,	6164, 6165, 6166,	8104, 8107, 8108,
3331, 3334, 3337,	6227, 6245, 6296,	8155, 8179, 8187,
3345, 3349, 3351,	6302, 6323, 6336,	8195, 8502, 8519,
3416, 3417, 3422,	6346, 6360, 6364,	8520, 8521, 8522,
3529, 3532, 3563,	6365, 6366, 6367,	8523, 8541, 8542,
3649, 3656, 3659,	6368, 6369, 6370,	8543, 8544, 8545,



8546, 8547, 8548,	9927, 9928, 9931,	10971, 11105,
8549, 8550, 8574,	10028, 10029,	11133, 11159,
8575, 8576, 8577,	10030, 10034,	11160, 11269,
8578, 8579, 8580,	10035, 10036,	11283, 11297,
8581, 8582, 8583,	10037, 10040,	11323, 11324,
8584, 8591, 8612,	10187, 10188,	11325, 11326,
8613, 8614, 8615,	10189, 10194,	11360, 11375,
8616, 8617, 8618,	10195, 10201,	11381, 11386,
8636, 8637, 8638,	10202, 10203,	11521, 11522,
8639, 8640, 8641,	10204, 10205,	11523, 11524,
8642, 8643, 8644,	10206, 10210,	11576, 11579,
8645, 8646, 8647,	10211, 10242,	11580, 11625,
8671, 8672, 8673,	10244, 10246,	11628, 11629,
8674, 8675, 8676,	10247, 10252,	11765, 11780,
8677, 8678, 8679,	10253, 10259,	11781, 11782,
8680, 8681, 8682,	10260, 10261,	11783, 11784,
8683, 8690, 8691,	10263, 10265,	11878, 11912,
8692, 8773, 8823,	10267, 10268,	11914, 11942,
8824, 8825, 8826,	10272, 10273,	11944, 11949,
8827, 8828, 8837,	10300, 10309,	11951, 11955,
8838, 8839, 8840,	10321, 10333,	11957, 12288,
8841, 8842, 8843,	10364, 10383,	12289, 12290,
8844, 8845, 8846,	10397, 10467,	12331, 12332,
8847, 8848, 8853,	10537, 10610,	12333, 12375,
8854, 8855, 8856,	10619, 10620,	12376, 12377,
8857, 8957, 8958,	10621, 10622,	12390, 12391,
8959, 8960, 8961,	10623, 10641,	12392, 12405,
8962, 8965, 8966,	10642, 10643,	12406, 12407,
8967, 8968, 8969,	10644, 10645,	12413, 12415,
8970, 8974, 9162,	10646, 10647,	12416, 12417,
9163, 9164, 9168,	10648, 10649,	12418, 12419,
9169, 9170, 9171,	10650, 10674,	12420, 12421,
9174, 9271, 9272,	10675, 10676,	12430, 12466,
9273, 9277, 9278,	10677, 10678,	12504, 12537,
9279, 9280, 9283,	10679, 10680,	12568, 12599,
9374, 9375, 9376,	10681, 10682,	12605, 12607,
9380, 9381, 9382,	10683, 10684,	12608, 12609,
9383, 9386, 9483,	10691, 10747,	12610, 12611,
9484, 9485, 9489,	10774, 10777,	12612, 12613,
9490, 9491, 9492,	10778, 10810,	12614, 12626,
9495, 9592, 9593,	10813, 10814,	12629, 12632,
9594, 9598, 9599,	10896, 10897,	12635, 12802,
9600, 9601, 9604,	10899, 10900,	12803, 12804,
9701, 9702, 9703,	10903, 10904,	12805, 12820,
9707, 9708, 9709,	10933, 10935,	12831, 12910,
9710, 9713, 9810,	10937, 10947,	12927, 12976,
9811, 9812, 9816,	10948, 10949,	13020, 13056,
9817, 9818, 9819,	10955, 10959,	13066, 13071,
9822, 9919, 9920,	10962, 10965,	13278, 13290,
9921, 9925, 9926,	10967, 10970,	13601, 13602,



13603,	13605,	15779,	15780,	16410,	16411,
13607,	13611,	15796,	15899,	16412,	16487,
13613,	13615,	15921,	15922,	16511,	16515,
13616,	13618,	15923,	15924,	16516,	16517,
13619,	13620,	15925,	15963,	16518,	16519,
13624,	13630,	15964,	15965,	16520,	16521,
13642,	13678,	15966,	15967,	16539,	16540,
13679,	13680,	15968,	15969,	16541,	16542,
13740,	13741,	15970,	15971,	16543,	16544,
13742,	13743,	15972,	16007,	16545,	16546,
13744,	13752,	16008,	16009,	16547,	16548,
13799,	13800,	16010,	16011,	16549,	16550,
13801,	14389,	16012,	16013,	16574,	16575,
14390,	14391,	16014,	16015,	16576,	16577,
14392,	14393,	16016,	16017,	16578,	16579,
14394,	14395,	16024,	16051,	16580,	16581,
14396,	14397,	16058,	16059,	16582,	16583,
14453,	14456,	16060,	16061,	16584,	16585,
14457,	14459,	16062,	16063,	16586,	16593,
14460,	14557,	16064,	16102,	16594,	16595,
14560,	14561,	16103,	16104,	16690,	16715,
14657,	14660,	16105,	16106,	16742,	16743,
14661,	14896,	16107,	16108,	16760,	16832,
14899,	14925,	16109,	16110,	16833,	16834,
14926,	14929,	16111,	16112,	16893,	16894,
14930,	14933,	16113,	16148,	16895,	16896,
14934,	15034,	16149,	16150,	16897,	16898,
15049,	15135,	16151,	16152,	16899,	16901,
15136,	15137,	16153,	16154,	16965,	16982,
15245,	15246,	16155,	16156,	16983,	16984,
15247,	15248,	16157,	16158,	16985,	16986,
15249,	15251,	16159,	16160,	16987,	16988,
15290,	15295,	16168,	16169,	16989,	16990,
15309,	15341,	16170,	16293,	16991,	16992,
15530,	15534,	16318,	16319,	16993,	16994,
15579,	15580,	16320,	16321,	16995,	16996,
15581,	15582,	16322,	16323,	16997,	16998,
15585,	15586,	16324,	16352,	16999,	17000,
15588,	15593,	16353,	16354,	17001,	17002,
15616,	15617,	16355,	16356,	17003,	17004,
15618,	15619,	16357,	16358,	17005,	17006,
15620,	15682,	16359,	16360,	17007,	17008,
15686,	15688,	16361,	16362,	17009,	17013,
15699,	15701,	16363,	16392,	17014,	17015,
15712,	15714,	16393,	16394,	17100,	17125,
15724,	15725,	16395,	16396,	17126,	17150,
15736,	15737,	16397,	16398,	17151,	17152,
15738,	15739,	16399,	16400,	17153,	17154,
15740,	15753,	16401,	16402,	17155,	17161,
15759,	15771,	16403,	16404,	17162,	17163,



17164,	17165,	18249,	18250,	19223,	19224,
17166,	17260,	18251,	18252,	19239,	19240,
17262,	17268,	18253,	18254,	19241,	19256,
17270,	17381,	18255,	18256,	19257,	19258,
17382,	17383,	18257,	18261,	19274,	19275,
17442,	17443,	18262,	18263,	19276,	19293,
17444,	17445,	18363,	18388,	19294,	19295,
17446,	17447,	18389,	18413,	19313,	19314,
17448,	17450,	18414,	18415,	19315,	19348,
17514,	17531,	18416,	18417,	19349,	19350,
17532,	17533,	18418,	18424,	19413,	19568,
17534,	17535,	18425,	18426,	19705,	19786,
17536,	17537,	18427,	18428,	19789,	19819,
17538,	17539,	18429,	18523,	20052,	20268,
17540,	17541,	18525,	18531,	20276,	20281,
17542,	17543,	18533,	18661,	20288,	20305,
17544,	17545,	18662,	18663,	20308,	20368,
17546,	17547,	18666,	18722,	20426,	20430,
17548,	17549,	18723,	18724,	20508,	20513,
17550,	17551,	18727,	18738,	20523,	20527,
17552,	17553,	18739,	18740,	20556,	20566,
17554,	17555,	18747,	18748,	20570,	20610,
17556,	17557,	18753,	18762,	20614,	20679,
17558,	17562,	18763,	18764,	20680,	20681,
17563,	17564,	18766,	18769,	20682,	20685,
17680,	17705,	18773,	18776,	20686,	20688,
17706,	17730,	18778,	18781,	20693,	20695,
17731,	17732,	18790,	18793,	20697,	20709,
17733,	17734,	18806,	18807,	20710,	20711,
17735,	17741,	18808,	18823,	20712,	20716,
17742,	17743,	18824,	18825,	20717,	20723,
17744,	17745,	18826,	18827,	20724,	20725,
17746,	17840,	18828,	18830,	20737,	20759,
17842,	17848,	18831,	18834,	20821,	20862,
17850,	18080,	18835,	18909,	20865,	20866,
18081,	18082,	18910,	18913,	20880,	20881,
18141,	18142,	18915,	18916,	20899,	20903,
18143,	18144,	18917,	18932,	20904,	20905,
18145,	18146,	18961,	18990,	20908,	20920,
18147,	18149,	18995,	19001,	20921,	20922,
18213,	18230,	19004,	19022,	20923,	20929,
18231,	18232,	19084,	19088,	20930,	20931,
18233,	18234,	19117,	19118,	20969,	21021,
18235,	18236,	19119,	19148,	21024,	21025,
18237,	18238,	19149,	19150,	21068,	21071,
18239,	18240,	19171,	19172,	21072,	21302,
18241,	18242,	19173,	19188,	21304,	21307,
18243,	18244,	19189,	19190,	21319,	21321,
18245,	18246,	19205,	19206,	21323,	21325,
18247,	18248,	19207,	19222,	21327,	21329,



21332, 21333,	\lineskip 394, 419, 490, 752, 837, 1004, 1089, 1254, 1340, 1349, 2382, 6534, 6711, 6807, 6878, 8530, 8595, 8625, 8696, 10630, 10695, 10951, 13643, 13749, 15750, 15943, 16028, 16082, 16174, 16183, 16341, 16417, 16528, 16599, 16923, 17037, 17472, 17586, 18171, 18285, 18742, 18781, 20925, 21345	\link 2512 \list 89, 292, 567, 702, 938, 965, 1215, 5700, 5718, 5727, 5735, 6475, 6663, 6972, 8496, 8767, 10604, 12913, 15127, 15893, 16287, 16481, 16684, 17084, 17664, 18347, 19016, 20748
\Letter 2398		\listdoubleitemmaincolumnwidth 2452, 2465, 2466, 2467, 2494, 2498
\lettergroup 5769		\listfigurename 5622, 5623
\LettrineDepth 13078		\listitemmaincolumnwidth 2451, 2459, 2460, 2492
\LettrineHeight 13077, 13085, 13090		\listitemsymbol 2393, 2450, 2491, 2493, 7760, 7858
\LettrineSecondString 13036		\listitemsymbolwidth 2449, 2450, 2460, 2466
\LettrineTextFont 13036, 13044, 13089		\listoffigures 5620
\LettrineWidth 13069, 13076		\listoftables 5628
\lftside 15460, 15462, 15465, 15467, 15481, 15483		\listparindent 938, 5720, 5727, 5728, 20755, 20764
\Line 8182, 8185, 8190, 8193, 8198, 8199, 8202, 8203, 8207, 8208, 8211, 8212, 8216, 8217, 8220, 8221, 8225, 8226, 8229, 8230		\listtablename 5630, 5631
\line 7192, 7193, 7195, 7196, 7202, 7203, 7205, 7206, 7215, 7216, 7218, 7219, 7225, 7226, 7228, 7229, 7238, 7239, 7241, 7242, 7248, 7249, 7251, 7252, 7261, 7262, 7264, 7265, 7271, 7272, 7274, 7275, 15623, 15624, 15625		\llap 5707, 8292, 8993, 9005, 9017, 10753, 10759, 11787, 11923, 11925, 11927, 11929, 11932, 11934, 11937, 11939, 13150, 18688, 18950, 18968
\LineNumber 13161, 13163, 13165, 13170, 13173, 13175		\LoadClass 5954, 5978
\linenumberwidth 13163, 13170, 13175		\long 34, 48, 64, 237, 251, 266, 448, 735, 800, 987, 1050, 1237, 1302, 1970, 2188, 2191, 2194, 2199, 2202, 2205, 2671, 2672, 2681, 2684, 2695,



2874, 2878, 2911,	21216, 21220,	\lst@title@dropdelim
2943, 2947, 3057,	21224, 21283, 21386 13247
3076, 3151, 3167,	\longindentation .. 8801	\lstKV@SwitchCases
3179, 3188, 3220,	\longthickrule 13195, 13202
3248, 3260, 3261, 16409, 16415	\lstset
3629, 3631, 3636,	\loop 1773,	\LT@hl
3637, 3654, 3655,	1774, 3712, 3722,	13603, 13605
3662, 3671, 3674,	7285, 7455, 7461,	\LT@tabarray
3681, 3699, 4317,	7566, 7621, 7633,	\LT@array
4581, 4730, 4990,	10156, 10165,	12811, 13592,
4994, 4998, 5034,	13106, 15416,	17260, 17261,
5038, 5042, 5078,	15452, 15479,	17840, 17841,
5082, 5086, 5297,	15490, 15517, 18801	18523, 18524
5384, 5413, 5442,	\looprepeat	\LT@bchunk
6253, 6256, 6259,	3729, 3733, 13633, 13640,
6263, 6266, 6269,	3777, 3848, 3855,	13644
6517, 6694, 6836,	3860, 3866, 3869,	\LT@caption
7129, 7958, 7979,	3871, 3875, 3876, 3881	13611, 17262,
8557, 8654, 10657,	\lower	17268, 17270,
11207, 11224,	1627, 1898, 15614,	17842, 17848,
11240, 11268,	15648, 15656,	17850, 18525,
11282, 11296,	20496, 20705, 20707	18531, 18533
11785, 11799,	\lowercase	\LT@cols
11808, 11854,	2741, 2749, 2757, 2765	13646, 17245,
11895, 11902,	\lowertitleback	17825, 18508
12334, 12345,	. 17006, 17555, 18254	\LT@end@pen
12356, 12367,	\LR	13694
12382, 12397,	12803, 15581, 15614,	\LT@endpbox
12440, 12457,	20681, 20705, 20707	13613
12478, 12495,	\lrb	\LT@err
12511, 12528,	2040, 2049	13695
12542, 12559,	\LRE	\LT@foot
12573, 12590,	1590, 1634,	12826, 12830,
12815, 13230,	1869, 1903, 12802,	13698, 13702,
14403, 14453,	15581, 15584,	13711, 13714
14503, 14525,	20308, 20681, 20684	\LT@head
14937, 14941,	\LRfootnoterule	13705, 13718
14945, 15399,	. 7953, 8857, 11133	\LT@hline
15608, 15926,	\lsb	13611
15991, 16065,	2039, 2047	\LT@kill
16132, 16328,	\lst@@caption	\LT@lastfoot
16371, 16557,	13251, 13257	. 13698, 13700,
16848, 17397,	\lst@ifnumberbychapter	13711
17971, 18071,	13290, 13291	\LT@LL@FM@cr
18096, 18660,	\lst@Key	13620, 13624
18846, 18850,	13194, 13201	\LT@make@row
18853, 18857,	\lst@MakeCaption	13641
20502, 20699,	13249, 13262	\LT@makecaption
20795, 21172,	\lst@maketitle	13645, 13656,
21176, 21180,	13246, 13279	17237, 17817,
	\lst@maketitle	18500
	13280, 13284, 13286	\LT@mcol
		13646, 17245,
		17825, 18508
		\LT@no@pgbk
		13609, 13610
		\LT@nofcols
		13640
		\LT@output
		13692
		\LT@p@ftn
		12435,
		12438, 12442,
		12452, 12473,
		12476, 12480,
		12490, 13685,
		13686, 13688, 13689
		\LT@p@ftntext
		13678



\LT@p@LTRftntext ..	17014, 17447,	\ltx@secondofthree ..
..... 12433,	17563, 18146, 18262 11061, 11085
12440, 13679, 13684	\LTRfootnotetext ..	\ltx@thirdofthree ..
\LT@p@RTLftntext 2192, 2203, 11054, 11071, 11078
..... 12471,	6257, 6267, 11344,	M
12478, 13680, 13687	11346, 12436,	\m@addvipersep
\LT@rows ... 13635, 13665	13685, 18847, 18851 14586, 14686
\LT@setprevdepth . 13636	\LTRfootscript . 8989,	\m@m@float@spacing 8980
\LT@start .. 12828, 12838	9006, 9010, 9012	\m@m@footnote@spacing
\LT@startpbox	\LTRfoottextfont 8885, 8899,
.... 13617, 13624, 13676 8879, 8915,	8913, 8927, 8938,
\LT@tabularcr 13607	8940, 9068, 9189,	8949, 8979, 9178,
\LT@captype	9217, 9237, 9297,	9188, 9198, 9224,
.... 13658, 13667, 13668	9323, 9342, 9401,	9236, 9249, 9260,
\LT@capwidth	9429, 9449, 9510,	9265, 9287, 9296,
.... 13646, 13659, 13660	9538, 9558, 9619,	9305, 9330, 9341,
\LT@left	9647, 9667, 9728,	9353, 9363, 9368,
.... 13595,	9756, 9776, 9837,	9390, 9400, 9410,
13597, 13599, 13637	9865, 9885, 9946,	9436, 9448, 9461,
\LTR .. 15573, 20657, 20659	9974, 9994, 10055,	9472, 9477, 9499,
\LTR@column@boxes ..	10083, 10103,	9509, 9519, 9545,
.... 14853,	10323, 10351, 10386	9557, 9570, 9581,
14869, 14900, 14902	\LTRright	9586, 9608, 9618,
\LTR@outputdblcol ..	13595, 13597, 13599, 13638	9628, 9654, 9666,
... 7385, 10798,	\LTRmarginnote 5490	9679, 9690, 9695,
11559, 14644,	\LTRmarginpar 21155	9717, 9727, 9737,
21055, 21099, 21101	\LTRmulticolcolumns	9763, 9775, 9788,
\LTRbidituftesidenotemarginpar 14898	9799, 9804, 9826,
... 5017, 5343, 5493	\LTRsidenote .. 5212, 5472	9836, 9846, 9872,
\LTRcite	\LTRthanks . 411, 431,	9884, 9897, 9908,
5287, 5407, 5436,	466, 485, 5826,	9913, 9935, 9945,
5465, 5487, 5496, 5505	5834, 5851, 5867,	9955, 9981, 9993,
\LTRcolumnfootnotes 8976	5878, 6799, 6819,	10006, 10017,
\LTRdblcol	6854, 6873, 8617,	10022, 10044,
\LTRdfnmakecol 8111	8637, 8672, 8691,	10054, 10064,
\LTRfootfootmark ..	11342, 14390,	10090, 10102,
8878, 9003, 9217,	16063, 16103,	10115, 10126,
9323, 9429, 9538,	16149, 16169,	10131, 10213,
9647, 9756, 9865,	16323, 16353,	10275, 10310,
9974, 10083, 10351	16393, 16411,	10322, 10334,
\LTRfootmarkstyle ..	16520, 16540,	10365, 10384,
.... 8989, 9028	16575, 16594,	10398, 10416,
\LTRfootnote ... 411,	16898, 16983,	10426, 10435, 10444
485, 2126, 2134,	17014, 17447,	\m@m@h 9143, 9145,
5476, 5826, 6799,	17532, 17563,	9147, 9150, 9151, 9156
6873, 8617, 8691,	18146, 18231, 18262	\m@m@k 9143, 9145,
11188, 16063,	\ltx@iffirstofthree ..	9150, 9153, 9154, 9156
16169, 16323, 11058, 11082	\m@m@makecolfloats
16411, 16520,	\ltx@ifundefined 10465, 10518, 10524
16594, 16898, 11052, 11076	



```

\m@m@makecolintro . \m@m@mdoextrafeet ...
. 10480, 10509, 10522 . 9037, 10517, 10531
\m@m@makecoltext . \m@m@mdoextrafeetendmini ...
. 10469, 10519, 10532 . 9106, 9119
\m@m@singlespace .. 8978 \m@m@mdoextrafeetmini 9078
\m@make@eightcol@footgroup \m@m@mdosplits ... 9148,
. .... 9815, 9906 9152, 9153, 9154
\m@make@fivecol@footgroup \m@m@interparanoteglue ...
. .... 9488, 9579 . 10149, 10151
\m@make@footstart . \m@mipn@skip ...
. .... 9124, 9136 . 10141, 10148, 10150
\m@make@fourcol@footgroup \m@m@mmakehboxofhboxes ...
. .... 9379, 9470 . 10153,
\m@make@mp@eightcol@footgroup 10163, 10413,
. .... 9821, 9911 10423, 10433, 10442
\m@make@mp@fivecol@footgroup \m@m@mmf@prepare . 8895,
. .... 9494, 9584 8909, 8923, 8984,
\m@make@mp@fourcol@footgroup 9186, 9196, 9206,
. .... 9385, 9475 9232, 9245, 9257,
\m@make@mp@ninecol@footgroup 9294, 9303, 9312,
. .... 9930, 10020 9337, 9349, 9360,
\m@make@mp@para@footgroup 9398, 9408, 9418,
. 10208, 10270, 10429 9444, 9457, 9469,
\m@make@mp@sevencol@footgroup 9507, 9517, 9527,
. .... 9712, 9802 9553, 9566, 9578,
\m@make@mp@sixcol@footgroup 9616, 9626, 9636,
. .... 9603, 9693 9662, 9675, 9687,
\m@make@mp@tentcol@footgroup 9725, 9735, 9745,
. .... 10039, 10129 9771, 9784, 9796,
\m@make@mp@threecol@footgroup 9834, 9844, 9854,
. .... 9282, 9366 9880, 9893, 9905,
\m@make@mp@twocol@footgroup 9943, 9953, 9963,
. .... 9173, 9263 9989, 10002,
\m@make@ninecol@footgroup 10014, 10052,
. .... 9924, 10015 10062, 10072,
\m@make@para@footgroup 10098, 10111,
. 10192, 10250, 10409 10123, 10319,
\m@make@para@footstart 10331, 10343,
. 10193, 10199, 10251, 10257, 10447 10380, 10394, 10408
\m@make@sevencol@footgroup \m@mold@footnotetext ...
. .... 9706, 9797 . 8957, 8965, 10242
\m@make@sixcol@footgroup \m@mold@LTRfootnotetext ...
. .... 9597, 9688 . 8958, 8966
\m@make@tentcol@footgroup \m@mold@mpfootnotetext ...
. .... 10033, 10124 . 8960, 8968, 10263
\m@make@threecol@footgroup \m@mold@mpLTRfootnotetext ...
. .... 9276, 9361 . 8961, 8969
\m@make@twocol@footgroup \m@mold@mpRTLfootnotetext ...
. .... 9167, 9258 . 8962, 8970, 10268
\m@mold@RTLfootnotetext ...
. 8959, 8967, 10247
\m@mopfootnote .... .
. .... 10481, 10515
\m@mremovehboxes ...
. .... 10171,
10172, 10414,
10424, 10434, 10443
\m@mrigidbalance ...
. .... 9145, 9150,
9262, 9267, 9365,
9370, 9474, 9479,
9583, 9588, 9692,
9697, 9801, 9806,
9910, 9915, 10019,
10024, 10128, 10133
\m@msplitoff .. 9153, 9155
\m@mungebox ...
. 10142, 10319,
10331, 10343,
10380, 10394, 10408
\m@muvxh .. 10134, 10143
\m@ne 304, 544, 553, 2725,
2914, 3449, 3456,
3708, 3713, 3723,
3804, 4985, 5029,
5073, 6746, 6904,
6941, 7285, 8465,
8474, 8735, 10557,
10574, 12658,
14827, 15674,
16440, 16625,
16662, 17324,
17902, 17905,
18585, 18588,
19096, 19138,
20077, 21167,
21211, 21246, 21249
\m@th .... 396, 8281,
8286, 8292, 10846,
10861, 13642,
20149, 20258,
20729, 20823,
20895, 20897, 20956
\maincolumnwidth ...
. 2447, 2456, 2457,
2458, 2459, 2461,
2465, 2480, 2484, 2509
\mainmatter .... 6005
\makeatletter . 3123, 3142

```



\makebox	8280, 8285, 8354, 8357, 8360, 8367, 8375, 8382, 8423, 8427, 15239, 15257	7916, 7931, 7933, 7934, 7935, 7936, 7937	\markboth 124, 558, 6010, 8479, 12985	
\makefooter 7825, 7826, 7842	\maketitledetailswidth 7908, 7910, 7911, 7912, 7913, 7928	\mathindent . 10847, 10863	
\MakeFramed	11399	\maketitlehookb .. 14448	\mathsurround 7019	
\makelabel	5707, 20759	\maketitlehookc .. 14450	\max@poem@no	
\MakeLineNo	13155	\maketitlenamefullwidth ... 7902, 7903, 7905	... 6205, 6307, 6308	
\makeLineNumber	13156, 13158	\maketitlenamemaxwidth ... 7900, 7901, 7905	\maxdepth 10520,	
\makeLineNumberLeft	13161	\maketitlenamewidth 7904, 7905, 7911, 7923	10533, 11771, 11778	
\makeLineNumberRight	13169	\maketitlepage 5888, 5930	\maxdimen	
\maketag@@@	336, 8278, 8291, 13724	\maketitlepicturewidth 7906, 7907, 7913, 7942	7326, 7327, 7329, 7389, 7390, 7392,	
\makethanksmark	14403	\MakeUppercase . 125,	10315, 10327,	
\maketitle	110, 313, 320, 405, 433, 444, 468, 728, 773, 795, 817, 980, 1025, 1047, 1069, 1230, 1275, 1297, 1319, 1966, 1978, 2473, 5802, 5906, 5930, 6510, 6555, 6687, 6732, 6793, 6821, 6832, 6856, 7807, 7921, 8518, 8542, 8553, 8575, 8611, 8639, 8650, 8674, 10618, 10642, 10653, 10675, 12605, 12606, 12971, 14398, 15919, 15964, 15986, 16008, 16056, 16105, 16127, 16151, 16317, 16355, 16366, 16395, 16514, 16542, 16553, 16577, 16887, 16958, 16985, 17436, 17507, 17534, 18135, 18206, 18233	564, 592, 593, 608, 699, 857, 962, 1109, 1212, 6398, 6472, 6575, 6660, 6785, 6786, 6969, 8493, 8764, 10601, 12986, 15793, 15890, 16048, 16284, 16507, 16508, 16681	10339, 10376, 10390, 10404, 10718, 10766, 10767, 10768, 10802, 10803, 10804, 11406, 11567, 11568, 11570, 11616, 11617, 11619, 14548, 14549, 14551, 14648, 14649, 14651, 18794, 18833, 20209, 20212, 20217, 20221, 20225, 20229, 20233, 20237, 20241, 20245, . 17143, 17723, 18406	\mc@col@status@write 14857, 14881
\marginnote	5481	\marginpar	\mc@gridwarn 14847	
\marginpar	4551, 5259, 17144, 17724, 18407, 20344	4551, 5259, 17144, 17724, 18407, 20344	\mc@lastcol@status@write 14863, 14889	
\marginparpush	4484, 21265	\marginparsep	\mdf@footnotedistance@length 13787	
\marginparsep	1956, 2358, 4525, 4528, 4532, 4684, 4691, 11922, 11924, 11928, 11933, 11936, 11938, 21276, 21278	1956, 2358, 4525, 4528, 4532, 4684, 4691, 11922, 11924, 11928, 11933, 11936, 11938, 21276, 21278	\mdf@footnoteinput 13795	
\marginparwidth	1955, 2359, 4524, 4529, 4541, 4639, 4909, 5002, 5046, 5090, 11922, 11924, 11936, 11938, 21184, 21228, 21278	1955, 2359, 4524, 4529, 4541, 4639, 4909, 5002, 5046, 5090, 11922, 11924, 11936, 11938, 21184, 21228, 21278	\mdf@footnoteoutput 13784	
\maketitledetailsnewline			\mdf@frametitleaboveskip@length 13779	
			\mdf@frametitlealignment 13760	
			\mdf@frametitlebelowskip@length 13780	



\mdf@frametitlebox	11491, 11496,	\mintagvsep 8295
.. 13759, 13772,	11501, 11514,	\missingfigure
13773, 13774,	11525, 11533, 11545	20388, 20418
13775, 13777, 13778	\MessageBreak	\mix 13816, 13817, 13824,
\mdf@frametitlefont 148, 3364,	13825, 13851,
..... 13762	3378, 3390, 3404,	13868, 13891,
\mdf@frametitlefontcolor	4081, 4092, 4099,	13894, 13896,
..... 13761	4111, 4117, 4215,	13919, 13951,
\mdf@horizontalmargin@equation	4268, 4269, 4270,	13959, 13968,
..... 13737	4284, 4285, 4287,	13979, 13990,
\mdf@ignorevbadness	4565, 4661, 4888,	13992, 13997,
..... 13771	4889, 4957, 5561,	13998, 14000,
\mdf@lrbox . 13730, 13759	5562, 5563, 5565,	14001, 14003,
\mdf@par@local . 13753	5566, 5570, 5571,	14015, 14024,
\mdf@patchamsthm . 13731	5572, 5574, 5575,	14027, 14028,
\mdfframedtitleenv 13758	13041, 13083,	14029, 14039,
\mdfframetitleboxdepth	13084, 13087,	14049, 14050,
..... 13775	14499, 14500,	14052, 14053,
\mdfframetitleboxheight	14830, 14849,	14058, 14059,
..... 13774	14921, 14998,	14075, 14077,
\mdfframetitleboxtotalheight	15005, 16959,	14079, 14084,
..... 13776	17110, 17117,	14123, 14130,
\mdfframetitleboxwidth	17508, 17690,	14131, 14134,
..... 13773	17697, 18207,	14152, 14154,
\mdseries	18373, 18380,	14157, 14159,
. 307, 7801, 7803,	19721, 19723, 19726	14162, 14169,
7805, 7806, 7893,	\MH 8290, 8294,	14177, 14179,
7894, 7895, 7898, 7899	8299, 8300, 8304,	14232, 14237,
\meaning	8308, 8309, 8313,	14248, 14249,
2634, 2637, 2880,	8321, 8323, 8328,	14252, 14283,
3113, 3140, 3155,	8340, 8348, 8353,	14288, 14290,
3173, 3181, 3190, 3254	8356, 8359, 8361,	14297, 14298,
\mediabutton	8362, 8364, 8365,	14301, 14316,
. 14322, 14382, 14383	8368, 8369, 8371,	14320, 14323,
\medskip 6112	8372, 8374, 8376,	14325, 14334,
\medskipamount 8803	8377, 8379, 8380,	14337, 14347,
\mem@makecol 10508, 10534	8383, 8384, 8386,	14348, 14350,
\memRTLleftskip . . . 14421	8387, 8389, 8394,	14373, 14379, 14383
\memRTLraggedleft 14426	8395, 8396, 8397,	\mkern 20150,
\memRTLraggedright 14425	8398, 8399, 8400,	20151, 20259, 20957
\memRTLrightskip . . 14422	8401, 8402, 8411,	\mobile 2435
\memRTLvleftskip . . 14423	8413, 8417, 8418, 8420	\Mobilefone 2395
\memRTLvrightskip 14424	\MHIinternalSyntaxOff	\mobilesymbol
\message .. 1841, 1843, 8435, 13727	... 2395, 7835, 7933
11407, 11415,	\MHIinternalSyntaxOn	\modernpoem 6360
11419, 11424, 8275, 13721	\modernpoem@obeylines
11432, 11438,	\MidFrameCommand 6107, 6360
11448, 11453,	. 11395, 11439, 11507	\modernpoem@par . . .
11455, 11462,	\minrowclearance 6107, 6108, 6324
11470, 11483,	... 1453, 1487, 7124	\morefloats ... 4791, 4888



\moreLRE	1591, 1870, 15535, 20615	\multiply	1940, 1945, 2283, 10230, 10292, 14970, 14971, 14974, 14975, 15435, 15439	2042, 2339, 2425, 2430, 2431, 2432, 2434, 2435, 2436, 2438, 2439, 2441, 2442, 2453, 2454, 2474, 2481, 2483, 2487, 2491, 2493, 2499, 2508, 2510, 2512, 2516, 2520, 2525, 2537, 2561, 2567, 2740, 2748, 2756, 2764, 2781, 2787, 2793, 2799, 2805, 2811, 2817, 2823, 2830, 2833, 2836, 2842, 2854, 2860, 2872, 2875, 2877, 2884, 2888, 2894, 2901, 2904, 2907, 2910, 2926, 2932, 2976, 2981, 3103, 3127, 3178, 3187, 3264, 3267, 3270, 3273, 3276, 3279, 3282, 3286, 3289, 3303, 3313, 3326, 3341, 3903, 3904, 3920, 3935, 3939, 3945, 3948, 3951, 3954, 3959, 3962, 3965, 3969, 3973, 3976, 3977, 3978, 3980, 3988, 3997, 3999, 4009, 4011, 4023, 4025, 4032, 4040, 4042, 4051, 4053, 4064, 4066, 4067, 4071, 4075, 4145, 4155, 4159, 4164, 4198, 4236, 4259, 4260, 4261, 4293, 4294, 4295, 4296, 4307, 4404, 4405, 4406, 4407, 4429, 4432, 4459, 4486, 4487, 4488, 4489, 4504, 4523, 4559, 4561, 4562, 4567, 4568, 4570, 4571, 4578,
\moreRLE	1593, 1872, 15536, 20616	\myrefname	18025	
\moveleft	4941, 14742	N		
\moveright 10953, 14840, 21348	\n@xt	1589, 1591, 1593, 1594, 1868, 1870, 1872, 1873	
\mp@footgroupv@r	9097, 9142, 9174, 9283, 9386, 9495, 9604, 9713, 9822, 9931, 10040, 10210, 10272	\na	15438, 15440, 15442, 15451, 15453, 15478, 15479	
\mp@LTRfootgroupv@l	9089, 9101, 10211, 10273	\narrower	20888	
\mpfootnoterule	11160, 11164	\NAT@bibitem@first@sw	15135	
\msg	13871, 13874, 13922, 13925, 13940, 13943, 13985	\nb	15438, 15441, 15442, 15451, 15452, 15473, 15489, 15490	
\MT	8314, 8320, 8322, 13722	\NC@find	18800	
\mult@cols	14936	\NC@rewrite@X	18799	
\mult@footnotetext	14924, 14926, 14937	\NeedsTeXFormat		
\mult@gfirstbox	14854, 14871, 14877			
\mult@info	14828			
\mult@LTRfootnotetext	14928, 14930, 14941			
\mult@rightbox	14821, 14861, 14862, 14864, 14886, 14887, 14890			
\mult@RTLfootnotetext	14932, 14934, 14945			
\multfootsep	5301, 5319			
\multi@column@out	14990, 15033			
\multicol@leftmargin	14831, 14840			
\multicols	14909			
\multicolumn	13601, 18768			
\multiplefootnotemarker	5300, 5316, 5410, 5411, 5439, 5440, 5468, 5469, 8983, 8985, 8986			



4579, 4580, 4588,	20655, 20656,	4812, 4813, 4814,
4591, 4679, 4697,	20747, 20869,	4815, 4816, 4817,
4907, 4915, 4925,	20870, 20972,	4818, 4819, 4820,
4928, 4936, 5105,	21100, 21101, 21298	4821, 4822, 4823,
5106, 5107, 5108,	\newcount 1767,	4824, 4825, 4826,
5109, 5110, 5111,	1936, 1937, 2565,	4827, 4843, 4844,
5112, 5113, 5114,	2575, 2579, 3442,	4845, 4846, 4847,
5115, 5116, 5117,	3545, 3705, 3766,	4848, 4849, 4850,
5118, 5119, 5120,	3846, 9143, 20964	4851, 4852, 4853,
5121, 5122, 5123,	\newcounter 5188, 6306,	4854, 4855, 4856,
5124, 5125, 5126,	10872, 11036,	4857, 4858, 4859,
5127, 5128, 5129,	19325, 19329, 19330	4860, 4861, 4862,
5130, 5139, 5189,	\newdimen . 6068, 6069,	4863, 4864, 4865,
5208, 5227, 5249,	6119, 9143, 11695	4866, 4867, 4868,
5255, 5280, 5281,	\newenvironment	9132, 9137, 9140, 9141
5315, 5471, 5472,	2074, 2085, 2094,	\newlength
5473, 5481, 5490,	2103, 2538, 4538,	2443, 2444, 2445,
5499, 5512, 5513,	4553, 4556, 4594,	2447, 2448, 2449,
5636, 5689, 5769,	4721, 6295, 6359,	2451, 2452, 2535,
5782, 5816, 5817,	12907, 20659,	4520, 4521, 4522,
5818, 5819, 5820,	20669, 20825,	4576, 4593, 5381,
5821, 5822, 5823,	20834, 20843, 20852	7900, 7902, 7904,
5874, 5888, 6064,	\newfloat@@setwithin	7906, 7908, 19357,
6071, 6080, 6084, 15162,	19359, 19360, 19987
6094, 6113, 6310,	15168, 15176, 15178	\newline 2506, 4755
6311, 7916, 8110,	\newfloat@Error .. 15181	\newlinechar 1818
8111, 8120, 8127,	\newfloat@setwithin	\newlineinspace
8143, 8149, 8165, 15148	4752, 4772, 4773,
8172, 8819, 8833,	\newif 1552, 1553, 1557,	4774, 6011, 6012, 6013
8860, 8864, 8870,	1558, 1561, 1562,	\newlistentry 19322, 19389
8876, 9030, 9033,	1563, 1564, 1565,	\newpage 458, 480, 809,
10173, 10238,	1566, 1567, 1569,	829, 1061, 1081,
10495, 10534,	1570, 1854, 1855,	1311, 1331, 4262,
10535, 10536,	1856, 1857, 1858,	4264, 4268, 4273,
10537, 10976,	1859, 2316, 2345,	4274, 4277, 4281,
10979, 11038,	2524, 2572, 3129,	4283, 4286, 5907,
11043, 11045,	3611, 5991, 6179,	5944, 5945, 6846,
11051, 11067,	7748, 7750, 7752,	6868, 7742, 8567,
11091, 11103,	7754, 7819, 7846,	8587, 8664, 8686,
11157, 11203,	7848, 7850, 7852,	10667, 10687,
11204, 11205,	7915, 8817, 8818,	13608, 14412,
11258, 11260,	11034, 11042,	16000, 16020,
11966, 13208,	13729, 20297, 20298	16141, 16163,
13219, 14895,	\newinsert 1596, 1875,	16385, 16407,
14898, 14901,	4794, 4795, 4796,	16567, 16589,
16830, 16831,	4797, 4798, 4799,	16974, 17523, 18222
17379, 17380,	4800, 4801, 4802,	\newpoem@tabcr . . .
18078, 18079,	4803, 4804, 4805,	... 6323, 6332, 6333
20299, 20301,	4806, 4807, 4808,	\newsavebox 2073,
20606, 20607,	4809, 4810, 4811,	4537, 4572, 4573



\newskip	8752, 8796, 8797,	3113, 3138, 3140,
2111, 2112, 2113,	10551, 10567,	3158, 3159, 3160,
2919, 10148, 11557	10576, 10580,	3163, 3170, 3171,
\newthought	10588, 12962,	3172, 3174, 3180,
\NewTokenList	12964, 13009,	3181, 3183, 3189,
\newtoks	13718, 13786,	3190, 3192, 3251,
2124,	14791, 14802,	3253, 3254, 3462,
2645, 2646, 3443,	14803, 14814,	3608, 3613, 3619,
3444, 3614, 3627,	14815, 15677,	3667, 3695, 3698,
3652, 3705, 6120,	15679, 15832,	3701, 3702, 3786,
11044, 15531, 20611	15833, 15847,	3793, 3796, 3797,
\newXeTeXintercharclass	15871, 16204,	3814, 3818, 3820,
.	16205, 16219,	3821, 3822, 3830,
\next	16243, 16434,	3831, 3832, 3835,
\next@tpage	16450, 16619,	3836, 3837, 3872,
.	16635, 16664,	3929, 4090, 4091,
16946, 16949,	16668, 16676,	4093, 4229, 4334,
17017, 17453,	17071, 18071,	4368, 4369, 5157,
17485, 17495,	18955, 18972,	5159, 5167, 5560,
17498, 17566,	18979, 19120,	5563, 5569, 5572,
18152, 18184,	19123, 19151,	6254, 6257, 6260,
18194, 18197, 18265	19152, 19174,	6312, 7524, 7699,
\ninecolumnfootnotes	19175, 19191,	8052, 8104, 10874,
.	19192, 19208,	10875, 10880,
\no@bib@break	19209, 19225,	10881, 10933,
.	19226, 19242,	11708, 11718,
\noalign	19243, 19259,	12426, 12436,
6233, 9153, 13608,	19260, 19277,	12444, 12445,
13609, 13610,	19278, 19296,	12446, 12448,
17238, 17263,	19297, 19316,	12474, 12482,
17265, 17818,	19317, 19351,	12483, 12484,
17843, 17845,	19352, 19387,	12486, 12515,
18501, 18526, 18528	19545, 19546,	12516, 12517,
\nobibliography	19652, 19654,	12519, 12546,
\nobidilogo	19702, 19734,	12547, 12548,
\nobreak 14, 16, 209, 211,	19739, 19742,	12550, 12577,
510, 528, 555, 559,	20142, 20147,	12578, 12579,
647, 648, 662, 688,	20155, 20256,	12581, 13637,
875, 876, 890, 906,	20257, 20261,	13685, 13688,
1130, 1131, 1145,	20954, 20955, 20959	14250, 14516,
1172, 4324, 5308,	\nobreakspace	17093, 17094,
5648, 5649, 6133,	554	17673, 17674,
6135, 6141, 6419,	\node	18356, 18357,
6420, 6434, 6458,	2146, 2147, 2161,	18664, 18736,
6596, 6597, 6611,	2162, 2189, 2192,	18773, 18774,
6635, 6749, 6757,	2195, 2600, 2641,	18847, 18854,
6769, 6898, 6914,	2650, 2654, 2674,	19332, 19804,
6944, 6949, 6957,	2678, 2777, 2879,	19837, 19844,
7175, 8448, 8461,	2880, 2882, 3108,	19849, 19850,
8476, 8480, 8488,	3109, 3110, 3112,	19910, 20281,
8715, 8738, 8743,		



20282,	20283,	.. 6187, 6197, 13610	14816,	15241,
20284,	20285,	\nopagenumbers . . . 2525	15254,	15990,
20286,	20287,	\normalbaselines . 20729	15992,	16131,
20288,	20289,	\normalbaselineskip	16133,	16327,
20531,	20546,	311, 4445, 10218,	16334,	16370,
20574,	20580,	10229, 10280,	16377,	16556,
20593,	20918, 21302	10291, 13750, 15751	16559,	16661,
\noindent	448, 623, 632,	\normalcolor . . . 2291,	16674,	19377,
930,	1182, 1191,	7136, 7347, 7412,	19382,	19383,
1970,	4547, 4740,	8409, 9061, 9085,	19741,	20040,
5331,	5349, 5367,	9093, 9101, 9115,	20262,	20960, 21401
5484,	5493, 5502,	10489, 10502,	\normalfootnotes . . .	
5712,	5732, 5893,	11334, 11387, 8963, 8974	
5895,	5897, 6088,	11592, 11639,	\normallineskip . . .	
6468,	6656, 6836,	11740, 11750,	. 2383, 13749, 15750	
7032,	8557, 8654,	11757, 12995,	\normalparindent 42,	
8799,	8862, 10317,	13788, 14816,	56, 72, 245, 259, 274	
10329,	10341,	20040, 20262,	\normalRTLparaLTRfootnotes	
10378,	10392,	20508, 20960, 10238	
10406,	10418,	21033, 21082,	\normalsfcodes . . .	
10428,	10437,	21112, 21128, 10946, 21341	
10446,	10657,	21139, 21147,	\normalsize . . . 307,	
11786,	13148,	21354, 21370, 21401	4438, 4439, 4446,	
14476,	15808,	\normalfont . . . 25,	5013, 5057, 5101,	
15817,	16258,	38, 52, 68, 85,	5195, 5214, 5233,	
16267,	16333,	241, 255, 270, 288,	5611, 7803, 7895,	
16376,	16557,	447, 450, 552, 799,	10944, 14534,	
16867,	16904,	801, 1053, 1301,	16416, 16874,	
17017,	17071,	1303, 1969, 1972,	16881, 17423,	
17185,	17190,	2036, 2041, 2042,	17430, 18122,	
17416,	17453,	2044, 2045, 2046,	18129, 19741,	
17566,	17765,	2047, 2048, 2049,	21195, 21239, 21339	
17770,	17986,	2050, 4486, 5105,	\NOT . . . 4640, 4641, 4680,	
18015,	18021,	5106, 5107, 5195,	4700, 4704, 5387,	
18027,	18033,	5214, 5233, 5299,	5416, 5445, 5527, 5531	
18039,	18045,	5534, 5541, 5548,	\null . . . 413, 427, 481,	
18051,	18057,	5740, 6745, 6765,	621, 624, 740, 769,	
18063,	18072,	6835, 6838, 6940,	830, 928, 931, 992,	
18115,	18152,	6955, 8281, 8286,	1021, 1082, 1180,	
18265,	18448,	8292, 8473, 8486,	1183, 1242, 1271,	
18453,	20320,	8556, 8559, 8653,	1332, 5648, 6222,	
20323,	20325,	8656, 8734, 8750,	6466, 6469, 6522,	
20327,	20330,	8994, 8998, 9000,	6551, 6654, 6657,	
20334,	20336,	9006, 9010, 9012,	6699, 6728, 6801,	
20392,	20454, 20887	9018, 9022, 9024,	6815, 6869, 8524,	
\nointerlineskip . . .		10573, 10586,	8538, 8588, 8619,	
.... 7969, 7990,		10656, 10659,	8633, 8687, 10624,	
11378,	13769,	12909, 12944,	10638, 10688,	
14838,	21273, 21281	12949, 12995,	12876, 12893,	
\nopagebreak . . .		13762, 14402,	14792, 14802,	



<p>14803, 14814, 14815, 15806, 15809, 15931, 15960, 16021, 16070, 16099, 16164, 16256, 16259, 16335, 16349, 16408, 16522, 16536, 16590, 16913, 16935, 16946, 17017, 17025, 17462, 17484, 17495, 17566, 17574, 18161, 18183, 18194, 18265, 18273, 18689, 18695, 18717, 19120, 19151, 19174, 19191, 19208, 19225, 19242, 19259, 19277, 19296, 19316, 19351, 19702, 20142, 20256, 20954</p> <p>\number 8, 139, 203, 2599, 2600, 2606, 2611, 3124, 3737, 3852, 3858, 3864, 3867, 3873, 3877, 6205, 6299, 7976, 7997, 8042, 8048, 8051, 8094, 8100, 8103, 8332, 8335, 12956, 14912</p> <p>\numberline 4733, 13264, 13269, 14528, 19050, 20052, 20270, 20273, 20276</p> <p>\numberline@box 19705, 19706</p> <p>\numberline@tempa 20272</p> <p>\numberwithin 329</p> <p>\numexpr .. 2927, 4341, 19522, 19630, 19804</p> <p>\nxLcs ... 2052, 2053, 2054</p>	O \obeylines . . . 6223, 6324 \ocgbase . . . 14306, 14308 \oddpage 1937, 1941, 1942, 1943, 1946, 1947, 1948 \oddsidemargin . . . 1959, 2354, 8260, 11942, 11951, 11955, 21323, 21327 \on@stripcols@break 7608 \onecolumn 597, 613, 862, 1114, 2392, 6403, 6580, 6790, 15798, 16053, 16512, 19085 \opening 8784, 12997 \OptArg 2053, 2119 \OptArg@i 2119, 2120 \OptArg@ii 2119, 2121 \OptArgs 2118 \optparams 4614, 5471, 5472, 5473, 5475, 5476, 5477 \OR 4608, 4680, 4700, 4704, 4956 \or 1403, 1404, 1405, 1407, 1408, 1428, 1429, 1430, 1434, 1435, 1436, 1437, 1438, 1442, 1443, 1471, 1472, 1473, 1475, 1476, 1655, 1661, 1667, 1673, 1679, 1685, 1687, 1689, 1691, 1697, 1703, 1709, 1722, 1730, 1737, 1747, 7107, 7108, 7109, 7111, 7112, 12270, 12274, 19364, 19367, 19370, 20195, 20306, 20313, 20535, 20584, 20987, 20988, 20990 \orig@footnotetext .. 152, 14925, 14940 \orig@LTRfootnotetext .. 156, 14929, 14944	\orig@RTLfootnotetext .. 160, 14933, 14948 \origin@RaggedLeft . 15779, 15781, 15782 \origin@RaggedRight . 15780, 15781, 15782 \originalHbadness 20368, 20386 \othermargin 872 \outer 1930 \outer@nobreak . . . 2309, 5007, 5051, 5095, 21189, 21233 \outputpenalty 7498, 7499, 7507, 7508, 7517, 7518, 7672, 7673, 7681, 7682, 7691, 7692, 13693, 13694 \overfullrule 2343, 2344, 15660 \OVP@calc 15236
	P \p@ 27, 29, 30, 31, 99, 103, 219, 223, 231, 233, 234, 235, 311, 414, 503, 520, 532, 534, 536, 538, 590, 595, 606, 610, 639, 655, 673, 680, 716, 722, 741, 855, 859, 866, 882, 899, 917, 952, 954, 957, 959, 993, 1107, 1111, 1122, 1138, 1156, 1164, 1196, 1202, 1243, 1597, 1876, 2382, 2383, 2387, 2388, 4440, 4441, 4442, 4449, 4450, 4451, 4453, 4454, 5659, 5660, 5661, 5663, 5664, 5730, 6396, 6400, 6411, 6427, 6443, 6450, 6489, 6495, 6523, 6573, 6577, 6588, 6604, 6620, 6627, 6642, 6648, 6700,	



6744,	6750,	6755,	16336,	16428,	2767,	2770,	2921,
6759,	6761,	6764,	16442,	16458,	4278,	4405,	5513,
6767,	6771,	6773,	16460,	16462,	10175,	13199,	
6783,	6788,	6802,	16464,	16505,	13206,	13374,	
6891,	6906,	6919,	16510,	16523,	13377,	13380,	
6921,	6923,	6925,	16612,	16627,	13383,	13386,	
6939,	6945,	6950,	16640,	16642,	13389,	13392,	
6953,	6958,	7190,	16644,	16646,	13395,	13399,	
7200,	7213,	7223,	16660,	16665,	13402,	13405,	
7236,	7246,	7259,	16669,	16672,	13408,	13411,	
7269,	7631,	7954,	16677,	16875,	13414,	13417,	
7955,	8440,	8454,	16879,	16882,	13420,	13423,	
8510,	8512,	8514,	16886,	17131,	13426,	13429,	
8516,	8525,	8620,	17134,	17136,	13432,	13435,	
8709,	8733,	8739,	17139,	17290,	13438,	13441,	
8744,	8748,	8753,	17309,	17424,	13444,	13447,	
8809,	8811,	8813,	17428,	17431,	13450,	13453,	
8815,	8858,	8859,	17435,	17711,	13456,	13459,	
10544,	10559,		17714,	17716,	13462,	13465,	
10572,	10577,		17719,	17870,	13468,	13471,	
10581,	10584,		17889,	17992,	13474,	13477,	
10589,	10592,		17994,	17996,	13480,	13483,	
10594,	10596,		17998,	18123,	13486,	13489,	
10598,	10625,		18127,	18130,	13492,	13495,	
10726,	11123,		18134,	18394,	13498,	13501,	
11125,	11126,		18397,	18399,	13504,	13507,	
11127,	11128,		18402,	18553,	13510,	13513,	
11129,	11161,		18572,	19083,	13516,	13519,	
11813,	11820,		19358,	19526,	13522,	13525,	
11859,	11866,		19529,	19533,	13528,	13531,	
11911,	12924,		19634,	19637,	13534,	13537,	
12928,	12937,		19641,	19971,	13540,	13543,	
12939,	12940,		19974,	19978,	13546,	13549,	
12941,	12993,		19984,	20066,	13552,	13555,	
13011,	13013,		20250,	20948,	21411		13558,
13015,	13017,		\p@enumiv	13561,		13561,
14454,	14784,		86,		13564,	13567,	
14796,	14808,		289,	573,	13570,	13573,	
14905,	14906,		971,	1221,	13576,	13579,	
14950,	14952,		6481,	6669,	13582,	13585,	
14953,	14954,		8502,	8773,	13588,	14917,	
15791,	15795,		10610,		18983,	19336,	20974
15824,	15840,		12910,	15899,	\PackageInfo	
15856,	15863,		16293,	16487,	2923,	3966,
15878,	15884,		16690,	17100,	4068,	4215,	4407,
15932,	16046,		17680,	18363,	13082,	15762,	20292
16050,	16071,		\p@subfigure	18747	\PackageWarning	...
16196,	16212,		\p@subtable	18748	..	138,
16228,	16235,		\PackageError		2922,	3321,
16301,	16307,					3436,	4069,
						6301,	7757,
						7855,	
						10876,	11512,



13040, 13052,	528, 555, 558, 624,	9535, 9538, 9541,
14848, 14911,	634, 648, 661, 688,	9644, 9647, 9650,
14996, 15003,	749, 759, 766, 767,	9753, 9756, 9759,
15142, 19327, 19718	795, 834, 840, 844,	9862, 9865, 9868,
\PackageWarningNoLine	876, 890, 905, 931,	9971, 9974, 9977,
..... 2586, 4265	945, 1001, 1011,	10080, 10083,
\page@sofar ... 164, 14820	1018, 1019, 1047,	10086, 10418,
\pagebreak	1086, 1092, 1096,	10428, 10437,
. 13609, 20438, 20447	1131, 1144, 1172,	10446, 10550,
\pagecontents ... 15595	1183, 1193, 1251,	10567, 10576,
\pagedepth ... 20432	1261, 1268, 1269,	10580, 10588,
\pagefillstretch . 20444	1297, 1337, 1343,	10627, 10633,
\pagefilstretch .. 20443	1348, 1353, 1356,	10635, 10636,
\pagefootnoterule .	1930, 1966, 2307,	10653, 10692,
..... 11159, 11167	4634, 4642, 4701,	10698, 10702,
\pagegoal 11406, 11408,	4702, 4705, 4706,	10870, 11330,
11413, 11420,	4731, 4740, 4741,	12932, 12933,
11461, 11463,	4910, 4926, 5650,	12934, 12953,
13699, 14754, 20435	5765, 5766, 5767,	12963, 12971,
\pageinwindow ... 7292	5768, 5893, 5895,	12999, 13004,
\pagenumbering 2390, 5995	5897, 5915, 5916,	13007, 13009,
\pageref ... 2529, 2531	5917, 6091, 6198,	13099, 13240,
\pageshrink ... 11422,	6212, 6223, 6241,	13642, 13742,
11426, 11442,	6316, 6324, 6349,	13765, 13769,
11468, 11480, 20438	6420, 6433, 6458,	14398, 14470,
\pagestretch .. 11421,	6469, 6531, 6541,	14476, 14482,
11442, 11480, 20442	6548, 6549, 6597,	14486, 14492,
\pagestyle	6610, 6635, 6657,	14507, 14526,
1935, 2381, 2389,	6708, 6718, 6725,	14535, 14792,
2532, 4760, 5996, 7841	6726, 6749, 6757,	14804, 14817,
\pagetotal ... 11408,	6769, 6804, 6810,	15055, 15067,
11413, 11419,	6812, 6813, 6832,	15129, 15402,
14411, 14752,	6875, 6881, 6885,	15573, 15574,
14755, 14766,	6897, 6914, 6944,	15575, 15576,
20430, 20435, 20493	6949, 6957, 7034,	15669, 15670,
\paperheight	7175, 7592, 7962,	15677, 15678,
.... 2318, 2321,	7983, 8448, 8460,	15738, 15809,
2324, 2327, 2330,	8476, 8479, 8487,	15819, 15833,
2333, 2336, 2337, 8237	8527, 8533, 8535,	15846, 15871,
\paperwidth	8536, 8553, 8592,	15940, 15950,
2319, 2322, 2325,	8598, 8602, 8622,	15957, 15958,
2328, 2331, 2334,	8628, 8630, 8631,	15986, 16025,
2337, 2338, 8237, 8245	8650, 8693, 8699,	16031, 16035,
\par ... 5, 15, 46, 60, 76,	8703, 8714, 8738,	16079, 16089,
107, 108, 109, 110,	8743, 8752, 8786,	16096, 16097,
200, 210, 227, 228,	8791, 8794, 8796,	16127, 16171,
229, 249, 263, 278,	8797, 8807, 9108,	16177, 16182,
310, 313, 397, 416,	9214, 9217, 9220,	16187, 16190,
422, 424, 425, 444,	9320, 9323, 9326,	16205, 16218,
487, 493, 497, 509,	9426, 9429, 9432,	16243, 16259,



16269,	16333,	18174,	18177,	15070,	15072,
16338,	16344,	18179,	18181,	15073,	15074,
16346,	16347,	18187,	18195,	15075,	15076,
16366,	16376,	18201,	18271,	15077,	15079,
16414,	16419,	18277,	18280,	15080,	15081,
16422,	16433,	18282,	18288,	15082,	15083,
16450,	16525,	18291,	18293,	15084,	15085,
16531,	16533,	18296,	18299,	15086,	15087,
16534,	16553,	18443,	18447,	15088,	15090,
16596,	16602,	18448,	18452,	15091,	15092,
16606,	16618,	18453,	18457,	15093,	15095,
16635,	16664,	18778,	19388,	15096,	15097,
16668,	16676,	19394,	19547,	15098,	15100,
16866,	16911,	19653,	19734,	15101,	15102,
16916,	16919,	20161,	20263,	15103,	15104,
16921,	16926,	20320,	20321,	15105,	15107,
16929,	16931,	20327,	20328,	15108,	15109,
16933,	16939,	20330,	20338,	15110,	15111,
16947,	16953,	20391,	20657,	15112,	15114,
17023,	17029,	20658,	20667,	15115,	15116,
17032,	17034,	20668,	20826,	15117,	15118,
17040,	17043,	20835,	20844,	17246,	17826,
17045,	17048,	20853,	20922,	18015,	18021,
17051,	17071,	20961,	21390,	18027,	18033,
17180,	17184,	\par@updaterelative			
17185,	17189,	16907,	18039,	18045,
17190,	17194,	17019,	17456,	18051,	18057,
17415,	17460,	17568,	18155,	18063,	18074,
17465,	17468,	\paragraph			
17470,	17475,	5546			
17478,	17480,	\paragraphfootnotes			
17482,	17488,	10178,	10184	\parfillskip .
17496,	17502,	2478,	2480,	13, 208,	507,
17572,	17578,	7829,	8802,	524,	643,
17581,	17583,	10752,	10753,	659,	684,
17589,	17592,	10757,	10758,	6608,	870,
17594,	17597,	10759,	12071,	6631,	886,
17600,	17760,	12073,	12077,	6895,	903,
17764,	17765,	12079,	12110,	6910,	1126,
17769,	17770,	12111,	12114,	7062,	1142,
17774,	17985,	12115,	12172,	7181,	1168,
18015,	18021,	12173,	12176,	8444,	5641,
18027,	18033,	12177,	12201,	8458,	6217,
18039,	18045,	12203,	12207,	8712,	6454,
18051,	18057,	12209,	13646,	10346,	6592,
18063,	18065,	14464,	14493,	10350,	6608,
18068,	18071,	15053,	15055,	10354,	6631,
18075,	18114,	15056,	15058,	10563,	6895,
18159,	18164,	15060,	15061,	13749,	12073,
18167,	18169,	15063,	15065,	14797,	14785,
		15067,	15068,	15718,	14809,
				15828,	15692,
				15867,	15705,
				16216,	15844,
				16431,	16239,
				16616,	16446,
				18934,	16631,
				18993,	18963,
					19112,



19143,	19166,	15830,	15843,	223,	595,	610,
19183,	19200,	15866,	15926,	859,	1111,	1963,
19217,	19234,	15943,	16049,	2386,	4463,	5134,
19251,	19269,	16065,	16082,	5685,	5693,	5756,
19288,	19308,	16202,	16215,	5911,	6215,	6318,
19343,	19538,	16238,	16333,	6353,	6400,	6577,
19646,	19672,	16376,	16413,	6788,	7498,	7507,
19674,	19734,	16430,	16445,	7517,	7672,	7681,
20135,	20137,	16509,	16557,	7691,	8790,	8793,
20251,	20864,	16615,	16630,	8795,	8797,	12928,
\parindent 12,						
42,	56,	16661,	16673,	13003,	13006,	
207,	223,	16867,	17416,	13008,	13745,	
274,	448,	17986,	18115,	13754,	15408,	
550,	594,	18944,	18981,	15741,	15795,	
658,	683,	19082,	19113,	16050,	16413,	
858,	873,	19144,	19167,	16510,	18008,	
939,	987,	19184,	19201,	19083,	20071,	
1050,	1110,	19218,	19235,	20429,	20433,	20763
1141,	1167,	19252,	19270,	\part 23,	12947	
1254,	1970,	19289,	19309,	\partname 554,	8475	
4462,	5133,	19344,	19537,	\partopsep 5706,	14449,	
5684,	5692,	19645,	19676,	14451,	15198,	15218
5910,	6216,	20071,	20132,	\PassOptionsToClass		
6399,	6417,	20133,	20252,	5948,	5949,	5950,
6453,	6517,	20663,	20673,	5951,	5952,	5972,
6576,	6594,	20764,	20864,	5973,	5974,	5975,
6630,	6694,	20889,	20890,	5976		
6745,	6765,	\parshape 7031,		\PassOptionsToPackage		
6836,	6894,	942,	9454, 4965,	5795	
6940,	6954,	4455,	5664,	\pbs 15262,	15283	
7089,	7180,	5703,	5730,	\pbs@newkey 15266		
8457,	8471,	\parsep 942,	4454,	\pdfencryptsetup . . .		
8557,	8654,	4455,	5664,	1648,	1649,	1757
8734,	8749,	5703,	5730,	\pdffm@box 12877,		
9129,	9209,	5730,	20763	12885,	12894,	12902
9421,	9530,	\parshape 7031,		\pdfstringdefDisableCommands		
9748,	9857,	11534,	11542, 12801		
10075,	10345,	13149,	15204,	\penalty 744,	996,	1246,
10349,	10353,	15224,	15408,	6137,	6459,	6526,
10454,	10463,	15573,	15575,	6636,	6703,	6915,
10547,	10562,	16332,	16375,	7019,	7025,	7496,
10573,	10585,	16854,	16863,	7505,	7515,	7670,
10657,	11785,	17403,	17412,	7679,	7689,	10147,
12928,	12960,	17976,	17983,	10347,	10351,	
13745,	14786,	18102,	18111,	10355,	10568,	
14798,	14810,	20657,	20667,	11443,	15872,	
15122,	15693,	20793,	20828,	15935,	16074,	
15706,	15719,	20830,	20831,	16244,	16451,	
15730,	15794,	20832,	20837,	16636,	19548,	
		20839,	20840,	20059,	20167,	20434
		20841,	20846,	\pgf@baseline 15363		
		20848,	20849,			
		20850,	20855,			
		20857,	20858,			
		20859,				
		\parskip 103,				



\pgf@insertlayers	15385	\phantom	... 13996, 14843	\poem@width
\pgf@nodecallback	15341	\phantomsection	... 2476	6124, 6125, 6129,	
\pgf@oldpicture	.. 15348	\phone	... 2436	6206, 6208, 6211, 6244	
\pgf@picmaxx	.. 15342, 15354, 15356, 15374	\phonesymbol 2396, 7836, 7934	\poem@write@aux 6247, 6299, 6311
\pgf@picmaxy	15344, 15358	\photo	... 2441	\poemblocksep
\pgf@picminx 15343, 15357, 15367	\picbox	... 15513	... 6118, 6222, 6322	
\pgf@picminy	15345, 15359	\picinwindow	... 7312	\poemcolsepskip	6109, 6138
\pgf@picture	... 15348	\picwd	... 15401, 15404, 15512, 15514	\poemextrabaselineskip	... 6111, 6199, 6234
\pgf@picture@serial@count 15339, 15340	\plainauthor 4772, 5815, 5817, 5856, 5857, 5860	\poemmarginskip 6110, 6132, 6133
\pgf@process 15363, 15366, 15373	\plainfootnotes	... 8974	\poemskip	6112, 6212, 6243
\pgf@relevantforpicturesize	false	\plainpublisher	...	\postbibhook	... 14542
\pgf@relevantforpicturesize	true 5818, 5883, 5884	\postdisplaypenalty 10844, 10858	
\pgf@remember@layerlist@globally 15362	\plaintitle	4773, 4774,	\postmath	... 7025
\pgf@resetpathsizes 15347	\plitemsep	5704	\PotEndMark 8284, 8289, 8292
\pgf@restore@layerlist@from 15384	\plparsep	5703	\predisplaydirection 15621, 15622, 21398, 21399
\pgf@shift@baseline 15364	\pltopsep	5705	\predisplaypenalty 10843, 10857
\pgf@trimleft	... 15366	\poem@finish 6248, 6298, 6305	\premath	... 7021
\pgf@trimleft@final	... 15368, 15369, 15371	\poem@line	6175, 6181, 6232	\prepare@bidi@copyins 11551, 11584, 11633, 11791
\pgf@trimright	... 15373	\poem@linebegin	6132, 6190	\prepare@multicols	14981
\pgf@trimright@final	... 15375, 15376, 15378	\poem@lineend	6133, 6196	\preparefootins 11583, 11632
\pgf@x 15367, 15371, 15374, 15378	\poem@lineparsebegin	... 6144, 6201, 6228	\PrependToTokenList	3655
\pgf@y	... 15364	\poem@lineparseend	... 6170, 6182, 6239	\prepnext@tok 1400, 1410, 1458, 1490, 7099, 7127
\pgfpic	... 15394	\poem@lineversesep	... 6134, 6193	\presetkeys	... 20420
\pgfpicture	... 15335	\poem@needrun	.. 6126, 6245, 6300, 6302	\presig@skip	... 18074
\pgfpictureid	15340, 15351	\poem@obeylines	6227, 6296, 6336, 6360	\prevdepth 4634, 4642, 8032, 8086, 14454, 14845
\pgfpicturetrue	.. 15338	\poem@prop	... 6208, 6310	\pRLE	1592, 1593, 1871, 1872
\pgfsys@discardpath 15387	\poem@startedfalse	... 6225, 6334, 6340	\process@cols	.. 14821, 14854, 14871, 14877
\pgfsys@endpicture	15390	\poem@startedtrue	...	\ProcessOptions 2348, 4430, 5521, 5780, 5812, 5953, 5977, 7759, 7857
\pgfsys@endscope	.. 15389 6183, 6184, 6224, 6326,	\poem@verse	\ProcessOptionsX	.. 1755
\pgfsys@markposition 15351	... 6328, 6333, 6341, 6343	... 6121, 6191, 6194	\protect	... 393, 1590, 1591, 1592,
\pgfsys@typesetpicturebox 15394				
\pgfutil@gobble	.. 15341				
\pgfutil@ifnextchar 15348				



1593, 1817, 1869, 1870, 1871, 1872, 2128, 2134, 2140, 2146, 2155, 2161, 2985, 2986, 3613, 3619, 4320, 4733, 10933, 11344, 11358, 13264, 13269, 13630, 14528, 18768, 18769, 18773, 18781, 19050, 19394, 20600, 21302	10402, 11215, 11232, 11248, 11276, 11290, 11304 \protected@write 1716, 1720, 4300, 4311 \protected@xdef 5395, 5424, 5453, 5836, 5853, 5869, 5880, 11180, 11189, 11343, 11348, 11357, 11363, 12445, 12483, 12516, 12547, 12578, 12641	13018, 13154, 13193, 13297, 13591, 13720, 13728, 14386, 14543, 14781, 14819, 15052, 15119, 15147, 15185, 15206, 15226, 15260, 15286, 15334, 15398, 15626, 15667, 15683, 15783, 16038, 16315, 16497, 16700, 16829, 17378, 17969, 18077, 18652, 18659, 18719, 18745, 18750, 18784, 18859, 18889, 18908, 18928, 18957, 19006, 19087, 19395, 20050, 20296, 20425, 20501, 20605, 21553	
\protected . . . 1869, 1871, 2921, 2922, 2923, 2933, 2941, 2943, 2949, 3135, 3151, 3167, 3190, 3192, 3242, 3295, 3308, 15537, 15547, 15557, 15565, 20617, 20627, 20637, 20646	\providecommand . . . 2393, 2394, 2395, 2396, 2397, 2398, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2633, 5293, 5300, 5301, 5710, 7820, 7825, 11066	\ProvidesClass 2315, 5947, 5971	
\protected@edef . 43, 57, 73, 246, 260, 275, 5332, 5350, 5368, 8890, 8904, 8918, 8930, 8941, 8952, 9181, 9191, 9201, 9227, 9240, 9252, 9290, 9299, 9308, 9333, 9345, 9356, 9393, 9403, 9413, 9439, 9452, 9464, 9502, 9512, 9522, 9548, 9561, 9573, 9611, 9621, 9631, 9657, 9670, 9682, 9720, 9730, 9740, 9766, 9779, 9791, 9829, 9839, 9849, 9875, 9888, 9900, 9938, 9948, 9958, 9984, 9997, 10009, 10047, 10057, 10067, 10093, 10106, 10118, 10313, 10325, 10337, 10374, 10388,	\ProvidesExplPackage 13803	\ProvidesFile . . . 1, 131, 165, 196, 326, 337, 342, 344, 403, 598, 847, 1099, 1359, 6388, 6565, 6742, 6775, 6988, 7043, 7085, 7087, 7090, 7128, 7171, 7186, 7282, 7320, 7948, 8113, 8232, 8235, 8274, 8436, 8609, 8783, 8816, 10540, 10716, 10745, 10761, 10838, 10868, 10877, 10882, 11032, 11372, 11549, 11792, 11919, 11961, 12262, 12906, 12992, 12996,	\ProvidesPackage 1497, 1934, 1990, 2123, 2564, 2632, 4401, 4967, 5509, 5655, 5771, 5798, 6036, 7746, 7844
		\prune 15418, 15456, 15460, 15465, 15469, 15481, 15492, 15519	
		\prw@mkboth . . . 19056, 19061, 19073, 19078	
		\psgrid 15630	
		\pspicture 15627	
		\psset 15665	
		\pst@dima 15642	
		\pst@dimb 15640, 15645, 15647, 15652, 15655	
		\pst@dimc 15658	
		\pst@dimd 15639, 15645, 15646, 15647, 15648, 15652, 15653, 15654, 15655, 15656	



\pst@hbox	15635, 15639, 15640, 15641, 15657, 15659, 15660, 15662	\quotestyle 2421, 7817, 7946	\RaggedLeftParindent 15706
\pst@ifstar	15627	\quotewidth	2443, 2455, 7817, 7946	\RaggedLeftRightskip 15703
\pst@killglue	15631	R		\raggedpart 17055
\pst@picture	15627	\R@@page	16705, 16706, 16715, 16717, 16748, 16749, 16760, 16762	\RaggedRight .. 15710, 15748, 15763, 15768, 15780, 15782, 18657, 18658, 21512, 21516, 21522, 21526
\pst@shift 15632, 15654, 15662	\raggedbottom	2391	\raggedright 25, 104, 224, 550, 6745, 6765, 6940, 6954, 8471, 8484, 8734, 8749, 8786, 8789, 8794, 8802,
\pst@tempa	15644, 15646	\raggeddictum 17140, 17720, 18403	10573, 10585,
\publisher	5873, 5874	\raggeddictumauthor 17142, 17722, 18405	12929, 12949, 12999, 13002, 13007, 14425, 14426, 15670, 15672, 15678,
\publishers 17004, 17553, 18252	\raggeddictumtext 17141, 17721, 18404	16661, 16673, 17054, 17055, 17140, 17141, 17142, 17144, 17603, 17720, 17721, 17722, 17724, 18068, 18074, 18302, 18403, 18404, 18405, 18407, 19679, 19682, 19686, 19787, 20861, 20866, 20868, 20869, 20870
\put	7191, 7192, 7193, 7194, 7195, 7196, 7201, 7202, 7203, 7204, 7205, 7206, 7214, 7215, 7216, 7217, 7218, 7219, 7224, 7225, 7226, 7227, 7228, 7229, 7237, 7238, 7239, 7240, 7241, 7242, 7247, 7248, 7249, 7250, 7251, 7252, 7260, 7261, 7262, 7263, 7264, 7265, 7270, 7271, 7272, 7273, 7274, 7275, 8237, 8251, 8269, 15239, 15241, 15254, 15257	\RaggedLeft	15697, 15746, 15762, 15766, 15779, 15781, 18657, 18658, 21512, 21516, 21520, 21528	\RaggedRightLeftskip 15715
Q		\raggedleft	25, 104, 224, 550, 6745, 6940, 6954, 8471, 8484, 8734, 8749, 8786, 8789, 8794, 8802, 10573, 10585, 12929, 12949, 12999, 13002, 13007, 14425, 14426, 15670, 15672, 15678, 16661, 16673, 17054, 17055, 17140, 17141, 17142, 17144, 17603, 17720, 17721, 17722, 17724, 18068, 18074, 18302, 18403, 18404, 18405, 18407, 20865, 20867, 20869, 20870	\RaggedRightParfillskip 15718
\Q	5150, 5172	\RaggedRightParindent 4460, 5131, 5690, 15719		\RaggedRightRightskip 5687, 15716
\q	13891, 13894, 14123, 14177	\RaggedLeftLeftskip 15702		\raggedsection
\qauthor	15668	\RaggedLeftParfillskip 15705		. 17054, 17603, 18302
\qqquad	5586, 5593, 5600, 5607, 5614, 5649, 15670			\raise 10739, 12944
\quad	1635, 1903, 4772, 4773, 4774, 6011, 6012, 6013, 6118, 20730, 20739			\raisebox 4685, 4690,
\quote	2442			
\quotecolour 2404, 7764, 7862			
\quotefont	2413, 2421, 7804, 7897			



4701, 4702, 4705,	166, 197, 203, 205,	3497, 3498, 3540,
4706, 8282, 8287,	207, 209, 223, 232,	3563, 3690, 3704,
8303, 8306, 8422,	288, 301, 319, 393,	3767, 3769, 3778,
12084, 12086,	407, 408, 409, 430,	3779, 3795, 3803,
12090, 12092,	431, 432, 433, 438,	3820, 3831, 3836,
12119, 12120,	439, 440, 441, 465,	3885, 3909, 3924,
12123, 12124,	466, 467, 468, 469,	3941, 3956, 3972,
12181, 12182,	474, 475, 476, 477,	3989, 4001, 4033,
12185, 12186,	501, 595, 610, 617,	4044, 4123, 4331,
12214, 12216,	647, 653, 671, 724,	4332, 4341, 4369,
12220, 12222, 13150	731, 732, 733, 737,	4434, 4932, 5141,
\rangleangle 2037	746, 755, 772, 773,	5249, 5312, 5316,
\rawtext 15408,	778, 779, 780, 781,	5320, 5400, 5411,
15414, 15436,	784, 787, 791, 816,	5429, 5440, 5458,
15437, 15518, 15522	817, 818, 823, 824,	5469, 5527, 5724,
\rbracebrace 20719, 20728	825, 826, 859, 875,	5732, 5737, 5768,
\rcb . 2038, 2041, 2042, 2046	897, 915, 924, 958,	5953, 5977, 6073,
\rcol@footinsskip .	983, 984, 985, 989,	6078, 6081, 6088,
..... 11564, 11613	998, 1007, 1024,	6126, 6132, 6227,
\realfootnote 12638	1025, 1030, 1031,	6245, 6274, 6281,
\recompute lengths .	1032, 1033, 1036,	6288, 6300, 6336,
..... 2454, 2471	1039, 1043, 1068,	6400, 6407, 6419,
\recomputethemelengths	1069, 1070, 1075,	6425, 6441, 6497,
..... 2453,	1076, 1077, 1078,	6513, 6514, 6515,
2469, 7909, 7914	1111, 1118, 1130,	6519, 6528, 6537,
\reflectbox 11853	1136, 1154, 1204,	6554, 6555, 6560,
\refname 563,	1233, 1234, 1235,	6561, 6562, 6563,
564, 698, 699, 961,	1239, 1248, 1257,	6577, 6584, 6596,
962, 1211, 1212,	1274, 1275, 1280,	6602, 6618, 6650,
2540, 5745, 8492, 8493	1281, 1282, 1283,	6690, 6691, 6692,
\refstepcounter .	1286, 1289, 1293,	6696, 6705, 6714,
..... 545, 8466,	1318, 1319, 1320,	6731, 6732, 6737,
10859, 12815,	1325, 1326, 1327,	6738, 6739, 6740,
13252, 13258,	1328, 1415, 1416,	6788, 6795, 6796,
13593, 14519,	1433, 1434, 1435,	6797, 6818, 6819,
15195, 15216, 19047	1653, 1659, 1665,	6820, 6821, 6826,
\refvskip 18009	1671, 1677, 1683,	6827, 6828, 6829,
\regex 13831,	1695, 1701, 1707,	6853, 6854, 6855,
13836, 13839,	1714, 1723, 1724,	6856, 6857, 6862,
13842, 13845,	1728, 1735, 1745,	6863, 6864, 6865,
13846, 13882,	1817, 1845, 1977,	6889, 7031, 7045,
13887, 13889,	1978, 1979, 1984,	7046, 7047, 7052,
13933, 13934, 13946	1985, 1986, 1987,	7053, 7054, 7055,
\reinsert@footnotes	2211, 2219, 2227,	7058, 7062, 7063,
..... 14982,	2278, 2348, 2607,	7064, 7065, 7066,
14984, 15012,	2612, 2618, 2633,	7067, 7167, 7185,
15014, 15019,	2831, 2834, 2844,	7335, 7398, 7759,
15021, 15026, 15028	2862, 2916, 2927,	7857, 7949, 7950,
\relax . 2, 8, 10, 12, 14,	2940, 3124, 3128,	7951, 7952, 7953,
28, 85, 103, 132,	3453, 3454, 3458,	7965, 7986, 8040,



8052,	8055,	8092,	12029,	12042,	15838,	15854,
8104,	8107,	8258,	12044,	12047,	15886,	15922,
8264,	8325,	8404,	12293,	12304,	15923,	15924,
8452,	8520,	8521,	12315,	12326,	15928,	15937,
8522,	8541,	8542,	12340,	12351,	15946,	15963,
8547,	8548,	8549,	12362,	12373,	15964,	15969,
8550,	8574,	8575,	12388,	12403,	15970,	15971,
8576,	8581,	8582,	12444,	12463,	15972,	15975,
8583,	8584,	8613,	12482,	12501,	15978,	15982,
8614,	8615,	8636,	12515,	12534,	16007,	16008,
8637,	8638,	8639,	12546,	12565,	16009,	16014,
8644,	8645,	8646,	12577,	12596,	16015,	16016,
8647,	8671,	8672,	12678,	12712,	16017,	16050,
8673,	8674,	8675,	12743,	12772,	16059,	16060,
8680,	8681,	8682,	12909,	12928,	16061,	16067,
8683,	8707,	8853,	12938,	12950,	16076,	16085,
8854,	8855,	8856,	12956,	12958,	16102,	16103,
8857,	8986,	9166,	12960,	12962,	16104,	16105,
9210,	9275,	9316,	13047,	13059,	16110,	16111,
9378,	9422,	9487,	13066,	13067,	16112,	16113,
9531,	9596,	9640,	13071,	13072,	16116,	16119,
9705,	9749,	9814,	13081,	13149,	16123,	16148,
9858,	9923,	9967,	13630,	13767,	16149,	16150,
10032,	10076,		13770,	13773,	16151,	16152,
10150,	10181,		13774,	13775,	16157,	16158,
10191,	10197,		13781,	14389,	16159,	16160,
10220,	10249,		14390,	14391,	16204,	16210,
10255,	10282,		14392,	14393,	16226,	16252,
10300,	10536,		14453,	14557,	16309,	16314,
10537,	10542,		14657,	14783,	16319,	16320,
10620,	10621,		14785,	14786,	16321,	16352,
10622,	10641,		14789,	14795,	16353,	16354,
10642,	10647,		14797,	14798,	16355,	16360,
10648,	10649,		14801,	14807,	16361,	16362,
10650,	10674,		14809,	14810,	16363,	16392,
10675,	10676,		14813,	14909,	16393,	16394,
10681,	10682,		14951,	15245,	16395,	16396,
10683,	10684,		15246,	15247,	16401,	16402,
10721,	10723,		15290,	15295,	16403,	16404,
10727,	10774,		15300,	15309,	16426,	16510,
10810,	10839,		15317,	15339,	16516,	16517,
10849,	10892,		15342,	15343,	16518,	16539,
10912,	10913,		15344,	15345,	16540,	16541,
10928,	11030,		15354,	15356,	16542,	16547,
11162,	11184,		15357,	15358,	16548,	16549,
11193,	11352,		15359,	15528,	16550,	16574,
11367,	11405,		15592,	15682,	16575,	16576,
11427,	11465,		15753,	15759,	16577,	16578,
11576,	11625,		15771,	15795,	16583,	16584,
12024,	12026,		15802,	15832,	16585,	16586,



16610,	16875,	18793,	18822,	20255,	20303,
16876,	16882,	18980,	18998,	20311,	20452,
16883,	16885,	18999,	19083,	20535,	20584,
16894,	16895,	19092,	19110,	20599,	20692,
16896,	16956,	19113,	19116,	20749,	20761,
16982,	16983,	19141,	19144,	20812,	20892,
16984,	16985,	19147,	19164,	20895,	20897,
16986,	16999,	19167,	19170,	20949,	20950,
17000,	17001,	19181,	19184,	20953,	20973,
17002,	17003,	19187,	19198,	20982,	20986,
17004,	17005,	19201,	19204,	21021,	21068,
17006,	17007,	19213,	19215,	21405,	21406,
17008,	17009,	19218,	19221,	\remainx	15055
17070,	17132,	19230,	19232,	\remainxox . .	15090, 15097
17137,	17298,	19235,	19238,	\remainxoxx	
17315,	17424,	19249,	19252,	. . 15100, 15109, 15118	
17425,	17431,	19255,	19267,	\remainxx .. .	15058, 15060
17432,	17434,	19270,	19273,	\remainxxx	
17443,	17444,	19286,	19289,	. . . 15063, 15065,	
17445,	17505,	19292,	19306,	. . . 15067, 15092, 15095	
17531,	17532,	19309,	19312,	\remainxxxx	
17533,	17534,	19324,	19339,	15070,	
17535,	17548,	19341,	19344,	15072,	
17549,	17550,	19347,	19361,	15074,	
17551,	17552,	19391,	19392,	15076,	
17553,	17554,	19393,	19522,	15102,	
17555,	17556,	19543,	19630,	15104,	
17557,	17558,	19656,	19668,	15111,	
17606,	17622,	19670,	19676,	15114,	
17630,	17638,	19693,	19697,	15116	
17649,	17712,	19709,	19711,	\remainxxxxx	
17717,	17878,	19717,	19726,	. . . 15079, 15081,	
17895,	18123,	19728,	19790,	. . . 15083, 15085, 15087	
18124,	18130,	19804,	19838,	\remove@strip	
18131,	18133,	19845,	19851,	14565,	
18142,	18143,	19912,	19971,	14595,	
18144,	18204,	19974,	19978,	14665,	
18230,	18231,	19984,	20029,	14695	
18232,	18233,	20065,	20073,	\renewcommand	
18234,	18247,	20074,	20076,	19,	
18248,	18249,	20077,	20090,	20,	
18250,	18251,	20101,	20105,	21,	
18252,	18253,	20110,	20115,	86,	
18254,	18255,	20123,	20127,	168,	
18256,	18257,	20136,	20137,	214,	
18332,	18395,	20148,	20156,	215,	
18400,	18561,	20167,	20173,	216,	
18578,	18666,	20177,	20181,	217,	
18703,	18766,	20198,	20202,		
18781,	18791,	20251,	20252,		



1229,	1230,	1240,	6926,	6928,	6930,	11027,	11037,
1297,	1299,	1966,	6932,	6933,	6934,	11106,	11373,
1968,	2340,	2341,	6935,	6936,	6937,	11920,	11930,
2342,	2378,	2379,	6960,	6979,	7044,	12910,	12967,
2384,	2433,	2437,	7049,	7071,	7078,	12968,	12969,
2468,	2473,	2554,	7088,	7172,	7177,	12970,	12993,
3883,	3907,	4239,	7187,	7210,	7233,	12997,	13010,
4244,	4264,	4277,	7256,	7283,	7299,	13014,	13023,
4299,	4310,	4438,	7760,	7800,	7801,	13024,	13025,
4447,	4488,	4606,	7802,	7803,	7804,	13026,	13656,
4609,	4610,	4614,	7805,	7806,	7807,	14387,	14398,
4615,	4767,	4768,	7821,	7826,	7858,	14421,	14422,
5117,	5118,	5119,	7892,	7893,	7894,	14423,	14424,
5120,	5121,	5122,	7895,	7896,	7897,	14425,	14426,
5123,	5124,	5125,	7898,	7899,	7909,	14427,	14428,
5179,	5294,	5303,	7921,	8109,	8110,	14430,	14432,
5324,	5342,	5360,	8111,	8233,	8236,	14434,	14436,
5475,	5476,	5477,	8240,	8256,	8409,	14437,	14439,
5559,	5568,	5620,	8410,	8437,	8451,	14440,	14447,
5628,	5652,	5657,	8503,	8509,	8513,	14448,	14450,
5668,	5669,	5670,	8518,	8553,	8555,	14456,	14457,
5671,	5672,	5673,	8605,	8606,	8607,	15053,	15056,
5674,	5740,	5745,	8608,	8611,	8650,	15061,	15068,
5747,	5748,	5765,	8652,	8706,	8720,	15077,	15088,
5766,	5767,	5768,	8722,	8724,	8726,	15093,	15098,
5825,	5826,	5827,	8727,	8728,	8729,	15105,	15112,
5829,	5833,	5834,	8730,	8731,	8755,	15129,	15131,
5835,	5839,	5840,	8774,	8784,	8797,	15148,	15190,
5846,	5850,	5851,	8808,	8812,	8882,	15211,	15287,
5852,	5856,	5857,	8896,	8910,	8924,	15296,	15668,
5862,	5866,	5867,	8935,	8946,	10541,	15671,	15680,
5868,	5877,	5878,	10556,	10591,		15684,	15697,
5879,	5883,	5884,	10595,	10611,		15710,	15723,
5906,	5930,	5992,	10618,	10653,		15735,	15799,
6005,	6010,	6018,	10655,	10705,		15821,	15837,
6404,	6408,	6424,	10706,	10707,		15853,	15861,
6440,	6448,	6462,	10708,	10709,		15875,	15877,
6482,	6488,	6494,	10710,	10712,		15883,	15900,
6499,	6500,	6501,	10714,	10839,		15906,	15907,
6502,	6503,	6504,	10849,	10869,		15908,	15909,
6506,	6508,	6510,	10878,	10983,		15910,	15911,
6520,	6581,	6585,	11002,	11004,		15913,	15915,
6601,	6617,	6625,	11006,	11008,		15918,	15919,
6639,	6641,	6647,	11009,	11010,		15929,	15986,
6670,	6676,	6677,	11011,	11012,		15988,	16055,
6678,	6679,	6680,	11013,	11015,		16056,	16068,
6681,	6683,	6685,	11017,	11019,		16127,	16129,
6687,	6697,	6793,	11021,	11022,		16193,	16209,
6832,	6834,	6888,	11023,	11024,		16225,	16233,
6903,	6918,	6922,	11025,	11026,		16247,	16249,



16271,	16272,	17613,	17614,	19965,	19967,
16273,	16274,	17617,	17618,	19983,	19990,
16275,	16276,	17621,	17629,	19992,	19994,
16278,	16280,	17637,	17656,	19997,	20001,
16294,	16300,	17681,	17710,	20006,	20010,
16306,	16311,	17715,	17720,	20014,	20028,
16317,	16325,	17721,	17722,	20033,	20035,
16366,	16368,	17723,	17726,	20038,	20042,
16425,	16439,	17799,	17817,	20045,	20051,
16454,	16457,	17839,	17841,	20171,	20278,
16461,	16465,	17862,	17864,	20300,	20318,
16467,	16469,	17866,	17869,	20340,	20352,
16471,	16472,	17875,	17883,	20388,	20867,
16473,	16474,	17885,	17888,	20868,	21099,
16475,	16488,	17894,	17970,	21100,	21101,
16514,	16553,	18083,	18087,	21411,	21453,
16555,	16609,	18091,	18095,	21455,	21456,
16624,	16639,	18121,	18128,	21457,	21509,
16643,	16647,	18135,	18148,	21511,	21513,
16649,	16651,	18150,	18212,	21515,	21519,
16653,	16654,	18214,	18259,	21521,	21525,
16655,	16656,	18303,	18304,	21527,	
16657,	16658,	18308,	18309,	\RenewDocumentCommand	
16691,	16835,	18312,	18313,	13989, 14322
16839,	16843,	18316,	18320,	\renewenvironment	83,
16847,	16873,	18324,	18339,	286,	562,
16880,	16887,	18364,	18393,	583,	599,
16900,	16902,	18398,	18403,	619,	626,
16964,	16966,	18404,	18405,	697,	848,
17011,	17056,	18406,	18409,	926,	933,
17057,	17058,	18482,	18500,	960,	1100,
17061,	17062,	18522,	18524,	1178,	1185,
17076,	17101,	18545,	18547,	1210,	4709,
17130,	17135,	18549,	18552,	4712,	
17140,	17141,	18558,	18566,	4715,	4718,
17142,	17143,	18568,	18571,	5716,	
17146,	17219,	18577,	18653,	5726,	5734,
17237,	17259,	18656,	18929,	5750,	
17261,	17282,	18958,	18964,	5961,	6389,
17284,	17286,	18996,	19009,	6464,	
17289,	17295,	19023,	19034,	6470,	6566,
17304,	17306,	19090,	19137,	6652,	
17308,	17314,	19156,	19178,	6658,	6776,
17384,	17388,	19195,	19212,	6967,	
17392,	17396,	19229,	19246,	7029,	7050,
17422,	17429,	19264,	19282,	7184,	
17436,	17449,	19283,	19302,	8491,	8762,
17451,	17513,	19303,	19322,	10599,	
17515,	17560,	19390,	19664,	10856,	11390,
17604,	17605,	19686,	19963,	14538,	15120,



\repeat	1773, 1774, 3717, 3724, 7298, 7460, 7466, 7574, 7632, 7642, 10161, 10170, 13109, 15426, 15473, 15484, 15495, 15523, 18805	4201, 4202, 4207, 4212, 4214, 4215, 4217, 4220, 4240, 4242	\restoreCaptionSkip 12055
\RequirePackage	1543, 1545, 1546, 1547, 1548, 1549, 1779, 1991, 1992, 2350, 2351, 2352, 2353, 2360, 2361, 2376, 2429, 4086, 4087, 4103, 4147, 4148, 4151, 4403, 4465, 4467, 4474, 4495, 4499, 4535, 4536, 4759, 4969, 4970, 4971, 4972, 5176, 5177, 5292, 5511, 5686, 5697, 5749, 5775, 5783, 5800, 5955, 5956, 5957, 5958, 5959, 5960, 5979, 5980, 5981, 5982, 5983, 5984, 21445, 21448, 21449, 21450, 21501	\reserved@c 4180, \reset@dir . 15592, 20692 \reset@font 37, 51, 67, 240, 254, 269, 5012, 5056, 5100, 5328, 5329, 5346, 5347, 5364, 5365, 8886, 8900, 8914, 8928, 8939, 8950, 9179, 9189, 9199, 9225, 9237, 9250, 9288, 9297, 9306, 9331, 9342, 9354, 9391, 9401, 9411, 9437, 9449, 9462, 9500, 9510, 9520, 9546, 9558, 9571, 9609, 9619, 9629, 9655, 9667, 9680, 9718, 9728, 9738, 9764, 9776, 9789, 9827, 9837, 9847, 9873, 9885, 9898, 9936, 9946, 9956, 9982, 9994,	\restorecounters@ . 8336 \restylefloat 4959 \resumename 2430 \rightskip 19392 \right 20719, 20728, 20730 \right@cor . . . 14567, 14568, 14667, 14668 \right@footnoterule 26, 230, 407, 535, 721, 731, 956, 983, 1201, 1233, 6494, 6513, 6647, 6690, 6795, 6922, 8513, 8520, 8613, 8812, 10595, 10620, 11122, 11136, 11146, 11269, 11297, 12936, 13014, 14949, 15883, 15922, 16059, 16306, 16319, 16461, 16516, 16643, 16880, 16894, 17135, 17429, 17443, 17715, 17995, 18128, 18142, 18398
\RequireXeTeX	. 1544, 1853	\rightfootnoterule 1688, 7950, 8854, 11134, 11781, 21407	\rightline . . . 15625, 20877, 20881, 20883
\reserved@a	2257, 2261, 2267, 2270, 2273, 2276, 2697, 2701, 2972, 2973, 2974, 4088, 4096, 4106, 4108, 4115, 4117, 4122, 4124, 4125, 4128, 4131, 4167, 4168, 4169, 4171, 4178, 4181, 4206, 4207, 4227, 4229, 4233, 4240, 4242, 4321, 4322, 19682, 19683, 19686, 19687, 20167, 20168	10007, 10045, 10055, 10065, 10091, 10103, 10116, 10311, 10323, 10335, 10372, 10386, 10400, 10944, 11209, 11210, 11226, 11227, 11242, 11243, 11272, 11273, 11286, 11287, 11300, 11301, 21194, 21238, 21338	\rightlinenumbers 13181, 13189 \rightmargin . . . 941, 5702, 5721, 5729, 5735, 11527, 11531, 13124, 13125, 13146, 15678, 20754, 20765, 20771, 20777, 20785, 20789
\reserved@b	2237, 2238, 2697, 2701, 2702, 4078, 4079, 4107, 4165, 4167, 4184,	\ResetCounterPerPage 1780, 2567 \resizebox 11874 \restore@protect . . 2987	\rightskip 12, 13, 207, 208, 305, 309, 506, 523, 526, 527, 617, 630, 641, 642, 647, 658, 683, 686, 687,



868, 869, 875, 885, 888, 889, 902, 924, 1118, 1124, 1125, 1130, 1141, 1167, 1170, 1171, 1189, 5640, 5647, 5648, 6218, 6407, 6413, 6414, 6419, 6430, 6453, 6456, 6457, 6584, 6590, 6591, 6596, 6607, 6630, 6633, 6634, 6894, 6909, 6912, 6913, 7045, 7046, 7047, 7173, 7174, 7180, 8443, 8446, 8447, 8457, 8711, 9128, 10453, 10462, 10547, 10562, 10565, 10566, 12960, 12961, 13748, 14421, 14422, 14785, 14789, 14790, 14797, 14802, 14809, 14814, 15689, 15691, 15702, 15704, 15715, 15717, 15726, 15728, 15802, 15815, 15826, 15827, 15832, 15843, 15866, 15869, 15870, 16198, 16199, 16204, 16215, 16238, 16241, 16242, 16252, 16265, 16314, 16430, 16445, 16448, 16449, 16454, 16455, 16615, 16630, 16633, 16634, 18933, 18938, 18949, 18962, 18966, 18986, 18989, 18994, 18998, 18999, 19110,	19111, 19112, 19120, 19141, 19142, 19143, 19151, 19164, 19165, 19166, 19174, 19181, 19182, 19183, 19191, 19198, 19199, 19200, 19208, 19215, 19216, 19217, 19225, 19232, 19233, 19234, 19242, 19249, 19250, 19251, 19259, 19267, 19268, 19269, 19277, 19286, 19287, 19288, 19296, 19306, 19307, 19308, 19316, 19341, 19342, 19343, 19351, 19391, 19393, 20071, 20133, 20134, 20135, 20141, 20144, 20191, 20251, 20256, 20279, 20286, 20655, 20656, 20862, 20889, 20890, 20949, 20954 \RL ... 12805, 15582, 20682 \rlap ... 306, 447, 798, 1300, 1969, 6835, 8556, 8653, 10656, 10751, 10757, 11379, 11812, 11858, 11924, 11925, 11938, 11939, 12994, 14843, 15611, 15989, 16130, 16327, 16370, 16556, 16902, 16966, 17451, 17515, 18150, 18214, 18694, 20702 \RLE . 1592, 1871, 12804,	15582, 15583, 15587, 20305, 20682, 20683, 20687 \rmfamily 727, 979, 1229, 5530, 5583, 5586, 5590, 5593, 5597, 5600, 5604, 5607, 5611, 5614, 15918, 16055 \romannumeral .. 3763, 3764, 6247, 6310, 8344, 8347, 8393, 10985, 10986, 10987, 10988, 10990, 10991, 10992, 10993, 10994, 10997, 10998, 10999, 20757 \rot@float@box 16708, 16709, 16710, 16724, 16733, 16751, 16752, 16753, 16754, 16755, 16771, 16782 \rot@label . 16704, 16747 \rot@LR 16715, 16760 \rot@mess@toks 16707, 16719, 16729, 16738, 16750, 16765, 16777, 16787 \rot@message 16738, 16787 \rot@pageref 16705, 16748 \rotate 16801 \rotatebox 11028, 11987, 12036, 12249, 13815, 13823, 14345, 16724, 16733, 16771, 16782 \rotateframe 10990, 11027 \rotFPbot 16725, 16732, 16772, 16781 \rotFPTop 16723, 16734, 16770, 16783 \rrb 2040, 2050 \rsb 2039, 2048 \RTL .. 15575, 20667, 20669 \RTL@column@boxes . . 14867, 14897, 14902
--	--	--



\RTL@outputdblcol .	\RTLmarginnote	14458, 14473,
... 7322, 10762,	\RTLmarginpar	14505, 15228,
11608, 14544,	\RTLmulticolcolumns	17156, 17170,
21008, 21099, 21100 14895	17210, 17736,
\RTLbidituftesidenotemargin	\Parsidenote	17750, 17790,
... 5061, 5361, 5502	\RTLthanks	18419, 18433,
\RTLcases .. 20729, 20732	467, 486, 5827,	18473, 18948,
\RTLcite	5835, 5852, 5868,	18965, 19707, 21388
5288, 5408, 5437,	5879, 6800, 6820,	\sc@temp 18014,
5466, 5488, 5497, 5506	6855, 6874, 8618,	18015, 18020,
\RTLcolumnfootnotes 8975	8638, 8673, 8692,	18021, 18026,
\RTLdblcol 21100	11356, 14391,	18027, 18032,
\RTLdfnmakecol 8110	16064, 16104,	18033, 18038,
\RTLfootfootmark ..	16150, 16170,	18039, 18044,
8872, 9015, 9220,	16324, 16354,	18045, 18050,
9326, 9432, 9541,	16394, 16412,	18051, 18056,
9650, 9759, 9868,	16521, 16541,	18057, 18062, 18063
9977, 10086, 10355	16576, 16595,	\SC@FLOAT 18653, 21509,
\RTLfootmarkstyle ..	16899, 16984,	21513, 21519,
..... 8990, 9029	17015, 17448,	21521, 21525, 21527
\RTLfootnote 412,	17533, 17564,	\SC@justify@caption
486, 2127, 2140,	18147, 18232, 18263	.. 18656, 21511,
5477, 5827, 6800,	\rtside 15456,	21515, 21520,
6874, 8618, 8692,	15458, 15469,	21522, 21526, 21528
11179, 16064,	15471, 15492, 15494	\sc@temp 18012,
16170, 16324,	\rule 46, 60,	18014, 18018,
16412, 16521,	76, 249, 263, 278,	18020, 18024,
16595, 16899,	2478, 7814, 8425,	18026, 18030,
17015, 17448,	8429, 8432, 8867,	18032, 18036,
17564, 18147, 18263	8873, 8879, 11220,	18038, 18042,
\RTLfootnotetext ..	11237, 11253,	18044, 18048,
.... 2195, 2206,	11280, 11294,	18050, 18054,
6260, 6270, 11358,	11308, 13996, 15662	18056, 18060,
11361, 12474,	S	18062, 18072, 18074
13688, 18854, 18858	\s 13845, 13846	\sc@wm@text 8234
\RTLfootscript .. 8990,	\save@dir .. 15591, 20691	\scalebox 11872
9018, 9022, 9024	\savebox 8350,	\scantokens 3123, 3143
\RTLfoottextfont ..	11984, 11986, 12066	\scr@caption
8873, 8901, 8951,	\saveCaptionSkip 12016	.. 17262, 17264,
9069, 9199, 9220,	\savecounters@ 8333	17266, 17842,
9250, 9306, 9326,	\saved@dir 15591,	17844, 17846,
9354, 9411, 9432,	15592, 20691, 20692	18525, 18527, 18529
9462, 9520, 9541,	\sbox 8416, 12018,	\scr@caption@before@longtable@warning
9571, 9629, 9650,	12035, 13036,	.. 17234, 17814, 18497
9680, 9738, 9759,	13044, 13089,	\scr@compatibility
9789, 9847, 9868,	13234, 13647, 17606,
9898, 9956, 9977,	13814, 13822,	17622, 17630, 17638
10007, 10065,	14014, 14301,	\scr@dte@current ..
10086, 10116,	14340, 14345, 19786, 19789
10335, 10355, 10400		



\scr@dte@def@l@largetocline	16836, 17381, 19553	1190, 1211, 2474, 2540, 5532, 5554,
\scr@dte@def@l@tocline	\scr@saved@LTRfootnotetext 19755	5622, 5630, 5745, 5748, 5752, 6467,
\scr@dte@def@l@undottedtocline	16840, 17379, 19396	6655, 8492, 15807, 15813, 15816,
\scr@dte@donumwidth	18078, 18081, 18088 19990, 19991	16257, 16263, 16266 \scr@saved@RTLfootnotetext
\scr@dte@largetocline@init	.. 16831, 16834, 19554	\sectionbib 19034 \sectionfont 2414, 2422, 7805, 7898
\scr@dte@nosub .. .	16844, 17380, 17383, 17393, 18079, 18082, 18092	\sectionstyle 2422, 2480 \sectiontitlecolour
.. 19802, 19804, 19834, 19835, 19837, 19842, 19844, 19849, 19850, 19908, 19910	\scr@smashdp .. 17178, 17192, 17193, 17211, 17758, 17772, 17773, 17791, 18441, 18455, 18456, 18474 2405, 7767, 7775, 7782, 7789, 7796, 7866, 7872, 7878, 7884, 7890
\scr@dte@numberline@box 19705, 19732	\selectfont 340, 2928, 5893, 5895, 5897, 15241, 15254
\scr@dte@tocline ..	\scr@tmp@footnotetext 19664, 20047	\separatorcolumnwidth
\scr@dte@tocline@init	.. 17150, 17161, 17162, 17730, 17741, 17742, 18413, 18424, 18425	2445, 2446, 2457, 2463, 2479, 2484, 2490, 2548, 7912, 7942
\scr@dte@tocline@numberwidth	\scr@tmp@RTLfootnotetext 19708, 19710, 19712, 19715	\SepMark 20741, 20742
\scr@dte@tocline@numbox	17164, 17732, 17743, 17744, 18415, 18426, 18427	\seq 14077, 14078, 15275, 15278
\scr@dte@undottedtocline@init	\scr@tmp@RTLfootnotetext 19397	\set@color 7131, 7136, 7144, 7150, 7158, 7165, 7170, 11386, 20504, 20508, 20604
\scr@ifundefinedorrelax	.. 17154, 17165, 17166, 17734, 17745, 17746, 18417, 18428, 18429	\set@typeset@protect
.. 19431, 19479, 19524, 19586, 19632, 19656, 19695, 19800, 19802, 19831, 19834, 19835, 19842, 19865, 19905, 19906, 19908, 19924, 19977, 20004, 20023	\scriptsize 5668, 18013, 18019, 18025, 18031, 18037, 18043, 18049, 18055, 18061 10939, 10943, 18741, 20924, 21310, 21312
\scr@LT@array .	\scshape 6748	\SetatBoolean 2756
12814, 17259, 17260, 17272, 17839, 17840, 17852, 18522, 18523, 18535	\secshape .. 16413, 16454	\setbaselineskip 2926
\scr@parindent .. .	\SectFont 622, 631, 929, 937, 1181, 1190, 6467, 6655, 15807, 15816, 16257, 16266	\SetBoolean 2740
. 17371, 17960, 18643	\sectfont 15672	\setboolean 4409, 4410, 4412, 4414, 4419, 4420, 4424, 4425, 4496, 4500, 4503, 4508, 4510, 4514, 4516, 4894, 5518, 5519, 5520, 5777, 5778, 5779, 5804, 5805
\scr@saved@footnotetext	\section 563, 591, 607, 622, 628, 631, 698, 856, 929, 935, 937, 961, 1108, 1181, 1187,	\setbox 380, 1406, 1408, 1409, 1465, 1618, 1889, 2289, 4940, 4996, 4999, 5040, 5043, 5084, 5087,



6146, 6157, 6363,	10523, 10735,	17176, 17756,
6377, 7003, 7030,	10765, 10768,	18013, 18019,
7035, 7067, 7102,	10781, 10801,	18025, 18031,
7131, 7286, 7287,	10804, 10818,	18037, 18043,
7291, 7294, 7304,	10869, 10909,	18049, 18055,
7308, 7311, 7315,	10914, 11270,	18061, 18439,
7325, 7328, 7329,	11284, 11298,	18682, 18730,
7343, 7360, 7376,	11317, 11441,	18771, 18821,
7388, 7391, 7392,	11450, 11454,	18891, 20209,
7406, 7419, 7435,	11478, 11492,	20212, 20217,
7456, 7457, 7462,	11562, 11569,	20221, 20225,
7463, 7468, 7471,	11570, 11586,	20229, 20233,
7494, 7502, 7512,	11611, 11618,	20237, 20241,
7563, 7577, 7581,	11619, 11635,	20245, 20496,
7591, 7596, 7605,	11686, 11698,	20504, 20609,
7607, 7622, 7623,	11732, 11734,	20661, 20671,
7634, 7635, 7647,	11745, 11770,	20701, 20702,
7648, 7668, 7676,	11795, 11804,	20886, 20912,
7686, 7734, 7958,	11811, 11812,	21011, 21014,
7966, 7967, 7971,	11857, 11858,	21015, 21029,
7979, 7987, 7988,	13626, 13635,	21058, 21061,
7992, 8007, 8010,	13697, 13702,	21062, 21076,
8015, 8019, 8027,	13705, 13714,	21105, 21107,
8064, 8067, 8072,	13734, 13766,	21121, 21123,
8076, 8081, 8925,	13772, 14547,	21134, 21178,
8936, 8947, 9039,	14550, 14551,	21181, 21222,
9145, 9150, 9157,	14573, 14578,	21225, 21253,
9222, 9234, 9247,	14588, 14606,	21267, 21285, 21351
9328, 9339, 9351,	14611, 14647,	\setcaptionfont ... 4488
9434, 9446, 9459,	14650, 14651,	\setcaptionwidth . 13660
9543, 9555, 9568,	14673, 14678,	\setchapterpreamble
9652, 9664, 9677,	14688, 14706, 17650, 18333
9761, 9773, 9786,	14711, 14742,	\setcitationfont .. 5123
9870, 9882, 9895,	14823, 14839,	\setcounter . 429, 464,
9979, 9991, 10004,	15400, 15414,	739, 771, 815, 991,
10088, 10100,	15417, 15436,	1023, 1067, 1241,
10113, 10135,	15437, 15443,	1273, 1317, 1976,
10136, 10143,	15444, 15455,	5196, 5215, 5234,
10155, 10158,	15457, 15459,	5266, 5516, 6028,
10160, 10164,	15461, 15464,	6306, 6521, 6553,
10167, 10169,	15466, 15468,	6698, 6730, 6817,
10171, 10315,	15470, 15480,	6852, 8540, 8573,
10327, 10339,	15482, 15491,	8635, 8670, 10640,
10357, 10376,	15493, 15508,	10673, 10969,
10382, 10390,	15510, 15518,	13021, 13022,
10396, 10404,	15520, 15529,	14419, 15193,
10414, 10424,	15610, 15611,	15214, 15930,
10434, 10443,	15641, 15659,	15962, 16006,
10473, 10481,	16793, 16803,	16069, 16101,
10496, 10512,	16814, 16821,	16147, 16351,



16391, 16538,	5677, 5678, 5679,	20692, 20710, 20711
16573, 16890,	5680, 5681, 5682,	\setLTRbibitems .. 20745
16981, 17094,	5684, 5685, 5687,	\setLTRcitationfont 5124
17167, 17168,	5690, 5691, 5692,	\setLTRmarginnotefont
17439, 17530,	5693, 5910, 5911, 5121
17674, 17747,	6429, 6451, 6606,	\setLTRmarginpar . 21288
17748, 18138,	6628, 6892, 6907,	\setLTRsidenotefont 5118
18229, 18357,	7178, 7901, 7905,	\setLTRtable 1560
18430, 18431, 19334	7907, 7910, 8296,	\setmarginnotefont 5120
\setdefaultbibitems	8441, 8456, 9031,	\setnonlatin 1555
..... 20746	9034, 9071, 10546,	\setparsizes .. 16907,
\setdefaultmarginpar	10560, 11315,	17019, 17456,
..... 21289	11789, 11897,	17568, 18155, 18267
\setDefaults	11898, 11904,	\setRL 15616, 20709
\setfloatalignment 4568	11905, 11907,	\setRTL . 15577, 15580,
\setfootnoteLR ... 11201	11908, 11977,	15592, 15616,
\setfootnoteRL ... 11199	11978, 11990,	20331, 20371,
\setkeys 1648,	11994, 11996,	20405, 20677,
6994, 7011, 8314,	11998, 12002,	20680, 20692, 20709
8320, 8322, 11803,	12004, 13027,	\setRTLbibitems .. 20744
11847, 11975,	13028, 13029,	\setRTLcitationfont 5125
13035, 13073,	13030, 13069,	\setRTLmain 1861
15234, 15293,	13076, 13077,	\setRTLmarginnotefont
16712, 16757, 20389	13078, 13090, 5122
\setlatin 1554	13091, 13114,	\setRTLmarginpar . 21287
\setlength 504,	13119, 13122,	\setRTLsidenotefont 5119
521, 657, 681,	13681, 15233,	\setRTLtable 1559
883, 901, 938,	15842, 15864,	\setsidenotefont .. 5117
939, 940, 941, 942,	16214, 16236,	\setSingleSpace 8977, 8982
1140, 1165, 2114,	16443, 16613,	\setspace@singlespace
2115, 2116, 2318,	16628, 16849,	... 5327, 5345, 5363
2319, 2321, 2322,	17173, 17199,	\setthesection ... 14436
2324, 2325, 2327,	17398, 17753,	\settodepth 15229
2328, 2330, 2331,	17779, 18097,	\settoheight . 8293, 15230
2333, 2334, 2336,	18436, 18462,	\settowidth 89,
2337, 2338, 2343,	18937, 18938,	292, 568, 703, 966,
2344, 2382, 2383,	18986, 18987,	1216, 2450, 6476,
2385, 2386, 2387,	18989, 19358,	6664, 6973, 7903,
2388, 2446, 2455,	19362, 19363,	8338, 8497, 8768,
2456, 2459, 2461,	19365, 19366,	10605, 12913,
2464, 2465, 2467,	19368, 19369,	13116, 15232,
2470, 2536, 2546,	19371, 19372,	15894, 16288,
2547, 2548, 4433,	19374, 19375,	16482, 16685,
4460, 4461, 4462,	19535, 19643,	17087, 17667,
4463, 4484, 4490,	19988, 20810, 20813	18012, 18018,
4491, 4524, 4527,	\setLR 15617, 20710	18024, 18030,
4531, 4577, 4629,	\setLTR 15578,	18036, 18042,
4630, 5131, 5132,	15579, 15592,	18048, 18054,
5133, 5134, 5140,	15617, 15618,	18060, 18350,
5382, 5675, 5676,	20678, 20679,	19017, 20174, 20176



\setupL@lbox 13068, 13075	\skip . 1597, 1876, 6234,	16058, 16266,
\Setversedim	6235, 8012, 8069,	16318, 16515,
... 6041, 6045, 6071	9059, 9084, 9092,	16893, 17442, 18141
\SetWatermarkText . 8233	9100, 9114, 9130,	\smallcaps 6011, 6012, 6013
\sevencolumnfootnotes	9133, 9138, 10221,	\smallskip
..... 9698	10223, 10225,	.. 15055, 15060,
\sf 18013, 18019,	10227, 10283,	15067, 15076,
18025, 18031,	10285, 10287,	15087, 15092,
18037, 18043,	10289, 10455,	15097, 15104,
18049, 18055, 18061	10464, 10487,	15111, 15118, 15669
\sf@size 12944	10500, 11333,	\smash 4685, 4690, 4701,
\sfcode 93,	11552, 11553,	4702, 4705, 4706,
296, 579, 711, 974,	11564, 11566,	4913, 7961, 7982,
1224, 6484, 6672,	11613, 11615,	11379, 13150,
6984, 8505, 8779,	11669, 11674,	15614, 20705, 20707
10613, 12917,	11737, 11748,	\SOUL@apo 18676
15134, 15902,	11755, 11789,	\SOUL@comma 18675
16296, 16493,	14956, 14962,	\SOUL@do 18678
16696, 17104,	14966, 14971,	\SOUL@eventuallyexhyphen
17684, 18367, 19028	14975, 15037, 18665
\sh@wgridXunit . . . 15630	15041, 15598,	\SOUL@grave 18677
\sh@wgridYunit . . . 15630	15604, 21110,	\SOUL@ignorespacesfalse
\shadowbox 8410	21126, 21137, 21145 18669
\shadowsize 8420, 8424,	\skip@ 311, 312	\SOUL@lasttoken . . . 18672
8425, 8428, 8429, 8432	\sloppy 42, 56,	\SOUL@lowerthan . . . 18662
\shipout 10939,	72, 92, 245, 259,	\SOUL@minus 18674
11709, 11719, 21309	274, 295, 575, 710,	\SOUL@postamble . . . 18679
\shortauthors	973, 1223, 2555,	\SOUL@preamble . . . 18671
.. 115, 116, 121,	6483, 6671, 6980,	\SOUL@soeventuallyskip
12976, 12977, 12982	8504, 8775, 10612, 18666
\shortcite 15136	11547, 12916,	\SOUL@spaceskip . . . 18667
\shorttitle	13751, 15133,	\SOUL@start 18660
.. 114, 115, 121,	15752, 15901,	\SOUL@ulcolor . . 18691,
12975, 12976, 12982	16295, 16489,	18697, 18703, 18711
\showbox 11515	16692, 17103,	\SOUL@uldp 18703
\showgridp@s 15629	17683, 18366, 19024	\SOUL@uleveryspace . 18705
\showoutput 11515	\slshape . . . 648, 876,	\SOUL@ulht 18703
\sidecaptionsep 18654,	1131, 2502, 6420,	\SOUL@ulleaders . . .
18655, 21510,	6597, 7803, 7804,	. 18691, 18697, 18713
21514, 21519,	7894, 7895, 7897,	\SOUL@uloverlap . . . 18684
21521, 21525, 21527	15833, 16205, 16419	\SOUL@ulunderline . 18681
\sidenote 5193,	\small .. 406, 631, 730,	\SOUL@word 18673
5247, 5285, 5380, 5471	937, 982, 1190,	\soulomit 18664
\sidenotes 5290	1232, 2001, 2416,	\space 1497,
\sideways 16819	2506, 2511, 2541,	3109, 3252, 4081,
\sigindent 18073	5657, 5658, 5723,	4268, 4270, 4281,
\sixcolumnfootnotes 9589	5731, 5736, 5755,	4283, 4286, 4749,
\sixt@n 2256, 2278	6512, 6689, 6794,	4754, 4755, 4888,
\size@chapter 15672	8519, 8612, 10619,	4889, 6748, 6943,
	15816, 15921,	7459, 7465, 7628,



7636, 7637, 8737, 10575, 11415, 11423, 11424, 11448, 11456, 13053, 13085, 13086, 14122, 14829, 14831, 14832, 14833, 14834, 15000, 15007, 15637, 16663, 16706, 16749, 16958, 17109, 17507, 17689, 18206, 18372, 18841, 18843, 18900, 19725, 19727, 20293, 20976, 21258	\splittopskip . . . 40, 54, 70, 243, 257, 272, 9075, 9147, 9151, 9261, 9262, 9266, 9267, 9364, 9365, 9369, 9370, 9473, 9474, 9478, 9479, 9582, 9583, 9587, 9588, 9691, 9692, 9696, 9697, 9800, 9801, 9805, 9806, 9909, 9910, 9914, 9915, 10018, 10019, 10023, 10024, 10127, 10128, 10132, 10133, 11212, 11229, 11245, 11446, 11447, 15410	3405, 3436, 3450, 3451, 3452, 3453, 3457, 4081, 4090, 4094, 4100, 4111, 4268, 4270, 4281, 4283, 4284, 4285, 4286, 4288, 4888, 4889, 7140, 7143, 7161, 7164, 10176, 10178, 11419, 11420, 11421, 11422, 11423, 11545, 11879, 11880, 15762, 15763, 16958, 17109, 17111, 17117, 17507, 17689, 17691, 17697, 18206, 18372, 18374, 18380, 18867, 20292, 20549, 20596, 20976, 20996
\spacefactor . . . 5306, 5311, 5317, 5320	\stepcounter . . . 3416, 3422, 3430, 3436, 5204, 5223, 5242, 5274, 5394, 5423,	\strip@prefix . 3160, 3173
\spaceskip . 18709, 18714	5452, 6204, 10968, 11039, 11109, 11179, 11188, 12640, 13593, 15188, 15192, 15209, 15213, 16703, 16746, 21381	\strip@pt . 2831, 2927, 8182, 8185, 8190, 8193, 10234, 10296
\speci@ls . . . 15018, 15025	\stopbreaks . . 8798, 18072	\stripsep . 7377, 7436,
\special	\str . . . 13834, 13885, 13957, 13975, 14037, 14061, 14066, 14140, 14171, 14184, 14206, 14260, 14292	7451, 7497, 7506, 7516, 7561, 7671, 7680, 7690, 14582, 14584, 14591, 14682, 14684, 14691, 14753, 14756, 14758, 14765
\spinemargin . . . 8243, 8247	\stretch 1467, 1470, 7104, 7107	\strut 46,
\split@prev	\string . . . 352, 1377, 1717, 1721, 2598, 2634, 2640, 2712, 2714, 2732, 2733, 2736, 2737, 2914, 2954, 2955, 2961, 3109, 3139, 3160, 3163, 3190, 3192, 3252, 3321, 3364, 3365, 3378, 3379, 3390, 3391, 3404,	60, 76, 249, 263, 278, 2031, 8806, 9214, 9217, 9220, 9320, 9323, 9326, 9426, 9429, 9432, 9535, 9538, 9541, 9644, 9647, 9650, 9753, 9756, 9759, 9862, 9865, 9868, 9971, 9974, 9977, 10080, 10083, 10086, 10347, 10351, 10355, 13765, 17157,
. 11158, 11166, 11171		
\splitbotmark 11452		
\splitfirstmark		
. 7332, 7395, 10771, 10807, 11451, 11573, 11622, 14554, 14654, 21018, 21065		
\SplitFootnoteRule 1690, 11157		
\splitfootnoterule 11161, 11169		
\splitmaxdepth 40, 54, 70, 243, 257, 272, 7326, 7389, 9076, 10766, 10802, 11213, 11230, 11246, 11567, 11616, 14548, 14648, 21012, 21059		



17159,	17178,	17003, 17552, 18251	\tencolumnfootnotes
17180,	17183,	\subject@font .	16916, 10025
17185,	17188,	17029,	17465,	\TeX 12806, 15593,
17192,	17194,	17578,	18164, 18277	15594, 15615,
17204,	17206,	\subparagraph	20693, 20694, 20706	20693,
17211,	17215,	... 5568, 5569, 5572	\textbf	2509, 5712, 11392,
17737,	17739,	\subsection	11394, 11396, 11398	11394,
17758,	17760,	... 2481, 5539, 5555	\textbullet	2509,
17763,	17765,	\subsectioncolour .	2509, 5712, 11392,	5712,
17768,	17772, 2407,	11394, 11396, 11398	11396,
17774,	17784,	7768, 7776, 7783,	\textcolor	11398
17786,	17791,	7790, 7797, 7867,	\textcolor	2509,
17795,	18075,	7873, 7879, 7885, 7891	8409, 8424, 8428,	5712,
18420,	18422,	\subsectionfont 2415,	8431, 11382, 13057	11392,
18441,	18443,	2423, 7806, 7899	\textdef@	13057
18446,	18448,	\subsectionstyle .	\textdir	338
18451,	18455, 2423, 2482	\textendash .	14300
18457,	18467,	\subsubitem	736, 988,	736,
18469,	18474,	109, 229, 5767, 12934	1051, 1238, 6518,	988,
18478,	18948, 18953	\subsubsection	6695, 15927, 16066	1051,
\strutbox	40, 54, 5559, 5560, 5563	\textheight	1238,
70,	243, 257, 272,	\subtable	736, 988,	6518,
378,	382, 8868,	\supereject	1051, 1238, 6518,	6695,
8874,	8880, 9076,	\symbol	6695, 15927, 16066	15927,
9261,	9266, 9364,	\sys	\textheight	16066
9369,	9473, 9478,	14055	2357, 7360, 7419,	1950,
9582,	9587, 9691,	T	11555, 11977,	2357,
9696,	9800, 9805,	\t@cb@bchapsec . . .	16711, 16756, 21380	7360,
9909,	9914, 10018,	\tabcaption .	\textit	7419,
10023,	10127,	12026, 12044	19394	11977,
10132,	10216,	\tabcolsep 372, 1349,	\textsf	16711,
10278,	11213,	13623, 16183, 20716	16872,	16756,
11220,	11230,	\tablinesep	\texttt	21380
11237,	11246,	18764	19394	\textit
11253,	11280,	\tabskip .. 388, 6214,	\textsf	19394
11294,	11308,	13637, 13638,	\textsf	19394
13612,	13628,	18737, 18775, 20919	\textsf	19394
13670,	13767,	\tabular	\textsf	19394
17201,	17202,	18836	\textsf	19394
17781,	17782,	\tabularnewline 397,	\textsf	19394
18464,	18465,	13607, 18739, 20921	\textsf	19394
18731,	18732,	\tabularx	\textsf	19394
18767,	20913, 20914	18827	\textsf	19394
\subfig@oldlabel 4619, 4621	\tabularxcolumn . . .	7478, 7649, 7654,	19394
\subfigure . . .	4618, 4625	18789	7814, 7829, 7901,	19394
\subitem	108, 228, 5766, 12933	\tagform@	7910, 8024, 8246,	19394
\subjclass	324	1336	9146, 10154,	19394
\subject		\tamarck	10781, 10787,	19394
		14402	10819, 10909,	19394
		\tcb@vbox	10914, 11320,	19394
		18912	11587, 11636,	19394
		\tcd .. 15407, 15414, 15415	11644, 11925,	19394
		\tcdsav	11928, 11933,	19394
		15407	11939, 13739,	19394
		\tcl .. 15431, 15432, 15438	14612, 14620,	19394
		\tcn 15415, 15416, 15438,		
		15439, 15440, 15441		
		\Telefon		
		2396		



14712,	14743,	1286, 1295, 1318,	4334, 4341, 4370,
14906,	14938,	1336, 1977, 5819,	5161, 5171, 5306,
14939,	14942,	5820, 5821, 5822,	5317, 6123, 6130,
14943,	14946,	5825, 5832, 5833,	6254, 6257, 6260,
14947,	14951,	5849, 5850, 5865,	6264, 6267, 6270,
14954,	16909,	5866, 5877, 6516,	6375, 6990, 6995,
16937,	16941,	6528, 6554, 6693,	7039, 7100, 7331,
17021,	17458,	6705, 6731, 6798,	7333, 7394, 7396,
17486,	17490,	6818, 6853, 6872,	7459, 7465, 7466,
17570,	18072,	8523, 8541, 8574,	7467, 7599, 7609,
18157,	18185,	8591, 8616, 8636,	7628, 7636, 7637,
18189,	18269,	8671, 8690, 10623,	7638, 7641, 7643,
21030,	21038,	10641, 10674,	7644, 7645, 10220,
21077,	21355, 21371	10691, 14389,	10282, 10770,
	\textwidth@footnoterule	15925, 15937,	10772, 10806,
	. . . 409, 733, 985,	15963, 15974,	10808, 11037,
	1235, 6515, 6692,	15975, 15984,	11052, 11053,
	6797, 8522, 8615,	16007, 16024,	11056, 11057,
	10622, 11128,	16062, 16076,	11060, 11113,
	11139, 14953,	16102, 16115,	11117, 11171,
	15924, 16061,	16116, 16125,	11344, 11358,
	16321, 16518,	16148, 16168,	11408, 11415,
	16896, 17445, 18144	16322, 16352,	11419, 11420,
	\textwidthfootnoterule	16392, 16410,	11421, 11422,
	1692, 7952, 8856,	16519, 16539,	11423, 11424,
	11137, 11782, 21408	16574, 16593,	11432, 11438,
	\TeXeTOff . 15526, 20607	16897, 16982,	11445, 11446,
	\TeXeTOOn . . . 15525,	17013, 17446,	11448, 11453,
	15527, 20606, 20608	17531, 17562,	11455, 11456,
	\TeXeTstate . . 15525,	18145, 18230, 18261	11470, 11496,
	15526, 20606, 20607	\thankses 323	11526, 11527,
	\TF@conlab	\the . . . 124, 125, 1365,	11528, 11533,
	. 11375, 11377, 11384	1459, 1460, 1462,	11534, 11535,
	\TF@savecolor 11381, 11386	1463, 1522, 1630,	11545, 11572,
	\TF@Title 11384	1842, 1901, 1941,	11574, 11621,
	\thanklessauthor 5820,	1943, 1946, 1948,	11623, 11849,
	5853, 5856, 5893	2187, 2189, 2192,	11894, 12427,
	\thanklesspublisher	2195, 2200, 2203,	12435, 12436,
 5821,	2206, 2311, 2647,	12442, 12444,
	5880, 5883, 5897	2649, 2650, 2671,	12473, 12474,
	\thanklesstitle 5819,	2673, 2674, 3124,	12480, 12482,
	5836, 5839, 5895	3452, 3547, 3602,	12513, 12515,
	\thanks 323,	3630, 3632, 3639,	12544, 12546,
	410, 430, 465, 484,	3641, 3643, 3645,	12575, 12577,
	734, 746, 772, 783,	3646, 3647, 3658,	12985, 12986,
	784, 793, 816, 833,	3665, 3667, 3672,	13083, 13085,
	986, 998, 1024,	3676, 3677, 3682,	13129, 13131,
	1035, 1036, 1045,	3687, 3695, 3698,	13136, 13138,
	1068, 1085, 1236,	3702, 3708, 3792,	13144, 13146,
	1248, 1274, 1285,	3793, 3794, 3819,	13151, 13685,



13688,	14250,	\thealgocf	168	\theequation
14553,	14555,	\theAlgoLine	21453 6504, 6681,
14566,	14583,	\thechapter	308,	6926, 8720, 10710,
14590,	14596,	5528, 6499, 6505,		11002, 11015,
14653,	14655,	6507, 6509, 6676,		12995, 14437,
14666,	14683,	6682, 6684, 6686,		15911, 16280,
14690,	14696,	6748, 6927, 6929,		16465, 16647,
14766,	14829,	6931, 6932, 6933,		17637, 18324, 21401
14831,	14832,	6943, 8721, 8723,		\thefigure 6506,
14833,	14834,	8725, 8726, 8727,		6683, 6928, 8722,
14835,	15127,	8737, 10575,		10712, 11004,
15292,	15308,	10705, 10711,		11017, 14439,
15312,	15315,	10713, 10715,		15913, 16276,
15340,	15364,	11003, 11005,		16467, 16649,
15371,	15378,	11007, 11008,		17621, 18316, 18747
15532,	15533,	11009, 11016,		\thefootdir@label .
16719,	16729,	11018, 11020,		.. 11037, 11040,
16738,	16765,	11021, 11022,		11069, 11074,
16777,	16787,	13293, 14427,		11092, 11095, 11115
17094,	17674,	14436, 14438,		\thefootnote 446,
18357,	18760,	14439, 14440,		738, 797, 990,
18761,	18791,	15168, 15675,		1049, 1240, 1299,
18810,	18812,	15906, 15912,		1968, 6520, 6697,
18836,	18841,	15914, 15916,		6834, 8555, 8652,
18843,	18844,	16271, 16277,		10655, 12327,
18847,	18848,	16279, 16281,		15929, 15988,
18851,	18854,	16466, 16468,		16068, 16129,
18855,	18858,	16470, 16471,		16325, 16368,
18966,	19723,	16648, 16650,		16555, 16900,
19726,	19728,	16652, 16653,		16964, 17449,
19804,	20075,	16654, 16663,		17513, 18148, 18212
20078,	20079,	17607, 17609,		\thefootnotemark . .
20081,	20083,	17623, 17625,	 16872,
20087,	20092,	17631, 17633,		17421, 17991, 18120
20096,	20107,	17639, 17641,		\theHchapter 15168
20108,	20111,	18305, 18317,		\theHsection 15176, 15178
20117,	20121,	18321, 18325, 19050		\theindex . 98, 218, 12923
20129,	20130,	\thecontentspage 5586,		\thelstlisting 13264,
20167,	20183,	5593, 5600, 5607, 5614		13269, 13292, 13295
20187,	20286,	\thedate . 5815, 5823, 5869		\thempfn
20449,	20461,	\theenumiv 86,		2212, 2220, 2228,
20466,	20487,	89, 289, 292, 574,		5395, 5401, 5424,
20488,	20490,	709, 972, 1222,		5430, 5453, 5459,
20612,	20613,	2554, 6482, 6670,		6275, 6282, 6289,
20757,	20814,	6979, 8503, 8774,		11180, 11185,
20982,	20984,	10611, 12910,		11189, 11194,
20996,	21017,	12913, 15900,		11322, 11348,
21019,	21064, 21066	16294, 16488,		11353, 11363,
		16691, 17101,		11368, 12294,
		17681, 18364, 19023		12305, 12316,



12446, 12484, 12517, 12548, 12579, 12641, 13797 \thempfootnote 11322, 13797 \theorem@indent 15202, 15203, 15222, 15223 \theorem@prework . 15196 \theorempostskipamount 15197, 15217 \theorempreskipamount 15200, 15220 \thepage 1939, 1944, 2531, 4660, 4772, 4773, 4774, 4783, 4784, 5999, 6000, 6011, 6012, 6013, 7525, 7543, 7700, 7718, 15000, 15007, 20493, 21258 \theparagraph . . . 21, 22, 216, 217, 541, 542, 695, 696, 949, 950, 1208, 1209, 5549, 6502, 6503, 6679, 6680, 6936, 6937, 8607, 8608, 8730, 8731, 10708, 10709, 11012, 11013, 11025, 11026, 12969, 12970, 14432, 14435, 15909, 15910, 16274, 16275, 16474, 16475, 16657, 16658, 17061, 17063, 17617, 17619, 18312, 18314 \thepart 546, 554, 8467, 8475 \ther@tfl@t . . . 16704, 16705, 16747, 16748 \thesection 19, 214, 539, 693, 947, 1206, 5535, 6499, 6500, 6676, 6677, 6933, 6934, 8605, 8727, 8728, 10705, 10706, 11009,	11010, 11022, 11023, 12967, 14427, 14429, 15176, 15178, 15906, 15907, 16271, 16272, 16471, 16472, 16654, 16655, 17057, 17605, 17613, 18304, 18308 \thesubparagraph 22, 217, 542, 696, 950, 1209, 6503, 6680, 6937, 8608, 8731, 10709, 11013, 11026, 12970, 14434, 15910, 16275, 16475, 16658, 17062, 17618, 18313 \thesubsection . . 19, 20, 214, 215, 539, 540, 693, 694, 947, 948, 1206, 1207, 5542, 6500, 6501, 6677, 6678, 6934, 6935, 8605, 8606, 8728, 8729, 10706, 10707, 11010, 11011, 11023, 11024, 12967, 12968, 14428, 14431, 15907, 15908, 16272, 16273, 16472, 16473, 16655, 16656, 17057, 17059, 17613, 17615, 18308, 18310 \thesubsubsection 20, 21, 215, 216, 540, 541, 694, 695, 948, 949, 1207, 1208, 6501, 6502, 6678, 6679, 6935, 6936, 8606, 8607, 8729, 8730, 10707, 10708, 11011, 11012, 11024, 11025, 12968,	12969, 14430, 14433, 15908, 15909, 16273, 16274, 16473, 16474, 16656, 16657, 17058, 17061, 17614, 17617, 18309, 18312 \thetable 6508, 6685, 6930, 8724, 10714, 11006, 11019, 14440, 15915, 16278, 16469, 16651, 17629, 18320, 18748 \TheTokenList 3656 \thinlines 7190, 7200, 7213, 7223, 7236, 7246, 7259, 7269 \thispagestyle . . 101, 113, 221, 462, 594, 609, 813, 858, 1065, 1110, 1315, 5900, 5922, 5943, 6399, 6576, 6787, 6850, 8571, 8668, 8785, 8788, 10671, 12926, 12974, 12998, 13001, 14417, 15794, 16004, 16049, 16145, 16389, 16509, 16571, 16905, 16978, 17454, 17527, 18153, 18226, 19082 \thm@topsepadd 15197, 15198, 15201, 15217, 15218, 15221 \thr@@ 349, 365, 1374, 1392, 1416, 1425, 9365, 9370, 14991, 15009, 18667, 18864, 18884 \threecolumnfootnotes 9268 \tiny 2014, 5297, 5669 \title 320, 438, 474, 778, 823, 1030, 1075, 1280, 1325, 1984,
--	---	--



2433, 2472, 5814,	13843, 13847,	14341, 14342,
5829, 6560, 6737,	13856, 13860,	14343, 14348,
6826, 6862, 8547,	13863, 13868,	14353, 14355,
8581, 8644, 8680,	13873, 13881,	14358, 14359,
10647, 10681,	13883, 13884,	14364, 14365,
15969, 16014,	13885, 13886,	14370, 14382, 14383
16110, 16157,	13888, 13890,	\tmpcount 3846, 3872
16360, 16401,	13892, 13893,	\toaddress .. 8794, 13007
16547, 16583,	13895, 13901,	\toc@headstar 19072, 19077
17000, 17549, 18248	13905, 13908,	\tocbasic@DependOnPenaltyAndTOCLevel
\TitleBarFrame	13909, 13912, 19667
.. 11373, 11392,	13919, 13924,	\tocbasic@SetPenaltyByTOCLevel
11394, 11396, 11398	13932, 13935, 19751
\titlecolour .. 2402, 7861	13936, 13937,	\TOCEntryStyleStartInitCode
\titlecontents . 5581,	13938, 13939,	.. 17281, 17294,
5588, 5595, 5602, 5609	13942, 13948,	17313, 17861,
\TitleFont 727,	13949, 13950,	17874, 17893,
743, 834, 836, 842,	13955, 13957,	18544, 18557, 18576
979, 995, 1086,	13964, 13968,	\toclevel@subfigure
1088, 1094, 1229,	13973, 13975, 19284
1245, 1337, 1339,	13977, 13979,	\toclevel@subtable 19304
1345, 1348, 1349,	13998, 14004,	\TOCLineLeaderFill
1354, 6525, 6702,	14005, 14006, 17298,
15918, 15934,	14007, 14008,	17315, 17878,
16025, 16027,	14020, 14023,	17895, 18561,
16033, 16055,	14026, 14028,	18578, 19768, 20029
16073, 16171,	14052, 14053,	\tocstyle@numberline
16173, 16179,	14055, 14064, 20174,
16182, 16183, 16188	14067, 14068,	20176, 20194,
\titlefont 2411,	14069, 14070,	20196, 20199, 20201
2419, 7894, 16919,	14071, 14072,	\tocstyle@activate@all01
17032, 17468,	14074, 14080, 20287
17581, 18167, 18280	14085, 14088,	\tocstyle@activate@features
\titleformat ... 5525,	14089, 14102, 20064
5532, 5539, 5546	14104, 14105,	\tocstyle@dottedtocline
\titlehead	14106, 14107, 20051
. 17002, 17551, 18250	14108, 14109,	\tocstyle@feature@dothook
\titlepage 620,	14110, 14119, 20150
927, 1179, 6465,	14122, 14126,	\tocstyle@feature@entryhook
6653, 15805, 16255	14127, 14128, 20146
\titlepagestyle ...	14131, 14145,	\tocstyle@feature@entryvskip
. 16978, 17527, 18226	14151, 14164, 20065, 20068
\titlespacing	14169, 14173,	\tocstyle@feature@leaders
... 5553, 5554, 5555	14194, 14202, 20148, 20153
\titlestyle ... 2419, 7925	14203, 14228,	\tocstyle@feature@pagenumberbox
\tl 13817, 13825,	14232, 14233, 20156, 20159
13830, 13832,	14234, 14247,	\tocstyle@feature@pagenumberhook
13833, 13834,	14319, 14320, 20157, 20159
13835, 13837,	14328, 14329,	\tocstyle@feature@parfillskip
13838, 13840,	14330, 14331, 20136, 20137



\tocstyle@feature@raggedleft	\toks@ 121, 125, 20072 1617, 1630, 1888,	11629, 14552, 14561, 14652, 14661, 21016, 21025, 21063, 21072
\tocstyle@feature@spaceafternumber	\toks@ 201, 4366, 4370, 20173, 7330, 7331, 7332, 20177, 20198, 20202 7333, 7393, 7394,	\topsep 2096, 2105, 2546, 4453, 5663, 5705, 14449, 14451
\tocstyle@indentstyle	\toks@ 20123, 20193 7395, 7396, 10769, 10770, 10771,	\topskip 301, 1962, 7585, 7588, 11457, 11459, 11464, 14455, 14746, 19048, 19054, 19059, 19066, 19071, 19076
\tocstyle@l@define	\toks@ 20210, 20213, 10772, 10805, 20218, 20222, 10806, 10807, 20226, 20230, 10808, 11571, 20234, 20238, 11572, 11573, 20242, 20246, 20278 11574, 11620, 11621, 11622,	\TOTALHEIGHT 18896, 18900 \totalheight 11876
\tocstyle@macrochangewarning	\toks@ 20266, 20273 11623, 11846, 11849, 11883,	\tovalue 3730, 3817, 3825, 3856, 3869, 3875, 3876
\tocstyle@numberline	\toks@ 20052, 20171 11885, 11889, 11891, 11894,	\tracingmacros 3845 \traditionalconverses ... 6061, 6084, 6100
\tocstyle@saved@dottedtocline	\toks@ 20268 12424, 12427, 12982, 12986,	\traditionalhalfverses 6050, 6054, 6061, 6094
\tocstyle@saved@numberline	\toks@ 20276 14552, 14553, 14554, 14555,	\traditionalpoem .. 6296 \traditionalpoem@cr ... 6174, 6223, 6224
\tocstyledepth	\toks@ 20063, 14652, 14653, 20075, 20087, 14654, 14655, 20107, 20108, 18810, 18830, 20111, 20129, 18836, 21016, 20130, 20179, 21017, 21018, 20181, 20183, 20187 21019, 21063, 21064, 21065, 21066	\traditionalpoem@obeylines 6104, 6296
\tocstyleTOC	\toks@ 20075, 20078, \tolerance 20079, 20081, 9210, 9316, 9422, 20083, 20087, 9531, 9640, 9749, 20088, 20090, 9858, 9967, 10076	\traditionalpoem@par ... 6104, 6105, 6223
	20091, 20095, \toname 8794, 13007	\trimb 5156, 5163
	20099, 20100, \topheight 20103, 20104, ... 15419, 15421, 20107, 20108, 15422, 15423, 20111, 20113, 15425, 15431, 20115, 20116, 15433, 15435, 20120, 20125, 15436, 15437, 20126, 20129, 15500, 15501, 20130, 20179, 15502, 15503, 20181, 20182, 20186 15507, 15508, 15512	\trimc 5165
\today	\toks@ 5823 \topins 15595	\trivlist 10860, 15199, 15219
\token	\toks@ 15266 \topmargin 1954, 2356, 122, 8265, 10953, 21347	\ttdefault 7800, 7892
\toks	124, 1459, 1460, \topmark .. 7330, 7339, 1462, 1463, 5154, 7393, 7402, 10769, 5155, 5161, 7100, 10778, 10805, 11451, 11452, 10814, 11571, 11453, 12983, 12985 11580, 11620,	\ttfamily 2001, 2041, 2042, 2044, 2045, 2046, 2047, 2048, 2049, 2050
		\ttl@a 18971, 18973
		\ttl@b 18966, 18967, 18971, 18973
		\ttl@beginlongest 18941
		\ttl@calc .. 18936, 18948
		\ttl@changecentercr 18940
		\ttl@contentsstretch 18978



\ttl@corr	18871, 19196,	\TX@trial@ftn
. 18993, 18994, 18997	20702, 20703,	. 18823, 18824, 18825
\ttl@endlongest . . 18956	20932, 20936, 20938	\TX@typeout@ 18797, 18839
\ttl@filleft 18930, 18959	\twocolumn	\TX@verb 18790
\ttl@filright 18931, 18960	.. 455, 591, 607,	\TX@vwarn 18826
\ttl@glcmds 18943	806, 856, 1058,	\TX@xftnttext 18806
\ttl@emode@error . 18942	1108, 1308, 1938,	\TX@xLTrftnttext
\ttl@leaders 18995	6397, 6574, 6784, 18807, 18850
\ttl@lselect 19002, 19005	6843, 7524, 7699,	\TX@xRTLftnttext
\ttl@makeline 18936, 18991	8564, 8661, 10664, 18808, 18857
\ttl@margin . 18990, 18996	14408, 15792,	\typeout 1521,
\ttl@midlongest . 18955	15997, 16047,	1523, 4656, 4658,
\ttl@outnoblock . 18969	16138, 16382,	4659, 4660, 4662,
\ttl@savel@chapter 19004	16506, 16564,	4664, 4665, 4666,
\ttl@savel@part . 19001	16971, 17520,	11047, 15651,
\ttl@hang 18935	18219, 19048,	20075, 20087,
\turn 16791	19054, 19059,	20107, 20108,
\turnbox 16812	19066, 19071, 19076	20111, 20129, 20130
\tw@ 348, 356, 1373,	\twocolumnfootnotes 9159	U
1381, 1415, 1419,	\TX@ 18787,	\uc@authornothanks
1424, 2268, 2955,	18788, 18816, 18817	. . . 755, 784, 789,
9262, 9267, 10732,	\TX@align . . 18840, 18842	1007, 1036, 1041,
10733, 11450,	\TX@arith 18802	1257, 1286, 1291,
11454, 11455,	\TX@ckpt . . . 18792, 18838	6537, 6714, 15946,
11469, 11473,	\TX@col@width . 18789,	15975, 15980,
11478, 11481,	18795, 18800, 18843	16085, 16116, 16121
11492, 11496,	\TX@cols	\uc@ax 785,
11497, 11498,	. 18796, 18800, 18844	786, 1037, 1038,
11499, 11502,	\TX@endtabularx 12413,	1287, 1288, 15976,
11801, 11802,	12424, 12430, 18785	15977, 16117, 16118
11812, 11814,	\TX@find@endtabularxa	\uc@nothanks
11815, 11817,	. . . 18787, 18788	. . . 746, 783, 784,
11818, 11821,	\TX@find@endtabularxb	793, 998, 1035,
11823, 11824, 18817	1036, 1045, 1248,
11858, 11860,	\TX@find@endtabularxbb	1285, 1286, 1295,
11861, 11863, 18815	6528, 6705, 15937,
11864, 11867,	\TX@ftn . 18812, 18847,	15974, 15975,
11869, 11870,	18849, 18851,	15984, 16076,
13133, 14839,	18854, 18856, 18858	16115, 16116, 16125
14846, 14847,	\TX@ftntext 18806	\uc@tx 783,
14855, 14856,	\TX@LTrftnttext	791, 1035, 1043,
14861, 14862, 18807, 18846	1285, 1293, 15974,
14868, 14878,	\TX@newcol 18789	15982, 16115, 16123
14879, 14886,	\TX@old@table 18794	\uc@ty 792,
14887, 14910,	\TX@RTLftnttext	793, 1044, 1045,
14915, 15611, 18808, 18853	1294, 1295, 15983,
15612, 16863,	\TX@target . 18795, 18809	15984, 16124, 16125
17412, 17983,	\TX@trial	\undefined . 4172, 6248,
18111, 18667,	. 18799, 18804, 18820	6302, 6305, 6307,



17162,	17164,	10157, 10166, 11481	8016, 8023, 8028,
17166,	17742,	\unrestored@protected@xdef	8033, 8073, 8078,
17744,	17746, 2212,	8082, 8087, 8926,
18425,	18427, 18429	2220, 2228, 5401,	8937, 8948, 9041,
\underline .	20891, 20899	5430, 5459, 6275,	9062, 9117, 9123,
\undertext	20899	6282, 6289, 11185,	9158, 9223, 9235,
\unexpanded	2982,	11194, 11353,	9248, 9329, 9340,
	2991, 2992, 2999,	11368, 12294,	9352, 9435, 9447,
	3000, 3013, 3014,	12305, 12316, 12327	9460, 9544, 9556,
	3021, 3022, 3123, 3244 11200, 11201	9569, 9653, 9665,
\unhbox	1489,	\unsetLTR . . . 15580, 20680	9678, 9762, 9774,
	6129, 6387, 7126,	\unsetRL . . . 15618, 20711	9787, 9871, 9883,
	10137,	\unsetRTL . . . 15579, 20679	9896, 9980, 9992,
	10169,	\unskip 46, 60,	10005, 10089,
	10414,	76, 249, 263, 278,	10101, 10114,
	10424,	336, 1441, 1442,	10135, 10366,
	10434,	1443, 4710, 4713,	10385, 10399,
	10443,	4716, 4719, 5409,	10411, 10421,
	12849,	5438, 5467, 6156,	10431, 10440,
	12882,	6167, 7022, 7328,	10476, 10484,
	12899,	7391, 7568, 7580,	10491, 10498,
	20821,	7591, 7593, 7597,	10504, 11271,
	20943,	7601, 9109, 10138,	11285, 11299,
\unhcopy	12865, 12870,	10139, 11331,	11336, 11341,
	18687, 18699, 18775	11569, 11618,	11444, 11454,
\unhskip 3649	13724, 13766,	11481, 11569,
\unitindent 630,	13769, 14550,	11618, 11690,
	641, 642, 644,	14650, 16796,	11692, 11736,
	718, 724, 868,	16806, 16824,	11741, 11747,
	869, 871, 937, 938,	17159, 17180,	11751, 11758,
	940, 941, 953, 958,	17185, 17194,	11774, 13697,
	1052, 1124, 1125,	17739, 17760,	13702, 13711,
	1127, 1189, 1198,	17765, 17774,	13714, 13772,
	1204, 6413, 6414,	18422, 18443,	13790, 14550,
	6416, 6491, 6497,	18448, 18457,	14579, 14581,
	6590, 6591, 6593,	21014, 21061, 21290	14589, 14607,
	6644, 6650, 15815,	\untilcondition 3731,	14609, 14650,
	15826,	3745, 3829, 3872	14679, 14681,
	15829,	\unvbox 7036,	14689, 14707,
	15886,	7037, 7291, 7294,	14709, 14764,
	16199,	7311, 7315, 7328,	15457, 15461,
	16265,	7378, 7391, 7437,	15466, 15470,
\unitlength	7495, 7503, 7504,	15482, 15493,
	7190, 7200, 7213,	7513, 7591, 7593,	15513, 15516,
	7223, 7236, 7246,	7597, 7600, 7606,	15521, 15595,
	7259,	7610, 7669, 7677,	15596, 15600,
\unkern 5318	7678, 7687, 7735,	15605, 20821,
\unpenalty	7966, 7969, 7970,	21014, 21061,
	7025, 7568, 7580,	7987, 7990, 7991,	21109, 21114,
	7591, 7597, 10140,		21125, 21129,



21136, 21141, 21148	12209, 12214,	7635, 7636, 7640,
\unvcopy . 7563, 8010, 8067	12216, 12220,	7643, 7647, 7653, 7659
\uppercase 308,	12222, 12226,	\vadjust . 6132, 6133, 6140
763, 783, 1015,	12228, 12232,	\valign 9148, 9152
1035, 1265, 1285,	12234, 12247,	\value 5199, 5218,
6545, 6722, 15954,	12249, 13150,	5237, 5269, 11037,
15974, 16093, 16115	13152, 15229,	11052, 11053,
\uppercasenonmath .	15230, 15232,	11056, 11057,
..... 114, 12975	15239, 15257,	11060, 13021,
\uppermargin 8249	15528, 15529, 20609	13022, 13093,
\uppertitleback .	\usecounter 91,	13127, 17149,
. 17005, 17554, 18253	294, 572, 707,	17729, 18412, 18791
\upshape	970, 1220, 2552,	\varcustomer . . 18003,
5586, 5593, 5600,	5701, 6480, 6668,	18029, 18030, 18033
5607, 5614, 7801,	6977, 8501, 8772,	\varinvoice . . 18004,
7805, 7806, 7893,	10609, 12915,	18035, 18036, 18039
7898, 7899, 15670	15898, 16292,	\varmyref 18002,
\urlstyle 2375	16486, 16689,	18023, 18024, 18027
\use 13948	17093, 17098,	\varrefitemi . . 18005,
\usebox 2081, 2091,	17673, 17678,	18041, 18042, 18045
4551, 4683, 4685,	18356, 18361, 19021	\varrefitemii . . 18006,
4690, 4692, 4701,	\usekomafont . . 16877,	18047, 18048, 18051
4702, 4705, 4706,	16884, 16921,	\varrefitemiii . 18007,
4913, 8355, 8358,	17034, 17285,	18053, 18054, 18057
8366, 8373, 8381,	17288, 17305,	\varrefitemnamei . 18043
8388, 8431, 11984,	17307, 17426,	\varrefitemnameii 18049
11988, 12071,	17433, 17470,	\varrefitemnameiii 18055
12073, 12077,	17583, 17865,	\varyourmail . . 18001,
12079, 12084,	17868, 17884,	18017, 18018, 18021
12086, 12090,	17887, 18125,	\varyourref 18000,
12092, 12096,	18132, 18169,	18011, 18012, 18015
12098, 12102,	18282, 18548,	\vbadness . 7327, 7390,
12104, 12110,	18551, 18567, 18570	9147, 9151, 10767,
12111, 12114,	\usepackage 4090,	10803, 10908,
12115, 12119,	4091, 4096, 4097,	11568, 11617,
12120, 12123,	4100, 4103, 4148, 4149	14549, 14649,
12124, 12127,	\usetocbasicnumberline	15409, 21013, 21060
12128, 12131, 19704	\vbox 306, 391, 397, 1409,
12132, 12146,		1476, 2292, 4940,
12147, 12149,	V	4941, 4943, 6116,
12150, 12162,	\v@aaa 7456,	7030, 7035, 7113,
12163, 12165,	7458, 7459, 7460,	7291, 7294, 7311,
12166, 12172,	7462, 7464, 7465,	7315, 7328, 7343,
12173, 12176,	7466, 7467, 7622,	7360, 7376, 7391,
12177, 12181,	7624, 7626, 7628,	7406, 7419, 7435,
12182, 12185,	7629, 7634, 7635,	7457, 7463, 7468,
12186, 12189,	7637, 7640, 7641, 7644	7471, 7477, 7480,
12190, 12193,	\v@ccc 7457, 7463, 7465,	7485, 7490, 7494,
12194, 12201,	7466, 7467, 7468,	7502, 7512, 7563,
12203, 12207,	7477, 7485, 7623,	7591, 7593, 7596,



7605, 7623, 7635,	14673, 14678,	6116, 6466, 6469,
7647, 7648, 7653,	14680, 14688,	6522, 6551, 6654,
7655, 7659, 7663,	14706, 14711,	6657, 6699, 6728,
7668, 7676, 7686,	14742, 15281,	6801, 6815, 7966,
7734, 7740, 7958,	15443, 15444,	7987, 8524, 8538,
7966, 7967, 7975,	15457, 15461,	8619, 8633, 10624,
7979, 7987, 7988,	15466, 15470,	10638, 15601,
7996, 8010, 8015,	15482, 15493,	15806, 15809,
8019, 8022, 8026,	15508, 15510,	15931, 15960,
8027, 8044, 8051,	15512, 15515,	16070, 16099,
8067, 8072, 8076,	15520, 15557,	16256, 16259,
8077, 8080, 8081,	15564, 15565,	16335, 16349,
8096, 8103, 8925,	15572, 15681,	16522, 16536, 21352
8936, 8947, 9039,	17176, 17756,	\vfill . . . 1930, 5896,
9222, 9234, 9247,	18439, 18743,	9148, 9152, 10536,
9328, 9339, 9351,	18777, 18782,	15508, 15513,
9434, 9446, 9459,	20209, 20212,	15514, 16721,
9543, 9555, 9568,	20217, 20221,	16736, 16768,
9652, 9664, 9677,	20225, 20229,	16785, 16913,
9761, 9773, 9786,	20233, 20237,	16935, 16940,
9870, 9882, 9895,	20241, 20245,	16946, 17462,
9979, 9991, 10004,	20637, 20645,	17484, 17489,
10088, 10100,	20646, 20654,	17495, 18161,
10113, 10135,	20811, 20816,	18183, 18188, 18194
10315, 10327,	20910, 20927,	\vfuzz . . . 5167, 5170, 5171
10339, 10363,	21014, 21029,	\vleftskip . 14423, 14424
10376, 10382,	21061, 21076,	\voffset 1958
10390, 10396,	21107, 21123,	\voidb@x 7003, 7067
10404, 10473,	21134, 21268,	\vphantom 20372
10481, 10496,	21309, 21348, 21351	\vpic . 15433, 15443, 15444
10781, 10818,	\vboxL 15565,	\vrightskip . 14423, 14424
10909, 10914,	16711, 16756, 20646	\vrule 380,
10939, 10954,	\vboxR 15557, 20637	1488, 4942, 4943,
10979, 11270,	\vcenter 391, 1473, 7110,	6115, 6117, 7125,
11284, 11298,	18777, 20729,	7347, 7412, 7475,
11317, 11441,	20818, 20819, 20910	7487, 7652, 7661,
11454, 11478,	\veqno 327, 328	10783, 10824,
11569, 11586,	\verb 18790	11592, 11639,
11618, 11635,	\VerbBox 8412, 8414	13626, 13683,
11734, 11745,	\verse@i 6146,	14032, 14294,
11770, 13635,	6177, 6183, 6191, 6232	14375, 14583,
13697, 13702,	\verse@ii	14590, 14615,
13705, 13710,	6157, 6178, 6184,	14683, 14690,
13711, 13714,	6186, 6192, 6194, 6232	14717, 14746,
13734, 13772,	\versewidth	14859, 14873,
14304, 14455,	. . . 6109, 6119, 6211	18703, 18731,
14550, 14573,	\vfil 413, 427, 621, 624,	18772, 20913,
14578, 14580,	740, 769, 928, 931,	21033, 21082, 21282
14588, 14606,	992, 1021, 1180,	\vsizer 7533, 7708,
14611, 14650,	1183, 1242, 1271,	10929, 11406,



11457,	13709,	13717	11748,	11755,	17240,	17242,
\vskip . .	309,	312,	11775,	13112,	17250,	17252,
414,	417,	423,	13232,	13245,	17425,	17432,
488,	494,	498,	13653,	13670,	17466,	17469,
560,	639,	741,	13671,	13673,	17471,	17477,
831,	835,	841,	13787,	14449,	17479,	17481,
866,	993,	1002,	14451,	14454,	17497,	17575,
1012,	1083,	1087,	14495,	14504,	17579,	17582,
1093,	1097,	1122,	14512,	14581,	17584,	17591,
1243,	1252,	1262,	14582,	14584,	17593,	17596,
1333,	1338,	1344,	14591,	14608,	17601,	17712,
1348,	1354,	1357,	14681,	14682,	17717,	17801,
2307,	6172,	6199,	14684,	14691,	17803,	17807,
6235,	6236,	6242,	14708,	14753,	17809,	17820,
6352,	6354,	6411,	14765,	14784,	17822,	17830,
6450,	6523,	6532,	14796,	14808,	17832,	18008,
6542,	6588,	6627,	15408,	15425,	18009,	18124,
6700,	6709,	6719,	15446,	15512,	18131,	18165,
6750,	6755,	6759,	15598,	15604,	18168,	18170,
6761,	6767,	6771,	15824,	15863,	18176,	18178,
6773,	6802,	6805,	15932,	15941,	18180,	18196,
6811,	6870,	6876,	15951,	16022,	18274,	18278,
6882,	6886,	6906,	16026,	16032,	18281,	18283,
6945,	6950,	6958,	16036,	16071,	18290,	18292,
7377,	7436,	7497,	16080,	16090,	18295,	18300,
7498,	7506,	7507,	16165,	16172,	18395,	18400,
7516,	7517,	7598,	16178,	16182,	18484,	18486,
7671,	7672,	7680,	16188,	16191,	18490,	18492,
7681,	7690,	7691,	16196,	16235,	18503,	18505,
8031,	8085,	8481,	16336,	16339,	18513,	18515,
8489,	8525,	8528,	16345,	16409,	19140,	19159,
8534,	8589,	8593,	16415,	16420,	19180,	19197,
8599,	8603,	8620,	16423,	16442,	19214,	19231,
8623,	8629,	8688,	16523,	16526,	19248,	19266,
8694,	8700,	8704,	16532,	16591,	19285,	19305,
8739,	8744,	8753,	16597,	16603,	19340,	19529,
9059,	9084,	9092,	16607,	16627,	20066,	20250,
9100,	9114,	9130,	16665,	16669,	20429,	20433,
10455,	10464,	10477,	16677,	16876,	20452,	20833,
10485,	10485,	10487,	16883,	16917,	20842,	20851,
10559,	10500,	10559,	16920,	16922,	20860,	20948,
10581,	10577,	10581,	16928,	16930,	21110,	21126,
10625,	10589,	10625,	16932,	16948,	21137,	21145,
10634,	10628,	10634,	17026,	17030,	21268,	21347,
10693,	10689,	10693,	17033,	17035,	21360,	21387,
10703,	10699,	10703,	17042,	17044,	\vspace{2475},	4544, 4634,
10957,	10953,	10957,	17047,	17052,	4642,	5260, 5264,
11333,	10958,	11333,	17132,	17137,	5326,	5331, 5344,
11480,	11442,	11480,	17221,	17223,	5349,	5362, 5367,
11737,	11485,	11737,	17227,	17229,	5484,	5493, 5502,



	W	
\waslice	15443, 15461, 15466, 15482, 15501, 15502, 15511	18437, 18683, 18841, 18892, 18949, 18966, 19709, 19723, 20463, 20507, 20703, 20887, 21389
\wbslice 15444, 15457, 15470, 15493, 15500, 15502, 15503, 15507, 15508, 15515, 15520, 15521	\WF@everypar ... 20426 \WF@adjlw .. 20466, 20491 \WF@adjtlm . 20488, 20491 \WF@box 20463, 20496, 20497 \WF@floatfalse 20429, 20437, 20447, 20450
\wd 1625, 1896, 6122, 6123, 6183, 6184, 6186, 6192, 6232, 6326, 6328, 6341, 6343, 7134, 8425, 8429, 10145, 10743, 10870, 11379, 11497, 11498, 11821, 11823, 11867, 11869, 11990, 12071, 12073, 12077, 12079, 12110, 12111, 12114, 12115, 12139, 12140, 12142, 12155, 12156, 12158, 12172, 12173, 12176, 12177, 12201, 12203, 12207, 12209, 12877, 12885, 12894, 12902, 13069, 13076, 13114, 13115, 13239, 13648, 13773, 14461, 14465, 14467, 14475, 14506, 14825, 15401, 15612, 15635, 15662, 16708, 16753, 16809, 16816, 17174, 17754, 18014, 18020, 18026, 18032, 18038, 18044, 18050, 18056, 18062,	\WF@fltmes 20456 \WF@info 20436, 20446, 20449, 20458, 20493, 20495 \WF@ovh 20463 \WF@place .. 20461, 20467 \WF@putfigmaybe .. 20427 \WF@size ... 20440, 20494 \WF@startwrapping 20499 \WF@wfname 20458, 20493, 20495 \WF@wrapil . 20487, 20490 \whilecondition 3731, 3745, 3834, 3866 \whiledo 10913 \widowpenalty ... 92, 295, 578, 710, 973, 1223, 2555, 6220, 6483, 6671, 6983, 8504, 8778, 10612, 12916, 15133, 15901, 16295, 16492, 16695, 17103, 17683, 18366, 19027
\vss 306, 7363, 7422, 7458, 7464, 7469, 7477, 7480, 7485, 7490, 7625, 7635, 7647, 7653, 7655, 7659, 7663, 7738, 8023, 8033, 8078, 8087, 10980, 13702, 13714, 14305, 15443, 15444, 15515, 15681, 20821	\WIDTH 18892, 18900 \width .. 11400, 11801, 11889, 11891, 14341, 14350, 14374 \widthof 8280, 8285 \windowbox . 15510, 15516 \wlog 7459, 7465, 7467, 7628, 7636, 7643 \write 2597, 4321, 6105, 6108, 6312, 18829, 20995 \wstrutbox . 15420, 15422
\vtop	.. 391, 397, 1408, 1475, 5001, 5045, 5089, 7036, 7112, 13617, 18743, 18777, 18782, 20817, 20910, 20927, 21183, 21227	



<p>X</p> <p>\x 3866, 3867, 4333, 4336, 8198, 8199, 8202, 8203, 8208, 8212, 8216, 8217, 8220, 8221, 8226, 8230, 12815, 12824, 12826, 12838 \XC@tmp 20534, 20535, 20549, 20583, 20584, 20592, 20596 \XC@tstfalse 20534, 20583 \XC@tsttrue . . 20535, 20536, 20537, 20584, 20585, 20586 \XC@bidideclaredc@lor 20590, 20595 \XC@bidideclaredcolor 20589, 20591 \XC@bidideclaredcolor 20574, 20576 \XC@coremodel 20518, 20561 \XC@current@color 20546, 20549, 20550, 20580, 20596, 20597 \XC@declaredc@lor 20541, 20548 \XC@declaredcolor 20540 \XC@display . . 20547, 20551, 20581, 20598 \XC@edef 20534, 20583 \XC@fbox 20602 \XC@getmodclr 20514, 20557 \XC@inflate . 20528, 20571 \XC@let@Nc . 20549, 20596 \XC@mclr . . 20528, 20571 \XC@mmod 20526, 20527, 20569, 20570 \XC@mul 20529, 20572 \XC@split 20592 \XC@tgt@mod . 20522, 20565 \XC@type 20535, 20584 \XC@undeclaredcolor 20531, 20542 \xcolor@ 20546, 20580 \xdef 333, 386, 2034, 2779, 2914, 2999, 3000, 3003, 3004, 3021,</p>	<p>3022, 3025, 3026, 3410, 4212, 4367, 6123, 6125, 6206, 6208, 6210, 7331, 7333, 7394, 7396, 7976, 7997, 8042, 8048, 8049, 8094, 8100, 8101, 10220, 10234, 10282, 10296, 10466, 10770, 10772, 10806, 10808, 11171, 11572, 11574, 11621, 11623, 11764, 12425, 13062, 13633, 14553, 14555, 14653, 14655, 15364, 15371, 15378, 18966, 20091, 20095, 20116, 20120, 20182, 20186, 20461, 20466, 20487, 20488, 20490, 20491, 21017, 21019, 21064, 21066 \XeTeX 12807, 20707, 21556, 21557 \TeX 12806, 15614, 20705, 21554, 21555 \TeXcharclass 1771, 1772, 1773, 1774 \TeXinterchartokenstate 1768 \TeXinterchartoks 1775 \xm 8199, 8203, 8217, 8221 \xxm 8207, 8211, 8225, 8229 \xyzzy 5148 Y \y 8199, 8203, 8207, 8211, 8216, 8217, 8220, 8221, 8225, 8226, 8229, 8230, 12811, 12813, 12814, 12817, 12824 \ym 8216, 8220, 8226, 8230 \yourmailname 18019</p>	<p>\yourrefname 18013 \ym 8198, 8202, 8208, 8212 Z \z@ 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 207, 219, 223, 249, 263, 278, 306, 314, 318, 336, 350, 354, 357, 368, 383, 388, 394, 395, 459, 506, 518, 523, 550, 589, 594, 595, 605, 609, 610, 639, 640, 643, 645, 658, 683, 735, 752, 810, 854, 858, 859, 866, 867, 870, 873, 885, 902, 939, 942, 987, 1004, 1050, 1062, 1106, 1110, 1111, 1122, 1123, 1126, 1128, 1141, 1167, 1237, 1254, 1312, 1349, 1375, 1379, 1382, 1395, 1417, 1425, 1443, 1453, 1455, 1465, 1467, 1472, 1486, 1488, 1489, 1618, 1623, 1624, 1625, 1627, 1889, 1894, 1895, 1896, 1898, 2252, 2307, 2567, 2577, 2582, 3711, 3721, 4441, 4450, 4749, 4982, 4986, 5026, 5030, 5070, 5074, 5660, 5687, 5718, 5730, 5908, 6136, 6139, 6142, 6183, 6184, 6186, 6192, 6206, 6210, 6214, 6215, 6216, 6217, 6218, 6219, 6232, 6306, 6318, 6319, 6326, 6328, 6341, 6343, 6351, 6395, 6399, 6400, 6411, 6412,</p>
--	---	--



6415, 6417, 6430,	10573, 10585,	14567, 14577,
6453, 6505, 6507,	10668, 10711,	14638, 14663,
6509, 6517, 6534,	10713, 10715,	14667, 14677,
6572, 6576, 6577,	10744, 10895,	14735, 14752,
6588, 6589, 6592,	10952, 10980,	14761, 14763,
6594, 6607, 6630,	11003, 11005,	14784, 14796,
6682, 6684, 6686,	11007, 11016,	14808, 14828,
6694, 6711, 6745,	11018, 11020,	14839, 14845,
6765, 6782, 6787,	11166, 11220,	15122, 15127,
6788, 6847, 6894,	11237, 11253,	15168, 15178,
6909, 6927, 6929,	11280, 11294,	15228, 15229,
6931, 6940, 6954,	11308, 11322,	15230, 15232,
7005, 7006, 7017,	11326, 11447,	15234, 15239,
7019, 7102, 7104,	11497, 11504,	15257, 15529,
7109, 7123, 7125,	11530, 11531,	15573, 15575,
7126, 7131, 7132,	11532, 11553,	15610, 15611,
7133, 7134, 7135,	11554, 11720,	15612, 15621,
7169, 7180, 7298,	11795, 11796,	15622, 15635,
7452, 7499, 7508,	11797, 11804,	15659, 15660,
7518, 7536, 7539,	11811, 11812,	15681, 15726,
7576, 7618, 7673,	11813, 11814,	15727, 15744,
7682, 7692, 7711,	11815, 11817,	15790, 15794,
7714, 7964, 7985,	11818, 11820,	15795, 15824,
8002, 8003, 8005,	11821, 11823,	15825, 15828,
8006, 8014, 8036,	11857, 11858,	15830, 15843,
8038, 8041, 8059,	11859, 11860,	15866, 15912,
8060, 8062, 8063,	11861, 11863,	15914, 15916,
8071, 8088, 8090,	11864, 11866,	15926, 15943,
8093, 8394, 8416,	11867, 11869,	16001, 16045,
8418, 8420, 8423,	11941, 11947,	16049, 16050,
8425, 8427, 8429,	12924, 12928,	16065, 16082,
8431, 8432, 8438,	12944, 12948,	16142, 16183,
8443, 8457, 8471,	12960, 12972,	16196, 16197,
8484, 8568, 8665,	12989, 13086,	16200, 16202,
8711, 8721, 8723,	13129, 13136,	16215, 16238,
8725, 8734, 8749,	13144, 13156,	16277, 16279,
8867, 8873, 8879,	13158, 13198,	16281, 16334,
8992, 8997, 9004,	13205, 13210,	16377, 16386,
9009, 9016, 9021,	13221, 13293,	16413, 16430,
9127, 9128, 9129,	13595, 13597,	16445, 16466,
9209, 9315, 9421,	13629, 13635,	16468, 16470,
9530, 9639, 9748,	13638, 13643,	16504, 16509,
9857, 9966, 10075,	13646, 13683,	16510, 16568,
10144, 10217,	13697, 13701,	16615, 16630,
10279, 10345,	13702, 13705,	16648, 16650,
10349, 10353,	13711, 13724,	16652, 16661,
10452, 10453,	13745, 13747,	16673, 16708,
10454, 10461,	13769, 13798,	16709, 16710,
10462, 10463,	14411, 14414,	16753, 16754,
10547, 10562,	14438, 14563,	16755, 16793,



16797,	16798,	18613,	18623,	20672,	20701,
16803,	16807,	18633,	18674,	20702,	20703,
16808,	16809,	18675,	18676,	20754,	20755,
16814,	16815,	18677,	18682,	20756,	20833,
16816,	16821,	18683,	18687,	20842,	20851,
16825,	16826,	18699,	18733,	20860,	20864,
16868,	16876,	18756,	18768,	20884,	20885,
16883,	16885,	18772,	18865,	20915,	20926,
16907,	16930,	18869,	18876,	20934,	20939,
16948,	16975,	18887,	18933,	20948,	21164,
17019,	17044,	18934,	18944,	21168,	21208,
17132,	17137,	18948,	18949,	21212,	21253,
17182,	17246,	18950,	18953,	21257,	21260,
17322,	17325,	18962,	18963,	21270,	21271,
17331,	17341,	18965,	18966,	21275,	21282,
17351,	17361,	18968,	18976,	21319,	21345,
17417,	17425,	18981,	18996,	21358,	21398,
17432,	17434,	19082,	19083,	\z@skip ..	2307, 10950,
17456,	17479,	19157,	19247,	10951,	13745,
17497,	17524,	19265,	19358,	13748,	15741,
17568,	17593,	19537,	19645,	18737,	18742,
17712,	17717,	19674,	19984,	18775,	18781,
17762,	17826,	19988,	20066,	20863,	20864,
17906,	17911,	20071,	20076,	20919,	20925,
17914,	17920,	20124,	20250,	\zap@space	4078, 4165, 4201
17930,	17940,	20436,	20443,	\zifrefundefined ..	
17950,	17987,	20444,	20462,	11069, 11092
18116,	18124,	20478,	20481,	\zref@extractdefault	
18131,	18133,	20490,	20491,	11074, 11095
18155,	18178,	20493,	20497,	\zref@labelbyprops	
18196,	18223,	20504,	20505,	11040, 11115
18267,	18292,	20506,	20507,	\zref@labelbyprops	
18395,	18400,	20602,	20607,	1774
18445,	18509,	20609,	20657,	\zref@labelbyprops	
18589,	18594,	20661,	20662,	1774
18597,	18603,	20667,	20671,	\zref@labelbyprops	

