



The *bidi* Package

Documentation for version 20.9

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/tex-xet/bidi/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2017 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting in plain \TeX and \LaTeX , using $\text{Xe}\text{\TeX}$ engine

Documentation for version 20.9

Vafa Khalighi
persian-tex@tug.org

February 5, 2017

Contents

I \LaTeX Manual	4
1 Basics	4
1.1 Loading The Package	4
1.2 <i>bidi</i> 's Symbol	5
1.3 Commands for Version number, and Date of The Package	6
1.4 Turning \TeX -- XeT features on and off	6
1.5 Options of The Package	6
1.6 Paragraph Switching Commands	7
1.7 Paragraph Switching Environ- ments	8
1.8 Typesetting Short LTR and RTL Texts	8
1.9 Footnotes	9
1.9.1 Footnote Rule	10
1.10 Two Column Typesetting	10
1.11 RTL cases	11
1.12 Typesetting Logos	11
1.13 Separation Mark	11
1.14 \backslash raggedright, \backslash raggedleft commands, flushleft and flushright Environments	12
1.15 Primitive-like commands	12
1.16 Something To know about \backslash hbox	12
1.17 \backslash bidiillap and \backslash bidiirlap Commands	13
1.18 LTRitems and RTLitems Envi- ronments	13
1.19 LTRbibitems and RTLbib- items Environments	15
1.20 \backslashsetLTRbibitems, \backslashsetRTLbibitems, and \backslashsetDefaultbibitems commands	15
1.21 Typesetting margin par	16
1.22 Typesetting of Headers and Footers	16
1.23 Tabular Typesetting	16
1.24 Equation Numbers	16
2 Support For Various Packages and Classes	16
2.1 Color	17
2.2 The dblfnote package	17
2.3 Hyperref	17
2.4 The listings package	18
2.5 flowfram Package	18
2.6 Multicolumn Typesetting	18
3 Extra <i>bidi</i> Packages and Classes	18
3.1 biditufe bundle	18
3.2 Typesetting \TeX and \LaTeX Codes	19
3.3 Typesetting Poems	19
3.4 Typesetting Resumé	20

3.5	Print Two Pages On A Single Page	20
3.6	Producing Presentations	20
4	Some Useful Internal Macros and Programming Tips	20
4.1	Equating Conditionals	20
4.2	RTL Conditional	21
4.3	Main RTL Conditional	21
4.4	Latin Conditional	21
4.5	Tags Internal Macro	21
4.6	Definition File Loaded Internal Macro	21
4.7	Tabular Conditional	22
4.8	Footnote Conditional	22
4.9	Direction Ensuring Macros	22
4.10	Reset Direction Macro	22
II	Plain TeX Manual	22
5	Basics	22
5.1	Loading The Package	23
5.2	Commands for Version number, and Date of The Package	23
5.3	Turning TeX–XeT features on and off	23
5.4	Paragraph Switching Commands	23
5.5	Paragraph Switching Environments	24
5.6	Typesetting Short LTR and RTL Texts	24
5.7	Primitive-like commands	25
5.8	Something To know about \hbox	25
5.9	Typesetting Logos	26
6	Some Useful Internal Macros and Programming Tips	26
6.1	RTL Conditional	26
6.2	Main RTL Conditional	26
6.3	Direction Ensuring Macros	26
6.4	Reset Direction Macro	27
7	bidi implementation	27
7.1	amsart-xetex-bidi.def	27
7.2	adjmulticol-xetex-bidi.def	29
7.3	algorithm2e-xetex-bidi.def	30
7.4	amsbook-xetex-bidi.def	31
7.5	amsmath-xetex-bidi.def	34
7.6	amstext-xetex-bidi.def	34
7.7	amsthm-xetex-bidi.def	34
7.8	animate-xetex-bidi.def	34
7.9	array-xetex-bidi.def	39
7.10	article-xetex-bidi.def	40
7.11	artikel1-xetex-bidi.def	44
7.12	artikel2-xetex-bidi.def	49
7.13	artikel3-xetex-bidi.def	54
7.14	arydshln-xetex-bidi.def	59
7.15	bidi.sty	62
7.16	bidi.tex	65
7.17	bidi2in1.sty	67
7.18	bicode.sty	68
7.19	bidiftnxtra.sty	70
7.20	bidimoderncv.cls	74
7.21	biditools.sty	79
7.22	bidituftefloat.sty	104
7.23	bidituftesidenote.sty	115
7.24	bidituftetoc.sty	126
7.25	bidituftegeneralstructure.sty	129
7.26	bidituftehyperref.sty	132
7.27	bidituftetitle.sty	132
7.28	biditufte-handout.cls	135
7.29	biditufte-book.cls	136
7.30	bidipoem.sty	137
7.31	boek3-xetex-bidi.def	144
7.32	boek-xetex-bidi.def	148
7.33	bokest-xetex-bidi.def	152
7.34	book-xetex-bidi.def	152
7.35	breqn-xetex-bidi.def	157
7.36	cals-xetex-bidi.def	158
7.37	caption-xetex-bidi.def	159
7.38	caption3-xetex-bidi.def	159
7.39	colortbl-xetex-bidi.def	159
7.40	color-xetex-bidi.def	160
7.41	combine-xetex-bidi.def	160
7.42	crop-xetex-bidi.def	161
7.43	cutwin-xetex-bidi.def	163
7.44	cuted-xetex-bidi.def	164
7.45	cvthemedibicasual.sty	172
7.46	cvthemedibidiclassic.sty	174
7.47	dblfnote-xetex-bidi.def	176
7.48	draftwatermark-xetex-bidi.def	179
7.49	eso-pic-xetex-bidi.def	179
7.50	empheq-xetex-bidi.def	180
7.51	extarticle-xetex-bidi.def	184
7.52	extbook-xetex-bidi.def	187
7.53	extletter-xetex-bidi.def	191
7.54	extrafootnotefeatures-xetex-bidi.def	191
7.55	extreport-xetex-bidi.def	229



7.56	fancybox-xetex-bidi.def	233
7.57	fancyhdr-xetex-bidi.def	233
7.58	fix2col-xetex-bidi.def	234
7.59	fleqn-xetex-bidi.def	235
7.60	float-xetex-bidi.def	236
7.61	floatrow-xetex-bidi.def	236
7.62	flowfram-xetex-bidi.def	236
7.63	footnote-xetex-bidi.def	239
7.64	framed-xetex-bidi.def	245
7.65	ftnright-xetex-bidi.def	249
7.66	graphicx-xetex-bidi.def	251
7.67	geometry-xetex-bidi.def	254
7.68	hfloat-xetex-bidi.def	254
7.69	hyperref-xetex-bidi.def	261
7.70	leqno-xetex-bidi.def	272
7.71	letter-xetex-bidi.def	272
7.72	lettrine-xetex-bidi.def	273
7.73	listings-xetex-bidi.def	275
7.74	loadingorder-xetex-bidi.def	277
7.75	longtable-xetex-bidi.def	283
7.76	mdframed-xetex-bidi.def	286
7.77	bidi-media9.sty	287
7.78	memoir-xetex-bidi.def	299
7.79	midfloat-xetex-bidi.def	302
7.80	minitoc-xetex-bidi.def	307
7.81	multicol-xetex-bidi.def	308
7.82	multienum-xetex-bidi.def	310
7.83	natbib-xetex-bidi.def	312
7.84	newfloat-xetex-bidi.def	312
7.85	ntheorem-xetex-bidi.def	313
7.86	ntheorem-hyper-xetex-bidi.def	314
7.87	overpic-xetex-bidi.def	314
7.88	pdfpages-xetex-bidi.def	315
7.89	pgfcorescopes.code-xetex-bidi.def	316
7.90	picinpar-xetex-bidi.def	317
7.91	plain-xetex-bidi.def	320
7.92	pstricks-xetex-bidi.def	322
7.93	quotchap-xetex-bidi.def	323
7.94	ragged2e-xetex-bidi.def	323
7.95	rapport1-xetex-bidi.def	325
7.96	rapport3-xetex-bidi.def	330
7.97	refrep-xetex-bidi.def	335
7.98	report-xetex-bidi.def	339
7.99	rotating-xetex-bidi.def	343
7.100	scrartcl-xetex-bidi.def	346
7.101	scrbook-xetex-bidi.def	357
7.102	scrlttr-xetex-bidi.def	369
7.103	scrreprt-xetex-bidi.def	371
7.104	sidecap-xetex-bidi.def	382
7.105	soul-xetex-bidi.def	383
7.106	stabular-xetex-bidi.def	384
7.107	subfigure-xetex-bidi.def	384
7.108	tbls-xetex-bidi.def	385
7.109	tabularx-xetex-bidi.def	385
7.110	tabulary-xetex-bidi.def	387
7.111	tc-xetex-bidi.def	388
7.112	titlesec-xetex-bidi.def	388
7.113	titletoc-xetex-bidi.def	389
7.114	tocbibind-xetex-bidi.def	390
7.115	tocloft-xetex-bidi.def	391
7.116	tocbasic-xetex-bidi.def	398
7.117	tocstyle-xetex-bidi.def	411
7.118	todonotes-xetex-bidi.def	416
7.119	wrapfig-xetex-bidi.def	418
7.120	xcolor-xetex-bidi.def	420
7.121	latex-xetex-bidi.def	422
7.122	xltextra-xetex-bidi.def	438
8	Index	438
9	Change History	582



Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain \TeX and \LaTeX , using the Xe\TeX engine.

bidi Info On The Terminal and In The Log File

If you use bidi package to write any input \TeX document, and then run xelatex on your document, bidi writes some information about itself to the terminal and to the log file. The information is something like:

```
*****
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright (c) 2009--2017 Vafa Khalighi
*
* 2017/02/05, v20.9
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/tex-xet/bidi/issues
*
* Support: persian-tex@tug.org
*****
```

Part I

\LaTeX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;



```
\usepackage [Options] {bidi}
```

Where options of the package are explained later in [subsection 1.5](#).

When loading the package, it is important to know that:

- ❶ bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.
- ❷ In fact, bidi makes sure that some specific packages are loaded before bidi; these are those packages that bidi modifies them for bidirectional typesetting. If you load bidi before any of these packages, then you will get an error saying that you should load bidi as your last package.

For instance, consider the following minimal example:

```
1 \documentclass{minimal}
2 \usepackage{bidi}
3 \usepackage{graphicx}
4 \begin{document}
5 This is just a test.
6 \end{document}
```

Where graphicx is loaded after bidi. If you run xelatex on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
...
1.4 \begin{document}

?
```

1.2 bidi's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes bidi. Simorgh¹ (shown on the first page of this documentation) symbolizes bidi.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



1.3 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ \bidiversion gives the current version of the package.

☞ \bididate gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
5 \end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in Xe_TE_X is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by T_EX, the typesetting of a document by TeX--XeT may therefore differ from that performed by T_EX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original T_EX. Two commands are provided for this purpose:

```
\TeXeTOn \TeXeTOff
```

☞ \TeXeTOn turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ \TeXeTOff turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentially equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in [subsection 5.4](#)), `\RTLdblcol` (explained in [subsection 1.10](#)) and `\autofootnoterule` (explained in [subsubsection 1.9.1](#)).

It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.

There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:



```
\normalfootnotes
\twocolumnfootnotes \threecolumnfootnotes \fourcolumnfootnotes
\fivecolumnfootnotes \sixcolumnfootnotes \sevencolumnfootnotes
\eightcolumnfootnotes \ninecolumnfootnotes \tencolumnfootnotes
\RTLcolumnfootnotes \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes \setRTLparagraphfootnotes
```

- ☞ \normalfootnotes typesets footnotes in Standard L^AT_EX format.
- ☞ \twocolumnfootnotes to \tencolumnfootnotes, typeset footnotes in two-columns to ten-columns, respectively.
- ☞ \RTLcolumnfootnotes typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and \LTRcolumnfootnotes typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). \LTRcolumnfootnotes is active by default.
- ☞ \paragraphfootnotes typesets footnotes in paragraph format.
- ☞ \setLTRparagraphfootnotes makes footnotes run from left to right. This command is active by default.
- ☞ \setRTLparagraphfootnotes makes footnotes run from right to left.

Please note that when using extrafootnotefeatures option, the footnote rule will be as wide as the text width and \autofootnoterule, \rightfootnoterule, \leftfootnoterule, and \textwidthfootnoterule commands have no effects. Please also note that if you redefine \baselinestretch command or change the value of \baselineskip primitive before \paragraphfootnotes command, then you may get Arithmetic Overflow error. You should change these after using \paragraphfootnotes command.

1.6 Paragraph Switching Commands

```
\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR
```

- ☞ With any of the commands in the first row, you can typeset LTR paragraphs.
- ☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%
```



```

5 Anyone who reads Old and Middle English literary texts will be
6 familiar with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8
9 \setLTR% Notice the blank line before \setLTR
10 Anyone who reads Old and Middle English literary texts will be
11 familiar with the mid-brown volumes of the EETS, with the symbol
12 of Alfred's jewel embossed on the front cover.
13 \end{document}

```

1.7 Paragraph Switching Environments

```
\begin{LTR} <text> \end{LTR}
\begin{RTL} <text> \end{RTL}
```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{RTL}
5 Anyone who reads Old and Middle English literary texts will be familiar
6 with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8 \begin{LTR}
9 Anyone who reads Old and Middle English literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 And we are still typesetting RTL.
14 \end{RTL}
15 \end{document}

```

1.8 Typesetting Short LTR and RTL Texts

```
\LRE{<text>} \LR{<text>}
\RLE{<text>} \RL{<text>}
```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.



```

1 \begin{document}
2 \begin{RTL}
3 Anyone who reads Old and Middle English \LRE{Short LTR text} literary
texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
of Alfred's jewel embossed on the front cover.
5 \begin{LTR}
6 Anyone who reads Old and Middle English \RLE{Short RTL text} literary
texts will be familiar
7 with the mid-brown volumes of the EETS, with the symbol
of Alfred's jewel embossed on the front cover.
8 \end{LTR}
9 \end{RTL}
10 \end{document}

```

1.9 Footnotes

```

\footnote [num] {\text} \LTRfootnote [num] {\text} \RTLfootnote [num] {\text}
\setfootnoteRL \setfootnoteLR \unsetfootnoteRL
\thanks{\text} \LTRthanks{\text} \RTLthanks{\text}

```

- ☞ \footnote in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRfootnote will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLfootnote will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a \setfootnoteRL command anywhere will make \footnote produce an RTL footnote.
- ☞ Specifying either a \setfootnoteLR or an \unsetfootnoteRL command anywhere will make \footnote produce an LTR footnote.
- ☞ \thanks (to be used only inside \author or \title argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRthanks (to be used only inside \author or \title argument) will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLthanks (to be used only inside \author or \title argument) will always produce an RTL footnote, independent on the current mode.



```
\footnotetext [num] {\text} \LTRfootnotetext [num] {\text}  
\RTLfootnotetext [num] {\text}
```

- ☞ \footnotetext used in conjunction with \footnotemark, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRfootnotetext used in conjunction with \footnotemark, will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLfootnotetext used in conjunction with \footnotemark, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofootnoterule \rightfootnoterule \leftfootnoterule  
\LRfootnoterule \textwidthfootnoterule \SplitFootnoteRule  
\debugfootnotedirection
```

- ☞ \autofootnoterule will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).
- ☞ \rightfootnoterule will put footnote rule on the right-hand side.
- ☞ \leftfootnoterule or \LRfootnoterule will put footnote rule on the left-hand side.
- ☞ \textwidthfootnoterule will draw the footnote rule with a width equal to \textwidth.
- ☞ \SplitFootnoteRule puts a full-width rule above the split-off part of a split footnote.
- ☞ \debugfootnotedirection writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, \RTLdblcol allows you to have RTL two column typesetting and \LTRdblcol allows you to have LTR two column typesetting as the options of the class file.



Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidth\footnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with mathtools package (mathtools defines `rcases` environment), we had to rename `\rcases` command to `\RTLcases` command.

```
1 \RTLcases{ \text{\langle brach1\rangle}\cr \text{\langle brach2\rangle}\cr \text{\langle brach3\rangle}... }  
2 \text{\langle main\rangle}
```

`\RTLcases` is defined in `bidi` for typesetting RTL cases. `\text` is defined in `amsmath` package, so this means that you need to load `amsmath` package too.

```
1 \documentclass{article}  
2 \usepackage{amsmath}  
3 \usepackage{bidi}  
4 \begin{document}  
5 \setRTL  
6 \[\RTLcases{\text{men}}{\text{women}}  
7 \text{Humans Beings}  
8 \]  
9 \end{document}
```

1.12 Typesetting Logos

```
\XeTeX \XeLaTeX
```

`bidi` defines `XeTeX` and `XeLaTeX` logos and in addition, it makes sure that logos, `TEX`, `LATEX`, `LATEX 2ε` are typeset LTR.

1.13 Separation Mark

```
\SepMark{\langle mark\rangle} \c@SepMark
```

Generally in Standard `LATEX`, dot is used for separation between section numbers, equation numbers any anything else which needs to be separated. You can use `\SepMark` to use any other mark as the separation mark instead a dot.

```
1 \documentclass{article}  
2 \usepackage{bidi}  
3 \SepMark{-}  
4 \begin{document}  
5 \section{First}  
6 \subsection{Second}  
7 \subsubsection{Third}  
8 \end{document}
```



If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load amsmath package and use \numberwithin macro to do this or do the ordinary way, but instead dot write \@SepMark. Using dot instead \@SepMark will certainly make trouble.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \makeatletter
5 \renewcommand\theequation{\thesection \@SepMark @arabic c@equation}
6 \makeatother
7 \begin{document}
8 \section{First}
9 \begin{equation}
10 x^2+y^2=z^2
11 \end{equation}
12 \end{document}
```

1.14 \raggedright, \raggedleft commands, flushleft and flushright Environments

\raggedright command and flushleft environment put the text on the left hand side and \raggedleft command and flushright environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

```
\hboxR \hboxL \vboxR \vboxL
```

- ☞ The syntax of \hboxR is exatly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exatly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exatly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exatly the same as the syntax of \vbox, but its contents is always typeset LTR.

1.16 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:



```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \hbox{This is a Test}
6 \end{document}

```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \leavevmode\hbox{This is a Test}
6 \end{document}

```

1.17 \bidillap and \bidirlap Commands

In RTL mode, `\llap` and `\rlap` do opposite things. Since these two macros are used in a lot of classes and packages, instead modifying these two macros, we have created two new macros `\bidillap` and `\bidirlap` which give logical results.

1.18 LTRitems and RTLitems Environments

If you typeset an itemize, or an enumerate, or a description environment where all `\item`s are one directional, you have no problem at all as shown below:

```

1 \documentclass{article}
2 \begin{document}
3 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
4 \begin{enumerate}
5 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \end{enumerate}
8 \end{document}

```

However if the above example becomes bidirectional, as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}

```



```

3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \setRTL
8 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
9 \end{enumerate}
10 \end{document}

```

Then some people may argue that this typographically does not look promising. For this purpose, RTLItems environment is provided which has the following syntax:

```

\begin{RTLItems}
\item <text>
...
\end{RTLItems}

```

By using the RTLItems environment, the previous example will look like the following:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \begin{RTLItems}
8 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
9 \end{RTLItems}
10 \end{enumerate}
11 \end{document}

```

Similarly, LTRItems environment is defined which has the following syntax:

```

\begin{LTRItems}
\item <text>
...
\end{LTRItems}

```



1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRItems and RTLItems environments but there are few differences:

- ☞ LTRItems and RTLItems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.
- ☞ Clearly instead of `\item`, you have `\bibitem` inside LTRbibitems and RTLbibitems environments.

1.20 \setLTRbibitems, \setRTLbibitems, and \setDefaultbibitems commands

```
\setLTRbibitems \setRTLbibitems \setDefaultbibitems
```

- ☞ If your whole thebibliography environment is inside RTL mode, but all your `\bibitems` are LTR and you actually want to have `\bibname` to appear on the RHS, you can use `\setLTRbibitems` command before thebibliography environment.
- ☞ If your whole thebibliography environment is inside LTR mode, but all your `\bibitems` are RTL and you actually want to have `\bibname` to appear on the LHS, you can use `\setRTLbibitems` command before thebibliography environment.
- ☞ `\setDefaultbibitems` is the default, when your `\bibitems` are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use `\setDefaultbibitems` command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two `\bibitems`. The first `\bibitem` is LTR and the second `\bibitem` is RTL. One could typeset this scenario as shown below:

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{thebibliography}{99}
5 \bibitem This is the first bibitem which is LTR.
6 \begin{RTLbibitems}
7 \bibitem This is the second bibitem which is RTL.
8 \end{RTLbibitems}
9 \end{thebibliography}
10 \end{document}
```



1.21 Typesetting margin par

By default, in RTL mode, `\marginpar` appears on LHS and its content is typeset RTL and in LTR mode, `\marginpar` appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar \setLTRmarginpar \setDefaultmarginpar  
\LTRmarginpar[<left-text>]{<right-text>}  
\RTLmarginpar[<left-text>]{<right-text>}
```

- ☞ `\setRTLmarginpar` always makes `\marginpar` to appear on LHS and the content of `\marginpar` is typeset RTL (this is independent of the current mode).
- ☞ `\setLTRmarginpar` always makes `\marginpar` to appear on RHS and the content of `\marginpar` is typeset LTR (this is independent of the current mode).
- ☞ `\setDefaultmarginpar` gives the default behaviour of `\marginpar` as described above.
- ☞ `\LTRmarginpar` typesets `<left-text>` and `<right-text>` always LTR.
- ☞ `\RTLmarginpar` typesets `<left-text>` and `<right-text>` always RTL.
- ☞ in RTL mode, places of `<left-text>` and `<right-text>` swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The `bidi` package supports `amsmath`, `amstext`, `amsthm`, `array`, `arydshln`, `breqn`, `cals`, `caption`, `color`, `colortbl`, `crop`, `cuted`, `cutwin`, `dblfnote`, `draftwatermark`, `empheq`, `fancyhdr`, `fancybox`, `fix2col`, `float`, `floatrow`, `flowfram`, `framed`, `ftnright`, `geometry`, `graphicx`, `hfvfloat`, `hyperref`, `lettrine`, `listings`, `mdframed`, `midfloat`, `minitoc`, `multicol`, `multienum`, `newfloat`, `pdfpages`, `pstricks`, `quotchap`, `picinpar`, `ragged2e`, `rotating`, `sidecap`, `stabular`,



subfig, subfigure, supertabular, xtab, tabls, tabulary, PGF & TIKZ, tocbibind, tocloft, tocstyle, wrapfig, xcolor, xltextra packages, amsart, amsbook, artikel1, artikel2, artikel3, extarticle, flashcards, standrad article, boek, boek3, standard book, bookest, extbook, extletter, scrlettr,standard letter, memoir, extreport, rapport1, rapport3, refrep, standard report, scrartcl, scrbook, scrreprt classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents. We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use color and xcolor packages to typeset texts in colours and colour boxes produced by \colorbox and \fcolorbox commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use xecolor package. Also if you are going to use \color command to colour the text at the beginning of a paragraph, then you should have \leavevmode before \color command. For having coloured tabular, you can use colortbl package.

2.2 The dblfnote package

The dblfnote package makes footnotes double-columned. In addition bidi package adds bidirectional support for the dblfnote package by providing the following commands:

```
\RTLdfnmakecol    \LTRdfnmakecol
```

- ☞ \RTLdfnmakecol makes footnotes double-columned RTL.
- ☞ \LTRdfnmakecol makes footnotes double-columned LTR.
- ☞ If the main direction of the document is RTL, \RTLdfnmakecol is active and if the main direction of the document is LTR, \LTRdfnmakecol is active.

Please note that when using dblfnote package, the footnote rule will be as wide as the footnote column and \autofootnoterule, \rightfootnoterule, \leftfootnoterule, and \textwidthfootnoterule commands have no effects.

2.3 Hyperref

The hyperref package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.



2.4 The `listings` package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the `bidi` package adds a key to the `listings` package, namely `captiondirection`. This key can have the following values:

- ☒ `textdirection` follows the direction of the text (default).
- ☒ `RTL` sets the direction of the caption to RTL.
- ☒ `LTR` sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 `flowfram` Package

You can use `flowfram` package for your bidirectional documents. Please note that `flowfram` package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of `bidi` package, it was recommended that you need to use `fmultico` package instead the original `multicol` package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy `fmultico` package any more. Simply load the original `multicol` package before loading `bidi`. `bidi` now supports `multicol` package and you can typeset bidirectional multi columns. When using `multicol` package, the following two additional commands are provided:

```
\RTLmulticolcolumns \LTRmulticolcolumns
```

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns.

In addition, you also can use `vwcol` package for variable width bidirectional column typesetting.

3 Extra `bidi` Packages and Classes

3.1 `buditufe` bundle

A modified version of `tufte-latex`, `buditufe` bundle, mainly for RTL typesetting, is provided. If you never used `buditufe` bundle or `tufte-latex` package and you want



to use `buditufe` bundle, then you need to look at `tufte-latex` package's manual and examples. In addition, for using `buditufe` bundle, you need to know the following notes:

- ☞ You need to use `buditufe-book` class instead `tufte-book` class and `buditufe-handout` class instead `tufte-handout` class.
- ☞ `buditufe` bundle provides the following extra commands:

```
\LTrsidenote \RTLsidenote \LTrmarginnote \RTLmarginnote
```

- ☞ `buditufe` bundle unlike `tufts-latex` package, only provides justified lines.
- ☞ Some features of `tufte-latex` that does not make any sense in RTL, do not exist in `buditufe` bundle (no need for `soul`, `letterspace` and `macrotype` packages).
- ☞ If you want to configure `buditufe-book` class for your own needs, then you can create a file with the name `buditufe-book.cfg` and put your \LaTeX macros in that file; similarly, if you want to configure `buditufe-handout` class for your own needs, then you can create a file with the name `buditufe-handout.cfg` and put your \LaTeX macros in that file.

3.2 Typesetting \TeX and \LaTeX Codes

The \LaTeX codes in this manual are typeset using the `bicode` package. In standard \LaTeX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsubsection` and any other section-like commands, `\caption` and `tabular` environment.

`bidi` package provides `bidifnextra` package that solves the issue of footnote in standard \LaTeX . `bidifnextra` package should be loaded after `bidi` package.

3.3 Typesetting Poems

The `bidi` package provides `bidipoem` package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type `\`` and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.

When using `bidipoem` package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying "Unjustified poem. Rerun XeLaTeX to get poem right".

When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use Kashida.

If you need to change the default distance between two verses, you can do just that by:



```
\renewcommand{\poemcolsep}{\skip{<length>}}
```

```
\begin{traditionalpoem}
<verse1>&<verse2>\\
<verse3>&<verse4>\\
...
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}
<verse1>&<verse2>
<verse3>&<verse4>
...
\end{traditionalpoem*}
```

3.4 Typesetting Resumé

The `bidi` package provides `bidimoderncv`² class for typesetting resumés. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the doc folder than you can look and learn how you can use it.

3.5 Print Two Pages On A Single Page

`bidi` package provides `bidi2in1` package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape 'container' page.

3.6 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

```
\eqnewif{\<\newconditional1\>}{\<\newconditional2\>}
```

In standard L^AT_EX, `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

- ☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.

²This class is the modified version of `moderncv` class.



 \newconditional1 will be identical to \newconditional2, so that whenever \newconditional1 is true, then \newconditional2 is also true and whenever \newconditional1 is false, then \newconditional2 is also false and vice versa.

4.2 RTL Conditional

```
\if@RTL
```

\if@RTL conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

```
\if@RTLmain
```

If the main direction of the document is RTL, \if@RTLmain is true and if the main direction of the document is LTR, \if@RTLmain is false.

4.4 Latin Conditional

```
\if@nonlatin
```

The packages should set the value of \if@nonlatin inside any environment that uses LTR script to false (\@nonlatinfalse) and inside any environment that uses RTL script to true (\@nonlatintrue).

4.5 Tags Internal Macro

```
\@iftagsloaded{\langle tags name\rangle}{\langle do thing(s) if the tag is loaded\rangle}{\langle do thing(s) if the tag is not loaded\rangle}
```

As you can see, the syntax of \iftagsloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By tags, we mean things like leqno or reqno. Please note that in the argument *\langle tags name\rangle*, the extension clo should not be given.

4.6 Definition File Loaded Internal Macro

```
\@ifdefinitionfileloaded{\langle definition file name\rangle}{\langle do thing(s) if the definition file is loaded\rangle}{\langle do thing(s) if the definition file is not loaded\rangle}
```

As you can see, the syntax of \ifdefinitionfileloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By definition file, we mean things like hyperref-bidi.def or wrapfig-bidi.def. Please note that in the argument *\langle definition file name\rangle*, the extension def should not be given.



4.7 Tabular Conditional

```
\if@RTLtab
```

If the tabular is typeset RTL, `\if@RTLtab` is true and if the tabular is typeset LTR, `\if@RTLtab` is false.

4.8 Footnote Conditional

```
\if@RTL@footnote
```

When footnotes are typeset RTL, `\if@RTL@footnote` is true and when footnotes are typeset LTR, `\if@RTL@footnote` is false.

4.9 Direction Ensuring Macros

```
\@ensure@RTL{\text} \@ensure@RL{\text} \@ensure@LTR{\text}  
\@ensure@LR{\text} \@ensure@dir{\text} \@ensure@maindir{\text}
```

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `\text` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `\text` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `\text` inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II

Plain T_EX Manual

5 Basics



5.1 Loading The Package

You can load the package in the ordinary way;

```
\input bidi
```

When loading the package, it is important to know that: `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
, \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```

5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in Xe_TE_X is based on TeX--XeT algorithm and `bidi` package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by T_EX, the typesetting of a document by TeX--XeT may therefore differ from that performed by T_EX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original T_EX. Two commands are provided for this purpose:

```
\TeXeTOon \TeXeTOff
```

☞ `\TeXeTOon` turns TeX--XeT feature on, which is active by default when `bidi` package is loaded.

☞ `\TeXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

```
\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR
```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.



☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \input bidi
2 \setRTL%
3 Anyone who reads Old and Middle English literary texts will be
4 familiar with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6
7 \setLTR% Notice the blank line before \setLTR
8 Anyone who reads Old and Middle English literary texts will be
9 familiar with the mid-brown volumes of the EETS, with the symbol
10 of Alfred's jewel embossed on the front cover.
11 \end
```

5.5 Paragraph Switching Environments

```
\LTR{<text>} \endLTR
\RTL{<text>} \endRTL
```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6 \LTR
7 Anyone who reads Old and Middle English literary texts will be familiar
8 with the mid-brown volumes of the EETS, with the symbol
9 of Alfred's jewel embossed on the front cover.
10 \endLTR
11 And we are still typesetting right to left.
12 \endRTL
13 \end
```

5.6 Typesetting Short LTR and RTL Texts

```
\LRE{<text>} \LR{<text>}
\RLE{<text>} \RL{<text>}
```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.



- ☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```

1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English \LRE{Short left to right text}
   literary texts will be familiar
4   with the mid-brown volumes of the EETS, with the symbol
   of Alfred's jewel embossed on the front cover.
5 \LTR
6 Anyone who reads Old and Middle English \RLE{Short right to left text}
   literary texts will be familiar
7   with the mid-brown volumes of the EETS, with the symbol
   of Alfred's jewel embossed on the front cover.
8 \endLTR
9 \endRTL
10 \end
11
12

```

5.7 Primitive-like commands

```
\hboxR \hboxL \vboxR \vboxL
```

- ☞ The syntax of \hboxR is exactly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exactly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exactly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exactly the same as the syntax of \vbox, but its contents is always typeset LTR.

5.8 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```

1 \input bidi
2 \setRTL
3 \hbox{This is a Test}
4 \end

```

You see that even you have used \setRTL, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TeX starts, it is in the vertical mode so if you need to have that \hbox appear RTL, then write \leavevmode before \hbox:



```

1 \input bidi
2 \setRTL
3 \leavevmode\hbox{This is a Test}
4 \end

```

5.9 Typesetting Logos

\XeTeX

bidi defines Xe_TE_X logo and in addition, it makes sure that the logo, T_EX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

6.1 RTL Conditional

\if@RTL

\if@RTL conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

\if@RTLmain

If the main direction of the document is RTL, \if@RTLmain is true and if the main direction of the document is LTR, \if@RTLmain is false.

6.3 Direction Ensuring Macros

```

\@ensure@RTL{\text} \@ensure@RL{\text} \@ensure@LTR{\text}
\@ensure@LR{\text} \@ensure@dir{\text} \@ensure@maindir{\text}

```

- ☞ \@ensure@RTL and \@ensure@RL internals make sure that $\langle text \rangle$ is always typeset RTL, independent on the current mode.
- ☞ \@ensure@LTR and \@ensure@LR internals make sure that $\langle text \rangle$ is always typeset LTR, independent on the current mode.
- ☞ \@ensure@dir and \@ensure@maindir if used in RTL mode, they put $\langle text \rangle$ inside \RLE and if used in LTR mode, they put the text as it is.



6.4 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

- ☞ \save@dir, if the direction of typesetting is RTL, defines \saved@@dir to be RTL and if the direction of typesetting is LTR, defines \saved@@dir to be LTR.
- ☞ \reset@dir, if \saved@@dir is defined as RTL, inserts \setRTL otherwise, if \saved@@dir is defined as LTR, inserts \setLTR, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2015/11/14 v0.9 bidi adaptations for amsart class for Xe
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \tempdima\csname r@tocindent\number#1\endcsname\relax
9     }{%
10       \tempdima#4\relax
11     }%
12     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima\@ifempty{#5}{%
13       \if@RTL\leftskip\else\rightskip\fi\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14     }{%
15       \leavevmode\hspace{-\tempdima}\nobreak\relax
16       \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
17       \nobreak
18       \endgroup
19     }%
20   \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
21   \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
22   \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
23   \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
24   \def\part{\@startsection{part}{0}%
25     \z@\linespacing\@plus\linespacing}{.5\linespacing}%
26     {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}%
27   \def\right@footnoterule{%
28     \kern-.4\p@
29     \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-5pc}\relax \hrulefill }%
30     \kern11\p@\kern-\footnotesep}%
31   \def\left@footnoterule{\kern-.4\p@
32     \hrule\@width 5pc\kern11\p@\kern-\footnotesep}%
33
34 \long\def\footnotetext#1{%
35   \insert\footins{%
```



```

36   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37   \bidi@@footnotetext@font% \normalfont\footnotesize
38   \interlinepenalty\interfootnotelinepenalty
39   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
40   \floatingpenalty\@MM \hsize\columnwidth
41   \parboxrestore \parindent\normalparindent \sloppy
42   \protected@edef@\currentlabel{%
43     \csname p@footnote\endcsname\@thefnmark}%
44   \@makefntext{%
45     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
46
47 \long\def\@RTLfootnotetext#1{%
48   \insert\footins{%
49     \@RTLtrue%
50     \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
51     \interlinepenalty\interfootnotelinepenalty
52     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
53     \floatingpenalty\@MM \hsize\columnwidth
54     \parboxrestore \parindent\normalparindent \sloppy
55     \protected@edef@\currentlabel{%
56       \csname p@footnote\endcsname\@thefnmark}%
57     \@makefntext{%
58       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
59
60
61 \long\def\@LTRfootnotetext#1{%
62   \insert\footins{%
63     \@RTLfalse%
64     \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
65     \interlinepenalty\interfootnotelinepenalty
66     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
67     \floatingpenalty\@MM \hsize\columnwidth
68     \parboxrestore \parindent\normalparindent \sloppy
69     \protected@edef@\currentlabel{%
70       \csname p@footnote\endcsname\@thefnmark}%
71     \@makefntext{%
72       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
73
74
75 \footdir@temp\footdir@ORG\bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
76 \footdir@temp\footdir@ORG\bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
77 \footdir@temp\footdir@ORG\bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
78
79 \renewenvironment{thebibliography}[1]{%
80   \bibtitlestyle
81   \normalfont\bibliofont\labelsep .5em\relax
82   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\empty
83   \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbbibitems\@RTLtrue\else\fi\fi
84   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth\@biblabel{#1}}%

```



```

86      \leftmargin\labelwidth \advance\leftmargin\labelsep
87      \usecounter{enumiv}%
88      \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
89      \sfcode`\.=\@m
90 }{%
91 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
92 \endlist
93 }
94 \def\theindex{@restonecoltrue\if@twocolumn@restonecolfalse\fi
95 \columnseprule\z@\columnsep 35\p@
96 \c@indextitlestyle
97 \thispagestyle{plain}%
98 \let\item\c@idxitem
99 \parindent\z@\parskip\z@\@plus.3\p@\relax
100 \if@RTL\raggedleft\else\raggedright\fi
101 \hyphenpenalty\OM
102 \footnotesize
103 \def\c@idxitem{\par\hangindent \if@RTL-\fi2em}
104 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
105 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
106 \def\maketitle{\par
107 \c@topnum\z@ % this prevents figures from falling at the top of page 1
108 \c@setcopyright
109 \thispagestyle{firstpage}% this sets first page specifications
110 \uppercase\nonmath\shorttitle
111 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
112 \else \andify\shortauthors
113 \fi
114 \c@maketitle@hook
115 \begingroup
116 \c@maketitle
117 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
118 \toks4{\def\\{\ignorespaces}}% defend against questionable usage
119 \edef\c@tempa{%
120   \c@nx\markboth{\the\toks4
121     \c@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
122 \c@tempa
123 \endgroup
124 \c@footnote\z@
125 \c@cleartopmattertags
126 }

```

7.2 adjmulticol-xetex-bidi.def

```

127 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pa
128 \def\adjmulticols#1#2#3{\col@number#1\relax
129 \def\c@tempa{#2}%
130 \ifx\c@tempa\empty\adjmc@inner\z@\else\adjmc@inner#2\fi
131 \def\c@tempa{#3}%
132 \ifx\c@tempa\empty\adjmc@outer\z@\else\adjmc@outer#3\fi

```



```

133 \ifnum\col@number<\@ne
134   \PackageWarning{adjmulticol}%
135   {Using ` \number\col@number'%
136    columns doesn't seem a good idea.^^J
137    I therefore use one columns instead}%
138 \col@number\@ne\fi
139 \ifnum\col@number>10
140   \PackageError{adjmulticol}%
141   {Too many columns}%
142   {Current implementation doesn't
143    support more than 10 columns.%%
144   \MessageBreak
145   I therefore use 10 columns instead}%
146 \col@number10 \fi
147 \ifx@\footnotetext\mult@footnotetext\else
148   \let\orig@footnotetext\@footnotetext
149   \let@\footnotetext\mult@footnotetext
150 \fi
151 \ifx@\LTRfootnotetext\mult@LTRfootnotetext\else
152   \let\orig@LTRfootnotetext\@LTRfootnotetext
153   \let@\LTRfootnotetext\mult@LTRfootnotetext
154 \fi
155 \ifx@\RTLfootnotetext\mult@RTLfootnotetext\else
156   \let\orig@RTLfootnotetext\@RTLfootnotetext
157   \let@\RTLfootnotetext\mult@RTLfootnotetext
158 \fi
159 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
160 \let\adjmc@page@ssofar@orig=\page@ssofar

```

7.3 algorithm2e-xetex-bidi.def

```

161 \ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pa
162 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
163 \else%
164   \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
165 \fi%
166
167 \def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
168 \def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hspace]{\box\algocf@algoframe}\par}%
169 \def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}%
170 \def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hspace]{\box\algocf@algoframe}\par}%
171 \renewcommand{\@algocf@start}{%
172   \@algoskip%
173   \begin{bidi@lrbox}{\algocf@algobox}%
174   \setlength{\algowidth}{\hspace}%
175   \vbox\bgroup% save all the algo in a box
176   \hbox to\algowidth\bgroup\hbox to\algomargin{\hfill}\vtop\bgroup%
177   \ifthenelse{\boolean{\algocf@slide}}{\parskip 0.5ex\color{black}}{}%
178   % initialization
179   \addtolength{\hspace}{-1.5\algomargin}%

```



```

180 \let\@mathsemicolon=\; \def\;{\ifmmode\@mathsemicolon\else\@endalgoln\fi}%
181 \raggedright\AlFnt{}%
182 \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgcfslide}}{}%
183 \calgoinsideskip%
184 % \let\@emathdisplay=] \def\]{\algocf@endline\@emathdisplay\nl}%
185 }%
186 \renewcommand{\@algocf@finish}{%
187 \calgoinsideskip%
188 \egroup% end of vtop which contain all the text
189 \hfill\egroup% end of hbox which contains [margin][vtop]
190 \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgcfslide}}{}%
191 %
192 \egroup% end of main vbox
193 \end{bidi@lrbox}%
194 \algocf@makethealgo% print the algo
195 \calgoskip%
196 % restore dimension and macros
197 \setlength{\hsize}{\algowidth}%
198 \lineskip\normalineskip\setlength{\skiptotal}{\@defaultskiptotal}%
199 \let\;=\@mathsemicolon%
200 \let\]=\@emathdisplay%
201 }%

```

7.4 amsbook-xetex-bidi.def

```

202 \ProvidesFile{amsbook-xetex-bidi.def}[2015/11/14 v1.0 bidi adaptations for amsbook class for
203 \def\@tocline#1#2#3#4#5#6#7{\relax
204 \ifnum #1>\c@tocdepth % then omit
205 \else
206   \par \addpenalty\@secpenalty\addvspace{#2}%
207   \begingroup \hyphenpenalty\@M
208   \@ifempty{#4}{%
209     \tempdima\csname r@tocindent\endcsname\relax
210   }{%
211     \tempdima#4\relax
212   }%
213   \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi
214   \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
215   #5\leavevmode\hskip-\tempdima #6\nobreak\relax
216   \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
217   \nobreak
218   \endgroup
219 \fi}
220 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
221 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
222 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
223 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
224 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
225 \columnseprule\z@ \columnsep 35\p@
226 \@indextitlestyle

```



```

227  \thispagestyle{plain}%
228  \let\item@\idxitem
229  \parindent\z@ \parskip\z@ \@plus.3\p@\relax
230  \if@RTL\raggedleft\else\raggedright\fi
231  \hyphenpenalty\@M
232  \footnotesize
233 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
234 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
235 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
236 \def\right@footnoterule{%
237  \kern-.4\p@
238  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
239  \kern11\p@\kern-\footnotesep}
240 \def\left@footnoterule{\kern-.4\p@
241  \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
242
243 \long\def\@footnotetext#1{%
244  \insert\footins{%
245   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
246   \bidi@@footnotetext@font% \normalfont\footnotesize
247   \interlinepenalty\interfootnotelinepenalty
248   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
249   \floatingpenalty\@MM \hsize\columnwidth
250   \parboxrestore \parindent\normalparindent \sloppy
251   \protected@edef\@currentlabel{%
252    \csname p@footnote\endcsname\@thefnmark}%
253   \makefntext{%
254    \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
255
256 \long\def\@RTLfootnotetext#1{%
257  \insert\footins{%
258   \@RTLtrue%
259   \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
260   \interlinepenalty\interfootnotelinepenalty
261   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
262   \floatingpenalty\@MM \hsize\columnwidth
263   \parboxrestore \parindent\normalparindent \sloppy
264   \protected@edef\@currentlabel{%
265    \csname p@footnote\endcsname\@thefnmark}%
266   \makefntext{%
267    \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
268
269
270 \long\def\@LTRfootnotetext#1{%
271  \insert\footins{%
272   \@RTLfalse%
273   \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
274   \interlinepenalty\interfootnotelinepenalty
275   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
276   \floatingpenalty\@MM \hsize\columnwidth

```



```

277   \@parboxrestore \parindent\normalparindent \sloppy
278   \protected@edef\@currentlabel{%
279     \csname p@footnote\endcsname\@thefnmark}%
280   \maketitle{%
281     \rule{z@\footnotesep}{\ignorespaces#1\unskip\strut\par}}}
282
283
284
285 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
286 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
287 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
288
289 \renewenvironment{thebibliography}[1]{%
290   \bibtitlestyle
291   \normalfont\biblio\labelsep .5em\relax
292   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
293   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
294   \list{\@biblabel{\theenumiv}}{\setwidow\labelwidth{\@biblabel{#1}}%
295     \leftmargin\labelwidth \advance\leftmargin\labelsep
296     \usecounter{enumiv}}%
297   \sloppy \clubpenalty@M \widowpenalty\clubpenalty
298   \sfcodes`\.=\@m
299 }{%
300   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
301   \endlist
302 }
303 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
304   \begingroup
305   \fontsize{\xivpt}{18}\bfseries\centering
306   \ifnum\c@secnumdepth>\m@ne
307     \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
308     \rlap{\vbox to\z@{\vss
309       \centerline{\normalsize\mdseries
310         \uppercase\@xp{\chaptername}\enspace\thechapter}
311       \vskip 3pc}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
312     #1\par \endgroup
313   \skip@34\p@ \advance\skip@-\normalbaselineskip
314   \vskip\skip@ }
315 \def\maketitle{\par
316   \topnum\z@ % this prevents figures from falling at the top of page 1
317   \begingroup
318   \maketitle
319   \endgroup
320   \c@footnote\z@
321   \def\do##1{\let##1\relax}%
322   \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
323   \do\author \do\@xauthor \do\address \do\@xaddress
324   \do\email \do\@xemail \do\curraddr \do\@curraddr
325   \do\dedication \do\@dedication \do\thanks \do\thankses
326   \do\keywords \do\@keywords \do\subjclass \do\@subjclass

```



327 }

7.5 amsmath-xetex-bidi.def

```
328 \ProvidesFile{amsmath-xetex-bidi.def}[2016/09/12 v1.0 bidi adaptations for amsmath package for
329 \let\veqno=\eqno
330 \iftagsleft@ \let\veqno=\leqno \fi
331 \renewcommand{\numberwithin}[3]{\arabic}{%
332   \@ifundefined{c@#2}{\nocounterr{#2}}{%
333     \@ifundefined{c@#3}{\nocounterr{#3}}{%
334       \addtoreset{#2}{#3}%
335       \xp\xdef\csname the#2\endcsname{%
336         \xp\onx\csname the#3\endcsname \onx\SepMark\onx{#2}}}}}}%
337 }
338 \def\tagform@{\maketag@@@{\if@nonlatin\beginR\fi(\ignorespaces#1\unskip\@italiccorr)\if@no
339 }
```

7.6 amstext-xetex-bidi.def

```
339 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for
340 \def\textdef@#1#2#3{\hbox{%
341   \everymath{#1}%
342   \let\f@size#2\selectfont
343   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7.7 amsthm-xetex-bidi.def

```
344 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
345 \def\thmcountersep{\SepMark}
```

7.8 animate-xetex-bidi.def

```
346 \ProvidesFile{animate-xetex-bidi.def}[2016/05/03 v0.2 bidi adaptations for animate package for
347
348
349 %user command for embedding animation sequence
350 % #1: options
351 % #2: frame rate (fps)
352 % #3: basename of graphics file sequence (without frame number and extension)
353 % #4: first frame (integer)
354 % #5: last frame (integer)
355 \renewcommand{\animategraphics}[5][]{%
356   \anim@endsanitize%
357   \leavevmode%
358   \ifpdf\else%
359     \ifanim@grxloaded%
360     \ifanim@xetex%
361       \DeclareGraphicsRule{.mps}{eps}{*}{}%
362       \fi%
363     \else%
364     \ifanim@xetex%
365       \anim@missing[xetex]{graphicx}%
366     \else%
367       \ifanim@dvipdfmx%
```



```

368          \C@anim@missing[dvipdfmx]{graphicx}%
369          \else%
370          \C@anim@missing[graphicx]%
371          \fi%
372          \fi%
373          \fi%
374          \fi%
375          \C@anim@reset% to default settings
376          \begingroup% make use of graphic[xs] search path
377          \beginL%
378          \ifcsname Ginput@path\endcsname%
379          \let\input@path\Ginput@path%
380          \fi%
381          %
382          \setkeys{anim@user}{#1}%
383          \ifthenelse{\boolean{C@anim@autoplay}\OR\boolean{C@anim@autoresume}}{%
384              \setboolean{C@anim@autoplayorresume}{true}%
385          }{%
386          \ifthenelse{\boolean{C@anim@controls}\OR\boolean{C@anim@palindrome}}{%
387              \setboolean{C@anim@morejs}{true}%
388          }{%
389          \ifx\empty\@anim@label\empty\else%
390              \setboolean{C@anim@morejs}{true}%
391          \fi%
392          \ifthenelse{\NOT\boolean{C@anim@controls}\AND\boolean{C@anim@step}}{%
393              \setboolean{C@anim@loop}{true}%
394          }{%
395          \def\@anim@base{#3}%
396          \def\@anim@first{#4}%
397          \def\@anim@last{#5}%
398          %
399          \C@anim@checkmultipage{\@anim@base}{\@anim@ftype}%test for multipage file
400          \if@anim@multipage\else% cope with wrong user input
401              \ifthenelse{\equal{#4}{} \OR\equal{#5}{} }{%
402                  \PackageError{animate}{%
403                      Missing frame number in \protect\animategraphics\space command%
404                  }{%
405              }{%
406              \ifthenelse{\@anim@first<\z@\OR\@anim@last<\z@}{%
407                  \PackageError{animate}{%
408                      Negative frame numbers not allowed%
409                  }{%
410              }{%
411              \fi%
412              \def\@anim@relop{>}%
413              \edef\@anim@numtemplate{\@anim@first}%
414              \ifnum\@anim@first>\@anim@last\relax%
415                  \edef\@anim@every{-\@anim@every}%
416                  \def\@anim@relop{<}%
417                  \edef\@anim@numtemplate{\@anim@last}%

```



```

418 \fi%
419 \global\@anim@curframe=\@anim@first%
420 \global\@anim@curframe@zb=\z@%
421 %
422 \if@anim@draft%
423   \if@anim@multipage%
424     %store file in a box
425     \@anim@filebox{\@anim@pathofile}{\@anim@first}%
426   \else%
427     %get file name extension
428     \@anim@getpath{\@anim@base\@anim@first}{\@anim@ftype}%
429     \@anim@filebox{\@anim@pathofile}{1}%
430   \fi%
431   \@anim@scale{\@anim@box}%
432   %draw draftbox according to dimensions of the first frame
433   \@anim@draftbox%
434 \else%
435   \if@anim@controls%
436     %create button faces only once in the current colour combination
437     \ifcscname
438       btncol:\@anim@bgcolour:\@anim@fgcolour\endcsname\else%
439       \@anim@makebuttons{\the\@anim@num}%
440       \@anim@newkey{btncol:\@anim@bgcolour:\@anim@fgcolour}{\the\@anim@num}%
441     \fi%
442   \fi%
443   \xdef\@anim@fps{\#2\space}%
444   \xdef\@anim@fps{\expandafter\zap@space\@anim@fps\@empty}%
445   \ifdim\@anim@fps\p@<\z@%
446     \PackageError{animate}{%
447       Negative frame rate `@\anim@fps' is not allowed%
448     }{%
449   \fi%
450   \xdef\@anim@fps{\@anim@fps}%
451 %
452 %read all frames of the sequence
453 \loop\ifnum\@anim@curframe\@anim@relop\@anim@last\relax\else%
454   \if@anim@multipage%
455     %embed graphics
456     \@anim@ximage{\the\@anim@num}{\the\@anim@curframe@zb}%
457     \@anim@pathofile{\the\@anim@curframe}%
458   \else%
459     %get path to current file end its extension
460     \@anim@getpath{%
461       \@anim@base\@anim@pad{\@anim@numtemplate}{\the\@anim@curframe}%
462     }{\@anim@ftype}%
463     %embed graphics
464     \@anim@ximage{\the\@anim@num}{\the\@anim@curframe@zb}%
465     \@anim@pathofile{1}%
466   \fi%
467   \global\advance\@anim@curframe by \@anim@every%

```



```

468     \global\advance\@anim@curframe@zb by \@ne%
469     \repeat%
470     \xdef\@anim@frames{\the\@anim@curframe@zb}%
471     \global\@anim@tmpcnt=\@anim@frames%
472     \global\advance\@anim@tmpcnt by -\@ne%
473     \xdef\@anim@maxframe{\the\@anim@tmpcnt}%
474     %build timeline from optional timeline file
475     \@anim@sanitizeJS%
476     \if@anim@timeline\@anim@builtdmln{\the\@anim@num}\fi%
477     % if last frame used as poster, write frame num to aux file
478     \ifnum\@anim@poster=\@anim@mone\relax%
479         \@anim@keytoaux{a}{\the\@anim@num.poster}{\@anim@maxframe}%
480     \fi%
481     %insert animation widget & controls
482     \@anim@insertwidgets{\the\@anim@num}%
483         \@anim@getkeyval{btncol:\@anim@bgcolour:\@anim@fgcolour}%
484         \@anim@endsanitize%
485     \fi%
486     \endL%
487     \endgroup%
488     \global\advance\@anim@num by \@ne%
489 }%
490 %adjust catcode of `:' character within \animategraphics
491 \let\@anim@animategraphics\animategraphics
492 \def\animategraphics{\@anim@sanitizeColon\@anim@animategraphics}
493
494
495
496 %user environment for animating inline graphics
497 % #1: options
498 % #2: frame rate (fps)
499 \renewenvironment{animateinline}[2][]{%
500     \@anim@endsanitize%
501     \leavevmode%
502     \@anim@reset% to default settings
503     \begingroup%
504     \beginL%
505     % make use of graphic[xs] search path
506     \ifcsname Ginput@path\endcsname%
507         \let\input@path\Ginput@path%
508     \fi%
509     \setkeys{anim@user}{#1}%
510     \ifthenelse{\boolean{@anim@autoplay}\OR\boolean{@anim@autoresume}}{%
511         \setboolean{@anim@autoplayorresume}{true}%
512     }{}%
513     \ifthenelse{\boolean{@anim@controls}\OR\boolean{@anim@palindrome}}{%
514         \setboolean{@anim@morejs}{true}%
515     }{}%
516     \ifx\empty\@anim@label\empty\else%
517         \setboolean{@anim@morejs}{true}%

```



```

518 \fi%
519 \ifthenelse{\NOT\boolean{@anim@controls}\AND\boolean{@anim@step}}{%
520   \setboolean{@anim@loop}{true}%
521 }{%
522 \global\c@anim@curframe@zb=\z@%
523 \global\c@anim@skipfram=\z@%
524 \if@anim@draft\else%
525   %create button faces if necessary
526 \if@anim@controls%
527   \ifcsname
528     btncol:\c@anim@bgcolour:\c@anim@fgcolour\endcsname\else%
529     \c@anim@makebuttons{\the\c@anim@num}%
530     \c@anim@newkey{btncol:\c@anim@bgcolour:\c@anim@fgcolour}{\the\c@anim@num}%
531   \fi%
532 \fi%
533 \if@anim@step\else%
534   \xdef\c@anim@nfps{-1}%
535   \c@anim@processfpsarg{#2}%
536 \fi%
537 \fi%
538 \ifdef{\NoHyper}{\NoHyper}{% silently suppress any hyperref specials
539 \let\newframe\c@anim@newframe%
540 \let\multiframe\c@anim@multiframe%
541 \c@anim@beginframe%
542 \ignorespaces%
543 }{%
544 \unskip%
545 \c@anim@endframe{\the\c@anim@num}{\the\c@anim@curframe@zb}%
546 \ifdef{\endNoHyper}{\endNoHyper}{%
547 \global\advance\c@anim@curframe@zb by \c@ne%
548 \if@anim@draft\else%
549   \xdef\c@anim@frames{\the\c@anim@curframe@zb}%
550   \global\c@anim@tmpcnt=\c@anim@frames%
551   \global\advance\c@anim@tmpcnt by -\c@ne%
552   \xdef\c@anim@maxframe{\the\c@anim@tmpcnt}%
553   %build timeline from optional timeline file
554   \c@anim@sanitizeJS%
555   \if@anim@timeline\c@anim@builtdmln{\the\c@anim@num}\fi%
556   %insert animation widget & controls
557   \c@anim@insertwidgets{\the\c@anim@num}{%
558     \c@anim@getkeyval{btncol:\c@anim@bgcolour:\c@anim@fgcolour}%
559     \c@anim@endsanitize%
560     % if last frame used as poster, write frame num to aux file
561     \ifnum\c@anim@poster=\c@anim@mone\relax%
562       \c@anim@keytoaux{a\the\c@anim@num.poster}{\c@anim@maxframe}%
563     \fi%
564   \fi%
565 \endL%
566 \endgroup%
567 \global\advance\c@anim@num by \c@ne%

```



```
568 }
569 \let\@anim@animateinline\animateinline
570 \def\animateinline{\@anim@sanitizeColon\@anim@animateinline}
```

7.9 array-xetex-bidi.def

```
571 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for Xe
572 \def\@testpach{\@chclass
573 \ifnum \@lastchclass=6 \one \ochnum \one \else
574 \ifnum \@lastchclass=7 5 \else
575 \ifnum \@lastchclass=8 \tw@ \else
576 \ifnum \@lastchclass=9 \thr@@
577 \else \z@
578 \ifnum \@lastchclass = 10 \else
579 \edef\@nextchar{\expandafter\string\@nextchar}%
580 \ochnum
581 \if \@nextchar c\z@ \else
582 \if \@nextchar \if@RTLtab r\else l\fi\one \else
583 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
584 \z@ \@chclass
585 \if \@nextchar |\one \else
586 \if \@nextchar !6 \else
587 \if \@nextchar @7 \else
588 \if \@nextchar <8 \else
589 \if \@nextchar >9 \else
590 10
591 \ochnum
592 \if \@nextchar m\thr@@\else
593 \if \@nextchar p4 \else
594 \if \@nextchar b5 \else
595 \z@ \@chclass \z@ \preamerr \z@ \fi \fi \fi \fi
596 \fi \fi
597 \def\@tabular{%
598 \leavevmode
599 \hbox \bgroup\if@RTLtab\beginR \fi $ \col@sep\tabcolsep \let\@dollarbegin\begin group
600 \let\@dollarend\endgroup
601 \@tabarray}
602 \def\@endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
603 \expandafter\let\csname endtabular*\endcsname=\endtabular
604 \def\@array[#1]#2{%
605 \tempdima \ht \strutbox
606 \advance \tempdima by\extrarowheight
607 \setbox \carstrutbox \hbox{\vrule
608 \height \arraystretch \tempdima
609 \depth \arraystretch \dp \strutbox
610 \width \z@}%
611 \begingroup
612 \mkpream{#2}%
613 \xdef\@preamble{\noexpand \ialign \chalignto
614 \bgroup \carstrut \preamble
```



```

615                                \tabskip \z@ \cr}%
616 \endgroup
617 \@arrayleft
618 \if #1\top \else \if#1b\vbox \else \vcenter \fi \fi
619 \bgroup
620 \let \sharp ##\let \protect \relax
621 \lineskip \z@
622 \baselineskip \z@
623 \m@th
624 \let\\@arraycr \let\tabularnewline\\let\par\empty \if@RTLtab\hbox\bgroup\beginR\@hboxR\def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
625 \def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
626 \def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \arrayright \gdef\@pream
627 \def\array{\col@sep\arraycolsep
628 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}%
629 \def\@RTLtabfalse\@tabarray}

```

7.10 article-xetex-bidi.def

```

630 \ProvidesFile{article-xetex-bidi.def}[2015/11/14 v0.5 bidi adaptations for standard article c
631 \if@titlepage
632 \renewcommand\maketitle{\begin{titlepage}%
633 \let\footnotesize\small
634 \let\right@footnoterule\relax
635 \let\left@footnoterule\relax
636 \let\textwidth@footnoterule\relax
637 \let\footnote\thanks
638 \let\LTRfootnote\LTRthanks
639 \let\RTLfootnote\RTLthanks
640 \null\vfil
641 \vskip 60p@
642 \begin{center}%
643 \ifLARGE \title \par}%
644 \vskip 3em%
645 \iflarge
646 \lineskip .75em%
647 \begin{tabular}[t]{c}%
648 \author
649 \end{tabular}\par}%
650 \vskip 1.5em%
651 \iflarge \date \par}%
652 \end{center}\par
653 \thanks
654 \vfil\null
655 \end{titlepage}%
656 \setcounter{footnote}{0}%
657 \global\let\thanks\relax
658 \global\let\LTRthanks\relax
659 \global\let\RTLthanks\relax
660 \global\let\maketitle\relax
661 \global\let\thanks\empty

```



```

662 \global\let\@author\@empty
663 \global\let\@date\@empty
664 \global\let\@title\@empty
665 \global\let\title\relax
666 \global\let\author\relax
667 \global\let\date\relax
668 \global\let\and\relax
669 }
670 \else
671 \renewcommand\maketitle{\par
672 \begingroup
673   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
674   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
675   \long\def\@makefntext##1{\parindent 1em\noindent
676     \hb@xt@1.8em{%
677       \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
678     \if@twocolumn
679       \ifnum \col@number=\@ne
680         \maketitle
681       \else
682         \twocolumn[\maketitle]%
683       \fi
684     \else
685       \newpage
686       \global\@topnum\z@    % Prevents figures from going at top of page.
687       \maketitle
688     \fi
689     \thispagestyle{plain}\@thanks
690   \endgroup
691   \setcounter{footnote}{0}%
692   \global\let\thanks\relax
693   \global\let\LTRthanks\relax
694   \global\let\RTLthanks\relax
695   \global\let\maketitle\relax
696   \global\let\@maketitle\relax
697   \global\let\@thanks\@empty
698   \global\let\@author\@empty
699   \global\let\@date\@empty
700   \global\let\@title\@empty
701   \global\let\title\relax
702   \global\let\author\relax
703   \global\let\date\relax
704   \global\let\and\relax
705 }
706 \def\@maketitle{%
707   \newpage
708   \null
709   \vskip 2em%
710   \begin{center}%
711     \let \footnote \thanks

```



```

712 \let \LTRfootnote \LTRthanks
713 \let \RTLfootnote \RTLthanks
714   {\LARGE \@title \par}%
715   \vskip 1.5em%
716   {\large
717     \lineskip .5em%
718     \begin{tabular}[t]{c}%
719       \author
720       \end{tabular}\par}%
721   \vskip 1em%
722   {\large \@date}%
723   \end{center}%
724   \par
725   \vskip 1.5em}
726 \fi
727 \renewcommand*\l@part[2]{%
728   \ifnum \c@tocdepth >-2\relax
729     \addpenalty\@secpenalty
730     \addvspace{2.25em \oplus \p@}%
731     \setlength\@tempdima{3em}%
732     \begingroup
733       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
734       \parfillskip -\pnumwidth
735       \leavevmode
736       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
737       \nobreak
738       \if@compatibility
739         \global\nobreaktrue
740         \everypar{\global\nobreakfalse\everypar{}}
741       \fi
742     \endgroup
743   \fi}
744 \renewcommand*\l@section[2]{%
745   \ifnum \c@tocdepth >\z@
746     \addpenalty\@secpenalty
747     \addvspace{1.0em \oplus \p@}%
748     \setlength\@tempdima{1.5em}%
749     \begingroup
750       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
751       \parfillskip -\pnumwidth
752       \leavevmode \bfseries
753       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
754       \hskip -\if@RTL\rightskip\else\leftskip\fi
755       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
756     \endgroup
757   \fi}
758 \renewcommand\left@footnoterule{%
759   \kern-3\p@
760   \hrule\@width.4\columnwidth
761   \kern2.6\p@}

```



```

762 \renewcommand\right@footnoterule{%
763   \kern-3\p@
764   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
765   \kern2.6\p@}
766 \renewcommand\thesubsection {\thesection \@SepMark \@arabic \c@subsection}
767 \renewcommand\thesubsubsection{\thesubsection \@SepMark \@arabic \c@subsubsection}
768 \renewcommand\theparagraph {\thesubsubsection \@SepMark \@arabic \c@paragraph}
769 \renewcommand\thesubparagraph {\theparagraph \@SepMark \@arabic \c@subparagraph}
770 \def\@part[#1]#2{%
771   \ifnum \c@secnumdepth >\m@ne
772     \refstepcounter{part}%
773     \addcontentsline{toc}{part}{\thechapter\hspace{1em}#1}%
774   \else
775     \addcontentsline{toc}{part}{#1}%
776   \fi
777   \parindent \z@ \if@RTL \raggedleft \else \raggedright \fi
778   \interlinepenalty \OM
779   \normalfont
780   \ifnum \c@secnumdepth >\m@ne
781     \Large \bfseries \partname\nobreakspace\thechapter
782     \par\nobreak
783   \fi
784   \huge \bfseries #2%
785   \markboth{}{} \par}%
786   \nobreak
787   \vskip 3ex
788   \afterheading
789 \renewenvironment{thebibliography}[1]
790   {\section*{\refname}%
791    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
792    \if@RTL \if@LTRbibitems \else \fi \else \if@RTLbibitems \else \fi \fi
793    \list{\@biblabel{\@arabic \c@enumiv}}{%
794      \settowidth\labelwidth{\@biblabel{#1}}%
795      \leftmargin\labelwidth
796      \advance\leftmargin\labelsep
797      \openbib@code
798      \usecounter{enumiv}%
799      \let\p@enumiv\empty
800      \renewcommand\theenumiv{\@arabic \c@enumiv}%
801      \slloppy
802      \clubpenalty4000
803      \clubpenalty \clubpenalty
804      \widowpenalty4000%
805      \sfcode`.\. \om}
806    \def\@noitemerr
807      {\@latex@warning{Empty `thebibliography' environment}}%
808    \endlist}
809 \renewenvironment{theindex}
810   {\if@twocolumn
811     \restonecolfalse

```



```

812         \else
813             \restonecoltrue
814         \fi
815         \columnseprule \z@
816         \columnsep 35\p@
817         \twocolumn[\section*{\indexname}]%
818         \mkboth{\MakeUppercase\indexname}{%
819             {\MakeUppercase\indexname}%
820         \thispagestyle{plain}\parindent\z@
821         \parskip\z@ \plus .3\p@\relax
822         \let\item\@idxitem
823     {\if@restonecol\onecolumn\else\clearpage\fi}

```

7.11 artikel1-xetex-bidi.def

```

824 \ProvidesFile{artikel1-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for artikel1 class for
825 \renewenvironment{theindex}{%
826     \if@twocolumn
827         \restonecolfalse
828     \else
829         \restonecoltrue
830     \fi
831     \columnseprule \z@
832     \columnsep 35\p@
833     \twocolumn[\section*{\indexname}]%
834     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
835     \thispagestyle{plain}\parindent\z@
836     \parskip\z@ \plus .3\p@\relax
837     \let\item\@idxitem
838 }{%
839     \if@restonecol\onecolumn\else\clearpage\fi}
840 \renewcommand*\head@style{%
841     \interlinepenalty \OM
842     \hyphenpenalty=\OM \exhyphenpenalty=\OM
843     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
844 \if@titlepage
845     \renewenvironment{abstract}{%
846         \titlepage
847         \null\vfil
848         \section*{\SectFont\abstractname}
849         \noindent\ignorespaces
850         \par\vfil\null\endtitlepage}
851 \else
852     \renewenvironment{abstract}{%
853         \if@twocolumn
854             \section*{\abstractname}%
855         \else
856             \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
857             \section*{\small\SectFont\abstractname}%
858             \noindent\ignorespaces

```



```

859      \fi}
860      {\if@twocolumn\else\par\egroup\fi}
861 \fi
862 \renewcommand*\@regtocline[3]{%
863   \ifnum #1>\c@tocdepth
864   \else
865     \vskip\z@\@plus.2\p@
866     {\hangindent\z@\ @afterindenttrue \interlinepenalty\@M
867       \if@RTL\rightskip\else\leftskip\fi\unitindent
868       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
869       \parfillskip\z@
870       \tempdima\unitindent
871       \parindent\z@
872       \leavevmode
873       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
874       \hspace{1em}\nobreak\slshape #3\par
875     }%
876   \fi}
877 \if@oldtoc
878 \renewcommand*\l@part[2]{%
879   \ifnum \c@tocdepth >-2\relax
880     \addpenalty\@secpenalty
881     \addvspace{2.25em \@plus\p@}%
882     \begin{group}
883       \setlength\tempdima{3em}%
884       \parindent\z@\ if@RTL\leftskip\else\rightskip\fi\@pnumwidth
885       \parfillskip -\@pnumwidth
886       \leavevmode
887       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
888       \nobreak
889       \if@compatibility
890         \global\nobreaktrue
891         \everypar{\global\nobreakfalse\everypar{}}
892       \fi
893     \end{group}
894   \fi}
895 \else
896   \renewcommand*\l@part{%
897     \ifnum \c@tocdepth >-2\relax
898     \addpenalty\@secpenalty
899     \addvspace{2.25em \@plus\p@}%
900     \@regtocline{0}%
901   \fi}
902 \fi
903 \if@oldtoc
904 \renewcommand*\l@section[2]{%
905   \addpenalty\@secpenalty
906   \addvspace{1.0em \@plus\p@}%
907   \setlength\tempdima{1.5em}%
908   \begin{group}

```



```

909   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
910   \parfillskip -\c@pnumwidth
911   \leavevmode \bfseries
912   \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
913   \hskip -\if@RTL\rightskip\else\leftskip\fi
914   #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
915   \endgroup}
916 \else
917   \renewcommand*\l@section{\@regtocline{1}}
918 \fi
919 \renewcommand*\thesubsection{\thesection\c@SepMark\c@arabic\c@subsection}
920 \renewcommand*\thesubsubsection{\thesubsection\c@SepMark\c@arabic\c@subsubsection}
921 \renewcommand*\theparagraph{\thesubsubsection\c@SepMark\c@arabic\c@paragraph}
922 \renewcommand*\thesubparagraph{\theparagraph\c@SepMark\c@arabic\c@subparagraph}
923 \renewenvironment{thebibliography}[1]
924   {\section*{\refname}%
925     \c@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
926     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
927     \list{\c@arabic\c@enumiv}%
928       {\settowidth\labelwidth{\c@arabic\c@enumiv}%
929        \leftmargin\labelwidth
930        \advance\leftmargin\labelsep
931        \c@openbib@code
932        \usecounter{enumiv}%
933        \let\p@enumiv\empty
934        \renewcommand*\theenumiv{\c@arabic\c@enumiv}%
935        \sloppy\clubpenalty4000\widowpenalty4000%
936        \sfcode`\.\c@m}%
937     {\def\c@noitemerr
938       {\@latex@warning{Empty `thebibliography' environment}}%
939     \endlist}
940 \renewcommand*\left@footnoterule{%
941   \kern-3\p@
942   \kern.5\baselineskip
943   \hrule\c@width\unitindent
944   \kern.4\baselineskip
945 }
946 \renewcommand*\right@footnoterule{%
947   \kern-3\p@
948   \kern.5\baselineskip
949   \hbox to \c@width{\hskip \dimexpr\c@width-\unitindent\relax \hrulefill }
950   \kern.4\baselineskip
951 \if@titlepage
952 \renewcommand*\TitleFont{\rmfamily}
953 \renewcommand*\maketitle{%
954   \begin{titlepage}%
955     \let\footnotesize\small
956     \let\right@footnoterule\relax
957     \let\left@footnoterule\relax
958     \let\textwidth@footnoterule\relax

```



```

959      \let \footnote \thanks
960      \long\def\@makefntext##1{\parindent\z@
961          \def\labelitemi{\textendash}\@revlabeltrue
962          \leavevemode@\textsuperscript{\@thefnmark}\kern1em\relax ##1}
963      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
964      \if@compatibility\setcounter{page}{0}\fi
965      \null\vfil
966      \vskip 60\p@
967      \begin{center}%
968          \TitleFont
969          {\LARGE \def\\{\penalty -\@M}
970          \if@allcaps
971              \expandafter\uc@nothanks\@title\thanks\relax
972          \else
973              \atitle
974          \fi\par}%
975          \vskip 3em%
976          {\large
977              \lineskip .75em \parindent\z@
978              \begin{tabular}[t]{c}%
979                  \if@allcaps
980                      \expandafter\uc@author\nothanks\author\and\relax
981                  \else
982                      \author
983                  \fi
984                  \end{tabular}\par}%
985          \vskip 1.5em%
986          {\large
987              \if@allcaps
988                  \uppercase\expandafter{\@date}%
989              \else
990                  \@date
991              \fi\par}%
992          \end{center}\par
993          \nothanks
994          \vfil\null
995          \end{titlepage}%
996          \setcounter{footnote}{0}%
997          \global\let\thanks\relax
998          \global\let\maketitle\relax
999          \global\let\nothanks\empty
1000         \global\let\author\empty
1001         \global\let\title\empty
1002         \global\let\date\empty
1003         \global\let\title\relax
1004         \global\let\author\relax
1005         \global\let\date\relax
1006         \global\let\and\relax
1007     }
1008 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}

```



```

1009 \def\uc@authornothanks#1{\and{\uc@nothanks#1\thanks\relax
1010     \futurelet\@tempa\uc@ax}
1011 \def\uc@ax{%
1012     \ifx\@tempa\relax
1013     \else
1014         \\\andname \\ \expandafter\uc@authornothanks
1015     \fi}
1016 \def\uc@tx{\ifx\@tempa\relax
1017     \else \expandafter\uc@ty \fi}
1018 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1019 \else
1020 \renewcommand*\maketitle{\par
1021     \begingroup
1022         \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
1023         \def\@makefnmark{\rlap{%
1024             \textsuperscript{\normalfont\thefnmark}}}%
1025         \long\def\@makefntext{\xmakefntext{%
1026             \textsuperscript{\normalfont\thefnmark}}}%
1027         \if@twocolumn
1028             \ifnum \col@number=\@ne
1029                 \maketitle
1030             \else
1031                 \twocolumn[\maketitle]
1032             \fi
1033         \else
1034             \newpage
1035             \global\topnum\z@
1036             \maketitle
1037             \fi
1038             \thispagestyle{plain}\thanks
1039         \endgroup
1040         \setcounter{footnote}{0}%
1041         \global\let\thanks\relax
1042         \global\let\maketitle\relax
1043         \global\let\@maketitle\relax
1044         \global\let\@thanks\empty
1045         \global\let\@author\empty
1046         \global\let\@title\empty
1047         \global\let\@date\empty
1048         \global\let\title\relax
1049         \global\let\author\relax
1050         \global\let\date\relax
1051         \global\let\and\relax
1052     }
1053 \def\@maketitle{%
1054     \newpage
1055     \null
1056     \vskip 2em%
1057     \begin{center}%
1058         \let \footnote \thanks

```



```

1059      {\LARGE \TitleFont \@title \par}%
1060      \vskip 1.5em%
1061      {\large \TitleFont
1062          \lineskip .5em%
1063          \begin{tabular}[t]{c}%
1064              \author
1065              \end{tabular}\par}%
1066      \vskip 1em%
1067      {\large \TitleFont \@date}%
1068      \end{center}%
1069      \par
1070      \vskip 1.5em}
1071 \fi

```

7.12 artikel2-xetex-bidi.def

```

1072 \ProvidesFile{artikel2-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for artikel2 class fo
1073 \renewenvironment{theindex}{%
1074     \if@twocolumn
1075         \restonecolfalse
1076     \else
1077         \restonecoltrue
1078     \fi
1079     \columnseprule \z@
1080     \columnsep 35\p@
1081     \twocolumn[\section*{\indexname}]%
1082     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1083     \thispagestyle{plain}\parindent\z@
1084     \parskip\z@ \relax .3\p@\relax
1085     \let\item\@idxitem
1086 }{%
1087     \if@restonecol\onecolumn\else\clearpage\fi}
1088 \renewcommand*\@gtocline[3]{%
1089     \ifnum #1>\c@tocdepth
1090     \else
1091         \vskip\z@\relax .2\p@
1092         \hangindent\z@ \afterindenttrue \interlinepenalty\OM
1093         \if@RTL\rightskip\else\leftskip\fi\unitindent
1094         \if@RTL\leftskip\else\rightskip\fi\unitindent\relax\fil
1095         \parfillskip\z@
1096         \tempdima\unitindent
1097         \advance\tempdima by \othermargin
1098         \parindent\z@
1099         \leavevmode
1100         \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
1101         \hspace{1em}\nobreak\slshape\#3}\par
1102     }%
1103     \fi}
1104 \if@oldtoc
1105 \renewcommand*\l@section[2]{%

```



```

1106   \addpenalty\@secpenalty
1107   \addvspace{1.0em \@plus\p@}%
1108   \setlength\@tempdima{1.5em}%
1109   \begingroup
1110   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
1111   \parfillskip -\c@pnumwidth
1112   \leavevmode \bfseries
1113   \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
1114   \hskip -\if@RTL\rightskip\else\leftskip\fi
1115   #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
1116   \endgroup}
1117 \else
1118   \renewcommand*\l@section{\@regtocline{1}}
1119 \fi
1120 \if@oldtoc
1121 \renewcommand*\l@part[2]{%
1122   \ifnum \c@tocdepth >-2\relax
1123     \addpenalty\@secpenalty
1124     \addvspace{2.25em \@plus\p@}%
1125     \begingroup
1126       \setlength\@tempdima{3em}%
1127       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
1128       \parfillskip -\c@pnumwidth
1129       \leavevmode
1130       \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
1131       \nobreak
1132       \if@compatibility
1133         \global\nobreaktrue
1134         \everypar{\global\nobreakfalse\everypar{} }%
1135       \fi
1136     \endgroup
1137   \fi}
1138 \else
1139   \renewcommand*\l@part{%
1140     \ifnum \c@tocdepth >-2\relax
1141       \addpenalty\@secpenalty
1142       \addvspace{2.25em \@plus\p@}%
1143       \@regtocline{0}%
1144     \fi}
1145 \fi
1146 \renewcommand*\head@style{%
1147   \interlinepenalty \OM
1148   \hyphenpenalty=\OM \exhyphenpenalty=\OM
1149   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1150 \if@titlepage
1151   \renewenvironment{abstract}{%
1152     \titlepage
1153     \null\vfil
1154     \section*{\SectFont\abstractname}%
1155     \noindent\ignorespaces}

```



```

1156     {\par\vfil\null\endtitlepage}
1157 \else
1158   \renewenvironment{abstract}{%
1159     \if@twocolumn
1160       \section*{\abstractname}%
1161     \else
1162       \section*{\hskip\unitindent\small\SectFont\abstractname}%
1163       \list{}{\setlength{\listparindent}{\unitindent}%
1164                 \setlength{\parindent}{\z@}%
1165                 \setlength{\leftmargin}{\unitindent}%
1166                 \setlength{\rightmargin}{\unitindent}%
1167                 \setlength{\parsep}{\z@}}%
1168       \item[]%
1169     \fi}
1170   {\if@twocolumn\else\par\endlist\fi}
1171 \fi
1172 \renewcommand*\thesubsection{\thesection\c@arabic\c@subsection}
1173 \renewcommand*\thesubsubsection{\thesubsection\c@arabic\c@subsubsection}
1174 \renewcommand*\theparagraph{\thesubsubsection\c@arabic\c@paragraph}
1175 \renewcommand*\thesubparagraph{\theparagraph\c@arabic\c@subparagraph}
1176 \renewcommand*\left@footnoterule{%
1177   \kern-3\p@
1178   \hrule\@width 3\unitindent
1179   \kern 2.6\p@
1180 }
1181 \renewcommand*\right@footnoterule{%
1182   \kern-3\p@
1183   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
1184   \kern 2.6\p@
1185 \renewenvironment{thebibliography}[1]
1186   {\section*{\refname}%
1187     \g@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1188     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
1189     \list{\@biblabel{\@arabic\c@enumiv}}{%
1190       \settowidth\labelwidth{\@biblabel{\#1}}%
1191       \leftmargin\labelwidth
1192       \advance\leftmargin\labelsep
1193       \openbib@code
1194       \usecounter{enumiv}%
1195       \let\p@enumiv\empty
1196       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1197       \sloppy\clubpenalty4000\widowpenalty4000%
1198       \sfcode`\. \g@m}
1199     {\def\@noitemerr
1200       {\@latex@warning{Empty `thebibliography' environment}}%
1201     \endlist}
1202 \if@titlepage
1203 \renewcommand*\TitleFont{\rmfamily}
1204 \renewcommand*\maketitle{%
1205   \begin{titlepage}%

```



```

1206   \let\footnotesize\small
1207   \let\right@footnoterule\relax
1208   \let\left@footnoterule\relax
1209   \let\textwidth@footnoterule\relax
1210   \let\footnote\thanks
1211   \long\def\@makefntext##1{\parindent\z@
1212     \def\labelitemi{\textendash}\@revlabeltrue
1213     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1214   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1215   \if@compatibility\setcounter{page}{0}\fi
1216   \null\vfil
1217   \vskip 60\p@
1218   \begin{center}%
1219     \TitleFont
1220     {\LARGE \def\\{\penalty -\@M}
1221      \if@allcaps
1222        \expandafter\uc@nothanks\@title\thanks\relax
1223      \else
1224        \@title
1225      \fi\par}%
1226     \vskip 3em%
1227     {\large
1228       \lineskip .75em \parindent\z@
1229     \begin{tabular}[t]{c}%
1230       \if@allcaps
1231         \expandafter\uc@author\nothanks\@author\and\relax
1232       \else
1233         \@author
1234       \fi
1235     \end{tabular}\par}%
1236     \vskip 1.5em%
1237     {\large
1238       \if@allcaps
1239         \uppercase\expandafter{\@date}%
1240       \else
1241         \@date
1242       \fi\par}%
1243     \end{center}\par
1244     \@thanks
1245     \vfil\null
1246   \end{titlepage}%
1247   \setcounter{footnote}{0}%
1248   \global\let\thanks\relax
1249   \global\let\maketitle\relax
1250   \global\let\@thanks\empty
1251   \global\let\@author\empty
1252   \global\let\@title\empty
1253   \global\let\@date\empty
1254   \global\let\title\relax
1255   \global\let\author\relax

```



```

1256   \global\let\date\relax
1257   \global\let\and\relax
1258 }
1259 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1260 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1261   \futurelet\@tempa\uc@ax}
1262 \def\uc@ax{%
1263   \ifx\@tempa\relax
1264   \else
1265     \\\andname \\ \expandafter\uc@authornothanks
1266   \fi}
1267 \def\uc@tx{\ifx\@tempa\relax
1268   \else \expandafter\uc@ty \fi}
1269 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1270 \else
1271 \renewcommand*\maketitle{\par
1272   \begingroup
1273     \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
1274     \long\def\makefntext##1{\parindent\z@
1275       \def\labelitemi{\textendash}%
1276       \leavevmode\hb@xt{0.5\unitindent}{%
1277         \textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1278   \if@twocolumn
1279     \ifnum \col@number=\@ne
1280       \maketitle
1281     \else
1282       \twocolumn[\maketitle]
1283     \fi
1284   \else
1285     \newpage
1286     \global\@topnum\z@
1287     \maketitle
1288   \fi
1289   \thispagestyle{plain}\thanks
1290 \endgroup
1291 \setcounter{footnote}{0}%
1292 \global\let\thanks\relax
1293 \global\let\maketitle\relax
1294 \global\let\@maketitle\relax
1295 \global\let\@thanks\empty
1296 \global\let\@author\empty
1297 \global\let\@title\empty
1298 \global\let\@date\empty
1299 \global\let\title\relax
1300 \global\let\author\relax
1301 \global\let\date\relax
1302 \global\let\and\relax
1303 }
1304 \def\@maketitle{%
1305   \newpage

```



```

1306 \null
1307 \vskip 2em%
1308 \begin{center}%
1309   \let \footnote \thanks
1310   {\LARGE \TitleFont \@title \par}%
1311   \vskip 1.5em%
1312   {\large \TitleFont
1313     \lineskip .5em%
1314     \begin{tabular}[t]{c}%
1315       \author
1316     \end{tabular}\par}%
1317   \vskip 1em%
1318   {\large \TitleFont \@date}%
1319 \end{center}%
1320 \par
1321 \vskip 1.5em}
1322 \fi

```

7.13 artikel3-xetex-bidi.def

```

1323 \ProvidesFile{artikel3-xetex-bidi.def}[2015/11/14 v0.4 bidi adaptations for artikel3 class fo
1324 \renewenvironment{theindex}{%
1325   \if@twocolumn
1326     \restonecolfalse
1327   \else
1328     \restonecoltrue
1329   \fi
1330   \columnseprule \z@
1331   \columnsep 35\p@
1332   \twocolumn[\section*{\indexname}]%
1333   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1334   \thispagestyle{plain}\parindent\z@
1335   \parskip\z@ \plus .3\p@\relax
1336   \let\item@\idxitem
1337 }{%
1338   \if@restonecol\onecolumn\else\clearpage\fi}
1339 \renewcommand*\head@style{%
1340   \interlinepenalty \OM
1341   \hyphenpenalty=\OM \exhyphenpenalty=\OM
1342   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1343 \renewcommand*\@regtocline[3]{%
1344   \ifnum #1>\c@tocdepth
1345   \else
1346     \vskip\z@\plus.2\p@
1347     \hangindent\z@ \if@afterindenttrue \interlinepenalty\OM
1348       \if@RTL\rightskip\else\leftskip\fi\unitindent
1349       \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil
1350     \parfillskip\z@
1351     \tempdima\unitindent
1352     \parindent\z@

```



```

1353     \leavevmode
1354     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1355     \hskip 1em \nobreak{\slshape #3}\par
1356   }%
1357   \fi}
1358 \if@oldtoc
1359 \renewcommand*\l@part[2]{%
1360   \ifnum \c@tocdepth >-2\relax
1361     \addpenalty\@secpenalty
1362     \addvspace{2.25em \oplus \p@}%
1363     \begingroup
1364       \setlength\@tempdima{3em}%
1365       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
1366       \parfillskip -\c@pnumwidth
1367     {\leavevmode
1368       \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}}\par
1369       \nobreak
1370     \if@compatibility
1371       \global\@nobreaktrue
1372       \everypar{\global\@nobreakfalse\everypar{}}
1373     \fi
1374     \endgroup
1375   \fi}
1376 \else
1377   \renewcommand*\l@part{%
1378     \ifnum \c@tocdepth >-2\relax
1379     \addpenalty\@secpenalty
1380     \addvspace{2.25em \oplus \p@}%
1381     \regtocline{0}%
1382   \fi}
1383 \fi
1384
1385 \if@oldtoc
1386 \renewcommand*\l@section[2]{%
1387   \addpenalty\@secpenalty
1388   \addvspace{1.0em \oplus \p@}%
1389   \setlength\@tempdima{1.5em}%
1390   \begingroup
1391     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
1392     \parfillskip -\c@pnumwidth
1393     \leavevmode \bfseries
1394     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1395     \hskip -\if@RTL\rightskip\else\leftskip\fi
1396     #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
1397   \endgroup
1398 \else
1399   \renewcommand*\l@section{\regtocline{1}}
1400 \fi
1401 \if@titlepage
1402   \renewenvironment{abstract}{%

```



```

1403     \titlepage
1404     \null\vfil
1405     \section*{\SectFont\abstractname}%
1406     \noindent\ignorespaces
1407     {\par\vfil\null\endtitlepage}
1408 \else
1409   \renewenvironment{abstract}{%
1410     \if@twocolumn
1411       \section*{\abstractname}%
1412     \else
1413       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1414       \section*{\small\SectFont\abstractname}%
1415       \noindent\ignorespaces
1416       \fi}
1417   {\if@twocolumn\else\par\egroup\fi}
1418 \fi
1419 \renewcommand*\left@footnoterule{%
1420   \kern-3\p@
1421   \kern.5\baselineskip
1422   \hrule\@width\unitindent
1423   \kern.4\baselineskip
1424 }
1425 \renewcommand*\right@footnoterule{%
1426   \kern-3\p@
1427   \kern.5\baselineskip
1428   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax}\hrulefill }
1429   \kern.4\baselineskip
1430 \renewcommand*\thesubsection{\thesection@\SepMark@\arabic{c@subsection}}
1431 \renewcommand*\thesubsubsection{\thesubsection@\SepMark@\arabic{c@subsubsection}}
1432 \renewcommand*\theparagraph{\thesubsubsection@\SepMark@\arabic{c@paragraph}}
1433 \renewcommand*\thesubparagraph{\theparagraph@\SepMark@\arabic{c@subparagraph}}
1434 \renewenvironment{thebibliography}[1]
1435   {\section*{\refname}%
1436    \Omkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1437    \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
1438    \list{\@biblabel{\@arabic{c@enumiv}}}{%
1439      {\settowidth\labelwidth{\@biblabel{\#1}}}%
1440      \leftmargin\labelwidth
1441      \advance\leftmargin\labelsep
1442      \openbib@code
1443      \usecounter{enumiv}%
1444      \let\p@enumiv\empty
1445      \renewcommand*\theenumiv{\@arabic{c@enumiv}}%
1446      \sloppy\clubpenalty4000\widowpenalty4000%
1447      \sfcode`.\. @m}
1448    {\def\@noitemerr
1449      {\@latex@warning{Empty `thebibliography' environment}}%
1450    \endlist}
1451 \if@titlepage
1452 \renewcommand*\TitleFont{\rmfamily}

```



```

1453 \renewcommand*\maketitle{%
1454   \begin{titlepage}%
1455     \let\footnotesize\small
1456     \let\right@footnoterule\relax
1457     \let\left@footnoterule\relax
1458     \let\textwidth@footnoterule\relax
1459     \let \footnote \thanks
1460     \long\def\@makefntext##1{\par\indent\z@
1461       \def\labelitemi{\textendash}\relax
1462       \leavevmode\textsuperscript{\@thefnmark}\kern1em\relax ##1}
1463   \renewcommand*\thefootnote{\@fnnsymbol\c@footnote}%
1464   \if@compatibility\setcounter{page}{0}\fi
1465   \null\vfil
1466   \vskip 60\p@
1467   \begin{center}%
1468     \TitleFont
1469     {\LARGE \def\\{\penalty -\@M}
1470      \if@allcaps
1471        \expandafter\uc@nothanks\@title\thanks\relax
1472      \else
1473        \atitle
1474        \fi\par}%
1475   \vskip 3em%
1476   {\large
1477     \lineskip .75em \par\indent\z@
1478   \begin{tabular}[t]{c}%
1479     \if@allcaps
1480       \expandafter\uc@author\nothanks\author\and\relax
1481     \else
1482       \author
1483       \fi
1484     \end{tabular}\par}%
1485   \vskip 1.5em%
1486   {\large
1487     \if@allcaps
1488       \uppercase\expandafter{\@date}%
1489     \else
1490       \atitle
1491       \fi\par}%
1492   \end{center}\par
1493   \@thanks
1494   \vfild\null
1495   \end{titlepage}%
1496   \setcounter{footnote}{0}%
1497   \global\let\thanks\relax
1498   \global\let\maketitle\relax
1499   \global\let\@thanks\empty
1500   \global\let\@author\empty
1501   \global\let\@title\empty
1502   \global\let\@date\empty

```



```

1503 \global\let\title\relax
1504 \global\let\author\relax
1505 \global\let\date\relax
1506 \global\let\and\relax
1507 }
1508 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1509 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1510 \futurelet\@tempa\uc@ax}
1511 \def\uc@ax{%
1512 \ifx\@tempa\relax
1513 \else
1514 \\ \andname \\ \expandafter\uc@authornothanks
1515 \fi}
1516 \def\uc@tx{\ifx\@tempa\relax
1517 \else \expandafter\uc@ty \fi}
1518 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1519 \else
1520 \renewcommand*\maketitle{\par
1521 \begingroup
1522 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1523 \def\@makefnmark{\rlap{%
1524 \textsuperscript{\normalfont\@thefnmark}}}%
1525 \long\def\@makefntext{\@xmakefntext{%
1526 \textsuperscript{\normalfont\@thefnmark}}}%
1527 \if@twocolumn
1528 \ifnum \col@number=\@ne
1529 \maketitle
1530 \else
1531 \twocolumn[\maketitle]%
1532 \fi
1533 \else
1534 \newpage
1535 \global\@topnum\z@
1536 \maketitle
1537 \fi
1538 \thispagestyle{plain}\@thanks
1539 \endgroup
1540 \setcounter{footnote}{0}%
1541 \global\let\thanks\relax
1542 \global\let\maketitle\relax
1543 \global\let\@maketitle\relax
1544 \global\let\@thanks\@empty
1545 \global\let\author\@empty
1546 \global\let\@title\@empty
1547 \global\let\@date\@empty
1548 \global\let\title\relax
1549 \global\let\author\relax
1550 \global\let\date\relax
1551 \global\let\and\relax
1552 }

```



```

1553 \def\@maketitle{%
1554   \newpage
1555   \null
1556   \vskip 2em%
1557 \if@titlecentered
1558   \begin{center}%
1559     \let \footnote \thanks
1560     {\LARGE \TitleFont \@title \par}%
1561     \vskip 1.5em%
1562     {\large \TitleFont
1563       \lineskip .5em%
1564       \begin{tabular}[t]{c}%
1565         \author
1566       \end{tabular}\par}%
1567     \vskip 1em%
1568     {\large \TitleFont \@date}%
1569   \end{center}%
1570 \else
1571   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1572   {\large \TitleFont \lineskip .5em \tabcolsep\z@
1573     \def\and{%% \begin{tabular} has already started
1574       \end{tabular}\hskip 1em plus .17fil
1575       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
1576       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p@
1577     \vskip 1em {\large \TitleFont \@date}
1578   \fi
1579   \par
1580   \vskip 1.5em}
1581 \fi

```

7.14 arydshln-xetex-bidi.def

```

1582 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package
1583 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1584 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1585 \expandafter\let\csname endtabular*\endcsname\endtabular
1586 \let\adl@array\array
1587 \def\@array{\adl@everyvbox\everyvbox
1588   \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1589   \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1590   \let\adl@noalign\noalign
1591   \adl@array}
1592 \ifadl@usingarypkg
1593 \def\@testpach{\@chclass
1594 \ifnum \@lastchclass=6 \one@chnum \one@ne \else
1595 \ifnum \@lastchclass=7 5 \else
1596 \ifnum \@lastchclass=8 \tw@ \else
1597 \ifnum \@lastchclass=9 \thr@@
1598 \else \z@
1599 \ifnum \@lastchclass = 10 \else

```




```

1650
1651 \def\@arrayclassz{\ifcase \lastchclass \acolampacol \or \campacol \or
1652           \or \or \addamp \or
1653           \acolampacol \or \firststampfalse \acol \fi
1654 \edef\@preamble{\@preamble
1655   \ifcase \chnum
1656     \hfil\adl@putlrc{$\relax\sharp$}\hfil
1657     \or \adl@putlrc{$\relax\sharp$}\hfil
1658     \or \hfil\adl@putlrc{$\relax\sharp$}\fi}
1659 \def\@tabclassz{\ifcase \lastchclass \acolampacol \or \campacol \or
1660           \or \or \addamp \or
1661           \acolampacol \or \firststampfalse \acol \fi
1662 \edef\@preamble{\@preamble
1663   \ifcase \chnum
1664     \hfil\adl@putlrc{\sharp\unskip}\hfil
1665     \or \adl@putlrc{\sharp\unskip}\hfil
1666     \or \hfil\hskip\z@\adl@putlrc{\sharp\unskip}\fi}
1667 \def\adl@class@start{6}
1668 \def\adl@class@iiiorvii{3}
1669 \fi
1670 \ifpackage{colortbl}{%
1671 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1672 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1673   \let\endpbox\adl@org@endpbox}
1674 \let\adl@CT@setup\CT@setup
1675 \def\CT@setup{\adl@CT@setup
1676   \tempdima\ht\z@ \advance\tempdima\minrowclearance
1677   \ifdim\adl@height<\tempdima \global\adl@height\tempdima \fi
1678   \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1679 \let\adl@act@CT@setup\CT@setup
1680 \def\@classz{\@classx
1681   \tempcpta\count@\prepnext@tok
1682   \expandafter\CT@extract\the\toks\tempcpta\columncolor!\@nil
1683   \expandafter\adl@extract@arc\the\toks\tempcpta\arrayrulecolor!\@nil
1684   \expandafter\adl@extract@drsc
1685     \the\toks\tempcpta\doublerulesepcolor!\@nil
1686   \expandafter\adl@extract@dg\the\toks\tempcpta\dashgapcolor!\@nil
1687   \addtopreamble{\if@RTL\beginL\fi%
1688     \setbox\z@\hbox\bgroup\if@RTL\beginR\fi
1689   \ifcase \chnum
1690     \hskip\stretch{.5}\kern\z@
1691     \d@llarbegin
1692     \insert@column
1693     \d@llarend\hskip\stretch{.5}%
1694     \or \d@llarbegin \insert@column \d@llarend \hfill
1695     \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1696     \or $\vcenter
1697       \startpbox{\nextchar}\insert@column \endpbox $%
1698     \or \vtop \startpbox{\nextchar}\insert@column \endpbox
1699     \or \vbox \startpbox{\nextchar}\insert@column \endpbox

```



```

1700     \fi
1701     \if@RTL\endR\fi\egroup\egroup
1702     \begingroup
1703         \CT@setup
1704         \CT@column@color
1705         \CT@row@color
1706         \CT@cell@color
1707         \CT@do@color
1708     \endgroup
1709     \tempdima\ht\z@
1710     \advance\tempdima\minrowclearance
1711     \vrule\height\tempdima\width\z@
1712     \unhbox\z@\if@RTL\endL\fi}%
1713     \prepnext@tok}
1714 \let\adl@act@classz\@classz
1715 \let\adl@org@classz\@classz
1716 }{}
```

7.15 bidi.sty

```

1717 \NeedsTeXFormat{LaTeX2e}
1718 \def\biddidate{2017/02/05}
1719 \def\bidiversion{v20.9}
1720 \ProvidesPackage{bidi}[\biddidate\space \bidiversion\space
1721 Bidirectional typesetting in plain TeX and LaTeX]
1722 \edef\@bidi@info{*****^J%
1723 * ^J%
1724 * bidi package (Bidirectional typesetting in^J%
1725 * plain TeX and LaTeX, using XeTeX engine)^J%
1726 * ^J%
1727 * Description: A convenient interface for^J%
1728 * typesetting bidirectional texts in plain TeX^J%
1729 * and LaTeX. The package includes adaptations^J%
1730 * for use with many other commonly-used packages.^J%
1731 * ^J%
1732 * Copyright (c) 2009--2017 Vafa Khalighi^J%
1733 * ^J%
1734 * \biddidate, \bidiversion^J%
1735 * ^J%
1736 * License: LaTeX Project Public License, version^J%
1737 * 1.3c or higher (your choice)^J%
1738 * ^J%
1739 * Location on CTAN: /macros/xetex/latex/bidi^J%
1740 * ^J%
1741 * Issue tracker: https://github.com/tex-xet/bidi/issues^J%
1742 * ^J%
1743 * Support: persian-tex@tug.org^J%
1744 *****}%
1745 \typeout{\@bidi@info}
1746 \edef\bidi@everyjob{\the\everyjob}
```



```

1747 \everyjob{\bidi@everyjob\typeout{@bidi@info}}
1748 \edef\bidi@strip@v@bidiversion{\expandafter\gobble\bidiversion}
1749 \newcommand*{\IfbidiPackageVersionLater}[1]{%
1750   \ifdim@\bidi@strip@v@bidiversion pt > #1 pt %
1751     \expandafter\@firstoftwo
1752   \else
1753     \expandafter\@secondoftwo
1754   \fi}
1755 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
1756   \ifdim@\bidi@strip@v@bidiversion pt < #1 pt %
1757     \expandafter\@firstoftwo
1758   \else
1759     \expandafter\@secondoftwo
1760   \fi}
1761 \newcommand*{\IfbidiPackageVersion}[1]{%
1762   \ifdim@\bidi@strip@v@bidiversion pt = #1 pt %
1763     \expandafter\@firstoftwo
1764   \else
1765     \expandafter\@secondoftwo
1766   \fi}
1767 \RequirePackage{iftex}
1768 \RequireXeTeX
1769 \RequirePackage{biditools}
1770 \RequirePackage{zref-abspage}
1771 \RequirePackage{auxhook}
1772 \RequirePackage{ltxcmds}
1773 \RequirePackage{xkeyval}
1774 \eqnewif{\if@RTLmain}{\if@rlmain}
1775 \eqnewif{\if@RTL}{\if@rl}
1776 \newif\if@nonlatin
1777 \newcommand*{\setlatin}{\nonlatinfalse}
1778 \newcommand*{\setnonlatin}{\nonlatintrue}
1779 \eqnewif{\if@RTLtab}{\if@tab@rl}
1780 \newif\if@hboxRconstruct
1781 \newcommand*{\setRTLtable}{\RTLtabtrue}
1782 \newcommand*{\setLTRtable}{\RTLtabfalse}
1783 \newif\if@RTLmarginpar
1784 \newif\if@LTRmarginpar
1785 \newif\if@LTRbibitems
1786 \newif\if@RTLbibitems
1787 \newif\if@extrafootnotefeatures
1788 \newif\if@parafootRTL
1789 \newif\if@RTLcolumnfootnotes
1790 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1791 \newif\if@bidi@list@minipage@parbox
1792 \newif\if@bidi@list@minipage@parbox@not@nob
1793 \RTLmainfalse
1794 \AtBeginDocument{%
1795   \if@RTLmain\else
1796     \if@RTL\RTLmaintrue%

```



```

1797      \else\@RTLmainfalse%
1798      \fi%
1799  \fi%
1800 }
1801 \let\n@xt=\
1802 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1803 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1804 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}%
1805 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1806 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1807   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1808 \input{latex-xetex-bidi.def}
1809 \input{loadingorder-xetex-bidi.def}
1810 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1811   \ifcase\bidi@tempb\relax
1812     \@RTLtrue
1813   \or
1814     \@RTLfalse
1815   \fi}
1816 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}{%
1817   \ifcase\bidi@tempb\relax
1818     \@RTLtrue
1819   \or
1820     \@RTLfalse
1821   \fi}
1822 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}{%
1823   \ifcase\bidi@tempb\relax
1824     \@RTLtabtrue
1825   \or
1826     \@RTLtabfalse
1827   \fi}
1828 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
1829   \ifcase\bidi@tempb\relax
1830     @nonlatinfalse
1831   \or
1832     @nonlatintrue
1833   \fi}
1834 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1835   \ifcase\bidi@tempb\relax
1836     \@RTLtrue
1837   \or
1838     \@RTLfalse
1839   \fi}
1840 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split}{%
1841   \ifcase\bidi@tempb\relax
1842     \autofootnoterule
1843   \or
1844     \leftfootnoterule
1845   \or
1846     \rightfootnoterule

```



```

1847   \or
1848     \SplitFootnoteRule
1849   \or
1850     \textwidthfootnoterule
1851   \fi}
1852 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftrigh
1853   \ifcase\bidi@tempb\relax
1854     \@RTL@footnotetrue
1855   \or
1856     \@RTL@footnotefalse
1857   \fi}
1858 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1859   \ifcase\bidi@tempb\relax
1860     \footdir@debugtrue
1861   \or
1862     \footdir@debugfalse
1863   \fi}
1864 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1865   \ifcase\bidi@tempb\relax
1866     \extrafootnotefeaturestrue
1867   \or
1868     \extrafootnotefeaturesfalse
1869   \fi}
1870
1871 \ProcessOptionsX
1872
1873 \if@extrafootnotefeatures
1874   \input{extrafootnotefeatures-xetex-bidi.def}
1875 \fi
1876 \newcount\bidi@digits
1877 \XeTeXinterchartokenstate=\@ne
1878 \newXeTeXintercharclass\bidi@digits@charclass
1879 \newXeTeXintercharclass\bidi@dot@charclass
1880 \newXeTeXintercharclass\bidi@dash@charclass
1881 \XeTeXcharclass `.\bidi@dot@charclass
1882 \XeTeXcharclass `~- \bidi@dash@charclass
1883 \bidi@digits=\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits
1884 \bidi@digits=\` \ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits
1885 \XeTeXinterchartoks \bidi@digits@charclass \bidi@dot@charclass = {\DigitsDotDashInterCharTok
1886 \XeTeXinterchartoks \bidi@dot@charclass \bidi@digits@charclass = {\DigitsDotDashInterCharTok
1887 \XeTeXinterchartoks \bidi@digits@charclass \bidi@dash@charclass = {\DigitsDotDashInterCharTok
1888 \XeTeXinterchartoks \bidi@dash@charclass \bidi@digits@charclass = {\DigitsDotDashInterCharTok
1889 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
```

7.16 bidi.tex

```

1890 \def\bidiidate{2015/10/16}
1891 \def\bidi diversion{v0.3}
1892 \catcode`\@=11
1893 \let \protect \relax
```



```

1894 \newlinechar`\^\J
1895 \edef\@bidi@info{*****^J%
1896 * ^J%
1897 * bidi package (Bidirectional typesetting in^J%
1898 * plain TeX and LaTeX, using XeTeX engine)^J%
1899 * ^J%
1900 * Description: A convenient interface for^J%
1901 * typesetting bidirectional texts in plain TeX^J%
1902 * and LaTeX. The package includes adaptations^J%
1903 * for use with many other commonly-used packages.^J%
1904 * ^J%
1905 * Copyright (c) 2009--2015 Vafa Khalighi^J%
1906 * ^J%
1907 * \bididate, \bidiversion^J%
1908 * ^J%
1909 * License: LaTeX Project Public License, version^J%
1910 * 1.3c or higher (your choice)^J%
1911 * ^J%
1912 * Location on CTAN: /macros/xetex/latex/bidi^J%
1913 * ^J%
1914 * Issue tracker: https://github.com/tex-xet/bidi/issues^J%
1915 * ^J%
1916 * Support: persian-tex@tug.org^J%
1917 ****}*
1918 \message{\@bidi@info}
1919 \edef\bidi@everyjob{\the\everyjob}
1920 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1921 \input iftex.sty
1922 \RequireXeTeX
1923 \newif\if@RTLmain
1924 \newif\if@RTL
1925 \newif\if@hboxRconstruct
1926 \newif\if@sentrdir
1927 \newif\if@RTL@footnote
1928 \RTLmainfalse
1929 \def\setRTLmain{%
1930   \if@RTLmain\else
1931     \if@RTL\@RTLmaintrue%
1932     \else\@RTLmainfalse%
1933     \fi%
1934   \fi%
1935 }
1936 \let\n@xt=
1937 \protected\def\lRE{\protect\pLRE}%
1938 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1939 \protected\def\RLE{\protect\pRLE}
1940 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1941 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1942   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1943 \input plain-xetex-bidi.def

```



```
1944 \catcode`@=12
```

7.17 bidi2in1.sty

```
1945 \NeedsTeXFormat{LaTeX2e}
1946 \ProvidesPackage{bidi2in1}
1947 \pagestyle{plain}
1948 \newcount\evenpage
1949 \newcount\oddpage
1950 \twocolumn
1951 \def\@oddfoot{\evenpage=\thepage%
1952 \multiply\evenpage by 2%
1953 \oddpage=\the\evenpage%
1954 \advance\oddpage by -1%
1955 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
1956 \def\@evenfoot{\evenpage=\thepage%
1957 \multiply\evenpage by 2%
1958 \oddpage=\the\evenpage%
1959 \advance\oddpage by -1%
1960 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
1961 \textwidth 9.49in
1962 \textheight 6.7in
1963 \columnsep 0.9in
1964 \columnseprule 0.125pt
1965 \headheight 0cm
1966 \topmargin 0in
1967 \marginparwidth 0in
1968 \marginparsep 0in
1969 \hoffset 0.05in % Corrected
1970 \voffset -0.5in %top margin space is 1.0in by default
1971 \oddsidemargin 0in
1972 \evensidemargin 0in
1973 \headsep 0cm
1974 \topskip 0cm
1975 \parskip 0.15in      %
1976 \headsep 0pt
1977 \special{papersize=11.69in,8.26in}
1978 \renewcommand\maketitle{\par
1979 \begingroup
1980 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1981 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1982 \long\def\@makefntext##1{\parindent 1em\noindent
1983 \hb@xt@1.8em{%
1984 \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
1985 \@maketitle
1986 \@thanks
1987 \endgroup
1988 \setcounter{footnote}{0}%
1989 \global\let\thanks\relax
1990 \global\let\maketitle\relax
```



```

1991 \global\let\@maketitle\relax
1992 \global\let\@thanks\@empty
1993 \global\let\@author\@empty
1994 \global\let\@date\@empty
1995 \global\let\@title\@empty
1996 \global\let\title\relax
1997 \global\let\author\relax
1998 \global\let\date\relax
1999 \global\let\and\relax
2000 }

7.18 bidicode.sty

2001 \NeedsTeXFormat{LaTeX2e}
2002 \ProvidesPackage{bidicode}
2003 \RequirePackage{xcolor}
2004 \RequirePackage{showexpl}
2005 \definecolor{hellgelb}{rgb}{1,1,0.85}
2006 \definecolor{colKeys}{rgb}{0,0,1}
2007 \definecolor{colIdentifier}{rgb}{0,0,0}
2008 \definecolor{colComments}{rgb}{1,0,0}
2009 \definecolor{colString}{rgb}{0,0.5,0}
2010 \lstset{
2011   language=[LaTeX]TEX,
2012   float=hbp,
2013   basicstyle=\ttfamily\small,
2014   identifierstyle=\color{colIdentifier},
2015   keywordstyle=\color{colKeys},
2016   stringstyle=\color{colString},
2017   commentstyle=\color{colComments},
2018   columns=flexible,
2019   tabsize=4,
2020   gobble =1,
2021   extendedchars=true,
2022   showspaces=false,
2023   showstringspaces=false,
2024   numbers=left,
2025   numbersep=0.9em,
2026   numberstyle=\tiny, %
2027   frame=single,
2028   captionpos=b,
2029   xleftmargin=1em,
2030   breaklines=true,
2031   breakautoindent=false,
2032   breakindent=Opt,
2033   escapeinside=**,
2034   pos=r,
2035   explpreset={%
2036     xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
2037   morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}

```



```

2038 }
2039 \newcommand\HLON{%
2040   \gdef\lst@alloverstyle##1{%
2041     \fboxrule=0pt
2042     \fboxsep=0pt
2043     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
2044   }%
2045 \newcommand\HLOFF{%
2046   \xdef\lst@alloverstyle##1{##1}%
2047 }%
2048 \newcommand\Larg [1]{{\normalfont\itshape#1\!/\!}}
2049 \newcommand\Large[1]{\$\langle\!\!\langle Larg{#1}\!\!\rangle\!\!\rangle\$}
2050 \newcommand\Largb[1]{\lcb\Large{#1}\rcb}
2051 \newcommand\Largs[1]{\lsb\Large{#1}\rsb}
2052 \newcommand\Lagr[1]{\lrb\Large{#1}\rrb}
2053 \newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb\#1\rcb}}
2054 \newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb\#1\rcb}}
2055
2056 \DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
2057 \DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`{`}}
2058 \DeclareRobustCommand\rcb{{\normalfont\ttfamily\char``}}
2059 \DeclareRobustCommand\lsb{{\normalfont\ttfamily[]}}
2060 \DeclareRobustCommand\rsb{{\normalfont\ttfamily[]}}
2061 \DeclareRobustCommand\lrb{{\normalfont\ttfamily()}}
2062 \DeclareRobustCommand\rrb{{\normalfont\ttfamily())}}
2063
2064 \def\Lcs#1{\nxLcs{#1}}
2065 \def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
2066 \def\nxLcs#1{\texttt{\symbol{92}#1}}
2067
2068 \def\Coordx#1{$x_{\#1}$}
2069 \def\Coordy#1{$y_{\#1}$}
2070 \def\Coordz#1{$z_{\#1}$}
2071 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
2072 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
2073 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
2074 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
2075 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
2076 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
2077 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
2078 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
2079 \def\coordx#1{($x_{\#1}$)}
2080 \def\coordy#1{($y_{\#1}$)}
2081 \def\coordz#1{($z_{\#1}$)}
2082 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
2083 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
2084
2085 \newsavebox{\boxdef}
2086 \newenvironment{BDef}{%
2087   \begin{lrbox}\boxdef

```



```

2088     \def\arraystretch{1.0}
2089     \begin{tabular}{@{}l@{}l@{}l@{}}
2090   }
2091   {\end{tabular}\end{lrbox}
2092
2093   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
2094   \aftergroup\@afterindentfalse\aftergroup\@afterheading
2095 }
2096
2097 \newenvironment{BDef*}
2098   {\begin{lrbox}\boxdef
2099     \def\arraystretch{1.0}
2100     \begin{tabular}{@{}l@{}l@{}l@{}}
2101   }
2102   {\end{tabular}\end{lrbox}
2103   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
2104   \aftergroup\@afterindentfalse\aftergroup\@afterheading
2105 }
2106 \newenvironment{BCmd}{
2107   \begin{parpenalty}-\clowpenalty
2108   \topsep\BDefaboveskip
2109   \fboxsep3pt
2110   \flushleft}
2111   {\end{parpenalty}\OM
2112   \topsepadd\BDefbelowskip
2113   \endflushleft}
2114
2115 \newenvironment{BCmd*} {
2116   \begin{parpenalty}\OM
2117   \topsep\BDefinlineskip
2118   \fboxsep3pt
2119   \flushleft}
2120   {\end{parpenalty}5000
2121   \endflushleft}
2122
2123 \newskip\BDefaboveskip
2124 \newskip\BDefbelowskip
2125 \newskip\BDefinlineskip
2126 \setlength\BDefaboveskip{10pt plus 4pt}
2127 \setlength\BDefbelowskip{6pt}
2128 \setlength\BDefinlineskip{6pt}
2129
2130 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt
2131 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
2132 \def\OptArg@i#1{\colorbox{black!20}{\texttt{#1}}}\kern1pt
2133 \def\OptArg@ii#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt
2134 \NeedsTeXFormat{LaTeX2e}

```

7.19 bidifnxtra.sty



```

2135 \ProvidesPackage{bidiftxtra}
2136 \newtoks\bidi@p@ftn
2137 \let\FN@sf@@footnote\footnote
2138 \let\FN@sf@@LTRfootnote\LTRfootnote
2139 \let\FN@sf@@RTLfootnote\RTLfootnote
2140 \def\footnote{\ifx\protect\@typeset@protect
2141     \expandafter\FN@sf@@footnote
2142 \else
2143     \expandafter\FN@sf@gobble@opt
2144 \fi
2145 }
2146 \def\LTRfootnote{\ifx\protect\@typeset@protect
2147     \expandafter\FN@sf@@LTRfootnote
2148 \else
2149     \expandafter\FN@sf@gobble@opt
2150 \fi
2151 }
2152 \def\RTLfootnote{\ifx\protect\@typeset@protect
2153     \expandafter\FN@sf@@RTLfootnote
2154 \else
2155     \expandafter\FN@sf@gobble@opt
2156 \fi
2157 }
2158 \edef\FN@sf@gobble@opt{\noexpand\protect
2159     \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
2160 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
2161     \@ifnextchar[%]
2162         \FN@sf@gobble@twobracket
2163         \gobble
2164     }
2165 \def\FN@sf@gobble@twobracket[#1]#2{%
2166 \let\FN@sf@@footnotemark\footnotemark
2167 \def\footnotemark{\ifx\protect\@typeset@protect
2168     \expandafter\FN@sf@@footnotemark
2169 \else
2170     \expandafter\FN@sf@gobble@optionly
2171 \fi
2172 }
2173 \edef\FN@sf@gobble@optionly{\noexpand\protect
2174     \expandafter\noexpand\csname FN@sf@gobble@optionly \endcsname}
2175 \expandafter\def\csname FN@sf@gobble@optionly \endcsname{%
2176     \@ifnextchar[%]
2177         \FN@sf@gobble@bracket
2178         {}%
2179     }
2180 \def\FN@sf@gobble@bracket[#1]{}
2181 \def\@tabularr{%
2182     \leavevemode \hbox \bgroup
2183     \let\@footnotetext\bidi@p@ftntext
2184     \let\@LTRfootnotetext\bidi@p@LTRftntext

```



```

2185   \let\@RTLfootnotetext\bidi@p@RTLftntext
2186   \let\@xfootnotenext\bidi@p@xftntext
2187   \let\@xfootnote\bidi@p@xfootnote
2188   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
2189   \let\@xLTRfootnote\bidi@p@xLTRfootnote
2190   \let\@xRTLfootnotenext\bidi@p@xRTLftntext
2191   \let\@xRTLfootnote\bidi@p@xRTLfootnote
2192   \if@RTLtab\beginR \fi
2193   \$\let\@acol\@tabacol
2194   \let\@classz\@tabclassz
2195   \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
2196 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
2197                         \egroup \$\if@RTLtab\endR\fi\egroup
2198                         \ifx\@captype\@undefined
2199                         \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
2200 \long\def\bidi@p@ftntext#1{%
2201   \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
2202   \global\bidi@p@ftn\expandafter{\@tempy{#1}}%
2203 \long\def\bidi@p@LTRftntext#1{%
2204   \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2205   \global\bidi@p@ftn\expandafter{\@tempyi{#1}}%
2206 \long\def\bidi@p@RTLftntext#1{%
2207   \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2208   \global\bidi@p@ftn\expandafter{\@tempyii{#1}}%
2209
2210 \long\def\bidi@p@xftntext[#1]#2{%
2211   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}
2212
2213 \long\def\bidi@p@xLTRftntext[#1]#2{%
2214   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
2215
2216 \long\def\bidi@p@xRTLftntext[#1]#2{%
2217   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
2218
2219
2220 \def\bidi@p@xfootnote[#1]{%
2221   \begingroup
2222     \cscname c@\@mpfn\endcsname #1\relax
2223     \unrestored@protected\xdef\@thefnmark{\thempfn}%
2224   \endgroup
2225   \footnotemark\bidi@p@xftntext[#1]}
2226
2227
2228 \def\bidi@p@xLTRfootnote[#1]{%
2229   \begingroup
2230     \cscname c@\@mpfn\endcsname #1\relax
2231     \unrestored@protected\xdef\@thefnmark{\thempfn}%
2232   \endgroup
2233   \footnotemark\bidi@p@xLTRftntext[#1]}
2234

```



```

2235
2236
2237 \def\bidi@p@xRTLfootnote[#1]{%
2238   \begingroup
2239     \csname c@\@mpfn\endcsname #1\relax
2240     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2241   \endgroup
2242   \footnotemark\bidi@p@xRTLftntext[#1]%
2243
2244 \def\xffloat #1[#2]{%
2245   \nodocument
2246   \def \capttype {#1}%
2247   \def \fps {#2}%
2248   \onelevel@sanitize \fps
2249   \def \reserved@b {!}%
2250   \ifx \reserved@b \fps
2251     \fpsadddefault
2252   \else
2253     \ifx \fps \empty
2254       \fpsadddefault
2255     \fi
2256   \fi
2257   \ifhmode
2258     \bsphack
2259     \floatpenalty -\Mii
2260   \else
2261     \floatpenalty-\Mii
2262   \fi
2263   \ifinner
2264     \parmoderr\floatpenalty\z@
2265   \else
2266     \next@currbox\freelist
2267   {%
2268     \tempcnta \sixt@n
2269     \expandafter \tfor \expandafter \reserved@a
2270     \expandafter :\expandafter =\fps
2271     \do
2272   {%
2273     \if \reserved@a h%
2274       \ifodd \tempcnta
2275         \else
2276           \advance \tempcnta \one
2277         \fi
2278       \if \reserved@a t%
2279         \setfpsbit \tw@
2280       \fi
2281       \if \reserved@a b%
2282         \setfpsbit 4%
2283       \fi

```



```

2285      \if \reserved@a p%
2286          \@setfpsbit 8%
2287      \fi
2288      \if \reserved@a !%
2289          \ifnum \tempcnta>15
2290              \advance\tempcnta -\sixt@@n\relax
2291          \fi
2292      \fi
2293  }%
2294  \tempcntb \csname ftype@\@capttype \endcsname
2295  \multiply \tempcntb \xxxii
2296  \advance \tempcnta \tempcntb
2297  \global \count\currbox \tempcnta
2298  }%
2299  \@fltovf
2300 \fi
2301 \global \setbox\currbox
2302   \color@vbox
2303     \normalcolor
2304     \vbox \bgroup
2305       \let\footnotetext\bidi@p@ftntext
2306       \let\LTRfootnotetext\bidi@p@LTRftntext
2307       \let\RTLfootnotetext\bidi@p@RTLftntext
2308       \let\xfootnotenext\bidi@p\xftntext
2309       \let\xfootnote\bidi@p\xfootnote
2310       \let\xLTRfootnotenext\bidi@p\xLTRftntext
2311       \let\xLTRfootnote\bidi@p\xLTRfootnote
2312       \let\xRTLfootnotenext\bidi@p\xRTLftntext
2313       \let\xRTLfootnote\bidi@p\xRTLfootnote
2314     \hsize\columnwidth
2315     \parboxrestore
2316     \floatboxreset
2317 }
2318 \def \endfloatbox{%
2319   \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
2320   \minipagefalse
2321   \outer@nobreak
2322   \egroup      %% end of vbox
2323   \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
2324   \color@endbox
2325 }

```

7.20 bidimoderncv.cls

```

2326 \NeedsTeXFormat{LaTeX2e}
2327 \ProvidesClass{bidimoderncv}
2328 \newif\if@DEBUG\@DEBUGfalse
2329 \DeclareOption{a4paper}{
2330   \setlength\paperheight{297mm}
2331   \setlength\paperwidth{210mm}}

```



```

2332 \DeclareOption{a5paper}{
2333   \setlength{\paperheight}{210mm}
2334   \setlength{\paperwidth}{148mm}}
2335 \DeclareOption{b5paper}{
2336   \setlength{\paperheight}{250mm}
2337   \setlength{\paperwidth}{176mm}}
2338 \DeclareOption{letterpaper}{
2339   \setlength{\paperheight}{11in}
2340   \setlength{\paperwidth}{8.5in}}
2341 \DeclareOption{legalpaper}{
2342   \setlength{\paperheight}{14in}
2343   \setlength{\paperwidth}{8.5in}}
2344 \DeclareOption{executivepaper}{
2345   \setlength{\paperheight}{10.5in}
2346   \setlength{\paperwidth}{7.25in}}
2347 \DeclareOption{landscape}{
2348   \setlength{\tempdima}{\paperheight}
2349   \setlength{\paperheight}{\paperwidth}
2350   \setlength{\paperwidth}{\tempdima}}
2351 \newcommand{\@ptsize}{}
2352 \DeclareOption{10pt}{\renewcommand{\@ptsize}{0}}
2353 \DeclareOption{11pt}{\renewcommand{\@ptsize}{1}}
2354 \DeclareOption{12pt}{\renewcommand{\@ptsize}{2}}
2355 \DeclareOption{draft}{\setlength{\overfullrule}{5pt}}
2356 \DeclareOption{final}{\setlength{\overfullrule}{0pt}}
2357 \newif\if@colour\if@colourtrue
2358 \DeclareOption{nocolour}{\if@colourfalse}
2359 \ExecuteOptions{a4paper,11pt,colour,final}
2360 \ProcessOptions\relax
2361 \input{size1\@ptsize.clo}
2362 \RequirePackage{color}
2363 \RequirePackage{graphicx}
2364 \RequirePackage{ifthen}
2365 \RequirePackage{marvosym}
2366 \addtolength{\oddsidemargin}{-54pt}
2367 \addtolength{\textwidth}{109pt}
2368 \addtolength{\topmargin}{-70pt}
2369 \addtolength{\textheight}{122pt}
2370 \addtolength{\marginparsep}{-5pt}
2371 \addtolength{\marginparwidth}{-10pt}
2372 \RequirePackage{url}
2373 \RequirePackage{hyperref}
2374 \hypersetup{%
2375   breaklinks,
2376   baseurl      = http://,%
2377   pdfborder    = 0 0 0,%
2378   pdfpagemode = UseNone,%
2379   pdfstartpage = 1}
2380 \AtEndOfClass{%
2381   \AtBeginDocument{%

```



```

2382      \hypersetup{%
2383          pdfauthor      = \@firstname-\@familyname,%  

2384          pdftitle       = \@title,%  

2385          pdfsubject     = \@firstname-\@familyname,%  

2386          pdfkeywords    = \@resumename-\@firstname-\@familyname}}}  

2387 \urlstyle{tt}  

2388 \RequirePackage{fancyhdr}  

2389 \fancypagestyle{plain}{%  

2390   \renewcommand{\headrulewidth}{0pt}  

2391   \renewcommand{\footrulewidth}{0pt}  

2392   \fancyhf{}{}}  

2393 \pagestyle{plain}  

2394 \setlength{\lineskip}{1\p@}  

2395 \setlength{\normalineskip}{1\p@}  

2396 \renewcommand{\baselinestretch}{}  

2397 \setlength{\parindent}{0pt}  

2398 \setlength{\parskip}{0pt}  

2399 \setlength{\columnsep}{10\p@}  

2400 \setlength{\columnseprule}{0\p@}  

2401 \pagestyle{empty}  

2402 \pagenumbering{arabic}  

2403 \raggedbottom  

2404 \onecolumn  

2405 \providecommand*{\listitemsymbol}{\textbullet}  

2406 \providecommand*{\addresssymbol}{  
}  

2407 \providecommand*{\mobilesymbol}{\Mobilefone}  

2408 \providecommand*{\phonesymbol}{\Telefon}  

2409 \providecommand*{\faxsymbol}{\FAX}  

2410 \providecommand*{\emailsymbol}{\Letter}  

2411 \definecolor{firstnamecolor}{rgb}{0,0,0}  

2412 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}  

2413 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}  

2414 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}  

2415 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}  

2416 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}  

2417 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}  

2418 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}  

2419 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}  

2420 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}  

2421 \providecommand*{\firstnamefont}{}  

2422 \providecommand*{\familynamefont}{}  

2423 \providecommand*{\titlefont}{}  

2424 \providecommand*{\addressfont}{}  

2425 \providecommand*{\quotefont}{}  

2426 \providecommand*{\sectionfont}{}  

2427 \providecommand*{\subsectionfont}{}  

2428 \providecommand*{\hintfont}{\small}  

2429 \providecommand*{\firstnamestyle}[1]{\{\@firstnamefont\@firstnamecolour#1\}}  

2430 \providecommand*{\familynamestyle}[1]{\{\@familynamefont\@familynamecolour#1\}}  

2431 \providecommand*{\titlestyle}[1]{\{\@titlefont\@titlecolour#1\}}

```



```

2432 \providecommand*{\addressstyle}[1]{{\addressfont\@addresscolour#1}}
2433 \providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
2434 \providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
2435 \providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
2436 \providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
2437 \newcommand*{\cvtheme}[2][]{%
2438   \def\@cvtheme{#2}%
2439   \def\@cvthemeoptions{#1}%
2440   \cvtheme{bidi-casual}%
2441 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}%
2442 \newcommand*{\resumename}[1]{\def\@resumename{#1}}%
2443 \newcommand*{\firstname}[1]{\def\@firstname{#1}}%
2444 \newcommand*{\familyname}[1]{\def\@familyname{#1}}%
2445 \renewcommand*{\title}[1]{\def\@title{#1}}%
2446 \newcommand*{\address}[1]{\def\@address{#1}}%
2447 \newcommand*{\mobile}[1]{\def\@mobile{#1}}%
2448 \newcommand*{\phone}[1]{\def\@phone{#1}}%
2449 \renewcommand*{\fax}[1]{\def\@fax{#1}}%
2450 \newcommand*{\email}[1]{\def\@email{#1}}%
2451 \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}%
2452 \def\@photowidth{0pt}%
2453 \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}%
2454 \newcommand*{\quote}[1]{\def\@quote{#1}}%
2455 \newlength{\quotewidth}%
2456 \newlength{\hintscolumnwidth}%
2457 \newlength{\separatorcolumnwidth}%
2458 \setlength{\separatorcolumnwidth}{0.025\textwidth}%
2459 \newlength{\maincolumnwidth}%
2460 \newlength{\doubleitemmaincolumnwidth}%
2461 \newlength{\listitemsymbolwidth}%
2462 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}~-}%
2463 \newlength{\listitemmaincolumnwidth}%
2464 \newlength{\listdoubleitemmaincolumnwidth}%
2465 \newcommand*{\recomputethemelengths}{}%
2466 \newcommand*{\recapturelengths}{%}
2467 \setlength{\quotewidth}{0.65\textwidth}%
2468 \setlength{\maincolumnwidth}{\textwidth}%
2469 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2470 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2471 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2472 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2473 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2474 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2475 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2476 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2477 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2478 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2479 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2480 \renewcommand{\headwidth}{\textwidth}%
2481 \recomputethemelengths%

```



```

2482 \setlength{\hintscolumnwidth}{0.15\textwidth}
2483 \recomputelengths
2484 \title{%
2485 \renewcommand*{\maketitle}{%
2486 \newcommand*{\section}[1]{%
2487 \vspace*{2.5ex} \oplus 1ex \ominus .2ex}%
2488 \phantomsection{}%
2489 \addcontentsline{toc}{part}{#1}%
2490 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}}\hspace{\separatorcolumnwidth}}%
2491 \hspace{\separatorcolumnwidth}%
2492 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\,\,\,[1ex]}%
2493 \newcommand*{\subsection}[1]{%
2494 \cvline[0.45em]{}{\subsectionstyle{#1}}}%
2495 \newcommand*{\cvline}[3][.25em]{%
2496 \begin{tabular} {@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth} @{}}
2497 \bidi@raggedleft\hintfont{#2} &{#3}%
2498 \end{tabular}\,\,\,[#1]}%
2499 \newcommand*{\cvdoubleitem}[4]{%
2500 \cvline[#1]{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2501 \hfill%
2502 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\separatorcolumnwidth}%
2503 \newcommand*{\cvlistitem}[2]{[\listitemsymbol{}]}%
2504 \cvline[0pt]{}{#1\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}%
2505 \newcommand*{\cvlistdoubleitem}[3]{[\listitemsymbol{}]}%
2506 \cvline[0pt]{}{#1\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
2507 \hfill%
2508 \ifthenelse{\equal{#3}{}}{%
2509 }{%
2510 {#1\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}%
2511 \newcommand*{\cventry}[6]{%
2512 \cvline[#1]{%
2513 {\bfseries#2}%
2514 \ifx#3\else{, \slshape#3}\fi%
2515 \ifx#4\else{, #4}\fi%
2516 \ifx#5\else{, #5}\fi%
2517 .%
2518 \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
2519 }%
2520 \newcommand*{\cvlanguage}[3]{%
2521 \cvline[#1]{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}}%
2522 \newcommand*{\cvcomputer}[4]{%
2523 \cvdoubleitem[#1]{\small#2}{#3}{\small#4}}%
2524 \newcommand*{\link}[2]{%
2525 \ifthenelse{\equal{#1}{}}{%
2526 {\href{#2}{#2}}%
2527 {\href{#2}{#1}}}%
2528 \newcommand*{\httplink}[2]{%
2529 \ifthenelse{\equal{#1}{}}{%
2530 {\href{http://#2}{#2}}%
2531 {\href{http://#2}{#1}}}}%

```



```

2532 \newcommand*{\emaillink}[2][]{%
2533   \ifthenelse{\equal{#1}{}}{%
2534     {\ href{mailto:#2}{#2}}%
2535     {\ href{mailto:#2}{#1}}}
2536 \newif\if@displaypagenumbers\@displaypagenumberstrue
2537 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2538 \AtBeginDocument{%
2539   \if@displaypagenumbers%
2540     \@ifundefined{r@lastpage}{}{%
2541       \ifthenelse{\pageref{lastpage} > 1}{%
2542         \fancypagestyle{plain}{%
2543           \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL\endL\page}
2544           \pagestyle{plain}}{}}%
2545     \AtEndDocument{\label{lastpage}}%
2546   \fi}
2547 \newlength{\bibindent}
2548 \setlength{\bibindent}{1.5em}
2549 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2550 \newenvironment{thebibliography}[1]{%
2551   {%
2552     \section{\refname}%
2553     \small%
2554     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2555     \begin{list}{\bibliographyitemlabel}%
2556       {%
2557         \setlength{\topsep}{0pt}%
2558         \setlength{\labelwidth}{\hintscolumnwidth}%
2559         \setlength{\labelsep}{\separatorcolumnwidth}%
2560         \leftmargin\labelwidth%
2561         \advance\leftmargin\labelsep%
2562         \openbib@code%
2563         \usecounter{enumiv}%
2564         \let\p@enumiv\empty%
2565         \renewcommand\theenumiv{\@arabic\c@enumiv}%
2566         \sloppy\clubpenalty4000\widowpenalty4000%
2567       }%
2568     {%
2569       \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2570       \end{list}%
2571     }
2572   \newcommand\newblock{\hspace{.11em}\@plus.33em\@minus.07em}
2573   \let\openbib@code\empty

```

7.21 biditools.sty

```

2574 \NeedsTeXFormat{LaTeX2e}
2575 \ProvidesPackage{biditools}[2016/11/30 v0.9 Programming tools for bidi package]
2576 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\relax
2577   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2578   \ifx\@tempa\@tempb \global\let#2#1%

```



```

2579 \else
2580   \edef\@tempb{\meaning#2}%
2581   \ifx\@tempa\@tempb
2582   \else
2583     \@latex@error{Unable to properly define \string#2; primitive
2584     \noexpand#1 no longer primitive}\@eha
2585   \fi
2586 \fi
2587 \endgroup}
2588 \newtoks\@bidi@envbody
2589 \newtoks\@bidi@emptytoks
2590 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2591 \def\bidi@collect@body#1{%
2592   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2593   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\currenvir}}%
2594   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2595   \begingroup
2596   \expandafter\let\csname\currenvir\endcsname\bidi@collect@@body
2597   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
2598   \bidi@process@envbody
2599 }
2600 \def\bidi@push@begins#1\begin#2{%
2601   \ifx\end#2\else b\expandafter\bidi@push@begins\fi
2602 }
2603 \def\bidi@collect@@body#1\end#2{%
2604   \begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter@gobble\begin@bidi@stack}%
2605   \ifx\empty\begin@bidi@stack
2606   \endgroup
2607   \checkend{#2}%
2608   \bidi@addto@envbody{#1}%
2609 \else
2610   \bidi@addto@envbody{#1\end{#2}}%
2611 \fi
2612 \bidi@process@envbody % A little tricky! Note the grouping
2613 }
2614 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2615 \long\def\bidi@collect@long@body#1{%
2616   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2617   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\currenvir}}%
2618   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2619   \begingroup
2620   \expandafter\let\csname\currenvir\endcsname\bidi@collect@long@@body
2621   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
2622   \bidi@process@envbody
2623 }
2624 \long\def\bidi@push@long@begins#1\begin#2{%
2625   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
2626 }
2627 \long\def\bidi@collect@long@body#1\end#2{%
2628   \begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter@gobble\begin@bidi@stack}%

```



```

2629 \ifx\@empty\begin@bidi@stack
2630   \endgroup
2631   \@checkend{#2}%
2632   \bidi@addto@long@envbody{#1}%
2633 \else
2634   \bidi@addto@long@envbody{#1\end{#2}}%
2635 \fi
2636 \bidi@process@envbody % A little tricky! Note the grouping
2637 }
2638 \long\def\bidi@new@ifnextchar#1#2#3{%
2639   \let\reserved@d= #1%
2640   \def\reserved@a{#2}\def\reserved@b{#3}%
2641   \futurelet\@let@token\bidi@new@ifnch
2642 }
2643 \def\bidi@new@ifnch{%
2644   \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
2645   \reserved@b
2646 }
2647 \def\bidi@matrix@check#1{%
2648   \expandafter\ifx\csname@currenvir\endcsname{#1}%
2649   \else\bidi@matrix@error#1%
2650     \expandafter\gobble
2651   \fi
2652 }
2653 \def\bidi@matrix@error#1{%
2654   \PackageError{biditools}{%
2655     Old form `#1' should be \string\begin{\expandafter\gobble\string#1}%
2656   }{%
2657     `#1' is old bidi package syntax whose use is
2658     ill-advised in the old versions of bidi package.%}
2659 }
2660 }
2661 \def\@tagsextension{clo}
2662 \def\@definitionfileextension{def}
2663 \def\@texfileextension{tex}
2664 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2665 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2666 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
2667 \def\eqnewif#1#2{%
2668   \count@\escapechar \escapechar\m@ne
2669   \let#1\iffalse
2670   \let#2\iffalse
2671   \eq@if#1#2\iftrue
2672   \eq@if#1#2\iffalse
2673   \escapechar\count@}
2674 \def\eq@if#1#2#3{%
2675   \expandafter\def\csname\expandafter\gobbletwo\string#1%
2676   \expandafter\gobbletwo\string#3\endcsname
2677   {\let#1#3%
2678   \let#2#3}%

```



```

2679 \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2680           \expandafter\@gobbletwo\string#3\endcsname
2681           {\let#2#3%
2682           \let#1#3}}
2683 \newcommand*{\SetBoolean}[2]{%
2684   \lowercase{\def\@tempa{#2}}%
2685   \@ifundefined{@tempswa\@tempa}{%
2686     {\PackageError{biditools}{%
2687       {You can only set a boolean to `true' or `false'}\@ehc}%
2688     {\@ifundefined{#1\@tempa}{%
2689       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2690       {\csname#1\@tempa\endcsname}}}%
2691 \newcommand*{\GlobalSetBoolean}[2]{%
2692   \lowercase{\def\@tempa{#2}}%
2693   \@ifundefined{@tempswa\@tempa}{%
2694     {\PackageError{biditools}{%
2695       {You can only set a boolean to `true' or `false'}\@ehc}%
2696     {\@ifundefined{#1\@tempa}{%
2697       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2698       {\global\csname#1\@tempa\endcsname}}}%
2699 \newcommand*{\SetatBoolean}[2]{%
2700   \lowercase{\def\@tempa{#2}}%
2701   \@ifundefined{@tempswa\@tempa}{%
2702     {\PackageError{biditools}{%
2703       {You can only set a boolean to `true' or `false'}\@ehc}%
2704     {\@ifundefined{@#1\@tempa}{%
2705       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2706       {\csname @#1\@tempa\endcsname}}}%
2707 \newcommand*{\GlobalSetatBoolean}[2]{%
2708   \lowercase{\def\@tempa{#2}}%
2709   \@ifundefined{@tempswa\@tempa}{%
2710     {\PackageError{biditools}{%
2711       {You can only set a boolean to `true' or `false'}\@ehc}%
2712     {\@ifundefined{@#1\@tempa}{%
2713       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2714       {\global\csname @#1\@tempa\endcsname}}}%
2715 \def@\bidi@removefromreset#1#2{%
2716   \expandafter\let\csname c@#1\endcsname@\bidi@removefromreset
2717   \def@\elt##1{%
2718     \expandafter\ifx\csname c##1\endcsname@\bidi@removefromreset
2719     \else
2720       \noexpand\elt{##1}%
2721     \fi}%
2722   \expandafter\xdef\csname cl@#2\endcsname{%
2723     \csname cl@#2\endcsname}}%
2724 \newcommand*{\ifRtoL}{%
2725   \if@RTL
2726     \expandafter\@firstoftwo
2727   \else
2728     \expandafter\@secondoftwo

```



```

2729   \fi}
2730 \newcommand*{\ifLtoR}{%
2731   \if@RTL
2732     \expandafter\@secondoftwo
2733   \else
2734     \expandafter\@firstoftwo
2735   \fi}
2736 \newcommand*{\ifRtoLtable}{%
2737   \if@RTLtab
2738     \expandafter\@firstoftwo
2739   \else
2740     \expandafter\@secondoftwo
2741   \fi}
2742 \newcommand*{\ifLtoRtable}{%
2743   \if@RTLtab
2744     \expandafter\@secondoftwo
2745   \else
2746     \expandafter\@firstoftwo
2747   \fi}
2748 \newcommand*{\ifRtoLhboxconstruct}{%
2749   \if@hboxRconstruct
2750     \expandafter\@firstoftwo
2751   \else
2752     \expandafter\@secondoftwo
2753   \fi}
2754 \newcommand*{\ifLtoRhboxconstruct}{%
2755   \if@hboxRconstruct
2756     \expandafter\@secondoftwo
2757   \else
2758     \expandafter\@firstoftwo
2759   \fi}
2760 \newcommand*{\iflatin}{%
2761   \if@nonlatin
2762     \expandafter\@secondoftwo
2763   \else
2764     \expandafter\@firstoftwo
2765   \fi}
2766 \newcommand*{\ifnonlatin}{%
2767   \if@nonlatin
2768     \expandafter\@firstoftwo
2769   \else
2770     \expandafter\@secondoftwo
2771   \fi}
2772 \newcommand*{\if@bidi@csdef}[1]{%
2773   \ifcsname#1\endcsname
2774     \expandafter\@firstoftwo
2775   \else
2776     \expandafter\@secondoftwo
2777   \fi}

```



```

2779 \newcommand*{\if@bidi@csundef}[1]{%
2780   \ifcsname#1\endcsname
2781     \expandafter\ifx\csname#1\endcsname\relax
2782       \expandafter\expandafter
2783         \expandafter\@firstoftwo
2784     \else
2785       \expandafter\expandafter
2786         \expandafter\@secondoftwo
2787     \fi
2788   \else
2789     \expandafter\@firstoftwo
2790   \fi}
2791 \newcommand{\if@bidi@def}[1]{%
2792   \ifdef#1%
2793     \expandafter\@firstoftwo
2794   \else
2795     \expandafter\@secondoftwo
2796   \fi}
2797 \newcommand{\if@bidi@undef}[1]{%
2798   \ifdef#1%
2799     \ifx#1\relax
2800       \expandafter\expandafter
2801         \expandafter\@firstoftwo
2802     \else
2803       \expandafter\expandafter
2804         \expandafter\@secondoftwo
2805     \fi
2806   \else
2807     \expandafter\@firstoftwo
2808   \fi}
2809 \newcommand{\if@bidi@blank}[1]{% from url.sty
2810   \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2811 \long\def\bidi@ifblank@i#1#2#3#4#5:{#4}
2812 \newcommand{\bidi@notblank}[1]{%
2813   \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2814 \newcommand{\if@bidi@defmacro}{}%
2815 \long\edef\if@bidi@defmacro#1{%
2816   \noexpand\expandafter\noexpand\bidi@ifdefmacro
2817   \noexpand\meaning#1\detokenize{macro}:&%
2818 \edef\bidi@ifdefmacro{%
2819   \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&%
2820 \bidi@ifdefmacro{\bidi@notblank{#2}}%
2821 \newcommand*{\if@bidi@csmacro}[1]{%
2822   \if@bidi@csdef{#1}
2823     {\expandafter\if@bidi@defmacro\csname#1\endcsname}
2824     {\@secondoftwo}}
2825 \newcommand{\if@bidi@defprimitive}[1]{%
2826   \ifprimitive#1%
2827     \expandafter\@firstoftwo
2828   \else

```



```

2829     \expandafter\@secondoftwo
2830   \fi}
2831 \newcommand{\if@bidi@csprimitive}[1]{%
2832   \begingroup\expandafter\expandafter\expandafter\endgroup%
2833   \expandafter\ifprimitive\csname#1\endcsname%
2834   \expandafter\@firstoftwo
2835 \else
2836   \expandafter\@secondoftwo
2837 \fi}
2838 \newcommand*\bidi@csdefcs}[2]{%
2839 \expandafter\@ifdefinable \csname#1\endcsname{%
2840 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
2841 \newcommand*\bidi@csletcs}[2]{%
2842 \expandafter\@ifdefinable \csname#1\endcsname{%
2843 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
2844 \newcommand*\bidi@cslet}[2]{%
2845 \expandafter\@ifdefinable \csname#1\endcsname{%
2846 \expandafter\let\csname#1\endcsname#2}}
2847 \newcommand\bidi@namelongdef}[1]{%
2848   \long\expandafter\def\csname #1\endcsname}
2849 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
2850 \def\bidi@ensure@new@command#1{%
2851   \begingroup \escapechar\m@ne\xdef\gtempa{\string#1}\endgroup
2852   \expandafter\if@bidi@csundef\gtempa
2853   {\new@command#1{\relax}}
2854   \let\@ifdefinable\rc@ifdefinable%
2855   \new@command#1}
2856 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}}
2857
2858 \protected\def\bidi@error{\PackageError{bidi}}
2859 \protected\def\bidi@warning{\PackageWarning{bidi}}
2860 \protected\def\bidi@info{\PackageInfo{bidi}}
2861
2862 \newcommand*\bidi@newrobustcmd}{}}
2863 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
2864
2865 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2866
2867 \def\bidi@newcommand#1[#2]{%
2868   \@ifnextchar[%
2869   {\bidi@xargdef#1[#2]}
2870   {\l@ngrel@x\relax
2871   \let\l@ngrel@x\protected
2872   \else
2873   \protected\def\l@ngrel@x{\protected\long}%
2874   \fi
2875   \argdef#1[#2]}}
2876
2877 \long\def\bidi@xargdef#1[#2] [#3]#4{%
2878   \@ifdefinable#1{%

```



```

2879     \expandafter\protected
2880     \expandafter\def
2881     \expandafter#1%
2882     \expandafter{%
2883         \expandafter\@testopt
2884         \csname\string#\endcsname{#3}}%
2885     \expandafter\@yargdef\csname\string#\endcsname\tw@{#2}{#4}}}
2886
2887 \bidi@newrobustcmd*\{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
2888
2889 \def\bidi@renew@command#1{%
2890   \if@bidi@undef{#1}
2891     {\bidi@error{\string#1 undefined}\@ehc}
2892   {}%
2893   \let\@ifdefinable\@rc@ifdefinable
2894   \bidi@new@command#1}
2895
2896
2897
2898 \bidi@newrobustcmd*\{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2899
2900 \def\bidi@provide@command#1{%
2901   \if@bidi@undef{#1}
2902     {\def\reserved@a{\bidi@new@command#1}}
2903     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2904   \reserved@a}
2905
2906 \newcommand*\{\bidi@csuse}[1]{%
2907   \ifcsname#1\endcsname
2908     \csname#1\expandafter\endcsname
2909   \fi}
2910
2911 \newcommand{\bidi@expandonce}[1]{%
2912   \unexpanded\expandafter{#1}}
2913
2914 \def\bidi@protected{%
2915   \let\@protect\protect
2916   \let\protect\@unexpandable@protect
2917   \afterassignment\restore@protect}
2918
2919 \bidi@newrobustcmd{\bidi@appto}[2]{%
2920   \if@bidi@undef{#1}
2921     {\edef#1{\unexpanded{#2}}}
2922     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2923 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2924   \if@bidi@undef{#1}
2925     {\edef#1{#2}}
2926     {\edef#1{\bidi@expandonce#1#2}}}
2927 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2928   \if@bidi@undef{#1}

```



```

2929     {\xdef#1{\unexpanded{#2}}}
2930     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2931 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2932   \if@bidi@undef{#1}
2933     {\xdef#1{#2}}
2934     {\xdef#1{\bidi@expandonce#1#2}}}
2935
2936 \bidi@newrobustcmd*\{\bidi@protected@eappto\}{\bidi@protected\bidi@eappto}
2937 \bidi@newrobustcmd*\{\bidi@protected@xappto\}{\bidi@protected\bidi@xappto}
2938
2939
2940
2941 \bidi@newrobustcmd{\bidi@preto}[2]{%
2942   \if@bidi@undef{#1}
2943     {\edef#1{\unexpanded{#2}}}
2944     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2945 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2946   \if@bidi@undef{#1}
2947     {\edef#1{#2}}
2948     {\edef#1{#2\bidi@expandonce#1}}}
2949 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2950   \if@bidi@undef{#1}
2951     {\xdef#1{\unexpanded{#2}}}
2952     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2953 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2954   \if@bidi@undef{#1}
2955     {\xdef#1{#2}}
2956     {\xdef#1{#2\bidi@expandonce#1}}}
2957
2958 \bidi@newrobustcmd*\{\bidi@protected@epreto\}{\bidi@protected\bidi@epreto}
2959 \bidi@newrobustcmd*\{\bidi@protected@xpreto\}{\bidi@protected\bidi@xpreto}
2960
2961
2962
2963 \bidi@newrobustcmd*\{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2964 \bidi@newrobustcmd*\{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2965 \bidi@newrobustcmd*\{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
2966 \bidi@newrobustcmd*\{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2967 \bidi@newrobustcmd*\{\bidi@protected@cseappto\}{\bidi@protected\bidi@cseappto}
2968 \bidi@newrobustcmd*\{\bidi@protected@csxappto\}{\bidi@protected\bidi@csxappto}
2969
2970
2971
2972 \bidi@newrobustcmd*\{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
2973 \bidi@newrobustcmd*\{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2974 \bidi@newrobustcmd*\{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2975 \bidi@newrobustcmd*\{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2976 \bidi@newrobustcmd*\{\bidi@protected@csepreto\}{\bidi@protected\bidi@csepreto}
2977 \bidi@newrobustcmd*\{\bidi@protected@csxpreto\}{\bidi@protected\bidi@csxpreto}
2978

```



```

2979
2980 \bidi@newrobustcmd{\if@bidi@patchable}{%
2981   \bidi@dbg@trce\if@bidi@patchable
2982   \begingroup
2983   \makeother\#%
2984   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2985
2986
2987 \long\def\bidi@ifpatchable#1#2{%
2988   \endgroup
2989   \bidi@dbg@init#1%
2990   \if@bidi@undef{#1}
2991     {\bidi@dbg@fail{def}\@secondoftwo}
2992     {\bidi@dbg@info{def}\%
2993      \if@bidi@defmacro{#1}
2994        {\bidi@dbg@info{mac}\%
2995         \bidi@ifscanable{#1}
2996           {\bidi@ifhashcheck{#2}
2997             {\bidi@dbg@info{tok}\%
2998               \bidi@ifpattern{#1}{#2}
2999                 {\bidi@dbg@info{pat}\%
3000                   \bidi@dbg@info{pos}\@firstoftwo}
3001                   {\bidi@dbg@fail{pat}\@secondoftwo}}
3002                 {\bidi@dbg@fail{hsh}\@secondoftwo}}
3003               {\bidi@dbg@fail{tok}\@secondoftwo}}
3004             {\bidi@dbg@fail{mac}\@secondoftwo}}}
3005
3006 \long\def\bidi@ifpatchable@i#1{%
3007   \endgroup
3008   \bidi@dbg@init#1%
3009   \if@bidi@undef{#1}
3010     {\bidi@dbg@fail{def}\@secondoftwo}
3011     {\bidi@dbg@info{def}\%
3012       \if@bidi@defmacro{#1}
3013         {\bidi@dbg@info{mac}\%
3014          \if@bidi@defparam{#1}
3015            {\bidi@dbg@info{prm}\%
3016              \bidi@ifscanable{#1}
3017                {\bidi@dbg@info{tok}\%
3018                  \bidi@dbg@info{pos}\@firstoftwo}
3019                  {\bidi@dbg@fail{tok}\@secondoftwo}}
3020                {\bidi@dbg@info{pr1}\%
3021                  \if@bidi@defprotected{#1}
3022                    {\bidi@dbg@info{pro}\%
3023                      {}%
3024                      \bidi@dbg@info{pos}\@firstoftwo}
3025                    {\bidi@dbg@fail{mac}\@secondoftwo}}}
3026
3027 \bidi@newrobustcmd*{\bidi@patchcmd}{%
3028   \bidi@dbg@trce\bidi@patchcmd

```



```

3029 \begingroup
3030 \@makeother\#%
3031 \bidi@@patchcmd}
3032
3033 \newcommand{\bidi@@patchcmd}[4] [#####1]{%
3034   \bidi@ifpatchable#2{#3}%
3035   {\bidi@dbg@succ{ret}%
3036     \begingroup
3037     \edef\bidi@resrvda{%
3038       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
3039         #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
3040       \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
3041         ####1\detokenize{#4}####2}%
3042       \edef\noexpand\bidi@resrvda{%
3043         \noexpand\bidi@resrvda\meaning#2&}}%
3044     \bidi@resrvda
3045     \bidi@patchcmd@scantoks\bidi@resrvda
3046     \let#2\bidi@resrvda
3047     \bidi@undef\bidi@resrvda
3048     \@firstoftwo
3049     {\@secondoftwo}}
3050
3051 \def\bidi@patchcmd@scantoks#1{%
3052   \edef\bidi@resrvda{\endgroup
3053   \unexpanded{\makeatletter\scantokens}{#1}%
3054   \catcode\number`@=\the\catcode`\@relax}%
3055 \bidi@resrvda}
3056
3057 \newcommand\bidi@isloaded[2][]{%
3058   \expandafter\ifx\csname if@\bidi@#2loaded@\endcsname\relax
3059     \expandafter\newif\csname if@\bidi@#2loaded@\endcsname
3060   \fi
3061   \@ifpackageloaded{#2}%
3062   {(\csname @bidi@#2loaded@true\endcsname #1}%
3063   {(\csname @bidi@#2loaded@false\endcsname)}%
3064
3065 \protected\def\bidi@ifscanable#1{%
3066   \begingroup
3067   \edef\bidi@resrvda{%
3068     \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
3069       ####1\def\string\bidi@resrvda####2{####3}}%
3070     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
3071   \bidi@resrvda
3072   \makeatletter
3073   \scantokens\expandafter{\bidi@resrvda}%
3074   \expandafter\endgroup\ifx#1\bidi@resrvda
3075     \expandafter\@firstoftwo
3076   \else
3077     \expandafter\@secondoftwo
3078   \fi}

```



```

3079
3080
3081 \protected\long\def\bidi@ifhashcheck#1{%
3082   \begingroup
3083   \edef\bidi@resrvda{\detokenize{#1}}%
3084   \expandafter\endgroup
3085   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
3086
3087 \edef\bidi@ifhashcheck@i#1{%
3088   \noexpand\expandafter
3089   \noexpand\bidi@ifhashcheck@ii
3090   \noexpand\strip@prefix#1\string#\string##&}
3091
3092 \edef\bidi@ifhashcheck@ii{%
3093   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string####2&}
3094 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}
3095
3096
3097 \protected\long\def\bidi@ifpattern#1#2{%
3098   \begingroup
3099   \edef\bidi@resrvda{%
3100     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
3101       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
3102     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
3103       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
3104   \noexpand\bidi@resrvda
3105   \bidi@resrvda\@secondoftwo\@firstoftwo}
3106
3107
3108 \newcommand{\if@bidi@defparam}{}
3109 \long\edef\if@bidi@defparam#1{%
3110   \noexpand\expandafter\expandafter\noexpand\bidi@ifdefparam
3111   \noexpand\meaning#1\detokenize{macro}:->&}
3112 \edef\bidi@ifdefparam{%
3113   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
3114 \bidi@ifdefparam{\bidi@notblank{#2}}
3115
3116
3117 \newcommand{\if@bidi@defprotected}{}
3118 \long\edef\if@bidi@defprotected#1{%
3119   \noexpand\expandafter\expandafter\noexpand\bidi@ifdefprotected
3120   \noexpand\meaning#1\string\protected&}
3121 \edef\bidi@ifdefprotected{%
3122   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
3123 \bidi@ifdefprotected{\bidi@notblank{#2}}
3124
3125
3126 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
3127
3128 \let\bidi@dbg@trace\@gobble

```



```

3129 \let\bidi@dbg@init@gobble
3130 \let\bidi@dbg@info@gobble
3131 \let\bidi@dbg@succ@gobble
3132 \let\bidi@dbg@fail@gobble
3133
3134
3135
3136 \bidi@newrobustcmd*\{\bidi@apptocmd\}%
3137   \bidi@dbg@trce\bidi@apptocmd
3138   \begingroup
3139   \makeother\#%
3140   \bidi@hooktocmd\bidi@append}
3141
3142
3143
3144 \bidi@newrobustcmd*\{\bidi@pretocmd\}%
3145   \bidi@dbg@trce\bidi@pretocmd
3146   \begingroup
3147   \makeother\#%
3148   \bidi@hooktocmd\bidi@prepend}
3149
3150 \long\def\bidi@hooktocmd#1#2#3{%
3151   \endgroup
3152   \bidi@dbg@init#2%
3153   \if@bidi@undef{#2}
3154     {\bidi@dbg@fail{def}\@secondoftwo}
3155     {\bidi@dbg@info{def}\%
3156       \if@bidi@defmacro{#2}
3157         {\bidi@dbg@info{mac}\%
3158           \if@bidi@defparam{#2}
3159             {\bidi@dbg@info{prm}\%
3160               \bidi@ifscanable{#2}
3161                 {\bidi@ifhashcheck{#3}
3162                   {\bidi@dbg@info{tok}\%
3163                     \bidi@dbg@succ{ret}\%
3164                     \bidi@hooktocmd@i#1#2{#3}\%
3165                     \@firstoftwo}
3166                     {\bidi@dbg@fail{hsh}\@secondoftwo}}
3167                   {\bidi@dbg@fail{tok}\@secondoftwo}}
3168                 {\bidi@dbg@info{pr1}\%
3169                   \if@bidi@defprotected{#2}
3170                     {\bidi@dbg@info{pro}\%
3171                       \bidi@dbg@succ{red}\%
3172                         \protected}
3173                         {\bidi@dbg@succ{red}\%}
3174                         \edef#2{\bidi@expandonce#2}{\unexpanded{#3}}\%
3175                         \@firstoftwo}
3176                   {\bidi@dbg@fail{mac}\@secondoftwo}}}
3177
3178 \long\def\bidi@hooktocmd@i#1#2#3{%

```



```

3179 \begingroup
3180 \edef\bidi@resrvda{%
3181   \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
3182     ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
3183   \edef\noexpand\bidi@resrvda{%
3184     \noexpand\bidi@resrvda\meaning#2&}}%
3185 \bidi@resrvda
3186 \bidi@patchcmd\scantoks\bidi@resrvda
3187 \let#2\bidi@resrvda
3188 \bidi@undef\bidi@resrvda}
3189
3190 \long\def\bidi@append#1#2{#1#2}
3191 \long\def\bidi@prepend#1#2{#2#1}
3192
3193 \bidi@newrobustcmd*\{\bidi@AtEndPreamble\}{\bidi@gappto\bidi@endpreamblehook}
3194 \newcommand*\{\bidi@endpreamblehook}\{}%
3195
3196 \bidi@preto\document{%
3197   \endgroup
3198   \let\bidi@AtEndPreamble\@firstofone
3199   \bidi@endpreamblehook
3200   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
3201   \bidi@undef\bidi@endpreamblehook
3202   \begingroup}
3203
3204 \bidi@newrobustcmd*\{\bidi@AfterPreamble\}{\AtBeginDocument}
3205 \bidi@AtEndPreamble\{\let\bidi@AfterPreamble\@firstofone\}
3206
3207 \bidi@newrobustcmd*\{\bidi@AfterEndPreamble\}{\bidi@gappto\bidi@afterendpreamblehook}
3208 \newcommand*\{\bidi@afterendpreamblehook}\{}%
3209
3210 \bidi@appto\document{%
3211   \let\bidi@AfterEndPreamble\@firstofone
3212   \bidi@afterendpreamblehook
3213   \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
3214   \bidi@undef\bidi@afterendpreamblehook
3215   \ignorespaces}
3216
3217 \AtEndDocument\{\let\bidi@AfterEndPreamble\@gobble\}
3218
3219 \bidi@newrobustcmd*\{\bidi@AfterEndDocument\}{\bidi@gappto\bidi@afterenddocumenthook}
3220 \newcommand*\{\bidi@afterenddocumenthook}\{}%
3221
3222 \bidi@patchcmd\enddocument
3223   {\deadcycles}
3224   {\let\bidi@AfterEndDocument\@firstofone
3225     \bidi@afterenddocumenthook
3226     \deadcycles}
3227   {}
3228   {\let\bidi@@end\@end

```



```

3229     \def\@@end{%
3230         \let\bidi@AfterEndDocument\@firstofone
3231         \bidi@afterenddocumenthook
3232         \bidi@@end}%
3233
3234 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
3235     \bidi@csgappto{@bidi@begin@#1@hook}}%
3236
3237 \bidi@patchcmd\begin
3238     {\csname #1\endcsname}
3239     {\bidi@csuse{@bidi@begin@#1@hook}%
3240     \csname #1\endcsname}%
3241     {}%
3242     {\bidi@warning{%
3243         Patching '\string\begin' failed!\MessageBreak
3244         '\string\bidi@AtBeginEnvironment' will not work\gobble}%
3245
3246
3247
3248 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
3249     \bidi@csgappto{@bidi@end@#1@hook}}%
3250
3251 \bidi@patchcmd\end
3252     {\csname end#1\endcsname}
3253     {\bidi@csuse{@bidi@end@#1@hook}%
3254     \csname end#1\endcsname}%
3255     {}%
3256     {\bidi@warning{%
3257         Patching '\string\end' failed!\MessageBreak
3258         '\string\bidi@AtEndEnvironment' will not work\gobble}%
3259
3260
3261
3262 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
3263     \bidi@csgappto{@bidi@beforebegin@#1@hook}}%
3264
3265 \bidi@pretocmd\begin
3266     {\bidi@csuse{@bidi@beforebegin@#1@hook}}%
3267     {}%
3268     {\bidi@warning{%
3269         Patching '\string\begin' failed!\MessageBreak
3270         '\string\bidi@BeforeBeginEnvironment' will not work\gobble}%
3271
3272
3273
3274 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
3275     \bidi@csgappto{@bidi@afterend@#1@hook}}%
3276
3277 \bidi@patchcmd\end
3278     {\if@ignore}

```



```

3279  {\bidi@csuse{@bidi@afterend@#1@hook}%
3280  \if@ignore}
3281  {}
3282  {\bidi@warning{%
3283      Patching '\string\end' failed!\MessageBreak
3284      '\string\bidi@AfterEndEnvironment' will not work@gobble}%
3285
3286 \CheckCommand{\InputIfFileExists}[2]{%
3287  \IffileExists{#1}%
3288      {#2\@addtolist{#1}\@input \@filef@und}%
3289
3290 \renewcommand{\InputIfFileExists}[2]{%
3291  \begingroup\expandafter\expandafter\expandafter\endgroup
3292  \expandafter\ifx\csname #1-\bidi@alias\endcsname\relax
3293  \expandafter\@secondoftwo
3294  \else
3295      \bidi@replacefile@msg{\csname #1-\bidi@alias\endcsname}{#1}%
3296      \expandafter\@firstoftwo
3297  \fi
3298  {%
3299      \expandafter\InputIfFileExists\expandafter{\csname
3300          #1-\bidi@alias\endcsname}{#2}%
3301  }%
3302  {\IfFileExists{#1}{%
3303      \bidi@load@hook{before}{#1}%
3304      #2\@addtolist{#1}%
3305      \@input \@filef@und
3306      \bidi@load@hook{after}{#1}%
3307  }%
3308 }
3309
3310 \newcommand*\bidi@loadwithoptions{}%
3311 \newcommand*\bidi@loadwithoptions{}%
3312 \let\bidi@loadwithoptions\loadwithoptions
3313
3314 \renewcommand*\loadwithoptions[3]{%
3315  \begingroup\expandafter\expandafter\expandafter\endgroup
3316  \expandafter\ifx\csname #3.#1-\bidi@aliasname\endcsname\relax
3317  \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
3318  \else
3319      \bidi@replacefile@msg{\csname #3.#1-\bidi@aliasname\endcsname}{#1}{#3.#1}%
3320      \def\bidi@loadwithoptions{%
3321          \loadwithoptions{#1}{#2}{\csname #3.#1-\bidi@aliasname\endcsname}%
3322      }%
3323  \fi
3324  \bidi@loadwithoptions
3325 }
3326
3327 \newcommand*\bidi@onefilewithoptions{}%
3328 \let\bidi@onefilewithoptions\onefilewithoptions

```



```

3329 \def\@onefilewithoptions#1[#2] [#3]#4{%
3330   \begingroup\expandafter\expandafter\expandafter\endgroup
3331   \expandafter\ifx\csname #1.#4-\@bidi@aliasname\endcsname\relax
3332     \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
3333   \else
3334     \bidi@replacefile@msg{\csname #1.#4-\@bidi@aliasname\endcsname.#4}{#1.#4}%
3335     \edef\bidi@onefilewithoptions{%
3336       \noexpand\@onefilewithoptions{\csname #1.#4-\@bidi@aliasname\endcsname}}%
3337   \fi
3338 \bidi@onefilewithoptions[{-#2}][{-#3}]{#4}%
3339 \bidi@load@hook{lateafter}{#1.#4}%
3340 }
3341
3342 \newcommand*{\bidi@ReplaceInput}[2]{%
3343   \expandafter\edef\csname #1-\@bidi@alias\endcsname{#2}%
3344 }
3345
3346 \newcommand*{\bidi@UnReplaceInput}[1]{%
3347   \ifcsname #1-\@bidi@alias\endcsname
3348     \expandafter\let\csname #1-\@bidi@alias\endcsname\relax
3349   \fi
3350 }
3351
3352 \newcommand*{\@bidi@replacefilewithext}[3]{%
3353   \expandafter\edef\csname #1.#3-\@bidi@aliasname\endcsname{#2}%
3354 }
3355 \newcommand*{\bidi@ReplacePackage}[2]{%
3356   \@bidi@replacefilewithext{#1}{#2}\@pkgextension
3357 }
3358 \newcommand*{\bidi@ReplaceClass}[2]{%
3359   \@bidi@replacefilewithext{#1}{#2}\@clsextension
3360 }
3361 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
3362   \ifcsname #1.#2-\@bidi@aliasname\endcsname
3363     \expandafter\let\csname #1.#2-\@bidi@aliasname\endcsname\relax
3364   \fi
3365 }
3366 \newcommand*{\bidi@UnReplacePackage}[1]{%
3367   \@bidi@unreplacefilewithext{#1}\@pkgextension
3368 }
3369 \newcommand*{\bidi@UnReplaceClass}[1]{%
3370   \@bidi@unreplacefilewithext{#1}\@clsextension
3371 }
3372 \newcommand*{\bidi@replacefile@msg}[2]{%
3373   \PackageInfo{biditools}{inputting `#1' instead of `#2'}%
3374 }
3375
3376 \newcommand*{\bidi@load@hook}[2]{%
3377   \@ifundefined{#2-\@#1}{}{%
3378     \@nameuse{#2-\@#1}%

```



```

3379      \expandafter\let\csname #2-\#1\endcsname=\relax}
3380 \newcommand*{\bidi@set@load@hook}[2]{%
3381   \@ifundefined{#2-\#1}{\@namedef{#2-\#1}{}{}}{%
3382     \expandafter\g@addto@macro\csname #2-\#1\endcsname}%
3383 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}%
3384 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}%
3385 \newcommand*{\bidi@BeforeClass}[1]{%
3386   \bidi@set@load@hook{before}{\#1.\@clsextension}}%
3387 \newcommand*{\bidi@AfterClass}{%
3388   \@ifstar {\@s@bidi@AfterClass}{%
3389     \@ifnextchar +\@@bidi@AfterClass{%
3390       \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
3391     }%
3392   }%
3393 }%
3394 \newcommand*{\@@@bidi@AfterClass}[2]{%
3395   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3396     \aftergroup\@s@bidi@AfterClass
3397   \else
3398     \aftergroup\bidi@AfterAtEndOfClass
3399   \fi
3400   \endgroup{#2}%
3401 }%
3402 }%
3403 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
3404   \bidi@set@load@hook{lateafter}{\#1.\@clsextension}}%
3405 \newcommand*{\@@bidi@AfterClass}[2]{%
3406   \begingroup
3407     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3408       \aftergroup\@s@bidi@AfterClass
3409     \else
3410       \aftergroup\@bidi@AfterClass
3411     \fi
3412   \endgroup{#2}%
3413 }%
3414 }%
3415 \newcommand*{\@bidi@AfterClass}[1]{%
3416   \bidi@set@load@hook{after}{\#1.\@clsextension}}%
3417 \newcommand*{\@s@bidi@AfterClass}[1]{%
3418   \begingroup
3419     \ifclassloaded{\#1}{%
3420       \aftergroup\@secondoftwo
3421     }{%
3422       \aftergroup\@bidi@AfterClass
3423     }%
3424   \endgroup
3425   {\#1}%
3426 }%
3427 }%
3428

```



```

3429
3430 \newcommand*{\bidi@BeforePackage}[1]{%
3431   \bidi@set@load@hook{before}{\#1.\@pkgextension}}
3432 \newcommand*{\bidi@AfterPackage}[1]{%
3433   \@ifstar {\@s@bidi@AfterPackage}{%
3434     \@ifnextchar +{\@bidi@AfterPackage}{%
3435       \@ifnextchar !{\@bidi@AfterPackage\@bidi@AfterPackage}%
3436     }%
3437   }%
3438 }
3439 \newcommand*{\@@@bidi@AfterPackage}[2]{%
3440   \begingroup\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
3441     \aftergroup\@s@bidi@AfterPackage
3442   \else
3443     \aftergroup\bidi@AfterAtEndOfPackage
3444   \fi
3445   \endgroup{#2}%
3446 }
3447 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
3448   \bidi@set@load@hook{lateafter}{\#1.\@pkgextension}}
3449 \newcommand*{\@@@bidi@AfterPackage}[2]{%
3450   \begingroup
3451     \expandafter\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
3452       \aftergroup\@s@bidi@AfterPackage
3453     \else
3454       \aftergroup\@bidi@AfterPackage
3455     \fi
3456   \endgroup{#2}%
3457 }
3458 \newcommand*{\@bidi@AfterPackage}[1]{%
3459   \bidi@set@load@hook{after}{\#1.\@pkgextension}}
3460 \newcommand*{\@s@bidi@AfterPackage}[1]{%
3461   \begingroup
3462     \@ifpackageloaded{\#1}{%
3463       \aftergroup\@secondoftwo
3464     }{%
3465       \aftergroup\@bidi@AfterPackage
3466     }%
3467   \endgroup
3468   {#1}%
3469 }
3470 \newcommand*{\bidi@excludedpackages}{}%
3471 \let\bidi@excludedpackages\empty
3472 \newcommand*{\bidi@saved@RequirePackage}{}%
3473 \newcommand*{\bidi@PreventPackageFromLoading}{}%
3474 \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}{%
3475   \{@bidi@PreventPackageFromLoading\PackageWarning}%
3476 }%
3477 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
3478 }
```



```

3479  \@ifnextchar []
3480    { \@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}%
3481 }
3482 \newcommand*{\@@bidi@PreventPackageFromLoading}{}%
3483
3484 \def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
3485   \edef\reserved@b{\zap@space#3 \empty}%
3486   \ifx \reserved@b\empty
3487     #1{biditools}{%
3488       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
3489       argument ignored%
3490     }%
3491   \else
3492     \ifx\bidi@excludedpackages\empty
3493       \let\bidi@saved@RequirePackage\RequirePackage
3494       \let\RequirePackage\bidi@RequirePackage
3495       \def\reserved@a##1##{%
3496         \@latex@error
3497         {\noexpand \usepackage before \string\documentclass}%
3498         {\noexpand \usepackage may only appear in the document
3499           preamble, i.e.,\MessageBreak
3500           between \noexpand\documentclass and
3501           \string\begin{document}.}%
3502       }%
3503       \ifx\reserved@a\usepackage\else
3504         \ifx\usepackage\bidi@saved@RequirePackage\else
3505           \PackageWarning{biditools}{%
3506             Maybe serious problem: unexpected definition of\MessageBreak
3507             \string\usepackage
3508           }%
3509         \fi
3510         \let\usepackage\RequirePackage
3511       \fi
3512     \fi
3513     \expandafter\for \expandafter\reserved@a\expandafter:\expandafter=%
3514     \reserved@b\do {%
3515       \ifx\reserved@a\empty
3516         #1{biditools}{%
3517           empty package argument for
3518           \string\bidi@PreventPackageFromLoading\MessageBreak
3519           ignored%
3520         }%
3521       \else
3522         \expandafter\ifpackageloaded\expandafter{\reserved@a}{%
3523           #1{biditools}{%
3524             package ` \reserved@a' already loaded.\MessageBreak
3525             Cannot prevent it from being loaded%
3526           }%
3527         }{%
3528           \edef\bidi@excludedpackages{\bidi@excludedpackages,%

```



```

3529             \reserved@a}%
3530     \if\relax\detokenize{#2}\relax\else
3531         \@ifndef{\bidi@exclude@package@\reserved@a \do}{%
3532             \@namedef{\bidi@exclude@package@\reserved@a \do}{%}
3533         }{%
3534             \expandafter\def
3535                 \csname \bidi@exclude@package@\reserved@a
3536                     \do\expandafter\expandafter\expandafter\endcsname
3537                     \expandafter\expandafter\expandafter{%
3538                         \csname \bidi@exclude@package@\reserved@a \do\endcsname
3539                         #2%
3540                     }%
3541             \fi
3542         }%
3543         \fi
3544     }%
3545     \ifx\bidi@excludedpackages\empty
3546         \bidi@ResetPreventPackageFromLoading
3547     \fi
3548 \fi
3549 }
3550
3551 \@onlypreamble\bidi@PreventPackageFromLoading
3552 \newcommand*\bidi@ResetPreventPackageFromLoading}{%
3553     \let\bidi@excludedpackages\empty
3554     \ifx\RequirePackage\bidi@RequirePackage
3555         \ifx\usepackage\RequirePackage
3556             \let\usepackage\bidi@saved@RequirePackage
3557         \fi
3558         \let\RequirePackage\bidi@saved@RequirePackage
3559     \fi
3560 }
3561 \@onlypreamble\bidi@ResetPreventPackageFromLoading
3562 \newcommand*\bidi@StorePreventPackageFromLoading}[1]{%
3563     \let#1\bidi@excludedpackages
3564 }
3565 \@onlypreamble\bidi@StorePreventPackageFromLoading
3566 \newcommand*\bidi@UnPreventPackageFromLoading}{%
3567     \@ifstar {\@tempswatrue\bidi@UnPreventPackageFromLoading}%
3568         {\@tempswafalse\bidi@UnPreventPackageFromLoading}%
3569 }
3570
3571 \newcommand*\bidi@UnPreventPackageFromLoading}[1]{%
3572     \edef\reserved@b{\zap@space#1 \empty}%
3573     \if@tempswa
3574         \for\reserved@a:=\reserved@b\do {%
3575             \ifx\reserved@a\empty \else
3576                 \ifcsname \bidi@exclude@package@\reserved@a \do\endcsname
3577                     \expandafter\let
3578                         \csname \bidi@exclude@package@\reserved@a \do\endcsname

```



```

3579          \undefined
3580          \fi
3581          \fi
3582      }%
3583  \fi
3584  \ifcsname bidi@excludedpackages\endcsname
3585      \let\reserved@a\bidi@excludedpackages
3586      \let\bidi@excludedpackages\empty
3587      \expandafter\@for\expandafter\reserved@c
3588      \expandafter:\expandafter=\reserved@a
3589      \do{%
3590          \ifx\reserved@c\empty\else
3591              \expandtwoargs\in{\, ,\reserved@c}{, \reserved@b}%
3592              \ifin@%
3593              \else
3594                  \edef\bidi@excludedpackages{%
3595                      \bidi@excludedpackages,\reserved@c
3596                  }%
3597              \fi
3598          \fi
3599      }%
3600      \ifx\bidi@excludedpackages\empty\bidi@ResetPreventPackageFromLoading\fi
3601  \fi
3602 }
3603
3604
3605 \newcommand*{\bidi@RequirePackage}[2] []{%
3606     \let\reserved@c\empty
3607     \let\reserved@d\empty
3608     \edef\reserved@b{\zap@space#2 \empty}%
3609     \expandafter\@for\expandafter\reserved@c\expandafter:\expandafter=\reserved@c
3610     \do{%
3611         \begin{group}
3612             \tempswatru
3613             \for\reserved@a:=\bidi@excludedpackages\do{%
3614                 \ifx\reserved@a\reserved@b
3615                     \tempswafalse
3616                 \fi
3617             }%
3618             \if@tempswa
3619                 \xdef\reserved@c{\reserved@c,\reserved@b}%
3620             \else
3621                 \ifx\reserved@c\empty\else
3622                     \PackageInfo{biditools}{Excluding package ` \reserved@c '\MessageBreak
3623                         from loading}%
3624                     \ifundefined{\bidi@exclude@package@\reserved@c}{%
3625                         }{%
3626                             \expandafter\g@addto@macro\expandafter\reserved@c
3627                             \csname bidi@exclude@package@\reserved@c \do\endcsname
3628                         }%

```



```

3629      \fi
3630      \fi
3631      \endgroup
3632  }%
3633  \ifx\reserved@c\empty
3634    \let\reserved@a\bidi@gobbleopt
3635  \else
3636    \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
3637      \expandafter\gobble\reserved@c\empty} }%
3638  \fi
3639  \expandafter\reserved@d
3640  \reserved@a
3641 }
3642
3643 \newcommand{\bidi@gobbleopt}[1] []
3644 \AtEndDocument{%
3645   \let\bidi@saved@checkend=\@checkend
3646   \renewcommand*{\@checkend}[1]{%
3647     \def\reserved@a{\#1}\def\reserved@b{document}%
3648     \bidi@saved@checkend{\#1}%
3649     \ifx\reserved@a\reserved@b
3650       \let\bidi@saved@clearpage=\clearpage
3651       \renewcommand*{\clearpage}{\bidi@saved@clearpage
3652         \bidi@hook@bcma
3653         \bidi@restore@newpage
3654         \let\clearpage=\bidi@saved@clearpage}%
3655     \fi%
3656     \let\bidi@saved@dofilelist@\dofilelist
3657     \def@\dofilelist{%
3658       \bidi@hook@acma
3659       \let@\dofilelist\bidi@saved@dofilelist
3660       \bidi@saved@dofilelist
3661     }%
3662   }%
3663 }
3664
3665
3666 \newcommand*{\bidi@saved@checkend}{}%
3667 \newcommand*{\bidi@saved@dofilelist}{}%
3668 \newcommand*{\bidi@redefine@newpage}{}%
3669   \let\bidi@saved@newpage\newpage
3670   \def\bidi@restore@newpage{%
3671     \renewcommand*{\newpage}{%
3672       \PackageWarningNoLine{%
3673         bidi@tools}%
3674     }%
3675     \string\newpage\space at main aux file!\MessageBreak
3676     You have output material at the main aux file.\MessageBreak
3677     Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
3678     are processed before the output from aux file%

```



```

3679      }%
3680      \let\newpage\bidi@saved@newpage
3681      \newpage
3682      }%
3683  }%
3684  \renewcommand*{\newpage}{%
3685      \PackageError{%
3686          biditools%
3687      }{%
3688          \string\newpage\space at \string\bidi@BeforeClosingMainAux
3689      }{%
3690          You should never use \string\newpage\space or
3691          \string\clear(double)page or other output material at the\MessageBreak
3692          argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
3693          If you'll continue, the \string\newpage\space will be ignored to
3694          avoid corruption of\MessageBreak
3695          every prior use of \string\bidi@BeforeClosingMainAux.
3696      }%
3697  }%
3698 }
3699
3700 \newcommand*{\bidi@restore@newpage}{}%
3701 \newcommand*{\bidi@hook@bcma}{}%
3702 \newcommand*{\bidi@hook@acma}{}%
3703 \newcommand*{\bidi@BeforeClosingMainAux}{%
3704     \ifx\bidi@hook@bcma\empty
3705         \gdef\bidi@hook@bcma{%
3706             \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
3707             \let\protected@write\bidi@protected@immediate@write
3708             \bidi@ redefine@newpage
3709         }%
3710     \fi
3711     \g@addto@macro\bidi@hook@bcma%
3712 }
3713
3714 \newcommand*{\bidi@AfterReadingMainAux}{%
3715     \ifx\bidi@hook@acma\empty
3716         \gdef\bidi@hook@acma{%
3717             \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
3718             \let\protected@write\bidi@protected@immediate@write
3719         }%
3720     \fi
3721     \g@addto@macro\bidi@hook@acma%
3722 }
3723
3724 \long\def\bidi@protected@immediate@write#1#2#3{%
3725     \begingroup
3726     #2%
3727     \let\protect\@unexpandable@protect
3728     \edef\reserved@a{\immediate\write#1{#3}}%

```



```

3729     \reserved@a
3730     \endgroup
3731     \if@nobreak\ifvmode\nobreak\fi\fi
3732 }
3733 \def\bidi@patch@counter{0}%
3734 \if@bidi@csundef{numexpr}{%
3735   \def\bidi@patch@stepcounter{%
3736     \begin{group}
3737       \count@\bidi@patch@counter\relax
3738       \advance\count@\@ne\relax
3739       \edef\x{\endgroup
3740         \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
3741       }%
3742       \x
3743     }%
3744   }{%
3745 }{%
3746   \def\bidi@patch@stepcounter{%
3747     \edef\bidi@patch@counter{%
3748       \the\numexpr\bidi@patch@counter+\@ne\relax
3749     }%
3750   }%
3751 }
3752 \def\bidi@patch@list{}%
3753 \def\bidi@patch@Add{%
3754   \bidi@appto\bidi@patch@list
3755 }%
3756 \def\bidi@patch@AfterPackage#1{%
3757   \@ifpackageloaded{#1}{%
3758     \@firstofone
3759   }{%
3760     \bidi@patch@AfterPackage{#1}%
3761   }%
3762 }
3763 \def\bidi@patch@AfterPackage#1{%
3764   \edef\bidi@patch@temp{#1}%
3765   \bidi@patch@stepcounter
3766   \expandafter\bidi@patch@@AfterPackage
3767   \csname bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
3768     \bidi@patch@temp
3769   }%
3770 }
3771 \def\bidi@patch@@AfterPackage#1#2#3{%
3772   \begin{group}
3773     \toks@{#3}%
3774     \xdef\bidi@patch@gtemp{%
3775       \noexpand\@ifpackageloaded{#2}{%
3776         \noexpand\let\noexpand#1\noexpand\relax
3777         \the\toks@
3778       }{%

```



```

3779      }%
3780  \endgroup
3781  \let#1\bidi@patch@gtemp
3782  \bidi@patch@Add#1%
3783  \bidi@patch@try{\bidi@AfterPackage}{#2}#1%
3784 }
3785
3786 \def\bidi@patch@try#1#2#3{%
3787   \if@bidi@csundefined{#1}{}{%
3788     \csname #1\endcsname{#2}{#3}}%
3789   }%
3790 }
3791
3792 \AtBeginDocument{\bidi@patch@list}
3793
3794 \bidi@AtEndPreamble{\bidi@patch@list}%
3795
3796 \bidi@AfterEndPreamble{%
3797   \let\bidi@patch@OrgIfPackageLoaded@\ifpackageloaded
3798   \let\bidi@patch@OrgIfPackageLater@\ifpackagelater
3799   \let\bidi@patch@OrgIfClassLoaded@\ifclassloaded
3800   \let\bidi@patch@OrgIfClassLater@\ifclasslater
3801   \bidi@patch@list
3802   \let@\ifpackageloaded\bidi@patch@OrgIfPackageLoaded
3803   \let@\ifpackagelater\bidi@patch@OrgIfPackageLater
3804   \let@\ifclassloaded\bidi@patch@OrgIfClassLoaded
3805   \let@\ifclasslater\bidi@patch@OrgIfClassLater
3806 }%

```

7.22 bidituftefloat.sty

```

3807 \NeedsTeXFormat{LaTeX2e}
3808 \ProvidesPackage{bidituftefloat}[2011/06/14 v0.1
3809 bidi implementation of tufte float]
3810 \RequirePackage{xifthen}
3811 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
3812 \newcommand{\bidituftefloatError}[2]{\PackageError{@bidituftefloat@pkgname}{#1}{#2}}
3813 \newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\@bidituftefloat@infoNL}{#1}}
3814 \newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{@bidituftefloat@pkgname}{#1@\gobble}}
3815 \newboolean{@bidituftefloat@reversegeometry}
3816 \setboolean{@bidituftefloat@reversegeometry}{false}
3817 \DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
3818 \newboolean{@bidituftefloat@afourpaper}
3819 \DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
3820 \newboolean{@bidituftefloat@bfivepaper}
3821 \DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}
3822 \newboolean{@bidituftefloat@symmetric}
3823 \newboolean{@bidituftefloat@twoside}
3824 \DeclareOption{twoside}{%
3825 @twosidetrue \mparswitchtrue%

```



```

3826 \setboolean{@bidituftefloat@twoside}{true}%
3827 \setboolean{@bidituftefloat@symmetric}{true}%
3828 }
3829 \DeclareOption{oneside}{%
3830   \@twosidefalse \c@mparswitchfalse%
3831 \setboolean{@bidituftefloat@twoside}{false}%
3832 \setboolean{@bidituftefloat@symmetric}{false}%
3833 }
3834 \ifclassloaded{book}{\ExecuteOptions{twoside}{}}
3835 \newboolean{@bidituftefloat@debug}
3836 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect}
3837 \ProcessOptions
3838 %% Globally sets the length
3839 \newcommand*{\gsetlength}[2]{%
3840   \setlength{#1}{#2}%
3841   \global#1=#1\relax%
3842 }
3843
3844 %% Set the font sizes and baselines to match bidituftefloat's books
3845 \renewcommand\normalsize{%
3846   \c@setfontsize\normalsize\c@pt{14}%
3847   \abovedisplayskip 10\p@ \c@plus2\p@ \c@minus5\p@
3848   \abovedisplayshortskip \z@ \c@plus3\p@
3849   \belowdisplayshortskip 6\p@ \c@plus3\p@ \c@minus3\p@
3850   \belowdisplayskip \abovedisplayskip
3851   \let\@listi\@listI}
3852 \normalbaselineskip=14pt
3853 \normalsize
3854 \renewcommand\footnotesize{%
3855   \c@setfontsize\footnotesize\c@viiipt{10}%
3856   \abovedisplayskip 6\p@ \c@plus2\p@ \c@minus4\p@
3857   \abovedisplayshortskip \z@ \c@plus\p@
3858   \belowdisplayshortskip 3\p@ \c@plus\p@ \c@minus2\p@
3859   \def\@listi{\leftmargin\leftmargini
3860     \topsep 3\p@ \c@plus\p@ \c@minus\p@
3861     \parsep 2\p@ \c@plus\p@ \c@minus\p@
3862     \itemsep \parsep}%
3863   \belowdisplayskip \abovedisplayskip
3864 }
3865 %% Paragraph indentation and separation for marginal text
3866 \newcommand{\@bidituftefloat@margin@par}{%
3867   \setlength{\RaggedRightParindent}{0.5pc}%
3868   \setlength{\JustifyingParindent}{0.5pc}%
3869   \setlength{\parindent}{0.5pc}%
3870   \setlength{\parskip}{0pt}%
3871 }
3872 \RequirePackage{ragged2e}
3873 \ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
3874 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginpar]{fourier}}
3875 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}{%

```



```

3876   {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm,marginpar}
3877   {}}
3878 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
3879   {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm,
3880   {}}{%
3881 \RequirePackage[letterpaper, left=1in,top=1in,headsep=2\baselineskip, textwidth=26pc,marginpars
3882 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
3883   {\geometry{a4paper, left=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm,marginpars
3884   {}}
3885 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
3886   {\geometry{paperwidth=176mm,paperheight=250mm, left=14.66mm,top=13.88mm, textwidth=102.66mm,m
3887   {}}
3888 \ifthenelse{\boolean{@bidituftefloat@symmetric}}
3889   {}
3890   {\geometry{asymmetric}}% forces internal LaTeX `twoside'
3891 \setlength\marginparpush{10pt}
3892 %% Font for margin items
3893 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
3894 \newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
3895 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
3896 \newcommand{\@bidituftefloat@justification}{\justify}
3897 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
3898 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
3899 \newboolean{@bidituftefloat@changepage}
3900 \IfFileExists{changepage.sty}{%
3901   \bidituftefloatDebugInfoNL{Found changepage.sty}
3902   \RequirePackage[strict]{changepage}
3903   \setboolean{@bidituftefloat@changepage}{true}
3904 }{%
3905   \bidituftefloatDebugInfoNL{Found chngpage.sty}
3906   \RequirePackage[strict]{chngpage}
3907   \setboolean{@bidituftefloat@changepage}{false}
3908 }
3909 \newboolean{@bidituftefloat@odd@page}
3910 \setboolean{@bidituftefloat@odd@page}{true}
3911 \newcommand*{\@bidituftefloat@checkoddpage}{%
3912   \checkoddpage%
3913   \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
3914     \ifoddpage%
3915       \setboolean{@bidituftefloat@odd@page}{true}%
3916     \else%
3917       \setboolean{@bidituftefloat@odd@page}{false}%
3918     \fi%
3919   }{%
3920     \ifcpoddpage%
3921       \setboolean{@bidituftefloat@odd@page}{true}%
3922     \else%
3923       \setboolean{@bidituftefloat@odd@page}{false}%
3924     \fi%
3925   }%

```



```

3926 }
3927 \newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running head
3928 \newlength{\@bidituftefloat@fullwidth}
3929 \newlength{\@bidituftefloat@caption@fill}
3930 \newcommand{\@bidituftefloatRecalculate}{%
3931   \setlength{\@bidituftefloat@overhang}{\marginparwidth}
3932   \addtolength{\@bidituftefloat@overhang}{\marginparsep}
3933   \setlength{\@bidituftefloat@fullwidth}{\textwidth}
3934   \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
3935   \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
3936
3937   \setlength{\@bidituftefloat@caption@fill}{\textwidth}
3938   \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
3939 }
3940
3941 \AtBeginDocument{\@bidituftefloatRecalculate}
3942 \RequirePackage{optparams}% provides multiple optional arguments for commands
3943 \RequirePackage{placeins}
3944 \newsavebox{\@bidituftefloat@margin@floatbox}
3945 \newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]{%
3946   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in or
3947   \begin{lrbox}{\@bidituftefloat@margin@floatbox}}%
3948   \begin{minipage}{\marginparwidth}%
3949     \@bidituftefloat@caption@font%
3950     \def\@capttype{\#2}%
3951     \hbox{}\vspace*{\#1}%
3952     \@bidituftefloat@caption@justification%
3953     \@bidituftefloat@margin@par%
3954     \noindent%
3955   }%
3956   {\end{minipage}%
3957   \end{lrbox}%
3958   \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
3959 }
3960 \newenvironment{marginfigure}[1][-1.2ex]{%
3961   \begin{@bidituftefloat@margin@float}[#1]{figure}%
3962   \end{@bidituftefloat@margin@float}%
3963 \newenvironment{margintable}[1][-1.2ex]{%
3964   \begin{@bidituftefloat@margin@float}[#1]{table}%
3965   \end{@bidituftefloat@margin@float}%
3966 \newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%
3967
3968 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float
3969 \newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
3970   \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}{}}%
3971   {\def\@bidituftefloat@float@debug@info{\#1}}%
3972   {\g@addto@macro{\@bidituftefloat@float@debug@info{\MessageBreak\#1}}}%
3973 }
3974 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
3975 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{\#1}\@bidituftefloat@float@debug}

```



```

3976 \newboolean{@bidituftefloat@float@recto}
3977 \newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}@bidituftefloat}
3978 \newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}@bidituftefloat}
3979 \newsavebox{\@bidituftefloat@figure@box}
3980 \newsavebox{\@bidituftefloat@caption@box}
3981 \let \@bidituftefloat@orig@float \float
3982 \let \@bidituftefloat@orig@endfloat \end@float
3983 \newlength{\@bidituftefloat@caption@vertical@offset}
3984 \setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
3985 \newcommand{\@bidituftefloat@stored@shortcaption}{}
3986 \newcommand{\@bidituftefloat@stored@caption}{}
3987 \newcommand{\@bidituftefloat@stored@label}{}
3988 \long\def\@bidituftefloat@caption[#1] [#2]#3{%
3989   \ifthenelse{\isempty{#1}}{%
3990     {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
3991     {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
3992     \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}%
3993     \gdef\@bidituftefloat@stored@caption{#3}}%
3994 }%
3995 \newcommand{\@bidituftefloat@label}[1]{%
3996   \gdef\@bidituftefloat@stored@label{#1}}%
3997 }%
3998 \newcommand{\@bidituftefloat@fps}{}
3999 \newboolean{@bidituftefloat@float@star}
4000 \newlength{\@bidituftefloat@float@contents@width}
4001 \newenvironment{@bidituftefloat@float}[3][htbp]{%
4002   \% begin @bidituftefloat@float
4003   \% Should this float be full-width or just text-width?
4004   \ifthenelse{\equal{#3}{star}}{%
4005     {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
4006     {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
4007     \% Check page side (recto/verso) and store detected value -- can be overridden in environment
4008     \@bidituftefloat@checkoddpage%
4009     \ifthenelse{\boolean{@bidituftefloat@odd@page}}{%
4010       {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}@bidituftefloat@float@debug{Detec}
4011       {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}@bidituftefloat@float@debug{Dete
4012     \% If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
4013     \renewcommand{\@bidituftefloat@fps}{#1}%
4014     \@bidituftefloat@float@debug{Allowed positions: [#1]}%
4015     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}{%
4016       {\renewcommand{\floatalignment}{b}@bidituftefloat@float@debug{Presumed position: [bott
4017       {\renewcommand{\floatalignment}{t}@bidituftefloat@float@debug{Presumed position: [top]
4018     \% Capture the contents of the \caption and \label commands to use later
4019     \global\let \@bidituftefloat@orig@caption \caption%
4020     \global\let \@bidituftefloat@orig@label \label%
4021     \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[] [0pt]}}%
4022     \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
4023     \% Handle subfigure package compatibility
4024     \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
4025       \% don't move the label while inside a \subfigure or \subtable command

```



```

4026   \global\let\label\@bidituftefloat@orig@label%
4027 }{)% subfigure package is not loaded
4028 \@bidituftefloat@orig@float[#2][#1]%
4029 \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
4030   {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}{%
4031   {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}{%
4032 \begin{lrbox}{\@bidituftefloat@figure@box}%
4033   \begin{minipage}[floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
4034 }{ end @bidituftefloat@float
4035   \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% al
4036   \end{minipage}%
4037 \end{lrbox}%
4038 % build the caption box
4039 \begin{lrbox}{\@bidituftefloat@caption@box}%
4040   \begin{minipage}[floatalignment]{\marginparwidth}\hbox{}%
4041   \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}{\@bidituftefloat@orig@capt
4042   \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}{\@bidituftefloat@orig@label{%
4043     \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
4044   \end{minipage}%
4045 \end{lrbox}%
4046 % now typeset the stored boxes
4047 \begin{fullwidth}%
4048   \begin{minipage}[floatalignment]{\linewidth}%
4049   \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
4050     {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bidit
4051     {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidit
4052   \end{minipage}%
4053 \end{fullwidth}%
4054 \@bidituftefloat@orig@endfloat% end original LaTeX float environment
4055 % output debug info
4056 \ifthenelse{\boolean{@bidituftefloat@debug}}{%
4057   \typeout{^^J----- bidituftefloat package float information -----}%
4058   \ifthenelse{\equal{\@bidituftefloat@stored@label}{}{}}{%
4059     {\typeout{Warning: Float unlabeled!}}%
4060     {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
4061   \typeout{Page number: [\thepage]}%
4062   \def\MessageBreak{^^J}%
4063   \typeout{\@bidituftefloat@float@debug@info}%
4064   \ifthenelse{\boolean{@bidituffefloat@symmetric}}{%
4065     {\typeout{Symmetric: [true]}}%
4066     {\typeout{Symmetric: [false]}}%
4067   \typeout{-----^^J^^J}%
4068 }{%
4069 % reset commands and temp boxes and captions
4070 \gdef\@bidituftefloat@float@debug@info{}%
4071 \let\caption\@bidituftefloat@orig@caption%
4072 \let\label\@bidituftefloat@orig@label%
4073 \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
4074 \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
4075 \gdef\@bidituftefloat@stored@shortcaption{}%

```



```

4076   \gdef\@bidituftefloat@stored@caption{}%
4077   \gdef\@bidituftefloat@stored@label{}%
4078   \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
4079 }
4080 \newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
4081   \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
4082     % asymmetric or page is odd, so caption is on the right
4083     \hbox{%
4084       \usebox{#2}%
4085       \hspace{\marginparsep}%
4086       \smash{\raisebox{#1}{\usebox{#3}}}}%
4087   }{%
4088     \@bidituftefloat@float@debug{Caption position: [right]}%
4089   }% symmetric pages and page is even, so caption is on the left
4090   \hbox{%
4091     \smash{\raisebox{#1}{\usebox{#3}}}}%
4092     \hspace{\marginparsep}%
4093     \usebox{#2}%
4094   }%
4095   \@bidituftefloat@float@debug{Caption position: [left]}%
4096 }%
4097 }
4098 \newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
4099   \ifthenelse{\equal{\floatalignment}{b}}{%
4100     % place caption above figure
4101     \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
4102       \hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{%
4103         \smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{%
4104           \smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{%
4105             \smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{%
4106               \usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug{%
4107                 \usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{%
4108                   \usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{%
4109                 }%
4110       }%
4111       \renewenvironment{figure}[1][htbp]{%
4112         \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{figure}{}%
4113       }{%
4114         \end{@bidituftefloat@float}%
4115       }%
4116     }%
4117     \renewenvironment{table*}[1][htbp]{%
4118       \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{table}{}%
4119     }{%
4120       \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{figure}{star}%
4121     }%
4122   }%
4123   \newenvironment{fullwidth}{%
4124     \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4125       \ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{}{-\@bidituftefloat@overhang}}{%
4126         \begin{adjustwidth}{}{}{-\@bidituftefloat@overhang}}%
4127     }%
4128   }%

```



```

4126  }%
4127  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4128    {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth}}{\end{adjustwidth}}%
4129    {\end{adjustwidth}}}}%
4130  }
4131 \long\def\@caption#1[#2]#3{%
4132   \par%
4133   \addcontentsline{\csname ext@\#1\endcsname}{#1}%
4134   {\protect\numberline{\csname the\#1\endcsname}\ignorespaces #2}%
4135   \begingroup%
4136     \parboxrestore%
4137     \if@minipage%
4138       \setminipage%
4139     \fi%
4140     \bidituftefloat@caption@font\bidituftefloat@caption@justification%
4141     \noindent\csname fnum@\#1\endcsname: \ignorespaces#3\par%
4142     \%@\makecaption{\csname fnum@\#1\endcsname}\ignorespaces #3\par
4143   \endgroup%
4144 }%
4145 % Turns newlines into spaces. Based on code from the `titlesec' package.
4146 \DeclareRobustCommand{\biditufteheading@newlinetospace}{%
4147   \@ifstar{\biditufteheading@newlinetospace@i}{\biditufteheading@newlinetospace@i}{%
4148   }%
4149   \def\@biditufteheading@newlinetospace@i{%
4150     \ifdim\lastskip>\z@\else\space\fi
4151     \ignorespaces%
4152   }%
4153   \DeclareRobustCommand{\newlinetospace}[1]{%
4154     \let\@biditufteheading@orig@cr\% save the original meaning of \\
4155     \def\\{\@biditufteheading@newlinetospace}\% turn \\ and \\* into \space
4156     \let\newline\%\% turn \newline into \space
4157     #1%
4158     \let\\{\@biditufteheading@orig@cr}\% revert to original meaning of \\
4159   }%
4160   \RequirePackage{fancyhdr}%
4161   \pagestyle{fancy}%
4162   \AtBeginDocument{%
4163     \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4164       {\fancyhf[LE,RO]{\bidituftefloat@overhang}}%
4165       {\fancyhf[RE,RO]{\bidituftefloat@overhang}}%
4166     }%
4167     % The running heads/feet don't have rules
4168     \renewcommand{\headrulewidth}{0pt}%
4169     \renewcommand{\footrulewidth}{0pt}%
4170     % The 'fancy' page style is the default style for all pages.
4171     \fancyhf{} % clear header and footer fields
4172     \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4173       {\fancyhead[LE]{\thepage\quad\textsf{\newlinetospace{\plainauthor}}}}%
4174       {\fancyhead[RO]{\textsf{\newlinetospace{\plaintitle}}\quad\thepage}}%
4175       {\fancyhead[RE,RO]{\textsf{\newlinetospace{\plaintitle}}\quad\thepage}}%

```



```

4176 % The `plain' page style is used on chapter opening pages.
4177 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
4178 % bottom of pages -- the folios are unexpressed.
4179 \fancypagestyle{plain}%
4180   \fancyhf{} % clear header and footer fields
4181   % Uncomment the following five lines of code if you want the opening page
4182   % of the chapter to express the folio in the lower outside corner.
4183   % \ifthenelse{\boolean{@bidituftefloat@symmetric}}
4184   % {\fancyfoot[LE,RO]{\thepage}}
4185   % {\fancyfoot[RE,RO]{\thepage}}
4186 }
4187 % The `empty' page style suppresses all headers and footers.
4188 % It's used on title pages and `intentionally blank' pages.
4189 \fancypagestyle{empty}%
4190   \fancyhf{} % clear header and footer fields
4191 }
4192 \def\morefloats{\% provides a total of 52 floats
4193   \ifthenelse{\isundefined{\bx@S}}{\%
4194     \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
4195     \newinsert\bx@S
4196     \newinsert\bx@T
4197     \newinsert\bx@U
4198     \newinsert\bx@V
4199     \newinsert\bx@W
4200     \newinsert\bx@X
4201     \newinsert\bx@Y
4202     \newinsert\bx@Z
4203     \newinsert\bx@a
4204     \newinsert\bx@b
4205     \newinsert\bx@c
4206     \newinsert\bx@d
4207     \newinsert\bx@e
4208     \newinsert\bx@f
4209     \newinsert\bx@g
4210     \newinsert\bx@h
4211     \newinsert\bx@i
4212     \newinsert\bx@j
4213     \newinsert\bx@k
4214     \newinsert\bx@l
4215     \newinsert\bx@m
4216     \newinsert\bx@n
4217     \newinsert\bx@o
4218     \newinsert\bx@p
4219     \newinsert\bx@q
4220     \newinsert\bx@r
4221     \newinsert\bx@s
4222     \newinsert\bx@t
4223     \newinsert\bx@u
4224     \newinsert\bx@v
4225     \newinsert\bx@w

```



```

4226   \newinsert\bx@x
4227   \newinsert\bx@y
4228   \newinsert\bx@z
4229   \gdef@\freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4230           \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4231           \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4232           \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4233           \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4234           \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4235           \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4236           \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4237           \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4238           \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4239           \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4240           \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
4241 }{%
4242     % we've already added another 34 floats, so we'll add 26 more, but that's it!
4243     \ifthenelse{\isundefined{\bx@AA}}{%
4244         \bidoitufefloatDebugInfoNL{Adding 26 more float slots.}
4245         \newinsert\bx@AA
4246         \newinsert\bx@BB
4247         \newinsert\bx@CC
4248         \newinsert\bx@DD
4249         \newinsert\bx@EE
4250         \newinsert\bx@FF
4251         \newinsert\bx@GG
4252         \newinsert\bx@HH
4253         \newinsert\bx@II
4254         \newinsert\bx@JJ
4255         \newinsert\bx@KK
4256         \newinsert\bx@LL
4257         \newinsert\bx@MM
4258         \newinsert\bx@NN
4259         \newinsert\bx@OO
4260         \newinsert\bx@PP
4261         \newinsert\bx@QQ
4262         \newinsert\bx@RR
4263         \newinsert\bx@SS
4264         \newinsert\bx@TT
4265         \newinsert\bx@UU
4266         \newinsert\bx@VV
4267         \newinsert\bx@WW
4268         \newinsert\bx@XX
4269         \newinsert\bx@YY
4270         \newinsert\bx@ZZ
4271         \gdef@\freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4272             \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4273             \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4274             \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4275             \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4276             \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z}%

```



```

4276      \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4277      \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4278      \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@m
4279      \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4280      \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4281      \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
4282      \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
4283      \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
4284      \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
4285      \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
4286      \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
4287      \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
4288  }{%
4289      \bidiutfefloatError{You may only call \string\morefloats\space twice. See the\MessageB
4290      {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\%
4291  }%
4292  }%
4293 }%
4294 \newboolean{@bidiutfefloat@packages@subfigure}
4295 \setboolean{@bidiutfefloat@packages@subfigure}{false}
4296 \AtBeginDocument{%
4297     \@ifpackageloaded{subfigure}
4298     {\GlobalSetBoolean{@bidiutfefloat@packages@subfigure}{true}}
4299     {\GlobalSetBoolean{@bidiutfefloat@packages@subfigure}{false}}%
4300 }%
4301 \AtBeginDocument{%
4302     \@ifpackageloaded{float}{%
4303         % Save the redefined float environment (instead of the LaTeX float environment)
4304         \let@\bidiutfefloat@orig@float@\float
4305         \let@\bidiutfefloat@orig@endfloat@\endfloat
4306
4307         % Define Tuftian float styles (with the caption in the margin)
4308         \newcommand{\floatc@bidiutfefloatplain}[2]{%
4309             \begin{lrbox}{\bidiutfefloat@caption@box}%
4310                 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
4311                     \bidiutfefloat@caption@font{\@fs@cfont #1:} #2\par%
4312                 \end{minipage}%
4313             \end{lrbox}%
4314             \smash{\hspace{\bidiutfefloat@caption@fill}\usebox{\bidiutfefloat@caption@box}}%
4315         }%
4316         \newcommand{\fs@bidiutfefloatplain}{%
4317             \def\@fs@cfont{\bidiutfefloat@caption@font}%
4318             \let\@fs@capt\floatc@bidiutfefloatplain%
4319             \def\@fs@pre{}%
4320             \def\@fs@post{}%
4321             \def\@fs@mid{}%
4322             \let\@fs@iftopcapt\iftrue%
4323         }%
4324         \let\fs@bidiutfefloatplaintop=\fs@bidiutfefloatplain
4325         \let\floatc@bidiutfefloatplaintop=\floatc@bidiutfefloatplain

```



```

4326 \newcommand\floatc@bidituftefloatruled[2]{%
4327   { \@fs@cfont #1} #2\par%
4328 }
4329 \newcommand\fs@bidituftefloatruled{%
4330   \def\@fs@cfont{\@bidituftefloat@caption@font}%
4331   \let\@fs@capt\floatc@bidituftefloatplain%
4332   \def\@fs@pref{\hrule height .8pt depth0pt width\textwidth \kern2pt}%
4333   \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
4334   \def\@fs@mid{}%
4335   \let\@fs@iftopcapt\iftrue%
4336 }
4337 \newcommand\fs@bidituftefloatboxed{%
4338   \def\@fs@cfont{}%
4339   \let\@fs@capt\floatc@bidituftefloatplain%
4340   \def\@fs@pref{%
4341     \setbox\@currbox\vbox{\hbadness10000
4342     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
4343       \hrule\hbox to\hsize{\vrule\kern3pt
4344         \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}%
4345   }%
4346   \def\@fs@mid{\kern2pt}%
4347   \def\@fs@post{}%
4348   \let\@fs@iftopcapt\iftrue%
4349 }
4350 }{%
4351   % Nothing to do
4352 }
4353 }
4354 \AtBeginDocument{%
4355   \@ifpackageloaded{algorithm}{%
4356     % Set the float style to the Tuftian version
4357     \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{MessageBreak}}
4358       \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}
4359       \floatstyle{bidituftefloat\ALG@floatstyle}%
4360       \restylefloat{algorithm}%
4361   }{}%
4362 }{%
4363   % Nothing to do
4364 }
4365 }
4366 \PassOptionsToPackage{caption=false}{subfig}

```

7.23 bidituftesidenote.sty

```

4367 \NeedsTeXFormat{LaTeX2e}
4368 \ProvidesPackage{bidituftesidenote}[2015/04/30 v0.3
4369 bidi implementation of tufte sidenote]
4370 \RequirePackage{xifthen}
4371 \RequirePackage{ragged2e}
4372 \RequirePackage{setspace}

```



```

4373 \RequirePackage{biditools}
4374 \def\budituftesidenotemarginpar{%
4375   \ifhmode
4376     \@bsphack
4377     \floatpenalty -\@Mii
4378   \else
4379     \floatpenalty-\@Miii
4380   \fi
4381   \ifinner
4382     \parmoderr
4383     \floatpenalty\z@
4384   \else
4385     \next@\currbox\@freelist{}{%
4386       \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
4387         {\@floatpenalty\z@
4388           \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
4389   \fi
4390   \ifnextchar [\@budituftesidenotexmpar\@budituftesidenoteypar]
4391     \long\def\budituftesidenotexmpar[#1]#2{%
4392       \budituftesidenotesavemarbox\@marbox{#1}%
4393       \budituftesidenotesavemarbox\@currbox{#2}%
4394       \xympar}
4395     \long\def\budituftesidenoteypar#1{%
4396       \budituftesidenotesavemarbox\@marbox{#1}%
4397       \global\setbox\currbox\copy\@marbox
4398       \xympar}
4399     \long\def \budituftesidenotesavemarbox #1#2{%
4400       \global\setbox #1%
4401         \color@vbox
4402           \vtop{%
4403             \hsize\marginparwidth
4404             \parboxrestore
4405             \budituftesidenotemarginparreset
4406             #2%
4407             \minipagetrue
4408             \outer\nobreak
4409             }%
4410           \color@endbox
4411     }
4412   \def \budituftesidenotemarginparreset {%
4413     \reset@font
4414     \normalsize
4415     \minipagetrue
4416     \everypar{\minipagetrue\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
4417   }
4418   \def\LTRbudituftesidenotemarginpar{%
4419     \ifhmode
4420       \@bsphack
4421       \floatpenalty -\@Mii
4422     \else

```



```

4423     \@floatpenalty-\@Mii
4424   \fi
4425   \ifinner
4426     \parmoderr
4427     \@floatpenalty\z@
4428   \else
4429     \next@\currbox\@freelist{}{%
4430     \next@\marbox\@freelist{\global\count\@marbox\m@ne}{%
4431       \@floatpenalty\z@
4432       \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}{%
4433     \fi
4434     \ifnextchar [\@LTrbidituftesidenotexmpar\@LTrbidituftesidenoteypar]{%
4435       \long\def\@LTrbidituftesidenotexmpar[#1]#2{%
4436         \@LTrbidituftesidenotesavemarbox\@marbox{#1}{%
4437           \@LTrbidituftesidenotesavemarbox\@currbox{#2}}{%
4438             \xympar}{%
4439               \long\def\@LTrbidituftesidenoteypar#1{%
4440                 \@LTrbidituftesidenotesavemarbox\@marbox{#1}{%
4441                   \global\setbox\currbox\copy\@marbox{%
4442                     \xympar}{%
4443           \long\def\@LTrbidituftesidenotesavemarbox #1#2{%
4444             \global\setbox #1{%
4445               \color@vbox{%
4446                 \vtop{%
4447                   \hsize\marginparwidth
4448                   \parboxrestore
4449                   \@LTrbidituftesidenotemarginparreset{%
4450                     #2{%
4451                       \minipagetrue
4452                         \outer\nobreak{%
4453                           }{%
4454                             \color@endbox{%
4455                           }}}{%
4456 \def\@LTrbidituftesidenotemarginparreset {%
4457   \reset@font
4458   \normalsize
4459   \minipagetrue
4460   \everypar{\minipagetrue\everypar{}\beginL}{%
4461 }}{%
4462 \def\RTLbidituftesidenotemarginpar{%
4463   \ifhmode
4464     \bsphack
4465     \@floatpenalty -\@Mii
4466   \else
4467     \@floatpenalty-\@Mii
4468   \fi
4469   \ifinner
4470     \parmoderr
4471     \@floatpenalty\z@
4472   \else

```



```

4473     \cnext\@currbox\@freelist{}{}%
4474     \cnext\@marbox\@freelist{\global\count\@marbox\m@ne}%
4475     {\@floatpenalty\z@%
4476      \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4477     \fi%
4478     \cifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar]%
4479     \long\def\@RTLbidituftesidenotexmpar[#1]\#2{%
4480       \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
4481       \@RTLbidituftesidenotesavemarbox\@currbox{#2}}%
4482       \@xympar}%
4483     \long\def\@RTLbidituftesidenoteypar#1{%
4484       \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
4485       \global\setbox\@currbox\copy\@marbox%
4486       \@xympar}%
4487     \long\def \@RTLbidituftesidenotesavemarbox #1\#2{%
4488       \global\setbox #1%
4489       \color@vbox%
4490       \vtop{%
4491         \hsize\marginparwidth%
4492         \parboxrestore%
4493         \@RTLbidituftesidenotemarginparreset%
4494         \#2%
4495         \minipagetrue%
4496         \outer\nobreak%
4497       }%
4498       \color@endbox%
4499   }%
4500 \def \@RTLbidituftesidenotemarginparreset {%
4501   \reset@font%
4502   \normalsize%
4503   \minipagetrue%
4504   \everypar{\minipagetrue\everypar{}\beginR}%
4505 }%
4506 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}%
4507 \newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}%
4508 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}%
4509 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}%
4510 \newcommand*{\@bidituftesidenote@LTrsidenote@font}{\@bidituftesidenote@LTRmarginfont}%
4511 \newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}%
4512 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}%
4513 \newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}%
4514 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}%
4515 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}%
4516 \newcommand*{\@bidituftesidenote@LTRecitation@font}{\@bidituftesidenote@LTRmarginfont}%
4517 \newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}%
4518 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}%
4519 \newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTrsidenote@font}{#1}}%
4520 \newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}%
4521 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}%
4522 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{#1}}%

```



```

4523 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidiutfesidenote@RTLmarginnote@font}{#1}}
4524 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidiutfesidenote@citation@font}{#1}}
4525 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidiutfesidenote@LTRcitation@font}{#1}}
4526 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidiutfesidenote@RTLcitation@font}{#1}}
4527 \newcommand*{\@bidiutfesidenote@sidenote@justification}{\@bidiutfesidenote@justification@au}
4528 \newcommand*{\@bidiutfesidenote@marginnote@justification}{\@bidiutfesidenote@justification@au}
4529 \newcommand*{\@bidiutfesidenote@citation@justification}{\@bidiutfesidenote@justification@au}
4530 \newcommand*{\@bidiutfesidenote@justification@autodetect}{\@bidiutfesidenote@justifying}%
4531 \newcommand{\@bidiutfesidenote@margin@par}{%
4532   \setlength{\RaggedRightParindent}{0.5pc}%
4533   \setlength{\JustifyingParindent}{0.5pc}%
4534   \setlength{\parindent}{0.5pc}%
4535   \setlength{\parskip}{0pt}%
4536 }%
4537 %% Globally sets the length
4538 \ifundefined{gsetlength}{%
4539   \newcommand*{\gsetlength}[2]{%
4540     \setlength{#1}{#2}%
4541   }%
4542   \global#1=#1\relax%
4543 }%
4544 }{}%
4545 %% A function that removes leading and trailing spaces from the supplied macro.
4546 %% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
4547 %% Executing \@bidiutfesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
4548 %% being trimmed of leading and trailing white space.
4549 \catcode`\Q=3
4550 \def\@bidiutfesidenote@trim@spaces#1{%
4551   % Use grouping to emulate a multi-token afterassignment queue
4552   \begingroup%
4553   % Put `\\toks 0 {' into the afterassignment queue
4554   \aftergroup\toks\aftergroup0\aftergroup{%
4555   % Apply \\trimb to the replacement text of #1, adding a leading
4556   % \\noexpand to prevent brace stripping and to serve another purpose
4557   % later.
4558   \expandafter\@bidiutfesidenote@trim@b\expandafter\noexpand#1Q Q}%
4559   % Transfer the trimmed text back into #1.
4560   \edef#1{\the\toks0}%
4561 }%
4562 %% \\trimb removes a trailing space if present, then calls \\bidiutfesidenote@trim@c to
4563 %% clean up any leftover bizarre Qs, and trim a leading space. In
4564 %% order for \\trimc to work properly we need to put back a Q first.
4565 \def\@bidiutfesidenote@trim@c#1 Q{\@bidiutfesidenote@trim@c#1Q}
4566 %% Execute \\vfuzz assignment to remove leading space; the \\noexpand
4567 %% will now prevent unwanted expansion of a macro or other expandable
4568 %% token at the beginning of the trimmed text. The \\endgroup will feed
4569 %% in the \\aftergroup tokens after the \\vfuzz assignment is completed.
4570 \def\@bidiutfesidenote@trim@c#1Q#2{\afterassignment\endgroup\vfuzz\the\vfuzz#1}

```



```

4573 \catcode`\Q=11
4574 %%
4575 % Citations should go in the margin as sidenotes
4576
4577 \RequirePackage{natbib}
4578 \RequirePackage{bibentry}           % allows bibitems to be typeset outside thebibliography envi
4579 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
4580 \renewcommand{\BR@b@bibitem}[2][]{%
4581   \ifthenelse{\isempty{#1}}{%
4582     {\BR@bibitem{#2}}%
4583     {\BR@bibitem[#1]{#2}}%
4584     \BR@c@bibitem{#2}%
4585   }%
4586 \bidi@AtEndPreamble{\nobibliography}                                % pre-loads the bibliography keys
4587 %%
4588 % Normal \cite behavior
4589 \newcounter{@bidituftesidenote@num@bibkeys}%
4590 \newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
4591   % Snag the last bibentry in the list for later comparison
4592   \let\@temp@last@bibkey\empty%
4593   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4594   \sidenote[] [#1]{%
4595     % Loop through all the bibentries, separating them with semicolons and spaces
4596     \normalsize\normalfont\@bidituftesidenote@citation@font%
4597     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4598     \@for\@temp@bibkeyx:=#2\do{%
4599       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4600         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
4601         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4602         \bibentry{\@temp@bibkeyx}%
4603         \{@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4604         \bibentry{\@temp@bibkeyx};\ }%
4605       \stepcounter{@bidituftesidenote@num@bibkeys}%
4606     }%
4607   }%
4608 }
4609 \newcommand{\@biditufteLTRsidenote@normal@cite}[2][0pt]{%
4610   % Snag the last bibentry in the list for later comparison
4611   \let\@temp@last@bibkey\empty%
4612   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4613   \LTRsidenote[] [#1]{%
4614     % Loop through all the bibentries, separating them with semicolons and spaces
4615     \normalsize\normalfont\@biditufteLTRsidenote@citation@font%
4616     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4617     \@for\@temp@bibkeyx:=#2\do{%
4618       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4619         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
4620         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4621         \bibentry{\@temp@bibkeyx}%
4622         \{@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey

```



```

4623     \bibentry{\@temp@bibkeyx};\ }%
4624     \stepcounter{@bidituftesidenote@num@bibkeys}%
4625   }%
4626 }%
4627 }
4628 \newcommand{\@biditufteRTLsidenote@normal@cite}[2][0pt]{%
4629   % Snag the last bibentry in the list for later comparison
4630   \let\@temp@last@bibkey\@empty%
4631   \c@for\c@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4632   \RTLsidenote[] [#1]{%
4633     % Loop through all the bibentries, separating them with semicolons and spaces
4634     \normalsize\normalfont\@bidituftesidenote@citation@font%
4635     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4636     \c@for\c@temp@bibkeyx:=#2\do{%
4637       \ifthenelse{\equal{\c@temp@last@bibkey}{\c@temp@bibkeyx}}{%
4638         \c@ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
4639         \@bidituftesidenote@trim@spaces\c@temp@bibkeyx% trim spaces around bibkey
4640         \bibentry{\c@temp@bibkeyx}}%
4641         \c@bidituftesidenote@trim@spaces\c@temp@bibkeyx% trim spaces around bibkey
4642         \bibentry{\c@temp@bibkeyx};\ }%
4643       \stepcounter{@bidituftesidenote@num@bibkeys}%
4644     }%
4645   }%
4646 }
4647 %%%
4648 % Macros for holding the list of cite keys until after the \sidenote
4649 \gdef\@bidituftesidenote@citations{}% list of cite keys
4650 \newcommand{\@bidituftesidenote@add@citation}[1]{\relax% adds a new bibkey to the list of cite
4651   \ifx\@bidituftesidenote@citations\@empty\else
4652     \g@addto@macro\@bidituftesidenote@citations{,}%
4653   \fi
4654   \g@addto@macro\@bidituftesidenote@citations{#1}
4655 }
4656 \newcommand{\@bidituftesidenote@print@citations}[1][0pt]{% puts the citations in a margin note
4657   % Snag the last bibentry in the list for later comparison
4658   \let\@temp@last@bibkey\@empty%
4659   \c@for\c@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
4660   \marginpar{%
4661     \hbox{}\vspace*{#1}%
4662     \@bidituftesidenote@citation@font%
4663     \@bidituftesidenote@citation@justification%
4664     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
4665     \vspace*{-1\baselineskip}%
4666     % Loop through all the bibentries, separating them with semicolons and spaces
4667     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4668     \c@for\c@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
4669       \ifthenelse{\equal{\c@temp@last@bibkey}{\c@temp@bibkeyx}}{%
4670         \c@ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
4671         \@bidituftesidenote@trim@spaces\c@temp@bibkeyx% trim spaces around bibkey
4672         \bibentry{\c@temp@bibkeyx}}%

```



```

4673      {\@bidiutfesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
4674      \bibentry{\@temp@bibkeyx};\ }%
4675      \stepcounter{@bidiutfesidenote@num@bibkeys}%
4676  }%
4677 }%
4678 }
4679 %%
4680 % \cite behavior when executed within a sidenote
4681 \newcommand{\@bidiutfesidenote@sidenote@citations}{}% contains list of \cites in sidenote
4682 \newcommand{\@bidiutfesidenote@infofnote@cite}{[1]}%
4683  \@bidiutfesidenote@add@citation{#1}
4684 }
4685 %%
4686 % Set the default \cite style. This is set and reset by the \sidenote command.
4687 \let\cite\@bidiutfesidenote@normal@cite
4688 \let\LTRcite\@bidiutfelTRsidenote@normal@cite
4689 \let\RTLcite\@bidiutfeRTLsidenote@normal@cite
4690 %%
4691 % Transform existing \footnotes into \sidenotes
4692 % Sidenote: ``Where God meant footnotes to go.'' ---bidiutfesidenote
4693 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
4694 \providecommand{\footnotelayout}{\@bidiutfesidenote@sidenote@font\@bidiutfesidenote@sidenote@}
4695 \renewcommand{\footnotelayout}{\@bidiutfesidenote@sidenote@font\@bidiutfesidenote@sidenote@}
4696 % Override footmisc's definition to set the sidenote marks (numbers) inside the
4697 % sidenote's text block.
4698 \bidi@patch@AfterPackage{bidi}{\long\def\makefntext#1{\textsuperscript{\@bidiutfesidenote@}}
4699 % Set the in-text footnote mark in the same typeface as the body text itself.
4700 \bidi@patch@AfterPackage{bidi}{\def\makefnmark{\hbox{\textsuperscript{\normalfont\footnotesize}}}
4701 \providecommand*{\multiplefootnotemarker}{3sp}
4702 \providecommand*{\multfootsep}{,}
4703 \bidi@patch@AfterPackage{bidi}{%
4704 \renewcommand{\footnotemark}{%
4705  \leavevmode%
4706  \ifhmode%
4707   \edef\x@sf{\the\spacefactor}%
4708   \@bidiutfesidenote@check@multiple@sidenotes%
4709   \nobreak%
4710  \fi%
4711  \makefnmark%
4712  \ifhmode\spacefactor\x@sf\fi%
4713  \relax%
4714 }%
4715 }%
4716 \newcommand{\@bidiutfesidenote@check@multiple@sidenotes}{%
4717  \ifdim\lastkern=\multiplefootnotemarker\relax%
4718  \edef\x@sf{\the\spacefactor}%
4719  \unkern%
4720  \textsuperscript{\multfootsep}%
4721  \spacefactor\x@sf\relax%
4722  \fi

```



```

4723 }
4724 \bidi@patch@AfterPackage{bidi}{%
4725 \renewcommand{\footnotetext}[2][0pt]{%
4726   \bidi@tuftesidenotemarginpar{%
4727     \hbox{}\vspace*{#1}%
4728     \def\baselinestretch {\setspace@singlespace}%
4729     \bidi@footnotetext@font% \reset@font\footnotesize%
4730     \bidi@tuftesidenote@margin@par% use parindent and parskip settings for marginal text
4731     \vspace*{-1\baselineskip}\noindent%
4732     \protected@edef\@currentlabel{%
4733       \csname p@footnote\endcsname\@thefnmark%
4734     }%
4735     \color@begingroup%
4736       \makefntext{%
4737         \ignorespaces#2%
4738       }%
4739     \color@endgroup%
4740   }%
4741 }%
4742 \renewcommand{\LTRfootnotetext}[2][0pt]{%
4743   \LTRbidi@tuftesidenotemarginpar{%
4744     \hbox{}\vspace*{#1}%
4745     \def\baselinestretch {\setspace@singlespace}%
4746     \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
4747     \bidi@tuftesidenote@margin@par% use parindent and parskip settings for marginal text
4748     \vspace*{-1\baselineskip}\noindent%
4749     \protected@edef\@currentlabel{%
4750       \csname p@footnote\endcsname\@thefnmark%
4751     }%
4752     \color@begingroup%
4753       \makefntext{%
4754         \ignorespaces#2%
4755       }%
4756     \color@endgroup%
4757   }%
4758 }%
4759 \renewcommand{\RTLfootnotetext}[2][0pt]{%
4760   \RTLbidi@tuftesidenotemarginpar{%
4761     \hbox{}\vspace*{#1}%
4762     \def\baselinestretch {\setspace@singlespace}%
4763     \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
4764     \bidi@tuftesidenote@margin@par% use parindent and parskip settings for marginal text
4765     \vspace*{-1\baselineskip}\noindent%
4766     \protected@edef\@currentlabel{%
4767       \csname p@footnote\endcsname\@thefnmark%
4768     }%
4769     \color@begingroup%
4770       \makefntext{%
4771         \ignorespaces#2%
4772       }%

```



```

4773     \color@endgroup%
4774 }%
4775 }%
4776 }
4777 %
4778 % Define \sidenote command. Can handle \cite.
4779 \newlength{\@bidituftesidenote@sidenote@vertical@offset}
4780 \setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
4781 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
4782 \long\def\@bidituftesidenote@sidenote[#1][#2]{#3}%
4783     \let\cite\@bidituftesidenote@infofootnote@cite%    use the in-sidenote \cite command
4784     \gdef\@bidituftesidenote@citations{}%            clear out any old citations
4785     \ifthenelse{\NOT\isempty{#2}}{%
4786         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
4787     }{%
4788         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
4789     }%
4790     \ifthenelse{\isempty{#1}}{%
4791         % no specific footnote number provided
4792         \stepcounter{\mpfn}%
4793         \protected@xdef\@thefnmark{\thempfn}%
4794         \footnotemark\footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
4795     }{%
4796         % specific footnote number provided
4797         \begin{group}%
4798             \csname c@\mpfn\endcsname #1\relax%
4799             \unrestored@protected@xdef\@thefnmark{\thempfn}%
4800         \endgroup%
4801         \footnotemark\footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
4802     }%
4803     \@bidituftesidenote@print@citations%          print any citations
4804     \let\cite\@bidituftesidenote@normal@cite%        go back to using normal in-text \cite command
4805     \let\LTRcite\@biditufteLTrsidenote@normal@cite%    go back to using normal in-text \LTRc
4806     \let\RTLcite\@biditufteRTLsidenote@normal@cite%    go back to using normal in-text \RTLc
4807     \unskip\ignorespaces%                           remove extra white space
4808     \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
4809     \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
4810 }%
4811 \long\def\@LTRbidituftesidenote@sidenote[#1][#2]{#3}%
4812     \let\cite\@bidituftesidenote@infofootnote@cite%    use the in-sidenote \cite command
4813     \gdef\@bidituftesidenote@citations{}%            clear out any old citations
4814     \ifthenelse{\NOT\isempty{#2}}{%
4815         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
4816     }{%
4817         \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
4818     }%
4819     \ifthenelse{\isempty{#1}}{%
4820         % no specific footnote number provided
4821         \stepcounter{\mpfn}%
4822         \protected@xdef\@thefnmark{\thempfn}%

```



```

4823   \@footnotemark\@LTRfootnotetext[\@bidiutfesidenote@sidenote@vertical@offset]{#3}%
4824 }{%
4825   % specific footnote number provided
4826   \begingroup%
4827     \csname c@\@mpfn\endcsname #1\relax%
4828     \unrestored@protected@xdef\@thefnmark{\thempfn}%
4829   \endgroup%
4830   \@footnotemark\@LTRfootnotetext[\@bidiutfesidenote@sidenote@vertical@offset]{#3}%
4831 }%
4832 \@bidiutfesidenote@print@citations%           print any citations
4833 \let\cite\@bidiutfesidenote@normal@cite%       go back to using normal in-text \cite command
4834 \let\LTRcite\@bidiutfetLTrsidenote@normal@cite% go back to using normal in-text \LTRc
4835 \let\RTLcite\@bidiutfetRTLsidenote@normal@cite% go back to using normal in-text \RTLc
4836 \unskip\ignorespaces%                         remove extra white space
4837 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
4838 \kern\multiplefootnotemarker\relax%          add new \kern here to replace the one we yanked
4839 }%
4840 \long\def\@RTLbidiutfesidenote[#1][#2]#3{%
4841   \let\cite\@bidiutfesidenote@infofootnote@cite% use the in-sidenote \cite command
4842   \gdef\@bidiutfesidenote@citations{}%         clear out any old citations
4843 \ifthenelse{\NOT\isempty{#2}}{%
4844   \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{#2}%
4845 }{%
4846   \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{0pt}%
4847 }%
4848 \ifthenelse{\isempty{#1}}{%
4849   % no specific footnote number provided
4850   \stepcounter\@mpfn%
4851   \protected@xdef\@thefnmark{\thempfn}%
4852   \@footnotemark\@RTLfootnotetext[\@bidiutfesidenote@sidenote@vertical@offset]{#3}%
4853 }{%
4854   % specific footnote number provided
4855   \begingroup%
4856     \csname c@\@mpfn\endcsname #1\relax%
4857     \unrestored@protected@xdef\@thefnmark{\thempfn}%
4858   \endgroup%
4859   \@footnotemark\@RTLfootnotetext[\@bidiutfesidenote@sidenote@vertical@offset]{#3}%
4860 }%
4861 \@bidiutfesidenote@print@citations%           print any citations
4862 \let\cite\@bidiutfesidenote@normal@cite%       go back to using normal in-text \cite command
4863 \let\LTRcite\@bidiutfetLTrsidenote@normal@cite% go back to using normal in-text \LTRc
4864 \let\RTLcite\@bidiutfetRTLsidenote@normal@cite% go back to using normal in-text \RTLc
4865 \unskip\ignorespaces%                         remove extra white space
4866 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
4867 \kern\multiplefootnotemarker\relax%          add new \kern here to replace the one we yanked
4868 }%
4869 \newcommand{\sidenote}{\optparams{\@bidiutfesidenote@sidenote}{}[0pt]}
4870 \newcommand{\LTrsidenote}{\optparams{\@LTRbidiutfesidenote@sidenote}{}[0pt]}
4871 \newcommand{\RTLsidenote}{\optparams{\@RTLbidiutfesidenote@sidenote}{}[0pt]}
4872 \bidi@patch@AfterPackage{bidi}{%

```



```

4873 \renewcommand{\footnote}{\optparams{\@bidituftesidenote{}}{}[] [0pt]}%
4874 \renewcommand{\LTrfootnote}{\optparams{\@LTrbidituftesidenote{}}{}[] [0pt]}%
4875 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote{}}{}[] [0pt]}%
4876 }
4877 %%
4878 % Sidenote without the footnote mark
4879 \newcommand\marginnote[2] [0pt]{%
4880   \let\cite\@bidituftesidenote\infofootnote\cite% use the in-sidenote \cite command
4881   \gdef\@bidituftesidenote@citations{}% clear out any old citations
4882   \bidituftesidenotemarginpar{\hbox{}\vspace*{\#1}\@bidituftesidenote\marginnote\font\@bidituf
4883   \@bidituftesidenote@print@citations% print any citations
4884   \let\cite\@bidituftesidenote@normal\cite% go back to using normal in-text \cite comma
4885   \let\LTrcite\@biditufteLTrsidenote@normal\cite% go back to using normal in-text \LTrc
4886   \let\RTLcite\@biditufteRTLsidenote@normal\cite% go back to using normal in-text \RTLc
4887 }
4888 \newcommand\LTRmarginnote[2] [0pt]{%
4889   \let\cite\@bidituftesidenote\infofootnote\cite% use the in-sidenote \cite command
4890   \gdef\@bidituftesidenote@citations{}% clear out any old citations
4891   \LTrbidituftesidenotemarginpar{\hbox{}\vspace*{\#1}\@bidituftesidenote\LTRmarginnote\font\@b
4892   \@bidituftesidenote@print@citations% print any citations
4893   \let\cite\@bidituftesidenote@normal\cite% go back to using normal in-text \cite comma
4894   \let\LTrcite\@biditufteLTrsidenote@normal\cite% go back to using normal in-text \LTrc
4895   \let\RTLcite\@biditufteRTLsidenote@normal\cite% go back to using normal in-text \RTLc
4896 }
4897 \newcommand\RTLmarginnote[2] [0pt]{%
4898   \let\cite\@bidituftesidenote\infofootnote\cite% use the in-sidenote \cite command
4899   \gdef\@bidituftesidenote@citations{}% clear out any old citations
4900   \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{\#1}\@bidituftesidenote\RTLmarginnote\font\@b
4901   \@bidituftesidenote@print@citations% print any citations
4902   \let\cite\@bidituftesidenote@normal\cite% go back to using normal in-text \cite comma
4903   \let\LTrcite\@biditufteLTrsidenote@normal\cite% go back to using normal in-text \LTrc
4904   \let\RTLcite\@biditufteRTLsidenote@normal\cite% go back to using normal in-text \RTLc
4905 }

```

7.24 bidituftetoc.sty

```

4906 \NeedsTeXFormat{LaTeX2e}
4907 \ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
4908 bidi implementation of tufte toc]
4909 \RequirePackage{titlesec,titletoc,xifthen,biditools}
4910 \newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
4911 \newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
4912 %%
4913 % Turn off section numbering
4914 \setcounter{secnumdepth}{-1}
4915 \newboolean{@bidituftetoc@toc}
4916 \setboolean{@bidituftetoc@toc}{true}
4917 \DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
4918 \DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
4919 \ProcessOptions

```



```

4920 %%
4921 % Make Tuftian-style section headings and TOC formatting
4922 \bidi@patch@AfterPackage{bidi}{%
4923 \titleformat{\chapter}%
4924 [display]%
4925 {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}{}% format a
4926 {\itshape\huge\thechapter}% label
4927 {Opt}}% horizontal separation between label and title body
4928 {\huge\rmfamily\itshape}}% before the title body
4929 [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}{}]}% after the title
4930 \titleformat{\section}%
4931 [hang]%
4932 {\normalfont\Large\itshape}}% format applied to label+text
4933 {\thesection}%
4934 {1em}}% horizontal separation between label and title body
4935 {}% before the title body
4936 []% after the title body
4937 \titleformat{\subsection}%
4938 [hang]%
4939 {\normalfont\large\itshape}}% format applied to label+text
4940 {\thesubsection}%
4941 {1em}}% horizontal separation between label and title body
4942 {}% before the title body
4943 []% after the title body
4944 \titleformat{\paragraph}%
4945 [runin]%
4946 {\normalfont\itshape}}% format applied to label+text
4947 {\theparagraph}%
4948 {1em}}% horizontal separation between label and title body
4949 {}% before the title body
4950 []% after the title body
4951 \titlespacing*{\chapter}{Opt}{50pt}{40pt}
4952 \titlespacing*{\section}{Opt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
4953 \titlespacing*{\subsection}{Opt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
4954 }
4955 % Subsubsection and following section headings shouldn't be used.
4956 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
4957 \renewcommand\subsubsection{%
4958 \bidiuftetocError{\noexpand\subsubsection is undefined by this class.%}
4959 \MessageBreak See Robert Bringhurst's _The Elements of
4960 \MessageBreak Typographic Style_, section 4.2.2.
4961 \MessageBreak \noexpand\subsubsection was used}
4962 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
4963 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
4964 \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
4965 }
4966 \renewcommand\subparagraph{%
4967 \bidiuftetocError{\noexpand\subparagraph is undefined by this class.%}
4968 \MessageBreak See Robert Bringhurst's _The Elements of
4969 \MessageBreak Typographic Style_, section 4.2.2.

```



```

4970   \MessageBreak \noexpand\subparagraph was used}
4971 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
4972 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
4973 \MessageBreak related threads on Ask E.T. at http://www.edwardbiditufetoc.com/.}
4974 }
4975 % Formatting for main TOC (printed in front matter)
4976 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
4977 \ifthenelse{\boolean{@bidiuftetoc}}{%
4978   \bidi@patch@AfterPackage{bidi}{%
4979     \titlecontents{part}%
4980       [0em] % distance from left margin
4981       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
4982       {\contentslabel{2em}} % before w/label (label = ``II'')
4983       {} % before w/o label
4984       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
4985       [\end{fullwidth}] % after
4986     \titlecontents{chapter}%
4987       [0em] % distance from left margin
4988       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
4989       {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
4990       {\hspace*{0em}} % before w/o label
4991       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
4992       [\end{fullwidth}] % after
4993     \titlecontents{section}%
4994       [0em] % distance from left margin
4995       {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatt
4996       {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
4997       {\hspace*{2em}} % before w/o label
4998       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
4999       [\end{fullwidth}] % after
5000   \titlecontents{subsection}%
5001     [0em] % distance from left margin
5002     {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatt
5003     {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
5004     {\hspace*{4em}} % before w/o label
5005     {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5006     [\end{fullwidth}] % after
5007   \titlecontents{paragraph}%
5008     [0em] % distance from left margin
5009     {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global fo
5010     {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.1'')
5011     {\hspace*{6em}} % before w/o label
5012     {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5013     [\end{fullwidth}] % after
5014 }%
5015 }{%
5016 }%
5017 % Format lists of figures/tables
5018 \renewcommand{\listoffigures}{%
5019   \@ifundefined{chapter}%

```



```

5020      {\section*{\listfigurename}}%
5021      {\chapter*{\listfigurename}}%
5022 % \begin{fullwidth}%
5023     \@starttoc{lof}%
5024 % \end{fullwidth}%
5025 }
5026 \renewcommand\listoftables{%
5027   \@ifundefined{chapter}{%
5028     {\section*{\listtablename}}%
5029     {\chapter*{\listtablename}}%
5030 % \begin{fullwidth}%
5031     \@starttoc{lot}%
5032 % \end{fullwidth}%
5033 }
5034 \newcommand{\@bidituftetoc@lof@line}[2]{%
5035   % #1 is the figure/table number and its caption text
5036   % #2 is the page number on which the figure/table appears
5037   \leftskip 0.0em
5038   \rightskip 0em
5039   \parfillskip 0em plus 1fil
5040   \parindent 0.0em
5041   \cafterindenttrue
5042   \interlinepenalty\@M
5043   \leavevmode
5044   \tempdima 2.0em
5045   \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
5046   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
5047   {#1}\nobreak\qquad\nobreak#2%
5048   \par%
5049 }
5050 \renewcommand*\l@figure{\@bidituftetoc@lof@line}
5051 \let\l@table\l@figure

```

7.25 bidituftegeneralstructure.sty

```

5052 \NeedsTeXFormat{LaTeX2e}
5053 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
5054 bidi implementation of tufte general structure]
5055 \renewcommand\small{%
5056   \setfontsize\small\@ixpt{12}%
5057   \abovedisplayskip 8.5\p@ \plus3\p@ \minus4\p@
5058   \abovedisplayshortskip \z@ \plus2\p@
5059   \belowdisplayshortskip 4\p@ \plus2\p@ \minus2\p@
5060   \def\@listi{\leftmargin\leftmargini
5061             \topsep 4\p@ \plus2\p@ \minus2\p@
5062             \parsep 2\p@ \plus\p@ \minus\p@
5063             \itemsep \parsep}%
5064   \belowdisplayskip \abovedisplayskip
5065 }
5066 \renewcommand\scriptsize{\setfontsize\scriptsize\@viipt\@viiiip}

```



```

5067 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
5068 \renewcommand\large{\@setfontsize\large\@xipt{15}}
5069 \renewcommand\Large{\@setfontsize\Large\@xipt{16}}
5070 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
5071 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
5072 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
5073 \setlength\leftmargini {1pc}
5074 \setlength\leftmarginii {1pc}
5075 \setlength\leftmarginiii {1pc}
5076 \setlength\leftmarginiv {1pc}
5077 \setlength\leftmarginv {1pc}
5078 \setlength\leftmarginvi {1pc}
5079 \setlength\labelsep {.5pc}
5080 \setlength\labelwidth {\leftmargini}
5081 \addtolength\labelwidth{-\labelsep}
5082 \setlength{\parindent}{1.0pc}%
5083 \setlength{\parskip}{0pt}%
5084 \RequirePackage{ragged2e}
5085 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hspace{0.08em}}
5086 % Paragraph indentation and separation for normal text
5087 \newcommand{\@bidituftegeneralstructure@reset@par}{%
5088   \setlength{\RaggedRightParindent}{1.0pc}%
5089   \setlength{\JustifyingParindent}{1.0pc}%
5090   \setlength{\parindent}{1pc}%
5091   \setlength{\parskip}{0pt}%
5092 }
5093 \@bidituftegeneralstructure@reset@par
5094 % Require paralist package for tighter lists
5095 \RequirePackage{paralist}
5096 % Add rightmargin to compactenum
5097 \def\@compactenum@{%
5098   \expandafter\list\csname label\@enumctr\endcsname{%
5099     \usecounter{\@enumctr}%
5100     \rightmargin=2em% added this
5101     \parsep\plparsep
5102     \itemsep\plitemsep
5103     \topsep\pltopsep
5104     \partopsep\plpartopsep
5105     \def\makelabel##1{\hss\llap{##1}}}
5106 %%
5107 % An environment for paragraph-style section
5108 \providecommand\newthought[1]{%
5109   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
5110   \noindent\textbf{#1}%
5111 }
5112 %%
5113 % Redefine the display environments (quote, quotation, etc.)
5114 \renewenvironment{verse}
5115   {\let\\@centercr
5116    \list{}{\itemsep \z@}

```



```

5117           \itemindent -1pc%
5118           \listparindent\itemindent
5119           \rightmargin \leftmargin
5120           \advance\leftmargin 1pc}%
5121           \small%
5122           \item\relax}
5123       {\endlist}
5124 \renewenvironment{quotation}
5125     {\list{}{\listparindent 1pc%
5126           \itemindent \listparindent
5127           \rightmargin \leftmargin
5128           \parsep \z@ \plus\p@}%
5129           \small%
5130           \item\relax\noindent\ignorespaces}
5131     {\endlist}
5132 \renewenvironment{quote}
5133     {\list{}{\rightmargin\leftmargin}%
5134           \small%
5135           \item\relax}
5136     {\endlist}
5137 % Italicize description run-in headings (instead of the default bold)
5138 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
5139 %%
5140 % Redefine \bibsection to not mark the running heads.
5141 % (Code modified from natbib.sty.)
5142 \@ifundefined{chapter}%
5143   {\renewcommand\bibsection{\section*\{\refname\}}}
5144   {\@ifundefined{NAT@sectionbib}%
5145     {\renewcommand\bibsection{\chapter{\bibname\}}}
5146     {\renewcommand\bibsection{\section*\{\bibname\}}}}
5147 \RequirePackage{multicol}
5148 \renewenvironment{theindex}{%
5149 \ifundefined{chapter}%
5150   {\section*\{\indexname\}\%}
5151   {\chapter{\indexname}\%}
5152   \begin{fullwidth}%
5153     \small%
5154     \parskip0pt%
5155     \parindent0pt%
5156     \let\item@\idxitem%
5157     \begin{multicols}{3}\%}
5158   }{%
5159   \end{multicols}\%
5160   \end{fullwidth}\%
5161 }
5162 \AtBeginDocument{%
5163 \renewcommand@\idxitem{\par\hangindent \if@RTL-\fi2em\%}
5164 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}\%}
5165 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}\%}
5166 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax\%}

```



```
5167 \newcommand{\lettergroup}[1]{\% swallow the letter heading in the index
```

7.26 bidituftehyperref.sty

```
5168 \NeedsTeXFormat{LaTeX2e}
5169 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
5170 bidi implementation of tufte hyperref]
5171 %%
5172 % Color
5173 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
5174 \newboolean{@bidituftehyperref@loadhyper}
5175 \setboolean{@bidituftehyperref@loadhyper}{true}
5176 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
5177 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
5178 \ProcessOptions
5179 %% Loads the hyperref package and sets some default options.
5180 \newcommand{\bidituftehyperrefLoadHyperref}{%
5181 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
5182   \hypersetup{%
5183     bookmarksdepth = section,
5184     citecolor = DarkGreen,
5185     linkcolor = DarkBlue,
5186     pagecolor = DarkBlue,
5187     urlcolor = DarkGreen,
5188   }%
5189 }
5190 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
5191   \bidituftehyperrefLoadHyperref%
5192 }{%
5193   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
5194 }
```

7.27 bidituftetitle.sty

```
5195 \NeedsTeXFormat{LaTeX2e}
5196 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
5197 bidi implementation of tufte title]
5198 \RequirePackage{biditools}
5199 %%
5200 % `titlepage' option -- creates a full title page with \maketitle
5201 \newboolean{@bidituftetitle@titlepage}
5202 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
5203 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
5204 % Default `book' and `handout' options
5205 \@ifclassloaded{book}{%
5206 \ExecuteOptions{titlepage}{%
5207 \@ifclassloaded{article}{%
5208 \ExecuteOptions{notitlepage}{%
5209 {}}
5210 \ProcessOptions
5211 %%
```



```

5212 % Modified \title, \author, and \date commands. These store the
5213 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
5214 \newcommand{\plaintitle}{}% plain-text-only title
5215 \newcommand{\plainauthor}{}% plain-text-only author
5216 \newcommand{\plainpublisher}{}% plain-text-only publisher
5217 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
5218 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
5219 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
5220 \newcommand{\@publisher}{}% full publisher with \thanks{}
5221 \newcommand{\thedate}{\today}
5222 \bidi@patch@AfterPackage{bidi}%
5223 \renewcommand{\thanks}[1]{\footnote{\#1}}
5224 \renewcommand{\LTrthanks}[1]{\LTrfootnote{\#1}}
5225 \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
5226 }
5227 \renewcommand{\title}[2][]{%
5228   \gdef\@title{\#2}%
5229   \begingroup%
5230     % TODO store contents of \thanks command
5231     \renewcommand{\thanks}[1]{}% swallow \thanks contents
5232     \renewcommand{\LTrthanks}[1]{}% swallow \LTrthanks contents
5233     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5234     \protected@xdef\thanklesstitle{\#2}%
5235   \endgroup%
5236   \ifthenelse{\isempty{\#1}}{%
5237     {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
5238     {\renewcommand{\plaintitle}{\#1}}% use provided plain-text title
5239   \@ifundefined{hypersetup}%
5240     {}% hyperref is not loaded; do nothing
5241     {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
5242 }
5243 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
5244 \renewcommand{\author}[2][]{%
5245   \ifthenelse{\isempty{\#2}}{\gdef\@author{\#2}}%
5246   \begingroup%
5247     % TODO store contents of \thanks command
5248     \renewcommand{\thanks}[1]{}% swallow \thanks contents
5249     \renewcommand{\LTrthanks}[1]{}% swallow \LTrthanks contents
5250     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5251     \protected@xdef\thanklessauthor{\#2}%
5252   \endgroup%
5253   \ifthenelse{\isempty{\#1}}{%
5254     {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
5255     {\renewcommand{\plainauthor}{\#1}}% use provided plain-text author
5256   \@ifundefined{hypersetup}%
5257     {}% hyperref is not loaded; do nothing
5258     {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
5259 }
5260 \renewcommand{\date}[1]{%
5261   \gdef\@date{\#1}%

```



```

5262 \begingroup%
5263   % TODO store contents of \thanks command
5264   \renewcommand{\thanks}[1]{}% swallow \thanks contents
5265   \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5266   \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5267   \protected@xdef\thedata{\#1}%
5268 \endgroup%
5269 }
5270 %%
5271 % Provides a \publisher command to set the publisher
5272 \newcommand{\publisher}[2][]{%
5273   \gdef\@publisher{\#2}%
5274   \begingroup%
5275     \renewcommand{\thanks}[1]{}% swallow \thanks contents
5276     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5277     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5278     \protected@xdef\thanklesspublisher{\#2}%
5279   \endgroup%
5280   \ifthenelse{\isempty{\#1}}%
5281     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
5282     {\renewcommand{\plainpublisher}{\#1}}% use provided plain-text publisher
5283 }
5284 %%
5285 % Produces a full title page
5286 \newcommand{\maketitlepage}[0]{%
5287   \cleardoublepage%
5288   {%
5289     \bfseries%
5290     \begin{fullwidth}%
5291       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
5292       \vspace{11.5pc}%
5293       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
5294       \vfill%
5295       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
5296     \end{fullwidth}%
5297   }
5298   \thispagestyle{empty}%
5299   \clearpage%
5300 }
5301 %%
5302 % Title block
5303 \bidi@AfterEndPreamble{%
5304   \renewcommand{\maketitle}{%
5305     \newpage%
5306     \global\@topnum\z@% prevent floats from being placed at the top of the page
5307     \begingroup%
5308       \setlength{\parindent}{0pt}%
5309       \setlength{\parskip}{4pt}%
5310       \let\@title\@empty%
5311       \let\@author\@empty%

```



```

5312 \let\@@date\@empty%
5313   \gdef\@@title{\LARGE\itshape\@title\par}%
5314   \gdef\@@author{\Large\itshape\@author\par}%
5315   \gdef\@@date{\Large\itshape\@date\par}%
5316   \@@title%
5317   \@@author%
5318   \@@date%
5319 \endgroup%
5320 \thispagestyle{plain}% suppress the running head
5321 }%
5322 }
5323 %%
5324 % Title page (if the `titlepage' option was passed to the biditufte-handout
5325 % class.)
5326 \bidi@AfterEndPreamble{%
5327 \ifthenelse{\boolean{biditufte@titlepage}}%
5328 {\renewcommand{\maketitle}{\maketitlepage}}%
5329 {}%
5330 }%
5331 %%
5332 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
5333 % without headers and footers
5334 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
5335   \hbox{}%
5336   \%vspace*\{\fill\}%
5337   \%begin{center}%
5338     % This page intentionally contains only this sentence.
5339   \%end{center}%
5340   \%vspace{\fill}%
5341   \thispagestyle{empty}%
5342   \newpage
5343   \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

7.28 **biditufte-handout.cls**

```

5344 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5345 \ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
5346 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
5347 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5348 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5349 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5350 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5351 \ProcessOptions\relax
5352 \LoadClass{article}
5353 \RequirePackage{bidituftefloat}
5354 \RequirePackage{bidituftesidenote}
5355 \RequirePackage{bidituftetoc}
5356 \RequirePackage{bidituftegeneralstructure}
5357 \RequirePackage{bidituftehyperref}
5358 \RequirePackage{bidituftetitle}

```



```

5359 \renewenvironment{abstract}
5360   {\begin{quotation}}
5361   {\end{quotation}}
5362 \AtBeginDocument{%
5363 \IfFileExists{biditufte-handout.cfg}{%
5364   {\input{biditufte-handout.cfg}}%
5365   \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \gobble}%
5366 }%
5367 }

```

7.29 biditufte-book.cls

```

5368 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5369 \ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
5370 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5371 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5372 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5373 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5374 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5375 \ProcessOptions\relax
5376 \LoadClass{book}
5377 \RequirePackage{bidituftefloat}
5378 \RequirePackage{bidituftesidenote}
5379 \RequirePackage{bidituftetoc}
5380 \RequirePackage{bidituftegeneralstructure}
5381 \RequirePackage{bidituftehyperref}
5382 \RequirePackage{bidituftetitle}
5383 %%
5384 % Set up any book-specific stuff now
5385 %%
5386 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
5387 % to the opening page of Chapter 1. The running heads, when they appear,
5388 % contain only the (arabic) page number in the outside corner.
5389 \%newif\if@mainmatter \@mainmattertrue
5390 \renewcommand\frontmatter{%
5391   \cleardoublepage%
5392   \@mainmatterfalse%
5393   \pagenumbering{arabic}%
5394   \%pagestyle{plain}%
5395   \fancyhf{}%
5396   \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
5397     \fancyhead[LE,RO]{\thepage}%
5398     \fancyhead[RE,RO]{\thepage}%
5399 }%
5400 %%
5401 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
5402 % numbering---it continues where it left off in the front matter.
5403 \renewcommand\mainmatter{%
5404   \cleardoublepage%
5405   \@mainmattertrue%

```



```

5406 \fancyhf{}%
5407 \ifthenelse{\boolean{bidituftefloat@twoside}}%
5408 {\renewcommand{\chaptermark}[1]{\markboth{\#\#1}{}}%
5409 \fancyhead[LE]{\thepage\quad\smallcaps{\newlineinspace{\plaintitle}}}% book title
5410 \fancyhead[RO]{\smallcaps{\newlineinspace{\leftmark}}\quad\thepage}}% chapter title
5411 {\fancyhead[RE,RO]{\smallcaps{\newlineinspace{\plaintitle}}\quad\thepage}}% book title
5412 }
5413 %%
5414 % The back matter contains appendices, indices, glossaries, endnotes,
5415 % bibliographies, list of contributors, illustration credits, etc.
5416 \renewcommand\backmatter{%
5417 \if@openright%
5418 \cleardoublepage%
5419 \else%
5420 \clearpage%
5421 \fi%
5422 \mainmatterfalse%
5423 }
5424 %%
5425 % Only show the chapter titles in the table of contents
5426 \setcounter{tocdepth}{0}
5427 \AtBeginDocument{%
5428 \IfFileExists{biditufte-book.cfg}%
5429 {\input{biditufte-book.cfg}}
5430 \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}%
5431 {}%
5432 }

```

7.3o **bidipoem.sty**

```

5433 \NeedsTeXFormat{LaTeX2e}
5434 \ProvidesPackage{bidipoem}%
5435 [2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]
5436 %
5437 % Usage:
5438 %
5439 % \Setversedim #1#2 % define the layout (within a group):
5440 % #1 = length of both half-verses
5441 % #2 = separation distance = length of a connection, if present
5442 % Variant:
5443 % \Setversedim #1[#2]#3 % for half-verses of unequal length
5444 % #1 = length of first (=right) half-verse
5445 % #2 = length of second (=left) half-verse
5446 % #3 = separation distance = length of a connection, if present
5447 %
5448 % \traditionalhalfverses #1#2 % typeset two separated half-verses
5449 % #1 = text of first (=right) half-verse
5450 % #2 = text of second (=left) half-verse
5451 % Variant:
5452 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses

```



```

5453 % #1 = text of first (=right) half-verse
5454 % #2 = text of connection
5455 % #3 = text of second (=left) half-verse
5456 %
5457 % Alternative (if preferred):
5458 %
5459 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
5460
5461
5462 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
5463
5464 % define the layout, verses will be centered
5465
5466 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
5467 \newdimen \bidipoem@hvind \newdimen \bidipoem@hvlen
5468
5469 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
5470   \bidipoem@hvlen \textwidth
5471   \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
5472   \ifx [#2]\def \bidipoem@next {\bidipoem@set@verseI []}\else
5473   \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem
5474
5475 \def \bidipoem@set@verseI [#1]{% optional parameter
5476   \bidipoem@hvlen #1\relax \bidipoem@set@@verse }
5477
5478 \newcommand*{\bidipoem@set@@verse}[1]{% separation
5479   \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
5480   \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
5481
5482 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
5483 \ifdim Opt > \bidipoem@hvind %
5484 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\\hfill % first block
5485 \else
5486 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
5487 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
5488 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
5489 \par }
5490
5491 % macro for two half verses
5492 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5493 \ifx [#2]\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}%
5494 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
5495 \bidipoem@half@verses@next}
5496
5497 \def \bidipoem@half@verses #1[#2]#3{%
5498   \traditionalconnverses {#1}{#2}{#3}}
5499
5500
5501 {\catcode`\^^M=\active % these lines must end with %
5502   \gdef\traditionalpoem@obeylines{\catcode`\^^M\active \let^^M\traditionalpoem@par}%

```



```

5503 \global\let^~M\traditionalpoem@par} % this is in case ^~M appears in a \write
5504 {\catcode`^~M=\active % these lines must end with %
5505 \gdef\modernpoem@obeylines{\catcode`^~M\active \let^~M\modernpoem@par}%
5506 \global\let^~M\modernpoem@par} % this is in case ^~M appears in a \write
5507 \def\poemcolsepsskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
5508 \def\poemmarginskip{1em plus 1fil minus 1em}
5509 \def\poemextrabaselinekip{0\baselineskip}
5510 \def\poemskip{\medskip}
5511 \newcommand{\bidipoem@openbox}{\leavevmode
5512 \hbox to .77778em{%
5513 \hfil\vrule
5514 \vbox to .675em{\hrule width .6em\vfil\hrule}%
5515 \vrule\hfil}}
5516 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5517 \newdimen\versewidth
5518 \newtoks\bidoem@p@ftn
5519 \def\poem@verse#1{%
5520 \ifdim\wd#1>\new@poem@width
5521 \xdef\new@poem@width{\the\wd#1}%
5522 \ifdim\new@poem@width>\poem@width
5523 \xdef\poem@width{\new@poem@width}%
5524 \global\let\poem@needrun\relax
5525 \fi
5526 \fi
5527 \hbox to\poem@width{\unhbox#1}%
5528 \global\bidoem@p@ftn\expandafter{\expandafter}\the\bidoem@p@ftn%
5529 }
5530 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
5531 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
5532 \def\poem@lineversesep{%
5533 \nobreak
5534 \hspace{z@ plus 1filll}%
5535 \penalty600%
5536 \hspace{\poemcolsepsskip}
5537 \hspace{z@ plus -2filll}%
5538 \vadjust{}%
5539 \nobreak
5540 \hspace{z@ plus 1filll}%
5541 }
5542 \def\poem@lineparsebegin{%
5543 \halign\bgroun
5544 \global\setbox\verse@i=\hbox{%
5545 \let\@footnotetext\bidoem@p@ftntext%
5546 \let\@LTRfootnotetext\bidoem@p@LTRftntext%
5547 \let\@RTLfootnotetext\bidoem@p@RTLftntext%
5548 \let\@xfootnotenext\bidoem@p@xftntext%
5549 \let\@xfootnote\bidoem@p@xfootnote%
5550 \let\@xLTRfootnotenext\bidoem@p@xLTRftntext%
5551 \let\@xLTRfootnote\bidoem@p@xLTRfootnote%
5552 \let\@xRTLfootnotenext\bidoem@p@xRTLftntext%

```



```

5553 \let\xRTLfootnote\bidi poem@p\xRTLfootnote%
5554 \ignorespaces##\unskip} &&
5555 \global\setbox\verse@ii=\hbox{%
5556 \let@footnotetext\bidi poem@p@ftntext%
5557 \let@LTRfootnotetext\bidi poem@p@LTRftntext%
5558 \let@RTLfootnotetext\bidi poem@p@RTLftntext%
5559 \let@xfootnotenext\bidi poem@p@xftntext%
5560 \let@xfootnote\bidi poem@p@xfootnote%
5561 \let@xLTRfootnotenext\bidi poem@p@xLTRftntext%
5562 \let@xLTRfootnote\bidi poem@p@xLTRfootnote%
5563 \let@xRTLfootnotenext\bidi poem@p@xRTLftntext%
5564 \let@xRTLfootnote\bidi poem@p@xRTLfootnote%
5565 \ignorespaces##\unskip}
5566 \cr
5567 }
5568 \def\poem@lineparseend{%
5569 \crcr\egroup
5570 \vskip-\baselineskip
5571 }
5572 \def\traditionalpoem@cr{%
5573 \cr\poem@line
5574 }
5575 \newbox\verse@i
5576 \newbox\verse@ii
5577 \newif\ifpoem@started
5578
5579 \def\poem@line{%
5580 \poem@lineparseend
5581 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
5582 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
5583 \ifpoem@started
5584 \ifdim\wd\verse@ii>\z@\else
5585 \nopagebreak[3]
5586 \fi
5587 \leavevmode
5588 \poem@linebegin
5589 \poem@verse\verse@i
5590 \ifdim\wd\verse@ii>\z@
5591 \poem@lineversesep
5592 \poem@verse\verse@ii
5593 \fi
5594 \poem@lineend
5595 % \nopagebreak
5596 \par
5597 \vskip\poemextrabaselineskip
5598 \fi
5599 \poem@lineparsebegin
5600 }
5601 \def@traditionalpoem{%
5602 \stepcounter{poem@no}

```



```

5603      \ifnum\max@poem@no<\number\c@poem@no%
5604 \xdef\poem@width{\z@}%
5605     \else
5606 \xdef\poem@width{\poem@prop{poem@width}}%
5607 \fi
5608 \xdef\new@poem@width{\z@}%
5609 \global\versewidth=\poem@width

5610 \poemskip\par
5611 \begingroup
5612 \tabskip=\z@
5613 \parskip=\z@
5614 \parindent=\z@
5615 \parfillskip=\z@
5616 \rightskip=\z@
5617 \leftskip=\z@
5618 \widowpenalty=10000% No break between verses of the same line.
5619 \clubpenalty=10000% Same as above. Not really needed.
5620 \def\newblock{\hfil\poemblocksep\hfil\null}%
5621 \def\traditionalpoem@par{\traditionalpoem@cr}%
5622 \def\\{\global\poem@startedtrue\traditionalpoem@cr}%
5623 \global\poem@startedfalse
5624 \csname poem@obeylines\endcsname
5625 \let\poem@obeylines\relax
5626 \poem@lineparsebegin
5627 }
5628 \def\@endtraditionalpoem{%
5629 \cr
5630 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
5631 \noalign{%
5632 \skip0=\poemextrabaselineskip
5633 \vskip-\skip0
5634 \vskip-\baselineskip
5635 }%
5636 \fi\fi
5637 \poem@lineparseend
5638 \endgroup
5639 \par
5640 \vskip\baselineskip
5641 \poemskip
5642 \if@nopallist \else
5643   \ifdim\lastskip >\z@
5644     \tempskipa\lastskip \vskip -\lastskip
5645     \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
5646     \vskip\tempskipa
5647   \fi
5648 \endparentenv
5649 \fi
5650 \ifdim\new@poem@width<\poem@width
5651 \global\let\poem@needrun\relax

```



```

5652 \fi
5653     \poem@write@aux{poem@width@\roman{poem@no}}{\new@poem@width}%
5654 \ifx\AtEndDocument\undefined\poem@finish\fi
5655 }
5656
5657
5658 \long\def\bidi poem@p@ftntext#1{%
5659   \edef\@tempx{\the\bidi poem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
5660   \global\bidi poem@p@ftn\expandafter{\@tempx{#1}}%
5661 \long\def\bidi poem@p@LTRftntext#1{%
5662   \edef\@tempxi{\the\bidi poem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
5663   \global\bidi poem@p@ftn\expandafter{\@tempxi{#1}}%
5664 \long\def\bidi poem@p@RTLftntext#1{%
5665   \edef\@tempxii{\the\bidi poem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
5666   \global\bidi poem@p@ftn\expandafter{\@tempxii{#1}}%
5667
5668 \long\def\bidi poem@p@xftntext [#1]#2{%
5669   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\footnotetext[#1]{#2}}}
5670
5671 \long\def\bidi poem@p@xLTRftntext [#1]#2{%
5672   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\LTRfootnotetext[#1]{#2}}}
5673
5674 \long\def\bidi poem@p@xRTLftntext [#1]#2{%
5675   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\RTLfootnotetext[#1]{#2}}}
5676
5677 \def\bidi poem@p@xfootnote [#1]{%
5678   \begingroup
5679     \csname c@\@mpfn\endcsname #1\relax
5680     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5681   \endgroup
5682   \footnotemark\bidi poem@p@xftntext [#1]}
5683
5684 \def\bidi poem@p@xLTRfootnote [#1]{%
5685   \begingroup
5686     \csname c@\@mpfn\endcsname #1\relax
5687     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5688   \endgroup
5689   \footnotemark\bidi poem@p@xLTRftntext [#1]}
5690
5691 \def\bidi poem@p@xRTLfootnote [#1]{%
5692   \begingroup
5693     \csname c@\@mpfn\endcsname #1\relax
5694     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5695   \endgroup
5696   \footnotemark\bidi poem@p@xRTLftntext [#1]}
5697
5698
5699
5700 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
5701 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl

```



```

5702 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
5703 \def\poem@finish{%
5704 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
5705 \ifx\poem@needrun\relax
5706 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
5707 \global\let\poem@needrun\undefined
5708 \fi
5709 }
5710 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
5711 \newcounter{poem@no}\setcounter{poem@no}{\z@}
5712 \ifx\max@poem@no\undefined
5713 \def\max@poem@no{0}%
5714 \fi
5715 \newcommand{\poem@prop}[1]{\nameuse{\#1@\roman{numeral}\c@poem@no}}
5716 \newcommand{\poem@write@aux}[2]{%
5717 \def\@x{\immediate\write\auxout{\global\noexpand\@namedef{\#1}{\#2}}}%
5718 \@x
5719 }
5720 \def\@modernpoem{%
5721 \par
5722 \begingroup
5723 \parskip=\z@
5724 \parindent=\z@
5725 \def\f{\@settab\@tabplus\ignorespaces}%
5726 \def\]{\@tabminus\ignorespaces}%
5727 \def\newblock{\poemblocksep}%
5728 \let\newpoem@tabcr\@tabcr
5729 \def\modernpoem@par{%
5730 \ifpoem@started\else
5731 \ifdim\wd\curline>\z@\global\poem@startedtrue\else
5732 \stopfield
5733 \ifdim\wd\curfield>\z@\global\poem@startedtrue\fi
5734 \contfield
5735 \fi
5736 \fi
5737 \ifpoem@started\newpoem@tabcr\fi}%
5738 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
5739 \global\poem@startedfalse
5740 \csname poem@obeylines\endcsname
5741 \let\poem@obeylines\relax
5742 \begin{tabbing}%
5743 }
5744 \def\@endmodernpoem{%
5745 \global\poem@startedfalse
5746 \ifdim\wd\curline>\z@\global\poem@startedtrue\else
5747 \stopfield
5748 \ifdim\wd\curfield>\z@\global\poem@startedtrue\fi
5749 \contfield
5750 \fi
5751 \ifpoem@started\else\let@stopline\stopfield\fi

```



```

5752 \end{tabbing}%
5753 \endgroup
5754 \par
5755 \if@noparlist \else
5756   \ifdim\lastskip >\z@
5757     \tempskipa\lastskip \vskip -\lastskip
5758     \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
5759     \vskip\tempskipa
5760   \fi
5761 \endparenv
5762 \fi
5763 }
5764 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
5765 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem}
5766 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
5767 \gdef\@startfield{%
5768 \global\setbox\@curfield\hbox\bgroup%
5769 \let\footnotetext\bidipoem@p@ftntext%
5770 \let\LTRfootnotetext\bidipoem@p@LTRftntext%
5771 \let\RTLfootnotetext\bidipoem@p@RTLftntext%
5772 \let\xfootnotenext\bidipoem@p@xftntext%
5773 \let\xfootnote\bidipoem@p@xfootnote%
5774 \let\xLTRfootnotenext\bidipoem@p@xLTRftntext%
5775 \let\xLTRfootnote\bidipoem@p@xLTRfootnote%
5776 \let\xRTLfootnotenext\bidipoem@p@xRTLftntext%
5777 \let\xRTLfootnote\bidipoem@p@xRTLfootnote%
5778 \color@begingroup}
5779 \gdef\@stopfield{%
5780 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
5781 \gdef\@contfield{%
5782 \global\setbox\@curfield\hbox\bgroup%
5783 \let\footnotetext\bidipoem@p@ftntext%
5784 \let\LTRfootnotetext\bidipoem@p@LTRftntext%
5785 \let\RTLfootnotetext\bidipoem@p@RTLftntext%
5786 \let\xfootnotenext\bidipoem@p@xftntext%
5787 \let\xfootnote\bidipoem@p@xfootnote%
5788 \let\xLTRfootnotenext\bidipoem@p@xLTRftntext%
5789 \let\xLTRfootnote\bidipoem@p@xLTRfootnote%
5790 \let\xRTLfootnotenext\bidipoem@p@xRTLftntext%
5791 \let\xRTLfootnote\bidipoem@p@xRTLfootnote%
5792 \color@begingroup\unhbox\@curfield}

```

7.31 boek3-xetex-bidi.def

```

5793 \ProvidesFile{boek3-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for boek3 class for XeTe
5794 \renewenvironment{theindex}{%
5795   \if@twocolumn
5796     \restonecolfalse
5797   \else
5798     \restonecoltrue

```



```

5799 \fi
5800 \columnseprule \z@%
5801 \columnsep 35\p@
5802 \twocolumn[\@makeschapterhead{\indexname}]%
5803 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
5804 \thispagestyle{plain}\parindent\z@%
5805 \parskip\z@ \relax .3\p@\relax
5806 \let\item@\idxitem
5807 }%
5808 \if@restonecol\onecolumn\else\clearpage\fi}
5809 \renewcommand*\head@style{%
5810   \interlinepenalty \OM
5811   \hyphenpenalty=\OM \exhyphenpenalty=\OM
5812   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
5813 \renewcommand*\@regtocline[3]{%
5814   \ifnum #1>\c@tocdepth
5815   \else
5816     \vskip\z@\relax .2\p@
5817     {\hangindent\z@ \afterindenttrue \interlinepenalty\OM
5818       \if@RTL\rightskip\else\leftskip\fi\unitindent
5819       \if@RTL\leftskip\else\rightskip\fi\unitindent\relax\fil
5820       \parfillskip\z@
5821       \tempdima\unitindent
5822       \parindent\z@
5823       \leavevmode
5824       \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax}\nobreak
5825       \hspace{1em}\nobreak\slshape\#3\par
5826     }%
5827   \fi}
5828 \if@oldtoc
5829 \renewcommand*\l@part[2]{%
5830   \ifnum \c@tocdepth >-2\relax
5831     \addpenalty{-\highpenalty}%
5832     \addvspace{2.25em \relax\p@}%
5833     \begin{group}
5834       \setlength\tempdima{3em}%
5835       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
5836       \parfillskip -\pnumwidth
5837       \leavevmode
5838       \large \bfseries\#1\hfil \hb@xt@\pnumwidth{\hss\#2}\par
5839       \nobreak
5840       \global\nobreaktrue
5841       \everypar{\global\nobreakfalse\everypar{}}
5842     \end{group}
5843   \fi}
5844 \else
5845   \renewcommand*\l@part{%
5846     \ifnum \c@tocdepth >-2\relax
5847     \addpenalty{-\highpenalty}%
5848     \addvspace{2.25em \relax\p@}%

```



```

5849      \regtocline{0}%
5850      \fi}
5851 \fi
5852 \if@oldtoc
5853 \renewcommand*\l@chapter[2]{%
5854     \addpenalty{-\@highpenalty}%
5855     \vskip 1.0em \@plus\p@
5856     \setlength\@tempdima{1.5em}%
5857     \begingroup
5858     \parindent \z@\if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
5859     \parfillskip -\c@pnumwidth
5860     \leavevmode \bfseries
5861     \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
5862     \hskip -\if@RTL\rightskip\else\leftskip\fi
5863     #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
5864     \penalty\@highpenalty
5865     \endgroup}
5866 \else
5867   \renewcommand*\l@chapter{\regtocline{0}}
5868 \fi
5869 \renewenvironment{abstract}{%
5870     \titlepage
5871     \null\vfil
5872     \section*{\SectFont \abstractname}
5873     \noindent\ignorespaces
5874     {\par\vfil\null\endtitlepage}
5875 \renewenvironment{thebibliography}[1]
5876   {\chapter*{\bibname}%
5877     {\@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5878     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5879     \list{\@biblabel{\@arabic\c@enumiv}}{%
5880       {\settowidth\labelwidth{\@biblabel{#1}}%
5881       \leftmargin\labelwidth
5882       \advance\leftmargin\labelsep
5883       \openbib@code
5884       \usecounter{enumiv}%
5885       \let\p@enumiv\empty
5886       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
5887       \sloppy\clubpenalty4000\widowpenalty4000%
5888       \sfcode`.\@m}%
5889     {\def\@noitemerr
5890       {\@latex@warning{Empty `thebibliography' environment}}%
5891     \endlist}
5892 \renewcommand*\left@footnoterule{%
5893   \kern-3\p@
5894   \kern.5\baselineskip
5895   \hrule\@width\unitindent
5896   \kern.4\baselineskip
5897 }
5898 \renewcommand*\right@footnoterule{%

```



```

5899  \kern-3\p@
5900  \kern.5\baselineskip
5901  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
5902  \kern.4\baselineskip
5903 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
5904 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
5905 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
5906 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
5907 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
5908 \renewcommand*\theequation{%
5909   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
5910 \renewcommand*\thefigure{%
5911   \ifnum\c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
5912 \renewcommand*\thetable{%
5913   \ifnum\c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
5914 \renewcommand*\maketitle{%
5915   \begin{titlepage}%
5916     \let\footnotesize\small
5917     \let\right@footnoterule\relax
5918     \let\left@footnoterule\relax
5919     \let\textwidth@footnoterule\relax
5920     \let \footnote \thanks
5921     \long\def\@makefntext##1{\par\indent\z@%
5922       \def\labelitemi{\textendash}\@revlabeltrue
5923       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}%
5924     \renewcommand*\thefootnote{\@fnnsymbol\c@footnote}%
5925     \if@compatibility\setcounter{page}{0}\fi
5926     \null\vfil
5927     \vskip 60\p@
5928     \begin{center}%
5929       \TitleFont
5930       {\LARGE \def\\{\penalty -\OM}%
5931         \if@allcaps
5932           \expandafter\uc@nothanks\@title\thanks\relax
5933         \else
5934           \@title
5935           \fi\par}%
5936       \vskip 3em%
5937       \begin{large}
5938         \lineskip .75em \par\indent\z@%
5939         \begin{tabular}[t]{c}%
5940           \if@allcaps
5941             \expandafter\uc@author\nothanks\@author\and\relax
5942           \else
5943             \@author
5944             \fi
5945           \end{tabular}\par}%
5946       \vskip 1.5em%
5947       \begin{large}
5948         \if@allcaps

```



```

5949           \uppercase\expandafter{\@date}%
5950     \else
5951       \@date
5952     \fi\par}%
5953   \end{center}\par
5954   \@thanks
5955   \vfil\null
5956 \end{titlepage}%
5957 \setcounter{footnote}{0}%
5958 \global\let\thanks\relax
5959 \global\let\maketitle\relax
5960 \global\let\@thanks\empty
5961 \global\let\@author\empty
5962 \global\let\@title\empty
5963 \global\let\@date\empty
5964 \global\let\title\relax
5965 \global\let\author\relax
5966 \global\let\date\relax
5967 \global\let\and\relax
5968 }

```

7.32 boek-xetex-bidi.def

```

5969 \ProvidesFile{boek-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for boek class for XeTeX]
5970 \renewenvironment{theindex}{%
5971   \if@twocolumn
5972     \@restonecolfalse
5973   \else
5974     \@restonecoltrue
5975   \fi
5976   \columnseprule \z@
5977   \columnsep 35\p@
5978   \twocolumn[\@makeschapterhead{\indexname}]%
5979   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
5980   \thispagestyle{plain}\parindent\z@
5981   \parskip\z@ \plus .3\p@\relax
5982   \let\item\@idxitem
5983 }{%
5984   \if@restonecol\onecolumn\else\clearpage\fi}
5985 \renewcommand*\head@style{%
5986   \interlinepenalty \OM
5987   \hyphenpenalty=\OM \exhyphenpenalty=\OM
5988   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
5989 \renewcommand*\@regtocline[3]{%
5990   \ifnum #1>\c@tocdepth
5991   \else
5992     \vskip\z@\plus.2\p@
5993     {\hangindent\z@ \cafterindenttrue \interlinepenalty\OM
5994       \if@RTL\rightskip\else\leftskip\fi\unitindent
5995       \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil

```



```

5996      \parfillskip\z@%
5997      \tempdima\unitindent
5998      \parindent\z@%
5999      \leavevmode
6000      \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak}
6001      \hspace{1em}\nobreak{\slshape #3}\par
6002      }%
6003  \fi}
6004 \if@oldtoc
6005 \renewcommand*\l@part[2]{%
6006   \ifnum \c@tocdepth >-2\relax
6007     \addpenalty{-\highpenalty}%
6008     \addvspace{2.25em \oplus \p@}%
6009     \begingroup
6010       \setlength\tempdima{3em}%
6011       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6012       \parfillskip -\pnumwidth
6013       {\leavevmode
6014         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6015         \nobreak
6016         \global\nobreaktrue
6017         \everypar{\global\nobreakfalse\everypar{}%}
6018       \endgroup
6019     \fi}
6020   \else
6021     \renewcommand*\l@part{%
6022       \ifnum \c@tocdepth >-2\relax
6023         \addpenalty{-\highpenalty}%
6024         \addvspace{2.25em \oplus \p@}%
6025         \regtocline{0}%
6026     \fi}
6027   \fi
6028 \if@oldtoc
6029 \renewcommand*\l@chapter[2]{%
6030   \addpenalty{-\highpenalty}%
6031   \vskip 1.0em \oplus \p@
6032   \setlength\tempdima{1.5em}%
6033   \begingroup
6034     \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6035     \parfillskip -\pnumwidth
6036     \leavevmode \bfseries
6037     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
6038     \hspace{-\if@RTL\rightskip\else\leftskip\fi\pnumwidth}
6039     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
6040     \penalty\highpenalty
6041   \endgroup
6042 \else
6043   \renewcommand*\l@chapter{\regtocline{0}}
6044 \fi
6045 \renewcommand*\left@footnoterule{%

```



```

6046  \kern-3\p@
6047  \kern.5\baselineskip
6048  \hrule\@width\unitindent
6049  \kern.4\baselineskip
6050 }
6051 \renewcommand*\right@footnoterule{%
6052  \kern-3\p@
6053  \kern.5\baselineskip
6054  \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax} \hrulefill }
6055  \kern.4\baselineskip}
6056 \renewenvironment{abstract}{%
6057  \titlepage
6058  \null\vfil
6059  \section*{\SectFont \abstractname}
6060  \noindent\ignorespaces
6061  {\par\vfil\null\endtitlepage}
6062 \renewenvironment{thebibliography}[1]
6063  {\chapter*{\bibname}{%
6064   \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6065   \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
6066   \list{\@biblabel{\@arabic\c@enumiv}}{%
6067     \settowidth\labelwidth{\@biblabel{#1}}%
6068     \leftmargin\labelwidth
6069     \advance\leftmargin\labelsep
6070     \openbib@code
6071     \usecounter{enumiv}%
6072     \let\p@enumiv\empty
6073     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
6074     \sloppy\clubpenalty4000\widowpenalty4000%
6075     \sfcode`.\.0m}
6076   {\def\@noitemerr
6077     {\@latex@warning{Empty `thebibliography' environment}}%
6078   \endlist}
6079 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
6080 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
6081 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6082 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6083 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6084 \renewcommand*\theequation{%
6085   \ifnum\c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
6086 \renewcommand*\thefigure{%
6087   \ifnum\c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
6088 \renewcommand*\thetable{%
6089   \ifnum\c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
6090 \renewcommand*\maketitle{%
6091  \begin{titlepage}%
6092  \let\footnotesize\small
6093  \let\right@footnoterule\relax
6094  \let\left@footnoterule\relax
6095  \let\textwidth@footnoterule\relax

```



```

6096      \let \footnote \thanks
6097      \long\def\@makefntext##1{\parindent\z@
6098          \def\labelitemi{\textendash}\@revlabeltrue
6099          \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6100      \renewcommand*\thefootnote{\@fnsymbol{c@footnote}%
6101      \if@compatibility\setcounter{page}{0}\fi
6102      \null\vfil
6103      \vskip 60\p@
6104      \begin{center}%
6105          \TitleFont
6106          {\LARGE \def\\{\penalty -\@M}
6107          \if@allcaps
6108              \expandafter\uc@nothanks\@title\thanks\relax
6109          \else
6110              \atitle
6111          \fi\par}%
6112          \vskip 3em%
6113          {\large
6114              \lineskip .75em \parindent\z@
6115          \begin{tabular}[t]{c}%
6116              \if@allcaps
6117                  \expandafter\uc@authornothanks\@author\and\relax
6118              \else
6119                  \atitle
6120              \fi
6121          \end{tabular}\par}%
6122          \vskip 1.5em%
6123          {\large
6124              \if@allcaps
6125                  \uppercase\expandafter{\@date}%
6126              \else
6127                  \atitle
6128              \fi\par}%
6129          \end{center}\par
6130          \@thanks
6131          \vfil\null
6132      \end{titlepage}%
6133      \setcounter{footnote}{0}%
6134      \global\let\thanks\relax
6135      \global\let\maketitle\relax
6136      \global\let\@thanks\empty
6137      \global\let\@author\empty
6138      \global\let\@title\empty
6139      \global\let\@date\empty
6140      \global\let\title\relax
6141      \global\let\author\relax
6142      \global\let\date\relax
6143      \global\let\and\relax
6144 }

```



7.33 bookest-xetex-bidi.def

```
6145 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
6146 \def\@makechapterhead#1{%
6147   \vspace*{20\p@}
6148   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
6149     \ifnum \c@secnumdepth >\m@ne
6150       \if@mainmatter
6151         {\colorA\huge\scshape \chapapp\space \thechapter}
6152         \par\nobreak
6153         \vskip 10\p@
6154       \fi
6155     \fi
6156     \interlinepenalty\@M
6157     {\colorB\hrule}
6158     \vskip 15\p@
6159     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
6160       {\colorA\Huge \bfseries #1}\par\nobreak
6161     \if@RTL\end{flushleft}\else\end{flushright}\fi
6162     \vskip 5\p@
6163     {\colorB\hrule}
6164     \vskip 30\p@
6165   }}
6166 \def\@makeschapterhead#1{%
6167   \vspace*{20\p@}
6168   {\parindent \z@\raggedright \normalfont
6169     {\colorB\hrule}
6170     \vskip 15\p@
6171     \begin{center}
6172       {\colorA\Huge \bfseries #1}\par\nobreak
6173     \end{center}
6174     \vskip 5\p@
6175     {\colorB\hrule}
6176     \vskip 30\p@
6177   }}
```

7.34 book-xetex-bidi.def

```
6178 \ProvidesFile{book-xetex-bidi.def}[2015/11/14 v0.9 bidi adaptations for standard book class f
6179 \renewenvironment{theindex}
6180   {\if@twocolumn
6181     \restonecolfalse
6182   \else
6183     \restonecoltrue
6184   \fi
6185   \columnseprule \z@
6186   \columnsep 35\p@
6187   \twocolumn[\@makeschapterhead{\indexname}]%
6188   \mkboth{\MakeUppercase\indexname}%
6189   {\MakeUppercase\indexname}%
6190   \thispagestyle{plain}\parindent\z@}
```



```

6191           \parskip\z@ \o@plus .3\p@\relax
6192           \let\item\@idxitem
6193           {\if@restonecol\onecolumn\else\clearpage\fi}
6194 \ifclassloaded{bookest}{}{%
6195   \if@titlepage
6196     \renewcommand\maketitle{\begin{titlepage}%
6197       \let\footnotesize\small
6198       \let\right@footnoterule\relax
6199       \let\left@footnoterule\relax
6200       \let\textwidth@footnoterule\relax
6201       \let\footnote\thanks
6202       \let\LTRfootnote\LTRthanks
6203       \let\RTLfootnote\RTLthanks
6204       \null\vfil
6205       \vskip 60\p@
6206       \begin{center}%
6207         {\LARGE \o@title \par}%
6208         \vskip 3em%
6209         {\large
6210           \lineskip .75em%
6211           \begin{tabular}[t]{c}%
6212             \o@author
6213             \end{tabular}\par}%
6214         \vskip 1.5em%
6215         {\large \o@date \par}      % Set date in \large size.
6216       \end{center}\par
6217       \o@thanks
6218       \vfil\null
6219     \end{titlepage}%
6220     \setcounter{footnote}{0}%
6221     \global\let\thanks\relax
6222     \global\let\LTRthanks\relax
6223     \global\let\RTLthanks\relax
6224     \global\let\maketitle\relax
6225     \global\let\o@thanks\empty
6226     \global\let\o@author\empty
6227     \global\let\o@date\empty
6228     \global\let\o@title\empty
6229     \global\let\title\relax
6230     \global\let\author\relax
6231     \global\let\date\relax
6232     \global\let\and\relax
6233   }
6234 \else
6235   \renewcommand\maketitle{\par
6236     \begingroup
6237       \renewcommand\thefootnote{\o@fnsymbol\c@footnote}%
6238       \def\@makefnmark{\rlap{\o@textsuperscript{\normalfont\o@thefnmark}}}%
6239       \long\def\@makefntext##1{\par\o@indent 1em\o@noindent
6240         \hb@xt@1.8em{%

```



```

6241          \hss\@textsuperscript{\normalfont\@thefnmark}\#\#1}%
6242 \if@twocolumn
6243   \ifnum \col@number=\@ne
6244     \@maketitle
6245   \else
6246     \twocolumn[\@maketitle]%
6247   \fi
6248 \else
6249   \newpage
6250   \global\@topnum\z@    % Prevents figures from going at top of page.
6251   \@maketitle
6252   \fi
6253   \thispagestyle{plain}\@thanks
6254 \endgroup
6255 \setcounter{footnote}{0}%
6256 \global\let\thanks\relax
6257 \global\let\LTRthanks\relax
6258 \global\let\RTLthanks\relax
6259 \global\let\maketitle\relax
6260 \global\let\@maketitle\relax
6261 \global\let\@thanks\@empty
6262 \global\let\@author\@empty
6263 \global\let\@date\@empty
6264 \global\let\@title\@empty
6265 \global\let\title\relax
6266 \global\let\author\relax
6267 \global\let\date\relax
6268 \global\let\and\relax
6269 }
6270 \def\@maketitle{%
6271   \newpage
6272   \null
6273   \vskip 2em%
6274   \begin{center}%
6275   \let \footnote \thanks
6276   \let \LTRfootnote \LTRthanks
6277   \let \RTLfootnote \RTLthanks
6278   {\LARGE \@title \par}%
6279   \vskip 1.5em%
6280   {\large
6281     \lineskip .5em%
6282     \begin{tabular}[t]{c}%
6283       \author
6284     \end{tabular}\par}%
6285   \vskip 1em%
6286   {\large \@date}%
6287   \end{center}%
6288   \par
6289   \vskip 1.5em}
6290 \fi}

```



```

6291 \renewcommand*\l@part[2]{%
6292   \ifnum \c@tocdepth >-2\relax
6293     \addpenalty{-\@highpenalty}%
6294     \addvspace{2.25em \oplus \p@}%
6295     \setlength{\tempdima}{3em}%
6296     \begingroup
6297       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6298       \parfillskip -\pnumwidth
6299       \leavevmode
6300       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6301       \nobreak
6302       \global\nobreaktrue
6303       \everypar{\global\nobreakfalse\everypar{}}
6304     \endgroup
6305   \fi}
6306 \renewcommand*\l@chapter[2]{%
6307   \ifnum \c@tocdepth >\m@ne
6308     \addpenalty{-\@highpenalty}%
6309     \vskip 1.0em \oplus \p@
6310     \setlength{\tempdima}{1.5em}%
6311     \begingroup
6312       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6313       \parfillskip -\pnumwidth
6314       \leavevmode \bfseries
6315       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
6316       \hskip -\if@RTL\rightskip\else\leftskip\fi\fi
6317       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
6318       \penalty\@highpenalty
6319     \endgroup
6320   \fi}
6321 \renewcommand\left@footnoterule{%
6322   \kern-3\p@
6323   \hrule\@width.4\columnwidth
6324   \kern2.6\p@}
6325 \renewcommand\right@footnoterule{%
6326   \kern-3\p@
6327   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
6328   \kern2.6\p@}
6329 \renewcommand\theequation
6330   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{equation}}
6331 \renewcommand\thefigure
6332   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{figure}}
6333 \renewcommand\thetable
6334   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{table}}
6335 \renewcommand\thechapter {\arabic{chapter}}
6336 \renewcommand\thesection {\thechapter\SepMark\arabic{section}}
6337 \renewcommand\thesubsection {\thesection\SepMark\arabic{subsection}}
6338 \renewcommand\thesubsubsection{\thesubsection\SepMark\arabic{subsubsection}}
6339 \renewcommand\theparagraph {\thesubsubsection\SepMark\arabic{paragraph}}
6340 \renewcommand\thesubparagraph {\theparagraph\SepMark\arabic{subparagraph}}

```



```

6341 \def\@makechapterhead#1{%
6342   \vspace*{50\p@}%
6343   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
6344     \ifnum \c@secnumdepth >\m@ne
6345       \if@mainmatter
6346         \huge\bfseries \chapapp\space \thechapter
6347         \par\nobreak
6348         \vskip 20\p@
6349       \fi
6350     \fi
6351     \interlinepenalty\@M
6352     \Huge\bfseries #1\par\nobreak
6353     \vskip 40\p@
6354   }%
6355 \def\@makeschapterhead#1{%
6356   \vspace*{50\p@}%
6357   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
6358     \normalfont
6359     \interlinepenalty\@M
6360     \Huge\bfseries #1\par\nobreak
6361     \vskip 40\p@
6362   }%
6363 \renewcommand\backmatter{%
6364   \if@openright
6365     \cleardoublepage
6366   \else
6367     \clearpage
6368   \fi
6369   \atmainmatterfalse}
6370 \renewenvironment{\thebibliography}[1]
6371   {\chapter*{\bibname}%
6372    \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
6373    \if@RTL\if@LTrbitems\@RTLfalse\else\fi\else\if@RTLbitems\@RTLtrue\else\fi\fi
6374    \list{\@biblabel{\@arabic\c@enumiv}}{%
6375      \settowidth\labelwidth{\@biblabel{\#1}}%
6376      \leftmargin\labelwidth
6377      \advance\leftmargin\labelsep
6378      \openbib@code
6379      \usecounter{enumiv}%
6380      \let\p@enumiv\empty
6381      \renewcommand{\theenumiv}{\@arabic\c@enumiv}}%
6382      \sloppy
6383      \clubpenalty4000
6384      \clubpenalty \clubpenalty
6385      \widowpenalty4000%
6386      \sfcode`.\. @m}
6387      {\def\@noitemerr
6388        {\@latex@warning{Empty `thebibliography' environment}}%
6389      \endlist}

```



7.35 breqn-xetex-bidi.def

```
6390 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe
6391 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
6392   \everydisplay\expandafter{\the\everydisplay \display@setup}%
6393   \if@noskipsec \leavevmode \fi
6394   \if@inlabel \leavevmode \global\@inlabelfalse \fi
6395   \if\eq@group\else\eq@prelim\fi
6396   \setkeys{breqn}{#1}%
6397   \the\eqstyle
6398   \eq@setnumber
6399   \begingroup
6400   \eq@setup@a
6401   \eq@startup
6402 }
6403 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
6404   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
6405   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
6406   \global\let\GRP@label\empty
6407   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
6408   \global\grp@linewidth\z@\global\grp@wdNum\z@
6409   \global\let\grp@eqs@numbered\@False
6410   \global\let\grp@aligned\@True
6411   \global\let\grp@shiftnumber\@False
6412   \eq@prelim
6413   \setkeys{breqn}{#1}%
6414   \if\grp@hasNumber \grp@setnumber \fi
6415 }
6416 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
6417   \let\display@setup\dseries@display@setup
6418 % Question: should this be the default for dseries???
6419   \global\eq@wdCond\z@
6420   \@dmath[layout={M},#1]%
6421   \mathsurround\z@\math@penalty\@Mi
6422   \let\endmath\endmath
6423   \def\premath{%
6424     \ifdim\lastskip<.3em \unskip
6425     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
6426   }%
6427   \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
6428 \ignorespaces
6429 }
6430 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@italiccorr)\if@nonlatin\endR\fi}
6431 \renewenvironment{dsuspend}{%
6432   \global\setbox\@EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \parboxrestore
6433   \parshape 1 \displayindent \displaywidth\relax
6434   \hsize=\columnwidth \noindent\ignorespaces
6435 }{%
6436   \par\egroup
6437   \global\setbox\GRP@box\vbox{%
```



```

6438      \hbox{\copy\@box\vtop{\unvbox\@box}}%
6439      \unvbox\@box
6440  }%
6441  \global\@xp{\the\@elt{\let\@eq@isIntertext\@True}%
6442    \@elt{\let\@eq@isIntertext\@False}%
6443  }%
6444 }

```

7.36 cals-xetex-bidi.def

```

6445 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTe
6446 \renewcommand\cals@setup@alignment[1]{%
6447 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
6448 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
6449 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
6450 }%
6451 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
6452 \renewenvironment{calstable}[1][\cals@table@alignment]{%
6453 \if@RTLtab\cals@activate@rtl\fi
6454 \let\cals@thead@toks=\relax
6455 \let\cals@tfoot@toks=\relax
6456 \let\cals@tbreak@toks=\relax
6457 \cals@tfoot@height=0pt \relax
6458 \let\cals@last@context=n%
6459 \let\cals@current@context=b%
6460 \parindent=0pt \relax%
6461 \cals@setup@alignment{#1}%
6462 \cals@setpadding{A}\cals@setcellprevdepth{A}\cals@set@tohsize%
6463 %% Alignment inside is independent on center/flushright outside
6464 \parfillskip=0pt plus1fil\relax
6465 \let\cals@borderL=\relax
6466 \let\cals@borderR=\relax
6467 \let\cals@borderT=\relax
6468 \let\cals@borderB=\relax
6469 \setbox\cals@backup@row=\box\voidb@x\relax
6470 \cals@AtBeginTable
6471 }% End of the table
6472 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
6473 \renewcommand\alignL{%
6474 \if@RTLtab
6475   \cals@vfillAdd\cals@paddingL
6476 \else
6477   \cals@vfillDrop\cals@paddingL
6478 \fi
6479 \cals@vfillDrop\cals@paddingR}
6480 \renewcommand\alignR{%
6481 \if@RTLtab
6482   \cals@vfillDrop\cals@paddingL
6483 \else
6484   \cals@vfillAdd\cals@paddingL

```



```
6485 \fi  
6486 \cals@vfillDrop\cals@paddingR}
```

7.37 caption-xetex-bidi.def

```
6487 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package fo  
6488 \let\@makecaption\caption\makecaption
```

7.38 caption3-xetex-bidi.def

```
6489 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package  
6490 \renewcommand*\caption@par{  
6491   \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%
```

7.39 colortbl-xetex-bidi.def

```
6492 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package  
6493 \def\CT@setup{  
6494   \tempdimb\col@sep  
6495   \tempdimc\col@sep  
6496   \def\CT@color{  
6497     \global\let\CT@do@color\CT@@do@color  
6498     \bidicolor}  
6499 \def\@classz{\@classx  
6500   \tempcnta \count@  
6501   \prepnext@tok  
6502 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil  
6503   \addtopreamble{\if@RTLtab\beginL\fi%  
6504     \setbox\z@\hbox\bgroup\beginR\fi  
6505     \ifcase \chnum  
6506       \hskip\stretch{.5}\kern\z@  
6507       \dollarbegin  
6508       \insert@column  
6509       \dollarend\hskip\stretch{.5}\or  
6510       \dollarbegin \insert@column \dollarend \hfill \or  
6511       \hfill\kern\z@ \dollarbegin \insert@column \dollarend \or  
6512     \$\vcenter  
6513     \@startpbox{\nextchar}\insert@column \endpbox $ \or  
6514     \vtop \@startpbox{\nextchar}\insert@column \endpbox \or  
6515     \vbox \@startpbox{\nextchar}\insert@column \endpbox  
6516   \fi  
6517   \if@RTLtab\endR\fi\egroup\egroup  
6518 \begingroup  
6519   \CT@setup  
6520   \CT@column@color  
6521   \CT@row@color  
6522   \CT@cell@color  
6523   \CT@do@color  
6524 \endgroup  
6525   \tempdima\ht\z@  
6526   \advance\tempdima\minrowclearance  
6527   \vrule\height\tempdima\width\z@
```



```

6528           \unhbox\z@\if@RTLtab\endL\fi}%
6529   \prepnext@tok}

```

7.40 color-xetex-bidi.def

```

6530 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
6531 \long\def\color@b@x#1#2#3{%
6532   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
6533   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
6534   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
6535   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
6536   {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
6537     \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi
6538 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
6539 \DeclareRobustCommand\color{%
6540   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
6541 \def\@declaredcolor#1{%
6542   \@ifundefined{\string\color @#1}%
6543     {\c@lor@error{\`#1'}}%
6544     {\expandafter\let\expandafter\current@color
6545       \csname\string\color @#1\endcsname
6546       \set@color}%
6547   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
6548 \def\@undeclaredcolor[#1]#2{%
6549   \@ifundefined{color@#1}%
6550     {\c@lor@error{model `#1'}}%
6551     {\csname color@#1\endcsname\current@color{#2}%
6552       \set@color}%
6553   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
6554 \DeclareRobustCommand\bidicolor{%
6555   \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}%
6556 \def\@bidiundeclaredcolor[#1]#2{%
6557   \@ifundefined{color@#1}%
6558     {\c@lor@error{model `#1'}}%
6559     {\csname color@#1\endcsname\current@color{#2}%
6560       \set@color}%
6561   \ignorespaces}%
6562 \def\@bidideclaredcolor#1{%
6563   \@ifundefined{\string\color @#1}%
6564     {\c@lor@error{\`#1'}}%
6565     {\expandafter\let\expandafter\current@color
6566       \csname\string\color @#1\endcsname
6567       \set@color}%
6568   \ignorespaces}%
6569 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
6570 \def\color@fbox#1#2#3{%
6571   \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}\{\bidicolor#1{#3}}}
6572 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.41 combine-xetex-bidi.def



```

6573 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
6574 \renewcommand{\c@ll@chapsecii}[2]{%
6575   \if@RTL\advance\rightskip@\tempdima\else\advance\leftskip@\tempdima\fi
6576   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
6577   #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}}\par
6578 }
6579 \renewcommand{\c@ll@chapseci}{%
6580   \setlength{\tempdima}{0em}%
6581   \begingroup
6582     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6583     \parfillskip -\pnumwidth
6584     \leavevmode
6585 }
6586 \renewenvironment{tocindent}[1]{%
6587   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}%
```

7.42 crop-xetex-bidi.def

```

6588 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTe
6589 \renewcommand*\CROP@@ulc{%
6590   \if@RTLmain%
6591     \begin{picture}(0,0)
6592       \unitlength\p@\thinlines
6593       \put(-40,0){\circle{10}}
6594       \put(-30,-5){\line(0,1){10}}
6595       \put(-35,0){\line(1,0){30}}
6596       \put(-10,30){\circle{10}}
6597       \put(-5,30){\line(1,0){10}}
6598       \put(0,35){\line(0,-1){30}}
6599     \end{picture}%
6600   \else%
6601     \begin{picture}(0,0)
6602       \unitlength\p@\thinlines
6603       \put(-30,0){\circle{10}}
6604       \put(-30,-5){\line(0,1){10}}
6605       \put(-35,0){\line(1,0){30}}
6606       \put(0,30){\circle{10}}
6607       \put(-5,30){\line(1,0){10}}
6608       \put(0,35){\line(0,-1){30}}
6609     \end{picture}%
6610   \fi%
6611 }
6612 \renewcommand*\CROP@@urc{%
6613   \if@RTLmain%
6614     \begin{picture}(0,0)
6615       \unitlength\p@\thinlines
6616       \put(20,0){\circle{10}}
6617       \put(30,-5){\line(0,1){10}}
6618       \put(35,0){\line(-1,0){30}}
6619       \put(-10,30){\circle{10}}
```



```

6620      \put(-5,30){\line(1,0){10}}
6621      \put(0,35){\line(0,-1){30}}
6622 \end{picture}%
6623 \else%
6624 \begin{picture}(0,0)
6625     \unitlength\p@\\thinlines
6626     \put(30,0){\circle{10}}
6627     \put(30,-5){\line(0,1){10}}
6628     \put(35,0){\line(-1,0){30}}
6629     \put(0,30){\circle{10}}
6630     \put(-5,30){\line(1,0){10}}
6631     \put(0,35){\line(0,-1){30}}
6632 \end{picture}%
6633 \fi%
6634 }
6635 \renewcommand*\CROP@@llc{%
6636     \if@RTLmain%
6637         \begin{picture}(0,0)
6638             \unitlength\p@\\thinlines
6639             \put(-40,0){\circle{10}}
6640             \put(-30,-5){\line(0,1){10}}
6641             \put(-35,0){\line(1,0){30}}
6642             \put(-10,-30){\circle{10}}
6643             \put(-5,-30){\line(1,0){10}}
6644             \put(0,-35){\line(0,1){30}}
6645         \end{picture}%
6646     \else%
6647         \begin{picture}(0,0)
6648             \unitlength\p@\\thinlines
6649             \put(-30,0){\circle{10}}
6650             \put(-30,-5){\line(0,1){10}}
6651             \put(-35,0){\line(1,0){30}}
6652             \put(0,-30){\circle{10}}
6653             \put(-5,-30){\line(1,0){10}}
6654             \put(0,-35){\line(0,1){30}}
6655         \end{picture}%
6656     \fi%
6657 }
6658 \renewcommand*\CROP@@lrc{%
6659     \if@RTLmain%
6660         \begin{picture}(0,0)
6661             \unitlength\p@\\thinlines
6662             \put(20,0){\circle{10}}
6663             \put(30,-5){\line(0,1){10}}
6664             \put(35,0){\line(-1,0){30}}
6665             \put(-10,-30){\circle{10}}
6666             \put(-5,-30){\line(1,0){10}}
6667             \put(0,-35){\line(0,1){30}}
6668         \end{picture}%
6669     \else%

```



```

6670      \begin{picture}(0,0)
6671          \unitlength\p@\\thinlines
6672          \put(30,0){\circle{10}}
6673          \put(30,-5){\line(0,1){10}}
6674          \put(35,0){\line(-1,0){30}}
6675          \put(0,-30){\circle{10}}
6676          \put(-5,-30){\line(1,0){10}}
6677          \put(0,-35){\line(0,1){30}}
6678      \end{picture}%
6679      \fi%
6680  }
6681 \ifpackagewith{crop}{cam}%
6682 \CROP@execopt{cam}%
6683 }{}%

```

7.43 cutwin-xetex-bidi.def

```

6684 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
6685 \renewcommand*{\c@twcompctr}[2]{%
6686   \def\c@twffirst{1}
6687   \loop\advance\c@twinlines\m@ne
6688   \setbox\c@twslicea=\vsplit#1 to\baselineskip
6689   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
6690   \c@tprune{\c@twslicea}{\c@twlftside}%
6691   \c@tprune{\c@twsliceb}{\c@twrtside}%
6692   \ifnum\c@twffirst=\@ne
6693     \setbox#2=\vbox{\unvbox#2\hbox
6694       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
6695   \else
6696     \setbox#2=\vbox{\unvbox#2\hbox
6697       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
6698   \fi
6699   \def\c@twffirst{2}
6700   \ifnum\c@twinlines>\z@\repeat
6701 \renewcommand*{\c@twcompodctr}[2]{%
6702   \def\c@twrounds{1}
6703   \def\c@twffirst{1}
6704   \c@for\c@twlspec:=\c@twb\do{%
6705     \ifnum\c@twrounds=1
6706       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
6707       \c@tprune{\c@twslicea}{\c@twlspec}%
6708       \def\c@twrounds{2}
6709     \else
6710       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
6711       \c@tprune{\c@twsliceb}{\c@twlspec}%
6712       \ifnum\c@twffirst=1
6713         \setbox#2=\vbox{\unvbox#2\hbox
6714           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
6715         \def\c@twffirst{2}
6716     \else

```



```

6717     \setbox#2=\vbox{\unvbox#2\hbox
6718       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\els
6719         \fi
6720         \def\c@twrounds{1}
6721       \fi}}

```

7.44 cuted-xetex-bidi.def

```

6722 \ProvidesFile{cuted-xetex-bidi.def}[2016/05/10 v0.4 bidi adaptations for cuted package for Xe
6723
6724 \def\RTL@outputdblcol{%
6725   \if@firstcolumn
6726     \global\@firstcolumnfalse
6727     \global\setbox\@leftcolumn\copy\@outputbox
6728     \splitmaxdepth\maxdimen
6729     \vbadness\maxdimen
6730     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
6731     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
6732     \toks@\expandafter{\topmark}%
6733     \xdef\@firstcoltopmark{\the\toks@}%
6734     \toks@\expandafter{\splitfirstmark}%
6735     \xdef\@firstcolfirstmark{\the\toks@}%
6736     \ifx\@firstcolfirstmark\empty
6737       \global\let\@setmarks\relax
6738     \else
6739       \gdef\@setmarks{%
6740         \let\firstmark\@firstcolfirstmark
6741         \let\topmark\@firstcoltopmark}%
6742     \fi
6743   \else
6744     \global\@firstcolumntrue
6745     \setbox\@outputbox\vbox{%
6746       \hb@xt@\textwidth{%
6747         \hskip \columnwidth
6748         \hfil
6749         {\normalcolor\vrule \@width\columnseprule}%
6750         \hfil
6751         \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
6752         \hskip -\textwidth
6753         \hb@xt@\columnwidth{\box\@outputbox \hss}%
6754         \hskip \columnsep
6755         \hskip \columnwidth }%}
6756     \ifvoid\hold@viper
6757     \else
6758       \setbox\@outputbox \vbox to\textheight{%
6759         \box\hold@viper
6760         \box\@outputbox
6761         \vss
6762       }%
6763     \fi

```



```

6764  \@combinedblfloats
6765   \@setmarks
6766   \@outputpage
6767   \begingroup
6768     \@dblfloatplacement
6769     \@startdblcolumn
6770     \@whilesw\if@fcolmade \fi{\@outputpage
6771     \@startdblcolumn}%
6772     \ifvoid\@viper
6773     \else
6774       \global\setbox\@viper\vbox{%
6775         \vskip-\stripsep
6776         \unvbox\@viper
6777       }%
6778     \@viperoutput
6779     \fi
6780   \endgroup
6781 \fi}%
6782
6783 \def\LTR@outputdblcol{%
6784   \if@firstcolumn
6785     \global\@firstcolumnfalse
6786     \global\setbox\@leftcolumn\copy\@outputbox
6787     \splitmaxdepth\maxdimen
6788     \vbadness\maxdimen
6789     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
6790     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
6791     \toks@\expandafter{\topmark}%
6792     \xdef\@firstcoltopmark{\the\toks@}%
6793     \toks@\expandafter{\splitfirstmark}%
6794     \xdef\@firstcolfirstmark{\the\toks@}%
6795     \ifx\@firstcolfirstmark\empty
6796       \global\let\@setmarks\relax
6797     \else
6798       \gdef\@setmarks{%
6799         \let\firstmark\@firstcolfirstmark
6800         \let\topmark\@firstcoltopmark}%
6801     \fi
6802   \else
6803     \global\@firstcolumntrue
6804     \setbox\@outputbox\vbox{%
6805       \hb@xt@\textwidth{%
6806         \hb@xt@\columnwidth{\box\@leftcolumn \hss}}%
6807         \hfil
6808         {\normalcolor\vrule \@width\columnseprule}%
6809         \hfil
6810         \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
6811     \ifvoid\hold@viper
6812     \else
6813       \setbox\@outputbox\vbox to\textheight{%

```



```

6814           \box\hold@viper
6815           \box\@outputbox
6816           \vss
6817       }%
6818   \fi
6819   \@combinedblfloats
6820   \@setmarks
6821   \@outputpage
6822   \begingroup
6823   \@dblfloatplacement
6824   \@startdblcolumn
6825   \@whileswif@fcolmade \fi{\@outputpage
6826   \@startdblcolumn}%
6827   \ifvoid\@viper
6828   \else
6829   \global\setbox\@viper\vbox{%
6830       \vskip-\stripsep
6831       \unvbox\@viper
6832   }%
6833   \@viperoutput
6834   \fi
6835   \endgroup
6836 \fi}%
6837
6838
6839 \def \@addviper {%
6840   \if@firstcolumn
6841   \@insertfalse
6842   \@reqcolroom .5\@pageht
6843   \ht@\viper\@reqcolroom
6844   \advance \@reqcolroom \ht\@viper
6845   \advance \@reqcolroom \stripsep
6846   \ifvoid\hold@\viper\@tempdima=\z@\else\@tempdima\ht\hold@\viper\fi
6847 }%
6848 \@tempdimb \ht@\viper
6849 \loop
6850 \setbox\v@aaa\copy\holdpg
6851 \setbox\v@ccc\vbox to\@tempdimb{%
6852     \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
6853 \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
6854 \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
6855 \loop
6856 \setbox\v@aaa\copy\holdpg
6857 \setbox\v@ccc\vbox to\@tempdimb{%
6858     \vsplit\v@aaa to\@tempdimb\vss}%
6859 \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
6860 \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
6861 \wlog{- LAST -^\JLeft:\the\ht\v@ccc^\JRight:\the\ht\v@aaa^\JOutput:\the\@tempdimb}%
6862 \setbox\v@ccc\vbox to\@tempdimb{%
6863     \vsplit\holdpg to\@tempdimb\vss}%

```



```

6864 %%
6865   \setbox\@tempboxa \vbox {%
6866     \hb@xt@{\textwidth}{%
6867       \if@RTLmain%
6868         \hskip \columnwidth
6869         \hfil \vrule width\columnseprule \hfil
6870         \hb@xt@\columnwidth {%
6871           \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6872         \hskip -\textwidth
6873         \hb@xt@\columnwidth {%
6874           \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6875         \hskip \columnsep
6876         \hskip \columnwidth
6877       \else%
6878         \hb@xt@\columnwidth {%
6879           \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6880           \hfil
6881           \vrule \c@width\columnseprule
6882           \hfil
6883           \hb@xt@\columnwidth {%
6884             \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6885             \fi}%
6886           }%
6887   \ifvoid\hold@viper
6888     \global\setbox\hold@viper \vbox {%
6889       \unvbox\@tempboxa
6890       \penalty\interlinepenalty
6891       \vskip\stripsep
6892       \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6893       \outputpenalty \z@
6894     }%
6895   \else
6896     \global\setbox\hold@viper \vbox {%
6897       \unvbox\hold@viper
6898       \unvbox\@tempboxa
6899       \penalty\interlinepenalty
6900       \vskip\stripsep
6901       \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6902       \outputpenalty \z@
6903     }%
6904   \fi
6905   \ifdim \@colroom>\@reqcolroom
6906     \global\setbox\hold@viper \vbox {%
6907       \unvbox\hold@viper
6908       \box\@viper
6909       \penalty\interlinepenalty
6910       \vskip\stripsep
6911       \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6912       \outputpenalty \z@
6913     }%

```



```

6914     \@inserttrue
6915     \advance\@tempdima by-\ht\hold@viper
6916     \global\advance\@colht\@tempdima
6917     \ifdim\@colht<2.5\baselineskip
6918         \@latex@warning@no@line{Optional argument of \noexpand\twocolumn
6919             too tall on page \thepage (1 stulpelis)}%
6920         \emptycol
6921         \if@firstcolumn
6922         \else
6923             \emptycol
6924         \fi
6925         \global\@lastvipertrue
6926     \else
6927         \global\vsizet\@colht
6928         \global\@colroom\@colht
6929         \check@floats
6930         \ifdim\@tempdima>z@%
6931             \global\advance\@colroom by-\@tempdima
6932         \fi
6933         \ifdim\@colroom<z@%
6934             \global\@colroom 1pt
6935             \ifdim\@tempdima>\@colht
6936                 \@latex@warning@no@line{TOP ir/ar BOT FLOAT's
6937                     netelpa lape \thepage (1 stulpelis)}%
6938             \fi
6939             \emptycol
6940             \if@firstcolumn
6941             \else
6942                 \emptycol
6943             \fi
6944             \global\@lastvipertrue
6945         \fi
6946     \fi
6947 \fi
6948 \else
6949     \@insertfalse
6950     \reqcolroom\@colht
6951     \advance\reqcolroom\@pageht
6952     \ht@\viper.5\reqcolroom
6953     \reqcolroom\ht@\viper
6954     \advance\reqcolroom\ht@\viper
6955     \advance\reqcolroom\stripsep
6956     \if@flushend\auto\baselineskip
6957         \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
6958             \global\lastskip@d\lastskip
6959             \global\lastskip@b\lastskip
6960             \loop
6961                 \global\lastskip@a\lastskip@b
6962                 \unskip\unpenalty
6963                 \global\lastskip@b\lastskip

```



```

6964      \global\advance\lastskip@d by\lastskip
6965      \ifdim\lastskip@b=-\lastskip@a
6966          \global\advance\lastskip@d by-\lastskip
6967      \else
6968          \repeat
6969      \ifdim\lastskip@b=-\lastskip@a
6970          \ifdim\lastskip@b=\z@
6971              \setbox\lastbox@a\lastbox
6972                  \global\advance\lastskip@d by\ht\lastbox@a
6973                  \global\advance\lastskip@d by\lastskip
6974                  \unskip\unpenalty
6975                  \setbox\lastbox@a\lastbox
6976                  \global\advance\lastskip@d by\dp\lastbox@a
6977          \else
6978              \global\lastskip@d\lastskip
6979              \global\advance\lastskip@d by\topskip
6980          \fi
6981      \fi
6982      \global\advance\lastskip@d by-\topskip
6983  }%
6984  \ifdim\ht\@holdpg>\@colht
6985      \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
6986          \par\eject
6987          \vbox to \@colht{\unvbox\@holdpg\unskip}%
6988  }%
6989  \else
6990      \global\setbox\@holdpg\vbox{%
6991          \unvbox\@leftcolumn\unskip\unpenalty
6992          \vskip\lastskip@d
6993          \the\At@ViperColsBreak
6994          \unvbox\@holdpg
6995          \unskip
6996  }%
6997  \fi
6998 \else
6999     \global\setbox\@holdpg\vbox{%
7000         \unvbox\@leftcolumn
7001         \setbox\@tempboxa\lastbox
7002         \on@stripcols@break
7003         \the\At@ViperColsBreak
7004         \unvbox\@holdpg
7005  }%
7006  \fi
7007  \global\At@ViperColsBreak{}%
7008  \ht@viper .5\ht\@holdpg
7009  \ifdim \ht@viper >\@colht
7010      \ht@viper \@colht
7011  \fi
7012  \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
7013 %%
```



```

7014 \@tempdimb \ht@viper
7015 \loop
7016   \setbox\v@aaa\copy\holdpg
7017   \setbox\v@ccc\vbox to\@tempdimb{%
7018     \vsplit\v@aaa to\@tempdimb
7019     \vss
7020     \vsplit\v@aaa to\@tempdimb
7021     }%
7022     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7023 \ifvoid\v@aaa
7024 \else
7025   \advance\@tempdimb 1\p@
7026 \repeat
7027 \loop
7028   \setbox\v@aaa\copy\holdpg
7029   \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
7030   \wlog{(2)Left:\the\ht\v@ccc\space
7031       Right:\the\ht\v@aaa\space
7032       Output:\the\@tempdimb
7033     }%
7034 \ifdim\ht\v@ccc<\ht\v@aaa
7035   \@tempdimb \the\ht\v@aaa
7036 \repeat
7037 \wlog{- LAST -^JLeft:\the\ht\v@ccc
7038           ^JRight:\the\ht\v@aaa
7039           ^JOutput:\the\@tempdimb
7040     }%
7041 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
7042 \setbox@\tempboxa\vbox{%
7043   \hb@xt@\textwidth{%
7044     \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7045     \hfil
7046     \vrule \width\columnseprule
7047     \hfil
7048     \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7049   }%
7050 }%
7051 \ifvoid\hold@viper
7052   \global\setbox\hold@viper \vbox{%
7053     \unvbox@\tempboxa
7054     \penalty\interlinepenalty
7055     \vskip\stripsep
7056     \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7057     \outputpenalty \z@
7058   }%
7059 \else
7060   \global\setbox\hold@viper \vbox{%
7061     \unvbox\hold@viper
7062     \unvbox@\tempboxa
7063     \penalty\interlinepenalty

```



```

7064          \vskip\stripsep
7065          \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7066          \outputpenalty \z@
7067          }%
7068      \fi
7069      \ifdim \@colht>\@reqcolroom
7070          \global\setbox\hold@viper \vbox {%
7071              \unvbox\hold@viper
7072              \box@\viper
7073              \penalty\interlinepenalty
7074              \vskip\stripsep
7075              \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7076              \outputpenalty \z@
7077          }%
7078      \inserttrue
7079      \global\@firstcolumntrue
7080      \advance\@tempdima by-\ht\hold@viper
7081      \global\advance \@colht \@tempdima
7082      \ifdim \@colht<2.5\baselineskip
7083          \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7084                          too tall on page \thepage (2 stulpelis)}%
7085          \emptycol
7086          \if@firstcolumn
7087          \else
7088              \emptycol
7089          \fi
7090          \global\@lastvipertrue
7091      \else
7092          \global\vsizet\@colht
7093          \global\@colroom \@colht
7094          \check@floats
7095          \ifdim\@tempdima>\z@
7096              \global\advance\@colroom by-\@tempdima
7097          \fi
7098          \ifdim\@colroom<\z@
7099              \global\@colroom 1pt
7100              \ifdim\@tempdima>\@colht
7101                  \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7102                      netelpa lape \thepage (2 stulpelis)}%
7103              \fi
7104              \emptycol
7105              \if@firstcolumn
7106              \else
7107                  \emptycol
7108              \fi
7109              \global\@lastvipertrue
7110          \fi
7111      \fi
7112  \fi
7113 \fi

```



```

7114 \if@insert
7115 \else
7116   \advance\@tempdima by-\ht\hold@viper
7117   \global\advance\@colht\@tempdima
7118   \global\setbox\hold@viper\vbox{%
7119     \unvbox\hold@viper
7120     \csname viper@top@hook\endcsname
7121     \vsplit@viper to\@colht
7122     \vss
7123   }%
7124   \vbox{}%
7125   \global\@firstcolumnfalse
7126   \newpage
7127 \fi
7128 }

```

7.45 cvthemedibicasual.sty

```

7129 \NeedsTeXFormat{LaTeX2e}
7130 \ProvidesPackage{cvthemedibicasual}
7131 \DeclareOption{blue} {}
7132 \newif\if@colourorange\@colourorangefalse
7133 \DeclareOption{orange}{\@colourorangentrue}
7134 \newif\if@colourgreen\@colourgreenfalse
7135 \DeclareOption{green}{\@colourgreentrue}
7136 \newif\if@colourred\@colourredfalse
7137 \DeclareOption{red}{\@colourredtrue}
7138 \newif\if@colourgrey\@colourgreyfalse
7139 \DeclareOption{grey}{\@colourgreytrue}
7140 \DeclareOption*{%
7141   \PackageWarning{cvthemedibicasual}{Unknown option '\CurrentOption'}}}
7142 \ExecuteOptions{colour}
7143 \ProcessOptions\relax
7144 \renewcommand*{\listitemsymbol}{\textbullet}
7145 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
7146 \familynamecolour{808080}
7147 \firstnamecolour{A9A9A9}
7148 \quotecolour{696969}
7149 \addresscolour{696969}
7150 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
7151 \sectiontitlecolour{1E90FF}
7152 \subsectioncolour{4682B4}
7153 \definecolor{rulecolour}{gray}{0.6}
7154 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
7155 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
7156 \if@colourorange
7157   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7158   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7159   \sectiontitlecolour{FF8C00}
7160   \subsectioncolour{FF8C00}

```



```

7161 \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
7162 \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
7163 \if@colourgreen
7164 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7165 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7166 \sectontitlecolour{008000}
7167 \subsectioncolour{008000}
7168 \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
7169 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
7170 \if@coloured
7171 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7172 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7173 \sectontitlecolour{FF0000}
7174 \subsectioncolour{FF0000}
7175 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
7176 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
7177 \if@colourgrey
7178 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7179 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7180 \sectontitlecolour{808080}
7181 \subsectioncolour{808080}
7182 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
7183 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
7184 \renewcommand*{\ttdefault}{pcr}
7185 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
7186 \renewcommand*{\familynamefont}{\firstnamefont}
7187 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
7188 \renewcommand*{\quotefont}{\large\slshape}
7189 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
7190 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
7191 \renewcommand*{\maketitle}{%
7192 {%
7193 \ifthenelse{\isundefined{\@photo}}{%
7194 {}%
7195 {{\color{firstnamecolor}\framebox{\includegraphics[width=\photowidth]{\@photo}}}}%
7196 \hfill\%\\
7197 \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}\[-.35em]\%\\
7198 {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]\%\\
7199 \ifthenelse{\isundefined{\@quote}}{%
7200 {}%
7201 {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}\[\\
7202 }%
7203 \newif\if@firstfooterelement\@firstfooterelementtrue
7204 \providecommand*{\footersymbol}{}
7205 \renewcommand*{\footersymbol}{%
7206 \if@firstfooterelement%
7207 \else%
7208 { \color{footersymbolcolor}\textbullet~~}\fi}
7209 \providecommand*{\makefooter}{}
7210 \renewcommand*{\makefooter}{%

```



```

7211 \fancypagestyle{plain}{%
7212   \fancyfoot[c]{%
7213     \parbox{0.8\textwidth}{%
7214       \centering%
7215       \addressfont\@addresscolour%
7216       \ifthenelse{\isundefined{\@address}}{}{%
7217         \addresssymbol~\@address\%
7218         \iffirstfooterelementfalse}%
7219       \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
7220       \ifthenelse{\isundefined{\@phone}}{}{\phonesymbol~\@phone\@firstfooterelementfalse}%
7221       \ifthenelse{\isundefined{\@fax}}{}{\faxesymbol~\@fax\@firstfooterelementfalse}%
7222       \ifthenelse{\isdefined{\@email}}{}{\footersymbol\emallsymbol~\emaillink{\@email}\@firstfooterelementfalse}%
7223       \ifthenelse{\isdefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfalse}%
7224     }%
7225   \pagestyle{plain}%
7226 \AtBeginDocument{\makefooter}

```

7.46 cvthemedibidiclassic.sty

```

7227 \NeedsTeXFormat{LaTeX2e}
7228 \ProvidesPackage{cvthemedibidiclassic}
7229 \DeclareOption{blue}{}
7230 \newif\if@colourorange\@colourorangefalse
7231 \DeclareOption{orange}{\@colourorangeltrue}
7232 \newif\if@colourgreen\@colourgreenfalse
7233 \DeclareOption{green}{\@colourgreentrue}
7234 \newif\if@coloured\@colouredfalse
7235 \DeclareOption{red}{\@colouredtrue}
7236 \newif\if@colourgrey\@colourgreyfalse
7237 \DeclareOption{grey}{\@colourgreytrue}
7238 \DeclareOption*{%
7239   \PackageWarning{cvthemedibidiclassic}{Unknown option '\CurrentOption'}}
7240 \ExecuteOptions{colour}
7241 \ProcessOptions\relax
7242 \renewcommand*\listitemsymbol{\textbullet}
7243 \firstnamecolour{ }
7244 \familynamecolour{ }
7245 \titlecolour{808080}
7246 \quotecolour{696969}
7247 \addresscolour{696969}
7248 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
7249 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
7250 \sectiontitlecolour{1E90FF}
7251 \subsectioncolour{4682B4}
7252 \if@colourorange
7253   \addresscolour{FF8C00}
7254   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
7255   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
7256   \sectiontitlecolour{FF8C00}
7257   \subsectioncolour{FF8C00}\fi

```



```

7258 \if@colourgreen
7259   \addresscolour{008000}
7260   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7261   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7262   \sectiontitlecolour{008000}
7263   \subsectioncolour{008000}\fi
7264 \if@coloured
7265   \addresscolour{FF0000}
7266   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7267   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7268   \sectiontitlecolour{FF0000}
7269   \subsectioncolour{FF0000}\fi
7270 \if@colourgrey
7271   \addresscolour{808080}
7272   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7273   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7274   \sectiontitlecolour{808080}
7275   \subsectioncolour{808080}\fi
7276 \renewcommand*{\ttdefault}{pcr}
7277 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
7278 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
7279 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
7280 \renewcommand*{\familynamefont}{\firstnamefont}
7281 \renewcommand*{\quotefont}{\large\slshape}
7282 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
7283 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
7284 \newlength{\maketitlenamemaxwidth}
7285 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
7286 \newlength{\maketitlenamefullwidth}
7287 \setwidth{\maketitlenamefullwidth}{\firstnamestyle{@firstname~}\familynamestyle{@familyname}}
7288 \newlength{\maketitlenamewidth}
7289 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
7290 \newlength{\maketitlepicturewidth}
7291 \setlength{\maketitlepicturewidth}{\photowidth}
7292 \newlength{\maketitledetailwidth}
7293 \renewcommand*{\recomputethemelengths}{%
7294   \setlength{\maketitledetailwidth}{\textwidth}%
7295   \addtolength{\maketitledetailwidth}{-\maketitlenamewidth}%
7296   \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
7297   \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}%
7298 \recomputethemelengths
7299 \newif\if@firstdetailselement@\firstdetailselementtrue
7300 \newcommand*{\maketitledetailsnewline}{%
7301   \if@firstdetailselement%
7302     \firstdetailselementfalse%
7303   \else%
7304     \\[.2em]\fi}
7305 \renewcommand*{\maketitle}{%
7306   % name and title
7307   \begin{minipage}[b]{\maketitlenamewidth}%

```



```

7308   \firstnamestyle{@firstname}\familynamestyle{@familyname}%
7309   \ifthenelse{equal{@title}{}{}}{\[1.25em]\titlestyle{@title}}%
7310 \end{minipage}%
7311 % optional data
7312 \begin{minipage}[b]{\maketitledetailwidth}%
7313   \bidi@raggedleft\addressfont@addresscolour%
7314   \ifthenelse{\isundefined{@address}{}{}}{%
7315     \maketitledetailsnewline%
7316     \addresssymbol~\\@address}%
7317   \ifthenelse{\isundefined{@mobile}{}{}}{\maketitledetailsnewline\mobilesymbol~@mobile}%
7318   \ifthenelse{\isundefined{@phone}{}{}}{\maketitledetailsnewline\phonesymbol~@phone}%
7319   \ifthenelse{\isundefined{@fax}{}{}}{\maketitledetailsnewline\faxsymbol~@fax}%
7320   \ifthenelse{\isundefined{@email}{}{}}{\maketitledetailsnewline\emailsymbol~emaillink{@em}%
7321   \ifthenelse{\isundefined{@extrainfo}{}{}}{\maketitledetailsnewline@extrainfo}%
7322 \end{minipage}%
7323 % optional photo
7324 \ifthenelse{\isundefined{@photo}{}{}}{%
7325   {}%
7326   {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\m}%
7327 % optional quote
7328 \ifthenelse{\isundefined{@quote}{}{}}{%
7329   {}%
7330   {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{@quote}\end{minipage}}\\%
7331 }

```

7.47 dblfnote-xetex-bidi.def

```

7332 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package
7333 \let\autofootnoterule\relax
7334 \let\rightfootnoterule\relax
7335 \let\leftfootnoterule\relax
7336 \let\textwidthfootnoterule\relax
7337 \let\LRfootnoterule\relax
7338 \def\footnoterule{\kern-3\p@
7339   \hrule \width \DFNcolumnwidth \kern 2.6\p@}%
7340 \AtBeginDocument{\let\dfn@latex@footnotetext\footnotetext
7341 \let@\footnotetext\dfn@footnotetext}
7342 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{%
7343   \let\insert\dfn@gobble
7344   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7345   \def\makefnmark{\smash{\dfn@makefnmark}}
7346   \dfn@latex@LTRfootnotetext#1\par \boxmaxdepth\dfn@fnmaxdp}%
7347   \dfn@dima@ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7348   \ifdim\dfn@dima>\z@\else
7349     \dfn@dima1sp\relax
7350     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7351   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7352     \ifvoid\dfn@ins\else
7353       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7354     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%

```



```

7355     \setbox\dfn@boxa\copy\dfn@ins
7356     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7357     \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7358     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdima
7359     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}
7360     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
7361 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
7362 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
7363 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
7364     \let\insert\dfn@gobble
7365     \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7366     \def\@makefnmark{\smash{\dfn@makefnmark}}
7367     \dfn@latex@RTLfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7368     \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7369     \ifdim\dfn@dima>\z@\else
7370         \dfn@dima1sp\relax
7371         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7372     \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7373         \ifvoid\dfn@ins\else
7374             \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7375             \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7376     \setbox\dfn@boxa\copy\dfn@ins
7377     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7378     \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7379     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdima
7380     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}
7381     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
7382 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
7383 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
7384 \def\dfn@RTLmakecol{\ifvoid\footins\else
7385     \dfn@dima\ht\footins
7386     \atempcnta\z@ \dfn@countins
7387     \atempdima\z@ \let\@elt\dfn@elt@getht
7388     \dfn@list\@nil
7389     \ifdim\@tempdima=\z@\else
7390     \dfn@split\atempdima\dfn@ins\dfn@boxa\z@\z@
7391     \global\setbox\dfn@ins\box\dfn@ins
7392     \atempswatru
7393     \ifdfn@trysingle
7394         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7395         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7396         \advance\@tempdima-\skip\footins
7397         \advance\@tempdima-\ht\dfn@boxa
7398         \ifdim\@tempdima<\z@\else \atempswafalse
7399             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7400                 \footnoterule \unvbox\dfn@boxa}\fi\fi
7401     \atempswa
7402     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7403     \global\setbox\footins\vbox{\hbox{%
7404         \hskip \DFNcolumnwidth

```



```

7405   \hskip\DFNcolumnsep
7406   \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7407     \unvbox\dfn@boxb\vss}\hss}
7408   \hskip -\textwidth
7409   \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7410     \vbox to\@tempdima{
7411       \setbox\@tempboxa\vbox{\footnoterule}
7412       \ifdfn@ruleboth \unvbox\@tempboxa
7413       \else \atempdima\ht\@tempboxa
7414         \advance\@tempdima\dp\@tempboxa
7415         \vskip\@tempdima
7416         \prevdepth\dp\@tempboxa \fi
7417       \unvbox\dfn@boxa\vss}\fi\hss}
7418   \hskip \DFNcolumnsep
7419   \hskip \DFNcolumnwidth}}\fi\fi
7420 \global\dfn@fnht\z@
7421 \ifx\dfn@list\@empty\else
7422   \let\elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7423   \dfn@list \global\advance\dfn@fnht\dfn@dimb
7424   \let\elt\relax
7425   \ifdim\dfn@dimb>\z@
7426     \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7427     \insert\footins{\floatingpenalty@MM
7428       \vbox to\dfn@dimb{} }\fi
7429   \ifdim\dfn@fnht>\@tempdima
7430     \atempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7431     \global\dfn@fnht\@tempdima
7432     \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7433     \xdef\dfn@afteroutput{\insert\footins{
7434       \floatingpenalty@MM
7435       \vbox to\number\@tempdimb sp{} }%
7436       \global\let\noexpand\dfn@afteroutput\relax}%
7437     \fi\fi
7438   \fi}%
7439   \let\footnoterule\relax \dfn@latex@makecol
7440   \let\footnoterule\dfn@footnoterule}
7441 \def\dfn@LTRmakecol{\ifvoid\footins\else
7442   \dfn@dima\ht\footins
7443   \atempcnta\z@ \dfn@countins
7444   \atempdima\z@ \let\elt\dfn@elt@getht
7445   \dfn@list@nil
7446   \ifdim\@tempdima=\z@\else
7447     \dfn@split\atempdima\dfn@ins\dfn@boxa\z@\z@
7448     \global\setbox\dfn@ins\box\dfn@ins
7449     \atempswatru
7450     \ifdfn@trysingle
7451       \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\atempdima\@colroom
7452       \advance\atempdima-\ht\dfn@boxb \advance\atempdima-\dp\dfn@boxb
7453       \advance\atempdima-\skip\footins
7454       \advance\atempdima-\ht\dfn@boxa

```



```

7455         \ifdim\@tempdima<\z@\else \atempswafalse
7456             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7457                 \footnoterule \unvbox\dfn@boxa}\fi\fi
7458 \if@tempswa
7459 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7460 \global\setbox\footins\vbox{\hbox{%
7461     \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7462         \unvbox\dfn@boxb\vss}\hskip\DFNcolumnsep
7463     \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7464         \vbox to\@tempdima{
7465             \setbox\@tempboxa\vbox{\footnoterule}
7466             \ifdfn@ruleboth \unvbox\@tempboxa
7467             \else \atempdima\ht\@tempboxa
7468                 \advance\@tempdima\dp\@tempboxa
7469                 \vskip\@tempdima
7470                 \prevdepth\dp\@tempboxa \fi
7471             \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
7472 \global\dfn@fnht\z@
7473 \ifx\dfn@list\empty\else
7474     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7475     \dfn@list \global\advance\dfn@fnht\dfn@dimb
7476     \let\@elt\relax
7477     \ifdim\dfn@dimb>\z@
7478         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7479         \insert\footins{\floatingpenalty@MM
7480             \vbox to\dfn@dimb{}\fi
7481     \ifdim\dfn@fnht>\@tempdima
7482         \atempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7483         \global\dfn@fnht\@tempdima
7484         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7485         \xdef\dfn@afteroutput{\insert\footins{
7486             \floatingpenalty@MM
7487             \vbox to\number\@tempdimb sp{}\%}
7488             \global\let\noexpand\dfn@afteroutput\relax}%
7489     \fi\fi
7490 \fi}%
7491 \let\footnoterule\relax \dfn@latex@makecol
7492 \let\footnoterule\dfn@footnoterule}
7493 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
7494 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
7495 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
7496 \DFNalwaysdouble

```

7.48 draftwatermark-xetex-bidi.def

```

7497 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterm
7498 \renewcommand\SetWatermarkText[1]{%
7499   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

7.49 eso-pic-xetex-bidi.def



```

7500 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for
7501 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
7502   \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}
7503
7504 \ESO@isMEMOIR{%
7505   \renewcommand\AtTextUpperLeft[1]{%
7506     \begingroup
7507       \ifodd\c@page
7508         \tempdima=\spinemargin
7509       \else
7510         \tempdima=\paperwidth
7511         \advance\tempdima-\textwidth
7512         \advance\tempdima-\spinemargin
7513       \fi
7514       \tempdimb=-\uppermargin
7515       \AtPageUpperLeft{%
7516         \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
7517       }%
7518     \endgroup
7519   }%
7520 }{%
7521   \renewcommand\AtTextUpperLeft[1]{%
7522     \begingroup
7523       \tempdima=1in\relax
7524       \ifodd\c@page
7525         \advance\tempdima\oddsidemargin
7526       \else
7527         \advance\tempdima\evensidemargin
7528       \fi
7529       \tempdimb=-1in\relax
7530       \advance\tempdimb-\topmargin
7531       \advance\tempdimb-\headheight
7532       \advance\tempdimb-\headsep
7533       \AtPageUpperLeft{%
7534         \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
7535       }%
7536     \endgroup
7537   }%
7538 }

```

7.50 empheq-xetex-bidi.def

```

7539 \ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for
7540 \MHInternalSyntaxOn
7541 \def\EQ_tag_plus_endmark:{%
7542   \iftagsleft@
7543     \gdef\maketag@@@##1{%
7544       \hbox{\displaywidth
7545         \if@RTL\makebox[\widthof{##1}][r]{%
7546           \hbox to \displaywidth{\m@th\normalfont##1\hss

```



```

7547     \raisebox{-\dp\EQ_mathdisplay_box}
7548         -\depthof{\EQ_outerbox:{}}
7549         {\PotEndMark{\hss}}}}
7550 \else\makebox[\widthof{\##1}][1]{%
7551     \hbox to \displaywidth{\m@th\normalfont##1\hss
7552         \raisebox{-\dp\EQ_mathdisplay_box}
7553             -\depthof{\EQ_outerbox:{}}
7554             {\PotEndMark{\hss}}}\fi}%
7555 \else:
7556     \gdef\maketag@@@##1{%
7557         \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
7558             \settoheight{\@tempdima}{\@nameuse{InTheoType Symbol}}\%
7559             \MH_addtolength:dn \@tempdima
7560                 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
7561             \setlength{\@tempdimb}
7562                 {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
7563                     +\depthof{\EQ_innerbox:{}}}}
7564             \if_dim:w \@tempdima>\@tempdimb
7565                 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
7566                     -\@tempdima+\g_EQ_bottomrow_depth_dim}
7567                     \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}\%
7568                     \def\EQ_next:{\raisebox{\@tempdima}{%
7569                         \else:
7570                             \def\EQ_next:{%
7571                                 \raisebox{-\dp\EQ_mathdisplay_box}
7572                                     -\depthof{\EQ_outerbox:{}}}}\%
7573                         \fi:\EQ_next:}}}\%
7574     \fi:}%
7575 \def\EQ_post_process:{%
7576     \EQ_initialize:
7577     \EQ_begin_equation:
7578     \MH_if_boolean:nT {outer_mult}{%
7579         \setkeys{\MT_options_name:}{%
7580             firstline-afterskip=0pt,
7581             lastline-preskip=0pt,
7582             multlined-width=0pt,
7583         }
7584         \ifodd \l_EQ_alignmentmode_int
7585             \setkeys{\MT_options_name:}{multlined-pos=b}
7586         \else:
7587             \setkeys{\MT_options_name:}{multlined-pos=t}
7588         \fi:
7589         \g@addto@macro\EQ_complete_mathdisplay:{%
7590             \begin{MTmultlined}\relax
7591         }
7592         \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
7593         \MH_if_boolean:nT {outer_mult}{%
7594             \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
7595         }
7596     \EQ_end_equation:

```



```

7597 \edef\l_EQ_hyperref_link_fint{\number\Hy@linkcounter}
7598 \savecounters@
7599 \EQ_typeset_tags:
7600 \edef\l_EQ_equation_fint{\number\c@equation}
7601 \restorecounters@
7602 \Hy@linkcounter=\EQ_hyperref_link_fint
7603 \settowidth{\l_EQ_totalwidth_dim}{%
7604   $ \EQ_left_side:\EQ_innerbox:{} \EQ_right_side:$ }%
7605 \MH_if_boolean:nTF {outer_mult}
7606   { \def\l_EQ_next:{_mult} }
7607   { \def\l_EQ_next:{} }
7608 \cnameuse{EQ_modify_lineWidth_
7609   \romannumeral\l_EQ_equationtype_int\l_EQ_next: :}%
7610 \EQ_typeset_display:
7611 \cnameuse{find_displaywidth_
7612   \romannumeral\l_EQ_equationtype_int\l_EQ_next: :}
7613 \MH_addtolength:dn
7614   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
7615 \savebox{EQ_mathdisplay_box}[\l_EQ_totalwidth_dim][c]{%
7616   $ \EQ_left_side:
7617   \EQ_innerbox:{%
7618     \if_case:w \l_EQ_alignmentmode_int\or:
7619       \makebox[\l_EQ_displaywidth_dim][c]
7620         {\usebox{EQ_mathdisplay_box}}%
7621     \or:
7622       \makebox[\l_EQ_displaywidth_dim][c]
7623         {\usebox{EQ_mathdisplay_box}}%
7624     \or:
7625       \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
7626         \if_num:w \l_EQ_equationtype_int=5 \else:
7627           \if_num:w \l_EQ_equationtype_int=6 \else:
7628             \kern-\@mathmargin
7629           \fi:
7630         \fi:
7631         \usebox{EQ_mathdisplay_box}}%
7632       \else\makebox[\l_EQ_displaywidth_dim][l]{%
7633         \if_num:w \l_EQ_equationtype_int=5 \else:
7634           \if_num:w \l_EQ_equationtype_int=6 \else:
7635             \kern-\@mathmargin
7636           \fi:
7637         \fi:
7638         \usebox{EQ_mathdisplay_box}}\fi%
7639     \or:
7640       \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
7641         \if_num:w \l_EQ_equationtype_int=5 \else:
7642           \if_num:w \l_EQ_equationtype_int=6 \else:
7643             \kern-\@mathmargin
7644           \fi:
7645         \fi:
7646         \usebox{EQ_mathdisplay_box}}%

```



```

7647     \else\makebox[\l_EQ_displaywidth_dim][1]{%
7648         \if_num:w \l_EQ_equationtype_int=5 \else:
7649             \if_num:w \l_EQ_equationtype_int=6 \else:
7650                 \kern-\@mathmargin
7651             \fi:
7652         \fi:
7653         \usebox{\EQ_mathdisplay_box}}\fi%
7654     \fi:}%
7655     \EQ_right_side:$}%
7656 \begin{AmSequation*}
7657 \cnameuse{EQ_place_display_
7658     \romannumeral\l_EQ_equationtype_int\EQ_next: :}
7659 \if_dim:w \g_EQ_widesttag_dim>\z@
7660 \MH_set_boolean_T:n {show_manual_tags}
7661     \if_case:w \l_EQ_alignmentmode_int
7662         \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
7663         \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
7664         \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
7665         \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
7666     \fi:
7667 \fi:
7668 \end{AmSequation*}
7669 \global\c@equation=\l_EQ_equation_fint\relax
7670 }
7671 \AtBeginDocument{%
7672     \c@ifpackageloaded{fancybox}{%
7673         \c@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
7674             {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
7675             \renewcommand*\shadowbox{%
7676                 \c@ifstar{\MH_set_boolean_T:n {shadowbox_star}
7677                     \VerbBox\EQ_shadowbox:n}
7678                     {\MH_set_boolean_F:n {shadowbox_star}
7679                         \VerbBox\EQ_shadowbox:n}}
7680             \def\EQ_shadowbox:n #1{%
7681                 \sbox{\z@\fbox{#1}}%
7682                 \MH_if_boolean:nTF {shadowbox_star}{%
7683                     \MH_setlength:dn \tempdima{\z@}%
7684                 }{%
7685                     \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}%
7686                 }
7687                 \raisebox{\tempdima}{%
7688                     \if@RTL\makebox[\z@][r]{%
7689                         \kern\shadowsize \textcolor{shadowcolor}{%
7690                             \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
7691                         }%
7692                     \else\makebox[\z@][l]{%
7693                         \kern\shadowsize \textcolor{shadowcolor}{%
7694                             \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
7695                     }\fi%
7696                     \usebox{\z@\textcolor{shadowcolor}{%

```



```

7697           \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
7698 }{}}%
7699 }
7700 \MHInternalSyntaxOff

```

7.51 extarticle-xetex-bidi.def

```

7701 \ProvidesFile{extarticle-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for extarticle class]
7702 \renewcommand*\l@section[2]{%
7703   \ifnum \c@tocdepth >\z@
7704     \addpenalty\@secpenalty
7705     \addvspace{1.0em \@plus\p@}%
7706     \setlength\@tempdima{1.5em}%
7707     \begin{group}
7708       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
7709       \parfillskip -\c@pnumwidth
7710       \leavevmode \bfseries
7711       \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
7712       \hskip -\if@RTL\rightskip\else\leftskip\fi\c@tempdima
7713       #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
7714     \end{group}
7715   \fi}
7716 \renewcommand*\l@part[2]{%
7717   \ifnum \c@tocdepth >-2\relax
7718     \addpenalty\@secpenalty
7719     \addvspace{2.25em \@plus\p@}%
7720     \begin{group}
7721       \setlength\@tempdima{3em}%
7722       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
7723       \parfillskip -\c@pnumwidth
7724       \leavevmode
7725       \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
7726       \nobreak
7727     \end{group}
7728   \fi}
7729 \def\@part[#1]#2{%
7730   \ifnum \c@secnumdepth >\m@ne
7731     \refstepcounter{part}%
7732     \addcontentsline{toc}{part}{\the\part\hskip\c@tempdima#1}%
7733   \else
7734     \addcontentsline{toc}{part}{#1}%
7735   \fi
7736   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
7737   \interlinepenalty \OM
7738   \normalfont
7739   \ifnum \c@secnumdepth >\m@ne
7740     \Large\bfseries \partname-\the\part
7741     \par\nobreak
7742   \fi
7743   \huge \bfseries #2%

```



```

7744     \markboth{}{}\par}%
7745     \nobreak
7746     \vskip 3ex
7747     \o@afterheading}
7748 \def\@spart#1{%
7749     \parindent \z@\if@RTL\raggedleft\else\raggedright\fi
7750     \interlinepenalty \oM
7751     \normalfont
7752     \huge \bfseries #1\par}%
7753     \nobreak
7754     \vskip 3ex
7755     \o@afterheading}
7756 \renewenvironment{thebibliography}[1]
7757     {\section*{\refname}
7758         \o@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
7759         \if@RTL\if@LTrbibitems\oRTLfalse\else\fi\else\if@RTLbibitems\oRTLtrue\else\fi\fi
7760         \list{\@biblabel{\@arabic\c@enumiv}}%
7761             {\settowidth\labelwidth{\@biblabel{#1}}%
7762             \leftmargin\labelwidth
7763             \advance\leftmargin\labelsep
7764             \oopenbib@code
7765             \usecounter{enumiv}%
7766             \let\p@enumiv\empty
7767             \renewcommand\theenumiv{\@arabic\c@enumiv}}%
7768             \sloppy\clubpenalty4000\widowpenalty4000%
7769             \sfcode`.\.0m}
7770         {\def\@noitemerr
7771             {\@latex@warning{Empty `thebibliography' environment}}%
7772             \endlist}
7773 \renewcommand{\left@footnoterule}{%
7774     \kern-3\p@
7775     \hrule\@width.4\columnwidth
7776     \kern2.6\p@}
7777 \renewcommand{\right@footnoterule}{%
7778     \kern-3\p@
7779     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
7780     \kern2.6\p@}
7781     \if@titlepage
7782     \renewcommand{\maketitle}{\begin{titlepage}}
7783     \let\footnotesize\small
7784     \let\right@footnoterule\relax
7785     \let\left@footnoterule\relax
7786     \let\textwidth@footnoterule\relax
7787     \let\footnote\thanks
7788     \null\vfil
7789     \vskip 60\p@
7790     \begin{center}%
7791         {\LARGE \o@title \par}%
7792         \vskip 3em%
7793         {\large

```



```

7794   \lineskip .75em%
7795   \begin{tabular}[t]{c}%
7796     @author
7797   \end{tabular}\par}%
7798   \vskip 1.5em%
7799   {\large \@date \par}%
7800 }% Set date in \large size.
7801 \end{center}\par
7802 @thanks
7803 \vfil\null
7804 \end{titlepage}%
7805 \setcounter{footnote}{0}%
7806 \global\let\thanks\relax
7807 \global\let\maketitle\relax
7808 \global\let\@thanks\empty
7809 \global\let\@author\empty
7810 \global\let\@title\empty
7811 \global\let\title\relax
7812 \global\let\author\relax
7813 \global\let\date\relax
7814 \global\let\and\relax
7815 }
7816 \else
7817 \renewcommand\maketitle{\par
7818   \begingroup
7819     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
7820     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
7821     \long\def\@makefntext##1{\parindent 1em\noindent
7822       \hb@xt@1.8em{%
7823         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
7824     \if@twocolumn
7825       \ifnum \col@number=\@ne
7826         \@maketitle
7827       \else
7828         \twocolumn[\@maketitle]%
7829       \fi
7830     \else
7831       \newpage
7832       \global\@topnum\z@ % Prevents figures from going at top of page.
7833       \@maketitle
7834     \fi
7835     \thispagestyle{plain}\@thanks
7836   \endgroup
7837   \setcounter{footnote}{0}%
7838   \global\let\thanks\relax
7839   \global\let\maketitle\relax
7840   \global\let\@maketitle\relax
7841   \global\let\@thanks\empty
7842   \global\let\@author\empty
7843   \global\let\@date\empty

```



```

7844 \global\let\@title\empty
7845 \global\let\title\relax
7846 \global\let\author\relax
7847 \global\let\date\relax
7848 \global\let\and\relax
7849 }
7850 \def\@maketitle{%
7851   \newpage
7852   \null
7853   \vskip 2em%
7854   \begin{center}%
7855     \let \footnote \thanks
7856     {\LARGE \@title \par}%
7857     \vskip 1.5em%
7858     {\large
7859       \lineskip .5em%
7860       \begin{tabular}[t]{c}%
7861         \author
7862       \end{tabular}\par}%
7863     \vskip 1em%
7864     {\large \@date}%
7865   \end{center}%
7866   \par
7867   \vskip 1.5em}
7868 \fi
7869 \renewcommand\thesubsection {\thesection \@SepMark \@arabic \c@subsection}
7870 \renewcommand\thesubsubsection{\thesubsection \@SepMark \@arabic \c@subsubsection}
7871 \renewcommand\theparagraph {\thesubsubsection \@SepMark \@arabic \c@paragraph}
7872 \renewcommand\thesubparagraph {\theparagraph \@SepMark \@arabic \c@subparagraph}%

```

7.52 extbook-xetex-bidi.def

```

7873 \ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for
7874   \if@titlepage
7875   \renewcommand\maketitle{\begin{titlepage}%
7876     \let\footnotesize\small
7877     \let\right@footnoterule\relax
7878     \let\left@footnoterule\relax
7879     \let\textwidth@footnoterule\relax
7880     \let \footnote \thanks
7881     \let \LTRfootnote \LTRthanks
7882     \let \RTLfootnote \RTLthanks
7883     \null\vfil
7884     \vskip 60\p@
7885     \begin{center}%
7886       {\LARGE \@title \par}%
7887       \vskip 3em%
7888       {\large
7889         \lineskip .75em%
7890         \begin{tabular}[t]{c}%

```



```

7891     \@author
7892     \end{tabular}\par}%
7893     \vskip 1.5em%
7894     {\large \@date \par}%
7895     % Set date in \large size.
7896     \end{center}\par
7897     \vfil\null
7898     \end{titlepage}%
7899     \setcounter{footnote}{0}%
7900     \global\let\thanks\relax
7901     \global\let\LTRthanks\relax
7902     \global\let\RTLthanks\relax
7903     \global\let\maketitle\relax
7904     \global\let\@thanks\empty
7905     \global\let\@author\empty
7906     \global\let\@date\empty
7907     \global\let\@title\empty
7908     \global\let\title\relax
7909     \global\let\author\relax
7910     \global\let\date\relax
7911     \global\let\and\relax
7912 }
7913 \else
7914 \renewcommand\maketitle{\par
7915   \begingroup
7916     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
7917     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
7918     \long\def\@makefntext##1{\parindent 1em\noindent
7919       \hb@xt@1.8em{%
7920         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
7921       \if@twocolumn
7922         \ifnum \col@number=\@ne
7923           \maketitle
7924         \else
7925           \twocolumn[\maketitle]
7926         \fi
7927       \else
7928         \newpage
7929         \global\@topnum\z@    % Prevents figures from going at top of page.
7930         \maketitle
7931       \fi
7932       \thispagestyle{plain}\@thanks
7933     \endgroup
7934     \setcounter{footnote}{0}%
7935     \global\let\thanks\relax
7936     \global\let\LTRthanks\relax
7937     \global\let\RTLthanks\relax
7938     \global\let\maketitle\relax
7939     \global\let\@maketitle\relax
7940     \global\let\@thanks\empty

```



```

7941 \global\let\@author\@empty
7942 \global\let\@date\@empty
7943 \global\let\@title\@empty
7944 \global\let\title\relax
7945 \global\let\author\relax
7946 \global\let\date\relax
7947 \global\let\and\relax
7948 }
7949 \def\@maketitle{%
7950 \newpage
7951 \null
7952 \vskip 2em%
7953 \begin{center}%
7954 \let \footnote \thanks
7955 \let \LTRfootnote \LTRthanks
7956 \let \RTLfootnote \RTLthanks
7957 {\LARGE \@title \par}%
7958 \vskip 1.5em%
7959 {\large
7960 \lineskip .5em%
7961 \begin{tabular}[t]{c}%
7962 \author
7963 \end{tabular}\par}%
7964 \vskip 1em%
7965 {\large \@date}%
7966 \end{center}%
7967 \par
7968 \vskip 1.5em}
7969 \fi
7970 \renewcommand*\l@part[2]{%
7971 \ifnum \c@tocdepth >-2\relax
7972 \addpenalty{-\@highpenalty}%
7973 \addvspace{2.25em \oplus \p@}%
7974 \begingroup
7975 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
7976 \parfillskip -\c@pnumwidth
7977 \leavevmode
7978 \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
7979 \nobreak
7980 \global\nobreaktrue
7981 \everypar{\global\nobreakfalse\everypar{} }%
7982 \endgroup
7983 \fi}
7984 \renewcommand\theequation
7985 {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@equation}
7986 \renewcommand \thefigure
7987 {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@figure}
7988 \renewcommand \thetable
7989 {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@table}
7990 \renewcommand \thechapter {\c@arabic\c@chapter}

```



```

7991 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
7992 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
7993 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
7994 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
7995 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
7996 \def\@makechapterhead#1{%
7997   \vspace*{50\p@}%
7998   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
7999     \ifnum \c@secnumdepth >\m@ne
8000       \if@mainmatter
8001         \huge\bfseries \chapapp\space \thechapter
8002         \par\nobreak
8003         \vskip 20\p@
8004       \fi
8005     \fi
8006     \interlinepenalty\@M
8007     \Huge \bfseries #1\par\nobreak
8008     \vskip 40\p@
8009   }%
8010
8011 \def\@makeschapterhead#1{%
8012   \vspace*{50\p@}%
8013   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8014     \interlinepenalty\@M
8015     \Huge \bfseries #1\par\nobreak
8016     \vskip 40\p@
8017   }%
8018
8019 \renewcommand\backmatter{%
8020   \if@openright
8021     \cleardoublepage
8022   \else
8023     \clearpage
8024   \fi
8025   \mainmatterfalse}
8026 \renewenvironment{thebibliography}[1]
8027   {\chapter*{\bibname
8028     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8029     \if@RTL\if@LTrbitems\@RTLfalse\else\fi\else\if@RTLbitems\@RTLtrue\else\fi\fi
8030     \list{\@biblabel{\@arabic\c@enumiv}}%
8031       {\settowidth\labelwidth{\@biblabel{\#1}}%
8032         \leftmargin\labelwidth
8033         \advance\leftmargin\labelsep
8034         \openbib@code
8035         \usecounter{enumiv}%
8036         \let\p@enumiv\empty
8037         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8038       \sloppy
8039       \clubpenalty4000
8040       \clubpenalty \clubpenalty

```



```

8041     \widowpenalty4000%
8042     \sfcode`.\@m}
8043     {\def\@noitemerr
8044       {\@latex@warning{Empty `thebibliography' environment}}%
8045     \endlist}

```

7.53 extletter-xetex-bidi.def

```

8046 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class
8047 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
8048   \thispagestyle{firstpage}%
8049   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
8050 \else % home address
8051   \thispagestyle{empty}%
8052   {\if@RTL\raggedright\begin{tabular}{r@{} }\else\raggedleft\begin{tabular}{l@{} }\fi\ignorespaces
8053     \fromaddress \\\*[2\parskip]%
8054     \@date \end{tabular}\par}%
8055 \fi
8056 \vspace{2\parskip}%
8057 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
8058 \vspace{2\parskip}%
8059 #1\par\nobreak}
8060 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
8061 \stopbreaks
8062 \noindent
8063 \ifx\empty\fromaddress\else
8064 \hspace*{\longindentation}\fi
8065 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
8066   \ignorespaces #1\\[6\medskipamount]%
8067   \ifx\empty\fromsig
8068     \fromname
8069     \else \fromsig \fi\strut}%
8070 \par}
8071 \renewcommand{\left@footnoterule}{%
8072   \kern-\p@
8073   \hrule \width .4\columnwidth
8074   \kern .6\p@}
8075 \renewcommand{\right@footnoterule}{%
8076   \kern-\p@
8077   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
8078   \kern .6\p@}

```

7.54 extrafootnotefeatures-xetex-bidi.def

```

8079 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2016/05/10 v1 bidi extra footnote features
8080 \let\autofootnoterule\relax
8081 \let\rightfootnoterule\relax
8082 \let\leftfootnoterule\relax
8083 \let\textwidthfootnoterule\relax
8084 \let\LRfootnoterule\relax
8085 \def\footnoterule{\kern-3\p@

```



```

8o86  \hrule \@width \columnwidth \kern 2.6\p@}
8o87 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
8o88 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
8o89 \renewcommand{\@footnotetext}[1]{%
8o90   \insert\footins{%
8o91     \if@RTL@footnote@\RTLtrue\else\RTLfalse\fi%
8o92     \def\baselinestretch{\m@m@footnote@spacing}%
8o93     \reset@font
8o94     \foottextfont
8o95     \preamfntext
8o96     \hsize\columnwidth
8o97     \protected@edef\@currentlabel{%
8o98       \csname p@footnote\endcsname\thefnmark}%
8o99     \color@begingroup
8o100      \makefntext{%
8o101        \rule{z@\footnotesep}{\ignorespaces\foottextfont #1}%
8o102        \finalstrut\strutbox}%
8o103     \color@endgroup}%
8o104     \m@mmf@prepare}
8o105 \renewcommand{\@RTLfootnotetext}[1]{%
8o106   \insert\footins{%
8o107     \RTLtrue%
8o108     \def\baselinestretch{\m@m@footnote@spacing}%
8o109     \reset@font
8o110     \RTLfoottextfont
8o111     \preamfntext
8o112     \hsize\columnwidth
8o113     \protected@edef\@currentlabel{%
8o114       \csname p@footnote\endcsname\thefnmark}%
8o115     \color@begingroup
8o116      \makefntext{%
8o117        \rule{z@\footnotesep}{\ignorespaces\RTLfoottextfont #1}%
8o118        \finalstrut\strutbox}%
8o119     \color@endgroup}%
8o120     \m@mmf@prepare}
8o121 \renewcommand{\@LTRfootnotetext}[1]{%
8o122   \insert\footins{%
8o123     \RTLfalse%
8o124     \def\baselinestretch{\m@m@footnote@spacing}%
8o125     \reset@font
8o126     \LTRfoottextfont
8o127     \preamfntext
8o128     \hsize\columnwidth
8o129     \protected@edef\@currentlabel{%
8o130       \csname p@footnote\endcsname\thefnmark}%
8o131     \color@begingroup
8o132      \makefntext{%
8o133        \rule{z@\footnotesep}{\ignorespaces\LTRfoottextfont #1}%
8o134        \finalstrut\strutbox}%
8o135     \color@endgroup}%

```



```

8:136      \m@mmf@prepare}
8:137 \renewcommand{\@mpfootnotetext}[1]{%
8:138   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8:139     \unvbox\@mpfootins
8:140     \def\baselinestretch{\m@m@footnote@spacing}%
8:141     \foottextfont \hsize\columnwidth \parboxrestore
8:142     \protected@edef\@currentlabel{%
8:143       \csname p@mpfootnote\endcsname\@thefnmark}%
8:144     \color@begingroup
8:145     \reset@font%
8:146     \makemfntext{%
8:147       \rule{z@{\footnotesep}}{\ignorespaces{\foottextfont #1}}%
8:148       \finalstrut\strutbox}%
8:149     \color@endgroup}}
8:150 \renewcommand{\@mpLTRfootnotetext}[1]{%
8:151   \global\setbox\@mpfootins\vbox{\@RTLfalse%
8:152     \unvbox\@mpfootins
8:153     \def\baselinestretch{\m@m@footnote@spacing}%
8:154     \LTRfoottextfont \hsize\columnwidth \parboxrestore
8:155     \protected@edef\@currentlabel{%
8:156       \csname p@mpfootnote\endcsname\@thefnmark}%
8:157     \color@begingroup
8:158     \reset@font%
8:159     \makemfntext{%
8:160       \rule{z@{\footnotesep}}{\ignorespaces{\LTRfoottextfont #1}}%
8:161       \finalstrut\strutbox}%
8:162     \color@endgroup}}
8:163 \renewcommand{\@mpRTLfootnotetext}[1]{%
8:164   \global\setbox\@mpfootins\vbox{\@RTLtrue%
8:165     \unvbox\@mpfootins
8:166     \def\baselinestretch{\m@m@footnote@spacing}%
8:167     \RTLfoottextfont \hsize\columnwidth \parboxrestore
8:168     \protected@edef\@currentlabel{%
8:169       \csname p@mpfootnote\endcsname\@thefnmark}%
8:170     \color@begingroup
8:171     \reset@font%
8:172     \makemfntext{%
8:173       \rule{z@{\footnotesep}}{\ignorespaces{\RTLfoottextfont #1}}%
8:174       \finalstrut\strutbox}%
8:175     \color@endgroup}}
8:176 \let\m@mold@footnotetext\footnotetext
8:177 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
8:178 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
8:179 \let\m@mold@mpfootnotetext\@mpfootnotetext
8:180 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
8:181 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
8:182 \bidi@ensure@newcommand{\normalfootnotes}{%
8:183   \let\@footnotetext\m@mold@footnotetext
8:184   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
8:185   \let\@RTLfootnotetext\m@mold@RTLfootnotetext

```



```

8:86  \let\@mpfootnotetext\m@mold\@mpfootnotetext
8:87  \let\@mpLTRfootnotetext\m@mold\@mpLTRfootnotetext
8:88  \let\@mpRTLfootnotetext\m@mold\@mpRTLfootnotetext}
8:89 \ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
8:90 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestru}
8:91 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
8:92 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
8:93   \def\m@m@singlespace{\#1}%
8:94   \def\m@m@footnote@spacing{\#1}%
8:95   \def\m@m@float@spacing{\#1} %
8:96 }
8:97 \setSingleSpace{1}
8:98 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
8:99 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
8:100   \kern-\multiplefootnotemarker
8:101   \kern\multiplefootnotemarker\relax}
8:102 \bidi@ensure@newlength{\footmarkwidth}
8:103 \bidi@ensure@newlength{\footmarksep}
8:104 \bidi@ensure@newlength{\footparindent}
8:105 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{\#1}}
8:106 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{\#1}}
8:107 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{\#1}}
8:108 \bidi@ensure@newcommand{\footfootmark}{%
8:109   \ifdim\footmarkwidth < \z@
8:110     \llap{\hb@xt@\footmarkwidth{%
8:111       \hss\normalfont\footscript{\@thefnmark}}}\%
8:112     \hspace*{-\footmarkwidth}}%
8:113 \else
8:114   \ifdim\footmarkwidth = \z@
8:115     {\normalfont\footscript{\@thefnmark}}%
8:116   \else
8:117     \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
8:118   \fi
8:119 \fi}
8:200 \bidi@ensure@newcommand{\LTRfootfootmark}{%
8:201   \ifdim\footmarkwidth < \z@
8:202     \llap{\hb@xt@\footmarkwidth{%
8:203       \hss\normalfont\LTRfootscript{\@thefnmark}}}\%
8:204     \hspace*{-\footmarkwidth}}%
8:205 \else
8:206   \ifdim\footmarkwidth = \z@
8:207     {\normalfont\LTRfootscript{\@thefnmark}}%
8:208   \else
8:209     \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
8:210   \fi
8:211 \fi}
8:212 \bidi@ensure@newcommand{\RTLfootfootmark}{%
8:213   \ifdim\footmarkwidth < \z@
8:214     \llap{\hb@xt@\footmarkwidth{%
8:215       \hss\normalfont\RTLfootscript{\@thefnmark}}}\%
8:216     \hspace*{-\footmarkwidth}}%
8:217 \else
8:218   \ifdim\footmarkwidth = \z@
8:219     {\normalfont\RTLfootscript{\@thefnmark}}%
8:220   \else
8:221     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
8:222   \fi
8:223 \fi}

```



```

8236           \hspace*{-\footmarkwidth}%
8237 \else
8238   \ifdim\footmarkwidth = \z@%
8239     {\normalfont\RTLfootscript{\@thefnmark}}%
8240   \else
8241     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
8242   \fi
8243 \fi}
8244 \footmarkstyle{\textsuperscript{#1}}
8245 \LTRfootmarkstyle{\textsuperscript{#1}}
8246 \RTLfootmarkstyle{\textsuperscript{#1}}
8247 \setlength{\footmarkwidth}{1em plus .4em minus .4em}
8248 \setlength{\footparindent}{1em}
8249 \bidi@ensure@newcommand{\m@ndoextrafeet}{\extrafeetins}
8250 \bidi@ensure@newcommand*\{\extrafeetins}{%
8251   \setbox\@outputbox\vbox{%
8252     \boxmaxdepth \cmaxdepth
8253     \unvbox\@outputbox
8254     \ifvoid\footinsv@r\else\footstartv@r\footgroupv@r\fi
8255     \extrafeetinshook}}
8256 \bidi@ensure@newcommand{\extrafeetinshook}{}
8257 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
8258 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
8259 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
8260 \bidi@ensure@newlength{\footinsdim}
8261 \setlength{\footinsdim}{8in} % standard for \dimen\footins
8262 \bidi@ensure@newcommand{\@preamfntext}{%
8263   \interlinepenalty\interfootnotelinepenalty
8264   \floatingpenalty \cMM
8265   \splittopskip=\footnotesep
8266   \splitmaxdepth=\dp\strutbox
8267   \parboxrestore}
8268 \bidi@ensure@newcommand{\m@ndoextrafeetmini}{%
8269   \extrafeetminihook}
8270 \bidi@ensure@newcommand{\extrafeetendmini}{%
8271   \ifvoid\@mpfootinsv@r\else
8272     \vskip\skip\@mpfootins
8273     \normalcolor\footnoterule\mp@footgroupv@r
8274   \fi
8275   \extrafeetendminihook}
8276 \bidi@ensure@newcommand{\extrafeetendminihook}{}
8277 \bidi@ensure@newcommand{\m@ndoextrafeetendmini}{\extrafeetendmini}
8278 \def\endminipage{%
8279   \par
8280   \unskip
8281   \ifvoid\@mpfootins\else
8282     \vskip\skip\@mpfootins
8283     \normalcolor
8284     \footnoterule
8285     \unvbox\@mpfootins

```



```

8286 \fi
8287 \m@ndoextrafeetendmini
8288 \@minipagefalse
8289 \color@endgroup
8290 \egroup
8291 \expandafter\ciiiparbox\mpargs{\unvbox\tempboxa}
8292 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
8293 \namedef{@footstart#1}{%
8294 \bidi@mopfn@bottom
8295 \vskip\bigskipamount
8296 \leftskip=z@
8297 \rightskip=z@
8298 \footnoterule}}
8299 \newinsert\footinsv@r
8300 \skip\footinsv@r\bigskipamount
8301 \count\footinsv@r=1000 % no magnification
8302 \dimen\footinsv@r=\footinsdim
8303 \m@make@footstart{v@r}
8304 \bidi@ensure@newcommand{\@footgroupv@r}{}
8305 \newinsert\@mpfootinsv@r
8306 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
8307 \newcount\m@m@k \newdimen\m@m@h
8308 \ifpackage{multicol}{%
8309 \bidi@ensure@newcommand*{\m@rigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
8310 \hspace{textwidth}
8311 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\OM \hfilneg
8312 \valign{\##\vfill\cr\m@dosplits}\if@RTLcolumnfootnotes\endR\fi}}}
8313 }{%
8314 \bidi@ensure@newcommand*{\m@rigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
8315 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\OM \hfilneg
8316 \valign{\##\vfill\cr\m@dosplits}\if@RTLcolumnfootnotes\endR\fi}}}
8317 \bidi@ensure@newcommand*{\m@dosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
8318 \global\advance\m@m@k-1\cr\m@dosplits\fi}
8319 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
8320 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
8321 \setbox2\vsplit0 to \dimen0
8322 \unvbox2 }
8323 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
8324 \namedef{foottextfontv@r}{\foottextfont} % [RS]
8325 \let\footnotetext\twocolfootnotetext
8326 \let\@LTRfootnotetext\twocolLTRfootnotetext
8327 \let\@RTLfootnotetext\twocolRTLfootnotetext
8328 \dimen\footinsv@r=2\footinsdim
8329 \count\footinsv@r=500\relax
8330 \m@make@twocol@footgroup{v@r}%
8331 \let\@footgroupv@r\@twocol@footgroupv@r
8332 \let\@mpfootnotetext\@mptwocolfootnotetext
8333 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
8334 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
8335 \m@make@mptwocol@footgroup{v@r}%

```



```

8336 \let\mp@footgroupv@r\@mp@twocol@footgroupv@r}
8337 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
8338 \def\baselinestretch{\m@m@footnote@spacing}%
8339 \reset@font\foottextfont
8340 \preamfntext
8341 \protected@edef\@currentlabel{%
8342 \csname p@footnote\endcsname\@thefnmark}%
8343 \color@begingroup
8344 \@twocolfootfmt{#1}%
8345 \color@endgroup}%
8346 \m@mmf@prepare}
8347 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
8348 \def\baselinestretch{\m@m@footnote@spacing}%
8349 \reset@font\LTRfoottextfont
8350 \preamfntext
8351 \protected@edef\@currentlabel{%
8352 \csname p@footnote\endcsname\@thefnmark}%
8353 \color@begingroup
8354 \@twocolLTRfootfmt{#1}%
8355 \color@endgroup}%
8356 \m@mmf@prepare}
8357 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
8358 \def\baselinestretch{\m@m@footnote@spacing}%
8359 \reset@font\RTLfoottextfont
8360 \preamfntext
8361 \protected@edef\@currentlabel{%
8362 \csname p@footnote\endcsname\@thefnmark}%
8363 \color@begingroup
8364 \@twocolRTLfootfmt{#1}%
8365 \color@endgroup}%
8366 \m@mmf@prepare}
8367 \bidi@ensure@newcommand{\@preamtwofmt}{%
8368 \hsize .45\hsize
8369 \parindent=\z@
8370 \tolerance=5000\relax
8371 \leavevmode}
8372 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
8373 \preamtwofmt
8374 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8375 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
8376 \preamtwofmt
8377 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8378 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
8379 \preamtwofmt
8380 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8381 \bidi@ensure@newcommand{\@mp@twocolfootnotetext}[1]{%
8382 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi}%
8383 \unvbox\@mpfootinsv@r
8384 \def\baselinestretch{\m@m@footnote@spacing}%
8385 \reset@font\foottextfont

```



```

8386      \hsize\columnwidth \parboxrestore
8387      \protected@edef@\currentlabel{%
8388          \csname p@mpfootnote\endcsname\thefnmark}%
8389      \color@begingroup
8390          \two@colfootfmt{#1}%
8391      \color@endgroup}%
8392      \m@mmf@prepare}
8393 \bidi@ensure@newcommand{\@mptwocolLTrfootnotetext}[1]{%
8394     \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse{%
8395         \unvbox\@mpfootinsv@r
8396         \def\baselinestretch{\m@m@footnote@spacing}%
8397         \reset@font\LTfoottextfont
8398         \hsize\columnwidth \parboxrestore
8399         \if@RTLcolumnfootnotes\beginL\fi
8400         \protected@edef@\currentlabel{%
8401             \csname p@mpfootnote\endcsname\thefnmark}%
8402         \color@begingroup
8403             \two@colLTrfootfmt{#1}%
8404         \color@endgroup}%
8405         \m@mmf@prepare}
8406 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
8407     \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue{%
8408         \unvbox\@mpfootinsv@r
8409         \def\baselinestretch{\m@m@footnote@spacing}%
8410         \reset@font\LTfoottextfont
8411         \hsize\columnwidth \parboxrestore
8412         \protected@edef@\currentlabel{%
8413             \csname p@mpfootnote\endcsname\thefnmark}%
8414         \color@begingroup
8415             \two@colRTLfootfmt{#1}%
8416         \color@endgroup}%
8417         \m@mmf@prepare}
8418 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
8419     \m@make@twocolfootnotetext{#1}%
8420     \m@make@mptwocolfootnotetext{#1}%
8421     \m@make@twocolfootfmt{#1}%
8422     \m@make@twocol@footgroup{#1}%
8423     \m@make@mptwocol@footgroup{#1}%
8424     \m@make@footstart{#1}%
8425     \bidi@namelongdef{@footnotetext#1}##1{%
8426         \nameuse{@twocolfootnotetext#1}##1}%
8427     \bidi@namelongdef{@mpfootnotetext#1}##1{%
8428         \nameuse{@mptwocolfootnotetext#1}##1}%
8429     \namedef{@footgroup#1}{\nameuse{@twocol@footgroup#1}}%
8430     \namedef{@mp@footgroup#1}{\nameuse{@mptwocol@footgroup#1}}%
8431     \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8432     \expandafter\count\csname footins#1\endcsname=500\relax}
8433 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
8434     \bidi@namelongdef{@twocolfootnotetext#1}##1{%
8435         \insert\nameuse{footins#1}{}%

```



```

8436   \def\baselinestretch{\m@m@footnote@spacing}%
8437   \reset@font\@nameuse{foottextfont#1}%
8438   \@preamfntext
8439   \protected@edef\@currentlabel{%
8440     \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}%
8441   \color@begingroup
8442     \@nameuse{@twocolfootfmt#1}{##1}%
8443   \color@endgroup}%
8444   \m@mmf@prepare}%
8445 \bidi@ensure@newcommand{\m@make@mphtwocolfootnotetext}[1]{%
8446 \bidi@namelongdef{@mphtwocolfootnotetext#1}##1{%
8447   \global\setbox\@nameuse{mpfootins#1}\vbox{%
8448     \unvbox\@nameuse{mpfootins#1}%
8449     \def\baselinestretch{\m@m@footnote@spacing}%
8450     \reset@font\@nameuse{foottextfont#1}%
8451     \hsize\columnwidth \parboxrestore
8452     \protected@edef\@currentlabel{%
8453       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}%
8454   \color@begingroup
8455     \@nameuse{@twocolfootfmt#1}{##1}%
8456   \color@endgroup}\m@mmf@prepare}%
8457 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
8458   \@namedef{@twocolfootfmt#1}##1{%
8459     \@preamtwofmt
8460     {\@nameuse{footfootmark#1}\strut
8461       {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}%
8462 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
8463   \@namedef{@twocol@footgroup#1}{%
8464     \def\baselinestretch{\m@m@footnote@spacing}%
8465     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8466     \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}%
8467 \bidi@ensure@newcommand{\m@make@mphtwocol@footgroup}[1]{%
8468   \@namedef{@mphtwocol@footgroup#1}{%
8469     \def\baselinestretch{\m@m@footnote@spacing}%
8470     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8471     \m@mrigidbalance{\@nameuse{mpfootins#1}}{\tw@}{\splittopskip}}}%
8472 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
8473   \@namedef{foottextfontv@r}{\foottextfont} % [RS]
8474   \let\@footnotetext\threecolfootnotetext
8475   \let\@LTRfootnotetext\threecolLTRfootnotetext
8476   \let\@RTLfootnotetext\threecolRTLfootnotetext
8477   \dimen\footinsv@r=3\footinsdim
8478   \count\footinsv@r=333\relax
8479   \m@make@threecol@footgroup{v@r}%
8480   \let\@footgroupv@r\threecol@footgroupv@r
8481   \let\@mpfootnotetext\mpthreecolfootnotetext
8482   \let\@mpLTRfootnotetext\mpthreecolLTRfootnotetext
8483   \let\@mpRTLfootnotetext\mpthreecolRTLfootnotetext
8484   \m@make@mpthreecol@footgroup{v@r}%
8485   \let\mp@footgroupv@r\mpthreecol@footgroupv@r}

```



```

8486 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
8487   \def\baselinestretch{\m@m@footnote@spacing}%
8488   \reset@font\foottextfont
8489   \preamfntext
8490   \protected@edef\@currentlabel{%
8491     \csname p@footnote\endcsname\@thefnmark}%
8492   \color@begingroup
8493     \@threecolfootfmt{#1}%
8494   \color@endgroup}\m@mmf@prepare}
8495 \bidi@ensure@newcommand{\@threecollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote@\RTLtrue%
8496   \def\baselinestretch{\m@m@footnote@spacing}%
8497   \reset@font\LTRfoottextfont
8498   \preamfntext
8499   \protected@edef\@currentlabel{%
8500     \csname p@footnote\endcsname\@thefnmark}%
8501   \color@begingroup
8502     \@threecollTRfootfmt{#1}%
8503   \color@endgroup}\m@mmf@prepare}
8504 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\if@RTLtrue%
8505   \def\baselinestretch{\m@m@footnote@spacing}%
8506   \reset@font\RTLfoottextfont
8507   \preamfntext
8508   \protected@edef\@currentlabel{%
8509     \csname p@footnote\endcsname\@thefnmark}%
8510   \color@begingroup
8511     \@threecolRTLfootfmt{#1}%
8512   \color@endgroup}\m@mmf@prepare}
8513 \bidi@ensure@newcommand{\@preamthreefmt}{%
8514   \hsize .3\hsize
8515   \parindent=\z@
8516   \tolerance=5000\relax
8517   \leavevmode}
8518 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
8519   \preamthreefmt
8520   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8521 \bidi@ensure@newcommand{\@threecollTRfootfmt}[1]{%
8522   \preamthreefmt
8523   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8524 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
8525   \preamthreefmt
8526   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8527 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
8528   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote@\RTLtrue\else\RTLfalse\fi%
8529     \unvbox\@mpfootinsv@r
8530     \def\baselinestretch{\m@m@footnote@spacing}%
8531     \reset@font\foottextfont
8532     \hsize\columnwidth \parboxrestore
8533     \protected@edef\@currentlabel{%
8534       \csname p@mpfootnote\endcsname\@thefnmark}%
8535   \color@begingroup

```



```

8536      \@threecolfootfmt{#1}%
8537  \color@endgroup\m@mmf@prepare}
8538 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
8539   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8540     \unvbox\@mpfootinsv@r
8541     \def\baselinestretch{\m@m@footnote@spacing}%
8542     \reset@font\LTRfoottextfont
8543     \hsize\columnwidth \parboxrestore
8544     \if@RTLcolumnfootnotes\beginL\fi
8545     \protected@edef\@currentlabel{%
8546       \csname p@mpfootnote\endcsname\thefnmark}%
8547   \color@begingroup
8548     \@threecolLTRfootfmt{#1}%
8549   \color@endgroup\m@mmf@prepare}
8550 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
8551   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8552     \unvbox\@mpfootinsv@r
8553     \def\baselinestretch{\m@m@footnote@spacing}%
8554     \reset@font\RTLfoottextfont
8555     \hsize\columnwidth \parboxrestore
8556     \protected@edef\@currentlabel{%
8557       \csname p@mpfootnote\endcsname\thefnmark}%
8558   \color@begingroup
8559     \@threecolRTLfootfmt{#1}%
8560   \color@endgroup\m@mmf@prepare}
8561 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
8562   \m@make@threecolfootnotetext{#1}%
8563   \m@make@mpthreecolfootnotetext{#1}%
8564   \m@make@threecolfootfmt{#1}%
8565   \m@make@threecol@footgroup{#1}%
8566   \m@make@mpthreecol@footgroup{#1}%
8567   \m@make@footstart{#1}%
8568   \bidi@namelongdef{@footnotetext#1}##1{%
8569     \nameuse{@threecolfootnotetext#1}##1}%
8570   \bidi@namelongdef{@mpfootnotetext#1}##1{%
8571     \nameuse{@mpthreecolfootnotetext#1}##1}%
8572   \namedef{@footgroup#1}{\nameuse{@threecol@footgroup#1}}%
8573   \namedef{@mpfootgroup#1}{\nameuse{@mpthreecol@footgroup#1}}%
8574   \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
8575   \expandafter\count\csname footins#1\endcsname=333\relax}
8576 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
8577   \bidi@namelongdef{@threecolfootnotetext#1}##1{%
8578     \insert\nameuse{footins#1}%
8579     \def\baselinestretch{\m@m@footnote@spacing}%
8580     \reset@font\nameuse{foottextfont#1}%
8581     \preamfntext
8582     \protected@edef\@currentlabel{%
8583       \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
8584   \color@begingroup
8585     \nameuse{@threecolfootfmt#1}##1}%

```



```

8586  \color@endgroup}\m@mmf@prepare}}
8587 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
8588 \bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
8589  \global\setbox\@nameuse{\mpfootins#1}\vbox{%
8590   \unvbox\@nameuse{\mpfootins#1}
8591   \def\baselinestretch{\m@m@footnote@spacing}%
8592   \reset@font\@nameuse{foottextfont#1}%
8593   \hsize\columnwidth \parboxrestore
8594   \protected@edef\@currentlabel{%
8595     \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8596   \color@begingroup
8597     \@nameuse{@threecolfootfmt#1}##1}%
8598   \color@endgroup}\m@mmf@prepare}}
8599 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
8600 \bidi@namelongdef{@threecolfootfmt#1}##1{%
8601  \preamthreecolfootfmt
8602  {\@nameuse{footfootmark#1}\strut
8603   {\@nameuse{foottextfont#1}##1\strut\par}\allowbreak}%
8604 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
8605 \namedef{@threecol@footgroup#1}{%
8606  \def\baselinestretch{\m@m@footnote@spacing}%
8607  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8608  \m@mrigidbalance{\nameuse{footins#1}}{\thr@@{\splittopskip}}}%
8609 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
8610 \namedef{@mpthreecol@footgroup#1}{%
8611  \def\baselinestretch{\m@m@footnote@spacing}%
8612  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8613  \m@mrigidbalance{\nameuse{\mpfootins#1}}{\thr@@{\splittopskip}}}%
8614 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
8615  \namedef{foottextfontv@r}{\foottextfont} % [RS]
8616  \let\footnotetext\fourcolfootnotetext
8617  \let\@LTFootnotetext\fourcolLTFootnotetext
8618  \let\@RTLFootnotetext\fourcolRTLFootnotetext
8619  \dimen\footinsv@r=4\footinsdim
8620  \count\footinsv@r=250\relax
8621  \m@make@fourcol@footgroup{v@r}%
8622  \let\footgroupv@r\fourcol@footgroupv@r
8623  \let\mpfootnotetext\mpfourcolfootnotetext
8624  \let\mpLTFootnotetext\mpfourcolLTFootnotetext
8625  \let\mpRTLFootnotetext\mpfourcolRTLFootnotetext
8626  \m@make@mpfourcol@footgroup{v@r}%
8627  \let\mp@footgroupv@r\mpfourcol@footgroupv@r
8628 \bidi@ensure@newcommand{@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\else\@LTFootnote\fi}}
8629  \def\baselinestretch{\m@m@footnote@spacing}%
8630  \reset@font\foottextfont
8631  \preamfntext
8632  \protected@edef\@currentlabel{%
8633    \csname p@footnote\endcsname\@thefnmark}%
8634  \color@begingroup
8635    \fourcolfootfmt{#1}%

```



```

8636  \color@endgroup}%
8637  \m@mmf@prepare}
8638 \bidi@ensure@newcommand{\fourcollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
8639  \def\baselinestretch{\m@m@footnote@spacing}%
8640  \reset@font\LTRfoottextfont
8641  \preamfntext
8642  \protected@edef\currentlabel{%
8643   \csname p@footnote\endcsname\@thefnmark}%
8644  \color@begingroup
8645  \fourcollTRfootfmt{#1}%
8646  \color@endgroup}%
8647  \m@mmf@prepare}
8648 \bidi@ensure@newcommand{\fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8649  \def\baselinestretch{\m@m@footnote@spacing}%
8650  \reset@font\RTLfoottextfont
8651  \preamfntext
8652  \protected@edef\currentlabel{%
8653   \csname p@footnote\endcsname\@thefnmark}%
8654  \color@begingroup
8655  \fourcolRTLfootfmt{#1}%
8656  \color@endgroup}%
8657  \m@mmf@prepare}
8658 \bidi@ensure@newcommand{\preamfourfmt}{%
8659  \hsize .25\hsize
8660  \parindent=\z@
8661  \tolerance=5000\relax
8662  \leavevmode}
8663 \bidi@ensure@newcommand{\fourcolfootfmt}[1]{%
8664  \preamfourfmt
8665  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8666 \bidi@ensure@newcommand{\fourcollTRfootfmt}[1]{%
8667  \preamfourfmt
8668  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8669 \bidi@ensure@newcommand{\fourcolRTLfootfmt}[1]{%
8670  \preamfourfmt
8671  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8672 \bidi@ensure@newcommand{\mpfourcolfootnotetext}[1]{%
8673  \global\setbox\mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8674  \unvbox\mpfootinsv@r
8675  \def\baselinestretch{\m@m@footnote@spacing}%
8676  \reset@font\foottextfont
8677  \hsize\columnwidth \parboxrestore
8678  \protected@edef\currentlabel{%
8679   \csname p@mpfootnote\endcsname\@thefnmark}%
8680  \color@begingroup
8681  \fourcolfootfmt{#1}%
8682  \color@endgroup}%
8683  \m@mmf@prepare}
8684 \bidi@ensure@newcommand{\mpfourcollTRfootnotetext}[1]{%
8685  \global\setbox\mpfootinsv@r\vbox{\@RTLfalse%

```



```

8686   \unvbox\@mpfootinsv@r
8687   \def\baselinestretch{\m@m@footnote@spacing}%
8688   \reset@font\LTRfoottextfont
8689   \hsize\columnwidth \parboxrestore
8690   \if@RTLcolumnfootnotes\beginL\fi
8691   \protected@edef\@currentlabel{%
8692     \csname p@mpfootnote\endcsname\@thefnmark}%
8693   \color@begingroup
8694     \fourcollTRfootfmt{#1}%
8695   \color@endgroup}%
8696   \m@mmf@prepare}
8697 \bidi@ensure@newcommand{\mpfourcolRTLfootnotetext}[1]{%
8698   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8699     \unvbox\@mpfootinsv@r
8700     \def\baselinestretch{\m@m@footnote@spacing}%
8701     \reset@font\RTLfoottextfont
8702     \hsize\columnwidth \parboxrestore
8703     \protected@edef\@currentlabel{%
8704       \csname p@mpfootnote\endcsname\@thefnmark}%
8705     \color@begingroup
8706       \fourcolRTLfootfmt{#1}%
8707     \color@endgroup}%
8708   \m@mmf@prepare}
8709 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
8710   \m@make@fourcolfootnotetext{#1}%
8711   \m@make@mpfourcolfootnotetext{#1}%
8712   \m@make@fourcolfootfmt{#1}%
8713   \m@make@fourcol@footgroup{#1}%
8714   \m@make@mpfourcol@footgroup{#1}%
8715   \m@make@footstart{#1}%
8716   \bidi@namelongdef{@footnotetext{#1}##1}{%
8717     \nameuse{@fourcolfootnotetext{#1}##1}%
8718   \bidi@namelongdef{@mpfootnotetext{#1}##1}{%
8719     \nameuse{@mpfourcolfootnotetext{#1}##1}%
8720   \namedef{@footgroup{#1}}{\nameuse{@fourcol@footgroup{#1}}}%
8721   \namedef{mp@footgroup{#1}}{\nameuse{@mpfourcol@footgroup{#1}}}%
8722   \expandafter\dimen\csname footins{#1}\endcsname=2\footinsdim
8723   \expandafter\count\csname footins{#1}\endcsname=500\relax}
8724 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
8725   \bidi@namelongdef{@fourcolfootnotetext{#1}##1}{%
8726     \insert\nameuse{footins{#1}}{%
8727       \def\baselinestretch{\m@m@footnote@spacing}%
8728       \reset@font\nameuse{foottextfont{#1}}%
8729       \preamfntext
8730       \protected@edef\@currentlabel{%
8731         \csname p@footnote{#1}\endcsname \nameuse{@thefnmark{#1}}}%
8732       \color@begingroup
8733         \nameuse{@fourcolfootfmt{#1}##1}%
8734       \color@endgroup}%
8735     \m@mmf@prepare}}}
```



```

8736 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
8737 \bidi@namealongdef{@mpfourcolfootnotetext#1}##1{%
8738   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8739     \unvbox\@nameuse{@mpfootins#1}%
8740     \def\baselinestretch{\m@m@footnote@spacing}%
8741     \reset@font\@nameuse{foottextfont#1}%
8742     \hsize\columnwidth \parboxrestore
8743     \protected@edef\@currentlabel{%
8744       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8745     \color@begingroup
8746     \@nameuse{@fourcolfootfmt#1}{##1}%
8747     \color@endgroup\m@mmf@prepare}}
8748 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
8749   \cnamedef{@fourcolfootfmt#1}##1{%
8750     \preamfourfmt
8751     {\@nameuse{footfootmark#1}\strut
8752     {\@nameuse{foottextfont#1}##1}\strut\par\allowbreak}}
8753 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
8754   \cnamedef{@fourcol@footgroup#1}{%
8755     \def\baselinestretch{\m@m@footnote@spacing}%
8756     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8757     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}
8758 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
8759   \cnamedef{@mpfourcol@footgroup#1}{%
8760     \def\baselinestretch{\m@m@footnote@spacing}%
8761     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8762     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}
8763 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
8764   \cnamedef{foottextfontv@r}{\foottextfont} % [RS]
8765   \let\footnotetext\fivecolfootnotetext
8766   \let\@LTFootnotetext\fivecolLTFootnotetext
8767   \let\@RTLfootnotetext\fivecolRTLfootnotetext
8768   \dimen\footinsv@r=5\footinsdim
8769   \count\footinsv@r=200\relax
8770   \m@make@fivecol@footgroup{v@r}%
8771   \let\footgroupv@r\fivecol@footgroupv@r
8772   \let\mpfootnotetext\mpfivecolfootnotetext
8773   \let\mpLTFootnotetext\mpfivecolLTFootnotetext
8774   \let\mpRTLfootnotetext\mpfivecolRTLfootnotetext
8775   \m@make@mpfivecol@footgroup{v@r}%
8776   \let\mp@footgroupv@r\mpfivecol@footgroupv@r}
8777 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8778   \def\baselinestretch{\m@m@footnote@spacing}%
8779   \reset@font\foottextfont
8780   \preamfntext
8781   \protected@edef\@currentlabel{%
8782     \csname p@footnote\endcsname\@thefnmark}%
8783   \color@begingroup
8784     \@fivecolfootfmt{##1}%
8785   \color@endgroup}}

```



```

8786 \m@mmf@prepare}
8787 \bidi@ensure@newcommand{\@fivecollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
8788 \def\baselinestretch{\m@m@footnote@spacing}%
8789 \reset@font\LTRfoottextfont
8790 \preamfntext
8791 \protected@edef\@currentlabel{%
8792 \csname p@footnote\endcsname\@thefnmark}%
8793 \color@begingroup
8794 \@fivecollTRfootfmt{\#1}%
8795 \color@endgroup}%
8796 \m@mmf@prepare}
8797 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
8798 \def\baselinestretch{\m@m@footnote@spacing}%
8799 \reset@font\RTLfoottextfont
8800 \preamfntext
8801 \protected@edef\@currentlabel{%
8802 \csname p@footnote\endcsname\@thefnmark}%
8803 \color@begingroup
8804 \@fivecolRTLfootfmt{\#1}%
8805 \color@endgroup}%
8806 \m@mmf@prepare}
8807 \bidi@ensure@newcommand{\@preamfivefmt}{%
8808 \hsize .2\hsize
8809 \parindent=\z@
8810 \tolerance=5000\relax
8811 \leavevmode}
8812 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
8813 \preamfivefmt
8814 {\footfootmark\strut {\foottextfont \#1}\strut\par}\allowbreak}
8815 \bidi@ensure@newcommand{\@fivecollTRfootfmt}[1]{%
8816 \preamfivefmt
8817 {\LTRfootfootmark\strut {\LTRfoottextfont \#1}\strut\par}\allowbreak}
8818 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
8819 \preamfivefmt
8820 {\RTLfootfootmark\strut {\RTLfoottextfont \#1}\strut\par}\allowbreak}
8821 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
8822 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
8823 \unvbox\@mpfootinsv@r
8824 \def\baselinestretch{\m@m@footnote@spacing}%
8825 \reset@font\foottextfont
8826 \hsize\columnwidth \parboxrestore
8827 \protected@edef\@currentlabel{%
8828 \csname p@mpfootnote\endcsname\@thefnmark}%
8829 \color@begingroup
8830 \@fivecolfootfmt{\#1}%
8831 \color@endgroup}%
8832 \m@mmf@prepare}
8833 \bidi@ensure@newcommand{\@mpfivecollTRfootnotetext}[1]{%
8834 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse}%
8835 \unvbox\@mpfootinsv@r

```



```

8836   \def\baselinestretch{\m@m@footnote@spacing}%
8837   \reset@font\LTRfoottextfont
8838   \hsize\columnwidth \parboxrestore
8839   \if@RTLcolumnfootnotes\beginL\fi
8840   \protected@edef\@currentlabel{%
8841     \csname p@mpfootnote\endcsname\thefnmark}%
8842   \color@begingroup
8843     \fivectrlfootfmt{\#1}%
8844   \color@endgroup}%
8845   \m@mmf@prepare}
8846 \bidi@ensure@newcommand{\mpfivecolRTLfootnotetext}[1]{%
8847   \global\setbox\mpfootinsv@r\vbox{\RTLtrue%
8848     \unvbox\mpfootinsv@r
8849     \def\baselinestretch{\m@m@footnote@spacing}%
8850     \reset@font\RTLfoottextfont
8851     \hsize\columnwidth \parboxrestore
8852     \protected@edef\@currentlabel{%
8853       \csname p@mpfootnote\endcsname\thefnmark}%
8854     \color@begingroup
8855       \fivectrlfootfmt{\#1}%
8856     \color@endgroup}%
8857   \m@mmf@prepare}
8858 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
8859   \m@make@fivecolfootnotetext{\#1}%
8860   \m@make@mpfivecolfootnotetext{\#1}%
8861   \m@make@fivecolfootfmt{\#1}%
8862   \m@make@fivecol@footgroup{\#1}%
8863   \m@make@mpfivecol@footgroup{\#1}%
8864   \m@make@footstart{\#1}%
8865   \bidi@namelongdef{@footnotetext{\#1}##1}{%
8866     \nameuse{@fivecolfootnotetext{\#1}##1}%
8867   \bidi@namelongdef{@mpfootnotetext{\#1}##1}{%
8868     \nameuse{@mpfivecolfootnotetext{\#1}##1}%
8869   \namedef{@footgroup{\#1}}{\nameuse{@fivecol@footgroup{\#1}}}%
8870   \namedef{mp@footgroup{\#1}}{\nameuse{@mpfivecol@footgroup{\#1}}}%
8871   \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
8872   \expandafter\count\csname footins{\#1}\endcsname=500\relax}
8873 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
8874   \bidi@namelongdef{@fivecolfootnotetext{\#1}##1}{%
8875     \insert\nameuse{footins{\#1}}{%
8876     \def\baselinestretch{\m@m@footnote@spacing}%
8877     \reset@font\nameuse{foottextfont{\#1}}%
8878     \preamfntext
8879     \protected@edef\@currentlabel{%
8880       \csname p@footnote{\#1}\endcsname \nameuse{@thefnmark{\#1}}}%
8881     \color@begingroup
8882       \nameuse{@fivecolfootfmt{\#1}##1}%
8883     \color@endgroup}%
8884   \m@mmf@prepare}}
8885 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%

```



```

8886 \bidi@namelongdef{@mpfivecolfootnotetext#1}##1{%
8887   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8888     \unvbox\@nameuse{@mpfootins#1}%
8889     \def\baselinestretch{\m@m@footnote@spacing}%
8890     \reset@font\@nameuse{foottextfont#1}%
8891     \hsize\columnwidth \parboxrestore
8892     \protected@edef\@currentlabel{%
8893       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8894     \color@begingroup
8895       \@nameuse{@fivecolfootfmt#1}{##1}%
8896     \color@endgroup\m@mmf@prepare}
8897 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
8898   \cnamedef{@fivecolfootfmt#1}##1{%
8899     \preamfivefmt
8900     {\@nameuse{footfootmark#1}\strut
8901       {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8902 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
8903   \cnamedef{@fivecol@footgroup#1}{%
8904     \def\baselinestretch{\m@m@footnote@spacing}%
8905     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8906     \m@mrigidbalance{\nameuse{footins#1}{5}{\splittopskip}}}%
8907 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
8908   \cnamedef{@mpfivecol@footgroup#1}{%
8909     \def\baselinestretch{\m@m@footnote@spacing}%
8910     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8911     \m@mrigidbalance{\nameuse{@mpfootins#1}{5}{\splittopskip}}}%
8912 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
8913   \cnamedef{foottextfontv@r}{\foottextfont} % [RS]
8914   \let\footnotetext\@sixcolfootnotetext
8915   \let\@LTRfootnotetext\@sixcolLTRfootnotetext
8916   \let\@RTLfootnotetext\@sixcolRTLfootnotetext
8917   \dimen\footinsv@r=6\footinsdim
8918   \count\footinsv@r=166\relax
8919   \m@make@sixcol@footgroup{v@r}%
8920   \let\@footgroupv@r\@sixcol@footgroupv@r
8921   \let\@mpfootnotetext\@mpsixcolfootnotetext
8922   \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
8923   \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
8924   \m@make@mpsixcol@footgroup{v@r}%
8925   \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
8926 \bidi@ensure@newcommand{@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8927   \def\baselinestretch{\m@m@footnote@spacing}%
8928   \reset@font\foottextfont
8929   \preamfntext
8930   \protected@edef\@currentlabel{%
8931     \csname p@footnote\endcsname\@thefnmark}}%
8932   \color@begingroup
8933     \@sixcolfootfmt{##1}%
8934   \color@endgroup}%
8935   \m@mmf@prepare}

```



```

8936 \bidi@ensure@newcommand{\@sixcollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
8937   \def\baselinestretch{\m@m@footnote@spacing}%
8938   \reset@font\LTRfoottextfont
8939   \preamfntext
8940   \protected@edef\currentlabel{%
8941     \csname p@footnote\endcsname\thefnmark}%
8942   \color@begingroup
8943     \@sixcollTRfootfmt{\#1}%
8944   \color@endgroup}%
8945   \m@mmf@prepare}
8946 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8947   \def\baselinestretch{\m@m@footnote@spacing}%
8948   \reset@font\RTLfoottextfont
8949   \preamfntext
8950   \protected@edef\currentlabel{%
8951     \csname p@footnote\endcsname\thefnmark}%
8952   \color@begingroup
8953     \@sixcolRTLfootfmt{\#1}%
8954   \color@endgroup}%
8955   \m@mmf@prepare}
8956 \bidi@ensure@newcommand{\@preamsixfmt}{%
8957   \hsize .16\hsize
8958   \parindent=\z@
8959   \tolerance=5000\relax
8960   \leavevmode}
8961 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
8962   \preamsifaxfmt
8963   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8964 \bidi@ensure@newcommand{\@sixcollTRfootfmt}[1]{%
8965   \preamsifaxfmt
8966   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8967 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
8968   \preamsifaxfmt
8969   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8970 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\f
8971   \global\setbox\@mpfootinsv@r\vbox{%
8972     \unvbox\@mpfootinsv@r
8973     \def\baselinestretch{\m@m@footnote@spacing}%
8974     \reset@font\foottextfont
8975     \hsize\columnwidth \parboxrestore
8976     \protected@edef\currentlabel{%
8977       \csname p@mpfootnote\endcsname\thefnmark}%
8978     \color@begingroup
8979       \@sixcolfootfmt{\#1}%
8980     \color@endgroup}%
8981     \m@mmf@prepare}
8982 \bidi@ensure@newcommand{\@mpsixcollTRfootnotetext}[1]{\@RTLfalse%
8983   \global\setbox\@mpfootinsv@r\vbox{%
8984     \unvbox\@mpfootinsv@r
8985     \def\baselinestretch{\m@m@footnote@spacing}%

```



```

8986   \reset@font\LTRfoottextfont
8987   \hsize\columnwidth \parboxrestore
8988   \if@RTLcolumnfootnotes\beginL\fi
8989   \protected@edef\@currentlabel{%
8990     \csname p@mpfootnote\endcsname\@thefnmark}%
8991   \color@begingroup
8992     \@sixcollTRfootfmt{\#1}%
8993   \color@endgroup}%
8994   \m@mmf@prepare}
8995 \bidi@ensure@newcommand{\mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
8996   \global\setbox\@mpfootinsv@r\vbox{%
8997     \unvbox\@mpfootinsv@r
8998     \def\baselinestretch{\m@m@footnote@spacing}%
8999     \reset@font\RTLfoottextfont
9000     \hsize\columnwidth \parboxrestore
9001     \protected@edef\@currentlabel{%
9002       \csname p@mpfootnote\endcsname\@thefnmark}%
9003     \color@begingroup
9004       \@sixcolRTLfootfmt{\#1}%
9005     \color@endgroup}%
9006   \m@mmf@prepare}
9007 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
9008   \m@make@sixcolfootnotetext{\#1}%
9009   \m@make@mpsixcolfootnotetext{\#1}%
9010   \m@make@sixcolfootfmt{\#1}%
9011   \m@make@sixcol@footgroup{\#1}%
9012   \m@make@mpsixcol@footgroup{\#1}%
9013   \m@make@footstart{\#1}%
9014   \bidi@namelongdef{@footnotetext{\#1}##1}{%
9015     \nameuse{@sixcolfootnotetext{\#1}##1}%
9016   \bidi@namelongdef{@mpfootnotetext{\#1}##1}{%
9017     \nameuse{@mpsixcolfootnotetext{\#1}##1}%
9018     \namedef{@footgroup{\#1}}{\nameuse{@sixcol@footgroup{\#1}}}%
9019     \namedef{mp@footgroup{\#1}}{\nameuse{@mpsixcol@footgroup{\#1}}}%
9020     \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
9021     \expandafter\count\csname footins{\#1}\endcsname=500\relax}
9022 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
9023   \bidi@namelongdef{@sixcolfootnotetext{\#1}##1}{%
9024     \insert\nameuse{footins{\#1}}{%
9025       \def\baselinestretch{\m@m@footnote@spacing}%
9026       \reset@font\nameuse{foottextfont{\#1}}{%
9027         \preamfntext
9028         \protected@edef\@currentlabel{%
9029           \csname p@footnote{\#1}\endcsname \nameuse{@thefnmark{\#1}}{%
9030             \color@begingroup
9031               \nameuse{@sixcolfootfmt{\#1}##1}%
9032             \color@endgroup}%
9033           \m@mmf@prepare}}}
9034 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
9035 \bidi@namelongdef{@mpsixcolfootnotetext{\#1}##1}{%

```



```

9036 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9037   \unvbox\@nameuse{@mpfootins#1}
9038   \def\baselinestretch{\m@m@footnote@spacing}%
9039   \reset@font\@nameuse{foottextfont#1}%
9040   \hsize\columnwidth \parboxrestore
9041   \protected@edef\@currentlabel{%
9042     \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}%
9043   \color@begingroup
9044     \@nameuse{@sixcolfootfmt#1}{##1}%
9045   \color@endgroup\m@mmf@prepare}%
9046 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
9047   \namedef{@sixcolfootfmt#1}##1{%
9048     \preamsixfmt
9049     {\@nameuse{footfootmark#1}\strut
9050       {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}%
9051 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
9052   \namedef{@sixcol@footgroup#1}{{%
9053     \def\baselinestretch{\m@m@footnote@spacing}%
9054     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9055     \m@mrigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}%
9056 \bidi@ensure@newcommand{\m@make@psixcol@footgroup}[1]{%
9057   \namedef{@mpsixcol@footgroup#1}{{%
9058     \def\baselinestretch{\m@m@footnote@spacing}%
9059     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9060     \m@mrigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
9061 \bidi@ensure@newcommand{\sevencolumnfootnotes}{{%
9062   \namedef{foottextfontv@r}{\foottextfont} % [RS]
9063   \let\@footnotetext\sevencolfootnotetext
9064   \let\@LTRfootnotetext\sevencolLTRfootnotetext
9065   \let\@RTLfootnotetext\sevencolRTLfootnotetext
9066   \dimen\footinsv@r=7\footinsdim
9067   \count\footinsv@r=142\relax
9068   \m@make@sevencol@footgroup{v@r}%
9069   \let\@footgroupv@r\sevencol@footgroupv@r
9070   \let\@mpfootnotetext\mpsevencolfootnotetext
9071   \let\@mpLTRfootnotetext\mpsevencolLTRfootnotetext
9072   \let\@mpRTLfootnotetext\mpsevencolRTLfootnotetext
9073   \m@make@mpsevencol@footgroup{v@r}%
9074   \let\mp@footgroupv@r\mpsevencol@footgroupv@r}
9075 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
9076   \def\baselinestretch{\m@m@footnote@spacing}%
9077   \reset@font\foottextfont
9078   \preamfntext
9079   \protected@edef\@currentlabel{%
9080     \csname p@footnote\endcsname\@thefnmark}%
9081   \color@begingroup
9082     \@sevencolfootfmt{#1}%
9083   \color@endgroup}%
9084   \m@mmf@prepare}%
9085 \bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot

```



```

9086 \def\baselinestretch{\m@m@footnote@spacing}%
9087 \reset@font\LTRfoottextfont
9088 \@preamfntext
9089 \protected@edef\@currentlabel{%
9090   \csname p@footnote\endcsname\@thefnmark}%
9091 \color@begingroup
9092   \sevencolLTRfootfmt{\#1}%
9093 \color@endgroup}%
9094 \m@mmf@prepare}
9095 \bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
9096 \def\baselinestretch{\m@m@footnote@spacing}%
9097 \reset@font\RTLfoottextfont
9098 \@preamfntext
9099 \protected@edef\@currentlabel{%
9100   \csname p@footnote\endcsname\@thefnmark}%
9101 \color@begingroup
9102   \sevencolRTLfootfmt{\#1}%
9103 \color@endgroup}%
9104 \m@mmf@prepare}
9105 \bidi@ensure@newcommand{\@preamsevenfmt}{%
9106 \hsize .142\hsize
9107 \parindent=\z@
9108 \tolerance=5000\relax
9109 \leavevmode}
9110 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
9111 \@preamsevenfmt
9112 {\footfootmark\strut {\foottextfont \#1}\strut\par}\allowbreak}
9113 \bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
9114 \@preamsevenfmt
9115 {\LTRfootfootmark\strut {\LTRfoottextfont \#1}\strut\par}\allowbreak}
9116 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
9117 \@preamsevenfmt
9118 {\RTLfootfootmark\strut {\RTLfoottextfont \#1}\strut\par}\allowbreak}
9119 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse
9120 \global\setbox\@mpfootinsv@r\vbox{%
9121   \unvbox\@mpfootinsv@r
9122   \def\baselinestretch{\m@m@footnote@spacing}%
9123   \reset@font\foottextfont
9124   \hsize\columnwidth \parboxrestore
9125   \protected@edef\@currentlabel{%
9126     \csname p@mpfootnote\endcsname\@thefnmark}%
9127   \color@begingroup
9128     \sevencolfootfmt{\#1}%
9129   \color@endgroup}%
9130 \m@mmf@prepare}
9131 \bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
9132 \global\setbox\@mpfootinsv@r\vbox{%
9133   \unvbox\@mpfootinsv@r
9134   \def\baselinestretch{\m@m@footnote@spacing}%
9135   \reset@font\LTRfoottextfont

```



```

9136   \hsize\columnwidth \parboxrestore
9137   \if@RTLcolumnfootnotes\beginL\fi
9138   \protected@edef\@currentlabel{%
9139     \csname p@mpfootnote\endcsname\@thefnmark}%
9140   \color@begingroup
9141     \sevencollTRfootfmt{\#1}%
9142   \color@endgroup}%
9143   \m@mmf@prepare}
9144 \bidi@ensure@newcommand{\mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
9145   \global\setbox\@mpfootinsv@r\vbox{%
9146     \unvbox\@mpfootinsv@r
9147     \def\baselinestretch{\m@m@footnote@spacing}%
9148     \reset@font\RTLfoottextfont
9149     \hsize\columnwidth \parboxrestore
9150     \protected@edef\@currentlabel{%
9151       \csname p@mpfootnote\endcsname\@thefnmark}%
9152     \color@begingroup
9153       \sevencolRTLfootfmt{\#1}%
9154     \color@endgroup}%
9155     \m@mmf@prepare}
9156 \bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
9157   \m@make@sevencolfootnotetext{\#1}%
9158   \m@make@mpsevencolfootnotetext{\#1}%
9159   \m@make@sevencolfootfmt{\#1}%
9160   \m@make@sevencol@footgroup{\#1}%
9161   \m@make@mpsevencol@footgroup{\#1}%
9162   \m@make@footstart{\#1}%
9163   \bidi@namelongdef{@footnotetext{\#1}##1{%
9164     \nameuse{@sevencolfootnotetext{\#1}{##1}}%
9165   } \bidi@namelongdef{@mpfootnotetext{\#1}##1{%
9166     \nameuse{@mpsevencolfootnotetext{\#1}{##1}}%
9167     \namedef{@footgroup{\#1}{\nameuse{@sevencol@footgroup{\#1}}}}%
9168     \namedef{mp@footgroup{\#1}{\nameuse{@mpsevencol@footgroup{\#1}}}}%
9169     \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
9170     \expandafter\count\csname footins{\#1}\endcsname=500\relax
9171   } \bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
9172     \bidi@namelongdef{@sevencolfootnotetext{\#1}##1{%
9173       \insert\nameuse{footins{\#1}}{%
9174         \def\baselinestretch{\m@m@footnote@spacing}%
9175         \reset@font\nameuse{foottextfont{\#1}}%
9176         \preamfntext
9177         \protected@edef\@currentlabel{%
9178           \csname p@footnote{\#1}\endcsname \nameuse{@thefnmark{\#1}}}%
9179           \color@begingroup
9180             \nameuse{@sevencolfootfmt{\#1}{##1}}%
9181           \color@endgroup}%
9182           \m@mmf@prepare}}
9183 \bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
9184 \bidi@namelongdef{@mpsevencolfootnotetext{\#1}##1{%
9185   \global\setbox\nameuse{@mpfootins{\#1}}\vbox{%

```



```

9186   \unvbox\@nameuse{@mpfootins#1}
9187   \def\baselinestretch{\m@m@footnote@spacing}%
9188   \reset@font\@nameuse{foottextfont#1}%
9189   \hsize\columnwidth \parboxrestore
9190   \protected@edef\@currentlabel{%
9191     \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}%
9192   \color@begingroup
9193     \@nameuse{@sevencolfootfmt#1}{##1}%
9194   \color@endgroup\m@mmf@prepare}%
9195 \bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
9196   \cnamedef{@sevencolfootfmt#1}##1{%
9197     \preamsevenfmt
9198     {\@nameuse{footfootmark#1}\strut
9199       {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}%
9200 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
9201   \cnamedef{@sevencol@footgroup#1}{%
9202     \def\baselinestretch{\m@m@footnote@spacing}%
9203     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9204     \m@mrigidbalance{\nameuse{footins#1}{7}\{\splittopskip\}}}%
9205 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
9206   \cnamedef{@mpsevencol@footgroup#1}{%
9207     \def\baselinestretch{\m@m@footnote@spacing}%
9208     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9209     \m@mrigidbalance{\nameuse{@mpfootins#1}{7}\{\splittopskip\}}}%
9210 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
9211   \cnamedef{foottextfont@r}{\foottextfont} % [RS]
9212   \let\footnotetext\@eightcolfootnotetext
9213   \let\@LTRfootnotetext\@eightcolLTRfootnotetext
9214   \let\@RTLfootnotetext\@eightcolRTLfootnotetext
9215   \dimen\footinsv@r=8\footinsdim
9216   \count\footinsv@r=125\relax
9217   \m@make@eightcol@footgroup{v@r}%
9218   \let\@footgroupv@r\@eightcol@footgroupv@r
9219   \let\@mpfootnotetext\@mp@eightcolfootnotetext
9220   \let\@mpLTRfootnotetext\@mp@eightcolLTRfootnotetext
9221   \let\@mpRTLfootnotetext\@mp@eightcolRTLfootnotetext
9222   \m@make@mp@eightcol@footgroup{v@r}%
9223   \let\mp@footgroupv@r\@mp@eightcol@footgroupv@r}
9224 \bidi@ensure@newcommand{@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
9225   \def\baselinestretch{\m@m@footnote@spacing}%
9226   \reset@font\foottextfont
9227   \preamfntext
9228   \protected@edef\@currentlabel{%
9229     \csname p@footnote\endcsname\@thefnmark}%
9230   \color@begingroup
9231     \@eightcolfootfmt{#1}%
9232   \color@endgroup}%
9233   \m@mmf@prepare}%
9234 \bidi@ensure@newcommand{@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
9235   \def\baselinestretch{\m@m@footnote@spacing}%

```



```

9236 \reset@font\LTRfoottextfont
9237 \@preamfntext
9238 \protected@edef@\currentlabel{%
9239   \csname p@footnote\endcsname\@thefnmark}%
9240 \color@begingroup
9241   \@eightcolLTRfootfmt{\#1}%
9242 \color@endgroup}%
9243 \m@mmf@prepare}
9244 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue{%
9245   \def\baselinestretch{\m@m@footnote@spacing}%
9246   \reset@font\RTLfoottextfont
9247   \@preamfntext
9248   \protected@edef@\currentlabel{%
9249     \csname p@footnote\endcsname\@thefnmark}%
9250   \color@begingroup
9251     \@eightcolRTLfootfmt{\#1}%
9252   \color@endgroup}%
9253   \m@mmf@prepare}}
9254 \bidi@ensure@newcommand{\@preameightfmt}{%
9255   \hsize .125\hsize
9256   \parindent=\z@
9257   \tolerance=5000\relax
9258   \leavevmode}
9259 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
9260   \@preameightfmt
9261   {\footfootmark\strut {\foottextfont \#1}\strut\par}\allowbreak}
9262 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
9263   \@preameightfmt
9264   {\LTRfootfootmark\strut {\LTRfoottextfont \#1}\strut\par}\allowbreak}
9265 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
9266   \@preameightfmt
9267   {\RTLfootfootmark\strut {\RTLfoottextfont \#1}\strut\par}\allowbreak}
9268 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
9269   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi{%
9270     \unvbox\@mpfootinsv@r
9271     \def\baselinestretch{\m@m@footnote@spacing}%
9272     \reset@font\foottextfont
9273     \hsize\columnwidth \parboxrestore
9274     \protected@edef@\currentlabel{%
9275       \csname p@mpfootnote\endcsname\@thefnmark}%
9276     \color@begingroup
9277       \@eightcolfootfmt{\#1}%
9278     \color@endgroup}%
9279     \m@mmf@prepare}}
9280 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
9281   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse{%
9282     \unvbox\@mpfootinsv@r
9283     \def\baselinestretch{\m@m@footnote@spacing}%
9284     \reset@font\LTRfoottextfont
9285     \hsize\columnwidth \parboxrestore

```



```

9286      \if@RTLcolumnfootnotes\beginL\fi
9287      \protected@edef\@currentlabel{%
9288          \csname p@mpfootnote\endcsname\@thefnmark}%
9289      \color@begingroup
9290          \@eightcolLTRfootfmt{\#1}%
9291      \color@endgroup}%
9292      \m@mmf@prepare}
9293 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
9294     \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9295         \unvbox\@mpfootinsv@r
9296         \def\baselinestretch{\m@m@footnote@spacing}%
9297         \reset@font\RTLfoottextfont
9298         \hsize\columnwidth \parboxrestore
9299         \protected@edef\@currentlabel{%
9300             \csname p@mpfootnote\endcsname\@thefnmark}%
9301         \color@begingroup
9302             \@eightcolRTLfootfmt{\#1}%
9303         \color@endgroup}%
9304         \m@mmf@prepare}
9305 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
9306     \m@make@eightcolfootnotetext{\#1}%
9307     \m@make@mpeightcolfootnotetext{\#1}%
9308     \m@make@eightcolfootfmt{\#1}%
9309     \m@make@eightcol@footgroup{\#1}%
9310     \m@make@mpeightcol@footgroup{\#1}%
9311     \m@make@footstart{\#1}%
9312     \bidi@namelongdef{@footnotetext{\#1}##1}{%
9313         \nameuse{@eightcolfootnotetext{\#1}##1}%
9314     \bidi@namelongdef{@mpfootnotetext{\#1}##1}{%
9315         \nameuse{@mpeightcolfootnotetext{\#1}##1}%
9316         \namedef{@footgroup{\#1}}{\nameuse{@eightcol@footgroup{\#1}}}%
9317         \namedef{mp@footgroup{\#1}}{\nameuse{@mpeightcol@footgroup{\#1}}}%
9318         \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
9319         \expandafter\count\csname footins{\#1}\endcsname=500\relax
9320     \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
9321         \bidi@namelongdef{@eightcolfootnotetext{\#1}##1}{%
9322             \insert\nameuse{footins{\#1}}{%
9323                 \def\baselinestretch{\m@m@footnote@spacing}%
9324                 \reset@font\nameuse{foottextfont{\#1}}%
9325                 \preamfntext
9326                 \protected@edef\@currentlabel{%
9327                     \csname p@footnote{\#1}\endcsname \nameuse{@thefnmark{\#1}}}%
9328                 \color@begingroup
9329                     \nameuse{@eightcolfootfmt{\#1}##1}%
9330                 \color@endgroup}%
9331                 \m@mmf@prepare}}
9332 \bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
9333 \bidi@namelongdef{@mpeightcolfootnotetext{\#1}##1}{%
9334     \global\setbox\nameuse{@mpfootins{\#1}}\vbox{%
9335         \unvbox\nameuse{@mpfootins{\#1}}}
```



```

9336   \def\baselinestretch{\m@m@footnote@spacing}%
9337   \reset@font\nameuse{foottextfont#1}%
9338   \hsize\columnwidth \parboxrestore
9339   \protected@edef\currentlabel{%
9340     \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}%
9341   \color@begingroup
9342     \nameuse{@eightcolfootfmt#1}{##1}%
9343   \color@endgroup\m@mmf@prepare}%
9344 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
9345   \namedef{@eightcolfootfmt#1}##1{%
9346     \preameightfmt
9347     {\nameuse{footfootmark#1}\strut
9348       {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}%
9349 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
9350   \namedef{@eightcol@footgroup#1}{%
9351     \def\baselinestretch{\m@m@footnote@spacing}%
9352     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9353     \m@mrigidbalance{\nameuse{footins#1}{8}{\splittopskip}}}%
9354 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
9355   \namedef{@mpeightcol@footgroup#1}{%
9356     \def\baselinestretch{\m@m@footnote@spacing}%
9357     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9358     \m@mrigidbalance{\nameuse{mpfootins#1}{8}{\splittopskip}}}%
9359 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
9360   \namedef{foottextfontv@r}{\foottextfont} % [RS]
9361   \let\footnotetext\ ninecolfootnotetext
9362   \let\@LTFootnotetext\ ninecolLTFootnotetext
9363   \let\@RTLfootnotetext\ ninecolRTLfootnotetext
9364   \dimen\footinsv@r=9\footinsdim
9365   \count\footinsv@r=111\relax
9366   \m@make@ninecol@footgroup{v@r}%
9367   \let\footgroupv@r\ ninecol@footgroupv@r
9368   \let\mpfootnotetext\ mpninecolfootnotetext
9369   \let\mpLTFootnotetext\ mpninecolLTFootnotetext
9370   \let\mpRTLfootnotetext\ mpninecolRTLfootnotetext
9371   \m@make@mpninecol@footgroup{v@r}%
9372   \let\mp@footgroupv@r\ mpninecol@footgroupv@r}
9373 \bidi@ensure@newcommand{\ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr}
9374   \def\baselinestretch{\m@m@footnote@spacing}%
9375   \reset@font\foottextfont
9376   \preamfntext
9377   \protected@edef\currentlabel{%
9378     \csname p@footnote\endcsname\nameuse{@thefnmark}%
9379   \color@begingroup
9380     \ninecolfootfmt{#1}%
9381   \color@endgroup}%
9382   \m@mmf@prepare}%
9383 \bidi@ensure@newcommand{\@ninecolLTFootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
9384   \def\baselinestretch{\m@m@footnote@spacing}%
9385   \reset@font\RTLfoottextfont

```



```

9386  \@preamfntext
9387  \protected@edef@\currentlabel{%
9388   \csname p@footnote\endcsname\@thefnmark}%
9389  \color@begingroup
9390   \@ninecolLTRfootfmt{\#1}%
9391  \color@endgroup}%
9392  \m@mmf@prepare}
9393 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9394  \def\baselinestretch{\m@m@footnote@spacing}%
9395  \reset@font\RTLfoottextfont
9396  \@preamfntext
9397  \protected@edef@\currentlabel{%
9398   \csname p@footnote\endcsname\@thefnmark}%
9399  \color@begingroup
9400   \@ninecolRTLfootfmt{\#1}%
9401  \color@endgroup}%
9402  \m@mmf@prepare}
9403 \bidi@ensure@newcommand{\@preamninefmt}{%
9404  \hsize .1\hsize
9405  \parindent=\z@
9406  \tolerance=5000\relax
9407  \leavevmode}
9408 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
9409  \@preamninefmt
9410  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9411 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
9412  \@preamninefmt
9413  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9414 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
9415  \@preamninefmt
9416  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9417 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
9418  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9419   \unvbox\@mpfootinsv@r
9420   \def\baselinestretch{\m@m@footnote@spacing}%
9421   \reset@font\foottextfont
9422   \hsize\columnwidth \parboxrestore
9423   \protected@edef@\currentlabel{%
9424    \csname p@mpfootnote\endcsname\@thefnmark}%
9425   \color@begingroup
9426    \@ninecolfootfmt{\#1}%
9427   \color@endgroup}%
9428   \m@mmf@prepare}
9429 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
9430  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9431   \unvbox\@mpfootinsv@r
9432   \def\baselinestretch{\m@m@footnote@spacing}%
9433   \reset@font\LTRfoottextfont
9434   \hsize\columnwidth \parboxrestore
9435   \if@RTLcolumnfootnotes\beginL\fi

```



```

9436   \protected@edef{\currentlabel}{%
9437     \csname p@mpfootnote\endcsname\thefnmark}%
9438   \color@begingroup
9439     \ninecolLTrfootfmt{#1}%
9440   \color@endgroup}%
9441   \m@mmf@prepare}
9442 \bidi@ensure@newcommand{\mpninecolRTLfootnotetext}[1]{%
9443   \global\setbox\mpfootinsv@r\vbox{\RTLtrue%
9444     \unvbox\mpfootinsv@r
9445     \def\baselinestretch{\m@m@footnote@spacing}%
9446     \reset@font\RTLfoottextfont
9447     \hsize\columnwidth \parboxrestore
9448     \protected@edef{\currentlabel}{%
9449       \csname p@mpfootnote\endcsname\thefnmark}%
9450     \color@begingroup
9451       \ninecolRTLfootfmt{#1}%
9452     \color@endgroup}%
9453   \m@mmf@prepare}
9454 \bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
9455   \m@make@ninecolfootnotetext{#1}%
9456   \m@make@mpninecolfootnotetext{#1}%
9457   \m@make@ninecolfootfmt{#1}%
9458   \m@make@ninecol@footgroup{#1}%
9459   \m@make@mpninecol@footgroup{#1}%
9460   \m@make@footstart{#1}%
9461   \bidi@namelongdef{@footnotetext#1}##1{%
9462     \nameuse{@ninecolfootnotetext#1}##1}%
9463   \bidi@namelongdef{@mpfootnotetext#1}##1{%
9464     \nameuse{@mpninecolfootnotetext#1}##1}%
9465   \namedef{@footgroup#1}{\nameuse{@ninecol@footgroup#1}}%
9466   \namedef{@footgroup#1}{\nameuse{@mpninecol@footgroup#1}}%
9467   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9468   \expandafter\count\csname footins#1\endcsname=500\relax}
9469 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
9470   \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
9471     \insert\nameuse{footins#1}%
9472     \def\baselinestretch{\m@m@footnote@spacing}%
9473     \reset@font\nameuse{foottextfont#1}%
9474     \preamfntext
9475     \protected@edef{\currentlabel}{%
9476       \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9477     \color@begingroup
9478       \nameuse{@ninecolfootfmt#1}##1}%
9479     \color@endgroup}%
9480   \m@mmf@prepare}}
9481 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
9482 \bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
9483   \global\setbox\nameuse{\mpfootins#1}\vbox{%
9484     \unvbox\nameuse{\mpfootins#1}
9485     \def\baselinestretch{\m@m@footnote@spacing}}%

```



```

9486   \reset@font\@nameuse{foottextfont#1}%
9487   \hsize\columnwidth \parboxrestore
9488   \protected@edef\@currentlabel{%
9489     \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}%
9490   \color@begingroup
9491     \nameuse{@ninecolfootfmt#1}{##1}%
9492   \color@endgroup}\m@mmf@prepare}%
9493 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
9494   \namedef{@ninecolfootfmt#1}##1{%
9495     \preamninefmt
9496     {\nameuse{footfootmark#1}\strut
9497       {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}%
9498 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
9499   \namedef{@ninecol@footgroup#1}{%
9500     \def\baselinestretch{\m@m@footnote@spacing}%
9501     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9502     \m@mrigidbalance{\nameuse{footins#1}}{9}{\splittopskip}}}
9503 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
9504   \namedef{@mpninecol@footgroup#1}{%
9505     \def\baselinestretch{\m@m@footnote@spacing}%
9506     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9507     \m@mrigidbalance{\nameuse{@mpfootins#1}}{9}{\splittopskip}}}
9508 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
9509   \namedef{foottextfontv@r}{\foottextfont} % % [RS]
9510   \let\footnotetext\tencolfootnotetext
9511   \let\@LTRfootnotetext\tencollTRfootnotetext
9512   \let\@RTLfootnotetext\tencolRTLfootnotetext
9513   \dimen\footinsv@r=10\footinsdim
9514   \count\footinsv@r=100\relax
9515   \m@make@tencol@footgroup{v@r}%
9516   \let\@footgroupv@r\@tencol@footgroupv@r
9517   \let\@mpfootnotetext\@tencolfootnotetext
9518   \let\@mpLTRfootnotetext\@tencollTRfootnotetext
9519   \let\@mpRTLfootnotetext\@tencolRTLfootnotetext
9520   \m@make@mpencol@footgroup{v@r}%
9521   \let\mp@footgroupv@r\@mpencol@footgroupv@r
9522 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
9523   \def\baselinestretch{\m@m@footnote@spacing}%
9524   \reset@font\foottextfont
9525   \preamfntext
9526   \protected@edef\@currentlabel{%
9527     \csname p@footnote\endcsname\@thefnmark}%
9528   \color@begingroup
9529     \tencolfootfmt{#1}%
9530   \color@endgroup}%
9531   \m@mmf@prepare}%
9532 \bidi@ensure@newcommand{\@tencollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
9533   \def\baselinestretch{\m@m@footnote@spacing}%
9534   \reset@font\LTRfoottextfont
9535   \preamfntext

```



```

9536 \protected@edef{@currentlabel{%
9537   \csname p@footnote\endcsname\@thefnmark}%
9538 \color@begingroup
9539   \tencollTRfootfmt{#1}%
9540 \color@endgroup}%
9541 \m@mmf@prepare}
9542 \bidi@ensure@newcommand{\tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue{%
9543   \def\baselinestretch{\m@m@footnote@spacing}%
9544   \reset@font\RTLfoottextfont
9545   \preamfntext
9546   \protected@edef{@currentlabel{%
9547     \csname p@footnote\endcsname\@thefnmark}%
9548   \color@begingroup
9549     \tencolRTLfootfmt{#1}%
9550   \color@endgroup}%
9551   \m@mmf@prepare}}
9552 \bidi@ensure@newcommand{\preamtenfmt}{%
9553   \hsize .1\hsize
9554   \parindent=\z@
9555   \tolerance=5000\relax
9556   \leavevmode}
9557 \bidi@ensure@newcommand{\tencolfootfmt}[1]{%
9558   \preamtenfmt
9559   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9560 \bidi@ensure@newcommand{\tencollTRfootfmt}[1]{%
9561   \preamtenfmt
9562   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9563 \bidi@ensure@newcommand{\tencolRTLfootfmt}[1]{%
9564   \preamtenfmt
9565   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9566 \bidi@ensure@newcommand{\mprencolfootnotetext}[1]{%
9567   \global\setbox\mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9568   \unvbox\mpfootinsv@r
9569   \def\baselinestretch{\m@m@footnote@spacing}%
9570   \reset@font\foottextfont
9571   \hsize\columnwidth \parboxrestore
9572   \protected@edef{@currentlabel{%
9573     \csname p@mpfootnote\endcsname\@thefnmark}%
9574   \color@begingroup
9575     \tencolfootfmt{#1}%
9576   \color@endgroup}%
9577   \m@mmf@prepare}}
9578 \bidi@ensure@newcommand{\mptrncolLTRfootnotetext}[1]{%
9579   \global\setbox\mpfootinsv@r\vbox{\@RTLfalse{%
9580   \unvbox\mpfootinsv@r
9581   \def\baselinestretch{\m@m@footnote@spacing}%
9582   \reset@font\LTRfoottextfont
9583   \hsize\columnwidth \parboxrestore
9584   \if@RTLcolumnfootnotes\beginL\fi
9585   \protected@edef{@currentlabel{%

```



```

9586      \csname p@mpfootnote\endcsname\@thefnmark}%
9587      \color@begingroup
9588      \otencollTRfootfmt{#1}%
9589      \color@endgroup}%
9590      \m@mmp@prepare}
9591 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
9592   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9593   \unvbox\@mpfootinsv@r
9594   \def\baselinestretch{\m@m@footnote@spacing}%
9595   \reset@font\RTLfoottextfont
9596   \hsize\columnwidth \parboxrestore
9597   \protected@edef\@currentlabel{%
9598     \csname p@mpfootnote\endcsname\@thefnmark}%
9599     \color@begingroup
9600     \otencolRTLfootfmt{#1}%
9601     \color@endgroup}%
9602     \m@mmp@prepare}
9603 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
9604   \m@make@tencolfootnotetext{#1}%
9605   \m@make@mptencolfootnotetext{#1}%
9606   \m@make@tencolfootfmt{#1}%
9607   \m@make@tencol@footgroup{#1}%
9608   \m@make@mptencol@footgroup{#1}%
9609   \m@make@footstart{#1}%
9610   \bidi@namelongdef{@footnotetext#1}##1{%
9611     \nameuse{@tencolfootnotetext#1}##1}%
9612   \bidi@namelongdef{@mpfootnotetext#1}##1{%
9613     \nameuse{@mptencolfootnotetext#1}##1}%
9614   \namedef{@footgroup#1}{\nameuse{@tencol@footgroup#1}}%
9615   \namedef{@mpfootgroup#1}{\nameuse{@mptencol@footgroup#1}}%
9616   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9617   \expandafter\count\csname footins#1\endcsname=500\relax}
9618 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
9619   \bidi@namelongdef{@tencolfootnotetext#1}##1{%
9620     \insert\nameuse{footins#1}%
9621     \def\baselinestretch{\m@m@footnote@spacing}%
9622     \reset@font\nameuse{foottextfont#1}%
9623     \preamfntext
9624     \protected@edef\@currentlabel{%
9625       \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9626     \color@begingroup
9627     \nameuse{@tencolfootfmt#1}##1}%
9628     \color@endgroup}%
9629     \m@mmp@prepare}}
9630 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
9631 \bidi@namelongdef{@mptencolfootnotetext#1}##1{%
9632   \global\setbox\nameuse{@mpfootins#1}\vbox{%
9633   \unvbox\nameuse{@mpfootins#1}
9634   \def\baselinestretch{\m@m@footnote@spacing}%
9635   \reset@font\nameuse{foottextfont#1}}%

```



```

9636      \hsize\columnwidth \parboxrestore
9637      \protected@edef\@currentlabel{%
9638          \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}%
9639      \color@begingroup
9640          \@nameuse{@tencolfootfmt#1}{##1}%
9641      \color@endgroup}\m@mmf@prepare}
9642 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
9643     \@namedef{@tencolfootfmt#1}##1{%
9644         \preamtentfm
9645         {\@nameuse{footfootmark#1}\strut
9646             {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9647 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
9648     \@namedef{@tencol@footgroup#1}{%
9649         \def\baselinestretch{\m@m@footnote@spacing}%
9650         \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9651             \m@mrigidbalance{\@nameuse{footins#1}{10}{\splittopskip}}}}
9652 \bidi@ensure@newcommand{\m@make@ptencol@footgroup}[1]{%
9653     \@namedef{@ptencol@footgroup#1}{%
9654         \def\baselinestretch{\m@m@footnote@spacing}%
9655         \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9656             \m@mrigidbalance{\@nameuse{@mpfootins#1}{10}{\splittopskip}}}}
9657 \bidi@ensure@newcommand{\m@munvhx}[1]{%
9658     \setbox0=\vbox{\unvbox#1%
9659         \global\setbox1=\lastbox}%
9660     \unhbox1
9661     \unskip
9662     \unskip
9663     \unpenalty
9664     \hskip\m@mipn@skip}
9665 \bidi@ensure@newcommand{\m@mungebox}{%
9666     \setbox0=\hbox{\m@munvhx0}%
9667     \dp0=\z@%
9668     \ht0=\footfudgefactor\wd0
9669     \box0
9670     \penalty0}
9671 \newskip\m@mipn@skip
9672 \bidi@ensure@newcommand*\m@minterparanote{%
9673     \foottextfont\global\m@mipn@skip=#1\relax}%
9674 \m@minterparanote{1em plus .4em minus .4em}
9675 \ifpackageloaded{multicol}{%
9676 \bidi@ensure@newcommand*\m@makehboxofhboxes}{%
9677     \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
9678     \hsize\textwidth%
9679     \setbox0=\hbox{}%
9680     \loop
9681         \unpenalty
9682         \setbox2=\lastbox
9683         \ifhbox2
9684             \setbox0=\hbox{\box2\unhbox0}
9685     \repeat}

```



```

9686 }{%
9687 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
9688 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
9689 \setbox0=\hbox{}%
9690 \loop
9691 \unpenalty
9692 \setbox2=\lastbox
9693 \ifhbox2
9694 \setbox0=\hbox{\box2\unhbox0}
9695 \repeat}}
9696 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
9697 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
9698 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
9699 \bidi@ensure@newcommand{\paragraphfootnotes}{%
9700 \cnamedef{foottextfontv@r}{\foottextfont}%
9701 \let\@footnotetext\parafootnotetext
9702 \let\@LTRfootnotetext\paraLTRfootnotetext
9703 \let\@RTLfootnotetext\paraRTLfootnotetext
9704 \dimen\footinsv@r=\footinsdim
9705 \count\footinsv@r=1000\relax
9706 \m@make@para@footgroup{v@r}%
9707 \let\@footgroupv@r\para@footgroupv@r
9708 \let\@mpfootnotetext\mpparafootnotetext
9709 \let\@mpLTRfootnotetext\mpparaLTRfootnotetext
9710 \let\@mpRTLfootnotetext\mpparaRTLfootnotetext
9711 \m@make@mppara@footgroup{v@r}%
9712 \let\@mp@footgroupv@r\mppara@footgroupv@r
9713 {\def\baselinestretch{\m@m@footnote@spacing}%
9714 \foottextfont
9715 \dimen0=\baselineskip
9716 \multiply\dimen0 by 1024
9717 \divide\dimen0 by \hsize \multiply\dimen0 by \footfudgefiddle
9718 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
9719 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
9720 \let\bidi@RTL@everypar\empty%
9721 \def\baselinestretch{\m@m@footnote@spacing}%
9722 \reset@font\foottextfont
9723 \preamfntext
9724 \protected@edef\@currentlabel{%
9725 \csname p@footnote\endcsname\@thefnmark}%
9726 \setbox0=\vbox{\hsize=\maxdimen
9727 \color@begingroup
9728 \noindent \parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL\fi}
9729 \color@endgroup}%
9730 \m@mungebox}\m@mmf@prepare}
9731 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
9732 \let\bidi@RTL@everypar\empty%
9733 \def\baselinestretch{\m@m@footnote@spacing}%
9734 \reset@font\LTRfoottextfont
9735 \preamfntext

```



```

9736 \protected@edef{@currentlabel{%
9737   \csname p@footnote\endcsname\@thefnmark}%
9738 \setbox0=\vbox{\hsize=\maxdimen
9739   \color@begingroup
9740     \noindent \@paraLTRfootfmt{\beginL#1\endL}%
9741   \color@endgroup}%
9742 \m@mungebox}\m@mmf@prepare}
9743 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
9744   \let\bidi@RTL@everypar\empty%
9745   \def\baselinestretch{\m@m@footnote@spacing}%
9746   \reset@font\RTLfoottextfont
9747   \preamfntext
9748   \protected@edef{@currentlabel{%
9749     \csname p@footnote\endcsname\@thefnmark}%
9750 \setbox0=\vbox{\hsize=\maxdimen
9751   \color@begingroup
9752     \noindent \@paraRTLfootfmt{\beginR#1\endR}%
9753   \color@endgroup}%
9754 \m@mungebox}\m@mmf@prepare}
9755 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
9756   \parindent=\z@
9757   \parfillskip=0pt \oplus 1fil
9758   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
9759 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
9760   \parindent=\z@
9761   \parfillskip=0pt \oplus 1fil
9762   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
9763 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
9764   \parindent=\z@
9765   \parfillskip=0pt \oplus 1fil
9766   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
9767 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
9768   \global\setbox\@mpfootinsv@r\vbox{%
9769     \let\bidi@RTL@everypar\empty%
9770     \def\baselinestretch{\m@m@footnote@spacing}%
9771     \unvbox\@mpfootinsv@r
9772     \reset@font\foottextfont
9773     \hsize\columnwidth \parboxrestore
9774     \protected@edef{@currentlabel{%
9775       \csname p@mpfootnote\endcsname\@thefnmark}%
9776 \setbox0=\vbox{\hsize=\maxdimen
9777   \color@begingroup
9778     \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL}%
9779   \color@endgroup}%
9780 \m@mungebox}\m@mmf@prepare}
9781 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
9782   \global\setbox\@mpfootinsv@r\vbox{%
9783     \let\bidi@RTL@everypar\empty%
9784     \def\baselinestretch{\m@m@footnote@spacing}%
9785     \unvbox\@mpfootinsv@r

```



```

9786   \reset@font\LTRfoottextfont
9787   \hsize\columnwidth \parboxrestore
9788   \protected@edef\@currentlabel{%
9789     \csname p@mpfootnote\endcsname\thefnmark}%
9790   \setbox0=\vbox{\hsize=\maxdimen
9791     \color@begingroup
9792     \noindent \par\beginL#1\endL}%
9793   \color@endgroup}%
9794 \m@ungebox}\m@mmf@prepare}
9795 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
9796   \global\setbox\@mpfootinsv@r\vbox{%
9797     \let\bidi@RTL@everypar\empty}%
9798   \def\baselinestretch{\m@m@footnote@spacing}%
9799   \unvbox\@mpfootinsv@r
9800   \reset@font\RTLfoottextfont
9801   \hsize\columnwidth \parboxrestore
9802   \protected@edef\@currentlabel{%
9803     \csname p@mpfootnote\endcsname\thefnmark}%
9804   \setbox0=\vbox{\hsize=\maxdimen
9805     \color@begingroup
9806     \noindent \par\beginR#1\endR}%
9807   \color@endgroup}%
9808 \m@ungebox}\m@mmf@prepare}
9809 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
9810   \m@make@parafootnotetext{\#1}%
9811   \m@make@mpparafootnotetext{\#1}%
9812   \m@make@parafootfmt{\#1}%
9813   \m@make@para@footgroup{\#1}%
9814   \m@make@mppara@footgroup{\#1}%
9815   \m@make@para@footstart{\#1}%
9816   \bidi@namelongdef{@footnotetext{\#1}##1}{%
9817     \nameuse{@parafootnotetext{\#1}{##1}}%
9818   \bidi@namelongdef{@mpfootnotetext{\#1}##1}{%
9819     \nameuse{@mpparafootnotetext{\#1}{##1}}%
9820   \namedef{@footgroup{\#1}}{\nameuse{@para@footgroup{\#1}}}%
9821   \namedef{mp@footgroup{\#1}}{\nameuse{@mppara@footgroup{\#1}}}%
9822   \namedef{@footstart{\#1}}{\nameuse{@para@footstart{\#1}}}%
9823   \expandafter\dimen\csname footins{\#1}\endcsname=\footinsdim
9824   \expandafter\count\csname footins{\#1}\endcsname=1000\relax
9825   \def\baselinestretch{\m@m@footnote@spacing}%
9826   \nameuse{foottextfont{\#1}}%
9827   \dimen0=\baselineskip
9828   \multiply\dimen0 by 1024
9829   \divide\dimen0 by \hsize \multiply\dimen0 by 64
9830   \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }{}}
9831 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
9832 \bidi@namelongdef{@parafootnotetext{\#1}##1}{%
9833   \insert\nameuse{footins{\#1}}{%
9834   \def\baselinestretch{\m@m@footnote@spacing}%
9835   \reset@font\nameuse{foottextfont{\#1}}%
```



```

9836  \@preamfntext
9837  \protected@edef{\currentlabel}{%
9838    \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9839  \setbox0=\vbox{\hsize=\maxdimen
9840    \color@begingroup
9841      \noindent \nameuse{parafootfmt#1}{}%
9842    \color@endgroup}%
9843  \m@mungebox}\m@mmf@prepare}}
9844 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
9845 \bidi@namelongdef{@mpparafootnotetext#1}##1{%
9846  \global\setbox\nameuse{mpfootins#1}\vbox{%
9847    \unvbox\nameuse{mpfootins#1}
9848    \def\baselinestretch{\m@m@footnote@spacing}%
9849    \reset@font\nameuse{foottextfont#1}%
9850    \hsize\columnwidth \parboxrestore
9851  \protected@edef{\currentlabel}{%
9852    \csname p@mpfootnote#1\endcsname \nameuse{@thefnmark#1}}%
9853  \setbox0=\vbox{\hsize=\maxdimen
9854    \color@begingroup
9855      \noindent \nameuse{parafootfmt#1}{}%
9856    \color@endgroup}%
9857  \m@mungebox}\m@mmf@prepare}}
9858 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
9859 \bidi@namelongdef{@parafootfmt#1}##1{%
9860  \parindent=\z@
9861  \parfillskip=0pt \plus 1fil
9862  {\nameuse{footfootmark#1}\strut
9863    {\nameuse{foottextfont#1}##1\penalty-10}}}
9864 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
9865 \namedef{@para@footgroup#1}{%
9866  \unvbox\nameuse{footins#1}
9867  \m@makehboxofhboxes
9868  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
9869  \parboxrestore%
9870  \def\baselinestretch{\m@m@footnote@spacing}%
9871  \nameuse{foottextfont#1}%
9872  \noindent\unhbox0\par}}
9873 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
9874 \namedef{@mppara@footgroup#1}{%
9875  \unvbox\nameuse{mpfootins#1}
9876  \m@makehboxofhboxes
9877  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
9878  \def\baselinestretch{\m@m@footnote@spacing}%
9879  \nameuse{foottextfont#1}%
9880  \noindent\unhbox0\par}}
9881 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
9882 \namedef{@para@footstart#1}{%
9883  \vskip\bigskipamount
9884  \leftskip=\z@
9885  \rightskip=\z@

```



```

9886 \parindent=\z@
9887 \vskip\skip\@nameuse{footins#1}%
9888 \footnoterule}%
9889 \bidi@ensure@newcommand*\m@m@makecolfloats{}%
9890 \xdef\@freelist{\@freelist\@midlist}%
9891 \global\let\@midlist\@empty
9892 \@combinefloats}%
9893 \bidi@ensure@newcommand*\m@m@makecoltext{}%
9894 \ifvbox\@kludgeins
9895 \makespecialcolbox
9896 \else
9897 \setbox\@outputbox \vbox to\@colht{%
9898 \texttop
9899 \dimen@\dp\@outputbox
9900 \unvbox \@outputbox
9901 \vskip -\dimen@
9902 \textbottom}%
9903 \fi}
9904 \bidi@ensure@newcommand*\m@m@makecolintro{}%
9905 \bidi@ensure@newcommand*\m@mopfootnote{}\setbox\@outputbox \vbox{%
9906 \boxmaxdepth\@maxdepth
9907 \tempdima\dp\@cclv
9908 \unvbox\@cclv
9909 \vskip-\tempdima
9910 \bidi@mopfn@bottom
9911 \vskip \skip\footins
9912 \color@begingroup
9913 \normalcolor
9914 \footnoterule
9915 \unvbox \footins
9916 \color@endgroup}}
9917 \newcommand*\bidi@mopfootnotebf{}%
9918 \setbox\@outputbox \vbox{%
9919 \boxmaxdepth\@maxdepth
9920 \unvbox\@outputbox
9921 \bidi@mopfn@bottom
9922 \vskip\skip\footins
9923 \color@begingroup
9924 \normalcolor
9925 \footnoterule
9926 \unvbox \footins
9927 \color@endgroup}}
9928 \gdef\mem@makedcol{%
9929 \m@m@makecolintro
9930 \ifvoid\footins
9931 \setbox\@outputbox \box\@cclv
9932 \else
9933 \m@mopfootnote
9934 \fi
9935 \m@mdoextrafeet

```



```

9936 \m@m@makecolfloats
9937 \m@m@makecoltext
9938 \global \maxdepth \cmaxdepth}
9939 \gdef\bidi@makecolbf{%
9940 \m@m@makecolintro
9941 \setbox\outputbox \box\cclv
9942 \m@m@makecolfloats
9943 \ifvoid\footins
9944 \else
9945 \bidi@mopfootnotebf
9946 \fi
9947 \m@m@doextrafeet
9948 \m@m@makecoltext
9949 \global \maxdepth \cmaxdepth}
9950 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
9951 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
9952 \newcommand{\FeetAtBottom}{\def\bidi@mopfn@bottom{\vfill\relax}}
9953 \newcommand{\FeetBelowRagged}{\let\bidi@mopfn@bottom\relax}
9954 \FeetAboveFloat
9955 \FeetBelowRagged

```

7.55 extreport-xetex-bidi.def

```

9956 \ProvidesFile{extreport-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extreport class
9957 \renewcommand*\l@part[2]{%
9958 \ifnum \c@tocdepth >-2\relax
9959 \addpenalty{-\@highpenalty}%
9960 \addvspace{2.25em \oplus \p@}%
9961 \begingroup
9962 \setlength\tempdima{3em}%
9963 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9964 \parfillskip -\pnumwidth
9965 {\leavevmode
9966 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
9967 \nobreak
9968 \global\nobreaktrue
9969 \everypar{\global\nobreakfalse\everypar{}%}
9970 \endgroup
9971 \fi}
9972 \renewcommand*\l@chapter[2]{%
9973 \ifnum \c@tocdepth >\m@ne
9974 \addpenalty{-\@highpenalty}%
9975 \vskip 1.0em \oplus \p@
9976 \setlength\tempdima{1.5em}%
9977 \begingroup
9978 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9979 \parfillskip -\pnumwidth
9980 \leavevmode \bfseries
9981 \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
9982 \hskip -\if@RTL\rightskip\else\leftskip\fi

```



```

9983      #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
9984      \penalty\@highpenalty
9985      \endgroup
9986      \fi}
9987 \def\@makechapterhead#1{%
9988   \vspace*{50\p@}%
9989   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9990     \ifnum \c@secnumdepth >\m@ne
9991       \huge\bfseries \chapapp\space \thechapter
9992     \par\nobreak
9993     \vskip 20\p@
9994   \fi
9995   \interlinepenalty\@M
9996   \Huge \bfseries #1\par\nobreak
9997   \vskip 40\p@
9998 }
9999 \def\@makeschapterhead#1{%
10000   \vspace*{50\p@}%
10001   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10002     \normalfont
10003     \interlinepenalty\@M
10004     \Huge \bfseries #1\par\nobreak
10005     \vskip 40\p@
10006 }
10007 \renewcommand\left@footnoterule{%
10008   \kern-3\p@
10009   \hrule\@width.4\columnwidth
10010   \kern2.6\p@}
10011 \renewcommand\right@footnoterule{%
10012   \kern-3\p@
10013   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
10014   \kern2.6\p@}
10015 \renewenvironment{thebibliography}[1]
10016   {\chapter*{\bibname
10017     \c@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
10018     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
10019     \list{\@biblabel{\@arabic\c@enumiv}}%
10020       {\settowidth\labelwidth{\@biblabel{\#1}}%
10021         \leftmargin\labelwidth
10022         \advance\leftmargin\labelsep
10023         \openbib@code
10024         \usecounter{enumiv}%
10025         \let\p@enumiv\empty
10026         \renewcommand\theenumiv{\@arabic\c@enumiv}%
10027         \sloppy\clubpenalty4000\widowpenalty4000%
10028         \sfcode`.\. @m}
10029     {\def\@noitemerr
10030       {\@latex@warning{Empty `thebibliography' environment}}%
10031     \endlist}
10032 \if@titlepage

```



```

10033 \renewcommand{\maketitle}{\begin{titlepage}%
10034 \let\footnotesize\small
10035 \let\right@footnoterule\relax
10036 \let\left@footnoterule\relax
10037 \let\textwidth@footnoterule\relax
10038 \let \footnote \thanks
10039 \null\vfil
10040 \vskip 60\p@
10041 \begin{center}%
10042   {\LARGE \@title \par}%
10043   \vskip 3em%
10044   {\large
10045     \lineskip .75em%
10046     \begin{tabular}[t]{c}%
10047       \author
10048     \end{tabular}\par}%
10049   \vskip 1.5em%
10050   {\large \@date \par}        % Set date in \large size.
10051 \end{center}\par
10052 \@thanks
10053 \vfil\null
10054 \end{titlepage}%
10055 \setcounter{footnote}{0}%
10056 \global\let\thanks\relax
10057 \global\let\maketitle\relax
10058 \global\let\@thanks\@empty
10059 \global\let\@author\@empty
10060 \global\let\@date\@empty
10061 \global\let\@title\@empty
10062 \global\let\title\relax
10063 \global\let\author\relax
10064 \global\let\date\relax
10065 \global\let\and\relax
10066 }
10067 \else
10068 \renewcommand{\maketitle}{\par
10069 \begingroup
10070   \renewcommand{\thefootnote}{\@fnsymbol{c}\@footnote}%
10071   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10072   \long\def\@makefntext##1{\parindent 1em\noindent
10073     \hb@xt@1.8em{%
10074       \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
10075   \if@twocolumn
10076     \ifnum \col@number=\@ne
10077       \@maketitle
10078     \else
10079       \twocolumn[\@maketitle]%
10080     \fi
10081   \else
10082     \newpage

```



```

10083      \global\@topnum\z@    % Prevents figures from going at top of page.
10084      \@maketitle
10085      \fi
10086      \thispagestyle{plain}\@thanks
10087      \endgroup
10088      \setcounter{footnote}{0}%
10089      \global\let\thanks\relax
10090      \global\let\maketitle\relax
10091      \global\let\@maketitle\relax
10092      \global\let\@thanks\@empty
10093      \global\let\@author\@empty
10094      \global\let\@date\@empty
10095      \global\let\@title\@empty
10096      \global\let\title\relax
10097      \global\let\author\relax
10098      \global\let\date\relax
10099      \global\let\and\relax
10100 }
10101 \def\@maketitle{%
10102     \newpage
10103     \null
10104     \vskip 2em%
10105     \begin{center}%
10106     \let \footnote \thanks
10107     {\LARGE \@title \par}%
10108     \vskip 1.5em%
10109     {\large
10110         \lineskip .5em%
10111         \begin{tabular}[t]{c}%
10112             \author
10113         \end{tabular}\par}%
10114     \vskip 1em%
10115     {\large \@date}%
10116     \end{center}%
10117     \par
10118     \vskip 1.5em}
10119 \fi
10120 \renewcommand\thesection{\thechapter\@SepMark\@arabic\c@section}
10121 \renewcommand\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
10122 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
10123 \renewcommand\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
10124 \renewcommand\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
10125 \renewcommand\theequation{%
10126     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
10127 \renewcommand\thefigure{%
10128     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
10129 \renewcommand\thetable{%
10130     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}

```



7.56 fancybox-xetex-bidi.def

```
10131 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package
10132 \def\fancy@@oval#1#2#3{%
10133   \boxmaxdepth \maxdimen
10134   \@ovtrue \@ovbtrue \@ovltrue \@ovrtrue
10135   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
10136   \@ovxx#1\relax
10137   \advance\@ovxx-\@wholewidth
10138   \@ovyy#2\relax
10139   \advance\@ovyy-\@wholewidth
10140   \@tempdimb \ifdim \@ovyy >\@ovxx \else \@ovyy \fi
10141   \advance\@tempdimb-2\p@
10142   \ifdim\@tempdimb>\the\@cornersize\relax
10143     \@tempdimb=\the\@cornersize
10144   \fi
10145   \@getcirc\@tempdimb
10146   \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
10147   \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
10148   \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
10149   \@circlefont
10150   \setbox\@tempboxa\hbox{\beginL%
10151     \if@ovr \@ovvert32\kern -\@tempdima \fi
10152     \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
10153     \if@ovt \@ovhorz \kern -\@ovxx \fi
10154     \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
10155   \advance\@ovdx\@ovro
10156   \advance\@ovdy\@ovro
10157   \advance\@ovxx\@wholewidth
10158   \wd\@tempboxa=\@ovxx
10159   \dp\@tempboxa=\z@}
```

7.57 fancyhdr-xetex-bidi.def

```
10160 \ProvidesFile{fancyhdr-xetex-bidi.def}[2016/11/30 v0.6 bidi adaptations for fancyhdr package
10161
10162 \let\fnc@everypar\everypar%
10163
10164 \def\@fancyhead#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
10165   \@fancyvbox\headheight\hbox
10166   {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
10167     \parbox[b]{\headwidth}{\centering#3}\hfill
10168     \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}#5}
10169
10170 \def\@fancyfoot#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
10171   \@fancyvbox\footskip{\footrule
10172     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
10173       \parbox[t]{\headwidth}{\centering#3}\hfill
10174       \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}\footrule}#5}
10175
```



7.58 fix2col-xetex-bidi.def

```
10176 \ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package for XeTeX]
10177 \def\RTL@outputdblcol{%
10178   \if@firstcolumn
10179     \global\@firstcolumnfalse
10180     \global\setbox\@leftcolumn\copy\@outputbox
10181     \splitmaxdepth\maxdimen
10182     \vbadness\maxdimen
10183     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10184     \toks@\expandafter{\topmark}%
10185     \xdef\@firstcoltopmark{\the\toks@}%
10186     \toks@\expandafter{\splitfirstmark}%
10187     \xdef\@firstcolfirstmark{\the\toks@}%
10188     \ifx\@firstcolfirstmark\@empty
10189       \global\let\@setmarks\relax
10190     \else
10191       \gdef\@setmarks{%
10192         \let\firstmark\@firstcolfirstmark
10193         \let\topmark\@firstcoltopmark}%
10194     \fi
10195   \else
10196     \setbox\@outputbox\vbox {\hbox to\textwidth {%
10197       \hskip \columnwidth
10198       \hfil \vrule width\columnseprule \hfil
10199       \hbox to\columnwidth {\box\@leftcolumn \hss}%
10200       \hskip -\textwidth
10201       \hbox to\columnwidth{\box\@outputbox \hss}%
10202       \hskip \columnsep
10203       \hskip \columnwidth } }%
10204   \combinedblfloats \@setmarks \@outputpage
10205   \begingroup \dblfloatplacement \startdblcolumn
10206   \whilesw\if@fcolmade \fi
10207   {\outputpage \startdblcolumn }\endgroup
10208 \fi}
10209 \def\LTR@outputdblcol{%
10210   \if@firstcolumn
10211     \global\@firstcolumnfalse
10212     \global\setbox\@leftcolumn\copy\@outputbox
10213     \splitmaxdepth\maxdimen
10214     \vbadness\maxdimen
10215     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10216     \toks@\expandafter{\topmark}%
10217     \xdef\@firstcoltopmark{\the\toks@}%
10218     \toks@\expandafter{\splitfirstmark}%
10219     \xdef\@firstcolfirstmark{\the\toks@}%
10220     \ifx\@firstcolfirstmark\@empty
10221       \global\let\@setmarks\relax
10222     \else
10223       \gdef\@setmarks{%
```



```

10224      \let\firstmark\@firstcolfirstmark
10225      \let\topmark\@firstcoltopmark}%
10226      \fi
10227  \else
10228      \global\@firstcolumntrue
10229      \setbox\@outputbox\vbox{%
10230          \hb@xt@\textwidth{%
10231              \hb@xt@\columnwidth{\box\@leftcolumn \hss}}%
10232              \hfil
10233              \vrule \@width\columnseprule
10234              \hfil
10235              \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
10236  \@combinedblfloats
10237      \@setmarks
10238      \@outputpage
10239      \begingroup
10240          \@dblfloatplacement
10241          \@startdblcolumn
10242          \@whilesw\if@fcolmade \fi\{@outputpage\@startdblcolumn}%
10243      \endgroup
10244  \fi}

```

7.59 fleqn-xetex-bidi.def

```

10245 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
10246 \renewcommand\[\relax
10247     \ifmmode\@badmath
10248     \else
10249         \begin{trivlist}%
10250             \begin{parpenalty}\predisplaypenalty
10251                 \end{parpenalty}\postdisplaypenalty
10252                 \item[]\leavevmode
10253                 \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$%
10254                     \hskip\mathindent\bgroup
10255                     \fi}
10256 \renewcommand\]\relax
10257     \ifmmode
10258         \egroup $\hfil% $
10259         \endL\egroup
10260         \end{trivlist}%
10261     \else \@badmath
10262     \fi}
10263 \renewenvironment{equation}%
10264     {\begin{parpenalty}\predisplaypenalty
10265         \end{parpenalty}\postdisplaypenalty
10266         \refstepcounter{equation}%
10267         \trivlist \item[]\leavevmode
10268         \hb@xt@\linewidth\bgroup\beginL $\m@th% $
10269             \displaystyle
10270             \hskip\mathindent}%

```



```

10271      {$\hfil % $
10272      \displaywidth\linewidth\hbox{\@eqnnum}%
10273      \endL\egroup
10274      \endtrivlist}

```

7.60 float-xetex-bidi.def

```

10275 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
10276 \renewcommand\floatc@plain[2]{\setbox@\tempboxa\hbox{\@fs@cfont #1:} #2}%
10277   \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
10278   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi
10279 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
10280   \expandafter\edef\csname the#1\endcsname{%
10281     \expandafter\noexpand\csname
10282       the#2\endcsname\@SepMark\noexpand\arabic{#1}}%
10283   {\PackageWarning{float}{Can't redefine counter variable for #1.}}}}

```

7.61 floatrow-xetex-bidi.def

```

10284 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
10285 \renewcommand\flnew@within[1]{\@addtoreset{FB@capttype}{#1}%
10286   \expandafter\edef\csname the\FB@capttype\endcsname{%
10287     \expandafter\noexpand\csname
10288       the#1\endcsname\@SepMark\noexpand\arabic{\FB@capttype}}}

```

7.62 flowfram-xetex-bidi.def

```

10289 \ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package
10290 \def\outputdblcol{%
10291   \c@nextcol=\c@thisframe
10292   \c@curpg=\c@page
10293   \g@t@nextcol{\c@nextcol}%
10294   \if@ff@nwpg % next flow frame starts on new page
10295     \global\@firstcolumntrue
10296     \c@setcolbox\c@thisframe
10297     \if@specialpage
10298       \global\@specialpagefalse
10299       \nameuse{ps@\@specialstyle}\relax
10300     \fi
10301     \if@twoside
10302       \ifodd\count\z@
10303         \let\@thehead\@oddhead
10304         \let\@tfoot\@oddfoot
10305       \else
10306         \let\@thehead\@evenhead
10307         \let\@tfoot\@evenfoot
10308       \fi
10309     \else
10310       \let\@thehead\@oddhead
10311       \let\@tfoot\@oddfoot
10312     \fi
10313   \begindvi

```



```

10314  \@dodynamicthehead\@dodynamicthefoot
10315  \vbadness=\@M
10316  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
10317  \@combinedblfloats
10318  \@outputpage
10319  \advance\c@curpg by -\c@page\relax
10320  \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
10321  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
10322  \@outputpage}
10323  \begingroup
10324  \@dblfloatplacement
10325  \@startdblcolumn
10326  \@whilesw \if@fcolmade \fi
10327  {\@outputpage \@startdblcolumn }\endgroup
10328  \@resetst@tics
10329  \@resetdyn@mics
10330 \else % still on same page, save contents of box255
10331  \global\@firstcolumnfalse
10332  \setcolbox\c@thisframe
10333 \fi
10334 \global\c@thisframe=\@nxtcol
10335 \setcol{\c@thisframe}\relax
10336 \global\colht\vsiz
10337 }
10338 \def\@outputpage{%
10339 \begingroup
10340  \let\protect\noexpand
10341  \@resetactivechars
10342  \global\let\@if@newlist\if@newlist
10343  \global\@newlistfalse\@parboxrestore
10344  \shipout\vbox{\set@typeset@protect
10345  \aftergroup
10346  \endgroup
10347  \aftergroup
10348  \set@typeset@protect
10349  \reset@font\normalsize\normalsfcodes
10350  \let\label@gobble
10351  \let\index@gobble
10352  \let\glossary@gobble
10353  \baselineskip\z@skip
10354  \lineskip\z@skip
10355  \lineskiplimit\z@
10356  \vskip\topmargin\moveright\@themargin
10357  \vbox{%
10358   \vskip\headheight
10359   \vskip\headsep
10360   \box\@outputbox
10361  }%
10362 \global\let\if@newlist\@if@newlist
10363 \stepcounter{page}%

```



```

10364 \setcounter{displayedframe}{0}%
10365 \let\firstmark\botmark
10366
10367
10368 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
10369 \expandafter\bidi@color\ff@txtcol}}
10370
10371 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
10372 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}
10373
10374
10375 \renewcommand*{\@docolbox}[1]{%
10376 \edef\ff@frametype{%
10377 \csname @ff@frametype@\romannumeral#1\endcsname}%
10378 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
10379 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
10380 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
10381 \@ff@setoffset{\#1}%
10382 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}%
10383 \ifthenelse{\boolean{columnframe}\romannumeral#1}{%
10384 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
10385 {\csname colheight\romannumeral#1\endcsname}%
10386 \expandafter\box\csname column\romannumeral#1\endcsname}%
10387 \csname\ff@frametype\endcsname}%
10388 }{%
10389 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
10390 {\csname colheight\romannumeral#1\endcsname}%
10391 \expandafter\box\csname column\romannumeral#1\endcsname}%
10392 }}}
10393 \@ifclassloaded{book}{%
10394 \renewcommand{\theequation}
10395 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
10396 \renewcommand{\thefigure}
10397 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
10398 \renewcommand{\thetable}
10399 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
10400 \renewcommand{\thechapter}{\@arabic\c@chapter}
10401 \renewcommand{\thesection}{\thechapter\@SepMark\@arabic\c@section}
10402 \renewcommand{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
10403 \renewcommand{\thesubsubsection}{\thesubsection\@SepMark\@arabic\c@subsubsection}
10404 \renewcommand{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
10405 \renewcommand{\thesubparagraph}{\theparagraph\@SepMark\@arabic\c@subparagraph}{}}
10406 \@ifclassloaded{report}{%
10407 \renewcommand{\theequation}
10408 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
10409 \renewcommand{\thefigure}
10410 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
10411 \renewcommand{\thetable}
10412 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
10413 \renewcommand{\thechapter}{\@arabic\c@chapter}

```



```

10414 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
10415 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
10416 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
10417 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
10418 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}{}}
10419 \renewcommand{\rotateframe}[2]{\if@tb@rotate
10420 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
10421 \else
10422 #2\relax
10423 \fi}

```

7.63 footnote-xetex-bidi.def

```

10424 \ProvidesFile{footnote-xetex-bidi.def}[2016/09/09 v1.0 bidi footnote macros for XeTeX engine]
10425 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
10426 \newif\ifbidi@autofootnoterule
10427 \def\bidi@mpfootnoterule{\footnoterule}
10428 \newcounter{footdir@label}
10429 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
10430 \newcommand*{\footdir@write}{%
10431   \stepcounter{footdir@label}%
10432   \zref@labelbyprops{\thefootdir@label}{abspage}%
10433 }
10434 \newif\iffootdir@debug
10435 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
10436 \newtoks\footdir@toks
10437 \newcommand*{\footdir@debug}[1]{%
10438   \iffootdir@debug
10439     \typeout{[footdir] #1}%
10440   \fi
10441 }
10442 %\Cifpackagelater{zref-abspage}{2012/10/27}{%
10443 %  \newcommand*{\footdir@LeftRightElse}{%
10444 %    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
10445 %      \footdir@debug{abspage} \the\value{zabspage}: else}%
10446 %      \ltx@thirdofthree
10447 %    }{%
10448 %      \if\csname footdir@\the\value{zabspage}\endcsname L%
10449 %        \footdir@debug{abspage} \the\value{zabspage}: left}%
10450 %        \expandafter\ltx@firstofthree
10451 %      \else
10452 %        \footdir@debug{abspage} \the\value{zabspage}: right}%
10453 %        \expandafter\ltx@secondofthree
10454 %      \fi
10455 %    }%
10456 %  }%
10457 %}{%
10458 \providecommand*{\c@zabspage}{\c@abspage}%
10459 \newcommand*{\footdir@LeftRightElse}{%
10460   \footdir@write

```



```

10461 \zifrefundefined{\the footdir@label}{%
10462   \footdir@debug{abspage ??: else}%
10463   \ltx@thirdofthree
10464 }{%
10465   \edef\footdir@abspage{%
10466     \zref@extractdefault{\the footdir@label}{abspage}{0}%
10467   }%
10468   \ltx@ifundefined{footdir@\footdir@abspage}{%
10469     \footdir@debug{\footdir@abspage: else}%
10470     \ltx@thirdofthree
10471   }{%
10472     \if\csname footdir@\footdir@abspage\endcsname L%
10473       \footdir@debug{\footdir@abspage: left}%
10474       \expandafter\ltx@firstofthree
10475     \else
10476       \footdir@debug{\footdir@abspage: right}%
10477       \expandafter\ltx@secondofthree
10478     \fi
10479   }%
10480 }%
10481 }%
10482 }%
10483 \newcommand*{\footdir@fntext}[1]{%
10484   \zifrefundefined{\the footdir@label}{%
10485   }{%
10486     \edef\footdir@name{%
10487       footdir@\zref@extractdefault{\the footdir@label}{abspage}{0}%
10488     }%
10489     \@ifundefined{\footdir@name}{%
10490       \expandafter\gdef\csname footdir@name\endcsname{\#1}%
10491     }{}%
10492   }%
10493 }%
10494 \newcommand*{\footdir@temp}[3]{%
10495   \@ifdefinable{\#1}{%
10496     \let\#1\#2%
10497     \renewcommand{\#2}[1]{%
10498       \footdir@write
10499       \footdir@fntext{\#3}%
10500       \stepcounter{footdir@label}%
10501       \footdir@fntext{\#3}%
10502       \footdir@toks{\#\#1}%
10503       \footdir@toks\expandafter{%
10504         \the\expandafter\footdir@toks
10505         \expandafter
10506           \zref@labelbyprops\expandafter{\the footdir@label}{abspage}%
10507     }%
10508     \expandafter\#1\expandafter{\the\footdir@toks}%
10509   }%
10510 }%

```



```

10511   }%
10512 }
10513
10514 \def\right@footnoterule{%
10515   \kern-3\p@
10516   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
10517   \kern2.6\p@}
10518 \def\left@footnoterule{\kern-3\p@
10519   \hrule \@width .4\columnwidth \kern 2.6\p@}
10520 \def\textwidth@footnoterule{\kern-3\p@
10521   \hrule \@width \columnwidth \kern 2.6\p@}
10522 \def\leftfootnoterule{%
10523 \bidi@autofootnoterulefalse%
10524 \def\footnoterule{\left@footnoterule}}
10525 \let\LRfootnoterule=\leftfootnoterule
10526 \def\rightfootnoterule{%
10527 \bidi@autofootnoterulefalse%
10528 \def\footnoterule{\right@footnoterule}}
10529 \def\textwidthfootnoterule{%
10530 \bidi@autofootnoterulefalse%
10531 \def\footnoterule{\textwidth@footnoterule}}
10532
10533
10534
10535 \def\auto@footnoterule{%
10536 \footdir@LeftRightElse%
10537 \left@footnoterule%
10538 \right@footnoterule%
10539 \left@footnoterule%
10540 }
10541
10542
10543
10544 \def\autofootnoterule{%
10545 \bidi@autofootnoteruletrue%
10546 \def\footnoterule{\auto@footnoterule}%
10547 }
10548
10549 \newcommand*{\SplitFootnoteRule}{%
10550   \gdef\split@prev{0}
10551   \let\pagefootnoterule\footnoterule
10552   \let\mpfootnoterule\footnoterule
10553   \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
10554   \def\footnoterule{\relax
10555     \ifx \listdepth\mplistdepth
10556       \mpfootnoterule
10557     \else
10558       \ifnum\split@prev=z@%
10559         \pagefootnoterule
10560       \else

```



```

10561      \splitfootnoterule
10562      \fi
10563      \xdef\split@prev{\the\insertpenalties}%
10564      \fi
10565  }%
10566 }
10567
10568
10569
10570
10571 \def\RTLfootnote{\ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
10572     \protected@xdef\@thefnmark{\thempfn}%
10573     \footnotemark\@RTLfootnotetext}}
10574 \def\@xRTLfootnote[#1]{%
10575     \begingroup
10576     \csname c@\@mpfn\endcsname #1\relax
10577     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10578     \endgroup
10579     \footnotemark\@RTLfootnotetext}
10580 \def\LTRfootnote{\ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
10581     \protected@xdef\@thefnmark{\thempfn}%
10582     \footnotemark\@LTRfootnotetext}}
10583 \def\@xLTRfootnote[#1]{%
10584     \begingroup
10585     \csname c@\@mpfn\endcsname #1\relax
10586     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10587     \endgroup
10588     \footnotemark\@LTRfootnotetext}
10589
10590
10591 \def\setfootnoteRL{\@RTL@footnotetrue}
10592 \def\unsetfootnoteRL{\@RTL@footnotefalse}
10593 \def\setfootnoteLR{\unsetfootnoteRL}
10594
10595 \newcommand*{\bidi@@footnotetext@font}{\reset@font\footnotesize}
10596 \newcommand*{\bidi@@LTRfootnotetext@font}{\reset@font\footnotesize}
10597 \newcommand*{\bidi@@RTLfootnotetext@font}{\reset@font\footnotesize}
10598
10599 \long\def\@footnotetext#1{\insert\footins{%
10600     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10601     \bidi@@footnotetext@font% \reset@font\footnotesize
10602     \interlinepenalty\interfootnotelinepenalty
10603     \splittopskip\footnotesepr
10604     \splitmaxdepth\dp\strutbox \floatingpenalty \z@MM
10605     \hsize\columnwidth \parboxrestore
10606     \protected@edef\@currentlabel{%
10607         \csname p@footnote\endcsname\@thefnmark
10608     }%
10609     \color@begingroup
10610     \makefntext{%

```



```

10611      \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
10612      \color@endgroup} }%
10613
10614
10615 \long\def\@RTLfootnotetext#1{\insert\footins{%
10616     \@RTLtrue%
10617     \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
10618     \interlinepenalty\interfootnotelinepenalty
10619     \splittopskip\footnotesep
10620     \splitmaxdepth \dp\strutbox \floatingpenalty \z@MM
10621     \hsize\columnwidth \parboxrestore
10622     \protected@edef\@currentlabel{%
10623         \csname p@footnote\endcsname\@thefnmark
10624     }%
10625     \color@begingroup
10626         \makefntext{%
10627             \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
10628             \color@endgroup} }%
10629
10630 \long\def\@LTRfootnotetext#1{\insert\footins{%
10631     \@RTLfalse%
10632     \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
10633     \interlinepenalty\interfootnotelinepenalty
10634     \splittopskip\footnotesep
10635     \splitmaxdepth \dp\strutbox \floatingpenalty \z@MM
10636     \hsize\columnwidth \parboxrestore
10637     \protected@edef\@currentlabel{%
10638         \csname p@footnote\endcsname\@thefnmark
10639     }%
10640     \color@begingroup
10641         \makefntext{%
10642             \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
10643             \color@endgroup} }%
10644
10645 \AtBeginDocument{%
10646 \if@RTL@footnote
10647   \newcommand*{\bidi@footdir@footnote}{R}
10648 \else
10649   \newcommand*{\bidi@footdir@footnote}{L}
10650 \fi%
10651 }
10652
10653 \footdir@temp\footdir@ORG\bidi@footnotetext{@footnotetext{\bidi@footdir@footnote}}%
10654 \footdir@temp\footdir@ORG\bidi@RTLfootnotetext{@RTLfootnotetext{R}}%
10655 \footdir@temp\footdir@ORG\bidi@LTRfootnotetext{@LTRfootnotetext{L}}%
10656
10657 \long\def\@mpRTLfootnotetext#1{%
10658   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footn
10659   \global\setbox\@mpfootins\vbox{\@RTLtrue%
10660     \unvbox\@mpfootins

```



```

10661   \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
10662   \hsize\columnwidth
10663   \parboxrestore
10664   \protected@edef\@currentlabel
10665     {\csname p@mpfootnote\endcsname\@thefnmark}%
10666   \color@begingroup
10667     \makefntext{%
10668       \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10669     } \color@endgroup}
10670 \long\def\@mpLTRfootnotetext#1{%
10671   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnoterule\fi%
10672   \global\setbox\@mpfootins\vbox{\@RTLfalse%
10673     \unvbox\@mpfootins
10674     \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
10675     \hsize\columnwidth
10676     \parboxrestore
10677     \protected@edef\@currentlabel
10678       {\csname p@mpfootnote\endcsname\@thefnmark}%
10679     \color@begingroup
10680       \makefntext{%
10681         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10682       } \color@endgroup}
10683 \long\def\@mpfootnotetext#1{%
10684   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\right@footnoterule\fi%
10685   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10686     \unvbox\@mpfootins
10687     \bidi@@footnotetext@font% \reset@font\footnotesize
10688     \hsize\columnwidth
10689     \parboxrestore
10690     \protected@edef\@currentlabel
10691       {\csname p@mpfootnote\endcsname\@thefnmark}%
10692     \color@begingroup
10693       \makefntext{%
10694         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10695       } \color@endgroup}
10696 \def\@iiminipage#1#2[#3]#4{%
10697   \leavevmode
10698   \pboxswfalse
10699   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
10700   \if@RTL\if#1\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
10701   \setlength{\tempdima}{#4}%
10702   \def\@mpargs{{#1}{#2}[#3]{#4}}%
10703   \setbox\tempboxa\vbox\bgroup
10704     \color@begingroup
10705       \hsize\@tempdima
10706       \textwidth\hsize \columnwidth\hsize
10707     \parboxrestore
10708     \def\@mpfn{\mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
10709     \let\@footnotetext\@mpfootnotetext
10710     \let\@LTRfootnotetext\@mpLTRfootnotetext

```



```

10711      \let\@RTLfootnotetext\@mpRTLfootnotetext
10712      \let\@listdepth\@mplistdepth \@mplistdepth\z@
10713      \@minipagerestore
10714      \@setminipage}
10715 \def\endminipage{%
10716     \par
10717     \unskip
10718     \ifvoid\@mpfootins\else
10719         \vskip\skip\@mpfootins
10720         \normalcolor
10721         \bidi@mpfootnoterule
10722         \unvbox\@mpfootins
10723     \fi
10724     \@minipagerefuse %% added 24 May 89
10725     \color@endgroup
10726     \egroup
10727     \expandafter\@iiparbox\@mpargs{\unvbox\@tempboxa}}
10728 \def\LTRthanks#1{\footnotemark
10729     \protected@xdef\@thanks{\@thanks
10730         \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
10731 }
10732 \def\LTRfootnotetext{%
10733     \@ifnextchar [\@xLTRfootnotenext
10734         {\protected@xdef\@thefnmark{\thempfn}%
10735         \@LTRfootnotetext}}
10736 \def\@xLTRfootnotenext[#1]{%
10737     \begingroup
10738     \csname c@\@mpfn\endcsname #1\relax
10739     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10740     \endgroup
10741     \@LTRfootnotetext}
10742 \def\RTLthanks#1{\footnotemark
10743     \protected@xdef\@thanks{\@thanks
10744         \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
10745 }
10746 \let\@thanks\@empty
10747 \def\RTLfootnotetext{%
10748     \@ifnextchar [\@xRTLfootnotenext
10749         {\protected@xdef\@thefnmark{\thempfn}%
10750         \@RTLfootnotetext}}
10751 \def\@xRTLfootnotenext[#1]{%
10752     \begingroup
10753     \csname c@\@mpfn\endcsname #1\relax
10754     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10755     \endgroup
10756     \@RTLfootnotetext}
10757 \leftfootnoterule

```

7.64 framed-xetex-bidi.def



```

10758 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
10759 \renewcommand\TitleBarFrame[3][]{\begingroup
10760   \ifx\delimitter#1\delimitter
10761     \let\TF@conlab@\empty
10762   \else
10763     \def\TF@conlab{\% continuation label
10764       \nointerlineskip
10765       \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}\%
10766   \fi
10767 \% \let\TF@savecolor\current@color
10768 \textcolor{TFFrameColor}{%
10769 \CustomFBox
10770   {\TF@Title{#2}}{\TF@conlab}\%
10771   \fboxrule\fboxrule\fboxrule
10772   {\let\current@color\TF@savecolor\set@color #3}\%
10773   {\normalcolor #3}\%
10774 }\endgroup
10775 }
10776 \renewenvironment{titled-frame}[1]{%
10777   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
10778     \TitleBarFrame{\textbf{#1}}\%
10779   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
10780     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$\]{\textbf{#1}}\%
10781   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
10782     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$\]{\textbf{#1}\ (cont
10783   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
10784     \TitleBarFrame{\textbf{#1}\ (cont)}\}\%
10785   \MakeFramed{\advance\hsize-20pt \FrameRestore}\}%
10786 \% note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
10787 \% could interfere with the width measurement.
10788 {\endMakeFramed}
10789 \chardef\FrameRestore=\catcode`\| % for debug
10790 \catcode`\|= \catcode`\% % (debug: insert space after backslash)
10791 \def\fb@put@frame#1#2{\relax
10792 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
10793 | \message{===== Entering putframe =====^J
10794 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
10795 \ifinner
10796   \fb@putboxa#1%
10797   \fb@afterframe
10798 \else
10799   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
10800   \ifdim\dimen@<2\baselineskip % Too little room on page
10801 | \message{Page has only \the\dimen@\space room left; eject. }%
10802   \eject \fb@adjheight \fb@put@frame#1#2%
10803 \else % there's appreciable room left on the page
10804   \fb@sizeofframe#1%
10805 | \message{\string\pagetotal=\the\pagetotal,
10806 | \string\pagegoal=\the\pagegoal,
10807 | \string\pagestretch=\the\pagestretch,

```



```

10808 |           \string\pageshrink=\the\pageshrink,
10809 |           \string\fb@frh=\the\fb@frh. \space}
10810 | \message{^^JBox of size \the\ht\@tempboxa\space}%
10811 | \begingroup % temporarily set \dimen@ to be...
10812 | \advance\dimen@.8\pageshrink % maximum space available on page
10813 | \advance\dimen@-\fb@frh\relax % max space available for frame's contents
10814 %% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
10815 | \expandafter\endgroup
10816 | % expand \ifdim, then restore \dimen@ to real room left on page
10817 | \ifdim\dimen@>\ht\@tempboxa % whole box does fit
10818 |     \message{fits in \the\dimen@. }%
10819 |     % ToDo: Change this to use vsplit anyway to capture the marks
10820 |     % MERGE THIS WITH THE else CLAUSE!!!
10821 |     \fb@putboxa#1%
10822 |     \fb@afterframe
10823 | \else % box must be split
10824 |     \message{must be split to fit in \the\dimen@. }%
10825 |     % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
10826 |     \fb@sizeofframe#2%
10827 |     \setbox\@tempboxa\vbox{%
10828 |         \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
10829 |         \kern137sp\kern-137sp\penalty-30
10830 |         \unvbox\@tempboxa}%
10831 |     \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
10832 |             \splittopskip\the\splittopskip}%
10833 |     \boxmaxdepth\z@\splittopskip\z@
10834 | \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
10835 |     % Split box here
10836 |     \setbox\tw@\vsplit\@tempboxa to\dimen@
10837 |     \toks99\expandafter{\splitfirstmark}%
10838 |     \toks98\expandafter{\splitbotmark}%
10839 |     \message{Marks are: \the\toks99, \the\toks98. }%
10840 |     \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
10841 |     \message{Natural height of split box is \the\ht\tw@, leaving
10842 |             \the\ht\@tempboxa\space remainder. }%
10843 |     % If the split-to size > (\vsize-\topskip), then set box to full size.
10844 |     \begingroup
10845 |     \advance\dimen@\topskip
10846 |     \expandafter\endgroup
10847 |     \ifdim\dimen@>\pagegoal
10848 |         \message{Frame is big -- Use up the full column. }%
10849 |         \dimen@ii\pagegoal
10850 |         \advance\dimen@ii -\topskip
10851 |         \advance\dimen@ii \FrameHeightAdjust\relax
10852 |     \else % suspect this is implemented incorrectly:
10853 |         % If the split-to size > feasible_room_on_page, rebox it smaller.
10854 |         \advance\dimen@.8\pageshrink
10855 |         \ifdim\ht\tw@>\dimen@
10856 |             \message{Box too tall; rebox it to \the\dimen@. }%
10857 |             \dimen@ii\dimen@

```



```

10858      \else % use natural size
10859          \dimen@ii\ht\tw@
10860      \fi
10861  \fi
10862  % Re-box contents to desired size \dimen@ii
10863  \advance\dimen@ii -\fb@frh
10864  \setbox\tw@\vbox to\dimen@ii \bgroup
10865  % remove simulated frame and page flexibility:
10866  \vskip -\fb@frh \oplus-\pagestretch \ominus-.8\pageshrink
10867  \unvbox\tw@ \unpenalty\unpenalty
10868  \ifdim\lastkern=-137sp % whole box went to next page
10869 |      \message{box split at beginning! }%
10870  % need work here???
10871      \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
10872      \fb@adjheight
10873      \fb@put@frame#1#2% INSERTED ???
10874  \else % Got material split off at the head
10875      \egroup \fb@resto@set
10876      \ifvoid@\tempboxa % it all fit after all
10877 |          \message{box split at end! }%
10878          \setbox@\tempboxa\box\tw@
10879          \fb@putboxa#1%
10880          \fb@afterspace
10881  \else % it really did split
10882 |      \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
10883      \ifdim\wd\tw@>\z@
10884          \wd\tw@\wd\tempboxa
10885          \centerline{\#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
10886  \else
10887 |      \message{Zero width means likely blank. Don't frame it (guess)!}%
10888      \box\tw@
10889  \fi
10890      \hrule \height\z@ \width\hsize
10891      \eject
10892      \fb@adjheight
10893      \fb@put@frame\LastFrameCommand\MidFrameCommand
10894  \fi\fi\fi\fi\fi
10895 }
10896 \def\fb@putboxa#1{%
10897  \ifvoid@\tempboxa
10898      \PackageWarning{framed}{Boxa is void -- discard it. }%
10899  \else
10900 |      \message{Frame and place boxa. }%
10901 |      \%{\showoutput\showbox\tempboxa}%
10902      \centerline{\#1{\hboxL{\box\tempboxa}}}% 
10903  \fi
10904 }
10905 \catcode`|=FrameRestore
10906 \def\FrameRestore{%
10907      \let\if\nobreak\iffalse

```



```

10908 \let\if@noskipsec\iffalse
10909 \let-\@dischyp
10910 \let'`\@acci\let` `@\accii\let\=\@acciii
10911 % \message{FrameRestore:
10912 %   \totalleftmargin=\the\totalleftmargin,
10913 %   \rightmargin=\the\rightmargin,
10914 %   \listdepth=\the\listdepth. }%
10915 % Test if we are in a list (or list-like paragraph)
10916 \ifnum \ifdim\totalleftmargin>\z@ 1\fi
10917   \ifdim\rightmargin>\z@ 1\fi
10918   \ifnum\listdepth>\z@ 1\fi 0>\z@
10919   % \message{In a list: \linewidth=\the\linewidth, \totalleftmargin=\the\totalleftma
10920   %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
10921   %   \labelwidth=\the\labelwidth. }%
10922   \setminipage % snug fit around the item
10923   % Now try to propagate changes of width from \hsize to list parameters.
10924   % This is deficient, but a more advanced way to indicate modification to text
10925   % dimensions is not (yet) provided; in particular, no separate left/right
10926   % adjustment.
10927   \advance\linewidth-\columnwidth \advance\linewidth\hsize
10928   \parshape\one \totalleftmargin \linewidth
10929 \else % Not in list
10930   \linewidth=\hsize
10931   %\message{No list, set \string\linewidth=\the\hsize. }%
10932 \fi
10933 \sloppy
10934 }

```

7.65 ftnright-xetex-bidi.def

```

10935 \ProvidesFile{ftnright-xetex-bidi.def}[2016/05/10 v0.4 bidi adaptations for ftnright package
10936
10937 \def\LTR@outputdblcol{%
10938   \if@firstcolumn
10939     \global\@firstcolumnfalse
10940     \global\setbox\@leftcolumn\copy\@outputbox
10941     \global\count\footins\@m
10942     \global\skip\footins\rcol@footinsskip
10943     \splitmaxdepth\maxdimen
10944     \vbadness\maxdimen
10945     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10946     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10947     \toks@\expandafter{\topmark}%
10948     \xdef\@firstcoltopmark{\the\toks@}%
10949     \toks@\expandafter{\splitfirstmark}%
10950     \xdef\@firstcolfirstmark{\the\toks@}%
10951     \ifx\@firstcolfirstmark\empty
10952       \global\let\@setmarks\relax
10953     \else
10954       \gdef\@setmarks{%

```



```

10955      \let\firstmark\@firstcolfirstmark
10956      \let\topmark\@firstcoltopmark}%
10957  \fi
10958 \else
10959  \preparefootins
10960  \global\@firstcolumtrue
10961  \setbox\@outputbox\vbox{%
10962    \hb@xt@\textwidth{%
10963      \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
10964      \hfil
10965      {\normalcolor\vrule \@width\columnseprule}%
10966      \hfil
10967      \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
10968 \@combinedblfloats
10969  \@setmarks
10970  \@outputpage
10971  \begingroup
10972    \@dblfloatplacement
10973    \@startdblcolumn
10974    \@whilesw\if@fcolmade \fi{\@outputpage
10975    \@startdblcolumn}%
10976  \endgroup
10977 \fi}%
10978
10979
10980
10981 \def\RTL@outputdblcol{%
10982  \if@firstcolumn
10983    \global\@firstcolumfalse
10984    \global\setbox\@leftcolumn\copy\@outputbox
10985    \global\count\footins\@m
10986    \global\skip\footins\rcol@footinsskip
10987    \splitmaxdepth\maxdimen
10988    \vbadness\maxdimen
10989    \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10990    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10991    \toks@\expandafter{\topmark}%
10992    \xdef\@firstcoltopmark{\the\toks@}%
10993    \toks@\expandafter{\splitfirstmark}%
10994    \xdef\@firstcolfirstmark{\the\toks@}%
10995    \ifx\@firstcolfirstmark\@empty
10996      \global\let\@setmarks\relax
10997    \else
10998      \gdef\@setmarks{%
10999        \let\firstmark\@firstcolfirstmark
11000        \let\topmark\@firstcoltopmark}%
11001    \fi
11002 \else
11003  \preparefootins
11004  \global\@firstcolumtrue

```



```

11005 \setbox\@outputbox\vbox{%
11006   \hb@xt@\textwidth{%
11007     \hskip \columnwidth
11008     \hfil
11009     {\normalcolor\vrule \c@width\columnseprule}%
11010     \hfil
11011     \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
11012     \hskip -\textwidth
11013     \hb@xt@\columnwidth{\box\@outputbox \hss}%
11014     \hskip \columnsep
11015     \hskip \columnwidth }}%
11016 \@combinedblfloats
11017   \@setmarks
11018   \@outputpage
11019   \begingroup
11020     \@dblfloatplacement
11021     \@startdblcolumn
11022     \@whilesw\if@fcolmade \fi{\@outputpage
11023       \@startdblcolumn}%
11024     \endgroup
11025 \fi}%
11026
11027
11028
11029 \let\leftfootnoterule\empty
11030 \let\rightfootnoterule\empty
11031 \let\textwidthfootnoterule\empty
11032 \let\autofootnoterule\empty
11033 \let\footnoterule\empty
11034 \long\def\makefntext#1{\parindent 1em
11035   \noindent\hbox to 2em{%
11036     \llap{\@thefnmark\hbox{.}\,,\,}#1}

```

7.66 graphicx-xetex-bidi.def

```

11037 \ProvidesFile{graphicx-xetex-bidi.def}[2012/01/01 v0.4 bidi adaptations for graphicx package
11038 \def\Grot@box@std#1{\ifmmode\else\if@RTL\beginL\fi\fi%
11039   \Grot@setangle{#1}%
11040   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi}%
11041   \Grot@x\z@
11042   \Grot@y\z@
11043   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
11044 \long\def\Gscale@box#1[#2]{\ifmmode\else\if@RTL\beginL\fi\fi%
11045   \leavevmode
11046   \def\Gscale@x{#1}\def\Gscale@y{#2}%
11047   \setbox\z@\hbox{\{#3\}}%
11048   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
11049   \ifdim#2\p@<\z@
11050     \ht\tw@-#2\dp\z@
11051     \dp\tw@-#2\ht\z@

```



```

11052 \else
11053   \ht\tw@#2\ht\z@
11054   \dp\tw@#2\dp\z@
11055 \fi
11056 \ifdim#1\p@<\z@
11057   \hb@xt@-#1\wd\z@\{ \kern-#1\wd\z@ \box\tw@ \hss \}%
11058 \else
11059   \wd\tw@#1\wd\z@
11060   \box\tw@
11061 \fi \ifmmode \else \if@RTL \beginL \fi \fi}
11062 \def\Gin@iii[#1,#2] [#3,#4]#5{%
11063 \begingroup
11064 \ifmmode \else \if@RTL \beginL \fi \fi
11065 \Gin@bboxtrue
11066 \Gin@defaultbp \Gin@llx{#1}%
11067 \Gin@defaultbp \Gin@lly{#2}%
11068 \Gin@defaultbp \Gin@urx{#3}%
11069 \Gin@defaultbp \Gin@ury{#4}%
11070 \Ginclude@graphics{#5}%
11071 \ifmmode \else \if@RTL \endL \fi \fi
11072 \endgroup}
11073 \def\Gin@ii[#1]#2{%
11074   \def\@tempa{} \def\@tempb{#2}%
11075   \ifx\@tempa\@tempb
11076     \def\@tempa{\Gin@iii[#1]}%
11077     \expandafter\@tempa
11078   \else
11079     \begingroup
11080       \ifmmode \else \if@RTL \beginL \fi \fi
11081       \@tempswafalse
11082       \toks@{\Ginclude@graphics{#2}}%
11083       \setkeys{Gin}{#1}%
11084       \Gin@esetsize
11085       \the\toks@
11086       \ifmmode \else \if@RTL \endL \fi \fi
11087     \endgroup
11088   \fi}
11089 \def\reflectbox{\bidiGscale@box-1[1]}
11090 \long\def\bidiGscale@box#1[#2]#3{\ifmmode \else \if@RTL \beginL \fi \fi %
11091   \leavevmode
11092   \def\Gscale@x{#1} \def\Gscale@y{#2}%
11093   \setbox\z@\hbox{\ifmmode \if@RTL \beginR \fi \#3 \if@RTL \endR \fi \else \if@RTL \beginR \fi \#3 \if@RTL \endR \fi}%
11094   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
11095   \ifdim#2\p@<\z@
11096     \ht\tw@-#2\dp\z@
11097     \dp\tw@-#2\ht\z@
11098   \else
11099     \ht\tw@#2\ht\z@
11100     \dp\tw@#2\dp\z@
11101 \fi

```



```

11102 \ifdim#1\p@<\z@
11103   \hb@xt@-#1\wd\z@\{\kern-#1\wd\z@\box\tw@\hss}%
11104 \else
11105   \wd\tw@#1\wd\z@
11106   \box\tw@
11107 \fi\ifmmode\else\if@RTL\endL\fi\fi}
11108 \def\scalebox#1{%
11109   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
11110 \def\resizebox{%
11111   \leavevmode
11112   \ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
11113 \def\bidiGscale@@box#1#2#3{%
11114   \let\@tempa\Gin@exclamation
11115   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
11116   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
11117   \ifx\@tempb\@tempa
11118     \ifx\@tempc\@tempa
11119       \toks@\{\mbox}%
11120     \else
11121       \toks@\{\bidiGscale@box@dd{#3}#1}%
11122     \fi
11123 \else
11124   \ifx\@tempc\@tempa
11125     \toks@\{\bidiGscale@box@dd{#2}\width}%
11126   \else
11127     \toks@\{\bidiGscale@box@dddd{#2}\width{#3}#1}%
11128   \fi
11129 \fi
11130 \the\toks@}
11131 \long\def\bidiGscale@box@dd#1#2#3{%
11132   \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\beginR\fi\endR\fi\fi}
11133   \setlength\@tempdima{#1}%
11134   \setlength\@tempdimb{#2}%
11135   \Gscale@div\@tempa\@tempdima\@tempdimb
11136   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
11137 \end@tempboxa}
11138 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
11139   \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\beginR\fi\endR\fi\fi}
11140   \setlength\@tempdima{#1}%
11141   \setlength\@tempdimb{#2}%
11142   \Gscale@div\@tempa\@tempdima\@tempdimb
11143   \setlength\@tempdima{#3}%
11144   \setlength\@tempdimb{#4}%
11145   \Gscale@div\@tempb\@tempdima\@tempdimb
11146   \ifGin@iso
11147     \ifdim\@tempa\p@>\@tempb\p@
11148       \let\@tempa\@tempb
11149     \else
11150       \let\@tempb\@tempa
11151     \fi

```



```

11152     \fi
11153     \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
11154 \end@tempboxa}

```

7.67 geometry-xetex-bidi.def

```

11155 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package
11156 \renewcommand*{\Gm@vrules@mpi}{%
11157 \if@RTLmain%
11158     \hb@xt@{\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11159         \llap{\Gm@vrule}\ignorespaces
11160         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11161         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}}%
11162     \else%
11163     \hb@xt@{\@tempdima{\llap{\Gm@vrule}\ignorespaces
11164         \hskip \textwidth\Gm@vrule\hskip \marginparsep
11165         \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
11166 \renewcommand*{\Gm@vrules@mpii}{%
11167 \if@RTLmain%
11168     \hb@xt@{\@tempdima{\llap{\Gm@vrule}\ignorespaces
11169         \hskip \textwidth\Gm@vrule\hskip \marginparsep
11170         \llap{\Gm@vrule}\hfil\Gm@vrule}}%
11171 \else%
11172     \hb@xt@{\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11173         \llap{\Gm@vrule}\ignorespaces
11174         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11175         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
11176 \bidi@patchcmd{\Gm@pageframes}{%
11177     \ifodd\count\z@
11178         \let\@themargin\oddsidemargin
11179     \else
11180         \let\@themargin\evensidemargin
11181     \fi
11182 }{%
11183     \ifodd\count\z@
11184         \if@RTLmain
11185             \let\@themargin\evensidemargin
11186         \else
11187             \let\@themargin\oddsidemargin
11188         \fi
11189     \else
11190         \if@RTLmain
11191             \let\@themargin\oddsidemargin
11192         \else
11193             \let\@themargin\evensidemargin
11194         \fi
11195     \fi
11196 }{}{}}

```

7.68 hvfloat-xetex-bidi.def



```

11197 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package fo
11198 \def\do@@hvFloat[#1]#2#3{%
11199 \def\hv@shortCap{#1}
11200 \def\hv@longCap{#2}
11201 \def\hv@label{#3}
11202 \%newcommand*\{hvFloat}[5][]{%
11203 % [#1]: keyvalues
11204 % #2: type figure | table | ...
11205 % #3: float contents
11206 % [#4]: short caption
11207 % #5: caption
11208 % #6: label
11209 \%setDefaults%
11210 \%def\@tempa{#1}%
11211 \%ifx\@tempa\empty\else\setkeys[hvSet]{#1}\fi% set options, only when not empty
11212 \def\@tempa{90}%
11213 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
11214 \else \setlength{\hvMaxCapWidth}{\linewidth}
11215 \fi
11216 %
11217 % First we save the object in \hvObjectBox
11218 %
11219 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
11220 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
11221 \else
11222 \savebox{\hvObjectBox}{%
11223 \rotatebox{\hvSet@objectAngle}{%
11224 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
11225 \fi
11226 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
11227 %
11228 % Now we save the caption with its defined \hvCapWidth
11229 %
11230 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
11231 \else
11232 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
11233 \else
11234 \setlength{\hvCapWidth}{\hvObjectWidth}
11235 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11236 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11237 \ifdim\hvSet@capWidth<\hvMaxCapWidth
11238 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
11239 \else
11240 \setlength{\hvCapWidth}{\hvMaxCapWidth}
11241 \fi
11242 \fi
11243 \fi
11244 %
11245 % now we have the object and the caption with the right
11246 % rotated angles saved in boxes

```



```

11247 %
11248 \def\fps@figure{\hvSet@floatPos}
11249 \ifhv@nonFloat\begin{group} Start the nonfloat part
11250 \else \begin{\hv@floatType} Start the floating environment
11251 \fi%
11252 \saveCaptionSkip% we put this space ourselves
11253 \ifx\hvSet@capAngle\hv@Width % need rotation?
11254 \sbox{\hvCaptionBox}{%
11255 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
11256 \ifhv@nonFloat%
11257 \ifhv@onlyText#2%
11258 \else%
11259 \ifx\hv@floatType\hv@figure
11260 \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
11261 \else
11262 \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
11263 \fi
11264 \fi
11265 \else\ifx\relax\hv@shortCap\relax\caption[#2]\else\caption[#1]{#2}\fi%
11266 \fi%
11267 \label{#3}%
11268 \end{minipage}%
11269 }%
11270 \else%
11271 \sbox{\hvCaptionBox}{%
11272 \rotatebox{\hvSet@capAngle}{%
11273 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
11274 \ifhv@nonFloat%
11275 \ifhv@onlyText#2%
11276 \else%
11277 \ifx\hv@floatType\hv@figure
11278 \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
11279 \else
11280 \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
11281 \fi
11282 \fi
11283 \else\ifx\relax\hv@shortCap\relax\caption[#2]\else\caption[#1]{#2}\fi%
11284 \fi%
11285 \label{#3}%
11286 \end{minipage}%
11287 }%
11288 }%
11289 \fi%
11290 %%%
11291 \restoreCaptionSkip% save old values
11292 \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
11293 \else%
11294 \ifx\hvSet@objectPos\hv@Center
11295 \ifhv@nonFloat\hspace*\{\fill\}\else\centering\fi%
11296 \fi%

```



```

11297 \fi%
11298 %
11299 % to rotate object and caption together, we save all in another box
11300 % the caption comes first, if its on the left or the top
11301 %
11302 \savebox{\@tempboxa}{%
11303 \ifx\hvSet@capPos\hv@Left % caption on left side
11304 \if@RTL%
11305 \ifx\hvSet@capVPos\hv@Center%
11306 \ifhv@fbox
11307 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
11308 \else
11309 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
11310 \fi%
11311 \hspace{\hvSet@floatCapSep pt}%
11312 \ifhv@fbox
11313 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11314 \else
11315 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
11316 \fi%
11317 \else%
11318 \ifx\hvSet@capVPos\hv@Top
11319 \ifhv@fbox
11320 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11321 \else
11322 \raisebox{-\height}{\usebox{\hvObjectBox}}%
11323 \fi%
11324 \hspace{\hvSet@floatCapSep pt}%
11325 \ifhv@fbox
11326 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11327 \else
11328 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11329 \fi
11330 \else
11331 \ifhv@fbox
11332 \fbox{\usebox{\hvObjectBox}}%
11333 \else
11334 \usebox{\hvObjectBox}%
11335 \fi
11336 \hspace{\hvSet@floatCapSep pt}%
11337 \ifhv@fbox
11338 \fbox{\usebox{\hvCaptionBox}}%
11339 \else
11340 \usebox{\hvCaptionBox}%
11341 \fi%
11342 \fi%
11343 \fi%
11344 \else% not RTL
11345 \ifx\hvSet@capVPos\hv@Center%
11346 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%

```



```

11347      \else      \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
11348      \fi%
11349      \hspace{\hvSet@floatCapSep pt}%
11350      \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
11351      \else      \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
11352      \fi%
11353 \else%
11354      \ifx\hvSet@capVPos\hv@Top % caption at top
11355          \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11356          \else      \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11357          \fi
11358          \hspace{\hvSet@floatCapSep pt}%
11359          \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11360          \else      \raisebox{-\height}{\usebox{\hvObjectBox}}%
11361          \fi%
11362      \else% caption on bottom
11363          \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
11364          \else\usebox{\hvCaptionBox}
11365          \fi%
11366          \hspace{\hvSet@floatCapSep pt}%
11367          \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
11368          \else      \usebox{\hvObjectBox}
11369          \fi%
11370          \fi%
11371 \fi% end of RTL
11372 \fi%
11373 \else
11374 \ifx\hvSet@capPos\hv@Top
11375 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
11376 \begin{minipage}{\wd\hvCaptionBox}
11377 \else
11378 \begin{minipage}{\wd\hvObjectBox}
11379 \fi
11380 \centering
11381 \ifhv@fbox
11382 \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
11383 \fbox{\usebox{\hvObjectBox}}
11384 \else
11385 \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
11386 \usebox{\hvObjectBox}
11387 \fi%
11388 \end{minipage}
11389 \else
11390 \ifx\hvSet@capPos\hv@Bottom
11391 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
11392 \begin{minipage}{\wd\hvCaptionBox}
11393 \else
11394 \begin{minipage}{\wd\hvObjectBox}
11395 \fi
11396 \centering

```



```

11397 \ifhv@fbox
11398 \fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
11399 \fbox{\usebox{\hvCaptionBox}}
11400 \else
11401 \usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
11402 \usebox{\hvCaptionBox}
11403 \fi%
11404 \end{minipage}
11405 \else% the last option: put the caption on the right
11406 \if@RTL%
11407   \ifx\hvSet@capVPos\hv@Center%
11408     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11409     \else    \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
11410     \fi%
11411   \hskip{\hvSet@floatCapSep pt}%
11412   \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
11413   \else    \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
11414   \fi%
11415 \else%
11416   \ifx\hvSet@capVPos\hv@Top % caption at top
11417     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11418     \else    \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11419     \fi
11420   \hskip{\hvSet@floatCapSep pt}%
11421   \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11422   \else    \raisebox{-\height}{\usebox{\hvObjectBox}}%
11423   \fi%
11424 \else% caption on bottom
11425   \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
11426   \else\usebox{\hvCaptionBox}
11427   \fi%
11428   \hskip{\hvSet@floatCapSep pt}%
11429   \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
11430   \else    \usebox{\hvObjectBox}
11431   \fi%
11432   \fi%
11433 \fi%
11434 \else% not RTL
11435 \ifx\hvSet@capVPos\hv@Center%
11436 \ifhv@fbox
11437 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
11438 \else
11439 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
11440 \fi%
11441 \hskip{\hvSet@floatCapSep pt}%
11442 \ifhv@fbox
11443 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11444 \else
11445 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
11446 \fi%

```



```

11447 \else%
11448 \ifx\hvSet@capVPos\hv@Top
11449 \ifhv@fbox
11450 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11451 \else
11452 \raisebox{-\height}{\usebox{\hvObjectBox}}%
11453 \fi%
11454 \hspace{\hvSet@floatCapSep pt}%
11455 \ifhv@fbox
11456 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11457 \else
11458 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11459 \fi
11460 \else
11461 \ifhv@fbox
11462 \fbox{\usebox{\hvObjectBox}}%
11463 \else
11464 \usebox{\hvObjectBox}%
11465 \fi
11466 \hspace{\hvSet@floatCapSep pt}%
11467 \ifhv@fbox
11468 \fbox{\usebox{\hvCaptionBox}}%
11469 \else
11470 \usebox{\hvCaptionBox}%
11471 \fi%
11472 \fi%
11473 \fi
11474 \fi% end of RTL
11475 \fi
11476 \fi
11477 \fi
11478 }% End savebox Object and caption
11479 %
11480 % now we rotate the object and caption, if needed
11481 %
11482 \ifx\hvSet@rotAngle\hv@Zero
11483 \usebox{\@tempboxa}
11484 \else
11485 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
11486 \fi
11487 \ifhv@nonFloat
11488 \ifx\hvSet@objectPos\hv@Center
11489 \ifhv@nonFloat
11490 \hspace{\fill}
11491 \fi
11492 \fi
11493 \endgroup% End the nonfloat part
11494 \else
11495 \end{\hv@floatType}% End the floating environment
11496 \fi

```



11497 }

7.69 hyperref-xetex-bidi.def

```
11498 \ProvidesFile{hyperref-xetex-bidi.def}[2015/11/26 v0.9 bidi adaptations for hyperref package
11499 \AtBeginDocument{%
11500 \def\contentsline#1#2#3#4{%
11501   \ifx\\#4\\%
11502     \csname l@#1\endcsname{#2}{#3}%
11503   \else
11504     \ifcase\Hy@linktoc % none
11505       \csname l@#1\endcsname{#2}{#3}%
11506     \or % section
11507       \csname l@#1\endcsname{%
11508         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
11509       }{#3}%
11510     \or % page
11511       \csname l@#1\endcsname{{#2}}{%
11512         \hyper@linkstart{link}{#4}{#3}\hyper@linkend
11513       }%
11514   \else % all
11515     \csname l@#1\endcsname{%
11516       \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
11517     }%
11518     \hyper@linkstart{link}{#4}{#3}\hyper@linkend
11519   }%
11520 \fi
11521 \fi
11522 }
11523 \ifHy@hyperfootnotes
11524   \let\H@@footnotetext\@footnotetext
11525   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
11526   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
11527   \def\xfootnotenext[#1]{%
11528     \begingroup
11529       \csname c@\@mpfn\endcsname #1\relax
11530       \unrestored@protected@xdef\@thefnmark{\thempfn}%
11531     \endgroup
11532     \ifx\@footnotetext\@mpfootnotetext
11533       \expandafter\H@@mpfootnotetext
11534     \else
11535       \expandafter\H@@footnotetext
11536     \fi
11537   }%
11538   \def\xRTLfootnotenext[#1]{%
11539     \begingroup
11540       \csname c@\@mpfn\endcsname #1\relax
11541       \unrestored@protected@xdef\@thefnmark{\thempfn}%
11542     \endgroup
11543     \ifx\@RTLfootnotetext\@mpRTLfootnotetext
```



```

11544     \expandafter\HRTL@@mpRTLfootnotetext
11545     \else
11546     \expandafter\HRTL@@RTLfootnotetext
11547     \fi
11548 }%
11549 \def\@xLTRfootnotenext[#1]{%
11550 \begingroup
11551   \csname c@\@mpfn\endcsname #1\relax
11552   \unrestored@protected@xdef\@thefnmark{\thempfn}%
11553 \endgroup
11554 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
11555   \expandafter\HLTR@@mpLTRfootnotetext
11556 \else
11557   \expandafter\HLTR@@LTRfootnotetext
11558 \fi
11559 }%
11560 \def\@xfootnotemark[#1]{%
11561 \begingroup
11562   \c@footnote #1\relax
11563   \unrestored@protected@xdef\@thefnmark{\thefootnote}%
11564 \endgroup
11565 \H@@footnotemark
11566 }%
11567 \let\H@@mpfootnotetext\@mpfootnotetext
11568 \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
11569 \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
11570   \long\def\@mpfootnotetext#1{%
11571   \H@@mpfootnotetext{%
11572     \ifHy@nesting
11573       \hyper@anchor{\Hy@footnote@currentHref}{#1}%
11574     \else
11575       \Hy@raisedlink{%
11576         \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
11577       }#1%
11578     \fi
11579   }%
11580 }%
11581 \long\def\@mpRTLfootnotetext#1{%
11582   \HRTL@@mpRTLfootnotetext{%
11583     \ifHy@nesting
11584       \hyper@anchor{\Hy@footnote@currentHref}{#1}%
11585     \else
11586       \Hy@raisedlink{%
11587         \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
11588       }#1%
11589     \fi
11590   }%
11591 }%
11592 \long\def\@mpLTRfootnotetext#1{%
11593   \HLTR@@mpLTRfootnotetext{%

```



```

11594     \ifHy@nesting
11595         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11596     \else
11597         \Hy@raisedlink{%
11598             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11599         }#1%
11600     \fi
11601 }
11602 }
11603 \long\def\@footnotetext#1{%
11604     \H@@footnotetext{%
11605         \ifHy@nesting
11606             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11607         \else
11608             \Hy@raisedlink{%
11609                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11610             }%
11611             \let\@currentHlabel\Hy@footnote@currentHlabel
11612             \let\@currentHref\Hy@footnote@currentHref
11613             \let\@currentlabelname\@empty
11614             #1%
11615         \fi
11616     }%
11617 }
11618 \long\def\@RTLfootnotetext#1{%
11619     \HRTL@@RTLfootnotetext{%
11620         \ifHy@nesting
11621             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11622         \else
11623             \Hy@raisedlink{%
11624                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11625             }%
11626             \let\@currentHlabel\Hy@footnote@currentHlabel
11627             \let\@currentHref\Hy@footnote@currentHref
11628             \let\@currentlabelname\@empty
11629             #1%
11630         \fi
11631     }%
11632 }
11633 \long\def\@LTRfootnotetext#1{%
11634     \HLTR@@LTRfootnotetext{%
11635         \ifHy@nesting
11636             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11637         \else
11638             \Hy@raisedlink{%
11639                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11640             }%
11641             \let\@currentHlabel\Hy@footnote@currentHlabel
11642             \let\@currentHref\Hy@footnote@currentHref
11643             \let\@currentlabelname\@empty

```



```

11644      #1%
11645      \fi
11646  }%
11647 }%
11648 \@ifpackageloaded{tabularx}{%
11649   \let\HyOrg@TX@endtabularx\TX@endtabularx
11650   \def\Hy@tabularx@hook{%
11651     \let\@footnotetext\H@@footnotetext
11652     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
11653     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
11654     \let\@footnotemark\H@@footnotemark
11655     \let\@mpfootnotetext\H@@mpfootnotetext
11656     \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
11657     \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
11658 }%
11659 \begingroup
11660   \toks@\expandafter{\TX@endtabularx}%
11661   \xdef\Hy@gtemp{%
11662     \noexpand\Hy@tabularx@hook
11663     \the\toks@
11664   }%
11665 \endgroup
11666 \let\TX@endtabularx\Hy@gtemp
11667 }{}%
11668 \ifpackageloaded{longtable}{%
11669   \CheckCommand*\{\LT@p@LTRftntext}[1]{%
11670     \edef\@tempa{%
11671       \the\LT@p@ftn
11672       \noexpand\LTRfootnotetext[\the\c@footnote]%
11673     }%
11674     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
11675   }%
11676   \long\def\LT@p@LTRftntext#1{%
11677     \edef\@tempa{%
11678       \the\LT@p@ftn
11679     }%
11680     \begingroup
11681       \noexpand\c@footnote=\the\c@footnote\relax
11682       \noexpand\protected@xdef\noexpand\@thefnmark{%
11683         \noexpand\thempfn
11684       }%
11685       \noexpand\Hy@LT@LTRfootnotetext{%
11686         \Hy@footnote@currentHref
11687       }%
11688     \global\LT@p@ftn\expandafter{%
11689       \@tempa{#1}%
11690     }%
11691   }%
11692 }%
11693 \long\def\Hy@LT@LTRfootnotetext#1#2{%

```



```

11694 \HTR@LTRfootnotetext{%
11695   \ifHy@nesting
11696     \hyper@anchor{\#1}{\#2}%
11697   \else
11698     \Hy@raisedlink{%
11699       \hyper@anchor{\#1}{\relax}%
11700     }%
11701     \def\@currentHref{\#1}%
11702     \let\@currentlabelname\@empty
11703     \#2%
11704   \fi
11705 }%
11706 }%
11707 \CheckCommand*\{\LT@p@RTLftntext\}[1]{%
11708   \edef\@tempa{%
11709     \the\LT@p@ftn
11710     \noexpand\RTLfootnotetext[\the\c@footnote]%
11711   }%
11712   \global\LT@p@ftn\expandafter{\@tempa\#1}%
11713 }%
11714 \long\def\LT@p@RTLftntext#1{%
11715   \edef\@tempa{%
11716     \the\LT@p@ftn
11717     \begingroup
11718       \noexpand\c@footnote=\the\c@footnote\relax
11719       \noexpand\protected@xdef\noexpand\@thefnmark{%
11720         \noexpand\thempfn
11721       }%
11722       \noexpand\Hy@LT@RTLfootnotetext{%
11723         \Hy@footnote@\currentHref
11724       }%
11725     }%
11726     \global\LT@p@ftn\expandafter{%
11727       \@tempa\#1}%
11728     \endgroup
11729   }%
11730 }%
11731 \long\def\Hy@LT@RTLfootnotetext#1#2{%
11732   \HTR@RTLfootnotetext{%
11733     \ifHy@nesting
11734       \hyper@anchor{\#1}{\#2}%
11735     \else
11736       \Hy@raisedlink{%
11737         \hyper@anchor{\#1}{\relax}%
11738       }%
11739       \def\@currentHref{\#1}%
11740       \let\@currentlabelname\@empty
11741       \#2%
11742     \fi
11743   }%

```



```

11744     }%
11745   }{ }%
11746   \@ifpackageloaded{bidipoem}{%
11747     \long\def\bidipoem@p@ftntext#1{%
11748       \edef\@tempx{%
11749         \the\bidipoem@p@ftn
11750         \begingroup
11751           \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11752           \noexpand\protected@xdef\noexpand\@thefnmark{%
11753             \noexpand\thempfn
11754           }%
11755           \noexpand\Hy@bidipoem@footnotetext{%
11756             \Hy@footnote@currentHref
11757           }%
11758         }%
11759         \global\bidipoem@p@ftn\expandafter{%
11760           \@tempx{\#1}%
11761           \endgroup
11762         }%
11763       }%
11764       \long\def\Hy@bidipoem@footnotetext#1#2{%
11765         \H@footnotetext{%
11766           \ifHy@nesting
11767             \hyper@anchor{\#1}{\#2}%
11768           \else
11769             \Hy@raisedlink{%
11770               \hyper@anchor{\#1}{\relax}%
11771             }%
11772             \def\@currentHref{\#1}%
11773             \let\@currentlabelname\@empty
11774               \#2%
11775             \fi
11776           }%
11777         }%
11778         \long\def\bidipoem@p@LTRftntext#1{%
11779           \edef\@tempxi{%
11780             \the\bidipoem@p@ftn
11781             \begingroup
11782               \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11783               \noexpand\protected@xdef\noexpand\@thefnmark{%
11784                 \noexpand\thempfn
11785               }%
11786               \noexpand\Hy@bidipoem@LTRfootnotetext{%
11787                 \Hy@footnote@currentHref
11788               }%
11789             }%
11790             \global\bidipoem@p@ftn\expandafter{%
11791               \@tempxi{\#1}%
11792               \endgroup
11793             }%

```



```

11794 }%
11795 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
11796   \HLTR@@LTRfootnotetext{%
11797     \ifHy@nesting
11798       \hyper@@anchor{#1}{#2}%
11799     \else
11800       \Hy@raisedlink{%
11801         \hyper@@anchor{#1}{\relax}%
11802       }%
11803       \def@\currentHref{#1}%
11804       \let@\currentlabelname\empty
11805       #2%
11806     \fi
11807   }%
11808 }%
11809   \long\def\bidipoem@p@RTLftnttext#1{%
11810     \edef@\tempxii{%
11811       \the\bidipoem@p@ftn
11812       \begingroup
11813         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11814         \noexpand\protected@xdef\noexpand\@thefnmark{%
11815           \noexpand\thempfn
11816         }%
11817         \noexpand\Hy@bidipoem@RTLfootnotetext{%
11818           \Hy@footnote@\currentHref
11819         }%
11820       }%
11821     \global\bidipoem@p@ftn\expandafter{%
11822       \@tempxii{#1}%
11823     \endgroup
11824   }%
11825 }%
11826 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
11827   \HRTL@@RTLfootnotetext{%
11828     \ifHy@nesting
11829       \hyper@@anchor{#1}{#2}%
11830     \else
11831       \Hy@raisedlink{%
11832         \hyper@@anchor{#1}{\relax}%
11833       }%
11834       \def@\currentHref{#1}%
11835       \let@\currentlabelname\empty
11836       #2%
11837     \fi
11838   }%
11839 }%
11840 }{%
11841 \let\HyOrg@maketitle\maketitle
11842 \def\maketitle{%
11843   \let\Hy@saved@footnotemark\@footnotemark

```



```

11844 \let\Hy@saved@footnotetext\@footnotetext
11845 \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
11846 \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
11847 \let\@footnotemark\H@@footnotemark
11848 \let\@footnotetext\H@@footnotetext
11849 \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
11850 \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
11851 \@ifnextchar[\Hy@maketitle@optarg{%
11852     \HyOrg@maketitle
11853     \Hy@maketitle@end
11854 }
11855 }
11856 \def\Hy@maketitle@optarg[#1]{%
11857     \HyOrg@maketitle[#{1}]%
11858     \Hy@maketitle@end
11859 }
11860 \def\Hy@maketitle@end{%
11861     \ifx\@footnotemark\H@@footnotemark
11862         \let\@footnotemark\Hy@saved@footnotemark
11863     \fi
11864     \ifx\@footnotetext\H@@footnotetext
11865         \let\@footnotetext\Hy@saved@footnotetext
11866     \fi
11867     \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
11868         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
11869     \fi
11870     \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
11871         \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
11872     \fi
11873 }
11874 \def\realfootnote{%
11875     \ifnextchar[\@xfootnote{%
11876         \stepcounter{\@mpfn}%
11877         \protected@xdef\@thefnmark{\thempfn}%
11878         \H@@footnotemark\H@@footnotetext
11879     }%
11880 }
11881 \fi
11882 \def\Hy@BeginAnnot#1{%
11883     \ifmmode\else\beginL\fi%
11884     \stepcounter{Hy@AnnotLevel}%
11885     \ifnum\value{Hy@AnnotLevel}=\@ne
11886         #1%
11887     \fi
11888 }
11889 \def\Hy@EndAnnot{%
11890     \ifnum\value{Hy@AnnotLevel}=\@ne
11891         \Hy@endcolorlink
11892         \opdfm@mark{eann}%
11893     \fi

```



```

11894 \addtocounter{Hy@AnnotLevel}\m@ne
11895 \ifmmode\else\endL\fi%
11896 }
11897 \def\hyper@link#1#2#3{%
11898 \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi%
11899 }
11900 \def\hyper@linkfile#1#2#3{%
11901 \leavevemode
11902 \Hy@BeginAnnot{%
11903   \def\Hy@pstringF{#2}%
11904   \Hy@CleanupFile\Hy@pstringF
11905   \Hy@pstringdef\Hy@pstringF\Hy@pstringF
11906   \Hy@pstringdef\Hy@pstringD{#3}%
11907   \Hy@MakeRemoteAction
11908   \pdfmark{%
11909     bann<<%
11910     /Type/Annot%
11911     /Subtype/Link%
11912     \ifHy@pdfa /F 4\fi
11913     \Hy@setpdfborder
11914     \ifx\@filebordercolor\relax
11915     \else
11916       /C[\@filebordercolor]%
11917     \fi
11918     /A<<%
11919       /S/GoToR%
11920       /F(\Hy@pstringF)%
11921       /D%
11922       \ifx\\#3\\%
11923         [\Hy@href@page@\pdfremotestartview]%
11924       \else
11925         (\Hy@pstringD)%
11926       \fi
11927       \Hy@SetNewWindow
11928       \Hy@href@nextactionraw
11929     >>%
11930     >>%
11931   }%
11932   \Hy@colorlink@\filecolor
11933 }%
11934 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
11935 \Hy@EndAnnot
11936 }
11937 \def\Hyper@LaunchRun:#1\\#2#3{%
11938   \leavevemode
11939   \Hy@BeginAnnot{%
11940     \Hy@pstringdef\Hy@pstringF{#1}%
11941     \Hy@pstringdef\Hy@pstringP{#3}%
11942     \pdfmark{%
11943       bann<<%

```



```

11944 /Type/Annot%
11945 /Subtype/Link%
11946 \ifHy@pdfa /F 4\fi
11947 \Hy@setpdfborder
11948 \ifx\@runbordercolor\relax
11949 \else
11950   /C[\@runbordercolor]%
11951 \fi
11952 /A<<%
11953   /F(\Hy@pstringF)%
11954   /S/Launch%
11955   \Hy@SetNewWindow
11956   \ifx\\#3\\%
11957   \else
11958     /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
11959   \fi
11960   \Hy@href@nextactionraw
11961   >>%
11962   >>%
11963 }%
11964   \Hy@colorlink\@runcolor
11965 }%
11966 \ifmmode\else\if@RTL\beginR\fi\fi\#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace\end
11967 \Hy@EndAnnot
11968 }
11969 \def\hyper@linkurl#1#2{%
11970   \leavevmode
11971   \Hy@BeginAnnot{%
11972     \Hy@pstringdef\Hy@pstringURI{#2}%
11973     \@pdfm@mark{%
11974       bann<<%
11975         /Type/Annot%
11976         /Subtype/Link%
11977         \ifHy@pdfa /F 4\fi
11978         \Hy@setpdfborder
11979         \ifx\@urlbordercolor\relax
11980         \else
11981           /C[\@urlbordercolor]%
11982         \fi
11983       /A<<%
11984         /S/URI%
11985         /URI(\Hy@pstringURI)%
11986         \ifHy@href@ismap
11987           /IsMap true%
11988         \fi
11989         \Hy@href@nextactionraw
11990       >>%
11991     >>%
11992   }%
11993   \Hy@colorlink\@urlcolor

```



```

11994  }%
11995  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
11996  \Hy@EndAnnot
11997 }
11998 \def\Acrobatmenu#1#2{%
11999   \Hy@Acrobatmenu{#1}{#2}{%
12000     \Hy@BeginAnnot{%
12001       \EdefEscapeName\Hy@temp@menu{#1}%
12002       \C@pdfm@mark{%
12003         bann<<%
12004         /Type/Annot%
12005         /Subtype/Link%
12006         \ifHy@pdfa /F 4\fi
12007         \Hy@setpdfborder
12008         \ifx\@menubordercolor\relax
12009         \else
12010           /C[\@menubordercolor]%
12011         \fi
12012         /A<<%
12013         /S/Named%
12014         /N/\Hy@temp@menu
12015         \Hy@href@nextactionraw
12016         >>%
12017         >>%
12018       }%
12019       \Hy@colorlink\@menucolor
12020     }%
12021     \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12022     \Hy@EndAnnot
12023   }%
12024 }
12025 \def\hyper@natlinkstart#1{%
12026   \Hy@backout{#1}%
12027   \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
12028   \def\hyper@nat@current{#1}%
12029 }
12030 \def\hyper@natlinkend{%
12031   \if@RTL\endR\fi\hyper@linkend
12032 }
12033 \def\hyper@natlinkbreak#1#2{%
12034   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
12035 }%
12036 }
12037 \pdfstringdefDisableCommands{%
12038 \let\LR\@firstofone
12039 \let\LR\@firstofone
12040 \let\RRL\@firstofone
12041 \let\RL\@firstofone
12042 \def\xetex{Xe\TeX}
12043 \def\xelatex{Xe\LaTeX}

```



```

12044 }
12045 \@ifpackageloaded{longtable}{%
12046   \begingroup
12047     \def\y{\LT@array}%
12048     \@ifundefined{scr@LT@array}{%
12049       \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
12050     }{\def\y{\scr@LT@array}}%
12051   \long\def\x{\refstepcounter#1\sharp2\@sharp#3\sharp4\@nil}%
12052     \expandafter\endgroup
12053     \expandafter\def\y[\#1]\#2{%
12054       \H@refstepcounter{\#1}%
12055       \hyper@makecurrent{table}%
12056       \let\Hy@LT@currentHref\@currentHref
12057       \sharp2\@sharp#####4%
12058     }%
12059   }%
12060   \expandafter\expandafter\expandafter\x\y[\#1]\#2\@nil
12061   \begingroup
12062     \def\x{\#1\ifvoid\LT@foot\#2\fi\#3\@nil}%
12063     \endgroup
12064     \def\LT@start{%
12065       \#1%
12066       \ifvoid\LT@foot\#2\fi
12067       \let\@currentHref\Hy@LT@currentHref
12068       \Hy@raisedlink{%
12069         \hyper@anchorstart{\@currentHref}\hyper@anchorend
12070       }%
12071       \#3%
12072     }%
12073   }%
12074   \expandafter\x\LT@start\@nil
12075 }{%

```

7.70 leqno-xetex-bidi.def

```

12076 \ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX]
12077 \renewcommand{\eqnnum}{\hb@xt@.01\p{}}%
12078   \rlap{%
12079     \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theeq

```

7.71 letter-xetex-bidi.def

```

12080 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class]
12081 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
12082   \thispagestyle{firstpage}%
12083   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
12084 \else % home address
12085   \thispagestyle{empty}%
12086   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l
12087     \fromaddress \\\!*{2\parskip}%
12088     \@date \end{tabular}\par}%

```



```

12089 \fi
12090 \vspace{2\parskip}%
12091 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
12092 \vspace{2\parskip}%
12093 #1\par\nobreak}
12094 \renewcommand{\left@footnoterule}{%
12095 \kern-\p@
12096 \hrule \width .4\columnwidth
12097 \kern .6\p@}
12098 \renewcommand{\right@footnoterule}{%
12099 \kern-\p@
12100 \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill }%
12101 \kern .6\p@}

```

7.72 lettrine-xetex-bidi.def

```

12102 \ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package
12103 \def\@lettrine[#1]{%
12104 \setcounter{L@lines}{\theDefaultLines}%
12105 \setcounter{L@depth}{\theDefaultDepth}%
12106 \renewcommand*{\L@hang}{\DefaultLhang}%
12107 \renewcommand*{\L@oversize}{\DefaultLoversize}%
12108 \renewcommand*{\L@raise}{\DefaultLraise}%
12109 \renewcommand*{\L@ante}{\DefaultLante}%
12110 \setlength{\L@Findent}{\DefaultFindent}%
12111 \setlength{\L@Nindent}{\DefaultNindent}%
12112 \setlength{\L@slope}{\DefaultSlope}%
12113 \setlength{\L@novskip}{\DiscardVskip}%
12114 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
12115 \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
12116 \if\DefaultOptionsFile\relax
12117 \else
12118 \begingroup
12119 \InputIfFileExists{\DefaultOptionsFile}%
12120 {}%
12121 {\PackageWarning{lettrine.sty}%
12122 {File \DefaultOptionsFile\space not found}%
12123 }%
12124 \def\color##1##2{\l@color{##1}##2}%
12125 \let\l@color\gobbletwo
12126 \def\textcolor##1##2{\l@textcolor{##1}##2}%
12127 \def\l@textcolor##1##2##3{\l@textcolor{##1}##2##3}%
12128 \expandafter\ifx\csname l@#2-keys\endcsname\relax
12129 \gdef\l@LOKeys{}%
12130 \else
12131 \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
12132 \fi
12133 \endgroup
12134 \def\KV@prefix{KV@L@}%
12135 \let\@tempc\relax

```



```

12136   \expandafter\KV@do\l@L0Keys,\relax,
12137   \sbox{\L@lbox}{\LettrineFont #2}%
12138   \setlength{\LettrineWidth}{\wd\L@lbox}%
12139   \def\KV@prefix{KV@L0}%
12140   \let\@tempc\relax
12141   \expandafter\KV@do\l@L0Keys,\relax,
12142 \fi
12143 \setkeys{L}{#1}%
12144 \ifL@image
12145   \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
12146 \else
12147   \sbox{\L@lbox}{\LettrineFont #2}%
12148 \fi
12149 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
12150   \tempdima=\baselineskip
12151   \ifnum\theL@lines=1
12152     \setlength{\L@first}{\ht\L@lbox}%
12153     \addtolength{\L@first}{-\ht\L@tbox}%
12154     \setlength{\L@lraise}{\z@}%
12155   \else
12156     \setlength{\L@first}{-\theL@lines\tempdima}%
12157     \addtolength{\L@first}{\tempdima}%
12158     \sbox{\tempboxa}{\LettrineTextFont x}%
12159     \addtolength{\L@first}{-\ht\tempboxa}%
12160     \setlength{\L@lraise}{-\L@raise\L@first}%
12161     \addtolength{\L@first}{\L@lraise}%
12162     \addtolength{\L@first}{\ht\L@lbox}%
12163     \addtolength{\L@lraise}{-\theL@lines\tempdima}%
12164     \addtolength{\L@lraise}{\tempdima}%
12165   \fi
12166 \par
12167 \ifdim\L@first>\L@novskip
12168   \ifL@grid
12169     \tempdima=\baselineskip
12170     \tempdimb=\tempdima
12171     \advance\tempdimb by \L@novskip
12172     \tempcnta=1
12173     \loop\ifdim\L@first>\tempdimb
12174       \advance\tempcnta by 1
12175       \advance\L@first by -\tempdima
12176       \repeat
12177       \vskip\tempcnta\baselineskip
12178   \else
12179     \vskip\L@first
12180   \fi
12181 \fi
12182 \setlength{\L@Pindent}{\wd\L@lbox}%
12183 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
12184 \settowidth{\L@first}{\L@ante}%
12185 \addtolength{\L@Pindent}{\L@first}%

```



```

12186 \addtolength{\L@Pindent}{\L@Findent}%
12187 \setlength{\L@first}{\linewidth}%
12188 \addtolength{\L@first}{-\L@Pindent}%
12189 \addtolength{\L@Nindent}{\L@Pindent}%
12190 \setlength{\L@next}{\linewidth}%
12191 \addtolength{\L@next}{-\L@Nindent}%
12192 \addtolength{\L@Pindent}{\rightmargin}%
12193 \addtolength{\L@Nindent}{\rightmargin}%
12194 \setlength{\LetrineWidth}{\wd\L@lbox}%
12195 \setlength{\LetrineHeight}{\ht\L@lbox}%
12196 \setlength{\LetrineDepth}{\dp\L@lbox}%
12197 \addtocounter{\L@lines}{1}%
12198 \addtocounter{\L@lines}{\the\c@L@depth}%
12199 \if@RTL\def\L@parshape{\c@L@lines Opt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@P%
12200 \tempcnta=\tw@
12201 \whilenum \tempcnta<\c@L@lines\do{%
12202     \if@RTL\edef\L@parshape{\L@parshape Opt \the\L@next}\else\edef\L@parshape{\L@parshape \t%
12203         \addtolength{\L@Nindent}{\L@slope}%
12204         \addtolength{\L@next}{-\L@slope}%
12205         \advance\tempcnta\one}%
12206 \if@RTL\edef\L@parshape{\L@parshape Opt \the\linewidth}\else\edef\L@parshape{\L@parshape \t%
12207 \noindent
12208 \parshape=\L@parshape\relax
12209 \smash{\llap{\mbox{\L@ante}\raisebox{\L@raise}{\usebox{\L@lbox}}}}%
12210     \hskip \the\L@Findent}%
12211 \usebox{\L@tbox}%
12212 }

```

7.73 listings-xetex-bidi.def

```

12213 \ProvidesFile{listings-xetex-bidi.def}[2017/01/14 v1.4 bidi adaptations for listings package
12214 \lst@Key{captiondirection}{textdirection}{%
12215     \lstKV@SwitchCases{#1}{%
12216         {textdirection}&\\%
12217         RTL&\chardef\bidi@lst@caption@direction\one\\%
12218         LTR&\chardef\bidi@lst@caption@direction\z@%
12219     }{\PackageError{Listings}{direction #1 unknown}\@ehc}%
12220
12221 \lst@Key{captionscript}{textscript}{%
12222     \lstKV@SwitchCases{#1}{%
12223         {textscript}&\\%
12224         latin&\chardef\bidi@lst@caption@script\one\\%
12225         nonlatin&\chardef\bidi@lst@caption@script\z@%
12226     }{\PackageError{Listings}{direction #1 unknown}\@ehc}%
12227
12228 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
12229     \@ifundefined{\bidi@lst@caption@direction}{}{%
12230         \ifnum\bidi@lst@caption@direction=\z@{%
12231             #1%
12232         }\else%

```



```

12233     \ifnum\bidi@lst@caption@direction=\@ne%
12234         #2%
12235     \fi%
12236     \fi%
12237 }
12238
12239 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
12240     \@ifundefined{bidi@lst@caption@script}{}{%
12241         \ifnum\bidi@lst@caption@script=\z@%
12242             #1%
12243         \else%
12244             \ifnum\bidi@lst@caption@script=\@ne%
12245                 #2%
12246             \fi%
12247         \fi%
12248 }
12249
12250 \long\def\bidi@lst@makecaption#1#2{%
12251     \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
12252     \vskip\abovecaptionskip
12253     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12254     \sbox\@tempboxa{%
12255     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
12256     #1: #2%
12257     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
12258 }%
12259     \ifdim \wd\@tempboxa >\hsize
12260         #1: #2\par
12261     \else
12262         \global \minipagetrue
12263         \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
12264     \fi
12265     \vskip\belowcaptionskip}%
12266 \def\lst@makecaption{\@bidi@lst@makecaption}
12267 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
12268 \bidi@AtEndPreamble{%
12269 \bidi@patchcmd{\lst@MakeCaption}{%
12270     \ifx #1t%
12271         \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
12272             \expandafter\refstepcounter
12273         \fi {lstlisting}%
12274 }{%
12275     \ifx #1t%
12276         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12277         \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
12278             \expandafter\refstepcounter
12279         \fi {lstlisting}%
12280         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
12281 }{%
12282 \bidi@patchcmd{\lst@MakeCaption}{%

```



```

12283           \addcontentsline{lol}{lstlisting}%
12284             {\protect\numberline{\thelstlisting}\lst@@caption}%
12285 }{%
12286 \begingroup%
12287   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12288   \addcontentsline{lol}{lstlisting}%
12289     {\protect\numberline{\thelstlisting}\lst@@caption}%
12290 \endgroup%
12291 }{}{%
12292 }
12293 @ifpackageloaded[caption]{%
12294   \AtBeginCaption{%
12295     \bidi@lst@ensure@caption@script{\nonlatintrue}{\nonlatinfalse}%
12296     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12297   }%
12298   \let\bidi@lst@makecaption\caption@makecaption%
12299   \def\lst@makecaption{\caption@starfalse\bidi@lst@makecaption}%
12300   \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
12301 }{%
12302 \AtBeginDocument{%
12303 @ifundefined{captionlabelfalse}{}{%
12304   \def\lst@maketitle{\captionlabelfalse\bidi@lst@makecaption\empty}%
12305 @ifundefined{caption@startrue}{}{%
12306   \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
12307 }%
12308 }%
12309 \AtBeginDocument{%
12310   @ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}%
12311   \lst@ifnumberbychapter
12312     \gdef\thelstlisting{%
12313       \ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@lstlisting}%
12314   \else
12315     \gdef\thelstlisting{\arabic\c@lstlisting}%
12316   \fi}

```

7.74 loadingorder-xetex-bidi.def

```

12317 \ProvidesFile{loadingorder-xetex-bidi.def}[2015/10/16 v0.96 making sure that bidi is the last
12318 \bidi@isloaded{amsmath}%
12319 \bidi@isloaded{amstext}%
12320 \bidi@isloaded{amsthm}%
12321 \bidi@isloaded{animate}%
12322 \bidi@isloaded{breqn}%
12323 \bidi@isloaded{cals}%
12324 \bidi@isloaded{caption}%
12325 \bidi@isloaded{crop}%
12326 \bidi@isloaded{cuted}%
12327 \bidi@isloaded{cutwin}%
12328 \bidi@isloaded{color}%
12329 \bidi@isloaded{dblfnote}%

```



```
12330 \bidi@isloaded{xcolor}
12331 \bidi@isloaded{colortbl}
12332 \bidi@isloaded{float}
12333 \bidi@isloaded{floatrow}
12334 \bidi@isloaded{flowfram}
12335 \bidi@isloaded{framed}
12336 \bidi@isloaded{ftnright}
12337 \bidi@isloaded{xltxtra}
12338 \bidi@isloaded{xunicode}
12339 \bidi@isloaded{wrapfig}
12340 \bidi@isloaded{graphicx}
12341 \bidi@isloaded{geometry}
12342 \bidi@isloaded{hvfload}
12343 \bidi@isloaded{mdframed}
12344 \bidi@isloaded{midfloat}
12345 \bidi@isloaded{ntheorem}
12346 \bidi@isloaded{ntheorem-hyper}
12347 \bidi@isloaded{hyperref}
12348 \bidi@isloaded{fancybox}
12349 \bidi@isloaded{fancyhdr}
12350 \bidi@isloaded{fix2col}
12351 \bidi@isloaded{draftwatermark}
12352 \bidi@isloaded{empheq}
12353 \bidi@isloaded{overpic}
12354 \bidi@isloaded{pdfpages}
12355 \bidi@isloaded{listings}
12356 \bidi@isloaded{lettrine}
12357 \bidi@isloaded{media9}
12358 \bidi@isloaded{pstricks}
12359 \bidi@isloaded{pgf}
12360 \bidi@isloaded{picinpar}
12361 \bidi@isloaded{quotchap}
12362 \bidi@isloaded{tikz}
12363 \bidi@isloaded{titlesec}
12364 \bidi@isloaded{titletoc}
12365 \bidi@isloaded{array}
12366 \bidi@isloaded{soul}
12367 \bidi@isloaded{stabular}
12368 \bidi@isloaded{subfig}
12369 \bidi@isloaded{subfigure}
12370 \bidi@isloaded{supertabular}
12371 \bidi@isloaded{xtab}
12372 \bidi@isloaded{longtable}
12373 \bidi@isloaded{arydshln}
12374 \bidi@isloaded{multicol}
12375 \bidi@isloaded{multienum}
12376 \bidi@isloaded{minitoc}
12377 \bidi@isloaded{natbib}
12378 \bidi@isloaded{newfloat}
12379 \bidi@isloaded{ragged2e}
```



```

12380 \bidi@isloaded{rotating}
12381 \bidi@isloaded{tbls}
12382 \bidi@isloaded{tabulary}
12383 \bidi@isloaded{tocbasic}
12384 \bidi@isloaded{tocstyle}
12385 \bidi@isloaded{tocbibind}
12386 \bidi@isloaded{fontspec}
12387 \bidi@isloaded{arabxetex}
12388 \bidi@isloaded{polyglossia}
12389 \bidi@isloaded{fancyvrb}
12390 \AtBeginDocument{
12391   \if@bidi@amsmathloaded@\else
12392     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package}]
12393   \fi%
12394   \if@bidi@amstextloaded@\else
12395     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package}]
12396   \fi%
12397   \if@bidi@amsthmloaded@\else
12398     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package}]
12399   \fi%
12400   \if@bidi@animateloaded@\else
12401     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi package}]
12402   \fi%
12403   \if@bidi@breqnloaded@\else
12404     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package}]
12405   \fi%
12406   \if@bidi@calsloaded@\else
12407     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package}]
12408   \fi%
12409   \if@bidi@captionloaded@\else
12410     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package}]
12411   \fi%
12412   \if@bidi@croploaded@\else
12413     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}]
12414   \fi%
12415   \if@bidi@colorloaded@\else
12416     @ifpackageloaded{hyperref}{}{%
12417       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}]
12418     \fi%
12419     \if@bidi@cutwinloaded@\else
12420       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}]
12421     \fi%
12422     \if@bidi@cutedloaded@\else
12423       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}]
12424     \fi%
12425     \if@bidi@dblfnote@\else
12426       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}]
12427     \fi%
12428     \if@bidi@xcolorloaded@\else
12429       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}]

```



```

12430 \fi%
12431 \if@bidi@colortblloaded@\else
12432   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi pack}
12433 \fi%
12434 \if@bidi@floatloaded@\else
12435   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}
12436 \fi%
12437   \if@bidi@floatrowloaded@\else
12438   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi pack}
12439 \fi%
12440 \if@bidi@flowframloaded@\else
12441   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi pack}
12442 \fi%
12443 \if@bidi@framedloaded@\else
12444   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi packag}
12445 \fi%
12446   \if@bidi@ftnrightloaded@\else
12447   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi pack}
12448 \fi%
12449 \if@bidi@xltxtalloaded@\else
12450   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxta after bidi packa}
12451 \fi%
12452 \if@bidi@xunicodeloaded@\else
12453   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi pack}
12454 \fi%
12455 \if@bidi@wrapfigloaded@\else
12456   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packa}
12457 \fi%
12458 \if@bidi@graphicxloaded@\else
12459   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi pack}
12460 \fi%
12461   \if@bidi@geometryloaded@\else
12462   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi pack}
12463 \fi%
12464 \if@bidi@hvfload@\else
12465   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfload after bidi packa}
12466 \fi%
12467   \if@bidi@mdframedloaded@\else
12468   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi pack}
12469 \fi%
12470   \if@bidi@midfloatloaded@\else
12471   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi pack}
12472 \fi%
12473   \if@bidi@ntheoremloaded@\else
12474   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pack}
12475 \fi%
12476 \if@bidi@hyperrefloaded@\else
12477   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pack}
12478 \fi%
12479   \if@bidi@fancyboxloaded@\else

```



```

12480      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pack
12481      \fi%
12482      \if@bidi@fancyhdrloaded@\else
12483          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pack
12484      \fi%
12485      \if@bidi@draftwatermarkloaded@\else
12486          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bid
12487      \fi%
12488      \if@bidi@empheqloaded@\else
12489          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packag
12490      \fi%
12491      \if@bidi@overpicloaded@\else
12492          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi packa
12493      \fi%
12494      \if@bidi@pdfpagesloaded@\else
12495          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pack
12496      \fi%
12497      \if@bidi@lettrineloaded@\else
12498          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pack
12499      \fi%
12500      \if@bidi@listingsloaded@\else
12501          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pack
12502      \fi%
12503      \csname if@bidi@media9loaded@\endcsname\else
12504          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi packag
12505      \fi%
12506      \if@bidi@pstricksloaded@\else
12507          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pack
12508      \fi%
12509      \if@bidi@pgfloaded@\else
12510          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
12511      \fi%
12512      \if@bidi@picinparloaded@\else
12513          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pack
12514      \fi%
12515      \if@bidi@quotchaploaded@\else
12516          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pack
12517      \fi%
12518      \if@bidi@tikzloaded@\else
12519          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
12520      \fi%
12521      \if@bidi@titlesecloaded@\else
12522          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pack
12523      \fi%
12524      \if@bidi@titletocloaded@\else
12525          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pack
12526      \fi%
12527      \if@bidi@arrayloaded@\else
12528          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package
12529      \fi%

```



```

12530 \if@bidi@stabularloaded@\else
12531   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package.}]
12532 \fi%
12533 \if@bidi@soulloaded@\else
12534   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.}]
12535 \fi%
12536 \if@bidi@subfigloaded@\else
12537   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package.}]
12538 \fi%
12539 \if@bidi@subfigureloaded@\else
12540   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package.}]
12541 \fi%
12542 \if@bidi@supertabularloaded@\else
12543   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi package.}]
12544 \fi%
12545 \if@bidi@xtabloaded@\else
12546   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.}]
12547 \fi%
12548 \if@bidi@longtableloaded@\else
12549   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package.}]
12550 \fi%
12551 \if@bidi@arydshlnloaded@\else
12552   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package.}]
12553 \fi%
12554 \if@bidi@multicolloaded@\else
12555   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package.}]
12556 \fi%
12557 \if@bidi@multienumloaded@\else
12558   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi package.}]
12559 \fi%
12560 \if@bidi@minitocloaded@\else
12561   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi package.}]
12562 \fi%
12563 \if@bidi@natbibloaded@\else
12564   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package.}]
12565 \fi%
12566   \if@bidi@newfloatloaded@\else
12567     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi package.}]
12568   \fi%
12569 \csname if@bidi@ragged2eloaded@\endcsname\else
12570   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi package.}]
12571 \fi%
12572   \if@bidi@rotatingloaded@\else
12573     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi package.}]
12574   \fi%
12575 \if@bidi@tblsloaded@\else
12576   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi package.}]
12577 \fi%
12578 \if@bidi@tabularyloaded@\else
12579   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi package.}]

```



```

12580 \fi%
12581 \if@bidi@tocbasicloaded@\else
12582   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi pack}
12583 \fi%
12584 \if@bidi@tocstyleloaded@\else
12585   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pack}
12586 \fi%
12587 \if@bidi@tocbibindloaded@\else
12588   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pac}
12589 \fi%
12590 \if@bidi@fontspecloaded@\else
12591   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pack}
12592 \fi%
12593 \if@bidi@arabxetexloaded@\else
12594   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pac}
12595 \fi%
12596 \if@bidi@polyglossialoaded@\else
12597   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi p}
12598 \fi%
12599 \if@bidi@fancyvrbloaded@\else
12600   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pack}
12601 \fi%
12602 }

```

7.75 longtable-xetex-bidi.def

```

12603 \ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package]
12604 \def\LT@array[#1]#2{%
12605   \refstepcounter{table}\stepcounter{LT@tables}%
12606   \if l#1%
12607     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
12608   \else\if r#1%
12609     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
12610   \else\if c#1%
12611     \LTleft\fill \LTright\fill
12612   \fi\fi\fi
12613   \let\LT@mcoll\multicolumn
12614   \let\LT@@tabarray\@tabarray
12615   \let\LT@@hl\hline
12616   \def\@tabarray{%
12617     \let\hline\LT@@hl
12618     \LT@@tabarray}%
12619   \let\\LT@tabularcr\let\tabularnewline\\%
12620   \def\newpage{\noalign{\break}}%
12621   \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
12622   \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}%
12623   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
12624   \tempdima\ht\strutbox
12625   \let\endpbox\LT@endpbox
12626   \ifx\extrarowheight\undefined

```



```

12627   \let\@acol\@tabacol
12628   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
12629   \def\@startpbox{\vtop\LT@startpbox}%
12630   \let\@@startpbox\@startpbox
12631   \let\@@endpbox\@endpbox
12632   \let\LT@LL@FM@cr\@tabularcr
12633 \else
12634   \advance\@tempdima\extrarowheight
12635   \col@sep\@tabcolsep
12636   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
12637 \fi
12638 \setbox\@arstrutbox\hbox{\vrule
12639   \height \arraystretch \@tempdima
12640   \depth \arraystretch \dp \strutbox
12641   \width \z@}%
12642 \let\@sharp##\let\protect\relax
12643 \begingroup
12644 \mkpream{#2}%
12645 \xdef\LT@bchunk{%
12646   \global\advance\c@LT@chunks\@ne
12647   \global\LT@rows\z@\setbox\z@\vbox\bgroup
12648   \LT@setprevdepth
12649   \tabskip\LTleft\noexpand\halign to\hsize\bgroup
12650   \tabskip\z@\@arstrut \preamble\tabskip\LTright\cr}%
12651 \endgroup
12652 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
12653 \LT@make@row
12654 \m@th\let\par\empty
12655 \everycr{}\lineskip\z@\baselineskip\z@
12656 \LT@bchunk}
12657 \def\LT@makecaption#1#2#3{%
12658 \LT@mcoll\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
12659   \sbox\@tempboxa{\if@RTL\beginR\fi#1#2: }#3\if@RTL\endR\fi}%
12660   \ifdim\wd\@tempboxa>\hsize
12661   #1#2: }#3%
12662 \else
12663   \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
12664 \fi
12665 \endgraf\vskip\baselineskip}%
12666 \hss}}}
12667 \ifpackageloaded{caption}{%
12668 \renewcommand\LT@makecaption[3]{%
12669   \caption\LT@make{%
12670     \caption@settype*\LTcaptype
12671     \ifdim\LTcapwidth=4in \else
12672       \setcaptionwidth\LTcapwidth
12673     \fi
12674     \caption@setoptions{longtable}%
12675     \caption@setoptions{@longtable}%
12676     \caption\LT@setup

```



```

12677 \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
12678 \caption@startrue#1\caption@starfalse
12679 \caption@prepare@stepcounter\LTcaptype{LT}%
12680 \caption@begin\LTcaptype
12681   \caption@normalsize
12682   \vskip-\ht\strutbox
12683   \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
12684   \caption@make{#2}{#3}\endgraf
12685   \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
12686   \caption@end}%
12687 }{}}
12688 \def\LT@startpbox#1{%
12689   \bgroup
12690     \let\@footnotetext\LT@p@ftntext
12691     \let\@LTRfootnotetext\LT@p@LTRftntext
12692     \let\@RTLfootnotetext\LT@p@RTLftntext
12693     \setlength\hsize{#1}%
12694     \arrayparboxrestore
12695     \vrule\@height\ht\arraystrutbox\@width\z@
12696 \def\LT@p@LTRftntext#1{%
12697   \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
12698   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12699 \def\LT@p@RTLftntext#1{%
12700   \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
12701   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12702
12703 \def\LT@output{%
12704   \ifnum\outputpenalty <-\@Mi
12705     \ifnum\outputpenalty > -\LT@end@open
12706       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
12707     \else
12708       \setbox\z@\vbox{\unvbox\@cclv}%
12709       \ifdim\ht\LT@lastfoot>\ht\LT@foot
12710         \dimen@\pagegoal
12711         \advance\dimen@-\ht\LT@lastfoot
12712         \ifdim\dimen@<\ht\z@
12713           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
12714           \makecol
12715           \outputpage
12716           \setbox\z@\vbox{\box\LT@head}%
12717         \fi
12718       \fi
12719     \fi
12720     \global\@colroom\@colht
12721     \global\vsiz@\@colht
12722     \vbox
12723       {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foo
12724       \fi
12725     \else
12726       \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot

```



```

12727     \@makecol
12728     \@outputpage
12729     \global\vsiz@\colroom
12730     \copy\LT@head\nobreak
12731   \fi}

```

7.76 mdframed-xetex-bidi.def

```

12732 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
12733 \newif\if@bidi@mdf@RTL
12734 \def\mdf@lrbox#1{%
12735   \mdf@patchamsthm%patch amsthm
12736   \if@RTL\@bidi@mdf@RTLtrue\fi%
12737   \else%
12738   \setbox#1\vbox\bgroup%
12739   \color@begingroup%
12740   \if@bidi@mdf@RTL\@RTLtrue\fi%
12741   \mdf@horizontalmargin@equation%
12742   \columnwidth=\hsize%
12743   \textwidth=\hsize%
12744   \let\ifnobreak\iffalse%
12745   \let\ifnoskipsec\iffalse%
12746   \let\par\@@par%
12747   \let-\@dischyp-
12748   \let'\@acci\let`\@accii\let\=\@acciii%
12749   \parindent\z@\parskip\z@skip%
12750   \linewidth\hsize%
12751   \totalleftmargin\z@%
12752   \leftskip\z@skip \rightskip\z@skip \rightskip\z@skip%
12753   \parfillskip\@flushglue \lineskip\normallineskip%
12754   \baselineskip\normalbaselineskip%
12755 %% \sloppy%
12756   \let\\@normalcr%
12757   \mdf@par@local%New feature to restore parskip/parindent local in save box
12758   \ifbool{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
12759   \afterindentfalse%
12760   \afterheading%
12761 }
12762 \renewrobustcmd\mdfframedtitleenv[1]{%
12763   \mdf@lrbox{\mdf@frametitlebox}%
12764   \mdf@frametitlealignment%
12765   \leavevmode\color{\mdf@frametitlefontcolor}%
12766   \normalfont\mdf@frametitlefont{\#1}%
12767   \ifbool{\mdf@ignorelastdescenders}{%
12768     {%
12769       \par\strut\par
12770       \unskip\unskip\setbox0=\lastbox
12771       \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
12772     }{}%
12773   \par\unskip\ifvmode\nointerlineskip\hrule \height\z@\width\hsize\fi%

```



```

12774     \endmdf@lrbox\relax%
12775     \mdf@ignorevbadness%
12776     \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
12777     \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
12778     \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
12779     \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
12780     \mdfframetitleboxtotalheight=\dimexpr
12781             \ht\mdf@frametitlebox
12782             +\dp\mdf@frametitlebox%
12783             +\mdf@frametitleaboveskip@length
12784             +\mdf@frametitlebeforeskip@length
12785             \relax%
12786 }
12787
12788 \renewrobustcmd*\mdf@footnoteoutput{%
12789     \ifvoid\@mpfootins\else%
12790         \nobreak%
12791         \vskip\mdf@footnotedistance@length%
12792         \normalcolor%
12793         \bidi@mpfootnoterule%
12794         \unvbox\@mpfootins%
12795     \fi%
12796 }
12797
12798 \renewrobustcmd*\mdf@footnoteinput{%
12799     \def\@mpfn{mpfootnote}%
12800     \def\thempfn{\thempfootnote}%
12801     \c@mpfootnote\z@%
12802     \let\@footnotetext\@mpfootnotetext%
12803     \let\@LTRfootnotetext\@mpLTRfootnotetext%
12804     \let\@RTLfootnotetext\@mpRTLfootnotetext%
12805
12806 }

```

7.77 bidi-media9.sty

```

12807 \ProvidesExplPackage{bidi-media9}{2016/05/03}{0.2}
12808 {bidi fixes for media9 package for the XeTeX engine}
12809
12810 \keys_define:nn{media9/mbtn}{%
12811     draft .code:n = {},
12812     final .code:n = {},
12813
12814     tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
12815     tooltip .value_required:n = {true},
12816
12817     overface .code:n = {
12818         \%hbox_set:Nn\l_mix_poster_box{#1}
12819         \sbox\l_mix_poster_box{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
12820         \mix_pdfxform:n{\l_mix_poster_box}

```



```

12821     \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
12822 },
12823 overface .value_required:n = {true},
12824
12825 downface .code:n = {
12826   \%hbox_set:Nn\l_mix_poster_box{#1}
12827   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
12828   \mix_pdflastxform:n{\l_mix_poster_box}
12829   \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
12830 },
12831 downface .value_required:n = {true},
12832
12833 3Dgotoview .code:n = {
12834   \tl_set:Nx\l_tmpa_tl{#1} %extract ref
12835   \regex_replace_once:nnN{([^\:]+)\:??.*}{\1}\l_tmpa_tl
12836   \tl_trim_spaces:N\l_tmpa_tl
12837   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
12838     \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
12839       \tl_set:Nx\l_tmpb_tl{#1} %extract idx
12840       \regex_replace_once:nnN{[^\:]+:\?}{ }\l_tmpb_tl
12841       \tl_trim_spaces:N\l_tmpb_tl
12842       \tl_if_blank:VF\l_tmpb_tl{
12843         \regex_match:nVTF{^[\DFLNP]$}\l_tmpb_tl{
12844           \tl_set:Nx\l_mix_vidx_tl{/}\l_tmpb_tl}
12845         }{
12846           \regex_match:nVTF{^\d+$}\l_tmpb_tl{
12847             \tl_set:Nx\l_mix_vidx_tl{~}\l_tmpb_tl}
12848           }{
12849             \regex_replace_once:nnN{^\(\s*\){}}\l_tmpb_tl
12850             \regex_replace_once:nnN{\s*\)$}{ }\l_tmpb_tl
12851             \tl_set:Nx\l_mix_vidx_tl{~}(\l_tmpb_tl)
12852           }
12853         }
12854       }
12855     \mix_pdfobj:nnn{}{dict}{
12856       /S/JavaScript/JS~(
12857         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
12858         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
12859           annotRM['\l_tmpa_tl']=
12860             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
12861           }
12862           annotRM['\l_tmpa_tl'].activated=true;
12863         )
12864         \tl_if_blank:VF\l_tmpb_tl{
12865           /Next~<<
12866             /S/GoTo3DView
12867             /TA~\tl_use:c{ann@\l_tmpa_tl}
12868             /V\l_mix_vidx_tl
12869           >>
12870         }

```



```

12871     }
12872     \tl_gput_right:Nx\g_mix_btnactions_tl{\~\mix_pdflastobj:}
12873   }
12874 {
12875   \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
12876   \cs_if_exist:NF\g_mix_refundefwarned_tl{
12877     \tl_new:N\g_mix_refundefwarned_tl
12878     \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
12879   }
12880 }
12881 },
12882 3Dgotoview .value_required:n = {true},
12883
12884 mediacommand .code:n =
12885   \tl_set:Nx\l_tmpa_tl{\#1}
12886   \regex_replace_once:nnn{[^:]+:??.*}{\1}\l_tmpa_tl %extract ref
12887   \tl_trim_spaces:N\l_tmpa_tl
12888   \tl_if_exist:cTF{ann@\l_tmpa_tl} {
12889     \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft} {
12890       \tl_set:Nx\l_tmpb_tl{\#1}
12891       \regex_replace_once:nnN{[^:]+:\?}{\1}\l_tmpb_tl
12892       \tl_trim_spaces:N\l_tmpb_tl
12893       \regex_replace_all:nnN{\^{\{|}\}$}{\1}\l_tmpb_tl
12894       \tl_set:Nx\l_mix_cmd_tl{
12895         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
12896       \tl_trim_spaces:N\l_mix_cmd_tl
12897       \tl_set:Nx\l_mix_arg_tl{
12898         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
12899       \tl_trim_spaces:N\l_mix_arg_tl
12900       \mix_pdfobj:nnn{}{dict} {
12901         /S/JavaScript/JS(~
12902           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
12903           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
12904             annotRM['\l_tmpa_tl']=
12905               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
12906           }
12907           annotRM['\l_tmpa_tl'].activated=true;
12908         )
12909         \tl_if_blank:VF\l_mix_cmd_tl{
12910           /Next~<<
12911             /S/RichMediaExecute
12912             /TA~\tl_use:c{ann@\l_tmpa_tl}
12913             /TI~\tl_use:c{main@\l_tmpa_tl}
12914             /CMD~<<
12915               /C~(\l_mix_cmd_tl)
12916               \tl_if_blank:VF\l_mix_arg_tl{
12917                 /A~[\l_mix_arg_tl]
12918               }
12919             >>
12920           >>

```



```

12921         }
12922     }
12923     \tl_gput_right:Nx\g_mix_btnactions_tl{\~\mix_pdflastobj:}
12924 }
12925 {
12926     \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
12927     \cs_if_exist:NF\g_mix_refundefwarned_tl{
12928         \tl_new:N\g_mix_refundefwarned_tl
12929         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
12930     }
12931 }
12932 },
12933 mediacommand .value_required:n = {true},
12934
12935 jsaction .code:n = {
12936     \tl_set:Nx\l_tmpa_tl{\#1}
12937     \regex_match:nNTF{^[\^\{:]+.*$}\l_tmpa_tl{
12938         \regex_replace_once:nnN{(\^\:)+:??.*}{\1}\l_tmpa_tl %extract ref
12939         \tl_trim_spaces:N\l_tmpa_tl
12940     }\tl_clear:N\l_tmpa_tl}
12941     \tl_set:Nx\l_tmpb_tl{\#1}
12942     \tl_if_blank:VF\l_tmpa_tl{
12943         \tl_if_exist:cF{ann@\l_tmpa_tl}{

12944             \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
12945             \cs_if_exist:NF\g_mix_refundefwarned_tl{
12946                 \tl_new:N\g_mix_refundefwarned_tl
12947                 \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
12948             }
12949         }
12950         \regex_replace_once:nnN{[^:]+:\{}{}\l_tmpb_tl
12951     }
12952     \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
12953     \tl_trim_spaces:N\l_tmpb_tl
12954     \tl_if_blank:VF\l_tmpb_tl{
12955         \mix_pdfobj:nnn{}{dict}{

12956             /S/JavaScript/JS~(
12957                 try{\l_tmpb_tl}catch(e){console.show();console.println(e)}}
12958             \bool_if:nT{
12959                 \tl_if_exist_p:c{ann@\l_tmpa_tl} &&
12960                 !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
12961             }{
12962                 \mix_pdfobj:nnn{}{dict}{

12963                     /S/JavaScript/JS~(
12964                         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
12965                         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
12966                             annotRM['\l_tmpa_tl']=
12967                             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
12968                         }
12969                         annotRM['\l_tmpa_tl'].activated=true;
12970                     )

```



```

12971     \tl_if_blank:VF\l_tmpb_tl{/Next-\mix_pdflastobj:}
12972   }
12973 }
12974 \bool_if:nT{
12975   \tl_if_exist_p:c{ann@\l_tmpa_tl} &&
12976   !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft} ||
12977   !\tl_if_blank_p:V\l_tmpb_tl
12978 }{
12979   \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
12980 }
12981 },
12982 jsaction .value_required:n = {true},
12983
12984 unknown .code:n = {
12985   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
12986 }
12987 }
12988
12989
12990 \RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
12991   \mix_urriend:
12992   \group_begin:
12993   \beginL
12994   \leavevmode
12995   %empty stream as appearance dummy
12996   \cs_if_exist:NF\g_mix_appearance_tl{
12997     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
12998     \mix_pdfxf orm:n{\l_mix_poster_box}
12999     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
13000   }
13001   \mix_reset:
13002   \mix_uribegin: %treat URI characters correctly
13003   \keys_set:nn{media9/user}{#1}
13004   \mix_urriend:
13005   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~-}{&}
13006   \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~-}{&}
13007   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~-}{=}
13008   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
13009   \tl_gtrim_spaces:N\g_mix_flashvars_tl
13010
13011   \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
13012
13013   %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
13014   %\hbox_set:Nn\l_mix_poster_box{#2}
13015   \sbox\l_mix_poster_box{\if@RTL\beginR#2\if@RTL\endR\fi}
13016   \mix_scale:n{\l_mix_poster_box}
13017   \bool_if:nT{
13018     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim} ||
13019     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
13020 }{

```



```

13021     \tl_gset:Nn\g_mix_usrbtn_tl{none}
13022 }
13023 \bool_if:NTF\g_mix_usrdrift_bool{
13024     \tl_if_empty:NF\g_mix_usrlabel_tl{
13025         \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
13026     }
13027     \tl_if_blank:oTF{#2}{
13028         \mix_uribegin: %treat URI characters correctly
13029         \mix_draftbox:n{\tl_to_str:n{#3}}
13030         \mix_uried:
13031     }{
13032         \hbox_to_wd:nn{\g_mix_wd_tl}{
13033             \vrule-width~\c_zero_dim-height~\g_mix_ht_tl-depth~\g_mix_dp_tl
13034             \box_use:N\l_mix_poster_box\hss
13035         }
13036     }
13037 }{
13038     \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrbtn_tl{none}}{
13039         %attach script that switches off play button overlay upon activation
13040         \mix_pdfobj:nnn{}{stream}{}
13041         {}{
13042             var~ocgs=host.getOCGs(host.pageNum);
13043             for(var~i=0;i<ocgs.length;i++){
13044                 if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
13045                     ocgs[i].state=false;
13046                 }
13047             }
13048         }
13049     }
13050     \mix_pdfobj:nnn{}{dict}{%
13051         /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
13052     }
13053     \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
13054     \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:}
13055     %enforce plain playbutton overlay for XeTeX
13056     \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrbtn_tl{plain}}
13057 }
13058 %embed main asset
13059 \mix_uribegin:
13060 \mix_embedasset:n{#3}
13061 \bool_if:nTF{
13062     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
13063 }{
13064     \bool_gset_true:N\g_mix_iid_bool
13065     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
13066 }{
13067     \str_case_x:nnF{\l_mix_base_tl}{
13068         {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13069         {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13070         {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}

```



```

13071     {VideoPlayer}\{\\tl_gset:Nn\\g_mix_mainassetsub_tl{Video}}
13072     {StrobeMediaPlayback}\{\\tl_gset:Nn\\g_mix_mainassetsub_tl{Video}}
13073     }\{\\tl_gset:Nn\\g_mix_mainassetsub_tl{Flash}}
13074   }
13075   \\tl_gset:Nx\\g_mix_mainasset_tl{\~\\g_mix_lastasset_tl}
13076   \\mix_urriend:
13077   %secondary assets (added by addresource)
13078   \\seq_map_function:NN\\g_mix_res_seq\\mix_embedasset:n
13079   \\seq_map_inline:Nn\\g_mix_script_seq{
13080     \\mix_embedasset:n{##1}
13081     \\tl_put_right:Nx\\l_mix_scripts_tl{\~\\g_mix_lastasset_tl}
13082   }
13083   %attach 3D calculation script
13084   \\bool_if:nT{\\g_mix_iid_bool && \\g_mix_iidcalc_bool}{
13085     \\mix_embedasset:n{3Dmenu.js}
13086     \\tl_put_left:Nx\\l_mix_scripts_tl{\\g_mix_lastasset_tl}
13087   }
13088   %create 3D views from file (option 3Dviews)
13089   \\bool_if:nT{\\g_mix_iid_bool && !(\\tl_if_blank_p:V\\g_mix_vfile_tl)}{
13090     \\tl_set:Nn\\l_mix_level_tl{\\c_minus_one}
13091     \\int_zero:N\\l_mix_viewcnt_int
13092     \\int_zero:N\\l_mix_lineno_int
13093
13094     \\ior_open:Nn\\l_mix_vfile_stream{\\g_mix_vfile_tl}
13095     \\ior_map_inline:Nn\\l_mix_vfile_stream{
13096       \\int_incr:N\\l_mix_lineno_int
13097       \\keys_set:nn{media9/views}{##1} %process input line
13098     }
13099     \\ior_close:N\\l_mix_vfile_stream
13100   }
13101   \\bool_if:nT{ %create default 3D view if required
13102     \\g_mix_iid_bool &&
13103     (\\g_mix_opt_iidview_bool || \\tl_if_blank_p:V\\l_mix_iidviewarray_tl)
13104   }{
13105     \\tl_set_eq:NN\\l_mix_bg_tl\\g_mix_opt_bg_tl
13106     \\tl_set_eq:NN\\l_mix_ls_tl\\g_mix_opt_ls_tl
13107     \\tl_set_eq:NN\\l_mix_rm_tl\\g_mix_opt_rm_tl
13108     \\tl_set_eq:NN\\l_mix_psob_tl\\g_mix_opt_psob_tl
13109     \\tl_set_eq:NN\\l_mix_coo_tl\\g_mix_opt_coo_tl
13110     \\tl_set_eq:NN\\l_mix_ctoc_tl\\g_mix_opt_ctoc_tl
13111     \\tl_set_eq:NN\\l_mix_ciiw_tl\\g_mix_opt_ciiw_tl
13112
13113     \\fp_set_eq:NN\\l_mix_roo_fp\\g_mix_opt_roo_fp
13114     \\fp_set_eq:NN\\l_mix_aac_fp\\g_mix_opt_aac_fp
13115     \\fp_set_eq:NN\\l_mix_oscale_fp\\g_mix_opt_oscale_fp
13116     \\fp_set_eq:NN\\l_mix_roll_fp\\g_mix_opt_roll_fp
13117
13118     \\bool_set_eq:NN\\l_mix_ciiw_bool\\g_mix_opt_ciiw_bool
13119     \\bool_set_eq:NN\\l_mix_iidortho_bool\\g_mix_opt_iidortho_bool
13120     \\tl_clear:N\\l_mix_naarray_tl

```



```

13121 \bool_if:NF\l_mix_ciiw_bool{
13122     \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
13123     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
13124 }
13125
13126 \tl_clear:N\l_mix_naarray_tl
13127 \tl_clear:N\l_mix_saarray_tl
13128 \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdfltl
13129
13130 \mix_view:n{Default}
13131 \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
13132
13133 }
13134 \mix_pdfobj:nnn{}{dict}{
13135     /Type/RichMediaInstance
13136     /Subtype/\g_mix_mainassetsub_tl
13137     /Asset~\g_mix_mainasset_tl
13138     \bool_if:NF\g_mix_iid_bool{
13139         /Params~<<
13140             /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{%
13141                 /Foreground
13142             }{
13143                 /Background
13144             }
13145             \tl_if_blank:VF\g_mix_flashvars_tl{%
13146                 /FlashVars~(\g_mix_flashvars_tl)
13147             }
13148         >>
13149     }
13150 }
13151 \tl_if_empty:NF\g_mix_usrlabel_tl{
13152     \mix_keytaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
13153 }
13154 \mix_pdfobj:nnn{}{dict}{
13155     /Type/RichMediaConfiguration
13156     /Subtype/\g_mix_mainassetsub_tl
13157     /Instances~[\mix_pdflastobj:]
13158 }
13159 \mix_pdfobj:nnn{}{dict}{
13160     /Type/RichMediaContent
13161     /Assets~<</Names~[\g_mix_assets_tl]>>
13162     /Configurations~[\mix_pdflastobj:]
13163     \bool_if:nT{
13164         \g_mix_iid_bool && !(\tl_if_empty_p:V\l_mix_iidviewarray_tl)
13165     }{
13166         /Views~[\l_mix_iidviewarray_tl]
13167     }
13168 }
13169 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}

```



```

13171   \bool_if:nT{
13172     \g_mix_iid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
13173   }{
13174     \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
13175   }
13176 %determine floating window size
13177 \bool_if:NT\g_mix_opt_windowed_bool{
13178   \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
13179 }
13180 \mix_pdfobj:nnn{}{dict}{
13181   /Activation~<<
13182     /Condition\g_mix_act_tl
13183   \bool_if:nT{
13184     \g_mix_iid_bool &&
13185     !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
13186   }{ %seems to work only with 3D content
13187     /Animation~<<
13188       /Subtype/\g_mix_playtpe_tl
13189       /PlayCount~\g_mix_playcnt_tl
13190       /Speed~\g_mix_playspd_tl
13191     >>
13192   }
13193   \bool_if:nT{
13194     \g_mix_iid_bool && (
13195       \g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl
13196     )
13197   }{/View~\l_mix_dfltvview_tl}
13198 /Presentation~<<
13199   /Transparent~\g_mix_transp_tl
13200   \bool_if:NTF\g_mix_opt_windowed_bool{
13201     /Style/Windowed
13202     /Window~<<
13203       /Width~<</Default~\tl_mix_fltwd>>
13204       /Height~<</Default~\tl_mix_fltht>>
13205       /Position~<<
13206         /HOffset~0/VOffset~0
13207         \str_case_x:nnF{\g_mix_winpos_tl}{
13208           {tl}{/VAlign/Near/HAlign/Near}
13209           {cl}{/VAlign/Center/HAlign/Near}
13210           {bl}{/VAlign/Far/HAlign/Near}
13211           {bc}{/VAlign/Far/HAlign/Center}
13212           {br}{/VAlign/Far/HAlign/Far}
13213           {cr}{/VAlign/Center/HAlign/Far}
13214           {tr}{/VAlign/Near/HAlign/Far}
13215           {tc}{/VAlign/Near/HAlign/Center}
13216           }{/HAlign/Center/VAlign/Center}
13217         >>
13218       >>
13219     }{
13220       /Style/Embedded

```



```

13221     }
13222     \bool_if:NTF\g_mix_iid_bool{
13223         /Toolbar~\g_mix_tools_tl
13224         /NavigationPane~\g_mix_nav_tl
13225     }{
13226         /PassContextClick~\g_mix_contextclick_tl
13227     }
13228 >>
13229     \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
13230 >>
13231     /Deactivation~<</Condition\g_mix_deact_tl>>
13232 }
13233 \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
13234 \tl_if_empty:NF\g_mix_usrlabel_tl{
13235     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
13236 }
13237 % #1:width, #2:height, #3:depth, #4:content (key-value)
13238 \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
13239     /Subtype/RichMedia
13240     /F~4\cs_if_exist_use:N\ocgxii@insert@OC
13241     /BS~<</W~0/S/S>>
13242     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
13243     /NM~(\g_mix_label_tl)
13244     /AP~<</N~\g_mix_appearance_tl>>
13245     /RichMediaSettings~\l_mix_settings_tl
13246     /RichMediaContent~\l_mix_content_tl
13247 }
13248 \tl_if_empty:NF\g_mix_usrlabel_tl{
13249     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
13250     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
13251         \noexpand\the\g@mix@page@int}
13252 }
13253 \mix_pdfobj:nnn{}-{dict}{
13254     /S/JavaScript/JS~(
13255         try{
13256             if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13257             if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
13258                 annotRM['\g_mix_label_tl']=
13259                     this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
13260             }
13261             \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
13262                 if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
13263                     var~ocgs=this.getOCGs(this.pageNum);
13264                     for(var~i=0;i<ocgs.length;i++){
13265                         if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
13266                             var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
13267                         }
13268                     }
13269                 if(
13270

```



```

13271           !annotRM['\g_mix_label_t1'].activated&&(
13272               app.viewerType=='Reader'|||
13273               app.viewerType=='Exchange'|||
13274               app.viewerType=='Exchange-Pro'
13275                   )&&app.viewerVersion>=9
13276           ){
13277               ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
13278           }
13279       }
13280   }catch(e){}
13281   this.dirty=false;
13282 )
13283 }
13284 \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{}{
13285     /Subtype/Widget
13286     /FT/Btn/Ff~65537/F~2
13287     /BS~<</W~0>>
13288     /T~(fd@\g_mix_label_t1)
13289     /AA~<</P0~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
13290 }
13291 \mix_appendtofields:n{\mix_pdflastann:}
13292 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
13293 \str_if_eq_x:nnTF{\g_mix_usrpbtn_t1}{none}{
13294     \hbox_to_wd:nn{\g_mix_wd_t1}{
13295         \vrule-width~\c_zero_dim-height~\g_mix_ht_t1~depth~\g_mix_dp_t1\hss
13296     }
13297 }%insert play button overlay
13298 \mix_insert_btnocg: %create OCG
13299 \cs_gset_eq:Nc\mix_pbtn>NN{g@mix@pbtn@g_mix_usrpbtn_t1 @t1}
13300 \%hbox_set:Nn\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_t1\g_mix_tt_t1}
13301 \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_t1\g_mix_tt_t1}
13302 \box_move_down:nn{\g_mix_dp_t1}{
13303     \hbox_to_wd:nn{\g_mix_wd_t1}{
13304         \vbox_to_ht:nn{\g_mix_tt_t1}{
13305             \vss
13306             \ocgbase_oc_bdc:n{\g_mix_btnocg_t1}
13307             \box_use:N\l_mix_pbtn_box
13308             \ocgbase_oc_emc:
13309         }
13310     }
13311 }
13312 }
13313 \int_gincr:N\g_mix_rmcnt_int
13314 }
13315 \endL
13316 \group_end:
13317 }
13318 \tl_set_eq:NN\l_mix_includemedia_t1\includemedia
13319 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_t1}
13320

```



```

13321
13322
13323 \RenewDocumentCommand\mediabutton{0{}m}{%#1 options, #2 normal button text
13324   \mix_urriend:
13325   \group_begin:
13326   \begin{L}
13327   \leavevmode
13328   %reset various variables
13329   \tl_gclear:N\g_mix_overbtn_tl
13330   \tl_gclear:N\g_mix_downbtn_tl
13331   \tl_gclear:N\g_mix_btnactions_tl
13332   \tl_gclear:N\g_mix_tooltip_tl
13333   %process options
13334   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pktdraft_bool
13335   \mix_uribegin: %treat URI characters correctly
13336   \keys_set:nn{media9/mbtndraft}{#1} %detect draft/normal on first pass
13337   \bool_if:NTF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
13338   \mix_urriend:
13339   %normal button appearance
13340   \%lbox_set:Nn\l_mix_poster_box{#2}
13341   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
13342   \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
13343   \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
13344   \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
13345   \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box} {
13346     \mix_pdfxform:n{\l_mix_poster_box}
13347     \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
13348     \bool_if:nT{ %dummy Widget for ocgx2, AR seems to need it
13349       \cs_if_exist_p:N\ocgxii@insert@OC && !\tl_if_blank_p:V\ocgxii@insert@OC
13350       !\cs_if_exist:NTF\ocgxii@insert@OC{
13351         \tl_if_blank_p:V\ocgxii@insert@OC
13352       }{
13353         \c_true_bool
13354       }
13355     }{\mix_pdfannot:nnnn{\width}{\height}{\depth}{/Subtype/Widget/F~2}}
13356     %insert widget annotation
13357     \mix_pdfannot:nnnn{\width}{\height}{\depth}{%
13358       /Subtype/Widget
13359       /T~(mbtn@int_use:N\g_mix_mbtncnt_int)
13360       \tl_if_empty:NTF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
13361       /FT/Btn/Ff-65536\cs_if_exist_use:N\ocgxii@insert@OC
13362       \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
13363       /AP~<<
13364         /N~\g_mix_normalbtn_tl
13365         \tl_if_empty:NTF\g_mix_overbtn_tl{/R~\g_mix_overbtn_t1}
13366         \tl_if_empty:NTF\g_mix_downbtn_tl{/D~\g_mix_downbtn_t1}
13367       >>
13368       /MK~<<
13369         /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
13370         /I~\g_mix_normalbtn_t1

```



```

13371      \tl_if_empty:N\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
13372      \tl_if_empty:N\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
13373      >>
13374      /A~<%
13375          /S/JavaScript/JS~(app.focusRect=false;)
13376          %sequence of actions to perform
13377          \tl_if_empty:N\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
13378      >>
13379      }
13380      \mix_appendtofields:n{\mix_pdflastann:}
13381      \hbox_to_wd:nn{\width}{%
13382          \vrule~width~c_zero_dim~height~height~depth~\depth\hss
13383      }
13384      \int_gincr:N\g_mix_mbtncnt_int
13385  }
13386  \endL
13387  \group_end:
13388 }

13389 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
13390 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
13391
13392
13393

```

7.78 memoir-xetex-bidi.def

```

13394 \ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for Xe
13395 \renewcommand{\keepthetitle}{%
13396     \@bsmtitleempty
13397     \global\let\thanks\relax
13398     \global\let\LTRthanks\relax
13399     \global\let\RTLthanks\relax
13400     \global\let\and\relax
13401     \global\let\andnext\relax
13402     \global\let@thanks\@empty
13403     \global\let@title\@empty
13404     \global\let@author\@empty
13405     \global\let@date\@empty
13406 \renewcommand{\maketitle}{\par
13407     \begingroup
13408         \@bsmarkseries
13409         \def\@makefnmark{\@textsuperscript{%
13410             \normalfont\@bstanksheadpre \tamarck\@bstanksheadpost}}%
13411         \long\def\@makefntext##1{\makethanksmark ##1}
13412         \if@twocolumn
13413             \ifnum \col@number=\@ne
13414                 \maketitle
13415             \else
13416                 \twocolumn[\maketitle]%
13417             \fi

```



```

13418     \else
13419         \ifdim\pagetotal>\z@
13420             \newpage
13421         \fi
13422         \global\@topnum\z@
13423         \@maketitle
13424     \fi
13425     \thispagestyle{title}\@thanks
13426 \endgroup
13427 \@bscontmark % \setcounter{footnote}{0}%
13428 }
13429 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
13430 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
13431 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
13432 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
13433 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
13434 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
13435 \renewcommand*{\thesection}{\thechapter \@SepMark @arabic \c@section}
13436 \renewcommand*{\thesubsection}{%
13437             \thesection \@SepMark @arabic \c@subsection}
13438 \renewcommand*{\thesubsubsection}{%
13439             \thesubsection \@SepMark @arabic \c@subsubsection}
13440 \renewcommand*{\theparagraph}{%
13441             \thesubsubsection \@SepMark @arabic \c@paragraph}
13442 \renewcommand*{\thesubparagraph}{%
13443             \theparagraph \@SepMark @arabic \c@subparagraph}
13444 \renewcommand{\setthesection}{\thechapter \@SepMark \Alph{section}}
13445 \renewcommand{\theequation}{%
13446     \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi @arabic \c@equation}
13447 \renewcommand{\thefigure}{\thechapter \@SepMark @arabic \c@figure}
13448 \renewcommand{\thetable}{\thechapter \@SepMark @arabic \c@table}
13449 \ifartopt
13450     \chapterstyle{article}
13451     \counterwithout{figure}{chapter}
13452     \counterwithout{table}{chapter}
13453     \counterwithout{footnote}{chapter}
13454     \counterwithout{equation}{chapter}
13455     \renewcommand{\chaptername}{}
13456     \renewcommand{\maketitlehookb}{%
13457         \vskip -1.5\topsep\vskip -1.5\partopsep}
13458     \renewcommand{\maketitlehookc}{%
13459         \vskip -1.5\topsep\vskip -1.5\partopsep}
13460 \fi
13461 \long\def\@makecaption#1#2{\let\@memtempa\relax
13462 \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
13463 \else \def\@memtempa{\vbox to\topskip{}}\fi
13464 \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
13465 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
13466 \sbox\@tempboxa{\@contfnt \#1\@contdelim \@conttfnt \#2\@contfinal}
13467 \let\footnote\@contfnote

```



```

13468 \let\footnotemark\@contfmark
13469 \ifdim\wd\@tempboxa<\linewidth \centering \fi
13470 \if@contcw
13471   \centering
13472   \parbox{\@contcwidth}{%
13473     \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
13474   \fi
13475   \ifdim\wd\@tempboxa<\linewidth
13476     \@contpre
13477     {\@contnfont #1\@contdelim}\@memtempa
13478     {\@contcshortstyle \@conttfont #2\@contfinal\par}
13479 \else
13480   \if@conthang
13481     \sbox\@tempboxa{\@contnfont #1\@contdelim}
13482     \@contpre%
13483     {\@contcstyle\hangindent=\wd\@tempboxa
13484       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
13485 \else
13486   \if@contindent
13487     \@contpre%
13488     {\@contnfont #1\@contdelim}\@memtempa
13489     {\@contcstyle\hangindent=\@contindw
13490       \hangafter=\@ne\@conttfont #2\@contfinal\par}%- v1.4
13491 \else
13492   \@contpre%
13493   {\@contnfont #1\@contdelim}\@memtempa
13494   {\@contcstyle \@conttfont #2\@contfinal\par}
13495 \fi
13496 \fi
13497 \fi
13498 \@contpost
13499 \if@contcw
13500   \par
13501 } % end of the \parbox
13502 \fi
13503 \vskip\belowcaptionskip
13504 \ifpackageloaded{caption}{%
13505 \AtBeginPackage[caption]{%
13506 \ClassWarningNoLine{memoir}{%
13507   You are using the caption package with the memoir \MessageBreak
13508   class. This may cause unexpected or inconsistent \MessageBreak
13509   results if you use any of memoir's captioning facilities}
13510 \long\def\@makecaption##1##2{%
13511   \vskip\abovecaptionskip
13512   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
13513   \ifdim \wd\@tempboxa >\hsize
13514     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
13515 \else
13516   \global \minipagefalse

```



```

13518     \hb@xt@{\hsize}{\hfil\box@\tempboxa\hfil}%
13519     \fi
13520     \vskip\belowcaptionskip}
13521
13522 \def\caption{%
13523   \ifx\@captiontype\@undefined
13524     \@latex@error{\noexpand\caption outside float}\@ehd
13525     \expandafter\@gobble
13526   \else
13527     \refstepcounter\@captiontype
13528     \expandafter\@firstofone
13529   \fi
13530   {\@dblarg{\@caption\@captiontype}}%
13531 }
13532
13533 \long\def\caption##1[##2]##3{%
13534   \par
13535   \addcontentsline{\csname ext@##1\endcsname}{##1}%
13536   {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
13537   \begingroup
13538     \parboxrestore
13539     \if@minipage
13540       \setminipage
13541     \fi
13542     \normalsize
13543     \makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
13544   \endgroup
13545 }{}}
13546 \renewenvironment{thebibliography}[1]{%
13547   \bibsection
13548   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13549   \begin{bibitemlist}{#1}\end{bibitemlist}\postbibhook}

```

7.79 midfloat-xetex-bidi.def

```

13550 \ProvidesFile{midfloat-xetex-bidi.def}[2016/05/10 v0.3 bidi adaptations for midfloat package
13551 \def\@RTL@outputdblcol{%
13552   \if@firstcolumn
13553     \global\@firstcolumnfalse
13554     \global\setbox\leftcolumn\copy\outputbox
13555     \splitmaxdepth\maxdimen
13556     \vbadness\maxdimen
13557     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
13558     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13559     \toks@\expandafter{\topmark}%
13560     \xdef\@firstcoltopmark{\the\toks@}%
13561     \toks@\expandafter{\splitfirstmark}%
13562     \xdef\@firstcolfirstmark{\the\toks@}%
13563     \ifx\@firstcolfirstmark\empty
13564       \global\let\@setmarks\relax

```



```

13565 \else
13566   \gdef\@setmarks{%
13567     \let\firstmark\@firstcolfirstmark
13568     \let\topmark\@firstcoltopmark}%
13569 \fi
13570 \global\c@colht\@colht\global\c@addvipersep\z@
13571 \ifnum\juo@sk>0
13572   \remove@strip\juo@sar
13573   \global\@colht\the\juo@pr
13574   \ifdim\right@cor>\z@
13575     \global\advance\@colht by\right@cor
13576   \fi
13577   \global\advance\@colht by\cor@height
13578   \global\cor@height=0pt
13579 \fi
13580 \global \setbox\@rightcolumn \vbox{}%
13581 \else
13582   \ifdim\c@colht>\@colht
13583     \tempdima\@colht
13584     \ifdim\@colht>\z@
13585       \global\setbox\@rightcolumn \vbox{%
13586         \unvbox\@rightcolumn
13587         \vbox to\tempdima{%
13588           \vskip\c@addvipersep\unvbox\@outputbox}%
13589           \vskip\stripsep
13590           \vrule height\the\juo@ht width 0pt depth 0pt
13591           \vskip\stripsep
13592         }%
13593       \global\c@addvipersep\m@addvipersep
13594     \else
13595       \global\setbox\@rightcolumn \vbox{%
13596         \unvbox\@rightcolumn
13597         \vrule height\the\juo@ht width 0pt depth 0pt
13598         \vskip\stripsep
13599       }%
13600   \fi
13601   \ifnum\juo@sk>0
13602     \remove@strip\juo@sar
13603     \global\@colht\the\juo@pr
13604     \global\advance\@colht by -\ht\@rightcolumn
13605     \global\advance\@colht by\cor@height
13606     \global\cor@height=0pt
13607   \else
13608     \global\advance\c@colht by-\ht\@rightcolumn
13609     \global\@colht\c@colht
13610   \fi
13611 \else
13612 \global\@firstcolumntrue
13613 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
13614   \unvbox\@rightcolumn

```



```

13615          \vskip\c@addvipersep
13616          \unvbox\@outputbox
13617      }%
13618  \setbox\@outputbox \vbox {%
13619      \hb@xt@\textwidth {%
13620          \hskip \columnwidth
13621          \hfil
13622          \vrule \width\columnseprule
13623          \hfil
13624          \hb@xt@\columnwidth {%
13625              \box\@leftcolumn \hss}%
13626          \hskip-\textwidth
13627          \hb@xt@\columnwidth {%
13628              \box\@outputbox \hss}%
13629          \hskip\columnwidth
13630          \hskip\columnsep}%
13631      }%
13632  \@combinedblfloats
13633  \@setmarks
13634  \@outputpage
13635  \begin{group}
13636      \dblfloatplacement
13637      \startdblcolumn
13638      \whilesw@if@fcolmade \fi
13639      {\@outputpage
13640      \startdblcolumn}%
13641  \endgroup
13642  \global\juo@sk=0\global\juo@sar={}%
13643  \global\cor@height\z@\global\c@addvipersep\z@
13644  \fi
13645 \fi
13646 }
13647
13648
13649 \def\LTR@outputdblcol{%
13650  \if@firstcolumn
13651      \global \firstcolumnfalse
13652      \global\setbox\@leftcolumn\copy\@outputbox
13653      \splitmaxdepth\maxdimen
13654      \vbadness\maxdimen
13655      \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
13656      \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13657      \toks@\expandafter{\topmark}%
13658      \xdef\firstcoltopmark{\the\toks@}%
13659      \toks@\expandafter{\splitfirstmark}%
13660      \xdef\firstcolfirstmark{\the\toks@}%
13661      \ifx\firstcolfirstmark\empty
13662          \global\let\setmarks\relax
13663      \else
13664          \gdef\setmarks{%

```



```

13665      \let\firstmark\@firstcolfirstmark
13666      \let\topmark\@firstcoltopmark}%
13667  \fi
13668  \global\c@colht\@colht\global\c@addvipersep\z@
13669  \ifnum\juo@sk>0
13670      \remove@strip\juo@sar
13671      \global\@colht\the\juo@pr
13672      \ifdim\right@cor>\z@
13673          \global\advance\@colht by\right@cor
13674  \fi
13675  \global\advance\@colht by\cor@height
13676  \global\cor@height=0pt
13677  \fi
13678  \global \setbox\@rightcolumn \vbox{}%
13679 \else
13680  \ifdim\c@colht>\@colht
13681      \tempdima\@colht
13682      \ifdim\@colht>\z@
13683          \global\setbox\@rightcolumn \vbox{%
13684              \unvbox\@rightcolumn
13685              \vbox to\@tempdima{%
13686                  \vskip\c@addvipersep\unvbox\@outputbox}%
13687                  \vskip\stripsep
13688                  \vrule height\the\juo@ht width 0pt depth 0pt
13689                  \vskip\stripsep
13690              }%
13691          \global\c@addvipersep\m@addvipersep
13692      \else
13693          \global\setbox\@rightcolumn \vbox{%
13694              \unvbox\@rightcolumn
13695              \vrule height\the\juo@ht width 0pt depth 0pt
13696              \vskip\stripsep
13697          }%
13698  \fi
13699  \ifnum\juo@sk>0
13700      \remove@strip\juo@sar
13701      \global\@colht\the\juo@pr
13702      \global\advance\@colht by -\ht\@rightcolumn
13703      \global\advance\@colht by\cor@height
13704      \global\cor@height=0pt
13705  \else
13706      \global\advance\c@colht by-\ht\@rightcolumn
13707      \global\@colht\c@colht
13708  \fi
13709 \else
13710  \global\@firstcolumntrue
13711  \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
13712      \unvbox\@rightcolumn
13713      \vskip\c@addvipersep
13714      \unvbox\@outputbox

```



```

13715      }%
13716      \setbox\@outputbox \vbox {%
13717          \hb@xt@\textwidth {%
13718              \hb@xt@\columnwidth {%
13719                  \box\@leftcolumn \hss}%
13720              \hfil
13721              \vrule \width\columnseprule
13722              \hfil
13723              \hb@xt@\columnwidth {%
13724                  \box\@outputbox \hss}%
13725              }%
13726          }%
13727          \@combinedblfloats
13728          \@setmarks
13729          \@outputpage
13730          \begingroup
13731              \@dblfloatplacement
13732              \@startdblcolumn
13733              \@whilesw\if@fcolmade \fi
13734                  {\@outputpage
13735                      \@startdblcolumn}%
13736          \endgroup
13737          \global\juo@sk=0\global\juo@sar={}
13738          \global\cor@height\z@\global\c@addvipersep\z@
13739          \fi
13740      \fi
13741  }
13742
13743
13744 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
13745     \global\setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
13746         \hsize\textwidth
13747         \@parboxrestore
13748         \col@number \one
13749         \vrule height\topskip width0pt depth0pt
13750  }
13751
13752 \def\endstrip{%
13753     \egroup\egroup
13754     \if@firstcolumn
13755         \ifdim\pagetotal>\z@
13756             \vskip\stripsep
13757             \global\ht@strip\pagegoal
13758             \global\advance\ht@strip by-\pagetotal
13759             \global\advance\ht@strip by-\stripsep
13760             \global\advance\ht@strip by-\ht\@viper
13761             \global\advance\ht@strip by-\stripsep
13762             \global\juo@ht=\ht\@viper
13763     \else
13764         \global\ht@strip\z@

```



```

13765      \fi
13766      \ifdim\ht@strip>\z@
13767          \unvbox\@viper
13768          \vskip\stripsep
13769          \add@strip{\the\pagetotal}{\the\juo@ht}{\the\tempdima}{\the\tempdimb}%
13770          \global\advance\juo@sk by1
13771      \else
13772          \@latex@error{Strip needs more place!}\@ehc
13773          \if@vihproof
13774              \framebox[\columnwidth]{??? Strip ???}%
13775          \fi
13776      \fi
13777      \else
13778          \@latex@error{Strip is used only on left column!}\@ehc
13779          \if@vihproof
1380              \framebox[\columnwidth]{??? Strip ???}%
1381          \fi
1382      \fi
1383 }

```

7.8o minitoc-xetex-bidi.def

```

13784 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
13785 \def\@undottedtocline#1#2#3#4#5{%
13786     \ifnum #1>\c@tocdepth\relax \else
13787         \vskip \z@ plus.2\p@
13788         {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg
13789         \parindent #2\relax\@afterindenttrue
13790         \interlinepenalty\@M
13791         \leavevmode
13792         \atempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \hbox{}%
13793         \hskip -\if@RTL\rightskip\else\leftskip\fi
13794         #4\nobreak\hfill \nobreak
13795         \null\par}%
13796     \fi}
13797 \def\@Undottedtocline#1#2#3#4#5{%
13798     \ifnum #1>\c@tocdepth\relax \else
13799         \vskip \z@ \oplus.2\p@
13800         {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg
13801         \parindent #2\relax\@afterindenttrue
13802         \interlinepenalty\@M
13803         \leavevmode
13804         \atempdima #3\relax
13805         \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right
13806         {\coffeefont #4}\nobreak \nobreak\null
13807         \par}%
13808     \fi}
13809 \def\@Undottedtoclinep#1#2#3#4#5{%
13810     \ifnum #1>\c@tocdepth\relax \else
13811         \vskip \z@ \oplus.2\p@

```



```

13812  {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmar
13813    \parindent #2\relax\@afterindenttrue
13814    \interlinepenalty\OM
13815    \leavevmode
13816    \atempdima #3\relax
13817    \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right
13818    {#4}\nobreak \hfill \nobreak\null
13819    \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
13820    \par}%
13821 \fi}

```

7.81 multicol-xetex-bidi.def

```

13822 \ProvidesFile{multicol-xetex-bidi.def}[2016/11/27 v0.8 bidi adaptations for multicol package
13823 \def\page@sofar{%
13824   \process@cols\mult@rightbox
13825   {\ifvoid\count@
13826     \setbox\count@\hbox to\hsize{}%
13827   \else
13828     \wd\count@\hsize
13829   \fi}%
13830   \count@\col@number \advance\count@\m@ne
13831   \mult@info{z@%
13832   {Column spec: \the\full@width\space = indent
13833   + columns + sep =\MessageBreak
13834   \the\multicol@leftmargin\space
13835   + \the\col@number\space
13836   x \the\hsize\space
13837   + \the\count@\space
13838   x \the\columnsep
13839   }%
13840 \ifvmode\else\errmessage{Multicol Error}\fi
13841 \nointerlineskip
13842 \setbox{z@}\hbox{p}\global\dimen\tw@\dp{z@}
13843 \move{right}{\multicol@leftmargin
13844 \hbox to\full@width{%
13845   \bidi@multicol@align@columns
13846   \rlap{\phantom p}%
13847   }%
13848 \prevdepth{z@}
13849 \kern-\dimen\tw@
13850 \ifdim\dimen\tw@ > \mc@gridwarn
13851   \PackageWarning{multicol}%
13852   {Very deep columns!\MessageBreak
13853   Grid alignment might be broken}%
13854 \fi
13855 }
13856 \def\LTR@column@boxes{%
13857   \process@cols\mult@gfirstbox{%
13858     \ifdim\dp\count@>\dimen\tw@

```



```

13859      \global\dimen\tw@\dp\count@ \fi
13860      \mc@col@status@write
13861      \box\count@
13862      \hss{\columnseprulecolor\vrule
13863          \cwidth\columnseprule}\hss}%
13864      \ifdim\dp\mult@rightbox>\dimen\tw@
13865          \global\dimen\tw@\dp\mult@rightbox \fi
13866      \mc@lastcol@status@write
13867      \box\mult@rightbox
13868 }
13869
13870 \def\RTL@column@boxes{%
13871     \ifnum\col@number<\tw@
13872         \LTR@column@boxes
13873     \else
13874         \process@cols\mult@gfirstbox{%
13875             \hskip\hsize
13876             \hss{\columnseprulecolor\vrule
13877                 \cwidth\columnseprule}\hss
13878 }%
13879     \hskip\hsize
13880     \process@cols\mult@gfirstbox{%
13881         \ifdim\dp\count@>\dimen\tw@
13882             \global\dimen\tw@\dp\count@ \fi
13883         \hskip-\hsize
13884         \mc@col@status@write
13885         \box\count@
13886         \hskip-\hsize
13887         \hskip-\columnsep
13888 }%
13889     \ifdim\dp\mult@rightbox>\dimen\tw@
13890         \global\dimen\tw@\dp\mult@rightbox \fi
13891     \hskip-\hsize
13892     \mc@lastcol@status@write
13893     \box\mult@rightbox
13894     \hskip-\hsize
13895     \hskip\full@width
13896 }
13897 }
13898 \newcommand\RTLmulticolcolumns
13899     {\let\bidi@multicol@align@columns
13900         \RTL@column@boxes}
13901 \newcommand\LTRmulticolcolumns
13902     {\let\bidi@multicol@align@columns
13903         \LTR@column@boxes}
13904 \newcommand\bidi@multicol@align@columns
13905     {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
13906 \def\multicols#1{\col@number#1\relax
13907     \ifnum\col@number<\tw@
13908         \PackageWarning{multicol}%

```



```

13909     {Using `\\number\\col@number'
13910     columns doesn't seem a good idea.^^J
13911     I therefore use two columns instead}%
13912     \\col@number\\tw@ \\fi
13913     \\ifnum\\col@number>10
13914         \\PackageError{multicol}%
13915         {Too many columns}%
13916         {Current implementation doesn't
13917             support more than 10 columns.%}
13918         \\MessageBreak
13919         I therefore use 10 columns instead}%
13920     \\col@number10 \\fi
13921     \\ifx\\@footnotetext\\mult@footnotetext\\else
13922         \\let\\orig@footnotetext\\@footnotetext
13923         \\let\\@footnotetext\\mult@footnotetext
13924     \\fi
13925     \\ifx\\@LTRfootnotetext\\mult@LTRfootnotetext\\else
13926         \\let\\orig@LTRfootnotetext\\@LTRfootnotetext
13927         \\let\\@LTRfootnotetext\\mult@LTRfootnotetext
13928     \\fi
13929     \\ifx\\@RTLfootnotetext\\mult@RTLfootnotetext\\else
13930         \\let\\orig@RTLfootnotetext\\@RTLfootnotetext
13931         \\let\\@RTLfootnotetext\\mult@RTLfootnotetext
13932     \\fi
13933     \\@ifnextchar[\\mult@cols{\\mult@cols[]}]%
13934     \\long\\def\\mult@footnotetext#1{\\begingroup
13935         \\hsize\\textwidth
13936         \\columnwidth\\textwidth
13937         \\orig@footnotetext{#1}\\endgroup}
13938     \\long\\def\\mult@LTRfootnotetext#1{\\begingroup
13939         \\hsize\\textwidth
13940         \\columnwidth\\textwidth
13941         \\orig@LTRfootnotetext{#1}\\endgroup}
13942     \\long\\def\\mult@RTLfootnotetext#1{\\begingroup
13943         \\hsize\\textwidth
13944         \\columnwidth\\textwidth
13945         \\orig@RTLfootnotetext{#1}\\endgroup}
13946     \\def\\right@footnoterule{%
13947         \\kern-3\\p@
13948         \\hbox to \\textwidth{\\hskip \\dimexpr\\textwidth-.4\\columnwidth\\relax \\hrulefill } }
13949         \\kern2.6\\p@}
13950     \\def\\textwidth@footnoterule{\\kern-3\\p@
13951         \\hrule \\@width \\textwidth \\kern 2.6\\p@}

```

7.82 multienum-xetex-bidi.def

```

13952 \\ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
13953 \\renewcommand{\\itemx}[1]{\\parbox[t]{
13954 {\\labelwidth}{\\hfill{\\labelname}}\\hskip\\labelsep}%
13955 \\parbox[t]{\\remainx}{\\bidi@raggedright #1\\par}}%\\smallskip

```



```

13956 \renewcommand{\itemxx}{[2]{\parbox[t]{%
13957 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13958 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
13959 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13960 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}%
13961 \renewcommand{\itemxxx}{[3]{\parbox[t]{%
13962 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13963 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
13964 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13965 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
13966 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13967 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}\smallskip}%
13968 \renewcommand{\itemxxxx}{[4]{\parbox[t]{%
13969 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13970 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
13971 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13972 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill\%}%
13973 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13974 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill\%}%
13975 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13976 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}%
13977 \renewcommand{\itemxxxxx}{[5]{\parbox[t]{%
13978 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13979 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill\%}%
13980 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13981 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill\%}%
13982 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13983 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill\%}%
13984 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13985 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill\%}%
13986 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13987 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}%
13988 \renewcommand{\itemxo}{[2]{\parbox[t]{%
13989 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13990 \parbox[t]{\remainxo}{\bidi@raggedright #1}\hfill\%}%
13991 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13992 \parbox[t]{0.3333\remainxx}{\bidi@raggedright #2}\smallskip}%
13993 \renewcommand{\itemxo}{[2]{\parbox[t]{%
13994 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13995 \parbox[t]{0.3333\remainxx}{\bidi@raggedright #1}\hfill\%}%
13996 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
13997 \parbox[t]{\remainxo}{\bidi@raggedright #2}\smallskip}%
13998 \renewcommand{\itemxoxx}{[3]{\parbox[t]{%
13999 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
14000 \parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill\%}%
14001 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
14002 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #2}\hfill\%}%
14003 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
14004 \parbox[t]{0.25\remainxxx}{\bidi@raggedright #3}\smallskip}%
14005 \renewcommand{\itemxoxx}{[3]{\parbox[t]{%

```



```

14006 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14007 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
14008 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14009 \parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
14010 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14011 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
14012 \renewcommand{\itemxxxo}[3]{\parbox[t]%
14013 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14014 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
14015 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14016 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
14017 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14018 \parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}

```

7.83 natbib-xetex-bidi.def

```

14019 \ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for
14020 \renewenvironment{thebibliography}[1]{%
14021   \bibsection
14022   \parindent\z@
14023   \bibpreamble
14024   \bibfont
14025   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14026   \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{\#1}\global\c@NAT@ctr\z@}%
14027   \ifNAT@openbib
14028     \renewcommand\newblock{\par}%
14029   \else
14030     \renewcommand\newblock{\hskip .11em \oplus .33em \minus .07em}%
14031   \fi
14032   \sloppy\clubpenalty4000\widowpenalty4000
14033   \sfcode`\. \c@m
14034   \let\NAT@bibitem@first@sw\@firstoftwo
14035   \let\citeN\cite \let\shortcite\cite
14036   \let\citeasnoun\cite
14037 }{%
14038   \bibitem@fin
14039   \bibpostamble
14040   \def\@noitemerr{%
14041     \PackageWarning{natbib}{Empty `thebibliography' environment}%
14042   }%
14043   \endlist
14044   \bibcleanup
14045 }

```

7.84 newfloat-xetex-bidi.def

```

14046 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package
14047 \renewcommand*\newfloat@setwithin[2]{%
14048   \ifcsname c@chapter\endcsname
14049     \removewhilereset{\#1}{chapter}%
14050   \fi

```



```

14051  \c@removefromreset{\#1}{section}%
14052  \edef\@tempa{\#2}%
14053  \ifx\@tempa\empty
14054    \def\@tempa{none}%
14055  \fi
14056  \def\@tempb{none}%
14057  \ifx\@tempa\@tempb
14058    \ifcsname c@chapter\endcsname
14059      \c@chapterlistsgap\off{\#1}%
14060    \fi
14061    \newfloat@@setwithin{\#1}{}{}%
14062 \else
14063   \def\@tempb{chapter}%
14064   \ifx\@tempa\@tempb
14065     \c@addtoreset{\#1}{chapter}%
14066     \c@chapterlistsgap@on{\#1}%
14067     \newfloat@@setwithin{\#1}{\ifnum\c@chapter>\z@ \thechapter\c@SepMark\fi}{\theHchapter\c@Se
14068 \else
14069   \def\@tempb{section}%
14070   \ifx\@tempa\@tempb
14071     \c@addtoreset{\#1}{section}%
14072     \ifcsname c@chapter\endcsname
14073       \c@addtoreset{\#1}{chapter}%
14074       \c@chapterlistsgap@on{\#1}%
14075       \newfloat@@setwithin{\#1}{\thesection\c@SepMark}{\theHsection\c@SepMark}%
14076     \else
14077       \newfloat@@setwithin{\#1}{\ifnum\c@section>\z@ \thesection\c@SepMark\fi}{\theHsection
14078     \fi
14079   \else
14080     \newfloat@Error{Invalid value `#2' for option `within'}%
14081   \fi
14082 \fi
14083 \fi}

```

7.85 nttheorem-xetex-bidi.def

```

14084 \ProvidesFile{nttheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for nttheorem package
14085 \gdef\@thm#1#2#3{%
14086   \if@thmmarks
14087     \stepcounter{end\InTheoType ctr}%
14088   \fi
14089   \renewcommand{\InTheoType}{#1}%
14090   \if@thmmarks
14091     \stepcounter{curr#1ctr}%
14092     \setcounter{end#1ctr}{0}%
14093   \fi
14094   \refstepcounter{#2}%
14095   \theorem@prework
14096   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14097   \ifvmode \advance\thm@topsepadd\partopsep\fi

```



```

14098 \trivlist
14099 \@topsep \theorempreskipamount
14100 \@topsepadd \thm@topsepadd % used by \endparenv
14101 \advance\linewidth -\theorem@indent
14102 \advance\@totalleftmargin \theorem@indent
14103 \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
14104 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

7.86 ntheorem-hyper-xetex-bidi.def

```

14105 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hy
14106 \gdef\@thm#1#2#3{%
14107   \if@thmmarks
14108     \stepcounter{end\InTheoType ctr}%
14109   \fi
14110   \renewcommand{\InTheoType}{#1}%
14111   \if@thmmarks
14112     \stepcounter{curr#1ctr}%
14113     \setcounter{end#1ctr}{0}%
14114   \fi
14115   \refstepcounter{#2}%
14116   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14117   \ifvmode \advance\thm@topsepadd\partopsep\fi
14118   \trivlist
14119   \@topsep \theorempreskipamount
14120   \@topsepadd \thm@topsepadd % used by \endparenv
14121   \advance\linewidth -\theorem@indent
14122   \advance\@totalleftmargin \theorem@indent
14123   \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
14124   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

7.87 overpic-xetex-bidi.def

```

14125 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package fo
14126 \renewenvironment{overpic}[2][]{%
14127   \sbox{\z@}{\includegraphics[#1]{#2}}%
14128   \settodepth{\@tempcnta}{\usebox{\z@}}%
14129   \settoheight{\@tempcntb}{\usebox{\z@}}%
14130   \advance\@tempcntb\@tempcnta%
14131   \settowidth{\@tempcnta}{\usebox{\z@}}%
14132   \setlength{\@tempdima}{\unitlength}%
14133   \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
14134 %
14135   \OVP@calc%
14136 %
14137   \begin{picture}(\@tempcnta,\@tempcntb)%
14138     \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
14139     \ifGin@grid%
14140       \put(0,0){\normalfont\selectfont%
14141         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
14142     \fi\fi%

```



```

14143      % reset the graphics parameter
14144      \let\Gin@outer@scalex\relax
14145      \let\Gin@outer@scaley\relax
14146      \let\Gin@angle\relax
14147      \let\Gin@ewidth\Gin@exclamation
14148      \let\Gin@eheight\Gin@ewidth
14149      \def\Gin@scalex{1}
14150      \let\Gin@scaley\Gin@exclamation
14151 }{%
14152     \if@RTL\ifGin@grid%
14153         \put(0,0){\normalfont\fontsize@\viiipt\@viiipt\selectfont%
14154             \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
14155     \fi%
14156     \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}} \fi%
14157     \end{picture}%
14158 }%

```

7.88 pdfpages-xetex-bidi.def

```

14159 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package
14160 \renewcommand*{\includepdf}[2][]{%
14161     \begingroup
14162     \ifRTLfalse
14163         \let\AM@threadname\relax
14164         \AM@split@options{pdfpages}{#1}%
14165         \edef\AM@temp{\pdfpages{\the\@temptokena}}%
14166         \expandafter\setkeys\AM@temp
14167         \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
14168             \let\AM@currentdocname\relax
14169             \renewcommand\includegraphics[2][]{Survey in draft-mode}%
14170             \def\AM@pagecount{0}%
14171         }{%
14172             \AM@findfile{#2}%
14173             \if\AM@threadname\relax
14174                 \def\AM@threadname{\AM@currentdocname}%
14175             \fi
14176         }%
14177         \ifAM@survey
14178             \def\AM@pagestemp{}%
14179             \setcounter{@tempcnta}{0}
14180             \def\foo{%
14181                 \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
14182                     {\let\foo\relax}%
14183                     {\expandafter\ifx\expandafter\\ \AM@pagestemp\ \\
14184                         \edef\AM@pagestemp{%
14185                             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
14186                     \else
14187                         \edef\AM@pagestemp{\AM@pagestemp,%
14188                             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
14189                     \fi

```



```

14190           \advance\@tempcpta 1\relax
14191       }%
14192       \foo
14193   }%
14194   \foo
14195   \expandafter\ifx\expandafter\\AM@pagestemp\\
14196       \def\AM@pagestemp{1}%
14197   \fi
14198 \fi
14199 \ifAM@output
14200     \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
14201     \AM@output{#1}%
14202 \fi
14203 \AM@CheckAtEnd
14204 \endgroup
14205 \AM@ClearShipoutPicture
14206 }

```

7.89 pgfcorescopes.code-xetex-bidi.def

```

14207 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pac
14208 \def\pgfpicture{%
14209   \begin{group}%
14210   \ifmmode\else\@RTLfalse\beginL\fi%
14211   \pgfpicturetrue%
14212   \global\advance\pgf@picture@serial@count by1\relax%
14213   \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
14214   \let\pgf@nodecallback=\pgfutil@gobble%
14215   \pgf@picmaxx=-16000pt\relax%
14216   \pgf@picminx=16000pt\relax%
14217   \pgf@picmaxy=-16000pt\relax%
14218   \pgf@picminy=16000pt\relax%
14219   \pgf@relevantforpicturesizetrue%
14220   \pgf@resetpathsizes%
14221   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}%
14222 \def\endpgfpicture{%
14223   \ifpgfrememberpicturepositiononpage%
14224     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
14225   \fi%
14226   % ok, now let's position the box
14227   \ifdim\pgf@picmaxx=-16000pt\relax%
14228     % empty picture. make size 0.
14229     \global\pgf@picmaxx=0pt\relax%
14230     \global\pgf@picminx=0pt\relax%
14231     \global\pgf@picmaxy=0pt\relax%
14232     \global\pgf@picminy=0pt\relax%
14233   \fi%
14234   % Shift baseline outside:
14235   \pgf@relevantforpicturesizefalse%
14236   \pgf@process{\pgf@baseline}%

```



```

14237      \xdef\pgf@shift@baseline{\the\pgf@y}%
14238      %
14239      \pgf@process{\pgf@trimleft}%
14240      \global\advance\pgf@x by-\pgf@picminx
14241      % prepare \hskip\pgf@trimleft@final.
14242      % note that \pgf@trimleft@final is also queried
14243      % by the pgf image externalization.
14244      \xdef\pgf@trimleft@final{-\the\pgf@x}%
14245      %
14246      \pgf@process{\pgf@trimright}%
14247      \global\advance\pgf@x by-\pgf@picmaxx
14248      % prepare \hskip\pgf@trimright@final.
14249      % note that \pgf@trimright@final is also queried
14250      % by the pgf image externalization.
14251      \xdef\pgf@trimright@final{\the\pgf@x}%
14252      %
14253      \pgf@remember@layerlist@globally
14254          \endgroup%
14255          \hss%
14256          \egroup%
14257      \pgf@restore@layerlist@from@global
14258          \pgf@insertlayers%
14259          \endgroup%
14260          \pgfsys@discardpath%
14261          \endgroup%
14262          \pgfsys@endscope%
14263          \pgfsys@endpicture%
14264          \endgroup%
14265          \hss
14266          \egroup%
14267          \pgfsys@typesetpicturebox\pgfpic%
14268          \ifmmode\else\endL\fi%
14269          \endgroup%
14270 }

```

7.9o picinpar-xetex-bidi.def

```

14271 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
14272 \long\def\@makewincaption#1#2{%
14273     \setbox@\tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
14274     \ifdim\wd\@tempboxa>\picwd
14275         {\footnotesize{\bf #1:\enspace}{#2}\par}%
14276     \else
14277         \hbox to\picwd{\if@RTL\beginR\fi\hfil\box@\tempboxa\hfil\if@RTL\endR\fi}%
14278     \fi}
14279 \def\endwindow{%
14280     \global\tcd=\tcdsav
14281     \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
14282     \vbadness=10000
14283     \splittopskip=0pt

```



```

14284 %
14285 % Typeset the lines above the window
14286 %
14287 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
14288 \tcn=\tcd
14289 \loop\advance\tcn -1
14290 \setbox\fslice=\vsplit\holder to\baselineskip
14291 \prune\fslice\linewidth
14292 \topheight=0pt
14293 \ifnum\dp\fslice>\dp\wstrutbox
14294     \advance\topheight-\dp\fslice
14295     \advance\topheight\dp\wstrutbox
14296     \advance\topheight\ilg\fi
14297 \hbox to\linewidth{\box\fslice}
14298 \vskip-\topheight
14299 \ifdim\ht\holder>0pt\repeat
14300 \fi
14301 %
14302 % Now we build the boxes beside the window
14303 %
14304 \global\topheight=\tcl\baselineskip
14305 \ifnum\cumpartcl>0\global\tcl=\cumtcl
14306     \global\topheight=\vpic
14307 \fi
14308 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
14309 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
14310 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
14311 \tcn=\tcl \na=0 \nb=0
14312 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
14313 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
14314 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
14315 \ifnum\na=0\ifnum\nb=0
14316     \setbox\waslice=\vbox to\vpic{\vss}
14317     \setbox\wbslice=\vbox to\vpic{\vss}
14318     \bl=1\br=1
14319     \vskip\ilg
14320 \fi\fi
14321 %
14322 % both sides
14323 %
14324 \ifnum\na>0 \ifnum\nb>0
14325 \loop\advance\nb -1
14326 \advance\na -1
14327 \if@RTL%
14328 \setbox\bslice=\vsplit\holder to\baselineskip
14329 \prune\bslice\rtside
14330 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
14331 to\rtside{\box\bslice\hfill}}
14332 \setbox\aslice=\vsplit\holder to\baselineskip
14333 \prune\aslice\lftside

```



```

14334 \setbox\waslice=\vbox{\unvbox\waslice\hbox
14335 to\lftside{\box\aslice\hfil}}
14336 \else%
14337 \setbox\aslice=\vsplit\holder to\baselineskip
14338 \prune\aslice\lftside
14339 \setbox\waslice=\vbox{\unvbox\waslice\hbox
14340 to\lftside{\box\aslice\hfil}}
14341 \setbox\bslice=\vsplit\holder to\baselineskip
14342 \prune\bslice\rtside
14343 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
14344 to\rtside{\box\bslice\hfil}}
14345 \fi%
14346 \ifnum\nb>0\repeat
14347 \fi\fi
14348 %
14349 % only text on the left side
14350 %
14351 \ifnum\na>0
14352     \loop\advance\na -1
14353         \setbox\aslice=\vsplit\holder to\baselineskip
14354         \prune\aslice\lftside
14355         \setbox\waslice=\vbox{\unvbox\waslice\hbox
14356             to\lftside{\box\aslice\hfil}}
14357         \ifdim\ht\holder>0pt\repeat
14358 \fi
14359 %
14360 % only text on the right side
14361 %
14362 \ifnum\nb>0
14363     \loop\advance\nb -1
14364         \setbox\bslice=\vsplit\holder to\baselineskip
14365         \prune\bslice\rtside
14366         \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
14367             to\rtside{\box\bslice\hfil}}
14368         \ifdim\ht\holder>0pt\repeat
14369 \fi
14370 %
14371 % fixing the dimensions of the window part
14372 %
14373 \ifnum\bl=0\topheight=\ht\wbslice
14374 \else\ifnum\br=0\topheight=\ht\waslice
14375     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
14376         \else\topheight=\ht\wbslice\fi\fi\fi
14377 %
14378 % ship out the window material to the main vertical list
14379 %
14380 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
14381 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
14382 \fi\fi\fi
14383 \setbox>windowbox=\vbox{\hbox to\linewidth{%

```



```

14384 \ifnum\bl>0\box\waslice\hfill\fi%
14385 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
14386 \vfill\unvbox\picbox%
14387 \ifnum\picwd>0\vfill\fi%
14388 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
14389 \unvbox>windowbox%
14390 \loop
14391 \setbox\bslice=\vsplit\rawtext to\baselineskip
14392 \prune\bslice\linewidth
14393 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
14394 \unvbox\wbslice
14395 \ifdim\ht\rawtext>0pt
14396 \repeat
14397 }% FINITO

```

7.91 plain-xetex-bidi.def

```

14398 \def\TeXeTOn{\TeXeTstate=1 }
14399 \def\TeXeTOff{\TeXeTstate=0 }
14400 \TeXeTOn
14401 \def\usebox#1{\leavevmode\copy #1\relax}
14402 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox%
14403 \let\bidi@o@everypar=\everypar
14404 \newtoks\bidi@n@everypar
14405 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
14406 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
14407 \let\everypar=\bidi@n@everypar
14408 \def\moreLRE{\brace{text \aftergroup\endL \beginL\@RTLfalse}
14409 \def\moreRLE{\brace{text \aftergroup\endR \beginR\@RTLtrue}
14410 \protected\def\hboxR{\hbox\bgroup
14411 \everyhbox{%
14412 \aftergroup\egroup
14413 \everyhbox{}}%
14414 \beginR
14415 \hboxRconstructtrue
14416 \bgroup
14417 \aftergroup\endR
14418 \aftergroup\egroup
14419 }\hbox}
14420 \protected\def\hboxL{\hbox\bgroup
14421 \everyhbox{%
14422 \aftergroup\egroup
14423 \everyhbox{}}%
14424 \beginL
14425 \hboxRconstructfalse
14426 \bgroup
14427 \aftergroup\endL
14428 \aftergroup\egroup
14429 }\hbox}
14430 \protected\def\vboxR{\vbox\bgroup

```



```

14431 \everyvbox{%
14432 \aftergroup\egroup
14433 \everyvbox{}%
14434 \oRTLtrue
14435 \bgroup
14436 \aftergroup\egroup
14437 }\vbox}
14438 \protected\def\vboxL{\vbox\bgroup
14439 \everyvbox{%
14440 \aftergroup\egroup
14441 \everyvbox{}%
14442 \oRTLfalse
14443 \bgroup
14444 \aftergroup\egroup
14445 }\vbox}
14446 \def\lTR{\par\oRTLfalse\oRTL@footnotefalse\hsize\linewidth\parshape\z@}
14447 \def\endLTR{\par}
14448 \def\rTL{\par\oRTLtrue\oRTL@footnotetrue\hsize\linewidth\parshape\z@}
14449 \def\endRTL{\par}
1450 \def\setRTL{\oRTLtrue\oRTL@footnotetrue}
1451 \def\setLTR{\oRTLfalse\oRTL@footnotefalse}
1452 \let\unsetRTL=\setRTL
1453 \let\unsetLTR=\setRTL
1454 \let\LR=\LRE
1455 \let\RL=\RLE
1456 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
1457 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
1458 \let\@ensure@RL=\@ensure@RTL
1459 \let\@ensure@LR=\@ensure@LTR
1460 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
1461 \let\@ensure@maindir=\@ensure@dir
1462 \def\@@RTL{RTL}
1463 \def\@@LTR{LTR}
1464 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
1465 \def\reset@dir{\ifx\saved@dir\@@RTL\setRTL\else\ifx\saved@dir\@@LTR\setLTR\else\relax\fi\fi}
1466 \let\@TeX\TeX
1467 \def\TeX{\@ensure@LTR{\@TeX}}
1468 \long\def\bidi@reflect@box#1{%
1469 \leavevmode
1470 \setbox\z@\hbox{\#1}%
1471 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}%
1472 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
1473 }
1474 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex}%
1475 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em\TeX}$$}}
1476 \let\setRL=\setRTL
1477 \let\setLR=\setLTR
1478 \let\unsetRL=\setLTR
1479 \let\bidi@saved@eqno=\eqno
1480 \let\bidi@saved@leqno=\leqno

```



```

14481 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
14482 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
14483 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
14484 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
14485 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

7.92 pstricks-xetex-bidi.def

```

14486 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package
14487 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
14488 \def\endpspicture{%
14489   \ifshowgrid\ifnum\showgridp@s>0
14490     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
14491   \pst@killglue
14492 % \global\pst@shift=\pst@shift% in fact of the following endgroup
14493   \endgroup
14494   \egroup
14495   \ifdim\wd\pst@hbox=\z@\else
14496     %\@pstrickserr{Extraneous space in the pspicture environment}%
14497     %{Type \space <return> \space to proceed.}%
14498   \fi
14499   \ht\pst@hbox=\pst@dimd
14500   \dp\pst@hbox=-\pst@dimb
14501   \setbox\pst@hbox=\hbox{%
14502     \kern-\pst@dima
14503 % Orig version -----
14504 %\ifx\pst@tempa\empty\else
14505 %\advance\pst@dimd-\pst@dimb
14506 %\pst@dimd=\pst@tempa\pst@dimd
14507 %\advance\pst@dimd\pst@dimb
14508 %\lower\pst@dimd
14509 %\fi
14510 %---- end Orig
14511   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%
14512     \advance\pst@dimd-\pst@dimb
14513     \pst@dimd=0.5\pst@dimd
14514     \else\pst@dimd-\pst@shift\fi
14515     \advance\pst@dimd\pst@dimb
14516     \lower\pst@dimd
14517     \box\pst@hbox
14518     \kern\pst@dimc}%
14519   \if@star\setbox\pst@hbox=\hbox{\clipbox{\z@}\fi
14520   \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
14521   \fboxsep=0pt
14522   \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
14523 \ifmmode\else\endL\fi
14524 \endgroup%
14525 \psset[pstricks]{shift=0}%
14526 }% reset value

```



7.93 quotchap-xetex-bidi.def

```
14527 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package
14528 \renewcommand{\qauthor}[1]{%
14529   \par\smallskip
14530   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
14531 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
14532   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
14533     \chapnumfont
14534       \ifnum \c@secnumdepth >\m@ne%
14535         \if@mainmatter\thechapter%
14536           \fi\fi
14537         \par\nobreak}%
14538         {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10
14539         \nobreak\chapterheadendvskip}}
14540 \renewcommand*{\iprintcites}{%
14541   \vbox to\z@{\leavevmode\copy\@quotebox\vss}
14542   \global\let\@printcites\relax}
```

7.94 ragged2e-xetex-bidi.def

```
14543 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package
14544 \renewcommand{\Centering}{%
14545   \ifx\\@\raggedtwoe@savedcr
14546     \let\\@\centercr
14547   \fi
14548   \let@gnewline@\raggedtwoe@gnewline
14549   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
14550   \@rightskip\CenteringRightskip
14551   \if@RTL\leftskip\else\rightskip\fi\@rightskip
14552   \parfillskip\CenteringParfillskip
14553   \parindent\CenteringParindent
14554   \raggedtwoe@spaceskiptrue
14555   \raggedtwoe@everyselectfont
14556 }
14557 \renewcommand{\RaggedLeft}{%
14558   \ifx\\@\raggedtwoe@savedcr
14559     \let\\@\centercr
14560   \fi
14561   \let@gnewline@\raggedtwoe@gnewline
14562   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
14563   \@rightskip\RaggedLeftRightskip
14564   \if@RTL\leftskip\else\rightskip\fi\@rightskip
14565   \parfillskip\RaggedLeftParfillskip
14566   \parindent\RaggedLeftParindent
14567   \raggedtwoe@spaceskiptrue
14568   \raggedtwoe@everyselectfont
14569 }
14570 \renewcommand{\RaggedRight}{%
14571   \ifx\\@\raggedtwoe@savedcr
14572     \let\\@\centercr
```



```

14573   \fi
14574   \let\@gnewline\@raggedtwoe@gnewline
14575   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
14576   \rightskip\RaggedRightRightskip
14577   \if@RTL\leftskip\else\rightskip\fi\@rightskip
14578   \parfillskip\RaggedRightParfillskip
14579   \parindent\RaggedRightParindent
14580   \@raggedtwoe@spaceskiptrue
14581   \@raggedtwoe@everyselectfont
14582   }
14583 \renewcommand{\justifying}{%
14584   \let\\@\raggedtwoe@savedcr
14585   \let\@gnewline\@raggedtwoe@saved@gnewline
14586   \if@RTL\rightskip\else\leftskip\fi\z@
14587   \rightskip\z@
14588   \if@RTL\leftskip\else\rightskip\fi\@rightskip
14589   \parfillskip\JustifyingParfillskip
14590   \parindent\JustifyingParindent
14591   \@raggedtwoe@spaceskipfalse
14592   \@raggedtwoe@everyselectfont
14593   }
14594 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{%
14595   \CheckCommand*{\@arrayparboxrestore}{%
14596     \let\if@nobreak\iffalse
14597     \let\if@noskipsec\iffalse
14598     \let\par\@@par
14599     \let\-\@dischyp
14600     \let'\@acci\let`\@accii\let\=\@acciii
14601     \parindent\z@ \parskip\z@skip
14602     \everypar{}%
14603     \linewidth\hsize
14604     \@totalleftmargin\z@
14605     \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \orig
14606     \parfillskip\@flushglue \lineskip\normallineskip
14607     \baselineskip\normalbaselineskip
14608     \sloppy}%
14609   \renewcommand{\@arrayparboxrestore}{%
14610     \let\if@nobreak\iffalse
14611     \let\if@noskipsec\iffalse
14612     \let\par\@@par
14613     \let\-\@dischyp
14614     \let'\@acci\let`\@accii\let\=\@acciii
14615     \parskip\z@skip
14616     \everypar{}%
14617     \linewidth\hsize
14618     \@totalleftmargin\z@
14619     \RaggedRight
14620     \lineskip\normallineskip
14621     \baselineskip\normalbaselineskip
14622     \sloppy}%

```



```

14623 \let\@raggedtwoe@raggedrightboxes@opt\relax
14624 }
14625 \let\origin@RaggedLeft=\RaggedLeft
14626 \let\origin@RaggedRight=\RaggedRight
14627 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
14628 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

7.95 rapport1-xetex-bidi.def

```

14629 \ProvidesFile{rapport1-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for rapport1 class fo
14630 \renewenvironment{theindex}{%
14631   \if@twocolumn
14632     \restonecolfalse
14633   \else
14634     \restonecoltrue
14635   \fi
14636   \columnseprule \z@
14637   \columnsep 35\p@
14638   \twocolumn[\@makeschapterhead{\indexname}]%
14639   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
14640   \thispagestyle{plain}\parindent\z@
14641   \parskip\z@ \plus .3\p@\relax
14642   \let\item\@idxitem
14643 }{%
14644   \if@restonecol\onecolumn\else\clearpage\fi}
14645 \renewcommand*\head@style{%
14646   \interlinepenalty \zM
14647   \hyphenpenalty=\zM \exhyphenpenalty=\zM
14648   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
14649 \if@titlepage
14650   \renewenvironment{abstract}{%
14651     \titlepage
14652     \null\vfil
14653     \section*{\SectFont\abstractname}%
14654     \noindent\ignorespaces
14655     {\par\vfil\null\endtitlepage}
14656 }%
14657 \else
14658   \renewenvironment{abstract}{%
14659     \if@twocolumn
14660       \section*{\abstractname}%
14661       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
14662       \section*{\small\SectFont\abstractname}%
14663       \noindent\ignorespaces
14664     \fi}
14665   {\if@twocolumn\else\par\egroup\fi}
14666 \fi
14667 \renewcommand*\@regtocline[3]{%
14668   \ifnum #1>\c@tocdepth
14669     \else

```



```

14670   \vskip\z@\@plus.2\p@
14671   {\hangindent\z@\@afterindenttrue \interlinepenalty\@M
14672     \if@RTL\rightskip\else\leftskip\fi\unitindent
14673     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
14674     \parfillskip\z@
14675     \tempdima\unitindent
14676     \parindent\z@
14677     \leavevmode
14678     \hbox{}{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
14679     \hskip 1em \nobreak{\slshape #3}\par
14680   }%
14681 \fi}
14682 \if@oldtoc
14683 \renewcommand*\l@part[2]{%
14684   \ifnum \c@tocdepth >-2\relax
14685     \addpenalty{-\@highpenalty}%
14686     \addvspace{2.25em \@plus\p@}%
14687     \begingroup
14688       \setlength\tempdima{3em}%
14689       \parindent\z@\if@RTL\leftskip\else\rightskip\fi\@pnumwidth
14690       \parfillskip -\@pnumwidth
14691     {\leavevmode
14692       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
14693       \nobreak
14694       \global\@nobreaktrue
14695       \everypar{\global\@nobreakfalse\everypar{}}%
14696     \endgroup
14697   \fi}
14698 \else
14699   \renewcommand*\l@part{%
14700     \ifnum \c@tocdepth >-2\relax
14701     \addpenalty{-\@highpenalty}%
14702     \addvspace{2.25em \@plus\p@}%
14703     \regtocline{0}%
14704   \fi}
14705 \fi
14706 \if@oldtoc
14707 \renewcommand*\l@chapter[2]{%
14708   \addpenalty{-\@highpenalty}%
14709   \vskip 1.0em \@plus\p@
14710   \setlength\tempdima{1.5em}%
14711   \begingroup
14712     \parindent\z@\if@RTL\leftskip\else\rightskip\fi\@pnumwidth
14713     \parfillskip -\@pnumwidth
14714     \leavevmode \bfseries
14715     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
14716     \hskip -\if@RTL\rightskip\else\leftskip\fi
14717     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
14718     \penalty\@highpenalty
14719   \endgroup}

```



```

14720 \else
14721   \renewcommand*\l@chapter{\@regtocline{0}}
14722 \fi
14723 \renewcommand*\left@footnoterule{%
14724   \kern-3\p@
14725   \kern.5\baselineskip
14726   \hrule\@width\unitindent
14727   \kern.4\baselineskip
14728 }
14729 \renewcommand*\right@footnoterule{%
14730   \kern-3\p@
14731   \kern.5\baselineskip
14732   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax} \hrulefill }
14733   \kern.4\baselineskip}
14734 \renewenvironment{thebibliography}[1]
14735   {\chapter*{\bibname}%
14736     \Gmkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
14737     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14738     \list{\@biblabel{\@arabic\c@enumiv}}{%
14739       \settowidth\labelwidth{\@biblabel{#1}}%
14740       \leftmargin\labelwidth
14741       \advance\leftmargin\labelsep
14742       \openbib@code
14743       \usecounter{enumiv}%
14744       \let\p@enumiv\empty
14745       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14746       \sloppy\clubpenalty4000\widowpenalty4000%
14747       \sfcode`\. \empty
14748     \def\@noitemerr
14749       {\@latex@warning{Empty `thebibliography' environment}}%
14750     \endlist
14751 \renewcommand*\thesection{\thechapter \@SepMark \@arabic\c@section}
14752 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@section}
14753 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \@arabic\c@subsubsection}
14754 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic\c@paragraph}
14755 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \@arabic\c@subparagraph}
14756 \renewcommand*\theequation{%
14757   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@equation}
14758 \renewcommand*\thefigure{%
14759   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@figure}
14760 \renewcommand*\thetable{%
14761   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@table}
14762 \if@titlepage
14763 \renewcommand*\TitleFont{\rmfamily}
14764 \renewcommand*\maketitle{%
14765   \begin{titlepage}%
14766     \let\footnotesize\small
14767     \let\right@footnoterule\relax
14768     \let\left@footnoterule\relax
14769     \let\textwidth@footnoterule\relax

```



```

14770   \let \footnote \thanks
14771   \long\def\@makefntext##1{\parindent\z@
14772     \def\labelitemi{\textendash}\@revlabeltrue
14773     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
14774   \renewcommand*\thefootnote{\@fnsymbol{c}\footnote}%
14775   \if@compatibility\setcounter{page}{0}\fi
14776   \null\vfil
14777   \vskip 60\p@
14778   \begin{center}%
14779     \TitleFont
14780     {\LARGE \def\\{\penalty -\@M}
14781       \if@allcaps
14782         \expandafter\uc@nothanks\@title\thanks\relax
14783       \else
14784         \@title
14785       \fi\par}%
14786     \vskip 3em%
14787     {\large
14788       \lineskip .75em \parindent\z@
14789       \begin{tabular}[t]{c}%
14790         \if@allcaps
14791           \expandafter\uc@authornothanks\@author\and\relax
14792         \else
14793           \@author
14794         \fi
14795       \end{tabular}\par}%
14796     \vskip 1.5em%
14797     {\large
14798       \if@allcaps
14799         \uppercase\expandafter{\@date}%
14800       \else
14801         \@date
14802       \fi\par}%
14803     \end{center}\par
14804   \@thanks
14805   \vfil\null
14806   \end{titlepage}%
14807   \setcounter{footnote}{0}%
14808   \global\let\thanks\relax
14809   \global\let\maketitle\relax
14810   \global\let\@thanks\empty
14811   \global\let\@author\empty
14812   \global\let\@title\empty
14813   \global\let\@date\empty
14814   \global\let\title\relax
14815   \global\let\author\relax
14816   \global\let\date\relax
14817   \global\let\and\relax
14818 }
14819 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}

```



```

14820 \def\uc@authornothanks#1{\and{\uc@nothanks#1\thanks\relax
14821     \futurelet\@tempa\uc@ax}
14822 \def\uc@ax{%
14823     \ifx\@tempa\relax
14824     \else
14825         \\\andname \\ \expandafter\uc@authornothanks
14826     \fi}
14827 \def\uc@tx{\ifx\@tempa\relax
14828     \else \expandafter\uc@ty \fi}
14829 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
14830 \else
14831 \renewcommand*\maketitle{\par
14832     \begingroup
14833         \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
14834         \def\@makefnmark{\rlap{%
14835             \textsuperscript{\normalfont\thefnmark}}}%
14836         \long\def\@makefntext{\xmakefntext{%
14837             \textsuperscript{\normalfont\thefnmark}}}%
14838         \if@twocolumn
14839             \ifnum \col@number=\@ne
14840                 \maketitle
14841             \else
14842                 \twocolumn[\maketitle]
14843             \fi
14844         \else
14845             \newpage
14846             \global\@topnum\z@
14847             \maketitle
14848             \fi
14849             \thispagestyle{plain}\thanks
14850         \endgroup
14851         \setcounter{footnote}{0}%
14852         \global\let\thanks\relax
14853         \global\let\maketitle\relax
14854         \global\let\@maketitle\relax
14855         \global\let\@thanks\empty
14856         \global\let\@author\empty
14857         \global\let\@title\empty
14858         \global\let\@date\empty
14859         \global\let\title\relax
14860         \global\let\author\relax
14861         \global\let\date\relax
14862         \global\let\and\relax
14863     }
14864 \def\@maketitle{%
14865     \newpage
14866     \null
14867     \vskip 2em%
14868     \begin{center}%
14869         \let \footnote \thanks

```



```

14870      {\LARGE \TitleFont \@title \par}%
14871      \vskip 1.5em%
14872      {\large \TitleFont
14873          \lineskip .5em%
14874          \begin{tabular}[t]{c}%
14875              \author
14876          \end{tabular}\par}%
14877          \vskip 1em%
14878          {\large \TitleFont \@date}%
14879      \end{center}%
14880      \par
14881      \vskip 1.5em}
14882 \fi

```

7.96 rapport3-xetex-bidi.def

```

14883 \ProvidesFile{rapport3-xetex-bidi.def}[2015/11/14 v0.5 bidi adaptations for rapport3 class fo
14884 \renewenvironment{theindex}{%
14885     \if@twocolumn
14886         \restonecolfalse
14887     \else
14888         \restonecoltrue
14889     \fi
14890     \columnseprule \z@
14891     \columnsep 35\p@
14892     \twocolumn[\@makeschapterhead{\indexname}]%
14893     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
14894     \thispagestyle{plain}\parindent\z@
14895     \parskip\z@ \relax .3\p@\relax
14896     \let\item\@idxitem
14897 }{%
14898     \if@restonecol\onecolumn\else\clearpage\fi}
14899 \if@titlepage
14900 \renewcommand*\TitleFont{\rmfamily}
14901 \renewcommand*\maketitle{%
14902     \begin{titlepage}%
14903         \let\footnotesize\small
14904         \let\right@footnoterule\relax
14905         \let\left@footnoterule\relax
14906         \let\textwidth@footnoterule\relax
14907         \let\footnote\thanks
14908         \let\LTRfootnote\LTRthanks
14909         \let\RTLfootnote\RTLthanks
14910         \long\def\@makefntext##1{\parindent\z@
14911             \def\labelitemi{\textendash}\@revlabeltrue
14912             \leavevmode\@textsupscript{\@thefnmark}\kern1em\relax ##1}
14913     \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
14914     \if@compatibility\setcounter{page}{0}\fi
14915     \null\vfil
14916     \vskip 60\p@

```



```

14917 \begin{center}%
14918   \TitleFont
14919   {\LARGE \def\\{\penalty -\@M}
14920     \if@allcaps
14921       \expandafter\uc@nothanks\@title\thanks\relax
14922     \else
14923       \@title
14924     \fi\par}%
14925   \vskip 3em%
14926   {\large
14927     \lineskip .75em \parindent\z@
14928     \begin{tabular}[t]{c}%
14929       \if@allcaps
14930         \expandafter\uc@authornothanks\@author\and\relax
14931       \else
14932         \@author
14933       \fi
14934     \end{tabular}\par}%
14935   \vskip 1.5em%
14936   {\large
14937     \if@allcaps
14938       \uppercase\expandafter{\@date}%
14939     \else
14940       \@date
14941     \fi\par}%
14942   \end{center}\par
14943   \@thanks
14944   \vfil\null
14945   \end{titlepage}%
14946   \setcounter{footnote}{0}%
14947   \global\let\thanks\relax
14948   \global\let\LTRthanks\relax
14949   \global\let\RTLthanks\relax
14950   \global\let\maketitle\relax
14951   \global\let\@thanks\empty
14952   \global\let\@author\empty
14953   \global\let\@title\empty
14954   \global\let\@date\empty
14955   \global\let\title\relax
14956   \global\let\author\relax
14957   \global\let\date\relax
14958   \global\let\and\relax
14959 }
14960 \def\uc@nothanks#1\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
14961 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
14962   \futurelet\@tempa\uc@ax}
14963 \def\uc@ax{%
14964   \ifx\@tempa\relax
14965   \else
14966     \\\andname \\ \expandafter\uc@authornothanks

```



```

14967 \fi}
14968 \def\uc@tx{\ifx\@tempa\relax
14969 \else \expandafter\uc@ty \fi}
14970 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
14971 \else
14972 \renewcommand*\maketitle{\par
14973 \begingroup
14974 \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
14975 \def\@makefnmark{\rlap{%
14976 \textsuperscript{\normalfont\@thefnmark}}}%
14977 \long\def\@makefntext{\xmakefntext{%
14978 \textsuperscript{\normalfont\@thefnmark}}}%
14979 \if@twocolumn
14980 \ifnum \col@number=\@ne
14981 \maketitle
14982 \else
14983 \twocolumn[\maketitle]%
14984 \fi
14985 \else
14986 \newpage
14987 \global\@topnum\z@
14988 \maketitle
14989 \fi
14990 \thispagestyle{plain}\@thanks
14991 \endgroup
14992 \setcounter{footnote}{0}%
14993 \global\let\thanks\relax
14994 \global\let\LTRthanks\relax
14995 \global\let\RTLthanks\relax
14996 \global\let\maketitle\relax
14997 \global\let\@maketitle\relax
14998 \global\let\@thanks\empty
14999 \global\let\@author\empty
15000 \global\let\@title\empty
15001 \global\let\@date\empty
15002 \global\let\title\relax
15003 \global\let\author\relax
15004 \global\let\date\relax
15005 \global\let\and\relax
15006 }
15007 \def\@maketitle{%
15008 \newpage
15009 \null
15010 \vskip 2em%
15011 \if@titlecentered
15012 \begin{center}%
15013 \let \footnote \thanks
15014 \let \LTRfootnote \LTRthanks
15015 \let \RTLfootnote \RTLthanks
15016 {\LARGE \TitleFont \@title \par}%

```



```

15017   \vskip 1.5em%
15018   {\large \TitleFont
15019     \lineskip .5em%
15020     \begin{tabular}[t]{c}%
15021       \author
15022       \end{tabular}\par}%
15023   \vskip 1em%
15024   {\large \TitleFont \@date}%
15025 \end{center}%
15026 \else
15027   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
15028   {\large \TitleFont \lineskip .5em \tabcolsep\z@
15029     \def\and{%% \begin{tabular} has already started
15030       \end{tabular}\hskip 1em plus .17fil
15031       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabul
15032       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p
15033     \vskip 1em {\large \TitleFont \@date}
15034   \fi
15035   \par
15036   \vskip 1.5em}
15037 \fi
15038 \renewcommand*\@rectocline[3]{%
15039   \ifnum #1>\c@tocdepth
15040   \else
15041     \vskip\z@\@plus.2\p@
15042     {\hangindent\z@ \cafterindenttrue \interlinepenalty\@M
15043       \if@RTL\rightskip\else\leftskip\fi\unitindent
15044       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
15045       \parfillskip\z@
15046       \tempdima\unitindent
15047       \parindent\z@
15048       \leavevmode
15049       \hbox{}{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15050       \hskip 1em \nobreak\slshape #3}\par
15051     }%
15052   \fi}
15053 \if@oldtoc
15054 \renewcommand*\l@part[2]{%
15055   \ifnum \c@tocdepth >2\relax
15056     \addpenalty{-\@highpenalty}%
15057     \addvspace{2.25em \@plus\p@}%
15058     \begingroup
15059       \setlength\tempdima{3em}%
15060       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\relax \pnumwidth
15061       \parfillskip -\pnumwidth
15062     {\leavevmode
15063       \large \bfseries #1\hfil \hb@xt\pnumwidth{\hss #2}\par
15064       \nobreak
15065       \global\nobreaktrue
15066       \everypar{\global\nobreakfalse\everypar{}}\%}
```



```

15067      \endgroup
15068  \fi}
15069 \else
15070  \renewcommand*\l@part{%
15071    \ifnum \c@tocdepth >-2\relax
15072    \addpenalty{-\@highpenalty}%
15073    \addvspace{2.25em \oplus \p@}%
15074    \regtocline{0}%
15075  \fi}
15076 \fi
15077 \if@oldtoc
15078 \renewcommand*\l@chapter[2]{%
15079  \addpenalty{-\@highpenalty}%
15080  \vskip 1.0em \oplus \p@
15081  \setlength{\tempdima{1.5em}}%
15082  \begingroup
15083  \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15084  \parfillskip -\pnumwidth
15085  \leavevmode \bfseries
15086  \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15087  \hskip -\if@RTL\rightskip\else\leftskip\fi
15088  #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
15089  \penalty\@highpenalty
15090  \endgroup}
15091 \else
15092  \renewcommand*\l@chapter{\regtocline{0}}
15093 \fi
15094 \renewcommand*\head@style{%
15095  \interlinepenalty \OM
15096  \hyphenpenalty=\OM \exhyphenpenalty=\OM
15097  \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15098 \if@titlepage
15099  \renewenvironment{abstract}{%
15100    \titlepage
15101    \null\vfil
15102    \section*{\SectFont\abstractname}%
15103    \noindent\ignorespaces
15104    {\par\vfil\null\endtitlepage}
15105 \else
15106  \renewenvironment{abstract}{%
15107    \if@twocolumn
15108    \section*{\abstractname}%
15109    \else
15110    \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15111    \section*{\small\SectFont\abstractname}%
15112    \noindent\ignorespaces
15113    \fi}
15114  {\if@twocolumn\else\par\egroup\fi}
15115 \fi
15116 \renewcommand*\thesection{\thechapter\SepMark\arabic\c@section}

```



```

15117 \renewcommand*\thesubsection{\thesection@\SepMark@\arabic{c@subsection}}
15118 \renewcommand*\thesubsubsection{\thesubsection@\SepMark@\arabic{c@subsubsection}}
15119 \renewcommand*\theparagraph{\thesubsubsection@\SepMark@\arabic{c@paragraph}}
15120 \renewcommand*\thesubparagraph{\theparagraph@\SepMark@\arabic{c@subparagraph}}
15121 \renewcommand*\thefigure{%
15122   \ifnum\c@chapter>\z@\thechapter@\SepMark\fi@\arabic{c@figure}}
15123 \renewcommand*\thetable{%
15124   \ifnum\c@chapter>\z@\thechapter@\SepMark\fi@\arabic{c@table}}
15125 \renewcommand*\theequation{%
15126   \ifnum \c@chapter>\z@ \thechapter@\SepMark\fi@\arabic{c@equation}}
15127 \renewenvironment{thebibliography}[1]
15128   {\chapter*{\bibname}%
15129     \Gmboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
15130     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15131     \list{\@biblabel{\@arabic{c@enumiv}}}%
15132       {\settowidth\labelwidth{\@biblabel{#1}}%
15133         \leftmargin\labelwidth
15134         \advance\leftmargin\labelsep
15135         \openbib@code
15136         \usecounter{enumiv}%
15137         \let\p@enumiv\empty
15138         \renewcommand*\theenumiv{\@arabic{c@enumiv}}%
15139         \sloppy\clubpenalty4000\widowpenalty4000%
15140         \sfcode`.\.0m}
15141       {\def\@noitemerr
15142         {\@latex@warning{Empty `thebibliography' environment}}%
15143       \endlist}
15144 \renewcommand*\left@footnoterule{%
15145   \kern-3\p@
15146   \kern.5\baselineskip
15147   \hrule\@width\unitindent
15148   \kern.4\baselineskip
15149 }
15150 \renewcommand*\right@footnoterule{%
15151   \kern-3\p@
15152   \kern.5\baselineskip
15153   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax}\hrulefill }
15154   \kern.4\baselineskip}
15155 \renewcommand*\head@style{%
15156   \interlinepenalty \M
15157   \hyphenpenalty=\M \exhyphenpenalty=\M
15158   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

7.97 refrep-xetex-bidi.def

```

15159 \ProvidesFile{refrep-xetex-bidi.def}[2015/11/14 v0.4 bidi adaptations for refrep class for Xe
15160 \if@titlepage
15161   \renewcommand\maketitle{\begin{titlepage}%
15162     \let\footnotesize\small
15163     \let\right@footnoterule\relax

```



```

15164 \let\left@footnoterule\relax
15165 \let\textwidth@footnoterule\relax
15166 \let\footnote\thanks
15167 \let\LTRfootnote\LTRthanks
15168 \let\RTLfootnote\RTLthanks
15169 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
15170 \def\@makefnmark%
15171 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
15172 \long\def\@makefntext##1{%
15173   \setpar{\@par
15174     \tempdima = \hspace{0pt}
15175     \advance\tempdima -1em
15176     \parshape \one 1em \tempdima}%
15177     \par\parindent 1em \noindent
15178     \hb@xt@.z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
15179 \null\vfil
15180 \vskip 60\p@
15181 \begin{center}%
15182   {\LARGE \title \par}%
15183   \vskip 3em%
15184   {\large
15185     \lineskip .75em%
15186     \begin{tabular}[t]{c}%
15187       \author
15188     \end{tabular}\par}%
15189   \vskip 1.5em%
15190   {\large \date \par}      % Set date in \large size.
15191 \end{center}\par
15192 \thanks
15193 \vfil\null
15194 \end{titlepage}%
15195 \setcounter{footnote}{0}%
15196 \global\let\thanks\relax
15197 \global\let\LTRthanks\relax
15198 \global\let\RTLthanks\relax
15199 \global\let\maketitle\relax
15200 \global\let\@thanks\empty
15201 \global\let\author\empty
15202 \global\let\date\empty
15203 \global\let\title\empty
15204 \global\let\title\relax
15205 \global\let\author\relax
15206 \global\let\date\relax
15207 \global\let\and\relax
15208 }
15209 \else
15210   \renewcommand\maketitle{\par
15211     \begin{group}
15212       \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
15213       \def\@makefnmark%

```



```

15214      {\rlap{@textsuperscript{\normalfont@thefnmark}}}\%
15215 \long\def\@makefntext##1{%
15216   \@setpar{\@@par
15217     \tempdima = \hsize
15218     \advance\tempdima -1em
15219     \parshape \one 1em \tempdima}%
15220   \par\parindent 1em \noindent
15221   \hb@xt@z@{\hss@textsuperscript{\normalfont@thefnmark}\,,}##1}
15222 \if@twocolumn
15223   \ifnum \col@number=\one
15224     \maketitle
15225   \else
15226     \twocolumn[\maketitle]%
15227   \fi
15228 \else
15229   \newpage
15230   \global\@topnum\z@ % Prevents figures from going at top of page.
15231   \maketitle
15232   \fi
15233   \thispagestyle{empty}\@thanks
15234 \endgroup
15235   \setcounter{footnote}{0}%
15236 \global\let\thanks\relax
15237 \global\let\LTRthanks\relax
15238 \global\let\RTLthanks\relax
15239 \global\let\maketitle\relax
15240 \global\let@\maketitle\relax
15241 \global\let@\thanks\@empty
15242 \global\let@\author\@empty
15243 \global\let@\date\@empty
15244 \global\let@\title\@empty
15245 \global\let\title\relax
15246 \global\let\author\relax
15247 \global\let\date\relax
15248 \global\let\and\relax
15249 }
15250 \def\@maketitle{%
15251   \newpage
15252   \null
15253   \longthickrule\vskip1.5em%
15254   \let \footnote \thanks
15255   \let \LTRfootnote \LTRthanks
15256   \let \RTLfootnote \RTLthanks
15257   {\secshape \parskip\z@ \parindent\z@
15258   \Large\bfseries \title \par}%
15259   \vskip1.5em\longthickrule\vskip1.5em%
15260   {\normalsize
15261     \lineskip .5em%
15262     \begin{flushright}%
15263       {\slshape\author\par}

```



```

15264      \vskip 1em%
15265      {\@date}%
15266      \end{flushright}\par}%
15267      \vskip 1.5em}
15268 \fi
15269 \renewcommand*\l@part[2]{%
15270   \ifnum \c@tocdepth >-2\relax
15271     \addpenalty{-\@highpenalty}%
15272     \addvspace{2.25em \oplus\p@}%
15273     \begingroup
15274       \parindent \z@\if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15275       \parfillskip -\c@pnumwidth
15276     {\leavevmode
15277       \large \bfseries #1\hfil \hbox to\c@pnumwidth{\hss #2}\par
15278       \nobreak
15279       \global\nobreaktrue
15280       \everypar{\global\nobreakfalse\everypar{}}}%
15281     \endgroup
15282   \fi}
15283 \renewcommand*\l@chapter[2]{%
15284   \ifnum \c@tocdepth >\m@ne
15285     \addpenalty{-\@highpenalty}%
15286     \vskip 1.0em \oplus\p@
15287     \setlength{\tempdima}{1.5em}%
15288     \begingroup
15289       \parindent \z@\if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15290       \parfillskip -\c@pnumwidth
15291       \leavevmode \bfseries
15292       \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
15293       \hspace{-\if@RTL\rightskip\else\leftskip\fi}
15294       #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
15295       \penalty\@highpenalty
15296     \endgroup
15297   \fi}
15298 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
15299                           \if@RTL\leftskip\else\rightskip\fi=\@flushglue}%
15300                           \hyphenpenalty=2000}
15301 \renewcommand\left@footnoterule{%
15302   \kern-3\p@
15303   \hrule\@width.4\columnwidth
15304   \kern 2.6\p@}
15305 \renewcommand\right@footnoterule{%
15306   \kern-3\p@
15307   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }%
15308   \kern2.6\p@}
15309 \renewcommand\theequation
15310 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{equation}}
15311 \renewcommand\thefigure
15312 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{figure}}
15313 \renewcommand\thetable%

```



```

15314     {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@table}
15315 \renewcommand\thesection {\thechapter\c@SepMark\c@arabic\c@section}
15316 \renewcommand\thesubsection {\thesection\c@SepMark\c@arabic\c@subsection}
15317 \renewcommand\thesubsubsection {\thesubsection \c@SepMark\c@arabic\c@subsubsection}
15318 \renewcommand\theparagraph {\thesubsubsection\c@SepMark\c@arabic\c@paragraph}
15319 \renewcommand\thesubparagraph {\theparagraph\c@SepMark\c@arabic\c@subparagraph}
15320 \renewenvironment{thebibliography}[1]
15321     {\chapter*{\bibname
15322         \@mkboth{\bibname}{\bibname}}%
15323         \if@RTL\if@LTRbibitems\c@RTLfalse\else\fi\else\if@RTLbibitems\c@RTLtrue\else\fi\fi
15324         \list{\c@biblabel{\c@arabic\c@enumiv}}%
15325             {\settowidth\labelwidth{\c@biblabel{#1}}%
15326                 \leftmargin\labelwidth
15327                 \advance\leftmargin\labelsep
15328                 \c@openbib@code
15329                 \usecounter{enumiv}%
15330                 \let\p@enumiv\empty
15331                 \renewcommand\theenumiv{\c@arabic\c@enumiv}}%
15332                 \sloppy
15333                 \clubpenalty4000
15334                 \c@clubpenalty \clubpenalty
15335                 \widowpenalty4000%
15336                 \sfcode`.=\c@m}
15337             \def\c@noitemerr
15338                 {\@latex@warning{Empty `thebibliography' environment}}%
15339             \endlist}

```

7.98 report-xetex-bidi.def

```

15340 \ProvidesFile{report-xetex-bidi.def}[2015/11/14 v0.7 bidi adaptations for standard report cla
15341 \renewenvironment{theindex}
15342     {\if@twocolumn
15343         \c@restonecolfalse
15344     \else
15345         \c@restonecoltrue
15346     \fi
15347     \columnseprule \z@
15348     \columnsep 35\p@
15349     \twocolumn[\c@makeschapterhead{\indexname}]%
15350     \@mkboth{\c@MakeUppercase\indexname}%
15351         {\c@MakeUppercase\indexname}%
15352     \thispagestyle{plain}\parindent\z@
15353     \parskip\z@ \c@plus .3\p@\relax
15354     \let\item\c@idxitem
15355     {\if@restonecol\onecolumn\else\clearpage\fi}
15356 \if@titlepage
15357 \renewcommand\maketitle{\begin{titlepage}%
15358 \footnotesize
15359 \right@footnoterule\relax
15360 \left@footnoterule\relax

```



```

15361 \let\textwidth@footnoterule\relax
15362 \let \footnote \thanks
15363 \let \LTrfootnote \LTrthanks
15364 \let \RTLfootnote \RTLthanks
15365 \null\vfil
15366 \vskip 60\p@
15367 \begin{center}%
15368 {\LARGE \@title \par}%
15369 \vskip 3em%
15370 {\large
15371 \lineskip .75em%
15372 \begin{tabular}[t]{c}%
15373 \author
15374 \end{tabular}\par}%
15375 \vskip 1.5em%
15376 {\large \@date \par} % Set date in \large size.
15377 \end{center}\par
15378 \@thanks
15379 \vfil\null
15380 \end{titlepage}%
15381 \setcounter{footnote}{0}%
15382 \global\let\thanks\relax
15383 \global\let\LTrthanks\relax
15384 \global\let\RTLthanks\relax
15385 \global\let\maketitle\relax
15386 \global\let\@thanks\@empty
15387 \global\let\@author\@empty
15388 \global\let\@date\@empty
15389 \global\let\@title\@empty
15390 \global\let\title\relax
15391 \global\let\author\relax
15392 \global\let\date\relax
15393 \global\let\and\relax
15394 }
15395 \else
15396 \renewcommand\maketitle{\par
15397 \begingroup
15398 \renewcommand\thefootnote{\@fnsymbol{c}\footnote}%
15399 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
15400 \long\def\@makefntext##1{\parindent 1em\noindent
15401 \hb@xt@1.8em{%
15402 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
15403 \if@twocolumn
15404 \ifnum \col@number=\@ne
15405 \maketitle
15406 \else
15407 \twocolumn[\maketitle]%
15408 \fi
15409 \else
15410 \newpage

```



```

15411      \global\@topnum\z@    % Prevents figures from going at top of page.
15412      \@maketitle
15413      \fi
15414      \thispagestyle{plain}\@thanks
15415      \endgroup
15416      \setcounter{footnote}{0}%
15417      \global\let\thanks\relax
15418      \global\let\LTRthanks\relax
15419      \global\let\RTLthanks\relax
15420      \global\let\maketitle\relax
15421      \global\let\@maketitle\relax
15422      \global\let\@thanks\@empty
15423      \global\let\@author\@empty
15424      \global\let\@date\@empty
15425      \global\let\@title\@empty
15426      \global\let\title\relax
15427      \global\let\author\relax
15428      \global\let\date\relax
15429      \global\let\and\relax
15430  }
15431 \def\@maketitle{%
15432   \newpage
15433   \null
15434   \vskip 2em%
15435   \begin{center}%
15436   \let \footnote \thanks
15437   \let \LTrfootnote \LTRthanks
15438   \let \RTLfootnote \RTLthanks
15439   {\LARGE \@title \par}%
15440   \vskip 1.5em%
15441   {\large
15442     \lineskip .5em%
15443     \begin{tabular}[t]{c}%
15444       \author
15445     \end{tabular}\par}%
15446   \vskip 1em%
15447   {\large \@date}%
15448   \end{center}%
15449   \par
15450   \vskip 1.5em}
15451 \fi
15452 \renewcommand*\l@part[2]{%
15453   \ifnum \c@tocdepth >2\relax
15454     \addpenalty{-\@highpenalty}%
15455     \addvspace{2.25em \oplus \p@}%
15456     \setlength{\tempdima}{3em}%
15457     \begin{group}
15458       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15459       \parfillskip -\c@pnumwidth
15460     \end{group}

```



```

15461   \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
15462   \nobreak
15463     \global\nobreaktrue
15464     \everypar{\global\nobreakfalse\everypar{}}
15465   \endgroup
15466 \fi}
15467 \renewcommand*\l@chapter[2]{%
15468   \ifnum \c@tocdepth >\m@ne
15469     \addpenalty{-\highpenalty}%
15470     \vskip 1.0em \plus\p@
15471     \setlength{\tempdima{1.5em}}%
15472   \begin{group}
15473     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15474     \parfillskip -\pnumwidth
15475     \leavevmode \bfseries
15476     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
15477     \hspace -\if@RTL\rightskip\else\leftskip\fi\fi
15478     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
15479     \penalty\highpenalty
15480   \endgroup
15481 \fi}
15482 \renewcommand\left@footnoterule{%
15483   \kern-3\p@
15484   \hrule\width.4\columnwidth
15485   \kern2.6\p@}
15486 \renewcommand\right@footnoterule{%
15487   \kern-3\p@
15488   \hbox to \columnwidth{\hspace .6\columnwidth \hrulefill }
15489   \kern2.6\p@}
15490 \renewcommand\theequation
15491 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{equation}}
15492 \renewcommand \thefigure
15493 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{figure}}
15494 \renewcommand \thetable
15495 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{table}}
15496 \renewcommand \thechapter {\arabic{chapter}}
15497 \renewcommand \thesection {\thechapter\SepMark\arabic{section}}
15498 \renewcommand \thesubsection {\thesection\SepMark\arabic{subsection}}
15499 \renewcommand \thesubsubsection {\thesubsection\SepMark\arabic{subsubsection}}
15500 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic{paragraph}}
15501 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic{subparagraph}}
15502 \def\makechapterhead#1{%
15503   \vspace*{50\p@}%
15504   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
15505     \ifnum \c@sectiondepth >\m@ne
15506       \huge\bfseries \chapapp\space \thechapter
15507       \par\nobreak
15508       \vskip 20\p@
15509     \fi
15510     \interlinepenalty\OM

```



```

15511   \Huge \bfseries #1\par\nobreak
15512   \vskip 40\p@
15513   }
15514 \def\@makeschapterhead#1{%
15515   \vspace*{50\p@}%
15516   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
15517     \normalfont
15518     \interlinepenalty\@M
15519     \Huge \bfseries #1\par\nobreak
15520     \vskip 40\p@
15521   }
15522 \renewenvironment{thebibliography}[1]
15523   {\chapter*{\bibname}%
15524     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
15525     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15526     \list{\@biblabel{\@arabic\c@enumiv}}{%
15527       \settowidth\labelwidth{\@biblabel{#1}}%
15528       \leftmargin\labelwidth
15529       \advance\leftmargin\labelsep
15530       \openbib@code
15531       \usecounter{enumiv}%
15532       \let\p@enumiv\empty
15533       \renewcommand\theenumiv{\@arabic\c@enumiv}%
15534       \sloppy
15535       \clubpenalty4000
15536       \clubpenalty \clubpenalty
15537       \widowpenalty4000%
15538       \sfcode`\. \om}
15539     {\def\@noitemerr
15540       {\@latex@warning{Empty `thebibliography' environment}}%
15541     \endlist}

```

7.99 rotating-xetex-bidi.def

```

15542 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package
15543 \def\end@rotfloat{%
15544   \end{minipage}\end{lrbox}%
15545   \stepcounter{r@tfl@t}%
15546   \rot@label{RF\ther@tfl@t}%
15547   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
15548   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
15549   \rot@mess@toks\expandafter{\@tempa}%
15550   \wd\rot@float@box\z@
15551   \ht\rot@float@box\z@
15552   \dp\rot@float@box\z@
15553   \vboxL to \textheight{%
15554     \setkeys{Grot}{units=360}%
15555     \if@rot@twoside
15556     \else
15557       \let\R@@page\rot@LR

```



```

15558     \fi
15559     \ifthenelse{\isodd{\R@@page}}{%
15560         \if@rot@twoside
15561             \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
15562         \fi
15563         \vfill
15564         \@@line{%
15565             \hskip\rotFPtop
15566             \rotatebox{90}{\box\rot@float@box}%
15567             \hskip\rotFPbot
15568         }%
15569     }{%
15570         \if@rot@twoside
15571             \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
15572         \fi
15573         \@@line{%
15574             \hskip\rotFPbot
15575             \rotatebox{-90}{\box\rot@float@box}%
15576             \hskip\rotFPtop
15577         }%
15578         \vfill
15579     }%
15580     \rot@message{\the\rot@mess@toks}
15581 }%
15582 \end@float
15583 }
15584 \let\endsidewaysfigure\end@rotfloat
15585 \let\endsidewaystable\end@rotfloat
15586 \def\end@rotdblfloat{%
15587     \end{minipage}\end{lrbox}%
15588     \stepcounter{r@tfl@t}%
15589     \rot@label{RF\ther@tfl@t}%
15590     \rot@pageref{RF\ther@tfl@t}{\R@@page}%
15591     \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
15592     \rot@mess@toks\expandafter{\@tempa}%
15593     \tempdima\ht\rot@float@box
15594     \advance\tempdima by \dp\rot@float@box
15595     \wd\rot@float@box\z@
15596     \ht\rot@float@box\z@
15597     \dp\rot@float@box\z@
15598     \vboxL to \textheight{%
15599         \setkeys{Grot}{units=360}%
15600         \if@rot@twoside
15601             \else
15602                 \let\R@@page\rot@LR
15603             \fi
15604             \ifthenelse{\isodd{\R@@page}}{%
15605                 \ifrot@messages
15606                     \if@rot@twoside
15607                         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%

```



```

15608 \fi
15609     \fi
15610     \vfill
15611     \@@line{%
15612         \hskip\rotFPtop
15613         \rotatebox{90}{\box\rot@float@box}%
15614         \hskip\rotFPbot
15615     }%
15616 }%
15617     \ifrot@messages
15618     \if@rot@twoside
15619     \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
15620 \fi
15621     \fi%
15622     \@@line{%
15623         \hskip\rotFPbot
15624         \rotatebox{-90}{\box\rot@float@box}%
15625         \hskip\rotFPtop
15626     }%
15627     \vfill
15628 }%
15629     \rot@message{\the\rot@mess@toks}%
15630 }%
15631     \end@dblfloat
15632 }
15633 \def\turn#1{%
15634     \Grot@setangle{#1}%
15635     \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
15636 \def\endturn{%
15637     \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
15638     \unskip\color@endbox
15639     \Grot@x\z@
15640     \Grot@y\z@
15641     \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
15642 }
15643 \def\rotate#1{%
15644     \Grot@setangle{#1}%
15645     \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
15646 \def\endrotate{%
15647     \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
15648     \unskip\color@endbox
15649     \Grot@x\z@
15650     \Grot@y\z@
15651     \wd0\z@\dp0\z@\ht0\z@
15652     \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
15653 }
15654 \def\turnbox#1#2{%
15655     \Grot@setangle{#1}%
15656     \setbox\z@\hbox{%
15657         \Grot@x\z@\Grot@y\z@

```



```

15658 \wd0\z@\dp0\z@\ht0\z@
15659 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
15660 }
15661 \def\sideways{%
15662 \Grot@setangle{90}%
15663 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
15664 \def\endsideways{%
15665 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
15666 \unskip\color@endbox
15667 \Grot@x\z@
15668 \Grot@y\z@
15669 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
15670 }

```

7.100 scrartcl-xetex-bidi.def

```

15671 \ProvidesFile{scrartcl-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrartcl class fo
15672 \newcommand{\scr@saved@LTRfootnotetext}{}
15673 \newcommand{\scr@saved@RTLfootnotetext}{}
15674 \let\scr@saved@footnotetext\@footnotetext
15675 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
15676 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
15677 \renewcommand{\@footnotetext}[1]{%
15678 \scr@saved@footnotetext{#1}%
15679 \csname FN@mf@prepare\endcsname
15680 }
15681 \renewcommand{\@LTRfootnotetext}[1]{%
15682 \scr@saved@LTRfootnotetext{#1}%
15683 \csname FN@mf@prepare\endcsname
15684 }
15685 \renewcommand{\@RTLfootnotetext}[1]{%
15686 \scr@saved@RTLfootnotetext{#1}%
15687 \csname FN@mf@prepare\endcsname
15688 }
15689 \renewcommand\deffootnote[4][]{%
15690 \long\def\makefntext##1{%
15691 \setlength{\tempdimc}{#3}%
15692 \def\@tempa{#1}\ifx\@tempa\empty
15693 \setpar{\@par
15694 \tempdima = \hsize
15695 \addtolength{\tempdima}{-#2}%
15696 \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
15697 \else
15698 \addtolength{\tempdimc}{#2}%
15699 \addtolength{\tempdimc}{-#1}%
15700 \setpar{\@par
15701 \tempdima = \hsize
15702 \addtolength{\tempdima}{-#1}%
15703 \tempdimb = \hsize
15704 \addtolength{\tempdimb}{-#2}%

```



```

15705     \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
15706     }%
15707     \fi
15708     \par
15709     \parindent\tempdimc\noindent
15710     \ftn@font\hbox to \z@\{\hss\@@makefnmark}##1%
15711   }%
15712   \def\@@makefnmark{\hbox{\ftnm@font{\#4}}}%
15713 }
15714 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
15715 \renewcommand*\left@footnoterule{%
15716   \normalsize\ftn@rule@test@values
15717   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
15718   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
15719   {\usekomafont{footnoterule}{%
15720     \hrule \height\ftn@rule@height \width\ftn@rule@width}%
15721   \kern 2.6\p@}
15722 \renewcommand*\right@footnoterule{%
15723   \normalsize\ftn@rule@test@values
15724   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
15725   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
15726   {\usekomafont{footnoterule}{%
15727     \hbox to \columnwidth\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
15728   \kern 2.6\p@}
15729 \renewcommand*\maketitle[1][1]{%
15730   \if@titlepage
15731     \begin{titlepage}
15732       \setcounter{page}{%
15733         #1}%
15734     }%
15735     \let\footnotesize\small
15736     \let\right@footnoterule\relax
15737     \let\left@footnoterule\relax
15738     \let\textwidth@footnoterule\relax
15739     \let\footnote\thanks
15740     \let\LTRfootnote\LTRthanks
15741     \let\RTLfootnote\RTLthanks
15742     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15743     \let\oldmakefnmark\makefnmark
15744     \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
15745     \ifx\@extratitle\empty \else
15746       \noindent\@extratitle\next@tpage\cleardoubleemptypage
15747       \thispagestyle{\empty}%
15748     \fi
15749     \setparsizes{\z@}{\z@}{\z@\oplus 1fil}\par@updaterelative
15750     \ifx\@titlehead\empty \else
15751       \begin{minipage}[t]{\textwidth}%
15752         \begin{titlehead}%
15753           \end{minipage}\par
15754     \fi

```



```

15755 \null\vfill
15756 \begin{center}
15757   \ifx\@subject\@empty \else
15758     {\@subject@font \@subject \par}%
15759     \vskip 3em
15760   \fi
15761   {\@titlefont\huge \@title\par}%
15762   \vskip 1em
15763   {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
15764   \vskip 2em
15765   {\Large \lineskip 0.75em
15766     \begin{tabular}[t]{c}
15767       \author
15768     \end{tabular}\par
15769   }%
15770   \vskip 1.5em
15771   {\Large \@date \par}%
15772   \vskip \z@ \plus3fill
15773   {\Large \@publishers \par}%
15774   \vskip 3em
15775 \end{center}\par
15776 \@thanks
15777 \vfill\null
15778 \if@twoside\next@tpage
15779   \begin{minipage}[t]{\textwidth}
15780     \uppertitleback
15781   \end{minipage}\par
15782   \vfill
15783   \begin{minipage}[b]{\textwidth}
15784     \lowertitleback
15785   \end{minipage}
15786 \fi
15787 \ifx\@dedication\@empty \else
15788   \next@tpage\null\vfill
15789   {\centering \Large \@dedication \par}%
15790   \vskip \z@ \plus3fill
15791   \if@twoside \next@tpage\cleardoubleemptypage \fi
15792 \fi
15793 \end{titlepage}
15794 \else
15795   \par
15796   \tempcnta=%
15797   #1%
15798   \relax\ifnum\tempcnta=1\else
15799     \ClassWarning{\KOMAClassName}{%
15800       Optional argument of \string\maketitle\space ignored
15801       at\MessageBreak
15802       notitlepage-mode%
15803     }%
15804 \fi

```



```

15805 \begingroup
15806   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15807   \let\@oldmakefnmark\@makefnmark
15808   \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}
15809   \if@twocolumn
15810     \ifnum \col@number=\@ne
15811       \@maketitle
15812     \else
15813       \twocolumn[\@maketitle]%
15814     \fi
15815   \else
15816     \newpage
15817     \global\@topnum\z@
15818     \@maketitle
15819     \fi
15820     \thispagestyle{\titlepagestyle}\@thanks
15821   \endgroup
15822 \fi
15823 \setcounter{footnote}{0}%
15824 \let\thanks\relax
15825 \let\LTRthanks\relax
15826 \let\RTLthanks\relax
15827 \let\maketitle\relax
15828 \let\@maketitle\relax
15829 \global\let\@thanks\@empty
15830 \global\let\@author\@empty
15831 \global\let\@date\@empty
15832 \global\let\@title\@empty
15833 \global\let\@subtitle\@empty
15834 \global\let\@extratitle\@empty
15835 \global\let\@titlehead\@empty
15836 \global\let\@subject\@empty
15837 \global\let\@publishers\@empty
15838 \global\let\@uppertitleback\@empty
15839 \global\let\@lowertitleback\@empty
15840 \global\let\@dedication\@empty
15841 \global\let\author\relax
15842 \global\let\title\relax
15843 \global\let\extratitle\relax
15844 \global\let\titlehead\relax
15845 \global\let\subject\relax
15846 \global\let\publishers\relax
15847 \global\let\uppertitleback\relax
15848 \global\let\lowertitleback\relax
15849 \global\let\dedication\relax
15850 \global\let\date\relax
15851 \global\let\and\relax
15852 }%
15853 \renewcommand*{\@maketitle}{%
15854   \clearpage

```



```

15855 \let\footnote\thanks
15856 \let\LTRfootnote\LTRthanks
15857 \let\RTLfootnote\RTLthanks
15858 \ifx\@extratitle\@empty \else
15859     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
15860 \fi
15861 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
15862 \ifx\@titlehead\@empty \else
15863     \begin{minipage}[t]{\textwidth}
15864         \@titlehead
15865     \end{minipage}\par
15866 \fi
15867 \null
15868 \vskip 2em%
15869 \begin{center}%
15870     \ifx\@subject\@empty \else
15871         {\@subject\font \@subject \par}
15872         \vskip 1.5em
15873     \fi
15874     {\@titlefont\huge \@title \par}%
15875     \vskip .5em
15876     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
15877     \vskip 1em
15878     {\Large
15879         \lineskip .5em%
15880         \begin{tabular}[t]{c}
15881             \author
15882         \end{tabular}\par
15883     }%
15884     \vskip 1em%
15885     {\Large \@date \par}%
15886     \vskip \z@ \@plus 1em
15887     {\Large \@publishers \par}
15888     \ifx\@dedication\@empty \else
15889         \vskip 2em
15890         {\Large \@dedication \par}
15891     \fi
15892 \end{center}%
15893 \par
15894 \vskip 2em
15895 }%
15896 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
15897 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
15898 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
15899 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
15900 \renewcommand*{\thesubsubsection}{%
15901     \thesubsection\@SepMark\@arabic\c@subsubsection
15902 }
15903 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15904 \renewcommand*{\thesubparagraph}{%

```



```

15905   \theparagraph\@SepMark\@arabic\c@subparagraph
15906 }
15907 \renewenvironment{thebibliography}[1]{%
15908   \if@bib@break@
15909     \bib@beginhook
15910   \else
15911     \bib@heading
15912     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
15913       \noindent\bibpreamble\par\nobreak
15914     \fi\fi
15915     \bib@beginhook
15916     \bib@before@hook
15917   \fi
15918 \renewcommand{\BreakBibliography}[1]{%
15919   \@bib@break
15920   \end{thebibliography}%
15921   \begingroup ##1\endgroup
15922   \begin{thebibliography}{##1}
15923 }%
15924 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15925 \list{%
15926   \@biblabel{\@arabic\c@enumiv}%
15927 }{%
15928   \settowidth\labelwidth{\@biblabel{#1}}%
15929   \leftmargin\labelwidth
15930   \advance\leftmargin\labelsep
15931   \openbib@code
15932   \if@bib@break@
15933     \edef@\tempa{%
15934       \noexpand\usecounter{enumiv}%
15935       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
15936     }@\tempa
15937     \no@bib@break
15938   \else
15939     \usecounter{enumiv}%
15940   \fi
15941   \let\p@enumiv\@empty
15942   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
15943 }%
15944 \sloppy\clubpenalty4000 \widowpenalty4000
15945 \sfcode`.=\@m
15946 }{%
15947   \if@bib@break@
15948     \def\@noitemerr{%
15949       \@latex@warning{%
15950         \string\BreakBibliography\space at begin of `thebibliography'
15951         environment\MessageBreak
15952         or following \string\BreakBibliography}%
15953     }%
15954   \else

```



```

15955 \def\@noitemerr{%
15956   \@latex@warning{%
15957     Empty `thebibliography' environment or
15958     \string\BreakBibliography\MessageBreak
15959     before end of `thebibliography' environment}%
15960   }%
15961 \fi
15962 \endlist
15963 \if@bib@break@
15964 \else
15965   \bib@after@hook
15966   \let\bib@before@hook\@empty
15967   \let\bib@after@hook\@empty
15968 \fi
15969 \bib@endhook
15970 }
15971 \renewcommand*\left@footnoterule{%
15972   \kern-3\p@
15973   \ifx\@textbottom\relax\else\vskip \z@ \cplus.05fil\fi
15974   \hrule\@width.4\columnwidth
15975   \kern 2.6\p@}
15976 \renewcommand*\right@footnoterule{%
15977   \kern-3\p@
15978   \ifx\@textbottom\relax\else\vskip \z@ \cplus.05fil\fi
15979   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
15980   \kern2.6\p@}
15981 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
15982 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
15983 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
15984 \renewcommand\marginline[1]{%
15985   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\if@RTL\raggedleft\else\raggedright\fi
15986 }
15987 \renewcommand{\@makecaption}[3]{%
15988   \cap@margin
15989   \ifonelinecaptions
15990     \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
15991     \let\scr@tmp@footnotetext=\footnotetext
15992     \let\@footnotetext=\gobble
15993     \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
15994     \let\@LTRfootnotetext=\gobble
15995     \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
15996     \let\@RTLfootnotetext=\gobble
15997     \sbox\tempboxa{%
15998       \capfont\strut\ignorespaces
15999       #1{\caplabelfont{#2\captionformat}}%
16000       #3\unskip\strut}%
16001   }%
16002   \let\@footnotetext=\scr@tmp@footnotetext
16003   \let\scr@tmp@footnotetext=\undefined
16004   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext

```



```

16005   \let\scr@tmp@LTRfootnotetext=\undefined
16006   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
16007   \let\scr@tmp@RTLfootnotetext=\undefined
16008   \setcounter{footnote}{\@tempcntb}%
16009   \setcounter{mpfootnote}{\@tempcnta}%
16010 \else
16011   \sbox\@tempboxa{\hspace*{2\cap@width}}%
16012 \fi
16013 \begingroup%
16014   \setlength{\@tempdima}{\cap@width}%
16015   \ifdim \wd\@tempboxa >\@tempdima
16016     \hb@xt@\hsize{%
16017       \setbox\@tempboxa\vbox{\hsize=\cap@width
16018         \ifdofullc@p
16019           {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
16020             #1{{\caplabelfont{#2\captionformat}}}}}}%
16021           {#3\unskip\strut\par}}}}%
16022     \else%
16023       \ifdim\cap@indent<\z@
16024         {\capfont{\strut\ignorespaces
16025           #1{{\caplabelfont{#2\captionformat\par}}}}%
16026           \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
16027     \else%
16028       \if@capbreak
16029         {\capfont{\strut\ignorespaces
16030           #1{{\caplabelfont{#2\captionformat\par}}}}%
16031           \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}}%
16032     \else
16033       {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}}%
16034         {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
16035           {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}}%
16036     \fi
16037   \fi
16038 \fi
16039 }%
16040 \setlength{\@tempdima}{\ht\@tempboxa}%
16041 \addtolength{\@tempdima}{\dp\@tempboxa}%
16042 \addtolength{\@tempdima}{-\ht\strutbox}%
16043 \ht\@tempboxa\ht\strutbox
16044 \dp\@tempboxa\@tempdima
16045 \strut\cap@left
16046 \box\@tempboxa
16047 \cap@right\strut
16048 }%
16049 \else
16050   \global \minipagetrue
16051   \sbox\@tempboxa{%
16052     {\capfont{\scr@smashdp{\strut\ignorespaces
16053       #1{{\caplabelfont{#2\captionformat}}}}}}%
16054       #3}}%

```



```

16055      }%
16056      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\c
16057      \fi
16058      \endgroup
16059 }
16060 \renewcommand{\@makecaption}[2]{%
16061   \if@captionabove
16062     \vskip\belowcaptionskip
16063   \else
16064     \vskip\abovecaptionskip
16065   \fi
16066   \@@makecaption\@firstofone{#1}{#2}%
16067   \if@captionabove
16068     \vskip\abovecaptionskip
16069   \else
16070     \vskip\belowcaptionskip
16071   \fi
16072 }
16073 \bidi@AfterFile{longtable-xetex-bidi.def}{%
16074   \@ifpackageloaded{caption2}{\@komalongtablefalse
16075     \scr@caption@before@longtable@warning{caption2}%
16076   }{}%
16077   \if@komalongtable
16078     \renewcommand{\LT@makecaption}[3]{%
16079       \noalign{%
16080         \if@captionabove
16081           \vskip\belowcaptionskip
16082         \else
16083           \vskip\abovecaptionskip
16084         \fi
16085       }%
16086       \LT@mcoll\LT@cols c{%
16087         \hbox to\z@\{\hss\parbox[t]\linewidth{%
16088           \@@makecaption{#1}{#2}{#3}%
16089           \endgraf
16090           \if@captionabove
16091             \vskip\abovecaptionskip
16092           \else
16093             \vskip\belowcaptionskip
16094           \fi
16095         }%
16096         \hss
16097       }%
16098     }%
16099   }%
16100 \renewcommand*\scr@LT@array(){}
16101 \let\scr@LT@array=\LT@array
16102 \renewcommand*\LT@array{%
16103   \let\scr@caption=\LT@caption
16104   \def\captionabove{\global\@captionabovetrue}%

```



```

16105      \scr@caption}%
16106      \def\captionbelow{\noalign{\global\@captionabovefalse}%
16107          \scr@caption}%
16108      \if@tablecaptionabove
16109          \let\LT@caption=\captionabove
16110      \else
16111          \let\LT@caption=\captionbelow
16112      \fi
16113      \scr@LT@array
16114  }%
16115  \ClassInfo{\KOMAClassName}{%
16116      longtable captions redefined%
16117  }%
16118 \fi
16119 }
16120
16121 \CloneTOCEntryStyle{tocline}{part}
16122 \TOCEntryStyleStartInitCode{part}{%
16123     \expandafter\renewcommand%
16124     \csname scr@tso@#1@linefill\endcsname{\hfill}%
16125     \expandafter\renewcommand%
16126     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
16127     \expandafter\renewcommand%
16128     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
16129         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
16130     \expandafter\renewcommand\expandafter*%
16131     \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
16132 }
16133
16134 \CloneTOCEntryStyle{tocline}{section}
16135 \TOCEntryStyleStartInitCode{section}{%
16136     \expandafter\renewcommand%
16137     \csname scr@tso@#1@linefill\endcsname{%
16138         \if@sectionentrywithdots
16139             \TOCLineLeaderFill\relax
16140         \else
16141             \hfill
16142         \fi
16143     }%
16144     % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
16145     \expandafter\renewcommand%
16146     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
16147     \expandafter\renewcommand%
16148     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{se
16149     \expandafter\renewcommand\expandafter*%
16150     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
16151 }
16152
16153 \CloneTOCEntryStyle{tocline}{subsection}
16154 \TOCEntryStyleStartInitCode{subsection}{%

```



```

16155 \expandafter\renewcommand%
16156 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
16157 }
16158
16159 \CloneTOCEntryStyle{subsection}{default}
16160
16161 \DeclareSectionCommand[%]
16162   style=part,%
16163   level=\z@,%
16164   tocstyle=part,%
16165   toplevel=\m@ne,%
16166   tocindent=\z@,%
16167   tocnumwidth=2em%
16168 ]{part}
16169 \DeclareSectionCommand[%]
16170   style=section,%
16171   level=1,%
16172   indent=\z@,%
16173   beforeskip=-3.5ex \oplus -1ex \ominus -.2ex,%
16174   afterskip=2.3ex \oplus .2ex,%
16175   tocstyle=section,%
16176   tocindent=0pt,%
16177   tocnumwidth=1.5em%
16178 ]{section}
16179 \DeclareSectionCommand[%]
16180   style=section,%
16181   level=2,%
16182   indent=\z@,%
16183   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%
16184   afterskip=1.5ex \oplus .2ex,%
16185   tocstyle=subsection,%
16186   tocindent=1.5em,%
16187   tocnumwidth=2.3em%
16188 ]{subsection}
16189 \DeclareSectionCommand[%]
16190   style=section,%
16191   level=3,%
16192   indent=\z@,%
16193   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%
16194   afterskip=1.5ex \oplus .2ex,%
16195   tocstyle=subsection,%
16196   tocindent=3.8em,%
16197   tocnumwidth=3.2em%
16198 ]{subsubsection}
16199 \DeclareSectionCommand[%]
16200   style=section,%
16201   level=4,%
16202   indent=\z@,%
16203   beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
16204   afterskip=-1em,%

```



```

16205 tocstyle=subsection,%
16206 tocindent=7.0em,%
16207 tocnumwidth=4.1em%
16208 ]{paragraph}
16209 \DeclareSectionCommand[%]
16210 style=section,%
16211 level=5,%
16212 indent=\scr@parindent,%
16213 beforeskip=3.25ex \oplus1ex \ominus .2ex,%
16214 afterskip=-1em,%
16215 tocstyle=subsection,%
16216 tocindent=10em,%
16217 tocnumwidth=5em%
16218 ]{subparagraph}

```

7.101 scrbook-xetex-bidi.def

```

16219 \ProvidesFile{scrbook-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrbook class for
16220 \newcommand{\scr@saved@LTRfootnotetext}{}
16221 \newcommand{\scr@saved@RTLfootnotetext}{}
16222 \let\scr@saved@footnotetext@\footnotetext
16223 \let\scr@saved@LTRfootnotetext@\LTRfootnotetext
16224 \let\scr@saved@RTLfootnotetext@\RTLfootnotetext
16225 \renewcommand{\@footnotetext}[1]{%
16226   \scr@saved@footnotetext{#1}%
16227   \csname FN@mf@prepare\endcsname
16228 }
16229 \renewcommand{\@LTRfootnotetext}[1]{%
16230   \scr@saved@LTRfootnotetext{#1}%
16231   \csname FN@mf@prepare\endcsname
16232 }
16233 \renewcommand{\@RTLfootnotetext}[1]{%
16234   \scr@saved@RTLfootnotetext{#1}%
16235   \csname FN@mf@prepare\endcsname
16236 }
16237 \renewcommand\deffootnote[4][]{%
16238   \long\def\makefntext##1{%
16239     \setlength{\tempdimc}{#3}%
16240     \def\@tempa{#1}\ifx\@tempa\empty
16241       \setpar{\@par
16242         \tempdima = \hsize
16243         \addtolength{\tempdima}{-#2}%
16244         \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
16245     \else
16246       \addtolength{\tempdimc}{#2}%
16247       \addtolength{\tempdimc}{-#1}%
16248       \setpar{\@par
16249         \tempdima = \hsize
16250         \addtolength{\tempdima}{-#1}%
16251         \tempdimb = \hsize

```



```

16252     \addtolength{\tempdimb}{-#2}%
16253     \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
16254   }%
16255   \fi
16256   \par
16257   \parindent\tempdimc\noindent
16258   \ftn@font\hbox to \z@\{ \hss\@@makefnmark}##1%
16259 }%
16260 \def\@@makefnmark{\hbox{\ftnm@font{\#4}}}%
16261 }%
16262 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
16263 \renewcommand*\left@footnoterule{%
16264   \normalsize\ftn@rule@test@values
16265   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16266   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
16267   {\usekomafont{footnoterule}}{%
16268     \hrule \height\ftn@rule@height \width\ftn@rule@width}%
16269   \kern 2.6\p@}
16270 \renewcommand*\right@footnoterule{%
16271   \normalsize\ftn@rule@test@values
16272   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16273   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
16274   {\usekomafont{footnoterule}}{%
16275     \hbox to \columnwidth\{ \hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16276   \kern 2.6\p@}
16277 \renewcommand*\maketitle[1][1]{%
16278   \if@titlepage
16279     \begin{titlepage}
16280       \setcounter{page}{%
16281         #1}%
16282     }%
16283     \let\footnotesize\small
16284     \let\right@footnoterule\relax
16285     \let\left@footnoterule\relax
16286     \let\textwidth@footnoterule\relax
16287     \let\footnote\thanks
16288     \let\LTRfootnote\LTRthanks
16289     \let\RTLfootnote\RTLthanks
16290     \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
16291     \let\oldmakefnmark\makefnmark
16292     \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
16293     \ifx\extratitle\empty\else
16294       \noindent\extratitle\next@page\cleardoubleemptypage
16295       \thispagestyle{\empty}%
16296     \fi
16297     \setparsizes{\z@}{\z@}{\z@\oplus 1fil}\par@updaterelative
16298     \ifx\titlehead\empty\else
16299       \begin{minipage}[t]{\textwidth}%
16300         \titlehead
16301       \end{minipage}\par

```



```

16302 \fi
16303 \null\vfill
16304 \begin{center}
16305   \ifx\@subject\@empty \else
16306     {\@subject\font \@subject \par}%
16307     \vskip 3em
16308   \fi
16309   {\@titlefont\huge \@title\par}%
16310   \vskip 1em
16311   {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16312   \vskip 2em
16313   {\Large \lineskip 0.75em
16314     \begin{tabular}[t]{c}
16315       \author
16316     \end{tabular}\par
16317   }%
16318   \vskip 1.5em
16319   {\Large \@date \par}%
16320   \vskip \z@ \plus3fill
16321   {\Large \@publishers \par}%
16322   \vskip 3em
16323 \end{center}\par
16324 \@thanks
16325 \vfill\null
16326 \if@twoside\next@tpage
16327   \begin{minipage}[t]{\textwidth}
16328     \@uppertitleback
16329   \end{minipage}\par
16330   \vfill
16331   \begin{minipage}[b]{\textwidth}
16332     \@lowertitleback
16333   \end{minipage}
16334 \fi
16335 \ifx\@dedication\@empty \else
16336   \next@tpage\null\vfill
16337   {\centering \Large \@dedication \par}%
16338   \vskip \z@ \plus3fill
16339   \if@twoside \next@tpage\cleardoubleemptypage \fi
16340 \fi
16341 \end{titlepage}
16342 \else
16343   \par
16344   \tempcnta=%
16345   #1%
16346   \relax\ifnum\tempcnta=1\else
16347     \ClassWarning{\KOMAClassName}{%
16348       Optional argument of \string\maketitle\space ignored
16349       at\MessageBreak
16350       notitlepage-mode%
16351   }%

```



```

16352     \fi
16353     \begingroup
16354         \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
16355         \let\@oldmakefnmark\@makefnmark
16356         \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}
16357         \if@twocolumn
16358             \ifnum \col@number=\@ne
16359                 \@maketitle
16360             \else
16361                 \twocolumn[\@maketitle]%
16362             \fi
16363         \else
16364             \newpage
16365             \global\@topnum\z@
16366             \@maketitle
16367             \fi
16368             \thispagestyle{\titlepagestyle}\@thanks
16369         \endgroup
16370     \fi
16371     \setcounter{footnote}{0}%
16372     \let\thanks\relax
16373     \let\LTRthanks\relax
16374     \let\RTLthanks\relax
16375     \let\maketitle\relax
16376     \let\@maketitle\relax
16377     \global\let\@thanks\@empty
16378     \global\let\@author\@empty
16379     \global\let\@date\@empty
16380     \global\let\@title\@empty
16381     \global\let\@subtitle\@empty
16382     \global\let\@extratitle\@empty
16383     \global\let\@titlehead\@empty
16384     \global\let\@subject\@empty
16385     \global\let\@publishers\@empty
16386     \global\let\@uppertitleback\@empty
16387     \global\let\@lowertitleback\@empty
16388     \global\let\@dedication\@empty
16389     \global\let\author\relax
16390     \global\let\title\relax
16391     \global\let\extratitle\relax
16392     \global\let\titlehead\relax
16393     \global\let\subject\relax
16394     \global\let\publishers\relax
16395     \global\let\uppertitleback\relax
16396     \global\let\lowertitleback\relax
16397     \global\let\dedication\relax
16398     \global\let\date\relax
16399     \global\let\and\relax
16400 }%
16401 \renewcommand*{\@maketitle}{%

```



```

16402 \clearpage
16403 \let\footnote\thanks
16404 \let\LTRfootnote\LTRthanks
16405 \let\RTLfootnote\RTLthanks
16406 \ifx\@extratitle\@empty \else
16407   \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
16408 \fi
16409 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16410 \ifx\@titlehead\@empty \else
16411   \begin{minipage}[t]{\textwidth}
16412     \@titlehead
16413   \end{minipage}\par
16414 \fi
16415 \null
16416 \vskip 2em%
16417 \begin{center}%
16418   \ifx\@subject\@empty \else
16419     {\@subject\font \@subject \par}
16420     \vskip 1.5em
16421   \fi
16422   {\titlefont\huge \@title \par}%
16423   \vskip .5em
16424   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16425   \vskip 1em
16426   {\Large
16427     \lineskip .5em%
16428     \begin{tabular}[t]{c}
16429       \author
16430     \end{tabular}\par
16431   }%
16432   \vskip 1em%
16433   {\Large \@date \par}%
16434   \vskip \z@ \@plus 1em
16435   {\Large \@publishers \par}
16436   \ifx\@dedication\@empty \else
16437     \vskip 2em
16438     {\Large \@dedication \par}
16439   \fi
16440 \end{center}%
16441 \par
16442 \vskip 2em
16443 }%
16444 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
16445 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
16446 \renewcommand*\thesection{%
16447   \ifnum \scr@compatibility>\@nameuse{scr@v02.97d}\relax
16448     \if@mainmatter\thechapter\@SepMark\fi
16449   \else
16450     \thechapter\@SepMark%
16451   \fi

```



```

16452  \@arabic\c@section
16453 }
16454 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
16455 \renewcommand*{\thesubsubsection}{%
16456  \thesubsection\@SepMark\@arabic\c@subsubsection
16457 }
16458 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
16459 \renewcommand*{\thesubparagraph}{%
16460  \theparagraph\@SepMark\@arabic\c@subparagraph
16461 }
16462 \renewcommand*\thefigure{%
16463  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
16464   \if@mainmatter\thechapter\@SepMark\fi
16465  \else
16466  \thechapter\@SepMark%
16467  \fi
16468  \@arabic\c@figure
16469 }
16470 \renewcommand*\thetable{%
16471  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
16472   \if@mainmatter\thechapter\@SepMark\fi
16473  \else
16474  \thechapter\@SepMark%
16475  \fi
16476  \@arabic\c@table
16477 }
16478 \renewcommand*\theequation{%
16479  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
16480   \if@mainmatter\thechapter\@SepMark\fi
16481  \else
16482  \thechapter\@SepMark%
16483  \fi
16484  \@arabic\c@equation
16485 }
16486 \renewenvironment{thebibliography}[1]{%
16487  \if@bib@break@
16488   \bib@beginhook
16489  \else
16490   \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
16491     \setchapterpreamble{\bibpreamble}%
16492   \fi\fi
16493   \bib@heading
16494   \bib@beginhook
16495   \bib@before@hook
16496  \fi
16497  \renewcommand{\BreakBibliography}[1]{%
16498    \nobreak
16499    \end{thebibliography}%
16500    \begingroup ##1\endgroup
16501    \begin{thebibliography}{##1}

```



```

16502  }%
16503  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16504  \list{%
16505    \@biblabel{\@arabic\c@enumiv}%
16506  }{%
16507    \settowidth\labelwidth{\@biblabel{\#1}}%
16508    \leftmargin\labelwidth
16509    \advance\leftmargin\labelsep
16510    \openbib@code
16511    \if@bib@break@
16512      \edef\@tempa{%
16513        \noexpand\usecounter{enumiv}%
16514        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
16515      }\@tempa
16516      \no@bib@break
16517    \else
16518      \usecounter{enumiv}%
16519    \fi
16520    \let\p@enumiv\empty
16521    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
16522  }%
16523  \sloppy\clubpenalty4000 \widowpenalty4000
16524  \sfcode`\.=\@m
16525 }{%
16526  \if@bib@break@
16527    \def\@noitemerr{%
16528      \@latex@warning{%
16529        \string\BreakBibliography\space at begin of `thebibliography'
16530        environment\MessageBreak
16531        or following \string\BreakBibliography}%
16532    }%
16533  \else
16534    \def\@noitemerr{%
16535      \@latex@warning{%
16536        Empty `thebibliography' environment or
16537        \string\BreakBibliography\MessageBreak
16538        before end of `thebibliography' environment}%
16539    }%
16540  \fi
16541  \endlist
16542  \if@bib@break@
16543  \else
16544    \bib@after@hook
16545    \let\bib@before@hook\empty
16546    \let\bib@after@hook\empty
16547  \fi
16548  \bib@endhook
16549 }
16550 \renewcommand*\left@footnoterule{%
16551  \kern-3\p@

```



```

16552 \ifx{@textbottom}{\relax}\else\vskip \z@ \oplus.05fil\fi
16553 \hrule\@width.4\columnwidth
16554 \kern 2.6\p@
16555 \renewcommand*\right@footnoterule{%
16556 \kern-3\p@
16557 \ifx{@textbottom}{\relax}\else\vskip \z@ \oplus.05fil\fi
16558 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16559 \kern2.6\p@}
16560 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
16561 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
16562 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
16563 \renewcommand\marginline[1]{%
16564 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\{\if@RTL\raggedleft\else\raggedright\fi
16565 }%
16566 \renewcommand{\@@makecaption}[3]{%
16567 \cap@margin
16568 \ifonelinecaptions
16569 \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
16570 \let\scr@tmp@footnotetext=\footnotetext
16571 \let\@footnotetext=\gobble
16572 \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
16573 \let\@LTRfootnotetext=\gobble
16574 \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
16575 \let\@RTLfootnotetext=\gobble
16576 \sbox@\tempboxa{%
16577 \capfont{\strut\ignorespaces
16578 #1{\caplabelfont{#2\captionformat}}}}%
16579 #3\unskip\strut}}%
16580 }%
16581 \let\@footnotetext=\scr@tmp@footnotetext
16582 \let\scr@tmp@footnotetext=\undefined
16583 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
16584 \let\scr@tmp@LTRfootnotetext=\undefined
16585 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
16586 \let\scr@tmp@RTLfootnotetext=\undefined
16587 \setcounter{footnote}{\tempcntb}%
16588 \setcounter{mpfootnote}{\tempcnta}%
16589 \else
16590 \sbox@\tempboxa{\hspace*{2\cap@width}}%
16591 \fi
16592 \begingroup%
16593 \setlength{\tempdima}{\cap@width}%
16594 \ifdim \wd\tempboxa >\tempdima
16595 \hb@xt@\hsize{%
16596 \setbox\tempboxa\vbox{\hsize=\cap@width
16597 \ifdofullc@p
16598 {\capfont{\hangfrom{\scr@smashdp{\strut\ignorespaces
16599 #1{\caplabelfont{#2\captionformat}}}}}}%
16600 #3\unskip\strut\par}}%
16601 \else%

```



```

16602      \ifdim\cap@indent<\z@%
16603          {\capfont{\strut\ignorespaces
16604              #1{{\caplabelfont{#2\captionformat\par}}}}%
16605              \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
16606      \else%
16607          \if@capbreak
16608              {\capfont{\strut\ignorespaces
16609                  #1{{\caplabelfont{#2\captionformat\par}}}}%
16610                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}}%
16611          \else
16612              {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}{%
16613                  \hspace*{-\cap@indent}\scr@smashdp\ignorespaces#1%
16614                  {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}}%
16615          \fi
16616      \fi
16617      \fi
16618  }%
16619  \setlength{\@tempdima}{\ht\@tempboxa}%
16620  \addtolength{\@tempdima}{\dp\@tempboxa}%
16621  \addtolength{\@tempdima}{-\ht\strutbox}%
16622  \ht\@tempboxa\ht\strutbox
16623  \dp\@tempboxa\@tempdima
16624  \strut\cap@left
16625  \box\@tempboxa
16626  \cap@right\strut
16627  }%
16628 \else
16629     \global \minipagefalse
16630     \sbox\@tempboxa{%
16631         {\capfont{\scr@smashdp{\strut\ignorespaces
16632             #1{{\caplabelfont{#2\captionformat}}}}}}%
16633             #3}}%
16634     }%
16635     {\capfont{\hb@xt@hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\captionformat}}}}%
16636 \fi
16637 \endgroup
16638 }
16639 \renewcommand{\@makecaption}[2]{%
16640     \if@captionabove
16641         \vskip\belowcaptionskip
16642     \else
16643         \vskip\abovecaptionskip
16644     \fi
16645     \@@makecaption{\firstofone{#1}{#2}}%
16646     \if@captionabove
16647         \vskip\abovecaptionskip
16648     \else
16649         \vskip\belowcaptionskip
16650     \fi
16651 }

```



```

16652 \bidi@AfterFile{longtable-xetex-bidi.def}{%
16653   \@ifpackageloaded{caption2}{\@komalongtablefalse
16654     \scr@caption@before@longtable@warning{caption2}%
16655   }{}%
16656   \if@komalongtable
16657     \renewcommand{\LT@makecaption}[3]{%
16658       \noalign{%
16659         \if@captionabove
16660           \vskip\belowcaptionskip
16661         \else
16662           \vskip\abovecaptionskip
16663         \fi
16664       }%
16665       \LT@mcol\LT@cols c{%
16666         \hbox to\z@\hss\parbox[t]\linewidth{%
16667           \scr@makecaption{\#1}{\#2}{\#3}%
16668           \endgraf
16669           \if@captionabove
16670             \vskip\abovecaptionskip
16671           \else
16672             \vskip\belowcaptionskip
16673           \fi
16674         }%
16675         \hss
16676       }%
16677     }%
16678   }%
16679   \renewcommand*\scr@LT@array{}%
16680   \let\scr@LT@array=\LT@array
16681   \renewcommand*\LT@array{}%
16682     \let\scr@caption=\LT@caption
16683     \def\captionabove{\noalign{\global\@captionabovetrue}%
16684       \scr@caption}%
16685     \def\captionbelow{\noalign{\global\@captionabovefalse}%
16686       \scr@caption}%
16687     \if@tablecaptionabove
16688       \let\LT@caption=\captionabove
16689     \else
16690       \let\LT@caption=\captionbelow
16691     \fi
16692     \scr@LT@array
16693   }%
16694   \ClassInfo{\KOMAClassName}{%
16695     longtable captions redefined%
16696   }%
16697   \fi
16698 }
16699
16700 \CloneTOCEntryStyle{tocline}{part}
16701 \TOCEntryStyleStartInitCode{part}{%

```



```

16702 \expandafter\renewcommand%
16703 \csname scr@tso@#1@linefill\endcsname{\hfill}%
16704 \expandafter\renewcommand%
16705 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
16706 \expandafter\renewcommand%
16707 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
16708   \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
16709 \expandafter\renewcommand\expandafter*%
16710 \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
16711 }
16712
16713 \CloneTOCEntryStyle{tocline}{chapter}
16714 \TOCEntryStyleStartInitCode{chapter}{%
16715   \expandafter\renewcommand%
16716   \csname scr@tso@#1@linefill\endcsname{%
16717     \if@chapterentrywithdots
16718       \TOCLineLeaderFill\relax
16719     \else
16720       \hfill
16721     \fi
16722   }%
16723   \expandafter\renewcommand%
16724   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
16725   \expandafter\renewcommand%
16726   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
16727     \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
16728   \expandafter\renewcommand\expandafter*%
16729   \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
16730 }
16731
16732 \CloneTOCEntryStyle{tocline}{section}
16733 \TOCEntryStyleStartInitCode{section}{%
16734   \expandafter\renewcommand%
16735   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
16736 }
16737
16738 \CloneTOCEntryStyle{section}{default}
16739
16740 \DeclareSectionCommand[%]
16741   style=part,%
16742   level=\m@ne,%
16743   pagestyle=plain,%
16744   tocstyle=part,%
16745   toplevel=\m@ne,%
16746   tocindent=\z@,%
16747   tocnumwidth=2em%
16748 ]{part}
16749 \DeclareSectionCommand[%]
16750   style=chapter,%
16751   level=\z@,%

```



```

16752     pagestyle=plain,%
16753     tocstyle=chapter,%
16754     tocindent=\z@,%
16755     tocnumwidth=1.5em%
16756 ]{chapter}
16757 \DeclareSectionCommand[%  

16758   style=section,%
16759   level=1,%
16760   indent=\z@,%
16761   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
16762   afterskip=2.3ex \oplus .2ex,%
16763   tocstyle=section,%
16764   tocindent=1.5em,%
16765   tocnumwidth=2.3em%
16766 ]{section}
16767 \DeclareSectionCommand[%  

16768   style=section,%
16769   level=2,%
16770   indent=\z@,%
16771   beforeskip=-3.25ex\oplus -1ex \minus -.2ex,%
16772   afterskip=1.5ex \oplus .2ex,%
16773   tocstyle=section,%
16774   tocindent=3.8em,%
16775   tocnumwidth=3.2em%
16776 ]{subsection}
16777 \DeclareSectionCommand[%  

16778   style=section,%
16779   level=3,%
16780   indent=\z@,%
16781   beforeskip=-3.25ex\oplus -1ex \minus -.2ex,%
16782   afterskip=1.5ex \oplus .2ex,%
16783   tocstyle=section,%
16784   tocindent=7.0em,%
16785   tocnumwidth=4.1em%
16786 ]{subsubsection}
16787 \DeclareSectionCommand[%  

16788   style=section,%
16789   level=4,%
16790   indent=\z@,%
16791   beforeskip=3.25ex \oplus 1ex \minus .2ex,%
16792   afterskip=-1em,%
16793   tocstyle=section,%
16794   tocindent=10em,%
16795   tocnumwidth=5em%
16796 ]{paragraph}
16797 \DeclareSectionCommand[%  

16798   style=section,%
16799   level=5,%
16800   indent=\scr@parindent,%
16801   beforeskip=3.25ex \oplus 1ex \minus .2ex,%

```



```

16802 afterskip=-1em,%
16803 tocstyle=section,%
16804 tocindent=12em,%
16805 tocnumwidth=6em%
16806 ]{subparagraph}
16807
16808

```

7.102 scrlettr-xetex-bidi.def

```

16809 \ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class fo
16810 \renewcommand\deffootnote[4][]{%
16811   \long\def\@makefntext##1{%
16812     \edef\@tempa{\#1}\ifx\@tempa\empty
16813       \setpar{\@par
16814         \tempdima = \hsize
16815         \addtolength{\tempdima}{-\#2}
16816         \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
16817     \else
16818       \setpar{\@par
16819         \tempdima = \hsize
16820         \addtolength{\tempdima}{-\#1}
16821         \tempdimb = \hsize
16822         \addtolength{\tempdimb}{-\#2}
16823         \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
16824       \fi
16825       \par
16826       \parindent #3\noindent
16827       \hbox to \z@\hss\@makefnmark##1}
16828     \def\@makefnmark{\hbox{\#4}}
16829   }
16830 \deffootnote[1em]{1.5em}{1em}
16831   {\textsuperscript{\thefootnotemark}}
16832 \def\left@footnoterule{\kern-1\p@
16833   \hrule width 0.4\columnwidth
16834   \kern .6\p@}
16835 \def\right@footnoterule{%
16836   \kern-1\p@
16837   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16838   \kern .6\p@}
16839 \def\@datefield{\@reffalse
16840   \ifx\varyourref\empty \else \reftrue \fi
16841   \ifx\varyourmail\empty \else \reftrue \fi
16842   \ifx\varmyref\empty \else \reftrue \fi
16843   \ifx\varcustomer\empty \else \reftrue \fi
16844   \ifx\varinvoice\empty \else \reftrue \fi
16845   \ifx\varrefitemi\empty \else \reftrue \fi
16846   \ifx\varrefitemii\empty \else \reftrue \fi
16847   \ifx\varrefitemiii\empty \else \reftrue \fi
16848 \vskip -\parskip

```



```

16849 \vskip \refvskip
16850 \if@ref
16851 \ifx\varyourref\empty \else
16852 \settowidth{\sc@temp}{\varyourref}
16853 \setbox0\hbox{\scriptsize \sf \yourrefname}
16854 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16855 \parbox[t]{\sc@temp}{\noindent \box0\par \varyourref}\hfill
16856 \fi
16857 \ifx\varyourmail\empty \else
16858 \settowidth{\sc@temp}{\varyourmail}
16859 \setbox0\hbox{\scriptsize \sf \yourmailname}
16860 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16861 \parbox[t]{\sc@temp}{\noindent \box0\par \varyourmail}\hfill
16862 \fi
16863 \ifx\varmyref\empty \else
16864 \settowidth{\sc@temp}{\varmyref}
16865 \setbox0\hbox{\scriptsize \sf \myrefname}
16866 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16867 \parbox[t]{\sc@temp}{\noindent \box0\par \varmyref}\hfill
16868 \fi
16869 \ifx\varcustomer\empty \else
16870 \settowidth{\sc@temp}{\varcustomer}
16871 \setbox0\hbox{\scriptsize \sf \customername}
16872 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16873 \parbox[t]{\sc@temp}{\noindent \box0\par \varcustomer}\hfill
16874 \fi
16875 \ifx\varinvoice\empty \else
16876 \settowidth{\sc@temp}{\varinvoice}
16877 \setbox0\hbox{\scriptsize \sf \invoicename}
16878 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16879 \parbox[t]{\sc@temp}{\noindent \box0\par \varinvoice}\hfill
16880 \fi
16881 \ifx\varrefitemi\empty \else
16882 \settowidth{\sc@temp}{\varrefitemi}
16883 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
16884 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16885 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemi}\hfill
16886 \fi
16887 \ifx\varrefitemii\empty \else
16888 \settowidth{\sc@temp}{\varrefitemii}
16889 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
16890 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16891 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
16892 \fi
16893 \ifx\varrefitemiii\empty \else
16894 \settowidth{\sc@temp}{\varrefitemiii}
16895 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
16896 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16897 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
16898 \fi

```



```

16899 \ifx\@date\empty \else
16900   \settowidth{\sc@temp}{\@date}
16901   \setbox0\hbox{\scriptsize \sf \datename}
16902   \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
16903   \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
16904 \fi
16905 \par
16906 \vspace{2.5\baselineskip}
16907 \else
16908 { \ifx\@date\empty \else \ifRTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi
16909 \vspace{1.5\baselineskip}
16910 \fi}
16911 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
16912 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
16913 -\sigindent \hspace{\sigindent}%
16914 \parbox{\sc@temp}{\ifRTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@sk
16915 \fromsig\strut}\par
16916 \vspace{1.5\baselineskip}}

```

7.103 scrreprt-xetex-bidi.def

```

16917 \ProvidesFile{scrreprt-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrreprt class fo
16918 \newcommand{\scr@saved@LTRfootnotetext}{}
16919 \newcommand{\scr@saved@RTLfootnotetext}{}
16920 \let\scr@saved@footnotetext\@footnotetext
16921 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
16922 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
16923 \renewcommand{\@footnotetext}[1]{%
16924   \scr@saved@footnotetext{\#1}%
16925   \csname FN@mf@prepare\endcsname
16926 }
16927 \renewcommand{\@LTRfootnotetext}[1]{%
16928   \scr@saved@LTRfootnotetext{\#1}%
16929   \csname FN@mf@prepare\endcsname
16930 }
16931 \renewcommand{\@RTLfootnotetext}[1]{%
16932   \scr@saved@RTLfootnotetext{\#1}%
16933   \csname FN@mf@prepare\endcsname
16934 }
16935 \renewcommand{\deffootnote[4][]{}}{%
16936   \long\def\makefntext##1{%
16937     \setlength{\@tempdima}{\#3}%
16938     \def\@tempa{\#1}\ifx\@tempa\empty
16939       \setpar{\@par
16940         \tempdima = \hsize
16941         \addtolength{\tempdima}{-\#2}%
16942         \ifRTL\parshape \one Opt \tempdima\else\parshape \one \#2 \tempdima\fi}%
16943     \else
16944       \addtolength{\tempdima}{\#2}%
16945       \addtolength{\tempdima}{-\#1}%

```



```

16946     \@setpar{\@@par
16947         \tempdima = \hsize
16948         \addtolength{\tempdima}{-\#1}%
16949         \tempdimb = \hsize
16950         \addtolength{\tempdimb}{-\#2}%
16951         \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
16952     }%
16953     \fi
16954     \par
16955     \parindent\tempdimc\noindent
16956     \ftn@font\hbox to \z@\{\hss\@makefnmark}\#1%
16957   }%
16958   \def\@makefnmark{\hbox{\ftn@font\#4}}%
16959 }
16960 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
16961 \renewcommand*\left@footnoterule{%
16962   \normalsize\ftn@rule@test@values
16963   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16964   \ifx\@textbottom\relax\else\vskip \z@ \z@.05fil\fi
16965   {\usekomafont{footnoterule}}%
16966   \hrule \height\ftn@rule@height \width\ftn@rule@width}%
16967   \kern 2.6\p@}
16968 \renewcommand*\right@footnoterule{%
16969   \normalsize\ftn@rule@test@values
16970   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16971   \ifx\@textbottom\relax\else\vskip \z@ \z@.05fil\fi
16972   {\usekomafont{footnoterule}}%
16973   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16974   \kern 2.6\p@}
16975 \renewcommand*\maketitle[1][1]{%
16976   \if@titlepage
16977     \begin{titlepage}
16978       \setcounter{page}{%
16979         #1}%
16980     }%
16981     \let\footnotesize\small
16982     \let\right@footnoterule\relax
16983     \let\left@footnoterule\relax
16984     \let\textwidth@footnoterule\relax
16985     \let\footnote\thanks
16986     \let\LTRfootnote\LTRthanks
16987     \let\RTLfootnote\RTLthanks
16988     \renewcommand*\thefootnote{\fnsymbol{footnote}}%
16989     \let\oldmakefnmark\@makefnmark
16990     \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}}%
16991     \ifx\@extratitle\empty \else
16992       \noindent\@extratitle\next@tpage\cleardoubleemptypage
16993       \thispagestyle{empty}%
16994     \fi
16995     \setparsizes{\z@}{\z@}{\z@.0plus 1fil}\par@updaterelative

```



```

16996      \ifx\@titlehead\@empty \else
16997          \begin{minipage}[t]{\textwidth}%
16998              \@titlehead
16999          \end{minipage}\par
17000      \fi
17001      \null\vfill
17002      \begin{center}
17003          \ifx\@subject\@empty \else
17004              {\@subject\font \@subject \par}%
17005          \vskip 3em
17006      \fi
17007      {\@titlefont\huge \@title\par}%
17008      \vskip 1em
17009      {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17010      \vskip 2em
17011      {\Large \lineskip 0.75em
17012          \begin{tabular}[t]{c}
17013              \author
17014          \end{tabular}\par
17015      }%
17016      \vskip 1.5em
17017      {\Large \@date \par}%
17018      \vskip \z@ \oplus3fill
17019      {\Large \@publishers \par}%
17020      \vskip 3em
17021      \end{center}\par
17022      \@thanks
17023      \vfill\null
17024      \if@twoside\next@tpage
17025          \begin{minipage}[t]{\textwidth}
17026              \@uppertitleback
17027          \end{minipage}\par
17028          \vfill
17029          \begin{minipage}[b]{\textwidth}
17030              \@lowertitleback
17031          \end{minipage}
17032      \fi
17033      \ifx\@dedication\@empty \else
17034          \next@tpage\null\vfill
17035          {\centering \Large \@dedication \par}%
17036          \vskip \z@ \oplus3fill
17037          \if@twoside \next@tpage\cleardoubleemptypage \fi
17038      \fi
17039      \end{titlepage}
17040  \else
17041      \par
17042      \tempcnta=%
17043      #1%
17044      \relax\ifnum\tempcnta=1\else
17045          \ClassWarning{\KOMAClassName}{%

```



```

17046      Optional argument of \string\maketitle\space ignored
17047      at\MessageBreak
17048      notitlepage-mode%
17049      }%
17050      \fi
17051      \begingroup
17052          \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17053          \let\@oldmakefnmark\@makefnmark
17054          \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}
17055          \if@twocolumn
17056              \ifnum \col@number=\@ne
17057                  \@maketitle
17058              \else
17059                  \twocolumn[\@maketitle]%
17060              \fi
17061          \else
17062              \newpage
17063              \global\@topnum\z@
17064              \@maketitle
17065          \fi
17066          \thispagestyle{\titlepagestyle}\@thanks
17067          \endgroup
17068      \fi
17069      \setcounter{footnote}{0}%
17070      \let\thanks\relax
17071      \let\LTRthanks\relax
17072      \let\RTLthanks\relax
17073      \let\maketitle\relax
17074      \let\@maketitle\relax
17075      \global\let\@thanks\@empty
17076      \global\let\@author\@empty
17077      \global\let\@date\@empty
17078      \global\let\@title\@empty
17079      \global\let\@subtitle\@empty
17080      \global\let\@extratitle\@empty
17081      \global\let\@titlehead\@empty
17082      \global\let\@subject\@empty
17083      \global\let\@publishers\@empty
17084      \global\let\@uppertitleback\@empty
17085      \global\let\@lowertitleback\@empty
17086      \global\let\@dedication\@empty
17087      \global\let\author\relax
17088      \global\let\title\relax
17089      \global\let\extratitle\relax
17090      \global\let\titlehead\relax
17091      \global\let\subject\relax
17092      \global\let\publishers\relax
17093      \global\let\uppertitleback\relax
17094      \global\let\lowertitleback\relax
17095      \global\let\dedication\relax

```



```

17096  \global\let\date\relax
17097  \global\let\and\relax
17098 }%
17099 \renewcommand*{\@maketitle}{%
17100  \clearpage
17101  \let\footnote\thanks
17102  \let\LTRfootnote\LTRthanks
17103  \let\RTLfootnote\RTLthanks
17104  \ifx\@extratitle\@empty \else
17105    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17106  \fi
17107  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17108  \ifx\@titlehead\@empty \else
17109    \begin{minipage}[t]{\textwidth}
17110      \@titlehead
17111    \end{minipage}\par
17112  \fi
17113  \null
17114  \vskip 2em%
17115  \begin{center}%
17116    \ifx\@subject\@empty \else
17117      {\@subject\font \@subject \par}
17118      \vskip 1.5em
17119    \fi
17120    {\@titlefont\huge \@title \par}%
17121    \vskip .5em
17122    {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17123    \vskip 1em
17124    {\Large
17125      \lineskip .5em%
17126      \begin{tabular}[t]{c}
17127        \author
17128      \end{tabular}\par
17129    }%
17130    \vskip 1em%
17131    {\Large \@date \par}%
17132    \vskip \z@ \@plus 1em
17133    {\Large \@publishers \par}
17134    \ifx\@dedication\@empty \else
17135      \vskip 2em
17136      {\Large \@dedication \par}
17137    \fi
17138  \end{center}%
17139  \par
17140  \vskip 2em
17141 }%
17142 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17143 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
17144 \renewcommand*\thesection{%
17145   \thechapter\@SepMark%

```



```

17146  \@arabic\c@section
17147 }
17148 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
17149 \renewcommand*{\thesubsubsection}{%
17150  \thesubsection\@SepMark\@arabic\c@subsubsection
17151 }
17152 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
17153 \renewcommand*{\thesubparagraph}{%
17154  \theparagraph\@SepMark\@arabic\c@subparagraph
17155 }
17156 \renewcommand*\thefigure{%
17157  \thechapter\@SepMark%
17158  \@arabic\c@figure
17159 }
17160 \renewcommand*\thetable{%
17161  \thechapter\@SepMark%
17162  \@arabic\c@table
17163 }
17164 \renewcommand*\theequation{%
17165  \thechapter\@SepMark%
17166  \@arabic\c@equation
17167 }
17168 \renewenvironment{thebibliography}[1]{%
17169  \if@bib@break@
17170   \bib@beginhook
17171  \else
17172   \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
17173     \setchapterpreamble{\bibpreamble}%
17174   \fi\fi
17175   \bib@heading
17176   \bib@beginhook
17177   \bib@before@hook
17178 \fi
17179 \renewcommand{\BreakBibliography}[1]{%
17180  \@bib@break
17181  \end{thebibliography}%
17182  \begingroup ##1\endgroup
17183  \begin{thebibliography}{##1}
17184 }%
17185 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17186 \list{%
17187   \biblabel{\@arabic\c@enumiv}%
17188 }{%
17189   \settowidth\labelwidth{\biblabel{##1}}%
17190   \leftmargin\labelwidth
17191   \advance\leftmargin\labelsep
17192   \openbib@code
17193   \if@bib@break@
17194     \edef\@tempa{%
17195       \noexpand\usecounter{enumiv}%

```



```

17196      \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17197  } \atempa
17198  \no@bib@break
17199  \else
17200  \usecounter{enumiv}%
17201  \fi
17202  \let\p@enumiv\empty
17203  \renewcommand*\theenumiv{\@arabic\c@enumiv}%
17204  }%
17205  \sloppy\clubpenalty4000 \widowpenalty4000
17206  \sfcode`\.=\@m
17207 }{%
17208  \if@bib@break@
17209  \def\@noitemerr{%
17210  \@latex@warning{%
17211    \string\BreakBibliography\space at begin of `thebibliography'
17212    environment\MessageBreak
17213    or following \string\BreakBibliography}%
17214  }%
17215  \else
17216  \def\@noitemerr{%
17217  \@latex@warning{%
17218    Empty `thebibliography' environment or
17219    \string\BreakBibliography\MessageBreak
17220    before end of `thebibliography' environment}%
17221  }%
17222  \fi
17223  \endlist
17224  \if@bib@break@
17225  \else
17226  \bib@after@hook
17227  \let\bib@before@hook\empty
17228  \let\bib@after@hook\empty
17229  \fi
17230  \bib@endhook
17231 }%
17232 \renewcommand*\left@footnoterule{%
17233  \kern-3\p@
17234  \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17235  \hrule\@width.4\columnwidth
17236  \kern 2.6\p@}%
17237 \renewcommand*\right@footnoterule{%
17238  \kern-3\p@
17239  \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17240  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
17241  \kern2.6\p@}%
17242 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}%
17243 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}%
17244 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}%
17245 \renewcommand\marginline[1]{%

```



```

17246 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright}
17247 }
17248 \renewcommand{\@makecaption}[3]{%
17249 \cap@margin
17250 \ifonelinecaptions
17251 \tempcpta=\value{mpfootnote}\tempcntb=\value{footnote}%
17252 \let\scr@tmp@footnotetext=\footnotetext
17253 \let\footnotetext=\gobble
17254 \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
17255 \let\LTRfootnotetext=\gobble
17256 \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
17257 \let\RTLfootnotetext=\gobble
17258 \sbox@\tempboxa{%
17259 {\capfont{\strut\ignorespaces
17260 #1{\caplabelfont{#2\captionformat}}}}%
17261 #3\unskip\strut}}%
17262 }%
17263 \let\footnotetext=\scr@tmp@footnotetext
17264 \let\scr@tmp@footnotetext=\undefined
17265 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17266 \let\scr@tmp@LTRfootnotetext=\undefined
17267 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17268 \let\scr@tmp@RTLfootnotetext=\undefined
17269 \setcounter{footnote}{\tempcntb}%
17270 \setcounter{mpfootnote}{\tempcpta}%
17271 \else
17272 \sbox@\tempboxa{\hspace*{2\cap@width}}%
17273 \fi
17274 \begingroup%
17275 \setlength{\tempdima}{\cap@width}%
17276 \ifdim \wd\tempboxa >\tempdima
17277 \hb@xt@{\hspace*{%
17278 \setbox\tempboxa\vbox{\hspace*{\cap@width}
17279 \ifdofullc@%
17280 {\capfont{\hangfrom{\scr@smashdp{\strut\ignorespaces
17281 #1{\caplabelfont{#2\captionformat}}}}}}%
17282 {#3\unskip\strut\par}}}}%
17283 \else%
17284 \ifdim\cap@indent<\z@%
17285 {\capfont{\strut\ignorespaces
17286 #1{\caplabelfont{#2\captionformat\par}}}}%
17287 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
17288 \else%
17289 \ifcapbreak
17290 {\capfont{\strut\ignorespaces
17291 #1{\caplabelfont{#2\captionformat\par}}}}%
17292 \noindent\hangfrom{\hspace*{\cap@indent}}{#3\par}}}}%
17293 \else
17294 {\capfont{\hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}}%
17295 {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1}}%

```



```

17296      {{\caplabelfont{\#2\captionformat}}}\#3\unskip\strut\par}}\%
17297          \fi
17298          \fi
17299          \fi
17300      }%
17301      \setlength{\@tempdima}{\ht\@tempboxa}%
17302      \addtolength{\@tempdima}{\dp\@tempboxa}%
17303      \addtolength{\@tempdima}{-\ht\strutbox}%
17304      \ht\@tempboxa\ht\strutbox
17305      \dp\@tempboxa\@tempdima
17306      \strut\cap@left
17307      \box\@tempboxa
17308      \cap@right\strut
17309      }%
17310  \else
17311      \global \minipagetrue
17312      \sbox\@tempboxa{%
17313          {\capfont{\scr@smashdp{\strut\ignorespaces
17314              #1{{\caplabelfont{\#2\captionformat}}}}}}%
17315              #3}}%
17316      }%
17317      {\capfont{\hb@xt@\hspace{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\c
17318      \fi
17319      \endgroup
17320  }
17321 \renewcommand{\makecaption}[2]{%
17322     \if@captionabove
17323         \vskip\belowcaptionskip
17324     \else
17325         \vskip\abovecaptionskip
17326     \fi
17327     \@@makecaption\firstofone{\#1}{\#2}%
17328     \if@captionabove
17329         \vskip\abovecaptionskip
17330     \else
17331         \vskip\belowcaptionskip
17332     \fi
17333  }
17334 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17335     \@ifpackageloaded{caption2}{\komalongtablefalse
17336         \scr@caption@before@longtable@warning{caption2}%
17337     }{}%
17338     \if@komalongtable
17339         \renewcommand{\LT@makecaption}[3]{%
17340             \noalign{%
17341                 \if@captionabove
17342                     \vskip\belowcaptionskip
17343                 \else
17344                     \vskip\abovecaptionskip
17345                 \fi

```



```

17346 }%
17347 \LT@mcol\LT@cols c{%
17348   \hbox to\z@\{\hss\parbox[t]\linewidth{%
17349     \@@makecaption{\#1}{\#2}{\#3}%
17350     \endgraf
17351     \if@captionabove
17352       \vskip\abovetopskip
17353     \else
17354       \vskip\belowtopskip
17355     \fi
17356   }%
17357   \hss
17358 }%
17359 }%
17360 }%
17361 \renewcommand*{\scr@LT@array}{%
17362 \let\scr@LT@array=\LT@array
17363 \renewcommand*{\LT@array}{%
17364   \let\scr@caption=\LT@caption
17365   \def\captionabove{\noalign{\global\@captionabovetrue}%
17366     \scr@caption}%
17367   \def\captionbelow{\noalign{\global\@captionabovefalse}%
17368     \scr@caption}%
17369   \if@tablecaptionabove
17370     \let\LT@caption=\captionabove
17371   \else
17372     \let\LT@caption=\captionbelow
17373   \fi
17374   \scr@LT@array
17375 }%
17376 \ClassInfo{\KOMAClassName}{%
17377   longtable captions redefined%
17378 }%
17379 \fi
17380 }
17381 \CloneTOCEEntryStyle{tocline}{part}
17382 \TOCEEntryStyleStartInitCode{part}{%
17383   \expandafter\renewcommand%
17384   \csname scr@tso@#1@linefill\endcsname{\hfill}%
17385   \expandafter\renewcommand%
17386   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17387   \expandafter\renewcommand%
17388   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17389     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17390   \expandafter\renewcommand\expandafter*%
17391   \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
17392 }%
17393 }
17394 \CloneTOCEEntryStyle{tocline}{chapter}

```



```

17396 \TOCEEntryStyleStartInitCode{chapter}{%
17397   \expandafter\renewcommand%
17398   \csname scr@tso@#1@linefill\endcsname{%
17399     \if@chapterentrywithdots
17400       \TOCLineLeaderFill\relax
17401     \else
17402       \hfill
17403     \fi
17404   }%
17405   \expandafter\renewcommand%
17406   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
17407   \expandafter\renewcommand%
17408   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17409     \usekomafont{chapterentry}\usekomafont{chapterentrypagenumber}{{##1}}}}%
17410   \expandafter\renewcommand\expandafter*%
17411   \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus p@}%
17412 }
17413
17414 \CloneTOCEEntryStyle{tocline}{section}
17415 \TOCEEntryStyleStartInitCode{section}{%
17416   \expandafter\renewcommand%
17417   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17418 }
17419
17420 \CloneTOCEEntryStyle{section}{default}
17421
17422 \DeclareSectionCommand[%]
17423   style=part,%
17424   level=\m@ne,%
17425   pagestyle=plain,%
17426   tocstyle=part,%
17427   toplevel=\m@ne,%
17428   tocindent=\z@,%
17429   tocnumwidth=2em%
17430 ]{part}
17431 \DeclareSectionCommand[%]
17432   style=chapter,%
17433   level=\z@,%
17434   pagestyle=plain,%
17435   tocstyle=chapter,%
17436   tocindent=\z@,%
17437   tocnumwidth=1.5em%
17438 ]{chapter}
17439 \DeclareSectionCommand[%]
17440   style=section,%
17441   level=1,%
17442   indent=\z@,%
17443   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
17444   afterskip=2.3ex \oplus .2ex,%
17445   tocstyle=section,%

```



```

17446 tocindent=1.5em,%
17447 tocnumwidth=2.3em%
17448 ]{section}
17449 \DeclareSectionCommand[%]
17450 style=section,%
17451 level=2,%
17452 indent=\z@,%
17453 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17454 afterskip=1.5ex \@plus .2ex,%
17455 tocstyle=section,%
17456 tocindent=3.8em,%
17457 tocnumwidth=3.2em%
17458 ]{subsection}
17459 \DeclareSectionCommand[%]
17460 style=section,%
17461 level=3,%
17462 indent=\z@,%
17463 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17464 afterskip=1.5ex \@plus .2ex,%
17465 tocstyle=section,%
17466 tocindent=7.0em,%
17467 tocnumwidth=4.1em%
17468 ]{subsubsection}
17469 \DeclareSectionCommand[%]
17470 style=section,%
17471 level=4,%
17472 indent=\z@,%
17473 beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17474 afterskip=-1em,%
17475 tocstyle=section,%
17476 tocindent=10em,%
17477 tocnumwidth=5em%
17478 ]{paragraph}
17479 \DeclareSectionCommand[%]
17480 style=section,%
17481 level=5,%
17482 indent=\scr@parindent,%
17483 beforeskip=3.25ex \@plus1ex \@minus .2ex,%
17484 afterskip=-1em,%
17485 tocstyle=section,%
17486 tocindent=12em,%
17487 tocnumwidth=6em%
17488 ]{ subparagraph}
17489
17490

```

7.104 sidecap-xetex-bidi.def

```

17491 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package fo
17492 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%

```



```

17493     \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} } {\#2}\hspace{\sidecaptionsep}{\#1}}\else%
17494 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1} } {\#1}\hspace{\sidecaptionsep}{\#2}}\fi%
17495   \renewcommand*\SC@justify@caption{\if@RTL%
17496 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
17497   \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

7.105 soul-xetex-bidi.def

```

17498 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTe
17499 \long\def\SOUL@start#1{%
17500   \let\bidi@RTL@everypar\empty
17501   \let\<\SOUL@lowerthan
17502   \let\>\empty
17503   \def\soulomit{\noexpand\soulomit}%
17504   \gdef\SOUL@eventuallyexhyphen##1{}%
17505   \let\SOUL@soeventuallyskip\relax
17506   \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
17507   \@minus\fontdimen4\font
17508   \SOUL@ignorespacesfalse
17509   \leavevmode
17510   \SOUL@preamble
17511   \SOUL@lasttoken=%
17512   \SOUL@word=%
17513   \SOUL@minus\z@
17514   \SOUL@comma\z@
17515   \SOUL@apo\z@
17516   \SOUL@grave\z@
17517   \SOUL@do{#1}%
17518   \SOUL@postamble
17519 }
17520 \def\SOUL@ulunderline#1{%
17521   \setbox\z@\hbox{#1}%
17522   \dimen@\wd\z@
17523   \dimen@i=\SOUL@uloverlap
17524   \advance\dimen@2\dimen@i
17525   \if@RTL
17526   \unhcopy\z@
17527   \llap{%
17528     \null
17529     \kern-\dimen@i
17530     \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@i}%
17531   }%
17532   \else
17533   \rlap{%
17534     \null
17535     \kern-\dimen@i
17536     \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@i}%
17537   }%
17538   \unhcopy\z@
17539 \fi

```



```

17540 }}
17541 \def\bidi@SOUL@ulleaders{%
17542     \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\re
17543 }
17544 \def\SOUL@uleveryspace#1{%
17545     \if@RTL
17546     #1%
17547     \bidi@SOUL@ulleaders
17548     \hskip\spaceskip
17549     \else
17550     \SOUL@ulcolor{%
17551         #1%
17552         \SOUL@ulleaders
17553         \hskip\spaceskip
17554     }%
17555     \fi
17556     \null
17557 }

```

7.106 stabular-xetex-bidi.def

```

17558 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package
17559 \def\@stabular{%
17560     \leavevmode \bgroup \if@RTLtab\beginR \fi
17561     \let\@acol\@tabacol
17562     \let\@classz\@tabclassz
17563     \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray}
17564 \def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
17565                         \egroup \if@RTLtab\endR\fi\egroup}
17566 \expandafter \let \csname endstabular*\endcsname = \endstabular
17567 \def\@sarray[#1]#2{%
17568     \bgroup
17569     \setbox\@carstrutbox\hbox{%
17570         \vrule \@height\arraystretch\ht\strutbox
17571             \@depth\arraystretch \dp\strutbox
17572             \@width\z@\%}
17573     \mkpream{#2}%
17574     \edef\@preamble{%
17575         \ialign \noexpand\@halignto
17576             \bgroup \@carstrut \@preamble \tabskip\z@skip \cr}%
17577     \let\@startpbox\@startpbox \let\@endpbox\@endpbox
17578     \let\tabularnewline\%
17579     \let\@sharp##%
17580     \set@typeset@protect
17581     \lineskip\z@skip\baselineskip\z@skip
17582     \if@RTLtab\hbox\bgroup\beginR\hboxR\if #1t\vtop \else \vbox \fi\bgroup\fi
17583     \preamble}

```

7.107 subfigure-xetex-bidi.def

```

17584 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package

```



```

17585 \AtBeginDocument{%
17586   \let\p@subfigure=\thefigure
17587   \let\p@subtable=\thetable%
17588 }

```

7.108 **tbls-xetex-bidi.def**

```

17589 \ProvidesFile{tbls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for Xe
17590 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
17591
17592 \expandafter\let\csname endtabular*\endcsname=\endtabular
17593
17594 \def\endarray{\ifvmode\csname crcr\endcsname % just do \cr\cr if \\ given
17595   \else \\[\z@\global\advance\carstdepth-\@tarlinesep]%
17596   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecuse\egroup}
17597
17598 \def\@array[#1]#2{%
  remember global variables to allow recursion:
17599   \edef\@unrecuse{\global\@skip@bove\the\@skip@bove
17600     \global\carstheight\the\carstheight\global\carstdepth\the\carstdepth}%
17601   \let\@tarlinesep\@tarlinesep \global\@skip@bove-\@tarlinesep
17602   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
17603   \else \let\@tarlinesep\tablinesep \fi
17604   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
17605   \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
17606   \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
17607   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
17608     \def\@rememsize{\protect\@m@msize}\let\@seesize\@sc@size
17609     \advance\tempdima-\@tarlinesep \advance\tempdimb-\@tarlinesep
17610   \fi \setbox\carstrutbox\hbox{%
    set up smaller strut
17611     \vrule\@height\tempdima\@depth\tempdimb\@width\z@}%
17612   \let\protect\noexpand
17613   \edef\@preamble{\ialign \noexpand\@halignto \bgroup
17614     \unhcopy\carstrutbox \preamble \tabskip\z@skip \&\@sharp\cr}%
17615   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
17616   \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
17617   \bgroup \let\par\empty
17618   \global\carstheight\ht\carstrutbox \global\carstdepth\dp\carstrutbox
17619   \advance\extrarulesep.5\arrayrulewidth
17620   \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
17621   \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
17622   \preamble

```

7.109 **tabularx-xetex-bidi.def**

```

17623 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package
17624 \def\TX@endtabularx{%
17625   \expandafter\expandafter\expandafter
17626   \TX@find@endtabularxa\csname end\TX@\endcsname
17627   \endtabularx\TX@\endtabularx\TX@find@endtabularxa
17628   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
17629   \let\verb\TX@verb

```



```

17630 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
17631 \edef\TX@ckpt{\cl@@ckpt}%
17632 \let\@elt\relax
17633 \TX@old@table\maxdimen
17634 \TX@col@width\TX@target
17635 \global\TX@cols@ne
17636 \TX@typeout%
   {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
17638 \TX@trial{\def\NC@rewrite@X{%
   \global\advance\TX@cols@ne\NC@find p{\TX@col@width}}}}%
17639 \loop
17640   \TX@arith
17641   \ifTX@
17642     \TX@trial{}%
17643   \repeat
17644 {\let\footnotetext\TX@ftntext\let\xfootnotenext\TX@xftntext
17645 \let\LTRfootnotetext\TX@LTRftntext\let\xLTRfootnotenext\TX@xLTRftntext
17646 \let\RTLfootnotetext\TX@RTLftntext\let\xRTLfootnotenext\TX@xRTLftntext
17647 \csname tabular*\expandafter\endcsname\expandafter\TX@target
17648   \the\toks@
17649   \csname endtabular*\endcsname}%
17650 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
17651 \ifnum0=`\fi}%
17652 \expandafter\expandafter\expandafter
17653 \TX@find@endtabularxbb
17654   \expandafter\end\expandafter{\TX@}%
17655 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
17656 }
17657 }
17658
17659 \def\TX@trial#1{%
17660   \setbox\@tempboxa\hbox{%
17661     #1\relax
17662   \let\footnotetext\TX@trial@ftn
17663   \let\LTRfootnotetext\TX@trial@ftn
17664   \let\RTLfootnotetext\TX@trial@ftn
17665   \let\TX@vwarn\@empty
17666   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
17667   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
17668   \def\write{\begingroup
17669     \def\let{\afterassignment\endgroup\toks@}%
17670       \afterassignment\let\count@}%
17671     \hbadness\@M
17672     \hfuzz\maxdimen
17673     \let\hbadness\@tempcnta
17674     \let\hfuzz\@tempdima
17675     \expandafter\tabular\the\toks@
17676     \endtabular}%
17677   \TX@ckpt
17678   \TX@typeout{\@spaces
17679     \expandafter\TX@align

```



```

17680      \the\wd\@tempboxa\space\space\space\space\space\space\@c
17681      \expandafter\TX@align
17682          \the\TX@col@width\space\space\space\space\space\space\@c
17683      \@spaces\the\TX@cols\}
17684
17685 \long\def\TX@LTRftntext#1{%
17686   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
17687       [\the\csname c@\@mpfn\endcsname]\%
17688   \global\TX@ftn\expandafter{\@tempa{#1}}\%
17689 \long\def\TX@xLTRftntext[#1]#2{%
17690   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}\%
17691
17692 \long\def\TX@RTLftntext#1{%
17693   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
17694       [\the\csname c@\@mpfn\endcsname]\%
17695   \global\TX@ftn\expandafter{\@tempa{#1}}\%
17696 \long\def\TX@xRTLftntext[#1]#2{%
17697   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}\%

```

7.110 tabulary-xetex-bidi.def

```

17698 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package
17699 \def\@testpach{\@chclass
17700 \ifnum \@lastchclass=6 \one\chnum\one\else
17701 \ifnum \@lastchclass=7 5\else
17702 \ifnum \@lastchclass=8 \tw@\else
17703 \ifnum \@lastchclass=9 \thr@%
17704 \else \z@%
17705 \ifnum \@lastchclass = 10 \else
17706 \edef\@nextchar{\expandafter\string\@nextchar}\%
17707 \chnum
17708 \if \@nextchar c\z@ \else
17709 \if \@nextchar \if@RTLtab r\else l\fi\one\else
17710 \if \@nextchar \if@RTLtab l\else r\fi\tw@\else
17711 \if \@nextchar C7 \else
17712 \if \@nextchar L8 \else
17713 \if \@nextchar R9 \else
17714 \if \@nextchar J10 \else
17715 \z@ \chclass
17716 \if \@nextchar |\one\else
17717 \if \@nextchar !6 \else
17718 \if \@nextchar @7 \else
17719 \if \@nextchar <8 \else
17720 \if \@nextchar >9 \else
17721 10
17722 \chnum
17723 \if \@nextchar m\thr@ \else
17724 \if \@nextchar p4 \else
17725 \if \@nextchar b5 \else
17726 \z@ \chclass \z@ \preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi

```



```
17727     \fi }
```

7.111 tc-xetex-bidi.def

```
17728 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeT
17729 \def\@cliptoboxdim#1{%
17730     \setbox#1=\hbox{%
17731         \Gin@defaultbp\WIDTH{\wd#1}%
17732         \Gin@defaultbp\DEPTH{\dp#1}%
17733         \tempdima\ht#1%
17734         \advance\tempdima\dp#1%
17735         \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
17736         \beginL\special{pdf:bcontent }%
17737         \special{%
17738             pdf:literal direct
17739             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
17740         }%
17741         \special{pdf:literal direct W }%
17742         \special{pdf:literal direct n }%
17743         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
17744         \special{pdf:econtent }\endL%
17745     }%
17746 }
```

7.112 titlesec-xetex-bidi.def

```
17747 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
17748 \renewcommand\filright{%
17749     \gdef\ttl@filleft##1{\hskip##1}%
17750     \gdef\ttl@filright##1{\hfill}%
17751     \let\\@\centercr
17752     \advance\rightskip\z@ \oplus 1fil
17753     \parfillskip\z@}
17754 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
17755     \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
17756     \setlength\leftskip{#6}%
17757     \setlength\rightskip{#7}%
17758     \interlinepenalty\OM
17759     \ttl@changecentercr
17760     \ttl@beginlongest
17761     #1{\ifhmode\ttl@hmode@error\fi
17762         \ttl@glcmds
17763         \parindent\z@
17764         \leavevmode
17765         \begingroup
17766             \ifttl@label
17767                 \sbox\z@{\strut\ttl@calc\hspace{#3}}%
17768                 \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
17769                 \llap{\box\z@}%
17770             \fi
17771         #4{#8}}%
```



```

17772     \kern\z@\strut\@@par
17773     \endgroup
17774     \nobreak\ttl@midlongest#5\@@par}%
17775 \ttl@endlongest}

```

7.113 titletoc-xetex-bidi.def

```

17776 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package
17777 \renewcommand\filright{%
17778   \gdef\ttl@filleft##1{\hskip##1}%
17779   \gdef\ttl@filright##1{\hfill}%
17780   \let\\@centercr
17781   \advance\rightskip\z@ \oplus ifil
17782 \parfillskip\z@}
17783 \renewcommand\contentspush[1]{%
17784   \sbox\z@{#1}%
17785   \xdef\ttl@b{\advance\if@RTL\righskip\else\leftskip\fi\the\wd\z@}%
17786   \aftergroup\ttl@b
17787   \leavevmode\llap{\box\z@}}
17788 \def\ttl@outnoblock#1#2#3{%
17789   \begingroup
17790   \ifnum\ttl@b>\ttl@a
17791     \nobreak
17792   \else\ifnum\ttl@b<\ttl@a
17793     \addpenalty{\secpenalty}%
17794   \else
17795     \addpenalty{\z@}%
17796   \fi\fi
17797   \ttl@contentsstretch
17798   \nobreak
17799   \ifcase#1\relax\else\interlinepenalty\@M\fi
17800   \parindent\z@
17801   \ifx\@nil#2%
17802     \PackageError{titletoc}{Unimplemented}%
17803     {The optional argument is currently mandatory}%
17804   \else
17805     \if@RTL\setlength\righskip{#2}\else
17806       \setlength\leftskip{#2}\fi%
17807   \fi
17808   \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\righskip{\@pnumwidth}\fi%
17809   \let\contentsmargin\ttl@margin
17810   \def\ttl@makeline##1{##1}%
17811   #3%
17812   \addtolength{\parfillskip}{-\ttl@corr}%
17813   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength\righskip{\ttl@corr}\fi%
17814   \let\ttl@leaders\leaders
17815 \renewcommand\ttl@margin[2][\z@]{%
17816   \def\ttl@corr{#1}%
17817   \advance\if@RTL\leftskip\else\righskip\fi-\@pnumwidth\relax
17818   \advance\if@RTL\leftskip\else\righskip\fi#2\relax

```



```

17819 \def\@pnumwidth{#2}}
17820 \let\ttl@savel@part\l@part
17821 \def\l@part{\ttl@lselect{part}}
17822
17823 \let\ttl@savel@chapter\l@chapter
17824 \def\l@chapter{\ttl@lselect{chapter}}

```

7.114 tocbibind-xetex-bidi.def

```

17825 \ProvidesFile{tocbibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocbibind package]
17826 \if@dotocbib
17827   \@ifpackageloaded{natbib}{}{%
17828     \renewcommand{\bibsection}{\tcb@bchapsec}
17829     \renewenvironment{thebibliography}[1]{%
17830       \bibsection
17831       \begin{thebibitemlist}{#1}\end{thebibitemlist}}%
17832     \renewenvironment{thebibitemlist}[1]{%
17833       \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
17834       \list{@biblabel{\@arabic\c@enumiv}}{%
17835         \settowidth\labelwidth{\@biblabel{#1}}%
17836         \leftmargin\labelwidth
17837         \advance\leftmargin\labelsep
17838         \openbib@code
17839         \usecounter{enumiv}%
17840         \let\p@enumiv\empty
17841         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
17842         \sloppy
17843         \clubpenalty4000
17844         \clubpenalty \clubpenalty
17845         \widowpenalty4000%
17846         \sfcode`.\@m
17847         \def\noitemerr
17848           {\@latex@warning{Empty `thebibliography' environment}}%
17849         \endlist
17850
17851 \ifpackagewith{chapterbib}{sectionbib}%
17852   \renewcommand{\sectionbib}[2]{}%
17853   {}
17854
17855 \fi
17856 \if@inltxdoc\else
17857   \renewenvironment{theindex}{%
17858     \if@twocolumn
17859       \restonecolfalse
17860     \else
17861       \restonecoltrue
17862     \fi
17863     \if@bibchapter
17864       \if@donumindex
17865         \refstepcounter{chapter}

```



```

17866     \twocolumn[\vspace*{2\topskip}%
17867             \@makechapterhead{\indexname}]%
17868     \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
17869     \chaptermark{\indexname}
17870 \else
17871     \if@dotocind
17872         \twocolumn[\vspace*{2\topskip}%
17873             \@makeschapterhead{\indexname}]%
17874         \prw@mkboth{\indexname}
17875         \addcontentsline{toc}{chapter}{\indexname}
17876     \else
17877         \twocolumn[\vspace*{2\topskip}%
17878             \@makeschapterhead{\indexname}]%
17879         \prw@mkboth{\indexname}
17880     \fi
17881     \fi
17882 \else
17883     \if@donumindex
17884         \twocolumn[\vspace*{-1.5\topskip}%
17885             \@nameuse{\@tocextra}{\indexname}]%
17886         \csname \@tocextra mark\endcsname{\indexname}
17887     \else
17888     \if@dotocind
17889         \twocolumn[\vspace*{-1.5\topskip}%
17890             \toc@headstar{\@tocextra}{\indexname}]%
17891         \prw@mkboth{\indexname}
17892         \addcontentsline{toc}{\@tocextra}{\indexname}
17893     \else
17894         \twocolumn[\vspace*{-1.5\topskip}%
17895             \toc@headstar{\@tocextra}{\indexname}]%
17896         \prw@mkboth{\indexname}
17897     \fi
17898     \fi
17899     \fi
17900     \thispagestyle{plain}\parindent\z@
17901     \parskip\z@ \relax
17902     \let\item\@idxitem
17903     {\if@restonecol\onecolumn\else\clearpage\fi}
17904 \fi

```

7.115 tocloft-xetex-bidi.def

```

17905 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
17906 \let\cftdot\@SepMark
17907 \if@cfthaspart
17908 \renewcommand*{\l@part}[2]{
17909     \@cftdopartfalse
17910     \ifnum \c@tocdepth >-2\relax
17911     \if@cfthaschapter
17912         \@cftdoparttrue

```



```

17913     \fi
17914     \ifnum \c@tocdepth >\m@ne
17915         \if@cfthaschapter\else
17916             \cftdoparttrue
17917         \fi
17918     \fi
17919 \fi
17920 \if@cftdopart
17921     \if@cfthaschapter
17922         \addpenalty{-\@highpenalty}
17923     \else
17924         \addpenalty\@secpenalty
17925     \fi
17926 \addvspace{\cftbeforepartskip}
17927 \begingroup
17928     {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
17929         \if@RTL\leftskip\else\rightskip\fi \cftpartmarg
17930         \parfillskip -\if@RTL\leftskip\else\rightskip\fi
17931         \parindent \cftpartindent\relax\cftafterindenttrue
17932         \interlinepenalty\@M
17933         \leavevmode
17934         \cftpartnumwidth\relax
17935         \let\cftbsnum \cftpartpresnum
17936         \let\cftasnum \cftpartaftersnum
17937         \let\cftasnumb \cftpartaftersnumb
17938         \advance\if@RTL\rightskip\else\leftskip\fi \cftpartmarg \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftpartfont \cftpartpresnum #1}
17939         \cftpartfillnum{#2}}
17940     \nobreak
17941     \if@cfthaschapter
17942         \global\cftnobreaktrue
17943         \everypar{\global\cftnobreakfalse\everypar{}}
17944     \else
17945         \if@compatibility
17946             \global\cftnobreaktrue
17947             \everypar{\global\cftnobreakfalse\everypar{}}
17948         \fi
17949     \fi
17950     \endgroup
17951 \fi}
17952 \fi
17953 \fi
17954 \if@cfthaschapter
17955 \renewcommand*{\l@chapter}[2]{%
17956     \ifnum \c@tocdepth >\m@ne
17957         \addpenalty{-\@highpenalty}
17958         \vskip \cftbeforechapskip
17959         {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
17960             \if@RTL\leftskip\else\rightskip\fi \cftchapmarg
17961             \parfillskip -\if@RTL\leftskip\else\rightskip\fi
17962             \parindent \cftchapindent\relax\cftafterindenttrue

```



```

17963 \interlinepenalty\@M
17964 \leavevmode
17965 \@tempdima \cftchapnumwidth\relax
17966 \let@\cftbsnum \cftchappresnum
17967 \let@\cftasnum \cftchapaftersnum
17968 \let@\cftasnumb \cftchapaftersnumb
17969 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
17970 {\cftchapfont #1}\nobreak
17971 \cftchapfillnum{#2}
17972 \fi}
17973 \fi
17974 \renewcommand*{\l@section}[2]{%
17975 \ifnum \c@tocdepth >\z@
17976 \if@cfthaschapter
17977 \vskip \cftbeforesecskip
17978 \else
17979 \addpenalty\@secpenalty
17980 \addvspace{\cftbeforesecskip}
17981 \fi
17982 {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
17983 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
17984 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
17985 \parindent \cftsecindent\relax\@afterindenttrue
17986 \interlinepenalty\@M
17987 \leavevmode
17988 \@tempdima \cftsecnumwidth\relax
17989 \let@\cftbsnum \cftsecpresnum
17990 \let@\cftasnum \cftsecaftersnum
17991 \let@\cftasnumb \cftsecaftersnumb
17992 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
17993 {\cftsecfont #1}\nobreak
17994 \cftsecfillnum{#2}}
17995 \fi}
17996 \renewcommand*{\l@subsection}[2]{%
17997 \ifnum \c@tocdepth >\@ne
17998 \vskip \cftbeforesubsecskip
17999 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
18000 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18001 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18002 \parindent \cftsubsecindent\relax\@afterindenttrue
18003 \interlinepenalty\@M
18004 \leavevmode
18005 \@tempdima \cftsubsecnumwidth\relax
18006 \let@\cftbsnum \cftsubsecpresnum
18007 \let@\cftasnum \cftsubsecaftersnum
18008 \let@\cftasnumb \cftsubsecaftersnumb
18009 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
18010 {\cftsubsecfont #1}\nobreak
18011 \cftsubsecfillnum{#2}}
18012 \fi}

```



```

18013 \renewcommand*{\l@subsubsection}[2]{%
18014   \ifnum \c@tocdepth >\tw@
18015     \vskip \cftbeforesubsubsecskip
18016     {(\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
18017       \if@RTL\leftskip\else\rightskip\fi \cftsubsubsecindent\relax
18018       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18019       \parindent \cftsubsubsecindent\relax\@afterindenttrue
18020       \interlinepenalty\@M
18021       \leavevmode
18022       \tempdima \cftsubsubsecnumwidth\relax
18023       \let\cftbsnum \cftsubsubsecpresnum
18024       \let\cftasnum \cftsubsubsecaftersnum
18025       \let\cftasnumb \cftsubsubsecaftersnumb
18026       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18027       {\cftsubsubsecfont #1}\nobreak
18028       \cftsubsubsecfillnum{#2}}
18029   \fi}
18030 \renewcommand*{\l@paragraph}[2]{%
18031   \ifnum \c@tocdepth >3\relax
18032     \vskip \cftbeforeparaskip
18033     {(\if@RTL\rightskip\else\leftskip\fi \cftpaiindent\relax
18034       \if@RTL\leftskip\else\rightskip\fi \cftparaindent\relax
18035       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18036       \parindent \cftpaiindent\relax\@afterindenttrue
18037       \interlinepenalty\@M
18038       \leavevmode
18039       \tempdima \cftpaiumwidth\relax
18040       \let\cftbsnum \cftpapresnum
18041       \let\cftasnum \cftparaftersnum
18042       \let\cftasnumb \cftparaftersnumb
18043       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18044       {\cftpafont #1}\nobreak
18045       \cftpafillnum{#2}}
18046   \fi}
18047 \renewcommand*{\l@subparagraph}[2]{%
18048   \ifnum \c@tocdepth >4\relax
18049     \vskip \cftbeforesubparaskip
18050     {(\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
18051       \if@RTL\leftskip\else\rightskip\fi \cftsubparaindent\relax
18052       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18053       \parindent \cftsubparaindent\relax\@afterindenttrue
18054       \interlinepenalty\@M
18055       \leavevmode
18056       \tempdima \cftsubparaiumwidth\relax
18057       \let\cftbsnum \cftsubparapresnum
18058       \let\cftasnum \cftsubparaftersnum
18059       \let\cftasnumb \cftsubparaftersnumb
18060       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18061       {\cftsubparafont #1}\nobreak
18062       \cftsubparafillnum{#2}}

```



```

18063 \fi}
18064 \renewcommand*{\l@figure}[2]{%
18065 \ifnum \c@lofdepth >\z@
18066 \vskip \cftbeforefigskip
18067 {(\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
18068 \if@RTL\leftskip\else\rightskip\fi \cftfigwidth\relax
18069 \parfillskip -\if@RTL\leftskip\else\rightskip\fi \cftfigwidth\relax
18070 \parindent \cftfigindent\relax\cftfigwidth\relax\cftfigwidth\relax
18071 \interlinepenalty\@M
18072 \leavevmode
18073 \cftfigwidth\relax
18074 \let\@cftbsnum \cftfigpresnum
18075 \let\@cftasnum \cftfigaftersnum
18076 \let\@cftasnumb \cftfigaftersnumb
18077 \advance\cftfigwidth\relax
18078 {\cftfigfont \#1}\nobreak
18079 \cftfigfillnum{\#2}}
18080 \fi
18081 }
18082 \renewcommand*{\l@table}[2]{%
18083 \ifnum\c@lotdepth >\z@
18084 \vskip \cftbeforetabskip
18085 {(\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
18086 \if@RTL\leftskip\else\rightskip\fi \cfttabwidth\relax
18087 \parfillskip -\if@RTL\leftskip\else\rightskip\fi \cfttabwidth\relax
18088 \parindent \cfttabindent\relax\cfttabwidth\relax\cfttabwidth\relax
18089 \interlinepenalty\@M
18090 \leavevmode
18091 \cfttabwidth\relax
18092 \let\@cftbsnum \cfttabpresnum
18093 \let\@cftasnum \cfttabaftersnum
18094 \let\@cftasnumb \cfttabaftersnumb
18095 \advance\cfttabwidth\relax
18096 {\cfttabfont \#1}\nobreak
18097 \cfttabfillnum{\#2}}
18098 \fi
18099 }
18100 \renewcommand{\@cftl@subfig}{%
18101 \renewcommand*{\l@subfigure}[2]{%
18102 \ifnum \c@lofdepth > \toclevel@subfigure
18103 \vskip \cftbeforesubfigskip
18104 {(\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
18105 \if@RTL\leftskip\else\rightskip\fi \cftsubfigwidth\relax
18106 \parfillskip -\if@RTL\leftskip\else\rightskip\fi \cftsubfigwidth\relax
18107 \parindent \cftsubfigindent\relax\cftsubfigwidth\relax\cftsubfigwidth\relax
18108 \interlinepenalty\@M
18109 \leavevmode
18110 \cftsubfigwidth\relax
18111 \let\@cftbsnum \cftsubfigpresnum
18112 \let\@cftasnum \cftsubfigaftersnum

```



```

18113     \let\@cftasnumb \cftsubfigaftersnumb
18114     \advance\if@RTL\rightrightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\righ
18115     {\cftsubfigfont ##1}\nobreak
18116     \cftsubfigfillnum{##2}}
18117     \fi
18118   }
18119 }
1820 \renewcommand{\@cftl@subtab}{%
1821 \renewcommand*{\l@subtable}[2]{%
1822   \ifnum \c@lotdepth > \toclevel@subtable
1823     \vskip \cftbeforesubtabskip
1824     {\if@RTL\rightrightskip\else\leftskip\fi \cftsubtabindent\relax
1825      \if@RTL\leftskip\else\rightrightskip\fi \tocrmarg
1826      \parfillskip -\if@RTL\leftskip\else\rightrightskip\fi
1827      \parindent \cftsubtabindent\relax\@afterindenttrue
1828      \interlinepenalty\OM
1829      \leavevmode
1830      \tempdima \cftsubtabnumwidth\relax
1831      \let\cftbsnum \cftsubtabpresnum
1832      \let\cftasnum \cftsubtabaftersnum
1833      \let\cftasnumb \cftsubtabaftersnumb
1834      \advance\if@RTL\rightrightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\righ
1835      {\cftsubtabfont ##1}\nobreak
1836      \cftsubtabfillnum{##2}}
1837   \fi
1838 }
1839 }
1840 \renewcommand{\newlistentry}[4][]{%
1841   \@ifundefined{c@#2}{%      check & set the counter
1842     \ifx \empty\relax
1843       \newcounter{#2}
1844     \else
1845       \@ifundefined{c@#1}{\PackageWarning{tocloft}%
1846         {#1 has no counter for use as a `within'}
1847         \newcounter{#2}}%
1848       {\newcounter{#2}[#1]%
1849         \expandafter\edef\csname the#2\endcsname{%
1850           \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
1851     \fi
1852     \setcounter{#2}{0}
1853   }
1854   {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
1855
1856   \namedef{#1}{%
1857     \ifnum \nameuse{c@#3depth} > #4\relax
1858       \vskip \nameuse{cftbefore#2skip}
1859       {\if@RTL\rightrightskip\else\leftskip\fi \nameuse{cft#2indent}\relax
1860        \if@RTL\leftskip\else\rightrightskip\fi \tocrmarg
1861        \parfillskip -\if@RTL\leftskip\else\rightrightskip\fi
1862        \parindent \nameuse{cft#2indent}\relax\@afterindenttrue

```



```

18:63      \interlinepenalty\@M
18:64      \leavevmode
18:65      \tempdima \nameuse{cft#2numwidth}\relax
18:66      \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
18:67      \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
18:68      \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
18:69      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\right
18:70      {\nameuse{cft#2font}##1}\nobreak
18:71      \nameuse{cft#2fillnum}##2}
18:72      \fi
18:73  } % end of \l@#2
18:74
18:75  \expandafter\newlength\csname cftbefore#2skip\endcsname
18:76      \setlength{\nameuse{cftbefore#2skip}}{\z@ \oplus .2\p@}
18:77  \expandafter\newlength\csname cft#2indent\endcsname
18:78  \expandafter\newlength\csname cft#2numwidth\endcsname
18:79  \ifcase #4\relax % 0
18:80      \setlength{\nameuse{cft#2indent}}{0em}
18:81      \setlength{\nameuse{cft#2numwidth}}{1.5em}
18:82  \or % 1
18:83      \setlength{\nameuse{cft#2indent}}{1.5em}
18:84      \setlength{\nameuse{cft#2numwidth}}{2.3em}
18:85  \or % 2
18:86      \setlength{\nameuse{cft#2indent}}{3.8em}
18:87      \setlength{\nameuse{cft#2numwidth}}{3.2em}
18:88  \or % 3
18:89      \setlength{\nameuse{cft#2indent}}{7.0em}
18:90      \setlength{\nameuse{cft#2numwidth}}{4.1em}
18:91  \else % anything else
18:92      \setlength{\nameuse{cft#2indent}}{10.0em}
18:93      \setlength{\nameuse{cft#2numwidth}}{5.0em}
18:94  \fi
18:95  \namedef{cft#2font}{\normalfont}
18:96  \namedef{cft#2presnum}{}
18:97  \namedef{cft#2aftersnum}{}
18:98  \namedef{cft#2aftersnumb}{}
18:99  \namedef{cft#2dotsep}{\cftdotsep}
18:100 \namedef{cft#2leader}{\normalfont\cftdotfill{\nameuse{cft#2dotsep}}}
18:101 \namedef{cft#2pagefont}{\normalfont}
18:102 \namedef{cft#2afterpnum}{}
18:103 \namedef{toclevel@#2}{#4}
18:104 \namedef{cft#2fillnum}##1{%
18:105     {\nameuse{cft#2leader}}\nobreak
18:106     \hb@xt@\pnumwidth{\hfil\nameuse{cft#2pagefont}##1}\nameuse{cft#2afterpnum}\par}
18:107 } % end \newlistentry
18:108 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
18:109     {\if@RTL\rightskip\else\leftskip\fi\cftchapindent\relax
18:110     \advance\if@RTL\rightskip\else\leftskip\fi\cftchapnumwidth\relax
18:111     \if@RTL\leftskip\else\rightskip\fi\cftmarg\relax
18:112     \textit{#1}\protect\par}}}

```



7.116 tocbasic-xetex-bidi.def

```
18213 \ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for toc basic package
18214 \bidi@undef\scr@dte@def@l@undottedtocline
18215 \bidi@undef\scr@dte@undottedtocline@init
18216 \DeclareTOCEntryStyle{undottedtocline}{%
18217   \DefineTOCEntryLengthOption{indent}%
18218   {\scr@tso@}{@indent}{entry indent}%
18219   \DefineTOCEntryLengthOption{numwidth}%
18220   {\scr@tso@}{@numwidth}{entry number width}%
18221 \c@ifundefined{#1tocdepth}{%
18222   \ifstr{#1}{part}{\c@namedef{#1tocdepth}{-1}}{%
18223     \ifstr{#1}{chapter}{\c@namedef{#1tocdepth}{0}}{%
18224       \ifstr{#1}{section}{\c@namedef{#1tocdepth}{1}}{%
18225         \ifstr{#1}{subsection}{\c@namedef{#1tocdepth}{2}}{%
18226           \ifstr{#1}{subsubsection}{\c@namedef{#1tocdepth}{3}}{%
18227             \ifstr{#1}{paragraph}{\c@namedef{#1tocdepth}{4}}{%
18228               \ifstr{#1}{subparagraph}{\c@namedef{#1tocdepth}{5}}{%
18229                 \ifstr{#1}{figure}{\c@namedef{#1tocdepth}{1}}{%
18230                   \ifstr{#1}{table}{\c@namedef{#1tocdepth}{1}}{%
18231                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
18232                     \csname #1numdepth\endcsname
18233                   }%
18234                 }%
18235               }%
18236             }%
18237           }%
18238         }%
18239       }%
18240     }%
18241   }%
18242 }{%
18243 \c@ifundefined{\scr@tso@#1@indent}{%
18244   \c@ifundefined{\scr@#1@tocindent}{%
18245     \ifstr{#1}{figure}{\c@namedef{\scr@tso@#1@indent}{1.5em}}{%
18246       \ifstr{#1}{table}{\c@namedef{\scr@tso@#1@indent}{1.5em}}{%
18247         \ifstr{#1}{part}{\c@namedef{\scr@tso@#1@indent}{0em}}{%
18248           \ifstr{#1}{chapter}{\c@namedef{\scr@tso@#1@indent}{0em}}{%
18249             \scr@ifundefinedorrelax{l@chapter}{%
18250               \ifstr{#1}{section}{\c@namedef{\scr@tso@#1@indent}{0pt}}{%
18251                 \ifstr{#1}{subsection}{\c@namedef{\scr@tso@#1@indent}{1.5em}}{%
18252                   \ifstr{#1}{subsubsection}{%
18253                     \c@namedef{\scr@tso@#1@indent}{3.8em}}{%
18254                   }{%
18255                     \ifstr{#1}{paragraph}{%
18256                       \c@namedef{\scr@tso@#1@indent}{7em}}{%
18257                     }{%
18258                     \ifstr{#1}{subparagraph}{%
18259                       \c@namedef{\scr@tso@#1@indent}{10em}}{%
18260                     }}}{%
18261 }
```



```

18261      }%
18262      }%
18263      }%
18264      }%
18265      }%
18266      }{%
18267      \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18268      \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
18269      \ifstr{#1}{subsubsection}{%
18270          \@namedef{scr@tso@#1@indent}{7.0em}}%
18271      }{%
18272          \ifstr{#1}{paragraph}{%
18273              \@namedef{scr@tso@#1@indent}{10em}}%
18274      }{%
18275          \ifstr{#1}{ subparagraph}{%
18276              \@namedef{scr@tso@#1@indent}{12em}}%
18277          }{%
18278          }{%
18279          }{%
18280      }{%
18281      }{%
18282      }{%
18283      }{%
18284      }{%
18285      }{%
18286      }{%
18287      }{%
18288      }{%
18289          \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
18290      }{%
18291  }{%
18292  \@ifundefined{scr@tso@#1@numwidth}{%
18293      \@ifundefined{scr@#1@tocnumwidth}{%
18294          \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18295          \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18296          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
18297              \scr@ifundefinedorrelax{chapter}{%
18298                  \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
18299                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18300                      \ifstr{#1}{subsubsection}{%
18301                          \@namedef{scr@tso@#1@numwidth}{3.2em}}%
18302                      }{%
18303                          \ifstr{#1}{paragraph}{%
18304                              \@namedef{scr@tso@#1@numwidth}{4.1em}}%
18305                      }{%
18306                          \ifstr{#1}{ subparagraph}{%
18307                              \@namedef{scr@tso@#1@numwidth}{5m}}%
18308                      }{%
18309                      }{%
18310                  }{%

```



```

18311      }%
18312      }%
18313      }%
18314      }{%
18315      \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18316          \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
18317              \ifstr{#1}{subsubsection}{%
18318                  \@namedef{scr@tso@#1@numwidth}{3.1em}}%
18319      }{%
18320          \ifstr{#1}{paragraph}{%
18321              \@namedef{scr@tso@#1@numwidth}{5em}}%
18322      }{%
18323          \ifstr{#1}{subparagraph}{%
18324              \@namedef{scr@tso@#1@numwidth}{6em}}%
18325          }{%
18326          }{%
18327          }{%
18328          }{%
18329          }{%
18330          }{%
18331          }{%
18332          }{%
18333          }{%
18334          }{%
18335          }{%
18336          \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
18337          }{%
18338      }{}}{%
18339  }]{}}{%
18340  \ifnum \c@tocdepth > \numexpr \nameuse{#1tocdepth} - \one \relax
18341      \ifnum \nameuse{#1tocdepth} < \one
18342          \scr@ifundefinedorrelax{chapter}{%
18343              \addpenalty\secpenalty
18344              \addvspace{1.0em \oplus \p@}}%
18345          }{%
18346              \addpenalty{-\highpenalty}%
18347              \vskip 1.0em \oplus \p@
18348          }{%
18349      \else
18350          \addpenalty\secpenalty
18351          \addvspace{1.0em \oplus \p@}}%
18352      \fi
18353      \setlength\tempdima{\nameuse{scr@tso@#1@numwidth}}%
18354      \begingroup
18355          \parindent \z@ \bidi@rightskip \pnumwidth
18356          \parfillskip -\pnumwidth
18357          \leavevmode
18358          \bfseries
18359          \advance\bidi@leftskip\tempdima
18360          \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}}%

```



```

18361      \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@\#1@indent}\relax
18362      %%%
18363      \nobreak
18364      \hfil \nobreak\hb@xt@\cnumwidth{\hss %%2}%
18365      \par
18366      \penalty\@highpenalty
18367      \endgroup
18368  \fi
18369 }
18370
18371 \bidi@undef\scr@dte@def@l@largetocline
18372 \bidi@undef\scr@dte@largetocline@init
18373 \DeclareTOCEntryStyle{largetocline}[{%
18374   \DefineTOCEntryLengthOption{indent}%
18375   {scr@tso@}{@indent}{entry indent}%
18376   \@ifundefined{#1tocdepth}{%
18377     \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
18378       \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
18379         \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
18380           \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
18381             \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
18382               \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
18383                 \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
18384                   \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
18385                     \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
18386                       \expandafter\let\csname #1tocdepth\expandafter\endcsname
18387                         \csname #1numdepth\endcsname
18388                       }%
18389                     }%
18390                   }%
18391                 }%
18392               }%
18393             }%
18394           }%
18395         }%
18396       }%
18397     }{%
18398       \@ifundefined{scr@tso@\#1@indent}{%
18399         \@ifundefined{scr@#1tocindent}{%
18400           \ifstr{#1}{figure}{\@namedef{scr@tso@\#1@indent}{1.5em}}{%
18401             \ifstr{#1}{table}{\@namedef{scr@tso@\#1@indent}{1.5em}}{%
18402               \ifstr{#1}{part}{\@namedef{scr@tso@\#1@indent}{0em}}{%
18403                 \ifstr{#1}{chapter}{\@namedef{scr@tso@\#1@indent}{0em}}{%
18404                   \scr@ifundefinedorrelax{l@chapter}{%
18405                     \ifstr{#1}{section}{\@namedef{scr@tso@\#1@indent}{0pt}}{%
18406                       \ifstr{#1}{subsection}{\@namedef{scr@tso@\#1@indent}{1.5em}}{%
18407                         \ifstr{#1}{subsubsection}{%
18408                           \@namedef{scr@tso@\#1@indent}{3.8em}}{%
18409                         }{%
18410                           \ifstr{#1}{paragraph}{%

```



```

18411           \@namedef{scr@tso@#1@indent}{7em}%
18412       }{%
18413           \ifstr{#1}{subparagraph}{%
18414               \@namedef{scr@tso@#1@indent}{10em}%
18415           }{%
18416               }%
18417           }%
18418       }{%
18419           }%
18420       }{%
18421   }{%
18422       \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18423           \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
18424               \ifstr{#1}{subsubsection}{%
18425                   \@namedef{scr@tso@#1@indent}{7.0em}%
18426               }{%
18427                   \ifstr{#1}{paragraph}{%
18428                       \@namedef{scr@tso@#1@indent}{10em}%
18429                   }{%
18430                       \ifstr{#1}{subparagraph}{%
18431                           \@namedef{scr@tso@#1@indent}{12em}%
18432                       }{%
18433                           }%
18434                           }%
18435                           }%
18436                           }%
18437                           }%
18438                           }%
18439                           }%
18440                           }%
18441                           }%
18442                           }%
18443           }{%
18444               \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
18445           }%
18446       }{%
18447   }]{%
18448       \ifnum \c@tocdepth > \numexpr \@nameuse{#1tocdepth}-\@ne\relax
18449           \ifnum \@nameuse{#1tocdepth}<\@ne
18450               \scr@ifundefinedorrelax{chapter}{%
18451                   \addpenalty\@secpenalty
18452                   \addvspace{2.25em \oplus \p@}%
18453               }{%
18454                   \addpenalty{-\highpenalty}%
18455                   \addvspace{2.25em \oplus \p@}%
18456               }%
18457           \else
18458               \addpenalty\@secpenalty
18459               \addvspace{2.25em \oplus \p@}%
18460       \fi

```



```

18461 \setlength{\tempdima{3em}%
18462 \begingroup
18463   \parindent \z@ \bidi@rightskip \cnumwidth
18464   \parfillskip -\cnumwidth
18465   \leavevmode
18466   \large
18467   \bfseries
18468   \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
18469   ##1%
18470   \hfil \nobreak\hb@xt@\cnumwidth{\hss ##2}%
18471   \par
18472   \nobreak
18473   \ifnum 0=
18474     \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
18475     \global\nobreaktrue
18476     \everypar{\global\nobreakfalse\everypar{}}
18477   \fi
18478   \endgroup
18479 \fi
18480 }
18481
18482 \renewcommand*{\scr@dte@tocline}[3]{%
18483   \ifnum \nameuse{#1tocdepth}>\c@tocdepth
18484   \else
18485     \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
18486     \addvspace{\nameuse{scr@tso@#1@beforeskip}}\relax
18487   \f%
18488     \bidi@leftskip \nameuse{scr@tso@#1@indent}\relax
18489     \bidi@rightskip \otocrmarg
18490     \parfillskip -\bidi@rightskip
18491     \nameuse{Ifscr@tso@#1@raggedpage}{%
18492       \addtolength{\parfillskip}{\z@ \oplus 1fil}%
18493     }{%
18494       \parindent \nameuse{scr@tso@#1@indent}\relax
18495       \oafterindenttrue
18496       \interlinepenalty\OM
18497       \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
18498         \addtolength\bidi@rightskip\flushglue
18499       \else
18500         \def\reserved@a{\raggedright}%
18501         \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
18502           \addtolength\bidi@rightskip\flushglue
18503         \else
18504           \renewcommand\reserved@a{\raggedright}%
18505           \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
18506             \addtolength\bidi@rightskip\flushglue
18507           \fi
18508         \fi
18509       \leavevmode
18510     }

```



```

18511 \@tempdima \nameuse{scr@tso@#1@numwidth}\relax
18512 \nameuse{Ifscr@tso@#1@dynnumwidth}{%
18513   \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
18514     \ifdim \nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
18515       \@tempdima\nameuse{scr@dte@#1@lastmaxnumwidth}\relax
18516     \fi
18517   }%
18518 }{%
18519 \advance\bidi@leftskip \@tempdima
18520 \null\nobreak\hskip -\bidi@leftskip
18521 }%
18522 \usetocbasicnumberline
18523 \let\scr@dte@numberline@box\numberline@box
18524 \def\numberline@box##1{%
18525   \sbox\scr@dte@tocline@numbox{\nameuse{scr@tso@#1@numberformat}{##1}}%
18526   \global\scr@dte@tocline@numberwidth
18527   \dimexpr\wd\scr@dte@tocline@numbox+\nameuse{scr@tso@#1@numsep}\relax
18528   \ifdim \scr@dte@tocline@numberwidth
18529     >\nameuse{scr@dte@#1@maxnumwidth}\relax
18530     \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
18531   \fi
18532   \nameuse{Ifscr@tso@#1@dynnumwidth}{%
18533     \ifdim \scr@dte@tocline@numberwidth
18534       \dimexpr \nameuse{scr@tso@#1@numwidth}%
18535         +\nameuse{scr@tso@#1@numsep}\relax
18536       \PackageWarning{tocbasic}%
18537     }%
18538     number width of #1 toc entries should be
18539     increased!\MessageBreak
18540     Currently used number width =
18541     \the\wd\scr@dte@tocline@numbox,\MessageBreak
18542     Wanted number separation
18543     \space\space\space =
18544     \the\dimexpr\nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
18545     Reserved number width \space\space\space\space\space\space =
18546     \the\dimexpr\nameuse{scr@tso@#1@numwidth}\relax%
18547   }%
18548   \fi
18549 }%
18550 \scr@dte@numberline@box{\nameuse{scr@tso@#1@numberformat}{##1}}%
18551 \nameuse{Ifscr@tso@#1@breakafternumber}{%
18552   {\parfillskip\flushglue\par}\nobreak\hskip-\bidi@leftskip
18553 }{%
18554 }%
18555 \nameuse{scr@tso@#1@entryformat}{%
18556   #2%
18557   \nobreak
18558 }%
18559   \normalfont\normalsize\nameuse{scr@tso@#1@linefill}%
18560   \nobreak

```



```

18561      \nameuse{scr@tso@#1@pagenumberbox}{%
18562          \nameuse{scr@tso@#1@pagenumberformat}{#3}%
18563      }%
18564  }%
18565      \par
18566  }%
18567  }%
18568  }%
18569      \tocbasic@SetPenaltyByTOCLevel{#1}%
18570  \fi
18571 }
18572
18573 \bidi@undef\scr@dte@def@l@tocline
18574 \bidi@undef\scr@dte@tocline@init
18575 \DeclareTOCEntryStyle{tocline}[{%
18576     \DefineTOCEntryLengthOption{beforeskip}%
18577     {scr@tso@}{@beforeskip}{vertical skip before the entry}%
18578     \DefineTOCEntryIfOption{breakafternumber}%
18579     {scr@tso@}{@breakafternumber}{line break after number flag}%
18580     \DefineTOCEntryIfOption{dynnumwidth}%
18581     {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
18582     \DefineTOCEntryCommandOption{entryformat}%
18583     {scr@tso@}{@entryformat}[1]{entry format}%
18584     \DefineTOCEntryCommandOption{entrynumberformat}%
18585     {scr@tso@}{@numberformat}[1]{entry number format}%
18586     \DefineTOCEntryCommandOption{linefill}{[\TOCLineLeaderFill]}%
18587     {scr@tso@}{@linefill}{filling between text and page number}%
18588     \DefineTOCEntryLengthOption{numsep}%
18589     {scr@tso@}{@numsep}{entry number separation}%
18590     \DefineTOCEntryCommandOption{onstarhigherlevel}%
18591     {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
18592     \DefineTOCEntryCommandOption{onstartlowerlevel}%
18593     {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
18594     \DefineTOCEntryCommandOption{onstartsamelevel}%
18595     {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
18596     \DefineTOCEntryCommandOption{pagenumberbox}%
18597     {scr@tso@}{@pagenumberbox}[1]{page number box}%
18598     \DefineTOCEntryCommandOption{pagenumberformat}%
18599     {scr@tso@}{@pagenumberformat}[1]{page number format}%
18600     \DefineTOCEntryOption{raggedentrytext}[true]{%
18601         \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
18602         \ifx\FamilyKeyState\FamilyKeyStateProcessed
18603             \if@tempswa
18604                 \expandafter\let\csname ragged\scr@dte@current entry\endcsname
18605                 \raggedright
18606             \else
18607                 \expandafter\let\csname ragged\scr@dte@current entry\endcsname
18608                 \relax
18609             \fi
18610         \fi

```



```

18611 }%
18612 \DefineTOCEEntryIfOption{raggedpagenumber}%
18613   {scr@tso@}{@raggedpage}{page number ragged flag}%
18614 \DefineTOCEEntryLengthOption{indent}%
18615   {scr@tso@}{@indent}{entry indent}%
18616 \DefineTOCEEntryLengthOption{numwidth}%
18617   {scr@tso@}{@numwidth}{entry number width}%
18618 \scr@ifundefinedorrelax{\#1tocdepth}{%
18619   \ifstrstart{\#1}{sub}{%
18620     \scr@ifundefinedorrelax{\scr@dte@nosub{\#1}tocdepth}{%
18621       \expandafter\edef\csname #1tocdepth\endcsname{%
18622         \the\numexpr \noexpand\nameuse{\scr@dte@nosub{\#1}tocdepth}+\@ne\relax
18623       }%
18624     }%
18625   }{%
18626 }{%
18627 \scr@ifundefined{\#1tocdepth}{%
18628   \ifstr{\#1}{part}{\@namedef{\#1tocdepth}{-1}}{%
18629     \ifstr{\#1}{chapter}{\@namedef{\#1tocdepth}{0}}{%
18630       \ifstr{\#1}{section}{\@namedef{\#1tocdepth}{1}}{%
18631         \ifstr{\#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
18632           \ifstr{\#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
18633             \ifstr{\#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
18634               \ifstr{\#1}{ subparagraph}{\@namedef{\#1tocdepth}{5}}{%
18635                 \ifstr{\#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
18636                   \ifstr{\#1}{table}{\@namedef{\#1tocdepth}{1}}{%
18637                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
18638                       \csname #1numdepth\endcsname
18639                     }%
18640                   }%
18641                 }%
18642               }%
18643             }%
18644           }%
18645         }%
18646       }%
18647     }%
18648   }{%
18649 \scr@ifundefinedorrelax{\scr@tso@#1@indent}{%
18650   \scr@ifundefined{\scr@#1@tocindent}{%
18651     \ifstrstart{\#1}{sub}{%
18652       \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{\#1}@indent}{%
18653         \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{\#1}@numwidth}{%
18654           \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
18655             \glueexpr \noexpand\nameuse{\scr@tso@\scr@dte@nosub{\#1}@numwidth}%
18656             \relax
18657           }%
18658         }%
18659       }{%
18660         \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{\#1}@numwidth}{%

```



```

18661     \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
18662         \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
18663             \relax
18664         }%
18665     }{%
18666         \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
18667             \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
18668                 +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
18669                 \relax
18670             }%
18671         }%
18672     }%
18673     }{%
18674 }{%
18675     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
18676 }%
18677 }{%
18678 \@ifundefined{scr@tso@#1@indent}{%
18679     \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18680         \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18681             \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
18682                 \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
18683                     \scr@ifundefinedorrelax{l@chapter}{%
18684                         \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
18685                             \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18686                                 \ifstr{#1}{subsubsection}{%
18687                                     \@namedef{scr@tso@#1@indent}{3.8em}}%
18688                                 }{%
18689                                     \ifstr{#1}{paragraph}{%
18690                                         \@namedef{scr@tso@#1@indent}{7em}}%
18691                                     }{%
18692                                         \ifstr{#1}{subparagraph}{%
18693                                             \@namedef{scr@tso@#1@indent}{10em}}%
18694                                         }{%
18695                                         }{%
18696                                         }{%
18697                                         }{%
18698                                         }{%
18699                                         }{%
18700 }{%
18701         \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18702             \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
18703                 \ifstr{#1}{subsubsection}{%
18704                     \@namedef{scr@tso@#1@indent}{7.0em}}%
18705                 }{%
18706                     \ifstr{#1}{paragraph}{%
18707                         \@namedef{scr@tso@#1@indent}{10em}}%
18708                     }{%
18709                         \ifstr{#1}{subparagraph}{%
18710                             \@namedef{scr@tso@#1@indent}{12em}}%

```



```

18711      }{%
18712          }%
18713              }%
18714                  }%
18715                      }%
18716                          }%
18717                              }%
18718                                  }%
18719                                      }%
18720                                          }%
18721                                              }%
18722          }{%
18723 \scr@ifundefinedorrelax{\scr@tso@#1@numwidth}{%
18724     \scr@ifundefinedorrelax{\scr@#1@tocnumwidth}{%
18725         \ifstrstart{\#1}{sub}{%
18726             \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{\#1}@numwidth}{}{%
18727                 \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
18728                     \glueexpr\noexpand\cnameuse{\scr@tso@\scr@dte@nosub{\#1}@numwidth}}{%
18729                         +.9em}%
18730                     \relax
18731                 }%
18732             }%
18733         }{%
18734             \cnamedef{\scr@tso@#1@numwidth}{\cnameuse{\scr@#1@tocnumwidth}}{%
18735             }%
18736         }{%
18737     }{%
18738     \cifundefined{\scr@tso@#1@numwidth}{%
18739         \ifstr{\#1}{figure}{\cnamedef{\scr@tso@#1@numwidth}{2.3em}}{%
18740             \ifstr{\#1}{table}{\cnamedef{\scr@tso@#1@numwidth}{2.3em}}{%
18741                 \ifstr{\#1}{chapter}{\cnamedef{\scr@tso@#1@numwidth}{1.5em}}{%
18742                     \scr@ifundefinedorrelax{\chapter}{%
18743                         \ifstr{\#1}{section}{\cnamedef{\scr@tso@#1@numwidth}{1.5em}}{%
18744                             \ifstr{\#1}{subsection}{\cnamedef{\scr@tso@#1@numwidth}{2.3em}}{%
18745                                 \ifstr{\#1}{subsubsection}{%
18746                                     \cnamedef{\scr@tso@#1@numwidth}{3.2em}%
18747                                 }{%
18748                                     \ifstr{\#1}{paragraph}{%
18749                                         \cnamedef{\scr@tso@#1@numwidth}{4.1em}%
18750                                     }{%
18751                                         \ifstr{\#1}{ subparagraph}{%
18752                                             \cnamedef{\scr@tso@#1@numwidth}{5m}%
18753                                         }{%
18754                                         }%
18755                                         }%
18756                                         }%
18757                                         }%
18758                                         }%
18759                                         }{%
18760                                         \ifstr{\#1}{section}{\cnamedef{\scr@tso@#1@numwidth}{2.3em}}{%

```



```

18761 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
18762   \ifstr{#1}{subsubsection}{%
18763     \@namedef{scr@tso@#1@numwidth}{3.1em}%
18764   }{%
18765     \ifstr{#1}{paragraph}{%
18766       \@namedef{scr@tso@#1@numwidth}{5em}%
18767     }{%
18768       \ifstr{#1}{subparagraph}{%
18769         \@namedef{scr@tso@#1@numwidth}{6em}%
18770       }{%
18771         }%
18772       }%
18773     }%
18774   }%
18775   }%
18776   }%
18777   }%
18778   }%
18779   }%
18780 }{%
18781 \expandafter\renewcommand%
18782 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
18783 \expandafter\renewcommand%
18784 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
18785 \expandafter\renewcommand%
18786 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
18787 \@ifundefined{scr@tso@#1@beforeskip}{%
18788   \ifstr{#1}{part}{%
18789     \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \oplus \p@ \relax}%
18790   }{%
18791     \ifstr{#1}{chapter}{%
18792       \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
18793     }{%
18794       \ifstr{#1}{section}{%
18795         \scr@iifundefinedorrelax{l@chapter}{%
18796           \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
18797         }{}%
18798       }{%
18799     }%
18800   }%
18801 \expandafter\renewcommand\expandafter*%
18802 \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@ \relax}%
18803 }{%
18804 \@ifundefined{scr@dte@#1@maxnumwidth}{%
18805   \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname%
18806   \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
18807 }{%
18808 \renewcommand*{\scr@dte@donumwidth}{}%
18809 \g@addto@macro{\scr@dte@donumwidth}{\do{\#1}}%
18810 \expandafter\renewcommand\expandafter*%

```



```

18811 \csname scr@tso@#1@numsep\endcsname{.4em}%
18812 \expandafter\renewcommand%
18813 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
18814 \ifstr{#1}{part}{%
18815   \expandafter\renewcommand%
18816   \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
18817 }{%
18818   \ifstr{#1}{chapter}{%
18819     \expandafter\renewcommand%
18820     \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
18821   }{%
18822     \scr@ifundefinedorrelax{l@chapter}{%
18823       \ifstr{#1}{section}{%
18824         \expandafter\renewcommand%
18825         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
18826       }{%
18827     }{%
18828       \expandafter\renewcommand%
18829       \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
18830     }{%
18831   }{%
18832   \expandafter\renewcommand%
18833   \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
18834   \scr@ifundefined{scr@tso@#1@linefill}{%
18835     \ifstr{#1}{part}{%
18836       \namedef{scr@tso@#1@linefill}{\hfill}%
18837     }{%
18838       \ifstr{#1}{chapter}{%
18839         \namedef{scr@tso@#1@linefill}{\hfill}%
18840       }{%
18841         \scr@ifundefinedorrelax{l@chapter}{%
18842           \ifstr{#1}{section}{%
18843             \namedef{scr@tso@#1@linefill}{\hfill}%
18844           }{%
18845         }{%
18846         \expandafter\renewcommand%
18847         \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
18848       }{%
18849     }{%
18850   }{%
18851   \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
18852   \ifstr{#1}{part}{%
18853     \expandafter\renewcommand%
18854     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
18855   }{%
18856     \expandafter\renewcommand%
18857     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18858       {\normalfont\color{##1}}%{%
18859     }{%
18860   \expandafter\renewcommand%

```



```

18861 \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
18862   \hb@xt@{\cnumwidth}{\hfil ##1}}%
18863 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
18864 }]{}%
18865 \scr@dte@tocline{#1}{##1}{##2}%
18866 }%
18867

```

7.117 tocstyle-xetex-bidi.def

```

18868 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package
18869 \renewcommand*{\tocstyle@dottedtocline}[5]{%
18870   \let\numberline\tocstyle@numberline
18871   \ifnum #1>\c@tocdepth \else
18872     \if@tocstyle@penalties
18873       \begingroup
18874         \tempcnta 20010
18875         \advance \tempcnta by -#1
18876         \ifnum \tempcnta>\lastpenalty
18877           \aftergroup\penalty\aftergroup\@lowpenalty
18878         \fi
18879       \endgroup
18880     \fi
18881     \edef\tocstyledepth{#1}%
18882     \tocstyle@activate@features
18883     \ifx\tocstyle@feature@entryvskip\relax
18884       \vskip \z@ \cplus.2\p@
18885     \else
18886       \addvspace{\tocstyle@feature@entryvskip}%
18887     \fi
18888   }%
18889   \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
18890     \tocstyle@feature@raggedhook
18891     \tempdima #3\relax
18892     \tempdimb #2\relax
18893     \typeout{(\tocstyleTOC, \tocstyledepth): \the\tempdima}%
18894   \ifnum #1>\z@\relax
18895     \tempcnta #1\relax \advance\tempcnta \m@ne
18896     \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\tempcnta\endcsname
18897       \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\tempcnta\endcsname
18898         \tempdimb
18899         \csname tocstyle@skipwidth@\tocstyleTOC @\the\tempcnta\endcsname
18900         \advance\tempdimb
18901         \csname tocstyle@numwidth@\tocstyleTOC @\the\tempcnta\endcsname
18902       \fi
18903     \fi
18904   \typeout{C (\tocstyleTOC, \tocstyledepth): \the\tempdimb}%
18905   \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
18906     \ifdim \tempdimb>

```



```

18908     \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
18909         \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
18910             @#1\endcsname{\the\@tempdimb}%
18911     \fi
18912 \else
18913     \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
18914         @#1\endcsname{\the\@tempdimb}%
18915 \fi
18916 \iftocstyle@autolength
18917     \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
18918         \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
18919             \relax
18920     \fi
18921     \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
18922         \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
18923             \relax
18924     \fi
18925     \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
18926     \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
18927 \else
18928     \@tempdimb #2\relax
18929     \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
18930 \fi
18931 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
18932     \ifdim \@tempdima>
18933         \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
18934             \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
18935                 @\endcsname{\the\@tempdima}%
18936     \fi
18937 \else
18938     \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
18939         @\endcsname{\the\@tempdima}%
18940 \fi
18941 \ifcase\tocstyle@indentstyle\relax\else
18942     \@tempdimb \z@
18943     \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
18944         \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
18945             \relax
18946     \fi
18947     \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
18948     \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
18949 \fi
18950     \advance\parindent \@tempdimb\@afterindenttrue
18951     \advance\if@RTL\rightskip\else\leftskip\fi \parindent
18952     \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18953     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18954     \ifx\tocstyle@feature@parfillskip\relax\else
18955         \advance\parfillskip \tocstyle@feature@parfillskip\relax
18956     \fi
18957     \interlinepenalty@M

```



```

18958 \leavevmode
18959 \advance\if@RTL\righskip\else\leftskip\fi \tempdima
18960 \null\nobreak
18961 \iftocstyle@indentnotnumbered\else
18962 \hspace{-\if@RTL\righskip\else\leftskip\fi}
18963 \fi
18964 \tocstyle@feature@entryhook
18965 {#4}\nobreak
18966 \ifx\tocstyle@feature@leaders\relax
18967 \leaders\hbox{$\m@th
18968 \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
18969 \mkern \@dotsep mu$\hfill
18970 \else
18971 \tocstyle@feature@leaders
18972 \fi
18973 \nobreak
18974 \ifx\tocstyle@feature@pagenumberbox\relax
18975 \hb@xt@\pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
18976 \else
18977 \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
18978 \fi
18979 \par
18980 }%
18981 \if@tocstyle@penalties
18982 \bgroup
18983 \tempcnta 20009
18984 \advance\tempcnta by -#
18985 \edef\reserved@a{\egroup\penalty\the\tempcnta\relax}%
18986 \reserved@a
18987 \fi
18988 \fi}
18989 \renewcommand*{\tocstyle@numberline}[1]{%
18990 \begingroup
18991 \ifx\tocstyle@feature@spaceafternumber\relax
18992 \settowidth\tempdima{\tocstyle@numberline{#1}\enskip}%
18993 \else
18994 \settowidth\tempdima{\tocstyle@numberline{#1}}%
18995 \advance\tempdima\tocstyle@feature@spaceafternumber\relax
18996 \fi
18997 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
18998 \ifdim\tempdima >
18999 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
19000 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
19001 @\tocstyledepth\endcsname{\the\tempdima}%
19002 \fi
19003 \else
19004 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
19005 @\tocstyledepth\endcsname{\the\tempdima}%
19006 \fi
19007 \endgroup

```



```

19008 \iftocstyle@indentnotnumbered
19009   \hskip -\if@RTL\rightskip\else\leftskip\fi
19010 \fi
19011 \ifcase \tocstyle@indentstyle
19012   \hb@xt@0\@tempdima{\tocstyle@@numberline{#1}\hfil}%
19013 \or
19014   \hb@xt@0\@tempdima{\tocstyle@@numberline{#1}\hfil}%
19015 \else
19016   \ifx\tocstyle@feature@spaceafternumber\relax
19017     \hbox{\tocstyle@@numberline{#1}\enskip}%
19018   \else
19019     \hbox{\tocstyle@@numberline{#1}\hskip
19020       \tocstyle@feature@spaceafternumber\relax}%
19021   \fi
19022 \fi
19023 }
19024 \AtBeginDocument{%
19025   \ifcsname l@part\endcsname
19026     \ifcsname l@chapter\endcsname
19027       \setbox\@tempboxa\vbox{\hsize\maxdimen
19028         \l@part{\tocstyle@l@define{part}{-1}}{}}
19029     \else
19030       \setbox\@tempboxa\vbox{\hsize\maxdimen
19031         \l@part{\tocstyle@l@define{part}{0}}{}}
19032     \fi
19033   \fi
19034   \ifcsname l@chapter\endcsname
19035     \setbox\@tempboxa\vbox{\hsize\maxdimen
19036       \l@chapter{\tocstyle@l@define{chapter}{0}}{}}
19037   \fi
19038   \ifcsname l@section\endcsname
19039     \setbox\@tempboxa\vbox{\hsize\maxdimen
19040       \l@section{\tocstyle@l@define{section}{1}}{}}
19041   \fi
19042   \ifcsname l@subsection\endcsname
19043     \setbox\@tempboxa\vbox{\hsize\maxdimen
19044       \l@subsection{\tocstyle@l@define{subsection}{2}}{}}
19045   \fi
19046   \ifcsname l@subsubsection\endcsname
19047     \setbox\@tempboxa\vbox{\hsize\maxdimen
19048       \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}
19049   \fi
19050   \ifcsname l@paragraph\endcsname
19051     \setbox\@tempboxa\vbox{\hsize\maxdimen
19052       \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}
19053   \fi
19054   \ifcsname l@ subparagraph\endcsname
19055     \setbox\@tempboxa\vbox{\hsize\maxdimen
19056       \l@ subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}
19057 \fi

```



```

19058 \ifcsname l@table\endcsname
19059   \setbox\@tempboxa\vbox{\hsize\maxdimen
19060     \l@table{\tocstyle@l@define{table}{1}}{}}
19061 \fi
19062 \ifcsname l@figure\endcsname
19063   \setbox\@tempboxa\vbox{\hsize\maxdimen
19064     \l@figure{\tocstyle@l@define{figure}{1}}{}}
19065 \fi
19066 \def\@tempa#1#2#3#4#5{%
19067   \ifnum #1>\c@tocdepth \else
19068     \vskip \z@ \@plus.2\p@
19069     \if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \otocrm
19070     \parindent #2\relax\@afterindenttrue
19071     \interlinepenalty\@M
19072     \leavevmode
19073     \tempdima #3\relax
19074     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \tempdima
19075     \#4}\nobreak
19076     \leaders\hbox{$\m@th
19077       \mkern \dotsep mu\hbox{.}\mkern \dotsep
19078       mu$}\hfill
19079     \nobreak
19080     \hb@xt@\pnumwidth{\hfil \normalfont \normalcolor #5}}%
19081     \par}%
19082   \fi}%
19083 \ifx\@dottedtocline\@tempa\else
19084   \tocstyle@macrochangewarning\@dottedtocline
19085 \fi
19086 \let\tocstyle@saved@dottedtocline\@dottedtocline
19087 \def\@tempa#1{\hb@xt@\tempdima{\#1\autodot\hfil}}%
19088 \ifx\numberline\@tempa\else
19089   \def\@tempa{\hb@xt@\tempdima{\#1\hfil}}%
19090   \ifx\numberline\@tempa\else
19091     \tocstyle@macrochangewarning\numberline
19092   \fi
19093 \fi
19094 \let\tocstyle@saved@numberline\numberline
19095 }
19096 \renewcommand*{\tocstyle@l@define}[2]{%
19097   \advance\if@RTL\rightskip\else\leftskip\fi-\tempdima
19098   \edef\@tempa{%
19099     \noexpand\global\noexpand\let
19100     \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
19101     \expandafter\noexpand\csname l@#1\endcsname
19102     \noexpand\gdef
19103     \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
19104       \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\tempdima}}%
19105     \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
19106       \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
19107       \expandafter\noexpand\csname tocstyle@l@#1\endcsname

```



```

19108     }%
19109   }%
19110 \PackageInfo{tocstyle}{prepare \expandafter\string
19111   \csname \endcsname\space for redefinition}%
19112 \tempa
19113 }

```

7.118 todonotes-xetex-bidi.def

```

19114 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package]
19115 \newif\if@bidi@todonotes@textdirection@RTL
19116 \newif\if@bidi@todonotes@figposition@right
19117 \newcommand{\@bidi@todonotes@align}{}
19118 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}
19119 \newcommand{\@bidi@todonotes@textdirection}{}
19120 \define@choicekey{todonotes}{textdirection}{[\bidi@todonotes@tempa\bidi@todonotes@tempb]}{right,
19121   \ifcase\bidi@todonotes@tempb\relax
19122     \@bidi@todonotes@textdirection@RTLtrue
19123     \let\@bidi@todonotes@textdirection\RLE
19124   \or
19125     \@bidi@todonotes@textdirection@RTLfalse
19126     \let\@bidi@todonotes@textdirection\LRE
19127   \fi}
19128 \define@choicekey{todonotes}{figposition}{[\bidi@todonotes@tempa\bidi@todonotes@tempb]}{right, left,
19129   \ifcase\bidi@todonotes@tempb\relax
19130     \@bidi@todonotes@figposition@righttrue
19131   \or
19132     \@bidi@todonotes@figposition@rightfalse
19133   \fi}
19134 \if@todonotes@disabled%
19135 \else % \if@todonotes@disabled
19136 \renewcommand{\@todonotes@drawInlineNote}{%
19137   \if@todonotes@dviStyle%
19138     {\par\noindent\begin{tikzpicture}[remember picture]%
19139       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
19140     \if@todonotes@authorgiven%
19141       {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
19142     \else%
19143       {\noindent \@todonotes@sizecommand \@todonotes@text}%
19144     \fi
19145     {\par\noindent\begin{tikzpicture}[remember picture]%
19146       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
19147   \else%
19148     {\par\noindent\begin{tikzpicture}[remember picture]%
19149       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
19150       \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@align]{}%
19151       \if@todonotes@authorgiven%
19152         {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
19153       \else%
19154         {\noindent \@todonotes@sizecommand \@todonotes@text}%

```



```

19155           \fi};%
19156           \end{tikzpicture}\par}%
19157       \fi}%
19158 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
19159 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
19160     \node [coordinate] (inText) {};%
19161 \end{tikzpicture}%
19162 \marginpar[{\% Draw note in left margin
19163     \@todonotes@drawMarginNote}%
19164     \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
19165 }]{\% Draw note in right margin
19166     \@todonotes@drawMarginNote}%
19167     \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
19168 }%
19169 }%
19170 \renewcommand{\@todonotes@drawMarginNote}{%
19171 \if@todonotes@dviStyle%
19172     \begin{tikzpicture}[remember picture]%
19173         \draw node[notestyle] {};%
19174     \end{tikzpicture}\%
19175     \begin{minipage}{\@todonotes@textwidth}%
19176         \if@todonotes@authorgiven%
19177             \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
19178         \else%
19179             \@todonotes@sizecommand \@todonotes@text%
19180         \fi%
19181     \end{minipage}\%
19182     \begin{tikzpicture}[remember picture]%
19183         \draw node[notestyle] (inNote) {};%
19184     \end{tikzpicture}%
19185 \else%
19186     \let\originalHbadness\hbadness%
19187     \hbadness 100000%
19188     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
19189         \if@bidi\@todonotes@textdirection@RTL\setRTL\fi%
19190         \node(X){\vphantom{X}};%
19191         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text];%
19192         \if@todonotes@authorgiven%
19193             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text];%
19194             \{@todonotes@sizecommand\@todonotes@author\},%
19195             \node(Y)[below=of X]{};%
19196             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text];%
19197             \{@todonotes@text\};%
19198         \else%
19199             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text];%
19200             \{@todonotes@text\};%
19201         \fi%
19202     \end{tikzpicture}%
19203     \hbadness \originalHbadness%
19204

```



```

19205 \fi}%
19206 \renewcommand{\missingfigure}[2][]{%
19207 \setkeys{todonotes}{#1}%
19208 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
19209 \par
19210 \noindent
19211 \begin{tikzpicture}
19212 \draw[fill=\@todonotes@currentfgcolor, draw = black!40, line width=2pt]
19213 (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
19214 \if@bidi@todonotes@figposition@right%
19215 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
19216 \fi%
19217 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
19218 (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
19219 \if@bidi@todonotes@figposition@right%
19220 \end{scope}
19221 \begin{scope}[xshift=-3.8cm]
19222 \fi%
19223 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
19224 \draw (2, -0.3) node[right, text
19225 width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
19226 \if@bidi@todonotes@figposition@right%
19227 \end{scope}
19228 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
19229 \fi%
19230 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
19231 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
19232 \if@bidi@todonotes@figposition@right%
19233 \end{scope}
19234 \fi%
19235 \end{tikzpicture}\hfill
19236 }% Ending \missingfigure command
19237 \fi % Ending \@todonotes@ifdisabled
19238 \presetkeys{%
19239   {todonotes}%
19240   {falign=left,%
19241   textdirection=lefttoright,%
19242   figposition=left}{}%

```

7.119 wrapfig-xetex-bidi.def

```

19243 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
19244 \let\WF@@everypar\bidi@n@everypar
19245 \def\WF@putfigmaybe{%
19246 \ifinner
19247   \vskip-\parskip \global\WF@floatfalse
19248   \let\pagetotal\maxdimen % kludge flag for "not top of page"
19249 \else % outer page
19250   \tempdima\pagedepth % save page depth
19251   {\advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}%

```



```

19252 \penalty\interlinepenalty % update pg. parameters
19253 \tempdimb\pagegoal \advance\tempdimb-\pagetotal % room left on page
19254 \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
19255   \global\WF@floatfalse
19256   \ifdim-\tempdimb>\pageshrink \else \pagebreak \fi
19257 \else
19258   \ifdim\WF@size>\tempdimb
19259     \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
19260     \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
19261     \ifdim\pagefilstretch>\z@ \dimen@\tempdimb \fi
19262     \ifdim\pagefillstretch>\z@ \dimen@\tempdimb \fi
19263     \advance\dimen@.5\baselineskip
19264     \ifdim\dimen@>\tempdimb % \WF@info{Page nearly full; can stretch}%
19265       \global\WF@floatfalse \pagebreak
19266     \fi
19267   \else % \WF@info{Fits in \the\tempdimb;}%
19268     \global\WF@floatfalse
19269   \fi\fi
19270   \vskip\tempdima\relax % (return erased page depth)
19271 \fi
19272 \noindent
19273 \ifWF@float
19274   \WF@flmes
19275 \else % putting here;
19276   \WF@info{Put \WF@wfname here;}%
19277   {\ifodd\if@twoside\c@page\else\one\fi % assign l/r to i/o placement
19278     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
19279     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
19280   \hbox to\z@{%
19281     \wd\WF@box \tempdimb\WF@ovh
19282     \advance\tempdima\advance\tempdimb\advance\tempdima\columnsep
19283     \tempdimb\hspace \advance\tempdimb-\tempdima
19284     \xdef\WF@adjlw{\the\tempdima}%
19285     \ifnum `l=\WF@place % fig on left
19286       \if@RTL%
19287         \kern\tempdimb \kern\columnsep
19288         \def\tempaf{\hss}% position to left of the gap
19289       \else%
19290         \hss % figure overlaps space to the left
19291         \def\tempaf{\kern\columnsep}% position to left of the gap
19292       \fi%
19293     \else % fig on right
19294       \if@RTL%
19295         \hss
19296         \tempdima\z@
19297         \def\tempaf{\kern\columnsep}
19298       \else%
19299         \tempdima\z@ % no left indentation
19300         \kern\tempdimb \kern\columnsep
19301         \def\tempaf{\hss}% figure overlaps space to the right

```



```

19302     \fi%
19303     \fi
19304     \ifdim\@tempdimb<\hsize
19305         \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}%
19306         \xdef\WF@adjtlm{\the\@tempdima}%
19307     \else
19308         \xdef\WF@wrapil{\z@ \the\hsize}%
19309         \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
19310     \fi
19311     \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
19312         \global\advance\WF@size-\intextsep
19313     \else % \WF@info{Putting \WF@wfname in middle of page}%
19314         \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
19315         \fi \dp\WF@box\z@ \box\WF@box \tempa
19316     }% end \hbox to Opt
19317     \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
19318 \fi}

```

7.120 xcolor-xetex-bidi.def

```

19319 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for
19320 \long\def\color@b@x#1#2#3%
19321 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
19322     \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
19323     \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
19324     \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
19325     {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
19326 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
19327 \DeclareRobustCommand\color
19328 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
19329 \def\@undeclaredcolor[#1]#2%
19330 {\begingroup
19331     \let\@cls\empty
19332     \XC@getmodclr12{#1}{#2}{}
19333     {\ifblendcolors
19334         \ifx\colorblend\empty\else
19335             \edef\@tmp{\expandafter\gobble\colorblend}\@tempswafalse
19336             \XC@coremodel\@mod\@clr\@xcolor{}{}\@mod\@clr
19337         \fi
19338     \fi
19339     \ifconvertcolorsU
19340         \edef\@tmp{\XC@tgt\@mod\@mod}%
19341         \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
19342     \fi
19343     \ifmaskcolors
19344         \convertcolorspec\@mod\@clr\XC@mmod\@clr
19345         \let\@mod\XC@mmod
19346         \XC@inflate\@mod\XC@mclr\@clr\@tmp
19347         \expandafter\XC@mul\@tmp,\@clr
19348     \fi

```



```

19349   \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
19350   \expandafter\endgroup\@@tmp}
19351 \def\@declaredcolor#1%
19352 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
19353 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
19354   \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
19355   \ifconvertcolorsU\XC@@tsttrue\fi
19356 \fi
19357 \ifXC@@tst
19358   \expandafter\XC@declaredcolor\else
19359   \expandafter\XC@declaredc@lor\fi}
19360 \def\XC@undeclaredcolor#1#2%
19361 {\@ifundefinedmodel{#1}%
19362   {\c@lor@error{model `#1'}}%
19363   {\@nameuse{color@#1}\current@color{#2}%
19364     \edef\XC@current@color{\noexpand\xcolor@\{}\current@color\{#1}\{#2}\}%
19365     \XC@display\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
19366 \def\XC@declaredc@lor
19367 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
19368   \edef\current@color{\XC@current@color}%
19369   \XC@display\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
19370 \DeclareRobustCommand\bidicolor
19371 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
19372 \def\@bidiundeclaredcolor[#1]#2%
19373 {\begingroup
19374   \let\@cls\@empty
19375   \XC@getmodclr12{#1}{#2}%
19376   \ifblendcolors
19377     \ifx\colorblend\@empty\else
19378       \edef\@tmp{\expandafter\@gobble\colorblend}\@tempswafalse
19379       \XC@coremodel\@@mod\@@clr\@xcolor@\{}{}\@mod\@@clr
19380     \fi
19381   \fi
19382   \ifconvertcolorsU
19383     \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
19384     \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
19385   \fi
19386   \ifmaskcolors
19387     \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
19388     \let\@mod\XC@mmod
19389     \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
19390     \expandafter\XC@mul\@@tmp,\@@clr
19391   \fi
19392   \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
19393   \expandafter\endgroup\@@tmp}
19394 \def\XC@bidiundeclaredcolor#1#2%
19395 {\@ifundefinedmodel{#1}%
19396   {\c@lor@error{model `#1'}}%
19397   {\@nameuse{color@#1}\current@color{#2}%
19398     \edef\XC@current@color{\noexpand\xcolor@\{}\current@color\{#1}\{#2}\}%

```



```

19399      \XC@display}}
19400 \def\@bidideclaredcolor#1%
19401 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
19402 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
19403   \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
19404   \ifconvertcolorsU\XC@@tsttrue\fi
19405 \fi
19406 \ifXC@@tst
19407   \expandafter\XC@bidideclaredcolor\else
19408   \expandafter\XC@bidideclaredc@lor\fi}
19409 \def\XC@bidideclaredcolor
19410 {\XC@split\XC@@tmp
19411 \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
19412 \expandafter\endgroup\@@tmp}
19413 \def\XC@bidideclaredc@lor
19414 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
19415 \edef\current@color{\XC@current@color}%
19416 \XC@display}
19417 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
19418 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
19419 \def\color@fb@x#1#2#3#4%
19420 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
19421 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
19422 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.121 latex-xetex-bidi.def

```

19423 \ProvidesFile{latex-xetex-bidi.def}[2016/09/11 v1.2.8 bidi adaptations for `latex.ltx' for Xe
19424 \newcommand{\TeXeTOn}{\TeXeTstate=1 }
19425 \newcommand{\TeXeTOff}{\TeXeTstate=0 }
19426 \TeXeTOn
19427 \def\bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}
19428 \let\bidi@o@everypar=\everypar
19429 \newtoks\bidi@n@everypar
19430 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
19431 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
19432 \let\everypar=\bidi@n@everypar
19433 \def\moreLRE{\brace{text \aftergroup\endL \beginL\@RTLfalse}
19434 \def\moreRLE{\brace{text \aftergroup\endR \beginR\@RTLtrue}
19435 \protected\def\hboxR{\hbox\bgroup
19436 \everyhbox{%
19437 \aftergroup\egroup
19438 \everyhbox{}%
19439 \beginR
19440 \hboxRconstructtrue
19441 \bgroup
19442 \aftergroup\endR
19443 \aftergroup\egroup
19444 }\hbox}
19445 \protected\def\hboxL{\hbox\bgroup

```



```

19446 \everyhbox{%
19447 \aftergroup\egroup
19448 \everyhbox{}%
19449 \beginL
19450 \chboxRconstructfalse
19451 \bgroup
19452 \aftergroup\endL
19453 \aftergroup\egroup
19454 }\hbox}
19455 \protected\def\vboxR{\vbox\bgroup
19456 \everyvbox{%
19457 \aftergroup\egroup
19458 \everyvbox{}%
19459 \RTLtrue
19460 \RTLtabtrue
19461 \bgroup
19462 \aftergroup\egroup
19463 }\vbox}
19464 \protected\def\vboxL{\vbox\bgroup
19465 \everyvbox{%
19466 \aftergroup\egroup
19467 \everyvbox{}%
19468 \RTLfalse
19469 \RTLtabfalse
19470 \bgroup
19471 \aftergroup\egroup
19472 }\vbox}
19473 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
19474 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
19475 \def\LTR{\par\RTLfalse\RTL@footnotefalse\RTLtabfalse\hsize\linewidth\parshape\z@}
19476 \def\endLTR{\par}
19477 \def\RTL{\par\RTLtrue\RTL@footnotetrue\RTLtabtrue\hsize\linewidth\parshape\z@}
19478 \def\endRTL{\par}
19479 \def\setRTL{\RTLtrue\RTL@footnotetrue\RTLtabtrue}
19480 \def\setLTR{\RTLfalse\RTL@footnotefalse\RTLtabfalse}
19481 \let\unsetRTL=\setLTR
19482 \let\unsetLTR=\setRTL
19483 \let\LR=\LRE
19484 \let\RL=\RLE
19485 \def\ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
19486 \def\ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
19487 \let\ensure@RL=\ensure@RTL
19488 \let\ensure@LR=\ensure@LTR
19489 \def\ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
19490 \let\ensure@maindir=\ensure@dir
19491 \def\@RTL{RTL}
19492 \def\@LTR{LTR}
19493 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
19494 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
19495 \let\@TeX\TeX

```



```

19496 \def\TeX{\@ensure@LTR{\@TeX}}
19497 \let\@@LaTeX\LaTeX
19498 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
19499 \let\@@LaTeXe\LaTeXe
19500 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
19501 \long\def\bidi@reflect@box#1{%
19502   \leavevmode
19503   \setbox\z@\hbox{{\#1}}%
19504   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}%
19505   \hbox{\kern\wd\z@\kern\wd\z@\box\tw@\hss}}%
19506 }
19507 \bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
19508   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
19509 \bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
19510   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
19511 \let\setRL=\setRTL
19512 \let\setLR=\setLTR
19513 \let\unsetRL=\setLTR
19514 \def\bidi@tabular@RTLcases{\let\@halignto\empty\@bidi@tabular@RTLcases}
19515 \ifpackageloaded{array}{%
19516 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
19517   \leavevmode
19518   \hbox{\bgroup $\left.\right.\col@sep\@tabcolsep \let\@llarbegin\begin\group
19519     \let\@llarend\end\group
19520   \atarray
19521 \def\endbidi@tabular@RTLcases{\endarray \right.\rbrace$\egroup}%
19522 }{%
19523 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
19524   \leavevmode \hbox {\bgroup
19525     $\left.\right.\let\@acol\@tabacol
19526     \let\@classz\@tabclassz
19527     \let\@classiv\@tabclassiv \let\\@\tabularcr\atarray}%
19528
19529 \def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
19530   \egroup\right.\rbrace $\egroup}%
19531 \def\RTLcases#1{\left.\right.\vcenter{\normalbaselines\m@th
19532   \ialign{$##\hfil\quad##\hfil\crcr#1\crcr}{}\right.\left.\right)}%
19533 \renewenvironment{RTLcases}{%
19534   \bidi@matrix@check\RTLcases\env@RTLcases
19535 }{%
19536   \endbidi@tabular@RTLcases%
19537 }
19538 \def\env@RTLcases{%
19539   \let\@ifnextchar\bidi@new@ifnextchar
19540   \def\arraystretch{1.2}%
19541   \bidi@tabular@RTLcases{\@{}r@{\quad}r@{\}}%
19542 }
19543 \def\SepMark#1{\gdef\@SepMark{#1}}
19544 \SepMark{.}
19545 \def\@thmcountersep{\@SepMark}

```



```

19546 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
19547 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
19548 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
19549 \def\list#1#2{%
19550   \ifnum \@listdepth >5\relax
19551     \atodeep
19552   \else
19553     \global\advance\@listdepth\@ne
19554   \fi
19555   \rightmargin\z@
19556   \listparindent\z@
19557   \itemindent\z@
19558   \csname @list\romannumeral\the\@listdepth\endcsname
19559   \def\@itemlabel{\#1}%
19560   \let\makelabel\@mklab
19561   \nmblistfalse
19562   #2\relax
19563   \trivlist
19564   \parskip\parsep
19565   \parindent\listparindent
19566   \advance\linewidth -\rightmargin
19567   \advance\linewidth -\leftmargin
19568   \if@bidi@list@minipage@parbox
19569   \if@RTL
19570     \advance\@totalleftmargin \leftmargin
19571   \else
19572     \advance\@totalleftmargin \rightmargin
19573   \fi
19574   \else
19575   \if@hboxRconstruct
19576   \if@bidi@list@minipage@parbox@not@nob
19577   \if@RTL
19578     \advance\@totalleftmargin \rightmargin
19579   \else
19580     \advance\@totalleftmargin \leftmargin
19581   \fi
19582   \else
19583   \if@RTL
19584     \advance\@totalleftmargin \leftmargin
19585   \else
19586     \advance\@totalleftmargin \rightmargin
19587   \fi\fi
19588   \else
19589   \if@RTL
19590     \advance\@totalleftmargin \rightmargin
19591   \else
19592     \advance\@totalleftmargin \leftmargin
19593   \fi\fi\fi
19594   \parshape \@ne \@totalleftmargin \linewidth
19595   \ignorespaces}

```



```

19596 \long\def\@iiiparbox#1#2[#3]#4#5{%
19597   \leavevmode
19598   \c@pboxswfalse
19599   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
19600   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
19601   \setlength\@tempdima{#4}%
19602   \begin{\tempboxa}\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
19603     \ifx\relax#2\else
19604       \setlength\@tempdimb{#2}%
19605       \edef\@parboxto{to\the\@tempdimb}%
19606     \fi
19607     \if#1b\vbox
19608       \else\if #1t\vtop
19609         \else\ifmmode\vcenter
19610           \else\c@pboxswtrue \$\vcenter
19611             \fi\fi\fi
19612           \c@parboxto{\let\hss\vss\let\unhbox\unvbox
19613             \csname bm@\#3\endcsname}%
19614           \if@c@pboxsw \m@th$\fi
19615         \c@end\tempboxa}
19616 \def\bidi@lrbox#1{%
19617   \edef\reserved@a{%
19618     \endgroup
19619     \setbox#1\hbox{%
19620       \begingroup\aftergroup}%
19621         \def\noexpand\@currenvir{\@currenvir}%
19622         \def\noexpand\@currenvline{\on@line}}%
19623   \reserved@a
19624     \c@ndpefalse
19625     \color\begin{group}
19626       \ignorespaces}
19627 \def\endbidi@lrbox{\unskip\color\endgroup}
19628 \newenvironment{LTRitems}
19629   {\par\@RTLfalse\@RTLtabfalse
19630     \if@bidi@list@minipage@parbox
19631       \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
19632         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
19633           \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
19634             \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
19635           \else \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
19636             \ignorespaces}\{\\vskip\z@}
19637 \newenvironment{RTLitems}
19638   {\par\@RTLtrue\@RTLtabtrue
19639     \if@bidi@list@minipage@parbox
19640       \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
19641         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
19642           \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
19643             \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
19644               \else \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
19645             \ignorespaces}\{\\vskip\z@}

```



```

19646 \newenvironment{LTRbibitems}
19647     {\par\@RTLfalse\@RTLtabfalse
19648         \if@bidi@list@minipage@parbox
19649             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
19650                 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
19651                     \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
19652                         \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
19653                         \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
19654                             \ignorespaces}{\vskip\z@}
19655 \newenvironment{RTLbibitems}
19656     {\par\@RTLtrue\@RTLtabtrue
19657         \if@bidi@list@minipage@parbox
19658             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
19659                 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
19660                     \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
19661                         \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
19662                         \else \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
19663                             \ignorespaces}{\vskip\z@}
19664 \def\raggedright{%
19665     \let\\@centercr\@rights skip\@flushglue \rights skip\@rights skip
19666     \leftskip\z@skip
19667     \parindent\z@\parfillskip\z@skip}
19668 \let\bidi@orig@raggedleft\raggedleft
19669 \let\bidi@orig@raggedright\raggedright
19670 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcon
19671 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcon
19672 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
19673 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
19674 \def\centerline#1{%
19675 \if@RTL\@@line{\hss\beginR#1\endR\hss}
19676 \else\@@line{\hss#1\hss}\fi}
19677 \def\leftline#1{%
19678 \if@RTL\@@line{\beginR#1\endR\hss}
19679 \else\@@line{\#1\hss}\fi}
19680 \def\rightline#1{%
19681 \if@RTL\@@line{\hss\beginR#1\endR}
19682 \else\@@line{\hss#1}\fi}
19683 \let\bidi@orig@leftline\leftline
19684 \let\bidi@orig@rightline\rightline
19685 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\i
19686 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\i
19687 \def\bidirlap#1{\hb@xt@.z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
19688 \def\bidillap#1{\hb@xt@.z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
19689 \def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
19690     \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
19691 \def\narrower{%
19692     \advance\if@RTL\rights skip\else\leftskip\fi\parindent
19693     \advance\if@RTL\leftskip\else\rights skip\fi\parindent}
19694 \def\underline#1{%
19695     \relax

```



```

19696 \ifmmode\@@underline{\#1}%
19697 \else
19698 \if@RTL $@\@@underline{\hbox{\beginR\#1\endR}}\m@th$\relax
19699 \else
19700 $@\@@underline{\hbox{\#1}}\m@th$\relax\fi\fi}
19701 \if@compatibility
19702 \let\undertext=\underline
19703 \fi
19704 \def\@tabular{%
19705 \leavevemode \hbox \bgroup \if@RTLtab\beginR \fi
19706 $@\let\@acol\@tabacol
19707 \let\@classz\@tabclassz
19708 \let\@classiv\@tabclassiv \let\\@tabularcr\@tabarray
19709 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
19710 \egroup $@\if@RTLtab\endR\fi\egroup}
19711 \expandafter \let \csname endtabular*\endcsname = \endtabular
19712 \def\@array[\#1]#2{%
19713 \if #1\vtop \else \if#1b\vbox \else \vcenter \fi\fi
19714 \bgroup
19715 \setbox\@arstrutbox\hbox{%
19716 \vrule \height\arraystretch\ht\strutbox
19717 \depth\arraystretch \dp\strutbox
19718 \width\z@\%}
19719 \mkpream{\#2}%
19720 \edef\@preamble{%
19721 \ialign \noexpand\@halignto
19722 \bgroup \@arstrut \preamble \tabskip\z@skip \cr}%
19723 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
19724 \let\@tabularnewline\\%
19725 \let\par\empty
19726 \let\sharp##%
19727 \set@typeset@protect
19728 \lineskip\z@skip\baselineskip\z@skip
19729 \ifhmode \preamerr\z@ \par\fi
19730 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1\vtop \else \vbox \fi\bgroup\fi
19731 \preamble}
19732 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
19733 \let\@classiv\@arrayclassiv
19734 \let\\@arraycr\let\@halignto\empty\@RTLtabfalse\@tabarray}
19735 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
19736 \ifnum \lastchclass=3 5 \else
19737 \z@ \if #1\c@chnum \z@ \else
19738 \if \if@RTLtab#1\else#1\fi\c@chnum \one \else
19739 \if \if@RTLtab#1\else#1\fi\c@chnum \tw@ \else
19740 \c@chclass \if #1\one \else
19741 \if #1\@tw@ \else
19742 \if #1p3 \else \z@ \preamerr 0\fi
19743 \fi \fi \fi \fi \fi
19744 \fi}
19745 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}

```



```

19746 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
19747 \def\bm@t{\unhbox\@tempboxa\hss}
19748 \def\bm@b{\hss\unhbox\@tempboxa}
19749 \def@\dottedtocline#1#2#3#4#5{%
19750   \ifnum #1>\c@tocdepth \else
19751     \vskip \z@ \oplus .2\p@
19752     \if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmar
19753     \parindent #2\relax \afterindenttrue
19754     \interlinepenalty\OM
19755     \leavevmode
19756     \atempdima #3\relax
19757     \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right
19758     {#4}\nobreak
19759     \leaders\hbox{$\m@th
19760       \mkern \dotsep mu\hbox{.}\mkern \dotsep
19761       mu$\}\hfill
19762     \nobreak
19763     \hb@xt@\opnumwidth{{\hfil\normalfont \normalcolor #5}}%
19764     \par}%
19765   \fi}
19766
19767
19768 \def\RTL@outputdblcol{%
19769   \if@firstcolumn
19770     \global\@firstcolumnfalse
19771     \global\setbox\leftcolumn\copy\outputbox
19772     \splitmaxdepth\maxdimen
19773     \vbadness\maxdimen
19774     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
19775     \setbox\outputbox\vsplit\outputbox to\maxdimen
19776     \toks@\expandafter{\topmark}%
19777     \xdef\firstcoltopmark{\the\toks@}%
19778     \toks@\expandafter{\splitfirstmark}%
19779     \xdef\firstcolfirstmark{\the\toks@}%
19780     \ifx\firstcolfirstmark\empty
19781       \global\let\setmarks\relax
19782     \else
19783       \gdef\setmarks{%
19784         \let\firstmark\firstcolfirstmark
19785         \let\topmark\firstcoltopmark}%
19786     \fi
19787   \else
19788     \global\@firstcolumntrue
19789     \setbox\outputbox\vbox{%
19790       \hb@xt@\textwidth{%
19791         \hskip \columnwidth
19792         \hfil
19793         {\normalcolor\vrule \width\columnseprule}%
19794         \hfil
19795       \hb@xt@\columnwidth{\box\leftcolumn \hss}}%

```



```

19796          \hskip -\textwidth
19797          \hb@xt@\columnwidth{\box\outputbox \hss}%
19798          \hskip \columnsep
19799          \hskip \columnwidth } } %
19800 \@combinedblfloats
19801     \@setmarks
19802     \@outputpage
19803     \begingroup
19804         \dblfloatplacement
19805         \startdblcolumn
19806         \@whilesw@if@fcolmade \fi{ \@outputpage
19807             \startdblcolumn}%
19808         \endgroup
19809     \fi}%
19810
19811 \def\LTR@outputdblcol{%
19812     \if@firstcolumn
19813         \global\@firstcolumnfalse
19814         \global\setbox\leftcolumn\copy\outputbox
19815         \splitmaxdepth\maxdimen
19816         \vbadness\maxdimen
19817         \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
19818         \setbox\outputbox\vsplit\outputbox to\maxdimen
19819         \toks@\expandafter{\topmark}%
19820         \xdef\@firstcoltopmark{\the\toks@}%
19821         \toks@\expandafter{\splitfirstmark}%
19822         \xdef\@firstcolfirstmark{\the\toks@}%
19823         \ifx\@firstcolfirstmark\empty
19824             \global\let\@setmarks\relax
19825         \else
19826             \gdef\@setmarks{%
19827                 \let\firstmark\@firstcolfirstmark
19828                 \let\topmark\@firstcoltopmark}%
19829         \fi
19830     \else
19831         \global\@firstcolumntrue
19832         \setbox\outputbox\vbox{%
19833             \hb@xt@\textwidth{%
19834                 \hb@xt@\columnwidth{\box\leftcolumn \hss}%
19835                 \hfil
19836                 {\normalcolor\vrule \width\columnseprule}%
19837                 \hfil
19838                 \hb@xt@\columnwidth{\box\outputbox \hss}}}%
19839     \@combinedblfloats
19840     \@setmarks
19841     \@outputpage
19842     \begingroup
19843         \dblfloatplacement
19844         \startdblcolumn
19845         \@whilesw@if@fcolmade \fi{ \@outputpage

```



```

19846      \@startdblcolumn}%
19847      \endgroup
19848  \fi}%
19849
19850
19851 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}%
19852 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}%
19853 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}%
19854 \def\LTRmarginpar{%
19855   \ifhmode
19856     \@bsphack
19857     \floatpenalty -\@Mii
19858   \else
19859     \floatpenalty-\@Miii
19860   \fi
19861   \ifinner
19862     \parmoderr
19863     \floatpenalty\z@
19864   \else
19865     \next@\currbox\freetrue}%
19866     \next@\marbox\freetrue\global\count\marbox\m@ne}%
19867     \floatpenalty\z@
19868     \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
19869   \fi
19870   \ifnextchar [\@LTrxmpar\@LTrympar]
19871 \long\def\@LTrxmpar[#1]#2{%
19872   \LTrsavemarbox\marbox{#1}%
19873   \LTrsavemarbox\currbox{#2}%
19874   \xympar}
19875 \long\def\@LTrympar#1{%
19876   \LTrsavemarbox\marbox{#1}%
19877   \global\setbox\currbox\copy\marbox
19878   \xympar}
19879 \long\def \LTrsavemarbox #1#2{%
19880   \global\setbox #1%
19881   \color@vbox
19882     \vtop{%
19883       \hsize\marginparwidth
19884       \parboxrestore
19885       \LTrmarginparreset
19886       #2%
19887       \minipagefalse
19888       \outer@nobreak
19889     }%
19890   \color@endbox
19891 }
19892 \def \LTrmarginparreset {%
19893   \reset@font
19894   \normalsize
19895   \minipagetrue

```



```

19896      \everypar{\@minipagetrue\everypar{}{\beginL}%
19897 }
19898 \def\RTLmarginpar{%
19899   \ifhmode
19900     \obspushack
19901     \floatpenalty -\Mii
19902   \else
19903     \floatpenalty-\Miii
19904   \fi
19905   \ifinner
19906     \parmoderr
19907     \floatpenalty\z@
19908   \else
19909     \next@\currbox\freetable{}{%
19910     \next@\marbox\freetable{\global\count\marbox\m@ne}{%
19911       \floatpenalty\z@
19912       \flextovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
19913   \fi
19914   \ifnextchar [\RTLxmpar\RTLympar]
19915 \long\def\RTLxmpar[#1]{%
19916   \RTLsavemarbox\marbox{#1}%
19917   \RTLsavemarbox\currbox{#2}%
19918   \xympar}
19919 \long\def\RTLympar#1{%
19920   \RTLsavemarbox\marbox{#1}%
19921   \global\setbox\currbox\copy\marbox
19922   \xympar}
19923 \long\def \RTLsavemarbox #1#2{%
19924   \global\setbox #1%
19925   \color@vbox
19926   \vtop{%
19927     \hsize\marginparwidth
19928     \parboxrestore
19929     \RTLmarginparreset
19930     #2%
19931     \minipagetrue
19932     \outer@nobreak
19933     }%
19934   \color@endbox
19935 }
19936 \def \RTLmarginparreset {%
19937   \reset@font
19938   \normalsize
19939   \minipagetrue
19940   \everypar{\minipagetrue\everypar{}{\beginR}%
19941 }
19942 \def\addmarginpar{\next@\marbox\currlist{\cons\freetable\marbox
19943   \cons\freetable\currbox}\@latexbug\tempcnta\@ne
19944   \if@twocolumn
19945     \if@firstcolumn \tempcnta\m@ne \fi

```



```

19946 \else
19947   \if@mparswitch
19948     \ifodd\c@page \else\@tempcnta\m@ne \fi
19949   \fi
19950   \if@reversemargin \@tempcnta -\@tempcnta \fi
19951 \fi
19952 \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
19953 \@tempdima\@parbottom
19954 \advance\@tempdima -\@pageht
19955 \advance\@tempdima\ht\@marbox
19956 \ifdim\@tempdima >\z@
19957   \ @latex@warning@no@line {Marginpar on page \thepage space moved}%
19958 \else
19959   \@tempdima\z@
19960 \fi
19961 \global\@parbottom\@pageht
19962 \global\advance\@parbottom\@tempdima
19963 \global\advance\@parbottom\dp\@marbox
19964 \global\advance\@parbottom\marginparpush
19965 \advance\@tempdima -\ht\@marbox
19966 \global\setbox \@marbox
19967   \vbox {\vskip \@tempdima
19968   \box \@marbox}%
19969 \global \ht\@marbox \z@
19970 \global \dp\@marbox \z@
19971 \kern -\@pagedp
19972 \nointerlineskip
19973 \hb@xt@\columnwidth
19974   {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
19975     \hskip\columnwidth \hskip\marginparsep
19976   \else
19977     \hskip -\marginparsep \hskip -\marginparwidth
19978   \fi
19979   \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else\endL\fi
19980   \nointerlineskip
19981   \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
19982 \long\def\@ympar#1{%
19983   \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar\@RTLtrue\else\@RTLfalse\fi}
19984   \global\setbox\@currbox\copy\@marbox
19985   \qquad\@ympar}
19986 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
19987 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
19988 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
19989 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
19990   \@tempdima\@totallleftmargin \advance\@tempdima\linewidth
19991 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
19992   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
19993   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
19994   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
19995 \fi}

```



```

19996
19997 \newcommand*{\bidi@font@@outputpage}{}
19998
19999 \def\@outputpage{%
20000 \begingroup % the \endgroup is put in by \aftergroup
20001   \let \protect \noexpand
20002   \resetactivechars
20003   \global\let\@if@newlist\if@newlist
20004   \global\@newlistfalse
20005   \parboxrestore
20006   \shipout \vbox{%
20007     \set@typeset@protect
20008     \aftergroup \endgroup
20009     \aftergroup \set@typeset@protect
20010       % correct? or just restore by ending
20011       % the group?
20012     \if@specialpage
20013       \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
20014     \fi
20015     \if@twoside
20016       \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
20017         \if@RTLmain
20018           \let\@themargin\evensidemargin
20019         \else
20020           \let\@themargin\oddsidemargin
20021         \fi
20022       \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
20023         \if@RTLmain
20024           \let\@themargin\oddsidemargin
20025         \else
20026           \let\@themargin\evensidemargin
20027         \fi
20028       \fi
20029       \ifx\@thehead\@empty \let\@thehead\hfil \fi
20030       \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
20031       \else %% not @twoside
20032         \ifx\@oddhead\@empty \let\@thehead\hfil \fi
20033         \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
20034       \fi
20035       \reset@font
20036       \normalsize
20037       \bidi@font@@outputpage
20038       \normalsfcodes
20039       \let\label\gobble
20040       \let\index\gobble
20041       \let\glossary\gobble
20042       \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
20043         \begindvi
20044         \vskip \topmargin
20045         \moveright\@themargin \vbox {%

```



```

20046      \setbox\@tempboxa \vbox to\headheight{%
20047          \vfil
20048          \color@hbox
20049              \normalcolor
20050                  \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@%
20051                      \color@endbox
20052                  }%                                %% 22 Feb 87
20053          \dp\@tempboxa \z@
20054          \box\@tempboxa
20055          \vskip \headsep
20056          \box\@outputbox
20057          \baselineskip \footskip
20058          \color@hbox
20059              \normalcolor
20060                  \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RT%
20061                      \color@endbox
20062                  }%
20063              }%
20064          \global\let\if@newlist\@@if@newlist
20065          \global \colht \textheight
20066          \stepcounter{page}%
20067          \let\firstmark\botmark
20068      }
20069      \long\def\@makecaption#1#2{%
20070          \vskip\abovecaptionskip
20071          \sbox\@tempboxa{#1: #2}%
20072          \ifdim \wd\@tempboxa >\hsize
20073              \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
20074          \else
20075              \global \minipagefalse
20076                  \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
20077          \fi
20078          \vskip\belowcaptionskip}
20079          \let\bidi@saved@eqno=\eqno
20080          \let\bidi@saved@leqno=\leqno
20081          \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
20082          \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
20083          \ifpackageloaded{amsmath}{}{
20084          \def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
20085      }
20086      \input{footnote-xetex-bidi.def}
20087      \if@twocolumn
20088          \let\autofootnoterule\relax
20089          \let\leftfootnoterule\relax
20090          \let\rightfootnoterule\relax
20091          \textwidthfootnoterule
20092      \fi
20093      \if@bidi@csundef{\idxitem}{}{%
20094          \renewcommand{\idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
20095      }

```



```

20096 \@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
20097 \@ifclassloaded{article}{\ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}){}
20098 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
20099 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
20100 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
20101 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
20102 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
20103 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
20104 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
20105 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
20106 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
20107 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
20108 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
20109 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
20110 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
20111 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
20112 \@ifclassloaded{scrmcl}{\input{scrmcl-xetex-bidi.def}}{}
20113 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
20114 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
20115 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
20116 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
20117 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
20118 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
20119 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
20120 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
20121 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
20122 \@ifpackageloaded{amsmath}{}{%
20123 \iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}%
20124 \iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}%
20125 }%
20126 \@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}%
20127 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}%
20128 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}%
20129 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}%
20130 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}%
20131 \@ifpackagewith{algorithm2e}{algonl}{%
20132 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Al}%
20133 }{}%
20134 \@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}%
20135 \@ifpackagewith{algorithm2e}{algorithmpart}{\renewcommand{\algocf@within}{chapter}}{}%
20136 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}%
20137 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}%
20138 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}%
20139 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}%
20140 \@ifpackageloaded{animate}{\input{animate-xetex-bidi.def}}{}%
20141 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}%
20142 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}%
20143 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}%
20144 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}%
20145 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}%

```



```

20146 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}
20147 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
20148 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
20149 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
20150 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
20151 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
20152 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{\{\input{float-xetex-bidi.def}\}}{}}
20153 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
20154 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
20155 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
20156 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
20157 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
20158 \@ifpackageloaded{hfvfloat}{\input{hfvfloat-xetex-bidi.def}}{}
20159 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
20160 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
20161 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
20162 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
20163 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
20164 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
20165 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
20166 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
20167 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
20168 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
20169 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
20170 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
20171 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
20172 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
20173 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
20174 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
20175 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
20176 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
20177 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
20178 \@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
20179 \@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
20180 \@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
20181 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
20182 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
20183 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
20184 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
20185 \@ifpackagewith{sidecap}{innercaption}{%
20186 \if@RTL \renewcommand*\SC@FLOAT}[2]{%
20187   \isSC@ODD{\#2}\hspace{\sidecaptionsep}\#1} {\#1}\hspace{\sidecaptionsep}\#2}}}
20188 \renewcommand*\SC@justify@caption{%
20189   \isSC@ODD{\RaggedRight}\{\RaggedLeft\}\else
20190   \renewcommand*\SC@FLOAT[2]{%
20191     \isSC@ODD{\#1}\hspace{\sidecaptionsep}\#2} {\#2}\hspace{\sidecaptionsep}\#1}}}
20192 \renewcommand*\SC@justify@caption{%
20193   \isSC@ODD{\RaggedLeft}\{\RaggedRight\}\fi
20194 }{%
20195 \@ifpackagewith{sidecap}{rightcaption}{%

```



```

20196 \if@RTL\renewcommand*\{SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
20197 \def\SC@justify@caption{\RaggedLeft}\else%
20198 \renewcommand*\{SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
20199 \def\SC@justify@caption{\RaggedRight}\fi%
20200 }{}
20201 \@ifpackagewith{sidecap}{leftcaption}{%
20202 \if@RTL \renewcommand*\{SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
20203 \def\SC@justify@caption{\RaggedRight}\else%
20204 \renewcommand*\{SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
20205 \def\SC@justify@caption{\RaggedLeft}\fi%
20206 }{}}
20207 \@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
20208 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
20209 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
20210 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
20211 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
20212 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
20213 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
20214 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
20215 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
20216 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
20217 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
20218 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
20219 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
20220 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
20221 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
20222 \@ifpackageloaded{tbls}{\input{tbls-xetex-bidi.def}}{}
20223 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
20224 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
20225 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}}
20226 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}}
20227 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
20228 \@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```

7.122 *xltextra-xetex-bidi.def*

```

20229 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for
2030 \let\@@XeTeX\XeTeX
2031 \def\XeTeX{\@ensure@LTR{\@@XeTeX}}
2032 \let\@@XeLaTeX\XeLaTeX
2033 \def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}

```

8 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	\%	10790	\` 10910, 12748, 14600, 14614
\# 2984, 3030, 3139, 3147				



\(12849	19387, 19389, 19390, 19392, 19411	19350, 19383, 19384, 19389,
\)	12850	\@@cls 19331, 19374	19390, 19392,
\,	4698, 11036, 15178, 15221, 19141, 19152, 19532	\@@date . 5312, 5315, 5318 \@@end 3228, 3229	19393, 19411, 19412
\-	1882, 10909, 12747, 14599, 14613	\@@endpbox 12631, 17577, 17615, 19723	\@@underline 19696, 19698, 19700
\.	89, 298, 805, 936, 1198, 1447, 1881, 5888, 6075, 6386, 7769, 8042, 10028, 14033, 14747, 15140, 15336, 15538, 15945, 16524, 17206, 17846	\@@if@newlist 10342, 10362, 20003, 20064 \@@input 3288, 3305 \@@italiccorr . 338, 6430 \@@line 8311, 8315, 15564, 15573, 15611, 15622, 19675, 19676, 19678, 19679, 19681, 19682	\@DEBUGfalse 2328 \@False 6409, 6411 \@LTRbibitemsfalse 19546, 19548 \@LTRbibitemstrue 19547 \@LTRbidiutuftesidenote@sidenote 4811, 4870, 4874 \@LTRbidiutuftesidenotemarginparreset 4449, 4456 \@LTRbidiutuftesidenotesavemarbox 4436, 4437, 4440, 4443
\/	2048	\@@makecaption 15987, 16066, 16088, 16566, 16645, 16667, 17248, 17327, 17349	\@LTRbidiutuftesidenotexmpar 4434, 4435 \@LTRbidiutuftesidenoteympar 4434, 4439
\:	12891, 12950	\@@makefnmark 15710, 15712, 16258, 16260, 16827, 16828, 16956, 16958	\@LTRfootnotetext 62, 78, 151, 152, 153, 270, 287,
\;	180, 199	\@@math 6421	2184, 2306, 4742, 4823, 4830, 5546,
\<	17501	\@@mix 19335, 19378	5557, 5770, 5784, 7361, 7362, 8121,
\=	10910, 12748, 14600, 14614	\@@mod 19336, 19340, 19341, 19344, 19345, 19346, 19349, 19379,	8177, 8184, 8326, 8475, 8617, 8766,
\>	17502	19383, 19384, 19387, 19388, 19389, 19392, 19411	8915, 9064, 9213, 9362, 9511, 9702,
\@	3054	\@@par 12746, 14598, 14612, 15173, 15216, 15693, 15700, 16241,	10582, 10588, 10630, 10655, 10710, 10735, 10741, 11526,
\@C	17680, 17682	16248, 16813, 16818, 16939, 16946, 17772,	11554, 11633, 11652, 11846, 11850, 11870, 11871, 12691,
\@C@bidi@AfterClass	3390, 3395	17774, 19602, 19729	12804, 13925,
\@C@bidi@AfterPackage	3435, 3439	\@@protect 2915	13926, 13927,
\@C@LTR	14463, 14465, 19492, 19494	\@@tcolorbox 12630, 17577, 17615, 19723	15675, 15681,
\@C@LaTeX	19497, 19498	\@@title 5310, 5313, 5316	15993, 15994,
\@C@LaTeXe	19499, 19500	\@@tmp 19340, 19341, 19346, 19347, 19349,	16004, 16223, 16229, 16572, 16573, 16583, 16921, 16927,
\@C@RTL	14462, 14465, 19491, 19494	19347, 19349,	
\@CTeX	14466, 14467, 19495, 19496		
\@CXeLaTeX	20232, 20233		
\@CXeTeX	20230, 20231		
\@Cauthor	5311, 5314, 5317		
\@C@bidi@AfterClass	3389, 3406		
\@C@bidi@AfterPackage	3434, 3449		
\@C@bidi@PreventPackageFromLoosingpbox	3480, 3482, 3484		
\@Cclr	19336, 19341, 19344, 19346, 19347, 19349, 19379, 19384,		



17254, 17255,	4465, 6892, 6901,	9383, 9418, 9430,
17265, 17646, 17663	6911, 7056, 7065,	9522, 9532, 9567,
\@LTrmarginparfalse	7075, 19857, 19901	9579, 9677, 9688,
..... 19986, 19988	\@Mii 2261, 4379, 4423,	10018, 10600,
\@LTrmarginparreset	4467, 19859, 19903	10631, 10672,
..... 19885, 19892	... 1856, 10425,	10685, 12253,
\@LTrmarginpartrue 19987	10592, 14446,	12276, 12280,
\@LTrsavemarbox ...	14451, 19475, 19480	12287, 12296,
..... 19872,	\@RTL@footnotefalse	12737, 13548,
19873, 19876, 19879	... 1854, 10425,	14025, 14162,
\@LTrxmpar . 19870, 19871	10591, 14448,	14210, 14408,
\@LTRYmpar 19870, 19875	14450, 19477, 19479	14442, 14446,
\@M 6, 88, 101, 207, 231,	\@RTLbibitemsfalse	14451, 14487,
297, 778, 841,	... 19547, 19548	14737, 15130,
842, 866, 969,	\@RTLbibitemstrue 19546	15323, 15525,
1092, 1147, 1148,	\@RTLbidituftesidenote@sidenote 17185,	15924, 16503,
1220, 1340, 1341,	.. 4840, 4871, 4875	17833,
1347, 1469, 2111,	\@RTLbidituftesidenotemarginparre 19475,	19433, 19468,
2116, 5042, 5810, 4493, 4500	19480,
5811, 5817, 5930,	\@RTLbidituftesidenotesavemarbox 19983, 20050, 20060	19629, 19647,
5986, 5987, 5993, 4480, \@RTLfootnotetext 47, 4481, 4484, 4487
6106, 6156, 6351,	4478, 4479	77, 155, 156,
6359, 6425, 7737,	\@RTLbidituftesidenotexmpar	157, 256, 286,
7750, 8006, 8015, 4478, 4483	2185, 2307, 4759,
8311, 8315, 9995,	\@RTLbidituftesidenoteypmpar	4852, 4859, 5547,
10003, 10315, 4478, 4483	5558, 5771, 5785,
13790, 13802,	\@RTLcolumnfootnotesfalse	7382, 7383, 8105,
13814, 14538, 8191	8178, 8185, 8327,
14646, 14647,	\@RTLcolumnfootnotestrue	8476, 8618, 8767,
14671, 14780, 8190	8916, 9065, 9214,
14919, 15042,	\@RTLfalse .. 36,	9363, 9512, 9703,
15095, 15096,	64, 84, 245,	10573, 10579,
15156, 15157,	272, 293, 792,	10615, 10654,
15510, 15518,	926, 1188, 1437,	10711, 10750,
17671, 17758,	1814, 1820, 1838,	10756, 11525,
17799, 17932,	2554, 5878, 6065,	11543, 11618,
17963, 17986,	6373, 6391, 6403,	11653, 11845,
18003, 18020,	6416, 7759, 8029,	11849, 11867,
18037, 18054,	8091, 8123, 8138,	11868, 12692,
18071, 18089,	8151, 8337, 8347,	12805, 13929,
18108, 18128,	8382, 8394, 8486,	13930, 13931,
18163, 18496,	8495, 8528, 8539,	15676, 15685,
18957, 19071, 19754	8628, 8638, 8673,	15995, 15996,
\@MM .. 40, 53, 68, 249,	8685, 8777, 8787,	16006, 16224,
262, 276, 7359,	8822, 8834, 8926,	16233, 16574,
7380, 7427, 7434,	8936, 8970, 8982,	16575, 16585,
7479, 7486, 8264,	9075, 9085, 9119,	16922, 16931,
10604, 10620, 10635	9131, 9224, 9234,	17256, 17257,
\@Mi 6421, 12705	9269, 9281, 9373,	17267, 17647, 17664
\@Mii 2259, 4377, 4421,		



\@RTLmainfalse	1793, 1797, 1928, 1932	15924, 17185, 19434, 19477, 19638, 19983,	16503, 17833, 19459, 19479, 19656, 20050, 20060	14754, 14757, 14761, 15117, 15119, 15122,	14755, 14759, 15116, 15118, 15120, 15124,
\@RTLmaintrue	1796, 1931	19434, 19477, 19638, 19983,	19459, 19479, 19656, 20050, 20060	14757, 14761, 15117, 15119, 15122,	14759, 15116, 15118, 15120, 15124,
\@RTLmarginparfalse 19987, 19988	19477, 19638,	19479, 19656,	14757, 14761, 15117, 15119, 15122,	14759, 15116, 15118, 15120, 15124,
\@RTLmarginparreset 19929, 19936	19638,	19983,	14757, 14761, 15117, 15119, 15122,	14759, 15116, 15118, 15120, 15124,
\@RTLmarginpartrue	19986	19983,	20050, 20060	14757, 14761, 15117, 15119, 15122,	14759, 15116, 15118, 15120, 15124,
\@RTLsavemarbox	19916, 19917, 19920, 19923	19983,	20050, 20060	14757, 14761, 15117, 15119, 15122,	14759, 15116, 15118, 15120, 15124,
\@RTLtabfalse	.. 629, 1782, 1826, 19469, 19475, 19480, 19629, 19647, 19734	21, 22, 221, 222, 336, 345, 767, 768, 919, 920, 922, 1172, 1174, 1175, 1431, 1432, 5903, 5904, 5905, 5906, 5907, 5909, 5911, 5913, 6080, 6081, 6082, 6083, 6085, 6087, 6089, 6330, 6332, 6334, 6336, 6337, 6338, 6339, 6340, 7869, 7870, 7871, 7872, 7985, 7987, 7989, 7991, 7992, 7993, 7994, 7995, 10120, 10121, 10122, 10123, 10124, 10126, 10128, 10130, 10282, 10288, 10395, 10397, 10399, 10401, 10402, 10403, 10404, 10405, 10408, 10410, 10412, 10414, 10415, 10416, 10417, 10418, 12313, 13435, 13437, 13439, 13441, 13443, 13444, 13446, 13447, 13448, 14067, 14075, 14077, 14751, 14752,	164, 220, 223, 766, 769, 921, 1173, 1430, 1433, 5905, 5909, 6079, 6082, 6087, 6332, 6337, 6340, 7871, 7987, 7992, 7995, 10121, 10123, 10126, 10130, 10288, 10397, 10401, 10403, 10405, 10410, 10414, 10416, 10418, 13435, 13439, 13443, 13446, 13448, 14075, 14751, 14753,	15126, 15312, 15315, 15317, 15319, 15491, 15493, 15497, 15499, 15501, 15899, 15903, 16445, 16450, 16456, 16460, 16466, 16474, 16482, 17145, 17150, 17154, 17161, 17165, 17906, 18150, 19543, 19545, 20132	15310, 15314, 15316, 15318, 15491, 15495, 15498, 15500, 15898, 15901, 15905, 16448, 16454, 16458, 16464, 16472, 16480, 17143, 17148, 17152, 17157, 17165, 18150, 19545, 20132
\@RTLtrue	... 36, 49, 84, 245, 258, 293, 792, 926, 1188, 1437, 1812, 1818, 1836, 2554, 5878, 6065, 6373, 6430, 6432, 7759, 8029, 8091, 8107, 8138, 8164, 8337, 8357, 8382, 8407, 8486, 8504, 8528, 8551, 8628, 8648, 8673, 8698, 8777, 8797, 8822, 8847, 8926, 8946, 8970, 8995, 9075, 9095, 9119, 9144, 9224, 9244, 9269, 9294, 9373, 9393, 9418, 9443, 9522, 9542, 9567, 9592, 9677, 9688, 10018, 10600, 10616, 10659, 10685, 12253, 12276, 12287, 12296, 12740, 13548, 14025, 14409, 14434, 14448, 14450, 14737, 15130, 15323, 15525,	10910, 12748, 14600, 14614 10910, 12748, 14600, 14614 10910, 12748, 14600, 14614 10910, 12627, 17561, 19525, 19706, 19732 1051, 1653, 1659, 1661 1652, 1660 19992 19942 2446, 7216, 7217, 7314, 7316	6404, 6410, 6442 13797 13809 10910, 12748, 14600, 14614 10910, 12748, 14600, 14614 10910, 12748, 14600, 14614 10910, 12627, 17561, 19525, 19706, 19732 1051, 1653, 1659, 1661 1652, 1660 19992 19942 2446, 7216, 7217, 7314, 7316		



\@addresscolour	2415, 2432, 7215, 7313	\@anim@box	431
\@addtofilelist 3288, 3304	\@anim@buildmln	476, 555
\@addtopreamble 1624, 1687, 6503	\@anim@checkmultipage	... 399
\@addtoreset 334, 10285, 14065, 14071, 14073	\@anim@curframe	419, 453, 457, 461, 467
\@addviper	... 6839	\@anim@curframe@zb	... 420, 456, 464, 468, 470, 522, 545, 547, 549
\@afterheading	... 788, 2094, 2104, 7747, 7755, 12760	\@anim@draftbox	... 433
\@afterindentfalse	. . 2094, 2104, 12759	\@anim@endframe	... 545
\@afterindenttrue	. 866, 1092, 1347, 5041, 5817, 5993, 13789, 13801, 13813, 14671, 15042, 17931, 17962, 17985, 18002, 18019, 18036, 18053, 18070, 18088, 18107, 18127, 18162, 18495, 18950, 19070, 19753	\@anim@endsanitize	... 356, 484, 500, 559
\@algocf@finish	... 186	\@anim@every	... 415, 467
\@algocf@post@boxed	168	\@anim@fgcolour 438, 440, 483, 528, 530, 558
\@algocf@post@boxruled 170	\@anim@filebox	... 425, 429
\@algocf@pre@boxed	167	\@anim@first 396, 406, 413, 414, 419, 425, 428
\@algocf@pre@boxruled 169	\@anim@fps	... 450
\@algocf@start	... 171	\@anim@frames 470, 471, 549, 550
\@algoinsideskip	183, 187	\@anim@ftype	399, 428, 462
\@algoskip	... 172, 195	\@anim@getkeyval	483, 558
\@campacol	... 1651, 1659	\@anim@getpath	... 428, 460
\@anim@@newframe	... 539	\@anim@insertwidgets 482, 557
\@anim@animategraphics 491, 492	\@anim@keytoaux	479, 562
\@anim@animateinline 569, 570	\@anim@label	... 389, 516
\@anim@base 395, 399, 428, 461	\@anim@last	... 397,
\@anim@beginframe	... 541	\@anim@makebuttons	406, 414, 417, 453
\@anim@bgcolour 438, 440, 483, 528, 530, 558	\@anim@maxframe 439, 529
		\@anim@missing 473, 479, 552, 562
		\@anim@mone	... 478, 561
		\@anim@multiframe	... 540
		\@anim@newkey	... 440, 530
		\@anim@nfps	443, 444, 445, 447, 450, 534
		\@anim@num	... 439, 440, 456, 464, 476, 479, 482, 488, 529, 530, 545, 555, 557, 562, 567
		\@anim@pathofile 425, 429, 457, 465
		\@anim@poster	... 478, 561
		\@anim@processfpsarg 535
		\@anim@relop	412, 416, 453
		\@anim@reset	... 375, 502
		\@anim@sanitizeColon 492, 570
		\@anim@sanitizeJS 475, 554
		\@anim@scale	... 431
		\@anim@skipfram	... 523
		\@anim@tmpcnt	471, 472, 473, 550, 551, 552
		\@anim@ximage	... 456, 464
		\@arabic	... 164, 766, 767, 768, 769, 793, 800, 919, 920, 921, 922, 927, 934, 1172, 1173, 1174, 1175, 1189, 1196, 1430, 1431, 1432, 1433, 1438, 1445, 2565, 5879, 5886, 5903, 5904, 5905, 5906, 5907, 5909, 5911, 5913, 6066, 6073, 6079, 6080, 6081, 6082, 6083, 6085, 6087, 6089, 6330, 6332, 6334, 6335, 6336, 6337, 6338, 6339, 6340, 6374, 6381, 7760, 7767, 7869, 7870, 7871, 7872, 7985, 7987, 7989, 7990, 7991, 7992, 7993, 7994, 7995, 8030, 8037, 10019, 10026, 10120, 10121, 10122, 10123, 10124, 10126, 10128, 10130, 10395, 10397



10399,	10400,	\@arrayacol	19732	16378, 16429,
10401,	10402,	\@arrayclassiv . . .	19733	17013, 17076, 17127
10403,	10404,	\@arrayclassz		\@auxout 5717
10405,	10408,	. 1651, 17602, 19732		\@badmath . 10247, 10261
10410,	10412,	\@arraycr		\@begin@tempboxa .
10413,	10414,	. 624, 12636, 19734		. 11132, 11139, 19602
10415,	10416,	\@arrayleft	617	\@begindvi 10313, 20043
10417,	10418,	\@arrayparboxrestore		\@beginparpenalty .
12313,	12315,	12694, 14595, 14609	 2107,
13435,	13437,	\@arrayright	626	2116, 10250, 10264
13439,	13441,	\@arrayrule		\@bib@break
13443,	13446,	1606, 1607, 1608,		15919, 16498, 17180
13447,	13448,	1644, 1645, 1646		\@biblabel . 85, 294,
14738,	14745,	\@carstdepth		793, 794, 927,
14751,	14752,	17595, 17600, 17618		928, 1189, 1190,
14753,	14754,	\@carstheight 17600, 17618		1438, 1439, 5879,
14755,	14757,	\@carstrut	614,	5880, 6066, 6067,
14759,	14761,	12650, 17576, 19722		6374, 6375, 7760,
15116,	15117,	\@carstrutbox	607,	7761, 8030, 8031,
15118,	15119,	12638, 12695,		10019, 10020,
15120,	15122,	17569, 17610,		14026, 14738,
15124,	15126,	17614, 17618, 19715		14739, 15131,
15131,	15138,	\@author 648, 662, 698,		15132, 15324,
15310,	15312,	719, 980, 982,		15325, 15526,
15314,	15315,	1000, 1045, 1064,		15527, 15926,
15316,	15317,	1231, 1233, 1251,		15928, 16505,
15318,	15319,	1296, 1315, 1480,		16507, 17187,
15324,	15331,	1482, 1500, 1545,		17189, 17834, 17835
15491,	15493,	1565, 1576, 1993,		\@bibsetup 14026
15495,	15496,	5243, 5245, 5314,		\@bibtitlestyle . 81, 290
15497,	15498,	5941, 5943, 5961,		\@bidi@AfterClass .
15499,	15500,	6117, 6119, 6137,	 3390,
15501,	15526,	6212, 6226, 6262,		3411, 3416, 3423
15533,	15899,	6283, 7796, 7808,		\@bidi@AfterPackage
15901,	15903,	7842, 7861, 7891,	 3435,
15905,	15926,	7905, 7941, 7962,		3454, 3458, 3465
15942,	16452,	10047, 10059,		\@bidi@PreventPackageFromLoading
16454,	16456,	10093, 10112,	 3475, 3476, 3478
16458,	16460,	13404, 14791,		\@bidi@UnPreventPackageFromLoading
16468,	16476,	14793, 14811,	 3567, 3568, 3571
16484,	16505,	14856, 14875,		\@bidi@emptytoks .
16521,	17146,	14930, 14932,	 2589, 2594, 2618
17148,	17150,	14952, 14999,		\@bidi@envbody 2588,
17152,	17154,	15021, 15032,		2590, 2592,
17158,	17162,	15187, 15201,		2593, 2594, 2614,
17166,	17187,	15242, 15263,		2616, 2617, 2618
17203,	17834, 17841	15373, 15387,		\@bidi@info 1722, 1745,
\@argdef	2875	15423, 15444,		1747, 1895, 1918, 1920
\@array 604, 625, 1586,		15767, 15830,		\@bidi@list@minipage@parbox@not@nobtrue
1587,	17598, 19712	15881, 16315,	 10699, 19599



\@bidi@list@minipage@parboxtrue	4806, 4835, 4864, 10700, 19600	\@biditufefloat@justification@autodetect 3836, 3966
\@bidi@lst@makecaption 12250, 12266, 12267, 12298, 12299, 12300, 12304, 12306	\@biditufefloat@caption 3988, 4021 3980, 4039, 4050, 4051, 4074, 4309, 4314
\@bidi@mdf@RTItrue	12736	\@biditufefloat@caption@b 3944, 3947, 3958
\@bidi@removefromreset	... 2715, 2716, 2718	\@biditufefloat@margin@floatbox 3866, 3953
\@bidi@replacefilewithext	.. 3352, 3356, 3359	\@biditufefloat@caption@full 3929, 3938, 3939, 4314
\@bidi@saveprimitive 2576	\@biditufefloat@margin@font 3893, 3894
\@bidi@strip@v@bidiversion 1748, 1750, 1756, 1762	\@biditufefloat@orig@caption 4019, 4041, 4071 3894, 3895, 3949, 4140, 4311, 4317, 4330
\@bidi@tabular@RTLcases	19514, 19516, 19523	\@biditufefloat@orig@float 3981, 4028, 4304 3836, 3952, 4140
\@bidi@todonotes@align 19117, 19118, 19150, 19191, 19194, 19197, 19200, 19225, 19230, 19231	\@biditufefloat@caption@vertical@offset 4020, 3983, 3984, 3992, 4050, 4051, 4078
\@bidi@todonotes@figposition	rightfalse	\@biditufefloat@caption@justifyation 3927, 3931, 3932, 4124, 4125, 4164, 4165
\@bidi@todonotes@figposition	righttrue	\@biditufefloat@checkboxpage 3911, 4008
\@bidi@todonotes@textdirection 19132	\@biditufefloat@figure@box 3811, 3812, 3814
\@bidi@todonotes@textdirection 19130	\@biditufefloat@stored@caption 3979, 4032, 4050, 4051, 4073
\@bidi@todonotes@textdirection 19125	\@biditufefloat@float@contents@width 3986, 3993, 4041, 4076
\@bidi@todonotes@textdirection	RTItrue	\@biditufefloat@stored@label 3987,
\@bidi@todonotes@textdirection	RTIfalse 3996, 4042, 4058, 4060, 4077
\@bidi@unreplacefilewithext	... 3361, 3367, 3370	\@biditufefloat@stored@shortcaption 3985, 3990, 3991, 4041, 4075
\@bidideclaredcolor 6555, 6562, 19371, 19400	\@biditufefloat@float@debug 3969, 3975, 3977, 3978, 4010, 4011, 4014, 4016, 4017, 4088, 4095, 4102, 4103, 4106, 4107
\@biditufteLTRsidenote@citation@font	... 4615	\@biditufefloat@float@debug@info 5087, 5093
\@biditufteLTRsidenote@normal@cite 4609, 4688, 4805, 4834, 4863, 4885, 4894, 4903	\@biditufteheading@newlinetospace 4146, 4155
\@biditufteRTLsidenote@normal@cite	... 4628, 4689,	\@biditufefloat@float@fullwidth 4050, 4098
		\@biditufteheading@newlinetospace@i 4147, 4149
		\@biditufteheading@orig@cr 4154, 4158
		\@bidituftesidenote@LTRcitation@font 4516, 4525
		\@bidituftesidenote@LTRmarginfont 4507,
		\@bidituftesidenote@LTRmarginnote@font 4510, 4513, 4516
		\@bidituftesidenote@LTRmarginnote@font 4513, 4522, 4891



\@bidiutfesidenote@LTRsidenote@font	4813, 4832, 4861, 4510, 4519	4883, 4892, 4901 4517, 4526	4782, 4869, 4873 4508,	4681 4511, 4514, 4517	\@caption
\@bidiutfesidenote@RTLcite	\@bidiutfesidenote@sidenote@font	\@bidiutfesidenote@sidenote@font	\@bidiutfesidenote@sidenote@font	\@bidiutfesidenote@sidenote@font	\@captionabovefalse
..... 4510, 4519	4883, 4892, 4901 4517, 4526	4782, 4869, 4873 4508,	4681 4511, 4514, 4517	4131, 13530, 13533 16106, 16685, 17367 16104, 16683, 17365 2198, 2246, 2294, 3950, 13523, 13527, 15591 7394, 7451, 9907, 15330, 15948, 15941	\@captionabovetrue
\@bidiutfesidenote@RTLMarginnote@font	4509, 4518, .. 4514, 4523, 4900	4694, 4695, 4698 .. 4511, 4520	4527, 4694, 4695 4511, 4514, 4517	\@cclv 12709, 12714, 12726 5115, 14546, 14559, 14572, 17751, 17780, 19665	\@cftype
\@bidiutfesidenote@check@multiple	4508, 4708, 4716	4801, 4815, 4817, 4529, 4663	4779, 4780, 4515, 4524, 4596, 4634, 4662	18007, 18024, 18041, 18058, 18075, 18093, 18112, 18132, 18167	\@centercr
\@bidiutfesidenote@citation@font	4823, 4830, 4844, 4515, 4524, 4596, 4634, 4662	4846, 4852, 4859 4511, 4514, 4517	4549, 4550, 4567 4529, 4663	17967, 17990, 18007, 18024, 18041, 18058, 18075, 18093, 17936, 17937,	\@cftasnum
\@bidiutfesidenote@citation@justification	4560, 4567	4549, 4552, 4567, 4572	4549, 4601, 4603, 4620, 4622, 4639,	17968, 17991, 18008, 18025, 18042, 18059, 18113, 18133, 18168	\@cftasnum
\@bidiutfesidenote@citations	4564, 4565, 4566, 4649, 4651, 4652, 4654, 4659, 4668, 4784, 4813, 4842, 4881, 4890, 4899	4549, 4552, 4567, 4572	4549, 4601, 4603, 4620, 4622, 4639,	18008, 18025, 18042, 18059, 18113, 18133, 18168	\@cftasnum
\@bidiutfesidenote@infotnote@cite	4681, 4682, 4783, 4812, 4841, 4880, 4889, 4898	4681, 4682, 4783, 4812, 4841, 4880, 4889, 4898	4681, 4682, 4783, 4812, 4841, 4880, 4889, 4898	18042, 18059, 18042, 18059, 18042, 18059,	\@cftasnum
\@bidiutfesidenote@justification@autodetect	4681, 4682, 4783, 4812, 4841, 4880, 4889, 4898	4681, 4682, 4783, 4812, 4841, 4880, 4889, 4898	4681, 4682, 4783, 4812, 4841, 4880, 4889, 4898	17967, 17990, 18007, 18024, 18041, 18058, 18075, 18093, 17936, 17937,	\@cftasnum
\@bidiutfesidenote@marginpar	4527, 4528, 4529, 4530	4393, 4396, 4399	4393, 4396, 4399	17966, 17989, 18006, 18023, 18040, 18057, 18074, 18092, 18111, 18131, 18166	\@cftasnum
\@bidiutfesidenote@marginpar	4531, 4664, 4730, 4747, 4764, 4882, 4891, 4900	4390, 4391	4390, 4391	17966, 17989, 18006, 18023, 18040, 18057, 18074, 18092, 18111, 18131, 18166	\@cfdopartfalse ..
\@bidiutfesidenote@marginfont	4506, 4509, 4512, 4515	5034, 5050	4390, 4395	17912, 17916	\@cfdoparttrue ..
\@bidiutfesidenote@marginfont	4512, 4521, 4882	5034, 5050	4910, 4911	17912, 17916	\@cfdopartfalse ..
\@bidiutfesidenote@marginfont	4882, 4891, 4900	5034, 5050	6555, 6556, 4512, 4521, 4882	18100, 18120	\@cfdoparttrue ..
\@bidiutfesidenote@marginfont	4882, 4891, 4900	5034, 5050	6555, 6556, 4512, 4521, 4882	6151, 6346, 8001, 9991, 15506	\@chapapp
\@bidiutfesidenote@marginfont	4882, 4891, 4900	5034, 5050	6555, 6556, 4512, 4521, 4882	14059	\@chapterlistsgap@off
\@bidiutfesidenote@normal	4528, 4882, 4891, 4900	13427	13427	14059	\@chapterlistsgap@on
\@bidiutfesidenote@normal	4528, 4882, 4891, 4900	13408	13408	14066, 14074	\@chclass
\@bidiutfesidenote@normal	4590, 4687, 4804, 4833, 4862, 4884, 4893, 4902	13396	13396	572, 584, 595, 1593, 1605, 1618, 1638, 1643, 17699, 17715, 17726, 19735, 19740	\@chclass
\@bidiutfesidenote@print	4656	13410	13410	13410	\@bstanksheadpost
\@bidiutfesidenote@print	4656	13410	13410	13410	\@bstanksheadpre



\@checkend	2607, 2631, 3645, 3646	\@colourgreentrue	7135, 7233	\@conttfont	13466, 13478, 13484, 13490, 13494
\@chnum	573, 580, 591, 1594, 1601, 1614, 1624, 1640, 1641, 1642, 1655, 1663, 1689, 6505, 17700, 17707, 17722, 19737, 19738, 19739	\@colourgreyfalse	7138, 7236	\@curfield	5733, 5748, 5768, 5782, 5792, 19992
\@circlefnt	10149	\@colourgreytrue	7139, 7237	\@curline	5731, 5746, 19992, 19994
\@classiv	2195, 12628, 17563, 19527, 19708, 19733	\@colourorangefalse	7132, 7230	\@currbox	2266, 2297, 2301, 4341, 4344, 4385, 4388, 4393, 4397, 4429, 4432, 4437, 4441, 4473, 4476, 4481, 4485, 19865, 19868, 19873, 19877, 19909, 19912, 19917, 19921, 19943, 19952, 19984
\@classx	1621, 1680, 6499	\@colourredfalse	7136, 7234	\@currentHlabel	11611, 11626, 11641
\@classz	1621, 1680, 1714, 1715, 2194, 6499, 12628, 17562, 17602, 19526, 19707, 19732	\@colourredtrue	7137, 7235	\@currentHref	11612, 11627, 11642, 11701, 11739, 11772, 11803, 11834, 12056, 12067, 12069
\@cleartopmattertags	125	\@combinedblfloats	6764, 6819, 10204, 10236, 10317, 10968, 11016, 13632, 13727, 19800, 19839	\@currentlabel	42, 55, 70, 251, 264, 278, 4732, 4749, 4766, 8097, 8113, 8129, 8142, 8155, 8168, 8341, 8351, 8361, 8387, 8400, 8412, 8439, 8452, 8490, 8499, 8508, 8533, 8545, 8556, 8582, 8594, 8632, 8642, 8652, 8678, 8691, 8703, 8730, 8743, 8781, 8791, 8801, 8827, 8840, 8852, 8879, 8892, 8930, 8940, 8950, 8976, 8989, 9001, 9028, 9041, 9079, 9089, 9099, 9125, 9138, 9150, 9177, 9190, 9228, 9238, 9248, 9274
\@colht	6916, 6917, 6927, 6928, 6935, 6950, 6984, 6987, 7009, 7010, 7069, 7081, 7082, 7092, 7093, 7100, 7117, 7121, 9897, 10336, 12720, 12721, 13570, 13573, 13575, 13577, 13582, 13583, 13584, 13603, 13604, 13605, 13609, 13668, 13671, 13673, 13675, 13680, 13681, 13682, 13701, 13702, 13703, 13707, 20065	\@compactenum@	5097	\@contcshortstyle	13478
\@colourfalse	2358	\@contcstyle	13483, 13489, 13494	\@contcwidth	13472, 13473
\@colourgreenfalse	7134, 7232	\@contfinal	13466, 13477, 13481, 13488, 13493	\@contfield	5734, 5749, 5781
		\@contfmark	13484, 13490, 13494	\@contfnote	13464, 13467
		\@contindw	13489	\@contnfont	13466, 13477, 13481, 13488, 13493
		\@contpost	13498	\@contpre	13476, 13482, 13487, 13492



9287, 9299, 9326,	15024, 15033,	\@dotsep 18968,
9339, 9377, 9387,	15190, 15202,	18969, 19077, 19760
9397, 9423, 9436,	15243, 15265,	\@dottedtocline . . .
9448, 9475, 9488,	15376, 15388,	. . 19083, 19084,
9526, 9536, 9546,	15424, 15447,	19086, 19104, 19749
9572, 9585, 9597,	15771, 15831,	\@dseries 6416
9624, 9637, 9724,	15885, 16319,	\@eha 2584, 18154
9736, 9748, 9774,	16379, 16433,	\@ehc 2687, 2689, 2695,
9788, 9802, 9837,	16899, 16900,	2697, 2703, 2705,
9851, 10606,	16903, 16908,	2711, 2713, 2891,
10622, 10637,	17017, 17077, 17131	12219, 12226,
10664, 10677, 10690	\@datefield 16839	12707, 13772, 13778
\@currentlabelname	\@dblarg 13530	\@ehd 13524
..... 11613,	\@dblfloatplacement	\@eightcol@footgroupv@r
11628, 11643,	... 6768, 6823, 9218
11702, 11740,	10205, 10240,	\@eightcolLTRfootfmt
11773, 11804, 11835	10324, 10972,	.. 9241, 9262, 9290
\@currenvir	11020, 13636,	\@eightcolLTRfootnotetext
.... 2593, 2596,	13731, 19804, 19843 9213, 9234
2597, 2617, 2620,	\@declaredcolor 6540,	\@eightcolRTLfootfmt
2621, 2648, 19621	6541, 19328, 19351	.. 9251, 9265, 9302
\@currenvline	\@dedication	\@eightcolRTLfootnotetext
19622	.. 15787, 15789, 9214, 9244
\@currlist	15840, 15888,	\@eightcolfootfmt .
19942	15890, 16335,	.. 9231, 9259, 9277
\@curtabmar	16337, 16388,	\@eightcolfootnotetext
19991, 19994	16436, 16438, 9212, 9224
\@cvtheme	17033, 17035,	\@elt 2717, 2720,
2438, 2441	17086, 17134, 17136	4229, 4230, 4231,
\@cvthemedoptions	\@dedicatory 325	4232, 4233, 4234,
.. 2439, 2441	\@defaultskiptotal 198	4235, 4236, 4237,
\@date	\@definitionfileextension	4238, 4239, 4240,
.... 651, 2662, 2665	4270, 4271, 4272,
663, 699, 722,	\@depth .. 609, 12640,	4273, 4274, 4275,
988, 990, 1002,	17542, 17571,	4276, 4277, 4278,
1047, 1067, 1239,	17611, 19717, 19981	4279, 4280, 4281,
1241, 1253, 1298,	\@dgroupt 6403	4282, 4283, 4284,
1318, 1488, 1490,	\@dischyp . . . 10909,	4285, 4286, 4287,
1502, 1547, 1568,	12747, 14599, 14613	6442, 7360, 7381,
1577, 1994, 5261,	\@displaypagenumbersfalse	7387, 7422, 7424,
5315, 5949, 5951, 2537	7426, 7432, 7444,
5963, 6125, 6127,	\@displaypagenumberstrue	7474, 7476, 7478,
6139, 6215, 6227, 2536	7484, 17630, 17632
6263, 6286, 7799,	\@dmath 6391, 6420	\@email 2450, 7222, 7320
7809, 7843, 7864,	\@docolbox 10375	\@emathdisplay . 184, 200
7894, 7906, 7942,	\@dodynamicthefoot 10314	\@empty .. 83, 111, 130,
7965, 8049, 8054,	\@dodynamicthehead 10314	132, 292, 444,
10050, 10060,	\@ofilelist	624, 661, 662,
10094, 10115,	.. 3656, 3657, 3659	663, 664, 697,
12083, 12088,		698, 699, 700,
13405, 14799,		
14801, 14813,		
14858, 14878,		
14938, 14940,		
14954, 15001,		



799,	933,	999,	11628,	11643,	16386,	16387,
1000,	1001,	1002,	11702,	11740,	16388,	16406,
1044,	1045,	1046,	11773,	11804,	16410,	16418,
1047,	1195,	1250,	11835,	12081,	16424,	16436,
1251,	1252,	1253,	12271,	12277,	16490,	16520,
1295,	1296,	1297,	12300,	12304,	16545,	16546,
1298,	1444,	1499,	12306,	12654,	16812,	16840,
1500,	1501,	1502,	13402,	13403,	16841,	16842,
1544,	1545,	1546,	13404,	13405,	16843,	16844,
1547,	1992,	1993,	13563,	13661,	16845,	16846,
1994,	1995,	2253,	14053,	14504,	16847,	16851,
2564,	2573,	2605,	14744,	14810,	16857,	16863,
2629,	3472,	3485,	14811,	14812,	16869,	16875,
3486,	3492,	3515,	14813,	14855,	16881,	16887,
3545,	3553,	3572,	14856,	14857,	16893,	16899,
3575,	3586,	3590,	14858,	14951,	16908,	16938,
3600,	3606,	3607,	14952,	14953,	16991,	16996,
3608,	3621,	3633,	14954,	14998,	17003,	17009,
3637,	3704,	3715,	14999,	15000,	17033,	17075,
4592,	4611,	4630,	15001,	15137,	17076,	17077,
4651,	4658,	5243,	15200,	15201,	17078,	17079,
5310,	5311,	5312,	15202,	15203,	17080,	17081,
5885,	5960,	5961,	15241,	15242,	17082,	17083,
5962,	5963,	6072,	15243,	15244,	17084,	17085,
6136,	6137,	6138,	15330,	15386,	17086,	17104,
6139,	6225,	6226,	15387,	15388,	17108,	17116,
6227,	6228,	6261,	15389,	15422,	17122,	17134,
6262,	6263,	6264,	15423,	15424,	17172,	17202,
6380,	6406,	6736,	15425,	15532,	17227,	17228,
6795,	7421,	7473,	15692,	15745,	17500,	17617,
7766,	7807,	7808,	15750,	15757,	17665,	17840,
7809,	7810,	7841,	15763,	15787,	18140,	18142,
7842,	7843,	7844,	15829,	15830,	19331,	19334,
7904,	7905,	7906,	15831,	15832,	19374,	19377,
7907,	7940,	7941,	15833,	15834,	19514,	19725,
7942,	7943,	8036,	15835,	15836,	19734,	19780,
8047,	8063,	8067,	15837,	15838,	19823,	20029,
9720,	9732,	9744,	15839,	15840,	20030,	20032,
9769,	9783,	9797,	15858,	15862,	20033	
9891,		10025,	15870,	15876,	\emptycol	6920,
10058,		10059,	15888,	15912,	6923,	6939,
10060,		10061,	15941,	15966,	6942,	7085,
10092,		10093,	15967,	16240,	7088,	7104,
10094,		10095,	16293,	16298,	7107	
10188,		10220,	16305,	16311,	\emptytoks
10746,		10761,	16335,	16377,	6405	
10951,		10995,	16378,	16379,	\endtempboxa
11029,		11030,	16380,	16381,	.	11137,
11031,		11032,	16382,	16383,	11154,	19615
11033,		11613,	16384,	16385,	\endalgoln
					\endfloatbox	238
					\endmodernpoem
						5744,
						5764
					\endparenv	..
						5648,
						5761,
						14100,
						14120



\@endparpenalty	2111,	\@fancyfoot	10170	10983,	13553,
	2120,	\@fancyhead	10164	13651,	19770,
\@endpbox	\@fancyvbox	10165, 10171	19813	
	1631, 1632, 1673,	\@fax	2449, 7221, 7319	\@firstcolumntrue	.
	1697, 1698, 1699,	\@ff@do@allframes 6744,
	6513, 6514, 6515,		10316, 10321		6803,
	12625, 12631,	\@ff@fbbox	7079,	
	17577, 17615, 19723	\@ff@setoffset	10384	10195,	10228,
\@endpefalse	\@ffbackground	10295,	10960,
\@endtraditionalpoem	\@filebordercolor	11004,	13612,
	5628, 5700		11914, 11916	13710,	19788,
\@ensure@LR	14459, 19488	\@filecolor	11932	19831	
\@ensure@LTR	.. 14457,	\@filef@und	3288, 3305	\@firstdetailselementfalse	.
	14459, 14467,	\@finalstrut	8102,	 7302
	19486, 19488,		8118, 8134, 8148,	\@firstdetailselementtrue	.
	19496, 19498,		8161, 8174, 10611,	 7299
	19500, 20231, 20233		10627, 10642,	\@firstfooterelementfalse	.
\@ensure@RL	14458, 19487		10668, 10681, 10694		7218, 7219, 7220,
\@ensure@RTL	.. 14456,	\@firststampfalse		7221, 7222, 7223
	14458, 19485, 19487		1653, 1661	\@firstfooterelementtrue	.
\@ensure@dir	.. 14460,	\@firstcolfirstmark 7203
	14461, 19489, 19490		6735, 6736,	\@firstname	.. 2383,
\@ensure@maindir	..		6740, 6794, 6795,		2385, 2386, 2443,
	14461, 19490		6799, 10187,		7197, 7287, 7308
\@enumctr	.. 5098, 5099		10188, 10192,	\@firstnamecolour	.
\@eqnnum		10219, 10220,	 2412, 2429
	10272, 12077, 20084		10224, 10950,	\@firstfone
\@evenfoot		10951, 10955,		3198, 3205,
	1956, 10307, 20022		10994, 10995,		3211, 3224, 3230,
\@evenhead	10306, 20022		10999, 13562,		3758, 12038,
\@expandtwoargs	.. 3591		13563, 13567,		12039, 12040,
\@extrafootnotefeaturesfalse		13660, 13661,		12041, 13528,
	1868		13665, 19779,		16066, 16645, 17327
\@extrafootnotefeaturestrue		19780, 19784,	\@firstoftwo	.. 1751,
	1866		19822, 19823, 19827		1757, 1763, 2726,
\@extrainfo	\@firstcoltopmark		2734, 2738, 2746,
	.. 2451, 7223, 7321		6733, 6741, 6792,		2750, 2758, 2764,
\@extratitle		6800, 10185,		2768, 2775, 2783,
	.. 15745, 15746,		10193, 10217,		2789, 2793, 2801,
	15834, 15858,		10225, 10948,		2807, 2810, 2813,
	15859, 16293,		10956, 10992,		2827, 2834, 3000,
	16294, 16382,		11000, 13560,		3018, 3024, 3048,
	16406, 16407,		13568, 13658,	\@fivecol@footgroupv@r	.
	16991, 16992,		13666, 19777,	 8771
	17080, 17104, 17105		19785, 19820, 19828	\@fivecolLTRfootfmt	.. 8794, 8815, 8843
\@familyname	.. 2383,	\@firstcolumnfalse		\@fivecolLTRfootnotetext
	2385, 2386, 2444,		6726, 6785, 7125,	 8766, 8787
	7197, 7287, 7308		10179, 10211,	\@fivecolRTLfootfmt	.. 8804, 8818, 8855
\@familynamecolour		10331, 10939,		



\@fivecolRTLfootnotetext	11654, 11843, 11847, 11861, 11862	\@fps . . . 2247, 2248, 2250, 2253, 2270
\@fivecolfootfmt . . . 8784, 8812, 8830	\@footnotetext . . . 34, 76, 147, 148, 149, 243, 285, 2183, 2305, 4725, 4794, 4801, 5545, 5556, 5769, 5783, 7340, 7341, 8089, 8176, 8183, 8325, 8474, 8616, 8765, 8914, 9063, 9212, 9361, 9510, 9701, 10599, 10653, 10709, 11524, 11532, 11603, 11651, 11844, 11848, 11864, 11865, 12690, 12803, 13921, 13922, 13923, 15674, 15677, 15991, 15992, 16002, 16222, 16225, 16570, 16571, 16581, 16920, 16923, 17252, 17253, 17263, 17645, 17662	\@fpsadddefault . . . 2251, 2254 \@freelist . . . 2266, 4229, 4270, 4385, 4386, 4429, 4430, 4473, 4474, 9890, 19865, 19866, 19909, 19910, 19942, 19943 \@fs@capt 4318, 4331, 4339 \@fs@cfont . . . 4311, 4317, 4327, 4330, 4338, 10276, 10277 \@fs@iftopcapt 4322, 4335, 4348 \@fs@mid 4321, 4334, 4346 \@fs@post 4320, 4333, 4347 \@fs@pre 4319, 4332, 4340 \@g@tnextcol . . . 10293 \@getcirc . . . 10145 \@gnewline . . . 14548, 14561, 14574, 14585 \@obble . . . 1748, 2163, 2604, 2628, 2650, 2655, 3128, 3129, 3130, 3131, 3132, 3200, 3213, 3217, 3244, 3258, 3270, 3284, 3502, 3637, 3814, 5365, 5430, 10350, 10351, 10352, 13525, 15992, 15994, 15996, 16571, 16573, 16575, 17253, 17255, 17257, 19335, 19378, 20039, 20040, 20041 \@gobbletwo 2675, 2676, 2679, 2680, 12125 \@gtempa . . . 2851, 2852 \@halignto . . . 613, 628, 17575, 17613, 19514, 19721, 19734 \@hangfrom . . . 16019, 16031, 16033,
\@float . . . 3981, 4304		
\@floatboxreset . . . 2316		
\@floatpenalty 2259, 2261, 2264, 4377, 4379, 4383, 4387, 4421, 4423, 4427, 4431, 4465, 4467, 4471, 4475, 19857, 19859, 19863, 19867, 19901, 19903, 19907, 19911		
\@fltofvf . . . 2299, 4388, 4432, 4476, 19868, 19912		
\@flushglue . . . 5530, 5531, 12753, 14606, 15299, 18498, 18502, 18506, 18552, 19665		
\@fnsymbol . 673, 963, 1022, 1214, 1273, 1463, 1522, 1980, 5924, 6100, 6237, 7819, 7916, 10070, 14774, 14833, 14913, 14974, 15169, 15212, 15398, 15742, 15806, 16290, 16354, 16988, 17052		
\@footgroupv@r . . . 8254, 8304, 8331, 8480, 8622, 8771, 8920, 9069, 9218, 9367, 9516, 9707	\@footstartv@r . . . 8254 \@for . . . 3513, 3574, 3587, 3609, 3613, 4593, 4598, 4612, 4617, 4631, 4636, 4659, 4668, 6704	
\@footnote . . . 5102	\@fourcol@footgroupv@r 8622	
\@footnotemark 2226, 2234, 2242, 4704, 4794, 4801, 4823, 4830, 4852, 4859, 5682, 5689, 5696, 10573, 10579, 10582, 10588,	\@fourcolLTRfootfmt .. 8645, 8666, 8694 \@fourcolLTRfootnotetext 8617, 8638 \@fourcolRTLfootfmt .. 8655, 8669, 8706 \@fourcolRTLfootnotetext 8618, 8648 \@fourcolfootfmt 8635, 8663, 8681 \@fourcolfootnotetext 8616, 8628	\@gtempa . . . 2851, 2852 \@halignto . . . 613, 628, 17575, 17613, 19514, 19721, 19734 \@hangfrom . . . 16019, 16031, 16033,



<code>\@ifclassloaded</code>	3420,	12416,	12667,
	3799, 3804, 3834,	13504,	16074,
	5205, 5207, 6194,	16653,	17335,
<code>\@ifboxRconstructfalse</code>	8189, 10393,	17827,	19515,
..... 14425, 19450	10406, 20097,	20083,	20096,
<code>\@ifboxRconstructtrue</code>	20098, 20099,	20109,	20119,
..... 624,	20100, 20101,	20122,	20126,
14415, 17582,	20102, 20103,	20127,	20128,
17621, 19440, 19730	20104, 20105,	20129,	20130,
<code>\@height</code>	20106, 20107,	20137,	20138,
608, 1711, 6527,	20108, 20109,	20139,	20140,
10890, 12639,	20110, 20111,	20141,	20142,
12695, 12773,	20112, 20113,	20143,	20144,
15720, 15727,	20114, 20115,	20145,	20146,
16268, 16275,	20116, 20117,	20147,	20148,
16966, 16973,	20118, 20119,	20149,	20150,
17542, 17570,	20120, 20121,	20151,	20152,
17611, 19716, 19981	20146, 20225, 20226	20153,	20154,
<code>\@highpenalty</code> . 5831,	<code>\@ifdefinable</code> . 2839,	20155,	20156,
5847, 5854, 5864,	2842, 2845, 2854,	20157,	20158,
6007, 6023,	2878, 2893, 10496	20159,	20160,
6030, 6040, 6293,	<code>\@ifdefinitionfileloaded</code>	20161,	20162,
6308, 6318, 7972, 2665, 20227	20163,	20164,
9959, 9974, 9984,	<code>\@ifempty</code> 7, 208	20165,	20166,
14685, 14701,	<code>\@ifl@aded</code>	20167,	20168,
14708, 14718,	.. 2664, 2665, 2666	20169,	20170,
15056, 15072,	<code>\@ifnextchar</code> ... 159,	20171,	20172,
15079, 15089,	625, 2131, 2161,	20173,	20174,
15271, 15285,	2176, 2868, 3389,	20175,	20176,
15295, 15454,	3399, 3434, 3435,	20177,	20178,
15469, 15479,	3479, 4390, 4434,	20181,	20182,
17922, 17957,	4478, 6540, 6555,	20183,	20184,
18346, 18366, 18454	10571, 10580,	20207,	20208,
<code>\@intcolour</code> . 2420, 2436	10733, 10748,	20209,	20210,
<code>\@oldpg</code> . 6850, 6856,	11109, 11851,	20211,	20212,
6863, 6874, 6884,	11875, 13933,	20213,	20214,
6984, 6985, 6987,	14104, 14124,	20215,	20216,
6990, 6994, 6999,	19328, 19371,	20217,	20218,
7004, 7008, 7016,	19539, 19870, 19914	20219,	20220,
7028, 7041, 7048	<code>\@ifpackagelater</code> ..	20221,	20222,
<code>\@hyper@launch</code> ... 11937	. 3798, 3803, 10442	20223,	20224,
<code>\@idxitem</code>	<code>\@ifpackageloading</code> ..	20225,	20226, 20228
98, 1670, 3061,	<code>\@ifpackagewith</code> ...	
103, 228, 233,	3462, 3522, 3757,	... 6681, 17851,	
822, 837, 1085,	3775, 3797, 3802,	20131,	20134,
1336, 5156, 5163,	4297, 4302, 4355,	20135,	20136,
5806, 5982, 6192,	7672, 7673, 8308,	20185,	20195, 20201
14642, 14896,	9675, 11648,	<code>\@ifstar</code> . 2985, 3388,	
15354, 17902, 20094	11668, 11746,	3433, 3475, 3567,	
<code>\@ifclasslater</code>	12045, 12293,	4147, 7676, 11112	
..... 3800, 3805			



\@iftagsloaded . . .	1594, 1595, 1596,	15839, 16332,
2664, 20123, 20124	1597, 1599, 1638,	16387, 17030, 17085
\@iftexfileloaded .	1639, 1651, 1659,	\@lowpenalty 2107, 18877
2666, 20179, 20180	17700, 17701,	\@m 89, 298, 805, 936,
\@ifundefined . . . 332,	17702, 17703,	1198, 1447, 5888,
333, 2540, 2685,	17705, 19735, 19736	6075, 6386, 7769,
2688, 2693, 2696,	\@lastvipertrue 6925,	8042, 10028,
2701, 2704, 2709,	6944, 7090, 7109	10941, 10985,
2712, 3377, 3381,	\@latex@error . . .	14033, 14747,
3531, 3624, 4539,	... 2583, 3496,	15140, 15336,
5019, 5027, 5142,	13524, 13772, 13778	15538, 15945,
5144, 5149, 5239,	\@latex@warning . . .	16524, 17206, 17846
5256, 6542, 6549, 91, 300,	\@mainmatterfalse .
6557, 6563,	807, 938, 1200, 5392,
10279, 10489,	1449, 2569, 5890,	5422, 6369, 8025
12048, 12049,	6077, 6388, 7771,	\@mainmattertrue .
12229, 12240,	8044, 10030, 5389, 5405
12303, 12305,	14749, 15142,	\@makecaption . . .
12310, 14181,	15338, 15540,	... 4142, 6488,
18141, 18145,	15949, 15956,	13461, 13511,
18221, 18243,	16528, 16535,	13543, 16060,
18244, 18292,	17210, 17217, 17848	16639, 17321, 20069
18293, 18376,	\@latex@warning@no@line	\@makechapterhead .
18398, 18399,	... 6918, 6936, 303, 6146,
18627, 18650,	7083, 7101, 19957	6341, 7996, 9987,
18678, 18738,	\@latexbug . . . 19943	14531, 15502, 17867
18787, 18804, 18834	\@leftcolumn . . . 6727,	\@makecol . . . 9950,
\@ifundefinedmodel	6751, 6786, 6806,	9951, 12715, 12727
..... 19361, 19395	6957, 6985, 6991,	\@makefnmark . . .
\@ifxempty . . .	7000, 10180, 674, 1023,
\@ignoretrue . . .	10199, 10212,	1523, 1981, 4700,
\@iiiminipage . . . 10696	10231, 10940,	4711, 6238, 7345,
\@iiiparbox . . .	10963, 10984,	7366, 7820, 7917,
. 8291, 10727, 19596	11011, 13554,	10071, 13409,
\@indextitlestyle .	13613, 13625,	14834, 14975,
..... 96, 226	13652, 13711,	15170, 15213,
\@inlabelfalse . . .	13719, 19771,	15399, 15743,
\@insertfalse 6841, 6949	19795, 19814, 19834	15744, 15807,
\@inserttrue . 6914, 7078	\@let@token . 2641, 2644	15808, 16291,
\@printcites . . . 14540	\@lettrine . . . 12103	16292, 16355,
\@itemfudge 19991, 19993	\@listI 3851	16356, 16989,
\@itemlabel . . . 19559	\@listdepth	16990, 17053, 17054
\@ixpt 5056	.. 10555, 10712,	\@makefntext . 44, 57,
\@keywords	10914, 10918,	72, 253, 266, 280,
\@kludgeins	19550, 19553, 19558	675, 960, 1025,
\@komalongtablefalse	\@listi 3851, 3859, 5060	1211, 1274, 1460,
16074, 16653, 17335	\@loadwithoptions .	1525, 1982, 4698,
\@lastchclass 3312, 3314, 3321	4736, 4753, 4770,
. 573, 574,	\@lowertitleback .	5921, 6097, 6239,
575, 576, 578, 15784,	7821, 7918, 8100,



8116, 8132, 8146, 8159, 8172, 10072, 10610, 10626, 10641, 10667, 10680, 10693, 11034, 13411, 14771, 14836, 14910, 14977, 15172, 15215, 15400, 15690, 16238, 16811, 16936 \@makeother 3030, 3139, 3147	15818, 15828, 15853, 16359, 16361, 16366, 16376, 16401, 17057, 17059, 17064, 17074, 17099 \@maketitle@hook . . . 114 \@makewincaption . 14272 \@marbox . 4386, 4388, 4392, 4396, 4397, 4430, 4432, 4436, 4440, 4441, 4474, 4476, 4480, 4484, 4485, 19866, 19868, 19872, 19876, 19877, 19910, 19912, 19916, 19920, 19921, 19942, 19952, 19955, 19963, 19965, 19966, 19968, 19969, 19970, 19979, 19983, 19984 \@mathmargin . 7628, 7635, 7643, 7650 \@mathsemicolon 180, 199 \@maxdepth 8252, 9906, 9919, 9938, 9949 \@memtempa 13461, 13463, 13477, 13484, 13488, 13493 \@menubordercolor 12008, 12010 \@menucolor 12019 \@midlist 9890, 9891 \@minipagefalse 2320, 4407, 4416, 4451, 4460, 4495, 4504, 8288, 10724, 12262, 13517, 16050, 16629, 17311, 19887, 19896, 19931, 19940, 20075 \@minipagerestore 10713 \@minipagetrue 4415, 4459, 4503, 19895, 19939	\@minus 2487, 2572, 3847, 3849, 3856, 3858, 3860, 3861, 5057, 5059, 5061, 5062, 10828, 10866, 14030, 16173, 16183, 16193, 16203, 16213, 16761, 16771, 16781, 16791, 16801, 17443, 17453, 17463, 17473, 17483, 17507 \@mkboth 791, 818, 834, 925, 1082, 1187, 1333, 1436, 5803, 5877, 5979, 6064, 6188, 6372, 7758, 8028, 10017, 14639, 14736, 14893, 15129, 15322, 15350, 15524 \@mklab 19560 \@mkpream 612, 12644, 17573, 17605, 19719 \@mobile 2447, 7219, 7317 \@modernpoem . 5720, 5764 \@mpLTRfootnotetext 8150, 8180, 8187, 8333, 8482, 8624, 8773, 8922, 9071, 9220, 9369, 9518, 9709, 10670, 10710, 11554, 11569, 11592, 11656, 12804 \@mpRTLfootnotetext 8163, 8181, 8188, 8334, 8483, 8625, 8774, 8923, 9072, 9221, 9370, 9519, 9710, 10657, 10711, 11543, 11568, 11581, 11657, 12805 \@mparbottom 19953, 19961, 19962, 19963, 19964 \@mpargs 8291, 10702, 10727
---	--	---



\@mparswitchfalse	3830	8835, 8847, 8848,	\@mpsevencolLTRfootnotetext
\@mparswitchtrue	3825	8971, 8972, 8983, 9071, 9131
\@mpeightcol@footgroupv@r		8984, 8996, 8997,	\@mpsevencolRTLfootnotetext
.....	9223	9120, 9121, 9132, 9072, 9144
\@mpeightcollTRfootnotetext		9133, 9145, 9146,	\@mpsevencolfootnotetext
.....	9220, 9280	9269, 9270, 9281, 9070, 9119
\@mpeightcolRTLfootnotetext		9282, 9294, 9295,	\@mpsixcol@footgroupv@r
.....	9221, 9293	9418, 9419, 9430, 8925
\@mpeightcolfootnotetext		9431, 9443, 9444,	\@mpsixcollTRfootnotetext
.....	9219, 9268	9567, 9568, 9579, 8922, 8982
\@mpfivecol@footgroupv@r		9580, 9592, 9593,	\@mpsixcolRTLfootnotetext
.....	8776	9768, 9771, 9782, 8923, 8995
\@mpfivecollTRfootnotetext		9785, 9796, 9799	\@mpsixcolfootnotetext
.....	8773, 8833	\@mpfootnotetext 8921, 8970
\@mpfivecolRTLfootnotetext	 8137,	\@mptencol@footgroupv@r
.....	8774, 8846	8179, 8186, 8332, 9521
\@mpfivecolfootnotetext		8481, 8623, 8772,	\@mptencollTRfootnotetext
.....	8772, 8821	8921, 9070, 9219, 9518, 9578
\@mpfn	2201, 2204, 2207,	9368, 9517, 9708,	\@mptencolRTLfootnotetext
2223, 2231, 2239,		10683, 10709, 9519, 9591
4792, 4798, 4821,		11532, 11567,	\@mptencolfootnotetext
4827, 4850, 4856,		11570, 11655, 12803 9517, 9566
5659, 5662, 5665,		\@mpfourcol@footgroupv@r	\@mpthreeecol@footgroupv@r
5679, 5686, 5693,	 8627 8485
10571, 10576,		\@mpfourcollTRfootnotetext	\@mpthreecollTRfootnotetext
10580, 10585,	 8624, 8684 8482, 8538
10708, 10738,		\@mpfourcolRTLfootnotetext	\@mpthreeecolRTLfootnotetext
10753, 11529,	 8625, 8697 8483, 8550
11540, 11551,		\@mpfourcolfootnotetext	\@mpthreecolfootnotetext
11751, 11782,	 8623, 8672 8481, 8527
11813, 11876,		\@mplistdepth	\@mptwocol@footgroupv@r
12800, 17687, 17694	 10555, 10712 8336
\@mpfootins	.. 8138,	\@mpninecol@footgroupv@r	\@mptwocollTRfootnotetext
8139, 8151, 8152,	 9372 8333, 8393
8164, 8165, 8272,		\@mpninecollTRfootnotetext	\@mptwocolRTLfootnotetext
8281, 8282, 8285,	 9369, 9429 8334, 8406
10659, 10660,		\@mpninecolRTLfootnotetext	\@mptwocolfootnotetext
10672, 10673,	 9370, 9442 8332, 8381
10685, 10686,		\@mpninecolfootnotetext	\@namedef 3381,
10718, 10719,	 9368, 9417	3532, 5717, 8293,
10722, 12789, 12794		\@mppara@footgroupv@r	8324, 8429, 8430,
.... 8271, 8305,	 9712	8458, 8463, 8468,
8382, 8383, 8394,		\@mpparaLTRfootnotetext	8473, 8572, 8573,
8395, 8407, 8408,	 9709, 9781	8605, 8610, 8615,
8528, 8529, 8539,		\@mpparaRTLfootnotetext	8720, 8721, 8749,
8540, 8551, 8552,	 9710, 9795	8754, 8759, 8764,
8673, 8674, 8685,		\@mpparafootnotetext	8869, 8870, 8898,
8686, 8698, 8699,	 9708, 9767	8903, 8908, 8913,
8822, 8823, 8834,		\@mpsevencol@footgroupv@r	9018, 9019, 9047,
	 9074	9052, 9057, 9062,



9167,	9168,	9196,	18635,	18636,	18644,
9201,	9206,	9211,	18675,	18679,	9049,
9316,	9317,	9345,	18680,	18681,	9054,
9350,	9355,	9360,	18682,	18684,	9055,
9465,	9466,	9494,	18685,	18687,	9059,
9499,	9504,	9509,	18690,	18693,	9060,
9614,	9615,	9643,	18701,	18702,	9164,
9648,	9653,	9700,	18704,	18707,	9166,
9820,	9821,	9822,	18710,	18735,	9167,
9865,	9874,	9882,	18739,	18740,	9168,
18156,	18195,		18741,	18743,	9173,
18196,	18197,		18744,	18746,	9175,
18198,	18199,		18749,	18752,	9178,
18200,	18201,		18760,	18761,	9180,
18202,	18203,		18763,	18766,	9185,
18204,	18222,		18769,	18789,	9186,
18223,	18224,		18792,	18796,	9188,
18225,	18226,		18836,	18839,	9193,
18227,	18228,		\@nameuse 3378,		9198,
18229,	18230,		5715,	7558,	9199,
18245,	18246,		7611,	7657,	9203,
18247,	18248,		8428,	8429,	9204,
18250,	18251,		8435,	8437,	9208,
18253,	18256,		8442,	8447,	9209,
18259,	18267,		8450,	8453,	9313,
18268,	18270,		8460,	8461,	9315,
18273,	18276,		8466,	8470,	9316,
18289,	18294,		8569,	8571,	9322,
18295,	18296,		8573,	8578,	9324,
18298,	18299,		8583,	8585,	9327,
18301,	18304,		8590,	8592,	9334,
18307,	18315,		8597,	8602,	9335,
18316,	18318,		8607,	8608,	9337,
18321,	18324,		8613,	8717,	9340,
18336,	18377,		8720,	8721,	9342,
18378,	18379,		8728,	8731,	9347,
18380,	18381,		8738,	8739,	9352,
18382,	18383,		8744,	8746,	9353,
18384,	18385,		8752,	8756,	9357,
18400,	18401,		8761,	8762,	9358,
18402,	18403,		8868,	8869,	9462,
18405,	18406,		8875,	8877,	9464,
18408,	18411,		8882,	8887,	9466,
18414,	18422,		8890,	8893,	9468,
18423,	18425,		8900,	8901,	9471,
18428,	18431,		8906,	8910,	9473,
18444,	18628,		9015,	9017,	9476,
18629,	18630,		9019,	9024,	9478,
18631,	18632,		9029,	9031,	9483,
18633,	18634,		9037,	9039,	9484,



18340,	18341,	17700,	17709,	... 9390, 9411, 9439
18353,	18360,	17716,	17997,	\@ninecolLTRfootnotetext
18361,	18444,	18340,	18341, 9362, 9383
18448,	18449,	18448,	18449,	\@ninecolRTLfootfmt
18468,	18483,	18622,	19277,	... 9400, 9414, 9451
18486,	18488,	19553,	19594,	\@ninecolRTLfootnotetext
18491,	18494,	19631,	19633, 9363, 9393
18511,	18512,	19634,	19635,	\@ninecolfootfmt ..
18514,	18515,	19640,	19642,	... 9380, 9408, 9426
18525,	18527,	19643,	19644,	\@ninecolfootnotetext
18529,	18530,	19649,	19651, 9361, 9373
18532,	18534,	19652,	19653,	\@nmblistfalse ... 19561
18535,	18544,	19658,	19660,	\@nobreakfalse
18546,	18550,	19661,	19662,	. 740, 891, 1134,
18551,	18555,	19738,	19740, 19943	1372, 5841, 6017,
18559,	18561,	\@newlistfalse		6303, 7981, 9969,
18562,	18622, 10343, 20004		14695, 15066,
18655,	18662,	\@next	2266,	15280, 15464,
18667,	18668,	4385, 4386, 4429,		17944, 17948, 18476
18675,	18728,	4430, 4473, 4474,		\@nobreaktrue .. 739,
18735,	18806,	19865,	19866,	890, 1133, 1371,
19363,	19397, 20013	19909,	19910, 19942	5840, 6016, 6302,
\@ne	133, 138, 468,	\@nextchar	579,	7980, 9968,
472,	488, 547,	581, 582, 583,		14694, 15065,
551,	567, 573,	585, 586, 587,		15279, 15463,
582,	585, 679,	588, 589, 592,		17943, 17947, 18475
1028,	1279, 1528,	593, 594, 1600,		\@nocnterr
1594,	1603, 1606,	1602, 1603, 1604,		333
1607,	1608, 1641,	1606, 1607, 1608,		\@nocounterr
1644,	1645, 1646,	1609, 1610, 1611,		332
1877,	1883, 1884,	1612, 1615, 1616,		\@nodocument
2276,	3739, 3748,	1617, 1629, 1631,		2245
6243,	6692, 7825,	1632, 1697, 1698,		\@noitemerr
7922,	10076,	1699, 6513, 6514,		91,
10658,	10671,	6515, 17706,		300, 806, 937,
10684,	10928,	17708, 17709,		1199, 1448, 2569,
11885,	11890,	17710,	17711,	5889, 6076,
12205,	12217,	17712,	17713,	6387, 7770, 8043,
12224,	12233,	17714,	17716,	10029, 14040,
12244,	12646,	17717,	17718,	14748, 15141,
13413,	13490,	17719,	17720,	15337, 15539,
13748,	14103,	17723, 17724, 17725		15948, 15955,
14123,	14839,	\@nil	1682,	16527, 16534,
14980,	15176,	1683, 1685, 1686,		17209, 17216, 17847
15219,	15223,	6502, 7388, 7445,		\@nonlatinfalse .. 1777,
15404,	15696,	12051, 12060,		1830, 12251, 12295
15810,	16244,	12062, 12074, 17801		\@nonlatintrue .. 1778,
16358,	16816,	\@ninecol@footgroupv@r		1832, 12251, 12295
16942,	17056, 9367		\@normalcr
17635,	17639,	\@ninecolLTRfootfmt		\@notprerr .. 3200, 3213



\@oddfoot	1951, 10304, 10311, 20016, 20033	13613, 13616, 13618, 13628,	\@paraLTRfootnotetext 9702, 9731
\@oddhead	... 10303, 10310, 20016, 20032	13652, 13655, 13656, 13686,	\@paraRTLfootfmt ... 9752, 9763, 9806
\@oldmakefnmark 15743, 15744, 15807, 15808, 16291, 16292, 16355, 16356, 16989, 16990, 17053, 17054	13711, 13714, 13716, 13724, 19771, 19774, 19775, 19789, 19797, 19814, 19817, 19818, 19832, 19838, 20056	\@paraRTLfootnotetext 9703, 9743
\@onefilewithoptions	... 3328, 3329, 3336	\@outputdblcol 10290, 19851, 19852, 19853	\@parafootRTLfalse 8088
\@onelevel@sanitize 2248	\@outputpage .. 6766, 6770, 6821, 6825, 10204, 10207, 10238, 10242, 10318, 10322, 10327, 10338, 10970, 10974, 11018, 11022, 12716, 12728, 13634, 13639, 13729, 13734, 19802, 19806, 19841, 19845, 19999	\@parafootRTLtrue 8087
\@onlypreamble 3551, 3561, 3565	\@ovbtrue .. 10134	\@parafootfmt 9728, 9755, 9778
\@openbib@code 797, 931, 1193, 1442, 2562, 2573, 5883, 6070, 6378, 7764, 8034, 10023, 14742, 15135, 15328, 15530, 15931, 16510, 17192, 17838	\@ovdx .. 10147, 10155	\@parafootnotetext 9701, 9719
\@otarlinesep 17595, 17601	\@ovdy .. 10148, 10156	\@parboxrestore .. 41, 54, 69, 250, 263, 277, 2315, 4136, 4404, 4448, 4492, 6432, 8141, 8154, 8167, 8267, 8386, 8398, 8411, 8451, 8532, 8543, 8555, 8593, 8677, 8689, 8702, 8742, 8826, 8838, 8851, 8891, 8975, 8987, 9000, 9040, 9124, 9136, 9149, 9189, 9273, 9285, 9298, 9338,
\@outerparskip	5645, 5758	\@ovhorz .. 10153, 10154	9422, 9434, 9447, 9487, 9571, 9583, 9596, 9636, 9773,
\@outputbox	.. 6727, 6730, 6731, 6745, 6753, 6758, 6760, 6786, 6789, 6790, 6804, 6810, 6813, 6815, 8251, 8253, 9897, 9899, 9900, 9905, 9918, 9920, 9931, 9941, 10180, 10183, 10196, 10201, 10212, 10215, 10229, 10235, 10316, 10321, 10360, 10940, 10945, 10946, 10961, 10967, 10984, 10989, 10990, 11005, 11013, 13554, 13557, 13558, 13588,	\@ovltrue .. 10134 \@ovri .. 10146 \@ovro 10146, 10155, 10156 \@ovrtrue .. 10134 \@ovttrue .. 10134 \@ovvert .. 10151, 10152 \@ovxx .. 10136, 10137, 10140, 10147, 10152, 10153, 10157, 10158 \@ovyy .. 10138, 10139, 10140, 10148, 10154 \@pagedp .. 19971, 19981 \@pageht .. 6842, 6951, 19954, 19961 \@par .. 18565 \@para@footgroupv@r 9707 \@paraLTRfootfmt 9740, 9759, 9792	9487, 9571, 9583, 9596, 9636, 9773, 9787, 9801, 9850, 9869, 10343, 10605, 10621, 10636, 10663, 10676, 10689, 10707, 13538, 13747, 19602, 19884, 19928, 20005 \@parboxto .. 19605, 19612 \@parmmoderr .. 2264, 4382, 4426, 4470, 19862, 19906 \@part .. 770, 7729 \@pboxswfalse 10698, 19598 \@pboxswtrue .. 19610 \@pdfm@mark 11892, 11908, 11942, 11973, 12002



\@pdfremotestartview			
.....	11923		
\@phone	2448, 7220, 7318		
\@photo	2453, 7193, 7195, 7324, 7326		
\@photowidth	2452, 2453, 7195, 7291		
\@pkgextension	3356, 3367, 3431, 3440, 3448, 3451, 3459		
\@plus	24, 99, 229, 730, 747, 821, 836, 865, 868, 881, 899, 906, 1084, 1091, 1094, 1107, 1124, 1142, 1335, 1346, 1349, 1362, 1380, 1388, 2487, 2572, 3847, 3848, 3849, 3856, 3857, 3858, 3860, 3861, 5057, 5058, 5059, 5061, 5062, 5128, 5805, 5816, 5819, 5832, 5848, 5855, 5981, 5992, 5995, 6008, 6024, 6031, 6191, 6294, 6309, 7795, 7719, 7973, 9757, 9761, 9765, 9861, 9960, 9975, 10828, 10866, 13799, 13811, 14030, 14641, 14670, 14673, 14686, 14702, 14709, 14895, 15041, 15044, 15057, 15073, 15080, 15272, 15286, 15353, 15455, 15470, 15718, 15725, 15749, 15772, 15790, 15861, 15886, 15973, 15978, 16131, 16150, 16173, 16174, 16183, 16184, 16193,	16194, 16203, 16213, 16266, 16273, 16297, 16320, 16338, 16409, 16434, 16552, 16557, 16710, 16729, 16761, 16762, 16771, 16772, 16781, 16782, 16791, 16801, 16964, 16971, 16995, 17018, 17036, 17107, 17132, 17234, 17239, 17392, 17411, 17443, 17444, 17453, 17454, 17463, 17464, 17473, 17483, 17506, 17752, 17781, 17901, 18176, 18344, 18347, 18351, 18452, 18455, 18459, 18492, 18789, 18792, 18796, 18884, 19068, 19751	9978, 9979, 9983, 13819, 14689, 14690, 14692, 14712, 14713, 14717, 15060, 15061, 15063, 15083, 15084, 15088, 15274, 15275, 15277, 15289, 15290, 15294, 15458, 15459, 15461, 15473, 15474, 15478, 17808, 17817, 17819, 18206, 18355, 18356, 18364, 18463, 18464, 18470, 18862, 18975, 19080, 19763
\@preamble	613, 614, 624, 626, 1654, 1662, 12650, 17574, 17576, 17583, 17613, 17614, 17622, 19720, 19722, 19731	613, 614, 624, 626, 1654, 1662, 12650, 17574, 17576, 17583, 17613, 17614, 17622, 19720, 19722, 19731	
\@preamheightfmt	
	9254, 9260, 9263, 9266, 9346	9254, 9260, 9263, 9266, 9346	
\@preamerr	
	595, 1618, 1648, 17726, 19729, 19742	595, 1618, 1648, 17726, 19729, 19742	
\@preamfivefmt	
	8807, 8813, 8816, 8819, 8899	8807, 8813, 8816, 8819, 8899	
\@preamfntext	
	8095, 8111, 8127, 8262, 8340, 8350, 8360, 8438, 8489, 8498, 8507, 8581, 8631, 8641, 8651, 8729, 8780, 8790, 8800, 8878, 8929, 8939, 8949, 9027, 9078, 9088, 9098, 9176, 9227, 9237, 9247, 9325, 9376, 9386, 9396, 9474, 9525, 9535,	8095, 8111, 8127, 8262, 8340, 8350, 8360, 8438, 8489, 8498, 8507, 8581, 8631, 8641, 8651, 8729, 8780, 8790, 8800, 8878, 8929, 8939, 8949, 9027, 9078, 9088, 9098, 9176, 9227, 9237, 9247, 9325, 9376, 9386, 9396, 9474, 9525, 9535,	



	9545, 9623, 9723, 9735, 9747, 9836	\@raggedtwoe@spaceskipfalse 14591	13614, 13678, 13683, 13684,
\@preamfourfmt 8658, 8664, 8667, 8670, 8750	\@raggedtwoe@spaceskiptrue 14554, 14567, 14580	13693, 13694, 13702, 13706, 13712
\@preamninefmt 9403, 9409, 9412, 9415, 9495	\@rc@ifdefinable 2854, 2893	\@rightskip 12752, 14550, 14551, 14563,
\@preamsevenfmt 9105, 9111, 9114, 9117, 9197	9111, 9114, 9117, 9197	\@reffalse .. 16839	14564, 14576, 14577, 14587,
\@preamsixfmt 8956, 8962, 8965, 8968, 9048	\@reftrue .. 16840, 16841, 16842, 16843, 16844, 16845, 16846, 16847	14588, 14605, 19665
\@preamtenfmt 9552, 9558, 9561, 9564, 9644	\@regtocline 862, 900, 917, 1088, 1118, 1143, 1343, 1381, 1399, 5813, 5849, 5867, 5989, 6025, 6043, 14667, 14703, 14721, 15038, 15074, 15092	\@rjfieldfalse .. 19989
\@preamthreefmt 8513, 8519, 8522, 8525, 8601	\@rememsize 17605, 17608	\@runbordercolor 11948, 11950
\@preamtwofmt 8367, 8373, 8376, 8379, 8459	\@removefromreset 14049, 14051	\@runcolor .. 11964
\@printcites	14542	\@reqcolroom .. 6842, 6843, 6844, 6845, 6905, 6950, 6951, 6952, 6953, 6954, 6955, 7069	\@savemarbox .. 19983
\@pstrickserr	14496	\@resetactivechars 10341, 20002	\@secondoftwo 1753, 1759, 1765, 2728, 2732, 2740, 2744, 2752, 2756, 2762, 2770, 2777, 2786, 2795, 2804, 2810, 2813, 2824, 2829, 2836, 2991, 3001, 3002, 3003, 3004, 3010, 3019, 3025, 3049, 3077, 3105, 3154, 3166, 3167, 3176, 3293, 3421, 3463
\@ptsize . 2351, 2352, 2353, 2354, 2361		\@resetdyn@mics .. 10329	\@secpenalty 5, 206, 729, 746, 880, 898, 905, 1106, 1123, 1141, 1361, 1379, 1387, 7704, 7718, 17793, 17924, 17979, 18343, 18350, 18451, 18458
\@publisher . 5220, 5273		\@resetst@tics .. 10328	\@sectiontitlecolour 2417, 2434
\@publishers 15773, 15837, 15887, 16321, 16385, 16435, 17019, 17083, 17133	\@restonecolfalse .. 94, 224, 811, 827, 1075, 1326, 5796, 5972, 6181, 14632, 14886, 15343, 17859	\@seesize .. 17605, 17608
\@quote .. 2454, 7199, 7201, 7328, 7330		\@restonecoltrue .. 813, 829, 1077, 1328, 5798, 5974, 6183, 14634, 14888, 15345, 17861	\@setcol .. 10335
\@quotebox	14541	\@resumename .. 2386, 2442	
\@quotecolour 2416, 2433, 2543	\@resolabeltrue .. 961, 1212, 1461, 5922, 6098, 14772, 14911	
\@r@m@msize	17608	\@rightcolumn .. 13580, 13585, 13586, 13595, 13596, 13604, 13608	
\@raggedtwoe@everyselectfont 14555, 14568, 14581, 14592		
\@raggedtwoe@gnewline	14548, 14561, 14574		
\@raggedtwoe@raggedrightbox 14594, 14623		
\@raggedtwoe@saved@gnewline 14585		
\@raggedtwoe@savedcr 14545, 14558, 14571, 14584		



\@setcolbox	10296, 10332	\@sixcol@footgroupv@r	13744
\@setcopyright	108 8920	\@subjclass 326
\@setfontsize	3846,	\@sixcolLTRfootfmt	\@subject 15757, 15758,
	3855, 5056, 5066,	.. 8943, 8964, 8992	15836, 15870,
	5067, 5068, 5069, 8915, 8936	15871, 16305,
	5070, 5071, 5072	\@sixcolRTLfootfmt	16306, 16384,
\@setfpsbit 8953, 8967, 9004	16418, 16419,
	.. 2280, 2283, 2286	\@sixcolRTLfootnotetext	17003, 17004,
\@setmarks	6737, 6739, 8916, 8946	17082, 17116, 17117
	6765, 6796, 6798,	\@sixcolfootfmt	\@subsectioncolour
	6820,	.. 8933, 8961, 8979 2419, 2435
	10189,	\@sixcolfootnotetext	\@subtitle
	10191, 10204, 8914, 8926	.. 15763, 15833,
	10221, 10223,	\@skip@bove 17599, 17601	15876, 16311,
	10237, 10952,	\@spaces	16381, 16424,
	10954, 10969, 17637, 17678, 17683	17009, 17079, 17122
	10996, 10998,	\@spart	\@tabacol 2193, 12627,
	11017, 13564, 7748	17561, 19525, 19706
	13566, 13633,	\@specialpagefalse	\@tabarray . 601, 625,
	13662, 13664, 10298, 20013	629, 2195, 12614,
	13728, 19781,	\@specialstyle	12616, 19520,
	19783, 19801, 10299, 20013	19527, 19708, 19734
	19824, 19826, 19840	\@stabarray	\@tabclassiv
\@setminipage	4138, 17563	... 2195, 12628,
	10714, 10922, 13540	\@stabular	17563, 19527, 19708
\@setpar 15173,	\@star@or@long 2849,	\@tabclassz .. 1659,
	15216, 15693,	2863, 2887, 2898	2194, 12628,
	15700, 16241,	\@startdblcolumn ..	17562, 19526, 19707
	16248, 16813,	6769, 6771, 6824,	\@tabcr .. 5728, 5738
	16818, 16939, 16946	6826, 10205,	\@tabminus .. 5726
\@settab 5725	10207, 10241,	\@tabplus .. 5725
\@sevencol@footgroupv@r 9069	10242, 10325,	\@tabular 597, 2181, 19704
\@sevencolLTRfootfmt 9092, 9113, 9141	10327, 10973,	\@tabularcr
\@sevencolLTRfootnotetext 9064, 9085	10975, 11021,	... 2195, 12632,
\@sevencolRTLfootfmt 9102, 9116, 9153	11023, 13637,	17563, 19527, 19708
\@sevencolRTLfootnotetext 9065, 9095	13640, 13732,	\@tagextension ..
\@sevencolfootfmt	..	13735, 19805, 2661, 2664
	.. 9082, 9110, 9128	19807, 19844, 19846	\@tarlinesep .. 17601,
\@sevencolfootnotetext 9063, 9075	\@startfield .. 5767	17602, 17603,
\@sharp 620,	\@startpbox .. 1631,	17604, 17607, 17609
	1656, 1657, 1658,	1632, 1697, 1698,	\@temp@bibkey . 4593,
	1664, 1665, 1666,	1699, 6513, 6514,	4612, 4631, 4659
	12051, 12057,	6515, 12629,	\@temp@bibkeyx 4598,
	12642, 17579,	12630, 12636,	4599, 4601, 4602,
	17614, 17620, 19726	17577, 17615, 19723	4603, 4604,
		\@startsection .. 23	4617, 4618, 4620,
		\@starttoc .. 5023, 5031	4621, 4622, 4623,
		\@stopfield	4636, 4637, 4639,
		.. 5732, 5747,	4640, 4641, 4642,
		5751, 5779, 19989	
		\@stopline .. 5751, 19989	



4668, 4669, 4671, 4672, 4673, 4674	17197, 17686, 17688, 17693, 17695, 19066, 19083, 19087, 19088, 19089, 19098, 19112, 19288, 19291, 19297, 19301, 19315	16040, 16041, 16043, 16044, 16046, 16051, 16056, 16576, 16590, 16594, 16596, 16619, 16620, 16622, 16623, 16625, 16630, 16635, 17258, 17272, 17276, 17278, 17301, 17302, 17304, 17305, 17307, 17312, 17317, 17660, 17680, 19027, 19030, 19035, 19039, 19043, 19047, 19051, 19055, 19059, 19063, 19689, 19690, 19745, 19746, 19747, 19748, 19868, 19912, 20046, 20053, 20054, 20071, 20072, 20076
\@temp@last@bibkey 4592, 4593, 4599, 4611, 4612, 4618, 4630, 4631, 4637, 4658, 4659, 4669	\@tempb .. 2577, 2578, 2580, 2581, 11074, 11075, 11115, 11117, 11145, 11147, 11148, 11150, 11153, 14056, 14057, 14063, 14064, 14069, 14070	\@tempc .. 11116, 11118, 11124, 12135, 12140



18874,	18875,	7508, 7510, 7511,	16621, 16623,
18876,	18895,	7512, 7516, 7523,	16814, 16815,
18896,	18897,	7525, 7527, 7534,	16816, 16819,
18899,	18901,	7558, 7559, 7564,	16820, 16823,
18983,	18984,	7565, 7566, 7567,	16940, 16941,
18985,	19943,	7568, 7683, 7685,	16942, 16947,
19945,	19948,	7687, 7706, 7711,	16948, 16951,
19950,	19952, 19974	7721, 9907, 9909,	17275, 17276,
\@tempcntb . . . 2294,		9962, 9976, 9981,	17301, 17302,
2295,	2296,	10147, 10148,	17303, 17305,
14129,	14130,	10151, 10152,	17606, 17609,
14137,	14141,	10701, 10705,	17611, 17674,
14154,	15990,	11133, 11135,	17733, 17734,
16008,	16569,	11140, 11142,	17735, 17934,
16587,	17251, 17269	11143, 11145,	17938, 17965,
\@tempdima . 8, 10, 12,		11158, 11163,	17969, 17988,
14,	209, 211, 213,	11168, 11172,	17992, 18005,
215,	605, 606,	12150, 12156,	18009, 18022,
608,	731, 748,	12157, 12163,	18026, 18039,
753,	870, 883,	12164, 12169,	18043, 18056,
907,	912, 1096,	12170, 12175,	18060, 18073,
1097,	1108, 1113,	12624, 12634,	18077, 18091,
1126,	1351, 1364,	12639, 13583,	18095, 18110,
1389,	1394, 1676,	13587, 13681,	18114, 18130,
1677,	1709, 1710,	13685, 13744,	18134, 18165,
1711,	2348, 2350,	13769, 13792,	18169, 18353,
5044,	5045, 5821,	13804, 13805,	18359, 18461,
5834,	5856, 5861,	13816, 13817,	18511, 18514,
5997,	6010, 6032,	14132, 14675,	18515, 18519,
6037,	6295, 6310,	14688, 14710,	18891, 18893,
6315,	6525, 6526,	14715, 15046,	18922, 18925,
6527,	6575, 6580,	15059, 15081,	18932, 18935,
6846,	6915, 6916,	15086, 15174,	18939, 18944,
6930,	6931, 6935,	15175, 15176,	18947, 18959,
7012,	7080, 7081,	15217, 15218,	18992, 18994,
7095,	7096, 7100,	15219, 15287,	18995, 18998,
7116,	7117, 7357,	15292, 15456,	19001, 19005,
7358,	7359, 7360,	15471, 15476,	19012, 19014,
7378,	7379, 7380,	15593, 15594,	19073, 19074,
7381,	7387, 7389,	15694, 15695,	19087, 19089,
7390,	7394, 7395,	15696, 15701,	19097, 19104,
7396,	7397, 7398,	15702, 15705,	19250, 19251,
7406,	7410, 7413,	16014, 16015,	19270, 19281,
7414,	7415, 7429,	16040, 16041,	19282, 19283,
7430,	7431, 7444,	16042, 16044,	19284, 19296,
7446,	7447, 7451,	16242, 16243,	19299, 19305,
7452,	7453, 7454,	16244, 16249,	19306, 19601,
7455,	7461, 7464,	16250, 16253,	19602, 19756,
7467,	7468, 7469,	16593, 16594,	19757, 19953,
7481,	7482, 7483,	16619, 16620,	19954, 19955,



19956, 19959,	15709, 16239,	\@textsuperscript .
19962, 19965,	16246, 16247, 674,
19967, 19990, 19991	16257, 16937,	677, 962, 1024,
\@tempdimb ... 6494,	16944, 16945, 16955	1026, 1213, 1277,
6848, 6851, 6852,	\@tempskipa ... 5644,	1462, 1524, 1526,
6853, 6854, 6857,	5645, 5646,	1981, 1984, 4698,
6858, 6859, 6860,	5757, 5758, 5759	4700, 5923, 6099,
6861, 6862, 6863,	\@tempswafalse 3568,	6238, 6241, 7820,
7014, 7017, 7018,	3615, 7398, 7455,	7823, 7917, 7920,
7020, 7022, 7025,	11081, 19335, 19378	10071, 10074,
7029, 7032, 7035,	\@tempswatrue . 3567,	13409, 14773,
7039, 7041, 7357,	3612, 7392, 7449	14835, 14837,
7358, 7378, 7379,	\@temptokena	14912, 14976,
7430, 7432, 7435, 117, 121, 14165	14978, 15171,
7482, 7484, 7487,	\@tempx 5659,	15178, 15214,
7514, 7516, 7529,	5660, 11748, 11760	15221, 15399, 15402
7530, 7531, 7532,	\@tempxi 5662,	\@texttop 9898
7534, 7561, 7564,	5663, 11779, 11791	\@tfor 2269, 10135
10140, 10141,	\@tempxii 5665,	\@thanks 653, 661, 689,
10142, 10143,	5666, 11810, 11822	697, 993, 999,
10145, 11134,	\@tempy 2201, 2202	1038, 1044, 1244,
11135, 11141, 11142,	\@tempyi 2204, 2205	1250, 1289, 1295,
11144, 11145,	\@tempyii ... 2207, 2208	1493, 1499, 1538,
12170, 12171,	\@tencol@footgroupv@r	1544, 1986, 1992,
12173, 13744, 9516	5954, 5960, 6130,
13769, 15703,	\@tencolLTRfootfmt	6136, 6217, 6225,
15704, 15705,	... 9539, 9560, 9588	6253, 6261, 7801,
16251, 16252,	\@tencolLTRfootnotetext	7807, 7835, 7841,
16253, 16821, 9511, 9532	7896, 7904, 7932,
16822, 16823,	\@tencolRTLfootfmt	7940, 10052,
16949, 16950,	... 9549, 9563, 9600	10058, 10086,
16951, 17606,	\@tencolRTLfootnotetext	10092, 10729,
17609, 17611, 9512, 9542	10743, 10746,
18892, 18898,	\@tencolfootfmt ...	13402, 13425,
18900, 18905,	... 9529, 9557, 9575	14804, 14810,
18907, 18910,	\@tencolfootnotetext	14849, 14855,
18914, 18918, 9510, 9522	14943, 14951,
18926, 18928,	\@testopt ... 2865,	14990, 14998,
18929, 18942,	2883, 12621, 12622	15192, 15200,
18948, 18950,	\@testpach 572, 1593,	15233, 15241,
19253, 19254,	1638, 17699, 19735	15378, 15386,
19256, 19258,	\@texfileextension	15414, 15422,
19261, 19262, 2663, 2666	15776, 15820,
19264, 19267,	\@textbottom	15829, 16324,
19281, 19282,	... 9902, 15718,	16368, 16377,
19283, 19287,	15725, 15973,	17022, 17066, 17075
19300, 19304,	15978, 16266,	\@thefnmark 43,
19305, 19604, 19605	16273, 16552,	56, 71, 252,
\@tempdimc 6495, 15691,	16557, 16964,	265, 279, 674,
15698, 15699,	16971, 17234, 17239	677, 962, 1024,



1026, 1213, 1277, 1462, 1524, 1526, 1981, 1984, 2224, 2232, 2240, 4698, 4700, 4733, 4750, 4767, 4793, 4799, 4822, 4828, 4851, 4857, 5680, 5687, 5694, 5923, 6099, 6238, 6241, 7820, 7823, 7917, 7920, 8098, 8114, 8130, 8143, 8156, 8169, 8211, 8215, 8217, 8223, 8227, 8229, 8235, 8239, 8241, 8342, 8352, 8362, 8388, 8401, 8413, 8491, 8500, 8509, 8534, 8546, 8557, 8633, 8643, 8653, 8679, 8692, 8704, 8782, 8792, 8802, 8828, 8841, 8853, 8931, 8941, 8951, 8977, 8990, 9002, 9080, 9090, 9100, 9126, 9139, 9151, 9229, 9239, 9249, 9275, 9288, 9300, 9378, 9388, 9398, 9424, 9437, 9449, 9527, 9537, 9547, 9573, 9586, 9598, 9725, 9737, 9749, 9775, 9789, 9803, 10071, 10074, 10572, 10577, 10581, 10586, 10607, 10623, 10638, 10665, 10678, 10691, 10734, 10739, 10749, 10754, 11036, 11530, 11541, 11552, 11563, 11681, 11719, 11752, 11783, 11814, 11877, 14773,	14835, 14837, 14912, 14976, 14978, 15171, 15178, 15214, 15221, 15399, 15402 \@thefoot . . . 10304, 10307, 10311, 20016, 20022, 20030, 20033, 20060 \@thehead . . . 10303, 10306, 10310, 20016, 20022, 20029, 20032, 20050 \@themargin . . 10356, 11178, 11180, 11185, 11187, 11191, 11193, 20018, 20020, 20024, 20026, 20045 \@thm 14085, 14106 \@thmcOUNTERsep 345, 19545 \@threecol@footgroupv@r 8480 \@threecolLTRfootfmt 8502, 8521, 8548 \@threecolLTRfootnotetext 8475, 8495 \@threecolRTLfootfmt 8511, 8524, 8559 \@threecolRTLfootnotetext 8476, 8504 \@threecolfootfmt 8493, 8518, 8536 \@threecolfootnotetext 8474, 8486 \@title 322, 643, 664, 700, 714, 971, 973, 1001, 1046, 1059, 1222, 1224, 1252, 1297, 1310, 1471, 1473, 1501, 1546, 1560, 1571, 1995, 2384, 2445, 5228, 5313, 5932, 5934, 5962, 6108, 6110, 6138, 6207, 6228, 6264, 6278, 7309, 7791, 7810, 7844, 7856, 7886,	7907, 7943, 7957, 10042, 10061, 10095, 10107, 13403, 14782, 14784, 14812, 14857, 14870, 14921, 14923, 14953, 15000, 15016, 15027, 15182, 15203, 15244, 15258, 15368, 15389, 15425, 15439, 15761, 15832, 15874, 16309, 16380, 16422, 17007, 17078, 17120 \@titlecolour 2414, 2431 \@titlehead 15750, 15752, 15835, 15862, 15864, 16298, 16300, 16383, 16410, 16412, 16996, 16998, 17081, 17108, 17110 \@tocextra 17885, 17886, 17890, 17892, 17895 \@tocline 2, 203 \@tocpageNUM 15, 216 \@tocRMarg 13788, 13800, 13812, 17929, 17960, 17983, 18000, 18017, 18034, 18051, 18068, 18086, 18105, 18125, 18160, 18211, 18489, 18952, 19069, 19752 \@todonotes@MissingFigureDown 19231 \@todonotes@MissingFigureText 19208 \@todonotes@MissingFigureUp 19230 \@todonotes@author 19141, 19152, 19177, 19195
--	--	--



\@todonotes@currentfigcolor	14123, 14604,	\@urlbordercolor .. .
..... 19212	14618, 19570, 11979, 11981
\@todonotes@currentfigheight	19572, 19578,	\@urllcolor 11993
..... 19213	19580, 19584,	\@viiipt 3855,
\@todonotes@currentfigwidth	19586, 19590,	5066, 14140, 14153
..... 19213, 19215, 19225, 19228	19592, 19594,	\@viipt 5066, 14140, 14153
\@todonotes@drawInlineNote	19634, 19635,	\@viper .. .
..... 19136	19640, 19642,	6772, 6774, 6776,
\@todonotes@drawLineToLeftMargin	19643, 19644,	6827, 6829, 6831,
..... 19164, 19167	19649, 19651,	6844, 6908, 6954,
\@todonotes@drawLineToRightMargin	19652, 19653,	7072, 7121, 13745,
..... 19164, 19167	19658, 19660,	13760, 13762, 13767
\@todonotes@drawMarginNote	19661, 19662, 19990	\@viperoutput 6778, 6833
.. 19163, 19166, 19170	\@traditionalpoem ..	\@vipt 5067
\@todonotes@drawMarginNoteWithLine	5601, 5700	\@vpt 5067
..... 19158	\@trivlist .. .	\@whilenum 12201
\@todonotes@ifdisabled	14096, 14116, 19563	\@whilesw 6770, 6825,
..... 19237	\@twocol@footgroupv@r .. .	10206, 10242,
\@todonotes@sizecommand	8331	10326, 10974,
..... 19141, 19143, 19150, 19152, 19154, 19177, 19179, 19191, 19194, 19195, 19197, 19200	\@twocollTRfootfmt .. .	11022, 13638,
\@todonotes@text .. .	8354, 8375, 8403	13733, 19806, 19845
... 19141, 19143, 19152, 19154, 19177, 19179, 19192, 19198, 19201	\@twocollTRfootnotetext .. .	\@wholewidth .. .
\@todonotes@textwidth	8326, 8347	. 10137, 10139, 10157
..... 19175	\@twocolRTLfootfmt .. .	\@width 31,
\@toodeep .. . 19551	8364, 8378, 8415	241, 610, 760,
\@topnum .. . 107, 316, 686, 1035, 1286, 1535, 5306, 6250, 7832, 7929, 10083, 13422, 14846, 14987, 15230, 15411, 15817, 16365, 17063	\@twocolRTLfootnotetext .. .	943, 1178, 1422,
\@topsep ... 14099, 14119	8327, 8357	1711, 5895, 6048,
\@topsepadd .. .	\@twocolfootfmt .. .	6323, 6527, 6749,
. 2112, 14100, 14120	8344, 8372, 8390	6808, 6881, 7046,
\@totalleftmargin .. .	\@twocolfootnotetext .. .	7339, 7775, 8073,
... 10912, 10916, 10919, 10928, 12751, 14102, 14103, 14122,	8325, 8337	8086, 10009,
\@undottedtocline	\@twosidefalse ... 3830	10233, 10519,
..... 13785	\@twosidetrue ... 3825	10521, 10890,
\@unexpandable@protect	\@typeset@protect .. .	10965, 11009,
..... 2140, 2146, 2152, 2167 2140,	12096, 12641,
\@undeclaredcolor .. .	6540, 6548, 19328, 19329	12695, 12773,
\@undefined 6540,	13622, 13721,
.. 2198, 12626, 13523 6548,	13863, 13877,
\@undottedtocline	2916, 3727	13951, 14726,
..... 13785 2916,	15147, 15303,
\@unexpandable@protect	17596, 17599	15484, 15720,
..... 2198, 12626, 13523	\@unrecuse 17596, 17599	15974, 16268,
..... 2140, 2146, 2152, 2167	\@unrecuse .. .	16553, 16966,
\@unrecuse 15780,	17235, 17572,
..... 15780, 15838, 16328, 16386, 17026, 17084 15780,	17611, 19718,
\@uppertitleback .. .	15838, 16328,	19793, 19836, 19981
	16386, 17026, 17084	\@x .. . 5717, 5718
		\@x@sf .. . 4707,
		4712, 4718, 4721



\@xLTRfootnote	\@ythm 14104, 14124	4619, 4623, 4638,
. 2189, 2311, 5551, 5562, 5775, 5789, 10580, 10583	\[. 5725, 10246	4642, 4670, 4674,
\@xLTRfootnotenext	\\" 118, 624, 969, 1014, 1220, 1265, 1469, 1514, 2195, 2492, 2498, 2576,	10782, 10784, 16908
. 2188, 2310, 5550, 5561, 5774, 5788, 10733, 10736, 11549, 17646	4154, 4155, 4156, 4158, 5115, 5484, 5622, 5930, 6106, 7197, 7198, 7201, 7217, 7304, 7309, 7316, 7326, 7330, 8053, 8057, 8066,	A
\@xRTLfootnote	11382, 11385, 11398, 11401, 11501, 11622, 11937, 11956, 12087, 12091,	\abovecaptionskip .
. 2191, 2313, 5553, 5564, 5777, 5791, 10571, 10574	12216, 12217, 12223, 12224, 12619, 12756, 14183, 14195, 14545, 14546, 14558, 14559, 14571, 14572, 14584, 14780, 14825, 14919, 14966, 16914, 17563, 17578, 17594, 17595, 17751, 17780, 19174, 19181, 19527, 19665, 19708, 19724, 19734	12252, 12683, 12685, 13462, 13512, 16064, 16068, 16083, 16091, 16643, 16647, 16662, 16670, 17325, 17329, 17344, 17352, 20070
\@xRTLfootnotenext	\} 2057, 12893, 12937 \} 2058, 12893, 19532 \] 184, 200, 5726, 10256 \^ 1894, 5501, 5502, 5504, 5505 \` 10910, 12748, 14600, 14614 \ 10789, 10790, 10905	\abovedisplayshortskip 3848, 3857, 5058
\@xaddress 323	Numbers	\abovedisplayskip .
\@xauthor 323	\0 1883 3847, 3850, 3856, 3863, 3897, 5057, 5064
\@xcolor@ . 19336, 19379	\1 12835, 12886, 12938	\abstractname . . . 848, 854, 857, 1154, 1160, 1162, 1405, 1411, 1414, 5872, 6059, 14653, 14659, 14662, 15102, 15108, 15111
\@xcurraddr 324	\9 1883	\Acrobatmenu 11998
\@xemail 324		\active 5501, 5502, 5504, 5505
\@xfloat 2244		\add@strip 13769
\@xfootnote 2187, 2309, 5549, 5560, 5773, 5787, 11875		\addcontentsline . .
\@xfootnotemark 11560	 773, 775, 2489, 4133, 7732, 7734, 12283, 12288, 13535, 17868, 17875, 17892, 19208
\@xfootnotenext		\addfontfeature . . .
. 2186, 2308, 5548, 5559, 5772, 5786, 11527, 17645	 2412, 2413, 2414, 2415, 2416, 2417, 2419, 2420
\@xiipt 5069		\addpenalty 5,
\@xipt 5068		206, 729, 746, 880, 898, 905, 1106, 1123, 1141, 1361, 1379, 1387, 5831, 5847, 5854, 6007, 6023, 6030, 6293, 6308, 7704,
\@xivpt 305, 5070		
\@xmakefntext 1025, 1525, 14836, 14977		
\@xp 117, 310, 335, 336, 6441		
\@xpt 3846		
\@xthm 14104, 14124		
\@xtitle 322		
\@xxpt 5071		
\@xxxii 2295		
\@xympar 4394, 4398, 4438, 4442, 4482, 4486, 19874, 19878, 19918, 19922, 19985		
\@yargdef 2885	\u 1801, 1936, 4600, 4604,	
\@ympar 19982		



7718, 7972, 9959,	16820, 16822,	\adl@everyvbox 1587, 1588
9974, 14685,	16941, 16944,	\adl@extract@arc . 1683
14701, 14708,	16945, 16948,	\adl@extract@dgc . 1686
15056, 15072,	16950, 17302,	\adl@extract@drsc . 1684
15079, 15271,	17303, 17812,	\adl@height 1677
15285, 15454,	17813, 18492,	\adl@inactivate
15469, 17793,	18498, 18502, 18506 1589, 1671
17795, 17922,	\addvspace 5, 206, 730,	\adl@LT@array 12049
17924, 17957,	747, 881, 899,	\adl@noalign 1590
17979, 18343,	906, 1107, 1124,	\adl@org@activate 1672
18346, 18350,	1142, 1362, 1380,	\adl@org@classz ... 1715
18451, 18454, 18458	1388, 5109, 5166,	\adl@org@endpbox . 1673
\address 323, 2446	5832, 5848, 6008,	\adl@org@inactivate 1671
\addresscolour 2415,	6024, 6294, 7705,	\adl@putlrc
7149, 7247, 7253,	7719, 7973, 9960,	1626, 1627, 1628,
7259, 7265, 7271	14686, 14702,	1656, 1657, 1658,
\addressfont .. 2424,	15057, 15073,	1664, 1665, 1666
2432, 2543, 7187,	15272, 15455,	\adl@startmbox ... 1629
7215, 7279, 7313	17926, 17980,	\advance . 12, 86, 213,
\addresssymbol	18344, 18351,	295, 313, 467,
.. 2406, 7217, 7316	18452, 18455,	468, 472, 488,
\addressesstyle 2432	18459, 18486, 18886	547, 551, 567,
\addtocontents .. 18208	\adjmc@inner 130	606, 753, 796,
\addtocounter	\adjmc@outer 132	912, 930, 1097,
. 11894, 12197, 12198	\adjmc@page@sofar@orig	1113, 1192, 1394,
\addtolength .. 179, 160	1441, 1676, 1710,
2366, 2367, 2368,	\adjmult@cols 159	1883, 1884, 1954,
2369, 2370, 2371,	\adjmulticols 128	1959, 2276, 2290,
2469, 2470, 2472,	\adl@act@classz ... 1714	2296, 2561, 3739,
2474, 2475, 2478,	\adl@act@CT@setup ..	4342, 5045, 5120,
3932, 3935, 3936, 1672, 1679	5471, 5479, 5480,
3939, 5081, 7295,	\adl@activate 1589, 1672	5645, 5758, 5861,
7296, 7297, 7567,	\adl@argarraydashrule	5882, 6037, 6069,
11235, 11236, 1608, 1646	6315, 6377, 6526,
12153, 12157,	\adl@array .. 1586, 1591	6534, 6535, 6575,
12159, 12161,	\adl@arraydashrule	6687, 6844, 6845,
12162, 12163, 1607, 1645	6854, 6915, 6916,
12164, 12183,	\adl@arrayinit ... 1588	6931, 6951, 6954,
12185, 12186,	\adl@arrayrestore 1583	6955, 6964, 6966,
12188, 12189,	\adl@arrayrule 1606, 1644	6972, 6973, 6976,
12191, 12192,	\adl@box 1629, 1631, 1632	6979, 6982, 7025,
12193, 12203,	\adl@class@iiiorvii	7080, 7081, 7096,
12204, 15695, 1635, 1668	7116, 7117, 7347,
15698, 15699,	\adl@class@start ..	7357, 7358, 7368,
15702, 15704, 1634, 1667	7378, 7379, 7395,
16041, 16042,	\adl@CT@setup	7396, 7397, 7414,
16243, 16246,	... 1671, 1674, 1675	7423, 7430, 7452,
16247, 16250,	\adl@depth 1678	7453, 7454, 7468,
16252, 16620,	\adl@endarray 1583	7475, 7482, 7511,
16621, 16815,	\adl@endmbox 1630	7512, 7525, 7527,



7530,	7531,	7532,	17781,	17785,	14444,	17786,
7711,	7763,	8033,	17817,	17818,	18877,	19317,
8318,	8320,	9981,	17837,	17938,	19326,	19328,
10022,	10137,		17969,	17992,	19365,	19369,
10139,	10141,		18009,	18026,	19422,	19433,
10147,	10148,		18043,	18060,	19434,	19437,
10155,	10156,		18077,	18095,	19442,	19443,
10157,	10319,		18114,	18134,	19447,	19452,
10320,	10785,		18169,	18210,	19453,	19457,
10799,	10812,		18359,	18360,	19462,	19466,
10813,	10845,		18468,	18519,	19471,	19620,
10850,	10851,		18875,	18895,	20000,	20008,
10854,	10863,		18900,	18950,	\AlFnt	181
10927,	12171,		18951,	18952,	\ALG@floatstyle ...	
12174,	12175,		18955,	18959,	.. 4357, 4358, 4359	
12205,	12634,		18984,	18995,	\algocf@algobox ... 173	
12646,	12712,		19074,	19097,	\algocf@algoframe ..	
13575,	13577,		19251,	19253,	.. 167, 168, 169, 170	
13604,	13605,		19263,	19282,	\algocf@endline ... 184	
13608,	13673,		19283,	19312,	\algocf@float ... 20132	
13675,	13702,		19323,	19324,	\algocf@makedhealgo 194	
13703,	13706,		19553,	19566,	\algocf@within	
13758,	13759,		19567,	19570, 162, 164,	
13760,	13761,		19572,	19578,	20134, 20135, 20136	
13770,	13792,		19580,	19584,	\algomargin ... 176, 179	
13805,	13817,		19586,	19590,	\algowidth . 174, 176, 197	
13830,	14097,		19592,	19692,	\alignL 6473	
14101,	14102,		19693,	19757,	\alignR 6480	
14117,	14121,		19954,	19955,	\allowbreak	
14122,	14130,		19962,	19963,	... 7353, 7374,	
14190,	14212,		19964,	19965,	8374, 8377, 8380,	
14240,	14247,		\afterassignment ..		8461, 8520, 8523,	
14289,	14294,	 1803, 1805,		8526, 8603, 8665,	
14295,	14296,		1938, 1940, 2917,		8668, 8671, 8752,	
14325,	14326,		4572, 17669, 17670		8814, 8817, 8820,	
14352,	14363,		\aftergroup		8901, 8963, 8966,	
14505,	14507,		... 2094, 2104,		8969, 9050, 9112,	
14512,	14515,		3397, 3399, 3409,		9115, 9118, 9199,	
14538,	14715,		3411, 3421, 3423,		9261, 9264, 9267,	
14741,	15086,		3441, 3443, 3452,		9348, 9410, 9413,	
15134,	15175,		3454, 3463, 3465,		9416, 9497, 9559,	
15218,	15292,		4556, 4571, 6538,		9562, 9565, 9646	
15327,	15476,		6540, 6547, 6553,		\Alpha 13444	
15529,	15594,		6572,	10345,	\AM@CheckAtEnd ... 14203	
15930,	16509,		10347,	14408,	\AM@ClearShipoutPicture	
16912,	17191,		14409,	14412, 14205	
17524,	17595,		14417,	14418,	\AM@currentdocname	
17609,	17619,		14422,	14427, 14168, 14174	
17639,	17734,		14428,	14432,	\AM@findfile 14172	
17752,	17768,		14436,	14440,	\AM@output 14201	



\AM@pagecount	14170	\arraystretch	15898, 16445, 17143, 19087
\AM@pageref	14185, 14188		
\AM@pagestemp		\autofootnoterule .	
.	14178, 14183,	1842, 7333, 8080,	
	14184, 14187,	10544, 11032, 20088	
	14195, 14196, 14200		
\AM@readlist	14200		
\AM@split@options	14164		
\AM@temp	14165, 14166		
\AM@threadname			
.	14163, 14173, 14174		
\AM@xr@prefix			
.	14181, 14185, 14188		
\AND	392, 519		
\and	668, 704, 980,		
	1006, 1009, 1051,		
	1231, 1257, 1260,		
	1302, 1480, 1506,		
	1509, 1551, 1573,		
	1999, 5941, 5967,		
	6117, 6143, 6232,		
	6268, 7814, 7848,		
	7911, 7947, 10065,		
	10099, 13400,		
	14167, 14791,		
	14817, 14820,		
	14862, 14930,		
	14958, 14961,		
	15005, 15029,		
	15207, 15248,		
	15393, 15429,		
	15851, 16399, 17097		
\andify	112		
\andname	1014, 1265,		
	1514, 14825, 14966		
\andnext	13401		
\animategraphics	355,		
	403, 490, 491, 492		
\animateinline	569, 570		
\arabic	19, 20,		
	21, 22, 83, 220,		
	221, 222, 223,		
	292, 331, 10282,		
	10288, 18150, 20132		
\array	627, 19732		
\arraycolsep	627		
\arraylinesep	17602		
\arrayrulecolor	1683		
\arrayrulewidth	17619		
			B
			\backmatter
		 5416, 6363, 8019
			\baselineskip
		 622, 942,
			944, 948, 950,
			1421, 1423, 1427,
			1429, 3874, 3876,
			3879, 3881, 3883,
			3886, 4035, 4665,
			4731, 4748, 4765,
			4882, 4891, 4900,
			4981, 4988, 4995,
			5002, 5009, 5109,
			5166, 5509, 5570,
			5634, 5640, 5894,
			5896, 5900, 5902,
			6047, 6049, 6053,
			6055, 6688, 6689,
			6706, 6710, 6917,
			7082, 9715, 9827,
			10353, 10800,
			12150, 12169,
			12177, 12655,
			12665, 12754,
			12771, 14287,
			14290, 14304,
			14328, 14332,
			14337, 14341,
			14353, 14364,
			14391, 14607,
			14621, 14725,
			14727, 14731,
			14733, 15146,
			15148, 15152,
			15154, 16906,
			16909, 16911,
			16916, 17581,
			17620, 19251,
			19259, 19263,
			19728, 20042, 20057
			\baselinestretch
		 2396,
			4728, 4745, 4762,



8092, 8108, 8124, 8140, 8153, 8166, 8338, 8348, 8358, 8384, 8396, 8409, 8436, 8449, 8464, 8469, 8487, 8496, 8505, 8530, 8541, 8553, 8579, 8591, 8606, 8611, 8629, 8639, 8649, 8675, 8687, 8700, 8727, 8740, 8755, 8760, 8778, 8788, 8798, 8824, 8836, 8849, 8876, 8889, 8904, 8909, 8927, 8937, 8947, 8973, 8985, 8998, 9025, 9038, 9053, 9058, 9076, 9086, 9096, 9122, 9134, 9147, 9174, 9187, 9202, 9207, 9225, 9235, 9245, 9271, 9283, 9296, 9323, 9336, 9351, 9356, 9374, 9384, 9394, 9420, 9432, 9445, 9472, 9485, 9500, 9505, 9523, 9533, 9543, 9569, 9581, 9594, 9621, 9634, 9649, 9654, 9713, 9721, 9733, 9745, 9770, 9784, 9798, 9825, 9834, 9848, 9870, 9878	1558, 1564, 1573, 1575, 1576, 2087, 2089, 2098, 2100, 2103, 2496, 2500, 2502, 2504, 2506, 2510, 2518, 2521, 2555, 2600, 2604, 2624, 2628, 2655, 3237, 3243, 3265, 3269, 3501, 3947, 3948, 3961, 3964, 4032, 4033, 4039, 4040, 4047, 4048, 4073, 4074, 4111, 4114, 4117, 4120, 4124, 4125, 4309, 4310, 4925, 4981, 4988, 4995, 5002, 5009, 5022, 5030, 5152, 5157, 5290, 5337, 5360, 5742, 5915, 5928, 5939, 6091, 6104, 6115, 6159, 6171, 6196, 6206, 6211, 6274, 6282, 6591, 6601, 6614, 6624, 6637, 6647, 6660, 6670, 7201, 7307, 7312, 7330, 7590, 7656, 7782, 7790, 7795, 7854, 7860, 7875, 7885, 7890, 7953, 7961, 8052, 10033, 10041, 10046, 10105, 10111, 10249, 11250, 11255, 11273, 11376, 11378, 11392, 11394, 12086, 13549, 14137, 14765, 14778, 14789, 14868, 14874, 14902, 14917, 14928, 15012, 15020, 15029, 15031, 15032, 15161, 15181, 15186,	15262, 15357, 15367, 15372, 15435, 15443, 15731, 15751, 15756, 15766, 15779, 15783, 15863, 15869, 15880, 15922, 16279, 16299, 16304, 16314, 16327, 16331, 16411, 16417, 16428, 16501, 16977, 16997, 17002, 17012, 17025, 17029, 17109, 17115, 17126, 17183, 17831, 19138, 19145, 19148, 19159, 19172, 19175, 19182, 19188, 19211, 19215, 19221, 19228
\BCmd 2093	\begin{bidi@stack 2594, 2604, 2605, 2618, 2628, 2629	\begin{bidi@stack 2594, 2604, 2605, 2618, 2628, 2629
\BDefaboveskip 2108, 2123, 2126	\begingroup 6, 115, 207, 304, 317, 376, 503, 599, 611, 672, 732, 749, 882, 908, 1021, 1109, 1125, 1272, 1363, 1390, 1521, 1702, 1979, 2222, 2230, 2238, 2576, 2595, 2619, 2832, 2851, 2983, 3029, 3036, 3066, 3082, 3098, 3138, 3146, 3179, 3202, 3291, 3315, 3330, 3396, 3407, 3419, 3440, 3450, 3461, 3611, 3725, 3737, 3772, 4135, 4554, 4797, 4826, 4855, 5229, 5246, 5262, 5274, 5307,	\begingroup 6, 115, 207, 304, 317, 376, 503, 599, 611, 672, 732, 749, 882, 908, 1021, 1109, 1125, 1272, 1363, 1390, 1521, 1702, 1979, 2222, 2230, 2238, 2576, 2595, 2619, 2832, 2851, 2983, 3029, 3036, 3066, 3082, 3098, 3138, 3146, 3179, 3202, 3291, 3315, 3330, 3396, 3407, 3419, 3440, 3450, 3461, 3611, 3725, 3737, 3772, 4135, 4554, 4797, 4826, 4855, 5229, 5246, 5262, 5274, 5307,
\BDefbelowskip 2112, 2124, 2127		
\BDefinlineskip 2117, 2125, 2128		
\begin{bidi@stack 167, 169, 173, 632, 642, 647, 710, 718, 954, 967, 978, 1057, 1063, 1205, 1218, 1229, 1308, 1314, 1454, 1467, 1478,		



5611, 5678, 5685, 5692, 5722, 5833, 5857, 6009, 6033, 6236, 6296, 6311, 6399, 6518, 6572, 6581, 6767, 6822, 7506, 7522, 7707, 7720, 7818, 7915, 7974, 9961, 9977, 10069, 10205, 10239, 10323, 10339, 10575, 10584, 10737, 10752, 10759, 10811, 10844, 10971, 11019, 11063, 11079, 11249, 11528, 11539, 11550, 11561, 11659, 11679, 11717, 11750, 11781, 11812, 12046, 12061, 12118, 12286, 12643, 13407, 13537, 13635, 13730, 13934, 13938, 13942, 14161, 14209, 14487, 14687, 14711, 14832, 14973, 15058, 15082, 15211, 15273, 15288, 15397, 15457, 15472, 15805, 15921, 16013, 16353, 16500, 16592, 17051, 17182, 17274, 17668, 17765, 17789, 17927, 18354, 18462, 18873, 18990, 19330, 19373, 19422, 19518, 19620, 19803, 19842, 20000 \beginL . . . 377, 504, 1687, 2543, 4416,	4460, 6503, 6532, 6538, 6540, 6572, 8347, 8399, 8495, 8544, 8638, 8690, 8787, 8839, 8936, 8988, 9085, 9137, 9234, 9286, 9383, 9435, 9532, 9584, 9728, 9740, 9778, 9792, 10150, 10253, 10268, 10420, 11038, 11044, 11064, 11080, 11090, 11883, 12255, 12993, 13326, 14210, 14402, 14408, 14424, 14487, 15641, 15652, 15659, 15669, 17736, 19321, 19326, 19328, 19422, 19427, 19433, 19449, 19896, 19974, 20050, 20060 \beginR 338, 343, 599, 624, 1688, 2192, 4416, 4504, 6430, 6504, 6533, 6538, 6547, 6553, 6572, 7499, 8311, 8315, 9728, 9752, 9778, 9806, 10278, 11040, 11093, 11132, 11139, 11508, 11516, 11898, 11934, 11966, 11995, 12021, 12027, 12034, 12079, 12255, 12659, 12723, 12726, 12819, 12827, 13015, 13341, 13513, 13515, 14277, 14402, 14409, 14414, 14483, 14484, 14485, 15635,	15645, 15656, 15663, 16056, 16635, 17317, 17560, 17582, 17621, 17743, 19322, 19326, 19365, 19369, 19422, 19427, 19434, 19439, 19675, 19678, 19681, 19698, 19705, 19730, 19940, 19974, 19991, 19993, 20050, 20060, 20073, 20076, 20084 \belowcaptionskip 12265, 12683, 12685, 13503, 13520, 16062, 16070, 16081, 16093, 16641, 16649, 16660, 16672, 17323, 17331, 17342, 17354, 20078 \belowdisplayshortskip ... 3849, 3858, 5059 \belowdisplayskip 3850, 3863, 3898, 5064 \bf 14273, 14275 \bfseries 25, 305, 736, 752, 781, 784, 887, 911, 1112, 1130, 1368, 1393, 2043, 2513, 5289, 5838, 5860, 6014, 6036, 6160, 6172, 6300, 6314, 6346, 6352, 6360, 7710, 7725, 7740, 7743, 7752, 7978, 8001, 8007, 8016, 9966, 9980, 9991, 9996, 10004, 14692, 14714, 15063, 15085, 15258, 15277, 15291, 15461, 15475,
--	--	--



15506, 15511, 15519, 18358, 18467, 18816, 18820, 18825, 18854	4642, 4672, 4674 \bibfont 14024 \bibindent .. 2547, 2548 \bibitem@fin 14038 \bibliofont 82, 291 \bibliographyitemlabel 2549, 2555 \bibname 5145, 5146, 5876, 5877, 6063, 6064, 6371, 6372, 8027, 8028, 10016, 10017, 14735, 14736, 15128, 15129, 15321, 15322, 15523, 15524	\bidi@AfterEndDocument ... 3219, 3224, 3230 \bidi@afterenddocumenthook 3219, 3220, 3225, 3231 \bidi@AfterEndEnvironment 3274, 3284 \bidi@AfterEndPreamble 3207, 3211, 3213, 3217, 3796, 5303, 5326 \bidi@afterendpreamblehook 3207, 3208, 3212, 3214 \bidi@AfterFile 3384, 16073, 16652, 17334 \bidi@AfterPackage 3432 \bidi@AfterPreamble 3204, 3205 \bidi@AfterReadingMainAux 3714, 3717 \bidi@append . 3140, 3190 \bidi@appto .. 2919, 2963, 3210, 3754 \bidi@apptocmd 3136, 3137 \bidi@AtBeginEnvironment ... 3234, 3244 \bidi@AtEndEnvironment 3248, 3258 \bidi@AtEndPreamble 3193, 3198, 3200, 3205, 3794, 4586, 12268 \bidi@autofootnoterulefalse 10523, 10527, 10530 \bidi@autofootnoteruletrue 10545 \bidi@patchcmd 3031, 3033 \bidi@BeforeBeginEnvironment 3262, 3270 \bidi@BeforeClass 3385 \bidi@BeforeClosingMainAux 3677, 3688, 3692, 3695, 3703, 3706 \bidi@BeforeFile . 3383 \bidi@AfterAtEndOfClass 3399, 3404 \bidi@AfterAtEndOfPackage 3443, 3447 \bidi@AfterClass . 3387
\bigr@after@hook 15965, 15967, 16544, 16546, 17226, 17228	.. 65, 273, 4746, 10596, 10632, 10674 \bidi@onefilewithoptions .. 3332, 3335, 3338	\bidi@autofootnoterulefalse 10523, 10527, 10530 \bidi@autofootnoteruletrue 10545
\bigr@before@hook 15916, 15966, 16495, 16545, 17177, 17227	... 3031, 3033 \bidi@RTLfootnotetext@font .. 50, 259, 4763, 10597, 10617, 10661	\bidi@BeforeBeginEnvironment 3262, 3270 \bidi@BeforeClass 3385 \bidi@BeforeClosingMainAux
\bigr@beginhook 15909, 15915, 16488, 16494, 17170, 17176	\bidi@addto@envbody .. 2590, 2608, 2610 \bidi@addto@long@envbody .. 2614, 2632, 2634 3677, 3688, 3692, 3695, 3703, 3706
\bigr@endhook ... 15969, 16548, 17230	\bidi@AfterAtEndOfClass 3399, 3404 \bidi@AfterAtEndOfPackage 3443, 3447	\bidi@BeforeFile . 3383 \bidi@BeforePackage 3430
\bigr@heading 15911, 16493, 17175	\bidi@AfterAtEndOfClass 3399, 3404 \bidi@AfterAtEndOfPackage 3443, 3447	\bidi@collect@body 2596, 2603
\bigr@cleanup ... 14044	\bidi@AfterAtEndOfPackage 3443, 3447	\bidi@collect@body 2591
\bigr@entry 4602, 4604, 4621, 4623, 4640,	\bidi@AfterClass . 3387	



\bidi@collect@long@@body	\bidi@dot@charclass	9046, 9051, 9056,
..... 2620, 2627 1879,	9061, 9075, 9085,
\bidi@collect@long@body	1881, 1885, 1886	9095, 9105, 9110,
..... 2615	\bidi@eappto	9113, 9116, 9119,
\bidi@csappto 2963	.. 2923, 2936, 2964	9131, 9144, 9156,
\bidi@csdefcs 2838	\bidi@endpreamblehook	9171, 9183, 9195,
\bidi@cseappto 2964, 2967 3193,	9200, 9205, 9210,
\bidi@csepreto 2973, 2976	3194, 3199, 3201	9224, 9234, 9244,
\bidi@csgappto	\bidi@ensure@new@command	9254, 9259, 9262,
... 2965, 3235, 2849, 2850	9265, 9268, 9280,
3249, 3263, 3275	\bidi@ensure@newcommand	9293, 9305, 9320,
\bidi@csgpreto ... 2974 2849,	9332, 9344, 9349,
\bidi@cslet 2844	8087, 8088, 8182,	9354, 9359, 9373,
\bidi@csletcs 2841	8190, 8191, 8192,	9383, 9393, 9403,
\bidi@cspreto 2972	8198, 8199, 8205,	9408, 9411, 9414,
\bidi@csuse	8206, 8207, 8208,	9417, 9429, 9442,
... 2906, 3239,	8220, 8232, 8249,	9454, 9469, 9481,
3253, 3266, 3279	8250, 8256, 8257,	9493, 9498, 9503,
\bidi@csxappto	8258, 8259, 8262,	9508, 9522, 9532,
..... 2966, 2968	8268, 8270, 8276,	9542, 9552, 9557,
\bidi@csxpreto 2975, 2977	8277, 8292, 8304,	9560, 9563, 9566,
\bidi@dash@charclass	8306, 8309, 8314,	9578, 9591, 9603,
..... 1880,	8317, 8319, 8323,	9618, 9630, 9642,
1882, 1887, 1888	8337, 8347, 8357,	9647, 9652, 9657,
\bidi@dbg@fail 2991,	8367, 8372, 8375,	9665, 9672, 9676,
3001, 3002, 3003,	8378, 8381, 8393,	9687, 9696, 9698,
3004, 3010, 3019,	8406, 8418, 8433,	9699, 9719, 9731,
3025, 3132, 3154,	8445, 8457, 8462,	9743, 9755, 9759,
3166, 3167, 3176	8467, 8472, 8486,	9763, 9767, 9781,
\bidi@dbg@info	8495, 8504, 8513,	9795, 9809, 9831,
... 2992, 2994,	8518, 8521, 8524,	9844, 9858, 9864,
2997, 2999, 3000,	8527, 8538, 8550,	9873, 9881, 9889,
3011, 3013, 3015,	8561, 8576, 8587,	9893, 9904, 9905
3017, 3018, 3020,	8599, 8604, 8609,	\bidi@ensure@newlength
3022, 3024, 3130,	8614, 8628, 8638,	... 2856, 8202,
3155, 3157, 3159,	8648, 8658, 8663,	8203, 8204, 8260
3162, 3168, 3170	8666, 8669, 8672,	\bidi@epreto
\bidi@dbg@init 2989,	8684, 8697, 8709,	... 2945, 2958, 2973
3008, 3129, 3152	8724, 8736, 8748,	\bidi@error . 2858, 2861
\bidi@dbg@succ 3035,	8753, 8758, 8763,	\bidi@everyjob 1746,
3131, 3163, 3171, 3173	8777, 8787, 8797,	1747, 1919, 1920
\bidi@dbg@trce	8807, 8812, 8815,	\bidi@excludedpackages
... 2982, 3028,	8818, 8821, 8833, 3471,
3128, 3137, 3145	8846, 8858, 8873,	3472, 3492, 3528,
\bidi@digits	8885, 8897, 8902,	3545, 3553, 3563,
... 1876, 1883, 1884	8907, 8912, 8926,	3585, 3586, 3594,
\bidi@digits@charclass	8936, 8946, 8956,	3595, 3600, 3613
..... 1878,	8961, 8964, 8967,	\bidi@expandonce 2911,
1883, 1884, 1885,	8970, 8982, 8995,	2922, 2926, 2930,
1886, 1887, 1888	9007, 9022, 9034,	2934, 2944, 2948,



\bidi@ff@box	2952, 2956, 3174 10371, 10389	\bidi@isloaded . . .	12468, 12471, 12474, 12477, 12480, 12483, 12486, 12489,
\bidi@font@@outputpage 19997, 20037	... 3057, 12318, 12319, 12320, 12321, 12322,	12492, 12495, 12498, 12501, 12504, 12507, 12510, 12513, 12516, 12519,
\bidi@footdir@footnote 76, 285, 10647, 10649, 10653	12323, 12324, 12325, 12326, 12327, 12328,	12522, 12525, 12528, 12531, 12534, 12537, 12540, 12543, 12546, 12549,
\bidi@gappto 2927, 2965, 3193, 3207, 3219	12329, 12330, 12331, 12332, 12333, 12334,	12552, 12555, 12558, 12561, 12564, 12567, 12570, 12573, 12576, 12579,
\bidi@gobbleopt 3634, 3643	12335, 12336, 12337, 12338,	12582, 12585, 12588, 12591,
\bidi@gpreto	2949, 2974	12339, 12340,	12594, 12597, 12600
\bidi@hook@acma 3658, 3702, 3715, 3716, 3721	12341, 12342, 12343, 12344, 12345, 12346,	\bidi@leftskip
\bidi@hook@bcma 3652, 3701, 3704, 3705, 3711	12347, 12348, 12349, 12350, 12351, 12352,	. . 18359, 18360, 18361, 18468, 18488, 18519, 18520, 18552, 19473
\bidi@hooktocomd 3140, 3148, 3150	12353, 12354, 12355, 12356, 12357, 12358,	\bidi@load@hook 3303, 3306, 3339, 3376
\bidi@hooktocomd@i 3164, 3178	12359, 12360, 12361, 12362, 12363, 12364,	\bidi@loadwithoptions 3311, 3312, 3317
\bidi@ifblank@i 2810, 2811, 2813	12365, 12366, 12367, 12368, 12369, 12370,	\bidi@lrbox 19616
\bidi@ifdefmacro 2816, 2818, 2819, 2820	12371, 12372, 12373, 12374, 12375, 12376,	\bidi@lst@caption@direction 12217, 12218, 12230, 12233
\bidi@ifdefparam 3110, 3112, 3113, 3114	12377, 12378, 12379, 12380, 12381, 12382,	\bidi@lst@caption@script 12224, 12225, 12241, 12244
\bidi@ifdefprotected 3119, 3121, 3122, 3123	12383, 12384, 12385, 12386, 12387, 12388,	\bidi@lst@ensure@caption@direction 12228, 12253, 12255, 12257, 12276, 12280, 12287, 12296
\bidi@ifhashcheck 2996, 3081, 3161	12389, 12392, 12395, 12398, 12401, 12404,	\bidi@lst@ensure@caption@script 12239, 12251, 12295
\bidi@ifhashcheck@i 3085, 3087	12407, 12410, 12413, 12417, 12420, 12423,	\bidi@makecolbf 9939, 9951
\bidi@ifhashcheck@ii 3089, 3092, 3093, 3094	12426, 12429, 12432, 12435, 12438, 12441,	\bidi@matrix@check 2647, 19534
\bidi@ifpatchable 2985, 2987, 3034	12444, 12447, 12450, 12453, 12456, 12459,	
\bidi@ifpatchable@i 2985, 3006	12462, 12465,	
\bidi@ifpattern 2998, 3097		
\bidi@ifscanable 2995, 3016, 3065, 3160		
\bidi@info 2860		



\bidi@matrix@error	2649, 2653	2953, 2958, 2959, 2963, 2964, 2965, 2966, 2967, 2968, 2972, 2973, 2974, 2975, 2976, 2977, 2981, 3027, 3126, 3136, 3144, 3193, 3204, 3207, 3219, 3234, 3248, 3262, 3274, 19507, 19509	\bidi@p@xRTLftntext	2190, 2217, 2242, 2312
\bidi@mopfn@bottom	8294, 9910, 9921, 9952, 9953	\bidi@notblank 2812, 2820, 3114, 3123	\bidi@patch@@AfterPackage	3766, 3771
\bidi@mopfootnotebf	9917, 9945	\bidi@o@everypar	\bidi@patch@Add	3753, 3782
\bidi@mpfootnoterule	10427, 10658, 10671, 10684, 10721, 12793	14403, 14405, 14406, 19428, 19430, 19431	\bidi@patch@AfterPackage	3756, 3760, 3763, 4698, 4700, 4703, 4724, 4872, 4922, 4978, 5222
\bidi@multicol@align@columns	13845, 13899, 13902, 13904	3327, 3328, 3332	\bidi@patch@counter	3734, 3738, 3741, 3747, 3748, 3767
\bidi@n@everypar	14404, 14405, 14406, 14407, 19244, 19429, 19430, 19431, 19432	\bidi@onefilewithoptions	\bidi@patch@gtemp	3774, 3781
\bidi@namelongdef	2847, 8425, 8427, 8434, 8446, 8568, 8570, 8577, 8588, 8600, 8716, 8718, 8725, 8737, 8865, 8867, 8874, 8886, 9014, 9016, 9023, 9035, 9163, 9165, 9172, 9184, 9312, 9314, 9321, 9333, 9461, 9463, 9470, 9482, 9610, 9612, 9619, 9631, 9816, 9848, 9832, 9845, 9859	\bidi@orig@leftline	\bidi@patch@list	3752, 3754, 3792, 3794, 3801
\bidi@new@command	2863, 2865, 2894, 2902	19683, 19685, 19686	\bidi@patch@OrgIfClassLater	3800, 3805
\bidi@new@ifnch	2641, 2643	\bidi@orig@raggedleft	\bidi@patch@OrgIfClassLoaded	3799, 3804
\bidi@new@ifnextchar	2638, 19539	19668, 19670, 19671	\bidi@patch@OrgIfPackageLater	3798, 3803
\bidi@newcommand	2865, 2867	\bidi@orig@raggedright	\bidi@patch@OrgIfPackageLoaded	3797, 3802
\bidi@newrobustcmd	1802, 1804, 2862, 2863, 2887, 2898, 2919, 2923, 2927, 2931, 2936, 2937, 2941, 2945, 2949,	19684, 19685, 19686	\bidi@patch@stepcounter	3736, 3746, 3765
		\bidi@p@ftn	\bidi@patch@temp	3764, 3768
		2136, 2199, 2201, 2202, 2204, 2205, 2207, 2208, 2212, 2215, 2218, 2323	\bidi@patch@try	3783, 3786
		\bidi@p@ftntext	\bidi@patch@cmd 3027, 3028, 3222, 3237, 3251, 3277, 11176, 12269, 12282	3045, 3051, 3186
		.. 2183, 2200, 2305	\bidi@patch@scantoks	3148, 3191
		\bidi@p@LTRftntext	\bidi@prepend	2941, 2972, 3196
		.. 2184, 2203, 2306	\bidi@preto	3144, 3145, 3265
		\bidi@p@RTLftntext	\bidi@pretocmd	3474, 3488, 3518, 3551
		.. 2185, 2206, 2307	\bidi@PreventPackageFromLoading	3093, 3101
		\bidi@p@xfootnote	\bidi@process@envbody	2593, 2597
		.. 2187, 2221, 2309		
		\bidi@p@xftntext		
		.. 2186, 2211, 2226, 2308		
		\bidi@p@xLTRfootnote		
		.. 2189, 2229, 2311		
		\bidi@p@xLTRftntext		
		.. 2188, 2214, 2234, 2310		
		\bidi@p@xRTLfootnote		
		.. 2191, 2237, 2313		



\bidi@protected	2598, 2612, 2617, 2621, 2622, 2636	14007, 14009, 14011, 14014, 14016, 14018, 19672	\bidi@s@tfftextcol 10368, 10372
\bidi@protected@cseappto	2914, 2936, 2937, 2958, 2959, 2967, 2968, 2976, 2977	\bidi@ redefine@newpage 3668, 3708	\bidi@saved@checkend .. 3645, 3648, 3666
\bidi@protected@csepredo	2967	\bidi@reflect@box .. 14468, 14475, 19501, 19508, 19510	\bidi@saved@clearpage .. 3650, 3651, 3654
\bidi@protected@csxappto	2968	\bidi@ renew@command .. 2887, 2889, 2903	\bidi@ saved@ dofilelist 3656, 3659, 3660, 3667
\bidi@protected@csxpredo	2968 2977	\bidi@ renewrobustcmd 2887	\bidi@ saved@ eqno 14479, 14481, 14482,
\bidi@protected@eappto	2936	\bidi@ ReplaceClass 3358	20079, 20081, 20082
\bidi@protected@eprepto	2958	\bidi@ replacefile@msg 3295, 3319, 3334, 3372	\bidi@ saved@ leqno 14480, 14481, 14482,
\bidi@protected@immediate @write	3707, 3718, 3724	\bidi@ ReplaceInput 3342	20080, 20081, 20082
\bidi@protected@xappto	2937	\bidi@ ReplacePackage	\bidi@ saved@ newpage 3669, 3680
\bidi@protected@xprepto	2959	\bidi@ requirepackage .. 3494, 3554, 3605	\bidi@ saved@ requirepackage 3473,
\bidi@provide@command	2898, 2900	\bidi@ ResetPreventPackageFromLoading 3546,	3556, 3558, 3636
\bidi@providerobustcmd	2898	3552, 3561, 3600	\bidi@ set@ load@ hook 3380,
\bidi@push@begins	2600, 2601, 2604	\bidi@ resrvda . 3037, 3038, 3039, 3042, 3043, 3044, 3045, 3046, 3047, 3052,	3383, 3384, 3386, 3405, 3417, 3431, 3448, 3459
\bidi@push@long@begins	2624, 2625, 2628	3055, 3067, 3068, 3069, 3070, 3071, 3073, 3074, 3083, 3085, 3099, 3100,	\bidi@ SOUL@ ulleaders 17541, 17547
\bidi@raggedleft	2490, 2497, 2502, 2521, 7197, 7313, 10168, 10174, 11292, 19673	3102, 3104, 3105, 3180, 3181, 3182, 3183, 3184, 3185, 3186, 3187, 3188	\bidi@ StorePreventPackageFromLoading 3562, 3565
\bidi@raggedright	10166, 10172, 13955, 13958, 13960, 13963, 13965, 13967, 13970, 13972, 13974, 13976, 13979, 13981, 13983, 13985, 13987, 13990, 13992, 13995, 13997, 14000, 14002, 14004,	\bidi@ resrvdb 3039, 3040 .\bidi@ restore@newpage .. 3653, 3670, 3700 \bidi@ rightskip 18355, 18463, 18489, 18490, 18498, 18502, 18506, 19474	\bidi@ tabular@ RTLcases 19514, 19541 \bidi@ tempa 1810, 1816, 1822, 1828, 1834, 1840, 1852, 1858, 1864
		\bidi@ RTL@ everypar 9720, 9732, 9744, 9769, 9783, 9797, 14402, 14406, 17500, 19427, 19431	\bidi@ tempb 1810, 1811, 1816, 1817, 1822, 1823, 1828, 1829, 1834, 1835, 1840, 1841, 1852, 1853, 1858, 1859, 1864, 1865
			\bidi@ todonotes@ tempa 19120, 19128 \bidi@ todonotes@ tempb 19120, 19121, 19128, 19129



\bidi@undef ..	3047, 3126, 3188, 3201, 3214, 18214, 18215, 18371, 18372, 18573, 18574	\bidipoem@hvsep 5466, 5479, 5480, 5487	5486, 5487, 5488
\bidi@undefined ..	3126	\bidipoem@next 5472, 5473	\bidirlap
\bidi@UnPreventPackageFromLoading ..	3566	\bidipoem@openbox ..	\biditufefloatDebugInfoNL 3813, 3901,
\bidi@UnReplaceClass ..	3369 5511, 5516	3905, 4194, 4243
\bidi@UnReplaceInput ..	3346	\bidipoem@p@ftn ..	\biditufefloatError 3812, 4289
\bidi@UnReplacePackage ..	3366	5659, 5660, 5662, 5663, 5665, 5666, 5669, 5672, 5675, 5780, 11749, 11759, 11780, 11790, 11811, 11821	\biditufefloatInfoNL .. 3813, 3814, 4358
\bidi@warning ..	2859, 3242, 3256, 3268, 3282	\bidipoem@p@ftntext ..	\biditufefloatRecalculate 3930, 3941
\bidi@xappto ..	2931, 2937, 2966	5545, 5556, 5658, 5769, 5783, 11747	\biditufehyperrefLoadHyperref 5180, 5191
\bidi@xargdef ..	2869, 2877	\bidipoem@p@LTRftntext ..	\biditufesidenotemarginpar .. 4374, 4726, 4882
\bidi@xpreto ..	2953, 2959, 2975	5546, 5557, 5661, 5770, 5784, 11778	\bidituftetocError .. 4911, 4958, 4967
\bidicolor ..	6498, 6554, 6569, 6571, 10369, 19370, 19417, 19420, 19421	\bidipoem@p@RTLftntext ..	\bidiversion ..
\bididate ..	1718, 1720, 1734, 1890, 1907	5547, 5558, 5664, 5771, 5785, 11809 1719, 1720, 1734, 1748, 1891, 1907
\bidiGscale@@box ..	11112, 11113	\bidipoem@p@xfootnote ..	\bigskip
\bidiGscale@box ..	11089, 11090, 1109	5549, 5560, 5677, 5773, 5787	14530
\bidiGscale@box@dd	11121, 11125, 11131	\bidipoem@p@xftntext ..	\bigskipamount ..
\bidiGscale@box@dddd	11127, 11138	5548, 5559, 5668, 5682, 5772, 5786	.. 8295, 8300, 9883
\bidillap ..	19688	\bidipoem@p@xLTRfootnote ..	\bl .. 14308, 14309,
\bidipoem@hvlen ..	5467, 5473, 5476, 5479, 5488	5551, 5562, 5684, 5775, 5789	14312, 14313,
\bidipoem@half@verses ..	5493, 5494, 5497	\bidipoem@p@xRTLftntext ..	14314, 14318,
\bidipoem@half@verses@next ..	5493, 5494, 5495	5550, 5561, 5671, 5689, 5774, 5788	14373, 14380, 14384
\bidipoem@hvind ..	5467, 5470, 5471, 5479, 5480, 5483, 5486	\bidipoem@p@xRTLfootnote ..	\blacktriangleleft 10780, 10782
\bidipoem@hvlen ..	5466, 5471, 5473, 5484, 5486	5553, 5564, 5691, 5777, 5791	\blacktriangleright 10780, 10782
		\bidipoem@p@xRTLftntext ..	\bm@b
		5552,	\bm@l
		5563, 5674, 5696, 5776, 5790	\bm@r
		\bidipoem@set@@verse ..	\bm@t
		.. 5473, 5476, 5478	19748
		\bidipoem@set@verseI ..	\bm@0l
		.. 5472, 5475	\bm@r
		\bidipoem@spreadbox ..	19745
		.. 5462, 5484,	\bm@t
			19746
			\bool .. 12958, 12974,
			13017, 13023,
			13038, 13061,
			13064, 13084,
			13089, 13101,
			13118, 13119,
			13122, 13139,
			13164, 13171,
			13177, 13183,
			13193, 13200,
			13222, 13334,
			13337, 13345, 13348
			\boolean .. 177, 182,
			190, 383, 386,
			392, 510, 513, 519,



3813, 3873, 3875, 3878, 3882, 3885, 3888, 3913, 4009, 4024, 4029, 4049, 4056, 4064, 4081, 4101, 4105, 4123, 4124, 4127, 4128, 4163, 4172, 4183, 4925, 4929, 4977, 5190, 5327, 5396, 5407, 10383, 14167	14344, 14356, 14367, 14381, 14384, 14388, 14393, 14472, 14517, 14520, 15566, 15575, 15613, 15624, 16046, 16056, 16625, 16635, 16855, 16861, 16867, 16873, 16879, 16885, 16891, 16897, 16903, 17307, 17317, 17743, 17769, 17787, 19314, 19315, 19325, 19505, 19690, 19795, 19797, 19834, 19838, 19952, 19968, 19979, 19992, 19994, 20054, 20056, 20076	\bslice 14328, 14329, 14331, 14341, 14342, 14344, 14364, 14365, 14367, 14391, 14392, 14393
\botmark . . 10365, 20067	\bx@A 4229, 4270	
\box 168, 170, 4344, 6405, 6469, 6537, 6694, 6697, 6714, 6718, 6751, 6753, 6759, 6760, 6806, 6810, 6814, 6815, 6871, 6874, 6879, 6884, 6908, 7044, 7048, 7072, 7354, 7375, 7391, 7448, 8309, 8314, 9669, 9684, 9694, 9931, 9941, 10199, 10201, 10231, 10235, 10278, 10360, 10386, 10391, 10878, 10885, 10888, 10902, 10963, 10967, 11011, 11013, 11057, 11060, 11103, 11106, 11136, 11153, 12263, 12663, 12717, 12723, 13034, 13292, 13302, 13307, 13342, 13343, 13344, 13345, 13484, 13518, 13625, 13628, 13719, 13724, 13861, 13867, 13885, 13893, 14277, 14281, 14297, 14331, 14335, 14340,	\bx@aa 4203, 4235, 4276 \bx@AA 4242, 4244, 4282 \bx@B 4229, 4270 \bx@b 4204, 4235, 4276 \bx@BB 4245, 4282 \bx@C 4229, 4270 \bx@c 4205, 4235, 4276 \bx@CC 4246, 4282 \bx@D 4229, 4270 \bx@d 4206, 4235, 4276 \bx@DD 4247, 4282 \bx@E 4229, 4270 \bx@e 4207, 4235, 4276 \bx@EE 4248, 4282 \bx@F 4230, 4271 \bx@f 4208, 4236, 4277 \bx@FF 4249, 4283 \bx@G 4230, 4271 \bx@g 4209, 4236, 4277 \bx@GG 4250, 4283 \bx@H 4230, 4271 \bx@h 4210, 4236, 4277 \bx@HH 4251, 4283 \bx@I 4230, 4271 \bx@i 4211, 4236, 4277 \bx@II 4252, 4283 \bx@J 4230, 4271 \bx@j 4212, 4236, 4277 \bx@JJ 4253, 4283 \bx@K 4231, 4272 \bx@k 4213, 4237, 4278 \bx@KK 4254, 4284 \bx@L 4231, 4272 \bx@l 4214, 4237, 4278 \bx@LL 4255, 4284 \bx@M 4231, 4272 \bx@m 4215, 4237, 4278 \bx@MM 4256, 4284 \bx@N 4231, 4272 \bx@n 4216, 4237, 4278 \bx@NN 4257, 4284 \bx@O 4232, 4273 \bx@o 4217, 4238, 4279	



\bx@00	4258, 4285	7987, 7989, 7990,	10397, 10410,
\bx@P	4232, 4273	10126, 10128,	13447, 14759,
\bx@p	4218, 4238, 4279	10130, 10395,	15122, 15312,
\bx@PP	4259, 4285	10397, 10399,	15493, 16468, 17158
\bx@Q	4232, 4273	10400, 10408,	\c@footnote
\bx@q	4219, 4238, 4279	10410, 10412,	. 124, 320, 673,
\bx@QQ	4260, 4285	10413, 12313,	963, 1022, 1214,
\bx@R	4232, 4273	13446, 14067,	1273, 1463, 1522,
\bx@r	4220, 4238, 4279	14757, 14759,	1980, 5924, 6100,
\bx@RR	4261, 4285	14761, 15122,	6237, 7819, 7916,
\bx@s	4193, 4195, 4233, 4274	15124, 15126,	10070, 10730,
\bx@s	4221, 4239, 4280	15310, 15312,	10744, 11562,
\bx@SS	4262, 4286	15314, 15491,	11672, 11680,
\bx@T	4106, 4233, 4274	15493, 15495, 15496	11710, 11718,
\bx@t	4222, 4239, 4280	\c@colht	12697, 12700,
\bx@TT	4263, 4286	13582, 13608,	14774, 14833,
\bx@U	4197, 4233, 4274	13609, 13668,	14913, 14974,
\bx@u	4223, 4239, 4280	13680, 13706, 13707	15169, 15212,
\bx@UU	4264, 4286	\c@curpg	15398, 15742,
\bx@V	4198, 4233, 4274	10292, 10319, 10320	15806, 16290,
\bx@v	4224, 4239, 4280	\c@DFNsloppiness	16354, 16988, 17052
\bx@VV	4265, 4286	7344, 7365	\c@L@depth
\bx@W	4199, 4234, 4275	\c@enumiv	12198
\bx@w	4225, 4240, 4281	793, 800, 927, 934,	\c@L@lines
\bx@WW	4266, 4287	1189, 1196, 1438,	12199, 12201
\bx@X	4200, 4234, 4275	1445, 2565, 5879,	\c@ll@chapseci
\bx@x	4226, 4240, 4281	5886, 6066, 6073,	6579
\bx@XX	4267, 4287	6374, 6381, 7760,	\c@ll@chapsecii
\bx@Y	4201, 4234, 4275	7767, 8030, 8037,	6574
\bx@y	4227, 4240, 4281	10019, 10026,	\c@lofdepth
\bx@YY	4268, 4287	14738, 14745,	18065, 18102
\bx@Z	4202, 4234, 4275	15131, 15138,	\c@lor@error
\bx@z	4228, 4240, 4281	15324, 15331,	6543, 6550, 6558,
\bx@ZZ	4269, 4287	15526, 15533,	6564, 19362, 19396
C		15926, 15935,	\c@lotdepth
\c	13018, 13019,	15942, 16505,	18083, 18122
	13033, 13090,	16514, 16521,	\c@lstlisting
	13295, 13353, 13382	17187, 17196,	12313, 12315
\c@abspage	10458	17203, 17834, 17841	\c@LT@chunks
\c@addvipersep	13570,	\c@equation	12646
	13588, 13593,	... 5909, 6085,	\c@mpfootnote
	13615, 13643,	6330, 7600, 7669,	. 10658, 10671,
	13668, 13686,	7985, 10126,	10684, 10708, 12802
	13691, 13713, 13738	10395, 10408,	\c@NAT@ctr
\c@algocf	164	13446, 14757,	14026
\c@chapter	5909, 5911,	15126, 15310,	\c@page
	5913, 6085, 6087,	15491, 16484, 17166	5334, 7507,
	6089, 6330, 6332,	\c@figure	7524, 10292,
	6334, 6335, 7985,	5911, 6087,	10319, 19277, 19948
		6332, 7987,	\c@paragraph
		10128,	768, 921, 1174, 1432,
			5906, 6082,
			6339, 7871, 7994,
			10123, 10404,
			10417, 13441,
			14754, 15119,
			15318, 15500,
			15903, 16458, 17152
			\c@poem@no
			5603, 5653, 5704, 5715



\c@secnumdepth . . .	728, 745, 863, 879, 897, 1089, 1122, 1140, 1344, 1360, 1378, 5814, 5830, 5846, 5990, 6006, 6022, 6292, 6307, 7703, 7717, 7971, 9958, 9973, 13786, 13798, 13810, 14668, 14684, 14700, 15039, 15055, 15071, 15270, 15284, 15453, 15468, 17910, 17914, 17956, 17975, 17997, 18014, 18031, 18048, 18340, 18448, 18483, 18871, 19067, 19750	\cals@borderR . . . 6466 \cals@borderT . . . 6467 \cals@current@context 6459 \cals@last@context 6458 \cals@paddingL 6475, 6477, 6482, 6484 \cals@paddingR 6479, 6486 \cals@set@tohsize 6462 \cals@setcellprevdepth 6462 \cals@setpadding . 6462 \cals@setup@alignment 6446, 6461 \cals@table@alignment 6451, 6452 \cals@tbreak@tokens 6456 \cals@tfoot@height 6457 \cals@tfoot@tokens 6455, 6472 \cals@thead@tokens 6454 \cals@vfillAdd 6447, 6449, 6475, 6484 \cals@vfillDrop . . 6448, 6449, 6477, 6479, 6482, 6486 \CAny 2074 \CAny 2082 \cap@indent 16023, 16026, 16031, 16033, 16034, 16602, 16605, 16610, 16612, 16613, 17284, 17287, 17292, 17294, 17295 \cap@left . . . 16045, 16056, 16624, 16635, 17306, 17317 \cap@margin 15988, 16567, 17249 \cap@right . . . 16047, 16056, 16626, 16635, 17308, 17317 \cap@width 16011, 16014, 16017, 16590, 16593, 16596, 17272, 17275, 17278
\c@subsection . . .	\c@twb 6704 \c@twcompctr 6685 \c@twcompoddctr .. 6701 \c@twfirst ... 6686, 6692, 6699, 6703, 6712, 6715	
919, 1172, 1430, 5904, 6080, 6337, 7869, 7992, 10121, 10402, 10415, 13437, 14752, 15117, 15316, 15498, 15899, 16454, 17148	\c@twlftside 6690 \c@twlspec 6704, 6707, 6711 \c@twprune .. 6690, 6691, 6707, 6711 \c@twrounds .. 6702, 6705, 6708, 6720 \c@t wrt side .. 6691 \c@twslicea 6688, 6690, 6694, 6697, 6706, 6707, 6714, 6718	
920, 1173, 1431, 5905, 6081, 6338, 7870, 7993, 10122, 10403, 10416, 13439, 14753, 15118, 15317, 15499, 15901, 16456, 17150	\c@twsliceb .. 6689, 6691, 6694, 6697, 6710, 6711, 6714, 6718 \c@twinlines 6687, 6700 \c@zabspage 10458 \cals@activate@rtl 6453 \cals@AtBeginTable 6470	
5913, 6089, 6334, 7989, 10130, 10399, 10412, 13448, 14761, 15124, 15314, 15495, 16476, 17162	\cals@AtEndTable . 6472 \cals@backup@row . 6469 \cals@borderB 6468 \cals@borderL 6465	
\c@thisframe		
.. 10291, 10296, 10332, 10334, 10335		
\c@tocdepth . . 3, 204,		



\capfont	15998, 16019,	16024, 16029,	16033, 16052,	16056, 16577,	16598, 16603,	16608, 16612,	16631, 16635,	17259, 17280,	17285, 17290,	17294, 17313, 17317	\captionbelow	16106, 16111, 16685,	16690, 17367, 17372	\captionformat	15999, 16020, 16025,	16030, 16035,	16053, 16578,	16599, 16604,	16609, 16614,	16632, 17260,	17281, 17286,	17291, 17296, 17314	\captionlabelfalse	12304	\catcode	1892, 1944, 3054,	4551, 4573, 5501,	5502, 5504, 5505,	10789, 10790, 10905	\Centering	14544	\centering	305,	7201, 7214, 7330,	10167, 10173,	11295, 11380,	11396, 13469,	13471, 13473,	15789, 16337, 17035	\CenteringLeftskip	14549	\CenteringParfillskip	14552	\CenteringParindent	14553	\CenteringRightskip	14550	\centerline	309, 10885,	10902, 14483, 19674	\cftbeforechapskip	17958	\cftbeforefigskip	18066	\cftbeforeparaskip	18032	\cftbeforepartskip	17926	\cftbeforesecskip	17977, 17980	\cftbeforesubfigskip	18103	\cftbeforesubparaskip	18049	\cftbeforesubsecskip	17998	\cftbeforesubsubsecskip	18015	\cftbeforesubtabskip	18123	\cftbeforetabskip	18084	\cftchapaftersnum	17967	\cftchapaftersnumb	17968	\cftchapfillnum	..	17971	\cftchapfont	17970	\cftchapindent	17959, 17962, 18209	\cftchapnumwidth	..	17965, 18210	\cftchappresnum	..	17966	\cftchapterprecistoc	18208	\cftdot	17906	\cftdotfill	18200	\cftdotsep	18199	\cftfigaftersnum	..	18075	\cftfigaftersnumb	..	18076	\cftfigfillnum	...	18079	\cftfigfont	18078	\cftfigindent	18067, 18070	\cftfignumwidth	..	18073	\cftfigpresnum	..	18074	\cftparaaftersnum	18041	\cftparaaftersnumb	18042	\cftparafillnum	..	18045	\cftpafont	18044	\cftpaindent	18033, 18036	\cftparanumwidth	18039	\cftpapresnum	18040	\cftpartaftersnum	17936	\cftpartaftersnumb	17937	\cftpartfillnum	..	17940	\cftpartfont	17939	\cftpartindent	17928, 17931	\cftpartnumwidth	..	17934	\cftpapresnum	...	17935, 17939	\cftsecaftersnum	..	17990	\cftsecaftersnumb	17991	\cftsecfillnum	...	17994	\cftsecfont	17993	\cftsecindent	17982, 17985
----------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------------	---------------	----------------------	---------------------	----------------	----------------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------------	--------------------	-------	----------	-------	-------------------	-------------------	-------------------	---------------------	------------	-------	-------	------------	------	------	-------------------	---------------	---------------	---------------	---------------	---------------------	--------------------	-------	-----------------------	-------	-------	---------------------	-------	-------	---------------------	-------	-------	-------------	------	-------------	---------------------	--------------------	-------	-------------------	-------	--------------------	-------	--------------------	-------	-------------------	-------	--------------	----------------------	-------	-------	-----------------------	-------	-------	----------------------	-------	-------	-------------------------	-------	-------	----------------------	-------	-------	-------------------	-------	-------------------	-------	--------------------	-------	-----------------	----	-------	--------------	------	-------	----------------	------	---------------------	------------------	----	--------------	-----------------	----	-------	----------------------	-------	-------	---------	-------	-------	-------------	------	-------	------------	-------	-------	------------------	----	-------	-------------------	----	-------	----------------	-----	-------	-------------	------	-------	---------------	------	--------------	-----------------	----	-------	----------------	----	-------	-------------------	-------	--------------------	-------	-----------------	----	-------	------------	------	-------	--------------	------	--------------	------------------	-------	---------------	-------	-------------------	-------	--------------------	-------	-----------------	----	-------	--------------	------	-------	----------------	------	--------------	------------------	----	-------	---------------	-----	--------------	------------------	----	-------	-------------------	-------	----------------	-----	-------	-------------	------	-------	---------------	------	--------------



\cftsecnumwidth	17988	\cftsubtabfillnum	18136	\citeasnoun	14036
\cftsecpresnum	17989	\cftsubtabfont	18135	\citeN	14035
\cftsubfigaftersnum	18112	\cftsubtabindent	18124, 18127	\cites	4681
\cftsubfigaftersnumb	18113	\cftsubtabnumwidth	18130	\cl@0ckpt	17631
\cftsubfigfillnum	18116	\cfttabaftersnum	18093	\ClassInfo	5365, 5430, 16115, 16694, 17376
\cftsubfigfont	18115	\cfttabaftersnumb	18094	\ClassWarning	15799, 16347, 17045
\cftsubfigindent	18104, 18107	\cfttabfillnum	18097	\ClassWarningNoLine	13506
\cftsubfignumwidth	18110	\cfttabfont	18096	\clear	3691
\cftsubfigpresnum	18111	\cfttabindent	18085, 18088	\cleardoubleemptypage	
\cftsubparaaftersnum	18058	\cfttabnumwidth	18091	15746,	
\cftsubparaaftersnumb	18059	\cfttabpresnum	18092	15791, 16294, 16339, 16992, 17037	
\cftsubparafillnum	18062	\chapnumfont	14533	\cleardoublepage	
\cftsubparafont	18061	\chapter	4923,	5287, 5332,	
\cftsubparaindent	18050, 18053	4951, 5021, 5029, 5145, 5151, 5876, 6063, 6371, 8027, 10016, 14735, 15128, 15321, 15523		5334, 5391, 5404, 5418, 6365, 8021	
\cftsubparanumwidth	18056	\chapterheadendvskip	14539	\clearpage	823,
\cftsubparapresnum	18057	\chapterheadstartvskip	14531	839, 1087, 1338, 3650, 3651, 3654, 4290, 5299, 5334, 5420, 5808, 5984, 6193, 6367, 8023,	
\cftsubsecaftersnum	18007	\chaptermark	17869	14644, 14898, 15355, 15854, 16402, 17100, 17903	
\cftsubsecaftersnumb	18008	\chaptername	310, 13455	\clipbox@@	14519
\cftsubsecfillnum	18011	\chapterstyle	13450	\CloneTOCEntryStyle	
\cftsubsecfont	18010	\char	1889, 2057, 2058	16121,	
\cftsubsecindent	17999, 18002	\chardef	10789, 12217, 12218, 12224, 12225	16134, 16153,	
\cftsubsecnumwidth	18005	\check@floats	6929, 7094	16159, 16700, 16713, 16732, 16738, 17382,	
\cftsubsecpresnum	18006	\CheckCommand	3286, 11669, 11707, 14595	17395, 17414, 17420	
\cftsubsubsecaftersnum	18024	\checkoddpage	3912	\closing	8060, 16911
\cftsubsubsecaftersnumb	18025	\CIIIAny	2075	\clubpenalty	88,
\cftsubsubsecfillnum	18028	\ciiiAny	2083	297, 802, 803, 935, 1197, 1446, 2566, 5619, 5887, 6074, 6383, 6384, 7768, 8039, 8040,	
\cftsubsubsecfont	18027	\circle	6593, 6596, 6603, 6606, 6616, 6619, 6626, 6629, 6639, 6642, 6649, 6652, 6662, 6665, 6672, 6675	10027, 14032,	
\cftsubsubsecindent	18016, 18019	\cite	4588, 4680, 4686, 4687, 4778, 4783, 4804, 4812, 4833, 4841, 4862, 4880, 4884, 4889, 4893, 4898, 4902, 14035, 14036	14746, 15139, 15333, 15334, 15535, 15536, 15944, 16523, 17205, 17843, 17844	
\cftsubsubsecnumwidth	18022	\coffeefont		13806	
\cftsubsubsecpresnum	18023				
\cftsubtabaftersnum	18132				
\cftsubtabaftersnumb	18133				



\col@number . . . 128,	9289, 9301, 9328, 9341, 9379, 9389, 9399, 9425, 9438, 9450, 9477, 9490, 9528, 9538, 9548, 9574, 9587, 9599, 9626, 9639, 9727, 9739, 9751, 9777, 9791, 9805, 9840, 9854, 9912, 9923, 10609, 10625, 10640, 10666, 10679, 10692, 10704, 12739, 19625	9729, 9741, 9753, 9779, 9793, 9807, 9842, 9856, 9916, 9927, 10612, 10628, 10643, 10669, 10682, 10695, 10725, 19627
\color@fb@x 19418, 19419	\color@fbbox 6570, 19418	\color@hbox
\color@sep	\color@block 6536, 19325	. . . 15635, 15645, 15663, 20048, 20058
. 599, 627, 6494, 6495, 12635, 19518	\color@box . 6569, 19417	\color@setgroup 6572, 19422
\color 177, 2014, 2015, 2016, 2017, 2490, 6539, 6542, 6545, 6563, 6566, 7195, 7198, 7208, 7326, 12124, 12765, 19327	\color@endbox . 2324, 4410, 4454, 4498, 15638, 15648, 15666, 19890, 19934, 20051, 20061	\color@vbox 2302, 4401, 4445, 4489, 19881, 19925
\color@ . . . 19367, 19414	\color@endgroup	\colorA . 6151, 6160, 6172
\color@b@x 4739, 4756, 4773, 5780, 8103, 8119, 8135, 8149, 8162, 8175, 8289, 8345, 8355, 8365, 8391, 8404, 8416, 8443, 8456, 8494, 8503, 8512, 8537, 8549, 8560, 8586, 8598, 8636, 8646, 8656, 8682, 8695, 8707, 8734, 8747, 8785, 8795, 8805, 8831, 8844, 8856, 8883, 8896, 8934, 8944, 8954, 8980, 8993, 9005, 9032, 9045, 9083, 9093, 9103, 9129, 9142, 9154, 9181, 9194, 9232, 9242, 9252, 9278, 9291, 9303, 9330, 9343, 9381, 9391, 9401, 9427, 9440, 9452, 9479, 9492, 9530, 9540, 9550, 9576, 9589, 9601, 9628, 9641	\colorB 6157, 6163, 6169, 6175
\color@begingroup 4739, 4756, 4773, 5780, 8103, 8119, 8135, 8149, 8162, 8175, 8289, 8345, 8355, 8365, 8391, 8404, 8416, 8443, 8456, 8494, 8503, 8512, 8537, 8549, 8560, 8586, 8598, 8636, 8646, 8656, 8682, 8695, 8707, 8734, 8747, 8785, 8795, 8805, 8831, 8844, 8856, 8883, 8896, 8934, 8944, 8954, 8980, 8993, 9005, 9032, 9045, 9083, 9093, 9103, 9129, 9142, 9154, 9181, 9194, 9232, 9242, 9252, 9278, 9291, 9303, 9330, 9343, 9381, 9391, 9401, 9427, 9440, 9452, 9479, 9492, 9530, 9540, 9550, 9576, 9589, 9601, 9628, 9641	\colorblend . . . 19334, 19335, 19377, 19378
\color@ . . . 19367, 19414	\colorbox 2130, 2132, 2133	\colorbox 1682, 6502
\color@b@x	\columncolor . 1682, 6502	\columnsep 95, 225, 816, 832, 1080, 1331, 1963, 2399, 5801, 5977, 6186, 6754, 6875, 10202, 11014, 13630, 13745, 13838, 13887, 14637, 14891, 15348, 19282, 19287, 19291, 19297, 19300, 19798
\color@ . . . 19367, 19414	\columnseprule	\columnseprule 95, 225, 815, 831, 1079, 1330, 1964, 2400, 5800, 5976, 6185, 6749, 6808, 6869, 6881, 7046, 10198, 10233, 10965, 11009, 13622, 13721, 13863, 13877, 14636, 14890, 15347, 19793, 19836
\color@ . . . 19367, 19414	\columnseprulecolor	\columnseprulecolor 13862, 13876



\columnwidth	28,			
40,	53,	68,	238,	
249,	262,	276,		
760,	764,	949,		
1183,	1428,	2314,		
5901,	6054,	6323,		
6327,	6434,	6747,		
6751,	6753,	6755,		
6806,	6810,	6868,		
6870,	6873,	6876,		
6878,	6883,	7044,		
7048,	7344,	7365,		
7775,	7779,	8073,		
8077,	8086,	8096,		
8112,	8128,	8141,		
8154,	8167,	8386,		
8398,	8411,	8451,		
8532,	8543,	8555,		
8593,	8677,	8689,		
8702,	8742,	8826,		
8838,	8851,	8891,		
8975,	8987,	9000,		
9040,	9124,	9136,		
9149,	9189,	9273,		
9285,	9298,	9338,		
9422,	9434,	9447,		
9487,	9571,	9583,		
9596,	9636,	9773,		
9787,	9801,	9850,		
10009,	10013,			
10197,	10199,			
10201,	10203,			
10231,	10235,			
10516,	10519,			
10521,	10605,			
10621,	10636,			
10662,	10675,			
10688,	10706,			
10920,	10927,			
10963,	10967,			
11007,	11011,			
11013,	11015,			
11237,	11238,			
12096,	12100,			
12742,	13620,			
13624,	13627,			
13629,	13748,			
13723,	13745,			
13774,	13780,			
13936,	13940,			
	13944,	13948,		
	14732,	15153,		
	15303,	15307,		
	15484,	15488,		
	15727,	15974,		
	15979,	16275,		
	16553,	16558,		
	16833,	16837,		
	16973,	17235,		
	17240,	19791,		
	19795,	19797,		
	19799,	19834,		
	19838,	19973,	19975	
	\contentslabel			
	... 4982,	4989,		
	4996,	5003,	5010	
	\contentsline	11500		
	\contentsmargin . . .	17809		
	\contentspush	17783		
	\convertcolorspec			
 19341,			
	19344,	19384,	19387	
	\Coord	2071		
	\coord	2076		
	\CoordIII	2073		
	\coordiii	2078		
	\Coordn	2072		
	\coordin	2077		
	\Coordx	2068,	2071,	
	2072,	2073,	2074,	
	2075,	2076,	2077,	
	2078,	2082,	2083	
	\coordx	2079		
	\Coordy	2069,	2071,	
	2072,	2073,	2074,	
	2075,	2076,	2077,	
	2078,	2082,	2083	
	\coordy	2080		
	\Coordz	2070,	2073,	
	2075,	2078,	2083	
	\coordz	2081		
	\copy	4397,	4441,	
	4485,	6438,	6727,	
	6786,	6850,	6856,	
	7016,	7028,	7355,	
	7376,	10180,		
	10212,	10940,		
	10984,	11048,		
	11094,	12714,		
	12726,	12730,		
		13554,	13652,	
		14401,	14471,	
		14541,	19504,	
		19771,	19814,	
		19877,	19921,	19984
	\cor@height			
	13577,			
	13578,	13605,		
	13606,	13643,		
	13675,	13676,		
	13703,	13704,	13738	
	\count	2297,		
		4386,	4430,	4474,
		8301,	8329,	8432,
		8478,	8575,	8620,
		8723,	8769,	8872,
		8918,	9021,	9067,
		9170,	9216,	9319,
		9365,		9468,
		9514,	9617,	9705,
		9824,		10302,
		10941,		10985,
		11177,		11183,
		19866,	19910,	20016
	\count@	1622,	1681,	
		2668,	2673,	3738,
		3739,	3741,	6500,
		13825,		13826,
		13828,		13830,
		13837,		13858,
		13859,		13861,
		13881,		13882,
		13885,		14133,
		14141,	14154,	17670
	\counterwithout			
	13451,			
	13452,	13453,	13454	
	\cr	615,	5566,	5573,
		5629,	8312,	8316,
		8318,		12650,
		17576,	17614,	19722
	\crcr	626,	2196,	5569,
		17564,		17594,
		19529,	19532,	19709
	\CROP@llc			6635
	\CROP@lrc			6658
	\CROP@ulc			6589
	\CROP@urc			6612
	\CROP@execopt			6682
	\cs	12876,	12927,	12945,
		12996,		13011,



13240,	13299,	8574,	8575,	8583,	12569,	13535,
13349,	13350,	8595,	8633,	8643,	13536,	13543,
\csname	8,	8653,	8679,	8692,	15679,	15683,
56,	71,	8704,	8722,	8723,	15687,	16124,
209,	252,	8731,	8744,	8782,	16126,	16128,
279,	335,	8792,	8802,	8828,	16131,	16137,
603,	1585,	8841,	8853,	8871,	16146,	16148,
2160,	2174,	8872,	8880,	8893,	16150,	16156,
2201,	2204,	8931,	8941,	8951,	16227,	16231,
2223,	2231,	8977,	8990,	9002,	16235,	16703,
2294,	2596,	9020,	9021,	9029,	16705,	16707,
2620,	2621,	9042,	9080,	9090,	16710,	16716,
2675,	2679,	9100,	9126,	9139,	16724,	16726,
2698,	2706,	9151,	9169,	9170,	16729,	16735,
2716,	2718,	9178,	9191,	9229,	16925,	16929,
2723,	2781,	9239,	9249,	9275,	16933,	17385,
2833,	2839,	9288,	9300,	9318,	17387,	17389,
2842,	2843,	9319,	9327,	9340,	17392,	17398,
2846,	2848,	9378,	9388,	9398,	17406,	17408,
2885,	2908,	9424,	9437,	9449,	17411,	17417,
2964,	2965,	9467,	9468,	9476,	17566,	17592,
2972,	2973,	9489,	9527,	9537,	17594,	17626,
2975,	3058,	9547,	9573,	9586,	17648,	17650,
3062,	3063,	9598,	9616,	9617,	17666,	17667,
3240,	3252,	9625,	9638,	9725,	17687,	17694,
3292,	3295,	9737,	9749,	9775,	17886,	18149,
3316,	3319,	9789,	9803,	9823,	18150,	18166,
3331,	3334,	9824,	9838,	9852,	18167,	18168,
3343,	3348,	10135,	10280,		18175,	18177,
3363,	3379,	10281,	10286,		18178,	18231,
3396,	3408,	10287,	10377,		18232,	18386,
3451,	3535,	10378,	10379,		18387,	18497,
3578,	3627,	10380,	10382,		18501,	18505,
3788,	4133,	10384,	10385,		18604,	18607,
4141,	4142,	10386,	10387,		18621,	18637,
4750,	4767,	10389,	10390,		18638,	18654,
4827,	4856,	10391,	10448,		18661,	18666,
5624,	5659,	10472,	10490,		18727,	18782,
5665,	5679,	10576,	10585,		18784,	18786,
5693,	5701,	10607,	10623,		18802,	18805,
5740,	5765,	10638,	10665,		18811,	18813,
6545,	6551,	10678,	10691,		18816,	18820,
6566,	7120,	10738,	10753,		18825,	18829,
8114,	8130,	11502,	11505,		18833,	18847,
8156,	8169,	11507,	11511,		18851,	18854,
8352,	8362,	11515,	11529,		18857,	18861,
8401,	8413,	11540,	11551,		18863,	18899,
8432,	8440,	11751,	11782,		18901,	18908,
8491,	8500,	11813,	12128,		18909,	18913,
8534,	8546,	12131,	12503,		18918,	18922,



18933, 18934, 18938, 18944, 18999, 19000, 19004, 19100, 19101, 19103, 19106, 19107, 19111, 19558, 19613, 19711, 20132 \CT@do@color 6497 \CT@cell@color 1706, 6522 \CT@color 6496 \CT@column@color 1704, 6520 \CT@do@color 1707, 6497, 6523 \CT@extract . 1682, 6502 \CT@row@color 1705, 6521 \CT@setup . 1671, 1672, 1674, 1675, 1679, 1703, 6493, 6519 \cumpartcl 14305 \cumtcl 14305 \curraddr 324 \current@color 6538, 6544, 6551, 6559, 6565, 10767, 10772, 19326, 19363, 19364, 19368, 19397, 19398, 19415 \CurrentOption 5346, 5347, 5348, 5349, 5350, 5370, 5371, 5372, 5373, 5374, 7141, 7239 \customername 16871 \CustomFBox 10769 \cvcomputer 2522 \cvdoubleitem 2499, 2523 \cventry 2511 \cvlanguage 2520 \cvline 2494, 2495, 2500, 2504, 2506, 2512, 2521 \cvlistdoubleitem 2505 \cvlistitem 2503 \cvtheme 2437, 2440	\dollarbegin 599, 628, 1626, 1627, 1628, 1691, 1694, 1695, 6507, 6510, 6511, 19518 \dollarend 600, 628, 1626, 1627, 1628, 1693, 1694, 1695, 6509, 6510, 6511, 19519 \dashgapcolor 1686 \date 667, 703, 1005, 1050, 1256, 1301, 1505, 1550, 1998, 5212, 5260, 5966, 6142, 6231, 6267, 7813, 7847, 7910, 7946, 10064, 10098, 14816, 14861, 14957, 15004, 15206, 15247, 15392, 15428, 15850, 16398, 17096 \datename 16901 \deadcycles . 3223, 3226 \debugfootnotedirection 10435 \DeclareGraphicsRule 361 \DeclareOption 2329, 2332, 2335, 2338, 2341, 2344, 2347, 2352, 2353, 2354, 2355, 2356, 2358, 3817, 3819, 3821, 3824, 3829, 4917, 4918, 5176, 5177, 5202, 5203, 5346, 5347, 5348, 5349, 5350, 5370, 5371, 5372, 5373, 5374, 7131, 7133, 7135, 7137, 7139, 7140, 7229, 7231, 7233, 7235, 7237, 7238 \DeclareRobustCommand	6554, 19327, 19370 \DeclareSectionCommand 16161, 16169, 16179, 16189, 16199, 16209, 16740, 16749, 16757, 16767, 16777, 16787, 16797, 17422, 17431, 17439, 17449, 17459, 17469, 17479 \DeclareTOCEntryStyle 18216, 18373, 18575 \DecMargin 190 \dedication 15849, 16397, 17095 \dedicatory 325 \def 2, 23, 26, 30, 34, 47, 62, 91, 94, 103, 104, 105, 106, 118, 128, 129, 131, 167, 168, 169, 170, 180, 184, 203, 224, 233, 234, 235, 236, 240, 243, 256, 270, 300, 303, 315, 321, 338, 340, 345, 395, 396, 397, 412, 416, 492, 570, 572, 597, 602, 604, 625, 626, 627, 628, 674, 675, 706, 770, 806, 937, 960, 961, 969, 1008, 1009, 1011, 1016, 1018, 1023, 1025, 1053, 1199, 1211, 1212, 1220, 1259, 1260, 1262, 1267, 1269, 1274, 1275, 1304, 1448, 1460, 1461, 1469, 1508, 1509, 1511, 1516, 1518, 1523, 1525, 1553, 1573, 1583, 1584, 1587, 1593, 1621,
D		
\d	12846	4146, 4153, 6539,



1634, 1635, 1638, 1651, 1659, 1667, 1668, 1671, 1672, 1675, 1680, 1718, 1719, 1803, 1805, 1806, 1890, 1891, 1929, 1937, 1938, 1939, 1940, 1941, 1951, 1956, 1981, 1982, 2064, 2065, 2066, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2088, 2099, 2130, 2131, 2132, 2133, 2140, 2146, 2152, 2160, 2165, 2167, 2175, 2180, 2181, 2196, 2200, 2203, 2206, 2211, 2214, 2217, 2221, 2229, 2237, 2244, 2246, 2247, 2249, 2318, 2412, 2413, 2414, 2415, 2416, 2417, 2419, 2420, 2438, 2439, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2569, 2590, 2591, 2594, 2600, 2603, 2614, 2615, 2618, 2624, 2627, 2638, 2640, 2643, 2647, 2653, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2674, 2675, 2679, 2684, 2692, 2700, 2708, 2715, 2717, 2811, 2819, 2840, 2848, 2849, 2850, 2856, 2858, 2859, 2860, 2863, 2865, 2867, 2873, 2877, 2880, 2889, 2900,	2902, 2903, 2914, 2987, 3006, 3038, 3039, 3040, 3051, 3065, 3068, 3069, 3081, 3093, 3097, 3100, 3113, 3122, 3150, 3178, 3181, 3182, 3190, 3191, 3200, 3213, 3229, 3317, 3320, 3329, 3332, 3484, 3495, 3534, 3647, 3657, 3670, 3724, 3734, 3736, 3741, 3746, 3752, 3753, 3756, 3763, 3771, 3786, 3859, 3950, 3971, 3975, 3988, 4062, 4131, 4149, 4155, 4192, 4317, 4319, 4320, 4321, 4330, 4332, 4333, 4334, 4338, 4340, 4346, 4347, 4374, 4388, 4391, 4395, 4399, 4412, 4418, 4432, 4435, 4439, 4443, 4456, 4462, 4476, 4479, 4483, 4487, 4500, 4552, 4567, 4572, 4698, 4700, 4728, 4745, 4762, 4782, 4811, 4840, 5060, 5097, 5105, 5334, 5472, 5473, 5475, 5493, 5494, 5497, 5507, 5508, 5509, 5510, 5516, 5519, 5530, 5531, 5532, 5542, 5568, 5572, 5579, 5601, 5620, 5621, 5622, 5628, 5658, 5661, 5664, 5668, 5671, 5674, 5677, 5684, 5691, 5701, 5702, 5703, 5713, 5717, 5720, 5725, 5726, 5727, 5729, 5738, 5744, 5765, 5766,	5889, 5921, 5922, 5930, 6076, 6097, 6098, 6106, 6146, 6166, 6238, 6239, 6270, 6341, 6355, 6387, 6391, 6403, 6416, 6423, 6427, 6430, 6493, 6496, 6499, 6531, 6538, 6541, 6548, 6556, 6562, 6569, 6570, 6572, 6686, 6699, 6702, 6703, 6708, 6715, 6720, 6724, 6783, 6839, 7338, 7342, 7345, 7363, 7366, 7384, 7441, 7499, 7541, 7568, 7570, 7575, 7606, 7607, 7680, 7729, 7748, 7770, 7820, 7821, 7850, 7917, 7918, 7949, 7996, 8011, 8043, 8085, 8092, 8108, 8124, 8140, 8153, 8166, 8193, 8194, 8195, 8205, 8206, 8207, 8278, 8338, 8348, 8358, 8384, 8396, 8409, 8436, 8449, 8464, 8469, 8487, 8496, 8505, 8530, 8541, 8553, 8579, 8591, 8606, 8611, 8629, 8639, 8649, 8675, 8687, 8700, 8727, 8740, 8755, 8760, 8778, 8788, 8798, 8824, 8836, 8849, 8876, 8889, 8904, 8909, 8927, 8937, 8947, 8973, 8985, 8998, 9025, 9038, 9053, 9058, 9076, 9086, 9096, 9122, 9134, 9147, 9174, 9187, 9202, 9207, 9225, 9235, 9245, 9271, 9283,
--	--	--



9296, 9323, 9336,	11115, 11116, 11131,	13752, 13785,
9351, 9356, 9374,	11138, 11198,	13797, 13809,
9384, 9394, 9420,	11199, 11200,	13823, 13856,
9432, 9445, 9472,	11201, 11210,	13870, 13906,
9485, 9500, 9505,	11212, 11248,	13934, 13938,
9523, 9533, 9543,	11500, 11527,	13942, 13946,
9569, 9581, 9594,	11538, 11549,	13950, 14040,
9621, 9634, 9649,	11560, 11570,	14054, 14056,
9654, 9713, 9721,	11581, 11592,	14063, 14069,
9733, 9745, 9770,	11603, 11618,	14149, 14170,
9784, 9798, 9825,	11633, 11650,	14174, 14178,
9834, 9848, 9870,	11676, 11693,	14180, 14196,
9878, 9952, 9987,	11701, 11714,	14208, 14222,
9999, 10029,	11731, 11739,	14272, 14279,
10071, 10072,	11747, 11764,	14398, 14399,
10101, 10132,	11772, 11778,	14401, 14402,
10164, 10170,	11795, 11803,	14408, 14409,
10177, 10209,	11809, 11826,	14410, 14420,
10279, 10290,	11834, 11842,	14430, 14438,
10338, 10427,	11856, 11860,	14446, 14447,
10514, 10518,	11874, 11882,	14448, 14449,
10520, 10522,	11889, 11897,	14450, 14451,
10524, 10526,	11900, 11903,	14456, 14457,
10528, 10529,	11937, 11969,	14460, 14462,
10531, 10535,	11998, 12025,	14463, 14464,
10544, 10546,	12028, 12030,	14465, 14467,
10553, 10554,	12033, 12042,	14468, 14474,
10571, 10574,	12043, 12047,	14481, 14482,
10580, 10583,	12049, 12050,	14483, 14484,
10591, 10592,	12051, 12053,	14485, 14487,
10593, 10599,	12062, 12064,	14488, 14627,
10615, 10630,	12103, 12124,	14628, 14748,
10657, 10670,	12126, 12127,	14771, 14772,
10683, 10696,	12134, 12139,	14780, 14819,
10702, 10708,	12199, 12250,	14820, 14822,
10715, 10728,	12266, 12267,	14827, 14829,
10732, 10736,	12299, 12300,	14834, 14836,
10742, 10747,	12304, 12306,	14864, 14910,
10751, 10763,	12604, 12616,	14911, 14919,
10777, 10779,	12620, 12621,	14960, 14961,
10781, 10783,	12622, 12629,	14963, 14968,
10791, 10896,	12657, 12688,	14970, 14975,
10906, 10937,	12696, 12699,	14977, 15007,
10981, 11034,	12704, 12734,	15029, 15141,
11038, 11044,	12800, 12801,	15170, 15172,
11046, 11062,	13409, 13411,	15213, 15215,
11073, 11074,	13461, 13463,	15250, 15337,
11076, 11089,	13511, 13522,	15399, 15400,
11090, 11092,	13533, 13551,	15431, 15502,
11108, 11110, 11113,	13649, 13744,	15514, 15539,



15543,	15586,	19435,	19445,	\DefaultLoversize 12107
15633,	15636,	19455,	19464,	\DefaultLraise ... 12108
15643,	15646,	19475,	19476,	\DefaultNindent ... 12111
15654,	15661,	19477,	19478,	\DefaultOptionsFile
15664,	15690,	19479,	19480,	. 12116, 12119, 12122
15692,	15712,	19485,	19486,	\DefaultSlope ... 12112
15896,	15897,	19489,	19491,	\deffootnote .. 15689,
15948,	15955,	19492,	19493,	15714, 16237,
16104,	16106,	19494,	19496,	16262, 16810,
16238,	16240,	19498,	19500,	16830, 16935, 16960
16260,	16444,	19501,	19514,	\define@choicekey .
16527,	16534,	19516,	19521, 1810, 1816,
16683,	16685,	19523,	19529,	1822, 1828, 1834,
16811,	16828,	19531,	19538,	1840, 1852, 1858,
16832,	16835,	19540,	19543,	1864, 19120, 19128
16839,	16911,	19545,	19546,	\define@key 19118
16936,	16938,	19547,	19548,	\definecolor .. 2005,
16958,	17142,	19549,	19559,	2006, 2007,
17209,	17216,	19596,	19616,	2008, 2009, 2411,
17365,	17367,	19621,	19622,	2418, 7145, 7150,
17499,	17503,	19627,	19664,	7153, 7154, 7155,
17520,	17541,	19674,	19677,	7157, 7158, 7161,
17544,	17559,	19680,	19685,	7162, 7164, 7165,
17564,	17567,	19686,	19687,	7168, 7169, 7171,
17590,	17594,	19688,	19689,	7172, 7175, 7176,
17598,	17608,	19691,	19694,	7178, 7179, 7182,
17624,	17630,	19704,	19709,	7183, 7248, 7249,
17638,	17659,	19712,	19732,	7254, 7255, 7260,
17668,	17669,	19735,	19745,	7261, 7266, 7267,
17685,	17689,	19746,	19747,	7272, 7273, 7673
17692,	17696,	19748,	19749,	\DefineTOCEEntryCommandOption
17699,	17729,	19768,	19811, 18582,
17754,	17788,	19854,	19868,	18584, 18586,
17810,	17816,	19871,	19875,	18590, 18592,
17819,	17821,	19879,	19892,	18594, 18596, 18598
17824,	17847,	19898,	19912,	\DefineTOCEEntryIfOption
18500,	18524,	19915,	19919,	18578, 18580, 18612
19066,	19087,	19923,	19936,	\DefineTOCEEntryLengthOption
19089,	19245,	19942,	19982, 18217, 18219,
19288,	19291,	19986,	19987,	18374, 18576,
19297,	19301,	19988,	19989,	18588, 18614, 18616
19320,	19326,	19999,	20069,	\DefineTOCEEntryOption
19329,	19351,	20081,	20082, 18600
19360,	19366,	20084,	20197,	\delimiter 10760
19372,	19394,	20199,	20203,	\DEPTH 17732, 17739
19400,	19409,	20205,	20231, 20233	\depth 13344,
19413,	19417,	\default@color		13355, 13357, 13382
19418,	19419, 6538, 19326		\depthof 7548,
19422,	19427,	\DefaultFindent .. 12110		7553, 7562,
19433,	19434,	\DefaultLhang 12106		7563, 7567, 7572



\descriptionlabel	5138		
\detokenize	2817, 2819, 3038, 3040, 3041, 3068, 3083, 3100, 3103, 3111, 3113, 3181, 3182, 3530	7372, 7373, 7374, 7376, 7390, 7391, 7447, 7448 7340	9513, 9616, 9704, 9715, 9716, 9717, 9718, 9823, 9827, 9828, 9829, 9830, 13842, 13849, 13850, 13858, 13859, 13864, 13865, 13881, 13882, 13889, 13890, 19991, 19994
\dfn@afteroutput 7433, 7436, 7485, 7488 7346, 7361 7439, 7491	\dimen@
\dfn@boxa 7342, 7347, 7350, 7354, 7355, 7356, 7363, 7368, 7371, 7375, 7376, 7377, 7390, 7397, 7400, 7402, 7409, 7417, 7447, 7454, 7457, 7459, 7463, 7471 7367, 7382 7360, 7381, 7388, 7421, 7423, 7426, 7432, 7445, 7473, 7475, 7478, 7484	6534, 6535, 9899, 9901, 10799, 10800, 10801, 10811, 10812, 10813, 10816, 10817, 10818, 10824, 10834, 10836, 10845, 10847, 10854, 10855, 10856, 10857, 12711, 12712, 12713, 17522, 17524, 17530, 17536, 19259, 19260, 19261, 19262, 19263, 19264, 19323, 19324
\dfn@boxb 7356, 7377, 7394, 7395, 7402, 7407, 7451, 7452, 7459, 7462 7342, 7362 7441, 7493, 7495 7493, 7494, 7495	\dfn@list
\dfn@countins	7386, 7443 7345, 7366 7363, 7383	\dfn@makefnmark
\dfn@dima	7347, 7348, 7349, 7360, 7368, 7369, 7370, 7381, 7385, 7402, 7422, 7442, 7459, 7474 7345, 7366 7363, 7383	\dfn@makecol
\dfn@dimb 7422, 7423, 7425, 7426, 7428, 7474, 7475, 7477, 7478, 7480 7356, 7377, 7390, 7402, 7447, 7459	\dfn@split
\dfn@elt@adjust 7422, 7474 7405, 7418, 7462	\dimen@i
\dfn@elt@getht	7387, 7444 7339, 7344, 7365, 7404, 7406, 7409,	17523, 17524, 17529, 17535
\dfn@fnht 7358, 7379, 7420, 7423, 7429, 7430, 7431, 7472, 7475, 7481, 7482, 7483 7419, 7461, 7463 1885, 1886, 1887, 1888, 1889	\dimen@ii
\dfn@fnmaxdp	.. 7346, 7351, 7356, 7367, 7372, 7377, 7399, 7402, 7456, 7459 13018, 13019, 13342, 13343, 13344	10849, 10850, 10851, 10857, 10859, 10862, 10863, 10864
\dfn@footnoterule 7440, 7492 13018, 13019, 13342, 13343, 13344	\dimexpr ... 28, 238, 949, 1183, 1428, 5901, 6054, 12771, 12780, 13745, 13948, 14732, 15153, 15717, 15724, 15727, 16265, 16272, 16275, 16963, 16970, 16973, 18361, 18527, 18534, 18544, 18546, 19631, 19633, 19634, 19635, 19640, 19642, 19643
\dfn@footnotetext	7341	8619, 8722, 8768, 8871, 8917, 9020,	
\dfn@gobble	.. 7343, 7364	9066, 9169, 9215,	
\dfn@ins 7351, 7352, 7353, 7355,	9318, 9364, 9467,	



19644, 19649,	13858, 13859,	3728, 3740, 3747,
19651, 19652,	13864, 13865,	3764, 4562, 4707,
19653, 19658,	13881, 13882,	4718, 5659, 5662,
19660, 19661, 19662	13889, 13890,	5665, 7597, 7600,
\DiscardVskip	14293, 14294,	10280, 10286,
\display@setup 6392, 6417	14295, 14500,	10376, 10378,
\displayindent	15552, 15594,	10379, 10380,
\displaystyle	15597, 15651,	10465, 10486,
. 10253, 10269	15658, 16041,	10831, 11670,
\displaywidth . 6433,	16044, 16620,	11677, 11708,
7544, 7546,	16623, 17302,	11715, 11748,
7551, 10272, 12079	17305, 17571,	11779, 11810,
\divide	17606, 17618,	12202, 12206,
5480,	17732, 17734,	12697, 12700,
8320, 9717, 9829,	19315, 19324,	14052, 14165,
10147, 10148,	19325, 19717,	14184, 14187,
14313, 14314, 17604	19963, 19970, 20053	14213, 15548,
\do	\dquad	15591, 15933,
321, 322, 323,	6425, 6427	16512, 16812,
324, 325, 326,	\draw	17194, 17574,
2271, 3514, 3574,	19139,	17599, 17613,
3589, 3610, 3613,	19146, 19150,	17631, 17686,
4593, 4598, 4612,	19173, 19183,	17693, 17706,
4617, 4631, 4636,	19191, 19194,	18149, 18621,
4659, 4668, 6704,	19197, 19200,	18654, 18661,
10135, 12201, 18809	19212, 19217,	18666, 18727,
\do@@hvFloat	19224, 19230, 19231	18881, 18985,
\document	\dseries@display@setup	19098, 19335,
\documentclass 3497, 3500 6417	19340, 19349,
\doubleitemmaincolumnwidth		19364, 19368,
. 2460,	E	19378, 19383,
2473, 2474, 2475,	\edef	19392, 19398,
2476, 2500, 2502	119, 413, 415, 417, 579,	19411, 19415,
\doublerulesepcolor 1685	1600, 1654, 1662,	19605, 19617, 19720
\dp	1722, 1746, 1748,	\EdefEscapeName . . . 12001
39, 52, 67, 248,	1895, 1919, 2158,	\egroup . 188, 189, 192,
261, 275, 609,	2173, 2201, 2204,	602, 626, 860,
1678, 6535, 6536,	2207, 2577, 2580,	1417, 1583, 1584,
6976, 7347, 7368,	2593, 2597, 2604,	1701, 2106, 2197,
7395, 7414, 7416,	2617, 2621, 2628,	2322, 5569, 5780,
7452, 7468, 7470,	2815, 2818, 2921,	6436, 6517, 8290,
7547, 7552, 7565,	2922, 2925, 2926,	10258, 10259,
7571, 7685, 7690,	2943, 2944, 2947,	10273, 10726,
7694, 7697, 8266,	2948, 3037, 3042,	10871, 10875,
9667, 9899, 9907,	3052, 3067, 3070,	12723, 12726,
10146, 10159,	3083, 3087, 3092,	13753, 14256,
10604, 10620,	3099, 3102, 3109,	14266, 14281,
10635, 11050,	3112, 3118, 3121,	14412, 14418,
11051, 11054,	3174, 3180, 3183,	14422, 14428,
11096, 11097,	3335, 3343, 3353,	14432, 14436,
11100, 12196,	3485, 3528, 3572,	
12640, 12779,	3594, 3608, 3636,	
12782, 13842,		



14440,	14444,	1113,	1114,	1117,	4378,	4384,	4416,
14494,	14665,	1127,	1138,	1149,	4422,	4428,	4466,
15114,	17564,	1157,	1161,	1170,	4472,	4651,	5045,
17565,	17590,	1188,	1223,	1232,	5046,	5334,	5419,
17596,	18985,	1240,	1264,	1268,	5472,	5485,	5494,
19437,	19443,	1270,	1281,	1284,	5584,	5605,	5630,
19447,	19453,	1327,	1338,	1342,	5642,	5710,	5730,
19457,	19462,	1345,	1348,	1349,	5731,	5746,	5751,
19466,	19471,	1354,	1365,	1376,	5755,	5797,	5808,
19521,	19529,	1391,	1394,	1395,	5812,	5815,	5818,
19530,	19709,	1398,	1408,	1412,	5819,	5824,	5835,
\eightcolumnfootnotes		1413,	1417,	1437,	5844,	5858,	5861,
	1472,	1481,	1489,	5862,	5866,	5878,
\eightcolumnfootstyle		1513,	1517,	1519,	5933,	5942,	5950,
	1530,	1533,	1570,	5973,	5984,	5988,
\eject	1575,	1576,	1589,	5991,	5994,	5995,
	6986,	1594,	1595,	1596,	6000,	6011,	6020,
\else	10802,	10871,	10891	1598,	6034,	6037,	6038,
	4,	1603,	1604,	6042,	6065,	6109,
	12,	13,	25,	36,	6118,	6126,	6148,
	100,	112,	130,	132,	6159,	6161,	6182,
	147,	151,	155,	163,	6193,	6234,	6245,
	180,	205,	213,	214,	6248,	6297,	6312,
	230,	245,	293,	1637,	6315,	6316,	6343,
	307,	311,	358,	1638,	6357,	6366,	6373,
	363,	366,	369,	1639,	6395,	6425,	6451,
	389,	400,	426,	1640,	6476,	6483,	6532,
	434,	438,	453,	1641,	6537,	6575,	6576,
	458,	516,	524,	1642,	6582,	6600,	6623,
	528,	533,	548,	1644,	6646,	6669,	6694,
	573,	574,	575,	1647,	6695,	6697,	6709,
	577,	578,	581,	1758,	6714,	6716,	6718,
	582,	583,	585,	1764,	6738,	6743,	6757,
	586,	587,	588,	1795,	6773,	6797,	6802,
	589,	592,	593,	1806,	6812,	6828,	6846,
	594,	618,	624,	1930,	6854,	6877,	6895,
	670,	681,	684,	1941,	6922,	6926,	6941,
	733,	750,	753,	2142,	6948,	6967,	6977,
	754,	774,	777,	2148,	6989,	6998,	7012,
	792,	812,	823,	2154,	7024,	7059,	7087,
	828,	839,	843,	2169,	7091,	7106,	7115,
	851,	855,	856,	2252,	7207,	7289,	7303,
	860,	864,	867,	2260,	7348,	7352,	7354,
	868,	873,	884,	2265,	7369,	7373,	7375,
	895,	909,	912,	2275,	7384,	7389,	7398,
	913,	916,	926,	2514,	7409,	7413,	7421,
	972,	981,	989,	2515,	7441,	7446,	7455,
	1013,	1017,	1019,	2516,	7463,	7467,	7473,
	1030,	1033,	1076,	2518,	7493,	7502,	7509,
	1087,	1090,	1093,	2554,	7526,	7550,	7555,
	1094,	1100,	1110,	2579,			



7569, 7586, 7626,	11002, 11038,	11585, 11596,
7627, 7632, 7633,	11040, 11043,	11607, 11622,
7634, 7641, 7642,	11044, 11052,	11637, 11697,
7647, 7648, 7649,	11058, 11061,	11735, 11768,
7662, 7663, 7664,	11064, 11071,	11799, 11830,
7665, 7692, 7708,	11078, 11080,	11883, 11895,
7711, 7712, 7722,	11086, 11090,	11898, 11915,
7733, 7736, 7749,	11093, 11098,	11924, 11934,
7759, 7816, 7827,	11104, 11107,	11949, 11957,
7830, 7913, 7924,	11120, 11123,	11966, 11980,
7927, 7975, 7998,	11126, 11132,	11995, 12009,
8013, 8022, 8029,	11139, 11149,	12021, 12083,
8049, 8050, 8052,	11162, 11171, 11179,	12084, 12086,
8057, 8063, 8065,	11186, 11189,	12091, 12114,
8069, 8091, 8138,	11192, 11211,	12115, 12117,
8213, 8216, 8225,	11214, 11220,	12130, 12146,
8228, 8237, 8240,	11221, 11224,	12155, 12178,
8254, 8271, 8281,	11231, 11233,	12199, 12202,
8337, 8382, 8486,	11239, 11250,	12206, 12232,
8528, 8628, 8673,	11258, 11260,	12243, 12261,
8777, 8822, 8926,	11261, 11262,	12271, 12277,
8970, 9075, 9119,	11265, 11270,	12314, 12391,
9224, 9269, 9373,	11276, 11278,	12394, 12397,
9418, 9522, 9567,	11279, 11280,	12400, 12403,
9677, 9688, 9728,	11283, 11293,	12406, 12409,
9778, 9896, 9932,	11295, 11308,	12412, 12415,
9944, 9963, 9978,	11314, 11317,	12419, 12422,
9981, 9982, 9989,	11321, 11327,	12425, 12428,
10001, 10018,	11330, 11333,	12431, 12434,
10067, 10078,	11339, 11344,	12437, 12440,
10081, 10140,	11347, 11351,	12443, 12446,
10190, 10195,	11353, 11356,	12449, 12452,
10222, 10227,	11360, 11362,	12455, 12458,
10248, 10261,	11364, 11368,	12461, 12464,
10278, 10305,	11373, 11377,	12467, 12470,
10309, 10330,	11384, 11389,	12473, 12476,
10421, 10425,	11393, 11400,	12479, 12482,
10451, 10475,	11405, 11409,	12485, 12488,
10557, 10560,	11413, 11415,	12491, 12494,
10600, 10648,	11418, 11422,	12497, 12500,
10684, 10685,	11424, 11426,	12503, 12506,
10700, 10718,	11430, 11434,	12509, 12512,
10762, 10780,	11438, 11444,	12515, 12518,
10782, 10798,	11447, 11451,	12521, 12524,
10803, 10823,	11457, 11460,	12527, 12530,
10852, 10858,	11463, 11469,	12533, 12536,
10874, 10881,	11484, 11494,	12539, 12542,
10886, 10899,	11503, 11514,	12545, 12548,
10929, 10953,	11534, 11545,	12551, 12554,
10958, 10997,	11556, 11574,	12557, 12560,



12563,	12566,	14520,	14523,	15647,	15652,
12569,	12572,	14530,	14532,	15656,	15659,
12575,	12578,	14538,	14549,	15663,	15665,
12581,	12584,	14551,	14562,	15669,	15696,
12587,	12590,	14564,	14575,	15697,	15705,
12593,	12596,	14577,	14586,	15718,	15725,
12599,	12607,	14588,	14605,	15745,	15750,
12608,	12609,	14627,	14628,	15757,	15763,
12610,	12633,	14633,	14644,	15787,	15794,
12662,	12671,	14648,	14656,	15798,	15812,
12677,	12708,	14660,	14661,	15815,	15858,
12723,	12725,	14665,	14669,	15862,	15870,
12789,	13415,	14672,	14673,	15876,	15888,
13418,	13429,	14678,	14689,	15896,	15897,
13430,	13431,	14698,	14712,	15910,	15912,
13432,	13433,	14715,	14716,	15924,	15938,
13434,	13463,	14720,	14737,	15954,	15964,
13479,	13485,	14783,	14792,	15973,	15978,
13491,	13516,	14800,	14824,	15981,	15982,
13526,	13548,	14828,	14830,	15983,	15985,
13565,	13581,	14841,	14844,	16010,	16022,
13594,	13607,	14887,	14898,	16027,	16032,
13611,	13663,	14922,	14931,	16049,	16063,
13679,	13692,	14939,	14965,	16069,	16082,
13705,	13709,	14969,	14971,	16092,	16110,
13763,	13771,	14982,	14985,	16140,	16244,
13777,	13786,	15026,	15031,	16245,	16253,
13788,	13792,	15032,	15040,	16266,	16273,
13793,	13798,	15043,	15044,	16293,	16298,
13800,	13805,	15049,	15060,	16305,	16311,
13810,	13812,	15069,	15083,	16335,	16342,
13817,	13827,	15086,	15087,	16346,	16360,
13840,	13873,	15091,	15097,	16363,	16406,
13905,	13921,	15105,	15109,	16410,	16418,
13925,	13929,	15110,	15114,	16424,	16436,
14025,	14029,	15130,	15158,	16444,	16449,
14062,	14068,	15209,	15225,	16465,	16473,
14076,	14079,	15228,	15274,	16481,	16489,
14103,	14123,	15289,	15292,	16490,	16503,
14138,	14186,	15293,	15298,	16517,	16533,
14210,	14268,	15299,	15323,	16543,	16552,
14276,	14310,	15344,	15355,	16557,	16560,
14336,	14374,	15395,	15406,	16561,	16562,
14375,	14376,	15409,	15458,	16564,	16589,
14402,	14456,	15473,	15476,	16601,	16606,
14457,	14460,	15477,	15504,	16611,	16628,
14464,	14465,	15516,	15525,	16642,	16648,
14481,	14482,	15556,	15601,	16661,	16671,
14487,	14495,	15635,	15637,	16689,	16719,
14504,	14514,	15641,	15645,	16816,	16817,



16823,	16840,	17724,	17725,	18970,	18976,
16841,	16842,	17768,	17785,	18993,	19003,
16843,	16844,	17792,	17794,	19009,	19015,
16845,	16846,	17799,	17804,	19018,	19029,
16847,	16851,	17805,	17808,	19067,	19069,
16854,	16857,	17813,	17817,	19074,	19083,
16860,	16863,	17818,	17833,	19088,	19090,
16866,	16869,	17856,	17860,	19097,	19104,
16872,	16875,	17870,	17876,	19135,	19142,
16878,	16881,	17882,	17887,	19147,	19153,
16884,	16887,	17893,	17903,	19164,	19167,
16890,	16893,	17915,	17923,	19178,	19185,
16896,	16899,	17928,	17929,	19199,	19249,
16902,	16907,	17930,	17938,	19256,	19257,
16908,	16914,	17945,	17959,	19259,	19267,
16942,	16943,	17960,	17961,	19275,	19277,
16951,	16964,	17969,	17978,	19278,	19289,
16971,	16991,	17982,	17983,	19293,	19298,
16996,	17003,	17984,	17992,	19307,	19313,
17009,	17033,	17999,	18000,	19321,	19325,
17040,	17044,	18001,	18009,	19334,	19353,
17058,	17061,	18016,	18017,	19358,	19377,
17104,	17108,	18018,	18026,	19402,	19407,
17116,	17122,	18033,	18034,	19427,	19473,
17134,	17142,	18035,	18043,	19474,	19485,
17171,	17172,	18050,	18051,	19486,	19489,
17185,	17199,	18052,	18060,	19493,	19494,
17215,	17225,	18067,	18068,	19552,	19571,
17234,	17239,	18069,	18077,	19574,	19579,
17242,	17243,	18085,	18086,	19582,	19585,
17244,	17246,	18087,	18095,	19588,	19591,
17271,	17283,	18104,	18105,	19600,	19603,
17288,	17293,	18106,	18114,	19608,	19609,
17310,	17324,	18124,	18125,	19610,	19632,
17330,	17343,	18126,	18134,	19633,	19635,
17353,	17371,	18144,	18159,	19641,	19642,
17401,	17493,	18160,	18161,	19644,	19650,
17496,	17532,	18169,	18191,	19651,	19653,
17549,	17582,	18209,	18210,	19659,	19660,
17595,	17603,	18211,	18349,	19662,	19670,
17616,	17621,	18457,	18474,	19671,	19672,
17700,	17701,	18484,	18499,	19673,	19676,
17702,	17704,	18503,	18606,	19679,	19682,
17705,	17708,	18871,	18885,	19685,	19686,
17709,	17710,	18889,	18912,	19687,	19688,
17711,	17712,	18927,	18937,	19690,	19692,
17713,	17714,	18941,	18951,	19693,	19697,
17716,	17717,	18952,	18953,	19699,	19713,
17718,	17719,	18954,	18959,	19730,	19735,
17720,	17723,	18961,	18962,	19736,	19737,



19738,	19739,	4129, 4312, 4313,	17039, 17111,
19740,	19741,	4929, 4985, 4992,	17128, 17138,
19742,	19745,	4999, 5006, 5013,	17181, 17655,
19746,	19750,	5024, 5032, 5159,	17831, 19139,
19752,	19757,	5160, 5296, 5339,	19146, 19156,
19782,	19787,	5361, 5752, 5945,	19161, 19174,
19825,	19830,	5953, 5956, 6121,	19181, 19184,
19851,	19858,	6129, 6132, 6161,	19203, 19220,
19864,	19902,	6173, 6213, 6246,	19227, 19233, 19235
19908,	19946,	6219, 6284, 6287,	\end{dblfloat} 15631
19948,	19958,	6599, 6609, 6622,	\end{float}
19974,	19976,	6632, 6645, 6655,	. 3982, 4305, 15582
19979,	19983,	6668, 6678, 7201,	\end{rot dblfloat} 15586
19992,	20019,	7310, 7322, 7330,	\end{rot float}
20022,	20025,	7594, 7668, 7797,	15543, 15584, 15585
20031,	20050,	7800, 7803, 7862,	\end{array} 602,
20060,	20074,	7865, 7892, 7895,	626, 1583, 1584,
20081,	20082,	7898, 7963, 7966,	17590, 17594, 19521
20189,	20197, 20203	8054, 10048,	\end{BCmd} 2093
\em	5138	10051, 10054,	\end{bidi@lrbox} 19627
\email	324, 2450	10113, 10116,	\end{bidi@tabular@RTLcases}
\emaillink	2532, 7222, 7320	10260, 11268,	19521, 19529, 19536
\emailsymbol	2410, 7222, 7320	11286, 11388,	\end{csname} 8, 43, 56,
\empty	389,	11404, 11495,	71, 162, 164, 209,
	516, 11211, 17502	12088, 13549,	252, 265, 279,
\end	168, 170, 193,	14157, 14795,	335, 336, 378,
	649, 652, 655,	14803, 14806,	438, 506, 528,
	720, 723, 984,	14876, 14879,	603, 1585, 2159,
	992, 995, 1065,	14934, 14942,	2160, 2174, 2175,
	1068, 1235, 1243,	14945, 15022,	2201, 2204, 2207,
	1246, 1316, 1319,	15025, 15030,	2223, 2231, 2239,
	1484, 1492, 1495,	15031, 15032,	2294, 2596, 2597,
	1566, 1569, 1574,	15188, 15191,	2620, 2621, 2648,
	1575, 1576, 2091,	15194, 15266,	2676, 2680, 2690,
	2102, 2103, 2498,	15374, 15377,	2698, 2706, 2714,
	2500, 2502, 2504,	15380, 15445,	2716, 2718, 2722,
	2506, 2510, 2518,	15448, 15544,	2723, 2774, 2780,
	2521, 2570, 2593,	15587, 15753,	2781, 2823, 2833,
	2601, 2603, 2604,	15768, 15775,	2839, 2840, 2842,
	2610, 2617, 2625,	15781, 15785,	2843, 2845, 2846,
	2627, 2628, 2634,	15793, 15865,	2848, 2884, 2885,
	3251, 3257, 3277,	15882, 15892,	2907, 2908, 2963,
	3283, 3956, 3957,	15920, 16301,	2964, 2965, 2966,
	3962, 3965, 4036,	16316, 16323,	2972, 2973, 2974,
	4037, 4044, 4045,	16329, 16333,	2975, 3058, 3059,
	4052, 4053, 4073,	16341, 16413,	3062, 3063, 3238,
	4074, 4112, 4115,	16430, 16440,	3240, 3252, 3254,
	4118, 4121, 4128,	16499, 16999,	3292, 3295, 3300,
		17014, 17021,	3316, 3319, 3321,
		17027, 17031,	3331, 3334, 3336,



3343, 3347, 3348,	9823, 9824, 9838,	17886, 18149,
3353, 3362, 3363,	9852, 10135,	18150, 18166,
3379, 3382, 3396,	10280, 10282,	18167, 18168,
3408, 3440, 3451,	10286, 10288,	18175, 18177,
3536, 3538, 3576,	10377, 10378,	18178, 18231,
3578, 3584, 3627,	10379, 10380,	18232, 18386,
3767, 3788, 4133,	10382, 10384,	18387, 18497,
4134, 4141, 4142,	10385, 10386,	18501, 18505,
4733, 4750, 4767,	10387, 10389,	18604, 18607,
4798, 4827, 4856,	10390, 10391,	18621, 18637,
5098, 5624, 5659,	10448, 10472,	18638, 18654,
5662, 5665, 5679,	10490, 10576,	18661, 18666,
5686, 5693, 5701,	10585, 10607,	18727, 18782,
5702, 5740, 5765,	10623, 10638,	18784, 18786,
5766, 6545, 6551,	10665, 10678,	18802, 18805,
6559, 6566, 7120,	10691, 10738,	18811, 18813,
8008, 8114, 8130,	10753, 11502,	18816, 18820,
8143, 8156, 8169,	11505, 11507,	18825, 18829,
8342, 8352, 8362,	11511, 11515,	18833, 18847,
8388, 8401, 8413,	11529, 11540,	18851, 18854,
8431, 8432, 8440,	11551, 11751,	18857, 18861,
8453, 8491, 8500,	11782, 11813,	18863, 18896,
8509, 8534, 8546,	12128, 12131,	18897, 18899,
8557, 8574, 8575,	12503, 12569,	18901, 18906,
8583, 8595, 8633,	13535, 13536,	18908, 18910,
8643, 8653, 8679,	13543, 14048,	18914, 18917,
8692, 8704, 8722,	14058, 14072,	18918, 18921,
8723, 8731, 8744,	15679, 15683,	18922, 18931,
8782, 8792, 8802,	15687, 16124,	18933, 18935,
8828, 8841, 8853,	16126, 16128,	18939, 18943,
8871, 8872, 8880,	16131, 16137,	18944, 18997,
8893, 8931, 8941,	16146, 16148,	18999, 19001,
8951, 8977, 8990,	16150, 16156,	19005, 19025,
9002, 9020, 9021,	16227, 16231,	19026, 19034,
9029, 9042, 9080,	16235, 16703,	19038, 19042,
9090, 9100, 9126,	16705, 16707,	19046, 19050,
9139, 9151, 9169,	16710, 16716,	19054, 19058,
9170, 9178, 9191,	16724, 16726,	19062, 19100,
9229, 9239, 9249,	16729, 16735,	19101, 19103,
9275, 9288, 9300,	16925, 16929,	19106, 19107,
9318, 9319, 9327,	16933, 17385,	19111, 19558,
9340, 9378, 9388,	17387, 17389,	19613, 19711, 20132
9398, 9424, 9437,	17392, 17398,	\enddocument 3222
9449, 9467, 9468,	17406, 17408,	\endflushleft . 2113, 2121
9476, 9489, 9527,	17411, 17417,	\endgraf 12665, 12684,
9537, 9547, 9573,	17566, 17592,	16089, 16668, 17350
9586, 9598, 9616,	17594, 17626,	\endgroup . . . 17, 123,
9617, 9625, 9638,	17648, 17650,	218, 312, 319, 487,
9725, 9737, 9749,	17666, 17667,	566, 600, 616,
9775, 9789, 9803,	17687, 17694,	690, 742, 756,



893, 915, 1039, 1116, 1136, 1290, 1374, 1397, 1539, 1708, 1987, 2225, 2233, 2241, 2587, 2606, 2630, 2832, 2851, 2988, 3007, 3052, 3074, 3084, 3101, 3151, 3197, 3291, 3315, 3330, 3401, 3413, 3425, 3445, 3456, 3467, 3631, 3730, 3740, 3780, 4143, 4570, 4572, 4800, 4829, 4858, 5235, 5252, 5268, 5279, 5319, 5638, 5681, 5688, 5695, 5753, 5842, 5865, 6018, 6041, 6254, 6304, 6319, 6524, 6780, 6835, 7518, 7536, 7714, 7727, 7836, 7933, 7982, 9970, 9985, 10087, 10207, 10243, 10327, 10346, 10578, 10587, 10740, 10755, 10774, 10815, 10846, 10976, 11024, 11072, 11087, 11493, 11531, 11542, 11553, 11564, 11605, 11690, 11728, 11761, 11792, 11823, 12052, 12063, 12133, 12290, 12651, 13426, 13544, 13641, 13736, 13937, 13941, 13945, 14204, 14254, 14259, 14261, 14264, 14269, 14493, 14524, 14696, 14719, 14850,	14991, 15067, 15090, 15234, 15281, 15296, 15415, 15465, 15480, 15821, 15921, 16058, 16369, 16500, 16637, 17067, 17182, 17319, 17669, 17773, 17951, 18367, 18478, 18879, 19007, 19317, 19350, 19393, 19412, 19519, 19618, 19808, 19847, 20000, 20008 \endL 486, 565, 1712, 2543, 6528, 6537, 6538, 6547, 6553, 6572, 9728, 9740, 9778, 9792, 10154, 10259, 10273, 10420, 11043, 11061, 11071, 11086, 11107, 11895, 12257, 13315, 13386, 14268, 14408, 14427, 14523, 15641, 15652, 15659, 15669, 17744, 19325, 19326, 19365, 19369, 19422, 19433, 19452, 19979, 20050, 20060 \endlist . . . 92, 301, 808, 939, 1170, 1201, 1450, 5123, 5131, 5136, 5891, 6078, 6389, 7772, 8045, 10031, 14043, 14750, 15143, 15339, 15541, 15962, 16541, 17223, 17849 \endLTR 14447, 19476 \endMakeFramed 10788	\endmath 6422 \endmdf@lrbox 12774 \endminipage 8278, 10715 \endmodernpoem 5766 \endNoHyper 546 \endpgfpicture 14222 \endpspicture 14488 \endR . . . 338, 343, 602, 626, 1583, 1584, 1701, 2196, 2197, 6430, 6517, 6533, 6538, 6540, 6572, 7499, 8312, 8316, 9728, 9752, 9778, 9806, 10278, 11040, 11093, 11132, 11139, 11508, 11516, 11898, 11934, 11966, 11995, 12021, 12031, 12034, 12079, 12257, 12659, 12723, 12726, 12819, 12827, 13015, 13341, 13513, 13515, 14277, 14409, 14417, 14483, 14484, 14485, 15637, 15647, 15656, 15665, 16056, 16635, 17317, 17564, 17565, 17590, 17596, 17743, 19322, 19326, 19328, 19422, 19434, 19442, 19529, 19675, 19678, 19681, 19698, 19709, 19710, 19979, 19992, 19994, 20050, 20060, 20073, 20076, 20084 \endrotate 15646 \endRTL 14449, 19478 \ends@math 6422 \endsideways 15664
--	--	--



\endsidewaysfigure	15584	\eqnewif .	1774, 1775, 1779, 1790, 2667	14433, 14439, 14441, 19456, 19458, 19465, 19467
\endsidewaystable	15585	\eqno	329, 14479, 14481, 20079, 20081	\ExecuteOptions 2359, 3834, 5206, 5208, 7142, 7240
\endstabular	17564, 17566	\eqnumform	6430	\exhyphenpenalty . .
\endstrip	13752	\eqstyle	6397 842, 1148, 1341, 5811, 5987, 14647, 15096, 15157
\endtabular	602, 603, 1584, 1585, 2196, 17590, 17592, 17676, 19709, 19711	\equal	401, 2508, 2525, 2529, 2533, 3970, 4004, 4015, 4041, 4042, 4058,	\exp 12895, 12898, 12952, 13124, 13178
\endtabularx	17627, 17656, 17667	4099, 4357, 4599, 4600, 4618, 4619, 4637, 4638, 4669, 4670, 7309, 10368	\expandafter 162, 444, 579, 603, 971, 980, 988, 1014, 1017, 1222, 1231, 1239, 1265, 1268, 1471, 1480, 1488, 1514, 1517, 1585, 1600, 1682, 1683, 1684, 1686, 1748, 1751, 1753, 1757, 1759, 1763, 1765, 2141, 2143, 2147, 2149, 2153, 2155, 2159, 2160, 2168, 2170, 2174, 2175, 2199, 2202, 2205, 2208, 2212, 2215, 2218, 2269, 2270, 2323, 2590, 2592, 2596, 2597, 2601, 2604, 2614, 2616, 2620, 2621, 2625, 2628, 2648, 2650, 2655, 2675, 2676, 2679, 2680, 2716, 2718, 2722, 2726, 2728, 2732, 2734, 2738, 2740, 2744, 2746, 2750, 2752, 2756, 2758, 2762, 2764, 2768, 2770, 2775, 2777, 2781, 2782, 2783, 2785, 2786, 2789, 2793, 2795, 2800, 2801, 2803, 2804, 2807, 2816, 2823, 2827, 2829, 2832, 2833,	
\endtitlepage	850, 1156, 1407, 5874, 6061, 14655, 15104	\errmessage	1807, 1942, 13840	\everycr 12655
\endtraditionalpoem	5702	\escapechar	2576, 2668, 2673, 2851	\everydisplay 6392
\endtrivlist	10274	\evenpage	1948, 1951, 1952, 1953, 1955, 1956, 1957, 1958, 1960	\everyhbox 14411, 14413, 14421, 14423, 19436, 19438, 19446, 19448
\endturn	15636	\evensidemargin	1972, 7527, 11180, 11185, 11193, 20018, 20026	\everyjob 1746, 1747, 1919, 1920
\endwindow	14279	\everymath	341	\everypar 740, 891, 1134, 1372, 4416, 4460, 4504, 5841, 6017, 6303, 7981, 9969, 10162, 14403, 14407, 14602, 14616, 14695, 15066, 15280, 15464, 17944, 17948, 18476, 19428, 19432, 19896, 19940
\enskip	18992, 19017	\everyvbox	1587, 1588, 14431	\everybox 14433, 14441, 19456, 19458, 19465, 19467
\enspace 310, 14273, 14275				
\env@RTLcases	19534, 19538			
\EQ	7541, 7547, 7548, 7552, 7553, 7562, 7563, 7565, 7567, 7568, 7570, 7571, 7572, 7573, 7575, 7576, 7577, 7589, 7592, 7594, 7596, 7597, 7599, 7602, 7604, 7606, 7607, 7609, 7610, 7612, 7615, 7616, 7617, 7620, 7623, 7631, 7638, 7646, 7653, 7655, 7658, 7662, 7663, 7664, 7665, 7677, 7679, 7680			
\eq@addpunct	6427			
\EQ@box	6432, 6438			
\eq@group	6395, 6404			
\eq@GRP@first@dmath	6404			
\eq@if	2671, 2672, 2674			
\eq@isIntertext	6442			
\eq@prelim	6395, 6412			
\eq@setnumber	6398			
\eq@setup@a	6400			
\eq@startup	6401			
\eq@wdCond	6419			



2834,	2836,	2839,	10509,	10727,	17653,	17655,
2840,	2842,	2843,	10815,	10837,	17666,	17667,
2845,	2846,	2848,	10838,	10846,	17675,	17679,
2852,	2879,	2880,	10947,	10949,	17681,	17688,
2881,	2882,	2883,	10991,	10993,	17690,	17695,
2885,	2908,	2912,	11077,	11115,	17697,	17706,
2963,	2964,	2965,	11533,	11535,	18149,	18150,
2966,	2972,	2973,	11544,	11546,	18166,	18167,
2974,	2975,	3058,	11555,	11557,	18168,	18175,
3059,	3073,	3074,	11660,	11674,	18177,	18178,
3075,	3077,	3084,	11688,	11712,	18231,	18386,
3085,	3088,	3103,	11726,	11759,	18497,	18501,
3110,	3119,	3291,	11790,	11821,	18505,	18604,
3292,	3293,	3296,	12052,	12053,	18607,	18621,
3299,	3315,	3316,	12060,	12074,	18637,	18654,
3330,	3331,	3343,	12128,	12136,	18661,	18666,
3348,	3353,	3363,	12141,	12271,	18727,	18781,
3379,	3382,	3408,	12272,	12277,	18783,	18785,
3451,	3513,	3522,	12278,	12652,	18801,	18805,
3534,	3536,	3537,	12698,	12701,	18810,	18812,
3577,	3587,	3588,	13525,	13528,	18815,	18819,
3609,	3626,	3637,	13559,	13561,	18824,	18828,
3639,	3766,	3767,	13657,	13659,	18832,	18846,
4560,	5098,	5528,	14166,	14183,	18851,	18853,
5660,	5663,	5666,	14195,	14200,	18856,	18860,
5669,	5672,	5675,	14405,	14782,	18863,	18909,
5701,	5702,	5765,	14791,	14799,	18913,	18934,
5766,	5780,	5932,	14825,	14828,	18938,	19000,
5941,	5949,	6108,	14921,	14930,	19004,	19100,
6117,	6125,	6392,	14938,	14966,	19101,	19103,
6502,	6544,	6565,	14969,	15549,	19106,	19107,
6732,	6734,	6791,	15561,	15571,	19110,	19335,
6793,	8291,	8431,	15592,	15607,	19347,	19350,
8432,	8574,	8575,	15619,	16123,	19358,	19359,
8722,	8723,	8871,	16125,	16127,	19378,	19390,
8872,	9020,	9021,	16130,	16136,	19393,	19407,
9169,	9170,	9318,	16145,	16147,	19408,	19412,
9319,	9467,	9468,	16149,	16155,	19430,	19711,
9616,	9617,	9748,	16702,	16704,	19776,	19778,
9823,	9824,	9830,	16706,	16709,	19819,	19821,
10184,	10186,		16715,	16723,	20132	
10216,	10218,		16725,	16728,	\extrafeetendmini .	
10280,	10281,		16734,	17384, 8270, 8277	
10286,	10287,		17386,	17388,	\extrafeetendminihook	
10369,	10386,		17391,	17397, 8275, 8276	
10391,	10450,		17405,	17407,	\extrafeetins 8249, 8250	
10453,	10474,		17410,	17416,	\extrafeetinshook .	
10477,	10490,		17566,	17592, 8255, 8256	
10504,	10505,		17625,	17628,	\extrafeetminihook 8269	
10506,	10507,		17648,	17651,	\extrainfo 2451	
					\extrarowheight ...	



. 606, 12626, 12634	\fb@resto@set 219, 224, 230,
\extrarulesep 17619	233, 234, 235,
\extratitle 15843, 16391, 17089	245, 293, 307,
F	311, 330, 338,
\f@size 342	343, 362, 371,
\FamilyKeyState 18602	372, 373, 374,
\FamilyKeyStateProcessed	380, 391, 411, 418,
. 18602	430, 441, 442,
\familyname 2444	449, 466, 476,
\familynamecolour	480, 485, 508,
. 2413, 7146, 7244	518, 531, 532,
\familynamefont	536, 537, 538,
2422, 2430, 7186, 7280	546, 555, 563,
\familynamestyle	564, 582, 583,
. 2430,	595, 596, 599,
7197, 7287, 7308	602, 618, 624,
\FamilySetBool	626, 683, 688,
. 18601	726, 733, 741,
\fancy@oval	743, 750, 753,
. 10132	754, 757, 776,
\fancy@reset	777, 783, 792,
10164, 10170	814, 823, 830,
\fancyfoot	839, 843, 856,
. 2543,	859, 860, 861,
4184, 4185, 7212	867, 868, 873,
\fancyhead	876, 884, 892,
4173, 4174,	894, 901, 902,
4175, 5397, 5398,	909, 912, 913,
5409, 5410, 5411	918, 926, 964,
\fancyhf	974, 983, 991,
. 2392, 4171, 4180,	1015, 1017, 1032,
4190, 5395, 5406	1037, 1071, 1078,
\fancyhoffset	1087, 1093, 1094,
4164, 4165	1100, 1103, 1110,
\fancypagestyle	1113, 1114, 1119,
. 2389, 2542,	1127, 1135, 1137,
4179, 4189, 7211	1144, 1145, 1149,
\fAX	1169, 1170, 1171,
. 2409	1188, 1215, 1225,
\fax	1234, 1242, 1266,
. 2449	1268, 1283, 1288,
\faxsymbol	1322, 1329, 1338,
. 2409, 7221, 7319	1342, 1348, 1349,
\fb@adjheight	1354, 1357, 1365,
. 10802, 10872, 10892	1373, 1375, 1382,
\fb@afterframe	1383, 1391, 1394,
. 10797, 10822, 10880	1395, 1400, 1413,
\FB@captype	1416, 1417, 1418,
. 10285, 10286, 10288	1437, 1464, 1474,
\fb@frh	1483, 1491, 1515,
. 10809, 10813,	
10828, 10863, 10866	
\fb@put@frame	
. 10791,	
10802, 10873, 10893	
\fb@putboxa	
. 10796,	
10821, 10879, 10896	
\fb@resto	
. 10831, 10871, 10875	
\fb@sizeofframe	
. 10804, 10826	
\fbox	
. 2093,	
2103, 6571, 7681,	
11307, 11313,	
11320, 11326,	
11332, 11338,	
11346, 11350,	
11355, 11359,	
11363, 11367,	
11382, 11383,	
11398, 11399,	
11408, 11412,	
11417, 11421,	
11425, 11429,	
11437, 11443,	
11450, 11456,	
11462, 11468, 14522	
\fboxrule	
2041, 10765,	
10771, 10777,	
10779, 10781, 10783	
\fboxsep	
. 2042,	
2109, 2118, 6533,	
6534, 6535,	
6571, 10765,	
10777, 10779,	
10781, 10783,	
14521, 19322,	
19323, 19324, 19420	
\fcolorbox	
. 2043	
\FeetAboveFloat	
. 9950, 9954	
\FeetAtBottom	
. 9952	
\FeetBelowFloat	
. 9951	
\FeetBelowRagged	
. 9953, 9955	
\ff@backcol	
. 10380	
\ff@col	
. 10378	
\ff@frametype	
. 10376, 10387	
\ff@txtcol	
. 10368, 10369, 10379	
\fi	
. 12, 13,	
18, 25, 36, 84, 94,	
100, 103, 104, 105,	
113, 130, 132, 138,	
146, 150, 154, 158,	
165, 180, 213, 214,	



1517, 1532, 1537,	4416, 4424, 4433,	6587, 6610, 6633,
1575, 1576, 1578,	4468, 4477, 4653,	6656, 6679, 6694,
1581, 1583, 1584,	4710, 4712, 4722,	6697, 6698, 6714,
1589, 1603, 1604,	5045, 5046, 5163,	6718, 6719, 6721,
1618, 1619, 1633,	5164, 5165, 5343,	6742, 6763, 6770,
1641, 1642, 1648,	5421, 5473, 5486,	6779, 6781, 6801,
1649, 1653, 1658,	5494, 5525, 5526,	6818, 6825, 6834,
1661, 1666, 1669,	5581, 5582, 5586,	6836, 6846, 6885,
1677, 1678, 1687,	5593, 5598, 5607,	6892, 6901, 6904,
1688, 1700, 1701,	5636, 5647, 5649,	6911, 6924, 6932,
1712, 1754, 1760,	5652, 5654, 5708,	6938, 6943, 6945,
1766, 1798, 1799,	5710, 5714, 5733,	6946, 6947, 6980,
1806, 1807, 1815,	5735, 5736, 5737,	6981, 6997, 7006,
1821, 1827, 1833,	5748, 5750, 5751,	7011, 7012, 7056,
1839, 1851, 1857,	5760, 5762, 5799,	7065, 7068, 7075,
1863, 1869, 1875,	5808, 5812, 5818,	7089, 7097, 7103,
1889, 1933, 1934,	5819, 5824, 5827,	7108, 7110, 7111,
1941, 1942, 2144,	5835, 5843, 5850,	7112, 7113, 7127,
2150, 2156, 2171,	5851, 5858, 5861,	7162, 7169, 7176,
2192, 2196, 2197,	5862, 5868, 5878,	7183, 7208, 7257,
2199, 2255, 2256,	5909, 5911, 5913,	7263, 7269, 7275,
2262, 2277, 2278,	5925, 5935, 5944,	7289, 7304, 7350,
2281, 2284, 2287,	5952, 5975, 5984,	7353, 7354, 7371,
2291, 2292, 2300,	5988, 5994, 5995,	7374, 7375, 7400,
2514, 2515, 2516,	6000, 6003,	7416, 7417, 7419,
2518, 2546, 2554,	6011, 6019, 6026,	7428, 7437, 7438,
2585, 2586, 2601,	6027, 6034, 6037,	7457, 7470, 7471,
2611, 2625, 2635,	6038, 6044, 6065,	7480, 7489, 7490,
2644, 2651, 2721,	6085, 6087, 6089,	7493, 7499, 7502,
2729, 2735, 2741,	6101, 6111, 6120,	7513, 7516, 7528,
2747, 2753, 2759,	6128, 6148, 6154,	7534, 7554, 7573,
2765, 2771, 2778,	6155, 6159, 6161,	7574, 7588, 7629,
2787, 2790, 2796,	6184, 6193, 6247,	7630, 7636, 7637,
2805, 2808, 2830,	6252, 6290, 6297,	7638, 7644, 7645,
2837, 2874, 2909,	6305, 6312, 6315,	7651, 7652, 7653,
3060, 3078, 3297,	6316, 6320, 6330,	7654, 7662, 7663,
3323, 3337, 3349,	6332, 6334, 6343,	7664, 7665, 7666,
3364, 3400, 3412,	6349, 6350, 6357,	7667, 7695, 7708,
3444, 3455, 3509,	6368, 6373, 6391,	7711, 7712, 7715,
3511, 3512, 3541,	6393, 6394, 6395,	7722, 7728, 7735,
3543, 3547, 3548,	6403, 6414, 6416,	7736, 7742, 7749,
3557, 3559, 3580,	6425, 6430, 6432,	7759, 7829, 7834,
3581, 3583, 3597,	6447, 6448, 6449,	7868, 7926, 7931,
3598, 3600, 3601,	6451, 6453, 6478,	7969, 7975, 7983,
3616, 3629, 3630,	6485, 6491, 6503,	7985, 7987, 7989,
3638, 3655, 3710,	6504, 6516, 6517,	7998, 8004, 8005,
3720, 3731, 3918,	6528, 6532, 6533,	8013, 8024, 8029,
3924, 4111, 4114,	6537, 6538, 6540,	8049, 8052, 8055,
4117, 4120, 4139,	6547, 6553, 6572,	8057, 8064, 8065,
4150, 4380, 4389,	6575, 6576, 6582,	8069, 8091, 8138,



8218, 8219, 8230,	10861, 10889,	11453, 11459,
8231, 8242, 8243,	10894, 10903,	11465, 11471,
8254, 8274, 8286,	10916, 10917,	11472, 11473,
8311, 8312, 8315,	10918, 10932,	11474, 11475,
8316, 8318, 8337,	10957, 10974,	11476, 11477,
8347, 8382, 8399,	10977, 11001,	11486, 11491,
8486, 8495, 8528,	11022, 11025,	11492, 11496,
8544, 8628, 8638,	11038, 11040,	11508, 11516,
8673, 8690, 8777,	11043, 11044,	11520, 11521,
8787, 8822, 8839,	11055, 11061,	11536, 11547,
8926, 8936, 8970,	11064, 11071,	11558, 11578,
8988, 9075, 9085,	11080, 11086,	11589, 11600,
9119, 9137, 9224,	11088, 11090,	11615, 11630,
9234, 9269, 9286,	11093, 11101,	11645, 11704,
9373, 9383, 9418,	11107, 11122,	11742, 11775,
9435, 9522, 9532,	11128, 11129,	11806, 11837,
9567, 9584, 9677,	11132, 11139,	11863, 11866,
9688, 9697, 9728,	11151, 11152,	11869, 11872,
9778, 9903, 9934,	11165, 11175,	11881, 11883,
9946, 9963, 9971,	11181, 11188,	11887, 11893,
9978, 9981, 9982,	11194, 11195,	11895, 11898,
9986, 9989, 9994,	11211, 11215,	11912, 11917,
10001, 10018,	11220, 11224,	11926, 11934,
10080, 10085,	11225, 11235,	11946, 11951,
10119, 10126,	11236, 11241,	11959, 11966,
10128, 10130,	11242, 11243,	11977, 11982,
10140, 10144,	11251, 11260,	11988, 11995,
10151, 10152,	11262, 11263,	12006, 12011,
10153, 10154,	11264, 11265,	12021, 12027,
10194, 10206,	11266, 11278,	12031, 12034,
10208, 10226,	11280, 11281,	12062, 12066,
10242, 10244,	11282, 11283,	12079, 12083,
10255, 10262,	11284, 11289,	12086, 12089,
10278, 10300,	11295, 11296,	12091, 12114,
10308, 10312,	11297, 11310,	12115, 12132,
10326, 10333,	11316, 11323,	12142, 12148,
10395, 10397,	11329, 11335,	12165, 12180,
10399, 10408,	11341, 11342,	12181, 12199,
10410, 10412,	11343, 11348,	12202, 12206,
10420, 10423,	11352, 11357,	12235, 12236,
10425, 10440,	11361, 11365,	12246, 12247,
10454, 10478,	11369, 11370,	12264, 12273,
10562, 10564,	11371, 11372,	12279, 12313,
10600, 10650,	11379, 11387,	12316, 12393,
10658, 10671,	11395, 11403,	12396, 12399,
10684, 10685,	11410, 11414,	12402, 12405,
10699, 10700,	11419, 11423,	12408, 12411,
10723, 10766,	11427, 11431,	12414, 12418,
10780, 10782,	11432, 11433,	12421, 12424,
10792, 10860,	11440, 11446,	12427, 12430,



12433,	12436,	13513,	13515,	14384,	14387,
12439,	12442,	13519,	13529,	14388,	14402,
12445,	12448,	13541,	13548,	14456,	14457,
12451,	12454,	13569,	13576,	14460,	14464,
12457,	12460,	13579,	13600,	14465,	14481,
12463,	12466,	13610,	13638,	14482,	14483,
12469,	12472,	13644,	13645,	14484,	14485,
12475,	12478,	13667,	13674,	14487,	14490,
12481,	12484,	13677,	13698,	14498,	14509,
12487,	12490,	13708,	13733,	14514,	14519,
12493,	12496,	13739,	13740,	14522,	14523,
12499,	12502,	13745,	13765,	14530,	14532,
12505,	12508,	13775,	13776,	14536,	14538,
12511,	12514,	13781,	13782,	14547,	14549,
12517,	12520,	13788,	13792,	14551,	14560,
12523,	12526,	13793,	13796,	14562,	14564,
12529,	12532,	13800,	13805,	14573,	14575,
12535,	12538,	13808,	13812,	14577,	14586,
12541,	12544,	13817,	13821,	14588,	14605,
12547,	12550,	13829,	13840,	14627,	14628,
12553,	12556,	13854,	13859,	14635,	14644,
12559,	12562,	13865,	13882,	14648,	14661,
12565,	12568,	13890,	13896,	14664,	14665,
12571,	12574,	13905,	13912,	14666,	14672,
12577,	12580,	13920,	13924,	14673,	14678,
12583,	12586,	13928,	13932,	14681,	14689,
12589,	12592,	14025,	14031,	14697,	14704,
12595,	12598,	14050,	14055,	14705,	14712,
12601,	12607,	14060,	14067,	14715,	14716,
12609,	12612,	14077,	14078,	14722,	14737,
12621,	12622,	14081,	14082,	14757,	14759,
12637,	12659,	14083,	14088,	14761,	14775,
12664,	12673,	14093,	14097,	14785,	14794,
12677,	12718,	14103,	14109,	14802,	14826,
12719,	12723,	14114,	14117,	14828,	14843,
12724,	12726,	14123,	14142,	14848,	14882,
12731,	12736,	14155,	14156,	14889,	14898,
12740,	12773,	14175,	14189,	14914,	14924,
12795,	12819,	14197,	14198,	14933,	14941,
12827,	13015,	14202,	14210,	14967,	14969,
13341,	13417,	14225,	14233,	14984,	14989,
13421,	13424,	14268,	14277,	15031,	15032,
13429,	13430,	14278,	14296,	15034,	15037,
13431,	13432,	14300,	14307,	15043,	15044,
13433,	13434,	14308,	14310,	15049,	15052,
13446,	13460,	14312,	14313,	15060,	15068,
13463,	13469,	14314,	14320,	15075,	15076,
13473,	13474,	14345,	14347,	15083,	15086,
13495,	13496,	14358,	14369,	15087,	15093,
13497,	13502,	14376,	14382,	15097,	15110,



15113,	15114,	16038,	16056,	16951,	16953,
15115,	15122,	16057,	16065,	16964,	16971,
15124,	15126,	16071,	16084,	16994,	17000,
15130,	15158,	16094,	16112,	17006,	17009,
15227,	15232,	16118,	16142,	17032,	17037,
15268,	15274,	16244,	16253,	17038,	17050,
15282,	15289,	16255,	16266,	17060,	17065,
15292,	15293,	16273,	16296,	17068,	17105,
15297,	15298,	16302,	16308,	17106,	17112,
15299,	15310,	16311,	16334,	17119,	17122,
15312,	15314,	16339,	16340,	17137,	17142,
15323,	15346,	16352,	16362,	17143,	17174,
15355,	15408,	16367,	16370,	17178,	17185,
15413,	15451,	16407,	16408,	17201,	17222,
15458,	15466,	16414,	16421,	17229,	17234,
15473,	15476,	16424,	16439,	17239,	17242,
15477,	15481,	16444,	16445,	17243,	17244,
15491,	15493,	16448,	16451,	17246,	17273,
15495,	15504,	16464,	16467,	17297,	17298,
15509,	15516,	16472,	16475,	17299,	17317,
15525,	15558,	16480,	16483,	17318,	17326,
15562,	15572,	16492,	16496,	17332,	17345,
15603,	15608,	16503,	16519,	17355,	17373,
15609,	15620,	16540,	16547,	17379,	17403,
15621,	15635,	16552,	16557,	17494,	17497,
15637,	15641,	16560,	16561,	17539,	17555,
15645,	15647,	16562,	16564,	17560,	17564,
15652,	15656,	16591,	16615,	17565,	17582,
15659,	15663,	16616,	16617,	17590,	17596,
15665,	15669,	16635,	16636,	17603,	17610,
15696,	15705,	16644,	16650,	17616,	17621,
15707,	15718,	16663,	16673,	17652,	17709,
15725,	15748,	16691,	16697,	17710,	17726,
15754,	15760,	16721,	16816,	17727,	17743,
15763,	15786,	16823,	16824,	17761,	17768,
15791,	15792,	16840,	16841,	17770,	17785,
15804,	15814,	16842,	16843,	17796,	17799,
15819,	15822,	16844,	16845,	17806,	17807,
15859,	15860,	16846,	16847,	17808,	17813,
15866,	15873,	16854,	16856,	17817,	17818,
15876,	15891,	16860,	16862,	17833,	17855,
15896,	15897,	16866,	16868,	17862,	17880,
15898,	15914,	16872,	16874,	17881,	17897,
15917,	15924,	16878,	16880,	17898,	17899,
15940,	15961,	16884,	16886,	17903,	17904,
15968,	15973,	16890,	16892,	17913,	17917,
15978,	15981,	16896,	16898,	17918,	17919,
15982,	15983,	16902,	16904,	17925,	17928,
15985,	16012,	16908,	16910,	17929,	17930,
16036,	16037,	16914,	16942,	17938,	17949,



17950,	17952,	18959,	18962,	19554,	19573,
17953,	17959,	18963,	18972,	19581,	19587,
17960,	17961,	18978,	18987,	19593,	19599,
17969,	17972,	18988,	18996,	19600,	19606,
17973,	17981,	19002,	19006,	19611,	19614,
17982,	17983,	19009,	19010,	19634,	19635,
17984,	17992,	19021,	19022,	19643,	19644,
17995,	17999,	19032,	19033,	19652,	19653,
18000,	18001,	19037,	19041,	19661,	19662,
18009,	18012,	19045,	19049,	19670,	19671,
18016,	18017,	19053,	19057,	19672,	19673,
18018,	18026,	19061,	19065,	19676,	19679,
18029,	18033,	19069,	19074,	19682,	19685,
18034,	18035,	19082,	19085,	19686,	19687,
18043,	18046,	19092,	19093,	19688,	19690,
18050,	18051,	19097,	19104,	19692,	19693,
18052,	18060,	19127,	19133,	19700,	19703,
18063,	18067,	19144,	19149,	19705,	19709,
18068,	18069,	19155,	19157,	19710,	19713,
18077,	18080,	19164,	19167,	19729,	19730,
18085,	18086,	19180,	19189,	19738,	19739,
18087,	18095,	19202,	19205,	19742,	19743,
18098,	18104,	19216,	19222,	19744,	19745,
18105,	18106,	19223,	19229,	19746,	19752,
18114,	18117,	19234,	19237,	19757,	19765,
18124,	18125,	19251,	19256,	19786,	19806,
18126,	18134,	19259,	19260,	19809,	19829,
18137,	18151,	19261,	19262,	19845,	19848,
18159,	18160,	19266,	19269,	19851,	19860,
18161,	18169,	19271,	19277,	19869,	19904,
18172,	18194,	19278,	19292,	19913,	19945,
18209,	18210,	19302,	19303,	19948,	19949,
18211,	18352,	19310,	19315,	19950,	19951,
18368,	18460,	19318,	19321,	19952,	19960,
18474,	18477,	19322,	19325,	19974,	19978,
18479,	18507,	19326,	19328,	19979,	19983,
18508,	18509,	19337,	19338,	19991,	19992,
18516,	18531,	19342,	19348,	19993,	19994,
18548,	18570,	19354,	19355,	19995,	20014,
18609,	18610,	19356,	19359,	20021,	20027,
18878,	18880,	19365,	19369,	20028,	20029,
18887,	18889,	19380,	19381,	20030,	20032,
18902,	18903,	19385,	19391,	20033,	20034,
18904,	18911,	19403,	19404,	20050,	20060,
18915,	18920,	19405,	19408,	20073,	20076,
18924,	18930,	19422,	19427,	20077,	20081,
18936,	18940,	19473,	19474,	20082,	20084,
18946,	18949,	19485,	19486,	20092,	20094,
18951,	18952,	19489,	19493,	20193,	20199,
18953,	18956,	19494,	19529,	20205,	

\figcaption{11260, 11278}



\fill	5336, 5340, 11295, 11490, 12607, 12609, 12611	\FN@sf@@footnotemark 2166, 2168	\footdir@ORG@bidi@amsbook@RTLfootnotetext 286
\filright . .	17748, 17777	\FN@sf@@LTRfootnote 2138, 2147	\footdir@ORG@bidi@footnotetext 10653
\FirstFrameCommand	10779, 10825	\FN@sf@@RTLfootnote 2139, 2153	\footdir@ORG@bidi@LTRfootnotetext 10655
\firstmark	6740, 6799, 10192, 10224, 10365, 10955, 10999, 13567, 13665, 19784, 19827, 20067	\FN@sf@gobble@bracket 2177, 2180	\footdir@ORG@bidi@RTLfootnotetext 10654
\firstname	2443	\FN@sf@gobble@opt 2143, 2149, 2155, 2158	\footdir@temp 76, 77, 78, 285, 286, 287, 10495, 10653, 10654, 10655
\firstnamecolour	2412, 7147, 7243	\FN@sf@gobble@twobracket 2162, 2165	\footdir@toks 10436, 10503, 10504, 10505, 10509
\firstnamefont	2421, 2429, 7185, 7186, 7277, 7280	\fnch@everypar .. 10462	\footdir@write 10430, 10460, 10499
\firstnamestyle	2429, 7197, 7287, 7308	\font 17506, 17507	\footersymbol 7204, 7205, 7220, 7221, 7222, 7223
\fivecolumnfootnotes	8763	\fontdimen 17506, 17507	\footfootmark 8208, 8374, 8520, 8665, 8814, 8963, 9112, 9261, 9410, 9559, 9758
\fivecolumnfootstyle	8858	\fontsize 305, 5291, 5293, 5295, 7185, 7277, 14140, 14153	\footfudgefactor 9668, 9718, 9830
\flnew@within	10285	\foo 14180, 14182, 14192, 14194	\footfudgediddle 9698, 9717
\float@newx	10279	\footdir@abspage 10465, 10468, 10469, 10472, 10473, 10476	\footins 35, 48, 63, 244, 257, 271, 7359, 7380, 7384, 7385, 7396, 7399, 7403, 7427, 7433, 7441, 7442, 7453, 7456, 7460, 7479, 7485, 8090, 8106, 8122, 8261, 9911, 9915, 9922, 9926, 9930, 9943
\floatalignment	3974, 3975, 4016, 4017, 4033, 4040, 4048, 4099, 4310	\footdir@debug 10437, 10445, 10449, 10452, 10462, 10469, 10473, 10476	\footdir@debugfalse 1862
\FloatBarrier	3946, 4290	\footdir@debugtrue 1860, 10435	\footdir@debugtrue 1860, 10435
\floatc@biditufefloatplain	4308, 4318, 4325, 4331, 4339	\footdir@fntext 10483, 10500, 10502	\footdir@fntext 10483, 10500, 10502
\floatc@biditufefloatplaintop	4325	\footdir@LeftRightElse 10443, 10459, 10536	\footdir@LeftRightElse 10443, 10459, 10536
\floatc@biditufefloatruled	4326	\footdir@name 10486, 10489, 10490	\footdir@name 10486, 10489, 10490
\floatc@plain	10276	\footdir@ORG@bidi@amsart@footnotetext 10615	\footdir@ORG@bidi@amsart@footnotetext 10615
\floatingpenalty	40, 53, 68, 249, 262, 276, 7359, 7380, 7427, 7434, 7479, 7486, 8264, 10604, 10620, 10635 76 76
\floatstyle	4359	\footdir@ORG@bidi@amsart@LTRfootnotetext 10630, 10941,	\footdir@ORG@bidi@amsart@LTRfootnotetext 10630, 10941,
\flushleft	2110, 2119 78	\footinsdim 8302, 8328, 8431
\FN@sf@@footnote	2137, 2141	\footdir@ORG@bidi@amsart@RTLfootnotetext 8722, 8768, 8871	\footdir@ORG@bidi@amsbook@footnotetext 8722, 8768, 8871
	 285	\footdir@ORG@bidi@amsbook@footnotetext 9169, 9215, 9318
	 287	\footdir@ORG@bidi@amsbook@footnotetext 9169, 9215, 9318



\footinsv@r ..	9364, 9467, 9513, 9616, 9704, 9823	8254, 8299, 8300, 8301, 8302, 8328, 8329, 8337, 8347, 8357, 8477, 8478, 8486, 8495, 8504, 8619, 8620, 8628, 8638, 8648, 8768, 8769, 8777, 8787, 8797, 8917, 8918, 8926, 8936, 8946, 9066, 9067, 9075, 9085, 9095, 9215, 9216, 9224, 9234, 9244, 9364, 9365, 9373, 9383, 9393, 9513, 9514, 9522, 9532, 9542, 9704, 9705, 9719, 9731, 9743	10742, 13465, 13468 \footnoterule .. 7338, 7400, 7406, 7411, 7439, 7440, 7457, 7461, 7465, 7491, 7492, 8085, 8273, 8284, 8298, 9888, 9914, 9925, 10427, 10524, 10528, 10531, 10546, 10551, 10552, 10554, 11033	\footrulewidth 2391, 4169 \footscript .. 8205, 8211, 8215, 8217
\footmarksep	8203			\footskip .. 10171, 20057
\footmarkstyle	8205, 8244			\foottextfont
\footmarkwidth 8202, 8209, 8210, 8212, 8214, 8217, 8221, 8222, 8224, 8226, 8229, 8233, 8234, 8236, 8238, 8241, 8247	8202, 8209, 8210, 8212, 8214, 8217, 8221, 8222, 8224, 8226, 8229, 8233, 8234, 8236, 8238, 8241, 8247	29, 31, 39, 45, 52, 58, 67, 73, 239, 241, 248, 254, 261, 267, 275, 281, 7356, 7377, 7402, 7459, 8101, 8117, 8133, 8147, 8160, 8173, 8265, 10603, 10611, 10619, 10627, 10634, 10642, 10668, 10681, 10694	8094, 8101, 8141, 8147, 8257, 8324, 8339, 8374, 8385, 8473, 8488, 8520, 8531, 8615, 8630, 8665, 8676, 8764, 8779, 8814, 8825, 8913, 8928, 8963, 8974, 9062, 9077, 9112, 9123, 9211, 9226, 9261, 9272, 9360, 9375, 9410, 9421, 9509, 9524, 9559, 9570, 9673, 9700, 9714, 9722, 9758, 9772
\footnote ..	637, 711, 959, 1058, 1210, 1309, 1459, 1559, 2137, 2140, 4873, 5192, 5223, 5920, 6096, 6201, 6275, 7787, 7855, 7880, 7954, 10038, 10106, 13464, 13467, 14770, 14869, 14907, 15013, 15166, 15254, 15362, 15436, 15739, 15855, 16287, 16403, 16985, 17101	637, 711, 959, 1058, 1210, 1309, 1459, 1559, 2137, 2140, 4873, 5192, 5223, 5920, 6096, 6201, 6275, 7787, 7855, 7880, 7954, 10038, 10106, 13464, 13467, 14770, 14869, 14907, 15013, 15166, 15254, 15362, 15436, 15739, 15855, 16287, 16403, 16985, 17101	37, 50, 65, 102, 232, 246, 259, 273, 633, 955, 1206, 1455, 2521, 2543, 3854, 3855, 3893, 4506, 4507, 4508, 4700, 4729, 4746, 4763, 5916, 6092, 6197, 7783, 7876, 8257, 8258, 8259, 10034, 10595, 10596, 10597, 10601, 10617, 10632, 10661, 10674, 10687, 14273, 14275, 14766, 14903, 15162, 15358, 15735, 16283, 16981	\forcerectofloat .. 3977 \forceversofloat .. 3978 \fourcolumnfootnotes 8614 \fourcolumnfootstyle 8709 \fp 13113, 13114, 13115, 13116 \fps@figure 11248 \framebox 168, 170, 7195, 7326, 13774, 13780 \FrameCommand 10777 \FrameHeightAdjust 10851 \FrameRestore .. 10785, 10789, 10905, 10906 \fromaddress 8047, 8053, 8063, 12081, 12087 \fromname 8068 \fromplace 16908 \fromsig 8067, 8069, 16915 \frontmatter 5390 \fs@biditufefloatboxed 4337 \fs@biditufefloatplain 4316, 4324 \fs@biditufefloatplaintop 4324
\footnotelayout 4694, 4695, 4698			
\footnotemark ..	2166, 2167, 10728,			
\footnotetext ..				
\footparindent	8204, 8248			
\footrule ..				



\fs@bidituftefloatruled	13069,	13070,	13362,	13364,
.....	4329	13071,	13365,	13366,
\fslice .	14290, 14291,	13073,	13370,	13371,
14293, 14294, 14297		13078,	13372,	13377, 13384
\ftn@font		13081,	13084,	\g@addto@macro
15710, 16258, 16956		13086,	13089,	3382, 3626, 3711,
\ftn@rule@height ..		13094,	13102,	3721, 3972, 4652,
..... 15717,		13103,	13105,	4654, 7589, 7592,
15720, 15724,		13106,	13107,	7594, 18809, 19105
15727, 16265,		13108,	13109,	\g@mix@page@int .. 13251
16268, 16272,		13110,	13111,	\gdef
16275, 16963,		13113,	13114,	626, 628,
16966, 16970, 16973		13115,	13116,	2040, 2412, 2413,
\ftn@rule@test@values		13118,	13119,	2414, 2415, 2416,
..... 15716,		13129,	13137,	2417, 2419, 2420,
15723, 16264,		13138,	13139,	3705, 3716, 3990,
16271, 16962, 16969		13141,	13146,	3991, 3993, 3996,
\ftn@rule@width ..		13147,	13152,	4070, 4075, 4076,
..... 15720,		13153,	13157,	4077, 4229, 4270,
15727, 16268,		13162,	13165,	4649, 4784, 4813,
16275, 16966, 16973		13172,	13174,	4842, 4881, 4890,
\ftnm@font		13177,	13178,	4899, 5228, 5245,
15712, 16260, 16958		13182,	13184,	5261, 5273, 5313,
\full@width		13185,	13188,	5314, 5315, 5502,
13832, 13844, 13895		13189,	13190,	5505, 5767, 5779,
\futurelet 1008, 1010,		13194,	13195,	5781, 6739, 6798,
1259, 1261, 1508,		13199,	13200,	7543, 7556, 9928,
1510, 2641, 14819,		13207,	13222,	9939, 9950, 9951,
14821, 14960, 14962		13223,	13224,	10191, 10223,
		13226,	13231,	10490, 10550,
		13234,	13235,	10954, 10998,
		13238,	13242,	12129, 12312,
\g	7560,	13243,	13244,	12315, 13566,
7562, 7566, 7659,		13248,	13249,	13664, 14085,
12814, 12821,		13250,	13257,	14106, 14464,
12829, 12872,		13258,	13259,	17504, 17749,
12876, 12877,		13261,	13262,	17750, 17755,
12923, 12927,		13265,	13266,	17778, 17779,
12928, 12945,		13271,	13277,	19102, 19493,
12946, 12979,		13288,	13293,	19543, 19783, 19826
12996, 12999,		13294,	13295,	\geometry 3876, 3879,
13005, 13006,		13299,	13300,	3883, 3886, 3890
13007, 13008,		13301,	13302,	\Gin@angle
13009, 13018,		13303,	13304,	14146
13019, 13021,		13306,	13313,	\Gin@bboxtrue
13023, 13024,		13329,	13330,	11065
13025, 13032,		13331,	13332,	\Gin@defaultbp
13033, 13038,		13334,	13337,	.. 11066, 11067,
13044, 13053,		13345,	13347,	11068, 11069,
13056, 13064,		13359,	13360,	17731, 17732, 17735
13065, 13068,				\Gin@eheight
				14148
				\Gin@esetsize
				11084
				\Gin@ewidth 14147, 14148



\Gin@exclamation . .	1504, 1505, 1506,	6419, 6432, 6437,
. 11114, 14147, 14150	1535, 1541, 1542,	6441, 6497, 6726,
\Gin@gridfalse . . .	1543, 1544, 1545,	6727, 6737, 6744,
\Gin@ii	1546, 1547, 1548,	6774, 6785, 6786,
\Gin@iii . . .	1549, 1550, 1551,	6796, 6803, 6829,
\Gin@llx	1677, 1678, 1989,	6888, 6896, 6906,
\Gin@lly	1990, 1991, 1992,	6916, 6925, 6927,
\Gin@outer@scalex	1993, 1994, 1995,	6928, 6931, 6934,
\Gin@outer@scaley	1996, 1997, 1998,	6944, 6958, 6959,
\Gin@scalex	1999, 2199, 2202,	6961, 6963, 6964,
\Gin@scaley	2205, 2208, 2212,	6966, 6972, 6973,
\Gin@urx	2215, 2218, 2297,	6976, 6978, 6979,
\Gin@ury	2301, 2323, 2578,	6982, 6985, 6990,
\Ginclude@graphics	2590, 2614, 2698,	6999, 7007, 7052,
.	2714, 3841, 3975,	7060, 7070, 7079,
\Ginput@path	4019, 4020, 4026,	7081, 7090, 7092,
.	4386, 4397, 4400,	7093, 7096, 7099,
\global 303, 419, 420,	4430, 4441, 4444,	7109, 7117, 7118,
467, 468, 471,	4474, 4485, 4488,	7125, 7351, 7358,
472, 488, 522,	4542, 5306, 5503,	7372, 7379, 7391,
523, 547, 550,	5506, 5524, 5528,	7399, 7403, 7420,
551, 567, 657,	5544, 5555, 5581,	7423, 7431, 7436,
658, 659, 660,	5582, 5609, 5622,	7448, 7456, 7460,
661, 662, 663,	5623, 5651, 5660,	7472, 7475, 7483,
664, 665, 666,	5663, 5666, 5669,	7488, 7669, 7805,
667, 668, 686,	5672, 5675, 5707,	7806, 7807, 7808,
692, 693, 694,	5717, 5731, 5733,	7809, 7810, 7811,
695, 696, 697,	5738, 5739, 5745,	7812, 7813, 7814,
698, 699, 700,	5746, 5748, 5768,	7832, 7838, 7839,
701, 702, 703,	5780, 5782, 5840,	7840, 7841, 7842,
704, 739, 740,	5841, 5958, 5959,	7843, 7844, 7845,
890, 891, 997,	5960, 5961, 5962,	7846, 7847, 7848,
998, 999, 1000,	5963, 5964, 5965,	7900, 7901, 7902,
1001, 1002, 1003,	5966, 5967, 6016,	7903, 7904, 7905,
1004, 1005, 1006,	6017, 6134, 6135,	7906, 7907, 7908,
1035, 1041, 1042,	6136, 6137, 6138,	7909, 7910, 7911,
1043, 1044, 1045,	6139, 6140, 6141,	7929, 7935, 7936,
1046, 1047, 1048,	6142, 6143, 6221,	7937, 7938, 7939,
1049, 1050, 1051,	6222, 6223, 6224,	7940, 7941, 7942,
1133, 1134, 1248,	6225, 6226, 6227,	7943, 7944, 7945,
1249, 1250, 1251,	6228, 6229, 6230,	7946, 7947, 7980,
1252, 1253, 1254,	6231, 6232, 6250,	7981, 8138, 8151,
1255, 1256, 1257,	6256, 6257, 6258,	8164, 8318, 8382,
1286, 1292, 1293,	6259, 6260, 6261,	8394, 8407, 8447,
1294, 1295, 1296,	6262, 6263, 6264,	8528, 8539, 8551,
1297, 1298, 1299,	6265, 6266, 6267,	8589, 8673, 8685,
1300, 1301, 1302,	6268, 6302, 6303,	8698, 8738, 8822,
1371, 1372, 1497,	6394, 6404, 6405,	8834, 8847, 8887,
1498, 1499, 1500,	6406, 6407, 6408,	8971, 8983, 8996,
1501, 1502, 1503,	6409, 6410, 6411,	9036, 9120, 9132,



9145,	9185,	9269,	13554,	13564,	14951,	14952,
9281,	9294,	9334,	13570,	13573,	14953,	14954,
9418,	9430,	9443,	13575,	13577,	14955,	14956,
9483,	9567,	9579,	13578,	13580,	14957,	14958,
9592,	9632,	9659,	13585,	13593,	14987,	14993,
9673,	9768,	9782,	13595,	13603,	14994,	14995,
9796,	9846,	9891,	13604,	13605,	14996,	14997,
9938,	9949,	9968,	13606,	13608,	14998,	14999,
9969,	10056,		13609,	13612,	15000,	15001,
10057,	10058,		13613,	13642,	15002,	15003,
10059,	10060,		13643,	13651,	15004,	15005,
10061,	10062,		13652,	13662,	15065,	15066,
10063,	10064,		13668,	13671,	15196,	15197,
10065,	10083,		13673,	13675,	15198,	15199,
10089,	10090,		13676,	13678,	15200,	15201,
10091,	10092,		13683,	13691,	15202,	15203,
10093,	10094,		13693,	13701,	15204,	15205,
10095,	10096,		13702,	13703,	15206,	15207,
10097,	10098,		13704,	13706,	15230,	15236,
10099,	10179,		13707,	13710,	15237,	15238,
10180,	10189,		13711,	13737,	15239,	15240,
10195,	10211,		13738,	13744,	15241,	15242,
10212,	10221,		13745,	13757,	15243,	15244,
10228,	10295,		13758,	13759,	15245,	15246,
10298,	10331,		13760,	13761,	15247,	15248,
10334,	10336,		13762,	13764,	15279,	15280,
10342,	10343,		13770,	13842,	15382,	15383,
10362,	10658,		13859,	13865,	15384,	15385,
10659,	10671,		13882,	13890,	15386,	15387,
10672,	10684,		14026,	14212,	15388,	15389,
10685,	10939,		14229,	14230,	15390,	15391,
10940,	10941,		14231,	14232,	15392,	15393,
10942,	10952,		14240,	14247,	15411,	15417,
10960,	10983,		14280,	14304,	15418,	15419,
10984,	10985,		14305,	14306,	15420,	15421,
10986,	10996,		14492,	14542,	15422,	15423,
11004,	11674,		14694,	14695,	15424,	15425,
11688,	11712,		14808,	14809,	15426,	15427,
11726,	11759,		14810,	14811,	15428,	15429,
11790,	11821,		14812,	14813,	15463,	15464,
12262,	12646,		14814,	14815,	15817,	15829,
12647,	12698,		14816,	14817,	15830,	15831,
12701,	12720,		14846,	14852,	15832,	15833,
12721,	12729,		14853,	14854,	15834,	15835,
13397,	13398,		14855,	14856,	15836,	15837,
13399,	13400,		14857,	14858,	15838,	15839,
13401,	13402,		14859,	14860,	15840,	15841,
13403,	13404,		14861,	14862,	15842,	15843,
13405,	13422,		14947,	14948,	15844,	15845,
13517,	13553,		14949,	14950,	15846,	15847,



15848,	15849,	19910,	19921,	\grp@shiftnumber
15850,	15851,	19924,	19952,	\grp@wdL
16050,	16104,	19961,	19962,	\grp@wdNum
16106,	16365,	19963,	19964,	\grp@wdR
16377,	16378,	19966,	19969,	\grp@wdT
16379,	16380,	19970,	19984,	\Gscale@box
16381,	16382,	19989,	20003, 11044, 11136, 11153
16383,	16384,	20004,	20013,	\Gscale@div
16385,	16386,	20064,	20065, 20075 11135, 11142, 11145
16387,	16388,	\GlobalSetatBoolean		
16389,	16390,	2707		
16391,	16392,	\GlobalSetBoolean		
16393,	16394,	2691,	3977, 3978,	\Gscale@end 11048, 11094
16395,	16396,	4005,	4006, 4010,	\Gscale@start 11048, 11094
16397,	16398,	4011,	4298, 4299	\Gscale@x 11046, 11092
16399,	16629,	\glossary		
16683,	16685,	\glueexpr		
17063,	17075,	18655,	18667,	\Gscale@y 11046, 11092
17076,	17077,	18662,	18667,	\gsetlength 3839,
17078,	17079,	18728,	18789,	3992, 4078, 4540,
17080,	17081,	18792,	18796, 18802	4786, 4788, 4815,
17082,	17083,	\Gm@pageframes		
17084,	17085,	\Gm@vrule		
17086,	17087,	11159,	11161,	\H
17088,	17089,	11163,	11164,	\H@footnotemark
17090,	17091,	11165,	11168, 11565, 11654,
17092,	17093,	11169,	11170,	11847, 11861, 11878
17094,	17095,	11173,	11174, 11175	\H@footnotetext
17096,	17097,	\Gm@vrules@mpi		
17311,	17365,	\grid		
17367,	17595,	14141, 14154		
17599,	17600,	\Grot@box 11043, 15641,		
17601,	17618,	15652,	15659, 15669	\H@mpfootnotetext
17630,	17635,	\Grot@box@std		
17639,	17651,	\Grot@setangle		
17688,	17690,	11039,	15634,	11533,
17695,	17697,	15644,	15655, 15662	11567, 11571, 11655
17943,	17944,	\Grot@x		
17947,	17948,	15639,	15649, 15657, 15667	\H@refstepcounter 12054
18475,	18476,	15640,	15649,	\halign 5543, 12649
18526,	18530,	15650,	15657, 15668	\hangafter 6587, 13490
19099,	19247,	12992,	13013,	\hangindent
19255,	19265,	13316,	13325, 13387 103, 104, 105,
19268,	19312,	\grp@aligned		
19553,	19770,	6405,	6437, 6439	233, 234, 235,
19771,	19781,	\grp@eqs@numbered		
19788,	19813,	6409	866, 1092,	1347,
19814,	19824,	\grp@hasNumber		
19831,	19866,	6414	5163,	5164, 5165,
19877,	19880,	\GRP@label		
		6406	5817,	5993, 6491,
		\grp@linewidth		
		6408	6587,	13483,
		\GRP@queue		
		6405,	13489,	14671,
		6441	15042,	19690, 20094
		\grp@setnumber		
		6414	676,	736, 755,



6810, 6866, 6870,	949, 1100, 1183,	14366, 14383,
6873, 6878, 6883,	1354, 1428, 1629,	14393, 14410,
7043, 7044, 7048,	1688, 2182, 3951,	14419, 14420,
7713, 7725, 7822,	4033, 4035, 4040,	14429, 14470,
7919, 7978, 8210,	4073, 4074, 4083,	14471, 14472,
8217, 8222, 8229,	4090, 4310, 4343,	14474, 14475,
8234, 8241, 9966,	4661, 4700, 4727,	14501, 14519,
9983, 10073,	4744, 4761, 4882,	14530, 14678,
10230, 10231,	4891, 4900, 5335,	14732, 15049,
10235, 10253,	5343, 5462, 5512,	15153, 15277,
10268, 10372,	5516, 5527, 5544,	15307, 15488,
10962, 10963,	5555, 5768, 5782,	15656, 15710,
10967, 11006,	5824, 5901, 6000,	15712, 15727,
11011, 11013,	6054, 6327, 6438,	15979, 16087,
11057, 11103,	6504, 6533, 6693,	16258, 16260,
11158, 11163,	6696, 6713, 6717,	16275, 16558,
11168, 11172,	7403, 7406, 7409,	16666, 16827,
12077, 12263,	7460, 7461, 7463,	16828, 16837,
13518, 13619,	7546, 7551, 7557,	16853, 16859,
13624, 13627,	7779, 8077, 9666,	16865, 16871,
13717, 13718,	9679, 9684, 9689,	16877, 16883,
13723, 13819,	9694, 9868, 9877,	16889, 16895,
14692, 14717,	10013, 10150,	16901, 16956,
15063, 15088,	10164, 10165,	16958, 16973,
15178, 15221,	10170, 10172,	17240, 17348,
15294, 15401,	10196, 10199,	17521, 17569,
15461, 15478,	10201, 10272,	17582, 17610,
16016, 16056,	10276, 10278,	17621, 17660,
16595, 16635,	10316, 10321,	17730, 18967,
17277, 17317,	10516, 11035,	18968, 19017,
17542, 18206,	11036, 11040,	19019, 19076,
18364, 18470,	11047, 11048,	19077, 19280,
18862, 18975,	11093, 11094,	19314, 19316,
19012, 19014,	11132, 11139,	19322, 19435,
19080, 19087,	12100, 12638,	19444, 19445,
19089, 19505,	12658, 12663,	19454, 19503,
19687, 19688,	12723, 12726,	19504, 19507,
19763, 19790,	12818, 12826,	19508, 19509,
19795, 19797,	12997, 13013,	19510, 19518,
19833, 19834,	13014, 13032,	19524, 19619,
19838, 19973,	13292, 13294,	19689, 19698,
20050, 20060, 20076	13300, 13303,	19700, 19705,
\hbadness	13340, 13381,	19715, 19730,
4341, 7344, 7365,	13792, 13826,	19759, 19760,
17671, 17673,	13842, 13844,	19981, 19991, 19993
19186, 19187, 19204	13948, 14224,	\hboxL 10885,
\hbox 15,	14273, 14277,	10902, 14420, 19445
28, 176, 216, 238,	14297, 14330,	\hboxR 14410, 19435
340, 599, 607,	14334, 14339,	\head@style 840, 1146,
624, 764, 873,	14343, 14355,	1339, 1571, 5809,



5985, 14645, 15027, 15094, 15155	14335, 14340, 14344, 14356, 14367, 14393, 14692, 14717, 15063, 15088, 15277, 15294, 15461, 15478, 18206, 18364, 18470, 18862, 18975, 19012, 19014, 19080, 19087, 19089, 19532, 19763, 19792, 19794, 19835, 19837, 19992, 19994, 20029, 20030, 20032, 20033, 20076	14388, 15727, 16124, 16141, 16275, 16703, 16720, 16855, 16861, 16867, 16873, 16879, 16885, 16891, 16897, 16973, 17385, 17402, 17750, 17779, 18836, 18839, 18843, 18969, 19078, 19235, 19761
\headheight 1965, 7531, 10165, 10358, 20046	\hfill 176, 189, 1694, 1695, 2501, 2507, 2521, 4102, 4103, 4106, 4107, 5484, 5494, 6510, 6511, 7196, 10166, 10167, 10172, 10173, 13794, 13818, 13954, 13957, 13958, 13959, 13962, 13963, 13964, 13965, 13966, 13969, 13970, 13971, 13972, 13973, 13974, 13975, 13978, 13979, 13980, 13981, 13982, 13983, 13984, 13985, 13986, 13989, 13990, 13991, 13994, 13995, 13996, 13999, 14000, 14001, 14002, 14003, 14006, 14007, 14008, 14009, 14010, 14013, 14014, 14015, 14016, 14017, 14384,	\hfilneg 8311, 8315 \hfuzz 7544, 17672, 17674 \hintcolour 2420 \hintfont 2428, 2436, 2490, 2497, 2502 \hintscolumnwidth 2456, 2470, 2474, 2482, 2490, 2496, 2502, 2558 \hintstyle 2436 \hline 12615, 12617, 12623 \HLOFF 2045 \HLON 2039 \HLTR@LTRfootnotetext 11526, 11557, 11634, 11652, 11694, 11796, 11850, 11870 \HLTR@mpLTRfootnotetext 11555, 11569, 11593, 11656 \hoffset 1969 \hold@viper . . . 6756, 6759, 6811, 6814, 6846, 6887, 6888, 6896, 6897, 6906, 6907, 6915, 7012, 7051, 7052, 7060, 7061, 7070, 7071, 7080, 7116, 7118, 7119 \holder . . . 14287, 14290, 14299, 14309, 14310, 14328, 14332, 14337, 14341, 14353, 14357, 14364, 14368
\headrule 10168		
\headrulewidth 2390, 4168		
\headsep . 1973, 1976, 7532, 10359, 20055		
\headwidth 2480, 10164, 10166, 10167, 10168, 10170, 10172, 10173, 10174		
\height . 11112, 11320, 11322, 11326, 11328, 11355, 11356, 11359, 11360, 11417, 11418, 11421, 11422, 11450, 11452, 11456, 11458, 13343, 13355, 13357, 13382		
\hfil 15, 216, 736, 755, 887, 914, 1115, 1130, 1277, 1368, 1396, 1625, 1626, 1627, 1628, 1656, 1657, 1658, 1664, 1665, 1666, 1955, 1960, 5513, 5515, 5620, 5838, 5863, 6014, 6039, 6300, 6317, 6577, 6694, 6697, 6714, 6718, 6748, 6750, 6807, 6809, 6869, 6880, 6882, 7045, 7047, 7713, 7725, 7978, 8317, 9966, 9983, 10198, 10232, 10234, 10258, 10271, 10278, 10964, 10966, 11008, 11010, 11165, 11170, 12263, 12663, 13518, 13621, 13623, 13720, 13722, 13819, 14277, 14331		



\href	2526, 2527, 2530, 2531, 2534, 2535	8398, 8411, 8451, 8514, 8532, 8543, 8555, 8593, 8659, 8677, 8689, 8702, 8742, 8808, 8826, 8838, 8851, 8891, 8957, 8975, 8987, 9000, 9040, 9106, 9124, 9136, 9149, 9189, 9255, 9273, 9285, 9298, 9338, 9404, 9422, 9434, 9447, 9487, 9553, 9571, 9583, 9596, 9636, 9678, 9717, 9726, 9738, 9750, 9773, 9776, 9787, 9790, 9801, 9804, 9829, 9839, 9850, 9853, 9877, 10278, 10605, 10621, 10636, 10662, 10675, 10688, 10705, 10706, 10785, 10890, 10920, 10923, 10927, 10930, 10931, 12259, 12263, 12649, 12660, 12663, 12693, 12742, 12743, 12750, 12773, 13514, 13518, 13746, 13826, 13828, 13836, 13875, 13879, 13883, 13886, 13891, 13894, 13935, 13939, 13943, 14446, 14448, 14603, 14617, 14648, 15097, 15158, 15174, 15217, 15694, 15701, 15703, 16016, 16017, 16056, 16242, 16249, 16251, 16595,	16596, 16635, 16814, 16819, 16821, 16940, 16947, 16949, 17277, 17278, 17317, 19027, 19030, 19035, 19039, 19043, 19047, 19051, 19055, 19059, 19063, 19283, 19304, 19308, 19475, 19477, 19602, 19883, 19927, 20072, 20076
\hrule	31, 241, 760, 943, 1178, 1422, 4332, 4333, 4343, 4344, 5514, 5895, 6048, 6157, 6163, 6169, 6175, 6323, 7339, 7775, 8073, 8086, 10009, 10519, 10521, 10553, 10890, 12096, 12773, 13951, 14385, 14726, 15147, 15303, 15484, 15720, 15727, 15974, 16268, 16275, 16553, 16833, 16966, 16973, 17235	\hskip 14, 28, 215, 238, 307, 311, 754, 764, 873, 874, 913, 949, 1100, 1101, 1114, 1162, 1183, 1354, 1355, 1395, 1428, 1574, 1627, 1628, 1666, 1690, 1693, 2572, 5046, 5486, 5530, 5531, 5534, 5536, 5537, 5540, 5824, 5825, 5862, 5901, 6000, 6001, 6038, 6054, 6316, 6327, 6506, 6509, 6576, 6747, 6752, 6754, 6755, 6868, 6872, 6875, 6876, 7404, 7405, 7408, 7418, 7419, 7462, 7712, 7779, 8077, 9664, 9982, 10013, 10197, 10200, 10202, 10203, 10254, 10270, 10516, 11007, 11012, 11014, 11015, 11158, 11160, 11161, 11164, 11169, 11172, 11174, 11175, 12079, 12100, 12210, 13620, 13626,	
\hrulefill 28, 238, 764, 949, 1183, 1428, 5901, 6054, 6327, 7779, 8077, 10013, 10516, 12100, 13948, 14732, 15153, 15307, 15488, 15979, 16558, 16837, 17240		
\hsize 40, 53, 68, 168, 170, 174, 179, 197, 249, 262, 276, 843, 1149, 1342, 2314, 4342, 4343, 4403, 4447, 4491, 5085, 5812, 5988, 6434, 6694, 6697, 6714, 6718, 8096, 8112, 8128, 8141, 8154, 8167, 8310, 8368, 8386,		



13629,	13630,	19796,	19798,	10199,	10201,
13793,	13805,	19799,	19975,	10231,	10235,
13817,	13875,	19977,	19991, 19994	10372,	10963,
13879,	13883,	\hspace	104, 105, 234,	10967,	11011,
13886,	13887,	235,	773, 2491,	11013,	11057,
13891,	13894,	2496,	2502, 4085,	11103,	11161,
13895,	13948,	4092,	4314, 4989,	11175,	12658,
13954,	13957,	4990,	4996, 4997,	12666,	13034,
13959,	13962,	5003,	5004, 5010,	13295,	13382,
13964,	13966,	5011,	5138, 5164,	13625,	13628,
13969,	13971,	5165,	7326, 7732,	13719,	13724,
13973,	13975,	8064,	8212, 8224,	13862,	13863,
13978,	13980,	8236,	11295,	13876,	13877,
13982,	13984,	11311,	11324,	14255,	14265,
13986,	13989,	11336,	11349,	14472,	14483,
13991,	13994,	11358,	11366,	14484,	14485,
13996,	13999,	11411,	11420,	14692,	14717,
14001,	14003,	11428,	11441,	15063,	15088,
14006,	14008,	11454,	11466,	15178,	15221,
14010,	14013,	11490,	16011,	15277,	15294,
14015,	14017,	16026,	16031,	15402,	15461,
14030,	14241,	16033,	16034,	15478,	15710,
14248,	14678,	16590,	16605,	16087,	16096,
14679,	14716,	16610,	16612,	16258,	16666,
14732,	15030,	16613,	16913,	16675,	16827,
15049,	15050,	17272,	17287,	16956,	17348,
15087,	15153,	17292,	17294,	17357,	17542,
15293,	15307,	17295,	17493,	18364,	18470,
15477,	15488,	17494,	17755,	19288,	19290,
15565,	15567,	17767,	20187,	19295,	19301,
15574,	15576,	20191,	20196,	19505,	19612,
15612,	15614,	20198,	20202, 20204	19675,	19676,
15623,	15625,	\hss	677, 736,	19678,	19679,
15727,	15979,	755,	887, 914,	19681,	19682,
16275,	16558,	1115,	1130, 1368,	19687,	19688,
16837,	16973,	1396,	1984, 5105,	19745,	19746,
17240,	17530,	5838,	5863, 6014,	19747,	19748,
17536,	17548,	6039,	6241, 6300,	19795,	19797,
17553,	17749,	6317,	6577, 6751,	19834,	19838, 19979
17778,	17938,	6753,	6806, 6810,	\ht .	
17969,	17992,	6871,	6874, 6879,	605,	1676, 1709,
18009,	18026,	6884,	7044, 7048,	6525,	6534, 6536,
18043,	18060,	7407,	7417, 7462,	6844,	6846, 6853,
18077,	18095,	7471,	7546, 7549,	6859,	6860, 6861,
18114,	18134,	7551,	7554, 7557,	6915,	6954, 6972,
18169,	18361,	7713,	7725, 7823,	6984,	7008, 7012,
18520,	18552,	7920,	7978, 8211,	7022,	7030, 7031,
18962,	19009,	8217,	8223, 8229,	7034,	7035, 7037,
19019,	19074,	8235,	8241, 9966,	7038,	7080, 7116,
19757,	19791,	9983,	10074,	7347,	7356, 7368,
				7377,	7385, 7395,



7397, 7413, 7442, 7452, 7454, 7467, 7697, 8319, 8465, 8470, 8607, 8612, 8756, 8761, 8905, 8910, 9054, 9059, 9203, 9208, 9352, 9357, 9501, 9506, 9650, 9655, 9668, 10146, 10810, 10817, 10834, 10841, 10842, 10855, 10859, 10882, 11050, 11051, 11053, 11096, 11097, 11099, 11232, 12152, 12153, 12159, 12162, 12195, 12624, 12682, 12695, 12710, 12712, 12713, 12771, 12778, 12781, 13604, 13608, 13613, 13702, 13706, 13711, 13760, 13762, 14299, 14357, 14368, 14373, 14374, 14375, 14376, 14380, 14395, 14499, 14522, 15551, 15593, 15596, 15651, 15658, 16040, 16042, 16043, 16619, 16621, 16622, 17301, 17303, 17304, 17570, 17606, 17618, 17733, 19323, 19325, 19716, 19955, 19965, 19969	6884, 6952, 6953, 7008, 7009, 7010, 7014, 7044, 7048 \httplink \Huge \huge \hv@Bottom \hv@Center \hv@figure \hv@floatObject \hv@floatType \hv@Height \hv@label \hv@Left \hv@longCap \hv@Right \hv@shortCap \hv@Top \hv@Width \hv@Zero \hvAboveCaptionSkip \hvBelowCaptionSkip \hvCaptionBox 11271, 11313, 11315, 11326, 11328, 11338, 11340, 11346, 11347, 11355, 11356, 11363, 11364, 11375, 11376, 11382, 11385, 11391, 11392, 11399,	11402, 11408, 11409, 11417, 11418, 11425, 11426, 11443, 11445, 11456, 11458, 11468, 11470 \hvCapWidth 11230, 11232, 11234, 11238, 11240, 11255, 11273 \hvFloat \hvMaxCapWidth 11213, 11214, 11235, 11236, 11237, 11240 \hvObjectBox 11217, 11220, 11222, 11226, 11232, 11307, 11309, 11320, 11322, 11332, 11334, 11350, 11351, 11359, 11360, 11367, 11368, 11375, 11378, 11383, 11386, 11391, 11394, 11398, 11401, 11412, 11413, 11421, 11422, 11429, 11430, 11437, 11439, 11450, 11452, 11462, 11464 \hvObjectWidth 11226, 11230, 11234, 11235, 11236 \hvBox 11220, 11224 \hvSet@capAngle 11253, 11272 \hvSet@capPos 11235, 11236, 11303, 11374, 11390 \hvSet@capVPos 11305, 11318, 11345, 11354, 11407, 11416, 11435, 11448 \hvSet@capWidth 11230, 11232, 11237, 11238 \hvSet@floatCapSep 11311,
\ht@strip 13757, 13758, 13759, 13760, 13761, 13764, 13766 \ht@viper 6843, 6848, 6871, 6874, 6879,		



11324, 11349, 11366, 11420, \hvSet@floatPos	\Hy@linktoc 11504 \Hy@LT@currentHref 12056, 12067 \Hy@LT@LTRfootnotetext 11684, 11693 \Hy@LT@RTLfootnotetext 11722, 11731	\HyOrg@TX@endtabularx 11649 \hyper@anchor 11573, 11576, 11584, 11587, 11595, 11598, 11606, 11609, 11621, 11624, 11636, 11639, 11696, 11699, 11734, 11737, 11767, 11770, 11798, 11801, 11829, 11832
\hvSet@objectAngle	\Hy@MakeRemoteAction 11907	\hyper@anchorend 12069
\hvSet@objectPos	\Hy@maketitle@end 11853, 11858, 11860	\hyper@anchorstart 12069
\hvSet@rotAngle	\Hy@maketitle@optarg 11851, 11856	\hyper@link 11897
. 11213, 11482, 11485	\Hy@pstringD 11906, 11925	\hyper@linkend
\Hy@Acrobatmenu 11999	\Hy@pstringdef 11905, 11906, 11940, 11941, 11972	... 11508, 11512, 11516, 11518,
\Hy@backout 12026	\Hy@pstringF 11903, 11904, 11905, 11920,	11898, 12031, 12034
\Hy@BeginAnnot	\Hy@pstringP 11941, 11958	\hyper@linkfile 11900
.. 11882, 11902, 11939, 11971, 12000	\Hy@pstringURI 11972, 11985	\hyper@linkstart
\Hy@bidipoem@footnotetext 11755, 11764	\Hy@raisedlink 11575, 11586, 11597, 11608, 11623, 11638, 11698, 11736, 11769, 11800, 11831, 12068	... 11508, 11512, 11516, 11518, 11898, 12027, 12034
\Hy@bidipoem@LTRfootnotetext 11786, 11795	\Hy@saved@footnotemark 11843, 11862	\hyper@linkurl 11969
\Hy@bidipoem@RTLfootnotetext 11817, 11826	\Hy@saved@footnotetext 11844, 11865	\hyper@makecurrent 12055
\Hy@CleanupFile 11904	\Hy@SetNewWindow 11927, 11955	\hyper@nat@current 12028
\Hy@colorlink 11932, 11964, 11993, 12019	\Hy@setpdfborder 11913, 11947, 11978, 12007	\hyper@natlinkbreak 12033
\Hy@EndAnnot	\Hy@tabularx@hook 11650, 11662	\hyper@natlinkend 12030
.. 11889, 11935, 11967, 11996, 12022	\Hy@temp@menu 12001, 12014	\hyper@natlinkstart 12025
\Hy@endcolorlink 11891	\Hy@xspace@end	\hypersetup
\Hy@footnote@currentHlabel 11611, 11626, 11641	.. 11898, 11934, 11966, 11995, 12021	... 2374, 2382, 5182, 5241, 5258
\Hy@footnote@currentHref	\Hy@SetNewWindow 11927, 11955	\hyphenpenalty
.... 11573, 11576, 11584, 11587, 11595, 11606, 11609, 11612, 11621, 11624, 11627, 11636, 11639, 11642, 11685, 11723, 11756, 11787, 11848	\Hy@setpdfborder 11913, 11947, 11978, 12007	6, 101, 207, 231, 842, 1148, 1341, 5811, 5987, 14647, 15096, 15157, 15300
\Hy@gtemp 11661, 11666	\Hy@tabularx@hook 11650, 11662	\HyRTL@saved@RTLfootnotetext 11845, 11868
\Hy@href@nextactionraw	\Hy@temp@menu 12001, 12014	
.... 11928, 11960, 11989, 12015	\Hy@xspace@end	\ialign 613, 17575,
\Hy@href@page 11923	.. 11898, 11934, 11966, 11995, 12021	\HyLTR@saved@LTRfootnotetext 17613, 19532, 19721
\Hy@linkcounter	\Hy@SetNewWindow 11927, 11955	\if 581, 582, 583,
.... 7597, 7602	\Hy@tabularx@hook 11650, 11662	585, 586, 587,
	\Hy@temp@menu 12001, 12014	588, 589, 592,
	\Hy@xspace@end	



593, 594, 618, 624, 1602, 1603, 1604, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1615, 1616, 1617, 1640, 1641, 1642, 1644, 1645, 1646, 1647, 1648, 2273, 2279, 2282, 2285, 2288, 3530, 6395, 6414, 6447, 6448, 6449, 7564, 7618, 7626, 7627, 7633, 7634, 7641, 7642, 7648, 7649, 7659, 7661, 10448, 10472, 10700, 12116, 12606, 12608, 12610, 14173, 17582, 17616, 17621, 17708, 17709, 17710, 17711, 17712, 17713, 17714, 17716, 17717, 17718, 17719, 17720, 17723, 17724, 17725, 19600, 19607, 19608, 19713, 19730, 19737, 19738, 19739, 19740, 19741, 19742	\if@anim@multipage 400, 423, 454 \if@anim@step 533 \if@anim@timeline 476, 555 \if@anim@xetex 360, 364 \if@bib@break@ 15908, 15932, 15947, 15963, 16487, 16511, 16526, 16542, 17169, 17193, 17208, 17224 \if@bibchapter ... 17863 \if@bidi@amsmathloaded@ 12391 \if@bidi@amstextloaded@ 12394 \if@bidi@amsthmloaded@ 12397 \if@bidi@animateloaded@ 12400 \if@bidi@arabxetexloaded@ 12593 \if@bidi@arrayloaded@ 12527 \if@bidi@arydshlnloaded@ 12551 \if@bidi@blank 2809, 3094, 3101 \if@bidi@breqnloaded@ 12403 \if@bidi@calsloaded@ 12406 \if@bidi@captionloaded@ 12409 \if@bidi@colorloaded@ 12415 \if@bidi@colortblloaded@ 12431 \if@bidi@croploaded@ 12412 \if@bidi@csdef 2773, 2822 \if@bidi@csmacro . 2821 \if@bidi@csprimitive 2831 \if@bidi@csundef 2779, 2852, 3735, 3787, 20093 \if@bidi@dvipdfmx . 367 \if@bidi@grxloaded 359	\if@bidi@cutwinloaded@ 12419 \if@bidi@dblfnote loaded@ 12425 \if@bidi@def 2791 \if@bidi@defmacro .. 2814, 2815, 2823, 2993, 3012, 3156 \if@bidi@defparam 3014, 3108, 3109, 3158 \if@bidi@defprimitive 2825 \if@bidi@defprotected 3021, 3117, 3118, 3169 \if@bidi@draftwatermarkloaded@ 12485 \if@bidi@empheqloaded@ 12488 \if@bidi@fancyboxloaded@ 12479 \if@bidi@fancyhdrloaded@ 12482 \if@bidi@fancyvrbloaded@ 12599 \if@bidi@floatloaded@ 12434 \if@bidi@floatrowloaded@ 12437 \if@bidi@flowframloaded@ 12440 \if@bidi@fontspecloaded@ 12590 \if@bidi@framedloaded@ 12443 \if@bidi@ftnrightloaded@ 12446 \if@bidi@geometryloaded@ 12461 \if@bidi@graphicxloaded@ 12458 \if@bidi@hvfloatloaded@ 12464 \if@bidi@hyperrefloaded@ 12476 \if@bidi@lettrine loaded@ 12497 \if@bidi@list@minipage@parbox 1791,
--	--	--



19568, 19630,	\if@bidi@stabularloaded@	16067, 16080,
19639, 19648, 12530	16090, 16640,
19657, 19670,	\if@bidi@subfigloaded@	16646, 16659,
19671, 19685, 19686 12536	16669, 17322,
\if@bidi@list@minipage@parbox@minipage@bifigureloaded@ 12539	17328, 17341, 17351
..... 1792, 12539	\if@cftdopart ... 17920
19576, 19632,	\if@bidi@supertabularloaded@	\if@cfthaschapter .
19641, 19650, 19659 12542 17911,
\if@bidi@listingsloaded@	\if@bidi@tablsloaded@	17915, 17921,
..... 12500 12575	17942, 17954, 17976
\if@bidi@longtableloaded@	\if@bidi@tabularyloaded@	\if@cfthaspart ... 17907
..... 12548 12578	\if@chapterentrywithdots
\if@bidi@mdf@RTL ..	\if@bidi@tikzloaded@ 16717, 17399
..... 12733, 12740 12518	\if@colour 2357
\if@bidi@mdf@framedloaded@	\if@bidi@titlesecloaded@	\if@colourgreen 7134,
..... 12467 12521	7163, 7232, 7258
\if@bidi@midfloatloaded@	\if@bidi@titletocloaded@	\if@colourgrey 7138,
..... 12470 12524	7177, 7236, 7270
\if@bidi@minitocloaded@	\if@bidi@tocbasicloaded@	\if@colourorange ..
..... 12560 12581 7132,
\if@bidi@multicolloaded@	\if@bidi@tocbibindloaded@	7156, 7230, 7252
..... 12554 12587	\if@coloured .. 7136,
\if@bidi@multienumloaded@	\if@bidi@tocstyleloaded@	7170, 7234, 7264
..... 12557 12584	\if@compatibility .
\if@bidi@natbibloaded@	\if@bidi@todonotes@figposition@right	738, 889, 964,
..... 12563	... 19116, 19214,	1132, 1215, 1370,
\if@bidi@newfloatloaded@	19219, 19226, 19232	1464, 5925, 6101,
..... 12566	\if@bidi@todonotes@textdirection@RTI	1475, 14914,
\if@bidi@ntheoremloaded@ 19115,	17946, 18474, 19701
..... 12473	19149, 19189, 19223	\if@contcw .. 13470, 13499
\if@bidi@overpicloaded@	\if@bidi@undef 2797,	\if@conthang .. 13480
..... 12491	2856, 2890, 2901,	\if@continent .. 13486
\if@bidi@patchable	2920, 2924, 2928,	\if@DEBUG .. 2328
..... 2981, 2982	2932, 2942, 2946,	\if@displaypagenumbers
\if@bidi@pdfpagesloaded@	2950, 2954, 2536, 2539
..... 12494	2990, 3009, 3153	\if@donumindex ..
\if@bidi@pgfloaded@	\if@bidi@wrapfigloaded@ 17864, 17883
..... 12509 12455	\if@dotocbib .. 17826
\if@bidi@picinparloaded@	\if@bidi@xcolorloaded@	\if@dotocind 17871, 17888
..... 12512 12428	\if@extrafootnotefeatures
\if@bidi@polyglossialoaded@	\if@bidi@xltxtalloaded@ 1787, 1873
..... 12596 12449	\if@fcollmade
\if@bidi@pstricksloaded@	\if@bidi@xtabloaded@	... 6770, 6825,
..... 12506 12545	10206, 10242,
\if@bidi@quotchaploaded@	\if@bidi@xunicode@loaded@	10326, 10974,
..... 12515 12452	11022, 13638,
\if@bidi@rotatingloaded@	\if@capbreak	13733, 19806, 19845
..... 12572	16028, 16607, 17289	\if@ff@nwpg .. 10294
\if@bidi@soulloaded@	\if@captionabove ..	\if@firstcolumn ..
..... 12533 16061,	... 6725, 6784,



6840, 6921, 6940, 7086, 7105, 10178, 10210, 10938, 10982, 13552, 13650, 13754, 19769, 19812, 19945	\if@nonlatin 338, 343, 1776, 1889, 2761, 2767, 6430, 6432	1149, 1188, 1342, 1348, 1349, 1354, 1365, 1391, 1394, 1395, 1413, 1437, 1575, 1576, 1687, 1688, 1701, 1712, 1775, 1796, 1924, 1931, 2554, 2725, 2731, 5045, 5046, 5163, 5164, 5165, 5812, 5818, 5819, 5824, 5835, 5858, 5861, 5862, 5878, 5988, 5994, 5995, 6000, 6011, 6034, 6037, 6038, 6065, 6148, 6159, 6161, 6297, 6312, 6315, 6316, 6343, 6357, 6373, 6391, 6403, 6416, 6491, 6532, 6533, 6537, 6538, 6540, 6547, 6553, 6572, 6575, 6576, 6582, 6587, 6694, 6697, 6714, 6718, 7545, 7625, 7640, 7662, 7663, 7664, 7665, 7688, 7708, 7711, 7712, 7722, 7736, 7749, 7759, 7975, 7998, 8013, 8029, 8049, 8052, 8057, 8065, 9963, 9978, 9981, 9982, 9989, 10001, 10018, 10278, 10420, 10700, 10780, 10782, 11038, 11040, 11043, 11044, 11061, 11064, 11071, 11080, 11086, 11090, 11093, 11107, 11132, 11139, 11304, 11406, 11508, 11516, 11898, 11934, 11966, 11995,
\if@firstdetailselement 7299, 7301	\if@oldtoc 877, 903, 1104, 1120, 1358, 1385, 5828, 5852, 6004, 6028, 14682, 14706, 15053, 15077	
\if@firstfooterelement 7203, 7206	\if@openright 5417, 6364, 8020	
\if@flushend@auto@baselineskip 6956	\if@ovb 10154 \if@ovl 10152 \if@ovr 10151 \if@ovt 10153	
\if@hboxRconstruct 1780, 1925, 2749, 2755, 10699, 19575, 19599, 19632, 19641, 19650, 19659, 19670, 19671, 19685, 19686	\if@parafootRTL 1788, 9677, 9688	
\if@ignore .. 3278, 3280	\if@pboxsw 19614	
\if@inlabel 6394	\if@ref 16850	
\if@inlxdoc 17856	\if@restonecol . 823, 839, 1087, 1338, 5808, 5984, 6193, 14644, 14898, 15355, 17903	
\if@insert 7114	\if@reversemargin 19950	
\if@komalongtable . 16077, 16656, 17338	\if@rjfield 19989	
\if@LTRbibitems . 84, 293, 792, 926, 1188, 1437, 1785, 2554, 5878, 6065, 6373, 7759, 8029, 10018, 13548, 14025, 14737, 15130, 15323, 15525, 15924, 16503, 17185, 17833	\if@rl 1775 \if@rl@footnote .. 1790 \if@rlmain 1774	
\if@LTRmarginpar 1784, 19974, 19979, 19983	\if@rot@twoside 15555, 15560, 15570, 15600, 15606, 15618	
\if@mainmatter 5389, 6150, 6345, 8000, 14535, 16448, 16464, 16472, 16480	\if@RTL 12, 13, 25, 84, 100, 103, 104, 105, 213, 214, 230, 233, 234, 235, 293, 307, 311, 733, 750, 753, 754, 777, 792, 843, 856, 867, 868, 873, 884, 909, 912, 913, 926, 1093, 1094, 1100, 1110, 1113, 1114, 1127,	
\if@minipage 4137, 13539		
\if@mparswitch ... 19947		
\if@newlist .. 10342, 10362, 20003, 20064		
\if@nobreak 3731, 10907, 12744, 14596, 14610		



12021,	12027,	15637,	15641,	18160,	18161,
12031,	12034,	15645,	15647,	18169,	18209,
12079,	12083,	15652,	15656,	18210,	18211,
12086,	12091,	15659,	15663,	18889,	18951,
12199,	12202,	15665,	15669,	18952,	18953,
12206,	12659,	15696,	15705,	18959,	18962,
12736,	12819,	15896,	15897,	19009,	19069,
12827,	13015,	15924,	15981,	19074,	19097,
13341,	13429,	15982,	15983,	19104,	19164,
13430,	13431,	15985,	16056,	19167,	19251,
13432,	13433,	16244,	16253,	19286,	19294,
13434,	13513,	16444,	16503,	19321,	19322,
13515,	13548,	16560,	16561,	19325,	19326,
13788,	13792,	16562,	16564,	19328,	19365,
13793,	13800,	16635,	16816,	19369,	19422,
13805,	13812,	16823,	16908,	19427,	19473,
13817,	14025,	16914,	16942,	19474,	19485,
14103,	14123,	16951,	17142,	19486,	19489,
14138,	14152,	17185,	17242,	19493,	19569,
14277,	14327,	17243,	17244,	19577,	19583,
14402,	14456,	17246,	17317,	19589,	19600,
14457,	14460,	17492,	17495,	19672,	19673,
14464,	14483,	17525,	17545,	19675,	19678,
14484,	14485,	17743,	17768,	19681,	19685,
14530,	14532,	17785,	17805,	19686,	19687,
14538,	14549,	17808,	17813,	19688,	19690,
14551,	14562,	17817,	17818,	19692,	19693,
14564,	14575,	17833,	17928,	19698,	19745,
14577,	14586,	17929,	17930,	19746,	19752,
14588,	14605,	17938,	17959,	19757,	19974,
14627,	14628,	17960,	17961,	19979,	19983,
14648,	14661,	17969,	17982,	19991,	19992,
14672,	14673,	17983,	17984,	19993,	19994,
14678,	14689,	17992,	17999,	20073,	20076,
14712,	14715,	18000,	18001,	20084,	20094,
14716,	14737,	18009,	18016,	20186,	20196,
15031,	15032,	18017,	18018,	20202	
15043,	15044,	18026,	18033,	\if@RTL@footnote . .	
15049,	15060,	18034,	18035, 36, 245,	
15083,	15086,	18043,	18050,	1790, 1927, 4416,	
15087,	15097,	18051,	18052,	8091, 8138, 8337,	
15110,	15130,	18060,	18067,	8382, 8486, 8528,	
15158,	15274,	18068,	18069,	8628, 8673, 8777,	
15289,	15292,	18077,	18085,	8822, 8926, 8970,	
15293,	15298,	18086,	18087,	9075, 9119, 9224,	
15299,	15323,	18095,	18104,	9269, 9373, 9418,	
15458,	15473,	18105,	18106,	9522, 9567, 9728,	
15476,	15477,	18114,	18124,	9778, 10600,	
15504,	15516,	18125,	18126,	10646, 10684, 10685	
15525,	15635,	18134,	18159,	\if@RTLbibtitems . 84,	
				293, 792, 926,	



1188, 1437, 1786, 2554, 5878, 6065, 6373, 7759, 8029, 10018, 13548, 14025, 14737, 15130, 15323, 15525, 15924, 16503, 17185, 17833	\if@sectionentrywithdots 16138	16357, 17055, 17858, 19944, 20087
\if@RTLcolumnfootnotes 1789, 8311, 8312, 8315, 8316, 8347, 8399, 8495, 8544, 8638, 8690, 8787, 8839, 8936, 8988, 9085, 9137, 9234, 9286, 9383, 9435, 9532, 9584	\if@tempswa	\if@twoside
\if@RTLmain ... 1774, 1795, 1923, 1930, 6590, 6613, 6636, 6659, 6867, 7493, 7499, 7502, 7516, 7534, 10425, 11157, 11167, 11184, 11190, 13745, 13905, 19851, 20017, 20023, 20050, 20060	... 3573, 3618, 7401, 7458, 18603	... 5334, 10301, 15778, 15791, 15859, 16326, 16339, 16407, 17024, 17037, 17105, 19277, 20015
\if@RTLMarginpar 1783, 19974, 19979, 19983	\if@thmmarks .. 14086, 14090, 14107, 14111	\if@vihproof 13773, 13779 \ifadl@inactive ... 1589 \ifadl@usingarypkg 1592 \ifAM@output 14199 \ifAM@survey 14177 \ifartopt 13449 \ifbidi@autofootnoterule 10426, 10658, 10671, 10684
\if@RTLTab ... 582, 583, 599, 602, 624, 626, 1583, 1584, 1603, 1604, 1641, 1642, 1779, 2192, 2196, 2197, 2737, 2743, 6451, 6453, 6474, 6481, 6503, 6504, 6517, 6528, 12607, 12609, 12723, 12726, 17560, 17564, 17565, 17582, 17590, 17596, 17621, 17709, 17710, 19529, 19705, 19709, 19710, 19730, 19738, 19739	\if@todonotes@penalties 18872, 18981	\IfbidiPackageVersion 1761 \IfbidiPackageVersionBefore 1755 \IfbidiPackageVersionLater 1749 \ifblendcolors 19333, 19354, 19376, 19403 \ifbool ... 12758, 12767
	\if@todonotes@authorgiven 19140, 19151, 19176, 19193	\ifcase 1624, 1651, 1655, 1659, 1663, 1689, 1811, 1817, 1823, 1829, 1835, 1841, 1853, 1859, 1865, 6505, 11504, 12677, 17799, 18179, 18941, 19011, 19121, 19129, 19353, 19402
	\if@todonotes@disabled 19134, 19135	\ifcat 1806, 1941 \ifconvertcolorsU 19339, 19355, 19382, 19404
	\if@ttb@rotate ... 10419	\ifcpoddpage 3920
	\if@twocolumn 94, 224, 678, 810, 826, 853, 860, 1027, 1074, 1159, 1170, 1278, 1325, 1410, 1417, 1527, 5343, 5795, 5971, 6180, 6242, 7824, 7921, 10075, 13412, 14631, 14658, 14665, 14838, 14885, 14979, 15107, 15114, 15222, 15342, 15403, 15809,	\ifcsname .. 378, 437, 506, 527, 2774, 2780, 2907, 3347, 3362, 3576, 3584, 14048, 14058, 14072, 18896, 18897, 18906,



18917,	18921,	13473,	13475,	19328,	19365,
18931,	18943,	13514,	13574,	19369,	19422,
18997,	19025,	13582,	13584,	19685,	19686,
19026,	19034,	13672,	13680,	19729,	19855, 19899
19038,	19042,	13682,	13755,	\ifhv@fbox . . .	11306,
19046,	19050,	13766,	13850,	11312,	11319,
19054,	19058, 19062	13858,	13864,	11325,	11331,
\ifdefined		13881,	13889,	11337,	11346,
	538, 546, 2792, 2798	14227,	14274,	11350,	11355,
\ifdfn@allowcbreak		14299,	14357,	11359,	11363,
.....	7354, 7375	14368,	14375,	11367,	11381,
\ifdfn@ruleboth . . .		14380,	14395,	11397,	11408,
	7412, 7466	14495,	14520,	11412,	11417,
\ifdfn@trysingle . . .		16015,	16023,	11421,	11425,
	7393, 7450	16594,	16602,	11429,	11436,
\ifdim 445, 1677,		16854,	16860,	11442,	11449,
	1678, 1750, 1756,	16866,	16872,	11455,	11461, 11467
	1762, 4150, 4717,	16878,	16884,	\ifhv@nonFloat	11249,
	5483, 5520, 5522,	16890,	16896,	11256,	11274,
	5581, 5582, 5584,	16902,	17276,	11295,	11487, 11489
	5590, 5630, 5643,	17284,	17607,	\ifhv@onlyText . . .	
	5650, 5731, 5733,	18514,	18528,	11257, 11275
	5746, 5748, 5756,	18533,	18907,	\ifhv@useOBox	11220, 11224
	6424, 6860, 6905,	18932,	18998,	\ifHy@href@ismap .	11986
	6917, 6930, 6933,	19254,	19256,	\ifHy@hyperfootnotes	
	6935, 6965, 6969,	19258,	19260,	11523
	6970, 6984, 7009,	19261,	19262,	\ifHy@nesting	
	7034, 7069, 7082,	19264,	19304,	..	11572, 11583,
	7095, 7098, 7100,	19311,	19956, 20072	11594,	11605,
	7348, 7369, 7389,	\ifdofullc@p		11620,	11635,
	7398, 7425, 7429,	16018,	16597, 17279	11695,	11733,
	7446, 7455, 7477,	2669,		11766,	11797, 11828
	7481, 8209, 8214,	2670,	2672,	\ifHy@pdfa	11912,
	8221, 8226, 8233,	10907,	10908,	11946,	11977, 12006
	8238,	12310,	12744,	\ifin@	3592
	10140,	12745,	14596,	\ifinner	
	10142,	14597,	14610, 14611	2263, 4381, 4425,	
	10792,	10800,		4469,	10795,
	10816,	10817,		19246,	19861, 19905
	10847,	10855,	... 3287, 3302,	\ifL@grid	12168
	10868,	10883,	3900,	\ifL@image	12144
	10916,	10917,	5363,	\iflatin	2760
	11049,	11056,	5428	\ifLettrineImage .	12114
	11095,	11102,	\ifGin@grid 14139, 14152	\ifLettrineOnGrid	12115
	11147,	11237,	\ifGin@iso	\ifLtoR	2730
	11375,	11391,	\ifhbox 9683, 9693, 9697	\ifLtoRhboxconstruct	
	12167,	12173,	\ifhmode . 2257, 4375,	2754
	12259,	12660,	4419, 4463, 4706,	\ifLtoRtable	2742
	12671,	12710,	4712, 6538, 6540,	\ifmaskcolors .	19343,
	12713,	13419,	6547, 6553, 6572,	19354,	19386, 19403
	13462,	13469,	17761,	19326,	



\ifmmode . .	180, 6532,	7739, 7825, 7922,	15505, 15798,
6537,	10247,	7971, 7985, 7987,	15810, 16346,
10257,	11038,	7989, 7999, 8317,	16358, 16447,
11040,	11043,	9958, 9973, 9990,	16463, 16471,
11044,	11061,	10076, 10126,	16479, 17044,
11064,	11071,	10128, 10130,	17056, 17652,
11080,	11086,	10395, 10397,	17700, 17701,
11090,	11093,	10399, 10408,	17702, 17703,
11107,	11132,	10410, 10412,	17705, 17790,
11139,	11883,	10558, 10658,	17792, 17910,
11895,	11898,	10671, 10684,	17914, 17956,
11934,	11966,	10916, 10918,	17975, 17997,
11995,	12021,	11885, 11890,	18014, 18031,
14210,	14268,	12151, 12230,	18048, 18065,
14487,	14523,	12233, 12241,	18083, 18102,
15635,	15637,	12244, 12313,	18122, 18157,
15641,	15645,	12621, 12622,	18340, 18341,
15647,	15652,	12705, 12706,	18448, 18449,
15656,	15659,	13413, 13446,	18473, 18483,
15663,	15665,	13571, 13601,	18871, 18876,
15669,	19321,	13669, 13699,	18894, 19067,
19325,	19609, 19696	13786, 13798,	19285, 19550,
\ifNAT@openbib	... 14027	13810, 13871,	19735, 19736,
\ifnonlatin 2766	13907, 13913,	19750, 19952,
\ifnum 3, 133,	14067, 14077,	19974, 20081, 20082
139,	204, 306,	14287, 14293,	\ifodd 2274,
414,	453, 478,	14305, 14308,	5334, 7507, 7524,
561,	573, 574,	14309, 14310,	7584, 10302,
575,	576, 578,	14312, 14313,	11177, 11183,
679,	728, 745,	14314, 14315,	19277, 19948, 20016
771,	780, 863,	14324, 14346,	\ifoddpage 3914
879,	897, 1028,	14351, 14362,	\ifonelinecaptions
1089,	1122, 1140,	14373, 14374,	15989, 16568, 17250
1279,	1344, 1360,	14380, 14384,	\ifpdf 358
1378,	1528, 1594,	14387, 14388,	\ifpgfrememberpicturepositiononpage
1595,	1596, 1597,	14481, 14482, 14223
1599,	1638, 1639,	14489, 14534,	\ifpoem@started . . .
1883,	1884, 2289,	14668, 14684, 5577, 5583,
5603,	5814, 5830,	14700, 14757,	5730, 5737, 5751
5846,	5909, 5911,	14759, 14761,	\ifprimitive . 2826, 2833
5913,	5990, 6006,	14839, 14980,	\ifPst@shift@star 14511
6022,	6085, 6087,	15039, 15055,	\ifrot@messages . . .
6089,	6149, 6243,	15071, 15122, 15605, 15617
6292,	6307, 6330,	15124, 15126,	\ifRtoL 2724
6332,	6334, 6344,	15223, 15270,	\ifRtoLhboxconstruct
6425,	6692, 6700,	15284, 15310, 2748
6705,	6712, 6892,	15312, 15314,	\ifRtoLtable 2736
6901,	6911, 7056,	15404, 15453,	\ifshowgrid 14489
7065,	7075, 7289,	15468, 15491,	\ifstr . 18222, 18223,
7703,	7717, 7730,	15493, 15495,	18224, 18225,



18226,	18227,	\ifstrstart	\ifvoid .. 6756, 6772,
18228,	18229,	18619, 18651, 18725	6811, 6827, 6846,
18230,	18245,	\iftagsleft@ . . . 330, 7542	6854, 6887, 7012,
18246,	18247,	\ifthenelse . . . 177,	7023, 7051, 7352,
18248,	18250,	182, 190, 383,	7373, 7384, 7409,
18251,	18252,	386, 392, 401,	7441, 7463, 8254,
18255,	18258,	406, 510, 513, 519,	8271, 8281, 9930,
18267,	18268,	2508, 2525, 2529,	9943, 10718,
18269,	18272,	2533, 2541, 3813,	10876, 10897,
18275,	18294,	3873, 3875, 3878,	12062, 12066,
18295,	18296,	3882, 3885, 3888,	12723, 12789,
18298,	18299,	3913, 3970, 3989,	13825, 14402, 19427
18300,	18303,	4004, 4009, 4015,	\ifWF@float 19259, 19273
18306,	18315,	4024, 4029, 4035,	\ifx 111,
18316,	18317,	4041, 4042, 4049,	130, 132, 147, 151,
18320,	18323,	4056, 4058, 4064,	155, 162, 389, 516,
18377,	18378,	4081, 4099, 4101,	1012, 1016, 1263,
18379,	18380,	4105, 4123, 4124,	1267, 1512, 1516,
18381,	18382,	4127, 4128, 4163,	2140, 2146, 2152,
18383,	18384,	4172, 4183, 4193,	2167, 2198, 2250,
18385,	18400,	4242, 4357, 4581,	2253, 2514, 2515,
18401,	18402,	4599, 4600, 4618,	2516, 2518, 2578,
18403,	18405,	4619, 4637, 4638,	2581, 2601, 2605,
18406,	18407,	4669, 4670, 4785,	2625, 2629, 2644,
18410,	18413,	4790, 4814, 4819,	2648, 2718, 2781,
18422,	18423,	4843, 4848, 4925,	2799, 2870, 3058,
18424,	18427,	4929, 4977, 5190,	3074, 3292, 3316,
18430,	18628,	5236, 5245, 5253,	3331, 3396, 3408,
18629,	18630,	5280, 5327, 5396,	3440, 3451, 3486,
18631,	18632,	5407, 7193, 7199,	3492, 3503, 3504,
18633,	18634,	7216, 7219, 7220,	3515, 3545, 3554,
18635,	18636,	7221, 7222, 7223,	3555, 3575, 3590,
18679,	18680,	7309, 7314, 7317,	3600, 3614, 3621,
18681,	18682,	7318, 7319, 7320,	3633, 3649, 3704,
18684,	18685,	7321, 7324, 7328,	3715, 4651, 5472,
18686,	18689,	10368, 10383,	5493, 5654, 5705,
18692,	18701,	14167, 15559, 15604	5710, 5712, 6736,
18702,	18703,	\iftocstyle@autolength	6795, 7421, 7473,
18706,	18709, 18916	8047, 8063, 8067,
18739,	18740,	\iftocstyle@indentnotnumbered	10188, 10220,
18741,	18743, 18961, 19008	10555, 10760,
18744,	18745,	\iftrue 2671,	10951, 10995,
18748,	18751,	4322, 4335, 4348	11075, 11117,
18760,	18761,	\ifttl@label 17766	11118, 11124, 11211,
18762,	18765,	\ifTX@ 17642	11213, 11219,
18768,	18788,	\ifvbox 9894	11230, 11232,
18791,	18794,	\ifvmode .. 3731, 4111,	11235, 11236,
18814,	18848,	4114, 4117, 4120,	11253, 11259,
18823,	18835,	12773, 13840,	11260, 11262,
18838,	18842, 18852	14097, 14117, 17594	11265, 11277,



11278,	11280,	16847,	16851,	14663,	15103,
11283,	11292,	16857,	16863,	15112,	15635,
11294,	11303,	16869,	16875,	15645,	15663,
11305,	11318,	16881,	16887,	15998,	16019,
11345,	11354,	16893,	16899,	16024,	16029,
11374,	11390,	16908,	16938,	16034,	16052,
11407,	11416,	16964,	16971,	16577,	16598,
11435,	11448,	16991,	16996,	16603,	16608,
11482,	11488,	17003,	17009,	16613,	16631,
11501,	11532,	17033,	17104,	16914,	17259,
11543,	11554,	17108,	17116,	17280,	17285,
11861,	11864,	17122,	17134,	17290,	17295,
11867,	11870,	17172,	17234,	17313,	19365,
11914,	11922,	17239,	17602,	19369,	19595,
11948,	11956,	17801,	18142,	19626,	19636,
11979,	12008,	18497,	18501,	19645,	19654,
12081,	12128,	18505,	18602,	19663	\ilg
12270,	12271,	18883,	18954,	14296,	14319
12275,	12277,	18966,	18974,	3728,	5717
12626,	13523,	18991,	19016,	\in@	3591
13563,	13661,	19083,	19088,	\includegraphics . .	
13921,	13925,	19090,	19334,	2549,	7195,
13929,	14053,	19377,	19494,	7326,	14127,
14057,	14064,	19603,	19780,	14169	\includemedia . . .
14070,	14183,	19823,	20029,	12990,	13318,
14195,	14465,	20030,	20032,	13319	\includepdf
14504,	14545,	20033		14160	\IncMargin
14558,	14571,	\ifXC@tst	19357,	19406	\indentedwidth
14823,	14827,	\ignorespaces . . .	45,	8065	\index
14964,	14968,	58,	73,	10351,	20040
15692,	15718,	254,	267,	817,	\indexname
15725,	15745,	338,	542,	818,	819,
15750,	15757,	858,	1155,	833,	834,
15763,	15787,	1415,	3215,	1081,	1082,
15858,	15862,	4141,	4142,	1332,	1333,
15870,	15876,	4737,	4754,	5150,	5151,
15888,	15912,	4807,	4836,	5802,	5803,
15973,	15978,	5130,	5554,	5978,	5979,
16240,	16266,	5725,	5726,	6187,	6188,
16273,	16293,	6060,	6428,	6434,	6488,
16298,	16305,	6547,	6553,	6561,	6489,
16311,	16335,	6568,	8052,	8066,	14638,
16406,	16410,	8101,	8117,	8133,	14639,
16418,	16424,	8147,	8160,	8173,	14892,
16436,	16490,	10611,	10627,	14893,	15349,
16552,	16557,	10642,	10668,	15350,	15351,
16812,	16840,	10681,	10694,	17867,	17868,
16841,	16842,	11159,	11163,	17869,	17873,
16843,	16844,	11168,	11173,	17874,	17875,
16845,	16846,	12086,	13536,	17878,	17879,
		13543,	14654,	17885,	17886,
				17890,	17891,
				17892,	17895,
				17896	
				\indexspace	5166
				\input	1808,
				1809,	
				1874,	1921,
				1943,	
				2361,	5364,
				5429,	
				20086,	20096,



20097,	20098, 3286,	8006, 8015, 8263,
20099,	20100,	3290, 3299, 12119	9995, 10003,
20101,	20102,	\insert 35, 48,	10602, 10618,
20103,	20104,	63, 244, 257, 271,	10633, 13790,
20105,	20106,	7343, 7359, 7364,	13802, 13814,
20107,	20108,	7380, 7427, 7433,	14538, 14646,
20109,	20110,	7479, 7485, 8090,	14671, 15042,
20111,	20112,	8106, 8122, 8337,	15095, 15156,
20113,	20114,	8347, 8357, 8435,	15510, 15518,
20115,	20116,	8486, 8495, 8504,	17758, 17799,
20117,	20118,	8578, 8628, 8638,	17932, 17963,
20119,	20120,	8648, 8726, 8777,	17986, 18003,
20121,	20123,	8787, 8797, 8875,	18020, 18037,
20124,	20130,	8926, 8936, 8946,	18054, 18071,
20137,	20138,	9024, 9075, 9085,	18089, 18108,
20139,	20140,	9095, 9173, 9224,	18128, 18163,
20141,	20142,	9234, 9244, 9322,	18496, 18957,
20143,	20144,	9373, 9383, 9393,	19071, 19252, 19754
20145,	20146,	9471, 9522, 9532,	\intermath@penalty 6427
20147,	20148,	9542, 9620, 9719,	\intextsep . 19312, 19314
20149,	20150,	9731, 9743, 9833,	\InTheoType
20151,	20152,	10599, 10615, 10630	... 7558, 14087,
20153,	20154,	\insert@column	14089, 14108, 14110
20155,	20156, 1626, 1627,	\invoicename
20157,	20158,	1628, 1629, 1631,	\ior . 13094, 13095, 13099
20159,	20160,	1632, 1692, 1694,	\isempty
20161,	20162,	1695, 1697, 1698,	3989, 4581, 4785,
20163,	20164,	1699, 6508, 6510,	4790, 4814, 4819,
20165,	20166,	6511, 6513, 6514, 6515	4843, 4848, 5236,
20167,	20168,	\insertpenalties 10563	5245, 5253, 5280
20169,	20170,	\int	\isodd 15559, 15604
20171,	20172,	13044, 13091, 13092,	\isSC@ODD 17493,
20173,	20174,	13096, 13174,	17494, 17496,
20175,	20176,	13262, 13265,	17497, 20187,
20177,	20179,	13266, 13277,	20189, 20191, 20193
20180,	20181,	13313, 13359, 13384	\isundefined
20182,	20183,	\interfootnotelinepenalty	4193, 4242, 7193,
20184,	20207,	. 38, 51, 66, 247,	7199, 7216, 7219,
20208,	20209,	260, 274, 8263,	7220, 7221, 7222,
20210,	20211,	10602, 10618, 10633	7223, 7314, 7317,
20212,	20213,	\interlinepenalty 38,	7318, 7319, 7320,
20214,	20215,	51, 66, 247, 260,	7321, 7324, 7328
20216,	20217,	274, 778, 841,	\item 98, 228, 822, 837,
20218,	20219,	866, 1092, 1147,	1085, 1168, 1336,
20220,	20221,	1340, 1347, 5042,	5122, 5130, 5135,
20222,	20223,	5810, 5817, 5986,	5156, 5806, 5982,
20224,	20225,	5993, 6156, 6351,	6192, 10252,
20226,	20227, 20228	6359, 6890, 6899,	10267, 14642,
		6909, 7054, 7063,	14896, 15354, 17902
		7073, 7737, 7750,	



\itemindent . . .	5117,	1179, 1182, 1184,	15306,	15308,
5118,	5126, 19557	1213, 1420, 1421,	15483,	15485,
\itemsep	3862,	1423, 1426, 1427,	15487,	15489,
5063,	5102, 5116	1429, 1462, 1690,	15717,	15721,
\itemx	13953	1695, 2071, 2072,	15724,	15727,
\itemxox	13988	2073, 2074, 2075,	15728,	15972,
\itemxoxx	13998	2076, 2077, 2078,	15975,	15977,
\itemxx	13956	2082, 2083, 2130,	15980,	16265,
\itemxxo	13993	2132, 2133, 4332,	16269,	16272,
\itemxxox	14005	4333, 4343, 4344,	16275,	16276,
\itemxxx	13961	4346, 4808, 4809,	16551,	16554,
\itemxxxxo	14012	4837, 4838, 4866,	16556,	16559,
\itemxxxxx	13968	4867, 5893, 5894,	16832,	16834,
\itemxxxxxx	13977	5896, 5899, 5900,	16836,	16838,
\itshape	2048,	5902, 5923, 6046,	16963,	16967,
2521, 4926, 4928,		6047, 6049, 6052,	16970,	16973,
4932, 4939, 4946,		6053, 6055, 6099,	16974,	17233,
4981, 4988, 4995,		6322, 6324, 6326,	17236,	17238,
5002, 5009,		6328, 6506, 6511,	17241,	17529,
5313, 5314, 5315		6533, 7338, 7339,	17535,	17772,
]		7628, 7635, 7643,	19287,	19291,
\juo@ht	13590,	7650, 7689, 7693,	19297,	19300,
13597,	13688,	7774, 7776, 7778,	19322,	19505,
13695,	13762, 13769	7780, 8072, 8074,	19508, 19510, 19971	
\juo@pr	13573,	8076, 8078, 8085,	\keys	
13603, 13671, 13701		8086, 8200, 8201,	12810, 13003,	
\juo@sar	13572,	10008, 10010,	13097, 13336, 13337	
13602, 13642,		10012, 10014,	\keywords	
13670, 13700, 13737		10151, 10152,	326	
\juo@sk	13571, 13601,	10153, 10372,	\kill	
13642, 13669,		10515, 10517,	12623	
13699, 13737, 13770		10518, 10519,	\KOMACClassName	
\justifying	3896,	10520, 10521,	15799,	
3966, 4530, 14583		10553, 10765,	16115, 16347,	
\JustifyingParfillskip		10829, 11057,	16694, 17045, 17376	
.	14589	11103, 12095,	\KV@do	
\JustifyingParindent		12097, 12099,	12136, 12141	
.	3868,	12101, 13849,	\KV@prefix	
4533, 5089, 14590		13947, 13949,	12134, 12139	
K		13950, 13951,		
\keepthetitle	13395	14472, 14475,	L	
\kern	27,	14502, 14518,	\l	
29, 30, 31, 237,		14724, 14725,	7584, 7600,	
239, 240, 241,		14727, 14730,	7603, 7609, 7612,	
759, 761, 763,		14731, 14733,	7614, 7615, 7618,	
765, 941, 942,		14773, 14912,	7619, 7622, 7625,	
944, 947, 948,		15145, 15146,	7626, 7627, 7632,	
950, 962, 1177,		15148, 15151,	7633, 7634, 7640,	
		15152, 15154,	7641, 7642, 7647,	
		15302, 15304,	7648, 7649, 7658,	
			7661, 7669, 12818,	
			12819, 12820,	
			12826, 12827,	
			12828, 12834,	
			12835, 12836,	
			12837, 12838,	
			12839, 12840,	



12841,	12842,	13119,	13120,	\l@LOKeys
12843,	12844,	13122,	13123,	12129, 12131, 12136, 12141
12846,	12847,	13124,	13127,	\L@lraise
12849,	12850,	13128,	13129,	12154, 12160, 12161,
12851,	12858,	13132,	13165,	12163, 12164, 12209
12859,	12860,	13167,	13170,	\L@next
12862,	12864,	13195,	13197,	12190, 12191, 12202, 12204
12867,	12868,	13229,	13233,	\l@ngrel@x
12875,	12885,	13245,	13246,	. . . 2870, 2871, 2873
12886,	12887,	13292,	13300,	\L@Nindent
12888,	12889,	13301,	13307,	12111, 12189, 12191,
12890,	12891,	13318,	13319,	12193, 12202, 12203
12892,	12893,	13340,	13341,	\L@novskip
12894,	12895,	13342,	13343,	. . . 12113, 12167, 12171
12896,	12897,	13344,	13345,	\L@oversize
12898,	12899,	13346,	13389, 13390	12107
12903,	12904,	\l@	18173	\l@paragraph 18030, 19052
12905,	12907,	\L@ante 12109, 12184, 12209		\l@parshape
12909,	12912,	\l@chapter 5853, 5867,		12199, 12202, 12206, 12208
12913,	12915,	6029, 6043, 6306,		\l@part 727, 878, 896,
12916,	12917,	9972, 14707,		1121, 1139, 1359,
12926,	12936,	14721, 15078,		1377, 5829, 5845,
12937,	12938,	15092, 15283,		6005, 6021, 6291,
12939,	12940,	15467, 17823,		7716, 7970, 9957,
12941,	12942,	17824, 17955, 19036		14683, 14699,
12943,	12944,	\l@color	12124, 12125	15054, 15070,
12950,	12952,	\l@figure	5050,	15269, 15452,
12953,	12954,	5051, 18064, 19064		17820, 17821,
12957,	12959,	\L@Findent		17908, 19028, 19031
12960,	12965,		\L@Pindent
12966,	12967,	\L@first 12152, 12153,		12182, 12183, 12185,
12969,	12971,	12156, 12157,		12186, 12188,
12975,	12976,	12159, 12160,		12189, 12192, 12199
12977,	12985,	12161, 12162,		\L@raise
12997,	12998,	12167, 12173,		12108, 12160
13013,	13014,	12175, 12179,		\l@section
13015,	13016,	12184, 12185,		744, 904, 917, 1105,
13034,	13054,	12187, 12188, 12199		1118, 1386, 1399,
13062,	13067,	\L@gridfalse	12115	7702, 17974, 19040
13081,	13086,	\L@gridtrue	12115	\l@slope
13090,	13091,	\L@hang	12106, 12183	12112, 12203, 12204
13092,	13094,	\L@imagefalse	12114	\l@subfigure
13095,	13096,	\L@imagetrue	12114	18047, 19056
13099,	13103,	\L@lbox		\l@subsection
13105,	13106,	12137,	 17996, 19044
13107,	13108,	12138, 12145,		\l@subsubsection . . .
13109,	13110,	12147, 12152,	 18013, 19048
13111,	13113,	12162, 12182,		\l@subtable
13114,	13115,	12183, 12194,		18121
13116,	13118,	12195, 12196, 12209		\l@table
			 5051, 18082, 19060
				\L@tbox 12149, 12153, 12211



\l@textcolor	12126, 12127		
\label	... 2545, 4018, 4020, 4022, 4026, 4072, 10350, 11267, 11285, 20039	1440, 2558, 2560, 5080, 5081, 5880, 5881, 6067, 6068, 6375, 6376, 7761, 7762, 8031, 8032,	15789, 15878, 15885, 15887, 15890, 16313, 16319, 16321, 16337, 16426, 16433, 16435, 16438, 17011, 17017, 17019, 17035, 17124, 17131, 17133, 17136
\labelitemi	961, 1212, 1275, 1461, 5922, 6098, 14772, 14911	10020, 10021, 10921, 13954, 13957, 13959, 13962, 13964, 13966, 13969, 13971, 13973, 13975, 13978, 13980, 13982, 13984, 13986, 13989, 13991, 13994, 13996, 13999, 14001, 14003, 14006, 14008, 14010, 14013, 14015, 14017	15895, 16319, 16337, 16433, 16438, 17017, 17035, 17131, 17133, 17136
\labelname	... 13954, 13957, 13959, 13962, 13964, 13966, 13969, 13971, 13973, 13975, 13978, 13980, 13982, 13984, 13986, 13989, 13991, 13994, 13996, 13999, 14001, 14003, 14006, 14008, 14010, 14013, 14015, 14017	13962, 13964, 13966, 13969, 13971, 13973, 13975, 13978, 13980, 13982, 13984, 13986, 13989, 13991, 13994, 13996, 13999, 14001, 14003, 14006, 14008, 14010, 14013, 14015, 14017, 14739, 14740, 15132, 15133, 15325, 15326, 15527, 15528, 15928, 15929, 16507, 16508, 17189, 17190, 17835, 17836	645, 651, 716, 722, 736, 887, 976, 986, 1061, 1067, 1130, 1227, 1237, 1312, 1318, 1368, 1476, 1486, 1562, 1568, 1572, 1577, 4939, 5002, 5068, 5838, 5937, 5947, 6014, 6113, 6123, 6209, 6215, 6280, 6286, 6300, 7188, 7190, 7281, 7283, 7725, 7793, 7799, 7858, 7864, 7888, 7894, 7959, 7965, 7978, 9966, 10044, 10050, 10109, 10115, 14692, 14787, 14797, 14872, 14878, 14926, 14936, 15018, 15024, 15028, 15033, 15063, 15184, 15190, 15277, 15370, 15376, 15441, 15447, 15461, 18466, 18816, 18854
\labelsep	82, 86, 291, 295, 796, 930, 1192, 1441, 2559, 2561, 5079, 5081, 5138, 5882, 6069, 6377, 7763, 8033, 10022, 13954, 13957, 13959, 13962, 13964, 13966, 13969, 13971, 13973, 13975, 13978, 13980, 13982, 13984, 13986, 13989, 13991, 13994, 13996, 13999, 14001, 14003, 14006, 14008, 14010, 14013, 14015, 14017, 14741, 15134, 15327, 15529, 15930, 16509, 17191, 17837	\langle 2049 \Larg 2048, 2049, 2050, 2051, 2052 \Larga 2049 \Largb 2050 \LARGE . 643, 714, 969, 1059, 1220, 1310, 1469, 1560, 1571, 4981, 4988, 5070, 5313, 5930, 6106, 6207, 6278, 7278, 7791, 7856, 7886, 7957, 10042, 10107, 14780, 14870, 14919, 15016, 15027, 15182, 15368, 15439	\Largr 2052 \Largs 2051 \lastbox 6971, 6975, 7001, 9659, 9682, 9692, 9696, 12770, 14402, 19427 \lastbox@a ... 6971, 6972, 6975, 6976
\labelwidth	... 85, 86, 294, 295, 794, 795, 928, 929, 1190, 1191, 1439,	\Large 781, 4932, 4995, 5069, 5314, 5315, 7189, 7282, 7740, 15258, 15765, 15771, 15773,	\LastFrameCommand 10783, 10893



\lastkern . .	4717, 10868	7977, 8371, 8517,	14768, 14905,
\lastpenalty	6425, 18876	8662, 8811, 8960,	15144, 15164,
\lastrule	6472	9109, 9258, 9407,	15301, 15360,
\lastskip	4150,	9556, 9965, 9980,	15482, 15715,
	5643, 5644, 5756,	10252, 10267,	15737, 15971,
	5757, 6424, 6958,	10697, 11045,	16263, 16285,
	6959, 6963, 6964,	11091, 11111,	16550, 16832,
	6966, 6973, 6978	11901, 11938,	16961, 16983, 17232
\lastskip@ a		11970, 12705,	\leftfootnoterule .
	.. 6961, 6965, 6969	12994, 13327,	1844, 7335, 8082,
\lastskip@ b . .	6959,	13791, 13803,	10522, 10525,
	6961, 6963,	13815, 14401,	10757, 11029, 20089
	6965, 6969, 6970	14469, 14474,	\leftline . . . 14484,
\lastskip@ d . .	6958,	14520, 14541,	19677, 19683, 19685
	6964, 6966, 6972,	14677, 14691,	\leftmargin . . . 86,
	6973, 6976, 6978,	14714, 14773,	295, 795, 796,
	6979, 6982, 6992	14912, 15048,	929, 930, 1165,
\LastTOCLevelWasHigher		15062, 15085,	1191, 1192, 1440,
 18786	15276, 15291,	1441, 2560, 2561,
\LastTOCLevelWasLower		15460, 15475,	3859, 5060, 5119,
 18782	15727, 16275,	5120, 5127, 5133,
\LastTOCLevelWasSame		16973, 17509,	5881, 5882, 6068,
 18784	17560, 17764,	6069, 6376, 6377,
\LaTeX	12043,	17787, 17933,	7762, 7763, 8032,
	19497, 19498, 19510	17964, 17987,	8033, 10021,
\LaTeXe . . .	19499, 19500	18004, 18021,	10022, 14538,
\LBEG	2053	18038, 18055,	14740, 14741,
\lcb 2050, 2053, 2054, 2057		18072, 18090,	15133, 15134,
\lccode	19278, 19279	18109, 18129,	15326, 15327,
\Lcs	2064	18164, 18357,	15528, 15529,
\LcsStar	2065	18465, 18510,	15929, 15930,
\leaders	15727,	18958, 19072,	16508, 16509,
	16275, 16973,	19321, 19502,	17190, 17191,
	17542, 17814,	19507, 19509,	17836, 17837,
	18967, 19076, 19759	19517, 19524,	19567, 19570,
\leavevmode	14,	19597, 19705, 19755	19580, 19584,
	215, 307, 357,	\left . . 19518, 19525, 19531	19592, 19631,
	501, 598, 735,	\left@footnoterule	19633, 19634,
	752, 872, 886, 30, 240,	19635, 19640,
	911, 962, 1099,	635, 758, 940,	19642, 19643,
	1112, 1129, 1213,	957, 1176, 1208,	19644, 19649,
	1276, 1353, 1367,	1419, 1457, 5892,	19651, 19652,
	1393, 1462, 2182,	5918, 6045, 6094,	19653, 19658,
	2490, 4705, 5043,	6199, 6321, 7773,	19660, 19661, 19662
	5511, 5587, 5823,	7785, 7878, 8071,	\leftmargini . . 3859,
	5837, 5860, 5923,	10007, 10036,	5060, 5073, 5080
	5999, 6013, 6036,	10518, 10524,	\leftmarginii . . . 5074
	6099, 6299, 6314,	10537, 10539,	\leftmarginiii . . . 5075
	6393, 6394, 6532,	10671, 10684,	\leftmarginiv . . . 5076
	6584, 7710, 7724,	12094, 14723,	\leftmarginv . . . 5077



\leftmargini	5078	15298,	15299,	228,
\leftmarginwidth	15298	15458,	15473,	292,
\leftmark	5410	15476,	15477,	321,
\leftskip	12,	17756,	17768,	329,
13,	213,	17785,	17806,	330,
214,	307,	17808,	17813,	342,
311,	733,	17817,	17818,	379,
750,	754,	17928,	17929,	491,
843,	856,	17930,	17938,	507,
868,	873,	17959,	17960,	539,
899,	912,	17961,	17969,	540,
1093,	1094,	17982,	17983,	569,
1110,	1113,	17984,	17992,	599,
1127,	1149,	17999,	18000,	600,
1348,	1349,	18001,	18009,	624,
1365,	1391,	18016,	18017,	633,
1395,	1413,	18018,	18026,	634,
5045,	5046,	18033,	18034,	635,
5812,	5818,	18035,	18043,	636,
5824,	5835,	18050,	18051,	637,
5861,	5862,	18052,	18060,	638,
5994,	5988,	18067,	18068,	639,
6000,	6000,	18069,	18077,	657,
6011,	6034,	18085,	18086,	658,
6038,	6297,	18087,	18095,	660,
6315,	6316,	18104,	18105,	661,
6448,	6447,	18106,	18114,	662,
6448,	6449,	18124,	18125,	663,
6576,	6575,	18126,	18134,	664,
6582,	7708,	18159,	18160,	665,
7711,	7712,	18161,	18169,	666,
7975,	7972,	18209,	18210,	692,
8206,	9884,	18211,	18889,	693,
9963,	9978,	18951,	18952,	694,
9981,	9982,	18953,	18959,	695,
12752,	13429,	18962,	19009,	696,
13430,	13788,	19069,	19074,	700,
13792,	13793,	19097,	19104,	701,
13800,	13805,	19473,	19474,	702,
13812,	13817,	19666,	19692,	703,
14549,	14551,	19693,	19752,	704,
14562,	14564,	\LEND	2054	711,
14575,	14577,	\LenToUnit	2054	712,
14586,	14588,	\leqno . . .	7502,	7516,
14605,	14648,	14480,	7534,	1541,
14661,	14672,	14482,	20080,	1542,
14673,	14678,	20082		1543,
14689,	14712,	\let	83,	1544,
14715,	14716,		98,	1545,
15043,	15044,		111,	1546,
15049,	15060,		148,	1547,
15083,	15086,		149,	1548,
15087,	15097,		152,	1549,
15110,	15158,		153,	1550,
15274,	15289,		156,	1551,
15292,	15293,		157,	1559,
			160,	1585,
			180,	1586,
			184,	1590,
			199,	1606,
			200,	1607,
				1608,
				1644,
				1645,
				1646,



1671, 1672, 1673,	4630, 4631, 4658,	6265, 6266, 6267,
1674, 1679, 1714,	4659, 4687, 4688,	6268, 6275, 6276,
1715, 1801, 1803,	4689, 4783, 4804,	6277, 6380, 6404,
1805, 1893, 1936,	4805, 4806, 4812,	6406, 6409, 6410,
1938, 1940, 1989,	4833, 4834, 4835,	6411, 6417, 6422,
1990, 1991, 1992,	4841, 4862, 4863,	6442, 6454, 6455,
1993, 1994, 1995,	4864, 4880, 4884,	6456, 6458, 6459,
1996, 1997, 1998,	4885, 4886, 4889,	6465, 6466, 6467,
1999, 2137, 2138,	4893, 4894, 4895,	6468, 6488, 6497,
2139, 2166, 2183,	4898, 4902, 4903,	6538, 6544, 6565,
2184, 2185, 2186,	4904, 5051, 5115,	6737, 6740, 6741,
2187, 2188, 2189,	5156, 5243, 5310,	6796, 6799, 6800,
2190, 2191, 2193,	5311, 5312, 5502,	7333, 7334, 7335,
2194, 2195, 2305,	5503, 5505, 5506,	7336, 7337, 7340,
2306, 2307, 2308,	5524, 5545, 5546,	7341, 7343, 7361,
2309, 2310, 2311,	5547, 5548, 5549,	7362, 7364, 7382,
2312, 2313, 2564,	5550, 5551, 5552,	7383, 7387, 7422,
2573, 2578, 2596,	5553, 5556, 5557,	7424, 7436, 7439,
2620, 2639, 2644,	5558, 5559, 5560,	7440, 7444, 7474,
2669, 2670, 2677,	5561, 5562, 5563,	7476, 7488, 7491,
2678, 2681, 2682,	5564, 5625, 5651,	7492, 7766, 7783,
2716, 2843, 2846,	5701, 5707, 5728,	7784, 7785, 7786,
2854, 2871, 2893,	5741, 5751, 5765,	7787, 7805, 7806,
2915, 2916, 3046,	5769, 5770, 5771,	7807, 7808, 7809,
3126, 3128, 3129,	5772, 5773, 5774,	7810, 7811, 7812,
3130, 3131, 3132,	5775, 5776, 5777,	7813, 7814, 7838,
3187, 3198, 3205,	5783, 5784, 5785,	7839, 7840, 7841,
3211, 3217, 3224,	5786, 5787, 5788,	7842, 7843, 7844,
3228, 3230, 3312,	5789, 5790, 5791,	7845, 7846, 7847,
3328, 3348, 3363,	5806, 5885, 5916,	7848, 7855, 7876,
3379, 3472, 3493,	5917, 5918, 5919,	7877, 7878, 7879,
3494, 3510, 3553,	5920, 5958, 5959,	7880, 7881, 7882,
3556, 3558, 3563,	5960, 5961, 5962,	7900, 7901, 7902,
3577, 3585, 3586,	5963, 5964, 5965,	7903, 7904, 7905,
3606, 3607, 3634,	5966, 5967, 5982,	7906, 7907, 7908,
3645, 3650, 3654,	6072, 6092, 6093,	7909, 7910, 7911,
3656, 3659, 3669,	6094, 6095, 6096,	7935, 7936, 7937,
3680, 3707, 3718,	6134, 6135, 6136,	7938, 7939, 7940,
3727, 3776, 3781,	6137, 6138, 6139,	7941, 7942, 7943,
3797, 3798, 3799,	6140, 6141, 6142,	7944, 7945, 7946,
3800, 3802, 3803,	6143, 6192, 6197,	7947, 7954, 7955,
3804, 3805, 3851,	6198, 6199, 6200,	7956, 8036, 8080,
3981, 3982, 4019,	6201, 6202, 6203,	8081, 8082, 8083,
4020, 4026, 4071,	6221, 6222, 6223,	8084, 8176, 8177,
4072, 4154, 4156,	6224, 6225, 6226,	8178, 8179, 8180,
4158, 4304, 4305,	6227, 6228, 6229,	8181, 8183, 8184,
4318, 4322, 4324,	6230, 6231, 6232,	8185, 8186, 8187,
4325, 4331, 4335,	6256, 6257, 6258,	8188, 8189, 8325,
4339, 4348, 4592,	6259, 6260, 6261,	8326, 8327, 8331,
4593, 4611, 4612,	6262, 6263, 6264,	8332, 8333, 8334,



8336, 8474, 8475,	10362, 10365,	12625, 12627,
8476, 8480, 8481,	10497, 10525,	12628, 12630,
8482, 8483, 8485,	10551, 10552,	12631, 12632,
8616, 8617, 8618,	10658, 10671,	12636, 12642,
8622, 8623, 8624,	10684, 10709,	12654, 12690,
8625, 8627, 8765,	10710, 10711,	12691, 12692,
8766, 8767, 8771,	10712, 10746,	12744, 12745,
8772, 8773, 8774,	10761, 10767,	12746, 12747,
8776, 8914, 8915,	10772, 10907,	12748, 12756,
8916, 8920, 8921,	10908, 10909,	12803, 12804,
8922, 8923, 8925,	10910, 10952,	12805, 13397,
9063, 9064, 9065,	10955, 10956,	13398, 13399,
9069, 9070, 9071,	10996, 10999,	13400, 13401,
9072, 9074, 9212,	11000, 11029,	13402, 13403,
9213, 9214, 9218,	11030, 11031,	13404, 13405,
9219, 9220, 9221,	11032, 11033,	13461, 13464,
9223, 9361, 9362,	11114, 11148,	13465, 13467,
9363, 9367, 9368,	11150, 11178,	13468, 13564,
9369, 9370, 9372,	11180, 11185,	13567, 13568,
9510, 9511, 9512,	11187, 11191,	13662, 13665,
9516, 9517, 9518,	11193, 11524,	13666, 13899,
9519, 9521, 9701,	11525, 11526,	13902, 13922,
9702, 9703, 9707,	11567, 11568,	13923, 13926,
9708, 9709, 9710,	11569, 11611,	13927, 13930,
9712, 9720, 9732,	11612, 11613,	13931, 14034,
9744, 9769, 9783,	11626, 11627,	14035, 14036,
9797, 9891, 9953,	11628, 11641,	14144, 14145,
10025, 10034,	11642, 11643,	14146, 14147,
10035, 10036,	11649, 11651,	14148, 14150,
10037, 10038,	11652, 11653,	14163, 14168,
10056, 10057,	11654, 11655,	14182, 14214,
10058, 10059,	11656, 11657,	14403, 14407,
10060, 10061,	11666, 11702,	14452, 14453,
10062, 10063,	11740, 11773,	14454, 14455,
10064, 10065,	11804, 11835,	14458, 14459,
10089, 10090,	11841, 11843,	14461, 14466,
10091, 10092,	11844, 11845,	14476, 14477,
10093, 10094,	11846, 11847,	14478, 14479,
10095, 10096,	11848, 11849,	14480, 14542,
10097, 10098,	11850, 11862,	14546, 14548,
10099, 10106,	11865, 11868,	14559, 14561,
10162, 10189,	11871, 12038,	14572, 14574,
10192, 10193,	12039, 12040,	14584, 14585,
10221, 10224,	12041, 12056,	14596, 14597,
10225, 10303,	12067, 12125,	14598, 14599,
10304, 10306,	12135, 12140,	14600, 14610,
10307, 10310,	12298, 12310,	14611, 14612,
10311, 10340,	12613, 12614,	14613, 14614,
10342, 10350,	12615, 12617,	14623, 14625,
10351, 10352,	12619, 12623,	14626, 14642,



14744,	14766,	15330,	15354,	16101,	16103,
14767,	14768,	15358,	15359,	16109,	16111,
14769,	14770,	15360,	15361,	16222,	16223,
14808,	14809,	15362,	15363,	16224,	16283,
14810,	14811,	15364,	15382,	16284,	16285,
14812,	14813,	15383,	15384,	16286,	16287,
14814,	14815,	15385,	15386,	16288,	16289,
14816,	14817,	15387,	15388,	16291,	16355,
14852,	14853,	15389,	15390,	16372,	16373,
14854,	14855,	15391,	15392,	16374,	16375,
14856,	14857,	15393,	15417,	16376,	16377,
14858,	14859,	15418,	15419,	16378,	16379,
14860,	14861,	15420,	15421,	16380,	16381,
14862,	14869,	15422,	15423,	16382,	16383,
14896,	14903,	15424,	15425,	16384,	16385,
14904,	14905,	15426,	15427,	16386,	16387,
14906,	14907,	15428,	15429,	16388,	16389,
14908,	14909,	15436,	15437,	16390,	16391,
14947,	14948,	15438,	15532,	16392,	16393,
14949,	14950,	15557,	15584,	16394,	16395,
14951,	14952,	15585,	15602,	16396,	16397,
14953,	14954,	15674,	15675,	16398,	16399,
14955,	14956,	15676,	15735,	16403,	16404,
14957,	14958,	15736,	15737,	16405,	16520,
14993,	14994,	15738,	15739,	16545,	16546,
14995,	14996,	15740,	15741,	16570,	16571,
14997,	14998,	15743,	15807,	16572,	16573,
14999,	15000,	15824,	15825,	16574,	16575,
15001,	15002,	15826,	15827,	16581,	16582,
15003,	15004,	15828,	15829,	16583,	16584,
15005,	15013,	15830,	15831,	16585,	16586,
15014,	15015,	15832,	15833,	16680,	16682,
15137,	15162,	15834,	15835,	16688,	16690,
15163,	15164,	15836,	15837,	16920,	16921,
15165,	15166,	15838,	15839,	16922,	16981,
15167,	15168,	15840,	15841,	16982,	16983,
15196,	15197,	15842,	15843,	16984,	16985,
15198,	15199,	15844,	15845,	16986,	16987,
15200,	15201,	15846,	15847,	16989,	17053,
15202,	15203,	15848,	15849,	17070,	17071,
15204,	15205,	15850,	15851,	17072,	17073,
15206,	15207,	15855,	15856,	17074,	17075,
15236,	15237,	15857,	15941,	17076,	17077,
15238,	15239,	15966,	15967,	17078,	17079,
15240,	15241,	15991,	15992,	17080,	17081,
15242,	15243,	15993,	15994,	17082,	17083,
15244,	15245,	15995,	15996,	17084,	17085,
15246,	15247,	16002,	16003,	17086,	17087,
15248,	15254,	16004,	16005,	17088,	17089,
15255,	15256,	16006,	16007,	17090,	17091,



17092,	17093,	18093,	18094,	20088,
17094,	17095,	18111,	18112,	20089,
17096,	17097,	18113,	18131,	20090, 20230, 20232
17101,	17102,	18132,	18133,	\Letter
17103,	17202,	18166,	18167,	2410
17227,	17228,	18168,	18231,	\lettergroup
17252,	17253,	18386,	18523,	5167
17254,	17255,	18604,	18607,	\LettrineDepth ...
17256,	17257,	18637,	18870,	12196
17263,	17264,	19086,	19094,	\LettrineFont 12137, 12147
17265,	17266,	19099,	19106,	\LettrineFontEPS . 12145
17267,	17268,	19123,	19126,	\LettrineHeight ... 12195
17362,	17364,	19186,	19244,	\LettrineTextFont .
17370,	17372,	19248,	19326, 12149, 12158
17500,	17501,	19331,	19341,	\LettrineWidth
17502,	17505,	19345,	19374, 12138, 12194
17561,	17562,	19384,	19388,	\lftside 14333,
17563,	17566,	19428,	19432,	14335, 14338,
17577,	17578,	19481,	19482,	14340, 14354, 14356
17579,	17586,	19483,	19484,	\line 6594, 6595,
17587,	17592,	19487,	19488,	6597, 6598, 6604,
17601,	17602,	19490,	19495,	6605, 6607, 6608,
17603,	17605,	19497,	19499,	6617, 6618, 6620,
17608,	17612,	19511,	19512,	6621, 6627, 6628,
17615,	17617,	19513,	19514,	6630, 6631, 6640,
17620,	17629,	19518,	19519,	6641, 6643, 6644,
17632,	17645,	19525,	19526,	6650, 6651, 6653,
17646,	17647,	19527,	19539,	6654, 6663, 6664,
17662,	17663,	19560,	19612,	6666, 6667, 6673,
17664,	17665,	19665,	19668,	6674, 6676, 6677,
17666,	17667,	19669,	19683,	14483, 14484, 14485
17669,	17670,	19684,	19702,	\lineskip 198,
17673,	17674,	19706,	19707,	621, 646, 717,
17751,	17780,	19708,	19711,	977, 1062, 1228,
17809,	17814,	19723,	19724,	1313, 1477, 1563,
17820,	17823,	19725,	19726,	1572, 2394, 5938,
17840,	17902,	19732,	19733,	6114, 6210, 6281,
17906,	17935,	19734,	19781,	7794, 7859, 7889,
17936,	17937,	19784,	19785,	7960, 10045,
17966,	17967,	19824,	19827,	10110, 10354,
17968,	17989,	19828,	20001,	12655, 12753,
17990,	17991,	20003,	20016,	14606, 14620,
18006,	18007,	20018,	20020,	14788, 14873,
18008,	18023,	20022,	20024,	14927, 15019,
18024,	18025,	20026,	20029,	15028, 15185,
18040,	18041,	20030,	20032,	15261, 15371,
18042,	18057,	20033,	20039,	15442, 15765,
18058,	18059,	20040,	20041,	15879, 16313,
18074,	18075,	20064,	20067,	16427, 17011,
18076,	18092,	20079,	20080,	17125, 17581,
				17620, 19728, 20042
				\lineskiplimit
			 10355, 20042
				\linespacing 24



\linewidth . . .	2518,	\listitemsymbolwidth	2461,	11592,	11603,	
4048,	10253,		2462,	2472,	11618,	11633,	
10268,	10272,	\listoffigures	2478		11676,	11693,	
10919,	10927,	\listoftables	5018		11714,	11731,	
10928,	10930,	\listparindent	5026		11747,	11764,	
10931,	11214,	\listtablename	5028, 5029		11778,	11795,	
12187,	12190,	\llap	5105, 5557,		11809,	11826,	
12206,	12750,		8210, 8222, 8234,		12051,	12250,	
13469,	13475,		10168,	10174,	13411,	13461,	
14101,	14103,		11036,	11159,	13511,	13533,	
14121,	14123,		11161,	11163,	13934,	13938,	
14291,	14297,		11165,	11168,	13942,	14272,	
14383,	14392,		11170,	11173,	14468,	14771,	
14393,	14446,		11175,	12209,	14836,	14910,	
14448,	14603,		17527,	17769, 17787	14977,	15172,	
14617,	16087,	\LoadClass	..	5352, 5376	15215,	15400,	
16666,	17348,	\long	34, 47, 62, 243,	15690,	16238,	
19475,	19477,		256,	270, 675,	16811,	16911,	
19566,	19567,		960,	1025, 1211,	16936,	17499,	
19594,	19631,		1274,	1460, 1525,	17685,	17689,	
19633,	19634,		1982,	2200, 2203,	17692,	17696,	
19635,	19640,		2206,	2211, 2214,	19320,	19501,	
19642,	19643,		2217,	2614, 2615,	19596,	19871,	
19644,	19649,		2624,	2627, 2638,	19875,	19879,	
19651,	19652,		2811,	2815, 2848,	19915,	19919,	
19653,	19658,		2873,	2877, 2987,	19923,	19982, 20069	
19660,	19661,		3006,	3081, 3097,	\longindentation	
19662,	19990, 19993		3109,	3118, 3150,	17685,	17689,	
\link		3178,	3190, 3191,	17692,	17696,	
\list	85, 294, 793, 927,		3724,	3988, 4131,	19320,	19501,	
	1163, 1189, 1438,		4391,	4395, 4399,	19596,	19871,	
	5098, 5116, 5125,		4435,	4439, 4443,	19875,	19879,	
	5133, 5879, 6066,		4479,	4483, 4487,	19915,	19919,	
	6374, 7760, 8030,		4698,	4782, 4811,	19923,	19982, 20069	
	10019,		4840,	5658, 5661,	\longthickrule	
	14026,		5664,	5668, 5671,			
	14738,		5674,	5921, 6097,	15253,	15259	
	15131,		6239,	6531, 7342,	453,	4883,	
	15324,		7303,	7821, 7918,	1884,	6687, 6849,	
	15526,		10072,	10599,	6855,	6960, 7015,	
	15925,		10615,	10630,	7027,	9680, 9690,	
	16504,		10657,	10670,	12173,	14289,	
	17186,		10683,	11034,	14325,	14352,	
	17834, 19549		11044,	11090,	14363,	14390, 17640	
\listdoubleitemmaincolumnwidth		11131,	11138,	\lower	
	2464,		11570,	11581,	14474,		
	2477,				14508,	14516,	
	2478,				19314,	19507, 19509	
	2479,				\lowercase	
	2506,				2684,		
	2510				2692,	2700, 2708	
\listfigurename				\lowertitleback	
	5020,				15848,	16396, 17094	
	5021				\LR	12039, 14454, 14474,	
\listitemmaincolumnwidth					19483, 19507, 19509	
	2463,				\lrb	
	2471,				2052,	2061	
	2472,				\LRE	1802, 1937, 12038,	
\listitemsymbol	2405,					14454,	14457,
	2462,					19126,	19483, 19486
	2503,						
	2505,						
	7144,						
	7242						



\LRfootnoterule . . .	\LT@make@row . . . 12653	\LTRfootfootmark . . . 8220, 8377,
. 7337, 8084, 10525	. 12657, 12668,	8523, 8668, 8817,
\lsb 2051, 2059	16078, 16657, 17339	8966, 9115, 9264,
\lst@caption 12271,	\LT@mcoll 12613, 12658,	9413, 9562, 9762
12277, 12284, 12289	16086, 16665, 17347	\LTRfootmarkstyle 8206, 8245
\lst@alloverstyle 2040, 2046	\LT@onopgbk 12621, 12622	\LTRfootnote . . . 638,
\lst@HRefStepCounter 12271, 12277	\LT@nofcols 12652	712, 2138, 2146,
\lst@ifnumberbychapter 12310, 12311	\LT@output 12704	4874, 5224, 6202,
\lst@Key 12214, 12221	\LT@p@ftn 11671,	6276, 7881, 7955,
\lst@MakeCaption 12269, 12282	11674, 11678,	10580, 14908,
\lst@makecaption 12266, 12299	11688, 11709,	15014, 15167,
\lst@maketitle 12267,	11712, 11716,	15255, 15363,
12300, 12304, 12306	11726, 12697,	15437, 15740,
\lst@title@dropdelim 12267	12698, 12700, 12701	15856, 16288,
\lstKV@SwitchCases 12215, 12222	\LT@p@ftntext 12690	16404, 16986, 17102
\lstset 2010	\LT@p@LTRftntext 11669,	\LTRfootnotetext
\LT@ch 12615, 12617	11676, 12691, 12696	2204, 2215, 5662,
\LT@tabarray 12614, 12618	\LT@p@RTLftntext 11707,	5672, 10730,
\LT@array 12047,	11714, 12692, 12699	10732, 11672,
12604, 16101,	\LT@rows 12647, 12677	12697, 17686, 17690
16102, 16680,	\LT@setprevdepth 12648	\LTRfootscript 8206,
16681, 17362, 17363	\LT@start 12064, 12074	8223, 8227, 8229
\LT@bchunk	\LT@startpbox	\LTRfoottextfont
12645, 12652, 12656	12629, 12636, 12688 8126, 8133,
\LT@caption 12623,	\LT@capwidth	8154, 8160, 8258,
16103, 16109,	12658, 12671, 12672	8349, 8377, 8397,
16111, 16682,	\LT@left 12607,	8497, 8523, 8542,
16688, 16690,	12609, 12611, 12649	8640, 8668, 8688,
17364, 17370, 17372	\LTR 14446, 19475	8789, 8817, 8837,
\LT@cols 12658,	\LT@column@boxes	8938, 8966, 8986,
16086, 16665, 17347 13856,	9087, 9115, 9135,
\LT@endopen 12706	13872, 13903, 13905	9236, 9264, 9284,
\LT@endpbox 12625	\LT@outputdblcol	9385, 9413, 9433,
\LT@err 12707 6783, 10209,	9534, 9562, 9582,
\LT@foot 12062, 10937, 13649,	9734, 9762, 9786
12066, 12710, 19811, 19851, 19853	\LT@right 12607,
12714, 12723, 12726	\LT@bidiutfesidenotemarginpar	12609, 12611, 12650
\LT@head 12717, 12730	\LT@cite 4688,	\LTRmarginnote 4888
\LT@hline 12623	4805, 4834, 4863,	\LTRmarginpar 19854
\LT@kill 12623	4885, 4894, 4903	\LTRmulticolcolumns
\LT@lastfoot	\LT@columnfootnotes 8191	\LT@sidenote 13901
12710, 12712, 12723	\LT@dblcol 19853	\LTRthanks 638, 658,
\LT@LL@FM@cr 12632, 12636	\LT@fnmakecol 7495	693, 712, 5224,



10728, 13398, 14908, 14948, 14994, 15014, 15167, 15197, 15237, 15255, 15363, 15383, 15418, 15437, 15740, 15825, 15856, 16288, 16373, 16404, 16986, 17071, 17102	9323, 9336, 9351, 9356, 9374, 9384, 9394, 9420, 9432, 9445, 9472, 9485, 9500, 9505, 9523, 9533, 9543, 9569, 9581, 9594, 9621, 9634, 9649, 9654, 9713, 9721, 9733, 9745, 9770, 9784, 9798, 9825, 9834, 9848, 9870, 9878	\m@make@mpfivecol@footgroup .. 8775, 8863, 8907 \m@make@mpfivecolfootnotetext 8860, 8885	
\ltx@firstofthree 10450, 10474	\m@m@h 8307, 8309, 8311, 8314, 8315, 8320	\m@make@mppara@footgroup .. 9711, 9814, 9873	
\ltx@ifundefined 10444, 10468	\m@m@k 8307, 8309, 8314, 8317, 8318, 8320	\m@make@mpparafootnotetext 9811, 9844	
\ltx@secondofthree 10453, 10477	\m@m@makecolfloats 9889, 9936, 9942	\m@make@mpsevencol@footgroup .. 9073, 9161, 9205	
\ltx@thirdofthree .. 10446, 10463, 10470	\m@m@makecolintro 9904, 9929, 9940	\m@make@mpsevencolfootnotetext 9158, 9183	
M	\m@m@makecoltext 9893, 9937, 9948	\m@make@mpsixcol@footgroup .. 8924, 9012, 9056	
\m@caddvipersep 13593, 13691	\m@m@singlespace .. 8193	\m@make@mpsixcolfootnotetext 9009, 9034	
\m@m@float@spacing 8195	\m@make@eightcol@footgroup .. 9217, 9309, 9349	\m@make@mptencol@footgroup .. 9520, 9608, 9652	
\m@m@footnote@spacing .. 8092, 8108, 8124, 8140, 8153, 8166, 8194, 8338, 8348, 8358, 8384, 8396, 8409, 8436, 8449, 8464, 8469, 8487, 8496, 8505, 8530, 8541, 8553, 8579, 8591, 8606, 8611, 8629, 8639, 8649, 8675, 8687, 8700, 8727, 8740, 8755, 8760, 8778, 8788, 8798, 8824, 8836, 8849, 8876, 8889, 8904, 8909, 8927, 8937, 8947, 8973, 8985, 8998, 9025, 9038, 9053, 9058, 9076, 9086, 9096, 9122, 9134, 9147, 9174, 9187, 9202, 9207, 9225, 9235, 9245, 9271, 9283, 9296,	\m@make@eightcolfootfmt .. 9308, 9344 9306, 9320 \m@make@fivecol@footgroup .. 8770, 8862, 8902 \m@make@fivecolfootfmt .. 8861, 8897 \m@make@fivecolfootnotetext .. 8859, 8873 \m@make@footstart .. 8292, 8303, 8424, 8567, 8715, 8864, 9013, 9162, 9311, 9460, 9609	\m@make@mptencolfootnotetext .. 9605, 9630 \m@make@mptthreecol@footgroup .. 8484, 8566, 8609 \m@make@mptthreecolfootnotetext .. 8563, 8587 \m@make@mptwocol@footgroup .. 8335, 8423, 8467 \m@make@mptwocolfootnotetext .. 8420, 8445 \m@make@ninecol@footgroup .. 9366, 9458, 9498 \m@make@ninecolfootfmt .. 9457, 9493 \m@make@ninecolfootnotetext .. 9455, 9469 \m@make@fourcol@footgroup .. 8621, 8713, 8753 \m@make@fourcolfootfmt .. 8712, 8748 \m@make@fourcolfootnotetext .. 8710, 8724 \m@make@mpeightcol@footgroup .. 9222, 9310, 9354 \m@make@mpeightcolfootnote .. 9307, 9332	\m@make@para@footgroup .. 9706, 9813, 9864 \m@make@para@footstart .. 9815, 9881 \m@make@parafootfmt .. 9812, 9858 \m@make@parafootnotetext .. 9810, 9831



\m@make@sevencol@footgroup	8494, 8503, 8512,	\m@mungebox . . . 9665,
. . . 968, 9160, 9200	8537, 8549, 8560,	9730, 9742, 9754,
\m@make@sevencolfootfmt	8586, 8598, 8637,	9780, 9794,
. 9159, 9195	8647, 8657, 8683,	9808, 9843, 9857
\m@make@sevencolfootnotetext	8696, 8708, 8735,	\m@munvxh . . . 9657, 9666
. 9157, 9171	8747, 8786, 8796,	\m@ne 306,
\m@make@sixcol@footgroup	8806, 8832, 8845,	771, 780, 2668,
. . . 8919, 9011, 9051	8857, 8884, 8896,	2851, 4386, 4430,
\m@make@sixcolfootfmt	8935, 8945, 8955,	4474, 6149, 6307,
. 9010, 9046	8981, 8994, 9006,	6344, 6687, 7730,
\m@make@sixcolfootnotetext	9033, 9045, 9084,	7739, 7999, 9973,
. 9008, 9022	9094, 9104, 9130,	9990, 11894,
\m@make@tencol@footgroup	9143, 9155, 9182,	13830, 14534,
. . . 9515, 9607, 9647	9194, 9233, 9243,	15284, 15468,
\m@make@tencolfootfmt	9253, 9279, 9292,	15505, 16165,
. 9606, 9642	9304, 9331, 9343,	16742, 16745,
\m@make@tencolfootnotetext	9382, 9392, 9402,	17424, 17427,
. 9604, 9618	9428, 9441, 9453,	17914, 17956,
\m@make@threecol@footgroup	9480, 9492, 9531,	18895, 19866,
. . . 8479, 8565, 8804	9541, 9551, 9577,	19910, 19945, 19948
\m@make@threecolfootfmt	9590, 9602, 9629,	\m@th . . . 623, 7546, 7551,
. 8564, 8599	9641, 9730, 9742,	7557, 10253,
\m@make@threecolfootnotetext	9754, 9780, 9794,	10268, 12654,
. 8562, 8576	9808, 9843, 9857	18967, 19076,
\m@make@twocol@footgroup	\m@mold@footnotetext	19531, 19614,
. . . 8330, 8422, 8462 8176, 8183	19698, 19700, 19759
\m@make@twocolfootfmt	\m@mold@LTRfootnotetext	\maincolumnwidth . .
. 8421, 8457 8177, 8184 2459,
\m@make@twocolfootnotetext	\m@mold@mpfootnotetext	2468, 2469, 2470,
. 8419, 8433 8179, 8186	2471, 2473, 2477,
\m@ndoextrafeet . . .	\m@mold@mpLTrfootnotetext	2492, 2496, 2521
. . . 8249, 9935, 9947 8180, 8187	\mainmatter 5403
\m@ndoextrafeetendmini	\m@mold@mpRTLfootnotetext	\makeatletter . . . 3053, 3072
. 8277, 8287 8181, 8188	\makebox
\m@ndoextrafeetmini	\m@mold@RTLfootnotetext 7545, 7550, 7619,
. 8268 8178, 8185	7622, 7625, 7632,
\m@mdosplits . . . 8312,	\m@mopfootnote . . .	7640, 7647, 7688,
8316, 8317, 8318 9905, 9933	7692, 14138, 14156
\m@minterparanote glue	\m@mremovehboxes . .	\makefooter
. 9672, 9674 9696, 7209, 7210, 7226
\m@mipn@skip 9697, 9868, 9877	\MakeFramed 10785
. . . 9664, 9671, 9673	\m@mrigidbalance . .	\makelabel . . . 5105, 19560
\m@mmakehboxofhboxes 8309, 8314,	\maketag@@@
. 9676,	8466, 8471, 8608, 338, 7543, 7556
9687, 9867, 9876	8613, 8757, 8762,	\makethanksmark . . . 13411
\m@mmf@prepare . . .	8906, 8911, 9055,	\maketitle 106,
8104, 8120, 8136,	9060, 9204, 9209,	315, 322, 632,
8199, 8346, 8356,	9353, 9358, 9502,	660, 671, 695,
8366, 8392, 8405,	9507, 9651, 9656	953, 998, 1020,
8417, 8444, 8456,	\m@msplitoff . . . 8317, 8319	1042, 1204, 1249,



1271, 1293, 1453, 1498, 1520, 1542, 1978, 1990, 2485, 5200, 5304, 5328, 5914, 5959, 6090, 6135, 6196, 6224, 6235, 6259, 7191, 7305, 7782, 7806, 7817, 7839, 7875, 7903, 7914, 7938, 10033, 10057, 10068, 10090, 11841, 11842, 13406, 14764, 14809, 14831, 14853, 14901, 14950, 14972, 14996, 15161, 15199, 15210, 15239, 15357, 15385, 15396, 15420, 15729, 15800, 15827, 16277, 16348, 16375, 16975, 17046, 17073 \maketitledetailsnewline 7300, 7315, 7317, 7318, 7319, 7320, 7321 \maketitledetailwidth 7292, 7294, 7295, 7296, 7297, 7312 \maketitlehookb . 13456 \maketitlehookc . 13458 \maketitlenamefullwidth .. 7286, 7287, 7289 \maketitlenamemaxlength .. 7284, 7285, 7289 \maketitlenamewidth 7288, 7289, 7295, 7307 \maketitlepage 5286, 5328 \maketitlepicturewidth 7290, 7291, 7297, 7326 \MakeUppercase 121, 791, 818,	819, 834, 925, 1082, 1187, 1333, 1436, 5803, 5877, 5979, 6064, 6188, 6189, 6372, 7758, 8028, 10017, 14639, 14736, 14893, 15129, 15350, 15351, 15524 \marginline .. 15984, 16563, 17245 \marginnote .. 4879 \marginpar ... 3958, 4660, 15985, 16564, 17246, 19162 \marginparpush 3891, 19964 \marginparsep 1968, 2370, 3932, 3935, 3939, 4085, 4092, 11158, 11160, 11164, 11169, 11172, 11174, 19975, 19977 \marginparwidth 1967, 2371, 3931, 3936, 3948, 4040, 4310, 4403, 4447, 4491, 11158, 11160, 11172, 11174, 19883, 19927, 19977 \markboth .. 120, 785, 5408, 7744 \mathindent 10254, 10270 \mathsurround 6421 \max@poem@no 5603, 5712, 5713 \maxdepth .. 9938, 9949 \maxdimen 6728, 6729, 6731, 6787, 6788, 6790, 9726, 9738, 9750, 9776, 9790, 9804, 9839, 9853, 10133, 10181, 10182, 10183, 10213, 10214, 10215, 10792, 10943, 10944, 10946, 10987, 10988, 10990,	13555, 13556, 13558, 13653, 13654, 13656, 17633, 17672, 19027, 19030, 19035, 19039, 19043, 19047, 19051, 19055, 19059, 19063, 19248, 19772, 19773, 19775, 19815, 19816, 19818 \mbox . 11119, 12209, 16914 \mc@col@status@write 13860, 13884 \mc@gridwarn 13850 \mc@lastcol@status@write 13866, 13892 \mdf@footenotedistance@length 12791 \mdf@footnoteinput 12799 \mdf@footnoteoutput 12788 \mdf@frametitleaboveskip@length 12783 \mdf@frametitlealignment 12764 \mdf@frametitlebelowskip@length 12784 \mdf@frametitlebox .. 12763, 12776, 12777, 12778, 12779, 12781, 12782 \mdf@frametitlefont 12766 \mdf@frametitlefontcolor 12765 \mdf@horizontalmargin@equation 12741 \mdf@ignorevbadness 12775 \mdf@lrbox . 12734, 12763 \mdf@par@local .. 12757 \mdf@patchamsth . 12735 \mdfframedtitleenv 12762 \mdfframetitleboxdepth 12779 \mdfframetitleboxheight 12778
--	---	---



\mdfframetitleboxtotalheight	16537, 17047, 12780	16537, 17047, 17212, 17219, 18539, 18541, 18544	13338, 13346, 13347, 13355, 13357, 13380, 13390
\mdfframetitleboxwidth 12777	\MH 7559, 7565, 7578, 7593, 7605, 7613, 7660, 7676, 7678, 7682, 7683, 7685	\mkern 18968, 18969, 19077, 19760
\mdseries 309, 7185, 7187, 7189, 7190, 7277, 7278, 7279, 7282, 7283	\MHInternalSyntaxOff 7700	\mobile 2447
\meaning 2577, 2580, 2817, 3043, 3070, 3085, 3103, 3111, 3120, 3184	\MHInternalSyntaxOn 7540	\Mobilefone 2407
\mediabutton 13323, 13389, 13390	\MidFrameCommand .. 10781, 10825, 10893	\mobilesymbol 2407, 7219, 7317
\medskip 5510	\minrowclearance 1676, 1710, 6526	\modernpoem 5765
\medskipamount	... 8066	\mintagvsep 7560	\modernpoem@obeylines 5505, 5765
\mem@makecol	9928, 9950	\missingfigure 19206, 19236	\modernpoem@par 5505, 5506, 5729
\memRTLleftskip	13429	\mix 12820, 12821, 12828,	\morefloats .. 4192, 4289
\memRTLraggedleft	13434	12829, 12855, 12872, 12895,	\moreLRE 1803, 1938, 14408, 19433
\memRTLraggedright	13433	12898, 12900, 12923, 12955,	\moreRLE 1805, 1940, 14409, 19434
\memRTLrightskip	13430	12962, 12971, 12979, 12991, 12998, 12999,	\moveleft .. 4342, 13745
\memRTLvleftskip	13431	13001, 13002, 13004, 13016, 13025, 13028,	\moveright .. 10356, 13843, 20045
\memRTLvrightskip	13432	13029, 13030, 13040, 13050, 13051, 13053,	\mp@footgroupv@r 8273, 8306, 8336, 8485, 8627, 8776, 8925, 9074, 9223, 9372, 9521, 9712
\message	. 1918, 1920, 10793, 10801, 10805, 10810, 10818, 10824, 10834, 10839, 10841, 10848, 10856, 10869, 10877, 10882, 10887, 10900, 10911, 10919, 10931	13054, 13059, 13060, 13076, 13078, 13080, 13085, 13124, 13131, 13132, 13135, 13153, 13155, 13158, 13160, 13163, 13170, 13178, 13180, 13233, 13238, 13249, 13250, 13253, 13284, 13289, 13291, 13298, 13299, 13300, 13301, 13319, 13324, 13335,	\mpfootnoterule 10552, 10556
\MessageBreak 144, 3243, 3257, 3269, 3283, 3488, 3499, 3506, 3518, 3524, 3622, 3675, 3676, 3677, 3691, 3692, 3694, 3972, 4062, 4289, 4290, 4358, 4959, 4960, 4961, 4963, 4964, 4968, 4969, 4970, 4972, 4973, 13507, 13508, 13833, 13852, 13918, 15801, 15951, 15958, 16349, 16530,	\msg .. 12875, 12878, 12926, 12929, 12944, 12947, 12985	
			\MT ... 7579, 7585, 7587
			\mult@cols 13933
			\mult@footnotetext 147, 149, 13921, 13923, 13934
			\mult@gfirstbox .. 13857, 13874, 13880
			\mult@info 13831
			\mult@LTRfootnotetext 151, 153, 13925, 13927, 13938
			\mult@rightbox 13824, 13864, 13865, 13867, 13889, 13890, 13893



\mult@RTLfootnotetext	3835, 3899, 3909, 3976, 3999, 4294, 4915, 5174, 5201	3839, 3866, 3893, 3894, 3895, 3896, 3911, 3930, 3966, 3968, 3969, 3974, 3975, 3977, 3978, 3985, 3986, 3987, 3995, 3998, 4080, 4098, 4308, 4316, 4326, 4329, 4337, 4506, 4507, 4508, 4509, 4510, 4511, 4512, 4513, 4514, 4515, 4516, 4517, 4518, 4519, 4520, 4521, 4522, 4523, 4524, 4525, 4526, 4527, 4528, 4529, 4530, 4531, 4540, 4590, 4609, 4628, 4650, 4656, 4681, 4682, 4716, 4869, 4870, 4871, 4879, 4888, 4897, 4910, 4911, 5034, 5087, 5167, 5180, 5214, 5215, 5216, 5217, 5218, 5219, 5220, 5221, 5272, 5286, 5462, 5469, 5478, 5482, 5492, 5511, 5715, 5716, 7300, 7494, 7495, 9917, 9950, 9951, 9952, 9953, 10368, 10371, 10430, 10435, 10437, 10443, 10459, 10483, 10495, 10549, 10595, 10596, 10597, 10647, 10649, 11202, 12228, 12239, 13898, 13901, 13904, 15672, 15673, 16220, 16221, 16918, 16919, 19117, 19119, 19424, 19425, 19473, 19474,
\multfootsep	4702, 4720	
\multicol@leftmargin		
\multicols	13906	
\multicolumn	12613, 17607	
\multiframe	540	
\multiplefootnotemarker		
\multiply	1952, 1957, 2295, 9716, 9717, 9828, 9829, 14308, 14312	
\myrefname	16865	
N		
\n@xt	1801, 1803, 1805, 1806, 1936, 1938, 1940, 1941	
\na	14311, 14313, 14315, 14324, 14326, 14351, 14352	
\narrower	19691	
\NAT@bibitem@first@sw		
\nb	14311, 14314, 14315, 14324, 14325, 14346, 14362, 14363	
\NC@find	17639	
\NC@rewrite@X	17638	
\NeedsTeXFormat		
	1717, 1945, 2001, 2134, 2326, 2574, 3807, 4367, 4906, 5052, 5168, 5195, 5344, 5368, 5433, 7129, 7227	
\new@command	2853, 2855	
\new@poem@width	5520, 5521, 5522, 5523, 5608, 5650, 5653	
\newblock	2572, 5620, 5727, 14028, 14030	
\newboolean	3815, 3818, 3820, 3822, 3823	



	19672, 19673, 19852, 19853, 19997	4251, 4252, 4253, 4254, 4255, 4256, 4257, 4258, 4259, 4260, 4261, 4262, 4263, 4264, 4265, 4266, 4267, 4268, 4269, 8299, 8305	\newXeTeXintercharclass ... 1878, 1879, 1880
\newcount 1876, 1948, 1949, 8307	\next@tpage ... 15746, 15778, 15788, 15791, 15859, 16294, 16326, 16336, 16339, 16407, 16992, 17024, 17034, 17037, 17105	
\newcounter	4589, 5711, 10279, 10428, 18143, 18147, 18148	\newlength ... 2455, 2456, 2457, 2459, 2460, 2461, 2463, 2464, 2547, 3927, 3928, 3929, 3983, 4000, 4779, 7284, 7286, 7288, 7290, 7292, 18175, 18177, 18178, 18805	\ninecolumnfootnotes 9359
\newdimen 5466, 5467, 5517, 8307	\newline ... 2518, 4156	\ninecolumnfootstyle 9454
\newenvironment 2086, 2097, 2106, 2115, 2550, 3945, 3960, 3963, 4001, 4122, 5700, 5764, 10628, 19637, 19646, 19655	\newlinechar ... 1894	\nl 184
\newfloat@setwithin 14061, 14067, 14075, 14077	\newlinetospace 4153, 4173, 4174, 4175, 5409, 5410, 5411	\no@bib@break 15937, 16516, 17198
\newfloat@Error	14080	\newlistentry ... 18140, 18207	\noalign . 1590, 5631, 8317, 12620, 12621, 12622, 16079, 16104, 16106, 16658, 16683, 16685, 17340, 17365, 17367
\newfloat@setwithin 14047	\newpage 685, 707, 1034, 1054, 1285, 1305, 1534, 1554, 3669, 3671, 3675, 3680, 3681, 3684, 3688, 3690, 3693, 5305, 5342, 5343, 6249, 6271, 7126, 7831, 7851, 7928, 7950, 10082, 10102, 12620, 13420, 14845, 14865, 14986, 15008, 15229, 15251, 15410, 15432, 15816, 16364, 17062	\nobibliography .. 4586
\newframe 539	\newpoem@tabcr ... 5728, 5737, 5738	\nobreak 14, 16, 215, 217, 737, 755, 782, 786, 873, 874, 888, 914, 1100, 1101, 1115, 1131, 1354, 1355, 1369, 1396, 3731, 4709, 5046, 5047, 5531, 5533, 5539, 5824, 5825, 5839, 5863, 6000, 6001, 6015, 6039, 6152, 6160, 6172, 6301, 6317, 6347, 6352, 6360, 6577, 7713, 7726, 7741, 7745, 7753, 7979, 8002, 8007, 8016, 8059, 8060, 9967, 9983, 9992, 9996, 10004, 12093, 12730, 12790, 13794, 13805, 13806, 13817, 13818, 14537,
\newinsert	4195, 4196, 4197, 4198, 4199, 4200, 4201, 4202, 4203, 4204, 4205, 4206, 4207, 4208, 4209, 4210, 4211, 4212, 4213, 4214, 4215, 4216, 4217, 4218, 4219, 4220, 4221, 4222, 4223, 4224, 4225, 4226, 4227, 4228, 4244, 4245, 4246, 4247, 4248, 4249, 4250,	\newsavebox .. 2085, 3944, 3979, 3980	
\newskip	.. 2123, 2124, 2125, 2856, 9671	\newskip .. 2123, 2124, 2125, 2856, 9671	
\newthought 5108	\newthought .. 5108	
\newtoks 2136, 2588, 2589, 5518, 10436, 14404, 19429	\newtoks .. 2136, 2588, 2589, 5518, 10436, 14404, 19429	



14539,	14678,	3776, 4558, 4560,	7821, 7918, 8062,
14679,	14693,	4568, 4958, 4961,	9728, 9740, 9752,
14717,	15049,	4967, 4970, 5659,	9778, 9792, 9806,
15050,	15064,	5662, 5665, 5717,	9841, 9855, 9872,
15088,	15278,	6918, 7083, 7436,	9880, 10072,
15294,	15462,	7488, 10281,	11035, 12207,
15478,	15507,	10282, 10287,	13484, 14654,
15511,	15519,	10288, 10340,	14663, 15103,
15913,	16911,	11662, 11672,	15112, 15177,
17774,	17791,	11680, 11681,	15220, 15400,
17798,	17938,	11682, 11684,	15709, 15746,
17941,	17969,	11710, 11718,	15859, 15913,
17970,	17992,	11719, 11720,	16026, 16031,
17993,	18009,	11722, 11751,	16257, 16294,
18010,	18026,	11752, 11753,	16407, 16605,
18027,	18043,	11755, 11782,	16610, 16826,
18044,	18060,	11783, 11784,	16855, 16861,
18061,	18077,	11786, 11813,	16867, 16873,
18078,	18095,	11814, 11815,	16879, 16885,
18096,	18114,	11817, 12649,	16891, 16897,
18115,	18134,	12697, 12700,	16903, 16912,
18135,	18169,	13251, 13524,	16955, 16992,
18170,	18205,	15934, 15935,	17105, 17287,
18363,	18364,	16513, 16514,	17292, 19138,
18470,	18472,	17195, 17196,	19141, 19143,
18520,	18552,	17503, 17575,	19145, 19148,
18557,	18560,	17612, 17613,	19152, 19154,
18960,	18965,	17686, 17693,	19210, 19272, 19690
18973,	19074,	18150, 18622,	\nointerlineskip . . .
19075,	19079,	18655, 18662,	... 7353, 7374,
19757,	19758, 19762	18667, 18668,	10764, 12773,
\nobreakspace	781	18728, 19099,	13841, 19972, 19980
\node .	19160, 19190, 19196	19100, 19101,	\nopagebreak
\noexpand	613,	19102, 19103,	... 5585, 5595, 12622
2158,	2159, 2173,	19104, 19105,	\nopagenumbers . . . 2537
2174,	2201, 2204,	19106, 19107,	\normalbaselines . 19531
2207,	2584, 2593,	19349, 19364,	\normalbaselineskip . . . 313, 3852,
2597,	2617, 2621,	19392, 19398,	12754, 14607, 14621
2720,	2816, 2817,	19411, 19621,	\normalcolor
2819,	3038, 3039,	19622, 19721, 20001	... 2303, 6538,
3040,	3042, 3043,	\NoHyper 538	6749, 6808, 7674,
3068,	3070, 3088,	\noindent 167, 169, 675,	8273, 8283, 9913,
3089,	3090,	849, 858, 1155,	9924, 10720,
3093,	3100, 3101,	1406, 1415, 1982,	10773, 10965,
3102,	3104, 3110,	3954, 4141, 4731,	11009, 12079,
3111,	3113, 3119,	4748, 4765, 4882,	12792, 13819,
3120,	3122, 3181,	4891, 4900, 5110,	18858, 19080,
3183,	3184, 3336,	5130, 5291, 5293,	19326, 19763,
3497,	3498, 3500,	5295, 5486, 5873,	19793, 19836,
3636,	3741, 3775,	6060, 6239, 6434,	



	20049, 20059, 20084	
\normalfont 25, 37, 50, 65, 82, 246, 259, 273, 291, 674, 677, 779, 1024, 1026, 1277, 1524, 1526, 1981, 1984, 2048, 2053, 2054, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 3893, 4506, 4507, 4508, 4596, 4615, 4634, 4700, 4932, 4939, 4946, 5138, 6148, 6168, 6238, 6241, 6343, 6358, 7546, 7551, 7557, 7738, 7751, 7820, 7823, 7917, 7920, 7998, 8014, 8211, 8215, 8217, 8223, 8227, 8229, 8235, 8239, 8241, 9989, 10002, 10071, 10074, 12079, 12766, 13410, 13819, 14140, 14153, 14835, 14837, 14976, 14978, 15171, 15178, 15214, 15221, 15399, 15402, 15504, 15517, 18195, 18200, 18201, 18559, 18858, 19080, 19763, 20084	
\normalfootnotes 8182, 8189	
\normallineskip 198, 2395, 12753, 14606, 14620	
\normalparindent	41, 54, 69, 250, 263, 277	
\normalsfcode 10349, 20038	
\normalsize	... 309, 3845, 3846, 3853, 4414, 4458, 4502,	
	4596, 4615, 4634, 5009, 7187, 7279, 10349, 13542, 15260, 15716, 15723, 16264, 16271, 16962, 16969, 18559, 19894, 19938, 20036	
\NOT	... 392, 519, 4041, 4042, 4081, 4101, 4105, 4785, 4814, 4843, 4925, 4929	
\null	... 640, 654, 708, 847, 850, 965, 994, 1055, 1153, 1156, 1216, 1245, 1306, 1404, 1407, 1465, 1494, 1555, 5046, 5620, 5871, 5874, 5926, 5955, 6058, 6061, 6102, 6131, 6204, 6218, 6272, 7788, 7802, 7852, 7883, 7897, 7951, 10039, 10053, 10103, 13795, 13805, 13806, 13817, 13818, 14652, 14655, 14776, 14805, 14866, 14915, 14944, 15009, 15101, 15104, 15179, 15193, 15252, 15365, 15379, 15433, 15755, 15777, 15788, 15859, 15867, 16303, 16325, 16336, 16407, 16415, 17001, 17023, 17034, 17105, 17113, 17528, 17534, 17556, 17938, 17969, 17992, 18009, 18026, 18043, 18060, 18077, 18095,	
\number 8, 135, 209, 3054, 5603, 5704, 7360, 7381, 7426, 7432, 7435, 7478, 7484, 7487, 7597, 7600, 13909	
\numberline 4134, 12284, 12289, 13536, 17868, 18870, 19088, 19091, 19094	
\numberline@box 18523, 18524	
\numberline@tempa	19090	
\numberwithin 331	
\numexpr 3748, 18340, 18448, 18622	
\nxLcs	. 2064, 2065, 2066	
O		
\obeylines	... 5621, 5729	
\ocgbase	... 13306, 13308	
\ocgxii@insert@OC 13240, 13349, 13350, 13351, 13361	
\oddpage 1949, 1953, 1954, 1955, 1958, 1959, 1960	
\oddsidemargin	. 1971, 2366, 7525, 11178, 11187, 11191, 20020, 20024	
\on@line 19622	
\on@stripcols@break 7002	
\onecolumn 823, 839, 1087, 1338, 2404, 5808, 5984, 6193, 14644, 14898, 15355, 17903	
\opening	... 8047, 12081	
\OptArg 2065, 2131	
\OptArg@i	... 2131, 2132	
\OptArg@ii	... 2131, 2133	
\OptArgs 2130	




\optparams . . . 4021, 4869, 4870, 4871, 4873, 4874, 4875	\overfullrule 2355, 2356, 14520	8074, 8076, 8078, 8085, 8086, 9960, 9975, 9988, 9993, 9997, 10000, 10005, 10008,
\OR 383, 386, 401, 406, 510, 513, 4015, 4081, 4101, 4105, 4357	\OVP@calc 14135	10010, 10012, 10014, 10040, 10141, 10515, 10517, 10518, 10519, 10520, 10521, 10553, 11049, 11056, 11095, 11102, 11147, 12077, 12095, 12097, 12099, 12101, 13462, 13787, 13799, 13811, 13947, 13949, 13950, 13951, 14637, 14641, 14670, 14686, 14702, 14709, 14724, 14730, 14777, 14891, 14895, 14916, 15041, 15057, 15073, 15080, 15145, 15151, 15180, 15272, 15286, 15302, 15304, 15306, 15308, 15348, 15353, 15366, 15455, 15470, 15483, 15485, 15487, 15489, 15503, 15508, 15512, 15515, 15520, 15717, 15721, 15724, 15728, 15972, 15975, 15977, 15980, 16131, 16150, 16265, 16269, 16272, 16276, 16551, 16554, 16556, 16559, 16710, 16729, 16832,
\or 1626, 1627, 1628, 1630, 1631, 1651, 1652, 1653, 1657, 1658, 1659, 1660, 1661, 1665, 1666, 1694, 1695, 1696, 1698, 1699, 1813, 1819, 1825, 1831, 1837, 1843, 1845, 1847, 1849, 1855, 1861, 1867, 6509, 6510, 6511, 6513, 6514, 7618, 7621, 7624, 7639, 7662, 7663, 7664, 7665, 11506, 11510, 18182, 18185, 18188, 19013, 19124, 19131, 19353, 19402	P	
\orig@footnotetext . . . 148, 13922, 13937	\p@ . . . 27, 29, 30, 31, 95, 99, 225, 229, 237, 239, 240, 241, 313, 445, 641, 730, 747, 759, 761, 763, 765, 816, 821, 832, 836, 865, 881, 899, 906, 941, 947, 966, 1080, 1084, 1091, 1107, 1124, 1142, 1177, 1179, 1182, 1184, 1217, 1331, 1335, 1346, 1362, 1380, 1388, 1420, 1426, 1466, 2394, 2395, 2399, 2400, 3847, 3848, 3849, 3856, 3857, 3858, 3860, 3861, 5057, 5058, 5059, 5061, 5062, 5128, 5801, 5805, 5816, 5832, 5848, 5855, 5893, 5899, 5927, 5977, 5981, 5992, 6008, 6024, 6031, 6046, 6052, 6103, 6147, 6153, 6158, 6162, 6164, 6167, 6170, 6174, 6176, 6186, 6191, 6205, 6294, 6309, 6322, 6324, 6326, 6328, 6342, 6348, 6353, 6356, 6361, 6592, 6602, 6615, 6625, 6638, 6648, 6661, 6671, 7025, 7338, 7339, 7705, 7719, 7774, 7776, 7778, 7780, 7789, 7884, 7973, 7997, 8003, 8008, 8012, 8017, 8072,	
\othermargin 1097		
\outer@nobreak 2321, 4408, 4452, 4496, 19888, 19932		
\outputpenalty 6892, 6893, 6901, 6902, 6911, 6912, 7056, 7057, 7065, 7066, 7075, 7076, 12705, 12706		



16834,	16836,	12501,	12504,	\pagestyle
16838,	16963,	12507,	12510,	2393, 2401, 2544,
16967,	16970,	12513,	12516,	4161, 5394, 7225
16974,	17233,	12519,	12522,	\pagetotal
17236,	17238,	12525,	12528,	... 10794,
17241,	17392,	12531,	12534,	10799, 10805,
17411,	17901,	12537,	12540,	13419, 13755,
18176,	18344,	12543,	12546,	13758, 13769,
18347,	18351,	12549,	12552,	19248, 19253, 19311
18452,	18455,	12555,	12558,	\paperheight
18459,	18789,	12561,	12564,	... 2330,
18792,	18796,	12567,	12570,	2333, 2336,
18802,	18884,	12573,	12576,	2339, 2342, 2345,
19068,	19751, 20094	12579,	12582,	2348, 2349, 7502
\p@enumiv	83, 292, 799,	12585,	12588,	\paperwidth
	933, 1195, 1444,	12591,	12594,	... 2331,
	2564, 5885, 6072,	12597,	12600,	2334, 2337, 2340,
	6380, 7766, 8036,	13914,	17802, 18154	2343, 2346, 2349,
	10025,	14744,	\PackageInfo	2350, 7502, 7510
	15137,	15330,	... 2860,	\par
	15532,	15941,	3373, 3475,	... 5, 15, 45,
	16520,	17202, 17840	3622, 3814, 19110	58, 73, 103, 104,
\p@subfigure	... 17586	\PackageWarning		105, 106, 168, 170,
\p@subtable	... 17587	... 134, 2859,		206, 216, 233,
\PackageError	...	3476, 3505, 5706,		234, 235, 254,
	...	7141, 7239, 10283,		267, 281, 312,
	140,	10898,		315, 624, 643,
	402,	12121,		649, 651, 652,
	407,	13851,		671, 714, 720,
	446,	13908,		724, 736, 755,
	2654,	14041, 18145, 18536		782, 785, 850,
	2686,	\PackageWarningNoLine		860, 874, 887,
	2689,	... 134, 2859,		914, 974, 984,
	2694,	3476, 3505, 5706,		991, 992, 1020,
	2697,	7141, 7239, 10283,		1059, 1065, 1069,
	2702,	10898,		1101, 1115, 1130,
	2705,	12121,		1156, 1170, 1225,
	2710,	13851,		1235, 1242, 1243,
	2713,	13908,		1271, 1310, 1316,
	2858,	14041, 18145, 18536		1320, 1355, 1368,
	3685,	\page@sofar		1396, 1407, 1417,
	3812,	... 160, 13823		1474, 1484, 1491,
	4911,	\pagebreak		1492, 1520, 1560,
	12219,	... 12621, 19256, 19265		1566, 1571, 1576,
	12226,	\pagedepth		1579, 1978, 2319,
	12392,	... 19250		4035, 4043, 4102,
	12395,	\pagefillstretch		4103, 4106, 4107,
	12398,	19262		4132, 4141, 4142,
	12401,	\pagefilstretch		4311, 4327, 5048,
	12404,	... 19261		5163, 5164, 5165,
	12407,	\pagefootnoterule		5166, 5291, 5293,
	12410,	...		5295, 5313, 5314,
	12413,	10551, 10559		5315, 5489, 5596,
	12417,	\pagegoal		5610, 5621, 5639,
	12420,	10792, 10794,		
	12423,	10799,		
	12426,	10806,		
	12429,	10847,		
	12432,	10849,		
	12435,	12711, 13757, 19253		
	12438,	\pageinwindow		
	12441,	... 6694		
	12444,	\pagenumbering		
	12447,	2402, 5393		
	12450,	\pageref		
	12453,	... 2541, 2543		
	12456,	\pageshrink		
	12459,	... 10808,		
	12462,	10812,		
	12465,	10828,		
	12468,	10854, 10866, 19256		
	12471,	\pagestretch		
	12474,	... 10807,		
	12477,	10828,		
	12480,	10866,		
	12483,	19256		
	12486,			
	12489,			
	12492,			
	12495,			
	12498,			



5721, 5729, 5754,	13490,	13494,	16026,	16030,
5825, 5838, 5863,	13500,	13515,	16031,	16035,
5874, 5935, 5945,	13534,	13543,	16256,	16301,
5952, 5953, 6001,	13795,	13807,	16306,	16309,
6014, 6039, 6061,	13820,	13955,	16311,	16316,
6111, 6121, 6128,	13967,	14028,	16319,	16321,
6129, 6152, 6160,	14275,	14446,	16323,	16329,
6172, 6207, 6213,	14447,	14448,	16337,	16343,
6215, 6216, 6235,	14449,	14529,	16413,	16419,
6278, 6284, 6288,	14530,	14537,	16422,	16424,
6300, 6317, 6347,	14538,	14598,	16430,	16433,
6352, 6360, 6436,	14612,	14655,	16435,	16438,
6577, 6986, 7346,	14665,	14679,	16441,	16600,
7367, 7713, 7725,	14692,	14717,	16604,	16605,
7741, 7744, 7752,	14785,	14795,	16609,	16610,
7791, 7797, 7799,	14802,	14803,	16614,	16825,
7800, 7817, 7856,	14831,	14870,	16855,	16861,
7862, 7866, 7886,	14876,	14880,	16867,	16873,
7892, 7894, 7895,	14924,	14934,	16879,	16885,
7914, 7957, 7963,	14941,	14942,	16891,	16897,
7967, 7978, 8002,	14972,	15016,	16903,	16905,
8007, 8016, 8049,	15022,	15027,	16908,	16911,
8054, 8057, 8059,	15032,	15035,	16915,	16954,
8060, 8070, 8279,	15050,	15063,	16999,	17004,
8374, 8377, 8380,	15088,	15104,	17007,	17009,
8461, 8520, 8523,	15114,	15177,	17014,	17017,
8526, 8603, 8665,	15182,	15188,	17019,	17021,
8668, 8671, 8752,	15190,	15191,	17027,	17035,
8814, 8817, 8820,	15210,	15220,	17041,	17111,
8901, 8963, 8966,	15258,	15263,	17117,	17120,
8969, 9050, 9112,	15266,	15277,	17122,	17128,
9115, 9118, 9199,	15294,	15368,	17131,	17133,
9261, 9264, 9267,	15374,	15376,	17136,	17139,
9348, 9410, 9413,	15377,	15396,	17282,	17286,
9416, 9497, 9559,	15439,	15445,	17287,	17291,
9562, 9565, 9646,	15449,	15461,	17292,	17296,
9872, 9880, 9966,	15478,	15507,	17617,	18206,
9983, 9992, 9996,	15511,	15519,	18212,	18365,
10004, 10042,	15708,	15753,	18471,	18552,
10048, 10050,	15758,	15761,	18979,	19081,
10051, 10068,	15763,	15768,	19138,	19139,
10107, 10113,	15771,	15773,	19145,	19146,
10117, 10277,	15775,	15781,	19148,	19156,
10716, 12083,	15789,	15795,	19209,	19475,
12088, 12091,	15865,	15871,	19476,	19477,
12093, 12166,	15874,	15876,	19478,	19629,
12260, 12654,	15882,	15885,	19638,	19647,
12746, 12769,	15887,	15890,	19656,	19725,
12773, 13406,	15893,	15913,	19764,	20073,
13478, 13484,	16021,	16025,	20094	



.....	15749,	16855,	16861,	1391, 1460, 1477,
15861,	16297,	16867,	16873,	1982, 2397, 3869,
16409,	16995, 17107	16879,	16885,	4534, 5040, 5082,
\paragraph 4944	16891,	16897,	5090, 5155, 5308,
\paragraphfootnotes 9699	16903,	16914, 17348	5614, 5724, 5804,
\paragraphfootstyle 9809	\parfillskip 13,	5822, 5835, 5858,
\parbox	214,	734, 751,	5921, 5938, 5980,
	2490, 2492, 7213,	869,	885, 910,	5998, 6011, 6034,
	8065,	1095,	1111, 1128,	6097, 6114, 6148,
	10167,	1350,	1366, 1392,	6168, 6190, 6239,
	10168,	5039,	5615, 5820,	6297, 6312, 6343,
	10172,	5836,	5859,	6357, 6460, 6491,
	10173,	5996,	6012, 6035,	6582, 7708, 7722,
	10174,	6298,	6313, 6464,	7736, 7749, 7821,
	11309,	6583,	7709, 7723,	7918, 7975, 7998,
	11313,	7976,	9757, 9761,	8013, 8369, 8515,
	11315,	9765,	9861, 9964,	8660, 8809, 8958,
	11347,	9979,	12753,	9107, 9256, 9405,
	11350,	13788,	13800,	9554, 9756, 9760,
	11351,	13812,	14552,	9764, 9860, 9886,
	11408,	14565,	14578,	9963, 9978, 9989,
	11409,	14589,	14606,	10001, 10072,
	11412,	14674,	14690,	11034, 12749,
	11413,	14713,	15045,	13789, 13801,
	11439,	15061,	15084,	13813, 14022,
	11445,	15275,	15290,	14553, 14566,
	12658,	15459,	15474,	14579, 14590,
	13472,	17753,	17782,	14601, 14640,
	13501,	17812,	17930,	14676, 14689,
	13953,	17961,	17984,	14712, 14771,
	13955,	18001,	18018,	14788, 14894,
	13956,	18035,	18052,	14910, 14927,
	13958,	18069,	18087,	15047, 15060,
	13960,	18106,	18126,	15083, 15177,
	13963,	18161,	18356,	15220, 15257,
	13965,	18464,	18490,	15274, 15289,
	13967,	18492,	18552,	15352, 15400,
	13970,	18953,	18955,	15458, 15473,
	13973,	19069,	19667, 19752	15504, 15516,
	13975,	\parindent 12,	15709, 16257,
	13976,	41,	54, 69, 99,	16826, 16955,
	13977,	213,	229, 250,	17763, 17800,
	13979,	263,	277, 675,	17900, 17931,
	13980,	733,	750, 777,	17962, 17985,
	13981,	820,	835, 871,	18002, 18019,
	13982,	884,	909, 960,	18036, 18053,
	13983,	977,	1083, 1098,	18070, 18088,
	13984,	1110,	1127, 1164,	18107, 18127,
	13986,	1211,	1228, 1274,	18162, 18355,
	13987,	1334,	1352, 1365,	18463, 18494,



18889, 18950,	\PassOptionsToClass	\pgf@trimleft@final 14241, 14242, 14244
18951, 19070, 5346,	\pgf@trimright ... 14246
19565, 19667,	5347, 5348, 5349,	\pgf@trimright@final
19692, 19693, 19753	5350, 5370, 5371,	14248, 14249, 14251
\parsep ... 1167, 3861,	5372, 5373, 5374	\pgf@x 14240,
3862, 5062, 5063,	\PassOptionsToPackage	14244, 14247, 14251
5101, 5128, 19564 4366, 5193	\pgf@y 14237
\parshape 6433,	\pdfstringdefDisableCommands	\pgf@pic 14267
10920, 10928, 12037	\pgf@picture 14208
12208, 14103,	\penalty .. 969, 1220,	\pgf@pictureid
14123, 14281,	1469, 5535, 5864, 14213, 14224
14446, 14448,	5930, 6040, 6106,	\pgfpicturetrue .. 14211
15176, 15219,	6318, 6421, 6427,	\pgfsys@discardpath
15696, 15705,	6890, 6899, 6909, 14260
16244, 16253,	7054, 7063, 7073,	\pgfsys@endpicture 14263
16816, 16823,	9670, 9758, 9762,	\pgfsys@endscope . 14262
16942, 16951,	9766, 9863, 9984,	\pgfsys@markposition
19475, 19477,	10829, 14718, 14224
19594, 19631,	14780, 14919,	\pgfsys@typesetpicturebox
19633, 19634,	15089, 15295, 14267
19635, 19640,	15479, 18366,	\pgfutil@gobble .. 14214
19642, 19643,	18877, 18985, 19252	\pgfutil@ifnextchar
19644, 19649,	\pgf@baseline 14236 14221
19651, 19652,	\pgf@insertlayers 14258	\phantom ... 12997, 13846
19653, 19658,	\pgf@nodecallback 14214	\phantomsection .. 2488
19660, 19661, 19662	\pgf@oldpicture .. 14221	\phone 2448
\parskip 99,	\pgf@picmaxx .. 14215,	\phonesymbol
177, 229, 821,	14227, 14229, 14247	... 2408, 7220, 7318
836, 1084, 1335,	\pgf@picmaxy 14217, 14231	\photo 2453
1975, 2398, 3870,	\pgf@picminx	\picbox 14386
4535, 5083, 5091,	14216, 14230, 14240	\picinwindow 6714
5154, 5309, 5613,	\pgf@picminy 14218, 14232	\picwd 14274,
5645, 5723, 5758,	\pgf@picture 14221	14277, 14385, 14387
5805, 5981, 6191,	\pgf@picture@serial@count	\plainauthor
6892, 6901, 6911, 14212, 14213	4173, 5213, 5215,
7056, 7065, 7075,	\pgf@process	sizefalse 5254, 5255, 5258
8053, 8056, 8058,	14236, 14239, 14246	\plainfootnotes .. 8189
8060, 12087,	\pgf@relevantforpicturesize	\plainpublisher ..
12090, 12092, 14235	... 5216, 5281, 5282
12749, 12758,	\pgf@relevantforpicturesizerelative	\plaintitle ... 4174,
14281, 14601, 14219	4175, 5213, 5214,
14615, 14641,	\pgf@remember@layerlist@global	5237, 5238,
14895, 15257, 14253	5241, 5409, 5411
15353, 16848,	\pgf@resetpathsizes	\pliteasep 5102
17901, 18889, 14220	\plarsep 5101
19247, 19251, 19564	\pgf@restore@layerlist@from	\plpartopsep 5104
\part 23 14257	\pLRE 1802, 1803, 1937, 1938
\partname 781, 7740	\pgf@shift@baseline	\pltopsep 5103
\partopsep 5104, 13457, 14237	
13459, 14097, 14117	\pgf@trimleft	



\poem@finish	\predisplaypenalty	8113, 8129, 8142,
.. 5654, 5703, 5710 10250, 10264	8155, 8168, 8341,
\poem@line	\premath	8351, 8361, 8387,
.. 5573, 5579, 5630	\preparefootins ..	8400, 8412, 8439,
\poem@linebegin 10959, 11003	8452, 8490, 8499,
..... 5530, 5588	\prepnext@tok	8508, 8533, 8545,
\poem@lineend 5531, 5594 1623, 1633,	8556, 8582, 8594,
\poem@lineparsebegin	1681, 1713, 6501, 6529	8632, 8642, 8652,
.. 5542, 5599, 5626	\presetkeys	8678, 8691, 8703,
\poem@lineparseend	19238	8730, 8743, 8781,
.. 5568, 5580, 5637	\presig@skip	8791, 8801, 8827,
\poem@lineversesep	16914	8840, 8852, 8879,
..... 5532, 5591	\prevdepth	8892, 8930, 8940,
\poem@needrun . 5524,	4035, 4043, 7416,	8950, 8976, 8989,
5651, 5705, 5707	7470, 13462, 13848	9001, 9028, 9041,
\poem@obeylines 5625,	\pRLE 1804, 1805, 1939, 1940	9079, 9089, 9099,
5701, 5741, 5765	\process@cols . 13824,	9125, 9138, 9150,
\poem@prop .. 5606, 5715	13857, 13874, 13880	9177, 9190, 9228,
\poem@startedfalse	\ProcessOptions ..	9238, 9248, 9274,
.. 5623, 5739, 5745	2360, 3837, 4919,	9287, 9299, 9326,
\poem@startedtrue .	5178, 5210, 5351,	9339, 9377, 9387,
.. 5581, 5582,	5375, 7143, 7241	9397, 9423, 9436,
5622, 5731, 5733,	\ProcessOptionsX .. 1871	9448, 9475, 9488,
5738, 5746, 5748	\protect	9526, 9536, 9546,
\poem@verse 403, 620, 1802,	9572, 9585, 9597,
.. 5519, 5589, 5592	1803, 1804, 1805,	9624, 9637, 9724,
\poem@width .. 5522,	1893, 1937, 1938,	9736, 9748, 9774,
5523, 5527, 5604,	1939, 1940, 2140,	9788, 9802, 9837,
5606, 5609, 5650	2146, 2152, 2158,	9851, 10606,
\poem@write@aux ..	2167, 2173, 2915,	10622, 10637,
.. 5653, 5704, 5716	2916, 3727, 4134,	10664, 10677, 10690
\poemblocksep	10340, 10730,	\protected@write ..
.. 5516, 5620, 5727	10744, 12284, 3707, 3718
\poemcolsepskip ..	12289, 12642,	\protected@xdef ..
..... 5507, 5536	13536, 17607,	4793, 4822, 4851,
\poemextrabaselineskip	17608, 17612,	5234, 5251, 5267,
.. 5509, 5597, 5632	17620, 17868,	5278, 10572,
\poemmarginskip ..	18212, 19418, 20001	10581, 10729,
.. 5508, 5530, 5531	1939, 2858, 2859,	10734, 10743,
\poemskip 5510, 5610, 5641	2860, 2863, 2871,	10749, 11681,
\postbibhook	2873, 2879, 3065,	11719, 11752,
13549	3081, 3097, 3120,	11783, 11814, 11877
\postdisplaypenalty	3122, 3172, 3200,	\providedeclaration 2405,
..... 10251, 10265	3213, 14410,	2406, 2407,
\postmath	14420, 14430,	2408, 2409, 2410,
\PotEndMark	14438, 19435,	2421, 2422, 2423,
.. 7549, 7554, 7557	19445, 19455, 19464	2424, 2425, 2426,
\predisplaydirection	\protected@edef .. 42,	2427, 2428, 2429,
..... 14481,	55, 70, 251,	2430, 2431, 2432,
14482, 20081, 20082	264, 278, 4732,	2433, 2434, 2435,
	4749, 4766, 8097,	



\ProvidesClass	19114, 19243, 19319, 19423, 20229	6650, 6651, 6652, 6653, 6654, 6662, 6663, 6664, 6665, 6666, 6667, 6672, 6673, 6674, 6675, 6676, 6677, 7502, 7516, 7534, 14138, 14140, 14153, 14156
\ProvidesExplPackage	1720, 1946, 2002, 2135, 2575, 3808, 4368, 4907, 5053, 5169, 5196, 5434, 7130, 7228	Q
\ProvidesFile 1,	\prune 14291, 14329, 14333, 14338, 14342, 14354, 14365, 14392	\Q 4551, 4573
127, 161, 202, 328, 339, 344, 346, 571, 630, 824, 1072, 1323, 1582, 5793, 5969, 6145, 6178, 6390, 6445, 6487, 6489, 6492, 6530, 6573, 6588, 6684, 6722, 7332, 7497, 7500, 7539, 7701, 7873, 8046, 8079, 9956, 10131, 10160, 10176, 10245, 10275, 10284, 10289, 10424, 10758, 10935, 11037, 11155, 11197, 11498, 12076, 12080, 12102, 12213, 12317, 12603, 12732, 13394, 13550, 13784, 13822, 13952, 14019, 14046, 14084, 14105, 14125, 14159, 14207, 14271, 14486, 14527, 14543, 14629, 14883, 15159, 15340, 15542, 15671, 16219, 16809, 16917, 17491, 17498, 17558, 17584, 17589, 17623, 17698, 17728, 17747, 17776, 17825, 17905, 18213, 18868,	\q 12895, 12898, 13124, 13178	
	\prw@mkboth . . . 17874, 17879, 17891, 17896	\qauthor 14528
	\psgrid 14490	\qqquad 4984, 4991, 4998, 5005, 5012, 5047, 14530
	\pspicture 14487	\quad 4173, 4174, 4175, 5409, 5410, 5411, 5516, 19532, 19541
	\psset 14525	\quote 2454
	\pst@dima 14502	\quotecolour
	\pst@dimb 14500, 14505, 14507, 14512, 14515	.. 2416, 7148, 7246
	\pst@dimc 14518	\quotefont 2425, 2433, 7188, 7281
	\pst@dimd 14499, 14505, 14506, 14507, 14508, 14512, 14513, 14514, 14515, 14516	\quotestyle
	\pst@hbox 14495, 14499, 14500, 14501, 14517, 14519, 14520, 14522	.. 2433, 7201, 7330
	\pst@ifstar 14487	\quotewidth 2455, 2467, 7201, 7330
	\pst@killglue 14491	R
	\pst@picture 14487	\R@@page 15547, 15548, 15557, 15559, 15590, 15591, 15602, 15604
	\pst@shift	\raggedbottom 2403
	14492, 14514, 14522	\raggeddictum
	\pst@tempa 14504, 14506	15981, 16560, 17242
	\publisher 5271, 5272	\raggeddictumauthor
	\publishers	15983, 16562, 17244
	15846, 16394, 17092	\raggeddictumtext
	\put 6593, 6594, 6595, 6596, 6597, 6598, 6603, 6604, 6605, 6606, 6607, 6608, 6616, 6617, 6618, 6619, 6620, 6621, 6626, 6627, 6628, 6629, 6630, 6631, 6639, 6640, 6641, 6642, 6643, 6644, 6649,	\RaggedLeft
		.. 14557, 14625, 14627, 17496, 17497, 20189, 20193, 20197, 20205
		\raggedleft 25, 100, 230, 777, 6148, 6343, 6357,



7736, 7749, 7998, 8013, 8049, 8052, 8057, 8065, 9989, 10001, 12083, 12086, 12091, 13433, 13434, 14530, 14532, 14538, 15504, 15516, 15896, 15897, 15981, 15982, 15983, 15985, 16444, 16560, 16561, 16562, 16563 \RaggedLeftLeftskip 14562 \RaggedLeftParfillskip 14565 \RaggedLeftParindent 14566 \RaggedLeftRightskip 14563 \raggedpart 15897 \RaggedRight .. 14570, 14619, 14626, 14628, 17496, 17497, 20189, 20193, 20199, 20203 \raggedright 25, 100, 181, 230, 777, 6148, 6168, 6343, 6357, 7736, 7749, 7998, 8013, 8049, 8052, 8057, 8065, 9989, 10001, 12083, 12086, 12091, 13433, 13434, 14530, 14532, 14538, 15504, 15516, 15896, 15897, 15981, 15982, 15983, 15985, 16444, 16560, 16561, 16562,	16564, 16908, 16914, 17142, 17242, 17243, 17244, 17246, 18497, 18500, 18504, 18605, 19664, 19669, 19671, 19672, 19673 \RaggedRightLeftskip 14575 \RaggedRightParfillskip 14578 \RaggedRightParindent 3867, 4532, 5088, 14579 \RaggedRightRightskip 5085, 14576 \raggedsection 15896, 16444, 17142 \raise 10154 \raisebox 4086, 4091, 4102, 4103, 4106, 4107, 7547, 7552, 7568, 7571, 7687, 11320, 11322, 11326, 11328, 11355, 11356, 11359, 11360, 11417, 11418, 11421, 11422, 11450, 11452, 11456, 11458, 12209 \range 2049 \rawtext 14281, 14287, 14309, 14310, 14391, 14395 \rbrace 19521, 19530 \rcb 2050, 2053, 2054, 2058 \rcol@footinsskip 10942, 10986 \realfootnote 11874 \recomputelengths 2466, 2483 \recomputethemelengths 2465, 2481, 7293, 7298 \reflectbox 11089 \refname 790, 791, 924, 925, 1186, 1187,	1435, 1436, 2552, 5143, 7757, 7758 \refstepcounter 772, 7731, 10266, 12051, 12272, 12278, 12605, 13527, 14094, 14115, 17865 \refvskip 16849 \regex 12835, 12840, 12843, 12846, 12849, 12850, 12886, 12891, 12893, 12937, 12938, 12950 \relax 2, 8, 10, 12, 14, 28, 82, 99, 128, 162, 203, 209, 211, 213, 215, 229, 238, 291, 303, 321, 414, 453, 478, 561, 620, 634, 635, 636, 657, 658, 659, 660, 665, 666, 667, 668, 692, 693, 694, 695, 696, 701, 702, 703, 704, 728, 821, 836, 843, 873, 879, 897, 949, 956, 957, 958, 962, 971, 980, 997, 998, 1003, 1004, 1005, 1006, 1009, 1012, 1016, 1041, 1042, 1043, 1048, 1049, 1050, 1051, 1084, 1100, 1122, 1140, 1149, 1183, 1207, 1208, 1209, 1213, 1222, 1231, 1248, 1249, 1254, 1255, 1256, 1257, 1260, 1263, 1267, 1292, 1293, 1294, 1299, 1300, 1301, 1302, 1335, 1342, 1354, 1360, 1378,
--	--	---



1428, 1456, 1457,	6230, 6231, 6232,	10098, 10099,
1458, 1462, 1471,	6256, 6257, 6258,	10136, 10138,
1480, 1497, 1498,	6259, 6260, 6265,	10142, 10189,
1503, 1504, 1505,	6266, 6267, 6268,	10221, 10246,
1506, 1509, 1512,	6292, 6433, 6447,	10256, 10299,
1516, 1541, 1542,	6448, 6449, 6454,	10319, 10320,
1543, 1548, 1549,	6455, 6456, 6457,	10335, 10422,
1550, 1551, 1638,	6460, 6464, 6465,	10554, 10576,
1639, 1656, 1657,	6466, 6467, 6468,	10585, 10738,
1658, 1811, 1817,	6469, 6569, 6587,	10753, 10791,
1823, 1829, 1835,	6737, 6796, 7143,	10813, 10851,
1841, 1853, 1859,	7241, 7333, 7334,	10952, 10996,
1865, 1893, 1989,	7335, 7336, 7337,	11260, 11262,
1990, 1991, 1996,	7349, 7370, 7424,	11265, 11278,
1997, 1998, 1999,	7436, 7439, 7476,	11280, 11283,
2223, 2231, 2239,	7488, 7491, 7523,	11529, 11540,
2290, 2360, 2576,	7529, 7590, 7669,	11551, 11562,
2781, 2799, 2853,	7717, 7784, 7785,	11576, 11587,
2870, 3054, 3058,	7786, 7805, 7806,	11598, 11609,
3292, 3316, 3331,	7811, 7812, 7813,	11624, 11639,
3348, 3363, 3379,	7814, 7838, 7839,	11680, 11699,
3396, 3408, 3440,	7840, 7845, 7846,	11718, 11737,
3451, 3530, 3738,	7847, 7848, 7877,	11751, 11770,
3739, 3748, 3776,	7878, 7879, 7900,	11782, 11801,
3841, 4333, 4542,	7901, 7902, 7903,	11813, 11832,
4650, 4713, 4717,	7908, 7909, 7910,	11914, 11948,
4721, 4798, 4809,	7911, 7935, 7936,	11979, 12008,
4827, 4838, 4856,	7937, 7938, 7939,	12116, 12128,
4867, 4925, 5122,	7944, 7945, 7946,	12135, 12136,
5130, 5135, 5166,	7947, 7971, 8080,	12140, 12141,
5351, 5375, 5471,	8081, 8082, 8083,	12208, 12642,
5476, 5479, 5486,	8084, 8201, 8329,	12771, 12774,
5524, 5530, 5625,	8370, 8432, 8478,	12777, 12778,
5651, 5679, 5686,	8516, 8575, 8620,	12779, 12785,
5693, 5705, 5741,	8661, 8723, 8769,	13397, 13398,
5805, 5812, 5824,	8810, 8872, 8918,	13399, 13400,
5830, 5846, 5901,	8959, 9021, 9067,	13401, 13461,
5917, 5918, 5919,	9108, 9170, 9216,	13564, 13662,
5923, 5932, 5941,	9257, 9319, 9365,	13786, 13788,
5958, 5959, 5964,	9406, 9468, 9514,	13789, 13792,
5965, 5966, 5967,	9555, 9617, 9673,	13798, 13800,
5981, 5988, 6000,	9705, 9824, 9952,	13801, 13804,
6006, 6022, 6054,	9953, 9958,	13810, 13812,
6093, 6094, 6095,	10035, 10036,	13813, 13816,
6099, 6108, 6117,	10037, 10056,	13906, 13948,
6134, 6135, 6140,	10057, 10062,	14144, 14145,
6141, 6142, 6143,	10063, 10064,	14146, 14163,
6191, 6198, 6199,	10065, 10089,	14168, 14173,
6200, 6221, 6222,	10090, 10091,	14182, 14190,
6223, 6224, 6229,	10096, 10097,	14212, 14215,



14216,	14217,	15384,	15385,	17093,	17094,
14218,	14227,	15390,	15391,	17095,	17096,
14229,	14230,	15392,	15393,	17097,	17172,
14231,	14232,	15417,	15418,	17234,	17239,
14401,	14465,	15419,	15420,	17400,	17417,
14542,	14623,	15421,	15426,	17505,	17542,
14641,	14648,	15427,	15428,	17605,	17620,
14678,	14684,	15429,	15453,	17630,	17632,
14700,	14732,	15717,	15718,	17661,	17799,
14767,	14768,	15724,	15725,	17817,	17818,
14769,	14773,	15727,	15736,	17901,	17910,
14782,	14791,	15737,	15738,	17928,	17931,
14808,	14809,	15798,	15824,	17934,	17959,
14814,	14815,	15825,	15826,	17962,	17965,
14816,	14817,	15827,	15828,	17982,	17985,
14820,	14823,	15841,	15842,	17988,	17999,
14827,	14852,	15843,	15844,	18002,	18005,
14853,	14854,	15845,	15846,	18016,	18019,
14859,	14860,	15847,	15848,	18022,	18031,
14861,	14862,	15849,	15850,	18033,	18036,
14895,	14904,	15851,	15912,	18039,	18048,
14905,	14906,	15973,	15978,	18050,	18053,
14912,	14921,	16139,	16156,	18056,	18067,
14930,	14947,	16265,	16266,	18070,	18073,
14948,	14949,	16272,	16273,	18085,	18088,
14950,	14955,	16275,	16284,	18091,	18104,
14956,	14957,	16285,	16286,	18107,	18110,
14958,	14961,	16346,	16372,	18124,	18127,
14964,	14968,	16373,	16374,	18130,	18142,
14993,	14994,	16375,	16376,	18157,	18159,
14995,	14996,	16389,	16390,	18162,	18165,
14997,	15002,	16391,	16392,	18179,	18209,
15003,	15004,	16393,	16394,	18210,	18211,
15005,	15049,	16395,	16396,	18340,	18361,
15055,	15071,	16397,	16398,	18448,	18474,
15097,	15153,	16399,	16447,	18486,	18488,
15158,	15163,	16463,	16471,	18494,	18511,
15164,	15165,	16479,	16490,	18515,	18527,
15196,	15197,	16552,	16557,	18529,	18535,
15198,	15199,	16718,	16735,	18544,	18546,
15204,	15205,	16963,	16964,	18608,	18622,
15206,	15207,	16970,	16971,	18656,	18663,
15236,	15237,	16973,	16982,	18669,	18730,
15238,	15239,	16983,	16984,	18789,	18792,
15240,	15245,	17044,	17070,	18796,	18802,
15246,	15247,	17071,	17072,	18847,	18883,
15248,	15270,	17073,	17074,	18891,	18892,
15353,	15359,	17087,	17088,	18894,	18895,
15360,	15361,	17089,	17090,	18908,	18919,
15382,	15383,	17091,	17092,	18923,	18928,



18933,	18941,	1020, 1022, 1088,	5906, 5907, 5908,
18945,	18954,	1105, 1118, 1121,	5910, 5912, 5914,
18955,	18966,	1139, 1146, 1172,	5924, 5985, 5989,
18974,	18985,	1173, 1174, 1175,	6005, 6021, 6029,
18991,	18995,	1176, 1181, 1196,	6043, 6045, 6051,
18999,	19016,	1203, 1204, 1214,	6073, 6079, 6080,
19020,	19069,	1271, 1273, 1339,	6081, 6082, 6083,
19070,	19073,	1343, 1359, 1377,	6084, 6086, 6088,
19121,	19129,	1386, 1399, 1419,	6090, 6100, 6196,
19270,	19353,	1425, 1430, 1431,	6235, 6237, 6291,
19402,	19417,	1432, 1433, 1445,	6306, 6321, 6325,
19494,	19550,	1452, 1453, 1463,	6329, 6331, 6333,
19562,	19603,	1520, 1522, 1978,	6335, 6336, 6337,
19695,	19698,	1980, 2352, 2353,	6338, 6339, 6340,
19700,	19752,	2354, 2390, 2391,	6363, 6381, 6446,
19753,	19756,	2396, 2445, 2449,	6451, 6473, 6480,
19781,	19824,	2480, 2485, 2565,	6490, 6574, 6579,
20088,	20089, 20090	3290, 3314, 3646,	6589, 6612, 6635,
\remainx	13955	3651, 3671, 3684,	6658, 6685, 6701,
\remainxox	13990, 13997	3706, 3717, 3845,	7144, 7184, 7185,
\remainxoxx	14000, 14009, 14018	3854, 3895, 4013,	7186, 7187, 7188,
\remainxx	13958, 13960	4016, 4017, 4021,	7189, 7190, 7191,
\remainxxx	13963, 13965,	4022, 4168, 4169,	7205, 7210, 7242,
	13967, 13992, 13995	4518, 4519, 4520,	7276, 7277, 7278,
\remainxxxx	13970,	4521, 4522, 4523,	7279, 7280, 7281,
	13972, 13974,	4524, 4525, 4526,	7282, 7283, 7293,
	13976, 14002,	4580, 4695, 4704,	7305, 7493, 7494,
	14004, 14007,	4725, 4742, 4759,	7495, 7498, 7501,
	14011, 14014, 14016	4873, 4874, 4875,	7505, 7521, 7674,
\remainxxxxx	13979, 13981,	4957, 4966, 5018,	7675, 7702, 7716,
	13983, 13985, 13987	5026, 5050, 5055,	7767, 7773, 7777,
\remove@strip	13572,	5066, 5067, 5068,	7782, 7817, 7819,
	13602, 13670, 13700	5069, 5070, 5071,	7869, 7870, 7871,
\renewcommand	19, 20,	5072, 5138, 5143,	7872, 7875, 7914,
	21, 22, 83, 164,	5145, 5146, 5163,	7916, 7970, 7984,
	171, 186, 220, 221,	5164, 5165, 5166,	7986, 7988, 7990,
	222, 223, 292,	5223, 5224, 5225,	7991, 7992, 7993,
	331, 355, 632,	5227, 5231, 5232,	7994, 7995, 8019,
	671, 673, 727,	5233, 5237, 5238,	8037, 8047, 8060,
	744, 758, 762,	5244, 5248, 5249,	8071, 8075, 8089,
	766, 767, 768,	5250, 5254, 5255,	8105, 8121, 8137,
	769, 800, 840,	5260, 5264, 5265,	8150, 8163, 9957,
	862, 878, 896,	5266, 5275, 5276,	9972, 10007,
	904, 917, 919,	5277, 5281, 5282,	10011, 10026,
	920, 921, 922,	5304, 5328, 5390,	10033, 10068,
	934, 940, 946,	5403, 5408, 5416,	10070, 10120,
	952, 953, 963,	5809, 5813, 5829,	10121, 10122,
		5845, 5853, 5867,	10123, 10124,
		5886, 5892, 5898,	10125, 10127,
		5903, 5904, 5905,	10129, 10246,



10256,	10276,	14758,	14760,	16145,	16147,
10285,	10375,	14763,	14764,	16149,	16155,
10394,	10396,	14774,	14831,	16225,	16229,
10398,	10400,	14833,	14900,	16233,	16237,
10401,	10402,	14901,	14913,	16263,	16270,
10403,	10404,	14972,	14974,	16277,	16290,
10405,	10407,	15038,	15054,	16292,	16354,
10409,	10411,	15070,	15078,	16356,	16401,
10413,	10414,	15092,	15094,	16445,	16446,
10415,	10416,	15116,	15117,	16454,	16455,
10417,	10418,	15118,	15119,	16458,	16459,
10419,	10429,	15120,	15121,	16462,	16470,
10498,	10759,	15123,	15125,	16478,	16497,
11156,	11166,	15138,	15144,	16521,	16550,
12077,	12081,	15150,	15155,	16555,	16560,
12094,	12098,	15161,	15169,	16561,	16562,
12106,	12107,	15210,	15212,	16563,	16566,
12108,	12109,	15269,	15283,	16639,	16657,
12668,	13395,	15298,	15301,	16679,	16681,
13406,	13429,	15305,	15309,	16702,	16704,
13430,	13431,	15311,	15313,	16706,	16709,
13432,	13433,	15315,	15316,	16715,	16723,
13434,	13435,	15317,	15318,	16725,	16728,
13436,	13438,	15319,	15331,	16734,	16810,
13440,	13442,	15357,	15396,	16923,	16927,
13444,	13445,	15398,	15452,	16931,	16935,
13447,	13448,	15467,	15482,	16961,	16968,
13455,	13456,	15486,	15490,	16975,	16988,
13458,	13464,	15492,	15494,	16990,	17052,
13465,	13953,	15496,	15497,	17054,	17099,
13956,	13961,	15498,	15499,	17143,	17144,
13968,	13977,	15500,	15501,	17148,	17149,
13988,	13993,	15533,	15677,	17152,	17153,
13998,	14005,	15681,	15685,	17156,	17160,
14012,	14028,	15689,	15715,	17164,	17179,
14030,	14047,	15722,	15729,	17203,	17232,
14089,	14110,	15742,	15744,	17237,	17242,
14160,	14169,	15806,	15808,	17243,	17244,
14528,	14531,	15853,	15898,	17245,	17248,
14540,	14544,	15899,	15900,	17321,	17339,
14557,	14570,	15903,	15904,	17361,	17363,
14583,	14594,	15918,	15942,	17384,	17386,
14609,	14645,	15971,	15976,	17388,	17391,
14667,	14683,	15981,	15982,	17397,	17405,
14699,	14707,	15983,	15984,	17407,	17410,
14721,	14723,	15987,	16060,	17416,	17492,
14729,	14745,	16078,	16100,	17495,	17748,
14751,	14752,	16102,	16123,	17777,	17783,
14753,	14754,	16125,	16127,	17815,	17828,
14755,	14756,	16130,	16136,	17841,	17852,



17908, 17955, 17974, 17996, 18013, 18030, 18047, 18064, 18082, 18100, 18101, 18120, 18121, 18140, 18208, 18482, 18504, 18781, 18783, 18785, 18801, 18808, 18810, 18812, 18815, 18819, 18824, 18828, 18832, 18846, 18851, 18853, 18856, 18860, 18863, 18869, 18989, 19096, 19118, 19136, 19158, 19170, 19206, 19670, 19671, 19851, 19852, 19853, 20094, 20132, 20134, 20135, 20136, 20186, 20188, 20190, 20192, 20196, 20198, 20202, 20204	14650, 14657, 14734, 14884, 15099, 15106, 15127, 15320, 15341, 15522, 15907, 16486, 17168, 17829, 17832, 17857, 19533 \renewrobustcmd ... \repeat ... 469, 1883, 1884, 6700, 6854, 6860, 6968, 7026, 7036, 9685, 9695, 12176, 14299, 14346, 14357, 14368, 14396, 17644 \RequirePackage 1767, 1769, 1770, 1771, 1772, 1773, 2003, 2004, 2362, 2363, 2364, 2365, 2372, 2373, 2388, 2441, 3493, 3494, 3510, 3554, 3555, 3558, 3810, 3872, 3874, 3881, 3902, 3906, 3942, 3943, 4160, 4370, 4371, 4372, 4373, 4577, 4578, 4693, 4909, 5084, 5095, 5147, 5173, 5181, 5198, 5353, 5354, 5355, 5356, 5357, 5358, 5377, 5378, 5379, 5380, 5381, 5382, 20126, 20127, 20128, 20129, 20178	3588, 3613, 3614, 3634, 3636, 3640, 3647, 3649, 3728, 3729, 18500, 18501, 18504, 18505, 18985, 18986, 19617, 19623 \reserved@b ... 2249, 2250, 2640, 2644, 2645, 3485, 3486, 3514, 3572, 3574, 3591, 3608, 3609, 3614, 3619, 3621, 3622, 3624, 3627, 3647, 3649 \reserved@c 3587, 3590, 3591, 3595, 3606, 3619, 3633, 3637 \reserved@d 2639, 2644, 3607, 3626, 3639 \reset@dir . 14465, 19494 \reset@font 4413, 4457, 4501, 4729, 4746, 4763, 8093, 8109, 8125, 8145, 8158, 8171, 8339, 8349, 8359, 8385, 8397, 8410, 8437, 8450, 8488, 8497, 8506, 8531, 8542, 8554, 8580, 8592, 8630, 8640, 8650, 8676, 8688, 8701, 8728, 8741, 8779, 8789, 8799, 8825, 8837, 8850, 8877, 8890, 8928, 8938, 8948, 8974, 8986, 8999, 9026, 9039, 9077, 9087, 9097, 9123, 9135, 9148, 9175, 9188, 9226, 9236, 9246, 9272, 9284, 9297, 9324, 9337, 9375, 9385, 9395, 9421, 9433, 9446, 9473, 9486, 9524, 9534, 9544, 9570,
\RenewDocumentCommand 12990, 13323	\RequireXeTeX 1768, 1922	\reserved@a ... 2269, 2273, 2279, 2282, 2285, 2288, 2640, 2644, 2902, 2903, 2904, 3495, 3503, 3513, 3515, 3522, 3524, 3529, 3531, 3532, 3535, 3538, 3574, 3575, 3576, 3578, 3585,



9582, 9595, 9622,	10917, 12192,	15289, 15292,
9635, 9722, 9734,	12193, 12206,	15293, 15298,
9746, 9772, 9786,	14538, 19555,	15299, 15458,
9800, 9835, 9849,	19566, 19572,	15473, 15476,
10349, 10595,	19578, 19586, 19590	15477, 17752,
10596, 10597,	\rightskip 12, 13, 213,	17757, 17768,
10601, 10617,	214, 307, 311, 733,	17781, 17785,
10632, 10661,	750, 753, 754,	17805, 17808,
10674, 10687,	843, 856, 867,	17813, 17817,
19893, 19937, 20035	868, 873, 884,	17818, 17928,
\resizebox 11110	909, 912, 913,	17929, 17930,
\restore@protect . 2917	1093, 1094, 1100,	17938, 17959,
\restoreCaptionSkip 11291	1110, 1113, 1114,	17960, 17961,
\restorecounters@ 7601	1127, 1149, 1342,	17969, 17982,
\restylefloat 4360	1348, 1349, 1354,	17983, 17984,
\resumename 2442	1365, 1391, 1394,	17992, 17999,
\rightskip 18210	1395, 1413, 5038,	18000, 18001,
\right 19521, 19530, 19532	5045, 5046, 5616,	18009, 18016,
\right@cor 13574, 13575, 13672, 13673	5812, 5818, 5819,	18017, 18018,
\right@footnoterule 26, 236,	5824, 5835, 5858,	18026, 18033,
634, 762, 946,	5861, 5862, 5988,	18034, 18035,
956, 1181, 1207,	5994, 5995, 6000,	18043, 18050,
1425, 1456, 5898,	6011, 6034, 6037,	18051, 18052,
5917, 6051, 6093,	6038, 6297, 6312,	18060, 18067,
6198, 6325, 7777,	6315, 6316, 6447,	18068, 18069,
7784, 7877, 8075,	6448, 6449, 6575,	18077, 18085,
10011, 10035,	6576, 6582, 7708,	18086, 18087,
10514, 10528,	7711, 7712, 7722,	18095, 18104,
10538, 10658,	7975, 8297, 9885,	18105, 18106,
10684, 12098,	9963, 9978, 9981,	18114, 18124,
13946, 14729,	9982, 12752,	18125, 18126,
14767, 14904,	13429, 13430,	18134, 18159,
15150, 15163,	13788, 13792,	18160, 18161,
15305, 15359,	13793, 13800,	18169, 18209,
15486, 15722,	13805, 13812,	18211, 18889,
15736, 15976,	13817, 14549,	18951, 18952,
16270, 16284,	14551, 14562,	18953, 18959,
16555, 16835,	14564, 14575,	18962, 19009,
16968, 16982, 17237	14577, 14586,	19069, 19074,
\rightfootnoterule 1846, 7334, 8081,	14588, 14605,	19097, 19104,
10526, 11030, 20090	14648, 14661,	19473, 19474,
\rightline 14485,	14672, 14673,	19665, 19692,
19680, 19684, 19686	14678, 14689,	19693, 19752, 19757
\rightmargin 1166,	14712, 14715,	\RL . . . 12041, 14455, 19484
5100, 5119, 5127,	14716, 15043,	\rlap 308, 674,
5133, 10913,	15044, 15049,	1023, 1523, 1981,
	15060, 15083,	6238, 7820, 7917,
	15086, 15087,	10071, 10166,
	15097, 15110,	10172, 10765,
	15158, 15274,	11048, 11094,



	11160, 11161, 11174, 11175, 12078, 13846, 14471, 14834, 14975, 15171, 15214, 15399, 15744, 15808, 16292, 16356, 16990, 17054, 17533, 19504 \RLE 1804, 1939, 12040, 14455, 14456, 14460, 19123, 19484, 19485, 19489 \rmfamily . 952, 1203, 1452, 4928, 4981, 4984, 4988, 4991, 4995, 4998, 5002, 5005, 5009, 5012, 14763, 14900 \roman numeral 5653, 5715, 7609, 7612, 7658, 10377, 10378, 10379, 10380, 10382, 10383, 10384, 10385, 10386, 10389, 10390, 10391, 19558 \rot@float@box 15550, 15551, 15552, 15566, 15575, 15593, 15594, 15595, 15596, 15597, 15613, 15624 \rot@label 15546, 15589 \rot@LR . . . 15557, 15602 \rot@mess@toks 15549, 15561, 15571, 15580, 15592, 15607, 15619, 15629 \rot@message 15580, 15629 \rot@pageref 15547, 15590 \rotate 15643 \rotatebox . . . 10420, 11223, 11272, 11485, 15566, 15575, 15613, 15624 \rotateframe 10382, 10419 \rotFPbot 15567, 15574, 15614, 15623	\rotFPTop 15565, 15576, 15612, 15625 \rrb 2052, 2062 \rsb 2051, 2060 \RTL 14448, 19477 \RTL@column@boxes 13870, 13900, 13905 \RTL@outputdblcol 6724, 10177, 10981, 13551, 19768, 19851, 19852 \RTLbidiitufesidenotemargin ... 4462, 4760, 4900 \RTLcases . . 19531, 19534 \RTLcite . . . 4689, 4806, 4835, 4864, 4886, 4895, 4904 \RTLcolumnfootnotes 8190 \RTLdblcol 19852 \RTLdfnmakecol 7494 \RTLfootfootmark 8232, 8380, 8526, 8671, 8820, 8969, 9118, 9267, 9416, 9565, 9766 \RTLfootmarkstyle 8207, 8246 \RTLfootnote 639, 713, 2139, 2152, 4875, 5225, 6203, 6277, 7882, 7956, 10571, 14909, 15015, 15168, 15256, 15364, 15384, 15419, 15438, 15741, 15826, 15857, 16289, 16374, 16405, 16987, 17072, 17103 \rtfside 14329, 14331, 14342, 14344, 14365, 14367 \rule 45, 58, 73, 254, 267, 281, 2490, 7198, 7690, 7694, 7697, 8101, 8117, 8133, 8147, 8160, 8173, 10611, 10627, 10642, 10668, 10681, 10694, 12997, 14522 S \s 12849, 12850 \save@dir . . 14464, 19493 \savebox 7615, 11220, 11222, 11302 \saveCaptionSkip . 11252 \savecounters@ 7598
--	--	--



\saved@dir ..	14464,		17364, 17366, 17368	16113, 16679,
	14465, 19493, 19494		\scr@caption@before@longtable@warning, 16692,	
\sbox	7681, 11254, 11271,		16075, 16654, 17336	17361, 17362, 17374
	12137, 12145,		\scr@compatibility	\scr@parindent
	12147, 12149,		16447,	16212, 16800, 17482
	12158, 12254,		16463, 16471, 16479	\scr@saved@footnotetext
	12659, 12819,		\scr@dtc@current 15674,
	12827, 13015,		18604, 18607	15678, 16222,
	13301, 13341,		\scr@dtc@def@1@largetocline	16226, 16920, 16924
	13466, 13481,	 18371	\scr@saved@LTRfootnotetext
	13513, 14127,		\scr@dtc@def@1@tocline	.. 15672, 15675,
	15997, 16011,	 18573	15682, 16220,
	16051, 16576,		\scr@dtc@def@1@undottedtocline	16223, 16230,
	16590, 16630,	 18214	16918, 16921, 16928
	17258, 17272,		\scr@dtc@donumwidth	\scr@saved@RTLfootnotetext
	17312, 17767,	 18808, 18809	.. 15673, 15676,
	17784, 18525, 20071		\scr@dtc@largetocline@init	15686, 16221,
\sc@temp	16854,	 18372	16224, 16234,
	16855, 16860,		\scr@dtc@nosub	16919, 16922, 16932
	16861, 16866,		.. 18620, 18622,	\scr@smashdp .. 16019,
	16867, 16872,		18652, 18653,	16033, 16034,
	16873, 16878,		18655, 18660,	16052, 16598,
	16879, 16884,		18662, 18667,	16612, 16613,
	16885, 16890,		18668, 18726, 18728	16631, 17280,
	16891, 16896,		\scr@dtc@numberline@box	17294, 17295, 17313
	16897, 16902, 16903	 18523, 18550	\scr@tmp@footnotetext
\SC@FLOAT	17492, 20186,		\scr@dtc@tocline 15991, 16002,
	20190, 20196,	 18482, 18865	16003, 16570,
	20198, 20202, 20204		\scr@dtc@tocline@init	16581, 16582,
\SC@justify@caption 18574	 18574	17252, 17263, 17264
	.. 17495, 20188,		\scr@dtc@tocline@numberwid	\scr@tmp@LTRfootnotetext
	20192, 20197,	 18526,	.. 15993, 16004,
	20199, 20203, 20205		18528, 18530, 18533	16005, 16572,
\sc@temp	16852,		\scr@dtc@tocline@numbox	16583, 16584,
	16854, 16858,		18525, 18527, 18541	17254, 17265, 17266
	16860, 16864,		\scr@dtc@undottedtocline@in	\scr@tmp@RTLfootnotetext
	16866, 16870,	 18215	.. 15995, 16006,
	16872, 16876,		\scr@ifundefinedorrelax	16007, 16574,
	16878, 16882,		.. 18249, 18297,	16585, 16586,
	16884, 16888,		18342, 18404,	17256, 17267, 17268
	16890, 16894,		18450, 18474,	\scriptsize .. 5066,
	16896, 16900,		18513, 18618,	16853, 16859,
	16902, 16912, 16914		18620, 18649,	16865, 16871,
\sc@wm@text	7499		18652, 18653,	16877, 16883,
\scalebox	11108		18660, 18683,	16889, 16895, 16901
\scantokens .	3053, 3073		18723, 18724,	\scshape
\scr@caption			18726, 18742,	6151
	.. 16103, 16105,		18795, 18822, 18841	\secshape .. 15257, 15298
	16107, 16682,		\scr@LT@array	\SectFont .. 848,
	16684, 16686,		12050, 16100,	857, 1154, 1162,
			16101,	1405, 1414, 5872,



6059, 14653,	3821, 3826, 3827,	9632, 9658, 9659,
14662, 15102, 15111	3831, 3832, 3903,	9666, 9679, 9682,
\sectfont 1453 ²	3907, 3910, 3915,	9684, 9689, 9692,
\section 790,	3917, 3921, 3923,	9694, 9696, 9726,
817, 833, 848,	4295, 4916, 4917,	9738, 9750, 9768,
854, 857, 924,	4918, 5175, 5176,	9776, 9782, 9790,
1081, 1154, 1160,	5177, 5202, 5203	9796, 9804, 9839,
1162, 1186, 1332,	\setbox 607, 1629, 1631,	9846, 9853, 9868,
1405, 1411, 1414,	1632, 1688, 2301,	9877, 9897, 9905,
1435, 2486, 2552,	4341, 4397, 4400,	9918, 9931, 9941,
4930, 4952, 5020,	4441, 4444, 4485,	10150, 10180,
5028, 5143, 5146,	4488, 5544, 5555,	10183, 10196,
5150, 5872, 6059,	5768, 5782, 6405,	10212, 10215,
7757, 14653,	6432, 6437, 6469,	10229, 10276,
14659, 14662,	6504, 6533, 6688,	10316, 10321,
15102, 15108, 15111	6689, 6693, 6696,	10659, 10672,
\sectionbib 1785 ²	6706, 6710, 6713,	10685, 10703,
\sectionfont 2426,	6717, 6727, 6730,	10827, 10836,
2434, 7189, 7282	6731, 6745, 6758,	10840, 10864,
\sectionstyle 2434, 2492	6774, 6786, 6789,	10878, 10940,
\sectiontitlecolour	6790, 6804, 6813,	10945, 10946,
.... 2417, 7151,	6829, 6850, 6851,	10961, 10984,
7159, 7166, 7173,	6856, 6857, 6862,	10989, 10990,
7180, 7250, 7256,	6865, 6888, 6896,	11005, 11040,
7262, 7268, 7274	6906, 6957, 6971,	11047, 11048,
\selectfont	6975, 6985, 6990,	11093, 11094,
342, 5291, 5293,	6999, 7001, 7016,	12638, 12647,
5295, 14140, 14153	7017, 7028, 7029,	12709, 12714,
\separatorcolumnwidth	7041, 7042, 7052,	12717, 12726,
.... 2457,	7060, 7070, 7118,	12738, 12770,
2458, 2469, 2475,	7342, 7350, 7351,	12776, 13554,
2491, 2496, 2502,	7355, 7363, 7371,	13557, 13558,
2559, 7296, 7326	7372, 7376, 7391,	13580, 13585,
\SepMark 19543, 19544	7394, 7399, 7403,	13595, 13613,
\seq 13078, 13079	7411, 7448, 7451,	13618, 13652,
\set@color 6533,	7456, 7460, 7465,	13655, 13656,
6538, 6546, 6552,	8138, 8151, 8164,	13678, 13683,
6560, 6567,	8251, 8309, 8314,	13693, 13711,
6572, 10772,	8321, 8382, 8394,	13716, 13745,
19322, 19326, 19422	8407, 8447, 8528,	13826, 13842,
\set@typeset@protect	8539, 8551, 8589,	14273, 14287,
.... 10344,	8673, 8685, 8698,	14290, 14309,
10348, 17580,	8738, 8822, 8834,	14310, 14316,
19727, 20007, 20009	8847, 8887, 8971,	14317, 14328,
\SetatBoolean 2699	8983, 8996, 9036,	14330, 14332,
\SetBoolean 2683	9120, 9132, 9145,	14334, 14337,
\setboolean 384,	9185, 9269, 9281,	14339, 14341,
387, 390, 393,	9294, 9334, 9418,	14343, 14353,
511, 514, 517, 520,	9430, 9443, 9483,	14355, 14364,
3816, 3817, 3819,	9567, 9579, 9592,	14366, 14381,



14383,	14391,	14113,	14775,	3898, 3931, 3934,
14393,	14402,	14807,	14851,	3938, 3984, 4030,
14470,	14471,	14914,	14946,	4031, 4532, 4533,
14501,	14519,	14992,	15195,	4534, 4535, 4541,
15635,	15645,	15235,	15381,	4780, 5073, 5074,
15656,	15663,	15416,	15732,	5075, 5076, 5077,
16017,	16596,	15823,	15935,	5078, 5079, 5080,
16853,	16859,	16008,	16009,	5082, 5083, 5085,
16865,	16871,	16280,	16371,	5088, 5089, 5090,
16877,	16883,	16514,	16587,	5091, 5308, 5309,
16889,	16895,	16588,	16978,	5834, 5856, 6010,
16901,	17278,	17069,	17196,	6032, 6295, 6310,
17521,	17569,	17269,	17270, 18152	6580, 7285, 7289,
17610,	17660,	\setdefaultbibitems		7291, 7294, 7561,
17730,	19027,	19548	7706, 7721, 8247,
19030,	19035,	\setdefaultmarginpar		8248, 8261, 9962,
19039,	19043,	19988	9976, 10701,
19047,	19051,	\setDefaults 11209	11133, 11134,
19055,	19059,	\setfloatalignment	3975	11140, 11141, 11143,
19063,	19314,	\setfootnoteLR	... 10593	11144, 11213,
19322,	19427,	\setfootnoteRL	... 10591	11214, 11226,
19503,	19504,	\setkeys 382,	11230, 11232,
19619,	19689,		509, 6396, 6413,	11234, 11238,
19715,	19771,		7579, 7585,	11240, 12110,
19774,	19775,		7587, 11083,	12111, 12112,
19789,	19814,		11211, 12143,	12113, 12138,
19817,	19818,		14133, 14166,	12152, 12154,
19832,	19877,		15554, 15599, 19207	12156, 12160,
19880,	19921,	\setlatin 1777	12182, 12187,
19924,	19952,	\setlength 174,	12190, 12194,
19966,	19984, 20046		197, 198, 731, 748,	12195, 12196,
\setcaptionfont	.. 3895		883, 907, 1108,	12693, 14132,
\setcaptionwidth	. 12672		1126, 1163, 1164,	14688, 14710,
\setchapterpreamble			1165, 1166, 1167,	15059, 15081,
 16491, 17173		1364, 1389, 2126,	15287, 15456,
\setcitationfont	. 4524		2127, 2128, 2330,	15471, 15691,
\setcounter	... 656,		2331, 2333, 2334,	16014, 16040,
	691, 964, 996,		2336, 2337, 2339,	16239, 16593,
	1040, 1215, 1247,		2340, 2342, 2343,	16619, 16937,
	1291, 1464, 1496,		2345, 2346, 2348,	17275, 17301,
	1540, 1988, 4597,		2349, 2350, 2355,	17756, 17757,
	4616, 4635, 4667,		2356, 2394, 2395,	17805, 17806,
	4914, 5426, 5711,		2397, 2398, 2399,	17808, 18176,
	5925, 5957, 6101,		2400, 2458, 2467,	18180, 18181,
	6133, 6220, 6255,		2468, 2471, 2473,	18183, 18184,
	7804, 7837, 7899,		2476, 2477, 2479,	18186, 18187,
	7934, 10055,		2482, 2548, 2557,	18189, 18190,
	10088, 10364,		2558, 2559, 3840,	18192, 18193,
	12104, 12105,		3867, 3868, 3869,	18353, 18461,
	13427,	14092,	3870, 3891, 3897,	18806, 19601, 19604



\setLR	14477, 19512	5880, 6067, 6375,	20191, 20196,
\setLTR	14451,	7287, 7603, 7761,	20198, 20202, 20204
14452,	14465,	8031, 10020,	\sidenote 4594, 4648,
14477,	14478,	12184, 14131,	4686, 4778, 4869
19480,	19481,	14739, 15132,	\sidenotes 4691
19494,	19512, 19513	15325, 15527,	\sideways 15661
\setLTRbibitems . .	19547	15928, 16507,	\sigindent 16913
\setLTRcitationfont 4525	16852, 16858,	\sixcolumnfootnotes 8912
\setLTRmarginnotefont 4522	16864, 16870,	\sixcolumnfootstyle 9007
\setLTRmarginpar . .	19087	16876, 16882,	\sixt@n 2268, 2290
\setLTRparagraphfootnotes 8088	16888, 16894,	\size@chapter 14532
\setLTRsidenotefont	4519	16900, 17189,	\skip 5632,
\setLTRtable	1782	17835, 18992, 18994	5633, 7396, 7453,
\setmarginnotefont	4521	\Setversedim	8272, 8282, 8300,
\setnonlatin	1778	.. 5439, 5443, 5469	9887, 9911, 9922,
\setparsizes . . .	15749,	\SetWatermarkText 7498	10719, 10942, 10986
15861,	16297,	\sevencolumnfootnotes	\skip@ 313, 314
16409,	16995, 17107 9061	\skipalgcfslide 182, 190
\setRL	14476, 19511	\sevencolumnfootstyle	\skiptotal 198
\setRTL	14450, 14453, 9156	\sloppy 41,
14465,	14476,	\sf 16853, 16859,	54, 69, 88, 250,
19149,	19189,	16865, 16871,	263, 277, 297,
19223,	19479,	16877, 16883,	801, 935, 1197,
19482,	19494, 19511	16889, 16895, 16901	1446, 2566, 5887,
\setRTLbibitems . .	19546	\sfcode 89,	6074, 6382, 7768,
\setRTLcitationfont 4526	298, 805, 936,	8038, 10027,
\setRTLmain	1929	1198, 1447, 5888,	10933, 12755,
\setRTLmarginnotefont 4523	6075, 6386, 7769,	14032, 14608,
\setRTLmarginpar . .	19986	8042, 10028,	14622, 14746,
\setRTLparagraphfootnotes 8087	14033, 14747,	15139, 15332,
\setRTLsidenotefont 4520	15140, 15336,	15534, 15944,
\setRTLtable	1781	15538, 15945,	16523, 17205, 17842
\setsidenotefont . .	4518	16524, 17206, 17846	\slshape 874, 1101,
\setSingleSpace 8192, 8197	\sh@wgridXunit . . . 14490	1355, 2514, 5825,
\setspace@singlespace 4728, 4745, 4762	\sh@wgridYunit . . . 14490	6001, 7187, 7188,
\setthesection . . .	13444	\shadowbox 7675	7278, 7279, 7281,
\settodepth	14128	\shadowsize 7685,	14679, 15050, 15263
\settoheight	7558, 14129	7689, 7690,	\small 633,
\settowidth	85,	7693, 7694, 7697	857, 955, 1162,
294,	794, 928,	\shipout .. . 10344, 20006	1206, 1414, 1455,
1190,	1439, 2462,	\shortauthors 111, 112, 117	2013, 2428, 2518,
		\shortcite 14035	2523, 2553, 5055,
		\shorttitle 110, 111, 117	5056, 5121, 5129,
		\showbox 10901	5134, 5153, 5916,
		\showgridp@s 14489	6092, 6197, 7783,
		\showoutput 10901	7876, 10034,
		\sidecaptionsep	14662, 14766,
	 17493,	14903, 15111,
		17494, 20187,	



15162, 15358,	7031, 8001, 9991,	8756, 8757, 8761,
15735, 16283, 16981	10801, 10809,	8762, 8905, 8906,
\smallcaps 5409, 5410, 5411	10810, 10834,	8910, 8911, 9054,
\smallskip	10842, 12122,	9055, 9059, 9060,
.. 13955, 13960,	13123, 13832,	9203, 9204, 9208,
13967, 13976,	13834, 13835,	9209, 9352, 9353,
13987, 13992,	13836, 13837,	9357, 9358, 9501,
13997, 14004,	14497, 15506,	9502, 9506, 9507,
14011, 14018, 14529	15548, 15591,	9650, 9651, 9655,
\smash 4086, 4091, 4102,	15800, 15950,	9656, 10603,
4103, 4106, 4107,	16348, 16529,	10619, 10634,
4314, 7345, 7366,	17046, 17211,	10832, 10833, 14283
10765, 12209,	17680, 17682,	\stepcounter
14474, 19507, 19509	17739, 18543,	.. 4605, 4624,
\SOUL@apo	18545, 19111, 19957	4643, 4675, 4792,
\SOUL@comma	\spacefactor .. 4707,	4821, 4850, 5602,
\SOUL@do	4712, 4718, 4721	10363, 10431,
\SOUL@eventuallyexhyphen	\spaceskip . 17548, 17553	10501, 10571,
..	\special .. 1977,	10580, 11876,
\SOUL@grave	14471, 17736,	11884, 12605,
\SOUL@ignorespacesfalse	17737, 17741,	14087, 14091,
..	17742, 17744, 19504	14108, 14112,
\SOUL@lasttoken ..	\spinemargin . 7508, 7512	15545, 15588, 20066
\SOUL@lowerthan ..	\split@prev	\stopbreaks . 8061, 16912
\SOUL@minus	10550, 10558, 10563	\str ... 12838, 12889,
\SOUL@postamble ..	\splitbotmark .. 10838	12960, 12976,
\SOUL@preamble ..	\splitfirstmark ..	13038, 13062,
\SOUL@soeventuallyskip	.. 6734, 6793,	13067, 13141,
..	10186, 10218,	13172, 13185,
\SOUL@spaceskip ..	10837, 10949,	13207, 13261, 13293
\SOUL@start	10993, 13561,	\stretch 1690,
\SOUL@ulcolor ..	13659, 19778, 19821	1693, 6506, 6509
17536, 17542, 17550	\SplitFootnoteRule	\string ... 579, 1600,
\SOUL@uldp 1848, 10549	2577, 2583, 2655,
\SOUL@uleverspace 17544	\splitfootnoterule	2657, 2675, 2676,
\SOUL@ulht 10553, 10561	2679, 2680, 2851,
\SOUL@ulleaders ..	\splitmaxdepth 39, 52,	2884, 2885, 2891,
17530, 17536, 17552	67, 248, 261, 275,	3039, 3069, 3090,
\SOUL@uloverlap ..	6728, 6787, 8266,	3093, 3120, 3122,
\SOUL@underline 17520	10181, 10213,	3182, 3243, 3244,
\SOUL@word	10604, 10620,	3257, 3258, 3269,
\soulomit	10635, 10943,	3270, 3283, 3284,
\space	10987, 13555,	3488, 3497, 3501,
403, 443, 1720, 3039,	13653, 19772, 19815	3507, 3518, 3675,
3182, 3488, 3675,	\splittopskip .. 39,	3677, 3688, 3690,
3677, 3688, 3690,	52, 67, 248, 261,	3691, 3692, 3693,
3693, 4150, 4155,	275, 8265, 8311,	3695, 4289, 4290,
4156, 4289, 4290,	8315, 8465, 8466,	6542, 6545, 6563,
6151, 6346, 6853,	8470, 8471, 8607,	6566, 10805,
6859, 7022, 7030,	8608, 8612, 8613,	10806, 10807,



10808,	10809,	16608,	16612,	7263, 7269, 7275
10931,	11115,	16614,	16624,	\subsectionfont 2427, 2435, 7190, 7283
11116,	15800,	16626,	16631,	\subsectionstyle 2435, 2494
15950,	15952,	16635,	16915,	\subsubitem 105, 235, 5165
15958,	16348,	17259,	17261,	\subsubsection 4957, 4958, 4961
16529,	16531,	17280,	17282,	\subtable 4025
16537,	17046,	17285,	17287,	\symbol 2056, 2066
17211,	17213,	17290,	17294,	\sys 13056
17219,	17706,	17296,	17306,	
19110,	19367, 19414	17308,	17313,	
\strip@prefix	3090, 3103	17317,	17767, 17772	
\strip@pt	... 9718, 9830	\strutbox 39,	T
\stripsep	... 6775, 6830, 6845, 6891, 6900, 6910, 6955, 7055, 7064, 7074, 13589, 13591, 13598, 13687, 13689, 13696, 13756, 13759, 13761, 13768	52, 67, 248, 261, 275, 605, 609, 8102, 8118, 8134, 8148, 8161, 8174, 8266, 8465, 8470, 8607, 8612, 8756, 8761, 8905, 8910, 9054, 9059, 9203, 9208, 9352, 9357, 9501, 9506, 9650, 9655, 10604, 10611, 10620, 10627, 10635, 10642, 10668, 10681, 10694, 12624, 12640, 12682, 12771, 16042, 16043, 16621, 16622, 17303, 17304, 17570, 17571, 17606, 19716, 19717		\t@cb@bchapsec ... 17828
\strut	... 45, 58, 73, 254, 267, 281, 2043, 8069, 8374, 8377, 8380, 8460, 8461, 8520, 8523, 8526, 8602, 8603, 8665, 8668, 8671, 8751, 8752, 8814, 8817, 8820, 8900, 8901, 8963, 8966, 8969, 9049, 9050, 9112, 9115, 9118, 9198, 9199, 9261, 9264, 9267, 9347, 9348, 9410, 9413, 9416, 9496, 9497, 9559, 9562, 9565, 9645, 9646, 9758, 9762, 9766, 9862, 12769, 15998, 16000, 16019, 16021, 16024, 16026, 16029, 16033, 16035, 16045, 16047, 16052, 16056, 16577, 16579, 16598, 16600, 16603, 16605,	\subfigure	... 4025	\tabcaption 11262, 11280
		\subitem	... 104, 234, 5164	\tabcolsep 599, 1572, 12635, 15028, 19518
		\subjclass	... 326	\tablinesep ... 17603
		\subject	... 15845, 16393, 17091	\tabskip ... 615, 5612, 12649, 12650, 17576, 17614, 19722
		\subfigure@font	. 15758,	\tabular 17675
			15871, 16306,	\tabularnewline 624, 12619, 17578, 19724
			16419, 17004, 17117	\tabularx 17666
		\subparagraph 4966, 4967, 4970	\tabularxcolumn ... 17628
		\subsection 2493, 4937, 4953	\tagform@ 338
		\subsectioncolour 2419, 7152,	\tamark 13410
			7160, 7167, 7174,	\tcd ... 14280, 14287, 14288
			7181, 7251, 7257,	\tcdsav 14280
				\tcl ... 14304, 14305, 14311
				\tcn 14288, 14289, 14311, 14312, 14313, 14314
				\Telefon 2408
				\tencolumnfootnotes
			 9508
				\tencolumnfootstyle
			 9603
				\TeX ... 12042, 14466, 14467, 14475, 19495, 19496, 19508
				\textbf 2521, 5110, 10778, 10780, 10782, 10784
				\textbullet .. 2405, 7144, 7208, 7242
				\textcolor ... 7674, 7689, 7693, 7696, 10768, 12126
				\textdef@ 340



\textendash	961, 1212, 1275, 1461, 5922, 6098, 14772, 14911	6200, 7786, 7879, 10037, 10520, 10531, 13950, 14769, 14906, 15165, 15361, 15738, 16286, 16984	10106, 13397, 14770, 14782, 14808, 14819, 14820, 14829, 14852, 14869, 14907, 14921, 14947, 14960, 14961, 14970, 14993, 15013, 15166, 15196, 15236, 15254, 15362, 15382, 15417, 15436, 15739, 15824, 15855, 16287, 16372, 16403, 16985, 17070, 17101	
\textheight 1962, 2369, 6758, 6813, 11213, 15553, 15598, 20065 1850, 7336, 8083, 10529, 11031, 20091 14399, 19425 14400, 19424, 19426 14398, 14399, 19424, 19425	
\textit 18212	\TeXeToff . 14399, 19425	
\textsl	. 4173, 4174, 4175	\TeXeTon . . 14398,	
\textsuperscript 4720, 8244, 8245, 8246, 15714, 16262, 16831, 16960 10529, 11031, 20091	14400, 19424, 19426 14398, 14399, 19424, 19425	
\texttt 2066, 2130, 2132, 2133 10761, 10763, 10770	\TF@conlab	
\textwidth	1961, 2367, 2458, 2467, 2468, 2480, 2482, 3934, 3938, 4031, 4332, 4333, 5470, 6746, 6752, 6805, 6866, 6872, 7043, 7198, 7213, 7285, 7294, 7408, 7511, 8310, 9678, 10196, 10200, 10230, 10316, 10321, 10706, 10962, 11006, 11012, 11161, 11164, 11169, 11175, 12743, 13619, 13626, 13717, 13746, 13935, 13936, 13939, 13940, 13943, 13944, 13948, 13951, 15751, 15779, 15783, 15863, 16299, 16327, 16331, 16411, 16912, 16997, 17025, 17029, 17109, 19790, 19796, 19833, 20050, 20060 10767, 10772	\TF@savecolor	
\textwidth@footnoterule	. 636, 958, 1209, 1458, 5919, 6095, 10767, 10772	\TF@Title 10770	
			\thanklessauthor	
		 5218, 5251, 5254, 5291	
			\thanklesspublisher	
		 5219, 5278, 5281, 5295	
			\thanklessstitle 5217, 5234, 5237, 5293	
			\thanks	
			325, 637, 657, 692, 711, 959, 971, 997, 1008, 1009, 1018, 1041, 1058, 1210, 1222, 1248, 1259, 1260, 1269, 1292, 1309, 1459, 1471, 1497, 1508, 1509, 1518, 1541, 1559, 1989, 5217, 5218, 5219, 5220, 5223, 5230, 5231, 5247, 5248, 5263, 5264, 5275, 5920, 5932, 5958, 6096, 6108, 6134, 6201, 6221, 6256, 6275, 7787, 7805, 7838, 7855, 7880, 7900, 7935, 7954, 10038, 10056, 10089,	\thankses



10449,	10452,	17599,	17600,	14751,	14757,
10505,	10509,	17630,	17649,	14759,	14761,
10563,	10730,	17651,	17675,	15116,	15122,
10744,	10794,	17680,	17682,	15124,	15126,
10801,	10805,	17683,	17686,	15310,	15312,
10806,	10807,	17687,	17690,	15314,	15315,
10808,	10809,	17693,	17694,	15491,	15493,
10810,	10818,	17697,	17785,	15495,	15496,
10824,	10831,	18541,	18544,	15497,	15506,
10832,	10834,	18546,	18622,	16448,	16450,
10839,	10841,	18893,	18896,	16464,	16466,
10842,	10856,	18897,	18899,	16472,	16474,
10882,	10912,	18901,	18905,	16480,	16482,
10913,	10914,	18910,	18914,	17145,	17157,
10919,	10920,	18925,	18926,	17161,	17165,
10921,	10931,	18929,	18935,	17868	
10948,	10950,	18939,	18947,	\thecontentspage	..
10992,	10994,	18948,	18985,	4984, 4991,
11085,	11130,	19001,	19005,	4998,	5005, 5012
11663,	11671,	19104,	19267,	\thedate	5213, 5221, 5267
11672,	11678,	19279,	19284,	\theDefaultDepth	. 12105
11680,	11709,	19305,	19306,	\theDefaultLines	. 12104
11710,	11716,	19308,	19430,	\theenumiv	.. 83, 85,
11718,	11749,	19431,	19558,	292,	294, 800,
11751,	11780,	19605,	19777,	934,	1196, 1445,
11782,	11811,	19779,	19820,	2565,	5886, 6073,
11813,	12198,	\the@cornersize	.. .	6381,	7767, 8037,
12199,	12202,	10142, 10143	10026,	14745,
12206,	12210,	\thealgocf	15138,	15331,
12697,	12700,	\theAlgoLine	15533,	15942,
13251,	13560,	\thechapter	... 310,	16521,	17203, 17841
13562,	13573,	4926,	5903, 5909,	\theequation	.. 5908,
13590,	13597,	5911,	5913, 6079,	6084,	6329,
13603,	13658,	6085,	6087,	7984,	10125,
13660,	13671,	6089,	6151, 6330,	10394,	10407,
13688,	13695,	6332,	6334, 6335,	12079,	13445,
13701,	13769,	6336,	6346, 7985,	14756,	15125,
13832,	13834,	7987,	7989, 7990,	15309,	15490,
13835,	13836,	7991,	8001, 9991,	16478,	17164, 20084
13837,	13838,	10120,	10126,	\thefigure	... 5910,
14026,	14165,	10128,	10130,	6086,	6331, 7986,
14181,	14185,	10395,	10397,	10127,	10396,
14188,	14213,	10399,	10400,	10409,	13447,
14237,	14244,	10401,	10408,	14758,	15121,
14251,	14405,	10410,	10412,	15311,	15492,
14406,	15561,	10413,	10414,	16462,	17156, 17586
15571,	15580,	12313,	13435,	\thefootdir@label	.
15607,	15619,	13444,	13446,	..	10429, 10432,
15629,	15935,	13447,	13448,	10461,	10466,
16514,	17196,	14067,	14535,	10484,	10487, 10507
				\thefootnote	... 673,



963, 1022, 1214, 1273, 1463, 1522, 1980, 5924, 6100, 6237, 7819, 7916, 10070, 11563, 14774, 14833, 14913, 14974, 15169, 15212, 15398, 15742, 15806, 16290, 16354, 16988, 17052	6919, 6937, 7084, 7102, 19311, 19957 \theparagraph . . . 21, 22, 222, 223, 768, 769, 921, 922, 1174, 1175, 1432, 1433, 4947, 5906, 5907, 6082, 6083, 6339, 6340, 7871, 7872, 7994, 7995, 10123, 10124, 10404, 10405, 10417, 10418, 13440, 13443, 14754, 14755, 15119, 15120, 15318, 15319, 15500, 15501, 15903, 15905, 16458, 16460, 17152, 17154	15319, 15501, 15904, 16459, 17153 \thesubsection . . . 19, 20, 220, 221, 766, 767, 919, 920, 1172, 1173, 1430, 1431, 4940, 5904, 5905, 6080, 6081, 6337, 6338, 7869, 7870, 7992, 7993, 10121, 10122, 10402, 10403, 10415, 10416, 13436, 13439, 14752, 14753, 15117, 15118, 15316, 15317, 15498, 15499, 15899, 15901, 16454, 16456, 17148, 17150
\thefootnotemark 15714, 16262, 16831, 16960		\thesubsubsection 20, 21, 221, 222, 767, 768, 920, 921, 1173, 1174, 1431, 1432, 5905, 5906, 6081, 6082, 6338, 6339, 7870, 7871, 7993, 7994, 10122, 10123, 10403, 10404, 10416, 10417, 13438, 13441, 14753, 14754, 15118, 15119, 15317, 15318, 15499, 15500, 15900, 15903, 16455, 16458, 17149, 17152
\theHchapter . . . 14067	\ther@tfl@t . . . 15546, 15547, 15589, 15590	\thesubtable . . . 5912, 6088, 6333, 7988, 10129, 10398, 10411, 13448, 14760, 15123, 15313, 15494, 16470, 17160, 17587
\theHsection 14075, 14077	\thesection . . . 19, 220, 766, 919, 1172, 1430, 4933, 5903, 5904, 6079, 6080, 6336, 6337, 7869, 7991, 7992, 10120, 10121, 10401, 10402, 10414, 10415, 13435, 13437, 14075, 14077, 14751, 14752, 15116, 15117, 15315, 15316, 15497, 15498, 15899, 16446, 16454, 17144, 17148	\thinlines 6592, 6602, 6615, 6625, 6638, 6648, 6661, 6671
\theindex . . . 94, 224	\thesubparagraph 22, 223, 769, 922, 1175, 1433, 5907, 6083, 6340, 7872, 7995, 10124, 10405, 10418, 13442, 14755, 15120,	
\theL@lines 12151, 12156, 12163		
\thelstlisting 12284, 12289, 12312, 12315		
\thempfn . . . 2224, 2232, 2240, 4793, 4799, 4822, 4828, 4851, 4857, 5680, 5687, 5694, 10572, 10577, 10581, 10586, 10708, 10734, 10739, 10749, 10754, 11530, 11541, 11552, 11682, 11720, 11753, 11784, 11815, 11877, 12801		
\thempfootnote 10708, 12801		
\theorem@indent 14101, 14102, 14121, 14122		
\theorem@prework . 14095		
\theorem@postskipamount . . . 14096, 14116		
\theorem@skipamount . . . 14099, 14119		
\thepage . 1951, 1956, 2543, 4061, 4173, 4174, 4175, 4184, 4185, 5397, 5398, 5409, 5410, 5411,		



\thispagestyle . .	97,	\TitleFont	952, 968, 1059, 1061, 1067, 1203, 1219, 1310, 1312, 1318, 1452, 1468, 1560, 1562, 1568, 1571, 1572, 1577, 5929, 6105, 14763, 14779, 14870, 14872, 14878, 14900, 14918, 15016, 15018, 15024, 15027, 15028, 15033	\titlefont 2423, 2431, 7278, 15761, 15874, 16309, 16422, 17007, 17120	12953, 12954, 12959, 12960, 12967, 12971, 12975, 12976, 12977, 12979, 12999, 13005, 13006, 13007, 13008, 13009, 13021, 13024, 13027, 13029, 13053, 13054, 13056, 13065, 13068, 13069, 13070, 13071, 13072, 13073, 13075, 13081, 13086, 13089
\thm@topsepadd	14096, 14097, 14100, 14116, 14117, 14120	\titleformat . .	4923, 4930, 4937, 4944	13090, 13103, 13105, 13106, 13107, 13108	
\thr@@	576, 592, 1597, 1615, 1639, 1648, 8608, 8613, 17506, 17703, 17723	\titlehead	15844, 16392, 17090	13109, 13110, 13111, 13120, 13123, 13127, 13128, 13129	
\threecolumnfootnotes	\titlepage	846, 1152, 1403, 5870, 6057, 14651, 15100	13132, 13146, 13152, 13165, 13170, 13174	
\threecolumnfootstyle	\titlepagestyle	15820, 16368, 17066	13195, 13203, 13204, 13229	
\tiny . .	2026, 4698, 5067	\titlespacing	4951, 4952, 4953	13233, 13234, 13235, 13248, 13318, 13319, 13329, 13330	
\title	322, 665, 701, 1003, 1048, 1254, 1299, 1503, 1548, 1996, 2445, 2484, 5212, 5227, 5964, 6140, 6229, 6265, 7811, 7845, 7908, 7944, 10062, 10096, 14814, 14859, 14955, 15002, 15204, 15245, 15390, 15426, 15842, 16390, 17088	\titlestyle . .	2431, 7309	13331, 13332, 13342, 13343, 13344, 13347, 13349, 13351, 13360, 13362, 13365, 13366, 13371, 13372, 13377, 13389, 13390	
\TitleBarFrame	\tl	12821, 12829, 12834, 12836, 12837, 12838, 12839, 12841, 12842, 12844, 12847, 12851, 12860, 12864, 12867, 12872, 12877, 12885, 12887, 12888, 12889, 12890, 12892, 12894, 12896, 12897, 12899, 12905, 12909, 12912, 12913, 12916, 12923, 12928, 12936, 12939, 12940, 12941, 12942, 12943, 12946, 12952,	\toaddress	13344, 13347, 13349, 13351, 13360, 13362, 13365, 13366, 13371, 13372, 13377, 13389, 13390
\tocheadstar				12057, 12091	
				17890, 17895	
				\tocbasic@DependOnPenaltyAndTOCLevel	
				18485	
				\tocbasic@SetPenaltyByTOCLevel	
				18569	
				\TOCEntryStyleStartInitCode	
				16122, 16135,	



16154, 16701, 16714, 16733, 17383, 17396, 17415	\tocstyle@numberline 18870, 18989	13561, 13562, 13657, 13658,
\toclevel@subfigure 18102	\tocstyle@saved@dottedtocline 19086	13659, 13660, 17649, 17669,
\toclevel@subtable 18122	\tocstyle@saved@numberline 19094	17675, 19776, 19777, 19778,
\TOCLineLeaderFill 16139, 16156, 16718, 16735, 17400, 17417, 18586, 18847	\tocstyledepth 18881, 18893, 18905, 18925, 18926, 18929, 18947, 18948, 18997, 18999, 19001, 19005	19779, 19819, 19820, 19821, 19822
\tocstyle@numberline 18992, 18994, 19012, 19014, 19017, 19019	\tocstyleTOC	\tolerance
\tocstyle@activate@all01 19105	.. 18893, 18896, 18897, 18899, 18901, 18905, 18906, 18908,	8370, 8516, 8661, 8810, 8959, 9108, 9257, 9406, 9555
\tocstyle@activate@features 18882	18909, 18913, 18917, 18918,	\toname 8057, 12091
\tocstyle@dottedtocline 18869	18921, 18922, 18925, 18926,	\topheight
\tocstyle@feature@dothook 18968	18929, 18931, 18933, 18934,	.. 14292, 14294, 14295, 14296,
\tocstyle@feature@entryhook 18964	18938, 18943, 18944, 18947,	14298, 14304, 14306, 14308,
\tocstyle@feature@entryvskip 18883, 18886	18948, 18997, 18999, 19000, 19004	14309, 14310, 14373, 14374, 14375, 14376, 14380, 14381, 14385
\tocstyle@feature@leaders 18966, 18971	\today	\topmargin 1966, 2368, 7530, 10356, 20044
\tocstyle@feature@pagenumberbox 18974, 18977	\toks	\topmark
\tocstyle@feature@pagenumberhook 18975, 18977	120, 1682, 1683, 1685, 1686, 4555, 4556, 4562, 6502, 10837, 10838, 10839	6732, 6741, 6791, 6800, 10184, 10193, 10216, 10225, 10947, 10956, 10991, 11000, 13559, 13568, 13657, 13666, 19776, 19785, 19819, 19828
\tocstyle@feature@parfillskip@ 18954, 18955	117, 121, 3773, 3777, 6732, 6733,	\topsep .. 2108, 2117, 2557, 3860, 5061, 5103, 13457, 13459
\tocstyle@feature@raggedhook 18890	6734, 6735, 6791, 6792, 6793, 6794,	\topskip .. 303, 1974, 6979, 6982, 10843, 10845, 10850, 13463, 13749, 17866, 17872, 17877, 17884, 17889, 17894
\tocstyle@feature@spaceafternumber 18991, 18995, 19016, 19020	10185, 10186, 10187, 10216, 10217,	\TOTALHEIGHT 17735, 17739
\tocstyle@indentstyle 18941, 19011	10218, 10219, 10947, 10948,	\totalheight .. 11112
\tocstyle@l0define .. 19028, 19031, 19036, 19040, 19044, 19048, 19052, 19056, 19060, 19064, 19096	10949, 10950, 10991, 10992, 10993, 10994, 11082, 11085, 11119, 11121, 11125, 11127, 11130, 11660, 11663, 13559, 13560,	\traditionalconverses .. 5459, 5482, 5498
\tocstyle@macrochangewarning 19084, 19091		\traditionalhalfverses 5448,



	5452, 5459, 5492	10148, 10836,	\TX@align ... 17679, 17681
	\traditionalpoem . 5701	10840, 10841,	\TX@arith 17641
	\traditionalpoem@cr .. 5572, 5621, 5622	10855, 10859,	\TX@ckpt ... 17631, 17677
	\traditionalpoem@obeylines 5502, 5701	10864, 10867,	\TX@col@width .. 17628, 17634, 17639, 17682
	\traditionalpoem@par .. 5502, 5503, 5621	10878, 10882,	\TX@cols 17635, 17639, 17683
	\trimb 4557, 4564	10883, 10884,	\TX@endtabularx 11649, 11660, 11666, 17624
	\trimc 4566	10885, 10888,	\TX@find@endtabularxa 17626, 17627
	\trivlist	11048, 11050,	\TX@find@endtabularxb 17656
	10267, 14098, 14118	11051, 11053,	\TX@find@endtabularxbb 17654
	\ttdefault .. 7184, 7276	11054, 11057,	\TX@ftn . 17651, 17686, 17688, 17690,
	\ttfamily 2013, 2053, 2054, 2056, 2057, 2058, 2059, 2060, 2061, 2062	11100, 11103,	17693, 17695, 17697
	\ttl@a 17790, 17792	11105, 11106,	\TX@ftntext 17645
	\ttl@b 17785, 17786, 17790, 17792	12200, 13842,	\TX@LTFtntext 17646, 17685
	\ttl@beginlongest 17760	13849, 13850,	\TX@newcol 17628
	\ttl@calc .. 17755, 17767	13858, 13859,	\TX@old@table 17633
	\ttl@changecentercr 17759	13864, 13865,	\TX@RTLftntext 17647, 17692
	\ttl@contentsstretch 17797	13871, 13881,	\TX@target . 17634, 17648
	\ttl@corr	13882, 13889,	\TX@trial
	. 17812, 17813, 17816	13890, 13907,	17638, 17643, 17659
	\ttl@endlongest .. 17775	13912, 14471,	\TX@trial@ftn
	\ttl@filleft 17749, 17778	14472, 15705,	17662, 17663, 17664
	\ttl@filright	16253, 16823,	\TX@typeout@ 17636, 17678
 17750, 17779	16951, 17506,	\TX@verb 17629
	\ttl@glcmds 17762	17604, 17702,	\TX@vwarn 17665
	\ttl@hmode@error . 17761	17710, 18014,	\TX@xfntext 17645
	\ttl@leaders 17814	19504, 19505,	\TX@xLTFtntext 17646, 17689
	\ttl@lselect 17821, 17824	19735, 19739, 19741	\TX@xRTLftntext 17647, 17696
	\ttl@makeline	\twocolumn 682,	\typeout 1745,
 17755, 17810	817, 833, 1031,	1747, 4057, 4059,
	\ttl@margin 17809, 17815	1081, 1282, 1332,	4060, 4061, 4063,
	\ttl@midlongest .. 17774	1531, 1950, 5802,	4065, 4066, 4067,
	\ttl@outnoblock .. 17788	5978, 6187, 6246,	10439, 14511,
	\ttl@savel@chapter 17823	6918, 7083, 7828,	18893, 18905,
	\ttl@savel@part .. 17820	7925, 10079,	18925, 18926,
	\ttl@hang	13416, 14638,	18929, 18947, 18948
	17754	14842, 14892,	
	\turn	14983, 15226,	U
	15033	15349, 15407,	\uc@authornothanks
	\turnbox	15813, 16361,	980, 1009, 1014,
	15054	17059, 17866,	
	\two .. 575, 583, 1596, 1604, 1638, 1642, 1647, 2280, 2885, 8466, 8471, 10147,	17872, 17877,	
		17884, 17889, 17894	
		\twocolumnfootnotes 8323	
		\twocolumnfootstyle 8418	
		\TX@	
		17626, 17627, 17655, 17656	



1231, 1260, 1265, 1480, 1509, 1514, 5941, 6117, 14791, 14820, 14825, 14930, 14961, 14966	1094, 1096, 1162, 1163, 1165, 1166, 1178, 1183, 1276, 1348, 1349, 1351, 1413, 1422, 1428,	15638, 15648, 15666, 16000, 16021, 16026, 16035, 16579, 16600, 16605,
\uc@ax 1010, 1011, 1261, 1262, 1510, 1511, 14821, 14822, 14962, 14963	5818, 5819, 5821, 5895, 5901, 5994, 5995, 5997, 6048, 6054, 14661, 14672, 14673,	16614, 17261, 17282, 17287, 17296, 19627, 19774, 19817, 19989
\uc@nothanks . . . 971, 1008, 1009, 1018, 1222, 1259, 1260, 1269, 1471, 1508, 1509, 1518, 5932, 6108, 14782, 14819, 14820, 14829, 14921, 14960, 14961, 14970	14675, 14726, 14732, 15043, 15044, 15046, 15110, 15147, 15153	\unvbox 6438, 6439, 6693, 6696, 6713, 6717, 6730, 6776, 6789, 6831, 6889, 6897, 6898, 6907, 6985, 6987, 6991, 6994, 7000, 7004, 7053, 7061, 7062, 7071, 7119,
\uc@tx 1008, 1016, 1259, 1267, 1508, 1516, 14819, 14827, 14960, 14968	\unitlength . . . 6592, 6602, 6615, 6625, 6638, 6648, 6661, 6671, 14132	7350, 7353, 7354, 7371, 7374, 7375, 7400, 7407, 7412, 7417, 7457, 7462, 7466, 7471, 8139, 8152, 8165, 8253, 8285, 8291, 8322, 8383, 8395, 8408, 8448, 8529, 8540, 8552, 8590, 8674, 8686, 8699, 8739, 8823, 8835, 8848, 8888, 8972, 8984, 8997, 9037, 9121, 9133, 9146, 9186, 9270, 9282, 9295, 9335, 9419, 9431, 9444, 9484, 9568, 9580, 9593, 9633, 9658, 9771, 9785, 9799, 9847, 9866, 9875, 9900, 9908, 9915, 9920, 9926, 10660, 10673, 10686, 10722, 10727, 10830, 10840, 10867, 10945, 10989, 12709, 12714, 12723, 12726, 12776, 12794, 13557, 13586,
\uc@ty 1017, 1018, 1268, 1269, 1517, 1518, 14828, 14829, 14969, 14970	\unkern 4719	\unrestored@protected@xdef 2224, 2232, 2240, 4799, 4828, 4857, 5680, 5687, 5694, 10577, 10586, 10739, 10754, 11530, 11541, 11552, 11563
\undefined 3579, 5654, 5707, 5710, 5712, 16003, 16005, 16007, 16582, 16584, 16586, 17264, 17266, 17268	\unsetfootnoteRL 10592, 10593	\unsetfootnoteRL 10592, 10593
\underline 19694, 19702	\unsetLTR . . . 14453, 19482	\unsetLTR . . . 14453, 19482
\undertext 19702	\unsetRTL . . . 14478, 19513	\unsetRTL . . . 14478, 19513
\unexpanded 2912, 2921, 2922, 2929, 2930, 2943, 2944, 2951, 2952, 3053, 3174	\unskip 45, 58, 73, 254, 267, 281, 338, 544, 1664, 1665, 1666, 4111, 4114, 4117, 4120, 4807, 4836, 4865, 5554, 5565, 6424, 6730, 6789, 6962, 6974, 6985, 6987, 6991, 6995, 8280, 9661, 9662, 10717, 10945, 10989, 12770, 12773, 13557, 13555,	\unskip 45, 58, 73, 254, 267, 281, 338, 544, 1664, 1665, 1666, 4111, 4114, 4117, 4120, 4807, 4836, 4865, 5554, 5565, 6424, 6730, 6789, 6962, 6974, 6985, 6987, 6991, 6995, 8280, 9661, 9662, 10717, 10945, 10989, 12770, 12773, 12776, 12794, 13557, 13586,
\unhbox 1712, 5527, 5792, 6528, 9660, 9684, 9694, 9697, 9868, 9872, 9877, 9880, 19612, 19745, 19746, 19747, 19748	\unvbox 6438, 6439, 6693, 6696, 6713, 6717, 6730, 6776, 6789, 6831, 6889, 6897, 6898, 6907, 6985, 6987, 6991, 6994, 7000, 7004, 7053, 7061, 7062, 7071, 7119, 7350, 7353, 7354, 7371, 7374, 7375, 7400, 7407, 7412, 7417, 7457, 7462, 7466, 7471, 8139, 8152, 8165, 8253, 8285, 8291, 8322, 8383, 8395, 8408, 8448, 8529, 8540, 8552, 8590, 8674, 8686, 8699, 8739, 8823, 8835, 8848, 8888, 8972, 8984, 8997, 9037, 9121, 9133, 9146, 9186, 9270, 9282, 9295, 9335, 9419, 9431, 9444, 9484, 9568, 9580, 9593, 9633, 9658, 9771, 9785, 9799, 9847, 9866, 9875, 9900, 9908, 9915, 9920, 9926, 10660, 10673, 10686, 10722, 10727, 10830, 10840, 10867, 10945, 10989, 12709, 12714, 12723, 12726, 12776, 12794, 13557, 13586,	\unvbox 6438, 6439, 6693, 6696, 6713, 6717, 6730, 6776, 6789, 6831, 6889, 6897, 6898, 6907, 6985, 6987, 6991, 6994, 7000, 7004, 7053, 7061, 7062, 7071, 7119, 7350, 7353, 7354, 7371, 7374, 7375, 7400, 7407, 7412, 7417, 7457, 7462, 7466, 7471, 8139, 8152, 8165, 8253, 8285, 8291, 8322, 8383, 8395, 8408, 8448, 8529, 8540, 8552, 8590, 8674, 8686, 8699, 8739, 8823, 8835, 8848, 8888, 8972, 8984, 8997, 9037, 9121, 9133, 9146, 9186, 9270, 9282, 9295, 9335, 9419, 9431, 9444, 9484, 9568, 9580, 9593, 9633, 9658, 9771, 9785, 9799, 9847, 9866, 9875, 9900, 9908, 9915, 9920, 9926, 10660, 10673, 10686, 10722, 10727, 10830, 10840, 10867, 10945, 10989, 12709, 12714, 12723, 12726, 12776, 12794, 13557, 13586,
\unhcopy 17526, 17538, 17614	\unskip 45, 58, 73, 254, 267, 281, 338, 544, 1664, 1665, 1666, 4111, 4114, 4117, 4120, 4807, 4836, 4865, 5554, 5565, 6424, 6730, 6789, 6962, 6974, 6985, 6987, 6991, 6995, 8280, 9661, 9662, 10717, 10945, 10989, 12770, 12773, 13557, 13555,	\unskip 45, 58, 73, 254, 267, 281, 338, 544, 1664, 1665, 1666, 4111, 4114, 4117, 4120, 4807, 4836, 4865, 5554, 5565, 6424, 6730, 6789, 6962, 6974, 6985, 6987, 6991, 6995, 8280, 9661, 9662, 10717, 10945, 10989, 12770, 12773, 12776, 12794, 13557, 13586,
\unitindent 856, 867, 868, 870, 943, 949, 1093,		



13588,	13596,	11386,	11398,	V
13614,	13616,	11399,	11401,	\v@aaa ... 6850, 6852,
13655,	13684,	11402,	11408,	6853, 6854, 6856,
13686,	13694,	11409,	11412,	6858, 6859, 6860,
13712,	13714,	11413,	11417,	6861, 7016, 7018,
13767,	14330,	11418,	11421,	7020, 7022, 7023,
14334,	14339,	11422,	11425,	7028, 7029, 7031,
14343,	14355,	11426,	11429,	7034, 7035, 7038
14366,	14386,	11430,	11437,	\v@ccc 6851, 6857, 6859,
14389,	14394,	11439,	11443,	6860, 6861, 6862,
19612,	19774, 19817	11445,	11450,	6871, 6879, 7017,
\unvcopy 6957, 7394, 7451		11452,	11456,	7029, 7030, 7034,
\uppercase . 310, 988,		11458,	11462,	7037, 7041, 7044
1008, 1239, 1259,		11464,	11468,	\vadjust 5530, 5531, 5538
1488, 1508, 5949,		11470,	11483,	\valign 8312, 8316
6125,	14799,	11485,	12209,	\value 4600, 4619, 4638,
14819,	14938, 14960	12211,	14128,	4670, 10429,
\uppercaseonnonmath . 110		14129,	14131,	10444, 10445,
\uppermargin 7514		14138,	14156,	10448, 10449,
\uppertitleback		14401,	14402, 19427	10452, 11885,
15847, 16395, 17093		\usecounter 87,		11890, 15990,
\upshape		296,	798, 932,	16569, 17251, 17630
4984, 4991, 4998,		1194,	1443, 2563,	\varcustomer . . 16843,
5005, 5012, 7185,		5099,	5884,	16869, 16870, 16873
7189, 7190, 7277,		6071,	6379, 7765,	\varinvoice . . 16844,
7282,	7283, 14530	8035,	10024,	16875, 16876, 16879
\urlstyle 2387		14743,	15136,	\varmyref 16842,
\use 12952		15329,	15531,	16863, 16864, 16867
\usebox 2093,		15934,	15939,	\varrefitemi . . 16845,
2103, 3958, 4084,		16513,	16518,	16881, 16882, 16885
4086, 4091, 4093,		17195,	17200, 17839	\varrefitemii . . 16846,
4102, 4103, 4106,		\usekomafont . .	15719,	16887, 16888, 16891
4107, 4314, 7620,		15726,	15763,	\varrefitemiii . 16847,
7623, 7631, 7638,		15876,	16126,	16893, 16894, 16897
7646,	7653,	16129,	16146,	\varrefitemnamei . 16883
7696,	11220,	16148,	16267,	\varrefitemnameii . 16889
11224,	11307,	16274,	16311,	\varrefitemnameiii . 16895
11309,	11313,	16424,	16705,	\varyourmail . . 16841,
11315,	11320,	16708,	16724,	16857, 16858, 16861
11322,	11326,	16727,	16965,	\varyourref . . 16840,
11328,	11332,	16972,	17009,	16851, 16852, 16855
11334,	11338,	17122,	17387,	\vbadness 6729, 6788,
11340,	11346,	17390,	17406, 17409	8311, 8315, 10182,
11347,	11350,	\usepackage		10214, 10315,
11351,	11355, 3497, 3498,		10944, 10988,
11356,	11359,	3503, 3504, 3507,		13556, 13654,
11360,	11363,	3510, 3555, 3556		14282, 19773, 19816
11364,	11367,	\usetocbasicnumberline		\vbox . . 175, 308, 618,
11368,	11382,			624, 1632, 1699,
11383,	11385,			2304, 4341, 4342,



4344,	5514,	6432,	11005,	12647,	\verse@ii
6437,	6515,	6693,	12709,	12714,	5576, 5582, 5584,
6696,	6713,	6717,	12717,	12722,	5590, 5592, 5630
6730,	6745,	6758,	12723,	12726,	\versewidth
6774,	6789,	6804,	12738,	12776,	. . . 5597, 5517, 5609
6813,	6829,	6851,	13304,	13463,	\vfil
6857,	6862,	6865,	13557,	13580,	640,
6871,	6874,	6879,	13585,	13587,	654, 847, 850,
6884,	6888,	6896,	13595,	13613,	905, 994, 1153,
6906,	6957,	6985,	13618,	13655,	1156, 1216, 1245,
6987,	6990,	6999,	13678,	13683,	1404, 1407, 1465,
7017,	7029,	7041,	13685,	13693,	1494, 5514, 5871,
7042,	7044,	7048,	13711,	13716,	5874, 5926, 5955,
7052,	7060,	7070,	13745,	14316,	6058, 6061, 6102,
7118,	7124,	7342,	14317,	14330,	6131, 6204, 6218,
7350,	7351,	7359,	14334,	14339,	7350, 7371, 7788,
7363,	7371,	7372,	14343,	14355,	7802, 7883, 7897,
7380,	7394,	7399,	14366,	14381,	10039, 10053,
7403,	7406,	7410,	14383,	14385,	14652, 14655,
7411,	7428,	7435,	14388,	14393,	14776, 14805,
7451,	7456,	7460,	14430,	14437,	14915, 14944,
7461,	7464,	7465,	14438,	14445,	15101, 15104,
7480,	7487,	8138,	14541,	16017,	15179, 15193,
8151,	8164,	8251,	16596,	17278,	15365, 15379, 20047
8382,	8394,	8407,	17582,	17616,	\vfill
8447,	8528,	8539,	17621,	19027,	5294,
8551,	8589,	8673,	19030,	19035,	8312, 8316, 9952,
8685,	8698,	8738,	19039,	19043,	14381, 14386,
8822,	8834,	8847,	19047,	19051,	14387, 15563,
8887,	8971,	8983,	19055,	19059,	15578, 15610,
8996,	9036,	9120,	19063,	19455,	15627, 15755,
9132,	9145,	9185,	19463,	19464,	15777, 15782,
9269,	9281,	9294,	19472,	19602,	15788, 16303,
9334,	9418,	9430,	19607,	19713,	16325, 16330,
9443,	9483,	9567,	19730,	19774,	16336, 17001,
9579,	9592,	9632,	19789,	19817,	17023, 17028, 17034
9658,	9726,	9738,	19832,	19967,	\vfuzz . . . 4568, 4571, 4572
9750,	9768,	9776,	20006,	20045, 20046	\vleftskip . . . 13431, 13432
9782,	9790,	9796,	\vboxL	14438,	\voffset 1970
9804,	9839,	9846,	15553,	15598, 19464	\voidb@x 6405, 6469
9853,	9897,	9905,	\vboxR	14430, 19455	\vphantom 19190
9918,	10196,		\vcenter		\vpic . . 14306, 14316, 14317
10229,	10316,		618,	1696, 6512,	\vrightskip . . . 13431, 13432
10321,	10344,		17616,	19531,	\vrule . . . 607, 1711, 4343,
10357,	10371,		19609,	19610, 19713	4344, 5513, 5515,
10659,	10672,		\veqno	329, 330	6527, 6749, 6808,
10685,	10703,		\verb	17629	6869, 6881, 7046,
10827,	10840,		\VerbBox	7677, 7679	10198, 10233,
10864,	10945,		\verse@i	5544, 5575,	10965, 11009,
10961,	10989,		5581,	5589, 5630	12638, 12695,



13597,	13622,	9997,	10005,	15875,	15877,
13688,	13695,	10040,	10043,	15884,	15886,
13721,	13749,	10049,	10104,	15889,	15894,
13862,	13876,	10108,	10114,	15973,	15978,
17542,	17570,	10118,	10356,	16062,	16064,
17611,	19716,	10358,	10359,	16068,	16070,
19793,	19836,	10719,	10828,	16081,	16083,
\vsize . . .	6927, 7092,	10866,	10871,	16091,	16093,
10336,	10792,	12177,	12179,	16266,	16273,
10843,	12721, 12729	12252,	12265,	16307,	16310,
\vskip . . .	311, 314, 641,	12665,	12682,	16312,	16318,
644,	650,	12683,	12685,	16320,	16322,
715, 721, 725, 787,		12791,	13457,	16338,	16416,
865,	966,	13459,	13462,	16420,	16423,
985,	1056,	13503,	13512,	16425,	16432,
1066,	1070,	13520,	13588,	16434,	16437,
1217,	1226,	13589,	13591,	16442,	16552,
1307,	1311,	13598,	13615,	16557,	16641,
1321,	1346,	13686,	13687,	16643,	16647,
1475,	1485,	13689,	13696,	16649,	16660,
1561,	1567,	13713,	13756,	16662,	16670,
1577,	1580,	13768,	13787,	16672,	16848,
5570,	5597,	13799,	13811,	16849,	16964,
5634,	5640,	14281,	14298,	16971,	17005,
5646,	5757,	14319,	14385,	17008,	17010,
5816,	5855,	14670,	14709,	17016,	17018,
5936,	5946,	14777,	14786,	17020,	17036,
6031,	6103,	14796,	14867,	17114,	17118,
6122,	6153,	14871,	14877,	17121,	17123,
6162,	6164,	14881,	14916,	17130,	17132,
6174,	6176,	14925,	14935,	17135,	17140,
6208,	6214,	15010,	15017,	17234,	17239,
6279,	6285,	15023,	15027,	17323,	17325,
6309,	6348,	15033,	15036,	17329,	17331,
6361,	6775,	15041,	15080,	17342,	17344,
6891,	6892,	15180,	15183,	17352,	17354,
6901,	6910,	15189,	15253,	17958,	17977,
6992,	7055,	15259,	15264,	17998,	18015,
7064,	7065,	15267,	15286,	18032,	18049,
7075,	7415,	15366,	15369,	18066,	18084,
7746,	7754,	15375,	15434,	18103,	18123,
7792,	7798,	15440,	15446,	18158,	18347,
7857,	7863,	15450,	15470,	18884,	19068,
7884,	7887,	15508,	15512,	19247,	19251,
7952,	7958,	15520,	15718,	19270,	19636,
7968,	8003,	15725,	15759,	19645,	19654,
8017,	8272,	15762,	15764,	19663,	19751,
8295,	9883,	15770,	15772,	19967,	20044,
9901,	9909,	15774,	15790,	20055,	20070,
9922,	9975,	15868,	15872,	20078,	
				\vspace	2487,



	3951, 4035, 4043, 4661, 4665, 4727, 4731, 4744, 4748, 4761, 4765, 4882, 4891, 4900, 4981, 4988, 4995, 5002, 5009, 5292, 5336, 5340, 6147, 6167, 6342, 6356, 7997, 8012, 8056, 8058, 8060, 9988, 10000, 12090, 12092, 12758, 12771, 15503, 15515, 16906, 16909, 16911, 16916, 17866, 17872, 17877, 17884, 17889, 17894	17616, 17621, 19608, 19713, 19730, 19882, 19926	W	16896, 16902, 17276, 17522, 17680, 17731, 17768, 17785, 18527, 18541, 19281, 19325, 19505, 19690, 20072
	\waslice 14316, 14334, 14339, 14355, 14374, 14375, 14384	\wbslice 14317, 14330, 14343, 14366, 14373, 14375, 14376, 14380, 14381, 14388, 14393, 14394	\wd .	\WF@everypar 19244 \WF@adjlw . 19284, 19309 \WF@adjtlm 19306, 19309 \WF@box 19281, 19314, 19315 \WF@floatfalse 19247, 19255, 19265, 19268 \WF@fltnes 19274 \WF@info 19254, 19264, 19267, 19276, 19311, 19313
	\vsplit 6688, 6689, 6706, 6710, 6731, 6790, 6852, 6858, 6863, 7018, 7020, 7029, 7041, 7121, 8321, 10183, 10215, 10836, 10946, 10990, 13558, 13656, 14287, 14290, 14309, 14310, 14328, 14332, 14337, 14341, 14353, 14364, 14391, 19775, 19818	10158, 10277, 10765, 10883, 10884, 11057, 11059, 11103, 11105, 11226, 11307, 11309, 11313, 11315, 11346, 11347, 11350, 11351, 11375, 11376, 11378, 11391, 11392, 11394, 11408, 11409, 11412, 11413, 11437, 11439, 11443, 11445, 12138, 12182, 12183, 12194, 12259, 12660, 12777, 13469, 13473, 13475, 13483, 13514, 13828, 14274, 14472, 14495, 14522, 15550, 15595, 15651, 15658, 16015, 16594, 16854, 16860, 16866, 16872, 16878, 16884, 16890,		\WF@ovh 19281 \WF@place . 19279, 19285 \WF@putfigmaybe .. 19245 \WF@size ... 19258, 19312 \WF@startwrapping 19317 \WF@wfname 19276, 19311, 19313 \WF@wrapil 19305, 19308 \whiledo 10320 \widowpenalty ... 88, 297, 804, 935, 1197, 1446, 2566, 5618, 5887, 6074, 6385, 7768, 8041, 10027, 14032, 14746, 15139, 15335, 15537, 15944, 16523, 17205, 17845
	\vss 308, 6761, 6816, 6852, 6858, 6863, 6871, 6874, 6879, 6884, 7019, 7029, 7041, 7044, 7048, 7122, 7407, 7417, 7462, 7471, 10372, 12714, 12726, 13305, 14316, 14317, 14388, 14541, 19612	11443, 11445, 12138, 12182, 12183, 12194, 12259, 12660, 12777, 13469, 13473, 13475, 13483, 13514, 13828, 14274, 14472, 14495, 14522, 15550, 15595, 15651, 15658, 16015, 16594, 16854, 16860, 16866, 16872, 16878, 16884, 16890,		\WIDTH 17731, 17739 \width . . 10786, 11125, 11127, 13342, 13355, 13357, 13381 \widthof 7545, 7550 \windowbox . 14383, 14389 \wlog 6853, 6859, 6861, 7022, 7030, 7037 \write ... 3728, 5503, 5506, 5717, 17668 \wstrutbox . 14293, 14295
	\vtop 176, 618, 624, 631, 1698, 4402, 4446, 4490, 6438, 6514, 12629, 17582,		X	\x . 3740, 3743, 12051,



\XC@tmp .	19352, 19353, 19367, 19401, 19402, 19410, 19414	5523, 5604, 5606, 5608, 6733, 6735, 6792, 6794, 7360, 7381, 7426, 7432,	445, 522, 523, 577, 581, 584, 595, 610, 615, 621, 622, 686,
\XC@tstfalse	19352, 19401	7433, 7478, 7484, 7485, 9718, 9830,	733, 745, 750, 777, 815, 820,
\XC@tsttrue	19353, 19354, 19355, 19402, 19403, 19404	9890, 10185, 10187, 10217, 10219, 10563,	821, 831, 835, 836, 865, 866, 869, 871, 884,
\XC@bidideclaredc@lor	19408, 19413	10948, 10950, 10992, 10994, 11661, 12131,	909, 960, 977, 1035, 1079, 1083, 1084, 1091, 1092,
\XC@bidideclaredcolor	19407, 19409	12645, 13560, 13562, 13658, 13660, 14237,	1095, 1098, 1110, 1127, 1164, 1167, 1211, 1228, 1274,
\XC@bidiundeclaredcolor	19392, 19394	14244, 14251, 17785, 18909,	1286, 1330, 1334, 1335, 1346, 1347,
\XC@coremodel	19336, 19379	18913, 18934, 18938, 19000,	1350, 1352, 1365, 1391, 1460, 1477,
\XC@current@color	19364, 19367, 19368, 19398, 19414, 19415	19004, 19279, 19284, 19305, 19306, 19308,	1535, 1572, 1598, 1602, 1605, 1618, 1640, 1648, 1666,
\XC@declaredc@lor	19359, 19366	19309, 19777, 19779, 19820, 19822	1676, 1678, 1688, 1690, 1695, 1709,
\XC@declaredcolor 19358		\XeTeX 12043, 19509, 20232, 20233	1711, 1712, 2264, 2319, 3848, 3857,
\XC@display . . . 19365, 19369, 19399, 19416		\XeTeX . . . 12042, 14474, 19507, 20230, 20231	4150, 4383, 4387, 4427, 4431, 4471,
\XC@edef . . . 19352, 19401		\XeTeXcharclass 1881, 1882, 1883, 1884	4475, 5058, 5085, 5116, 5128, 5306,
\XC@fbox 19420		\XeTeXinterchartokenstate 1877	5534, 5537, 5540, 5581, 5582, 5584,
\XC@getmodclr	19332, 19375	\XeTeXinterchartoks 1885, 1886, 1887, 1888	5590, 5604, 5608, 5612, 5613, 5614,
\XC@inflate 19346, 19389		\xyzzy 4549	5615, 5616, 5617, 5630, 5643, 5711,
\XC@let@Nc . 19367, 19414		Y	5723, 5724, 5731,
\XC@mclr . . . 19346, 19389		\y 12047, 12049, 12050, 12053, 12060	5733, 5746, 5748,
\XC@mmod 19344, 19345, 19387, 19388		\yourmailname 16859	5756, 5800, 5804,
\XC@mul . . . 19347, 19390		\yourrefname 16853	5805, 5816, 5817,
\XC@split 19410		Z	5820, 5822, 5835,
\XC@tgt@mod 19340, 19383		\z@ 12, 24, 45, 58, 73, 95, 99, 107, 124, 130, 132, 213, 225,	5858, 5909, 5911,
\XC@type . . . 19353, 19402		229, 254, 267, 281, 308, 316,	5913, 5921, 5938,
\XC@undeclaredcolor 19349, 19360		320, 406, 420,	5976, 5980, 5981,
\xcolor@ . . . 19364, 19398			5992, 5993, 5996,
\xdef . . . 335, 443, 444, 450, 470, 473, 534, 549, 552, 613, 2046, 2722, 2851, 2929, 2930, 2933, 2934, 2951, 2952, 2955, 2956, 3619, 3774, 5521,			5998, 6011, 6034, 6085, 6087, 6089, 6097, 6114, 6148, 6168, 6185, 6190, 6191, 6250, 6297,



6312, 6330, 6332,	10883,	10890,	14618,
6334, 6343, 6357,	10916,	10917,	14640,
6407, 6408, 6419,	10918,	11040,	14670,
6421, 6504, 6506,	11041,	11042,	14674,
6511, 6525, 6527,	11047,	11048,	14689,
6528, 6533, 6534,	11049,	11050,	14757,
6535, 6536, 6537,	11051,	11053,	14761,
6571, 6582, 6700,	11054,	11056,	14788,
6846, 6893, 6902,	11057,	11059,	14890,
6912, 6930, 6933,	11093,	11094,	14895,
6970, 7012, 7057,	11095,	11096,	14927,
7066, 7076, 7095,	11097,	11099,	15028,
7098, 7348, 7369,	11100,	11102,	15042,
7386, 7387, 7389,	11103,	11105,	15047,
7390, 7398, 7420,	11177,	11183,	15083,
7422, 7425, 7443,	12154,	12218,	15124,
7444, 7446, 7447,	12225,	12230,	15178,
7455, 7472, 7474,	12241,	12313,	15230,
7477, 7659, 7681,	12607,	12609,	15274,
7683, 7685, 7688,	12641,	12647,	15310,
7690, 7692, 7694,	12650,	12655,	15314,
7696, 7697, 7703,	12658,	12695,	15352,
7708, 7722, 7736,	12709,	12713,	15411,
7749, 7832, 7929,	12714,	12717,	15473,
7975, 7985, 7987,	12723,	12749,	15493,
7989, 7998, 8013,	12751,	12773,	15504,
8101, 8117, 8133,	12802,	13419,	15550,
8147, 8160, 8173,	13422,	13446,	15552,
8209, 8214, 8221,	13570,	13574,	15596,
8226, 8233, 8238,	13584,	13643,	15635,
8296, 8297, 8369,	13668,	13672,	15640,
8515, 8660, 8809,	13682,	13738,	15649,
8958, 9107, 9256,	13755,	13764,	15651,
9405, 9554, 9667,	13766,	13787,	15657,
9756, 9760, 9764,	13799,	13811,	15663,
9860, 9884, 9885,	13831,	13842,	15668,
9886, 9963, 9978,	13848,	14022,	15718,
9989,	14026,	14067,	15727,
10083,	14077,	14127,	15772,
10128,	14128,	14129,	15817,
10159,	14131,	14133,	15886,
10355,	14138,	14156,	15978,
10395,	14402,	14446,	16087,
10399,	14448,	14470,	16166,
10410,	14471,	14472,	16182,
10558,	14481,	14482,	16202,
10627,	14495,	14519,	16266,
10668,	14520,	14541,	16275,
10694,	14586,	14587,	16320,
10712,	14601,	14604,	16365,



16434,	16552,	17782,	17784,	19751,	19863,
16557,	16602,	17785,	17787,	19867,	19907,
16666,	16746,	17795,	17800,	19911,	19952,
16751,	16754,	17815,	17900,	19956,	19959,
16760,	16770,	17901,	17975,	19969,	19970,
16780,	16790,	18065,	18083,	19974,	19981,
16827,	16956,	18176,	18355,	20016,	20042,
16964,	16971,	18463,	18492,	20053,	20081, 20082
16973,	16995,	18802,	18806,	\z@skip .	2319, 10353,
17018,	17036,	18884,	18889,	10354,	12749,
17063,	17107,	18894,	18942,	12752,	14601,
17132,	17234,	19068,	19254,	14605,	14615,
17239,	17284,	19261,	19262,	17576,	17581,
17348,	17428,	19280,	19296,	17614,	17620,
17433,	17436,	19299,	19308,	19666,	19667,
17442,	17452,	19309,	19311,	19722,	19728, 20042
17462,	17472,	19315,	19322,	\zap@space	444,
17513,	17514,	19323,	19324,	3485,	3572, 3608
17515,	17516,	19325,	19420,	\zifrefundefined	10461, 10484
17521,	17522,	19427,	19475,	\zref@extractdefault	10466, 10487
17526,	17538,	19477,	19503,	\zref@labelbyprops	10432, 10507
17572,	17595,	19504,	19505,	\ \ \ \ \ \ 1884	
17607,	17611,	19555,	19556,	\ \ \ \ \ \ 1884	
17704,	17708,	19557,	19636,		
17715,	17726,	19645,	19654,		
17752,	17753,	19663,	19667,		
17763,	17767,	19687,	19688,		
17768,	17769,	19718,	19729,		
17772,	17781,	19737,	19742,		

9 Change History

v13.0	General: Added implementaion of the package.	toc, lot, lof, etc with multicol package.	308
v14.2	General: Fixed the wrong order of	General: Removed \leavevmode to avoid extra \par.	141

