

The **bidi** Package



Bidirectional typesetting in plain T_EX and L^AT_EX,
using XeT_EX engine

Vafa Khalighi
tex.ctan@gmail.com

September 20, 2014 Version 15.6

Contents

I	L^AT_EX Manual	4			
1	Basics	4	1.7	Paragraph Switching Environments	8
	1.1 Loading The Package	4		1.8 Typesetting Short LTR and RTL Texts	8
	1.2 <i>bidi</i> 's Symbol	5		1.9 Footnotes	9
	1.3 Commands for Version number, and Date of The Package	5		1.9.1 Footnote Rule	10
	1.4 Turning TeX--XeT features on and off	6		1.10 Two Column Typesetting	10
	1.5 Options of The Package	6		1.11 RTL cases	10
	1.6 Paragraph Switching Commands	7		1.12 Typesetting Logos	11
				1.13 Separation Mark	11

1.14	\raggedright, \raggedleft commands, flushleft and flushright Environments	12	4.7	Tabular Conditional	22
1.15	Primitive-like commands	12	4.8	Footnote Conditional	22
1.16	Something To know about \hbox	12	4.9	Direction Ensuring Macros	22
1.17	\bidillap and \bidirlap Commands	13	4.10	Reset Direction Macro	22
1.18	LTRItems and RTLItems En- vironments	13			
1.19	LTRbibitems and RTLbib- items Environments	14	II Plain TeX Manual	22	
1.20	\setLTRbibitems, \setRTLbibitems, and \setdefaultbibitems commands	15	5 Basics	23	
1.21	Typesetting margin par	15	5.1	Loading The Package	23
1.22	Typesetting of Headers and Footers	16	5.2	Commands for Version num- ber, and Date of The Package	23
1.23	Tabular Typesetting	16	5.3	Turning TeX–XeT features on and off	23
1.24	Equation Numbers	16	5.4	Paragraph Switching Com- mands	24
2	Support For Various Packages and Classes	16	5.5	Pargraph Switching Envi- ronments	24
2.1	Color	17	5.6	Typesetting Short LTR and RTL Texts	25
2.2	The dblfnote package	17	5.7	Primitive-like commands	25
2.3	Hyperref	17	5.8	Something To know about \hbox	25
2.4	The listings package	17	5.9	Typesetting Logos	26
2.5	flowfram Package	18	6 Some Useful Internal Macros and Programming Tips	26	
2.6	Multicolumn Typesetting	18	6.1	RTL Conditional	26
3	Extra bidi Packages and Classes	18	6.2	Main RTL Conditional	26
3.1	bidi-longtable package	18	6.3	Direction Ensuring Macros	27
3.2	bidiutfte bundle	18	6.4	Reset Direction Macro	27
3.3	Typesetting TeX and LATEX Codes	19	7 bidi implementation	27	
3.4	Typesetting Poems	19	7.1	amsart-xetex-bidi.def	27
3.5	Typesetting Resumé	20	7.2	amsbook-xetex-bidi.def	30
3.6	Print Two Pages On A Sin- gle Page	20	7.3	amsmath-xetex-bidi.def	32
3.7	Producing Presentations	20	7.4	amstext-xetex-bidi.def	33
4	Some Useful Internal Macros and Programming Tips	20	7.5	amsthm-xetex-bidi.def	33
4.1	Equating Conditionals	20	7.6	array-xetex-bidi.def	33
4.2	RTL Conditional	21	7.7	article-xetex-bidi.def	34
4.3	Main RTL Conditional	21	7.8	artikel1-xetex-bidi.def	38
4.4	Latin Conditional	21	7.9	artikel2-xetex-bidi.def	43
4.5	Tags Internal Macro	21	7.10	artikel3-xetex-bidi.def	48
4.6	Definition File Loaded Inter- nal Macro	21	7.11	arydshln-xetex-bidi.def	53
			7.12	bidi.sty	56
			7.13	bidi.tex	58
			7.14	bidi2in1.sty	59
			7.15	bicode.sty	60
			7.16	bidifnxtra.sty	63
			7.17	bidi-longtable.sty	67

7.18	bidimoderncv.cls	68	7.68	leqno-xetex-bidi.def	240
7.19	biditools.sty	73	7.69	letter-xetex-bidi.def	240
7.20	bidituftefloat.sty	84	7.70	lettrine-xetex-bidi.def	240
7.21	bidituftesidenote.sty	96	7.71	listings-xetex-bidi.def	242
7.22	bidituftetoc.sty	105	7.72	loadingorder-xetex-bidi.def	243
7.23	bidituftegeneralstructure.sty	108	7.73	longtable-xetex-bidi.def	249
7.24	bidituftehyperref.sty	111	7.74	mdframed-xetex-bidi.def	250
7.25	bidituftetitle.sty	111	7.75	memoir-xetex-bidi.def	252
7.26	biditufte-handout.cls	114	7.76	midfloat-xetex-bidi.def	255
7.27	biditufte-book.cls	115	7.77	minitoc-xetex-bidi.def	259
7.28	bidipoem.sty	116	7.78	multicol-xetex-bidi.def	260
7.29	boek3-xetex-bidi.def	122	7.79	multienum-xetex-bidi.def	262
7.30	boek-xetex-bidi.def	126	7.80	natbib-xetex-bidi.def	264
7.31	bookest-xetex-bidi.def	129	7.81	newfloat-xetex-bidi.def	264
7.32	book-xetex-bidi.def	130	7.82	ntheorem-xetex-bidi.def	265
7.33	breqn-xetex-bidi.def	135	7.83	ntheorem-hyper-xetex-bidi.def	266
7.34	cals-xetex-bidi.def	136	7.84	pdfpages-xetex-bidi.def	266
7.35	caption-xetex-bidi.def	136	7.85	pgf-xetex-bidi.def	267
7.36	caption3-xetex-bidi.def	136	7.86	picinpar-xetex-bidi.def	267
7.37	colortbl-xetex-bidi.def	137	7.87	plain-xetex-bidi.def	270
7.38	color-xetex-bidi.def	137	7.88	pstricks-xetex-bidi.def	272
7.39	combine-xetex-bidi.def	138	7.89	quotchap-xetex-bidi.def	272
7.40	crop-xetex-bidi.def	139	7.90	ragged2e-xetex-bidi.def	272
7.41	cutwin-xetex-bidi.def	141	7.91	rapport1-xetex-bidi.def	274
7.42	cuted-xetex-bidi.def	141	7.92	rapport3-xetex-bidi.def	279
7.43	cvthemedicasual.sty	149	7.93	refrep-xetex-bidi.def	285
7.44	cvthemedicastic.sty	151	7.94	report-xetex-bidi.def	288
7.45	dblfnote-xetex-bidi.def	153	7.95	rotating-xetex-bidi.def	293
7.46	draftwatermark-xetex-bidi.def	156	7.96	scrartcl-xetex-bidi.def	295
7.47	eso-pic-xetex-bidi.def	157	7.97	scrbook-xetex-bidi.def	305
7.48	empheq-xetex-bidi.def	157	7.98	scrlettr-xetex-bidi.def	315
7.49	extarticle-xetex-bidi.def	161	7.99	scrreprt-xetex-bidi.def	317
7.50	extbook-xetex-bidi.def	164	7.100	sidecap-xetex-bidi.def	327
7.51	extletter-xetex-bidi.def	168	7.101	stabular-xetex-bidi.def	327
7.52	extrafootnotefeatures-xetex-bidi.def	169	7.102	subfigure-xetex-bidi.def	328
7.53	extreport-xetex-bidi.def	205	7.103	tbls-xetex-bidi.def	328
7.54	fancybox-xetex-bidi.def	208	7.104	tabulary-xetex-bidi.def	329
7.55	fancyhdr-xetex-bidi.def	209	7.105	tc-xetex-bidi.def	329
7.56	fix2col-xetex-bidi.def	209	7.106	titlesec-xetex-bidi.def	330
7.57	fleqn-xetex-bidi.def	211	7.107	titletoc-xetex-bidi.def	331
7.58	float-xetex-bidi.def	211	7.108	tocbind-xetex-bidi.def	332
7.59	floatrow-xetex-bidi.def	211	7.109	tocloft-xetex-bidi.def	333
7.60	flowfram-xetex-bidi.def	212	7.110	tocstyle-xetex-bidi.def	339
7.61	footnote-xetex-bidi.def	214	7.111	wrapfig-xetex-bidi.def	344
7.62	framed-xetex-bidi.def	221	7.112	xcolor-xetex-bidi.def	346
7.63	ftnright-xetex-bidi.def	225	7.113	latex-xetex-bidi.def	348
7.64	graphicx-xetex-bidi.def	226	7.114	xltextra-xetex-bidi.def	363
7.65	geometry-xetex-bidi.def	228	8	Index	364
7.66	hvfloat-xetex-bidi.def	229	9	Change History	504
7.67	hyperref-xetex-bidi.def	235			

Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain TeX and L^AT_EX, using the XeTeX engine.

bidi Info On The Terminal and In The Log File

If you use `bidi` package to write any input TeX document, and then run `xelatex` on your document, `bidi` writes some information about itself to the terminal and to the log file. The information is something like:

```
*****
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright 20092014 Vafa Khalighi
*
* 2014/09/20, v15.6
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Support: tex.ctan@gmail.com
*****
```

Part I L^AT_EX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {bidi}
```

Where `options` of the package are explained later in [subsection 1.5](#).

When loading the package, it is important to know that:

- ❶ `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.
- ❷ In fact, `bidi` makes sure that some specific packages are loaded before `bidi`; these are those packages that `bidi` modifies them for bidirectional typesetting. If you load `bidi` before any of these packages, then you will get an error saying that you should load `bidi` as your last package.

For instance, consider the following minimal example:

```

1 \documentclass{minimal}
2 \usepackage{bidi}
3 \usepackage{graphicx}
4 \begin{document}
5 This is just a test.
6 \end{document}
```

Where `graphicx` is loaded after `bidi`. If you run `xelatex` on this document, you will get an error which looks like this:

```

! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
...
1.4 \begin{document}

?
```

1.2 `bidi`'s Symbol

As you may know lion symbolizes `TeX` but lion does not symbolizes `bidi`. `Simorgh`¹ (shown on the first page of this documentation) symbolizes `bidi`.

1.3 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

¹`Simorgh` is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 This is typeset by \textsf{bidi} package, \bdiversion, \bididate.
5 \end{document}

```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and `bidi` package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

```
\TeXeTOn \TeXeTOff
```

 `\TeXeTOn` turns TeX--XeT feature on, which is active by default when `bidi` package is loaded.

 `\TeXeTOff` turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentially equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in [subsection 5.4](#)), `\RTLdblcol` (explained in [subsection 1.10](#)) and `\autofootnoterule` (explained in [subsubsection 1.9.1](#)).

It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.

There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:

```

\normalfootnotes
\twocolumnfootnotes \threecolumnfootnotes \fourcolumnfootnotes
\fivecolumnfootnotes \sixcolumnfootnotes \sevencolumnfootnotes
\eightcolumnfootnotes \ninecolumnfootnotes \tencolumnfootnotes
\RTLcolumnfootnotes \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes \setRTLparagraphfootnotes

```

 `\normalfootnotes` typesets footnotes in Standard L^AT_EX format.

- ☞ \twocolumnfootnotes to \tencolumnfootnotes, typeset footnotes in two-columns to ten-columns, respectively.
- ☞ \RTLcolumnfootnotes typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and \LTRcolumnfootnotes typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). \LTRcolumnfootnotes is active by default.
- ☞ \paragraphfootnotes typesets footnotes in paragraph format.
- ☞ \setLTRparagraphfootnotes makes footnotes run from left to right. This command is active by default.
- ☞ \setRTLparagraphfootnotes makes footnotes run from right to left.

Please note that when using `extrafootnotefeatures` option, the footnote rule will be as wide as the text width and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects.

Please also note that if you redefine `\baselinestretch` command or change the value of `\baselineskip` primitive before `\paragraphfootnotes` command, then you may get Arithmetic Overflow error. You should change these after using `\paragraphfootnotes` command.

1.6 Paragraph Switching Commands

<code>\setLTR</code>	<code>\setLR</code>	<code>\unsetRL</code>	<code>\unsetRTL</code>
<code>\setRTL</code>	<code>\setRL</code>	<code>\unsetLTR</code>	

- ☞ With any of the commands in the first row, you can typeset LTR paragraphs.
- ☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%
5 Anyone who reads Old and Middle English literary texts will be
6 familiar with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8
9 \setLTR% Notice the blank line before \setLTR
10 Anyone who reads Old and Middle English literary texts will be
11 familiar with the mid-brown volumes of the EETS, with the symbol
12 of Alfred's jewel embossed on the front cover.
13 \end{document}

```

1.7 Paragraph Switching Environments

```
\begin{LTR} <text> \end{LTR}  
\begin{RTL} <text> \end{RTL}
```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
1 \documentclass{article}  
2 \usepackage{bidi}  
3 \begin{document}  
4 \begin{RTL}  
5 Anyone who reads Old and Middle English literary texts will be familiar  
6 with the mid-brown volumes of the EETS, with the symbol  
7 of Alfred's jewel embossed on the front cover.  
8 \begin{LTR}  
9 Anyone who reads Old and Middle English literary texts will be familiar  
10 with the mid-brown volumes of the EETS, with the symbol  
11 of Alfred's jewel embossed on the front cover.  
12 \end{LTR}  
13 And we are still typesetting RTL.  
14 \end{RTL}  
15 \end{document}
```

1.8 Typesetting Short LTR and RTL Texts

```
\LRE{<text>} \LR{<text>}  
\RLE{<text>} \RL{<text>}
```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
1 \begin{document}  
2 \begin{RTL}  
3 Anyone who reads Old and Middle English \LRE{Short LTR text} literary  
texts will be familiar  
4 with the mid-brown volumes of the EETS, with the symbol  
5 of Alfred's jewel embossed on the front cover.  
6 \begin{LTR}  
7 Anyone who reads Old and Middle English \RLE{Short RTL text} literary  
texts will be familiar  
8 with the mid-brown volumes of the EETS, with the symbol  
9 of Alfred's jewel embossed on the front cover.
```

```

10 \end{LTR}
11 \end{RTL}
12 \end{document}

```

1.9 Footnotes

```
\footnote [num] {\text} \LTRfootnote [num] {\text} \RTLfootnote [num] {\text}
\setfootnoteRL \setfootnoteLR \unsetfootnoteRL
\thanks{\text} \LTRthanks{\text} \RTLthanks{\text}
```

- ☞ \footnote in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRfootnote will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLfootnote will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a \setfootnoteRL command anywhere will make \footnote produce an RTL footnote.
- ☞ Specifying either a \setfootnoteLR or an \unsetfootnoteRL command anywhere will make \footnote produce an LTR footnote.
- ☞ \thanks (to be used only inside \author or \title argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRthanks (to be used only inside \author or \title argument) will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLthanks (to be used only inside \author or \title argument) will always produce an RTL footnote, independent on the current mode.

```
\footnotetext [num] {\text} \LTRfootnotetext [num] {\text}
\RTLfootnotetext [num] {\text}
```

- ☞ \footnotetext used in conjunction with \footnotemark, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRfootnotetext used in conjunction with \footnotemark, will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLfootnotetext used in conjunction with \footnotemark, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofootnoterule \rightfootnoterule \leftfootnoterule  
\LRfootnoterule \textwidthfootnoterule \SplitFootnoteRule  
\debugfootnotedirection
```

- ☞ `\autofootnoterule` will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).
- ☞ `\rightfootnoterule` will put footnote rule on the right-hand side.
- ☞ `\leftfootnoterule` or `\LRfootnoterule` will put footnote rule on the left-hand side.
- ☞ `\textwidthfootnoterule` will draw the footnote rule with a width equal to `\textwidth`.
- ☞ `\SplitFootnoteRule` puts a full-width rule above the split-off part of a split footnote.
- ☞ `\debugfootnotedirection` writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, `\RTLdblcol` allows you to have RTL two column typesetting and `\LTRdblcol` allows you to have LTR two column typesetting as the options of the class file.

Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidthfootnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

```
\RTLcases{\text{<brach1>}\cr\text{<brach2>}\cr\text{<brach3>}\dots}\  
\text{<main>}
```

`\RTLcases` is defined in `bidi` for typesetting RTL cases. `\text` is defined in `amsmath` package, so this means that you need to load `amsmath` package too.

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with `mathtools` package (`mathtools` defines `rcases` environment), we had to rename `\rcases` command to `\RTLcases` command.

```

1 \documentclass{article}
2 \usepackage{amsmath}
3 \usepackage{bidi}
4 \begin{document}
5 \setRTL
6 \[\text{men}\backslash cr\text{women}\]
7 \text{Humans Beings}
8 \]
9 \end{document}

```

1.12 Typesetting Logos

\XeTeX \XeLaTeX

bidi defines XeTeX and XeLaTeX logos and in addition, it makes sure that logos, TeX, L^AT_EX, L^AT_EX 2 _{ε} are typeset LTR.

1.13 Separation Mark

\SepMark{<mark>} \c@SepMark

Generally in Standard L^AT_EX, dot is used for separation between section numbers, equation numbers any anything else which needs to be separated. You can use \SepMark to use any other mark as the separation mark instead a dot.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \begin{document}
5 \section{First}
6 \subsection{Second}
7 \subsubsection{Third}
8 \end{document}

```

If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load amsmath package and use \numberwithin macro to do this or do the ordinary way, but instead dot write \c@SepMark. Using dot instead \c@SepMark will certainly make trouble.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \makeatletter
5 \renewcommand{\theequation}{\thesection\c@SepMark\c@arabic\c@equation}
6 \makeatother
7 \begin{document}
8 \section{First}
9 \begin{equation}

```

```

10 | x^2+y^2=z^2
11 | \end{equation}
12 | \end{document}

```

1.14 \raggedright, \raggedleft commands, flushleft and flushright Environments

\raggedright command and flushleft environment put the text on the left hand side and \raggedleft command and flushright environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

```
\hboxR \hboxL \vboxR \vboxL
```

- ☞ The syntax of \hboxR is exactly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exactly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exactly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exactly the same as the syntax of \vbox, but its contents is always typeset LTR.

1.16 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```

1 | \documentclass{article}
2 | \usepackage{bidi}
3 | \setRTL
4 | \begin{document}
5 | \hbox{This is a Test}
6 | \end{document}

```

You see that even you have used \setRTL, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TeX starts, it is in the vertical mode so if you need to have that \hbox appear RTL, then write \leavevmode before \hbox:

```

1 | \documentclass{article}
2 | \usepackage{bidi}
3 | \setRTL
4 | \begin{document}

```

```

5 \leavevmode\hbox{This is a Test}
6 \end{document}

```

1.17 \bidillap and \bidirlap Commands

In RTL mode, \llap and \rlap do opposite things. Since these two macros are used in a lot of classes and packages, instead modifying these two macros, we have created two new macros \bidillap and \bidirlap which give logical results.

1.18 LTRItems and RTLItems Environments

If you typeset an itemize, or an enumerate, or a description environment where all \items are one directional, you have no problem at all as shown below:

```

1 \documentclass{article}
2 \begin{document}
3 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
4 \begin{enumerate}
5 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \end{enumerate}
8 \end{document}

```

However if the above example becomes bidirectional, as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \setRTL
8 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
9 \end{enumerate}
10 \end{document}

```

Then some people may argue that this typographically does not look promising. For this purpose, RTLItems environment is provided which has the following syntax:

```
\begin{RTLitems}
  \item <text>
  ...
\end{RTLitems}
```

By using the `RTLitems` environment, the previous example will look like the following:

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \begin{RTLitems}
8 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
9 \end{RTLitems}
10 \end{enumerate}
11 \end{document}
```

Similarly, `LTRitems` environment is defined which has the following syntax:

```
\begin{LTRitems}
  \item <text>
  ...
\end{LTRitems}
```

1.19 LTRbibitems and RTLbibitems Environments

The syntax of `LTRbibitems` and `RTLbibitems` environments is exactly like the syntax of `LTRitems` and `RTLitems` environments but there are few differences:

- ☞ `LTRitems` and `RTLitems` environments should only be used for list-like environments (such as `itemize`, `enumerate` and `description` environments) but `LTRbibitems` and `RTLbibitems` environments should only be used for `thebibliography` environment.
- ☞ Clearly instead of `\item`, you have `\bibitem` inside `LTRbibitems` and `RTLbibitems` environments.

1.20 \setLTRbibitems, \setRTLbibitems, and \setDefaultbibitems commands

```
\setLTRbibitems \setRTLbibitems \setDefaultbibitems
```

- ☞ If your whole `thebibliography` environment is inside RTL mode, but all your `\bibitems` are LTR and you actually want to have `\bibname` to appear on the RHS, you can use `\setLTRbibitems` command before `thebibliography` environment.
- ☞ If your whole `thebibliography` environment is inside LTR mode, but all your `\bibitems` are RTL and you actually want to have `\bibname` to appear on the LHS, you can use `\setRTLbibitems` command before `thebibliography` environment.
- ☞ `\setDefaultbibitems` is the default, when your `\bibitems` are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your `thebibliography` environment is in. Please note that you do not have to use `\setDefaultbibitems` command in this case at all.

Consider an example that your `thebibliography` environment is inside LTR mode and you have, say two `\bibitem`s. The first `\bibitem` is LTR and the second `\bibitem` is RTL. One could typeset this scenario as shown below:

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{thebibliography}{99}
5 \bibitem This is the first bibitem which is LTR.
6 \begin{RTLbibitems}
7 \bibitem This is the second bibitem which is RTL.
8 \end{RTLbibitems}
9 \end{thebibliography}
10 \end{document}
```

1.21 Typesetting margin par

By default, in RTL mode, `\marginpar` appears on LHS and its content is typeset RTL and in LTR mode, `\marginpar` appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar \setLTRmarginpar \setDefaultmarginpar
\LTRmarginpar[<left-text>]{<right-text>}
\RTLmarginpar[<left-text>]{<right-text>}
```

- ☞ `\setRTLmarginpar` always makes `\marginpar` to appear on LHS and the content of `\marginpar` is typeset RTL (this is independent of the current mode).

- ☞ `\setLTRmarginpar` always makes `\marginpar` to appear on RHS and the content of `\marginpar` is typeset LTR (this is independent of the current mode).
- ☞ `\setDefaultmarginpar` gives the default behaviour of `\marginpar` as described above.
- ☞ `\LTRmarginpar` typesets $\langle left-text \rangle$ and $\langle right-text \rangle$ always LTR.
- ☞ `\RTLmarginpar` typesets $\langle left-text \rangle$ and $\langle right-text \rangle$ always RTL.
- ☞ in RTL mode, places of $\langle left-text \rangle$ and $\langle right-text \rangle$ swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The `bidi` package supports `amsmath`, `amstext`, `amsthm`, `array`, `arydshln`, `breqn`, `cals`, `caption`, `color`, `colortbl`, `crop`, `cuted`, `cutwin`, `dblfnote`, `draftwatermark`, `empheq`, `fancyhdr`, `fancybox`, `fix2col`, `float`, `floatrow`, `flowfram`, `framed`, `ftnright`, `geometry`, `graphicx`, `hfloat`, `hyperref`, `lettrine`, `listings`, `mdframed`, `midfloat`, `minitoc`, `multicol`, `multienum`, `newfloat`, `pdfpages`, `pstricks`, `quotchap`, `picinpar`, `ragged2e`, `rotating`, `sidecap`, `stabs`, `subfig`, `subfigure`, `supertabular`, `xtab`, `tabls`, `tabulary`, `PGF & TIKZ`, `tocbibind`, `tocloft`, `tocstyle`, `wrapfig`, `xcolor`, `xltextra` packages, `amsart`, `amsbook`, `artikel1`, `artikel2`, `artikel3`, `extarticle`, `flashcards`, `standrad` article, `boek`, `boek3`, `standard` book, `bookest`, `extbook`, `extletter`, `scrlettr`, `standard` letter, `memoir`, `extreport`, `rapport1`, `rapport3`, `repref`, `standard` report, `scrartcl`, `scrbook`, `scrreprt` classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents.

We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use `color` and `xcolor` packages to typeset texts in colours and colour boxes produced by `\colorbox` and `\fcolorbox` commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use `xecolor` package.

Also if you are going to use `\color` command to colour the text at the beginning of a paragraph, then you should have `\leavevmode` before `\color` command.

For having coloured tabular, you can use `colortbl` package.

2.2 The `dblfnote` package

The `dblfnote` package makes footnotes double-columned. In addition `bidi` package adds bidirectional support for the `dblfnote` package by providing the following commands:

```
\RTLdfnmakecol \LTRdfnmakecol
```

- ☞ `\RTLdfnmakecol` makes footnotes double-columned RTL.
- ☞ `\LTRdfnmakecol` makes footnotes double-columned LTR.
- ☞ If the main direction of the document is RTL, `\RTLdfnmakecol` is active and if the main direction of the document is LTR, `\LTRdfnmakecol` is active.

Please note that when using `dblfnote` package, the footnote rule will be as wide as the footnote column and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects.

2.3 Hyperref

The `hyperref` package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.

2.4 The `listings` package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the `bidi` package adds a key to the `listings` package, namely `captiondirection`. This key can have the following values:

- ☞ `textdirection` follows the direction of the text (default).

\RTL RTL sets the direction of the caption to RTL.

\LTR LTR sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 flowfram Package

You can use `flowfram` package for your bidirectional documents. Please note that `flowfram` package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of `bidi` package, it was recommended that you need to use `fmultico` package instead the original `multicol` package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy `fmultico` package any more. Simply load the original `multicol` package before loading `bidi`. `bidi` now supports `multicol` package and you can typeset bidirectional multi columns. When using `multicol` package, the following two additional commands are provided:

```
\RTLmulticolcolumns \LTRmulticolcolumns
```

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns.

In addition, you also can use `vwcol` package for variable width bidirectional column typesetting.

3 Extra `bidi` Packages and Classes

3.1 `bidi-longtable` package

For typesetting RTL tables with `longtable` package, an experimental package, `bidi-longtable` package, is provided. `bidi-longtable` package should be loaded after `longtable` package.

3.2 `buditufte` bundle

A modified version of `tufte-latex`, `buditufte` bundle, mainly for RTL typesetting, is provided. If you never used `buditufte` bundle or `tufte-latex` package and you want to use `buditufte` bundle, then you need to look at `tufte-latex` package's manual and examples. In addition, for using `buditufte` bundle, you need to know the following notes:

☞ You need to use `buditufe-book` class instead `tufte-book` class and `buditufe-handout` class instead `tufte-handout` class.

☞ `buditufe` bundle provides the following extra commands:

```
\LTrsidenote \RTLsidenote \LTrmarginnote \RTLmarginnote
```

☞ `buditufe-book` and `buditufe-handout` classes provide two extra options; `RTL-geometry` (active when loading either of classes) and `LTRgeometry`.

☞ `buditufe` bundle unlike `tufts-latex` package, only provides justified lines.

☞ Some features of `tufte-latex` that does not make any sense in RTL, do not exist in `buditufe` bundle (no need for `soul`, `letterspace` and `macrotype` packages).

☞ If you want to configure `buditufe-book` class for your own needs, then you can create a file with the name `buditufe-book.cfg` and put your `LATEX` macros in that file; similarly, if you want to configure `buditufe-handout` class for your own needs, then you can create a file with the name `buditufe-handout.cfg` and put your `LATEX` macros in that file.

3.3 Typesetting T_EX and L^AT_EX Codes

The L^AT_EX codes in this manual are typeset using the `bicode` package. In standard L^AT_EX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsubsection` and any other section-like commands, `\caption` and tabular environment.

`bidi` package provides `bidifnextra` package that solves the issue of footnote in standard L^AT_EX. `bidifnextra` package should be loaded after `bidi` package.

3.4 Typesetting Poems

The `bidi` package provides `bidipoem` package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type `\\"` and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.

When using `bidipoem` package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying “Unjustified poem. Rerun XeLaTeX to get poem right”.

When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use Kashida.

If you need to change the default distance between two verses, you can do just that by:

```
\renewcommand{\poemcolsep}{\skip{<length>}}
```

```
\begin{traditionalpoem}
<verse1>&<verse2>\\
<verse3>&<verse4>\\
...
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}
<verse1>&<verse2>
<verse3>&<verse4>
...
\end{traditionalpoem*}
```

3.5 Typesetting Resumé

The `bidi` package provides `bidimoderncv`² class for typesetting resumés. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the `doc` folder than you can look and learn how you can use it.

3.6 Print Two Pages On A Single Page

`bidi` package provides `bidi2in1` package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape 'container' page.

3.7 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

```
\eqnewif{\<\newconditional1\>}{\<\newconditional2\>}
```

In standard L^AT_EX, `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

²This class is the modified version of `moderncv` class.

- With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.
- `\newconditional1` will be identical to `\newconditional2`, so that whenever `\newconditional1` is true, then `\newconditional2` is also true and whenever `\newconditional1` is false, then `\newconditional2` is also false and vice versa.

4.2 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

4.4 Latin Conditional

`\if@Latin`

`\if@Latin` inside any environment that uses Latin font is true and inside any environment that uses RTL font is false.

4.5 Tags Internal Macro

`\@iftagsloaded{\langle tags name\rangle}{\langle do thing(s) if the tag is loaded\rangle}{\langle do thing(s) if the tag is not loaded\rangle}`

As you can see, the syntax of `\@iftagsloaded` is exactly the same as the syntax of `\@ifpackageloaded` and `\@ifclassloaded`. By tags, we mean things like `leqno` or `reqno`. Please note that in the argument `\langle tags name\rangle`, the extension `.clo` should not be given.

4.6 Definition File Loaded Internal Macro

`\@ifdefinitionfileloaded{\langle definition file name\rangle}{\langle do thing(s) if the definition file is loaded\rangle}{\langle do thing(s) if the definition file is not loaded\rangle}`

As you can see, the syntax of `\@ifdefinitionfileloaded` is exactly the same as the syntax of `\@ifpackageloaded` and `\@ifclassloaded`. By definition file, we mean things like `hyperref-bidi.def` or `wrapfig-bidi.def`. Please note that in the argument `\langle definition file name\rangle`, the extension `.def` should not be given.

4.7 Tabular Conditional

```
\if@RTLtab
```

If the tabular is typeset RTL, `\if@RTLtab` is true and if the tabular is typeset LTR, `\if@RTLtab` is false.

4.8 Footnote Conditional

```
\if@RTL@footnote
```

When footnotes are typeset RTL, `\if@RTL@footnote` is true and when footnotes are typeset LTR, `\if@RTL@footnote` is false.

4.9 Direction Ensuring Macros

```
\@ensure@RTL{\text} \@ensure@RL{\text} \@ensure@LTR{\text}  
\@ensure@LR{\text} \@ensure@dir{\text} \@ensure@mainsdir{\text}
```

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `\text` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `\text` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@mainsdir` if used in RTL mode, they put `\text` inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II

Plain T_EX Manual

5 Basics

5.1 Loading The Package

You can load the package in the ordinary way;

```
\input bidi
```

When loading the package, it is important to know that: `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \input bidi  
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.  
3 \end
```

5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in XeT_EX is based on TeX--XeT algorithm and `bidi` package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by T_EX, the typesetting of a document by TeX--XeT may therefore differ from that performed by T_EX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original T_EX. Two commands are provided for this purpose:

```
\TeXeTOn \TeXeTOff
```

☞ `\TeXeTOn` turns TeX--XeT feature on, which is active by default when `bidi` package is loaded.

☞ `\TeXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

```
\setLTR \setLR \unsetRL \unsetRTL  
\setRTL \setRL \unsetLTR
```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \input bidi  
2 \setRTL%  
3 Anyone who reads Old and Middle English literary texts will be  
4 familiar with the mid-brown volumes of the EETS, with the symbol  
5 of Alfred's jewel embossed on the front cover.  
6  
7 \setLTR% Notice the blank line before \setLTR  
8 Anyone who reads Old and Middle English literary texts will be  
9 familiar with the mid-brown volumes of the EETS, with the symbol  
10 of Alfred's jewel embossed on the front cover.  
11 \end
```

5.5 Paragraph Switching Environments

```
\LTR <text> \endLTR  
\RTL <text> \endRTL
```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
1 \input bidi  
2 \RTL  
3 Anyone who reads Old and Middle English literary texts will be familiar  
4 with the mid-brown volumes of the EETS, with the symbol  
5 of Alfred's jewel embossed on the front cover.  
6 \LTR  
7 Anyone who reads Old and Middle English literary texts will be familiar  
8 with the mid-brown volumes of the EETS, with the symbol  
9 of Alfred's jewel embossed on the front cover.  
10 \endLTR  
11 And we are still typesetting right to left.  
12 \endRTL  
13 \end
```

5.6 Typesetting Short LTR and RTL Texts

```
\LRE{\text{}} \LR{\text{}}  
\RLE{\text{}} \RL{\text{}}
```

- ☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.
- ☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
1 \input bidi  
2 \RTL  
3 Anyone who reads Old and Middle English \LRE{Short left to right text}  
literary texts will be familiar  
4 with the mid-brown volumes of the EETS, with the symbol  
5 of Alfred's jewel embossed on the front cover.  
6 \LTR  
7 Anyone who reads Old and Middle English \RLE{Short right to left text}  
literary texts will be familiar  
8 with the mid-brown volumes of the EETS, with the symbol  
9 of Alfred's jewel embossed on the front cover.  
10 \endLTR  
11 \endRTL  
12 \end
```

5.7 Primitive-like commands

```
\hboxR \hboxL \vboxR \vboxL
```

- ☞ The syntax of \hboxR is exactly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exactly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exactly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exactly the same as the syntax of \vbox, but its contents is always typeset LTR.

5.8 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
1 \input bidi
2 \setRTL
3 \hbox{This is a Test}
4 \end
```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```
1 \input bidi
2 \setRTL
3 \leavevmode\hbox{This is a Test}
4 \end
```

5.9 Typesetting Logos

```
\XeTeX
```

`bidi` defines XeTeX logo and in addition, it makes sure that the logo, TeX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

6.1 RTL Conditional

```
\if@RTL
```

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

```
\if@RTLmain
```

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

6.3 Direction Ensuring Macros

```
\@ensure@RTL{\text} \@ensure@RL{\text} \@ensure@LTR{\text}
\@ensure@LR{\text} \@ensure@dir{\text} \@ensure@mmdir{\text}
```

- ☞ \@ensure@RTL and \@ensure@RL internals make sure that *text* is always typeset RTL, independent on the current mode.
- ☞ \@ensure@LTR and \@ensure@LR internals make sure that *text* is always typeset LTR, independent on the current mode.
- ☞ \@ensure@dir and \@ensure@mmdir if used in RTL mode, they put *text* inside \RLE and if used in LTR mode, they put the text as it is.

6.4 Reset Direction Macro

```
\save@dir \saved@dir \reset@dir
```

- ☞ \save@dir, if the direction of typesetting is RTL, defines \saved@dir to be RTL and if the direction of typesetting is LTR, defines \saved@dir to be LTR.
- ☞ \reset@dir, if \saved@dir is defined as RTL, inserts \setRTL otherwise, if \saved@dir is defined as LTR, inserts \setLTR, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2013/04/26 v0.8 bidi adaptations for amsart class for Xe
2 \def \tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth \% then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \tempdima\csname r@tocindent\endcsname\relax
9     }{%
10       \tempdima#4\relax
11     }%
12     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#5\leavevmode\hskip-\tempdima #6\nobreak\relax
13     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
15     \nobreak
16   \endgroup
17 }
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
```

```

20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@\{.1\linespacing\@plus.1\linespacing}\{.5\linespacing\}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}%
26 \def\right@footnoterule{%
27   \hbox to \columnwidth
28   {\beginR \vbox{\kern-.4\p@
29     \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}%
30 \def\left@footnoterule{\kern-.4\p@
31   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}%
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL\@footnote\@RTLtrue\else\@RTLfalse\fi%
37     \normalfont\footnotesize
38     \interlinepenalty\interfootnotelinepenalty
39     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
40     \floatingpenalty\@MM \hsize\columnwidth
41     \parboxrestore \parindent\normalparindent \sloppy
42     \protected\edef\@currentlabel{%
43       \csname p@\footnote\endcsname\@thefnmark}%
44     \makefntext{%
45       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
46
47 \long\def\@RTLfootnotetext#1{%
48   \insert\footins{%
49     \@RTLtrue%
50     \normalfont\footnotesize
51     \interlinepenalty\interfootnotelinepenalty
52     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
53     \floatingpenalty\@MM \hsize\columnwidth
54     \parboxrestore \parindent\normalparindent \sloppy
55     \protected\edef\@currentlabel{%
56       \csname p@\footnote\endcsname\@thefnmark}%
57     \makefntext{%
58       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
59
60
61
62 \long\def\@LTRfootnotetext#1{%
63   \insert\footins{%
64     \@RTLfalse%
65     \normalfont\footnotesize
66     \interlinepenalty\interfootnotelinepenalty
67     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
68     \floatingpenalty\@MM \hsize\columnwidth
69     \parboxrestore \parindent\normalparindent \sloppy

```

```

70   \protected@edef{\currentlabel}{%
71     \csname p@footnote\endcsname\@thefnmark}%
72   \makefntext{%
73     \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
74
75
76 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
77 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
78 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
79
80 \renewenvironment{thebibliography}[1]{%
81   \bibtitlestyle
82   \normalfont\biblio\labelsep .5em\relax
83   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
84   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
85   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{\#1}}%
86     \leftmargin\labelwidth\advance\leftmargin\labelsep
87     \usecounter{enumiv}}%
88   \sloppy\clubpenalty\OM\widowpenalty\clubpenalty
89   \sfcode`.=\@m
90 }{%
91   \def\noitemerr{\@latex@warning{Empty ‘thebibliography’ environment}}%
92   \endlist
93 }
94 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
95   \columnseprule\z@\columnsep 35\p@
96   \indextitlestyle
97   \thispagestyle{plain}%
98   \let\item\idxitem
99   \parindent\z@\parskip\z@\plus.3\p@\relax
100  \if@RTL\raggedleft\else\raggedright\fi
101  \hyphenpenalty\OM
102  \footnotesize
103 \def\idxitem{\par\hangindent\if@RTL-\fi2em}
104 \def\subitem{\par\hangindent\if@RTL-\fi2em\hspace*{1em}}
105 \def\subsubitem{\par\hangindent\if@RTL-\fi3em\hspace*{2em}}
106 \def\maketitle{\par
107   \c@topnum\z@ % this prevents figures from falling at the top of page 1
108   \setcopyright
109   \thispagestyle{firstpage} % this sets first page specifications
110   \uppercase\nonmath\shorttitle
111   \ifx\empty\shortauthors\let\shortauthors\shorttitle
112   \else\andify\shortauthors
113   \fi
114   \maketitle@hook
115   \begingroup
116   \maketitle
117   \toks@{\exp{\shortauthors}\@temptokena\exp{\shorttitle}}%
118   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
119   \edef\@tempa{%

```

```

120      \c@nx\markboth{\the\toks4
121          \c@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}%
122      \c@tempa
123      \endgroup
124      \c@footnote{z@}
125      \c@cleartopmattertags
126 }

```

7.2 amsbook-xetex-bidi.def

```

127 \ProvidesFile{amsbook-xetex-bidi.def}[2013/04/26 v0.9 bidi adaptations for amsbook class for
128 \def\@tocline#1#2#3#4#5#6#7{\relax
129   \ifnum #1>\c@tocdepth % then omit
130   \else
131     \par \addpenalty\secpenalty\addvspace{#2}%
132     \begingroup \hyphenpenalty\@M
133     \c@empty{#4}{%
134       \c@tempdima\csname r@tocindent\number#1\endcsname\relax
135     }{%
136       \c@tempdima#4\relax
137     }%
138     \parindent{z@ \if@RTL\rightskip\else\leftskip\fi}#3\relax \advance\if@RTL\rightskip\else\leftskip\fi
139     \if@RTL\leftskip\else\rightskip\fi\c@pnumwidth plus4em \parfillskip-\c@pnumwidth
140     #5\leavevmode\hskip-\c@tempdima #6\nobreak\relax
141     \hfil\hbox to\c@pnumwidth{\c@tocpagenum{#7}}\par
142     \nobreak
143     \endgroup
144   \fi}
145 \renewcommand\thesubsection {\thesection\c@SepMark\arabic{subsection}}
146 \renewcommand\thesubsubsection {\thesubsection \c@SepMark\arabic{subsubsection}}
147 \renewcommand\theparagraph {\thesubsubsection\c@SepMark\arabic{paragraph}}
148 \renewcommand\thesubparagraph {\theparagraph\c@SepMark\arabic{subparagraph}}
149 \def\theindex{\c@restonecoltrue\if@twocolumn\c@restonecolfalse\fi
150   \columnseprule{z@ \columnsep 35\p@
151   \cindextitlestyle
152   \thispagestyle{plain}%
153   \let\item\cidxitem
154   \parindent{z@ \parskip{z@ \cplus.3\p@\relax
155   \if@RTL\raggedleft\else\raggedright\fi
156   \hyphenpenalty\@M
157   \footnotesize}
158   \def\cidxitem{\par\hangindent \if@RTL-\fi2em}
159   \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
160   \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
161   \def\right@footnoterule{%
162     \hbox to \columnwidth
163     {\beginR \vbox{\kern-.4\p@
164       \hrule\cwidth 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
165   \def\left@footnoterule{\kern-.4\p@
166     \hrule\cwidth 5pc\kern11\p@\kern-\footnotesep}

```

```

167
168 \long\def\@footnotetext#1{%
169   \insert\footins{%
170     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
171     \normalfont\footnotesize
172     \interlinepenalty\interfootnotelinepenalty
173     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
174     \floatingpenalty\@MM \hsize\columnwidth
175     \parboxrestore \parindent\normalparindent \sloppy
176     \protected@edef\@currentlabel{%
177       \csname p@footnote\endcsname\@thefnmark}%
178     \makefntext{%
179       \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
180
181 \long\def\@RTLfootnotetext#1{%
182   \insert\footins{%
183     \@RTLtrue%
184     \normalfont\footnotesize
185     \interlinepenalty\interfootnotelinepenalty
186     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
187     \floatingpenalty\@MM \hsize\columnwidth
188     \parboxrestore \parindent\normalparindent \sloppy
189     \protected@edef\@currentlabel{%
190       \csname p@footnote\endcsname\@thefnmark}%
191     \makefntext{%
192       \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
193
194
195 \long\def\@LTRfootnotetext#1{%
196   \insert\footins{%
197     \@RTLfalse%
198     \normalfont\footnotesize
199     \interlinepenalty\interfootnotelinepenalty
200     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
201     \floatingpenalty\@MM \hsize\columnwidth
202     \parboxrestore \parindent\normalparindent \sloppy
203     \protected@edef\@currentlabel{%
204       \csname p@footnote\endcsname\@thefnmark}%
205     \makefntext{%
206       \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}%
207
208
209
210 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
211 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
212 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
213
214 \renewenvironment{thebibliography}[1]{%
215   \bibtitlestyle
216   \normalfont\bibliofont\labelsep .5em\relax

```

```

217 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\empty
218 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
219 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{\#1}}%
220 \leftmargin\labelwidth \advance\leftmargin\labelsep
221 \usecounter{enumiv}}%
222 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
223 \sffcode`.=\@m
224 }%
225 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
226 \endlist
227 }
228 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
229 \begingroup
230 \fontsize{\@xivpt}{18}\bfseries\centering
231 \ifnum\c@secnumdepth>\m@ne
232 \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi\fi
233 \rlap{\vbox to\z@{\vss
234 \centerline{\normalsize\mdseries
235 \uppercase\exp{\chaptername}\enspace\thechapter}
236 \vskip 3pc}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
237 \#1\par \endgroup
238 \skip\@skip\@skip\@normalbaselineskip
239 \vskip\skip\@skip\@normalbaselineskip
240 \def\maketitle{\par
241 \atopnum\z@ % this prevents figures from falling at the top of page 1
242 \begingroup
243 \@maketitle
244 \endgroup
245 \c@footnote\z@
246 \def\do##1{\let##1\relax}%
247 \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
248 \do\author \do\@xauthor \do\address \do\@xaddress
249 \do\email \do\@xemail \do\curraddr \do\@curraddr
250 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
251 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
252 }

```

7.3 amsmath-xetex-bidi.def

```

253 \ProvidesFile{amsmath-xetex-bidi.def}[2014/09/04 v0.9 bidi adaptations for amsmath package f
254 \let\veqno=\eqno
255 \iftagsleft@ \let\veqno=\leqno \fi
256 \renewcommand{\numberwithin}[3]{[\arabic]}{%
257 \@ifundefined{c@#2}{\@nocounterr{#2}}{%
258 \@ifundefined{c@#3}{\@nocounterr{#3}}{%
259 \addtoreset{#2}{#3}}%
260 \exp\xdef\csname the#2\endcsname{%
261 \exp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx\#1{#2}}}}{%
262 }
263 \def\tagform@#1{\maketag@@@{\if@Latin\else\beginR\fi(\ignorespaces#1\unskip\@italiccorr)\if@R

```

7.4 amstext-xetex-bidi.def

```
264 \ProvidesFile{amstext-xetex-bidi.def}[2013/04/04 v0.1 bidi adaptations for amstext package fo
265 \def\textdef@#1#2#3{\hbox{%
266             \everymath{#1}%
267             \let\f@size#2\selectfont
268             \if@Latin\else\beginR\fi#3\if@Latin\else\endR\fi}}}
```

7.5 amsthm-xetex-bidi.def

269 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
270 \def\@thmcountersep{\@SepMark}

7.6 array-xetex-bidi.def

```

308          \@height \arraystretch \tempdima
309          \@depth \arraystretch \dp \strutbox
310          \@width \z@\%
311 \begingroup
312 \cmkpream{#2}%
313 \xdef\@preamble{\noexpand \ialign \halignto
314             \bgroup \arstrut \preamble
315             \tabskip \z@ \cr}%
316 \endgroup
317 \arrayleft
318 \if #1\top \else \if#1b\vbox \else \vcenter \fi \fi
319 \bgroup
320 \let \sharp ##\let \protect \relax
321 \lineskip \z@
322 \baselineskip \z@
323 \m@th
324 \let\\@arraycr \let\tabularnewline\\let\par\empty \if@RTLtab\hbox\bgroup\beginR\vbox\bgr
325 \def\@tabarray{\ifnextchar[\@array[\array[c]]}
326 \def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \arrayright \gdef\@pream
327 \def\array{\col@sep\arraycolsep
328 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@haligno{}%
329 \def\@RTLtabfalse\@tabarray}

```

7.7 article-xetex-bidi.def

```

330 \ProvidesFile{article-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for standard article c
331 \if@titlepage
332 \renewcommand\maketitle{\begin{titlepage}%
333 \let\footnotesize\small
334 \let\right@footnoterule\relax
335 \let\left@footnoterule\relax
336 \let\textwidth@footnoterule\relax
337 \let\footnote \thanks
338 \let\LTRfootnote \LTrthanks
339 \let\RTLfootnote \RTLthanks
340 \null\vfil
341 \vskip 60\p@
342 \begin{center}%
343 {\LARGE \title \par}%
344 \vskip 3em%
345 {\large
346 \lineskip .75em%
347 \begin{tabular}[t]{c}%
348 \author
349 \end{tabular}\par}%
350 \vskip 1.5em%
351 {\large \date \par} % Set date in \large size.
352 \end{center}\par
353 \thanks
354 \vfil\null

```

```

355  \end{titlepage}%
356  \setcounter{footnote}{0}%
357  \global\let\thanks\relax
358  \global\let\LTRthanks\relax
359  \global\let\RTLthanks\relax
360  \global\let\maketitle\relax
361  \global\let\@thanks\@empty
362  \global\let\@author\@empty
363  \global\let\@date\@empty
364  \global\let\@title\@empty
365  \global\let\title\relax
366  \global\let\author\relax
367  \global\let\date\relax
368  \global\let\and\relax
369 }
370 \else
371 \renewcommand\maketitle{\par
372   \begingroup
373     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
374     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\thefnmark}}}%
375     \long\def\@makefntext##1{\parindent 1em\noindent
376       \hb@xt@1.8em{%
377         \hss\@textsuperscript{\normalfont\thefnmark}##1}%
378       \if@twocolumn
379         \ifnum \col@number=\@ne
380           \@maketitle
381         \else
382           \twocolumn[\@maketitle]%
383         \fi
384       \else
385         \newpage
386         \global\@topnum\z@    % Prevents figures from going at top of page.
387         \@maketitle
388       \fi
389     \thispagestyle{plain}\@thanks
390   \endgroup
391   \setcounter{footnote}{0}%
392   \global\let\thanks\relax
393   \global\let\LTRthanks\relax
394   \global\let\RTLthanks\relax
395   \global\let\maketitle\relax
396   \global\let\@maketitle\relax
397   \global\let\@thanks\@empty
398   \global\let\@author\@empty
399   \global\let\@date\@empty
400   \global\let\@title\@empty
401   \global\let\title\relax
402   \global\let\author\relax
403   \global\let\date\relax
404   \global\let\and\relax

```

```

405 }
406 \def\@maketitle{%
407   \newpage
408   \null
409   \vskip 2em%
410   \begin{center}%
411     \let \footnote \thanks
412     \let \LTrfootnote \LTrthanks
413     \let \RTLfootnote \RTLthanks
414     {\LARGE \@title \par}%
415     \vskip 1.5em%
416     {\large
417       \lineskip .5em%
418       \begin{tabular}[t]{c}%
419         \author
420       \end{tabular}\par}%
421     \vskip 1em%
422     {\large \date}%
423   \end{center}%
424   \par
425   \vskip 1.5em}
426 \fi
427 \renewcommand*\l@part[2]{%
428   \ifnum \c@tocdepth >-2\relax
429     \addpenalty\@secpenalty
430     \addvspace{2.25em \oplus \p@}%
431     \setlength\@tempdima{3em}%
432     \begingroup
433       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
434       \parfillskip -\pnumwidth
435       {\leavevmode
436         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
437         \nobreak
438         \if@compatibility
439           \global\nobreaktrue
440           \everypar{\global\nobreakfalse\everypar{}}
441       \fi
442     \endgroup
443   \fi}
444 \renewcommand*\l@section[2]{%
445   \ifnum \c@tocdepth >\z@
446     \addpenalty\@secpenalty
447     \addvspace{1.0em \oplus \p@}%
448     \setlength\@tempdima{1.5em}%
449     \begingroup
450       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
451       \parfillskip -\pnumwidth
452       \leavevmode \bfseries
453       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
454       \hskip -\if@RTL\rightskip\else\leftskip\fi

```

```

455      #1\nobreak\hfil \nobreak\hb@xt@\cnumwidth{\hss #2}\par
456      \endgroup
457      \fi}
458 \renewcommand\left@footnoterule{%
459   \kern-3\p@
460   \hrule\@width.4\columnwidth
461   \kern2.6\p@}
462 \renewcommand\right@footnoterule{%
463   \hbox to \columnwidth
464   {\beginR \vbox{%
465   \kern-3\p@
466   \hrule\@width.4\columnwidth
467   \kern2.6\p@}\hfil\endR}}
468 \renewcommand\thesubsection {\thesection\cSepMark\arabic\csubsection}
469 \renewcommand\thesubsubsection{\thesubsection\cSepMark\arabic\csubsubsection}
470 \renewcommand\theparagraph {\thesubsubsection\cSepMark\arabic\cparagraph}
471 \renewcommand\thesubparagraph {\theparagraph\cSepMark\arabic\csubparagraph}
472 \def\@part [#1]#2{%
473   \ifnum \c@secnumdepth >\m@ne
474     \refstepcounter{part}%
475     \addcontentsline{toc}{part}{\the\part\hspace{1em}#1}%
476   \else
477     \addcontentsline{toc}{part}{#1}%
478   \fi
479   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
480     \interlinepenalty \OM
481     \normalfont
482     \ifnum \c@secnumdepth >\m@ne
483       \Large\bfseries \partname\nobreakspace\the\part
484       \par\nobreak
485     \fi
486     \huge\bfseries #2%
487     \markboth{}{}\par}%
488   \nobreak
489   \vskip 3ex
490   \cafterheading}
491 \renewenvironment{thebibliography}[1]
492   {\section*\{\refname}\%
493    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
494    \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibilitems\@RTLtrue\else\fi\fi
495    \list{\@biblabel{\arabic\cenumiv}}%
496      {\settowidth\labelwidth{\@biblabel{#1}}%
497       \leftmargin\labelwidth
498       \advance\leftmargin\labelsep
499       \openbib@code
500       \usecounter{enumiv}%
501       \let\p@enumiv\empty
502       \renewcommand\theenumiv{\arabic\cenumiv}%
503       \sloppy
504       \clubpenalty4000

```

```

505      \clubpenalty \clubpenalty
506      \widowpenalty4000%
507      \sffamily
508      {\def\@noitemerr
509       {\@latex@warning{Empty `thebibliography' environment}}%
510      \endlist}
511 \renewenvironment{theindex}
512   {\if@twocolumn
513    \restonecolfalse
514   \else
515    \restonecoltrue
516   \fi
517   \columnseprule \z@%
518   \columnsep 35\p@
519   \twocolumn[\section*{\indexname}]%
520   \mkboth{\MakeUppercase{\indexname}}%
521   {\MakeUppercase{\indexname}}%
522   \thispagestyle{plain}\parindent\z@
523   \parskip\z@ \plus .3\p@\relax
524   \let\item\@idxitem
525   {\if@restonecol\onecolumn\else\clearpage\fi}

```

7.8 artikel1-xetex-bidi.def

```

526 \ProvidesFile{artikel1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel1 class f%
527 \renewenvironment{theindex}{%
528   \if@twocolumn
529   \restonecolfalse
530   \else
531   \restonecoltrue
532   \fi
533   \columnseprule \z@%
534   \columnsep 35\p@
535   \twocolumn[\section*{\indexname}]%
536   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
537   \thispagestyle{plain}\parindent\z@
538   \parskip\z@ \plus .3\p@\relax
539   \let\item\@idxitem
540 }{%
541   \if@restonecol\onecolumn\else\clearpage\fi}
542 \renewcommand*\head@style{%
543   \interlinepenalty \OM
544   \hyphenpenalty=\OM \exhyphenpenalty=\OM
545   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
546 \if@titlepage
547   \renewenvironment{abstract}{%
548     \titlepage
549     \null\vfil
550     \section*{\SectFont\abstractname}
551     \noindent\ignorespaces}

```

```

552     {\par\vfil\null\endtitlepage}
553 \else
554   \renewenvironment{abstract}{%
555     \if@twocolumn
556       \section*{\abstractname}%
557     \else
558       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
559       \section*{\small\SectFont\abstractname}%
560       \noindent\ignorespaces
561     \fi}
562   {\if@twocolumn\else\par\egroup\fi}
563 \fi
564 \renewcommand*\@reftocline[3]{%
565   \ifnum #1>\c@tocdepth
566   \else
567     \vskip\z@\@plus.2\p@
568     {\hangindent\z@\@afterindenttrue \interlinepenalty\@M
569      \if@RTL\rightskip\else\leftskip\fi\unitindent
570      \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
571      \parfillskip\z@
572      \tempdima\unitindent
573      \parindent\z@
574      \leavevmode
575      \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
576      \hskip 1em \nobreak{\slshape #3}\par
577    }%
578  \fi}
579 \if@oldtoc
580 \renewcommand*\l@part[2]{%
581   \ifnum \c@tocdepth >-2\relax
582     \addpenalty\@secpenalty
583     \addvspace{2.25em \@plus\p@}%
584     \begingroup
585       \setlength\tempdima{3em}%
586       \parindent\z@\if@RTL\leftskip\else\rightskip\fi\unitwidth
587       \parfillskip -\unitwidth
588       \leavevmode
589       \large \bfseries #1\hfil \hb@xt@\unitwidth{\hss #2}\par
590       \nobreak
591       \if@compatibility
592         \global\nobreaktrue
593         \everypar{\global\nobreakfalse\everypar{} }%
594       \fi
595     \endgroup
596   \fi}
597 \else
598   \renewcommand*\l@part{%
599     \ifnum \c@tocdepth >-2\relax
600       \addpenalty\@secpenalty
601       \addvspace{2.25em \@plus\p@}%

```

```

602      \cregtocline{0}%
603      \fi}
604 \fi
605 \if@oldtoc
606 \renewcommand*\l@section[2]{%
607     \addpenalty\secpenalty
608     \addvspace{1.0em \oplus\p@}%
609     \setlength{\tempdima{1.5em}}%
610     \begingroup
611     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
612     \parfillskip -\pnumwidth
613     \leavevmode \bfseries
614     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
615     \hskip -\if@RTL\rightskip\else\leftskip\fi
616     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
617     \endgroup}
618 \else
619     \renewcommand*\l@section{\regtocline{1}}
620 \fi
621 \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@section}
622 \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@section\c@subsection}
623 \renewcommand*\theparagraph{\thesubsubsection\SepMark\arabic\c@paragraph}
624 \renewcommand*\thesubparagraph{\theparagraph\SepMark\arabic\c@subparagraph}
625 \renewenvironment{thebibliography}[1]
626     {\section*{\refname}%
627      \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
628      \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
629      \list{\@biblabel{\arabic\c@enumiv}}{%
630          \settowidth\labelwidth{\@biblabel{#1}}%
631          \leftmargin\labelwidth
632          \advance\leftmargin\labelsep
633          \openbib@code
634          \usecounter{enumiv}%
635          \let\p@enumiv\empty
636          \renewcommand*\theenumiv{\arabic\c@enumiv}%
637          \sloppy\clubpenalty4000\widowpenalty4000%
638          \sfcode'.'\empty
639          \def\@noitemerr
640              {\@latex@warning{Empty 'thebibliography' environment}}%
641          \endlist}
642 \renewcommand*\left@footnoterule{%
643     \kern-3\p@
644     \kern.5\baselineskip
645     \hrule\@width\unitindent
646     \kern.4\baselineskip
647 }
648 \renewcommand*\right@footnoterule{%
649     \hbox to \columnwidth
650     {\beginR \vbox{%
651         \kern-3\p@

```

```

652   \kern.5\baselineskip
653   \hrule\@width\unitindent
654   \kern.4\baselineskip}\hfil\endR}
655 }
656 \if@titlepage
657 \renewcommand*\TitleFont{\rmfamily}
658 \renewcommand*\maketitle{%
659   \begin{titlepage}%
660     \let\footnotesize\small
661     \let\right@footnoterule\relax
662     \let\left@footnoterule\relax
663     \let\textwidth@footnoterule\relax
664     \let \footnote \thanks
665     \long\def\@makefntext##1{\par\-indent\z@
666       \def\labelitemi{\textendash}\@revlabeltrue
667       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
668     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
669     \if@compatibility\setcounter{page}{0}\fi
670     \null\vfil
671     \vskip 60\p@
672     \begin{center}%
673       \TitleFont
674       {\LARGE \def\\{\penalty -\@M}
675        \if@allcaps
676          \expandafter\uc@nothanks\@title\thanks\relax
677        \else
678          \@\title
679        \fi\par}%
680     \vskip 3em%
681     {\large
682       \lineskip .75em \par\-indent\z@
683     \begin{tabular}[t]{c}%
684       \if@allcaps
685         \expandafter\uc@author\nothanks\@author\and\relax
686       \else
687         \@\author
688       \fi
689     \end{tabular}\par}%
690     \vskip 1.5em%
691     {\large
692       \if@allcaps
693         \uppercase\expandafter{\@date}%
694       \else
695         \@\date
696       \fi\par}%
697     \end{center}\par
698     \@\thanks
699     \vfil\null
700   \end{titlepage}%
701   \setcounter{footnote}{0}%

```

```

702 \global\let\thanks\relax
703 \global\let\maketitle\relax
704 \global\let@\thanks{\empty}
705 \global\let@\author{\empty}
706 \global\let@\title{\empty}
707 \global\let@\date{\empty}
708 \global\let\title\relax
709 \global\let\author\relax
710 \global\let\date\relax
711 \global\let\and\relax
712 }
713 \def\uc@nothanks{\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
714 \def\uc@authornothanks{\and{\uc@nothanks{\#1}\thanks\relax
715 \futurelet\@tempa\uc@ax}}
716 \def\uc@ax{%
717 \ifx\@tempa\relax
718 \else
719 \\ \andname \\ \expandafter\uc@authornothanks
720 \fi}
721 \def\uc@tx{\ifx\@tempa\relax
722 \else \expandafter\uc@ty \fi}
723 \def\uc@ty{\#1{\thanks{\#1}\uc@nothanks}
724 \else
725 \renewcommand*\maketitle{\par
726 \begingroup
727 \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
728 \def\@makefnmark{\rlap{%
729 \textsuperscript{\normalfont\@thefnmark}}}%
730 \long\def\@makefntext{\xmakefntext{%
731 \textsuperscript{\normalfont\@thefnmark}}}%
732 \if@twocolumn
733 \ifnum \col@number=\@ne
734 \maketitle
735 \else
736 \twocolumn[\maketitle]%
737 \fi
738 \else
739 \newpage
740 \global\@topnum\z@
741 \maketitle
742 \fi
743 \thispagestyle{plain}\@thanks
744 \endgroup
745 \setcounter{footnote}{0}%
746 \global\let\thanks\relax
747 \global\let\maketitle\relax
748 \global\let\maketitle\relax
749 \global\let@\thanks{\empty}
750 \global\let@\author{\empty}
751 \global\let@\title{\empty}

```

```

752 \global\let\@date\empty
753 \global\let\title\relax
754 \global\let\author\relax
755 \global\let\date\relax
756 \global\let\and\relax
757 }
758 \def\@maketitle{%
759   \newpage
760   \null
761   \vskip 2em%
762   \begin{center}%
763     \let \footnote \thanks
764     {\LARGE \TitleFont \@title \par}%
765     \vskip 1.5em%
766     {\large \TitleFont
767       \lineskip .5em%
768       \begin{tabular}[t]{c}%
769         \author
770       \end{tabular}\par}%
771     \vskip 1em%
772     {\large \TitleFont \@date}%
773   \end{center}%
774   \par
775   \vskip 1.5em}
776 \fi

```

7.9 artikel2-xetex-bidi.def

```

777 \ProvidesFile{artikel2-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel2 class fo
778 \renewenvironment{theindex}{%
779   \if@twocolumn
780     \restonecolfalse
781   \else
782     \restonecoltrue
783   \fi
784   \columnseprule \z@
785   \columnsep 35\p@
786   \twocolumn[\section*{\indexname}]%
787   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
788   \thispagestyle{plain}\parindent\z@
789   \parskip\z@ \oplus .3\p@\relax
790   \let\item\idxitem
791 }{%
792   \if@restonecol\onecolumn\else\clearpage\fi
793 \renewcommand*\@rgtocline[3]{%
794   \ifnum #1>\c@tocdepth
795   \else
796     \vskip\z@\oplus.2\p@
797     \hangindent\z@ \cafterindenttrue \interlinepenalty\@M
798     \if@RTL\rightskip\else\leftskip\fi\unitindent

```

```

799      \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
800      \parfillskip\z@
801      \c@tempdima\unitindent
802      \advance\c@tempdima by \othermargin
803      \parindent\z@
804      \leavevmode
805      \hbox{}{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
806      \hskip 1em \nobreak{\slshape #3}\par
807      }%
808  \fi}
809 \if@oldtoc
810 \renewcommand*\l@section[2]{%
811     \addpenalty\@secpenalty
812     \addvspace{1.0em \@plus\p@}%
813     \setlength\c@tempdima{1.5em}%
814     \begingroup
815     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
816     \parfillskip -\c@pnumwidth
817     \leavevmode \bfseries
818     \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
819     \hskip -\if@RTL\rightskip\else\leftskip\fi
820     #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
821     \endgroup}
822 \else
823     \renewcommand*\l@section{\@regtocline{1}}
824 \fi
825 \if@oldtoc
826 \renewcommand*\l@part[2]{%
827     \ifnum \c@tocdepth >-2\relax
828         \addpenalty\@secpenalty
829         \addvspace{2.25em \@plus\p@}%
830         \begingroup
831             \setlength\c@tempdima{3em}%
832             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
833             \parfillskip -\c@pnumwidth
834             \leavevmode
835             \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
836             \nobreak
837             \if@compatibility
838                 \global\@nobreaktrue
839                 \everypar{\global\@nobreakfalse\everypar{}%}
840             \fi
841         \endgroup
842     \fi}
843 \else
844     \renewcommand*\l@part{%
845         \ifnum \c@tocdepth >-2\relax
846             \addpenalty\@secpenalty
847             \addvspace{2.25em \@plus \p@}%
848             \c@regtocline{0}%

```

```

849     \fi}
850 \fi
851 \renewcommand*\head@style{%
852     \interlinepenalty \OM
853     \hyphenpenalty=\OM \exhyphenpenalty=\OM
854     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
855 \if@titlepage
856     \renewenvironment{abstract}{%
857         \titlepage
858         \null\vfil
859         \section*{\SectFont\abstractname}%
860         \noindent\ignorespaces
861         {\par\vfil\null\endtitlepage}
862 \else
863     \renewenvironment{abstract}{%
864         \if@twocolumn
865             \section*{\abstractname}%
866         \else
867             \section*{\hskip\unitindent\small\SectFont\abstractname}%
868             \list{}{\setlength\listparindent{\unitindent}%
869                 \setlength\parindent {\z@}%
870                 \setlength\leftmargin {\unitindent}%
871                 \setlength\rightmargin {\unitindent}%
872                 \setlength\parsep {\z@}}%
873             \item[]%
874         \fi}
875         {\if@twocolumn\else\par\endlist\fi}
876 \fi
877 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
878 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@section\@SepMark\@arabic\c@subsection}
879 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
880 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
881 \renewcommand*\left@footnoterule{%
882     \kern-3\p@
883     \hrule\@width 3\unitindent
884     \kern 2.6\p@
885 }
886 \renewcommand*\right@footnoterule{%
887     \hbox to \columnwidth
888     {\beginR \vbox{%
889     \kern-3\p@
890     \hrule\@width 3\unitindent
891     \kern 2.6\p@\hfil\endR}
892 }
893 \renewenvironment{thebibliography}[1]
894     {\section*{\refname}%
895      \OMkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
896      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
897      \list{\@biblabel{\@arabic\c@enumiv}}%
898          {\settowidth\labelwidth{\@biblabel{\#1}}}}

```

```

899          \leftmargin\labelwidth
900          \advance\leftmargin\labelsep
901          \openbib@code
902          \usecounter{enumiv}%
903          \let\p@enumiv\empty
904          \renewcommand*\theenumiv{\@arabic\c@enumiv}%
905          \sloppy\clubpenalty4000\widowpenalty4000%
906          \sfcode`.\@m}
907          {\def\@noitemerr
908          {\@latex@warning{Empty `thebibliography' environment}}%
909          \endlist}
910 \if@titlepage
911 \renewcommand*\TitleFont{\rmfamily}
912 \renewcommand*\maketitle{%
913   \begin{titlepage}%
914     \let\footnotesize\small
915     \let\right@footnoterule\relax
916     \let\left@footnoterule\relax
917     \let\textwidth@footnoterule\relax
918     \let\footnote\thanks
919     \long\def\makefntext##1{\par\indent\z@%
920       \def\labelitemi{\textendash}\revlabeltrue
921       \leavevmode\textsuperscript{\@thefnmark}\kern1em\relax ##1}%
922     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
923     \if@compatibility\setcounter{page}{0}\fi
924     \null\vfil
925     \vskip 60\p@
926     \begin{center}%
927       \TitleFont
928       {\LARGE \def\\{\penalty -\@M}%
929        \if@allcaps
930          \expandafter\uc@nothanks\@title\thanks\relax
931        \else
932          \atitle
933        \fi\par}%
934     \vskip 3em%
935     \large
936     \lineskip .75em \par\indent\z@%
937     \begin{tabular}[t]{c}%
938       \if@allcaps
939         \expandafter\uc@author\nothanks\author\and\relax
940       \else
941         \author
942       \fi
943     \end{tabular}\par}%
944     \vskip 1.5em%
945     \large
946     \if@allcaps
947       \uppercase\expandafter{\@date}%
948     \else

```

```

949          \@date
950          \fi\par}%
951          \end{center}\par
952          \@thanks
953          \vfil\null
954          \end{titlepage}%
955          \setcounter{footnote}{0}%
956          \global\let\thanks\relax
957          \global\let\maketitle\relax
958          \global\let\@thanks\empty
959          \global\let\@author\empty
960          \global\let\@title\empty
961          \global\let\@date\empty
962          \global\let\title\relax
963          \global\let\author\relax
964          \global\let\date\relax
965          \global\let\and\relax
966      }
967 \def\uc@nothanks#1\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
968 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
969     \futurelet\@tempa\uc@ax}
970 \def\uc@ax{%
971     \ifx\@tempa\relax
972     \else
973         \\ \andname \\ \expandafter\uc@authornothanks
974     \fi}
975 \def\uc@tx{\ifx\@tempa\relax
976     \else \expandafter\uc@ty \fi}
977 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
978 \else
979 \renewcommand*\maketitle{\par
980     \begingroup
981         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
982         \long\def\makefntext##1{\parindent\z@
983             \def\labelitemi{\textendash}%
984             \leavevmode\hb@xt@.5\unitindent{%
985                 \textsuperscript{\normalfont\@thefnmark}\hfil}##1}
986         \if@twocolumn
987             \ifnum \col@number=\@ne
988                 \maketitle
989             \else
990                 \twocolumn[\maketitle]
991             \fi
992         \else
993             \newpage
994             \global\@topnum\z@
995             \maketitle
996         \fi
997         \thispagestyle{plain}\@thanks
998     \endgroup

```

```

999  \setcounter{footnote}{0}%
1000 \global\let\thanks\relax
1001 \global\let\maketitle\relax
1002 \global\let\@maketitle\relax
1003 \global\let\@thanks\@empty
1004 \global\let\@author\@empty
1005 \global\let\@title\@empty
1006 \global\let\@date\@empty
1007 \global\let\title\relax
1008 \global\let\author\relax
1009 \global\let\date\relax
1010 \global\let\and\relax
1011 }
1012 \def\@maketitle{%
1013   \newpage
1014   \null
1015   \vskip 2em%
1016   \begin{center}%
1017     \let \footnote \thanks
1018     {\LARGE \TitleFont \@title \par}%
1019     \vskip 1.5em%
1020     {\large \TitleFont
1021       \lineskip .5em%
1022       \begin{tabular}[t]{c}%
1023         \author
1024       \end{tabular}\par}%
1025     \vskip 1em%
1026     {\large \TitleFont \@date}%
1027   \end{center}%
1028   \par
1029   \vskip 1.5em}
1030 \fi

```

7.10 artikel3-xetex-bidi.def

```

1031 \ProvidesFile{artikel3-xetex-bidi.def}[2011/08/26 v0.3 bidi adaptations for artikel3 class f
1032 \renewenvironment{theindex}{%
1033   \if@twocolumn
1034     \restonecolfalse
1035   \else
1036     \restonecoltrue
1037   \fi
1038   \columnseprule \z@
1039   \columnsep 35\p@
1040   \twocolumn[\section*{\indexname}]%
1041   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1042   \thispagestyle{plain}\parindent\z@
1043   \parskip\z@ \plus .3\p@\relax
1044   \let\item\@idxitem
1045 }{%

```

```

1046   \if@restonecol\onecolumn\else\clearpage\fi}
1047 \renewcommand*\head@style{%
1048   \interlinepenalty \OM
1049   \hyphenpenalty=\OM \exhyphenpenalty=\OM
1050   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1051 \renewcommand*\@regtocline[3]{%
1052   \ifnum #1>\c@tocdepth
1053   \else
1054     \vskip\z@\oplus.2\p@
1055     {\hangindent\z@ \cafterindenttrue \interlinepenalty\OM
1056       \if@RTL\rightskip\else\leftskip\fi\unitindent
1057       \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
1058       \parfillskip\z@
1059       \tempdima\unitindent
1060       \parindent\z@
1061       \leavevmode
1062       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1063       \hskip 1em \nobreak{\slshape #3}\par
1064     }%
1065   \fi}
1066 \if@oldtoc
1067 \renewcommand*\l@part[2]{%
1068   \ifnum \c@tocdepth >-2\relax
1069     \addpenalty\@secpenalty
1070     \addvspace{2.25em \oplus\p@}%
1071     \begingroup
1072       \setlength\tempdima{3em}%
1073       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1074       \parfillskip -\pnumwidth
1075       {\leavevmode
1076         \large \bfseries #1\hfil \hbox{\pnumwidth\hss #2}}\par
1077       \nobreak
1078       \if@compatibility
1079         \global\nobreaktrue
1080         \everypar{\global\nobreakfalse\everypar{}%}
1081       \fi
1082     \endgroup
1083   \fi}
1084 \else
1085   \renewcommand*\l@part{%
1086     \ifnum \c@tocdepth >-2\relax
1087       \addpenalty\@secpenalty
1088       \addvspace{2.25em \oplus\p@}%
1089       \regtocline{0}%
1090   \fi}
1091 \fi
1092
1093 \if@oldtoc
1094 \renewcommand*\l@section[2]{%
1095   \addpenalty\@secpenalty

```

```

1096      \addvspace{1.0em \oplus \p@}%
1097      \setlength{\tempdima{1.5em}}%
1098      \begingroup
1099      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1100      \parfillskip -\pnumwidth
1101      \leavevmode \bfseries
1102      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1103      \hskip -\if@RTL\rightskip\else\leftskip\fi
1104      #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
1105      \endgroup}
1106 \else
1107   \renewcommand*\l@section{\regtocline{1}}
1108 \fi
1109 \if@titlepage
1110   \renewenvironment{abstract}{%
1111     \titlepage
1112     \null\vfil
1113     \section*{\SectFont\abstractname}%
1114     \noindent\ignorespaces
1115     {\par\vfil\null\endtitlepage}
1116 \else
1117   \renewenvironment{abstract}{%
1118     \if@twocolumn
1119       \section*{\abstractname}%
1120     \else
1121       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1122       \section*{\small\SectFont\abstractname}%
1123       \noindent\ignorespaces
1124     \fi}
1125   {\if@twocolumn\else\par\egroup\fi}
1126 \fi
1127 \renewcommand*\left@footnoterule{%
1128   \kern-3\p@
1129   \kern.5\baselineskip
1130   \hrule\@width\unitindent
1131   \kern.4\baselineskip
1132 }
1133 \renewcommand*\right@footnoterule{%
1134   \hbox to \columnwidth
1135   {\beginR \vbox{%
1136     \kern-3\p@
1137     \kern.5\baselineskip
1138     \hrule\@width\unitindent
1139     \kern.4\baselineskip}\hfil\endR}
1140 }
1141 \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@subsection}
1142 \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
1143 \renewcommand*\theparagraph{\thesubsubsection\SepMark\arabic\c@paragraph}
1144 \renewcommand*\thesubparagraph{\theparagraph\SepMark\arabic\c@subparagraph}
1145 \renewenvironment{thebibliography}[1]

```

```

1146  {\section*{\refname}%
1147   \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1148   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1149   \list{\@biblabel{\@arabic\c@enumiv}}{%
1150     {\settowidth\labelwidth{\@biblabel{\#1}}%
1151      \leftmargin\labelwidth
1152      \advance\leftmargin\labelsep
1153      \openbib@code
1154      \usecounter{enumiv}%
1155      \let\p@enumiv\empty
1156      \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1157      \sloppy\clubpenalty4000\widowpenalty4000%
1158      \sfcode`.\@m}%
1159   {\def\@noitemerr
1160     {\@latex@warning{Empty `thebibliography' environment}}%
1161   \endlist}
1162 \if@titlepage
1163 \renewcommand*\TitleFont{\rmfamily}
1164 \renewcommand*\maketitle{%
1165   \begin{titlepage}%
1166     \let\footnotesize\small
1167     \let\right@footnoterule\relax
1168     \let\left@footnoterule\relax
1169     \let\textwidth@footnoterule\relax
1170     \let\footnote\thanks
1171     \long\def\makefntext##1{\par\indent\z@%
1172       \def\labelitemi{\textendash}\revlabeltrue
1173       \leavevmode\@textsuperscript{\@thefnmark}\kern\labelwidth\relax ##1}%
1174   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1175   \if@compatibility\setcounter{page}{0}\fi
1176   \null\vfil
1177   \vskip 60\p@
1178   \begin{center}%
1179     \TitleFont
1180     {\LARGE \def\{\penalty -\@M}%
1181       \if@allcaps
1182         \expandafter\uc@nothanks\@title\thanks\relax
1183       \else
1184         \@title
1185       \fi\par}%
1186   \vskip 3em%
1187   {\large
1188     \lineskip .75em \par\indent\z@%
1189     \begin{tabular}[t]{c}%
1190       \if@allcaps
1191         \expandafter\uc@author\nothanks\@author\and\relax
1192       \else
1193         \@author
1194       \fi
1195     \end{tabular}\par}%

```

```

1196      \vskip 1.5em%
1197      {\large
1198          \if@allcaps
1199              \uppercase\expandafter{\@date}%
1200          \else
1201              \@date
1202              \fi\par}%
1203      \end{center}\par
1204      \@thanks
1205      \vfil\null
1206  \end{titlepage}%
1207  \setcounter{footnote}{0}%
1208  \global\let\thanks\relax
1209  \global\let\maketitle\relax
1210  \global\let\@thanks\empty
1211  \global\let\@author\empty
1212  \global\let\@title\empty
1213  \global\let\@date\empty
1214  \global\let\title\relax
1215  \global\let\author\relax
1216  \global\let\date\relax
1217  \global\let\and\relax
1218 }
1219 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1220 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1221     \futurelet\@tempa\uc@ax}
1222 \def\uc@ax{%
1223     \ifx\@tempa\relax
1224     \else
1225         \\ \andname \\ \expandafter\uc@authornothanks
1226     \fi}
1227 \def\uc@tx{\ifx\@tempa\relax
1228     \else \expandafter\uc@ty \fi}
1229 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1230 \else
1231 \renewcommand*\maketitle{\par
1232   \begingroup
1233     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1234     \def\@makefnmark{\rlap{%
1235       \textsuperscript{\normalfont\@thefnmark}}}%
1236     \long\def\@makefntext{\@xmakefntext{%
1237       \textsuperscript{\normalfont\@thefnmark}}}%
1238     \if@twocolumn
1239       \ifnum \col@number=\@ne
1240           \maketitle
1241       \else
1242           \twocolumn[\maketitle]%
1243       \fi
1244     \else
1245       \newpage

```

```

1246      \global\@topnum\z@
1247      \@maketitle
1248      \fi
1249      \thispagestyle{plain}\@thanks
1250  \endgroup
1251  \setcounter{footnote}{0}%
1252  \global\let\thanks\relax
1253  \global\let\maketitle\relax
1254  \global\let\@maketitle\relax
1255  \global\let\@thanks\empty
1256  \global\let\@author\empty
1257  \global\let\@title\empty
1258  \global\let\@date\empty
1259  \global\let\title\relax
1260  \global\let\author\relax
1261  \global\let\date\relax
1262  \global\let\and\relax
1263  }
1264 \def\@maketitle{%
1265   \newpage
1266   \null
1267   \vskip 2em%
1268 \if@titlecentered
1269   \begin{center}%
1270     \let \footnote \thanks
1271     {\LARGE \TitleFont \@title \par}%
1272     \vskip 1.5em%
1273     {\large \TitleFont
1274       \lineskip .5em%
1275       \begin{tabular}[t]{c}%
1276         \author
1277       \end{tabular}\par}%
1278     \vskip 1em%
1279     {\large \TitleFont \@date}%
1280   \end{center}%
1281 \else
1282   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1283   {\large \TitleFont \lineskip .5em \tabcolsep\z@
1284     \def\and{%% \begin{tabular} has already started
1285       \end{tabular}\hskip 1em plus .17fil
1286       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabul
1287       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p
1288     \vskip 1em {\large \TitleFont \@date}
1289   \fi
1290   \par
1291   \vskip 1.5em}
1292 \fi

```

7.11 arydshln-xetex-bidi.def


```

1343   \setbox\adl@box\vbox \startpbox{\nextchar}\insert@column \endpbox
1344   \fi}\prepnext@tok}
1345 \def\adl@class@start{4}
1346 \def\adl@class@iiiorvii{7}
1347
1348 \else
1349 \def\@testpach#1{\chclass \ifnum \lastchclass=\tw@ 4\relax \else
1350   \ifnum \lastchclass=\thr@@ 5\relax \else
1351     \z@\if #1c\chnum \z@\else
1352       \if \if@RTLtab#1\else#1\fi\chnum \one \else
1353         \if \if@RTLtab#1\else#1\fi\chnum \tw@ \else
1354           \chclass
1355             \if #1|\one \let@\arrayrule\adl@arrayrule \else
1356               \if #1:\one \let@\arrayrule\adl@arraydashrule \else
1357                 \if #1;\one \let@\arrayrule\adl@argarraydashrule \else
1358                   \if #1@\tw@ \else
1359                     \if #1p\thr@@ \else \z@\@preamerr 0\fi
1360                   \fi \fi \fi \fi \fi \fi \fi
1361
1362 \def\@arrayclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or
1363   \or \or \addamp \or
1364   \acolampacol \or \firststampfalse \acol \fi
1365 \edef\@preamble{\@preamble
1366   \ifcase \chnum
1367     \hfil\adl@putlrc{$\relax\sharp$\hfil
1368     \or \adl@putlrc{$\relax\sharp$\hfil
1369     \or \hfil\adl@putlrc{$\relax\sharp$\fi}}
1370 \def\@tabclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or
1371   \or \or \addamp \or
1372   \acolampacol \or \firststampfalse \acol \fi
1373 \edef\@preamble{\@preamble
1374   \ifcase \chnum
1375     \hfil\adl@putlrc{\sharp\unskip}\hfil
1376     \or \adl@putlrc{\sharp\unskip}\hfil
1377     \or \hfil\skip\z@\adl@putlrc{\sharp\unskip}\fi}}
1378 \def\adl@class@start{6}
1379 \def\adl@class@iiiorvii{3}
1380 \fi
1381 \@ifpackageloaded{colortbl}{%
1382 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1383 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1384   \let\@endpbox\adl@org@endpbox}
1385 \let\adl@CT@setup\CT@setup
1386 \def\CT@setup{\adl@CT@setup
1387   \tempdima\ht\z@ \advance\tempdima\minrowclearance
1388   \ifdim\adl@height<\tempdima \global\adl@height\tempdima \fi
1389   \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1390 \let\adl@act@CT@setup\CT@setup
1391 \def\@classz{\@classx
1392   \tempcnta\count@\prepnext@tok

```

```

1393     \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1394     \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1395     \expandafter\adl@extract@drsc
1396         \the\toks\@tempcnta\doublerulesepcolor!\@nil
1397     \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1398     \addtopreamble{\if@RTL\beginL\fi%
1399         \setbox\z@\hbox\bgroup\if@RTL\beginR\fi
1400         \ifcase \cnum
1401             \hskip\stretch{.5}\kern\z@
1402             \d@llarbegin
1403             \insert@column
1404             \d@llarend\hskip\stretch{.5}%
1405             \or \d@llarbegin \insert@column \d@llarend \hfill
1406             \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1407             \or \$\vcenter
1408                 \startpbox{@nextchar}\insert@column \endpbox $%
1409             \or \vtop \startpbox{@nextchar}\insert@column \endpbox
1410             \or \vbox \startpbox{@nextchar}\insert@column \endpbox
1411             \fi
1412             \if@RTL\endR\fi\egroup\egroup
1413     \begingroup
1414         \CT@setup
1415         \CT@column@color
1416         \CT@row@color
1417         \CT@cell@color
1418         \CT@do@color
1419     \endgroup
1420     \tempdima\ht\z@
1421     \advance\tempdima\minrowclearance
1422     \vrule\height\tempdima\width\z@
1423     \unhbox\z@\if@RTL\endL\fi}%
1424     \prepnext@tok}
1425 \let\adl@act@classz\@classz
1426 \let\adl@org@classz\@classz
1427 }{}}

```

7.12 bidi.sty

```

1428 \NeedsTeXFormat{LaTeX2e}
1429 \def\bididate{2014/09/20}
1430 \def\bidiversion{v15.6}
1431 \ProvidesPackage{bidi}[\bididate\space \bidiversion\space
1432 Bidirectional typesetting in plain TeX and LaTeX]
1433 \edef\bidi@info{*****^J%
1434 * ^J%
1435 * bidi package (Bidirectional typesetting in^J%
1436 * plain TeX and LaTeX, using XeTeX engine)^J%
1437 * ^J%
1438 * Description: A convenient interface for^J%
1439 * typesetting bidirectional texts in plain TeX^J%

```

```

1440 * and LaTeX. The package includes adaptations^^J%
1441 * for use with many other commonly-used packages.^~J%
1442 * ^~J%
1443 * Copyright 20092014 Vafa Khalighi^~J%
1444 * ^~J%
1445 * \bididate, \bidiversion^~J%
1446 * ^~J%
1447 * License: LaTeX Project Public License, version^~J%
1448 * 1.3c or higher (your choice)^~J%
1449 * ^~J%
1450 * Location on CTAN: /macros/xetex/latex/bidi^~J%
1451 * ^~J%
1452 * Support: tex.ctan@gmail.com^~J%
1453 ****}
1454 \typeout{@bidi@info}
1455 \edef\bidi@everyjob{\the\everyjob}
1456 \everyjob{\bidi@everyjob\typeout{@bidi@info}}
1457 \RequirePackage{iftex}
1458 \RequireXeTeX
1459 \RequirePackage{biditools}
1460 \RequirePackage{zref-abspage}
1461 \RequirePackage{auxhook}
1462 \RequirePackage{ltxcmds}
1463 \eqnewif{\if@RTLmain}{\if@rlmain}
1464 \eqnewif{\if@RTL}{\if@rl}
1465 \newif\if@Latin
1466 \eqnewif{\if@RTLtab}{\if@tab@rl}
1467 \newif\if@RTLmarginpar
1468 \newif\if@LTRmarginpar
1469 \newif\if@LTRbibitems
1470 \newif\if@RTLbibitems
1471 \newif\if@extrafootnotefeatures
1472 \newif\if@parafootRTL
1473 \newif\if@RTLcolumnfootnotes
1474 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1475 \newif\if@bidi@list@minipage@parbox
1476 \newif\if@bidi@list@minipage@parbox@not@nob
1477 \RTLmainfalse
1478 \AtBeginDocument{%
1479   \if@RTLmain\else
1480     \if@RTL\RTLmaintrue%
1481     \else\RTLmainfalse%
1482     \fi%
1483   \fi%
1484 }
1485 \let\n@xt=\
1486 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1487 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1488 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}%
1489 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }

```

```

1490 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1491   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1492 \input{latex-xetex-bidi.def}
1493 \input{loadingorder-xetex-bidi.def}
1494 \DeclareOption{RTLdocument}{\@RTLtrue\@RTL@footnotetrue\autofootnoterule}
1495 \DeclareOption{rldocument}{\@RTLtrue\@RTL@footnotetrue\autofootnoterule}
1496 \DeclareOption{extrafootnotefeatures}{\@extrafootnotefeaturestrue}
1497 \ProcessOptions
1498
1499 \if@extrafootnotefeatures
1500   \input{extrafootnotefeatures-xetex-bidi.def}
1501 \fi

```

7.13 bidi.tex

```

1502 \def\biddidate{2014/09/20}
1503 \def\bidiversion{v0.2}
1504 \catcode`@=11
1505 \let \protect \relax
1506 \newlinechar`\^J
1507 \edef@\bidi@info{*****^J%
1508 * ^J%
1509 * bidi package (Bidirectional typesetting in^J%
1510 * plain TeX and LaTeX, using XeTeX engine)^J%
1511 * ^J%
1512 * Description: A convenient interface for^J%
1513 * typesetting bidirectional texts in plain TeX^J%
1514 * and LaTeX. The package includes adaptations^J%
1515 * for use with many other commonly-used packages.^J%
1516 * ^J%
1517 * Copyright 20092014 Vafa Khalighi^J%
1518 * ^J%
1519 * \biddidate, \bidiversion^J%
1520 * ^J%
1521 * License: LaTeX Project Public License, version^J%
1522 * 1.3c or higher (your choice)^J%
1523 * ^J%
1524 * Location on CTAN: /macros/xetex/latex/bidi^J%
1525 * ^J%
1526 * Support: tex.ctan@gmail.com^J%
1527 *****}
1528 \message{\@bidi@info}
1529 \edef\bidi@everyjob{\the\everyjob}
1530 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1531 \input iftex.sty
1532 \RequireXeTeX
1533 \newif\if@RTLmain
1534 \newif\if@RTL
1535 \newif\if@sentrdir
1536 \newif\if@RTL@footnote

```

```

1537 \@RTLmainfalse
1538 \def\setRTLmain{%
1539   \if@RTLmain\else
1540     \if@RTL\@RTLmaintrue%
1541   \else\@RTLmainfalse%
1542   \fi%
1543 \fi%
1544 }
1545 \let\n@xt=\
1546 \protected\def\LRE{\protect\pLRE}%
1547 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1548 \protected\def\RLE{\protect\pRLE}%
1549 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1550 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1551   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1552 \input plain-xetex-bidi.def
1553 \catcode`@=12

```

7.14 bidi2in1.sty

```

1554 \NeedsTeXFormat{LaTeX2e}
1555 \ProvidesPackage{bidi2in1}
1556 \pagestyle{plain}
1557 \newcount\evenpage
1558 \newcount\oddpage
1559 \twocolumn
1560 \def\@oddfoot{\evenpage=\thepage%
1561 \multiply\evenpage by 2%
1562 \oddpage=\the\evenpage%
1563 \advance\oddpage by -1%
1564 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
1565 \def\@evenfoot{\evenpage=\thepage%
1566 \multiply\evenpage by 2%
1567 \oddpage=\the\evenpage%
1568 \advance\oddpage by -1%
1569 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
1570 \textwidth 9.49in
1571 \textheight 6.7in
1572 \columnsep 0.9in
1573 \columnseprule 0.125pt
1574 \headheight 0cm
1575 \topmargin 0in
1576 \marginparwidth 0in
1577 \marginparsep 0in
1578 \hoffset 0.05in % Corrected
1579 \voffset -0.5in % top margin space is 1.0in by default
1580 \oddsidemargin 0in
1581 \evensidemargin 0in
1582 \headsep 0cm
1583 \topskip 0cm

```

```

1584 \parskip 0.15in      %
1585 \headsep 0pt
1586 \special{papersize=11.69in,8.26in}
1587 \renewcommand\maketitle{\par
1588 \begingroup
1589 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1590 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1591 \long\def\@makefntext##1{\parindent 1em\noindent
1592 \hb@xt@1.8em{%
1593 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1594 \@maketitle
1595 \@thanks
1596 \endgroup
1597 \setcounter{footnote}{0}%
1598 \global\let\thanks\relax
1599 \global\let\maketitle\relax
1600 \global\let\@maketitle\relax
1601 \global\let\@thanks\@empty
1602 \global\let\@author\@empty
1603 \global\let\@date\@empty
1604 \global\let\@title\@empty
1605 \global\let\title\relax
1606 \global\let\author\relax
1607 \global\let\date\relax
1608 \global\let\and\relax
1609 }

```

7.15 **bidicode.sty**

```

1610 \NeedsTeXFormat{LaTeX2e}
1611 \ProvidesPackage{bidicode}
1612 \RequirePackage{xcolor}
1613 \RequirePackage{showexpl}
1614 \definecolor{hellgelb}{rgb}{1,1,0.85}
1615 \definecolor{colKeys}{rgb}{0,0,1}
1616 \definecolor{colIdentifier}{rgb}{0,0,0}
1617 \definecolor{colComments}{rgb}{1,0,0}
1618 \definecolor{colString}{rgb}{0,0.5,0}
1619 \lstset{
1620   language=[LaTeX]TEX,
1621   float=hbp,
1622   basicstyle=\ttfamily\small,
1623   identifierstyle=\color{colIdentifier},
1624   keywordstyle=\color{colKeys},
1625   stringstyle=\color{colString},
1626   commentstyle=\color{colComments},
1627   columns=flexible,
1628   tabsize=4,
1629   gobble =1,
1630   extendedchars=true,

```

```

1631     showspaces=false,
1632     showstringspaces=false,
1633     numbers=left,
1634     numbersep=0.9em,
1635     numberstyle=\tiny, %
1636     frame=single,
1637     captionpos=b,
1638     xleftmargin=1em,
1639     breaklines=true,
1640     breakautoindent=false,
1641     breakindent=0pt,
1642     escapeinside=**,
1643     pos=r,
1644     explpreset={%
1645       xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1646     morekeywords={setLTR,setLR,setRTL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1647 }
1648 \newcommand\HLON{%
1649   \gdef\lst@alloverstyle##1{%
1650     \fboxrule=0pt
1651     \fboxsep=0pt
1652     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1653   }%
1654 \newcommand\HLOFF{%
1655   \xdef\lst@alloverstyle##1{##1}%
1656 }
1657 \newcommand\Larg[1]{\normalfont\itshape#1\!/>
1658 \newcommand\Large[1]{$\langle$\Larg{#1}$\rangle$}
1659 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
1660 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
1661 \newcommand\Larga[1]{\lrb\Larg{#1}\rrb}
1662 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}{\begin{lcb}\!#1\!}\rcb{}}
1663 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}{\end{lcb}\!#1\!}\rcb{}}
1664
1665 \DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
1666 \DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`{`}}
1667 \DeclareRobustCommand\rcb{{\normalfont\ttfamily\char``}}
1668 \DeclareRobustCommand\lsb{{\normalfont\ttfamily[}}
1669 \DeclareRobustCommand\rsb{{\normalfont\ttfamily]}}
1670 \DeclareRobustCommand\lrb{{\normalfont\ttfamily()}}
1671 \DeclareRobustCommand\rrb{{\normalfont\ttfamily})}
1672
1673 \def\Lcs#1{\nxLcs{#1}}
1674 \def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
1675 \def\nxLcs#1{\texttt{\symbol{92}\#1}}
1676
1677 \def\Coordx#1{$x_{\#1}$}
1678 \def\Coordy#1{$y_{\#1}$}
1679 \def\Coordz#1{$z_{\#1}$}
1680 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}

```

```

1681 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
1682 \def\CoordIII#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1683 \def\CAAny{\Coordx{},\kern 1pt\Coordy{}}
1684 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
1685 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
1686 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
1687 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1688 \def\coordx#1{($x_{#1}$)}
1689 \def\coordy#1{($y_{#1}$)}
1690 \def\coordz#1{($z_{#1}$)}
1691 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
1692 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
1693
1694 \newsavebox{\boxdef}
1695 \newenvironment{BDef}
1696   {\begin{lrbox}\boxdef
1697     \def\arraystretch{1.0}
1698     \begin{tabular}{@{}l@{}l@{}l@{}}
1699   }
1700   {\end{tabular}\end{lrbox}
1701
1702   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
1703   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1704 }
1705
1706 \newenvironment{BDef*}
1707   {\begin{lrbox}\boxdef
1708     \def\arraystretch{1.0}
1709     \begin{tabular}{@{}l@{}l@{}l@{}}
1710   }
1711   {\end{tabular}\end{lrbox}
1712   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
1713   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1714 }
1715 \newenvironment{BCmd}%
1716   {\begin{parpenalty-}\lowpenalty
1717   \topsep\BDefaboveskip
1718   \fboxsep3pt
1719   \flushleft}
1720   {\end{parpenalty}\@M
1721   \topsepadd\BDefbelowskip
1722   \endflushleft}
1723
1724 \newenvironment{BCmd*}%
1725   {\begin{parpenalty}\@M
1726   \topsep\BDefinlineskip
1727   \fboxsep3pt
1728   \flushleft}
1729   {\end{parpenalty}5000
1730   \endflushleft}

```

```

1731
1732 \newskip\BDefaboveskip
1733 \newskip\BDefbelowskip
1734 \newskip\BDefinlineskip
1735 \setlength\BDefaboveskip{10pt plus 4pt}
1736 \setlength\BDefbelowskip{6pt}
1737 \setlength\BDefinlineskip{6pt}
1738
1739 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
1740 \def\OptArg{\@ifnextchar*\OptArg{i{\OptArg@ii*}}}
1741 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}
1742 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

7.16 **bidiftnxtra.sty**

```

1743 \NeedsTeXFormat{LaTeX2e}
1744 \ProvidesPackage{bidiftnxtra}
1745 \newtoks\bidi@p@ftn
1746 \let\FN@sf@@footnote\footnote
1747 \let\FN@sf@@LTRfootnote\LTRfootnote
1748 \let\FN@sf@@RTLfootnote\RTLfootnote
1749 \def\footnote{\ifx\protect\@typeset@protect
1750     \expandafter\FN@sf@@footnote
1751 \else
1752     \expandafter\FN@sf@gobble@opt
1753 \fi
1754 }
1755 \def\LTRfootnote{\ifx\protect\@typeset@protect
1756     \expandafter\FN@sf@@LTRfootnote
1757 \else
1758     \expandafter\FN@sf@gobble@opt
1759 \fi
1760 }
1761 \def\RTLfootnote{\ifx\protect\@typeset@protect
1762     \expandafter\FN@sf@@RTLfootnote
1763 \else
1764     \expandafter\FN@sf@gobble@opt
1765 \fi
1766 }
1767 \edef\FN@sf@gobble@opt{\noexpand\protect
1768     \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
1769 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
1770     \@ifnextchar[%]
1771         \FN@sf@gobble@twobracket
1772         \gobble
1773 }
1774 \def\FN@sf@gobble@twobracket[#1]#2{}
1775 \let\FN@sf@@footnotemark\footnotemark
1776 \def\footnotemark{\ifx\protect\@typeset@protect
1777     \expandafter\FN@sf@@footnotemark

```

```

1778 \else
1779   \expandafter\FN@sf@gobble@optionly
1780 \fi
1781 }
1782 \edef\FN@sf@gobble@optionly{\noexpand\protect
1783   \expandafter\noexpand\csname FN@sf@gobble@optionly \endcsname}
1784 \expandafter\def\csname FN@sf@gobble@optionly \endcsname{%
1785   @ifnextchar[%]
1786     \FN@sf@gobble@bracket
1787   {}%
1788 }
1789 \def\FN@sf@gobble@bracket[#1]{}
1790 \def\@tabular{\if@RTL\global\@RTLtabtrue\fi
1791   \leavevemode \hbox \bgroup
1792   \let\@footnotetext\bidi@p@ftntext
1793   \let\@LTRfootnotetext\bidi@p@LTRftntext
1794   \let\@RTLfootnotetext\bidi@p@RTLftntext
1795   \let\@xfootnotenext\bidi@p@xftntext
1796   \let\@xfootnote\bidi@p@xfootnote
1797   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
1798   \let\@xLTRfootnote\bidi@p@xLTRfootnote
1799   \let\@xRTLfootnotenext\bidi@p@xRTLftntext
1800   \let\@xRTLfootnote\bidi@p@xRTLfootnote
1801   \if@RTLtab\beginR \fi
1802   \$\let\@acol\@tabacol
1803   \let\@classz\@tabclassz
1804   \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
1805 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
1806   \egroup \$\if@RTLtab\endR\fi\egroup
1807   \ifx\@capttype\undefined
1808     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi%
1809   \global\@RTLtabfalse}
1810 \long\def\bidi@p@ftntext#1{%
1811   \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
1812   \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
1813 \long\def\bidi@p@LTRftntext#1{%
1814   \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
1815   \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
1816 \long\def\bidi@p@RTLftntext#1{%
1817   \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
1818   \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%
1819
1820
1821 \long\def\bidi@p@xftntext[#1]#2{%
1822   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}
1823
1824 \long\def\bidi@p@xLTRftntext[#1]#2{%
1825   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
1826
1827 \long\def\bidi@p@xRTLftntext[#1]#2{%

```

```

1828 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}
1829
1830
1831 \def\bidi@p@xfootnote[#1]{%
1832   \begingroup
1833     \csname c@\@mpfn\endcsname #1\relax
1834     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1835   \endgroup
1836   \footnotemark\bidi@p@xftnttext[#1]}
1837
1838
1839 \def\bidi@p@xLTRfootnote[#1]{%
1840   \begingroup
1841     \csname c@\@mpfn\endcsname #1\relax
1842     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1843   \endgroup
1844   \footnotemark\bidi@p@xLTRftnttext[#1]}
1845
1846
1847 \def\bidi@p@xRTLfootnote[#1]{%
1848   \begingroup
1849     \csname c@\@mpfn\endcsname #1\relax
1850     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1851   \endgroup
1852   \footnotemark\bidi@p@xRTLftnttext[#1]}
1853
1854 \def\xffloat #1[#2]{%
1855   \nodocument
1856   \def \capttype{#1}%
1857   \def \fps{#2}%
1858   \onellevel@sanitize \fps
1859   \def \reserved@b{!}%
1860   \ifx \reserved@b \fps
1861     \fpsadddefault
1862   \else
1863     \ifx \fps \empty
1864       \fpsadddefault
1865     \fi
1866   \fi
1867   \ifhmode
1868     \bsphack
1869     \floatpenalty -\Mii
1870   \else
1871     \floatpenalty-\Miii
1872   \fi
1873   \ifinner
1874     \parmoderr\floatpenalty\z@
1875   \else
1876     \next\currbox\freetlist
1877   \%

```

```

1878     \@tempcnta \sixt@@n
1879     \expandafter \atfor \expandafter \reserved@a
1880         \expandafter :\expandafter =\@fps
1881         \do
1882             {%
1883                 \if \reserved@a h%
1884                     \ifodd \@tempcnta
1885                     \else
1886                         \advance \@tempcnta \one
1887                     \fi
1888                 \fi
1889                 \if \reserved@a t%
1890                     \@setfpsbit \tw@
1891                 \fi
1892                 \if \reserved@a b%
1893                     \@setfpsbit 4%
1894                 \fi
1895                 \if \reserved@a p%
1896                     \@setfpsbit 8%
1897                 \fi
1898                 \if \reserved@a !%
1899                     \ifnum \@tempcnta>15
1900                         \advance\@tempcnta -\sixt@@n\relax
1901                     \fi
1902                 \fi
1903             }%
1904             \@tempcntb \csname ftype@\@capttype \endcsname
1905             \multiply \@tempcntb \xxxii
1906             \advance \@tempcnta \@tempcntb
1907             \global \count\@currbox \@tempcnta
1908         }%
1909         \@fltovf
1910     \fi
1911     \global \setbox\@currbox
1912     \color\vbox
1913         \normalcolor
1914         \vbox \bgroup
1915             \let\footnotetext\bidi@p@ftntext
1916             \let\@LTRfootnotetext\bidi@p@LTRftntext
1917             \let\@RTLfootnotetext\bidi@p@RTLftntext
1918             \let\xfootnotenext\bidi@p\xftntext
1919             \let\xfootnote\bidi@p\xfootnote
1920             \let\xLTRfootnotenext\bidi@p\xLTRftntext
1921             \let\xLTRfootnote\bidi@p\xLTRfootnote
1922             \let\xRTLfootnotenext\bidi@p\xRTLftntext
1923             \let\xRTLfootnote\bidi@p\xRTLfootnote
1924             \hsize\columnwidth
1925             \parboxrestore
1926             \floatboxreset
1927 }

```

```

1928 \def \cendfloatbox{%
1929     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
1930     \minipagefalse
1931     \outer@nobreak
1932     \egroup              %% end of vbox
1933     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
1934     \color@endbox
1935 }

```

7.17 bidi-longtable.sty

```

1936 \ProvidesPackage{bidi-longtable}[2012/12/12 v0.1 typesetting bidi longtables in XeTeX engine
1937 \def\longtable{\if@RTL\@RTLtabtrue\fi%
1938   \par
1939   \ifx\multicols\@undefined
1940   \else
1941     \ifnum\col@number>\@ne
1942       \@twocolumntrue
1943     \fi
1944   \fi
1945   \if@twocolumn
1946     \LT@err{longtable not in 1-column mode}\@ehc
1947   \fi
1948   \begingroup
1949   \ifnextchar[\LT@array{\LT@array[x]}]
1950 \def\endlongtable{%
1951   \crcr
1952   \noalign{%
1953     \let\LT@entry\LT@entry@chop
1954     \xdef\LT@save@row{\LT@save@row}}%
1955     \LT@echunk
1956     \LT@start
1957     \unvbox\z@
1958     \LT@get@widths
1959     \if@files
1960       \let\LT@entry\LT@entry@write\immediate\write\auxout{%
1961         \gdef\expandafter\noexpand
1962           \csname LT@\romannumeral\c@LT@tables\endcsname
1963           {\LT@save@row}}}%
1964     \fi
1965     \ifx\LT@save@row\LT@@save@row
1966     \else
1967       \LT@warn{Column \@width s have changed\MessageBreak
1968                 in table \thetable}%
1969       \LT@final@warn
1970     \fi
1971     \endgraf\penalty -\LT@end@pen
1972     \endgroup
1973     \global\@mparbottom\z@
1974     \pagegoal\vsiz

```

```

1975 \endgraf\penalty\z@\addvspace\LTpost
1976 \ifvoid\footins\else\insert\footins{}\fi\@RTLtabfalse}
1977 \def\LT@output{%
1978   \ifnum\outputpenalty <-\@Mi
1979     \ifnum\outputpenalty > -\LT@end@pen
1980       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
1981   \else
1982     \setbox\z@\vbox{\unvbox\@cclv}%
1983     \ifdim \ht\LT@lastfoot>\ht\LT@foot
1984       \dimen@\pagegoal
1985       \advance\dimen@-\ht\LT@lastfoot
1986       \ifdim\dimen@<\ht\z@
1987         \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
1988         \makecol
1989         \outputpage
1990         \setbox\z@\vbox{\box\LT@head}%
1991       \fi
1992     \fi
1993     \global\@colroom\@colht
1994     \global\vsiz@\@colht
1995     \vbox
1996       {\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@la
1997 \fi
1998 \else
1999   \setbox\@cclv\vbox{\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\@cclv\copy\LT@foot\vss}\if@RTL
2000   \makecol
2001   \outputpage
2002   \global\vsiz@\@colroom
2003   \copy\LT@head\nobreak
2004 \fi}

```

7.18 **bidimoderncv.cls**

```

2005 \NeedsTeXFormat{LaTeX2e}
2006 \ProvidesClass{bidimoderncv}
2007 \newif\if@DEBUG\@DEBUGfalse
2008 \DeclareOption{a4paper}{%
2009   \setlength\paperheight{297mm}
2010   \setlength\paperwidth{210mm}}
2011 \DeclareOption{a5paper}{%
2012   \setlength\paperheight{210mm}
2013   \setlength\paperwidth{148mm}}
2014 \DeclareOption{b5paper}{%
2015   \setlength\paperheight{250mm}
2016   \setlength\paperwidth{176mm}}
2017 \DeclareOption{letterpaper}{%
2018   \setlength\paperheight{11in}
2019   \setlength\paperwidth{8.5in}}
2020 \DeclareOption{legalpaper}{%
2021   \setlength\paperheight{14in}

```

```

2022 \setlength{\paperwidth{8.5in}}
2023 \DeclareOption{executivepaper}{
2024   \setlength{\paperheight{10.5in}}
2025   \setlength{\paperwidth{7.25in}}
2026 \DeclareOption{landscape}{
2027   \setlength{\tempdima{\paperheight}
2028   \setlength{\paperheight{\paperwidth}
2029   \setlength{\paperwidth{\tempdima}}
2030 \newcommand{\ptsize}{}
2031 \DeclareOption{10pt}{\renewcommand{\ptsize{0}}
2032 \DeclareOption{11pt}{\renewcommand{\ptsize{1}}
2033 \DeclareOption{12pt}{\renewcommand{\ptsize{2}}
2034 \DeclareOption{draft}{\setlength{\overfullrule{5pt}}
2035 \DeclareOption{final}{\setlength{\overfullrule{0pt}}
2036 \newif\if@colour\@colourtrue
2037 \DeclareOption{nocolour}{\@colourfalse}
2038 \ExecuteOptions{a4paper,11pt,colour,final}
2039 \ProcessOptions\relax
2040 \input{size1\ptsize.clo}
2041 \RequirePackage{color}
2042 \RequirePackage{graphicx}
2043 \RequirePackage{ifthen}
2044 \RequirePackage{marvosym}
2045 \addtolength{\oddsidemargin}{-54pt}
2046 \addtolength{\textwidth}{109pt}
2047 \addtolength{\topmargin}{-70pt}
2048 \addtolength{\textheight}{122pt}
2049 \addtolength{\marginparsep}{-5pt}
2050 \addtolength{\marginparwidth}{-10pt}
2051 \RequirePackage{url}
2052 \RequirePackage{hyperref}
2053 \hypersetup{%
2054   breaklinks,
2055   baseurl      = http://,%
2056   pdfborder    = 0 0 0,%
2057   pdfpagemode  = UseNone,%
2058   pdfstartpage = 1}
2059 \AtEndOfClass{%
2060   \AtBeginDocument{%
2061     \hypersetup{%
2062       pdffauthor    = \@firstname~\@familyname,%
2063       pdftitle      = \@title,%
2064       pdfsubject    = \@firstname~\@familyname,%
2065       pdfkeywords   = \@resumename~\@firstname~\@familyname}}}
2066 \urlstyle{tt}
2067 \RequirePackage{fancyhdr}
2068 \fancypagestyle{plain}{%
2069   \renewcommand{\headrulewidth{0pt}
2070   \renewcommand{\footrulewidth{0pt}
2071   \fancyhf{}}

```

```

2072 \pagestyle{plain}
2073 \setlength\lineskip{1\p@}
2074 \setlength\normallineskip{1\p@}
2075 \renewcommand\baselinestretch{}
2076 \setlength{\parindent}{0pt}
2077 \setlength{\parskip}{0pt}
2078 \setlength\columnsep{10\p@}
2079 \setlength\columnseprule{0\p@}
2080 \pagestyle{empty}
2081 \pagenumbering{arabic}
2082 \raggedbottom
2083 \onecolumn
2084 \providecommand*{\listitemsymbol}{\textbullet}
2085 \providecommand*{\addresssymbol}{}
2086 \providecommand*{\mobilesymbol}{\Mobilefone}
2087 \providecommand*{\phonesymbol}{\Telefon}
2088 \providecommand*{\faxsymbol}{\FAX}
2089 \providecommand*{\emailsymbol}{\Letter}
2090 \definecolor{firstnamecolor}{rgb}{0,0,0}
2091 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2092 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
2093 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2094 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2095 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2096 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2097 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2098 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2099 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2100 \providecommand*{\firstnamefont}{}
2101 \providecommand*{\familynamefont}{}
2102 \providecommand*{\titlefont}{}
2103 \providecommand*{\addressfont}{}
2104 \providecommand*{\quotefont}{}
2105 \providecommand*{\sectionfont}{}
2106 \providecommand*{\subsectionfont}{}
2107 \providecommand*{\hintfont}{\small}
2108 \providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
2109 \providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
2110 \providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
2111 \providecommand*{\addressstyle}[1]{{\addressfont\@addresscolour#1}}
2112 \providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
2113 \providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
2114 \providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
2115 \providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
2116 \newcommand*{\cvtheme}[2][]{%
2117   \def\@cvtheme{#2}%
2118   \def\@cvthemeoptions{#1}%
2119   \cvtheme{bidi-casual}%
2120 }%AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}%
2121 \newcommand*{\resumename}[1]{\def\@resumename{#1}}%

```

```

2122 \newcommand*{\firstname}[1]{\def\@firstname{#1}}
2123 \newcommand*{\familyname}[1]{\def\@familyname{#1}}
2124 \renewcommand*{\title}[1]{\def\@title{#1}}
2125 \newcommand*{\address}[1]{\def\@address{#1}}
2126 \newcommand*{\mobile}[1]{\def\@mobile{#1}}
2127 \newcommand*{\phone}[1]{\def\@phone{#1}}
2128 \renewcommand*{\fax}[1]{\def\@fax{#1}}
2129 \newcommand*{\email}[1]{\def\@email{#1}}
2130 \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
2131 \def\@photowidth{0pt}
2132 \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
2133 \newcommand*{\quote}[1]{\def\@quote{#1}}
2134 \newlength{\quotewidth}
2135 \newlength{\hintscolumnwidth}
2136 \newlength{\separatorcolumnwidth}
2137 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2138 \newlength{\maincolumnwidth}
2139 \newlength{\doubleitemmaincolumnwidth}
2140 \newlength{\listitemsymbolwidth}
2141 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
2142 \newlength{\listitemmaincolumnwidth}
2143 \newlength{\listdoubleitemmaincolumnwidth}
2144 \newcommand*{\recomputethemelengths}={}
2145 \newcommand*{\recapturelengths}{%
2146 \setlength{\quotewidth}{0.65\textwidth}%
2147 \setlength{\maincolumnwidth}{\textwidth}%
2148 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2149 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2150 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2151 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2152 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2153 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2154 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2155 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2156 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2157 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2158 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2159 \renewcommand{\headwidth}{\textwidth}%
2160 \recomputethemelengths}
2161 \setlength{\hintscolumnwidth}{0.15\textwidth}
2162 \recapturelengths
2163 \title{}
2164 \renewcommand*{\maketitle} {}
2165 \newcommand*{\section}[1]{%
2166 \vspace*{2.5ex \oplus 1ex \ominus .2ex}%
2167 \phantomsection{}%
2168 \addcontentsline{toc}{part}{#1}%
2169 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}#1}}%
2170 \hspace{\separatorcolumnwidth}%
2171 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}

```

```

2172 \newcommand*{\subsection}[1]{%
2173   \cvline[0.45em]{}{\subsectionstyle{#1}}%
2174 \newcommand*{\cvline}[3][.25em]{%
2175   \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}#1}
2176     \bidi@raggedleft\hintfont{#2} &{#3}%
2177   \end{tabular}\\\[#1]}
2178 \newcommand*{\cvdoubleitem}[4]{%
2179   \cvline[#1]{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2180   \hfill%
2181   \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\separatorcolumnwidth}%
2182 \newcommand*{\cvlistitem}[2][\listitemsymbol]{%
2183   \cvline[Opt]{}{\#1`\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}%
2184 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{%
2185   \cvline[Opt]{}{\#1`\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
2186   \hfill%
2187   \ifthenelse{\equal{#3}{}}{%
2188     {}%
2189     {\#1`\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
2190 \newcommand*{\cventry}[6]{%
2191   \cvline{\#1}{%
2192     {\bfseries#2}%
2193     \ifx#3\else{, \slshape#3}\fi%
2194     \ifx#4\else{, #4}\fi%
2195     \ifx#5\else{, #5}\fi%
2196     .%
2197     \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi%
2198   }%
2199 \newcommand*{\cvlanguage}[3]{%
2200   \cvline{\#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}#3\end{minipage}}%
2201 \newcommand*{\cvcomputer}[4]{%
2202   \cvdoubleitem{\#1}{\small#2}{\#3}{\small#4}}
2203 \newcommand*{\link}[2][]{%
2204   \ifthenelse{\equal{#1}{}}{%
2205     {\ href{\#2}{#2}}%
2206     {\ href{\#2}{#1}}}
2207 \newcommand*{\httplink}[2][]{%
2208   \ifthenelse{\equal{#1}{}}{%
2209     {\ href{http://\#2}{#2}}%
2210     {\ href{http://\#2}{#1}}}}
2211 \newcommand*{\emaillink}[2][]{%
2212   \ifthenelse{\equal{#1}{}}{%
2213     {\ href{mailto:\#2}{#2}}%
2214     {\ href{mailto:\#2}{#1}}}}
2215 \newif\if@displaypagenumbers@\displaypagenumberstrue
2216 \newcommand*{\nopagenumbers}{\displaypagenumbersfalse}
2217 \AtBeginDocument{%
2218   \if@displaypagenumbers%
2219     \@ifundefined{r@lastpage}{}{%
2220       \ifthenelse{\pageref{lastpage} > 1}{%
2221         \fancypagestyle{plain}}%

```

```

2222      \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\page
2223      \pagestyle{plain}}{}}
2224  \AtEndDocument{\label{lastpage}}%
2225  \fi}
2226 \newlength{\bibindent}
2227 \setlength{\bibindent}{1.5em}
2228 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2229 \newenvironment{thebibliography}[1]%
2230 {%
2231   \section{\refname}%
2232   \small%
2233   \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
2234   \begin{list}{\bibliographyitemlabel}%
2235   {%
2236     \setlength{\topsep}{0pt}%
2237     \setlength{\labelwidth}{\hintscolumnwidth}%
2238     \setlength{\labelsep}{\separatorcolumnwidth}%
2239     \leftmargin\labelwidth%
2240     \advance\leftmargin\labelsep%
2241     \openbib@code%
2242     \usecounter{enumiv}%
2243     \let\p@enumiv\empty%
2244     \renewcommand{\theenumiv}{\@arabic\c@enumiv}%
2245     \sloppy\clubpenalty4000\widowpenalty4000%
2246   }%
2247   {%
2248     \def\@noitemerr{\@latex@warning{Empty ‘thebibliography’ environment}}%
2249     \end{list}%
2250   }
2251 \newcommand\newblock{\hspace{.11em}\@plus.33em\@minus.07em}
2252 \let\openbib@code\empty

```

7.19 **biditools.sty**

```

2253 \NeedsTeXFormat{LaTeX2e}
2254 \ProvidesPackage{biditools}[2013/04/10 v0.2 Programming tools for bidi package]
2255 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\relax
2256   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2257   \ifx\@tempa\@tempb \global\let#2\@tempa%
2258   \else
2259     \edef\@tempb{\meaning#2}%
2260     \ifx\@tempa\@tempb
2261     \else
2262       \@latex@error{Unable to properly define \string#2; primitive
2263       \noexpand#1 no longer primitive}\@eha
2264     \fi
2265   \fi
2266 \endgroup}
2267 \def\@tagsextension{clo}
2268 \def\@definitionfileextension{def}

```

```

2269 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2270 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2271 \def\eqnewif#1#2{%
2272   \count@\escapechar \escapechar\m@ne
2273   \let#1\iffalse
2274   \let#2\iffalse
2275   \eq@if#1#2\iftrue
2276   \eq@if#1#2\iffalse
2277   \escapechar\count@}
2278 \def\eq@if#1#2#3{%
2279   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2280           \expandafter\@gobbletwo\string#3\endcsname
2281           {\let#1#3%
2282           \let#2#3%}
2283   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2284           \expandafter\@gobbletwo\string#3\endcsname
2285           {\let#2#3%
2286           \let#1#3}}
2287 \newcommand*{\if@bidi@csdef}[1]{%
2288   \ifcsname#1\endcsname
2289     \expandafter\@firstoftwo
2290   \else
2291     \expandafter\@secondoftwo
2292   \fi}
2293 \newcommand*{\if@bidi@csundef}[1]{%
2294   \ifcsname#1\endcsname
2295     \expandafter\ifx\csname#1\endcsname\relax
2296       \expandafter\expandafter
2297       \expandafter\@firstoftwo
2298     \else
2299       \expandafter\expandafter
2300       \expandafter\@secondoftwo
2301     \fi
2302   \else
2303     \expandafter\@firstoftwo
2304   \fi}
2305 \newcommand{\if@bidi@def}[1]{%
2306   \ifdefined#1%
2307     \expandafter\@firstoftwo
2308   \else
2309     \expandafter\@secondoftwo
2310   \fi}
2311 \newcommand{\if@bidi@undef}[1]{%
2312   \ifdefined#1%
2313     \ifx#1\relax
2314       \expandafter\expandafter
2315       \expandafter\@firstoftwo
2316     \else
2317       \expandafter\expandafter
2318       \expandafter\@secondoftwo

```

```

2319     \fi
2320   \else
2321     \expandafter\@firstoftwo
2322   \fi}
2323 \newcommand{\if@bidi@blank}[1]{% from url.sty
2324   \bidi@ifblank{i#1&&\@secondoftwo\@firstoftwo:}
2325 \long\def\bidi@ifblank{i#1#2#3#4#5:{#4}}
2326 \newcommand{\bidi@notblank}[1]{%
2327   \bidi@ifblank{i#1&&\@firstoftwo\@secondoftwo:}
2328 \newcommand{\if@bidi@defmacro}{}
2329 \long\edef\if@bidi@defmacro#1{%
2330   \noexpand\expandafter\noexpand\bidi@ifdefmacro
2331   \noexpand\meaning#1\detokenize{macro}:&}
2332 \edef\bidi@ifdefmacro{%
2333   \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
2334 \bidi@ifdefmacro{\bidi@notblank{#2}}
2335 \newcommand*\if@bidi@csmacro[1]{%
2336   \if@bidi@csdef{#1}
2337     {\expandafter\if@bidi@defmacro\csname#1\endcsname}
2338     {\@secondoftwo}
2339 \newcommand{\if@bidi@defprimitive}[1]{%
2340   \ifprimitive#1%
2341     \expandafter\@firstoftwo
2342   \else
2343     \expandafter\@secondoftwo
2344   \fi}
2345 \newcommand{\if@bidi@csprimitive}[1]{%
2346   \begingroup\expandafter\expandafter\expandafter\endgroup%
2347   \expandafter\ifprimitive\csname#1\endcsname%
2348   \expandafter\@firstoftwo
2349   \else
2350     \expandafter\@secondoftwo
2351   \fi}
2352 \newcommand*\bidi@csdefcs[2]{%
2353 \expandafter\@ifdefinable \csname#1\endcsname{%
2354 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
2355 \newcommand*\bidi@csletcs[2]{%
2356 \expandafter\@ifdefinable \csname#1\endcsname{%
2357 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
2358 \newcommand*\bidi@cslet[2]{%
2359 \expandafter\@ifdefinable \csname#1\endcsname{%
2360 \expandafter\let\csname#1\endcsname#2}}
2361 \newcommand{\bidi@namelongdef}[1]{%
2362   \long\expandafter\def\csname #1\endcsname}
2363 \def\bidi@ensure@newcommand{\star@or@long\bidi@ensure@new@command}
2364 \def\bidi@ensure@new@command#1{%
2365   \begingroup \escapechar\m@ne\xdef\gtempa{\{string#1}\}\endgroup
2366   \expandafter\if@bidi@csundef\@gtempa
2367     {\new@command#1}\relax%
2368   \let\@ifdefinable\rc@ifdefinable%

```

```

2369   \new@command#1}}
2370 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}
2371
2372 \protected\def\bidi@error{\PackageError{bidi}}
2373 \protected\def\bidi@warning{\PackageWarning{bidi}}
2374 \protected\def\bidi@info{\PackageInfo{bidi}}
2375
2376 \newcommand*\bidi@newrobustcmd(){}
2377 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
2378
2379 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2380
2381 \def\bidi@newcommand#1[#2]{%
2382   \@ifnextchar[%]
2383     {\bidi@xargdef#1[#2]}
2384     {\ifx\l@ngrel@x\relax
2385      \let\l@ngrel@x\protected
2386    \else
2387      \protected\def\l@ngrel@x{\protected\long}%
2388    \fi
2389   \cargdef#1[#2]}}
2390
2391 \long\def\bidi@xargdef#1[#2] [#3]#4{%
2392   \@ifdefinable#1{%
2393     \expandafter\protected
2394     \expandafter\def
2395     \expandafter#1%
2396     \expandafter{%
2397       \expandafter\@testopt
2398       \csname\string#1\endcsname{#3}}%
2399     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2400
2401 \bidi@newrobustcmd*\bidi@renewrobustcmd{\@star@or@long\bidi@renew@command}
2402
2403 \def\bidi@renew@command#1{%
2404   \if@bidi@undef{#1}
2405     {\bidi@error{\string#1 undefined}\@ehc}
2406   {}%
2407   \let\@ifdefinable\@rc@ifdefinable
2408   \bidi@new@command#1}
2409
2410
2411
2412 \bidi@newrobustcmd*\bidi@providerobustcmd{\@star@or@long\bidi@provide@command}
2413
2414 \def\bidi@provide@command#1{%
2415   \if@bidi@undef{#1}
2416     {\def\reserved@a{\bidi@new@command#1}}
2417     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2418   \reserved@a}

```

```

2419
2420 \newcommand*{\bidi@csuse}[1]{%
2421   \ifcsname#1\endcsname
2422     \csname#1\expandafter\endcsname
2423   \fi}
2424
2425 \newcommand{\bidi@expandonce}[1]{%
2426   \unexpanded\expandafter{#1}}
2427
2428 \def\bidi@protected{%
2429   \let\@@protect\protect
2430   \let\protect\@unexpandable@protect
2431   \afterassignment\restore@protect}
2432
2433 \bidi@newrobustcmd{\bidi@appto}[2]{%
2434   \if@bidi@undef{#1}
2435     {\edef#1{\unexpanded{#2}}}
2436     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2437 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2438   \if@bidi@undef{#1}
2439     {\edef#1{#2}}
2440     {\edef#1{\bidi@expandonce#1#2}}}
2441 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2442   \if@bidi@undef{#1}
2443     {\xdef#1{\unexpanded{#2}}}
2444     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2445 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2446   \if@bidi@undef{#1}
2447     {\xdef#1{#2}}
2448     {\xdef#1{\bidi@expandonce#1#2}}}
2449
2450 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2451 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2452
2453
2454
2455 \bidi@newrobustcmd{\bidi@preto}[2]{%
2456   \if@bidi@undef{#1}
2457     {\edef#1{\unexpanded{#2}}}
2458     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2459 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2460   \if@bidi@undef{#1}
2461     {\edef#1{#2}}
2462     {\edef#1{#2\bidi@expandonce#1}}}
2463 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2464   \if@bidi@undef{#1}
2465     {\xdef#1{\unexpanded{#2}}}
2466     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2467 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2468   \if@bidi@undef{#1}

```

```

2469      {\xdef#1{\#2}}
2470      {\xdef#1{\#2\bidi@expandonce#1}}}
2471
2472 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
2473 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
2474
2475
2476
2477 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2478 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2479 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
2480 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2481 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
2482 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
2483
2484
2485
2486 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
2487 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2488 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2489 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2490 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
2491 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
2492
2493
2494
2495 \bidi@newrobustcmd{\if@bidi@patchable}{%
2496   \bidi@dbg@trce\if@bidi@patchable
2497   \begingroup
2498   \makeother\#%
2499   \cifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2500
2501 \long\def\bidi@ifpatchable#1#2{%
2502   \endgroup
2503   \bidi@dbg@init#1%
2504   \if@bidi@undef{#1}
2505     {\bidi@dbg@fail{def}\@secondoftwo}
2506     {\bidi@dbg@info{def}%
2507       \if@bidi@defmacro{#1}
2508         {\bidi@dbg@info{mac}%
2509           \bidi@ifscanable{#1}
2510             {\bidi@ifhashcheck{#2}
2511               {\bidi@dbg@info{tok}%
2512                 \bidi@ifpattern{#1}{#2}
2513                   {\bidi@dbg@info{pat}%
2514                     \bidi@dbg@info{pos}\@firstoftwo}
2515                     {\bidi@dbg@fail{pat}\@secondoftwo}%
2516                     {\bidi@dbg@fail{hsh}\@secondoftwo}%
2517                     {\bidi@dbg@fail{tok}\@secondoftwo}%
2518                     {\bidi@dbg@fail{mac}\@secondoftwo}}}}}
```

```

2519
2520 \long\def\bidi@ifpatchable@i#1{%
2521   \endgroup
2522   \bidi@dbg@init#1%
2523   \if@bidi@undef{#1}
2524     {\bidi@dbg@fail{def}\@secondoftwo}
2525     {\bidi@dbg@info{def}\%
2526      \if@bidi@defmacro{#1}
2527        {\bidi@dbg@info{mac}\%
2528         \if@bidi@defparam{#1}
2529           {\bidi@dbg@info{prm}\%
2530             \bidi@ifscanable{#1}
2531               {\bidi@dbg@info{tok}\%
2532                 \bidi@dbg@info{pos}\@firstoftwo}
2533                 {\bidi@dbg@fail{tok}\@secondoftwo}}
2534             {\bidi@dbg@info{prl}\%
2535               \if@bidi@defprotected{#1}
2536                 {\bidi@dbg@info{pro}\%
2537                   {}%
2538                   \bidi@dbg@info{pos}\@firstoftwo}}
2539                 {\bidi@dbg@fail{mac}\@secondoftwo}}}
2540
2541 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2542   \bidi@dbg@trce\bidi@patchcmd
2543   \begingroup
2544   \makeother\#%
2545   \bidi@@patchcmd}
2546
2547 \newcommand{\bidi@@patchcmd}[4] [#####1]{%
2548   \bidi@ifpatchable#2{#3}
2549   {\bidi@dbg@succ{ret}\%
2550     \begingroup
2551     \edef\bidi@resrvda{%
2552       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
2553         #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2554         \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
2555           ####1\detokenize{#4}####2}%
2556         \edef\noexpand\bidi@resrvda{%
2557           \noexpand\bidi@resrvda\meaning#2&}}%
2558         \bidi@resrvda
2559         \bidi@patchcmd@scantoks\bidi@resrvda
2560         \let#2\bidi@resrvda
2561         \bidi@undef\bidi@resrvda
2562         \@firstoftwo
2563         {\@\secondoftwo}}}
2564
2565 \def\bidi@patchcmd@scantoks#1{%
2566   \edef\bidi@resrvda{\endgroup
2567   \unexpanded{\makeatletter\scantokens}{#1}%
2568   \catcode\number`@=\the\catcode`\@relax}%

```

```

2569   \bidi@resrvda}
2570
2571 \newcommand\bidi@isloaded[2][]{%
2572   \expandafter\ifx\csname if@\bidi@#2loaded@\endcsname\relax
2573     \expandafter\newif\csname if@\bidi@#2loaded@\endcsname
2574   \fi
2575   \@ifpackageloaded{#2}%
2576   {\csname @bidi@#2loaded@true\endcsname #1}
2577   {\csname @bidi@#2loaded@false\endcsname}}
2578
2579 \protected\def\bidi@ifscanable#1{%
2580   \begingroup
2581   \edef\bidi@resrvda{%
2582     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2583       ####1\def\string\bidi@resrvda####2{####3}}%
2584     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
2585   \bidi@resrvda
2586   \makeatletter
2587   \scantokens\expandafter{\bidi@resrvda}%
2588   \expandafter\endgroup\ifx#1\bidi@resrvda
2589     \expandafter\@firstoftwo
2590   \else
2591     \expandafter\@secondoftwo
2592   \fi}
2593
2594
2595 \protected\long\def\bidi@ifhashcheck#1{%
2596   \begingroup
2597   \edef\bidi@resrvda{\detokenize{#1}}%
2598   \expandafter\endgroup
2599   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
2600
2601 \edef\bidi@ifhashcheck@i#1&{%
2602   \noexpand\expandafter
2603   \noexpand\bidi@ifhashcheck@ii
2604   \noexpand\strip@prefix#1\string#\string##&}
2605
2606 \edef\bidi@ifhashcheck@ii{%
2607   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string##2&{%
2608     \bidi@ifhashcheck@ii{\if@bidi@blank{##2}}}}
2609
2610
2611 \protected\long\def\bidi@ifpattern#1#2{%
2612   \begingroup
2613   \edef\bidi@resrvda{%
2614     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
2615       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
2616     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
2617       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
2618   \noexpand\bidi@resrvda}

```

```

2619   \bidi@resrvda\@secondoftwo\@firstoftwo}
2620
2621
2622 \newcommand{\if@bidi@defparam}{}
2623 \long\edef\if@bidi@defparam#1{%
2624   \noexpand\expandafter\noexpand\bidi@ifdefparam
2625   \noexpand\meaning#1\detokenize{macro}:->&}
2626 \edef\bidi@ifdefparam{%
2627   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
2628 \bidi@ifdefparam{\bidi@notblank{#2}}
2629
2630
2631 \newcommand{\if@bidi@defprotected}{}
2632 \long\edef\if@bidi@defprotected#1{%
2633   \noexpand\expandafter\noexpand\bidi@ifdefprotected
2634   \noexpand\meaning#1\string\protected&}
2635 \edef\bidi@ifdefprotected{%
2636   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
2637 \bidi@ifdefprotected{\bidi@notblank{#2}}
2638
2639
2640 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
2641
2642 \let\bidi@dbg@trce\gobble
2643 \let\bidi@dbg@init\gobble
2644 \let\bidi@dbg@info\gobble
2645 \let\bidi@dbg@succ\gobble
2646 \let\bidi@dbg@fail\gobble
2647
2648
2649
2650 \bidi@newrobustcmd*{\bidi@apptocmd}{%
2651   \bidi@dbg@trce\bidi@apptocmd
2652   \begingroup
2653   \makeother\#%
2654   \bidi@hooktocmd\bidi@append}
2655
2656
2657
2658 \bidi@newrobustcmd*{\bidi@pretocmd}{%
2659   \bidi@dbg@trce\bidi@pretocmd
2660   \begingroup
2661   \makeother\#%
2662   \bidi@hooktocmd\bidi@prepend}
2663
2664 \long\def\bidi@hooktocmd#1#2#3{%
2665   \endgroup
2666   \bidi@dbg@init#2%
2667   \if@bidi@undef{#2}
2668     {\bidi@dbg@fail{def}}\@secondoftwo}

```

```

2669      {\bidi@dbg@info{def}%
2670      \if@bidi@defmacro{#2}%
2671          {\bidi@dbg@info{mac}%
2672              \if@bidi@defparam{#2}%
2673                  {\bidi@dbg@info{prm}%
2674                      \bidi@ifscanable{#2}%
2675                          {\bidi@ifhashcheck{#3}%
2676                              {\bidi@dbg@info{tok}%
2677                                  \bidi@dbg@succ{ret}%
2678                                  \bidi@hooktocmd@i#1#2{#3}%
2679                                  \o@firstoftwo}%
2680                              {\bidi@dbg@fail{hsh}\o@secondoftwo}}%
2681                          {\bidi@dbg@fail{tok}\o@secondoftwo}}%
2682                      {\bidi@dbg@info{prl}%
2683                          \if@bidi@defprotected{#2}%
2684                              {\bidi@dbg@info{pro}%
2685                                  \bidi@dbg@succ{red}%
2686                                  \protected}%
2687                              {\bidi@dbg@succ{red}%
2688                                  \edef#2{\#1{\bidi@expandonce#2}{\unexpanded{#3}}}}%
2689                                  \o@firstoftwo}}%
2690                      {\bidi@dbg@fail{mac}\o@secondoftwo}}}}%
2691
2692 \long\def\bidi@hooktocmd@i#1#2#3{%
2693     \begingroup
2694     \edef\bidi@resrvda{%
2695         \def\noexpand\bidi@resrvda####1{\detokenize{macro}:####2->####3&{%
2696             ####1\def\string\bidi@resrvda\space####2{\#1{####3}{\detokenize{#3}}}}}}%
2697     \edef\noexpand\bidi@resrvda{%
2698         \noexpand\bidi@resrvda\meaning#2&}}%
2699     \bidi@resrvda
2700     \bidi@patchcmd@scantoks\bidi@resrvda
2701     \let#2\bidi@resrvda
2702     \bidi@undef\bidi@resrvda}
2703
2704 \long\def\bidi@append#1#2{#1#2}
2705 \long\def\bidi@prepend#1#2{#2#1}
2706
2707 \bidi@newrobustcmd*\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
2708 \newcommand*\bidi@endpreamblehook{}}
2709
2710 \bidi@preto\document{%
2711     \endgroup
2712     \let\bidi@AtEndPreamble\o@firstofone
2713     \bidi@endpreamblehook
2714     \protected\def\bidi@AtEndPreamble{\o@notprerr\o@gobble}%
2715     \bidi@undef\bidi@endpreamblehook
2716     \begingroup}
2717
2718 \bidi@newrobustcmd*\bidi@AfterPreamble}{\AtBeginDocument}

```

```

2719 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
2720
2721 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
2722 \newcommand*{\bidi@afterendpreamblehook}{}%
2723
2724 \bidi@appto\document{%
2725   \let\bidi@AfterEndPreamble\@firstofone
2726   \bidi@afterendpreamblehook
2727   \protected\def\bidi@AfterEndPreamble{\notprerr@gobble}%
2728   \bidi@undef\bidi@afterendpreamblehook
2729   \ignorespaces}
2730
2731 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
2732
2733 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
2734 \newcommand*{\bidi@afterenddocumenthook}{}%
2735
2736 \bidi@patchcmd\enddocument
2737   {\deadcycles}
2738   {\let\bidi@AfterEndDocument\@firstofone
2739     \bidi@afterenddocumenthook
2740     \deadcycles}
2741   {}
2742   {\let\bidi@@end\@@end
2743     \def\@@end{%
2744       \let\bidi@AfterEndDocument\@firstofone
2745       \bidi@afterenddocumenthook
2746       \bidi@@end}}
2747
2748 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
2749   \bidi@csgappto{@begin@#1@hook}}
2750
2751 \bidi@patchcmd\begin
2752   {\csname #1\endcsname}
2753   {\bidi@csuse{@begin@#1@hook}%
2754     \csname #1\endcsname}
2755   {}
2756   {\bidi@warning{%
2757     Patching '\string\begin' failed!\MessageBreak
2758     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}}
2759
2760
2761
2762 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
2763   \bidi@csgappto{@end@#1@hook}}
2764
2765 \bidi@patchcmd\end
2766   {\csname end#1\endcsname}
2767   {\bidi@csuse{@end@#1@hook}%
2768     \csname end#1\endcsname}

```

```

2769  {}
2770  {\bidi@warning{%
2771    Patching '\string\end' failed!\MessageBreak
2772    '\string\bidi@AtEndEnvironment' will not work\@gobble}}
2773
2774
2775
2776 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
2777   \bidi@csgappto{@beforebegin@#1@hook}}
2778
2779 \bidi@pretocmd\begin
2780   {\bidi@csuse{@beforebegin@#1@hook}}
2781   {}
2782   {\bidi@warning{%
2783     Patching '\string\begin' failed!\MessageBreak
2784     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}
2785
2786
2787
2788 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
2789   \bidi@csgappto{@afterend@#1@hook}}
2790
2791 \bidi@patchcmd\end
2792   {\if@ignore}
2793   {\bidi@csuse{@afterend@#1@hook}%
2794   \if@ignore}
2795   {}
2796   {\bidi@warning{%
2797     Patching '\string\end' failed!\MessageBreak
2798     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}

```

7.20 **buditufefloat.sty**

```

2799 \NeedsTeXFormat{LaTeX2e}
2800 \ProvidesPackage{biditufefloat}[2011/06/14 v0.1
2801 bidi implementation of tufte float]
2802 \RequirePackage{xifthen}
2803 \newcommand{\@biditufefloat@pkgname}{biditufefloat}
2804 \newcommand{\biditufefloatError}[2]{\PackageError{\@biditufefloat@pkgname}{#1}{#2}}
2805 \newcommand{\biditufefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@biditufefloat@debug}}{\@biditufefloat@infoNL}{#1}}
2806 \newcommand{\biditufefloatInfoNL}[1]{\PackageInfo{\@biditufefloat@pkgname}{#1\@gobble}}
2807 \newboolean{@biditufefloat@RTLgeometry}
2808 \setboolean{@biditufefloat@RTLgeometry}{true}
2809 \DeclareOption{RTLgeometry}{\setboolean{@biditufefloat@RTLgeometry}{true}}
2810 \DeclareOption{LTRgeometry}{\setboolean{@biditufefloat@RTLgeometry}{false}}
2811 \newboolean{@biditufefloat@afourpaper}
2812 \DeclareOption{a4paper}{\setboolean{@biditufefloat@afourpaper}{true}}
2813 \newboolean{@biditufefloat@bfivepaper}
2814 \DeclareOption{b5paper}{\setboolean{@biditufefloat@bfivepaper}{true}}
2815 \newboolean{@biditufefloat@symmetric}

```

```

2816 \newboolean{@bidituftefloat@twoside}
2817 \DeclareOption{twoside}{%
2818   \twosidetrue \mparswitchtrue%
2819   \setboolean{@bidituftefloat@twoside}{true}%
2820   \setboolean{@bidituftefloat@symmetric}{true}%
2821 }
2822 \DeclareOption{oneside}{%
2823   \twosidefalse \mparswitchfalse%
2824   \setboolean{@bidituftefloat@twoside}{false}%
2825   \setboolean{@bidituftefloat@symmetric}{false}%
2826 }
2827 \@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
2828 \newboolean{@bidituftefloat@debug}
2829 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect}
2830 \ProcessOptions
2831 %% Globally sets the length
2832 \newcommand*{\gsetlength}[2]{%
2833   \setlength{\#1}{\#2}%
2834   \global\#1=\#1\relax%
2835 }
2836 %% Globally sets a boolean
2837 \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
2838   \lowercase{\def\tempa{\#2}}%
2839   \c@ifundefined{\tempa\tempa}%
2840     {\PackageError{ifthen}{You can only set a boolean to 'true' or 'false'}\@ehc}%
2841   \c@ifdefined{\#1\tempa}%
2842     {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
2843   {\global\csname\tempa\endcsname}%
2844 }%
2845 }
2846 %% Set the font sizes and baselines to match bidituftefloat's books
2847 \renewcommand\normalsize{%
2848   \setfontsize\normalsize\xpt{14}%
2849   \abovedisplayskip 10\p@ \plus2\p@ \minus5\p@
2850   \abovedisplayshortskip \z@ \plus3\p@
2851   \belowdisplayshortskip 6\p@ \plus3\p@ \minus3\p@
2852   \belowdisplayskip \abovedisplayskip
2853   \let\listi\listI}
2854 \normalbaselineskip=14pt
2855 \normalsize
2856 \renewcommand\footnotesize{%
2857   \setfontsize\footnotesize\viippt{10}%
2858   \abovedisplayskip 6\p@ \plus2\p@ \minus4\p@
2859   \abovedisplayshortskip \z@ \plus\p@
2860   \belowdisplayshortskip 3\p@ \plus\p@ \minus2\p@
2861   \def\listi{\leftmargin\leftmargini
2862             \topsep 3\p@ \plus\p@ \minus\p@
2863             \parsep 2\p@ \plus\p@ \minus\p@
2864             \itemsep \parsep}%
2865   \belowdisplayskip \abovedisplayskip

```

```

2866 }
2867 %% Paragraph indentation and separation for marginal text
2868 \newcommand{\@bidituftefloat@margin@par}{%
2869   \setlength{\RaggedRightParindent}{0.5pc}%
2870   \setlength{\JustifyingParindent}{0.5pc}%
2871   \setlength{\parindent}{0.5pc}%
2872   \setlength{\parskip}{0pt}%
2873 }
2874 \RequirePackage{ragged2e}
2875 \ifthenelse{\boolean{@bidituftefloat@RTLgeometry}}{%
2876   \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginparwidth=107mm]{geometry}
2877   \ifthenelse{\boolean{@bidituftefloat@afourpaper}}{%
2878     {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginparwidth=102.66mm}}
2879     {}
2880   \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}{%
2881     {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm, marginparwidth=102.66mm}}
2882     {}
2883   \RequirePackage[letterpaper, left=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginparwidth=107mm]{geometry}
2884   \ifthenelse{\boolean{@bidituftefloat@afourpaper}}{%
2885     {\geometry{a4paper, left=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginparwidth=102.66mm}}
2886     {}
2887   \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}{%
2888     {\geometry{paperwidth=176mm,paperheight=250mm, left=14.66mm,top=13.88mm, textwidth=102.66mm, marginparwidth=102.66mm}}
2889     {}
2890   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
2891     {}
2892     {\geometry{asymmetric}}% forces internal LaTeX 'twoside'
2893   \setlength\marginparpush{10pt}
2894 %% Font for margin items
2895 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
2896 \newcommand*\@bidituftefloat@caption@font{\@bidituftefloat@marginfont}
2897 \newcommand*\@setcaptionfont[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
2898 \newcommand{\@bidituftefloat@justification}{\justifying}
2899 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
2900 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
2901 \newboolean{@bidituftefloat@changepage}
2902 \IfFileExists{changepage.sty}{%
2903   \bidituftefloatDebugInfoNL{Found changepage.sty}
2904   \RequirePackage[strict]{changepage}
2905   \setboolean{@bidituftefloat@changepage}{true}
2906 }{%
2907   \bidituftefloatDebugInfoNL{Found chngpage.sty}
2908   \RequirePackage[strict]{chngpage}
2909   \setboolean{@bidituftefloat@changepage}{false}
2910 }
2911 \newboolean{@bidituftefloat@odd@page}
2912 \setboolean{@bidituftefloat@odd@page}{true}
2913 \newcommand*\@bidituftefloat@checkoddpage{%
2914   \checkoddpage%
2915   \ifthenelse{\boolean{@bidituftefloat@changepage}}{%

```

```

2916     \ifoddpage%
2917         \setboolean{@biditufefloat@odd@page}{true}%
2918     \else%
2919         \setboolean{@biditufefloat@odd@page}{false}%
2920     \fi%
2921 }{%
2922     \ifcoddpage%
2923         \setboolean{@biditufefloat@odd@page}{true}%
2924     \else%
2925         \setboolean{@biditufefloat@odd@page}{false}%
2926     \fi%
2927 }%
2928 }
2929 \newlength{\@biditufefloat@overhang}%
2930 \newlength{\@biditufefloat@fullwidth}
2931 \newlength{\@biditufefloat@caption@fill}
2932 \newcommand{\biditufefloatRecalculate}{%
2933     \setlength{\@biditufefloat@overhang}{\marginparwidth}
2934     \addtolength{\@biditufefloat@overhang}{\marginparsep}
2935     \setlength{\@biditufefloat@fullwidth}{\textwidth}
2936     \addtolength{\@biditufefloat@fullwidth}{\marginparsep}
2937     \addtolength{\@biditufefloat@fullwidth}{\marginparwidth}
2938
2939     \setlength{\@biditufefloat@caption@fill}{\textwidth}
2940     \addtolength{\@biditufefloat@caption@fill}{\marginparsep}
2941 }
2942 }
2943 \AtBeginDocument{\biditufefloatRecalculate}
2944 \RequirePackage{optparams}%
2945 \RequirePackage{placeins}
2946 \newsavebox{\@biditufefloat@margin@floatbox}
2947 \newenvironment{\@biditufefloat@margin@float}[2][-1.2ex]%
2948     {\FloatBarrier% process all floats before this point so the figure/table numbers stay in one place
2949     \begin{lrbox}{\@biditufefloat@margin@floatbox}%
2950     \begin{minipage}{\marginparwidth}%
2951         \biditufefloat@caption@font%
2952         \def\@captype{#2}%
2953         \hbox{}\vspace*{#1}%
2954         \biditufefloat@caption@justification%
2955         \biditufefloat@margin@par%
2956         \noindent%
2957     }%
2958     \end{minipage}%
2959     \end{lrbox}%
2960     \marginpar{\usebox{\@biditufefloat@margin@floatbox}}%
2961 }
2962 \newenvironment{marginfigure}[1][-1.2ex]%
2963     {\begin{\@biditufefloat@margin@float}[\#1]{figure}}%
2964     {\end{\@biditufefloat@margin@float}}%
2965 \newenvironment{margintable}[1][-1.2ex]%

```

```

2966  {\begin{@bidituftefloat@margin@float}[#1]{table}}
2967  {\end{@bidituftefloat@margin@float}}
2968 \newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%
2969
2970 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float
2971 \newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
2972  \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}
2973  {\def{@bidituftefloat@float@debug@info}{#1}}%
2974  {\gaddtomacro{@bidituftefloat@float@debug@info}{\MessageBreak#1}}%
2975 }
2976 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
2977 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug}
2978 \newboolean{@bidituftefloat@float@recto}
2979 \newcommand{\forcerectofloat}{\gsetboolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug}
2980 \newcommand{\forceversofloat}{\gsetboolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug}
2981 \newsavebox{\@bidituftefloat@figure@box}
2982 \newsavebox{\@bidituftefloat@caption@box}
2983 \let{@bidituftefloat@orig@float}{\float}
2984 \let{@bidituftefloat@orig@endfloat}{\end@float}
2985 \newlength{\@bidituftefloat@caption@vertical@offset}
2986 \setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
2987 \newcommand{\@bidituftefloat@stored@shortcaption}{}%
2988 \newcommand{\@bidituftefloat@stored@caption}{}%
2989 \newcommand{\@bidituftefloat@stored@label}{}%
2990 \long\def{@bidituftefloat@caption}[#1][#2]#3{%
2991  \ifthenelse{\isempty{#1}}%
2992  {\gdef{@bidituftefloat@stored@shortcaption}{#3}}%
2993  {\gdef{@bidituftefloat@stored@shortcaption}{#1}}%
2994  \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}%
2995  \gdef{@bidituftefloat@stored@caption}{#3}%
2996 }
2997 \newcommand{\@bidituftefloat@label}[1]{%
2998  \gdef{@bidituftefloat@stored@label}{#1}%
2999 }
3000 \newcommand{\@bidituftefloat@fps}{}%
3001 \newboolean{@bidituftefloat@float@star}
3002 \newlength{\@bidituftefloat@float@contents@width}
3003 \newenvironment{@bidituftefloat@float}[3][htbp]{%
3004  {%. begin @bidituftefloat@float
3005  % Should this float be full-width or just text-width?
3006  \ifthenelse{\equal{#3}{star}}{%
3007   {\gsetboolean{@bidituftefloat@float@star}{true}}%
3008   {\gsetboolean{@bidituftefloat@float@star}{false}}%
3009  % Check page side (recto/verso) and store detected value -- can be overridden in environment
3010  \@bidituftefloat@checkoddpage%
3011  \ifthenelse{\boolean{@bidituftefloat@odd@page}}{%
3012   {\gsetboolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detected p}}%
3013   {\gsetboolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detected b}}%
3014  % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
3015  \renewcommand{\@bidituftefloat@fps}{#1}}%

```

```

3016  \@budituftefloat@float@debug{Allowed positions: [#1]}%
3017  \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
3018      {\renewcommand{\floatalignment}{b}\@budituftefloat@float@debug{Presumed position: [bottom]}}%
3019      {\renewcommand{\floatalignment}{t}\@budituftefloat@float@debug{Presumed position: [top]}}%
3020  % Capture the contents of the \caption and \label commands to use later
3021  \global\let\@budituftefloat@orig@caption\caption%
3022  \global\let\@budituftefloat@orig@label\label%
3023  \renewcommand{\caption}{\optparams{\@budituftefloat@caption}{}[] [Opt]}%
3024  \renewcommand{\label}[1]{\@budituftefloat@label{##1}}%
3025  % Handle subfigure package compatibility
3026  \ifthenelse{\boolean{@budituftefloat@packages@subfigure}}{%
3027      % don't move the label while inside a \subfigure or \subtable command
3028      \global\let\label\@budituftefloat@orig@label%
3029  }{%
3030      \@budituftefloat@orig@float[#2][#1]%
3031  \ifthenelse{\boolean{@budituftefloat@float@star}}{%
3032      \setlength{\@budituftefloat@float@contents@width}{\@budituftefloat@fullwidth}%
3033      \setlength{\@budituftefloat@float@contents@width}{\textwidth}%
3034      \begin{lrbox}{\@budituftefloat@figure@box}%
3035          \begin{minipage}[\floatalignment]{\@budituftefloat@float@contents@width}\hbox{}%
3036      \end{lrbox}%
3037      \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}%
3038      \end{minipage}%
3039  \end{lrbox}%
3040  % build the caption box
3041  \begin{lrbox}{\@budituftefloat@caption@box}%
3042      \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
3043      \ifthenelse{\NOT\equal{\@budituftefloat@stored@caption}{}{\@budituftefloat@orig@caption}}{%
3044          \ifthenelse{\NOT\equal{\@budituftefloat@stored@label}{}{\@budituftefloat@orig@label}}{%
3045              \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
3046          \end{minipage}%
3047      \end{lrbox}%
3048  % now typeset the stored boxes
3049  \begin{fullwidth}%
3050      \begin{minipage}[\floatalignment]{\ linewidth}%
3051          \ifthenelse{\boolean{@budituftefloat@float@star}}{%
3052              \{@budituftefloat@float@fullwidth[\@budituftefloat@caption@vertical@offset]{\@budituftefloat@float@textwidth}[\@budituftefloat@caption@vertical@offset]\@budituftefloat@float@textwidth}%
3053          \end{minipage}%
3054      \end{fullwidth}%
3055  \end{fullwidth}%
3056  \@budituftefloat@orig@endfloat% end original LaTeX float environment
3057  % output debug info
3058  \ifthenelse{\boolean{@budituftefloat@debug}}{%
3059      \typeout{^^J^^J----- budituftefloat package float information -----}%
3060      \ifthenelse{\equal{\@budituftefloat@stored@label}{}{}}{%
3061          \typeout{Warning: Float unlabeled!}%
3062          \typeout{Float label: [\@budituftefloat@stored@label]}%
3063          \typeout{Page number: [\thepage]}%
3064          \def\MessageBreak{^^J}%
3065          \typeout{\@budituftefloat@float@debug@info}%

```

```

3066     \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
3067         {\typeout{Symmetric: [true]}}{%
3068         {\typeout{Symmetric: [false]}}{%
3069             \typeout{-----^~^J~^J}%
3070         }{%
3071             % reset commands and temp boxes and captions
3072             \gdef\@bidituftefloat@float@debug@info{}%
3073             \let\caption\@bidituftefloat@orig@caption%
3074             \let\label\@bidituftefloat@orig@label%
3075             \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
3076             \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
3077             \gdef\@bidituftefloat@stored@shortcaption{}%
3078             \gdef\@bidituftefloat@stored@caption{}%
3079             \gdef\@bidituftefloat@stored@label{}%
3080             \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}%
3081             }%
3082 \newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
3083     \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\OR\boolean{@bidituftefloat@float@recto}}{%
3084         % asymmetric or page is odd, so caption is on the right
3085         \hbox{%
3086             \usebox{#2}%
3087             \hspace{\marginparsep}%
3088             \smash{\raisebox{#1}{\usebox{#3}}}%
3089         }%
3090         \@bidituftefloat@float@debug{Caption position: [right]}%
3091     }{%
3092         % symmetric pages and page is even, so caption is on the left
3093         \hbox{%
3094             \smash{\raisebox{#1}{\usebox{#3}}}%
3095             \hspace{\marginparsep}%
3096             \usebox{#2}%
3097         }%
3098         \@bidituftefloat@float@debug{Caption position: [left]}%
3099     }%
3100 \newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
3101     \ifthenelse{\equal{\floatalignment}{b}}{%
3102         \% place caption above figure
3103         \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\OR\boolean{@bidituftefloat@float@recto}}{%
3104             {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug}%
3105             {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug}%
3106         }%
3107         \% place caption below figure
3108         \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\OR\boolean{@bidituftefloat@float@recto}}{%
3109             {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug}%
3110             {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug}%
3111         }%
3112 \renewenvironment{figure}[1][htbp]{%
3113     \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{figure}{}%
3114     \end{@bidituftefloat@float}%
3115 \renewenvironment{table}[1][htbp]{%

```

```

3116   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{table}{}}%
3117   {\end{@bidituftefloat@float}}%
3118 \renewenvironment{figure*}[1][htbp]%
3119   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{figure}{star}}%
3120   {\end{@bidituftefloat@float}}%
3121 \renewenvironment{table*}[1][htbp]%
3122   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{table}{star}}%
3123   {\end{@bidituftefloat@float}}%
3124 \newenvironment{fullwidth}%
3125   {\ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
3126     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefl}}%
3127       {\begin{adjustwidth*}{}{-\@bidituftefloat@overhang}}%}
3128   }%
3129   {\ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
3130     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth*}}%
3131       {\end{adjustwidth}}%
3132   }%
3133 \long\def@caption#1[#2]#3{%
3134   \par%
3135   \addcontentsline{\csname ext@#1\endcsname}{#1}%
3136   {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
3137   \begingroup%
3138     \parboxrestore%
3139     \if@minipage%
3140       \setminipage%
3141     \fi%
3142     \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
3143     \noindent\csname fnum@\#1\endcsname: \ignorespaces#3\par%
3144     \%@\makecaption{\csname fnum@\#1\endcsname}{\ignorespaces #3}\par
3145   \endgroup%
3146 %%%
3147 % Turns newlines into spaces. Based on code from the ‘titlesec’ package.
3148 \DeclareRobustCommand{\@biditufteheading@newlinetospace}{%
3149   \@ifstar{\@biditufteheading@newlinetospace@i}{\@biditufteheading@newlinetospace@i}%
3150 }%
3151 \def\@biditufteheading@newlinetospace@i{%
3152   \ifdim\lastskip>\z@\else\space\fi
3153   \ignorespaces%
3154 }%
3155 \DeclareRobustCommand{\newlinetospace}[1]{%
3156   \let\@biditufteheading@orig@cr\\% save the original meaning of \\
3157   \def\\{\@biditufteheading@newlinetospace}% turn \\ and \\* into \space
3158   \let\newline\\% turn \newline into \space
3159   #1%
3160   \let\\@\@biditufteheading@orig@cr% revert to original meaning of \\
3161 }%
3162 \RequirePackage{fancyhdr}%
3163 \pagestyle{fancy}%
3164 \AtBeginDocument{%
3165   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%

```

```

3166      {\fancyhoffset[LE,RO]{\@bidituftefloat@overhang}}
3167      {\fancyhoffset[RE,RO]{\@bidituftefloat@overhang}}
3168 }
3169 % The running heads/feet don't have rules
3170 \renewcommand{\headrulewidth}{0pt}
3171 \renewcommand{\footrulewidth}{0pt}
3172 % The 'fancy' page style is the default style for all pages.
3173 \fancyhf{} % clear header and footer fields
3174     \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
3175     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}}%
3176     {\fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3177     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3178 % The 'plain' page style is used on chapter opening pages.
3179 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
3180 % bottom of pages -- the folios are unexpressed.
3181 \fancypagestyle{plain}{%
3182     \fancyhf{} % clear header and footer fields
3183     % Uncomment the following five lines of code if you want the opening page
3184     % of the chapter to express the folio in the lower outside corner.
3185     % \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
3186     % {\fancyfoot[LE,RO]{\thepage}}%
3187     % {\fancyfoot[RE,RO]{\thepage}}%
3188 }
3189 % The 'empty' page style suppresses all headers and footers.
3190 % It's used on title pages and 'intentionally blank' pages.
3191 \fancypagestyle{empty}{%
3192     \fancyhf{} % clear header and footer fields
3193 }
3194 \def\morefloats{\% provides a total of 52 floats
3195 \ifthenelse{\isundefined{\bx@S}}{\%
3196     \bidituftefloatDebugInfoNL{Adding 34 more float slots.}%
3197     \newinsert\bx@S
3198     \newinsert\bx@T
3199     \newinsert\bx@U
3200     \newinsert\bx@V
3201     \newinsert\bx@W
3202     \newinsert\bx@X
3203     \newinsert\bx@Y
3204     \newinsert\bx@Z
3205     \newinsert\bx@a
3206     \newinsert\bx@b
3207     \newinsert\bx@c
3208     \newinsert\bx@d
3209     \newinsert\bx@e
3210     \newinsert\bx@f
3211     \newinsert\bx@g
3212     \newinsert\bx@h
3213     \newinsert\bx@i
3214     \newinsert\bx@j
3215     \newinsert\bx@k

```

```

3216      \newinsert\bx@l
3217      \newinsert\bx@m
3218      \newinsert\bx@n
3219      \newinsert\bx@o
3220      \newinsert\bx@p
3221      \newinsert\bx@q
3222      \newinsert\bx@r
3223      \newinsert\bx@s
3224      \newinsert\bx@t
3225      \newinsert\bx@u
3226      \newinsert\bx@v
3227      \newinsert\bx@w
3228      \newinsert\bx@x
3229      \newinsert\bx@y
3230      \newinsert\bx@z
3231      \gdef\@freelist{@elt\bx@A@elt\bx@B@elt\bx@C@elt\bx@D@elt\bx@E
3232          @elt\bx@F@elt\bx@G@elt\bx@H@elt\bx@I@elt\bx@J
3233          @elt\bx@K@elt\bx@L@elt\bx@M@elt\bx@N
3234          @elt\bx@O@elt\bx@P@elt\bx@Q@elt\bx@R
3235          @elt\bx@S@elt\bx@T@elt\bx@U@elt\bx@V
3236          @elt\bx@W@elt\bx@X@elt\bx@Y@elt\bx@Z
3237          @elt\bx@a@elt\bx@b@elt\bx@c@elt\bx@d@elt\bx@e
3238          @elt\bx@f@elt\bx@g@elt\bx@h@elt\bx@i@elt\bx@j
3239          @elt\bx@k@elt\bx@l@elt\bx@m@elt\bx@n
3240          @elt\bx@o@elt\bx@p@elt\bx@q@elt\bx@r
3241          @elt\bx@s@elt\bx@t@elt\bx@u@elt\bx@v
3242          @elt\bx@w@elt\bx@x@elt\bx@y@elt\bx@z}%
3243      }% we've already added another 34 floats, so we'll add 26 more, but that's it!
3244      \ifthenelse{\isundefined{\bx@AA}}{%
3245          \biditufefloatDebugInfoNL{Adding 26 more float slots.}
3246          \newinsert\bx@AA
3247          \newinsert\bx@BB
3248          \newinsert\bx@CC
3249          \newinsert\bx@DD
3250          \newinsert\bx@EE
3251          \newinsert\bx@FF
3252          \newinsert\bx@GG
3253          \newinsert\bx@HH
3254          \newinsert\bx@II
3255          \newinsert\bx@JJ
3256          \newinsert\bx@KK
3257          \newinsert\bx@LL
3258          \newinsert\bx@MM
3259          \newinsert\bx@NN
3260          \newinsert\bx@OO
3261          \newinsert\bx@PP
3262          \newinsert\bx@QQ
3263          \newinsert\bx@RR
3264          \newinsert\bx@SS
3265          \newinsert\bx@TT

```

```

3266   \newinsert\bx@UU
3267   \newinsert\bx@VV
3268   \newinsert\bx@WW
3269   \newinsert\bx@XX
3270   \newinsert\bx@YY
3271   \newinsert\bx@ZZ
3272 \gdef\freetable{\elt\bx@A\elt\bx@B\elt\bx@C\elt\bx@D\elt\bx@E
3273   \elt\bx@F\elt\bx@G\elt\bx@H\elt\bx@I\elt\bx@J
3274   \elt\bx@K\elt\bx@L\elt\bx@M\elt\bx@N
3275   \elt\bx@O\elt\bx@P\elt\bx@Q\elt\bx@R
3276   \elt\bx@S\elt\bx@T\elt\bx@U\elt\bx@V
3277   \elt\bx@W\elt\bx@X\elt\bx@Y\elt\bx@Z
3278   \elt\bx@a\elt\bx@b\elt\bx@c\elt\bx@d\elt\bx@e
3279   \elt\bx@f\elt\bx@g\elt\bx@h\elt\bx@i\elt\bx@j
3280   \elt\bx@k\elt\bx@l\elt\bx@m\elt\bx@n
3281   \elt\bx@o\elt\bx@p\elt\bx@q\elt\bx@r
3282   \elt\bx@s\elt\bx@t\elt\bx@u\elt\bx@v
3283   \elt\bx@w\elt\bx@x\elt\bx@y\elt\bx@z
3284   \elt\bx@AA\elt\bx@BB\elt\bx@CC\elt\bx@DD\elt\bx@EE
3285   \elt\bx@FF\elt\bx@GG\elt\bx@HH\elt\bx@II\elt\bx@JJ
3286   \elt\bx@KK\elt\bx@LL\elt\bx@MM\elt\bx@NN
3287   \elt\bx@OO\elt\bx@PP\elt\bx@QQ\elt\bx@RR
3288   \elt\bx@SS\elt\bx@TT\elt\bx@UU\elt\bx@VV
3289   \elt\bx@WW\elt\bx@XX\elt\bx@YY\elt\bx@ZZ}%
3290 }{%
3291   \biditufefloatError{You may only call \string\morefloats\space twice. See the\MessageB
3292   {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or \string\AtBeginDocument\space or \string\AtEndDocument\space.}}
3293 }%
3294 }%
3295 }
3296 \newboolean{\biditufefloat@packages@subfigure}
3297 \setboolean{\biditufefloat@packages@subfigure}{false}
3298 \AtBeginDocument{%
3299   \ifpackageloaded{subfigure}
3300     {\gsetboolean{\biditufefloat@packages@subfigure}{true}}
3301     {\gsetboolean{\biditufefloat@packages@subfigure}{false}}%
3302 }
3303 \AtBeginDocument{%
3304   \ifpackageloaded{float}{%
3305     % Save the redefined float environment (instead of the LaTeX float environment)
3306     \let@\biditufefloat@orig@float\@float
3307     \let@\biditufefloat@orig@endfloat\end@float
3308
3309     % Define Tuftian float styles (with the caption in the margin)
3310     \newcommand{\floatc@biditufefloatplain}[2]{%
3311       \begin{lrbox}{\biditufefloat@caption@box}%
3312         \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
3313           \biditufefloat@caption@font{\@fs@cfont #1:} #2\par%
3314         \end{minipage}%
3315       \end{lrbox}%
3316     }
3317   }
3318 }
```

```

3316     \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
3317 }
3318 \newcommand{\fs@bidituftefloatplain}{%
3319   \def\@fs@cfont{\@bidituftefloat@caption@font}%
3320   \let\@fs@capt\floatc@bidituftefloatplain%
3321   \def\@fs@pre{}%
3322   \def\@fs@post{}%
3323   \def\@fs@mid{}%
3324   \let\@fs@iftopcapt\iftrue%
3325 }
3326 \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
3327 \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
3328 \newcommand\floatc@bidituftefloatruled[2]{%
3329   {\@fs@cfont #1} #2\par%
3330 }
3331 \newcommand\fs@bidituftefloatruled{%
3332   \def\@fs@cfont{\@bidituftefloat@caption@font}%
3333   \let\@fs@capt\floatc@bidituftefloatplain%
3334   \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
3335   \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
3336   \def\@fs@mid{}%
3337   \let\@fs@iftopcapt\iftrue%
3338 }
3339 \newcommand\fs@bidituftefloatboxed{%
3340   \def\@fs@cfont{}%
3341   \let\@fs@capt\floatc@bidituftefloatplain%
3342   \def\@fs@pre{%
3343     \setbox@\currbox\vbox{\hbadness10000
3344     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
3345       \hrule\hbox to\hsize{\vrule\kern3pt
3346         \vbox{\kern3pt\box@\currbox\kern3pt}\kern3pt\vrule\hrule}}}
3347   }%
3348   \def\@fs@mid{\kern2pt}%
3349   \def\@fs@post{}%
3350   \let\@fs@iftopcapt\iftrue%
3351 }
3352 }{%
3353   % Nothing to do
3354 }
3355 }
3356 \AtBeginDocument{%
3357   \@ifpackageloaded{algorithm}{%
3358     % Set the float style to the Tuftian version
3359     \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{switch}}%
3360       \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}
3361       \floatstyle{bidituftefloat\ALG@floatstyle}%
3362       \restylefloat{algorithm}%
3363   }{}%
3364 }{%
3365   % Nothing to do

```

```

3366  }
3367 }
3368 \PassOptionsToPackage{caption=false}{subfig}

```

7.21 **budituftesidenote.sty**

```

3369 \NeedsTeXFormat{LaTeX2e}
3370 \ProvidesPackage{budituftesidenote}[2011/06/17 v0.1
3371 bidi implementation of tufte sidenote]
3372 \RequirePackage{xifthen}
3373 \RequirePackage{ragged2e}
3374 \RequirePackage{setspace}
3375 \RequirePackage{hopatch}
3376 \def\budituftesidenotemarginpar{%
3377   \ifhmode
3378     \obsphack
3379     \floatpenalty -\Mii
3380   \else
3381     \floatpenalty-\Miii
3382   \fi
3383   \ifinner
3384     \parmoderr
3385     \floatpenalty\z@
3386   \else
3387     \next@currbox@\freelist{}{}%
3388     \next@marbox@\freelist{\global\count\marbox\mone}%
3389     {\floatpenalty\z@
3390       \fltofv\def@\currbox{\tempboxa}\def@\marbox{\tempboxa}}%
3391   \fi
3392   \ifnextchar [\budituftesidenotexmpar\budituftesidenoteypar]
3393   \long\def@\budituftesidenotexmpar[#1]#2{%
3394     \budituftesidenotesavemarbox\marbox{#1}%
3395     \budituftesidenotesavemarbox\currbox{#2}%
3396     \xympar}
3397   \long\def@\budituftesidenoteypar#1{%
3398     \budituftesidenotesavemarbox\marbox{#1}%
3399     \global\setbox\currbox\copy\marbox
3400     \xympar}
3401   \long\def \budituftesidenotesavemarbox #1#2{%
3402     \global\setbox #1%
3403     \color@vbox
3404     \vtop{%
3405       \hsize\marginparwidth
3406       \parboxrestore
3407       \budituftesidenotemarginparreset
3408       #2%
3409       \minipagefalse
3410       \outer@nobreak
3411     }%
3412     \color@endbox

```

```

3413 }
3414 \def \@bidituftesidenotemarginparreset {%
3415     \reset@font
3416     \normalsize
3417     \@minipagetrue
3418     \everypar{\@minipagefalse\everypar{}{\if@RTL@footnote\beginR\else\beginL\fi}}%
3419 }
3420 \def\LTRbidituftesidenotemarginpar{%
3421     \ifhmode
3422         \@bsphack
3423         \@floatpenalty -\@Mii
3424     \else
3425         \@floatpenalty-\@Miii
3426     \fi
3427     \ifinner
3428         \parmoderr
3429         \@floatpenalty\z@
3430     \else
3431         \next@\currbox@\freelist{}{}%
3432         \next@\marbox@\freelist{\global\count\marbox\m@ne}%
3433         {\@floatpenalty\z@
3434         \@fltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
3435     \fi
3436     \ifnextchar [\@LRbidituftesidenotexpar\@LRbidituftesidenoteypar}%
3437 \long\def\@LRbidituftesidenotexpar[#1]#2{%
3438     \@LTERbidituftesidenotesavemarbox\@marbox{#1}%
3439     \@LTERbidituftesidenotesavemarbox\@currbox{#2}%
3440     \@xympar}
3441 \long\def\@LTERbidituftesidenoteypar#1{%
3442     \@LTERbidituftesidenotesavemarbox\@marbox{#1}%
3443     \global\setbox\currbox\copy\marbox
3444     \@xympar}
3445 \long\def \@LTERbidituftesidenotesavemarbox #1#2{%
3446     \global\setbox #1%
3447     \color@vbox
3448     \vtop{%
3449         \hsize\marginparwidth
3450         \parboxrestore
3451         \@LRbidituftesidenotemarginparreset
3452         #2%
3453         \@minipagefalse
3454         \outer@nobreak
3455     }%
3456     \color@endbox
3457 }
3458 \def \@LTERbidituftesidenotemarginparreset {%
3459     \reset@font
3460     \normalsize
3461     \@minipagetrue
3462     \everypar{\@minipagefalse\everypar{}{\beginL}}%

```

```

3463 }
3464 \def\RTLbidituftesidenotemarginpar{%
3465   \ifhmode
3466     \@bsphack
3467     \@floatpenalty -\@Mii
3468   \else
3469     \@floatpenalty-\@Miii
3470   \fi
3471 \ifinner
3472   \parmmoderr
3473   \@floatpenalty\z@
3474 \else
3475   \next@\currbox\@freelist{}{}%
3476   \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
3477   {\@floatpenalty\z@
3478     \@fltofv\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
3479 \fi
3480 \ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar]
3481 \long\def\@RTLbidituftesidenotexmpar[#1]#2{%
3482   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
3483   \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
3484   \cxympar}
3485 \long\def\@RTLbidituftesidenoteypar#1{%
3486   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
3487   \global\setbox\@currbox\copy\@marbox
3488   \cxympar}
3489 \long\def \@RTLbidituftesidenotesavemarbox #1#2{%
3490   \global\setbox #1%
3491   \color@vbox
3492   \vtop{%
3493     \hsize\marginparwidth
3494     \parboxrestore
3495     \@RTLbidituftesidenotemarginparreset
3496     #2%
3497     \minipagetrue
3498     \outer@nobreak
3499   }%
3500   \color@endbox
3501 }
3502 \def \@RTLbidituftesidenotemarginparreset {%
3503   \reset@font
3504   \normalsize
3505   \minipagetrue
3506   \everypar{\minipagetrue\everypar{}\beginR}%
3507 }
3508 \newcommand{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
3509 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
3510 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
3511 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
3512 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}

```

```

3513 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
3514 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
3515 \newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@au}
3516 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@au}
3517 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@au}
3518 \newcommand*{\@bidituftesidenote@justification@autodetect}{\justify}
3519 \newcommand{\@bidituftesidenote@margin@par}{{%
3520   \setlength{\RaggedRightParindent}{0.5pc}%
3521   \setlength{\JustifyingParindent}{0.5pc}%
3522   \setlength{\parindent}{0.5pc}%
3523   \setlength{\parskip}{0pt}%
3524 }%
3525 }%
3526 % Globally sets the length
3527 \@ifundefined{gsetlength}{%
3528 \newcommand*{\gsetlength}[2]{%
3529   \setlength{#1}{#2}%
3530   \global#1=#1\relax%
3531 }%
3532 }{}%
3533 }%
3534 % Globally sets a boolean
3535 \@ifundefined{gsetboolean}{%
3536 \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
3537   \lowercase{\def@\tempa{#2}}%
3538   \@ifundefined{@tempswa@\tempa}{%
3539     {\PackageError{ifthen}{You can only set a boolean to 'true' or 'false'}\ehc}%
3540     {\@ifundefined{#1@\tempa}{%
3541       {\PackageError{ifthen}{Boolean #1 undefined}\ehc}%
3542       {\global\csname#1@\tempa\endcsname}%
3543     }%
3544 }%
3545 }{}%
3546 }%
3547 % A function that removes leading and trailing spaces from the supplied macro.
3548 % Based on code written by Michael Downes (See ‘‘Around the Bend’’, #15.)
3549 % Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
3550 % being trimmed of leading and trailing white space.
3551 \catcode`\Q=3
3552 \def\@bidituftesidenote@trim@spaces#1{%
3553   % Use grouping to emulate a multi-token afterassignment queue
3554   \begingroup%
3555   % Put ‘\toks 0 {’ into the afterassignment queue
3556   \aftergroup\toks\aftergroup\aftergroup{%
3557   % Apply \trimb to the replacement text of #1, adding a leading
3558   % \noexpand to prevent brace stripping and to serve another purpose
3559   % later.
3560   \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand\#1Q Q}%
3561   % Transfer the trimmed text back into #1.
3562   \edef\#1{\the\toks}%

```

```

3563 }
3564 % \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
3565 % clean up any leftover bizarre Qs, and trim a leading space. In
3566 % order for \trimc to work properly we need to put back a Q first.
3567 \def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
3568 % Execute \vfuzz assignment to remove leading space; the \noexpand
3569 % will now prevent unwanted expansion of a macro or other expandable
3570 % token at the beginning of the trimmed text. The \endgroup will feed
3571 % in the \aftergroup tokens after the \vfuzz assignment is completed.
3572 \def\@bidituftesidenote@trim@c#1Q{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
3573 \catcode`\Q=11
3574 %%
3575 % Citations should go in the margin as sidenotes
3576
3577 \RequirePackage{natbib}
3578 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography environment
3579 % Redefine the \BR@c@bibitem command to fix a bug with bibentry+chicago style
3580 \renewcommand{\BR@c@bibitem}[2][]{%
3581   \ifthenelse{\isempty{#1}}{%
3582     {\BR@c@bibitem{#2}}%
3583     {\BR@c@bibitem[#1]{#2}}%
3584   \BR@c@bibitem{#2}%
3585 }%
3586 \nobibliography% pre-loads the bibliography keys
3587 %%
3588 % Normal \cite behavior
3589 \newcounter{@bidituftesidenote@num@bibkeys}%
3590 \newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
3591   % Snag the last bibentry in the list for later comparison
3592   \let\@temp@last@bibkey\empty%
3593   \for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
3594   \sidenote[] [#1]{%
3595     % Loop through all the bibentries, separating them with semicolons and spaces
3596     \normalsize\normalfont\@bidituftesidenote@citation@font%
3597     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
3598     \for\@temp@bibkeyx:=#2\do{%
3599       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
3600         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
3601         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3602         \bibentry{\@temp@bibkeyx}}%
3603         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3604         \bibentry{\@temp@bibkeyx};\ }%
3605       \stepcounter{@bidituftesidenote@num@bibkeys}%
3606     }%
3607   }%
3608 }
3609 %%
3610 % Macros for holding the list of cite keys until after the \sidenote
3611 \gdef\@bidituftesidenote@citations{}% list of cite keys
3612 \newcommand{\@bidituftesidenote@add@citation}[1]{\relax}% adds a new bibkey to the list of cite

```

```

3613 \ifx\@bidituftesidenote@citations\empty\else
3614   \g@addto@macro\@bidituftesidenote@citations{,}%
3615   \fi
3616 \g@addto@macro\@bidituftesidenote@citations{#1}
3617 }
3618 \newcommand{\@bidituftesidenote@print@citations}[1][0pt]{%
3619   % puts the citations in a margin note
3620   % Snag the last bibentry in the list for later comparison
3621   \let\@temp@last@bibkey\empty%
3622   \for\@temp@bibkey:=\@bidituftesidenote@citations\dof{\let\@temp@last@bibkey\@temp@bibkey}%
3623   \marginpar{%
3624     \hbox{}\vspace*{#1}%
3625     \@bidituftesidenote@citation@font%
3626     \@bidituftesidenote@citation@justification%
3627     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
3628     \vspace*{-1\baselineskip}%
3629     % Loop through all the bibentries, separating them with semicolons and spaces
3630     \setcounter{\@bidituftesidenote@num@bibkeys}{0}%
3631     \for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
3632       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
3633         \ifthenelse{\equal{\value{\@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
3634         \@bidituftesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
3635         \bibentry{\@temp@bibkeyx}%
3636         \{@bidituftesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
3637         \bibentry{\@temp@bibkeyx};\ }%
3638       \stepcounter{\@bidituftesidenote@num@bibkeys}%
3639     }%
3640   }%
3641 }%
3642 % \cite behavior when executed within a sidenote
3643 \newcommand{\@bidituftesidenote@sidenote@citations}{}%
3644 \newcommand{\@bidituftesidenote@infofootnote@cite}[1]{%
3645   \@bidituftesidenote@add@citation{#1}%
3646 }%
3647 }%
3648 % Set the default \cite style. This is set and reset by the \sidenote command.
3649 \let\cite\@bidituftesidenote@normal@cite
3650 }%
3651 % Transform existing \footnotes into \sidenotes
3652 % Sidenote: ‘‘Where God meant footnotes to go.’’ ---bidituftesidenote
3653 \RequirePackage{optparams}%
3654 \providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@font}%
3655 \renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@font}%
3656 % Override footmisc’s definition to set the sidenote marks (numbers) inside the
3657 % sidenote’s text block.
3658 \hopatch@AfterPackage{bidi}{\long\def\makefntext#1{\@textsuperscript{\@bidituftesidenote@sidenote@font#1}}}
3659 % Set the in-text footnote mark in the same typeface as the body text itself.
3660 \hopatch@AfterPackage{bidi}{\def\makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize#1}}}}
3661 \providecommand*\multiplefootnotemarker{3sp}
3662 \providecommand*\multfootsep{,}

```

```

3663 \hopatch@AfterPackage{bidi}{%
3664 \renewcommand{\@footnotemark}{%
3665   \leavevmode%
3666   \ifhmode%
3667     \edef\x@sf{\the\spacefactor}%
3668     \@bidituftesidenote@check@multiple@sidenotes%
3669     \nobreak%
3670   \fi%
3671   \color@makefnmark%
3672   \ifhmode\spacefactor\x@sf\fi%
3673   \relax%
3674 }%
3675 }
3676 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
3677   \ifdim\lastkern=\multiplefootnotemarker\relax%
3678     \edef\x@sf{\the\spacefactor}%
3679     \unkern%
3680     \textsuperscript{\multfootsep}%
3681     \spacefactor\x@sf\relax%
3682   \fi
3683 }
3684 \hopatch@AfterPackage{bidi}{%
3685 \renewcommand{\footnotetext[2][0pt]}{%
3686   \bidituftesidenotemarginpar{%
3687     \hbox{}\vspace*{\#1}%
3688     \def\baselinestretch{\setspace@singlespace}%
3689     \reset@font\footnotesize%
3690     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
3691     \vspace*{-1\baselineskip}\noindent%
3692     \protected@edef{\currentlabel}{%
3693       \csname p@footnote\endcsname\@thefnmark}%
3694     }%
3695     \color@begingroup%
3696       \color@makefntext{%
3697         \ignorespaces#2%
3698       }%
3699     \color@endgroup%
3700   }%
3701 }%
3702 \renewcommand{\LTRfootnotetext[2][0pt]}{%
3703   \LTRbidituftesidenotemarginpar{%
3704     \hbox{}\vspace*{\#1}%
3705     \def\baselinestretch{\setspace@singlespace}%
3706     \reset@font\footnotesize%
3707     \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
3708     \vspace*{-1\baselineskip}\noindent%
3709     \protected@edef{\currentlabel}{%
3710       \csname p@footnote\endcsname\@thefnmark}%
3711     }%
3712     \color@begingroup%

```

```

3713      \makefntext{%
3714          \ignorespaces#2%
3715      }%
3716      \color@endgroup%
3717  }%
3718 }%
3719 \renewcommand{\RTLfootnotetext}[2][0pt]{%
3720     \RTLbidiutfesidenotemarginpar{%
3721         \hbox{} \vspace*{#1}%
3722         \def\baselinestretch {\setspace@singlespace}%
3723         \reset@font\footnotesize%
3724         \bidiutfesidenote@margin@par% use parindent and parskip settings for marginal text
3725         \vspace*{-1\baselineskip}\noindent%
3726         \protected@edef\@currentlabel{%
3727             \csname p@footnote\endcsname\@thefnmark%
3728         }%
3729         \color@begingroup%
3730             \makefntext{%
3731                 \ignorespaces#2%
3732             }%
3733             \color@endgroup%
3734         }%
3735 }%
3736 }
3737 %
3738 % Define \sidenote command. Can handle \cite.
3739 \newlength{\bidiutfesidenote@sidenote@vertical@offset}
3740 \setlength{\bidiutfesidenote@sidenote@vertical@offset}{0pt}
3741 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
3742 \long\def\bidiutfesidenote@sidenote[#1][#2]{#3}{%
3743     \let\cite\bidiutfesidenote@infofootnote@cite% use the in-sidenote \cite command
3744     \gdef\@bidiutfesidenote@citations{}% clear out any old citations
3745     \ifthenelse{\NOT\isempty{#2}}{%
3746         \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{#2}%
3747     }{%
3748         \gsetlength{\@bidiutfesidenote@sidenote@vertical@offset}{0pt}%
3749     }%
3750     \ifthenelse{\isempty{#1}}{%
3751         % no specific footnote number provided
3752         \stepcounter\@mpfn%
3753         \protected@xdef\@thefnmark{\thempfn}%
3754         \footnotemark\footnotetext[\@bidiutfesidenote@sidenote@vertical@offset]{#3}%
3755     }{%
3756         % specific footnote number provided
3757         \begingroup%
3758             \csname c@\@mpfn\endcsname #1\relax%
3759             \unrestored@protected@xdef\@thefnmark{\thempfn}%
3760         \endgroup%
3761         \footnotemark\footnotetext[\@bidiutfesidenote@sidenote@vertical@offset]{#3}%
3762     }%

```

```

3763  \@bidituftesidenote@print@citations%          print any citations
3764  \let\cite\@bidituftesidenote@normal@cite%      go back to using normal in-text \cite command
3765  \unskip\ignorespaces%                         remove extra white space
3766  \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
3767  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
3768 }
3769 \long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
3770  \let\cite\@bidituftesidenote@infofootnote@cite%   use the in-sidenote \cite command
3771  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
3772  \ifthenelse{\NOT\isempty{#2}}{%
3773    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
3774  }{%
3775    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
3776  }%
3777  \ifthenelse{\isempty{#1}}{%
3778    % no specific footnote number provided
3779    \stepcounter\@mpfn%
3780    \protected@xdef\@thefnmark{\thempfn}%
3781    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
3782  }{%
3783    % specific footnote number provided
3784    \begingroup%
3785      \csname c@\@mpfn\endcsname #1\relax%
3786      \unrestored@protected@xdef\@thefnmark{\thempfn}%
3787    \endgroup%
3788    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
3789  }%
3790  \@bidituftesidenote@print@citations%          print any citations
3791  \let\cite\@bidituftesidenote@normal@cite%      go back to using normal in-text \cite command
3792  \unskip\ignorespaces%                         remove extra white space
3793  \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
3794  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
3795 }
3796 \long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
3797  \let\cite\@bidituftesidenote@infofootnote@cite%   use the in-sidenote \cite command
3798  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
3799  \ifthenelse{\NOT\isempty{#2}}{%
3800    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
3801  }{%
3802    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
3803  }%
3804  \ifthenelse{\isempty{#1}}{%
3805    % no specific footnote number provided
3806    \stepcounter\@mpfn%
3807    \protected@xdef\@thefnmark{\thempfn}%
3808    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
3809  }{%
3810    % specific footnote number provided
3811    \begingroup%
3812      \csname c@\@mpfn\endcsname #1\relax%

```

```

3813     \unrestored@protected@xdef\@thefnmark{\thempfn}%
3814     \endgroup%
3815     \footnotemark\@RTLfootnotetext[\@bidiuftesidenote@sidenote@vertical@offset]{#3}%
3816 }%
3817 \bidiuftesidenote@print@citations%           print any citations
3818 \let\cite\bidiuftesidenote@normal@cite%        go back to using normal in-text \cite command
3819 \unskip\ignorespaces%                         remove extra white space
3820 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
3821 \kern\multiplefootnotemarker\relax%          add new \kern here to replace the one we yanked
3822 }%
3823 \newcommand{\sidenote}{\optparams{\@bidiuftesidenote@sidenote}{}[0pt]}%
3824 \newcommand{\LTRsidenote}{\optparams{\@LTRbidiuftesidenote@sidenote}{}[0pt]}%
3825 \newcommand{\RTLsidenote}{\optparams{\@RTLbidiuftesidenote@sidenote}{}[0pt]}%
3826 \hopatch@AfterPackage{bidi}%
3827 \renewcommand{\footnote}{\optparams{\@bidiuftesidenote@sidenote}{}[0pt]}%
3828 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidiuftesidenote@sidenote}{}[0pt]}%
3829 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidiuftesidenote@sidenote}{}[0pt]}%
3830 }%
3831 %%%
3832 % Sidenote without the footnote mark
3833 \newcommand\marginnote[2][0pt]{%
3834   \let\cite\bidiuftesidenote@infofootnote@cite%  use the in-sidenote \cite command
3835   \gdef\@bidiuftesidenote@citations{}%           clear out any old citations
3836   \bidiuftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiuftesidenote@marginnote@font\@bidiufte%
3837   \bidiuftesidenote@print@citations%           print any citations
3838   \let\cite\bidiuftesidenote@normal@cite%        go back to using normal in-text \cite command
3839 }%
3840 \newcommand\LTRmarginnote[2][0pt]{%
3841   \let\cite\bidiuftesidenote@infofootnote@cite%  use the in-sidenote \cite command
3842   \gdef\@bidiuftesidenote@citations{}%           clear out any old citations
3843   \LTRbidiuftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiuftesidenote@marginnote@font\@bidiufte%
3844   \bidiuftesidenote@print@citations%           print any citations
3845   \let\cite\bidiuftesidenote@normal@cite%        go back to using normal in-text \cite command
3846 }%
3847 \newcommand\RTLmarginnote[2][0pt]{%
3848   \let\cite\bidiuftesidenote@infofootnote@cite%  use the in-sidenote \cite command
3849   \gdef\@bidiuftesidenote@citations{}%           clear out any old citations
3850   \RTLbidiuftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiuftesidenote@marginnote@font\@bidiufte%
3851   \bidiuftesidenote@print@citations%           print any citations
3852   \let\cite\bidiuftesidenote@normal@cite%        go back to using normal in-text \cite command
3853 }%

```

7.22 budituftetoc.sty

```

3854 \NeedsTeXFormat{LaTeX2e}
3855 \ProvidesPackage{budituftetoc}[2011/06/17 v0.1
3856 bidi implementation of tufte toc]
3857 \RequirePackage{titlesec,titletoc,xifthen,hopatch}
3858 \newcommand{\@budituftetoc@pkgname}{budituftetoc}
3859 \newcommand{\budituftetocError}[2]{\PackageError{\@budituftetoc@pkgname}{#1}{#2}}

```

```

3860 %%
3861 % Turn off section numbering
3862 \setcounter{secnumdepth}{-1}
3863 \newboolean{@bidituftetoc@toc}
3864 \setboolean{@bidituftetoc@toc}{true}
3865 \DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
3866 \DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
3867 \ProcessOptions
3868 %%
3869 % Make Tuftian-style section headings and TOC formatting
3870 \hopatch@AfterPackage{bidi}{%
3871 \titleformat{\chapter}%
3872 [display]%
3873 {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}{}{}}% format a
3874 {\itshape\huge\thechapter}% label
3875 {0pt}% horizontal separation between label and title body
3876 {\huge\rmfamily\itshape}%
3877 {\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}{}{}}% after the title
3878 \titleformat{\section}%
3879 [hang]%
3880 {\normalfont\Large\itshape}%
3881 {\thesection}%
3882 {1em}%
3883 {}%
3884 []%
3885 \titleformat{\subsection}%
3886 [hang]%
3887 {\normalfont\large\itshape}%
3888 {\thesubsection}%
3889 {1em}%
3890 {}%
3891 []%
3892 \titleformat{\paragraph}%
3893 [runin]%
3894 {\normalfont\itshape}%
3895 {\theparagraph}%
3896 {1em}%
3897 {}%
3898 []%
3899 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
3900 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
3901 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
3902 }
3903 % Subsubsection and following section headings shouldn't be used.
3904 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
3905 \renewcommand\subsubsection{%
3906   \bidituftetocError{\noexpand\subsubsection is undefined by this class.%}
3907   \MessageBreak See Robert Bringhurst's _The Elements of
3908   \MessageBreak Typographic Style_, section 4.2.2.
3909   \MessageBreak \noexpand\subsubsection was used}

```

```

3910 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
3911 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
3912 \MessageBreak related threads on Ask E.T. at http://www.edwardbiditufetoc.com/.}
3913 }
3914 \renewcommand\subparagraph{%
3915   \biditufetocError{\noexpand\subparagraph is undefined by this class.%}
3916   \MessageBreak See Robert Bringhurst's _The Elements of
3917   \MessageBreak Typographic Style_, section 4.2.2.
3918   \MessageBreak \noexpand\subparagraph was used}
3919 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
3920 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
3921 \MessageBreak related threads on Ask E.T. at http://www.edwardbiditufetoc.com/.}
3922 }
3923 % Formatting for main TOC (printed in front matter)
3924 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
3925 \ifthenelse{\boolean{@biditufetoc@toc}}{%
3926   \hopatch@AfterPackage{bidi}{%
3927     \titlecontents{part}%
3928       [0em] % distance from left margin
3929       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
3930       {\contentslabel{2em}} % before w/label (label = "II")
3931       {} % before w/o label
3932       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
3933       [\end{fullwidth}] % after
3934     \titlecontents{chapter}%
3935       [0em] % distance from left margin
3936       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
3937       {\hspace*{0em}\contentslabel{2em}} % before w/label (label = "2")
3938       {\hspace*{0em}} % before w/o label
3939       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
3940       [\end{fullwidth}] % after
3941     \titlecontents{section}%
3942       [0em] % distance from left margin
3943       {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatt
3944       {\hspace*{2em}\contentslabel{2em}} % before w/label (label = "2.6")
3945       {\hspace*{2em}} % before w/o label
3946       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
3947       [\end{fullwidth}] % after
3948     \titlecontents{subsection}%
3949       [0em] % distance from left margin
3950       {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatt
3951       {\hspace*{4em}\contentslabel{4em}} % before w/label (label = "2.6.1")
3952       {\hspace*{4em}} % before w/o label
3953       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
3954       [\end{fullwidth}] % after
3955     \titlecontents{paragraph}%
3956       [0em] % distance from left margin
3957       {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global fo
3958       {\hspace*{6em}\contentslabel{2em}} % before w/label (label = "2.6.0.0.1")
3959       {\hspace*{6em}} % before w/o label

```

```

3960      {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
3961      [\end{fullwidth}] % after
3962 }%
3963 }{}%
3964 %%%
3965 % Format lists of figures/tables
3966 \renewcommand\listoffigures{%
3967   \@ifundefined{chapter}{%
3968     {\section*\{\listfigurename\}}%
3969     {\chapter*\{\listfigurename\}}%
3970   }% \begin{fullwidth}%
3971   \starttoc{lof}%
3972 }% \end{fullwidth}%
3973 }%
3974 \renewcommand\listoftables{%
3975   \@ifundefined{chapter}{%
3976     {\section*\{\listtablename\}}%
3977     {\chapter*\{\listtablename\}}%
3978   }% \begin{fullwidth}%
3979   \starttoc{lot}%
3980 }% \end{fullwidth}%
3981 }%
3982 \newcommand{\@bidituftetoc@lof@line}[2]{%
3983   % #1 is the figure/table number and its caption text
3984   % #2 is the page number on which the figure/table appears
3985   \leftskip 0.0em
3986   \rightskip 0em
3987   \parfillskip 0em plus 1fil
3988   \parindent 0.0em
3989   \afterindenttrue
3990   \interlinepenalty\@M
3991   \leavevmode
3992   \tempdima 2.0em
3993   \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
3994   \null\nobreak\hspace -\if@RTL\rightskip\else\leftskip\fi
3995   {#1}\nobreak\qquad\nobreak#2%
3996   \par}%
3997 }%
3998 \renewcommand*\l@figure{\@bidituftetoc@lof@line}%
3999 \let\l@table\l@figure

```

7.23 **bidituftegeneralstructure.sty**

```

4000 \NeedsTeXFormat{LaTeX2e}
4001 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
4002 bidi implementation of tufte general structure]
4003 \renewcommand\small{%
4004   \setfontsize\small\cixpt{12}%
4005   \abovedisplayskip 8.5\p@ \cplus3\p@ \cminus4\p@
4006   \abovedisplayshortskip \z@ \cplus2\p@

```

```

4007   \belowdisplayshortskip 4\p@ \oplus2\p@ \ominus2\p@
4008   \def\@listi{\leftmargin\leftmargini
4009     \topsep 4\p@ \oplus2\p@ \ominus2\p@
4010     \parsep 2\p@ \oplus\p@ \ominus\p@
4011     \itemsep \parsep}%
4012   \belowdisplayskip \abovedisplayskip
4013 }
4014 \renewcommand\scriptsize{@setfontsize\scriptsize\@viipt\@viiipt}
4015 \renewcommand\tiny{@setfontsize\tiny\@vpt\@vpt}
4016 \renewcommand\large{@setfontsize\large\@xipt{15}}
4017 \renewcommand\Large{@setfontsize\Large\@xipt{16}}
4018 \renewcommand\LARGE{@setfontsize\LARGE\@xivpt{18}}
4019 \renewcommand\huge{@setfontsize\huge\@xxpt{30}}
4020 \renewcommand\Huge{@setfontsize\Huge\@xxivpt{36}}
4021 \setlength\leftmargini {1pc}
4022 \setlength\leftmarginii {1pc}
4023 \setlength\leftmarginiii {1pc}
4024 \setlength\leftmarginiv {1pc}
4025 \setlength\leftmarginv {1pc}
4026 \setlength\leftmarginvi {1pc}
4027 \setlength\labelsep {.5pc}
4028 \setlength\labelwidth {\leftmargini}
4029 \addtolength\labelwidth{-\labelsep}
4030 \setlength\parindent{1.0pc}%
4031 \setlength\parskip{0pt}%
4032 \RequirePackage{ragged2e}
4033 \setlength\RaggedRightRightskip{\z@ plus 0.08\hspace}
4034 % Paragraph indentation and separation for normal text
4035 \newcommand{@bidituftegeneralstructure@reset@par}{%
4036   \setlength\RaggedRightParindent{1.0pc}%
4037   \setlength\JustifyingParindent{1.0pc}%
4038   \setlength\parindent{1pc}%
4039   \setlength\parskip{0pt}%
4040 }
4041 @bidituftegeneralstructure@reset@par
4042 % Require paralist package for tighter lists
4043 \RequirePackage{paralist}
4044 % Add rightmargin to compactenum
4045 \def\@compactenum{%
4046   \expandafter\list\csname label\@enumctr\endcsname{%
4047     \usecounter{@enumctr}%
4048     \rightmargin=2em% added this
4049     \parsep\plparsep
4050     \itemsep\plitemsep
4051     \topsep\plttopsep
4052     \partopsep\plpartopsep
4053     \def\makelabel##1{\hss\llap{##1}}}}
4054 %%
4055 % An environment for paragraph-style section
4056 \providecommand\newthought[1]{%

```

```

4057     \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
4058     \noindent\textrm{\bfseries}{#1}%
4059 }
4060 %%
4061 % Redefine the display environments (quote, quotation, etc.)
4062 \renewenvironment{verse}
4063     {\let\\@centercr
4064      \list{}{\itemsep      \z@%
4065              \itemindent   -1pc%
4066              \listparindent\itemindent
4067              \rightmargin \leftmargin
4068              \advance\leftmargin 1pc}%
4069              \small%
4070              \item\relax}
4071      {\endlist}
4072 \renewenvironment{quotation}
4073     {\list{}{\listparindent 1pc%
4074             \itemindent    \listparindent
4075             \rightmargin  \leftmargin
4076             \parsep       \z@ \z@plus\p@}%
4077             \small%
4078             \item\relax\noindent\ignorespaces}
4079      {\endlist}
4080 \renewenvironment{quote}
4081     {\list{}{\rightmargin\leftmargin}%
4082             \small%
4083             \item\relax}
4084      {\endlist}
4085 % Italicize description run-in headings (instead of the default bold)
4086 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
4087 %%
4088 % Redefine \bibsection to not mark the running heads.
4089 % (Code modified from natbib.sty.)
4090 \ifundefined{chapter}%
4091   {\renewcommand\bibsection{\section*\{\refname\}}}
4092   {\ifundefined{NAT@sectionbib}%
4093     {\renewcommand\bibsection{\chapter{\bibname\}}}
4094     {\renewcommand\bibsection{\section*\{\bibname\}}}}
4095 \RequirePackage{multicol}
4096 \renewenvironment{theindex}%
4097 \ifundefined{chapter}%
4098   {\section*\{\indexname\}%
4099   {\chapter{\indexname\}}%
4100   \begin{fullwidth}%
4101   \small%
4102   \parskip0pt%
4103   \parindent0pt\%%
4104   \let\item\@idxitem%
4105   \begin{multicols}{3}\%%
4106 }%

```

```

4107  \end{multicols}%
4108  \end{fullwidth}%
4109 }
4110 \AtBeginDocument{%
4111 \renewcommand{\idxitem}{\par\hangindent \if@RTL-\fi2em\%}
4112 \renewcommand{\subitem}{\par\hangindent \if@RTL-\fi3em\hspace*{1em}\%}
4113 \renewcommand{\subsubitem}{\par\hangindent \if@RTL-\fi4em\hspace*{2em}\%}
4114 \renewcommand{\indexspace}{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
4115 \newcommand{\lettergroup}[1]{\swallow{#1}}% swallow the letter heading in the index

```

7.24 **budituftehyperref.sty**

```

4116 \NeedsTeXFormat{LaTeX2e}
4117 \ProvidesPackage{budituftehyperref}[2011/06/18 v0.1
4118 bidi implementation of tufte hyperref]
4119 %%
4120 % Color
4121 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
4122 \newboolean{@budituftehyperref@loadhyper}
4123 \setboolean{@budituftehyperref@loadhyper}{true}
4124 \DeclareOption{hyper}{\setboolean{@budituftehyperref@loadhyper}{true}}
4125 \DeclareOption{nohyper}{\setboolean{@budituftehyperref@loadhyper}{false}}
4126 \ProcessOptions
4127 %% Loads the hyperref package and sets some default options.
4128 \newcommand{\budituftehyperrefLoadHyperref}{%
4129 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
4130   \hypersetup{%
4131     bookmarksdepth = section,
4132     citecolor = DarkGreen,
4133     linkcolor = DarkBlue,
4134     % pagecolor = DarkBlue,
4135     urlcolor = DarkGreen,
4136   }%
4137 }
4138 \ifthenelse{\boolean{@budituftehyperref@loadhyper}}{%
4139   \budituftehyperrefLoadHyperref%
4140 }{%
4141   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
4142 }

```

7.25 **budituftetitle.sty**

```

4143 \NeedsTeXFormat{LaTeX2e}
4144 \ProvidesPackage{budituftetitle}[2011/06/18 v0.1
4145 bidi implementation of tufte title]
4146 \RequirePackage{etoolbox}
4147 %%
4148 % 'titlepage' option -- creates a full title page with \maketitle
4149 \newboolean{@budituftetitle@titlepage}
4150 \DeclareOption{titlepage}{\setboolean{@budituftetitle@titlepage}{true}}
4151 \DeclareOption{notitlepage}{\setboolean{@budituftetitle@titlepage}{false}}

```

```

4152 % Default 'book' and 'handout' options
4153 \@ifclassloaded{book}{%
4154 \ExecuteOptions{titlepage}}{%
4155 \@ifclassloaded{article}{%
4156 \ExecuteOptions{notitlepage}}{%
4157 {}}
4158 \ProcessOptions
4159 %%
4160 % Modified \title, \author, and \date commands. These store the
4161 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
4162 \newcommand{\plaintitle}{}% plain-text-only title
4163 \newcommand{\plainauthor}{}% plain-text-only author
4164 \newcommand{\plainpublisher}{}% plain-text-only publisher
4165 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
4166 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
4167 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
4168 \newcommand{\@publisher}{}% full publisher with \thanks{}
4169 \newcommand{\thedate}{\today}
4170 \hopatch@AfterPackage{bidi}{%
4171 \renewcommand{\thanks}[1]{\footnote{\#1}}
4172 \renewcommand{\LTrthanks}[1]{\LTrfootnote{\#1}}
4173 \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
4174 }
4175 \renewcommand{\title}[2][]{%
4176   \gdef\@title{\#2}%
4177   \begingroup%
4178     % TODO store contents of \thanks command
4179     \renewcommand{\thanks}[1]{}% swallow \thanks contents
4180     \renewcommand{\LTrthanks}[1]{}% swallow \LTrthanks contents
4181     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4182     \protected@xdef\thanklesstitle{\#2}%
4183   \endgroup%
4184   \ifthenelse{\isempty{\#1}}{%
4185     {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
4186     {\renewcommand{\plaintitle}{\#1}}% use provided plain-text title
4187   \c@ifundefined{hypersetup}{%
4188     {}% hyperref is not loaded; do nothing
4189     {\hypersetup{pdftitle={\plaintitle}}}}% set the PDF metadata title
4190 }
4191 \let\@author\empty% suppress default latex.ltx "no author" warning
4192 \renewcommand{\author}[2][]{%
4193   \ifthenelse{\isempty{\#2}}{\gdef\@author{\#2}}{%
4194   \begingroup%
4195     % TODO store contents of \thanks command
4196     \renewcommand{\thanks}[1]{}% swallow \thanks contents
4197     \renewcommand{\LTrthanks}[1]{}% swallow \LTrthanks contents
4198     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4199     \protected@xdef\thanklessauthor{\#2}%
4200   \endgroup%
4201   \ifthenelse{\isempty{\#1}}{%

```

```

4202      {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
4203      {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
4204      \@ifundefined{hypersetup}%
4205          {}% hyperref is not loaded; do nothing
4206          {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
4207 }
4208 \renewcommand{\date}[1]{%
4209     \gdef\@date{#1}%
4210     \begingroup%
4211         % TODO store contents of \thanks command
4212         \renewcommand{\thanks}[1]{}% swallow \thanks contents
4213         \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4214         \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4215         \protected@xdef\thedata{#1}%
4216     \endgroup%
4217 }
4218 %%
4219 % Provides a \publisher command to set the publisher
4220 \newcommand{\publisher}[2][]{%
4221     \gdef\@publisher{#2}%
4222     \begingroup%
4223         \renewcommand{\thanks}[1]{}% swallow \thanks contents
4224         \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4225         \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4226         \protected@xdef\thanklesspublisher{#2}%
4227     \endgroup%
4228     \ifthenelse{\isempty{#1}}%
4229         {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
4230         {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
4231 }
4232 %%
4233 % Produces a full title page
4234 \newcommand{\maketitlepage}[0]{%
4235     \cleardoublepage%
4236     {%
4237         \bfseries%
4238         \begin{fullwidth}%
4239             \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
4240             \vspace{11.5pc}%
4241             \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
4242             \vfill%
4243             \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
4244             \end{fullwidth}%
4245     }%
4246     \thispagestyle{empty}%
4247     \clearpage%
4248 }
4249 %%
4250 % Title block
4251 \AfterEndPreamble{%

```

```

4252 \renewcommand{\maketitle}{%
4253   \newpage%
4254   \global\@topnum\z@% prevent floats from being placed at the top of the page
4255   \begingroup%
4256     \setlength{\parindent}{0pt}%
4257     \setlength{\parskip}{4pt}%
4258     \let\@title\@empty%
4259     \let\@author\@empty%
4260     \let\@date\@empty%
4261     \gdef\@title{\LARGE\itshape\@title\par}%
4262     \gdef\@author{\Large\itshape\@author\par}%
4263     \gdef\@date{\Large\itshape\@date\par}%
4264     \@@title%
4265     \@@author%
4266     \@@date%
4267   \endgroup%
4268   \thispagestyle{plain}% suppress the running head
4269 }%
4270 }
4271 %%%
4272 % Title page (if the ‘titlepage’ option was passed to the biditufte-handout
4273 % class.)
4274 \AfterEndPreamble{%
4275 \ifthenelse{\boolean{@biditufte@titlepage}}%
4276   {\renewcommand{\maketitle}{\maketitlepage}}%
4277   {}%
4278 }
4279 %%%
4280 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
4281 % without headers and footers
4282 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
4283   \hbox{}%
4284   \%vspace*\fill}
4285   \%begin{center}%
4286   % This page intentionally contains only this sentence.
4287   \%end{center}%
4288   \%vspace\fill}
4289   \thispagestyle{empty}%
4290   \newpage
4291   \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

7.26 **biditufte-handout.cls**

```

4292 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
4293 \ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
4294 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
4295 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
4296 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
4297 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
4298 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}

```

```

4299 \ProcessOptions\relax
4300 \LoadClass{article}
4301 \RequirePackage{bidituftefloat}
4302 \RequirePackage{bidituftesidenote}
4303 \RequirePackage{bidituftetoc}
4304 \RequirePackage{bidituftegeneralstructure}
4305 \RequirePackage{bidituftehyperref}
4306 \RequirePackage{bidituftetitle}
4307 \renewenvironment{abstract}{%
4308   {\begin{quotation}}
4309   {\end{quotation}}
4310 \AtBeginDocument{%
4311 \IfFileExists{biditufte-handout.cfg}{%
4312   {\input{biditufte-handout.cfg}}%
4313   \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}%
4314 }%
4315 }

```

7.27 **biditufte-book.cls**

```

4316 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
4317 \ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
4318 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
4319 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
4320 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
4321 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
4322 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
4323 \ProcessOptions\relax
4324 \LoadClass{book}
4325 \RequirePackage{bidituftefloat}
4326 \RequirePackage{bidituftesidenote}
4327 \RequirePackage{bidituftetoc}
4328 \RequirePackage{bidituftegeneralstructure}
4329 \RequirePackage{bidituftehyperref}
4330 \RequirePackage{bidituftetitle}
4331 %%%
4332 % Set up any book-specific stuff now
4333 %%%
4334 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
4335 % to the opening page of Chapter 1. The running heads, when they appear,
4336 % contain only the (arabic) page number in the outside corner.
4337 \%newif\if@mainmatter \@mainmattertrue
4338 \renewcommand\frontmatter{%
4339   \cleardoublepage%
4340   \ @mainmatterfalse%
4341   \pagenumbering{arabic}%
4342   \%pagestyle{plain}%
4343   \fancyhf{}%
4344   \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
4345     \fancyhead[LE,RO]{\thepage}}%

```

```

4346      {\fancyhead[RE,RO]{\thepage}}%
4347 }
4348 %%
4349 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
4350 % numbering---it continues where it left off in the front matter.
4351 \renewcommand\mainmatter{%
4352   \cleardoublepage%
4353   \@mainmattertrue%
4354   \fancyhf{}%
4355   \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
4356     {\renewcommand{\chaptermark}[1]{\markboth{\#\#1}{}}%
4357     \fancyhead[LE]{\thepage\quad\smallcaps{\newlineinspace{\plaintitle}}}% book title
4358     \fancyhead[RO]{\smallcaps{\newlineinspace{\leftmark}}\quad\thepage}}% chapter title
4359     {\fancyhead[RE,RO]{\smallcaps{\newlineinspace{\plaintitle}}\quad\thepage}}% book title
4360   }%
4361 }%
4362 % The back matter contains appendices, indices, glossaries, endnotes,
4363 % bibliographies, list of contributors, illustration credits, etc.
4364 \renewcommand\backmatter{%
4365   \if@openright%
4366   \cleardoublepage%
4367   \else%
4368   \clearpage%
4369   \fi%
4370   \@mainmatterfalse%
4371 }%
4372 %%%
4373 % Only show the chapter titles in the table of contents
4374 \setcounter{tocdepth}{0}
4375 \AtBeginDocument{%
4376 \IfFileExists{biditufte-book.cfg}%
4377   {\input{biditufte-book.cfg}%
4378   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}%
4379   }%
4380 }

```

7.28 **bidipoem.sty**

```

4381 \NeedsTeXFormat{LaTeX2e}
4382 \ProvidesPackage{bidipoem}%
4383 [2014/02/05 v0.7 Environments for typesetting Persian traditional and modern poems]
4384 f\catcode`^\^M=\active % these lines must end with %
4385 \gdef\traditionalpoem@obeylines{\catcode`^\^M\active \let^\^M\traditionalpoem@par}%
4386 \global\let^\^M\traditionalpoem@par} % this is in case ^^M appears in a \write
4387 {\catcode`^\^M=\active % these lines must end with %
4388 \gdef\modernpoem@obeylines{\catcode`^\^M\active \let^\^M\modernpoem@par}%
4389 \global\let^\^M\modernpoem@par} % this is in case ^^M appears in a \write
4390 \def\poemcolskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
4391 \def\poemmarginskip{1em plus 1fil minus 1em}
4392 \def\poemextrabaselineskip{0\baselineskip}

```

```

4393 \def\poemskip{\medskip}
4394 \newcommand{\bidipoem@openbox}{\leavevmode
4395   \hbox to.77778em{%
4396     \hfil\vrule
4397     \vbox to.675em{\hrule width.6em\vfil\hrule}%
4398     \vrule\hfil}}
4399 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
4400 \newdimen\versewidth
4401 \newtoks\bidipoem@p@ftn
4402 \def\poem@verse#1{%
4403 \ifdim\wd#1>\new@poem@width
4404 \xdef\new@poem@width{\the\wd#1}%
4405 \ifdim\new@poem@width>\poem@width
4406 \xdef\poem@width{\new@poem@width}%
4407 \global\let\poem@needrun\relax
4408 \fi
4409 \fi
4410 \hbox to\poem@width{\unhbox#1}%
4411 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
4412 }
4413 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
4414 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
4415 \def\poem@lineversesep{%
4416 \nobreak
4417 \hskip\z@ plus 1filll%
4418 \penalty600%
4419 \hskip\poemcolsep skip
4420 \hskip\z@ plus -2filll%
4421 \vadjust{}%
4422 \nobreak
4423 \hskip\z@ plus 1filll%
4424 }
4425 \def\poem@lineparsebegin{%
4426 \halign\bgroupt
4427 \global\setbox\verse@i=\hbox{%
4428 \let\@footnotetext\bidipoem@p@ftntext%
4429 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4430 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4431 \let\xfootnotenext\bidipoem@p\xftntext%
4432 \let\xfootnote\bidipoem@p\xfootnote%
4433 \let\xLTRfootnotenext\bidipoem@p\xLTRftntext%
4434 \let\xLTRfootnote\bidipoem@p\xLTRfootnote%
4435 \let\xRTLfootnotenext\bidipoem@p\xRTLftntext%
4436 \let\xRTLfootnote\bidipoem@p\xRTLfootnote%
4437 \ignorespaces##\unskip}&&
4438 \global\setbox\verse@ii=\hbox{%
4439 \let\@footnotetext\bidipoem@p@ftntext%
4440 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4441 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4442 \let\xfootnotenext\bidipoem@p\xftntext%
```

```

4443 \let\@xfootnote\bidipoem@p@xfootnote%
4444 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4445 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4446 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4447 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4448 \ignorespaces##\unskip}
4449 \cr
4450 }
4451 \def\poem@lineparseend{%
4452 \crrcrgroup
4453 \vskip-\baselineskip
4454 }
4455 \def\traditionalpoem@cr{%
4456 \cr\poem@line
4457 }
4458 \newbox\verse@i
4459 \newbox\verse@ii
4460 \newif\ifpoem@started
4461
4462 \def\poem@line{%
4463 \poem@lineparseend
4464 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
4465 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
4466 \ifpoem@started
4467 \ifdim\wd\verse@ii>\z@\else
4468 \nopagebreak[3]
4469 \fi
4470 \leavevemode
4471 \poem@linebegin
4472 \poem@verse\verse@i
4473 \ifdim\wd\verse@ii>\z@
4474 \poem@linenesep
4475 \poem@verse\verse@ii
4476 \fi
4477 \poem@lineend
4478 % \nopagebreak
4479 \par
4480 \vskip\poemextrabaselineskip
4481 \fi
4482 \poem@lineparsebegin
4483 }
4484 \def\@traditionalpoem{%
4485 \stepcounter{poem@no}
4486 \ifnum\max@poem@no<\number\c@poem@no%
4487 \xdef\poem@width{\z@}%
4488 \else
4489 \xdef\poem@width{\poem@prop{poem@width}}%
4490 \fi
4491 \xdef\new@poem@width{\z@}%
4492 \global\versewidth=\poem@width

```

```

4493 \poemskip\par
4494 \begingroup
4495 \tabskip=\z@
4496 \parskip=\z@
4497 \parindent=\z@
4498 \parfillskip=\z@
4499 \rightskip=\z@
4500 \leftskip=\z@
4501 \widowpenalty=10000% No break between verses of the same line.
4502 \clubpenalty=10000% Same as above. Not really needed.
4503 \def\newblock{\hfil\poemblocksep\hfil\null}%
4504 \def\traditionalpoem@par{\traditionalpoem@cr}%
Redefine \par for possible \obeylines
4505 \def\\{\global\poem@startedtrue\traditionalpoem@cr}%
4506 \global\poem@startedfalse
4507 \csname poem@obeylines\endcsname
4508 \let\poem@obeylines\relax
4509 \poem@lineparsebegin
4510 }
4511 \def\@endtraditionalpoem{%
4512 \cr
4513 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
4514 \noalign{%
4515 \skip0=\poemextrabaselineskip
4516 \vskip-\skip0
4517 \vskip-\baselineskip
4518 }%
4519 \fi\fi
4520 \poem@lineparseend
4521 \endgroup
4522 \par
4523 \vskip\baselineskip
4524 \poemskip
4525 \if@noparlist \else
4526 \ifdim\lastskip >\z@
4527 \tempskipa\lastskip \vskip -\lastskip
4528 \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
4529 \vskip\tempskipa
4530 \fi
4531 \endparenv
4532 \fi
4533 \ifdim\new@poem@width<\poem@width
4534 \global\let\poem@needrun\relax
4535 \fi
4536 \poem@write@aux{\poem@width@romannumeral@c@poem@no}{\new@poem@width}%
4537 \ifx\AtEndDocument\undefined\poem@finish\fi
4538 }
4539
4540
4541 \long\def\bidipoem@p@ftntext#1{%
4542 \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%

```

```

4543 \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
4544 \long\def\bidipoem@p@LTRftntext#1{%
4545 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4546 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
4547 \long\def\bidipoem@p@RTLftntext#1{%
4548 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4549 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
4550
4551 \long\def\bidipoem@p@xftntext[#1]#2{%
4552 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}%
4553
4554 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
4555 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}%
4556
4557 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
4558 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}%
4559
4560 \def\bidipoem@p@xfootnote[#1]{%
4561 \begingroup
4562 \csname c@\@mpfn\endcsname #1\relax
4563 \unrestored@protected@xdef\@thefnmark{\thempfn}\%
4564 \endgroup
4565 \footnotemark\bidipoem@p@xftntext[#1]}%
4566
4567 \def\bidipoem@p@xLTRfootnote[#1]{%
4568 \begingroup
4569 \csname c@\@mpfn\endcsname #1\relax
4570 \unrestored@protected@xdef\@thefnmark{\thempfn}\%
4571 \endgroup
4572 \footnotemark\bidipoem@p@xLTRftntext[#1]}%
4573
4574 \def\bidipoem@p@xRTLfootnote[#1]{%
4575 \begingroup
4576 \csname c@\@mpfn\endcsname #1\relax
4577 \unrestored@protected@xdef\@thefnmark{\thempfn}\%
4578 \endgroup
4579 \footnotemark\bidipoem@p@xRTLftntext[#1]}%
4580
4581
4582
4583 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}%
4584 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl}
4585 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}%
4586 \def\poem@finish{%
4587 \poem@write@aux{max@poem@no}{\number\c@poem@no}\%
4588 \ifx\poem@needrun\relax
4589 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}\%
4590 \global\let\poem@needrun\undefined
4591 \fi
4592 }

```

```

4593 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
4594 \newcounter{poem@no}\setcounter{poem@no}{\z@}
4595 \ifx\max@poem@no\undefined
4596     \def\max@poem@no{0}%
4597 \fi
4598 \newcommand{\poem@prop}[1]{\@nameuse{\#1@\roman{numeral}\c@poem@no}}
4599 \newcommand{\poem@write@aux}[2]{%
4600     \def\@x{\immediate\write\auxout{\global\noexpand\@namedef{\#1}{\#2}}}}%
4601     \@x
4602 }
4603 \def\@modernpoem{%
4604 \par
4605 \begingroup
4606 \parskip=\z@
4607 \parindent=\z@
4608 \def\[{\@settab\@tabplus\ignorespaces}%
4609 \def\]{{\@tabminus\ignorespaces}%
4610 \def\newblock{\poemblocksep}%
4611 \let\newpoem@tabcr\@tabcr
4612 \def\modernpoem@par{%
Redefine \par for possible \obeylines
4613 \ifpoem@started\else
4614     \ifdim\wd\curline>\z@\global\poem@startedtrue\else
4615         \stopfield
4616     \ifdim\wd\curfield>\z@\global\poem@startedtrue\fi
4617     \contfield
4618 \fi
4619 \fi
4620 \ifpoem@started\newpoem@tabcr\fi}%
4621 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
4622 \global\poem@startedfalse
4623 \csname poem@obeylines\endcsname
4624 \let\poem@obeylines\relax
4625 \begin{tabbing}%
4626 }
4627 \def\@endmodernpoem{%
4628 \global\poem@startedfalse
4629 \ifdim\wd\curline>\z@\global\poem@startedtrue\else
4630     \stopfield
4631     \ifdim\wd\curfield>\z@\global\poem@startedtrue\fi
4632     \contfield
4633 \fi
4634 \ifpoem@started\else\let\stopline\stopfield\fi
4635 \end{tabbing}%
4636 \endgroup
4637 \par
4638 \if@nopallist \else
4639     \ifdim\lastskip >\z@
4640         \tempskipa\lastskip \vskip -\lastskip
4641         \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
4642         \vskip\tempskipa

```

```

4643     \fi
4644     \endparenv
4645   \fi
4646 }
4647 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
4648 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem}
4649 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
4650 \gdef\@startfield{%
4651 \global\setbox\@curfield\hbox\bgroup%
4652 \let\@footnotetext\bidipoem@p@ftntext%
4653 \let\@LTFootnotetext\bidipoem@p@LTRftntext%
4654 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4655 \let\@xfootnotenext\bidipoem@p@xftntext%
4656 \let\@xfootnote\bidipoem@p@xfootnote%
4657 \let\@xLTFootnotenext\bidipoem@p@xLTRftntext%
4658 \let\@xLTFootnote\bidipoem@p@xLTRfootnote%
4659 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4660 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4661 \color@begingroup}
4662 \gdef\@stopfield{%
4663 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
4664 \gdef\@contfield{%
4665 \global\setbox\@curfield\hbox\bgroup%
4666 \let\@footnotetext\bidipoem@p@ftntext%
4667 \let\@LTFootnotetext\bidipoem@p@LTRftntext%
4668 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4669 \let\@xfootnotenext\bidipoem@p@xftntext%
4670 \let\@xfootnote\bidipoem@p@xfootnote%
4671 \let\@xLTFootnotenext\bidipoem@p@xLTRftntext%
4672 \let\@xLTFootnote\bidipoem@p@xLTRfootnote%
4673 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4674 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4675 \color@begingroup\unhbox\@curfield}

```

7.29 boek3-xetex-bidi.def

```

4676 \ProvidesFile{boek3-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek3 class for XeTe
4677 \renewenvironment{theindex}{%
4678   \if@twocolumn
4679     \restonecolfalse
4680   \else
4681     \restonecoltrue
4682   \fi
4683   \columnseprule \z@
4684   \columnsep 35\p@
4685   \twocolumn[\makeschapterhead{\indexname}]%
4686   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
4687   \thispagestyle{plain}\parindent\z@
4688   \parskip\z@ \relax .3\p@\relax
4689   \let\item\idxitem

```

```

4690  }{%
4691  \if@restonecol\onecolumn\else\clearpage\fi}
4692 \renewcommand*\head@style{%
4693  \interlinepenalty \OM
4694  \hyphenpenalty=\OM \exhyphenpenalty=\OM
4695  \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
4696 \renewcommand*\@regtocline[3]{%
4697  \ifnum #1>\c@tocdepth
4698  \else
4699  \vskip\z@\oplus.2\p@
4700  {\hangindent\z@ \cafterindenttrue \interlinepenalty\OM
4701  \if@RTL\rightskip\else\leftskip\fi\unitindent
4702  \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
4703  \parfillskip\z@
4704  \tempdima\unitindent
4705  \parindent\z@
4706  \leavevmode
4707  \hbox{}{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
4708  \hskip 1em \nobreak{\slshape #3}\par
4709  }%
4710 \fi}
4711 \if@oldtoc
4712 \renewcommand*\l@part[2]{%
4713  \ifnum \c@tocdepth >-2\relax
4714  \addpenalty{-\highpenalty}%
4715  \addvspace{2.25em \oplus\p@}%
4716  \begingroup
4717  \setlength\tempdima{3em}%
4718  \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
4719  \parfillskip -\pnumwidth
4720  {\leavevmode
4721  \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
4722  \nobreak
4723  \global\nobreaktrue
4724  \everypar{\global\nobreakfalse\everypar{}%}
4725  \endgroup
4726 \fi}
4727 \else
4728  \renewcommand*\l@part{%
4729  \ifnum \c@tocdepth >-2\relax
4730  \addpenalty{-\highpenalty}%
4731  \addvspace{2.25em \oplus\p@}%
4732  \regtocline{0}%
4733  \fi}
4734 \fi
4735 \if@oldtoc
4736 \renewcommand*\l@chapter[2]{%
4737  \addpenalty{-\highpenalty}%
4738  \vskip 1.0em \oplus\p@
4739  \setlength\tempdima{1.5em}%

```

```

4740   \begingroup
4741   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
4742   \parfillskip -\@pnumwidth
4743   \leavevmode \bfseries
4744   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
4745   \hskip -\if@RTL\rightskip\else\leftskip\fi
4746   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
4747   \penalty\@highpenalty
4748   \endgroup}
4749 \else
4750   \renewcommand*\l@chapter{\@regtocline{0}}
4751 \fi
4752 \renewenvironment{abstract}{%
4753   \titlepage
4754   \null\vfil
4755   \section*{\SectFont \abstractname}
4756   \noindent\ignorespaces
4757   {\par\vfil\null\endtitlepage}
4758 \renewenvironment{thebibliography}[1]
4759   {\chapter*{\bibname}%
4760     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
4761     \if@RTL\if@LTrbitems\@RTLfalse\else\fi\else\if@RTLbitems\@RTLtrue\else\fi\fi
4762     \list{\@biblabel{\@arabic\c@enumiv}}{%
4763       \settowidth\labelwidth{\@biblabel{#1}}%
4764       \leftmargin\labelwidth
4765       \advance\leftmargin\labelsep
4766       \openbib@code
4767       \usecounter{enumiv}}%
4768       \let\p@enumiv\empty
4769       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
4770       \sloppy\clubpenalty4000\widowpenalty4000%
4771       \sfcode`.\@m}
4772   {\def\@itemerr
4773     {\@latex@warning{Empty `thebibliography' environment}}%
4774   \endlist}
4775 \renewcommand*\left@footnoterule{%
4776   \kern-3\p@
4777   \kern.5\baselineskip
4778   \hrule\@width\unitindent
4779   \kern.4\baselineskip
4780 }
4781 \renewcommand*\right@footnoterule{%
4782   \hbox to \columnwidth
4783   {\beginR \vbox{%
4784   \kern-3\p@
4785   \kern.5\baselineskip
4786   \hrule\@width\unitindent
4787   \kern.4\baselineskip}\hfil\endR}
4788 }
4789 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}

```

```

4790 \renewcommand*\thesubsection{\thesection \@SepMark @arabic \c@subsection}
4791 \renewcommand*\thesubsubsection{\thesubsection \@SepMark @arabic \c@subsubsection}
4792 \renewcommand*\theparagraph{\thesubsubsection \@SepMark @arabic \c@paragraph}
4793 \renewcommand*\thesubparagraph{\theparagraph \@SepMark @arabic \c@subparagraph}
4794 \renewcommand*\theequation{%
4795   \ifnum \c@chapter>\z@ \thechapter \@SepMark fi @arabic \c@equation}
4796 \renewcommand*\thefigure{%
4797   \ifnum \c@chapter>\z@ \thechapter \@SepMark fi @arabic \c@figure}
4798 \renewcommand*\thetable{%
4799   \ifnum \c@chapter>\z@ \thechapter \@SepMark fi @arabic \c@table}
4800 \renewcommand*\maketitle{%
4801   \begin{titlepage}%
4802     \let\footnotesize\small
4803     \let\right@footnoterule\relax
4804     \let\left@footnoterule\relax
4805     \let\textwidth@footnoterule\relax
4806     \let \footnote \thanks
4807     \long\def\makefntext##1{\parindent\z@
4808       \def\labelitemi{\textendash}\@revlabeltrue
4809       \leavevmode\@textsupscript{\@thefnmark}\kern1em\relax ##1}
4810     \renewcommand*\thefootnote{\@fnssymbol \c@footnote}%
4811     \if@compatibility\setcounter{page}{0}\fi
4812     \null\vfil
4813     \vskip 60\p@
4814     \begin{center}%
4815       \TitleFont
4816       {\LARGE \def\{\penalty -\@M}
4817       \if@allcaps
4818         \expandafter\uc@nothanks\@title\thanks\relax
4819       \else
4820         \@title
4821         \fi\par}%
4822     \vskip 3em%
4823     {\large
4824       \lineskip .75em \parindent\z@
4825     \begin{tabular}[t]{c}%
4826       \if@allcaps
4827         \expandafter\uc@author\nothanks\@author\and\relax
4828       \else
4829         \@author
4830         \fi
4831       \end{tabular}\par}%
4832     \vskip 1.5em%
4833     {\large
4834       \if@allcaps
4835         \uppercase\expandafter{\@date}%
4836       \else
4837         \@date
4838         \fi\par}%
4839     \end{center}\par

```

```

4840     \@thanks
4841     \vfil\null
4842 \end{titlepage}%
4843 \setcounter{footnote}{0}%
4844 \global\let\thanks\relax
4845 \global\let\maketitle\relax
4846 \global\let\@thanks\empty
4847 \global\let\@author\empty
4848 \global\let\@title\empty
4849 \global\let\@date\empty
4850 \global\let\title\relax
4851 \global\let\author\relax
4852 \global\let\date\relax
4853 \global\let\and\relax
4854 }

```

7.30 boek-xetex-bidi.def

```

4855 \ProvidesFile{boek-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek class for XeTeX
4856 \renewenvironment{theindex}{%
4857   \if@twocolumn
4858     \restonecolfalse
4859   \else
4860     \restonecoltrue
4861   \fi
4862   \columnseprule \z@
4863   \columnsep 35\p@
4864   \twocolumn[\@makeschapterhead{\indexname}]%
4865   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
4866   \thispagestyle{plain}\parindent\z@
4867   \parskip\z@ \oplus .3\p@\relax
4868   \let\item\@idxitem
4869 }{%
4870   \if@restonecol\onecolumn\else\clearpage\fi}
4871 \renewcommand*\head@style{%
4872   \interlinepenalty \OM
4873   \hyphenpenalty=\OM \exhyphenpenalty=\OM
4874   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
4875 \renewcommand*\@regtocline[3]{%
4876   \ifnum #1>\c@tocdepth
4877   \else
4878     \vskip\z@\oplus.2\p@
4879     \hangindent\z@ \cafterindenttrue \interlinepenalty\OM
4880     \if@RTL\rightskip\else\leftskip\fi\unitindent
4881     \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
4882     \parfillskip\z@
4883     \tempdima\unitindent
4884     \parindent\z@
4885     \leavevmode
4886     \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak}

```

```

4887      \hskip 1em \nobreak{\slshape #3}\par
4888      }%
4889      \fi}
4890 \if@oldtoc
4891 \renewcommand*\l@part[2]{%
4892   \ifnum \c@tocdepth >-2\relax
4893     \addpenalty{-\@highpenalty}%
4894     \addvspace{2.25em \oplus \p@}%
4895     \begingroup
4896       \setlength{\tempdima}{3em}%
4897       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
4898       \parfillskip -\pnumwidth
4899       {\leavevmode
4900         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
4901       \nobreak
4902       \global\nobreaktrue
4903       \everypar{\global\nobreakfalse\everypar{}{}}%
4904     \endgroup
4905   \fi}
4906 \else
4907   \renewcommand*\l@part{%
4908     \ifnum \c@tocdepth >-2\relax
4909     \addpenalty{-\@highpenalty}%
4910     \addvspace{2.25em \oplus \p@}%
4911     \regtocline{0}%
4912   \fi}
4913 \fi
4914 \if@oldtoc
4915 \renewcommand*\l@chapter[2]{%
4916   \addpenalty{-\@highpenalty}%
4917   \vskip 1.0em \oplus \p@%
4918   \setlength{\tempdima}{1.5em}%
4919   \begingroup
4920   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
4921   \parfillskip -\pnumwidth
4922   \leavevmode \bfseries
4923   \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
4924   \hskip -\if@RTL\rightskip\else\leftskip\fi
4925   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
4926   \penalty\@highpenalty
4927 \endgroup}
4928 \else
4929   \renewcommand*\l@chapter{\regtocline{0}}
4930 \fi
4931 \renewcommand*\left@footnoterule{%
4932   \kern-3\p@
4933   \kern.5\baselineskip
4934   \hrule\@width\unitindent
4935   \kern.4\baselineskip
4936 }

```

```

4937 \renewcommand*\right@footnoterule{%
4938   \hbox to \columnwidth
4939   {\beginR \vbox{%
4940     \kern-3\p@
4941     \kern.5\baselineskip
4942     \hrule\@width\unitindent
4943     \kern.4\baselineskip}\hfil\endR}
4944 }
4945 \renewenvironment{abstract}{%
4946   \titlepage
4947   \null\vfil
4948   \section*{\SectFont \abstractname}
4949   \noindent\ignorespaces
4950   {\par\vfil\null\endtitlepage}
4951 \renewenvironment{thebibliography}[1]
4952   {\chapter*{\bibname}%
4953     \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
4954     \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
4955     \list{\@biblabel{\@arabic\c@enumiv}}%
4956       {\settowidth\labelwidth{\@biblabel{\#1}}%
4957         \leftmargin\labelwidth
4958         \advance\leftmargin\labelsep
4959         \openbib@code
4960         \usecounter{enumiv}%
4961         \let\p@enumiv\empty
4962         \renewcommand*\theenumiv{\@arabic\c@enumiv}%
4963         \sloppy\clubpenalty4000\widowpenalty4000%
4964         \sfcode`\.\@m}
4965     {\def\@noitemerr
4966       {\@latex@warning{Empty ‘thebibliography’ environment}}%
4967     \endlist}
4968 \renewcommand*\thesection{\thechapter \@SepMark \@arabic\c@section}
4969 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@section}
4970 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \@arabic\c@section}
4971 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic\c@paragraph}
4972 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \@arabic\c@subparagraph}
4973 \renewcommand*\theequation{%
4974   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@equation}
4975 \renewcommand*\thefigure{%
4976   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@figure}
4977 \renewcommand*\thetable{%
4978   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@table}
4979 \renewcommand*\maketitle{%
4980   \begin{titlepage}%
4981     \let\footnotesize\small
4982     \let\right@footnoterule\relax
4983     \let\left@footnoterule\relax
4984     \let\textwidth@footnoterule\relax
4985     \let \footnote \thanks
4986     \long\def\makefntext##1{\par\indent\z@%

```

```

4987      \def\labelitemi{\textendash}\@revlabeltrue
4988      \leavevmode@textsuperscript{\@thefnmark}\kern1em\relax ##1}
4989 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
4990 \if@compatibility\setcounter{page}{0}\fi
4991 \null\vfil
4992 \vskip 60\p@
4993 \begin{center}%
4994   \TitleFont
4995   {\LARGE \def\\{\penalty -\@M}
4996     \if@allcaps
4997       \expandafter\uc@nothanks\@title\thanks\relax
4998     \else
4999       \@title
5000     \fi\par}%
5001 \vskip 3em%
5002 {\large
5003   \lineskip .75em \parindent\z@
5004   \begin{tabular}[t]{c}%
5005     \if@allcaps
5006       \expandafter\uc@authornothanks\@author\and\relax
5007     \else
5008       \@author
5009     \fi
5010   \end{tabular}\par}%
5011 \vskip 1.5em%
5012 {\large
5013   \if@allcaps
5014     \uppercase\expandafter{\@date}%
5015   \else
5016     \@date
5017   \fi\par}%
5018 \end{center}\par
5019 \@thanks
5020 \vfil\null
5021 \end{titlepage}%
5022 \setcounter{footnote}{0}%
5023 \global\let\thanks\relax
5024 \global\let\maketitle\relax
5025 \global\let\@thanks\empty
5026 \global\let\@author\empty
5027 \global\let\@title\empty
5028 \global\let\@date\empty
5029 \global\let\title\relax
5030 \global\let\author\relax
5031 \global\let\date\relax
5032 \global\let\and\relax
5033 }

```

7.31 bookest-xetex-bidi.def

```

5034 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
5035 \def\@makechapterhead#1{%
5036   \vspace*{20\p@}
5037   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5038     \ifnum \c@secnumdepth >\m@ne
5039       \if@mainmatter
5040         {\colorA\huge\scshape \chapapp\space \thechapter}
5041       \par\nobreak
5042       \vskip 10\p@
5043     \fi
5044   \fi
5045   \interlinepenalty\@M
5046   {\colorB\hrule}
5047   \vskip 15\p@
5048   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
5049     {\colorA\Huge \bfseries #1}\par\nobreak
5050   \if@RTL\end{flushleft}\else\end{flushright}\fi
5051   \vskip 5\p@
5052   {\colorB\hrule}
5053   \vskip 30\p@
5054 }
5055 \def\@makeschapterhead#1{%
5056   \vspace*{20\p@}
5057   {\parindent \z@ \raggedright \normalfont
5058     {\colorB\hrule}
5059   \vskip 15\p@
5060   \begin{center}
5061     {\colorA\Huge \bfseries #1}\par\nobreak
5062   \end{center}
5063   \vskip 5\p@
5064   {\colorB\hrule}
5065   \vskip 30\p@
5066 }

```

7.32 book-xetex-bidi.def

```

5067 \ProvidesFile{book-xetex-bidi.def}[2011/08/26 v0.8 bidi adaptations for standard book class f
5068 \renewenvironment{theindex}
5069   {\if@twocolumn
5070     \restonecolfalse
5071   \else
5072     \restonecoltrue
5073   \fi
5074   \columnseprule \z@
5075   \columnsep 35\p@
5076   \twocolumn[\@makeschapterhead{\indexname}]%
5077   \mkboth{\MakeUppercase{\indexname}}%
5078     {\MakeUppercase{\indexname}}%
5079   \thispagestyle{plain}\parindent\z@
5080   \parskip\z@ \relax .3\p@\relax

```

```

5081           \let\item\@idxitem}
5082           {\if@restonecol\onecolumn\else\clearpage\fi}
5083 \@ifclassloaded{bookest}{}{%
5084   \if@titlepage
5085     \renewcommand\maketitle{\begin{titlepage}%
5086       \let\footnotesize\small
5087       \let\right@footnoterule\relax
5088       \let\left@footnoterule\relax
5089       \let\textwidth@footnoterule\relax
5090       \let \footnote \thanks
5091       \let \LTRfootnote \LTRthanks
5092       \let \RTLfootnote \RTLthanks
5093       \null\vfil
5094       \vskip 60pt%
5095       \begin{center}%
5096         \LARGE \@title \par}%
5097         \vskip 3em%
5098         \large
5099         \lineskip .75em%
5100         \begin{tabular}[t]{c}%
5101           \author
5102         \end{tabular}\par}%
5103         \vskip 1.5em%
5104         \large \date \par}          % Set date in \large size.
5105   \end{center}\par
5106   \thanks
5107   \vfil\null
5108   \end{titlepage}%
5109   \setcounter{footnote}{0}%
5110   \global\let\thanks\relax
5111   \global\let\LTRthanks\relax
5112   \global\let\RTLthanks\relax
5113   \global\let\maketitle\relax
5114   \global\let\@thanks\empty
5115   \global\let\author\empty
5116   \global\let\date\empty
5117   \global\let\title\empty
5118   \global\let\title\relax
5119   \global\let\author\relax
5120   \global\let\date\relax
5121   \global\let\and\relax
5122 }
5123 \else
5124   \renewcommand\maketitle{\par
5125     \begingroup
5126       \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
5127       \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
5128       \long\def\@makefntext{\parindent 1em\noindent
5129         \hb@xt@1.8em{%
5130           \hss\textsuperscript{\normalfont\@thefnmark}}}}%

```

```

5131   \if@twocolumn
5132     \ifnum \col@number=\@ne
5133       \@maketitle
5134     \else
5135       \twocolumn[\@maketitle]%
5136     \fi
5137   \else
5138     \newpage
5139     \global\@topnum\z@    % Prevents figures from going at top of page.
5140     \@maketitle
5141   \fi
5142   \thispagestyle{plain}\@thanks
5143 \endgroup
5144 \setcounter{footnote}{0}%
5145 \global\let\thanks\relax
5146 \global\let\LTRthanks\relax
5147 \global\let\RTLthanks\relax
5148 \global\let\maketitle\relax
5149 \global\let\@maketitle\relax
5150 \global\let\@thanks\@empty
5151 \global\let\@author\@empty
5152 \global\let\@date\@empty
5153 \global\let\@title\@empty
5154 \global\let\title\relax
5155 \global\let\author\relax
5156 \global\let\date\relax
5157 \global\let\and\relax
5158 }
5159 \def\@maketitle{%
5160   \newpage
5161   \null
5162   \vskip 2em%
5163   \begin{center}%
5164     \let \footnote \thanks
5165     \let \LTrfootnote \LTRthanks
5166     \let \RTLfootnote \RTLthanks
5167     {\LARGE \@title \par}%
5168     \vskip 1.5em%
5169     {\large
5170       \lineskip .5em%
5171       \begin{tabular}[t]{c}%
5172         \author
5173       \end{tabular}\par}%
5174     \vskip 1em%
5175     {\large \@date}%
5176   \end{center}%
5177   \par
5178   \vskip 1.5em}
5179 \fi}
5180 \renewcommand*\l@part[2]{%

```

```

5181 \ifnum \c@tocdepth >-2\relax
5182   \addpenalty{-\@highpenalty}%
5183   \addvspace{2.25em \oplus \p@}%
5184   \setlength{\tempdima}{3em}%
5185   \begingroup
5186     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
5187     \parfillskip -\pnumwidth
5188     {\leavevmode
5189       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
5190     \nobreak
5191       \global\nobreaktrue
5192       \everypar{\global\nobreakfalse\everypar{}}%
5193     \endgroup
5194   \fi}
5195 \renewcommand*\l@chapter[2]{%
5196   \ifnum \c@tocdepth >\m@ne
5197     \addpenalty{-\@highpenalty}%
5198     \vskip 1.0em \oplus \p@
5199     \setlength{\tempdima}{1.5em}%
5200     \begingroup
5201       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
5202       \parfillskip -\pnumwidth
5203       \leavevmode \bfseries
5204       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
5205       \hskip -\if@RTL\rightskip\else\leftskip\fi\fi
5206       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
5207       \penalty\@highpenalty
5208     \endgroup
5209   \fi}
5210 \renewcommand\left@footnoterule{%
5211   \kern-3\p@
5212   \hrule\@width.4\columnwidth
5213   \kern2.6\p@}
5214 \renewcommand\right@footnoterule{%
5215   \hbox to \columnwidth
5216   {\beginR \vbox{%
5217     \kern-3\p@
5218     \hrule\@width.4\columnwidth
5219     \kern2.6\p@\hfil\endR}}
5220 \renewcommand\theequation
5221   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{c@equation}}
5222 \renewcommand\thefigure
5223   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{c@figure}}
5224 \renewcommand\thetable
5225   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{c@table}}
5226 \renewcommand\thechapter {\arabic{c@chapter}}
5227 \renewcommand\thesection {\thechapter\SepMark\arabic{c@section}}
5228 \renewcommand\thesubsection {\thesection\SepMark\arabic{c@subsection}}
5229 \renewcommand\thesubsubsection{\thesubsection\SepMark\arabic{c@subsubsection}}
5230 \renewcommand\theparagraph {\thesubsubsection\SepMark\arabic{c@paragraph}}

```

```

5231 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
5232 \def\@makechapterhead#1{%
5233   \vspace*{50\p@}%
5234   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5235     \ifnum \c@secnumdepth >\m@ne
5236       \if@mainmatter
5237         \huge\bfseries \chapapp\space \thechapter
5238         \par\nobreak
5239         \vskip 20\p@
5240       \fi
5241     \fi
5242     \interlinepenalty\@M
5243     \Huge \bfseries #1\par\nobreak
5244     \vskip 40\p@
5245   }%
5246 \def\@makeschapterhead#1{%
5247   \vspace*{50\p@}%
5248   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
5249     \normalfont
5250     \interlinepenalty\@M
5251     \Huge \bfseries #1\par\nobreak
5252     \vskip 40\p@
5253   }%
5254 \renewcommand\backmatter{%
5255   \if@openright
5256     \cleardoublepage
5257   \else
5258     \clearpage
5259   \fi
5260   \mainmatterfalse}
5261 \renewenvironment{thebibliography}[1]
5262   {\chapter*{\bibname}%
5263    \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5264    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
5265    \list{\@biblabel{\@arabic\c@enumiv}}%
5266      {\settowidth\labelwidth{\@biblabel{#1}}%
5267       \leftmargin\labelwidth
5268       \advance\leftmargin\labelsep
5269       \openbib@code
5270       \usecounter{enumiv}%
5271       \let\p@enumiv\empty
5272       \renewcommand\theenumiv{\@arabic\c@enumiv}%
5273       \sloppy
5274       \clubpenalty4000
5275       \clubpenalty \clubpenalty
5276       \widowpenalty4000%
5277       \sfcode'.'\@m}
5278   \def\@noitemerr
5279     {\@latex@warning{Empty 'thebibliography' environment}}%
5280   \endlist}

```

7.33 breqn-xetex-bidi.def

```
5281 \ProvidesFile{breqn-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for breqn package for Xe
5282 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
5283   \everydisplay\expandafter{\the\everydisplay \display@setup}%
5284   \if@noskipsec \leavevmode \fi
5285   \if@inlabel \leavevmode \global\@inlabelfalse \fi
5286   \if\eq@group\else\eq@prelim\fi
5287   \setkeys{breqn}{#1}%
5288   \the\eqstyle
5289   \eq@setnumber
5290   \begingroup
5291   \eq@setup@a
5292   \eq@startup
5293 }
5294 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
5295   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
5296   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
5297   \global\let\GRP@label\empty
5298   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
5299   \global\grp@linewidth\z@\global\grp@wdNum\z@
5300   \global\let\grp@eqs@numbered\@False
5301   \global\let\grp@aligned\@True
5302   \global\let\grp@shiftnumber\@False
5303   \eq@prelim
5304   \setkeys{breqn}{#1}%
5305   \if\grp@hasNumber \grp@setnumber \fi
5306 }
5307 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
5308   \let\display@setup\dseries@display@setup
5309   % Question: should this be the default for dseries???
5310   \global\eq@wdCond\z@
5311   \@dmath[layout={M},#1]%
5312   \mathsurround\z@\math \penalty\@Mi
5313   \let\endmath\ends@math
5314   \def\premath{%
5315     \ifdim\lastskip<.3em \unskip
5316     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
5317   }%
5318   \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignoretrue}%
5319   \ignorespaces
5320 }
5321 \def\eqnumform#1{\if@Latin\else\beginR\@RTLtrue\fi(#1\@italiccorr)\if@Latin\else\endR\fi}
5322 \renewenvironment{dsuspend}{%
5323   \global\setbox\@EQ@box\vbox\bgroup\if@Latin\else\@RTLtrue\fi \parboxrestore
5324   \parshape 1 \displayindent \displaywidth\relax
5325   \hsize=\columnwidth \noindent\ignorespaces
5326 }{%
5327   \par\egroup
5328   \global\setbox\GRP@box\vbox{%
```

```

5329     \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
5330     \unvbox\GRP@box
5331   }%
5332   \global\GRP@queue\exp{\the\GRP@queue
5333     \oelt{\let\eq@isIntertext\@True}%
5334   }%
5335 }

```

7.34 cals-xetex-bidi.def

```

5336 \ProvidesFile{cals-xetex-bidi.def}[2013/05/28 v0.3 bidi adaptations for cals package for XeTe
5337 \renewenvironment{calstable}[1][c]{%
5338 \if@RTL\QRTLtabtrue\cals@activate@rtl\fi
5339   \if l#1%
5340     \if@RTLtab\leftskip\fill \rightskip\z@\else\leftskip\z@\rightskip\fill\fi
5341   \else\if r#1%
5342     \if@RTLtab\leftskip\z@\rightskip\fill\else\leftskip\fill \rightskip\z@\fi
5343   \else\if c#1%
5344     \leftskip\fill \rightskip\fill
5345   \fi\fi\fi
5346 \let\cals@thead@tokens=\relax
5347 \let\cals@tfoot@tokens=\relax
5348 \let\cals@tbreak@tokens=\relax
5349 \cals@tfoot@height=0pt \relax
5350 \let\cals@last@context=n%
5351 \let\cals@current@context=b%
5352 \parindent=0pt %
5353 \cals@setpadding{A}\cals@setcellprevdepth{A}\cals@set@tohsize%
5354 %% Alignment inside is independent on center/flushright outside
5355 \parfillskip=0pt plus1fil\relax
5356 \let\cals@borderL=\relax
5357 \let\cals@borderR=\relax
5358 \let\cals@borderT=\relax
5359 \let\cals@borderB=\relax
5360 }% End of the table
5361 \cals@tfoot@tokens\lastrule\@RTLtabfalse}
5362
5363 \renewcommand\alignL{%
5364 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0 plus 1fill\else\cals@paddingL=\dimen0\relax\fi
5365 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}
5366
5367 \renewcommand\alignR{%
5368 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0\else\cals@paddingL=\dimen0 plus 1fill\fi
5369 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}

```

7.35 caption-xetex-bidi.def

```

5370 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package fo
5371 \let\@makecaption\caption@makecaption

```

7.36 caption3-xetex-bidi.def

```

5372 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
5373 \renewcommand*\caption@par{%
5374   \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

7.37 colortbl-xetex-bidi.def

```

5375 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
5376 \def\CT@setup{%
5377   \tempdimb\col@sep
5378   \tempdimc\col@sep
5379   \def\CT@color{%
5380     \global\let\CT@do@color\CT@@do@color
5381     \bidicolor}
5382 \def\@classz{\@classx
5383   \tempcnta \count@
5384   \prepnext@tok
5385 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
5386   \addtopreamble{\if@RTLtab\beginL\fi%
5387     \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
5388     \ifcase \chnum
5389       \hskip\stretch{.5}\kern\z@
5390     \dollarbegin
5391     \insert@column
5392     \dollarend\hskip\stretch{.5}\or
5393     \dollarbegin \insert@column \dollarend \hfill \or
5394     \hfill\kern\z@ \dollarbegin \insert@column \dollarend \or
5395     \$\vcenter
5396     \@startpbox{\@nextchar}\insert@column \endpbox \$\or
5397     \vtop \@startpbox{\@nextchar}\insert@column \endpbox \or
5398     \vbox \@startpbox{\@nextchar}\insert@column \endpbox
5399   \fi
5400 \if@RTLtab\endR\fi\egroup\egroup
5401 \begingroup
5402   \CT@setup
5403   \CT@column@color
5404   \CT@row@color
5405   \CT@cell@color
5406   \CT@do@color
5407 \endgroup
5408   \tempdima\ht\z@
5409   \advance\tempdima\minrowclearance
5410   \vrule\height\tempdima\width\z@
5411   \unhbox\z@\if@RTLtab\endL\fi}%
5412 \prepnext@tok}

```

7.38 color-xetex-bidi.def

```

5413 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
5414 \long\def\color@b@x#1#2#3{%
5415   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
5416   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%

```

```

5417 \dimen@\ht{z@}\advance\dimen@\fboxsep\ht{z@}\dimen@
5418 \dimen@\dp{z@}\advance\dimen@\fboxsep\dp{z@}\dimen@
5419 {#1{#2\color@block{\wd{z@}}{\ht{z@}}{\dp{z@}}%
5420     \box{z@}}}\ifmmode\else\if@RTL\endL\fi\fi}
5421 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
5422 \ DeclareRobustCommand\color{%
5423   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
5424 \def\@declaredcolor#1{%
5425   \@ifundefined{\string\color @#1}{%
5426     {\color@error{'#1'}}}%
5427   {\expandafter\let\expandafter\current@color
5428     \csname\string\color @#1\endcsname
5429     \set@color}%
5430   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
5431 \def\@undeclaredcolor[#1]#2{%
5432   \@ifundefined{\color@#1}{%
5433     {\color@error{model '#1'}}}%
5434     {\csname color@#1\endcsname\current@color{#2}}%
5435     \set@color}%
5436   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
5437 \ DeclareRobustCommand\bidicolor{%
5438   \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}%
5439 \def\@bidiundeclaredcolor[#1]#2{%
5440   \@ifundefined{\color@#1}{%
5441     {\color@error{model '#1'}}}%
5442     {\csname color@#1\endcsname\current@color{#2}}%
5443     \set@color}%
5444   \ignorespaces}%
5445 \def\@bidideclaredcolor#1{%
5446   \@ifundefined{\string\color @#1}{%
5447     {\color@error{'#1'}}}%
5448   {\expandafter\let\expandafter\current@color
5449     \csname\string\color @#1\endcsname
5450     \set@color}%
5451   \ignorespaces}%
5452 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}%
5453 \def\color@fbox#1#2#3{%
5454   \color@b@x{\fboxsep{z@}\bidicolor#1{#2}\fbox{\bidicolor#1{#3}}}%
5455 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

7.39 combine-xetex-bidi.def

```

5456 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
5457 \renewcommand{\c@ll@chapseci}[2]{%
5458   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
5459   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
5460   #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}}\par
5461 }%
5462 \renewcommand{\c@ll@chapseci}{%
5463   \setlength{\tempdima{0em}}%
```

```

5464 \begingroup
5465   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5466   \parfillskip -\@pnumwidth
5467   \leavevmode
5468 }
5469 \renewenvironment{tocindent}[1]{%
5470   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}

```

7.40 crop-xetex-bidi.def

```

5471 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTe
5472 \renewcommand*\CROP@@ulc{%
5473   \if@RTLmain%
5474     \begin{picture}(0,0)
5475       \unitlength\p@\thinlines
5476       \put(-40,0){\circle{10}}
5477       \put(-30,-5){\line(0,1){10}}
5478       \put(-35,0){\line(1,0){30}}
5479       \put(-10,30){\circle{10}}
5480       \put(-5,30){\line(1,0){10}}
5481       \put(0,35){\line(0,-1){30}}
5482     \end{picture}%
5483   \else%
5484     \begin{picture}(0,0)
5485       \unitlength\p@\thinlines
5486       \put(-30,0){\circle{10}}
5487       \put(-30,-5){\line(0,1){10}}
5488       \put(-35,0){\line(1,0){30}}
5489       \put(0,30){\circle{10}}
5490       \put(-5,30){\line(1,0){10}}
5491       \put(0,35){\line(0,-1){30}}
5492     \end{picture}%
5493   \fi%
5494 }
5495 \renewcommand*\CROP@@urc{%
5496   \if@RTLmain%
5497     \begin{picture}(0,0)
5498       \unitlength\p@\thinlines
5499       \put(20,0){\circle{10}}
5500       \put(30,-5){\line(0,1){10}}
5501       \put(35,0){\line(-1,0){30}}
5502       \put(-10,30){\circle{10}}
5503       \put(-5,30){\line(1,0){10}}
5504       \put(0,35){\line(0,-1){30}}
5505     \end{picture}%
5506   \else%
5507     \begin{picture}(0,0)
5508       \unitlength\p@\thinlines
5509       \put(30,0){\circle{10}}
5510       \put(30,-5){\line(0,1){10}}}
```

```

5511      \put(35,0){\line(-1,0){30}}
5512      \put(0,30){\circle{10}}
5513      \put(-5,30){\line(1,0){10}}
5514      \put(0,35){\line(0,-1){30}}
5515  \end{picture}%
5516  \fi%
5517 }
5518 \renewcommand*\CROP@llc{%
5519   \if@RTLmain%
5520     \begin{picture}(0,0)
5521       \unitlength\p@\thinlines
5522       \put(-40,0){\circle{10}}
5523       \put(-30,-5){\line(0,1){10}}
5524       \put(-35,0){\line(1,0){30}}
5525       \put(-10,-30){\circle{10}}
5526       \put(-5,-30){\line(1,0){10}}
5527       \put(0,-35){\line(0,1){30}}
5528   \end{picture}%
5529 \else%
5530   \begin{picture}(0,0)
5531     \unitlength\p@\thinlines
5532     \put(-30,0){\circle{10}}
5533     \put(-30,-5){\line(0,1){10}}
5534     \put(-35,0){\line(1,0){30}}
5535     \put(0,-30){\circle{10}}
5536     \put(-5,-30){\line(1,0){10}}
5537     \put(0,-35){\line(0,1){30}}
5538   \end{picture}%
5539 \fi%
5540 }
5541 \renewcommand*\CROP@lrc{%
5542   \if@RTLmain%
5543     \begin{picture}(0,0)
5544       \unitlength\p@\thinlines
5545       \put(20,0){\circle{10}}
5546       \put(30,-5){\line(0,1){10}}
5547       \put(35,0){\line(-1,0){30}}
5548       \put(-10,-30){\circle{10}}
5549       \put(-5,-30){\line(1,0){10}}
5550       \put(0,-35){\line(0,1){30}}
5551   \end{picture}%
5552 \else%
5553   \begin{picture}(0,0)
5554     \unitlength\p@\thinlines
5555     \put(30,0){\circle{10}}
5556     \put(30,-5){\line(0,1){10}}
5557     \put(35,0){\line(-1,0){30}}
5558     \put(0,-30){\circle{10}}
5559     \put(-5,-30){\line(1,0){10}}
5560     \put(0,-35){\line(0,1){30}}

```

```

5561     \end{picture}%
5562     \fi%
5563 }
5564 \@ifpackagewith{crop}{cam}{%
5565 \CROP@exec{\cam}%
5566 }{}}

```

7.41 cutwin-xetex-bidi.def

```

5567 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
5568 \renewcommand*{\c@twcompctr}[2]{%
5569   \def\c@twffirst{1}
5570   \loop\advance\c@twwinlines\m@ne
5571   \setbox\c@twslicea=\vsplit#1 to\baselineskip
5572   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
5573   \c@twp prune{\c@twslicea}{\c@twlftside}%
5574   \c@twp prune{\c@twsliceb}{\c@twrtside}%
5575   \ifnum\c@twffirst=\@ne
5576     \setbox#2=\vbox{\unvbox#2\hbox
5577       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
5578   \else
5579     \setbox#2=\vbox{\unvbox#2\hbox
5580       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
5581   \fi
5582   \def\c@twffirst{2}
5583   \ifnum\c@twwinlines>\z@\repeat}
5584 \renewcommand*{\c@twcomoddctr}[2]{%
5585   \def\c@twrounds{1}
5586   \def\c@twffirst{1}
5587   \@for\c@twlspec:=\c@twb\do{%
5588     \ifnum\c@twrounds=1
5589       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
5590       \c@twp prune{\c@twslicea}{\c@twlspec}%
5591       \def\c@twrounds{2}
5592     \else
5593       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
5594       \c@twp prune{\c@twsliceb}{\c@twlspec}%
5595       \ifnum\c@twffirst=1
5596         \setbox#2=\vbox{\unvbox#2\hbox
5597           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
5598         \def\c@twffirst{2}
5599       \else
5600         \setbox#2=\vbox{\unvbox#2\hbox
5601           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
5602         \fi
5603         \def\c@twrounds{1}
5604       \fi}}

```

7.42 cuted-xetex-bidi.def

```

5605 \ProvidesFile{cuted-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for cuted package for Xe

```

```

5606 \def\RTL@outputdblcol{%
5607 \if@firstcolumn \global\@firstcolumnfalse
5608 \global\setbox\@leftcolumn \box\@outputbox
5609 \else
5610 \global\@firstcolumntrue
5611 \setbox\@outputbox \vbox {\hbox to\textwidth {%
5612 \hskip \columnwidth
5613 \hfil \vrule width\columnsep\hfil
5614 \hbox to\columnwidth {\box\@leftcolumn \hss}%
5615 \hskip -\textwidth
5616 \hbox to\columnwidth{\box\@outputbox \hss}%
5617 \hskip \columnsep
5618 \hskip \columnwidth }%}
5619 \ifvoid\hold@viper
5620 \else
5621 \setbox\@outputbox \vbox to\textheight{%
5622 \box\hold@viper
5623 \box\@outputbox
5624 \vss
5625 }%
5626 \fi
5627 \@combinedblfloats \@outputpage
5628 \begingroup \@dblfloatplacement \@startdblcolumn
5629 \@whilesw\if@fcolmade \fi
5630 {\@outputpage \@startdblcolumn }%
5631 \ifvoid\@viper
5632 \else
5633 \global\setbox\@viper\vbox{%
5634 \vskip-\stripsep
5635 \unvbox\@viper
5636 }%
5637 \@viperoutput
5638 \fi
5639 \endgroup
5640 \fi}
5641 \def\LTR@outputdblcol{%
5642 \if@firstcolumn
5643 \global\@firstcolumnfalse
5644 \global\setbox\@leftcolumn \box\@outputbox
5645 \else
5646 \global\@firstcolumntrue
5647 \setbox\@outputbox \vbox {%
5648 \hb@xt@{\textwidth}{%
5649 \hb@xt@{\columnwidth}{%
5650 \box\@leftcolumn \hss}%
5651 \hfil
5652 \vrule \width\columnsep\hfil
5653 \hfil
5654 \hb@xt@{\columnwidth}{%
5655 \box\@outputbox \hss}}%

```

```

5656                               }%
5657
5658 \ifvoid\hold@viper
5659 \else
5660   \setbox\@outputbox \vbox to\textheight{%
5661     \box\hold@viper
5662   \box\@outputbox
5663   \vss
5664 }%
5665 \fi
5666 \@combinedblfloats
5667 \@outputpage
5668 \begingroup
5669   \dblfloatplacement
5670   \startdblcolumn
5671   \whilesw\if@fcolmade \fi
5672   {\@outputpage
5673     \startdblcolumn}%
5674 \ifvoid\@viper
5675 \else
5676   \global\setbox\@viper\vbox{%
5677     \vskip-\stripsep
5678   \unvbox\@viper
5679 }%
5680   \viperoutput
5681 \fi
5682 \endgroup
5683 \fi
5684 }
5685 \def \caddviper {%
5686   \if@firstcolumn
5687     \cinsertfalse
5688     \reqcolroom .5\@pageht
5689     \ht\@viper\reqcolroom
5690     \advance \reqcolroom \ht\@viper
5691     \advance \reqcolroom \stripsep
5692     \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
5693 }%
5694 \@tempdimb \ht\@viper
5695 \loop
5696   \setbox\v@aaa\copy\@holdpg
5697   \setbox\v@ccc\vbox to\@tempdimb{%
5698     \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
5699   \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
5700   \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
5701 \loop
5702   \setbox\v@aaa\copy\@holdpg
5703   \setbox\v@ccc\vbox to\@tempdimb{%
5704     \vsplit\v@aaa to\@tempdimb\vss}%
5705   \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%

```

```

5706   \ifdim \ht\v@ccc<\ht\v@aaa \atempdimb \the\ht\v@aaa \repeat
5707   \wlog{- LAST -^JLeft:\the\ht\v@ccc^JRight:\the\ht\v@aaa^JOutput:\the\atempdimb}%
5708   \setbox\v@ccc\vbox to\atempdimb{%
5709     \vsplit\holdpg to\atempdimb\vss}%
5710   %%
5711   \setbox\atempboxa \vbox {%
5712     \hb@xt@\textwidth {%
5713       \if@RTLmain%
5714         \hskip \columnwidth
5715         \hfil \vrule width\columnseprule \hfil
5716         \hb@xt@\columnwidth {%
5717           \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5718           \hskip -\textwidth
5719           \hb@xt@\columnwidth {%
5720             \vbox to\ht@viper{\box\holdpg\vss} \hss}%
5721             \hskip \columnsep
5722             \hskip \columnwidth
5723             \else%
5724               \hb@xt@\columnwidth {%
5725                 \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5726                 \hfil
5727                 \vrule \atwidth\columnseprule
5728                 \hfil
5729                 \hb@xt@\columnwidth {%
5730                   \vbox to\ht@viper{\box\holdpg\vss} \hss}%
5731                   \fi}%
5732     }%
5733   \ifvoid\hold@viper
5734     \global\setbox\hold@viper \vbox {%
5735       \unvbox\atempboxa
5736       \penalty\interlinepenalty
5737       \vskip\stripsep
5738       \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5739       \outputpenalty \z@
5740     }%
5741   \else
5742     \global\setbox\hold@viper \vbox {%
5743       \unvbox\hold@viper
5744       \unvbox\atempboxa
5745       \penalty\interlinepenalty
5746       \vskip\stripsep
5747       \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5748       \outputpenalty \z@
5749     }%
5750   \fi
5751   \ifdim \reqcolroom>\atempcolroom
5752     \global\setbox\hold@viper \vbox {%
5753       \unvbox\hold@viper
5754       \box\@viper
5755       \penalty\interlinepenalty

```

```

5756           \vskip\stripsep
5757           \ifnum\outputpenalty <-@\Mii \vskip -\parskip\fi
5758           \outputpenalty \z@
5759           }%
5760           \qinserttrue
5761           \advance\@tempdima by-\ht\hold@viper
5762           \global \advance \@colht \@tempdima
5763           \ifdim \@colht<2.5\baselineskip
5764               \q@latex@warning@no@line {Optional argument of \noexpand\twocolumn
5765                   too tall on page \thepage (1 stulpelis)}%
5766               \emptycol
5767               \if@firstcolumn
5768               \else
5769                   \emptycol
5770               \fi
5771               \global\@lastvipertrue
5772           \else
5773               \global \vsize \@colht
5774               \global \@colroom \@colht
5775               \checkfloats
5776               \ifdim\@tempdima>\z@
5777                   \global\advance\@colroom by-\@tempdima
5778               \fi
5779               \ifdim\@colroom<\z@
5780                   \global\@colroom 1pt
5781                   \ifdim\@tempdima>\@colht
5782                       \q@latex@warning@no@line {TOP ir/ar BOT FLOAT's
5783                           netelpa lape \thepage (1 stulpelis)}%
5784                   \fi
5785                   \emptycol
5786                   \if@firstcolumn
5787                   \else
5788                       \emptycol
5789                   \fi
5790                   \global\@lastvipertrue
5791               \fi
5792           \fi
5793       \fi
5794   \else
5795       \qinsertfalse
5796       \reqcolroom\@colht
5797       \advance\reqcolroom \@pageht
5798       \ht@viper.5\reqcolroom
5799       \reqcolroom\ht@viper
5800       \advance \reqcolroom \ht\@viper
5801       \advance \reqcolroom \stripsep
5802       \if@flushend@auto@baselineskip
5803           \setbox\@tempboxa\vbox{\unvcopy\leftcolumn
5804               \global\lastskip@d\lastskip
5805               \global\lastskip@b\lastskip

```

```

5806      \loop
5807          \global\lastskip@a\lastskip@b
5808          \unskip\unpenalty
5809          \global\lastskip@b\lastskip
5810          \global\advance\lastskip@d by\lastskip
5811          \ifdim\lastskip@b=-\lastskip@a
5812              \global\advance\lastskip@d by-\lastskip
5813          \else
5814          \repeat
5815          \ifdim\lastskip@b=-\lastskip@a
5816              \ifdim\lastskip@b=\z@
5817                  \setbox\lastbox@a\lastbox
5818                  \global\advance\lastskip@d by\ht\lastbox@a
5819                  \global\advance\lastskip@d by\lastskip
5820                  \unskip\unpenalty
5821                  \setbox\lastbox@a\lastbox
5822                  \global\advance\lastskip@d by\dp\lastbox@a
5823          \else
5824              \global\lastskip@d\lastskip
5825              \global\advance\lastskip@d by\topskip
5826          \fi
5827      \fi
5828      \global\advance\lastskip@d by-\topskip
5829  }%
5830  \ifdim\ht\@holdpg>\@colht
5831      \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
5832          \par\eject
5833          \vbox to \@colht{\unvbox\@holdpg\unskip}%
5834  }%
5835  \else
5836      \global\setbox\@holdpg\vbox{%
5837          \unvbox\@leftcolumn\unskip\unpenalty
5838          \vskip\lastskip@d
5839          \the\At@ViperColsBreak
5840          \unvbox\@holdpg
5841          \unskip
5842  }%
5843  \fi
5844 \else
5845     \global\setbox\@holdpg\vbox{%
5846         \unvbox\@leftcolumn
5847         \setbox\@tempboxa\lastbox
5848         \on@stripcols@break
5849         \the\At@ViperColsBreak
5850         \unvbox\@holdpg
5851  }%
5852  \fi
5853  \global\At@ViperColsBreak{}%
5854  \ht@\viper .5\ht\@holdpg
5855  \ifdim \ht@\viper>\@colht

```

```

5856           \ht@viper \colht
5857       \fi
5858   \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
5859 %%
5860   \@tempdimb \ht@viper
5861   \loop
5862     \setbox\v@aaa\copy\holdpg
5863     \setbox\v@ccc\vbox to\@tempdimb{%
5864       \vsplit\v@aaa to\@tempdimb
5865       \vss
5866       \vsplit\v@aaa to\@tempdimb
5867     }%
5868     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
5869   \ifvoid\v@aaa
5870   \else
5871     \advance\@tempdimb 1\p@
5872   \repeat
5873   \loop
5874     \setbox\v@aaa\copy\holdpg
5875     \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
5876     \wlog{(2)Left:\the\ht\v@ccc\space
5877           Right:\the\ht\v@aaa\space
5878           Output:\the\@tempdimb
5879     }%
5880   \ifdim\ht\v@ccc<\ht\v@aaa
5881     \@tempdimb \the\ht\v@aaa
5882   \repeat
5883   \wlog{- LAST -^JLeft:\the\ht\v@ccc
5884           ^JRight:\the\ht\v@aaa
5885           ^JOutput:\the\@tempdimb
5886     }%
5887   \setbox\v@ccc\vbox to\@tempdimb{\vsplit\holdpg to\@tempdimb\vss}%
5888   \setbox\@tempboxa\vbox{%
5889     \hb@xt@\textwidth{%
5890       \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5891       \hfil
5892       \vrule \width\columnseprule
5893       \hfil
5894       \hb@xt@\columnwidth {\vbox to\ht@viper{\box\holdpg\vss} \hss}%
5895     }%
5896   }%
5897   \ifvoid\hold@viper
5898     \global\setbox\hold@viper \vbox{%
5899       \unvbox\@tempboxa
5900       \penalty\interlinepenalty
5901       \vskip\stripsep
5902       \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5903       \outputpenalty \z@
5904     }%
5905   \else

```

```

5906     \global\setbox\hold@viper \vbox {%
5907         \unvbox\hold@viper
5908         \unvbox\@tempboxa
5909         \penalty\interlinepenalty
5910         \vskip\stripsep
5911         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5912         \outputpenalty \z@
5913     }%
5914 \fi
5915 \ifdim \@colht>\@reqcolroom
5916     \global\setbox\hold@viper \vbox {%
5917         \unvbox\hold@viper
5918         \box\@viper
5919         \penalty\interlinepenalty
5920         \vskip\stripsep
5921         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5922         \outputpenalty \z@
5923     }%
5924     \@inserttrue
5925     \global\@firstcolumntrue
5926     \advance\@tempdima by-\ht\hold@viper
5927     \global \advance \@colht \@tempdima
5928     \ifdim \@colht<2.5\baselineskip
5929         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
5930                               too tall on page \thepage (2 stulpelis)}%
5931         \emptycol
5932         \if@firstcolumn
5933             \else
5934                 \emptycol
5935             \fi
5936             \global\@lastvipertrue
5937         \else
5938             \global \vsize \@colht
5939             \global \@colroom \@colht
5940             \check@floats
5941             \ifdim\@tempdima>\z@
5942                 \global\advance\@colroom by-\@tempdima
5943             \fi
5944             \ifdim\@colroom<\z@
5945                 \global\@colroom 1pt
5946                 \ifdim\@tempdima>\@colht
5947                     \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
5948                               netelpa lape \thepage (2 stulpelis)}%
5949                 \fi
5950                 \emptycol
5951                 \if@firstcolumn
5952                     \else
5953                         \emptycol
5954                     \fi
5955             \global\@lastvipertrue

```

```

5956           \fi
5957           \fi
5958           \fi
5959           \fi
5960           \if@insert
5961           \else
5962             \advance\@tempdima by-\ht\hold@viper
5963             \global \advance \@colht \atempdima
5964             \global\setbox\hold@viper \vbox {%
5965               \unvbox\hold@viper
5966               \csname viper@top@hook\endcsname
5967               \vsplit\@viper to \@colht
5968               \vss
5969             }%
5970             \vbox{}%
5971             \global\@firstcolumnfalse
5972             \newpage
5973           \fi
5974         }

```

7.43 cvthemedibicasual.sty

```

5975 \NeedsTeXFormat{LaTeX2e}
5976 \ProvidesPackage{cvthemedibicasual}
5977 \DeclareOption{blue}{}
5978 \newif\if@colourorange\@colourorangefalse
5979 \DeclareOption{orange}{\@colourorangeredtrue}
5980 \newif\if@colourgreen\@colourgreenfalse
5981 \DeclareOption{green}{\@colourgreentrue}
5982 \newif\if@colourred\@colourredfalse
5983 \DeclareOption{red}{\@colourredtrue}
5984 \newif\if@colourgray\@colourgreyfalse
5985 \DeclareOption{grey}{\@colourgreytrue}
5986 \DeclareOption*{%
5987   \PackageWarning{cvthemedibicasual}{Unknown option \CurrentOption}}
5988 \ExecuteOptions{colour}
5989 \ProcessOptions\relax
5990 \renewcommand*\listitemsymbol{\textbullet}
5991 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
5992 \familynamecolour{808080}
5993 \firstnamecolour{A9A9A9}
5994 \quotecolour{696969}
5995 \addresscolour{696969}
5996 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
5997 \sectiontitlecolour{1E90FF}
5998 \subsectioncolour{4682B4}
5999 \definecolor{rulecolour}{gray}{0.6}
6000 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
6001 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
6002 \if@colourorange

```

```

6003  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6004  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6005  \sectiontitlecolour{FF8C00}
6006  \subsectioncolour{FF8C00}
6007  \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
6008  \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
6009 \if@colourgreen
6010  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6011  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6012  \sectiontitlecolour{008000}
6013  \subsectioncolour{008000}
6014  \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
6015  \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
6016 \if@coloured
6017  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6018  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6019  \sectiontitlecolour{FF0000}
6020  \subsectioncolour{FF0000}
6021  \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
6022  \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
6023 \if@colourgrey
6024  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6025  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6026  \sectiontitlecolour{808080}
6027  \subsectioncolour{808080}
6028  \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
6029  \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
6030 \renewcommand*{\ttdefault}{pcr}
6031 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
6032 \renewcommand*{\familynamefont}{\firstnamefont}
6033 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6034 \renewcommand*{\quotefont}{\large\slshape}
6035 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6036 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6037 \renewcommand*{\maketitle}{%
6038  \%
6039  \ifthenelse{\isundefined{\@photo}}{%
6040    \%
6041    {\color{firstnamecolor}\framebox{\includegraphics[width=\photowidth]{\@photo}}}}{%
6042    \hfill%
6043    \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}\hphantom{[-.35em]}%}
6044    {\color{firstnamecolor}\rule{\textwidth}{.25ex}\hphantom{[2.5em]}}%
6045  \ifthenelse{\isundefined{\@quote}}{%
6046    \%
6047    {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\hphantom{[2.5em]}%
6048  }%
6049 \newif\if@firstfooterelement\@firstfooterelementtrue
6050 \providecommand*{\footersymbol}{}
6051 \renewcommand*{\footersymbol}{%
6052  \if@firstfooterelement%

```

```

6053 \else%
6054 { ~~\color{footersymbolcolor}\textbullet~~ }\fi}
6055 \providecommand*\{\makefootermane{}}
6056 \renewcommand*\{\makefootermane}{%
6057 \fancypagestyle{plain}{%
6058 \fancyfoot[c]{%
6059 \parbox{0.8\textwidth}{%
6060 \centering%
6061 \addressfont\@addresscolour%
6062 \ifthenelse{\isundefined{\@address}}{}{%
6063 \addresssymbol\@address\%
6064 \@firstfooterelementfalse}%
6065 \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol\@mobile\@firstfooterelementfalse}%
6066 \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol\@phone\@firstfooterelementfalse}%
6067 \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol\@fax\@firstfooterelementfalse}%
6068 \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol\emaillink\@email\@firstfooterelementfalse}%
6069 \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\extrainfo\@extrainfo\@firstfooterelementfalse}%
6070 }%
6071 \pagestyle{plain}%
6072 \AtBeginDocument{\makefootermane}

```

7.44 cvthemedibidiclassic.sty

```

6073 \NeedsTeXFormat{LaTeX2e}
6074 \ProvidesPackage{cvthemedibidiclassic}
6075 \DeclareOption{blue}{}
6076 \newif\if@colourorange\@colourorangefalse
6077 \DeclareOption{orange}{\@colourorangeredtrue}
6078 \newif\if@colourgreen\@colourgreenfalse
6079 \DeclareOption{green}{\@colourgreentrue}
6080 \newif\if@colourred\@colourredfalse
6081 \DeclareOption{red}{\@colourredtrue}
6082 \newif\if@colourgrey\@colourgreyfalse
6083 \DeclareOption{grey}{\@colourgreytrue}
6084 \DeclareOption*{%
6085 \PackageWarning{cvthemedibidiclassic}{Unknown option \CurrentOption}}
6086 \ExecuteOptions{colour}
6087 \ProcessOptions\relax
6088 \renewcommand*\{\listitemsymbol}{\textbullet}
6089 \firstnamecolour{ }
6090 \familynamecolour{ }
6091 \titlecolour{808080}
6092 \quotecolour{696969}
6093 \addresscolour{696969}
6094 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
6095 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
6096 \sectiontitlecolour{1E90FF}
6097 \subsectioncolour{4682B4}
6098 \if@colourorange
6099 \addresscolour{FF8C00}

```

```

6100  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
6101  \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
6102  \sectiontitlecolour{FF8C00}
6103  \subsectioncolour{FF8C00}\fi
6104 \if@colourgreen
6105  \addresscolour{008000}
6106  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6107  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6108  \sectiontitlecolour{008000}
6109  \subsectioncolour{008000}\fi
6110 \if@coloured
6111  \addresscolour{FF0000}
6112  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6113  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6114  \sectiontitlecolour{FF0000}
6115  \subsectioncolour{FF0000}\fi
6116 \if@colourgrey
6117  \addresscolour{808080}
6118  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6119  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6120  \sectiontitlecolour{808080}
6121  \subsectioncolour{808080}\fi
6122 \renewcommand*{\ttdefault}{pcr}
6123 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
6124 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
6125 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6126 \renewcommand*{\familynamefont}{\firstnamefont}
6127 \renewcommand*{\quotefont}{\large\slshape}
6128 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6129 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6130 \newlength{\maketitlenamemaxwidth}
6131 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
6132 \newlength{\maketitlenamefullwidth}
6133 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname}\familynamestyle{\@familyname}}
6134 \newlength{\maketitlenamewidth}
6135 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
6136 \newlength{\maketitlepicturewidth}
6137 \setlength{\maketitlepicturewidth}{\@photowidth}
6138 \newlength{\maketitledetailwidth}
6139 \renewcommand*{\recomputethemelengths}{%
6140  \setlength{\maketitledetailwidth}{\textwidth}%
6141  \addtolength{\maketitledetailwidth}{-\maketitlenamewidth}%
6142  \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
6143  \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}%
6144 \recomputethemelengths
6145 \newif\if@firstdetailselement@\firstdetailselementtrue
6146 \newcommand*{\maketitledetailsnewline}{%
6147  \if@firstdetailselement%
6148    \@firstdetailselementfalse%
6149  \else%

```

```

6150    \\[.2em]\\fi}
6151 \renewcommand*{\\maketitle}{%
6152   % name and title
6153   \\begin{minipage}[b]{\\maketitlenamewidth}%
6154     \\firstnamestyle{\\@firstname}\\familynamestyle{\\@familyname}%
6155     \\ifthenelse{\\equal{\\@title}{}{}}{\\[1.25em]\\titlestyle{\\@title}}%
6156   \\end{minipage}%
6157   % optional data
6158   \\begin{minipage}[b]{\\maketitledetailswidth}%
6159     \\bidi@raggedleft\\addressfont\\addresscolour%
6160     \\ifthenelse{\\isundefined{\\@address}}{\\%
6161       \\maketitledetailsnewline%
6162       \\addresssymbol~\\@address}%
6163     \\ifthenelse{\\isundefined{\\@mobile}}{\\%
6164       \\maketitledetailsnewline\\mobilesymbol~\\@mobile}%
6165     \\ifthenelse{\\isundefined{\\@phone}}{\\%
6166       \\maketitledetailsnewline\\phonesymbol~\\@phone}%
6167     \\ifthenelse{\\isundefined{\\@fax}}{\\%
6168       \\maketitledetailsnewline\\faxsymbol~\\@fax}%
6169     \\ifthenelse{\\isundefined{\\@email}}{\\%
6170       \\maketitledetailsnewline\\emailsymbol~\\emaillink{\\@emai}%
6171     \\ifthenelse{\\isundefined{\\@extrainfo}}{\\%
6172       \\maketitledetailsnewline\\@extrainfo}%
6173     \\end{minipage}%
6174   % optional photo
6175   \\ifthenelse{\\isundefined{\\@photo}}{%
6176     {}%
6177     {\\hspace*{\\separatorcolumnwidth}\\color{firstnamecolor}\\framebox{\\includegraphics[width=\\m
6178   % optional quote
6179   \\ifthenelse{\\isundefined{\\@quote}}{%
6180     {}%
6181     {\\centering\\begin{minipage}{\\quotewidth}\\centering\\quotestyle{\\@quote}\\end{minipage}}}\\fi}

```

7.45 dblfnote-xetex-bidi.def

```

6178 \\ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package
6179 \\let\\autofootnoterule\\relax
6180 \\let\\rightfootnoterule\\relax
6181 \\let\\leftfootnoterule\\relax
6182 \\let\\textwidthfootnoterule\\relax
6183 \\let\\LRFootnoterule\\relax
6184 \\def\\footnoterule{\\kern-3\\p@
6185   \\hrule \\width \\DFNcolumnwidth \\kern 2.6\\p@}%
6186 \\AtBeginDocument{\\let\\dfn@latex@footnotetext\\footnotetext
6187 \\let\\footnotetext\\dfn@footnotetext}
6188 \\long\\def\\dfn@LTRfootnotetext#1{\\setbox\\dfn@boxa\\vbox{
6189   \\let\\insert\\dfn@gobble
6190   \\columnwidth\\DFNcolumnwidth \\hbadness\\c@DFNsloppiness
6191   \\def\\makefnmark{\\smash{\\dfn@makefnmark}}}
6192   \\dfn@latex@LTRfootnotetext{#1}\\par \\boxmaxdepth\\dfn@fnmaxdp}%
6193   \\dfn@dima\\ht\\dfn@boxa \\advance\\dfn@dima\\dp\\dfn@boxa
6194   \\ifdim\\dfn@dima>\\z@\\else
6195     \\dfn@dima1sp\\relax
6196   \\setbox\\dfn@boxa\\vbox{\\vbox to1sp{\\unvbox\\dfn@boxa\\vfil}}}\\fi

```

```

6197     \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6198         \ifvoid\dfn@ins\else
6199             \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6200             \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6201     \setbox\dfn@boxa\copy\dfn@ins
6202     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6203     \advance\@tempdima\@tempdimb \atempdimb\@tempdima
6204     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6205     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}
6206     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
6207 \AtBeginDocument{\let\dfn@lateX@LTRfootnotetext\@LTRfootnotetext
6208 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
6209 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
6210     \let\insert\dfn@gobble
6211     \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
6212     \def\@makefnmark{\smash{\dfn@makefnmark}}
6213     \dfn@lateX@RTLfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
6214     \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
6215     \ifdim\dfn@dima>z@ \else
6216         \dfn@dima1sp\relax
6217         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
6218     \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6219         \ifvoid\dfn@ins\else
6220             \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6221             \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6222     \setbox\dfn@boxa\copy\dfn@ins
6223     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6224     \advance\@tempdima\@tempdimb \atempdimb\@tempdima
6225     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6226     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}
6227     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
6228 \AtBeginDocument{\let\dfn@lateX@RTLfootnotetext\@RTLfootnotetext
6229 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
6230 \def\dfn@RTLmakecol{\ifvoid\footins\else
6231     \dfn@dima\ht\footins
6232     \tempcnta\z@ \dfn@countins
6233     \tempdima\z@ \let\@elt\dfn@elt\getht
6234     \dfn@list\@nil
6235     \ifdim\@tempdima=z@\else
6236     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
6237     \global\setbox\dfn@ins\box\dfn@ins
6238     \tempswatru
6239     \ifdfn@trysingle
6240         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
6241         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
6242         \advance\@tempdima-\skip\footins
6243         \advance\@tempdima-\ht\dfn@boxa
6244         \ifdim\@tempdima<\z@\else \tempswafalse
6245             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
6246                 \footnoterule \unvbox\dfn@boxa}\fi\fi

```

```

6247     \if@tempswa
6248     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6249     \global\setbox\footins\vbox{\hbox{%
6250         \hskip \DFNcolumnwidth
6251         \hskip\DFNcolumnsep
6252         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
6253             \unvbox\dfn@boxb\vss}\hss}
6254         \hskip -\textwidth
6255         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
6256             \vbox to\@tempdima{%
6257                 \setbox\@tempboxa\vbox{\footnoterule}
6258                 \ifdfn@ruleboth \unvbox\@tempboxa
6259                 \else \atempdima\ht\@tempboxa
6260                     \advance\@tempdima\dp\@tempboxa
6261                     \vskip\@tempdima
6262                     \prevdepth\dp\@tempboxa \fi
6263                     \unvbox\dfn@boxa\vss}\fi\hss}
6264             \hskip \DFNcolumnsep
6265             \hskip \DFNcolumnwidth}\}}\fi\fi
6266 \global\dfn@fnht\z@
6267 \ifx\dfn@list\@empty\else
6268     \let\elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
6269     \dfn@list \global\advance\dfn@fnht\dfn@dimb
6270     \let\elt\relax
6271     \ifdim\dfn@dimb>\z@
6272         \xdef\dfn@list{\elt{0}{\number\dfn@dimb}\dfn@list}%
6273         \insert\footins{\floatingpenalty\@MM
6274             \vbox to\dfn@dimb{}\}}\fi
6275     \ifdim\dfn@fnht>\@tempdima
6276         \atempdimb\@tempdima \advance\atempdimb-\dfn@fnht
6277         \global\dfn@fnht\@tempdima
6278         \xdef\dfn@list{\dfn@list\elt{0}{\number\@tempdimb}}%
6279         \xdef\dfn@afteroutput{\insert\footins{
6280             \floatingpenalty\@MM
6281             \vbox to\number\@tempdimb sp{}\}}%
6282             \global\let\noexpand\dfn@afteroutput\relax}%
6283         \fi\fi
6284     \fi}%
6285     \let\footnoterule\relax \dfn@latex@makecol
6286     \let\footnoterule\dfn@footnoterule}
6287 \def\dfn@LTRmakecol{\ifvoid\footins\else
6288     \dfn@dima\ht\footins
6289     \atempcnda\z@ \dfn@countins
6290     \atempdima\z@ \let\elt\dfn@elt@getht
6291     \dfn@list\@nil
6292     \ifdim\atempdima=\z@\else
6293     \dfn@split\atempdima\dfn@ins\dfn@boxa\z@\z@
6294     \global\setbox\dfn@ins\box\dfn@ins
6295     \atempswatru
6296     \ifdfn@trysingle

```

```

6297      \setbox\dfn@boxb\vbox{\unvcopy\cclv}\@tempdima\@colroom
6298      \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
6299      \advance\@tempdima-\skip\footins
6300      \advance\@tempdima-\ht\dfn@boxa
6301      \ifdim\@tempdima<\z@\else \atempswafalse
6302          \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
6303              \footnoterule \unvbox\dfn@boxa}\fi\fi
6304  \if@tempswa
6305  \dfn@splitf{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6306  \global\setbox\footins\vbox{\hbox{%
6307      \hbox to\DFNcolumnwidth\{vbox to\@tempdima{\footnoterule
6308          \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
6309      \hbox to\DFNcolumnwidth\{ifvoid\dfn@boxa\else
6310          \vbox to\@tempdima{%
6311              \setbox\@tempboxa\vbox{\footnoterule}
6312              \ifdfn@ruleboth \unvbox\@tempboxa
6313              \else \atempdima\ht\@tempboxa
6314                  \advance\@tempdima\dp\@tempboxa
6315                  \vskip\@tempdima
6316                  \prevdepth\dp\@tempboxa \fi
6317              \unvbox\dfn@boxa\vss}\fi\hss}}\fi\fi
6318 \global\dfn@fnht\z@%
6319 \ifx\dfn@list\@empty\else
6320     \let\elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
6321     \dfn@list \global\advance\dfn@fnht\dfn@dimb
6322     \let\elt\relax
6323     \ifdim\dfn@dimb>\z@
6324         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
6325         \insert\footins{\floatingpenalty\@MM
6326             \vbox to\dfn@dimb{}\fi
6327     \ifdim\dfn@fnht>\@tempdima
6328         \atempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
6329         \global\dfn@fnht\@tempdima
6330         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
6331         \xdef\dfn@afteroutput{\insert\footins{
6332             \floatingpenalty\@MM
6333             \vbox to\number\@tempdimb sp{}\%}
6334             \global\let\noexpand\dfn@afteroutput\relax}%
6335         \fi\fi
6336     \fi}%
6337     \let\footnoterule\relax \dfn@latex@makecol
6338     \let\footnoterule\dfn@footnoterule}
6339 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
6340 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
6341 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
6342 \DFNalwaysdouble

```

7.46 **draftwatermark-xetex-bidi.def**

```
6343 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterm
```

```
6344 \renewcommand\SetWatermarkText[1]{%
6345   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

7.47 eso-pic-xetex-bidi.def

```
6346 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package fo
6347 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
6348   \put(\LenToUnit{\if@RTLmain\paperwidth\else\paperheight\fi},\LenToUnit{-\paperheight}){#1}}}
6349
6350 \ESO@isMEMOIR{%
6351   \renewcommand\AtTextUpperLeft[1]{%
6352     \begingroup
6353       \ifodd\c@page
6354         \tempdima=\spinemargin
6355       \else
6356         \tempdima=\paperwidth
6357         \advance\tempdima-\textwidth
6358         \advance\tempdima-\spinemargin
6359       \fi
6360       \tempdimb=-\uppermargin
6361       \AtPageUpperLeft{%
6362         \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
6363       }%
6364     \endgroup
6365   }
6366 }%
6367 \renewcommand\AtTextUpperLeft[1]{%
6368   \begingroup
6369     \tempdima=1in\relax
6370     \ifodd\c@page
6371       \advance\tempdima\oddsidemargin
6372     \else
6373       \advance\tempdima\evensidemargin
6374     \fi
6375     \tempdimb=-1in\relax
6376     \advance\tempdimb-\topmargin
6377     \advance\tempdimb-\headheight
6378     \advance\tempdimb-\headsep
6379     \AtPageUpperLeft{%
6380       \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
6381     }%
6382   \endgroup
6383 }
6384 }
```

7.48 empheq-xetex-bidi.def

```
6385 \ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for
6386 \MHInternalSyntaxOn
6387 \def\EQ_tag_plus_endmark:{%
6388   \iftagsleft@
```

```

6389 \gdef\maketag@@@##1{%
6390   \hfuzz\displaywidth
6391   \if@RTL\makebox[\widthof{##1}] [r]{%
6392     \hbox to \displaywidth{\m@th\normalfont##1\hss
6393       \raisebox{-\dp\EQ_mathdisplay_box}{%
6394         -\depthof{\EQ_outerbox:[]}}%
6395       {\PotEndMark{\hss}}}}
6396   \else\makebox[\widthof{##1}] [l]{%
6397     \hbox to \displaywidth{\m@th\normalfont##1\hss
6398       \raisebox{-\dp\EQ_mathdisplay_box}{%
6399         -\depthof{\EQ_outerbox:[]}}%
6400       {\PotEndMark{\hss}}}\fi}%
6401 \else:
6402   \gdef\maketag@@@##1{%
6403     \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
6404       \settoheight{\@tempdima}{\nameuse{\InTheoType Symbol}}%
6405       \MH_addtolength:dn \@tempdima
6406         {\g_EQ_bottomtag_depth_dim+\mintagvsep}
6407       \setlength{\@tempdimb}{%
6408         {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:[]}}
6409           +\depthof{\EQ_innerbox:[]}}%
6410       \if_dim:w \@tempdima>\@tempdimb
6411         \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
6412           -\@tempdima+\g_EQ_bottomrow_depth_dim}
6413         \addtolength{\@tempdima}{\depthof{\EQ_innerbox:[]}}%
6414         \def\EQ_next:{\raisebox{\@tempdima}{}}%
6415       \else:
6416         \def\EQ_next:{%
6417           \raisebox{-\dp\EQ_mathdisplay_box}{%
6418             -\depthof{\EQ_outerbox:[]}}}\fi: \EQ_next:}}\fi:}%
6420 \fi:}%
6421 \def\EQ_post_process:{%
6422   \EQ_initialize:
6423   \EQ_begin_equation:
6424   \MH_if_boolean:nT {outer_mult}{%
6425     \setkeys{\MT_options_name:}{%
6426       firstline-afterskip=0pt,
6427       lastline-preskip=0pt,
6428       multlined-width=0pt,
6429     }%
6430     \ifodd \l_EQ_alignmentmode_int
6431       \setkeys{\MT_options_name:}{multlined-pos=b}
6432     \else:
6433       \setkeys{\MT_options_name:}{multlined-pos=t}
6434     \fi:
6435     \g@addto@macro\EQ_complete_mathdisplay:{%
6436       \begin{MTmultlined}\relax
6437     }%
6438   \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:

```

```

6439  \MH_if_boolean:nT {outer_mult}{
6440      \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
6441  }
6442  \EQ_end_equation:
6443  \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
6444  \savecounters@
6445  \EQ_typeset_tags:
6446  \edef\l_EQ_equation_fint{\number\c@equation}
6447  \restorecounters@
6448  \Hy@linkcounter=\EQ_hyperref_link_fint
6449  \settowidth\l_EQ_totalwidth_dim{%
6450      \$\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
6451  \MH_if_boolean:nTF {outer_mult}
6452      { \def\EQ_next:{_mult} }
6453      { \def\EQ_next:{} }
6454  \nameuse{EQ_modify_linewidth_
6455      \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
6456  \EQ_typeset_display:
6457  \nameuse{find_displaywidth_
6458      \romannumeral\l_EQ_equationtype_int\EQ_next: :}
6459  \MH_addtolength:dn
6460      \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
6461  \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim] [c]{%
6462      \$\EQ_left_side:
6463      \EQ_innerbox:{%
6464          \if_case:w \l_EQ_alignmentmode_int\or:
6465              \makebox[\l_EQ_displaywidth_dim] [c]
6466                  {\usebox{\EQ_mathdisplay_box}}%
6467          \or:
6468              \makebox[\l_EQ_displaywidth_dim] [c]
6469                  {\usebox{\EQ_mathdisplay_box}}%
6470          \or:
6471              \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
6472                  \if_num:w \l_EQ_equationtype_int=5 \else:
6473                      \if_num:w \l_EQ_equationtype_int=6 \else:
6474                          \kern-\@mathmargin
6475                          \fi:
6476                          \fi:
6477                          \usebox{\EQ_mathdisplay_box}}%
6478          \else\makebox[\l_EQ_displaywidth_dim] [1]{%
6479              \if_num:w \l_EQ_equationtype_int=5 \else:
6480                  \if_num:w \l_EQ_equationtype_int=6 \else:
6481                      \kern-\@mathmargin
6482                      \fi:
6483                      \fi:
6484                      \usebox{\EQ_mathdisplay_box}}\fi%
6485          \or:
6486              \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
6487                  \if_num:w \l_EQ_equationtype_int=5 \else:
6488                      \if_num:w \l_EQ_equationtype_int=6 \else:

```

```

6489          \kern-\@mathmargin
6490          \fi:
6491          \fi:
6492          \usebox{\EQ_mathdisplay_box}
6493 \else\makebox[\l_EQ_displaywidth_dim][1]{%
6494   \if_num:w \l_EQ_equationtype_int=5 \else:
6495     \if_num:w \l_EQ_equationtype_int=6 \else:
6496       \kern-\@mathmargin
6497     \fi:
6498   \fi:
6499   \usebox{\EQ_mathdisplay_box}}\fi%
6500 \fi:}%
6501 \EQ_right_side:$}%
6502 \begin{AmSequation*}
6503 \nameuse{EQ_place_display_
6504   \romannumeral\l_EQ_equationtype_int\EQ_next: :}
6505 \if_dim:w \g_EQ_widesttag_dim>\z@
6506 \MH_set_boolean_T:n {show_manual_tags}
6507   \if_case:w \l_EQ_alignmentmode_int
6508     \or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %#1
6509     \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N 1\fi %#2
6510     \or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %#3
6511     \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N 1\fi %#4
6512   \fi:
6513 \fi:
6514 \end{AmSequation*}
6515 \global\c@equation=\l_EQ_equation_fint\relax
6516 }
6517 \AtBeginDocument{%
6518   \ifpackageloaded{fancybox}{%
6519     \ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
6520       \renewcommand*\textcolor[2]{\normalcolor{#2}}{}}{%
6521       \renewcommand*\shadowbox{%
6522         \ifstar{\MH_set_boolean_T:n {shadowbox_star}}
6523           \VerbBox\EQ_shadowbox:n}
6524           {\MH_set_boolean_F:n {shadowbox_star}}
6525           \VerbBox\EQ_shadowbox:n}}
6526   \def\EQ_shadowbox:n #1{%
6527     \sbox{\z@}{\fbox{#1}}%
6528     \MH_if_boolean:nTF {shadowbox_star}{%
6529       \MH_setlength:dn \tempdima{\z@}%
6530     }{%
6531       \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}%
6532     }
6533     \raisebox{\tempdima}{%
6534       \if@RTL\makebox[\z@][r]{%
6535         \kern\shadowsize \textcolor{shadowcolor}{%
6536           \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}{}}{%
6537         }%
6538       \else\makebox[\z@][l]{%

```

```

6539     \kern\shadowsize \textcolor{shadowcolor}{%
6540         \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
6541     }\fi%
6542     \usebox\z@\textcolor{shadowcolor}{%
6543         \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
6544     }{}%
6545 }
6546 \MHInternalSyntaxOff

```

7.49 extarticle-xetex-bidi.def

```

6547 \ProvidesFile{extarticle-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for extarticle class]
6548 \renewcommand*\l@section[2]{%
6549   \ifnum \c@tocdepth >\z@
6550     \addpenalty\@secpenalty
6551     \addvspace{1.0em \@plus\p@}%
6552     \setlength\@tempdima{1.5em}%
6553     \begingroup
6554       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
6555       \parfillskip -\c@pnumwidth
6556       \leavevmode \bfseries
6557       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6558       \hskip -\if@RTL\rightskip\else\leftskip\fi
6559       #1\nobreak\hfil \nobreak\hb@xt@{\c@pnumwidth{\hss #2}}\par
6560     \endgroup
6561   \fi}
6562 \renewcommand*\l@part[2]{%
6563   \ifnum \c@tocdepth >-2\relax
6564     \addpenalty\@secpenalty
6565     \addvspace{2.25em \@plus\p@}%
6566     \begingroup
6567       \setlength\@tempdima{3em}%
6568       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
6569       \parfillskip -\c@pnumwidth
6570       \leavevmode
6571       \large \bfseries #1\hfil \hb@xt@{\c@pnumwidth{\hss #2}}\par
6572       \nobreak
6573     \endgroup
6574   \fi}
6575 \def\@part[#1]#2{%
6576   \ifnum \c@secnumdepth >\m@ne
6577     \refstepcounter{part}%
6578     \addcontentsline{toc}{part}{\thepart\hskip{1em}#1}%
6579   \else
6580     \addcontentsline{toc}{part}{#1}%
6581   \fi
6582   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6583   \interlinepenalty \OM
6584   \normalfont
6585   \ifnum \c@secnumdepth >\m@ne

```

```

6586      \Large\bfseries \partname~\thepart
6587      \par\nobreak
6588      \fi
6589      \huge \bfseries #2%
6590      \markboth{}{}\par}%
6591      \nobreak
6592      \vskip 3ex
6593      \@afterheading}
6594 \def\@part#1{%
6595   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6596     \interlinepenalty \zM
6597     \normalfont
6598     \huge \bfseries #1\par}%
6599     \nobreak
6600     \vskip 3ex
6601     \@afterheading}
6602 \renewenvironment{thebibliography}[1]
6603   {\section*{\refname
6604     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
6605     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6606     \list{\@biblabel{\@arabic\c@enumiv}}%
6607       {\settowidth\labelwidth{\@biblabel{#1}}%
6608         \leftmargin\labelwidth
6609         \advance\leftmargin\labelsep
6610         \openbib@code
6611         \usecounter{enumiv}%
6612         \let\p@enumiv\empty
6613         \renewcommand\theenumiv{\@arabic\c@enumiv}%
6614         \sloppy\clubpenalty4000\widowpenalty4000%
6615         \sfcode`.\@m}
6616     {\def\@noitemerr
6617       {\@latex@warning{Empty 'thebibliography' environment}}%
6618     \endlist}
6619 \renewcommand\left@footnoterule{%
6620   \kern-3\p@
6621   \hrule\@width.4\columnwidth
6622   \kern2.6\p@}
6623 \renewcommand\right@footnoterule{%
6624   \hbox to \columnwidth
6625   {\beginR \vbox{%
6626     \kern-3\p@
6627     \hrule\@width.4\columnwidth
6628     \kern2.6\p@\hfil\endR}}
6629   \if@titlepage
6630   \renewcommand\maketitle{\begin{titlepage}%
6631   \let\footnotesize\small
6632   \let\right@footnoterule\relax
6633   \let\left@footnoterule\relax
6634   \let\textwidth@footnoterule\relax
6635   \let \footnote \thanks

```

```

6636  \null\vfil
6637  \vskip 60\p@
6638  \begin{center}%
6639  {\LARGE \@title \par}%
6640  \vskip 3em%
6641  {\large
6642  \lineskip .75em%
6643  \begin{tabular}[t]{c}%
6644  \author
6645  \end{tabular}\par}%
6646  \vskip 1.5em%
6647  {\large \@date \par}%
6648  % Set date in \large size.
6649  \end{center}\par
6649  \@thanks
6650  \vfil\null
6651  \end{titlepage}%
6652  \setcounter{footnote}{0}%
6653  \global\let\thanks\relax
6654  \global\let\maketitle\relax
6655  \global\let\@thanks\empty
6656  \global\let\@author\empty
6657  \global\let\@date\empty
6658  \global\let\@title\empty
6659  \global\let\title\relax
6660  \global\let\author\relax
6661  \global\let\date\relax
6662  \global\let\and\relax
6663 }
6664 \else
6665 \renewcommand\maketitle{\par
6666  \begingroup
6667  \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6668  \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6669  \long\def\@makefntext##1{\par\indent 1em\noindent
6670  \hb@xt@1.8em{%
6671  \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6672  \if@twocolumn
6673  \ifnum \col@number=\@ne
6674  \maketitle
6675  \else
6676  \twocolumn[\maketitle]
6677  \fi
6678  \else
6679  \newpage
6680  \global\@topnum\z@ % Prevents figures from going at top of page.
6681  \maketitle
6682  \fi
6683  \thispagestyle{plain}\@thanks
6684  \endgroup
6685  \setcounter{footnote}{0}%

```

```

6686  \global\let\thanks\relax
6687  \global\let\maketitle\relax
6688  \global\let@\maketitle\relax
6689  \global\let@\thanks@\empty
6690  \global\let@\author@\empty
6691  \global\let@\date@\empty
6692  \global\let@\title@\empty
6693  \global\let\title\relax
6694  \global\let\author\relax
6695  \global\let\date\relax
6696  \global\let\and\relax
6697 }
6698 \def@\maketitle{%
6699   \newpage
6700   \null
6701   \vskip 2em%
6702   \begin{center}%
6703     \let \footnote \thanks
6704     {\LARGE \title \par}%
6705     \vskip 1.5em%
6706     {\large
6707       \lineskip .5em%
6708       \begin{tabular}[t]{c}%
6709         \author
6710       \end{tabular}\par}%
6711     \vskip 1em%
6712     {\large \date}%
6713   \end{center}%
6714   \par
6715   \vskip 1.5em}
6716 \fi
6717 \renewcommand\thesubsection {\thesection \@SepMark @arabic \c@subsection}
6718 \renewcommand\thesubsubsection{\thesubsection \@SepMark @arabic \c@subsubsection}
6719 \renewcommand\theparagraph {\thesubsubsection \@SepMark @arabic \c@paragraph}
6720 \renewcommand\thesubparagraph {\theparagraph \@SepMark @arabic \c@subparagraph}%%

```

7.50 extbook-xetex-bidi.def

```

6721 \ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for
6722   \if@titlepage
6723   \renewcommand\maketitle{\begin{titlepage}%
6724     \let\footnotesize\small
6725     \let\right@footnoterule\relax
6726     \let\left@footnoterule\relax
6727     \let\textwidth@footnoterule\relax
6728     \let \footnote \thanks
6729     \let \LTRfootnote \LRTLthanks
6730     \let \RTLfootnote \RTLthanks
6731     \null\vfil
6732     \vskip 60\p@

```

```

6733 \begin{center}%
6734   {\LARGE \@title \par}%
6735   \vskip 3em%
6736   {\large
6737     \lineskip .75em%
6738     \begin{tabular}[t]{c}%
6739       \author
6740     \end{tabular}\par}%
6741   \vskip 1.5em%
6742   {\large \@date \par}%
6743 \end{center}\par
6744 \thanks
6745 \vfil\null
6746 \end{titlepage}%
6747 \setcounter{footnote}{0}%
6748 \global\let\thanks\relax
6749 \global\let\LTRthanks\relax
6750 \global\let\RTLthanks\relax
6751 \global\let\maketitle\relax
6752 \global\let\@thanks\@empty
6753 \global\let\@author\@empty
6754 \global\let\@date\@empty
6755 \global\let\@title\@empty
6756 \global\let\title\relax
6757 \global\let\author\relax
6758 \global\let\date\relax
6759 \global\let\and\relax
6760 }
6761 \else
6762 \renewcommand\maketitle{\par
6763   \begingroup
6764     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6765     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6766     \long\def\@makefntext##1{\par\indent 1em\noindent
6767       \hb@xt@1.8em{%
6768         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6769     \if@twocolumn
6770       \ifnum \col@number=\@ne
6771         \@maketitle
6772       \else
6773         \twocolumn[\@maketitle]%
6774       \fi
6775     \else
6776       \newpage
6777       \global\@topnum\z@ % Prevents figures from going at top of page.
6778       \@maketitle
6779     \fi
6780     \thispagestyle{plain}\@thanks
6781   \endgroup
6782   \setcounter{footnote}{0}%

```

```

6783  \global\let\thanks\relax
6784  \global\let\LTRthanks\relax
6785  \global\let\RTLthanks\relax
6786  \global\let\maketitle\relax
6787  \global\let\@maketitle\relax
6788  \global\let\@thanks\@empty
6789  \global\let\@author\@empty
6790  \global\let\@date\@empty
6791  \global\let\@title\@empty
6792  \global\let\title\relax
6793  \global\let\author\relax
6794  \global\let\date\relax
6795  \global\let\and\relax
6796 }
6797 \def\@maketitle{%
6798   \newpage
6799   \null
6800   \vskip 2em%
6801   \begin{center}%
6802     \let \footnote \thanks
6803     \let \LTRfootnote \LTRthanks
6804     \let \RTLfootnote \RTLthanks
6805     {\LARGE \@title \par}%
6806     \vskip 1.5em%
6807     {\large
6808       \lineskip .5em%
6809       \begin{tabular}[t]{c}%
6810         \author
6811       \end{tabular}\par}%
6812     \vskip 1em%
6813     {\large \@date}%
6814   \end{center}%
6815   \par
6816   \vskip 1.5em}
6817 \fi
6818 \renewcommand*\@part[2]{%
6819   \ifnum \c@tocdepth >-2\relax
6820     \addpenalty{-\@highpenalty}%
6821     \addvspace{2.25em \oplus \p@}%
6822     \begingroup
6823       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6824       \parfillskip -\pnumwidth
6825       {\leavevmode
6826         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6827         \nobreak
6828         \global\@nobreaktrue
6829         \everypar{\global\@nobreakfalse\everypar{}}}%
6830     \endgroup
6831   \fi}
6832 \renewcommand\theequation

```

```

6833   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{equation}}
6834 \renewcommand \thefigure
6835   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{figure}}
6836 \renewcommand \thetable
6837   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{table}}
6838 \renewcommand \thechapter {\arabic{chapter}}
6839 \renewcommand \thesection {\thechapter\@SepMark\arabic{section}}
6840 \renewcommand \thesubsection {\thesection\@SepMark\arabic{subsection}}
6841 \renewcommand \thesubsubsection {\thesubsection\@SepMark\arabic{subsubsection}}
6842 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
6843 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
6844 \def \makechapterhead#1{%
6845   \vspace*{50pt}%
6846   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6847     \ifnum \c@sectiondepth > \m@ne
6848       \if@mainmatter
6849         \huge\bfseries \chapapp\space \thechapter
6850         \par\nobreak
6851         \vskip 20pt
6852       \fi
6853     \fi
6854     \interlinepenalty\OM
6855     \Huge \bfseries #1\par\nobreak
6856     \vskip 40pt
6857   }%
6858
6859 \def \makeschapterhead#1{%
6860   \vspace*{50pt}%
6861   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6862     \interlinepenalty\OM
6863     \Huge \bfseries #1\par\nobreak
6864     \vskip 40pt
6865   }%
6866 }%
6867 \renewcommand \backmatter{%
6868   \if@openright
6869     \cleardoublepage
6870   \else
6871     \clearpage
6872   \fi
6873   \mainmatterfalse}
6874 \renewenvironment {thebibliography}[1]
6875   {\chapter*{\bibname
6876     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}}\%
6877     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
6878     \list{\@biblabel{\arabic{enumiv}}}{%
6879       \settowidth\labelwidth{\@biblabel{#1}}%
6880       \leftmargin\labelwidth
6881       \advance\leftmargin\labelsep
6882       \openbib@code

```

```

6883          \usecounter{enumiv}%
6884          \let\p@enumiv\@empty
6885          \renewcommand{\theenumiv{\@arabic\c@enumiv}}%
6886          \sloppy
6887          \clubpenalty4000
6888          \clubpenalty \clubpenalty
6889          \widowpenalty4000%
6890          \sfcode'`.\@m}
6891          {\def\@noitemerr
6892          {\@latex@warning{Empty `thebibliography' environment}}%
6893          \endlist}

```

7.51 extletter-xetex-bidi.def

```

6894 \ProvidesFile{extletter-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extletter class
6895 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
6896   \thispagestyle{firstpage}%
6897   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
6898 \else % home address
6899   \thispagestyle{empty}%
6900   {\if@RTL\raggedright\begin{tabular}{r@{} }\else\raggedleft\begin{tabular}{l@{} }\fi\ignorespaces
6901   \fromaddress \\*[2\parskip]%
6902   \@date \end{tabular}\par}%
6903 \fi
6904 \vspace{2\parskip}%
6905 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
6906 \vspace{2\parskip}%
6907 #1\par\nobreak}
6908 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
6909   \stopbreaks
6910   \noindent
6911   \ifx\@empty\fromaddress\else
6912   \hspace*{\longindentation}\fi
6913   \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
6914     \ignorespaces #1\\[6\medskipamount]%
6915     \ifx\@empty\fromsig
6916       \fromname
6917       \else \fromsig \fi\strut}%
6918   \par}
6919 \renewcommand{\left@footnoterule}{%
6920   \kern-\p@
6921   \hrule \width .4\columnwidth
6922   \kern .6\p@}
6923 \renewcommand{\right@footnoterule}{%
6924   \hbox to \columnwidth{%
6925   \begin{R} \vbox{%
6926   \kern-\p@
6927   \hrule \width .4\columnwidth
6928   \kern .6\p@}\hfil\end{R}}}

```

7.52 extrafootnotefeatures-xetex-bidi.def

```
6929 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2012/12/12 v0.4 bidi extra footnote featu
6930 \let\autofootnoterule\relax
6931 \let\rightfootnoterule\relax
6932 \let\leftfootnoterule\relax
6933 \let\textwidthfootnoterule\relax
6934 \let\LRfootnoterule\relax
6935 \def\footnoterule{\kern-3\p@
6936   \hrule \@width \columnwidth \kern 2.6\p@}
6937 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
6938 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
6939 \renewcommand{\@footnotetext}[1]{%
6940   \insert\footins{%
6941     \if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
6942     \def\baselinestretch{\m@m@footnote@spacing}%
6943     \reset@font
6944     \foottextfont
6945     \preamfntext
6946     \hsize\columnwidth
6947     \protected@edef{\currentlabel}{%
6948       \csname p@footnote\endcsname\@thefnmark}%
6949     \color@begingroup
6950     \makefntext{%
6951       \rule{z@\footnotesep}{\ignorespaces{\foottextfont #1}}%
6952       \finalstrut\strutbox}%
6953     \color@endgroup}%
6954     \m@mmf@prepare}
6955 \renewcommand{\@RTLfootnotetext}[1]{%
6956   \insert\footins{%
6957     \RTLtrue%
6958     \def\baselinestretch{\m@m@footnote@spacing}%
6959     \reset@font
6960     \RTLfoottextfont
6961     \preamfntext
6962     \hsize\columnwidth
6963     \protected@edef{\currentlabel}{%
6964       \csname p@footnote\endcsname\@thefnmark}%
6965     \color@begingroup
6966     \makefntext{%
6967       \rule{z@\footnotesep}{\ignorespaces{\RTLfoottextfont #1}}%
6968       \finalstrut\strutbox}%
6969     \color@endgroup}%
6970     \m@mmf@prepare}
6971 \renewcommand{\@LTRfootnotetext}[1]{%
6972   \insert\footins{%
6973     \RTLfalse%
6974     \def\baselinestretch{\m@m@footnote@spacing}%
6975     \reset@font
6976     \LTRfoottextfont
```

```

6977   \@preamfntext
6978   \hsize\columnwidth
6979   \protected@edef\@currentlabel{%
6980     \csname p@footnote\endcsname\@thefnmark}%
6981   \color@begingroup
6982   \makemfntext{%
6983     \rule{z@\footnotesep}{ignorespaces{\LTRfoottextfont #1}}%
6984     \finalstrut\strutbox}%
6985   \color@endgroup}%
6986   \m@mmf@prepare}
6987 \renewcommand{\@mpfootnotetext}[1]{%
6988   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
6989   \unvbox\@mpfootins
6990   \def\baselinestretch{\m@m@footnote@spacing}%
6991   \foottextfont \hsize\columnwidth \parboxrestore
6992   \protected@edef\@currentlabel{%
6993     \csname p@mpfootnote\endcsname\@thefnmark}%
6994   \color@begingroup
6995   \reset@font%
6996   \makemfntext{%
6997     \rule{z@\footnotesep}{ignorespaces{\foottextfont #1}}%
6998     \finalstrut\strutbox}%
6999   \color@endgroup}}
6999 \renewcommand{\@mpLTRfootnotetext}[1]{%
7000   \global\setbox\@mpfootins\vbox{\@RTLfalse%
7001   \unvbox\@mpfootins
7002   \def\baselinestretch{\m@m@footnote@spacing}%
7003   \LTRfoottextfont \hsize\columnwidth \parboxrestore
7004   \protected@edef\@currentlabel{%
7005     \csname p@mpfootnote\endcsname\@thefnmark}%
7006   \color@begingroup
7007   \reset@font%
7008   \makemfntext{%
7009     \rule{z@\footnotesep}{ignorespaces{\LTRfoottextfont #1}}%
7010     \finalstrut\strutbox}%
7011   \color@endgroup}}
7013 \renewcommand{\@mpRTLfootnotetext}[1]{%
7014   \global\setbox\@mpfootins\vbox{\@RTLtrue%
7015   \unvbox\@mpfootins
7016   \def\baselinestretch{\m@m@footnote@spacing}%
7017   \RTLfoottextfont \hsize\columnwidth \parboxrestore
7018   \protected@edef\@currentlabel{%
7019     \csname p@mpfootnote\endcsname\@thefnmark}%
7020   \color@begingroup
7021   \reset@font%
7022   \makemfntext{%
7023     \rule{z@\footnotesep}{ignorespaces{\RTLfoottextfont #1}}%
7024     \finalstrut\strutbox}%
7025   \color@endgroup}}
7026 \let\m@mold@footnotetext\footnotetext

```

```

7027 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
7028 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
7029 \let\m@mold@mpfootnotetext\@mpfootnotetext
7030 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
7031 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
7032 \bidi@ensure@newcommand{\normalfootnotes}{%
7033   \let\@footnotetext\m@mold@footnotetext
7034   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
7035   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
7036   \let\@mpfootnotetext\m@mold@mpfootnotetext
7037   \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
7038   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext}
7039 \@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
7040 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
7041 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
7042 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
7043   \def\m@m@singlespace{\#1}%
7044   \def\m@m@footnote@spacing{\#1}%
7045   \def\m@m@float@spacing{\#1} %
7046 }
7047 \setSingleSpace{1}
7048 \newinsert\sideins
7049 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
7050 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
7051   \kern-\multiplefootnotemarker
7052   \kern\multiplefootnotemarker\relax
7053 \bidi@ensure@newlength{\footmarkwidth}
7054 \bidi@ensure@newlength{\footmarksep}
7055 \bidi@ensure@newlength{\footparindent}
7056 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{\#1}}
7057 \bidi@ensure@newcommand{\footfootmark}{%
7058   \ifdim\footmarkwidth < \z@
7059     \llap{\hb@xt@ -\footmarkwidth{%
7060       \hss\normalfont\footscript{\@thefnmark}}%
7061       \hspace{-\footmarkwidth}}%
7062   \else
7063     \ifdim\footmarkwidth = \z@
7064       {\normalfont\footscript{\@thefnmark}}%
7065     \else
7066       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
7067     \fi
7068   \fi}
7069 \footmarkstyle{\textsuperscript{\#1}}
7070 \setlength{\footmarkwidth}{1.8em}
7071 \setlength{\footparindent}{1em}
7072 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
7073 \bidi@ensure@newcommand*{\extrafeetins}{%
7074   \setbox\@outputbox \vbox{%
7075     \boxmaxdepth \maxdepth
7076     \unvbox\@outputbox

```

```

7077     \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
7078     \extrafeetinshook}}
7079 \bidi@ensure@newcommand{\extrafeetinshook}{}
7080 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
7081 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
7082 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
7083 \bidi@ensure@newlength{\footinsdim}
7084   \setlength{\footinsdim}{8in} % standard for \dimen\footins
7085 \bidi@ensure@newcommand{\@preamfntext}{%
7086   \interlinepenalty\interfootnotelinepenalty
7087   \floatingpenalty \OMM
7088   \splittopskip=\footnotesep
7089   \splitmaxdepth=\dp\strutbox
7090   \parboxrestore}
7091 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
7092   \extrafeetminihook}
7093 \bidi@ensure@newcommand{\extrafeetendmini}{%
7094   \ifvoid\@mpfootinsv@r\else
7095     \vskip\skip@\mpfootins
7096     \normalcolor\footnoterule\mp@footgroupv@r
7097   \fi
7098   \extrafeetendminihook}
7099 \bidi@ensure@newcommand{\extrafeetendminihook}{}
7100 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
7101 \def\endminipage{%
7102   \par
7103   \unskip
7104   \ifvoid\@mpfootins\else
7105     \vskip\skip@\mpfootins
7106     \normalcolor
7107     \footnoterule
7108     \unvbox\@mpfootins
7109   \fi
7110   \m@mdoextrafeetendmini
7111   \minipagetrue
7112   \color@endgroup
7113   \egroup
7114   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
7115 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
7116   \namedef{@footstart#1}{%
7117     \vskip\bigskipamount
7118     \leftskip=\z@
7119     \rightskip=\z@
7120     \footnoterule}}
7121 \newinsert\footinsv@r
7122   \skip\footinsv@r\bigskipamount
7123   \count\footinsv@r=1000 % no magnification
7124   \dimen\footinsv@r=\footinsdim
7125 \m@make@footstart{v@r}
7126 \bidi@ensure@newcommand{\@footgroupv@r}{}

```

```

7127 \newinsert\@mpfootinsv@r
7128 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
7129 \newcount\m@m@k \newdimen\m@m@h
7130 \@ifpackageloaded{multicol}{%
7131 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7132 \hspace*{\textwidth}
7133 \if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7134 \valign{\#&\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}
7135 }{%
7136 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7137 \if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7138 \valign{\#&\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7139 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@m@msplitoff
7140 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
7141 \bidi@ensure@newcommand*{\m@m@msplitoff}{\dimen0=\ht0
7142 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
7143 \setbox2\vsplit0 to \dimen0
7144 \unvbox2 }
7145 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
7146 \namedef{foottextfontv@r}{\foottextfont}%
7147 \let\@footnotetext\@twocolfootnotetext
7148 \let\@LTRfootnotetext\@twocolLTRfootnotetext
7149 \let\@RTLfootnotetext\@twocolRTLfootnotetext
7150 \dimen\footinsv@r=2\footinsdim
7151 \count\footinsv@r=500\relax
7152 \m@make@twocol@footgroup{v@r}%
7153 \let\@footgroupv@r\@twocol@footgroupv@r
7154 \let\@mpfootnotetext\@mptwocolfootnotetext
7155 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
7156 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
7157 \m@make@mptwocol@footgroup{v@r}%
7158 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
7159 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
7160 \def\baselinestretch{\m@m@footnote@spacing}%
7161 \reset@font\foottextfont
7162 \preamfntext
7163 \protected@edef\@currentlabel{%
7164 \cscname p@footnote\endcscname\@thefnmark}%
7165 \color@begingroup
7166 \@twocolfootfmt{\#1}%
7167 \color@endgroup}%
7168 \m@mmf@prepare}
7169 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
7170 \def\baselinestretch{\m@m@footnote@spacing}%
7171 \reset@font\LTRfoottextfont
7172 \preamfntext
7173 \protected@edef\@currentlabel{%
7174 \cscname p@footnote\endcscname\@thefnmark}%
7175 \color@begingroup
7176 \@twocolLTRfootfmt{\#1}%

```

```

7177  \color@endgroup}%
7178  \m@mmf@prepare}
7179 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7180  \def\baselinestretch{\m@m@footnote@spacing}%
7181  \reset@font\RTLfoottextfont
7182  \preamfnitext
7183  \protected@edef\@currentlabel{%
7184   \csname p@footnote\endcsname\@thefnmark}%
7185  \color@begingroup
7186   \@twocolRTLfootfmt{\#1}%
7187  \color@endgroup}%
7188  \m@mmf@prepare}
7189 \bidi@ensure@newcommand{\@preamtwofmt}{%
7190  \hsize .45\hsize
7191  \parindent=\z@
7192  \tolerance=5000\relax
7193  \leavevmode}
7194 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
7195  \preamtwofmt
7196  {\footfootmark\strut {\foottextfont \#1}\strut\par}\allowbreak}
7197 \bidi@ensure@newcommand{\@twocollTRfootfmt}[1]{%
7198  \preamtwofmt
7199  {\footfootmark\strut {\LTRfoottextfont \#1}\strut\par}\allowbreak}
7200 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
7201  \preamtwofmt
7202  {\footfootmark\strut {\RTLfoottextfont \#1}\strut\par}\allowbreak}
7203 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
7204  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7205   \unvbox\@mpfootinsv@r
7206   \def\baselinestretch{\m@m@footnote@spacing}%
7207   \reset@font\foottextfont
7208   \hsize\columnwidth \parboxrestore
7209   \protected@edef\@currentlabel{%
7210    \csname p@mpfootnote\endcsname\@thefnmark}%
7211  \color@begingroup
7212   \@twocolfootfmt{\#1}%
7213  \color@endgroup}%
7214  \m@mmf@prepare}
7215 \bidi@ensure@newcommand{\@mptwocollTRfootnotetext}[1]{%
7216  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7217   \unvbox\@mpfootinsv@r
7218   \def\baselinestretch{\m@m@footnote@spacing}%
7219   \reset@font\LTRfoottextfont
7220   \hsize\columnwidth \parboxrestore
7221   \if@RTLcolumnfootnotes\beginL\fi
7222   \protected@edef\@currentlabel{%
7223    \csname p@mpfootnote\endcsname\@thefnmark}%
7224  \color@begingroup
7225   \@twocollTRfootfmt{\#1}%
7226  \color@endgroup}%

```

```

7227   \m@mmf@prepare}
7228 \bidi@ensure@newcommand{\@mptwo colRTLfootnotetext}[1]{%
7229   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7230     \unvbox\@mpfootinsv@r
7231   \def\baselinestretch{\m@m@footnote@spacing}%
7232   \reset@font\RTLfoottextfont
7233   \hsize\columnwidth \parboxrestore
7234   \protected@edef\@currentlabel{%
7235     \csname p@mpfootnote\endcsname\@thefnmark}%
7236   \color@begingroup
7237     \@twocolRTLfootfmt{#1}%
7238   \color@endgroup}%
7239   \m@mmf@prepare}
7240 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
7241   \m@make@twocolfootnotetext{#1}%
7242   \m@make@mptwocolfootnotetext{#1}%
7243   \m@make@twocolfootfmt{#1}%
7244   \m@make@twocol@footgroup{#1}%
7245   \m@make@mptwocol@footgroup{#1}%
7246   \m@make@footstart{#1}%
7247   \bidi@namelongdef{@footnotetext#1}##1{%
7248     \nameuse{@twocolfootnotetext#1}{##1}}%
7249   \bidi@namelongdef{@mpfootnotetext#1}##1{%
7250     \nameuse{@mptwo colfootnotetext#1}{##1}}%
7251   \namedef{@footgroup#1}{\nameuse{@twocol@footgroup#1}}%
7252   \namedef{mp@footgroup#1}{\nameuse{@mptwocol@footgroup#1}}%
7253   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7254   \expandafter\count\csname footins#1\endcsname=500\relax}
7255 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
7256   \bidi@namelongdef{@twocolfootnotetext#1}##1{%
7257     \insert\nameuse{footins#1}{%
7258       \def\baselinestretch{\m@m@footnote@spacing}%
7259       \reset@font\nameuse{foottextfont#1}%
7260       \preamfntext
7261       \protected@edef\@currentlabel{%
7262         \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
7263       \color@begingroup
7264         \nameuse{@twocolfootfmt#1}{##1}}%
7265       \color@endgroup}%
7266       \m@mmf@prepare}}
7267 \bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
7268 \bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
7269   \global\setbox\nameuse{@mpfootins#1}\vbox{%
7270     \unvbox\nameuse{@mpfootins#1}
7271     \def\baselinestretch{\m@m@footnote@spacing}%
7272     \reset@font\nameuse{foottextfont#1}%
7273     \hsize\columnwidth \parboxrestore
7274     \protected@edef\@currentlabel{%
7275       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
7276   \color@begingroup

```

```

7277     \@nameuse{@twocolfootfmt#1}{{\#1}}%
7278     \color@endgroup\m@mmf@prepare}%
7279 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
7280   \cnamedef{@twocolfootfmt#1}{{\#1}}%
7281   \preamtowfmt
7282   {\@nameuse{footfootmark#1}\strut
7283   {\@nameuse{foottextfont#1}{{\#1}}\strut\par\allowbreak}}
7284 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
7285   \cnamedef{@twocol@footgroup#1}{{\#1}}%
7286   \cnamedef{foottextfont#1}{\splittopskip=\ht\strutbox
7287   \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}
7288 \bidi@ensure@newcommand{\m@make@mp twocol@footgroup}[1]{%
7289   \cnamedef{@mp twocol@footgroup#1}{{\#1}}%
7290   \cnamedef{foottextfont#1}{\splittopskip=\ht\strutbox
7291   \m@mrigidbalance{\@nameuse{mp footins#1}}{\tw@}{\splittopskip}}}
7292 \bidi@ensure@newcommand{\threeecolumnfootnotes}{%
7293   \cnamedef{foottextfont@r}{\foottextfont}{}% [RS]
7294   \let\@footnotetext\threecolfootnotetext
7295   \let\@LTRfootnotetext\threecolLTRfootnotetext
7296   \let\@RTLfootnotetext\threecolRTLfootnotetext
7297   \dimen\footinsv@r=3\footinsdim
7298   \count\footinsv@r=333\relax
7299   \m@make@threecol@footgroup{v@r}}%
7300   \let\@footgroupv@r\threecol@footgroupv@r
7301   \let\@mpfootnotetext\mpthreecolfootnotetext
7302   \let\@mpLTRfootnotetext\mpthreecolLTRfootnotetext
7303   \let\@mpRTLfootnotetext\mpthreecolRTLfootnotetext
7304   \m@make@mp threecol@footgroup{v@r}}%
7305   \let\mp@footgroupv@r\mpthreecol@footgroupv@r
7306 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
7307   \def\baselinestretch{\m@m@footnote@spacing}}%
7308   \reset@font\foottextfont
7309   \preamfntext
7310   \protected@edef@\currentlabel{%
7311     \csname p@footnote\endcsname\@thefnmark}%
7312   \color@begingroup
7313     \threecolfootfmt{{\#1}}%
7314   \color@endgroup\m@mmf@prepare}
7315 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
7316   \def\baselinestretch{\m@m@footnote@spacing}}%
7317   \reset@font\LTRfoottextfont
7318   \preamfntext
7319   \protected@edef@\currentlabel{%
7320     \csname p@footnote\endcsname\@thefnmark}%
7321   \color@begingroup
7322     \threecolLTRfootfmt{{\#1}}%
7323   \color@endgroup\m@mmf@prepare}
7324 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue\%
7325   \def\baselinestretch{\m@m@footnote@spacing}}%
7326   \reset@font\RTLfoottextfont

```

```

7327  \@preamfntext
7328  \protected@edef{\currentlabel}{%
7329    \csname p@footnote\endcsname\thefnmark}%
7330  \color@begingroup
7331  \threecolRTLfootfmt{#1}%
7332  \color@endgroup}\m@mmf@prepare}
7333 \bidi@ensure@newcommand{\@preamthreefmt}{%
7334  \hsize .3\hsize
7335  \parindent=\z@
7336  \tolerance=5000\relax
7337  \leavevmode}
7338 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
7339  \@preamthreefmt
7340  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7341 \bidi@ensure@newcommand{\@threecollTRfootfmt}[1]{%
7342  \@preamthreefmt
7343  {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7344 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
7345  \@preamthreefmt
7346  {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7347 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
7348  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7349    \unvbox\@mpfootinsv@r
7350    \def\baselinestretch{\m@m@footnote@spacing}%
7351    \reset@font\foottextfont
7352    \hsize\columnwidth \parboxrestore
7353    \protected@edef{\currentlabel}{%
7354      \csname p@mpfootnote\endcsname\thefnmark}%
7355    \color@begingroup
7356    \threecolfootfmt{#1}%
7357    \color@endgroup}\m@mmf@prepare}
7358 \bidi@ensure@newcommand{\@mpthreecollTRfootnotetext}[1]{%
7359  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7360    \unvbox\@mpfootinsv@r
7361    \def\baselinestretch{\m@m@footnote@spacing}%
7362    \reset@font\LTRfoottextfont
7363    \hsize\columnwidth \parboxrestore
7364    \if@RTLcolumnfootnotes\beginL\fi
7365    \protected@edef{\currentlabel}{%
7366      \csname p@mpfootnote\endcsname\thefnmark}%
7367    \color@begingroup
7368    \threecollTRfootfmt{#1}%
7369    \color@endgroup}\m@mmf@prepare}
7370 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
7371  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7372    \unvbox\@mpfootinsv@r
7373    \def\baselinestretch{\m@m@footnote@spacing}%
7374    \reset@font\RTLfoottextfont
7375    \hsize\columnwidth \parboxrestore
7376    \protected@edef{\currentlabel}{%

```

```

7377      \csname p@mpfootnote\endcsname\@thefnmark}%
7378      \color@begingroup
7379      \threecolRTLfootfmt{#1}%
7380      \color@endgroup}\m@mmf@prepare}
7381 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
7382   \m@make@threecolfootnotetext{#1}%
7383   \m@make@mpthreecolfootnotetext{#1}%
7384   \m@make@threecolfootfmt{#1}%
7385   \m@make@threecol@footgroup{#1}%
7386   \m@make@mpthreecol@footgroup{#1}%
7387   \m@make@footstart{#1}%
7388   \bidi@namelongdef{@footnotetext#1}##1{%
7389     \nameuse{@threecolfootnotetext#1}{##1}%
7390   \bidi@namelongdef{@mpfootnotetext#1}##1{%
7391     \nameuse{@mpthreecolfootnotetext#1}{##1}%
7392   \namedef{@footgroup#1}{\nameuse{@threecol@footgroup#1}}%
7393   \namedef{mp@footgroup#1}{\nameuse{@mpthreecol@footgroup#1}}%
7394   \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
7395   \expandafter\count\csname footins#1\endcsname=333\relax}
7396 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
7397 \bidi@namelongdef{@threecolfootnotetext#1}##1{%
7398   \insert\nameuse{footins#1}%
7399   \def\baselinestretch{\m@m@footnote@spacing}%
7400   \reset@font\nameuse{foottextfont#1}%
7401   \preamfntext
7402   \protected@edef\@currentlabel{%
7403     \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}%
7404   \color@begingroup
7405     \nameuse{@threecolfootfmt#1}{##1}%
7406   \color@endgroup}\m@mmf@prepare}}
7407 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
7408 \bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
7409   \global\setbox\nameuse{@mpfootins#1}\vbox{%
7410     \unvbox\nameuse{@mpfootins#1}
7411     \def\baselinestretch{\m@m@footnote@spacing}%
7412     \reset@font\nameuse{foottextfont#1}%
7413     \hsize\columnwidth \parboxrestore
7414     \protected@edef\@currentlabel{%
7415       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}%
7416     \color@begingroup
7417       \nameuse{@threecolfootfmt#1}{##1}%
7418     \color@endgroup}\m@mmf@prepare}}
7419 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
7420 \bidi@namelongdef{@threecolfootfmt#1}##1{%
7421   \preamthreefmt
7422   {\nameuse{footfootmark#1}\strut
7423     {\nameuse{foottextfont#1}{##1}\strut\par}\allowbreak}
7424 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
7425 \namedef{@threecol@footgroup#1}{{%
7426   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```

```

7427   \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@{\splittopskip}}}}
7428 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
7429 \@namedef{@mpthreecol@footgroup#1}{{%
7430   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7431   \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@{\splittopskip}}}}
7432 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
7433   \@namedef{foottextfontv@r}{\foottextfont} \% [RS]
7434   \let\@footnotetext\@fourcolfootnotetext
7435   \let\@LTRfootnotetext\@fourcolLTRfootnotetext
7436   \let\@RTLfootnotetext\@fourcolRTLfootnotetext
7437   \dimen\footinsv@r=4\footinsdim
7438   \count\footinsv@r=250\relax
7439   \m@make@fourcol@footgroup{v@r}%
7440   \let\@footgroupv@r\@fourcol@footgroupv@r
7441   \let\@mpfootnotetext\@mpfourcolfootnotetext
7442   \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
7443   \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
7444   \m@make@mpfourcol@footgroup{v@r}%
7445   \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
7446 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\else\@LTrue\fi\@fourcolfootnotetext}}
7447   \def\baselinestretch{\m@m@footnote@spacing}%
7448   \reset@font\foottextfont
7449   \preamfntext
7450   \protected@edef\@currentlabel{%
7451     \csname p@footnote\endcsname\@thefnmark}%
7452   \color@begingroup
7453     \@fourcolfootfmt{#1}%
7454   \color@endgroup}%
7455   \m@mmf@prepare}
7456 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote\@RTLtrue\else\@LTrue\fi\@fourcolLTRfootnotetext}}
7457   \def\baselinestretch{\m@m@footnote@spacing}%
7458   \reset@font\LTRfoottextfont
7459   \preamfntext
7460   \protected@edef\@currentlabel{%
7461     \csname p@footnote\endcsname\@thefnmark}%
7462   \color@begingroup
7463     \@fourcolLTRfootfmt{#1}%
7464   \color@endgroup}%
7465   \m@mmf@prepare}
7466 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue\@fourcolRTLfootnotetext}}
7467   \def\baselinestretch{\m@m@footnote@spacing}%
7468   \reset@font\RTLfoottextfont
7469   \preamfntext
7470   \protected@edef\@currentlabel{%
7471     \csname p@footnote\endcsname\@thefnmark}%
7472   \color@begingroup
7473     \@fourcolRTLfootfmt{#1}%
7474   \color@endgroup}%
7475   \m@mmf@prepare}
7476 \bidi@ensure@newcommand{\@preamfourfmt}{%

```

```

7477  \hsize .25\hsize
7478  \parindent=\z@
7479  \tolerance=5000\relax
7480  \leavevmode}
7481 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
7482  \@preamfourfmt
7483  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7484 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
7485  \@preamfourfmt
7486  {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7487 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
7488  \@preamfourfmt
7489  {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7490 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
7491  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
7492  \unvbox\@mpfootinsv@r
7493  \def\baselinestretch{\m@m@footnote@spacing}%
7494  \reset@font\foottextfont
7495  \hsize\columnwidth \parboxrestore
7496  \protected@edef\@currentlabel{%
7497   \csname p@mpfootnote\endcsname\@thefnmark}%
7498  \color@begingroup
7499  \@fourcolfootfmt{#1}%
7500  \color@endgroup}%
7501  \m@mmf@prepare}
7502 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
7503  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7504  \unvbox\@mpfootinsv@r
7505  \def\baselinestretch{\m@m@footnote@spacing}%
7506  \reset@font\LTRfoottextfont
7507  \hsize\columnwidth \parboxrestore
7508  \if@RTLcolumnfootnotes\beginL\fi
7509  \protected@edef\@currentlabel{%
7510   \csname p@mpfootnote\endcsname\@thefnmark}%
7511  \color@begingroup
7512  \@fourcolLTRfootfmt{#1}%
7513  \color@endgroup}%
7514  \m@mmf@prepare}
7515 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
7516  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7517  \unvbox\@mpfootinsv@r
7518  \def\baselinestretch{\m@m@footnote@spacing}%
7519  \reset@font\RTLfoottextfont
7520  \hsize\columnwidth \parboxrestore
7521  \protected@edef\@currentlabel{%
7522   \csname p@mpfootnote\endcsname\@thefnmark}%
7523  \color@begingroup
7524  \@fourcolRTLfootfmt{#1}%
7525  \color@endgroup}%
7526  \m@mmf@prepare}

```

```

7527 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
7528   \m@make@fourcolfootnotetext{#1}%
7529   \m@make@mpfourcolfootnotetext{#1}%
7530   \m@make@fourcolfootfmt{#1}%
7531   \m@make@fourcol@footgroup{#1}%
7532   \m@make@mpfourcol@footgroup{#1}%
7533   \m@make@footstart{#1}%
7534   \bidi@namelongdef{@footnotetext#1}##1{%
7535     \nameuse{@fourcolfootnotetext#1}{##1}%
7536   \bidi@namelongdef{@mpfootnotetext#1}##1{%
7537     \nameuse{@mpfourcolfootnotetext#1}{##1}%
7538   \namedef{@footgroup#1}{\nameuse{@fourcol@footgroup#1}}%
7539   \namedef{mp@footgroup#1}{\nameuse{@mpfourcol@footgroup#1}}%
7540   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7541   \expandafter\count\csname footins#1\endcsname=500\relax}
7542 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
7543   \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
7544     \insert\nameuse{footins#1}%
7545     \def\baselinestretch{\m@m@footnote@spacing}%
7546     \reset@font\nameuse{foottextfont#1}%
7547     \preamfntext
7548     \protected@edef\@currentlabel{%
7549       \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}%
7550       \color@begingroup
7551         \nameuse{@fourcolfootfmt#1}{##1}%
7552       \color@endgroup}%
7553     \m@mmf@prepare}}
7554 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
7555 \bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
7556   \global\setbox\nameuse{@mpfootins#1}\vbox{%
7557     \unvbox\nameuse{@mpfootins#1}%
7558     \def\baselinestretch{\m@m@footnote@spacing}%
7559     \reset@font\nameuse{foottextfont#1}%
7560     \hsize\columnwidth \parboxrestore
7561     \protected@edef\@currentlabel{%
7562       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}%
7563       \color@begingroup
7564         \nameuse{@fourcolfootfmt#1}{##1}%
7565       \color@endgroup}\m@mmf@prepare}}
7566 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
7567   \namedef{@fourcolfootfmt#1}##1{%
7568     \preamfourfmt
7569     {\nameuse{footfootmark#1}\strut
7570      {\nameuse{foottextfont#1}##1\strut\par\allowbreak}}
7571 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
7572   \namedef{@fourcol@footgroup#1}{{%
7573     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7574     \m@mrigidbalance{\nameuse{footins#1}{4}\{\splittopskip\}}}}
7575 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
7576   \namedef{@mpfourcol@footgroup#1}{{%

```

```

7577  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7578  \m@rigidbalance{\nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
7579 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
7580  \cnamedef{foottextfontv@r}{\foottextfont}%
7581  \let\@footnotetext\@fivecolfootnotetext
7582  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
7583  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
7584  \dimen\footinsv@r=5\footinsdim
7585  \count\footinsv@r=200\relax
7586  \m@make@fivecol@footgroup{v@r}%
7587  \let\@footgroupv@r\@fivecol@footgroupv@r
7588  \let\@mpfootnotetext\@mpfivecolfootnotetext
7589  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
7590  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
7591  \m@make@mpfivecol@footgroup{v@r}%
7592  \let\@mp@footgroupv@r\@mpfivecol@footgroupv@r
7593 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
7594  \def\baselinestretch{\m@m@footnote@spacing}%
7595  \reset@font\foottextfont
7596  \@preamfntext
7597  \protected@edef\@currentlabel{%
7598   \csname p@footnote\endcsname\@thefnmark}%
7599  \color@begingroup
7600  \@fivecolfootfmt{#1}%
7601  \color@endgroup}%
7602  \m@mmf@prepare}
7603 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
7604  \def\baselinestretch{\m@m@footnote@spacing}%
7605  \reset@font\LTRfoottextfont
7606  \@preamfntext
7607  \protected@edef\@currentlabel{%
7608   \csname p@footnote\endcsname\@thefnmark}%
7609  \color@begingroup
7610  \@fivecolLTRfootfmt{#1}%
7611  \color@endgroup}%
7612  \m@mmf@prepare}
7613 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7614  \def\baselinestretch{\m@m@footnote@spacing}%
7615  \reset@font\RTLfoottextfont
7616  \@preamfntext
7617  \protected@edef\@currentlabel{%
7618   \csname p@footnote\endcsname\@thefnmark}%
7619  \color@begingroup
7620  \@fivecolRTLfootfmt{#1}%
7621  \color@endgroup}%
7622  \m@mmf@prepare}
7623 \bidi@ensure@newcommand{\@preamfivefmt}{%
7624  \hsize .2\hsize
7625  \parindent=\z@
7626  \tolerance=5000\relax

```

```

7627  \leavevmode}
7628 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
7629  \@preamfivefmt
7630  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7631 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
7632  \@preamfivefmt
7633  {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7634 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
7635  \@preamfivefmt
7636  {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7637 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
7638  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
7639   \unvbox\@mpfootinsv@r
7640   \def\baselinestretch{\m@m@footnote@spacing}%
7641   \reset@font\foottextfont
7642   \hsize\columnwidth \parboxrestore
7643   \protected@edef\@currentlabel{%
7644     \csname p@mpfootnote\endcsname\@thefnmark}%
7645   \color@begingroup
7646   \@fivecolfootfmt{#1}%
7647   \color@endgroup}%
7648   \m@mmf@prepare}
7649 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
7650  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7651   \unvbox\@mpfootinsv@r
7652   \def\baselinestretch{\m@m@footnote@spacing}%
7653   \reset@font\LTRfoottextfont
7654   \hsize\columnwidth \parboxrestore
7655   \if@RTLColumnfootnotes\beginL\fi
7656   \protected@edef\@currentlabel{%
7657     \csname p@mpfootnote\endcsname\@thefnmark}%
7658   \color@begingroup
7659   \@fivecolLTRfootfmt{#1}%
7660   \color@endgroup}%
7661   \m@mmf@prepare}
7662 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
7663  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7664   \unvbox\@mpfootinsv@r
7665   \def\baselinestretch{\m@m@footnote@spacing}%
7666   \reset@font\RTLfoottextfont
7667   \hsize\columnwidth \parboxrestore
7668   \protected@edef\@currentlabel{%
7669     \csname p@mpfootnote\endcsname\@thefnmark}%
7670   \color@begingroup
7671   \@fivecolRTLfootfmt{#1}%
7672   \color@endgroup}%
7673   \m@mmf@prepare}
7674 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
7675   \m@make@fivecolfootnotetext{#1}%
7676   \m@make@mpfivecolfootnotetext{#1}%

```

```

7677  \m@make@fivecolfootfmt{#1}%
7678  \m@make@fivecol@footgroup{#1}%
7679  \m@make@mpfivecol@footgroup{#1}%
7680  \m@make@footstart{#1}%
7681  \bidi@namelongdef{@footnotetext#1}##1{%
7682      \nameuse{@fivecolfootnotetext#1}##1}%
7683  \bidi@namelongdef{@mpfootnotetext#1}##1{%
7684      \nameuse{@mpfivecolfootnotetext#1}##1}%
7685  \namedef{@footgroup#1}{\nameuse{@fivecol@footgroup#1}}%
7686  \namedef{mp@footgroup#1}{\nameuse{@mpfivecol@footgroup#1}}%
7687  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7688  \expandafter\count\csname footins#1\endcsname=500\relax
7689 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
7690  \bidi@namelongdef{@fivecolfootnotetext#1}##1{%
7691      \insert\nameuse{footins#1}%
7692      \def\baselinestretch{\m@m@footnote@spacing}%
7693      \reset@font\nameuse{foottextfont#1}%
7694      \preamfntext
7695      \protected@edef\currentlabel{%
7696          \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
7697      \color@begingroup
7698          \nameuse{@fivecolfootfmt#1}##1}%
7699      \color@endgroup}%
7700      \m@mmf@prepare}%
7701 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
7702 \bidi@namelongdef{@mpfivecolfootnotetext#1}##1{%
7703  \global\setbox\nameuse{@mpfootins#1}\vbox{%
7704      \unvbox\nameuse{@mpfootins#1}%
7705      \def\baselinestretch{\m@m@footnote@spacing}%
7706      \reset@font\nameuse{foottextfont#1}%
7707      \hsize\columnwidth \parboxrestore
7708      \protected@edef\currentlabel{%
7709          \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
7710      \color@begingroup
7711          \nameuse{@fivecolfootfmt#1}##1}%
7712      \color@endgroup\m@mmf@prepare}%
7713 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
7714  \namedef{@fivecolfootfmt#1}##1{%
7715      \preamfivefmt
7716      {\nameuse{footfootmark#1}\strut
7717          {\nameuse{foottextfont#1}##1\strut\par}\allowbreak}%
7718 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
7719  \namedef{@fivecol@footgroup#1}{{%
7720      \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7721      \m@mrigidbalance{\nameuse{footins#1}}{5}{\splittopskip}}}%
7722 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
7723  \namedef{@mpfivecol@footgroup#1}{{%
7724      \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7725      \m@mrigidbalance{\nameuse{@mpfootins#1}}{5}{\splittopskip}}}%
7726 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%

```

```

7727  \@namedef{foottextfontv@r}{\foottextfont}%
7728  % [RS]
7729  \let\@footnotetext\@sixcolfootnotetext
7730  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
7731  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
7732  \dimen\footinsv@r=6\footinsdim
7733  \count\footinsv@r=166\relax
7734  \m@make@sixcol@footgroup{v@r}%
7735  \let\@footgroupv@r\@sixcol@footgroupv@r
7736  \let\@mpfootnotetext\@mpsixcolfootnotetext
7737  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
7738  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
7739  \m@make@mpsixcol@footgroup{v@r}%
7740  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
7741  \def\baselinestretch{\m@m@footnote@spacing}%
7742  \reset@font\foottextfont
7743  \@preamfntext
7744  \protected@edef\@currentlabel{%
7745   \csname p@footnote\endcsname\@thefnmark}%
7746  \color@begingroup
7747   \@sixcolfootfmt{\#1}%
7748  \color@endgroup}%
7749  \m@mmf@prepare}
7750 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue
7751  \def\baselinestretch{\m@m@footnote@spacing}%
7752  \reset@font\LTRfoottextfont
7753  \@preamfntext
7754  \protected@edef\@currentlabel{%
7755   \csname p@footnote\endcsname\@thefnmark}%
7756  \color@begingroup
7757   \@sixcolLTRfootfmt{\#1}%
7758  \color@endgroup}%
7759  \m@mmf@prepare}
7760 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
7761  \def\baselinestretch{\m@m@footnote@spacing}%
7762  \reset@font\RTLfoottextfont
7763  \@preamfntext
7764  \protected@edef\@currentlabel{%
7765   \csname p@footnote\endcsname\@thefnmark}%
7766  \color@begingroup
7767   \@sixcolRTLfootfmt{\#1}%
7768  \color@endgroup}%
7769  \m@mmf@prepare}
7770 \bidi@ensure@newcommand{\@preamsixfmt}{%
7771  \hsize .16\hsize
7772  \parindent=\z@
7773  \tolerance=5000\relax
7774  \leavevmode}
7775 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
7776  \@preamsixfmt

```

```

7777  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7778 \bidi@ensure@newcommand{\sixcolLTRfootfmt}[1]{%
7779  \@preamsixfmt
7780  {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7781 \bidi@ensure@newcommand{\sixcolRTLfootfmt}[1]{%
7782  \@preamsixfmt
7783  {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7784 \bidi@ensure@newcommand{\mpsixcolfootnotetext}[1]{\if@RTL@footnote@\RTLtrue\else@\RTLfalse\f
7785  \global\setbox\mpfootinsv@r\vbox{%
7786   \unvbox\mpfootinsv@r
7787   \def\baselinestretch{\m@m@footnote@spacing}%
7788   \reset@font\foottextfont
7789   \hsize\columnwidth \parboxrestore
7790   \protected@edef\currentlabel{%
7791     \csname p@mpfootnote\endcsname\thefnmark}%
7792   \color@begingroup
7793     \@sixcolfootfmt{#1}%
7794   \color@endgroup}%
7795   \m@mmf@prepare}
7796 \bidi@ensure@newcommand{\mpsixcollTRfootnotetext}[1]{\@RTLfalse%
7797  \global\setbox\mpfootinsv@r\vbox{%
7798   \unvbox\mpfootinsv@r
7799   \def\baselinestretch{\m@m@footnote@spacing}%
7800   \reset@font\LTRfoottextfont
7801   \hsize\columnwidth \parboxrestore
7802   \if@RTLcolumnfootnotes\beginL\fi
7803   \protected@edef\currentlabel{%
7804     \csname p@mpfootnote\endcsname\thefnmark}%
7805   \color@begingroup
7806     \@sixcolLTRfootfmt{#1}%
7807   \color@endgroup}%
7808   \m@mmf@prepare}
7809 \bidi@ensure@newcommand{\mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
7810  \global\setbox\mpfootinsv@r\vbox{%
7811   \unvbox\mpfootinsv@r
7812   \def\baselinestretch{\m@m@footnote@spacing}%
7813   \reset@font\RTLfoottextfont
7814   \hsize\columnwidth \parboxrestore
7815   \protected@edef\currentlabel{%
7816     \csname p@mpfootnote\endcsname\thefnmark}%
7817   \color@begingroup
7818     \@sixcolRTLfootfmt{#1}%
7819   \color@endgroup}%
7820   \m@mmf@prepare}
7821 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
7822  \m@make@sixcolfootnotetext{#1}%
7823  \m@make@mpsixcolfootnotetext{#1}%
7824  \m@make@sixcolfootfmt{#1}%
7825  \m@make@sixcol@footgroup{#1}%
7826  \m@make@mpsixcol@footgroup{#1}%

```

```

7827 \m@make@footstart{#1}%
7828 \bidi@namelongdef{@footnotetext#1}##1{%
7829   \cnameuse{@sixcolfootnotetext#1}{##1}%
7830 \bidi@namelongdef{@mpfootnotetext#1}##1{%
7831   \cnameuse{@mpsixcolfootnotetext#1}{##1}%
7832 \cnamedef{@footgroup#1}{\cnameuse{@sixcol@footgroup#1}}%
7833 \cnamedef{@mp@footgroup#1}{\cnameuse{@mpsixcol@footgroup#1}}%
7834 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7835 \expandafter\count\csname footins#1\endcsname=500\relax}
7836 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
7837 \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
7838   \insert\cnameuse{footins#1}{%
7839     \def\baselinestretch{\m@m@footnote@spacing}%
7840     \reset@font\cnameuse{foottextfont#1}{%
7841       \preamfntext
7842       \protected@edef\@currentlabel{%
7843         \csname p@footnote#1\endcsname \cnameuse{@thefnmark#1}}%
7844       \color@begingroup
7845         \cnameuse{@sixcolfootfmt#1}{##1}%
7846       \color@endgroup%
7847       \m@mmf@prepare}}}
7848 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
7849 \bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
7850   \global\setbox\cnameuse{@mpfootins#1}\vbox{%
7851     \unvbox\cnameuse{@mpfootins#1}
7852     \def\baselinestretch{\m@m@footnote@spacing}%
7853     \reset@font\cnameuse{foottextfont#1}{%
7854       \hsize\columnwidth \parboxrestore
7855       \protected@edef\@currentlabel{%
7856         \csname p@mpfootnote#1\endcsname\cnameuse{@thefnmark#1}}%
7857       \color@begingroup
7858         \cnameuse{@sixcolfootfmt#1}{##1}%
7859       \color@endgroup}\m@mmf@prepare}}
7860 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
7861   \cnamedef{@sixcolfootfmt#1}##1{%
7862     \preamsixfmt
7863     {\cnameuse{footfootmark#1}\strut
7864      {\cnameuse{foottextfont#1}{##1}\strut\par}\allowbreak}}
7865 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
7866   \cnamedef{@sixcol@footgroup#1}{{%
7867     \cnameuse{foottextfont#1} \splittopskip=\ht\strutbox
7868     \m@mrigidbalance{\cnameuse{footins#1}}{6}{\splittopskip}}}}
7869 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
7870   \cnamedef{@mpsixcol@footgroup#1}{{%
7871     \cnameuse{foottextfont#1} \splittopskip=\ht\strutbox
7872     \m@mrigidbalance{\cnameuse{@mpfootins#1}}{6}{\splittopskip}}}}
7873 \bidi@ensure@newcommand{\sevencolumnfootnotes}{%
7874   \cnamedef{foottextfont@r}{\foottextfont}{} % [RS]
7875   \let\footnotetext\sevencolfootnotetext
7876   \let\LTRfootnotetext\sevencollTRfootnotetext

```

```

7877 \let\@RTLfootnotetext\@sevencolRTLfootnotetext
7878 \dimen\footinsv@r=7\footinsdim
7879 \count\footinsv@r=142\relax
7880 \m@make@sevencol@footgroup{v@r}%
7881 \let\@footgroupv@r\@sevencol@footgroupv@
7882 \let\@mpfootnotetext\@mpsevencolfootnotetext
7883 \let\@mpLTRfootnotetext\@mpsevencollTRfootnotetext
7884 \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
7885 \m@make@mpsevencol@footgroup{v@r}%
7886 \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
7887 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr}
7888 \def\baselinestretch{\m@m@footnote@spacing}%
7889 \reset@font\foottextfont
7890 \preamfntext
7891 \protected@edef\@currentlabel{%
7892   \csname p@footnote\endcsname\@thefnmark}%
7893 \color@begingroup
7894   \@sevencolfootfmt{#1}%
7895 \color@endgroup}%
7896 \m@mmf@prepare}
7897 \bidi@ensure@newcommand{\@sevencollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotetext\@RTLtrue}%
7898 \def\baselinestretch{\m@m@footnote@spacing}%
7899 \reset@font\LTRfoottextfont
7900 \preamfntext
7901 \protected@edef\@currentlabel{%
7902   \csname p@footnote\endcsname\@thefnmark}%
7903 \color@begingroup
7904   \@sevencollTRfootfmt{#1}%
7905 \color@endgroup}%
7906 \m@mmf@prepare}
7907 \bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
7908 \def\baselinestretch{\m@m@footnote@spacing}%
7909 \reset@font\RTLfoottextfont
7910 \preamfntext
7911 \protected@edef\@currentlabel{%
7912   \csname p@footnote\endcsname\@thefnmark}%
7913 \color@begingroup
7914   \@sevencolRTLfootfmt{#1}%
7915 \color@endgroup}%
7916 \m@mmf@prepare}
7917 \bidi@ensure@newcommand{\@preamsevenfmt}{%
7918   \hsize .142\hsize
7919   \parindent=\z@
7920   \tolerance=5000\relax
7921   \leavevmode}
7922 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
7923   \preamsevenfmt
7924   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7925 \bidi@ensure@newcommand{\@sevencollTRfootfmt}[1]{%
7926   \preamsevenfmt

```

```

7927  {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7928 \bidi@ensure@newcommand{\sevencolRTLfootfmt}[1]{%
7929  \@preamsevenfmt
7930  {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7931 \bidi@ensure@newcommand{\mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse}
7932  \global\setbox\mpfootinsv@r\vbox{%
7933   \unvbox\mpfootinsv@
7934   \def\baselinestretch{\m@m@footnote@spacing}%
7935   \reset@font\foottextfont
7936   \hsize\columnwidth \parboxrestore
7937   \protected@edef\currentlabel{%
7938     \csname p@mpfootnote\endcsname\@thefnmark}%
7939   \color@begingroup
7940     \sevencolfootfmt{#1}%
7941   \color@endgroup}%
7942   \m@mmf@prepare}
7943 \bidi@ensure@newcommand{\mpsevencollTRfootnotetext}[1]{\@RTLfalse}%
7944  \global\setbox\mpfootinsv@r\vbox{%
7945   \unvbox\mpfootinsv@
7946   \def\baselinestretch{\m@m@footnote@spacing}%
7947   \reset@font\LTRfoottextfont
7948   \hsize\columnwidth \parboxrestore
7949   \if@RTLcolumnfootnotes\beginL\fi
7950   \protected@edef\currentlabel{%
7951     \csname p@mpfootnote\endcsname\@thefnmark}%
7952   \color@begingroup
7953     \sevencollTRfootfmt{#1}%
7954   \color@endgroup}%
7955   \m@mmf@prepare}
7956 \bidi@ensure@newcommand{\mpsevencolRTLfootnotetext}[1]{\@RTLtrue}%
7957  \global\setbox\mpfootinsv@r\vbox{%
7958   \unvbox\mpfootinsv@
7959   \def\baselinestretch{\m@m@footnote@spacing}%
7960   \reset@font\RTLfoottextfont
7961   \hsize\columnwidth \parboxrestore
7962   \protected@edef\currentlabel{%
7963     \csname p@mpfootnote\endcsname\@thefnmark}%
7964   \color@begingroup
7965     \sevencolRTLfootfmt{#1}%
7966   \color@endgroup}%
7967   \m@mmf@prepare}
7968 \bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
7969  \m@make@sevencolfootnotetext{#1}%
7970  \m@make@mpsevencolfootnotetext{#1}%
7971  \m@make@sevencolfootfmt{#1}%
7972  \m@make@sevencol@footgroup{#1}%
7973  \m@make@mpsevencol@footgroup{#1}%
7974  \m@make@footstart{#1}%
7975  \bidi@namelongdef{@footnotetext#1}##1{%
7976    \cnameuse{\sevencolfootnotetext#1}{##1}}%

```

```

7977 \bidi@namelongdef{@mpfootnotetext#1}##1{%
7978   \nameuse{@mpsevencolfootnotetext#1}{##1}}%
7979 \namedef{@footgroup#1}{\nameuse{@sevencol@footgroup#1}}%
7980 \namedef{mp@footgroup#1}{\nameuse{@mpsevencol@footgroup#1}}%
7981 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7982 \expandafter\count\csname footins#1\endcsname=500\relax}
7983 \bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
7984   \bidi@namelongdef{@sevencolfootnotetext#1}##1{%
7985     \insert\nameuse{footins#1}{%
7986       \def\baselinestretch{\m@tfootnote@spacing}%
7987       \reset@font\nameuse{foottextfont#1}%
7988       \preamfntext
7989       \protected@edef\currentlabel{%
7990         \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
7991       \color@begingroup
7992         \nameuse{@sevencolfootfmt#1}{##1}%
7993       \color@endgroup}%
7994     \m@mmf@prepare}}
7995 \bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
7996 \bidi@namelongdef{@mpsevencolfootnotetext#1}##1{%
7997   \global\setbox\nameuse{@mpfootins#1}\vbox{%
7998     \unvbox\nameuse{@mpfootins#1}
7999     \def\baselinestretch{\m@tfootnote@spacing}%
8000     \reset@font\nameuse{foottextfont#1}%
8001     \hspace\columnwidth \parboxrestore
8002     \protected@edef\currentlabel{%
8003       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
8004     \color@begingroup
8005       \nameuse{@sevencolfootfmt#1}{##1}%
8006     \color@endgroup}\m@mmf@prepare}}
8007 \bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
8008   \namedef{@sevencolfootfmt#1}##1{%
8009     \preamsevenfmt
8010     {\nameuse{footfootmark#1}\strut
8011       {\nameuse{foottextfont#1}{##1}\strut\par\allowbreak}}
8012 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
8013   \namedef{@sevencol@footgroup#1}{%
8014     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8015     \m@mrigidbalance{\nameuse{footins#1}}{7}{\splittopskip}}}
8016 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
8017 \namedef{@mpsevencol@footgroup#1}{%
8018   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8019   \m@mrigidbalance{\nameuse{@mpfootins#1}}{7}{\splittopskip}}}
8020 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
8021   \namedef{foottextfont@r}{\foottextfont} % [RS]
8022   \let\footnotetext\@eightcolfootnotetext
8023   \let\@LTRfootnotetext\@eightcolLTRfootnotetext
8024   \let\@RTLfootnotetext\@eightcolRTLfootnotetext
8025   \dimen\footinsv@r=8\footinsdim
8026   \count\footinsv@r=125\relax

```

```

8027 \m@make@eightcol@footgroup{v@r}%
8028 \let\@footgroupv@r\@eightcol@footgroupv@r
8029 \let\@mpfootnotetext\@mpeightcolfootnotetext
8030 \let\@mpLTRfootnotetext\@mpeightcollTRfootnotetext
8031 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
8032 \m@make@mpeightcol@footgroup{v@r}%
8033 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
8034 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8035 \def\baselinestretch{\m@m@footnote@spacing}%
8036 \reset@font\foottextfont
8037 \@preamfntext
8038 \protected@edef\@currentlabel{%
8039   \csname p@footnote\endcsname\@thefnmark}%
8040 \color@begingroup
8041   \@eightcolfootfmt{\#1}%
8042 \color@endgroup}%
8043 \m@mmf@prepare}
8044 \bidi@ensure@newcommand{\@eightcollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
8045 \def\baselinestretch{\m@m@footnote@spacing}%
8046 \reset@font\LTRfoottextfont
8047 \@preamfntext
8048 \protected@edef\@currentlabel{%
8049   \csname p@footnote\endcsname\@thefnmark}%
8050 \color@begingroup
8051   \@eightcollTRfootfmt{\#1}%
8052 \color@endgroup}%
8053 \m@mmf@prepare}
8054 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8055 \def\baselinestretch{\m@m@footnote@spacing}%
8056 \reset@font\RTLfoottextfont
8057 \@preamfntext
8058 \protected@edef\@currentlabel{%
8059   \csname p@footnote\endcsname\@thefnmark}%
8060 \color@begingroup
8061   \@eightcolRTLfootfmt{\#1}%
8062 \color@endgroup}%
8063 \m@mmf@prepare}
8064 \bidi@ensure@newcommand{\@preameightfmt}{%
8065   \hsize .125\hsize
8066   \parindent=\z@
8067   \tolerance=5000\relax
8068   \leavevmode}
8069 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
8070   \@preameightfmt
8071   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8072 \bidi@ensure@newcommand{\@eightcollTRfootfmt}[1]{%
8073   \@preameightfmt
8074   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8075 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
8076   \@preameightfmt

```

```

8077  {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8078 \bidi@ensure@newcommand{\mpeightcolfootnotetext}[1]{%
8079  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8080  \unvbox\@mpfootinsv@r
8081  \def\baselinestretch{\m@m@footnote@spacing}%
8082  \reset@font\foottextfont
8083  \hsize\columnwidth \parboxrestore
8084  \protected@edef\@currentlabel{%
8085   \csname p@mpfootnote\endcsname\@thefnmark}%
8086  \color@begingroup
8087   \eightcolfootfmt{#1}%
8088  \color@endgroup}%
8089  \m@mmf@prepare}
8090 \bidi@ensure@newcommand{\mpeightcolLTRfootnotetext}[1]{%
8091  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8092  \unvbox\@mpfootinsv@r
8093  \def\baselinestretch{\m@m@footnote@spacing}%
8094  \reset@font\LTRfoottextfont
8095  \hsize\columnwidth \parboxrestore
8096  \if@RTLcolumnfootnotes\beginL\fi
8097  \protected@edef\@currentlabel{%
8098   \csname p@mpfootnote\endcsname\@thefnmark}%
8099  \color@begingroup
8100   \eightcollTRfootfmt{#1}%
8101  \color@endgroup}%
8102  \m@mmf@prepare}
8103 \bidi@ensure@newcommand{\mpeightcolRTLfootnotetext}[1]{%
8104  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8105  \unvbox\@mpfootinsv@r
8106  \def\baselinestretch{\m@m@footnote@spacing}%
8107  \reset@font\RTLfoottextfont
8108  \hsize\columnwidth \parboxrestore
8109  \protected@edef\@currentlabel{%
8110   \csname p@mpfootnote\endcsname\@thefnmark}%
8111  \color@begingroup
8112   \eightcolRTLfootfmt{#1}%
8113  \color@endgroup}%
8114  \m@mmf@prepare}
8115 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
8116  \m@make@eightcolfootnotetext{#1}%
8117  \m@make@mpeightcolfootnotetext{#1}%
8118  \m@make@eightcolfootfmt{#1}%
8119  \m@make@eightcol@footgroup{#1}%
8120  \m@make@mpeightcol@footgroup{#1}%
8121  \m@make@footstart{#1}%
8122  \bidi@namelongdef{@footnotetext#1}##1{%
8123   \nameuse{\eightcolfootnotetext#1}{##1}}%
8124  \bidi@namelongdef{\mpfootnotetext#1}##1{%
8125   \nameuse{\mpeightcolfootnotetext#1}{##1}}%
8126  \namedef{\footgroup#1}{\nameuse{\eightcol@footgroup#1}}%

```

```

8127  \@namedef{mp@footgroup#1}{\@nameuse{@mpeightcol@footgroup#1}}%
8128  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8129  \expandafter\count\csname footins#1\endcsname=500\relax
8130 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
8131  \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
8132   \insert\@nameuse{footins#1}{%
8133   \def\baselinestretch{\m@m@footnote@spacing}%
8134   \reset@font\@nameuse{foottextfont#1}%
8135   \preamfntext
8136   \protected@edef\@currentlabel{%
8137     \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8138   \color@begingroup
8139   \@nameuse{@eightcolfootfmt#1}##1}%
8140   \color@endgroup}%
8141   \m@mmf@prepare}}
8142 \bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
8143 \bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
8144   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8145     \unvbox\@nameuse{@mpfootins#1}
8146     \def\baselinestretch{\m@m@footnote@spacing}%
8147     \reset@font\@nameuse{foottextfont#1}%
8148     \hsize\columnwidth \parboxrestore
8149     \protected@edef\@currentlabel{%
8150       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8151     \color@begingroup
8152     \@nameuse{@eightcolfootfmt#1}##1}%
8153     \color@endgroup}\m@mmf@prepare}}
8154 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
8155   \@namedef{@eightcolfootfmt#1}##1{%
8156     \preamble
8157     {\@nameuse{footfootmark#1}\strut
8158      {\@nameuse{foottextfont#1}##1}\strut\par\allowbreak}}
8159 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
8160   \@namedef{@eightcol@footgroup#1}{%
8161     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8162     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}
8163 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
8164   \@namedef{@mpeightcol@footgroup#1}{%
8165     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8166     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}
8167 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
8168   \@namedef{foottextfont@r}{\foottextfont}\% % [RS]
8169   \let\@footnotetext\@ninecolfootnotetext
8170   \let\@LTRfootnotetext\@ninecolLTRfootnotetext
8171   \let\@RTLfootnotetext\@ninecolRTLfootnotetext
8172   \dimen\footinsv@r=9\footinsdim
8173   \count\footinsv@r=111\relax
8174   \m@m@make@ninecol@footgroup{v@r}\%
8175   \let\@footgroupv@r\@ninecol@footgroupv@r
8176   \let\@mpfootnotetext\@mpninecolfootnotetext

```

```

8177  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
8178  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
8179  \m@make@mpninecol@footgroup{v@r}%
8180  \let\mp@footgroupv@r\@mpninecol@footgroupv@r}
8181 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
8182  \def\baselinestretch{\m@m@footnote@spacing}%
8183  \reset@font\foottextfont
8184  \@preamfntext
8185  \protected@edef\@currentlabel{%
8186    \csname p@footnote\endcsname\@thefnmark}%
8187  \color@begingroup
8188  \@ninecolfootfmt{#1}%
8189  \color@endgroup}%
8190  \m@mmf@prepare}
8191 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote@\RTLtrue%
8192  \def\baselinestretch{\m@m@footnote@spacing}%
8193  \reset@font\LTRfoottextfont
8194  \@preamfntext
8195  \protected@edef\@currentlabel{%
8196    \csname p@footnote\endcsname\@thefnmark}%
8197  \color@begingroup
8198  \@ninecolLTRfootfmt{#1}%
8199  \color@endgroup}%
8200  \m@mmf@prepare}
8201 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8202  \def\baselinestretch{\m@m@footnote@spacing}%
8203  \reset@font\RTLfoottextfont
8204  \@preamfntext
8205  \protected@edef\@currentlabel{%
8206    \csname p@footnote\endcsname\@thefnmark}%
8207  \color@begingroup
8208  \@ninecolRTLfootfmt{#1}%
8209  \color@endgroup}%
8210  \m@mmf@prepare}
8211 \bidi@ensure@newcommand{\@preamninefmt}{%
8212  \hsize .1\hsize
8213  \parindent=\z@
8214  \tolerance=5000\relax
8215  \leavevmode}
8216 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
8217  \@preamninefmt
8218  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8219 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
8220  \@preamninefmt
8221  {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8222 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
8223  \@preamninefmt
8224  {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8225 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
8226  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote@\RTLtrue\else\RTLfalse\fi%

```

```

8227   \unvbox\@mpfootinsv@r
8228   \def\baselinestretch{\m@m@footnote@spacing}%
8229   \reset@font\foottextfont
8230   \hsize\columnwidth \parboxrestore
8231   \protected@edef\@currentlabel{%
8232     \csname p@mpfootnote\endcsname\@thefnmark}%
8233   \color@begingroup
8234     @ninecolfootfmt{#1}%
8235   \color@endgroup}%
8236   \m@mmf@prepare}
8237 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
8238   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8239     \unvbox\@mpfootinsv@r
8240     \def\baselinestretch{\m@m@footnote@spacing}%
8241     \reset@font\LTRfoottextfont
8242     \hsize\columnwidth \parboxrestore
8243     \if@RTLcolumnfootnotes\beginL\fi
8244     \protected@edef\@currentlabel{%
8245       \csname p@mpfootnote\endcsname\@thefnmark}%
8246     \color@begingroup
8247       @ninecolLTRfootfmt{#1}%
8248     \color@endgroup}%
8249     \m@mmf@prepare}
8250 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
8251   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8252     \unvbox\@mpfootinsv@r
8253     \def\baselinestretch{\m@m@footnote@spacing}%
8254     \reset@font\RTLfoottextfont
8255     \hsize\columnwidth \parboxrestore
8256     \protected@edef\@currentlabel{%
8257       \csname p@mpfootnote\endcsname\@thefnmark}%
8258     \color@begingroup
8259       @ninecolRTLfootfmt{#1}%
8260     \color@endgroup}%
8261     \m@mmf@prepare}
8262 \bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
8263   \m@make@ninecolfootnotetext{#1}%
8264   \m@make@mpninecolfootnotetext{#1}%
8265   \m@make@ninecolfootfmt{#1}%
8266   \m@make@ninecol@footgroup{#1}%
8267   \m@make@mpninecol@footgroup{#1}%
8268   \m@make@footstart{#1}%
8269   \bidi@namelongdef{@footnotetext#1}##1{%
8270     \nameuse{@ninecolfootnotetext#1}{##1}}%
8271   \bidi@namelongdef{@mpfootnotetext#1}##1{%
8272     \nameuse{@mpninecolfootnotetext#1}{##1}}%
8273   \namedef{@footgroup#1}{\nameuse{@ninecol@footgroup#1}}%
8274   \namedef{mp@footgroup#1}{\nameuse{@mpninecol@footgroup#1}}%
8275   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8276   \expandafter\count\csname footins#1\endcsname=500\relax}

```

```

8277 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
8278   \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
8279     \insert\nameuse{footins#1}{%
8280       \def\baselinestretch{\m@m@footnote@spacing}%
8281       \reset@font\nameuse{foottextfont#1}%
8282       \preamfntext
8283       \protected@edef\currentlabel{%
8284         \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
8285       \color@begingroup
8286         \nameuse{@ninecolfootfmt#1}##1}%
8287       \color@endgroup}%
8288     \m@mmf@prepare}
8289 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
8290 \bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
8291   \global\setbox\nameuse{@mpfootins#1}\vbox{%
8292     \unvbox\nameuse{@mpfootins#1}%
8293     \def\baselinestretch{\m@m@footnote@spacing}%
8294     \reset@font\nameuse{foottextfont#1}%
8295     \hsize\columnwidth \parboxrestore
8296     \protected@edef\currentlabel{%
8297       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
8298     \color@begingroup
8299       \nameuse{@ninecolfootfmt#1}##1}%
8300     \color@endgroup\m@mmf@prepare}}
8301 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
8302   \namedef{@ninecolfootfmt#1}##1{%
8303     \preamninefmt
8304     {\nameuse{footfootmark#1}\strut
8305       {\nameuse{foottextfont#1}##1\strut\par}\allowbreak}}
8306 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
8307   \namedef{@ninecol@footgroup#1}{%
8308     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8309     \m@mrigidbalance{\nameuse{footins#1}}{9}{\splittopskip}}}
8310 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
8311   \namedef{@mpninecol@footgroup#1}{%
8312     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8313     \m@mrigidbalance{\nameuse{@mpfootins#1}}{9}{\splittopskip}}}
8314 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
8315   \namedef{foottextfont@r}{\foottextfont} % [RS]
8316   \let\footnotetext\tencolfootnotetext
8317   \let\LTRfootnotetext\tencolLTRfootnotetext
8318   \let\RTLfootnotetext\tencolRTLfootnotetext
8319   \dimen\footinsv@r=10\footinsdim
8320   \count\footinsv@r=100\relax
8321   \m@make@tencol@footgroup{v@r}%
8322   \let\footgroupv@r\tencol@footgroupv@r
8323   \let\mpfootnotetext\mptencolfootnotetext
8324   \let\mpLTRfootnotetext\mptencolLTRfootnotetext
8325   \let\mpRTLfootnotetext\mptencolRTLfootnotetext
8326   \m@make@mptencol@footgroup{v@r}%

```

```

8327 \let\mp@footgroupv@r\@mptfootcol@footgroupv@r}
8328 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8329 \def\baselinestretch{\m@m@footnote@spacing}%
8330 \reset@font\foottextfont
8331 \preamfntext
8332 \protected@edef@\currentlabel{%
8333 \csname p@footnote\endcsname\@thefnmark}%
8334 \color@begingroup
8335 \@tencolfootfmt{\#1}%
8336 \color@endgroup}%
8337 \m@mmf@prepare}
8338 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
8339 \def\baselinestretch{\m@m@footnote@spacing}%
8340 \reset@font\LTRfoottextfont
8341 \preamfntext
8342 \protected@edef@\currentlabel{%
8343 \csname p@footnote\endcsname\@thefnmark}%
8344 \color@begingroup
8345 \@tencolLTRfootfmt{\#1}%
8346 \color@endgroup}%
8347 \m@mmf@prepare}
8348 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8349 \def\baselinestretch{\m@m@footnote@spacing}%
8350 \reset@font\RTLfoottextfont
8351 \preamfntext
8352 \protected@edef@\currentlabel{%
8353 \csname p@footnote\endcsname\@thefnmark}%
8354 \color@begingroup
8355 \@tencolRTLfootfmt{\#1}%
8356 \color@endgroup}%
8357 \m@mmf@prepare}
8358 \bidi@ensure@newcommand{\@preamtenfmt}{%
8359 \hsize .1\hsize
8360 \parindent=\z@
8361 \tolerance=5000\relax
8362 \leavevmode}
8363 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
8364 \preamtenfmt
8365 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8366 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
8367 \preamtenfmt
8368 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8369 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
8370 \preamtenfmt
8371 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8372 \bidi@ensure@newcommand{\@mptfootcolfootnotetext}[1]{%
8373 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8374 \unvbox\@mpfootinsv@r
8375 \def\baselinestretch{\m@m@footnote@spacing}%
8376 \reset@font\foottextfont

```

```

8377      \hsize\columnwidth \parboxrestore
8378      \protected@edef\@currentlabel{%
8379          \csname p@mpfootnote\endcsname\@thefnmark}%
8380      \color@begingroup
8381          \atencolfootfmt{\#1}%
8382      \color@endgroup}%
8383      \m@mmpf@prepare}
8384 \bidi@ensure@newcommand{\@mptencollTRfootnotetext}[1]{%
8385     \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8386         \unvbox\@mpfootinsv@r
8387         \def\baselinestretch{\m@m@footnote@spacing}%
8388         \reset@font\LTRfoottextfont
8389         \hsize\columnwidth \parboxrestore
8390         \if@RTLcolumnfootnotes\beginL\fi
8391         \protected@edef\@currentlabel{%
8392             \csname p@mpfootnote\endcsname\@thefnmark}%
8393         \color@begingroup
8394             \atencollTRfootfmt{\#1}%
8395         \color@endgroup}%
8396         \m@mmpf@prepare}
8397 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
8398     \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8399         \unvbox\@mpfootinsv@r
8400         \def\baselinestretch{\m@m@footnote@spacing}%
8401         \reset@font\RTLfoottextfont
8402         \hsize\columnwidth \parboxrestore
8403         \protected@edef\@currentlabel{%
8404             \csname p@mpfootnote\endcsname\@thefnmark}%
8405         \color@begingroup
8406             \atencolRTLfootfmt{\#1}%
8407         \color@endgroup}%
8408         \m@mmpf@prepare}
8409 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
8410     \m@make@tencolfootnotetext{\#1}%
8411     \m@make@mptencolfootnotetext{\#1}%
8412     \m@make@tencolfootfmt{\#1}%
8413     \m@make@tencol@footgroup{\#1}%
8414     \m@make@mptencol@footgroup{\#1}%
8415     \m@make@footstart{\#1}%
8416     \bidi@namelongdef{@footnotetext{\#1}\#\#\#1}{%
8417         \nameuse{\atencolfootnotetext{\#1}\#\#\#1}}%
8418     \bidi@namelongdef{\mpfootnotetext{\#1}\#\#\#1}{%
8419         \nameuse{\mptencolfootnotetext{\#1}\#\#\#1}}%
8420     \cnamedef{@footgroup{\#1}}{\nameuse{@tencol@footgroup{\#1}}}%
8421     \cnamedef{mp@footgroup{\#1}}{\nameuse{@mptencol@footgroup{\#1}}}%
8422     \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
8423     \expandafter\count\csname footins{\#1}\endcsname=500\relax}
8424 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
8425     \bidi@namelongdef{@tencolfootnotetext{\#1}\#\#\#1}{%
8426         \insert\nameuse{footins{\#1}}{%

```

```

8427   \def\baselinestretch{\m@m@footnote@spacing}%
8428   \reset@font\@nameuse{foottextfont#1}%
8429   \preamfntext
8430   \protected@edef\@currentlabel{%
8431     \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}%
8432   \color@begingroup
8433     \nameuse{@tencolfootfmt#1}{##1}%
8434   \color@endgroup}%
8435   \m@mff@prepare}%
8436 \bidi@ensure@newcommand{\m@make@mptfootnotetext}[1]{%
8437 \bidi@namealongdef{\mptfootnotetext#1}##1{%
8438   \global\setbox\@nameuse{\mpfootins#1}\vbox{%
8439     \unvbox\@nameuse{\mpfootins#1}%
8440   \def\baselinestretch{\m@m@footnote@spacing}%
8441   \reset@font\@nameuse{foottextfont#1}%
8442   \hsize\columnwidth \parboxrestore
8443   \protected@edef\@currentlabel{%
8444     \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}%
8445   \color@begingroup
8446     \nameuse{@tencolfootfmt#1}{##1}%
8447   \color@endgroup}\m@mff@prepare}%
8448 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
8449   \namedef{@tencolfootfmt#1}##1{%
8450     \preamtenfmt
8451     {\@nameuse{footfootmark#1}\strut
8452       {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}%
8453 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
8454   \namedef{@tencol@footgroup#1}##1{%
8455     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8456     \m@mrigidbalance{\nameuse{footins#1}}{10}{\splittopskip}}}%
8457 \bidi@ensure@newcommand{\m@make@mptfootcol@footgroup}[1]{%
8458   \namedef{@mptfootcol@footgroup#1}##1{%
8459     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8460     \m@mrigidbalance{\nameuse{\mpfootins#1}}{10}{\splittopskip}}}%
8461 \bidi@ensure@newcommand{\m@munvh}[1]{%
8462   \setbox0=\vbox{\unvbox#1%
8463     \global\setbox1=\lastbox}%
8464   \unhbox1
8465   \unskip
8466   \unskip
8467   \unpenalty
8468   \hskip\m@mipn@skip}%
8469 \bidi@ensure@newcommand{\m@mungebox}{}%
8470   \setbox0=\hbox{\m@munvh0}%
8471   \dp0=\z@
8472   \ht0=\footfudgefactor\wd0
8473   \box0
8474   \penalty0}%
8475 \newskip\m@mipn@skip
8476 \bidi@ensure@newcommand*\m@minterparanote{[1]}{%

```

```

8477   {\foottextfont\global\m@mipn@skip=#1\relax}}
8478 \m@minterparanote glue{1em plus .4em minus .4em}
8479 \ifpackageloaded{multicol}{%
8480 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
8481 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
8482 \hsize\textwidth%
8483 \setbox0=\hbox{}%
8484 \loop
8485 \unpenalty
8486 \setbox2=\lastbox
8487 \ifhbox2
8488 \setbox0=\hbox{\box2\unhbox0}
8489 \repeat}
8490 }{%
8491 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
8492 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
8493 \setbox0=\hbox{}%
8494 \loop
8495 \unpenalty
8496 \setbox2=\lastbox
8497 \ifhbox2
8498 \setbox0=\hbox{\box2\unhbox0}
8499 \repeat}}
8500 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
8501 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
8502 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
8503 \bidi@ensure@newcommand{\paragraphfootnotes}{%
8504 \namedef{foottextfontv@r}{\foottextfont}%
% [RS]
8505 \let\@footnotetext\@parafootnotetext
8506 \let\@LTRfootnotetext\@paraLTRfootnotetext
8507 \let\@RTLfootnotetext\@paraRTLfootnotetext
8508 \dimen\footinsv@r=\footinsdim
8509 \count\footinsv@r=1000\relax
8510 \m@make@para@footgroup{v@r}%
8511 \let\@footgroupv@r\@para@footgroupv@r
8512 \let\@mpfootnotetext\@mpparafootnotetext
8513 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
8514 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
8515 \m@make@mppara@footgroup{v@r}%
8516 \let\mp@footgroupv@r\@mppara@footgroupv@r
8517 {\foottextfont
8518 \dimen0=\baselineskip
8519 \multiply\dimen0 by 1024
8520 \divide\dimen0 by \hsize \multiply\dimen0 by \footfudgefiddle
8521 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
8522 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8523 \def\baselinestretch{\m@m@footnote@spacing}%
8524 \reset@font\foottextfont
8525 \preamfntext
8526 \protected@edef\@currentlabel{%

```

```

8527      \csname p@footnote\endcsname\@thefnmark}%
8528  \setbox0=\vbox{\hsize=\maxdimen
8529    \color@begingroup
8530      \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL}%
8531    \color@endgroup}%
8532  \m@mungebox}\m@mmf@prepare}
8533 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8534   \def\baselinestretch{\m@m@footnote@spacing}%
8535   \reset@font\LTRfoottextfont
8536   \preamfntext
8537   \protected@edef\@currentlabel{%
8538     \csname p@footnote\endcsname\@thefnmark}%
8539   \setbox0=\vbox{\hsize=\maxdimen
8540     \color@begingroup
8541       \noindent \@paraLTRfootfmt{\beginL#1\endL}%
8542     \color@endgroup}%
8543   \m@mungebox}\m@mmf@prepare}
8544 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8545   \def\baselinestretch{\m@m@footnote@spacing}%
8546   \reset@font\RTLfoottextfont
8547   \preamfntext
8548   \protected@edef\@currentlabel{%
8549     \csname p@footnote\endcsname\@thefnmark}%
8550   \setbox0=\vbox{\hsize=\maxdimen
8551     \color@begingroup
8552       \noindent \@paraRTLfootfmt{\beginR#1\endR}%
8553     \color@endgroup}%
8554   \m@mungebox}\m@mmf@prepare}
8555 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
8556   \parindent=\z@
8557   \parfillskip=0pt \oplus 1fil
8558   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
8559 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
8560   \parindent=\z@
8561   \parfillskip=0pt \oplus 1fil
8562   {\footfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
8563 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
8564   \parindent=\z@
8565   \parfillskip=0pt \oplus 1fil
8566   {\footfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
8567 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
8568   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8569     \unbox\@mpfootinsv@r
8570     \def\baselinestretch{\m@m@footnote@spacing}%
8571     \reset@font\foottextfont
8572     \hsize\columnwidth \parboxrestore
8573     \protected@edef\@currentlabel{%
8574       \csname p@mpfootnote\endcsname\@thefnmark}%
8575     \setbox0=\vbox{\hsize=\maxdimen
8576       \color@begingroup

```

```

8577     \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL}
8578     \color@endgroup}%
8579 \m@mungebox}\m@mmf@prepare}
8580 \bidi@ensure@newcommand{\@mparaLTRfootnotetext}[1]{%
8581   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8582     \unvbox\@mpfootinsv@r
8583     \def\baselinestretch{\m@m@footnote@spacing}%
8584     \reset@font\LTRfoottextfont
8585     \hsize\columnwidth \parboxrestore
8586     \protected@edef\@currentlabel{%
8587       \csname p@mpfootnote\endcsname\@thefnmark}%
8588     \setbox0=\vbox{\hsize=\maxdimen
8589       \color@begingroup
8590       \noindent \@paraLTRfootfmt{\beginL#1\endL}%
8591       \color@endgroup}%
8592   \m@mungebox}\m@mmf@prepare}
8593 \bidi@ensure@newcommand{\@mparaRTLfootnotetext}[1]{%
8594   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8595     \unvbox\@mpfootinsv@r
8596     \def\baselinestretch{\m@m@footnote@spacing}%
8597     \reset@font\RTLfoottextfont
8598     \hsize\columnwidth \parboxrestore
8599     \protected@edef\@currentlabel{%
8600       \csname p@mpfootnote\endcsname\@thefnmark}%
8601     \setbox0=\vbox{\hsize=\maxdimen
8602       \color@begingroup
8603       \noindent \@paraRTLfootfmt{\beginR#1\endR}%
8604       \color@endgroup}%
8605   \m@mungebox}\m@mmf@prepare}
8606 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
8607   \m@make@parafootnotetext{#1}%
8608   \m@make@mpparafootnotetext{#1}%
8609   \m@make@parafootfmt{#1}%
8610   \m@make@para@footgroup{#1}%
8611   \m@make@mppara@footgroup{#1}%
8612   \m@make@para@footstart{#1}%
8613   \bidi@namelongdef{@footnotetext#1}##1{%
8614     \c@nameuse{@parafootnotetext#1}{##1}}%
8615   \bidi@namelongdef{@mpfootnotetext#1}##1{%
8616     \c@nameuse{@mparafootnotetext#1}{##1}}%
8617   \c@namedef{@footgroup#1}{\c@nameuse{@para@footgroup#1}}%
8618   \c@namedef{@mp@footgroup#1}{\c@nameuse{@mpara@footgroup#1}}%
8619   \c@namedef{@footstart#1}{\c@nameuse{@para@footstart#1}}%
8620   \expandafter\dimen\csname footins#1\endcsname=\footinsdim
8621   \expandafter\count\csname footins#1\endcsname=1000\relax
8622   {\c@nameuse{@foottextfont#1}}%
8623   \dimen0=\baselineskip
8624   \multiply\dimen0 by 1024
8625   \divide\dimen0 by \hsize \multiply\dimen0 by 64
8626   \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}}

```

```

8627 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
8628 \bidi@namelongdef{@parafootnotetext#1}##1{%
8629   \insert\nameuse{footins#1}{%
8630   \def\baselinestretch{\m@m@footnote@spacing}%
8631   \reset@font\nameuse{foottextfont#1}%
8632   \preamfntext
8633   \protected@edef\currentlabel{%
8634     \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
8635   \setbox0=\vbox{\hsize=\maxdimen
8636     \color@begingroup
8637       \noindent \nameuse{@parafootfmt#1}##1}%
8638     \color@endgroup}%
8639   \m@mungebox}\m@mmf@prepare}}
8640 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
8641 \bidi@namelongdef{@mpparafootnotetext#1}##1{%
8642   \global\setbox\nameuse{@mpfootins#1}\vbox{%
8643     \unvbox\nameuse{@mpfootins#1}
8644     \def\baselinestretch{\m@m@footnote@spacing}%
8645     \reset@font\nameuse{foottextfont#1}%
8646     \hsize\columnwidth \parboxrestore
8647     \protected@edef\currentlabel{%
8648       \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
8649     \setbox0=\vbox{\hsize=\maxdimen
8650       \color@begingroup
8651         \noindent \nameuse{@parafootfmt#1}##1}%
8652       \color@endgroup}%
8653     \m@mungebox}\m@mmf@prepare}}
8654 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
8655 \bidi@namelongdef{@parafootfmt#1}##1{%
8656   \parindent=\z@
8657   \parfillskip=0pt \plus 1fil
8658   {\nameuse{footfootmark#1}\strut
8659     {\nameuse{foottextfont#1}##1\penalty-10}}}
8660 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
8661 \namedef{@para@footgroup#1}{%
8662   \unvbox\nameuse{footins#1}
8663   \m@mmakehboxofhboxes
8664   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
8665   \nameuse{foottextfont#1}%
8666   \noindent\unhbox0\par}}
8667 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
8668 \namedef{@mppara@footgroup#1}{%
8669   \unvbox\nameuse{@mpfootins#1}
8670   \m@mmakehboxofhboxes
8671   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
8672   \nameuse{foottextfont#1}%
8673   \noindent\unhbox0\par}}
8674 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
8675 \namedef{@para@footstart#1}{%
8676   \vskip\bigskipamount

```

```

8677  \leftskip=\z@
8678  \rightskip=\z@
8679  \parindent=\z@
8680  \vskip\skip\nameuse{footins#1}%
8681  \footnoterule}
8682 \bidi@ensure@newcommand*\m@m@makecolfloats}{%
8683  \xdef\@freelist{\@freelist\@midlist}%
8684  \global\let\@midlist\empty
8685  \combinefloats}
8686 \bidi@ensure@newcommand*\m@m@makecoltext}{%
8687  \ifvbox\@kludgeins
8688  \makespecialcolbox
8689  \else
8690  \setbox\@outputbox \vbox to\@colht{%
8691    \texttop
8692    \dimen@\dp\@outputbox
8693    \unvbox\@outputbox
8694    \vskip -\dimen@
8695    \textbottom}%
8696  \fi}
8697 \bidi@ensure@newcommand*\m@m@makecolintro}{}
8698 \bidi@ensure@newcommand*\m@m@opfootnote}{\setbox\@outputbox \vbox{%
8699  \boxmaxdepth\@maxdepth
8700  \tempdima\dp\@cclv
8701  \unvbox\@cclv
8702  \vskip-\tempdima
8703  \vskip \skip\footins
8704  \color@begingroup
8705  \normalcolor
8706  \footnoterule
8707  \unvbox\footins
8708  \color@endgroup}}
8709 \bidi@ensure@newcommand*\m@m@psidebar}{%
8710  \ifvoid\sideins\else
8711  \setbox\@outputbox \vbox{%
8712    \sidecontents
8713    \unvbox\@outputbox}
8714  \fi}
8715 \gdef\mem@makecolf{%
8716  \m@m@makecolintro
8717  \ifvoid\footins
8718  \setbox\@outputbox \box\@cclv
8719  \else
8720  \m@m@opfootnote
8721  \fi
8722  \m@m@doextrafeet
8723  \m@m@makecolfloats
8724  \m@m@psidebar
8725  \m@m@makecoltext
8726  \global \maxdepth \@maxdepth}

```

```
8727 \bidi@ensure@newcommand{\feetabovefloat}{\gdef \mem@makecol{\mem@makecol}}
8728 \feetabovefloat%
```

7.53 extreport-xetex-bidi.def

```
8729 \ProvidesFile{extreport-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extreport class
8730 \renewcommand*\l@part[2]{%
8731   \ifnum \c@tocdepth >-2\relax
8732     \addpenalty{-\@highpenalty}%
8733     \addvspace{2.25em \oplus \p@}%
8734     \begingroup
8735       \setlength{\tempdima{3em}}%
8736       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8737       \parfillskip -\pnumwidth
8738       {\leavevmode
8739         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
8740         \nobreak
8741         \global\nobreaktrue
8742         \everypar{\global\nobreakfalse\everypar{}}
8743       \endgroup
8744     \fi}
8745 \renewcommand*\l@chapter[2]{%
8746   \ifnum \c@tocdepth >\m@ne
8747     \addpenalty{-\@highpenalty}%
8748     \vskip 1.0em \oplus \p@
8749     \setlength{\tempdima{1.5em}}%
8750     \begingroup
8751       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8752       \parfillskip -\pnumwidth
8753       \leavevmode \bfseries
8754       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
8755       \hskip -\if@RTL\rightskip\else\leftskip\fi
8756       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
8757       \penalty\@highpenalty
8758     \endgroup
8759   \fi}
8760 \def\makechapterhead#1{%
8761   \vspace*{50\p@}%
8762   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8763     \ifnum \c@sectiondepth >\m@ne
8764       \huge\bfseries \chapapp\space \thechapter
8765       \par\nobreak
8766       \vskip 20\p@
8767     \fi
8768     \interlinepenalty\@M
8769     \Huge \bfseries #1\par\nobreak
8770     \vskip 40\p@
8771   }%
8772 \def\makeschapterhead#1{%
8773   \vspace*{50\p@}%
```

```

8774  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8775    \normalfont
8776    \interlinepenalty\@M
8777    \Huge \bfseries #1\par\nobreak
8778    \vskip 40\p@
8779  }%
8780 \renewcommand{\left@footnoterule}{%
8781  \kern-3\p@
8782  \hrule\@width.4\columnwidth
8783  \kern2.6\p@}
8784 \renewcommand{\right@footnoterule}{%
8785  \hbox to \columnwidth
8786  {\beginR \vbox{%
8787  \kern-3\p@
8788  \hrule\@width.4\columnwidth
8789  \kern2.6\p@}\hfil\endR}}
8790 \renewenvironment{thebibliography}[1]
8791   {\chapter*{\bibname
8792     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}}%
8793     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8794     \list{\@biblabel{\@arabic\c@enumiv}}%
8795       {\settowidth\labelwidth{\@biblabel{#1}}%
8796        \leftmargin\labelwidth
8797        \advance\leftmargin\labelsep
8798        \openbib@code
8799        \usecounter{enumiv}}%
8800        \let\p@enumiv\empty
8801        \renewcommand{\theenumiv{\@arabic\c@enumiv}}%
8802        \sloppy\clubpenalty4000\widowpenalty4000%
8803        \sfcode`.\@m}
8804   {\def\@noitemerr
8805     {\@latex@warning{Empty 'thebibliography' environment}}%
8806   \endlist}
8807 \if@titlepage
8808 \renewcommand{\maketitle}{\begin{titlepage}%
8809 \let\footnotesize\small
8810 \let\right@footnoterule\relax
8811 \let\left@footnoterule\relax
8812 \let\textwidth@footnoterule\relax
8813 \let \footnote \thanks
8814 \null\vfil
8815 \vskip 60\p@
8816 \begin{center}%
8817   {\LARGE \title \par}%
8818   \vskip 3em%
8819   {\large
8820     \lineskip .75em%
8821     \begin{tabular}[t]{c}%
8822       \author
8823     \end{tabular}\par}%

```

```

8824      \vskip 1.5em%
8825      {\large \@date \par}%
8826      % Set date in \large size.
8827      \end{center}\par
8828      \@thanks
8829      \vfil\null
8830      \end{titlepage}%
8831      \setcounter{footnote}{0}%
8832      \global\let\thanks\relax
8833      \global\let\maketitle\relax
8834      \global\let\@thanks\empty
8835      \global\let\@author\empty
8836      \global\let\@date\empty
8837      \global\let\@title\empty
8838      \global\let\title\relax
8839      \global\let\author\relax
8840      \global\let\date\relax
8841      \global\let\and\relax
8842  }
8843 \else
8844   \renewcommand\maketitle{\par
8845     \begingroup
8846       \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8847       \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8848       \long\def\@makefntext##1{\parindent 1em\noindent
8849         \hb@xt@1.8em{%
8850           \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
8851       \if@twocolumn
8852         \ifnum \col@number=\@ne
8853           \@maketitle
8854         \else
8855           \twocolumn[\@maketitle]%
8856         \fi
8857       \else
8858         \newpage
8859         \global\@topnum\z@    % Prevents figures from going at top of page.
8860         \@maketitle
8861       \fi
8862       \thispagestyle{plain}\@thanks
8863     \endgroup
8864     \setcounter{footnote}{0}%
8865     \global\let\thanks\relax
8866     \global\let\maketitle\relax
8867     \global\let\@thanks\empty
8868     \global\let\@author\empty
8869     \global\let\@date\empty
8870     \global\let\@title\empty
8871     \global\let\title\relax
8872     \global\let\author\relax
8873     \global\let\date\relax

```

```

8874 \global\let\and\relax
8875 }
8876 \def\@maketitle{%
8877 \newpage
8878 \null
8879 \vskip 2em%
8880 \begin{center}%
8881 \let \footnote \thanks
8882 {\LARGE \title \par}%
8883 \vskip 1.5em%
8884 {\large
8885 \lineskip .5em%
8886 \begin{tabular}[t]{c}%
8887 \author
8888 \end{tabular}\par}%
8889 \vskip 1em%
8890 {\large \date}%
8891 \end{center}%
8892 \par
8893 \vskip 1.5em}
8894 \fi
8895 \renewcommand\thesection {\thechapter \@SepMark \arabic \c@section}
8896 \renewcommand\thesubsection {\thesection \@SepMark \arabic \c@subsection}
8897 \renewcommand\thesubsubsection {\thesubsection \@SepMark \arabic \c@subsubsection}
8898 \renewcommand\theparagraph {\thesubsubsection \@SepMark \arabic \c@paragraph}
8899 \renewcommand\thesubparagraph {\theparagraph \@SepMark \arabic \c@subparagraph}
8900 \renewcommand\theequation{%
8901 \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \arabic \c@equation}
8902 \renewcommand\thefigure{%
8903 \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \arabic \c@figure}
8904 \renewcommand\thetable{%
8905 \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \arabic \c@table}

```

7.54 fancybox-xetex-bidi.def

```

8906 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package
8907 \def\fancy@oval#1#2#3{%
8908 \boxmaxdepth \maxdimen
8909 \ovltrue \ovbtrue \ovltrue \ovrtrue
8910 \tf@{\tempa :=#3\do{\csname \ov\@tempa false\endcsname}{}}%
8911 \ovxx#1\relax
8912 \advance\ovxx-\wholewidth
8913 \ovyy#2\relax
8914 \advance\ovyy-\wholewidth
8915 \tempdimb \ifdim \ovyy > \ovxx \ovxx\else \ovyy \fi
8916 \advance\tempdimb-2\p@
8917 \ifdim\tempdimb>\cornersize\relax
8918 \tempdimb=\cornersize
8919 \fi
8920 \getcirc\tempdimb

```

```

8921  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
8922  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
8923  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
8924  \circlefnt
8925  \setbox\@tempboxa\hbox{\beginL%
8926    \if@ovr \@ovvert32\kern -\@tempdima \fi
8927    \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
8928    \if@ovt \@ovhorz \kern -\@ovxx \fi
8929    \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
8930  \advance\@ovdx\@ovro
8931  \advance\@ovdy\@ovro
8932  \advance\@ovxx\@wholewidth
8933  \wd\@tempboxa=\@ovxx
8934  \dp\@tempboxa=\z@}

```

7.55 fancyhdr-xetex-bidi.def

```

8935 \ProvidesFile{fancyhdr-xetex-bidi.def}[2012/04/18 v0.4 bidi adaptations for fancyhdr package
8936 \let\fnc@everypar\everypar%
8937 \def\fancyhead#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hb@hbox
8938  \fancyvbox\headheight\hbox
8939  {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@RTLmain\beginR\else\endL\fi\hb@hbox
8940    \parbox[b]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\else\endL\fi\hb@hbox
8941      \llap{\parbox[b]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLmain\beginR\else\endL\fi\hb@hbox
8942 \def\fancyfoot#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hb@hbox
8943  \fancyvbox\footskip\footrule
8944  \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi\hb@hbox
8945    \parbox[t]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\else\endL\fi\hb@hbox
8946      \llap{\parbox[t]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLmain\beginR\else\endL\fi\hb@hbox

```

7.56 fix2col-xetex-bidi.def

```

8947 \ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package f
8948 \def\RTL@outputdblcol{%
8949  \if@firstcolumn
8950    \global\@firstcolumnfalse
8951    \global\setbox\@leftcolumn\copy\@outputbox
8952    \splitmaxdepth\maxdimen
8953    \vbadness\maxdimen
8954    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
8955    \toks@\expandafter{\topmark}%
8956    \xdef\f@irstcoltopmark{\the\toks@}%
8957    \toks@\expandafter{\splitfirstmark}%
8958    \xdef\f@irstcolfirstmark{\the\toks@}%
8959    \ifx\f@irstcolfirstmark\empty
8960      \global\let\@setmarks\relax
8961    \else
8962      \gdef\@setmarks{%
8963        \let\f@irstmark\f@irstcolfirstmark
8964        \let\topmark\f@irstcoltopmark}%
8965  \fi

```

```

8966 \else \global\@firstcolumntrue
8967 \setbox\@outputbox \vbox {\hbox to\textwidth {%
8968 \hskip \columnwidth
8969 \hfil \vrule width\columnsep\hskip \hfil
8970 \hbox to\columnwidth {\box\@leftcolumn \hss}%
8971 \hskip -\textwidth
8972 \hbox to\columnwidth{\box\@outputbox \hss}%
8973 \hskip \columnsep
8974 \hskip \columnwidth } }%
8975 \@combinedblfloats \@setmarks \@outputpage
8976 \begingroup \@dblfloatplacement \@startdblcolumn
8977 \@whilesw\if@fcolmade \fi
8978 {\@outputpage \@startdblcolumn }\endgroup
8979 \fi}
8980 \def\LTR@outputdblcol{%
8981   \if@firstcolumn
8982     \global\@firstcolumnfalse
8983     \global\setbox\@leftcolumn\copy\@outputbox
8984     \splitmaxdepth\maxdimen
8985     \vbadness\maxdimen
8986     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
8987     \toks@\expandafter{\topmark}%
8988     \xdef\@firstcoltopmark{\the\toks@}%
8989     \toks@\expandafter{\splitfirstmark}%
8990     \xdef\@firstcolfirstmark{\the\toks@}%
8991     \ifx\@firstcolfirstmark\@empty
8992       \global\let\@setmarks\relax
8993     \else
8994       \gdef\@setmarks{%
8995         \let\firstmark\@firstcolfirstmark
8996         \let\topmark\@firstcoltopmark}%
8997     \fi
8998   \else
8999     \global\@firstcolumntrue
9000     \setbox\@outputbox\vbox{%
9001       \hb@xt@\textwidth{%
9002         \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
9003         \hfil
9004         \vrule \width\columnsep\hskip \hfil
9005         \hfil
9006         \hb@xt@\columnwidth{\box\@outputbox \hss}} } }%
9007   \@combinedblfloats
9008   \@setmarks
9009   \@outputpage
9010   \begingroup
9011     \@dblfloatplacement
9012     \@startdblcolumn
9013     \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
9014   \endgroup
9015 \fi}

```

7.57 fleqn-xetex-bidi.def

```
9016 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX
9017 \renewcommand[{\relax
9018         \ifmmode\@badmath
9019         \else
9020             \begin{trivlist}%
9021                 \begin{parpenalty}\predisplaypenalty
9022                     \end{parpenalty}\postdisplaypenalty
9023                     \item[]\leavevmode
9024                     \hb@xt@\linewidth\bgroup \begin{L}\m@th\displaystyle %$%
9025                         \hskip\mathindent\bgroup
9026                         \fi}
9027 \renewcommand[\relax
9028         \ifmmode
9029             \egroup $ \hfil% $
9030             \endL\egroup
9031             \end{trivlist}%
9032             \else \@badmath
9033             \fi}
9034 \renewenvironment{equation}%
9035     {\begin{parpenalty}\predisplaypenalty
9036         \end{parpenalty}\postdisplaypenalty
9037         \refstepcounter{equation}%
9038         \trivlist \item[]\leavevmode
9039             \hb@xt@\linewidth\bgroup\begin{L} $\m@th\displaystyle %$%
9040                 \displaystyle
9041                 \hskip\mathindent}%
9042                 \hfil \% $%
9043                 \displaywidth\linewidth\hbox{\eqnnum}%
9044             \endL\egroup
9045         \endtrivlist}
```

7.58 float-xetex-bidi.def

```
9046 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeTeX
9047 \renewcommand\floatec@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
9048 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
9049 \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi
9050 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1} [#2]}%
9051 \expandafter\edef\csname the#1\endcsname{%
9052 \expandafter\noexpand\csname
9053     the#2\endcsname\@SepMark\noexpand\arabic{#1}}%
9054 {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

7.59 floatrow-xetex-bidi.def

```
9055 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
9056 \renewcommand\flnew@within[1]{\addtoreset{\FB@capttype}{#1}%
9057 \expandafter\edef\csname the\FB@capttype\endcsname{%
9058 \expandafter\noexpand\csname
9059     the#1\endcsname\@SepMark\noexpand\arabic{\FB@capttype}}}}
```

7.60 flowfram-xetex-bidi.def

```
9060 \ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package
9061 \def\@outputdblcol{%
9062   \c@nxtcol=\c@thisframe
9063   \c@curpg=\c@page
9064   \g@t\c@nxtcol{\c@nxtcol}%
9065   \if@ff@nwpag % next flow frame starts on new page
9066     \global\@firstcolumntrue
9067     \c@setcolbox\c@thisframe
9068     \if@specialpage
9069       \global\@specialpagefalse
9070       \c@nameuse{ps@\c@specialstyle}\relax
9071     \fi
9072     \if@twoside
9073       \ifodd\c@count\z@
9074         \let\c@thehead\c@oddhead
9075         \let\c@tfoot\c@oddfoot
9076       \else
9077         \let\c@thehead\c@evenhead
9078         \let\c@tfoot\c@evenfoot
9079       \fi
9080     \else
9081       \let\c@thehead\c@oddhead
9082       \let\c@tfoot\c@oddfoot
9083     \fi
9084     \c@begindvi
9085     \c@dodynamicthehead\c@dodynamicthefoot
9086     \vbadness=\@M
9087     \setbox\@outputbox\vbox{\hbox to \textwidth{\c@ff@do@allframes}}%
9088     \c@combinedblfloats
9089     \c@outputpage
9090     \advance\c@curpg by -\c@page\relax
9091     \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
9092       \setbox\@outputbox\vbox{\hbox to \textwidth{\c@ff@do@allframes}}%
9093     \c@outputpage}
9094     \begingroup
9095       \c@dblfloatplacement
9096       \c@startdblcolumn
9097       \c@whilesw \if@fcolmade \fi
9098       {\c@outputpage \c@startdblcolumn }\endgroup
9099     \c@resetst@tics
9100     \c@resetdyn@mics
9101   \else % still on same page, save contents of box255
9102     \global\@firstcolumnfalse
9103     \c@setcolbox\c@thisframe
9104   \fi
9105   \global\c@thisframe=\c@nxtcol
9106   \c@setcol{\c@thisframe}\relax
9107   \global\c@colht\c@vsiz
```

```

9108 }
9109 \def\@outputpage{%
9110 \begingroup
9111 \let\protect\noexpand
9112 \resetactivechars
9113 \global\let\@@if@newlist\if@newlist
9114 \global\@newlistfalse\@parboxrestore
9115 \shipout\vbox{\set@typeset@protect
9116 \aftergroup
9117 \endgroup
9118 \aftergroup
9119 \set@typeset@protect
9120 \reset@font\normalsize\normalsfcodes
9121 \let\label\gobble
9122 \let\index\gobble
9123 \let\glossary\gobble
9124 \baselineskip\z@skip
9125 \lineskip\z@skip
9126 \lineskiplimit\z@
9127 \vskip\topmargin\moveright\@themargin
9128 \vbox{%
9129 \vskip\headheight
9130 \vskip\headsep
9131 \box\@outputbox
9132 }}%
9133 \global\let\if@newlist\@@if@newlist
9134 \stepcounter{page}%
9135 \setcounter{displayedframe}{0}%
9136 \let\firstmark\botmark}
9137
9138
9139 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
9140 \expandafter\bidi@color\ff@txtcol}}
9141
9142 \newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
9143 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
9144
9145
9146 \renewcommand*{\@docolbox}[1]{%
9147 \edef\ff@frametype{%
9148 \csname @ff@frametype@\romannumeral#1\endcsname}%
9149 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
9150 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
9151 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
9152 \ff@setoffset{#1}%
9153 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
9154 \ifthenelse{\boolean{columnframe}\romannumeral#1}{%
9155 \ff@fbox{\csname colwidth\romannumeral#1\endcsname}{%
9156 {\csname colheight\romannumeral#1\endcsname}{%
9157 \expandafter\box\csname column\romannumeral#1\endcsname}{%

```

```

9158 \csname\ff@frametype\endcsname}%
9159 }{%
9160 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
9161 {\csname colheight\romannumeral#1\endcsname}{%
9162 \expandafter\box\csname column\romannumeral#1\endcsname}%
9163 }}}
9164 \@ifclassloaded{book}{%
9165 \renewcommand\theequation
9166 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@equation}}
9167 \renewcommand \thefigure
9168 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@figure}}
9169 \renewcommand \thetable
9170 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@table}}
9171 \renewcommand \thechapter {\arabic{c@chapter}}
9172 \renewcommand \thesection {\thechapter\@SepMark\arabic{c@section}}
9173 \renewcommand \thesubsection {\thesection\@SepMark\arabic{c@subsection}}
9174 \renewcommand \thesubsubsection {\thesubsection\@SepMark\arabic{c@subsubsection}}
9175 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{c@paragraph}}
9176 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{c@subparagraph}}{}}
9177 \@ifclassloaded{report}{%
9178 \renewcommand\theequation
9179 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@equation}}
9180 \renewcommand \thefigure
9181 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@figure}}
9182 \renewcommand \thetable
9183 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{c@table}}
9184 \renewcommand \thechapter {\arabic{c@chapter}}
9185 \renewcommand \thesection {\thechapter\@SepMark\arabic{c@section}}
9186 \renewcommand \thesubsection {\thesection\@SepMark\arabic{c@subsection}}
9187 \renewcommand \thesubsubsection {\thesubsection\@SepMark\arabic{c@subsubsection}}
9188 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic{c@paragraph}}
9189 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic{c@subparagraph}}{}}
9190 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
9191 \rotatebox[#1]{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
9192 \else
9193 #2\relax
9194 \fi}

```

7.61 footnote-xetex-bidi.def

```

9195 \ProvidesFile{footnote-xetex-bidi.def}[2013/04/26 v0.8 bidi footnote macros for XeTeX engine]
9196 \if@RTLmain@\RTL@footnotetrue\else@\RTL@footnotefalse\fi
9197 \newif\ifbidi@autofootnoterule
9198 \def\bidi@mpfootnoterule{\footnoterule}
9199 \newcounter{footdir@label}
9200 \renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
9201 \newcommand*{\footdir@write}{%
9202   \stepcounter{footdir@label}%
9203   \zref@labelbyprops{\thefootdir@label}{abspage}%
9204 }

```

```

9205 \newif\iffootdir@debug
9206 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
9207 \newtoks\footdir@toks
9208 \newcommand*{\footdir@debug}[1]{%
9209   \iffootdir@debug
9210     \typeout{[footdir] #1}%
9211   \fi
9212 }
9213 \@ifpackagelater{zref-abspage}{2012/10/27}{%
9214   \newcommand*{\footdir@LeftRightElse}{%
9215     \ltx@ifundefined{footdir@\the\value{zabspage}}{%
9216       \footdir@debug{abspage} \the\value{zabspage}: else}%
9217       \ltx@thirdofthree
9218   }{%
9219     \if\csname footdir@\the\value{zabspage}\endcsname L%
9220       \footdir@debug{abspage} \the\value{zabspage}: left}%
9221       \expandafter\ltx@firstofthree
9222     \else
9223       \footdir@debug{abspage} \the\value{zabspage}: right}%
9224       \expandafter\ltx@secondofthree
9225     \fi
9226   }%
9227 }{%
9228 }{%
9229   \providecommand*{\c@zabspage}{\c@abspage}%
9230   \newcommand*{\footdir@LeftRightElse}{%
9231     \footdir@write
9232     \zifrefundefined{\the\footdir@label}{%
9233       \footdir@debug{abspage} ??: else}%
9234       \ltx@thirdofthree
9235   }{%
9236     \edef\footdir@abspage{%
9237       \zref@extractdefault{\the\footdir@label}{abspage}{0}}%
9238   }%
9239   \ltx@ifundefined{footdir@\footdir@abspage}{%
9240     \footdir@debug{\footdir@abspage: else}%
9241       \ltx@thirdofthree
9242   }{%
9243     \if\csname footdir@\footdir@abspage\endcsname L%
9244       \footdir@debug{\footdir@abspage: left}%
9245       \expandafter\ltx@firstofthree
9246     \else
9247       \footdir@debug{\footdir@abspage: right}%
9248       \expandafter\ltx@secondofthree
9249     \fi
9250   }%
9251 }{%
9252 }{%
9253 }{%
9254 \newcommand*{\footdir@fntext}[1]{%

```

```

9255 \zifrefundefined{\thefootdir@label}{%
9256 }{%
9257   \edef\footdir@name{%
9258     footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
9259   }%
9260   \@ifundefined{\footdir@name}{%
9261     \expandafter\gdef\csname\footdir@name\endcsname{#1}%
9262   }{%
9263 }%
9264 }%
9265
9266 \newcommand*{\footdir@temp}[3]{%
9267   \@if definable{#1}{%
9268     \let#1#2%
9269     \renewcommand{#2}[1]{%
9270       \footdir@write
9271       \footdir@fntext{#3}%
9272       \stepcounter{footdir@label}%
9273       \footdir@fntext{#3}%
9274       \footdir@toks{##1}%
9275       \footdir@toks\expandafter{%
9276         \the\expandafter\footdir@toks
9277         \expandafter
9278         \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
9279       }%
9280       \expandafter#1\expandafter{\the\footdir@toks}%
9281     }%
9282   }%
9283 }%
9284
9285 \def\right@footnoterule{%
9286   \hbox to \columnwidth
9287   {\beginR \vbox{\kern -3\p@
9288     \hrule width .4\columnwidth \kern2.6\p@\hfil\endR}}
9289 \def\left@footnoterule{%
9290   \hrule width .4\columnwidth\kern 2.6\p@}
9291 \def\textwidth@footnoterule{\kern-3\p@
9292   \hrule \width \columnwidth \kern 2.6\p@}
9293 \def\leftfootnoterule{%
9294 \bidi@autofootnoterulefalse%
9295 \def\footnoterule{\left@footnoterule}%
9296 \let\LRfootnoterule=\leftfootnoterule
9297 \def\rightfootnoterule{%
9298 \bidi@autofootnoterulefalse%
9299 \def\footnoterule{\right@footnoterule}%
9300 \def\textwidthfootnoterule{%
9301 \bidi@autofootnoterulefalse%
9302 \def\footnoterule{\textwidth@footnoterule}}%
9303
9304

```

```

9305
9306 \def\auto@footnoterule{%
9307 \footdir@LeftRightElse%
9308 \left@footnoterule%
9309 \right@footnoterule%
9310 \left@footnoterule%
9311 }
9312
9313
9314
9315 \def\autofootnoterule{%
9316 \bidi@autofootnoteruletrue%
9317 \def\footnoterule{\auto@footnoterule}%
9318 }
9319
9320 \newcommand*\SplitFootnoteRule{%
9321   \gdef\split@prev{0}
9322   \let\pagefootnoterule\footnoterule
9323   \let\mpfootnoterule\footnoterule
9324   \def\splitfootnoterule{\kern-3\p0 \hrule \kern2.6\p0}
9325   \def\footnoterule{\relax
9326     \ifx \listdepth\mplistdepth
9327       \mpfootnoterule
9328     \else
9329       \ifnum\split@prev=\z0
9330         \pagefootnoterule
9331       \else
9332         \splitfootnoterule
9333       \fi
9334       \xdef\split@prev{\the\insertpenalties}%
9335     \fi
9336   }%
9337 }
9338
9339
9340
9341
9342 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
9343   \protected@xdef\@thefnmark{\thempfn}%
9344   \footnotemark\@RTLfootnotetext}}
9345 \def\@xRTLfootnote[#1]{%
9346   \begingroup
9347   \csname c@\@mpfn\endcsname #1\relax
9348   \unrestored@protected@xdef\@thefnmark{\thempfn}%
9349   \endgroup
9350   \footnotemark\@RTLfootnotetext}
9351 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
9352   \protected@xdef\@thefnmark{\thempfn}%
9353   \footnotemark\@LTRfootnotetext}}
9354 \def\@xLTRfootnote[#1]{%

```

```

9355 \begingroup
9356   \csname c@\@mpfn\endcsname #1\relax
9357   \unrestored@protected@xdef\@thefnmark{\thempfn}%
9358 \endgroup
9359 \footnotemark\@LTFootnotetext}
9360
9361
9362 \def\setfootnoteRL{\@RTL@footnotetrue}
9363 \def\unsetfootnoteRL{\@RTL@footnotefalse}
9364 \def\setfootnoteLR{\unsetfootnoteRL}
9365
9366 \long\def\@footnotetext#1{\insert\footins{%
9367   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9368   \reset@font\footnotesize
9369   \interlinepenalty\interfootnotelinepenalty
9370   \splittopskip\footnotesep
9371   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
9372   \hsize\columnwidth \parboxrestore
9373   \protected@edef\@currentlabel{%
9374     \csname p@footnote\endcsname\@thefnmark
9375   }%
9376   \color@begingroup
9377     \makemfntext{%
9378       \rule{z@\footnotesep}{\ignorespaces#1\finalstrut}\strutbox}%
9379   \color@endgroup}%
9380
9381
9382 \long\def\@RTLfootnotetext#1{\insert\footins{%
9383   \if@RTLtrue%
9384   \reset@font\footnotesize
9385   \interlinepenalty\interfootnotelinepenalty
9386   \splittopskip\footnotesep
9387   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
9388   \hsize\columnwidth \parboxrestore
9389   \protected@edef\@currentlabel{%
9390     \csname p@footnote\endcsname\@thefnmark
9391   }%
9392   \color@begingroup
9393     \makemfntext{%
9394       \rule{z@\footnotesep}{\ignorespaces#1\finalstrut}\strutbox}%
9395   \color@endgroup}%
9396
9397 \long\def\@LTRfootnotetext#1{\insert\footins{%
9398   \if@RTLfalse%
9399   \reset@font\footnotesize
9400   \interlinepenalty\interfootnotelinepenalty
9401   \splittopskip\footnotesep
9402   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
9403   \hsize\columnwidth \parboxrestore
9404   \protected@edef\@currentlabel{%

```

```

9405      \csname p@footnote\endcsname\@thefnmark
9406  }%
9407  \color@begingroup
9408  \makefntext{%
9409    \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9410  \color@endgroup}%
9411
9412 \AtBeginDocument{%
9413 \if@RTL@footnote
9414  \newcommand*{\bidi@footdir@footnote}{R}
9415 \else
9416  \newcommand*{\bidi@footdir@footnote}{L}
9417 \fi%
9418 }
9419
9420 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
9421 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
9422 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
9423
9424 \long\def\@mpRTLfootnotetext#1{%
9425  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno%
9426  \global\setbox\@mpfootins\vbox{\@RTLtrue%
9427  \unvbox\@mpfootins
9428  \reset@font\footnotesize
9429  \hsize\columnwidth
9430  \parboxrestore
9431  \protected@edef\@currentlabel
9432  {\csname p@mpfootnote\endcsname\@thefnmark}%
9433  \color@begingroup
9434  \makefntext{%
9435    \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9436  \color@endgroup}%
9437 \long\def\@mpLTRfootnotetext#1{%
9438  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno%
9439  \global\setbox\@mpfootins\vbox{\@RTLfalse%
9440  \unvbox\@mpfootins
9441  \reset@font\footnotesize
9442  \hsize\columnwidth
9443  \parboxrestore
9444  \protected@edef\@currentlabel
9445  {\csname p@mpfootnote\endcsname\@thefnmark}%
9446  \color@begingroup
9447  \makefntext{%
9448    \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9449  \color@endgroup}%
9450 \long\def\@mpfootnotetext#1{%
9451  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\global\let\bidi@mpfootnoterule\right@footno%
9452  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9453  \unvbox\@mpfootins
9454  \reset@font\footnotesize

```

```

9455     \hsize\columnwidth
9456     \parboxrestore
9457     \protected@edef@\currentlabel
9458         {\csname p@mpfootnote\endcsname\@thefnmark}%
9459     \color@begingroup
9460     \makefntext{%
9461         \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}%
9462     \color@endgroup}%
9463 \def\@iiminipage#1#2[#3]{#4}{%
9464     \leavevmode
9465     \pboxswfalse
9466     \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
9467     \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
9468     \setlength{\tempdima{#4}}%
9469     \def\@mpargs{{#1}{#2}[#3]{#4}}%
9470     \setbox\@tempboxa\vbox\bgroup
9471     \color@begingroup
9472         \hsize\@tempdima
9473         \textwidth\hsize \columnwidth\hsize
9474     \parboxrestore
9475     \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote{z@}
9476     \let\@footnotetext\@mpfootnotetext
9477     \let\@LTRfootnotetext\@mpLTRfootnotetext
9478     \let\@RTLfootnotetext\@mpRTLfootnotetext
9479     \let\@listdepth\@mplistdepth \@mplistdepth{z@}
9480     \minipagerestore
9481     \setminipage{%
9482 \def\endminipage{%
9483     \par
9484     \unskip
9485     \ifvoid\@mpfootins\else
9486         \vskip\skip\@mpfootins
9487         \normalcolor
9488         \bidi@mpfootnoterule
9489         \unvbox\@mpfootins
9490     \fi
9491     \minipagetrue %% added 24 May 89
9492     \color@endgroup
9493     \egroup
9494     \expandafter\@iiparbox\@mpargs{\unvbox\@tempboxa}%
9495 \def\LTRthanks#1{\footnotemark
9496     \protected@xdef\@thanks{\@thanks
9497         \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
9498 }
9499 \def\LTRfootnotetext{%
9500     \ifnextchar [ \xdef\footnotenext
9501         {\protected@xdef\@thefnmark{\thempfn}%
9502         \@LTRfootnotetext}%
9503 \def\xLTRfootnotenext[#1]{%
9504     \begingroup

```

```

9505      \csname c@\@mpfn\endcsname #1\relax
9506      \unrestored@protected@xdef\@thefnmark{\thempfn}%
9507      \endgroup
9508      \@LTRfootnotetext}
9509 \def\RTLthanks#1{\footnotemark
9510   \protected@xdef\@thanks{\@thanks
9511     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
9512 }
9513 \let\@thanks\empty
9514 \def\RTLfootnotetext{%
9515   \@ifnextchar [ \@xRTLfootnotenext
9516     {\protected@xdef\@thefnmark{\thempfn}%
9517       \@RTLfootnotetext}}
9518 \def\@xRTLfootnotenext[#1]{%
9519   \begingroup
9520     \csname c@\@mpfn\endcsname #1\relax
9521     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9522   \endgroup
9523   \@RTLfootnotetext}
9524 \leftfootnoterule

```

7.62 framed-xetex-bidi.def

```

9525 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
9526 \renewcommand\TitleBarFrame[3] []{\begingroup
9527   \ifx\delimiter#1\delimiter
9528     \let\TF@conlab\empty
9529   \else
9530     \def\TF@conlab{\% continuation label
9531       \nointerlineskip
9532       \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
9533   \fi
9534   \% \let\TF@savecolor\current@color
9535   \textcolor{TFFrameColor}{%
9536     \CustomFBox
9537       {\TF@Title{#2}}{\TF@conlab}%
9538       \fboxrule\fboxrule\fboxrule\fboxrule
9539       {\let\current@color\TF@savecolor\set@color #3}%
9540       {\normalcolor #3}%
9541   }\endgroup
9542 }
9543 \renewenvironment{titled-frame}[1]{%
9544   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
9545     \TitleBarFrame{\textbf{#1}}}%
9546   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
9547     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
9548   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
9549     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}\ (cont)}}
9550   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
9551     \TitleBarFrame{\textbf{#1}\ (cont)}}%

```

```

9552   \MakeFramed{\advance\hspace{-20pt} \FrameRestore}}%
9553 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
9554 % could interfere with the width measurement.
9555 {\endMakeFramed}
9556 \chardef\FrameRestore=\catcode`\| % for debug
9557 \catcode`\|= \catcode`\% % (debug: insert space after backslash)
9558 \def\fb@put@frame#1#2{\relax
9559   \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
9560   \message{===== Entering putframe =====^J
9561   \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
9562 \ifinner
9563   \fb@putboxa#1%
9564   \fb@afterframe
9565 \else
9566   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
9567   \ifdim\dimen@<2\baselineskip % Too little room on page
9568   \message{Page has only \the\dimen@ space room left; eject. }%
9569   \eject \fb@adjheight \fb@put@frame#1#2%
9570 \else % there's appreciable room left on the page
9571   \fb@sizeofframe#1%
9572   \message{\string\pagetotal=\the\pagetotal,
9573   \string\pagegoal=\the\pagegoal,
9574   \string\pagestretch=\the\pagestretch,
9575   \string\pageshrink=\the\pageshrink,
9576   \string\fb@frh=\the\fb@frh. \space}
9577   \message{^^JBox of size \the\ht\@tempboxa\space}%
9578 \begingroup % temporarily set \dimen@ to be...
9579 \advance\dimen@.8\pageshrink % maximum space available on page
9580 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
9581 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
9582 \expandafter\endgroup
9583 % expand \ifdim, then restore \dimen@ to real room left on page
9584 \ifdim\dimen@>\ht\@tempboxa % whole box does fit
9585   \message{fits in \the\dimen@. }%
9586   % ToDo: Change this to use vsplit anyway to capture the marks
9587   % MERGE THIS WITH THE else CLAUSE!!!
9588   \fb@putboxa#1%
9589   \fb@afterframe
9590 \else % box must be split
9591   \message{must be split to fit in \the\dimen@. }%
9592   % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
9593   \fb@sizeofframe#2%
9594   \setbox\@tempboxa\vbox{%
9595     \vskip \fb@frh \oplus\pagestretch \ominus.8\pageshrink
9596     \kern-137sp\kern-137sp\penalty-30
9597     \unvbox\@tempboxa}%
9598   \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
9599   \splittopskip\the\splittopskip}%
9600   \boxmaxdepth\z@ \splittopskip\z@
9601   \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%

```

```

9602      % Split box here
9603      \setbox\tw@\vsplit\@tempboxa to\dimen@
9604 |      \toks99\expandafter{\splitfirstmark}%
9605 |      \toks98\expandafter{\splitbotmark}%
9606 |      \message{Marks are: \the\toks99, \the\toks98. }%
9607      \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
9608 |      \message{Natural height of split box is \the\ht\tw@, leaving
9609 |          \the\ht\@tempboxa\space remainder. }%
9610 |      % If the split-to size > (\vsize-\topskip), then set box to full size.
9611 |      \begingroup
9612 |      \advance\dimen@\topskip
9613 |      \expandafter\endgroup
9614 |      \ifdim\dimen@>\pagegoal
9615 |          \message{Frame is big -- Use up the full column. }%
9616 |          \dimen@ii\pagegoal
9617 |          \advance\dimen@ii -\topskip
9618 |          \advance\dimen@ii \FrameHeightAdjust\relax
9619 |      \else % suspect this is implemented incorrectly:
9620 |          % If the split-to size > feasible room_on_page, rebox it smaller.
9621 |          \advance\dimen@.8\pageshrink
9622 |          \ifdim\ht\tw@>\dimen@
9623 |              \message{Box too tall; rebox it to \the\dimen@. }%
9624 |              \dimen@ii\dimen@
9625 |          \else % use natural size
9626 |              \dimen@ii\ht\tw@
9627 |          \fi
9628 |      \fi
9629 |      % Re-box contents to desired size \dimen@ii
9630 |      \advance\dimen@ii -\fb@frh
9631 |      \setbox\tw@\vbox to\dimen@ii \bgroup
9632 |      % remove simulated frame and page flexibility:
9633 |      \vskip -\fb@frh \oplus-\pagestretch \ominus-.8\pageshrink
9634 |      \unvbox\tw@ \unpenalty\unpenalty
9635 |      \ifdim\lastkern=-137sp % whole box went to next page
9636 |          \message{box split at beginning! }%
9637 |          % need work here???
9638 |          \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
9639 |          \fb@adjheight
9640 |          \fb@put@frame#1#2% INSERTED ???
9641 |      \else % Got material split off at the head
9642 |          \egroup \fb@resto@set
9643 |          \ifvoid\@tempboxa % it all fit after all
9644 |              \message{box split at end! }%
9645 |              \setbox\@tempboxa\box\tw@
9646 |              \fb@putboxa#1%
9647 |              \fb@afterframe
9648 |          \else % it really did split
9649 |              \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
9650 |              \ifdim\wd\tw@>\z@
9651 |                  \wd\tw@\wd\@tempboxa

```

```

9652           \centerline{\#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
9653     \else
9654   \message{Zero width means likely blank. Don't frame it (guess)}%
9655   \box\tw@
9656   \fi
9657   \hrule \height\z@ \width\hsize
9658   \eject
9659   \fb@adjheight
9660   \fb@put@frame\LastFrameCommand\MidFrameCommand
9661 \fi\fi\fi\fi\fi
9662 }
9663 \def\fb@putboxa#1{%
9664   \ifvoid\@tempboxa
9665     \PackageWarning{framed}{Boxa is void -- discard it. }%
9666   \else
9667   \message{Frame and place boxa. }%
9668   \%{\showoutput\showbox\@tempboxa}%
9669   \centerline{\#1{\hboxL{\box\@tempboxa}}}%
9670 \fi
9671 }
9672 \catcode`\\=\FrameRestore
9673 \def\FrameRestore{%
9674   \let\if@nobreak\iffalse
9675   \let\if@noskipsec\iffalse
9676   \let\-\@dischyp
9677   \let`\@acci\let`\@accii\let`\@acciii
9678   % \message{FrameRestore:
9679   %   \totallleftmargin=\the\totallleftmargin,
9680   %   \rightmargin=\the\rightmargin,
9681   %   \listdepth=\the\listdepth. }%
9682   % Test if we are in a list (or list-like paragraph)
9683   \ifnum\ifdim\totallleftmargin>\z@ 1\fi
9684     \ifdim\rightmargin>\z@ 1\fi
9685     \ifnum\listdepth>\z@ 1\fi 0>\z@
9686     % \message{In a list: \linewidth=\the\linewidth, \totallleftmargin=\the\totallleftmargin,
9687     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
9688     %   \labelwidth=\the\labelwidth. }%
9689     \csetminipage % snug fit around the item
9690     % Now try to propagate changes of width from \hsize to list parameters.
9691     % This is deficient, but a more advanced way to indicate modification to text
9692     % dimensions is not (yet) provided; in particular, no separate left/right
9693     % adjustment.
9694     \advance\linewidth-\columnwidth \advance\linewidth\hsize
9695     \parshape\one \totallleftmargin \linewidth
9696   \else % Not in list
9697     \linewidth=\hsize
9698     \%message{No list, set \string\linewidth=\the\hsize. }%
9699   \fi
9700   \sloppy
9701 }

```

7.63 ftnright-xetex-bidi.def

```
9702 \ProvidesFile{ftnright-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for ftnright package
9703 \def\LTR@outputdblcol{\if@firstcolumn
9704   \global\@firstcolumnfalse
9705   \global\setbox\@leftcolumn\box\@outputbox
9706   \global\count\footins\@m
9707   \global\skip\footins\rcol@footinsskip
9708 \else \preparefootins
9709   \global\@firstcolumntrue
9710   \setbox\@outputbox\vbox{\hbox to\textwidth
9711     {\hbox to\columnwidth
9712       {\box\@leftcolumn\hss}\%
9713       \hfil\vrule\@width\columnseprule\hfil
9714       \hbox to\columnwidth
9715         {\box\@outputbox\hss}}}\%
9716   \@combinedblfloats\@outputpage
9717   \begingroup
9718   \@dblfloatcheck\@startdblcolumn
9719   \@whilesw\if@fcollmade\fi
9720     {\@outputpage\@startdblcolumn}\%
9721   \endgroup
9722 \fi}
9723 \def\RTL@outputdblcol{\if@firstcolumn
9724   \global\@firstcolumnfalse
9725   \global\setbox\@leftcolumn\box\@outputbox
9726   \global\count\footins\@m
9727   \global\skip\footins\rcol@footinsskip
9728 \else \preparefootins
9729   \global\@firstcolumntrue
9730   \setbox\@outputbox\vbox{\hbox to\textwidth
9731     {\hspace\columnwidth
9732       \hfil\vrule width\columnseprule\hfil
9733       \hbox to\columnwidth
9734         {\box\@leftcolumn\hss}\%
9735       \hspace-\textwidth
9736       \hbox to\columnwidth
9737         {\box\@outputbox\hss}\%
9738       \hspace\columnsep
9739       \hspace\columnwidth}}}\%
9740   \@combinedblfloats\@outputpage
9741   \begingroup
9742   \@dblfloatcheck\@startdblcolumn
9743   \@whilesw\if@fcollmade\fi
9744     {\@outputpage\@startdblcolumn}\%
9745   \endgroup
9746 \fi}
9747 \let\leftfootnoterule\empty
9748 \let\rightfootnoterule\empty
9749 \let\textwidthfootnoterule\empty
```

```

9750 \let\autofootnoterule\@empty
9751 \let\footnoterule\@empty
9752 \long\def\@makefntext#1{\parindent 1em
9753   \noindent\hbox to 2em{#1}%
9754   \llap{\@thefnmark\hbox{.}\,\,\,}#1}

```

7.64 graphicx-xetex-bidi.def

```

9755 \ProvidesFile{graphicx-xetex-bidi.def}[2012/01/01 v0.4 bidi adaptations for graphicx package
9756 \def\Grot@box@std#1{\ifmmode\else\if@RTL\beginL\fi\fi%
9757   \Grot@setangle{#1}%
9758   \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi}%
9759   \Grot@x\z@
9760   \Grot@y\z@
9761   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}%
9762 \long\def\Gscale@box#1[#2]{\ifmmode\else\if@RTL\beginL\fi\fi%
9763   \leavevmode
9764   \def\Gscale@x{#1}\def\Gscale@y{#2}%
9765   \setbox\z@\hbox{\if#3\relax\else\Gscale@start\rlap{\copy\z@}\Gscale@end\fi}%
9766   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
9767   \ifdim#2\p@<\z@
9768     \ht\tw@-#2\dp\z@
9769     \dp\tw@-#2\ht\z@
9770   \else
9771     \ht\tw@#2\ht\z@
9772     \dp\tw@#2\dp\z@
9773   \fi
9774   \ifdim#1\p@<\z@
9775     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
9776   \else
9777     \wd\tw@#1\wd\z@
9778     \box\tw@
9779   \fi\ifmmode\else\if@RTL\endL\fi\fi}%
9780 \def\Gin@iii[#1,#2][#3,#4]{%
9781   \begingroup
9782   \ifmmode\else\if@RTL\beginL\fi\fi
9783   \Gin@bboxtrue
9784   \Gin@defaultbp\Gin@llx{#1}%
9785   \Gin@defaultbp\Gin@lly{#2}%
9786   \Gin@defaultbp\Gin@urx{#3}%
9787   \Gin@defaultbp\Gin@ury{#4}%
9788   \Gin@include@graphics{#5}%
9789   \ifmmode\else\if@RTL\endL\fi\fi
9790   \endgroup
9791 \def\Gin@ii[#1]#2{%
9792   \def\@tempa{}{\def\@tempb{#2}%
9793   \ifx\@tempa\@tempb
9794     \def\@tempa{\Gin@iii[#1]}%
9795     \expandafter\@tempa
9796   \else

```

```

9797     \begingroup
9798         \ifmmode\else\if@RTL\beginL\fi\fi
9799         \tempswafalse
9800         \toks@{\Gininclude@graphics{#2}}%
9801         \setkeys{Gin}{#1}%
9802         \Gin@esetsize
9803         \the\toks@
9804         \ifmmode\else\if@RTL\endL\fi\fi
9805     \endgroup
9806     \fi}
9807 \def\reflectbox{\bidiGscale@box-1[1]}
9808 \long\def\bidiGscale@box#1[#2]{\ifmmode\else\if@RTL\beginL\fi\fi%
9809     \leavevmode
9810     \def\Gscale@x{#1}\def\Gscale@y{#2}%
9811     \setbox{z@}\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL\endR\fi}%
9812     \setbox{tw@}\hbox{\Gscale@start\rlap{\copy{z@}}\Gscale@end}%
9813     \ifdim#2\p@<\z@%
9814         \ht{tw@}-#2\dp{z@}
9815         \dp{tw@}-#2\ht{z@}
9816     \else
9817         \ht{tw@}#2\ht{z@}
9818         \dp{tw@}#2\dp{z@}
9819     \fi
9820     \ifdim#1\p@<\z@%
9821         \hb@xt@-#1\wd{z@}{\kern-#1\wd{z@}\box{tw@}\hss}%
9822     \else
9823         \wd{tw@}#1\wd{z@}
9824         \box{tw@}
9825     \fi\ifmmode\else\if@RTL\endL\fi\fi}
9826 \def\scalebox#1{%
9827     \ifnextchar[\bidiGscale@box{#1}{\bidiGscale@box{#1}[#1]}}
9828 \def\resizebox{%
9829     \leavevmode
9830     \ifstar{\bidiGscale@box{totalheight}{\bidiGscale@box{height}}}{%
9831     \def\bidiGscale@@box#1#2#3{%
9832         \let\tempa\Gin@exclamation
9833         \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
9834         \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
9835         \ifx\@tempb\@tempa
9836             \ifx\@tempc\@tempa
9837                 \toks@{\mbox}%
9838             \else
9839                 \toks@{\bidiGscale@box@dd{#3}{#1}}%
9840             \fi
9841         \else
9842             \ifx\@tempc\@tempa
9843                 \toks@{\bidiGscale@box@dd{#2}{width}}%
9844             \else
9845                 \toks@{\bidiGscale@box@ddd{#2}{width{#3}{#1}}}%
9846             \fi

```

```

9847 \fi
9848 \the\toks@
9849 \long\def\bidiGscale@box@dd#1#2#3{%
9850 \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi\fi}%
9851 \setlength{\tempdima}{#1}%
9852 \setlength{\tempdimb}{#2}%
9853 \Gscale@div{\tempa}{\tempdima}{\tempdimb}%
9854 \Gscale@box{\tempa}{[\tempa]{\box\tempboxa}}%
9855 \end{tempboxa}%
9856 \long\def\bidiGscale@box@dddd#1#2#3#4#5{%
9857 \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi\if@RTL\beginR\fi\if@RTL\endR\fi\fi}%
9858 \setlength{\tempdima}{#1}%
9859 \setlength{\tempdimb}{#2}%
9860 \Gscale@div{\tempa}{\tempdima}{\tempdimb}%
9861 \setlength{\tempdima}{#3}%
9862 \setlength{\tempdimb}{#4}%
9863 \Gscale@div{\tempb}{\tempdima}{\tempdimb}%
9864 \ifGin@iso
9865   \ifdim{\tempa}\p@>{\tempb}\p@
9866     \let{\tempa}{\tempb}
9867   \else
9868     \let{\tempb}{\tempa}
9869   \fi
9870 \fi
9871 \Gscale@box{\tempa}{[\tempb]{\box\tempboxa}}%
9872 \end{tempboxa}%

```

7.65 geometry-xetex-bidi.def

```
9873 \ProvidesFile{geometry-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for geometry package
9874 \renewcommand*{\Gm@vrules@mpi}{%
9875 \if@RTLmain%
9876   \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
9877     \llap{\Gm@vrule}\ignorespaces
9878     \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
9879     \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}}%
9880 \else%
9881   \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
9882     \hskip \textwidth\Gm@vrule\hskip \marginparsep
9883     \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
9884 \renewcommand*{\Gm@vrules@mpii}{%
9885 \if@RTLmain%
9886   \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
9887     \hskip \textwidth\Gm@vrule\hskip \marginparsep
9888     \llap{\Gm@vrule}\hfil\Gm@vrule}}%
9889 \else%
9890   \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
9891     \llap{\Gm@vrule}\ignorespaces
9892     \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
9893     \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%

```

9894

7.66 hvfloat-xetex-bidi.def

```
9895 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package fo
9896 \def\do@@hvFloat[#1]#2#3{%
9897 \def\hv@shortCap{#1}
9898 \def\hv@longCap{#2}
9899 \def\hv@label{#3}
9900 %\newcommand*{\hvFloat}[5][]{%
9901 % [#1]: keyvalues
9902 % #2: type figure | table | ...
9903 % #3: float contents
9904 % [#4]: short caption
9905 % #5: caption
9906 % #6: label
9907 % \setDefaults%
9908 % \def\@tempa{#1}%
9909 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
9910 \def\@tempa{90}%
9911 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
9912 \else \setlength{\hvMaxCapWidth}{\linewidth}
9913 \fi
9914 %
9915 % First we save the object in \hvObjectBox
9916 %
9917 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
9918 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvObjectBox}\else\hv@floatObject\fi}
9919 \else
9920 \savebox{\hvObjectBox}{%
9921 \rotatebox{\hvSet@objectAngle}{%
9922 \ifhv@useOBox\usebox{\hvObjectBox}\else\hv@floatObject\fi}}
9923 \fi
9924 \setlength{\hvObjectWidth}{\wd{\hvObjectBox}}
9925 %
9926 % Now we save the caption with its defined \hvCapWidth
9927 %
9928 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
9929 \else
9930 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht{\hvObjectBox}}
9931 \else
9932 \setlength{\hvCapWidth}{\hvObjectWidth}
9933 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
9934 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
9935 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
9936 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
9937 \else
9938 \setlength{\hvCapWidth}{\hvMaxCapWidth}
9939 \fi
9940 \fi
```

```

9941   \fi
9942 %
9943 % now we have the object and the caption with the right
9944 % rotated angles saved in boxes
9945 %
9946 \def\fps@figure{\hvSet@floatPos}
9947 \ifhv@nonFloat\begin{group}% Start the nonfloat part
9948 \else \begin{\hv@floatType}% Start the floating environment
9949 \fi%
9950 \saveCaptionSkip% we put this space ourselves
9951 \ifx\hvSet@capAngle\hv@Width % need rotation?
9952   \sbox{\hvCaptionBox}{%
9953     \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
9954       \ifhv@nonFloat%
9955         \ifhv@onlyText#2%
9956           \else%
9957             \ifx\hv@floatType\hv@figure
9958               \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
9959             \else
9960               \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
9961             \fi
9962           \fi
9963 \else\ifx\relax\hv@shortCap\relax\caption[#2]\else\caption[#1]{#2}\fi%
9964 \fi%
9965 \label{#3}%
9966   \end{minipage}%
9967 }%
9968 \else%
9969   \sbox{\hvCaptionBox}{%
9970     \rotatebox{\hvSet@capAngle}{%
9971       \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
9972 \ifhv@nonFloat%
9973   \ifhv@onlyText#2%
9974   \else%
9975     \ifx\hv@floatType\hv@figure
9976       \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi
9977     \else
9978       \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
9979     \fi
9980   \fi
9981 \else\ifx\relax\hv@shortCap\relax\caption[#2]\else\caption[#1]{#2}\fi%
9982   \fi%
9983   \label{#3}%
9984   \end{minipage}%
9985 }%
9986 }%
9987 \fi%
9988 %%
9989 \restoreCaptionSkip% save old values
9990 \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%

```

```

9991 \else%
9992   \ifx\hvSet@objectPos\hv@Center
9993     \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
9994   \fi%
9995 \fi%
9996 %
9997 % to rotate object and caption together, we save all in another box
9998 % the caption comes first, if its on the left or the top
9999 %
10000 \savebox{\@tempboxa}{%
10001   \ifx\hvSet@capPos\hv@Left  % caption on left side
10002 \if@RTL%
10003 \ifx\hvSet@capVPos\hv@Center%
10004 \ifhv@fbox
10005 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10006 \else
10007 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10008 \fi%
10009 \hspace{\hvSet@floatCapSep pt}%
10010 \ifhv@fbox
10011 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10012 \else
10013 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10014 \fi%
10015 \else%
10016 \ifx\hvSet@capVPos\hv@Top
10017 \ifhv@fbox
10018 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10019 \else
10020 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10021 \fi%
10022 \hspace{\hvSet@floatCapSep pt}%
10023 \ifhv@fbox
10024 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10025 \else
10026 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10027 \fi
10028 \else
10029 \ifhv@fbox
10030 \fbox{\usebox{\hvObjectBox}}%
10031 \else
10032 \usebox{\hvObjectBox}%
10033 \fi
10034 \hspace{\hvSet@floatCapSep pt}%
10035 \ifhv@fbox
10036 \fbox{\usebox{\hvCaptionBox}}%
10037 \else
10038 \usebox{\hvCaptionBox}%
10039 \fi%
10040 \fi%

```

```

10041 \fi%
10042 \else% not RTL
10043   \ifx\hvSet@capVPos\hv@Center%
10044     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10045     \else    \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10046     \fi%
10047   \hspace{\hvSet@floatCapSep pt}%
10048   \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10049   \else    \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
10050   \fi%
10051 \else%
10052   \ifx\hvSet@capVPos\hv@Top % caption at top
10053     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10054     \else    \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10055     \fi
10056   \hspace{\hvSet@floatCapSep pt}%
10057   \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10058   \else    \raisebox{-\height}{\usebox{\hvObjectBox}}%
10059   \fi%
10060 \else% caption on bottom
10061   \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
10062   \else\usebox{\hvCaptionBox}
10063   \fi%
10064   \hspace{\hvSet@floatCapSep pt}%
10065   \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
10066   \else    \usebox{\hvObjectBox}
10067   \fi%
10068 \fi%
10069 \fi% end of RTL
10070 \fi%
10071 \else
10072 \ifx\hvSet@capPos\hv@Top
10073 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10074 \begin{minipage}{\wd\hvCaptionBox}
10075 \else
10076 \begin{minipage}{\wd\hvObjectBox}
10077 \fi
10078 \centering
10079 \ifhv@fbox
10080 \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
10081 \fbox{\usebox{\hvObjectBox}}
10082 \else
10083 \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
10084 \usebox{\hvObjectBox}
10085 \fi%
10086 \end{minipage}
10087 \else
10088 \ifx\hvSet@capPos\hv@Bottom
10089 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10090 \begin{minipage}{\wd\hvCaptionBox}

```

```

10091 \else
10092 \begin{minipage}{\wd\hvObjectBox}
10093 \fi
10094 \centering
10095 \ifhv@fbox
10096 \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
10097 \fbox{\usebox{\hvCaptionBox}}
10098 \else
10099 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
10100 \usebox{\hvCaptionBox}
10101 \fi%
10102 \end{minipage}
10103 \else% the last option: put the caption on the right
10104 \if@RTL%
10105     \ifx\hvSet@capVPos\hv@Center%
10106         \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10107         \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10108         \fi%
10109         \hspace{\hvSet@floatCapSep pt}%
10110         \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10111         \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
10112         \fi%
10113     \else%
10114         \ifx\hvSet@capVPos\hv@Top % caption at top
10115             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10116             \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10117             \fi
10118             \hspace{\hvSet@floatCapSep pt}%
10119             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10120             \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
10121             \fi%
10122         \else% caption on bottom
10123             \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
10124                 \else\usebox{\hvCaptionBox}
10125             \fi%
10126             \hspace{\hvSet@floatCapSep pt}%
10127             \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
10128             \else     \usebox{\hvObjectBox}
10129             \fi%
10130             \fi%
10131     \fi%
10132 \else% not RTL
10133 \ifx\hvSet@capVPos\hv@Center%
10134 \ifhv@fbox
10135 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10136 \else
10137 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
10138 \fi%
10139 \hspace{\hvSet@floatCapSep pt}%
10140 \ifhv@fbox

```

```

10141 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}\%
10142 \else
10143 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10144 \fi%
10145 \else%
10146 \ifx\hvSet@capVPos\hv@Top
10147 \ifhv@fbox
10148 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}\%
10149 \else
10150 \raisebox{-\height}{\usebox{\hvObjectBox}}\%
10151 \fi%
10152 \hspace{\hvSet@floatCapSep pt}\%
10153 \ifhv@fbox
10154 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}\%
10155 \else
10156 \raisebox{-\height}{\usebox{\hvCaptionBox}}\%
10157 \fi
10158 \else
10159 \ifhv@fbox
10160 \fbox{\usebox{\hvObjectBox}}\%
10161 \else
10162 \usebox{\hvObjectBox}\%
10163 \fi
10164 \hspace{\hvSet@floatCapSep pt}\%
10165 \ifhv@fbox
10166 \fbox{\usebox{\hvCaptionBox}}\%
10167 \else
10168 \usebox{\hvCaptionBox}\%
10169 \fi%
10170 \fi%
10171 \fi
10172 \fi% end of RTL
10173 \fi
10174 \fi
10175 \fi
10176 }% End savebox Object and caption
10177 %
10178 % now we rotate the object and caption, if needed
10179 %
10180 \ifx\hvSet@rotAngle\hv@Zero
10181 \usebox{@tempboxa}
10182 \else
10183 \rotatebox{\hvSet@rotAngle}{\usebox{@tempboxa}}
10184 \fi
10185 \ifhv@nonFloat
10186 \ifx\hvSet@objectPos\hv@Center
10187 \ifhv@nonFloat
10188 \hspace{\fill}
10189 \fi
10190 \fi

```

```

10191 \endgroup% End the nonfloat part
10192 \else
10193 \end{\hv@floatType}% End the floating environment
10194 \fi
10195 }

```

7.67 hyperref-xetex-bidi.def

```

10196 \ProvidesFile{hyperref-xetex-bidi.def}[2013/04/08 v0.7 bidi adaptations for hyperref package
10197 \AtBeginDocument{%
10198 \def\contentsline#1#2#3#4{%
10199   \ifx\\#4\\%
10200     \csname l@#1\endcsname{#2}{#3}%
10201   \else
10202     \ifcase\Hy@linktoc % none
10203       \csname l@#1\endcsname{#2}{#3}%
10204     \or % section
10205       \csname l@#1\endcsname{%
10206         \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
10207       }{#3}%
10208     \or % page
10209       \csname l@#1\endcsname{{#2}}{%
10210         \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10211       }%
10212     \else % all
10213       \csname l@#1\endcsname{%
10214         \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
10215       }{%
10216         \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10217       }%
10218     \fi
10219   \fi
10220 }
10221 \ifHy@hyperfootnotes
10222   \let\H@footnotetext\@footnotetext
10223   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
10224   \let\HLTR@LTRfootnotetext\@LTRfootnotetext
10225   \def\xfootnotenext[#1]{%
10226     \begingroup
10227       \csname c@\@mpfn\endcsname #1\relax
10228       \unrestored@protected@xdef\@thefnmark{\thempfn}%
10229     \endgroup
10230     \ifx\@footnotetext\@mpfootnotetext
10231       \expandafter\H@mpfootnotetext
10232     \else
10233       \expandafter\H@footnotetext
10234     \fi
10235   }%
10236   \def\xRTLfootnotenext[#1]{%
10237     \begingroup

```

```

10238     \csname c@\@mpfn\endcsname #1\relax
10239     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10240 \endgroup
10241 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
10242     \expandafter\HRTL@@mpRTLfootnotetext
10243 \else
10244     \expandafter\HRTL@@RTLfootnotetext
10245 \fi
10246 }%
10247 \def\@xLTRfootnotenext[#1]{%
10248 \begingroup
10249     \csname c@\@mpfn\endcsname #1\relax
10250     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10251 \endgroup
10252 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
10253     \expandafter\HLTR@@mpLTRfootnotetext
10254 \else
10255     \expandafter\HLTR@@LTRfootnotetext
10256 \fi
10257 }%
10258 \def\@xfootnotemark[#1]{%
10259 \begingroup
10260     \c@footnote #1\relax
10261     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
10262 \endgroup
10263 \H@@footnotemark
10264 }%
10265 \let\H@@mpfootnotetext\@mpfootnotetext
10266 \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
10267 \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
10268 \long\def\@mpfootnotetext#1{%
10269     \H@@mpfootnotetext{%
10270         \ifHy@nesting
10271             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10272         \else
10273             \Hy@raisedlink{%
10274                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10275             }#1%
10276         \fi
10277     }%
10278 }%
10279 \long\def\@mpRTLfootnotetext#1{%
10280     \HRTL@@mpRTLfootnotetext{%
10281         \ifHy@nesting
10282             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10283         \else
10284             \Hy@raisedlink{%
10285                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10286             }#1%
10287     \fi

```

```

10288     }%
10289   }%
10290   \long\def\@mpLTRfootnotetext#1{%
10291     \HLTR@@mpLTRfootnotetext{%
10292       \ifHy@nesting
10293         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10294       \else
10295         \Hy@raisedlink{%
10296           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10297         }#1%
10298       \fi
10299     }%
10300   }%
10301   \long\def\@footnotetext#1{%
10302     \H@@footnotetext{%
10303       \ifHy@nesting
10304         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10305       \else
10306         \Hy@raisedlink{%
10307           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10308         }%
10309         \let\@currentHlabel\Hy@footnote@currentHlabel
10310         \let\@currentHref\Hy@footnote@currentHref
10311         \let\@currentlabelname\@empty
10312         #1%
10313       \fi
10314     }%
10315   }%
10316   \long\def\@RTLfootnotetext#1{%
10317     \HRTL@@RTLfootnotetext{%
10318       \ifHy@nesting
10319         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10320       \else
10321         \Hy@raisedlink{%
10322           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10323         }%
10324         \let\@currentHlabel\Hy@footnote@currentHlabel
10325         \let\@currentHref\Hy@footnote@currentHref
10326         \let\@currentlabelname\@empty
10327         #1%
10328       \fi
10329     }%
10330   }%
10331   \long\def\@LTRfootnotetext#1{%
10332     \HLTR@@LTRfootnotetext{%
10333       \ifHy@nesting
10334         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10335       \else
10336         \Hy@raisedlink{%
10337           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%

```

```

10338      }%
10339      \let\@currentHlabel\Hy@footnote@currentHlabel
10340      \let\@currentHref\Hy@footnote@currentHref
10341      \let\@currentlabelname\@empty
10342      #1%
10343      \fi
10344  }%
10345 }%
10346 \def\@footnotemark{%
10347   \leavevmode
10348   \ifhmode\edef\@x@sf{\the\spacefactor}\nobreak\fi
10349   \stepcounter{Hfootnote}%
10350   \global\let\Hy@saved@currentHlabel\@currentHlabel
10351   \global\let\Hy@saved@currentHref\@currentHref
10352   \hyper@makecurrent{Hfootnote}%
10353   \global\let\Hy@footnote@currentHlabel\@currentHlabel
10354   \global\let\Hy@footnote@currentHref\@currentHref
10355   \global\let\@currentHlabel\Hy@saved@currentHlabel
10356   \global\let\@currentHref\Hy@saved@currentHref
10357   \beginL\hyper@linkstart{link}{\Hy@footnote@currentHref}%
10358   \makefnmark
10359   \hyper@linkend\endL
10360   \ifhmode\spacefactor\@x@sf\fi
10361   \relax
10362 }%
10363 \let\HyOrg@maketitle\maketitle
10364 \def\maketitle{%
10365   \let\Hy@saved@footnotemark\@footnotemark
10366   \let\Hy@saved@footnotetext\@footnotetext
10367   \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
10368   \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
10369   \let\@footnotemark\H@@footnotemark
10370   \let\@footnotetext\H@@footnotetext
10371   \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
10372   \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
10373   \@ifnextchar[{\Hy@maketitle@optarg}{%
10374     \HyOrg@maketitle
10375     \Hy@maketitle@end
10376   }%
10377 }%
10378 \def\Hy@maketitle@optarg[#1]{%
10379   \HyOrg@maketitle[{#1}]%
10380   \Hy@maketitle@end
10381 }%
10382 \def\Hy@maketitle@end{%
10383   \ifx\@footnotemark\H@@footnotemark
10384     \let\@footnotemark\Hy@saved@footnotemark
10385   \fi
10386   \ifx\@footnotetext\H@@footnotetext
10387     \let\@footnotetext\Hy@saved@footnotetext

```

```

10388     \fi
10389     \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
10390         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
10391     \fi
10392     \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
10393         \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
10394     \fi
10395 }
10396 \def\realfootnote{%
10397     \@ifnextchar[\@xfootnote{%
10398         \stepcounter{\@mpfn}%
10399         \protected@xdef\@thefnmark{\thempfn}%
10400         \H@@footnotemark\H@@footnotetext
10401     }%
10402 }
10403 \fi
10404 \def\hyper@link#1#2#3{%
10405     \ifmmode\else\beginL\fi\hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\beginR\fi\fi\endL%
10406 }
10407 \def\url@#1{\beginL\hyper@linkurl{\Hurl{#1}}{#1}\endL}
10408 \def\hyper@natlinkstart#1{%
10409     \Hy@backout{#1}%
10410     \beginL\hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
10411     \def\hyper@nat@current{#1}%
10412 }
10413 \def\hyper@natlinkend{%
10414     \if@RTL\endR\fi\hyper@linkend\endL
10415 }
10416 \def\hyper@natlinkbreak#1#2{%
10417     \if@RTL\endR\fi\hyper@linkend\endL#1\beginL\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
10418 }%
10419 }
10420 \begingroup
10421     \catcode`\$=6 %
10422     \catcode`\#=12 %
10423     \gdef\href@$1{\expandafter\href@split$1##\\}%
10424     \gdef\href@split$1#$2#$3\\$4{%
10425         \beginL\hyper@link{$1}{$2}\{\if@RTL\beginR\fi\$4\if@RTL\endR\fi\}\endL%
10426         \endgroup
10427 }%
10428 \endgroup
10429 \pdfstringdefDisableCommands{%
10430     \let\LR\@firstofone
10431     \let\LR\@firstofone
10432     \let\RLE\@firstofone
10433     \let\RL\@firstofone
10434     \def\XeTeX{Xe\TeX}%
10435     \def\XeLaTeX{Xe\LaTeX}%
10436 }

```

7.68 leqno-xetex-bidi.def

```
10437 \ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX
10438 \renewcommand\eqnnum{\hb@xt@.01\p@{}%
10439         \rlap{%
10440             \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theed
```

7.69 letter-xetex-bidi.def

```
10441 \ProvidesFile{letter-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for standard letter cla
10442 \renewcommand*\opening[1]{\ifx\empty\fromaddress
10443     \thispagestyle{firstpage}%
10444     {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
10445 \else % home address
10446     \thispagestyle{empty}%
10447     {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l}
10448     \fromaddress \\*[2\parskip]%
10449     \@date \end{tabular}\par}%
10450 \fi
10451 \vspace{2\parskip}%
10452 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
10453 \vspace{2\parskip}%
10454 #1\par\nobreak}
10455 \renewcommand\left@footnoterule{%
10456     \kern-\p@
10457     \hrule \width .4\columnwidth
10458     \kern .6\p@}
10459 \renewcommand\right@footnoterule{%
10460     \hbox to \columnwidth
10461     {\beginR \vbox{%
10462     \kern-\p@
10463     \hrule \width .4\columnwidth
10464     \kern .6\p@\hfil\endR}}
```

7.70 lettrine-xetex-bidi.def

```
10465 \ProvidesFile{lettrine-xetex-bidi.def}[2014/09/19 v0.4 bidi adaptations for lettrine package
10466 \def\@lettrine[#1]#2#3{%
10467     \setcounter{L@lines}{\theDefaultLines}%
10468     \setcounter{L@depth}{\theDefaultDepth}%
10469     \renewcommand*\L@hang{\DefaultLhang}%
10470     \renewcommand*\L@oversize{\DefaultLoversize}%
10471     \renewcommand*\L@raise{\DefaultLraise}%
10472     \renewcommand*\L@ante{}%
10473     \setlength{\L@Findent}{\DefaultFindent}%
10474     \setlength{\L@Nindent}{\DefaultNindent}%
10475     \setlength{\L@slope}{\DefaultSlope}%
10476     \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
10477     \if\DefaultOptionsFile\relax
10478     \else
10479         \begingroup
10480             \InputIfFileExists{\DefaultOptionsFile}{%
```

```

10481      {}%
10482      {\PackageWarning{lettrine.sty}%
10483       {File \DefaultOptionsFile\space not found}%
10484     }%
10485     \def\color##1##{\l@color{##1}}%
10486     \let\l@color\gobbletwo
10487     \def\textcolor##1##{\l@textcolor{##1}}%
10488     \def\l@textcolor##1##2##3{##3}%
10489     \expandafter\ifx\csname l@#2-keys\endcsname\relax
10490       \gdef\l@LOKeys{}%
10491     \else
10492       \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
10493     \fi
10494   \endgroup
10495   \def\KV@prefix{KV@L@}%
10496   \let@tempc\relax
10497   \expandafter\KV@do\l@LOKeys,\relax,
10498   \sbox{\L@lbox}{\LettrineFont #2}%
10499   \setlength{\LettrineWidth}{\wd\l@lbox}%
10500   \def\KV@prefix{KV@L@}%
10501   \let@tempc\relax
10502   \expandafter\KV@do\l@LOKeys,\relax,
10503 \fi
10504 \setkeys{L}{#1}%
10505 \ifL@image
10506   \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
10507 \else
10508   \sbox{\L@lbox}{\LettrineFont #2}%
10509 \fi
10510 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
10511 \tempdima=\baselineskip
10512 \ifnum\theL@lines=1
10513   \setlength{\L@first}{\ht\l@lbox}%
10514   \addtolength{\L@first}{-\ht\l@tbox}%
10515   \setlength{\L@lraise}{\z@}%
10516 \else
10517   \setlength{\L@first}{-\theL@lines\tempdima}%
10518   \addtolength{\L@first}{\tempdima}%
10519   \sbox{\tempboxa}{\LettrineTextFont x}%
10520   \addtolength{\L@first}{-\ht\tempboxa}%
10521   \setlength{\L@lraise}{-\L@raise\l@first}%
10522   \addtolength{\L@first}{\L@lraise}%
10523   \addtolength{\L@first}{\ht\l@lbox}%
10524   \addtolength{\L@lraise}{-\theL@lines\tempdima}%
10525   \addtolength{\L@lraise}{\tempdima}%
10526 \fi
10527 \par
10528 \ifdim\l@first>0.2\p@\vskip\l@first\fi
10529 \setlength{\L@Pindent}{\wd\l@lbox}%
10530 \addtolength{\L@Pindent}{-\L@hang\wd\l@lbox}%

```

```

10531 \settowidth{\L@first}{\L@ante}%
10532 \addtolength{\L@Pindent}{\L@first}%
10533 \addtolength{\L@Pindent}{\L@Findent}%
10534 \setlength{\L@first}{\linewidth}%
10535 \addtolength{\L@first}{-\L@Pindent}%
10536 \addtolength{\L@Nindent}{\L@Pindent}%
10537 \setlength{\L@next}{\linewidth}%
10538 \addtolength{\L@next}{-\L@Nindent}%
10539 \addtolength{\L@Pindent}{\rightmargin}%
10540 \addtolength{\L@Nindent}{\rightmargin}%
10541 \setlength{\LettrineWidth}{\wd\L@lbox}%
10542 \setlength{\LettrineHeight}{\ht\L@lbox}%
10543 \setlength{\LettrineDepth}{\dp\L@lbox}%
10544 \addtocounter{L@lines}{1}%
10545 \addtocounter{L@lines}{\the\c@L@depth}%
10546 \if@RTL\def\L@parshape{\c@L@lines 0pt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@R%
10547 \tempcnta=\tw@
10548 \whilenum \tempcnta<\c@L@lines \do{%
10549     \if@RTL\edef\L@parshape{\L@parshape 0pt \the\L@next}\else\edef\L@parshape{\L@parshape \t%
10550         \addtolength{\L@Nindent}{\L@slope}%
10551         \addtolength{\L@next}{-\L@slope}%
10552         \advance\tempcnta\one}%
10553 \if@RTL\edef\L@parshape{\L@parshape 0pt \the\linewidth}\else\edef\L@parshape{\L@parshape \t%
10554 \noindent
10555 \parshape=\L@parshape\relax
10556 \smash{\llap{\mbox{\L@ante}\raisebox{\L@raise}{\usebox{\L@lbox}}}\hskip \the\L@Findent}}%
10557 \usebox{\L@tbox}%
10558 }
10559 }

```

7.71 listings-xetex-bidi.def

```

10560 \ProvidesFile{listings-xetex-bidi.def}[2014/07/19 v0.6 bidi adaptations for listings package
10561 \lst@Key[captiondirection]{textdirection}{%
10562     \lstKV@SwitchCases{#1}{%
10563         {textdirection&}\%
10564             RTL&\chardef\bidi@lst@caption@direction\one\%
10565             LTR&\chardef\bidi@lst@caption@direction\z@%
10566         }{\PackageError{Listings}{direction #1 unknown}\@ehc}%
10567 \newcommand*\bidi@lst@ensure@caption@direction[2]{%
10568     \@ifundefined{bidi@lst@caption@direction}{}{%
10569         \ifnum\bidi@lst@caption@direction=\z@%
10570             #1%
10571         \else%
10572             \ifnum\bidi@lst@caption@direction=\one%
10573                 #2%
10574             \fi%
10575         \fi%
10576 }%
10577 \long\def\bidi@lst@makecaption#1#2{%

```

```

10578   \vskip\abovecaptionskip
10579   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
10580   \sbox@\tempboxa%
10581   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
10582   #1: #2%
10583   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
10584   }%
10585   \ifdim \wd\@tempboxa >\hsize
10586     #1: #2\par
10587   \else
10588     \global \minipagetrue
10589     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
10590   \fi
10591   \vskip\belowcaptionskip}%
10592 \def\lst@makecaption{\bidi@lst@makecaption}
10593 \def\lst@maketitle{\bidi@lst@makecaption\lst@title@dropdelim}
10594 \AtBeginDocument{%
10595   \ifundefined{captionlabelfalse}{}{%
10596     \def\lst@maketitle{\captionlabelfalse\bidi@lst@makecaption\empty}%
10597   \ifundefined{caption@startrue}{}{%
10598     \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
10599   }%
10600 \AtBeginDocument{%
10601   \ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}%
10602   \lst@ifnumberbychapter
10603     \gdef\thelstlisting{%
10604       \ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@lstlisting}%
10605   \else
10606     \gdef\thelstlisting{\arabic\c@lstlisting}%
10607   \fi}%

```

7.72 loadingorder-xetex-bidi.def

```

10608 \ProvidesFile{loadingorder-xetex-bidi.def}[2013/05/22 v0.95 making sure that bidi is the last
10609 \bidi@isloaded{amsmath}
10610 \bidi@isloaded{amstext}
10611 \bidi@isloaded{amsthm}
10612 \bidi@isloaded{breqn}
10613 \bidi@isloaded{cals}
10614 \bidi@isloaded{caption}
10615 \bidi@isloaded{crop}
10616 \bidi@isloaded{cuted}
10617 \bidi@isloaded{cutwin}
10618 \bidi@isloaded{color}
10619 \bidi@isloaded{dblfnote}
10620 \bidi@isloaded{xcolor}
10621 \bidi@isloaded{colortbl}
10622 \bidi@isloaded{float}
10623 \bidi@isloaded{floatrow}
10624 \bidi@isloaded{flowfram}

```

```
10625 \bidi@isloaded{framed}
10626 \bidi@isloaded{ftnright}
10627 \bidi@isloaded{xltxtra}
10628 \bidi@isloaded{xunicode}
10629 \bidi@isloaded{wrapfig}
10630 \bidi@isloaded{graphicx}
10631 \bidi@isloaded{geometry}
10632 \bidi@isloaded{hvfloat}
10633 \bidi@isloaded{mdframed}
10634 \bidi@isloaded{midfloat}
10635 \bidi@isloaded{ntheorem}
10636 \bidi@isloaded{ntheorem-hyper}
10637 \bidi@isloaded{hyperref}
10638 \bidi@isloaded{fancybox}
10639 \bidi@isloaded{fancyhdr}
10640 \bidi@isloaded{fix2col}
10641 \bidi@isloaded{draftwatermark}
10642 \bidi@isloaded{empheq}
10643 \bidi@isloaded{pdffpages}
10644 \bidi@isloaded{listings}
10645 \bidi@isloaded{lettrine}
10646 \bidi@isloaded{pstricks}
10647 \bidi@isloaded{pgf}
10648 \bidi@isloaded{picinpar}
10649 \bidi@isloaded{quotchap}
10650 \bidi@isloaded{tikz}
10651 \bidi@isloaded{titlesec}
10652 \bidi@isloaded{titletoc}
10653 \bidi@isloaded{array}
10654 \bidi@isloaded{stabular}
10655 \bidi@isloaded{subfig}
10656 \bidi@isloaded{subfigure}
10657 \bidi@isloaded{supertabular}
10658 \bidi@isloaded{xtab}
10659 \bidi@isloaded{longtable}
10660 \bidi@isloaded{arydshln}
10661 \bidi@isloaded{multicol}
10662 \bidi@isloaded{multienum}
10663 \bidi@isloaded{minitoc}
10664 \bidi@isloaded{natbib}
10665 \bidi@isloaded{newfloat}
10666 \bidi@isloaded{ragged2e}
10667 \bidi@isloaded{rotating}
10668 \bidi@isloaded{tbls}
10669 \bidi@isloaded{tabulary}
10670 \bidi@isloaded{tocstyle}
10671 \bidi@isloaded{tocbibind}
10672 \bidi@isloaded{fontspec}
10673 \bidi@isloaded{arabxetex}
10674 \bidi@isloaded{polyglossia}
```

```

10675 \bidi@isloaded{fancyvrb}
10676 \AtBeginDocument{
10677   \if@bidi@amsmathloaded@\else
10678     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package}]
10679   \fi%
10680   \if@bidi@amstextloaded@\else
10681     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package}]
10682   \fi%
10683   \if@bidi@amsthmloaded@\else
10684     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package}]
10685   \fi%
10686   \if@bidi@breqnloaded@\else
10687     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package}]
10688   \fi%
10689   \if@bidi@calsloaded@\else
10690     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package}]
10691   \fi%
10692   \if@bidi@captionloaded@\else
10693     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package}]
10694   \fi%
10695   \if@bidi@croploaded@\else
10696     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}]
10697   \fi%
10698   \if@bidi@colorloaded@\else
10699     \c@ipackage{hyperref}{}{%
10700       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}]
10701     \fi%
10702     \if@bidi@cutwinloaded@\else
10703       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}]
10704     \fi%
10705     \if@bidi@cutedloaded@\else
10706       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}]
10707     \fi%
10708     \if@bidi@dblfnoteloaded@\else
10709       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}]
10710     \fi%
10711     \if@bidi@xcolorloaded@\else
10712       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}]
10713     \fi%
10714     \if@bidi@colortblloaded@\else
10715       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package}]
10716     \fi%
10717     \if@bidi@floatloaded@\else
10718       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}]
10719     \fi%
10720     \if@bidi@floatrowloaded@\else
10721       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package}]
10722     \fi%
10723     \if@bidi@flowframloaded@\else
10724       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package}]

```

```

10725  \fi%
10726  \if@bidi@framedloaded@\else
10727    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package}]
10728  \fi%
10729    \if@bidi@ftnrightloaded@\else
10730      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package}]
10731  \fi%
10732  \if@bidi@xltxtxtraloaded@\else
10733    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtxtra after bidi package}]
10734  \fi%
10735  \if@bidi@xunicodeloaded@\else
10736    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package}]
10737  \fi%
10738  \if@bidi@wrapfigloaded@\else
10739    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package}]
10740  \fi%
10741  \if@bidi@graphicxloaded@\else
10742    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package}]
10743  \fi%
10744    \if@bidi@geometryloaded@\else
10745      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package}]
10746  \fi%
10747  \if@bidi@hvfloadloaded@\else
10748    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfload after bidi package}]
10749  \fi%
10750    \if@bidi@mdframedloaded@\else
10751      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi package}]
10752  \fi%
10753    \if@bidi@midfloatloaded@\else
10754      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi package}]
10755  \fi%
10756    \if@bidi@ntheoremloaded@\else
10757      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi package}]
10758  \fi%
10759  \if@bidi@hyperrefloaded@\else
10760    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi package}]
10761  \fi%
10762    \if@bidi@fancyboxloaded@\else
10763      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi package}]
10764  \fi%
10765  \if@bidi@fancyhdrloaded@\else
10766    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi package}]
10767  \fi%
10768  \if@bidi@draftwatermarkloaded@\else
10769    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi package}]
10770  \fi%
10771  \if@bidi@empheqloaded@\else
10772    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package}]
10773  \fi%
10774  \if@bidi@pdfpagesloaded@\else

```

```

10775      \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pack
10776      \fi%
10777      \if@bidi@lettrineloaded@\else
10778          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pack
10779      \fi%
10780      \if@bidi@listingsloaded@\else
10781          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pack
10782      \fi%
10783      \if@bidi@pstricksloaded@\else
10784          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pack
10785      \fi%
10786      \if@bidi@pgfloaded@\else
10787          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
10788      \fi%
10789      \if@bidi@picinparloaded@\else
10790          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pack
10791      \fi%
10792      \if@bidi@quotchaploaded@\else
10793          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pack
10794      \fi%
10795      \if@bidi@tikzloaded@\else
10796          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
10797      \fi%
10798      \if@bidi@titlesecloaded@\else
10799          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pack
10800      \fi%
10801      \if@bidi@titletocloaded@\else
10802          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pack
10803      \fi%
10804      \if@bidi@arrayloaded@\else
10805          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package.
10806      \fi%
10807      \if@bidi@stabularloaded@\else
10808          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pack
10809      \fi%
10810      \if@bidi@subfigloaded@\else
10811          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packag
10812      \fi%
10813      \if@bidi@subfigureloaded@\else
10814          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pac
10815      \fi%
10816      \if@bidi@supertabularloaded@\else
10817          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi
10818      \fi%
10819      \if@bidi@xtabloaded@\else
10820          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
10821      \fi%
10822      \if@bidi@longtableloaded@\else
10823          \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pac
10824      \fi%

```

```

10825 \if@bidi@arydshlnloaded@{\else
10826   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pack
10827 \fi%
10828 \if@bidi@multicolloaded@{\else
10829   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pack
10830 \fi%
10831 \if@bidi@mulienumloaded@{\else
10832   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pac
10833 \fi%
10834 \if@bidi@minitocloaded@{\else
10835   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packa
10836 \fi%
10837 \if@bidi@natbibloaded@{\else
10838   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packag
10839 \fi%
10840 \if@bidi@newfloatloaded@{\else
10841   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pack
10842 \fi%
10843 \csname if@bidi@ragged2eloaded@\endcsname\else
10844   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pack
10845 \fi%
10846 \if@bidi@rotatingloaded@{\else
10847   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pack
10848 \fi%
10849 \if@bidi@tablsloaded@{\else
10850   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi package
10851 \fi%
10852 \if@bidi@tabularyloaded@{\else
10853   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pack
10854 \fi%
10855 \if@bidi@tocstyleloaded@{\else
10856   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pack
10857 \fi%
10858 \if@bidi@tocbibindloaded@{\else
10859   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pac
10860 \fi%
10861 \if@bidi@fontspecloaded@{\else
10862   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pack
10863 \fi%
10864 \if@bidi@arabxetexloaded@{\else
10865   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pac
10866 \fi%
10867 \if@bidi@polyglossialoaded@{\else
10868   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi p
10869 \fi%
10870 \if@bidi@fancyvrbloaded@{\else
10871   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pack
10872 \fi%
10873 }

```

7.73 longtable-xetex-bidi.def

```
10874 \ProvidesFile{longtable-xetex-bidi.def}[2013/04/01 v0.3 bidi adaptations for longtable package]
10875 \def\LT@array[#1]{%
10876   \refstepcounter{table}\stepcounter{LT@tables}%
10877   \if l#1%
10878     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
10879   \else\if r#1%
10880     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
10881   \else\if c#1%
10882     \LTleft\fill \LTright\fill
10883   \fi\fi\fi
10884   \let\LT@mcoll\multicolumn
10885   \let\LT@@tabarray\@tabarray
10886   \let\LT@@h\hline
10887   \def\@tabarray{%
10888     \let\hline\LT@@h
10889     \LT@@tabarray}%
10890   \let\\LT@tabularcr\let\tabularnewline\\%
10891   \def\newpage{\noalign{\break}}%
10892   \def\pagebreak{\noalign{\ifnum`=\0\fi\@testopt{\LT@no@pgbk-}4}%
10893   \def\nopagebreak{\noalign{\ifnum`=\0\fi\@testopt{\LT@no@pgbk4}}%
10894   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
10895   \tempdima\ht\strutbox
10896   \let\@endpbox\LT@endpbox
10897   \ifx\extrarowheight\undefined
10898     \let\@acol\@tabacol
10899     \let@classz\@tabclassz \let\@classiv\@tabclassiv
10900     \def\@startpbox{\vtop\LT@startpbox}%
10901     \let\@@startpbox\@startpbox
10902     \let\@endpbox\@endpbox
10903     \let\LT@LL@FM@cr\@tabularcr
10904   \else
10905     \advance\tempdima\extrarowheight
10906     \col@sep\tabcolsep
10907     \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
10908   \fi
10909   \setbox\@arstrutbox\hbox{\vrule
10910     \height \arraystretch \tempdima
10911     \depth \arraystretch \dp \strutbox
10912     \width \z@}%
10913   \let\@sharp##\let\protect\relax
10914   \begingroup
10915   \mkpream{#2}%
10916   \xdef\LT@bchunk{%
10917     \global\advance\c@LT@chunks\@ne
10918     \global\LT@rows\z@\setbox\z@\vbox\bgroup
10919     \LT@setprevdepth
10920     \tabskip\LTleft\noexpand\halign to\hsize\bgroup
10921     \tabskip\z@ \@arstrut \preamble \tabskip\LTright \cr}%
}
```

```

10922  \endgroup
10923  \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
10924  \LT@make@row
10925  \m@th\let\par\empty
10926  \everycr{}\\lineskip\z@\baselineskip\z@
10927  \LT@bchunk}
10928 \def\LT@makecaption#1#2#3{%
10929  \LT@mcol\LT@cols c{\hbox to\z@\{\hss\parbox[t]\LTcapwidth{%
10930   \sbox\@tempboxa\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
10931   \ifdim\wd\@tempboxa>\hsize
10932     #1{#2: }#3%
10933   \else
10934     \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
10935   \fi
10936   \endgraf\vskip\baselineskip}%
10937  \hss}}}
10938 \def\LT@startpbox#1{%
10939  \bgroup
10940    \let\@footnotetext\LT@p@ftntext
10941    \let\@LTRfootnotetext\LT@p@LTRftntext
10942    \let\@RTLfootnotetext\LT@p@RTLftntext
10943    \setlength\hsize{\#1}%
10944    \arrayparboxrestore
10945    \vrule\@height\ht\carstrutbox\@width\z@}
10946 \def\LT@p@LTRftntext#1{%
10947  \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
10948  \global\LT@p@ftn\expandafter{\@tempa{\#1}}}%
10949 \def\LT@p@RTLftntext#1{%
10950  \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
10951  \global\LT@p@ftn\expandafter{\@tempa{\#1}}}

```

7.74 mdframed-xetex-bidi.def

```

10952 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
10953 \newif\if@bidi@mdf@RTL
10954 \def\mdf@lrbox#1{%
10955  \mdf@patchamsthm%patch amsthm
10956  \if@RTL\@bidi@mdf@RTLtrue\fi%
10957  \else%
10958  \setbox#1\vbox\bgroup%
10959  \color@begingroup%
10960  \if@bidi@mdf@RTL\@RTLtrue\fi%
10961  \mdf@horizontalmargin@equation%
10962  \columnwidth=\hsize%
10963  \textwidth=\hsize%
10964  \let\if@nobreak\iffalse%
10965  \let\if@noskipsec\iffalse%
10966  \let\par\@@par%
10967  \let\-\@dischyp%
10968  \let\'\@acci\let\'\@accii\let\=\@acciii%

```

```

10969      \parindent\z@ \parskip\z@skip%
10970      \linewidth\hsize%
10971      \z@totalleftmargin\z@%
10972      \leftskip\z@skip \rightskip\z@skip \z@skip\z@skip%
10973      \parfillskip\@flushglue \lineskip\normalineskip%
10974      \baselineskip\normalbaselineskip%
10975 %% \sloppy%
10976      \let\\@normalcr%
10977      \mdf@par@local%New feature to restore parskip/parindent local in save box
10978      \ifbool{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
10979      \z@afterindentfalse%
10980      \z@afterheading%
10981 }
10982 \renewrobustcmd\mdfframedtitleenv[1]{%
10983     \mdf@lrbox{\mdf@frametitlebox}%
10984     \mdf@frametitlealignment%
10985     \leavevmode{\color{\mdf@frametitlefontcolor}%
10986         \normalfont\mdf@frametitlefont{\#1}%
10987         \ifbool{\mdf@ignorelastdescenders}{%
10988             {}%
10989             \par\strut\par%
10990             \unskip\unskip\setbox0=\lastbox%
10991             \vspace*{(\dimexpr\ht\strutbox-\baselineskip\relax}%
10992             }{}%
10993             \par\unskip\ifvmode\nointerlineskip\hrule \z@height\z@ \z@width\hsize\fi%
10994             \endmdf@lrbox\relax%
10995             \mdf@ignorevbadness%
10996             \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
10997             \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
10998             \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
10999             \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
11000             \mdfframetitleboxtotalheight=\dimexpr
11001                 \ht\mdf@frametitlebox
11002                 +\dp\mdf@frametitlebox%
11003                 +\mdf@frametitleaboveskip@length
11004                 +\mdf@frametitlebelowskip@length
11005             \relax%
11006 }
11007
11008 \renewrobustcmd*\mdf@footnoteoutput{%
11009     \ifvoid\@mpfootins\else%
11010         \nobreak%
11011         \vskip\mdf@footnotedistance@length%
11012         \normalcolor%
11013         \bidi@mpfootnoterule%
11014         \unvbox\@mpfootins%
11015         \fi%
11016 }
11017
11018

```

```

11019 \renewrobustcmd*\mdf@footnoteinput{%
11020   \def\@mpfn{mpfootnote}%
11021   \def\thempfn{\thempfootnote}%
11022   \c@mpfootnote\z@%
11023   \let\@footnotetext\@mpfootnotetext%
11024   \let\@LTRfootnotetext\@mpLTRfootnotetext%
11025   \let\@RTLfootnotetext\@mpRTLfootnotetext%
11026 }

```

7.75 memoir-xetex-bidi.def

```

11027 \ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for Xe
11028 \renewcommand{\keepthetitle}{%
11029   \@bsmtitleempty
11030   \global\let\thanks\relax
11031   \global\let\LTRthanks\relax
11032   \global\let\RTLthanks\relax
11033   \global\let\and\relax
11034   \global\let\andnext\relax
11035   \global\let@thanks\@empty
11036   \global\let@title\@empty
11037   \global\let@author\@empty
11038   \global\let@date\@empty}
11039 \renewcommand{\maketitle}{\par
11040   \begingroup
11041     \@bsmarkseries
11042     \def\@makefnmark{\@textsuperscript{%
11043       \normalfont\@bstthanksheadpre \tamar\@bstthanksheadpost}}%
11044     \long\def\@makefntext##1{\makethanksmark ##1}
11045     \if@twocolumn
11046       \ifnum \col@number=\@ne
11047         \@maketitle
11048       \else
11049         \twocolumn[\@maketitle]%
11050       \fi
11051     \else
11052       \ifdim\pagetotal>\z@
11053         \newpage
11054       \fi
11055       \global\@topnum\z@
11056       \@maketitle
11057     \fi
11058     \thispagestyle{title}\@thanks
11059   \endgroup
11060   \@bscontmark % \setcounter{footnote}{0}%
11061 }
11062 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
11063 \renewcommand*{\memRTLrightsip}{\if@RTL\leftskip\else\rightskip\fi}
11064 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
11065 \renewcommand*{\memRTLvrightsip}{\if@RTL\vleftskip\else\vrightskip\fi}

```

```

11066 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
11067 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
11068 \renewcommand*{\thesection}{\thechapter \@SepMark @arabic \c@section}
11069 \renewcommand*{\thesubsection}{%
11070         \thesection \@SepMark @arabic \c@subsection}
11071 \renewcommand*{\thesubsubsection}{%
11072         \thesubsection \@SepMark @arabic \c@subsubsection}
11073 \renewcommand*{\theparagraph}{%
11074         \thesubsubsection \@SepMark @arabic \c@paragraph}
11075 \renewcommand*{\thesubparagraph}{%
11076         \theparagraph \@SepMark @arabic \c@subparagraph}
11077 \renewcommand{\setthesection}{\thechapter \@SepMark \Alph{section}}
11078 \renewcommand{\theequation}{%
11079     \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi @arabic \c@equation}
11080 \renewcommand{\thefigure}{\thechapter \@SepMark @arabic \c@figure}
11081 \renewcommand{\thetable}{\thechapter \@SepMark @arabic \c@table}
11082 \ifartopt
11083     \chapterstyle{article}
11084     \counterwithout{figure}{chapter}
11085     \counterwithout{table}{chapter}
11086     \counterwithout{footnote}{chapter}
11087     \counterwithout{equation}{chapter}
11088     \renewcommand{\chaptername}{}
11089     \renewcommand{\maketitlehookb}{%
11090         \vskip -1.5\topsep\vskip -1.5\partopsep}
11091     \renewcommand{\maketitlehookc}{%
11092         \vskip -1.5\topsep\vskip -1.5\partopsep}
11093 \fi
11094 \long\def\@makecaption#1#2{\let\@memtempa\relax
11095 \ifdim\prevdepth>-99\p@\vskip\abovecaptionskip
11096 \else \def\@memtempa{\vbox to\topskip{}}\fi
11097 \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
11098 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
11099 \sbox\@tempboxa{\@contfnt \#1\@contdelim \contfnt \#2\@contfinal}
11100 \let\footnote\@contfnote
11101 \let\footnotemark\@contfmark
11102 \ifdim\wd\@tempboxa<\ linewidth \centering \fi
11103 \if@contcw
11104     \centering
11105     \parbox{\@contcwidth}{%
11106         \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
11107     \fi
11108     \ifdim\wd\@tempboxa<\ linewidth
11109         \contpre
11110         {\@contfnt \#1\@contdelim}\@memtempa
11111         {\@contcshortstyle \contfnt \#2\@contfinal\par}
11112 \else
11113     \if@conthang
11114         \sbox\@tempboxa{\@contfnt \#1\@contdelim}
11115     \contpre\%

```

```

11116      {\@contcstyle\hangindent=\wd\@tempboxa
11117      \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
11118 \else
11119   \if@contindent
11120     \@contpre%
11121     {\@contnfont #1\@contdelim}\@memtempa
11122     {\@contcstyle\hangindent=\@contindw
11123       \hangafter=\@ne\@conttfont #2\@contfinal\par}%
11124     \else
11125       \@contpre%
11126       {\@contnfont #1\@contdelim}\@memtempa
11127       {\@contcstyle \@conttfont #2\@contfinal\par}
11128     \fi
11129   \fi
11130 \fi
11131 \@contpost
11132 \if@contcw
11133   \par
11134 } % end of the \parbox
11135 \fi
11136 \vskip\belowcaptionskip
11137 \ifpackageloaded{caption}{%
11138 \AtBeginPackage{caption}{%
11139 \ClassWarningNoLine{memoir}{%
11140   You are using the caption package with the memoir \MessageBreak
11141   class. This may cause unexpected or inconsistent \MessageBreak
11142   results if you use any of memoir's captioning facilities}
11143
11144 \long\def\@makecaption##1##2{%
11145   \vskip\abovecaptionskip
11146   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
11147   \ifdim \wd\@tempboxa >\hsize
11148     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
11149   \else
11150     \global \minipagefalse
11151     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
11152   \fi
11153   \vskip\belowcaptionskip}
11154
11155 \def\caption{%
11156   \ifx\@captype\@undefined
11157     \@latex@error{\noexpand\caption outside float}\@ehd
11158     \expandafter\@gobble
11159   \else
11160     \refstepcounter\@captype
11161     \expandafter\@firstofone
11162   \fi
11163   {\@dblarg{\@caption\@captype}}%
11164 }
11165

```

```

11166 \long\def\@caption##1[##2]##3{%
11167   \par
11168   \addcontentsline{\csname ext@##1\endcsname}{##1}%
11169     {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
11170   \begingroup
11171     \parboxrestore
11172     \if@minipage
11173       \setminipage
11174     \fi
11175     \normalsize
11176     \makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
11177   \endgroup
11178 }{}}
11179 \renewenvironment{thebibliography}[1]{%
11180   \bibsection
11181   \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11182   \begin{bibitemlist}{#1}\end{bibitemlist}\postbibhook

```

7.76 midfloat-xetex-bidi.def

```

11183 \ProvidesFile{midfloat-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for midfloat package
11184 \def\RTL@outputdblcol{%
11185   \if@firstcolumn
11186     \global\@firstcolumnfalse
11187     \global\setbox\@leftcolumn\box\@outputbox
11188     \global\c@colht\@colht\global\c@addvipersep\z@
11189     \ifnum\juo@sk>0
11190       \remove@strip\juo@sar
11191       \global\@colht\the\juo@pr
11192       \ifdim\right@cor>\z@
11193         \global\advance\@colht by\right@cor
11194       \fi
11195       \global\advance\@colht by\cor@height
11196       \global\cor@height=0pt
11197     \fi
11198     \global\setbox\@rightcolumn\vbox{%
11199   \else
11200     \ifdim\c@colht>\@colht
11201       \tempdima\@colht
11202       \ifdim\@colht>\z@
11203         \global\setbox\@rightcolumn\vbox{%
11204           \unvbox\@rightcolumn
11205           \vbox to\tempdima{%
11206             \vskip\c@addvipersep\unvbox\@outputbox}%
11207             \vskip\stripsep
11208             \vrule height\the\juo@ht width Opt depth Opt
11209             \vskip\stripsep
11210           }%
11211         \global\c@addvipersep\m@addvipersep
11212       \else

```

```

11213      \global\setbox\@rightcolumn \vbox{%
11214          \unvbox\@rightcolumn
11215          \vrule height\the\juo@ht width Opt depth Opt
11216          \vskip\stripsep
11217      }%
11218  \fi
11219  \ifnum\juo@sk>0
11220      \remove@strip\juo@sar
11221      \global\@colht\the\juo@pr
11222      \global\advance\@colht by -\ht\@rightcolumn
11223      \global\advance\@colht by\cor@height
11224      \global\cor@height=0pt
11225  \else
11226      \global\advance\c@colht by-\ht\@rightcolumn
11227      \global\@colht\c@colht
11228  \fi
11229  \else
11230  \global\@firstcolumntrue
11231      \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
11232          \unvbox\@rightcolumn
11233          \vskip\c@addvipersep
11234          \unvbox\@outputbox
11235      }%
11236  \setbox\@outputbox \vbox {%
11237      \hb@xt@\textwidth {%
11238          \hskip \columnwidth
11239          \hfil
11240          \vrule \width\columnseprule
11241          \hfil
11242          \hb@xt@\columnwidth {%
11243              \box\@leftcolumn \hss}%
11244          \hskip-\textwidth
11245          \hb@xt@\columnwidth {%
11246              \box\@outputbox \hss}%
11247          \hskip\columnwidth
11248          \hskip\columnsep}%
11249      }%
11250  \combinedblfloats
11251  \outputpage
11252  \begingroup
11253      \dblfloatplacement
11254      \startdblcolumn
11255      \whilesw@if@fcolmade \fi
11256      {\outputpage
11257          \startdblcolumn}%
11258  \endgroup
11259  \global\juo@sk=0\global\juo@sar={}%
11260  \global\cor@height\z@\global\c@addvipersep\z@
11261  \fi
11262 \fi

```

```

11263 }
11264
11265
11266 \def\LTR@outputdblcol{%
11267   \if@firstcolumn
11268     \global \firstcolumnfalse
11269     \global \setbox\leftcolumn \box\outputbox
11270     \global\c@colht\colht\global\c@addvipersep\z@
11271     \ifnum\juo@sk>0
11272       \remove@strip\juo@sar
11273       \global\colht\the\juo@pr
11274       \ifdim\right@cor>\z@
11275         \global\advance\colht by\right@cor
11276       \fi
11277       \global\advance\colht by\cor@height
11278       \global\cor@height=0pt
11279     \fi
11280     \global \setbox\rightcolumn \vbox{ }%
11281   \else
11282     \ifdim\c@colht>\colht
11283       \tempdima\colht
11284       \ifdim\colht>\z@
11285         \global\setbox\rightcolumn \vbox{ }%
11286           \unvbox\rightcolumn
11287           \vbox to\tempdima{%
11288             \vskip\addvipersep\unvbox\outputbox}%
11289             \vskip\stripsep
11290             \vrule height\the\juo@ht width 0pt depth 0pt
11291             \vskip\stripsep
11292           }%
11293         \global\c@addvipersep\m@addvipersep
11294       \else
11295         \global\setbox\rightcolumn \vbox{ }%
11296           \unvbox\rightcolumn
11297           \vrule height\the\juo@ht width 0pt depth 0pt
11298           \vskip\stripsep
11299         }%
11300     \fi
11301     \ifnum\juo@sk>0
11302       \remove@strip\juo@sar
11303       \global\colht\the\juo@pr
11304       \global\advance\colht by -\ht\rightcolumn
11305       \global\advance\colht by\cor@height
11306       \global\cor@height=0pt
11307     \else
11308       \global\advance\c@colht by-\ht\rightcolumn
11309       \global\colht\c@colht
11310     \fi
11311   \else
11312     \global\firstcolumntrue

```

```

11313   \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
11314     \unvbox\@rightcolumn
11315     \vskip\c@addvipersep
11316     \unvbox\@outputbox
11317   }%
11318   \setbox\@outputbox\vbox{%
11319     \hb@xt@\textwidth{%
11320       \hb@xt@\columnwidth{%
11321         \box\@leftcolumn \hss}%
11322       \hfil
11323       \vrule \c@width\columnseprule
11324       \hfil
11325       \hb@xt@\columnwidth{%
11326         \box\@outputbox \hss}%
11327       }%
11328     }%
11329   \c@combinedblfloats
11330   \c@outputpage
11331   \begingroup
11332     \c@dblfloatplacement
11333     \c@startdblcolumn
11334     \c@whilesw\if@fcolmade \fi
11335     {\c@outputpage
11336       \c@startdblcolumn}%
11337   \endgroup
11338   \global\juo@sk=0\global\juo@sar={}
11339   \global\cor@height\z@\global\c@addvipersep\z@
11340   \fi
11341 \fi
11342 }
11343
11344
11345 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
11346   \global\setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\hsize\textwidth
11347   \vskip\@parboxrestore
11348   \col@number\@ne
11349   \vrule height\topskip width0pt depth0pt
11350   \c@firstcolumn
11351 }
11352
11353 \def\endstrip{%
11354   \egroup\egroup
11355   \if@firstcolumn
11356     \ifdim\pagetotal>\z@
11357       \vskip\stripsep
11358       \global\ht@strip\pagegoal
11359       \global\advance\ht@strip by-\pagetotal
11360       \global\advance\ht@strip by-\stripsep
11361       \global\advance\ht@strip by-\ht\@viper
11362       \global\advance\ht@strip by-\stripsep

```

```

11363           \global\juo@ht=\ht@\viper
11364       \else
11365           \global\ht@strip\z@
11366       \fi
11367       \ifdim\ht@strip>\z@
11368           \unvbox\@viper
11369           \vskip\stripsep
11370           \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
11371           \global\advance\juo@sk by1
11372       \else
11373           \@latex@error{Strip needs more place!}\@ehc
11374           \if@vihproof
11375               \framebox[\columnwidth]{??? Strip ???}%
11376           \fi
11377       \fi
11378   \else
11379       \@latex@error{Strip is used only on left column!}\@ehc
11380       \if@vihproof
11381           \framebox[\columnwidth]{??? Strip ???}%
11382       \fi
11383   \fi
11384 }

```

7.77 minitoc-xetex-bidi.def

```

11385 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package fo
11386 \def\@undottedtocline#1#2#3#4#5{%
11387   \ifnum #1>\c@tocdepth\relax \else
11388     \vskip \z@ plus.2\p@
11389   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
11390     \parindent #2\relax\@afterindenttrue
11391     \interlinepenalty\@M
11392     \leavevmode
11393     \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
11394     \hskip -\if@RTL\rightskip\else\leftskip\fi
11395     #4\nobreak\hfill \nobreak
11396     \null\par}%
11397   \fi}
11398 \def\@Undottedtocline#1#2#3#4#5{%
11399   \ifnum #1>\c@tocdepth\relax \else
11400     \vskip \z@ \@plus.2\p@
11401   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
11402     \parindent #2\relax\@afterindenttrue
11403     \interlinepenalty\@M
11404     \leavevmode
11405     \@tempdima #3\relax
11406     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
11407     {\coffeefont #4}\nobreak \nobreak\null
11408     \par}%
11409   \fi}

```

```

11410 \def\@Undottedtocline#1#2#3#4#5{%
11411   \ifnum #1>\c@tocdepth\relax \else
11412     \vskip \z@ \oplus.2\p@
11413     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \c@tocrmr
11414     \parindent #2\relax\c@afterindenttrue
11415     \interlinepenalty\@M
11416     \leavevmode
11417     \tempdima #3\relax
11418     \advance\if@RTL\rightskip\else\leftskip\fi \c@tempdima \null\nobreak\hskip -\if@RTL\right
11419     {#4}\nobreak \hfill \nobreak\null
11420     \hb@xt@\c@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
11421     \par}%
11422   \fi}

```

7.78 multicol-xetex-bidi.def

```

11423 \ProvidesFile{multicol-xetex-bidi.def}[2014/09/20 v0.6 bidi adaptations for multicol package
11424 \def\page@sofar{%
11425   \process@cols\mult@rightbox
11426   {\ifvoid\count@
11427     \setbox\count@\hbox to\hsize{}%
11428   \else
11429     \wd\count@\hsize
11430   \fi}%
11431   \count@\col@number \advance\count@\m@ne
11432   \mult@info\z@
11433   {Column spec: \the\full@width\space = indent
11434     + columns + sep =\MessageBreak
11435     \the\multicol@leftmargin\space
11436     + \the\col@number\space
11437     x \the\hsize\space
11438     + \the\count@\space
11439     x \the\columnsep
11440   }%
11441 \ifvmode\else\errmessage{Multicol Error}\fi
11442   \nointerlineskip
11443   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
11444   \moveright\multicol@leftmargin
11445   \hbox to\full@width{%
11446     \bidi@multicol@align@columns
11447     \rlap{\phantom p}%
11448   }%
11449 \prevdepth\z@
11450 \kern-\dimen\tw@
11451 \ifdim\dimen\tw@ > \mc@gridwarn
11452   \PackageWarning{multicol}%
11453   {Very deep columns!\MessageBreak
11454     Grid alignment might be broken}%
11455 \fi
11456 }

```

```

11457 \def\LTR@column@boxes{%
11458   \process@cols\mult@gfirstbox{%
11459     \ifdim\dp\count@>\dimen\tw@
11460       \global\dimen\tw@\dp\count@ \fi
11461     \mc@col@status@write
11462     \box\count@
11463     \hss{\columnseprulecolor\vrule
11464       @width\columnseprule}\hss}%
11465   \ifdim\dp\mult@rightbox>\dimen\tw@
11466     \global\dimen\tw@\dp\mult@rightbox \fi
11467   \mc@lastcol@status@write
11468   \box\mult@rightbox
11469 }
11470
11471 \def\RTL@column@boxes{%
11472   \process@cols\mult@gfirstbox{%
11473     \hskip\hsize
11474     \hss{\columnseprulecolor\vrule
11475       @width\columnseprule}\hss
11476   }%
11477   \hskip\hsize
11478   \process@cols\mult@gfirstbox{%
11479     \ifdim\dp\count@>\dimen\tw@
11480       \global\dimen\tw@\dp\count@ \fi
11481     \hskip-\hsize
11482     \mc@col@status@write
11483     \box\count@
11484     \hskip-\hsize
11485     \hskip-\columnsep
11486   }%
11487   \ifdim\dp\mult@rightbox>\dimen\tw@
11488     \global\dimen\tw@\dp\mult@rightbox \fi
11489   \hskip-\hsize
11490   \mc@lastcol@status@write
11491   \box\mult@rightbox
11492   \hskip-\hsize
11493   \hskip\full@width
11494 }
11495 \newcommand\RTLmulticolcolumns
11496   {\let\bidi@multicol@align@columns
11497    \RTL@column@boxes}
11498 \newcommand\LTRmulticolcolumns
11499   {\let\bidi@multicol@align@columns
11500    \LTR@column@boxes}
11501 \newcommand\bidi@multicol@align@columns
11502   {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
11503 \def\multicols#1{\col@number#1\relax
11504   \ifnum\col@number<\tw@
11505     \PackageWarning{multicol}%
11506     {Using '\number\col@number'

```

```

11507     columns doesn't seem a good idea.^^J
11508     I therefore use two columns instead}%
11509     \col@number\tw@ \fi
11510 \ifnum\col@number>10
11511     \PackageError{multicol}%
11512     {Too many columns}%
11513     {Current implementation doesn't
11514     support more than 10 columns.}%
11515     \MessageBreak
11516     I therefore use 10 columns instead}%
11517     \col@number10 \fi
11518 \ifx@\footnotetext\mult@footnotetext\else
11519     \let\orig@footnotetext\@footnotetext
11520     \let@\footnotetext\mult@footnotetext
11521     \fi
11522 \ifx@\LTRfootnotetext\mult@LTRfootnotetext\else
11523     \let\orig@LTRfootnotetext\@LTRfootnotetext
11524     \let@\LTRfootnotetext\mult@LTRfootnotetext
11525     \fi
11526 \ifx@\RTLfootnotetext\mult@RTLfootnotetext\else
11527     \let\orig@RTLfootnotetext\@RTLfootnotetext
11528     \let@\RTLfootnotetext\mult@RTLfootnotetext
11529     \fi
11530 \@ifnextchar[\mult@cols{\mult@cols[]}]
11531 \long\def\mult@footnotetext#1{\begingroup
11532     \hsize\textwidth
11533     \columnwidth\textwidth
11534     \orig@footnotetext{\#1}\endgroup}
11535 \long\def\mult@LTRfootnotetext#1{\begingroup
11536     \hsize\textwidth
11537     \columnwidth\textwidth
11538     \orig@LTRfootnotetext{\#1}\endgroup}
11539 \long\def\mult@RTLfootnotetext#1{\begingroup
11540     \hsize\textwidth
11541     \columnwidth\textwidth
11542     \orig@RTLfootnotetext{\#1}\endgroup}
11543 \def\right@footnoterule{%
11544     \hbox to \textwidth
11545     {\beginR \vbox{\kern -3\p@
11546         \hrule width .4\columnwidth \kern2.6\p@\hfil\endR}}
11547 \def\textwidth@footnoterule{\kern-3\p@
11548     \hrule \width \textwidth \kern 2.6\p@}

```

7.79 multienum-xetex-bidi.def

```

11549 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
11550 \renewcommand{\itemx}[1]{\parbox[t]{
11551 {\labelwidth}\hfill{\labelname}}\hskip\labelsep}
11552 \parbox[t]{\remainx}{\bidi@raggedright #1\par}\smallskip
11553 \renewcommand{\itemxx}[2]{\parbox[t]{

```

```

11554 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}
11555 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
11556 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}
11557 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip
11558 \renewcommand{\itemxxx}[3]{\parbox[t]%
11559 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11560 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
11561 {\labelwidth}{\hfill {\labelname}}\hspace{\labelsep}%
11562 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
11563 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11564 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}\smallskip
11565 \renewcommand{\itemxxx}[4]{\parbox[t]%
11566 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11567 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
11568 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11569 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11570 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11571 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
11572 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11573 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip
11574 \renewcommand{\itemxxxx}[5]{\parbox[t]%
11575 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11576 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
11577 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11578 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
11579 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11580 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
11581 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11582 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
11583 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11584 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip
11585 \renewcommand{\itemxo}[2]{\parbox[t]%
11586 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11587 \parbox[t]{\remainxo}{\bidi@raggedright #1}\hfill%
11588 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11589 \parbox[t]{0.3333\remainxx}{\bidi@raggedright #2}\smallskip
11590 \renewcommand{\itemxo}[2]{\parbox[t]%
11591 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11592 \parbox[t]{0.3333\remainxx}{\bidi@raggedright #1}\hfill%
11593 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11594 \parbox[t]{\remainxo}{\bidi@raggedright #2}\smallskip
11595 \renewcommand{\itemxoxx}[3]{\parbox[t]%
11596 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11597 \parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
11598 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11599 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11600 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%
11601 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip
11602 \renewcommand{\itemxoxx}[3]{\parbox[t]%
11603 {\labelwidth}{\hfill{\labelname}}\hspace{\labelsep}%

```

```

11604 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
11605 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11606 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
11607 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11608 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
11609 \renewcommand{\itemxxxo}[3]{\parbox[t]%
11610 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11611 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
11612 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11613 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11614 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11615 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

7.80 natbib-xetex-bidi.def

```

11616 \ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for
11617 \renewenvironment{thebibliography}[1]{%
11618 \bibsection
11619 \parindent\z@
11620 \bibpreamble
11621 \bibfont
11622 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11623 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{\#1}\global\c@NAT@ctr\z@}%
11624 \ifNAT@openbib
11625 \renewcommand{\newblock}{\par}%
11626 \else
11627 \renewcommand{\newblock}{\hskip .11em \@plus.33em \@minus.07em}%
11628 \fi
11629 \sloppy\clubpenalty4000\widowpenalty4000
11630 \sfcode`.\.0m
11631 \let\NAT@bibitem@first@sw@\firstoftwo
11632 \let\citeN\cite \let\shortcite\cite
11633 \let\citeasnoun\cite
11634 }%
11635 \bibitem@fin
11636 \bibpostamble
11637 \def\@noitemerr{%
11638 \PackageWarning{natbib}{Empty ‘thebibliography’ environment}%
11639 }%
11640 \endlist
11641 \bibcleanup
11642 }%

```

7.81 newfloat-xetex-bidi.def

```

11643 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package
11644 \renewcommand*\newfloat@setwithin[2]{%
11645 \ifcsname c@chapter\endcsname
11646 \removefromreset{\#1}{chapter}%
11647 \fi
11648 \removefromreset{\#1}{section}%

```

```

11649 \edef\@tempa{#2}%
11650 \ifx\@tempa\empty
11651   \def\@tempa{none}%
11652 \fi
11653 \def\@tempb{none}%
11654 \ifx\@tempa\@tempb
11655   \ifcsname c@chapter\endcsname
11656     \@chapterlistsgap@off{#1}%
11657   \fi
11658   \newfloat@@setwithin{#1}{\{}{\}}
11659 \else
11660   \def\@tempb{chapter}%
11661   \ifx\@tempa\@tempb
11662     \@addtoreset{#1}{chapter}%
11663     \@chapterlistsgap@on{#1}%
11664     \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@Sep}
11665   \else
11666     \def\@tempb{section}%
11667     \ifx\@tempa\@tempb
11668       \@addtoreset{#1}{section}%
11669       \ifcsname c@chapter\endcsname
11670         \@addtoreset{#1}{chapter}%
11671         \@chapterlistsgap@on{#1}%
11672         \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
11673       \else
11674         \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection}
11675       \fi
11676     \else
11677       \newfloat@Error{Invalid value '#2' for option 'within'}%
11678     \fi
11679   \fi
11680 \fi}

```

7.82 nttheorem-xetex-bidi.def

```

11681 \ProvidesFile{nttheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for nttheorem package
11682 \gdef\@thm#1#2#3{%
11683   \if@thmmarks
11684     \stepcounter{end\InTheoType ctr}%
11685   \fi
11686   \renewcommand{\InTheoType}{#1}%
11687   \if@thmmarks
11688     \stepcounter{curr#1ctr}%
11689     \setcounter{end#1ctr}{0}%
11690   \fi
11691   \refstepcounter{#2}%
11692   \theorem@prework
11693   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
11694   \ifvmode \advance\thm@topsepadd\partopsep\fi
11695   \trivlist

```

```

11696   \@topsep \theorempreskipamount
11697   \@topsepadd \thm@topsepadd      % used by \endparenv
11698   \advance\linewidth -\theorem@indent
11699   \advance\@totalleftmargin \theorem@indent
11700   \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
11701   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

7.83 ntheorem-hyper-xetex-bidi.def

```

11702 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hy
11703 \gdef\@thm#1#2#3{%
11704   \if@thmmarks
11705     \stepcounter{end}\InTheoType{ctr}%
11706   \fi
11707   \renewcommand{\InTheoType}{#1}%
11708   \if@thmmarks
11709     \stepcounter{curr#1ctr}%
11710     \setcounter{end#1ctr}{0}%
11711   \fi
11712   \refstepcounter{#2}%
11713   \thm@topsepadd \theorempostskipamount    % cf. latex.ltx: \trivlist
11714   \ifvmode \advance\thm@topsepadd\partopsep\fi
11715   \trivlist
11716   \@topsep \theorempreskipamount
11717   \@topsepadd \thm@topsepadd      % used by \endparenv
11718   \advance\linewidth -\theorem@indent
11719   \advance\@totalleftmargin \theorem@indent
11720   \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
11721   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

7.84 pdfpages-xetex-bidi.def

```

11722 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package
11723 \renewcommand*{\includepdf}[2][]{%
11724   \begingroup
11725   \ifRTLfalse
11726     \let\AM@threadname\relax
11727     \AM@split@options{pdfpages}{#1}%
11728     \edef\AM@temp{\pdfpages}{\the\@temptokena}%
11729     \expandafter\setkeys\AM@temp
11730     \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
11731       \let\AM@currentdocname\relax
11732       \renewcommand\includegraphics[2][]{Survey in draft-mode}%
11733       \def\AM@pagecount{0}%
11734     }{%
11735       \AM@findfile{#2}%
11736       \if\AM@threadname\relax
11737         \def\AM@threadname{\AM@currentdocname}%
11738       \fi
11739     }%
11740     \ifAM@survey

```

```

11741 \def\AM@pagestemp{}%
11742 \tempcpta=0
11743 \def\foo{%
11744     \ifundefined{r@\AM@xrprefix pdfpages@page\the\tempcpta}%
11745         {\let\foo\relax
11746          \expandafter\ifx\expandafter\\\AM@pagestemp\\
11747              \edef\AM@pagestemp{%
11748                  \AM@pageref{\AM@xrprefix pdfpages@page\the\tempcpta}}%
11749          \else
11750              \edef\AM@pagestemp{\AM@pagestemp,%
11751                  \AM@pageref{\AM@xrprefix pdfpages@page\the\tempcpta}}%
11752          \fi
11753          \advance\tempcpta 1\relax
11754      }%
11755      \foo
11756  }%
11757  \foo
11758  \expandafter\ifx\expandafter\\\AM@pagestemp\\
11759      \def\AM@pagestemp{1}%
11760      \fi
11761  \fi
11762  \ifAM@output
11763      \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
11764      \AM@output{#1}%
11765  \fi
11766  \AM@CheckAtEnd
11767  \endgroup
11768  \AM@ClearShipoutPicture
11769 }

```

7.85 pgf-xetex-bidi.def

```

11770 \ProvidesFile{pgf-xetex-bidi.def}[2012/07/08 v0.4 bidi adaptations for pgf package for XeTeX]
11771 \let\origin@pgfpicture=\pgfpicture
11772 \let\origin@endpgfpicture=\endpgfpicture
11773 \def\pgfpicture{\ifmmode\else\LTR\beginL\fi\origin@pgfpicture}
11774 \def\endpgfpicture{\origin@endpgfpicture\ifmmode\else\endL\endLTR\fi}%

```

7.86 picinpar-xetex-bidi.def

```

11775 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
11776 \long\def\@makewincaption#1#2{%
11777     \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
11778     \ifdim\wd\@tempboxa>\picwd
11779         {\footnotesize{\bf #1:\enspace}{#2\par}}%
11780     \else
11781         \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
11782     \fi}%
11783 \def\endwindow{%
11784     \global\tcd=\tcdsav
11785     \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext

```

```

11786      \vbadness=10000
11787      \splittopskip=0pt
11788 %
11789 % Typeset the lines above the window
11790 %
11791 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
11792 \tcn=\tcd
11793 \loop\advance\tcn -1
11794 \setbox\fslice=\vsplit\holder to\baselineskip
11795 \prune\fslice\linewidth
11796 \topheight=0pt
11797 \ifnum\dp\fslice>\dp\wstrutbox
11798      \advance\topheight-\dp\fslice
11799      \advance\topheight\dp\wstrutbox
11800      \advance\topheight\ilg\fi
11801 \hbox to\linewidth{\box\fslice}
11802 \vskip-\topheight
11803 \ifdim\ht\holder>0pt\repeat
11804 \fi
11805 %
11806 % Now we build the boxes beside the window
11807 %
11808 \global\topheight=\tcl\baselineskip
11809 \ifnum\cumpartcl>0\global\tcl=\cumtcl
11810      \global\topheight=\vpic
11811 \fi
11812 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
11813 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
11814 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
11815 \tcn=\tcl \na=0 \nb=0
11816 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
11817 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
11818 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
11819 \ifnum\na=0\ifnum\nb=0
11820      \setbox\waslice=\vbox to\vpic{\vss}
11821      \setbox\wbslice=\vbox to\vpic{\vss}
11822      \bl=1\br=1
11823      \vskip\ilg
11824 \fi\fi
11825 %
11826 % both sides
11827 %
11828 \ifnum\na>0 \ifnum\nb>0
11829 \loop\advance\nb -1
11830 \advance\na -1
11831 \if@RTL%
11832 \setbox\bslice=\vsplit\holder to\baselineskip
11833 \prune\bslice\rtside
11834 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
11835 to\rtside{\box\bslice\hfil}}}
```

```

11836 \setbox\aslice=\vsplit\holder to\baselineskip
11837 \prune\aslice\lftside
11838 \setbox\waslice=\vbox{\unvbox\waslice\hbox
11839 to\lftside{\box\aslice\hfil}}
11840 \else%
11841 \setbox\aslice=\vsplit\holder to\baselineskip
11842 \prune\aslice\lftside
11843 \setbox\waslice=\vbox{\unvbox\waslice\hbox
11844 to\lftside{\box\aslice\hfil}}
11845 \setbox\bslice=\vsplit\holder to\baselineskip
11846 \prune\bslice\rtside
11847 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
11848 to\rtside{\box\bslice\hfil}}
11849 \fi%
11850 \ifnum\nb>0\repeat
11851 \fi\fi
11852 %
11853 % only text on the left side
11854 %
11855 \ifnum\na>0
11856     \loop\advance\na -1
11857     \setbox\aslice=\vsplit\holder to\baselineskip
11858     \prune\aslice\lftside
11859     \setbox\waslice=\vbox{\unvbox\waslice\hbox
11860     to\lftside{\box\aslice\hfil}}
11861     \ifdim\ht\holder>0pt\repeat
11862 \fi
11863 %
11864 % only text on the right side
11865 %
11866 \ifnum\nb>0
11867     \loop\advance\nb -1
11868     \setbox\bslice=\vsplit\holder to\baselineskip
11869     \prune\bslice\rtside
11870     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
11871     to\rtside{\box\bslice\hfil}}
11872     \ifdim\ht\holder>0pt\repeat
11873 \fi
11874 %
11875 % fixing the dimensions of the window part
11876 %
11877 \ifnum\bl=0\topheight=\ht\wbslice
11878 \else\ifnum\br=0\topheight=\ht\waslice
11879     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
11880         \else\topheight=\ht\wbslice\fi\fi\fi
11881 %
11882 % ship out the window material to the main vertical list
11883 %
11884 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
11885 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}

```

```

11886 \fi\fi\fi
11887 \setbox>windowbox=\vbox{\hbox to\linewidth{%
11888 \ifnum\bl>0\box\waslice\hfill\fi%
11889 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
11890 \vfill\unvbox\picbox%
11891 \ifnum\picwd>0\vfill\fi%
11892 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}%
11893 \unvbox>windowbox%
11894 \loop
11895 \setbox\bslice=\vsplit\rawtext to\baselineskip
11896 \prune\bslice\linewidth
11897 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
11898 \unvbox\wbslice
11899 \ifdim\ht\rawtext>0pt
11900 \repeat
11901 }% FINITO

```

7.87 plain-xetex-bidi.def

```

11902 \def\TeXeTOn{\TeXeTstate=1 }
11903 \def\TeXeTOff{\TeXeTstate=0 }
11904 \TeXeTOn
11905 \def\usebox#1{\leavevmode\copy #1\relax}
11906 \def\bidi@RTL@everypar{\if@RTL{\setbox\z@\lastbox\beginR\ifvoid\z@\else\usebox\z@\fi}\fi}
11907 \let\bidi@o@everypar=\everypar
11908 \newtoks\bidi@n@everypar
11909 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
11910 \bidi@o@everypar\f\bidi@RTL@everypar\the\bidi@n@everypar}
11911 \let\everypar=\bidi@n@everypar
11912 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
11913 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
11914 \protected\def\hboxR{\hbox\bgroup
11915 \everyhbox{%
11916 \aftergroup\egroup
11917 \everyhbox{}}%
11918 \beginR
11919 \bgroup
11920 \aftergroup\endR
11921 \aftergroup\egroup
11922 }\hbox}
11923 \protected\def\hboxL{\hbox\bgroup
11924 \everyhbox{%
11925 \aftergroup\egroup
11926 \everyhbox{}}%
11927 \beginL
11928 \bgroup
11929 \aftergroup\endL
11930 \aftergroup\egroup
11931 }\hbox}
11932 \protected\def\vboxR{\vbox\bgroup

```

```

11933 \everyvbox{%
11934 \aftergroup\egroup
11935 \everyvbox{}%
11936 \cRTLtrue
11937 \bgroup
11938 \aftergroup\egroup
11939 }\vbox}
11940 \protected\def\vboxL{\vbox\bgroup
11941 \everyvbox{%
11942 \aftergroup\egroup
11943 \everyvbox{}%
11944 \cRTLfalse
11945 \bgroup
11946 \aftergroup\egroup
11947 }\vbox}
11948 \def\LTR{\par\cRTLfalse\cRTL@footnotefalse\hsize\linewidth\parshape\z@}
11949 \def\endLTR{\par}
11950 \def\RTL{\par\cRTLtrue\cRTL@footnotetrue\hsize\linewidth\parshape\z@}
11951 \def\endRTL{\par}
11952 \def\setRTL{\cRTLtrue\cRTL@footnotetrue}
11953 \def\setLTR{\cRTLfalse\cRTL@footnotefalse}
11954 \let\unsetRTL=\setRTL
11955 \let\unsetLTR=\setRTL
11956 \let\LR=\LRE
11957 \let\RL=\RLE
11958 \def\@ensure@RTL#1{\if\cRTL#1\else\RLE{#1}\fi}
11959 \def\@ensure@LTR#1{\if\cRTL\@LRE{#1}\else#1\fi}
11960 \let\@ensure@RL=\@ensure@RTL
11961 \let\@ensure@LR=\@ensure@LTR
11962 \def\@ensure@dir#1{\if\cRTL\RLE{#1}\else{#1}\fi}
11963 \let\@ensure@maindir=\@ensure@dir
11964 \def\@ORTL{RTL}
11965 \def\@LTR{LTR}
11966 \def\@save@dir{\if\cRTL\gdef\@saved@@dir{RTL}\else\gdef\@saved@@dir{LTR}\fi}
11967 \def\@reset@dir{\ifx\@saved@@dir\@ORTL\setRTL\else\ifx\@saved@@dir\@LTR\setLTR\else\relax\fi\fi}
11968 \let\@TeX\TeX
11969 \def\TeX{\@ensure@LTR{\@TeX}}
11970 \long\def\bidi@reflect@box#1{%
11971 \leavevmode
11972 \setbox\z@\hbox{\#1}%
11973 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
11974 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
11975 }
11976 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex}%
11977 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em\TeX}$$}}
11978 \let\setRL=\setRTL
11979 \let\setLR=\setLTR
11980 \let\unsetRL=\setLTR
11981 \let\bidi@saved@eqno=\eqno
11982 \let\bidi@saved@leqno=\leqno

```

```

11983 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
11984 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@eqno \fi}
11985 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
11986 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
11987 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

7.88 pstricks-xetex-bidi.def

```

11988 \ProvidesFile{pstricks-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for pstricks package
11989 \let\origin@pspicture=\pspicture
11990 \let\origin@endpspicture=\endpspicture
11991 \def\pspicture{\ifmmode\else\LT\beginL\fi\origin@pspicture}
11992 \def\endpspicture{\origin@endpspicture\ifmmode\else\endL\endLT\fi}

```

7.89 quotchap-xetex-bidi.def

```

11993 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package
11994 \renewcommand{\qauthor}[1]{%
11995   \par\smallskip
11996   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
11997 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
11998   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
11999     {\chapnumfont
12000       \ifnum \c@secnumdepth >\m@ne%
12001         \if@mainmatter\thechapter%
12002           \fi\fi
12003         \par\nobreak}%
12004       {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10pt
12005         \nobreak\chapterheadendvskip}}}
12006 \renewcommand*{\@printcites}{%
12007   \vbox to\z@\{\leavevmode\copy\@quotebox\vss
12008   \global\let\@printcites\relax}

```

7.90 ragged2e-xetex-bidi.def

```

12009 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package
12010 \renewcommand{\Centering}{%
12011   \ifx\\@\raggedtwoe@savedcr
12012     \let\\@\centercr
12013   \fi
12014   \let\@gnewline\@raggedtwoe@gnewline
12015   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
12016   \@rightskip\CenteringRightskip
12017   \if@RTL\leftskip\else\rightskip\fi\@rightskip
12018   \parfillskip\CenteringParfillskip
12019   \parindent\CenteringParindent
12020   \@raggedtwoe@spaceskiptrue
12021   \@raggedtwoe@everyselectfont
12022 }
12023 \renewcommand{\RaggedLeft}{%
12024   \ifx\\@\raggedtwoe@savedcr
12025     \let\\@\centercr

```

```

12026   \fi
12027   \let\@gnewline\@raggedtwoe@gnewline
12028   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
12029   \@rightskip\RaggedLeftRightskip
12030   \if@RTL\leftskip\else\rightskip\fi\@rightskip
12031   \parfillskip\RaggedLeftParfillskip
12032   \parindent\RaggedLeftParindent
12033   \@raggedtwoe@spaceskiptrue
12034   \@raggedtwoe@everyselectfont
12035   }
12036 \renewcommand{\RaggedRight}{%
12037   \ifx\\@\raggedtwoe@savedcr
12038     \let\\@\centercr
12039   \fi
12040   \let\@gnewline\@raggedtwoe@gnewline
12041   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
12042   \@rightskip\RaggedRightRightskip
12043   \if@RTL\leftskip\else\rightskip\fi\@rightskip
12044   \parfillskip\RaggedRightParfillskip
12045   \parindent\RaggedRightParindent
12046   \@raggedtwoe@spaceskiptrue
12047   \@raggedtwoe@everyselectfont
12048   }
12049 \renewcommand{\justifying}{%
12050   \let\\@\raggedtwoe@savedcr
12051   \let\@gnewline\@raggedtwoe@saved@gnewline
12052   \if@RTL\rightskip\else\leftskip\fi\z@
12053   \@rightskip\z@
12054   \if@RTL\leftskip\else\rightskip\fi\@rightskip
12055   \parfillskip\JustifyingParfillskip
12056   \parindent\JustifyingParindent
12057   \@raggedtwoe@spaceskipfalse
12058   \@raggedtwoe@everyselectfont
12059   }
12060 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{%
12061   \CheckCommand*{\@arrayparboxrestore}{%
12062     \let\ifnobreak\iffalse
12063     \let\ifnoskipsec\iffalse
12064     \let\par\@@par
12065     \let-\@dischyp
12066     \let'\@acci\let`@\accii\let=\@acciii
12067     \parindent\z@ \parskip\z@skip
12068     \everypar{}%
12069     \linewidth\hsize
12070     \totalleftmargin\z@
12071     \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@rig
12072     \parfillskip\@flushglue \lineskip\normallineskip
12073     \baselineskip\normalbaselineskip
12074     \sloppy}%
12075   \renewcommand{\@arrayparboxrestore}{%

```

```

12076   \let\if@nobreak\iffalse
12077   \let\if@noskipsec\iffalse
12078   \let\par\@@par
12079   \let\-\@dischyp
12080   \let'\@acci\let`\@acci\let\=\@accii
12081   \parskip\z@skip
12082   \everypar{}%
12083   \linewidth\hsize
12084   \z@totalleftmargin\z@
12085   \RaggedRight
12086   \lineskip\normallineskip
12087   \baselineskip\normalbaselineskip
12088   \sloppy}%
12089   \let\@raggedtwoe@raggedrightboxes@opt\relax
12090 }
12091 \let\origin@RaggedLeft=\RaggedLeft
12092 \let\origin@RaggedRight=\RaggedRight
12093 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
12094 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

7.91 rapport1-xetex-bidi.def

```

12095 \ProvidesFile{rapport1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for rapport1 class fo
12096 \renewenvironment{theindex}{%
12097   \if@twocolumn
12098     \restonecolfalse
12099   \else
12100     \restonecoltrue
12101   \fi
12102   \columnseprule \z@
12103   \columnsep 35\p@
12104   \twocolumn[\@makeschapterhead{\indexname}]%
12105   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
12106   \thispagestyle{plain}\parindent\z@
12107   \parskip\z@ \cplus .3\p@\relax
12108   \let\item@\idxitem
12109 }{%
12110   \if@restonecol\onecolumn\else\clearpage\fi
12111 \renewcommand*\head@style{%
12112   \interlinepenalty \OM
12113   \hyphenpenalty=\OM \exhyphenpenalty=\OM
12114   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
12115 \if@titlepage
12116   \renewenvironment{abstract}{%
12117     \titlepage
12118     \null\vfil
12119     \section*{\SectFont\abstractname}%
12120     \noindent\ignorespaces
12121     {\par\vfil\null\endtitlepage}
12122 \else

```

```

12123 \renewenvironment{abstract}{%
12124   \if@twocolumn
12125     \section*{\abstractname}%
12126   \else
12127     \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
12128     \section*{\small\SectFont\abstractname}%
12129     \noindent\ignorespaces
12130   \fi}
12131   {\if@twocolumn\else\par\egroup\fi}
12132 \fi
12133 \renewcommand*\@regtocline[3]{%
12134   \ifnum #1>\c@tocdepth
12135   \else
12136     \vskip\z@\@plus.2\p@
12137     {\hangindent\z@ \if@afterindenttrue \interlinepenalty\@M
12138       \if@RTL\rightskip\else\leftskip\fi\unitindent
12139       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
12140       \parfillskip\z@
12141       \tempdima\unitindent
12142       \parindent\z@
12143       \leavevmode
12144       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
12145       \hskip 1em \nobreak{\slshape #3}\par
12146     }%
12147   \fi}
12148 \if@oldtoc
12149 \renewcommand*\l@part [2]{%
12150   \ifnum \c@tocdepth >-2\relax
12151     \addpenalty{-\@highpenalty}%
12152     \addvspace{2.25em \@plus\p@}%
12153     \begingroup
12154       \setlength\tempdima{3em}%
12155       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
12156       \parfillskip -\pnumwidth
12157       {\leavevmode
12158         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
12159         \nobreak
12160         \global\nobreaktrue
12161         \everypar{\global\nobreakfalse\everypar{}%}
12162       \endgroup
12163     \fi}
12164   \else
12165     \renewcommand*\l@part{%
12166       \ifnum \c@tocdepth >-2\relax
12167         \addpenalty{-\@highpenalty}%
12168         \addvspace{2.25em \@plus\p@}%
12169         \regtocline{0}%
12170       \fi}
12171   \fi
12172 \if@oldtoc

```

```

12173 \renewcommand*\l@chapter[2]{%
12174     \addpenalty{-\@highpenalty}%
12175     \vskip 1.0em \@plus\p@
12176     \setlength{\tempdima}{1.5em}%
12177     \begingroup
12178     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
12179     \parfillskip -\c@pnumwidth
12180     \leavevmode \bfseries
12181     \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
12182     \hskip -\if@RTL\rightskip\else\leftskip\fi
12183     #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
12184     \penalty\@highpenalty
12185     \endgroup}
12186 \else
12187     \renewcommand*\l@chapter{\regtocline{0}}
12188 \fi
12189 \renewcommand*\left@footnoterule{%
12190     \kern-3\p@
12191     \kern.5\baselineskip
12192     \hrule\c@width\unitindent
12193     \kern.4\baselineskip
12194 }
12195 \renewcommand*\right@footnoterule{%
12196     \hbox to \c@columnwidth
12197     {\beginR \vbox{%
12198         \kern-3\p@
12199         \kern.5\baselineskip
12200         \hrule\c@width\unitindent
12201         \kern.4\baselineskip}\hfil\endR}
12202 }
12203 \renewenvironment{thebibliography}[1]
12204     {\chapter*{\bibname}%
12205         \c@mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
12206         \if@RTL\if@LTrbibitems\c@RTLfalse\else\fi\else\if@RTLbibitems\c@RTLtrue\else\fi\fi\fi
12207         \list{\c@biblabel{\c@arabic\c@enumiv}}{%
12208             \c@settowidth\labelwidth{\c@biblabel{#1}}%
12209             \c@leftmargin\labelwidth
12210             \c@advance\c@leftmargin\labelsep
12211             \c@openbib@code
12212             \c@usecounter{enumiv}%
12213             \c@let\p@enumiv\c@empty
12214             \c@renewcommand*\c@theenumiv{\c@arabic\c@enumiv}%
12215             \c@sloppy\c@clubpenalty4000\c@widowpenalty4000%
12216             \c@sfcodes`.\c@cm}
12217             \c@def\c@noitemerr
12218             {\c@latex@cwarning{Empty ‘thebibliography’ environment}}%
12219             \c@endlist}
12220 \renewcommand*\thesection{\thechapter\c@SepMark\c@arabic\c@section}
12221 \renewcommand*\thesubsection{\thesection\c@SepMark\c@arabic\c@subsection}
12222 \renewcommand*\thesubsubsection{\thesubsection\c@SepMark\c@arabic\c@subsubsection}

```

```

12223 \renewcommand*\theparagraph{\thesubsubsection@\SepMark@arabic\c@paragraph}
12224 \renewcommand*\thesubparagraph{\theparagraph@\SepMark@arabic\c@subparagraph}
12225 \renewcommand*\theequation{%
12226   \ifnum \c@chapter>\z@ \thechapter@\SepMark\fi\@arabic\c@equation}
12227 \renewcommand*\thefigure{%
12228   \ifnum \c@chapter>\z@ \thechapter@\SepMark\fi\@arabic\c@figure}
12229 \renewcommand*\thetable{%
12230   \ifnum \c@chapter>\z@ \thechapter@\SepMark\fi\@arabic\c@table}
12231 \if@titlepage
12232 \renewcommand*\TitleFont{\rmfamily}
12233 \renewcommand*\maketitle{%
12234   \begin{titlepage}%
12235     \let\footnotesize\small
12236     \let\right@footnoterule\relax
12237     \let\left@footnoterule\relax
12238     \let\textwidth@footnoterule\relax
12239     \let \footnote \thanks
12240     \long\def\makefntext##1{\parindent\z@
12241       \def\labelitemi{\textendash}\revlabeltrue
12242       \leavevmode\textsuperscript{\@thefnmark}\kern1em\relax ##1}
12243     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12244     \if@compatibility\setcounter{page}{0}\fi
12245     \null\vfil
12246     \vskip 60\p@
12247     \begin{center}%
12248       \TitleFont
12249       {\LARGE \def\\{\penalty -\OM}}
12250       \if@allcaps
12251         \expandafter\uc@nothanks\@title\thanks\relax
12252       \else
12253         \@title
12254         \fi\par}%
12255     \vskip 3em%
12256     {\large
12257       \lineskip .75em \parindent\z@
12258     \begin{tabular}[t]{c}%
12259       \if@allcaps
12260         \expandafter\uc@author\nothanks\@author\and\relax
12261       \else
12262         \@author
12263         \fi
12264       \end{tabular}\par}%
12265     \vskip 1.5em%
12266     {\large
12267       \if@allcaps
12268         \uppercase\expandafter{\@date}%
12269       \else
12270         \@date
12271         \fi\par}%
12272     \end{center}\par

```

```

12273     \@thanks
12274     \vfil\null
12275     \end{titlepage}%
12276     \setcounter{footnote}{0}%
12277     \global\let\thanks\relax
12278     \global\let\maketitle\relax
12279     \global\let\@thanks\empty
12280     \global\let\@author\empty
12281     \global\let\@title\empty
12282     \global\let\@date\empty
12283     \global\let\title\relax
12284     \global\let\author\relax
12285     \global\let\date\relax
12286     \global\let\and\relax
12287 }
12288 \def\uc@nothanks{\uppercase{\uc@nothanks}}
12289 \def\uc@authornothanks{\uc@nothanks}
12290     \futurelet\@tempa\uc@ax}
12291 \def\uc@ax{%
12292     \ifx\@tempa\relax
12293     \else
12294         \\\@andname \\ \expandafter\uc@authornothanks
12295     \fi}
12296 \def\uc@tx{\ifx\@tempa\relax
12297     \else \expandafter\uc@ty \fi}
12298 \def\uc@ty{\uc@nothanks}
12299 \else
12300 \renewcommand*\maketitle{\par
12301     \begingroup
12302     \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
12303     \def\@makefnmark{\rlap{%
12304         \textsuperscript{\normalfont\thefnmark}}}
12305     \long\def\@makefntext{\xmakefntext{%
12306         \textsuperscript{\normalfont\thefnmark}}}
12307     \if@twocolumn
12308         \ifnum\col@number=\@ne
12309             \maketitle
12310         \else
12311             \twocolumn[\maketitle]
12312         \fi
12313     \else
12314         \newpage
12315         \global\@topnum\z@
12316         \maketitle
12317     \fi
12318     \thispagestyle{plain}\@thanks
12319 \endgroup
12320 \setcounter{footnote}{0}%
12321 \global\let\thanks\relax
12322 \global\let\maketitle\relax

```

```

12323 \global\let\@maketitle\relax
12324 \global\let\@thanks\@empty
12325 \global\let\@author\@empty
12326 \global\let\@title\@empty
12327 \global\let\@date\@empty
12328 \global\let\title\relax
12329 \global\let\author\relax
12330 \global\let\date\relax
12331 \global\let\and\relax
12332 }
12333 \def\@maketitle{%
12334   \newpage
12335   \null
12336   \vskip 2em%
12337   \begin{center}%
12338     \let \footnote \thanks
12339     {\LARGE \TitleFont \@title \par}%
12340     \vskip 1.5em%
12341     {\large \TitleFont
12342       \lineskip .5em%
12343       \begin{tabular}[t]{c}%
12344         \author
12345       \end{tabular}\par}%
12346     \vskip 1em%
12347     {\large \TitleFont \@date}%
12348   \end{center}%
12349   \par
12350   \vskip 1.5em}
12351 \fi

```

7.92 rapport3-xetex-bidi.def

```

12352 \ProvidesFile{rapport3-xetex-bidi.def}[2011/08/26 v0.4 bidi adaptations for rapport3 class fo
12353 \renewenvironment{theindex}{%
12354   \if@twocolumn
12355     \restonecolfalse
12356   \else
12357     \restonecoltrue
12358   \fi
12359   \columnseprule \z@
12360   \columnsep 35\p@
12361   \twocolumn[\@makeschapterhead{\indexname}]%
12362   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
12363   \thispagestyle{plain}\parindent\z@
12364   \parskip\z@ \plus .3\p@\relax
12365   \let\item\@idxitem
12366 }{%
12367   \if@restonecol\onecolumn\else\clearpage\fi}
12368 \if@titlepage
12369 \renewcommand*\TitleFont{\rmfamily}

```

```

12370 \renewcommand*\maketitle{%
12371   \begin{titlepage}%
12372     \let\footnotesize\small
12373     \let\right@footnoterule\relax
12374     \let\left@footnoterule\relax
12375     \let\textwidth@footnoterule\relax
12376     \let \footnote \thanks
12377     \let \LTrfootnote \LTrthanks
12378     \let \RTLfootnote \RTLthanks
12379     \long\def\@makefntext##1{\par\indent\z@
12380       \def\labelitemi{\textendash}\revlabeltrue
12381       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
12382     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12383     \if@compatibility\setcounter{page}{0}\fi
12384     \null\vfil
12385     \vskip 60\p@
12386     \begin{center}%
12387       \TitleFont
12388       {\LARGE \def\\{\penalty -\OM}
12389         \if@allcaps
12390           \expandafter\uc@nothanks\@title\thanks\relax
12391         \else
12392           \atitle
12393           \fi\par}%
12394     \vskip 3em%
12395     {\large
12396       \lineskip .75em \par\indent\z@
12397     \begin{tabular}[t]{c}%
12398       \if@allcaps
12399         \expandafter\uc@author\nothanks\author\and\relax
12400       \else
12401         \author
12402         \fi
12403       \end{tabular}\par}%
12404     \vskip 1.5em%
12405     {\large
12406       \if@allcaps
12407         \uppercase\expandafter{\@date}%
12408       \else
12409         \atitle
12410         \fi\par}%
12411     \end{center}\par
12412     \atitle
12413     \vfil\null
12414   \end{titlepage}%
12415   \setcounter{footnote}{0}%
12416   \global\let\thanks\relax
12417   \global\let\LTrthanks\relax
12418   \global\let\RTLthanks\relax
12419   \global\let\maketitle\relax

```

```

12420 \global\let@\thanks{\empty}
12421 \global\let@\author{\empty}
12422 \global\let@\title{\empty}
12423 \global\let@\date{\empty}
12424 \global\let\title\relax
12425 \global\let\author\relax
12426 \global\let\date\relax
12427 \global\let\and\relax
12428 }
12429 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet@\tempa\uc@tx}
12430 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
12431     \futurelet@\tempa\uc@ax}
12432 \def\uc@ax{%
12433     \ifx@\tempa\relax
12434     \else
12435         \\ \andname \\ \expandafter\uc@authornothanks
12436     \fi}
12437 \def\uc@tx{\ifx@\tempa\relax
12438     \else \expandafter\uc@ty \fi}
12439 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
12440 \else
12441 \renewcommand*\maketitle{\par
12442     \begingroup
12443         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12444         \def@\makefnmark{\rlap{%
12445             \textsuperscript{\normalfont@\thefnmark}}}%
12446         \long\def\makefntext{\@xmakefntext{%
12447             \textsuperscript{\normalfont@\thefnmark}}}%
12448         \if@twocolumn
12449             \ifnum \col@number=\@ne
12450                 \maketitle
12451             \else
12452                 \twocolumn[\maketitle]%
12453             \fi
12454         \else
12455             \newpage
12456             \global\@topnum\z@
12457             \maketitle
12458         \fi
12459         \thispagestyle{plain}\@thanks
12460     \endgroup
12461     \setcounter{footnote}{0}%
12462     \global\let\thanks\relax
12463     \global\let\LTRthanks\relax
12464     \global\let\RTLthanks\relax
12465     \global\let\maketitle\relax
12466     \global\let\maketitle\relax
12467     \global\let@\thanks{\empty}
12468     \global\let@\author{\empty}
12469     \global\let@\title{\empty}

```

```

12470  \global\let\@date\@empty
12471  \global\let\title\relax
12472  \global\let\author\relax
12473  \global\let\date\relax
12474  \global\let\and\relax
12475  }
12476 \def\@maketitle{%
12477   \newpage
12478   \null
12479   \vskip 2em%
12480 \if@titlecentered
12481   \begin{center}%
12482     \let \footnote \thanks
12483     \let \LTrfootnote \LTrthanks
12484     \let \RTLfootnote \RTLthanks
12485     {\LARGE \TitleFont \@title \par}%
12486     \vskip 1.5em%
12487     {\large \TitleFont
12488       \lineskip .5em%
12489       \begin{tabular}[t]{c}%
12490         \author
12491       \end{tabular}\par}%
12492     \vskip 1em%
12493     {\large \TitleFont \@date}%
12494   \end{center}%
12495 \else
12496   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
12497   {\large \TitleFont \lineskip .5em \tabcolsep\z@
12498     \def\and{\% \begin{tabular} has already started
12499       \end{tabular}\hspace{1em plus .17fil}
12500       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
12501       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p
12502     \vskip 1em {\large \TitleFont \@date}
12503   \fi
12504   \par
12505   \vskip 1.5em}
12506 \fi
12507 \renewcommand*\@regtocline[3]{%
12508   \ifnum #1>\c@tocdepth
12509   \else
12510     \vskip\z@\@plus.2\p@
12511     {\hangindent\z@\@afterindenttrue \interlinepenalty\@M
12512       \if@RTL\rightskip\else\leftskip\fi\unitindent
12513       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
12514       \parfillskip\z@
12515       \tempdima\unitindent
12516       \parindent\z@
12517       \leavevmode
12518       \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
12519       \hspace{1em \nobreak{\slshape #3}\par}

```

```

12520      }%
12521  \fi}
12522 \if@oldtoc
12523 \renewcommand*\l@part[2]{%
12524   \ifnum \c@tocdepth >-2\relax
12525     \addpenalty{-\@highpenalty}%
12526     \addvspace{2.25em \oplus \p@}%
12527     \begingroup
12528       \setlength{\tempdima}{3em}%
12529       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
12530       \parfillskip -\pnumwidth
12531     {\leavevmode
12532       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
12533       \nobreak
12534       \global\nobreaktrue
12535       \everypar{\global\nobreakfalse\everypar{}%}
12536     \endgroup
12537   \fi}
12538 \else
12539   \renewcommand*\l@part{%
12540     \ifnum \c@tocdepth >-2\relax
12541     \addpenalty{-\@highpenalty}%
12542     \addvspace{2.25em \oplus \p@}%
12543     \regtocline{0}%
12544   \fi}
12545 \fi
12546 \if@oldtoc
12547 \renewcommand*\l@chapter[2]{%
12548   \addpenalty{-\@highpenalty}%
12549   \vskip 1.0em \oplus \p@%
12550   \setlength{\tempdima}{1.5em}%
12551   \begingroup
12552   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
12553   \parfillskip -\pnumwidth
12554   \leavevmode \bfseries
12555   \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
12556   \hskip -\if@RTL\rightskip\else\leftskip\fi
12557   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
12558   \penalty\@highpenalty
12559   \endgroup
12560 \else
12561   \renewcommand*\l@chapter{\regtocline{0}}
12562 \fi
12563 \renewcommand*\head@style{%
12564   \interlinepenalty \OM
12565   \hyphenpenalty=\OM \exhyphenpenalty=\OM
12566   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
12567 \if@titlepage
12568   \renewenvironment{abstract}{%
12569     \titlepage

```

```

12570     \null\vfil
12571     \section*\{\SectFont\abstractname\}%
12572     \noindent\ignorespaces
12573     {\par\vfil\null\endtitlepage}
12574 \else
12575   \renewenvironment{abstract}{%
12576     \if@twocolumn
12577       \section*\{\abstractname\}%
12578     \else
12579       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
12580       \section*\{\small\SectFont\abstractname\}%
12581       \noindent\ignorespaces
12582       \fi}
12583     {\if@twocolumn\else\par\egroup\fi}
12584 \fi
12585 \renewcommand*\thesection{\thechapter \@SepMark @arabic \c@section}
12586 \renewcommand*\thesubsection{\thesection \@SepMark @arabic \c@subsection}
12587 \renewcommand*\thesubsubsection{\thesubsection \@SepMark @arabic \c@subsubsection}
12588 \renewcommand*\theparagraph{\thesubsubsection \@SepMark @arabic \c@paragraph}
12589 \renewcommand*\thesubparagraph{\theparagraph \@SepMark @arabic \c@subparagraph}
12590 \renewcommand*\thefigure{%
12591   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi @arabic \c@figure}
12592 \renewcommand*\thetable{%
12593   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi @arabic \c@table}
12594 \renewcommand*\theequation{%
12595   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi @arabic \c@equation}
12596 \renewenvironment{thebibliography}[1]
12597   {\chapter*\{\bibname\}%
12598     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
12599     \if@RTL\if@LTRbibitems @RTLfalse\else\fi\else\if@RTLbibitems @RTLtrue\else\fi\fi
12600     \list{\@biblabel{\@arabic \c@enumiv}}{%
12601       \settowidth\labelwidth{\@biblabel{#1}}%
12602       \leftmargin\labelwidth
12603       \advance\leftmargin\labelsep
12604       \openbib@code
12605       \usecounter{enumiv}}%
12606       \let\p@enumiv\empty
12607       \renewcommand*\theenumiv{\@arabic \c@enumiv}%
12608       \sloppy\clubpenalty4000\widowpenalty4000%
12609       \sfcode`.\@m}
12610     {\def\@noitemerr
12611       {\@latex@warning{Empty 'thebibliography' environment}}%
12612       \endlist}
12613 \renewcommand*\left@footnoterule{%
12614   \kern-3\p@
12615   \kern.5\baselineskip
12616   \hrule\@width\unitindent
12617   \kern.4\baselineskip
12618 }
12619 \renewcommand*\right@footnoterule{%

```

```

12620   \hbox to \columnwidth
12621   {\beginR \vbox{%
12622   \kern-3\p@
12623   \kern.5\baselineskip
12624   \hrule\@width\unitindent
12625   \kern.4\baselineskip}\hfil\endR}
12626 }
12627 \renewcommand*\head@style{%
12628   \interlinepenalty \OM
12629   \hyphenpenalty=\OM \exhyphenpenalty=\OM
12630   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

7.93 refrep-xetex-bidi.def

```

12631 \ProvidesFile{refrep-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for refrep class for Xe
12632 \if@titlepage
12633   \renewcommand\maketitle{\begin{titlepage}%
12634   \let\footnotesize\small
12635   \let\right@footnoterule\relax
12636   \let\left@footnoterule\relax
12637   \let\textwidth@footnoterule\relax
12638   \let\footnote\thanks
12639   \let\LTRfootnote\LTRthanks
12640   \let\RTLfootnote\RTLthanks
12641   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12642   \def\@makefnmark%
12643     {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}\%
12644   \long\def\@makefntext##1{%
12645     \setpar{\@par
12646       \tempdima = \hsize
12647       \advance\tempdima -1em
12648       \parshape \one 1em \tempdima}%
12649       \par\parindent 1em \noindent
12650       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,,}##1}
12651 \null\vfil
12652 \vskip 60\p@
12653 \begin{center}%
12654   {\LARGE \title \par}%
12655   \vskip 3em%
12656   {\large
12657     \lineskip .75em%
12658     \begin{tabular}[t]{c}%
12659       \author
12660     \end{tabular}\par}%
12661   \vskip 1.5em%
12662   {\large \date \par}          % Set date in \large size.
12663 \end{center}\par
12664 \thanks
12665 \vfil\null
12666 \end{titlepage}%

```

```

12667 \setcounter{footnote}{0}%
12668 \global\let\thanks\relax
12669 \global\let\LTRthanks\relax
12670 \global\let\RTLthanks\relax
12671 \global\let\maketitle\relax
12672 \global\let@\thanks{\empty}
12673 \global\let@\author{\empty}
12674 \global\let@\date{\empty}
12675 \global\let@\title{\empty}
12676 \global\let\title\relax
12677 \global\let\author\relax
12678 \global\let\date\relax
12679 \global\let\and\relax
12680 }
12681 \else
12682   \renewcommand\maketitle{\par
12683     \begingroup
12684       \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12685       \def\@makefnmark%
12686         {\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
12687       \long\def\@makefntext##1{%
12688         \setpar{\@par
12689           \tempdima = \hsize
12690           \advance\tempdima -1em
12691           \parshape \one 1em \tempdima}%
12692         \par\parindent 1em \noindent
12693         \hb@xt@\z@{\hss\textsuperscript{\normalfont\@thefnmark}\,,}##1}
12694       \if@twocolumn
12695         \ifnum \col@number=\one
12696           \maketitle
12697         \else
12698           \twocolumn[\maketitle]%
12699         \fi
12700       \else
12701         \newpage
12702         \global\@topnum\z@ % Prevents figures from going at top of page.
12703         \maketitle
12704       \fi
12705       \thispagestyle{empty}\@thanks
12706     \endgroup
12707     \setcounter{footnote}{0}%
12708   \global\let\thanks\relax
12709   \global\let\LTRthanks\relax
12710   \global\let\RTLthanks\relax
12711   \global\let\maketitle\relax
12712   \global\let\@maketitle\relax
12713   \global\let@\thanks{\empty}
12714   \global\let@\author{\empty}
12715   \global\let@\date{\empty}
12716   \global\let@\title{\empty}

```

```

12717 \global\let\title\relax
12718 \global\let\author\relax
12719 \global\let\date\relax
12720 \global\let\and\relax
12721 }
12722 \def\@maketitle{%
12723   \newpage
12724   \null
12725   \longthickrule\vskip1.5em%
12726   \let \footnote \thanks
12727   \let \LTrfootnote \LTrthanks
12728   \let \RTLfootnote \RTLthanks
12729   {\secshape \parskip\z@ \parindent\z@
12730     \Large\bfseries \@title \par}%
12731   \vskip1.5em\longthickrule\vskip1.5em%
12732   {\normalsize
12733     \lineskip .5em%
12734     \begin{flushright}%
12735       {\slshape \@author\par}
12736       \vskip 1em%
12737       {\@date}%
12738     \end{flushright}\par}%
12739   \vskip 1.5em}
12740 \fi
12741 \renewcommand*\l@part[2]{%
12742   \ifnum \c@tocdepth >-2\relax
12743     \addpenalty{-\@highpenalty}%
12744     \addvspace{2.25em \oplus\p@}%
12745     \begingroup
12746       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
12747       \parfillskip -\c@pnumwidth
12748       {\leavevmode
12749         \large\bfseries #1\hfil \hbox to\c@pnumwidth{\hss #2}\par
12750         \nobreak
12751         \global\@nobreaktrue
12752         \everypar{\global\@nobreakfalse\everypar{}}}%
12753     \endgroup
12754   \fi}
12755 \renewcommand*\l@chapter[2]{%
12756   \ifnum \c@tocdepth >\m@ne
12757     \addpenalty{-\@highpenalty}%
12758     \vskip 1.0em \oplus\p@%
12759     \setlength\tempdima{1.5em}%
12760     \begingroup
12761       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
12762       \parfillskip -\c@pnumwidth
12763       \leavevmode \bfseries
12764       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
12765       \hskip -\if@RTL\rightskip\else\leftskip\fi
12766       #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par

```

```

12767     \penalty\@highpenalty
12768     \endgroup
12769     \fi}
12770 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
12771                         \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
12772                         \hyphenpenalty=2000}
12773 \renewcommand\left@footnoterule{%
12774   \kern-3\p@
12775   \hrule\@width.4\columnwidth
12776   \kern 2.6\p@}
12777 \renewcommand\right@footnoterule{%
12778   \hbox to \columnwidth
12779   {\beginR \vbox{%
12780   \kern-3\p@
12781   \hrule\@width.4\columnwidth
12782   \kern 2.6\p@\hfil\endR}}
12783 \renewcommand\theequation
12784 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}
12785 \renewcommand\thefigure
12786   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}
12787 \renewcommand\thetable%
12788   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}
12789 \renewcommand\thesection {\thechapter\@SepMark\arabic\c@section}
12790 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}
12791 \renewcommand\thesubsubsection {\thesubsection\@SepMark\arabic\c@subsubsection}
12792 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}
12793 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}
12794 \renewenvironment{thebibliography}[1]
12795   {\chapter*\bibname
12796     \@mkboth{\bibname}{\bibname}}%
12797     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12798   \list{\@biblabel{\arabic\c@enumiv}}%
12799     {\settowidth\labelwidth{\@biblabel{\#1}}%
12800       \leftmargin\labelwidth
12801       \advance\leftmargin\labelsep
12802       \openbib@code
12803       \usecounter{enumiv}}%
12804     \let\p@enumiv\empty
12805     \renewcommand\theenumiv{\arabic\c@enumiv}}%
12806     \sloppy
12807     \clubpenalty4000
12808     \clubpenalty \clubpenalty
12809     \widowpenalty4000%
12810     \sffcode`.=\@m}
12811     {\def\@noitemerr
12812       {\@latex@warning{Empty 'thebibliography' environment}}%
12813     \endlist}

```

7.94 report-xetex-bidi.def

```

12814 \ProvidesFile{report-xetex-bidi.def}[2011/08/26 v0.6 bidi adaptations for standard report cla
12815 \renewenvironment{theindex}
12816     {\if@twocolumn
12817         \ @restonecolfalse
12818     \else
12819         \ @restonecoltrue
12820     \fi
12821     \columnseprule \z@
12822     \columnsep 35\p@
12823     \twocolumn[\@makeschapterhead{\indexname}]%
12824     \@mkboth{\MakeUppercase\indexname}%
12825         {\MakeUppercase\indexname}%
12826     \thispagestyle{plain}\parindent\z@
12827     \parskip\z@ \plus .3\p@\relax
12828     \let\item\@idxitem
12829     {\if@restonecol\onecolumn\else\clearpage\fi}
12830 \if@titlepage
12831 \renewcommand\maketitle{\begin{titlepage}%
12832 \let\footnotesize\small
12833 \let\right@footnoterule\relax
12834 \let\left@footnoterule\relax
12835 \let\textwidth@footnoterule\relax
12836 \let \footnote \thanks
12837 \let \LTrfootnote \LTrthanks
12838 \let \RTLfootnote \RTLthanks
12839 \null\vfil
12840 \vskip 60\p@
12841 \begin{center}%
12842     {\LARGE \@title \par}%
12843     \vskip 3em%
12844     {\large
12845         \lineskip .75em%
12846         \begin{tabular}[t]{c}%
12847             \author
12848         \end{tabular}\par}%
12849     \vskip 1.5em%
12850     {\large \@date \par}%
12851     % Set date in \large size.
12852 \end{center}\par
12853 \thanks
12854 \vfil\null
12855 \end{titlepage}%
12856 \setcounter{footnote}{0}%
12857 \global\let\thanks\relax
12858 \global\let\LTrthanks\relax
12859 \global\let\RTLthanks\relax
12860 \global\let\maketitle\relax
12861 \global\let@\thanks\empty
12862 \global\let@\author\empty
12863 \global\let@\date\empty

```

```

12864  \global\let\title\relax
12865  \global\let\author\relax
12866  \global\let\date\relax
12867  \global\let\and\relax
12868 }
12869 \else
12870 \renewcommand\maketitle{\par
12871   \begingroup
12872     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12873     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
12874     \long\def\@makefntext##1{\parindent 1em\noindent
12875       \hb@xt@1.8em{%
12876         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
12877     \if@twocolumn
12878       \ifnum \col@number=\@ne
12879         \@maketitle
12880       \else
12881         \twocolumn[\@maketitle]%
12882       \fi
12883     \else
12884       \newpage
12885       \global\@topnum\z@    % Prevents figures from going at top of page.
12886       \@maketitle
12887     \fi
12888     \thispagestyle{plain}\@thanks
12889   \endgroup
12890   \setcounter{footnote}{0}%
12891   \global\let\thanks\relax
12892   \global\let\LTRthanks\relax
12893   \global\let\RTLthanks\relax
12894   \global\let\maketitle\relax
12895   \global\let\@maketitle\relax
12896   \global\let\@thanks\empty
12897   \global\let\@author\empty
12898   \global\let\@date\empty
12899   \global\let\@title\empty
12900   \global\let\title\relax
12901   \global\let\author\relax
12902   \global\let\date\relax
12903   \global\let\and\relax
12904 }
12905 \def\@maketitle{%
12906   \newpage
12907   \null
12908   \vskip 2em%
12909   \begin{center}%
12910     \let \footnote \thanks
12911     \let \LTRfootnote \LTRthanks
12912     \let \RTLfootnote \RTLthanks
12913     {\LARGE \@title \par}%

```

```

12914      \vskip 1.5em%
12915      {\large
12916          \lineskip .5em%
12917          \begin{tabular}[t]{c}%
12918              \author
12919          \end{tabular}\par}%
12920      \vskip 1em%
12921      {\large \@date}%
12922      \end{center}%
12923      \par
12924      \vskip 1.5em}
12925 \fi
12926 \renewcommand*\l@part[2]{%
12927     \ifnum \c@tocdepth >-2\relax
12928         \addpenalty{-\@highpenalty}%
12929         \addvspace{2.25em \oplus \p@}%
12930         \setlength{\tempdima}{3em}%
12931         \begingroup
12932             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
12933             \parfillskip -\pnumwidth
12934             {\leavevmode
12935                 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
12936                 \nobreak
12937                     \global\nobreaktrue
12938                     \everypar{\global\nobreakfalse\everypar{}}%
12939             \endgroup
12940         \fi}
12941 \renewcommand*\l@chapter[2]{%
12942     \ifnum \c@tocdepth >\m@ne
12943         \addpenalty{-\@highpenalty}%
12944         \vskip 1.0em \oplus \p@
12945         \setlength{\tempdima}{1.5em}%
12946         \begingroup
12947             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
12948             \parfillskip -\pnumwidth
12949             \leavevmode \bfseries
12950             \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
12951             \hskip -\if@RTL\rightskip\else\leftskip\fi
12952             #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
12953             \penalty\@highpenalty
12954         \endgroup
12955     \fi}
12956 \renewcommand\left@footnoterule{%
12957     \kern-3\p@
12958     \hrule\@width.4\columnwidth
12959     \kern2.6\p@}
12960 \renewcommand\right@footnoterule{%
12961     \hbox to \columnwidth
12962     {\beginR \vbox{%
12963         \kern-3\p@
```

```

12964  \hrule\@width.4\columnwidth
12965  \kern2.6\p@\hfil\endR}
12966 \renewcommand\theequation
12967  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{equation}}
12968 \renewcommand \thefigure
12969  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{figure}}
12970 \renewcommand \thetable
12971  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{table}}
12972 \renewcommand \thechapter {\arabic{chapter}}
12973 \renewcommand \thesection {\thechapter\@SepMark\arabic{section}}
12974 \renewcommand \thesubsection {\thesection\@SepMark\arabic{subsection}}
12975 \renewcommand \thesubsubsection{\thesubsection \@SepMark\arabic{subsubsection}}
12976 \renewcommand \theparagraph {\thesubsubsection \@SepMark\arabic{paragraph}}
12977 \renewcommand \thesubparagraph {\theparagraph \@SepMark\arabic{subparagraph}}
12978 \def\@makechapterhead#1{%
12979  \vspace*{50\p@}%
12980  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalsize
12981   \ifnum \c@sectiondepth >\m@ne
12982     \huge\bfseries \chapapp\space \thechapter
12983     \par\nobreak
12984     \vskip 20\p@
12985   \fi
12986   \interlinepenalty\OM
12987   \Huge\bfseries #1\par\nobreak
12988   \vskip 40\p@
12989 }
12990 \def\@makeschapterhead#1{%
12991  \vspace*{50\p@}%
12992  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
12993   \normalsize
12994   \interlinepenalty\OM
12995   \Huge\bfseries #1\par\nobreak
12996   \vskip 40\p@
12997 }
12998 \renewenvironment{thebibliography}[1]
12999  {\chapter*{\bibname}%
13000   \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
13001   \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13002   \list{\@biblabel{\arabic{enumiv}}}%
13003   {\settowidth\labelwidth{\@biblabel{#1}}%
13004    \leftmargin\labelwidth
13005    \advance\leftmargin\labelsep
13006    \openbib@code
13007    \usecounter{enumiv}%
13008    \let\p@enumiv\empty
13009    \renewcommand\theenumiv{\arabic{enumiv}}%
13010    \sloppy
13011    \clubpenalty4000
13012    \clubpenalty \clubpenalty
13013    \widowpenalty4000%

```

```

13014     \sfcodes`\.\\@m}
13015     {\def\@noitemerr
13016       {\@latex@warning{Empty `thebibliography' environment}}%
13017       \endlist}

```

7.95 rotating-xetex-bidi.def

```

13018 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package
13019 \def\end@rotfloat{%
13020   \end{minipage}\end{lrbox}%
13021   \stepcounter{r@tfl@t}%
13022   \rot@label{RF\ther@tfl@t}%
13023   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
13024   \edef\@tempa{Adding sideways @@captive\space on page \R@@page\space}%
13025   \rot@mess@toks\expandafter{\@tempa}%
13026   \wd\rot@float@box\z@
13027   \ht\rot@float@box\z@
13028   \dp\rot@float@box\z@
13029   \vboxL to \textheight{%
13030     \setkeys{Grot}{units=360}%
13031     \if@rot@twoside
13032     \else
13033       \let\R@@page\rot@LR
13034     \fi
13035     \ifthenelse{\isodd{\R@@page}}{%
13036       \if@rot@twoside
13037         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
13038       \fi
13039       \vfill
13040       \@@line{%
13041         \hskip\rotFPtop
13042         \rotatebox{90}{\box\rot@float@box}%
13043         \hskip\rotFPbot
13044       }%
13045     }{%
13046       \if@rot@twoside
13047         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
13048       \fi
13049       \@@line{%
13050         \hskip\rotFPbot
13051         \rotatebox{-90}{\box\rot@float@box}%
13052         \hskip\rotFPtop
13053       }%
13054       \vfill
13055     }%
13056     \rot@message{\the\rot@mess@toks}
13057   }%
13058   \end@float
13059 }
13060 \let\endsidewaysfigure\end@rotfloat

```

```

13061 \let\endsidewaystable\end@rotfloat
13062 \def\end@rotdblfloat{%
13063   \end{minipage}\end{lrbox}%
13064   \stepcounter{r@tfl@t}%
13065   \rot@label{RF\ther@tfl@t}%
13066   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
13067   \edef@\tempa{Adding sideways \capttype\space on page \R@@page\space}%
13068   \rot@mess@toks\expandafter{\@tempa}%
13069   \tempdima\ht\rot@float@box
13070   \advance\tempdima by \dp\rot@float@box
13071   \wd\rot@float@box\z@
13072   \ht\rot@float@box\z@
13073   \dp\rot@float@box\z@
13074   \vboxL to \textheight{%
13075     \setkeys{Grot}{units=360}%
13076     \if@rot@twoside
13077     \else
13078       \let\R@@page\rot@LR
13079     \fi
13080     \ifthenelse{\isodd{\R@@page}}{%
13081       \ifrot@messages
13082         \if@rot@twoside
13083           \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
13084     \fi
13085     \fi
13086     \vfill
13087     \@@line{%
13088       \hskip\rotFPtop
13089       \rotatebox{90}{\box\rot@float@box}%
13090       \hskip\rotFPbot
13091     }%
13092   }{%
13093     \ifrot@messages
13094       \if@rot@twoside
13095         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
13096     \fi
13097     \fi%
13098     \@@line{%
13099       \hskip\rotFPbot
13100       \rotatebox{-90}{\box\rot@float@box}%
13101       \hskip\rotFPtop
13102     }%
13103     \vfill
13104   }%
13105   \rot@message{\the\rot@mess@toks}%
13106 }%
13107 \end@dblfloat
13108 }
13109 \def\turn#1{%
13110   \Grot@setangle{#1}%

```

```

13111   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13112 \def\endturn{%
13113   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13114   \unskip\color@endbox
13115   \Grot@x\z@
13116   \Grot@y\z@
13117   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13118 }
13119 \def\rotate#1{%
13120   \Grot@setangle{#1}%
13121   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13122 \def\endrotate{%
13123   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13124   \unskip\color@endbox
13125   \Grot@x\z@
13126   \Grot@y\z@
13127   \wd0\z@\dp0\z@\ht0\z@
13128   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13129 }
13130 \def\turnbox#1#2{%
13131   \Grot@setangle{#1}%
13132   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\#2\ifmmode\if@RTL\endR\fi\ignorespaces}
13133   \Grot@x\z@\Grot@y\z@
13134   \wd0\z@\dp0\z@\ht0\z@
13135   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13136 }
13137 \def\sideways{%
13138   \Grot@setangle{90}%
13139   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13140 \def\endsideways{%
13141   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13142   \unskip\color@endbox
13143   \Grot@x\z@
13144   \Grot@y\z@
13145   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13146 }

```

7.96 scrartcl-xetex-bidi.def

```

13147 \ProvidesFile{scrartcl-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrartcl class f
13148 \newcommand{\scr@saved@LTRfootnotetext}{}
13149 \newcommand{\scr@saved@RTLfootnotetext}{}
13150 \let\scr@saved@footnotetext\@footnotetext
13151 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
13152 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
13153 \renewcommand{\@footnotetext}[1]{%
13154   \scr@saved@footnotetext{#1}%
13155   \csname FN@mf@prepare\endcsname
13156 }
13157 \renewcommand{\@LTRfootnotetext}[1]{%

```

```

13158  \scr@saved@LTRfootnotetext{#1}%
13159  \csname FN@mf@prepare\endcsname
13160 }
13161 \renewcommand{\@RTLfootnotetext}[1]{%
13162  \scr@saved@RTLfootnotetext{#1}%
13163  \csname FN@mf@prepare\endcsname
13164 }
13165 \renewcommand\deffootnote[4] []{%
13166  \long\def\@makefntext##1{%
13167   \setlength{\tempdimc}{#3}%
13168   \def\@tempa{#1}\ifx\@tempa\empty
13169     \setpar{\@par
13170       \tempdima = \hsize
13171       \addtolength{\tempdima}{-#2}%
13172       \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
13173     \else
13174       \addtolength{\tempdimc}{#2}%
13175       \addtolength{\tempdimc}{-#1}%
13176       \setpar{\@par
13177         \tempdima = \hsize
13178         \addtolength{\tempdima}{-#1}%
13179         \tempdimb = \hsize
13180         \addtolength{\tempdimb}{-#2}%
13181         \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
13182       }%
13183     \fi
13184     \par
13185     \parindent\tempdimc\noindent
13186     \ftn@font\hbox to \z@\{\hss\@makefnmark}##1%
13187 }%
13188 \def\@makefnmark{\hbox{\ftnm@font{#4}}}%
13189 }
13190 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
13191 \renewcommand*\left@footnoterule{%
13192  \normalsize\ftn@rule@test@values
13193  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13194  \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
13195  {\usekomafont{footnoterule}{%
13196    \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
13197  \kern 2.6\p@}
13198 \renewcommand*\right@footnoterule{%
13199  \hbox to \columnwidth
13200  {\beginR \vbox{\kern -3\p@
13201  \normalsize\ftn@rule@test@values
13202  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13203  \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
13204  {\usekomafont{footnoterule}{%
13205    \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
13206  \kern 2.6\p@\hfil\endR}%
13207 \renewcommand*\maketitle[1][1]{%

```

```

13208 \if@titlepage
13209   \begin{titlepage}
13210     \setcounter{page}{%
13211       #1%
13212     }%
13213     \let\footnotesize\small
13214     \let\right@footnoterule\relax
13215     \let\left@footnoterule\relax
13216     \let\textwidth@footnoterule\relax
13217     \let\footnote\thanks
13218     \let\LTRfootnote\LTRthanks
13219     \let\RTLfootnote\RTLthanks
13220     \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
13221     \let\@oldmakefnmark\@makefnmark
13222     \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
13223     \ifx\@extratitle\empty \else
13224       \noindent\@extratitle\next@tpage\cleardoubleemptypage
13225       \thispagestyle{\empty}%
13226     \fi
13227     \setparsizes{\z@}{\z@}{\z@+\@plus 1fil}\par@updaterelative
13228     \ifx\@titlehead\empty \else
13229       \begin{minipage}[t]{\textwidth}%
13230         \begin{titlehead}
13231           \end{minipage}\par
13232       \fi
13233       \null\fill
13234       \begin{center}
13235         \ifx\@subject\empty \else
13236           {\@subject\font \@subject \par}%
13237           \vskip 3em
13238         \fi
13239         {\@titlefont\huge \begin{title}\par}%
13240         \vskip 1em
13241         {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13242         \vskip 2em
13243         {\Large \lineskip 0.75em
13244           \begin{tabular}[t]{c}
13245             \begin{author}
13246               \end{tabular}\par
13247             }%
13248             \vskip 1.5em
13249             {\Large \begin{date}\par}%
13250             \vskip \z@ \@plus3fill
13251             {\Large \begin{publishers}\par}%
13252             \vskip 3em
13253             \end{center}\par
13254             \begin{thanks}
13255             \vfill\null
13256             \if@twoside\next@tpage
13257               \begin{minipage}[t]{\textwidth}

```

```

13258          \@uppertitleback
13259      \end{minipage}\par
13260      \vfill
13261      \begin{minipage}[b]{\textwidth}
13262          \@lowertitleback
13263      \end{minipage}
13264  \fi
13265  \ifx\@dedication\empty \else
13266      \next@tpage\null\vfill
13267      {\centering \Large \@dedication \par}%
13268      \vskip \z@ \oplus3fill
13269      \if@twoside \next@tpage\cleardoubleemptypage \fi
13270  \fi
13271  \end{titlepage}
13272 \else
13273     \par
13274     \tempcnta=%
13275     #1%
13276     \relax\ifnum\tempcnta=1\else
13277         \ClassWarning{\KOMAClassName}{%
13278             Optional argument of \string\maketitle\space ignored
13279             at\MessageBreak
13280             notitlepage-mode%
13281         }%
13282     \fi
13283     \begingroup
13284         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13285         \let\oldmakefnmark\makefnmark
13286         \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
13287         \if@twocolumn
13288             \ifnum \col@number=\@ne
13289                 \maketitle
13290             \else
13291                 \twocolumn[\maketitle]%
13292             \fi
13293         \else
13294             \newpage
13295             \global\topnum\z@%
13296             \maketitle
13297         \fi
13298         \thispagestyle{\titlepagestyle}\@thanks
13299     \endgroup
13300 \fi
13301 \setcounter{footnote}{0}%
13302 \let\thanks\relax
13303 \let\LTRthanks\relax
13304 \let\RTLthanks\relax
13305 \let\maketitle\relax
13306 \let\@maketitle\relax
13307 \global\let\@thanks\empty

```

```

13308  \global\let\@author\@empty
13309  \global\let\@date\@empty
13310  \global\let\@title\@empty
13311  \global\let\@subtitle\@empty
13312  \global\let\@extratitle\@empty
13313  \global\let\@titlehead\@empty
13314  \global\let\@subject\@empty
13315  \global\let\@publishers\@empty
13316  \global\let\@uppertitleback\@empty
13317  \global\let\@lowertitleback\@empty
13318  \global\let\@dedication\@empty
13319  \global\let\author\relax
13320  \global\let\title\relax
13321  \global\let\extratitle\relax
13322  \global\let\titlehead\relax
13323  \global\let\subject\relax
13324  \global\let\publishers\relax
13325  \global\let\uppertitleback\relax
13326  \global\let\lowertitleback\relax
13327  \global\let\dedication\relax
13328  \global\let\date\relax
13329  \global\let\and\relax
13330 }%
13331 \renewcommand*{\@maketitle}{%
13332  \clearpage
13333  \let\footnote\thanks
13334  \let\LTRfootnote\LTRthanks
13335  \let\RTLfootnote\RTLthanks
13336  \ifx\@extratitle\@empty \else
13337   \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
13338 \fi
13339 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
13340 \ifx\@titlehead\@empty \else
13341   \begin{minipage}[t]{\textwidth}
13342     \begin{titlehead}
13343       \end{minipage}\par
13344 \fi
13345 \null
13346 \vskip 2em%
13347 \begin{center}%
13348   \ifx\@subject\@empty \else
13349     {\subject\font\@subject \par}
13350     \vskip 1.5em
13351   \fi
13352   {\titlefont\huge \title \par}%
13353   \vskip .5em
13354   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13355   \vskip 1em
13356   {\Large
13357     \lineskip .5em%

```

```

13358 \begin{tabular}[t]{c}
13359     @author
13360     \end{tabular}\par
13361 }%
13362 \vskip 1em%
13363 {\Large @date \par}%
13364 \vskip \z@ \@plus 1em
13365 {\Large @publishers \par}
13366 \ifx@\dedication\empty \else
13367     \vskip 2em
13368     {\Large @dedication \par}
13369 \fi
13370 \end{center}%
13371 \par
13372 \vskip 2em
13373 }%
13374 \renewcommand*\l@part[2]{%
13375     \ifnum \c@tocdepth >\m@ne\relax
13376         \addpenalty{\secpenalty}%
13377         \addvspace{2.25em \@plus\p@}%
13378         \setlength{\tempdima}{2em}%
13379         \if@tocleft
13380             \ifx\toc@l@number\empty\else
13381                 \setlength{\tempdima}{\toc@l@number}%
13382             \fi
13383         \fi
13384         \begingroup
13385             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
13386             \parfillskip -\pnumwidth
13387             \leavevmode
13388             \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13389             \hskip -\if@RTL\rightskip\else\leftskip\fi
13390             \usekomafont{partentry}{\#1\nobreak
13391                 \usekomafont{partentrypagenumber}{\hfil\nobreak
13392                     \hb@xt@{\pnumwidth{\hss\#2}}}\par
13393             \ifnum \scr@compatibility>@\nameuse{scr@v@2.96}\relax
13394             \endgroup
13395             \penalty20010
13396         \else
13397             \if@compatibility
13398                 \global\nobreaktrue
13399                 \everypar{\global\nobreakfalse\everypar{}}
13400             \else
13401                 \penalty\highpenalty
13402             \fi
13403         \endgroup
13404     \fi
13405 }%
13406 }%
13407 \renewcommand*\l@section[2]{%

```

```

13408 \ifnum \c@tocdepth >\z@
13409   \ifnum \lastpenalty<20009
13410     \addpenalty{\@secpenalty}%
13411   \fi
13412   \addvspace{1.0em \oplus \p@}%
13413   \setlength{\tempdima{1.5em}}%
13414   \if@tocleft
13415     \ifx\toc@l@number\empty\else
13416       \setlength{\tempdima{0\toc@l@number}}%
13417     \fi
13418   \fi
13419 \begingroup
13420   \raggedsectionentry
13421   \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \pnumwidth
13422   \parfillskip -\pnumwidth
13423   \interlinepenalty\@M
13424   \leavevmode
13425   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
13426   {\usekomafont{sectionentry}{\nobreak
13427     \usekomafont{sectionentrypagenumber}{\hfill\nobreak
13428       \hb@xt@\pnumwidth{\hss#2}}}\par
13429   \endgroup
13430   \ifnum \scr@compatibility>\nameuse{scr@v@2.96}\relax
13431     \penalty20008
13432   \fi
13433   \fi
13434 \fi
13435 }
13436 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
13437 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
13438 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
13439 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
13440 \renewcommand*{\thesubsubsection}{%
13441   \thesubsection\@SepMark\@arabic\c@subsubsection
13442 }
13443 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13444 \renewcommand*{\thesubparagraph}{%
13445   \theparagraph\@SepMark\@arabic\c@subparagraph
13446 }
13447 \renewenvironment{thebibliography}[1]{%
13448   \if@bib@break@
13449     \bib@beginhook
13450   \else
13451     \bib@heading
13452     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
13453       \noindent\bibpreamble\par\nobreak
13454     \fi\fi
13455     \bib@beginhook
13456     \bib@before@hook
13457   \fi

```

```

13458 \renewcommand{\BreakBibliography}[1]{%
13459   \@bib@break
13460   \end{thebibliography}%
13461   \begingroup ##1\endgroup
13462   \begin{thebibliography}{#1}
13463 }%
13464 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13465 \list{%
13466   \@biblabel{\@arabic\c@enumiv}%
13467 }{%
13468   \settowidth\labelwidth{\@biblabel{#1}}%
13469   \leftmargin\labelwidth
13470   \advance\leftmargin\labelsep
13471   \openbib@code
13472   \if@bib@break@
13473     \edef\@tempa{%
13474       \noexpand\usecounter{enumiv}%
13475       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
13476     }\@tempa
13477     \no@bib@break
13478   \else
13479     \usecounter{enumiv}%
13480   \fi
13481   \let\p@enumiv\empty
13482   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
13483 }%
13484 \sloppy\clubpenalty4000 \widowpenalty4000
13485 \sfcode`.=\@m
13486 }{%
13487   \if@bib@break@
13488     \def\@noitemerr{%
13489       \@latex@warning{%
13490         \string\BreakBibliography\space at begin of ‘thebibliography’
13491         environment\MessageBreak
13492         or following \string\BreakBibliography}%
13493     }%
13494   \else
13495     \def\@noitemerr{%
13496       \@latex@warning{%
13497         Empty ‘thebibliography’ environment or
13498         \string\BreakBibliography\MessageBreak
13499         before end of ‘thebibliography’ environment}%
13500     }%
13501   \fi
13502   \endlist
13503   \if@bib@break@
13504   \else
13505     \bib@after@hook
13506     \let\bib@before@hook\empty
13507     \let\bib@after@hook\empty

```

```

13508   \fi
13509   \bib@endhook
13510 }
13511 \renewcommand*\left@footnoterule{%
13512   \kern-3\p@
13513   \ifx\@textbottom\relax\else\vskip \z@ \o@plus.05fil\fi
13514   \hrule\@width.4\columnwidth
13515   \kern 2.6\p@}
13516 \renewcommand*\right@footnoterule{%
13517   \hbox to \columnwidth
13518   {\beginR \vbox{%
13519     \kern-3\p@
13520     \ifx\@textbottom\relax\else\vskip \z@ \o@plus.05fil\fi
13521     \hrule\@width.4\columnwidth
13522     \kern 2.6\p@\hfil\endR}}
13523 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
13524 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
13525 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
13526 \renewcommand\marginline[1]{%
13527   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright{#1}}}
13528 }
13529 \renewcommand{\@makecaption}[3]{%
13530   \cap@margin
13531   \ifonelinecaptions
13532     \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
13533     \let\scr@tmp@footnotetext=\footnotetext
13534     \let\@footnotetext=\gobble
13535     \let\scr@tmp@LTRfootnotetext=\LTRfootnotetext
13536     \let\@LTRfootnotetext=\gobble
13537     \let\scr@tmp@RTLfootnotetext=\RTLfootnotetext
13538     \let\@RTLfootnotetext=\gobble
13539     \sbox\@tempboxa{%
13540       \capfont{\strut\ignorespaces
13541         #1{\caplabelfont{#2\captionformat}}%
13542         #3\unskip\strut}}%
13543     }%
13544     \let\@footnotetext=\scr@tmp@footnotetext
13545     \let\scr@tmp@footnotetext=\undefined
13546     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
13547     \let\scr@tmp@LTRfootnotetext=\undefined
13548     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
13549     \let\scr@tmp@RTLfootnotetext=\undefined
13550     \setcounter{footnote}{\tempcntb}%
13551     \setcounter{mpfootnote}{\tempcnta}%
13552   \else
13553     \sbox\@tempboxa{\hspace*{2\cap@width}}%
13554   \fi
13555   \begingroup%
13556     \setlength{\tempdima}{\cap@width}%
13557     \ifdim \wd\@tempboxa >\tempdima

```

```

13558 \hb@xt@{\hspace{%
13559   \setbox\@tempboxa\vbox{\hspace=\cap@width
13560     \ifdofullc@p
13561       {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
13562         #1{\caplabelfont{\#2\captionformat}}}}}}%
13563       {\#3\unskip\strut\par}}}}%
13564 \else%
13565   \ifdim\cap@indent<\z@
13566     {\capfont{\strut\ignorespaces
13567       #1{\caplabelfont{\#2\captionformat\par}}}}%
13568       \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
13569 \else%
13570   \if@capbreak
13571     {\capfont{\strut\ignorespaces
13572       #1{\caplabelfont{\#2\captionformat\par}}}}%
13573       \noindent\@hangfrom{\hspace*\cap@indent}{\#3\par}}}}%
13574 \else
13575   {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*\cap@indent}}}}%
13576   {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
13577     {\caplabelfont{\#2\captionformat}}}}\#3\unskip\strut\par}}}}%
13578   \fi
13579   \fi
13580   \fi
13581 }%
13582 \setlength{\@tempdima}{\ht\@tempboxa}%
13583 \addtolength{\@tempdima}{\dp\@tempboxa}%
13584 \addtolength{\@tempdima}{-\ht\strutbox}%
13585 \ht\@tempboxa\ht\strutbox
13586 \dp\@tempboxa\@tempdima
13587 \strut\cap@left
13588 \box\@tempboxa
13589 \cap@right\strut
13590 }%
13591 \else
13592   \global \ominipagefalse
13593   \sbox\@tempboxa{%
13594     {\capfont{\scr@smashdp{\strut\ignorespaces
13595       #1{\caplabelfont{\#2\captionformat}}}}}}%
13596       #3}}%
13597   }%
13598   {\capfont{\hb@xt@{\hspace{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}}}%
13599   \fi
13600 \endgroup
13601 }
13602 \renewcommand{\@makecaption}[2]{%
13603   \if@captionabove
13604     \vskip\belowcaptionskip
13605   \else
13606     \vskip\abovecaptionskip
13607   \fi

```

```

13608  \@@makecaption\@firstofone{\#1}{\#2}%
13609  \if@captionabove
13610    \vskip\abovecaptionskip
13611  \else
13612    \vskip\belowcaptionskip
13613  \fi
13614 }

```

7.97 scrbook-xetex-bidi.def

```

13615 \ProvidesFile{scrbook-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrbook class for
13616 \newcommand{\scr@saved@LTRfootnotetext}{}
13617 \newcommand{\scr@saved@RTLfootnotetext}{}
13618 \let\scr@saved@footnotetext\@footnotetext
13619 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
13620 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
13621 \renewcommand{\@footnotetext}[1]{%
13622   \scr@saved@footnotetext{\#1}%
13623   \csname FN@mf@prepare\endcsname
13624 }
13625 \renewcommand{\@LTRfootnotetext}[1]{%
13626   \scr@saved@LTRfootnotetext{\#1}%
13627   \csname FN@mf@prepare\endcsname
13628 }
13629 \renewcommand{\@RTLfootnotetext}[1]{%
13630   \scr@saved@RTLfootnotetext{\#1}%
13631   \csname FN@mf@prepare\endcsname
13632 }
13633 \renewcommand\deffootnote[4][]{%
13634   \long\def\@makefntext##1{%
13635     \setlength{\@tempdimc}{#3}%
13636     \def\@tempa{#1}\ifx\@tempa\@empty
13637       \setpar{\@par
13638         \tempdima = \hsize
13639         \addtolength{\tempdima}{-\#2}%
13640         \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
13641     \else
13642       \addtolength{\tempdimc}{\#2}%
13643       \addtolength{\tempdimc}{-\#1}%
13644     \setpar{\@par
13645       \tempdima = \hsize
13646       \addtolength{\tempdima}{-\#1}%
13647       \tempdimb = \hsize
13648       \addtolength{\tempdimb}{-\#2}%
13649       \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
13650     }%
13651   \fi
13652   \par
13653   \parindent\tempdimc\noindent
13654   \ftn@font\hbox to \z@\{\hss\@makefnmark\}##1%

```

```

13655  }%
13656  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}\%
13657 }
13658 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
13659 \renewcommand*\left@footnoterule{%
13660  \normalsize\ftn@rule@test@values
13661  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13662  \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
13663  {\usekomafont{footnoterule}{%
13664   \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
13665  \kern 2.6\p@}
13666 \renewcommand*\right@footnoterule{%
13667  \hbox to \columnwidth
13668  {\beginR \vbox{\kern -3\p@
13669  \normalsize\ftn@rule@test@values
13670  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13671  \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
13672  {\usekomafont{footnoterule}{%
13673   \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
13674  \kern 2.6\p@\hfil\endR}}
13675 \renewcommand*\maketitle[1][1]{%
13676  \if@titlepage
13677   \begin{titlepage}
13678     \setcounter{page}{%
13679       #1}%
13680     }%
13681     \let\footnotesize\small
13682     \let\right@footnoterule\relax
13683     \let\left@footnoterule\relax
13684     \let\textwidth@footnoterule\relax
13685     \let\footnote\thanks
13686     \let\LTRfootnote\LTRthanks
13687     \let\RTLfootnote\RTLthanks
13688     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13689     \let\oldmakefnmark\makefnmark
13690     \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
13691     \ifx\@extratitle\empty \else
13692       \noindent\@extratitle\next@tpage\cleardoubleemptypage
13693       \thispagestyle{\empty}%
13694     \fi
13695     \setparsizes{\z@}{\z@}{\z@\oplus 1fil}\par@updaterelative
13696     \ifx\@titlehead\empty \else
13697       \begin{minipage}[t]{\textwidth}%
13698         \begin{titlehead}
13699           \end{minipage}\par
13700       \fi
13701       \null\fill
13702       \begin{center}
13703         \ifx\@subject\empty \else
13704           \subject@font \subject \par\%

```

```

13705          \vskip 3em
13706          \fi
13707          {(\titlefont\huge \@title\par}%
13708          \vskip 1em
13709          {(\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13710          \vskip 2em
13711          {\Large \lineskip 0.75em
13712          \begin{tabular}[t]{c}
13713          \author
13714          \end{tabular}\par
13715          }%
13716          \vskip 1.5em
13717          {(\Large \@date \par}%
13718          \vskip \z@ \oplus3fill
13719          {(\Large \@publishers \par}%
13720          \vskip 3em
13721          \end{center}\par
13722          \thanks
13723          \vfill\null
13724          \if@twoside\next@tpage
13725          \begin{minipage}[t]{\textwidth}
13726          \uppertitleback
13727          \end{minipage}\par
13728          \vfill
13729          \begin{minipage}[b]{\textwidth}
13730          \lowertitleback
13731          \end{minipage}
13732          \fi
13733          \ifx\@dedication\@empty \else
13734          \next@tpage\null\vfill
13735          {(\centering \Large \@dedication \par}%
13736          \vskip \z@ \oplus3fill
13737          \if@twoside \next@tpage\cleardoubleemptypage \fi
13738          \fi
13739          \end{titlepage}
13740      \else
13741          \par
13742          \tempcnta=%
13743          #1%
13744          \relax\ifnum\tempcnta=1\else
13745          \ClassWarning{\KOMAClassName}{%
13746              Optional argument of \string\maketitle\space ignored
13747              at\MessageBreak
13748              notitlepage-mode}%
13749          }%
13750          \fi
13751          \begingroup
13752          \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13753          \let\oldmakefnmark\makefnmark
13754          \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}

```

```

13755     \if@twocolumn
13756         \ifnum \col@number=\@ne
13757             \maketitle
13758         \else
13759             \twocolumn[\maketitle]%
13760         \fi
13761     \else
13762         \newpage
13763         \global\@topnum\z@
13764         \maketitle
13765     \fi
13766     \thispagestyle{\titlepagestyle}\@thanks
13767     \endgroup
13768 \fi
13769 \setcounter{footnote}{0}%
13770 \let\thanks\relax
13771 \let\LTRthanks\relax
13772 \let\RTLthanks\relax
13773 \let\maketitle\relax
13774 \let\@maketitle\relax
13775 \global\let\@thanks\@empty
13776 \global\let\@author\@empty
13777 \global\let\@date\@empty
13778 \global\let\@title\@empty
13779 \global\let\@subtitle\@empty
13780 \global\let\@extratitle\@empty
13781 \global\let\@titlehead\@empty
13782 \global\let\@subject\@empty
13783 \global\let\@publishers\@empty
13784 \global\let\@uppertitleback\@empty
13785 \global\let\@lowertitleback\@empty
13786 \global\let\@dedication\@empty
13787 \global\let\@author\relax
13788 \global\let\@title\relax
13789 \global\let\@extratitle\relax
13790 \global\let\@titlehead\relax
13791 \global\let\@subject\relax
13792 \global\let\@publishers\relax
13793 \global\let\@uppertitleback\relax
13794 \global\let\@lowertitleback\relax
13795 \global\let\@dedication\relax
13796 \global\let\@date\relax
13797 \global\let\and\relax
13798 }%
13799 \renewcommand*{\maketitle}{%
13800     \clearpage
13801     \let\footnote\thanks
13802     \let\LTRfootnote\LTRthanks
13803     \let\RTLfootnote\RTLthanks
13804     \ifx\@extratitle\@empty \else

```

```

13805      \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
13806  \fi
13807  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
13808  \ifx\@titlehead\@empty \else
13809    \begin{minipage}[t]{\textwidth}
13810      \@titlehead
13811    \end{minipage}\par
13812  \fi
13813  \null
13814  \vskip 2em%
13815  \begin{center}%
13816    \ifx\@subject\@empty \else
13817      {\@subject\font \@subject \par}
13818      \vskip 1.5em
13819    \fi
13820    {\@titlefont\huge \@title \par}%
13821    \vskip .5em
13822    {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13823    \vskip 1em
13824    {\Large
13825      \lineskip .5em%
13826      \begin{tabular}[t]{c}
13827        \author
13828      \end{tabular}\par
13829    }%
13830    \vskip 1em%
13831    {\Large \@date \par}%
13832    \vskip \z@ \@plus 1em
13833    {\Large \@publishers \par}
13834    \ifx\@dedication\@empty \else
13835      \vskip 2em
13836      {\Large \@dedication \par}
13837    \fi
13838  \end{center}%
13839  \par
13840  \vskip 2em
13841 }%
13842 \renewcommand*\@part[2]{%
13843   \ifnum \c@tocdepth >-2\relax
13844     \addpenalty{-\@highpenalty}%
13845     \addvspace{2.25em \@plus\p@}%
13846     \setlength{\@tempdima}{2em}%
13847     \if@tocleft
13848       \ifx\toc@l@number\@empty\else
13849         \setlength{\@tempdima{0\toc@l@number}}%
13850       \fi
13851     \fi
13852     \begingroup
13853       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
13854       \parfillskip -\c@pnumwidth

```

```

13855   \leavevmode
13856   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13857   \hskip -\if@RTL\rightskip\else\leftskip\fi
13858   {\usekomafont{partentry}{\#1\nobreak
13859     \usekomafont{partentrypagenumber}{\hfil\nobreak
13860       \hb@xt@{\pnumwidth{\hss\#2}}}\par
13861     \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13862     \endgroup
13863     \penalty20010
13864   \else
13865     \penalty\@highpenalty
13866   \endgroup
13867   \fi
13868 \fi
13869 }\renewcommand*\l@part[2]{%
13870   \ifnum \c@tocdepth >-2\relax
13871     \addpenalty{-\@highpenalty}%
13872     \addvspace{2.25em \oplus\p@}%
13873     \setlength{\@tempdima}{2em}%
13874     \if@tocleft
13875       \fix\toc@l@number\empty\else
13876         \setlength{\@tempdima{0\toc@l@number}}%
13877       \fi
13878 \fi
13879 \begingroup
13880   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
13881   \parfillskip -\pnumwidth
13882   \leavevmode
13883   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13884   \hskip -\if@RTL\rightskip\else\leftskip\fi
13885   {\usekomafont{partentry}{\#1\nobreak
13886     \usekomafont{partentrypagenumber}{\hfil\nobreak
13887       \hb@xt@{\pnumwidth{\hss\#2}}}\par
13888     \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13889     \endgroup
13890     \penalty20010
13891   \else
13892     \penalty\@highpenalty
13893   \endgroup
13894   \fi
13895 \fi
13896 }
13897 \renewcommand*\l@chapter[2]{%
13898   \ifnum \c@tocdepth >\m@ne
13899     \ifnum \lastpenalty<20010
13900       \addpenalty{-\@highpenalty}%
13901     \fi
13902     \vskip 1.0em \oplus\p@%
13903     \setlength{\@tempdima}{1.5em}%
13904     \if@tocleft

```

```

13905      \ifx\toc@l@number\@empty\else
13906          \setlength\@tempdima{0\toc@l@number}%
13907      \fi
13908  \fi
13909  \begingroup
13910      \raggedchapterentry
13911      \parindent\z@\advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13912      \parfillskip -\@pnumwidth
13913      \interlinepenalty\@M
13914      \leavevmode
13915      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
13916      {\usekomafont{chapterentry}{\#1}\nobreak
13917          \usekomafont{chapterentrypagenumber}{%
13918              \hfill\nobreak
13919              \hb@xt@\@pnumwidth{\hss\#2}}}\par
13920      \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13921      \endgroup
13922      \penalty20009
13923      \else
13924          \penalty\@highpenalty
13925      \endgroup
13926  \fi
13927  \fi
13928 }
13929 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
13930 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
13931 \renewcommand*\thesection{%
13932     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
13933         \if@mainmatter\thechapter\@SepMark\fi
13934     \else
13935         \thechapter\@SepMark%
13936     \fi
13937     \@arabic\c@section
13938 }
13939 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
13940 \renewcommand*\thesubsubsection{%
13941     \thesubsection\@SepMark\@arabic\c@subsubsection
13942 }
13943 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13944 \renewcommand*\thesubparagraph{%
13945     \theparagraph\@SepMark\@arabic\c@subparagraph
13946 }
13947 \renewcommand*\thefigure{%
13948     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
13949         \if@mainmatter\thechapter\@SepMark\fi
13950     \else
13951         \thechapter\@SepMark%
13952     \fi
13953     \@arabic\c@figure
13954 }

```

```

13955 \renewcommand*\thetable{%
13956   \ifnum \scr@compatibility>\@nameuse{scr@v02.97d}\relax
13957     \if@mainmatter\thechapter\@SepMark\fi
13958   \else
13959     \thechapter\@SepMark%
13960   \fi
13961   \@arabic\c@table
13962 }
13963 \renewcommand*\theequation{%
13964   \ifnum \scr@compatibility>\@nameuse{scr@v02.97d}\relax
13965     \if@mainmatter\thechapter\@SepMark\fi
13966   \else
13967     \thechapter\@SepMark%
13968   \fi
13969   \@arabic\c@equation
13970 }
13971 \renewenvironment{thebibliography}[1]{%
13972   \if@bib@break@
13973     \bib@beginhook
13974   \else
13975     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
13976       \setchapterpreamble{\bibpreamble}%
13977     \fi\fi
13978     \bib@heading
13979     \bib@beginhook
13980     \bib@before@hook
13981   \fi
13982   \renewcommand{\BreakBibliography}[1]{%
13983     \bib@break
13984     \end{thebibliography}%
13985     \begingroup ##1\endgroup
13986     \begin{thebibliography}{#1}
13987   }%
13988   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13989   \list{%
13990     \biblabel{\@arabic\c@enumiv}%
13991   }{%
13992     \settowidth\labelwidth{\@biblabel{#1}}%
13993     \leftmargin\labelwidth
13994     \advance\leftmargin\labelsep
13995     \openbib@code
13996     \if@bib@break@
13997       \edef\@tempa{%
13998         \noexpand\usecounter{enumiv}%
13999         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
14000       }\@tempa
14001       \no@bib@break
14002     \else
14003       \usecounter{enumiv}%
14004     \fi

```

```

14005     \let\p@enumiv\@empty
14006     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14007   }%
14008   \sloppy\clubpenalty4000 \widowpenalty4000
14009   \sfcode`\.=\@m
14010 }{%
14011   \if@bib@break@
14012     \def\@noitemerr{%
14013       \@latex@warning{%
14014         \string\BreakBibliography\space at begin of ‘thebibliography’
14015         environment\MessageBreak
14016         or following \string\BreakBibliography}%
14017     }%
14018   \else
14019     \def\@noitemerr{%
14020       \@latex@warning{%
14021         Empty ‘thebibliography’ environment or
14022         \string\BreakBibliography\MessageBreak
14023         before end of ‘thebibliography’ environment}%
14024     }%
14025   \fi
14026   \endlist
14027   \if@bib@break@
14028   \else
14029     \bib@after@hook
14030     \let\bib@before@hook\@empty
14031     \let\bib@after@hook\@empty
14032   \fi
14033   \bib@endhook
14034 }
14035 \renewcommand*\left@footnoterule{%
14036   \kern-3\p@
14037   \ifx\@textbottom\relax\else\vskip \z@ \oplus .05fil\fi
14038   \hrule\@width.4\columnwidth
14039   \kern 2.6\p@}
14040 \renewcommand*\right@footnoterule{%
14041   \hbox to \columnwidth
14042   {\beginR \vbox{%
14043     \kern-3\p@
14044     \ifx\@textbottom\relax\else\vskip \z@ \oplus .05fil\fi
14045     \hrule\@width.4\columnwidth
14046     \kern 2.6\p@\hfil\endR}}
14047 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
14048 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
14049 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
14050 \renewcommand\marginline[1]{%
14051   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\if@RTL\raggedleft\else\raggedright\fi
14052 }
14053 \renewcommand{\@makecaption}[3]{%
14054   \cap@margin

```

```

14055 \ifonelinecaptions
14056   \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
14057   \let\scr@tmp@footnotetext=\footnotetext
14058   \let\@footnotetext=\gobble
14059   \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14060   \let\@LTRfootnotetext=\gobble
14061   \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14062   \let\@RTLfootnotetext=\gobble
14063   \sbox@\tempboxa{%
14064     {\capfont{\strut\ignorespaces
14065       #1{\caplabelfont{\#2\captionformat}}}}%
14066       #3\unskip\strut}}%
14067   }%
14068   \let\footnotetext=\scr@tmp@footnotetext
14069   \let\scr@tmp@footnotetext=\undefined
14070   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14071   \let\scr@tmp@LTRfootnotetext=\undefined
14072   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
14073   \let\scr@tmp@RTLfootnotetext=\undefined
14074   \setcounter{footnote}{\tempcntb}%
14075   \setcounter{mpfootnote}{\tempcnta}%
14076 \else
14077   \sbox@\tempboxa{\hspace*{2\cap@width}}%
14078 \fi
14079 \begingroup%
14080   \setlength{\tempdima}{\cap@width}%
14081   \ifdim \wd\tempboxa >\tempdima
14082     \hb@xt@\hspace{%
14083       \setbox\tempboxa\vbox{\hspace=\cap@width
14084         \ifdofullc@p
14085           {\capfont{\hangfrom{\scr@smashdp{\strut\ignorespaces
14086             #1{\caplabelfont{\#2\captionformat}}}}}}%
14087             #3\unskip\strut\par}}}}%
14088   \else%
14089     \ifdim\cap@indent<\z@
14090       {\capfont{\strut\ignorespaces
14091         #1{\caplabelfont{\#2\captionformat\par}}}}%
14092         \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
14093   \else%
14094     \if@capbreak
14095       {\capfont{\strut\ignorespaces
14096         #1{\caplabelfont{\#2\captionformat\par}}}}%
14097         \noindent\hangfrom{\hspace*\cap@indent}{#3\par}}}}%
14098   \else
14099     {\capfont{\hangfrom{\scr@smashdp{\strut\hspace*\cap@indent}}}}%
14100       {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
14101         {\caplabelfont{\#2\captionformat}}}}#3\unskip\strut\par}}}}%
14102   \fi
14103 \fi
14104 \fi

```

```

14105      }%
14106      \setlength{\@tempdima}{\ht\@tempboxa}%
14107      \addtolength{\@tempdima}{\dp\@tempboxa}%
14108      \addtolength{\@tempdima}{-\ht\strutbox}%
14109      \ht\@tempboxa\ht\strutbox
14110      \dp\@tempboxa\@tempdima
14111      \strut\cap@left
14112      \box\@tempboxa
14113      \cap@right\strut
14114      }%
14115  \else
14116      \global \ominipagefalse
14117      \sbox\@tempboxa{%
14118          {\capfont{\scr@smashdp{\strut\ignorespaces
14119              #1{\caplabelfont{\#2\captionformat}}}}}}%
14120          #3}}%
14121      }%
14122      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\c
14123      \fi
14124      \endgroup
14125 }
14126 \renewcommand{\@makecaption}[2]{%
14127     \if@captionabove
14128         \vskip\belowcaptionskip
14129     \else
14130         \vskip\abovecaptionskip
14131     \fi
14132     \@@makecaption\@firstofone{\#1}{\#2}%
14133     \if@captionabove
14134         \vskip\abovecaptionskip
14135     \else
14136         \vskip\belowcaptionskip
14137     \fi
14138 }

```

7.98 **scrlettr-xetex-bidi.def**

```

14139 \ProvidesFile{scrlettr-xetex-bidi.def}[2011/09/24 v0.2 bidi adaptations for scrlettr class fo
14140 \renewcommand\deffootnote[4][]{%
14141     \long\def\@makefntext##1{%
14142         \edef\@tempa{\ifx\@tempa\empty
14143             \setpar{\@par
14144                 \tempdima = \hsize
14145                 \addtolength{\tempdima}{-\#2}
14146                 \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
14147         \else
14148             \setpar{\@par
14149                 \tempdima = \hsize
14150                 \addtolength{\tempdima}{-\#1}
14151                 \tempdimb = \hsize

```

```

14152      \addtolength{\@tempdimb}{-#2}
14153      \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima
14154      \fi
14155      \par
14156      \parindent #3\noindent
14157      \hbox to \z@\{\hss\@@makefnmark\##1\}
14158      \def\@@makefnmark{\hbox{#4}}
14159 }
14160 \def\footnote[1em]{1.5em}{1em}
14161   {\textsuperscript{\thefootnotemark}}
14162 \def\left@footnoterule{\kern-1\p@
14163   \hrule width 0.4\columnwidth
14164   \kern .6\p@}
14165 \def\right@footnoterule{%
14166   \hbox to \columnwidth
14167   {\beginR \vbox{\kern -3\p@
14168   \kern-1\p@
14169   \hrule width 0.4\columnwidth
14170   \kern .6\p@}\hfil\endR}}
14171 \def\@datefield{\@reffalse
14172   \ifx\varyourref\@empty \else \creftrue \fi
14173   \ifx\varyourmail\@empty \else \creftrue \fi
14174   \ifx\varmyref\@empty \else \creftrue \fi
14175   \ifx\varcustomer\@empty \else \creftrue \fi
14176   \ifx\varinvoice\@empty \else \creftrue \fi
14177   \ifx\varrefitemi\@empty \else \creftrue \fi
14178   \ifx\varrefitemii\@empty \else \creftrue \fi
14179   \ifx\varrefitemiii\@empty \else \creftrue \fi
14180   \vskip -\parskip
14181   \vskip \refvskip
14182   \if@ref
14183     \ifx\varyourref\@empty \else
14184       \settowidth{\sc@temp}{\varyourref}
14185       \setbox0\hbox{\scriptsize \sf \yourrefname}
14186       \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14187       \parbox[t]{\sc@temp}{\noindent \box0\par \varyourref}\hfill
14188     \fi
14189     \ifx\varyourmail\@empty \else
14190       \settowidth{\sc@temp}{\varyourmail}
14191       \setbox0\hbox{\scriptsize \sf \yourmailname}
14192       \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14193       \parbox[t]{\sc@temp}{\noindent \box0\par \varyourmail}\hfill
14194     \fi
14195     \ifx\varmyref\@empty \else
14196       \settowidth{\sc@temp}{\varmyref}
14197       \setbox0\hbox{\scriptsize \sf \myrefname}
14198       \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14199       \parbox[t]{\sc@temp}{\noindent \box0\par \varmyref}\hfill
14200     \fi
14201   \ifx\varcustomer\@empty \else

```

```

14202  \settowidth{\sc@temp}{\varcustomer}
14203  \setbox0\hbox{\scriptsize \sf \customername}
14204  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14205  \parbox[t]{\sc@temp}{\noindent \box0\par \varcustomer}\hfill
14206  \fi
14207  \ifx\varinvoice\empty \else
14208  \settowidth{\sc@temp}{\varinvoice}
14209  \setbox0\hbox{\scriptsize \sf \invoicename}
14210  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14211  \parbox[t]{\sc@temp}{\noindent \box0\par \varinvoice}\hfill
14212  \fi
14213  \ifx\varrefitemi\empty \else
14214  \settowidth{\sc@temp}{\varrefitemi}
14215  \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
14216  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14217  \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemi}\hfill
14218  \fi
14219  \ifx\varrefitemii\empty \else
14220  \settowidth{\sc@temp}{\varrefitemii}
14221  \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
14222  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14223  \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
14224  \fi
14225  \ifx\varrefitemiii\empty \else
14226  \settowidth{\sc@temp}{\varrefitemiii}
14227  \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
14228  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14229  \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
14230  \fi
14231  \ifx\@date\empty \else
14232  \settowidth{\sc@temp}{\@date}
14233  \setbox0\hbox{\scriptsize \sf \datename}
14234  \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14235  \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
14236  \fi
14237  \par
14238  \vspace{2.5\baselineskip}
14239  \else
14240  {\ifx\@date\empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
14241  \vspace{1.5\baselineskip}
14242  \fi}
14243 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
14244 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
14245 -\sigindent \hspace{\sigindent}%
14246 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@sk
14247 \fromsig\strut}\par
14248 \vspace{1.5\baselineskip}}

```

7.99 scrreprt-xetex-bidi.def

```

14249 \ProvidesFile{scrreprt-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrreprt class fo
14250 \newcommand{\scr@saved@LTRfootnotetext}{}
14251 \newcommand{\scr@saved@RTLfootnotetext}{}
14252 \let\scr@saved@footnotetext\@footnotetext
14253 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
14254 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
14255 \renewcommand{\@footnotetext}[1]{%
14256   \scr@saved@footnotetext{#1}%
14257   \csname FN@mf@prepare\endcsname
14258 }
14259 \renewcommand{\@LTRfootnotetext}[1]{%
14260   \scr@saved@LTRfootnotetext{#1}%
14261   \csname FN@mf@prepare\endcsname
14262 }
14263 \renewcommand{\@RTLfootnotetext}[1]{%
14264   \scr@saved@RTLfootnotetext{#1}%
14265   \csname FN@mf@prepare\endcsname
14266 }
14267 \renewcommand\deffootnote[4][]{%
14268   \long\def\@makefntext##1{%
14269     \setlength{\@tempdimc}{#3}%
14270     \def\@tempa{#1}\ifx\@tempa\empty
14271       \setpar{\@@par
14272         \@tempdima = \hsize
14273         \addtolength{\@tempdima}{-#2}%
14274         \if@RTL\parshape \one Opt \@tempdima\else\parshape \one #2 \@tempdima\fi}%
14275     \else
14276       \addtolength{\@tempdimc}{#2}%
14277       \addtolength{\@tempdimc}{-#1}%
14278       \setpar{\@@par
14279         \@tempdima = \hsize
14280         \addtolength{\@tempdima}{-#1}%
14281         \@tempdimb = \hsize
14282         \addtolength{\@tempdimb}{-#2}%
14283         \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdima\else\parshape \tw@ #1 \@tempdima
14284       }%
14285     \fi
14286     \par
14287     \parindent\@tempdimc\noindent
14288     \ftn@font\hbox to \z@\{\hss\@makefnmark\}##1%
14289   }%
14290   \def\@makefnmark{\hbox{\ftn@font{#4}}}%
14291 }
14292 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
14293 \renewcommand*\left@footnoterule{%
14294   \normalsize\ftn@rule@test@values
14295   \kern-.dimexpr 2.6\p@+\ftn@rule@height\relax
14296   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
14297   {\usekomafont{footnoterule}{%
14298     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%

```

```

14299 \kern 2.6\p@}
14300 \renewcommand*\right@footnoterule{%
14301 \hbox to \columnwidth
14302 {\beginR \vbox{\kern -3\p@
14303 \normalsize\ftn@rule@test@values
14304 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14305 \ifx\@textbottom\relax\else\vskip \z@ \o@plus.05fil\fi
14306 {\usekomafont{footnoterule}{%
14307 \hrule \o@height\ftn@rule@height \o@width\ftn@rule@width}}%
14308 \kern 2.6\p@\hfil\endR}}
14309 \renewcommand*\maketitle[1][1]{%
14310 \if@titlepage
14311 \begin{titlepage}
14312 \setcounter{page}{%
14313 #1%
14314 }%
14315 \let\footnotesize\small
14316 \let\right@footnoterule\relax
14317 \let\left@footnoterule\relax
14318 \let\textwidth@footnoterule\relax
14319 \let\footnote\thanks
14320 \let\LTRfootnote\LTRthanks
14321 \let\RTLfootnote\RTLthanks
14322 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14323 \let\oldmakefnmark\makefnmark
14324 \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
14325 \ifx\@extratitle\empty \else
14326 \noindent\@extratitle\next@tpage\cleardoubleemptypage
14327 \thispagestyle\empty%
14328 \fi
14329 \setparsizes{\z@}{\z@}{\z@ \o@plus 1fil}\par@updaterelative
14330 \ifx\@titlehead\empty \else
14331 \begin{minipage}[t]{\textwidth}%
14332 \begin{titlehead}
14333 \end{minipage}\par
14334 \fi
14335 \null\fill
14336 \begin{center}
14337 \ifx\@subject\empty \else
14338 {\@subject\font \@subject \par}%
14339 \vskip 3em
14340 \fi
14341 {\@titlefont\huge \o@title\par}%
14342 \vskip 1em
14343 {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14344 \vskip 2em
14345 {\Large \lineskip 0.75em
14346 \begin{tabular}[t]{c}
14347 \o@author
14348 \end{tabular}\par

```

```

14349      }%
14350      \vskip 1.5em
14351      {\Large \@date \par}%
14352      \vskip \z@ \oplus3fill
14353      {\Large \@publishers \par}%
14354      \vskip 3em
14355      \end{center}\par
14356      \@thanks
14357      \vfill\null
14358      \if@twoside\next@tpage
14359          \begin{minipage}[t]{\textwidth}
14360              \upperleftback
14361          \end{minipage}\par
14362          \vfill
14363          \begin{minipage}[b]{\textwidth}
14364              \lowerleftback
14365          \end{minipage}
14366      \fi
14367      \ifx\@dedication\empty \else
14368          \next@tpage\null\vfill
14369          \centering \Large \@dedication \par}%
14370          \vskip \z@ \oplus3fill
14371          \if@twoside \next@tpage\cleardoubleemptypage \fi
14372      \fi
14373      \end{titlepage}
14374  \else
14375      \par
14376      \tempcnta=%
14377      #1%
14378      \relax\ifnum\tempcnta=1\else
14379          \ClassWarning{\KOMAClassName}{%
14380              Optional argument of \string\maketitle\space ignored
14381              at\MessageBreak
14382              notitlepage-mode}%
14383      }%
14384  \fi
14385  \begingroup
14386      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14387      \let\oldmakefnmark\makefnmark
14388      \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
14389      \if@twocolumn
14390          \ifnum \col@number=\@ne
14391              \maketitle
14392          \else
14393              \twocolumn[\maketitle]%
14394          \fi
14395      \else
14396          \newpage
14397          \global\@topnum\z@
14398          \maketitle

```

```

14399      \fi
14400      \thispagestyle{\titlepagestyle}\@thanks
14401      \endgroup
14402 \fi
14403 \setcounter{footnote}{0}%
14404 \let\thanks\relax
14405 \let\LTRthanks\relax
14406 \let\RTLthanks\relax
14407 \let\maketitle\relax
14408 \let\@maketitle\relax
14409 \global\let\@thanks\@empty
14410 \global\let\@author\@empty
14411 \global\let\@date\@empty
14412 \global\let\@title\@empty
14413 \global\let\@subtitle\@empty
14414 \global\let\@extratitle\@empty
14415 \global\let\@titlehead\@empty
14416 \global\let\@subject\@empty
14417 \global\let\@publishers\@empty
14418 \global\let\@uppertitleback\@empty
14419 \global\let\@lowertitleback\@empty
14420 \global\let\@dedication\@empty
14421 \global\let\author\relax
14422 \global\let\title\relax
14423 \global\let\extratitle\relax
14424 \global\let\titlehead\relax
14425 \global\let\subject\relax
14426 \global\let\publishers\relax
14427 \global\let\uppertitleback\relax
14428 \global\let\lowertitleback\relax
14429 \global\let\dedication\relax
14430 \global\let\date\relax
14431 \global\let\and\relax
14432 }%
14433 \renewcommand*\{@maketitle}{%
14434 \clearpage
14435 \let\footnote\thanks
14436 \let\LTRfootnote\LTRthanks
14437 \let\RTLfootnote\RTLthanks
14438 \ifx\@extratitle\@empty \else
14439   \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14440 \fi
14441 \setparsizes{\z@\z@\z@}{\z@\z@\z@}{\par@updaterelative}
14442 \ifx\@titlehead\@empty \else
14443   \begin{minipage}[t]{\textwidth}
14444     \titlehead
14445   \end{minipage}\par
14446 \fi
14447 \null
14448 \vskip 2em%

```

```

14449 \begin{center}%
14450   \ifx\@subject\@empty \else
14451     {\@subject\font \@subject \par}
14452     \vskip 1.5em
14453   \fi
14454   {\@titlefont\huge \@title \par}%
14455   \vskip .5em
14456   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14457   \vskip 1em
14458   {\Large
14459     \lineskip .5em%
14460     \begin{tabular}[t]{c}
14461       \author
14462     \end{tabular}\par
14463   }%
14464   \vskip 1em%
14465   {\Large \@date \par}%
14466   \vskip \z@ \oplus 1em
14467   {\Large \@publishers \par}
14468   \ifx\@dedication\@empty \else
14469     \vskip 2em
14470     {\Large \@dedication \par}
14471   \fi
14472 \end{center}%
14473 \par
14474 \vskip 2em
14475 }%
14476 \renewcommand*\l@part[2]{%
14477   \ifnum \c@tocdepth >-2\relax
14478     \addpenalty{-\@highpenalty}%
14479     \addvspace{2.25em \oplus \p@}%
14480     \setlength{\tempdima}{2em}%
14481     \if@tocleft
14482       \ifx\toc@l@number\@empty\else
14483         \setlength{\tempdima{0\toc@l@number}}%
14484       \fi
14485     \fi
14486     \begingroup
14487       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
14488       \parfillskip -\pnumwidth
14489       \leavevmode
14490       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
14491       \hskip -\if@RTL\rightskip\else\leftskip\fi
14492       {\usekomafont{partentry}{\#1\nobreak
14493         \usekomafont{partentrypagenumber}{\hfil\nobreak
14494           \hb@xt@\pnumwidth{\hss#2}}}\par
14495       \ifnum \scr@compatibility>\nameuse{scr@v@2.96}\relax
14496       \endgroup
14497       \penalty20010
14498     \else

```

```

14499      \penalty\@highpenalty
14500      \endgroup
14501      \fi
14502      \fi
14503 }
14504 \renewcommand*\l@chapter[2]{%
14505   \ifnum \c@tocdepth >\m@ne
14506     \ifnum \lastpenalty<20010
14507       \addpenalty{-\@highpenalty}%
14508     \fi
14509     \vskip 1.0em \oplus\p@
14510     \setlength\@tempdima{1.5em}%
14511     \if@tocleft
14512       \ifx\toc@l@number\empty\else
14513         \setlength\@tempdima{0\toc@l@number}%
14514       \fi
14515     \fi
14516     \begingroup
14517       \raggedchapterentry
14518       \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \pnumwidth
14519       \parfillskip -\pnumwidth
14520       \interlinepenalty\@M
14521       \leavevmode
14522       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
14523     {\usekomafont{chapterentry}{\#1\nobreak
14524       \usekomafont{chapterentrypagenumber}{%
14525         \hfill\nobreak
14526         \hb@xt@\pnumwidth{\hss#2}}}\par
14527     \ifnum \scr@compatibility>\nameuse{\scr@v@2.96}\relax
14528     \endgroup
14529     \penalty20009
14530     \else
14531       \penalty\@highpenalty
14532     \endgroup
14533   \fi
14534   \fi
14535 }
14536 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
14537 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
14538 \renewcommand*\thesection{%
14539   \thechapter\@SepMark%
14540   \arabic\c@section
14541 }
14542 \renewcommand*{\thesubsection}{\thesection\@SepMark\arabic\c@subsection}
14543 \renewcommand*{\thesubsubsection}{%
14544   \thesubsection\@SepMark\arabic\c@subsubsection
14545 }
14546 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\arabic\c@paragraph}
14547 \renewcommand*{\thesubparagraph}{%
14548   \theparagraph\@SepMark\arabic\c@subparagraph

```

```

14549 }
14550 \renewcommand*\thefigure{%
14551   \thechapter\@SepMark%
14552   \@arabic\c@figure
14553 }
14554 \renewcommand*\thetable{%
14555   \thechapter\@SepMark%
14556   \@arabic\c@table
14557 }
14558 \renewcommand*\theequation{%
14559   \thechapter\@SepMark%
14560   \@arabic\c@equation
14561 }
14562 \renewenvironment{thebibliography}[1]{%
14563   \if@bib@break@
14564     \bib@beginhook
14565   \else
14566     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
14567       \setchapterpreamble{\bibpreamble}%
14568     \fi\fi
14569     \bib@heading
14570     \bib@beginhook
14571     \bib@before@hook
14572   \fi
14573   \renewcommand{\BreakBibliography}[1]{%
14574     \bib@break
14575     \end{thebibliography}%
14576     \begingroup ##1\endgroup
14577     \begin{thebibliography}{#1}
14578   }%
14579   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14580   \list{%
14581     \biblabel{\@arabic\c@enumiv}%
14582   }{%
14583     \setwidowwidth\labelwidth{\biblabel{#1}}%
14584     \leftmargin\labelwidth
14585     \advance\leftmargin\labelsep
14586     \openbib@code
14587     \if@bib@break@
14588       \edef\@tempa{%
14589         \noexpand\usecounter{enumiv}%
14590         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
14591       }\@tempa
14592       \no@bib@break
14593     \else
14594       \usecounter{enumiv}%
14595     \fi
14596     \let\p@enumiv\empty
14597     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14598   }%

```

```

14599 \sloppy\clubpenalty4000 \widowpenalty4000
14600 \sfcode`.=\@m
14601 }{%
14602 \if@bib@break@
14603 \def\noitemerr{%
14604 \@latex@warning{%
14605 \string\BreakBibliography\space at begin of `thebibliography'
14606 environment\MessageBreak
14607 or following \string\BreakBibliography}%
14608 }%
14609 \else
14610 \def\noitemerr{%
14611 \@latex@warning{%
14612 Empty `thebibliography' environment or
14613 \string\BreakBibliography\MessageBreak
14614 before end of `thebibliography' environment}%
14615 }%
14616 \fi
14617 \endlist
14618 \if@bib@break@
14619 \else
14620 \bib@after@hook
14621 \let\bib@before@hook\empty
14622 \let\bib@after@hook\empty
14623 \fi
14624 \bib@endhook
14625 }
14626 \renewcommand*\left@footnoterule{%
14627 \kern-3\p@
14628 \ifx\@textbottom\relax\else\vskip \z@ \z@plus.05fil\fi
14629 \hrule\@width.4\columnwidth
14630 \kern 2.6\p@}%
14631 \renewcommand*\right@footnoterule{%
14632 \hbox to \columnwidth
14633 {\beginR \vbox{%
14634 \kern-3\p@
14635 \ifx\@textbottom\relax\else\vskip \z@ \z@plus.05fil\fi
14636 \hrule\@width.4\columnwidth
14637 \kern 2.6\p@}\hfil\endR}%
14638 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
14639 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
14640 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
14641 \renewcommand\marginline[1]{%
14642 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi{#1}}%
14643 }
14644 \renewcommand{\@@makecaption}[3]{%
14645 \cap@margin
14646 \ifonelinecaptions
14647 \tempcnta=\value{mpfootnote}\tempcntb=\value{footnote}%
14648 \let\scr@tmp@footnotetext=\footnotetext

```

```

14649  \let\@footnotetext=\@gobble
14650  \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14651  \let\@LTRfootnotetext=\@gobble
14652  \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14653  \let\@RTLfootnotetext=\@gobble
14654  \sbox\@tempboxa{%
14655   {\capfont{\strut\ignorespaces
14656     #1{\{\caplabelfont{\#2\captionformat}\}}%
14657     #3\unskip\strut}}%
14658 }%
14659  \let\@footnotetext=\scr@tmp@footnotetext
14660  \let\scr@tmp@footnotetext=\undefined
14661  \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14662  \let\scr@tmp@LTRfootnotetext=\undefined
14663  \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
14664  \let\scr@tmp@RTLfootnotetext=\undefined
14665  \setcounter{footnote}{\@tempcntb}%
14666  \setcounter{mpfootnote}{\@tempcnta}%
14667 \else
14668  \sbox\@tempboxa{\hspace*{2\cap@width}}%
14669 \fi
14670 \begingroup%
14671  \setlength{\tempdima}{\cap@width}%
14672  \ifdim \wd\@tempboxa >\tempdima
14673    \hb@xt@\hsize{%
14674      \setbox\@tempboxa\vbox{\hspace=\cap@width
14675        \ifdofullc@p
14676          {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
14677            #1{\{\caplabelfont{\#2\captionformat}\}}}}%
14678            #3\unskip\strut\par}}}}%
14679  \else%
14680    \ifdim\cap@indent<\z@
14681      {\capfont{\strut\ignorespaces
14682        #1{\{\caplabelfont{\#2\captionformat\par}\}}%
14683        \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
14684  \else%
14685    \if@capbreak
14686      {\capfont{\strut\ignorespaces
14687        #1{\{\caplabelfont{\#2\captionformat\par}\}}%
14688        \noindent\@hangfrom{\hspace*{\cap@indent}}{\#3\par}}}}%
14689  \else
14690    {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}}%
14691      {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
14692        {\{\caplabelfont{\#2\captionformat}\}}}}#3\unskip\strut\par}}}}%
14693  \fi
14694  \fi
14695  \fi
14696 }%
14697 \setlength{\tempdima}{\ht\@tempboxa}%
14698 \addtolength{\tempdima}{\dp\@tempboxa}%

```

```

14699     \addtolength{\tempdima}{-\ht\strutbox}%
14700     \ht\tempboxa\ht\strutbox
14701     \dp\tempboxa\tempdima
14702     \strut\cap@left
14703     \box\tempboxa
14704     \cap@right\strut
14705     }%
14706 \else
14707     \global \minipagetrue
14708     \sbox\tempboxa{%
14709         \capfont{\scr@smashdp{\strut\ignorespaces
14710             #1{\caplabelfont{\#2\captionformat}}}}%
14711         #3}}%
14712     }%
14713     {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\tempboxa\if@RTL\endR\fi\c
14714     \fi
14715     \endgroup
14716 }
14717 \renewcommand{\maketitle}[2]{%
14718     \if@captionabove
14719         \vskip\belowcaptionskip
14720     \else
14721         \vskip\abovecaptionskip
14722     \fi
14723     \@@maketitle\firstofone{#1}{#2}%
14724     \if@captionabove
14725         \vskip\abovecaptionskip
14726     \else
14727         \vskip\belowcaptionskip
14728     \fi
14729 }

```

7.100 sidecap-xetex-bidi.def

```

14730 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package fo
14731 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
14732     \isSC@ODD{\#1}\hspace{\sidecaptionsep}{#2} {\#2}\hspace{\sidecaptionsep}{#1}\else%
14733 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{#1} {\#1}\hspace{\sidecaptionsep}{#2}\fi}
14734     \renewcommand*{\SC@justify@caption{\if@RTL\%
14735 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
14736     \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

7.101 stabular-xetex-bidi.def

```

14737 \ProvidesFile{stabular-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for stabular package
14738 \def\stabular{\if@RTL\@RTLtabtrue\fi
14739     \leavevmode \bgroup \if@RTL\beginR\fi
14740     \let\@acol\@tabacol
14741     \let\@classz\@tabclassz
14742     \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray}
14743 \def\endstabular{\crcr\egroup\if@RTL\beginR\egroup\endR\egroup\fi

```

```

14744           \egroup \if@RTLtab\endR\fi\egroup
14745           \RTLtabfalse}
14746 \expandafter \let \csname endstabular*\endcsname = \endstabular
14747 \def\@sarray[#1]#2{%
14748   \bgroup
14749   \setbox\carstrutbox\hbox{%
14750     \vrule \height\arraystretch\ht\strutbox
14751     \depth\arraystretch \dp\strutbox
14752     \width\z@\%}
14753   \mkpream{#2}%
14754   \edef\@preamble{%
14755     \ialign \noexpand\chalignto
14756       \bgroup \carstrut \preamble \tabskip\z@skip \cr}%
14757   \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
14758   \let\tabularnewline\%
14759   \let\@sharp##%
14760   \set@typeset@protect
14761   \lineskip\z@skip\baselineskip\z@skip
14762 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
14763   \preamble}

```

7.102 subfigure-xetex-bidi.def

```

14764 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
14765 \AtBeginDocument{%
14766 \let\p@subfigure=\thefigure
14767 \let\p@subtable=\thetable%
14768 }

```

7.103 tabls-xetex-bidi.def

```

14769 \ProvidesFile{tabls-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for tabls package for XeLaTeX]
14770 \def\endtabular{\endarray \$\if@RTLtab\endR\fi\egroup
14771           \RTLtabfalse}
14772
14773 \expandafter\let\csname endtabular*\endcsname=\endtabular
14774
14775 \def\endarray{\ifvmode\csname crcl\endcsname % just do \cr\cr if \\ given
14776   \else \\[\z@ \global\advance\carstdepth-\otarlinesep]%
14777   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\unrecuse\egroup}
14778
14779 \def\@array[#1]#2{%
14780   \edef\@unrecuse{\global\@skip@bove\the\@skip@bove
14781     \global\carstheight\the\carstheight\global\carstdepth\the\carstdepth}%
14782   \let\otarlinesep\@tarlinesep \global\@skip@bove-\otarlinesep
14783   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
14784   \else \let\@tarlinesep\tablinesep \fi
14785   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
14786   \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
14787   \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
14788   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)

```

```
14789 \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
14790 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
14791 \fi \setbox\@arstrutbox\hbox{\% set up smaller strut
14792 \vrule \height\@tempdima \depth\@tempdimb \width\z@\%}
14793 \let\protect\noexpand
14794 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
14795 \unhcopy\@arstrutbox \preamble \tabskip\z@skip &\@sharp \cr}%
14796 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
14797 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
14798 \bgroup \let\par\empty
14799 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
14800 \advance\extrarulesep.5\arrayrulewidth
14801 \let\sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
14802 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
14803 \preamble}
```

7.104 tabulary-xetex-bidi.def

7.105 tc-xetex-bidi.def

```

14834 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeT
14835 \def\@cliptoboxdim#1{%
14836     \setbox#1=\hbox{%
14837         \Gin@defaultbp\WIDTH{\wd#1}%
14838         \Gin@defaultbp\DEPTH{\dp#1}%
14839         \tempdima\ht#1%
14840         \advance\tempdima\dp#1%
14841         \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
14842         \beginL\special{pdf:bcontent }%
14843         \special{%
14844             pdf:literal direct
14845             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
14846         }%
14847         \special{pdf:literal direct W }%
14848         \special{pdf:literal direct n }%
14849             \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
14850         \special{pdf:econtent }\endL%
14851     }%
14852 }

```

7.106 titlesec-xetex-bidi.def

```

14853 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
14854 \renewcommand\filright{%
14855     \gdef\ttl@filleft##1{\hspace{#1}}%
14856     \gdef\ttl@filright##1{\hfill}%
14857     \let\\@\centercr
14858     \advance\rightskip\z@ \oplus 1fil
14859     \parfillskip\z@}
14860 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
14861     \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
14862     \setlength\leftskip{#6}%
14863     \setlength\rightskip{#7}%
14864     \interlinepenalty\@M
14865     \ttl@changecentercr
14866     \ttl@beginlongest
14867     #1{\ifhmode\ttl@hmode@error\fi
14868         \ttl@glcmds
14869         \parindent\z@
14870         \leavevmode
14871         \begingroup
14872             \ifttl@label
14873                 \sbox\z@{\strut\ttl@calc\hspace{#3}}%
14874                 \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
14875                 \llap{\box\z@}%
14876             \fi
14877             \kern\z@\strut\@@par
14878         \endgroup
14879         \nobreak\ttl@midlongest#5\@@par}%
14880 }

```

```
14881 \ttl@endlongest}
```

7.107 **titletoc-xetex-bidi.def**

```
14882 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package
14883 \renewcommand\filright{%
14884   \gdef\ttl@filleft##1{\hskip##1}%
14885   \gdef\ttl@filright##1{\hfill}%
14886   \let\\@centercr
14887   \advance\rightskip\z@ \oplus 1fil
14888   \parfillskip\z@}
14889 \renewcommand\contentspush[1]{%
14890   \sbox\z@{#1}%
14891   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
14892   \aftergroup\ttl@b
14893   \leavevemode\llap{\box\z@}}
14894 \def\ttl@outnoblock#1#2#3{%
14895   \begingroup
14896   \ifnum\ttl@b>\ttl@a
14897     \nobreak
14898   \else\ifnum\ttl@b<\ttl@a
14899     \addpenalty{\@secpenalty}%
14900   \else
14901     \addpenalty{\z@}%
14902   \fi\fi
14903   \ttl@contentsstretch
14904   \nobreak
14905   \ifcase#1\relax\else\interlinepenalty\@M\fi
14906   \parindent\z@
14907   \ifx\@nil#2%
14908     \PackageError{titletoc}{Unimplemented}%
14909     {The optional argument is currently mandatory}%
14910   \else
14911     \if@RTL\setlength\rightskip{#2}\else
14912       \setlength\leftskip{#2}\fi%
14913   \fi
14914   \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
14915   \let\contentsmargin\ttl@margin
14916   \def\ttl@makeline##1{##1}%
14917   #3%
14918   \addtolength{\parfillskip}{-\ttl@corr}%
14919   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
14920   \let\ttl@leaders\leaders
14921 \renewcommand\ttl@margin[2][\z@]{%
14922   \def\ttl@corr{#1}%
14923   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
14924   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
14925   \def\@pnumwidth{#2}%
14926 \let\ttl@savel@part\l@part
14927 \def\l@part{\ttl@lselect{part}}}
```

```

14928
14929 \let\ttl@savel@chapter\l@chapter
14930 \def\l@chapter{\ttl@lselect{chapter}}

```

7.108 tocbibind-xetex-bidi.def

```

14931 \ProvidesFile{tocbibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocbibind package]
14932 \if@dotocbib
14933   \@ifpackageloaded{natbib}{}{\% natbib not loaded
14934     \renewcommand{\bibsection}{\t@cb@bchapsec}
14935     \renewenvironment{thebibliography}[1]{%
14936       \bibsection
14937       \begin{thebibitemlist}{#1}\end{thebibitemlist}}
14938     \renewenvironment{thebibitemlist}[1]{%
14939       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14940       \list{\@biblabel{\@arabic\c@enumiv}}{%
14941         \settowidth\labelwidth{\@biblabel{#1}}%
14942         \leftmargin\labelwidth
14943         \advance\leftmargin\labelsep
14944         \openbib@code
14945         \usecounter{enumiv}}%
14946         \let\p@enumiv\@empty
14947         \renewcommand{\theenumiv}{\@arabic\c@enumiv}}%
14948       \sloppy
14949       \clubpenalty4000
14950       \clubpenalty \clubpenalty
14951       \widowpenalty4000%
14952       \sfcode`.\@m}
14953     {\def\noitemerr
14954       {\@latex@warning{Empty 'thebibliography' environment}}%
14955     \endlist}
14956
14957   \@ifpackagewith{chapterbib}{sectionbib}%
14958     {\renewcommand{\sectionbib}[2]{}}
14959     {}
14960
14961 \fi
14962 \if@inltxdoc\else
14963   \renewenvironment{theindex}%
14964     {\if@twocolumn
14965       \restonecolfalse
14966     \else
14967       \restonecoltrue
14968     \fi
14969     \if@bibchapter
14970       \if@donumindex
14971         \refstepcounter{chapter}
14972         \twocolumn[\vspace*{2\topskip}%
14973           \makechapterhead{\indexname}]%
14974         \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}

```

```

14975           \chaptermark{\indexname}
14976       \else
14977           \if@dotocind
14978               \twocolumn[\vspace*{2\topskip}%
14979                   @makeschapterhead{\indexname}]%
14980               \prw@mkboth{\indexname}
14981               \addcontentsline{toc}{chapter}{\indexname}
14982           \else
14983               \twocolumn[\vspace*{2\topskip}%
14984                   @makeschapterhead{\indexname}]%
14985               \prw@mkboth{\indexname}
14986           \fi
14987           \fi
14988       \else
14989           \if@donumindex
14990               \twocolumn[\vspace*{-1.5\topskip}%
14991                   @nameuse{@tocextra}{\indexname}]%
14992               \csname \atocextra mark\endcsname{\indexname}
14993           \else
14994               \if@dotocind
14995                   \twocolumn[\vspace*{-1.5\topskip}%
14996                       \toc@headstar{@tocextra}{\indexname}]%
14997                   \prw@mkboth{\indexname}
14998                   \addcontentsline{toc}{@tocextra}{\indexname}
14999           \else
15000               \twocolumn[\vspace*{-1.5\topskip}%
15001                   \toc@headstar{@tocextra}{\indexname}]%
15002               \prw@mkboth{\indexname}
15003           \fi
15004           \fi
15005       \fi
15006   \thispagestyle{plain}\parindent\z@
15007   \parskip\z@\relax .3\p@\relax
15008   \let\item\@idxitem
15009   {\if@restonecol\onecolumn\else\clearpage\fi}
15010 \fi

```

7.109 tocloft-xetex-bidi.def

```

15011 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package f
15012 \let\cftdot\@SepMark
15013 \if@cfthaspart
15014 \renewcommand*{\@part}[2]{
15015     \cftdotfalse
15016     \ifnum \c@tocdepth >-2\relax
15017         \if@cfthaschapter
15018             \cftdottrue
15019         \fi
15020         \ifnum \c@tocdepth >\m@ne
15021             \if@cfthaschapter\else

```

```

15022      \cftdoparttrue
15023      \fi
15024      \fi
15025      \fi
15026      \if@cftdopart
15027          \if@cfthaschapter
15028              \addpenalty{-\@highpenalty}
15029          \else
15030              \addpenalty\@secpenalty
15031          \fi
15032          \addvspace{\cftbeforepartskip}
15033          \begingroup
15034              {\if@RTL\rightskip\else\leftskip\fi \cftpindent\relax
15035                  \if@RTL\leftskip\else\rightskip\fi \cftpartmarg
15036                  \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15037                  \parindent \cftpindent\relax\@afterindenttrue
15038                  \interlinepenalty\@M
15039                  \leavevmode
15040                  \cftpnumwidth\relax
15041                  \let\cftbsnum \cftpresnum
15042                  \let\cftasnum \cftaftersnum
15043                  \let\cftasnumb \cftaftersnumb
15044                  \advance\if@RTL\rightskip\else\leftskip\fi \cftpnumwidth \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
15045                  {\cftpfont \cftpresnum #1}
15046                  \cftpfillnum{#2}}
15047                  \nobreak
15048                  \if@cfthaschapter
15049                      \global\nobreaktrue
15050                      \everypar{\global\nobreakfalse\everypar{}}
15051                  \else
15052                      \if@compatibility
15053                          \global\nobreaktrue
15054                          \everypar{\global\nobreakfalse\everypar{}}
15055                  \fi
15056                  \fi
15057          \endgroup
15058      \fi}
15059 \fi
15060 \if@cfthaschapter
15061 \renewcommand*{\l@chapter}[2]{
15062     \ifnum \c@tocdepth >\m@ne
15063         \addpenalty{-\@highpenalty}
15064         \vskip \cftbeforechapskip
15065         {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
15066             \if@RTL\leftskip\else\rightskip\fi \cftpartmarg
15067             \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15068             \parindent \cftchapindent\relax\@afterindenttrue
15069             \interlinepenalty\@M
15070             \leavevmode
15071             \cftpnumwidth\relax

```

```

15072      \let\@cftbsnum \cftchappresnum
15073      \let\@cftasnum \cftchapaftersnum
15074      \let\@cftasnumb \cftchapaftersnumb
15075      \advance\if@RTL\rightskip\else\leftskip\fi \z@tempdima \null\nobreak\hskip -\if@RTL\right
15076      {\cftchapfont #1}\nobreak
15077      \cftchapfillnum{#2}}
15078  \fi}
15079 \fi
15080 \renewcommand*{\l@section}[2]{%
15081   \ifnum \c@tocdepth >\z@
15082     \if@cfthaschapter
15083       \vskip \cftbeforesecskip
15084     \else
15085       \addpenalty\secpenalty
15086       \addvspace{\cftbeforesecskip}
15087     \fi
15088     {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
15089       \if@RTL\leftskip\else\rightskip\fi \z@tocrmarg
15090       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15091       \parindent \cftsecindent\relax\afterindenttrue
15092       \interlinepenalty\z@M
15093       \leavevmode
15094       \z@tempdima \cftsecnumwidth\relax
15095       \let\@cftbsnum \cftsecpresnum
15096       \let\@cftasnum \cftsecaftersnum
15097       \let\@cftasnumb \cftsecaftersnumb
15098       \advance\if@RTL\rightskip\else\leftskip\fi \z@tempdima \null\nobreak\hskip -\if@RTL\right
15099       {\cftsecfont #1}\nobreak
15100       \cftsecfillnum{#2}}
15101   \fi}
15102 \renewcommand*{\l@subsection}[2]{%
15103   \ifnum \c@tocdepth >\@ne
15104     \vskip \cftbeforesecskip
15105     {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
15106       \if@RTL\leftskip\else\rightskip\fi \z@tocrmarg
15107       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15108       \parindent \cftsubsecindent\relax\afterindenttrue
15109       \interlinepenalty\z@M
15110       \leavevmode
15111       \z@tempdima \cftsubsecnumwidth\relax
15112       \let\@cftbsnum \cftsubsecpresnum
15113       \let\@cftasnum \cftsubsecaftersnum
15114       \let\@cftasnumb \cftsubsecaftersnumb
15115       \advance\if@RTL\rightskip\else\leftskip\fi \z@tempdima \null\nobreak\hskip -\if@RTL\right
15116       {\cftsubsecfont #1}\nobreak
15117       \cftsubsecfillnum{#2}}
15118   \fi}
15119 \renewcommand*{\l@subsubsection}[2]{%
15120   \ifnum \c@tocdepth >\@two@line
15121     \vskip \cftbeforesubsecskip

```

```

15122   {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
15123     \if@RTL\leftskip\else\rightskip\fi \cftmarg
15124     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15125     \parindent \cftsubsubsecindent\relax\@afterindenttrue
15126     \interlinepenalty\@M
15127     \leavevmode
15128     \tempdima \cftsubsubsecnumwidth\relax
15129     \let\cftbsnum \cftsubsubsecpresnum
15130     \let\cftasnum \cftsubsubsecaftersnum
15131     \let\cftasnumb \cftsubsubsecaftersnumb
15132     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
15133     {\cftsubsubsecfont #1}\nobreak
15134     \cftsubsubsecfillnum{#2}}
15135   \fi}
15136 \renewcommand*{\l@paragraph}[2]{%
15137   \ifnum \c@tocdepth >3\relax
15138     \vskip \cftbeforeparaskip
15139     {\if@RTL\rightskip\else\leftskip\fi \cftpaindent\relax
15140       \if@RTL\leftskip\else\rightskip\fi \cftmarg
15141       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15142       \parindent \cftpaindent\relax\@afterindenttrue
15143       \interlinepenalty\@M
15144       \leavevmode
15145       \tempdima \cftpainumwidth\relax
15146       \let\cftbsnum \cftpapresnum
15147       \let\cftasnum \cftparaftersnum
15148       \let\cftasnumb \cftparaftersnumb
15149       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
15150       {\cftpafont #1}\nobreak
15151       \cftpafillnum{#2}}
15152   \fi}
15153 \renewcommand*{\l@subparagraph}[2]{%
15154   \ifnum \c@tocdepth >4\relax
15155     \vskip \cftbeforesubparaskip
15156     {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
15157       \if@RTL\leftskip\else\rightskip\fi \cftmarg
15158       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15159       \parindent \cftsubparaindent\relax\@afterindenttrue
15160       \interlinepenalty\@M
15161       \leavevmode
15162       \tempdima \cftsubparanumwidth\relax
15163       \let\cftbsnum \cftsubparapresnum
15164       \let\cftasnum \cftsubparaftersnum
15165       \let\cftasnumb \cftsubparaftersnumb
15166       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
15167       {\cftsubparafont #1}\nobreak
15168       \cftsubparafillnum{#2}}
15169   \fi}
15170 \renewcommand*{\l@figure}[2]{%
15171   \ifnum \c@lofdepth >\z@

```

```

15172     \vskip \cftbeforefigskip
15173     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
15174         \if@RTL\leftskip\else\rightskip\fi \cftmarg
15175         \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15176         \parindent \cftfigindent\relax\cfterindenttrue
15177         \interlinepenalty\@M
15178         \leavevmode
15179         \tempdima \cftfignumwidth\relax
15180         \let\cftbsnum \cftfigpresnum
15181         \let\cftasnum \cftfigaftersnum
15182         \let\cftasnumb \cftfigaftersnumb
15183         \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
15184         {\cftfigfont #1}\nobreak
15185         \cftfigfillnum{#2}}
15186     \fi
15187 }
15188 \renewcommand*{\l@table}[2]{%
15189     \ifnum\c@lotdepth >\z@
15190         \vskip \cftbeforetabskip
15191         {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
15192             \if@RTL\leftskip\else\rightskip\fi \cftmarg
15193             \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15194             \parindent \cfttabindent\relax\cfterindenttrue
15195             \interlinepenalty\@M
15196             \leavevmode
15197             \tempdima \cfttabnumwidth\relax
15198             \let\cftbsnum \cfttabpresnum
15199             \let\cftasnum \cfttabaftersnum
15200             \let\cftasnumb \cfttabaftersnumb
15201             \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
15202             {\cfttabfont #1}\nobreak
15203             \cfttabfillnum{#2}}
15204     \fi
15205 }
15206 \renewcommand{\cftl@subfig}{%
15207 \renewcommand*{\l@subfigure}[2]{%
15208     \ifnum\c@lofdepth > \toclevel@subfigure
15209         \vskip \cftbeforesubfigskip
15210         {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
15211             \if@RTL\leftskip\else\rightskip\fi \cftmarg
15212             \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15213             \parindent \cftsubfigindent\relax\cfterindenttrue
15214             \interlinepenalty\@M
15215             \leavevmode
15216             \tempdima \cftsubfignumwidth\relax
15217             \let\cftbsnum \cftsubfigpresnum
15218             \let\cftasnum \cftsubfigaftersnum
15219             \let\cftasnumb \cftsubfigaftersnumb
15220             \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
15221             {\cftsubfigfont ##1}\nobreak

```

```

15222     \cftsubfigfillnum{##2}}
15223   \fi
15224 }
15225 }
15226 \renewcommand{\@cftl@subtab}{%
15227 \renewcommand*{\l@subtable}[2]{%
15228   \ifnum \c@lotdepth > \toclevel@subtable
15229     \vskip \cftbeforesubtabskip
15230     {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
15231       \if@RTL\leftskip\else\rightskip\fi \cftsubtabmargin
15232       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15233       \parindent \cftsubtabindent\relax\cftsubtabmargin\relax\cftsubtabmargin\relax
15234       \interlinepenalty\@M
15235       \leavevmode
15236       \cftsubtabnumwidth\relax
15237       \let\@cftbsnum \cftsubtabpresnum
15238       \let\@cftasnum \cftsubtabaftersnum
15239       \let\@cftasnumb \cftsubtabaftersnumb
15240       \advance\if@RTL\rightskip\else\leftskip\fi \cftsubtabmargin\relax\cftsubtabmargin\relax
15241       {\cftsubtabfont ##1}\nobreak
15242       \cftsubtabfillnum{##2}}
15243   \fi
15244 }
15245 }
15246 \renewcommand{\newlistentry}[4][\@empty]{%
15247   \@ifundefined{c@#2}{%      check & set the counter
15248     \ifx \@empty#1\relax
15249       \newcounter{#2}
15250     \else
15251       \@ifundefined{c@#1}{\PackageWarning{tocloft}%
15252         {#1 has no counter for use as a ‘within’}%
15253         \newcounter{#2}}%
15254       {\newcounter{#2}[#1]%
15255         \expandafter\edef\csname the#2\endcsname{%
15256           \expandafter\noexpand\csname the#1\endcsname\c@SepMark\noexpand\arabic{#2}}}
15257     \fi
15258     \setcounter{#2}{0}
15259   }
15260   {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
15261
15262   \@namedef{l@#2}##1##2{%
15263     \ifnum \@nameuse{c@#3depth} > #4\relax
15264       \vskip \@nameuse{cftbefore#2skip}
15265       {\if@RTL\rightskip\else\leftskip\fi \cft#2indent\relax
15266         \if@RTL\leftskip\else\rightskip\fi \cft#2margin
15267         \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15268         \parindent \cft#2indent\relax\cft#2margin\relax\cft#2margin\relax
15269         \interlinepenalty\@M
15270         \leavevmode
15271         \cft#2numwidth\relax

```

```

15272      \expandafter\let\expandafter@\cftbsnum\csname cft#2presnum\endcsname
15273      \expandafter\let\expandafter@\cftasnum\csname cft#2aftersnum\endcsname
15274      \expandafter\let\expandafter@\cftasnumb\csname cft#2aftersnumb\endcsname
15275      \advance\if@RTL\righskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\righ
15276      {\@nameuse{cft#2font}##1}\nobreak
15277      \@nameuse{cft#2fillnum}##2}
15278      \fi
15279 } % end of \l@#2
15280
15281 \expandafter\newlength\csname cftbefore#2skip\endcsname
15282   \setlength{\@nameuse{cftbefore#2skip}}{\z@ \z@plus .2\p@}
15283 \expandafter\newlength\csname cft#2indent\endcsname
15284 \expandafter\newlength\csname cft#2numwidth\endcsname
15285 \ifcase #4\relax %
15286   \setlength{\@nameuse{cft#2indent}}{0em}
15287   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
15288 \or %
15289   \setlength{\@nameuse{cft#2indent}}{1.5em}
15290   \setlength{\@nameuse{cft#2numwidth}}{2.3em}
15291 \or %
2
15292   \setlength{\@nameuse{cft#2indent}}{3.8em}
15293   \setlength{\@nameuse{cft#2numwidth}}{3.2em}
15294 \or %
3
15295   \setlength{\@nameuse{cft#2indent}}{7.0em}
15296   \setlength{\@nameuse{cft#2numwidth}}{4.1em}
15297 \else %
 anything else
15298   \setlength{\@nameuse{cft#2indent}}{10.0em}
15299   \setlength{\@nameuse{cft#2numwidth}}{5.0em}
15300 \fi
15301 \cnamedef{cft#2font}{\normalfont}
15302 \cnamedef{cft#2presnum}{}
15303 \cnamedef{cft#2aftersnum}{}
15304 \cnamedef{cft#2aftersnumb}{}
15305 \cnamedef{cft#2dotsep}{\cftdotsep}
15306 \cnamedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
15307 \cnamedef{cft#2pagefont}{\normalfont}
15308 \cnamedef{cft#2afterpnum}{}
15309 \cnamedef{toclevel@#2}{#4}
15310 \cnamedef{cft#2fillnum}##1{%
15311   {\@nameuse{cft#2leader}}\nobreak
15312   \hb@xt@\cftdotwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
15313 } % end \newlistentry
15314 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
15315   {\if@RTL\righskip\else\leftskip\fi\cftchapindent\relax
15316   \advance\if@RTL\righskip\else\leftskip\fi\cftchapnumwidth\relax
15317   \if@RTL\leftskip\else\righskip\fi\cftmarg\relax
15318   \textit{#1}\protect\par}}}

```

7.110 tocstyle-xetex-bidi.def

```

15319 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package
15320 \renewcommand*{\tocstyle@dottedtocline}[5]{%
15321   \let\numberline\tocstyle@numberline
15322   \ifnum #1>\c@tocdepth \else
15323     \if@tocstyle@penalties
15324       \begingroup
15325         \tempcnta 20010
15326         \advance \tempcnta by -#1
15327         \ifnum \tempcnta>\lastpenalty
15328           \aftergroup\penalty\aftergroup\@lowpenalty
15329         \fi
15330       \endgroup
15331     \fi
15332     \edef\tocstyledepth{\#1}%
15333     \tocstyle@activate@features
15334     \ifx\tocstyle@feature@entryvskip\relax
15335       \vskip \z@ \plus.2\p@
15336     \else
15337       \addvspace{\tocstyle@feature@entryvskip}%
15338     \fi
15339   {%
15340     \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
15341       \tocstyle@feature@raggedhook
15342       \tempdima #3\relax
15343       \tempdimb #2\relax
15344       \typeout{m (\tocstyleTOC, \tocstyledepth): \the\tempdima}%
15345     \ifnum #1>\z@\relax
15346       \tempcnta #1\relax \advance\tempcnta \m@ne
15347       \ifcsname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
15348         \ifcsname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
15349           \tempdimb
15350           \csname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
15351             \advance\tempdimb
15352             \csname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
15353           \fi
15354         \fi
15355       \fi
15356       \typeout{C (\tocstyleTOC, \tocstyledepth): \the\tempdimb}%
15357       \ifcsname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname
15358         \ifdim \tempdimb>
15359           \csname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname\relax
15360           \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
15361             \#1\endcsname{\the\tempdimb}%
15362         \fi
15363       \else
15364         \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
15365           \#1\endcsname{\the\tempdimb}%
15366       \fi
15367       \iftocstyle@autolength
15368         \ifcsname tocstyle@maxskipwidth@\tocstyleTOC \#1\endcsname

```

```

15369      \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
15370          \relax
15371      \fi
15372      \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
15373          \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
15374          \relax
15375      \fi
15376      \typeout{\a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15377      \typeout{\A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15378  \else
15379      \@tempdimb #2\relax
15380      \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15381  \fi
15382  \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
15383      \ifdim \@tempdima>
15384          \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
15385          \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
15386          @\endcsname{\the\@tempdima}%
15387      \fi
15388  \else
15389      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
15390      @\endcsname{\the\@tempdima}%
15391  \fi
15392  \ifcase\tocstyle@indentstyle\relax\else
15393      \@tempdimb \z@%
15394      \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
15395          \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
15396          \relax
15397      \fi
15398      \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15399      \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15400  \fi
15401  \advance\parindent \@tempdimb\@afterindenttrue
15402  \advance\if@RTL\rightskip\else\leftskip\fi \parindent
15403  \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
15404  \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15405  \ifx\tocstyle@feature@parfillskip\relax\else
15406      \advance\parfillskip \tocstyle@feature@parfillskip\relax
15407  \fi
15408  \interlinepenalty\@M
15409  \leavevmode
15410  \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
15411  \null\nobreak
15412  \iftocstyle@indentnotnumbered\else
15413      \hskip -\if@RTL\rightskip\else\leftskip\fi
15414  \fi
15415  \tocstyle@feature@entryhook
15416  {\#4}\nobreak
15417  \ifx\tocstyle@feature@leaders\relax
15418      \leaders\hbox{$\m@th
```

```

15419      \mkern \dotsep mu\hbox{\tocstyle@feature@dothook .}%
15420      \mkern \dotsep mu$\hfill
15421 \else
15422   \tocstyle@feature@leaders
15423   \fi
15424   \nobreak
15425   \ifx\tocstyle@feature@pagenumberbox\relax
15426     \hb@xt@\pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
15427 \else
15428   \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
15429   \fi
15430   \par
15431 }%
15432 \if@tocstyle@penalties
15433   \bgroup
15434     \tempcpta 20009
15435     \advance\tempcpta by -#1
15436     \edef\reserved@a{\egroup\penalty\the\tempcpta\relax}%
15437   \reserved@a
15438   \fi
15439 \fi}
15440 \renewcommand*{\tocstyle@numberline}[1]{%
15441   \begingroup
15442     \ifx\tocstyle@feature@spaceafternumber\relax
15443       \setwid@{\tempdima{\tocstyle@numberline{#1}\enskip}}%
15444     \else
15445       \setwid@{\tempdima{\tocstyle@numberline{#1}}%}
15446       \advance\tempdima \tocstyle@feature@spaceafternumber\relax
15447     \fi
15448   \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
15449     \ifdim \tempdima >
15450       \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
15451       \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
15452         @\tocstyledepth\endcsname{\the\tempdima}%
15453     \fi
15454   \else
15455     \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
15456       @\tocstyledepth\endcsname{\the\tempdima}%
15457     \fi
15458   \endgroup
15459   \iftocstyle@indentnotnumbered
15460     \hskip -\if@RTL\rightskip\else\leftskip\fi
15461   \fi
15462   \ifcase \tocstyle@indentstyle
15463     \hb@xt@\tempdima{\tocstyle@numberline{#1}\hfil}%
15464   \or
15465     \hb@xt@\tempdima{\tocstyle@numberline{#1}\hfil}%
15466   \else
15467     \ifx\tocstyle@feature@spaceafternumber\relax
15468       \hbox{\tocstyle@numberline{#1}\enskip}%

```

```

15469     \else
15470         \hbox{\tocstyle@numberline{#1}\hspace{%
15471             \tocstyle@feature@spaceafternumber\relax}%
15472         \fi
15473     \fi
15474 }
15475 \AtBeginDocument{%
15476     \ifcsname l@part\endcsname
15477         \ifcsname l@chapter\endcsname
15478             \setbox\@tempboxa\vbox{\hsize\maxdimen
15479                 \l@part{\tocstyle@l@define{part}{-1}}{}%
15480             \else
15481                 \setbox\@tempboxa\vbox{\hsize\maxdimen
15482                     \l@part{\tocstyle@l@define{part}{0}}{}%
15483             \fi
15484         \fi
15485     \ifcsname l@chapter\endcsname
15486         \setbox\@tempboxa\vbox{\hsize\maxdimen
15487             \l@chapter{\tocstyle@l@define{chapter}{0}}{}%
15488         \fi
15489     \ifcsname l@section\endcsname
15490         \setbox\@tempboxa\vbox{\hsize\maxdimen
15491             \l@section{\tocstyle@l@define{section}{1}}{}%
15492         \fi
15493     \ifcsname l@subsection\endcsname
15494         \setbox\@tempboxa\vbox{\hsize\maxdimen
15495             \l@subsection{\tocstyle@l@define{subsection}{2}}{}%
15496         \fi
15497     \ifcsname l@subsubsection\endcsname
15498         \setbox\@tempboxa\vbox{\hsize\maxdimen
15499             \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}%
15500         \fi
15501     \ifcsname l@paragraph\endcsname
15502         \setbox\@tempboxa\vbox{\hsize\maxdimen
15503             \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}%
15504         \fi
15505     \ifcsname l@ subparagraph\endcsname
15506         \setbox\@tempboxa\vbox{\hsize\maxdimen
15507             \l@ subparagraph{\tocstyle@l@define{subparagraph}{5}}{}%
15508         \fi
15509     \ifcsname l@table\endcsname
15510         \setbox\@tempboxa\vbox{\hsize\maxdimen
15511             \l@table{\tocstyle@l@define{table}{1}}{}%
15512         \fi
15513     \ifcsname l@figure\endcsname
15514         \setbox\@tempboxa\vbox{\hsize\maxdimen
15515             \l@figure{\tocstyle@l@define{figure}{1}}{}%
15516         \fi
15517     \def\@tempa#1#2#3#4#5{%
15518         \ifnum #1>\c@tocdepth \else

```

```

15519   \vskip \z@ \relax
15520   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrm
15521     \parindent #2\relax \afterindenttrue
15522     \interlinepenalty\@M
15523     \leavevmode
15524     \tempdima #3\relax
15525     \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right
15526     {#4}\nobreak
15527     \leaders\hbox{$\m@th
15528       \mkern \dotsep mu\hbox{.}\mkern \dotsep
15529       mu$}\hfill
15530     \nobreak
15531     \hb@xt@\cnumwidth{{\hfil \normalfont \normalcolor #5}}%
15532     \par}%
15533   \fi}%
15534   \ifx\@dottedtocline\@tempa\else
15535     \tocstyle@macrochangelwarning\@dottedtocline
15536   \fi
15537   \let\tocstyle@saved@dottedtocline\@dottedtocline
15538   \def\@tempa#1{\hb@xt@\tempdima{#1\autodot\hfil}}%
15539   \ifx\numberline\@tempa\else
15540     \def\@tempa#1{\hb@xt@\tempdima{#1\hfil}}%
15541     \ifx\numberline\@tempa\else
15542       \tocstyle@macrochangelwarning\numberline
15543     \fi
15544   \fi
15545   \let\tocstyle@saved@numberline\numberline
15546 }
15547 \renewcommand*{\tocstyle@l@define}[2]{%
15548   \advance\if@RTL\rightskip\else\leftskip\fi-\atempdima
15549   \edef\@tempa{%
15550     \noexpand\global\noexpand\let
15551     \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
15552     \expandafter\noexpand\csname l@#1\endcsname
15553     \noexpand\gdef
15554     \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
15555       \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\atempdima}}%
15556     \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
15557       \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
15558       \expandafter\noexpand\csname tocstyle@l@#1\endcsname
15559     }%
15560   }%
15561   \PackageInfo{tocstyle}{prepare \expandafter\string
15562     \csname l@#1\endcsname\space for redefinition}%
15563   \atempa
15564 }

```

7.111 wrapfig-xetex-bidi.def

```
15565 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package fo
```

```

15566 \let\WF@@everypar\bidi@n@everypar
15567 \def\WF@putfigmaybe{%
15568 \ifinner
15569   \vskip-\parskip \global\WF@floatfalse
15570   \let\pagetotal\maxdimen % kludge flag for "not top of page"
15571 \else % outer page
15572   \tempdima\pagedepth % save page depth
15573   {\advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}%
15574   \penalty\interlinepenalty % update pg. parameters
15575   \tempdimb\pagegoal\advance\tempdimb-\pagetotal % room left on page
15576   \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
15577     \global\WF@floatfalse
15578   \ifdim-\tempdimb>\pageshrink \else \pagebreak \fi
15579 \else
15580   \ifdim\WF@size>\tempdimb
15581     \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
15582     \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
15583     \ifdim\pagefilstretch>\z@ \dimen@\tempdimb \fi
15584     \ifdim\pagefillstretch>\z@ \dimen@\tempdimb \fi
15585     \advance\dimen@.5\baselineskip
15586     \ifdim\dimen@>\tempdimb % \WF@info{Page nearly full; can stretch}%
15587       \global\WF@floatfalse \pagebreak
15588     \fi
15589   \else % \WF@info{Fits in \the\tempdimb;}%
15590     \global\WF@floatfalse
15591   \fi\fi
15592   \vskip\tempdima\relax % (return erased page depth)
15593 \fi
15594 \noindent
15595 \ifWF@float
15596   \WF@fltmes
15597 \else % putting here;
15598   \WF@info{Put \WF@wfname here;}%
15599   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
15600     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
15601     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
15602   \hbox to\z@{}% llap or rlap depending on {l} or {r}; calc effective width
15603   \tempdima\wd\WF@box \tempdimb\WF@ovh
15604   \advance\tempdima-\tempdimb \advance\tempdima\columnsep
15605   \tempdimb\hsize \advance\tempdimb-\tempdima
15606   \xdef\WF@adjlw{\the\tempdima}%
15607   \ifnum `l=\WF@place % fig on left
15608     \if@RTL%
15609       \kern\tempdimb \kern\columnsep
15610       \def\@tempa{\hss}% position to left of the gap
15611     \else%
15612       \hss % figure overlaps space to the left
15613       \def\@tempa{\kern\columnsep}% position to left of the gap
15614     \fi%
15615   \else % fig on right

```

```

15616 \if@RTL%
15617   \hss
15618   \tempdima\z@%
15619   \def\tempa{\kern\columnsep}
15620   \else%
15621   \tempdima\z@ % no left indentation
15622   \kern\tempdimb \kern\columnsep
15623   \def\tempa{\hss}% figure overlaps space to the right
15624   \fi%
15625 \fi
15626 \ifdim\tempdimb<\hsize
15627   \xdef\WF@wrapil{\the\tempdima \the\tempdimb}% indentation and length
15628   \xdef\WF@adjtlm{\the\tempdima}%
15629 \else
15630   \xdef\WF@wrapil{\z@ \the\hsize}%
15631   \xdef\WF@adjlw{\z@}\xdef\WF@adjlm{\z@}%
15632 \fi
15633 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
15634   \global\advance\WF@size-\intextsep
15635 \else % \WF@info{Putting \WF@wfname in middle of page}%
15636   \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
15637 \fi \dp\WF@box\z@ \box\WF@box \tempa
15638 }% end \hbox to Opt
15639 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
15640 \fi}

```

7.112 xcolor-xetex-bidi.def

```

15641 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for
15642 \long\def\color@b@x#1#2#3%
15643 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
15644   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
15645   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
15646   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
15647   {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
15648 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
15649 \DeclareRobustCommand\color
15650 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor}
15651 \def\@undeclaredcolor[#1]#2%
15652 {\begingroup
15653   \let\@cls\@empty
15654   \XC@getmodclr12{#1}{#2}{}%
15655   {\ifblendcolors
15656     \ifx\colorblend\@empty\else
15657       \edef\@tmp{\expandafter\gobble\colorblend}\@tempswafalse
15658       \XC@coremodel\@mod\@clr\@xcolor@{}{}\@mod\@clr
15659     \fi
15660   \fi
15661   \ifconvertcolorsU
15662     \edef\@tmp{\XC@tgt@mod{\@mod}}%

```

```

15663     \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
15664     \fi
15665     \ifmaskcolors
15666         \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
15667         \let\@@mod\XC@mmod
15668         \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
15669         \expandafter\XC@mul\@@tmp,\@@clr
15670     \fi
15671     \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
15672     \expandafter\endgroup\@@tmp}
15673 \def\@declaredcolor#1%
15674   {\XC@edef\XC@@tmp{#1}\XC@tstfalse
15675   \ifcase\XC@type\XC@@tmp\relax \XC@tsttrue\or \relax\else
15676     \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
15677     \ifconvertcolorsU\XC@tsttrue\fi
15678   \fi
15679   \ifXC@tst
15680     \expandafter\XC@declaredcolor\else
15681     \expandafter\XC@declaredc@lor\fi}
15682 \def\XC@undeclaredcolor#1#2%
15683   {\@ifundefined{model{#1}}%
15684     {\c@lor@error{model '#1}}%
15685     {\@nameuse{color@#1}\current@color{#2}}%
15686     \edef\XC@current@color{\noexpand\xcolor@{}\current@color}{#1}{#2}}%
15687     \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
15688 \def\XC@declaredc@lor
15689   {\XC@let@Nc\XC@current@color{\string\color@{\XC@@tmp}}%
15690   \edef\current@color{\XC@current@color}%
15691   \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
15692 \DeclareRobustCommand\bidicolor
15693   {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
15694 \def\@bidiundeclaredcolor[#1]#2%
15695   {\begingroup
15696     \let\@@cls\@empty
15697     \XC@getmodclr12{#1}{#2}{}%
15698     \ifblendcolors
15699       \ifx\colorblend\@empty\else
15700         \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
15701         \XC@coremodel\@@mod\@@clr\@xcolor@{}{} \@@mod\@@clr
15702       \fi
15703     \fi
15704     \ifconvertcolorsU
15705       \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
15706       \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
15707     \fi
15708     \ifmaskcolors
15709       \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
15710       \let\@@mod\XC@mmod
15711       \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
15712       \expandafter\XC@mul\@@tmp,\@@clr

```

```

15713     \fi
15714     \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
15715     \expandafter\endgroup\@@tmp}
15716 \def\XC@bidiundeclaredcolor#1#2%
15717   {\@ifundefined{model{#1}}%
15718     {\c@lor@error{model '#1'}}%
15719     {\@nameuse{color@#1}\current@color{#2}}%
15720     \edef\XC@current@color{\noexpand\xcolor@{}\current@color{#1}{#2}}%
15721     \XC@display}}
15722 \def\bidiundeclaredcolor#1%
15723   {\XC@edef\XC@tmp{#1}\XC@tstfalse
15724   \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
15725     \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
15726     \ifconvertcolorsU\XC@tsttrue\fi
15727   \fi
15728   \ifXC@tst
15729     \expandafter\XC@bidiundeclaredcolor\else
15730     \expandafter\XC@bidiundeclaredc@lor\fi}
15731 \def\XC@bidiundeclaredcolor
15732   {\XC@split\XC@tmp
15733   \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@clr}}%
15734   \expandafter\endgroup\@@tmp}
15735 \def\XC@bidiundeclaredc@lor
15736   {\XC@let@Nc\XC@current@color{\string\color@{\XC@tmp}}%
15737   \edef\current@color{\XC@current@color}}%
15738   \XC@display}
15739 \def\color@box#1#2{\color@b@x\relax{\bidi@color{#1}{#2}}}
15740 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
15741 \def\color@fb@x#1#2#3#4%
15742   {\color@b@x{\fboxsep\z@\bidi@color{#2}\XC@fbox}%
15743   {\@ifempty{#3}{\bidi@color{#1}{#2}}{\bidi@color{#3}{#4}}}}
15744 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.113 latex-xetex-bidi.def

```

15745 \ProvidesFile{latex-xetex-bidi.def}[2013/10/10 v1.1.5 bidi adaptations for ‘latex.ltx’ for XeLaTeX]
15746 \newcommand{\TeXeTOn}{\TeXeTstate=1 }
15747 \newcommand{\TeXeTOFF}{\TeXeTstate=0 }
15748 \TeXeTOn
15749 \def\bidi@RTL@everypar{\if@RTL{\setbox\z@\lastbox\beginR\ifvoid\z@\else\usebox\z@\fi\fi}
15750   \let\bidi@o@everypar=\everypar
15751   \newtoks\bidi@n@everypar
15752   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
15753   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
15754   \let\everypar=\bidi@n@everypar
15755 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
15756 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
15757 \protected\def\hboxR{\hbox\bgroup
15758   \everyhbox{%
15759     \aftergroup\egroup

```

```
15760 \everyhbox{}%
15761 \beginR
15762 \bgroup
15763 \aftergroup\endR
15764 \aftergroup\egroup
15765 }\hbox}
15766 \protected\def\hboxL{\hbox\bgroup
15767 \everyhbox{}%
15768 \aftergroup\egroup
15769 \everyhbox{}%
15770 \beginL
15771 \bgroup
15772 \aftergroup\endL
15773 \aftergroup\egroup
15774 }\hbox}
15775 \protected\def\vboxR{\vbox\bgroup
15776 \everyvbox{}%
15777 \aftergroup\egroup
15778 \everyvbox{}%
15779 \oRTLtrue
15780 \bgroup
15781 \aftergroup\egroup
15782 }\vbox}
15783 \protected\def\vboxL{\vbox\bgroup
15784 \everyvbox{}%
15785 \aftergroup\egroup
15786 \everyvbox{}%
15787 \oRTLfalse
15788 \bgroup
15789 \aftergroup\egroup
15790 }\vbox}
15791 \def\LTR{\par\oRTLfalse\oRTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab
15792 \def\endLTR{\par}
15793 \def\RTL{\par\oRTLtrue\oRTL@footnotetrue\hspace\linewidth\parshape\z@}
15794 \def\endRTL{\par}
15795 \def\setRTL{\oRTLtrue\oRTL@footnotetrue}
15796 \def\setLTR{\oRTLfalse\oRTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab
15797 \let\unsetRTL=\setLTR
15798 \let\unsetLTR=\setRTL
15799 \let\LR=\LRE
15800 \let\RL=\RLE
15801 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
15802 \def\@ensure@LTR#1{\if@RTL\LR{#1}\else#1\fi}
15803 \let\@ensure@RL=\@ensure@RTL
15804 \let\@ensure@LR=\@ensure@LTR
15805 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
15806 \let\@ensure@mmdir=\@ensure@dir
15807 \def\@@RTL{RTL}
15808 \def\@@LTR{LTR}
15809 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
```

```

15810 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
15811 \let\@@TeX\TeX
15812 \def\TeX{\@ensure@LTR{\@@TeX}}
15813 \let\@@LaTeX\LaTeX
15814 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}
15815 \let\@@LaTeXe\LaTeXe
15816 \def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
15817 \long\def\bidi@reflect@box#1{%
15818   \leavevmode
15819   \setbox\z@\hbox{{\#1}}%
15820   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}%
15821   \hb@xt@.wd\z@{\kern\wd\z@\box\tw@\hss}}%
15822 }
15823 \def\xetex{\LR{\leavevmode$\smash{\hbox{X\lower.5ex}}%
15824   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}$$}}
15825 \def\xelatex{\LR{\leavevmode$\smash{\hbox{X\lower.5ex}}%
15826   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}$$}}
15827 \let\setRL=\setRTL
15828 \let\setLR=\setLTR
15829 \let\unsetRL=\setLTR
15830 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
15831   \ialign{$##\hfil$\quad$##\hfil\cr\cr\#1\cr\cr}}\right.\right\}}
15832 \def\SepMark#1{\gdef\SepMark{\if@RTL\fi\#1\if@RTL\fi}}
15833 \SepMark{.}
15834 \def\thmcountersep{\SepMark}
15835 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
15836 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
15837 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
15838 \def\list#1#2{%
15839   \ifnum\listdepth>5\relax
15840     \toodeep
15841   \else
15842     \global\advance\listdepth\@ne
15843   \fi
15844   \rightmargin\z@
15845   \listparindent\z@
15846   \itemindent\z@
15847   \csname@list\romannumeral\the\listdepth\endcsname
15848   \def\itemlabel{\#1}%
15849   \let\makelabel\mklabel
15850   \nmblistfalse
15851   \relax
15852   \trivlist
15853   \parskip\parsep
15854   \parindent\listparindent
15855   \advance\linewidth-\rightmargin
15856   \advance\linewidth-\leftmargin
15857   \if\bidi@list@minipage@parbox
15858   \if@RTL
15859   \advance\@totalleftmargin\leftmargin

```

```

15860 \else
15861 \advance\@totalleftmargin \rightmargin
15862 \fi
15863 \else
15864 \if@RTLtab
15865 \if@bidi@list@minipage@parbox@not@nob
15866 \if@RTL
15867 \advance\@totalleftmargin \rightmargin
15868 \else
15869 \advance\@totalleftmargin \leftmargin
15870 \fi
15871 \else
15872 \if@RTL
15873 \advance\@totalleftmargin \leftmargin
15874 \else
15875 \advance\@totalleftmargin \rightmargin
15876 \fi\fi
15877 \else
15878 \if@RTL
15879 \advance\@totalleftmargin \rightmargin
15880 \else
15881 \advance\@totalleftmargin \leftmargin
15882 \fi\fi\fi
15883 \parshape \@ne \@totalleftmargin \linewidth
15884 \ignorespaces}
15885 \def\@item[#1]{%
15886 \if@noperitem
15887 \@donoperitem
15888 \else
15889 \if@inlabel
15890 \indent \par
15891 \fi
15892 \ifhmode
15893 \unskip\unskip \par
15894 \fi
15895 \if@newlist
15896 \if@nobreak
15897 \@nbitem
15898 \else
15899 \addpenalty\@beginparpenalty
15900 \addvspace\@topsep
15901 \addvspace{-\parskip}%
15902 \fi
15903 \else
15904 \addpenalty\@itempenalty
15905 \addvspace\itemsep
15906 \fi
15907 \global\@inlabeltrue
15908 \fi
15909 \everypar{\if@bidi@list@minipage@parbox\if@RTL\else\beginL\fi\else\if@RTLtab\if@RTL\else\be

```

```

15910    \c@minipagefalse
15911    \global\c@newlistfalse
15912    \if@inlabel
15913        \global\c@inlabelfalse
15914        {\setbox\z@\lastbox
15915            \ifvoid\z@
15916                \kern-\itemindent
15917            \fi}%
15918        \box\c@labels
15919        \penalty\z@
15920    \fi
15921    \if@nobreak
15922        \c@nobreakfalse
15923        \clubpenalty \c@M
15924    \else
15925        \clubpenalty \c@clubpenalty
15926        \everypar{}%
15927    \fi}%
15928 \if@noitemarg
15929     \c@noitemargfalse
15930     \if@nmbrlist
15931         \refstepcounter\c@listctr
15932     \fi
15933 \fi
15934 \sbox\c@tempboxa{\makelabel{\#1}}%
15935 \global\setbox\c@labels\hbox{%
15936     \unhbox\c@labels
15937     \hskip \itemindent
15938     \hskip -\labelwidth
15939     \hskip -\labelsep
15940     \ifdim \wd\c@tempboxa >\labelwidth
15941         \box\c@tempboxa
15942     \else
15943         \hbox to\labelwidth {\unhbox\c@tempboxa}%
15944     \fi
15945     \hskip \labelsep}%
15946 \ignorespaces}
15947 \long\def\c@iiiparbox#1#2[#3]#4#5{%
15948     \leavevmode
15949     \c@pboxswfalse
15950     \if@RTLtab\c@bidi\c@list\c@minipage\c@parbox\c@not\c@nobtrue\fi
15951     \if@RTL\if#1t\c@bidi\c@list\c@minipage\c@parbox\c@true\else\if#1b\c@bidi\c@list\c@minipage\c@parbox\c@true\fi\fi
15952     \c@setlength\c@tempdima{\#4}%
15953     \c@begin\c@tempboxa\vbox{\hsize\c@tempdima\c@parbox\c@restore\#5\c@par}%
15954     \c@ifx\c@relax\#2\c@else
15955         \c@setlength\c@tempdimb{\#2}%
15956         \c@edef\c@parbox\c@to\c@the\c@tempdimb}%
15957     \fi
15958     \c@if#1b\vbox
15959     \c@else\c@if #1t\c@vtop

```

```
15960 \else\ifmmode\vcenter
15961 \else@pboxswtrue $\\vcenter
15962 \fi\fi\fi
15963 \parbox{\let\\hss\\vss\let\\unhbox\\unvbox
15964 \csname bm@#3\endcsname}%
15965 \if@pboxsw \m@th$\fi
15966 \end@tempboxa}
15967 \newenvironment{LTRitems}
15968     {\par\@RTLfalse
15969         \if@bidi@list@minipage@parbox
15970             \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth
15971             \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
15972                 \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth\else
15973                 \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth\fi
15974             \else \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth\fi
15975             \ignorespaces}{\vskip\z@}
15976 \newenvironment{RTLitems}
15977     {\par\@RTLtrue
15978         \if@bidi@list@minipage@parbox
15979             \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth
15980             \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
15981                 \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth\else
15982                 \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth\fi
15983             \else \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth\fi
15984             \ignorespaces}{\vskip\z@}
15985 \newenvironment{LTRbibitems}
15986     {\par\@RTLfalse
15987         \if@bidi@list@minipage@parbox
15988             \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth
15989             \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
15990                 \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth\else
15991                 \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth\fi
15992             \else \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth\fi
15993             \ignorespaces}{\vskip\z@}
15994 \newenvironment{RTLbibitems}
15995     {\par\@RTLtrue
15996         \if@bidi@list@minipage@parbox
15997             \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth
15998             \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
15999                 \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth\else
16000                 \parshape \one \dimexpr(\@totallleftmargin+\leftmargin) \linewidth\fi
16001             \else \parshape \one \dimexpr(\@totallleftmargin-\leftmargin) \linewidth\fi
16002             \ignorespaces}{\vskip\z@}
16003 \def\raggedright{%
16004     \let\\@centercr
16005     \rightskip\z@skip\rightskip\@flushglue
16006     \parindent\z@\parfillskip\z@skip}
16007 \let\bidi@orig@raggedleft\raggedleft
16008 \let\bidi@orig@raggedright\raggedright
16009 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@RTLtab\bidi@orig@raggedleft\else\fi\fi}
```

```

16010 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@RTLtab\bi
16011 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
16012 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
16013 \def\centerline#1{%
16014 \if@RTL\@@line{\hss\beginR#1\endR\hss}
16015 \else\@@line{\hss#1\hss}\fi}
16016 \def\leftline#1{%
16017 \if@RTL\@@line{\beginR#1\endR\hss}
16018 \else\@@line{#1\hss}\fi}
16019 \def\rightline#1{%
16020 \if@RTL\@@line{\hss\beginR#1\endR}
16021 \else\@@line{\hss#1}\fi}
16022 \let\bidi@orig@leftline\leftline
16023 \let\bidi@orig@rightline\rightline
16024 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\i
16025 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\i
16026 \def\bidirlap#1{\hb@xt@z0{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
16027 \def\bidillap#1{\hb@xt@z0{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
16028 \def\@hangfrom#1{\setbox\tempboxa\hbox{\{#1\}}%
16029 \hangindent \if@RTL-\wd\tempboxa\noindent\box\tempboxa}
16030 \def\narrower{%
16031 \advance\if@RTL\rightskip\else\leftskip\fi\parindent
16032 \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
16033 \def\underline#1{%
16034 \relax
16035 \ifmmode\@@underline{#1}%
16036 \else
16037 \if@RTL \$\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
16038 \else
16039 \$\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
16040 \if@compatibility
16041 \let\undertext=\underline
16042 \fi
16043 \global\@RTLtabfalse
16044 \def\@tabular{\if@RTL\@RTLtabtrue\fi
16045 \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
16046 \$\let\@acol\@tabacol
16047 \let\@classz\@tabclassz
16048 \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
16049 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
16050 \egroup \$\if@RTLtab\endR\fi\egroup
16051 \g@RTLtabfalse}
16052 \expandafter \let \csname endtabular*\endcsname = \endtabular
16053 \def\@array[#1]#2{%
16054 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
16055 \bgroup
16056 \setbox\arstrutbox\hbox{%
16057 \vrule \height\arraystretch\ht\strutbox
16058 \depth\arraystretch \dp\strutbox
16059 \width\z@\%}

```

```

16060  \@mkpream{#2}%
16061  \edef\@preamble{%
16062    \ialign \noexpand\@halignto
16063      \bgroup \carstrut \preamble \tabskip\z@skip \cr}%
16064  \let\@startpbox\@startpbox \let\@endpbox\@endpbox
16065  \let\tabularnewline\%
16066  \let\par\empty
16067  \let\sharp#%
16068  \set@typeset@protect
16069  \lineskip\z@skip\baselineskip\z@skip
16070  \ifhmode \preamerr\z@ \@@par\fi
16071  \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
16072  \preamble}
16073 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
16074 \let\@classiv\@arrayclassiv
16075 \let\\@\arraycr\let\@halignto\empty\@RTLtabfalse\@tabarray}
16076 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
16077   \ifnum \lastchclass=3 5 \else
16078     \z@ \if #1c\@chnum \z@ \else
16079       \if \if@RTLtab#1\else#1\fi\@chnum \one \else
16080         \if \if@RTLtab#1\else#1\fi\@chnum \tw@ \else
16081           \@chclass \if #1|\one \else
16082             \if #1@\tw@ \else
16083               \if #1p3 \else \z@ \preamerr 0\fi
16084             \fi \fi \fi \fi \fi
16085 \fi}
16086 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
16087 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
16088 \def\bm@t{\unhbox\@tempboxa\hss}
16089 \def\bm@b{\hss\unhbox\@tempboxa}
16090 \def\@dottedtocline#1#2#3#4#5{%
16091  \ifnum #1>\c@tocdepth \else
16092    \vskip \z@ \oplus.2\p@
16093    \if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocrmr
16094    \parindent #2\relax\afterindenttrue
16095    \interlinepenalty\@M
16096    \leavevmode
16097    \tempdima #3\relax
16098    \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \tocrmr
16099    \nobreak
16100    \leaders\hbox{$\m@th
16101      \mkern \dotsep mu\hbox{.}\mkern \dotsep
16102      mu$\hfill
16103      \nobreak
16104      \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
16105      \par}%
16106    \fi}
16107 \def\RTL@outputdblcol{%
16108 \if@firstcolumn \global\firstcolumnfalse
16109 \global\setbox\leftcolumn \box\outputbox

```

```

16110 \else \global\@firstcolumntrue
16111 \setbox\@outputbox \vbox {\hbox to\textwidth {%
16112 \hskip \columnwidth
16113 \hfil \vrule width\columnsep\relax \hfil
16114 \hbox to\columnwidth {\box\@leftcolumn \hss}%
16115 \hskip -\textwidth
16116 \hbox to\columnwidth{\box\@outputbox \hss}%
16117 \hskip \columnsep
16118 \hskip \columnwidth } }%
16119 \@combinedblfloats \@outputpage
16120 \begingroup \@dblfloatplacement \@startdblcolumn
16121 \@whilesw\if\fcolmade \fi
16122 {\@outputpage \@startdblcolumn }\endgroup
16123 \fi}
16124 \def\LTR@outputdblcol{%
16125   \if\@firstcolumn
16126     \global \@firstcolumnfalse
16127     \global \setbox\@leftcolumn \box\@outputbox
16128   \else
16129     \global \@firstcolumntrue
16130     \setbox\@outputbox \vbox {%
16131       \hb@xt@\textwidth {%
16132         \hb@xt@\columnwidth {%
16133           \box\@leftcolumn \hss}%
16134           \hfil
16135           {\normalcolor\vrule \width\columnsep\relax}%
16136           \hfil
16137           \hb@xt@\columnwidth {%
16138             \box\@outputbox \hss}%
16139           }%
16140         }%
16141     \@combinedblfloats
16142     \@outputpage
16143     \begingroup
16144       \@dblfloatplacement
16145       \@startdblcolumn
16146       \@whilesw\if\fcolmade \fi
16147       {\@outputpage
16148         \@startdblcolumn}%
16149     \endgroup
16150   \fi
16151 }
16152 \renewcommand{\@outputdblcol}{\if\@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
16153 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
16154 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
16155 \def\LTRmarginpar{%
16156   \ifhmode
16157     \bsphack
16158     \floatpenalty -\Mii
16159   \else

```

```

16160      \@floatpenalty-\@Mii
16161      \fi
16162      \ifinner
16163          \parmoderr
16164          \@floatpenalty\z@
16165      \else
16166          \next@\currbox\@freelist{}{}%
16167          \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
16168          \@floatpenalty\z@
16169          \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}%
16170      \fi
16171      \ifnextchar [\@LTrxmpar\@LTrympar]
16172      \long\def\@LTrxmpar[#1]#2{%
16173          \LTRsavemarbox\@marbox{#1}%
16174          \LTRsavemarbox\@currbox{#2}%
16175          \xmpar}
16176      \long\def\@LTrympar#1{%
16177          \LTRsavemarbox\@marbox{#1}%
16178          \global\setbox\currbox\copy\marbox
16179          \xmpar}
16180      \long\def \@LTrsavemarbox #1#2{%
16181          \global\setbox #1%
16182          \color@vbox
16183              \vtop{%
16184                  \hsize\marginparwidth
16185                  \parboxrestore
16186                  \LTRmarginparreset
16187                  #2%
16188                  \minipagefalse
16189                  \outer@nobreak
16190                  }%
16191          \color@endbox
16192 }
16193 \def \@LTRmarginparreset {%
16194     \reset@font
16195     \normalsize
16196     \minipagetrue
16197     \everypar{\minipagefalse\everypar{}\beginL}%
16198 }
16199 \def\RTLmarginpar{%
16200     \ifhmode
16201         \bsphack
16202         \floatpenalty -\@Mii
16203     \else
16204         \floatpenalty-\@Mii
16205     \fi
16206     \ifinner
16207         \parmoderr
16208         \floatpenalty\z@
16209     \else

```

```

16210      \cnext\@currbox\@freelist{}{}%
16211      \cnext\@marbox\@freelist{\global\count\@marbox\m@ne}%
16212          {\@floatpenalty\z@%
16213              \@fltofv\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
16214      \fi
16215      \cifnextchar [\@RTLxmpar\@RTLympar}
16216 \long\def\@RTLxmpar[#1]#2{%
16217     \@RTLsavemarbox\@marbox{#1}%
16218     \@RTLsavemarbox\@currbox{#2}%
16219     \cxympar}
16220 \long\def\@RTLympar#1{%
16221     \@RTLsavemarbox\@marbox{#1}%
16222     \global\setbox\@currbox\copy\@marbox
16223     \cxympar}
16224 \long\def \@RTLsavemarbox #1#2{%
16225     \global\setbox #1%
16226     \color@vbox
16227     \vtop{%
16228         \hsize\marginparwidth
16229         \parboxrestore
16230         \@RTLmarginparreset
16231         #2%
16232         \minipagetrue
16233         \outer@nobreak
16234         }%
16235     \color@endbox
16236 }
16237 \def \@RTLmarginparreset {%
16238     \reset@font
16239     \normalsize
16240     \minipagetrue
16241     \everypar{\minipagetrue\everypar{}\beginR}%
16242 }
16243 \def\@addmarginpar{\cnext\@marbox\@currlist{\@cons\@freelist\@marbox
16244     \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
16245     \if@twocolumn
16246         \if@firstcolumn \@tempcnta\m@ne \fi
16247     \else
16248         \if@mparswitch
16249             \ifodd\c@page \else\@tempcnta\m@ne \fi
16250             \fi
16251             \if@reversemargin \@tempcnta -\@tempcnta \fi
16252         \fi
16253         \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
16254         \tempdima\@parbottom
16255         \advance\tempdima -\@pageht
16256         \advance\tempdima\ht\@marbox
16257         \ifdim\tempdima >\z@
16258             \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
16259         \else

```

```

16260      \@tempdima\z@%
16261      \fi
16262      \global\@mparbottom\@pageht
16263      \global\advance\@mparbottom\@tempdima
16264      \global\advance\@mparbottom\dp\@marbox
16265      \global\advance\@mparbottom\marginparpush
16266      \advance\@tempdima -\ht\@marbox
16267      \global\setbox \@marbox
16268          \vbox {\vskip \@tempdima
16269          \box \@marbox}%
16270      \global \ht\@marbox \z@
16271      \global \dp\@marbox \z@
16272      \kern -\@pagedp
16273      \nointerlineskip
16274      \hb@xt@\columnwidth
16275          {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
16276              \hskip\columnwidth \hskip\marginparsep
16277          \else
16278              \hskip -\marginparsep \hskip -\marginparwidth
16279          \fi
16280          \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else\endL\fi
16281      \nointerlineskip
16282      \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}}
16283 \long\def\@ympar#1{%
16284     \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar\@RTLtrue\else\@RTLfalse\fi\@ympar}
16285     \global\setbox\@currbox\copy\@marbox
16286     \@xympar}
16287 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
16288 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
16289 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
16290 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
16291     \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
16292     \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
16293         \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
16294     \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
16295         \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
16296 \fi}
16297 \def\@outputpage{%
16298 \begingroup % the \endgroup is put in by \aftergroup
16299     \let \protect \noexpand
16300     \resetactivechars
16301     \global\let\@if@newlist\if@newlist
16302     \global\@newlistfalse
16303     \parboxrestore
16304     \shipout \vbox{%
16305         \set@typeset@protect
16306         \aftergroup \endgroup
16307         \aftergroup \set@typeset@protect
16308             % correct? or just restore by ending
16309             % the group?

```

```

16310 \if@specialpage
16311   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
16312 \fi
16313 \if@twoside
16314   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
16315     \let\@themargin\oddsidemargin
16316   \else \let\@thehead\@evenhead
16317     \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
16318   \fi
16319   \ifx\@thehead\@empty \let\@thehead\hfil \fi
16320   \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
16321   \else %% not @twoside
16322     \ifx\@oddhead\@empty \let\@thehead\hfil \fi
16323     \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
16324   \fi
16325 \reset@font
16326 \normalsize
16327 \normalsfcodes
16328 \let\label\@gobble
16329 \let\index\@gobble
16330 \let\glossary\@gobble
16331 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
16332   \begindvi
16333   \vskip \topmargin
16334   \overright\@themargin \vbox {%
16335     \setbox\@tempboxa \vbox to\headheight{%
16336       \vfil
16337       \color@hbox
16338         \normalcolor
16339         \hb@xt@{\textwidth}{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@R
16340       \color@endbox
16341     }%                                %% 22 Feb 87
16342   \dp\@tempboxa \z@
16343   \box\@tempboxa
16344   \vskip \headsep
16345   \box\@outputbox
16346   \baselineskip \footskip
16347   \color@hbox
16348     \normalcolor
16349     \hb@xt@{\textwidth}{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@R
16350   \color@endbox
16351 }%
16352 }%
16353 \global\let\if@newlist\@@if@newlist
16354 \global \colht \textheight
16355 \stepcounter{page}%
16356 \let\firstmark\botmark
16357 }
16358 \long\def\@makecaption#1#2{%
16359   \vskip\abovecaptionskip

```

```

16360  \sbox\@tempboxa{#1: #2}%
16361  \ifdim \wd\@tempboxa >\hsize
16362    \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
16363  \else
16364    \global \ominipagefalse
16365    \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
16366  \fi
16367  \vskip\belowcaptionskip}
16368 \let\bidi@saved@eqno=\eqno
16369 \let\bidi@saved@leqno=\leqno
16370 \def\eqnof{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
16371 \def\leqnof{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
16372 \@ifpackageloaded{amsmath}{}{
16373 \def\eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
16374 }
16375 \input{footnote-xetex-bidi.def}
16376 \if@twocolumn
16377   \let\autofootnoterule\relax
16378   \let\leftfootnoterule\relax
16379   \let\rightfootnoterule\relax
16380   \textwidthfootnoterule
16381 \fi
16382 \if@bidi@csundef{@idxitem}{}{%
16383 \renewcommand{@idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
16384 }
16385 \@ifclassloaded{article}{\ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}%
16386 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}}{}%
16387 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}}{}%
16388 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}}{}%
16389 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}}{}%
16390 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}}{}%
16391 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}}{}%
16392 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}}{}%
16393 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}}{}%
16394 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}}{}%
16395 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}}{}%
16396 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}}{}%
16397 \@ifclassloaded{report}{\ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}%
16398 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}}{}%
16399 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}}{}%
16400 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}}{}%
16401 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}}{}%
16402 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}}{}%
16403 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}}{}%
16404 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}}{}%
16405 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}}{}%
16406 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}}{}%
16407 \@ifclassloaded{book}{\ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}%
16408 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}}{}%
16409 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}}{}%

```

```

16410 \@ifpackageloaded{amsmath}{}{%
16411 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}%
16412 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}%
16413 }%
16414 \@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}%
16415 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}%
16416 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}%
16417 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}%
16418 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}%
16419 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}%
16420 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}%
16421 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}%
16422 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}%
16423 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}%
16424 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}%
16425 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}%
16426 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}%
16427 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}%
16428 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}%
16429 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}%
16430 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}%
16431 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}%
16432 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}%
16433 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}%
16434 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}%
16435 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}%
16436 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}%
16437 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}%
16438 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}%
16439 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}%
16440 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}%
16441 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}%
16442 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}%
16443 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}%
16444 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}%
16445 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}%
16446 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}%
16447 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}%
16448 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}%
16449 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}%
16450 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}%
16451 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}%
16452 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}%
16453 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}%
16454 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}%
16455 \@ifpackageloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}%
16456 \@ifpackageloaded{pgf}{\input{pgf-xetex-bidi.def}}{}%
16457 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}%
16458 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}%
16459 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}%

```

```

16460 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
16461 \@ifpackagewith{sidecap}{innercaption}{%
16462 \if@RTL \ renewcommand*{\SC@FLOAT}[2]{%
16463 \isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
16464 \renewcommand*\SC@justify@caption{%
16465 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
16466 \renewcommand*{\SC@FLOAT}[2]{%
16467 \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
16468 \renewcommand*\SC@justify@caption{%
16469 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
16470 }{}}
16471 \@ifpackagewith{sidecap}{rightcaption}{%
16472 \if@RTL \ renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}}
16473 \def\SC@justify@caption{\RaggedLeft}\else%
16474 \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}%
16475 \def\SC@justify@caption{\RaggedRight}\fi%
16476 }{}}
16477 \@ifpackagewith{sidecap}{leftcaption}{%
16478 \if@RTL \ renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}%
16479 \def\SC@justify@caption{\RaggedRight}\else%
16480 \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}%
16481 \def\SC@justify@caption{\RaggedLeft}\fi%
16482 }{}}
16483 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
16484 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
16485 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
16486 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
16487 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
16488 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
16489 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
16490 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
16491 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
16492 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
16493 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
16494 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
16495 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
16496 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
16497 \@ifpackageloaded{tbls}{\input{tbls-xetex-bidi.def}}{}
16498 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
16499 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
16500 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}}
16501 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}}
16502 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}

```

7.114 xltxta-xetex-bidi.def

```

16503 \ProvidesFile{xltxta-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxta package for
16504 \let\@@XeTeX\XeTeX
16505 \def\XeTeX{\@ensure@LTR{\@@XeTeX}}
16506 \let\@@XeLaTeX\XeLaTeX

```

8 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\#	2498, 2544, 2653, 2661, 10422	15709, 15711, 15712, 15714, 15733
\\$	10421	\@ccls 15653, 15696
\%	9557	\@cdate 4260, 4263, 4266
\'	9677, 10968, 12066, 12080	\@cend 2742, 2743
\,	3658, 9754, 12650, 12693, 15831	\@cendpbox 10902, 14757, 14796, 16064
\-	9676, 10967, 12065, 12079	\@cif@newlist 9113, 9133, 16301, 16353
\.	89, 223, 507, 638, 906, 1158, 4771, 4964, 5277, 6615, 6890, 8803, 11630, 12216, 12609, 12810, 13014, 13485, 14009, 14600, 14952	\@citaliccorr 263, 5321 \@cline 7133, 7137, 13040, 13049, 13087, 13098, 16014, 16015, 16017, 16018, 16020, 16021
\/	1657	\@cmakecaption 13529, 13608, 14053, 14132, 14644, 14723
\=	9677, 10968, 12066, 12080	\@cmakefnmark 13186, 13188, 13654, 13656, 14157, 14158, 14288, 14290
\@	2568	\@cmath 5312
\@CRTL	11965, 11967, 15808, 15810	\@cmix 15657, 15700
\@CTeX	15813, 15814	\@cmod 15658, 15662, 15663, 15666,
\@CTeXe	15815, 15816	15667, 15668,
\@CTRL	11964, 11967, 15807, 15810	15671, 15701, 15705, 15706,
\@CTeX	11968, 11969, 15811, 15812	15709, 15710, 15711, 15714, 15733
\@XeTeX	16506, 16507	\@cpar 10966, 12064, 12078, 12645,
\@XeTeX	16504, 16505	12688, 13169,
\@cauthor 4259, 4262, 4265	13176, 13637,
\@cclr	15658, 15663, 15666, 15668, 15669, 15671, 15701, 15706,	13644, 14143, 14148, 14271, 14278, 14878, 14880, 15953, 16070
		\@cprotect 2429 \@cstartpbox 10901, 14757, 14796, 16064 \@ctitle 4258, 4261, 4264 \@ctmp 15662, 15663, 15668, 15669, 15671, 15672, 15705, 15706, 15711, 15712, 15714, 15715, 15733, 15734 \@cunderline 16035, 16037, 16039 \@DEBUGfalse 2007 \@False 5300, 5302 \@LTRbibitemfalse 15835, 15837 \@LTRbibitemtrue 15836 \@LTRbiditufte sidenote@sidenote 3769, 3824, 3828 \@LTRbiditufte sidenote@marginparreset 3451, 3458 \@LTRbiditufte sidenotesavemarbox 3438, 3439, 3442, 3445 \@LTRbiditufte sidenotexmpar 3436, 3437 \@LTRbiditufte sidenoteypar 3436, 3441 \@LTRfootnotetext 62, 78, 195, 212, 1793, 1916, 3702, 3781, 3788, 4429, 4440, 4653, 4667, 6207, 6208, 6971, 7027, 7034, 7148, 7295, 7435,

7582,	7729,	11391,	11403, 3482,
7876,	8023,	11415,	12004,	3483, 3486, 3489
8170,	8317,	12112,	12113,	\@RTLbidituftesidenotexmpar
8506,	9353,	12137,	12249, 3480, 3481
9359,	9397,	12388,	12511,	\@RTLbidituftesidenoteypar
9422,	9477,	12564,	12565, 3480, 3485
9502,	9508,	12628,	12629,	\@RTLcolumnfootnotesfalse
10224,	10252,	12986,	12994, 7041
10331,	10368,	13423,	13913,	\@RTLcolumnfootnotestrue
10372,	10392,	14520,	14864, 7040
10393,	10941,	14905,	15038,	\@RTLfalse 36,
11024,	11522,	15069,	15092,	64, 84, 170, 197,
11523,	11524,	15109,	15126,	218, 494, 628,
13151,	13157,	15143,	15160,	896, 1148, 2233,
13535,	13536,	15177,	15195,	4761, 4954,
13546,	13619,	15214,	15234,	5264, 5282,
13625,	14059,	15269,	15408,	5294, 5307,
14060,	14070,	15522,	15923, 16095	6605, 6877,
14253,	14259,	\@MM .	40, 53, 68, 174,	6941, 6973,
14650,	14651, 14661		187, 201, 6205,	6988, 7001,
\@LTRmarginparfalse			6226,	7159, 7169,
.... 16287, 16289			6280,	7204, 7216,
\@LTRmarginparreset			6332,	7306, 7315,
.... 16186, 16193			9371, 9387, 9402	7348, 7359,
\@LTRmarginpartrue		\@Mi	1978, 5312	7446, 7456,
.... 16288		\@Mii	1869, 3379, 3423,	7491, 7503,
\@LTRsavemarbox	...		3467,	7593, 7603,
.... 16173,			5747,	7638, 7650,
16174, 16177, 16180			5902,	7740, 7750,
\@LTRxmpar	16171, 16172		5921, 16158, 16202	7784, 7796,
\@LTRympar	16171, 16176	\@Miii	1871,	7887, 7897,
\@M	6, 88,		3381, 3425,	7931, 7943,
101,	132, 156,		3469, 16160, 16204	8034, 8044,
222,	480, 543,	\@RTL@footnotefalse		8079, 8091,
544,	568, 674,	 9196,	8181, 8191,
797,	852, 853,		9363, 11948,	8226, 8238,
928,	1048, 1049,		11953, 15791, 15796	8328, 8338,
1055,	1180,	\@RTL@footnotetrue		8373, 8385,
1720,	1725,	 1494,	8481, 8492,
3990,	4693,		1495, 9196,	8522, 8533,
4694,	4700,		9362, 11950,	8544, 8568,
4816,	4872,		11952, 15793, 15795	8581, 8594,
4873,	4879,	\@RTLbibitemsfalse		8793, 9367,
4995,	5045,	 15836, 15837	9398, 9439,
5242,	5250,	\@RTLbibitemstrue	15835	9452, 10579,
5316,	6583,	\@RTLbidituftesidenote@ sidenote	10957,	11181,
6596,	6854,	.. 3796, 3825, 3829		11622, 11725,
6863,	7133,	\@RTLbidituftesidenotemarginparreset2,		11944,
7137,	8768, 3495, 3502		11948, 11953,
8776,	9086,	\@RTLbidituftesidenotesavemarbox	12206,	12599,

12797,	13001,	\@RTLtabfalse .	302,	15977,	15995,
13464,	13988,	329,	1295,	16284,	16339,
14579,	14939,	1976,	5361,	\@RTLxmpar	16215,
15755,	15787,	14745,	14771,	\@RTLympar	16215,
15791,	15796,	16043,	16051,	\@SepMark	16220
15968,	15986,	16075		19,	
16284,	16339,	\@RTLtabtrue	297,	20,	21,
16349		14738,	1937,	22,	145,
\@RTLfootnotetext .		16044	5338,	146,	147,
.....	47,	\@RTLtrue	36,	148,	
181,	211,	49,	84,	261,	270,
	1794,	170,	183,	468,	
1917,	3719,	218,	494,	471,	
3808,	3815,	896,	1148,	621,	622,
4430,	4441,	1495,	1494,	623,	
4654,	4668,	4761,	2233,	624,	877,
6228,	6229,	5264,	4954,	878,	
6955,	7028,	5323,	628,	879,	880,
7035,	7149,	6877,	1141,	1141,	1143,
7296,	7436,	6957,	1143,	1144,	4789,
7583,	7730,	7014,	1143,	4790,	4791,
7877,	8024,	7179,	1143,	4792,	4793,
8171,	8318,	7229,	1143,	4795,	4797,
8507,	9344,	7324,	1143,	4799,	4968,
9350,	9382,	7371,	1143,	4969,	4970,
9421,	9478,	7466,	1143,	4971,	4972,
9517,	9523,	7516,	1143,	4974,	4976,
10223,	10241,	7613,	1143,	4978,	5221,
10316,	10367,	7663,	1143,	5223,	5225,
10371,	10389,	7760,	1143,	5227,	5228,
10390,	10942,	7809,	1143,	5229,	5230,
11025,	11526,	7907,	1143,	5231,	6717,
11527,	11528,	7956,	1143,	6718,	6719,
13152,	13161,	8054,	1143,	6720,	6833,
13537,	13538,	8104,	1143,	6835,	6837,
13548,	13620,	8201,	1143,	6839,	6840,
13629,	14061,	8251,	1143,	6841,	6842,
14062,	14072,	8348,	1143,	6843,	8895,
14254,	14263,	8398,	1143,	8896,	8897,
14652,	14653,	8492,	1143,	8898,	8899,
	14663			8901,	8903,
\@RTLmainfalse	1477,	9367,	9383,	8905,	9053,
	1481,	9426,	9452,	9059,	9166,
\@RTLmaintrue	1480,	10579,	10960,	9168,	9170,
\@RTLmarginparfalse		11181,	11622,	9172,	9173,
....	16288,	11913,	11936,	9174,	9175,
\@RTLmarginparreset		11950,	11952,	9176,	9179,
....	16230,	12206,	12599,	9181,	9183,
\@RTLmarginpartrue	.	12797,	13001,	9185,	9186,
.....	16287	13464,	13988,	9187,	9188,
\@RTLsavemarbox	...	14579,	14939,	9189,	10604,
.....	16217,	15756,	15779,	11068,	11070,
16218,	16221,	15793,	15795,	11072,	11074,
				11076,	11077,
				11079,	11080,
				11081,	11664,

11672,	11674,	\@address	2125, 6062, 6063, 6160, 6162	5225,	5226,
12220,	12221,	\@addresscolour	2094, 2111, 6061, 6159	5227,	5228,
12222,	12223,	\@addtopreamble	...	5229,	5230,
12224,	12226,	...	1335, 1398, 5386	5231,	5265,
12228,	12230,	\@addtoreset	5272,	6606,
12585,	12586,	259, 9056,	6613,	6717,
12587,	12588,	11662, 11668, 11670	6718,	6719,
12589,	12591,	\@addviper 5685	6720,	6833,
12593,	12595,	\@afterheading	6835,	6837,
12784,	12786,	490, 1703, 1713,	6838,	6839,	
12788,	12789,	6593, 6601, 10980	6840,	6841,	
12790,	12791,	\@afterindentfalse	.	6842,	6843,
12792,	12793,	.. 1703, 1713, 10979	6878,	6885,	
12967,	12969,	\@afterindenttrue	.	8794,	8801,
12971,	12973,	568, 797, 1055,	8895,	8896,	
12974,	12975,	3989, 4700,	8897,	8898,	
12976,	12977,	4879, 11390,	8899,	8901,	
13438,	13439,	11402, 11414,	8903,	8905,	
13441,	13443,	12137, 12511,	9166,	9168,	
13445,	13930,	15037, 15068,	9170,	9171,	
13933,	13935,	15091, 15108,	9172,	9173,	
13939,	13941,	15125, 15142,	9174,	9175,	
13943,	13945,	15159, 15176,	9176,	9179,	
13949,	13951,	15194, 15213,	9181,	9183,	
13957,	13959,	15233, 15268,	9184,	9185,	
13965,	13967,	15401, 15521, 16094	9186,	9187,	
14537,	14539,	\@ampacol .. 1362, 1370	10604,	10606,	
14542,	14544,	\@arabic	11068,	11070,	
14546,	14548,	468,	11072,	11074,	
14551,	14555,	469, 470, 471,	11076,	11079,	
14559,	15012,	495, 502, 621,	11080,	11081,	
	15256, 15832, 15834	622, 623, 624,	12207,	12214,	
\@True .	5295, 5301, 5333	629, 636, 877,	12220,	12221,	
\@Undottedtocline	11398	878, 879, 880,	12222,	12223,	
\@Undottedtoclinep 11410	897, 904, 1141,	12224,	12226,	
\@acci	9677,	1142, 1143,	12228,	12230,	
	10968, 12066, 12080	1144, 1149,	12585,	12586,	
\@accii	9677,	1156, 2244,	12587,	12588,	
	10968, 12066, 12080	4762, 4769,	12589,	12591,	
\@acciii	9677,	4789, 4790,	12593,	12595,	
	10968, 12066, 12080	4791, 4792,	12600,	12607,	
\@acol ..	1364, 1372,	4793, 4795,	12784,	12786,	
	1802, 10898,	4797, 4799,	12788,	12789,	
	14740, 16046, 16073	4955, 4962,	12790,	12791,	
\@acolampacol ..	1362,	4968, 4969,	12792,	12793,	
	1364, 1370, 1372	4970, 4971,	12798,	12805,	
\@addamp ..	1363, 1371	4972, 4974,	12967,	12969,	
\@addfield	16293	4976, 4978,	12971,	12972,	
\@addmarginpar ..	16243	5221, 5223,	12973,	12974,	

12975,	12976,	1602,	4191,	12799,	13002,
12977,	13002,	4193,	4262,	13003,	13466,
13009,	13439,	4827,	4829,	13468,	13990,
13441,	13443,	4847,	5006,	13992,	14581,
13445,	13466,	5008,	5026,	14583,	14940, 14941
13482,	13937,	5101,	5115,	\@bibsetup	11623
13939,	13941,	5151,	5172,	\@bibtitlestyle	81, 215
13943,	13945,	6644,	6656,	\@bidi@info . . .	1433,
13953,	13961,	6690,	6709,	1454,	1456,
13969,	13990,	6739,	6753,	1507,	1528, 1530
14006,	14540,	6789,	6810,	\@bidi@list@minipage@parbox@not@nobtrue	9466, 15950
14542,	14544,	8822,	8834,	\@bidi@list@minipage@parboxtrue	9467, 15951
14546,	14548,	8868,	8887,	\@bidi@lst@makecaption	10577, 10592,
14552,	14556,	11037,	12260,	10593,	10596, 10598
14560,	14581,	12262,	12280,	\@bidi@mdf@RTLtrue	10956
14597,	14940, 14947	12325,	12344,	\@bidi@saveprimitive	2255
\@argdef	2389	12399,	12401,	\@bidi@declaredcolor	5438,
\@array	304, 325, 1297, 1298, 14779, 16053	12421,	12468,	5445, 15693, 15722	
\@arrayacol	16073	12490,	12501,	\@bidituftefloat@caption	2990, 3023
\@arrayclassiv	16074	12659,	12673,	\@bidituftefloat@caption@box	2982, 3041,
\@arrayclassz	16073	12714,	12735,	3052,	3053,
\@arraycr	1362, 14783, 16073	12847,	12861,	3076,	3311, 3316
\@arrayleft	317	12897,	12918,	\@bidituftefloat@caption@fill	2931,
\@arrayparboxrestore	10944, 12061, 12075	13245,	13308,	2940,	2941, 3316
\@arrayright	326	13359,	13713,	\@bidituftefloat@caption@font	2896, 2897,
\@arrayrule	1317, 1318, 1319, 1355, 1356, 1357	13776,	13827,	2951,	3142,
\@carstdepth	14776, 14781, 14799	14347,	14410, 14461	3313,	3319, 3332
\@carstheight	14781, 14799	\@auxout . . .	1960, 4600	\@bidituftefloat@caption@justification	2829, 2954, 3142
\@carstrut	314, 10921, 14756, 16063	\@badmath ..	9018, 9032	\@bidituftefloat@caption@vertical@offset	2986,
\@carstrutbox	307, 10909, 10945, 14749, 14791, 14795, 14799, 16056	\@begin@tempboxa . . .	9850, 9857, 15953	2994,	3052, 3053, 3080
\@author	348, 362, 398, 419, 685, 687, 705, 750, 769, 939, 941, 959, 1004, 1023, 1191, 1193, 1211, 1256, 1276, 1287,	\@begin@parpenalty . . .	10984, 16332	\@bidituftefloat@checkoddpage	2913, 3010
		13459,	13983, 14574	\@bidituftefloat@figure@box	2981, 3034,
		\@biblabel	85, 219, 495, 496, 629, 630, 897, 898, 1149, 1150, 4762, 4763, 4955, 4956, 5265, 5266, 6606, 6607, 6878, 6879, 8794, 8795, 11623, 12207, 12208, 12600, 12601, 12798,	3052, 3053, 3080	3052, 3053, 3075
				\@bidituftefloat@float@contents@width	3002,

3032, 3033, 3035	\@bidiutfefloat@stored@cap	\@bidiutfesidenote@marginnote@font	
\@bidiutfefloat@float@debug 2988, ... 2971, 2977, 2979, 2980, 3012, 3013, 3016, 3018, 3019, 3090, 3097, 3104, 3105, 3108, 3109	2995, 3043, 3078 2989, 2998, 3044, 3060, 3062, 3079 2987, 2992, ... 2970, 4035, 4041	3510, 3513, 3836, 3843, 3850 3516, 3836, 3843, 3850 3590, 3649, 3764, 3791, 3818, 3845, 3852 \@bidiutfesidenote@print@citations
\@bidiutfefloat@float@debug@info@993	3043, 3077	3838@resetpar	
2972, 2973, 3148, 3157	3618, 3763, 3790, 3817,	
2974, 3065, 3072 3149, 3151	3837, 3844, 3851 \@bidiutfesidenote@sidenote	
\@bidiutfefloat@float@fullwidth 3052, 3100 3156, 3160 \@bidiutfesidenote@add@citation..... 3643	
\@bidiutfefloat@float@textwidth 3053, 3082 3612, 3645 \@bidiutfesidenote@check@multiple@sidenotes	
\@bidiutfefloat@fps 3000, 3015 3500, 3512, 3654, 3655, 3658	
\@bidiutfefloat@fullwidth 2930, 2936, 2937, 2938, 3032 3511, 3668, 3676 \@bidiutfesidenote@citation@vertical@offset	
\@bidiutfefloat@justification 2898 3515, 3654, 3655	
\@bidiutfefloat@justification@ag t94 @detect 2829, 2968	3396, 3624 \@bidiutfesidenote@citation@justification	
\@bidiutfefloat@label 2997, 3024	3517, 3625 3739,	
\@bidiutfefloat@margin@floatbox 2946, 2949, 2960	3611, 3613, 3614, 3740, 3746, 3748, 3754, 3761, 3773, 3775, 3781, 3788, 3800, 3802, 3808, 3815	
\@bidiutfefloat@margin@par 2868, 2955	3616, 3621, 3630, 3744, 3771, 3798, 3835, 3842, 3849 \@bidiutfesidenote@trim@b	
\@bidiutfefloat@marginfont 2895, 2896 3560, 3567	
\@bidiutfefloat@orig@caption 3021, 3043, 3073	\@bidiutfesidenote@info@float 3644, 3743, 3564, 3567, 3572	
\@bidiutfefloat@orig@endfloat 2984, 3056, 3307	3770, 3797, 3834, 3841, 3848 \@bidiutfesidenote@trim@spaces	
\@bidiutfefloat@orig@float 2983, 3030, 3306 3515, 3549, 3603, 3633, 3635	
\@bidiutfefloat@orig@label 3022, 3028, 3044, 3074	3516, 3517, 3518 \@bidiutfesidenote@margin@par 3407, 3414	
\@bidiutfefloat@overhang 2929, 2933, 2934, 3126, 3127, 3166, 3167	3626, 3690, 3707, 3724, 3836, 3843, 3850 \@bidiutfesidenote@marginfont 3392, 3393	
\@bidiutfefloat@pkgname	.. 2803, 2804, 2806 3508, 3509, 3510, 3511 \@bidiutfesidenote@ympar	
	 3392, 3397	

\@bidiuftetoc@lof@line	\@cftdoparttrue . . .	5963, 5967,
..... 3982, 3998 15018, 15022	8690, 9107,
\@bidiuftetoc@pkgname	\@cftl@subfig . . .	11188, 11191,
..... 3858, 3859	\@cftl@subtab . . .	11193, 11195,
\@bidiundeclaredcolor	\@chapapp 5040, 5237,	11200, 11201,
... 5438, 5439,	6849, 8764, 12982	11202, 11221,
15693, 15694, 15733 11656	11222, 11223,
\@bscontmark	\@chapterlistsgap@off	11227, 11270,
.... 11060 11663, 11671	11273, 11275,
\@bsmarkseries	\@chclass . . .	11277, 11282,
... 11041	272, 284, 295, 1304,	11283, 11284,
\@bsmtitleempty	1316, 1329,	11303, 11304,
... 11029	1349, 1354,	11305, 11309, 16354
\@bsphack	14805, 14821,	\@colourfalse . . . 2037
.... 1868,	14832, 16076, 16081	\@colourgreenfalse .
3378, 3422,	\@chnum . . . 273, 280, 5980, 6078
3466, 16157, 16201	291, 1305, 1312,	\@colourgreentreue .
\@bsthanksheadpost	1325, 1335, 5981, 6079
.... 11043	1351, 1352,	\@colourgreyfalse .
\@bsthanksheadpre	1353, 1366, 5984, 6082
11043	1374, 1400,	\@colourgreytrue . . .
\@caption	5388, 14806, 5985, 6083
..... 3133, 11163, 11166	14813, 14828,	\@colourorangefalse .
\@capttype	16078, 16079, 16080 5978, 6076
1807, 1856,	\@circlefnt . . . 8924	\@colourorangeltrue .
1904, 2952,	\@classiv 1804, 10899, 5979, 6077
11156, 11160,	14742, 16048, 16074	\@colourredfalse . . .
11163, 13024, 13067	\@classx 1332, 1391, 5382 5982, 6080
\@cclv	\@classz 1332, 1391,	\@colourredtrue . . .
.... 1982,	1425, 1426, 5983, 6081
1987, 1999,	1803, 5382,	\@colourtrue . . . 2036
6240, 6297,	10899, 14741,	\@colroom 1993, 2002,
8700, 8701, 8718	14783, 16047, 16073	5751, 5774,
\@centercr	\@cleartopmattertags	5777, 5779,
..... 125	5780, 5939,
.. 4063, 12012,	\@cliptoboxdim . . . 14835	5942, 5944,
12025, 12038,	\@clubpenalty . . .	5945, 6240, 6297
14857, 14886, 16004 505, 5275,	\@combinedblfloats . . .
\@cftasnum	6888, 12808,	5627, 5666,
... 15042,	13012, 14950, 15925	8975, 9007,
15073, 15096,	\@colht . 1993, 1994,	9088, 9716,
15113, 15130,	5762, 5763,	9740, 11250,
15147, 15164,	5773, 5774,	11329, 16119, 16141
15181, 15199,	5781, 5796,	\@combinefloats . . . 8685
15218, 15238, 15273	5830, 5833,	\@compactenum@ . . . 4045
\@cftasnum	5855, 5856,	\@cons . . . 16243, 16244
... 15043,	5915, 5927,	\@contcshortstyle 11111
15074, 15097,	5928, 5938,	\@contcstyle . . .
15114, 15131,	5939, 5946,	11116, 11122, 11127
15148, 15165,		
15182, 15200,		
15219, 15239, 15274		
\@cftbsnum		
... 15041,		
15072, 15095,		
15112, 15129,		
15146, 15163,		
15180, 15198,		
15217, 15237, 15272		
\@cftdopartfalse		
15015		

\@contcwidth	203, 3692, 3709,	\@curtabmar 16292, 16295
.... 11105, 11106	3726, 6947,	\@cvtheme .. 2117, 2120
\@contdelim	6963, 6979,	\@cvthemeoptions ..
. 11099, 11110,	6992, 7005, 2118, 2120
11114, 11121, 11126	7018, 7163,	\@date 351,
\@contfield	7173, 7183,	363, 399, 422,
.. 4617, 4632, 4664	7209, 7222,	693, 695, 707,
\@contfinal	7234, 7261,	752, 772, 947,
. 11099, 11111,	7274, 7310,	949, 961, 1006,
11117, 11123, 11127	7319, 7328,	1026, 1199,
\@contfmark 11098, 11101	7353, 7365,	1201, 1213,
\@contfnote 11097, 11100	7376, 7402,	1258, 1279,
\@contindw 11122	7414, 7450,	1288, 1603,
\@contnfont	7460, 7470,	4209, 4263,
. 11099, 11110,	7496, 7509,	4835, 4837,
11114, 11121, 11126	7521, 7548,	4849, 5014,
\@contpost 11131	7561, 7597,	5016, 5028,
\@contpre ... 11109,	7607, 7617,	5104, 5116,
11115, 11120, 11125	7643, 7656,	5152, 5175,
\@conttfont	7668, 7695,	6647, 6657,
. 11099, 11111,	7708, 7744,	6691, 6712,
11117, 11123, 11127	7754, 7764,	6742, 6754,
\@curfield ... 4616,	7790, 7803,	6790, 6813,
4631, 4651,	7815, 7842,	6897, 6902,
4665, 4675, 16293	7855, 7891,	8825, 8835,
\@curline ... 4614,	7901, 7911,	8869, 8890,
4629, 16293, 16295	7937, 7950,	10444, 10449,
\@currbox 1876,	7962, 7989,	11038, 12268,
1907, 1911,	8002, 8038,	12270, 12282,
3343, 3346,	8048, 8058,	12327, 12347,
3387, 3390,	8084, 8097,	12407, 12409,
3395, 3399,	8109, 8136,	12423, 12470,
3431, 3434,	8149, 8185,	12493, 12502,
3439, 3443,	8195, 8205,	12662, 12674,
3475, 3478,	8231, 8244,	12715, 12737,
3483, 3487,	8256, 8283,	12850, 12862,
16166, 16169,	8296, 8332,	12898, 12921,
16174, 16178,	8342, 8352,	13249, 13309,
16210, 16213,	8378, 8391,	13363, 13717,
16218, 16222,	8403, 8430,	13777, 13831,
16244, 16253, 16285	8443, 8526,	14231, 14232,
\@currentHlabel ...	8537, 8548,	14235, 14240,
..... 10309,	8573, 8586,	14351, 14411, 14465
10324, 10339,	8599, 8633,	\@datefield 14171
10350, 10353, 10355	8647, 9373,	\@dblarg 11163
\@currentHref 10310,	9389, 9404,	\@dblfloatplacement
10325, 10340,	9431, 9444, 9457	... 5628, 5669,
10351, 10354, 10356	\@currentlabelname .	8976, 9011,
\@currentlabel . 42,	10311, 10326, 10341	9095, 9718,
55, 70, 176, 189,	\@currlist 16243	9742, 11253,

11332, 16120, 16144	\@eightcolRTLfootnotetext	4259,	4260,
\@declaredcolor 5423, 5424, 15650, 15673 8024, 8054 \@eightcolfootfmt . .. 8041, 8069, 8087	4768, 4847, 4849,	4846, 4848, 4961,
\@dedication	\@eightcolfootnotetext 8022, 8034	5025, 5027,	5026, 5028,
. 13265, 13267, 13318, 13366, 13368, 13733, 13735, 13786, 13834, 13836, 14367, 14369, 14420, 14468, 14470	\@elt ... 3231, 3232, 3233, 3234, 3235, 3236, 3237, 3238, 3239, 3240, 3241, 3242, 3272, 3273, 3274, 3275,	5114, 5116, 5150, 5152, 5271, 6267, 6612,	5115, 5117, 5151, 5153, 5297, 6319, 6655,
\@dedicatory 250	3276, 3277, 3278, 3279, 3280, 3281, 3282, 3283, 3284, 3285, 3286, 3287, 3288, 3289, 5333, 6206,	6656, 6658, 6659, 6690, 6692, 6753, 6755, 6789, 6791, 6895,	6689, 6691, 6752, 6754, 6788, 6790, 6884, 6911,
\@definitionfileextension 2268, 2270	6227, 6233, 6268, 6270, 6272, 6278, 6290, 6320, 6322, 6324, 6330	6915, 8800, 8834, 8836, 8868, 8869,
\@depth 309, 10911, 14751, 14792, 16058, 16282	\@email 2129, 6068, 6166	8959,
\@dgroup	5294	\@empty	8991,
\@dischypf	9676, 10967, 12065, 12079	83, 111, 217, 324, 361, 362, 363, 364, 397, 398, 399, 400, 501, 635, 704, 705, 706, 707, 749,	9513, 9747, 9748, 9750, 10311, 10326, 10341, 10442, 10596, 10598, 10925, 11035, 11036, 11037, 11038, 11650, 12213, 12279, 12280, 12281, 12282, 12324,
\@displaypagenumbersfalse 2216	1004, 1005, 1006, 1155, 1210, 1211, 1212, 1213, 1255, 1256, 1257, 1258,	12325, 12326, 12327, 12420, 12421, 12422, 12423, 12467, 12468, 12469,
\@displaypagenumberstrue 2215	1601, 1602, 1603, 1604, 1863, 2243, 2252, 3592, 3613, 3620, 4191, 4258,	12470, 12606, 12672, 12673, 12674, 12675, 12713, 12714,
\@dmath	5282, 5311		
\@docolbox	9146		
\@dodynamicthefoot	9085		
\@dodynamicthehead	9085		
\@donoparitem ...	15887		
\@dotsep	15419, 15420, 15528, 16101		
\@dottedtocline 15534, 15535, 15537, 15555, 16090		
\@dsseries	5307		
\@eha	2263, 15260		
\@ehc	1946, 1980, 2405, 2840, 2842, 3539, 3541, 10566, 11373, 11379		
\@ehd	11157		
\@eightcol@footgroupv@r 8028		
\@eightcolLTRfootfmt 8051, 8072, 8100		
\@eightcolLTRfootnotetext 8023, 8044		
\@eightcolRTLfootfmt 8061, 8075, 8112		

12715,	12716,	14413,	14414,	\@ensure@maindir ..
12804,	12860,	14415,	14416, 11963, 15806
12861,	12862,	14417,	14418,	\@enumctr .. 4046, 4047
12863,	12896,	14419,	14420,	\@eqnnum
12897,	12898,	14438,	14442,	9043, 10438, 16373
12899,	13008,	14450,	14456,	\@evenfoot
13168,	13223,	14468,	14482,	. 1565, 9078, 16317
13228,	13235,	14512,	14566,	\@evenhead .. 9077, 16316
13241,	13265,	14596,	14621,	\@extrafootnotefeature=true
13307,	13308,	14622,	14798, 1496
13309,	13310,	14946,	15246,	\@extrainfo
13311,	13312,	15248,	15653,	.. 2130, 6069, 6167
13313,	13314,	15656,	15696,	\@extratitle
13315,	13316,	15699,	16066,	. 13223, 13224,
13317,	13318,	16075,	16319,	13312, 13336,
13336,	13340,	16320,	16322, 16323	13337, 13691,
13348,	13354,	\@emptycol ..	5766,	13692, 13780,
13366,	13380,	5769,	5785,	13804, 13805,
13415,	13452,	5788,	5931,	14325, 14326,
13481,	13506,	5934,	5950, 5953	14414, 14438, 14439
13507,	13636,	\@emptytoks	5296	\@familyname
13691,	13696,	\@end@tempboxa 2062, 2064,
13703,	13709,	9855, 9872, 15966	.	2065, 2123,
13733,	13775,	\@endfloatbox	1928	6043, 6133, 6154
13776,	13777,	\@endmodernpoem	\@familynamecolour ..
13778,	13779,	4627, 4647 2092, 2109
13780,	13781,	\@endparenv ..	4531,	\@fancyfoot
13782,	13783,	4644, 11697, 11717	.	8942
13784,	13785,	\@endparpenalty	1720,	\@fancyhead
13786,	13804,	1729,	9022, 9036	8937
13808,	13816,	\@endpbox	1342,	\@fancyvbox .. 8938, 8943
13822,	13834,	1343,	1384,	\@fax .. 2128, 6067, 6165
13848,	13875,	1408,	1409,	\@ff@odo@allframes ..
13905,	13975,	1410,	5396, 9087, 9092
14005,	14030,	5397,	5398,	\@ff@fbox
14031,	14142,	10896,	10902,	9155
14172,	14173,	14757,	14796, 16064	\@ff@setoffset ..
14174,	14175,	\@endtraditionalpoem ..	.	9152
14176,	14177,	4511, 4583	.	\@ff@background ..
14178,	14179,	\@ensure@LR	11961, 15804	9142
14183,	14189,	\@ensure@LTR ..	11959,	\@finalstrut ..
14195,	14201,	11961,	11969,	6952, 6968, 6984,
14207,	14213,	15802,	15804,	6998, 7011,
14219,	14225,	15812,	15814,	7024, 9378,
14231,	14240,	15816,	16505, 16507	9394, 9409,
14270,	14325,	\@ensure@RL	11960, 15803	9435, 9448, 9461
14330,	14337,	\@ensure@RTL ..	11958,	\@firststampfalse ..
14343,	14367,	11960,	15801, 15803 1364, 1372
14409,	14410,	\@ensure@dir ..	11962,	\@firstcolfirstmark
14411,	14412,	11963,	15805, 15806 8958,
				8959, 8963,
				8990, 8991, 8995
				\@firstcoltopmark ..
			 8956,
				8964, 8988, 8996

\@firstcolumnfalse .	\@fivecolLTRfootfmt .. 7610, 7631, 7659	7881, 8028,
..... 5607,	\@fivecolLTRfootnotetext 7582, 7603	8175, 8322, 8511
5643, 5971,	\@fivecolRTLfootfmt .. 7620, 7634, 7671	\@footnote 4140
8950, 8982,	\@fivecolRTLfootnotetext 7583, 7613	\@footnotemark 1836,
9102, 9704,	\@fivecolfootfmt .. 7600, 7628, 7646	1844, 1852,
9724, 11186,	\@fivecolfootnotetext 7581, 7593	3664, 3754,
11268, 16108, 16126	\@float 2983, 3306	3761, 3781,
\@firstcolumntrue .	\@floatboxreset ... 1926	3788, 3808,
..... 5610,	\@floatpenalty	3815, 4565,
5646, 5925,	... 1869, 1871,	4572, 4579,
8966, 8999,	1874, 3379,	9344, 9350,
9066, 9709,	3381, 3385,	9353, 9359,
9729, 11230,	\@float 2983, 3306	10346, 10365,
11312, 16110, 16129	\@floatboxreset ... 1926	10369, 10383, 10384
\@firstdetailselementfalse .	\@floatpenalty	\@footnotetext 34, 76,
..... 6148	... 1869, 1871,	168, 210, 1792,
\@firstdetailselementtrue .	1874, 3379,	1915, 3685,
..... 6145	3381, 3385,	3754, 3761,
\@firstfooterelementfalse .	3389, 3423,	4428, 4439,
..... 6064,	3425, 3429,	4652, 4666,
6065, 6066,	3433, 3467,	6186, 6187,
6067, 6068, 6069	3469, 3473,	6939, 7026,
\@firstfooterelementtrue .	3477, 16158,	7033, 7147,
..... 6049	16160, 16164,	7294, 7434,
\@firstname	16168, 16202,	7581, 7728,
... 2062, 2064,	16204, 16208, 16212	7875, 8022,
2065, 2122,	\@fltovf 1909,	8169, 8316,
6043, 6133, 6154	3390, 3434,	8505, 9366,
\@firstnamecolour .	3478, 16169, 16213	9420, 9476,
..... 2091, 2108	\@flushglue ... 4413,	10222, 10230,
\@firstofone	4414, 10973,	10301, 10366,
... 2712, 2719,	12072, 12771, 16005	10370, 10386,
2725, 2738,	\@fnsymbol	10387, 10940,
2744, 10430,	. 373, 668, 727,	11023, 11518,
10431, 10432,	922, 981, 1174,	11519, 11520,
10433, 11161,	1233, 1589,	13150, 13153,
13608, 14132, 14723	4810, 4989,	13533, 13534,
\@firstoftwo	5126, 6667,	13544, 13618,
... 2289, 2297,	6764, 8845,	13621, 14057,
2303, 2307,	12243, 12302,	14058, 14068,
2315, 2321,	12382, 12443,	14252, 14255,
2324, 2327,	12641, 12684,	14648, 14649, 14659
2341, 2348,	12872, 13220,	\@footstartv@r ... 7077
2514, 2532,	13284, 13688,	\@for ... 3593, 3598,
2538, 2562,	13752, 14322, 14386	3621, 3630, 5587
2589, 2619,	\@footgroupv@r 7077,	\@fourcol@footgroupv@r
2679, 2689, 11631	7126, 7153, 7440
..... 7587	7300, 7440,	\@fourcolLTRfootfmt
	7587, 7734,	.. 7463, 7484, 7512
		\@fourcolLTRfootnotetext

..... 7435, 7456	14651, 14653,	5845, 5850,
\fourcolRTLfootfmt .. 7473, 7487, 7524	15657, 15700,	5854, 5862,
	16328, 16329, 16330	5874, 5887, 5894
\fourcolRTLfootnotetext .. 7436, 7466	\gobbletwo	\idxitem 98, 103, 153,
\fourcolfootfmt .. 7453, 7481, 7499	... 2279, 2280,	158, 524, 539,
\fourcolfootnotetext .. 7434, 7446	2283, 2284, 10486	790, 1044, 4104,
\fps ... 1857, 1858, 1860, 1863, 1880	\gtempa ... 2365, 2366	4111, 4689,
\fpsadddefault .. 1861, 1864	\halignto	4868, 5081,
\freelist .. 1876, 3231, 3272,	313, 328, 14755,	12108, 12365,
3387, 3388, 3431, 3432,	14794, 16062, 16075	12828, 15008, 16383
3475, 3476, 8683, 16166,	\hangfrom .. 13561,	\ifclassloaded ...
16167, 16210, 16211, 16243, 16244	13573, 13575,	... 2827, 4153,
\fs@capt	14085, 14097,	4155, 5083,
.. 3320, 3333, 3341	14099, 14676,	7039, 9164,
\fs@cfont 3313, 3319, 3329, 3332,	14688, 14690, 16028	9177, 16385,
3340, 9047, 9048	\height . 308, 1422,	16386, 16387,
\fs@iftopcapt	5410, 9657,	16388, 16389,
.. 3324, 3337, 3350	10910, 10945,	16390, 16391,
\fs@mid 3323, 3336, 3348	10993, 13196,	16392, 16393,
\fs@post	13205, 13664,	16394, 16395,
.. 3322, 3335, 3349	13673, 14298,	16396, 16397,
\fs@pre 3321, 3334, 3342	14307, 14750,	16398, 16399,
\g@tnextcol	14792, 16057, 16282	16400, 16401,
\getcirc	\highpenalty . 4714,	16402, 16403,
\gnewline .. 12014, 12027, 12040, 12051	4730, 4737,	16404, 16405,
\gobble	4747, 4893,	16406, 16407,
1772, 2642, 2643,	4909, 4916,	16408, 16409,
2644, 2645, 2646, 2714,	4926, 5182,	16426, 16500, 16501
2727, 2731, 2758, 2772,	\highpenalty . 4714,	\ifdefinable
2784, 2798, 2806, 4313,	5197, 5207,	... 2353, 2356,
4378, 9121, 9122, 9123,	6820, 8732,	2359, 2368,
13534, 13538, 14060,	8747, 8757,	2392, 2407, 9267
14062, 14649,	12151, 12167,	\ifdefinitionfileloaded
	12174, 12184,	2270, 16502
	12525, 12541,	\isempty .. 7, 133
	12548, 12558,	\ifloaded .. 2269, 2270
	12743, 12757,	\ifnextchar
	12767, 12928,	... 325, 1740,
	12943, 12953,	1770, 1785,
	13401, 13844,	1949, 2382,
	13865, 13871,	3392, 3436,
	13892, 13900,	3480, 5423,
	13924, 14478,	5438, 9342,
	14499, 14507,	9351, 9500,
	14531, 15028, 15063	9515, 9827,
	\hintcolour 2099, 2115	10373, 10397,
	\oldpg 5696, 5702,	11530, 11701,
	5709, 5720,	11721, 15650,
	5730, 5830,	15693, 16171, 16215
	5831, 5833,	
	5836, 5840,	\ifpackagelater .. 9213

\@ifpackageloaded .		
.....	1381,	258, 2219, 2839,
2575,	3299,	2841, 3527,
3304,	3357,	3535, 3538,
6518,	6519,	3540, 3967,
7130,	8479,	3975, 4090,
10699,	11137,	4092, 4097,
14933,	16372,	4187, 4204,
16397,	16407,	5425, 5432,
16410,	16414,	5440, 5446,
16415,	16416,	9050, 9260,
16417,	16418,	10568, 10595,
16419,	16420,	10597, 10601,
16421,	16422,	11744, 15247, 15251
16423,	16424,	\@ifundefinedmodel .
16425,	16426, 15683, 15717
16427,	16428,	\@ifxempty 15743
16429,	16430,	\@ignoretrue 5318
16431,	16432,	\@iiiminipage 9463
16433,	16434,	\@iiiparbox 7114, 9494, 15947
16435,	16436,	\@indestitlestyle 96, 151
16437,	16438,	\@inlabelfalse 5285, 15913
16439,	16440,	\@inlabeltrue ... 15907
16441,	16442,	\@insertfalse 5687, 5795
16443,	16444,	\@inserttrue 5760, 5924
16445,	16446,	\@iprintcites ... 12006
16447,	16448,	\@item 15885
16449,	16450,	\@itemfudge 16292, 16294
16451,	16452,	\@itemlabel 15848
16453,	16454,	\@itempenalty ... 15904
16455,	16456,	\@ixpt 4004
16457,	16458,	\@keywords 251
16459,	16460,	\@kludgeins 8687
16483,	16484,	\@labels 15918, 15935, 15936
16485,	16486,	\@lastchclass 273, 274, 275,
16487,	16488,	16495, 16496, 276, 278, 1305,
16489,	16490,	16497, 16498, 1306, 1307,
16491,	16492,	16499, 16500, 16501 1308, 1310,
16493,	16494,	\@ifpackagewith 5564, 14957, 1349, 1350,
16495,	16496,	16461, 16471, 16477 1362, 1370,
16497,	16498,	14806, 14807, 14808, 14809,
16499,	16500, 16501	14811, 16076, 16077 \@ifstar 2499, 3149, 6522, 9830
\@iftagsloaded . . .	2269, 16411, 16412	\@lastvipertrue 5771, 5790, 5936, 5955
\@ifundefined .	257,	\@latex@error . 2262, 11157, 11373, 11379
		\@latex@warning 91, 225, 509, 640, 908, 1160, 2248, 4773, 4966, 5279, 6617, 6892, 8805, 12218, 12611, 12812, 13016, 13489, 13496, 14013, 14020, 14604, 14611, 14954
		\@latex@warning@no@line ... 5764, 5782, 5929, 5947, 16258
		\@latexbug 16244
		\@leftcolumn ... 5608, 5614, 5644, 5650, 5803, 5831, 5837, 5846, 8951, 8970, 8983, 9002, 9705, 9712, 9725, 9734, 11187, 11231, 11243, 11269, 11313, 11321, 16109, 16114, 16127, 16133
		\@lettrine 10466
		\@listI 2853
		\@listctr 15931
		\@listdepth 9326, 9479, 9681, 9685, 15839, 15842, 15847
		\@listi 2853, 2861, 4008
		\@lowertitleback .. . 13262, 13317, 13730, 13785, 14364, 14419
		\@lowpenalty 1716, 15328
		\@m ... 89, 223, 507, 638, 906, 1158, 4771, 4964, 5277, 6615, 6890, 8803, 9706, 9726, 11630, 12216,

12609, 12810,	9447, 9460,	13289, 13291,
13014, 13485,	9752, 11044,	13296, 13306,
14009, 14600, 14952	12240, 12305,	13331, 13757,
\@mainmatterfalse .	12379, 12446,	13759, 13764,
..... 4340,	12644, 12687,	13774, 13799,
4370, 5260, 6873	12874, 13166,	14391, 14393,
\@mainmattertrue .	13634, 14141, 14268	14398, 14408, 14433
..... 4337, 4353	\@makeother ... 2498,	\@maketitle@hook .. 114
\@makecaption	2544, 2653, 2661	\@makewincaption 11776
... 3144, 5371,	\@makeschapterhead .	\@marbox 3388, 3390,
11094, 11144,	... 4685, 4864,	3394, 3398,
11176, 13602,	5055, 5076,	3399, 3432,
14126, 14717, 16358	5246, 6859,	3434, 3438,
\@makechapterhead .	8772, 12104,	3442, 3443,
228, 5035, 5232,	12361, 12823,	3476, 3478,
6844, 8760,	12990, 14979, 14984	3482, 3486,
11997, 12978, 14973	\@makespecialcolbox	3487, 16167,
\@makecol 8688	16169, 16173,
.. 1988, 2000, 8727	\@maketitle ... 116,	16177, 16178,
\@makefnmark .. 374,	243, 247, 380,	16211, 16213,
728, 1234, 1590,	382, 387, 396,	16217, 16221,
3660, 3671,	406, 734, 736,	16222, 16243,
5127, 6191,	741, 748, 758,	16253, 16256,
6212, 6668,	988, 990, 995,	16264, 16266,
6765, 8846,	1002, 1012,	16267, 16269,
10358, 11042,	1240, 1242,	16270, 16271,
12303, 12444,	1247, 1254,	16280, 16284, 16285
12642, 12685,	1264, 1594,	\@mathmargin .. 6474,
12873, 13221,	1600, 5133,	6481, 6489, 6496
13222, 13285,	5135, 5140,	\@maxdepth
13286, 13689,	5149, 5159,	.. 7075, 8699, 8726
13690, 13753,	6674, 6676,	\@memtempa .. 11094,
13754, 14323,	6681, 6688,	11096, 11110,
14324, 14387, 14388	6698, 6771,	11117, 11121, 11126
\@makefntext	6773, 6778,	\@midlist .. 8683, 8684
... 44, 57, 72,	6787, 6797,	\@minipagefalse 1930,
178, 191, 205,	8852, 8854,	3409, 3418,
375, 665, 730,	8859, 8866,	3453, 3462,
919, 982, 1171,	8876, 11047,	3497, 3506,
1236, 1591,	11049, 11056,	7111, 9491,
3658, 3696,	12309, 12311,	10588, 11150,
3713, 3730,	12316, 12323,	13592, 14116,
4807, 4986,	12333, 12450,	14707, 15910,
5128, 6669,	12452, 12457,	16188, 16197,
6766, 6950,	12466, 12476,	16232, 16241, 16364
6966, 6982,	12696, 12698,	\@minipagerestore 9480
6996, 7009,	12703, 12712,	\@minipagetrue
7022, 8847,	12722, 12879,	.. 3417, 3461,
9377, 9393,	12881, 12886,	3505, 16196, 16240
9408, 9434,	12895, 12905,	\@minus . 2166, 2251,

2849,	2851,	\@mp{eightcol}{LTRfootnotetext}	7517,	7638,
2858,	2860, 8030, 8090	7639,	7650,
2862,	2863,	\@mp{eightcol}{RTLfootnotetext}	7651,	7663,
4005,	4007, 8031, 8103	7664,	7785,
4009,	4010,	\@mp{eightcol}{footnotetext}	7786,	7797,
9595,	9633, 8029, 8078	7798,	7810,
\@mkboth		\@mp{fivecol}{@footgroup}{\@r}	7811,	7932,
520,	536, 7592	7933,	7944,
787,	895,	\@mp{fivecol}{LTRfootnotetext}	7945,	7957,
1147,	4686, 7589, 7649	7958,	8079,
4760,	4865,	\@mp{fivecol}{RTLfootnotetext}	8080,	8091,
4953,	5077, 7590, 7662	8092,	8104,
5263,	6604,	\@mp{fivecol}{footnotetext}	8105,	8226,
6876,	8792, 7588, 7637	8227,	8238,
12105,	12205,	\@mp{fn}	8239,	8251,
12362,	12598,	1814,	8252,	8373,
12796,	12824,	1817,	8374,	8385,
\@mklab		1833,	1841,	
15849		1849,	3752,	8386,
\@mkpream 312, 10915,		3758,	3779,	8399,
14753,	14786,	16060	3785,	3806,
\@mobile 2126, 6065, 6163		3812,	4542,	8568,
\@modernpoem 4603, 4647		4545,	4548,	\@mp{footnotetext} ..
\@mp{LTRfootnotetext}		4562,	4569,	... 6987, 7029,
.... 7000,	7030,	4576,	9342,	7036,
7037,	7155,	9347,	9351,	7441,
7302,	7442,	9356,	9475,	7735,
7589,	7736,	9505,	9520,	8029,
7883,	8030,	10227,	10238,	8323,
8177,	8324,	10249,	10398, 11020	8451,
8513,	9437,	\@mp{footins}		9450,
9477,	10252,	... 6988, 6989,	9476,	10230,
10267,	10290,	10294,	10265,	10268, 11023
\@mp{RTLfootnotetext}		7001,	7002,	\@mp{fourcol}{@footgroup}{\@r}
.... 7013,	7031,	7014,	7015, 7445
7038,	7156,	7095,	7104,	\@mp{fourcol}{LTRfootnotetext}
7303,	7443,	7105,	7108, 7442, 7502
7590,	7737,	9426,	9427,	\@mp{fourcol}{RTLfootnotetext}
7884,	8031,	9439,	9440, 7443, 7515
8178,	8325,	9452,	9453,	\@mp{fourcol}{footnotetext}
8514,	9424,	9485,	9486, 7441, 7490
9478,	10241,	9489,	11009, 11014	\@mp{listdepth} 9326, 9479
10266,	10279,	10294,	\@mp{ninecol}{@footgroup}{\@r}	
\@mp{parbottom} .. 1973,		7127,	7204, 8180
16254,	16262,	7205,	7216,	\@mp{ninecol}{LTRfootnotetext}
16263,	16264,	7217,	7229, 8177, 8237
\@mp{args} 7114, 9469, 9494		7230,	7348,	\@mp{ninecol}{RTLfootnotetext}
\@mp{arswitchfalse} 2823		7349,	7359, 8178, 8250
\@mp{arswitchtrue} . 2818		7360,	7371,	\@mp{ninecol}{footnotetext}
\@mp{eightcol}{@footgroup}{\@r}		7372,	7491, 8176, 8225
.... 8033		7492,	7503,	\@mp{para}{@footgroup}{\@r}
		7504,	7516, 8516

\@mp para LTR footnotetext	7293,	7392,	7417,	7422,
..... 8513, 8580	7393,	7425,	7423,	7426,
\@mp para RTL footnotetext	7429,	7433,	7427,	7430,
..... 8514, 8593	7538,	7539,	7431,	7535,
\@mp para footnotetext	7567,	7572,	7537,	7538,
..... 8512, 8567	7576,	7580,	7539,	7544,
\@mp seven col@footgroup v@r	7685,	7686,	7546,	7549,
..... 7886	7714,	7719,	7551,	7556,
\@mp seven col LTR footnotetext	7723,	7727,	7557,	7559,
..... 7883, 7943	7832,	7833,	7562,	7564,
\@mp seven col RTL footnotetext	7861,	7866,	7569,	7570,
..... 7884, 7956	7870,	7874,	7573,	7574,
\@mp seven col footnotetext	7979,	7980,	7577,	7578,
..... 7882, 7931	8008,	8013,	7682,	7684,
\@mp six col@footgroup v@r	8017,	8021,	7685,	7686,
..... 7739	8126,	8127,	7691,	7693,
\@mp six col LTR footnotetext	8155,	8160,	7696,	7698,
..... 7736, 7796	8164,	8168,	7703,	7704,
\@mp six col RTL footnotetext	8273,	8274,	7706,	7709,
..... 7737, 7809	8302,	8307,	7711,	7716,
\@mp six col footnotetext	8311,	8315,	7717,	7720,
..... 7735, 7784	8420,	8421,	7721,	7724,
\@mp tencol@footgroup v@r	8449,	8454,	7725,	7829,
..... 8327	8458,	8504,	7831,	7832,
\@mp tencol LTR footnotetext	8617,	8618,	7833,	7838,
..... 8324, 8384	8619,	8661,	7840,	7843,
\@mp tencol RTL footnotetext	8668,	8675,	7845,	7850,
..... 8325, 8397	15262,	15301,	7851,	7853,
\@mp tencol footnotetext	15302,	15303,	7856,	7858,
..... 8323, 8372	15304,	15305,	7863,	7864,
\@mp three col@footgroup v@r	15306,	15307,	7867,	7868,
..... 7305	15308,	15309, 15310	7871,	7872,
\@mp three col LTR footnotetext	4598,	6404,	7976,	7978,
..... 7302, 7358	6454,	6457,	7979,	7980,
\@mp three col RTL footnotetext	6503,	7248,	7985,	7987,
..... 7303, 7370	7250,	7251,	7990,	7992,
\@mp three col footnotetext	7252,	7257,	7997,	7998,
..... 7301, 7347	7259,	7262,	8000,	8003,
\@mp two col@footgroup v@r	7264,	7269,	8005,	8010,
..... 7158	7270,	7272,	8011,	8014,
\@mp two col LTR footnotetext	7275,	7277,	8015,	8018,
..... 7155, 7215	7282,	7283,	8019,	8123,
\@mp two col RTL footnotetext	7286,	7287,	8125,	8126,
..... 7156, 7228	7290,	7291,	8127,	8132,
\@mp two col footnotetext	7389,	7391,	8134,	8137,
..... 7154, 7203	7392,	7393,	8139,	8144,
\@namedef 4600, 7116,	7398,	7400,	8145,	8147,
7146, 7251,	7403,	7405,	8150,	8152,
7252, 7280,	7409,	7410,	8157,	8158,
7285, 7289,	7412,	7415,	8161,	8162,

8165,	8166,	\@ne	273, 282, 285, 379, 733, 987, 1239, 1305, 1314, 1317, 1318, 1319, 1352, 1355, 1356, 1357, 1886, 1941, 5132, 5575, 6673, 6770, 8851, 9425, 9438, 9451, 9695, 10552, 10564, 10572, 10917, 11046, 11123, 11349, 11700, 11720, 12308, 12449, 12648, 12691, 12695, 12878, 13172, 13288, 13640, 13756, 14146, 14274, 14390, 14806, 14815, 14822, 15103, 15599, 15842, 15883, 15970, 15972, 15973, 15974, 15979, 15981, 15982, 15983, 15988, 15990, 15991, 15992, 15997, 15999, 16000, 16001, 16079, 16081, 16244	\@nil 1393, 1394, 1396, 1397, 5385, 6234, 6291, 14907 \@ninecol@footgroupv@r 8175 \@ninecolLTRfootfmt .. 8198, 8219, 8247 \@ninecolLTRfootnotetext 8170, 8191 \@ninecolRTLfootfmt .. 8208, 8222, 8259 \@ninecolRTLfootnotetext 8171, 8201 \@ninecolfootfmt 8188, 8216, 8234 \@ninecolfootnotetext 8169, 8181 \@nmbrlistfalse . 15850 \nobreakfalse 440, 593, 839, 1080, 4724, 4903, 5192, 6829, 8742, 12161, 12535, 12752, 12938, 13399, 15050, 15054, 15922
14495,	14527,	\@newlistfalse	9114, 15911, 16302	
14991,	15263,	\@next	1876,	
15264,	15265,		3387, 3388,	
15268,	15271,		3431, 3432,	
15276,	15277,		3475, 3476,	
15282,	15286,		16166, 16167,	
15287,	15289,		16210, 16211, 16243	
15290,	15292,	\@nextchar	279, 281, 282, 283, 285,	
15293,	15295,		286, 287, 288,	
15296,	15298,		289, 292, 293,	
15299,	15306,		294, 1311, 1313,	
15311,	15312,		1314, 1315,	
15685,	15719, 16311			
\@nbitem 15897				

12751, 12937,	\@outputbox	\@covro . 8921, 8930, 8931
13398, 15049, 15053	... 5608, 5611,	\@covrtrue 8909
\@nocnterr 258	5616, 5621,	\@covttrue 8909
\@nocounterr 257	5623, 5644,	\@covvert 8926, 8927
\@nодокумент 1855	5647, 5655,	\@covxx 8911,
\@noitemargfalse 15929	5660, 5662,	8912, 8915,
\@noitemerr	7074, 7076,	8922, 8927,
.. 91, 225, 508,	8690, 8692,	8928, 8932, 8933
639, 907, 1159,	8693, 8698,	\@covyy . . . 8913, 8914,
2248, 4772,	8711, 8713,	8915, 8923, 8929
4965, 5278,	8718, 8951,	\@pagedp . . . 16272, 16282
6616, 6891,	8954, 8967,	\@pageht 5688,
8804, 11637,	8972, 8983,	5797, 16255, 16262
12217, 12610,	8986, 9000,	\@para@footgroupv@r
12811, 13015,	9006, 9087, 8511
13488, 13495,	9092, 9131,	\@paraLTRfootfmt . . .
14012, 14019,	9705, 9710,	8541, 8559, 8590
14603, 14610, 14953	9715, 9725,	\@paraLTRfootnotetext
\@normalcr 10976	9730, 9737, 8506, 8533
\@notprerr . . . 2714, 2727	11187, 11206,	\@paraRTLfootfmt . . .
\@nx 120, 121, 261	11231, 11234,	8552, 8563, 8603
\@nxtcol 9062, 9064, 9105	11236, 11246,	\@paraRTLfootnotetext
\@oddfoot 1560, 9075,	11269, 11288, 8507, 8544
9082, 16314, 16323	11313, 11316,	\@parafootRTLfalse 6938
\@oddhead 9074,	11318, 11326,	\@parafootRTLtrue 6937
9081, 16314, 16322	16109, 16111,	\@parafootfmt
\@oldmakefnmark . . .	16116, 16127,	8530, 8555, 8577
..... 13221,	16130, 16138, 16345	\@parafootnotetext 8505, 8522
13222, 13285,	\@outputdblcol 9061,	\@parboxrestore 41,
13286, 13689,	16152, 16153, 16154	54, 69, 175,
13690, 13753,	\@outputpage	188, 202, 1925,
13754, 14323,	... 1989, 2001,	3138, 3406,
14324, 14387, 14388	5627, 5630,	3450, 3494,
\@onelevel@sanitize	5667, 5672,	5323, 6991,
..... 1858	8975, 8978,	7004, 7017,
\@openbib@code . . .	9009, 9013,	7090, 7208,
.... 499, 633,	9089, 9093,	7220, 7233,
901, 1153, 2241,	9098, 9109,	7273, 7352,
2252, 4766,	9716, 9720,	7363, 7375,
4959, 5269,	9740, 9744,	7413, 7495,
6610, 6882,	11251, 11256,	7507, 7520,
8798, 12211,	11330, 11335,	7560, 7642,
12604, 12802,	16119, 16122,	7654, 7667,
13006, 13471,	16142, 16147, 16297	7707, 7789,
13995, 14586, 14944	\@ovbtrue 8909	7801, 7814,
\@otarlinesep	\@ovdx 8922, 8930	7854, 7936,
.... 14776, 14782	\@ovdy 8923, 8931	7948, 7961,
\@outerparskip	\@ovhorz 8928, 8929	8001, 8083,
..... 4528, 4641	\@ovltrue 8909	8095, 8108,
	\@ovri 8921	

8148,	8230,	5198,	6551,	4897,	4898,
8242,	8255,	6565,	6821,	4900,	4920,
8295,	8377,	8557,	8561,	4921,	4925,
8389,	8402,	8565,	8657,	5186,	5187,
8442,	8572,	8733,	8748,	5189,	5201,
8585,	8598,	9595,	9633,	5202,	5206,
8646,	9114,	11400,	11412,	5460,	5465,
9372,	9388,	11627,	12107,	5466,	6554,
9403,	9430,	12136,	12139,	6555,	6559,
9443,	9456,	12152,	12168,	6568,	6569,
9474,	11171,	12175,	12364,	6571,	6823,
11348,	15953,	12510,	12513,	6824,	6826,
16185,	16229, 16303	12526,	12542,	8736,	8737,
\@parboxto	15956, 15963	12549,	12744,	8739,	8751,
\@parmoderr	... 1874,	12758,	12827,	8752,	8756,
	3384, 3428,	12929,	12944,	11420,	12155,
	3472, 16163, 16207	13194,	13203,	12156,	12158,
\@part 472, 6575	13227,	13250,	12178,	12179,
\@pboxswfalse 9465, 15949	13268,	13339,	12183,	12529,
\@pboxswtrue 15961	13364,	13377,	12530,	12532,
\@phone	2127, 6066, 6164	13412,	13513,	12552,	12553,
\@photo	. 2132, 6039,	13520,	13662,	12557,	12746,
	6041, 6170, 6172	13671,	13695,	12747,	12749,
\@photowidth	.. 2131,	13718,	13736,	12761,	12762,
	2132, 6041, 6137	13807,	13832,	12766,	12932,
\@plus 24, 99,	13845,	13872,	12933,	12935,
	154, 430, 447,	13902,	14037,	12947,	12948,
	523, 538, 567,	14044,	14296,	12952,	13385,
	570, 583, 601,	14305,	14329,	13386,	13392,
	608, 789, 796,	14352,	14370,	13421,	13422,
	799, 812, 829,	14441,	14466,	13429,	13853,
	847, 1043, 1054,	14479,	14509,	13854,	13860,
	1057, 1070,	14628,	14635,	13880,	13881,
	1088, 1096,	14858,	14887,	13887,	13911,
	2166, 2251,	15007,	15282,	13912,	13919,
	2849, 2850,	15335,	15519, 16092	14487,	14488,
	2851, 2858,	\@pnumwidth 13,	14494,	14518,
	2859, 2860,	15,	139, 141,	14519,	14526,
	2862, 2863,	433,	434, 436,	14914,	14923,
	4005, 4006,	450,	451, 455,	14925,	15312,
	4007, 4009,	586,	587, 589,	15426,	15531, 16104
	4010, 4076,	611,	612, 616,	\@preamble	313, 314,
	4688, 4699,	815,	816, 820,	324,	326, 1365,
	4702, 4715,	832,	833, 835,	1373,	10921,
	4731, 4738,	1073,	1074,	14754,	14756,
	4867, 4878,	1076,	1099,	14763,	14794,
	4881, 4894,	1100,	1104,	14795,	14803,
	4910, 4917,	4718,	4719,	16061,	16063, 16072
	5080, 5183,	4721,	4741,	\@preamheightfmt	...
		4742,	4746,		... 8064, 8070,

8073, 8076, 8156	\@printcites . . . 12008	\@reqcolroom . . 5688,
\@preamerr	\@ptsize 2030, 2031, 2032, 2033, 2040	5689, 5690, 5691, 5751,
295, 1329, 1359, 14832, 16070, 16083	\@publisher . 4168, 4221	5796, 5797, 5798, 5799, 5800, 5801, 5915
\@preamfivefmt	\@publishers	\@resetactivechars 9112, 16300
... 7623, 7629, 7632, 7635, 7715	. 13251, 13315, 13365, 13719, 13783, 13833, 14353, 14417, 14467	\@resetdyn@mics . . 9100
\@preamfntext . 6945, 6961, 6977, 7085, 7162, 7172, 7182, 7260, 7309, 7318, 7327, 7401, 7449, 7459, 7469, 7547, 7596, 7606, 7616, 7694, 7743, 7753, 7763, 7841, 7890, 7900, 7910, 7988, 8037, 8047, 8057, 8135, 8184, 8194, 8204, 8282, 8331, 8341, 8351, 8429, 8525, 8536, 8547, 8632	\@quote . 2133, 6045, 6047, 6174, 6176	\@resetst@tics . . 9099
\@preamfourfmt	\@quotebox 12007	\@restonecolfalse 94, 149, 513,
... 7476, 7482, 7485, 7488, 7568	\@quotecolour 2095, 2112, 2222	529, 780, 1034, 4679, 4858,
\@preamninefmt	\@r@m@msize 14789	5070, 12098,
... 8211, 8217, 8220, 8223, 8303	\@raggedtwoe@everyselectfont	12355, 12817, 14965
\@preamsevenfmt 12021, 12034, 12047, 12058	\@restonecoltrue 94, 149, 515,
... 7917, 7923, 7926, 7929, 8009	\@raggedtwoe@gnewline	531, 782, 1036,
\@preamsixfmt	12014, 12027, 12040	4681, 4860,
... 7770, 7776, 7779, 7782, 7862	\@raggedtwoe@raggedrightboxes@op5072	12100,
\@preamtenfmt 12060, 12089	12357, 12819, 14967
... 8358, 8364, 8367, 8370, 8450	\@raggedtwoe@saved@gnewline	\@resumename 2065, 2121
\@preamthreefmt 12051	\@revlabeltrue 666,
... 7333, 7339, 7342, 7345, 7421	\@raggedtwoe@savedcr	920, 1172, 4808,
\@preamtwofmt 12011, 12024, 12037, 12050	4987, 12241, 12380
... 7189, 7195, 7198, 7201, 7281	\@raggedtwoe@spaceskipfalse	\@rightcolumn 11198,
 12057	11203, 11204,
	\@raggedtwoe@spaceskiptrue	11213, 11214,
	12020, 12033, 12046	11222, 11226,
 2368, 2407	11232, 11280,
	\@reffalse 14171	11285, 11286,
	\@reftrue 14172,	11295, 11296,
	14173, 14174,	11304, 11308, 11314
	14175, 14176,	\@rightskip . . . 10972,
	14177, 14178, 14179	12016, 12017,
	\@regtocline 564, 602,	12029, 12030,
	619, 793, 823,	12042, 12043,
	848, 1051, 1089,	12053, 12054, 12071
	1107, 4696,	\@rjfieldfalse . . . 16290
	4732, 4750,	\@s@size 14789
	4875, 4911,	\@sarray 14747
	4929, 12133,	\@savemarbox 16284
	12169, 12187,	\@secondoftwo . . . 2291,
	12507, 12543, 12561	2300, 2309,
	\@rememsize 14786, 14789	2318, 2324,
	\@removefromreset . . .	2327, 2338,
 11646, 11648	2343, 2350,
		2505, 2515,
		2516, 2517,

2518,	2524,	\@sevencolfootnotetext	10901, 10907,
2533,	2539, 7875, 7887	14757, 14796, 16064
2563,	2591,	\@sharp	\@startsection
2619,	2668,	320, 1367, 1368,	23
2680,	2681,	1369, 1375,	\@starttoc .. 3971, 3979
\@secpenalty .	5, 131,	1376, 1377,	\@stopfield
429,	446,	10913, 14759,	... 4615, 4630,
582,		14795, 14801, 16067	4634, 4662, 16290
600,	607,	\@sixcol@footgroupv@r	\@stopline .. 4634, 16290
811,	 7734	\@strip
828,	846,	\@sixcolLTRfootfmt .	\@subjclass
1069,		.. 7757, 7778, 7806	\@subject
1087,	1095,	\@sixcolLTRfootnotetext	. 13235, 13236,
6550,	6564, 7729, 7750	13314, 13348,
13376,	13410,	\@sixcolRTLfootfmt .	13349, 13703,
14899,	15030,	.. 7767, 7781, 7818	13704, 13782,
15085		\@sixcolRTLfootnotetext	13816, 13817,
\@sectiontitlecolour 2096, 2113 7730, 7760	14337, 14338,
\@seesize	14786, 14789	\@sixcolfootfmt ..	14416, 14450, 14451
\@setcol 9106	.. 7747, 7775, 7793	\@subsectioncolour ..
\@setcolbox	9067, 9103	\@sixcolfootnotetext 2098, 2114
\@setcopyright 108 7728, 7740	\@subtitle
\@setfontsize	2848,	\@skip@bove 14780, 14782	. 13241, 13311,
2857,	4004,	\@spart	13354, 13709,
4014,	4015,	\@specialpagefalse .	13779, 13822,
4016,	4017, 9069, 16311	14343, 14413, 14456
4018,	4019,	\@specialstyle	\@tabacol .. 1802,
\@setfpsbit 1890, 1893, 1896 9070, 16311	10898, 14740, 16046
\@setmarks 8960,	\@stabarray	\@tabarray
8962,	8975,	14742	. 301, 325, 329,
8992,	8994,	\@stabular	1804, 10885,
9008		\@star@or@long 2363,	10887, 16048, 16075
\@setminipage 3140,	2377, 2401, 2412	\@tabclassiv .. 1804,
9481,	9689,	\@startdblcolumn ..	10899, 14742, 16048
11173	 5628,	\@tabclassz
\@setpar 12645,	5630, 5670,	... 1370, 1803,
12688,	13169,	5673, 8976,	10899, 14741, 16047
13176,	13637,	8978, 9012,	\@tabcr 4611, 4621
13644,	14143,	9013, 9096,	\@tabminus
14148,	14271,	9098, 9718,	\@tabplus
14278		9720, 9742,	4609
\@settab 4608	9744, 11254,	\@tabular
\@sevencol@footgroupv@r 7881	11257, 11333,	.. 297, 1790, 16044
\@sevencolLTRfootfmt 7904, 7925, 7953	11336, 16120,	\@tabularcr ... 1804,
		16122, 16145, 16148	10903, 14742, 16048
\@sevencolfootfmt 7876, 7897	\@startfield	\@tagsextension ...
		4650 2267, 2269
\@sevencolRTLfootfmt 7914, 7928, 7965	\@startpbox ... 1342,	\@tarlinesep . 14782,
		1343, 1408,	14783, 14784,
\@sevencolfootnotetext 7877, 7907	1409, 1410,	14785, 14788, 14790
		5396, 5397,	
\@sevencolfootfmt 7894, 7922, 7940	5398, 10900,	\@temp@bibkey 3593, 3621

\@temp@bibkeyx	3598,	15610,	15613,	13585,	13586,
3599,	3601,	15619,	15623, 15637	13588,	13593,
3602,	3603,	\@tempb .	2256, 2257,	13598,	14063,
3604,	3630,	2259,	2260,	14077,	14081,
3631,	3633,	9792,	9793,	14083,	14106,
3634,	3635, 3636	9833,	9835,	14107,	14109,
\@temp@last@bibkey .		9863,	9865,	14110,	14112,
.....	3592,	9866,	9868,	14117,	14122,
3593,	3599,	9871,	11653,	14654,	14668,
3620,	3621, 3631	11654,	11660,	14672,	14674,
\@tempa 119, 122, 713,		11661,	11666, 11667	14697,	14698,
715, 717, 721,		\@tempboxa . . .	3390,	14700,	14701,
967, 969, 971,		3434,	3478,	14703,	14708,
975, 1219, 1221,		5711,	5735,	14713,	15478,
1223,	1227,	5744,	5803,	15481,	15486,
2256,	2257,	5847,	5888,	15490,	15494,
2260,	2838,	5899,	5908,	15498,	15502,
2839,	2841,	6257,	6258,	15506,	15510,
2843,	3537,	6259,	6260,	15514,	15934,
3538,	3540,	6262,	6311,	15940,	15941,
3542,	8910,	6312,	6313,	15943,	16028,
9792,	9793,	6314,	6316,	16029,	16086,
9794,	9795,	7114,	8921,	16087,	16088,
9832,	9835,	8925,	8933,	16089,	16169,
9836,	9842,	8934,	9047,	16213,	16335,
9853,	9854,	9048,	9049,	16342,	16343,
9860,	9865,	9470,	9494,	16360,	16361, 16365
9866,	9868,	9532,	9577,	\@tempc .	9834, 9836,
9871,	9908,	9584,	9594,	9842,	10496, 10501
9909,	9910,	9597,	9601,	\@tempcnta . . .	1333,
9911,	10947,	9603,	9609,	1392,	1393,
10948,	10950,	9643,	9645,	1394,	1396,
10951,	11649,	9651,	9664,	1397,	1878,
11650,	11651,	9668,	9669,	1884,	1886,
11654,	11661,	9854,	9871,	1899,	1900,
11667,	12288,	10000,	10181,	1906,	1907,
12290,	12292,	10183,	10519,	5383,	5385,
12296,	12429,	10520,	10580,	6232,	6289,
12431,	12433,	10585,	10589,	10547,	10548,
12437,	13024,	10930,	10931,	10552,	11742,
13025,	13067,	10934,	11099,	11744,	11748,
13068,	13168,	11102,	11106,	11751,	11753,
13473,	13476,	11108,	11114,	13274,	13276,
13636,	13997,	11116,	11117,	13532,	13551,
14000,	14142,	11146,	11147,	13742,	13744,
14270,	14588,	11151,	11777,	14056,	14075,
14591,	15517,	11778,	11781,	14376,	14378,
15534,	15538,	13539,	13553,	14647,	14666,
15539,	15540,	13557,	13559,	15325,	15326,
15549,	15563,	13582,	13583,	15327,	15346,

15347,	15348,	6276,	6277,	13070,	13170,
15350,	15352,	6290,	6292,	13171,	13172,
15434,	15435,	6293,	6297,	13177,	13178,
15436,	16244,	6298,	6299,	13181,	13378,
16246,	16249,	6300,	6301,	13381,	13388,
16251,	16253,	16275	6307,	13413,	13416,
\@tempcntb	1904,	1905,	6313,	13425,	13556,
1906,	13532,		6315,	13557,	13582,
13550,	14056,		6328,	13583,	13584,
14074,	14647,	14665	6354,	13586,	13638,
\@tempdima	. .	8, 10,	6357,	13639,	13640,
12,	14,	134,	6362,	13645,	13646,
138,	140,	305,	6371,	13649,	13846,
306,	308,	431,	6380,	13849,	13856,
448,	453,	572,	6405,	13873,	13876,
585,	609,	614,	6411,	13883,	13903,
801,	802,	813,	6413,	13906,	13915,
818,	831,	1059,	6529,	14080,	14081,
1072,	1097,		6533,	14106,	14107,
1102,	1387,		6557,	14108,	14110,
1388,	1420,		8700,	14144,	14145,
1421,	1422,		8735,	14146,	14149,
2027,	2029,		8754,	14150,	14153,
3992,	3993,		8923,	14272,	14273,
4704,	4717,		8927,	14274,	14279,
4739,	4744,		9472,	14280,	14283,
4883,	4896,		9853,	14480,	14483,
4918,	4923,		9860,	14490,	14510,
5184,	5199,		9863,	14513,	14522,
5204,	5408,		9881,	14671,	14672,
5409,	5410,		9890,	14697,	14698,
5458,	5463,		10517,	14699,	14701,
5692,	5761,		10524,	14787,	14790,
5762,	5776,		10895,	14792,	14839,
5777,	5781,		10910,	11201,	14840,
5858,	5926,		11205,	11283,	15040,
5927,	5941,		11287,	11345,	15071,
5942,	5946,		11370,	11393,	15094,
5962,	5963,		11405,	11406,	15111,
6203,	6204,		11417,	11418,	15128,
6205,	6206,		12141,	12154,	15145,
6224,	6225,		12176,	12181,	15162,
6226,	6227,		12515,	12528,	15179,
6233,	6235,		12550,	12555,	15197,
6236,	6240,		12646,	12647,	15216,
6241,	6242,		12648,	12689,	15236,
6243,	6244,		12690,	12691,	15271,
6252,	6256,		12759,	12764,	15342,
6259,	6260,		12930,	12945,	15373,
6261,	6275,		12950,	13069,	15383,

15390,	15395,	13180,	13181,	\@tencolRTLfootfmt .
15398,	15410,	13647,	13648,	.. 8355, 8369, 8406
15443,	15445,	13649,	14151,	\@tencolRTLfootnotetext
15446,	15449,	14152,	14153, 8318, 8348
15452,	15456,	14281,	14282,	\@tencolfootfmt ...
15463,	15465,	14283,	14787,	.. 8335, 8363, 8381
15524,	15525,	14790,	14792,	\@tencolfootnotetext
15538,	15540,	15343,	15349, 8316, 8328
15548,	15555,	15351,	15356,	\@testopt 2379,
15572,	15573,	15358,	15361,	2397, 10892, 10893
15592,	15603,	15365,	15369,	\@testpach 272, 1304,
15604,	15605,	15377,	15379,	1349, 14805, 16076
15606,	15618,	15380,	15393,	\@textbottom
15621,	15627,	15399,	15401,	.. 8695, 13194,
15628,	15952,	15575,	15576,	13203, 13513,
15953,	16097,	15578,	15580,	13520, 13662,
16098,	16254,	15583,	15584,	13671, 14037,
16255,	16256,	15586,	15589,	14044, 14296,
16257,	16260,	15603,	15604,	14305, 14628, 14635
16263,	16266,	15605,	15609,	\@textsupsript .
16268,	16291, 16292	15622,	15626, 374, 377,
\@tempdimb ... 5377,		15627,	15955, 15956	667, 729, 731,
5694,	5697,	\@tempdimc		921, 985, 1173,
5698,	5699,	.. 5378,	13167,	1235, 1237,
5700,	5703,	13174,	13175,	1590, 1593,
5704,	5705,	13185,	13635,	3658, 3660,
5706,	5707,	13642,	13643,	4809, 4988,
5708,	5709,	13653,	14269,	5127, 5130,
5860,	5863,	14276,	14277, 14287	6668, 6671,
5864,	5866,	\@tempskipa ... 4527,		6765, 6768,
5868,	5871,	4528,	4529,	8846, 8849,
5875,	5878,	4640,	4641, 4642	11042, 12242,
5881,	5885,	\@tempswafalse ...		12304, 12306,
5887,	6203,	... 6244,	6301,	12381, 12445,
6204,	6224,	9799,	15657, 15700	12447, 12643,
6225,	6276,	\@tempswattrue 6238, 6295		12650, 12686,
6278,	6281,	\@temptokena		12693, 12873, 12876
6328,	6330,	.. 117,	121, 11728	\@texttop 8691
6333,	6360,	\@tempx ... 4542, 4543		\@tfor 1879, 8910
6362,	6375,	\@tempxi ... 4545, 4546		\@thanks 353,
6376,	6377,	\@tempxii ... 4548, 4549		361, 389, 397,
6378,	6380,	\@tempy ... 1811, 1812		698, 704, 743,
6407,	6410,	\@tempyi ... 1814, 1815		749, 952, 958,
8915,	8916,	\@tempyii .. 1817, 1818		997, 1003, 1204,
8917,	8918,	\@tencol@footgroupv@r		1210, 1249,
8920,	9852, 8322		1255, 1595,
9853,	9859,	\@tencolLTRfootfmt .		1601, 4840,
9860,	9862,	.. 8345,	8366, 8394	4846, 5019,
9863,	11345,	\@tencolLTRfootnotetext		5025, 5106,
11370,	13179,	8317, 8338	5114, 5142,

5150,	6649,	7377,	7451,	16315, 16317, 16334
6655,	6683,	7461,	7471,	\@thm 11682, 11703
6689,	6744,	7497,	7510,	\@thmcountersep 270, 15834
6752,	6780,	7522,	7598,	\@threecol@footgroupv@r 7300
6788,	8827,	7608,	7618,	\@threecolLTRfootfmt . . . 7322, 7341, 7368
8833,	8861,	7644,	7657,	\@threecolLTRfootnotetext 7295, 7315
8867,	9496,	7669,	7745,	\@threecolRTLfootfmt . . . 7331, 7344, 7379
9510,	9513,	7755,	7765,	\@threecolRTLfootnotetext 7296, 7324
11035,	11058,	7791,	7804,	\@threecolfootfmt 7294, 7306
12273,	12279,	7816,	7892,	\@title 247, 343, 364,
12318,	12324,	7902,	7912,	400, 414, 676,
12412,	12420,	7938,	7951,	678, 706, 751,
12459,	12467,	7963,	8039,	764, 930, 932,
12664,	12672,	8049,	8059,	960, 1005, 1018,
12705,	12713,	8085,	8098,	1182, 1184,
12852,	12860,	8110,	8186,	1212, 1257,
12888,	12896,	8196,	8206,	1271, 1282,
13254,	13298,	8232,	8245,	1604, 2063,
13307,	13722,	8257,	8333,	2124, 4176,
13766,	13775,	8343,	8353,	4261, 4818,
14356,	14400, 14409	8379,	8392,	4820, 4848,
\@thefnmark 43, 56, 71, 177, 190, 204, 374, 377, 667, 729, 731, 921, 985, 1173, 1235, 1237, 1590, 1593, 1834, 1842, 1850, 3658, 3660, 3693, 3710, 3727, 3753, 3759, 3780, 3786, 3807, 3813, 4563, 4570, 4577, 4809, 4988, 5127, 5130, 6668, 6671, 6765, 6768, 6948, 6964, 6980, 6993, 7006, 7019, 7060, 7064, 7066, 7164, 7174, 7184, 7210, 7223, 7235, 7311, 7320, 7329, 7354, 7366,				
8404,				
8538,				
8574,				
8600,				
8849,				
9348,				
9357,				
9390,				
9432,				
9458,				
9506,				
9521,				
10228,				
10250,				
10399,				
12304,				
12381,				
12447,				
12643,				
12650,				
12693, 12873, 12876				
\@thefoot 9075,				
9078,				
16314,				
16320, 16323, 16349				
\@thehead 9074,				
9077,				
16314,				
16319, 16322, 16339				
\@themargin 9127,				

13239,	13310,	15875,	15879,	\@viper .
13352,	13707,	15881,	15883,	5631, 5633,
13778,	13820,	15970,	15972,	5635, 5674,
14341,	14412, 14454	15973,	15974,	5676, 5678,
\@titlecolour	2093, 2110	15979,	15981,	5690, 5754,
\@titlehead	15982,	15983,	5800, 5918,
13228,	13230,	15988,	15990,	5967, 11346,
13313,	13340,	15991,	15992,	11361, 11363, 11368
13342,	13696,	15997,	15999,	\@viperoutput 5637, 5680
13698,	13781,	16000,	16001, 16291	\@vipt
13808,	13810,	\@traditionalpoem .	.	4015
14330,	14332,	4484, 4583	\@vpt
14415,	14442, 14444	\@trivlist .	.	4015
\@tocextra	11693, 11713, 15852		\@whilenum
14991,	14992,	\@twocol@footgroupv@r	.	10548
14996,	14998, 15001	7153	\@whilesw 5629, 5671,
\@tocline	2, 128	\@twocolLTRfootfmt .		8977, 9013,
\@tocpagenum	15, 141	..	7176, 7197, 7225	9097, 9719,
\@tocrmarg	\@twocolLTRfootnotetext	.	9743, 11255,
11389,	11401,	7148, 7169	11334, 16121, 16146
11413,	15035,	\@twocolRTLfootfmt .		\@wholewidth
15066,	15089,	..	7186, 7200, 7237	.. 8912, 8914, 8932
15106,	15123,	\@twocolRTLfootnotetext	.	\@width
15140,	15157,	7149, 7179	29,
15174,	15192,	\@twocolfootfmt .		31, 164, 166,
15211,	15231,	..	7166, 7194, 7212	310, 460, 466,
15266,	15317,	\@twocolfootnotetext	.	645, 653, 883,
15403,	15520, 16093	7147, 7159	890, 1130, 1138,
\@toodeep	15840	\@twocolumntrue ..	1942	1422, 1967,
\@topnum	107, 241, 386,	\@twosidefalse ..	2823	4778, 4786,
740,	994, 1246,	\@twosidetrue ..	2818	4934, 4942,
4254,	5139,	\@typeset@protect .	.	5212, 5218,
6680,	6777,	1749,	5410, 5652,
8858,	11055,	1755, 1761, 1776		5727, 5892,
12315,	12456,	\@undeclaredcolor .	.	6185, 6621,
12702,	12885,	5423,	6627, 6921,
13295,	13763, 14397	5431, 15650, 15651		6927, 6936,
\@topsep	\@undefined ..	1807,	8782, 8788,
11696,	11716, 15900	1939, 10897, 11156		9004, 9292,
\@topsepadd	\@undottedtocline	11386	9657, 9713,
1721,	11697, 11717	\@unexpandable@protect	.	10457, 10463,
\@totalleftmargin	2430	10912, 10945,
... 9679,	9683,	\@unrecurse	14777, 14780	10993, 11240,
9686,	9695,	\@uppertitleback ..	.	11323, 11464,
10971,	11699,	13258,	11475, 11548,
11700,	11719,	13316, 13726,		12192, 12200,
11720,	12070,	13784, 14360, 14418		12616, 12624,
12084,	15859,	\@viiipt ..	2857, 4014	12775, 12781,
15861,	15867,	\@viiipt ..	.	12958, 12964,
15869,	15873,	4014	13196, 13205,
				13514, 13521,
				13664, 13673,
				14038, 14045,
				14298, 14307,
				14629, 14636,

14752, 14792, 16059, 16135, 16282	\@xxxii 1905	\l 9556, 9557, 9672
\@x 4600, 4601	\@xmpar 3396, 3400, 3440, 3444, 3484, 3488, 16175, 16179, 16219, 16223, 16286	\u 1485, 1545, 3600, 3604, 3632, 3636, 9549, 9551, 14240
\@x@sf 3667, 3672, 3678, 3681, 10348, 10360	\@yargdef 2399	A
\@xLTRfootnote 1798, 1921, 4434, 4445, 4658, 4672, 9351, 9354	\@ympar 16283	\abovecaptionskip .
\@xLTRfootnotenext 1797, 1920, 4433, 4444, 4657, 4671, 9500, 9503, 10247	\@ythm 11701, 11721 10578, 11095, 11145, 13606, 13610, 14130, 14134, 14721, 14725, 16359
\@xRTLfootnote 1800, 1923, 4436, 4447, 4660, 4674, 9342, 9345	\l[. 4608, 9017	\abovedisplayshortskip 2850, 2859, 4006
\@xRTLfootnotenext 1799, 1922, 4435, 4446, 4659, 4673, 9515, 9518, 10236	\l\ 118, 324, 674, 719, 928, 973, 1180, 1225, 1804, 2171, 2177, 2255, 3156, 3157, 3158, 3160, 4063, 4505, 4816, 4995, 6043, 6044, 6047, 6063, 6150, 6155, 6162, 6172, 6176, 6901, 6905, 6914, 10080, 10083, 10096, 10099, 10199, 10423, 10424, 10448, 10452, 10563, 10564, 10890, 10976, 11746, 11758, 12011, 12012, 12024, 12025, 12037, 12038, 12050, 12249, 12294, 12388, 12435, 14246, 14742, 14758, 14775, 14776, 14857, 14886, 16004, 16048, 16065, 16075	\abovedisplayskip 2849, 2852, 2858, 2865, 2899, 4005, 4012
\@xaddress 248	\abstractname	\abstractname
\@xauthor 248 550, 556, 559, 859, 865, 867, 1113, 1119, 1122, 4755, 4948, 12119, 12125, 12128, 12571, 12577, 12580 550, 556, 559, 859, 865, 867, 1113, 1119, 1122, 4755, 4948, 12119, 12125, 12128, 12571, 12577, 12580
\@xcolor@ . 15658, 15701	\active 4384, 4385, 4387, 4388	\active 4384, 4385, 4387, 4388
\@curraddr 249	\add@strip 11370	\add@strip 11370
\@email 249	\addcontentsline	\addcontentsline
\@ffloat 1854	475, 477, 2168, 3135, 6578, 6580, 11168, 14974, 14981, 14998	475, 477, 2168, 3135, 6578, 6580, 11168, 14974, 14981, 14998
\@footnote	\addfontfeature 2091, 2092, 2093, 2094, 2095, 2096, 2098, 2099	\addfontfeature 2091, 2092, 2093, 2094, 2095, 2096, 2098, 2099
... 1796, 1919, 4432, 4443, 4656, 4670, 10397	\addpenalty 5, 131, 429, 446, 582, 600, 607, 811, 828, 846,	\addpenalty 5, 131, 429, 446, 582, 600, 607, 811, 828, 846,
\@footnotemark . 10258	\l{ 1666	\l{ 1666
\@footnotenext	\l} 1667, 15831	\l} 1667, 15831
... 1795, 1918, 4431, 4442, 4655, 4669, 10225	\l] 4609, 9027	\l] 4609, 9027
\@xipt 4017	\^ 1506, 4384, 4385, 4387, 4388	\^ 1506, 4384, 4385, 4387, 4388
\@xipt 4016	\` 9677, 10968, 12066, 12080	\` 9677, 10968, 12066, 12080
\@xivpt 230, 4018		
\@xmakefntext . 730, 1236, 12305, 12446		
\@xp 117, 235, 260, 261, 5332		
\@xpt 2848		
\@xthm 11701, 11721		
\@xtitle 247		
\@xxpt 4019		

5197,	6550,	10551,	13171,	\adl@CT@setup
6564,	6820,	13174,	13175,	.. 1382, 1385, 1386
8732,	8747,	13178,	13180,	\adl@depth 1389
12151,	12167,	13583,	13584,	\adl@endarray 1294
12174,	12525,	13639,	13642,	\adl@endmbox 1341
12541,	12548,	13643,	13646,	\adl@everyvbox
12743,	12757,	13648,	14107, 1298, 1299
12928,	12943,	14108,	14145,	\adl@extract@arc . . 1394
13376,	13410,	14150,	14152,	\adl@extract@dgc . . 1397
13844,	13871,	14273,	14276,	\adl@extract@drsc . 1395
13900,	14478,	14277,	14280,	\adl@height 1388
14507,	14899,	14282,	14698,	\adl@inactivate
14901,	15028,	14699,	14918, 14919 1300, 1382
15030,	15063,	430,	447, 583,	\adl@noalign 1301
15085,	15899, 15904	601,	608, 812,	\adl@org@activate . 1383
\address	248, 2125	829,	847, 1070,	\adl@org@classz .. 1426
\addresscolour 2094, 5995,	1088,	1096,	\adl@org@endpbox . 1384
	6093,	1975,	4057,	\adl@org@inactivate 1382
	6105,	4114,	4715,	\adl@putlrc
\addressfont 2103, 2111,	4731,	4894,	... 1337, 1338,
	2222,	4910,	5183,	1339, 1367,
	6033,	6551,	6565,	1368, 1369,
	6061,	6821,	8733,	1375, 1376, 1377
\addresssymbol 2085, 6063, 6162	12152,	12168,	\adl@startmbox . . . 1340
\addressesstyle	2111	12526,	12542,	\advance 12, 86, 138,
\addtocontents . . .	15314	12744,	12929,	220, 238, 306,
\addtocounter 10544, 10545	13377,	13412,	453, 498, 614,
\addtolength . . .	2045,	13845,	13872,	632, 802, 818,
	2046,	14479,	15032,	900, 1102, 1152,
	2047,	15086,	15337,	1387, 1421,
	2048,	15900,	15901, 15905	1563, 1568,
	2049,	\adl@act@classz . .	1425	1886, 1900,
	2050,	\adl@act@CT@setup .	.	1906, 1985,
	2148, 1383,	1390	2240, 3344,
	2149,	\adl@activate .	1300, 1383	3993, 4068,
	2151,	\adl@argarraydashrule	.	4528, 4641,
	2153, 1319,	1357	4744, 4765,
	2154,	1319, 1357	.	4923, 4958,
	2157,	\adl@array .	1297, 1302	5204, 5268,
	2934,	\adl@arraydashrule .	.	5409, 5417,
	2937, 1318,	1356	5418, 5458,
	2938,	\adl@arrayinit . . .	1299	5570, 5690,
	2941,	\adl@arrayrestore .	1294	5691, 5700,
	4029,	\adl@arrayrule	5761, 5762,
	6141, 1317,	1355	5777, 5797,
	6142,	\adl@box .	1340, 1342, 1343	5800, 5801,
	6143,	\adl@class@iiiorvii	.	5810, 5812,
	9933, 1346,	1379	5818, 5819,
	9934,	\adl@class@start . .	.	5822, 5825,
	10514,	10518,	1345, 1378	
	10520,	10522,		
	10523,	10524,		
	10525,	10530,		
	10532,	10533,		
	10535,	10536,		
	10538,	10539,		
	10540,	10550,		

5828,	5871,	12603,	12647,	1713,	3556,
5926,	5927,	12690,	12764,	3571,	5421,
5942,	5962,	12801,	12950,	5423,	5430,
5963,	6193,	13005,	13070,	5436,	5455,
6203,	6204,	13388,	13421,	9116,	9118,
6214,	6224,	13425,	13470,	11912,	11913,
6225,	6241,	13856,	13883,	11916,	11920,
6242,	6243,	13911,	13915,	11921,	11925,
6260,	6269,	13994,	14244,	11929,	11930,
6276,	6298,	14490,	14518,	11934,	11938,
6299,	6300,	14522,	14585,	11942,	11946,
6314,	6321,	14776,	14790,	14892,	15328,
6328,	6357,	14800,	14840,	15639,	15648,
6358,	6371,	14858,	14874,	15650,	15687,
6373,	6376,	14887,	14891,	15691,	15744,
6377,	6378,	14923,	14924,	15755,	15756,
6557,	6609,	14943,	15044,	15759,	15763,
6881,	7140,	15075,	15098,	15764,	15768,
7142,	8754,	15115,	15132,	15772,	15773,
8797,	8912,	15149,	15166,	15777,	15781,
8914,	8916,	15183,	15201,	15785,	15789,
8922,	8923,	15220,	15240,	16298,	16306, 16307
8930,	8931,	15275,	15316,	\ALG@floatstyle	
8932,	9090,	15326,	15346, 3359, 3360, 3361	
9091,	9552,	15351,	15401,	\alignL	5363
9566,	9579,	15402,	15403,	\alignR	5367
9580,	9612,	15406,	15410,	\allowbreak	6199,
9617,	9618,	15435,	15446,	6220,	7196,
9621,	9630,	15525,	15548,	7199,	7202,
9694,	10552,	15573,	15575,	7283,	7340,
10905,	10917,	15585,	15604,	7343,	7346,
11193,	11195,	15605,	15634,	7423,	7483,
11222,	11223,	15645,	15646,	7486,	7489,
11226,	11275,	15842,	15855,	7570,	7630,
11277,	11304,	15856,	15859,	7633,	7636,
11305,	11308,	15861,	15867,	7717,	7777,
11359,	11360,	15869,	15873,	7780,	7783,
11361,	11362,	15875,	15879,	7864,	7924,
11371,	11393,	15881,	16031,	7927,	7930,
11406,	11418,	16032,	16098,	8011,	8071,
11431,	11694,	16255,	16256,	8074,	8077,
11698,	11699,	16263,	16264,	8158,	8218,
11714,	11718,	16265,	16266, 16291	8221,	8224,
11719,	11753,	\afterassignment	1487,	8305,	8365,
11793,	11798,	1489,	1547,	8368,	8371, 8452
11799,	11800,	1549,	2431, 3572	\Alph	11077
11829,	11830,	\AfterEndPreamble	4251, 4274	\AM@CheckAtEnd	11766
11856,	11867,			\AM@ClearShipoutPicture	11768
12004,	12181,			\AM@currentdocname	
12210,	12555,	\aftergroup	1703,		

....	11731, 11737	\arrayrulewidth .	14800	\auto@footnoterule .
\AM@findfile	11735	\arraystretch .	308,
\AM@output	11764	309, 1697, 1708,	9306, 9317
\AM@pagecount	11733	10910, 10911,	\autodot 13438,
\AM@pageref	11748, 11751		14750, 14751,	13930, 14537, 15538
\AM@pagestemp		14787, 16057, 16058	\autofootnoterule .
	. 11741, 11746,		\aslice 11836, 11837,	... 1494, 1495,
	11747, 11750,		11839, 11841,	6179, 6930,
	11758, 11759, 11763		11842, 11844,	9315, 9750, 16377
\AM@readlist	11763	11857, 11858, 11860	B
\AM@split@options	11727		\At@ViperColsBreak .	\backmatter
\AM@temp ..	11728, 11729		.. 5839, 5849, 5853	.. 4364, 5254, 6867
\AM@threadname		\AtBeginDocument ..	\baselineskip
	11726, 11736, 11737		... 1478, 2060,	. 322, 644, 646,
\AM@xrprefix		2120, 2217,	652, 654, 1129,
	11744, 11748, 11751		2718, 2943,	1131, 1137,
\and	368, 404,	3164, 3298,	1139, 2876,
	685, 711, 714,		3303, 3356,	2878, 2881,
	756, 939, 965,		4110, 4310,	2883, 2885,
	968, 1010, 1191,		4375, 6072,	2888, 3037,
	1217, 1220,		6186, 6207,	3627, 3691,
	1262, 1284,		6228, 6517,	3708, 3725,
	1608, 4827,		9412, 10197,	3836, 3843,
	4853, 5006,		10594, 10600,	3850, 3929,
	5032, 5121,		10676, 14765, 15475	3936, 3943,
	5157, 6662,		\AtBeginPackage . 11138	3950, 3957,
	6696, 6759,		\AtEndDocument 2224,	4057, 4114,
	6795, 8840,		2731, 4537, 4593	4392, 4453,
	8874, 11033,		\AtEndOfClass 2059	4517, 4523,
	11730, 12260,		\AtPageLowerLeft . 6347	4777, 4779,
	12286, 12289,		\AtPageUpperLeft ..	4785, 4787,
	12331, 12399,		.. 6347, 6361, 6379	4933, 4935,
	12427, 12430,		\AtTextUpperLeft ..	4941, 4943,
	12474, 12498,	 6351, 6367	5571, 5572,
	12679, 12720,		\author ... 248, 366,	5589, 5593,
	12867, 12903,		402, 709, 754,	5763, 5928,
	13329, 13797, 14431		963, 1008, 1215,	8518, 8623,
\andify	112	1260, 1606,	9124, 9567,
\andname ..	719, 973,		4160, 4192,	10511, 10926,
	1225, 12294, 12435		4851, 5030,	10936, 10974,
\andnext	11034	5119, 5155,	10991, 11791,
\arabic	19,	6660, 6694,	11794, 11808,
	20, 21, 22, 83,		6757, 6793,	11832, 11836,
	145, 146, 147,		8838, 8872,	11841, 11845,
	148, 217, 256,		12284, 12329,	11857, 11868,
	9053, 9059, 15256		12425, 12472,	11895, 12073,
\array	327, 16073	12677, 12718,	12087, 12191,
\arraycolsep	327	12865, 12901,	12193, 12199,
\arraylinesep	14783	13319, 13787, 14421	12201, 12615,
\arrayrulecolor	..	1394		12617, 12623,

12625,	14238,	8570,	8583,	5163,	5171,
14241,	14243,	8596,	8630,	5474,	5484,
14248,	14761,	\BCmd	5497,	5507,
14801,	15573,	\BDefaboveskip	5520,	5530,
15581,	15585,	..	1717, 1732, 1735	5543,	5553,
16069,	16331,	\BDefbelowskip	6047,	6153,
	16346	..	1721, 1733, 1736	6158,	6176,
\baselinestretch ..		\BDefinlineskip	...	6436,	6502,
.....	2075,	..	1726, 1734, 1737	6630,	6638,
3688,	3705,	\begin	6643,	6702,
3722,	6942,	332, 342,	347, 410, 418,	6708,	6723,
6958,	6974,	659, 672, 683,	672, 768, 913,	6733,	6738,
6990,	7003,	762,	926, 937, 1016,	6801,	6809,
7016,	7160,	1022,	1165,	6900,	8808,
7170,	7180,	1178,	1189,	8816,	8821,
7206,	7218,	1269,	1275,	8880,	8886,
7231,	7258,	1284,	1286,	9020,	9948,
7271,	7307,	1287,	1696,	9953,	9971,
7316,	7325,	1698,	1707,	10074,	10076,
7350,	7361,	1709,	1712,	10090,	10092,
7373,	7399,	2175,	2179,	10447,	11182,
7411,	7447,	2181,	2183,	12234,	12247,
7457,	7467,	2185,	2189,	12258,	12337,
7493,	7505,	2197,	2200,	12343,	12371,
7518,	7545,	2234,	2751,	12386,	12397,
7558,	7594,	2757,	2779,	12481,	12489,
7604,	7614,	2783,	2949,	12498,	12500,
7640,	7652,	2950,	2963,	12501,	12633,
7665,	7692,	2966,	3034,	12653,	12658,
7705,	7741,	3035,	3041,	12734,	12831,
7751,	7761,	3042,	3049,	12841,	12846,
7787,	7799,	3050,	3075,	12909,	12917,
7812,	7839,	3076,	3113,	13209,	13229,
7852,	7888,	3116,	3119,	13234,	13244,
7898,	7908,	3122,	3126,	13257,	13261,
7934,	7946,	3127,	3311,	13341,	13347,
7959,	7986,	3312,	3873,	13358,	13462,
7999,	8035,	3929,	3936,	13677,	13697,
8045,	8055,	3943,	3950,	13702,	13712,
8081,	8093,	3957,	3970,	13725,	13729,
8106,	8133,	3978,	4100,	13809,	13815,
8146,	8182,	4105,	4238,	13826,	13986,
8192,	8202,	4285,	4308,	14311,	14331,
8228,	8240,	4625,	4801,	14336,	14346,
8253,	8280,	4814,	4825,	14359,	14363,
8293,	8329,	4980,	4993,	14443,	14449,
8339,	8349,	5004,	5048,	14460,	14577, 14937
8375,	8387,	5060,	5085,	\begingroup	.. 6, 115,
8400,	8427,	5095,	5100,	132,	229, 242,
8440,	8523,			299,	311, 372,
8534,	8545,				

432,	449,	584,	12527,	12551,	13145,	14842,
610,	726,	814,	12683,	12745,	15643,	15648,
830,	980,	1071,	12760,	12871,	15650,	15744,
1098,	1232,		12931,	12946,	15755,	15770,
1413,	1588,		13283,	13384,	15791,	15796,
1832,	1840,		13419,	13461,	15909,	16197,
1848,	1948,		13555,	13751,	16275,	16339, 16349
2255,	2346,		13852,	13879,	\begin{R}	28,
2365,	2497,		13909,	13985,	163,	263, 268,
2543,	2550,		14079,	14385,	299,	324, 464,
2580,	2596,		14486,	14516,	650,	888, 1135,
2612,	2652,		14576,	14670,	1399,	1801,
2660,	2693,		14871,	14895,	1996,	1999,
2716,	3137,		15033,	15324,	3418,	3506,
3554,	3757,		15441,	15652,	4783,	4939,
3784,	3811,		15695,	15744,	5216,	5321,
4177,	4194,		16120,	16143, 16298	5387,	5416,
4210,	4222,		\begin{L} .	1398, 2222,	5421,	5430,
4255,	4494,		3418,	3462,	5436,	5455,
4561,	4568,		5386,	5415,	6345,	6625,
4575,	4605,		5421,	5423,	6925,	7133,
4716,	4740,		5455,	7169,	7137,	8530,
4895,	4919,		7221,	7315,	8552,	8577,
5125,	5185,		7364,	7456,	8603,	8786,
5200,	5290,		7508,	7603,	8937,	8939,
5401,	5455,		7655,	7750,	8940,	8941,
5464,	5628,		7802,	7897,	8942,	8944,
5668,	6352,		7949,	8044,	8945,	8946,
6368,	6553,		8096,	8191,	9049,	9287,
6566,	6666,		8243,	8338,	9758,	9811,
6763,	6822,		8390,	8530,	9850,	9857,
8734,	8750,		8541,	8577,	10206,	10214,
8844,	8976,		8590,	8925,	10405,	10410,
9010,	9094,		8937,	8939,	10417,	10425,
9110,	9346,		8940,	8941,	10440,	10461,
9355,	9504,		8942,	8944,	10581,	10930,
9519,	9526,		8945,	8946,	11146,	11148,
9578,	9611,		9024,	9039,	11545,	11781,
9717,	9741,		9191,	9756,	11906,	11913,
9781,	9797,		9762,	9782,	11918,	11985,
9947,	10226,		9798,	9808,	11986,	11987,
10237,	10248,		10206,	10210,	12197,	12621,
10259,	10420,		10214,	10216,	12779,	12962,
10479,	10914,		10357,	10405,	13111,	13121,
11040,	11170,		10407,	10410,	13132,	13139,
11252,	11331,		10417,	10425,	13200,	13518,
11531,	11535,		10581,	11773,	13598,	13668,
11539,	11724,		11912,	11927,	14042,	14122,
12153,	12177,		11991,	13117,	14167,	14302,
12301,	12442,		13128,	13135,	14633,	14713,

14739,	14762,	314, 319, 324,	\bibname
14802,	14849,	558, 1121, 1399,	4093, 4094, 4759,
15644,	15648,	1491, 1551,	4760, 4952,
15687,	15691,	1791, 1914,	4953, 5262,
15744,	15749,	4426, 4651,	5263, 6875,
15756,	15761,	4665, 5323,	6876, 8791,
16014,	16017,	5387, 9024,	8792, 12204,
16020,	16037,	9025, 9039,	12205, 12597,
16045,	16071,	9470, 9631,	12598, 12795,
16241,	16275,	10918, 10920,	12796, 12999, 13000
16292,	16294,	10939, 10958,	\bibpostamble 11636
16339,	16349,	11346, 11914,	\bibpreamble
16362,	16365, 16373	11919, 11923,	. 11620, 13452,
\belowcaptionskip .		11928, 11932,	13453, 13975,
.....	10591,	11937, 11940,	13976, 14566, 14567
11136,	11153,	11945, 12127,	\bibsection 4088,
13604,	13612,	12579, 14739,	4091, 4093,
14128,	14136,	14748, 14756,	4094, 11180,
14719,	14727, 16367	14762, 14794,	11618, 14934, 14936
\belowdisplayshortskip .		14798, 14802,	\bidi@@end . 2742, 2746
..	2851, 2860, 4007	15433, 15757,	\bidi@@patchcmd 2545, 2547
\belowdisplayskip .		15762, 15766,	\bidi@AfterEndDocument
.....	2852,	15771, 15775,	. 2733, 2738, 2744
2865,	2900, 4012	15780, 15783,	\bidi@afterenddocumenthook
\bf	11777, 11779	15788, 16045, 2733,
\bfseries . . .	25, 230,	16055, 16063, 16071	2734, 2739, 2745
436,	452, 483,	\bib@after@hook . . .	\bidi@AfterEndEnvironment
486,	589, 613, 13505, 2788, 2798
817,	835, 1076,	13507, 14029,	\bidi@AfterEndPreamble
1101,	1652,	14031, 14620, 14622 2721,
2192,	4237,	\bib@before@hook . . .	2725, 2727, 2731
4721,	4743, 13456,	\bidi@afterendpreamblehook
4900,	4922,	13506, 13980, 2721,
5049,	5061,	14030, 14571, 14621	2722, 2726, 2728
5189,	5203,	\bib@beginhook 13449,	\bidi@AfterPreamble
5237,	5243,	13455, 13973, 2718, 2719
5251,	6556,	13979, 14564, 14570	\bidi@append 2654, 2704
6571,	6586,	\bib@endhook	\bidi@appto
6589,	6598,	13509, 14033, 14624	. 2433, 2477, 2724
6826,	6849,	\bib@heading	\bidi@apptocmd
6855,	6864,	13451, 13978, 14569 2650, 2651
8739,	8753,	\bibcleanup 11641	\bidi@AtBeginEnvironment
8764,	8769,	\bibentry 3602, 2748, 2758
8777,	12158,	3604, 3634, 3636	\bidi@AtEndEnvironment
12180,	12532,	\bibfont 11621 2762, 2772
12554,	12730,	\bibindent 2226, 2227	\bidi@AtEndPreamble
12749,	12763,	\bibitem@fin 11635 2707,
12935,	12949,	\bibliofont 82, 216	2712, 2714, 2719
12982,	12987, 12995	\bibliographyitemlabel 2228, 2234	
\bgroup		
	299,		

\bidi@autofootnoterulefalse	2642, 2651, 2659	7593, 7603,
.. 9294, 9298, 9301	\bidi@eappto	7613, 7623,
\bidi@autofootnoteruletrue	.. 2437, 2450, 2478	7628, 7631,
..... 9316	\bidi@endpreamblehook	7634, 7637,
\bidi@BeforeBeginEnvironment 2707,	7649, 7662,
..... 2776, 2784	2708, 2713, 2715	7674, 7689,
\bidi@csappto 2477	\bidi@ensure@new@command	7701, 7713,
\bidi@csdefcs 2352 2363, 2364	7718, 7722,
\bidi@cseappto	\bidi@ensure@newcommand	7726, 7740,
..... 2478, 2481 2363,	7750, 7760,
\bidi@csepreto	6937, 6938,	7770, 7775,
..... 2487, 2490	7032, 7040,	7778, 7781,
\bidi@csgappto	7041, 7042,	7784, 7796,
... 2479, 2749,	7049, 7050,	7809, 7821,
2763, 2777, 2789	7056, 7057,	7836, 7848,
\bidi@csgpreto 2488	7072, 7073,	7860, 7865,
\bidi@cslet 2358	7079, 7080,	7869, 7873,
\bidi@csletcs 2355	7081, 7082,	7887, 7897,
\bidi@cspreto 2486	7085, 7091,	7907, 7917,
\bidi@csuse	7093, 7099,	7922, 7925,
... 2420, 2753,	7100, 7115,	7928, 7931,
2767, 2780, 2793	7126, 7128,	7943, 7956,
\bidi@csxappto	7131, 7136,	7968, 7983,
..... 2480, 2482	7139, 7141,	7995, 8007,
\bidi@csxpreto	7145, 7159,	8012, 8016,
..... 2489, 2491	7169, 7179,	8020, 8034,
\bidi@dbg@fail	7189, 7194,	8044, 8054,
... 2505, 2515,	7197, 7200,	8064, 8069,
2516, 2517,	7203, 7215,	8072, 8075,
2518, 2524,	7228, 7240,	8078, 8090,
2533, 2539,	7255, 7267,	8103, 8115,
2646, 2668,	7279, 7284,	8130, 8142,
2680, 2681, 2690	7288, 7292,	8154, 8159,
\bidi@dbg@info 2506,	7306, 7315,	8163, 8167,
2508, 2511,	7324, 7333,	8181, 8191,
2513, 2514,	7338, 7341,	8201, 8211,
2525, 2527,	7344, 7347,	8216, 8219,
2529, 2531,	7358, 7370,	8222, 8225,
2532, 2534,	7381, 7396,	8237, 8250,
2536, 2538,	7407, 7419,	8262, 8277,
2644, 2669,	7424, 7428,	8289, 8301,
2671, 2673,	7432, 7446,	8306, 8310,
2676, 2682, 2684	7456, 7466,	8314, 8328,
\bidi@dbg@init 2503,	7476, 7481,	8338, 8348,
2522, 2643, 2666	7484, 7487,	8358, 8363,
\bidi@dbg@succ	7490, 7502,	8366, 8369,
... 2549, 2645,	7515, 7527,	8372, 8384,
2677, 2685, 2687	7542, 7554,	8397, 8409,
\bidi@dbg@trce	7566, 7571,	8424, 8436,
... 2496, 2542,	7575, 7579,	8448, 8453,

8457,	8461,	\bidi@ifdefprotected	10666,	10667,
8469,	8476, 2633,	10668,	10669,
8480,	8491,	2635, 2636, 2637	10670,	10671,
8500,	8502,	\bidi@ifhashcheck .	10672,	10673,
8503,	8522,	.. 2510, 2595, 2675	10674,	10675,
8533,	8544,	\bidi@ifhashcheck@i	10678,	10681,
8555,	8559, 2599, 2601	10684,	10687,
8563,	8567,	\bidi@ifhashcheck@ii	10690,	10693,
8580,	8593, 2603,	10696,	10700,
8606,	8627,	2606, 2607, 2608	10703,	10706,
8640,	8654,	\bidi@ifpatchable .	10709,	10712,
8660,	8667,	.. 2499, 2501, 2548	10715,	10718,
8674,	8682,	\bidi@ifpatchable@i	10721,	10724,
8686,	8697, 2499, 2520	10727,	10730,
8698,	8709, 8727	\bidi@ifpattern ...	10733,	10736,
	 2512, 2611	10739,	10742,
		\bidi@ifscanable ..	10745,	10748,
	 2509,	10751,	10754,
		2530, 2579, 2674	10757,	10760,
		\bidi@info	10763,	10766,
		\bidi@isloaded	10769,	10772,
		.. 2571, 10609,	10775,	10778,
		10610, 10611,	10781,	10784,
		10612, 10613,	10787,	10790,
		10614, 10615,	10793,	10796,
		10616, 10617,	10799,	10802,
		10618, 10619,	10805,	10808,
		10620, 10621,	10811,	10814,
		10622, 10623,	10817,	10820,
		10624, 10625,	10823,	10826,
		10626, 10627,	10829,	10832,
		10628, 10629,	10835,	10838,
		10630, 10631,	10841,	10844,
		10632, 10633,	10847,	10850,
		10634, 10635,	10853,	10856,
		10636, 10637,	10859,	10862,
		10638, 10639,	10865,	10868, 10871
		\bidi@lst@caption@direction		
	 10564,		
		10565, 10569, 10572		
		\bidi@lst@ensure@caption@direction		
	 10567,		
		10579, 10581, 10583		
		\bidi@mpfootnoterule		
	 9198,		
		9425, 9438,		
		9451, 9488, 11013		
		\bidi@multicol@align@columns		
	 11446,		
		11496, 11499, 11501		

\bidi@n@everypar .	2658, 2707,	\bidi@prepend 2662, 2705
. 11908, 11909,	2718, 2721,	\bidi@preto
11910, 11911,	2733, 2748,	. 2455, 2486, 2710
15566, 15751,	2762, 2776, 2788	\bidi@pretocmd
15752, 15753, 15754	\bidi@notblank 2326,	. 2658, 2659, 2779
\bidi@namelongdef .	2334, 2628, 2637	\bidi@protected ...
... 2361, 7247,	\bidi@o@everypar 2428, 2450,
7249, 7256, 11907,	2451, 2472,
7268, 7388,	11909, 11910,	2473, 2481,
7390, 7397,	15750, 15752, 15753	2482, 2490, 2491
7408, 7420,	\bidi@orig@leftline	\bidi@protected@cseappto
7534, 7536,	16022, 16024, 16025 2481
7543, 7555,	\bidi@orig@raggedleft	\bidi@protected@csepreno
7681, 7683,	16007, 16009, 16010 2490
7690, 7702,	\bidi@orig@raggedright	\bidi@protected@csxappto
7828, 7830,	16008, 16009, 16010 2482
7837, 7849,	\bidi@orig@rightline	\bidi@protected@csxpathreto
7975, 7977,	16023, 16024, 16025 2491
7984, 7996,	\bidi@p@ftn ... 1745,	\bidi@protected@eappto
8122, 8124,	1808, 1811, 2450
8131, 8143,	1812, 1814,	\bidi@protected@epreto
8269, 8271,	1815, 1817, 2472
8278, 8290,	1818, 1822,	\bidi@protected@xappto
8416, 8418,	1825, 1828, 1933 2451
8425, 8437,	\bidi@p@ftntext ...	\bidi@protected@xpreto
8613, 8615,	.. 1792, 1810, 1915 2473
8628, 8641, 8655	\bidi@p@LTRftntext .	\bidi@provide@command
\bidi@new@command .	.. 1793, 1813, 1916 2412, 2414
..... 2377,	\bidi@p@RTLftntext .	\bidi@providerobustcmd
2379, 2408, 2416	.. 1794, 1816, 1917 2412
\bidi@newcommand .	\bidi@p@xfootnote .	\bidi@raggedleft ...
..... 2379, 2381	.. 1796, 1831, 1919 2169,
\bidi@newrobustcmd .	\bidi@p@xftntext ..	2176, 2181,
... 1486, 1488, 1795,	2200, 6043,
2376, 2377,	1821, 1836, 1918	6159, 8941,
2401, 2412,	\bidi@p@xLTRfootnote	8946, 9990, 16012
2433, 2437,	.. 1798, 1839, 1921	\bidi@raggedright .
2441, 2445,	\bidi@p@xLTRftntext	... 8939, 8944,
2450, 2451, 1797,	11552, 11555,
2455, 2459,	1824, 1844, 1920	11557, 11560,
2463, 2467,	\bidi@p@xRTLfootnote	11562, 11564,
2472, 2473,	.. 1800, 1847, 1923	11567, 11569,
2477, 2478,	\bidi@p@xRTLftntext	11571, 11573,
2479, 2480, 1799,	11576, 11578,
2481, 2482,	1827, 1852, 1922	11580, 11582,
2486, 2487,	\bidi@patchcmd 2541,	11584, 11587,
2488, 2489,	2542, 2736,	11589, 11592,
2490, 2491,	2751, 2765, 2791	11594, 11597,
2495, 2541,	\bidi@patchcmd@scantoks	11599, 11601,
2640, 2650,	.. 2559, 2565, 2700	11604, 11606,

11608, 11611,	\bidi@xpreto	4574, 4660, 4674
11613, 11615, 16011	.. 2467, 2473, 2489	\bidipoem@p@xRTLftntext
\bidi@reflect@box .	\bidicolor 5381, 5437, 4435,
. 11970, 11977,	5452, 5454,	4446, 4557,
15817, 15824, 15826	9140, 15692,	4579, 4659, 4673
\bidi@renew@command	15739, 15742, 15743	\bidirlap
.. 2401, 2403, 2417	\bididate 1429, 1431,	16026
\bidi@renewrobustcmd	1445, 1502, 1519	\biditufefloatDebugInfoNL
..... 2401	\bidiGscale@@box 2805, 2903,
\bidi@resrvda 9830, 9831	2907, 3196, 3245
2551, 2552, 2553,	\bidiGscale@box ...	\biditufefloatError
2556, 2557, 2558,	.. 9807, 9808, 9827 2804, 3291
2559, 2560, 2561,	\bidiGscale@box@dd .	\biditufefloatInfoNL
2566, 2569, 2581,	.. 9839, 9843, 9849	... 2805, 2806, 3360
2582, 2583, 2584,	\bidiGscale@box@dddd	\biditufefloatRecalculate
2585, 2587, 2588, 9845, 9856 2932, 2943
2597, 2599, 2613,	\bidillap	\biditufehyperrefLoadHyperref
2614, 2616, 2618,	16027 4128, 4139
2619, 2694, 2695,	\bidiopoem@openbox .	\biditufesidenotemarginpar
2696, 2697, 2698, 4394, 4399	.. 3376, 3686, 3836
2699, 2700, 2701,	\bidiopoem@p@ftn 4401,	\bidituftetocError .
2702	4411, 4542,	.. 3859, 3906, 3915
\bidi@resrvdb 2553, 2554	4543, 4545,	\bidiversion
\bidi@RTL@everypar .	4546, 4548,	... 1430, 1431,
..... 11906,	4549, 4552,	1445, 1503, 1519
11910, 15749, 15753	4555, 4558, 4663	\bigskip
\bidi@s@tfftextcol .	\bidiopoem@p@ftntext	11996
..... 9139, 9143	... 4428, 4439,	\bigskipamount
\bidi@saved@eqno .	4541, 4652, 4666	.. 7117, 7122, 8676
..... 11981,	\bidiopoem@p@LTRftntext	\bl ... 11812, 11813,
11983, 11984,	... 4429, 4440,	11816, 11817,
16368, 16370, 16371	4544, 4653, 4667	11818, 11822,
\bidi@saved@leqno .	\bidiopoem@p@RTLftntext	11877, 11884, 11888
..... 11982,	... 4430, 4441,	\blacktriangleleft .
11983, 11984,	4547, 4654, 4668 9547, 9549
16369, 16370, 16371	\bidiopoem@p@xfootnote	\blacktriangleright
\bidi@undef 4432, 4443, 9547, 9549
... 2561, 2640,	4560, 4656, 4670	\bm@b
2702, 2715, 2728	\bidiopoem@p@xftntext	16089
\bidi@undefined .. 2640 4431,	\bm@l
\bidi@warning	4442, 4551,	16086
... 2373, 2756,	4565, 4655, 4669	\bm@r
2770, 2782, 2796	\bidiopoem@p@xLTRfootnote	16087
\bidi@xappto 4434, 4445,	\bm@t
.. 2445, 2451, 2480	4567, 4658, 4672	16088
\bidi@xargdef 2383, 2391	\bidiopoem@p@xLTRftntext	\boolean 2805, 2875,
 4433,	2877, 2880,
	4444, 4554,	2884, 2887,
	4572, 4657, 4671	2890, 2915,
	\bidiopoem@p@xRTLfootnote	3011, 3026,
	... 4436, 4447,	3031, 3051,
		3058, 3066,
		3083, 3103,
		3107, 3125,
		3126, 3129,
		3130, 3165,

3174,	3185,	13042,	13051,	11845,	11846,
3873,	3877,	13089,	13100,	11848,	11868,
3925,	4138,	13588,	13598,	11869,	11871,
4275,	4344,	14112,	14122,	11895,	11896, 11897
4355,	9154, 11730	14187,	14193,	\bx@A	3231, 3272
\botmark . . .	9136, 16356	14199,	14205,	\bx@a . . .	3205, 3237, 3278
\box 1990,	1996, 3346,	14211,	14217,	\bx@AA . . .	3244, 3246, 3284
5296,	5420,	14223,	14229,	\bx@B	3231, 3272
5577,	5580,	14235,	14703,	\bx@BB	3247, 3284
5597,	5601,	14713,	14849,	\bx@C	3231, 3272
5608,	5614,	14875,	14893,	\bx@cc	3207, 3237, 3278
5616,	5622,	15636,	15637,	\bx@CC	3248, 3284
5623,	5644,	15647,	15821,	\bx@d	3231, 3272
5650,	5655,	15918,	15941,	\bx@D	3208, 3237, 3278
5661,	5662,	16029,	16109,	\bx@DD	3249, 3284
5717,	5720,	16114,	16116,	\bx@E	3231, 3272
5725,	5730,	16127,	16133,	\bx@e	3209, 3237, 3278
5754,	5890,	16138,	16253,	\bx@EE	3250, 3284
5894,	5918,	16269,	16280,	\bx@F	3232, 3273
6200,	6221,	16293,	16295,	\bx@f	3210, 3238, 3279
6237,	6294,	16343,	16345, 16365	\bx@FF	3251, 3285
7131,	7136,	\boxdef . . .	1694, 1696,	\bx@G	3232, 3273
8473,	8488,		1702, 1707, 1712	\bx@g	3211, 3238, 3279
8498,	8718,	\boxmaxdepth		\bx@GG	3252, 3285
8970,	8972,		... 6192, 6197,	\bx@H	3232, 3273
9002,	9006,		6213,	\bx@h	3212, 3238, 3279
9049,	9131,		6245,	\bx@HH	3253, 3285
9157,	9162,		7075,	\bx@I	3232, 3273
9645,	9652,		8908, 9598, 9600	\bx@i	3213, 3238, 3279
9655,	9669,	\br . . .	11812, 11814,	\bx@II	3254, 3285
9705,	9712,		11816,	\bx@J	3232, 3273
9715,	9725,		11817,	\bx@j	3214, 3238, 3279
9734,	9737,		11818,	\bx@JJ	3255, 3285
9775,	9778,	\BR@b@bibitem	11878, 11884, 11892	\bx@K	3233, 3274
9821,	9824,	. 3579, 3580	\BR@bibitem	\bx@k	3215, 3239, 3280
9854,	9871,	\BR@c@bibitem	3582, 3583	\bx@KK	3256, 3286
10589,	10934,	\bracetext	3584	\bx@L	3233, 3274
11117,	11151,	1490,	1490,	\bx@l	3216, 3239, 3280
11187,	11243,	1550,	11912,	\bx@LL	3257, 3286
11246,	11269,	11913,	15755, 15756	\bx@m	3233, 3274
11321,	11326,	\break	10891	\bx@m	3217, 3239, 3280
11462,	11468,	\BreakBibliography .		\bx@MM	3258, 3286
11483,	11491, 13458,		\bx@N	3233, 3274
11781,	11785,	13490,	13492,	\bx@n	3218, 3239, 3280
11801,	11835,	13498,	13982,	\bx@NN	3259, 3286
11839,	11844,	14014,	14016,	\bx@O	3234, 3275
11848,	11860,	14022,	14573,	\bx@o	3219, 3240, 3281
11871,	11885,	14605,	14607, 14613	\bx@OO	3260, 3287
11888,	11892,	\bs	1662, 1663, 1665	\bx@P	3234, 3275
11897,	11974,	\bslice	11832,		
			11833,	11835,	

\bx@p . . .	3220, 3240, 3281	9168,	9170,	12591, 12786,
\bx@PP	3261, 3287	9171,	9179,	12969, 13953, 14552
\bx@Q	3234, 3275	9181,	9183,	\c@footnote . . . 124,
\bx@q . . .	3221, 3240, 3281	9184,	10604,	245, 373, 668,
\bx@QQ	3262, 3287	11079,	11664,	727, 922, 981,
\bx@R	3234, 3275	12226,	12228,	1174, 1233,
\bx@r . . .	3222, 3240, 3281	12230,	12591,	1589, 4810,
\bx@RR	3263, 3287	12593,	12595,	4989, 5126,
\bx@s	3195, 3197, 3235, 3276	12784,	12786,	6667, 6764,
\bx@s	3223, 3241, 3282	12788,	12967,	8845, 9497,
\bx@SS	3264, 3288	12969,	12971, 12972	9511, 10260,
\bx@T . . .	3198, 3235, 3276	\c@colht	11188,	10947, 10950,
\bx@t . . .	3224, 3241, 3282	11200,	11226,	12243, 12302,
\bx@TT	3265, 3288	11227,	11270,	12382, 12443,
\bx@U . . .	3199, 3235, 3276	11282,	11308, 11309	12641, 12684,
\bx@u . . .	3225, 3241, 3282	\c@curpg	9063, 9090, 9091	12872, 13220,
\bx@UU	3266, 3288	\c@DFNsloppiness . . .	13284, 13688,	13752, 14322, 14386
\bx@V . . .	3200, 3235, 3276	13266,	6190, 6211	\c@L@depth 10545
\bx@v . . .	3226, 3241, 3282	\c@enumiv	495,	\c@L@lines 10546, 10548
\bx@VV	3267, 3288	502,	629, 636,	\c@l1@chapseci . . . 5462
\bx@W	3201, 3236, 3277	897,	904, 1149,	\c@l1@chapsecii . . . 5457
\bx@w	3227, 3242, 3283	1156,	2244,	\c@lofdepth 15171, 15208
\bx@WW	3268, 3289	4762,	4769,	\c@lor@error . . . 5426,
\bx@X	3202, 3236, 3277	4955,	4962,	5433, 5441,
\bx@x	3228, 3242, 3283	5265,	5272,	5447, 15684, 15718
\bx@XX	3269, 3289	6606,	6613,	\c@lotdepth 15189, 15228
\bx@Y	3203, 3236, 3277	6878,	6885,	\c@lstlisting
\bx@y	3229, 3242, 3283	8794,	8801,	10604, 10606
\bx@YY	3270, 3289	12207,	12214,	\c@LT@chunks 10917
\bx@Z	3204, 3236, 3277	12600,	12607,	\c@LT@tables 1962
\bx@z	3230, 3242, 3283	12798,	12805,	\c@mpfootnote
\bx@ZZ	3271, 3289	13002,	13009,	9425, 9438,
		13466,	13475,	9451, 9475, 11022
		13482,	13990,	\c@NAT@ctr 11623
		13999,	14006,	\c@page . . . 4282, 6353,
\c@abspage	9229	14581,	14590,	6370, 9063,
\c@addvipersep	11188, 11206, 11211, 11233, 11260, 11270, 11288, 11293, 11315, 11339	14597,	14940, 14947	9090, 15599, 16249
\c@chapter	4795, 4797, 4799, 4974, 4976, 4978, 5221, 5223, 5225, 5226, 6833, 6835, 6837, 6838, 8901, 8903, 8905, 9166,	\c@equation . . .	4795, 4974, 6446, 6833, 9166,	\c@paragraph 470, 623, 879, 1143, 4792, 4971, 5230, 6719, 6842, 8898, 9175, 9188, 11074, 12223, 12588, 12792, 12976, 13443, 13943, 14546
		12967,	13969, 14560	\c@poem@no . . . 4486, 4536, 4587, 4598
		4976,	5223,	
		6835,	8903,	
		9168,	9181,	
		11080,	12228,	

\c@secnumdepth	231,		... 9062, 9067,	5580, 5593,
	473, 482, 5038,		9103, 9105, 9106	5594, 5597, 5601
	5235, 6576,	\c@tocdepth 3,	\c@twinlines 5570, 5583
	6585, 6847,		129, 428, 445,	\c@zabspage 9229
	8763, 12000, 12981		565, 581, 599,	\cals@activate@rtl 5338
\c@section	4789, 4968,		794, 827, 845,	\cals@borderB 5359
	5227, 6839,		1052, 1068,	\cals@borderL 5356
	8895, 9172,		1086, 4697,	\cals@borderR 5357
	9185, 11068,		4713, 4729,	\cals@borderT 5358
	11674, 12220,		4876, 4892,	\cals@current@context
	12585, 12789,		4908, 5181, 5351
	12973, 13937, 14540		5196, 6549,	\cals@last@context 5350
\c@subparagraph	...		6563, 6819,	\cals@paddingL
 471, 624,		8731, 8746, 5364, 5368
	880, 1144, 4793,		11387, 11399,	\cals@paddingR
	4972, 5231,		11411, 12134, 5365, 5369
	6720, 6843,		12150, 12166,	\cals@set@tohsize 5353
	8899, 9176,		12508, 12524,	\cals@setcellprevdepth
	9189, 11076,		12540, 12742, 5353
	12224, 12589,		12756, 12927,	\cals@setpadding . 5353
	12793, 12977,		12942, 13375,	\cals@tbreak@tokens
	13445, 13945, 14548		13408, 13843, 5348
\c@subsection		13870, 13898,	\cals@tfoot@height 5349
 468, 621,		14477, 14505,	\cals@tfoot@tokens .
	877, 1141, 4790,		15016, 15020, 5347, 5361
	4969, 5228,		15062, 15081,	\cals@thead@tokens 5346
	6717, 6840,		15103, 15120,	\CAny
	8896, 9173,		15137, 15154,	1683
	9186, 11070,		15322, 15518, 16091	\cAny
	12221, 12586,	\c@twb 5587	1691
	12790, 12974,	\c@twcompctr 5568	\cap@indent
	13439, 13939, 14542	\c@twcompodctr	.. 5584	. 13565, 13568,
\c@subsubsection	..	\c@twfirst 5569,	13573, 13575,
 469, 622,		5575, 5582,	13576, 14089,
	878, 1142, 4791,		5586, 5595, 5598	14092, 14097,
	4970, 5229,	\c@twlftside 5573	14099, 14100,
	6718, 6841,	\c@twlspec	14680, 14683,
	8897, 9174,		.. 5587, 5590, 5594	14688, 14690, 14691
	9187, 11072,	\c@twprune 5573,	\cap@left ... 13587,
	12222, 12587,		5574, 5590, 5594	13598, 14111,
	12791, 12975,	\c@twrounds 5585,	14122, 14702, 14713
	13441, 13941, 14544		5588, 5591, 5603	\cap@margin
\c@table 4799,	\c@twrtside 5574	13530, 14054, 14645
	4978, 5225,	\c@twslicea 5571,	\cap@right ... 13589,
	6837, 8905,		5573, 5577,	13598, 14113,
	9170, 9183,		5580, 5589,	14122, 14704, 14713
	11081, 12230,		5590, 5597, 5601	\cap@width
	12593, 12788,	\c@twsliceb 5572,	. 13553, 13556,
	12971, 13961, 14556		5574, 5577,	13559, 14077,
\c@thisframe			14080, 14083,
				14668, 14671, 14674

\capfont 13540, 13561, 13566, 13571, 13575, 13594, 13598, 14064, 14085, 14090, 14095, 14099, 14118, 14122, 14655, 14676, 14681, 14686, 14690, 14709, 14713	\centering 230, 6047, 6060, 6176, 8940, 8945, 9993, 10078, 10094, 11102, 11104, 11106, 13267, 13735, 14369	\cftdotfill 15306 \cftdotsep 15305 \cftfigaftersnum 15181 \cftfigaftersnumb 15182 \cftfigfillnum . . 15185 \cftfigfont 15184 \cftfigindent 15173, 15176
\caplabelfont 13541, 13562, 13567, 13572, 13577, 13595, 14065, 14086, 14091, 14096, 14101, 14119, 14656, 14677, 14682, 14687, 14692, 14710	\CenteringLeftskip 12015 \CenteringParfillskip 12018 \CenteringParindent 12019 \CenteringRightskip 12016 \centerline 234, 9652, 9669, 11985, 16013	\cftfignumwidth . 15179 \cftfigpresnum . . 15180 \cftparaftersnum 15147 \cftparaftersnumb 15148 \cftparafillnum . . 15151 \cftparafont 15150 \cftparaindent 15139, 15142 \cftparanumwidth 15145 \cftparapresnum . . 15146
\caption 3020, 3021, 3023, 3073, 9963, 9981, 10894, 11155, 11157	\cftbeforechapskip 15064 \cftbeforefigskip 15172 \cftbeforeparaskip 15138 \cftbeforepartskip 15032	\cftpartaftersnum 15042 \cftpartaftersnumb 15043 \cftpartfillnum . . 15046 \cftpartfont 15045 \cftpartindent 15034, 15037 \cftpartnumwidth 15040 \cftpartpresnum 15041, 15045
\caption@par 5373 \caption@hangindent 5374	\cftbeforesecskip 15083, 15086	\cftsecftersnum 15096 \cftsecftersnumb 15097 \cftsecfillnum . . 15100 \cftsecfont 15099 \cftsecindent 15088, 15091
\caption@makecaption 5371 \caption@parindent 5374	\cftbeforesubfigskip 15209 \cftbeforesubparaskip 15155	\cftsubpartnumwidth 15045 \cftsubpartpresnum 15041, 15045
\caption@startrue 10598	\cftbeforesubsubsecskip 15104	\cftsecftersnum 15096 \cftsecftersnumb 15097 \cftsecfillnum . . 15100 \cftsecfont 15099 \cftsecindent 15088, 15091
\captionformat 13541, 13562, 13567, 13572, 13577, 13595, 14065, 14086, 14091, 14096, 14101, 14119, 14656, 14677, 14682, 14687, 14692, 14710	\cftbeforesubsubskip 15121 \cftbeforesubtabskip 15229 \cftbeforetabskip 15190 \cftchapaftersnum 15073 \cftchapaftersnumb 15074	\cftsubsecftersnum 15096 \cftsubsecftersnumb 15097 \cftsubsecfillnum . . 15100 \cftsubsecfont 15099 \cftsubsecindent 15088, 15091
\captionlabelfalse 10596	\cftchapfillnum . . 15077 \cftchapfont 15076	\cftsubsecpresnum 15095 \cftsubsecftersnum 15096 \cftsubsecftersnumb 15097 \cftsubsecfillnum . . 15100 \cftsubsecfont 15099 \cftsubsecindent 15088, 15091
\catcode 1504, 1553, 2568, 3551, 3573, 4384, 4385, 4387, 4388, 9556, 9557, 9672, 10421, 10422	\cftchapindent 15065, 15068, 15315 \cftchapnumwidth 15071, 15316 \cftchappresnum . . 15072 \cftchapterprecistoc 15314	\cftsubfigaftersnum 15219 \cftsubfigfillnum . . 15222 \cftsubfigfont 15221 \cftsubfigindent 15210, 15213 \cftsubfignumwidth 15216 \cftsubfigpresnum . . 15217 \cftsubparaaftersnum 15164
\Centering 12010	\cftdot 15012	

\cftsubparaafersnumb 15165	\cfttabindent 15191, 15194	\ClassWarningNoLine 11139
\cftsubparafillnum 15168	\cfttabnumwidth .	15197	\cleardoubleemptypage 13224,
\cftsubparafont	15167	\cfttabpresnum ..	15198		13269, 13692,
\cftsubparaindent 15156, 15159	\chapnumfont	11999		13737, 14326, 14371
\cftsubparanumwidth 15162	\chapter	3871, 3899,	\cleardoublepage 4235,
\cftsubparapresnum 15163	3969, 3977,			4280, 4282,
\cftsubsecaftersnum 15113	4093, 4099,			4339, 4352,
\cftsubsecaftersnumb 15114	4759, 4952,			4366, 5256, 6869
\cftsubsecfillnum	15117	5262, 6875,		\clearpage	525, 541,
\cftsubsecfont	.. 15116	8791, 12204,			792, 1046, 3292,
\cftsubsecindent	... 15105, 15108	12597, 12795, 12999			4247, 4282,
\cftsubsecnumwidth 15111	\chapterheadendvskip 12005		4368, 4691,
\cftsubsecpresnum	15112	\chapterheadstartvskip 11997		4870, 5082,
\cftsubsubsecaftersnum 15130	\chaptermark	4356, 14975		5258, 6871,
\cftsubsubsecaftersnumb 15131	\chaptername	235, 11088		12110, 12367,
\cftsubsubsecfillnum 15134	\chapterstyle	11083		12829, 13332,
\cftsubsubsecfont	15133	\char	1666, 1667		13800, 14434, 15009
\cftsubsubsecindent 15122, 15125	\chardef		\closing	... 6908, 14243
\cftsubsubsecnumwidth 15128	9556, 10564, 10565		\clubpenalty	88, 222,
\cftsubsubsecpresnum 15129	\check@floats	5775, 5940		504, 505, 637,
\cftsubtabaftersnum 15238	\CheckCommand	12061		905, 1157, 2245,
\cftsubtabaftersnumb 15239	\checkoddpage	2914		4502, 4770,
\cftsubtabfillnum	15242	\CIIIAny	1684		4963, 5274,
\cftsubtabfont	.. 15241	\ciiiAny	1692		5275, 6614,
\cftsubtabindent	... 15230, 15233	\circle	5476,		6887, 6888,
\cftsubtabnumwidth 15236	5479, 5486,			8802, 11629,
\cftsubtabpresnum	15237	5489, 5499,			12215, 12608,
\cfttabaftersnum	15199	5502, 5509,			12807, 12808,
\cfttabaftersnumb	15200	5512, 5522,			13011, 13012,
\cfttabfillnum	.. 15203	5525, 5532,			13484, 14008,
\cfttabfont 15202	5535, 5545,			14599, 14949,
		5548, 5555, 5558			14950, 15923, 15925
		\cite	3588, 3642,	\coffeefont 11407
		3648, 3649,		\col@number	379, 733,
		3738, 3743,			987, 1239, 1941,
		3764, 3770,			5132, 6673,
		3791, 3797,			6770, 8851,
		3818, 3834,			11046, 11349,
		3838, 3841,			11431, 11436,
		3845, 3848,			11503, 11504,
		3852, 11632, 11633			11506, 11509,
		\citeasnoun	11633		11510, 11517,
		\citeN	11632		12308, 12449,
		\cites	3643		12695, 12878,
		\ClassInfo ..	4313, 4378		13288, 13756, 14390
		\ClassWarning		\col@sep ..	299, 327,
					5377, 5378, 10906

\color ..	1623, 1624,	8285,	8298,	7966,	7993,
1625,	1626,	8334,	8344,	8006,	8042,
2169,	5422,	8354,	8380,	8052,	8062,
5425,	5428,	8393,	8405,	8088,	8101,
5446,	5449,	8432,	8445,	8113,	8140,
6041,	6044,	8529,	8540,	8153,	8189,
6054,	6172,	8551,	8576,	8199,	8209,
10485,	10985, 15649	8589,	8602,	8235,	8248,
\color@ ...	15689, 15736	8636,	8650,	8260,	8287,
\color@box ..	5414,	8704,	9376,	8300,	8336,
5452,	5454,	9392,	9407,	8346,	8356,
15642,	15739, 15742	9433,	9446,	8382,	8395,
\color@begingroup ..	.	9459,	9471, 10959	8407,	8434,
.....	3695,	\color@block	5419, 15647	8447,	8531,
3712,	3729,	\color@box	. 5452, 15739	8542,	8553,
4661,	4675,	\color@endbox	8578,	8591,
6949,	6965,	... 1934,	3412,	8604,	8638,
6981,	6994,	3456,	3500,	8652,	8708,
7007,	7020,	13114,	13124,	9379,	9395,
7165,	7175,	13142,	16191,	9410,	9436,
7185,	7211,	16235,	16340, 16350	9449,	9462, 9492
7224,	7236,	\color@endgroup	...	\color@fb@x	15740, 15741
7263,	7276,	... 3699,	3716,	\color@fbox	. 5453, 15740
7312,	7321,	3733,	4663,	\color@hbox
7330,	7355,	6953,	6969,	.. 13111,	13121,
7367,	7378,	6985,	6999,	13139,	16337, 16347
7404,	7416,	7012,	7025,	\color@setgroup	...
7452,	7462,	7112,	7167,	5455, 15744
7472,	7498,	7177,	7187,	\color@vbox	... 1912,
7511,	7523,	7213,	7226,	3403,	3447,
7550,	7563,	7238,	7265,	3491,	16182, 16226
7599,	7609,	7278,	7314,	\colorA	5040, 5049, 5061
7619,	7645,	7323,	7332,	\colorB 5046,
7658,	7670,	7357,	7369,	5052,	5058, 5064
7697,	7710,	7380,	7406,	\colorblend	.. 15656,
7746,	7756,	7418,	7454,	15657,	15699, 15700
7766,	7792,	7464,	7474,	\colorbox
7805,	7817,	7500,	7513,	.. 1739,	1741, 1742
7844,	7857,	7525,	7552,	\columncolor	1393, 5385
7893,	7903,	7565,	7601,	\columnsep 95,
7913,	7939,	7611,	7621,	150,	518, 534,
7952,	7964,	7647,	7660,	785,	1039, 1572,
7991,	8004,	7672,	7699,	2078,	4684,
8040,	8050,	7712,	7748,	4863,	5075,
8060,	8086,	7758,	7768,	5617,	5721,
8099,	8111,	7794,	7807,	8973,	9738,
8138,	8151,	7819,	7846,	11248,	11346,
8187,	8197,	7859,	7895,	11439,	11485,
8207,	8233,	7905,	7915,	12103,	12360,
8246,	8258,	7941,	7954,	12822,	15604,

15609,	15613,	7854,	7936,	... 3930, 3937, 3944, 3951, 3958
15619,	15622,	16117	7948,	7961,
\columnseprule	8001,	8083,	\contentsline ... 10198
.. 95,	150,	517,	8095,	\contentsmargin . 14915
533,	784,	1038,	8148,	\contentspush ... 14889
1573,	2079,	8242,	8255,	\convertcolorspec .
4683,	4862,	8295,	8377, 15663, 15666, 15706, 15709
5074,	5613,	8389,	8402,	\Coord 1680
5652,	5715,	8442,	8572,	\coord 1685
5727,	5892,	8585,	8598,	\CoordIII 1682
8969,	9004,	8646,	8782,	\coordii 1687
9713,	9732,	8785,	8788,	\Coordn 1681
11240,	11323,	8968,	8970,	\coordin 1686
11464,	11475,	8972,	8974,	\Coordx . 1677, 1680,
12102,	12359,	9002,	9006,	1681, 1682, 1683, 1684, 1685, 1686, 1687, 1691, 1692
12821,	16113,	16135	9286,	\coordx 1688
\columnseprulecolor	9290,	9292,	\Coordy . 1678, 1680,
11463,	11474	9372,	9388,	1681, 1682, 1683, 1684, 1685, 1686, 1687, 1691, 1692
\columnwidth .	27,	40,	9403,	\coordy 1689
53,	68,	162,	9442,	\Coordz . 1679, 1682,
187,	201,	174,	9473,	1684, 1687, 1692
463,	466,	649,	9694,	\coordz 1690
887,	1134,	1924,	9714,	\copy 1987, 1999, 2003,
4782,	4938,	9733,	9736,	3399, 3443, 3487, 5329, 5696, 5702, 5862, 5874, 6201, 6222, 8951, 8983, 9766, 9812, 11905, 11973, 12007, 15820, 16178, 16222, 16285
5212,	5215,	9739,	9935,	\cor@height .. 11195, 11196, 11223, 11224, 11260, 11277, 11278, 11305, 11306, 11339
5218,	5325,	9936,	10457,	\count .. 1907, 3388,
5612,	5614,	10460,	10463,	3432, 3476, 7123, 7151, 7254, 7298, 7395, 7438,
5616,	5618,	10962,	11238,	
5649,	5654,	11242,	11245,	
5714,	5716,	11247,	11320,	
5719,	5722,	11325,	11346,	
5724,	5729,	11375,	11381,	
5890,	5894,	11533,	11537,	
6190,	6211,	11541,	11546,	
6621,	6624,	12196,	12620,	
6627,	6921,	12775,	12778,	
6924,	6927,	12781,	12958,	
6936,	6946,	12961,	12964,	
6962,	6978,	13199,	13514,	
6991,	7004,	13517,	13521,	
7017,	7208,	13667,	14038,	
7220,	7233,	14041,	14045,	
7273,	7352,	14163,	14166,	
7363,	7375,	14169,	14301,	
7413,	7495,	14629,	14632,	
7507,	7520,	14636,	16112,	
7560,	7642,	16114,	16116,	
7654,	7667,	16118,	16132,	
7707,	7789,	16137,	16274, 16276	
7801,	7814,	\contentslabel	

7541,	7585,	2398,	2399,	7816,	7834,
7688,	7732,	2422,	2477,	7835,	7843,
7835,	7879,	2478,	2479,	7856,	7892,
7982,	8026,	2480,	2486,	7902,	7912,
8129,	8173,	2487,	2488,	7938,	7951,
8276,	8320,	2489,	2572,	7963,	7981,
8423,	8509,	2573,	2576,	7982,	7990,
8621,	9073,	2577,	2752,	8003,	8039,
9706,	9726,	2754,	2766,	8049,	8059,
16167,	16211,	16314	2768,	8085,	8098,
\count@		1333,	3135,	8110,	8128,
1392,	2272,	3143,	3144,	8129,	8137,
2277,	5383,	3542,	3693,	8150,	8186,
11426,	11427,	3710,	3727,	8196,	8206,
11429,	11431,	3758,	3785,	8232,	8245,
11438,	11459,	3812,	4046,	8257,	8275,
11460,	11462,	4507,	4542,	8276,	8284,
11479,	11480,	11483	4545,	8297,	8333,
\counterwithout . . .		4562,	4569,	8343,	8353,
11084,		4576,	4584,	8379,	8392,
11085,	11086,	11087	4585,	8404,	8422,
\cr		315, 4449,	4648,	8423,	8431,
4456,	4512,	5428,	5434,	8444,	8527,
7134,	7138,	5442,	5449,	8538,	8549,
7140,	10921,	5966,	6948,	8574,	8587,
14756,	14795,	16063	6964,	8600,	8620,
\crcr 326, 1805, 1951,		6993,	7006,	8621,	8634,
4452,	14743,	7019,	7164,	8648,	8910,
14775,	15831,	16049	7174,	7184,	9051,
\CROP@llc		5518	7210,	7223,	9057,
\CROP@lrc		5541	7235,	7253,	9148,
\CROP@ulc		5472	7254,	7262,	9150,
\CROP@urc		5495	7275,	7311,	9153,
\CROP@execpt		5565	7320,	7329,	9156,
\csname		8, 43,	7354,	7366,	9158,
56,	71,	134,	177,	9161,	9162,
190,	204,	260,	7377,	7394,	9219,
261,	303,	1296,	7395,	7403,	9243,
1768,	1769,	7415,	7451,	9261,	9347,
1783,	1784,	7461,	7471,	9356,	9374,
1811,	1814,	7497,	7510,	9390,	9405,
1817,	1833,	7522,	7540,	9432,	9445,
1841,	1849,	7541,	7549,	9458,	9505,
1904,	1962,	7562,	7598,	9520,	10200,
2279,	2283,	7608,	7618,	10203,	10205,
2295,	2337,	7644,	7657,	10209,	10213,
2347,	2353,	7669,	7687,	10227,	10238,
2354,	2356,	7688,	7696,	10249,	10489,
2357,	2359,	7709,	7745,	10492,	10843,
2360,	2362,	7755,	7765,	11168,	11169,
		7791,	7804,	11176,	13155,

13159,	13163,	4320,	4321,	2020,	2023,
13623,	13627,	4322,	5987,	6085	2026,
13631,	14257,	\customername	... 14203	2032,	2033,
14261,	14265,	\CustomFBox 9536	2034,	2035,
14746,	14773,	\cvcomputer 2201	2037,	2809,
14775,	14992,	\cvdoubleitem	2178, 2202	2810,	2812,
15255,	15256,	\cventry 2190	2814,	2817,
15272,	15273,	\cvlanguage 2199	2822,	3865,
15274,	15281,	\cvline	.. 2173, 2174,	3866,	4124,
15283,	15284,	2179,	2183,	4125,	4150,
15350,	15352,	2185,	2191, 2200	4151,	4294,
15359,	15360,	\cvlistdoubleitem	2184	4295,	4296,
15364,	15369,	\cvlistitem 2182	4297,	4298,
15373,	15384,	\cvtheme	... 2116, 2119	4318,	4319,
15385,	15389,			4320,	4321,
15395,	15450,	D		4322,	5977,
15451,	15455,	\dollarbegin	... 299,	5979,	5981,
15551,	15552,	328,	1337, 1338,	5983,	5985,
15554,	15557,	1339,	1402,	5986,	6075,
15558,	15562,	1405,	1406,	6077,	6079,
15847,	15964, 16052	5390,	5393, 5394	6081,	6083, 6084
\CT@do@color 5380	\dollarend	... 300,	\DeclareRobustCommand	
\CT@cell@color	328,	1337, 1338,	... 1665, 1666,	
	1417, 5405	1339,	1404,	1667,	1668,
\CT@color 5379	1405,	1406,	1669,	1670,
\CT@column@color	...	5392,	5393, 5394	1671,	3148,
	1415, 5403	\dashgapcolor 1397	3155,	5422,
\CT@do@color	\date 367,	5437,	15649, 15692
	1418, 5380, 5406	403,	710, 755,	\dedication
\CT@extract	1393, 5385	964,	1009, 1216,	13327, 13795, 14429	
\CT@row@color	1416, 5404	1261,	1607,	\dedicatory 250
\CT@setup 1382,	4160,	4208,	\def 2, 23, 26,
	1383,	4852,	5031,	30,	34, 47, 62,
	1385,	5120,	5156,	91,	94, 103, 104,
	1386,	6661,	6695,	105,	106, 118,
	1390,	6758,	6794,	128,	149, 158,
	1414,	8839,	8873,	159,	160, 161,
\cumpartcl 11809	12285,	12330,	165,	168, 181,
\cumtcl 11809	12426,	12473,	195,	225, 228,
\curraddr 249	12678,	12719,	240,	246, 263,
\current@color	5421,	12866,	12902,	265,	270, 272,
	5427,	13328,	13796, 14430	297,	302, 304,
	5434,	\datename 14233	325,	326, 327,
	5442,	5448,	\deadcycles	328,	374, 375,
	9534,	9539,	. 2737, 2740	406,	472, 508,
	15648,	15685,	\debugfootnotedirection	639,	665, 666,
	15686,	15690, 9206	674,	713, 714,
	15719,	15720, 15737	\DeclareOption	716,	721, 723,
\CurrentOption	4294,	1495,	1496,	728,	730, 758,
	4295,	2008,	2011,	907,	919, 920,
	4297,	2014,	2017,		

928,	967,	968,	1928,	1937,	3340,	3342,
970,	975,	977,	1950,	1977,	3348,	3349,
982,	983,	1012,	2091,	2092,	3376,	3390,
1159,	1171,		2093,	2094,	3393,	3397,
1172,	1180,		2095,	2096,	3401,	3414,
1219,	1220,		2098,	2099,	3420,	3434,
1222,	1227,		2117,	2118,	3437,	3441,
1229,	1234,		2121,	2122,	3445,	3458,
1236,	1264,		2123,	2124,	3464,	3478,
1284,	1294,		2125,	2126,	3481,	3485,
1295,	1298,		2127,	2128,	3489,	3502,
1304,	1332,		2129,	2130,	3537,	3552,
1345,	1346,		2131,	2132,	3567,	3572,
1349,	1362,		2133,	2248,	3658,	3660,
1370,	1378,		2267,	2268,	3688,	3705,
1379,	1382,		2269,	2270,	3722,	3742,
1383,	1386,		2271,	2278,	3769,	3796,
1391,	1429,		2279,	2283,	4008,	4045,
1430,	1487,		2325,	2333,	4053,	4282,
1489,	1490,		2354,	2362,	4390,	4391,
1502,	1503,		2363,	2364,	4392,	4393,
1538,	1546,		2370,	2372,	4399,	4402,
1547,	1548,		2373,	2374,	4413,	4414,
1549,	1550,		2377,	2379,	4415,	4425,
1560,	1565,		2381,	2387,	4451,	4455,
1590,	1591,		2391,	2394,	4462,	4484,
1673,	1674,		2403,	2414,	4503,	4504,
1675,	1677,		2416,	2417,	4505,	4511,
1678,	1679,		2428,	2501,	4541,	4544,
1680,	1681,		2520,	2552,	4547,	4551,
1682,	1683,		2553,	2554,	4554,	4557,
1684,	1685,		2565,	2579,	4560,	4567,
1686,	1687,		2582,	2583,	4574,	4584,
1688,	1689,		2595,	2607,	4585,	4586,
1690,	1691,		2611,	2614,	4596,	4600,
1692,	1697,		2627,	2636,	4603,	4608,
1708,	1739,		2664,	2692,	4609,	4610,
1740,	1741,		2695,	2696,	4612,	4621,
1742,	1749,		2704,	2705,	4627,	4648,
1755,	1761,		2714,	2727,	4649,	4772,
1769,	1774,		2743,	2838,	4807,	4808,
1776,	1784,		2861,	2952,	4816,	4965,
1789,	1790,		2973,	2977,	4986,	4987,
1805,	1810,		2990,	3064,	4995,	5035,
1813,	1816,		3133,	3151,	5055,	5127,
1821,	1824,		3157,	3194,	5128,	5159,
1827,	1831,		3319,	3321,	5232,	5246,
1839,	1847,		3322,	3323,	5278,	5282,
1854,	1856,		3332,	3334,	5294,	5307,
1857,	1859,		3335,	3336,	5314,	5318,

5321,	5376,	7839,	7852,	9663,	9673,
5379,	5382,	7888,	7898,	9703,	9723,
5414,	5421,	7908,	7934,	9752,	9756,
5424,	5431,	7946,	7959,	9762,	9764,
5439,	5445,	7986,	7999,	9780,	9791,
5452,	5453,	8035,	8045,	9792,	9794,
5455,	5569,	8055,	8081,	9807,	9808,
5582,	5585,	8093,	8106,	9810,	9826,
5586,	5591,	8133,	8146,	9828,	9831,
5598,	5603,	8182,	8192,	9833,	9834,
5606,	5641,	8202,	8228,	9849,	9856,
5685,	6184,	8240,	8253,	9896,	9897,
6188,	6191,	8280,	8293,	9898,	9899,
6209,	6212,	8329,	8339,	9908,	9910,
6230,	6287,	8349,	8375,	9946,	10198,
6345,	6387,	8387,	8400,	10225,	10236,
6414,	6416,	8427,	8440,	10247,	10258,
6421,	6452,	8523,	8534,	10268,	10279,
6453,	6526,	8545,	8570,	10290,	10301,
6575,	6594,	8583,	8596,	10316,	10331,
6616,	6668,	8630,	8644,	10346,	10364,
6669,	6698,	8760,	8772,	10378,	10382,
6765,	6766,	8804,	8846,	10396,	10404,
6797,	6844,	8847,	8876,	10407,	10408,
6859,	6891,	8907,	8937,	10411,	10413,
6935,	6942,	8942,	8948,	10416,	10434,
6958,	6974,	8980,	9050,	10435,	10466,
6990,	7003,	9061,	9109,	10485,	10487,
7016,	7043,	9198,	9285,	10488,	10495,
7044,	7045,	9289,	9291,	10500,	10546,
7056,	7101,	9293,	9295,	10577,	10592,
7160,	7170,	9297,	9299,	10593,	10596,
7180,	7206,	9300,	9302,	10598,	10875,
7218,	7231,	9306,	9315,	10887,	10891,
7258,	7271,	9317,	9324,	10892,	10893,
7307,	7316,	9325,	9342,	10900,	10928,
7325,	7350,	9345,	9351,	10938,	10946,
7361,	7373,	9354,	9362,	10949,	10954,
7399,	7411,	9363,	9364,	11020,	11021,
7447,	7457,	9366,	9382,	11042,	11044,
7467,	7493,	9397,	9424,	11094,	11096,
7505,	7518,	9437,	9450,	11144,	11155,
7545,	7558,	9463,	9469,	11166,	11184,
7594,	7604,	9475,	9482,	11266,	11345,
7614,	7640,	9495,	9499,	11353,	11386,
7652,	7665,	9503,	9509,	11398,	11410,
7692,	7705,	9514,	9518,	11424,	11457,
7741,	7751,	9530,	9544,	11471,	11503,
7761,	7787,	9546,	9548,	11531,	11535,
7799,	7812,	9550,	9558,	11539,	11543,

11547,	11637,	13437,	13488,	16019,	16024,
11651,	11653,	13495,	13634,	16025,	16026,
11660,	11666,	13636,	13656,	16027,	16028,
11733,	11737,	13929,	14012,	16030,	16033,
11741,	11743,	14019,	14141,	16044,	16049,
11759,	11773,	14158,	14162,	16053,	16073,
11774,	11776,	14165,	14171,	16076,	16086,
11783,	11902,	14243,	14268,	16087,	16088,
11903,	11905,	14270,	14290,	16089,	16090,
11906,	11912,	14536,	14603,	16107,	16124,
11913,	11914,	14610,	14738,	16155,	16169,
11923,	11932,	14743,	14747,	16172,	16176,
11940,	11948,	14770,	14775,	16180,	16193,
11949,	11950,	14779,	14789,	16199,	16213,
11951,	11952,	14805,	14835,	16216,	16220,
11953,	11958,	14860,	14894,	16224,	16237,
11959,	11962,	14916,	14922,	16243,	16283,
11964,	11965,	14925,	14927,	16287,	16288,
11966,	11967,	14930,	14953,	16289,	16290,
11969,	11970,	15517,	15538,	16297,	16358,
11976,	11983,	15540,	15567,	16370,	16371,
11984,	11985,	15610,	15613,	16373,	16473,
11986,	11987,	15619,	15623,	16475,	16479,
11991,	11992,	15642,	15648,	16481,	16505, 16507
12093,	12094,	15651,	15673,	\default@color	
12217,	12240,	15682,	15688, 5421, 15648	
12241,	12249,	15694,	15716,	\DefaultIndent . 10473	
12288,	12289,	15722,	15731,	\DefaultLhang . . . 10469	
12291,	12296,	15735,	15739,	\DefaultLoversize 10470	
12298,	12303,	15740,	15741,	\DefaultLraise . . 10471	
12305,	12333,	15744,	15749,	\DefaultNindent . 10474	
12379,	12380,	15755,	15756,	\DefaultOptionsFile	
12388,	12429,	15757,	15766,	10477, 10480, 10483	
12430,	12432,	15775,	15783,	\DefaultSlope . . . 10475	
12437,	12439,	15791,	15792,	\deffootnote . 13165,	
12444,	12446,	15793,	15794,	13190, 13633,	
12476,	12498,	15795,	15796,	13658, 14140,	
12610,	12642,	15801,	15802,	14160, 14267, 14292	
12644,	12685,	15805,	15807,	\definecolor	
12687,	12722,	15808,	15809,	... 1614, 1615,	
12811,	12873,	15810,	15812,	1616, 1617,	
12874,	12905,	15814,	15816,	1618, 2090,	
12978,	12990,	15817,	15823,	2097, 5991,	
13015,	13019,	15825,	15830,	5996, 5999,	
13062,	13109,	15832,	15834,	6000, 6001,	
13112,	13119,	15835,	15836,	6003, 6004,	
13122,	13130,	15837,	15838,	6007, 6008,	
13137,	13140,	15848,	15885,	6010, 6011,	
13166,	13168,	15947,	16003,	6014, 6015,	
13188,	13436,	16013,	16016,	6017, 6018,	

6021,	6022,	6269,	6271,	\dfn@makefnmark ...
6024,	6025,	6272,	6274, 6191, 6212
6028,	6029,	6320,	6321,	\dfn@RTLfootnotetext
6094,	6095,	6323,	6324, 6326 6209, 6229
6100,	6101,	\dfn@elt@adjust ...		\dfn@RTLmakecol ...
6106,	6107, 6268, 6320		.. 6230, 6339, 6340
6112,	6113,	\dfn@elt@getht ...		\dfn@split ... 6202,
6118,	6119, 6519 6233, 6290		6223, 6236,
\delimiter 9527	\dfn@fnht ... 6204,		6248, 6293, 6305
\DEPTH 14838, 14845	6225,	6266,	\DFNalwaysdouble . 6342
\depthof 6394,	6269,	6275,	\DFNcolumnsep
6399,	6408,	6276,	6277,	.. 6251, 6264, 6308
6409,	6413, 6418	6318,	6321,	\DFNcolumnwidth ...
\descriptionlabel	4086	6327,	6328, 6329	... 6185, 6190,
\detokenize	\dfn@fnmaxdp .. 6192,		6211, 6250,
... 2331, 2333,		6197,	6202,	6252, 6255,
2552,	2554,	6213,	6218,	6265, 6307, 6309
2555,	2582,	6223,	6245,	\dimen
2597,	2614,	6248,	6302, 6305	5364,
2617,	2625,	\dfn@footnoterule .		5365, 5368,
2627,	2695, 2696 6286, 6338		5369, 7084,
\dfn@afteroutput	...	\dfn@footnotetext 6187		7124, 7141,
... 6279,		\dfn@gobble . 6189, 6210		7142, 7143,
6282,	6331, 6334	\dfn@ins ... 6197,		7150, 7253,
\dfn@boxa 6188,	6198,	6199,	7297, 7394,
6193,	6196,	6201,	6218,	7437, 7540,
6200,	6201,	6219,	6220,	7584, 7687,
6202,	6209,	6222,	6236,	7731, 7834,
6214,	6217,	6237,	6293, 6294	7878, 7981,
6221,	6222,	\dfn@latex@footnotetext		8025, 8128,
6223,	6236, 6186		8172, 8275,
6243,	6246,	\dfn@latex@LTRfootnotetext		8319, 8422,
6248,	6255, 6192, 6207		8508, 8518,
6263,	6293,	\dfn@latex@makecol .		8519, 8520,
6300,	6303, 6285, 6337		8521, 8620,
6305,	6309, 6317	\dfn@latex@RTLfootnotetext		8623, 8624,
\dfn@boxb 6202, 6213, 6228		8625, 8626,
6223,	6240,	\dfn@list ... 6206,		11443, 11450,
6241,	6248,	6227,	6234,	11451, 11459,
6253,	6297,	6267,	6269,	11460, 11465,
6298,	6305, 6308	6272,	6278,	11466, 11479,
\dfn@countins	6232, 6289	6291,	6319,	11480, 11487,
\dfn@dima 6193,	6321,	6324, 6330	11488, 16292, 16295
6194,	6195,	\dfn@LTRfootnotetext		\dimen@ . 1984, 1985,
6206,	6214, 6188, 6208		1986, 5417,
6215,	6216,	\dfn@LTRmakecol ...		5418, 8692,
6227,	6231,	.. 6287, 6339, 6341		8694, 9566,
6248,	6268,	\dfn@makecol		9567, 9568,
6288,	6305, 6320	.. 6339, 6340, 6341		9578, 9579,
\dfn@dimb 6268,			9580, 9583,
				9584, 9585,

9591,	9601,	200,	309,	1389,	2332,	2435,
9603,	9612,	5418,	5419,		2436,	2439,
9614,	9621,	5822,	6193,		2440,	2457,
9622,	9623,	6214,	6241,		2458,	2461,
9624,	15581,	6260,	6262,		2462,	2551,
15582,	15583,	6298,	6314,		2556,	2566,
15584,	15585,	6316,	6393,		2581,	2584,
15586,	15645,	6398,	6411,		2597,	2601,
\dimen@ii 9616,	6417,	6531,		2606,	2613,
9617,	9618,	6536,	6540,		2616,	2623,
9624,	9626,	6543,	7089,		2626,	2632,
9629,	9630,	8471,	8692,		2635,	2688,
\dimexpr	10991, 11000,	8700,	8921,		2694,	2697,
11346,	13193,	8934,	9371,		3562,	3667,
13202,	13661,	9387,	9402,		3678,	4542,
13670,	14295,	9768,	9769,		4545,	4548,
14304,	15970,	9772,	9814,		6443,	6446,
15972,	15973,	9815,	9818,		9051,	9057,
15974,	15979,	10543,	10911,		9147,	9149,
15981,	15982,	10999,	11002,		9150,	9151,
15983,	15988,	11443,	11459,		9236,	9257,
15990,	15991,	11460,	11465,		9598,	10348,
15992,	15997,	11466,	11479,		10549,	10553,
15999,	16000,	11480,	11487,		10947,	10950,
\display@setup	11488,	11797,		11649,	11728,
.....	5283, 5308	11798,	11799,		11747,	11750,
\displayindent 5324	13028,	13070,		13024,	13067,
\displaystyle	9024, 9040	13073,	13127,		13473,	13997,
\displaywidth	. 5324,	13134,	13583,		14142,	14588,
6390,	6392,	13586,	14107,		14754,	14780,
6397,	9043,	14110,	14698,		14794,	14812,
\divide 7142,	14701,	14751,		15255,	15332,
8520,	8625,	14787,	14799,		15436,	15549,
8922,	8923,	14838,	14840,		15657,	15662,
11817,	11818,	15637,	15646,		15671,	15686,
\do	246, 247, 248, 249,	15647,	16058,		15690,	15700,
250,	251,	16264,	16271,	16342	15705,	15714,
3593,	3598,	\dquad 5316, 5318		15720,	15733,
3621,	3630,	\dseries@display@setup 5308		15737,	15956, 16061
5587,	8910,	10548			\egroup	... 302, 326,
\do@hvFloat 9896				562,	1125, 1294,
\document	.. 2710, 2724	E			1295,	1412,
\doubleitemmaincolumnwidth\edef	.. 119, 279, 1311,				1805,	1806,
...	2139, 2152,	1365,	1373,		1932,	4452,
2153,	2154,	1433,	1455,		4663,	5327,
2155,	2179,	1507,	1529,		5400,	7113,
\doublerulesepcolor 1396	1767,	1782,		9029,	9030,
\dp 39,	1811,	1814,		9044,	9493,
52,	67, 173,	1817,	2256,		9638,	9642,
186,		2259,	2329,		11354,	11785,

11916,	11921,	989,	992,	1035,	3116,	3119,
11925,	11930,	1046,	1050,	1050,	3122,	3152,
11934,	11938,	1053,	1056,	1056,	3380,	3386,
11942,	11946,	1057,	1062,	1062,	3418,	3424,
12131,	12583,	1073,	1084,	1084,	3430,	3468,
14743,	14744,	1099,	1102,	1102,	3474,	3613,
14770,	14777,	1103,	1106,	1106,	3993,	3994,
15436,	15759,	1116,	1120,	1120,	4282,	4367,
15764,	15768,	1121,	1125,	1125,	4467,	4488,
15773,	15777,	1148,	1183,	1183,	4513,	4525,
15781,	15785,	1192,	1200,	1200,	4593,	4613,
15789,	16049, 16050	1224,	1228,	1228,	4614,	4629,
\eightcolumnfootnotes		1230,	1241,	1241,	4634,	4638,
.....	8020	1244,	1281,	1281,	4680,	4691,
\eightcolumnfootstyle		1286,	1287,	1287,	4695,	4698,
.....	8115	1300,	1305,	1305,	4701,	4702,
\eject 5832,	1306,	1307,	1307,	4707,	4718,
	9569, 9638, 9658	1309,	1310,	1310,	4727,	4741,
\else 4, 12,	1313,	1314,	1314,	4744,	4745,
	13, 25, 36, 84,	1315,	1317,	1317,	4749,	4761,
	100, 112, 130,	1318,	1319,	1319,	4819,	4828,
	138, 139, 155,	1320,	1321,	1321,	4836,	4859,
	170, 218, 232,	1322,	1323,	1323,	4870,	4874,
	236, 263, 268,	1326,	1327,	1327,	4877,	4880,
	273, 274, 275,	1328,	1348,	1348,	4881,	4886,
	277, 278, 281,	1349,	1350,	1350,	4897,	4906,
	282, 283, 285,	1351,	1352,	1352,	4920,	4923,
	286, 287, 288,	1353,	1355,	1355,	4924,	4928,
	289, 292, 293,	1356,	1357,	1357,	4954,	4998,
	294, 318, 370,	1358,	1359,	1359,	5007,	5015,
	381, 384, 433,	1479,	1481,	1481,	5037,	5048,
	450, 453, 454,	1490,	1539,	1539,	5050,	5071,
	476, 479, 494,	1541,	1550,	1550,	5082,	5123,
	514, 525, 530,	1751,	1757,	1757,	5134,	5137,
	541, 545, 553,	1763,	1778,	1778,	5186,	5201,
	557, 558, 562,	1862,	1870,	1870,	5204,	5205,
	566, 569, 570,	1875,	1885,	1885,	5234,	5248,
	575, 586, 597,	1940,	1966,	1966,	5257,	5264,
	611, 614, 615,	1976,	1981,	1981,	5286,	5316,
	618, 628, 677,	1996,	1998,	1998,	5321,	5323,
	686, 694, 718,	2193,	2194,	2194,	5340,	5341,
	722, 724, 735,	2195,	2197,	2197,	5342,	5343,
	738, 781, 792,	2233,	2258,	2258,	5364,	5368,
	795, 798, 799,	2261,	2290,	2290,	5415,	5420,
	805, 815, 818,	2298,	2302,	2302,	5458,	5459,
	819, 822, 832,	2308,	2316,	2316,	5465,	5483,
	843, 854, 862,	2320,	2342,	2342,	5506,	5529,
	866, 875, 896,	2349,	2386,	2386,	5552,	5577,
	931, 940, 948,	2590,	2918,	2918,	5578,	5580,
	972, 976, 978,	2924,	3113,	3113,	5592,	5597,

5599,	5601,	7065,	7077,	9822,	9825,
5609,	5620,	7094,	7104,	9838,	9841,
5632,	5645,	7159,	7204,	9844,	9850,
5659,	5675,	7306,	7348,	9857,	9867,
5692,	5700,	7446,	7491,	9880,	9889,
5723,	5741,	7593,	7638,	9909,	9912,
5768,	5772,	7740,	7784,	9918,	9919,
5787,	5794,	7887,	7931,	9922,	9929,
5813,	5823,	8034,	8079,	9931,	9937,
5835,	5844,	8181,	8226,	9948,	9956,
5858,	5870,	8328,	8373,	9958,	9959,
5905,	5933,	8481,	8492,	9960,	9963,
5937,	5952,	8530,	8577,	9968,	9974,
5961,	6053,	8689,	8710,	9976,	9977,
6135,	6149,	8719,	8736,	9978,	9981,
6194,	6198,	8751,	8754,	9991,	9993,
6200,	6215,	8755,	8762,	10006,	10012,
6219,	6221,	8774,	8793,	10015,	10019,
6230,	6235,	8842,	8853,	10025,	10028,
6244,	6255,	8856,	8915,	10031,	10037,
6259,	6267,	8937,	8939,	10042,	10045,
6287,	6292,	8940,	8941,	10049,	10051,
6301,	6309,	8942,	8944,	10054,	10058,
6313,	6319,	8945,	8946,	10060,	10062,
6339,	6348,	8961,	8966,	10066,	10071,
6355,	6372,	8993,	8998,	10075,	10082,
6396,	6401,	9019,	9032,	10087,	10091,
6415,	6432,	9049,	9076,	10098,	10103,
6472,	6473,	9080,	9101,	10107,	10111,
6478,	6479,	9192,	9196,	10113,	10116,
6480,	6487,	9222,	9246,	10120,	10122,
6488,	6493,	9328,	9331,	10124,	10128,
6494,	6495,	9367,	9415,	10132,	10136,
6508,	6509,	9451,	9452,	10142,	10145,
6510,	6511,	9467,	9485,	10149,	10155,
6538,	6554,	9529,	9547,	10158,	10161,
6557,	6558,	9549,	9565,	10167,	10182,
6568,	6579,	9570,	9590,	10192,	10201,
6582,	6595,	9619,	9625,	10212,	10232,
6605,	6664,	9641,	9648,	10243,	10254,
6675,	6678,	9653,	9666,	10272,	10283,
6761,	6772,	9696,	9708,	10294,	10305,
6775,	6823,	9728,	9756,	10320,	10335,
6846,	6861,	9758,	9761,	10405,	10444,
6870,	6877,	9762,	9770,	10445,	10447,
6897,	6898,	9776,	9779,	10452,	10476,
6900,	6905,	9782,	9789,	10478,	10491,
6911,	6913,	9796,	9798,	10507,	10516,
6917,	6941,	9804,	9808,	10546,	10549,
6988,	7062,	9811,	9816,	10553,	10571,

10587,	10605,	11387,	11389,	12529,	12538,
10677,	10680,	11393,	11394,	12552,	12555,
10683,	10686,	11399,	11401,	12556,	12560,
10689,	10692,	11406,	11411,	12566,	12574,
10695,	10698,	11413,	11418,	12578,	12579,
10702,	10705,	11428,	11441,	12583,	12599,
10708,	10711,	11502,	11518,	12630,	12681,
10714,	10717,	11522,	11526,	12697,	12700,
10720,	10723,	11622,	11626,	12746,	12761,
10726,	10729,	11659,	11665,	12764,	12765,
10732,	10735,	11673,	11676,	12770,	12771,
10738,	10741,	11700,	11720,	12797,	12818,
10744,	10747,	11749,	11773,	12829,	12869,
10750,	10753,	11774,	11780,	12880,	12883,
10756,	10759,	11814,	11840,	12932,	12947,
10762,	10765,	11878,	11879,	12950,	12951,
10768,	10771,	11880,	11906,	12980,	12992,
10774,	10777,	11958,	11959,	13001,	13032,
10780,	10783,	11962,	11966,	13077,	13111,
10786,	10789,	11967,	11983,	13113,	13117,
10792,	10795,	11984,	11991,	13121,	13123,
10798,	10801,	11992,	11996,	13128,	13132,
10804,	10807,	11998,	12004,	13135,	13139,
10810,	10813,	12015,	12017,	13141,	13145,
10816,	10819,	12028,	12030,	13172,	13173,
10822,	10825,	12041,	12043,	13181,	13194,
10828,	10831,	12052,	12054,	13203,	13223,
10834,	10837,	12071,	12093,	13228,	13235,
10840,	10843,	12094,	12099,	13241,	13265,
10846,	10849,	12110,	12114,	13272,	13276,
10852,	10855,	12122,	12126,	13290,	13293,
10858,	10861,	12127,	12131,	13336,	13340,
10864,	10867,	12135,	12138,	13348,	13354,
10870,	10878,	12139,	12144,	13366,	13380,
10879,	10880,	12155,	12164,	13385,	13388,
10881,	10904,	12178,	12181,	13389,	13396,
10933,	11009,	12182,	12186,	13400,	13415,
11048,	11051,	12206,	12252,	13421,	13425,
11062,	11063,	12261,	12269,	13436,	13437,
11064,	11065,	12293,	12297,	13450,	13452,
11066,	11067,	12299,	12310,	13464,	13478,
11096,	11112,	12313,	12356,	13494,	13504,
11118,	11124,	12367,	12391,	13513,	13520,
11149,	11159,	12400,	12408,	13523,	13524,
11181,	11199,	12434,	12438,	13525,	13527,
11212,	11225,	12440,	12451,	13552,	13564,
11229,	11281,	12454,	12495,	13569,	13574,
11294,	11307,	12500,	12501,	13591,	13605,
11311,	11364,	12509,	12512,	13611,	13640,
11372,	11378,	12513,	12518,	13641,	13649,

13662,	13671,	14438,	14442,	15123,	15124,
13691,	13696,	14450,	14456,	15132,	15139,
13703,	13709,	14468,	14482,	15140,	15141,
13733,	13740,	14487,	14490,	15149,	15156,
13744,	13758,	14491,	14498,	15157,	15158,
13761,	13804,	14512,	14518,	15166,	15173,
13808,	13816,	14522,	14530,	15174,	15175,
13822,	13834,	14536,	14565,	15183,	15191,
13848,	13853,	14566,	14579,	15192,	15193,
13856,	13857,	14593,	14609,	15201,	15210,
13864,	13875,	14619,	14628,	15211,	15212,
13880,	13883,	14635,	14638,	15220,	15230,
13884,	13891,	14639,	14640,	15231,	15232,
13905,	13911,	14642,	14667,	15240,	15250,
13915,	13923,	14679,	14684,	15265,	15266,
13929,	13934,	14689,	14706,	15267,	15275,
13950,	13958,	14720,	14726,	15297,	15315,
13966,	13974,	14732,	14735,	15316,	15317,
13975,	13988,	14776,	14784,	15322,	15336,
14002,	14018,	14797,	14806,	15340,	15363,
14028,	14037,	14807,	14808,	15378,	15388,
14044,	14047,	14810,	14811,	15392,	15402,
14048,	14049,	14814,	14815,	15403,	15404,
14051,	14076,	14816,	14817,	15405,	15410,
14088,	14093,	14818,	14819,	15412,	15413,
14098,	14115,	14820,	14822,	15421,	15427,
14129,	14135,	14823,	14824,	15444,	15454,
14146,	14147,	14825,	14826,	15460,	15466,
14153,	14172,	14829,	14830,	15469,	15480,
14173,	14174,	14831,	14874,	15518,	15520,
14175,	14176,	14891,	14898,	15525,	15534,
14177,	14178,	14900,	14905,	15539,	15541,
14179,	14183,	14910,	14911,	15548,	15555,
14186,	14189,	14914,	14919,	15571,	15578,
14192,	14195,	14923,	14924,	15579,	15581,
14198,	14201,	14939,	14962,	15589,	15597,
14204,	14207,	14966,	14976,	15599,	15600,
14210,	14213,	14982,	14988,	15611,	15615,
14216,	14219,	14993,	14999,	15620,	15629,
14222,	14225,	15009,	15021,	15635,	15643,
14228,	14231,	15029,	15034,	15647,	15656,
14234,	14239,	15035,	15036,	15675,	15680,
14240,	14246,	15044,	15051,	15699,	15724,
14274,	14275,	15065,	15066,	15729,	15749,
14283,	14296,	15067,	15075,	15791,	15796,
14305,	14325,	15084,	15088,	15801,	15802,
14330,	14337,	15089,	15090,	15805,	15809,
14343,	14367,	15098,	15105,	15810,	15841,
14374,	14378,	15106,	15107,	15860,	15863,
14392,	14395,	15115,	15122,	15868,	15871,

15874,	15877,	770,	773,	943,	6902,	8823,
15880,	15888,	951,	954,	1024,	8826,	8829,
15898,	15903,	1027,	1195,		8888,	8891,
15909,	15924,	1203,	1206,		9031,	9966,
15942,	15951,	1277,	1280,		9984,	10086,
15954,	15959,	1285,	1286,		10102,	10193,
15960,	15961,	1287,	1700,		10449,	11182,
15971,	15972,	1711,	1712,		12264,	12272,
15974,	15980,	2177,	2179,		12275,	12345,
15981,	15983,	2181,	2183,		12348,	12403,
15989,	15990,	2185,	2189,		12411,	12414,
15992,	15998,	2197,	2200,		12491,	12494,
15999,	16001,	2249,	2765,		12499,	12500,
16009,	16010,	2771,	2791,		12501,	12660,
16011,	16012,	2797,	2958,		12663,	12666,
16015,	16018,	2959,	2964,		12738,	12848,
16021,	16024,	2967,	3038,		12851,	12854,
16025,	16026,	3039,	3046,		12919,	12922,
16027,	16029,	3047,	3054,		13020,	13063,
16031,	16032,	3055,	3075,		13231,	13246,
16036,	16038,	3076,	3114,		13253,	13259,
16054,	16076,	3117,	3120,		13263,	13271,
16077,	16078,	3123,	3130,		13343,	13360,
16079,	16080,	3131,	3314,		13370,	13460,
16081,	16082,	3315,	3877,		13699,	13714,
16083,	16086,	3933,	3940,		13721,	13727,
16087,	16091,	3947,	3954,		13731,	13739,
16093,	16098,	3961,	3972,		13811,	13828,
16110,	16128,	3980,	4107,		13838,	13984,
16152,	16159,	4108,	4244,		14333,	14348,
16165,	16203,	4287,	4309,		14355,	14361,
16209,	16247,	4635,	4831,		14365,	14373,
16249,	16259,	4839,	4842,		14445,	14462,
16275,	16277,	5010,	5018,		14472,	14575,
16280,	16284,	5021,	5050,		14937	
16293,	16316,	5062,	5102,	\end{dblfloat}	13107	
16321,	16339,	5105,	5108,		
16349,	16363,	5173,	5176,	2984, 3307, 13058		
16370,	16371,	5482,	5492,	\end{rot dblfloat}	13062	
16465,	16473, 16479	5505,	5515,	\end{rot float}		
\em	4086	5528,	13019, 13060, 13061		
\email	249, 2129	5551,			
\emaillink	6047,	5561,			
	.. 2211, 6068, 6166	6168,	6156,	302, 326, 1294,		
\mailsymbol	6440,	6176,	1295, 14770, 14775		
	.. 2089, 6068, 6166	6645,	6514,	\end{BCmd}	1702	
\empty	9909	6651,	303, 1296,		
\end	349, 352,	6713,	190, 204, 260,		
	355, 420, 423,	6743,	6746,	261, 303, 1296,		
	689, 697, 700,	6811,	6814,	1768, 1769,		
				1783, 1784,		

1811,	1814,	7471,	7497,	9374,	9390,
1817,	1833,	7510,	7522,	9405,	9432,
1841,	1849,	7540,	7541,	9445,	9458,
1904,	1962,	7549,	7562,	9505,	9520,
2280,	2284,	7598,	7608,	10200,	10203,
2288,	2294,	7618,	7644,	10205,	10209,
2295,	2337,	7657,	7669,	10213,	10227,
2347,	2353,	7687,	7688,	10238,	10249,
2354,	2356,	7696,	7709,	10489,	10492,
2357,	2359,	7745,	7755,	10843,	11168,
2360,	2362,	7765,	7791,	11169,	11176,
2398,	2399,	7804,	7816,	11645,	11655,
2421,	2422,	7834,	7835,	11669,	13155,
2477,	2478,	7843,	7856,	13159,	13163,
2479,	2480,	7892,	7902,	13623,	13627,
2486,	2487,	7912,	7938,	13631,	14257,
2488,	2489,	7951,	7963,	14261,	14265,
2572,	2573,	7981,	7982,	14746,	14773,
2576,	2577,	7990,	8003,	14775,	14992,
2752,	2754,	8039,	8049,	15255,	15256,
2766,	2768,	8059,	8085,	15272,	15273,
2843,	3135,	8098,	8110,	15274,	15281,
3136,	3143,	8128,	8129,	15283,	15284,
3144,	3542,	8137,	8150,	15347,	15348,
3693,	3710,	8186,	8196,	15350,	15352,
3727,	3758,	8206,	8232,	15357,	15359,
3785,	3812,	8245,	8257,	15361,	15365,
4046,	4507,	8275,	8276,	15368,	15369,
4542,	4545,	8284,	8297,	15372,	15373,
4548,	4562,	8333,	8343,	15382,	15384,
4569,	4576,	8353,	8379,	15386,	15390,
4584,	4585,	8392,	8404,	15394,	15395,
4623,	4648,	8422,	8423,	15448,	15450,
4649,	5428,	8431,	8444,	15452,	15456,
5434,	5442,	8527,	8538,	15476,	15477,
5449,	5966,	8549,	8574,	15485,	15489,
6948,	6964,	8587,	8600,	15493,	15497,
6980,	6993,	8620,	8621,	15501,	15505,
7006,	7019,	8634,	8648,	15509,	15513,
7164,	7174,	8910,	9051,	15551,	15552,
7184,	7210,	9053,	9057,	15554,	15557,
7223,	7235,	9059,	9148,	15558,	15562,
7253,	7254,	9149,	9150,	15847,	15964, 16052
7262,	7275,	9151,	9153,	\enddocument 2736
7311,	7320,	9155,	9156,	\endflushleft	1722, 1730
7329,	7354,	9157,	9158,	\endgraf
7366,	7377,	9160,	9161,	. 1971,	1975, 10936
7394,	7395,	9162,	9219,	\endgroup	.. 17, 123,
7403,	7415,	9243,	9261,	143,	237, 244,
7451,	7461,	9347,	9356,	300,	316, 390,

442,	456,	595,	12753,	12768,	909,	1161,	4071,
617,	744,	821,	12889,	12939,	4079,	4084,	
841,	998,	1082,	12954,	13299,	4774,	4967,	
1105,	1250,		13394,	13403,	5280,	6618,	
1419,	1596,		13430,	13461,	6893,	8806,	
1835,	1843,		13600,	13767,	11640,	12219,	
1851,	1972,		13862,	13866,	12612,	12813,	
2266,	2346,		13889,	13893,	13017,	13502,	
2365,	2502,		13921,	13925,	14026,	14617,	14955
2521,	2566,		13985,	14124,	\end{longtable}	1950
2588,	2598,		14401,	14496,	\end{LTR}	11774,
2615,	2665,		14500,	14528,	11949,	11992,	15792
2711,	3145,		14532,	14576,	\end{MakeFramed}	9555
3570,	3572,		14715,	14879,	\end{math}	5313
3760,	3787,		15057,	15330,	\end{mdf@lrbox}	10994
3814,	4183,		15458,	15639,	\end{minipage}	7101,	9482
4200,	4216,		15672,	15715,	\end{modernpoem}	4649
4227,	4267,		15734,	16122,	\end{pgfpicture}	
4521,	4564,		16149,	16298,	11772,	11774	
4571,	4578,	\end{L}	... 1423,	2222,	\end{pspicture}	
4636,	4725,		5411,	5420,	11990,	11992
4748,	4904,		5421,	5430,	\end{R}	29,
4927,	5143,		5436,	5455,	164,	263,	302,
5193,	5208,		8530,	8541,	326,	467,	654,
5407,	5639,		8577,	8590,	891,	1139,	1294,
5682,	6364,		8929,	8937,	1295,	1412,	
6382,	6560,		8939,	8940,	1805,	1806,	
6573,	6684,		8941,	8942,	1996,	1999,	
6781,	6830,		8944,	8945,	4787,	4943,	
8743,	8758,		8946,	9030,	5219,	5321,	
8862,	8978,		9044,	9191,	5400,	5416,	
9014,	9098,		9761,	9779,	5421,	5423,	
9117,	9349,		9789,	9804,	5455,	6345,	
9358,	9507,		9825,	10206,	6628,	6928,	
9522,	9541,		10210,	10214,	7134,	7138,	
9582,	9613,		10216,	10359,	8530,	8552,	
9721,	9745,		10405,	10407,	8577,	8603,	
9790,	9805,		10414,	10417,	8789,	8937,	
10191,	10229,		10425,	10583,	8939,	8940,	
10240,	10251,		11774,	11912,	8941,	8942,	
10262,	10426,		11929,	11992,	8944,	8945,	
10428,	10494,		13117,	13128,	8946,	9049,	
10922,	11059,		13135,	13145,	9288,	9758,	
11177,	11258,		14850,	15647,	9811,	9850,	
11337,	11534,		15648,	15687,	9857,	10206,	
11538,	11542,		15691,	15744,	10214,	10405,	
11767,	12162,		15755,	15772,	10414,	10417,	
12185,	12319,		16280,	16339,	10425,	10440,	
12460,	12536,	\end{list}	... 92,	226,	10464,	10583,	
12559,	12706,		510,	641,	10930,	11146,	

11148,	11546,	\EQ	6387, 6393, 6394, 6398, 6399, 6408, 6409, 6411, 6413, 6414, 6416, 6417, 6418, 6419, 6421, 6422, 6423, 6435, 6438, 6440, 6442, 6443, 6445, 6448, 6450, 6452, 6453, 6455, 6456, 6458, 6461, 6462, 6463, 6466, 6469, 6477, 6484, 6492, 6499, 6501, 6504, 6508, 6509, 6510, 6511, 6523, 6525, 6526	\errmessage 1491, 1551, 11441 \escapechar . . . 2255, 2272, 2277, 2365 \ESO@isMEMOIR 6350 \evenpage 1557, 1560, 1561, 1562, 1564, 1565, 1566, 1567, 1569 \evensidemargin 1581, 6373, 16317 \everycr 10926 \everydisplay 5283 \everyhbox . . . 11915, 11917, 11924, 11926, 15758, 15760, 15767, 15769 \everyjob 1455, 1456, 1529, 1530 \everymath 266 \everypar . . 440, 593, 839, 1080, 3418, 3462, 3506, 4724, 4903, 5192, 6829, 8742, 8936, 11907, 11911, 12068, 12082, 12161, 12535, 12752, 12938, 13399, 15050, 15054, 15750, 15754, 15909, 15926, 16197, 16241 \everyvbox . . . 1298, 1299, 11933, 11935, 11941, 11943, 15776, 15778, 15784, 15786 \ExecuteOptions 2038, 2827, 4154, 4156, 5988, 6086 \exhyphenpenalty . . 544, 853, 1049, 4694, 4873, 12113, 12565, 12629 \expandafter 279, 303, 676, 685, 693, 719, 722, 930, 939, 947, 973,
\endrotate	13122	\eq@addpunct	5318	
\endRTL	11951, 15794	\EQ@box	5323, 5329	
\ends@math	5313	\eq@group	5286, 5295	
\endsideways	13140	\eq@GRP@first@dmath	5295	
\endsidewaysfigure	13060	\eq@if	2275, 2276, 2278	
\endsidewaystable	13061	\eq@isIntertext	5333	
\endstabular	14743, 14746	\eq@prelim	5286, 5303	
\endstrip	11353	\eq@setnumber	5289	
\endtabular	302,	\eq@setup@a	5291	
	303, 1295, 1296,	\eq@startup	5292	
	1805, 14770,	\eq@wdCond	5310	
	14773, 16049, 16052	\eqnewif	1463, 1464,	
\endtitlepage	552,		1466, 1474, 2271	
	861, 1115, 4757,	\eqno	254, 11981,	
	4950, 12121, 12573		11983, 16368, 16370	
\endtraditionalpoem	4585	\eqnumform	5321	
	9045	\eqstyle	5288	
\endtrivlist	3006,	\equal	2187,	
\endturn	3043,		2204, 2208,	
\endwindow	3060,		2212, 2972,	
\enskip	3359,		3017,	
\enspace	3600,		3044,	
	. 235, 11777, 11779		3101,	
			3359, 3599,	
			3600, 3631,	
			3632, 6155, 9139	

976,	1182,	1191,	4543,	4546,	12407,	12435,
1199,	1225,		4549,	4552,	12438,	13025,
1228,	1296,		4555,	4558,	13037,	13047,
1311,	1393,		4584,	4585,	13068,	13083,
1394,	1395,		4648,	4649,	13095,	14746,
1397,	1750,		4663,	4818,	14773,	14812,
1752,	1756,		4827,	4835,	15255,	15256,
1758,	1762,		4997,	5006,	15272,	15273,
1764,	1768,		5014,	5283,	15274,	15281,
1769,	1777,		5385,	5427,	15283,	15284,
1779,	1783,		5448,	7114,	15360,	15364,
1784,	1808,		7253,	7254,	15385,	15389,
1812,	1815,		7394,	7395,	15451,	15455,
1818,	1822,		7540,	7541,	15551,	15552,
1825,	1828,		7687,	7688,	15554,	15557,
1879,	1880,		7834,	7835,	15558,	15561,
1933,	1961,		7981,	7982,	15657,	15669,
2279,	2280,		8128,	8129,	15672,	15680,
2283,	2284,		8275,	8276,	15681,	15700,
2289,	2291,		8422,	8423,	15712,	15715,
2295,	2296,		8521,	8620,	15729,	15730,
2297,	2299,		8621,	8626,	15734,	15752, 16052
2300,	2303,		8955,	8957,	\extrafeetendmini .	
2307,	2309,		8987,	8989, 7093, 7100	
2314,	2315,		9051,	9052,	\extrafeetendminihook	
2317,	2318,		9057,	9058, 7098, 7099	
2321,	2330,		9140,	9157,	\extrafeetins 7072, 7073	
2337,	2341,		9162,	9221,	\extrafeetinshook .	
2343,	2346,		9224,	9245, 7078, 7079	
2347,	2348,		9248,	9261,	\extrafeetminihook 7092	
2350,	2353,		9275,	9276,	\extrainfo 2130	
2354,	2356,		9277,	9278,	\extrarowheight ...	
2357,	2359,		9280,	9494,	. 306, 10897, 10905	
2360,	2362,		9582,	9604,	\extrarulesep ... 14800	
2366,	2393,		9605,	9613,	\extratitle	
2394,	2395,		9795,	9833,	13321, 13789, 14423	
2396,	2397,		9834,	10231,		
2399,	2422,		10233,	10242,	F	
2426,	2477,		10244,	10253,	\f@size 267	
2478,	2479,		10255,	10423,	\familyname 2123	
2480,	2486,		10489,	10497,	\familynamecolour .	
2487,	2488,		10502,	10923,	.. 2092, 5992, 6090	
2489,	2572,		10948,	10951,	\familynamefont 2101,	
2573,	2587,		11158,	11161,	2109, 6032, 6126	
2588,	2589,		11729,	11746,	\familynamestyle ..	
2591,	2598,		11758,	11763, 2109,	
2599,	2602,		11909,	12251,	6043, 6133, 6154	
2617,	2624,		12260,	12268,	\fancy@oval 8907	
2633,	3560,		12294,	12297,	\fancy@reset 8937, 8942	
4046,	4411,		12390,	12399,		

\fancyfoot . . .	2222,	\fboxrule	1650, 9532,	842,
3186,	3187, 6058	9538,	9544,	849, 850,
\fancyhead . . .	3175,	9546,	9548, 9550	854, 874, 875,
3176,	3177,	1718,	1727,	876, 896, 923,
4345,	4346,	5416,	5417,	933, 942, 950,
4357,	4358, 4359	5418,	5454,	974, 976, 991,
\fancyhf . . .	2071,	9532,	9544,	996, 1030, 1037,
3173,	3182,	9546,	9548,	1046, 1050,
3192,	4343, 4354	9550,	15644,	1056, 1057,
\fancyhoffset . . .	3167	15645, 15646,	15742	1062, 1065,
\fancypagestyle . . .	2068, 2221,	\fcolorbox . . .	1652	1073, 1081,
3181,	3191, 6057	\feetabovefloat . . .	1091	1083, 1090,
\FAX . . .	2088	8727, 8728	1099,	
\fax . . .	2128	\ff@backcol . . .	1102	1103,
\faxsymbol . . .	2088, 6067, 6165	\ff@col . . .	1108	1121,
\fb@adjheight . . .	9569, 9639, 9659	\ff@frametype . . .	1124	1125,
\fb@afterframe . . .	9564, 9589, 9647	\ff@txtcol . . .	1126	1148,
\FB@captype . . .	9056, 9057, 9059	.. 9139, 9140, 9150	1175	1185,
\fb@frh .	9576, 9580,	\fi . . .	1194	1202,
9595,	9630, 9633	12, 13, 18, 25,	1226,	1228,
\fb@put@frame .	9558,	36, 84, 94, 100,	1243,	1248,
9569,	9640, 9660	103, 104, 105,	1286,	1287,
\fb@putboxa . . .	9563,	113, 138, 139,	1289,	1292,
9588,	9646, 9663	144, 149, 155,	1294,	1295,
\fb@resto@set . . .	9598, 9638, 9642	158, 159, 160,	1300,	1314,
\fb@sizeofframe . . .	9571, 9593	170, 218, 232,	1315,	1329,
\fbox 1702, 1712,	5454,	236, 255, 263,	1330,	1344,
6527,	10005,	268, 282, 283,	1352,	1353,
10011,	10018,	295, 296, 297,	1359,	1360,
10024,	10030,	299, 302, 318,	1364,	1369,
10036,	10044,	324, 326, 383,	1372,	1377,
10048,	10053,	388, 426, 433,	1380,	1388,
10057,	10061,	441, 443, 450,	1389,	1398,
10065,	10080,	453, 454, 457,	1399,	1411,
10081,	10096,	478, 479, 485,	1412,	1423,
10097,	10106,	494, 516, 525,	1482,	1483,
10110,	10115,	532, 541, 545,	1490,	1491,
10119,	10123,	558, 561, 562,	1501,	1542,
10127,	10135,	563, 569, 570,	1543,	1550,
10141,	10148,	575, 578, 586,	1551,	1753,
10154,	10160, 10166	594, 596, 603,	1759,	1765,
		604, 611, 614,	1780,	1790,
		615, 620, 628,	1801,	1805,
		669, 679, 688,	1806,	1808,
		696, 720, 722,	1865,	1866,
		737, 742, 776,	1872,	1887,
		783, 792, 798,	1888,	1891,
		799, 805, 808,	1894,	1897,
		815, 818, 819,	1901,	1902,
		824, 832, 840,	1910,	1937,
			1943,	1944,

1947,	1964,	4811,	4821,	5640,	5665,
1970,	1976,	4830,	4838,	5671,	5681,
1991,	1992,	4861,	4870,	5683,	5692,
1996,	1997,	4874,	4880,	5731,	5738,
1999,	2004,	4881,	4886,	5747,	5750,
2193,	2194,	4889,	4897,	5757,	5770,
2195,	2197,	4905,	4912,	5778,	5784,
2225,	2233,	4913,	4920,	5789,	5791,
2264,	2265,	4923,	4924,	5792,	5793,
2292,	2301,	4930,	4954,	5826,	5827,
2304,	2310,	4974,	4976,	5843,	5852,
2319,	2322,	4978,	4990,	5857,	5858,
2344,	2351,	5000,	5009,	5902,	5911,
2388,	2423,	5017,	5037,	5914,	5921,
2574,	2592,	5043,	5044,	5935,	5943,
2920,	2926,	5048,	5050,	5949,	5954,
3113,	3116,	5073,	5082,	5956,	5957,
3119,	3122,	5136,	5141,	5958,	5959,
3141,	3152,	5179,	5186,	5973,	6008,
3382,	3391,	5194,	5201,	6015,	6022,
3418,	3426,	5204,	5205,	6029,	6054,
3435,	3470,	5209,	5221,	6103,	6109,
3479,	3615,	5223,	5225,	6115,	6121,
3670,	3672,	5234,	5240,	6135,	6150,
3682,	3993,	5241,	5248,	6196,	6199,
3994,	4111,	5259,	5264,	6200,	6217,
4112,	4113,	5282,	5284,	6220,	6221,
4291,	4369,	5285,	5286,	6246,	6262,
4408,	4409,	5294,	5305,	6263,	6265,
4464,	4465,	5307,	5316,	6274,	6283,
4469,	4476,	5321,	5323,	6284,	6303,
4481,	4490,	5338,	5340,	6316,	6317,
4519,	4530,	5342,	5345,	6326,	6335,
4532,	4535,	5364,	5368,	6336,	6339,
4537,	4591,	5374,	5386,	6345,	6348,
4593,	4597,	5387,	5399,	6359,	6362,
4616,	4618,	5400,	5411,	6374,	6380,
4619,	4620,	5415,	5416,	6400,	6419,
4631,	4633,	5420,	5421,	6420,	6434,
4634,	4643,	5423,	5430,	6475,	6476,
4645,	4682,	5436,	5455,	6482,	6483,
4691,	4695,	5458,	5459,	6484,	6490,
4701,	4702,	5465,	5470,	6491,	6497,
4707,	4710,	5493,	5516,	6498,	6499,
4718,	4726,	5539,	5562,	6500,	6508,
4733,	4734,	5577,	5580,	6509,	6510,
4741,	4744,	5581,	5597,	6511,	6512,
4745,	4751,	5601,	5602,	6513,	6541,
4761,	4795,	5604,	5626,	6554,	6557,
4797,	4799,	5629,	5638,	6558,	6561,

6568,	6574,	8901,	8903,	9933,	9934,
6581,	6582,	8905,	8915,	9939,	9940,
6588,	6595,	8919,	8926,	9941,	9949,
6605,	6677,	8927,	8928,	9958,	9960,
6682,	6716,	8929,	8937,	9961,	9962,
6774,	6779,	8939,	8940,	9963,	9964,
6817,	6823,	8941,	8942,	9976,	9978,
6831,	6833,	8944,	8945,	9979,	9980,
6835,	6837,	8946,	8965,	9981,	9982,
6846,	6852,	8977,	8979,	9987,	9993,
6853,	6861,	8997,	9013,	9994,	9995,
6872,	6877,	9015,	9026,	10008,	10014,
6897,	6900,	9033,	9049,	10021,	10027,
6903,	6905,	9071,	9079,	10033,	10039,
6912,	6913,	9083,	9097,	10040,	10041,
6917,	6941,	9104,	9166,	10046,	10050,
6988,	7067,	9168,	9170,	10055,	10059,
7068,	7077,	9179,	9181,	10063,	10067,
7097,	7109,	9183,	9191,	10068,	10069,
7133,	7134,	9194,	9196,	10070,	10077,
7137,	7138,	9211,	9225,	10085,	10093,
7140,	7159,	9249,	9333,	10101,	10108,
7169,	7204,	9335,	9367,	10112,	10117,
7221,	7306,	9417,	9425,	10121,	10125,
7315,	7348,	9438,	9451,	10129,	10130,
7364,	7446,	9452,	9466,	10131,	10138,
7456,	7491,	9467,	9490,	10144,	10151,
7508,	7593,	9533,	9547,	10157,	10163,
7603,	7638,	9549,	9559,	10169,	10170,
7655,	7740,	9627,	9628,	10171,	10172,
7750,	7784,	9656,	9661,	10173,	10174,
7802,	7887,	9670,	9683,	10175,	10184,
7897,	7931,	9684,	9685,	10189,	10190,
7949,	8034,	9699,	9719,	10194,	10206,
8044,	8079,	9722,	9743,	10214,	10218,
8096,	8181,	9746,	9756,	10219,	10234,
8191,	8226,	9758,	9761,	10245,	10256,
8243,	8328,	9762,	9773,	10276,	10287,
8338,	8373,	9779,	9782,	10298,	10313,
8390,	8481,	9789,	9798,	10328,	10343,
8492,	8501,	9804,	9806,	10348,	10360,
8530,	8577,	9808,	9811,	10385,	10388,
8696,	8714,	9819,	9825,	10391,	10394,
8721,	8736,	9840,	9846,	10403,	10405,
8744,	8751,	9847,	9850,	10410,	10414,
8754,	8755,	9857,	9869,	10417,	10425,
8759,	8762,	9870,	9883,	10440,	10444,
8767,	8774,	9893,	9909,	10447,	10450,
8793,	8855,	9913,	9918,	10452,	10476,
8860,	8894,	9922,	9923,	10493,	10503,

10509,	10526,	11102,	11106,	11891,	11892,
10528,	10546,	11107,	11128,	11906,	11958,
10549,	10553,	11129,	11130,	11959,	11962,
10574,	10575,	11135,	11146,	11966,	11967,
10590,	10604,	11148,	11152,	11983,	11984,
10607,	10679,	11162,	11174,	11985,	11986,
10682,	10685,	11181,	11194,	11987,	11991,
10688,	10691,	11197,	11218,	11992,	11996,
10694,	10697,	11228,	11255,	11998,	12002,
10701,	10704,	11261,	11262,	12004,	12013,
10707,	10710,	11276,	11279,	12015,	12017,
10713,	10716,	11300,	11310,	12026,	12028,
10719,	10722,	11334,	11340,	12030,	12039,
10725,	10728,	11341,	11346,	12041,	12043,
10731,	10734,	11366,	11376,	12052,	12054,
10737,	10740,	11377,	11382,	12071,	12093,
10743,	10746,	11383,	11389,	12094,	12101,
10749,	10752,	11393,	11394,	12110,	12114,
10755,	10758,	11397,	11401,	12127,	12130,
10761,	10764,	11406,	11409,	12131,	12132,
10767,	10770,	11413,	11418,	12138,	12139,
10773,	10776,	11422,	11430,	12144,	12147,
10779,	10782,	11441,	11455,	12155,	12163,
10785,	10788,	11460,	11466,	12170,	12171,
10791,	10794,	11480,	11488,	12178,	12181,
10797,	10800,	11502,	11509,	12182,	12188,
10803,	10806,	11517,	11521,	12206,	12226,
10809,	10812,	11525,	11529,	12228,	12230,
10815,	10818,	11622,	11628,	12244,	12254,
10821,	10824,	11647,	11652,	12263,	12271,
10827,	10830,	11657,	11664,	12295,	12297,
10833,	10836,	11674,	11675,	12312,	12317,
10839,	10842,	11678,	11679,	12351,	12358,
10845,	10848,	11680,	11685,	12367,	12383,
10851,	10854,	11690,	11694,	12393,	12402,
10857,	10860,	11700,	11706,	12410,	12436,
10863,	10866,	11711,	11714,	12438,	12453,
10869,	10872,	11720,	11738,	12458,	12500,
10878,	10880,	11752,	11760,	12501,	12503,
10883,	10892,	11761,	11765,	12506,	12512,
10893,	10908,	11773,	11774,	12513,	12518,
10930,	10935,	11781,	11782,	12521,	12529,
10956,	10960,	11800,	11804,	12537,	12544,
10993,	11015,	11811,	11812,	12545,	12552,
11050,	11054,	11814,	11816,	12555,	12556,
11057,	11062,	11817,	11818,	12562,	12566,
11063,	11064,	11824,	11849,	12579,	12582,
11065,	11066,	11851,	11862,	12583,	12584,
11067,	11079,	11873,	11880,	12591,	12593,
11093,	11096,	11886,	11888,	12595,	12599,

12630,	12699,	13520,	13523,	14194,	14198,
12704,	12740,	13524,	13525,	14200,	14204,
12746,	12754,	13527,	13554,	14206,	14210,
12761,	12764,	13578,	13579,	14212,	14216,
12765,	12769,	13580,	13598,	14218,	14222,
12770,	12771,	13599,	13607,	14224,	14228,
12784,	12786,	13613,	13640,	14230,	14234,
12788,	12797,	13649,	13651,	14236,	14240,
12820,	12829,	13662,	13671,	14242,	14246,
12882,	12887,	13694,	13700,	14274,	14283,
12925,	12932,	13706,	13709,	14285,	14296,
12940,	12947,	13732,	13737,	14305,	14328,
12950,	12951,	13738,	13750,	14334,	14340,
12955,	12967,	13760,	13765,	14343,	14366,
12969,	12971,	13768,	13805,	14371,	14372,
12980,	12985,	13806,	13812,	14384,	14394,
12992,	13001,	13819,	13822,	14399,	14402,
13034,	13038,	13837,	13850,	14439,	14440,
13048,	13079,	13851,	13853,	14446,	14453,
13084,	13085,	13856,	13857,	14456,	14471,
13096,	13097,	13867,	13868,	14484,	14485,
13111,	13113,	13877,	13878,	14487,	14490,
13117,	13121,	13880,	13883,	14491,	14501,
13123,	13128,	13884,	13894,	14502,	14508,
13132,	13135,	13895,	13901,	14514,	14515,
13139,	13141,	13907,	13908,	14518,	14522,
13145,	13172,	13911,	13915,	14533,	14534,
13181,	13183,	13926,	13927,	14536,	14537,
13194,	13203,	13929,	13930,	14568,	14572,
13226,	13232,	13933,	13936,	14579,	14595,
13238,	13241,	13949,	13952,	14616,	14623,
13264,	13269,	13957,	13960,	14628,	14635,
13270,	13282,	13965,	13968,	14638,	14639,
13292,	13297,	13977,	13981,	14640,	14642,
13300,	13337,	13988,	14004,	14669,	14693,
13338,	13344,	14025,	14032,	14694,	14695,
13351,	13354,	14037,	14044,	14713,	14714,
13369,	13382,	14047,	14048,	14722,	14728,
13383,	13385,	14049,	14051,	14733,	14736,
13388,	13389,	14078,	14102,	14738,	14739,
13402,	13404,	14103,	14104,	14743,	14744,
13405,	13411,	14122,	14123,	14762,	14770,
13417,	13418,	14131,	14137,	14777,	14784,
13421,	13425,	14146,	14153,	14791,	14797,
13433,	13434,	14154,	14172,	14802,	14815,
13436,	13437,	14173,	14174,	14816,	14832,
13438,	13454,	14175,	14176,	14833,	14849,
13457,	13464,	14177,	14178,	14867,	14874,
13480,	13501,	14179,	14186,	14876,	14891,
13508,	13513,	14188,	14192,	14902,	14905,

14912,	14913,	15371,	15375,	15902,	15906,
14914,	14919,	15381,	15387,	15908,	15909,
14923,	14924,	15391,	15397,	15917,	15920,
14939,	14961,	15400,	15402,	15927,	15932,
14968,	14986,	15403,	15404,	15933,	15944,
14987,	15003,	15407,	15410,	15950,	15951,
15004,	15005,	15413,	15414,	15957,	15962,
15009,	15010,	15423,	15429,	15965,	15973,
15019,	15023,	15438,	15439,	15974,	15982,
15024,	15025,	15447,	15453,	15983,	15991,
15031,	15034,	15457,	15460,	15992,	16000,
15035,	15036,	15461,	15472,	16001,	16009,
15044,	15055,	15473,	15483,	16010,	16011,
15056,	15058,	15484,	15488,	16012,	16015,
15059,	15065,	15492,	15496,	16018,	16021,
15066,	15067,	15500,	15504,	16024,	16025,
15075,	15078,	15508,	15512,	16026,	16027,
15079,	15087,	15516,	15520,	16029,	16031,
15088,	15089,	15525,	15533,	16032,	16039,
15090,	15098,	15536,	15543,	16042,	16044,
15101,	15105,	15544,	15548,	16045,	16049,
15106,	15107,	15555,	15573,	16050,	16054,
15115,	15118,	15578,	15581,	16070,	16071,
15122,	15123,	15582,	15583,	16079,	16080,
15124,	15132,	15584,	15588,	16083,	16084,
15135,	15139,	15591,	15593,	16085,	16086,
15140,	15141,	15599,	15600,	16087,	16093,
15149,	15152,	15614,	15624,	16098,	16106,
15156,	15157,	15625,	15632,	16121,	16123,
15158,	15166,	15637,	15640,	16146,	16150,
15169,	15173,	15643,	15644,	16152,	16161,
15174,	15175,	15647,	15648,	16170,	16205,
15183,	15186,	15650,	15659,	16214,	16246,
15191,	15192,	15660,	15664,	16249,	16250,
15193,	15201,	15670,	15676,	16251,	16252,
15204,	15210,	15677,	15678,	16253,	16261,
15211,	15212,	15681,	15687,	16275,	16279,
15220,	15223,	15691,	15702,	16280,	16284,
15230,	15231,	15703,	15707,	16292,	16293,
15232,	15240,	15713,	15725,	16294,	16295,
15243,	15257,	15726,	15727,	16296,	16312,
15265,	15266,	15730,	15744,	16318,	16319,
15267,	15275,	15749,	15791,	16320,	16322,
15278,	15300,	15796,	15801,	16323,	16324,
15315,	15316,	15802,	15805,	16339,	16349,
15317,	15329,	15809,	15810,	16362,	16365,
15331,	15338,	15832,	15843,	16366,	16370,
15340,	15353,	15862,	15870,	16371,	16373,
15354,	15355,	15876,	15882,	16381,	16383,
15362,	15366,	15891,	15894,	16469,	16475,
					16481

\figcaption .	9958, 9976	\FN@sf@@footnotemark	\footdir@ORG@bidi@LTRfootnotetext
\fill	4284, 4288, 5340, 9422
	5342, 5344,	\FN@sf@@LTRfootnote	\footdir@ORG@bidi@RTLfootnotetext
	9993, 10188, 1747, 1756 9421
	10878, 10880, 10882	\FN@sf@@RTLfootnote	\footdir@temp
\filright .	14854, 14883 1748, 1762	76, 77, 78, 210,
\FirstFrameCommand .		\FN@sf@gobble@bracket	211, 212, 9266,
 9546, 9592 1786, 1789	9420, 9421, 9422
\firstmark ...	8963,	\FN@sf@gobble@opt	\footdir@toks
	8995, 9136, 16356 1752,	... 9207, 9274,
\firstname	2122 1758, 1764, 1767	9275, 9276, 9280
\firstnamecolour ..		\FN@sf@gobble@optionly	\footdir@write
	.. 2091, 5993, 6089 1779, 1782	.. 9201, 9231, 9270
\firstnamefont	2100,	\FN@sf@gobble@twobracket	\footersymbol . 6050,
	2108, 6031, 1771, 1774	6051, 6066,
	6032, 6123, 6126	\fnch@everypar ... 8936	6067, 6068, 6069
\firstnamestyle	2108,	\fontsize	\footfootmark
	6043, 6133, 6154	230, 4239, 4241,	... 7057, 7196,
\fivecolumnfootnotes 7579	4243, 6031, 6123	7199, 7202,
\fivecolumnfootstyle 7674	\foo	7340, 7343,
\flnew@within	9056	11743, 11745, 11755, 11757	7346, 7483,
\float@newx	9050	\footdir@abspage ..	7486, 7489,
\floatalignment 9236,	7630, 7633,
	... 2976, 2977,	9239, 9240,	7636, 7777,
	3018, 3019,	9243, 9244, 9247	7780, 7783,
	3035, 3042,	\footdir@debug 9208,	7924, 7927,
	3050, 3101, 3312	9216, 9220,	7930, 8071,
\FloatBarrier	2948, 3292	9223, 9233,	8074, 8077,
\floatc@bidituftefloatplain	... 3310, 3320,	9240, 9244, 9247	8218, 8221,
	3327, 3333, 3341	\footdir@debugtrue 9206	8224, 8365,
\floatc@bidituftefloatplaintop 3327	9254, 9271, 9273	8368, 8371,
		\footdir@LeftRightElse	8558, 8562, 8566
\floatc@bidituftefloatplain		.. 9214, 9230, 9307	\footfudgefactor ..
		\footdir@name 8472, 8521, 8626
		.. 9257, 9260, 9261	\footfudgefiddle ..
\floatc@bidituftefloatruled 3328	\footdir@ORG@bidi@amsart@fotnotetext 8502, 8520
		35, 48, 63, 169, 182,	
\floatc@plain	9047	\footdir@ORG@bidi@amsart@LTRfootnotetext 6205,	
\floatingpenalty	40, 78	6226, 6230,
	53, 68, 174,	\footdir@ORG@bidi@amsart@RTLfootnotetext 6242,	
	187, 201, 6205, 77	6245, 6249,
	6226, 6273,	\footdir@ORG@bidi@amsbook@footnotetext 6279,	
	6280, 6325, 210	6287, 6288,
	6332, 7087,	\footdir@ORG@bidi@amsbook@LTRfootnotetext 6302,	
	9371, 9387, 9402 212	6306, 6325,
\floatstyle	3361	\footdir@ORG@bidi@amsbook@RTLfootnotetext 6940,	
\flushleft .	1719, 1728 211	6956, 6972,
\FN@sf@@footnote 1746, 1750	\footdir@ORG@bidi@footnotetext 7084,	8703,
	 9420	8707, 8717,

9366,	9382,	\footnote	9386,	9394,	
9397,	9706,	. 337, 411, 664,	9401,	9409,	
9707,	9726,	763, 918, 1017,	9435,	9448, 9461	
\footinsdim		1170, 1270,	\footnotesize . 37,		
... 7083,	7084,	1746, 1749,	50,	65, 102,	
7124,	7150,	3827, 4140,	157,	171, 184,	
7253,	7297,	4171, 4806,	198,	333, 660,	
7394,	7437,	4985, 5090,	914,	1166, 2200,	
7540,	7584,	5164, 6635,	2222,	2856,	
7687,	7731,	6703, 6728,	2857,	2895,	
7834,	7878,	6802, 8813,	3508,	3660,	
7981,	8025,	8881, 11097,	3689,	3706,	
8128,	8172,	11100, 12239,	3723,	4802,	
8275,	8319,	12338, 12376,	4981,	5086,	
8422,	8508,	12482, 12638,	6631,	6724,	
\footinsv@r		12726, 12836,	7080,	7081,	
... 7077,	7121,	12910, 13217,	7082,	8809,	
7122,	7123,	13333, 13685,	9368,	9384,	
7124,	7150,	13801, 14319, 14435	9399,	9428,	
7151,	7159,	\footnotelayout		9441, 9454,	
7169,	7179,	.. 3654, 3655, 3658	11777,	11779,	
7297,	7298,	\footnotemark . 1775,		12235, 12372,	
7306,	7315,	1776, 9495,	12634,	12832,	
7324,	7437,	9509, 11098, 11101	13213, 13681, 14315		
7438,	7446,	\footnoterule . 6184,		\footnotetext . 1811,	
7456,	7466,	6246, 6252,	1822,	4542, 4552	
7584,	7585,	6257, 6285,	\footparindent		
7593,	7603,	6286, 6303, 7055,	7071	
7613,	7731,	6307, 6311,	\footrule		
7732,	7740,	6337, 6338,	\footrulewidth		
7750,	7760,	6935, 7096, 2070,	3171	
7878,	7879,	7107, 7120,	\footscript ... 7056,		
7887,	7897,	8681, 8706,	7060,	7064, 7066	
7907,	8025,	9198, 9295,	\footskip ... 8943,		
8026,	8034,	9299, 9302,	16346 \foottextfont		
8044,	8054,	9317, 9322,	... 6944,	6951,	
8172,	8173,	9323, 9325, 9751	6991,	6997,	
8181,	8191,	\footnotes		7080, 7146,	
8201,	8319,	\footnotesep ... 29,		7161, 7196,	
8320,	8328,	31, 39, 45, 52,	7207,	7293,	
8338,	8348,	58, 67, 73,	7308,	7340,	
8508,	8509,	164, 166, 173,	7351,	7433,	
8522,	8533,	179, 186, 192,	7448,	7483,	
\footmarksep		200, 206, 6202,	7494,	7580,	
\footmarkstyle		6223, 6248,	7595,	7630,	
... 7056,	7069	6305, 6951,	7641,	7727,	
\footmarkwidth		6967, 6983,	7742,	7777,	
... 7053,	7058,	6997, 7010,	7788,	7874,	
7059,	7061,	7023, 7088,	7889,	7924,	
7063,	7066,	9370, 9378,	7935,	8021,	

8036,	8071,	13201, 13660,	14856, 14861,
8082,	8168,	13669, 14294, 14303	14884, 14885,
8183,	8218,	\ftn@rule@width ...	15553, 15809, 15832
8229,	8315, 13196,	\geometry 2878, 2881,
8330,	8365,	13205, 13664,	2885, 2888, 2892
8376,	8477,	13673, 14298, 14307	\Gin@bboxtrue 9783
8504,	8517,	\ftnm@font	\Gin@defaultbp
8524,	8558, 8571	13188, 13656, 14290	... 9784, 9785,
\forcerectofloat .	2979	\full@width	9786, 9787,
\forceversofloat .	2980	11433, 11445, 11493	14837, 14838, 14841
\fourcolumnfootnotes 7432	\futurelet 713, 715,	\Gin@esetsize 9802
\fourcolumnfootstyle 7527	967, 969, 1219,	\Gin@exclamation .. 9832
\fps@figure	9946	1221, 12288,	\Gin@ii 9791
\framebox	6041,	12290, 12429, 12431	\Gin@iii ... 9780, 9794
6172, 11375, 11381		G	\Gin@llx 9784
\FrameCommand	9544	\g 6406, 6408, 6412, 6505	\Gin@lly 9785
\FrameHeightAdjust	9618	\g@addto@macro	\Gin@urx 9786
\FrameRestore .	9552,	... 2974, 3614,	\Gin@ury 9787
9556, 9672, 9673		3616, 6435,	\Ginclude@graphics .
\fromaddress		6438, 6440, 15556 9788, 9800
... 6895, 6901,		\gdef	\global 228, 357,
6911, 10442, 10448		326, 328, 1649, 1961,	358, 359, 360,
\fromname	6916	2091, 2092,	361, 362, 363,
\fromplace	14240	2093, 2094,	364, 365, 366,
\fromsig		2095, 2096,	367, 368, 386,
. 6915, 6917, 14247		2098, 2099,	392, 393, 394,
\frontmatter	4338	2992, 2993,	395, 396, 397,
\fs@bidituftefloatboxed 3339	2995, 2998,	398, 399, 400,
		3072, 3077,	401, 402, 403,
\fs@bidituftefloatplain 3318, 3326	3078, 3079,	404, 439, 440,
		3231, 3272,	592, 593, 702,
\fs@bidituftefloatplaintop 3326	3611, 3744,	703, 704, 705,
		3771, 3798,	706, 707, 708,
\fs@bidituftefloatruled 3331	3835, 3842,	709, 710, 711,
		3849, 4176,	740, 746, 747,
\fslice 11794, 11795,		4193, 4209,	748, 749, 750,
11797, 11798, 11801		4221, 4261,	751, 752, 753,
\ftn@font		4262, 4263,	754, 755, 756,
13186, 13654, 14288		4385, 4388,	838, 839, 956,
\ftn@rule@height ..		4650, 4662,	957, 958, 959,
..... 13193,		4664, 6389,	960, 961, 962,
13196, 13202,		6402, 8715,	963, 964, 965,
13205, 13661,		8727, 8962,	994, 1000, 1001,
13664, 13670,		8994, 9261,	1002, 1003,
13673, 14295,		9321, 10423,	1004, 1005,
14298, 14304, 14307		10424, 10490,	1006, 1007,
\ftn@rule@test@values 13192,	10603, 10606,	1008, 1009,
		11682, 11703,	1010, 1079,
		11966, 14855,	1080, 1208,
			1209, 1210,

1211,	1212,	4845,	4846,	5925,	5927,
1213,	1214,	4847,	4848,	5936,	5938,
1215,	1216,	4849,	4850,	5939,	5942,
1217,	1246,	4851,	4852,	5945,	5955,
1252,	1253,	4853,	4902,	5963,	5964,
1254,	1255,	4903,	5023,	5971,	6197,
1256,	1257,	5024,	5025,	6204,	6218,
1258,	1259,	5026,	5027,	6225,	6237,
1260,	1261,	5028,	5029,	6245,	6249,
1262,	1388,	5030,	5031,	6266,	6269,
1389,	1598,	5032,	5110,	6277,	6282,
1599,	1600,	5111,	5112,	6294,	6302,
1601,	1602,	5113,	5114,	6306,	6318,
1603,	1604,	5115,	5116,	6321,	6329,
1605,	1606,	5117,	5118,	6334,	6515,
1607,	1608,	5119,	5120,	6653,	6654,
1790,	1808,	5121,	5139,	6655,	6656,
1809,	1812,	5145,	5146,	6657,	6658,
1815,	1818,	5147,	5148,	6659,	6660,
1822,	1825,	5149,	5150,	6661,	6662,
1828,	1907,	5151,	5152,	6680,	6686,
1911,	1933,	5153,	5154,	6687,	6688,
1973,	1993,	5155,	5156,	6689,	6690,
1994,	2002,	5157,	5191,	6691,	6692,
2257,	2834,	5192,	5285,	6693,	6694,
2843,	2977,	5295,	5296,	6695,	6696,
3021,	3022,	5297,	5298,	6748,	6749,
3028,	3388,	5299,	5300,	6750,	6751,
3399,	3402,	5301,	5302,	6752,	6753,
3432,	3443,	5310,	5323,	6754,	6755,
3446,	3476,	5328,	5332,	6756,	6757,
3487,	3490,	5380,	5607,	6758,	6759,
3530,	3542,	5608,	5610,	6777,	6783,
4254,	4386,	5633,	5643,	6784,	6785,
4389,	4407,	5644,	5646,	6786,	6787,
4411,	4427,	5676,	5734,	6788,	6789,
4438,	4464,	5742,	5752,	6790,	6791,
4465,	4492,	5762,	5771,	6792,	6793,
4505,	4506,	5773,	5774,	6794,	6795,
4534,	4543,	5777,	5780,	6828,	6829,
4546,	4549,	5790,	5804,	6988,	7001,
4552,	4555,	5805,	5807,	7014,	7140,
4558,	4590,	5809,	5810,	7204,	7216,
4600,	4614,	5812,	5818,	7229,	7269,
4616,	4621,	5819,	5822,	7348,	7359,
4622,	4628,	5824,	5825,	7371,	7409,
4629,	4631,	5828,	5831,	7491,	7503,
4651,	4663,	5836,	5845,	7516,	7556,
4665,	4723,	5853,	5898,	7638,	7650,
4724,	4844,	5906,	5916,	7663,	7703,

7785,	7797,	11035,	11036,	12423,	12424,
7810,	7850,	11037,	11038,	12425,	12426,
7932,	7944,	11055,	11150,	12427,	12456,
7957,	7997,	11186,	11187,	12462,	12463,
8079,	8091,	11188,	11191,	12464,	12465,
8104,	8144,	11193,	11195,	12466,	12467,
8226,	8238,	11196,	11198,	12468,	12469,
8251,	8291,	11203,	11211,	12470,	12471,
8373,	8385,	11213,	11221,	12472,	12473,
8398,	8438,	11222,	11223,	12474,	12534,
8463,	8477,	11224,	11226,	12535,	12668,
8568,	8581,	11227,	11230,	12669,	12670,
8594,	8642,	11231,	11259,	12671,	12672,
8684,	8726,	11260,	11268,	12673,	12674,
8741,	8742,	11269,	11270,	12675,	12676,
8831,	8832,	11273,	11275,	12677,	12678,
8833,	8834,	11277,	11278,	12679,	12702,
8835,	8836,	11280,	11285,	12708,	12709,
8837,	8838,	11293,	11295,	12710,	12711,
8839,	8840,	11303,	11304,	12712,	12713,
8858,	8864,	11305,	11306,	12714,	12715,
8865,	8866,	11308,	11309,	12716,	12717,
8867,	8868,	11312,	11313,	12718,	12719,
8869,	8870,	11338,	11339,	12720,	12751,
8871,	8872,	11345,	11346,	12752,	12856,
8873,	8874,	11358,	11359,	12857,	12858,
8950,	8951,	11360,	11361,	12859,	12860,
8960,	8966,	11362,	11363,	12861,	12862,
8982,	8983,	11365,	11371,	12863,	12864,
8992,	8999,	11443,	11460,	12865,	12866,
9066,	9069,	11466,	11480,	12867,	12885,
9102,	9105,	11488,	11623,	12891,	12892,
9107,	9113,	11784,	11808,	12893,	12894,
9114,	9133,	11809,	11810,	12895,	12896,
9425,	9426,	12008,	12160,	12897,	12898,
9438,	9439,	12161,	12277,	12899,	12900,
9451,	9452,	12278,	12279,	12901,	12902,
9704,	9705,	12280,	12281,	12903,	12937,
9706,	9707,	12282,	12283,	12938,	13295,
9709,	9724,	12284,	12285,	13307,	13308,
9725,	9726,	12286,	12315,	13309,	13310,
9727,	9729,	12321,	12322,	13311,	13312,
10350,	10351,	12323,	12324,	13313,	13314,
10353,	10354,	12325,	12326,	13315,	13316,
10355,	10356,	12327,	12328,	13317,	13318,
10588,	10917,	12329,	12330,	13319,	13320,
10918,	10948,	12331,	12416,	13321,	13322,
10951,	11030,	12417,	12418,	13323,	13324,
11031,	11032,	12419,	12420,	13325,	13326,
11033,	11034,	12421,	12422,	13327,	13328,

13329,	13398,	16353, 16354, 16364	3748, 3773,
13399,	13592,	\glossary .. 9123, 16330	3775, 3800, 3802
13763,	13775,	\Gm@vrule 9877,	
13776,	13777,	9878, 9879,	
13778,	13779,	9881, 9882,	\H@Cfootnotemark ..
13780,	13781,	9883, 9886, 10263,
13782,	13783,	9887, 9888,	10369, 10383, 10400
13784,	13785,	9891, 9892, 9893	\H@Cfootnotetext ..
13786,	13787,	\Gm@vrules@mpi ... 9874 10222,
13788,	13789,	\Gm@vrules@mpii ... 9884	10233, 10302,
13790,	13791,	\Grot@box 9761, 13117,	10370, 10386, 10400
13792,	13793,	13128, 13135, 13145	\H@Cmpfootnotetext ..
13794,	13795,	\Grot@box@std 9756	10231, 10265, 10269
13796,	13797,	\Grot@setangle	\halign 4426, 10920
14116,	14397,	.. 9757, 13110,	\hangafter . 5470, 11123
14409,	14410,	13120, 13131, 13138	\hangindent
14411,	14412,	\Grot@x 9759, 13115,	. 103, 104, 105,
14413,	14414,	13125, 13133, 13143	158, 159, 160,
14415,	14416,	\Grot@y 9760, 13116,	568, 797, 1055,
14417,	14418,	13126, 13133, 13144	4111, 4112,
14419,	14420,	\grp@aligned 5301	4113, 4700,
14421,	14422,	\GRP@box 5296, 5328, 5330	4879, 5374,
14423,	14424,	\grp@eqs@numbered 5300	5470, 11116,
14425,	14426,	\grp@hasNumber ... 5305	11122, 12137,
14427,	14428,	\GRP@label 5297	12511, 16029, 16383
14429,	14430,	\grp@linewidth ... 5299	\hb@xt@ 376,
14431,	14707,	\GRP@queue . 5296, 5332	436, 455, 589,
14776,	14780,	\grp@setnumber ... 5305	616, 820, 835,
14781,	14782,	\grp@shiftnumber . 5302	984, 1076, 1104,
14799,	15049,	\grp@wdL 5298	1592, 4721,
15050,	15053,	\grp@wdNum 5299	4746, 4900,
15054,	15550,	\grp@wdR 5298	4925, 5129,
15569,	15577,	\grp@wdT 5298	5189, 5206,
15587,	15590,	\Gs@scale@box	5460, 5648,
15634,	15842,	.. 9762, 9854, 9871	5649, 5654,
15907,	15911,	\Gs@scale@div	5712, 5716,
15913,	15935,	.. 9853, 9860, 9863	5719, 5724,
16043,	16108,	\Gs@scale@end . 9766, 9812	5729, 5889,
16109,	16110,	\Gs@scale@start 9766, 9812	5890, 5894,
16126,	16127,	\Gs@scale@x .. 9764, 9810	6559, 6571,
16129,	16167,	\Gs@scale@y .. 9764, 9810	6670, 6767,
16178,	16181,	\gsetboolean .. 2837,	6826, 7059,
16211,	16222,	2979, 2980,	7066, 8739,
16225,	16253,	3007, 3008,	8756, 8848,
16262,	16263,	3012, 3013,	9001, 9002,
16264,	16265,	3300, 3301, 3536	9006, 9024,
16267,	16270,	\gsetlength .. 2832,	9039, 9143,
16271,	16285,	2994, 3080,	9775, 9821,
16290,	16301,	3528, 3746,	9876, 9881,
16302,	16311,		9886, 9890,

10438,	10589,	4938,	5215,	13199,	13517,
11151,	11237,	5329,	5387,	13654,	13656,
11242,	11245,	5416,	5576,	13667,	14041,
11319,	11320,	5579,	5596,	14157,	14158,
11325,	11420,	5600,	5611,	14166,	14185,
12158,	12183,	5614,	5616,	14191,	14197,
12532,	12557,	6249,	6252,	14203,	14209,
12650,	12693,	6255,	6306,	14215,	14221,
12766,	12875,	6307,	6309,	14227,	14233,
12935,	12952,	6392,	6397,	14288,	14290,
13392,	13429,	6403,	6624,	14301,	14632,
13558,	13598,	6924,	8470,	14749,	14762,
13860,	13887,	8483,	8488,	14791,	14802,
13919,	14082,	8493,	8498,	14836,	15418,
14122,	14494,	8664,	8671,	15419,	15468,
14526,	14673,	8785,	8925,	15470,	15527,
14713,	15312,	8937,	8938,	15528,	15602,
15426,	15463,	8942,	8944,	15636,	15638,
15465,	15531,	8967,	8970,	15644,	15757,
15538,	15540,	8972,	9043,	15765,	15766,
15821,	16026,	9047,	9049,	15774,	15819,
16027,	16104,	9087,	9092,	15820,	15823,
16131,	16132,	9286,	9710,	15824,	15825,
16137,	16274,	9711,	9714,	15826,	15935,
16339,	16349,	9730,	9733,	15943,	16028,
\hbadness		9736,	9753,	16037,	16039,
.. 3343, 6190, 6211		9754,	9758,	16045,	16056,
\hbox 15, 27,		9765,	9766,	16071,	16100,
141, 162, 265,		9811,	9812,	16101,	16111,
299, 307, 324,		9850,	9857,	16114,	16116,
463, 575, 649,		10460,	10909,	16282,	16292, 16294
805, 887, 1062,		10929,	10934,	\hboxL 9652,	
1134, 1340,		11393,	11427,	9669, 11923, 15766	
1399, 1791,		11443,	11445,	\hboxR 11914, 15757	
1996, 1999,		11544,	11777,	\head@style	
2953, 3035,		11781,	11801,	542, 851, 1047,	
3037, 3042,		11834,	11838,	1282, 4692,	
3075, 3076,		11843,	11847,	4871, 12111,	
3085, 3092,		11859,	11870,	12496, 12563, 12627	
3312, 3345,		11887,	11897,	\headheight	
3623, 3660,		11914,	11922,	.. 1574, 6377,	
3687, 3704,		11923,	11931,	8938, 9129, 16335	
3721, 3836,		11972,	11973,	\headrule 8941	
3843, 3850,		11974,	11976,	\headrulewidth	
4283, 4291,		11977,	11996,	.. 2069, 3170	
4395, 4399,		12144,	12196,	\headsep 1582, 1585,	
4410, 4427,		12518,	12620,	6378, 9130, 16344	
4438, 4651,		12749,	12778,	\headwidth 2159, 8937,	
4665, 4707,		12961,	13132,	8939, 8940,	
4782, 4886,		13186,	13188,	8941, 8942,	

8944,	8945,	8946	11844,	11848,	11600,	11603,
\height	9830,	10018,	11860,	11871,	11604,	11605,
10020,	10024,		11897,	12158,	11606,	11607,
10026,	10053,		12183,	12201,	11610,	11611,
10054,	10057,		12532,	12557,	11612,	11613,
10058,	10115,		12625,	12749,	11614,	11888,
10116,	10119,		12766,	12782,	11892,	13428,
10120,	10148,		12935,	12952,	13918,	14187,
10150,	10154,	10156	12965,	13206,	14193,	14199,
\hfil	...	15, 29, 141,	13391,	13522,	14205,	14211,
164,	436,	455,	13674,	13859,	14217,	14223,
467,	589,	616,	13886,	14046,	14229,	14525,
654,	820,	835,	14170,	14308,	14856,	14885,
891,	985,	1076,	14493,	14637,	15420,	15529, 16102
1104,	1139,		15312,	15426,	\hfilneg	...
1336,	1337,		15463,	15465,	7133,	7137
1338,	1339,		15531,	15538,	\hfuzz
1367,	1368,		15540,	15831,	2099	
1369,	1375,		16104,	16113,	\hintfont	2107, 2115,
1376,	1377,		16134,	16136,	2169,	2176, 2181
1564,	1569,		16293,	16295,	\hintscolumnwidth	.
4396,	4398,		16319,	16320,	2135,
4503,	4721,		16322,	16323, 16365	2149,	2153,
4746,	4787,	\hfill	1405,		2161,	2169,
4900,	4925,		1406,	2180,	2175,	2181, 2237
4943,	5189,		2186,	2200,	\hintstyle	...
5206,	5219,		3104,	3105,	2115	
5460,	5577,		3108,	3109,	\hline	10886, 10888, 10894
5580,	5597,		5393,	5394,	\HLOFF
5601,	5613,		6042,	8939,	\HLON
5651,	5653,		8940,	8944,	\HLTR@LTRfootnotetext	1654
5715,	5726,		8945,	11395,	.	1648
5728,	5891,		11419,	11551,	10224, 10255,	
5893,	6559,		11554,	11555,	10332, 10372, 10392	
6571,	6628,		11556,	11559,	\HLTR@mpLTRfootnotetext	
6826,	6928,		11560,	11561,	10253, 10267, 10291	
7139,	8739,		11562,	11563,	\hoffset
8756,	8789,		11566,	11567,	1578	
8969,	9003,		11568,	11569,	\hold@viper
9005,	9029,		11570,	11571,	...	5619, 5622,
9042,	9049,		11572,	11575,	5658,	5661,
9288,	9713,		11576,	11577,	5692,	5733,
9732,	9883,		11578,	11579,	5734,	5742,
9888,	10464,		11580,	11581,	5743,	5752,
10589,	10934,		11582,	11583,	5753,	5761,
11151,	11239,		11586,	11587,	5858,	5897,
11241,	11322,		11588,	11591,	5898,	5906,
11324,	11420,		11592,	11593,	5907,	5916,
11546,	11781,		11596,	11597,	5917,	5926,
11835,	11839,		11598,	11599,	5962, 5964, 5965	
					\holder	11791, 11794,
					11803,	11813,
					11814,	11832,
					11836,	11841,

11845, 11857,	545, 854, 1050,	10585, 10589,
11861, 11868, 11872	1924, 3344,	10920, 10931,
\hopatch@AfterPackage	3345, 3405,	10934, 10943,
..... 3658,	3449, 3493,	10962, 10963,
3660, 3663,	4033, 4695,	10970, 10993,
3684, 3826,	4874, 5325,	11147, 11151,
3870, 3926, 4170	5577, 5580,	11347, 11427,
\href 2205, 2206, 2209,	5597, 5601,	11429, 11437,
2210, 2213, 2214	6946, 6962,	11473, 11477,
\href@ 10423	6978, 6991,	11481, 11484,
\href@split 10423, 10424	7004, 7017,	11489, 11492,
\HRTL@mpRTLfootnotetext	7132, 7190,	11532, 11536,
10242, 10266, 10280	7208, 7220,	11540, 11948,
\HRTL@RTLfootnotetext	7233, 7273,	11950, 12069,
. 10223, 10244,	7334, 7352,	12083, 12114,
10317, 10371, 10389	7363, 7375,	12566, 12630,
\hrule 29, 31,	7413, 7477,	12646, 12689,
164, 166, 460,	7495, 7507,	13170, 13177,
466, 645, 653,	7520, 7560,	13179, 13558,
883, 890, 1130,	7624, 7642,	13559, 13598,
1138, 3334,	7654, 7667,	13638, 13645,
3335, 3345,	7707, 7771,	13647, 14082,
3346, 4397,	7789, 7801,	14083, 14122,
4778, 4786,	7814, 7854,	14144, 14149,
4934, 4942,	7918, 7936,	14151, 14272,
5046, 5052,	7948, 7961,	14279, 14281,
5058, 5064,	8001, 8065,	14673, 14674,
5212, 5218,	8083, 8095,	14713, 15478,
6185, 6621,	8108, 8148,	15481, 15486,
6627, 6921,	8212, 8230,	15490, 15494,
6927, 6936,	8242, 8255,	15498, 15502,
8782, 8788,	8295, 8359,	15506, 15510,
9288, 9290,	8377, 8389,	15514, 15605,
9292, 9324,	8402, 8442,	15626, 15630,
9657, 10457,	8482, 8520,	15791, 15793,
10463, 10993,	8528, 8539,	15953, 16184,
11546, 11548,	8550, 8572,	16228, 16361, 16365
11889, 12192,	8575, 8585,	\hskip 14, 140,
12200, 12616,	8588, 8598,	232, 236, 454,
12624, 12775,	8601, 8625,	575, 576, 615,
12781, 12958,	8635, 8646,	805, 806, 819,
12964, 13196,	8649, 9048,	867, 1062, 1063,
13205, 13514,	9049, 9372,	1103, 1285,
13521, 13664,	9388, 9403,	1338, 1339,
13673, 14038,	9429, 9442,	1377, 1401,
14045, 14163,	9455, 9472,	1404, 2251,
14169, 14298,	9473, 9552,	3994, 4413,
14307, 14629, 14636	9657, 9687,	4414, 4417,
\hspace ... 40, 53, 68,	9690, 9694,	4419, 4420,
174, 187, 201,	9697, 9698,	4423, 4707,

4708,	4745,	13043,	13050,	14733,	14861,
4886,	4887,	13052,	13088,	14873,	16463,
4924,	5205,	13090,	13099,	16467,	16472,
5389,	5392,	13101,	13389,	16474,	16478, 16480
5459,	5612,	13425,	13857,	\hss ..	377, 436, 455,
5615,	5617,	13884,	13915,	589,	616, 820,
5618,	5714,	14491,	14522,	835,	1076, 1104,
5718,	5721,	14855,	14884,	1593,	4053,
5722,	6250,	15044,	15075,	4721,	4746,
6251,	6254,	15098,	15115,	4900,	4925,
6264,	6265,	15132,	15149,	5130,	5189,
6308,	6558,	15166,	15183,	5206,	5460,
8468,	8755,	15201,	15220,	5614,	5616,
8968,	8971,	15240,	15275,	5650,	5655,
8973,	8974,	15413,	15460,	5717,	5720,
9025,	9041,	15470,	15525,	5725,	5730,
9731,	9735,	15937,	15938,	5890,	5894,
9738,	9739,	15939,	15945,	6253,	6263,
9876,	9878,	16098,	16112,	6308,	6317,
9879,	9882,	16115,	16117,	6392,	6395,
9887,	9890,	16118,	16276,	6397,	6400,
9892,	9893,	16278,	16292, 16295	6403,	6559,
10440,	10557,	\hspace{.....}	104,	6571,	6671,
11238,	11244,	105,	159, 160,	6768,	6826,
11247,	11248,	475,	2170, 2175,	7060,	7066,
11394,	11406,	2181,	3087,	8739,	8756,
11418,	11473,	3094,	3316,	8849,	8970,
11477,	11481,	3937,	3938,	8972,	9002,
11484,	11485,	3944,	3945,	9006,	9143,
11489,	11492,	3951,	3952,	9712,	9715,
11493,	11551,	3958,	3959,	9734,	9737,
11554,	11556,	4086,	4112,	9775,	9821,
11559,	11561,	4113,	6172,	9879,	9893,
11563,	11566,	6578,	6912,	10929,	10937,
11568,	11570,	7061,	9993,	11243,	11246,
11572,	11575,	10009,	10022,	11321,	11326,
11577,	11579,	10034,	10047,	11463,	11464,
11581,	11583,	10056,	10064,	11474,	11475,
11586,	11588,	10109,	10118,	11974,	11985,
11591,	11593,	10126,	10139,	11986,	11987,
11596,	11598,	10152,	10164,	12158,	12183,
11600,	11603,	10188,	13553,	12532,	12557,
11605,	11607,	13568,	13573,	12650,	12693,
11610,	11612,	13575,	13576,	12749,	12766,
11614,	11627,	14077,	14092,	12876,	12935,
12144,	12145,	14097,	14099,	12952,	13186,
12182,	12499,	14100,	14245,	13392,	13429,
12518,	12519,	14668,	14683,	13654,	13860,
12556,	12765,	14688,	14690,	13887,	13919,
12951,	13041,	14691,	14732,	14157,	14288,

14494,	14526,	9817,	9930,	13820, 14341, 14454
15610,	15612,	10513,	10514,	\Hurl 10407
15617,	15623,	10520,	10523,	\hv@Bottom 10088
15821,	15963,	10542,	10895,	\hv@Center 9992,
16014,	16015,	10945,	10991,	10003, 10043,
16017,	16018,	10998,	11001,	10105, 10133, 10186
16020,	16021,	11222,	11226,	\hv@figure 9957, 9975
16026,	16027,	11231,	11304,	\hv@floatObject 9918, 9922
16086,	16087,	11308,	11313,	\hv@floatType 9948,
16088,	16089,	11361,	11363,	9957, 9975, 10193
16114,	16116,	11803,	11861,	\hv@Height 9930
16133,	16138, 16280	11872,	11877,	\hv@label 9899
\ht .	305, 1387, 1420,	11878,	11879,	\hv@Left 9933, 10001
1983,	1985,	11880,	11884,	\hv@longCap 9898
1986,	5408,	11899,	13027,	\hv@Right 9934, 9990
5417,	5419,	13069,	13072,	\hv@shortCap
5690,	5692,	13127,	13134,	.. 9897, 9963, 9981
5699,	5705,	13582,	13584,	\hv@Top 10016, 10052,
5706,	5707,	13585,	14106,	10072, 10114, 10146
5761,	5800,	14108,	14109,	\hv@Width 9928, 9951
5818,	5830,	14697,	14699,	\hv@Zero 9917, 10180
5854,	5858,	14700,	14750,	\hvAboveCaptionSkip
5868,	5876,	14787,	14799,	10096, 10099
5877,	5880,	14839,	15645,	\hvBelowCaptionSkip
5881,	5883,	15647,	16057,	10080, 10083
5884,	5926,	16256,	16266, 16270	\hvCaptionBox 9952,
5962,	6193,	\ht@strip		9969, 10011,
6202,	6214,	. 11358, 11359,		10013, 10024,
6223,	6231,	11360, 11361,		10026, 10036,
6241,	6243,	11362, 11365, 11367		10038, 10044,
6259,	6288,	\ht@viper 5689,		10045, 10053,
6298,	6300,	5694, 5717,		10054, 10061,
6313,	6543,	5720, 5725,		10062, 10073,
7141,	7286,	5730, 5798,		10074, 10080,
7290,	7426,	5799, 5854,		10083, 10089,
7430,	7573,	5855, 5856,		10090, 10097,
7577,	7720,	5860, 5890, 5894		10100, 10106,
7724,	7867,	\httplink 2207		10107, 10115,
7871,	8014,	\Huge 4020, 5049,		10116, 10123,
8018,	8161,	5061, 5243,		10124, 10141,
8165,	8308,	5251, 6855,		10143, 10154,
8312,	8455,	6864, 8769,		10156, 10166, 10168
8459,	8472,	8777, 12987, 12995		\hvCapWidth 9926,
8921,	9577,	\huge 486, 3874,		9928, 9930,
9584,	9601,	3876, 4019,		9932, 9936,
9608,	9609,	5040, 5237,		9938, 9953, 9971
9622,	9626,	6589, 6598,		\hvFloat 9900
9649,	9768,	6849, 8764,		\hvMaxCapWidth 9911,
9769,	9771,	12982, 13239,		9912, 9933,
9814,	9815,	13352, 13707,		

9934, 9935, 9938	\Hy@footnote@currentHlabel 10309, 10324, 10339, 10353	10216, 10357, 10405, 10410, 10417
\hvObjectBox	\Hy@footnote@currentHref 10271, 10274, 10282, 10285,	\hyper@linkurl .. 10407 \hyper@makecurrent 10352
... 9915, 9918, 9920, 9924, 9930, 10005, 10007, 10018, 10020, 10030, 10032, 10048, 10049, 10057, 10058, 10065, 10066, 10073, 10076, 10081, 10084, 10089, 10092, 10096, 10099, 10110, 10111, 10119, 10120, 10127, 10128, 10135, 10137, 10148, 10150, 10160, 10162	10293, 10296, 10304, 10307, 10310, 10319, 10322, 10325, 10334, 10337, 10340, 10354, 10357	
\hvObjectWidth	\Hy@linkcounter 6443, 6448	\hypersetup 2053, 2061, 4130, 4189, 4206
... 9924, 9928, 9932, 9933, 9934	\Hy@linktoc 10202	\hyphenpenalty 6, 101, 132, 156, 544, 853, 1049, 4694, 4873, 12113, 12565, 12629, 12772
\hvOBox 9918, 9922	\Hy@maketitle@end .. 10375, 10380, 10382	\HyRTL@saved@RTLfootnotetext 10367, 10390
\hvSet@capAngle 9951, 9970	\Hy@maketitle@optarg 10373, 10378	I
\hvSet@capPos	\Hy@raisedlink 10273, 10284, 10295, 10306, 10321, 10336	\ialign . 313, 14755, 14794, 15831, 16062
... 9933, 9934, 10001, 10072, 10088	\Hy@saved@currentHlabel 10350, 10355	\if 281, 282, 283, 285, 286, 287, 288, 289, 292, 293, 294, 318, 1313, 1314,
\hvSet@capVPos 10003, 10016, 10043, 10052, 10105, 10114, 10133, 10146	\Hy@saved@currentHref 10351, 10356	1315, 1317, 1318, 1319, 1320, 1321, 1322, 1323,
\hvSet@capWidth 9928, 9930, 9935, 9936	\Hy@saved@footnotemark 10365, 10384	1326, 1327, 1328, 1351, 1352, 1353, 1355, 1356, 1357, 1358, 1359, 1883,
\hvSet@floatCapSep 10009, 10022, 10034, 10047, 10056, 10064, 10109, 10118, 10126, 10139, 10152, 10164	\Hy@saved@footnotetext 10366, 10387	1889, 1892, 1895, 1898, 5286, 5305,
\hvSet@floatPos .. 9946	\Hy@LT@saved@LT@footnotetext 10368, 10393	5339, 5341, 5343, 6410, 6464, 6472,
\hvSet@objectAngle 9917, 9921	\Hy@Org@maketitle .. 10363, 10374, 10379	6473, 6479, 6480, 6487, 6488, 6494,
\hvSet@objectPos .. . 9990, 9992, 10186	\hyper@anchor 10271, 10274, 10282, 10285, 10293, 10296, 10304, 10307, 10319, 10322, 10334, 10337	
\hvSet@rotAngle ... 9911, 10180, 10183	\hyper@link .. 10425	
\Hy@backout .. 10409	\hyper@link .. 10404	
	\hyper@linkend 10206, 10210, 10214, 10216, 10359, 10405, 10414, 10417	
	\hyper@linkstart 10206, 10210, 10214,	

6495,	6505,	\if@bidi@breqnloaded@	\if@bidi@floatrowloaded@
6507,	9219, 10686 10720
9243,	9467,	\if@bidi@calsloaded@	\if@bidi@flowframloaded@
10477,	10877, 10689 10723
10879,	10881,	\if@bidi@captionloaded@	\if@bidi@fontspecloaded@
11736,	14797, 10692 10861
14814,	14815,	\if@bidi@colorloaded@	\if@bidi@framedloaded@
14816,	14817, 10698 10726
14818,	14819,	\if@bidi@colortblloaded@	\if@bidi@ftnrightloaded@
14820,	14822, 10714 10729
14823,	14824,	\if@bidi@croploaded@	\if@bidi@geometryloaded@
14825,	14826, 10695 10744
14829,	14830,	\if@bidi@csdef	\if@bidi@graphicxloaded@
14831,	15951, 2287, 2336 10741
15958,	15959,	\if@bidi@csmacro . 2335	\if@bidi@hvfload@
16054,	16078,	\if@bidi@csprimitive 10747
16079,	16080, 2345	\if@bidi@hyperrefloaded@
16081,	16082, 16083	\if@bidi@csundef 10759
		. 2293, 2366, 16382	\if@bidi@lettrineloaded@
		\if@bidi@cutedloaded@ 10777
	 10705	\if@bidi@list@minipage@parbox
		\if@bidi@cutwinloaded@	.. 1475, 15791,
	 10702	15796, 15857,
		\if@bidi@dblfnote@	15909, 15969,
	 10708	15978, 15987,
		\if@bidi@def	15996, 16009,
		2305	16010, 16024, 16025
		\if@bidi@defmacro ..	\if@bidi@list@minipage@parbox@not@nob
	 2328, 1476,
		2329, 2337,	15865, 15971,
		2507, 2526, 2670	15980, 15989, 15998
		\if@bidi@defparam ..	\if@bidi@listingsloaded@
	 2528, 10780
		2622, 2623, 2672	\if@bidi@longtableloaded@
		\if@bidi@defprimitive 10822
		2339	\if@bidi@defprotected ..
		 2535,
			2631, 2632, 2683
		\if@bidi@draftwatermarkloaded@	\if@bidi@mdf@RTL ..
	 10768 10953, 10960
		\if@bidi@empheqloaded@	\if@bidi@mdf@framedloaded@
	 10771 10750
		\if@bidi@fancyboxloaded@	\if@bidi@midfloatloaded@
	 10762 10753
		\if@bidi@fancyhdrloaded@	\if@bidi@minitocloaded@
	 10765 10834
		\if@bidi@fancyvrbloaded@	\if@bidi@multicolloaded@
	 10870 10828
		\if@bidi@floatloaded@	\if@bidi@multienumloaded@
	 10717 10831
			\if@bidi@natbibloaded@
		 10837

\if@bidi@newfloatloaded@ 10840	\if@bidi@wrapfigloaded@ 10738	\if@extrafootnotefeatures 1471, 1499
\if@bidi@ntheoremloaded@ 10756	\if@bidi@xcolorloaded@ 10711	\if@fcolmade
\if@bidi@patchable 2495, 2496	\if@bidi@xltxtxtraloaded@ 10732	... 5629, 5671,	
\if@bidi@pdfpagesloaded@ 10774	\if@bidi@xtabloaded@ 10819	8977, 9013,	
\if@bidi@pgfloaded@ 10786	\if@bidi@xunicodeloaded@ 10735	9097, 9719,	
\if@bidi@picinparloaded@ 10789	\if@capbreak	9743, 11255,	
			13570, 14094, 14685	11334, 16121, 16146	
\if@bidi@polyglossialoaded@ 10867	\if@captionabove	...	\if@ff@nwpg	
\if@bidi@pstricksloaded@ 10783		13603,	9065	
\if@bidi@quotchaploaded@ 10792		13609, 14127,	\if@files	
\if@bidi@rotatingloaded@ 10846		14133, 14718, 14724	1959	
\if@bidi@stabularloaded@ 10807	\if@cfthaschapter	.	\if@firstcolumn	
		 15017,	...	
			15021, 15027,	... 5607, 5642,	
			15048, 15060, 15082	5686, 5767,	
\if@bidi@subfigloaded@ 10810	\if@cfthaspart	.. 15013	5786, 5932,	
		\if@colour 2036	5951, 8949,	
\if@bidi@subfigureloaded@ 10813	\if@colourgreen	5980,	8981, 9703,	
			6009, 6078, 6104	\if@cfthaschapter ..	
\if@bidi@supertabularloaded@ 10816	\if@colourgrey	5984,	11185,	
			6023, 6082, 6116	11267, 11355,	
		\if@colourorange	..	16108, 16125, 16246	
\if@bidi@tablsloaded@ 10849		5978,	\if@firstdetailselement	
			6002, 6076, 6098 6145, 6147	
\if@bidi@tabularyloaded@ 10852	\if@coloured	.. 5982,	\if@firstfooterelement	
			6016, 6080, 6110 6049, 6052	
\if@bidi@tikzloaded@ 10795	\if@compatibility	.	\if@flushend@auto@baselineskip	
		 438, 5802	
\if@bidi@titlesecloaded@ 10798		591, 669, 837,	\if@ignore ..	
			923, 1078, 1175,	2792, 2794	
\if@bidi@titletocloaded@ 10801		4811, 4990,	\if@inlabel	
			12244, 12383,	5285, 15889, 15912	
\if@bidi@tocbibbindloaded@ 10858		13397, 15052, 16040	\if@inltxdoc	
		\if@contcw	11103, 11132	14962	
\if@bidi@tocstyleloaded@ 10855	\if@conthang 11113	\if@insert	
		\if@contindent	.. 11119	5960	
\if@bidi@undef	\if@DEBUG 2007	\if@Latin ..	
	2311, 2370,	\if@displaypagenumbers		263, 268,	
	2404, 2415,	 2215, 2218	1465, 5321, 5323	
	2434, 2438,	\if@donumindex	\if@LTRibitems	
	2442, 2446,		14970, 14989	84, 218, 494, 628,	
	2456, 2460,	\if@dotocbib 14932	896, 1148, 1469,	
	2464, 2468,	\if@dotocind	2233, 4761,	
	2504, 2523, 2667		14977, 14994	4954, 5264,	
				6605, 6877,	
				8793, 11181,	
				11622, 12206,	
				12599, 12797,	
				13001, 13464,	
				13988, 14579, 14939	
				\if@LTRmarginpar ..	
			 1468,	
				16275, 16280, 16284	
				\if@mainmatter	
				... 4337, 5039,	
				5236, 6848,	

12001, 13933,	138, 139, 155,	6391, 6471,
13949, 13957, 13965	158, 159, 160,	6486, 6508,
\if@minipage 3139, 11172	218, 232, 236,	6509, 6510,
\if@mparswitch .. 16248	297, 433, 450,	6511, 6534,
\if@newlist	453, 454, 479,	6554, 6557,
... 9113, 9133,	494, 545, 558,	6558, 6568,
15895, 16301, 16353	569, 570, 575,	6582, 6595,
\if@nmbrlist .. 15930	586, 611, 614,	6605, 6823,
\if@nobreak .. 9674,	615, 628, 798,	6846, 6861,
10964, 12062,	799, 805, 815,	6877, 6897,
12076, 15896, 15921	818, 819, 832,	6900, 6905,
\if@noitemarg .. 15928	854, 896, 1050,	6913, 8736,
\if@noparitem .. 15886	1056, 1057,	8751, 8754,
\if@noparlist 4525, 4638	1062, 1073,	8755, 8762,
\if@noskipsec	1099, 1102,	8774, 8793,
... 5284, 9675,	1103, 1121,	9049, 9191,
10965, 12063, 12077	1148, 1286,	9467, 9547,
\if@oldtoc 579, 605,	1287, 1398,	9549, 9756,
809, 825, 1066,	1399, 1412,	9758, 9761,
1093, 4711,	1423, 1464,	9762, 9779,
4735, 4890,	1480, 1534,	9782, 9789,
4914, 12148,	1540, 1790,	9798, 9804,
12172, 12522, 12546	1937, 2233,	9808, 9811,
\if@openright	3993, 3994,	9825, 9850,
... 4365, 5255, 6868	4111, 4112,	9857, 10002,
\if@ovb	4113, 4695,	10104, 10206,
\if@ovl	4701, 4702,	10214, 10405,
\if@ovr	4707, 4718,	10410, 10414,
\if@ovt	4741, 4744,	10417, 10425,
\if@parafootRTL ...	4745, 4761,	10440, 10444,
... 1472, 8481, 8492	4874, 4880,	10447, 10452,
\if@pboxsw	4881, 4886,	10546, 10549,
\if@ref	4897, 4920,	10553, 10930,
\if@restonecol 525,	4923, 4924,	10956, 11062,
541, 792, 1046,	4954, 5037,	11063, 11064,
4691, 4870,	5048, 5050,	11065, 11066,
5082, 12110,	5186, 5201,	11067, 11146,
12367, 12829, 15009	5204, 5205,	11148, 11181,
\if@reversemargin 16251	5234, 5248,	11389, 11393,
\if@rjfield	5264, 5282,	11394, 11401,
\if@rl	5294, 5307,	11406, 11413,
\if@rl@footnote .. 1474	5338, 5374,	11418, 11622,
\if@rlmain	5415, 5416,	11700, 11720,
\if@rot@twoside ...	5420, 5421,	11781, 11831,
..... 13031,	5423, 5430,	11906, 11958,
13036, 13046,	5436, 5455,	11959, 11962,
13076, 13082, 13094	5458, 5459,	11966, 11985,
\if@RTL	5465, 5470,	11986, 11987,
12, 13, 25, 84, 100,	5577, 5580,	11996, 11998,
103, 104, 105,	5597, 5601,	12004, 12015,

12017,	12028,	14522,	14536,	15866,	15872,
12030,	12041,	14579,	14638,	15878,	15909,
12043,	12052,	14639,	14640,	15951,	16011,
12054,	12071,	14642,	14713,	16012,	16014,
12093,	12094,	14731,	14734,	16017,	16020,
12114,	12127,	14738,	14849,	16024,	16025,
12138,	12139,	14874,	14891,	16026,	16027,
12144,	12155,	14911,	14914,	16029,	16031,
12178,	12181,	14919,	14923,	16032,	16037,
12182,	12206,	14924,	14939,	16044,	16086,
12500,	12501,	15034,	15035,	16087,	16093,
12512,	12513,	15036,	15044,	16098,	16275,
12518,	12529,	15065,	15066,	16280,	16284,
12552,	12555,	15067,	15075,	16292,	16293,
12556,	12566,	15088,	15089,	16294,	16295,
12579,	12599,	15090,	15098,	16362,	16365,
12630,	12746,	15105,	15106,	16373,	16383,
12761,	12764,	15107,	15115,	16462,	16472,
12765,	12770,	15122,	15123,	\if@RTL@footnote	36,
12771,	12797,	15124,	15132,	170,	1474,
12932,	12947,	15139,	15140,	1536,	3418,
12950,	12951,	15141,	15149,	6941,	6988,
12980,	12992,	15156,	15157,	7159,	7204,
13001,	13111,	15158,	15166,	7306,	7348,
13113,	13117,	15173,	15174,	7446,	7491,
13121,	13123,	15175,	15183,	7593,	7638,
13128,	13132,	15191,	15192,	7740,	7784,
13135,	13139,	15193,	15201,	7887,	7931,
13141,	13145,	15210,	15211,	8034,	8079,
13172,	13181,	15212,	15220,	8181,	8226,
13385,	13388,	15230,	15231,	8328,	8373,
13389,	13421,	15232,	15240,	8530,	8577,
13425,	13436,	15265,	15266,	9367,	9413,
13437,	13464,	15267,	15275,	9451,	9452
13523,	13524,	15315,	15316,	\if@RTLbibitems	84,
13525,	13527,	15317,	15340,	218,	494,
13598,	13640,	15402,	15403,	628,	896,
13649,	13853,	15404,	15410,	1148,	1470,
13856,	13857,	15413,	15460,	2233,	4761,
13880,	13883,	15520,	15525,	4954,	5264,
13884,	13911,	15548,	15555,	6605,	6877,
13915,	13929,	15573,	15608,	8793,	11181,
13988,	14047,	15616,	15643,	11622,	12206,
14048,	14049,	15644,	15647,	12599,	12797,
14051,	14122,	15648,	15650,	13001,	13464,
14146,	14153,	15687,	15691,	13988,	14579,
14240,	14246,	15744,	15749,	14939	\if@RTLcolumnfootnotes
14274,	14283,	15801,	15802,	\dots	1473,
14487,	14490,	15805,	15809,	7133,	7134,
14491,	14518,	15832,	15858,	7137,	7138,
				7169,	7221,
				7315,	7364,
				7456,	

7508,	7603,	16071, 16079, 16080	14358, 14371,
7655,	7750,	\if@sentdir	14439, 15599, 16313
7802,	7897,	\if@specialpage ...	\if@vihproof
7949,	8044, 9068, 16310 11374, 11380
8096,	8191,	\if@tab@rl	\ifadl@inactive .. 1300
8243,	8338, 8390	\if@tempswa . 6247, 6304	\ifadl@usingarypkg 1303
\if@RTLmain . .	1463,	\if@thmarks . 11683,	\ifAM@output 11762
1479,	1533,	11687, 11704, 11708	\ifAM@survey 11740
1539,	5473,	\if@titlecentered .	\ifartopt 11082
5496,	5519, 1268, 12480	\ifbidi@autofootnoterule
5542,	5713,	\if@titlepage . 331, 9197,
6339,	6345,	546, 656, 855,	9425, 9438, 9451
6348,	6362,	910, 1109, 1162,	\ifblendcolors 15655,
6380,	8937,	5084, 6629,	15676, 15698, 15725
8939,	8940,	6722, 8807,	\ifbool ... 10978, 10987
8941,	8942,	12115, 12231,	\ifcase 1335,
8944,	8945,	12368, 12567,	1362, 1366,
8946,	9196,	12632, 12830,	1370, 1374,
9875,	9885,	13208, 13676, 14310	1400, 5388,
11346,	11502,	\if@tocleft	10202, 14905,
16152,	16339, 16349	. 13379, 13414,	15285, 15392,
\if@RTLmarginpar 1467,	13847, 13874,	15462, 15675, 15724
	16275, 16280, 16284	13904, 14481, 14511	\ifcat 1490, 1550
\if@RTLtab	282, 283,	\if@tocstyle@penalties	\ifconvertcolorsU .
299,	302, 324, 15323, 15432 15661,
326,	1294, 1295,	\if@ttb@rotate ... 9190	15677, 15704, 15726
1314,	1315,	\if@twocolumn 94, 149,	\ifcpoddpage 2922
1352,	1353,	378, 512, 528,	\ifcsname 2288,
1466,	1801,	555, 562, 732,	2294, 2421,
1805,	1806,	779, 864, 875,	11645, 11655,
1996,	1999,	986, 1033, 1118,	11669, 15347,
5340,	5342,	1125, 1238,	15348, 15357,
5364,	5368,	1945, 4291,	15368, 15372,
5386,	5387,	4678, 4857,	15382, 15394,
5400,	5411,	5069, 5131,	15448, 15476,
9466,	10878,	6672, 6769,	15477, 15485,
10880,	14739,	8850, 11045,	15489, 15493,
14743,	14744,	12097, 12124,	15497, 15501,
14762,	14770,	12131, 12307,	15505, 15509, 15513
14777,	14802,	12354, 12448,	\ifdefn . 2306, 2312
14815,	14816,	12576, 12583,	\ifdefn@allowcbreak .
15791,	15796,	12694, 12816, 6200, 6221
15864,	15909,	12877, 13287,	\ifdefn@ruleboth ...
15950,	15971,	13755, 14389, 6258, 6312
15980,	15989,	14964, 16245, 16376	\ifdefn@trysingle ..
15998,	16009,	\if@twoside 6239, 6296
16010,	16024,	... 4282, 9072,	\ifdim .. 1388, 1389,
16025,	16045,	13256, 13269,	1983, 1986,
16049,	16050,	13337, 13724,	3152, 3677,
		13737, 13805,	4403, 4405,

4464,	4465,	14210,	14216,	\ifhv@nonFloat 9947,
4467,	4473,	14222,	14228,	9954, 9972,
4513,	4526,	14234,	14672,	9993, 10185, 10187
4533,	4614,	14680,	14788,	\ifhv@onlyText
4616,	4629,	15358,	15383, 9955, 9973
4631,	4639,	15449,	15576,	\ifhv@useOBox 9918, 9922
5315,	5706,	15578,	15580,	\ifHy@hyperfootnotes
5751,	5763,	15582,	15583, 10221
5776,	5779,	15584,	15586,	\ifHy@nesting 10270,
5781,	5811,	15626,	15633,	10281, 10292,
5815,	5816,	15940,	16257, 16361	10303, 10318, 10333
5830,	5855,	\ifdofullc@p		\ifinner 1873,
5880,	5915,	13560,	14084, 14675	3383, 3427,
5928,	5941,	\iffalse	2273,	3471, 9562,
5944,	5946,	2274,	2276,	15568, 16162, 16206
6194,	6215,	9674,	9675,	\ifL@image 10505
6235,	6244,	10601,	10964,	\ifLetrineImage 10476
6271,	6275,	10965,	12062,	\ifmaskcolors 15665,
6292,	6301,	12063,	12076, 12077	15676, 15708, 15725
6323,	6327,	\IfFileExists		\ifmmode 5415,
7058,	7063,	.. 2902, 4311, 4376		5420, 9018,
8915,	8917,	\iffootdir@debug ..		9028, 9756,
9048,	9559,	9205, 9209	9758, 9761,
9567,	9583,	\ifGin@iso	9864	9762, 9779,
9584,	9614,	\ifhbox 8487, 8497, 8501		9782, 9789,
9622,	9635,	\ifhmode 1867, 3377,		9798, 9804,
9650,	9683,	3421,	3465,	9808, 9811,
9684,	9767,	3666,	3672,	9825, 9850,
9774,	9813,	5421,	5423,	9857, 10405,
9820,	9865,	5430,	5436,	11773, 11774,
9935,	10073,	5455,	10348,	11991, 11992,
10089,	10528,	10360,	14867,	13111, 13113,
10585,	10931,	15648,	15650,	13117, 13121,
11052,	11095,	15687,	15691,	13123, 13128,
11102,	11106,	15744,	15892,	13132, 13135,
11108,	11147,	16024,	16025,	13139, 13141,
11192,	11200,	16070,	16156, 16200	13145, 15643,
11202,	11274,	\ifhv@fbox ..	10004,	15647, 15960, 16035
11282,	11284,	10010,	10017,	\ifNAT@openbib .. 11624
11356,	11367,	10023,	10029,	\ifnum 3,
11451,	11459,	10035,	10044,	129, 231, 273,
11465,	11479,	10048,	10053,	274, 275, 276,
11487,	11778,	10057,	10061,	278, 379, 428,
11803,	11861,	10065,	10079,	445, 473, 482,
11872,	11879,	10095,	10106,	565, 581, 599,
11884,	11899,	10110,	10115,	733, 794, 827,
13557,	13565,	10119,	10123,	845, 987, 1052,
14081,	14089,	10127,	10134,	1068, 1086,
14186,	14192,	10140,	10147,	1239, 1305,
14198,	14204,	10153,	10159, 10165	1306, 1307,

1308,	1310,	11819,	11828,	\ifodd . .
1349,	1350,	11850,	11855,	1884, 4282, 6353, 6370,
1899,	1941,	11866,	11877,	6430, 9073,
1978,	1979,	11878,	11884,	15599, 16249, 16314
4486,	4697,	11888,	11891,	\ifoddpage
4713,	4729,	11892,	11983,	2916
4795,	4797,	11984,	12000,	\ifonlinecaptions .
4799,	4876,	12134,	12150,	13531, 14055, 14646
4892,	4908,	12166,	12226,	\ifpoem@started . .
4974,	4976,	12228,	12230,	. . . 4460, 4466, 4613, 4620, 4634
4978,	5038,	12308,	12449,	\ifprimitive 2340, 2347
5132,	5181,	12508,	12524,	\ifrot@messages . . .
5196,	5221,	12540,	12591,	. . . 13081, 13093
5223,	5225,	12593,	12595,	\iftagsleft@ . 255, 6388
5235,	5316,	12695,	12742,	\ifthenelse
5575,	5583,	12756,	12784,	. . . 2187, 2204, 2208, 2212,
5588,	5595,	12786,	12788,	2220, 2805,
5738,	5747,	12878,	12927,	2875, 2877,
5757,	5902,	12942,	12967,	2880, 2884,
5911,	5921,	12969,	12971,	2887, 2890,
6135,	6549,	12981,	13276,	2915, 2972,
6563,	6576,	13288,	13375,	2991, 3006,
6585,	6673,	13393,	13408,	3011, 3017,
6770,	6819,	13409,	13431,	3026, 3031,
6833,	6835,	13744,	13756,	3037, 3043,
6837,	6847,	13843,	13861,	3044, 3051,
7139,	8731,	13870,	13888,	3058, 3060,
8746,	8763,	13898,	13899,	3066, 3083,
8851,	8901,	13920,	13932,	3101, 3103,
8903,	8905,	13948,	13956,	3107, 3125,
9166,	9168,	13964,	14378,	3126, 3129,
9170,	9179,	14390,	14477,	3130, 3165,
9181,	9183,	14495,	14505,	3174, 3185,
9329,	9425,	14506,	14527,	3195, 3244,
9438,	9451,	14806,	14807,	3359, 3581,
9683,	9685,	14808,	14809,	3599, 3600,
10512,	10569,	14811,	14896,	3631, 3632,
10572,	10604,	14898,	15016,	3745, 3750,
10892,	10893,	15020,	15062,	3772, 3777,
11046,	11079,	15081,	15103,	3799, 3804,
11189,	11219,	15120,	15137,	3873, 3877,
11271,	11301,	15154,	15171,	3925, 4138,
11387,	11399,	15189,	15208,	4184, 4193,
11411,	11504,	15228,	15263,	4201, 4228,
11510,	11664,	15322,	15327,	4275, 4344,
11674,	11791,	15345,	15518,	4355, 6039,
11797,	11809,	15607,	15839,	6045, 6062,
11812,	11813,	16076,	16077,	6065, 6066,
11814,	11816,	16091,	16253,	6067, 6068,
11817,	11818,	16275,	16370, 16371	

6069,	6155,	6267,	6319,	13808,	13816,
6160,	6163,	6895,	6911,	13822,	13834,
6164,	6165,	6915,	8959,	13848,	13875,
6166,	6167,	8991,	9326,	13905,	13975,
6170,	6174,	9527,	9793,	14037,	14044,
9139,	9154,	9835,	9836,	14142,	14172,
11730,	13035,	13080	9842,	9909,	14173,
\iftocstyle@autolength		9911,	9917,	14175,	14176,
.....	15367	9928,	9930,	14177,	14178,
\iftocstyle@indentnotnumbered		9933,	9934,	14179,	14183,
....	15412,	15459	9951,	9957,	14189,
\iftrue	2275,	9958,	9960,	14201,
		3324,	9963,	9975,	14213,
		3337,	9976,	9978,	14225,
\ifttl@label	14872	9981,	9990,	14240,
\ifvbox	8687	9992,	10001,	14296,
\ifvmode	3113,	3116,	10003,	10016,	14325,
	3119,	3122,	10043,	10052,	14337,
	10993,	11441,	10072,	10088,	14367,
	11694,	11714,	14775	10105,	14442,
\ifvoid	.	1976,	1996,	10114,	14450,
	5619,	5631,	10133,	10146,	14456,
	5658,	5674,	10180,	10186,	14482,
	5692,	5700,	10199,	10230,	14566,
	5733,	5858,	10241,	10252,	14635,
	5869,	5897,	10383,	10386,	14907,
	6198,	6219,	10389,	10392,	15334,
	6230,	6255,	10442,	10489,	15417,
	6287,	6309,	10897,	11156,	15442,
	7077,	7094,	11518,	11522,	15534,
	7104,	8710,	11526,	11650,	15541,
	8717,	9485,	11654,	11661,	15699,
	9643,	9664,	11667,	11746,	15954,
	11009,	11426,	11758,	11967,	16320,
	11906,	15749,	12011,	12024,	16322,
	15915		12037,	12292,	16323
\ifWF@float	15581,	15595	12296,	12433,	\ifXC@tst
\ifx	..	111,	717,	12437,	15679,
		971,	1223,	13168,	15728
		1227,	1749,	13194,	
		1755,	1761,	13223,	
		1776,	1807,	13235,	
		1860,	1863,	13265,	
		1939,	1965,	13340,	
		2193,	2194,	13354,	
		2195,	2197,	13380,	
		2257,	2260,	13452,	
		2295,	2313,	13520,	
		2384,	2572,	13662,	
		2588,	3613,	13691,	
		4537,	4588,	13703,	
		4593,	4595,	13733,	
				13804,	

5444,	5451,	14975,	14979,	16490,	16491,
6900,	6914,	14980,	14981,	16492,	16493,
6951,	6967,	14984,	14985,	16494,	16495,
6983,	6997,	14991,	14992,	16496,	16497,
7010,	7023,	14996,	14997,	16498,	16499,
9378,	9394,	14998,	15001, 15002	16500,	16501, 16502
9409,	9435,	\indexspace	4114	\InputIfExists	10480
9448,	9461,	\input . . .	1492, 1493,	\insert	35,
9877,	9881,	1500,	1531,	48, 63, 169,	182,
9886,	9891,	1552,	2040,	196, 1976,	6189,
10447,	11169,	4312,	4377,	6205,	6210,
11176,	12120,	16375,	16385,	6226,	6273,
12129,	12572,	16386,	16387,	6279,	6325,
12581,	13111,	16388,	16389,	6331,	6940,
13121,	13139,	16390,	16391,	6956,	6972,
13540,	13561,	16392,	16393,	7159,	7169,
13566,	13571,	16394,	16395,	7179,	7257,
13576,	13594,	16396,	16397,	7306,	7315,
14064,	14085,	16398,	16399,	7324,	7398,
14090,	14095,	16400,	16401,	7446,	7456,
14100,	14118,	16402,	16403,	7466,	7544,
14246,	14655,	16404,	16405,	7593,	7603,
14676,	14681,	16406,	16407,	7613,	7691,
14686,	14691,	16408,	16409,	7740,	7750,
14709,	15687,	16411,	16412,	7760,	7838,
15691,	15884,	16418,	16419,	7887,	7897,
15946,	15975,	16420,	16421,	7907,	7985,
	15984, 15993, 16002	16422,	16423,	8034,	8044,
\ilg	11800, 11823	16424,	16425,	8054,	8132,
\immediate .	1960, 4600	16426,	16427,	8181,	8191,
\includegraphics	2228,	16428,	16429,	8201,	8279,
	6041, 6172, 11732	16430,	16431,	8328,	8338,
\includepdf	11723	16432,	16433,	8348,	8426,
\indent	15890	16434,	16435,	8522,	8533,
\Indentedwidth	6913	16436,	16437,	8544,	8629,
\index	9122, 16329	16438,	16439,	9366, 9382,	9397
\indexname	519,	16440,	16441,	\insert@column	1337,
	520, 521, 535,	16442,	16443,	1338,	1339,
	536, 786, 787,	16444,	16445,	1340,	1342,
	1040, 1041,	16446,	16447,	1343,	1403,
	4098, 4099,	16448,	16449,	1405,	1406,
	4685, 4686,	16450,	16451,	1408,	1409,
	4864, 4865,	16452,	16453,	1410,	5391,
	5076, 5077,	16454,	16455,	5393,	5394,
	5078, 12104,	16456,	16457,	5396, 5397,	5398
	12105, 12361,	16458,	16459,	\insertpenalties .	9334
	12362, 12823,	16460,	16483,	\interfootnotelinepenalty	
	12824, 12825,	16484,	16485,	38, 51, 66, 172,	
	14973, 14974,	16486,	16487,	185, 199, 7086,	
		16488,	16489,		

9369, 9385, 9400	16465, 16467, 16469	11272, 11302, 11338
\interlinepenalty . . . 38, 51, 66, 172, 185, 199, 480, 543, 568, 797, 852, 1048, 1055, 3990, 4693, 4700, 4872, 4879, 5045, 5242, 5250, 5736, 5745, 5755, 5900, 5909, 5919, 6583, 6596, 6854, 6863, 7086, 8768, 8776, 9369, 9385, 9400, 11391, 11403, 11415, 12004, 12112, 12137, 12511, 12564, 12628, 12986, 12994, 13423, 13913, 14520, 14864, 14905, 15038, 15069, 15092, 15109, 15126, 15143, 15160, 15177, 15195, 15214, 15234, 15269, 15408, 15522, 15574, 16095	\isundefined . . . 3195, 3244, 6039, 6045, 6062, 6065, 6066, 6067, 6068, 6069, 6160, 6163, 6164, 6165, 6166, 6167, 6170, 6174 \item 98, 153, 524, 539, 790, 873, 1044, 4070, 4078, 4083, 4104, 4689, 4868, 5081, 9023, 9038, 12108, 12365, 12828, 15008 \itemindent . . . 4065, 4066, 4074, 15846, 15916, 15937 \itemsep 2864, 4011, 4050, 4064, 15905 \itemx 11550 \itemxo 11585 \itemxoxx 11595 \itemxx 11553 \itemxxo 11590 \itemxxox 11602 \itemxxx 11558 \itemxxxxo 11609 \itemxxxx 11565 \itemxxxxx 11574 \itshape 1657, 2200, 3874, 3876, 3880, 3887, 3894, 3929, 3936, 3943, 3950, 3957, 4261, 4262, 4263	\juo@sk 11189, 11219, 11259, 11271, 11301, 11338, 11371 \justifying . . . 2898, 2968, 3518, 12049 \JustifyingParfillskip 12055 \JustifyingParindent 2870, 3521, 4037, 12056
\intervmath@penalty 5318		K
\intextsep 15634, 15636		\keepthetitle . . . 11028
\InTheoType 6404, 11684, 11686, 11705, 11707		\kern . 28, 29, 30, 31, 163, 164, 165, 166, 459, 461, 465, 467, 643, 644, 646, 651, 652, 654, 667, 882, 884, 889, 891, 921, 1128, 1129, 1131, 1136, 1137, 1139, 1173, 1401, 1406, 1680, 1681, 1682, 1683, 1684, 1685, 1686, 1687, 1691, 1692, 1739, 1741, 1742, 3334, 3335, 3345, 3346, 3348, 3766, 3767, 3793, 3794, 3820, 3821, 4776, 4777, 4779, 4784, 4785, 4787, 4809, 4932, 4933, 4935, 4940, 4941, 4943, 4988, 5211, 5213, 5217, 5219, 5389, 5394, 5416, 6184, 6185, 6474,
\invoicename . . . 14209		
\isempty 2991, 3581, 3745, 3750, 3772, 3777, 3799, 3804, 4184, 4193, 4201, 4228		J
\isodd 13035, 13080	\juo@ht 11208, 11215, 11290, 11297, 11363, 11370	\juo@pr 11191, 11221, 11273, 11303
\isSC@ODD 14732, 14733, 14735, 14736, 16463,	\juo@sar 11190, 11220, 11259,	

6481,	6489,	14878,	15609,	\L@imagefalse . . . 10476
6496,	6535,	15613,	15619,	\L@imagetrue . . . 10476
6539,	6620,	15622,	15644,	\L@lbox . . . 10498,
6622,	6626,	15821,	15824,	10499, 10506,
6628,	6920,	15826,	15916, 16272	10508, 10513,
6922,	6926,	\keywords	251	10523, 10529,
6928,	6935,	\kill	10894	10530, 10541,
6936,	7051,	\KOMAClassName . . .		10542, 10543, 10556
7052,	8781,	13277, 13745, 14379		\l@LOKeys . . . 10490,
8783,	8787,	\KV@do	10497, 10502	10492, 10497, 10502
8789,	8926,	\KV@prefix	10495, 10500	\L@lraise . . . 10515,
8927,	8928,			10521, 10522,
9143,	9287,			10524, 10525, 10556
9288,	9290,	\l	6430, 6446,	\L@next 10537,
9291,	9292,		6449, 6455,	10538, 10549, 10551
9324,	9532,		6458, 6460,	\l@ngrel@x
9596,	9775,		6461, 6464,	. . . 2384, 2385, 2387
9821,	10456,		6465, 6468,	\L@Nindent . . . 10474,
10458,	10462,		6471, 6472,	10536, 10538,
10464,	11450,		6473, 6478,	10540, 10549, 10550
11545,	11546,		6479, 6480,	\L@oversize 10470
11547,	11548,		6486, 6487,	\l@paragraph
11974,	11977,		6488, 6493, 15136, 15503
12190,	12191,		6494, 6495,	\L@parshape . . . 10546,
12193,	12198,		6504, 6507, 6515	10549, 10553, 10555
12199,	12201,	\l@	15279	\l@part 427,
12242,	12381,	\L@ante		580, 598, 826,
12614,	12615,		10472, 10531, 10556	844, 1067, 1085,
12617,	12622,	\l@chapter	4736,	4712, 4728,
12623,	12625,		4750, 4915,	4891, 4907,
12774,	12776,		4929, 5195,	5180, 6562,
12780,	12782,		8745, 12173,	6818, 8730,
12957,	12959,		12187, 12547,	12149, 12165,
12963,	12965,		12561, 12755,	12523, 12539,
13193,	13197,		12941, 13897,	12741, 12926,
13200,	13202,		14504, 14929,	13374, 13842,
13206,	13512,		14930, 15061, 15487	13869, 14476,
13515,	13519,	\l@color	10485, 10486	14926, 14927,
13522,	13661,	\l@figure	3998,	15014, 15479, 15482
13665,	13668,		3999, 15170, 15515	\L@Pindent . . . 10529,
13670,	13674,	\L@Findent		10530, 10532,
14036,	14039,		10473, 10533, 10557	10533, 10535,
14043,	14046,	\L@first	10513,	10536, 10539, 10546
14162,	14164,		10514, 10517,	\L@raise . . . 10471, 10521
14167,	14168,		10518, 10520,	\l@section
14170,	14295,		10521, 10522,	. . . 444, 606, 619,
14299,	14302,		10523, 10528,	810, 823, 1094,
14304,	14308,		10531, 10532,	1107, 6548,
14627,	14630,		10534, 10535, 10546	13407, 15080, 15491
14634,	14637,	\L@hang	10469, 10530	

\L@slope	11568,	11570,	15938, 15940, 15943
10475, 10550, 10551	11572,	11575,	\langle
\l@subfigure 15207	11577,	11579,	\Larg ... 1657, 1658,
\l@subparagraph ...	11581,	11583,	1659, 1660, 1661
.... 15153, 15507	11586,	11588,	\Larga
\l@subsection	11591,	11593,	\Largb
.... 15102, 15495	11596,	11598,	\LARGE
\l@subsubsection ..	11600,	11603,	343,
.... 15119, 15499	11605,	11607,	414, 674, 764,
\l@subtable 15227	11610,	11612,	928, 1018, 1180,
\l@table	11614,	12210,	1271, 1282,
3999, 15188, 15511	12603,	12801,	3929, 3936,
\L@tbox	13005,	13470,	4018, 4261,
10510, 10514, 10558	13994,	14585,	4816, 4995,
\l@textcolor	14943,	15939, 15945	5096, 5167,
.... 10487, 10488	\labelwidth ..	85, 86,	6124, 6639,
\label	219,	220, 496,	6704, 6734,
3020,	497,	630, 631,	6805, 8817,
3024,	898,	899, 1150,	8882, 12249,
3074,	1151,	2237,	12339, 12388,
9965,	2239,	4028,	12485, 12496,
9983,	4029,	4763,	12654, 12842, 12913
\labelitemi 666, 920,	4764,	4956,	\Large 483, 3880, 3943,
983, 1172, 4808,	4957,	5266,	4017, 4262,
4987, 12241, 12380	5267,	6607,	4263, 6035,
\labelname .. 11551,	6608,	6879,	6128, 6586,
11554,	6880,	8795,	12730, 13243,
11556,	8796,	9688,	13249, 13251,
11559,	11551,	11554,	13267, 13356,
11566,	11556,	11559,	13363, 13365,
11563,	11561,	11563,	13368, 13711,
11568,	11570,	11561,	13717, 13719,
11572,	11575,	11566,	13735, 13824,
11577,	11579,	11568,	13831, 13833,
11581,	11583,	11570,	13836, 14345,
11586,	11588,	11572,	14351, 14353,
11591,	11593,	11575,	14369, 14458,
11596,	11598,	11579,	14465, 14467, 14470
11600,	11603,	11583,	\large .. . 345, 351,
11605,	11607,	11586,	416, 422, 436,
11610,	11588,	11591,	589, 681, 691,
11612,	11593,	11596,	766, 772, 835,
11614,	11598,	11600,	935, 945, 1020,
12208,	11598,	11605,	1026, 1076,
12209,	11603,	11607,	1187, 1197,
12601,	11607,	11610,	1273, 1279,
12602,	11612,	11614,	1283, 1288,
12799,	12601,	12800,	3887, 3950,
12800,	12799,	13003,	4016, 4721,
13004,	12800,	13003,	4823, 4833,
13004,	13468,	13469,	4900, 5002,
13469,	13468,	13992,	
13993,	13992,	14583,	
14584,	14583,	14941,	
14942,	14941,		

5012,	5098,	\lastskip@d . . .	5804,	12531,	12554,
5104,	5169,	5810,	5812,	12748,	12763,
5175,	5189,	5818,	5819,	12934,	12949,
6034,	6036,	5822,	5824,	13387,	13424,
6127,	6129,	5825,	5828, 5838	13855,	13882,
6571,	6641,	\LaTeX	10435,	13914,	14489,
6647,	6706,	15813, 15814, 15826		14521,	14739,
6712,	6736,	\LaTeXe . . .	15815, 15816	14870,	14893,
6742,	6807,	\LBEG	1662	15039,	15070,
6813,	6826,	\lcb 1659, 1662, 1663, 1666		15093,	15110,
8739,	8819,	\lccode . . .	15600, 15601	15127,	15144,
8825,	8884,	\Lcs	1673	15161,	15178,
8890,	12158,	\LcsStar	1674	15196,	15215,
12256,	12266,	\leaders	14920,	15235,	15270,
12341,	12347,	15418, 15527, 16100		15409,	15523,
12395,	12405,	\leavevmode	14,	15643,	15818,
12487,	12493,	140, 232, 298,		15823,	15825,
12497,	12502,	435, 452, 574,		15948, 16045, 16096	
12532,	12656,	588, 613, 667,		\left	15830
12662,	12749,	804, 817, 834,		\left@footnoterule .	
12844,	12850,	921, 984, 1061,	 30,	
12915,	12921, 12935	1075, 1101,		165, 335, 458,	
\Largr	1661	1173, 1791,		642, 662, 881,	
\Largs	1660	2169, 3665,		916, 1127, 1168,	
\lastbox 5817, 5821,		3991, 4394,		4775, 4804,	
5847,	8463,	4470, 4706,		4931, 4983,	
8486,	8496,	4720, 4743,		5088, 5210,	
8500,	10990,	4809, 4885,		6619, 6633,	
11906, 15749, 15914		4899, 4922,		6726, 6919,	
\lastbox@a . . .	5817,	4988, 5188,		8780, 8811,	
5818, 5821, 5822		5203, 5284,		9289, 9295,	
\LastFrameCommand .		5285, 5415,		9308, 9310,	
..... 9550, 9660		5467, 6556,		9438, 9451,	
\lastkern ..	3677, 9635	6570, 6825,		10455, 12189,	
\lastpenalty		7193, 7337,		12237, 12374,	
.. 5316, 13409,		7480, 7627,		12613, 12636,	
13899, 14506, 15327		7774, 7921,		12773, 12834,	
\lastrule	5361	8068, 8215,		12956, 13191,	
\lastskip 3152, 4526,		8362, 8738,		13215, 13511,	
4527,	4639,	8753, 9023,		13659, 13683,	
4640,	5315,	9038, 9464,		14035, 14162,	
5804,	5805,	9763, 9809,		14293, 14317, 14626	
5809,	5810,	9829, 10347,		\leftfootnoterule .	
5812,	5819, 5824	10985, 11392,		... 6181, 6932,	
\lastskip@a		11404, 11416,		9293, 9296,	
.. 5807, 5811, 5815		11905, 11971,		9524, 9747, 16378	
\lastskip@b . . .	5805,	11976, 12007,		\leftline . . . 11986,	
5807,	5809,	12143, 12157,		16016, 16022, 16024	
5811,	5815, 5816	12180, 12242,		\leftmargin	
		12381, 12517,		86, 220, 497, 498,	

631, 632, 870,	1056, 1057,	13421, 13425,
899, 900, 1151,	1062, 1073,	13853, 13856,
1152, 2239,	1099, 1102,	13857, 13880,
2240, 2861,	1103, 1121,	13883, 13884,
4008, 4067,	3985, 3993,	13911, 13915,
4068, 4075,	3994, 4500,	14487, 14490,
4081, 4764,	4695, 4701,	14491, 14518,
4765, 4957,	4702, 4707,	14522, 14862,
4958, 5267,	4718, 4741,	14874, 14891,
5268, 6608,	4744, 4745,	14912, 14914,
6609, 6880,	4874, 4880,	14919, 14923,
6881, 8796,	4881, 4886,	14924, 15034,
8797, 12004,	4897, 4920,	15035, 15036,
12209, 12210,	4923, 4924,	15044, 15065,
12602, 12603,	5186, 5201,	15066, 15067,
12800, 12801,	5204, 5205,	15075, 15088,
13004, 13005,	5340, 5342,	15089, 15090,
13469, 13470,	5344, 5458,	15098, 15105,
13993, 13994,	5459, 5465,	15106, 15107,
14584, 14585,	6554, 6557,	15115, 15122,
14942, 14943,	6558, 6568,	15123, 15124,
15856, 15859,	6823, 7118,	15132, 15139,
15869, 15873,	8677, 8736,	15140, 15141,
15881, 15970,	8751, 8754,	15149, 15156,
15972, 15973,	8755, 10972,	15157, 15158,
15974, 15979,	11062, 11063,	15166, 15173,
15981, 15982,	11389, 11393,	15174, 15175,
15983, 15988,	11394, 11401,	15183, 15191,
15990, 15991,	11406, 11413,	15192, 15193,
15992, 15997,	11418, 12015,	15201, 15210,
15999, 16000, 16001	12017, 12028,	15211, 15212,
\leftmargini . . . 2861,	12030, 12041,	15220, 15230,
4008, 4021, 4028	12043, 12052,	15231, 15232,
\leftmarginii 4022	12054, 12071,	15240, 15265,
\leftmarginiii 4023	12114, 12127,	15266, 15267,
\leftmarginiv 4024	12138, 12139,	15275, 15315,
\leftmarginv 4025	12144, 12155,	15316, 15317,
\leftmarginvi 4026	12178, 12181,	15340, 15402,
\leftmarginwidth 12770	12182, 12512,	15403, 15404,
\leftmark 4358	12513, 12518,	15410, 15413,
\leftskip 12,	12529, 12552,	15460, 15520,
13, 138, 139,	12555, 12556,	15525, 15548,
232, 236, 433,	12566, 12579,	15555, 16031,
450, 453, 454,	12630, 12746,	16032, 16093, 16098
545, 558, 569,	12761, 12764,	\LEND 1663
570, 575, 586,	12765, 12770,	\LenToUnit
611, 614, 615,	12771, 12932,	. . 6348, 6362, 6380
798, 799, 805,	12947, 12950,	\leqno . . . 255, 11982,
815, 818, 819,	12951, 13385,	11984, 16369, 16371
832, 854, 1050,	13388, 13389,	\let 83, 98, 111,

153,	217,	246,	1260,	1261,	3022,	3028,
254,	255,	267,	1262,	1270,	3073,	3074,
299,	300,	303,	1296,	1297,	3156,	3158,
320,	324,	328,	1301,	1317,	3160,	3306,
333,	334,	335,	1318,	1319,	3307,	3320,
336,	337,	338,	1355,	1356,	3324,	3326,
339,	357,	358,	1357,	1382,	3327,	3333,
359,	360,	361,	1383,	1384,	3337,	3341,
362,	363,	364,	1385,	1390,	3350,	3592,
365,	366,	367,	1425,	1426,	3593,	3620,
368,	392,	393,	1485,	1487,	3621,	3649,
394,	395,	396,	1489,	1505,	3743,	3764,
397,	398,	399,	1545,	1547,	3770,	3791,
400,	401,	402,	1549,	1598,	3797,	3818,
403,	404,	411,	1599,	1600,	3834,	3838,
412,	413,	501,	1601,	1602,	3841,	3845,
524,	539,	635,	1603,	1604,	3848,	3852,
660,	661,	662,	1605,	1606,	3999,	4063,
663,	664,	702,	1607,	1608,	4104,	4191,
703,	704,	705,	1746,	1747,	4258,	4259,
706,	707,	708,	1748,	1775,	4260,	4385,
709,	710,	711,	1792,	1793,	4386,	4388,
746,	747,	748,	1794,	1795,	4389,	4407,
749,	750,	751,	1796,	1797,	4428,	4429,
752,	753,	754,	1798,	1799,	4430,	4431,
755,	756,	763,	1800,	1802,	4432,	4433,
790,	903,	914,	1803,	1804,	4434,	4435,
915,	916,	917,	1915,	1916,	4436,	4439,
918,	956,	957,	1917,	1918,	4440,	4441,
958,	959,	960,	1919,	1920,	4442,	4443,
961,	962,	963,	1921,	1922,	4444,	4445,
964,	965,	1000,	1923,	1953,	4446,	4447,
1001,	1002,		1960,	2243,	4508,	4534,
1003,	1004,		2252,	2257,	4584,	4590,
1005,	1006,		2273,	2274,	4611,	4624,
1007,	1008,		2281,	2282,	4634,	4648,
1009,	1010,		2285,	2286,	4652,	4653,
1017,	1044,		2357,	2360,	4654,	4655,
1155,	1166,		2368,	2385,	4656,	4657,
1167,	1168,		2407,	2429,	4658,	4659,
1169,	1170,		2430,	2560,	4660,	4666,
1208,	1209,		2640,	2642,	4667,	4668,
1210,	1211,		2643,	2644,	4669,	4670,
1212,	1213,		2645,	2646,	4671,	4672,
1214,	1215,		2701,	2712,	4673,	4674,
1216,	1217,		2719,	2725,	4689,	4768,
1252,	1253,		2731,	2738,	4802,	4803,
1254,	1255,		2742,	2744,	4804,	4805,
1256,	1257,		2853,	2983,	4806,	4844,
1258,	1259,		2984,	3021,	4845,	4846,

4847,	4848,	6285,	6286,	7296,	7300,
4849,	4850,	6290,	6320,	7301,	7302,
4851,	4852,	6322,	6334,	7303,	7305,
4853,	4868,	6337,	6338,	7434,	7435,
4961,	4981,	6612,	6631,	7436,	7440,
4982,	4983,	6632,	6633,	7441,	7442,
4984,	4985,	6634,	6635,	7443,	7445,
5023,	5024,	6653,	6654,	7581,	7582,
5025,	5026,	6655,	6656,	7583,	7587,
5027,	5028,	6657,	6658,	7588,	7589,
5029,	5030,	6659,	6660,	7590,	7592,
5031,	5032,	6661,	6662,	7728,	7729,
5081,	5086,	6686,	6687,	7730,	7734,
5087,	5088,	6688,	6689,	7735,	7736,
5089,	5090,	6690,	6691,	7737,	7739,
5091,	5092,	6692,	6693,	7875,	7876,
5110,	5111,	6694,	6695,	7877,	7881,
5112,	5113,	6696,	6703,	7882,	7883,
5114,	5115,	6724,	6725,	7884,	7886,
5116,	5117,	6726,	6727,	8022,	8023,
5118,	5119,	6728,	6729,	8024,	8028,
5120,	5121,	6730,	6748,	8029,	8030,
5145,	5146,	6749,	6750,	8031,	8033,
5147,	5148,	6751,	6752,	8169,	8170,
5149,	5150,	6753,	6754,	8171,	8175,
5151,	5152,	6755,	6756,	8176,	8177,
5153,	5154,	6757,	6758,	8178,	8180,
5155,	5156,	6759,	6783,	8316,	8317,
5157,	5164,	6784,	6785,	8318,	8322,
5165,	5166,	6786,	6787,	8323,	8324,
5271,	5295,	6788,	6789,	8325,	8327,
5297,	5300,	6790,	6791,	8505,	8506,
5301,	5302,	6792,	6793,	8507,	8511,
5308,	5313,	6794,	6795,	8512,	8513,
5333,	5346,	6802,	6803,	8514,	8516,
5347,	5348,	6804,	6884,	8684,	8800,
5350,	5351,	6930,	6931,	8809,	8810,
5356,	5357,	6932,	6933,	8811,	8812,
5358,	5359,	6934,	7026,	8813,	8831,
5371,	5380,	7027,	7028,	8832,	8833,
5421,	5427,	7029,	7030,	8834,	8835,
5448,	6179,	7031,	7033,	8836,	8837,
6180,	6181,	7034,	7035,	8838,	8839,
6182,	6183,	7036,	7037,	8840,	8864,
6186,	6187,	7038,	7039,	8865,	8866,
6189,	6207,	7147,	7148,	8867,	8868,
6208,	6210,	7149,	7153,	8869,	8870,
6228,	6229,	7154,	7155,	8871,	8872,
6233,	6268,	7156,	7158,	8873,	8874,
6270,	6282,	7294,	7295,	8881,	8936,

8960,	8963,	10907,	10913,	12286,	12321,
8964,	8992,	10925,	10940,	12322,	12323,
8995,	8996,	10941,	10942,	12324,	12325,
9074,	9075,	10964,	10965,	12326,	12327,
9077,	9078,	10966,	10967,	12328,	12329,
9081,	9082,	10968,	10976,	12330,	12331,
9111,	9113,	11023,	11024,	12338,	12365,
9121,	9122,	11025,	11030,	12372,	12373,
9123,	9133,	11031,	11032,	12374,	12375,
9136,	9268,	11033,	11034,	12376,	12377,
9296,	9322,	11035,	11036,	12378,	12416,
9323,	9425,	11037,	11038,	12417,	12418,
9438,	9451,	11094,	11097,	12419,	12420,
9476,	9477,	11098,	11100,	12421,	12422,
9478,	9479,	11101,	11496,	12423,	12424,
9513,	9528,	11499,	11519,	12425,	12426,
9534,	9539,	11520,	11523,	12427,	12462,
9674,	9675,	11524,	11527,	12463,	12464,
9676,	9677,	11528,	11631,	12465,	12466,
9747,	9748,	11632,	11633,	12467,	12468,
9749,	9750,	11726,	11731,	12469,	12470,
9751,	9832,	11745,	11771,	12471,	12472,
9866,	9868,	11772,	11907,	12473,	12474,
10222,	10223,	11911,	11954,	12482,	12483,
10224,	10265,	11955,	11956,	12484,	12606,
10266,	10267,	11957,	11960,	12634,	12635,
10309,	10310,	11961,	11963,	12636,	12637,
10311,	10324,	11968,	11978,	12638,	12639,
10325,	10326,	11979,	11980,	12640,	12668,
10339,	10340,	11981,	11982,	12669,	12670,
10341,	10350,	11989,	11990,	12671,	12672,
10351,	10353,	12008,	12012,	12673,	12674,
10354,	10355,	12014,	12025,	12675,	12676,
10356,	10363,	12027,	12038,	12677,	12678,
10365,	10366,	12040,	12050,	12679,	12708,
10367,	10368,	12051,	12062,	12709,	12710,
10369,	10370,	12063,	12064,	12711,	12712,
10371,	10372,	12065,	12066,	12713,	12714,
10384,	10387,	12076,	12077,	12715,	12716,
10390,	10393,	12078,	12079,	12717,	12718,
10430,	10431,	12080,	12089,	12719,	12720,
10432,	10433,	12091,	12092,	12726,	12727,
10486,	10496,	12108,	12213,	12728,	12804,
10501,	10601,	12235,	12236,	12828,	12832,
10884,	10885,	12237,	12238,	12833,	12834,
10886,	10888,	12239,	12277,	12835,	12836,
10890,	10894,	12278,	12279,	12837,	12838,
10896,	10898,	12280,	12281,	12856,	12857,
10899,	10901,	12282,	12283,	12858,	12859,
10902,	10903,	12284,	12285,	12860,	12861,

12862,	12863,	13773,	13774,	14664,	14740,
12864,	12865,	13775,	13776,	14741,	14742,
12866,	12867,	13777,	13778,	14746,	14757,
12891,	12892,	13779,	13780,	14758,	14759,
12893,	12894,	13781,	13782,	14766,	14767,
12895,	12896,	13783,	13784,	14773,	14782,
12897,	12898,	13785,	13786,	14783,	14784,
12899,	12900,	13787,	13788,	14786,	14789,
12901,	12902,	13789,	13790,	14793,	14796,
12903,	12910,	13791,	13792,	14798,	14801,
12911,	12912,	13793,	13794,	14857,	14886,
13008,	13033,	13795,	13796,	14915,	14920,
13060,	13061,	13797,	13801,	14926,	14929,
13078,	13150,	13802,	13803,	14946,	15008,
13151,	13152,	14005,	14030,	15012,	15041,
13213,	13214,	14031,	14057,	15042,	15043,
13215,	13216,	14058,	14059,	15072,	15073,
13217,	13218,	14060,	14061,	15074,	15095,
13219,	13221,	14062,	14068,	15096,	15097,
13285,	13302,	14069,	14070,	15112,	15113,
13303,	13304,	14071,	14072,	15114,	15129,
13305,	13306,	14073,	14252,	15130,	15131,
13307,	13308,	14253,	14254,	15146,	15147,
13309,	13310,	14315,	14316,	15148,	15163,
13311,	13312,	14317,	14318,	15164,	15165,
13313,	13314,	14319,	14320,	15180,	15181,
13315,	13316,	14321,	14323,	15182,	15198,
13317,	13318,	14387,	14404,	15199,	15200,
13319,	13320,	14405,	14406,	15217,	15218,
13321,	13322,	14407,	14408,	15219,	15237,
13323,	13324,	14409,	14410,	15238,	15239,
13325,	13326,	14411,	14412,	15272,	15273,
13327,	13328,	14413,	14414,	15274,	15321,
13329,	13333,	14415,	14416,	15537,	15545,
13334,	13335,	14417,	14418,	15550,	15557,
13481,	13506,	14419,	14420,	15566,	15570,
13507,	13533,	14421,	14422,	15648,	15653,
13534,	13535,	14423,	14424,	15663,	15667,
13536,	13537,	14425,	14426,	15696,	15706,
13538,	13544,	14427,	14428,	15710,	15750,
13545,	13546,	14429,	14430,	15754,	15797,
13547,	13548,	14431,	14435,	15798,	15799,
13549,	13618,	14436,	14437,	15800,	15803,
13619,	13620,	14596,	14621,	15804,	15806,
13681,	13682,	14622,	14648,	15811,	15813,
13683,	13684,	14649,	14650,	15815,	15827,
13685,	13686,	14651,	14652,	15828,	15829,
13687,	13689,	14653,	14659,	15849,	15963,
13753,	13770,	14660,	14661,	16004,	16007,
13771,	13772,	14662,	14663,	16008,	16022,

16023,	16041,	936, 1021, 1188,	495, 629, 868,
16046,	16047,	1274, 1283,	897, 1149, 4046,
16048,	16052,	2073, 4824,	4064, 4073,
16064,	16065,	5003, 5099,	4081, 4762,
16066,	16067,	5170, 6642,	4955, 5265,
16073,	16074,	6707, 6737,	6606, 6878,
16075,	16299,	6808, 8820,	8794, 11623,
16301,	16314,	8885, 9125,	12207, 12600,
16315,	16316,	10926, 10973,	12798, 13002,
16317,	16319,	12072, 12086,	13465, 13989,
16320,	16322,	12257, 12342,	14580, 14940, 15838
16323,	16328,	12396, 12488,	\listdoubleitemmaincolumnwidth 2143,
16329,	16330,	12497, 12657,	2156, 2157,
16353,	16356,	12733, 12845,	2158, 2185, 2189
16368,	16369,	12916, 13243,	\listfigurename 3968, 3969
16377,	16378,	13357, 13711,	\listitemmaincolumnwidth 2142,
16379,	16504, 16506	13825, 14345,	2150, 2151, 2183
\Letter 2089	14459, 14761,	\listitemsymbol 2084,
\lettergroup 4115	14801, 16069, 16331	2141, 2182,
\LettrineDepth	... 10543	\lineskiplimit	2184, 5990, 6088
\LettrineFont 10498, 10508 9126, 16331	\listitemsymbolwidth 2140,
\LettrineFontEPS	10506	\linespacing 24	2141, 2151, 2157
\LettrineHeight	. 10542	\linewidth 2197, 3050,	\listoffigures ... 3966
\LettrineTextFont 10510, 10519	9024, 9039,	\listoftables 3974
\LettrineWidth 10499, 10541	9043, 9686,	\listparindent
\lftside 11837, 11839, 11842, 11844, 11858, 11860	9694, 9695, 9697, 9698, 9912, 10534,	868, 4066, 4073, 4074, 15845, 15854
\line	... 5477, 5478, 5480, 5481, 5487, 5488, 5490, 5491, 5500, 5501, 5503, 5504, 5510, 5511, 5513, 5514, 5523, 5524, 5526, 5527, 5533, 5534, 5536, 5537, 5546, 5547, 5549, 5550, 5556, 5557, 5559, 5560, 11985, 11986, 11987	11700, 11718, 11720, 11795, 11801, 11887, 11896, 11897, 11948, 11950, 12069, 12083, 15791, 15793, 15855, 15856, 15883, 15970, 15972, 15973, 15974, 15979, 15981, 15982, 15983, 15988, 15990, 15991, 15992, 15997, 15999, 16000, 16001, 16291, 16294	\listtablename 3976, 3977
\lineskip	. 321, 346, 417, 682, 767,	\link 2203 \list 85, 219,	\llap ... 4053, 6403, 7059, 8941, 8946, 9754, 9877, 9879, 9881, 9883, 9886, 9888, 9891, 9893, 10556, 14875, 14893
			\LoadClass . 4300, 4324
			\long 34, 47, 62, 168, 181, 195, 375, 665, 730, 919, 982, 1171, 1236, 1591, 1810, 1813, 1816, 1821, 1824, 1827,

2325,	2329, 12725, 12731	\LT@err 1946, 1980
2362,	2387,	\loop ... 5570, 5695,	\LT@final@warn ... 1969
2391,	2501,	5701, 5806,	\LT@foot 1983,
2520,	2595,	5861, 5873,	1987, 1996, 1999
2611,	2623,	8484, 8494,	\LT@get@widths ... 1958
2632,	2664,	11793, 11829,	\LT@head ... 1990, 2003
2692,	2704,	11856, 11867, 11894	\LT@hline 10894
2705,	2990,	\lower 11976,	\LT@kill 10894
3133,	3393,	15636, 15823, 15825	\LT@lastfoot
3397,	3401,	\lowercase . 2838, 3537	... 1983, 1985, 1996
3437,	3441,	\lowertitleback ...	\LT@LL@FM@cr
3445,	3481,	13326, 13794, 14428 10903, 10907
3485,	3489,	\LR ... 10431,	\LT@make@row 10924
3658,	3742,	11956, 11976,	\LT@makecaption . 10928
3769,	3796,	15799, 15823, 15825	\LT@mcol .. 10884, 10929
4541,	4544,	\lrb 1661, 1670	\LT@no@pgbk 10892, 10893
4547,	4551,	\LRE ... 1486, 1546,	\LT@nofcols 10923
4554,	4557,	10430, 11956,	\LT@output 1977
4807,	4986,	11959, 15799, 15802	\LT@p@ftn ... 10947,
5128,	5414,	\LRfootnoterule ...	10948, 10950, 10951
6188,	6209,	.. 6183, 6934, 9296	\LT@p@ftntext ... 10940
6669,	6766,	\lsb 1660, 1668	\LT@p@LTRftntext ...
8847,	9366,	\lst@alloverstyle 10941, 10946
9382,	9397, 1649, 1655	\LT@p@RTLftntext ...
9424,	9437,	\lst@ifnumberbychapter 10942, 10949
9450,	9752, 10601, 10602	\LT@rows 10918
9762,	9808,	\lst@Key 10561	\LT@save@row
9849,	9856,	\lst@makecaption 10592	... 1954, 1963, 1965
10268,	10279,	\lst@maketitle ...	\LT@setprevdepth 10919
10290,	10301,	10593, 10596, 10598	\LT@start 1956
10316,	10331,	\lst@title@dropdelim	\LT@startpbox
10577,	11044, 10593	10900, 10907, 10938
11094,	11144,	\lstKV@SwitchCases .	\LT@tabularcr ... 10890
11166,	11531, 10562	\LT@warn 1967
11535,	11539,	\lstset 1619	\LT@capwidth 10929
11776,	11970,	\LT@ch@l ... 10886, 10888	\LT@left 10878,
12240,	12305,	\LT@e@save@row ... 1965	10880, 10882, 10920
12379,	12446,	\LT@tabarray	\LT@post 1975
12644,	12687, 10885, 10889	\LT@r 11773,
12874,	13166,	\LT@array ... 1949, 10875	11948, 11991, 15791
13634,	14141,	\LT@bchunk	\LT@column@boxes ..
14243,	14268,	10916, 10923, 10927	11457, 11500, 11502
15642,	15817,	\LT@caption 10894	\LT@outputdblcol ..
15947,	16172,	\LT@cols 10929	... 5641, 8980,
16176,	16180,	\LT@echunk 1955	9703, 11266,
16216,	16220,	\LT@end@pen . 1971, 1979	16124, 16152, 16154
16224,	16283,	16358	\LT@endpbox 10896
			\LT@bidi@tufte@idenote@marginpar
			.. 3420, 3703, 3843
			\LT@columnfootnotes
		 7041

\LTrdblcol	16154	9495,	11031,	7934,	7946,
\LTrdfnmakecol . . .	6341	12377,	12417,	7959,	7986,
\LTRfootnote . . .	338,	12463,	12483,	7999,	8035,
412, 1747, 1755,		12639,	12669,	8045,	8055,
3828, 4172,		12709,	12727,	8081,	8093,
5091, 5165,		12837,	12857,	8106,	8133,
6729, 6803,		12892,	12911,	8146,	8182,
9351, 12377,		13218,	13303,	8192,	8202,
12483, 12639,		13334,	13686,	8228,	8240,
12727, 12837,		13771,	13802,	8253,	8280,
12911, 13218,		14320,	14405, 14436	8293,	8329,
13334, 13686,		\ltx@firstofthree .		8339,	8349,
13802, 14320, 14436	 9221, 9245		8375,	8387,
\LTRfootnotetext . . .		\ltx@ifundefined . .		8400,	8427,
... 1814, 1825,	 9215, 9239		8440,	8523,
4545, 4555,		\ltx@secondofthree .		8534,	8545,
9497, 9499, 10947	 9224, 9248		8570,	8583,
\LTRfoottextfont . . .		\ltx@thirdofthree .		8596,	8630, 8644
... 6976, 6983,		.. 9217, 9234, 9241		\m@m@h	7129,
7004, 7010,				7131,	7133,
7081, 7171,				7136,	7137, 7142
7199, 7219,		M		\m@m@k	7129,
7317, 7343,		\m@addvipersep . . .		7131,	7136,
7362, 7458,	 11211, 11293		7139,	7140, 7142
7486, 7506,		\m@m@float@spacing 7045		\m@m@makecolfloats .	
7605, 7633,		\m@m@footnote@spacing	 8682, 8723	
7653, 7752,		... 6942, 6958,		\m@m@makecolintro .	
7780, 7800,		6974, 6990,	 8697, 8716	
7899, 7927,		7003, 7016,		\m@m@makecoltext . .	
7947, 8046,		7044, 7160,	 8686, 8725	
8074, 8094,		7170, 7180,		\m@m@singlespace . 7043	
8193, 8221,		7206, 7218,		\m@m@make@eightcol@footgroup	
8241, 8340,		7231, 7258,		.. 8027, 8119, 8159	
8368, 8388,		7271, 7307,		\m@m@make@eightcolfootfmt	
8535, 8562, 8584		7316, 7325,	 8118, 8154	
\LTright	10878,	7350,	7361,	\m@m@make@eightcolfootnotetext	
10880, 10882, 10921		7373,	7399, 8116, 8130	
\LTrmarginnote . . .	3840	7411,	7447,	\m@m@make@fivecol@footgroup	
\LTrmarginpar . . .	16155	7457,	7467,	.. 7586, 7678, 7718	
\LTrmulticolcolumns		7493,	7505,	\m@m@make@fivecolfootfmt	
.	11498	7518,	7545, 7677, 7713	
\LTrsidenote	3824	7558,	7594,	\m@m@make@fivecolfootnotetext	
\LTrthanks	338, 358,	7604,	7614, 7675, 7689	
393, 412, 4172,		7640,	7652,	\m@m@make@footstart .	
4180, 4197,		7665,	7692,	... 7115, 7125,	
4213, 4224,		7705,	7741,	7246, 7387,	
5091, 5111,		7751,	7761,	7533, 7680,	
5146, 5165,		7787,	7799,	7827, 7974,	
6729, 6749,		7812,	7839,	8121, 8268, 8415	
6784, 6803,		7852,	7888,		
		7898,	7908,		

\m@make@fourcol@footgroup	\m@make@ninecolfootnotetext	\m@mipn@skip
.. 7439, 7531, 7571 8263, 8277	.. 8468, 8475, 8477
\m@make@fourcolfootfmt	\m@make@para@footgroup	\m@mmakehboxofhboxes
..... 7530, 7566	.. 8510, 8610, 8660 8480,
\m@make@fourcolfootnotetext	\m@make@para@footstart	8491, 8663, 8670
..... 7528, 7542 8612, 8674	\m@mmf@prepare 6954,
\m@make@mpeightcol@footgroup	\m@make@parafootfmt	6970, 6986,
.. 8032, 8120, 8163 8609, 8654	7050, 7168,
\m@make@mpeightcolfootnote	\m@make@parafootnotetext	7178, 7188,
..... 8117, 8142 8607, 8627	7214, 7227,
\m@make@mpfivecol@footgroup	\m@make@sevencol@footgroup	7239, 7266,
.. 7591, 7679, 7722	.. 7880, 7972, 8012	7278, 7314,
\m@make@mpfivecolfootnote	\m@make@sevencolfootfmt	7323, 7332,
..... 7676, 7701 7971, 8007	7357, 7369,
\m@make@mpfourcol@footgroup	\m@make@sevencolfootnotetext	7380, 7406,
.. 7444, 7532, 7575 7969, 7983	7418, 7455,
\m@make@mpfourcolfootnote	\m@make@sixcol@footgroup	7465, 7475,
..... 7529, 7554	.. 7733, 7825, 7865	7501, 7514,
\m@make@mpninecol@footgroup	\m@make@sixcolfootfmt	7526, 7553,
.. 8179, 8267, 8310 7824, 7860	7565, 7602,
\m@make@mpninecolfootnote	\m@make@sixcolfootnotetext	7612, 7622,
..... 8264, 8289 7822, 7836	7648, 7661,
\m@make@mppara@footgroup	\m@make@tencol@footgroup	7673, 7700,
.. 8515, 8611, 8667	.. 8321, 8413, 8453	7712, 7749,
\m@make@mpparafootnotetext	\m@make@tencolfootfmt	7759, 7769,
..... 8608, 8640 8412, 8448	7795, 7808,
\m@make@mpsevencol@footgroup	\m@make@tencolfootnotetext	7820, 7847,
.. 7885, 7973, 8016 8410, 8424	7859, 7896,
\m@make@mpsevencolfootnote	\m@make@threecol@footgroup	7906, 7916,
..... 7970, 7995	.. 7299, 7385, 7424	7942, 7955,
\m@make@mpsixcol@footgroup	\m@make@threecolfootfmt	7967, 7994,
.. 7738, 7826, 7869 7384, 7419	8006, 8043,
\m@make@mpsixcolfootnote	\m@make@threecolfootnotetext	8053, 8063,
..... 7823, 7848 7382, 7396	8089, 8102,
\m@make@mptencol@footgroup	\m@make@twocol@footgroup	8114, 8141,
.. 8326, 8414, 8457	.. 7152, 7244, 7284	8153, 8190,
\m@make@mptencolfootnote	\m@make@twocolfootfmt	8200, 8210,
..... 8411, 8436 7243, 7279	8236, 8249,
\m@make@mpthreecol@footgroup	\m@make@twocolfootnotetext	8261, 8288,
.. 7304, 7386, 7428 7241, 7255	8300, 8337,
\m@make@mpthreecolfootnote	\m@ndoextrafeet ...	8347, 8357,
..... 7383, 7407 7072, 8722	8383, 8396,
\m@make@mptwocol@footgroup	\m@ndoextrafeetendmini	8408, 8435,
.. 7157, 7245, 7288 7100, 7110	8447, 8532,
\m@make@mptwocolfootnote	\m@ndoextrafeetmini	8543, 8554,
..... 7242, 7267 7091	8579, 8592,
\m@make@ninecol@footgroup	\m@mdosplits .. 7134,	8605, 8639, 8653
.. 8174, 8266, 8306	7138, 7139, 7140	\m@mold@footnotetext
\m@make@ninecolfootfmt	\m@minterparanoteglue 7026, 7033
..... 8265, 8301 8476, 8478	\m@mold@LTRfootnotetext

..... 7027, 7034	9039, 10925,	12370, 12419,
\m@mold@mpfootnotetext	15418, 15527,	12441, 12465,
\m@mold@mpLTRfootnotetext	15830, 15965,	12633, 12671,
\m@mold@mpLTRfootnotetext	16037, 16039, 16100	12682, 12711,
\m@mold@mpRTLfootnotetext	\maincolumnwidth	12831, 12859,
\m@mold@mpRTLfootnotetext	2138,	12870, 12894,
\m@mold@RTLfootnotetext	2147, 2148,	13207, 13278,
\m@mopfootnote	2149, 2150,	13305, 13675,
\m@mopfootnote	2152, 2156,	13746, 13773,
\m@mopfootnote	2171, 2175, 2200	14309, 14380, 14407
\m@mopfootnote	\mainmatter	\maketitledetailsnewline
\m@mopsidebar 8709, 8724	4351	... 6146, 6161,
\m@mremovehboxes	\makeatletter 2567, 2586	6163, 6164,
..... 8500,	\makebox	6165, 6166, 6167
8501, 8664, 8671	6391,	\maketitledetailwidth
\m@mrigidbalance	6396, 6465, 6138,
..... 7131,	6468, 6471,	6140, 6141,
7136, 7287,	6478, 6486,	6142, 6143, 6158
7291, 7427,	6493, 6534, 6538	\maketitlehookb . 11089
7431, 7574,	\makefooter	\maketitlehookc . 11091
7578, 7721,	.. 6055, 6056, 6072	\maketitlenamefullwidth
7725, 7868,	\MakeFramed 6132, 6133, 6135
7872, 8015,	9552	\maketitlenamemaxwidth
8019, 8162,	\makelabel 6130, 6131, 6135
8166, 8309,	4053, 15849, 15934	\maketitlenamewidth
8313, 8456, 8460	\maketag@@@ 6134,
\m@msplitoff 7139, 7141	.. 263, 6389, 6402	6135, 6141, 6153
\m@mungebox	\makethanksmark . 11044	\maketitlepage
... 8469, 8532,	\maketitle 4234, 4276
8543, 8554,	106, 240, 247, 332,	\maketitlepicturewidth
8579, 8592,	360, 371, 395, 6136,
8605, 8639, 8653	658, 703, 725,	6137, 6143, 6172
\m@muvxh .. 8461, 8470	747, 912, 957,	\MakeUppercase 121,
\m@one	979, 1001, 1164,	493, 520, 521,
231, 473,	1209, 1231,	536, 627, 787,
482, 2272, 2365,	1253, 1587,	895, 1041, 1147,
3388, 3432,	1599, 2164,	4686, 4760,
3476, 5038,	4148, 4252,	4865, 4953,
5196, 5235,	4276, 4800,	5077, 5078,
5570, 6576,	4845, 4979,	5263, 6604,
6585, 6847,	5024, 5085,	6876, 8792,
8746, 8763,	5113, 5124,	12105, 12205,
11431, 12000,	5148, 6037,	12362, 12598,
12756, 12942,	6151, 6630,	12824, 12825, 13000
12981, 13375,	6654, 6665,	\marginline
13898, 14505,	6687, 6723,	13526, 14050, 14641
15020, 15062,	6751, 6762,	\marginnote
15346, 16167,	6786, 8808,	3833
16211, 16246, 16249	8832, 8843,	\marginpar 2960, 3622,
\m@th 323, 6392, 6397,	8865, 10363,	13527, 14051, 14642
6403, 9024,	10364, 11039,	
	12233, 12278,	
	12300, 12322,	

\marginparpush		\mdf@footnoteoutput	11008	\memRTLrightskip 11063
..... 2893, 16265				\memRTLvleftskip 11064
\marginparsep		\mdf@frametitleaboveskip@length\memRTLvrightskip	11065	
... 1577, 2049,	 11003		\message 1528, 1530,
2934, 2937,	 10984		9560, 9568,
2941, 3087,		\mdf@frametitlebelowskip@length	9585,	9572, 9577,
3094, 9876,	 11004	9591,	
9878, 9882,		\mdf@frametitlebox .	9601,	9606,
9887, 9890,		. 10983, 10996,	9608,	9615,
9892, 16276, 16278		10997, 10998,	9623,	9636,
\marginparwidth		10999, 11001, 11002	9644,	9649,
... 1576, 2050,		\mdf@frametitlefont .	9654,	9667,
2933, 2938,	 10986	9678,	9686, 9698
2950, 3042,		\mdf@frametitlefontcolor .		\MessageBreak . 1967,
3312, 3405,	 10985	2757,	2771,
3449, 3493,		\mdf@horizontalmargin@equation .	2783,	2797,
9876, 9878,	 10961	2974,	3064,
9890, 9892,		\mdf@ignorevbadness .	3291,	3292,
16184, 16228, 16278	 10995	3360,	3907,
\markboth			3908,	3909,
120, 487, 4356, 6590		\mdf@lrbox 10954, 10983	3911,	3912,
\mathindent . 9025, 9041		\mdf@par@local .. 10977	3916,	3917,
\mathsurround 5312		\mdf@patchchasthm 10955	3918,	3920,
\max@poem@no		\mdfframedtitleenv .	3921,	11140,
.. 4486, 4595, 4596	 10982	11141,	11434,
\maxdepth 8726		\mdfframetitleboxdepth .	11453,	11515,
\maxdimen 8528, 8539,	 10999	13279,	13491,
8550, 8575,		\mdfframetitleboxheight .	13498,	13747,
8588, 8601,	 10998	14015,	14022,
8635, 8649,		\mdfframetitleboxtotalheight .	14381, 14606, 14613	
8908, 8952,	 11000	\MH 6405, 6411, 6424,	
8953, 8954,		\mdfframetitleboxwidth .	6439,	6451,
8984, 8985,	 10997	6459,	6506,
8986, 9559,		\mdseries 234,	6522,	6524,
15478, 15481,		6031, 6033,	6528, 6529, 6531	
15486, 15490,		6035, 6036,	\MHInternalSyntaxOff .. 9548, 9592, 9660	6546
15494, 15498,		6123, 6124,		\MHInternalSyntaxOn
15502, 15506,		6125, 6128, 6129		
15510, 15514, 15570		\meaning 2256, 6386	
\mbox 9837, 10556, 14246		2259, 2331,	\MidFrameCommand ..	
\mc@col@status@write		2557, 2584,	.. 9548, 9592, 9660	
11461, 11482		2599, 2617,	\minrowclearance ..	
		2625, 2634, 2698	.. 1387, 1421, 5409	
\mc@gridwarn 11451		\medskip 4393	\mintagvsep 6406	
\mc@lastcol@status@write		\medskipamount .. 6914	\mkern 15419,	
11467, 11490		\mem@makecol 8715, 8727	15420, 15528, 16101	
\mdf@footenotedistance@length\memRTLleftskip . 11062			\mobile 2126	
..... 11011		\memRTLraggedleft 11067	\Mobilefone 2086	
\mdf@footnoteinput .		\memRTLraggedright .	\mobilesymbol	
..... 11019	 11066	.. 2086, 6065, 6163	

\modernpoem	4648	\multiply	1561, 1566, 1905, 8519, 8520, 8624, 8625, 11812, 11816	2121, 2123, 2126, 2129, 2132, 2144, 2165, 2174, 2182, 2190, 2201, 2207, 2216, 2251, 2293, 2311, 2326, 2335, 2345, 2355, 2361, 2420, 2547, 2622, 2708, 2734, 2804, 2806, 2832, 2868, 2896, 2898, 2932, 2970, 2976, 2979, 2987, 2989, 3000, 3100, 3138, 3331, 3508, 3510, 3512, 3514, 3516, 3518, 3528, 3590,	2122, 2125, 2127, 2130, 2133, 2145, 2172, 2178, 2184, 2199, 2203, 2211, 2228, 2287, 2305, 2323, 2328, 2339, 2352, 2358, 2376, 2425, 2571, 2631, 2722, 2803, 2805, 2829, 2837, 2895, 2897, 2913, 2968, 2971, 2977, 2980, 2988, 2997, 3082, 3310, 3328, 3339, 3509, 3511, 3513, 3515, 3517, 3519, 3536, 3612,
\modernpoem@obeylines	4388, 4648				
\modernpoem@par	4388, 4389, 4612	\myrefname	14197		
\morefloats .	3194, 3291	N			
\moreLRE	1487, 1547, 11912, 15755	\n@xt	1485, 1487, 1489, 1490, 1545, 1547, 1549, 1550	2174, 2182, 2190,	2178, 2184, 2199,
\moveleft ..	3344, 11346	\na ...	11815, 11817, 11819, 11828, 11830, 11855, 11856	2201, 2207, 2216,	2203, 2211, 2228,
\moveright	9127, 11444, 16334	\narrower	16030		
\mp@footgroupv@r ..	7096, 7128, 7158, 7305, 7445, 7592, 7739, 7886, 8033, 8180, 8327, 8516	\NAT@bibitem@first@sw			
\mpfootnoterule ..	9323, 9327				
\MT ...	6425, 6431, 6433				
\mult@cols	11530				
\mult@footnotetext ..	11518, 11520, 11531	\NeedsTeXFormat ...			
\mult@gfirstbox ..	11458, 11472, 11478				
\mult@info	11432				
\mult@LTRfootnotetext	11522, 11524, 11535	\new@command	2367, 2369	2868,	2895,
\mult@rightbox	11425, 11465, 11466, 11468, 11487, 11488, 11491	\new@poem@width ...		2896,	2897,
\mult@RTLfootnotetext	11526, 11528, 11539			2898,	2913,
\multfootsep	3662, 3680			2932,	2968,
\multic平@leftmargin 11435, 11444			2970,	2971,
\multicols .	1939, 11503	\newblock	2251, 4503, 4610, 11625, 11627	2976,	2977,
\multicolumn 10884, 14788	\newboolean	... 2807, 2811, 2813,	2979,	2980,
\multiplefootnotemarker	... 3661, 3677, 3766, 3767, 3793, 3794, 3820, 3821, 7049, 7051, 7052	\newbox ...	4458, 4459	2987,	2988,
				2989,	2997,
				3000,	3082,
				3100,	3310,
				3318,	3328,
				3331,	3339,
				3508,	3509,
				3510,	3511,
				3512,	3513,
				3514,	3515,
				3516,	3517,
				3518,	3519,
				3528,	3536,
				3590,	3612,

3618,	3643,	11644	2139,	2140,
3644,	3676,	\newif ..	1465, 1467,	2142,	2143,
3823,	3824,		1468, 1469,	2226,	2929,
3825,	3833,		1470, 1471,	2930,	2931,
3840,	3847,		1472, 1473,	2985,	3002,
3858,	3859,		1475, 1476,	3739,	6130,
3982,	4035,		1533, 1534,	6132,	6134,
4115,	4128,		1535, 1536,	6136,	6138,
4162,	4163,		2007, 2036,	15281, 15283, 15284	
4164,	4165,		2215, 2573,	\newline ...	2197, 3158
4166,	4167,		4337, 4460,	\newlinechar	1506
4168,	4169,		5978, 5980,	\newlineinspace	
4220,	4234,		5982, 5984,	... 3155, 3175,	
4394,	4598,		6049, 6076,	3176, 3177,	
4599,	6146,		6078, 6080,	4357, 4358, 4359	
6340,	6341,		6082, 6145,	\newlistentry	
9139,	9142,		9197, 9205, 10953 15246, 15313	
9201,	9206,	\newinsert	3197, 3198,	\newpage 385, 407, 739,	
9208,	9214,		3199, 3200,	759, 993, 1013,	
9230,	9254,		3201, 3202,	1245, 1265,	
9266,	9320,		3203, 3204,	4253, 4290,	
9414,	9416,		3205, 3206,	4291, 5138,	
9900,	10567,		3207, 3208,	5160, 5972,	
11495,	11498,		3209, 3210,	6679, 6699,	
11501,	13148,		3211, 3212,	6776, 6798,	
13149,	13616,		3213, 3214,	8857, 8877,	
13617,	14250,		3215, 3216,	10891, 11053,	
14251,	15746,		3217, 3218,	12314, 12334,	
15747,	16011,		3219, 3220,	12455, 12477,	
16012,	16153, 16154		3221, 3222,	12701, 12723,	
\newcount			3223, 3224,	12884, 12906,	
.. 1557, 1558, 7129			3225, 3226,	13294, 13762, 14396	
\newcounter			3227, 3228,	\newpoem@tabcr	
.. 3589, 4594,			3229, 3230,	.. 4611, 4620, 4621	
9050,	9199,		3246, 3247,	\newsavebox ... 1694,	
15249, 15253, 15254			3248, 3249,	2946, 2981, 2982	
\newdimen ..	4400, 7129		3250, 3251,	\newskip 1732, 1733,	
\newenvironment 1695,			3252, 3253,	1734, 2370, 8475	
1706,	1715,		3254, 3255,	\newthought	4056
1724,	2229,		3256, 3257,	\newtoks 1745, 4401,	
2947,	2962,		3258, 3259,	9207, 11908, 15751	
2965,	3003,		3260, 3261,	\next@tpage	
3124,	4583,		3262, 3263,	. 13224, 13256,	
4647,	15967,		3264, 3265,	13266, 13269,	
15976,	15985, 15994		3266, 3267,	13337, 13692,	
\newfloat@setwithin			3268, 3269,	13724, 13734,	
..... 11658,			3270, 3271,	13737, 13805,	
11664, 11672, 11674			7048, 7121, 7127	14326, 14358,	
\newfloat@Error . 11677		\newlength	2134, 2135,	14368, 14371, 14439	
\newfloat@setwithin			2136, 2138,		

\ninecolumnfootnotes		13391,	13425,	4542,	4545,
.....	8167	13426,	13428,	4548,	4600,
\ninecolumnfootstyle		13453,	13858,	5764,	5929,
.....	8262	13859,	13885,	6282,	6334,
\no@bib@break	13886,	13915,	9052,	9053,
13477, 14001, 14592		13916,	13918,	9058,	9059,
\noalign	1301, 1952,	14243,	14492,	9111,	10920,
4514, 7139,		14493,	14522,	10947,	10950,
10891, 10892, 10893		14523,	14525,	11157,	13474,
\nobibliography	... 3586	14880,	14897,	13475,	13998,
\nobreak	14, 16, 140,	14904,	15044,	13999,	14589,
142, 437, 455,		15047,	15075,	14590,	14755,
484, 488, 575,		15076,	15098,	14793,	14794,
576, 590, 616,		15099,	15115,	15256,	15550,
805, 806, 820,		15116,	15132,	15551,	15552,
836, 1062, 1063,		15133,	15149,	15553,	15554,
1077, 1104,		15150,	15166,	15555,	15556,
2003, 3669,		15167,	15183,	15557,	15558,
3994, 3995,		15184,	15201,	15671,	15686,
4414, 4416,		15202,	15220,	15714,	15720,
4422, 4707,		15221,	15240,	15733, 16062, 16299	
4708, 4722,		15241,	15275,	\noindent 375,
4746, 4886,		15276,	15311,	551, 560,	860,
4887, 4901,		15411,	15416,	1114,	1123,
4925, 5041,		15424,	15525,	1591,	2956,
5049, 5061,		15526,	15530,	3143,	3691,
5190, 5206,		16098, 16099, 16103		3708,	3725,
5238, 5243,		\nobreakspace 483	3836,	3843,
5251, 5460,		\noexpand	313, 1767,	3850,	4058,
6559, 6572,		1768,	1782,	4078,	4239,
6587, 6591,		1783,	1811,	4241,	4243,
6599, 6827,		1814,	1817,	4756,	4949,
6850, 6855,		1961,	2263,	5128,	5325,
6864, 6907,		2330,	2331,	6669,	6766,
6908, 8740,		2333,	2552,	6910,	8530,
8756, 8765,		2553,	2554,	8541,	8552,
8769, 8777,		2556,	2557,	8577,	8590,
10348, 10454,		2582,	2584,	8603,	8637,
11010, 11395,		2602,	2603,	8651,	8666,
11406, 11407,		2604,	2607,	8673,	8847,
11418, 11419,		2614,	2615,	9753,	10554,
12003, 12005,		2616,	2618,	11117,	12120,
12144, 12145,		2624,	2625,	12129,	12572,
12159, 12183,		2627,	2633,	12581,	12649,
12518, 12519,		2634,	2636,	12692,	12874,
12533, 12557,		2695,	2697,	13185,	13224,
12750, 12766,		2698,	3558,	13337,	13453,
12936, 12952,		3560,	3568,	13568,	13573,
12983, 12987,		3906,	3909,	13653,	13692,
12995, 13390,		3915,	3918,	13805,	14092,

14097,	14156,	6668,	6671,	4841,	4947,
14187,	14193,	6765,	6768,	4950,	4991,
14199,	14205,	6846,	6862,	5020,	5093,
14211,	14217,	7060,	7064,	5107,	5161,
14223,	14229,	7066,	8762,	6636,	6650,
14235,	14244,	8775,	8846,	6700,	6731,
14287,	14326,	8849,	10440,	6745,	6799,
14439,	14683,	10986,	11043,	8814,	8828,
14688,	15594, 16029	11420,	12304,	8878,	11396,
\nointerlineskip . . .		12306,	12445,	11406,	11407,
... 6199, 6220,		12447,	12643,	11418,	11419,
9531,	10993,	12650,	12686,	12118,	12121,
11442,	16273, 16281	12693,	12873,	12245,	12274,
\nopagebreak		12876,	12980,	12335,	12384,
. 4468, 4478, 10893		12993,	15301,	12413,	12478,
\nopagenumbers . . .	2216	15306,	15307,	12570,	12573,
\normalbaselines 15830		15531,	16104, 16373	12651,	12665,
\normalbaselineskip	238, 2854,	\normalfootnotes	7032, 7039	12724,	12839,
10974, 12073, 12087		\normallineskip 2074,		12853,	12907,
\normalcolor . . .	1913,	10973, 12072, 12086		13233,	13255,
5421,	6520,	\normalparindent 41,		13266,	13337,
7096,	7106,	54, 69, 175, 188, 202		13345,	13425,
8705,	9487,	\normalsfcodes	9120, 16327	13701,	13723,
9540,	10440,	\normalsize 234, 2847,		13734,	13805,
11012,	11420,	2848,	2855,	13813,	13915,
15531,	15648,	3416,	3460,	14335,	14357,
16104,	16135,	3504,	3596,	14368,	14439,
16338,	16348, 16373	3957,	6033,	14447,	14522,
\normalfont 25, 37, 50,		6125,	9120,	15044,	15075,
65, 82, 171, 184,		11175,	12732,	15098,	15115,
198, 216, 374,		13192,	13201,	15132,	15149,
377, 481, 729,		13660,	13669,	15166,	15183,
731, 985, 1235,		14294,	14303,	15201,	15220,
1237,	1590,	16195, 16239, 16326		15240,	15275,
1593,	1657,	\NOT 3043, 3044, 3083,		15411, 15525, 16098	
1662,	1663,	3103,	3107,	\number 8, 134, 2568,	
1665,	1666,	3745,	3772,	4486,	4587,
1667,	1668,	3799,	3873, 3877	6206,	6227,
1669,	1670,	\null	340,	6272,	6278,
1671,	2895,	354,	408, 549,	6281,	6324,
3508,	3596,	552,	670, 699,	6330,	6333,
3660,	3880,	760,	858, 861,	6443,	6446, 11506
3887,	3894,	924,	953, 1014,	\numberline	
4086,	5037,	1112,	1115,	.. 3136, 11169,	
5057,	5127,	1176,	1205,	14974,	15321,
5130,	5234,	1266,	3994,	15539,	15542, 15545
5249,	6392,	4503,	4754,	\numberline@tempa 15541	
6397,	6403,	4757,	4812,	\numberwithin	256
6584,	6597,			\nxLcs . 1673, 1674, 1675	

O		
\obeylines .	4504, 4612	\origin@endpgfpicture
\oddpage 1558, 1562,	1563, 1564,	11772, 11774
1567, 1568, 1569		
\oddsidemargin 1580,		\origin@endpspicture
2045, 6371, 16315		11990, 11992
\on@stripcols@break		\origin@pgfpicture
..... 5848		11771, 11773
\onecolumn 525, 541,	792, 1046, 2083,	\origin@pspicture
4691, 4870,	5082, 12110,	11989, 11991
12367, 12829, 15009		\origin@RaggedLeft
\opening	6895, 10442	12091, 12093, 12094
\OptArg	1674, 1740	\origin@RaggedRight
\OptArg@i	1740, 1741	12092, 12093, 12094
\OptArg@ii	1740, 1742	\othermargin 802
\OptArgs	1739	\outer@nobreak 1931,
\optparams 3023, 3823,	3824, 3825,	3410, 3454,
3827, 3828, 3829		3498, 16189, 16233
\OR	3017, 3083,	\outputpenalty 1978,
3103, 3107, 3359		1979, 5738,
\or	1337, 1338,	5739, 5747,
1339, 1341,		5748, 5757,
1342, 1362,		5758, 5902,
1363, 1364,		5903, 5911,
1368, 1369,		5912, 5921, 5922
\overfullrule 2034, 2035		\overfullrule 2034, 2035
		P
		\p@
	28, 29, 30, 31,	28, 99, 150, 154,
		95, 163, 164, 165,
		166, 238, 341,
		430, 447, 459,
		461, 465, 467,
		518, 523, 534,
		538, 567, 583,
		601, 608, 643,
		651, 671, 785,
		789, 796, 812,
		829, 847, 882,
		884, 889, 891,
		925, 1039, 1043,
		1054, 1070,
		1088, 1096,
		1128, 1136,
		1177, 2073,
		2074, 2078,
		2079, 2849,
\orig@footnotetext 11519, 11534	2850, 2851,
\orig@LTRfootnotetext 11523, 11538	2858, 2859,
\orig@RTLfootnotetext 11527, 11542	2860, 2862,
		2863, 4005,
		4006, 4007,
		4009, 4010,
		4076, 4684,
		4688, 4699,
		4715, 4731,
		4738, 4776,
		4784, 4813,
		4863, 4867,
		4878, 4894,
		4910, 4917,
		4932, 4940,
		4992, 5036,
		5042, 5047,
		5051, 5053,
		5056, 5059,
		5063, 5065,
		5075, 5080,
		5094, 5183,
		5198, 5211,
		5213, 5217,
		5219, 5233,
		5239, 5244,
		5247, 5252,
		5475, 5485,
		5498, 5508,
		5521, 5531,
		5544, 5554,
		5871, 6184,
		6185, 6551,
		6565, 6620,
		6622, 6626,
		6628, 6637,
		6732, 6821,
		6845, 6851,
		6856, 6860,
		6865, 6920,
		6922, 6926,
		6928, 6935,
		6936, 8733,
		8748, 8761,
		8766, 8770,
		8773, 8778,
		8781, 8783,
		8787, 8789,
		8815, 8916,
		9287, 9288,
		9290, 9291,
		9292, 9324,
		9767, 9774,
		9813, 9820,

9865,	10438,	635, 903, 1155,	\PackageWarning . . .
10456,	10458,	2243, 4768,	. . . 2373, 4589,
10462,	10464,	4961, 5271,	5987, 6085,
10528,	11095,	6612, 6884,	9054, 9665,
11388,	11400,	8800, 12213,	10482, 11452,
11412,	11545,	12606, 12804,	11505, 11638, 15251
11546,	11547,	13008, 13481,	\page@sofar 11424
11548,	12103,	14005, 14596, 14946	\pagebreak
12107,	12136,	\p@subfigure 14766	10892, 15578, 15587
12152,	12168,	\p@subtable 14767	\pagedepth 15572
12175,	12190,	\PackageError . 2372,	\pagefillstretch 15584
12198,	12246,	2804, 2840,	\pagefilstretch . 15583
12360,	12364,	2842, 3539,	\pagefootnoterule .
12385,	12510,	3541, 3859, 9322, 9330
12526,	12542,	10566, 10678,	\pagegoal 1974,
12549,	12614,	10681, 10684,	1984, 9559,
12622,	12652,	10687, 10690,	9561, 9566,
12744,	12758,	10693, 10696,	9573, 9614,
12774,	12776,	10700, 10703,	9616, 11358, 15575
12780,	12782,	10706, 10709,	\pageinwindow 5577
12822,	12827,	10712, 10715,	\pagenundering
12840,	12929,	10718, 10721, 2081, 4341
12944,	12957,	10724, 10727,	\pageref . . . 2220, 2222
12959,	12963,	10730, 10733,	\pageshrink . . . 9575,
12965,	12979,	10736, 10739,	9579, 9595,
12984,	12988,	10742, 10745,	9621, 9633, 15578
12991,	12996,	10748, 10751,	\pagestretch . . . 9574,
13193,	13197,	10754, 10757,	9595, 9633, 15582
13200,	13202,	10760, 10763,	\pagestyle 1556, 2072,
13206,	13377,	10766, 10769,	2080, 2223,
13412,	13512,	10772, 10775,	3163, 4342, 6071
13515,	13519,	10778, 10781,	\pagetotal . . . 9561,
13522,	13661,	10784, 10787,	9566, 9572,
13665,	13668,	10790, 10793,	11052, 11356,
13670,	13674,	10796, 10799,	11359, 11370,
13845,	13872,	10802, 10805,	15570, 15575, 15633
13902,	14036,	10808, 10811,	\paperheight
14039,	14043,	10814, 10817,	. . . 2009, 2012,
14046,	14162,	10820, 10823,	2015, 2018,
14164,	14167,	10826, 10829,	2021, 2024,
14168,	14170,	10832, 10835,	2027, 2028, 6348
14295,	14299,	10838, 10841,	\paperwidth . . . 2010,
14302,	14304,	10844, 10847,	2013, 2016,
14308,	14479,	10850, 10853,	2019, 2022,
14509,	14627,	10856, 10859,	2025, 2028,
14630,	14634,	10862, 10865,	2029, 6348, 6356
14637,	15007,	10868, 10871,	\par 5, 15,
15282,	15335,	11511, 14908, 15260	45, 58, 73, 103,
15519,	16092, 16383	\PackageInfo	104, 105, 106,
		. 2374, 2806, 15561	131, 141, 158,

159,	160,	179,	5105,	5124,	10444,	10449,
192,	206,	237,	5167,	5173,	10452,	10454,
240,	324,	343,	5177,	5189,	10527,	10586,
349,	351,	352,	5206,	5238,	10925,	10966,
371,	414,	420,	5243,	5251,	10989,	10993,
424,	436,	455,	5327,	5460,	11039,	11111,
484,	487,	552,	5832,	6192,	11117,	11123,
562,	576,	589,	6213,	6559,	11127,	11133,
616,	679,	689,	6571,	6587,	11148,	11167,
696,	697,	725,	6590,	6598,	11176,	11396,
764,	770,	774,	6639,	6645,	11408,	11421,
806,	820,	835,	6647,	6648,	11552,	11564,
861,	875,	933,	6665,	6704,	11625,	11779,
943,	950,	951,	6710,	6714,	11948,	11949,
979,	1018,	1024,	6734,	6740,	11950,	11951,
1028,		1063,	6742,	6743,	11995,	11996,
1076,		1104,	6762,	6805,	12003,	12004,
1115,		1125,	6811,	6815,	12064,	12078,
1185,		1195,	6826,	6850,	12121,	12131,
1202,		1203,	6855,	6864,	12145,	12158,
1231,		1271,	6897,	6902,	12183,	12254,
1277,		1282,	6905,	6907,	12264,	12271,
1287,		1290,	6908,	6918,	12272,	12300,
1587,		1929,	7102,	7196,	12339,	12345,
1938,		3037,	7199,	7202,	12349,	12393,
3045,		3104,	7283,	7340,	12403,	12410,
3105,		3108,	7343,	7346,	12411,	12441,
3109,		3134,	7423,	7483,	12485,	12491,
3143,		3144,	7486,	7489,	12496,	12501,
3313,		3329,	7570,	7630,	12504,	12519,
3996,		4111,	7633,	7636,	12532,	12557,
4112,		4113,	7717,	7777,	12573,	12583,
4114,		4239,	7780,	7783,	12649,	12654,
4241,		4243,	7864,	7924,	12660,	12662,
4261,		4262,	7927,	7930,	12663,	12682,
4263,		4479,	8011,	8071,	12692,	12730,
4493,		4504,	8074,	8077,	12735,	12738,
4522,		4604,	8158,	8218,	12749,	12766,
4612,		4637,	8221,	8224,	12842,	12848,
4708,		4721,	8305,	8365,	12850,	12851,
4746,		4757,	8368,	8371,	12870,	12913,
4821,		4831,	8452,	8666,	12919,	12923,
4838,		4839,	8673,	8739,	12935,	12952,
4887,		4900,	8756,	8765,	12983,	12987,
4925,		4950,	8769,	8777,	12995,	13184,
5000,		5010,	8817,	8823,	13231,	13236,
5017,		5018,	8825,	8826,	13239,	13241,
5041,		5049,	8843,	8882,	13246,	13249,
5061,		5096,	8888,	8892,	13251,	13253,
5102,		5104,	9048,	9483,	13259,	13267,

13273,	13343,	15794,	15890,	11606,	11607,
13349,	13352,	15893,	15968,	11608,	11609,
13354,	13360,	15977,	15986,	11611,	11612,
13363,	13365,	15995,	16066,	11613,	11614,
13368,	13371,	16105,	16362, 16383	11615,	14187,
13392,	13429,	\par@updaterelative		14193,	14199,
13453,	13563,	13227,	14205,	14211,
13567,	13568,	13339,	13695,	14217,	14223,
13572,	13573,	13807,	14329, 14441	14229,	14235, 14246
13577,	13652,	\paragraph 3892	\parfillskip	13, 139,
13699,	13704,	\paragraphfootnotes		434,	451, 571,
13707,	13709,	8503	587,	612, 800,
13714,	13717,	\paragraphfootstyle		816,	833, 1058,
13719,	13721,	8606	1074,	1100,
13727,	13735,	\parbox	. 2169, 2171,	3987,	4498,
13741,	13811,	6059,	6913,	4703,	4719,
13817,	13820,	8939,	8940,	4742,	4882,
13822,	13828,	8941,	8944,	4898,	4921,
13831,	13833,	8945,	8946,	5187,	5202,
13836,	13839,	10005,	10007,	5355,	5466,
13860,	13887,	10011,	10013,	6555,	6569,
13919,	14087,	10044,	10045,	6824,	8557,
14091,	14092,	10048,	10049,	8561,	8565,
14096,	14097,	10106,	10107,	8657,	8737,
14101,	14155,	10110,	10111,	8752,	10973,
14187,	14193,	10135,	10137,	11389,	11401,
14199,	14205,	10141,	10143,	11413,	12018,
14211,	14217,	10929,	11105,	12031,	12044,
14223,	14229,	11134,	11550,	12055,	12072,
14235,	14237,	11552,	11553,	12140,	12156,
14240,	14243,	11555,	11557,	12179,	12514,
14247,	14286,	11558,	11560,	12530,	12553,
14333,	14338,	11562,	11564,	12747,	12762,
14341,	14343,	11565,	11567,	12933,	12948,
14348,	14351,	11569,	11570,	13386,	13422,
14353,	14355,	11571,	11572,	13854,	13881,
14361,	14369,	11573,	11574,	13912,	14488,
14375,	14445,	11576,	11577,	14519,	14859,
14451,	14454,	11578,	11579,	14888,	14918,
14456,	14462,	11580,	11581,	15036,	15067,
14465,	14467,	11582,	11583,	15090,	15107,
14470,	14473,	11584,	11585,	15124,	15141,
14494,	14526,	11587,	11588,	15158,	15175,
14678,	14682,	11589,	11590,	15193,	15212,
14683,	14687,	11592,	11593,	15232,	15267,
14688,	14692,	11594,	11595,	15404,	15406,
14798,	15312,	11597,	11598,	15520,	16006, 16093
15318,	15430,	11599,	11600,	\parindent	12, 41, 54,
15532,	15791,	11601,	11602,	69,	99, 138, 154,
15792,	15793,	11604,	11605,	175,	188, 202,

375, 433, 450,	12516, 12529,	2077, 2872,
479, 522, 537,	12552, 12649,	3523, 4031,
573, 586, 611,	12692, 12729,	4039, 4102,
665, 682, 788,	12746, 12761,	4257, 4496,
803, 815, 832,	12826, 12874,	4528, 4606,
869, 919, 936,	12932, 12947,	4641, 4688,
982, 1042, 1060,	12980, 12992,	4867, 5080,
1073, 1099,	13185, 13385,	5738, 5747,
1171, 1188,	13421, 13653,	5757, 5902,
1591, 2076,	13853, 13880,	5911, 5921,
2871, 3522,	13911, 14156,	6901, 6904,
3988, 4030,	14287, 14487,	6906, 6908,
4038, 4103,	14518, 14869,	10448, 10451,
4256, 4497,	14906, 15006,	10453, 10969,
4607, 4687,	15037, 15068,	10978, 11785,
4705, 4718,	15091, 15108,	12067, 12081,
4741, 4807,	15125, 15142,	12107, 12364,
4824, 4866,	15159, 15176,	12729, 12827,
4884, 4897,	15194, 15213,	14180, 15007,
4920, 4986,	15233, 15268,	15340, 15569,
5003, 5037,	15340, 15401,	15573, 15853, 15901
5057, 5079,	15402, 15521,	\part 23
5128, 5186,	15854, 16006,	\partname ... 483, 6586
5201, 5234,	16031, 16032, 16094	\partopsep 4052, 11090, 11092, 11694, 11714
5248, 5352,	\parsep 872,	\PassOptionsToClass 4294,
5374, 5465,	2863, 2864,	4295, 4296,
6554, 6568,	4010, 4011,	4297, 4298,
6582, 6595,	4049, 4076, 15853	4318, 4319, 4320, 4321, 4322
6669, 6766,	\parshape 5324,	\PassOptionsToPackage 3368, 4141
6823, 6846,	9687, 9695,	\pdfstringdefDisableCommands 10429
6861, 7191,	10555, 11700,	\penalty 674,
7335, 7478,	11720, 11785,	928, 1180, 1971,
7625, 7772,	11948, 11950,	1975, 4418,
7919, 8066,	12648, 12691,	4747, 4816,
8213, 8360,	13172, 13181,	4926, 4995,
8556, 8560,	13640, 13649,	5207, 5312,
8564, 8656,	14146, 14153,	5318, 5736,
8679, 8736,	14274, 14283,	5745, 5755,
8751, 8762,	15791, 15793,	5900, 5909,
8774, 8847,	15883, 15970,	5919, 8474,
9752, 10969,	15972, 15973,	8558, 8562,
11390, 11402,	15974, 15979,	8566, 8659,
11414, 11619,	15981, 15982,	8757, 9596,
12019, 12032,	15983, 15988,	12184, 12249,
12045, 12056,	15990, 15991,	
12067, 12106,	15992, 15997,	
12142, 12155,	15999, 16000, 16001	
12178, 12240,	\parskip 99,	
12257, 12363,	154, 523, 538,	
12379, 12396,	789, 1043, 1584,	

12388,	12558,	\poem@lineversesep .	\prevdepth . . . 3037,
12767,	12953, 4415, 4474	3045, 6262,
13395,	13401,	\poem@needrun . 4407,	6316, 11095, 11449
13432,	13863,	4534, 4588, 4590	\pRLE 1488,
13865,	13890,	\poem@obeylines 4508,	1489, 1548, 1549
13892,	13922,	4584, 4624, 4648	\process@cols 11425,
13924,	14497,	\poem@prop . 4489, 4598	11458, 11472, 11478
14499,	14529,	\poem@startedfalse .	\ProcessOptions 1497,
14531,	15328,	.. 4506, 4622, 4628	2039, 2830,
15436,	15574, 15919	\poem@startedtrue .	3867, 4126,
\pgfpicture	11771, 11773 4464,	4158, 4299,
\phantom 11447	4465, 4505,	4323, 5989, 6087
\phantomsection	.. 2167	4614, 4616,	\protect 320,
\phone 2127	4621, 4629, 4631	1486, 1487,
\phonesymbol	\poem@verse	1488, 1489,
	.. 2087, 6066, 6164	.. 4402, 4472, 4475	1505, 1546,
\photo 2132	\poem@width	1547, 1548,
\picbox 11890	... 4405, 4406,	1549, 1749,
\picinwindow 5597	4410, 4487,	1755, 1761,
\picwd 11778,	4489, 4492, 4533	1767, 1776,
	11781, 11889, 11891	\poem@write@aux ..	1782, 2429,
\plainauthor	.. 3175,	.. 4536, 4587, 4599	2430, 3136,
	4161, 4163,	\poemblocksep	9111, 9497,
	4202, 4203, 4206	.. 4399, 4503, 4610	9511, 10913,
\plainfootnotes	.. 7039	\poemcolsepskip ..	11169, 14788,
\plainpublisher 4390, 4419	14789, 14793,
	.. 4164, 4229, 4230	\poemextrabaselineskip	14801, 14974,
\plaintitle 4392, 4480, 4515	15318, 15740, 16299
	.. 3176, 3177,	\poemmarginskip ..	\protected 1546, 1548,
	4161, 4162,	.. 4391, 4413, 4414	2372, 2373,
	4185, 4186,	\poemskip	2374, 2377,
	4189, 4357, 4359	.. 4393, 4493, 4524	2385, 2387,
\plitemsep 4050	\postbibhook .. . 11182	2393, 2579,
\plparsep 4049	\postdisplaypenalty	2595, 2611,
\plpartopsep 4052 9022, 9036	2634, 2636,
\pLRE 1486,	\postmath 5318	2686, 2714,
	1487, 1546, 1547	.. 6395, 6400, 6403	2727, 11914,
\plttopsep 4051	\PotEndMark	11923, 11932,
\poem@finish	\predisplaydirection	11940, 15757,
	.. 4537, 4586, 4593 11983,	15766, 15775, 15783
\poem@line	11984, 16370, 16371	\protected@edef 42,
	.. 4456, 4462, 4513	\predisplaypenalty	55, 70, 176, 189,
\poem@linebegin 9021, 9035	203, 3692, 3709,
 4413, 4471	\premath 5314	3726, 6947,
\poem@lineend	4414, 4477 9708, 9728	6963, 6979,
\poem@lineparsebegin	...	\preparefootins ..	6992, 7005,
	.. 4425, 4482, 4509 1334,	7018, 7163,
\poem@lineparseend	.. 4451, 4463, 4520	1344, 1392,	7173, 7183,
		1424, 5384, 5412	7209, 7222,
		\presig@skip .. . 14246	7234, 7261,

7274,	7310,	2101,	2102,	14139,	14249,
7319,	7328,	2103,	2104,	14730,	14737,
7353,	7365,	2105,	2106,	14764,	14769,
7376,	7402,	2107,	2108,	14804,	14834,
7414,	7450,	2109,	2110,	14853,	14882,
7460,	7470,	2111,	2112,	14931,	15011,
7496,	7509,	2113,	2114,	15319,	15565,
7521,	7548,	2115,	2255,	15641,	15745, 16503
7561,	7597,	3654,	3661,	\ProvidesPackage . . .	
7607,	7617,	3662,	4056,	1431, 1555,	
7643,	7656,	6050,	6055, 9229	1611,	1744,
7668,	7695,	\ProvidesClass . . .		1936,	2254,
7708,	7744,	. . 2006, 4293, 4317		2800,	3370,
7754,	7764,	\ProvidesFile 1, 127,		3855,	4001,
7790,	7803,	253, 264, 269,		4117,	4144,
7815,	7842,	271, 330, 526,		4382, 5976, 6074	
7855,	7891,	777, 1031, 1293,		\prune	11795,
7901,	7911,	4676,	4855,	11833,	11837,
7937,	7950,	5034,	5067,	11842,	11846,
7962,	7989,	5281,	5336,	11858, 11869, 11896	
8002,	8038,	5370,	5372,	\prw@mkboth . . .	14980,
8048,	8058,	5375,	5413,	14985, 14997, 15002	
8084,	8097,	5456,	5471,	\pspicture	11989, 11991
8109,	8136,	5567,	5605,	\publisher	4219, 4220
8149,	8185,	6178,	6343,	\publishers	
8195,	8205,	6346,	6385,	13324, 13792, 14426	
8231,	8244,	6547,	6721,	\put	5476, 5477,
8256,	8283,	6894,	6929,	5478,	5479,
8296,	8332,	8729,	8906,	5480,	5481,
8342,	8352,	8935,	8947,	5486,	5487,
8378,	8391,	9016,	9046,	5488,	5489,
8403,	8430,	9055,	9060,	5490,	5491,
8443,	8526,	9195,	9525,	5499,	5500,
8537,	8548,	9702,	9755,	5501,	5502,
8573,	8586,	9873,	9895,	5503,	5504,
8599,	8633,	10196,	10437,	5509,	5510,
8647,	9373,	10441,	10465,	5511,	5512,
9389,	9404,	10560,	10608,	5513,	5514,
9431,	9444, 9457	10874,	10952,	5522,	5523,
\protected@xdef 3753,		11027,	11183,	5524,	5525,
3780,	3807,	11385,	11423,	5526,	5527,
4182,	4199,	11549,	11616,	5532,	5533,
4215,	4226,	11643,	11681,	5534,	5535,
9343,	9352,	11702,	11722,	5536,	5537,
9496,	9501,	11770,	11775,	5545,	5546,
9510,	9516, 10399	11988,	11993,	5547,	5548,
\providecommand 2084,		12009,	12095,	5549,	5550,
2085,	2086,	12352,	12631,	5555,	5556,
2087,	2088,	12814,	13018,	5557,	5558,
2089,	2100,	13147,	13615,	5559,	5560,

6348, 6362, 6380	11066, 11067,	14640, 14642,
	11996, 11998,	16003, 16008,
Q	12004, 12980,	16010, 16011, 16012
\Q 3551, 3573	12992, 13436,	\RaggedRightLeftskip
\qauthor 11994	13437, 13523, 12041
\qquad .. 3932, 3939,	13524, 13525,	\RaggedRightParfillskip
3946, 3953,	13527, 13929, 12044
3960, 3995, 11996	14047, 14048,	\RaggedRightParindent
\quad 3175, 3176, 3177,	14049, 14051, 2869,
4357, 4358,	14240, 14246,	3520, 4036, 12045
4359, 4399, 15831	14536, 14638,	\RaggedRightRightskip
\quote 2133	14639, 14640, 4033, 12042
\quotecolour	14642, 16007,	\raggedsection
.. 2095, 5994, 6092	16009, 16011, 16012	13436, 13929, 14536
\quotefont ... 2104,	\RaggedLeftLeftskip	\raggedsectionentry
2112, 6034, 6127 12028 13420
\quotestyle	\RaggedLeftParfillskip	\raise
.. 2112, 6047, 6176 12031	8929
\quotewidth ... 2134,	\RaggedLeftParindent	\raisebox
2146, 6047, 6176 12032	3088,
R	\RaggedLeftRightskip	3093, 3104,
\R@page 13023, 12029	3105, 3108,
13024, 13033,	\raggedpart 13437	3109, 6393,
13035, 13066,	\RaggedRight . 12036,	6398, 6414,
13067, 13078, 13080	12085, 12092,	6417, 6533,
\raggedbottom 2082	12094, 14735,	10018, 10020,
\raggedchapterentry	14736, 16465,	10024, 10026,
.... 13910, 14517	16469, 16475, 16479	10053, 10054,
\raggeddictum	\raggedright ... 25,	10057, 10058,
13523, 14047, 14638	100, 155, 479,	10115, 10116,
\raggeddictumauthor	5037, 5057,	10119, 10120,
13525, 14049, 14640	5234, 5248,	10148, 10150,
\raggeddictumtext .	6582, 6595,	10154, 10156, 10556
13524, 14048, 14639	6846, 6861,	\rangleangle
\RaggedLeft	6897, 6900,	1658
. 12023, 12091,	6905, 6913,	\rawtext 11785,
12093, 14735,	8762, 8774,	11791, 11813,
14736, 16465,	10444, 10447,	11814, 11895, 11899
16469, 16473, 16481	10452, 11066,	\rcb 1659, 1662, 1663, 1667
\raggedleft 25,	11067, 11996,	\rcol@footinsskip .
100, 155, 479,	11998, 12004, 9707, 9727
5037, 5234,	12980, 12992,	\realfootnote ... 10396
5248, 6582,	13436, 13437,	\recomputelengths .
6595, 6846,	13523, 13524, 2145, 2162
6861, 6897,	13525, 13527,	\recomputethemelengths
6900, 6905,	13929, 14047, 2144,
6913, 8762,	14048, 14049,	2160, 6139, 6144
8774, 10444,	14051, 14240,	\reflectbox 9807
10447, 10452,	14246, 14536,	\refname 492,
	14638, 14639,	493, 626, 627,

\refstepcounter . . .	1262,	1349,	5121,	5145,
.... 474, 6577,	1350,	1367,	5146,	5147,
9037, 10876,	1368,	1369,	5148,	5149,
11160, 11691,	1505,	1598,	5154,	5155,
11712, 14971, 15931	1599,	1600,	5156,	5157,
\refvskip	1605,	1606,	5181,	5324,
\relax 2, 8, 10, 12, 14,	1607,	1608,	5346,	5347,
82, 99, 128, 134,	1833,	1841,	5348,	5349,
136, 138, 140,	1849,	1900,	5355,	5356,
154, 216, 228,	2039,	2255,	5357,	5358,
246, 320, 334,	2295,	2313,	5359,	5364,
335, 336, 357,	2367,	2384,	5365,	5368,
358, 359, 360,	2568,	2572,	5369,	5452,
365, 366, 367,	2834,	3335,	5470,	5989,
368, 392, 393,	3530,	3612,	6087,	6179,
394, 395, 396,	3673,	3677,	6180,	6181,
401, 402, 403,	3681,	3758,	6182,	6183,
404, 428, 523,	3767,	3785,	6195,	6216,
538, 545, 575,	3794,	3812,	6270,	6282,
581, 599, 661,	3821,	3873,	6285,	6322,
662, 663, 667,	4070,	4078,	6334,	6337,
676, 685, 702,	4083,	4114,	6369,	6375,
703, 708, 709,	4299,	4323,	6436,	6515,
710, 711, 714,	4407,	4413,	6563,	6632,
717, 721, 746,	4508,	4534,	6633,	6634,
747, 748, 753,	4562,	4569,	6653,	6654,
754, 755, 756,	4576,	4588,	6659,	6660,
789, 805, 827,	4624,	4688,	6661,	6662,
845, 854, 915,	4695,	4707,	6686,	6687,
916, 917, 921,	4713,	4729,	6688,	6693,
930, 939, 956,	4803,	4804,	6694,	6695,
957, 962, 963,	4805,	4809,	6696,	6725,
964, 965, 968,	4818,	4827,	6726,	6727,
971, 975, 1000,	4844,	4845,	6748,	6749,
1001, 1002,	4850,	4851,	6750,	6751,
1007, 1008,	4852,	4853,	6756,	6757,
1009, 1010,	4867,	4874,	6758,	6759,
1043, 1050,	4886,	4892,	6783,	6784,
1062, 1068,	4908,	4982,	6785,	6786,
1086, 1167,	4983,	4984,	6787,	6792,
1168, 1169,	4988,	4997,	6793,	6794,
1173, 1182,	5006,	5023,	6795,	6819,
1191, 1208,	5024,	5029,	6930,	6931,
1209, 1214,	5030,	5031,	6932,	6933,
1215, 1216,	5032,	5080,	6934,	7052,
1217, 1220,	5087,	5088,	7151,	7192,
1223, 1227,	5089,	5110,	7254,	7298,
1252, 1253,	5111,	5112,	7336,	7395,
1254, 1259,	5113,	5118,	7438,	7479,
1260, 1261,	5119,	5120,	7541,	7585,

7626,	7688,	11402,	11405,	12856,	12857,
7732,	7773,	11411,	11413,	12858,	12859,
7835,	7879,	11414,	11417,	12864,	12865,
7920,	7982,	11503,	11726,	12866,	12867,
8026,	8067,	11731,	11736,	12891,	12892,
8129,	8173,	11745,	11753,	12893,	12894,
8214,	8276,	11905,	11967,	12895,	12900,
8320,	8361,	12008,	12089,	12901,	12902,
8423,	8477,	12107,	12114,	12903,	12927,
8509,	8621,	12144,	12150,	13193,	13194,
8731,	8810,	12166,	12236,	13202,	13203,
8811,	8812,	12237,	12238,	13214,	13215,
8831,	8832,	12242,	12251,	13216,	13276,
8837,	8838,	12260,	12277,	13302,	13303,
8839,	8840,	12278,	12283,	13304,	13305,
8864,	8865,	12284,	12285,	13306,	13319,
8866,	8871,	12286,	12289,	13320,	13321,
8872,	8873,	12292,	12296,	13322,	13323,
8874,	8911,	12321,	12322,	13324,	13325,
8913,	8917,	12323,	12328,	13326,	13327,
8960,	8992,	12329,	12330,	13328,	13329,
9017,	9027,	12331,	12364,	13375,	13393,
9070,	9090,	12373,	12374,	13431,	13452,
9091,	9106,	12375,	12381,	13513,	13520,
9193,	9325,	12390,	12399,	13661,	13662,
9347,	9356,	12416,	12417,	13670,	13671,
9505,	9520,	12418,	12419,	13682,	13683,
9558,	9580,	12424,	12425,	13684,	13744,
9618,	9958,	12426,	12427,	13770,	13771,
9960,	9963,	12430,	12433,	13772,	13773,
9976,	9978,	12437,	12462,	13774,	13787,
9981,	10227,	12463,	12464,	13788,	13789,
10238,	10249,	12465,	12466,	13790,	13791,
10260,	10274,	12471,	12472,	13792,	13793,
10285,	10296,	12473,	12474,	13794,	13795,
10307,	10322,	12518,	12524,	13796,	13797,
10337,	10361,	12540,	12566,	13843,	13861,
10477,	10489,	12630,	12635,	13870,	13888,
10496,	10497,	12636,	12637,	13920,	13932,
10501,	10502,	12668,	12669,	13948,	13956,
10555,	10913,	12670,	12671,	13964,	13975,
10991,	10994,	12676,	12677,	14037,	14044,
10997,	10998,	12678,	12679,	14295,	14296,
10999,	11005,	12708,	12709,	14304,	14305,
11030,	11031,	12710,	12711,	14316,	14317,
11032,	11033,	12712,	12717,	14318,	14378,
11034,	11094,	12718,	12719,	14404,	14405,
11387,	11389,	12720,	12742,	14406,	14407,
11390,	11393,	12827,	12833,	14408,	14421,
11399,	11401,	12834,	12835,	14422,	14423,

14424,	14425,	16039,	16093,	1589,	2031,
14426,	14427,	16094,	16097,	2032,	2033,
14428,	14429,	16377,	16378,	2069,	2070,
14430,	14431,	\remainx	2075,	2124,
14477,	14495,	\remainxox	11587,	2128,	2159,
14527,	14566,	\remainxox	2164,	2244,
14628,	14635,	11597,	11606,	2847,	2856,
14786,	14801,	\remainxx	. 11555,	2897,	3015,
14905,	14923,	\remainxx	11557	3018,	3019,
14924,	15007, 11560,	3023,	3024,
15016,	15034,	11562,	11564,	3170,	3171,
15037,	15040,	11569,	11589,	3512,	3513,
15065,	15068,	11571,	11592	3514,	3580,
15071,	15088,	11573,	11599,	3655,	3664,
15091,	15094,	11601,	11604,	3685,	3702,
15105,	15108,	11608,	11611,	3719,	3827,
15111,	15122,	\remainxxxx	3828,	3829,
15125,	15128,	. 11567,	. 11576,	3905,	3914,
15137,	15139,	11578,	11580,	3966,	3974,
15142,	15145,	\remove@strip	11190,	3998,	4003,
15154,	15156,	11220,	11272,	4014,	4015,
15159,	15162,	\renewcommand	19,	4016,	4017,
15173,	15176,	20,	21,	4018,	4019,
15179,	15191,	83,	145,	4020,	4086,
15194,	15197,	146,	147,	4091,	4093,
15210,	15213,	217,	256,	4094,	4111,
15216,	15230,	371,	373,	4112,	4113,
15233,	15236,	444,	458,	4114,	4171,
15248,	15263,	468,	469,	4172,	4173,
15265,	15268,	471,	502,	4175,	4179,
15271,	15285,	564,	580,	4180,	4181,
15315,	15316,	606,	619,	4185,	4186,
15317,	15334,	622,	623,	4192,	4196,
15342,	15343,	636,	642,	4197,	4198,
15345,	15346,	657,	658,	4202,	4203,
15359,	15370,	725,	727,	4208,	4212,
15374,	15379,	810,	823,	4213,	4214,
15384,	15392,	844,	851,	4223,	4224,
15396,	15405,	878,	879,	4225,	4229,
15406,	15417,	881,	886,	4230,	4252,
15425,	15436,	911,	912,	4276,	4338,
15442,	15446,	979,	981,	4351,	4356,
15450,	15467,	1051,	1067,	4364,	4692,
15471,	15520,	1085,	1094,	4696,	4712,
15521,	15524,	1107,	1127,	4728,	4736,
15592,	15675,	1133,	1141,	4750,	4769,
15724,	15739,	1142,	1143,	4775,	4781,
15810,	15839,	1144,	1156,	4789,	4790,
15851,	15954,	1163,	1164,	4791,	4792,
16034,	16037,	1174,	1231,	4793,	4794,
		1233,	1587,		

4796,	4798,	6834,	6836,	11585,	11590,
4800,	4810,	6838,	6839,	11595,	11602,
4871,	4875,	6840,	6841,	11609,	11625,
4891,	4907,	6842,	6843,	11627,	11644,
4915,	4929,	6867,	6885,	11686,	11707,
4931,	4937,	6895,	6908,	11723,	11732,
4962,	4968,	6919,	6923,	11994,	11997,
4969,	4970,	6939,	6955,	12006,	12010,
4971,	4972,	6971,	6987,	12023,	12036,
4973,	4975,	7000,	7013,	12049,	12060,
4977,	4979,	8730,	8745,	12075,	12111,
4989,	5085,	8780,	8784,	12133,	12149,
5124,	5126,	8801,	8808,	12165,	12173,
5180,	5195,	8843,	8845,	12187,	12189,
5210,	5214,	8895,	8896,	12195,	12214,
5220,	5222,	8897,	8898,	12220,	12221,
5224,	5226,	8899,	8900,	12222,	12223,
5227,	5228,	8902,	8904,	12224,	12225,
5229,	5230,	9017,	9027,	12227,	12229,
5231,	5254,	9047,	9056,	12232,	12233,
5272,	5363,	9146,	9165,	12243,	12300,
5367,	5373,	9167,	9169,	12302,	12369,
5457,	5462,	9171,	9172,	12370,	12382,
5472,	5495,	9173,	9174,	12441,	12443,
5518,	5541,	9175,	9176,	12507,	12523,
5568,	5584,	9178,	9180,	12539,	12547,
5990,	6030,	9182,	9184,	12561,	12563,
6031,	6032,	9185,	9186,	12585,	12586,
6033,	6034,	9187,	9188,	12587,	12588,
6035,	6036,	9189,	9190,	12589,	12590,
6037,	6051,	9200,	9269,	12592,	12594,
6056,	6088,	9526,	9874,	12607,	12613,
6122,	6123,	9884,	10438,	12619,	12627,
6124,	6125,	10442,	10455,	12633,	12641,
6126,	6127,	10459,	10469,	12682,	12684,
6128,	6129,	10470,	10471,	12741,	12755,
6139,	6151,	10472,	11028,	12770,	12773,
6339,	6340,	11039,	11062,	12777,	12783,
6341,	6344,	11063,	11064,	12785,	12787,
6347,	6351,	11065,	11066,	12789,	12790,
6367,	6520,	11067,	11068,	12791,	12792,
6521,	6548,	11069,	11071,	12793,	12805,
6562,	6613,	11073,	11075,	12831,	12870,
6619,	6623,	11077,	11078,	12872,	12926,
6630,	6665,	11080,	11081,	12941,	12956,
6667,	6717,	11088,	11089,	12960,	12966,
6718,	6719,	11091,	11097,	12968,	12970,
6720,	6723,	11098,	11550,	12972,	12973,
6762,	6764,	11553,	11558,	12974,	12975,
6818,	6832,	11565,	11574,	12976,	12977,

13009,	13153,	14854,	14883,	5706,	5814,
13157,	13161,	14889,	14921,	5872,	5882,
13165,	13191,	14934,	14947,	8489,	8499,
13198,	13207,	14958,	15014,	11803,	11850,
13220,	13222,	15061,	15080,	11861,	11872, 11900
13284,	13286,	15102,	15119,	\RequirePackage	1457,
13331,	13374,	15136,	15153,	1459,	1460,
13407,	13438,	15170,	15188,	1461,	1462,
13439,	13440,	15206,	15207,	1612,	1613,
13443,	13444,	15226,	15227,	2041,	2042,
13458,	13482,	15246,	15314,	2043,	2044,
13511,	13516,	15320,	15440,	2051,	2052,
13523,	13524,	15547,	16009,	2067,	2120,
13525,	13526,	16010,	16152,	2802,	2874,
13529,	13602,	16153,	16154,	2876,	2883,
13621,	13625,	16383,	16462,	2904,	2908,
13629,	13633,	16464,	16466,	2944,	2945,
13659,	13666,	16468,	16472,	3162,	3372,
13675,	13688,	16474,	16478, 16480	3373,	3374,
13690,	13752,	\renewenvironment	80,	3375,	3577,
13754,	13799,	214,	491, 511,	3578,	3653,
13842,	13869,	527,	547, 554,	3857,	4032,
13897,	13930,	625,	778, 856,	4043,	4095,
13931,	13939,	863,	893, 1032,	4121,	4129,
13940,	13943,	1110,	1117,	4146,	4301,
13944,	13947,	1145,	3112,	4302,	4303,
13955,	13963,	3115,	3118,	4304,	4305,
13982,	14006,	3121,	4062,	4306,	4325,
14035,	14040,	4072,	4080,	4326,	4327,
14047,	14048,	4096,	4307,	4328,	4329,
14049,	14050,	4677,	4752,	4330,	16414,
14053,	14126,	4758,	4856,	16415,	16416, 16417
14140,	14255,	4945,	4951,	\RequireXeTeX	1458, 1532
14259,	14263,	5068,	5261,	\reserved@a
14267,	14293,	5322,	5337,	1879, 1883,
14300,	14309,	5469,	6602,	1889,	1892,
14322,	14324,	6874,	8790,	1895,	1898,
14386,	14388,	9034,	9543,	2416,	2417,
14433,	14476,	11179,	11617,	2418,	15436, 15437
14504,	14537,	12096,	12116,	\reserved@b	.. 1859, 1860
14538,	14542,	12123,	12203,	\reset@dir	11967, 15810
14543,	14546,	12353,	12568,	\reset@font	... 3415,
14547,	14550,	12575,	12596,	3459,	3503,
14554,	14558,	12794,	12815,	3689,	3706,
14573,	14597,	12998,	13447,	3723,	6943,
14626,	14631,	13971,	14562,	6959,	6975,
14638,	14639,	14935,	14938, 14963	6995,	7008,
14640,	14641,	\renewrobustcmd	...	7021,	7161,
14644,	14717,	10982,	11008, 11019	7171,	7181,
14731,	14734,	\repeat	. 5583, 5700,	7207,	7219,

7232,	7259,	\right	15831	1056,	1057,
7272,	7308,	\right@cor . .	11192,	1062,	1073,
7317,	7326,	11193, 11274,	11275	1099,	1102,
7351,	7362,	\right@footnoterule		1103,	1121,
7374,	7400,	26,	3986,	3993,
7412,	7448,	161, 334,	462,	3994,	4499,
7458,	7468,	648, 661,	886,	4695,	4701,
7494,	7506,	915, 1133,	1167,	4702,	4707,
7519,	7546,	4781,	4803,	4718,	4741,
7559,	7595,	4937,	4982,	4744,	4745,
7605,	7615,	5087,	5214,	4874,	4880,
7641,	7653,	6623,	6632,	4881,	4886,
7666,	7693,	6725,	6923,	4897,	4920,
7706,	7742,	8784,	8810,	4923,	4924,
7752,	7762,	9285,	9299,	5186,	5201,
7788,	7800,	9309,	9425,	5204,	5205,
7813,	7840,	9451,	10459,	5340,	5342,
7853,	7889,	11543,	12195,	5344,	5458,
7899,	7909,	12236,	12373,	5459,	5465,
7935,	7947,	12619,	12635,	6554,	6557,
7960,	7987,	12777,	12833,	6558,	6568,
8000,	8036,	12960,	13198,	6823,	7119,
8046,	8056,	13214,	13516,	8678,	8736,
8082,	8094,	13666,	13682,	8751,	8754,
8107,	8134,	14040,	14165,	8755,	10972,
8147,	8183,	14300, 14316,	14631	11062,	11063,
8193,	8203,	\rightfootnoterule .		11389,	11393,
8229,	8241,	. . . 6180,	6931,	11394,	11401,
8254,	8281,	9297, 9748,	16379	11406,	11413,
8294,	8330,	\rightline . . .	11987,	11418,	12015,
8340,	8350,	16019, 16023,	16025	12017,	12028,
8376,	8388,	\rightmargin		12030,	12041,
8401,	8428,	. . . 871,	4048,	12043,	12052,
8441,	8524,	4067,	4075,	12054,	12071,
8535,	8546,	4081,	9680,	12114,	12127,
8571,	8584,	9684,	10539,	12138,	12139,
8597,	8631,	10540,	10553,	12144,	12155,
8645,	9120,	12004,	15844,	12178,	12181,
9368,	9384,	15855,	15861,	12182,	12512,
9399,	9428,	15867, 15875,	15879	12513,	12518,
9441,	9454,	\rightskip	12,	12529,	12552,
	16194, 16238,	13,	138,	12555,	12556,
	16325	232,	236,	12566,	12579,
	\resizebox	433,			
	9828	450,	453,	12630,	12746,
	\restore@protect .	454,			
	2431	545,	558,	12761,	12764,
	\restoreCaptionSkip	569,			
	570,	575,	12765,	12770,
	9989	586,			
	\restorecounters@	611,	614,	12771,	12932,
	6447	615,			
	\restylefloat . . .	798,	799,	12947,	12950,
	3362	805,			
	\resumename	815,	818,	12951,	13385,
	2121	819,			
	\rightskip	832,	854,	13388,	13389,
	15316	1050,			

13421,	13425,	8846,	8939,	\rotate 13119
13853,	13856,	8944,	9532,	\rotatebox . . . 9191, 9921, 9970,
13857,	13880,	9766,	9812,	10183, 13042, 13051, 13089, 13100
13883,	13884,	9878,	9879,	\rotateframe 9153, 9190
13911,	13915,	9892,	9893,	\rotFPbot . . . 13043, 13050, 13090, 13099
14487,	14490,	10439,	11447,	\rotFPPtop . . . 13041, 13052, 13088, 13101
14491,	14518,	11973,	12303,	\rrb 1661, 1671
14522,	14858,	12444,	12643,	\rsb 1660, 1669
14863,	14874,	12686,	12873,	\RTL 11950, 15793
14887,	14891,	13222,	13286,	\RTL@column@boxes . 11471, 11497, 11502
14911,	14914,	13690,	13754,	\RTL@outputdblcol 5606, 8948,
14919,	14923,	14324,	14388, 15820	9723, 11184, 16107, 16152, 16153
14924,	15034,	\RLE . . . 1488, 1548,	10432,	\RTLbuditftesidenotemarginpar . 3464, 3720, 3850
15035,	15036,	3876,	3929,	\RTLcases 15830
15044,	15065,	3932,	3936,	\RTLcolumnfootnotes 7040
15066,	15067,	3939,	3943,	\RTLdblcol 16153
15075,	15088,	3946,	3950,	\RTLdfnmakecol . . . 6340
15089,	15090,	3953,	3957,	\RTLfootnote . . . 339, 413, 1748, 1761, 3829, 4173,
15098,	15105,	3960,	12232, 12369	5092, 5166, 6730, 6804,
15106,	15107,	\romannumeral	4598,	9342, 12378, 12484, 12640, 12728, 12838,
15115,	15122,	... 1962, 4536,	6458,	12912, 13219, 13335, 13687, 13803, 14321, 14437
15123,	15124,	9148,	9149,	\RTLfootnotetext 1817, 1828,
15132,	15139,	9150,	9151,	4548, 4558, 9511, 9514, 10950
15140,	15141,	9153,	9154,	\RTLfoottextfont 6960, 6967,
15149,	15156,	9155,	9156,	7017, 7023, 7082, 7181,
15157,	15158,	9157,	9160,	7202, 7232, 7326, 7346,
15166,	15173,	9161,	9162, 15847	7374, 7468, 7489, 7519,
15174,	15175,	\rot@float@box 13026,	13027,	7615, 7636,
15183,	15191,	13028,	13042,	
15192,	15193,	13051,	13069,	
15201,	15210,	13070,	13071,	
15211,	15212,	13072,	13073,	
15220,	15230,	13089, 13100	13089,	
15231,	15232,	\rot@label 13022, 13065	13047,	
15240,	15265,	\rot@LR . . . 13033, 13078	13056,	
15266,	15267,	\rot@mess@toks 13025,	13068,	
15275,	15315,	13083, 13095, 13105	13083,	
15317,	15340,	\rot@message	13095,	
15402,	15403,	... 13056, 13105	13105	
15404,	15410,	\rot@pageref		
15413,	15460,	... 13023, 13066		
15520,	15525,			
15548,	15555,			
16005,	16031,			
16032,	16093, 16098			
\RL .	10433, 11957, 15800			
\rlap	233,			
	374, 728, 1234,			
	1590, 5127,			
	6668, 6765,			

7666,	7762,	\savebox 6461, 9918, 9920, 10000	13861, 13888, 13920, 13932,
7783,	7813,	\saveCaptionSkip . 9950	13948, 13956,
7909,	7930,	\savecounters@ . . . 6444	13964, 14495, 14527
7960,	8056,	\saved@dir . . . 11966, 11967, 15809, 15810	\scr@saved@footnotetext 13150,
8077,	8107,	\sbox 6527, 9952, 9969,	13154, 13618,
8203,	8224,	8350,	13622, 14252, 14256
8254,	8350,	8371,	\scr@saved@LTRfootnotetext 13148, 13151,
8371,	8401,	8546, 8566, 8597	13158, 13616,
8546,	8566,	\RTLmarginnote . . . 3847	13619, 13626,
\RTLmarginpar . . . 16199	\RTLmulticolcolumns 11495	\RTLsidenote 3825	14250, 14253, 14260
\RTLthanks 339, 359, 394, 413, 4173, 4181, 4198, 4214, 4225, 5092, 5112, 5147, 5166, 6730, 6750, 6785, 6804, 9509, 11032, 12378, 12418, 12464, 12484, 12640, 12670, 12710, 12728, 12838, 12858, 12893, 12912, 13219, 13304, 13335, 13687, 13772, 13803, 14321, 14406, 14437	\sc@temp . . . 14186, 14187, 14192, 14193, 14198, 14199, 14204, 14205, 14210, 14211, 14216, 14217, 14222, 14223, 14228, 14229, 14234, 14235	\scr@smashdp . 13561, 13575, 13576, 13594, 14085, 14099, 14100, 14118, 14676, 14690, 14691, 14709	
\rtsize 11833, 11835, 11846, 11848, 11869, 11871	\SC@FLOAT 14731, 16462, 16466, 16472, 16474, 16478, 16480	\scr@tmp@footnotetext 13533, 13544, 13545, 14057, 14068, 14069, 14648, 14659, 14660	
\rule 45, 58, 73, 179, 192, 206, 2169, 6044, 6536, 6540, 6543, 6951, 6967, 6983, 6997, 7010, 7023, 9378, 9394, 9409, 9435, 9448, 9461	\SC@justify@caption . . 14734, 16464, 16468, 16473, 16475, 16479, 16481	\scr@tmp@LTRfootnotetext 13535, 13546, 13547, 14059, 14070, 14071, 14650, 14661, 14662	
S	\sc@temp 14184, 14186, 14190, 14192, 14196, 14198, 14202, 14204, 14208, 14210, 14214, 14216, 14220, 14222, 14226, 14228, 14232, 14234, 14244, 14246	\scr@tmp@RTLfootnotetext 13537, 13548, 13549, 14061, 14072, 14073, 14652, 14663, 14664	
\save@dir . 11966, 15809	\sc@wm@text 6345	\scriptsize . . . 4014, 14185, 14191, 14197, 14203, 14209, 14215, 14221, 14227, 14233	
	\scalebox 9826	\scshape 5040	
	\scantokens . 2567, 2587	\secshape . 12729, 12770	
	\scr@compatibility .	\SectFont . 550, 559, 859, 867, 1113, 1122, 4755,	

4948, 12119,	2820, 2824,	6297, 6302,
12128, 12571, 12580	2825, 2905,	6306, 6311,
\sectfont 11998	2909, 2912,	6988, 7001,
\section .. 492, 519,	2917, 2919,	7014, 7074,
535, 550, 556,	2923, 2925,	7131, 7136,
559, 626, 786,	3297, 3864,	7143, 7204,
859, 865, 867,	3865, 3866,	7216, 7229,
894, 1040, 1113,	4123, 4124,	7269, 7348,
1119, 1122,	4125, 4150, 4151	7359, 7371,
1146, 2165,	\setbox .. 307, 1340,	7409, 7491,
2231, 3878,	1342, 1343,	7503, 7516,
3900, 3968,	1399, 1911,	7556, 7638,
3976, 4091,	1982, 1987,	7650, 7663,
4094, 4098,	1990, 1999,	7703, 7785,
4755, 4948,	3343, 3399,	7797, 7810,
6603, 12119,	3402, 3443,	7850, 7932,
12125, 12128,	3446, 3487,	7944, 7957,
12571, 12577, 12580	3490, 4427,	7997, 8079,
\sectionbib 14958	4438, 4651,	8091, 8104,
\sectionfont .. 2105,	4665, 5296,	8144, 8226,
2113, 6035, 6128	5323, 5328,	8238, 8251,
\sectionstyle 2113, 2171	5387, 5416,	8291, 8373,
\sectiontitlecolour	5571, 5572,	8385, 8398,
.. 2096, 5997,	5576, 5579,	8438, 8462,
6005, 6012,	5589, 5593,	8463, 8470,
6019, 6026,	5596, 5600,	8483, 8486,
6096, 6102,	5608, 5611,	8488, 8493,
6108, 6114, 6120	5621, 5633,	8496, 8498,
\selectfont .. 267,	5644, 5647,	8500, 8528,
4239, 4241, 4243	5660, 5676,	8539, 8550,
\separatorcolumnwidth	5696, 5697,	8568, 8575,
..... 2136,	5702, 5703,	8581, 8588,
2137, 2148,	5708, 5711,	8594, 8601,
2154, 2170,	5734, 5742,	8635, 8642,
2175, 2181,	5752, 5803,	8649, 8664,
2238, 6142, 6172	5817, 5821,	8671, 8690,
\SepMark .. 15832, 15833	5831, 5836,	8698, 8711,
\set@color 5416, 5421,	5845, 5847,	8718, 8925,
5429, 5435,	5862, 5863,	8951, 8954,
5443, 5450,	5874, 5875,	8967, 8983,
5455, 9539,	5887, 5888,	8986, 9000,
15644, 15648, 15744	5898, 5906,	9047, 9087,
\set@typeset@protect	5916, 5964,	9092, 9426,
..... 9115,	6188, 6196,	9439, 9452,
9119, 14760,	6197, 6201,	9470, 9594,
16068, 16305, 16307	6209, 6217,	9603, 9607,
\setboolean	6218, 6222,	9631, 9645,
... 2808, 2809,	6237, 6240,	9705, 9710,
2810, 2812,	6245, 6249,	9725, 9730,
2814, 2819,	6257, 6294,	9758, 9765,

9766,	9811,	\setchapterpreamble		1735,	1736,
9812,	10909, 13976, 14567		1737,	2009,
10918,	10958,	\setcitationfont . 3514		2010,	2012,
10990,	10996,	\setcounter ... 356,		2013,	2015,
11187,	11198,	391, 669, 701,		2016,	2018,
11203,	11213,	745, 923, 955,		2019,	2021,
11231,	11236,	999, 1175, 1207,		2022,	2024,
11269,	11280,	1251, 1597,		2025,	2027,
11285,	11295,	3597, 3629,		2028,	2029,
11313,	11318,	3862, 4374,		2034,	2035,
11346,	11427,	4594, 4811,		2073,	2074,
11443,	11777,	4843, 4990,		2076,	2077,
11791,	11794,	5022, 5109,		2078,	2079,
11813,	11814,	5144, 6652,		2137,	2146,
11820,	11821,	6685, 6747,		2147,	2150,
11832,	11834,	6782, 8830,		2152,	2155,
11836,	11838,	8863, 9135,		2156,	2158,
11841,	11843,	10467, 10468,		2161,	2227,
11845,	11847,	11060, 11689,		2236,	2237,
11857,	11859,	11710, 12244,		2238,	2833,
11868,	11870,	12276, 12320,		2869,	2870,
11885,	11887,	12383, 12415,		2871,	2872,
11895,	11897,	12461, 12667,		2893,	2899,
11906,	11972,	12707, 12855,		2900,	2933,
11973,	13111,	12890, 13210,		2936,	2940,
13121,	13132,	13301, 13475,		2986,	3032,
13139,	13559,	13550, 13551,		3033,	3520,
14083,	14185,	13678, 13769,		3521,	3522,
14191,	14197,	13999, 14074,		3523,	3529,
14203,	14209,	14075, 14312,		3740,	4021,
14215,	14221,	14403, 14590,		4022,	4023,
14227,	14233,	14665, 14666, 15258		4024,	4025,
14674,	14749,	\setdefaultbibitems		4026,	4027,
14791,	14836, 15837		4028,	4030,
15478,	15481,	\setdefaultmarginpar		4031,	4033,
15486,	15490, 16289		4036,	4037,
15494,	15498,	\setDefaults	9907	4038,	4039,
15502,	15506,	\setfloatalignment	2977	4256,	4257,
15510,	15514,	\setfootnoteLR ...	9364	4717,	4739,
15636,	15644,	\setfootnoteRL ...	9362	4896,	4918,
15749,	15819,	\setkeys 5287, 5304,		5184,	5199,
15820,	15914,	6425, 6431,		5463,	6131,
15935,	16028,	6433, 9801,		6135,	6137,
16056,	16109,	9909, 10504,		6140,	6407,
16111,	16127,	11729, 13030, 13075		6552,	6567,
16130,	16178,	\setlength ... 431,		7070,	7071,
16181,	16222,	448, 585, 609,		7084,	8735,
16225,	16253,	813, 831, 868,		8749,	9468,
16267,	16285, 16335	869, 870, 871,		9851,	9852,
		\setcaptionfont ... 2897	872, 1072, 1097,	9858,	9859,

9861,	9862,	\setRL 11978, 15827	13014, 13485,
9911,	9912,	\setRTL 11952,	14009, 14600, 14952
9924,	9928,	11955, 11967,	\shadowbox 6521
9930,	9932,	11978, 15795,	\shadowsize 6531,
9936,	9938,	15798, 15810, 15827	6535, 6536,
10473,	10474,	\setRTLbibitems . 15835	6539, 6540, 6543
10475,	10499,	\setRTLmain 1538	\shipout 9115, 16304
10513,	10515,	\setRTLmarginpar 16287	\shortauthors
10517,	10521,	\setRTLparagraphfootnotes 6937	111, 112, 117
10529,	10534,	\setsidenotefont . 3512	\shortcite 11632
10537,	10541,	\setSingleSpace 7042, 7047	\shorttitle 110, 111, 117
10542,	10543,	\setspace@ singlespace 3688, 3705, 3722	\showbox 9668
10943,	12154,	\setthesection 11077	\showoutput 9668
12176,	12528,	\settoheight 6404	\sidecaptionsep
12550,	12759,	\settowidth	14732,
12930,	12945,	.. 85, 219, 496,	14733, 16463,
13167,	13378,	630, 898, 1150,	16467, 16472,
13381,	13413,	2141, 4763,	16474, 16478, 16480
13416,	13556,	4956, 5266,	\sidecontents 8712
13582,	13635,	6133, 6449,	\sideins 7048, 8710
13846,	13849,	6607, 6879,	\sidenote 3594, 3610,
13873,	13876,	8795, 10531,	3648, 3738, 3823
13903,	13906,	12208, 12601,	\sidenotes 3651
14080,	14106,	12799, 13003,	\sideways 13137
14269,	14480,	13468, 13992,	\sigindent 14245
14483,	14510,	14184, 14190,	\sixcolumnfootnotes 7726
14513,	14671,	14196, 14202,	\sixcolumnfootstyle 7821
14697,	14862,	14208, 14214,	\sixt@@n 1878, 1900
14863,	14911,	14220, 14226,	\size@chapter 11998
14912,	14914,	14232, 14583,	\skip 4515, 4516, 6242,
15282,	15286,	14941, 15443, 15445	6299, 7095,
15287,	15289,	\SetWatermarkText 6344	7105, 7122,
15290,	15292,	\sevencolumnfootnotes 7873	8680, 8703,
15293,	15295,	\sevencolumnfootstyle 7968	9486, 9707, 9727
15296,	15298,	\sf 14185, 14191,	\skip@ 238, 239
15299,	15952, 15955	14197, 14203,	\sloppy 41, 54, 69, 88,
\setLR 11979, 15828		14209, 14215,	175, 188, 202,
\setLTR 11953,		14221, 14227, 14233	222, 503, 637,
11954,	11967,	\sfcode 89, 223, 507,	905, 1157, 2245,
11979,	11980,	638, 906, 1158,	4770, 4963,
15796,	15797,	4771, 4964,	5273, 6614,
15810,	15828, 15829	5277, 6615,	6886, 8802,
\setLTRbibitems . 15836		6890, 8803,	9700, 10975,
\setLTRmarginpar 16288		11630, 12216,	11629, 12074,
\setLTRparagraphfootnotes 6938		12609, 12810,	12088, 12215,
\setmarginnotefont 3513			12608, 12806,
\setparsizes . 13227,			13010, 13484,
13339,	13695,		14008, 14599, 14948
13807,	14329, 14441		

\slshape	11436, 11437,	9386, 9401,
576, 806, 1063,	11438, 12982,	9599, 9600, 11787
2193, 4708,	13024, 13067,	\stepcounter
4887, 6033,	13278, 13490,	. . . 3605, 3637,
6034, 6124,	13746, 14014,	3752, 3779,
6125, 6127,	14380, 14605,	3806, 4485,
12145, 12519, 12735	14845, 15562, 16258	9134, 9202,
\small	\spacefactor . . . 3667,	9272, 9342,
333, 559, 660,	3672, 3678,	9351, 10349,
867, 914, 1122,	3681, 10348, 10360	10398, 10876,
1166, 1622,	\special 1586,	11684, 11688,
2107, 2197,	11973, 14842,	11705, 11709,
2202, 2232,	14843, 14847,	13021, 13064, 16355
4003, 4004,	14848, 14850, 15820	\stopbreaks . 6909, 14244
4069, 4077,	\spinemargin 6354, 6358	\stretch 1401,
4082, 4101,	\split@prev	1404, 5389, 5392
4802, 4981,	. . 9321, 9329, 9334	\string . . . 279, 1311,
5086, 6631,	\splitbotmark 9605	2256, 2262,
6724, 8809,	\splitfirstmark	2279, 2280,
12128, 12235,	. . 8957, 8989, 9604	2283, 2284,
12372, 12580,	\SplitFootnoteRule 9320	2365, 2398,
12634, 12832,	\splitfootnoterule	2399, 2405,
13213, 13681, 14315 9324, 9332	2553, 2583,
\smallcaps	\splitmaxdepth	2604, 2607,
. . 4357, 4358, 4359	52, 67, 173,	2634, 2636,
\smallskip	186, 200, 7089,	2696, 2757,
. . 11552, 11557,	8952, 8984,	2758, 2771,
11564, 11573,	9371, 9387, 9402	2772, 2783,
11584, 11589,	\splittopskip	2784, 2797,
11594, 11601,	52, 67, 173, 186,	2798, 3291,
11608, 11615, 11995	200, 7088, 7133,	3292, 5425,
\smash	7137, 7286,	5428, 5446,
3088, 3104,	7287, 7290,	5449, 9572,
3105, 3108,	7291, 7426,	9573, 9574,
3109, 3316,	7427, 7430,	9575, 9576,
6191, 6212,	7431, 7573,	9698, 9833,
9532, 10556,	7574, 7577,	9834, 13278,
11976, 15823, 15825	7578, 7720,	13490, 13492,
\space	7721, 7724,	13498, 13746,
1431, 2553,	7725, 7867,	14014, 14016,
2696, 3152,	7868, 7871,	14022, 14380,
3157, 3158,	7872, 8014,	14605, 14607,
3291, 3292,	8015, 8018,	14613, 14812,
5699, 5237,	8019, 8161,	15561, 15689, 15736
5868, 5705,	8162, 8165,	\strip@prefix 2604, 2617
5877, 6849,	8166, 8308,	\strip@pt . . . 8521, 8626
8764, 9568,	8309, 8312,	\stripsep 5634,
9576, 9577,	8313, 8455,	5677, 5691,
9601, 9609,	8456, 8459,	5737, 5746,
10483, 11433,	8460, 9370,	5756, 5801,

5901,	5910,	14686,	14690,	\subsectionstyle ..
5920,	11207,	14692,	14702, 2114, 2173
11209,	11216,	14704,	14709,	\subsubitem
11289,	11291,	14713,	14873, 14878	... 105, 160, 4113
11298,	11357,	\strutbox 39,	52, 67,	\subsubsection
11360,	11362, 11369	173,	186, 200,	.. 3905, 3906, 3909
\strut 45,	58, 73, 179,	305,	309, 6952,	\subtable
192,	206, 1652,	6968,	6984,	\symbol 1665, 1675
6917,	7196,	6998,	7011,	
7199,	7202,	7024,	7089,	T
7282,	7283,	7286,	7290,	\t@cb@bchapsec .. 14934
7340,	7343,	7426,	7430,	\tabcaption . 9960, 9978
7346,	7422,	7573,	7577,	\tabcolsep ... 299,
7423,	7483,	7720,	7724,	1283, 10906, 12497
7486,	7489,	7867,	7871,	\tablinesep 14784
7569,	7570,	8014,	8018,	\tabskip . 315, 4495,
7630,	7633,	8161,	8165,	10920, 10921,
7636,	7716,	8308,	8312,	14756, 14795, 16063
7717,	7777,	8455,	8459,	\tabularnewline 324,
7780,	7783,	9371,	9378,	10890, 14758, 16065
7863,	7864,	9387,	9394,	\tagform@
7924,	7927,	9402,	9409,	. 263
7930,	8010,	9435,	9448,	\tamark
8011,	8071,	9461,	10895,	11043
8074,	8077,	10911,	10991,	\tcd . 11784, 11791, 11792
8157,	8158,	13584,	13585,	\tcdsav
8218,	8221,	14108,	14109,	11784
8224,	8304,	14699,	14700,	\tcl . 11808, 11809, 11815
8305,	8365,	14750,	14751,	\tcn
8368,	8371,	14787,	16057, 16058	11792,
8451,	8452,	\subfigure	3027	11793, 11815,
8558,	8562,	\subitem . 104,	159, 4112	11816, 11817, 11818
8566,	8658,	\subjclass	251	\Telefon
10989,	13540,	\subject		2087
13542,	13561,	13323,	13791, 14425	\tencolumnfootnotes
13563,	13566,	\subject@font 13236,	 8314
13568,	13571,	13349,	13704,	\tencolumnfootstyle
13575,	13577,	13817,	14338, 14451 8409
13587,	13589,	\subparagraph		\TeX ... 10434, 11968,
13594,	13598,	.. 3914,	3915, 3918	11969, 11977,
14064,	14066,	\subsection		15811, 15812, 15824
14085,	14087,	.. 2172,	3885, 3901	\textbf 2200,
14090,	14092,	\subsectioncolour .		4058, 9545,
14095,	14099,	... 2098,	5998,	9547, 9549, 9551
14101,	14111,	6006,	6013,	\textbullet ... 2084,
14113,	14118,	6020,	6027,	5990, 6054, 6088
14122,	14247,	6097,	6103,	\textcolor ... 6520,
14655,	14657,	6109,	6115, 6121	6535, 6539,
14676,	14678,	\subsectionfont 2106,		6542, 9535, 10487
14681,	14683,	2114,	6036, 6129	\textdef@

5660, 9911, 13029, 13074, 16354	8812, 9291, 9302, 11547, 12238, 12375, 12637, 12835, 13216, 13684, 14318	6748, 6783, 6802, 8813, 8831, 8864, 8881, 11030, 12239, 12251, 12277, 12288, ... 6182, 6933, 9300, 9749, 16380
\textit 15318	\textwidthfootnoterule	12289, 12298,
\textsl 3175, 3176, 3177	11903, 15747	12321, 12338,
\textsuperscript 3680, 7069, 13190, 13658, 14161, 14292	\TeXeToff 11903, 15747 11904, 15746, 15748	12376, 12390, 12416, 12429, 12430, 12439, 12462, 12482, 12638, 12668,
\texttt 1675, 1739, 1741, 1742	\TeXeTstate . 11902, 11903, 15746, 15747	12708, 12726, 12836, 12856, 12891, 12910, 13217, 13302, 13333, 13685,
\textwidth ... 1570, 2046, 2137, 2146, 2147, 2159, 2161, 2936, 2940, 3033, 3334, 3335, 5611, 5615, 5648, 5712, 5718, 5889, 6044, 6059, 6131, 6140, 6254, 6357, 7132, 8482, 8967, 8971, 9001, 9087, 9092, 9473, 9710, 9730, 9735, 9879, 9882, 9887, 9893, 10963, 11237, 11244, 11319, 11347, 11532, 11533, 11536, 11537, 11540, 11541, 11544, 11548, 13229, 13257, 13261, 13341, 13697, 13725, 13729, 13809, 14244, 14331, 14359, 14363, 14443, 16111, 16115, 16131, 16339, 16349	\TF@conlab 9528, 9530, 9537 \TF@savecolor 9534, 9539 \TF@Title 9537 \thanklessauthor 4166, 4199, 4202, 4239 \thanklesspublisher .. 4167, 4226, 4229, 4243 \thanklessstyle 4165, 4182, 4185, 4241 \thanks 250, 337, 357, 392, 411, 664, 676, 702, 713, 714, 723, 746, 763, 918, 930, 956, 967, 968, 977, 1000, 1017, 1170, 1182, 1208, 1219, 1220, 1229, 1252, 1270, 1598, 4165, 4166, 4167, 4168, 4171, 4178, 4179, 4195, 4196, 4211, 4212, 4223, 4806, 4818, 4844, 4985, 4997, 5023, 5090, 5110, 5145, 5164, 6635, 6653, 6686, 6703, 6728,	\thankses 250 \the .. 120, 121, 1299, 1393, 1394, 1396, 1397, 1455, 1529, 1562, 1564, 1567, 1569, 1808, 1811, 1814, 1817, 1822, 1825, 1828, 1933, 2568, 3562, 3572, 3667, 3678, 4404, 4411, 4542, 4545, 4548, 4552, 4555, 4558, 4663, 5283, 5288, 5332, 5385, 5699, 5705, 5706, 5707, 5839, 5849, 5868, 5876, 5877, 5878, 5881, 5883, 5884, 5885, 8956, 8958, 8988, 8990, 9200, 9215,
\textwidth@footnoterule 336, 663, 917, 1169, 4805, 4984, 5089, 6634, 6727,		

9216,	9219,	15627, 15628, 15630, 15752, 15753, 15847, 15956	217, 219, 502, 636, 904, 1156, 2244, 4769, 4962, 5272, 6613, 6885, 8801, 12214, 12607, 12805, 13009, 13482, 14006, 14597, 14947
9220,	9223,	\the@cornersize 8917, 8918	\theequation ... 4794, 4973, 5220, 6832, 8900, 9165, 9178, 10440, 11078, 12225, 12594, 12783, 12966, 13963, 14558, 16373
9276,	9280,	\thechapter 235, 3874, 4789, 4795, 4797, 4799, 4968, 4974, 4976, 4978, 5040, 5221, 5223, 5225, 5226, 5227, 5237, 6833, 6835, 6837, 6838, 6839, 6849, 8764, 8895, 8901, 8903, 8905, 9166, 9168, 9170, 9171, 9172, 9179, 9181, 9183, 9184, 9185, 10604, 11068, 11077, 11079, 11080, 11081, 11664, 12001, 12220, 12226, 12228, 12230, 12585, 12591, 12593, 12595, 12784, 12786, 12788, 12789, 12967, 12969, 12971, 12972, 12973, 12982, 13933, 13935, 13949, 13951, 13957, 13959, 13965, 13967, 14539, 14551, 14555, 14559, 14974	\thefigure 4796, 4975, 5222, 6834, 8902, 9167, 9180, 11080, 12227, 12590, 12785, 12968, 13947, 14550, 14766
9334,	9497,	\thefootdir@label 9200, 9203, 9232, 9237, 9255, 9258, 9278	\thefootnote ... 373, 668, 727, 922, 981, 1174, 1233, 1589, 4810, 4989, 5126, 6667, 6764, 8845, 10261, 12243, 12302, 12382, 12443, 12641, 12684, 12872, 13220, 13284, 13688, 13752, 14322, 14386
9511,	9561,	\thefootnotemark 13190, 13658, 14161, 14292	\thefontsizepage 3932, 3939, 3946, 3953, 3960
9568,	9572,	\theHchapter ... 11664	\theHsection 11672, 11674
9573,	9574,	\theindex ... 94, 149	\theL@lines 10512, 10517, 10524
9575,	9576,		
9577,	9585,		
9591,	9598,		
9599,	9601,		
9606,	9608,		
9609,	9623,		
9649,	9679,		
9680,	9681,		
9686,	9687,		
9688,	9698,		
9803,	9848,		
10348,	10545,		
10546,	10549,		
10553,	10557,		
10947,	10950,		
11191,	11208,		
11215,	11221,		
11273,	11290,		
11297,	11303,		
11370,	11433,		
11435,	11436,		
11437,	11438,		
11439,	11623,		
11728,	11744,		
11748,	11751,		
11909,	11910,		
13037,	13047,		
13056,	13083,		
13095,	13105,		
13475,	13999,		
14590,	14780,		
14781,	14891,		
15344,	15347,		
15348,	15350,		
15352,	15356,		
15361,	15365,		
15376,	15377,		
15380,	15386,		
15390,	15398,		
15399,	15436,		
15452,	15456,		
15555,	15589,		
15601,	15606,	\theenumiv ... 83, 85,	

\thelstlisting . . .	12224,	12588,	8897,	9173,
.... 10603, 10606	12589,	12792,	9174,	9186,
\thempfn . . .	12793,	12976,	9187,	11069,
1834,	12977,	13443,	11072,	12221,
1842,	13445,	13943,	12222,	12586,
3753,	13945,	14546, 14548	12587,	12790,
3780,	\thepart . . .	475, 483, 6578, 6586	12791,	12974,
3786,	475,	\ther@tfl@t . . 13022,	12975,	13439,
3807,	475,	13023, 13065, 13066	13441,	13939,
3813,	475,	\thesection . . .	13941, 14542, 14544	
4563,	475,	... 19, 145, 468,	\thesubsubsection .	
4570,	475,	621, 877, 1141, 20, 21,	
4577,	475,	3881, 4789,	146, 147, 469,	
9343,	475,	4790, 4968,	470, 622, 623,	
9348,	475,	4969, 5227,	878, 879, 1142,	
9352,	475,	5228, 6717,	1143, 4791,	
9357,	475,	6839, 6840,	4792, 4970,	
9501,	9506,	8895, 8896,	4971, 5229,	
9516,	9521,	9172, 9173,	5230, 6718,	
10228,	10239,	9185, 9186,	6719, 6841,	
10250,	10399, 11021	11068, 11070,	6842, 8897,	
\thempfootnote . . .	11068,	11672, 11674,	8898, 9174,	
.... 9475, 11021	11693,	12220, 12221,	9175, 9187,	
\theorem@indent . . .	11698,	12585, 12586,	9188, 11071,	
11699, 11718, 11719	11699,	12789, 12790,	11074, 12222,	
\theorem@prework 11692	11699,	12973, 12974,	12223, 12587,	
\theorempostskipamount	11693,	13439, 13931,	12588, 12791,	
.... 11693, 11713	11696,	13939, 14538, 14542	12792, 12975,	
\theorempreskipamount	11696,	\thesubparagraph 22,	12976, 13440,	
.... 11696, 11716	11716,	148, 471, 624,	13443, 13940,	
\thepage . . .	1560,	880, 1144, 4793,	13943, 14543, 14546	
1565,	2222,	4972, 5231,	\thetable . . . 1968,	
3063,	3175,	6720, 6843,	4798, 4977,	
3176,	3177,	8899, 9176,	5224, 6836,	
3186,	3187,	9189, 11075,	8904, 9169,	
4345,	4346,	12224, 12589,	9182, 11081,	
4357,	4358,	12793, 12977,	12229, 12592,	
4359,	5765,	13444, 13944, 14547	12787, 12970,	
5783,	5930,	1472,	13955, 14554, 14767	
5948,	15633, 16258	4972, 5231,	\thinlines . . . 5475,	
\theparagraph . . .	21,	6720, 6843,	5485, 5498,	
22,	147,	8899, 9176,	5508, 5521,	
470,	471,	9189, 11075,	5531, 5544, 5554	
624,	879,	12224, 12589,	\thispagestyle . . .	
880,	880,	12793, 12977, 97, 109,	
1143,	1144,	13444, 13944, 14547	152, 389, 522,	
3895,	4792,	1472,	537, 743, 788,	
4793,	4971,	4971, 4969,	997, 1042, 1249,	
4972,	5230,	4970, 5228,	4246, 4268,	
5231,	6719,	5229, 6717,	4289, 4687,	
6720,	6842,	6718, 6840,		
6843,	8898,	6841, 8896,		
8899,	9175,			
9176,	9188,			
9189,	11073,			
11076,	12223,			

4866,	5079,	1020,	1026,	\tocstyle@dottedtocline
5142,	6683,	1163,	1179, 15320
6780,	6896,	1271,	1273,	\tocstyle@feature@dothook
6899,	8861,	1279,	1282, 15419
10443,	10446,	1283,	1288,	\tocstyle@feature@entryhook
11058,	12106,	4815,	4994, 15415
12318,	12363,	12232,	12248,	\tocstyle@feature@entryvskip
12459,	12705,	12339,	12341, 15334, 15337
12826,	12888,	12347,	12369,	\tocstyle@feature@leaders
13225,	13298,	12387,	12485, 15417, 15422
13693,	13766,	12487,	12493,	\tocstyle@feature@pagenumberbox
14327,	14400, 15006	12496,	12497, 12502 15425, 15428
\thm@topsepadd	11693,	\titlefont	2102, 2110,	\tocstyle@feature@pagenumberhook
	11694,	6124,	13239, 15426, 15428
	11697,	13352,	13707,	\tocstyle@feature@parfillskip
	11713,	13820,	14341, 14454 15405, 15406
\thr@@	276, 292, 1308,	\titleformat	.. 3871,	\tocstyle@feature@raggedhook
	1326,	3878,	3885, 3892 15341
	1359,	7427,		\tocstyle@feature@spaceafternumber
	7431,	74809,	14829 15442,
\threecolumnfootnotes		\titlehead	15446, 15467, 15471
 7292	13322,	13790, 14424	\tocstyle@indentstyle
\threecolumnfootstyle		\titlepage	... 548, 15392, 15462
 7381	857,	1111, 4753,	\tocstyle@l@define .
\tiny ..	1635, 3658, 4015	4946,	12117, 12569	. 15479, 15482,
\title 247, 365,	\titlepagestyle	...	15487, 15491,
	401, 708, 753,	13298,	13766, 14400	15495, 15499,
	962, 1007, 1214,	\titlespacing	15503, 15507,
	1259,	.. 3899,	3900, 3901	15511, 15515, 15547
	1605,	\titlestyle	. 2110, 6155	\tocstyle@macrochangewarning
	2124,	2163,	\toaddress . 6905, 10452 15535, 15542
	4160,	4175,	\toc@headstar	\tocstyle@numberline
	4850,	5029, 14996, 15001 15321, 15440
	5118,	5154,	\toc@l@number	\tocstyle@saved@dottedtocline
	6659,	6693,	13380, 15537
	6756,	6792,	13381,	\tocstyle@saved@numberline
	8837,	8871,	13415, 15545
	12283,	12328,	13416,	\tocstyle@depth 15332,
	12424,	12471,	13848,	15344, 15356,
	12676,	12717,	13849,	15376, 15377,
	12864,	12900,	13875,	15380, 15398,
	13320,	13788,	13876,	15399, 15448,
\TitleBarFrame	14482,	14483, 14512, 14513	15450, 15452, 15456
	... 9526, 9545,	\toclevel@subfigure	\tocstyleTOC
	9547,	9549,	15208	. 15344, 15347,
\titlecolour	2093, 6091	\toclevel@subtable	15348, 15350,
\titlecontents	15228	15352, 15356,
	... 3927, 3934,	\tocstyle@numberline	15357, 15359,
	3941,	3948,	15443,	15360, 15364,
\TitleFont	657, 673,	15445,	15463,	15368, 15369,
	764,	766,	15465, 15468, 15470	
	772,		15556	
	911,	927,	\tocstyle@features	
	1018,	 15333	

15372,	15373,	14978,	14983,	\ttl@savel@part .	14926
15376,	15377,	14990,	14995,	\ttlh@hang	14860
15380,	15382,	\TOTALHEIGHT		\turn	13109
15384,	15385,	14841,	\turnbox	13130
15389,	15394,	\totalheight	9830	\tw@	275,
15395,	15398,	\traditionalpoem .	4584	283,	1307,
15399,	15448,	\traditionalpoem@cr		1315,	
15450,	15451,	..	4455,	1349,	1353,
15455		4504,	4505	1358,	1890,
\today	4169	\traditionalpoem@obeylines		2399,	7287,
\toks	118,	4385,	7291,	8922,
120,	1393,	1394,	4584	8923,	9603,
1396,	1397,	\traditionalpoem@par		9607,	9608,
3555,	3556,	..	4385,	9622,	9626,
3562,	5385,	\trimb	3557,	9631,	9634,
9604,	9605,	\trimc	3564	9645,	9649,
9606		\trivlist		9650,	9651,
\toks@	117,	9038,	11695,	9652,	9655,
121,	8955,	8956,	11715	9655,	
8957,	8958,	\ttdefault .	6030,	9655,	
8987,	8988,	\ttfamily	6122	9766,	9768,
8989,	8990,	1662,	1663,	9769,	9771,
9800,	9803,	1665,	1666,	9772,	9775,
9837,	9839,	1667,	1668,	9777,	9778,
9843,	9845,	1669,	1670,	9812,	9814,
9848		1670,	1671	9815,	9817,
\tolerance	7192,	7336,	\ttl@a	14896,	14898
7479,	7626,	\ttl@b	14891,	9818,	9821,
7773,	7920,	14892,	14896,	9823,	9824,
8067,	8214,	14898		\ttl@beginlongest	14866
\toname	6905,	8361	\ttl@calc .	14861,	14873
\topheight			\ttl@changecentercr		
.	11796,	11798,	14865	
11799,	11800,		\ttl@contentsstretch		
11802,	11808,	14903	11459,	11460,
11810,	11812,	\ttl@corr		11465,	11466,
11813,	11814,	14918,	14919,	11479,	11480,
11877,	11878,	14922		11487,	11488,
11879,	11880,	\ttl@endlongest .	14881	11504,	11509,
11884,	11885,	11889	\ttl@filleft	11973,	11974,
\topmargin	1575,	2047,	14885	13181,	13649,
6376,	9127,	16333	\ttl@filright	14153,	14283,
\topmark	8955,	\ttl@glcmds	14855,	14785,	14808,
8964,	8987,	14868	14884	14816,	15120,
\topsep	1717,	\ttl@hmode@error	14856,	15820,	15821,
1726,	2236,	14867	14885	16076,	16080,
2862,	4009,	\ttl@leaders	14868	16082	
4051,	11090,	11092	\ttl@lselect	\twocolumn	382,
\topskip .	228,	1583,	14927,	519,	519,
5825,	5828,	\ttl@margin	14930	535,	786,
9610,	9612,	14915,	14921	990,	1040,
9617,	11096,	14861,	14916	1242,	
11350,	14972,	14880	14864,	1559,	4685,
		\ttl@outnoblock .	14920	5135,	5076,
		\ttl@savel@chapter .	14894	5929,	5764,
		14929	6773,	8854,
				11049,	12104,
				12311,	12361,
				12452,	12698,

12823, 12881,	\undefined 4537, 4590,	5837, 8467,
13291, 13759,	4593, 4595,	8485, 8495, 9634
14393, 14972,	13545, 13547,	\unrestored@protected@xdef
14978, 14983,	13549, 14069,	... 1834, 1842,
14990, 14995, 15000	14071, 14073,	1850, 3759,
\twocolumnfootnotes	14660, 14662, 14664	3786, 3813,
7145	\underline 16033, 16041	4563, 4570,
\twocolumnfootstyle	\undertext 16041	4577, 9348,
7240	\unexpanded	9357, 9506,
\typeout 1454,	... 2426, 2435,	9521, 10228,
1456, 3059,	2436, 2443,	10239, 10250, 10261
3061, 3062,	2444, 2457,	\unsetfootnoteRL ...
3063, 3065,	2458, 2465, 9363, 9364
3067, 3068,	2466, 2567, 2688	\unsetLTR . 11955, 15798
3069, 9210,	\unhbox . 1423, 4410,	\unsetRL . 11980, 15829
15344, 15356,	4675, 5411,	\unsetRTL . 11954, 15797
15376, 15377,	8464, 8488,	\unskip 45,
15380, 15398, 15399	8498, 8501,	58, 73, 179, 192,
	8664, 8666,	206, 263, 1375,
U	8671, 8673,	1376, 1377,
\uc@authornothanks .	15936, 15943,	3113, 3116,
.... 685, 714,	15963, 16086,	3119, 3122,
719, 939, 968,	16087, 16088, 16089	3765, 3792,
973, 1191, 1220,	\unhcopy 14795	3819, 4437,
1225, 4827,	\unitindent 558, 569,	4448, 5315,
5006, 12260,	570, 572, 645,	5808, 5820,
12289, 12294,	653, 798, 799,	5831, 5833,
12399, 12430, 12435	801, 867, 868,	5837, 5841,
\uc@ax 715, 716,	870, 871, 883,	7103, 8465,
969, 970, 1221,	890, 984, 1056,	8466, 9484,
1222, 12290,	1057, 1059,	10990, 10993,
12291, 12431, 12432	1121, 1130,	13114, 13124,
\uc@nothanks	1138, 4701,	13142, 13542,
676, 713, 714,	4702, 4704,	13563, 13568,
723, 930, 967,	4778, 4786,	13577, 14066,
968, 977, 1182,	4880, 4881,	14087, 14092,
1219, 1220,	4883, 4934,	14101, 14657,
1229, 4818,	4942, 12127,	14678, 14683,
4997, 12251,	12138, 12139,	14692, 15893, 16290
12288, 12289,	12141, 12192,	\unvbox . 1957, 1982,
12298, 12390,	12200, 12512,	1987, 1996,
12429, 12430, 12439	12513, 12515,	1999, 5329,
\uc@tx 713, 721,	12579, 12616, 12624	5330, 5576,
967, 975, 1219,	\unitlength ... 5475,	5579, 5596,
1227, 12288,	5485, 5498,	5600, 5635,
12296, 12429, 12437	5508, 5521,	5678, 5735,
\uc@ty 722, 723,	5531, 5544, 5554	5743, 5744,
976, 977, 1228,	\unkern 3679	5753, 5831,
1229, 12297,	\unpenalty 5318, 5808,	5833, 5837,
12298, 12438, 12439	5820, 5831,	5840, 5846,

5850,	5899,	11870, 11890, 11893, 11898, 15963	10115, 10116, 10119, 10120, 10123, 10124, 10127, 10128, 10135, 10137, 10141, 10143, 10148, 10150, 10154, 10156, 10160, 10162, 10166, 10168, 10181, 10183, 10556, 10558, 11905, 11906, 15749
5907,	5908,	\unvcopy 5803, 6240, 6297	\usecounter
5917,	5965,	\uppercase	
6196,	6199,	. 235, 693, 713, 947, 967, 1199, 1219, 4835, 5014, 12268, 12288, 12407, 12429	
6200,	6217,	\uppercaseonnonmath . 110	
6220,	6221,	\uppermargin 6360	
6246,	6253,	\uppertitleback ... 13325, 13793, 14427	
6258,	6263,	\upshape 3932, 3939, 3946, 3953, 3960, 6031, 6035, 6036, 6123, 6128, 6129, 11996	
6303,	6308,	\url@ 10407	
6312,	6317,	\urlstyle 2066	
6989,	7002,	\usebox 1702, 1712, 2960, 3086, 3088, 3093, 3095, 3104, 3105, 3108, 3109, 3316, 6466, 6469, 6477, 6484, 6492, 6499, 6542, 9918, 9922, 10005, 10007, 10011, 10013, 10018, 10020, 10024, 10026, 10030, 10032, 10036, 10038, 10044, 10045, 10048, 10049, 10053, 10054, 10057, 10058, 10061, 10062, 10065, 10066, 10080, 10081, 10083, 10084, 10096, 10097, 10099, 10100, 10106, 10107, 10110, 10111,	
7015,	7076,	\usekomafont . 13195, 13204, 13241, 13354, 13390, 13391, 13426, 13427, 13663, 13672, 13709, 13822, 13858, 13859, 13885, 13886, 13916, 13917, 14297, 14306, 14343, 14456, 14492, 14493, 14523, 14524	
7108,	7114,		
7144,	7205,		
7217,	7230,		
7270,	7349,		
7360,	7372,		
7410,	7492,		
7504,	7517,		
7557,	7639,		
7651,	7664,		
7704,	7786,		
7798,	7811,		
7851,	7933,		
7945,	7958,		
7998,	8080,		
8092,	8105,		
8145,	8227,		
8239,	8252,		
8292,	8374,		
8386,	8399,		
8439,	8462,		
8569,	8582,		
8595,	8643,		
8662,	8669,		
8693,	8701,		
8707,	8713,		
9427,	9440,		
9453,	9489,		
9494,	9597,		
9607,	9634,		
10996,	11014,		
11204,	11206,		
11214,	11232,		
11234,	11286,		
11288,	11296,		
11314,	11316,		
11368,	11834,		
11838,	11843,		
11847,	11859,		

V

\v@aaa	5696, 5698, 5699, 5700, 5702, 5704, 5705, 5706, 5707, 5862, 5864, 5866, 5868, 5869, 5874, 5875, 5877, 5880, 5881, 5884
--------------	---

\v@ccc . .	5697, 5703,	5576,	5579,	8385,	8398,
5705,	5706,	5596,	5600,	8438,	8462,
5707,	5708,	5611,	5621,	8528,	8539,
5717,	5725,	5633,	5647,	8550,	8568,
5863,	5875,	5660,	5676,	8575,	8581,
5876,	5880,	5697,	5703,	8588,	8594,
5883,	5887, 5890	5708,	5711,	8601,	8635,
\vadjust	4413, 4414, 4421	5717,	5720,	8642,	8649,
\valign	7134, 7138	5725,	5730,	8690,	8698,
\value . .	3600, 3632,	5734,	5742,	8711,	8786,
9200,	9215,	5752,	5803,	8967,	9000,
9216,	9219,	5831,	5833,	9087,	9092,
9220,	9223,	5836,	5845,	9115,	9128,
13532,	14056, 14647	5863,	5875,	9142,	9287,
\varcustomer .	14175,	5887,	5888,	9426,	9439,
14201,	14202, 14205	5890,	5894,	9452,	9470,
\varinvoice . .	14176,	5898,	5906,	9594,	9607,
14207,	14208, 14211	5916,	5964,	9631,	9710,
\varmyref . . .	14174,	5970,	6188,	9730,	10461,
14195,	14196, 14199	6196,	6197,	10918,	10958,
\varrefitemi .	14177,	6205,	6209,	10996,	11096,
14213,	14214, 14217	6217,	6218,	11198,	11203,
\varrefitemi . .	14178,	6226,	6240,	11205,	11213,
14219,	14220, 14223	6245,	6249,	11231,	11236,
\varrefitemiii .	14179,	6252,	6256,	11280,	11285,
14225,	14226, 14229	6257,	6274,	11287,	11295,
\varrefitemnamei .	14215	6281,	6297,	11313,	11318,
\varrefitemnameii .	14221	6302,	6306,	11346,	11545,
\varrefitemnameiii .	14227	6307,	6310,	11820,	11821,
.	14227	6311,	6326,	11834,	11838,
\varyourmail .	14173,	6333,	6625,	11843,	11847,
14189,	14190, 14193	6925,	6988,	11859,	11870,
\varyourref . .	14172,	7001,	7014,	11885,	11887,
14183,	14184, 14187	7074,	7204,	11889,	11892,
\vbadness	7133,	7216,	7229,	11897,	11932,
7137,	8953,	7269,	7348,	11939,	11940,
8985,	9086, 11786	7359,	7371,	11947,	12007,
\vbox	28,	7409,	7491,	12197,	12621,
163,	233, 318,	7503,	7516,	12779,	12962,
324,	464, 650,	7556,	7638,	13200,	13518,
888,	1135, 1343,	7650,	7663,	13559,	13668,
1410,	1914,	7703,	7785,	14042,	14083,
1982,	1987,	7797,	7810,	14167,	14302,
1990,	1995,	7850,	7932,	14633,	14674,
1996,	1999,	7944,	7957,	14762,	14797,
3343,	3344,	7997,	8079,	14802,	15478,
3346,	4397,	8091,	8104,	15481,	15486,
4783,	4939,	8144,	8226,	15490,	15494,
5216,	5323,	8238,	8251,	15498,	15502,
5328,	5398,	8291,	8373,	15506,	15510,

15514,	15775,	13255,	13260,	4642,	4699,
15782,	15783,	13266,	13701,	4738,	4813,
15790,	15953,	13723,	13728,	4822,	4832,
15958,	16054,	13734,	14335,	4878,	4917,
16071,	16111,	14357,	14362, 14368	4992,	5001,
16130,	16268,	\vfuzz .	3568, 3571, 3572	5011,	5042,
16304,	16334, 16335	\vleftskip	11064, 11065	5047,	5051,
\vboxL	11940,	\voffset	1579	5053,	5059,
13029,	13074, 15783	\voidb@x	5296	5063,	5065,
\vboxR	11932, 15775	\vpic	11810, 11820, 11821	5094,	5097,
\vcenter	318,	\vrightskip	11064, 11065	5103,	5162,
1407,	5395,	\vrule . . .	307, 1422,	5168,	5174,
14797,	15830,	3345,	3346,	5178,	5198,
15960,	15961, 16054	4396,	4398,	5239,	5244,
\veqno	254, 255	5410,	5613,	5252,	5634,
\VerbBox . . .	6523, 6525	5652,	5715,	5677,	5737,
\verse@i	4427, 4458,	5727,	5892,	5738,	5746,
4464,	4472, 4513	8969,	9004,	5747,	5756,
\verse@ii	4438, 4459,	9713,	9732,	5757,	5838,
4465,	4467,	10909,	10945,	5901,	5902,
4473,	4475, 4513	11208,	11215,	5910,	5911,
\versewidth 4390, 4400, 4492	11240,	11290,	5920,	5921,
\vfil	340, 354,	11297,	11323,	6261,	6315,
549,	552, 670,	11350,	11463,	6592,	6600,
699,	858, 861,	11474,	14750,	6637,	6640,
924,	953, 1112,	14792,	16057,	6646,	6701,
1115,	1176,	16113,	16135, 16282	6705,	6711,
1205,	4397,	\vsizer	1974,	6715,	6732,
4754,	4757,	1994,	2002,	6735,	6741,
4812,	4841,	5773,	5938,	6800,	6806,
4947,	4950,	9107,	9559, 9610	6812,	6816,
4991,	5020,	\vskip	236, 239,	6851,	6856,
5093,	5107,	341,	344, 350,	6865,	7095,
6196,	6217,	409,	415, 421,	7105,	7117,
6636,	6650,	425,	489, 567,	8676,	8680,
6731,	6745,	671,	680, 690,	8694,	8702,
8814,	8828,	761,	765, 771,	8703,	8748,
12118,	12121,	775,	796, 925,	8766,	8770,
12245,	12274,	934,	944, 1015,	8778,	8815,
12384,	12413,	1019,	1025,	8818,	8824,
12570,	12573,	1029,	1054,	8879,	8883,
12651,	12665,	1177,	1186,	8889,	8893,
12839,	12853, 16336	1196,	1267,	9127,	9129,
\vfill	4242,	1272,	1278,	9130,	9486,
7134,	7138,	1282,	1288,	9595,	9633,
11885,	11890,	1291,	1929,	9638,	10528,
11891,	13039,	4453,	4480,	10578,	10591,
13054,	13086,	4516,	4517,	10936,	11011,
13103,	13233,	4523,	4527,	11090,	11092,
		4529,	4640,	11095,	11136,

11145,	11153,	13902,	14037,	14241,	14243,
11206,	11207,	14044,	14128,	14248,	14972,
11209,	11216,	14130,	14134,	14978,	14983,
11233,	11288,	14136,	14180,	14990,	14995, 15000
11289,	11291,	14181,	14296,	\vsplit .	5571, 5572,
11298,	11315,	14305,	14339,	5589,	5593,
11357,	11369,	14342,	14344,	5698,	5704,
11388,	11400,	14350,	14352,	5709,	5864,
11412,	11785,	14354,	14370,	5866,	5875,
11802,	11823,	14448,	14452,	5887,	5967,
11889,	12136,	14455,	14457,	7143,	8954,
12175,	12246,	14464,	14466,	8986,	9603,
12255,	12265,	14469,	14474,	11791,	11794,
12336,	12340,	14509,	14628,	11813,	11814,
12346,	12350,	14635,	14719,	11832,	11836,
12385,	12394,	14721,	14725,	11841,	11845,
12404,	12479,	14727,	15064,	11857,	11868, 11895
12486,	12492,	15083,	15104,	\vss .	233, 1987, 1999,
12496,	12502,	15121,	15138,	5624,	5663,
12505,	12510,	15155,	15172,	5698,	5704,
12549,	12652,	15190,	15209,	5709,	5717,
12655,	12661,	15229,	15264,	5720,	5725,
12725,	12731,	15335,	15519,	5730,	5865,
12736,	12739,	15569,	15573,	5875,	5887,
12758,	12840,	15592,	15975,	5890,	5894,
12843,	12849,	15984,	15993,	5968,	6253,
12908,	12914,	16002,	16092,	6263,	6308,
12920,	12924,	16268,	16333,	6317,	9143,
12944,	12984,	16344,	16359, 16367	11820,	11821,
12988,	12996,	\vspace	2166,	11892,	12007, 15963
13194,	13203,	2953,	3037,	\vtop	318, 1342, 1409,
13237,	13240,	3045,	3623,	3404,	3448,
13242,	13248,	3627,	3687,	3492,	5329,
13250,	13252,	3691,	3704,	5397,	10900,
13268,	13346,	3708,	3721,	14797,	15959,
13350,	13353,	3725,	3836,	16054,	16183, 16227
13355,	13362,	3843,	3850,		W
13364,	13367,	3929,	3936,	\waslice	11820, 11838,
13372,	13513,	3943,	3950,	11843,	11859,
13520,	13604,	3957,	4240,	11878,	11879, 11888
13606,	13610,	4284,	4288,	\wbslice	11821,
13612,	13662,	5036,	5056,	11834,	11847,
13671,	13705,	5233,	5247,	11870,	11877,
13708,	13710,	6845,	6860,	11879,	11880,
13716,	13718,	6904,	6906,	11884,	11885,
13720,	13736,	6908,	8761,	11892,	11897, 11898
13814,	13818,	8773,	10451,	\wd	4403, 4404,
13821,	13823,	10453,	10978,	4464,	4465,
13830,	13832,	10991,	12979,	4467,	4473,
13835,	13840,	12991,	14238,		

4513,	4614,	15598, 15633, 15635	15689, 15690,
4616,	4629,	\WF@ovh 15603	15720, 15736, 15737
4631,	5419,	\WF@place . 15601, 15607	\XC@declaredcolor .
6536,	6540,	\WF@putfigmaybe . 15567 15681, 15688
8472,	8933,	\WF@size . 15580, 15634	\XC@declaredcolor 15680
9048,	9532,	\WF@startwrapping 15639	\XC@display . 15687,
9650,	9651,	\WF@wfname	15691, 15721, 15738
9775,	9777,	15598, 15633, 15635	\XC@edef . . 15674, 15723
9821,	9823,	\WF@wrapil 15627, 15630	\XC@fbox 15742
9924,	10005,	\whiledo 9091	\XC@getmodclr
10007,	10011,	\widowpenalty 15654, 15697
10013,	10044,	. . . 88, 222, 506,	\XC@inflate 15668, 15711
10045,	10048,	637, 905, 1157,	\XC@let@Nc 15689, 15736
10049,	10073,	2245, 4501,	\XC@mclr . . 15668, 15711
10074,	10076,	4770, 4963,	\XC@mmod 15666,
10089,	10090,	5276, 6614,	15667, 15709, 15710
10092,	10106,	6889, 8802,	\XC@mul 15669, 15712
10107,	10110,	11629, 12215,	\XC@split 15732
10111,	10135,	12608, 12809,	\XC@tgcmod 15662, 15705
10137,	10141,	13013, 13484,	\XC@type 15675, 15724
10143,	10499,	14008, 14599, 14951	\XC@undeclaredcolor
10529,	10530,	\WIDTH 14837, 14845 15671, 15682
10541,	10585,	\width . 9553, 9843, 9845	\xcolor@ 15686, 15720
10931,	10997,	\widthof 6391, 6396	\xdef 260,
11102,	11106,	\windowbox 11887, 11893	313, 1655, 1954,
11108,	11116,	\wlog 5699, 5705, 5707,	2365, 2443,
11147,	11429,	5868, 5876, 5883	2444, 2447,
11778,	11974,	\write 1960,	2448, 2465,
13026,	13071,	4386, 4389, 4600	2466, 2469,
13127,	13134,	\wstrutbox 11797, 11799	2470, 4404,
13557,	14081,		4406, 4487,
14186,	14192,	X	4489, 4491,
14198,	14204,	\XC@@tmp 15674, 15675,	6206, 6227,
14210,	14216,	15689, 15723,	6272, 6278,
14222,	14228,	15724, 15732, 15736	6279, 6324,
14234,	14672,	\XC@@tstfalse	6330, 6331,
14837,	14874, 15674, 15723	8521, 8626,
14891,	15603,	\XC@@tsttrue . 15675,	8683, 8956,
15647,	15821,	15676, 15677,	8958, 8988,
	15940,	16029, 16361	\XC@bidideclaredcolor
		\WF@everypar 15566	8990, 9334,
		\WF@adjlw . 15606, 15631	10492, 10916,
		\WF@adjtlm 15628, 15631	\XC@bidideclaredcolor
		\WF@box 15729, 15731
		15603, 15636, 15637	\XC@bidiundeclaredcolor
		\WF@floatfalse 15569, 15714, 15716
		15577, 15587, 15590	\XC@coremodel
		\WF@fltmes 15596 15658, 15701
		\WF@info 15576,	\XC@currentcolor
		15586, 15589, 15686,
			\XeTeX 10435,
			15825, 16506, 16507

\XeTeX .	10434, 11976,	3433,	3473,	5816,	5858,
	15823, 16504, 16505	3477,	4006,	5903,	5912,
\xyzzy	3549	4033,	4064,	5922,	5941,
		4076,	4254,	5944,	6194,
		4417,	4420,	6215,	6232,
		4423,	4464,	6233,	6235,
		4465,	4467,	6236,	6244,
		4473,	4487,	6266,	6268,
		4491,	4495,	6271,	6289,
		4496,	4497,	6290,	6292,
\z@	12, 24, 45, 58, 73, 95, 99, 107, 124, 138, 150, 154, 179, 192, 206, 233, 241, 245, 277, 281, 284, 295, 310, 315, 321, 322, 386, 433, 445, 450, 479, 517, 522, 523, 533, 537, 538, 567, 568, 571, 573, 586, 611, 665, 682, 740, 784, 788, 789, 796, 797, 800, 803, 815, 832, 869, 872, 919, 936, 982, 994, 1038, 1042, 1043, 1054, 1055, 1058, 1060, 1073, 1099, 1171, 1188, 1246, 1283, 1309, 1313, 1316, 1329, 1351, 1359, 1377, 1387, 1389, 1399, 1401, 1406, 1420, 1422, 1423, 1874, 1929, 1957, 1973, 1975, 1982, 1986, 1987, 1990, 1996, 2850, 2859, 3152, 3385, 3389, 3429,	4500,	4513,	6318,	6320,
		4526,	4594,	6323,	6505,
		4606,	4607,	6527,	6529,
		4614,	4616,	6531,	6534,
		4629,	4631,	6536,	6538,
		4639,	4683,	6540,	6542,
		4687,	4688,	6543,	6549,
		4699,	4700,	6554,	6568,
		4703,	4705,	6582,	6595,
		4718,	4741,	6680,	6777,
		4795,	4797,	6823,	6833,
		4799,	4807,	6835,	6837,
		4824,	4862,	6846,	6861,
		4866,	4867,	6951,	6967,
		4878,	4879,	6983,	6997,
		4882,	4884,	7010,	7023,
		4897,	4920,	7058,	7063,
		4974,	4976,	7118,	7119,
		4978,	4986,	7191,	7335,
		5003,	5037,	7478,	7625,
		5057,	5074,	7772,	7919,
		5079,	5080,	8066,	8213,
		5139,	5186,	8360,	8471,
		5201,	5221,	8556,	8560,
		5223,	5225,	8564,	8656,
		5234,	5248,	8677,	8678,
		5298,	5299,	8679,	8736,
		5310,	5312,	8751,	8762,
		5340,	5342,	8774,	8858,
		5387,	5389,	8901,	8903,
		5394,	5408,	8905,	8934,
		5410,	5411,	9073,	9126,
		5416,	5417,	9143,	9166,
		5418,	5419,	9168,	9170,
		5420,	5454,	9179,	9181,
		5465,	5583,	9183,	9329,
		5692,	5739,	9378,	9394,
		5748,	5758,	9409,	9435,
		5776,	5779,	9448,	9461,

9475,	9479,	12359,	12363,	14752,	14776,
9600,	9650,	12364,	12379,	14788,	14792,
9657,	9683,	12396,	12456,	14810,	14814,
9684,	9685,	12497,	12510,	14821,	14832,
9758,	9759,	12511,	12514,	14858,	14859,
9760,	9765,	12516,	12529,	14869,	14873,
9766,	9767,	12552,	12591,	14874,	14875,
9768,	9769,	12593,	12595,	14878,	14887,
9771,	9772,	12650,	12693,	14888,	14890,
9774,	9775,	12702,	12729,	14891,	14893,
9777,	9811,	12746,	12761,	14901,	14906,
9812,	9813,	12784,	12786,	14921,	15006,
9814,	9815,	12788,	12821,	15007,	15081,
9817,	9818,	12826,	12827,	15171,	15189,
9820,	9821,	12885,	12932,	15282,	15335,
9823,	10515,	12947,	12967,	15340,	15345,
10565,	10569,	12969,	12971,	15393,	15519,
10604,	10878,	12980,	12992,	15576,	15583,
10880,	10912,	13026,	13027,	15584,	15602,
10918,	10921,	13028,	13071,	15618,	15621,
10926,	10929,	13072,	13073,	15630,	15631,
10945,	10969,	13111,	13115,	15633,	15637,
10971,	10993,	13116,	13121,	15644,	15645,
11022,	11052,	13125,	13126,	15646,	15647,
11055,	11079,	13127,	13132,	15742,	15749,
11188,	11192,	13133,	13134,	15791,	15793,
11202,	11260,	13139,	13143,	15819,	15820,
11270,	11274,	13144,	13186,	15821,	15844,
11284,	11339,	13194,	13203,	15845,	15846,
11356,	11365,	13227,	13250,	15914,	15915,
11367,	11388,	13268,	13295,	15919,	15975,
11400,	11412,	13339,	13364,	15984,	15993,
11432,	11443,	13385,	13408,	16002,	16006,
11449,	11619,	13421,	13513,	16026,	16027,
11623,	11664,	13520,	13565,	16059,	16070,
11674,	11906,	13654,	13662,	16078,	16083,
11948,	11950,	13671,	13695,	16092,	16164,
11972,	11973,	13718,	13736,	16168,	16208,
11974,	11983,	13763,	13807,	16212,	16253,
11984,	12007,	13832,	13853,	16257,	16260,
12052,	12053,	13880,	13911,	16270,	16271,
12067,	12070,	14037,	14044,	16275,	16282,
12084,	12102,	14089,	14157,	16314,	16331,
12106,	12107,	14288,	14296,	16342,	16370, 16371
12136,	12137,	14305,	14329,	\z@skip .	1929, 9124,
12140,	12142,	14352,	14370,	9125,	10969,
12155,	12178,	14397,	14441,	10972,	12067,
12226,	12228,	14466,	14487,	12071,	12081,
12230,	12240,	14518,	14628,	14756,	14761,
12257,	12315,	14635,	14680,	14795,	14801,

16005, 16006, 16063, 16069, 16331 \zifrefundefined 9232, 9255 \zref@extractdefault 9237, 9258	\zref@labelbyprops 9203, 9278
---	--	---

9 Change History

v13.9	General: Added implementaion of the package. 1	toc, lot, lof, etc with multicol package. 260
v14.2	General: Fixed the wrong order of	v14.3 General: Removed \leavevmode to avoid extra \par. 119