



The bidi *Package*

Documentation for *version 17.8*

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/persian-tex/bidi/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2015 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bid* Package

Bidirectional typesetting in plain T_EX and L^AT_EX, using XeT_EX engine

Documentation for [version 17.8](#)

Vafa Khalighi
persian-tex@tug.org

October 8, 2015

Contents

I	L^AT_EX Manual	4		
1	Basics	4		
1.1	Loading The Package	4	1.18	LTRitems and RTLitems Environments 13
1.2	bid's Symbol	5	1.19	LTRbibitems and RTLbibitems Environments 15
1.3	Commands for Version number, and Date of The Package	6	1.20	\setLTRbibitems, \setRTLbibitems, and \setdefaultbibitems commands 15
1.4	Turning TeX--XeT features on and off	6	1.21	Typesetting margin par 16
1.5	Options of The Package	6	1.22	Typesetting of Headers and Footers 16
1.6	Paragraph Switching Commands	7	1.23	Tabular Typesetting 16
1.7	Paragraph Switching Environments	8	1.24	Equation Numbers 16
1.8	Typesetting Short LTR and RTL Texts	8	2	Support For Various Packages and Classes
1.9	Footnotes	9	2.1	Color 17
1.9.1	Footnote Rule	10	2.2	The dblfnote package 17
1.10	Two Column Typesetting	10	2.3	Hyperref 17
1.11	RTL cases	11	2.4	The listings package 18
1.12	Typesetting Logos	11	2.5	flowfram Package 18
1.13	Separation Mark	11	2.6	Multicolumn Typesetting 18
1.14	\raggedright, \raggedleft commands, flushleft and flushright Environments	12	3	Extra bid Packages and Classes
1.15	Primitive-like commands	12	3.1	bid-longtable package 19
1.16	Something To know about \hbox	12	3.2	biditufte bundle 19
1.17	\bidillap and \bidirlap Commands	13	3.3	Typesetting T _E X and L ^A T _E X Codes 19
			3.4	Typesetting Poems 20
			3.5	Typesetting Resumé 20

3.6	Print Two Pages On A Single Page	20	7.7	amsthm-xetex-bidi.def	35
3.7	Producing Presentations	21	7.8	array-xetex-bidi.def	35
4	Some Useful Internal Macros and Programming Tips	21	7.9	article-xetex-bidi.def	36
4.1	Equating Conditionals	21	7.10	artikel1-xetex-bidi.def	40
4.2	RTL Conditional	21	7.11	artikel2-xetex-bidi.def	45
4.3	Main RTL Conditional	21	7.12	artikel3-xetex-bidi.def	50
4.4	Latin Conditional	21	7.13	arydshln-xetex-bidi.def	55
4.5	Tags Internal Macro	22	7.14	bidi.sty	58
4.6	Definition File Loaded Internal Macro	22	7.15	bidi.tex	61
4.7	Tabular Conditional	22	7.16	bidi2in1.sty	62
4.8	Footnote Conditional	22	7.17	bidicode.sty	63
4.9	Direction Ensuring Macros	22	7.18	bidiftnextra.sty	66
4.10	Reset Direction Macro	23	7.19	bidi-longtable.sty	69
II	Plain T_EX Manual	23	7.20	bidimoderncv.cls	71
5	Basics	23	7.21	biditools.sty	76
5.1	Loading The Package	23	7.22	bidituftefloat.sty	99
5.2	Commands for Version number, and Date of The Package	23	7.23	bidituftesidenote.sty	110
5.3	Turning TeX--XeT features on and off	24	7.24	bidituftetoc.sty	121
5.4	Paragraph Switching Commands	24	7.25	bidituftegeneralstructure.sty	124
5.5	Paragraph Switching Environments	24	7.26	bidituftehyperref.sty	126
5.6	Typesetting Short LTR and RTL Texts	25	7.27	bidituftetitle.sty	127
5.7	Primitive-like commands	26	7.28	bidituft-handout.cls	130
5.8	Something To know about \hbox	26	7.29	bidituft-book.cls	130
5.9	Typesetting Logos	26	7.30	bidipoem.sty	132
6	Some Useful Internal Macros and Programming Tips	26	7.31	boek3-xetex-bidi.def	139
6.1	RTL Conditional	27	7.32	boek-xetex-bidi.def	143
6.2	Main RTL Conditional	27	7.33	bookest-xetex-bidi.def	146
6.3	Direction Ensuring Macros	27	7.34	book-xetex-bidi.def	147
6.4	Reset Direction Macro	27	7.35	breqn-xetex-bidi.def	151
7	bidi implementation	27	7.36	cals-xetex-bidi.def	152
7.1	amsart-xetex-bidi.def	27	7.37	caption-xetex-bidi.def	153
7.2	adjmulticol-xetex-bidi.def	30	7.38	caption3-xetex-bidi.def	153
7.3	algorithm2e-xetex-bidi.def	31	7.39	colortbl-xetex-bidi.def	153
7.4	amsbook-xetex-bidi.def	32	7.40	color-xetex-bidi.def	154
7.5	amsmath-xetex-bidi.def	34	7.41	combine-xetex-bidi.def	155
7.6	amstext-xetex-bidi.def	34	7.42	crop-xetex-bidi.def	155
			7.43	cutwin-xetex-bidi.def	157
			7.44	cuted-xetex-bidi.def	158
			7.45	cvthemebidicasual.sty	166
			7.46	cvthemebidiclassic.sty	168
			7.47	dblfnote-xetex-bidi.def	170
			7.48	draftwatermark-xetex-bidi.def	173
			7.49	eso-pic-xetex-bidi.def	173
			7.50	empheq-xetex-bidi.def	174
			7.51	extarticle-xetex-bidi.def	178
			7.52	extbook-xetex-bidi.def	181
			7.53	extletter-xetex-bidi.def	185
			7.54	extrafootnotefeatures-xetex-bidi.def	185
			7.55	extreport-xetex-bidi.def	221



7.56	fancybox-xetex-bidi.def	225
7.57	fancyhdr-xetex-bidi.def	226
7.58	fix2col-xetex-bidi.def	226
7.59	fleqn-xetex-bidi.def	227
7.60	float-xetex-bidi.def	228
7.61	floatrow-xetex-bidi.def	228
7.62	flowfram-xetex-bidi.def	228
7.63	footnote-xetex-bidi.def	231
7.64	framed-xetex-bidi.def	238
7.65	ftnright-xetex-bidi.def	241
7.66	graphicx-xetex-bidi.def	243
7.67	geometry-xetex-bidi.def	245
7.68	hvfloa-xetex-bidi.def	245
7.69	hyperref-xetex-bidi.def	252
7.70	leqno-xetex-bidi.def	261
7.71	letter-xetex-bidi.def	261
7.72	lettrine-xetex-bidi.def	262
7.73	listings-xetex-bidi.def	264
7.74	loadingorder-xetex-bidi.def	265
7.75	longtable-xetex-bidi.def	271
7.76	mdframed-xetex-bidi.def	272
7.77	memoir-xetex-bidi.def	274
7.78	midfloat-xetex-bidi.def	277
7.79	minitoc-xetex-bidi.def	281
7.80	multicol-xetex-bidi.def	282
7.81	multienum-xetex-bidi.def	285
7.82	natbib-xetex-bidi.def	286
7.83	newfloat-xetex-bidi.def	287
7.84	ntheorem-xetex-bidi.def	287
7.85	ntheorem-hyper-xetex-bidi.def	288
7.86	pdfpages-xetex-bidi.def	288
7.87	pgf-xetex-bidi.def	289
7.88	picinpar-xetex-bidi.def	289
7.89	plain-xetex-bidi.def	292
7.90	pstricks-xetex-bidi.def	294
7.91	quotchap-xetex-bidi.def	294
7.92	ragged2e-xetex-bidi.def	294
7.93	rapport1-xetex-bidi.def	296
7.94	rapport3-xetex-bidi.def	301
7.95	refrep-xetex-bidi.def	307
7.96	report-xetex-bidi.def	311
7.97	rotating-xetex-bidi.def	315
7.98	scrartcl-xetex-bidi.def	317
7.99	scrbook-xetex-bidi.def	328
7.100	scrlettr-xetex-bidi.def	339
7.101	scrreprt-xetex-bidi.def	342
7.102	sidecap-xetex-bidi.def	352
7.103	stabular-xetex-bidi.def	352
7.104	subfigure-xetex-bidi.def	353
7.105	tabls-xetex-bidi.def	353
7.106	tabularx-xetex-bidi.def	354
7.107	tabulary-xetex-bidi.def	355
7.108	tc-xetex-bidi.def	356
7.109	tikz-xetex-bidi.def	356
7.110	titlesec-xetex-bidi.def	357
7.111	titletoc-xetex-bidi.def	358
7.112	tocbibind-xetex-bidi.def	359
7.113	tocloft-xetex-bidi.def	361
7.114	tocstyle-xetex-bidi.def	367
7.115	todonotes-xetex-bidi.def	372
7.116	wrapfig-xetex-bidi.def	374
7.117	xcolor-xetex-bidi.def	376
7.118	latex-xetex-bidi.def	378
7.119	xltxtra-xetex-bidi.def	393
8	Index	393
9	Change History	525



Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain TeX and L^AT_EX, using the XeTeX engine.

bidi Info On The Terminal and In The Log File

If you use bidi package to write any input TeX document, and then run xelatex on your document, bidi writes some information about itself to the terminal and to the log file. The information is something like:

```
*****
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright (c) 2009--2015 Vafa Khalighi
*
* 2015/10/08, v17.8
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/persian-tex/bidi/issues
*
* Support: persian-tex@tug.org
*****
```

Part I

L^AT_EX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;



```
\usepackage [Options] {bidi}
```

Where options of the package are explained later in [subsection 1.5](#).
When loading the package, it is important to know that:

- ❶ bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.
- ❷ In fact, bidi makes sure that some specific packages are loaded before bidi; these are those packages that bidi modifies them for bidirectional typesetting. If you load bidi before any of these packages, then you will get an error saying that you should load bidi as your last package.

For instance, consider the following minimal example:

```
1 \documentclass{minimal}
2 \usepackage{bidi}
3 \usepackage{graphicx}
4 \begin{document}
5 This is just a test.
6 \end{document}
```

Where graphicx is loaded after bidi. If you run xelatex on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
then try to run xelatex on your document again.
```

```
See the bidi package documentation for explanation.
Type H <return> for immediate help.
...
```

```
1.4 \begin{document}
```

```
?
```

1.2 bidi's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes bidi. **Simorgh**¹ (shown on the first page of this documentation) symbolizes bidi.

¹**Simorgh** is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



1.3 Commands for Version number, and Date of The Package

`\bidiversion \bididate`

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
5 \end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

`\TeXXeTOn \TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentially equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in [subsection 5.4](#)), `\RTLdblcol` (explained in [subsection 1.10](#)) and `\autofootnoterule` (explained in [subsubsection 1.9.1](#)).

It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.

There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:



```

\normalfootnotes
\twocolumnfootnotes \threecolumnfootnotes \fourcolumnfootnotes
\fivecolumnfootnotes \sixcolumnfootnotes \sevendcolumnfootnotes
\eightcolumnfootnotes \nincolumnfootnotes \tencolumnfootnotes
\RTLcolumnfootnotes \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes \setRTLparagraphfootnotes

```

☞ `\normalfootnotes` typesets footnotes in Standard \LaTeX format.

☞ `\twocolumnfootnotes` to `\tencolumnfootnotes`, typeset footnotes in two-columns to ten-columns, respectively.

☞ `\RTLcolumnfootnotes` typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and `\LTRcolumnfootnotes` typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). `\LTRcolumnfootnotes` is active by default.

☞ `\paragraphfootnotes` typesets footnotes in paragraph format.

☞ `\setLTRparagraphfootnotes` makes footnotes run from left to right. This command is active by default.

☞ `\setRTLparagraphfootnotes` makes footnotes run from right to left.

Please note that when using `extrafootnotefeatures` option, the footnote rule will be as wide as the text width and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects. Please also note that if you redefine `\baselinestretch` command or change the value of `\baselineskip` primitive before `\paragraphfootnotes` command, then you may get Arithmetic Overflow error. You should change these after using `\paragraphfootnotes` command.

1.6 Paragraph Switching Commands

```

\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR

```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%

```




```

5 Anyone who reads Old and Middle English literary texts will be
6 familiar with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8
9 \setLTR% Notice the blank line before \setLTR
10 Anyone who reads Old and Middle English literary texts will be
11 familiar with the mid-brown volumes of the EETS, with the symbol
12 of Alfred's jewel embossed on the front cover.
13 \end{document}

```

1.7 Paragraph Switching Environments

```

\begin{LTR}  <text>  \end{LTR}
\begin{RTL}  <text>  \end{RTL}

```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{RTL}
5 Anyone who reads Old and Middle English literary texts will be familiar
6 with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8 \begin{LTR}
9 Anyone who reads Old and Middle English literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 And we are still typesetting RTL.
14 \end{RTL}
15 \end{document}

```

1.8 Typesetting Short LTR and RTL Texts

```

\LRE{<text>}  \LR{<text>}
\RLE{<text>}  \RL{<text>}

```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.



```

1 \begin{document}
2 \begin{RTL}
3 Anyone who reads Old and Middle English \LRE{Short LTR text} literary
4 texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol
6 of Alfred's jewel embossed on the front cover.
7 \begin{LTR}
8 Anyone who reads Old and Middle English \RLE{Short RTL text} literary
9 texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 \end{RTL}
14 \end{document}

```

1.9 Footnotes

```

\footnote [num] {<text>} \LTRfootnote [num] {<text>} \RTLfootnote [num] {<text>}
\setfootnoteRL \setfootnoteLR \unsetfootnoteRL
\thanks{<text>} \LTRthanks{<text>} \RTLthanks{<text>}

```

- ☞ `\footnote` in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnote` will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnote` will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a `\setfootnoteRL` command anywhere will make `\footnote` produce an RTL footnote.
- ☞ Specifying either a `\setfootnoteLR` or an `\unsetfootnoteRL` command anywhere will make `\footnote` produce an LTR footnote.
- ☞ `\thanks` (to be used only inside `\author` or `\title` argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRthanks` (to be used only inside `\author` or `\title` argument) will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLthanks` (to be used only inside `\author` or `\title` argument) will always produce an RTL footnote, independent on the current mode.



```
\footnotetext [num] {\text} \LTRfootnotetext [num] {\text}
\RTLfootnotetext [num] {\text}
```

- ☞ `\footnotetext` used in conjunction with `\footnotemark`, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnotetext` used in conjunction with `\footnotemark`, will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnotetext` used in conjunction with `\footnotemark`, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofootnoterule \rightfootnoterule \leftfootnoterule
\LRfootnoterule \textwidthfootnoterule \SplitFootnoteRule
\debugfootnotedirection
```

- ☞ `\autofootnoterule` will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).
- ☞ `\rightfootnoterule` will put footnote rule on the right-hand side.
- ☞ `\leftfootnoterule` or `\LRfootnoterule` will put footnote rule on the left-hand side.
- ☞ `\textwidthfootnoterule` will draw the footnote rule with a width equal to `\textwidth`.
- ☞ `\SplitFootnoteRule` puts a full-width rule above the split-off part of a split footnote.
- ☞ `\debugfootnotedirection` writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, `\RTLdblcol` allows you to have RTL two column typesetting and `\LTRdblcol` allows you to have LTR two column typesetting as the options of the class file.



Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidthfootnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with `mathtools` package (`mathtools` defines `rcases` environment), we had to rename `\rcases` command to `\RTLcases` command.

```
\RTLcases{\text{\langle brach1\rangle}\cr\text{\langle brach2\rangle}\cr\text{\langle brach3\rangle}...}
\text{\langle main\rangle}
```

`\RTLcases` is defined in `bidi` for typesetting RTL cases. `\text` is defined in `amsmath` package, so this means that you need to load `amsmath` package too.

```
1 \documentclass{article}
2 \usepackage{amsmath}
3 \usepackage{bidi}
4 \begin{document}
5 \setRTL
6 \[ \RTLcases{\text{men}\cr\text{women}}
7 \text{Humans Beings}
8 \]
9 \end{document}
```

1.12 Typesetting Logos

```
\XeTeX \XeLaTeX
```

`bidi` defines \XeTeX and \XeLaTeX logos and in addition, it makes sure that logos, \TeX , \LaTeX , $\text{\LaTeX}_{2\epsilon}$ are typeset LTR.

1.13 Separation Mark

```
\SepMark{\langle mark\rangle} \@SepMark
```

Generally in Standard \LaTeX , dot is used for separation between section numbers, equation numbers any anything else which needs to be separated. You can use `\SepMark` to use any other mark as the separation mark instead a dot.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \begin{document}
5 \section{First}
6 \subsection{Second}
7 \subsubsection{Third}
8 \end{document}
```



If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load `amsmath` package and use `\numberwithin` macro to do this or do the ordinary way, but instead dot write `\@SepMark`. Using dot instead `\@SepMark` will certainly make trouble.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \makeatletter
5 \renewcommand\theequation{\thesection\@SepMark\@arabic\c@equation}
6 \makeatother
7 \begin{document}
8 \section{First}
9 \begin{equation}
10 x^2+y^2=z^2
11 \end{equation}
12 \end{document}

```

1.14 `\raggedright`, `\raggedleft` commands, `flushleft` and `flushright` Environments

`\raggedright` command and `flushleft` environment put the text on the left hand side and `\raggedleft` command and `flushright` environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

`\hboxR` `\hboxL` `\vboxR` `\vboxL`

- ☞ The syntax of `\hboxR` is exactly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exactly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exactly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exactly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

1.16 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:



```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \hbox{This is a Test}
6 \end{document}

```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \leavevmode\hbox{This is a Test}
6 \end{document}

```

1.17 `\bidillap` and `\bidirlap` Commands

In RTL mode, `\llap` and `\rlap` do opposite things. Since these two macros are used in a lot of classes and packages, instead of modifying these two macros, we have created two new macros `\bidillap` and `\bidirlap` which give logical results.

1.18 `LTRitems` and `RTLitems` Environments

If you typeset an `itemize`, or an `enumerate`, or a `description` environment where all `\items` are one directional, you have no problem at all as shown below:

```

1 \documentclass{article}
2 \begin{document}
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
7 familiar with the mid-brown volumes of the EETS, with the symbol of
8 Alfred's
9 \item Anyone who reads Old and Middle English literary texts will be
10 familiar with the mid-brown volumes of the EETS, with the symbol of
11 Alfred's
12 \end{enumerate}
13 \end{document}

```

However if the above example becomes bidirectional, as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}

```



```

3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol of Alfred's
6 \begin{enumerate}
7 \item Anyone who reads Old and Middle English literary texts will be
8 familiar with the mid-brown volumes of the EETS, with the symbol of
9 Alfred's
10 \setRTL
11 \item Anyone who reads Old and Middle English literary texts will be
12 familiar with the mid-brown volumes of the EETS, with the symbol of
13 Alfred's
14 \end{enumerate}
15 \end{document}

```

Then some people may argue that this typographically does not look promising. For this purpose, RTLitems environment is provided which has the following syntax:

```

\begin{RTLitems}
  \item <text>
  ...
\end{RTLitems}

```

By using the RTLitems environment, the previous example will look like the following:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol of Alfred's
6 \begin{enumerate}
7 \item Anyone who reads Old and Middle English literary texts will be
8 familiar with the mid-brown volumes of the EETS, with the symbol of
9 Alfred's
10 \begin{RTLitems}
11 \item Anyone who reads Old and Middle English literary texts will be
12 familiar with the mid-brown volumes of the EETS, with the symbol of
13 Alfred's
14 \end{RTLitems}
15 \end{enumerate}
16 \end{document}

```

Similarly, LTRitems environment is defined which has the following syntax:

```

\begin{LTRitems}
  \item <text>
  ...
\end{LTRitems}

```



1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRitems and RTLitems environments but there are few differences:

- ☞ LTRitems and RTLitems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.
- ☞ Clearly instead of `\item`, you have `\bibitem` inside LTRbibitems and RTLbibitems environments.

1.20 \setLTRbibitems, \setRTLbibitems, and \setdefaultbibitems commands

<code>\setLTRbibitems</code> <code>\setRTLbibitems</code> <code>\setdefaultbibitems</code>
--

- ☞ If your whole thebibliography environment is inside RTL mode, but all your `\bibitems` are LTR and you actually want to have `\bibname` to appear on the RHS, you can use `\setLTRbibitems` command before thebibliography environment.
- ☞ If your whole thebibliography environment is inside LTR mode, but all your `\bibitems` are RTL and you actually want to have `\bibname` to appear on the LHS, you can use `\setRTLbibitems` command before thebibliography environment.
- ☞ `\setdefaultbibitems` is the default, when your `\bibitems` are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use `\setdefaultbibitems` command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two `\bibitems`. The first `\bibitem` is LTR and the second `\bibitem` is RTL. One could typeset this senario as shown below:

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{thebibliography}{99}
5 \bibitem This is the first bibitem which is LTR.
6 \begin{RTLbibitems}
7 \bibitem This is the second bibitem which is RTL.
8 \end{RTLbibitems}
9 \end{thebibliography}
10 \end{document}
```



1.21 Typesetting margin par

By default, in RTL mode, `\marginpar` appears on LHS and its content is typeset RTL and in LTR mode, `\marginpar` appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar \setLTRmarginpar \setdefaultmarginpar
\LTRmarginpar[⟨left-text⟩]{⟨right-text⟩}
\RTLmarginpar[⟨left-text⟩]{⟨right-text⟩}
```

- ☞ `\setRTLmarginpar` always makes `\marginpar` to appear on LHS and the content of `\marginpar` is typeset RTL (this is independent of the current mode).
- ☞ `\setLTRmarginpar` always makes `\marginpar` to appear on RHS and the content of `\marginpar` is typeset LTR (this is independent of the current mode).
- ☞ `\setdefaultmarginpar` gives the default behaviour of `\marginpar` as described above.
- ☞ `\LTRmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always LTR.
- ☞ `\RTLmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always RTL.
- ☞ in RTL mode, places of `⟨left-text⟩` and `⟨right-text⟩` swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The bidi package supports `amsmath`, `amstext`, `amsthm`, `array`, `arydshln`, `breqn`, `cals`, `caption`, `color`, `colortbl`, `crop`, `cuted`, `cutwin`, `dblfnote`, `draftwatermark`, `empheq`, `fancyhdr`, `fancybox`, `fix2col`, `float`, `floatrow`, `flowfram`, `framed`, `ftnright`, `geometry`, `graphicx`, `hvfloa`, `hyperref`, `lettrine`, `listings`, `mdframed`, `midfloat`, `minitoc`, `multicol`, `multienum`, `newfloat`, `pdfpages`, `pstricks`, `quotchap`, `pinyin`, `ragged2e`, `rotating`, `sidecap`, `stabular`,



subfig, subfigure, supertabular, xtab, tabs, tabulary, PGF & TIKZ, tocbibind, tocloft, tocstyle, wrapfig, xcolor, xltextra packages, amsart, amsbook, artikel1, artikel2, artikel3, extarticle, flashcards, standrad article, boek, boek3, standard book, bookest, extbook, extletter, scrlettr, standard letter, memoir, extreport, rapport1, rapport3, refrep, standard report, scrartcl, scrbook, scrreprt classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents. We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use color and xcolor packages to typeset texts in colours and colour boxes produced by `\colorbox` and `\fcolorbox` commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use xecolor package. Also if you are going to use `\color` command to colour the text at the beginning of a paragraph, then you should have `\leavevmode` before `\color` command. For having coloured tabular, you can use colortbl package.

2.2 The dblfnote package

The dblfnote package makes footnotes double-columned. In addition bidi package adds bidirectional support for the dblfnote package by providing the following commands:

<code>\RTLdfnmakecol</code>	<code>\LTRdfnmakecol</code>
-----------------------------	-----------------------------

☞ `\RTLdfnmakecol` makes footnotes double-columned RTL.

☞ `\LTRdfnmakecol` makes footnotes double-columned LTR.

☞ If the main direction of the document is RTL, `\RTLdfnmakecol` is active and if the main direction of the document is LTR, `\LTRdfnmakecol` is active.

Please note that when using dblfnote package, the footnote rule will be as wide as the footnote column and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects.

2.3 Hyperref

The hyperref package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.



2.4 The listings package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the `bidi` package adds a key to the `listings` package, namely `captiondirection`. This key can have the following values:

☞ `textdirection` follows the direction of the text (default).

☞ `RTL` sets the direction of the caption to RTL.

☞ `LTR` sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 flowfram Package

You can use `flowfram` package for your bidirectional documents. Please note that `flowfram` package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of `bidi` package, it was recommended that you need to use `fmultico` package instead the original `multicol` package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy `fmultico` package any more. Simply load the original `multicol` package before loading `bidi`. `bidi` now supports `multicol` package and you can typeset bidirectional multi columns. When using `multicol` package, the following two additional commands are provided:

`\RTLmulticolcolumns` `\LTRmulticolcolumns`

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns. In addition, you also can use `vwcol` package for variable width bidirectional column typesetting.

3 Extra bidi Packages and Classes



3.1 bidi-longtable package

For typesetting RTL tables with longtable package, an experimental package, bidi-longtable package, is provided. bidi-longtable package should be loaded after longtable package.

3.2 bidentufte bundle

A modified version of tufte-latex, bidentufte bundle, mainly for RTL typesetting, is provided. If you never used bidentufte bundle or tufte-latex package and you want to use bidentufte bundle, then you need to look at tufte-latex package's manual and examples. In addition, for using bidentufte bundle, you need to know the following notes:

- ☞ You need to use bidentufte-book class instead tufte-book class and bidentufte-handout class instead tufte-handout class.
- ☞ bidentufte bundle provides the following extra commands:

`\LTRsidenote` `\RTLsidenote` `\LTRmarginnote` `\RTLmarginnote`

- ☞ bidentufte-book and bidentufte-handout classes provide two extra options; RTLgeometry (active when loading either of classes) and LTRgeometry.
- ☞ bidentufte bundle unlike tufts-latex package, only provides justified lines.
- ☞ Some features of tufte-latex that does not make any sense in RTL, do not exist in bidentufte bundle (no need for soul, letterspace and macrotype packages).
- ☞ If you want to configure bidentufte-book class for your own needs, then you can create a file with the name bidentufte-book.cfg and put your \LaTeX macros in that file; similarly, if you want to configure bidentufte-handout class for your own needs, then you can create a file with the name bidentufte-handout.cfg and put your \LaTeX macros in that file.

3.3 Typesetting \TeX and \LaTeX Codes

The \LaTeX codes in this manual are typeset using the bidicode package. In standard \LaTeX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsubsection` and any other section-like commands, `\caption` and tabular environment.

bidi package provides bidiftnextra package that solves the issue of footnote in standard \LaTeX . bidiftnextra package should be loaded after bidi package.



3.4 Typesetting Poems

The bidi package provides bidipoem package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type `\\` and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.

When using bidipoem package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying “Unjustified poem. Rerun XeLaTeX to get poem right”.

When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use Kashida.

If you need to change the default distance between two verses, you can do just that by:

```
\renewcommand\poemcolsepskip{\langle length \rangle}
```

```
\begin{traditionalpoem}  
  \langle verse1 \rangle & \langle verse2 \rangle \\  
  \langle verse3 \rangle & \langle verse4 \rangle \\  
  ...  
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}  
  \langle verse1 \rangle & \langle verse2 \rangle  
  \langle verse3 \rangle & \langle verse4 \rangle  
  ...  
\end{traditionalpoem*}
```

3.5 Typesetting Resumé

The bidi package provides `bidimoderncv`² class for typesetting resumé. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the `doc` folder than you can look and learn how you can use it.

3.6 Print Two Pages On A Single Page

bidi package provides `bidi2in1` package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape ‘container’ page.

²This class is the modified version of `moderncv` class.



3.7 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

`\eqnewif{<\newconditional1>}{<\newconditional2>}`

In standard \LaTeX , `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

- ☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.
- ☞ `\newconditional1` will be identical to `\newconditional2`, so that whenever `\newconditional1` is true, then `\newconditional2` is also true and whenever `\newconditional1` is false, then `\newconditional2` is also false and vice versa.

4.2 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

4.4 Latin Conditional

`\if@Latin`

`\if@Latin` inside any environment that uses Latin font is true and inside any environment that uses RTL font is false.



4.5 Tags Internal Macro

```
\@iftagsloaded{<tags name>}{<do thing(s) if the tag is loaded>}  
{<do thing(s) if the tag is not loaded>}
```

As you can see, the syntax of \@iftagsloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By tags, we mean things like leqno or reqno. Please note that in the argument <tags name>, the extension clo should not be given.

4.6 Definition File Loaded Internal Macro

```
\@ifdefinitionfileloaded{<definition file name>}  
{<do thing(s) if the definition file is loaded>}  
{<do thing(s) if the definition file is not loaded>}
```

As you can see, the syntax of \@ifdefinitionfileloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By definition file, we mean things like hyperref-bidi.def or wrapfig-bidi.def. Please note that in the argument <definition file name>, the extension def should not be given.

4.7 Tabular Conditional

```
\if@RTLtab
```

If the tabular is typeset RTL, \if@RTLtab is true and if the tabular is typeset LTR, \if@RTLtab is false.

4.8 Footnote Conditional

```
\if@RTL@footnote
```

When footnotes are typeset RTL, \if@RTL@footnote is true and when footnotes are typeset LTR, \if@RTL@footnote is false.

4.9 Direction Ensuring Macros

```
\@ensure@RTL{<text>} \@ensure@RL{<text>} \@ensure@LTR{<text>}  
\@ensure@LR{<text>} \@ensure@dir{<text>} \@ensure@maindir{<text>}
```

☞ \@ensure@RTL and \@ensure@RL internals make sure that <text> is always typeset RTL, independent on the current mode.

☞ \@ensure@LTR and \@ensure@LR internals make sure that <text> is always typeset LTR, independent on the current mode.



- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II

Plain T_EX Manual

5 Basics

5.1 Loading The Package

You can load the package in the ordinary way;

```
\input bidi
```

When loading the package, it is important to know that: `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

- ☞ `\bidiversion` gives the current version of the package.

- ☞ `\bididate` gives the current date of the package.

```
1 \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```



5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

`\TeXXeTOn \TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

`\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR`

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \input bidi
2 \setRTL%
3 Anyone who reads Old and Middle English literary texts will be
4 familiar with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6
7 \setLTR% Notice the blank line before \setLTR
8 Anyone who reads Old and Middle English literary texts will be
9 familiar with the mid-brown volumes of the EETS, with the symbol
10 of Alfred's jewel embossed on the front cover.
11 \end
```

5.5 Paragraph Switching Environments

`\LTR <text> \endLTR
\RTL <text> \endRTL`

☞ With LTR environment, you can typeset LTR paragraphs.



☞ With RTL environment, you can typeset RTL paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6 \LTR
7 Anyone who reads Old and Middle English literary texts will be familiar
8 with the mid-brown volumes of the EETS, with the symbol
9 of Alfred's jewel embossed on the front cover.
10 \endLTR
11 And we are still typesetting right to left.
12 \endRTL
13 \end
```

5.6 Typesetting Short LTR and RTL Texts

<code>\LRE{<text>}</code>	<code>\LR{<text>}</code>
<code>\RLE{<text>}</code>	<code>\RL{<text>}</code>

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English \LRE{Short left to right text}
4 literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol
6 of Alfred's jewel embossed on the front cover.
7 \LTR
8 Anyone who reads Old and Middle English \RLE{Short right to left text}
9 literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \endLTR
13 \endRTL
14 \end
```



5.7 Primitive-like commands

`\hboxR` `\hboxL` `\vboxR` `\vboxL`

- ☞ The syntax of `\hboxR` is exactly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exactly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exactly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exactly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

5.8 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
1 \input bidi
2 \setRTL
3 \hbox{This is a Test}
4 \end
```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```
1 \input bidi
2 \setRTL
3 \leavevmode\hbox{This is a Test}
4 \end
```

5.9 Typesetting Logos

`\XeTeX`

`bidi` defines Xe \TeX logo and in addition, it makes sure that the logo, \TeX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.



6.1 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

6.3 Direction Ensuring Macros

`\@ensure@RTL{<text>} \@ensure@RL{<text>} \@ensure@LTR{<text>}
\@ensure@LR{<text>} \@ensure@dir{<text>} \@ensure@maindir{<text>}`

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `<text>` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `<text>` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

6.4 Reset Direction Macro

`\save@dir \saved@@dir \reset@dir`

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2013/04/26 v0.8 bidi adaptations for amsart class for XeTeX
2 \def\tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
```



```

7 \ifempty{#4}{%
8 \@tempdima\csname r@tocindent\number#1\endcsname\relax
9 }{%
10 \@tempdima#4\relax
11 }%
12 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi
13 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16 \nobreak
17 \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27 \hbox to \columnwidth
28 {\beginR \vbox{\kern-.4\p@
29 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
30 \def\left@footnoterule{\kern-.4\p@
31 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35 \insert\footins{%
36 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37 \normalfont\footnotesize
38 \interlinepenalty\interfootnotelinepenalty
39 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
40 \floatingpenalty\@MM \hsize\columnwidth
41 \@parboxrestore \parindent\normalparindent \sloppy
42 \protected@edef\@currentlabel{%
43 \csname p@footnote\endcsname\@thefnmark}%
44 \@makefnmark{%
45 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
46
47 \long\def\@RTLfootnotetext#1{%
48 \insert\footins{%
49 \@RTLtrue%
50 \normalfont\footnotesize
51 \interlinepenalty\interfootnotelinepenalty
52 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
53 \floatingpenalty\@MM \hsize\columnwidth
54 \@parboxrestore \parindent\normalparindent \sloppy
55 \protected@edef\@currentlabel{%
56 \csname p@footnote\endcsname\@thefnmark}%

```



```

57 \makefnintext{%
58 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
59
60
61
62 \long\def\@LTRfootnotetext#1{%
63 \insert\footins{%
64 \RTLfalse%
65 \normalfont\footnotesize
66 \interlinepenalty\interfootnotelinepenalty
67 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
68 \floatingpenalty\@MM \hsize\columnwidth
69 \@parboxrestore \parindent\normalparindent \sloppy
70 \protected@edef\@currentlabel{%
71 \csname p@footnote\endcsname\@thefnmark}%
72 \makefnintext{%
73 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
74
75
76 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
77 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
78 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
79
80 \renewenvironment{thebibliography}[1]{%
81 \@bibtitlestyle
82 \normalfont\bibliofont\labelsep .5em\relax
83 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
84 \ifRTL\if@LTRbibitems\RTLfalse\else\fi\else\if@RTLbibitems\RTLtrue\else\fi\fi
85 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
86 \leftmargin\labelwidth \advance\leftmargin\labelsep
87 \usecounter{enumiv}}%
88 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
89 \sfcode`\.=\@m
90 }{%
91 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
92 \endlist
93 }
94 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
95 \columnseprule\z@ \columnsep 35\p@
96 \@indextitlestyle
97 \thispagestyle{plain}%
98 \let\item\@idxitem
99 \parindent\z@ \parskip\z@\@plus.3\p@\relax
100 \ifRTL\raggedleft\else\raggedright\fi
101 \hyphenpenalty\@M
102 \footnotesize}
103 \def\@idxitem{\par\hangindent \ifRTL-\fi2em}
104 \def\@subitem{\par\hangindent \ifRTL-\fi2em\hspace*{1em}}
105 \def\@subsubitem{\par\hangindent \ifRTL-\fi3em\hspace*{2em}}
106 \def\maketitle{\par

```



```

107 \topnum\z@ % this prevents figures from falling at the top of page 1
108 \setcopyright
109 \thispagestyle{firstpage}% this sets first page specifications
110 \uppercasenonmath\shorttitle
111 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
112 \else \andify\shortauthors
113 \fi
114 \@maketitle@hook
115 \begingroup
116 \@maketitle
117 \toks@{\xp{\shortauthors}}\@temptokena{\xp{\shorttitle}}%
118 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
119 \edef\@tempa{%
120   \@nx\markboth{\the\toks4
121     \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
122 \@tempa
123 \endgroup
124 \c@footnote\z@
125 \cleartopmattertags
126 }

```

7.2 adjmulticol-xetex-bidi.def

```

127 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol packa
128 \def\adjmulticols#1#2#3{\col@number#1\relax
129   \def\@tempa{#2}%
130   \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
131   \def\@tempa{#3}%
132   \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
133   \ifnum\col@number<\@ne
134     \PackageWarning{adjmulticol}%
135       {Using '\number\col@number'
136         columns doesn't seem a good idea.^^J
137         I therefore use one columns instead}%
138     \col@number\@ne\fi
139   \ifnum\col@number>10
140     \PackageError{adjmulticol}%
141       {Too many columns}%
142       {Current implementation doesn't
143         support more than 10 columns.%
144         \MessageBreak
145         I therefore use 10 columns instead}%
146     \col@number10 \fi
147   \ifx\@footnotetext\mult@footnotetext\else
148     \let\orig@footnotetext\@footnotetext
149     \let\@footnotetext\mult@footnotetext
150   \fi
151   \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
152     \let\orig@LTRfootnotetext\@LTRfootnotetext
153     \let\@LTRfootnotetext\mult@LTRfootnotetext

```



```

154     \fi
155     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
156         \let\orig@RTLfootnotetext\@RTLfootnotetext
157         \let\@RTLfootnotetext\mult@RTLfootnotetext
158     \fi
159     \ifnextchar[\@adjmult@cols{\adjmult@cols[]}]{}
160 \let\adjmc@page@sofar@orig=\page@sofar

```

7.3 algorithm2e-xetex-bidi.def

```

161 \ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e packa
162 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
163 \else%
164 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
165 \fi%
166
167 \def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algorithmbox}}
168 \def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algorithmbox}\par}%
169 \def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algorithmbox}}
170 \def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algorithmbox}\par}%
171 \renewcommand{\@algocf@start}{%
172     \@algoskip%
173     \begin{bidi@lrbox}{\algocf@algorithmbox}%
174     \setlength{\algowidth}{\hsize}%
175     \vbox\bgroup% save all the algo in a box
176     \hbox to\algowidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
177     \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
178     % initialization
179     \addtolength{\hsize}{-1.5\algomargin}%
180     \let\@mathsemicolon=\;\def\;\{\ifmmode\@mathsemicolon\else\@endalgn\fi}%
181     \raggedright\AlFnt{}%
182     \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgocfslide}}{}%
183     \@algoinsideskip%
184     % \let\@emathdisplay=\]\def\]\{\algocf@endline\@emathdisplay\nl}%
185 }%
186 \renewcommand{\@algocf@finish}{%
187     \@algoinsideskip%
188     \egroup%end of vtop which contain all the text
189     \hfill\egroup%end of hbox wich contains [margin][vtop]
190     \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
191     %
192     \egroup%end of main vbox
193     \end{bidi@lrbox}%
194     \algocf@makethealgo% print the algo
195     \@algoskip%
196     % restore dimension and macros
197     \setlength{\hsize}{\algowidth}%
198     \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
199     \let\;=\@mathsemicolon%
200     \let\]=\@emathdisplay%

```



201 }%

7.4 amsbook-xetex-bidi.def

```

202 \ProvidesFile{amsbook-xetex-bidi.def}[2013/04/26 v0.9 bidi adaptations for amsbook class for XeT
203 \def\tocline#1#2#3#4#5#6#7{\relax
204 \ifnum #1>\c@tocdepth % then omit
205 \else
206 \par \addpenalty\@secpenalty\addvspace{#2}%
207 \begingroup \hyphenpenalty\@M
208 \@ifempty{#4}{%
209 \@tempdima\csname r@tocindent\number#1\endcsname\relax
210 }{%
211 \@tempdima#4\relax
212 }%
213 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi
214 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
215 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
216 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
217 \nobreak
218 \endgroup
219 \fi}
220 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
221 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
222 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
223 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
224 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
225 \columnseprule\z@ \columnsep 35\p@
226 \@indextitlestyle
227 \thispagestyle{plain}%
228 \let\item\@idxitem
229 \parindent\z@ \parskip\z@\@plus.3\p@\relax
230 \if@RTL\raggedleft\else\raggedright\fi
231 \hyphenpenalty\@M
232 \footnotesize}
233 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
234 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
235 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
236 \def\right@footnoterule{%
237 \hbox to \columnwidth
238 {\beginR \vbox{\kern-.4\p@
239 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
240 \def\left@footnoterule{\kern-.4\p@
241 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
242
243 \long\def\@footnotetext#1{%
244 \insert\footins{%
245 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
246 \normalfont\footnotesize
247 \interlinepenalty\interfootnotelinepenalty

```



```

248 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
249 \floatingpenalty\@MM \hsize\columnwidth
250 \@parboxrestore \parindent\normalparindent \sloppy
251 \protected@edef\@currentlabel{%
252   \csname p@footnote\endcsname\@thefnmark}%
253 \@makefnintext{%
254   \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
255
256 \long\def\@RTLfootnotetext#1{%
257   \insert\footins{%
258     \@RTLtrue%
259     \normalfont\footnotesize
260     \interlinepenalty\interfootnotelinepenalty
261     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
262     \floatingpenalty\@MM \hsize\columnwidth
263     \@parboxrestore \parindent\normalparindent \sloppy
264     \protected@edef\@currentlabel{%
265       \csname p@footnote\endcsname\@thefnmark}%
266     \@makefnintext{%
267       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
268
269
270 \long\def\@LTRfootnotetext#1{%
271   \insert\footins{%
272     \@RTLfalse%
273     \normalfont\footnotesize
274     \interlinepenalty\interfootnotelinepenalty
275     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
276     \floatingpenalty\@MM \hsize\columnwidth
277     \@parboxrestore \parindent\normalparindent \sloppy
278     \protected@edef\@currentlabel{%
279       \csname p@footnote\endcsname\@thefnmark}%
280     \@makefnintext{%
281       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
282
283
284
285 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
286 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
287 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
288
289 \renewenvironment{thebibliography}[1]{%
290   \@bibtitlestyle
291   \normalfont\bibliofont\labelsep .5em\relax
292   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\empty
293   \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
294   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
295     \leftmargin\labelwidth \advance\leftmargin\labelsep
296     \usecounter{enumiv}}%
297   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty

```



```

298 \sfcode`\.=\@m
299 }{%
300 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
301 \endlist
302 }
303 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
304 \begingroup
305 \fontsize{\@xivpt}{18}\bfseries\centering
306 \ifnum\c@secnumdepth>\m@ne
307 \leavevmode \hskip-\if@RTL\righskip\else\leftskip\fi
308 \rlap{\vbox to\z@{\vss
309 \centerline{\normalsize\mdseries
310 \uppercase\@xp{\chaptername}\enspace\thechapter}
311 \vskip 3pc}}\hskip\if@RTL\righskip\else\leftskip\fi\fi
312 #1\par \endgroup
313 \skip@34\p@ \advance\skip@-\normalbaselineskip
314 \vskip\skip@ }
315 \def\maketitle{\par
316 \@topnum\z@ % this prevents figures from falling at the top of page 1
317 \begingroup
318 \@maketitle
319 \endgroup
320 \c@footnote\z@
321 \def\do##1{\let##1\relax}%
322 \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
323 \do\author \do\@xauthor \do\address \do\@xaddress
324 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
325 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
326 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
327 }

```

7.5 amsmath-xetex-bidi.def

```

328 \ProvidesFile{amsmath-xetex-bidi.def}[2014/09/04 v0.9 bidi adaptations for amsmath package for Xe
329 \let\veqno=\eqno
330 \iftagsleft@ \let\veqno=\leqno \fi
331 \renewcommand{\numberwithin}[3][\arabic]{%
332 \@ifundefined{c@#2}{\@nocounterr{#2}}{%
333 \@ifundefined{c@#3}{\@nocnterr{#3}}{%
334 \@addtoreset{#2}{#3}%
335 \@xp\xdef\csname the#2\endcsname{%
336 \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
337 }
338 \def\tagform@#1{\maketag@@@{\if@Latin\else\beginR\fi(\ignorespaces#1\unskip\@italiccorr)\if@

```

7.6 amstext-xetex-bidi.def

```

339 \ProvidesFile{amstext-xetex-bidi.def}[2013/04/04 v0.1 bidi adaptations for amstext package for Xe
340 \def\textdef#1#2#3{\hbox{%
341 \everymath{#1}%
342 \let\fontsize#2\selectfont

```



```
343 \if@Latin\else\beginR\fi#3\if@Latin\else\endR\fi}}}
```

7.7 amsthm-xetex-bidi.def

```
344 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for XeTeX]
345 \def\@thmcountersep{\@SepMark}
```

7.8 array-xetex-bidi.def

```
346 \ProvidesFile{array-xetex-bidi.def}[2010/08/01 v0.2b bidi adaptations for array package for XeTeX]
347 \def\@testpach{\@chclass
348 \ifnum \@lastchclass=6 \one \@chnum \one \else
349 \ifnum \@lastchclass=7 5 \else
350 \ifnum \@lastchclass=8 \tw@ \else
351 \ifnum \@lastchclass=9 \thr@@
352 \else \z@
353 \ifnum \@lastchclass = 10 \else
354 \edef\@nextchar{\expandafter\string\@nextchar}%
355 \@chnum
356 \if \@nextchar c\z@ \else
357 \if \@nextchar \if@RTLtab r\else l\fi\one \else
358 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
359 \z@ \@chclass
360 \if \@nextchar |\@one \else
361 \if \@nextchar !6 \else
362 \if \@nextchar @7 \else
363 \if \@nextchar <8 \else
364 \if \@nextchar >9 \else
365 10
366 \@chnum
367 \if \@nextchar m\thr@@\else
368 \if \@nextchar p4 \else
369 \if \@nextchar b5 \else
370 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
371 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
372 \def\@tabular{\if@RTL\@RTLtabtrue\fi%
373 \leavevmode
374 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\dollarbegin\beginR
375 \let\dollarend\endR
376 \@tabarray}
377 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
378 \expandafter\let\csname endtabular*\endcsname=\endtabular
379 \def\@array[#1]#2{%
380 \@tempdima \ht \strutbox
381 \advance \@tempdima by\extrarowheight
382 \setbox \@arstrutbox \hbox{\vrule
383 \height \arraystretch \@tempdima
384 \depth \arraystretch \dp \strutbox
385 \width \z@}%
386 \beginR
387 \mkpream{#2}%
```



```

388 \xdef\@preamble{\noexpand \ialign \@halignto
389             \bgroup \@arstrut \@preamble
390             \tabskip \z@ \cr}%
391 \endgroup
392 \@arrayleft
393 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
394 \bgroup
395 \let \@sharp ##\let \protect \relax
396 \lineskip \z@
397 \baselineskip \z@
398 \m@th
399 \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup
400 \def\@tabarray{\@ifnextchar[\@array]{\@array[c]}}
401 \def\endarray{\crrc \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@preamble
402 \def\array{\col@sep\arraycolsep
403 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}%
404 \@RTLtabfalse\@tabarray}

```

7.9 article-xetex-bidi.def

```

405 \ProvidesFile{article-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for standard article clas
406 \if@titlepage
407 \renewcommand\maketitle{\begin{titlepage}%
408 \let\footnotesize\small
409 \let\right@footnoterule\relax
410 \let\left@footnoterule\relax
411 \let\textwidth@footnoterule\relax
412 \let \footnote \thanks
413 \let \LTRfootnote \LTRthanks
414 \let \RTLfootnote \RTLthanks
415 \null\vfil
416 \vskip 60\p@
417 \begin{center}%
418 {\LARGE \@title \par}%
419 \vskip 3em%
420 {\large
421 \lineskip .75em%
422 \begin{tabular}[t]{c}%
423 \@author
424 \end{tabular}\par}%
425 \vskip 1.5em%
426 {\large \@date \par}% % Set date in \large size.
427 \end{center}\par
428 \@thanks
429 \vfil\null
430 \end{titlepage}%
431 \setcounter{footnote}{0}%
432 \global\let\thanks\relax
433 \global\let\LTRthanks\relax
434 \global\let\RTLthanks\relax

```



```

435 \global\let\maketitle\relax
436 \global\let\@thanks\@empty
437 \global\let\@author\@empty
438 \global\let\@date\@empty
439 \global\let\@title\@empty
440 \global\let\title\relax
441 \global\let\author\relax
442 \global\let\date\relax
443 \global\let\and\relax
444 }
445 \else
446 \renewcommand\maketitle{\par
447 \begingroup
448 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
449 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
450 \long\def\@makefntext##1{\parindent 1em\noindent
451 \hb@xt@1.8em{%
452 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
453 \if@twocolumn
454 \ifnum \col@number=\@ne
455 \@maketitle
456 \else
457 \twocolumn[\@maketitle]%
458 \fi
459 \else
460 \newpage
461 \global\@topnum\z@ % Prevents figures from going at top of page.
462 \@maketitle
463 \fi
464 \thispagestyle{plain}\@thanks
465 \endgroup
466 \setcounter{footnote}{0}%
467 \global\let\thanks\relax
468 \global\let\LTRthanks\relax
469 \global\let\RTLthanks\relax
470 \global\let\maketitle\relax
471 \global\let\@maketitle\relax
472 \global\let\@thanks\@empty
473 \global\let\@author\@empty
474 \global\let\@date\@empty
475 \global\let\@title\@empty
476 \global\let\title\relax
477 \global\let\author\relax
478 \global\let\date\relax
479 \global\let\and\relax
480 }
481 \def\@maketitle{%
482 \newpage
483 \null
484 \vskip 2em%

```



```

485 \begin{center}%
486 \let \footnote \thanks
487 \let \LTRfootnote \LTRthanks
488 \let \RTLfootnote \RTLthanks
489 {\LARGE \@title \par}%
490 \vskip 1.5em%
491 {\large
492 \lineskip .5em%
493 \begin{tabular}[t]{c}%
494 \@author
495 \end{tabular}\par}%
496 \vskip 1em%
497 {\large \@date}%
498 \end{center}%
499 \par
500 \vskip 1.5em}
501 \fi
502 \renewcommand*\l@part[2]{%
503 \ifnum \c@tocdepth >-2\relax
504 \addpenalty\@secpenalty
505 \addvspace{2.25em \@plus\p@}%
506 \setlength\@tempdima{3em}%
507 \begingroup
508 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
509 \parfillskip -\@pnumwidth
510 {\leavevmode
511 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
512 \nobreak
513 \if@compatibility
514 \global\@nobreaktrue
515 \everypar{\global\@nobreakfalse\everypar{}}%
516 \fi
517 \endgroup
518 \fi}
519 \renewcommand*\l@section[2]{%
520 \ifnum \c@tocdepth >\z@
521 \addpenalty\@secpenalty
522 \addvspace{1.0em \@plus\p@}%
523 \setlength\@tempdima{1.5em}%
524 \begingroup
525 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
526 \parfillskip -\@pnumwidth
527 \leavevmode \bfseries
528 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
529 \hskip -\if@RTL\rightskip\else\leftskip\fi
530 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
531 \endgroup
532 \fi}
533 \renewcommand\left@footnoterule{%
534 \kern-3\p@

```



```

535 \hrule\@width.4\columnwidth
536 \kern2.6\p@}
537 \renewcommand\right@footnoterule{%
538 \hbox to \columnwidth
539 {\beginR \vbox{%
540 \kern-3\p@
541 \hrule\@width.4\columnwidth
542 \kern2.6\p@}\hfil\endR}}
543 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
544 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
545 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
546 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
547 \def\@part[#1]#2{%
548 \ifnum \c@secnumdepth >\m@ne
549 \refstepcounter{part}%
550 \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
551 \else
552 \addcontentsline{toc}{part}{#1}%
553 \fi
554 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
555 \interlinepenalty \@M
556 \normalfont
557 \ifnum \c@secnumdepth >\m@ne
558 \Large\bfseries \partname\nobreakspace\thepart
559 \par\nobreak
560 \fi
561 \huge \bfseries #2%
562 \markboth{}{}\par}%
563 \nobreak
564 \vskip 3ex
565 \@afterheading}
566 \renewenvironment{thebibliography}[1]
567 {\section*{\refname}%
568 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
569 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
570 \list{\@biblabel{\@arabic\c@enumiv}}%
571 {\settowidth\labelwidth{\@biblabel{#1}}%
572 \leftmargin\labelwidth
573 \advance\leftmargin\labelsep
574 \@openbib@code
575 \usecounter{enumiv}%
576 \let\p@enumiv\@empty
577 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
578 \sloppy
579 \clubpenalty4000
580 \@clubpenalty \clubpenalty
581 \widowpenalty4000%
582 \sfcode`.\@m}
583 {\def\@noitemerr
584 {\@latex@warning{Empty `thebibliography' environment}}}%

```




```

585 \endlist}
586 \renewenvironment{theindex}
587     {\if@twocolumn
588       \@restonecolfalse
589       \else
590       \@restonecoltrue
591       \fi
592       \columnseprule \z@
593       \columnsep 35\p@
594       \twocolumn[\section*{\indexname}]%
595       \@mkboth{\MakeUppercase\indexname}%
596               {\MakeUppercase\indexname}%
597       \thispagestyle{plain}\parindent\z@
598       \parskip\z@ \@plus .3\p@\relax
599       \let\item\@idxitem
600     {\if@restonecol\onecolumn\else\clearpage\fi}

```

7.10 artikel1-xetex-bidi.def

```

601 \ProvidesFile{artikel1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel1 class for X
602 \renewenvironment{theindex}{%
603   \if@twocolumn
604     \@restonecolfalse
605   \else
606     \@restonecoltrue
607   \fi
608   \columnseprule \z@
609   \columnsep 35\p@
610   \twocolumn[\section*{\indexname}]%
611   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
612   \thispagestyle{plain}\parindent\z@
613   \parskip\z@ \@plus .3\p@\relax
614   \let\item\@idxitem
615 }{%
616   \if@restonecol\onecolumn\else\clearpage\fi}
617 \renewcommand*{\head@style}{%
618   \interlinepenalty \@M
619   \hyphenpenalty=\@M \exhyphenpenalty=\@M
620   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
621 \if@titlepage
622   \renewenvironment{abstract}{%
623     \titlepage
624     \null\vfil
625     \section*{\SectFont\abstractname}
626     \noindent\ignorespaces}
627   {\par\vfil\null\endtitlepage}
628 \else
629   \renewenvironment{abstract}{%
630     \if@twocolumn
631       \section*{\abstractname}%

```



```

632     \else
633         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
634         \section*{\small\SectFont\abstractname}%
635         \noindent\ignorespaces
636     \fi}
637     {\if@twocolumn\else\par\egroup\fi}
638 \fi
639 \renewcommand*\@regtocline[3]{%
640     \ifnum #1>\c@tocdepth
641     \else
642         \vskip\z@ \@plus.2\p@
643         {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
644         \if@RTL\rightskip\else\leftskip\fi\unitindent
645         \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
646         \parfillskip\z@
647         \@tempdima\unitindent
648         \parindent\z@
649         \leavevmode
650         \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
651         \hskip 1em \nobreak{\slshape #3}\par
652     }%
653 \fi}
654 \if@oldtoc
655 \renewcommand*\l@part[2]{%
656     \ifnum \c@tocdepth >-2\relax
657         \addpenalty\@secpenalty
658         \addvspace{2.25em \@plus\p@}%
659         \begingroup
660             \setlength\@tempdima{3em}%
661             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
662             \parfillskip -\@pnumwidth
663             {\leavevmode
664                 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
665             \nobreak
666             \if@compatibility
667                 \global\@nobreaktrue
668                 \everypar{\global\@nobreakfalse\everypar{}}%
669             \fi
670         \endgroup
671     \fi}
672 \else
673 \renewcommand*\l@part{%
674     \ifnum \c@tocdepth >-2\relax
675         \addpenalty\@secpenalty
676         \addvspace{2.25em \@plus \p@}%
677         \@regtocline{0}%
678     \fi}
679 \fi
680 \if@oldtoc
681 \renewcommand*\l@section[2]{%

```



```

682 \addpenalty\@secpenalty
683 \addvspace{1.0em \@plus\p@}%
684 \setlength\@tempdima{1.5em}%
685 \beginingroup
686 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
687 \parfillskip -\@pnumwidth
688 \leavevmode \bfseries
689 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
690 \hskip -\if@RTL\rightskip\else\leftskip\fi
691 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
692 \endgroup}
693 \else
694 \renewcommand*\l@section{\@regtocline{1}}
695 \fi
696 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
697 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsection}
698 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
699 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
700 \renewenvironment{thebibliography}[1]
701 {\section*\refname}%
702 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
703 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
704 \list{\@biblabel{\@arabic\c@enumiv}}%
705 {\settowidth\labelwidth{\@biblabel{#1}}%
706 \leftmargin\labelwidth
707 \advance\leftmargin\labelsep
708 \openbib@code
709 \usecounter{enumiv}%
710 \let\p@enumiv\@empty
711 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
712 \sloppy\clubpenalty4000\widowpenalty4000%
713 \sfcode`\.\@m}
714 {\def\@noitemerr
715 {\@latex@warning{Empty `thebibliography' environment}}}%
716 \endlist}
717 \renewcommand*\left@footnoterule{%
718 \kern-3\p@
719 \kern.5\baselineskip
720 \hrule\@width\unitindent
721 \kern.4\baselineskip
722 }
723 \renewcommand*\right@footnoterule{%
724 \hbox to \columnwidth
725 {\beginR \vbox{%
726 \kern-3\p@
727 \kern.5\baselineskip
728 \hrule\@width\unitindent
729 \kern.4\baselineskip}\hfil\endR}
730 }
731 \if@titlepage

```



```

732 \renewcommand*\TitleFont{\rmfamily}
733 \renewcommand*\maketitle{%
734   \begin{titlepage}%
735     \let\footnotesize\small
736     \let\right@footnoterule\relax
737     \let\left@footnoterule\relax
738     \let\textwidth@footnoterule\relax
739     \let \footnote \thanks
740     \long\def\@makefntext##1{\parindent\z@
741       \def\labelitemi{\textendash}\@revlabeltrue
742       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
743     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
744     \if@compatibility\setcounter{page}{0}\fi
745     \null\vfil
746     \vskip 60\p@
747     \begin{center}%
748       \TitleFont
749       {\LARGE \def\\{\penalty -\@M}
750         \if@allcaps
751           \expandafter\uc@nothanks\@title\thanks\relax
752         \else
753           \@title
754         \fi\par}%
755       \vskip 3em%
756       {\large
757         \lineskip .75em \parindent\z@
758         \begin{tabular}[t]{c}%
759           \if@allcaps
760             \expandafter\uc@authornothanks\@author\and\relax
761           \else
762             \@author
763           \fi
764         \end{tabular}\par}%
765       \vskip 1.5em%
766       {\large
767         \if@allcaps
768           \uppercase\expandafter{\@date}%
769         \else
770           \@date
771         \fi\par}%
772       \end{center}\par
773       \@thanks
774       \vfil\null
775     \end{titlepage}%
776     \setcounter{footnote}{0}%
777     \global\let\thanks\relax
778     \global\let\maketitle\relax
779     \global\let\@thanks\@empty
780     \global\let\@author\@empty
781     \global\let\@title\@empty

```



```

782 \global\let\@date\@empty
783 \global\let\title\relax
784 \global\let\author\relax
785 \global\let\date\relax
786 \global\let\and\relax
787 }
788 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
789 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
790 \futurelet\@tempa\uc@ax}
791 \def\uc@ax{%
792 \ifx\@tempa\relax
793 \else
794 \\\andname \\\expandafter\uc@authornothanks
795 \fi}
796 \def\uc@tx{\ifx\@tempa\relax
797 \else \expandafter\uc@ty \fi}
798 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
799 \else
800 \renewcommand*\maketitle{\par
801 \begingroup
802 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
803 \def\@makefnmark{\rlap{%
804 \@textsuperscript{\normalfont\@thefnmark}}}%
805 \long\def\@makefnmark{\@xmakefnmark}%
806 \@textsuperscript{\normalfont\@thefnmark}}}%
807 \if@twocolumn
808 \ifnum \col@number=\@ne
809 \maketitle
810 \else
811 \twocolumn[\maketitle]%
812 \fi
813 \else
814 \newpage
815 \global\@topnum\z@
816 \maketitle
817 \fi
818 \thispagestyle{plain}\@thanks
819 \endgroup
820 \setcounter{footnote}{0}%
821 \global\let\thanks\relax
822 \global\let\maketitle\relax
823 \global\let\@maketitle\relax
824 \global\let\@thanks\@empty
825 \global\let\@author\@empty
826 \global\let\@title\@empty
827 \global\let\@date\@empty
828 \global\let\title\relax
829 \global\let\author\relax
830 \global\let\date\relax
831 \global\let\and\relax

```



```

832 }
833 \def\@maketitle{%
834   \newpage
835   \null
836   \vskip 2em%
837   \begin{center}%
838     \let \footnote \thanks
839     {\LARGE \TitleFont \@title \par}%
840     \vskip 1.5em%
841     {\large \TitleFont
842       \lineskip .5em%
843       \begin{tabular}[t]{c}%
844         \@author
845       \end{tabular}\par}%
846     \vskip 1em%
847     {\large \TitleFont \@date}%
848   \end{center}%
849   \par
850   \vskip 1.5em}
851 \fi

```

7.11 artikel2-xetex-bidi.def

```

852 \ProvidesFile{artikel2-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel2 class for X
853 \renewenvironment{theindex}{%
854   \if@twocolumn
855     \@restonecolfalse
856   \else
857     \@restonecoltrue
858   \fi
859   \columnseprule \z@
860   \columnsep 35\p@
861   \twocolumn[\section*{\indexname}]%
862   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
863   \thispagestyle{plain}\parindent\z@
864   \parskip\z@ \@plus .3\p@\relax
865   \let\item\@idxitem
866   }{%
867   \if@restonecol\onecolumn\else\clearpage\fi}
868 \renewcommand*\@regtocline[3]{%
869   \ifnum #1>\c@tocdepth
870   \else
871     \vskip\z@ \@plus.2\p@
872     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
873       \if@RTL\righskip\else\leftskip\fi\unitindent
874       \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
875       \parfillskip\z@
876       \@tempdima\unitindent
877       \advance\@tempdima by \othermargin
878       \parindent\z@

```



```

879 \leavevmode
880 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
881 \hskip 1em \nobreak{\slshape #3}\par
882 }%
883 \fi}
884 \if@oldtoc
885 \renewcommand*\l@section[2]{%
886 \addpenalty\@secpenalty
887 \addvspace{1.0em \@plus\p@}%
888 \setlength\@tempdima{1.5em}%
889 \beginngroup
890 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
891 \parfillskip -\@pnumwidth
892 \leavevmode \bfseries
893 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
894 \hskip -\if@RTL\righskip\else\leftskip\fi
895 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
896 \endgroup}
897 \else
898 \renewcommand*\l@section{\@regtocline{1}}
899 \fi
900 \if@oldtoc
901 \renewcommand*\l@part[2]{%
902 \ifnum \c@tocdepth >-2\relax
903 \addpenalty\@secpenalty
904 \addvspace{2.25em \@plus\p@}%
905 \beginngroup
906 \setlength\@tempdima{3em}%
907 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
908 \parfillskip -\@pnumwidth
909 {\leavevmode
910 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
911 \nobreak
912 \if@compatibility
913 \global\@nobreaktrue
914 \everypar{\global\@nobreakfalse\everypar{}}%
915 \fi
916 \endgroup
917 \fi}
918 \else
919 \renewcommand*\l@part{%
920 \ifnum \c@tocdepth >-2\relax
921 \addpenalty\@secpenalty
922 \addvspace{2.25em \@plus\p@}%
923 \@regtocline{0}%
924 \fi}
925 \fi
926 \renewcommand*\head@style{%
927 \interlinepenalty \@M
928 \hyphenpenalty=\@M \exhyphenpenalty=\@M

```



```

929 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
930 \if@titlepage
931 \renewenvironment{abstract}{%
932 \titlepage
933 \null\vfil
934 \section*{\SectFont\abstractname}%
935 \noindent\ignorespaces}
936 {\par\vfil\null\endtitlepage}
937 \else
938 \renewenvironment{abstract}{%
939 \if@twocolumn
940 \section*{\abstractname}%
941 \else
942 \section*{\hskip\unitindent\small\SectFont\abstractname}%
943 \list*{\setlength\listparindent{\unitindent}%
944 \setlength\parindent {\z@}%
945 \setlength\leftmargin {\unitindent}%
946 \setlength\rightmargin {\unitindent}%
947 \setlength\parsep {\z@}}%
948 \item[]%
949 \fi}
950 {\if@twocolumn\else\par\endlist\fi}
951 \fi
952 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
953 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
954 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
955 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
956 \renewcommand*\left@footnoterule{%
957 \kern-3\p@
958 \hrule\@width 3\unitindent
959 \kern 2.6\p@}
960 }
961 \renewcommand*\right@footnoterule{%
962 \hbox to \columnwidth
963 {\beginR \vbox{%
964 \kern-3\p@
965 \hrule\@width 3\unitindent
966 \kern 2.6\p@}\hfil\endR}
967 }
968 \renewenvironment{thebibliography}[1]
969 {\section*{\refname}%
970 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
971 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
972 \list*{\@biblabel{\@arabic\c@enumiv}}%
973 {\settowidth\labelwidth{\@biblabel{#1}}%
974 \leftmargin\labelwidth
975 \advance\leftmargin\labelsep
976 \@openbib@code
977 \usecounter{enumiv}%
978 \let\p@enumiv\@empty

```




```

979         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
980     \sloppy\clubpenalty4000\widowpenalty4000%
981     \sfcode`\.\@m}
982     {\def\@noitemerr
983       {\@latex@warning{Empty `thebibliography' environment}}}%
984     \endlist}
985 \if@titlepage
986 \renewcommand*\TitleFont{\rmfamily}
987 \renewcommand*\maketitle{%
988   \begin{titlepage}%
989     \let\footnotesize\small
990     \let\right@footnoterule\relax
991     \let\left@footnoterule\relax
992     \let\textwidth\footnoterule\relax
993     \let \footnote \thanks
994     \long\def\@makefntext##1{\parindent\z@
995       \def\labelitemi{\textendash}\@revlabeltrue
996       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
997     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
998     \if@compatibility\setcounter{page}{0}\fi
999     \null\vfil
1000    \vskip 60\p@
1001    \begin{center}%
1002      \TitleFont
1003      {\LARGE \def\\{\penalty -\@M}
1004        \if@allcaps
1005          \expandafter\uc@nothanks\@title\thanks\relax
1006        \else
1007          \@title
1008        \fi\par}%
1009      \vskip 3em%
1010      {\large
1011        \lineskip .75em \parindent\z@
1012        \begin{tabular}[t]{c}%
1013          \if@allcaps
1014            \expandafter\uc@authornothanks\@author\and\relax
1015          \else
1016            \@author
1017          \fi
1018        \end{tabular}\par}%
1019      \vskip 1.5em%
1020      {\large
1021        \if@allcaps
1022          \uppercase\expandafter{\@date}%
1023        \else
1024          \@date
1025        \fi\par}%
1026      \end{center}\par
1027      \@thanks
1028      \vfil\null

```



```

1029 \end{titlepage}%
1030 \setcounter{footnote}{0}%
1031 \global\let\thanks\relax
1032 \global\let\maketitle\relax
1033 \global\let\@thanks\@empty
1034 \global\let\@author\@empty
1035 \global\let\@title\@empty
1036 \global\let\@date\@empty
1037 \global\let\title\relax
1038 \global\let\author\relax
1039 \global\let\date\relax
1040 \global\let\and\relax
1041 }
1042 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1043 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1044 \futurelet\@tempa\uc@ax}
1045 \def\uc@ax{%
1046 \ifx\@tempa\relax
1047 \else
1048 \\\andname \\\expandafter\uc@authornothanks
1049 \fi}
1050 \def\uc@tx{\ifx\@tempa\relax
1051 \else \expandafter\uc@ty \fi}
1052 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1053 \else
1054 \renewcommand*\maketitle{\par
1055 \beginingroup
1056 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1057 \long\def\@makefnstext##1{\parindent\z@
1058 \def\labelitemi{\textendash}%
1059 \leavevmode\hb@xt@.5\unitindent{%
1060 \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1061 \if@twocolumn
1062 \ifnum \col@number=\@ne
1063 \@maketitle
1064 \else
1065 \twocolumn[\@maketitle]%
1066 \fi
1067 \else
1068 \newpage
1069 \global\@topnum\z@
1070 \@maketitle
1071 \fi
1072 \thispagestyle{plain}\@thanks
1073 \endgroup
1074 \setcounter{footnote}{0}%
1075 \global\let\thanks\relax
1076 \global\let\maketitle\relax
1077 \global\let\@maketitle\relax
1078 \global\let\@thanks\@empty

```



```

1079 \global\let\@author\@empty
1080 \global\let\@title\@empty
1081 \global\let\@date\@empty
1082 \global\let\title\relax
1083 \global\let\author\relax
1084 \global\let\date\relax
1085 \global\let\and\relax
1086 }
1087 \def\@maketitle{%
1088 \newpage
1089 \null
1090 \vskip 2em%
1091 \begin{center}%
1092 \let \footnote \thanks
1093 {\LARGE \TitleFont \@title \par}%
1094 \vskip 1.5em%
1095 {\large \TitleFont
1096 \lineskip .5em%
1097 \begin{tabular}[t]{c}%
1098 \@author
1099 \end{tabular}\par}%
1100 \vskip 1em%
1101 {\large \TitleFont \@date}%
1102 \end{center}%
1103 \par
1104 \vskip 1.5em}
1105 \fi

```

7.12 artikel3-xetex-bidi.def

```

1106 \ProvidesFile{artikel3-xetex-bidi.def}[2011/08/26 v0.3 bidi adaptations for artikel3 class for X
1107 \renewenvironment{theindex}{%
1108 \if@twocolumn
1109 \@restonecolfalse
1110 \else
1111 \@restonecoltrue
1112 \fi
1113 \columnseprule \z@
1114 \columnsep 35\p@
1115 \twocolumn[\section*{\indexname}]%
1116 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1117 \thispagestyle{plain}\parindent\z@
1118 \parskip\z@ \@plus .3\p@\relax
1119 \let\item\@idxitem
1120 }{%
1121 \if@restonecol\onecolumn\else\clearpage\fi}
1122 \renewcommand*{\head@style}{%
1123 \interlinepenalty \@M
1124 \hyphenpenalty=\@M \exhyphenpenalty=\@M
1125 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```



```

1126 \renewcommand*\@regtocline[3]{%
1127   \ifnum #1>\c@tocdepth
1128   \else
1129     \vskip\z@\@plus.2\p@
1130     {\hangindent\z@ \afterindenttrue \interlinepenalty\@M
1131      \if@RTL\righskip\else\leftskip\fi\unitindent
1132      \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
1133      \parfillskip\z@
1134      \@tempdima\unitindent
1135      \parindent\z@
1136      \leavevmode
1137      \hbox{ }\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
1138      \hskip 1em \nobreak{\slshape #3}\par
1139     }%
1140   \fi}
1141 \if@oldtoc
1142 \renewcommand*\l@part[2]{%
1143   \ifnum \c@tocdepth >-2\relax
1144     \addpenalty\@secpenalty
1145     \addvspace{2.25em \@plus\p@}%
1146     \begingroup
1147       \setlength\@tempdima{3em}%
1148       \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
1149       \parfillskip -\@pnumwidth
1150       {\leavevmode
1151        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1152        \nobreak
1153        \if@compatibility
1154          \global\@nobreaktrue
1155          \everypar{\global\@nobreakfalse\everypar{}}%
1156        \fi
1157      \endgroup
1158   \fi}
1159 \else
1160 \renewcommand*\l@part{%
1161   \ifnum \c@tocdepth >-2\relax
1162     \addpenalty\@secpenalty
1163     \addvspace{2.25em \@plus \p@}%
1164     \@regtocline{0}%
1165   \fi}
1166 \fi
1167
1168 \if@oldtoc
1169 \renewcommand*\l@section[2]{%
1170   \addpenalty\@secpenalty
1171   \addvspace{1.0em \@plus\p@}%
1172   \setlength\@tempdima{1.5em}%
1173   \begingroup
1174   \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
1175   \parfillskip -\@pnumwidth

```



```

1176 \leavevmode \bfseries
1177 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
1178 \hskip -\if@RTL\righskip\else\leftskip\fi
1179 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1180 \endgroup}
1181 \else
1182 \renewcommand*\l@section{\@regtocline{1}}
1183 \fi
1184 \if@titlepage
1185 \renewenvironment{abstract}{%
1186 \titlepage
1187 \null\vfil
1188 \section*{\SectFont\abstractname}%
1189 \noindent\ignorespaces
1190 {\par\vfil\null\endtitlepage}
1191 \else
1192 \renewenvironment{abstract}{%
1193 \if@twocolumn
1194 \section*{\abstractname}%
1195 \else
1196 \bgroup\if@RTL\leftskip\else\righskip\fi=\unitindent
1197 \section*{\small\SectFont\abstractname}%
1198 \noindent\ignorespaces
1199 \fi}
1200 {\if@twocolumn\else\par\egroup\fi}
1201 \fi
1202 \renewcommand*\left@footnoterule{%
1203 \kern-3\p@
1204 \kern.5\baselineskip
1205 \hrule\@width\unitindent
1206 \kern.4\baselineskip
1207 }
1208 \renewcommand*\right@footnoterule{%
1209 \hbox to \columnwidth
1210 {\beginR \vbox{%
1211 \kern-3\p@
1212 \kern.5\baselineskip
1213 \hrule\@width\unitindent
1214 \kern.4\baselineskip}\hfil\endR}
1215 }
1216 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
1217 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1218 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1219 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1220 \renewenvironment{thebibliography}[1]
1221 {\section*{\refname}%
1222 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1223 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1224 \list{\@biblabel{\@arabic\c@enumiv}}%
1225 {\settowidth\labelwidth{\@biblabel{#1}}%

```



```

1226         \leftmargin\labelwidth
1227         \advance\leftmargin\labelsep
1228         \@openbib@code
1229         \usecounter{enumiv}%
1230         \let\p@enumiv\@empty
1231         \renewcommand*{\theenumiv}{\@arabic\c@enumiv}}}%
1232     \sloppy\clubpenalty4000\widowpenalty4000%
1233     \sfcode`\.\@m}
1234     {\def\@noitemerr
1235       {\@latex@warning{Empty `thebibliography' environment}}}%
1236     \endlist}
1237 \if@titlepage
1238 \renewcommand*{\TitleFont{\rmfamily}
1239 \renewcommand*{\maketitle{%
1240   \begin{titlepage}%
1241     \let\footnotesize\small
1242     \let\right@footnoterule\relax
1243     \let\left@footnoterule\relax
1244     \let\textwidth\footnoterule\relax
1245     \let \footnote \thanks
1246     \long\def\@makefnmark##1{\parindent\z@
1247       \def\labelitemi{\textendash}\@revlabeltrue
1248       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1249     \renewcommand*{\thefootnote}{\@fnsymbol\c@footnote}%
1250     \if@compatibility\setcounter{page}{0}\fi
1251     \null\vfil
1252     \vskip 60\p@
1253     \begin{center}%
1254       \TitleFont
1255       {\LARGE \def\{\{\penalty -\@M}
1256         \if@allcaps
1257           \expandafter\uc@nothanks\@title\thanks\relax
1258         \else
1259           \@title
1260           \fi\par}%
1261       \vskip 3em%
1262       {\large
1263         \lineskip .75em \parindent\z@
1264         \begin{tabular}[t]{c}%
1265           \if@allcaps
1266             \expandafter\uc@authornothanks\@author\and\relax
1267           \else
1268             \@author
1269           \fi
1270         \end{tabular}\par}%
1271       \vskip 1.5em%
1272       {\large
1273         \if@allcaps
1274           \uppercase\expandafter{\@date}%
1275         \else

```



```

1276         \@date
1277         \fi\par}%
1278     \end{center}\par
1279     \@thanks
1280     \vfil\null
1281 \end{titlepage}%
1282 \setcounter{footnote}{0}%
1283 \global\let\thanks\relax
1284 \global\let\maketitle\relax
1285 \global\let\@thanks\@empty
1286 \global\let\@author\@empty
1287 \global\let\@title\@empty
1288 \global\let\@date\@empty
1289 \global\let\title\relax
1290 \global\let\author\relax
1291 \global\let\date\relax
1292 \global\let\and\relax
1293 }
1294 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1295 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1296     \futurelet\@tempa\uc@ax}
1297 \def\uc@ax{%
1298     \ifx\@tempa\relax
1299     \else
1300         \\\andname \\\expandafter\uc@authornothanks
1301     \fi}
1302 \def\uc@tx{\ifx\@tempa\relax
1303     \else \expandafter\uc@ty \fi}
1304 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1305 \else
1306 \renewcommand*\maketitle{\par
1307     \begin{group}
1308         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1309         \def\@makefnmark{\rlap{%
1310             \@textsuperscript{\normalfont\@thefnmark}}}%
1311         \long\def\@makefntext{\@xmakefntext{%
1312             \@textsuperscript{\normalfont\@thefnmark}}}%
1313         \if@twocolumn
1314             \ifnum \col@number=\@ne
1315                 \@maketitle
1316             \else
1317                 \twocolumn[\@maketitle]%
1318             \fi
1319         \else
1320             \newpage
1321             \global\@topnum\z@
1322             \@maketitle
1323         \fi
1324         \thispagestyle{plain}\@thanks
1325     \end{group}

```



```

1326 \setcounter{footnote}{0}%
1327 \global\let\thanks\relax
1328 \global\let\maketitle\relax
1329 \global\let\@maketitle\relax
1330 \global\let\@thanks\@empty
1331 \global\let\@author\@empty
1332 \global\let\@title\@empty
1333 \global\let\@date\@empty
1334 \global\let\title\relax
1335 \global\let\author\relax
1336 \global\let\date\relax
1337 \global\let\and\relax
1338 }
1339 \def\@maketitle{%
1340 \newpage
1341 \null
1342 \vskip 2em%
1343 \if@titlecentered
1344 \begin{center}%
1345 \let \footnote \thanks
1346 {\LARGE \TitleFont \@title \par}%
1347 \vskip 1.5em%
1348 {\large \TitleFont
1349 \lineskip .5em%
1350 \begin{tabular}[t]{c}%
1351 \@author
1352 \end{tabular}\par}%
1353 \vskip 1em%
1354 {\large \TitleFont \@date}%
1355 \end{center}%
1356 \else
1357 {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1358 {\large \TitleFont \lineskip .5em \tabcolsep\z@
1359 \def\and{%% \begin{tabular} has already started
1360 \end{tabular}\hskip 1em plus .17fil
1361 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular} will
1362 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
1363 \vskip 1em {\large \TitleFont \@date}
1364 \fi
1365 \par
1366 \vskip 1.5em}
1367 \fi

```

7.13 arydshln-xetex-bidi.def

```

1368 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package for
1369 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1370 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
1371 \expandafter\let\csname endtabular*\endcsname\endtabular
1372 \let\adl@array\@array

```




```

1373 \def\@array{\adl@everyvbox\everyvbox
1374     \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1375     \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1376     \let\adl@noalign\noalign
1377     \adl@array}
1378 \ifadl@usingarypkg
1379 \def\@testpach{\@chclass
1380 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1381 \ifnum \@lastchclass=7 5 \else
1382 \ifnum \@lastchclass=8 \tw@ \else
1383 \ifnum \@lastchclass=9 \thr@@
1384 \else \z@
1385 \ifnum \@lastchclass = 10 \else
1386 \edef\@nextchar{\expandafter\string\@nextchar}%
1387 \@chnum
1388 \if \@nextchar c\z@ \else
1389 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1390 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1391 \z@ \@chclass
1392 \if \@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1393 \if \@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1394 \if \@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1395 \if \@nextchar !6 \else
1396 \if \@nextchar @7 \else
1397 \if \@nextchar <8 \else
1398 \if \@nextchar >9 \else
1399 10
1400 \@chnum
1401 \if \@nextchar m\thr@@\else
1402 \if \@nextchar p4 \else
1403 \if \@nextchar b5 \else
1404 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1405 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1406
1407 \def\@classz{\@classx
1408     \@tempcnta \count@
1409     \prepnext@tok
1410     \@addtopreamble{\ifcase \@chnum
1411         \hfil
1412         \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1413         \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1414         \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1415         \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1416         \adl@endmbox\or
1417         \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1418         \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1419         \fi}\prepnext@tok}
1420 \def\adl@class@start{4}
1421 \def\adl@class@iiiorvii{7}
1422

```



```

1423 \else
1424 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1425 \ifnum \@lastchclass=\thr@@ 5\relax \else
1426 \z@ \if #1c\@chnum \z@ \else
1427 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1428 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1429 \@chclass
1430 \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
1431 \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
1432 \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
1433 \if #1@tw@ \else
1434 \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1435 \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1436
1437 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1438 \or \or \@addamp \or
1439 \@acolampacol \or \@firststampfalse \@acol \fi
1440 \edef\@preamble{\@preamble
1441 \ifcase \@chnum
1442 \hfil\adl@putlrc{\$relax\@sharp$}\hfil
1443 \or \adl@putlrc{\$relax\@sharp$}\hfil
1444 \or \hfil\adl@putlrc{\$relax\@sharp$}\fi}}
1445 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1446 \or \or \@addamp \or
1447 \@acolampacol \or \@firststampfalse \@acol \fi
1448 \edef\@preamble{\@preamble
1449 \ifcase \@chnum
1450 \hfil\adl@putlrc{\@sharp\unskip}\hfil
1451 \or \adl@putlrc{\@sharp\unskip}\hfil
1452 \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1453 \def\adl@class@start{6}
1454 \def\adl@class@iiiorvii{3}
1455 \fi
1456 \ifpackageloaded{colortbl}{%
1457 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1458 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1459 \let\@endpbox\adl@org@endpbox}
1460 \let\adl@CT@setup\CT@setup
1461 \def\CT@setup{\adl@CT@setup
1462 \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1463 \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1464 \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1465 \let\adl@act@CT@setup\CT@setup
1466 \def\@classz{\@classx
1467 \@tempcnta\count@ \prepnext@tok
1468 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1469 \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1470 \expandafter\adl@extract@drsc
1471 \the\toks\@tempcnta\doublerulesepcolor!\@nil
1472 \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil

```



```

1473 \addtopreamble{\ifRTL\beginL\fi%
1474 \setbox\z@\hbox\bgroup\bgroup\ifRTL\beginR\fi
1475 \ifcase \@chnum
1476 \hskip\stretch{.5}\kern\z@
1477 \dollarbegin
1478 \insert@column
1479 \dollarend\hskip\stretch{.5}%
1480 \or \dollarbegin \insert@column \dollarend \hfill
1481 \or \hfill \kern\z@ \dollarbegin \insert@column \dollarend
1482 \or $\vcenter
1483 \startpbox{\@nextchar}\insert@column \endpbox $%
1484 \or \vtop \startpbox{\@nextchar}\insert@column \endpbox
1485 \or \vbox \startpbox{\@nextchar}\insert@column \endpbox
1486 \fi
1487 \ifRTL\endR\fi\egroup\egroup
1488 \begingroup
1489 \CT@setup
1490 \CT@column@color
1491 \CT@row@color
1492 \CT@cell@color
1493 \CT@do@color
1494 \endgroup
1495 \@tempdima\ht\z@
1496 \advance\@tempdima\minrowclearance
1497 \vrule\@height\@tempdima\@width\z@
1498 \unhbox\z@\ifRTL\endL\fi}%
1499 \prepnext@tok}
1500 \let\adl@act@classz\@classz
1501 \let\adl@org@classz\@classz
1502 }{}

```

7.14 bidi.sty

```

1503 \NeedsTeXFormat{LaTeX2e}
1504 \def\bididate{2015/10/08}
1505 \def\bidiversion{v17.8}
1506 \ProvidesPackage{bidi}[\bididate\space \bidiversion\space
1507 Bidirectional typesetting in plain TeX and LaTeX]
1508 \edef\@bidi@info{*****^^J%
1509 * ^^J%
1510 * bidi package (Bidirectional typesetting in^^J%
1511 * plain TeX and LaTeX, using XeTeX engine)^^J%
1512 * ^^J%
1513 * Description: A convenient interface for^^J%
1514 * typesetting bidirectional texts in plain TeX^^J%
1515 * and LaTeX. The package includes adaptations^^J%
1516 * for use with many other commonly-used packages.^^J%
1517 * ^^J%
1518 * Copyright (c) 2009--2015 Vafa Khalighi^^J%
1519 * ^^J%

```



```

1520 * \bididate, \bidiversion^^J%
1521 * ^^J%
1522 * License: LaTeX Project Public License, version^^J%
1523 * 1.3c or higher (your choice)^^J%
1524 * ^^J%
1525 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1526 * ^^J%
1527 * Issue tracker: https://github.com/persian-tex/bidi/issues^^J%
1528 * ^^J%
1529 * Support: persian-tex@tug.org^^J%
1530 *****}
1531 \typeout{\@bidi@info}
1532 \edef\bidi@everyjob{\the\everyjob}
1533 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
1534 \RequirePackage{iftex}
1535 \RequireXeTeX
1536 \RequirePackage{biditools}
1537 \RequirePackage{zref-abspage}
1538 \RequirePackage{auxhook}
1539 \RequirePackage{ltxcmds}
1540 \RequirePackage{xkeyval}
1541 \eqnewif{\if@RTLmain}{\if@rlmain}
1542 \eqnewif{\if@RTL}{\if@rl}
1543 \newif\if@Latin
1544 \eqnewif{\if@RTLtab}{\if@tab@rl}
1545 \newif\if@RTLmarginpar
1546 \newif\if@LTRmarginpar
1547 \newif\if@LTRbibitems
1548 \newif\if@RTLbibitems
1549 \newif\if@extrafootnotefeatures
1550 \newif\if@parafootRTL
1551 \newif\if@RTLcolumnfootnotes
1552 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1553 \newif\if@bidi@list@minipage@parbox
1554 \newif\if@bidi@list@minipage@parbox@not@nob
1555 \@RTLmainfalse
1556 \AtBeginDocument{%
1557   \if@RTLmain\else
1558     \if@RTL\@RTLmaintrue%
1559     \else\@RTLmainfalse%
1560     \fi%
1561   \fi%
1562 }
1563 \let\n@xt=\
1564 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1565 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1566 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1567 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1568 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1569 \errmessage{Missing left brace has been substituted}\fi \bgroup}

```



```

1570 \input{latex-xetex-bidi.def}
1571 \input{loadingorder-xetex-bidi.def}
1572 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1573   \ifcase\bidi@tempb\relax
1574     \RTLtrue
1575   \or
1576     \RTLfalse
1577   \fi}
1578 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1579   \ifcase\bidi@tempb\relax
1580     \RTLtrue
1581   \or
1582     \RTLfalse
1583   \fi}
1584 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,t
1585   \ifcase\bidi@tempb\relax
1586     \autofootnoterule
1587   \or
1588     \leftfootnoterule
1589   \or
1590     \rightfootnoterule
1591   \or
1592     \SplitFootnoteRule
1593   \or
1594     \textwidthfootnoterule
1595   \fi}
1596 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,leffttright
1597   \ifcase\bidi@tempb\relax
1598     \RTL@footnotetrue
1599   \or
1600     \RTL@footnotefalse
1601   \fi}
1602 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1603   \ifcase\bidi@tempb\relax
1604     \footdir@debugtrue
1605   \or
1606     \footdir@debugfalse
1607   \fi}
1608 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1609   \ifcase\bidi@tempb\relax
1610     \@extrafootnotefeaturestrue
1611   \or
1612     \@extrafootnotefeaturesfalse
1613   \fi}
1614
1615 \ProcessOptionsX
1616
1617 \ifextrafootnotefeatures
1618   \input{extrafootnotefeatures-xetex-bidi.def}
1619 \fi

```



7.15 bidi.tex

```
1620 \def\bididate{2015/10/08}
1621 \def\bidiversion{v0.2}
1622 \catcode`\@=11
1623 \let \protect \relax
1624 \newlinechar`\^^J
1625 \edef\@bidi@info{*****^^J%
1626 * ^^J%
1627 * bidi package (Bidirectional typesetting in^^J%
1628 * plain TeX and LaTeX, using XeTeX engine)^^J%
1629 * ^^J%
1630 * Description: A convenient interface for^^J%
1631 * typesetting bidirectional texts in plain TeX^^J%
1632 * and LaTeX. The package includes adaptations^^J%
1633 * for use with many other commonly-used packages.^^J%
1634 * ^^J%
1635 * Copyright (c) 2009--2015 Vafa Khalighi^^J%
1636 * ^^J%
1637 * \bididate, \bidiversion^^J%
1638 * ^^J%
1639 * License: LaTeX Project Public License, version^^J%
1640 * 1.3c or higher (your choice)^^J%
1641 * ^^J%
1642 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1643 * ^^J%
1644 * Issue tracker: https://github.com/persian-tex/bidi/issues^^J%
1645 * ^^J%
1646 * Support: persian-tex@tug.org^^J%
1647 *****}
1648 \message{\@bidi@info}
1649 \edef\bidi@everyjob{\the\everyjob}
1650 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1651 \input iftex.sty
1652 \RequireXeTeX
1653 \newif\if@RTLmain
1654 \newif\if@RTL
1655 \newif\if@sntdir
1656 \newif\if@RTL@footnote
1657 \@RTLmainfalse
1658 \def\setRTLmain{%
1659   \if@RTLmain\else
1660     \if@RTL\@RTLmaintrue%
1661     \else\@RTLmainfalse%
1662     \fi%
1663   \fi%
1664 }
1665 \let\n@xt=\
1666 \protected\def\LRE{\protect\pLRE}%
1667 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
```



```

1668 \protected\def\RLE{\protect\pRLE}
1669 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1670 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1671 \errmessage{Missing left brace has been substituted}\fi \bgroup}
1672 \input plain-xetex-bidi.def
1673 \catcode`\@=12

```

7.16 bidi2in1.sty

```

1674 \NeedsTeXFormat{LaTeX2e}
1675 \ProvidesPackage{bidi2in1}
1676 \pagestyle{plain}
1677 \newcount\evenpage
1678 \newcount\oddpge
1679 \twocolumn
1680 \def\@oddfoot{\evenpage=\thepage%
1681 \multiply\evenpage by 2%
1682 \oddpge=\the\evenpage%
1683 \advance\oddpge by -1%
1684 \hfil\the\evenpage\hfil\hfil\the\oddpge\hfil}%
1685 \def\@evenfoot{\evenpage=\thepage%
1686 \multiply\evenpage by 2%
1687 \oddpge=\the\evenpage%
1688 \advance\oddpge by -1%
1689 \hfil\the\oddpge\hfil\hfil\the\evenpage\hfil}%
1690 \textwidth 9.49in
1691 \textheight 6.7in
1692 \columnsep 0.9in
1693 \columnseprule 0.125pt
1694 \headheight 0cm
1695 \topmargin 0in
1696 \marginparwidth 0in
1697 \marginparsep 0in
1698 \hoffset 0.05in % Corrected
1699 \voffset -0.5in %top margin space is 1.0in by default
1700 \oddsidemargin 0in
1701 \evensidemargin 0in
1702 \headsep 0cm
1703 \topskip 0cm
1704 \parskip 0.15in %
1705 \headsep 0pt
1706 \special{papersize=11.69in,8.26in}
1707 \renewcommand\maketitle{\par
1708 \begingroup
1709 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1710 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1711 \long\def\@makefntext##1{\parindent 1em\noindent
1712 \hb@xt@1.8em{%
1713 \hss\@textsuperscript{\normalfont\@thefnmark}}\##1}%
1714 \maketitle

```



```

1715 \@thanks
1716 \endgroup
1717 \setcounter{footnote}{0}%
1718 \global\let\thanks\relax
1719 \global\let\maketitle\relax
1720 \global\let\@maketitle\relax
1721 \global\let\@thanks\@empty
1722 \global\let\@author\@empty
1723 \global\let\@date\@empty
1724 \global\let\@title\@empty
1725 \global\let\title\relax
1726 \global\let\author\relax
1727 \global\let\date\relax
1728 \global\let\and\relax
1729 }

```

7.17 **bidicode.sty**

```

1730 \NeedsTeXFormat{LaTeX2e}
1731 \ProvidesPackage{bidicode}
1732 \RequirePackage{xcolor}
1733 \RequirePackage{showexpl}
1734 \definecolor{hellgelb}{rgb}{1,1,0.85}
1735 \definecolor{colKeys}{rgb}{0,0,1}
1736 \definecolor{colIdentifier}{rgb}{0,0,0}
1737 \definecolor{colComments}{rgb}{1,0,0}
1738 \definecolor{colString}{rgb}{0,0.5,0}
1739 \lstset{
1740     language=[LaTeX]TEX,
1741     float=hb,
1742     basicstyle=\ttfamily\small,
1743     identifierstyle=\color{colIdentifier},
1744     keywordstyle=\color{colKeys},
1745     stringstyle=\color{colString},
1746     commentstyle=\color{colComments},
1747     columns=flexible,
1748     tabsize=4,
1749     gobble =1,
1750     extendedchars=true,
1751     showspaces=false,
1752     showstringspaces=false,
1753     numbers=left,
1754     numbersep=0.9em,
1755     numberstyle=\tiny, %
1756     frame=single,
1757     captionpos=b,
1758     xleftmargin=1em,
1759     breaklines=true,
1760     breakautoindent=false,
1761     breakindent=0pt,

```




```

1762     escapeinside=**,
1763     pos=r,
1764     explpreset={%
1765         xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1766     morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1767 }
1768 \newcommand\HLON{%
1769     \gdef\lst@alloverstyle##1{%
1770         \fboxrule=0pt
1771         \fboxsep=0pt
1772         \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1773     }}
1774 \newcommand\HLOFF{%
1775     \xdef\lst@alloverstyle##1{##1}%
1776 }
1777 \newcommand\Larg [1]{\{\normalfont\itshape#1\}/}
1778 \newcommand\Larga [1]{\{\normalfont\angle$\Larg{#1}$\rangle$}
1779 \newcommand\Largb [1]{\{\lcb\Larg{#1}\rcb}
1780 \newcommand\Largs [1]{\{\lsb\Larg{#1}\rsb}
1781 \newcommand\Largr [1]{\{\lrb\Larg{#1}\rrb}
1782 \newcommand\LBEG [1]{\{\normalfont\ttfamily\bs{}\begin\lcb#1\rcb}}
1783 \newcommand\LEND [1]{\{\normalfont\ttfamily\bs{}\end\lcb#1\rcb}}
1784
1785 \DeclareRobustCommand\bs{\{\normalfont\ttfamily\symbol{92}\}}
1786 \DeclareRobustCommand\lcb{\{\normalfont\ttfamily\char`{}\}}
1787 \DeclareRobustCommand\rcb{\{\normalfont\ttfamily\char`{}\}}
1788 \DeclareRobustCommand\lsb{\{\normalfont\ttfamily[]\}}
1789 \DeclareRobustCommand\rsb{\{\normalfont\ttfamily[]\}}
1790 \DeclareRobustCommand\lrb{\{\normalfont\ttfamily()\}}
1791 \DeclareRobustCommand\rrb{\{\normalfont\ttfamily()\}}
1792
1793 \def\Lcs#1{\nxLcs{#1}}
1794 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
1795 \def\nxLcs#1{\texttt{\symbol{92}#1}}
1796
1797 \def\Coordx#1{${x}_{#1}$}
1798 \def\Coordy#1{${y}_{#1}$}
1799 \def\Coordz#1{${z}_{#1}$}
1800 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
1801 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
1802 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
1803 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
1804 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
1805 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
1806 \def\coordin{(\Coordx{n},\kern 1pt\Coordy{n})}
1807 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1808 \def\coordx#1{(${x}_{#1}$)}
1809 \def\coordy#1{(${y}_{#1}$)}
1810 \def\coordz#1{(${z}_{#1}$)}
1811 \def\cAny{(\Coordx{},\kern 1pt\Coordy{}}

```



```

1812 \def\ciiiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
1813
1814 \newsavebox{\boxdef}
1815 \newenvironment{BDef}
1816   {\begin{lrbox}\boxdef
1817     \def\arraystretch{1.0}
1818     \begin{tabular}{@{}l@{}l@{}l@{}}
1819   }
1820   {\end{tabular}\end{lrbox}}
1821
1822   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
1823   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1824 }
1825
1826 \newenvironment{BDef*}
1827   {\begin{lrbox}\boxdef
1828     \def\arraystretch{1.0}
1829     \begin{tabular}{@{}l@{}l@{}l@{}}
1830   }
1831   {\end{tabular}\end{lrbox}}
1832   {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
1833   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1834 }
1835 \newenvironment{BCmd}{
1836   \@beginparpenalty-\@lowpenalty
1837   \topsep\BDefaboveskip
1838   \fbboxsep3pt
1839   \flushleft}
1840 {\@endparpenalty\@M
1841   \topsepadd\BDefbelowskip
1842   \endflushleft}
1843
1844 \newenvironment{BCmd*}{
1845   \@beginparpenalty\@M
1846   \topsep\BDefinlineskip
1847   \fbboxsep3pt
1848   \flushleft}
1849 {\@endparpenalty5000
1850   \endflushleft}
1851
1852 \newskip\BDefaboveskip
1853 \newskip\BDefbelowskip
1854 \newskip\BDefinlineskip
1855 \setlength\BDefaboveskip{10pt plus 4pt}
1856 \setlength\BDefbelowskip{6pt}
1857 \setlength\BDefinlineskip{6pt}
1858
1859 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
1860 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
1861 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}

```



```

1862 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}

```

7.18 bidiftnxtra.sty

```

1863 \NeedsTeXFormat{LaTeX2e}
1864 \ProvidesPackage{bidiftnxtra}
1865 \newtoks\bidip@ftn
1866 \let\FN@sfc@footnote\footnote
1867 \let\FN@sfc@LTRfootnote\LTRfootnote
1868 \let\FN@sfc@RTLfootnote\RTLfootnote
1869 \def\footnote{\ifx\protect\@typeset@protect
1870   \expandafter\FN@sfc@footnote
1871   \else
1872     \expandafter\FN@sfc@gobble@opt
1873   \fi
1874 }
1875 \def\LTRfootnote{\ifx\protect\@typeset@protect
1876   \expandafter\FN@sfc@LTRfootnote
1877   \else
1878     \expandafter\FN@sfc@gobble@opt
1879   \fi
1880 }
1881 \def\RTLfootnote{\ifx\protect\@typeset@protect
1882   \expandafter\FN@sfc@RTLfootnote
1883   \else
1884     \expandafter\FN@sfc@gobble@opt
1885   \fi
1886 }
1887 \edef\FN@sfc@gobble@opt{\noexpand\protect
1888   \expandafter\noexpand\csname FN@sfc@gobble@opt \endcsname}
1889 \expandafter\def\csname FN@sfc@gobble@opt \endcsname{%
1890   \@ifnextchar[%]
1891     \FN@sfc@gobble@twobracket
1892     \@gobble
1893 }
1894 \def\FN@sfc@gobble@twobracket[#1]#2{}
1895 \let\FN@sfc@footnotemark\footnotemark
1896 \def\footnotemark{\ifx\protect\@typeset@protect
1897   \expandafter\FN@sfc@footnotemark
1898   \else
1899     \expandafter\FN@sfc@gobble@optonly
1900   \fi
1901 }
1902 \edef\FN@sfc@gobble@optonly{\noexpand\protect
1903   \expandafter\noexpand\csname FN@sfc@gobble@optonly \endcsname}
1904 \expandafter\def\csname FN@sfc@gobble@optonly \endcsname{%
1905   \@ifnextchar[%]
1906     \FN@sfc@gobble@bracket
1907     {}%
1908 }

```



```

1909 \def\FN@sf@gobble@bracket[#1]{%
1910 \def\@tabular{\if@RTL\global\@RTLtabtrue\fi
1911   \leavevmode \hbox \bgroup
1912   \let\@footnotetext\@bidi@p@ftntext
1913   \let\@LTRfootnotetext\@bidi@p@LTRftntext
1914   \let\@RTLfootnotetext\@bidi@p@RTLftntext
1915   \let\@xfootnotenext\@bidi@p@xftntext
1916   \let\@xfootnote\@bidi@p@xfootnote
1917   \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
1918   \let\@xLTRfootnote\@bidi@p@xLTRfootnote
1919   \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
1920   \let\@xRTLfootnote\@bidi@p@xRTLfootnote
1921   \if@RTLtab\beginR \fi
1922   $\let\@acol\@tabacol
1923   \let\@classz\@tabclassz
1924   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
1925 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
1926   \egroup $\if@RTLtab\endR\fi\egroup
1927   \ifx\@captive\undefined
1928     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi%
1929     \global\@RTLtabfalse}
1930 \long\def\@bidi@p@ftntext#1{%
1931   \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]]}%
1932   \global\@bidi@p@ftn\expandafter{\@tempy{#1}}}%
1933 \long\def\@bidi@p@LTRftntext#1{%
1934   \edef\@tempyi{\the\@bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]]}%
1935   \global\@bidi@p@ftn\expandafter{\@tempyi{#1}}}%
1936 \long\def\@bidi@p@RTLftntext#1{%
1937   \edef\@tempyii{\the\@bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]]}%
1938   \global\@bidi@p@ftn\expandafter{\@tempyii{#1}}}%
1939
1940
1941 \long\def\@bidi@p@xftntext[#1]#2{%
1942   \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\footnotetext[#1]{#2}}}
1943
1944 \long\def\@bidi@p@xLTRftntext[#1]#2{%
1945   \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
1946
1947 \long\def\@bidi@p@xRTLftntext[#1]#2{%
1948   \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
1949
1950
1951 \def\@bidi@p@xfootnote[#1]{%
1952   \begingroup
1953     \csname c@\@mpfn\endcsname #1\relax
1954     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1955   \endgroup
1956   \@footnotemark\@bidi@p@xftntext[#1]}
1957
1958

```



```

1959 \def\bidi@p@xLTRfootnote[#1]{%
1960   \begingroup
1961     \csname c@\@mpfn\endcsname #1\relax
1962     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1963   \endgroup
1964   \@footnotemark\bidi@p@xLTRftntext[#1]}
1965
1966
1967 \def\bidi@p@xRTLfootnote[#1]{%
1968   \begingroup
1969     \csname c@\@mpfn\endcsname #1\relax
1970     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1971   \endgroup
1972   \@footnotemark\bidi@p@xRTLftntext[#1]}
1973
1974 \def\@xfloat #1[#2]{%
1975   \@nodoocument
1976   \def \@captype {#1}%
1977   \def \@fps {#2}%
1978   \@onelevel@sanitize \@fps
1979   \def \reserved@b {!}%
1980   \ifx \reserved@b \@fps
1981     \@fpsadddefault
1982   \else
1983     \ifx \@fps \@empty
1984       \@fpsadddefault
1985     \fi
1986   \fi
1987   \ifhmode
1988     \@bsphack
1989     \@floatpenalty -\@Mii
1990   \else
1991     \@floatpenalty-\@Miii
1992   \fi
1993   \ifinner
1994     \@parmoderr\@floatpenalty\z@
1995   \else
1996     \@next\@currbox\@freelist
1997     {%
1998       \@tempcnta \sixt@@n
1999       \expandafter \@tfor \expandafter \reserved@a
2000       \expandafter :\expandafter =\@fps
2001       \do
2002       {%
2003         \if \reserved@a h%
2004           \ifodd \@tempcnta
2005             \else
2006               \advance \@tempcnta \@ne
2007             \fi
2008           \fi

```



```

2009         \if \reserved@a t%
2010             \setfpsbit \tw@
2011         \fi
2012         \if \reserved@a b%
2013             \setfpsbit 4%
2014         \fi
2015         \if \reserved@a p%
2016             \setfpsbit 8%
2017         \fi
2018         \if \reserved@a !%
2019             \ifnum \@tempcnta>15
2020                 \advance\@tempcnta -\sixt@@n\relax
2021             \fi
2022         \fi
2023     }%
2024     \@tempcntb \csname ftype@\@capttype \endcsname
2025     \multiply \@tempcntb \@xxxii
2026     \advance \@tempcnta \@tempcntb
2027     \global \count\@currbox \@tempcnta
2028     }%
2029     \@fltovf
2030 \fi
2031 \global \setbox\@currbox
2032     \color@vbox
2033     \normalcolor
2034     \vbox \bgroup
2035         \let\@footnotetext\@bidi@p@ftntext
2036         \let\@LTRfootnotetext\@bidi@p@LTRftntext
2037         \let\@RTLfootnotetext\@bidi@p@RTLftntext
2038         \let\@xfootnotenext\@bidi@p@xftntext
2039         \let\@xfootnote\@bidi@p@xfootnote
2040         \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
2041         \let\@xLTRfootnote\@bidi@p@xLTRfootnote
2042         \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
2043         \let\@xRTLfootnote\@bidi@p@xRTLfootnote
2044         \hsize\columnwidth
2045         \@parboxrestore
2046         \@floatboxreset
2047     }
2048 \def \@endfloatbox{%
2049     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
2050     \@minipagefalse
2051     \outer@nobreak
2052     \egroup                %% end of vbox
2053     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
2054     \color@endbox
2055 }

```

7.19 bidi-longtable.sty



```

2056 \ProvidesPackage{bidi-longtable}[2012/12/12 v0.1 typesetting bidi longtables in XeTeX engine (ex
2057 \def\longtable{\if@RTL\@RTLtabtrue\fi%
2058   \par
2059   \ifx\multicols\@undefined
2060   \else
2061     \ifnum\col@number>\@ne
2062       \@twocolumntrue
2063     \fi
2064   \fi
2065   \if@twocolumn
2066     \LT@err{longtable not in 1-column mode}\@ehc
2067   \fi
2068   \begingroup
2069   \@ifnextchar[\LT@array{\LT@array[x]}}
2070 \def\endlongtable{%
2071   \crr
2072   \noalign{%
2073     \let\LT@entry\LT@entry@chop
2074     \xdef\LT@save@row{\LT@save@row}}%
2075   \LT@echunk
2076   \LT@start
2077   \unvbox\z@
2078   \LT@get@widths
2079   \if@files
2080     {\let\LT@entry\LT@entry@write\immediate\write\@auxout{%
2081       \gdef\expandafter\@noexpand
2082       \csname LT@\romannumeral\c@LT@tables\endcsname
2083       {\LT@save@row}}}%
2084   \fi
2085   \ifx\LT@save@row\LT@@save@row
2086   \else
2087     \LT@warn{Column \@width s have changed\MessageBreak
2088             in table \thetable}%
2089     \LT@final@warn
2090   \fi
2091   \endgraf\penalty -\LT@end@pen
2092   \endgroup
2093   \global\@mparbottom\z@
2094   \pagegoal\vsiz
2095   \endgraf\penalty\z@\addvspace\LTpost
2096   \ifvoid\footins\else\insert\footins{}\fi\@RTLtabfalse}
2097 \def\LT@output{%
2098   \ifnum\outputpenalty <-\@Mi
2099     \ifnum\outputpenalty > -\LT@end@pen
2100       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
2101     \else
2102       \setbox\z@\vbox{\unvbox\@cclv}%
2103       \ifdim \ht\LT@lastfoot>\ht\LT@foot
2104         \dimen@pagegoal
2105         \advance\dimen@-\ht\LT@lastfoot

```



```

2106         \ifdim\dimen@<\ht\z@
2107         \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
2108         \@makecol
2109         \@outputpage
2110         \setbox\z@\vbox{\box\LT@head}%
2111         \fi
2112     \fi
2113     \global\@colroom\@colht
2114     \global\vsizel\@colht
2115     \vbox
2116     {\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@lastf
2117     \fi
2118 \else
2119 \setbox\@cclv\vbox{\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\@cclv\copy\LT@foot\vss}\if@RTLta
2120 \@makecol
2121 \@outputpage
2122 \global\vsizel\@colroom
2123 \copy\LT@head\nobreak
2124 \fi}

```

7.20 bidimoderncv.cls

```

2125 \NeedsTeXFormat{LaTeX2e}
2126 \ProvidesClass{bidimoderncv}
2127 \newif\if@DEBUG\@DEBUGfalse
2128 \DeclareOption{a4paper}{
2129     \setlength\paperheight{297mm}
2130     \setlength\paperwidth{210mm}}
2131 \DeclareOption{a5paper}{
2132     \setlength\paperheight{210mm}
2133     \setlength\paperwidth{148mm}}
2134 \DeclareOption{b5paper}{
2135     \setlength\paperheight{250mm}
2136     \setlength\paperwidth{176mm}}
2137 \DeclareOption{letterpaper}{
2138     \setlength\paperheight{11in}
2139     \setlength\paperwidth{8.5in}}
2140 \DeclareOption{legalpaper}{
2141     \setlength\paperheight{14in}
2142     \setlength\paperwidth{8.5in}}
2143 \DeclareOption{executivepaper}{
2144     \setlength\paperheight{10.5in}
2145     \setlength\paperwidth{7.25in}}
2146 \DeclareOption{landscape}{
2147     \setlength\@tempdima{\paperheight}
2148     \setlength\paperheight{\paperwidth}
2149     \setlength\paperwidth{\@tempdima}}
2150 \newcommand\@ptsize{}
2151 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2152 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}

```




```

2153 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
2154 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
2155 \DeclareOption{final}{\setlength\overfullrule{0pt}}
2156 \newif\if@colour\@colourtrue
2157 \DeclareOption{nocolour}{\@colourfalse}
2158 \ExecuteOptions{a4paper,11pt,colour,final}
2159 \ProcessOptions\relax
2160 \input{size1\@ptsize.clo}
2161 \RequirePackage{color}
2162 \RequirePackage{graphicx}
2163 \RequirePackage{ifthen}
2164 \RequirePackage{marvosym}
2165 \addtolength{\oddsidemargin}{-54pt}
2166 \addtolength{\textwidth}{109pt}
2167 \addtolength{\topmargin}{-70pt}
2168 \addtolength{\textheight}{122pt}
2169 \addtolength{\marginparsep}{-5pt}
2170 \addtolength{\marginparwidth}{-10pt}
2171 \RequirePackage{url}
2172 \RequirePackage{hyperref}
2173 \hypersetup{%
2174   breaklinks,
2175   baseurl      = http://,%
2176   pdfborder    = 0 0 0,%
2177   pdfpagemode  = UseNone,%
2178   pdfstartpage = 1}
2179 \AtEndOfClass{%
2180   \AtBeginDocument{%
2181     \hypersetup{%
2182       pdfauthor    = \@firstname-\@familyname,%
2183       pdftitle     = \@title,%
2184       pdfsubject   = \@firstname-\@familyname,%
2185       pdfkeywords  = \@resumename-\@firstname-\@familyname}}}
2186 \urlstyle{tt}
2187 \RequirePackage{fancyhdr}
2188 \fancypagestyle{plain}{%
2189   \renewcommand{\headrulewidth}{0pt}
2190   \renewcommand{\footrulewidth}{0pt}
2191   \fancyhf{}}
2192 \pagestyle{plain}
2193 \setlength\lineskip{1\p@}
2194 \setlength\normallineskip{1\p@}
2195 \renewcommand\baselinestretch{}
2196 \setlength{\parindent}{0pt}
2197 \setlength{\parskip}{0pt}
2198 \setlength\columnsep{10\p@}
2199 \setlength\columnseprule{0\p@}
2200 \pagestyle{empty}
2201 \pagenumbering{arabic}
2202 \raggedbottom

```



```

2203 \onecolumn
2204 \providecommand*\listitemsymbol{\textbullet}
2205 \providecommand*\addresssymbol{}
2206 \providecommand*\mobilesymbol{\Mobilefone}
2207 \providecommand*\phonesymbol{\Telefon}
2208 \providecommand*\faxsymbol{\FAX}
2209 \providecommand*\emailsymbol{\Letter}
2210 \definecolor{firstnamecolor}{rgb}{0,0,0}
2211 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2212 \def\familynamcolour#1{\gdef\@familynamcolour{\addfontfeature{Color=#1}}}
2213 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2214 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2215 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2216 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2217 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2218 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2219 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2220 \providecommand*\{firstnamefont}\{}
2221 \providecommand*\{familynamefont}\{}
2222 \providecommand*\{titlefont}\{}
2223 \providecommand*\{addressfont}\{}
2224 \providecommand*\{quote\font}\{}
2225 \providecommand*\{sectionfont}\{}
2226 \providecommand*\{subsectionfont}\{}
2227 \providecommand*\{hintfont}\{small}
2228 \providecommand*\{firstnamestyle}[1]{\{firstnamefont\@firstnamecolour#1}}
2229 \providecommand*\{familynamestyle}[1]{\{familynamefont\@familynamecolour#1}}
2230 \providecommand*\{titlestyle}[1]{\{titlefont\@titlecolour#1}}
2231 \providecommand*\{addresstyle}[1]{\{addressfont\@addresscolour#1}}
2232 \providecommand*\{quotestyle}[1]{\{quote\font\@quote\colour#1}}
2233 \providecommand*\{sectionstyle}[1]{\{sectionfont\@sectiontitlecolour#1}}
2234 \providecommand*\{subsectionstyle}[1]{\{subsectionfont\@subsectioncolour#1}}
2235 \providecommand*\{hintstyle}[1]{\{hintfont\@hintcolour#1}}
2236 \newcommand*\{cvtheme}[2][{}{
2237   \def\@cvtheme{#2}
2238   \def\@cvthemeoptions{#1}}
2239 \cvtheme{bidi-casual}
2240 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
2241 \newcommand*\{resumename}[1]{\def\@resumename{#1}}
2242 \newcommand*\{firstname}[1]{\def\@firstname{#1}}
2243 \newcommand*\{familyname}[1]{\def\@familyname{#1}}
2244 \renewcommand*\{title}[1]{\def\@title{#1}}
2245 \newcommand*\{address}[1]{\def\@address{#1}}
2246 \newcommand*\{mobile}[1]{\def\@mobile{#1}}
2247 \newcommand*\{phone}[1]{\def\@phone{#1}}
2248 \renewcommand*\{fax}[1]{\def\@fax{#1}}
2249 \newcommand*\{email}[1]{\def\@email{#1}}
2250 \newcommand*\{extrainfo}[1]{\def\@extrainfo{#1}}
2251 \def\@photowidth{0pt}
2252 \newcommand*\{photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}

```



```

2253 \newcommand*{\quote}[1]{\def\@quote{#1}}
2254 \newlength{\quotewidth}
2255 \newlength{\hintscolumnwidth}
2256 \newlength{\separatorcolumnwidth}
2257 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2258 \newlength{\maincolumnwidth}
2259 \newlength{\doubleitemmaincolumnwidth}
2260 \newlength{\listitemsymbolwidth}
2261 \settowidth{\listitemsymbolwidth}{\listitemsymbol{~}}
2262 \newlength{\listitemmaincolumnwidth}
2263 \newlength{\listdoubleitemmaincolumnwidth}
2264 \newcommand*{\recomputethemelengths}{%
2265 \newcommand*{\recomputelengths}{%
2266 \setlength{\quotewidth}{0.65\textwidth}%
2267 \setlength{\maincolumnwidth}{\textwidth}%
2268 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2269 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2270 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2271 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2272 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2273 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2274 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2275 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2276 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2277 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2278 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2279 \renewcommand{\headwidth}{\textwidth}%
2280 \recomputethemelengths}
2281 \setlength{\hintscolumnwidth}{0.15\textwidth}
2282 \recomputelengths
2283 \title{}
2284 \renewcommand*{\maketitle}{}
2285 \newcommand*{\section}[1]{%
2286 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
2287 \phantomsection}%
2288 \addcontentsline{toc}{part}{#1}%
2289 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangleco
2290 \hspace{\separatorcolumnwidth}%
2291 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\[\!1ex]}
2292 \newcommand*{\subsection}[1]{%
2293 \cvline[0.45em]{\subsectionstyle{#1}}
2294 \newcommand*{\cvline}[3][.25em]{%
2295 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@
2296 \bidi@raggedleft\hintfont{#2} \&{#3}%
2297 \end{tabular}\[\!#1]}
2298 \newcommand*{\cvdoubleitem}[4]{%
2299 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2300 \hfill%
2301 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\se
2302 \newcommand*{\cvlistitem}[2][\listitemsymbol]{%

```



```

2303 \cvline[0pt]{\#1~\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}
2304 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{\%
2305 \cvline[0pt]{\#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}
2306 \hfill%
2307 \ifthenelse{\equal{\#3}{}}{
2308 }{
2309 \#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#3\end{minipage}}
2310 \newcommand*{\cventry}[6]{\%
2311 \cvline{\#1}{\%
2312 {\bfseries\#2}\%
2313 \ifx\#3\else{, {\slshape\#3}}\fi%
2314 \ifx\#4\else{, \#4}\fi%
2315 \ifx\#5\else{, \#5}\fi%
2316 .%
2317 \ifx\#6\else{\newline}\begin{minipage}[t]{\linewidth}\small\#6\end{minipage}}\fi
2318 }}%
2319 \newcommand*{\cvlanguage}[3]{\%
2320 \cvline{\#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{\#2}\end{minipage}}\hfill\begin{m
2321 \newcommand*{\cvcomputer}[4]{\%
2322 \cdoubleitem{\#1}{\small\#2}{\#3}{\small\#4}}
2323 \newcommand*{\link}[2][\%
2324 \ifthenelse{\equal{\#1}{}}{
2325 {\href{\#2}{\#2}}%
2326 {\href{\#2}{\#1}}}
2327 \newcommand*{\httplink}[2][\%
2328 \ifthenelse{\equal{\#1}{}}{
2329 {\href{http://\#2}{\#2}}%
2330 {\href{http://\#2}{\#1}}}
2331 \newcommand*{\emailink}[2][\%
2332 \ifthenelse{\equal{\#1}{}}{
2333 {\href{mailto:\#2}{\#2}}%
2334 {\href{mailto:\#2}{\#1}}}
2335 \newif\if@displaypagenumbers\@displaypagenumberstrue
2336 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2337 \AtBeginDocument{\%
2338 \if@displaypagenumbers%
2339 \@ifundefined{r@lastpage}{\%
2340 \ifthenelse{\pageref{lastpage} > 1}{\%
2341 \fancypagestyle{plain}{\%
2342 \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pageref
2343 \pagestyle{plain}}}{}}%
2344 \AtEndDocument{\label{lastpage}}%
2345 \fi}
2346 \newlength{\bibindent}
2347 \setlength{\bibindent}{1.5em}
2348 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2349 \newenvironment{thebibliography}[1]{\%
2350 {\%
2351 \section{\refname}%
2352 \small%

```



```

2353 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2354 \begin{list}{\bibliographyitemlabel}%
2355     {%
2356         \setlength{\topsep}{0pt}%
2357         \setlength{\labelwidth}{\hintscolumnwidth}%
2358         \setlength{\labelsep}{\separatorcolumnwidth}%
2359         \leftmargin\labelwidth%
2360         \advance\leftmargin\labelsep%
2361         \@openbib@code%
2362         \usecounter{enumiv}%
2363         \let\p@enumiv\@empty%
2364         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
2365         \sloppy\clubpenalty4000\widowpenalty4000%
2366     }%
2367     {%
2368         \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2369         \end{list}%
2370     }
2371 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
2372 \let\@openbib@code\@empty

```

7.21 biditools.sty

```

2373 \NeedsTeXFormat{LaTeX2e}
2374 \ProvidesPackage{biditools}[2015/10/03 v0.6 Programming tools for bidi package]
2375 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\relax
2376     \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2377     \ifx\@tempa\@tempb \global\let#2#1%
2378     \else
2379         \edef\@tempb{\meaning#2}%
2380         \ifx\@tempa\@tempb
2381             \else
2382                 \@latex@error{Unable to properly define \string#2; primitive
2383                 \noexpand#1no longer primitive}\@eha
2384             \fi
2385         \fi
2386     \endgroup}
2387 \newtoks\@bidi@envbody
2388 \newtoks\@bidi@emptytoks
2389 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2390 \def\bidi@collect@body#1{%
2391     \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2392     \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2393     \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2394     \begingroup
2395     \expandafter\let\csname\@currenvir\endcsname\bidi@collect@body
2396     \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2397     \bidi@process@envbody
2398 }
2399 \def\bidi@push@begins#1\begin#2{%

```



```

2400 \ifx\end#2\else b\expandafter\bidipush@begins\fi
2401 }
2402 \def\bidicollect@@body#1\end#2{%
2403 \edef\begin@bidi@stack{\bidipush@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
2404 \ifx\@empty\begin@bidi@stack
2405 \endgroup
2406 \@checkend{#2}%
2407 \bidi@addto@envbody{#1}%
2408 \else
2409 \bidi@addto@envbody{#1\end{#2}}%
2410 \fi
2411 \bidi@process@envbody % A little tricky! Note the grouping
2412 }
2413 \long\def\bidicollect@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2414 \long\def\bidicollect@long@body#1{%
2415 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}}%
2416 \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2417 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2418 \begingroup
2419 \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
2420 \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2421 \bidi@process@envbody
2422 }
2423 \long\def\bidipush@long@begins#1\begin#2{%
2424 \ifx\end#2\else b\expandafter\bidipush@long@begins\fi
2425 }
2426 \long\def\bidicollect@long@@body#1\end#2{%
2427 \edef\begin@bidi@stack{\bidipush@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@sta
2428 \ifx\@empty\begin@bidi@stack
2429 \endgroup
2430 \@checkend{#2}%
2431 \bidi@addto@long@envbody{#1}%
2432 \else
2433 \bidi@addto@long@envbody{#1\end{#2}}%
2434 \fi
2435 \bidi@process@envbody % A little tricky! Note the grouping
2436 }
2437 \def\@tagsextension{clo}
2438 \def\@definitionfileextension{def}
2439 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2440 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2441 \def\eqnewif#1#2{%
2442 \count@\escapechar \escapechar\m@ne
2443 \let#1\iffalse
2444 \let#2\iffalse
2445 \eq@if#1#2\iftrue
2446 \eq@if#1#2\iffalse
2447 \escapechar\count@}
2448 \def\eq@if#1#2#3{%
2449 \expandafter\def\csname\expandafter\@gobbletwo\string#1%

```



```

2450             \expandafter\@gobbletwo\string#3\endcsname
2451             {\let#1#3%
2452             \let#2#3}%
2453 \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2454             \expandafter\@gobbletwo\string#3\endcsname
2455             {\let#2#3%
2456             \let#1#3}}
2457 \def\@bidi@removefromreset#1#2{%
2458 \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
2459 \def\@elt##1{%
2460 \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
2461 \else
2462 \noexpand\@elt{##1}%
2463 \fi}%
2464 \expandafter\xdef\csname cl@#2\endcsname{%
2465 \csname cl@#2\endcsname}}
2466 \newcommand*{\if@bidi@csdef}[1]{%
2467 \ifcsname#1\endcsname
2468 \expandafter\@firstoftwo
2469 \else
2470 \expandafter\@secondoftwo
2471 \fi}
2472 \newcommand*{\if@bidi@csundef}[1]{%
2473 \ifcsname#1\endcsname
2474 \expandafter\ifx\csname#1\endcsname\relax
2475 \expandafter\expandafter
2476 \expandafter\@firstoftwo
2477 \else
2478 \expandafter\expandafter
2479 \expandafter\@secondoftwo
2480 \fi
2481 \else
2482 \expandafter\@firstoftwo
2483 \fi}
2484 \newcommand{\if@bidi@def}[1]{%
2485 \ifdefined#1%
2486 \expandafter\@firstoftwo
2487 \else
2488 \expandafter\@secondoftwo
2489 \fi}
2490 \newcommand{\if@bidi@undef}[1]{%
2491 \ifdefined#1%
2492 \ifx#1\relax
2493 \expandafter\expandafter
2494 \expandafter\@firstoftwo
2495 \else
2496 \expandafter\expandafter
2497 \expandafter\@secondoftwo
2498 \fi
2499 \else

```



```

2500 \expandafter\@firstoftwo
2501 \fi}
2502 \newcommand{\if@bidi@blank}[1]{% from url.sty
2503 \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2504 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
2505 \newcommand{\bidi@notblank}[1]{%
2506 \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2507 \newcommand{\if@bidi@defmacro}{}
2508 \long\edef\if@bidi@defmacro#1{%
2509 \noexpand\expandafter\noexpand\bidi@ifdefmacro
2510 \noexpand\meaning#1\detokenize{macro}:&}
2511 \edef\bidi@ifdefmacro{%
2512 \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
2513 \bidi@ifdefmacro{\bidi@notblank{#2}}
2514 \newcommand*{\if@bidi@csmacro}[1]{%
2515 \if@bidi@csdef{#1}
2516 {\expandafter\if@bidi@defmacro\csname#1\endcsname}
2517 {\@secondoftwo}}
2518 \newcommand{\if@bidi@defprimitive}[1]{%
2519 \ifprimitive#1%
2520 \expandafter\@firstoftwo
2521 \else
2522 \expandafter\@secondoftwo
2523 \fi}
2524 \newcommand{\if@bidi@csprimitive}[1]{%
2525 \begingroup\expandafter\expandafter\expandafter\endgroup%
2526 \expandafter\ifprimitive\csname#1\endcsname%
2527 \expandafter\@firstoftwo
2528 \else
2529 \expandafter\@secondoftwo
2530 \fi}
2531 \newcommand*{\bidi@csdefcs}[2]{%
2532 \expandafter\@ifdefinable \csname#1\endcsname{%
2533 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}%
2534 \newcommand*{\bidi@csletcs}[2]{%
2535 \expandafter\@ifdefinable \csname#1\endcsname{%
2536 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}%
2537 \newcommand*{\bidi@cslet}[2]{%
2538 \expandafter\@ifdefinable \csname#1\endcsname{%
2539 \expandafter\let\csname#1\endcsname#2}}%
2540 \newcommand{\bidi@namelongdef}[1]{%
2541 \long\expandafter\def\csname #1\endcsname}
2542 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
2543 \def\bidi@ensure@new@command#1{%
2544 \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
2545 \expandafter\if@bidi@csundef\@gtempa
2546 {\new@command#1}{\relax%
2547 \let\@ifdefinable\@rc@ifdefinable%
2548 \new@command#1}}
2549 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}

```




```

2550
2551 \protected\def\bidierro{\PackageError{bidi}}
2552 \protected\def\bidiewarning{\PackageWarning{bidi}}
2553 \protected\def\bidinfo{\PackageInfo{bidi}}
2554
2555 \newcommand*{\bidi@newrobustcmd}{\}
2556 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
2557
2558 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2559
2560 \def\bidi@newcommand#1[#2]{%
2561   \@ifnextchar[%]
2562     {\bidi@xargdef#1[#2]}
2563     {\ifx\l@ngrel@x\relax
2564       \let\l@ngrel@x\protected
2565       \else
2566         \protected\def\l@ngrel@x{\protected\long}%
2567       \fi
2568       \@argdef#1[#2]}}
2569
2570 \long\def\bidi@xargdef#1[#2][#3]#4{%
2571   \@ifdefinable#1{%
2572     \expandafter\protected
2573     \expandafter\def
2574     \expandafter#1%
2575     \expandafter{%
2576       \expandafter\@testopt
2577       \csname\string#1\endcsname{#3}}}%
2578   \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2579
2580 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
2581
2582 \def\bidi@renew@command#1{%
2583   \if@bidi@undef{#1}
2584     {\bidierro{\string#1 undefined}\@ehc}
2585     {}%
2586   \let\@ifdefinable\@rc@ifdefinable
2587   \bidi@new@command#1}
2588
2589
2590
2591 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2592
2593 \def\bidi@provide@command#1{%
2594   \if@bidi@undef{#1}
2595     {\def\reserved@a{\bidi@new@command#1}}
2596     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2597   \reserved@a}
2598
2599 \newcommand*{\bidi@csuse}[1]{%

```



```

2600 \ifcsname#1\endcsname
2601 \csname#1\expandafter\endcsname
2602 \fi}
2603
2604 \newcommand{\bidi@expandonce}[1]{%
2605 \unexpanded\expandafter{#1}}
2606
2607 \def\bidi@protected{%
2608 \let\@protect\protect
2609 \let\protect\@unexpandable@protect
2610 \afterassignment\restore@protect}
2611
2612 \bidi@newrobustcmd{\bidi@appto}[2]{%
2613 \if@bidi@undef{#1}
2614 {\edef#1{\unexpanded{#2}}}
2615 {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2616 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2617 \if@bidi@undef{#1}
2618 {\edef#1{#2}}
2619 {\edef#1{\bidi@expandonce#1#2}}}
2620 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2621 \if@bidi@undef{#1}
2622 {\xdef#1{\unexpanded{#2}}}
2623 {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2624 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2625 \if@bidi@undef{#1}
2626 {\xdef#1{#2}}
2627 {\xdef#1{\bidi@expandonce#1#2}}}
2628
2629 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2630 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2631
2632
2633
2634 \bidi@newrobustcmd{\bidi@preto}[2]{%
2635 \if@bidi@undef{#1}
2636 {\edef#1{\unexpanded{#2}}}
2637 {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2638 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2639 \if@bidi@undef{#1}
2640 {\edef#1{#2}}
2641 {\edef#1{#2\bidi@expandonce#1}}}
2642 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2643 \if@bidi@undef{#1}
2644 {\xdef#1{\unexpanded{#2}}}
2645 {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2646 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2647 \if@bidi@undef{#1}
2648 {\xdef#1{#2}}
2649 {\xdef#1{#2\bidi@expandonce#1}}}

```



```

2650
2651 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
2652 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
2653
2654
2655
2656 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2657 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2658 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
2659 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2660 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
2661 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
2662
2663
2664
2665 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
2666 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2667 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2668 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2669 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
2670 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
2671
2672
2673
2674 \bidi@newrobustcmd{\if@bidi@patchable}{%
2675   \bidi@dbg@trce\if@bidi@patchable
2676   \begingroup
2677   \@makeoother\#%
2678   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2679
2680 \long\def\bidi@ifpatchable#1#2{%
2681   \endgroup
2682   \bidi@dbg@init#1%
2683   \if@bidi@undef{#1}
2684     {\bidi@dbg@fail{def}\@secondoftwo}
2685     {\bidi@dbg@info{def}%
2686       \if@bidi@defmacro{#1}
2687         {\bidi@dbg@info{mac}%
2688           \bidi@ifscanable{#1}
2689             {\bidi@ifhashcheck{#2}
2690               {\bidi@dbg@info{tok}%
2691                 \bidi@ifpattern#1{#2}
2692                 {\bidi@dbg@info{pat}%
2693                   \bidi@dbg@info{pos}\@firstoftwo}
2694                   {\bidi@dbg@fail{pat}\@secondoftwo}}
2695                 {\bidi@dbg@fail{hsh}\@secondoftwo}}
2696                 {\bidi@dbg@fail{tok}\@secondoftwo}}
2697                 {\bidi@dbg@fail{mac}\@secondoftwo}}}
2698
2699 \long\def\bidi@ifpatchable@i#1{%

```



```

2700 \endgroup
2701 \bidi@dbg@init#1%
2702 \if@bidi@undef{#1}
2703   {\bidi@dbg@fail{def}\@secondoftwo}
2704   {\bidi@dbg@info{def}%
2705     \if@bidi@defmacro{#1}
2706       {\bidi@dbg@info{mac}%
2707         \if@bidi@defparam{#1}
2708           {\bidi@dbg@info{prm}%
2709             \bidi@ifscanable{#1}
2710               {\bidi@dbg@info{tok}%
2711                 \bidi@dbg@info{pos}\@firstoftwo}
2712               {\bidi@dbg@fail{tok}\@secondoftwo}}
2713             {\bidi@dbg@info{prl}%
2714               \if@bidi@defprotected{#1}
2715                 {\bidi@dbg@info{pro}}
2716               {}%
2717             \bidi@dbg@info{pos}\@firstoftwo}}
2718           {\bidi@dbg@fail{mac}\@secondoftwo}}}
2719
2720 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2721   \bidi@dbg@trce\bidi@patchcmd
2722   \begingroup
2723   \@makeother\#%
2724   \bidi@patchcmd}
2725
2726 \newcommand{\bidi@patchcmd}[4][#####1]{%
2727   \bidi@ifpatchable#2{#3}
2728   {\bidi@dbg@succ{ret}%
2729     \begingroup
2730     \edef\bidi@resrvda{%
2731       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
2732         #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2733       \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
2734         #####1\detokenize{#4}####2}%
2735       \edef\noexpand\bidi@resrvda{%
2736         \noexpand\bidi@resrvda\meaning#2&}}%
2737     \bidi@resrvda
2738     \bidi@patchcmd@scantoks\bidi@resrvda
2739     \let#2\bidi@resrvda
2740     \bidi@undef\bidi@resrvda
2741     \@firstoftwo}
2742   {\@secondoftwo}}
2743
2744 \def\bidi@patchcmd@scantoks#1{%
2745   \edef\bidi@resrvda{\endgroup
2746     \unexpanded{\makeatletter\scantokens}{#1}%
2747     \catcode\number`\@=\the\catcode`\@ \@relax}%
2748   \bidi@resrvda}
2749

```



```

2750 \newcommand\ bidi@isloaded[2] []{
2751   \expandafter\ifx\csname if@bidi@#2loaded@ \endcsname\relax
2752     \expandafter\newif\csname if@bidi@#2loaded@ \endcsname
2753     \fi
2754     \@ifpackageloaded{#2}
2755       {\csname @bidi@#2loaded@true \endcsname #1}
2756       {\csname @bidi@#2loaded@false \endcsname}}
2757
2758 \protected\def\ bidi@ifscanable#1{%
2759   \begingroup
2760   \edef\ bidi@resrvda{%
2761     \def\noexpand\ bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2762       ####1\def\string\ bidi@resrvda####2{####3}}}%
2763     \edef\noexpand\ bidi@resrvda{\noexpand\ bidi@resrvda\meaning#1&}}%
2764   \ bidi@resrvda
2765   \makeatletter
2766   \scantokens\expandafter{\ bidi@resrvda}%
2767   \expandafter\endgroup\ifx#1\ bidi@resrvda
2768     \expandafter\@firstoftwo
2769   \else
2770     \expandafter\@secondoftwo
2771   \fi}
2772
2773
2774 \protected\long\def\ bidi@ifhashcheck#1{%
2775   \begingroup
2776   \edef\ bidi@resrvda{\detokenize{#1}}}%
2777   \expandafter\endgroup
2778   \expandafter\ bidi@ifhashcheck@i\meaning\ bidi@resrvda&}
2779
2780 \edef\ bidi@ifhashcheck@i#1&{%
2781   \noexpand\expandafter
2782   \noexpand\ bidi@ifhashcheck@ii
2783   \noexpand\strip@prefix#1\string#\string#&}
2784
2785 \edef\ bidi@ifhashcheck@ii{%
2786   \def\noexpand\ bidi@ifhashcheck@ii##1\string#\string###2&}
2787 \ bidi@ifhashcheck@ii{\if@bidi@blank{#2}}
2788
2789
2790 \protected\long\def\ bidi@ifpattern#1#2{%
2791   \begingroup
2792   \edef\ bidi@resrvda{%
2793     \def\noexpand\ bidi@resrvda####1\detokenize{#2}####2&{%
2794       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}}%
2795     \edef\noexpand\ bidi@resrvda{\noexpand\ bidi@resrvda
2796       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
2797     \noexpand\ bidi@resrvda}
2798   \ bidi@resrvda\@secondoftwo\@firstoftwo}
2799

```



```

2800
2801 \newcommand{\if@bidi@defparam}{%
2802 \long\edef\if@bidi@defparam#1{%
2803 \noexpand\expandafter\noexpand\bidi@ifdefparam
2804 \noexpand\meaning#1\detokenize{macro}:->}&
2805 \edef\bidi@ifdefparam{%
2806 \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
2807 \bidi@ifdefparam{\bidi@notblank{#2}}
2808
2809
2810 \newcommand{\if@bidi@defprotected}{%
2811 \long\edef\if@bidi@defprotected#1{%
2812 \noexpand\expandafter\noexpand\bidi@ifdefprotected
2813 \noexpand\meaning#1\string\protected&}
2814 \edef\bidi@ifdefprotected{%
2815 \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
2816 \bidi@ifdefprotected{\bidi@notblank{#2}}
2817
2818
2819 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
2820
2821 \let\bidi@dbg@trce\@gobble
2822 \let\bidi@dbg@init\@gobble
2823 \let\bidi@dbg@info\@gobble
2824 \let\bidi@dbg@succ\@gobble
2825 \let\bidi@dbg@fail\@gobble
2826
2827
2828
2829 \bidi@newrobustcmd*{\bidi@apptocmd}{%
2830 \bidi@dbg@trce\bidi@apptocmd
2831 \begingroup
2832 \@makeother\#%
2833 \bidi@hooktocmd\bidi@append}
2834
2835
2836
2837 \bidi@newrobustcmd*{\bidi@pretocmd}{%
2838 \bidi@dbg@trce\bidi@pretocmd
2839 \begingroup
2840 \@makeother\#%
2841 \bidi@hooktocmd\bidi@prepend}
2842
2843 \long\def\bidi@hooktocmd#1#2#3{%
2844 \endgroup
2845 \bidi@dbg@init#2%
2846 \if@bidi@undef{#2}
2847 {\bidi@dbg@fail{def}}\@secondoftwo}
2848 {\bidi@dbg@info{def}}%
2849 \if@bidi@defmacro{#2}

```



```

2850     {\bidi@dbg@info{mac}%
2851     \if@bidi@defparam{#2}
2852     {\bidi@dbg@info{prm}%
2853     \bidi@ifscanable{#2}
2854     {\bidi@ifhashcheck{#3}
2855     {\bidi@dbg@info{tok}%
2856     \bidi@dbg@succ{ret}%
2857     \bidi@hooktocmd@i#1#2{#3}%
2858     \@firstoftwo}
2859     {\bidi@dbg@fail{hsh}\@secondoftwo}}
2860     {\bidi@dbg@fail{tok}\@secondoftwo}}
2861     {\bidi@dbg@info{prl}%
2862     \if@bidi@defprotected{#2}
2863     {\bidi@dbg@info{pro}%
2864     \bidi@dbg@succ{red}%
2865     \protected}
2866     {\bidi@dbg@succ{red}}}%
2867     \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
2868     \@firstoftwo}}
2869     {\bidi@dbg@fail{mac}\@secondoftwo}}}}
2870
2871 \long\def\bidi@hooktocmd@i#1#2#3{%
2872   \begingroup
2873   \edef\bidi@resrvda{%
2874     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2875       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}%
2876   \edef\noexpand\bidi@resrvda{%
2877     \noexpand\bidi@resrvda\meaning#2&}}%
2878   \bidi@resrvda
2879   \bidi@patchcmd@scantoks\bidi@resrvda
2880   \let#2\bidi@resrvda
2881   \bidi@undef\bidi@resrvda}
2882
2883 \long\def\bidi@append#1#2{#1#2}
2884 \long\def\bidi@prepend#1#2{#2#1}
2885
2886 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
2887 \newcommand*{\bidi@endpreamblehook}{}
2888
2889 \bidi@preto\document{%
2890   \endgroup
2891   \let\bidi@AtEndPreamble\@firstofone
2892   \bidi@endpreamblehook
2893   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
2894   \bidi@undef\bidi@endpreamblehook
2895   \begingroup}
2896
2897 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
2898 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
2899

```



```

2900 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
2901 \newcommand*{\bidi@afterendpreamblehook}{}
2902
2903 \bidi@appto\document{%
2904   \let\bidi@AfterEndPreamble\@firstofone
2905   \bidi@afterendpreamblehook
2906   \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
2907   \bidi@undef\bidi@afterendpreamblehook
2908   \ignorespaces}
2909
2910 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
2911
2912 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
2913 \newcommand*{\bidi@afterenddocumenthook}{}
2914
2915 \bidi@patchcmd\enddocument
2916   {\deadcycles}
2917   {\let\bidi@AfterEndDocument\@firstofone
2918     \bidi@afterenddocumenthook
2919     \deadcycles}
2920   {}
2921   {\let\bidi@@end@@end
2922     \def@@end{%
2923       \let\bidi@AfterEndDocument\@firstofone
2924       \bidi@afterenddocumenthook
2925       \bidi@@end}}
2926
2927 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
2928   \bidi@csgappto{@bidi@begin@#1@hook}}
2929
2930 \bidi@patchcmd\begin
2931   {\csname #1\endcsname}
2932   {\bidi@csuse{@bidi@begin@#1@hook}%
2933     \csname #1\endcsname}
2934   {}
2935   {\bidi@warning{%
2936     Patching '\string\begin' failed!\MessageBreak
2937     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}
2938
2939
2940
2941 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
2942   \bidi@csgappto{@bidi@end@#1@hook}}
2943
2944 \bidi@patchcmd\end
2945   {\csname end#1\endcsname}
2946   {\bidi@csuse{@bidi@end@#1@hook}%
2947     \csname end#1\endcsname}
2948   {}
2949   {\bidi@warning{%

```




```

2950     Patching '\string\end' failed!\MessageBreak
2951     '\string\bidi@AtEndEnvironment' will not work@gobble}}
2952
2953
2954
2955 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
2956   \bidi@csgappto{@bidi@beforebegin@#1@hook}}
2957
2958 \bidi@pretocmd\begin
2959   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
2960   {}
2961   {\bidi@warning{%
2962     Patching '\string\begin' failed!\MessageBreak
2963     '\string\bidi@BeforeBeginEnvironment' will not work@gobble}}
2964
2965
2966
2967 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
2968   \bidi@csgappto{@bidi@afterend@#1@hook}}
2969
2970 \bidi@patchcmd\end
2971   {\if@ignore}
2972   {\bidi@csuse{@bidi@afterend@#1@hook}%
2973     \if@ignore}
2974   {}
2975   {\bidi@warning{%
2976     Patching '\string\end' failed!\MessageBreak
2977     '\string\bidi@AfterEndEnvironment' will not work@gobble}}
2978
2979 \CheckCommand{\InputIfFileExists}[2]{%
2980   \IfFileExists{#1}%
2981     {#2\@addtofilelist{#1}\@input \@filef@und}}
2982
2983 \renewcommand{\InputIfFileExists}[2]{%
2984   \begingroup\expandafter\expandafter\expandafter\endgroup
2985   \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
2986     \expandafter\@secondoftwo
2987   \else
2988     \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
2989     \expandafter\@firstoftwo
2990   \fi
2991   {%
2992     \expandafter\InputIfFileExists\expandafter{\csname
2993       #1-@bidi@alias\endcsname}{#2}%
2994   }%
2995   {\IfFileExists{#1}{%
2996     \bidi@load@hook{before}{#1}%
2997     #2\@addtofilelist{#1}%
2998     \@input \@filef@und
2999     \bidi@load@hook{after}{#1}%

```



```

3000    }}%
3001 }
3002
3003 \newcommand*{\bidi@loadwithoptions}{%
3004 \newcommand*{\bidi@loadwithoptions}{%
3005 \let\bidi@loadwithoptions\@loadwithoptions
3006
3007 \renewcommand*{\@loadwithoptions}[3]{%
3008 \begingroup\expandafter\expandafter\expandafter\endgroup
3009 \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
3010 \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
3011 \else
3012 \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
3013 \def\bidi@loadwithoptions{%
3014 \loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}}%
3015 }%
3016 \fi
3017 \bidi@loadwithoptions
3018 }
3019
3020 \newcommand*{\bidi@onefilewithoptions}{%
3021 \let\bidi@onefilewithoptions\@onefilewithoptions
3022 \def\bidi@onefilewithoptions#1[#2][#3]#4{%
3023 \begingroup\expandafter\expandafter\expandafter\endgroup
3024 \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
3025 \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
3026 \else
3027 \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
3028 \edef\bidi@onefilewithoptions{%
3029 \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
3030 \fi
3031 \bidi@onefilewithoptions[#{#2}][#{#3}]{#4}%
3032 \bidi@load@hook{lateafter}{#1.#4}%
3033 }
3034
3035 \newcommand*{\bidi@ReplaceInput}[2]{%
3036 \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
3037 }
3038
3039 \newcommand*{\bidi@UnReplaceInput}[1]{%
3040 \ifcsname #1-@bidi@alias\endcsname
3041 \expandafter\let\csname #1-@bidi@alias\endcsname\relax
3042 \fi
3043 }
3044
3045 \newcommand*{\@bidi@replacefilewithext}[3]{%
3046 \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
3047 }
3048 \newcommand*{\bidi@ReplacePackage}[2]{%
3049 \@bidi@replacefilewithext{#1}{#2}\@pkgextension

```



```

3050 }
3051 \newcommand*{\@bidi@ReplaceClass}[2]{%
3052   \@bidi@replacefilewithtext{#1}{#2}\@clsextension
3053 }
3054 \newcommand*{\@bidi@unreplacefilewithtext}[2]{%
3055   \ifcsname #1.#2-\@bidi@aliasname\endcsname
3056     \expandafter\let\csname #1.#2-\@bidi@aliasname\endcsname\relax
3057   \fi
3058 }
3059 \newcommand*{\@bidi@UnReplacePackage}[1]{%
3060   \@bidi@unreplacefilewithtext{#1}\@pkgextension
3061 }
3062 \newcommand*{\@bidi@UnReplaceClass}[1]{%
3063   \@bidi@unreplacefilewithtext{#1}\@clsextension
3064 }
3065 \newcommand*{\@bidi@replacefile@msg}[2]{%
3066   \PackageInfo{biditytools}{inputting `#1' instead of `#2'}%
3067 }
3068
3069 \newcommand*{\@bidi@load@hook}[2]{%
3070   \ifundefined{#2-@#1}{}%
3071     \@nameuse{#2-@#1}%
3072     \expandafter\let\csname #2-@#1\endcsname=\relax}}
3073 \newcommand*{\@bidi@set@load@hook}[2]{%
3074   \ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}}%
3075   \expandafter\g@addto@macro\csname #2-@#1\endcsname}
3076 \newcommand*{\@bidi@BeforeFile}{\@bidi@set@load@hook{before}}
3077 \newcommand*{\@bidi@AfterFile}{\@bidi@set@load@hook{after}}
3078 \newcommand*{\@bidi@BeforeClass}[1]{%
3079   \@bidi@set@load@hook{before}{#1.\@clsextension}}
3080 \newcommand*{\@bidi@AfterClass}{%
3081   \ifstar {\@s@bidi@AfterClass}{%
3082     \ifnextchar +\@@bidi@AfterClass{%
3083       \ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
3084     }%
3085   }%
3086 }
3087
3088 \newcommand*{\@@@bidi@AfterClass}[2]{%
3089   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3090     \aftergroup\@s@bidi@AfterClass
3091   \else
3092     \aftergroup\@bidi@AfterAtEndOfClass
3093   \fi
3094   \endgroup{#2}%
3095 }
3096
3097 \newcommand*{\@bidi@AfterAtEndOfClass}[1]{%
3098   \@bidi@set@load@hook{lateafter}{#1.\@clsextension}}
3099 \newcommand*{\@@@bidi@AfterClass}[2]{%

```



```

3100 \beginpgroup
3101 \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3102 \aftergroup\@s@bidi@AfterClass
3103 \else
3104 \aftergroup\@bidi@AfterClass
3105 \fi
3106 \endpgroup{#2}%
3107 }
3108
3109 \newcommand*{\@bidi@AfterClass}[1]{%
3110 \bidi@set@load@hook{after}{#1.\@clsextension}}
3111 \newcommand*{\@s@bidi@AfterClass}[1]{%
3112 \beginpgroup
3113 \@ifclassloaded{#1}{%
3114 \aftergroup\@secondoftwo
3115 }{%
3116 \aftergroup\@bidi@AfterClass
3117 }%
3118 \endpgroup
3119 {#1}%
3120 }
3121
3122
3123 \newcommand*{\@bidi@BeforePackage}[1]{%
3124 \bidi@set@load@hook{before}{#1.\@pkgextension}}
3125 \newcommand*{\@bidi@AfterPackage}{%
3126 \@ifstar {\@s@bidi@AfterPackage}{%
3127 \@ifnextchar +\@bidi@AfterPackage{%
3128 \@ifnextchar !\@bidi@AfterPackage\@bidi@AfterPackage
3129 }%
3130 }%
3131 }
3132 \newcommand*{\@bidi@AfterPackage}[2]{%
3133 \beginpgroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3134 \aftergroup\@s@bidi@AfterPackage
3135 \else
3136 \aftergroup\@bidi@AfterAtEndOfPackage
3137 \fi
3138 \endpgroup{#2}%
3139 }
3140 \newcommand*{\@bidi@AfterAtEndOfPackage}[1]{%
3141 \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
3142 \newcommand*{\@bidi@AfterPackage}[2]{%
3143 \beginpgroup
3144 \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3145 \aftergroup\@s@bidi@AfterPackage
3146 \else
3147 \aftergroup\@bidi@AfterPackage
3148 \fi
3149 \endpgroup{#2}%

```



```

3150 }
3151 \newcommand*{\@bidi@AfterPackage}[1]{%
3152   \bidi@set@load@hook{after}{#1.\@pkgextension}}
3153 \newcommand*{\@s@bidi@AfterPackage}[1]{%
3154   \begingroup
3155     \@ifpackageloaded{#1}{%
3156       \aftergroup\@secondoftwo
3157     }{%
3158       \aftergroup\@bidi@AfterPackage
3159     }%
3160   \endgroup
3161   {#1}}%
3162 }
3163
3164 \newcommand*{\bidi@excludedpackages}{}
3165 \let\bidi@excludedpackages\@empty
3166 \newcommand*{\bidi@saved@RequirePackage}{}
3167 \newcommand*{\bidi@PreventPackageFromLoading}{%
3168   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
3169           {\@bidi@PreventPackageFromLoading\PackageWarning}%
3170 }
3171 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
3172   \@ifnextchar [%]
3173   {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1[]}%
3174 }
3175 \newcommand*{\@bidi@PreventPackageFromLoading}{}
3176
3177 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
3178   \edef\reserved@a{\zap@space#3 \@empty}%
3179   \ifx \reserved@a\@empty
3180     #1{bidiutils}{%
3181       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
3182       argument ignored%
3183     }%
3184   \else
3185     \ifx\bidi@excludedpackages\@empty
3186       \let\bidi@saved@RequirePackage\RequirePackage
3187       \let\RequirePackage\bidi@RequirePackage
3188       \def\reserved@a##1##{%
3189         \@latex@error
3190         {\noexpand \usepackage before \string\documentclass}%
3191         {\noexpand \usepackage may only appear in the document
3192          preamble, i.e.,\MessageBreak
3193          between \noexpand\documentclass and
3194          \string\begin{document}.}%
3195         \@gobble}%
3196       \ifx\reserved@a\usepackage\else
3197         \ifx\usepackage\bidi@saved@RequirePackage\else
3198           \PackageWarning{bidiutils}{%
3199             Maybe serious problem: unexpected definition of\MessageBreak

```



```

3200         \string\usepackage
3201     }%
3202 \fi
3203     \let\usepackage\RequirePackage
3204 \fi
3205 \fi
3206 \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
3207 \reserved@b\do {%
3208     \ifx\reserved@a\@empty
3209         #1{biditools}{%
3210             empty package argument for
3211             \string\bid@PreventPackageFromLoading\MessageBreak
3212             ignored%
3213         }%
3214     \else
3215         \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
3216             #1{biditools}{%
3217                 package `\'reserved@a' already loaded.\MessageBreak
3218                 Cannot prevent it from beeing loaded%
3219             }%
3220         }{%
3221             \edef\bid@excludedpackages{\bid@excludedpackages,%
3222                 \reserved@a}%
3223             \if\relax\detokenize{#2}\relax\else
3224                 \@ifundefined{bid@exclude@package@\reserved@a @do}{%
3225                     \@namedef{bid@exclude@package@\reserved@a @do}{}%
3226                 }{%
3227                     \expandafter\def
3228                     \csname bid@exclude@package@\reserved@a
3229                         @do\expandafter\expandafter\expandafter\endcsname
3230                     \expandafter\expandafter\expandafter{%
3231                         \csname bid@exclude@package@\reserved@a @do\endcsname
3232                         #2%
3233                     }%
3234                 \fi
3235             }%
3236         \fi
3237     }%
3238     \ifx\bid@excludedpackages\@empty
3239         \bid@ResetPreventPackageFromLoading
3240     \fi
3241 \fi
3242 }
3243
3244 \@onlypreamble\bid@PreventPackageFromLoading
3245 \newcommand*{\bid@ResetPreventPackageFromLoading}{%
3246     \let\bid@excludedpackages\@empty
3247     \ifx\RequirePackage\bid@RequirePackage
3248         \ifx\usepackage\RequirePackage
3249             \let\usepackage\bid@saved@RequirePackage

```



```

3250 \fi
3251 \let\RequirePackage\bidisaved@RequirePackage
3252 \fi
3253 }
3254 \@onlypreamble\bidis@ResetPreventPackageFromLoading
3255 \newcommand*{\bidis@StorePreventPackageFromLoading}[1]{%
3256 \let#1\bidis@excludedpackages
3257 }
3258 \@onlypreamble\bidis@StorePreventPackageFromLoading
3259 \newcommand*{\bidis@UnPreventPackageFromLoading}{%
3260 \@ifstar {\@tempswatrue\bidis@UnPreventPackageFromLoading}%
3261           {\@tempswafalse\bidis@UnPreventPackageFromLoading}%
3262 }
3263
3264 \newcommand*{\bidis@UnPreventPackageFromLoading}[1]{%
3265 \edef\reserved@b{\zap@space#1 \@empty}%
3266 \if@tempswa
3267 \@for\reserved@a:=\reserved@b\do {%
3268 \ifx\reserved@a\@empty \else
3269 \ifcsname bidis@exclude@package@\reserved@a @do\endcsname
3270 \expandafter\let
3271 \csname bidis@exclude@package@\reserved@a @do\endcsname
3272 \undefined
3273 \fi
3274 \fi
3275 }%
3276 \fi
3277 \ifcsname bidis@excludedpackages\endcsname
3278 \let\reserved@a\bidis@excludedpackages
3279 \let\bidis@excludedpackages\@empty
3280 \expandafter\@for\expandafter\reserved@c
3281 \expandafter:\expandafter=\reserved@a
3282 \do{%
3283 \ifx\reserved@c\@empty\else
3284 \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,%}
3285 \ifin@
3286 \else
3287 \edef\bidis@excludedpackages{%
3288 \bidis@excludedpackages,\reserved@c
3289 }%
3290 \fi
3291 \fi
3292 }%
3293 \ifx\bidis@excludedpackages\@empty\bidis@ResetPreventPackageFromLoading\fi
3294 \fi
3295 }
3296
3297
3298 \newcommand*{\bidis@RequirePackage}[2][]{%
3299 \let\reserved@c\@empty

```



```

3300 \let\reserved@d\@empty
3301 \edef\reserved@b{\zap@space#2 \@empty}%
3302 \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
3303 \do {%
3304   \begingroup
3305     \@tempswatrue
3306     \@for\reserved@a:=\bidi@excludedpackages\do {%
3307       \ifx\reserved@a\reserved@b
3308         \@tempswafalse
3309       \fi
3310     }%
3311     \if@tempswa
3312       \xdef\reserved@c{\reserved@c,\reserved@b}%
3313     \else
3314       \ifx\reserved@b\@empty\else
3315         \PackageInfo{bidiutils}{Excluding package '\reserved@b'\MessageBreak
3316           from loading}%
3317         \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
3318           }{%
3319             \expandafter\g@addto@macro\expandafter\reserved@d
3320             \csname bidi@exclude@package@\reserved@b @do\endcsname
3321           }%
3322         \fi
3323       \fi
3324     \endgroup
3325   }%
3326   \ifx\reserved@c\@empty
3327     \let\reserved@a\bidi@gobbleopt
3328   \else
3329     \edef\reserved@a{\noexpand\bidi@saves@RequirePackage[#1]{%
3330       \expandafter\@gobble\reserved@c\@empty}}%
3331   \fi
3332   \expandafter\reserved@d
3333   \reserved@a
3334 }
3335
3336 \newcommand{\bidi@gobbleopt}[1][{}]{%
3337 \AtEndDocument{%
3338   \let\bidi@saves@checkend=\@checkend
3339   \renewcommand*{\@checkend}[1]{%
3340     \def\reserved@a{#1}\def\reserved@b{document}%
3341     \bidi@saves@checkend{#1}%
3342     \ifx\reserved@a\reserved@b
3343       \let\bidi@saves@clearpage=\clearpage
3344       \renewcommand*{\clearpage}{\bidi@saves@clearpage
3345         \bidi@hook@bcma
3346         \bidi@restore@newpage
3347         \let\clearpage=\bidi@saves@clearpage}%
3348     \fi%
3349     \let\bidi@saves@dofilelist\@dofilelist

```




```

3350 \def\@dofilelist{%
3351     \bidi@hook@acma
3352     \let\@dofilelist\bidi@saved@dofilelist
3353     \bidi@saved@dofilelist
3354 }%
3355 }%
3356 }
3357
3358
3359 \newcommand*\bidi@saved@checkend{}
3360 \newcommand*\bidi@saved@dofilelist{}
3361 \newcommand*\bidi@redefine@newpage{}
3362 \let\bidi@saved@newpage\newpage
3363 \def\bidi@restore@newpage{%
3364     \renewcommand*\newpage{%
3365         \PackageWarningNoLine{%
3366             biditools%
3367         }{%
3368             \string\newpage\space at main aux file!\MessageBreak
3369             You have output material at the main aux file.\MessageBreak
3370             Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
3371             are processed before the output from aux file%
3372         }%
3373         \let\newpage\bidi@saved@newpage
3374         \newpage
3375     }%
3376 }%
3377 \renewcommand*\newpage{%
3378     \PackageError{%
3379         biditools%
3380     }{%
3381         \string\newpage\space at \string\bidi@BeforeClosingMainAux
3382     }{%
3383         You should never use \string\newpage\space or
3384         \string\clear(double)page or other output material at the\MessageBreak
3385         argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
3386         If you'll continue, the \string\newpage\space will be ignored to
3387         avoid corruption of\MessageBreak
3388         every prior use of \string\bidi@BeforeClosingMainAux.
3389     }%
3390 }%
3391 }
3392
3393 \newcommand*\bidi@restore@newpage{}
3394 \newcommand*\bidi@hook@bcma{}
3395 \newcommand*\bidi@hook@acma{}
3396 \newcommand*\bidi@BeforeClosingMainAux{}
3397 \ifx\bidi@hook@bcma\empty
3398     \gdef\bidi@hook@bcma{%
3399         \renewcommand*\bidi@BeforeClosingMainAux}[1]{###1}%

```



```

3400     \let\protected@write\bidiprotected@immediate@write
3401     \bidi@redefine@newpage
3402   }%
3403 \fi
3404 \g@addto@macro\bidihook@bcma%
3405 }
3406
3407 \newcommand*{\bidi@AfterReadingMainAux}{%
3408   \ifx\bidihook@acma\@empty
3409     \gdef\bidihook@acma{%
3410       \renewcommand*{\bidi@AfterReadingMainAux}[1]{###1}%
3411       \let\protected@write\bidiprotected@immediate@write
3412     }%
3413   \fi
3414   \g@addto@macro\bidihook@acma%
3415 }
3416
3417 \long\def\bidi@protected@immediate@write#1#2#3{%
3418   \begingroup
3419     #2%
3420     \let\protect\@unexpandable@protect
3421     \edef\reserved@a{\immediate\write#1{#3}}%
3422     \reserved@a
3423   \endgroup
3424   \if@nobeak\ifvmode\nobreak\fi\fi
3425 }
3426
3427 \def\bidi@patch@counter{0}%
3428 \if@bidi@csundef{numexpr}{%
3429   \def\bidi@patch@stepcounter{%
3430     \begingroup
3431       \count@\bidi@patch@counter\relax
3432       \advance\count@\@ne\relax
3433     \edef\x{\endgroup
3434       \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
3435     }%
3436     \x
3437   }%
3438 }{%
3439   \def\bidi@patch@stepcounter{%
3440     \edef\bidi@patch@counter{%
3441       \the\numexpr\bidi@patch@counter+\@ne\relax
3442     }%
3443   }%
3444 }
3445 \def\bidi@patch@list{}
3446 \def\bidi@patch@Add{%
3447   \bidi@appto\bidi@patch@list
3448 }
3449 \def\bidi@patch@AfterPackage#1{%

```



```

3450 \@ifpackageloaded{#1}{%
3451   \@firstofone
3452 }{%
3453   \bidi@patch@AfterPackage{#1}%
3454 }%
3455 }
3456 \def\bidi@patch@AfterPackage#1{%
3457   \edef\bidi@patch@temp{#1}%
3458   \bidi@patch@stepcounter
3459   \expandafter\bidi@patch@@AfterPackage
3460   \csname bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
3461     \bidi@patch@temp
3462   }%
3463 }
3464 \def\bidi@patch@@AfterPackage#1#2#3{%
3465   \begingroup
3466     \toks@{#3}%
3467     \xdef\bidi@patch@gtemp{%
3468       \noexpand\@ifpackageloaded{#2}{%
3469         \noexpand\let\noexpand#1\noexpand\relax
3470         \the\toks@
3471       }{}%
3472     }%
3473   \endgroup
3474   \let#1\bidi@patch@gtemp
3475   \bidi@patch@Add#1%
3476   \bidi@patch@try{\bidi@AfterPackage}{#2}#1%
3477 }
3478 \def\bidi@patch@try#1#2#3{%
3479   \if@bidi@csundef{#1}{-}{%
3480     \csname #1\endcsname{#2}{#3}%
3481   }%
3482 }%
3483 }
3484
3485 \AtBeginDocument{\bidi@patch@list}
3486
3487 \bidi@AtEndPreamble{\bidi@patch@list}%
3488
3489 \bidi@AfterEndPreamble{%
3490   \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
3491   \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
3492   \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
3493   \let\bidi@patch@OrgIfClassLater\@ifclasslater
3494   \bidi@patch@list
3495   \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
3496   \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
3497   \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
3498   \let\@ifclasslater\bidi@patch@OrgIfClassLater
3499 }%

```



7.22 bidentuftefloat.sty

```
3500 \NeedsTeXFormat{LaTeX2e}
3501 \ProvidesPackage{bidentuftefloat}[2011/06/14 v0.1
3502 bidi implementation of tufte float]
3503 \RequirePackage{xifthen}
3504 \newcommand{\@bidentuftefloat@pkgname}{bidentuftefloat}
3505 \newcommand{\@bidentuftefloatError}[2]{\PackageError{\@bidentuftefloat@pkgname}{#1}{#2}}
3506 \newcommand{\@bidentuftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{\@bidentuftefloat@debug}}{\bident
3507 \newcommand{\@bidentuftefloatInfoNL}[1]{\PackageInfo{\@bidentuftefloat@pkgname}{#1\@gobble}}
3508 \newboolean{\@bidentuftefloat@RTLgeometry}
3509 \setboolean{\@bidentuftefloat@RTLgeometry}{true}
3510 \DeclareOption{RTLgeometry}{\setboolean{\@bidentuftefloat@RTLgeometry}{true}}
3511 \DeclareOption{LTRgeometry}{\setboolean{\@bidentuftefloat@RTLgeometry}{false}}
3512 \newboolean{\@bidentuftefloat@a4paper}
3513 \DeclareOption{a4paper}{\setboolean{\@bidentuftefloat@a4paper}{true}}
3514 \newboolean{\@bidentuftefloat@b5paper}
3515 \DeclareOption{b5paper}{\setboolean{\@bidentuftefloat@b5paper}{true}}
3516 \newboolean{\@bidentuftefloat@symmetric}
3517 \newboolean{\@bidentuftefloat@twoside}
3518 \DeclareOption{twoside}{%
3519 \@twoside true \@mparswitch true%
3520 \setboolean{\@bidentuftefloat@twoside}{true}%
3521 \setboolean{\@bidentuftefloat@symmetric}{true}%
3522 }
3523 \DeclareOption{oneside}{%
3524 \@twoside false \@mparswitch false%
3525 \setboolean{\@bidentuftefloat@twoside}{false}%
3526 \setboolean{\@bidentuftefloat@symmetric}{false}%
3527 }
3528 \@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
3529 \newboolean{\@bidentuftefloat@debug}
3530 \newcommand*{\@bidentuftefloat@caption@justification}{\@bidentuftefloat@justification@autodetect
3531 \ProcessOptions
3532 %% Globally sets the length
3533 \newcommand*{\gsetlength}[2]{%
3534 \setlength{#1}{#2}%
3535 \global#1=#1\relax%
3536 }
3537 %% Globally sets a boolean
3538 \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
3539 \lowercase{\def\@tempa{#2}}%
3540 \@ifundefined{\@tempswa\@tempa}%
3541 {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}\@ehc}%
3542 {\@ifundefined{#1\@tempa}%
3543 {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
3544 {\global\csname#1\@tempa\endcsname}%
3545 }%
3546 }
3547 %% Set the font sizes and baselines to match bidentuftefloat's books
```



```

3548 \renewcommand\normalsize{%
3549   \@setfontsize\normalsize\@xpt{14}%
3550   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
3551   \abovedisplayshortskip \z@ \@plus3\p@
3552   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
3553   \belowdisplayskip \abovedisplayskip
3554   \let\@listi\@listI}
3555 \normalbaselineskip=14pt
3556 \normalsize
3557 \renewcommand\footnotesize{%
3558   \@setfontsize\footnotesize\@viipt{10}%
3559   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
3560   \abovedisplayshortskip \z@ \@plus\p@
3561   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
3562   \def\@listi{\leftmargin\leftmarginI
3563             \topsep 3\p@ \@plus\p@ \@minus\p@
3564             \parsep 2\p@ \@plus\p@ \@minus\p@
3565             \itemsep \parsep}%
3566   \belowdisplayskip \abovedisplayskip
3567 }
3568 %% Paragraph indentation and separation for marginal text
3569 \newcommand{\@bidiutfefloat@margin@par}{%
3570   \setlength{\RaggedRightParindent}{0.5pc}%
3571   \setlength{\JustifyingParindent}{0.5pc}%
3572   \setlength{\parindent}{0.5pc}%
3573   \setlength{\parskip}{0pt}%
3574 }
3575 \RequirePackage{ragged2e}
3576 \ifthenelse{\boolean{@bidiutfefloat@RTLgeometry}}{%
3577 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginparse
3578 \ifthenelse{\boolean{@bidiutfefloat@a4paper}}
3579 {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
3580 {}
3581 \ifthenelse{\boolean{@bidiutfefloat@bfivepaper}}
3582 {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,m
3583 {}}%
3584 \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginparse
3585 \ifthenelse{\boolean{@bidiutfefloat@a4paper}}
3586 {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
3587 {}
3588 \ifthenelse{\boolean{@bidiutfefloat@bfivepaper}}
3589 {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,ma
3590 {}
3591 \ifthenelse{\boolean{@bidiutfefloat@symmetric}}
3592 {}
3593 {\geometry{asymmetric}}% forces internal LaTeX `twoside'
3594 \setlength\marginparpush{10pt}
3595 %% Font for margin items
3596 \newcommand{\@bidiutfefloat@marginfont}{\normalfont\footnotesize}
3597 \newcommand*{\@bidiutfefloat@captionfont}{\@bidiutfefloat@marginfont}

```



```

3598 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidiutfefloat@caption@font}{#1}}
3599 \newcommand{\@bidiutfefloat@justification}{\justifying}%
3600 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
3601 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
3602 \newboolean{\@bidiutfefloat@changepage}
3603 \IfFileExists{changepage.sty}{%
3604   \bidiutfefloatDebugInfoNL{Found changepage.sty}
3605   \RequirePackage[strict]{changepage}
3606   \setboolean{\@bidiutfefloat@changepage}{true}
3607 }{%
3608   \bidiutfefloatDebugInfoNL{Found chngpage.sty}
3609   \RequirePackage[strict]{chngpage}
3610   \setboolean{\@bidiutfefloat@changepage}{false}
3611 }
3612 \newboolean{\@bidiutfefloat@odd@page}
3613 \setboolean{\@bidiutfefloat@odd@page}{true}
3614 \newcommand*{\@bidiutfefloat@checkoddpager}{%
3615   \checkoddpager%
3616   \ifthenelse{\boolean{\@bidiutfefloat@changepage}}{%
3617     \ifoddpager%
3618       \setboolean{\@bidiutfefloat@odd@page}{true}%
3619     \else%
3620       \setboolean{\@bidiutfefloat@odd@page}{false}%
3621     \fi%
3622   }{%
3623     \ifcpoddpager%
3624       \setboolean{\@bidiutfefloat@odd@page}{true}%
3625     \else%
3626       \setboolean{\@bidiutfefloat@odd@page}{false}%
3627     \fi%
3628   }%
3629 }
3630 \newlength{\@bidiutfefloat@overhang}% used by the fullwidth environment and the running heads
3631 \newlength{\@bidiutfefloat@fullwidth}
3632 \newlength{\@bidiutfefloat@caption@fill}
3633 \newcommand{\@bidiutfefloatRecalculate}{%
3634   \setlength{\@bidiutfefloat@overhang}{\marginparwidth}
3635   \addtolength{\@bidiutfefloat@overhang}{\marginparsep}
3636
3637   \setlength{\@bidiutfefloat@fullwidth}{\textwidth}
3638   \addtolength{\@bidiutfefloat@fullwidth}{\marginparsep}
3639   \addtolength{\@bidiutfefloat@fullwidth}{\marginparwidth}
3640
3641   \setlength{\@bidiutfefloat@caption@fill}{\textwidth}
3642   \addtolength{\@bidiutfefloat@caption@fill}{\marginparsep}
3643 }
3644 \AtBeginDocument{\@bidiutfefloatRecalculate}
3645 \RequirePackage{optparams}% provides multiple optional arguments for commands
3646 \RequirePackage{placeins}
3647 \newsavebox{\@bidiutfefloat@margin@floatbox}

```



```

3648 \newenvironment{@biditytfloat@margin@float}[2][~1.2ex]%
3649 {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order.
3650 \begin{lrbox}{\@biditytfloat@margin@floatbox}%
3651 \begin{minipage}{\marginparwidth}%
3652 \@biditytfloat@caption@font%
3653 \def\@capttype{#2}%
3654 \hbox{\vspace*{#1}%
3655 \@biditytfloat@caption@justification%
3656 \@biditytfloat@margin@par%
3657 \noindent%
3658 }
3659 {\end{minipage}%
3660 \end{lrbox}%
3661 \marginpar{\usebox{\@biditytfloat@margin@floatbox}}%
3662 }
3663 \newenvironment{marginfigure}[1][~1.2ex]%
3664 {\begin{@biditytfloat@margin@float}[#1]{figure}}
3665 {\end{@biditytfloat@margin@float}}
3666 \newenvironment{margintable}[1][~1.2ex]%
3667 {\begin{@biditytfloat@margin@float}[#1]{table}}
3668 {\end{@biditytfloat@margin@float}}
3669 \newcommand*{\@biditytfloat@justification@autodetect}{\justifying}%
3670
3671 \newcommand{\@biditytfloat@float@debug@info}{}% contains debug info generated as the float is p
3672 \newcommand{\@biditytfloat@float@debug}[1]{% adds debug info to the queue for output
3673 \ifthenelse{equal{\@biditytfloat@float@debug@info}{}}%
3674 {\def\@biditytfloat@float@debug@info{#1}}%
3675 {\g@addto@macro\@biditytfloat@float@debug@info{\MessageBreak#1}}%
3676 }
3677 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
3678 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@biditytfloat@float@debug@
3679 \newboolean{@biditytfloat@float@recto}
3680 \newcommand{\forcerectofloat}{\gsetboolean{@biditytfloat@float@recto}{true}\@biditytfloat@
3681 \newcommand{\forceversofloat}{\gsetboolean{@biditytfloat@float@recto}{false}\@biditytfloat@
3682 \newsavebox{\@biditytfloat@figure@box}
3683 \newsavebox{\@biditytfloat@caption@box}
3684 \let\@biditytfloat@orig@float\@float
3685 \let\@biditytfloat@orig@endfloat\endfloat
3686 \newlength{\@biditytfloat@caption@vertical@offset}
3687 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
3688 \newcommand{\@biditytfloat@stored@shortcaption}{%
3689 \newcommand{\@biditytfloat@stored@caption}{%
3690 \newcommand{\@biditytfloat@stored@label}{%
3691 \long\def\@biditytfloat@caption[#1][#2]#3{%
3692 \ifthenelse{isempty{#1}}%
3693 {\gdef\@biditytfloat@stored@shortcaption{#3}}%
3694 {\gdef\@biditytfloat@stored@shortcaption{#1}}%
3695 \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to lower
3696 \gdef\@biditytfloat@stored@caption{#3}%
3697 }

```



```

3698 \newcommand{\@bidiutefloat@label}[1]{%
3699   \gdef\@bidiutefloat@stored@label{#1}%
3700 }
3701 \newcommand{\@bidiutefloat@fps}{%
3702   \newboolean{\@bidiutefloat@float@star}
3703   \newlength{\@bidiutefloat@float@contents@width}
3704   \newenvironment{\@bidiutefloat@float}[3][htbp]{%
3705     {% begin \@bidiutefloat@float
3706       % Should this float be full-width or just text-width?
3707       \ifthenelse{\equal{#3}{star}}{%
3708         {\gsetboolean{\@bidiutefloat@float@star}{true}}%
3709         {\gsetboolean{\@bidiutefloat@float@star}{false}}%
3710       % Check page side (recto/verso) and store detected value -- can be overridden in environment cont
3711       \@bidiutefloat@checkoddpag%
3712       \ifthenelse{\boolean{\@bidiutefloat@odd@page}}{%
3713         {\gsetboolean{\@bidiutefloat@float@recto}{true}}\@bidiutefloat@float@debug{Detected page
3714         {\gsetboolean{\@bidiutefloat@float@recto}{false}}\@bidiutefloat@float@debug{Detected pag
3715       % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages, otherw
3716       \renewcommand{\@bidiutefloat@fps}{#1}%
3717       \@bidiutefloat@float@debug{Allowed positions: [#1]}%
3718       \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}{%
3719         {\renewcommand{\floatalignment}{b}}\@bidiutefloat@float@debug{Presumed position: [bottom]}
3720         {\renewcommand{\floatalignment}{t}}\@bidiutefloat@float@debug{Presumed position: [top]}}%
3721       % Capture the contents of the \caption and \label commands to use later
3722       \global\let\@bidiutefloat@orig@caption\caption%
3723       \global\let\@bidiutefloat@orig@label\label%
3724       \renewcommand{\caption}{\optparams{\@bidiutefloat@caption}{[Opt]}}%
3725       \renewcommand{\label}[1]{\@bidiutefloat@label{##1}}%
3726       % Handle subfigure package compatibility
3727       \ifthenelse{\boolean{\@bidiutefloat@packages@subfigure}}{%
3728         % don't move the label while inside a \subfigure or \subtable command
3729         \global\let\label\@bidiutefloat@orig@label%
3730       }{% subfigure package is not loaded
3731         \@bidiutefloat@orig@float{#2}[#1}%
3732         \ifthenelse{\boolean{\@bidiutefloat@float@star}}{%
3733           {\setlength{\@bidiutefloat@float@contents@width}{\@bidiutefloat@fullwidth}}%
3734           {\setlength{\@bidiutefloat@float@contents@width}{\textwidth}}%
3735         \begin{lrbox}{\@bidiutefloat@figure@box}%
3736         \begin{minipage}[\floatalignment]{\@bidiutefloat@float@contents@width}\hbox{}%
3737       }{% end \@bidiutefloat@float
3738         \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% align
3739         \end{minipage}%
3740         \end{lrbox}%
3741         % build the caption box
3742         \begin{lrbox}{\@bidiutefloat@caption@box}%
3743         \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
3744         \ifthenelse{\NOT\equal{\@bidiutefloat@stored@caption}{}}{\@bidiutefloat@orig@caption
3745         \ifthenelse{\NOT\equal{\@bidiutefloat@stored@label}{}}{\@bidiutefloat@orig@label{\@b
3746           \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
3747         \end{minipage}%

```




```

\end{lrbox}%
% now typeset the stored boxes
\begin{fullwidth}%
    \begin{minipage}[\floatalignment]{\linewidth}%
        \ifthenelse{\boolean{@bidutefloat@float@star}}%
            {\@bidutefloat@float@fullwidth[\@bidutefloat@caption@vertical@offset]{\@bidutefloat@float@textwidth[\@bidutefloat@caption@vertical@offset]{\@bidutefloat@float@label}}}
        {\end{minipage}}
    \end{fullwidth}%
\@bidutefloat@orig@endfloat% end original LaTeX float environment
% output debug info
\ifthenelse{\boolean{@bidutefloat@debug}}{%
\typeout{^^J^J----- bidunttefloat package float information -----}%
    \ifthenelse{\equal{\@bidutefloat@stored@label}{}}%
        {\typeout{Warning: Float unlabeled!}}%
        {\typeout{Float label: [\@bidutefloat@stored@label]}}%
    \typeout{Page number: [\thepage]}%
    \def\MessageBreak{^^J}%
    \typeout{\@bidutefloat@float@debug@info}%
    \ifthenelse{\boolean{@bidutefloat@symmetric}}%
        {\typeout{Symmetric: [true]}}%
        {\typeout{Symmetric: [false]}}%
\typeout{-----^^J^^J}%
}%
% reset commands and temp boxes and captions
\gdef\@bidutefloat@float@debug@info{}%
\let\caption\@bidutefloat@orig@caption%
\let\label\@bidutefloat@orig@label%
\begin{lrbox}{\@bidutefloat@figure@box}\hbox{}\end{lrbox}%
\begin{lrbox}{\@bidutefloat@caption@box}\hbox{}\end{lrbox}%
\gdef\@bidutefloat@stored@shortcaption{}%
\gdef\@bidutefloat@stored@caption{}%
\gdef\@bidutefloat@stored@label{}%
\gsetlength{\@bidutefloat@caption@vertical@offset}{0pt}% reset caption offset
}
\newcommand{\@bidutefloat@float@textwidth}[3][0pt]{%
\ifthenelse{\NOT\boolean{@bidutefloat@symmetric}}OR\boolean{@bidutefloat@float@recto}}%
% asymmetric or page is odd, so caption is on the right
\hbox{%
    \usebox{#2}%
    \hspace{\marginparsep}%
    \smash{\raisebox{#1}{\usebox{#3}}}%
}
\@bidutefloat@float@debug{Caption position: [right]}%
}{% symmetric pages and page is even, so caption is on the left
\hbox{%
    \smash{\raisebox{#1}{\usebox{#3}}}%
    \hspace{\marginparsep}%
    \usebox{#2}%
}
}
```



```

3798 \@biditytfloat@float@debug{Caption position: [left]]%
3799 }%
3800 }
3801 \newcommand{\@biditytfloat@float@fullwidth}[3][Opt]{%
3802 \ifthenelse{\equal{\floatalignment}{b}}%
3803 {% place caption above figure
3804 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@recto}
3805 {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@biditytfloat@float@debug{Cap
3806 {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biditytfloat@float@debug{Cap
3807 }% place caption below figure
3808 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@recto}
3809 {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biditytfloat@float@debug{Cap
3810 {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@biditytfloat@float@debug{Cap
3811 }%
3812 }
3813 \renewenvironment{figure}[1][htbp]%
3814 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{}}
3815 {\end{@biditytfloat@float}}
3816 \renewenvironment{table}[1][htbp]
3817 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{}}
3818 {\end{@biditytfloat@float}}
3819 \renewenvironment{figure*}[1][htbp]%
3820 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{star}}
3821 {\end{@biditytfloat@float}}
3822 \renewenvironment{table*}[1][htbp]%
3823 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{star}}
3824 {\end{@biditytfloat@float}}
3825 \newenvironment{fullwidth}
3826 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
3827 {\ifthenelse{\boolean{@biditytfloat@changepage}}{\begin{adjustwidth*}}{-\@biditytfloat@
3828 {\begin{adjustwidth}}{-\@biditytfloat@overhang}}%
3829 }%
3830 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
3831 {\ifthenelse{\boolean{@biditytfloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}%
3832 {\end{adjustwidth}}}%
3833 }
3834 \long\def\@caption#1[#2]#3{%
3835 \par%
3836 \addcontentsline{\csname ext@#1\endcsname}{#1}%
3837 {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
3838 \begingroup%
3839 \@parboxrestore%
3840 \if@minipage%
3841 \@setminipage%
3842 \fi%
3843 \@biditytfloat@caption@font\@biditytfloat@caption@justification%
3844 \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
3845 %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
3846 \endgroup}
3847 %%

```



```

3848 % Turns newlines into spaces. Based on code from the `titlesec' package.
3849 \DeclareRobustCommand{\@bidiutfteheading@newlinetospace}{%
3850   \ifstar{\@bidiutfteheading@newlinetospace@i}{\@bidiutfteheading@newlinetospace@i}%
3851 }
3852 \def\@bidiutfteheading@newlinetospace@i{%
3853   \ifdim\lastskip>\z@else\space\fi
3854   \ignorespaces%
3855 }
3856 \DeclareRobustCommand{\newlinetospace}[1]{%
3857   \let\@bidiutfteheading@orig@cr\\% save the original meaning of \\
3858   \def\\{\@bidiutfteheading@newlinetospace}% turn \\ and \\* into \space
3859   \let\newline\\% turn \newline into \space
3860   #1%
3861   \let\\\\@bidiutfteheading@orig@cr% revert to original meaning of \\
3862 }
3863 \RequirePackage{fancyhdr}
3864 \pagestyle{fancy}
3865 \AtBeginDocument{%
3866   \ifthenelse{\boolean{@bidiutftefloat@symmetric}}
3867     {\fancyhfoffset[LE,RO]{\@bidiutftefloat@overhang}}
3868     {\fancyhfoffset[RE,RO]{\@bidiutftefloat@overhang}}
3869 }
3870 % The running heads/feet don't have rules
3871 \renewcommand{\headrulewidth}{0pt}
3872 \renewcommand{\footrulewidth}{0pt}
3873 % The 'fancy' page style is the default style for all pages.
3874 \fancyhf{} % clear header and footer fields
3875   \ifthenelse{\boolean{@bidiutftefloat@symmetric}}
3876     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
3877     \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3878     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3879 % The 'plain' page style is used on chapter opening pages.
3880 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
3881 % bottom of pages -- the folios are unexpressed.
3882 \fancypagestyle{plain}{
3883   \fancyhf{} % clear header and footer fields
3884   % Uncomment the following five lines of code if you want the opening page
3885   % of the chapter to express the folio in the lower outside corner.
3886   % \ifthenelse{\boolean{@bidiutftefloat@symmetric}}
3887   %   {\fancyfoot[LE,RO]{\thepage}}
3888   %   {\fancyfoot[RE,RO]{\thepage}}
3889 }
3890 % The 'empty' page style suppresses all headers and footers.
3891 % It's used on title pages and 'intentionally blank' pages.
3892 \fancypagestyle{empty}{
3893   \fancyhf{} % clear header and footer fields
3894 }
3895 \def\morefloats{% provides a total of 52 floats
3896   \ifthenelse{\isundefined{\bx@S}}{%
3897     \bidiutftefloatDebugInfoNL{Adding 34 more float slots.}

```



```

3898 \newinsert\bx@S
3899 \newinsert\bx@T
3900 \newinsert\bx@U
3901 \newinsert\bx@V
3902 \newinsert\bx@W
3903 \newinsert\bx@X
3904 \newinsert\bx@Y
3905 \newinsert\bx@Z
3906 \newinsert\bx@a
3907 \newinsert\bx@b
3908 \newinsert\bx@c
3909 \newinsert\bx@d
3910 \newinsert\bx@e
3911 \newinsert\bx@f
3912 \newinsert\bx@g
3913 \newinsert\bx@h
3914 \newinsert\bx@i
3915 \newinsert\bx@j
3916 \newinsert\bx@k
3917 \newinsert\bx@l
3918 \newinsert\bx@m
3919 \newinsert\bx@n
3920 \newinsert\bx@o
3921 \newinsert\bx@p
3922 \newinsert\bx@q
3923 \newinsert\bx@r
3924 \newinsert\bx@s
3925 \newinsert\bx@t
3926 \newinsert\bx@u
3927 \newinsert\bx@v
3928 \newinsert\bx@w
3929 \newinsert\bx@x
3930 \newinsert\bx@y
3931 \newinsert\bx@z
3932 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
3933 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
3934 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
3935 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
3936 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
3937 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
3938 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3939 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3940 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3941 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3942 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3943 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
3944 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
3945 \ifthenelse{\isundefined{\bx@AA}}{%
3946 \biditytfloatDebugInfoNL{Adding 26 more float slots.}
3947 \newinsert\bx@AA

```



```

3948 \newinsert\bx@BB
3949 \newinsert\bx@CC
3950 \newinsert\bx@DD
3951 \newinsert\bx@EE
3952 \newinsert\bx@FF
3953 \newinsert\bx@GG
3954 \newinsert\bx@HH
3955 \newinsert\bx@II
3956 \newinsert\bx@JJ
3957 \newinsert\bx@KK
3958 \newinsert\bx@LL
3959 \newinsert\bx@MM
3960 \newinsert\bx@NN
3961 \newinsert\bx@OO
3962 \newinsert\bx@PP
3963 \newinsert\bx@QQ
3964 \newinsert\bx@RR
3965 \newinsert\bx@SS
3966 \newinsert\bx@TT
3967 \newinsert\bx@UU
3968 \newinsert\bx@VV
3969 \newinsert\bx@WW
3970 \newinsert\bx@XX
3971 \newinsert\bx@YY
3972 \newinsert\bx@ZZ
3973 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
3974 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
3975 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
3976 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
3977 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
3978 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
3979 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3980 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3981 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3982 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3983 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3984 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
3985 \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
3986 \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
3987 \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
3988 \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
3989 \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
3990 \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
3991 }{%
3992 \bidiutfefloatError{You may only call \string\morefloats\space twice. See the\MessageBreak
3993 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\MessageBreak
3994 }%
3995 }%
3996 }
3997 \newboolean{@bidiutfefloat@packages@subfigure}

```



```

3998 \setboolean{@bidituftefloat@packages@subfigure}{false}
3999 \AtBeginDocument{%
4000   \ifpackageloaded{subfigure}
4001     {\gsetboolean{@bidituftefloat@packages@subfigure}{true}}
4002     {\gsetboolean{@bidituftefloat@packages@subfigure}{false}}%
4003 }
4004 \AtBeginDocument{%
4005   \ifpackageloaded{float}{%
4006     % Save the redefined float environment (instead of the LaTeX float environment)
4007     \let\@bidituftefloat@orig@float\@float
4008     \let\@bidituftefloat@orig@endfloat\endfloat
4009
4010     % Define Tuflian float styles (with the caption in the margin)
4011     \newcommand{\floatc@bidituftefloatplain}[2]{%
4012       \begin{lrbox}{\@bidituftefloat@caption@box}%
4013         \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
4014           \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
4015         }\end{minipage}%
4016       \end{lrbox}%
4017       \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
4018     }
4019     \newcommand{\fs@bidituftefloatplain}{%
4020       \def\@fs@cfont{\@bidituftefloat@caption@font}%
4021       \let\@fs@capt\floatc@bidituftefloatplain%
4022       \def\@fs@pre{%
4023         \def\@fs@post{%
4024           \def\@fs@mid{%
4025             \let\@fs@iftopcapt\iftrue%
4026           }
4027           \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
4028           \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
4029           \newcommand\floatc@bidituftefloatruled[2]{%
4030             {\@fs@cfont #1} #2\par%
4031           }
4032           \newcommand\fs@bidituftefloatruled{%
4033             \def\@fs@cfont{\@bidituftefloat@caption@font}%
4034             \let\@fs@capt\floatc@bidituftefloatplain%
4035             \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
4036             \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
4037             \def\@fs@mid{%
4038               \let\@fs@iftopcapt\iftrue%
4039             }
4040             \newcommand\fs@bidituftefloatboxed{%
4041               \def\@fs@cfont{}%
4042               \let\@fs@capt\floatc@bidituftefloatplain%
4043               \def\@fs@pre{%
4044                 \setbox\@currbox\vbox{\hbadness10000
4045                 \moveleft3.4pt\vbox{\advance\hsize by6.8pt
4046                 \hrule \hbox to\hsize{\vrule\kern3pt
4047                   \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}

```



```

4048 }%
4049 \def\@fs@mid{\kern2pt}%
4050 \def\@fs@post{}%
4051 \let\@fs@iftopcapt\iftrue%
4052 }
4053 }{%
4054 % Nothing to do
4055 }
4056 }
4057 \AtBeginDocument{%
4058 \@ifpackageloaded{algorithm}{%
4059 % Set the float style to the Tufte version
4060 \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{list}}{}{
4061 \bidiftuftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak to b
4062 \floatstyle{bidiftuftefloat\ALG@floatstyle}%
4063 \restylefloat{algorithm}%
4064 }{}%
4065 }{%
4066 % Nothing to do
4067 }
4068 }
4069 \PassOptionsToPackage{caption=false}{subfig}

```

```

4070 \NeedsTeXFormat{LaTeX2e}
4071 \ProvidesPackage{bidiuftesidenote}[2015/04/30 v0.3
4072 bidi implementation of tufte sidenote]
4073 \RequirePackage{xifthen}
4074 \RequirePackage{ragged2e}
4075 \RequirePackage{setspace}
4076 \RequirePackage{bidiutils}
4077 \def\bidiuftesidenotemarginpar{%
4078   \ifhmode
4079     \@bsphack
4080     \@floatpenalty -\@Mii
4081   \else
4082     \@floatpenalty -\@Miii
4083   \fi
4084   \ifinner
4085     \@parmoderr
4086     \@floatpenalty \z@
4087   \else
4088     \@next\@currbox\@freelist{}\{}%
4089     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4090     {\@floatpenalty\z@
4091       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4092   \fi
4093   \@ifnextchar [\@bidiuftesidenotexmpar\@bidiuftesidenoteympar}
4094 \long\def\@bidiuftesidenotexmpar[#1]#2{%

```



```

4095 \@bidityftesidenotesavemarbox\@marbox{#1}%
4096 \@bidityftesidenotesavemarbox\@currbox{#2}%
4097 \@xympar}
4098 \long\def\@bidityftesidenoteympar#1{%
4099 \@bidityftesidenotesavemarbox\@marbox{#1}%
4100 \global\setbox\@currbox\copy\@marbox
4101 \@xympar}
4102 \long\def \@bidityftesidenotesavemarbox #1#2{%
4103 \global\setbox #1%
4104 \color@vbox
4105 \vtop{%
4106 \hsize\marginparwidth
4107 \@parboxrestore
4108 \@bidityftesidenotemarginparreset
4109 #2%
4110 \@minipagefalse
4111 \outer@nobreak
4112 }%
4113 \color@endbox
4114 }
4115 \def \@bidityftesidenotemarginparreset {%
4116 \reset@font
4117 \normalsize
4118 \@minipagetrue
4119 \everypar{\@minipagefalse\everypar{}}\if@RTL@footnote\beginR\else\beginL\fi}%
4120 }
4121 \def\LTRbidityftesidenotemarginpar{%
4122 \ifhmode
4123 \@bsphack
4124 \@floatpenalty -\@Mii
4125 \else
4126 \@floatpenalty-\@Miii
4127 \fi
4128 \ifinner
4129 \@parmoderr
4130 \@floatpenalty\z@
4131 \else
4132 \@next\@currbox\@freelist{}}}%
4133 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4134 {\@floatpenalty\z@
4135 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
4136 \fi
4137 \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
4138 \long\def\@LTRbidityftesidenotexmpar[#1]#2{%
4139 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
4140 \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
4141 \@xympar}
4142 \long\def\@LTRbidityftesidenoteympar#1{%
4143 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
4144 \global\setbox\@currbox\copy\@marbox

```




```

4145 \@xympar}
4146 \long\def \@LTRbiditytesidenotesavemarbox #1#2{%
4147 \global\setbox #1%
4148 \color@vbox
4149 \vtop{%
4150 \hsize\marginparwidth
4151 \@parboxrestore
4152 \@LTRbiditytesidenotemarginparreset
4153 #2%
4154 \@minipagefalse
4155 \outer@nobreak
4156 }%
4157 \color@endbox
4158 }
4159 \def \@LTRbiditytesidenotemarginparreset {%
4160 \reset@font
4161 \normalsize
4162 \@minipagetrue
4163 \everypar{\@minipagefalse\everypar{}\beginL}%
4164 }
4165 \def\RTLbiditytesidenotemarginpar{%
4166 \ifhmode
4167 \@bsphack
4168 \@floatpenalty -\@Mii
4169 \else
4170 \@floatpenalty-\@Miii
4171 \fi
4172 \ifinner
4173 \@parmoderr
4174 \@floatpenalty\z@
4175 \else
4176 \@next\@currbox\@freelist{}\}%
4177 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4178 {\@floatpenalty\z@
4179 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4180 \fi
4181 \@ifnextchar [\@RTLbiditytesidenotexmpar\@RTLbiditytesidenoteympar}
4182 \long\def\@RTLbiditytesidenotexmpar[#1]#2{%
4183 \@RTLbiditytesidenotesavemarbox\@marbox{#1}%
4184 \@RTLbiditytesidenotesavemarbox\@currbox{#2}%
4185 \@xympar}
4186 \long\def\@RTLbiditytesidenoteympar#1{%
4187 \@RTLbiditytesidenotesavemarbox\@marbox{#1}%
4188 \global\setbox\@currbox\copy\@marbox
4189 \@xympar}
4190 \long\def \@RTLbiditytesidenotesavemarbox #1#2{%
4191 \global\setbox #1%
4192 \color@vbox
4193 \vtop{%
4194 \hsize\marginparwidth

```



```

4195         \@parboxrestore
4196         \@RTLbiditytesidenotemarginparreset
4197         #2%
4198         \@minipagefalse
4199         \@outer@nobreak
4200     }%
4201     \color@endbox
4202 }
4203 \def \@RTLbiditytesidenotemarginparreset {%
4204     \reset@font
4205     \normalsize
4206     \@minipagetrue
4207     \everypar{\@minipagefalse\everypar{}\beginR}%
4208 }
4209 \newcommand{\@biditytesidenote@marginfont}{\normalfont\footnotesize}
4210 \newcommand*{\@biditytesidenote@sidenote@font}{\@biditytesidenote@marginfont}
4211 \newcommand*{\@biditytesidenote@marginnote@font}{\@biditytesidenote@marginfont}
4212 \newcommand*{\@biditytesidenote@citation@font}{\@biditytesidenote@marginfont}
4213 \newcommand*{\@bidityteLTRsidenote@citation@font}{\@biditytesidenote@marginfont}
4214 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@biditytesidenote@sidenote@font}{#1}}
4215 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@biditytesidenote@marginnote@font}{#1}}
4216 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@biditytesidenote@citation@font}{#1}}
4217 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidityteLTRsidenote@citation@font}{#1}}
4218 \newcommand*{\@biditytesidenote@sidenote@justification}{\@biditytesidenote@justification@autodetect}
4219 \newcommand*{\@biditytesidenote@marginnote@justification}{\@biditytesidenote@justification@autodetect}
4220 \newcommand*{\@biditytesidenote@citation@justification}{\@biditytesidenote@justification@autodetect}
4221 \newcommand*{\@biditytesidenote@justification@autodetect}{\justifying}%
4222 \newcommand{\@biditytesidenote@margin@par}{%
4223     \setlength{\RaggedRightParindent}{0.5pc}%
4224     \setlength{\JustifyingParindent}{0.5pc}%
4225     \setlength{\parindent}{0.5pc}%
4226     \setlength{\parskip}{0pt}%
4227 }
4228 %%
4229 % Globally sets the length
4230 \@ifundefined{gsetlength}{%
4231 \newcommand*{gsetlength}[2]{%
4232     \setlength{#1}{#2}%
4233     \global#1=#1\relax%
4234 }%
4235 }{}
4236 %%
4237 % Globally sets a boolean
4238 \@ifundefined{gsetboolean}{%
4239 \newcommand*{gsetboolean}[2]{% based on code from ifthen pkg
4240     \lowercase{\def\@tempa{#2}}%
4241     \@ifundefined{\@tempa}{\@tempa}%
4242     {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}\@ehc}%
4243     {\@ifundefined{#1\@tempa}%
4244     {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%

```



```

4245     {\global\csname#1\@tempa\endcsname}%
4246   }%
4247 }%
4248 }{}
4249 %%
4250 % A function that removes leading and trailing spaces from the supplied macro.
4251 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
4252 % Executing \@bidityftesidenote@trim@spaces\xyzy will result in the contents of \xyzy
4253 % being trimmed of leading and trailing white space.
4254 \catcode`\Q=3
4255 \def\@bidityftesidenote@trim@spaces#1{%
4256   % Use grouping to emulate a multi-token afterassignment queue
4257   \begingroup%
4258   % Put ``\toks 0 {' into the afterassignment queue
4259   \aftergroup\toks\aftergroup0\aftergroup{%
4260   % Apply \trimb to the replacement text of #1, adding a leading
4261   % \noexpand to prevent brace stripping and to serve another purpose
4262   % later.
4263   \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
4264   % Transfer the trimmed text back into #1.
4265   \edef#1{\the\toks0}%
4266 }
4267 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
4268 % clean up any leftover bizarre Qs, and trim a leading space. In
4269 % order for \trimc to work properly we need to put back a Q first.
4270 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
4271 % Execute \vfuzz assignment to remove leading space; the \noexpand
4272 % will now prevent unwanted expansion of a macro or other expandable
4273 % token at the beginning of the trimmed text. The \endgroup will feed
4274 % in the \aftergroup tokens after the \vfuzz assignment is completed.
4275 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
4276 \catcode`\Q=11
4277 %%
4278 % Citations should go in the margin as sidenotes
4279
4280 \RequirePackage{natbib}
4281 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography environmen
4282 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
4283 \renewcommand\BR@b@bibitem[2] [] {%
4284   \ifthenelse{\isempty{#1}}{%
4285     {\BR@b@bibitem{#2}}%
4286     {\BR@b@bibitem[#1]{#2}}%
4287   \BR@cc@bibitem{#2}%
4288 }
4289 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
4290 %%
4291 % Normal \cite behavior
4292 \newcounter{@bidityftesidenote@num@bibkeys}%
4293 \newcommand{\@bidityftesidenote@normal@cite}[2] [Opt]{%
4294   % Snag the last bibentry in the list for later comparison

```



```

4295 \let\@temp@last@bibkey\@empty%
4296 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4297 \sidenote[] [#1]{%
4298 % Loop through all the bibentries, separating them with semicolons and spaces
4299 \normalsize\normalfont\@bituftesidenote@citation@font%
4300 \setcounter{@bituftesidenote@num@bibkeys}{0}%
4301 \@for\@temp@bibkeyx:=#2\do{%
4302 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4303 {\ifthenelse{\equal{\value{@bituftesidenote@num@bibkeys}}{0}}{\and\ }%
4304 \@bituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4305 \bibentry{\@temp@bibkeyx}}%
4306 {\@bituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4307 \bibentry{\@temp@bibkeyx};\ }%
4308 \stepcounter{@bituftesidenote@num@bibkeys}%
4309 }%
4310 }%
4311 }
4312 \newcommand{\@bituftelTRSidenote@normal@cite}[2][Opt]{%
4313 % Snag the last bibentry in the list for later comparison
4314 \let\@temp@last@bibkey\@empty%
4315 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4316 \LTRsidenote[] [#1]{%
4317 % Loop through all the bibentries, separating them with semicolons and spaces
4318 \normalsize\normalfont\@bituftelTRSidenote@citation@font%
4319 \setcounter{@bituftesidenote@num@bibkeys}{0}%
4320 \@for\@temp@bibkeyx:=#2\do{%
4321 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4322 {\ifthenelse{\equal{\value{@bituftesidenote@num@bibkeys}}{0}}{\and\ }%
4323 \@bituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4324 \bibentry{\@temp@bibkeyx}}%
4325 {\@bituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4326 \bibentry{\@temp@bibkeyx};\ }%
4327 \stepcounter{@bituftesidenote@num@bibkeys}%
4328 }%
4329 }%
4330 }
4331 \newcommand{\@bituftertLSidenote@normal@cite}[2][Opt]{%
4332 % Snag the last bibentry in the list for later comparison
4333 \let\@temp@last@bibkey\@empty%
4334 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4335 \RTLsidenote[] [#1]{%
4336 % Loop through all the bibentries, separating them with semicolons and spaces
4337 \normalsize\normalfont\@bituftesidenote@citation@font%
4338 \setcounter{@bituftesidenote@num@bibkeys}{0}%
4339 \@for\@temp@bibkeyx:=#2\do{%
4340 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4341 {\ifthenelse{\equal{\value{@bituftesidenote@num@bibkeys}}{0}}{\and\ }%
4342 \@bituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4343 \bibentry{\@temp@bibkeyx}}%
4344 {\@bituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey

```



```

4345         \bibentry{\@temp@bibkeyx};\ }%
4346         \stepcounter{@bidityftesidenote@num@bibkeys}%
4347     }%
4348 }%
4349 }
4350 %%
4351 % Macros for holding the list of cite keys until after the \sidenote
4352 \gdef\@bidityftesidenote@citations{}% list of cite keys
4353 \newcommand\@bidityftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite keys
4354     \ifx\@bidityftesidenote@citations\@empty\else
4355         \g@addto@macro\@bidityftesidenote@citations{,}% separate by commas
4356     \fi
4357     \g@addto@macro\@bidityftesidenote@citations{#1}
4358 }
4359 \newcommand{\@bidityftesidenote@print@citations}[1][0pt]{% puts the citations in a margin note
4360     % Snag the last bibentry in the list for later comparison
4361     \let\@temp@last@bibkey\@empty%
4362     \@for\@temp@bibkey:=\@bidityftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
4363     \marginpar{%
4364         \hbox{\vspace*{#1}}%
4365         \@bidityftesidenote@citation@font%
4366         \@bidityftesidenote@citation@justification%
4367         \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
4368         \vspace*{-1\baselineskip}%
4369         % Loop through all the bibentries, separating them with semicolons and spaces
4370         \setcounter{@bidityftesidenote@num@bibkeys}{0}%
4371         \@for\@temp@bibkeyx:=\@bidityftesidenote@citations\do{%
4372             \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
4373             {\ifthenelse{\equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{\}{and\ }%
4374             \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4375             \bibentry{\@temp@bibkeyx}}%
4376             {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4377             \bibentry{\@temp@bibkeyx};\ }%
4378             \stepcounter{@bidityftesidenote@num@bibkeys}%
4379         }%
4380     }%
4381 }
4382 %%
4383 % \cite behavior when executed within a sidenote
4384 \newcommand{\@bidityftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
4385 \newcommand{\@bidityftesidenote@infootnote@cite}[1]{%
4386     \@bidityftesidenote@add@citation{#1}
4387 }
4388 %%
4389 % Set the default \cite style. This is set and reset by the \sidenote command.
4390 \let\cite\@bidityftesidenote@normal@cite
4391 \let\LTRcite\@bidityfteLTRsidenote@normal@cite
4392 \let\RTLcite\@bidityfteRTLSidenote@normal@cite
4393 %%
4394 % Transform existing \footnotes into \sidenotes

```



```

4395 % Sidenote: ``Where God meant footnotes to go.' ' ---bidityftesidenote
4396 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
4397 \providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@font}
4398 \renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@font}
4399 % Override footmisc's definition to set the sidenote marks (numbers) inside the
4400 % sidenote's text block.
4401 \bidityft@patch@AfterPackage{bidity}{\long\def\@makefnmark#1{\@textsuperscript{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@font}#1}}
4402 % Set the in-text footnote mark in the same typeface as the body text itself.
4403 \bidityft@patch@AfterPackage{bidity}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize\@bidityftesidenote@sidenote@font}#1}}}
4404 \providecommand*\multiplefootnotemarker{\,}
4405 \providecommand*\multfootsep{\,}
4406 \bidityft@patch@AfterPackage{bidity}{%
4407 \renewcommand{\@footnotemark}{%
4408 \leavevmode%
4409 \ifhmode%
4410 \edef\@x@sf{\the\spacefactor}%
4411 \@bidityftesidenote@check@multiple@sidenotes%
4412 \nobreak%
4413 \fi%
4414 \@makefnmark%
4415 \ifhmode\spacefactor\@x@sf\fi%
4416 \relax%
4417 }%
4418 }
4419 \newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
4420 \ifdim\lastkern=\multiplefootnotemarker\relax%
4421 \edef\@x@sf{\the\spacefactor}%
4422 \unkern%
4423 \textsuperscript{\multfootsep}%
4424 \spacefactor\@x@sf\relax%
4425 \fi
4426 }
4427 \bidityft@patch@AfterPackage{bidity}{%
4428 \renewcommand\@footnotetext[2][0pt]{%
4429 \bidityftesidenotemarginpar{%
4430 \hbox{\vspace*{#1}}%
4431 \def\baselinestretch {\setspace@singlespace}%
4432 \reset@font\footnotesize%
4433 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
4434 \vspace*{-1\baselineskip}\noindent%
4435 \protected@edef\@currentlabel{%
4436 \csname p@footnote\endcsname\@thefnmark%
4437 }%
4438 \color@begingroup%
4439 \@makefnmark%
4440 \ignorespaces#2%
4441 }%
4442 \color@endgroup%
4443 }%
4444 }%

```



```

4445 \renewcommand\LTRfootnotetext[2][0pt]{%
4446   \LTRbidityftesidenotemarginpar{%
4447     \hbox{}\vspace*{#1}%
4448     \def\baselinestretch {\setspace@singlespace}%
4449     \reset@font\footnotesize%
4450     \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
4451     \vspace*{-1\baselineskip}\noindent%
4452     \protected@edef\@currentlabel{%
4453       \csname p@footnote\endcsname\@thefnmark%
4454     }%
4455     \color@begingroup%
4456       \@makefntext{%
4457         \ignorespaces#2%
4458       }%
4459     \color@endgroup%
4460   }%
4461 }%
4462 \renewcommand\RTLfootnotetext[2][0pt]{%
4463   \RTLbidityftesidenotemarginpar{%
4464     \hbox{}\vspace*{#1}%
4465     \def\baselinestretch {\setspace@singlespace}%
4466     \reset@font\footnotesize%
4467     \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
4468     \vspace*{-1\baselineskip}\noindent%
4469     \protected@edef\@currentlabel{%
4470       \csname p@footnote\endcsname\@thefnmark%
4471     }%
4472     \color@begingroup%
4473       \@makefntext{%
4474         \ignorespaces#2%
4475       }%
4476     \color@endgroup%
4477   }%
4478 }%
4479 }
4480 %
4481 % Define \sidenote command. Can handle \cite.
4482 \newlength{\@bidityftesidenote@sidenote@vertical@offset}
4483 \setlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}
4484 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
4485 \long\def\@bidityftesidenote@sidenote[#1][#2]#3{%
4486   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
4487   \gdef\@bidityftesidenote@citations{}% clear out any old citations
4488   \ifthenelse{\NOT\isempty{#2}}{%
4489     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
4490   }{%
4491     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
4492   }%
4493   \ifthenelse{\isempty{#1}}{%
4494     % no specific footnote number provided

```



```

4495 \stepcounter\@mpfn%
4496 \protected@xdef\@thefnmark{\thempfn}%
4497 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
4498 }{%
4499 % specific footnote number provided
4500 \begingroup%
4501 \csname c@\@mpfn\endcsname #1\relax%
4502 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4503 \endgroup%
4504 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
4505 }%
4506 \@bidityftesidenote@print@citations% print any citations
4507 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite command
4508 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite co
4509 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite co
4510 \unskip\ignorespaces% remove extra white space
4511 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
4512 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
4513 }
4514 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
4515 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
4516 \gdef\@bidityftesidenote@citations{}% clear out any old citations
4517 \ifthenelse{NOT\isempty{#2}}{%
4518 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
4519 }{%
4520 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
4521 }%
4522 \ifthenelse{\isempty{#1}}{%
4523 % no specific footnote number provided
4524 \stepcounter\@mpfn%
4525 \protected@xdef\@thefnmark{\thempfn}%
4526 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
4527 }{%
4528 % specific footnote number provided
4529 \begingroup%
4530 \csname c@\@mpfn\endcsname #1\relax%
4531 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4532 \endgroup%
4533 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
4534 }%
4535 \@bidityftesidenote@print@citations% print any citations
4536 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite command
4537 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite co
4538 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite co
4539 \unskip\ignorespaces% remove extra white space
4540 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
4541 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
4542 }
4543 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
4544 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command

```




```

4545 \gdef\@bidityftesidenote@citations{}%          clear out any old citations
4546 \ifthenelse{\NOT\isempty{#2}}{%
4547   \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
4548 }{%
4549   \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
4550 }%
4551 \ifthenelse{\isempty{#1}}{%
4552   % no specific footnote number provided
4553   \stepcounter\@mpfn%
4554   \protected@xdef\@thefnmark{\thempfn}%
4555   \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
4556 }{%
4557   % specific footnote number provided
4558   \begingroup%
4559     \csname c@\@mpfn\endcsname #1\relax%
4560     \unrestored@protected@xdef\@thefnmark{\thempfn}%
4561   \endgroup%
4562   \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
4563 }%
4564 \@bidityftesidenote@print@citations%          print any citations
4565 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite command
4566 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite co
4567 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTLcite co
4568 \unskip\ignorespaces%          remove extra white space
4569 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
4570 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
4571 }
4572 \newcommand{\sidenote}{\@optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}
4573 \newcommand{\LTRsidenote}{\@optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}
4574 \newcommand{\RTLSidenote}{\@optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}
4575 \bidi@patch@AfterPackage{bidi}{%
4576 \renewcommand{\footnote}{\@optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}%
4577 \renewcommand{\LTRfootnote}{\@optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}%
4578 \renewcommand{\RTLfootnote}{\@optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}%
4579 }
4580 %%
4581 % Sidenote without the footnote mark
4582 \newcommand\marginnote[2] [Opt]{%
4583   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
4584   \gdef\@bidityftesidenote@citations{}%          clear out any old citations
4585   \bidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft
4586   \@bidityftesidenote@print@citations%          print any citations
4587   \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite command
4588   \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite co
4589   \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTLcite co
4590 }
4591 \newcommand\LTRmarginnote[2] [Opt]{%
4592   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
4593   \gdef\@bidityftesidenote@citations{}%          clear out any old citations
4594   \LTRbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft

```



```

4595 \let\cite\@bidityftesidenote@normal\cite%      print any citations
4596 \let\cite\@bidityftesidenote@normal\cite%      go back to using normal in-text \cite command
4597 \let\LTRcite\@bidityfteLTRsidenote@normal\cite% go back to using normal in-text \LTRcite co
4598 \let\RTLcite\@bidityfteRTLsidenote@normal\cite% go back to using normal in-text \RTLcite co
4599 }
4600 \newcommand\RTLmarginnote[2][Opt]{%
4601 \let\cite\@bidityftesidenote@infootnote\cite% use the in-sidenote \cite command
4602 \gdef\@bidityftesidenote@citations{}% clear out any old citations
4603 \RTLbidityftesidenotemarginpar{\hbox{} \vspace*{#1}\@bidityftesidenote@marginnote@font\@bidity
4604 \@bidityftesidenote@print@citations% print any citations
4605 \let\cite\@bidityftesidenote@normal\cite% go back to using normal in-text \cite command
4606 \let\LTRcite\@bidityfteLTRsidenote@normal\cite% go back to using normal in-text \LTRcite co
4607 \let\RTLcite\@bidityfteRTLsidenote@normal\cite% go back to using normal in-text \RTLcite co
4608 }

```

7.24 bidityftetoc.sty

```

4609 \NeedsTeXFormat{LaTeX2e}
4610 \ProvidesPackage{bidityftetoc}[2011/06/17 v0.1
4611 bidi implementation of tufte toc]
4612 \RequirePackage{titlesec,titletoc,xifthen,biditytools}
4613 \newcommand{\@bidityftetoc@pkgname}{bidityftetoc}
4614 \newcommand{\bidityftetocError}[2]{\PackageError{\@bidityftetoc@pkgname}{#1}{#2}}
4615 %%
4616 % Turn off section numbering
4617 \setcounter{secnumdepth}{-1}
4618 \newboolean{@bidityftetoc@toc}
4619 \setboolean{@bidityftetoc@toc}{true}
4620 \DeclareOption{notoc}{\setboolean{@bidityftetoc@toc}{false}}
4621 \DeclareOption{toc}{\setboolean{@bidityftetoc@toc}{true}}
4622 \ProcessOptions
4623 %%
4624 % Make Tufte-style section headings and TOC formatting
4625 \bidity@patch@AfterPackage{bidi}{%
4626 \titleformat{\chapter}%
4627 [display]% shape
4628 {\relax\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\begin{fullwidth}}{}}% format app
4629 {\itshape\huge\thechapter}% label
4630 {Opt}% horizontal separation between label and title body
4631 {\huge\rmfamily\itshape}% before the title body
4632 [\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\end{fullwidth}}{}}% after the title bo
4633 \titleformat{\section}%
4634 [hang]% shape
4635 {\normalfont\Large\itshape}% format applied to label+text
4636 {\thesection}% label
4637 {1em}% horizontal separation between label and title body
4638 {}% before the title body
4639 []% after the title body
4640 \titleformat{\subsection}%
4641 [hang]% shape

```



```

4642 {\normalfont\large\itshape}% format applied to label+text
4643 {\thesubsection}% label
4644 {1em}% horizontal separation between label and title body
4645 {}% before the title body
4646 []% after the title body
4647 \titleformat{\paragraph}%
4648 [runin]% shape
4649 {\normalfont\itshape}% format applied to label+text
4650 {\theparagraph}% label
4651 {1em}% horizontal separation between label and title body
4652 {}% before the title body
4653 []% after the title body
4654 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
4655 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
4656 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
4657 }
4658 % Subsubsection and following section headings shouldn't be used.
4659 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
4660 \renewcommand\subsubsection{%
4661   \biditytetocError{\noexpand\subsubsection is undefined by this class.%
4662     \MessageBreak See Robert Bringhurst's _The Elements of
4663     \MessageBreak Typographic Style_, section 4.2.2.
4664     \MessageBreak \noexpand\subsubsection was used}
4665   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
4666     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the many
4667     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
4668 }
4669 \renewcommand\subparagraph{%
4670   \biditytetocError{\noexpand\subparagraph is undefined by this class.%
4671     \MessageBreak See Robert Bringhurst's _The Elements of
4672     \MessageBreak Typographic Style_, section 4.2.2.
4673     \MessageBreak \noexpand\subparagraph was used}
4674   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
4675     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the many
4676     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
4677 }
4678 % Formatting for main TOC (printed in front matter)
4679 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
4680 \ifthenelse{\boolean{@biditytetoc@toc}}{%
4681   \bidity@patch@AfterPackage{bidi}{%
4682     \titlecontents{part}% FIXME
4683     [Oem] % distance from left margin
4684     {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatting)
4685     {\contentslabel{2em}} % before w/label (label = ``II'')
4686     {} % before w/o label
4687     {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
4688     [\end{fullwidth}] % after
4689     \titlecontents{chapter}%
4690     [Oem] % distance from left margin
4691     {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatting)

```



```

4692     {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
4693     {\hspace*{0em}} % before w/o label
4694     {\rmfamily\upshape\qqad\thecontentspage} % filler + page (leaders and page num)
4695     [\end{fullwidth}] % after
4696 \titlecontents{section}% FIXME
4697     [0em] % distance from left margin
4698     {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatting)
4699     {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
4700     {\hspace*{2em}} % before w/o label
4701     {\rmfamily\upshape\qqad\thecontentspage} % filler + page (leaders and page num)
4702     [\end{fullwidth}] % after
4703 \titlecontents{subsection}% FIXME
4704     [0em] % distance from left margin
4705     {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatting)
4706     {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
4707     {\hspace*{4em}} % before w/o label
4708     {\rmfamily\upshape\qqad\thecontentspage} % filler + page (leaders and page num)
4709     [\end{fullwidth}] % after
4710 \titlecontents{paragraph}% FIXME
4711     [0em] % distance from left margin
4712     {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global formatting)
4713     {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
4714     {\hspace*{6em}} % before w/o label
4715     {\rmfamily\upshape\qqad\thecontentspage} % filler + page (leaders and page num)
4716     [\end{fullwidth}] % after
4717 }%
4718 {}
4719 %%
4720 % Format lists of figures/tables
4721 \renewcommand\listoffigures{%
4722   \@ifundefined{chapter}%
4723     {\section*{\listfigurename}}%
4724     {\chapter*{\listfigurename}}%
4725 % \begin{fullwidth}%
4726 %   \@starttoc{lof}%
4727 % \end{fullwidth}%
4728 }
4729 \renewcommand\listoftables{%
4730   \@ifundefined{chapter}%
4731     {\section*{\listtablename}}%
4732     {\chapter*{\listtablename}}%
4733 % \begin{fullwidth}%
4734 %   \@starttoc{lot}%
4735 % \end{fullwidth}%
4736 }
4737 \newcommand{\@bidituftetoc@lof@line}[2]{%
4738   % #1 is the figure/table number and its caption text
4739   % #2 is the page number on which the figure/table appears
4740   \leftskip 0.0em
4741   \rightskip 0em

```



```

4742 \parfillskip 0em plus 1fil
4743 \parindent 0.0em
4744 \@afterindenttrue
4745 \interlinepenalty\@M
4746 \leavevmode
4747 \@tempdima 2.0em
4748 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
4749 \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
4750 {#1}\nobreak\qqquad\nobreak#2%
4751 \par%
4752 }
4753 \renewcommand*\l@figure{\@bituftetoc@lof@line}
4754 \let\l@table\l@figure

```

7.25 bidiutegeneralstructure.sty

```

4755 \NeedsTeXFormat{LaTeX2e}
4756 \ProvidesPackage{bidiutegeneralstructure}[2011/06/18 v0.1
4757 bidi implementation of tufte general structure]
4758 \renewcommand\small{%
4759   \@setfontsize\small\@ixpt{12}%
4760   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
4761   \abovedisplayshortskip \z@ \@plus2\p@
4762   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
4763   \def\@listi{\leftmargin\leftmargini
4764     \topsep 4\p@ \@plus2\p@ \@minus2\p@
4765     \parsep 2\p@ \@plus\p@ \@minus\p@
4766     \itemsep \parsep}%
4767   \belowdisplayskip \abovedisplayskip
4768 }
4769 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viipt}
4770 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
4771 \renewcommand\large{\@setfontsize\large\@xipt{15}}
4772 \renewcommand\Large{\@setfontsize\Large\@xipt{16}}
4773 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
4774 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
4775 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
4776 \setlength\leftmargini {1pc}
4777 \setlength\leftmarginii {1pc}
4778 \setlength\leftmarginiii {1pc}
4779 \setlength\leftmarginiv {1pc}
4780 \setlength\leftmarginv {1pc}
4781 \setlength\leftmarginvi {1pc}
4782 \setlength\labelsep {.5pc}
4783 \setlength\labelwidth {\leftmargini}
4784 \addtolength\labelwidth{-\labelsep}
4785 \setlength{\parindent}{1.0pc}%
4786 \setlength{\parskip}{0pt}%
4787 \RequirePackage{ragged2e}
4788 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hspace}

```



```

4789 % Paragraph indentation and separation for normal text
4790 \newcommand{\@bidiuftgeneralstructure@reset@par}{%
4791   \setlength{\RaggedRightParindent}{1.0pc}%
4792   \setlength{\JustifyingParindent}{1.0pc}%
4793   \setlength{\parindent}{1pc}%
4794   \setlength{\parskip}{0pt}%
4795 }
4796 \@bidiuftgeneralstructure@reset@par
4797 % Require paralist package for tighter lists
4798 \RequirePackage{paralist}
4799 % Add rightmargin to compactenum
4800 \def\@compactenum{%
4801   \expandafter\list\csname label\@enumctr\endcsname{%
4802     \usecounter{\@enumctr}%
4803     \rightmargin=2em% added this
4804     \parsep\plparsep
4805     \itemsep\plitemsep
4806     \topsep\pltopsep
4807     \partopsep\plpartopsep
4808     \def\makelabel##1{\hss\llap{##1}}}}
4809 %%
4810 % An environment for paragraph-style section
4811 \providecommand\newthought[1]{%
4812   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
4813   \noindent\textbf{#1}%
4814 }
4815 %%
4816 % Redefine the display environments (quote, quotation, etc.)
4817 \renewenvironment{verse}
4818   {\let\\ \@centercr
4819    \list{}{\itemsep      \z@
4820             \itemindent  -1pc%
4821             \listparindent\itemindent
4822             \rightmargin \leftmargin
4823             \advance\leftmargin 1pc}%
4824    \small%
4825    \item\relax}
4826   {\endlist}
4827 \renewenvironment{quotation}
4828   {\list{}{\listparindent 1pc%
4829             \itemindent    \listparindent
4830             \rightmargin    \leftmargin
4831             \parsep         \z@ \@plus\p@}%
4832    \small%
4833    \item\relax\noindent\ignorespaces}
4834   {\endlist}
4835 \renewenvironment{quote}
4836   {\list{}{\rightmargin\leftmargin}%
4837    \small%
4838    \item\relax}

```



```

4839             {\endlist}
4840 % Italicize description run-in headings (instead of the default bold)
4841 \renewcommand*{\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
4842 %%
4843 % Redefine \bibsection to not mark the running heads.
4844 % (Code modified from natbib.sty.)
4845 \@ifundefined{chapter}%
4846   {\renewcommand\bibsection{\section*{\refname}}}
4847   {\@ifundefined{NAT@sectionbib}%
4848     {\renewcommand\bibsection{\chapter{\bibname}}}
4849     {\renewcommand\bibsection{\section*{\bibname}}}}
4850 \RequirePackage{multicol}
4851 \renewenvironment{theindex}{%
4852   \@ifundefined{chapter}%
4853     {\section*{\indexname}}%
4854     {\chapter{\indexname}}%
4855   \begin{fullwidth}%
4856   \small%
4857   \parskip0pt%
4858   \parindent0pt%
4859   \let\item\@idxitem%
4860   \begin{multicols}{3}%
4861   {%
4862     \end{multicols}%
4863   \end{fullwidth}%
4864 }
4865 \AtBeginDocument{%
4866 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
4867 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
4868 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
4869 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
4870 \newcommand{\lettergroup}[1]{}% swallow the letter heading in the index

```

7.26 bidentuftehyperref.sty

```

4871 \NeedsTeXFormat{LaTeX2e}
4872 \ProvidesPackage{bidentuftehyperref}[2011/06/18 v0.1
4873 bidi implementation of tufte hyperref]
4874 %%
4875 % Color
4876 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
4877 \newboolean{@bidentuftehyperref@loadhyper}
4878 \setboolean{@bidentuftehyperref@loadhyper}{true}
4879 \DeclareOption{hyper}{\setboolean{@bidentuftehyperref@loadhyper}{true}}
4880 \DeclareOption{nohyper}{\setboolean{@bidentuftehyperref@loadhyper}{false}}
4881 \ProcessOptions
4882 %% Loads the hyperref package and sets some default options.
4883 \newcommand{\bidentuftehyperrefLoadHyperref}{%
4884 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
4885 \hypersetup{%

```



```

4886     bookmarksdepth = section,
4887     citecolor = DarkGreen,
4888     linkcolor = DarkBlue,
4889 %     pagecolor = DarkBlue,
4890     urlcolor = DarkGreen,
4891 }%
4892 }
4893 \ifthenelse{\boolean{@biditytftesthyperref@loadhyper}}{%
4894   \biditytftesthyperrefLoadHyperref%
4895 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
4896   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
4897 }

```

7.27 biditytftest.sty

```

4898 \NeedsTeXFormat{LaTeX2e}
4899 \ProvidesPackage{biditytftest}[2011/06/18 v0.1
4900 bidi implementation of tufte title]
4901 \RequirePackage{biditytools}
4902 %%
4903 % `titlepage' option -- creates a full title page with \maketitle
4904 \newboolean{@biditytftesttitle@titlepage}
4905 \DeclareOption{titlepage}{\setboolean{@biditytftesttitle@titlepage}{true}}
4906 \DeclareOption{notitlepage}{\setboolean{@biditytftesttitle@titlepage}{false}}
4907 % Default `book' and `handout' options
4908 \@ifclassloaded{book}{%
4909   \ExecuteOptions{titlepage}}{%
4910   \@ifclassloaded{article}{%
4911     \ExecuteOptions{notitlepage}}%
4912   {}
4913 }
4914 \ProcessOptions
4915 %%
4916 % Modified \title, \author, and \date commands. These store the
4917 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
4918 \newcommand{\plaintitle}{}% plain-text-only title
4919 \newcommand{\plainauthor}{}% plain-text-only author
4920 \newcommand{\plainpublisher}{}% plain-text-only publisher
4921 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
4922 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
4923 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
4924 \newcommand{\@publisher}{}% full publisher with \thanks{}
4925 \newcommand{\thedata}{}% full publisher with \thanks{}
4926 \newcommand{\today}{}
4927 \biditytftest@patch@AfterPackage{bidi}{%
4928   \renewcommand{\thanks}[1]{\footnote{#1}}
4929   \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
4930   \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
4931 }
4932 \renewcommand{\title}[2]{}%
4933 \gdef{@title{#2}}%
4934 \begingroup%

```




```

4933 % TODO store contents of \thanks command
4934 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4935 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4936 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4937 \protected@xdef\thanklesstitle{#2}%
4938 \endgroup%
4939 \ifthenelse{\isempty{#1}}%
4940   {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
4941   {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
4942 \@ifundefined{hypersetup}%
4943   {}% hyperref is not loaded; do nothing
4944   {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
4945 }
4946 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
4947 \renewcommand{\author}[2][]{%
4948   \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
4949   \begingroup%
4950     % TODO store contents of \thanks command
4951     \renewcommand{\thanks}[1]{}% swallow \thanks contents
4952     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4953     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4954     \protected@xdef\thanklessauthor{#2}%
4955   \endgroup%
4956   \ifthenelse{\isempty{#1}}%
4957     {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
4958     {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
4959   \@ifundefined{hypersetup}%
4960     {}% hyperref is not loaded; do nothing
4961     {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
4962 }
4963 \renewcommand{\date}[1]{%
4964   \gdef\@date{#1}%
4965   \begingroup%
4966     % TODO store contents of \thanks command
4967     \renewcommand{\thanks}[1]{}% swallow \thanks contents
4968     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4969     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4970     \protected@xdef\thedate{#1}%
4971   \endgroup%
4972 }
4973 %%
4974 % Provides a \publisher command to set the publisher
4975 \newcommand{\publisher}[2][]{%
4976   \gdef\@publisher{#2}%
4977   \begingroup%
4978     \renewcommand{\thanks}[1]{}% swallow \thanks contents
4979     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4980     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4981     \protected@xdef\thanklesspublisher{#2}%
4982   \endgroup%

```



```

4983 \ifthenelse{\isempty{#1}}
4984 {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
4985 {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
4986 }
4987 %%
4988 % Produces a full title page
4989 \newcommand{\maketitlepage}[0]{%
4990 \cleardoublepage%
4991 {%
4992 \bfseries%
4993 \begin{fullwidth}%
4994 \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
4995 \vspace{11.5pc}%
4996 \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
4997 \vfill%
4998 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
4999 \end{fullwidth}%
5000 }
5001 \thispagestyle{empty}%
5002 \clearpage%
5003 }
5004 %%
5005 % Title block
5006 \bidi@AfterEndPreamble{%
5007 \renewcommand{\maketitle}{%
5008 \newpage%
5009 \global\@topnum\z@% prevent floats from being placed at the top of the page
5010 \begingroup%
5011 \setlength{\parindent}{0pt}%
5012 \setlength{\parskip}{4pt}%
5013 \let\@title\@empty%
5014 \let\@author\@empty%
5015 \let\@date\@empty%
5016 \gdef\@title{\LARGE\itshape\@title\par}%
5017 \gdef\@author{\Large\itshape\@author\par}%
5018 \gdef\@date{\Large\itshape\@date\par}%
5019 \@title%
5020 \@author%
5021 \@date%
5022 \endgroup%
5023 \thispagestyle{plain}% suppress the running head
5024 }%
5025 }
5026 %%
5027 % Title page (if the 'titlepage' option was passed to the bidenttitle-handout
5028 % class.)
5029 \bidi@AfterEndPreamble{%
5030 \ifthenelse{\boolean{@bidenttitle@titlepage}}
5031 {\renewcommand{\maketitle}{\maketitlepage}}
5032 {}

```



```

5033 }
5034 %%
5035 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
5036 % without headers and footers
5037 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
5038   \hbox{}
5039   %\vspace*{\fill}
5040   %\begin{center}
5041   % This page intentionally contains only this sentence.
5042   %\end{center}
5043   %\vspace{\fill}
5044   \thispagestyle{empty}
5045   \newpage
5046   \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

7.28 bidentufte-handout.cls

```

5047 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5048 \ProvidesClass{bidentufte-handout}[2011/06/18 v0.1 bidentufte-handout class]
5049 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
5050 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftefloat}}
5051 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetoc}}
5052 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftehyperref}}
5053 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetitle}}
5054 \ProcessOptions\relax
5055 \LoadClass{article}
5056 \RequirePackage{bidentuftefloat}
5057 \RequirePackage{bidentuftesidenote}
5058 \RequirePackage{bidentuftetoc}
5059 \RequirePackage{bidentuftegeneralstructure}
5060 \RequirePackage{bidentuftehyperref}
5061 \RequirePackage{bidentuftetitle}
5062 \renewenvironment{abstract}
5063   {\begin{quotation}}
5064   {\end{quotation}}
5065 \AtBeginDocument{%
5066   \IfFileExists{bidentufte-handout.cfg}
5067     {\input{bidentufte-handout.cfg}}
5068     \ClassInfo{bidentufte-handout}{Loading bidentufte-handout configuration file \@gobble}}
5069   {}%
5070 }

```

7.29 bidentufte-book.cls

```

5071 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5072 \ProvidesClass{bidentufte-book}[2011/06/18 v0.1 bidentufte-book class]
5073 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5074 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftefloat}}
5075 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetoc}}
5076 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftehyperref}}
5077 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetitle}}

```



```

5078 \ProcessOptions\relax
5079 \LoadClass{book}
5080 \RequirePackage{bidiutftfloat}
5081 \RequirePackage{bidiutftesidenote}
5082 \RequirePackage{bidiutftetoc}
5083 \RequirePackage{bidiutftegeneralstructure}
5084 \RequirePackage{bidiutftehyperref}
5085 \RequirePackage{bidiutftetitle}
5086 %%
5087 % Set up any book-specific stuff now
5088 %%
5089 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
5090 % to the opening page of Chapter 1. The running heads, when they appear,
5091 % contain only the (arabic) page number in the outside corner.
5092 %\newif\if@mainmatter \@mainmattertrue
5093 \renewcommand\frontmatter{%
5094   \cleardoublepage%
5095   \@mainmatterfalse%
5096   \pagenumbering{arabic}%
5097   %\pagestyle{plain}%
5098   \fancyhf{}%
5099   \ifthenelse{\boolean{@bidiutftfloat@twoside}}{%
5100     {\fancyhead[LE,R0]{\thepage}}%
5101     {\fancyhead[RE,R0]{\thepage}}%
5102   }
5103 %%
5104 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
5105 % numbering---it continues where it left off in the front matter.
5106 \renewcommand\mainmatter{%
5107   \cleardoublepage%
5108   \@mainmattertrue%
5109   \fancyhf{}%
5110   \ifthenelse{\boolean{@bidiutftfloat@twoside}}{%
5111     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}}%
5112     \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
5113     \fancyhead[R0]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
5114     {\fancyhead[RE,R0]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
5115   }
5116 %%
5117 % The back matter contains appendices, indices, glossaries, endnotes,
5118 % bibliographies, list of contributors, illustration credits, etc.
5119 \renewcommand\backmatter{%
5120   \if@openright%
5121     \cleardoublepage%
5122   \else%
5123     \clearpage%
5124   \fi%
5125   \@mainmatterfalse%
5126 }
5127 %%

```



```

5128 % Only show the chapter titles in the table of contents
5129 \setcounter{tocdepth}{0}
5130 \AtBeginDocument{%
5131 \IfFileExists{biditufte-book.cfg}
5132   {\input{biditufte-book.cfg}
5133    \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
5134   {}%
5135 }

```

7.30 bidipoem.sty

```

5136 \NeedsTeXFormat{LaTeX2e}
5137 \ProvidesPackage{bidipoem}%
5138 [2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]
5139
5140 % Usage:
5141 %
5142 % \Setversedim #1#2 % define the layout (within a group):
5143 % #1 = length of both half-verses
5144 % #2 = separation distance = length of a connection, if present
5145 % Variant:
5146 % \Setversedim #1[#2]#3 % for half-verses of unequal length
5147 % #1 = length of first (=right) half-verse
5148 % #2 = length of second (=left) half-verse
5149 % #3 = separation distance = length of a connection, if present
5150 %
5151 % \traditionalhalfverses #1#2 % typeset two separated half-verses
5152 % #1 = text of first (=right) half-verse
5153 % #2 = text of second (=left) half-verse
5154 % Variant:
5155 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
5156 % #1 = text of first (=right) half-verse
5157 % #2 = text of connection
5158 % #3 = text of second (=left) half-verse
5159 %
5160 % Alternative (if preferred):
5161 %
5162 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
5163
5164
5165 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
5166
5167 % define the layout, verses will be centered
5168
5169 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
5170 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
5171
5172 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
5173 \bidipoem@hvind \textwidth
5174 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen

```



```

5175 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []\else
5176 \bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@n
5177
5178 \def \bidipoem@set@verseI [#1]{% optional parameter
5179 \bidipoem@@hvlen #1\relax \bidipoem@set@@verse }
5180
5181 \newcommand*{\bidipoem@set@@verse}[1]{% separation
5182 \advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
5183 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
5184
5185 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
5186 \ifdim Opt > \bidipoem@hvind %
5187 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
5188 \else
5189 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
5190 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
5191 \bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
5192 \par }
5193
5194 % macro for two half verses
5195 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5196 \ifx [#2\def \bidipoem@half@verses@next {\bidipoem@half@verses {#1}}}%
5197 \else\def \bidipoem@half@verses@next {\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
5198 \bidipoem@half@verses@next}
5199
5200 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
5201 \traditionalconnverses {#1}{#2}{#3}}
5202
5203
5204 {\catcode\^^M=\active % these lines must end with %
5205 \gdef\traditionalpoem@obeylines{\catcode\^^M=\active \let^^M\traditionalpoem@par}%
5206 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
5207 {\catcode\^^M=\active % these lines must end with %
5208 \gdef\modernpoem@obeylines{\catcode\^^M=\active \let^^M\modernpoem@par}%
5209 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
5210 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
5211 \def\poemmarginsskip{1em plus 1fil minus 1em}
5212 \def\poemextrabaselineskip{0\baselineskip}
5213 \def\poemskip{\medskip}
5214 \newcommand{\bidipoem@openbox}{\leavevmode
5215 \hbox to .77778em{%
5216 \hfil\vrule
5217 \vbox to .675em{\hrule width .6em\vfil\hrule}%
5218 \vrule\hfil}}
5219 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5220 \newdimen\versewidth
5221 \newtoks\bidipoem@p@ftn
5222 \def\poem@verse#1{%
5223 \ifdim\wd#1>\new@poem@width
5224 \xdef\new@poem@width{\the\wd#1}%

```



```

5225 \ifdim\new@poem@width>\poem@width
5226 \xdef\poem@width{\new@poem@width}%
5227 \global\let\poem@needrun\relax
5228 \fi
5229 \fi
5230 \hbox to\poem@width{\unhbox#1}%
5231 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
5232 }
5233 \def\poem@linebegin{\vadjust{}}\hskip\@flushglue\hskip\poemmargin\skip\relax}
5234 \def\poem@lineend{\nobreak\hskip\poemmargin\skip\hskip\@flushglue\vadjust{}}
5235 \def\poem@lineversesep{%
5236 \nobreak
5237 \hskip\z@ plus 1filll%
5238 \penalty600%
5239 \hskip\poemcolsepskip
5240 \hskip\z@ plus -2filll%
5241 \vadjust{}}%
5242 \nobreak
5243 \hskip\z@ plus 1filll%
5244 }
5245 \def\poem@lineparsebegin{%
5246 \halign\bgroup
5247 \global\setbox\verse@i=\hbox{%
5248 \let\@footnotetext\bidipoem@p@ftntext%
5249 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5250 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5251 \let\@xfootnotenext\bidipoem@p@xftntext%
5252 \let\@xfootnote\bidipoem@p@xfootnote%
5253 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5254 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5255 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5256 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5257 \ignorespaces##\unskip}&&
5258 \global\setbox\verse@ii=\hbox{%
5259 \let\@footnotetext\bidipoem@p@ftntext%
5260 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5261 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5262 \let\@xfootnotenext\bidipoem@p@xftntext%
5263 \let\@xfootnote\bidipoem@p@xfootnote%
5264 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5265 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5266 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5267 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5268 \ignorespaces##\unskip}
5269 \cr
5270 }
5271 \def\poem@lineparseend{%
5272 \crcr\egroup
5273 \vskip-\baselineskip
5274 }

```



```

5275 \def\traditionalpoem@cr{%
5276   \cr\poem@line
5277 }
5278 \newbox\verse@i
5279 \newbox\verse@ii
5280 \newif\ifpoem@started
5281
5282 \def\poem@line{%
5283   \poem@lineparseend
5284   \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
5285   \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
5286   \ifpoem@started
5287     \ifdim\wd\verse@ii>\z@else
5288       \nopagebreak[3]
5289       \fi
5290       \leavevmode
5291       \poem@linebegin
5292       \poem@verse\verse@i
5293       \ifdim\wd\verse@ii>\z@
5294         \poem@lineversesep
5295         \poem@verse\verse@ii
5296       \fi
5297       \poem@lineend
5298 %   \nopagebreak
5299       \par
5300       \vskip\poemextrabaselineskip
5301     \fi
5302     \poem@lineparsebegin
5303   }
5304 \def\@traditionalpoem{%
5305   \stepcounter{poem@no}
5306   \ifnum\max@poem@no<\number\c@poem@no%
5307     \xdef\poem@width{\z@}%
5308   \else
5309     \xdef\poem@width{\poem@prop{poem@width}}%
5310   \fi
5311   \xdef\new@poem@width{\z@}%
5312   \global\versewidth=\poem@width
5313   \poemskip\par
5314   \begingroup
5315     \tabskip=\z@
5316     \parskip=\z@
5317     \parindent=\z@
5318     \parfillskip=\z@
5319     \rightskip=\z@
5320     \leftskip=\z@
5321     \widowpenalty=10000% No break between verses of the same line.
5322     \clubpenalty=10000% Same as above. Not really needed.
5323   \def\newblock{\hfil\poemblocksep\hfil\null}%

```




```

5324 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
5325 \def\{\global\poem@startedtrue\traditionalpoem@cr}%
5326 \global\poem@startedfalse
5327 \csname poem@obeylines\endcsname
5328 \let\poem@obeylines\relax
5329 \poem@lineparsebegin
5330 }
5331 \def\@endtraditionalpoem{%
5332 \cr
5333 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
5334 \noalign{%
5335 \skip0=\poemextrabaseskip
5336 \vskip-\skip0
5337 \vskip-\baseskip
5338 }%
5339 \fi\fi
5340 \poem@lineparseend
5341 \endgroup
5342 \par
5343 \vskip\baseskip
5344 \poemskip
5345 \if@nparlist \else
5346 \ifdim\lastskip >\z@
5347 \@tempskipa\lastskip \vskip -\lastskip
5348 \advance\@tempskipa\parskip \advance\@tempskipa -\outerparskip
5349 \vskip\@tempskipa
5350 \fi
5351 \@endparenv
5352 \fi
5353 \ifdim\new@poem@width<\poem@width
5354 \global\let\poem@needrun\relax
5355 \fi
5356 \poem@write@aux{\poem@width@romannumeral\c@poem@no}{\new@poem@width}%
5357 \ifx\AtEndDocument\undefined\poem@finish\fi
5358 }
5359
5360
5361 \long\def\bidipoem@p@ftntext#1{%
5362 \edef\@temp{x{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}}%
5363 \global\bidipoem@p@ftn\expandafter{\@temp{x{#1}}}%
5364 \long\def\bidipoem@p@LTRftntext#1{%
5365 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
5366 \global\bidipoem@p@ftn\expandafter{\@tempxi{x{#1}}}%
5367 \long\def\bidipoem@p@RTLftntext#1{%
5368 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}}%
5369 \global\bidipoem@p@ftn\expandafter{\@tempxii{x{#1}}}%
5370
5371 \long\def\bidipoem@p@xftntext[#1]#2{%
5372 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
5373

```



```

5374 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
5375   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}
5376 }
5377 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
5378   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}
5379 }
5380 \def\bidipoem@p@xfootnote[#1]{%
5381   \begingroup
5382     \csname c@ \@mpfn\endcsname #1\relax
5383     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5384   \endgroup
5385   \@footnotemark\bidipoem@p@xftntext[#1]}
5386 }
5387 \def\bidipoem@p@xLTRfootnote[#1]{%
5388   \begingroup
5389     \csname c@ \@mpfn\endcsname #1\relax
5390     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5391   \endgroup
5392   \@footnotemark\bidipoem@p@xLTRftntext[#1]}
5393 }
5394 \def\bidipoem@p@xRTLfootnote[#1]{%
5395   \begingroup
5396     \csname c@ \@mpfn\endcsname #1\relax
5397     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5398   \endgroup
5399   \@footnotemark\bidipoem@p@xRTLftntext[#1]}
5400 }
5401 }
5402 }
5403 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
5404 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyli
5405 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
5406 \def\poem@finish{%
5407 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
5408 \ifx\poem@needrun\relax
5409 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
5410 \global\let\poem@needrun\undefined
5411 \fi
5412 }
5413 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
5414 \newcounter{poem@no}\setcounter{poem@no}{\z@}
5415 \ifx\max@poem@no\undefined
5416   \def\max@poem@no{0}%
5417 \fi
5418 \newcommand{\poem@prop}[1]{\@nameuse{#1\romannumeral\c@poem@no}}
5419 \newcommand{\poem@write@aux}[2]{%
5420   \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
5421   \@x
5422 }
5423 \def\@modernpoem{%

```



```

5424 \par
5425 \begingroup
5426 \parskip=\z@
5427 \parindent=\z@
5428 \def\{ \settab\@tabplus\ignorespaces}%
5429 \def\} \settab\@tabminus\ignorespaces}%
5430 \def\newblock{\poemblocksep}%
5431 \let\newpoem@tabcr\@tabcr
5432 \def\modernpoem@par{% Redefine \par for possible \obeylines
5433   \ifpoem@started\else
5434     \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
5435       \@stopfield
5436     \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
5437     \@contfield
5438   \fi
5439   \fi
5440   \ifpoem@started\newpoem@tabcr\fi}%
5441 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
5442 \global\poem@startedfalse
5443 \csname poem@obeylines\endcsname
5444 \let\poem@obeylines\relax
5445 \begin{tabbing}%
5446 }
5447 \def\@endmodernpoem{%
5448 \global\poem@startedfalse
5449 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
5450   \@stopfield
5451   \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
5452   \@contfield
5453 \fi
5454 \ifpoem@started\else\let\@stopline\@stopfield\fi
5455 \end{tabbing}%
5456 \endgroup
5457 \par
5458 \if@nparlist \else
5459   \ifdim\lastskip >\z@
5460     \@tempkipa\lastskip \vskip -\lastskip
5461     \advance\@tempkipa\parskip \advance\@tempkipa -\@outerparskip
5462     \vskip\@tempkipa
5463   \fi
5464   \@endparenv
5465 \fi
5466 }
5467 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
5468 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem@par}
5469 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
5470 \gdef\@startfield{%
5471 \global\setbox\@curfield\hbox\bgroup%
5472 \let\@footnotetext\bidipoem@p@ftntext%
5473 \let\@LTrfootnotetext\bidipoem@p@LTrftntext%

```



```

5474 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5475 \let\@xfootnotenext\bidipoem@p@xftntext%
5476 \let\@xfootnote\bidipoem@p@xfootnote%
5477 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5478 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5479 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5480 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5481 \color@begingroup}
5482 \gdef\@stopfield{%
5483   \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
5484 \gdef\@contfield{%
5485   \global\setbox\@curfield\hbox\bgroup%
5486   \let\@footnotetext\bidipoem@p@ftntext%
5487   \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5488   \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5489   \let\@xfootnotenext\bidipoem@p@xftntext%
5490   \let\@xfootnote\bidipoem@p@xfootnote%
5491   \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5492   \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5493   \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5494   \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5495   \color@begingroup\unhbox\@curfield}

```

7.31 boek3-xetex-bidi.def

```

5496 \ProvidesFile{boek3-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek3 class for XeTeX et
5497 \renewenvironment{theindex}{%
5498   \if@twocolumn
5499     \@restonecolfalse
5500   \else
5501     \@restonecoltrue
5502   \fi
5503   \columnseprule \z@
5504   \columnsep 35\p@
5505   \twocolumn[\@makeschapterhead{\indexname}]%
5506   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
5507   \thispagestyle{plain}\parindent\z@
5508   \parskip\z@ \@plus .3\p@\relax
5509   \let\item\@idxitem
5510 }{%
5511   \if@restonecol\onecolumn\else\clearpage\fi}
5512 \renewcommand*{\head@style}{%
5513   \interlinepenalty \@M
5514   \hyphenpenalty=\@M \exhyphenpenalty=\@M
5515   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
5516 \renewcommand*{\@regtocline}[3]{%
5517   \ifnum #1>\c@tocdepth
5518   \else
5519     \vskip\z@ \@plus .2\p@
5520     {\hangindent\z@ \@afterindenttrue \interlinepenalty \@M

```



```

5521 \if@RTL\righskip\else\leftskip\fi\unitindent
5522 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
5523 \parfillskip\z@
5524 \@tempdima\unitindent
5525 \parindent\z@
5526 \leavevmode
5527 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
5528 \hskip 1em \nobreak{\slshape #3}\par
5529 }%
5530 \fi}
5531 \if@oldtoc
5532 \renewcommand*\l@part[2]{%
5533 \ifnum \c@tocdepth >-2\relax
5534 \addpenalty{-\@highpenalty}%
5535 \addvspace{2.25em \@plus\p@}%
5536 \begingroup
5537 \setlength\@tempdima{3em}%
5538 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
5539 \parfillskip -\@pnumwidth
5540 {\leavevmode
5541 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
5542 \nobreak
5543 \global\@nobreaktrue
5544 \everypar{\global\@nobreakfalse\everypar{}}%
5545 \endgroup
5546 \fi}
5547 \else
5548 \renewcommand*\l@part{%
5549 \ifnum \c@tocdepth >-2\relax
5550 \addpenalty{-\@highpenalty}%
5551 \addvspace{2.25em \@plus\p@}%
5552 \@regtocline{0}%
5553 \fi}
5554 \fi
5555 \if@oldtoc
5556 \renewcommand*\l@chapter[2]{%
5557 \addpenalty{-\@highpenalty}%
5558 \vskip 1.0em \@plus\p@
5559 \setlength\@tempdima{1.5em}%
5560 \begingroup
5561 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
5562 \parfillskip -\@pnumwidth
5563 \leavevmode \bfseries
5564 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
5565 \hskip -\if@RTL\righskip\else\leftskip\fi
5566 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5567 \penalty\@highpenalty
5568 \endgroup}
5569 \else
5570 \renewcommand*\l@chapter{\@regtocline{0}}

```



```

5571 \fi
5572 \renewenvironment{abstract}{%
5573     \titlepage
5574     \null\vfil
5575     \section*{\SectFont \abstractname}
5576     \noindent\ignorespaces}
5577 { \par\vfil\null\endtitlepage}
5578 \renewenvironment{thebibliography}[1]
5579 { \chapter*{\bibname}%
5580     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5581     \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
5582     \list{\@biblabel{\@arabic\c@enumiv}}%
5583         {\settowidth\labelwidth{\@biblabel{#1}}%
5584         \leftmargin\labelwidth
5585         \advance\leftmargin\labelsep
5586         \@openbib@code
5587         \usecounter{enumiv}%
5588         \let\p@enumiv\@empty
5589         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
5590     \sloppy\clubpenalty4000\widowpenalty4000%
5591     \sfcode`\.\@m}
5592 {\def\@noitemerr
5593     {\@latex@warning{Empty `thebibliography' environment}}%
5594     \endlist}
5595 \renewcommand*\left@footnoterule{%
5596     \kern-3\p@
5597     \kern.5\baselineskip
5598     \hrule\@width\unitindent
5599     \kern.4\baselineskip
5600 }
5601 \renewcommand*\right@footnoterule{%
5602     \hbox to \columnwidth
5603     {\beginR \vbox{%
5604         \kern-3\p@
5605         \kern.5\baselineskip
5606         \hrule\@width\unitindent
5607         \kern.4\baselineskip}\hfil\endR}
5608 }
5609 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
5610 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
5611 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
5612 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
5613 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
5614 \renewcommand*\theequation{%
5615     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
5616 \renewcommand*\thefigure{%
5617     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
5618 \renewcommand*\thetable{%
5619     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
5620 \renewcommand*\maketitle{%

```



```

5621 \begin{titlepage}%
5622   \let\footnotesize\small
5623   \let\right@footnoterule\relax
5624   \let\left@footnoterule\relax
5625   \let\textwidth@footnoterule\relax
5626   \let \footnote \thanks
5627   \long\def\@makefntext##1{\parindent\z@
5628     \def\labelitemi{\textendash}\@revlabeltrue
5629     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
5630   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
5631   \if@compatibility\setcounter{page}{0}\fi
5632   \null\vfil
5633   \vskip 60\p@
5634   \begin{center}%
5635     \TitleFont
5636     {\LARGE \def\\{\penalty -\@M}
5637       \if@allcaps
5638         \expandafter\uc@nothanks\@title\thanks\relax
5639       \else
5640         \@title
5641       \fi\par}%
5642     \vskip 3em%
5643     {\large
5644       \lineskip .75em \parindent\z@
5645       \begin{tabular}[t]{c}%
5646         \if@allcaps
5647           \expandafter\uc@authornothanks\@author\and\relax
5648         \else
5649           \@author
5650         \fi
5651       \end{tabular}\par}%
5652     \vskip 1.5em%
5653     {\large
5654       \if@allcaps
5655         \uppercase\expandafter{\@date}%
5656       \else
5657         \@date
5658       \fi\par}%
5659     \end{center}\par
5660     \@thanks
5661     \vfil\null
5662   \end{titlepage}%
5663   \setcounter{footnote}{0}%
5664   \global\let\thanks\relax
5665   \global\let\maketitle\relax
5666   \global\let\@thanks\@empty
5667   \global\let\@author\@empty
5668   \global\let\@title\@empty
5669   \global\let\@date\@empty
5670   \global\let\title\relax

```



```

5671 \global\let\author\relax
5672 \global\let\date\relax
5673 \global\let\and\relax
5674 }

```

7.32 boek-xetex-bidi.def

```

5675 \ProvidesFile{boek-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek class for XeTeX eng
5676 \renewenvironment{theindex}{%
5677   \if@twocolumn
5678     \@restonecolfalse
5679   \else
5680     \@restonecoltrue
5681   \fi
5682   \columnseprule \z@
5683   \columnsep 35\p@
5684   \twocolumn[\@makeschapterhead{\indexname}]%
5685   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
5686   \thispagestyle{plain}\parindent\z@
5687   \parskip\z@ \@plus .3\p@\relax
5688   \let\item\@idxitem
5689 }{%
5690   \if@restonecol\onecolumn\else\clearpage\fi}
5691 \renewcommand*{\head@style}{%
5692   \interlinepenalty \@M
5693   \hyphenpenalty=\@M \exhyphenpenalty=\@M
5694   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
5695 \renewcommand*{\regtocline}[3]{%
5696   \ifnum #1>\c@tocdepth
5697   \else
5698     \vskip\z@ \@plus .2\p@
5699     {\hangindent\z@ \@afterindenttrue \interlinepenalty \@M
5700     \if@RTL\rightskip\else\leftskip\fi\unitindent
5701     \if@RTL\leftskip\else\rightskip\fi\unitindent \@plus 1fil
5702     \parfillskip\z@
5703     \@tempdima\unitindent
5704     \parindent\z@
5705     \leavevmode
5706     \hbox{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
5707     \hskip 1em \nobreak{\slshape #3}\par
5708     }%
5709   \fi}
5710 \if@oldtoc
5711 \renewcommand*{\l@part}[2]{%
5712   \ifnum \c@tocdepth >-2\relax
5713     \addpenalty{-\@highpenalty}%
5714     \addvspace{2.25em \@plus\p@}%
5715     \begingroup
5716       \setlength{\@tempdima}{3em}%
5717       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth

```




```

5718 \parfillskip -\@pnumwidth
5719 {\leavevmode
5720 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
5721 \nobreak
5722 \global\@nobreaktrue
5723 \everypar{\global\@nobreakfalse\everypar{}}%
5724 \endgroup
5725 \fi}
5726 \else
5727 \renewcommand*\l@part{%
5728 \ifnum \c@tocdepth >-2\relax
5729 \addpenalty{-\@highpenalty}%
5730 \addvspace{2.25em \@plus \p@}%
5731 \@regtocline{0}%
5732 \fi}
5733 \fi
5734 \if@oldtoc
5735 \renewcommand*\l@chapter[2]{%
5736 \addpenalty{-\@highpenalty}%
5737 \vskip 1.0em \@plus \p@
5738 \setlength\@tempdima{1.5em}%
5739 \beginR
5740 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5741 \parfillskip -\@pnumwidth
5742 \leavevmode \bfseries
5743 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
5744 \hskip -\if@RTL\rightskip\else\leftskip\fi
5745 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5746 \penalty\@highpenalty
5747 \endR}
5748 \else
5749 \renewcommand*\l@chapter{\@regtocline{0}}
5750 \fi
5751 \renewcommand*\left@footnoterule{%
5752 \kern-3\p@
5753 \kern.5\baselineskip
5754 \hrule\@width\unitindent
5755 \kern.4\baselineskip
5756 }
5757 \renewcommand*\right@footnoterule{%
5758 \hbox to \columnwidth
5759 {\beginR \vbox{%
5760 \kern-3\p@
5761 \kern.5\baselineskip
5762 \hrule\@width\unitindent
5763 \kern.4\baselineskip}\hfil\endR}
5764 }
5765 \renewenvironment{abstract}{%
5766 \titlepage
5767 \null\vfil

```



```

5768 \section*{\SectFont \abstractname}
5769 \noindent\ignorespaces}
5770 {\par\vfil\null\endtitlepage}
5771 \renewenvironment{thebibliography}[1]
5772 {\chapter*{\bibname}%
5773 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5774 \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
5775 \list{\@biblabel{\@arabic\c@enumiv}}%
5776 {\settowidth\labelwidth{\@biblabel{#1}}%
5777 \leftmargin\labelwidth
5778 \advance\leftmargin\labelsep
5779 \@openbib@code
5780 \usecounter{enumiv}%
5781 \let\p@enumiv\empty
5782 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
5783 \sloppy\clubpenalty4000\widowpenalty4000%
5784 \sfcode\~.\@m}
5785 {\def\@noitemerr
5786 {\@latex@warning{Empty `thebibliography' environment}}%
5787 \endlist}
5788 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
5789 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\csubsection}
5790 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\csubsubsection}
5791 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\cparagraph}
5792 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\csubparagraph}
5793 \renewcommand*\theequation{%
5794 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
5795 \renewcommand*\thefigure{%
5796 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
5797 \renewcommand*\thetable{%
5798 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
5799 \renewcommand*\maketitle{%
5800 \begin{titlepage}%
5801 \let\footnotesize\small
5802 \let\right@footnoterule\relax
5803 \let\left@footnoterule\relax
5804 \let\textwidth\footnoterule\relax
5805 \let \footnote \thanks
5806 \long\def\@makefnmark##1{\parindent\z@
5807 \def\labelitemi{\textendash}\@revlabeltrue
5808 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
5809 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
5810 \if@compatibility\setcounter{page}{0}\fi
5811 \null\vfil
5812 \vskip 60\p@
5813 \begin{center}%
5814 \TitleFont
5815 {\LARGE \def\\{\penalty -\@M}
5816 \if@allcaps
5817 \expandafter\uc@nothanks\@title\thanks\relax

```



```

5818         \else
5819             \@title
5820         \fi\par}%
5821     \vskip 3em%
5822     {\large
5823         \lineskip .75em \parindent\z@
5824         \begin{tabular}[t]{c}%
5825             \if@allcaps
5826                 \expandafter\uc@authornothanks\@author\and\relax
5827             \else
5828                 \@author
5829             \fi
5830         \end{tabular}\par}%
5831     \vskip 1.5em%
5832     {\large
5833         \if@allcaps
5834             \uppercase\expandafter{\@date}%
5835         \else
5836             \@date
5837         \fi\par}%
5838     \end{center}\par
5839     \@thanks
5840     \vfil\null
5841     \end{titlepage}%
5842     \setcounter{footnote}{0}%
5843     \global\let\thanks\relax
5844     \global\let\maketitle\relax
5845     \global\let\@thanks\@empty
5846     \global\let\@author\@empty
5847     \global\let\@title\@empty
5848     \global\let\@date\@empty
5849     \global\let\title\relax
5850     \global\let\author\relax
5851     \global\let\date\relax
5852     \global\let\and\relax
5853 }

```

7.33 bookest-xetex-bidi.def

```

5854 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for XeT
5855 \def\@makechapterhead#1{%
5856     \vspace*{20\p@}
5857     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5858         \ifnum \c@secnumdepth >\m@ne
5859             \if@mainmatter
5860                 {\colorA\huge\scshape \@chapapp\space \thechapter}
5861                 \par\nobreak
5862                 \vskip 10\p@
5863             \fi
5864         \fi

```



```

5865 \interlinepenalty\@M
5866 {\colorB\hrule}
5867 \vskip 15\p@
5868 \if@RTL\begin{flushleft}\else\begin{flushright}\fi
5869 {\colorA\Huge \bfseries #1}\par\nobreak
5870 \if@RTL\end{flushleft}\else\end{flushright}\fi
5871 \vskip 5\p@
5872 {\colorB\hrule}
5873 \vskip 30\p@
5874 }}
5875 \def\@makeschapterhead#1{%
5876 \vspace*{20\p@}
5877 {\parindent \z@ \raggedright \normalfont
5878 {\colorB\hrule}
5879 \vskip 15\p@
5880 \begin{center}
5881 {\colorA\Huge \bfseries #1}\par\nobreak
5882 \end{center}
5883 \vskip 5\p@
5884 {\colorB\hrule}
5885 \vskip 30\p@
5886 }}

```

7.34 book-xetex-bidi.def

```

5887 \ProvidesFile{book-xetex-bidi.def}[2011/08/26 v0.8 bidi adaptations for standard book class for X]
5888 \renewenvironment{theindex}
5889 {\if@twocolumn
5890 \@restonecolfalse
5891 \else
5892 \@restonecoltrue
5893 \fi
5894 \columnseprule \z@
5895 \columnsep 35\p@
5896 \twocolumn[\@makeschapterhead{\indexname}]{%
5897 \mkboth{\MakeUppercase\indexname}{%
5898 {\MakeUppercase\indexname}%
5899 \thispagestyle{plain}\parindent\z@
5900 \parskip\z@ \@plus .3\p@\relax
5901 \let\item\@idxitem}
5902 {\if@restonecol\onecolumn\else\clearpage\fi}
5903 \ifclassloaded{bookest}{\fi}%
5904 \if@titlepage
5905 \renewcommand\maketitle{\begin{titlepage}%
5906 \let\footnotesize\small
5907 \let\right@footnoterule\relax
5908 \let\left@footnoterule\relax
5909 \let\textwidth\footnoterule\relax
5910 \let \footnote \thanks
5911 \let \LTRfootnote \LTRthanks

```



```

5912 \let \RTLfootnote \RTLthanks
5913 \null\vfil
5914 \vskip 60\p@
5915 \begin{center}%
5916   {\LARGE \@title \par}%
5917   \vskip 3em%
5918   {\large
5919     \lineskip .75em%
5920     \begin{tabular}[t]{c}%
5921       \@author
5922     \end{tabular}\par}%
5923   \vskip 1.5em%
5924   {\large \@date \par}%           % Set date in \large size.
5925 \end{center}\par
5926 \@thanks
5927 \vfil\null
5928 \end{titlepage}%
5929 \setcounter{footnote}{0}%
5930 \global\let\thanks\relax
5931 \global\let\LTRthanks\relax
5932 \global\let\RTLthanks\relax
5933 \global\let\maketitle\relax
5934 \global\let\@thanks\@empty
5935 \global\let\@author\@empty
5936 \global\let\@date\@empty
5937 \global\let\@title\@empty
5938 \global\let\title\relax
5939 \global\let\author\relax
5940 \global\let\date\relax
5941 \global\let\and\relax
5942 }
5943 \else
5944 \renewcommand\maketitle{\par
5945   \begingroup
5946     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
5947     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
5948     \long\def\@makefntext##1{\parindent 1em\noindent
5949       \hb@xt@1.8em{%
5950         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
5951     \if@twocolumn
5952       \ifnum \col@number=\@ne
5953         \@maketitle
5954       \else
5955         \twocolumn[\@maketitle]%
5956       \fi
5957     \else
5958       \newpage
5959       \global\@topnum\z@      % Prevents figures from going at top of page.
5960       \@maketitle
5961     \fi

```



```

5962 \thispagestyle{plain}\@thanks
5963 \endgroup
5964 \setcounter{footnote}{0}%
5965 \global\let\thanks\relax
5966 \global\let\LTRthanks\relax
5967 \global\let\RTLthanks\relax
5968 \global\let\maketitle\relax
5969 \global\let\@maketitle\relax
5970 \global\let\@thanks\@empty
5971 \global\let\@author\@empty
5972 \global\let\@date\@empty
5973 \global\let\@title\@empty
5974 \global\let\title\relax
5975 \global\let\author\relax
5976 \global\let\date\relax
5977 \global\let\and\relax
5978 }
5979 \def\@maketitle{%
5980 \newpage
5981 \null
5982 \vskip 2em%
5983 \begin{center}%
5984 \let \footnote \thanks
5985 \let \LTRfootnote \LTRthanks
5986 \let \RTLfootnote \RTLthanks
5987 {\LARGE \@title \par}%
5988 \vskip 1.5em%
5989 {\large
5990 \lineskip .5em%
5991 \begin{tabular}[t]{c}%
5992 \@author
5993 \end{tabular}\par}%
5994 \vskip 1em%
5995 {\large \@date}%
5996 \end{center}%
5997 \par
5998 \vskip 1.5em}
5999 \fi}
6000 \renewcommand*\l@part[2]{%
6001 \ifnum \c@tocdepth >-2\relax
6002 \addpenalty{-\@highpenalty}%
6003 \addvspace{2.25em \@plus\p}%
6004 \setlength\@tempdima{3em}%
6005 \begingroup
6006 \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
6007 \parfillskip -\@pnumwidth
6008 {\leavevmode
6009 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6010 \nobreak
6011 \global\@nobreaktrue

```



```

6012         \everypar{\global\@nbreakfalse\everypar{}}%
6013     \endgroup
6014 \fi}
6015 \renewcommand*\l@chapter[2]{%
6016     \ifnum \c@tocdepth >\m@ne
6017         \addpenalty{-\@highpenalty}%
6018         \vskip 1.0em \@plus\p@
6019         \setlength\@tempdima{1.5em}%
6020         \begingroup
6021             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6022             \parfillskip -\@pnumwidth
6023             \leavevmode \bfseries
6024             \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6025             \hskip -\if@RTL\rightskip\else\leftskip\fi
6026             #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6027             \penalty\@highpenalty
6028         \endgroup
6029 \fi}
6030 \renewcommand\left@footnoterule{%
6031     \kern-3\p@
6032     \hrule\@width.4\columnwidth
6033     \kern2.6\p@}
6034 \renewcommand\right@footnoterule{%
6035     \hbox to \columnwidth
6036     {\beginR \vbox{%
6037         \kern-3\p@
6038         \hrule\@width.4\columnwidth
6039         \kern2.6\p@}\hfil\endR}}
6040 \renewcommand\theequation
6041     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
6042 \renewcommand \thefigure
6043     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
6044 \renewcommand \thetable
6045     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
6046 \renewcommand \thechapter {\@arabic\c@chapter}
6047 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
6048 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
6049 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6050 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
6051 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
6052 \def\@makechapterhead#1{%
6053     \vspace*{50\p@}%
6054     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6055         \ifnum \c@secnumdepth >\m@ne
6056             \if@mainmatter
6057                 \huge\bfseries \@chapapp\space \thechapter
6058                 \par\nobreak
6059                 \vskip 20\p@
6060             \fi
6061         \fi}

```



```

6062 \interlinepenalty\@M
6063 \Huge \bfseries #1\par\nobreak
6064 \vskip 40\p@
6065 }}
6066 \def\@makeschapterhead#1{%
6067 \vspace*{50\p@}%
6068 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6069 \normalfont
6070 \interlinepenalty\@M
6071 \Huge \bfseries #1\par\nobreak
6072 \vskip 40\p@
6073 }}
6074 \renewcommand\backmatter{%
6075 \if@openright
6076 \cleardoublepage
6077 \else
6078 \clearpage
6079 \fi
6080 \@mainmatterfalse}
6081 \renewenvironment{thebibliography}[1]
6082 {\chapter*{\bibname}%
6083 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6084 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6085 \list{\@biblabel{\@arabic\c@enumiv}}%
6086 {\settowidth\labelwidth{\@biblabel{#1}}%
6087 \leftmargin\labelwidth
6088 \advance\leftmargin\labelsep
6089 \@openbib@code
6090 \usecounter{enumiv}%
6091 \let\p@enumiv\@empty
6092 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6093 \sloppy
6094 \clubpenalty4000
6095 \@clubpenalty \clubpenalty
6096 \widowpenalty4000%
6097 \sfcode\.\@m}
6098 {\def\@noitemerr
6099 {\@latex@warning{Empty `thebibliography' environment}}}%
6100 \endlist}

```

7.35 breqn-xetex-bidi.def

```

6101 \ProvidesFile{breqn-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for breqn package for XeTeX]
6102 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
6103 \everydisplay\expandafter{\the\everydisplay \display@setup}%
6104 \if@noskipsec \leavevmode \fi
6105 \if@inlabel \leavevmode \global\@inlabelfalse \fi
6106 \if\eq@group\else\eq@prelim\fi
6107 \setkeys{breqn}{#1}%
6108 \the\eqstyle

```




```

6109 \eq@setnumber
6110 \begingroup
6111 \eq@setup@a
6112 \eq@startup
6113 }
6114 \def\@dgroup[#1]{\ifRTL\@RTLfalse\fi%
6115 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
6116 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
6117 \global\let\GRP@label\@empty
6118 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
6119 \global\grp@linewidth\z@\global\grp@wdNum\z@
6120 \global\let\grp@eqs@numbered\@False
6121 \global\let\grp@aligned\@True
6122 \global\let\grp@shiftnumber\@False
6123 \eq@prelim
6124 \setkeys{breqn}{#1}%
6125 \if\grp@hasNumber \grp@setnumber \fi
6126 }
6127 \def\@dseries[#1]{\ifRTL\@RTLfalse\fi%
6128 \let\display@setup\dseries@display@setup
6129 % Question: should this be the default for dseries???
6130 \global\eq@wdCond\z@
6131 \@dmath[layout={M},#1]%
6132 \mathsurround\z@\@math \penalty\@Mi
6133 \let\endmath\ends@math
6134 \def\premath{%
6135 \ifdim\lastskip<.3em \unskip
6136 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
6137 }%
6138 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
6139 \ignorespaces
6140 }
6141 \def\eqnumform#1{\if@Latin\else\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@Latin\else\endR\fi}
6142 \renewenvironment{dsuspend}{%
6143 \global\setbox\EQ@box\ vbox\bgroup\if@Latin\else\@RTLtrue\fi \@parboxrestore
6144 \parshape 1 \displayindent \displaywidth\relax
6145 \hsize=\columnwidth \noindent\ignorespaces
6146 }{%
6147 \par\egroup
6148 \global\setbox\GRP@box\ vbox{%
6149 \hbox{\copy\EQ@box\ vtop{\unvbox\EQ@box}}%
6150 \unvbox\GRP@box
6151 }%
6152 \global\GRP@queue\expf\the\GRP@queue
6153 \@elt{\let\eq@isIntertext\@True}%
6154 }%
6155 }

```

7.36 cals-xetex-bidi.def



```

6156 \ProvidesFile{cals-xetex-bidi.def}[2013/05/28 v0.3 bidi adaptations for cals package for XeTeX en
6157 \renewenvironment{calstable}[1][c]{%
6158 \if@RTL\@RTLtabtrue\cals@activate@rtl\fi
6159 \if l#1%
6160 \if@RTLtab\leftskip\fill \rightskip\z@ \else\leftskip\z@ \rightskip\fill\fi
6161 \else\if r#1%
6162 \if@RTLtab\leftskip\z@ \rightskip\fill\else\leftskip\fill \rightskip\z@\fi
6163 \else\if c#1%
6164 \leftskip\fill \rightskip\fill
6165 \fi\fi\fi
6166 \let\cals@thead@tokens=\relax
6167 \let\cals@tfoot@tokens=\relax
6168 \let\cals@tbreak@tokens=\relax
6169 \cals@tfoot@height=0pt \relax
6170 \let\cals@last@context=n%
6171 \let\cals@current@context=b%
6172 \parindent=0pt %
6173 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
6174 %% Alignment inside is independent on center/flushright outside
6175 \parfillskip=0pt plus1fil\relax
6176 \let\cals@borderL=\relax
6177 \let\cals@borderR=\relax
6178 \let\cals@borderT=\relax
6179 \let\cals@borderB=\relax
6180 }{% End of the table
6181 \cals@tfoot@tokens\lastrule\@RTLtabfalse}
6182
6183 \renewcommand\alignL{%
6184 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0 plus 1fill\else\cals@paddingL=\dimen0\fi
6185 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}
6186
6187 \renewcommand\alignR{%
6188 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0\else\cals@paddingL=\dimen0 plus 1fill\fi
6189 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}

```

7.37 caption-xetex-bidi.def

```

6190 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for X
6191 \let\@makecaption\caption@makecaption

```

7.38 caption3-xetex-bidi.def

```

6192 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package for
6193 \renewcommand*\caption@par{%
6194 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

7.39 colortbl-xetex-bidi.def

```

6195 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package for
6196 \def\CT@setup{%
6197 \@tempdimb\col@sep
6198 \@tempdimc\col@sep

```



```

6199 \def\CT@color{%
6200   \global\let\CT@do@color\CT@@do@color
6201   \bidicolor}}
6202 \def\@classz{\@classx
6203   \@tempcnta \count@
6204   \prepnext@tok
6205 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
6206 \@addtopreamble{\if@RTLtab\beginL\fi%
6207   \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
6208   \ifcase \@chnum
6209     \hskip\stretch{.5}\kern\z@
6210     \d@llarbegin
6211     \insert@column
6212     \d@llarend\hskip\stretch{.5}\or
6213     \d@llarbegin \insert@column \d@llarend \hfill \or
6214     \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
6215     $\vcenter
6216     \@startpbox{\@nextchar}\insert@column \@endpbox $\or
6217     \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
6218     \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
6219   \fi
6220 \if@RTLtab\endR\fi\egroup\egroup
6221 \begingroup
6222   \CT@setup
6223   \CT@column@color
6224   \CT@row@color
6225   \CT@cell@color
6226   \CT@do@color
6227 \endgroup
6228   \@tempdima\ht\z@
6229   \advance\@tempdima\minrowclearance
6230   \vrule\@height\@tempdima\@width\z@
6231   \unhbox\z@\if@RTLtab\endL\fi}%
6232 \prepnext@tok}

```

7.40 color-xetex-bidi.def

```

6233 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeTeX]
6234 \long\def\color@b@x#1#2#3{%
6235   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
6236   \setbox\z@\hbox{\kern\fbboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
6237   \dimen@ \ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
6238   \dimen@ \dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
6239   {#1#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
6240     \box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
6241 \def\normalcolor{\let\current@color\default@color\ifmmode\if@RTL\beginL\aftergroup\endR\fi\fi}
6242 \DeclareRobustCommand\color{%
6243   \ifmmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor]
6244   \def\@declaredcolor#1{%
6245     \@ifundefined{\string\color @#1}%

```



```

6246 {\c@lor@error{`#1'}}%
6247 {\expandafter\let\expandafter\current@color
6248 \csname\string\color @#1\endcsname
6249 \set@color}%
6250 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
6251 \def\@undeclaredcolor[#1]#2{%
6252 \ifundefined{color@#1}%
6253 {\c@lor@error{model `#1'}}%
6254 {\csname color@#1\endcsname\current@color{#2}%
6255 \set@color}%
6256 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
6257 \DeclareRobustCommand\bidicolor{%
6258 \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
6259 \def\@bidiundeclaredcolor[#1]#2{%
6260 \@ifundefined{color@#1}%
6261 {\c@lor@error{model `#1'}}%
6262 {\csname color@#1\endcsname\current@color{#2}%
6263 \set@color}%
6264 \ignorespaces}
6265 \def\@bidideclaredcolor#1{%
6266 \@ifundefined{\string\color @#1}%
6267 {\c@lor@error{`#1'}}%
6268 {\expandafter\let\expandafter\current@color
6269 \csname\string\color @#1\endcsname
6270 \set@color}%
6271 \ignorespaces}
6272 \def\color@b@x#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
6273 \def\color@f@b@x#1#2#3{%
6274 \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
6275 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.41 combine-xetex-bidi.def

```

6276 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeT
6277 \renewcommand{\c@ll@chapsecii}[2]{%
6278 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
6279 \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
6280 #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}}\par
6281 }
6282 \renewcommand{\c@ll@chapseci}{%
6283 \setlength{\@tempdima}{0em}%
6284 \begingroup
6285 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6286 \parfillskip -\@pnumwidth
6287 \leavevmode
6288 }
6289 \renewenvironment{tocindent}[1]{%
6290 \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{

```

7.42 crop-xetex-bidi.def



```

6291 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX en
6292 \renewcommand*\CROP@ulc{%
6293   \if@RTLmain%
6294     \begin{picture}(0,0)
6295       \unitlength\p@\thinlines
6296       \put(-40,0){\circle{10}}
6297       \put(-30,-5){\line(0,1){10}}
6298       \put(-35,0){\line(1,0){30}}
6299       \put(-10,30){\circle{10}}
6300       \put(-5,30){\line(1,0){10}}
6301       \put(0,35){\line(0,-1){30}}
6302     \end{picture}%
6303   \else%
6304     \begin{picture}(0,0)
6305       \unitlength\p@\thinlines
6306       \put(-30,0){\circle{10}}
6307       \put(-30,-5){\line(0,1){10}}
6308       \put(-35,0){\line(1,0){30}}
6309       \put(0,30){\circle{10}}
6310       \put(-5,30){\line(1,0){10}}
6311       \put(0,35){\line(0,-1){30}}
6312     \end{picture}%
6313   \fi%
6314 }
6315 \renewcommand*\CROP@urc{%
6316   \if@RTLmain%
6317     \begin{picture}(0,0)
6318       \unitlength\p@\thinlines
6319       \put(20,0){\circle{10}}
6320       \put(30,-5){\line(0,1){10}}
6321       \put(35,0){\line(-1,0){30}}
6322       \put(-10,30){\circle{10}}
6323       \put(-5,30){\line(1,0){10}}
6324       \put(0,35){\line(0,-1){30}}
6325     \end{picture}%
6326   \else%
6327     \begin{picture}(0,0)
6328       \unitlength\p@\thinlines
6329       \put(30,0){\circle{10}}
6330       \put(30,-5){\line(0,1){10}}
6331       \put(35,0){\line(-1,0){30}}
6332       \put(0,30){\circle{10}}
6333       \put(-5,30){\line(1,0){10}}
6334       \put(0,35){\line(0,-1){30}}
6335     \end{picture}%
6336   \fi%
6337 }
6338 \renewcommand*\CROP@llc{%
6339   \if@RTLmain%
6340     \begin{picture}(0,0)

```



```

6341         \unitlength\p@\thinlines
6342         \put(-40,0){\circle{10}}
6343         \put(-30,-5){\line(0,1){10}}
6344         \put(-35,0){\line(1,0){30}}
6345         \put(-10,-30){\circle{10}}
6346         \put(-5,-30){\line(1,0){10}}
6347         \put(0,-35){\line(0,1){30}}
6348     \end{picture}%
6349 \else%
6350     \begin{picture}(0,0)
6351         \unitlength\p@\thinlines
6352         \put(-30,0){\circle{10}}
6353         \put(-30,-5){\line(0,1){10}}
6354         \put(-35,0){\line(1,0){30}}
6355         \put(0,-30){\circle{10}}
6356         \put(-5,-30){\line(1,0){10}}
6357         \put(0,-35){\line(0,1){30}}
6358     \end{picture}%
6359 \fi%
6360 }
6361 \renewcommand*\CROP@lrc{%
6362     \if@RTLmain%
6363         \begin{picture}(0,0)
6364             \unitlength\p@\thinlines
6365             \put(20,0){\circle{10}}
6366             \put(30,-5){\line(0,1){10}}
6367             \put(35,0){\line(-1,0){30}}
6368             \put(-10,-30){\circle{10}}
6369             \put(-5,-30){\line(1,0){10}}
6370             \put(0,-35){\line(0,1){30}}
6371         \end{picture}%
6372     \else%
6373         \begin{picture}(0,0)
6374             \unitlength\p@\thinlines
6375             \put(30,0){\circle{10}}
6376             \put(30,-5){\line(0,1){10}}
6377             \put(35,0){\line(-1,0){30}}
6378             \put(0,-30){\circle{10}}
6379             \put(-5,-30){\line(1,0){10}}
6380             \put(0,-35){\line(0,1){30}}
6381         \end{picture}%
6382     \fi%
6383 }
6384 \@ifpackagewith{crop}{cam}{%
6385 \CROP@execopt{cam}%
6386 }{}

```

7.43 cutwin-xetex-bidi.def

```

6387 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for XeT

```



```

6388 \renewcommand*{\c@twcompctr}[2]{%
6389   \def\c@twfirst{1}
6390   \loop\advance\c@twwinlines\m@ne
6391   \setbox\c@twslicea=\vsplit#1 to\baselineskip
6392   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
6393   \c@twprune{\c@twslicea}{\c@twlftside}%
6394   \c@twprune{\c@twsliceb}{\c@twrtside}%
6395   \ifnum\c@twfirst=\@ne
6396     \setbox#2=\vbox{\unvbox#2\hbox
6397       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}}
6398   \else
6399     \setbox#2=\vbox{\unvbox#2\hbox
6400       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}}
6401   \fi
6402   \def\c@twfirst{2}
6403   \ifnum\c@twwinlines>\z@\repeat}
6404 \renewcommand*{\c@twcompoddctr}[2]{%
6405   \def\c@twrounds{1}
6406   \def\c@twfirst{1}
6407   \@for\c@twlspec:=\c@twb\do{%
6408     \ifnum\c@twrounds=1
6409       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
6410       \c@twprune{\c@twslicea}{\c@twlspec}%
6411       \def\c@twrounds{2}
6412     \else
6413       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
6414       \c@twprune{\c@twsliceb}{\c@twlspec}%
6415       \ifnum\c@twfirst=1
6416         \setbox#2=\vbox{\unvbox#2\hbox
6417           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}}
6418         \def\c@twfirst{2}
6419       \else
6420         \setbox#2=\vbox{\unvbox#2\hbox
6421           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}}
6422       \fi
6423       \def\c@twrounds{1}
6424     \fi}}

```

7.44 cuted-xetex-bidi.def

```

6425 \ProvidesFile{cuted-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for cuted package for XeTeX]
6426 \def\RTL@outputdblcol{%
6427   \if@firstcolumn \global\@firstcolumnfalse
6428   \global\setbox\@leftcolumn \box\@outputbox
6429   \else
6430     \global\@firstcolumntrue
6431     \setbox\@outputbox \vbox {\hbox to\textwidth {%
6432       \hskip \columnwidth
6433       \hfil \vrule width\columnseprule \hfil
6434       \hbox to\columnwidth {\box\@leftcolumn \hss}%

```



```

6435 \hskip -\textwidth
6436 \hbox to\columnwidth{\box\@outputbox \hss}%
6437 \hskip \columnsep
6438 \hskip \columnwidth }}%
6439 \ifvoid\hold@viper
6440 \else
6441 \setbox\@outputbox \vbox to\textheight{%
6442 \box\hold@viper
6443 \box\@outputbox
6444 \vss
6445 }%
6446 \fi
6447 \@combinedblfloats \@outputpage
6448 \begingroup \@dblfloatplacement \@startdblcolumn
6449 \@whilesw\if@fcolmade \fi
6450 {\@outputpage \@startdblcolumn }%
6451 \ifvoid\@viper
6452 \else
6453 \global\setbox\@viper\vbox{%
6454 \vskip-\stripsep
6455 \unvbox\@viper
6456 }%
6457 \@viperoutput
6458 \fi
6459 \endgroup
6460 \fi}
6461 \def\LTR@outputdblcol{%
6462 \if@firstcolumn
6463 \global \@firstcolumnfalse
6464 \global \setbox\@leftcolumn \box\@outputbox
6465 \else
6466 \global\@firstcolumntrue
6467 \setbox\@outputbox \vbox {%
6468 \hb@xt@\textwidth {%
6469 \hb@xt@\columnwidth {%
6470 \box\@leftcolumn \hss}%
6471 \hfil
6472 \vrule \@width\columnseprule
6473 \hfil
6474 \hb@xt@\columnwidth {%
6475 \box\@outputbox \hss}%
6476 }%
6477 }%
6478 \ifvoid\hold@viper
6479 \else
6480 \setbox\@outputbox \vbox to\textheight{%
6481 \box\hold@viper
6482 \box\@outputbox
6483 \vss
6484 }%

```




```

6485 \fi
6486 \@combinedblfloats
6487 \@outputpage
6488 \beginngroup
6489 \@dblfloatplacement
6490 \@startdblcolumn
6491 \@whiles\if@fcolmade \fi
6492 {\@outputpage
6493 \@startdblcolumn}%
6494 \ifvoid\@viper
6495 \else
6496 \global\setbox\@viper\vbox{%
6497 \vskip-\stripsep
6498 \unvbox\@viper
6499 }%
6500 \@viperoutput
6501 \fi
6502 \endgroup
6503 \fi
6504 }
6505 \def \@addviper {%
6506 \if@firstcolumn
6507 \insertfalse
6508 \@reqcolroom .5\@pageht
6509 \ht\@viper\@reqcolroom
6510 \advance \@reqcolroom \ht\@viper
6511 \advance \@reqcolroom \stripsep
6512 \ifvoid\hold\@viper\@tempdima=\z@\else\@tempdima\ht\hold\@viper\fi
6513 %%
6514 \@tempdimb \ht\@viper
6515 \loop
6516 \setbox\v@aaa\copy\@holdpg
6517 \setbox\v@ccc\vbox to\@tempdimb{%
6518 \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
6519 \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
6520 \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
6521 \loop
6522 \setbox\v@aaa\copy\@holdpg
6523 \setbox\v@ccc\vbox to\@tempdimb{%
6524 \vsplit\v@aaa to\@tempdimb\vss}%
6525 \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
6526 \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
6527 \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
6528 \setbox\v@ccc\vbox to\@tempdimb{%
6529 \vsplit\@holdpg to\@tempdimb\vss}%
6530 %%
6531 \setbox\@tempboxa \vbox {%
6532 \hb@xt@\textwidth {%
6533 \if@RTLmain%
6534 \hskip \columnwidth

```



```

6535         \hfil \vrule width\columnseprule \hfil
6536         \hb@xt@\columnwidth {%
6537             \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6538         \hskip -\textwidth
6539         \hb@xt@\columnwidth {%
6540             \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6541         \hskip \columnsep
6542         \hskip \columnwidth
6543         \else%
6544             \hb@xt@\columnwidth {%
6545                 \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6546             \hfil
6547             \vrule \@width\columnseprule
6548             \hfil
6549             \hb@xt@\columnwidth {%
6550                 \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6551             \fi}%
6552     }%
6553 \ifvoid\hold@viper
6554     \global\setbox\hold@viper \vbox {%
6555         \unvbox\@tempboxa
6556         \penalty\interlinepenalty
6557         \vskip\stripsep
6558         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6559         \outputpenalty \z@
6560     }%
6561 \else
6562     \global\setbox\hold@viper \vbox {%
6563         \unvbox\hold@viper
6564         \unvbox\@tempboxa
6565         \penalty\interlinepenalty
6566         \vskip\stripsep
6567         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6568         \outputpenalty \z@
6569     }%
6570 \fi
6571 \ifdim \@colroom>\@reqcolroom
6572     \global\setbox\hold@viper \vbox {%
6573         \unvbox\hold@viper
6574         \box\@viper
6575         \penalty\interlinepenalty
6576         \vskip\stripsep
6577         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6578         \outputpenalty \z@
6579     }%
6580     \@inserttrue
6581     \advance\@tempdima by-\ht\hold@viper
6582     \global \advance \@colht \@tempdima
6583     \ifdim \@colht<2.5\baselineskip
6584         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn

```



```

6585         too tall on page \thepage (1 stulpelis}}%
6586         \@emptycol
6587         \if@firstcolumn
6588         \else
6589         \@emptycol
6590         \fi
6591         \global\@lastvipertrue
6592     \else
6593         \global \vsize \colht
6594         \global \@colroom \colht
6595         \check@floats
6596         \ifdim\@tempdima>\z@
6597             \global\advance\@colroom by-\@tempdima
6598         \fi
6599         \ifdim\@colroom<\z@
6600             \global\@colroom 1pt
6601             \ifdim\@tempdima>\colht
6602                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
6603                     netelpa lape \thepage (1 stulpelis}}%
6604             \fi
6605             \@emptycol
6606             \if@firstcolumn
6607             \else
6608             \@emptycol
6609             \fi
6610             \global\@lastvipertrue
6611         \fi
6612     \fi
6613 \fi
6614 \else
6615     \@insertfalse
6616     \@reqcolroom\colht
6617     \advance\@reqcolroom \pageht
6618     \ht@viper.5\@reqcolroom
6619     \@reqcolroom\ht@viper
6620     \advance \@reqcolroom \ht\@viper
6621     \advance \@reqcolroom \stripsep
6622     \if@flushend@auto@baselineskip
6623         \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
6624             \global\lastskip@d\lastskip
6625             \global\lastskip@b\lastskip
6626         \loop
6627             \global\lastskip@a\lastskip@b
6628             \unskip\unpenalty
6629             \global\lastskip@b\lastskip
6630             \global\advance\lastskip@d by\lastskip
6631         \ifdim\lastskip@b=-\lastskip@a
6632             \global\advance\lastskip@d by-\lastskip
6633         \else
6634             \repeat

```



```

6635         \ifdim\lastskip@b=-\lastskip@a
6636         \ifdim\lastskip@b=\z@
6637             \setbox\lastbox@a\lastbox
6638             \global\advance\lastskip@d by\ht\lastbox@a
6639             \global\advance\lastskip@d by\lastskip
6640             \unskip\unpenalty
6641             \setbox\lastbox@a\lastbox
6642             \global\advance\lastskip@d by\dp\lastbox@a
6643         \else
6644             \global\lastskip@d\lastskip
6645             \global\advance\lastskip@d by\topskip
6646         \fi
6647     \fi
6648     \global\advance\lastskip@d by-\topskip
6649 }%
6650 \ifdim\ht\@holdpg>\@colht
6651 \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
6652     \par\eject
6653     \vbox to \@colht{\unvbox\@holdpg\unskip}}%
6654 }%
6655 \else
6656     \global\setbox\@holdpg\vbox{%
6657         \unvbox\@leftcolumn\unskip\unpenalty
6658         \vskip\lastskip@d
6659         \the\At@ViperColsBreak
6660         \unvbox\@holdpg
6661         \unskip
6662     }%
6663 \fi
6664 \else
6665     \global\setbox\@holdpg\vbox{%
6666         \unvbox\@leftcolumn
6667         \setbox\@tempboxa\lastbox
6668         \on@stripcols@break
6669         \the\At@ViperColsBreak
6670         \unvbox\@holdpg
6671     }%
6672 \fi
6673 \global\At@ViperColsBreak{}%
6674 \ht@viper .5\ht\@holdpg
6675 \ifdim \ht@viper>\@colht
6676     \ht@viper \@colht
6677 \fi
6678 \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
6679 %%
6680 \@tempdimb \ht@viper
6681 \loop
6682     \setbox\v@aaa\copy\@holdpg
6683     \setbox\v@ccc\vbox to\@tempdimb{%
6684         \vsplit\v@aaa to\@tempdimb

```



```

6685         \vss
6686         \vsplit\v@aaa to\@tempdimb
6687     }%
6688     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
6689     \ifvoid\v@aaa
6690     \else
6691         \advance\@tempdimb 1\p@
6692     \repeat
6693     \loop
6694         \setbox\v@aaa\copy\@holdpg
6695         \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
6696         \wlog{(2)Left:\the\ht\v@ccc\space
6697             Right:\the\ht\v@aaa\space
6698             Output:\the\@tempdimb
6699         }%
6700     \ifdim\ht\v@ccc<\ht\v@aaa
6701         \@tempdimb \the\ht\v@aaa
6702     \repeat
6703     \wlog{- LAST -^^JLeft:\the\ht\v@ccc
6704             ^^JRight:\the\ht\v@aaa
6705             ^^JOutput:\the\@tempdimb
6706     }%
6707     \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
6708     \setbox\@tempboxa\vbox{%
6709         \hb@xt@\textwidth {%
6710             \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6711             \hfil
6712             \vrule \@width\columnseprule
6713             \hfil
6714             \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6715         }%
6716     }%
6717     \ifvoid\hold@viper
6718         \global\setbox\hold@viper \vbox {%
6719             \unvbox\@tempboxa
6720             \penalty\interlinepenalty
6721             \vskip\stripsep
6722             \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6723             \outputpenalty \z@
6724         }%
6725     \else
6726         \global\setbox\hold@viper \vbox {%
6727             \unvbox\hold@viper
6728             \unvbox\@tempboxa
6729             \penalty\interlinepenalty
6730             \vskip\stripsep
6731             \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6732             \outputpenalty \z@
6733         }%
6734     \fi

```



```

6735 \ifdim \@colht>\@reqcolroom
6736 \global\setbox\hold@viper \vbox {%
6737 \unvbox\hold@viper
6738 \box\@viper
6739 \penalty\interlinepenalty
6740 \vskip\stripsep
6741 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6742 \outputpenalty \z@
6743 }%
6744 \@inserttrue
6745 \global\@firstcolumntrue
6746 \advance\@tempdima by-\ht\hold@viper
6747 \global \advance \@colht \@tempdima
6748 \ifdim \@colht<2.5\baselineskip
6749 \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
6750 too tall on page \thepage (2 stulpelis)}}%
6751 \emptycol
6752 \if@firstcolumn
6753 \else
6754 \emptycol
6755 \fi
6756 \global\@lastvipertrue
6757 \else
6758 \global \vsize \@colht
6759 \global \@colroom \@colht
6760 \check@floats
6761 \ifdim\@tempdima>\z@
6762 \global\advance\@colroom by-\@tempdima
6763 \fi
6764 \ifdim\@colroom<\z@
6765 \global\@colroom 1pt
6766 \ifdim\@tempdima>\@colht
6767 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
6768 netelpla lape \thepage (2 stulpelis)}}%
6769 \fi
6770 \emptycol
6771 \if@firstcolumn
6772 \else
6773 \emptycol
6774 \fi
6775 \global\@lastvipertrue
6776 \fi
6777 \fi
6778 \fi
6779 \fi
6780 \if@insert
6781 \else
6782 \advance\@tempdima by-\ht\hold@viper
6783 \global \advance \@colht \@tempdima
6784 \global\setbox\hold@viper \vbox {%

```



```

6785 \unvbox\hold@viper
6786 \csname viper@top@hook\endcsname
6787 \vsplit\@viper to \@colht
6788 \vss
6789 }%
6790 \vbox{}%
6791 \global\@firstcolumnfalse
6792 \newpage
6793 \fi
6794 }

```

7.45 cvthemebidicasual.sty

```

6795 \NeedsTeXFormat{LaTeX2e}
6796 \ProvidesPackage{cvthemebidicasual}
6797 \DeclareOption{blue}{}
6798 \newif\if@colourorange\@colourorangefalse
6799 \DeclareOption{orange}{\@colourorange true}
6800 \newif\if@colourgreen\@colourgreenfalse
6801 \DeclareOption{green}{\@colourgreent true}
6802 \newif\if@colourred\@colourredfalse
6803 \DeclareOption{red}{\@colourred true}
6804 \newif\if@colourgrey\@colourgreyfalse
6805 \DeclareOption{grey}{\@colourgrey true}
6806 \DeclareOption*{
6807   \PackageWarning{cvthemebidicasual}{Unknown option '\CurrentOption'}}
6808 \ExecuteOptions{colour}
6809 \ProcessOptions\relax
6810 \renewcommand*{\listitemsymbol}{\textbullet}
6811 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
6812 \familynamecolour{808080}
6813 \firstnamecolour{A9A9A9}
6814 \quotecolour{696969}
6815 \addresscolour{696969}
6816 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
6817 \sectiontitlecolour{1E90FF}
6818 \subsectioncolour{4682B4}
6819 \definecolor{rulecolour}{gray}{0.6}
6820 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
6821 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
6822 \if@colourorange
6823   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6824   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6825   \sectiontitlecolour{FF8C00}
6826   \subsectioncolour{FF8C00}
6827   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
6828   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
6829 \if@colourgreen
6830   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6831   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}

```



```

6832 \sectiontitlecolour{008000}
6833 \subsectioncolour{008000}
6834 \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
6835 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
6836 \if@colouredred
6837 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6838 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6839 \sectiontitlecolour{FF0000}
6840 \subsectioncolour{FF0000}
6841 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
6842 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
6843 \if@colourgrey
6844 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6845 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6846 \sectiontitlecolour{808080}
6847 \subsectioncolour{808080}
6848 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
6849 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
6850 \renewcommand*{\ttdefault}{pcr}
6851 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
6852 \renewcommand*{\familynamefont}{\firstnamefont}
6853 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6854 \renewcommand*{\quote font}{\large\slshape}
6855 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6856 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6857 \renewcommand*{\maketitle}{%
6858   {%
6859     \ifthenelse{\isundefined{\@photo}}{%
6860       {}%
6861       {\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
6862     \hfill%
6863     \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}%
6864     {\color{firstnamecolor}\rule{\textwidth}{.25ex}}\[-2.5em]}%
6865     \ifthenelse{\isundefined{\@quote}}{%
6866       {}%
6867       {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}\[-2.
6868     ]%
6869   \newif\if@firstfooterelement\@firstfooterelementtrue
6870   \providecommand*{\footersymbol}{%
6871     \renewcommand*{\footersymbol}{%
6872       \if@firstfooterelement%
6873       \else%
6874         {~~\color{footersymbolcolor}\textbullet~~}\fi}
6875   \providecommand*{\makefooter}{%
6876     \renewcommand*{\makefooter}{%
6877       \fancypagestyle{plain}{%
6878         \fancyfoot[c]{%
6879           \parbox{0.8\textwidth}{%
6880             \centering%
6881             \addressfont\@addresscolour%

```




```

6882 \ifthenelse{\isundefined{\@address}}{\}%
6883 \addresssymbol~\@address\%
6884 \@firstfooterelementfalse}%
6885 \ifthenelse{\isundefined{\@mobile}}{\}\mobilesymbol~\@mobile\@firstfooterelementfalse}%
6886 \ifthenelse{\isundefined{\@phone}}{\}\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
6887 \ifthenelse{\isundefined{\@fax}}{\}\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}%
6888 \ifthenelse{\isundefined{\@email}}{\}\footersymbol\emailsymbol~\email\@firstfooterelementfalse}%
6889 \ifthenelse{\isundefined{\@extrainfo}}{\}\footersymbol\@extrainfo\@firstfooterelementfalse}%
6890 }%
6891 \pagestyle{plain}}
6892 \AtBeginDocument{\makefooter}

```

7.46 cvthemebidiclassic.sty

```

6893 \NeedsTeXFormat{LaTeX2e}
6894 \ProvidesPackage{cvthemebidiclassic}
6895 \DeclareOption{blue}{\}
6896 \newif\if@colourorange\@colourorangefalse
6897 \DeclareOption{orange}{\@colourorange>true}
6898 \newif\if@colourgreen\@colourgreenfalse
6899 \DeclareOption{green}{\@colourgreentrue}
6900 \newif\if@colourred\@colourredfalse
6901 \DeclareOption{red}{\@colourred>true}
6902 \newif\if@colourgrey\@colourgreyfalse
6903 \DeclareOption{grey}{\@colourgrey>true}
6904 \DeclareOption*{
6905 \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
6906 \ExecuteOptions{colour}
6907 \ProcessOptions\relax
6908 \renewcommand*{\listitemsymbol}{\textbullet}
6909 \firstnamecolour{}
6910 \familynamecolour{}
6911 \titlecolour{808080}
6912 \quotecolour{696969}
6913 \addresscolour{696969}
6914 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
6915 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
6916 \sectiontitlecolour{1E90FF}
6917 \subsectioncolour{4682B4}
6918 \if@colourorange
6919 \addresscolour{FF8C00}
6920 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
6921 \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
6922 \sectiontitlecolour{FF8C00}
6923 \subsectioncolour{FF8C00}\fi
6924 \if@colourgreen
6925 \addresscolour{008000}
6926 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6927 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6928 \sectiontitlecolour{008000}

```



```

6929 \subsectioncolour{008000}\fi
6930 \if@coloured
6931 \addresscolour{FF0000}
6932 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6933 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6934 \sectiontitlecolour{FF0000}
6935 \subsectioncolour{FF0000}\fi
6936 \if@colourgrey
6937 \addresscolour{808080}
6938 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6939 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6940 \sectiontitlecolour{808080}
6941 \subsectioncolour{808080}\fi
6942 \renewcommand*{\ttdefault}{pcr}
6943 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
6944 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
6945 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6946 \renewcommand*{\familynamefont}{\firstnamefont}
6947 \renewcommand*{\quoteftfont}{\large\slshape}
6948 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6949 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6950 \newlength{\maketitlenamemaxwidth}
6951 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
6952 \newlength{\maketitlenamefullwidth}
6953 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
6954 \newlength{\maketitlenamewidth}
6955 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamefullwidth}
6956 \newlength{\maketitlepicturewidth}
6957 \setlength{\maketitlepicturewidth}{\@photowidth}
6958 \newlength{\maketitledetailwidth}
6959 \renewcommand*{\recomputethemelengths}{%
6960 \setlength{\maketitledetailwidth}{\textwidth}%
6961 \addtolength{\maketitledetailwidth}{-\maketitlenamewidth}%
6962 \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
6963 \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}%
6964 \recomputethemelengths}
6965 \newif\if@firstdetailselement\@firstdetailselementtrue
6966 \newcommand*{\maketitledetailsnewline}{
6967 \if@firstdetailselement%
6968 \@firstdetailselementfalse%
6969 \else%
6970 \[.2em]\fi}
6971 \renewcommand*{\maketitle}{%
6972 % name and title
6973 \begin{minipage}[b]{\maketitlenamewidth}%
6974 \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
6975 \ifthenelse{\equal{\@title}{}}{\[1.25em]\titlestyle{\@title}}{}
6976 \end{minipage}%
6977 % optional data
6978 \begin{minipage}[b]{\maketitledetailwidth}%

```



```

6979 \bidi@raggedleft\addressfont\@addresscolour%
6980 \ifthenelse{\isundefined{\@address}}{}{%
6981 \maketitledetailsnewline%
6982 \addresssymbol~\\ \@address}%
6983 \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
6984 \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
6985 \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
6986 \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emailink{\@email}%
6987 \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
6988 \end{minipage}%
6989 % optional photo
6990 \ifthenelse{\isundefined{\@photo}}%
6991 {}%
6992 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\maketitledetailswidth]{\@photo}}}%
6993 % optional quote
6994 \ifthenelse{\isundefined{\@quote}}%
6995 {}%
6996 {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}\[2.5ex]
6997 }

```

7.47 dblfnote-xetex-bidi.def

```

6998 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package for xetex]
6999 \let\autofooterule\relax
7000 \let\rightfootnoterule\relax
7001 \let\leftfootnoterule\relax
7002 \let\textwidthfootnoterule\relax
7003 \let\LRfootnoterule\relax
7004 \def\footnoterule{\kern-3\p@
7005 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
7006 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext}
7007 \let\@footnotetext\dfn@footnotetext}
7008 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{
7009 \let\insert\dfn@gobble
7010 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7011 \def\@makefnmark{\smash{\dfn@makefnmark}}
7012 \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7013 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7014 \ifdim\dfn@dima>\z@else
7015 \dfn@dima1sp\relax
7016 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7017 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7018 \ifvoid\dfn@ins\else
7019 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7020 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7021 \setbox\dfn@boxa\copy\dfn@ins
7022 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7023 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7024 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7025 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%

```



```

7026 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
7027 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
7028 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
7029 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
7030 \let\insert\dfn@gobble
7031 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7032 \def\@makefnmark{\smash{\dfn@makefnmark}}
7033 \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7034 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7035 \ifdim\dfn@dima>\z@\else
7036 \dfn@dima1sp\relax
7037 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7038 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7039 \ifvoid\dfn@ins\else
7040 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7041 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7042 \setbox\dfn@boxa\copy\dfn@ins
7043 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7044 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7045 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7046 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}}%
7047 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
7048 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
7049 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
7050 \def\dfn@RTLmakecol{\ifvoid\footins\else
7051 \dfn@dima\ht\footins
7052 \@tempcnta\z@ \dfn@countins
7053 \@tempdima\z@ \let\@elt\dfn@elt\getht
7054 \dfn@list\@nil
7055 \ifdim\@tempdima=\z@\else
7056 \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
7057 \global\setbox\dfn@ins\box\dfn@ins
7058 \@tempswatrue
7059 \ifdfn@trysingle
7060 \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7061 \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7062 \advance\@tempdima-\skip\footins
7063 \advance\@tempdima-\ht\dfn@boxa
7064 \ifdim\@tempdima<\z@\else \@tempswafalse
7065 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7066 \footnoterule \unvbox\dfn@boxa}\fi\fi
7067 \if@tempswa
7068 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7069 \global\setbox\footins\vbox{\hbox{%
7070 \hskip \DFNcolumnwidth
7071 \hskip\DFNcolumnsep
7072 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7073 \unvbox\dfn@boxb\vss}\hss}
7074 \hskip -\textwidth
7075 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else

```



```

7076         \vbox to\@tempdima{
7077             \setbox\@tempboxa\vbox{\footnoterule}
7078             \ifdfn@ruleboth \unvbox\@tempboxa
7079             \else \@tempdima\ht\@tempboxa
7080                 \advance\@tempdima\dp\@tempboxa
7081                 \vskip\@tempdima
7082                 \prevdepth\dp\@tempboxa \fi
7083             \unvbox\dfn@boxa\vss}\fi\hss}
7084             \hskip \DFNcolumnsep
7085             \hskip \DFNcolumnwidth}}\fi\fi
7086 \global\dfn@fnht\z@
7087 \ifx\dfn@list\@empty\else
7088     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7089     \dfn@list \global\advance\dfn@fnht\dfn@dimb
7090     \let\@elt\relax
7091     \ifdim\dfn@dimb>\z@
7092         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7093         \insert\footins{\floatingpenalty\@MM
7094             \vbox to\dfn@dimb{}}\fi
7095     \ifdim\dfn@fnht>\@tempdima
7096         \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7097         \global\dfn@fnht\@tempdima
7098         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7099         \xdef\dfn@afteroutput{\insert\footins{
7100             \floatingpenalty\@MM
7101             \vbox to\number\@tempdimb sp{}}}%
7102         \global\let\noexpand\dfn@afteroutput\relax}%
7103     \fi\fi
7104 \fi}%
7105 \let\footnoterule\relax \dfn@latex@makecol
7106 \let\footnoterule\dfn@footnoterule}
7107 \def\dfn@LTRmakecol{\ifvoid\footins\else
7108     \dfn@dima\ht\footins
7109     \@tempcnta\z@ \dfn@countins
7110     \@tempdima\z@ \let\@elt\dfn@elt@getht
7111     \dfn@list\@nil
7112     \ifdim\@tempdima=\z@\else
7113         \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
7114         \global\setbox\dfn@ins\box\dfn@ins
7115         \@tempswatrue
7116         \ifdfn@trysingle
7117             \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7118             \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7119             \advance\@tempdima-\skip\footins
7120             \advance\@tempdima-\ht\dfn@boxa
7121             \ifdim\@tempdima<\z@\else \@tempswafalse
7122                 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7123                     \footnoterule \unvbox\dfn@boxa}\fi\fi
7124         \if@tempswa
7125         \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep

```



```

7126 \global\setbox\footins\ vbox{\ hbox{%
7127 \ hbox to\DFNcolumnwidth{\ vbox to\@tempdima{\footnoterule
7128 \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
7129 \ hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7130 \ vbox to\@tempdima{
7131 \setbox\@tempboxa\ vbox{\footnoterule}
7132 \ifdfn@ruleboth \unvbox\@tempboxa
7133 \else \@tempdima\ht\@tempboxa
7134 \advance\@tempdima\dp\@tempboxa
7135 \vskip\@tempdima
7136 \prevdepth\dp\@tempboxa \fi
7137 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
7138 \global\dfn@fnht\z@
7139 \ifx\dfn@list\@empty\else
7140 \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7141 \dfn@list \global\advance\dfn@fnht\dfn@dimb
7142 \let\@elt\relax
7143 \ifdim\dfn@dimb>\z@
7144 \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7145 \insert\footins{\floatingpenalty\@MM
7146 \ vbox to\dfn@dimb{}}\fi
7147 \ifdim\dfn@fnht>\@tempdima
7148 \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7149 \global\dfn@fnht\@tempdima
7150 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7151 \xdef\dfn@afteroutput{\insert\footins{
7152 \floatingpenalty\@MM
7153 \ vbox to\number\@tempdimb sp{}}}%
7154 \global\let\noexpand\dfn@afteroutput\relax}%
7155 \fi\fi
7156 \fi}%
7157 \let\footnoterule\relax \dfn@latex@makecol
7158 \let\footnoterule\dfn@footnoterule}
7159 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
7160 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
7161 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
7162 \DFNalwaysdouble

```

7.48 draftwatermark-xetex-bidi.def

```

7163 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwatermar
7164 \renewcommand\SetWatermarkText[1]{%
7165 \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

7.49 eso-pic-xetex-bidi.def

```

7166 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for X
7167 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
7168 \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}
7169
7170 \ESO@isMEMOIR{%

```



```

7171 \renewcommand\AtTextUpperLeft[1]{%
7172   \begingroup
7173     \ifodd\c@page
7174       \@tempdima=\spinemargin
7175     \else
7176       \@tempdima=\paperwidth
7177       \advance\@tempdima-\textwidth
7178       \advance\@tempdima-\spinemargin
7179     \fi
7180     \@tempdimb=-\uppermargin
7181     \AtPageUpperLeft{%
7182       \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
7183     }%
7184   \endgroup
7185 }
7186 }%
7187 \renewcommand\AtTextUpperLeft[1]{%
7188   \begingroup
7189     \@tempdima=1in\relax
7190     \ifodd\c@page
7191       \advance\@tempdima\oddsidemargin
7192     \else
7193       \advance\@tempdima\evensidemargin
7194     \fi
7195     \@tempdimb=-1in\relax
7196     \advance\@tempdimb-\topmargin
7197     \advance\@tempdimb-\headheight
7198     \advance\@tempdimb-\headsep
7199     \AtPageUpperLeft{%
7200       \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
7201     }%
7202   \endgroup
7203 }
7204 }

```

7.50 empheq-xetex-bidi.def

```

7205 \ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for XeT
7206 \MHInternalSyntaxOn
7207 \def\EQ_tag_plus_endmark:{%
7208   \iftagsleft@
7209     \gdef\maketag@@@##1{%
7210       \hfuzz\displaywidth
7211       \if@RTL\makebox[\widthof{##1}][r]{%
7212         \hbox to \displaywidth{\m@th\normalfont##1\hss
7213           \raisebox{-\dp\EQ_mathdisplay_box
7214             -\depthof{\EQ_outerbox:}}{
7215             {\PotEndMark{\hss}}}}
7216       \else\makebox[\widthof{##1}][l]{%
7217         \hbox to \displaywidth{\m@th\normalfont##1\hss

```



```

7218         \raisebox{-\dp\EQ_mathdisplay_box
7219             -\depthof{\EQ_outerbox:{}}}{
7220             {\PotEndMark{\hss}}}\fi}%
7221 \else:
7222 \gdef\maketag@@@##1{%
7223 \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{
7224 \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}}%
7225 \MH_addtolength:dn \@tempdima
7226 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
7227 \setlength{\@tempdimb}
7228 {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
7229 +\depthof{\EQ_innerbox:{}}}}
7230 \if_dim:w \@tempdima>\@tempdimb
7231 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
7232 -\@tempdima+\g_EQ_bottomrow_depth_dim}
7233 \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}%
7234 \def\EQ_next:{\raisebox{\@tempdima}}}%
7235 \else:
7236 \def\EQ_next:{
7237 \raisebox{-\dp\EQ_mathdisplay_box
7238 -\depthof{\EQ_outerbox:{}}}\fi}%
7239 \fi:\EQ_next:}}}%
7240 \fi:}
7241 \def\EQ_post_process:{%
7242 \EQ_initialize:
7243 \EQ_begin_equation:
7244 \MH_if_boolean:nT {outer_mult}{
7245 \setkeys{\MT_options_name:}{
7246 firstline-afterskip=0pt,
7247 lastline-preskip=0pt,
7248 multlined-width=0pt,
7249 }
7250 \ifodd \l_EQ_alignmentmode_int
7251 \setkeys{\MT_options_name:}{multlined-pos=b}
7252 \else:
7253 \setkeys{\MT_options_name:}{multlined-pos=t}
7254 \fi:
7255 \g@addto@macro\EQ_complete_mathdisplay:{
7256 \begin{MTmultlined}\relax}
7257 }
7258 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
7259 \MH_if_boolean:nT {outer_mult}{
7260 \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
7261 }
7262 \EQ_end_equation:
7263 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
7264 \savecounters@
7265 \EQ_typeset_tags:
7266 \edef\l_EQ_equation_fint{\number\c@equation}
7267 \restorecounters@

```




```

7268 \Hy@linkcounter=\EQ_hyperref_link_fint
7269 \settowidth\l_EQ_totalwidth_dim{%
7270   $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
7271 \MH_if_boolean:nTF {outer_mult}
7272   { \def\EQ_next:{_mult} }
7273   { \def\EQ_next:{} }
7274 \@nameuse{EQ_modify_linewidth_
7275   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
7276 \EQ_typeset_display:
7277 \@nameuse{find_displaywidth_
7278   \romannumeral\l_EQ_equationtype_int\EQ_next: :}
7279 \MH_addtolength:dn
7280   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
7281 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
7282   $\EQ_left_side:
7283   \EQ_innerbox:{%
7284     \if_case:w \l_EQ_alignmentmode_int\or:
7285       \makebox[\l_EQ_displaywidth_dim][c]
7286       {\usebox{\EQ_mathdisplay_box}}%
7287     \or:
7288       \makebox[\l_EQ_displaywidth_dim][c]
7289       {\usebox{\EQ_mathdisplay_box}}%
7290     \or:
7291       \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
7292         \if_num:w \l_EQ_equationtype_int=5 \else:
7293           \if_num:w \l_EQ_equationtype_int=6 \else:
7294             \kern-\@mathmargin
7295             \fi:
7296             \fi:
7297             \usebox{\EQ_mathdisplay_box}}%
7298         \else\makebox[\l_EQ_displaywidth_dim][l]{%
7299           \if_num:w \l_EQ_equationtype_int=5 \else:
7300             \if_num:w \l_EQ_equationtype_int=6 \else:
7301               \kern-\@mathmargin
7302               \fi:
7303               \fi:
7304               \usebox{\EQ_mathdisplay_box}}\fi%
7305         \or:
7306           \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
7307             \if_num:w \l_EQ_equationtype_int=5 \else:
7308               \if_num:w \l_EQ_equationtype_int=6 \else:
7309                 \kern-\@mathmargin
7310                 \fi:
7311                 \fi:
7312                 \usebox{\EQ_mathdisplay_box}}
7313             \else\makebox[\l_EQ_displaywidth_dim][l]{%
7314               \if_num:w \l_EQ_equationtype_int=5 \else:
7315                 \if_num:w \l_EQ_equationtype_int=6 \else:
7316                   \kern-\@mathmargin
7317                   \fi:

```



```

7318         \fi:
7319         \usebox{\EQ_mathdisplay_box}}\fi%
7320     \fi:}%
7321     \EQ_right_side:$}%
7322 \begin{AmSequation*}
7323 \@nameuse{EQ_place_display_
7324         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
7325 \if_dim:w \g_EQ_widesttag_dim>\z@
7326 \MH_set_boolean_T:n {show_manual_tags}
7327 \if_case:w \l_EQ_alignmentmode_int
7328 \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
7329 \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
7330 \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
7331 \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
7332 \fi:
7333 \fi:
7334 \end{AmSequation*}
7335 \global\c@equation=\l_EQ_equation_fint\relax
7336 }
7337 \AtBeginDocument{%
7338 \@ifpackageloaded{fancybox}{%
7339 \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
7340 {\renewcommand*{\textcolor[2]{\normalcolor{#2}}}%
7341 \renewcommand*{\shadowbox{%
7342 \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
7343 \VerbBox\EQ_shadowbox:n}
7344 {\MH_set_boolean_F:n {shadowbox_star}
7345 \VerbBox\EQ_shadowbox:n}}
7346 \def\EQ_shadowbox:n #1{%
7347 \sbox{\z@}{\fbox{#1}}}%
7348 \MH_if_boolean:nTF {shadowbox_star}{
7349 \MH_setlength:dn \@tempdima{\z@}%
7350 }{
7351 \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
7352 }
7353 \raisebox{\@tempdima}{%
7354 \if@RTL\makebox[\z@][r]{%
7355 \kern\shadowsize \textcolor{shadowcolor}{%
7356 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}}%
7357 }%
7358 \else\makebox[\z@][l]{%
7359 \kern\shadowsize \textcolor{shadowcolor}{%
7360 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}}%
7361 }%
7362 \usebox{\z@}\textcolor{shadowcolor}{%
7363 \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
7364 }{}%
7365 }
7366 \MHInternalSyntaxOff

```



7.51 extarticle-xetex-bidi.def

```

7367 \ProvidesFile{extarticle-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for extarticle class f
7368 \renewcommand*\l@section[2]{%
7369   \ifnum \c@tocdepth >\z@
7370     \addpenalty\@secpenalty
7371     \addvspace{1.0em \@plus\p@}%
7372     \setlength\@tempdima{1.5em}%
7373     \begingroup
7374       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
7375       \parfillskip -\@pnumwidth
7376       \leavevmode \bfseries
7377       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
7378       \hskip -\if@RTL\rightskip\else\leftskip\fi
7379       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
7380     \endgroup
7381   \fi}
7382 \renewcommand*\l@part[2]{%
7383   \ifnum \c@tocdepth >-2\relax
7384     \addpenalty\@secpenalty
7385     \addvspace{2.25em \@plus\p@}%
7386     \begingroup
7387       \setlength\@tempdima{3em}%
7388       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
7389       \parfillskip -\@pnumwidth
7390       {\leavevmode
7391         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
7392       \nobreak
7393     \endgroup
7394   \fi}
7395 \def\@part[#1]#2{%
7396   \ifnum \c@secnumdepth >\m@ne
7397     \refstepcounter{part}%
7398     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
7399   \else
7400     \addcontentsline{toc}{part}{#1}%
7401   \fi
7402   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
7403     \interlinepenalty \@M
7404     \normalfont
7405     \ifnum \c@secnumdepth >\m@ne
7406       \Large\bfseries \partname~\thepart
7407     \par\nobreak
7408     \fi
7409     \huge \bfseries #2%
7410     \markboth{}{}\par}%
7411   \nobreak
7412   \vskip 3ex
7413   \@afterheading}
7414 \def\@spart#1{%

```



```

7415 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
7416 \interlinepenalty \@M
7417 \normalfont
7418 \huge \bfseries #1\par}%
7419 \nobreak
7420 \vskip 3ex
7421 \@afterheading}
7422 \renewenvironment{thebibliography}[1]
7423 {\section*{\refname
7424 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
7425 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
7426 \list{\@biblabel{\@arabic\c@enumiv}}%
7427 {\settowidth\labelwidth{\@biblabel{#1}}%
7428 \leftmargin\labelwidth
7429 \advance\leftmargin\labelsep
7430 \@openbib@code
7431 \usecounter{enumiv}%
7432 \let\p@enumiv\@empty
7433 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
7434 \sloppy\clubpenalty4000\widowpenalty4000%
7435 \sfcode`\.\@m}
7436 {\def\@noitemerr
7437 {\@latex@warning{Empty `thebibliography' environment}}%
7438 \endlist}
7439 \renewcommand\left@footnoterule{%
7440 \kern-3\p@
7441 \hrule\@width.4\columnwidth
7442 \kern2.6\p@}
7443 \renewcommand\right@footnoterule{%
7444 \hbox to \columnwidth
7445 {\beginR \vbox{%
7446 \kern-3\p@
7447 \hrule\@width.4\columnwidth
7448 \kern2.6\p@}\hfil\endR}}
7449 \if@titlepage
7450 \renewcommand\maketitle{\begin{titlepage}%
7451 \let\footnotesize\small
7452 \let\right@footnoterule\relax
7453 \let\left@footnoterule\relax
7454 \let\textwidth\footnoterule\relax
7455 \let \footnote \thanks
7456 \null\vfil
7457 \vskip 60\p@
7458 \begin{center}%
7459 {\LARGE \@title \par}%
7460 \vskip 3em%
7461 {\large
7462 \lineskip .75em%
7463 \begin{tabular}[t]{c}%
7464 \@author

```



```

7465     \end{tabular}\par}%
7466     \vskip 1.5em%
7467     {\large \@date \par}%           % Set date in \large size.
7468 \end{center}\par
7469 \@thanks
7470 \vfil\null
7471 \end{titlepage}%
7472 \setcounter{footnote}{0}%
7473 \global\let\thanks\relax
7474 \global\let\maketitle\relax
7475 \global\let\@thanks\@empty
7476 \global\let\@author\@empty
7477 \global\let\@date\@empty
7478 \global\let\@title\@empty
7479 \global\let\title\relax
7480 \global\let\author\relax
7481 \global\let\date\relax
7482 \global\let\and\relax
7483 }
7484 \else
7485 \renewcommand\maketitle{\par
7486   \begingroup
7487     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
7488     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
7489     \long\def\@makefntext##1{\parindent 1em\noindent
7490       \hb@xt@1.8em{%
7491         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
7492     \if@twocolumn
7493       \ifnum \col@number=\@ne
7494         \@maketitle
7495       \else
7496         \twocolumn[\@maketitle]%
7497       \fi
7498     \else
7499       \newpage
7500       \global\@topnum\z@    % Prevents figures from going at top of page.
7501       \@maketitle
7502     \fi
7503     \thispagestyle{plain}\@thanks
7504   \endgroup
7505   \setcounter{footnote}{0}%
7506   \global\let\thanks\relax
7507   \global\let\maketitle\relax
7508   \global\let\@maketitle\relax
7509   \global\let\@thanks\@empty
7510   \global\let\@author\@empty
7511   \global\let\@date\@empty
7512   \global\let\@title\@empty
7513   \global\let\title\relax
7514   \global\let\author\relax

```



```

7515 \global\let\date\relax
7516 \global\let\and\relax
7517 }
7518 \def\@maketitle{%
7519 \newpage
7520 \null
7521 \vskip 2em%
7522 \begin{center}%
7523 \let \footnote \thanks
7524 {\LARGE \@title \par}%
7525 \vskip 1.5em%
7526 {\large
7527 \lineskip .5em%
7528 \begin{tabular}[t]{c}%
7529 \@author
7530 \end{tabular}\par}%
7531 \vskip 1em%
7532 {\large \@date}%
7533 \end{center}%
7534 \par
7535 \vskip 1.5em}
7536 \fi
7537 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@section}
7538 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
7539 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
7540 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

7.52 extbook-xetex-bidi.def

```

7541 \ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for XeT
7542 \if@titlepage
7543 \renewcommand\maketitle{\begin{titlepage}%
7544 \let\footnotesize\small
7545 \let\right@footnoterule\relax
7546 \let\left@footnoterule\relax
7547 \let\textwidth@footnoterule\relax
7548 \let \footnote \thanks
7549 \let \LTRfootnote \LTRthanks
7550 \let \RTLfootnote \RTLthanks
7551 \null\vfil
7552 \vskip 60\p@
7553 \begin{center}%
7554 {\LARGE \@title \par}%
7555 \vskip 3em%
7556 {\large
7557 \lineskip .75em%
7558 \begin{tabular}[t]{c}%
7559 \@author
7560 \end{tabular}\par}%
7561 \vskip 1.5em%

```



```

7562     {\large \@date \par}%           % Set date in \large size.
7563 \end{center}\par
7564 \@thanks
7565 \vfil\null
7566 \end{titlepage}%
7567 \setcounter{footnote}{0}%
7568 \global\let\thanks\relax
7569 \global\let\LTRthanks\relax
7570 \global\let\RTLthanks\relax
7571 \global\let\maketitle\relax
7572 \global\let\@thanks\@empty
7573 \global\let\@author\@empty
7574 \global\let\@date\@empty
7575 \global\let\@title\@empty
7576 \global\let\title\relax
7577 \global\let\author\relax
7578 \global\let\date\relax
7579 \global\let\and\relax
7580 }
7581 \else
7582 \renewcommand\maketitle{\par
7583 \begingroup
7584 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
7585 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
7586 \long\def\@makefntext##1{\parindent 1em\noindent
7587     \hb@xt@1.8em{%
7588         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
7589 \if@twocolumn
7590     \ifnum \col@number=\@ne
7591         \@maketitle
7592     \else
7593         \twocolumn[\@maketitle]%
7594     \fi
7595 \else
7596     \newpage
7597     \global\@topnum\z@    % Prevents figures from going at top of page.
7598     \@maketitle
7599 \fi
7600 \thispagestyle{plain}\@thanks
7601 \endgroup
7602 \setcounter{footnote}{0}%
7603 \global\let\thanks\relax
7604 \global\let\LTRthanks\relax
7605 \global\let\RTLthanks\relax
7606 \global\let\maketitle\relax
7607 \global\let\@maketitle\relax
7608 \global\let\@thanks\@empty
7609 \global\let\@author\@empty
7610 \global\let\@date\@empty
7611 \global\let\@title\@empty

```



```

7612 \global\let\title\relax
7613 \global\let\author\relax
7614 \global\let\date\relax
7615 \global\let\and\relax
7616 }
7617 \def\@maketitle{%
7618 \newpage
7619 \null
7620 \vskip 2em%
7621 \begin{center}%
7622 \let \footnote \thanks
7623 \let \LTRfootnote \LTRthanks
7624 \let \RTLfootnote \RTLthanks
7625 {\LARGE \@title \par}%
7626 \vskip 1.5em%
7627 {\large
7628 \lineskip .5em%
7629 \begin{tabular}[t]{c}%
7630 \@author
7631 \end{tabular}\par}%
7632 \vskip 1em%
7633 {\large \@date}%
7634 \end{center}%
7635 \par
7636 \vskip 1.5em}
7637 \fi
7638 \renewcommand*\l@part[2]{%
7639 \ifnum \c@tocdepth >-2\relax
7640 \addpenalty{-\@highpenalty}%
7641 \addvspace{2.25em \@plus\p@}%
7642 \begingroup
7643 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
7644 \parfillskip -\pnumwidth
7645 {\leavevmode
7646 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
7647 \nobreak
7648 \global\@nobreaktrue
7649 \everypar{\global\@nobreakfalse\everypar{}}%
7650 \endgroup
7651 \fi}
7652 \renewcommand\theequation
7653 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
7654 \renewcommand \thefigure
7655 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
7656 \renewcommand \thetable
7657 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
7658 \renewcommand \thechapter {\@arabic\c@chapter}
7659 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
7660 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
7661 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}

```




```

7662 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
7663 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
7664 \def\@makechapterhead#1{%
7665   \vspace*{50\p@}%
7666   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
7667     \ifnum \c@secnumdepth >\m@ne
7668       \if@mainmatter
7669         \huge\bfseries \@chapapp\space \thechapter
7670         \par\nobreak
7671         \vskip 20\p@
7672       \fi
7673     \fi
7674     \interlinepenalty\@M
7675     \Huge \bfseries #1\par\nobreak
7676     \vskip 40\p@
7677   }}
7678
7679 \def\@makeschapterhead#1{%
7680   \vspace*{50\p@}%
7681   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
7682     \normalfont
7683     \interlinepenalty\@M
7684     \Huge \bfseries #1\par\nobreak
7685     \vskip 40\p@
7686   }}
7687 \renewcommand\backmatter{%
7688   \if@openright
7689     \cleardoublepage
7690   \else
7691     \clearpage
7692   \fi
7693   \@mainmatterfalse}
7694 \renewenvironment{thebibliography}[1]
7695   {\chapter*{\bibname
7696     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}}%
7697   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
7698   \list{\@biblabel{\@arabic\c@enumiv}}%
7699     {\settowidth\labelwidth{\@biblabel{#1}}%
7700     \leftmargin\labelwidth
7701     \advance\leftmargin\labelsep
7702     \@openbib@code
7703     \usecounter{enumiv}%
7704     \let\p@enumiv\@empty
7705     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
7706   \sloppy
7707   \clubpenalty4000
7708   \@clubpenalty \clubpenalty
7709   \widowpenalty4000%
7710   \sfcode`\.\@m}
7711   {\def\@noitemerr

```



```

7712      {\@latex@warning{Empty `thebibliography' environment}}%
7713      \endlist}

```

7.53 extletter-xetex-bidi.def

```

7714 \ProvidesFile{extletter-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extletter class for
7715 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
7716   \thispagestyle{firstpage}%
7717   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
7718 \else % home address
7719   \thispagestyle{empty}%
7720   {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignorespaces
7721     \fromaddress \*[2\parskip]%
7722     \@date \end{tabular}\par}%
7723 \fi
7724 \vspace{2\parskip}%
7725 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
7726 \vspace{2\parskip}%
7727 #1\par\nobreak}
7728 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
7729 \stopbreaks
7730 \noindent
7731 \ifx\@empty\fromaddress\else
7732 \hspace*{\longindentation}\fi
7733 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
7734   \ignorespaces #1\ \[6\medskipamount]%
7735   \ifx\@empty\fromsig
7736     \fromname
7737   \else \fromsig \fi\strut}%
7738 \par}
7739 \renewcommand\left@footnoterule{%
7740 \kern-\p@
7741 \hrule \@width .4\columnwidth
7742 \kern .6\p@}
7743 \renewcommand\right@footnoterule{%
7744 \hbox to \columnwidth
7745 {\beginR \vbox{%
7746 \kern-\p@
7747 \hrule \@width .4\columnwidth
7748 \kern .6\p@\hfil\endR}}

```

7.54 extrafootnotefeatures-xetex-bidi.def

```

7749 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2012/12/12 v0.4 bidi extra footnote feature
7750 \let\autofootnoterule\relax
7751 \let\rightfootnoterule\relax
7752 \let\leftfootnoterule\relax
7753 \let\textwidthfootnoterule\relax
7754 \let\LRfootnoterule\relax
7755 \def\footnoterule{\kern-3\p@
7756 \hrule \@width \columnwidth \kern 2.6\p@}

```



```

7757 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
7758 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
7759 \renewcommand{\@footnotetext}[1]{%
7760     \insert\footins{%
7761         \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7762         \def\baselinestretch{\m@m@footnote@spacing}%
7763         \reset@font
7764         \foottextfont
7765         \@preamfntext
7766         \hsize\columnwidth
7767         \protected@edef\@currentlabel{%
7768             \csname p@footnote\endcsname\@thefnmark}%
7769         \color@begingroup
7770         \@makefntext{%
7771             \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
7772             \@finalstrut\strutbox}%
7773         \color@endgroup}%
7774         \m@mmf@prepare}
7775 \renewcommand{\@RTLfootnotetext}[1]{%
7776     \insert\footins{%
7777         \@RTLtrue%
7778         \def\baselinestretch{\m@m@footnote@spacing}%
7779         \reset@font
7780         \RTLfoottextfont
7781         \@preamfntext
7782         \hsize\columnwidth
7783         \protected@edef\@currentlabel{%
7784             \csname p@footnote\endcsname\@thefnmark}%
7785         \color@begingroup
7786         \@makefntext{%
7787             \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
7788             \@finalstrut\strutbox}%
7789         \color@endgroup}%
7790         \m@mmf@prepare}
7791 \renewcommand{\@LTRfootnotetext}[1]{%
7792     \insert\footins{%
7793         \@RTLfalse%
7794         \def\baselinestretch{\m@m@footnote@spacing}%
7795         \reset@font
7796         \LTRfoottextfont
7797         \@preamfntext
7798         \hsize\columnwidth
7799         \protected@edef\@currentlabel{%
7800             \csname p@footnote\endcsname\@thefnmark}%
7801         \color@begingroup
7802         \@makefntext{%
7803             \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
7804             \@finalstrut\strutbox}%
7805         \color@endgroup}%
7806         \m@mmf@prepare}

```



```

7807 \renewcommand{\@mpfootnotetext}[1]{%
7808   \global\setbox\@mpfootins\vbox{\if@RTLfootnote\@RTLtrue\else\@RTLfalse\fi%
7809     \unvbox\@mpfootins
7810     \def\baselinestretch{\m@m@footnote@spacing}%
7811     \foottextfont \hsize\columnwidth \@parboxrestore
7812     \protected@edef\@currentlabel{%
7813       \csname p@mpfootnote\endcsname\@thefnmark}%
7814     \color@begingroup
7815     \reset@font%
7816     \@makefntext{%
7817       \rule{\z@\footnotesep\ignorespaces}{\foottextfont #1}%
7818       \@finalstrut\strutbox}%
7819     \color@endgroup}}
7820 \renewcommand{\@mpLTRfootnotetext}[1]{%
7821   \global\setbox\@mpfootins\vbox{\@RTLfalse%
7822     \unvbox\@mpfootins
7823     \def\baselinestretch{\m@m@footnote@spacing}%
7824     \LTRfoottextfont \hsize\columnwidth \@parboxrestore
7825     \protected@edef\@currentlabel{%
7826       \csname p@mpfootnote\endcsname\@thefnmark}%
7827     \color@begingroup
7828     \reset@font%
7829     \@makefntext{%
7830       \rule{\z@\footnotesep\ignorespaces}{\LTRfoottextfont #1}%
7831       \@finalstrut\strutbox}%
7832     \color@endgroup}}
7833 \renewcommand{\@mpRTLfootnotetext}[1]{%
7834   \global\setbox\@mpfootins\vbox{\@RTLtrue%
7835     \unvbox\@mpfootins
7836     \def\baselinestretch{\m@m@footnote@spacing}%
7837     \RTLfoottextfont \hsize\columnwidth \@parboxrestore
7838     \protected@edef\@currentlabel{%
7839       \csname p@mpfootnote\endcsname\@thefnmark}%
7840     \color@begingroup
7841     \reset@font%
7842     \@makefntext{%
7843       \rule{\z@\footnotesep\ignorespaces}{\RTLfoottextfont #1}%
7844       \@finalstrut\strutbox}%
7845     \color@endgroup}}
7846 \let\m@mold@footnotetext\@footnotetext
7847 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
7848 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
7849 \let\m@mold@mpfootnotetext\@mpfootnotetext
7850 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
7851 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
7852 \bidi@ensure@newcommand{\normalfootnotes}{%
7853   \let\@footnotetext\m@mold@footnotetext
7854   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
7855   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
7856   \let\@mpfootnotetext\m@mold@mpfootnotetext

```



```

7857 \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
7858 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext}
7859 \@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{%
7860 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
7861 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
7862 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
7863 \def\m@m@singleSpace{#1}%
7864 \def\m@m@footnote@spacing{#1}%
7865 \def\m@m@float@spacing{#1} %
7866 }
7867 \setSingleSpace{1}
7868 \newinsert\sideins
7869 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
7870 \bidi@ensure@newcommand*{\m@m@mmf@prepare}{%
7871 \kern-\multiplefootnotemarker
7872 \kern\multiplefootnotemarker\relax}
7873 \bidi@ensure@newlength{\footmarkwidth}
7874 \bidi@ensure@newlength{\footmarksep}
7875 \bidi@ensure@newlength{\footparindent}
7876 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
7877 \bidi@ensure@newcommand{\footfootmark}{%
7878 \ifdim\footmarkwidth < \z@
7879 \llap{\hb@xt@ -\footmarkwidth{%
7880 \hss\normalfont\footscript{\@thefnmark}}}%
7881 \hspace*{-\footmarkwidth}}%
7882 \else
7883 \ifdim\footmarkwidth = \z@
7884 {\normalfont\footscript{\@thefnmark}}%
7885 \else
7886 \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
7887 \fi
7888 \fi}
7889 \footmarkstyle{\textsuperscript{#1}}
7890 \setlength{\footmarkwidth}{1.8em}
7891 \setlength{\footparindent}{1em}
7892 \bidi@ensure@newcommand{\m@m@doextrafeet}{\extrafeetins}
7893 \bidi@ensure@newcommand*{\extrafeetins}{%
7894 \setbox\@outputbox \vbox{%
7895 \boxmaxdepth \@maxdepth
7896 \unvbox\@outputbox
7897 \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
7898 \extrafeetinshook}}
7899 \bidi@ensure@newcommand{\extrafeetinshook}{%
7900 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
7901 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
7902 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
7903 \bidi@ensure@newlength{\footinsdim}
7904 \setlength{\footinsdim}{8in} % standard for \dimen\footins
7905 \bidi@ensure@newcommand{\@preamfntext}{%
7906 \interlinepenalty\interfootnotelinepenalty

```



```

7907 \floatingpenalty \@MM
7908 \splittopskip=\footnotesep
7909 \splitmaxdepth=\dp\strutbox
7910 \@parboxrestore}
7911 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
7912 \extrafeetminihook}
7913 \bidi@ensure@newcommand{\extrafeetendmini}{%
7914 \ifvoid\@mpfootinsv@r\else
7915 \vskip\skip\@mpfootins
7916 \normalcolor\footnoterule\mp@footgroupv@r
7917 \fi
7918 \extrafeetendminihook}
7919 \bidi@ensure@newcommand{\extrafeetendminihook}{%
7920 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
7921 \def\endminipage{%
7922 \par
7923 \unskip
7924 \ifvoid\@mpfootins\else
7925 \vskip\skip\@mpfootins
7926 \normalcolor
7927 \footnoterule
7928 \unvbox\@mpfootins
7929 \fi
7930 \m@mdoextrafeetendmini
7931 \@minipagefalse
7932 \color@endgroup
7933 \egroup
7934 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
7935 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
7936 \@namedef{@footstart#1}{%
7937 \vskip\bigskipamount
7938 \leftskip=\z@
7939 \rightskip=\z@
7940 \footnoterule}}
7941 \newinsert\footinsv@r
7942 \skip\footinsv@r\bigskipamount
7943 \count\footinsv@r=1000 % no magnification
7944 \dimen\footinsv@r=\footinsdim
7945 \m@make@footstart{v@r}
7946 \bidi@ensure@newcommand{\@footgroupv@r}{%
7947 \newinsert\@mpfootinsv@r
7948 \bidi@ensure@newcommand{\mp@footgroupv@r}{%
7949 \newcount\m@m@k \newdimen\m@m@h
7950 \@ifpackageloaded{multicol}{%
7951 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7952 \hsize\textwidth
7953 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7954 \valign{##\vfill\cr\m@m@dosplits}\if@RTLcolumnfootnotes\endR\fi}}
7955 }{
7956 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3

```



```

7957 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7958 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7959 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
7960 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
7961 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
7962 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
7963 \setbox2 \vsplit0 to \dimen0
7964 \unvbox2 }
7965 \bidi@ensure@newcommand{\twocolcolumnfootnotes}{%
7966 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7967 \let\@footnotetext\@twocolfootnotetext
7968 \let\@LTRfootnotetext\@twocolLTRfootnotetext
7969 \let\@RTLfootnotetext\@twocolRTLfootnotetext
7970 \dimen\footinsv@r=2\footinsdim
7971 \count\footinsv@r=500\relax
7972 \m@make@twocol@footgroup{v@r}%
7973 \let\@footgroupv@r\@twocol@footgroupv@r
7974 \let\@mpfootnotetext\@mptwocolfootnotetext
7975 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
7976 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
7977 \m@make@mptwocol@footgroup{v@r}%
7978 \let\mp@footgroupv@r\@mptwocol@footgroupv@r}
7979 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
7980 \def\baselinestretch{\m@m@footnote@spacing}%
7981 \reset@font\foottextfont
7982 \@preamfntext
7983 \protected@edef\@currentlabel{%
7984 \csname p@footnote\endcsname\@thefnmark}%
7985 \color@begingroup
7986 \@twocolfootfmt{#1}%
7987 \color@endgroup}%
7988 \m@m@mmf@prepare}
7989 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
7990 \def\baselinestretch{\m@m@footnote@spacing}%
7991 \reset@font\LTRfoottextfont
7992 \@preamfntext
7993 \protected@edef\@currentlabel{%
7994 \csname p@footnote\endcsname\@thefnmark}%
7995 \color@begingroup
7996 \@twocolLTRfootfmt{#1}%
7997 \color@endgroup}%
7998 \m@m@mmf@prepare}
7999 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8000 \def\baselinestretch{\m@m@footnote@spacing}%
8001 \reset@font\RTLfoottextfont
8002 \@preamfntext
8003 \protected@edef\@currentlabel{%
8004 \csname p@footnote\endcsname\@thefnmark}%
8005 \color@begingroup
8006 \@twocolRTLfootfmt{#1}%

```



```

8007 \color@endgroup}%
8008 \m@mmf@prepare}
8009 \bidi@ensure@newcommand{\@preamtwofmt}{%
8010 \hspace .45\hspace
8011 \parindent=\z@
8012 \tolerance=5000\relax
8013 \leavevmode}
8014 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
8015 \@preamtwofmt
8016 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8017 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
8018 \@preamtwofmt
8019 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8020 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
8021 \@preamtwofmt
8022 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8023 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
8024 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8025 \unvbox\@mpfootinsv@r
8026 \def\baselinestretch{\m@m@footnote@spacing}%
8027 \reset@font\foottextfont
8028 \hspace\columnwidth \@parboxrestore
8029 \protected@edef\@currentlabel{%
8030 \csname p@mpfootnote\endcsname\@thefnmark}%
8031 \color@begingroup
8032 \@twocolfootfmt{#1}%
8033 \color@endgroup}%
8034 \m@mmf@prepare}
8035 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
8036 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8037 \unvbox\@mpfootinsv@r
8038 \def\baselinestretch{\m@m@footnote@spacing}%
8039 \reset@font\LTRfoottextfont
8040 \hspace\columnwidth \@parboxrestore
8041 \if@RTLcolumnfootnotes\beginL\fi
8042 \protected@edef\@currentlabel{%
8043 \csname p@mpfootnote\endcsname\@thefnmark}%
8044 \color@begingroup
8045 \@twocolLTRfootfmt{#1}%
8046 \color@endgroup}%
8047 \m@mmf@prepare}
8048 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
8049 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8050 \unvbox\@mpfootinsv@r
8051 \def\baselinestretch{\m@m@footnote@spacing}%
8052 \reset@font\RTLfoottextfont
8053 \hspace\columnwidth \@parboxrestore
8054 \protected@edef\@currentlabel{%
8055 \csname p@mpfootnote\endcsname\@thefnmark}%
8056 \color@begingroup

```




```

8057 \twocolRTLfootfmt{#1}%
8058 \color@endgroup}%
8059 \m@mmf@prepare}
8060 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
8061 \m@make@twocolfootnotetext{#1}%
8062 \m@make@emptwocolfootnotetext{#1}%
8063 \m@make@twocolfootfmt{#1}%
8064 \m@make@twocol@footgroup{#1}%
8065 \m@make@emptwocol@footgroup{#1}%
8066 \m@make@footstart{#1}%
8067 \bidi@namelongdef{@footnotetext#1}##1{%
8068 \nameuse{@twocolfootnotetext#1}##1}%
8069 \bidi@namelongdef{@mpfootnotetext#1}##1{%
8070 \nameuse{@emptwocolfootnotetext#1}##1}%
8071 \namedef{@footgroup#1}{\nameuse{@twocol@footgroup#1}}%
8072 \namedef{@mpfootgroup#1}{\nameuse{@emptwocol@footgroup#1}}%
8073 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8074 \expandafter\count\csname footins#1\endcsname=500\relax}
8075 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
8076 \bidi@namelongdef{@twocolfootnotetext#1}##1{%
8077 \insert\nameuse{footins#1}{%
8078 \def\baselinestretch{\m@mm@footnote@spacing}%
8079 \reset@font\nameuse{foottextfont#1}%
8080 \preamfntext
8081 \protected@edef\currentlabel{%
8082 \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
8083 \color@begingroup
8084 \nameuse{@twocolfootfmt#1}##1}%
8085 \color@endgroup}%
8086 \m@mmf@prepare}}
8087 \bidi@ensure@newcommand{\m@make@emptwocolfootnotetext}[1]{%
8088 \bidi@namelongdef{@emptwocolfootnotetext#1}##1{%
8089 \global\setbox\nameuse{@mpfootins#1}\vbox{%
8090 \unvbox\nameuse{@mpfootins#1}
8091 \def\baselinestretch{\m@mm@footnote@spacing}%
8092 \reset@font\nameuse{foottextfont#1}%
8093 \hsize\columnwidth \parboxrestore
8094 \protected@edef\currentlabel{%
8095 \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
8096 \color@begingroup
8097 \nameuse{@twocolfootfmt#1}##1}%
8098 \color@endgroup}\m@mmf@prepare}}
8099 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
8100 \namedef{@twocolfootfmt#1}##1{%
8101 \preamtwofmt
8102 {\nameuse{footfootmark#1}\strut
8103 {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8104 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
8105 \namedef{@twocol@footgroup#1}{%
8106 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```



```

8107 \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
8108 \bidi@ensure@newcommand{\m@make@mp@twocol@footgroup}[1]{%
8109 \@namedef{@mp@twocol@footgroup#1}{%
8110 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8111 \m@mrigidbalance{\@nameuse{mp@footins#1}}{\tw@}{\splittopskip}}}}
8112 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
8113 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8114 \let\@footnotetext\@threecolfootnotetext
8115 \let\@LTRfootnotetext\@threecolLTRfootnotetext
8116 \let\@RTLfootnotetext\@threecolRTLfootnotetext
8117 \dimen\footinsv@r=3\footinsdim
8118 \count\footinsv@r=333\relax
8119 \m@make@threecol@footgroup{v@r}%
8120 \let\@footgroupv@r\@threecol@footgroupv@r
8121 \let\@mpfootnotetext\@mpthreecolfootnotetext
8122 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
8123 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
8124 \m@make@mpthreecol@footgroup{v@r}%
8125 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r}
8126 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
8127 \def\baselinestretch{\m@m@footnote@spacing}%
8128 \reset@font\foottextfont
8129 \@preamfntext
8130 \protected@edef\@currentlabel{%
8131 \csname p@footnote\endcsname\@thefnmark}%
8132 \color@begingroup
8133 \@threecolfootfmt{#1}%
8134 \color@endgroup}\m@m@mmf@prepare}
8135 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
8136 \def\baselinestretch{\m@m@footnote@spacing}%
8137 \reset@font\LTRfoottextfont
8138 \@preamfntext
8139 \protected@edef\@currentlabel{%
8140 \csname p@footnote\endcsname\@thefnmark}%
8141 \color@begingroup
8142 \@threecolLTRfootfmt{#1}%
8143 \color@endgroup}\m@m@mmf@prepare}
8144 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8145 \def\baselinestretch{\m@m@footnote@spacing}%
8146 \reset@font\RTLfoottextfont
8147 \@preamfntext
8148 \protected@edef\@currentlabel{%
8149 \csname p@footnote\endcsname\@thefnmark}%
8150 \color@begingroup
8151 \@threecolRTLfootfmt{#1}%
8152 \color@endgroup}\m@m@mmf@prepare}
8153 \bidi@ensure@newcommand{\@preamthreefmt}{%
8154 \hspace{.3\hspace}
8155 \parindent=\z@
8156 \tolerance=5000\relax

```



```

8157 \leavevmode}
8158 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
8159 \@preamthreefmt
8160 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8161 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
8162 \@preamthreefmt
8163 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8164 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
8165 \@preamthreefmt
8166 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8167 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
8168 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8169 \unvbox\@mpfootinsv@r
8170 \def\baselinestretch{\m@m@footnote@spacing}%
8171 \reset@font\foottextfont
8172 \hsize\columnwidth \@parboxrestore
8173 \protected@edef\@currentlabel{%
8174 \csname p@mpfootnote\endcsname\@thefnmark}%
8175 \color@begingroup
8176 \@threecolfootfmt{#1}%
8177 \color@endgroup}\m@m@mmf@prepare}
8178 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
8179 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8180 \unvbox\@mpfootinsv@r
8181 \def\baselinestretch{\m@m@footnote@spacing}%
8182 \reset@font\LTRfoottextfont
8183 \hsize\columnwidth \@parboxrestore
8184 \if@RTLcolumnfootnotes\beginL\fi
8185 \protected@edef\@currentlabel{%
8186 \csname p@mpfootnote\endcsname\@thefnmark}%
8187 \color@begingroup
8188 \@threecolLTRfootfmt{#1}%
8189 \color@endgroup}\m@m@mmf@prepare}
8190 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
8191 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8192 \unvbox\@mpfootinsv@r
8193 \def\baselinestretch{\m@m@footnote@spacing}%
8194 \reset@font\RTLfoottextfont
8195 \hsize\columnwidth \@parboxrestore
8196 \protected@edef\@currentlabel{%
8197 \csname p@mpfootnote\endcsname\@thefnmark}%
8198 \color@begingroup
8199 \@threecolRTLfootfmt{#1}%
8200 \color@endgroup}\m@m@mmf@prepare}
8201 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
8202 \m@make@threecolfootnotetext{#1}%
8203 \m@make@mpthreecolfootnotetext{#1}%
8204 \m@make@threecolfootfmt{#1}%
8205 \m@make@threecol@footgroup{#1}%
8206 \m@make@mpthreecol@footgroup{#1}%

```



```

8207 \m@make@footstart{#1}%
8208 \bidi@namelongdef{@footnotetext#1}##1{%
8209   \@nameuse{@threecolfootnotetext#1}##1}%
8210 \bidi@namelongdef{@mpfootnotetext#1}##1{%
8211   \@nameuse{@mpthreecolfootnotetext#1}##1}%
8212 \@namedef{@footgroup#1}{\@nameuse{@threecol@footgroup#1}}%
8213 \@namedef{@mp@footgroup#1}{\@nameuse{@mpthreecol@footgroup#1}}%
8214 \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
8215 \expandafter\count\csname footins#1\endcsname=333\relax}
8216 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
8217 \bidi@namelongdef{@threecolfootnotetext#1}##1{%
8218   \insert\@nameuse{footins#1}{%
8219     \def\baselinestretch{\m@m@footnote@spacing}%
8220     \reset@font\@nameuse{foottextfont#1}%
8221     \preamfntext
8222     \protected@edef\@currentlabel{%
8223       \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8224     \color@begingroup
8225       \@nameuse{@threecolfootfmt#1}##1}%
8226     \color@endgroup}\m@mmf@prepare}}
8227 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
8228 \bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
8229   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8230     \unvbox\@nameuse{@mpfootins#1}
8231     \def\baselinestretch{\m@m@footnote@spacing}%
8232     \reset@font\@nameuse{foottextfont#1}%
8233     \hsize\columnwidth \@parboxrestore
8234     \protected@edef\@currentlabel{%
8235       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8236     \color@begingroup
8237       \@nameuse{@threecolfootfmt#1}##1}%
8238     \color@endgroup}\m@mmf@prepare}}
8239 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
8240 \bidi@namelongdef{@threecolfootfmt#1}##1{%
8241   \@preamthreefmt
8242   {\@nameuse{footfootmark#1}\strut
8243     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8244 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
8245 \@namedef{@threecol@footgroup#1}{%
8246   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8247   \m@rigrigidbodybalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
8248 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
8249 \@namedef{@mpthreecol@footgroup#1}{%
8250   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8251   \m@rigrigidbodybalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
8252 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
8253   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8254   \let\@footnotetext\@fourcolfootnotetext
8255   \let\@LTRfootnotetext\@fourcolLTRfootnotetext
8256   \let\@RTLfootnotetext\@fourcolRTLfootnotetext

```



```

8257 \dimen\footinsv@r=4\footinsdim
8258 \count\footinsv@r=250\relax
8259 \m@make@fourcol@footgroup{v@r}%
8260 \let\@footgroupv@r\@fourcol@footgroupv@r
8261 \let\@mpfootnotetext\@mpfourcolfootnotetext
8262 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
8263 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
8264 \m@make@mpfourcol@footgroup{v@r}%
8265 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
8266 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
8267 \def\baselinestretch{\m@m@footnote@spacing}%
8268 \reset@font\foottextfont
8269 \@preamfntext
8270 \protected@edef\@currentlabel{%
8271 \csname p@footnote\endcsname\@thefnmark}%
8272 \color@begingroup
8273 \@fourcolfootfmt{#1}%
8274 \color@endgroup}%
8275 \m@mmf@prepare}
8276 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
8277 \def\baselinestretch{\m@m@footnote@spacing}%
8278 \reset@font\LTRfootttextfont
8279 \@preamfntext
8280 \protected@edef\@currentlabel{%
8281 \csname p@footnote\endcsname\@thefnmark}%
8282 \color@begingroup
8283 \@fourcolLTRfootfmt{#1}%
8284 \color@endgroup}%
8285 \m@mmf@prepare}
8286 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8287 \def\baselinestretch{\m@m@footnote@spacing}%
8288 \reset@font\RTLfootttextfont
8289 \@preamfntext
8290 \protected@edef\@currentlabel{%
8291 \csname p@footnote\endcsname\@thefnmark}%
8292 \color@begingroup
8293 \@fourcolRTLfootfmt{#1}%
8294 \color@endgroup}%
8295 \m@mmf@prepare}
8296 \bidi@ensure@newcommand{\@preamfourfmt}{%
8297 \hsize .25\hsize
8298 \parindent=\z@
8299 \tolerance=5000\relax
8300 \leavevmode}
8301 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
8302 \@preamfourfmt
8303 {\footfootmark\strut {\footttextfont #1}\strut\par}\allowbreak}
8304 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
8305 \@preamfourfmt
8306 {\footfootmark\strut {\LTRfootttextfont #1}\strut\par}\allowbreak}

```



```

8307 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
8308   \@preamfourfmt
8309   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8310 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
8311   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8312     \unvbox\@mpfootinsv@r
8313     \def\baselinestretch{\m@m@footnote@spacing}%
8314     \reset@font\foottextfont
8315     \hsize\columnwidth \@parboxrestore
8316     \protected@edef\@currentlabel{%
8317       \csname p@mpfootnote\endcsname\@thefnmark}%
8318     \color@begingroup
8319       \@fourcolfootfmt{#1}%
8320     \color@endgroup}%
8321   \m@mmf@prepare}
8322 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
8323   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8324     \unvbox\@mpfootinsv@r
8325     \def\baselinestretch{\m@m@footnote@spacing}%
8326     \reset@font\LTRfoottextfont
8327     \hsize\columnwidth \@parboxrestore
8328     \if@RTLcolumnfootnotes\beginL\fi
8329     \protected@edef\@currentlabel{%
8330       \csname p@mpfootnote\endcsname\@thefnmark}%
8331     \color@begingroup
8332       \@fourcolLTRfootfmt{#1}%
8333     \color@endgroup}%
8334   \m@mmf@prepare}
8335 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
8336   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8337     \unvbox\@mpfootinsv@r
8338     \def\baselinestretch{\m@m@footnote@spacing}%
8339     \reset@font\RTLfoottextfont
8340     \hsize\columnwidth \@parboxrestore
8341     \protected@edef\@currentlabel{%
8342       \csname p@mpfootnote\endcsname\@thefnmark}%
8343     \color@begingroup
8344       \@fourcolRTLfootfmt{#1}%
8345     \color@endgroup}%
8346   \m@mmf@prepare}
8347 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
8348   \m@make@fourcolfootnotetext{#1}%
8349   \m@make@mpfourcolfootnotetext{#1}%
8350   \m@make@fourcolfootfmt{#1}%
8351   \m@make@fourcol@footgroup{#1}%
8352   \m@make@mpfourcol@footgroup{#1}%
8353   \m@make@footstart{#1}%
8354   \bidi@namelongdef{\@footnotetext#1}##1{%
8355     \@nameuse{\@fourcolfootnotetext#1}{##1}}%
8356   \bidi@namelongdef{\@mpfootnotetext#1}##1{%

```



```

8357 \nameuse{@mpfourcolfootnotetext#1}{##1}}%
8358 \namedef{@footgroup#1}{\nameuse{@fourcol@footgroup#1}}%
8359 \namedef{mp@footgroup#1}{\nameuse{@mpfourcol@footgroup#1}}%
8360 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8361 \expandafter\count\csname footins#1\endcsname=500\relax
8362 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
8363 \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
8364 \insert\nameuse{footins#1}{%
8365 \def\baselinestretch{\m@m@footnote@spacing}%
8366 \reset@font\nameuse{foottextfont#1}%
8367 \preamfntext
8368 \protected@edef\currentlabel{%
8369 \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
8370 \color@begingroup
8371 \nameuse{@fourcolfootfmt#1}{##1}%
8372 \color@endgroup}%
8373 \m@m@prepare}}
8374 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
8375 \bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
8376 \global\setbox\nameuse{@mpfootins#1}\vbox{%
8377 \unvbox\nameuse{@mpfootins#1}
8378 \def\baselinestretch{\m@m@footnote@spacing}%
8379 \reset@font\nameuse{foottextfont#1}%
8380 \hsize\columnwidth \parboxrestore
8381 \protected@edef\currentlabel{%
8382 \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
8383 \color@begingroup
8384 \nameuse{@fourcolfootfmt#1}{##1}%
8385 \color@endgroup}\m@m@prepare}}
8386 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
8387 \namedef{@fourcolfootfmt#1}##1{%
8388 \@preamfourfmt
8389 {\nameuse{footfootmark#1}\strut
8390 {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8391 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
8392 \@namedef{@fourcol@footgroup#1}{%
8393 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8394 \m@r@rigidbalance{\nameuse{footins#1}}{4}{\splittopskip}}}%
8395 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
8396 \@namedef{@mpfourcol@footgroup#1}{%
8397 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8398 \m@r@rigidbalance{\nameuse{@mpfootins#1}}{4}{\splittopskip}}}%
8399 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
8400 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8401 \let\@footnotetext\@fivecolfootnotetext
8402 \let\@LTRfootnotetext\@fivecolLTRfootnotetext
8403 \let\@RTLfootnotetext\@fivecolRTLfootnotetext
8404 \dimen\footinsv@r=5\footinsdim
8405 \count\footinsv@r=200\relax
8406 \m@make@fivecol@footgroup{v@r}%

```



```

8407 \let\@footgroupv@r\@fivecol@footgroupv@r
8408 \let\@mpfootnotetext\@mpfivecolfootnotetext
8409 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
8410 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
8411 \m@make@mpfivecol@footgroup{v@r}%
8412 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
8413 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
8414 \def\baselinestretch{\m@m@footnote@spacing}%
8415 \reset@font\foottextfont
8416 \@preamfntext
8417 \protected@edef\@currentlabel{%
8418 \csname p@footnote\endcsname\@thefnmark}%
8419 \color@begingroup
8420 \@fivecolfootfmt{#1}%
8421 \color@endgroup}%
8422 \m@mmf@prepare}
8423 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
8424 \def\baselinestretch{\m@m@footnote@spacing}%
8425 \reset@font\LTRfoottextfont
8426 \@preamfntext
8427 \protected@edef\@currentlabel{%
8428 \csname p@footnote\endcsname\@thefnmark}%
8429 \color@begingroup
8430 \@fivecolLTRfootfmt{#1}%
8431 \color@endgroup}%
8432 \m@mmf@prepare}
8433 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8434 \def\baselinestretch{\m@m@footnote@spacing}%
8435 \reset@font\RTLfoottextfont
8436 \@preamfntext
8437 \protected@edef\@currentlabel{%
8438 \csname p@footnote\endcsname\@thefnmark}%
8439 \color@begingroup
8440 \@fivecolRTLfootfmt{#1}%
8441 \color@endgroup}%
8442 \m@mmf@prepare}
8443 \bidi@ensure@newcommand{\@preamfivefmt}{%
8444 \hspace{.2\hspace}
8445 \parindent=\z@
8446 \tolerance=5000\relax
8447 \leavevmode}
8448 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
8449 \@preamfivefmt
8450 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8451 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
8452 \@preamfivefmt
8453 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8454 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
8455 \@preamfivefmt
8456 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}

```




```

8457 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
8458   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8459     \unvbox\@mpfootinsv@r
8460     \def\baselinestretch{\m@m@footnote@spacing}%
8461     \reset@font\foottextfont
8462     \hsize\columnwidth \@parboxrestore
8463     \protected@edef\@currentlabel{%
8464       \csname p@mpfootnote\endcsname\@thefnmark}%
8465     \color@begingroup
8466     \@fivecolfootfmt{#1}%
8467     \color@endgroup}%
8468   \m@m@m@prepare}
8469 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
8470   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8471     \unvbox\@mpfootinsv@r
8472     \def\baselinestretch{\m@m@footnote@spacing}%
8473     \reset@font\LTRfoottextfont
8474     \hsize\columnwidth \@parboxrestore
8475     \if@RTLcolumnfootnotes\beginL\fi
8476     \protected@edef\@currentlabel{%
8477       \csname p@mpfootnote\endcsname\@thefnmark}%
8478     \color@begingroup
8479     \@fivecolLTRfootfmt{#1}%
8480     \color@endgroup}%
8481   \m@m@m@prepare}
8482 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
8483   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8484     \unvbox\@mpfootinsv@r
8485     \def\baselinestretch{\m@m@footnote@spacing}%
8486     \reset@font\RTLfoottextfont
8487     \hsize\columnwidth \@parboxrestore
8488     \protected@edef\@currentlabel{%
8489       \csname p@mpfootnote\endcsname\@thefnmark}%
8490     \color@begingroup
8491     \@fivecolRTLfootfmt{#1}%
8492     \color@endgroup}%
8493   \m@m@m@prepare}
8494 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
8495   \m@make@fivecolfootnotetext{#1}%
8496   \m@make@mpfivecolfootnotetext{#1}%
8497   \m@make@fivecolfootfmt{#1}%
8498   \m@make@fivecol@footgroup{#1}%
8499   \m@make@mpfivecol@footgroup{#1}%
8500   \m@make@footstart{#1}%
8501   \bidi@namelongdef{\@footnotetext#1}##1{%
8502     \nameuse{\@fivecolfootnotetext#1}{##1}}%
8503   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8504     \nameuse{\@mpfivecolfootnotetext#1}{##1}}%
8505   \namedef{\@footgroup#1}{\@nameuse{\@fivecol@footgroup#1}}%
8506   \namedef{\mp@footgroup#1}{\@nameuse{\@mpfivecol@footgroup#1}}%

```



```

8507 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8508 \expandafter\count\csname footins#1\endcsname=500\relax}
8509 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
8510 \bidi@namelongdef{\fivecolfootnotetext#1}##1{%
8511 \insert\@nameuse{footins#1}{%
8512 \def\baselinestretch{\m@m@footnote@spacing}%
8513 \reset@font\@nameuse{foottextfont#1}%
8514 \@preamfntext
8515 \protected@edef\@currentlabel{%
8516 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8517 \color@begingroup
8518 \@nameuse{@fivecolfootfmt#1}{##1}%
8519 \color@endgroup}%
8520 \m@mmf@prepare}}
8521 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
8522 \bidi@namelongdef{\mpfivecolfootnotetext#1}##1{%
8523 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8524 \unvbox\@nameuse{@mpfootins#1}
8525 \def\baselinestretch{\m@m@footnote@spacing}%
8526 \reset@font\@nameuse{foottextfont#1}%
8527 \hsize\columnwidth \@parboxrestore
8528 \protected@edef\@currentlabel{%
8529 \csname p@mpfootnote#1\endcsname \@nameuse{@thefnmark#1}}%
8530 \color@begingroup
8531 \@nameuse{@fivecolfootfmt#1}{##1}%
8532 \color@endgroup}\m@mmf@prepare}}
8533 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
8534 \@namedef{@fivecolfootfmt#1}##1{%
8535 \@preamfivefmt
8536 {\@nameuse{footfootmark#1}\strut
8537 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8538 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
8539 \@namedef{@fivecol@footgroup#1}{%
8540 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8541 \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
8542 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
8543 \@namedef{@mpfivecol@footgroup#1}{%
8544 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8545 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
8546 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
8547 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8548 \let\@footnotetext\@sixcolfootnotetext
8549 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
8550 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
8551 \dimen\footinsv@r=6\footinsdim
8552 \count\footinsv@r=166\relax
8553 \m@make@sixcol@footgroup{v@r}%
8554 \let\@footgroupv@r\@sixcol@footgroupv@r
8555 \let\@mpfootnotetext\@mpsixcolfootnotetext
8556 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext

```



```

8557 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
8558 \m@make@mpsixcol@footgroup{v@r}%
8559 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
8560 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
8561 \def\baselinestretch{\m@m@footnote@spacing}%
8562 \reset@font\foottextfont
8563 \@preamfntext
8564 \protected@edef\@currentlabel{%
8565 \csname p@footnote\endcsname\@thefnmark}%
8566 \color@begingroup
8567 \@sixcolfootfmt{#1}%
8568 \color@endgroup}%
8569 \m@m@mmf@prepare}
8570 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
8571 \def\baselinestretch{\m@m@footnote@spacing}%
8572 \reset@font\LTRfoottextfont
8573 \@preamfntext
8574 \protected@edef\@currentlabel{%
8575 \csname p@footnote\endcsname\@thefnmark}%
8576 \color@begingroup
8577 \@sixcolLTRfootfmt{#1}%
8578 \color@endgroup}%
8579 \m@m@mmf@prepare}
8580 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8581 \def\baselinestretch{\m@m@footnote@spacing}%
8582 \reset@font\RTLfoottextfont
8583 \@preamfntext
8584 \protected@edef\@currentlabel{%
8585 \csname p@footnote\endcsname\@thefnmark}%
8586 \color@begingroup
8587 \@sixcolRTLfootfmt{#1}%
8588 \color@endgroup}%
8589 \m@m@mmf@prepare}
8590 \bidi@ensure@newcommand{\@preamsixfmt}{%
8591 \hsize .16\hsize
8592 \parindent=\z@
8593 \tolerance=5000\relax
8594 \leavevmode}
8595 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
8596 \@preamsixfmt
8597 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8598 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
8599 \@preamsixfmt
8600 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8601 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
8602 \@preamsixfmt
8603 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8604 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}
8605 \global\setbox\@mpfootinsv@r\vbox{%
8606 \unvbox\@mpfootinsv@r

```



```

8607 \def\baselinestretch{\m@m@footnote@spacing}%
8608 \reset@font\foottextfont
8609 \hsize\columnwidth \@parboxrestore
8610 \protected@edef\@currentlabel{%
8611 \csname p@mpfootnote\endcsname\@thefnmark}%
8612 \color@begingroup
8613 \@sixcolfootfmt{#1}%
8614 \color@endgroup}%
8615 \m@mmf@prepare}
8616 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
8617 \global\setbox\@mpfootinsv@r\vbox{%
8618 \unvbox\@mpfootinsv@r
8619 \def\baselinestretch{\m@m@footnote@spacing}%
8620 \reset@font\LTRfoottextfont
8621 \hsize\columnwidth \@parboxrestore
8622 \ifRTLcolumnfootnotes\beginL\fi
8623 \protected@edef\@currentlabel{%
8624 \csname p@mpfootnote\endcsname\@thefnmark}%
8625 \color@begingroup
8626 \@sixcolLTRfootfmt{#1}%
8627 \color@endgroup}%
8628 \m@mmf@prepare}
8629 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
8630 \global\setbox\@mpfootinsv@r\vbox{%
8631 \unvbox\@mpfootinsv@r
8632 \def\baselinestretch{\m@m@footnote@spacing}%
8633 \reset@font\RTLfoottextfont
8634 \hsize\columnwidth \@parboxrestore
8635 \protected@edef\@currentlabel{%
8636 \csname p@mpfootnote\endcsname\@thefnmark}%
8637 \color@begingroup
8638 \@sixcolRTLfootfmt{#1}%
8639 \color@endgroup}%
8640 \m@mmf@prepare}
8641 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
8642 \m@make@sixcolfootnotetext{#1}%
8643 \m@make@mpsixcolfootnotetext{#1}%
8644 \m@make@sixcolfootfmt{#1}%
8645 \m@make@sixcol@footgroup{#1}%
8646 \m@make@mpsixcol@footgroup{#1}%
8647 \m@make@footstart{#1}%
8648 \bidi@namelongdef{\@footnotetext#1}##1{%
8649 \@nameuse{\@sixcolfootnotetext#1}##1}%
8650 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8651 \@nameuse{\@mpsixcolfootnotetext#1}##1}%
8652 \@namedef{\@footgroup#1}{\@nameuse{\@sixcol@footgroup#1}}%
8653 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpsixcol@footgroup#1}}%
8654 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8655 \expandafter\count\csname footins#1\endcsname=500\relax}
8656 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%

```



```

8657 \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
8658 \insert\@nameuse{footins#1}{%
8659 \def\baselinestretch{\m@m@footnote@spacing}%
8660 \reset@font\@nameuse{foottextfont#1}%
8661 \@preamfntext
8662 \protected@edef\@currentlabel{%
8663 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8664 \color@begingroup
8665 \@nameuse{@sixcolfootfmt#1}{##1}%
8666 \color@endgroup}%
8667 \m@m@mmf@prepare}}
8668 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
8669 \bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
8670 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8671 \unvbox\@nameuse{@mpfootins#1}
8672 \def\baselinestretch{\m@m@footnote@spacing}%
8673 \reset@font\@nameuse{foottextfont#1}%
8674 \hsize\columnwidth \@parboxrestore
8675 \protected@edef\@currentlabel{%
8676 \csname p@mpfootnote#1\endcsname \@nameuse{@thefnmark#1}}%
8677 \color@begingroup
8678 \@nameuse{@sixcolfootfmt#1}{##1}%
8679 \color@endgroup}\m@m@mmf@prepare}}
8680 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
8681 \@namedef{@sixcolfootfmt#1}##1{%
8682 \@preamsixfmt
8683 {\@nameuse{footfootmark#1}\strut
8684 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8685 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
8686 \@namedef{@sixcol@footgroup#1}{%
8687 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8688 \m@m@rigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
8689 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
8690 \@namedef{@mpsixcol@footgroup#1}{%
8691 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8692 \m@m@rigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
8693 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
8694 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8695 \let\@footnotetext\@sevendcolfootnotetext
8696 \let\@LTRfootnotetext\@sevendcolLTRfootnotetext
8697 \let\@RTLfootnotetext\@sevendcolRTLfootnotetext
8698 \dimen\footinsv@r=7\footinsdim
8699 \count\footinsv@r=142\relax
8700 \m@make@sevendcol@footgroup{v@r}%
8701 \let\@footgroupv@r\@sevendcol@footgroupv@r
8702 \let\@mpfootnotetext\@mpsevendcolfootnotetext
8703 \let\@mpLTRfootnotetext\@mpsevendcolLTRfootnotetext
8704 \let\@mpRTLfootnotetext\@mpsevendcolRTLfootnotetext
8705 \m@make@mpsevendcol@footgroup{v@r}%
8706 \let\mp@footgroupv@r\@mpsevendcol@footgroupv@r}

```



```

8707 \bidi@ensure@newcommand{\@sevendcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
8708 \def\baselinestretch{\m@m@footnote@spacing}%
8709 \reset@font\foottextfont
8710 \@preamfntext
8711 \protected@edef\@currentlabel{%
8712 \csname p@footnote\endcsname\@thefnmark}%
8713 \color@begingroup
8714 \@sevendcolfootfmt{#1}%
8715 \color@endgroup}%
8716 \m@mmf@prepare}
8717 \bidi@ensure@newcommand{\@sevendcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
8718 \def\baselinestretch{\m@m@footnote@spacing}%
8719 \reset@font\LTRfoottextfont
8720 \@preamfntext
8721 \protected@edef\@currentlabel{%
8722 \csname p@footnote\endcsname\@thefnmark}%
8723 \color@begingroup
8724 \@sevendcolLTRfootfmt{#1}%
8725 \color@endgroup}%
8726 \m@mmf@prepare}
8727 \bidi@ensure@newcommand{\@sevendcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8728 \def\baselinestretch{\m@m@footnote@spacing}%
8729 \reset@font\RTLfoottextfont
8730 \@preamfntext
8731 \protected@edef\@currentlabel{%
8732 \csname p@footnote\endcsname\@thefnmark}%
8733 \color@begingroup
8734 \@sevendcolRTLfootfmt{#1}%
8735 \color@endgroup}%
8736 \m@mmf@prepare}
8737 \bidi@ensure@newcommand{\@preamsevenfmt}{%
8738 \hspace{.142\hspace}
8739 \parindent=\z@
8740 \tolerance=5000\relax
8741 \leavevmode}
8742 \bidi@ensure@newcommand{\@sevendcolfootfmt}[1]{%
8743 \@preamsevenfmt
8744 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8745 \bidi@ensure@newcommand{\@sevendcolLTRfootfmt}[1]{%
8746 \@preamsevenfmt
8747 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8748 \bidi@ensure@newcommand{\@sevendcolRTLfootfmt}[1]{%
8749 \@preamsevenfmt
8750 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8751 \bidi@ensure@newcommand{\@mpsevendcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse%
8752 \global\setbox\@mpfootinsv@r\vbox{%
8753 \unvbox\@mpfootinsv@r
8754 \def\baselinestretch{\m@m@footnote@spacing}%
8755 \reset@font\foottextfont
8756 \hspace\columnwidth \@parboxrestore

```



```

8757 \protected@edef\@currentlabel{%
8758 \csname p@mpfootnote\endcsname\@thefnmark}%
8759 \color@begingroup
8760 \@sevenscolfootfmt{#1}%
8761 \color@endgroup}%
8762 \m@mmlf@prepare}
8763 \bidi@ensure@newcommand{\@mpsevenscolLTRfootnotetext}[1]{\@RTLfalse%
8764 \global\setbox\@mpfootinsv@r\vbox{%
8765 \unvbox\@mpfootinsv@r
8766 \def\baselinestretch{\m@m@footnote@spacing}%
8767 \reset@font\LTRfoottextfont
8768 \hsize\columnwidth \@parboxrestore
8769 \ifRTLcolumnfootnotes\beginL\fi
8770 \protected@edef\@currentlabel{%
8771 \csname p@mpfootnote\endcsname\@thefnmark}%
8772 \color@begingroup
8773 \@sevenscolLTRfootfmt{#1}%
8774 \color@endgroup}%
8775 \m@mmlf@prepare}
8776 \bidi@ensure@newcommand{\@mpsevenscolRTLfootnotetext}[1]{\@RTLtrue%
8777 \global\setbox\@mpfootinsv@r\vbox{%
8778 \unvbox\@mpfootinsv@r
8779 \def\baselinestretch{\m@m@footnote@spacing}%
8780 \reset@font\RTLfoottextfont
8781 \hsize\columnwidth \@parboxrestore
8782 \protected@edef\@currentlabel{%
8783 \csname p@mpfootnote\endcsname\@thefnmark}%
8784 \color@begingroup
8785 \@sevenscolRTLfootfmt{#1}%
8786 \color@endgroup}%
8787 \m@mmlf@prepare}
8788 \bidi@ensure@newcommand{\sevenscolumnfootstyle}[1]{%
8789 \m@make@sevenscolfootnotetext{#1}%
8790 \m@make@mpsevenscolfootnotetext{#1}%
8791 \m@make@sevenscolfootfmt{#1}%
8792 \m@make@sevenscol@footgroup{#1}%
8793 \m@make@mpsevenscol@footgroup{#1}%
8794 \m@make@footstart{#1}%
8795 \bidi@namelongdef{\@footnotetext#1}##1{%
8796 \nameuse{\@sevenscolfootnotetext#1}{##1}}%
8797 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8798 \nameuse{\@mpsevenscolfootnotetext#1}{##1}}%
8799 \@namedef{\@footgroup#1}{\@nameuse{\@sevenscol@footgroup#1}}%
8800 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpsevenscol@footgroup#1}}%
8801 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8802 \expandafter\count\csname footins#1\endcsname=500\relax}
8803 \bidi@ensure@newcommand{\m@make@sevenscolfootnotetext}[1]{%
8804 \bidi@namelongdef{\@sevenscolfootnotetext#1}##1{%
8805 \insert\@nameuse{\footins#1}{%
8806 \def\baselinestretch{\m@m@footnote@spacing}%

```




```

8807 \reset@font\@nameuse{foottextfont#1}%
8808 \@preamfntext
8809 \protected@edef\@currentlabel{%
8810 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8811 \color@begingroup
8812 \@nameuse{@sevenscolfootfmt#1}{##1}%
8813 \color@endgroup}%
8814 \m@mmf@prepare}}
8815 \bidi@ensure@newcommand{\m@make@mpsevenscolfootnotetext}[1]{%
8816 \bidi@namelongdef{\mpsevenscolfootnotetext#1}##1{%
8817 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8818 \unvbox\@nameuse{@mpfootins#1}
8819 \def\baselinestretch{\m@m@footnote@spacing}%
8820 \reset@font\@nameuse{foottextfont#1}%
8821 \hsize\columnwidth \@parboxrestore
8822 \protected@edef\@currentlabel{%
8823 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8824 \color@begingroup
8825 \@nameuse{@sevenscolfootfmt#1}{##1}%
8826 \color@endgroup}\m@mmf@prepare}}
8827 \bidi@ensure@newcommand{\m@make@sevenscolfootfmt}[1]{%
8828 \@namedef{@sevenscolfootfmt#1}##1{%
8829 \@preamsevenfmt
8830 {\@nameuse{footfootmark#1}\strut
8831 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8832 \bidi@ensure@newcommand{\m@make@sevenscol@footgroup}[1]{%
8833 \@namedef{@sevenscol@footgroup#1}{%
8834 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8835 \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}%
8836 \bidi@ensure@newcommand{\m@make@mpsevenscol@footgroup}[1]{%
8837 \@namedef{@mpsevenscol@footgroup#1}{%
8838 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8839 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}%
8840 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
8841 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8842 \let\@footnotetext\@eightcolfootnotetext
8843 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
8844 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
8845 \dimen\footinsv@r=8\footinsdim
8846 \count\footinsv@r=125\relax
8847 \m@make@eightcol@footgroup{v@r}%
8848 \let\@footgroupv@r\@eightcol@footgroupv@r
8849 \let\@mpfootnotetext\@mpeightcolfootnotetext
8850 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
8851 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
8852 \m@make@mpeightcol@footgroup{v@r}%
8853 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
8854 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8855 \def\baselinestretch{\m@m@footnote@spacing}%
8856 \reset@font\foottextfont

```




```

8857 \@preamfntext
8858 \protected@edef\@currentlabel{%
8859   \csname p@footnote\endcsname\@thefnmark}%
8860 \color@begingroup
8861   \@eightcolfootfmt{#1}%
8862 \color@endgroup}%
8863 \m@mmf@prepare}
8864 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotetext}%
8865   \def\baselinestretch{\m@m@footnote@spacing}%
8866   \reset@font\LTRfoottextfont
8867 \@preamfntext
8868 \protected@edef\@currentlabel{%
8869   \csname p@footnote\endcsname\@thefnmark}%
8870 \color@begingroup
8871   \@eightcolLTRfootfmt{#1}%
8872 \color@endgroup}%
8873 \m@mmf@prepare}
8874 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
8875   \def\baselinestretch{\m@m@footnote@spacing}%
8876   \reset@font\RTLfoottextfont
8877 \@preamfntext
8878 \protected@edef\@currentlabel{%
8879   \csname p@footnote\endcsname\@thefnmark}%
8880 \color@begingroup
8881   \@eightcolRTLfootfmt{#1}%
8882 \color@endgroup}%
8883 \m@mmf@prepare}
8884 \bidi@ensure@newcommand{\@preameightfmt}{%
8885   \hsize .125\hsize
8886   \parindent=\z@
8887   \tolerance=5000\relax
8888   \leavevmode}
8889 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
8890   \@preameightfmt
8891   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8892 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
8893   \@preameightfmt
8894   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8895 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
8896   \@preameightfmt
8897   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8898 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
8899   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8900     \unvbox\@mpfootinsv@r
8901     \def\baselinestretch{\m@m@footnote@spacing}%
8902     \reset@font\foottextfont
8903     \hsize\columnwidth \@parboxrestore
8904     \protected@edef\@currentlabel{%
8905       \csname p@mpfootnote\endcsname\@thefnmark}%
8906     \color@begingroup

```



```

8907 \eightcolfootfmt{#1}%
8908 \color@endgroup}%
8909 \m@mmf@prepare}
8910 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
8911 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8912 \unvbox\@mpfootinsv@r
8913 \def\baselinestretch{\m@m@footnote@spacing}%
8914 \reset@font\LTRfoottextfont
8915 \hsize\columnwidth \@parboxrestore
8916 \if@RTLcolumnfootnotes\beginL\fi
8917 \protected@edef\@currentlabel{%
8918 \csname p@mpfootnote\endcsname\@thefnmark}%
8919 \color@begingroup
8920 \eightcolLTRfootfmt{#1}%
8921 \color@endgroup}%
8922 \m@mmf@prepare}
8923 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
8924 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8925 \unvbox\@mpfootinsv@r
8926 \def\baselinestretch{\m@m@footnote@spacing}%
8927 \reset@font\RTLfoottextfont
8928 \hsize\columnwidth \@parboxrestore
8929 \protected@edef\@currentlabel{%
8930 \csname p@mpfootnote\endcsname\@thefnmark}%
8931 \color@begingroup
8932 \eightcolRTLfootfmt{#1}%
8933 \color@endgroup}%
8934 \m@mmf@prepare}
8935 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
8936 \m@make@eightcolfootnotetext{#1}%
8937 \m@make@mpeightcolfootnotetext{#1}%
8938 \m@make@eightcolfootfmt{#1}%
8939 \m@make@eightcol@footgroup{#1}%
8940 \m@make@mpeightcol@footgroup{#1}%
8941 \m@make@footstart{#1}%
8942 \bidi@namelongdef{\@footnotetext#1}##1{%
8943 \@nameuse{\@eightcolfootnotetext#1}{##1}}%
8944 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8945 \@nameuse{\@mpeightcolfootnotetext#1}{##1}}%
8946 \@namedef{\@footgroup#1}{\@nameuse{\@eightcol@footgroup#1}}%
8947 \@namedef{\@mp@footgroup#1}{\@nameuse{\@mpeightcol@footgroup#1}}%
8948 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8949 \expandafter\count\csname footins#1\endcsname=500\relax}
8950 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
8951 \bidi@namelongdef{\@eightcolfootnotetext#1}##1{%
8952 \insert\@nameuse{\footins#1}{%
8953 \def\baselinestretch{\m@m@footnote@spacing}%
8954 \reset@font\@nameuse{\foottextfont#1}%
8955 \preamfntext
8956 \protected@edef\@currentlabel{%

```



```

8957      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8958      \color@begingroup
8959      \@nameuse{@eightcolfootfmt#1}{##1}%
8960      \color@endgroup}%
8961      \m@mfm@prepare}}
8962 \bidi@ensure@newcommand{\m@make@heightcolfootnotetext}[1]{%
8963 \bidi@namelongdef{\m@heightcolfootnotetext#1}##1{%
8964 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8965 \unvbox\@nameuse{@mpfootins#1}
8966 \def\baselinestretch{\m@m@footnote@spacing}%
8967 \reset@font\@nameuse{foottextfont#1}%
8968 \hsize\columnwidth \parboxrestore
8969 \protected@edef\@currentlabel{%
8970 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8971 \color@begingroup
8972 \@nameuse{@eightcolfootfmt#1}{##1}%
8973 \color@endgroup}\m@mfm@prepare}}
8974 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
8975 \@namedef{@eightcolfootfmt#1}##1{%
8976 \@preameightfmt
8977 {\@nameuse{footfootmark#1}\strut
8978 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8979 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
8980 \@namedef{@eightcol@footgroup#1}{%
8981 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8982 \m@r@rigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}%
8983 \bidi@ensure@newcommand{\m@make@heightcol@footgroup}[1]{%
8984 \@namedef{@heightcol@footgroup#1}{%
8985 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8986 \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}%
8987 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
8988 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8989 \let\@footnotetext\@ninecolfootnotetext
8990 \let\@LTRfootnotetext\@ninecolLTRfootnotetext
8991 \let\@RTLfootnotetext\@ninecolRTLfootnotetext
8992 \dimen\footinsv@r=9\footinsdim
8993 \count\footinsv@r=111\relax
8994 \m@make@ninecol@footgroup{v@r}%
8995 \let\@footgroupv@r\@ninecol@footgroupv@r
8996 \let\@mpfootnotetext\@mpninecolfootnotetext
8997 \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
8998 \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
8999 \m@make@mpninecol@footgroup{v@r}%
9000 \let\mp@footgroupv@r\@mpninecol@footgroupv@r}
9001 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
9002 \def\baselinestretch{\m@m@footnote@spacing}%
9003 \reset@font\foottextfont
9004 \@preamfntext
9005 \protected@edef\@currentlabel{%
9006 \csname p@footnote\endcsname\@thefnmark}%

```



```

9007 \color@begingroup
9008 \@ninecolfootfmt{#1}%
9009 \color@endgroup}%
9010 \m@mmf@prepare}
9011 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
9012 \def\baselinestretch{\m@m@footnote@spacing}%
9013 \reset@font\LTRfoottextfont
9014 \@preamfntext
9015 \protected@edef\@currentlabel{%
9016 \csname p@footnote\endcsname\@thefnmark}%
9017 \color@begingroup
9018 \@ninecolLTRfootfmt{#1}%
9019 \color@endgroup}%
9020 \m@mmf@prepare}
9021 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9022 \def\baselinestretch{\m@m@footnote@spacing}%
9023 \reset@font\RTLfoottextfont
9024 \@preamfntext
9025 \protected@edef\@currentlabel{%
9026 \csname p@footnote\endcsname\@thefnmark}%
9027 \color@begingroup
9028 \@ninecolRTLfootfmt{#1}%
9029 \color@endgroup}%
9030 \m@mmf@prepare}
9031 \bidi@ensure@newcommand{\@preamninefmt}{%
9032 \hspace{.1\hsize}
9033 \parindent=\z@
9034 \tolerance=5000\relax
9035 \leavevmode}
9036 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
9037 \@preamninefmt
9038 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9039 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
9040 \@preamninefmt
9041 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9042 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
9043 \@preamninefmt
9044 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9045 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
9046 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9047 \unvbox\@mpfootinsv@r
9048 \def\baselinestretch{\m@m@footnote@spacing}%
9049 \reset@font\foottextfont
9050 \hspace\columnwidth \@parboxrestore
9051 \protected@edef\@currentlabel{%
9052 \csname p@mpfootnote\endcsname\@thefnmark}%
9053 \color@begingroup
9054 \@ninecolfootfmt{#1}%
9055 \color@endgroup}%
9056 \m@mmf@prepare}

```



```

9057 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
9058   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9059     \unvbox\@mpfootinsv@r
9060     \def\baselinestretch{\m@m@footnote@spacing}%
9061     \reset@font\LTRfoottextfont
9062     \hsize\columnwidth \@parboxrestore
9063     \ifRTLcolumnfootnotes\beginL\fi
9064     \protected@edef\@currentlabel{%
9065       \csname p@mpfootnote\endcsname\@thefnmark}%
9066     \color@begingroup
9067       \@ninecolLTRfootfmt{#1}%
9068     \color@endgroup}%
9069   \m@m@mmf@prepare}
9070 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
9071   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9072     \unvbox\@mpfootinsv@r
9073     \def\baselinestretch{\m@m@footnote@spacing}%
9074     \reset@font\RTLfoottextfont
9075     \hsize\columnwidth \@parboxrestore
9076     \protected@edef\@currentlabel{%
9077       \csname p@mpfootnote\endcsname\@thefnmark}%
9078     \color@begingroup
9079       \@ninecolRTLfootfmt{#1}%
9080     \color@endgroup}%
9081   \m@m@mmf@prepare}
9082 \bidi@ensure@newcommand{\@ninecolumnfootstyle}[1]{%
9083   \m@make@ninecolfootnotetext{#1}%
9084   \m@make@mpninecolfootnotetext{#1}%
9085   \m@make@ninecolfootfmt{#1}%
9086   \m@make@ninecol@footgroup{#1}%
9087   \m@make@mpninecol@footgroup{#1}%
9088   \m@make@footstart{#1}%
9089   \bidi@namelongdef{\@footnotetext#1}##1{%
9090     \@nameuse{\@ninecolfootnotetext#1}{##1}}%
9091   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
9092     \@nameuse{\@mpninecolfootnotetext#1}{##1}}%
9093   \@namedef{\@footgroup#1}{\@nameuse{\@ninecol@footgroup#1}}%
9094   \@namedef{\mp@footgroup#1}{\@nameuse{\@mpninecol@footgroup#1}}%
9095   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9096   \expandafter\count\csname footins#1\endcsname=500\relax}
9097 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
9098   \bidi@namelongdef{\@ninecolfootnotetext#1}##1{%
9099     \insert\@nameuse{\footins#1}{%
9100       \def\baselinestretch{\m@m@footnote@spacing}%
9101       \reset@font\@nameuse{\foottextfont#1}%
9102       \@preamfntext
9103       \protected@edef\@currentlabel{%
9104         \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
9105       \color@begingroup
9106         \@nameuse{\@ninecolfootfmt#1}{##1}%

```



```

g107 \color@endgroup}%
g108 \m@mmf@prepare}}
g109 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
g110 \bidi@namelongdef{\mpninecolfootnotetext#1}##1{%
g111 \global\setbox\@nameuse{\mpfootins#1}\vbox{%
g112 \unvbox\@nameuse{\mpfootins#1}
g113 \def\baselinestretch{\m@m@footnote@spacing}%
g114 \reset@font\@nameuse{\foottextfont#1}%
g115 \hsize\columnwidth \@parboxrestore
g116 \protected@edef\@currentlabel{%
g117 \csname p@mpfootnote#1\endcsname\@nameuse{\thefnmark#1}}%
g118 \color@begingroup
g119 \@nameuse{\ninecolfootfmt#1}{##1}%
g120 \color@endgroup}\m@mmf@prepare}}
g121 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
g122 \@namedef{\ninecolfootfmt#1}##1{%
g123 \@preamninefmt
g124 {\@nameuse{\footfootmark#1}\strut
g125 {\@nameuse{\foottextfont#1}##1}\strut\par}\allowbreak}}
g126 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
g127 \@namedef{\ninecol@footgroup#1}{%
g128 \@nameuse{\foottextfont#1} \splittopskip=\ht\strutbox
g129 \m@r@rigidbalance{\@nameuse{\footins#1}}{9}{\splittopskip}}}%
g130 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
g131 \@namedef{\mpninecol@footgroup#1}{%
g132 \@nameuse{\foottextfont#1} \splittopskip=\ht\strutbox
g133 \m@r@rigidbalance{\@nameuse{\mpfootins#1}}{9}{\splittopskip}}}%
g134 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
g135 \@namedef{\foottextfontv@r}{\foottextfont}% % [RS]
g136 \let\@footnotetext\@tencolfootnotetext
g137 \let\@LTRfootnotetext\@tencolLTRfootnotetext
g138 \let\@RTLfootnotetext\@tencolRTLfootnotetext
g139 \dimen\footinsv@r=10\footinsdim
g140 \count\footinsv@r=100\relax
g141 \m@make@tencol@footgroup{v@r}%
g142 \let\@footgroupv@r\@tencol@footgroupv@r
g143 \let\@mpfootnotetext\@mptencolfootnotetext
g144 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
g145 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
g146 \m@make@mptencol@footgroup{v@r}%
g147 \let\mp@footgroupv@r\@mptencol@footgroupv@r}
g148 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue}
g149 \def\baselinestretch{\m@m@footnote@spacing}%
g150 \reset@font\foottextfont
g151 \@preamfntext
g152 \protected@edef\@currentlabel{%
g153 \csname p@footnote\endcsname\@thefnmark}%
g154 \color@begingroup
g155 \@tencolfootfmt{#1}%
g156 \color@endgroup}%

```



```

g157 \m@mmf@prepare}
g158 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
g159 \def\baselinestretch{\m@m@footnote@spacing}%
g160 \reset@font\LTRfoottextfont
g161 \@preamfntext
g162 \protected@edef\@currentlabel{%
g163 \csname p@footnote\endcsname\@thefnmark}%
g164 \color@begingroup
g165 \@tencolLTRfootfmt{#1}%
g166 \color@endgroup}%
g167 \m@mmf@prepare}
g168 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
g169 \def\baselinestretch{\m@m@footnote@spacing}%
g170 \reset@font\RTLfoottextfont
g171 \@preamfntext
g172 \protected@edef\@currentlabel{%
g173 \csname p@footnote\endcsname\@thefnmark}%
g174 \color@begingroup
g175 \@tencolRTLfootfmt{#1}%
g176 \color@endgroup}%
g177 \m@mmf@prepare}
g178 \bidi@ensure@newcommand{\@preamtenfmt}{%
g179 \hsize .1\hsize
g180 \parindent=\z@
g181 \tolerance=5000\relax
g182 \leavevmode}
g183 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
g184 \@preamtenfmt
g185 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
g186 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
g187 \@preamtenfmt
g188 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
g189 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
g190 \@preamtenfmt
g191 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
g192 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
g193 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
g194 \unvbox\@mpfootinsv@r
g195 \def\baselinestretch{\m@m@footnote@spacing}%
g196 \reset@font\foottextfont
g197 \hsize\columnwidth \@parboxrestore
g198 \protected@edef\@currentlabel{%
g199 \csname p@mpfootnote\endcsname\@thefnmark}%
g200 \color@begingroup
g201 \@tencolfootfmt{#1}%
g202 \color@endgroup}%
g203 \m@mmf@prepare}
g204 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
g205 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
g206 \unvbox\@mpfootinsv@r

```



```

g207 \def\baselinestretch{\m@m@footnote@spacing}%
g208 \reset@font\LTRfoottextfont
g209 \hsize\columnwidth \@parboxrestore
g210 \if@RTLcolumnfootnotes\beginL\fi
g211 \protected@edef\@currentlabel{%
g212 \csname p@mpfootnote\endcsname\@thefnmark}%
g213 \color@begingroup
g214 \@tencolLTRfootfmt{#1}%
g215 \color@endgroup}%
g216 \m@mmf@prepare}
g217 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
g218 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
g219 \unvbox\@mpfootinsv@r
g220 \def\baselinestretch{\m@m@footnote@spacing}%
g221 \reset@font\RTLfoottextfont
g222 \hsize\columnwidth \@parboxrestore
g223 \protected@edef\@currentlabel{%
g224 \csname p@mpfootnote\endcsname\@thefnmark}%
g225 \color@begingroup
g226 \@tencolRTLfootfmt{#1}%
g227 \color@endgroup}%
g228 \m@mmf@prepare}
g229 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
g230 \m@make@tencolfootnotetext{#1}%
g231 \m@make@mptencolfootnotetext{#1}%
g232 \m@make@tencolfootfmt{#1}%
g233 \m@make@tencol@footgroup{#1}%
g234 \m@make@mptencol@footgroup{#1}%
g235 \m@make@footstart{#1}%
g236 \bidi@namelongdef{\@footnotetext#1}##1{%
g237 \@nameuse{\@tencolfootnotetext#1}{##1}}%
g238 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
g239 \@nameuse{\@mptencolfootnotetext#1}{##1}}%
g240 \@namedef{\@footgroup#1}{\@nameuse{\@tencol@footgroup#1}}%
g241 \@namedef{\@mp@footgroup#1}{\@nameuse{\@mptencol@footgroup#1}}%
g242 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
g243 \expandafter\count\csname footins#1\endcsname=500\relax}
g244 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
g245 \bidi@namelongdef{\@tencolfootnotetext#1}##1{%
g246 \insert\@nameuse{footins#1}{%
g247 \def\baselinestretch{\m@m@footnote@spacing}%
g248 \reset@font\@nameuse{foottextfont#1}%
g249 \@preamfntext
g250 \protected@edef\@currentlabel{%
g251 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
g252 \color@begingroup
g253 \@nameuse{\@tencolfootfmt#1}{##1}%
g254 \color@endgroup}%
g255 \m@mmf@prepare}}
g256 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%

```




```

9257 \bidi@namelongdef{@mptencolfootnotetext#1}##1{%
9258   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9259     \unvbox\@nameuse{@mpfootins#1}
9260     \def\baselinestretch{\m@m@footnote@spacing}%
9261     \reset@font\@nameuse{foottextfont#1}%
9262     \hsize\columnwidth \parboxrestore
9263     \protected@edef\@currentlabel{%
9264       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9265     \color@begingroup
9266       \@nameuse{@tencolfootfmt#1}##1}%
9267     \color@endgroup}\m@m@prepare}}
9268 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
9269   \namedef{@tencolfootfmt#1}##1{%
9270     \preamtenfmt
9271     {\@nameuse{footfootmark#1}\strut
9272       {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9273 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
9274   \namedef{@tencol@footgroup#1}{%
9275     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9276     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}%
9277 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
9278   \namedef{@mptencol@footgroup#1}{%
9279     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9280     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}%
9281 \bidi@ensure@newcommand{\m@munvxh}[1]{%
9282   \setbox0=\vbox{\unvbox#1%
9283     \global\setbox1=\lastbox}%
9284   \unhbox1
9285   \unskip
9286   \unskip
9287   \unpenalty
9288   \hskip\m@mipn@skip}%
9289 \bidi@ensure@newcommand{\m@mungebox}{%
9290   \setbox0=\hbox{\m@munvxh0}%
9291   \dp0=\z@
9292   \ht0=\footfudgefactor\wd0
9293   \box0
9294   \penalty0}%
9295 \newskip\m@mipn@skip
9296 \bidi@ensure@newcommand*{\m@minterparanoteglua}[1]{%
9297   {\foottextfont\global\m@mipn@skip=#1\relax}}
9298 \m@minterparanoteglua{1em plus.4em minus.4em}
9299 \@ifpackageloaded{multicol}{%
9300 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
9301   \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
9302   \hsize\textwidth%
9303   \setbox0=\hbox{}%
9304   \loop
9305     \unpenalty
9306     \setbox2=\lastbox

```



```

9307 \ifhbox2
9308 \setbox0=\hbox{\box2\unhbox0}
9309 \repeat}
9310 }{%
9311 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
9312 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
9313 \setbox0=\hbox{}}%
9314 \loop
9315 \unpenalty
9316 \setbox2=\lastbox
9317 \ifhbox2
9318 \setbox0=\hbox{\box2\unhbox0}
9319 \repeat}}
9320 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
9321 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
9322 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
9323 \bidi@ensure@newcommand{\paragraphfootnotes}{%
9324 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9325 \let\@footnotetext\@parafootnotetext
9326 \let\@LTRfootnotetext\@paraLTRfootnotetext
9327 \let\@RTLfootnotetext\@paraRTLfootnotetext
9328 \dimen\footinsv@r=\footinsdim
9329 \count\footinsv@r=1000\relax
9330 \m@make@para@footgroup{v@r}%
9331 \let\@footgroupv@r\@para@footgroupv@r
9332 \let\@mpfootnotetext\@mpparafootnotetext
9333 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
9334 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
9335 \m@make@mppara@footgroup{v@r}%
9336 \let\mp@footgroupv@r\@mppara@footgroupv@r
9337 {\foottextfont
9338 \dimen0=\baselineskip
9339 \multiply\dimen0 by 1024
9340 \divide\dimen0 by \hsize \multiply\dimen0 by \footfudgefiddle
9341 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
9342 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
9343 \def\baselinestretch{\m@m@footnote@spacing}%
9344 \reset@font\foottextfont
9345 \@preamfntext
9346 \protected@edef\@currentlabel{%
9347 \csname p@footnote\endcsname\@thefnmark}%
9348 \setbox0=\vbox{\hsize=\maxdimen
9349 \color@begingroup
9350 \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
9351 \color@endgroup}%
9352 \m@mungebox}\m@mmf@prepare}
9353 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
9354 \def\baselinestretch{\m@m@footnote@spacing}%
9355 \reset@font\LTRfoottextfont
9356 \@preamfntext

```



```

9357 \protected@edef\@currentlabel{%
9358   \csname p@footnote\endcsname\@thefnmark}%
9359 \setbox0=\vbox{\hsize=\maxdimen
9360   \color@begingroup
9361     \noindent \@paraLTRfootfmt{\beginL#1\endL}%
9362   \color@endgroup}%
9363 \m@mungebox}\m@mmf@prepare}
9364 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
9365   \def\baselinestretch{\m@m@footnote@spacing}%
9366   \reset@font\RTLfoottextfont
9367   \@preamfntext
9368   \protected@edef\@currentlabel{%
9369     \csname p@footnote\endcsname\@thefnmark}%
9370   \setbox0=\vbox{\hsize=\maxdimen
9371     \color@begingroup
9372       \noindent \@paraRTLfootfmt{\beginR#1\endR}%
9373     \color@endgroup}%
9374   \m@mungebox}\m@mmf@prepare}
9375 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
9376   \parindent=\z@
9377   \parfillskip=0pt \@plus 1fil
9378   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
9379 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
9380   \parindent=\z@
9381   \parfillskip=0pt \@plus 1fil
9382   {\footfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
9383 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
9384   \parindent=\z@
9385   \parfillskip=0pt \@plus 1fil
9386   {\footfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
9387 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
9388   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9389     \unvbox\@mpfootinsv@r
9390     \def\baselinestretch{\m@m@footnote@spacing}%
9391     \reset@font\foottextfont
9392     \hsize\columnwidth \@parboxrestore
9393     \protected@edef\@currentlabel{%
9394       \csname p@mpfootnote\endcsname\@thefnmark}%
9395     \setbox0=\vbox{\hsize=\maxdimen
9396       \color@begingroup
9397         \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
9398       \color@endgroup}%
9399     \m@mungebox}\m@mmf@prepare}
9400 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
9401   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9402     \unvbox\@mpfootinsv@r
9403     \def\baselinestretch{\m@m@footnote@spacing}%
9404     \reset@font\LTRfoottextfont
9405     \hsize\columnwidth \@parboxrestore
9406     \protected@edef\@currentlabel{%

```



```

9407      \csname p@mpfootnote\endcsname\@thefnmark}%
9408      \setbox0=\vbox{\hsize=\maxdimen
9409      \color@begingroup
9410      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
9411      \color@endgroup}%
9412      \m@mungebox}\m@mmf@prepare}
9413 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
9414 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9415 \unvbox\@mpfootinsv@r
9416 \def\baselinestretch{\m@m@footnote@spacing}%
9417 \reset@font\RTLfoottextfont
9418 \hsize\columnwidth \@parboxrestore
9419 \protected@edef\@currentlabel{%
9420 \csname p@mpfootnote\endcsname\@thefnmark}%
9421 \setbox0=\vbox{\hsize=\maxdimen
9422 \color@begingroup
9423 \noindent \@paraRTLfootfmt{\beginR#1\endR}%
9424 \color@endgroup}%
9425 \m@mungebox}\m@mmf@prepare}
9426 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
9427 \m@make@parafootnotetext{#1}%
9428 \m@make@mpparafootnotetext{#1}%
9429 \m@make@parafootfmt{#1}%
9430 \m@make@para@footgroup{#1}%
9431 \m@make@mppara@footgroup{#1}%
9432 \m@make@para@footstart{#1}%
9433 \bidi@namelongdef{\footnotetext#1}##1{%
9434 \@nameuse{\@parafootnotetext#1}{##1}}%
9435 \bidi@namelongdef{\mpfootnotetext#1}##1{%
9436 \@nameuse{\@mpparafootnotetext#1}{##1}}%
9437 \@namedef{\@footgroup#1}{\@nameuse{\@para@footgroup#1}}%
9438 \@namedef{\mp@footgroup#1}{\@nameuse{\@mppara@footgroup#1}}%
9439 \@namedef{\@footstart#1}{\@nameuse{\@para@footstart#1}}%
9440 \expandafter\dimen\csname footins#1\endcsname=\footinsdim
9441 \expandafter\count\csname footins#1\endcsname=1000\relax
9442 {\@nameuse{\foottextfont#1}%
9443 \dimen0=\baselineskip
9444 \multiply\dimen0 by 1024
9445 \divide\dimen0 by \hsize \multiply\dimen0 by 64
9446 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
9447 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
9448 \bidi@namelongdef{\@parafootnotetext#1}##1{%
9449 \insert\@nameuse{\footins#1}{
9450 \def\baselinestretch{\m@m@footnote@spacing}%
9451 \reset@font\@nameuse{\foottextfont#1}%
9452 \@preamfntext
9453 \protected@edef\@currentlabel{%
9454 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
9455 \setbox0=\vbox{\hsize=\maxdimen
9456 \color@begingroup

```



```

9457 \noindent \@nameuse{@parafootfmt#1}{##1}%
9458 \color@endgroup}%
9459 \m@mmungebox}\m@mmf@prepare}}
9460 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
9461 \bidi@namelongdef{@mpparafootnotetext#1}##1{%
9462 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
9463 \unvbox\@nameuse{@mpfootins#1}
9464 \def\baselinestretch{\m@m@footnote@spacing}%
9465 \reset@font\@nameuse{foottextfont#1}%
9466 \hsize\columnwidth \@parboxrestore
9467 \protected@edef\@currentlabel{%
9468 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9469 \setbox0=\vbox{\hsize=\maxdimen
9470 \color@begingroup
9471 \noindent \@nameuse{@parafootfmt#1}{##1}%
9472 \color@endgroup}%
9473 \m@mmungebox}\m@mmf@prepare}}
9474 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
9475 \bidi@namelongdef{@parafootfmt#1}##1{%
9476 \parindent=\z@
9477 \parfillskip=0pt \@plus 1fil
9478 {\@nameuse{footfootmark#1}\strut
9479 {\@nameuse{foottextfont#1}##1}\penalty-10}}
9480 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
9481 \@namedef{@para@footgroup#1}{%
9482 \unvbox\@nameuse{footins#1}
9483 \m@mmakehboxofhboxes
9484 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
9485 \@nameuse{foottextfont#1}%
9486 \noindent\unhbox0\par}}
9487 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
9488 \@namedef{@mppara@footgroup#1}{%
9489 \unvbox\@nameuse{@mpfootins#1}
9490 \m@mmakehboxofhboxes
9491 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
9492 \@nameuse{foottextfont#1}%
9493 \noindent\unhbox0\par}}
9494 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
9495 \@namedef{@para@footstart#1}{%
9496 \vskip\bigskipamount
9497 \leftskip=\z@
9498 \rightskip=\z@
9499 \parindent=\z@
9500 \vskip\skip\@nameuse{footins#1}%
9501 \footnoterule}}
9502 \bidi@ensure@newcommand*\m@m@makecolfloats}{%
9503 \xdef\@freelist{\@freelist\@midlist}%
9504 \global\let\@midlist\@empty
9505 \@combinefloats}
9506 \bidi@ensure@newcommand*\m@m@makecoltext}{%

```



```

9507 \ifvbox\@kludgeins
9508 \@makespecialcolbox
9509 \else
9510 \setbox\@outputbox \vbox to\@colht{%
9511 \@texttop
9512 \dimen@ \dp\@outputbox
9513 \unvbox \@outputbox
9514 \vskip -\dimen@
9515 \@textbottom}%
9516 \fi}
9517 \bidi@ensure@newcommand*{\m@m@makecolintro}{%
9518 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
9519 \boxmaxdepth\@maxdepth
9520 \@tempdima\dp\@cclv
9521 \unvbox\@cclv
9522 \vskip-\@tempdima
9523 \vskip \skip\footins
9524 \color@begingroup
9525 \normalcolor
9526 \footnoterule
9527 \unvbox \footins
9528 \color@endgroup}}
9529 \bidi@ensure@newcommand*{\m@mopsidebar}{%
9530 \ifvoid\sideins\else
9531 \setbox\@outputbox \vbox{%
9532 \sidecontents
9533 \unvbox\@outputbox}
9534 \fi}
9535 \gdef\mem@m@makecol{%
9536 \m@m@makecolintro
9537 \ifvoid\footins
9538 \setbox\@outputbox \box\@cclv
9539 \else
9540 \m@mopfootnote
9541 \fi
9542 \m@m@doextrafeet
9543 \m@m@makecolfloats
9544 \m@mopsidebar
9545 \m@m@makecoltext
9546 \global \maxdepth \@maxdepth}
9547 \bidi@ensure@newcommand{\feetabovelfloat}{\gdef\@makecol{\mem@m@makecol}}
9548 \feetabovelfloat%

```

7.55 extreport-xetex-bidi.def

```

9549 \ProvidesFile{extreport-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extreport class for
9550 \renewcommand*\l@part[2]{%
9551 \ifnum \c@tocdepth >-2\relax
9552 \addpenalty{-\@highpenalty}%
9553 \addvspace{2.25em \@plus\p@}%

```



```

9554 \begingroup
9555 \setlength\@tempdima{3em}%
9556 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9557 \parfillskip -\@pnumwidth
9558 {\leavevmode
9559 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9560 \nobreak
9561 \global\@nobreaktrue
9562 \everypar{\global\@nobreakfalse\everypar{}}%
9563 \endgroup
9564 \fi}
9565 \renewcommand*\l@chapter[2]{%
9566 \ifnum \c@tocdepth >\m@ne
9567 \addpenalty{-\@highpenalty}%
9568 \vskip 1.0em \@plus\p@
9569 \setlength\@tempdima{1.5em}%
9570 \begingroup
9571 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9572 \parfillskip -\@pnumwidth
9573 \leavevmode \bfseries
9574 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9575 \hskip -\if@RTL\rightskip\else\leftskip\fi
9576 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9577 \penalty\@highpenalty
9578 \endgroup
9579 \fi}
9580 \def\@makechapterhead#1{%
9581 \vspace*{50\p@}%
9582 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9583 \ifnum \c@secnumdepth >\m@ne
9584 \huge\bfseries \@chapapp\space \thechapter
9585 \par\nobreak
9586 \vskip 20\p@
9587 \fi
9588 \interlinepenalty\@M
9589 \Huge \bfseries #1\par\nobreak
9590 \vskip 40\p@
9591 }}
9592 \def\@makeschapterhead#1{%
9593 \vspace*{50\p@}%
9594 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
9595 \normalfont
9596 \interlinepenalty\@M
9597 \Huge \bfseries #1\par\nobreak
9598 \vskip 40\p@
9599 }}
9600 \renewcommand\left@footnoterule{%
9601 \kern-3\p@
9602 \hrule\@width.4\columnwidth
9603 \kern2.6\p@}

```



```

g604 \renewcommand\right@footnoterule{%
g605   \hbox to \columnwidth
g606   {\beginR \vbox{%
g607     \kern-3\p@
g608     \hrule\@width.4\columnwidth
g609     \kern2.6\p@\hfil\endR}}
g610 \renewenvironment{thebibliography}[1]
g611   {\chapter*{\bibname
g612     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
g613   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
g614   \list{\@biblabel{\@arabic\c@enumiv}}%
g615     {\settowidth\labelwidth{\@biblabel{#1}}%
g616     \leftmargin\labelwidth
g617     \advance\leftmargin\labelsep
g618     \Openbib@code
g619     \usecounter{enumiv}%
g620     \let\p@enumiv\@empty
g621     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
g622   \sloppy\clubpenalty4000\widowpenalty4000%
g623   \sfcode`.\@m}
g624   {\def\@noitemerr
g625     {\@latex@warning{Empty `thebibliography' environment}}%
g626   \endlist}
g627 \if@titlepage
g628 \renewcommand\maketitle{\begin{titlepage}%
g629 \let\footnotesize\small
g630 \let\right@footnoterule\relax
g631 \let\left@footnoterule\relax
g632 \let\textwidth\footnoterule\relax
g633 \let \footnote \thanks
g634 \null\vfil
g635 \vskip 60\p@
g636 \begin{center}%
g637   {\LARGE \@title \par}%
g638   \vskip 3em%
g639   {\large
g640     \lineskip .75em%
g641     \begin{tabular}[t]{c}%
g642       \@author
g643     \end{tabular}\par}%
g644     \vskip 1.5em%
g645     {\large \@date \par}%           % Set date in \large size.
g646 \end{center}\par
g647 \@thanks
g648 \vfil\null
g649 \end{titlepage}%
g650 \setcounter{footnote}{0}%
g651 \global\let\thanks\relax
g652 \global\let\maketitle\relax
g653 \global\let\@thanks\@empty

```




```

9654 \global\let\@author\@empty
9655 \global\let\@date\@empty
9656 \global\let\@title\@empty
9657 \global\let\title\relax
9658 \global\let\author\relax
9659 \global\let\date\relax
9660 \global\let\and\relax
9661 }
9662 \else
9663 \renewcommand\maketitle{\par
9664 \begingroup
9665 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
9666 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
9667 \long\def\@makefntext##1{\parindent 1em\noindent
9668 \hb@xt@1.8em{%
9669 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
9670 \if@twocolumn
9671 \ifnum \col@number=\@ne
9672 \@maketitle
9673 \else
9674 \twocolumn[\@maketitle]%
9675 \fi
9676 \else
9677 \newpage
9678 \global\@topnum\z@ % Prevents figures from going at top of page.
9679 \@maketitle
9680 \fi
9681 \thispagestyle{plain}\@thanks
9682 \endgroup
9683 \setcounter{footnote}{0}%
9684 \global\let\thanks\relax
9685 \global\let\maketitle\relax
9686 \global\let\@maketitle\relax
9687 \global\let\@thanks\@empty
9688 \global\let\@author\@empty
9689 \global\let\@date\@empty
9690 \global\let\@title\@empty
9691 \global\let\title\relax
9692 \global\let\author\relax
9693 \global\let\date\relax
9694 \global\let\and\relax
9695 }
9696 \def\@maketitle{%
9697 \newpage
9698 \null
9699 \vskip 2em%
9700 \begin{center}%
9701 \let \footnote \thanks
9702 {\LARGE \@title \par}%
9703 \vskip 1.5em%

```



```

9704 {\large
9705 \lineskip .5em%
9706 \begin{tabular}[t]{c}%
9707 \@author
9708 \end{tabular}\par}%
9709 \vskip 1em%
9710 {\large \@date}%
9711 \end{center}%
9712 \par
9713 \vskip 1.5em}
9714 \fi
9715 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
9716 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9717 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9718 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9719 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
9720 \renewcommand\theequation{%
9721 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9722 \renewcommand\thefigure{%
9723 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9724 \renewcommand\thetable{%
9725 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}

```

7.56 fancybox-xetex-bidi.def

```

9726 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package for
9727 \def\fancy@@oval#1#2#3{%
9728 \boxmaxdepth \maxdimen
9729 \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
9730 \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
9731 \@ovxx#1\relax
9732 \advance\@ovxx-\@wholewidth
9733 \@ovyy#2\relax
9734 \advance\@ovyy-\@wholewidth
9735 \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \@ovxx\else \@ovyy \fi
9736 \advance\@tempdimb-2\p@
9737 \ifdim\@tempdimb>\the@cornersize\relax
9738 \@tempdimb=\the@cornersize
9739 \fi
9740 \@getcirc\@tempdimb
9741 \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
9742 \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
9743 \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
9744 \@circlefnt
9745 \setbox\@tempboxa\hbox{\beginL%
9746 \if@ovr \@ovvert32\kern -\@tempdima \fi
9747 \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
9748 \if@ovt \@ovhorz \kern -\@ovxx \fi
9749 \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
9750 \advance\@ovdx\@ovro

```



```

9751 \advance\@ovdy\@ovro
9752 \advance\@ovxx\@wholewidth
9753 \wd\@tempboxa=\@ovxx
9754 \dp\@tempboxa=\z@}

```

7.57 fancyhdr-xetex-bidi.def

```

9755 \ProvidesFile{fancyhdr-xetex-bidi.def}[2012/04/18 v0.4 bidi adaptations for fancyhdr package for
9756 \let\fnch@everypar\everypar%
9757 \def\@fancyhead#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hbox
9758 \@fancyvbox\headheight{\hbox
9759 {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@RTLma
9760 \parbox[b]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\else
9761 \llap{\parbox[b]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLma
9762 \def\@fancyfoot#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hbox
9763 \@fancyvbox\footskip{\footrule
9764 \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@
9765 \parbox[t]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\els
9766 \llap{\parbox[t]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLma

```

7.58 fix2col-xetex-bidi.def

```

9767 \ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package for X
9768 \def\RTL\outputdblcol{%
9769 \if@firstcolumn
9770 \global\@firstcolumnfalse
9771 \global\setbox\@leftcolumn\copy\@outputbox
9772 \splitmaxdepth\maxdimen
9773 \vbadness\maxdimen
9774 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
9775 \toks@\expandafter{\topmark}%
9776 \xdef\@firstcoltopmark{\the\toks@}%
9777 \toks@\expandafter{\splitfirstmark}%
9778 \xdef\@firstcolfirstmark{\the\toks@}%
9779 \ifx\@firstcolfirstmark\@empty
9780 \global\let\@setmarks\relax
9781 \else
9782 \gdef\@setmarks{%
9783 \let\firstmark\@firstcolfirstmark
9784 \let\topmark\@firstcoltopmark}%
9785 \fi
9786 \else \global\@firstcolumntrue
9787 \setbox\@outputbox \vbox {\hbox to\textwidth {%
9788 \hskip \columnwidth
9789 \hfil \vrule width\columnseprule \hfil
9790 \hbox to\columnwidth {\box\@leftcolumn \hss}%
9791 \hskip -\textwidth
9792 \hbox to\columnwidth{\box\@outputbox \hss}%
9793 \hskip \columnsep
9794 \hskip \columnwidth }}%
9795 \@combinedblfloats \@setmarks \@outputpage

```



```

9796 \begingroup \@dblfloatplacement \@startdblcolumn
9797 \@whilesw\if@fcolmade \fi
9798 {\@outputpage \@startdblcolumn }\endgroup
9799 \fi}
9800 \def\LTR@outputdblcol{%
9801   \if@firstcolumn
9802     \global\@firstcolumnfalse
9803     \global\setbox\@leftcolumn\copy\@outputbox
9804     \splitmaxdepth\maxdimen
9805     \vbadness\maxdimen
9806     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
9807     \toks@\expandafter{\topmark}%
9808     \xdef\@firstcoltopmark{\the\toks@}%
9809     \toks@\expandafter{\splitfirstmark}%
9810     \xdef\@firstcolfirstmark{\the\toks@}%
9811     \ifx\@firstcolfirstmark\@empty
9812       \global\let\@setmarks\relax
9813     \else
9814       \gdef\@setmarks{%
9815         \let\firstmark\@firstcolfirstmark
9816         \let\topmark\@firstcoltopmark}%
9817     \fi
9818   \else
9819     \global\@firstcolumntrue
9820     \setbox\@outputbox\vbox{%
9821       \hb@xt@\textwidth{%
9822         \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
9823         \hfil
9824         \vrule \@width\columnseprule
9825         \hfil
9826         \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
9827   \@combinedblfloats
9828   \@setmarks
9829   \@outputpage
9830   \begingroup
9831     \@dblfloatplacement
9832     \@startdblcolumn
9833     \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
9834   \endgroup
9835 \fi}

```

7.59 fleqn-xetex-bidi.def

```

9836 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX eng
9837 \renewcommand\[{ \relax
9838   \ifmmode\@badmath
9839   \else
9840     \begin{trivlist}%
9841       \@beginparpenalty\predisplaypenalty
9842       \endparpenalty\postdisplaypenalty

```



```

9843             \item[]\leavevmode
9844             \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
9845             \hskip\mathindent\bgroup
9846         \fi}
9847 \renewcommand\]{\relax
9848         \ifmmode
9849             \egroup $\hfil% $
9850             \endL\egroup
9851             \end{trivlist}}%
9852         \else \@badmath
9853         \fi}
9854 \renewenvironment{equation}%
9855     {\@beginparpenalty\predisplaypenalty
9856     \@endparpenalty\postdisplaypenalty
9857     \refstepcounter{equation}%
9858     \trivlist \item[]\leavevmode
9859     \hb@xt@\linewidth\bgroup\beginL $\m@th% $
9860     \displaystyle
9861     \hskip\mathindent}%
9862     {$\hfil % $
9863     \displaywidth\linewidth\hbox{\@eqnnum}}%
9864     \endL\egroup
9865     \endtrivlist}

```

7.60 float-xetex-bidi.def

```

9866 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeTeX]
9867 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
9868 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
9869 \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
9870 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]}%
9871     \expandafter\edef\csname the#1\endcsname{%
9872     \expandafter\noexpand\csname
9873     the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
9874 {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

7.61 floatrow-xetex-bidi.def

```

9875 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package for XeTeX]
9876 \renewcommand\flnew@within[1]{\@addtoreset{FB@capttype}{#1}%
9877     \expandafter\edef\csname the\FB@capttype\endcsname{%
9878     \expandafter\noexpand\csname
9879     the#1\endcsname\@SepMark\noexpand\arabic{FB@capttype}}}

```

7.62 flowfram-xetex-bidi.def

```

9880 \ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package for XeTeX]
9881 \def\@outputdblcol{%
9882 \@nxtcol=\c@thisframe
9883 \c@curpg=\c@page
9884 \@g@tnextcol{\@nxtcol}%
9885 \if@ff@nwpg % next flow frame starts on new page

```



```

9886 \global\@firstcolumntrue
9887 \@setcolbox\c@thisframe
9888 \if@specialpage
9889   \global\@specialpagefalse
9890   \@nameuse{ps@\@specialstyle}\relax
9891 \fi
9892 \if@twoside
9893   \ifodd\count\z@
9894     \let\@thehead\@oddhead
9895     \let\@thefoot\@oddfoot
9896   \else
9897     \let\@thehead\@evenhead
9898     \let\@thefoot\@evenfoot
9899   \fi
9900 \else
9901   \let\@thehead\@oddhead
9902   \let\@thefoot\@oddfoot
9903 \fi
9904 \@begindvi
9905 \@dodynamicthehead\@dodynamicthefoot
9906 \vbadness=\@M
9907 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ffdo@allframes}}%
9908 \@combinedblfloats
9909 \@outputpage
9910 \advance\c@curpg by -\c@page\relax
9911 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
9912   \setbox\@outputbox\vbox{\hbox to \textwidth{\@ffdo@allframes}}%
9913 \@outputpage}
9914 \begingroup
9915   \@dblfloatplacement
9916   \@startdblcolumn
9917   \@whilesw \if@fcolmade \fi
9918     {\@outputpage \@startdblcolumn }\endgroup
9919 \@resetst@tics
9920 \@resetdyn@mics
9921 \else % still on same page, save contents of box255
9922   \global\@firstcolumnfalse
9923   \@setcolbox\c@thisframe
9924 \fi
9925 \global\c@thisframe=\@nxtcol
9926 \@setcol{\c@thisframe}\relax
9927 \global\@colht\vsiz
9928 }
9929 \def\@outputpage{%
9930 \begingroup
9931   \let\protect\noexpand
9932   \@resetactivechars
9933   \global\let\@@if@newlist@if@newlist
9934   \global\@newlistfalse\@parboxrestore
9935   \shipout\vbox{\set@typeset@protect

```



```

9936 \aftergroup
9937 \endgroup
9938 \aftergroup
9939 \set@typeset@protect
9940 \reset@font\normalsize\normalsfcodes
9941 \let\label@gobble
9942 \let\index@gobble
9943 \let\glossary@gobble
9944 \baselineskip\z@skip
9945 \lineskip\z@skip
9946 \lineskiplimit\z@
9947 \vskip\topmargin\moveright\themargin
9948 \vbox{%
9949     \vskip\headheight
9950     \vskip\headsep
9951     \box\@outputbox
9952 }%
9953 \global\let\if@newlist\@if@newlist
9954 \stepcounter{page}%
9955 \setcounter{displayedframe}{0}%
9956 \let\firstmark\botmark}
9957
9958
9959 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{\}%
9960 \expandafter\bidicolor\ff@txtcol}}
9961
9962 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
9963 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}%
9964
9965
9966 \renewcommand*\{@docolbox}[1]{%
9967 \edef\ff@frametype{%
9968 \csname @ff@frametype@\romannumeral#1\endcsname}%
9969 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
9970 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
9971 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
9972 \@ff@setoffset{#1}%
9973 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
9974 \ifthenelse{\boolean{columnframe\romannumeral#1}}{\}%
9975 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
9976 {\csname colheight\romannumeral#1\endcsname}{%
9977 \expandafter\box\csname column\romannumeral#1\endcsname}{%
9978 \csname\ff@frametype\endcsname}%
9979 }{%
9980 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
9981 {\csname colheight\romannumeral#1\endcsname}{%
9982 \expandafter\box\csname column\romannumeral#1\endcsname}%
9983 }}}
9984 \@ifclassloaded{book}{%
9985 \renewcommand\theequation

```



```

9986 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9987 \renewcommand \thefigure
9988     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9989 \renewcommand \thetable
9990     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9991 \renewcommand \thechapter {\@arabic\c@chapter}
9992 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9993 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9994 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
9995 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
9996 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}}{}
9997 \@ifclassloaded{report}{%
9998 \renewcommand \theequation
9999     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
10000 \renewcommand \thefigure
10001     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
10002 \renewcommand \thetable
10003     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
10004 \renewcommand \thechapter {\@arabic\c@chapter}
10005 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
10006 \renewcommand \thesubsection {\thesection \@SepMark\@arabic\c@subsection}
10007 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
10008 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
10009 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}}{}
10010 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
10011 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
10012 \else
10013 #2\relax
10014 \fi}

```

7.63 footnote-xetex-bidi.def

```

10015 \ProvidesFile{footnote-xetex-bidi.def}[2013/04/26 v0.8 bidi footnote macros for XeTeX engine]
10016 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
10017 \newif\ifbidi@autofooterule
10018 \def\bidi@mpfootnoterule{\footnoterule}
10019 \newcounter{footdir@label}
10020 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
10021 \newcommand*{\footdir@write}{%
10022 \stepcounter{footdir@label}%
10023 \zref@labelbyprops{\thefootdir@label}{abspage}%
10024 }
10025 \newif\iffootdir@debug
10026 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
10027 \newtoks\footdir@toks
10028 \newcommand*{\footdir@debug}[1]{%
10029 \iffootdir@debug
10030 \typeout{\footdir #1}%
10031 \fi
10032 }

```




```

10033 \@ifpackagelater{zref-abspage}{2012/10/27}{%
10034   \newcommand*{\footdir@LeftRightElse}{%
10035     \ltx@ifundefined{footdir@the\value{zabspage}}{%
10036       \footdir@debug{abspage \the\value{zabspage}: else}%
10037       \ltx@thirdofthree
10038     }{%
10039       \if\csname footdir@the\value{zabspage}\endcsname L%
10040         \footdir@debug{abspage \the\value{zabspage}: left}%
10041         \expandafter\ltx@firstofthree
10042       \else
10043         \footdir@debug{abspage \the\value{zabspage}: right}%
10044         \expandafter\ltx@secondofthree
10045       \fi
10046     }%
10047   }%
10048 }{%
10049   \providecommand*{\c@zabspage}{\c@abspage}%
10050   \newcommand*{\footdir@LeftRightElse}{%
10051     \footdir@write
10052     \zifrefundefined{\thefootdir@label}{%
10053       \footdir@debug{abspage ??: else}%
10054       \ltx@thirdofthree
10055     }{%
10056       \edef\footdir@abspage{%
10057         \zref@extractdefault{\thefootdir@label}{abspage}{0}%
10058       }%
10059       \ltx@ifundefined{footdir@\footdir@abspage}{%
10060         \footdir@debug{\footdir@abspage: else}%
10061         \ltx@thirdofthree
10062       }{%
10063         \if\csname footdir@\footdir@abspage\endcsname L%
10064           \footdir@debug{\footdir@abspage: left}%
10065           \expandafter\ltx@firstofthree
10066         \else
10067           \footdir@debug{\footdir@abspage: right}%
10068           \expandafter\ltx@secondofthree
10069         \fi
10070       }%
10071     }%
10072   }%
10073 }
10074 \newcommand*{\footdir@fntext}[1]{%
10075   \zifrefundefined{\thefootdir@label}{%
10076     }{%
10077       \edef\footdir@name{%
10078         footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
10079       }%
10080       \@ifundefined{\footdir@name}{%
10081         \expandafter\gdef\csname\footdir@name\endcsname{#1}%
10082       }{%

```



```

10083 }%
10084 }
10085
10086 \newcommand*{\footdir@temp}[3]{%
10087 \@ifdefinable{#1}{%
10088 \let#1#2%
10089 \renewcommand{#2}[1]{%
10090 \footdir@write
10091 \footdir@fntext{#3}%
10092 \stepcounter{footdir@label}%
10093 \footdir@fntext{#3}%
10094 \footdir@toks{##1}%
10095 \footdir@toks\expandafter{%
10096 \the\expandafter\footdir@toks
10097 \expandafter
10098 \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
10099 }%
10100 \expandafter#1\expandafter{\the\footdir@toks}%
10101 }%
10102 }%
10103 }
10104
10105 \def\right@footnoterule{%
10106 \hbox to \columnwidth
10107 {\beginR \vbox{\kern -3\p@
10108 \hrule width .4\columnwidth \kern2.6\p@}\hfil\endR}}
10109 \def\left@footnoterule{%
10110 \hrule width .4\columnwidth\kern 2.6\p@}
10111 \def\textwidth@footnoterule{\kern-3\p@
10112 \hrule \@width \columnwidth \kern 2.6\p@}
10113 \def\leftfootnoterule{%
10114 \bidi@autofootnoterulefalse%
10115 \def\footnoterule{\left@footnoterule}}
10116 \let\LRfootnoterule=\leftfootnoterule
10117 \def\rightfootnoterule{%
10118 \bidi@autofootnoterulefalse%
10119 \def\footnoterule{\right@footnoterule}}
10120 \def\textwidthfootnoterule{%
10121 \bidi@autofootnoterulefalse%
10122 \def\footnoterule{\textwidth@footnoterule}}
10123
10124
10125
10126 \def\auto@footnoterule{%
10127 \footdir@LeftRightElse%
10128 \left@footnoterule%
10129 \right@footnoterule%
10130 \left@footnoterule%
10131 }
10132

```



```

10133
10134
10135 \def\autofootnoterule{%
10136 \bidi@autofootnoteruletrue%
10137 \def\footnoterule{\auto@footnoterule}%
10138 }
10139
10140 \newcommand*\SplitFootnoteRule{%
10141 \gdef\split@prev{0}
10142 \let\pagefootnoterule\footnoterule
10143 \let\mpfootnoterule\footnoterule
10144 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
10145 \def\footnoterule{\relax
10146 \ifx \@listdepth\@mplistdepth
10147 \mpfootnoterule
10148 \else
10149 \ifnum\split@prev=\z@
10150 \pagefootnoterule
10151 \else
10152 \splitfootnoterule
10153 \fi
10154 \xdef\split@prev{\the\insertpenalties}%
10155 \fi
10156 }%
10157 }
10158
10159
10160
10161
10162 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
10163 \protected@xdef\@thefnmark{\thempfn}%
10164 \@footnotemark\@RTLfootnotetext}}
10165 \def\@xRTLfootnote[#1]{%
10166 \begingroup
10167 \csname c@\@mpfn\endcsname #1\relax
10168 \unrestored@protected@xdef\@thefnmark{\thempfn}%
10169 \endgroup
10170 \@footnotemark\@RTLfootnotetext}
10171 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
10172 \protected@xdef\@thefnmark{\thempfn}%
10173 \@footnotemark\@LTRfootnotetext}}
10174 \def\@xLTRfootnote[#1]{%
10175 \begingroup
10176 \csname c@\@mpfn\endcsname #1\relax
10177 \unrestored@protected@xdef\@thefnmark{\thempfn}%
10178 \endgroup
10179 \@footnotemark\@LTRfootnotetext}
10180
10181
10182 \def\setfootnoteRL{\@RTL@footnotetrue}

```



```

10183 \def\unsetfootnoteRL{\@RTL@footnotefalse}
10184 \def\setfootnoteLR{\unsetfootnoteRL}
10185
10186 \long\def\@footnotetext#1{\insert\footins{%
10187   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10188   \reset@font\footnotesize
10189   \interlinepenalty\interfootnotelinepenalty
10190   \splittopskip\footnotesep
10191   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
10192   \hsize\columnwidth \@parboxrestore
10193   \protected@edef\@currentlabel{%
10194     \csname p@footnote\endcsname\@thefnmark
10195   }%
10196   \color@begingroup
10197     \makefnmark{%
10198       \rule\z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10199     \color@endgroup}}%
10200
10201
10202 \long\def\@RTLfootnotetext#1{\insert\footins{%
10203   \@RTLtrue%
10204   \reset@font\footnotesize
10205   \interlinepenalty\interfootnotelinepenalty
10206   \splittopskip\footnotesep
10207   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
10208   \hsize\columnwidth \@parboxrestore
10209   \protected@edef\@currentlabel{%
10210     \csname p@footnote\endcsname\@thefnmark
10211   }%
10212   \color@begingroup
10213     \makefnmark{%
10214       \rule\z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10215     \color@endgroup}}%
10216
10217 \long\def\@LTRfootnotetext#1{\insert\footins{%
10218   \@RTLfalse%
10219   \reset@font\footnotesize
10220   \interlinepenalty\interfootnotelinepenalty
10221   \splittopskip\footnotesep
10222   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
10223   \hsize\columnwidth \@parboxrestore
10224   \protected@edef\@currentlabel{%
10225     \csname p@footnote\endcsname\@thefnmark
10226   }%
10227   \color@begingroup
10228     \makefnmark{%
10229       \rule\z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10230     \color@endgroup}}%
10231
10232 \AtBeginDocument{%

```



```

10233 \if@RTL@footnote
10234   \newcommand*{\bidi@footdir@footnote}{R}
10235 \else
10236   \newcommand*{\bidi@footdir@footnote}{L}
10237 \fi%
10238 }
10239
10240 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
10241 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
10242 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
10243
10244 \long\def\@mpRTLfootnotetext#1{%
10245   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnote
10246   \global\setbox\@mpfootins\vbox{\@RTLtrue%
10247     \unvbox\@mpfootins
10248     \reset@font\footnotesize
10249     \hsize\columnwidth
10250     \@parboxrestore
10251     \protected@edef\@currentlabel
10252       {\csname p@mpfootnote\endcsname\@thefnmark}%
10253     \color@begingroup
10254     \@makefntext{%
10255       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10256     \color@endgroup}}
10257 \long\def\@mpLTRfootnotetext#1{%
10258   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnote
10259   \global\setbox\@mpfootins\vbox{\@RTLfalse%
10260     \unvbox\@mpfootins
10261     \reset@font\footnotesize
10262     \hsize\columnwidth
10263     \@parboxrestore
10264     \protected@edef\@currentlabel
10265       {\csname p@mpfootnote\endcsname\@thefnmark}%
10266     \color@begingroup
10267     \@makefntext{%
10268       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10269     \color@endgroup}}
10270 \long\def\@mpfootnotetext#1{%
10271   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule
10272   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10273     \unvbox\@mpfootins
10274     \reset@font\footnotesize
10275     \hsize\columnwidth
10276     \@parboxrestore
10277     \protected@edef\@currentlabel
10278       {\csname p@mpfootnote\endcsname\@thefnmark}%
10279     \color@begingroup
10280     \@makefntext{%
10281       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10282     \color@endgroup}}

```



```

10283 \def\@iiiminipage#1#2[#3]#4{%
10284   \leavevmode
10285   \@pboxswfalse
10286   \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
10287   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
10288   \setlength\@tempdima{#4}%
10289   \def\@mpargs{#1}{#2}{#3}{#4}}%
10290   \setbox\@tempboxa\vbox\bgroup
10291     \color@begingroup
10292     \hsize\@tempdima
10293     \textwidth\hsize \columnwidth\hsize
10294     \@parboxrestore
10295     \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
10296     \let\@footnotetext\@mpfootnotetext
10297     \let\@LTRfootnotetext\@mpLTRfootnotetext
10298     \let\@RTLfootnotetext\@mpRTLfootnotetext
10299     \let\@listdepth\@mplistdepth \@mplistdepth\z@
10300     \@minipagerestore
10301     \@setminipage}
10302 \def\endminipage{%
10303   \par
10304   \unskip
10305   \ifvoid\@mpfootins\else
10306     \vskip\skip\@mpfootins
10307     \normalcolor
10308     \bidi@mpfootnoterule
10309     \unvbox\@mpfootins
10310   \fi
10311   \@minipagefalse %% added 24 May 89
10312   \color@endgroup
10313   \egroup
10314   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
10315 \def\LTRthanks#1{\footnotemark
10316   \protected@xdef\@thanks{\@thanks
10317     \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
10318 }
10319 \def\LTRfootnotetext{%
10320   \ifnextchar [\@xLTRfootnotenext
10321     {\protected@xdef\@thefnmark{\thempfn}%
10322     \@LTRfootnotetext}}
10323 \def\@xLTRfootnotenext[#1]{%
10324   \begingroup
10325     \csname c@\@mpfn\endcsname #1\relax
10326     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10327   \endgroup
10328   \@LTRfootnotetext}
10329 \def\RTLthanks#1{\footnotemark
10330   \protected@xdef\@thanks{\@thanks
10331     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
10332 }

```



```

10333 \let\@thanks\@empty
10334 \def\RTLfootnotetext{%
10335     \ifnextchar [\@xRTLfootnotenext
10336         {\protected@xdef\@thefnmark{\thempfn}%
10337         \@RTLfootnotetext}}
10338 \def\@xRTLfootnotenext[#1]{%
10339     \begingroup
10340         \csname c@\mpfn\endcsname #1\relax
10341         \unrestored@protected@xdef\@thefnmark{\thempfn}%
10342     \endgroup
10343     \@RTLfootnotetext}
10344 \leftfootnoterule

```

7.64 framed-xetex-bidi.def

```

10345 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for XeT
10346 \renewcommand\TitleBarFrame[3][\begingroup
10347     \ifx\delimiter#1\delimiter
10348         \let\TF@conlab\@empty
10349     \else
10350         \def\TF@conlab{% continuation label
10351             \nointerlineskip
10352             \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
10353     \fi
10354     %\let\TF@savecolor\current@color
10355     \textcolor{TFFrameColor}{%
10356     \CustomFBox
10357         {\TF@Title{#2}}{\TF@conlab}%
10358         \fboxrule\fboxrule\fboxrule\fboxrule
10359         %{\let\current@color\TF@savecolor\set@color #3}%
10360         {\normalcolor #3}%
10361     }\endgroup
10362 }
10363 \renewenvironment{titled-frame}[1]{%
10364     \def\FrameCommand{\fboxsep8pt\fboxrule2pt
10365         \TitleBarFrame{\textbf{#1}}}%
10366     \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
10367         \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
10368     \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
10369         \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1} (cont)}}%
10370     \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
10371         \TitleBarFrame{\textbf{#1} (cont)}}}%
10372     \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
10373 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
10374 % could interfere with the width measurement.
10375 {\endMakeFramed}
10376 \chardef\FrameRestore=\catcode`\| % for debug
10377 \catcode`\|= \catcode`\% % (debug: insert space after backslash)
10378 \def\fb@put@frame#1#2{\relax
10379     \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi

```



```

10380 | \message{===== Entering putframe =====^^J
10381 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
10382 | \ifinner
10383 | \fb@putboxa#1%
10384 | \fb@afterframe
10385 | \else
10386 | \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
10387 | \ifdim\dimen@<2\baselineskip % Too little room on page
10388 | \message{Page has only \the\dimen@space room left; eject. }%
10389 | \eject \fb@adjheight \fb@put@frame#1#2%
10390 | \else % there's appreciable room left on the page
10391 | \fb@sizeofframe#1%
10392 | \message{\string\pagetotal=\the\pagetotal,
10393 | \string\pagegoal=\the\pagegoal,
10394 | \string\pagestretch=\the\pagestretch,
10395 | \string\pageshrink=\the\pageshrink,
10396 | \string\fb@frh=\the\fb@frh. \space}
10397 | \message{^^JBox of size \the\ht\@tempboxa\space}%
10398 | \begingroup % temporarily set \dimen@ to be...
10399 | \advance\dimen@.8\pageshrink % maximum space available on page
10400 | \advance\dimen@-\fb@frh\relax % max space available for frame's contents
10401 | %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
10402 | \expandafter\endgroup
10403 | % expand \ifdim, then restore \dimen@ to real room left on page
10404 | \ifdim\dimen@>\ht\@tempboxa % whole box does fit
10405 | \message{fits in \the\dimen@. }%
10406 | % ToDo: Change this to use vsplit anyway to capture the marks
10407 | % MERGE THIS WITH THE else CLAUSE!!!
10408 | \fb@putboxa#1%
10409 | \fb@afterframe
10410 | \else % box must be split
10411 | \message{must be split to fit in \the\dimen@. }%
10412 | % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
10413 | \fb@sizeofframe#2%
10414 | \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
10415 | \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
10416 | \kern137sp\kern-137sp\penalty-30
10417 | \unvbox\@tempboxa}%
10418 | \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
10419 | \splittopskip\the\splittopskip}%
10420 | \boxmaxdepth\z@ \splittopskip\z@
10421 | \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
10422 | % Split box here
10423 | \setbox\tw@vsplit\@tempboxa to\dimen@
10424 | \toks99\expandafter{\splitfirstmark}%
10425 | \toks98\expandafter{\splitbotmark}%
10426 | \message{Marks are: \the\toks99, \the\toks98. }%
10427 | \setbox\tw@vbox{\unvbox\tw@}% natural-sized
10428 | \message{Natural height of split box is \the\ht\tw@, leaving
10429 | \the\ht\@tempboxa\space remainder. }%

```




```

10430 % If the split-to size > (\vsize-\topskip), then set box to full size.
10431 \begingroup
10432 \advance\dimen@ \topskip
10433 \expandafter\endgroup
10434 \ifdim\dimen@>\pagegoal
10435 | \message{Frame is big -- Use up the full column. }%
10436 \dimen@ii\pagegoal
10437 \advance\dimen@ii -\topskip
10438 \advance\dimen@ii \FrameHeightAdjust\relax
10439 \else % suspect this is implemented incorrectly:
10440 % If the split-to size > feasible room_on_page, rebox it smaller.
10441 \advance\dimen@.8\pageshrink
10442 \ifdim\ht\tw@>\dimen@
10443 | \message{Box too tall; rebox it to \the\dimen@. }%
10444 \dimen@ii\dimen@
10445 \else % use natural size
10446 \dimen@ii\ht\tw@
10447 \fi
10448 \fi
10449 % Re-box contents to desired size \dimen@ii
10450 \advance\dimen@ii -\fb@frh
10451 \setbox\tw@\vbox to\dimen@ii \bgroup
10452 % remove simulated frame and page flexibility:
10453 \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
10454 \unvbox\tw@ \unpenalty\unpenalty
10455 \ifdim\lastkern=-137sp % whole box went to next page
10456 | \message{box split at beginning! }%
10457 % need work here???
10458 \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
10459 \fb@adjheight
10460 \fb@put@frame#1#2% INSERTED ???
10461 \else % Got material split off at the head
10462 \egroup \fb@resto@set
10463 \ifvoid\@tempboxa % it all fit after all
10464 | \message{box split at end! }%
10465 \setbox\@tempboxa\box\tw@
10466 \fb@putboxa#1%
10467 \fb@afterframe
10468 \else % it really did split
10469 | \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
10470 \ifdim\wd\tw@>\z@
10471 \wd\tw@\wd\@tempboxa
10472 \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
10473 \else
10474 | \message{Zero width means likely blank. Don't frame it (guess)}%
10475 \box\tw@
10476 \fi
10477 \hrule \@height\z@ \@width\hsize
10478 \eject
10479 \fb@adjheight

```



```

10480          \fb@put@frame\LastFrameCommand\MidFrameCommand
10481    \fi\fi\fi\fi\fi
10482  }
10483  \def\fb@putboxa#1{%
10484    \ifvoid\@tempboxa
10485      \PackageWarning{framed}{Boxa is void -- discard it. }%
10486    \else
10487      \message{Frame and place boxa. }%
10488      %{\showoutput\showbox\@tempboxa}%
10489      \centerline{#1{\hboxL{\box\@tempboxa}}}%
10490    \fi
10491  }
10492  \catcode`\|=\FrameRestore
10493  \def\FrameRestore{%
10494    \let\if@nobreak\iffalse
10495    \let\if@noskipsec\iffalse
10496    \let\-\@dischyph
10497    \let'\@acci\let\` \@accii\let\=\@acciii
10498    % \message{FrameRestore:
10499    %   \@totalleftmargin=\the \@totalleftmargin,
10500    %   \rightmargin=\the\rightmargin,
10501    %   \@listdepth=\the\@listdepth. }%
10502    % Test if we are in a list (or list-like paragraph)
10503    \ifnum \ifdim \@totalleftmargin>\z@ 1\fi
10504      \ifdim \rightmargin>\z@ 1\fi
10505      \ifnum \@listdepth>\z@ 1\fi 0>\z@
10506    %   \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
10507    %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
10508    %   \labelwidth=\the\labelwidth. }%
10509    \@setminipage % snug fit around the item
10510    % Now try to propagate changes of width from \hsize to list parameters.
10511    % This is deficient, but a more advanced way to indicate modification to text
10512    % dimensions is not (yet) provided; in particular, no separate left/right
10513    % adjustment.
10514    \advance\linewidth-\columnwidth \advance\linewidth\hsize
10515    \parshape\@ne \@totalleftmargin \linewidth
10516  \else % Not in list
10517    \linewidth=\hsize
10518    %\message{No list, set \string\linewidth=\the\hsize. }%
10519  \fi
10520  \sloppy
10521  }

```

7.65 ftnright-xetex-bidi.def

```

10522 \ProvidesFile{ftnright-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for ftnright package for
10523 \def\LTR@outputdblcol{\if@firstcolumn
10524   \global\@firstcolumnfalse
10525   \global\setbox\@leftcolumn\box\@outputbox
10526   \global\count\footins\@m

```



```

10527 \global\skip\footins\rcol@footinsskip
10528 \else \preparefootins
10529 \global\@firstcolumntrue
10530 \setbox\@outputbox\vbox{\hbox to\textwidth
10531   {\hbox to\columnwidth
10532     {\box\@leftcolumn\hss}}%
10533   \hfil\vrule\@width\columnseprule\hfil
10534   \hbox to\columnwidth
10535     {\box\@outputbox\hss}}}%
10536 \@combinedblfloats\@outputpage
10537 \begingroup
10538 \@dblfloatplacement\@startdblcolumn
10539 \@whiles\if@fcolmade\fi
10540   {\@outputpage\@startdblcolumn}%
10541 \endgroup
10542 \fi}
10543 \def\RTL@outputdblcol{\if@firstcolumn
10544 \global\@firstcolumnfalse
10545 \global\setbox\@leftcolumn\box\@outputbox
10546 \global\count\footins\@m
10547 \global\skip\footins\rcol@footinsskip
10548 \else \preparefootins
10549 \global\@firstcolumntrue
10550 \setbox\@outputbox\vbox{\hbox to\textwidth
10551   {\hskip \columnwidth
10552     \hfil \vrule width\columnseprule \hfil
10553     \hbox to\columnwidth
10554       {\box\@leftcolumn\hss}}%
10555   \hskip -\textwidth
10556   \hbox to\columnwidth
10557     {\box\@outputbox\hss}
10558   \hskip \columnsep
10559   \hskip \columnwidth}}}%
10560 \@combinedblfloats\@outputpage
10561 \begingroup
10562 \@dblfloatplacement\@startdblcolumn
10563 \@whiles\if@fcolmade\fi
10564   {\@outputpage\@startdblcolumn}%
10565 \endgroup
10566 \fi}
10567 \let\leftfootnoterule\@empty
10568 \let\rightfootnoterule\@empty
10569 \let\textwidthfootnoterule\@empty
10570 \let\autofootnoterule\@empty
10571 \let\footnoterule\@empty
10572 \long\def\@makefntext#1{\parindent 1em
10573   \noindent\hbox to 2em{}}%
10574   \llap{\@thefnmark\hbox{.}\,\,\,}#1}

```



7.66 graphicx-xetex-bidi.def

```

10575 \ProvidesFile{graphicx-xetex-bidi.def}[2012/01/01 v0.4 bidi adaptations for graphicx package for
10576 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
10577   \Grot@setangle{#1}%
10578   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\endR\fi}%
10579   \Grot@x\z@
10580   \Grot@y\z@
10581   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
10582 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
10583   \leavevmode
10584   \def\Gscale@x{#1}\def\Gscale@y{#2}%
10585   \setbox\z@\hbox{{#3}}%
10586   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
10587   \ifdim#2\p<\z@
10588     \ht\tw@-#2\dp\z@
10589     \dp\tw@-#2\ht\z@
10590   \else
10591     \ht\tw@#2\ht\z@
10592     \dp\tw@#2\dp\z@
10593   \fi
10594   \ifdim#1\p<\z@
10595     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
10596   \else
10597     \wd\tw@#1\wd\z@
10598     \box\tw@
10599   \fi\ifmmode\else\if@RTL\endL\fi\fi}
10600 \def\Gin@iii[#1,#2][#3,#4]#5{%
10601   \begingroup
10602   \ifmmode\else\if@RTL\beginL\fi\fi
10603   \Gin@bboxtrue
10604   \Gin@defaultbp\Gin@llx{#1}%
10605   \Gin@defaultbp\Gin@lly{#2}%
10606   \Gin@defaultbp\Gin@urx{#3}%
10607   \Gin@defaultbp\Gin@ury{#4}%
10608   \Gin@include@graphics{#5}%
10609   \ifmmode\else\if@RTL\endL\fi\fi
10610   \endgroup}
10611 \def\Gin@ii[#1]#2{%
10612   \def\@tempa{[]}\def\@tempb{#2}%
10613   \ifx\@tempa\@tempb
10614     \def\@tempa{\Gin@iii[#1] []}%
10615     \expandafter\@tempa
10616   \else
10617     \begingroup
10618     \ifmmode\else\if@RTL\beginL\fi\fi
10619     \@tempswafalse
10620     \toks@{\Gin@include@graphics{#2}}%
10621     \setkeys{Gin}{#1}%
10622     \Gin@esetsize

```



```

10623     \the\toks@
10624     \ifmmode\else\if@RTL\endL\fi\fi
10625     \endgroup
10626     \fi}
10627 \def\reflectbox{\bidiGscale@box-1[1]}
10628 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
10629   \leavevmode
10630   \def\Gscale@x{#1}\def\Gscale@y{#2}%
10631   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
10632   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
10633   \ifdim#2\p<\z@
10634     \ht\tw@-#2\dp\z@
10635     \dp\tw@-#2\ht\z@
10636   \else
10637     \ht\tw@#2\ht\z@
10638     \dp\tw@#2\dp\z@
10639   \fi
10640   \ifdim#1\p<\z@
10641     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
10642   \else
10643     \wd\tw@#1\wd\z@
10644     \box\tw@
10645   \fi\ifmmode\else\if@RTL\endL\fi\fi}
10646 \def\scalebox#1{%
10647   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}%
10648   \def\resizebox{%
10649     \leavevmode
10650     \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
10651 \def\bidiGscale@@box#1#2#3{%
10652   \let\@tempa\Gin@exclamation
10653   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
10654   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
10655   \ifx\@tempb\@tempa
10656     \ifx\@tempc\@tempa
10657       \toks@{\mbox}%
10658     \else
10659       \toks@{\bidiGscale@box@dd{#3}#1}%
10660     \fi
10661   \else
10662     \ifx\@tempc\@tempa
10663       \toks@{\bidiGscale@box@dd{#2}\width}%
10664     \else
10665       \toks@{\bidiGscale@box@ddd{#2}\width{#3}#1}%
10666     \fi
10667   \fi
10668   \the\toks@}
10669 \long\def\bidiGscale@box@dd#1#2#3{%
10670   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
10671   \setlength\@tempdima{#1}%
10672   \setlength\@tempdimb{#2}%

```



```

10673 \Gscale@div\@tempa\@tempdima\@tempdimb
10674 \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
10675 \end@tempboxa}
10676 \long\def\ bidiGscale@box@dddd#1#2#3#4#5{%
10677 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@
10678 \setlength\@tempdima{#1}%
10679 \setlength\@tempdimb{#2}%
10680 \Gscale@div\@tempa\@tempdima\@tempdimb
10681 \setlength\@tempdima{#3}%
10682 \setlength\@tempdimb{#4}%
10683 \Gscale@div\@tempb\@tempdima\@tempdimb
10684 \ifGin@iso
10685 \ifdim\@tempa\p>\@tempb\p@
10686 \let\@tempa\@tempb
10687 \else
10688 \let\@tempb\@tempa
10689 \fi
10690 \fi
10691 \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
10692 \end@tempboxa}

```

7.67 geometry-xetex-bidi.def

```

10693 \ProvidesFile{geometry-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for geometry package for X
10694 \renewcommand*\Gm@vrules@mpi}{%
10695 \if@RTLmain%
10696 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
10697 \llap{\Gm@vrule}\ignorespaces
10698 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
10699 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
10700 \else%
10701 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
10702 \hskip \textwidth\Gm@vrule\hskip \marginparsep
10703 \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
10704 \renewcommand*\Gm@vrules@mpii}{%
10705 \if@RTLmain%
10706 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
10707 \hskip \textwidth\Gm@vrule\hskip \marginparsep
10708 \llap{\Gm@vrule}\hfil\Gm@vrule}%
10709 \else%
10710 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
10711 \llap{\Gm@vrule}\ignorespaces
10712 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
10713 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
10714

```

7.68 hvfloat-xetex-bidi.def

```

10715 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for X
10716 \def\do@hvFloat[#1]#2#3{%
10717 \def\hv@shortCap{#1}

```



```

10718 \def\hv@longCap{#2}
10719 \def\hv@label{#3}
10720 %\newcommand*{\hvFloat}[5][]{%
10721 % [#1]: keyvalues
10722 % #2: type figure | table | ...
10723 % #3: float contents
10724 % [#4]: short caption
10725 % #5: caption
10726 % #6: label
10727 % \setDefault%
10728 % \def\@tempa{#1}%
10729 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
10730 \def\@tempa{90}%
10731 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
10732 \else \setlength{\hvMaxCapWidth}{\linewidth}
10733 \fi
10734 %
10735 % First we save the object in \hvObjectBox
10736 %
10737 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
10738 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
10739 \else
10740 \savebox{\hvObjectBox}{%
10741 \rotatebox{\hvSet@objectAngle}{%
10742 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
10743 \fi
10744 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
10745 %
10746 % Now we save the caption with its defined \hvCapWidth
10747 %
10748 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
10749 \else
10750 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
10751 \else
10752 \setlength{\hvCapWidth}{\hvObjectWidth}
10753 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
10754 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
10755 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
10756 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
10757 \else
10758 \setlength{\hvCapWidth}{\hvMaxCapWidth}
10759 \fi
10760 \fi
10761 \fi
10762 %
10763 % now we have the object and the caption with the right
10764 % rotated angles saved in boxes
10765 %
10766 \def\fps@figure{\hvSet@floatPos}
10767 \ifhv@nonFloat\begingroup% Start the nonfloat part

```



```

10768 \else          \begin{hv@floatType}% Start the floating environment
10769 \fi%
10770 \saveCaptionSkip% we put this space ourselves
10771 \ifx\hvSet@capAngle\hv@Width % need rotation?
10772   \sbox{\hvCaptionBox}{%
10773     \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
10774       \ifhv@nonFloat%
10775         \ifhv@onlyText#2%
10776         \else%
10777           \ifx\hv@floatType\hv@figure
10778             \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
10779           \else
10780             \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
10781           \fi
10782         \fi
10783       \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
10784     \fi%
10785   \label{#3}%
10786   \end{minipage}%
10787 }%
10788 \else%
10789   \sbox{\hvCaptionBox}{%
10790     \rotatebox{\hvSet@capAngle}{%
10791       \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
10792         \ifhv@nonFloat%
10793           \ifhv@onlyText#2%
10794           \else%
10795             \ifx\hv@floatType\hv@figure
10796               \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
10797             \else
10798               \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
10799             \fi
10800           \fi
10801         \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
10802         \fi%
10803       \label{#3}%
10804       \end{minipage}%
10805     }%
10806   }%
10807 \fi%
10808 %%
10809 \restoreCaptionSkip% save old values
10810 \ifx\hvSet@objectPos\hv@Right\@bidi@raggedleft%
10811 \else%
10812   \ifx\hvSet@objectPos\hv@Center
10813     \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
10814   \fi%
10815 \fi%
10816 %
10817 % to rotate object and caption together, we save all in another box

```




```

10818 % the caption comes first, if its on the left or the top
10819 %
10820 \savebox{\@tempboxa}{%
10821 \ifx\hvSet@capPos\hv@Left % caption on left side
10822 \if@RTL%
10823 \ifx\hvSet@capVPos\hv@Center%
10824 \ifhv@fbox
10825 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10826 \else
10827 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10828 \fi%
10829 \hspace{\hvSet@floatCapSep pt}%
10830 \ifhv@fbox
10831 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10832 \else
10833 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10834 \fi%
10835 \else%
10836 \ifx\hvSet@capVPos\hv@Top
10837 \ifhv@fbox
10838 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10839 \else
10840 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10841 \fi%
10842 \hspace{\hvSet@floatCapSep pt}%
10843 \ifhv@fbox
10844 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10845 \else
10846 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10847 \fi
10848 \else
10849 \ifhv@fbox
10850 \fbox{\usebox{\hvObjectBox}}%
10851 \else
10852 \usebox{\hvObjectBox}%
10853 \fi
10854 \hspace{\hvSet@floatCapSep pt}%
10855 \ifhv@fbox
10856 \fbox{\usebox{\hvCaptionBox}}%
10857 \else
10858 \usebox{\hvCaptionBox}%
10859 \fi%
10860 \fi%
10861 \fi%
10862 \else% not RTL
10863 \ifx\hvSet@capVPos\hv@Center%
10864 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10865 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10866 \fi%
10867 \hspace{\hvSet@floatCapSep pt}% capfloatsep

```



```

10868 \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10869 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10870 \fi%
10871 \else%
10872 \ifx\hvSet@capVPos\hv@Top % caption at top
10873 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10874 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10875 \fi
10876 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10877 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10878 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
10879 \fi%
10880 \else% caption on bottom
10881 \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
10882 \else\usebox{\hvCaptionBox}
10883 \fi%
10884 \hspace{\hvSet@floatCapSep pt}%
10885 \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
10886 \else \usebox{\hvObjectBox}
10887 \fi%
10888 \fi%
10889 \fi% end of RTL
10890 \fi%
10891 \else
10892 \ifx\hvSet@capPos\hv@Top
10893 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10894 \begin{minipage}{\wd\hvCaptionBox}
10895 \else
10896 \begin{minipage}{\wd\hvObjectBox}
10897 \fi
10898 \centering
10899 \ifhv@fbox
10900 \fbbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
10901 \fbbox{\usebox{\hvObjectBox}}
10902 \else
10903 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
10904 \usebox{\hvObjectBox}
10905 \fi%
10906 \end{minipage}
10907 \else
10908 \ifx\hvSet@capPos\hv@Bottom
10909 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10910 \begin{minipage}{\wd\hvCaptionBox}
10911 \else
10912 \begin{minipage}{\wd\hvObjectBox}
10913 \fi
10914 \centering
10915 \ifhv@fbox
10916 \fbbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
10917 \fbbox{\usebox{\hvCaptionBox}}

```



```

10918 \else
10919 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
10920 \usebox{\hvCaptionBox}
10921 \fi%
10922 \end{minipage}
10923 \else% the last option: put the caption on the right
10924 \if@RTL%
10925 \ifx\hvSet@capVPos\hv@Center%
10926 \ifhv@fbox\fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10927 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10928 \fi%
10929 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10930 \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10931 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
10932 \fi%
10933 \else%
10934 \ifx\hvSet@capVPos\hv@Top % caption at top
10935 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10936 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10937 \fi
10938 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10939 \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10940 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
10941 \fi%
10942 \else% caption on bottom
10943 \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
10944 \else\usebox{\hvCaptionBox}
10945 \fi%
10946 \hspace{\hvSet@floatCapSep pt}%
10947 \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
10948 \else \usebox{\hvObjectBox}
10949 \fi%
10950 \fi%
10951 \fi%
10952 \else% not RTL
10953 \ifx\hvSet@capVPos\hv@Center%
10954 \ifhv@fbox
10955 \fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10956 \else
10957 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10958 \fi%
10959 \hspace{\hvSet@floatCapSep pt}%
10960 \ifhv@fbox
10961 \fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10962 \else
10963 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10964 \fi%
10965 \else%
10966 \ifx\hvSet@capVPos\hv@Top
10967 \ifhv@fbox

```



```

10968 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10969 \else
10970 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10971 \fi%
10972 \hspace{\hvSet@floatCapSep pt}%
10973 \ifhv@fbox
10974 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10975 \else
10976 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10977 \fi
10978 \else
10979 \ifhv@fbox
10980 \fbox{\usebox{\hvObjectBox}}%
10981 \else
10982 \usebox{\hvObjectBox}%
10983 \fi
10984 \hspace{\hvSet@floatCapSep pt}%
10985 \ifhv@fbox
10986 \fbox{\usebox{\hvCaptionBox}}%
10987 \else
10988 \usebox{\hvCaptionBox}%
10989 \fi%
10990 \fi%
10991 \fi
10992 \fi% end of RTL
10993 \fi
10994 \fi
10995 \fi
10996 }% End savebox Object and caption
10997 %
10998 % now we rotate the object and caption, if needed
10999 %
11000 \ifx\hvSet@rotAngle\hv@Zero
11001 \usebox{\@tempboxa}
11002 \else
11003 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
11004 \fi
11005 \ifhv@nonFloat
11006 \ifx\hvSet@objectPos\hv@Center
11007 \ifhv@nonFloat
11008 \hspace{\fill}
11009 \fi
11010 \fi
11011 \endgroup% End the nonfloat part
11012 \else
11013 \end{\hv@floatType}% End the floating environment
11014 \fi
11015 }

```



7.6g hyperref-xetex-bidi.def

```

11016 \ProvidesFile{hyperref-xetex-bidi.def}[2014/11/08 v0.8 bidi adaptations for hyperref package for
11017 \AtBeginDocument{%
11018 \def\contentsline#1#2#3#4{%
11019   \ifx\#4\%
11020     \csname l@#1\endcsname{#2}{#3}%
11021   \else
11022     \ifcase\Hy@linktoc % none
11023       \csname l@#1\endcsname{#2}{#3}%
11024     \or % section
11025       \csname l@#1\endcsname{%
11026         \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
11027       }{#3}%
11028     \or % page
11029       \csname l@#1\endcsname{#2}{#3}%
11030       \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
11031     }%
11032   \else % all
11033     \csname l@#1\endcsname{%
11034       \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
11035     }{#3}%
11036     \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
11037   }%
11038   \fi
11039 \fi
11040 }
11041 \ifHy@hyperfootnotes
11042   \let\H@@footnotetext\@footnotetext
11043   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
11044   \let\HLTR@LTRfootnotetext\@LTRfootnotetext
11045   \def\@xfootnotenext[#1]{%
11046     \begingroup
11047       \csname c@\@mpfn\endcsname #1\relax
11048       \unrestored@protected@xdef\@thefnmark{\thempfn}%
11049     \endgroup
11050     \ifx\@footnotetext\@mpfootnotetext
11051       \expandafter\H@@mpfootnotetext
11052     \else
11053       \expandafter\H@@footnotetext
11054     \fi
11055   }%
11056   \def\@xRTLfootnotenext[#1]{%
11057     \begingroup
11058       \csname c@\@mpfn\endcsname #1\relax
11059       \unrestored@protected@xdef\@thefnmark{\thempfn}%
11060     \endgroup
11061     \ifx\@RTLfootnotetext\@mpRTLfootnotetext
11062       \expandafter\HRTL@mpRTLfootnotetext
11063     \else

```



```

11064     \expandafter\HRTL@RTLfootnotetext
11065     \fi
11066   }%
11067   \def\@xLTRfootnotenext[#1]{%
11068     \begingroup
11069       \csname c@\@mpfn\endcsname #1\relax
11070       \unrestored@protected@xdef\@thefnmark{\thempfn}%
11071     \endgroup
11072     \ifx\@LTRfootnotetext\@mpLTRfootnotetext
11073       \expandafter\HLTR@mpLTRfootnotetext
11074     \else
11075       \expandafter\HLTR@@LTRfootnotetext
11076     \fi
11077   }%
11078   \def\@xfootnotemark[#1]{%
11079     \begingroup
11080       \c@footnote #1\relax
11081       \unrestored@protected@xdef\@thefnmark{\thefootnote}%
11082     \endgroup
11083     \H@@footnotemark
11084   }%
11085   \let\H@@mpfootnotetext\@mpfootnotetext
11086   \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
11087   \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
11088   \long\def\@mpfootnotetext#1{%
11089     \H@@mpfootnotetext{%
11090       \ifHy@nesting
11091         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11092       \else
11093         \Hy@raisedlink{%
11094           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11095         }#1%
11096       \fi
11097     }%
11098   }%
11099   \long\def\@mpRTLfootnotetext#1{%
11100     \HRTL@mpRTLfootnotetext{%
11101       \ifHy@nesting
11102         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11103       \else
11104         \Hy@raisedlink{%
11105           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11106         }#1%
11107       \fi
11108     }%
11109   }%
11110   \long\def\@mpLTRfootnotetext#1{%
11111     \HLTR@mpLTRfootnotetext{%
11112       \ifHy@nesting
11113         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%

```



```

11114     \else
11115         \Hy@raisedlink{%
11116             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11117             }#1%
11118     \fi
11119 }%
11120}%
11121 \long\def\@footnotetext#1{%
11122 \H@@@footnotetext{%
11123     \ifHy@nesting
11124         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11125     \else
11126         \Hy@raisedlink{%
11127             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11128             }%
11129         \let\@currentHlabel\Hy@footnote@currentHlabel
11130         \let\@currentHref\Hy@footnote@currentHref
11131         \let\@currentlabelname\@empty
11132         #1%
11133     \fi
11134 }%
11135}%
11136 \long\def\@RTLfootnotetext#1{%
11137 \HRTL@@RTLfootnotetext{%
11138     \ifHy@nesting
11139         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11140     \else
11141         \Hy@raisedlink{%
11142             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11143             }%
11144         \let\@currentHlabel\Hy@footnote@currentHlabel
11145         \let\@currentHref\Hy@footnote@currentHref
11146         \let\@currentlabelname\@empty
11147         #1%
11148     \fi
11149 }%
11150}%
11151 \long\def\@LTRfootnotetext#1{%
11152 \HLTR@@@LTRfootnotetext{%
11153     \ifHy@nesting
11154         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11155     \else
11156         \Hy@raisedlink{%
11157             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11158             }%
11159         \let\@currentHlabel\Hy@footnote@currentHlabel
11160         \let\@currentHref\Hy@footnote@currentHref
11161         \let\@currentlabelname\@empty
11162         #1%
11163     \fi

```



```

11164 }%
11165 }%
11166 \def\@footnotemark{%
11167   \leavevmode
11168   \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
11169   \stepcounter{Hfootnote}%
11170   \global\let\Hy@saved@currentHlabel\@currentHlabel
11171   \global\let\Hy@saved@currentHref\@currentHref
11172   \hyper@makecurrent{Hfootnote}%
11173   \global\let\Hy@footnote@currentHlabel\@currentHlabel
11174   \global\let\Hy@footnote@currentHref\@currentHref
11175   \global\let\@currentHlabel\Hy@saved@currentHlabel
11176   \global\let\@currentHref\Hy@saved@currentHref
11177   \beginL\hyper@linkstart{link}{\Hy@footnote@currentHref}%
11178   \@makefnmark
11179   \hyper@linkend\endL
11180   \ifhmode\spacefactor\x@sf\fi
11181   \relax
11182 }%
11183 \@ifpackageloaded{tabularx}{%
11184   \let\HyOrg@TX@endtabularx\TX@endtabularx
11185   \def\Hy@tabularx@hook{%
11186     \let\@footnotetext\H@@footnotetext
11187     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
11188     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
11189     \let\@footnotemark\H@@footnotemark
11190     \let\@mpfootnotetext\H@@mpfootnotetext
11191     \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
11192     \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
11193   }%
11194   \begingroup
11195     \toks@\expandafter{\TX@endtabularx}%
11196     \xdef\Hy@gtemp{%
11197       \noexpand\Hy@tabularx@hook
11198       \the\toks@
11199     }%
11200   \endgroup
11201   \let\TX@endtabularx\Hy@gtemp
11202 }{}%
11203 \@ifpackageloaded{longtable}{%
11204   \CheckCommand*\LT@p@LTRftntext}[1]{%
11205     \edef\@tempa{%
11206       \the\LT@p@ftn
11207       \noexpand\LTRfootnotetext[\the\c@footnote]%
11208     }%
11209     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
11210   }%
11211   \long\def\LT@p@LTRftntext#1{%
11212     \edef\@tempa{%
11213       \the\LT@p@ftn

```




```

11214     \begingroup
11215     \noexpand\c@footnote=\the\c@footnote\relax
11216     \noexpand\protected@xdef\noexpand\@thefnmark{%
11217     \noexpand\thempfn
11218     }%
11219     \noexpand\Hy@LT@LTRfootnotetext{%
11220     \Hy@footnote@currentHref
11221     }%
11222     }%
11223     \global\LT@p@ftn\expandafter{%
11224     \@tempa{#1}%
11225     \endgroup
11226     }%
11227     }%
11228     \long\def\Hy@LT@LTRfootnotetext#1#2{%
11229     \HLTR@@LTRfootnotetext{%
11230     \ifHy@nesting
11231     \hyper@@anchor{#1}{#2}%
11232     \else
11233     \Hy@raisedlink{%
11234     \hyper@@anchor{#1}{\relax}%
11235     }%
11236     \def\@currentHref{#1}%
11237     \let\@currentlabelname\@empty
11238     #2%
11239     \fi
11240     }%
11241     }%
11242     \CheckCommand*{\LT@p@RTLftntext}[1]{%
11243     \edef\@tempa{%
11244     \the\LT@p@ftn
11245     \noexpand\RTLfootnotetext[\the\c@footnote]%
11246     }%
11247     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
11248     }%
11249     \long\def\LT@p@RTLftntext#1{%
11250     \edef\@tempa{%
11251     \the\LT@p@ftn
11252     \begingroup
11253     \noexpand\c@footnote=\the\c@footnote\relax
11254     \noexpand\protected@xdef\noexpand\@thefnmark{%
11255     \noexpand\thempfn
11256     }%
11257     \noexpand\Hy@LT@RTLfootnotetext{%
11258     \Hy@footnote@currentHref
11259     }%
11260     }%
11261     \global\LT@p@ftn\expandafter{%
11262     \@tempa{#1}%
11263     \endgroup

```



```

11264     }%
11265 }%
11266 \long\def\Hy@LT@RTLfootnotetext#1#2{%
11267   \HRTL@@RTLfootnotetext{%
11268     \ifHy@nesting
11269       \hyper@@anchor{#1}{#2}%
11270     \else
11271       \Hy@raisedlink{%
11272         \hyper@@anchor{#1}{\relax}%
11273       }%
11274       \def\@currentHref{#1}%
11275       \let\@currentlabelname\@empty
11276       #2%
11277     \fi
11278   }%
11279 }%
11280 }{}%
11281 \@ifpackageloaded{bidipoem}{%
11282 \long\def\bidipoem@p@ftntext#1{%
11283   \edef\@temp#1{%
11284     \the\bidipoem@p@ftn
11285     \begingroup
11286     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11287     \noexpand\protected@xdef\noexpand\@thefnmark{%
11288       \noexpand\thempfn
11289     }%
11290     \noexpand\Hy@bidipoem@footnotetext{%
11291       \Hy@footnote@currentHref
11292     }%
11293   }%
11294   \global\bidipoem@p@ftn\expandafter{%
11295     \@temp#1}%
11296   \endgroup
11297 }%
11298 }%
11299 \long\def\Hy@bidipoem@footnotetext#1#2{%
11300   \H@@footnotetext{%
11301     \ifHy@nesting
11302       \hyper@@anchor{#1}{#2}%
11303     \else
11304       \Hy@raisedlink{%
11305         \hyper@@anchor{#1}{\relax}%
11306       }%
11307       \def\@currentHref{#1}%
11308       \let\@currentlabelname\@empty
11309       #2%
11310     \fi
11311   }%
11312 }%
11313 \long\def\bidipoem@p@LTRftntext#1{%

```



```

11314 \edef\@tempxi{%
11315     \the\bidipoem@p@ftn
11316     \begingroup
11317     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11318     \noexpand\protected@xdef\noexpand\@thefnmark{%
11319         \noexpand\thempfn
11320     }%
11321     \noexpand\Hy@bidipoem@LTRfootnotetext{%
11322         \Hy@footnote@currentHref
11323     }%
11324 }%
11325 \global\bidipoem@p@ftn\expandafter{%
11326     \@tempxi{#1}%
11327 \endgroup
11328 }%
11329 }%
11330 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
11331     \HLTR@LTRfootnotetext{%
11332         \ifHy@nesting
11333             \hyper@@anchor{#1}{#2}%
11334         \else
11335             \Hy@raisedlink{%
11336                 \hyper@@anchor{#1}{\relax}%
11337             }%
11338             \def\@currentHref{#1}%
11339             \let\@currentlabelname\@empty
11340             #2%
11341         \fi
11342     }%
11343 }%
11344 \long\def\bidipoem@p@RTLftntext#1{%
11345     \edef\@tempxii{%
11346         \the\bidipoem@p@ftn
11347         \begingroup
11348         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11349         \noexpand\protected@xdef\noexpand\@thefnmark{%
11350             \noexpand\thempfn
11351         }%
11352         \noexpand\Hy@bidipoem@RTLfootnotetext{%
11353             \Hy@footnote@currentHref
11354         }%
11355     }%
11356     \global\bidipoem@p@ftn\expandafter{%
11357         \@tempxii{#1}%
11358     \endgroup
11359 }%
11360 }%
11361 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
11362     \HRTL@RTLfootnotetext{%
11363         \ifHy@nesting

```



```

11364         \hyper@@anchor{#1}{#2}%
11365     \else
11366         \Hy@raisedlink{%
11367             \hyper@@anchor{#1}{\relax}%
11368         }%
11369         \def\@currentHref{#1}%
11370         \let\@currentlabelname\@empty
11371         #2%
11372     \fi
11373 }%
11374 }%
11375 }{}%
11376 \let\HyOrg@maketitle\maketitle
11377 \def\maketitle{%
11378     \let\Hy@saved@footnotemark\@footnotemark
11379     \let\Hy@saved@footnotetext\@footnotetext
11380     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
11381     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
11382     \let\@footnotemark\H@@footnotemark
11383     \let\@footnotetext\H@@footnotetext
11384     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
11385     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
11386     \@ifnextchar[\Hy@maketitle@optarg{% ]
11387         \HyOrg@maketitle
11388         \Hy@maketitle@end
11389     }%
11390 }%
11391 \def\Hy@maketitle@optarg[#1]{%
11392     \HyOrg@maketitle[#{#1}]%
11393     \Hy@maketitle@end
11394 }%
11395 \def\Hy@maketitle@end{%
11396     \ifx\@footnotemark\H@@footnotemark
11397         \let\@footnotemark\Hy@saved@footnotemark
11398     \fi
11399     \ifx\@footnotetext\H@@footnotetext
11400         \let\@footnotetext\Hy@saved@footnotetext
11401     \fi
11402     \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
11403         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
11404     \fi
11405     \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
11406         \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
11407     \fi
11408 }%
11409 \def\realfootnote{%
11410     \@ifnextchar[\@xfootnote{%
11411         \stepcounter{\@mpfn}%
11412         \protected@xdef\@thefnmark{\thempfn}%
11413         \H@@footnotemark\H@@footnotetext

```



```

11414 }%
11415 }%
11416 \fi
11417 \def\hyper@link#1#2#3{%
11418 \ifmmode\else\beginL\fi\hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\fi%
11419 }
11420 \def\url@#1{\beginL\hyper@linkurl{\Hurl{#1}}{#1}\endL}
11421 \def\hyper@natlinkstart#1{%
11422 \Hy@backout{#1}%
11423 \beginL\hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
11424 \def\hyper@nat@current{#1}%
11425 }
11426 \def\hyper@natlinkend{%
11427 \if@RTL\endR\fi\hyper@linkend\endL
11428 }
11429 \def\hyper@natlinkbreak#1#2{%
11430 \if@RTL\endR\fi\hyper@linkend\endL#1\beginL\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
11431 }%
11432 }
11433 \begingroup
11434 \catcode`\$=6 %
11435 \catcode`\#=12 %
11436 \gdef\href@#1{\expandafter\href@split$1##\}%
11437 \gdef\href@split$1#$2#$3\\$4{%
11438 \beginL\hyper@link{#1}{#2}{\if@RTL\beginR\fi$4\if@RTL\endR\fi}\endL%
11439 \endgroup
11440 }%
11441 \endgroup
11442 \pdfstringdefDisableCommands{%
11443 \let\LRE\@firstofone
11444 \let\LR\@firstofone
11445 \let\RLE\@firstofone
11446 \let\RL\@firstofone
11447 \def\XeTeX{Xe\TeX}
11448 \def\XeLaTeX{Xe\LaTeX}
11449 }
11450 \ifpackageloaded{longtable}{%
11451 \begingroup
11452 \def\y{LT@array}%
11453 \@ifundefined{scrLT@array}{%
11454 \@ifundefined{adlLT@array}{\def\y{adlLT@array}}%
11455 }{\def\y{scrLT@array}}%
11456 \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
11457 \expandafter\endgroup
11458 \expandafter\def\y[##1]##2{%
11459 \H@refstepcounter{#1}%
11460 \hyper@makecurrent{table}%
11461 \let\Hy@LT@currentHref\@currentHref
11462 #2\@sharp####4%
11463 }%

```



```

11464 }%
11465 \expandafter\expandafter\expandafter\x\y[#{1}]{#2}\@nil
11466 \begingroup
11467 \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
11468 \endgroup
11469 \def\LT@start{%
11470 #1%
11471 \ifvoid\LT@foot#2\fi
11472 \let\@currentHref\Hy@LT@currentHref
11473 \Hy@raisedlink{%
11474 \hyper@anchorstart{\@currentHref}\hyper@anchorend
11475 }%
11476 #3%
11477 }%
11478 }%
11479 \expandafter\x\LT@start\@nil
11480 }{}

```

7.70 leqno-xetex-bidi.def

```

11481 \ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX eng
11482 \renewcommand\@eqnnum{\hb@xt@.01\p@{}}%
11483 \rlap{
11484 \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\i

```

7.71 letter-xetex-bidi.def

```

11485 \ProvidesFile{letter-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for standard letter class
11486 \renewcommand*\@opening[1]{\ifx\@empty\fromaddress
11487 \thispagestyle{firstpage}%
11488 {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
11489 \else % home address
11490 \thispagestyle{empty}%
11491 {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@{}}
11492 \fromaddress \*[2\parskip]%
11493 \@date \end{tabular}\par}%
11494 \fi
11495 \vspace{2\parskip}%
11496 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
11497 \vspace{2\parskip}%
11498 #1\par\nobreak}
11499 \renewcommand\left@footnoterule{%
11500 \kern-\p@
11501 \hrule \@width .4\columnwidth
11502 \kern .6\p@}
11503 \renewcommand\right@footnoterule{%
11504 \hbox to \columnwidth
11505 {\beginR \vbox{%
11506 \kern-\p@
11507 \hrule \@width .4\columnwidth
11508 \kern .6\p@}\hfil\endR}}

```



7.72 lettrine-xetex-bidi.def

```

11509 \ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package for
11510 \def\@lettrine[#1]#2#3{%
11511   \setcounter{L@lines}{\theDefaultLines}%
11512   \setcounter{L@depth}{\theDefaultDepth}%
11513   \renewcommand*{\L@hang}{\DefaultLhang}%
11514   \renewcommand*{\L@oversize}{\DefaultLoversize}%
11515   \renewcommand*{\L@raise}{\DefaultLraise}%
11516   \renewcommand*{\L@ante}{}%
11517   \setlength{\L@Findent}{\DefaultFindent}%
11518   \setlength{\L@Nindent}{\DefaultNindent}%
11519   \setlength{\L@slope}{\DefaultSlope}%
11520   \setlength{\L@novskip}{\DiscardVskip}%
11521   \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
11522   \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
11523   \if\DefaultOptionsFile\relax
11524   \else
11525     \begingroup
11526       \InputIfFileExists{\DefaultOptionsFile}%
11527         {}%
11528         {\PackageWarning{lettrine.sty}%
11529           {File \DefaultOptionsFile\space not found}}%
11530       }%
11531     \def\color##1##{\l@color{##1}}%
11532     \let\l@color\@gobbletwo
11533     \def\textcolor##1##{\l@textcolor{##1}}%
11534     \def\l@textcolor##1##2##3{##3}%
11535     \expandafter\ifx\csname l@#2-keys\endcsname\relax
11536       \gdef\l@LOKeys{%
11537         \else
11538         \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
11539         \fi
11540     \endgroup
11541     \def\KV@prefix{KV@L@}%
11542     \let\@tempc\relax
11543     \expandafter\KV@do\l@LOKeys,\relax,
11544     \sbox{\L@lbox}{\LettrineFont #2}%
11545     \setlength{\LettrineWidth}{\wd\L@lbox}%
11546     \def\KV@prefix{KV@L@}%
11547     \let\@tempc\relax
11548     \expandafter\KV@do\l@LOKeys,\relax,
11549     \fi
11550     \setkeys{L}{#1}%
11551     \ifL@image
11552       \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
11553     \else
11554       \sbox{\L@lbox}{\LettrineFont #2}%
11555     \fi
11556     \sbox{\L@tbox}{\LettrineTextFont{#3}}%

```



```

11557 \@tempdima=\baselineskip
11558 \ifnum\theL@lines=1
11559   \setlength{\L@first}{\ht\L@lbox}%
11560   \addtolength{\L@first}{-\ht\L@tbox}%
11561   \setlength{\L@lraise}{\z@}%
11562 \else
11563   \setlength{\L@first}{-\theL@lines\@tempdima}%
11564   \addtolength{\L@first}{\@tempdima}%
11565   \sbox{\@tempboxa}{\LettrineTextFont x}%
11566   \addtolength{\L@first}{-\ht\@tempboxa}%
11567   \setlength{\L@lraise}{-\L@raise\L@first}%
11568   \addtolength{\L@first}{\L@lraise}%
11569   \addtolength{\L@first}{\ht\L@lbox}%
11570   \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
11571   \addtolength{\L@lraise}{\@tempdima}%
11572 \fi
11573 \par
11574 \ifdim\L@first>\L@novskip
11575   \ifL@grid
11576     \@tempdima=\baselineskip
11577     \@tempdimb=\@tempdima
11578     \advance\@tempdimb by \L@novskip
11579     \@tempcnta=1
11580     \loop\ifdim\L@first>\@tempdimb
11581       \advance\@tempcnta by 1
11582       \advance\L@first by -\@tempdima
11583     \repeat
11584     \vskip\@tempcnta\baselineskip
11585   \else
11586     \vskip\L@first
11587   \fi
11588 \fi
11589 \setlength{\L@Pindent}{\wd\L@lbox}%
11590 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
11591 \settowidth{\L@first}{\L@ante}%
11592 \addtolength{\L@Pindent}{\L@first}%
11593 \addtolength{\L@Pindent}{\L@Findent}%
11594 \setlength{\L@first}{\linewidth}%
11595 \addtolength{\L@first}{-\L@Pindent}%
11596 \addtolength{\L@Nindent}{\L@Pindent}%
11597 \setlength{\L@next}{\linewidth}%
11598 \addtolength{\L@next}{-\L@Nindent}%
11599 \addtolength{\L@Pindent}{\rightmargin}%
11600 \addtolength{\L@Nindent}{\rightmargin}%
11601 \setlength{\LettrineWidth}{\wd\L@lbox}%
11602 \setlength{\LettrineHeight}{\ht\L@lbox}%
11603 \setlength{\LettrineDepth}{\dp\L@lbox}%
11604 \addtocounter{L@lines}{1}%
11605 \addtocounter{L@lines}{\the\c@L@depth}%
11606 \if@RTL\def\L@parshape{\c@L@lines Opt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@Pin

```




```

11607 \@tempcnta=\tw@
11608 \@whilenum \@tempcnta<\c@L@lines\do{%
11609   \ifRTL\edef\L@parshape{\L@parshape Opt \the\L@next}\else\edef\L@parshape{\L@parshape \the\
11610     \addtolength{\L@Nindent}{\L@slope}%
11611     \addtolength{\L@next}{-\L@slope}%
11612     \advance\@tempcnta\@ne}%
11613 \ifRTL\edef\L@parshape{\L@parshape Opt \the\linewidth}\else\edef\L@parshape{\L@parshape \rig
11614 \noindent
11615 \parshape=\L@parshape\relax
11616 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%
11617   \hskip \the\L@Findent}}%
11618 \usebox{\L@tbox}%
11619 }

```

7.73 listings-xetex-bidi.def

```

11620 \ProvidesFile{listings-xetex-bidi.def}[2015/08/23 v0.9 bidi adaptations for listings package for
11621 \lstKey{captiondirection}{textdirection}{%
11622   \lstKV@SwitchCases{#1}%
11623   {textdirection&\\%
11624     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
11625     LTR&\chardef\bidi@lst@caption@direction\@z}%
11626   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
11627 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
11628   \@ifundefined{bidi@lst@caption@direction}{\@f}%
11629   \ifnum\bidi@lst@caption@direction=\@z%
11630     #1%
11631   \else%
11632     \ifnum\bidi@lst@caption@direction=\@ne%
11633       #2%
11634     \fi%
11635   \fi%
11636 }}
11637 \long\def\bidi@lst@makecaption#1#2{%
11638   \vskip\abovecaptionskip
11639   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
11640   \sbox\@tempboxa{%
11641     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
11642     #1: #2%
11643     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
11644   }%
11645   \ifdim \wd\@tempboxa >\hsize
11646     #1: #2\par
11647   \else
11648     \global \@minipagefalse
11649     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
11650   \fi
11651   \vskip\belowcaptionskip}%
11652 \def\lst@makecaption{\@bidi@lst@makecaption}
11653 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}

```



```

11654 \bidi@patchcmd{\lst@MakeCaption}{%
11655     \ifx #1t%
11656         \ifx\lst@caption\@empty\expandafter\lst@HRefStepCounter \else
11657             \expandafter\refstepcounter
11658         \fi {lstlisting}%
11659 }{%
11660     \ifx #1t%
11661         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
11662         \ifx\lst@caption\@empty\expandafter\lst@HRefStepCounter \else
11663             \expandafter\refstepcounter
11664         \fi {lstlisting}%
11665         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
11666 }{}{}
11667 \bidi@patchcmd{\lst@MakeCaption}{%
11668     \addcontentsline{lol}{lstlisting}%
11669     {\protect\numberline{\thelstlisting}\lst@caption}%
11670 }{%
11671 \begingroup%
11672     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
11673     \addcontentsline{lol}{lstlisting}%
11674     {\protect\numberline{\thelstlisting}\lst@caption}%
11675 \endgroup%
11676 }{}{}
11677 \AtBeginDocument{%
11678 \@ifundefined{captionlabelfalse}{}{%
11679     \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
11680 \@ifundefined{captionstartrue}{}{%
11681     \def\lst@maketitle{\captionstartrue\@bidi@lst@makecaption\@empty}}%
11682 }
11683 \AtBeginDocument{
11684 \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
11685 \lst@ifnumberbychapter
11686     \gdef\thelstlisting%
11687     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
11688 \else
11689     \gdef\thelstlisting{\@arabic\c@lstlisting}
11690 \fi}

```

7.74 loadingorder-xetex-bidi.def

```

11691 \ProvidesFile{loadingorder-xetex-bidi.def}[2013/05/22 v0.95 making sure that bidi is the last package loaded]
11692 \bidi@isloaded{amsmath}
11693 \bidi@isloaded{amstext}
11694 \bidi@isloaded{amsthm}
11695 \bidi@isloaded{breqn}
11696 \bidi@isloaded{cals}
11697 \bidi@isloaded{caption}
11698 \bidi@isloaded{crop}
11699 \bidi@isloaded{cuted}
11700 \bidi@isloaded{cutwin}

```



```

11701 \bidi@isloaded{color}
11702 \bidi@isloaded{dblfnote}
11703 \bidi@isloaded{xcolor}
11704 \bidi@isloaded{colortbl}
11705 \bidi@isloaded{float}
11706 \bidi@isloaded{floatrow}
11707 \bidi@isloaded{flowfram}
11708 \bidi@isloaded{framed}
11709 \bidi@isloaded{ftnright}
11710 \bidi@isloaded{xltextra}
11711 \bidi@isloaded{xunicode}
11712 \bidi@isloaded{wrapfig}
11713 \bidi@isloaded{graphicx}
11714 \bidi@isloaded{geometry}
11715 \bidi@isloaded{hvfloat}
11716 \bidi@isloaded{mdframed}
11717 \bidi@isloaded{midfloat}
11718 \bidi@isloaded{ntheorem}
11719 \bidi@isloaded{ntheorem-hyper}
11720 \bidi@isloaded{hyperref}
11721 \bidi@isloaded{fancybox}
11722 \bidi@isloaded{fancyhdr}
11723 \bidi@isloaded{fix2col}
11724 \bidi@isloaded{draftwatermark}
11725 \bidi@isloaded{empheq}
11726 \bidi@isloaded{pdfpages}
11727 \bidi@isloaded{listings}
11728 \bidi@isloaded{lettrine}
11729 \bidi@isloaded{pstricks}
11730 \bidi@isloaded{pgf}
11731 \bidi@isloaded{picinpar}
11732 \bidi@isloaded{quotchap}
11733 \bidi@isloaded{tikz}
11734 \bidi@isloaded{titlesec}
11735 \bidi@isloaded{titletoc}
11736 \bidi@isloaded{array}
11737 \bidi@isloaded{stabular}
11738 \bidi@isloaded{subfig}
11739 \bidi@isloaded{subfigure}
11740 \bidi@isloaded{supertabular}
11741 \bidi@isloaded{xtab}
11742 \bidi@isloaded{longtable}
11743 \bidi@isloaded{arydshln}
11744 \bidi@isloaded{multicol}
11745 \bidi@isloaded{multienum}
11746 \bidi@isloaded{minitoc}
11747 \bidi@isloaded{natbib}
11748 \bidi@isloaded{newfloat}
11749 \bidi@isloaded{ragged2e}
11750 \bidi@isloaded{rotating}

```



```

11751 \bidi@isloaded{tbls}
11752 \bidi@isloaded{tabulary}
11753 \bidi@isloaded{tocstyle}
11754 \bidi@isloaded{tocbibind}
11755 \bidi@isloaded{fontspec}
11756 \bidi@isloaded{arabxetex}
11757 \bidi@isloaded{polyglossia}
11758 \bidi@isloaded{fancyvrb}
11759 \AtBeginDocument{
11760   \if@bidi@amsmathloaded@ \else
11761     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package. Plea
11762     \fi%
11763     \if@bidi@amstextloaded@ \else
11764       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package. Plea
11765       \fi%
11766       \if@bidi@amsthmloaded@ \else
11767         \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package. Plea
11768         \fi%
11769         \if@bidi@breqnloaded@ \else
11770           \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package. Plea
11771           \fi%
11772           \if@bidi@calsloaded@ \else
11773             \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package. Plea
11774             \fi%
11775             \if@bidi@captionloaded@ \else
11776               \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package. Plea
11777               \fi%
11778               \if@bidi@croploaded@ \else
11779                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package. Plea
11780                 \fi%
11781                 \if@bidi@colorloaded@ \else
11782                   \@ifpackageloaded{hyperref}{\fi%
11783                   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package. Plea
11784                   \fi%
11785                   \if@bidi@cutwinloaded@ \else
11786                     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package. Plea
11787                     \fi%
11788                     \if@bidi@cutedloaded@ \else
11789                       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package. Plea
11790                       \fi%
11791                       \if@bidi@dblfnoteloaded@ \else
11792                         \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package. Plea
11793                         \fi%
11794                         \if@bidi@xcolorloaded@ \else
11795                           \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package. Plea
11796                           \fi%
11797                           \if@bidi@colortblloaded@ \else
11798                             \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package. Plea
11799                             \fi%
11800                             \if@bidi@floatloaded@ \else

```



```

11801 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package. Pl
11802 \fi%
11803 \if@bidi@floatrowloaded@else
11804 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package.
11805 \fi%
11806 \if@bidi@flowframloaded@else
11807 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package.
11808 \fi%
11809 \if@bidi@framedloaded@else
11810 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package. PL
11811 \fi%
11812 \if@bidi@ftnrightloaded@else
11813 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package.
11814 \fi%
11815 \if@bidi@xltxtraloaded@else
11816 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi package. P
11817 \fi%
11818 \if@bidi@xunicodeloaded@else
11819 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package.
11820 \fi%
11821 \if@bidi@wrapfigloaded@else
11822 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package. P
11823 \fi%
11824 \if@bidi@graphicxloaded@else
11825 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package.
11826 \fi%
11827 \if@bidi@geometryloaded@else
11828 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package.
11829 \fi%
11830 \if@bidi@hvfloatloaded@else
11831 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi package. P
11832 \fi%
11833 \if@bidi@mdframedloaded@else
11834 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi package.
11835 \fi%
11836 \if@bidi@midfloatloaded@else
11837 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi package.
11838 \fi%
11839 \if@bidi@ntheoremloaded@else
11840 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi package.
11841 \fi%
11842 \if@bidi@hyperrefloaded@else
11843 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi package.
11844 \fi%
11845 \if@bidi@fancyboxloaded@else
11846 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi package.
11847 \fi%
11848 \if@bidi@fancyhdrloaded@else
11849 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi package.
11850 \fi%

```



```

11851 \if@bidi@draftwatermarkloaded@else
11852 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi package. Please
11853 \fi%
11854 \if@bidi@empheqloaded@else
11855 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package. Please
11856 \fi%
11857 \if@bidi@pdfpagesloaded@else
11858 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi package. Please
11859 \fi%
11860 \if@bidi@lettrineloaded@else
11861 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi package. Please
11862 \fi%
11863 \if@bidi@listingsloaded@else
11864 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi package. Please
11865 \fi%
11866 \if@bidi@pstricksloaded@else
11867 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi package. Please
11868 \fi%
11869 \if@bidi@pgfloaded@else
11870 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. Please
11871 \fi%
11872 \if@bidi@picinparloaded@else
11873 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi package. Please
11874 \fi%
11875 \if@bidi@quotchaploaded@else
11876 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi package. Please
11877 \fi%
11878 \if@bidi@tikzloaded@else
11879 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package. Please
11880 \fi%
11881 \if@bidi@titlesecloaded@else
11882 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi package. Please
11883 \fi%
11884 \if@bidi@titletocloaded@else
11885 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi package. Please
11886 \fi%
11887 \if@bidi@arrayloaded@else
11888 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package. Please
11889 \fi%
11890 \if@bidi@stabularloaded@else
11891 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package. Please
11892 \fi%
11893 \if@bidi@subfigloaded@else
11894 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package. Please
11895 \fi%
11896 \if@bidi@subfigureloaded@else
11897 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package. Please
11898 \fi%
11899 \if@bidi@supertabularloaded@else
11900 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi package. Please

```



```

11901 \fi%
11902 \if@bidi@xtabloaded@else
11903 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package. Plea
11904 \fi%
11905 \if@bidi@longtableloaded@else
11906 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package.
11907 \fi%
11908 \if@bidi@arydshlnloaded@else
11909 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package.
11910 \fi%
11911 \if@bidi@multicolloaded@else
11912 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package.
11913 \fi%
11914 \if@bidi@multienumloaded@else
11915 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi package.
11916 \fi%
11917 \if@bidi@minitocloaded@else
11918 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi package. P
11919 \fi%
11920 \if@bidi@natbibloaded@else
11921 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package. PL
11922 \fi%
11923 \if@bidi@newfloatloaded@else
11924 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi package.
11925 \fi%
11926 \csname if@bidi@ragged2eloaded@endcsname\else
11927 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi package.
11928 \fi%
11929 \if@bidi@rotatingloaded@else
11930 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi package.
11931 \fi%
11932 \if@bidi@tblsloaded@else
11933 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi package. Ple
11934 \fi%
11935 \if@bidi@tabularyloaded@else
11936 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi package.
11937 \fi%
11938 \if@bidi@tocstyleloaded@else
11939 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi package.
11940 \fi%
11941 \if@bidi@tocbibindloaded@else
11942 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi package.
11943 \fi%
11944 \if@bidi@fontspecloaded@else
11945 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi package.
11946 \fi%
11947 \if@bidi@arabxetexloaded@else
11948 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi package.
11949 \fi%
11950 \if@bidi@polyglossialloaded@else

```



```

11951 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi package}{}]
11952 \fi%
11953 \if@bidi@fancyvrbloaded@else
11954 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi package}{}]
11955 \fi%
11956 }

```

7.75 longtable-xetex-bidi.def

```

11957 \ProvidesFile{longtable-xetex-bidi.def}[2013/04/01 v0.3 bidi adaptations for longtable package]
11958 \def\LT@array[#1]#2{%
11959 \refstepcounter{table}\stepcounter{LT@tables}%
11960 \if l#1%
11961 \if RTLtab\LTleft\fill \LTRight\z@\else\LTleft\z@ \LTRight\fill\fi
11962 \else\if r#1%
11963 \if RTLtab\LTleft\z@ \LTRight\fill\else\LTleft\fill \LTRight\z@\fi
11964 \else\if c#1%
11965 \LTleft\fill \LTRight\fill
11966 \fi\fi\fi
11967 \let\LT@mc@col\multicolumn
11968 \let\LT@tabarray\@tabarray
11969 \let\LT@hline\hline
11970 \def\@tabarray{%
11971 \let\hline\LT@hline
11972 \LT@tabarray}%
11973 \let\LT@tabularcr\let\@tabularnewline\%
11974 \def\newpage{\noalign{\break}}%
11975 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
11976 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}}%
11977 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
11978 \@tempdima\ht\strutbox
11979 \let\@endpbox\LT@endpbox
11980 \ifx\extrarowheight\@undefined
11981 \let\@acol\@tabacol
11982 \let\@classz\@tabclassz \let\@classiv\@tabclassiv
11983 \def\@startpbox{\vtop\LT@startpbox}%
11984 \let\@@startpbox\@startpbox
11985 \let\@@endpbox\@endpbox
11986 \let\LT@LL@FM@cr\@tabularcr
11987 \else
11988 \advance\@tempdima\extrarowheight
11989 \col@sep\tabcolsep
11990 \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
11991 \fi
11992 \setbox\@arstrutbox\hbox{\vrule
11993 \@height \arraystretch \@tempdima
11994 \@depth \arraystretch \dp \strutbox
11995 \@width \z@}%
11996 \let\@sharp##\let\protect\relax
11997 \begingroup

```




```

11998 \mkpream{#2}%
11999 \xdef\LT@bchunk{%
12000 \global\advance\c@LT@chunks\@ne
12001 \global\LT@rows\z@\setbox\z@\vbox\bgroup
12002 \LT@setprevdepth
12003 \tabskip\LTleft \noexpand\halign to\hsize\bgroup
12004 \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
12005 \endgroup
12006 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
12007 \LT@make@row
12008 \m@th\let\par\@empty
12009 \everycr{}\lineskip\z@\baselineskip\z@
12010 \LT@bchunk}
12011 \def\LT@makecaption#1#2#3{%
12012 \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]{\LTcapwidth{%
12013 \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
12014 \ifdim\wd\@tempboxa>\hsize
12015 #1{#2: }#3%
12016 \else
12017 \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
12018 \fi
12019 \endgraf\vskip\baselineskip}%
12020 \hss}}}
12021 \def\LT@startpbox#1{%
12022 \bgroup
12023 \let\@footnotetext\LT@p@ftntext
12024 \let\@LTRfootnotetext\LT@p@LTRftntext
12025 \let\@RTLfootnotetext\LT@p@RTLftntext
12026 \setlength\hsize{#1}%
12027 \@arrayparboxrestore
12028 \vrule \@height \ht\@arstrutbox \@width \z@}
12029 \def\LT@p@LTRftntext#1{%
12030 \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}}%
12031 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
12032 \def\LT@p@RTLftntext#1{%
12033 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}}%
12034 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%

```

7.76 mdframed-xetex-bidi.def

```

12035 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package for
12036 \newif\if@bidi@mdf@RTL
12037 \def\mdf@lrbox#1{%
12038 \mdf@patchamsthm\patch amsthm
12039 \if@RTL\@bidi@mdf@RTLtrue\fi%
12040 \@RTLfalse%
12041 \setbox#1\vbox\bgroup%
12042 \color@begingroup%
12043 \if@bidi@mdf@RTL\@RTLtrue\fi%
12044 \mdf@horizontalmargin@equation%

```



```

12045 \columnwidth=\hsize%
12046 \textwidth=\hsize%
12047 \let\if@nobreak\iffalse%
12048 \let\if@noskipsec\iffalse%
12049 \let\par\@par%
12050 \let\-\@dischyph%
12051 \let'\@acci\let\` \@accii\let=\@acciii%
12052 \parindent\z@ \parskip\z@skip%
12053 \linewidth\hsize%
12054 \@totalleftmargin\z@%
12055 \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
12056 \parfillskip\@flushglue \lineskip\normallineskip%
12057 \baselineskip\normalbaselineskip%
12058 %% \sloppy%
12059 \let\\\@normalcr%
12060 \mdf@par@local%New feature to restore parskip/parindent local in save box
12061 \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
12062 \@afterindentfalse%
12063 %\@afterheading%
12064 }
12065 \renewrobustcmd\mdfframetitleenv[1]{%
12066 \mdf@lrbox{\mdf@frametitlebox}%
12067 \mdf@frametitlealignment%
12068 \leavevmode{\color{\mdf@frametitlefontcolor}%
12069 \normalfont\mdf@frametitlefont{#1}
12070 \ifbool{mdf@ignorelastdescenders}%
12071 {%
12072 \par\strut\par
12073 \unskip\unskip\setbox0=\lastbox
12074 \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
12075 }{}}%
12076 \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%
12077 \endmdf@lrbox\relax%
12078 \mdf@ignorevbadness%
12079 \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
12080 \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
12081 \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
12082 \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
12083 \mdfframetitleboxtotalheight=\dimexpr
12084 \ht\mdf@frametitlebox
12085 +\dp\mdf@frametitlebox%
12086 +\mdf@frametitleaboveskip@length
12087 +\mdf@frametitlebelowskip@length
12088 \relax%
12089 }
12090
12091 \renewrobustcmd* \mdf@footnoteoutput{%
12092 \ifvoid\@mpfootins\else%
12093 \nobreak%
12094 \vskip\mdf@footnotedistance@length%

```



```

12095         \normalcolor%
12096         \bidi@mpfootnoterule%
12097         \unvbox\@mpfootins%
12098     \fi%
12099 }
12100
12101
12102 \renewrobustcmd*\mdf@footnoteinput{%
12103     \def\@mpfn{mpfootnote}%
12104     \def\thempfn{\thempfootnote}%
12105     \c@mpfootnote\z@%
12106     \let\@footnotetext\@mpfootnotetext%
12107     \let\@LTRfootnotetext\@mpLTRfootnotetext%
12108     \let\@RTLfootnotetext\@mpRTLfootnotetext%
12109 }

```

7.77 memoir-xetex-bidi.def

```

12110 \ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for XeTeX]
12111 \renewcommand{\keepthetitle}{%
12112     \@bsmtitleempty
12113     \global\let\thanks\relax
12114     \global\let\LTRthanks\relax
12115     \global\let\RTLthanks\relax
12116     \global\let\and\relax
12117     \global\let\andnext\relax
12118     \global\let\@thanks\@empty
12119     \global\let\@title\@empty
12120     \global\let\@author\@empty
12121     \global\let\@date\@empty}
12122 \renewcommand{\maketitle}{\par
12123     \begingroup
12124         \@bsmarkseries
12125         \def\@makefnmark{\@textsuperscript{%
12126             \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}}%
12127         \long\def\@makefntext##1{\makethanksmark ##1}
12128         \if@twocolumn
12129             \ifnum \col@number=\@ne
12130                 \@maketitle
12131             \else
12132                 \twocolumn[\@maketitle]%
12133             \fi
12134         \else
12135             \ifdim\pagetotal>\z@
12136                 \newpage
12137             \fi
12138             \global\@topnum\z@
12139             \@maketitle
12140         \fi
12141         \thispagestyle{title}\@thanks

```



```

12142 \endgroup
12143 \bscontmark % \setcounter{footnote}{0}%
12144 }
12145 \renewcommand*{\memRTLleftskip}{\ifRTL\rightskip\else\leftskip\fi}
12146 \renewcommand*{\memRTLrightskip}{\ifRTL\leftskip\else\rightskip\fi}
12147 \renewcommand*{\memRTLvleftskip}{\ifRTL\vrightskip\else\vleftskip\fi}
12148 \renewcommand*{\memRTLvrightskip}{\ifRTL\vleftskip\else\vrightskip\fi}
12149 \renewcommand*{\memRTLraggedright}{\ifRTL\raggedleft\else\raggedright\fi}
12150 \renewcommand*{\memRTLraggedleft}{\ifRTL\raggedright\else\raggedleft\fi}
12151 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
12152 \renewcommand*{\thesubsection}{%
12153     \thesection\@SepMark\@arabic\c@subsection}
12154 \renewcommand*{\thesubsubsection}{%
12155     \thesubsection\@SepMark\@arabic\c@subsubsection}
12156 \renewcommand*{\theparagraph}{%
12157     \thesubsubsection\@SepMark\@arabic\c@paragraph}
12158 \renewcommand*{\thesubparagraph}{%
12159     \theparagraph\@SepMark\@arabic\c@subparagraph}
12160 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
12161 \renewcommand{\theequation}{%
12162     \ifnum \c@chapter>z@ \thechapter\@SepMark\fi \@arabic\c@equation}
12163 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
12164 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
12165 \ifartopt
12166 \chapterstyle{article}
12167 \counterwithout{figure}{chapter}
12168 \counterwithout{table}{chapter}
12169 \counterwithout{footnote}{chapter}
12170 \counterwithout{equation}{chapter}
12171 \renewcommand{\chaptername}{\}
12172 \renewcommand{\maketitlehookb}{%
12173     \vskip -1.5\topsep\vskip -1.5\partopsep}
12174 \renewcommand{\maketitlehookc}{%
12175     \vskip -1.5\topsep\vskip -1.5\partopsep}
12176 \fi
12177 \long\def\@makecaption#1#2{\let\@memtempa\relax
12178 \ifdim\prevdepth>-99\p@ \vskip\abovcaptionskip
12179 \else \def\@memtempa{\vbox to\topskip{}}\fi
12180 \let\@contfnote\footnote \renewcommand{\footnote}[2]{}{}
12181 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1]{}{}
12182 \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
12183 \let\footnote\@contfnote
12184 \let\footnotemark\@contfmark
12185 \ifdim\wd\@tempboxa<\linewidth \centering \fi
12186 \if@contcw
12187 \centering
12188 \parbox{\@contcwidth}{%
12189 \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
12190 \fi
12191 \ifdim\wd\@tempboxa<\linewidth

```



```

12192 \@contpre
12193 {\@contnfont #1\@contdelim}\@memtempa
12194 {\@contcshortstyle \@conttfont #2\@contfinal\par}
12195 \else
12196 \if@conthang
12197 \sbox\@tempboxa{\@contnfont #1\@contdelim}
12198 \@contpre%
12199 {\@contcstyle\hangindent=\wd\@tempboxa
12200 \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
12201 \else
12202 \if@contindent
12203 \@contpre%
12204 {\@contnfont #1\@contdelim}\@memtempa
12205 {\@contcstyle\hangindent=\@contindw
12206 \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
12207 \else
12208 \@contpre%
12209 {\@contnfont #1\@contdelim}\@memtempa
12210 {\@contcstyle \@conttfont #2\@contfinal\par}
12211 \fi
12212 \fi
12213 \fi
12214 \@contpost
12215 \if@contcw
12216 \par
12217 } % end of the \parbox
12218 \fi
12219 \vskip\belowcaptionskip}
12220 \ifpackageloaded{caption}{%
12221 \AtBeginPackage{caption}{
12222 \ClassWarningNoLine{memoir}{%
12223 You are using the caption package with the memoir \MessageBreak
12224 class. This may cause unexpected or inconsistent \MessageBreak
12225 results if you use any of memoir's captioning facilities}
12226
12227 \long\def\@makecaption##1##2{%
12228 \vskip\abovecaptionskip
12229 \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
12230 \ifdim \wd\@tempboxa >\hsize
12231 \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
12232 \else
12233 \global \@minipagefalse
12234 \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
12235 \fi
12236 \vskip\belowcaptionskip}
12237
12238 \def\caption{%
12239 \ifx\@cuptype\@undefined
12240 \latexerror{\noexpand\caption outside float}\@ehd
12241 \expandafter\@gobble

```



```

12242 \else
12243 \refstepcounter\@capytype
12244 \expandafter\@firstofone
12245 \fi
12246 {\@dblarg{\@caption\@capytype}}}%
12247 }
12248
12249 \long\def\@caption##1[##2]##3{%
12250 \par
12251 \addcontentsline{\csname ext@##1\endcsname}{##1}%
12252 {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}}%
12253 \begingroup
12254 \@parboxrestore
12255 \if@minipage
12256 \setminipage
12257 \fi
12258 \normalsize
12259 \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
12260 \endgroup}
12261 }}{}
12262 \renewenvironment{thebibliography}[1]{%
12263 \bibsection
12264 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
12265 \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}

```

7.78 midfloat-xetex-bidi.def

```

12266 \ProvidesFile{midfloat-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for midfloat package for
12267 \def\RTL@outputdblcol{%
12268 \if@firstcolumn
12269 \global \@firstcolumnfalse
12270 \global \setbox\@leftcolumn \box\@outputbox
12271 \global\c@colht\@colht\global\c@addvipersep\z@
12272 \ifnum\jua@sk>0
12273 \remove@strip\jua@sar
12274 \global\@colht\the\jua@pr
12275 \ifdim\right@cor>\z@
12276 \global\advance\@colht by\right@cor
12277 \fi
12278 \global\advance\@colht by\cor@height
12279 \global\cor@height=0pt
12280 \fi
12281 \global \setbox\@rightcolumn \vbox{%
12282 \else
12283 \ifdim\c@colht>\@colht
12284 \tempdima\@colht
12285 \ifdim\@colht>\z@
12286 \global\setbox\@rightcolumn \vbox{%
12287 \unvbox\@rightcolumn
12288 \vbox to\tempdima{

```



```

12289             \vskip\c@addvipersep\unvbox\@outputbox}%
12290             \vskip\stripsep
12291             \vrule height\the\jua@ht width Opt depth Opt
12292             \vskip\stripsep
12293             }%
12294         \global\c@addvipersep\m@addvipersep
12295         \else
12296         \global\setbox\@rightcolumn \vbox{%
12297             \unvbox\@rightcolumn
12298             \vrule height\the\jua@ht width Opt depth Opt
12299             \vskip\stripsep
12300             }%
12301         \fi
12302         \ifnum\jua@sk>0
12303             \remove@strip\jua@sar
12304             \global\@colht\the\jua@pr
12305             \global\advance\@colht by -\ht\@rightcolumn
12306             \global\advance\@colht by \cor@height
12307             \global\cor@height=Opt
12308         \else
12309             \global\advance\c@colht by-\ht\@rightcolumn
12310             \global\@colht\c@colht
12311         \fi
12312     \else
12313     \global\@firstcolumntrue
12314     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
12315         \unvbox\@rightcolumn
12316         \vskip\c@addvipersep
12317         \unvbox\@outputbox
12318         }%
12319     \setbox\@outputbox \vbox {%
12320         \hb@xt@\textwidth {%
12321             \hskip \columnwidth
12322             \hfil
12323             \vrule \@width\columnseprule
12324             \hfil
12325             \hb@xt@\columnwidth {%
12326                 \box\@leftcolumn \hss}%
12327             \hskip-\textwidth
12328             \hb@xt@\columnwidth {%
12329                 \box\@outputbox \hss}%
12330             \hskip\columnwidth
12331             \hskip\columnsep}%
12332         }%
12333     \@combinedblfloats
12334     \@outputpage
12335     \begingroup
12336     \@dblfloatplacement
12337     \@startdblcolumn
12338     \@whiles\if@fcolmade \fi

```



```

12339         {\@outputpage
12340         \@startdblcolumn}%
12341     \endgroup
12342     \global\jua@sk=0\global\jua@sar={}
12343     \global\cor@height\z@\global\c@advipersep\z@
12344     \fi
12345 \fi
12346 }
12347
12348
12349 \def\LTR@outputdblcol{%
12350 \if@firstcolumn
12351     \global \@firstcolumnfalse
12352     \global \setbox\@leftcolumn \box\@outputbox
12353     \global\c@colht\@colht\global\c@advipersep\z@
12354     \ifnum\jua@sk>0
12355         \remove@strip\jua@sar
12356         \global\@colht\the\jua@pr
12357         \ifdim\right@cor>\z@
12358             \global\advance\@colht by\right@cor
12359         \fi
12360         \global\advance\@colht by\cor@height
12361         \global\cor@height=0pt
12362     \fi
12363     \global \setbox\@rightcolumn \vbox{%
12364 \else
12365     \ifdim\c@colht>\@colht
12366         \@tempdima\@colht
12367         \ifdim\@colht>\z@
12368             \global\setbox\@rightcolumn \vbox{%
12369                 \unvbox\@rightcolumn
12370                 \vbox to\@tempdima{%
12371                     \vskip\c@advipersep\unvbox\@outputbox}%
12372                 \vskip\stripsep
12373                 \vrule height\the\jua@ht width 0pt depth 0pt
12374                 \vskip\stripsep
12375                 }%
12376             \global\c@advipersep\m@advipersep
12377         \else
12378             \global\setbox\@rightcolumn \vbox{%
12379                 \unvbox\@rightcolumn
12380                 \vrule height\the\jua@ht width 0pt depth 0pt
12381                 \vskip\stripsep
12382                 }%
12383         \fi
12384         \ifnum\jua@sk>0
12385             \remove@strip\jua@sar
12386             \global\@colht\the\jua@pr
12387             \global\advance\@colht by -\ht\@rightcolumn
12388             \global\advance\@colht by\cor@height

```




```

12389         \global\cor@height=0pt
12390     \else
12391         \global\advance\c@colht by-\ht\@rightcolumn
12392         \global\@colht\c@colht
12393     \fi
12394 \else
12395     \global\@firstcolumntrue
12396     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
12397         \unvbox\@rightcolumn
12398         \vskip\c@addvipersep
12399         \unvbox\@outputbox
12400     }%
12401     \setbox\@outputbox \vbox {%
12402         \hb@xt@\textwidth {%
12403             \hb@xt@\columnwidth {%
12404                 \box\@leftcolumn \hss}%
12405             \hfil
12406             \vrule \@width\columnseprule
12407             \hfil
12408             \hb@xt@\columnwidth {%
12409                 \box\@outputbox \hss}%
12410             }%
12411         }%
12412     \@combinedblfloats
12413     \@outputpage
12414     \begingroup
12415         \@dblfloatplacement
12416         \@startdblcolumn
12417         \@whiles\if@fcolmade \fi
12418         {\@outputpage
12419         \@startdblcolumn}%
12420     \endgroup
12421     \global\jua@sk=0\global\jua@sar={}%
12422     \global\cor@height\z@\global\c@addvipersep\z@
12423     \fi
12424 \fi
12425 }
12426
12427
12428 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
12429     \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\vb
12430         \hsize\textwidth
12431         \@parboxrestore
12432         \col@number \@ne
12433         \vrule height\topskip width0pt depth0pt
12434 }
12435
12436 \def\endstrip{%
12437     \egroup\egroup
12438     \if@firstcolumn

```



```

12439         \ifdim\pagetotal>\z@
12440             \vskip\stripsep
12441             \global\ht@strip\pagegoal
12442             \global\advance\ht@strip by-\pagetotal
12443             \global\advance\ht@strip by-\stripsep
12444             \global\advance\ht@strip by-\ht\@viper
12445             \global\advance\ht@strip by-\stripsep
12446             \global\jua@ht=\ht\@viper
12447         \else
12448             \global\ht@strip\z@
12449         \fi
12450     \ifdim\ht@strip>\z@
12451         \unvbox\@viper
12452         \vskip\stripsep
12453     \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
12454     \global\advance\jua@sk by1
12455     \else
12456         \@latex@error{Strip needs more place!}\@ehc
12457         \if@vihproof
12458             \framebox[\columnwidth]{??? Strip ???}%
12459         \fi
12460     \fi
12461 \else
12462     \@latex@error{Strip is used only on left column!}\@ehc
12463     \if@vihproof
12464         \framebox[\columnwidth]{??? Strip ???}%
12465     \fi
12466 \fi
12467 }

```

7.79 minitoc-xetex-bidi.def

```

12468 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for Xe
12469 \def\@undottedtocline#1#2#3#4#5{%
12470     \ifnum #1>\c@tocdepth\relax \else
12471         \vskip \z@ plus.2\p@
12472     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg \p@
12473     \parindent #2\relax\@afterindenttrue
12474     \interlinepenalty\@M
12475     \leavevmode
12476     \@tempdima #3\relax \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \hbox{}}%
12477     \hskip -\if@RTL\righskip\else\leftskip\fi
12478     #4\nobreak\hfill \nobreak
12479     \null\par}%
12480 \fi}
12481 \def\@Undottedtocline#1#2#3#4#5{%
12482     \ifnum #1>\c@tocdepth\relax \else
12483         \vskip \z@ \@plus.2\p@
12484     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg \p@
12485     \parindent #2\relax\@afterindenttrue

```



```

12486 \interlinepenalty\@M
12487 \leavevmode
12488 \@tempdima #3\relax
12489 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
12490 {\coffefont #4}\nobreak \nobreak\null
12491 \par}%
12492 \fi}
12493 \def\@Undottedtoclinep#1#2#3#4#5{%
12494 \ifnum #1>\c@tocdepth\relax \else
12495 \vskip \z@ \@plus.2\p@
12496 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
12497 \parindent #2\relax\@afterindenttrue
12498 \interlinepenalty\@M
12499 \leavevmode
12500 \@tempdima #3\relax
12501 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
12502 {#4}\nobreak \hfill \nobreak\null
12503 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
12504 \par}%
12505 \fi}

```

7.8o multicol-xetex-bidi.def

```

12506 \ProvidesFile{multicol-xetex-bidi.def}[2014/09/20 v0.6 bidi adaptations for multicol package for
12507 \def\page@sofar{%
12508 \process@cols\mult@rightbox
12509 {\ifvoid\count@
12510 \setbox\count@\hbox to\hsize}%
12511 \else
12512 \wd\count@\hsize
12513 \fi}%
12514 \count@\col@number \advance\count@\m@ne
12515 \mult@info\z@
12516 {Column spec: \the\full@width\space = indent
12517 + columns + sep =\MessageBreak
12518 \the\multicol@leftmargin\space
12519 + \the\col@number\space
12520 x \the\hsize\space
12521 + \the\count@\space
12522 x \the\columnsep
12523 }%
12524 \ifvmode\else\errmessage{Multicol Error}\fi
12525 \nointerlineskip
12526 \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
12527 \moveright\multicol@leftmargin
12528 \hbox to\full@width{%
12529 \bidi@multicol@align@columns
12530 \rlap{\phantom p}%
12531 }%
12532 \prevdepth\z@

```



```

12533 \kern-\dimen\tw@
12534 \ifdim\dimen\tw@ > \mc@gridwarn
12535   \PackageWarning{multicol}%
12536     {Very deep columns!\MessageBreak
12537       Grid alignment might be broken}%
12538 \fi
12539 }
12540 \def\LTR@column@boxes{%
12541   \process@cols\mult@gfirstbox{%
12542     \ifdim\dp\count@>\dimen\tw@
12543       \global\dimen\tw@\dp\count@ \fi
12544     \mc@col@status@write
12545     \box\count@
12546     \hss{\columnseprulecolor\vrule
12547       \@width\columnseprule}\hss}%
12548   \ifdim\dp\mult@rightbox>\dimen\tw@
12549     \global\dimen\tw@\dp\mult@rightbox \fi
12550   \mc@lastcol@status@write
12551   \box\mult@rightbox
12552 }
12553
12554 \def\RTL@column@boxes{%
12555   \process@cols\mult@gfirstbox{%
12556     \hskip\hsize
12557     \hss{\columnseprulecolor\vrule
12558       \@width\columnseprule}\hss
12559   }%
12560   \hskip\hsize
12561   \process@cols\mult@gfirstbox{%
12562     \ifdim\dp\count@>\dimen\tw@
12563       \global\dimen\tw@\dp\count@ \fi
12564     \hskip-\hsize
12565     \mc@col@status@write
12566     \box\count@
12567     \hskip-\hsize
12568     \hskip-\columnsep
12569   }%
12570   \ifdim\dp\mult@rightbox>\dimen\tw@
12571     \global\dimen\tw@\dp\mult@rightbox \fi
12572   \hskip-\hsize
12573   \mc@lastcol@status@write
12574   \box\mult@rightbox
12575   \hskip-\hsize
12576   \hskip\full@width
12577 }
12578 \newcommand\RTLmulticolcolumns
12579   {\let\bidimulticol@align@columns
12580     \RTL@column@boxes}
12581 \newcommand\LTRmulticolcolumns
12582   {\let\bidimulticol@align@columns

```



```

12583 \LTR@column@boxes}
12584 \newcommand\ bidi@multicol@align@columns
12585 {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
12586 \def\multicols#1{\col@number#1\relax
12587 \ifnum\col@number<\tw@
12588 \PackageWarning{multicol}%
12589 {Using \number\col@number'
12590 columns doesn't seem a good idea.^~J
12591 I therefore use two columns instead}%
12592 \col@number\tw@ \fi
12593 \ifnum\col@number>10
12594 \PackageError{multicol}%
12595 {Too many columns}%
12596 {Current implementation doesn't
12597 support more than 10 columns.%
12598 \MessageBreak
12599 I therefore use 10 columns instead}%
12600 \col@number10 \fi
12601 \ifx\@footnotetext\mult@footnotetext\else
12602 \let\orig@footnotetext\@footnotetext
12603 \let\@footnotetext\mult@footnotetext
12604 \fi
12605 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
12606 \let\orig@LTRfootnotetext\@LTRfootnotetext
12607 \let\@LTRfootnotetext\mult@LTRfootnotetext
12608 \fi
12609 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
12610 \let\orig@RTLfootnotetext\@RTLfootnotetext
12611 \let\@RTLfootnotetext\mult@RTLfootnotetext
12612 \fi
12613 \@ifnextchar[\mult@cols{\mult@cols[]}]
12614 \long\def\mult@footnotetext#1{\begingroup
12615 \hsize\textwidth
12616 \columnwidth\textwidth
12617 \orig@footnotetext{#1}\endgroup}
12618 \long\def\mult@LTRfootnotetext#1{\begingroup
12619 \hsize\textwidth
12620 \columnwidth\textwidth
12621 \orig@LTRfootnotetext{#1}\endgroup}
12622 \long\def\mult@RTLfootnotetext#1{\begingroup
12623 \hsize\textwidth
12624 \columnwidth\textwidth
12625 \orig@RTLfootnotetext{#1}\endgroup}
12626 \def\right@footnoterule{%
12627 \hbox to \textwidth
12628 {\beginR \vbox{\kern -3\p@
12629 \hrule width .4\columnwidth \kern2.6\p@}\hfil\endR}}
12630 \def\textwidth@footnoterule{\kern-3\p@
12631 \hrule \@width \textwidth \kern 2.6\p@}

```



7.81 multienum-xetex-bidi.def

```

12632 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package f
12633 \renewcommand{\itemx}[1]{\parbox[t]{%
12634 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12635 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
12636 \renewcommand{\itemxx}[2]{\parbox[t]{%
12637 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12638 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
12639 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12640 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
12641 \renewcommand{\itemxxx}[3]{\parbox[t]{%
12642 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12643 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
12644 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12645 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
12646 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12647 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
12648 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
12649 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12650 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
12651 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12652 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
12653 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12654 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
12655 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12656 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
12657 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
12658 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12659 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
12660 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12661 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
12662 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12663 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
12664 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12665 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
12666 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12667 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
12668 \renewcommand{\itemxox}[2]{\parbox[t]{%
12669 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12670 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
12671 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12672 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
12673 \renewcommand{\itemxoxo}[2]{\parbox[t]{%
12674 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12675 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
12676 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12677 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
12678 \renewcommand{\itemxoxx}[3]{\parbox[t]{%
12679 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%

```



```

12680 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
12681 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12682 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
12683 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12684 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
12685 \renewcommand{\itemxxox}[3]{\parbox[t]{%
12686 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12687 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
12688 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12689 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
12690 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12691 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
12692 \renewcommand{\itemxxox}[3]{\parbox[t]{%
12693 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12694 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
12695 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12696 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
12697 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12698 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

7.82 natbib-xetex-bidi.def

```

12699 \ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for XeT
12700 \renewenvironment{thebibliography}[1]{%
12701   \bibsection
12702   \parindent\z@
12703   \bibpreamble
12704   \bibfont
12705   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12706   \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
12707   \ifNAT@openbib
12708     \renewcommand\newblock{\par}%
12709   \else
12710     \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
12711   \fi
12712   \sloppy\clubpenalty4000\widowpenalty4000
12713   \sfcode`\.\@m
12714   \let\NAT@bibitem@first@sw\@firstoftwo
12715   \let\citeN\cite \let\shortcite\cite
12716   \let\citeasnoun\cite
12717 }{%
12718   \bibitem@fin
12719   \bibpostamble
12720   \def\@noitemerr{%
12721     \PackageWarning{natbib}{Empty `thebibliography' environment}%
12722   }%
12723   \endlist
12724   \bibcleanup
12725 }%

```



7.83 newfloat-xetex-bidi.def

```

12726 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package for
12727 \renewcommand*{newfloat@setwithin}[2]{%
12728   \ifcsname c@chapter\endcsname
12729     \@removefromreset{#1}{chapter}%
12730   \fi
12731   \@removefromreset{#1}{section}%
12732   \edef\@tempa{#2}%
12733   \ifx\@tempa\@empty
12734     \def\@tempa{none}%
12735   \fi
12736   \def\@tempb{none}%
12737   \ifx\@tempa\@tempb
12738     \ifcsname c@chapter\endcsname
12739       \@chapterlistsgap@off{#1}%
12740     \fi
12741     \newfloat@@setwithin{#1}{-}{-}%
12742   \else
12743     \def\@tempb{chapter}%
12744     \ifx\@tempa\@tempb
12745       \@addtoreset{#1}{chapter}%
12746       \@chapterlistsgap@on{#1}%
12747       \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMa
12748     \else
12749       \def\@tempb{section}%
12750       \ifx\@tempa\@tempb
12751         \@addtoreset{#1}{section}%
12752         \ifcsname c@chapter\endcsname
12753           \@addtoreset{#1}{chapter}%
12754           \@chapterlistsgap@on{#1}%
12755         \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
12756       \else
12757         \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\@Se
12758       \fi
12759     \else
12760       \newfloat@Error{Invalid value `#2' for option `within'}%
12761     \fi
12762   \fi
12763 \fi}

```

7.84 ntheorem-xetex-bidi.def

```

12764 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package for
12765 \gdef\@thm#1#2#3{%
12766   \if@thmmarks
12767     \stepcounter{end\InTheoType ctr}%
12768   \fi
12769   \renewcommand{\InTheoType}{#1}%
12770   \if@thmmarks
12771     \stepcounter{curr#1ctr}%

```




```

12772     \setcounter{end#1ctr}{0}%
12773   \fi
12774   \refstepcounter{#2}%
12775   \theorem@prework
12776   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
12777   \ifvmode \advance\thm@topsepadd\partopsep\fi
12778   \trivlist
12779   \@topsep \theorempreskipamount
12780   \@topsepadd \thm@topsepadd % used by \@endparenv
12781   \advance\linewidth -\theorem@indent
12782   \advance\@totalleftmargin \theorem@indent
12783   \ifRTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
12784   \ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.85 ntheorem-hyper-xetex-bidi.def

```

12785 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyper]
12786 \gdef\@thm#1#2#3{%
12787   \if@thmmarks
12788     \stepcounter{end\InTheoType ctr}%
12789   \fi
12790   \renewcommand{\InTheoType}{#1}%
12791   \if@thmmarks
12792     \stepcounter{curr#1ctr}%
12793     \setcounter{end#1ctr}{0}%
12794   \fi
12795   \refstepcounter{#2}%
12796   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
12797   \ifvmode \advance\thm@topsepadd\partopsep\fi
12798   \trivlist
12799   \@topsep \theorempreskipamount
12800   \@topsepadd \thm@topsepadd % used by \@endparenv
12801   \advance\linewidth -\theorem@indent
12802   \advance\@totalleftmargin \theorem@indent
12803   \ifRTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
12804   \ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.86 pdfpages-xetex-bidi.def

```

12805 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package for]
12806 \renewcommand*{\includepdf}[2] [] {%
12807   \begingroup
12808   \@RTLfalse
12809   \let\AM@threadname\relax
12810   \AM@split@options{pdfpages}{#1}%
12811   \edef\AM@temp{\pdfpages}{\the\@temptokena}}%
12812   \expandafter\setkeys\AM@temp
12813   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
12814     \let\AM@currentdocname\relax
12815     \renewcommand\includegraphics[2] [] {Survey in draft-mode}%
12816     \def\AM@pagecount{0}%

```



```

12817 }{%
12818   \AM@findfile{#2}%
12819   \if\AM@threadname\relax
12820     \def\AM@threadname{\AM@currentdocname}%
12821   \fi
12822 }%
12823 \ifAM@survey
12824   \def\AM@pagestemp{}%
12825   \@tempcnta=0
12826   \def\foo{%
12827     \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
12828       {\let\foo\relax}
12829     {\expandafter\ifx\expandafter\\AM@pagestemp\\
12830       \edef\AM@pagestemp{%
12831         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}}%
12832     \else
12833       \edef\AM@pagestemp{\AM@pagestemp,%
12834         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}}%
12835     \fi
12836     \advance\@tempcnta 1\relax
12837   }%
12838   \foo
12839 }%
12840 \foo
12841 \expandafter\ifx\expandafter\\AM@pagestemp\\
12842   \def\AM@pagestemp{1}%
12843 \fi
12844 \fi
12845 \ifAM@output
12846   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
12847   \AM@output{#1}%
12848 \fi
12849 \AM@CheckAtEnd
12850 \endgroup
12851 \AM@ClearShipoutPicture
12852 }

```

7.87 pgf-xetex-bidi.def

```

12853 \ProvidesFile{pgf-xetex-bidi.def}[2014/11/21 v0.6 bidi adaptations for pgf package for XeTeX eng
12854 \let\origin@pgfpicture=\pgfpicture
12855 \let\origin@endpgfpicture=\endpgfpicture
12856 \def\bidi@pgfpicture{\ifmmode\else\beginL\fi\origin@pgfpicture}
12857 \def\endbidi@pgfpicture{\origin@endpgfpicture\ifmmode\else\endL\fi}
12858 \def\pgfpicture{\ifmmode\else\LTR\noindent\beginL\fi\origin@pgfpicture}
12859 \def\endpgfpicture{\origin@endpgfpicture\ifmmode\else\endL\endLTR\fi}

```

7.88 picinpar-xetex-bidi.def

```

12860 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package for
12861 \long\def\@makewincaption#1#2{%

```



```

12862 \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
12863 \ifdim\wd\@tempboxa>\picwd
12864   {\footnotesize{\bf #1:\enspace}{#2\par}}
12865 \else
12866   \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
12867 \fi}
12868 \def\endwindow{%
12869   \global\tcd=\tcdsav
12870   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
12871   \vbadness=10000
12872   \splittopskip=0pt
12873 %
12874 % Typeset the lines above the window
12875 %
12876 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
12877 \tcn=\tcd
12878 \loop\advance\tcn -1
12879 \setbox\fslice=\vsplit\holder to\baselineskip
12880 \prune\fslice\linewidth
12881 \topheight=0pt
12882 \ifnum\dp\fslice>\dp\wstrutbox
12883   \advance\topheight-\dp\fslice
12884   \advance\topheight\dp\wstrutbox
12885   \advance\topheight\ilg\fi
12886 \hbox to\linewidth{\box\fslice}
12887 \vskip-\topheight
12888 \ifdim\ht\holder>0pt\repeat
12889 \fi
12890 %
12891 % Now we build the boxes beside the window
12892 %
12893 \global\topheight=\tcl\baselineskip
12894 \ifnum\cumpartcl>0\global\tcl=\cumtcl
12895   \global\topheight=\vpic
12896 \fi
12897 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
12898 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
12899 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
12900 \tcn=\tcl \na=0 \nb=0
12901 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
12902 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
12903 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
12904 \ifnum\na=0\ifnum\nb=0
12905   \setbox\waslice=\vbox to\vpic{\vss}
12906   \setbox\wbslice=\vbox to\vpic{\vss}
12907   \bl=1\br=1
12908   \vskip\ilg
12909 \fi\fi
12910 %
12911 % both sides

```



```

12912 %
12913 \ifnum\na>0 \ifnum\nb>0
12914 \loop\advance\nb -1
12915 \advance\na -1
12916 \if@RTL%
12917 \setbox\bslice=\vsplit\holder to\baselineskip
12918 \prune\bslice\rtside
12919 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12920 to\rtside{\box\bslice\hfil}}
12921 \setbox\aslice=\vsplit\holder to\baselineskip
12922 \prune\aslice\lftside
12923 \setbox\waslice=\vbox{\unvbox\waslice\hbox
12924 to\lftside{\box\aslice\hfil}}
12925 \else%
12926 \setbox\aslice=\vsplit\holder to\baselineskip
12927 \prune\aslice\lftside
12928 \setbox\waslice=\vbox{\unvbox\waslice\hbox
12929 to\lftside{\box\aslice\hfil}}
12930 \setbox\bslice=\vsplit\holder to\baselineskip
12931 \prune\bslice\rtside
12932 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12933 to\rtside{\box\bslice\hfil}}
12934 \fi%
12935 \ifnum\nb>0\repeat
12936 \fi\fi
12937 %
12938 % only text on the left side
12939 %
12940 \ifnum\na>0
12941 \loop\advance\na -1
12942 \setbox\aslice=\vsplit\holder to\baselineskip
12943 \prune\aslice\lftside
12944 \setbox\waslice=\vbox{\unvbox\waslice\hbox
12945 to\lftside{\box\aslice\hfil}}
12946 \ifdim\ht\holder>0pt\repeat
12947 \fi
12948 %
12949 % only text on the right side
12950 %
12951 \ifnum\nb>0
12952 \loop\advance\nb -1
12953 \setbox\bslice=\vsplit\holder to\baselineskip
12954 \prune\bslice\rtside
12955 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12956 to\rtside{\box\bslice\hfil}}
12957 \ifdim\ht\holder>0pt\repeat
12958 \fi
12959 %
12960 % fixing the dimensions of the window part
12961 %

```



```

12962 \ifnum\bl=0\topheight=\ht\wbslice
12963 \else\ifnum\br=0\topheight=\ht\waslice
12964     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
12965     \else\topheight=\ht\wbslice\fi\fi\fi
12966 %
12967 % ship out the window material to the main vertical list
12968 %
12969 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
12970 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
12971 \fi\fi\fi
12972 \setbox>windowbox=\vbox{\hbox to\linewidth{
12973 \ifnum\bl>0\box\waslice\hfill\fi%
12974 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
12975 \vfill\unvbox\picbox%
12976 \ifnum\picwd>0\vfill\fi%
12977 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
12978 \unvbox>windowbox%
12979 \loop
12980 \setbox\bslice=\vsplit\rawtext to\baselineskip
12981 \prune\bslice\linewidth
12982 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
12983 \unvbox\wbslice
12984 \ifdim\ht\rawtext>0pt
12985 \repeat
12986 }% FINITO

```

7.89 plain-xetex-bidi.def

```

12987 \def\TeXeTOn{\TeXeTstate=1 }
12988 \def\TeXeTOff{\TeXeTstate=0 }
12989 \TeXeTOn
12990 \def\usebox#1{\leavevmode\copy #1\relax}
12991 \def\bidi@RTL@everypar{\ifRTL{\setbox\z@lastbox\beginR\ifvoid\z@\else\usebox\z@\fi}\fi}
12992 \let\bidi@o@everypar=\everypar
12993 \newtoks\bidi@n@everypar
12994 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
12995 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
12996 \let\everypar=\bidi@n@everypar
12997 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
12998 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
12999 \protected\def\hboxR{\hbox\bgroup
13000 \everyhbox{%
13001 \aftergroup\egroup
13002 \everyhbox{}}%
13003 \beginR
13004 \bgroup
13005 \aftergroup\endR
13006 \aftergroup\egroup
13007 }\hbox}
13008 \protected\def\hboxL{\hbox\bgroup

```



```

13009 \everyhbox{%
13010 \aftergroup\egroup
13011 \everyhbox{}}%
13012 \beginL
13013 \bgroup
13014 \aftergroup\endL
13015 \aftergroup\egroup
13016 }\hbox}
13017 \protected\def\ vboxR{\ vbox\bgroup
13018 \everyvbox{%
13019 \aftergroup\egroup
13020 \everyvbox{}}%
13021 \@RTLtrue
13022 \bgroup
13023 \aftergroup\egroup
13024 }\vbox}
13025 \protected\def\ vboxL{\ vbox\bgroup
13026 \everyvbox{%
13027 \aftergroup\egroup
13028 \everyvbox{}}%
13029 \@RTLfalse
13030 \bgroup
13031 \aftergroup\egroup
13032 }\vbox}
13033 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
13034 \def\endLTR{\par}
13035 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
13036 \def\endRTL{\par}
13037 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
13038 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
13039 \let\unsetRTL=\setLTR
13040 \let\unsetLTR=\setRTL
13041 \let\LR=\LRE
13042 \let\RL=\RLE
13043 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
13044 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
13045 \let\@ensure@RL=\@ensure@RTL
13046 \let\@ensure@LR=\@ensure@LTR
13047 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
13048 \let\@ensure@maindir=\@ensure@dir
13049 \def\@RTL{RTL}
13050 \def\@LTR{LTR}
13051 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
13052 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
13053 \let\@TeX\TeX
13054 \def\TeX{\@ensure@LTR{\@TeX}}
13055 \long\def\ bidi@reflect@box#1{%
13056 \leavevmode
13057 \setbox\z@\hbox{#1}}%
13058 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%

```



```

13059 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
13060 }
13061 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
13062 \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}$}}
13063 \let\setRL=\setRTL
13064 \let\setLR=\setLTR
13065 \let\unsetRL=\setLTR
13066 \let\bidisaved@eqno=\eqno
13067 \let\bidisaved@leqno=\leqno
13068 \def\eqno{\ifnum\predisplaydirection<\z@ \bidisaved@leqno \else \bidisaved@eqno \fi}
13069 \def\leqno{\ifnum\predisplaydirection<\z@ \bidisaved@eqno \else \bidisaved@leqno \fi}
13070 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
13071 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
13072 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

7.90 pstricks-xetex-bidi.def

```

13073 \ProvidesFile{pstricks-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for pstricks package for
13074 \let\origin@pspicture=\pspicture
13075 \let\origin@endpspicture=\endpspicture
13076 \def\pspicture{\ifmmode\else\LTR\beginL\fi\origin@pspicture}
13077 \def\endpspicture{\origin@endpspicture\ifmmode\else\endL\endLTR\fi}

```

7.91 quotchap-xetex-bidi.def

```

13078 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package for
13079 \renewcommand{\qauthor}[1]{%
13080 \par\smallskip
13081 {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qqquad\hbox{\par}\bigskip}
13082 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
13083 {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
13084 {\chapnumfont
13085 \ifnum \c@secnumdepth >\m@ne%
13086 \if@mainmatter\thechapter%
13087 \fi\fi
13088 \par\nobreak}%
13089 {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightrightmargin\else\leftmargin\fi10em}
13090 \nobreak\chapterheadendvskip}}
13091 \renewcommand*{\@iprintcites}{%
13092 \vbox to\z@{\leavevmode\copy\@quotebox\vss}
13093 \global\let\@printcites\relax}

```

7.92 ragged2e-xetex-bidi.def

```

13094 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package for
13095 \renewcommand{\Centering}{%
13096 \ifx\\ \@raggedtwoe@savedcr
13097 \let\\ \@centercr
13098 \fi
13099 \let\@gnewline\@raggedtwoe@gnewline
13100 \if@RTL\rightrightmargin\else\leftmargin\fi\CenteringLeftskip
13101 \@rightskip\CenteringRightskip

```



```

13102 \if@RTL\leftskip\else\rightskip\fi\@rightskip
13103 \parfillskip\CenteringParfillskip
13104 \parindent\CenteringParindent
13105 \@raggedtwoe@spaceskiptrue
13106 \@raggedtwoe@everyselectfont
13107 }
13108 \renewcommand{\RaggedLeft}{%
13109 \ifx\\@raggedtwoe@savedcr
13110 \let\\@centercr
13111 \fi
13112 \let\@newline\@raggedtwoe@newline
13113 \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
13114 \@rightskip\RaggedLeftRightskip
13115 \if@RTL\leftskip\else\rightskip\fi\@rightskip
13116 \parfillskip\RaggedLeftParfillskip
13117 \parindent\RaggedLeftParindent
13118 \@raggedtwoe@spaceskiptrue
13119 \@raggedtwoe@everyselectfont
13120 }
13121 \renewcommand{\RaggedRight}{%
13122 \ifx\\@raggedtwoe@savedcr
13123 \let\\@centercr
13124 \fi
13125 \let\@newline\@raggedtwoe@newline
13126 \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
13127 \@rightskip\RaggedRightRightskip
13128 \if@RTL\leftskip\else\rightskip\fi\@rightskip
13129 \parfillskip\RaggedRightParfillskip
13130 \parindent\RaggedRightParindent
13131 \@raggedtwoe@spaceskiptrue
13132 \@raggedtwoe@everyselectfont
13133 }
13134 \renewcommand{\justifying}{%
13135 \let\\@raggedtwoe@savedcr
13136 \let\@newline\@raggedtwoe@saved@newline
13137 \if@RTL\rightskip\else\leftskip\fi\z@
13138 \@rightskip\z@
13139 \if@RTL\leftskip\else\rightskip\fi\@rightskip
13140 \parfillskip\JustifyingParfillskip
13141 \parindent\JustifyingParindent
13142 \@raggedtwoe@spaceskipfalse
13143 \@raggedtwoe@everyselectfont
13144 }
13145 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{
13146 \CheckCommand*{\@arrayparboxrestore}{%
13147 \let\if@nobreak\iffalse
13148 \let\if@noskipsec\iffalse
13149 \let\par\@par
13150 \let\-\@dischph
13151 \let\'@acci\let`@accii\let\=@acciii

```




```

13152 \parindent\z@ \parskip\z@skip
13153 \everypar{}%
13154 \linewidth\hsize
13155 \@totalleftmargin\z@
13156 \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@right
13157 \parfillskip\@flushglue \lineskip\normallineskip
13158 \baselineskip\normalbaselineskip
13159 \sloppy}%
13160 \renewcommand{\@arrayparboxrestore}{%
13161 \let\if@nobreak\iffalse
13162 \let\if@noskipsec\iffalse
13163 \let\par\@par
13164 \let\-\@dischph
13165 \let'\@acci\let`\@accii\let=\@acciii
13166 \parskip\z@skip
13167 \everypar{}%
13168 \linewidth\hsize
13169 \@totalleftmargin\z@
13170 \RaggedRight
13171 \lineskip\normallineskip
13172 \baselineskip\normalbaselineskip
13173 \sloppy}%
13174 \let\@raggedtwoe@raggedrightboxes@opt\relax
13175 }
13176 \let\origin@RaggedLeft=\RaggedLeft
13177 \let\origin@RaggedRight=\RaggedRight
13178 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
13179 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

7.93 rapport1-xetex-bidi.def

```

13180 \ProvidesFile{rapport1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for rapport1 class for X
13181 \renewenvironment{theindex}{%
13182 \if@twocolumn
13183 \@restonecolfalse
13184 \else
13185 \@restonecoltrue
13186 \fi
13187 \columnseprule \z@
13188 \columnsep 35\p@
13189 \twocolumn[\@makeschapterhead{\indexname}]%
13190 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
13191 \thispagestyle{plain}\parindent\z@
13192 \parskip\z@ \@plus .3\p@\relax
13193 \let\item\@idxitem
13194 }{%
13195 \if@restonecol\onecolumn\else\clearpage\fi}
13196 \renewcommand*{\head@style}{%
13197 \interlinepenalty \@M
13198 \hyphenpenalty=\@M \exhyphenpenalty=\@M

```



```

13199 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
13200 \if@titlepage
13201 \renewenvironment{abstract}{%
13202 \titlepage
13203 \null\vfil
13204 \section*{\SectFont\abstractname}%
13205 \noindent\ignorespaces}
13206 {\par\vfil\null\endtitlepage}
13207 \else
13208 \renewenvironment{abstract}{%
13209 \if@twocolumn
13210 \section*{\abstractname}%
13211 \else
13212 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
13213 \section*{\small\SectFont\abstractname}%
13214 \noindent\ignorespaces
13215 \fi}
13216 {\if@twocolumn\else\par\egroup\fi}
13217 \fi
13218 \renewcommand*\@regtocline[3]{%
13219 \ifnum #1>\c@tocdepth
13220 \else
13221 \vskip\z@\@plus.2\p@
13222 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
13223 \if@RTL\rightskip\else\leftskip\fi\unitindent
13224 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
13225 \parfillskip\z@
13226 \@tempdima\unitindent
13227 \parindent\z@
13228 \leavevmode
13229 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
13230 \hskip 1em \nobreak{\slshape #3}\par
13231 }%
13232 \fi}
13233 \if@oldtoc
13234 \renewcommand*\l@part[2]{%
13235 \ifnum \c@tocdepth >-2\relax
13236 \addpenalty{-\@highpenalty}%
13237 \addvspace{2.25em \@plus\p@}%
13238 \begingroup
13239 \setlength\@tempdima{3em}%
13240 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13241 \parfillskip -\@pnumwidth
13242 {\leavevmode
13243 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
13244 \nobreak
13245 \global\@nobreaktrue
13246 \everypar{\global\@nobreakfalse\everypar{}}%
13247 \endgroup
13248 \fi}

```



```

13249 \else
13250   \renewcommand*\l@part{%
13251     \ifnum \c@tocdepth >-2\relax
13252       \addpenalty{-\@highpenalty}%
13253       \addvspace{2.25em \@plus \p@}%
13254       \regtocline{0}%
13255     \fi}
13256 \fi
13257 \if@oldtoc
13258 \renewcommand*\l@chapter[2]{%
13259   \addpenalty{-\@highpenalty}%
13260   \vskip 1.0em \@plus\p@
13261   \setlength\@tempdima{1.5em}%
13262   \begingroup
13263     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13264     \parfillskip -\@pnumwidth
13265     \leavevmode \bfseries
13266     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13267     \hskip -\if@RTL\rightskip\else\leftskip\fi
13268     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13269     \penalty\@highpenalty
13270   \endgroup}
13271 \else
13272   \renewcommand*\l@chapter{\@regtocline{0}}
13273 \fi
13274 \renewcommand*\left@footnoterule{%
13275   \kern-3\p@
13276   \kern.5\baselineskip
13277   \hrule\@width\unitindent
13278   \kern.4\baselineskip
13279 }
13280 \renewcommand*\right@footnoterule{%
13281   \hbox to \columnwidth
13282   {\beginR \vbox{%
13283     \kern-3\p@
13284     \kern.5\baselineskip
13285     \hrule\@width\unitindent
13286     \kern.4\baselineskip}\hfil\endR}
13287 }
13288 \renewenvironment{thebibliography}[1]
13289   {\chapter*\bibname}%
13290   \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
13291   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13292   \list{\@biblabel{\@arabic\c@enumiv}}%
13293     {\settowidth\labelwidth{\@biblabel{#1}}%
13294     \leftmargin\labelwidth
13295     \advance\leftmargin\labelsep
13296     \@openbib@code
13297     \usecounter{enumiv}%
13298     \let\p@enumiv\@empty

```



```

13299         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
13300         \sloppy\clubpenalty4000\widowpenalty4000%
13301         \sfcode`\.\@m}
13302     {\def\@noitemerr
13303      {\@latex@warning{Empty `thebibliography' environment}}}%
13304     \endlist}
13305 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
13306 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
13307 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
13308 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13309 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
13310 \renewcommand*\theequation{%
13311   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
13312 \renewcommand*\thefigure{%
13313   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
13314 \renewcommand*\thetable{%
13315   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
13316 \if@titlepage
13317 \renewcommand*\TitleFont{\rmfamily}
13318 \renewcommand*\maketitle{%
13319   \begin{titlepage}%
13320     \let\footnotesize\small
13321     \let\right@footnoterule\relax
13322     \let\left@footnoterule\relax
13323     \let\textwidth@footnoterule\relax
13324     \let \footnote \thanks
13325     \long\def\@makefnmark##1{\parindent\z@
13326       \def\labelitemi{\textendash}\@revlabeltrue
13327       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
13328     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13329     \if@compatibility\setcounter{page}{0}\fi
13330     \null\vfil
13331     \vskip 60\p@
13332     \begin{center}}%
13333     \TitleFont
13334     {\LARGE \def\\{\penalty -\@M}
13335       \if@allcaps
13336         \expandafter\uc@nothanks\@title\thanks\relax
13337       \else
13338         \@title
13339       \fi\par}%
13340     \vskip 3em%
13341     {\large
13342       \lineskip .75em \parindent\z@
13343       \begin{tabular}[t]{c}%
13344         \if@allcaps
13345           \expandafter\uc@authornothanks\@author\and\relax
13346         \else
13347           \@author
13348         \fi

```



```

13349         \end{tabular}\par}%
13350     \vskip 1.5em%
13351     {\large
13352     \if@allcaps
13353         \uppercase\expandafter{\@date}%
13354     \else
13355         \@date
13356     \fi\par}%
13357     \end{center}\par
13358     \@thanks
13359     \vfil\null
13360 \end{titlepage}%
13361 \setcounter{footnote}{0}%
13362 \global\let\thanks\relax
13363 \global\let\maketitle\relax
13364 \global\let\@thanks\@empty
13365 \global\let\@author\@empty
13366 \global\let\@title\@empty
13367 \global\let\@date\@empty
13368 \global\let\title\relax
13369 \global\let\author\relax
13370 \global\let\date\relax
13371 \global\let\and\relax
13372 }
13373 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
13374 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
13375     \futurelet\@tempa\uc@ax}
13376 \def\uc@ax{%
13377     \ifx\@tempa\relax
13378     \else
13379         \ \andname \ \ \expandafter\uc@authornothanks
13380     \fi}
13381 \def\uc@tx{\ifx\@tempa\relax
13382     \else \expandafter\uc@ty \fi}
13383 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
13384 \else
13385 \renewcommand*\maketitle{\par
13386     \beginingroup
13387     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13388     \def\@makefnmark{\rlap{%
13389         \@textsuperscript{\normalfont\@thefnmark}}}%
13390     \long\def\@makefntext{\@xmakefntext{%
13391         \@textsuperscript{\normalfont\@thefnmark}}}%
13392     \if@twocolumn
13393         \ifnum \col@number=\@one
13394             \@maketitle
13395         \else
13396             \twocolumn[\@maketitle]%
13397         \fi
13398     \else

```



```

13399 \newpage
13400 \global\@topnum\z@
13401 \@maketitle
13402 \fi
13403 \thispagestyle{plain}\@thanks
13404 \endgroup
13405 \setcounter{footnote}{0}%
13406 \global\let\thanks\relax
13407 \global\let\maketitle\relax
13408 \global\let\@maketitle\relax
13409 \global\let\@thanks\@empty
13410 \global\let\@author\@empty
13411 \global\let\@title\@empty
13412 \global\let\@date\@empty
13413 \global\let\title\relax
13414 \global\let\author\relax
13415 \global\let\date\relax
13416 \global\let\and\relax
13417 }
13418 \def\@maketitle{%
13419 \newpage
13420 \null
13421 \vskip 2em%
13422 \begin{center}%
13423 \let \footnote \thanks
13424 {\LARGE \TitleFont \@title \par}%
13425 \vskip 1.5em%
13426 {\large \TitleFont
13427 \lineskip .5em%
13428 \begin{tabular}[t]{c}%
13429 \@author
13430 \end{tabular}\par}%
13431 \vskip 1em%
13432 {\large \TitleFont \@date}%
13433 \end{center}%
13434 \par
13435 \vskip 1.5em}
13436 \fi

```

7.94 rapport3-xetex-bidi.def

```

13437 \ProvidesFile{rapport3-xetex-bidi.def}[2011/08/26 v0.4 bidi adaptations for rapport3 class for X
13438 \renewenvironment{theindex}{%
13439 \if@twocolumn
13440 \@restonecolfalse
13441 \else
13442 \@restonecoltrue
13443 \fi
13444 \columnseprule \z@
13445 \columnsep 35\p@

```



```

13446 \twocolumn[\@makeschapterhead{\indexname}]%
13447 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
13448 \thispagestyle{plain}\parindent\z@
13449 \parskip\z@ \@plus .3\p@\relax
13450 \let\item\@idxitem
13451 }{%
13452 \if@restonecol\onecolumn\else\clearpage\fi}
13453 \if@titlepage
13454 \renewcommand*{\TitleFont{\rmfamily}
13455 \renewcommand*{\maketitle{%
13456 \begin{titlepage}%
13457 \let\footnotesize\small
13458 \let\right@footnoterule\relax
13459 \let\left@footnoterule\relax
13460 \let\textwidth\footnoterule\relax
13461 \let\footnote\thanks
13462 \let\LTRfootnote\LTRthanks
13463 \let\RTLfootnote\RTLthanks
13464 \long\def\@makefnmark{\parindent\z@
13465 \def\labelitemi{\textendash}\@revlabeltrue
13466 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
13467 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13468 \if@compatibility\setcounter{page}{0}\fi
13469 \null\vfil
13470 \vskip 60\p@
13471 \begin{center}%
13472 \TitleFont
13473 {\LARGE \def\\{\penalty -\@M}
13474 \if@allcaps
13475 \expandafter\uc@nothanks\@title\thanks\relax
13476 \else
13477 \@title
13478 \fi\par}%
13479 \vskip 3em%
13480 {\large
13481 \lineskip .75em \parindent\z@
13482 \begin{tabular}[t]{c}%
13483 \if@allcaps
13484 \expandafter\uc@authornothanks\@author\and\relax
13485 \else
13486 \@author
13487 \fi
13488 \end{tabular}\par}%
13489 \vskip 1.5em%
13490 {\large
13491 \if@allcaps
13492 \uppercase\expandafter{\@date}%
13493 \else
13494 \@date
13495 \fi\par}%

```



```

13496     \end{center}\par
13497     \@thanks
13498     \vfil\null
13499 \end{titlepage}%
13500 \setcounter{footnote}{0}%
13501 \global\let\thanks\relax
13502 \global\let\LTRthanks\relax
13503 \global\let\RTLthanks\relax
13504 \global\let\maketitle\relax
13505 \global\let\@thanks\@empty
13506 \global\let\@author\@empty
13507 \global\let\@title\@empty
13508 \global\let\@date\@empty
13509 \global\let\title\relax
13510 \global\let\author\relax
13511 \global\let\date\relax
13512 \global\let\and\relax
13513 }
13514 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
13515 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
13516     \futurelet\@tempa\uc@ax}
13517 \def\uc@ax{%
13518     \ifx\@tempa\relax
13519     \else
13520         \\\andname \\\expandafter\uc@authornothanks
13521     \fi}
13522 \def\uc@tx{\ifx\@tempa\relax
13523     \else \expandafter\uc@ty \fi}
13524 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
13525 \else
13526 \renewcommand*\maketitle{\par
13527     \begingroup
13528     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13529     \def\@makefnmark{\rlap{%
13530         \@textsuperscript{\normalfont\@thefnmark}}}%
13531     \long\def\@makefntext{\@xmakefntext{%
13532         \@textsuperscript{\normalfont\@thefnmark}}}%
13533     \if@twocolumn
13534         \ifnum \col@number=\@ne
13535             \@maketitle
13536         \else
13537             \twocolumn[\@maketitle]%
13538         \fi
13539     \else
13540         \newpage
13541         \global\@topnum\z@
13542         \@maketitle
13543     \fi
13544     \thispagestyle{plain}\@thanks
13545 \endgroup

```




```

13546 \setcounter{footnote}{0}%
13547 \global\let\thanks\relax
13548 \global\let\LTRthanks\relax
13549 \global\let\RTLthanks\relax
13550 \global\let\maketitle\relax
13551 \global\let\@maketitle\relax
13552 \global\let\@thanks\@empty
13553 \global\let\@author\@empty
13554 \global\let\@title\@empty
13555 \global\let\@date\@empty
13556 \global\let\title\relax
13557 \global\let\author\relax
13558 \global\let\date\relax
13559 \global\let\and\relax
13560 }
13561 \def\@maketitle{%
13562 \newpage
13563 \null
13564 \vskip 2em%
13565 \if@titlecentered
13566 \begin{center}%
13567 \let \footnote \thanks
13568 \let \LTRfootnote \LTRthanks
13569 \let \RTLfootnote \RTLthanks
13570 {\LARGE \TitleFont \@title \par}%
13571 \vskip 1.5em%
13572 {\large \TitleFont
13573 \lineskip .5em%
13574 \begin{tabular}[t]{c}%
13575 \@author
13576 \end{tabular}\par}%
13577 \vskip 1em%
13578 {\large \TitleFont \@date}%
13579 \end{center}%
13580 \else
13581 {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
13582 {\large \TitleFont \lineskip .5em \tabcolsep\z@
13583 \def\and{%% \begin{tabular} has already started
13584 \end{tabular}\hskip 1em plus .17fil
13585 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabular} will
13586 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
13587 \vskip 1em {\large \TitleFont \@date}
13588 \fi
13589 \par
13590 \vskip 1.5em}
13591 \fi
13592 \renewcommand*\@regtocline[3]{%
13593 \ifnum #1>\c@tocdepth
13594 \else
13595 \vskip\z@\@plus.2\p@

```



```

13596 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
13597 \if@RTL\rightskip\else\leftskip\fi\unitindent
13598 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
13599 \parfillskip\z@
13600 \@tempdima\unitindent
13601 \parindent\z@
13602 \leavevmode
13603 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
13604 \hskip 1em \nobreak{\slshape #3}\par
13605 }%
13606 \fi}
13607 \if@oldtoc
13608 \renewcommand*\l@part[2]{%
13609 \ifnum \c@tocdepth >-2\relax
13610 \addpenalty{-\@highpenalty}%
13611 \addvspace{2.25em \@plus\p@}%
13612 \begingroup
13613 \setlength\@tempdima{3em}%
13614 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13615 \parfillskip -\@pnumwidth
13616 {\leavevmode
13617 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
13618 \nobreak
13619 \global\@nobreaktrue
13620 \everypar{\global\@nobreakfalse\everypar{}}%
13621 \endgroup
13622 \fi}
13623 \else
13624 \renewcommand*\l@part{%
13625 \ifnum \c@tocdepth >-2\relax
13626 \addpenalty{-\@highpenalty}%
13627 \addvspace{2.25em \@plus\p@}%
13628 \@regtocline{0}%
13629 \fi}
13630 \fi
13631 \if@oldtoc
13632 \renewcommand*\l@chapter[2]{%
13633 \addpenalty{-\@highpenalty}%
13634 \vskip 1.0em \@plus\p@
13635 \setlength\@tempdima{1.5em}%
13636 \begingroup
13637 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13638 \parfillskip -\@pnumwidth
13639 \leavevmode \bfseries
13640 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13641 \hskip -\if@RTL\rightskip\else\leftskip\fi
13642 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13643 \penalty\@highpenalty
13644 \endgroup}
13645 \else

```



```

13646 \renewcommand*\l@chapter{\@regtocline{0}}
13647 \fi
13648 \renewcommand*\head@style{%
13649     \interlinepenalty \@M
13650     \hyphenpenalty=\@M \exhyphenpenalty=\@M
13651     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
13652 \if@titlepage
13653 \renewenvironment{abstract}{%
13654     \titlepage
13655     \null\vfil
13656     \section*{\SectFont\abstractname}%
13657     \noindent\ignorespaces
13658     {\par\vfil\null\endtitlepage}
13659 \else
13660 \renewenvironment{abstract}{%
13661     \if@twocolumn
13662         \section*{\abstractname}%
13663     \else
13664         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
13665         \section*{\small\SectFont\abstractname}%
13666         \noindent\ignorespaces
13667     \fi}
13668     {\if@twocolumn\else\par\egroup\fi}
13669 \fi
13670 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
13671 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
13672 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
13673 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13674 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
13675 \renewcommand*\thefigure{%
13676     \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
13677 \renewcommand*\thetable{%
13678     \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
13679 \renewcommand*\theequation{%
13680     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
13681 \renewenvironment{thebibliography}[1]
13682     {\chapter*{\bibname}%
13683         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
13684         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13685         \list{\@biblabel{\@arabic\c@enumiv}}%
13686             {\settowidth\labelwidth{\@biblabel{#1}}%
13687              \leftmargin\labelwidth
13688              \advance\leftmargin\labelsep
13689              \@openbib@code
13690              \usecounter{enumiv}%
13691              \let\p@enumiv\@empty
13692              \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
13693         \sloppy\clubpenalty4000\widowpenalty4000%
13694         \sfcode`\.\@m}
13695     {\def\@noitemerr

```



```

13696      {\@latex@warning{Empty `thebibliography' environment}}}%
13697      \endlist}
13698 \renewcommand*\left@footnoterule{%
13699   \kern-3\p@
13700   \kern.5\baselineskip
13701   \hrule\@width\unitindent
13702   \kern.4\baselineskip
13703 }
13704 \renewcommand*\right@footnoterule{%
13705   \hbox to \columnwidth
13706   {\beginR \vbox{%
13707     \kern-3\p@
13708     \kern.5\baselineskip
13709     \hrule\@width\unitindent
13710     \kern.4\baselineskip}\hfil\endR}
13711 }
13712 \renewcommand*\head@style{%
13713   \interlinepenalty \@M
13714   \hyphenpenalty=\@M \exhyphenpenalty=\@M
13715   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

7.95 refrep-xetex-bidi.def

```

13716 \ProvidesFile{refrep-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for refrep class for XeTeX]
13717 \if@titlepage
13718   \renewcommand\maketitle{\begin{titlepage}%
13719     \let\footnotesize\small
13720     \let\right@footnoterule\relax
13721     \let\left@footnoterule\relax
13722     \let\textwidth\footnoterule\relax
13723     \let\footnote\thanks
13724     \let\LTRfootnote\LTRthanks
13725     \let\RTLfootnote\RTLthanks
13726     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13727     \def\@makefnmark%
13728       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13729     \long\def\@makefntext##1{%
13730       \@setpar{\@par
13731         \@tempdima = \hsize
13732         \advance\@tempdima -1em
13733         \parshape \@ne 1em \@tempdima}%
13734       \par\parindent 1em \noindent
13735       \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,\,##1}
13736     \null\vfil
13737     \vskip 60\p@
13738     \begin{center}%
13739       {\LARGE \@title \par}%
13740       \vskip 3em%
13741       {\large
13742         \lineskip .75em%

```



```

13743     \begin{tabular}[t]{c}%
13744         \@author
13745     \end{tabular}\par}%
13746     \vskip 1.5em%
13747     {\large \@date \par}%           % Set date in \large size.
13748 \end{center}\par
13749 \@thanks
13750 \vfil\null
13751 \end{titlepage}%
13752 \setcounter{footnote}{0}%
13753 \global\let\thanks\relax
13754 \global\let\LTRthanks\relax
13755 \global\let\RTLthanks\relax
13756 \global\let\maketitle\relax
13757 \global\let\@thanks\@empty
13758 \global\let\@author\@empty
13759 \global\let\@date\@empty
13760 \global\let\@title\@empty
13761 \global\let\title\relax
13762 \global\let\author\relax
13763 \global\let\date\relax
13764 \global\let\and\relax
13765 }
13766 \else
13767 \renewcommand\maketitle{\par
13768     \begingroup
13769     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13770     \def\@makefnmark%
13771         {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13772     \long\def\@makefntext##1{%
13773         \@setpar{\@par
13774             \@tempdima = \hsize
13775             \advance\@tempdima -1em
13776             \parshape \@ne 1em \@tempdima}%
13777         \par\parindent 1em \noindent
13778         \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
13779     \if@twocolumn
13780         \ifnum \col@number=\@ne
13781             \@maketitle
13782         \else
13783             \twocolumn[\@maketitle]%
13784         \fi
13785     \else
13786         \newpage
13787         \global\@topnum\z@ % Prevents figures from going at top of page.
13788         \@maketitle
13789     \fi
13790     \thispagestyle{empty}\@thanks
13791 \endgroup
13792 \setcounter{footnote}{0}%

```



```

13793 \global\let\thanks\relax
13794 \global\let\LTRthanks\relax
13795 \global\let\RTLthanks\relax
13796 \global\let\maketitle\relax
13797 \global\let\@maketitle\relax
13798 \global\let\@thanks\@empty
13799 \global\let\@author\@empty
13800 \global\let\@date\@empty
13801 \global\let\@title\@empty
13802 \global\let\title\relax
13803 \global\let\author\relax
13804 \global\let\date\relax
13805 \global\let\and\relax
13806 }
13807 \def\@maketitle{%
13808     \newpage
13809     \null
13810     \longthickrule\vskip1.5em%
13811     \let \footnote \thanks
13812     \let \LTRfootnote \LTRthanks
13813     \let \RTLfootnote \RTLthanks
13814     {\secshape \parskip\z@ \parindent\z@
13815     \Large\bfseries \@title \par}%
13816     \vskip1.5em\longthickrule\vskip1.5em%
13817     {\normalsize
13818     \lineskip .5em%
13819     \begin{flushright}%
13820         {\slshape\@author\par}
13821         \vskip 1em%
13822         {\@date}%
13823     \end{flushright}\par}%
13824     \vskip 1.5em}
13825 \fi
13826 \renewcommand*\l@part[2]{%
13827     \ifnum \c@tocdepth >-2\relax
13828         \addpenalty{-\@highpenalty}%
13829         \addvspace{2.25em \@plus\p}%
13830         \begingroup
13831             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13832             \parfillskip -\@pnumwidth
13833             {\leavevmode
13834             \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
13835             \nobreak
13836             \global\@nbreaktrue
13837             \everypar{\global\@nbreakfalse\everypar{}}%
13838         \endgroup
13839     \fi}
13840 \renewcommand*\l@chapter[2]{%
13841     \ifnum \c@tocdepth >\m@ne
13842         \addpenalty{-\@highpenalty}%

```



```

13843 \vskip 1.0em \@plus\p@
13844 \setlength\@tempdima{1.5em}%
13845 \beginingroup
13846 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13847 \parfillskip -\@pnumwidth
13848 \leavevmode \bfseries
13849 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13850 \hskip -\if@RTL\rightskip\else\leftskip\fi
13851 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13852 \penalty\@highpenalty
13853 \endgroup
13854 \fi}
13855 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
13856 \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
13857 \hyphenpenalty=2000}
13858 \renewcommand\left@footnoterule{%
13859 \kern-3\p@
13860 \hrule\@width.4\columnwidth
13861 \kern 2.6\p@}
13862 \renewcommand\right@footnoterule{%
13863 \hbox to \columnwidth
13864 {\beginR \vbox{%
13865 \kern-3\p@
13866 \hrule\@width.4\columnwidth
13867 \kern 2.6\p@}\hfil\endR}}
13868 \renewcommand\theequation
13869 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13870 \renewcommand\thefigure
13871 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13872 \renewcommand\thetable%
13873 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
13874 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
13875 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
13876 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
13877 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13878 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
13879 \renewenvironment{thebibliography}[1]
13880 {\chapter*{\bibname
13881 \@mkboth{\bibname}{\bibname}}%
13882 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13883 \list{\@biblabel{\@arabic\c@enumiv}}%
13884 {\settowidth\labelwidth{\@biblabel{#1}}%
13885 \leftmargin\labelwidth
13886 \advance\leftmargin\labelsep
13887 \@openbib@code
13888 \usecounter{enumiv}%
13889 \let\p@enumiv\@empty
13890 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
13891 \sloppy
13892 \clubpenalty4000

```



```

13893         \@clubpenalty \@clubpenalty
13894         \widowpenalty4000%
13895         \sfcode`\.=\@m}
13896     {\def\@noitemerr
13897      {\@latex@warning{Empty `thebibliography' environment}}}%
13898     \endlist}

```

7.96 report-xetex-bidi.def

```

13899 \ProvidesFile{report-xetex-bidi.def}[2011/08/26 v0.6 bidi adaptations for standard report class]
13900 \renewenvironment{theindex}
13901     {\if@twocolumn
13902      \@restonecolfalse
13903      \else
13904      \@restonecoltrue
13905      \fi
13906      \columnseprule \z@
13907      \columnsep 35\p@
13908      \twocolumn[\@makeschapterhead{\indexname}]%
13909      \@mkboth{\MakeUppercase\indexname}%
13910              {\MakeUppercase\indexname}%
13911      \thispagestyle{plain}\parindent\z@
13912      \parskip\z@ \@plus .3\p@\relax
13913      \let\item\@idxitem}
13914     {\if@restonecol\onecolumn\else\clearpage\fi}
13915 \if@titlepage
13916 \renewcommand\maketitle{\begin{titlepage}%
13917 \let\footnotesize\small
13918 \let\right@footnoterule\relax
13919 \let\left@footnoterule\relax
13920 \let\textwidth@footnoterule\relax
13921 \let \footnote \thanks
13922 \let \LTRfootnote \LTRthanks
13923 \let \RTLfootnote \RTLthanks
13924 \null\vfil
13925 \vskip 60\p@
13926 \begin{center}%
13927   {\LARGE \@title \par}%
13928   \vskip 3em%
13929   {\large
13930     \lineskip .75em%
13931     \begin{tabular}[t]{c}%
13932       \@author
13933     \end{tabular}\par}%
13934     \vskip 1.5em%
13935     {\large \@date \par}%           % Set date in \large size.
13936 \end{center}\par
13937 \@thanks
13938 \vfil\null
13939 \end{titlepage}%

```




```

13940 \setcounter{footnote}{0}%
13941 \global\let\thanks\relax
13942 \global\let\LTRthanks\relax
13943 \global\let\RTLthanks\relax
13944 \global\let\maketitle\relax
13945 \global\let\@thanks\@empty
13946 \global\let\@author\@empty
13947 \global\let\@date\@empty
13948 \global\let\@title\@empty
13949 \global\let\title\relax
13950 \global\let\author\relax
13951 \global\let\date\relax
13952 \global\let\and\relax
13953 }
13954 \else
13955 \renewcommand\maketitle{\par
13956 \begingroup
13957   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13958   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13959   \long\def\@makefntext##1{\parindent 1em\noindent
13960     \hb@xt@1.8em{%
13961       \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
13962   \if@twocolumn
13963     \ifnum \col@number=\@ne
13964       \@maketitle
13965     \else
13966       \twocolumn[\@maketitle]%
13967     \fi
13968   \else
13969     \newpage
13970     \global\@topnum\z@ % Prevents figures from going at top of page.
13971     \@maketitle
13972   \fi
13973   \thispagestyle{plain}\@thanks
13974 \endgroup
13975 \setcounter{footnote}{0}%
13976 \global\let\thanks\relax
13977 \global\let\LTRthanks\relax
13978 \global\let\RTLthanks\relax
13979 \global\let\maketitle\relax
13980 \global\let\@maketitle\relax
13981 \global\let\@thanks\@empty
13982 \global\let\@author\@empty
13983 \global\let\@date\@empty
13984 \global\let\@title\@empty
13985 \global\let\title\relax
13986 \global\let\author\relax
13987 \global\let\date\relax
13988 \global\let\and\relax
13989 }

```



```

13990 \def\@maketitle{%
13991   \newpage
13992   \null
13993   \vskip 2em%
13994   \begin{center}%
13995     \let \footnote \thanks
13996     \let \LTRfootnote \LTRthanks
13997     \let \RTLfootnote \RTLthanks
13998     {\LARGE \@title \par}%
13999     \vskip 1.5em%
14000     {\large
14001       \lineskip .5em%
14002       \begin{tabular}[t]{c}%
14003         \@author
14004       \end{tabular}\par}%
14005     \vskip 1em%
14006     {\large \@date}%
14007   \end{center}%
14008   \par
14009   \vskip 1.5em}
14010 \fi
14011 \renewcommand*\l@part[2]{%
14012   \ifnum \c@tocdepth >-2\relax
14013     \addpenalty{-\@highpenalty}%
14014     \addvspace{2.25em \@plus\p}%
14015     \setlength\@tempdima{3em}%
14016     \begingroup
14017       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14018       \parfillskip -\@pnumwidth
14019       {\leavevmode
14020         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
14021       \nobreak
14022       \global\@nobreaktrue
14023       \everypar{\global\@nobreakfalse\everypar{}}%
14024     \endgroup
14025   \fi}
14026 \renewcommand*\l@chapter[2]{%
14027   \ifnum \c@tocdepth >\m@ne
14028     \addpenalty{-\@highpenalty}%
14029     \vskip 1.0em \@plus\p@
14030     \setlength\@tempdima{1.5em}%
14031     \begingroup
14032       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14033       \parfillskip -\@pnumwidth
14034       \leavevmode \bfseries
14035       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
14036       \hskip -\if@RTL\rightskip\else\leftskip\fi
14037       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
14038       \penalty\@highpenalty
14039     \endgroup

```



```

14040 \fi}
14041 \renewcommand\left@footnoterule{%
14042 \kern-3\p@
14043 \hrule\@width.4\columnwidth
14044 \kern2.6\p@}
14045 \renewcommand\right@footnoterule{%
14046 \hbox to \columnwidth
14047 {\beginR \vbox{%
14048 \kern-3\p@
14049 \hrule\@width.4\columnwidth
14050 \kern2.6\p@}\hfil\endR}}
14051 \renewcommand\theequation
14052 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14053 \renewcommand \thefigure
14054 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
14055 \renewcommand \thetable
14056 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
14057 \renewcommand \thechapter {\@arabic\c@chapter}
14058 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
14059 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
14060 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
14061 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
14062 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
14063 \def\@makechapterhead#1{%
14064 \vspace*{50\p@}%
14065 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
14066 \ifnum \c@secnumdepth >\m@ne
14067 \huge\bfseries \@chapapp\space \thechapter
14068 \par\nobreak
14069 \vskip 20\p@
14070 \fi
14071 \interlinepenalty\@M
14072 \Huge \bfseries #1\par\nobreak
14073 \vskip 40\p@
14074 }}
14075 \def\@makeschapterhead#1{%
14076 \vspace*{50\p@}%
14077 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
14078 \normalfont
14079 \interlinepenalty\@M
14080 \Huge \bfseries #1\par\nobreak
14081 \vskip 40\p@
14082 }}
14083 \renewenvironment{thebibliography}[1]
14084 {\chapter*{\bibname}%
14085 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
14086 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14087 \list{\@biblabel{\@arabic\c@enumiv}}%
14088 {\settowidth\labelwidth{\@biblabel{#1}}%
14089 \leftmargin\labelwidth

```



```

14090         \advance\leftmargin\labelsep
14091         \@openbib@code
14092         \usecounter{enumiv}%
14093         \let\p@enumiv\@empty
14094         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
14095     \sloppy
14096     \clubpenalty4000
14097     \@clubpenalty \clubpenalty
14098     \widowpenalty4000%
14099     \sfcode`\.\@m}
14100     {\def\@noitemerr
14101      {\@latex@warning{Empty `thebibliography' environment}}}%
14102     \endlist}

```

7.97 rotating-xetex-bidi.def

```

14103 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package for
14104 \def\end@rotfloat{%
14105     \end{minipage}\end{lrbox}%
14106     \stepcounter{r@tfl@t}%
14107     \rot@label{RF\ther@tfl@t}%
14108     \rot@pageref{RF\ther@tfl@t}{\R@@page}%
14109     \edef\@tempa{Adding sideways \@cotype\space on page \R@@page\space}
14110     \rot@mess@toks\expandafter{\@tempa}
14111     \wd\rot@float@box\z@
14112     \ht\rot@float@box\z@
14113     \dp\rot@float@box\z@
14114     \vboxL to \textheight{%
14115         \setkeys{Grot}{units=360}%
14116         \if@rot@twoside
14117         \else
14118             \let\R@@page\rot@LR
14119         \fi
14120         \ifthenelse{\isodd{\R@@page}}{%
14121             \if@rot@twoside
14122                 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}}%
14123             \fi
14124             \vfill
14125             @@line{%
14126                 \hskip\rotFPtop
14127                 \rotatebox{90}{\box\rot@float@box}%
14128                 \hskip\rotFPbot
14129             }%
14130         }{%
14131             \if@rot@twoside
14132                 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}}%
14133             \fi
14134             @@line{%
14135                 \hskip\rotFPbot
14136                 \rotatebox{-90}{\box\rot@float@box}%

```



```

14137         \hskip\rotFPtop
14138     }%
14139     \vfill
14140 }%
14141 \rot@message{\the\rot@mess@toks}
14142 }%
14143 \end@float
14144 }
14145 \let\endsidewaysfigure\end@rotfloat
14146 \let\endsidewaysstable\end@rotfloat
14147 \def\end@rotdblfloat{%
14148     \end{minipage}\end{lrbox}%
14149     \stepcounter{r@tfl@t}%
14150     \rot@label{RF\ther@tfl@t}%
14151     \rot@pageref{RF\ther@tfl@t}{\R@@page}%
14152     \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
14153     \rot@mess@toks\expandafter{\@tempa}
14154     \@tempdima\ht\rot@float@box
14155     \advance\@tempdima by \dp\rot@float@box
14156     \wd\rot@float@box\z@
14157     \ht\rot@float@box\z@
14158     \dp\rot@float@box\z@
14159     \vboxL to \textheight{%
14160         \setkeys{Grot}{units=360}%
14161         \if@rot@twoside
14162             \else
14163                 \let\R@@page\rot@LR
14164             \fi
14165             \ifthenelse{\isodd{\R@@page}}{-%
14166                 \ifrot@messages
14167                     \if@rot@twoside
14168                         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
14169                     \fi
14170                     \fi
14171                     \vfill
14172                     \@@line{%
14173                         \hskip\rotFPtop
14174                         \rotatebox{90}{\box\rot@float@box}%
14175                         \hskip\rotFPbot
14176                     }%
14177                 }{-%
14178                     \ifrot@messages
14179                         \if@rot@twoside
14180                         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
14181                     \fi
14182                     \fi%
14183                     \@@line{%
14184                         \hskip\rotFPbot
14185                         \rotatebox{-90}{\box\rot@float@box}%
14186                         \hskip\rotFPtop

```



```

14187     }%
14188     \vfill
14189     }%
14190     \rot@message{\the\rot@mess@toks}%
14191 }%
14192 \end@dblfloat
14193 }
14194 \def\turn#1{%
14195   \Grot@setangle{#1}%
14196   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
14197 \def\endturn{%
14198   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
14199   \unskip\color@endbox
14200   \Grot@x\z@
14201   \Grot@y\z@
14202   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14203 }
14204 \def\rotate#1{%
14205   \Grot@setangle{#1}%
14206   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
14207 \def\endrotate{%
14208   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
14209   \unskip\color@endbox
14210   \Grot@x\z@
14211   \Grot@y\z@
14212   \wd0\z@\dp0\z@\ht0\z@
14213   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14214 }
14215 \def\turnbox#1#2{%
14216   \Grot@setangle{#1}%
14217   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
14218   \Grot@x\z@\Grot@y\z@
14219   \wd0\z@\dp0\z@\ht0\z@
14220   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14221 }
14222 \def\sideways{%
14223   \Grot@setangle{90}%
14224   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
14225 \def\endsideways{%
14226   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
14227   \unskip\color@endbox
14228   \Grot@x\z@
14229   \Grot@y\z@
14230   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14231 }

```

7.98 scrartcl-xetex-bidi.def

```

14232 \ProvidesFile{scrartcl-xetex-bidi.def}[2015/07/04 v0.7 bidi adaptations for scrartcl class for Xe
14233 \newcommand{\scr@saved@LTRfootnotetext}{}

```



```

14234 \newcommand{\scr@saved@RTLfootnotetext}{}
14235 \let\scr@saved@footnotetext\@footnotetext
14236 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
14237 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
14238 \renewcommand{\@footnotetext}[1]{%
14239   \scr@saved@footnotetext{#1}%
14240   \csname FN@mfp@prepare\endcsname
14241 }
14242 \renewcommand{\@LTRfootnotetext}[1]{%
14243   \scr@saved@LTRfootnotetext{#1}%
14244   \csname FN@mfp@prepare\endcsname
14245 }
14246 \renewcommand{\@RTLfootnotetext}[1]{%
14247   \scr@saved@RTLfootnotetext{#1}%
14248   \csname FN@mfp@prepare\endcsname
14249 }
14250 \renewcommand\deffootnote[4][1]{%
14251   \long\def\@makefnmark##1{%
14252     \setlength{\@tempdimc}{#3}%
14253     \def\@tempa{#1}\ifx\@tempa\@empty
14254       \setpar{\@par
14255         \@tempdima = \hsize
14256         \addtolength{\@tempdima}{-#2}%
14257         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
14258       \else
14259         \addtolength{\@tempdimc}{#2}%
14260         \addtolength{\@tempdimc}{-#1}%
14261         \setpar{\@par
14262           \@tempdima = \hsize
14263           \addtolength{\@tempdima}{-#1}%
14264           \@tempdimb = \hsize
14265           \addtolength{\@tempdimb}{-#2}%
14266           \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@tempdimb}%
14267         \fi
14268         \par
14269         \parindent\@tempdimc\noindent
14270         \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
14271       }%
14272     \def\@makefnmark{\hbox{\ftn@font{#4}}}%
14273   }
14274 }
14275 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
14276 \renewcommand*\left@footnoterule{%
14277   \normalsize\ftn@rule@test@values
14278   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14279   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14280   {\usekomafont{footnoterule}{%
14281     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}%}
14282   \kern 2.6\p@}
14283 \renewcommand*\right@footnoterule{%

```



```

14284 \hbox to \columnwidth
14285 {\beginR \vbox{\kern -3\p@
14286 \normalsize\ftn@rule@test@values
14287 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14288 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14289 {\usekomafont{footnoterule}{%
14290 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14291 \kern 2.6\p@}\hfil\endR}}
14292 \renewcommand*\maketitle[1][1]{%
14293 \if@titlepage
14294 \begin{titlepage}
14295 \setcounter{page}{%
14296 #1%
14297 }%
14298 \let\footnotesize\small
14299 \let\right@footnoterule\relax
14300 \let\left@footnoterule\relax
14301 \let\textwidth@footnoterule\relax
14302 \let\footnote\thanks
14303 \let\LTRfootnote\LTRthanks
14304 \let\RTLfootnote\RTLthanks
14305 \renewcommand*\thefootnote{\fnsymbol\c@footnote}%
14306 \let\@oldmakefnmark\@makefnmark
14307 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
14308 \ifx\@extratitle\empty \else
14309 \noindent\@extratitle\next@tpage\cleardoubleemptypage
14310 \thispagestyle{empty}%
14311 \fi
14312 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14313 \ifx\@titlehead\empty \else
14314 \begin{minipage}[t]{\textwidth}%
14315 \@titlehead
14316 \end{minipage}\par
14317 \fi
14318 \null\vfill
14319 \begin{center}
14320 \ifx\@subject\empty \else
14321 {\subject@font \@subject \par}%
14322 \vskip 3em
14323 \fi
14324 {\titlefont\huge \@title\par}%
14325 \vskip 1em
14326 {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14327 \vskip 2em
14328 {\Large \lineskip 0.75em
14329 \begin{tabular}[t]{c}
14330 \@author
14331 \end{tabular}\par
14332 }%
14333 \vskip 1.5em

```




```

14334      {\Large \@date \par}%
14335      \vskip \z@ \@plus3fill
14336      {\Large \@publishers \par}%
14337      \vskip 3em
14338    \end{center}\par
14339    \@thanks
14340    \vfill\null
14341    \if@twoside\next@tpage
14342      \begin{minipage}[t]{\textwidth}
14343        \uppertitleback
14344      \end{minipage}\par
14345      \vfill
14346      \begin{minipage}[b]{\textwidth}
14347        \lowertitleback
14348      \end{minipage}
14349    \fi
14350    \ifx\@dedication\@empty \else
14351      \next@tpage\null\vfill
14352      {\centering \Large \@dedication \par}%
14353      \vskip \z@ \@plus3fill
14354      \if@twoside \next@tpage\cleardoubleemptypage \fi
14355    \fi
14356    \end{titlepage}
14357  \else
14358    \par
14359    \@tempcnta=%
14360    #1%
14361    \relax\ifnum\@tempcnta=1\else
14362      \ClassWarning{KOMAClassName}{%
14363        Optional argument of \string\maketitle\space ignored
14364        at\MessageBreak
14365        notitlepage-mode%
14366      }%
14367    \fi
14368    \begin{group}
14369      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14370      \let\@oldmakefnmark\@makefnmark
14371      \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
14372      \if@twocolumn
14373        \ifnum \col@number=\@one
14374          \maketitle
14375        \else
14376          \twocolumn[\maketitle]%
14377        \fi
14378      \else
14379        \newpage
14380        \global\@topnum\z@
14381        \maketitle
14382      \fi
14383      \thispagestyle{\titlepagestyle}\@thanks

```



```

14384 \endgroup
14385 \fi
14386 \setcounter{footnote}{0}%
14387 \let\thanks\relax
14388 \let\LTRthanks\relax
14389 \let\RTLthanks\relax
14390 \let\maketitle\relax
14391 \let\@maketitle\relax
14392 \global\let\@thanks\@empty
14393 \global\let\@author\@empty
14394 \global\let\@date\@empty
14395 \global\let\@title\@empty
14396 \global\let\@subtitle\@empty
14397 \global\let\@extratitle\@empty
14398 \global\let\@titlehead\@empty
14399 \global\let\@subject\@empty
14400 \global\let\@publishers\@empty
14401 \global\let\@uppertitleback\@empty
14402 \global\let\@lowertitleback\@empty
14403 \global\let\@dedication\@empty
14404 \global\let\author\relax
14405 \global\let\title\relax
14406 \global\let\extratitle\relax
14407 \global\let\titlehead\relax
14408 \global\let\subject\relax
14409 \global\let\publishers\relax
14410 \global\let\uppertitleback\relax
14411 \global\let\lowertitleback\relax
14412 \global\let\dedication\relax
14413 \global\let\date\relax
14414 \global\let\and\relax
14415 }%
14416 \renewcommand*{\@maketitle}{%
14417 \clearpage
14418 \let\footnote\thanks
14419 \let\LTRfootnote\LTRthanks
14420 \let\RTLfootnote\RTLthanks
14421 \ifx\@extratitle\@empty \else
14422 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14423 \fi
14424 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14425 \ifx\@titlehead\@empty \else
14426 \begin{minipage}[t]{\textwidth}
14427 \@titlehead
14428 \end{minipage}\par
14429 \fi
14430 \null
14431 \vskip 2em%
14432 \begin{center}%
14433 \ifx\@subject\@empty \else

```



```

14434     {\subject@font \@subject \par}
14435     \vskip 1.5em
14436   \fi
14437   {\titlefont\huge \@title \par}%
14438   \vskip .5em
14439   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14440   \vskip 1em
14441   {\Large
14442     \lineskip .5em%
14443     \begin{tabular}[t]{c}
14444       \@author
14445     \end{tabular}\par
14446   }%
14447   \vskip 1em%
14448   {\Large \@date \par}%
14449   \vskip \z@ \@plus 1em
14450   {\Large \@publishers \par}
14451   \ifx\@dedication\@empty \else
14452     \vskip 2em
14453     {\Large \@dedication \par}
14454   \fi
14455   \end{center}%
14456   \par
14457   \vskip 2em
14458 }%
14459 \renewcommand*{\l@part[2]{%
14460   \ifnum \c@tocdepth >\m@ne\relax
14461     \addpenalty{\@secpenalty}%
14462     \addvspace{2.25em \@plus \p@}%
14463     \setlength{\@tempdima}{2em}%
14464     \if@tocleft
14465       \ifx\toc@l@number\@empty\else
14466         \setlength{\@tempdima}{0\toc@l@number}%
14467       \fi
14468     \fi
14469     \begingroup
14470     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14471     \parfillskip -\@pnumwidth
14472     \leavevmode
14473     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
14474     \hskip -\if@RTL\rightskip\else\leftskip\fi
14475     {\usekomafont{partentry}{\#1\nobreak
14476       \usekomafont{partentrypagenumber}{\hfil\nobreak
14477         \hb@xt@\@pnumwidth{\hss\#2}}}\par
14478     \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14479     \endgroup
14480     \penalty20010
14481   \else
14482     \if@compatibility
14483       \global\@nobreaktrue

```



```

14484         \everypar{\global\@nobreakfalse\everypar{}}%
14485         \else
14486         \penalty\@highpenalty
14487         \fi
14488     \endgroup
14489 \fi
14490 \fi
14491 }
14492 \renewcommand*\l@section[2]{%
14493 \ifnum \c@tocdepth >\z@
14494 \ifnum \lastpenalty<20009
14495 \addpenalty{\@secpenalty}%
14496 \fi
14497 \addvspace{1.0em \@plus\p@}%
14498 \setlength\@tempdima{1.5em}%
14499 \if@tocleft
14500 \ifx\toc@l@number\@empty\else
14501 \setlength\@tempdima{0\toc@l@number}%
14502 \fi
14503 \fi
14504 \begingroup
14505 \raggedsectionentry
14506 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14507 \parfillskip -\@pnumwidth
14508 \interlinepenalty\@M
14509 \leavevmode
14510 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip
14511 {\usekomafont{sectionentry}{\#1\nobreak
14512 \usekomafont{sectionentrypagenumber}{\%
14513 \hfill\nobreak
14514 \hb@xt@\@pnumwidth{\hss\#2}}}\par
14515 \endgroup
14516 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14517 \penalty20008
14518 \fi
14519 \fi
14520 }
14521 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
14522 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
14523 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
14524 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
14525 \renewcommand*{\thesubsubsection}{%
14526 \thesubsection\@SepMark\@arabic\c@subsubsection
14527 }
14528 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
14529 \renewcommand*{\thesubparagraph}{%
14530 \theparagraph\@SepMark\@arabic\c@subparagraph
14531 }
14532 \renewenvironment{thebibliography}[1]{%
14533 \if@bib@break@

```



```

14534 \bib@beginhook
14535 \else
14536 \bib@heading
14537 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
14538 \noindent\bibpreamble\par\nobreak
14539 \fi\fi
14540 \bib@beginhook
14541 \bib@before@hook
14542 \fi
14543 \renewcommand{\BreakBibliography}[1]{%
14544 \@bib@break
14545 \end{thebibliography}%
14546 \begingroup ##1\endgroup
14547 \begin{thebibliography}{#1}
14548 }%
14549 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14550 \list{%
14551 \@biblabel{\@arabic{c@enumiv}}%
14552 }{%
14553 \settowidth\labelwidth{\@biblabel{#1}}%
14554 \leftmargin\labelwidth
14555 \advance\leftmargin\labelsep
14556 \@openbib@code
14557 \if@bib@break@
14558 \edef\@tempa{%
14559 \noexpand\usecounter{enumiv}}%
14560 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
14561 }\@tempa
14562 \no@bib@break
14563 \else
14564 \usecounter{enumiv}%
14565 \fi
14566 \let\p@enumiv\@empty
14567 \renewcommand*\theenumiv{\@arabic{c@enumiv}}%
14568 }%
14569 \sloppy\clubpenalty4000 \widowpenalty4000
14570 \sfcode`\.\@m
14571 }{%
14572 \if@bib@break@
14573 \def\@noitemerr{%
14574 \@latex@warning{%
14575 \string\BreakBibliography\space at begin of `thebibliography'
14576 environment\MessageBreak
14577 or following \string\BreakBibliography}%
14578 }%
14579 \else
14580 \def\@noitemerr{%
14581 \@latex@warning{%
14582 Empty `thebibliography' environment or
14583 \string\BreakBibliography\MessageBreak

```



```

14584         before end of `thebibliography' environment}%
14585     }%
14586 \fi
14587 \endlist
14588 \if@bib@break@
14589 \else
14590     \bib@after@hook
14591     \let\bib@before@hook\@empty
14592     \let\bib@after@hook\@empty
14593 \fi
14594 \bib@endhook
14595 }
14596 \renewcommand*\left@footnoterule{%
14597     \kern-3\p@
14598     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14599     \hrule\@width.4\columnwidth
14600     \kern 2.6\p@}
14601 \renewcommand*\right@footnoterule{%
14602     \hbox to \columnwidth
14603     {\beginR \vbox{%
14604         \kern-3\p@
14605         \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14606         \hrule\@width.4\columnwidth
14607         \kern 2.6\p@}\hfil\endR}}
14608 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
14609 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
14610 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
14611 \renewcommand\marginline[1]{%
14612     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
14613 }
14614 \renewcommand{\@makecaption}[3]{%
14615     \cap@margin
14616     \ifonelinecaptions
14617         \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
14618         \let\scr@tmp@footnotetext=\@footnotetext
14619         \let\@footnotetext=\@gobble
14620         \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14621         \let\@LTRfootnotetext=\@gobble
14622         \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14623         \let\@RTLfootnotetext=\@gobble
14624         \sbox\@tempboxa{%
14625             {\capfont{\strut\ignorespaces
14626                 #1{\caplabelfont{#2\captionformat}}}%
14627                 #3\unskip\strut}}%
14628         }%
14629         \let\@footnotetext=\scr@tmp@footnotetext
14630         \let\scr@tmp@footnotetext=\undefined
14631         \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14632         \let\scr@tmp@LTRfootnotetext=\undefined
14633         \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext

```



```

14634 \let\scr@tmp@RTLfootnotetext=\undefined
14635 \setcounter{footnote}{\@tempcntb}%
14636 \setcounter{mpfootnote}{\@tempcnta}%
14637 \else
14638 \sbox\@tempboxa{\hspace*{2\cap@width}}%
14639 \fi
14640 \beginingroup%
14641 \setlength{\@tempdima}{\cap@width}%
14642 \ifdim \wd\@tempboxa >\@tempdima
14643 \hb@xt@\hsize{%
14644 \setbox\@tempboxa\vbox{\hsize=\cap@width
14645 \ifdofullc@p
14646 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
14647 #1{\caplabelfont{#2\captionformat}}}}}%
14648 #3\unskip\strut\par}}}%
14649 \else%
14650 \ifdim\cap@indent<\z@
14651 {\capfont{\strut\ignorespaces
14652 #1{\caplabelfont{#2\captionformat\par}}}%
14653 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
14654 \else%
14655 \if@capbreak
14656 {\capfont{\strut\ignorespaces
14657 #1{\caplabelfont{#2\captionformat\par}}}%
14658 \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
14659 \else
14660 {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}%
14661 {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
14662 {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
14663 \fi
14664 \fi
14665 \fi
14666 }%
14667 \setlength{\@tempdima}{\ht\@tempboxa}%
14668 \addtolength{\@tempdima}{\dp\@tempboxa}%
14669 \addtolength{\@tempdima}{-\ht\strutbox}%
14670 \ht\@tempboxa\ht\strutbox
14671 \dp\@tempboxa\@tempdima
14672 \strut\cap@left
14673 \box\@tempboxa
14674 \cap@right\strut
14675 }%
14676 \else
14677 \global \@minipagefalse
14678 \sbox\@tempboxa{%
14679 {\capfont{\scr@smashdp{\strut\ignorespaces
14680 #1{\caplabelfont{#2\captionformat}}}}}%
14681 #3}%
14682 }%
14683 {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right\strut}}

```



```

14684 \fi
14685 \endgroup
14686 }
14687 \renewcommand{\@makecaption}[2]{%
14688 \if@captionabove
14689 \vskip\belowcaptionskip
14690 \else
14691 \vskip\abovecaptionskip
14692 \fi
14693 @@makecaption\@firstofone{#1}{#2}%
14694 \if@captionabove
14695 \vskip\abovecaptionskip
14696 \else
14697 \vskip\belowcaptionskip
14698 \fi
14699 }
14700 \bidi@AfterFile{longtable-xetex-bidi.def}{%
14701 \@ifpackageloaded{caption2}{\@komalongtablefalse
14702 \scr@caption@before@longtable@warning{caption2}%
14703 }{}%
14704 \if@komalongtable
14705 \renewcommand{\LT@makecaption}[3]{%
14706 \noalign{%
14707 \if@captionabove
14708 \vskip\belowcaptionskip
14709 \else
14710 \vskip\abovecaptionskip
14711 \fi
14712 }%
14713 \LT@mcol\LT@cols c{%
14714 \hbox to\z@{\hss\parbox[t]{\linewidth{%
14715 \@makecaption{#1}{#2}{#3}%
14716 \endgraf
14717 \if@captionabove
14718 \vskip\abovecaptionskip
14719 \else
14720 \vskip\belowcaptionskip
14721 \fi
14722 }%
14723 \hss
14724 }%
14725 }%
14726 }%
14727 \renewcommand*{\scr@LT@array}{}%
14728 \let\scr@LT@array=\LT@array
14729 \renewcommand*{\LT@array}{%
14730 \let\scr@caption=\LT@caption
14731 \def\captionabove{\noalign{\global\@captionabovetrue}%
14732 \scr@caption}%
14733 \def\captionbelow{\noalign{\global\@captionabovetrue}%

```




```

14734         \scr@caption}%
14735     \if@tablecaptionabove
14736         \let\LT@caption=\captionabove
14737     \else
14738         \let\LT@caption=\captionbelow
14739     \fi
14740     \scr@LT@array
14741 }%
14742 \ClassInfo{\KOMAClassName}{%
14743     longtable captions redefined%
14744 }%
14745 \fi
14746 }

```

7.99 scrbook-xetex-bidi.def

```

14747 \ProvidesFile{scrbook-xetex-bidi.def}[2015/07/04 v0.7 bidi adaptations for scrbook class for XeT
14748 \newcommand{\scr@saved@LTRfootnotetext}{}
14749 \newcommand{\scr@saved@RTLfootnotetext}{}
14750 \let\scr@saved@footnotetext\@footnotetext
14751 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
14752 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
14753 \renewcommand{\@footnotetext}[1]{%
14754     \scr@saved@footnotetext{#1}%
14755     \csname FN@mfb@prepare\endcsname
14756 }
14757 \renewcommand{\@LTRfootnotetext}[1]{%
14758     \scr@saved@LTRfootnotetext{#1}%
14759     \csname FN@mfb@prepare\endcsname
14760 }
14761 \renewcommand{\@RTLfootnotetext}[1]{%
14762     \scr@saved@RTLfootnotetext{#1}%
14763     \csname FN@mfb@prepare\endcsname
14764 }
14765 \renewcommand\deffootnote[4][1]{%
14766     \long\def\@makefnmark##1{%
14767         \setlength{\@tempdimc}{#3}%
14768         \def\@tempa{#1}\ifx\@tempa\@empty
14769             \@setpar{\@par
14770                 \@tempdima = \hsize
14771                 \addtolength{\@tempdima}{-#2}%
14772                 \if@RTL\parshape \@one Opt \@tempdima\else\parshape \@one #2 \@tempdima\fi}%
14773             \else
14774                 \addtolength{\@tempdimc}{#2}%
14775                 \addtolength{\@tempdimc}{-#1}%
14776                 \@setpar{\@par
14777                     \@tempdima = \hsize
14778                     \addtolength{\@tempdima}{-#1}%
14779                     \@tempdimb = \hsize
14780                     \addtolength{\@tempdimb}{-#2}%

```



```

14781 \ifRTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
14782 }%
14783 \fi
14784 \par
14785 \parindent\@tempdimc\noindent
14786 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
14787 }%
14788 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
14789 }
14790 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
14791 \renewcommand*\left@footnoterule{%
14792 \normalsize\ftn@rule@test@values
14793 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14794 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14795 {\usekomafont{footnoterule}{%
14796 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14797 \kern 2.6\p@}
14798 \renewcommand*\right@footnoterule{%
14799 \hbox to \columnwidth
14800 {\beginR \vbox{\kern -3\p@
14801 \normalsize\ftn@rule@test@values
14802 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14803 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14804 {\usekomafont{footnoterule}{%
14805 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14806 \kern 2.6\p@}\hfil\endR}}
14807 \renewcommand*\maketitle[1][1]{%
14808 \if@titlepage
14809 \begin{titlepage}
14810 \setcounter{page}{%
14811 #1%
14812 }%
14813 \let\footnotesize\small
14814 \let\right@footnoterule\relax
14815 \let\left@footnoterule\relax
14816 \let\textwidth@footnoterule\relax
14817 \let\footnote\thanks
14818 \let\LTRfootnote\LTRthanks
14819 \let\RTLfootnote\RTLthanks
14820 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14821 \let\@oldmakefnmark\@makefnmark
14822 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
14823 \ifx\@extratitle\empty \else
14824 \noindent\@extratitle\next@tpage\cleardoubleemptypage
14825 \thispagestyle{empty}%
14826 \fi
14827 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14828 \ifx\@titlehead\empty \else
14829 \begin{minipage}[t]{\textwidth}%
14830 \@titlehead

```



```

14831         \end{minipage}\par
14832     \fi
14833     \null\vfill
14834     \begin{center}
14835         \ifx\@subject\@empty \else
14836             {\subject@font \@subject \par}%
14837             \vskip 3em
14838         \fi
14839         {\titlefont\huge \@title\par}%
14840         \vskip 1em
14841         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14842         \vskip 2em
14843         {\Large \lineskip 0.75em
14844             \begin{tabular}[t]{c}
14845                 \@author
14846             \end{tabular}\par
14847         }%
14848         \vskip 1.5em
14849         {\Large \@date \par}%
14850         \vskip \z@ \@plus3fill
14851         {\Large \@publishers \par}%
14852         \vskip 3em
14853     \end{center}\par
14854     \@thanks
14855     \vfill\null
14856     \if@twoside\next@tpage
14857         \begin{minipage}[t]{\textwidth}
14858             \@uppertitleback
14859         \end{minipage}\par
14860         \vfill
14861         \begin{minipage}[b]{\textwidth}
14862             \@lowertitleback
14863         \end{minipage}
14864     \fi
14865     \ifx\@dedication\@empty \else
14866         \next@tpage\null\vfill
14867         {\centering \Large \@dedication \par}%
14868         \vskip \z@ \@plus3fill
14869         \if@twoside \next@tpage\cleardoubleemptypage \fi
14870     \fi
14871     \end{titlepage}
14872 \else
14873     \par
14874     \@tempcnta=%
14875     #1%
14876     \relax\ifnum\@tempcnta=1\else
14877         \ClassWarning{KOMAClassName}{%
14878             Optional argument of \string\maketitle\space ignored
14879             at\MessageBreak
14880             notitlepage-mode%

```



```

14881     }%
14882 \fi
14883 \beginingroup
14884   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14885   \let\@oldmakefnmark\@makefnmark
14886   \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
14887   \if@twocolumn
14888     \ifnum \col@number=\@one
14889       \maketitle
14890     \else
14891       \twocolumn[\maketitle]%
14892     \fi
14893   \else
14894     \newpage
14895     \global\@topnum\z@
14896     \maketitle
14897   \fi
14898   \thispagestyle{\titlepagestyle}\@thanks
14899 \endgroup
14900 \fi
14901 \setcounter{footnote}{0}%
14902 \let\thanks\relax
14903 \let\LTRthanks\relax
14904 \let\RTLthanks\relax
14905 \let\maketitle\relax
14906 \let\@maketitle\relax
14907 \global\let\@thanks\@empty
14908 \global\let\@author\@empty
14909 \global\let\@date\@empty
14910 \global\let\@title\@empty
14911 \global\let\@subtitle\@empty
14912 \global\let\@extratitle\@empty
14913 \global\let\@titlehead\@empty
14914 \global\let\@subject\@empty
14915 \global\let\@publishers\@empty
14916 \global\let\@uppertitleback\@empty
14917 \global\let\@lowertitleback\@empty
14918 \global\let\@dedication\@empty
14919 \global\let\author\relax
14920 \global\let\title\relax
14921 \global\let\extratitle\relax
14922 \global\let\titlehead\relax
14923 \global\let\subject\relax
14924 \global\let\publishers\relax
14925 \global\let\uppertitleback\relax
14926 \global\let\lowertitleback\relax
14927 \global\let\dedication\relax
14928 \global\let\date\relax
14929 \global\let\and\relax
14930 }%

```



```

14931 \renewcommand*{\@maketitle}{%
14932   \clearpage
14933   \let\footnote\thanks
14934   \let\LTRfootnote\LTRthanks
14935   \let\RTLfootnote\RTLthanks
14936   \ifx\@extratitle\@empty \else
14937     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14938   \fi
14939   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14940   \ifx\@titlehead\@empty \else
14941     \begin{minipage}[t]{\textwidth}
14942       \@titlehead
14943     \end{minipage}\par
14944   \fi
14945   \null
14946   \vskip 2em%
14947   \begin{center}%
14948     \ifx\@subject\@empty \else
14949       {\subject@font \@subject \par}
14950       \vskip 1.5em
14951     \fi
14952     {\titlefont\huge \@title \par}%
14953     \vskip .5em
14954     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14955     \vskip 1em
14956     {\Large
14957       \lineskip .5em%
14958       \begin{tabular}[t]{c}
14959         \@author
14960       \end{tabular}\par
14961     }%
14962     \vskip 1em%
14963     {\Large \@date \par}%
14964     \vskip \z@ \@plus 1em
14965     {\Large \@publishers \par}
14966     \ifx\@dedication\@empty \else
14967       \vskip 2em
14968       {\Large \@dedication \par}
14969     \fi
14970   \end{center}%
14971   \par
14972   \vskip 2em
14973 }%
14974 \renewcommand*\l@part[2]{%
14975   \ifnum \c@tocdepth >-2\relax
14976     \addpenalty{-\@highpenalty}%
14977     \addvspace{2.25em \@plus \p@}%
14978     \setlength{\@tempdima}{2em}%
14979     \if@tocleft
14980       \ifx\toc@l@number\@empty\else

```



```

14981         \setlength\@tempdima{0\toc@l@number}%
14982     \fi
14983 \fi
14984 \begingroup
14985     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14986     \parfillskip -\@pnumwidth
14987     \leavevmode
14988     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
14989     \hskip -\if@RTL\rightskip\else\leftskip\fi
14990     {\usekomafont{partentry}{#1\nobreak
14991         \usekomafont{partentrypagenumber}{\hfil\nobreak
14992         \hb@xt@\@pnumwidth{\hss#2}}}\par
14993     \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14994     \endgroup
14995     \penalty20010
14996     \else
14997         \penalty\@highpenalty
14998     \endgroup
14999 \fi
15000 \fi
15001 }\renewcommand*\l@part[2]{%
15002 \ifnum \c@tocdepth >-2\relax
15003     \addpenalty{-\@highpenalty}%
15004     \addvspace{2.25em \@plus\p@}%
15005     \setlength{\@tempdima}{2em}%
15006     \if@tocleft
15007         \ifx\toc@l@number\@empty\else
15008             \setlength\@tempdima{0\toc@l@number}%
15009         \fi
15010     \fi
15011     \begingroup
15012         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15013         \parfillskip -\@pnumwidth
15014         \leavevmode
15015         \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15016         \hskip -\if@RTL\rightskip\else\leftskip\fi
15017         {\usekomafont{partentry}{#1\nobreak
15018             \usekomafont{partentrypagenumber}{\hfil\nobreak
15019             \hb@xt@\@pnumwidth{\hss#2}}}\par
15020         \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
15021         \endgroup
15022         \penalty20010
15023         \else
15024             \penalty\@highpenalty
15025         \endgroup
15026     \fi
15027 \fi
15028 }
15029 \renewcommand*\l@chapter[2]{%
15030 \ifnum \c@tocdepth >\m@ne

```



```

15031 \ifnum \lastpenalty<20010
15032 \addpenalty{-\@highpenalty}%
15033 \fi
15034 \vskip 1.0em \@plus\p@
15035 \setlength\@tempdima{1.5em}%
15036 \if@tocleft
15037 \ifx\toc@l@number\@empty\else
15038 \setlength\@tempdima{0\toc@l@number}%
15039 \fi
15040 \fi
15041 \begingroup
15042 \raggedchapterentry
15043 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15044 \parfillskip -\@pnumwidth
15045 \interlinepenalty\@M
15046 \leavevmode
15047 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
15048 {\usekomafont{chapterentry}{#1\nobreak
15049 \usekomafont{chapterentrypagenumber}{%
15050 \hfill\nobreak
15051 \hb@xt@\@pnumwidth{\hss#2}}}\par
15052 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
15053 \endgroup
15054 \penalty20009
15055 \else
15056 \penalty\@highpenalty
15057 \endgroup
15058 \fi
15059 \fi
15060 }
15061 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
15062 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
15063 \renewcommand*\thesection{%
15064 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
15065 \if@mainmatter\thechapter\@SepMark\fi
15066 \else
15067 \thechapter\@SepMark%
15068 \fi
15069 \@arabic\c@section
15070 }
15071 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
15072 \renewcommand*{\thesubsubsection}{%
15073 \thesubsection\@SepMark\@arabic\c@subsubsection
15074 }
15075 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15076 \renewcommand*{\thesubparagraph}{%
15077 \theparagraph\@SepMark\@arabic\c@subparagraph
15078 }
15079 \renewcommand*\thefigure{%
15080 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax

```



```

15081 \if@mainmatter\thechapter\@SepMark\fi
15082 \else
15083 \thechapter\@SepMark%
15084 \fi
15085 \@arabic\c@figure
15086 }
15087 \renewcommand*\thetable{%
15088 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
15089 \if@mainmatter\thechapter\@SepMark\fi
15090 \else
15091 \thechapter\@SepMark%
15092 \fi
15093 \@arabic\c@table
15094 }
15095 \renewcommand*\theequation{%
15096 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
15097 \if@mainmatter\thechapter\@SepMark\fi
15098 \else
15099 \thechapter\@SepMark%
15100 \fi
15101 \@arabic\c@equation
15102 }
15103 \renewenvironment{thebibliography}[1]{%
15104 \if@bib@break@
15105 \bib@beginhook
15106 \else
15107 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
15108 \setchapterpreamble{\bibpreamble}%
15109 \fi\fi
15110 \bib@heading
15111 \bib@beginhook
15112 \bib@before@hook
15113 \fi
15114 \renewcommand{\BreakBibliography}[1]{%
15115 \@bib@break
15116 \end{thebibliography}%
15117 \begingroup ##1\endgroup
15118 \begin{thebibliography}{#1}
15119 }%
15120 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15121 \list{%
15122 \@biblabel{\@arabic\c@enumiv}%
15123 }{%
15124 \settowidth\labelwidth{\@biblabel{#1}}%
15125 \leftmargin\labelwidth
15126 \advance\leftmargin\labelsep
15127 \@openbib@code
15128 \if@bib@break@
15129 \edef\@tempa{%
15130 \noexpand\usecounter{enumiv}%

```




```

15131         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
15132     }\@tempa
15133     \no@bib@break
15134 \else
15135     \usecounter{enumiv}%
15136 \fi
15137 \let\p@enumiv\@empty
15138 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
15139 }%
15140 \sloppy\clubpenalty4000 \widowpenalty4000
15141 \sfcode`\.=\@m
15142 }{%
15143 \if@bib@break@
15144     \def\@noitemerr{%
15145         \@latex@warning{%
15146             \string\BreakBibliography\space at begin of `thebibliography'
15147             environment\MessageBreak
15148             or following \string\BreakBibliography}%
15149     }%
15150 \else
15151     \def\@noitemerr{%
15152         \@latex@warning{%
15153             Empty `thebibliography' environment or
15154             \string\BreakBibliography\MessageBreak
15155             before end of `thebibliography' environment}%
15156     }%
15157 \fi
15158 \endlist
15159 \if@bib@break@
15160 \else
15161     \bib@after@hook
15162     \let\bib@before@hook\@empty
15163     \let\bib@after@hook\@empty
15164 \fi
15165 \bib@endhook
15166 }
15167 \renewcommand*\left@footnoterule{%
15168     \kern-3\p@
15169     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15170     \hrule\@width.4\columnwidth
15171     \kern 2.6\p@}
15172 \renewcommand*\right@footnoterule{%
15173     \hbox to \columnwidth
15174     {\beginR \vbox{%
15175         \kern-3\p@
15176         \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15177         \hrule\@width.4\columnwidth
15178         \kern 2.6\p@}\hfil\endR}}
15179 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
15180 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}

```



```

15181 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
15182 \renewcommand\marginline[1]{%
15183   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
15184 }
15185 \renewcommand{\@@makecaption}[3]{%
15186   \cap@margin
15187   \ifonelinecaptions
15188     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
15189     \let\scr@tmp@footnotetext=\@footnotetext
15190     \let\@footnotetext=\@gobble
15191     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
15192     \let\@LTRfootnotetext=\@gobble
15193     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
15194     \let\@RTLfootnotetext=\@gobble
15195     \sbox\@tempboxa{%
15196       {\capfont{\strut\ignorespaces
15197         #1{\caplabelfont{#2\captionformat}}}%
15198         #3\unskip\strut}}%
15199     }%
15200     \let\@footnotetext=\scr@tmp@footnotetext
15201     \let\scr@tmp@footnotetext=\undefined
15202     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
15203     \let\scr@tmp@LTRfootnotetext=\undefined
15204     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
15205     \let\scr@tmp@RTLfootnotetext=\undefined
15206     \setcounter{footnote}{\@tempcntb}%
15207     \setcounter{mpfootnote}{\@tempcnta}%
15208   \else
15209     \sbox\@tempboxa{\hspace*{2\cap@width}}%
15210   \fi
15211   \begingroup%
15212     \setlength{\@tempdima}{\cap@width}%
15213     \ifdim \wd\@tempboxa >\@tempdima
15214       \hb@xt@\hsize{%
15215         \setbox\@tempboxa\vbox{\hsize=\cap@width
15216           \ifdofullc@p
15217             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
15218               #1{\caplabelfont{#2\captionformat}}}}}%
15219               #3\unskip\strut\par}}}%
15220         \else%
15221           \ifdim\cap@indent<\z@
15222             {\capfont{\strut\ignorespaces
15223               #1{\caplabelfont{#2\captionformat\par}}}%
15224               \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
15225           \else%
15226             \if@capbreak
15227               {\capfont{\strut\ignorespaces
15228                 #1{\caplabelfont{#2\captionformat\par}}}%
15229                 \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
15230             \else

```



```

15231         {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}}%
15232             {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
15233             {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
15234         \fi
15235     \fi
15236 \fi
15237 }%
15238 \setlength{\@tempdima}{\ht\@tempboxa}%
15239 \addtolength{\@tempdima}{\dp\@tempboxa}%
15240 \addtolength{\@tempdima}{-\ht\strutbox}%
15241 \ht\@tempboxa\ht\strutbox
15242 \dp\@tempboxa\@tempdima
15243 \strut\cap@left
15244 \box\@tempboxa
15245 \cap@right\strut
15246 }%
15247 \else
15248     \global \@minipagefalse
15249     \sbox\@tempboxa{%
15250         {\capfont{\scr@smashdp{\strut\ignorespaces
15251             #1{\caplabelfont{#2\captionformat}}}}}%
15252         #3}}}%
15253     }%
15254     {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right\strut}}%
15255     \fi
15256 \endgroup
15257 }
15258 \renewcommand{\@makecaption}[2]{%
15259     \if@captionabove
15260         \vskip\belowcaptionskip
15261     \else
15262         \vskip\abovecaptionskip
15263     \fi
15264     \@@makecaption\@firstofone{#1}{#2}%
15265     \if@captionabove
15266         \vskip\abovecaptionskip
15267     \else
15268         \vskip\belowcaptionskip
15269     \fi
15270 }
15271 \bidi@AfterFile{longtable-xetex-bidi.def}{%
15272     \@ifpackageloaded{caption2}{\@komalongtablefalse
15273     \scr@caption@before@longtable@warning{caption2}}}%
15274 }{}%
15275 \if@komalongtable
15276     \renewcommand{\LT@makecaption}[3]{%
15277         \noalign{%
15278             \if@captionabove
15279                 \vskip\belowcaptionskip
15280             \else

```



```

15281         \vskip\abovecaptionskip
15282     \fi
15283 }%
15284 \LT@mcol\LT@cols c{%
15285     \hbox to\z@{\hss\parbox[t]{\linewidth{%
15286         \@makecaption{#1}{#2}{#3}%
15287     \endgraf
15288     \if@captionabove
15289         \vskip\abovecaptionskip
15290     \else
15291         \vskip\belowcaptionskip
15292     \fi
15293 }%
15294 \hss
15295 }%
15296 }%
15297 }%
15298 \renewcommand*{\scr@LT@array}{}%
15299 \let\scr@LT@array=\LT@array
15300 \renewcommand*{\LT@array}{%
15301     \let\scr@caption=\LT@caption
15302     \def\captionabove{\noalign{\global\@captionabovetrue}%
15303         \scr@caption}%
15304     \def\captionbelow{\noalign{\global\@captionabovetrue}%
15305         \scr@caption}%
15306     \if@tablecaptionabove
15307         \let\LT@caption=\captionabove
15308     \else
15309         \let\LT@caption=\captionbelow
15310     \fi
15311     \scr@LT@array
15312 }%
15313 \ClassInfo{\KOMAClassName}{%
15314     longtable captions redefined%
15315 }%
15316 \fi
15317 }

```

7.100 scrlettr-xetex-bidi.def

```

15318 \ProvidesFile{scrlettr-xetex-bidi.def}[2011/09/24 v0.2 bidi adaptations for scrlettr class for X
15319 \renewcommand\deffootnote[4][]{%
15320     \long\def\@makefn#1{%
15321         \edef\@tempa{#1}\ifx\@tempa\@empty
15322             \setpar{\@par
15323                 \tempdima = \hsize
15324                 \addtolength{\tempdima}{-#2}
15325                 \ifRTL\parshape \@one Opt \tempdima\else\parshape \@one #2 \tempdima\fi}%
15326         \else
15327             \setpar{\@par

```



```

15328      \@tempdima = \hsize
15329      \addtolength{\@tempdima}{-#1}
15330      \@tempdimb = \hsize
15331      \addtolength{\@tempdimb}{-#2}
15332      \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
15333      \fi
15334      \par
15335      \parindent #3\noindent
15336      \hbox to \z@{\hss\@makefnmark}##1}
15337      \def\@makefnmark{\hbox{#4}}
15338  }
15339  \deffootnote[1em]{1.5em}{1em}
15340      {\textsuperscript{\thefootnotemark}}
15341  \def\left@footnoterule{\kern-1\p@
15342      \hrule width 0.4\columnwidth
15343      \kern .6\p@}
15344  \def\right@footnoterule{%
15345      \hbox to \columnwidth
15346      {\beginR \vbox{\kern -3\p@
15347      \kern-1\p@
15348      \hrule width 0.4\columnwidth
15349      \kern .6\p@}\hfil\endR}}
15350  \def\@datefield{\@reffalse
15351      \ifx\varyourref\@empty \else \@reftrue \fi
15352      \ifx\varyourmail\@empty \else \@reftrue \fi
15353      \ifx\varmyref\@empty \else \@reftrue \fi
15354      \ifx\varcustomer\@empty \else \@reftrue \fi
15355      \ifx\varinvoice\@empty \else \@reftrue \fi
15356      \ifx\varrefitemi\@empty \else \@reftrue \fi
15357      \ifx\varrefitemii\@empty \else \@reftrue \fi
15358      \ifx\varrefitemiii\@empty \else \@reftrue \fi
15359      \vskip -\parskip
15360      \vskip \refvskip
15361      \if@ref
15362          \ifx\varyourref\@empty \else
15363              \settowidth{\sc@temp}{\varyourref}
15364              \setbox0\hbox{\scriptsize \sf \yourrefname}
15365              \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
15366              \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
15367          \fi
15368          \ifx\varyourmail\@empty \else
15369              \settowidth{\sc@temp}{\varyourmail}
15370              \setbox0\hbox{\scriptsize \sf \yourmailname}
15371              \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
15372              \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
15373          \fi
15374          \ifx\varmyref\@empty \else
15375              \settowidth{\sc@temp}{\varmyref}
15376              \setbox0\hbox{\scriptsize \sf \myrefname}
15377              \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi

```



```

15378 \parbox[t]{\sc@temp}{\noindent \box0\par \varmyref}\hfill
15379 \fi
15380 \ifx\varcustomer\@empty \else
15381 \settowidth{\sc@temp}{\varcustomer}
15382 \setbox0\hbox{\scriptsize \sf \customername}
15383 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15384 \parbox[t]{\sc@temp}{\noindent \box0\par \varcustomer}\hfill
15385 \fi
15386 \ifx\varinvoice\@empty \else
15387 \settowidth{\sc@temp}{\varinvoice}
15388 \setbox0\hbox{\scriptsize \sf \invoicename}
15389 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15390 \parbox[t]{\sc@temp}{\noindent \box0\par \varinvoice}\hfill
15391 \fi
15392 \ifx\varrefitemi\@empty \else
15393 \settowidth{\sc@temp}{\varrefitemi}
15394 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
15395 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15396 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemi}\hfill
15397 \fi
15398 \ifx\varrefitemii\@empty \else
15399 \settowidth{\sc@temp}{\varrefitemii}
15400 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
15401 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15402 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
15403 \fi
15404 \ifx\varrefitemiii\@empty \else
15405 \settowidth{\sc@temp}{\varrefitemiii}
15406 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
15407 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15408 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
15409 \fi
15410 \ifx\@date\@empty \else
15411 \settowidth{\sc@temp}{\@date}
15412 \setbox0\hbox{\scriptsize \sf \datename}
15413 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15414 \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
15415 \fi
15416 \par
15417 \vspace{2.5\baselineskip}
15418 \else
15419 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
15420 \vspace{1.5\baselineskip}
15421 \fi}
15422 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
15423 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
15424 -\sigindent \hspace{\sigindent}}%
15425 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}}\[\presig@ski
15426 \fromsig\strut}\par
15427 \vspace{1.5\baselineskip}}

```



7.101 scrreprt-xetex-bidi.def

```

15428 \ProvidesFile{scrreprt-xetex-bidi.def}[2015/07/04 v0.7 bidi adaptations for scrreprt class for X
15429 \newcommand{\scr@saved@LTRfootnotetext}{}
15430 \newcommand{\scr@saved@RTLfootnotetext}{}
15431 \let\scr@saved@footnotetext\@footnotetext
15432 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
15433 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
15434 \renewcommand{\@footnotetext}[1]{%
15435   \scr@saved@footnotetext{#1}%
15436   \csname FN@mf@prepare\endcsname
15437 }
15438 \renewcommand{\@LTRfootnotetext}[1]{%
15439   \scr@saved@LTRfootnotetext{#1}%
15440   \csname FN@mf@prepare\endcsname
15441 }
15442 \renewcommand{\@RTLfootnotetext}[1]{%
15443   \scr@saved@RTLfootnotetext{#1}%
15444   \csname FN@mf@prepare\endcsname
15445 }
15446 \renewcommand\deffootnote[4][1]{%
15447   \long\def\@makefnmark##1{%
15448     \setlength{\@tempdimc}{#3}%
15449     \def\@tempa{#1}\ifx\@tempa\@empty
15450       \setpar{\@par
15451         \@tempdima = \hsize
15452         \addtolength{\@tempdima}{-#2}%
15453         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
15454       \else
15455         \addtolength{\@tempdimc}{#2}%
15456         \addtolength{\@tempdimc}{-#1}%
15457         \setpar{\@par
15458           \@tempdima = \hsize
15459           \addtolength{\@tempdima}{-#1}%
15460           \@tempdimb = \hsize
15461           \addtolength{\@tempdimb}{-#2}%
15462           \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
15463         }%
15464       \fi
15465       \par
15466       \parindent\@tempdimc\noindent
15467       \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
15468     }%
15469     \def\@makefnmark{\hbox{\ftn@font{#4}}}%
15470 }
15471 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
15472 \renewcommand*\left@footnoterule{%
15473   \normalsize\ftn@rule@test@values
15474   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
15475   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi

```



```

15476 {\usekomafont{footnoterule}{%
15477     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
15478 \kern 2.6\p@}
15479 \renewcommand*{\right@footnoterule{%
15480     \hbox to \columnwidth
15481     {\beginR \vbox{\kern -3\p@
15482     \normalsize\ftn@rule@test@values
15483     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
15484     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15485     {\usekomafont{footnoterule}{%
15486         \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
15487     \kern 2.6\p@}\hfil\endR}}
15488 \renewcommand*\maketitle[1][1]{%
15489     \if@titlepage
15490         \begin{titlepage}
15491             \setcounter{page}{%
15492                 #1%
15493             }%
15494             \let\footnotesize\small
15495             \let\right@footnoterule\relax
15496             \let\left@footnoterule\relax
15497             \let\textwidth@footnoterule\relax
15498             \let\footnote\thanks
15499             \let\LTRfootnote\LTRthanks
15500             \let\RTLfootnote\RTLthanks
15501             \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15502             \let\@oldmakefnmark\@makefnmark
15503             \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
15504             \ifx\@extratitle\@empty \else
15505                 \noindent\@extratitle\next@tpage\cleardoubleemptypage
15506                 \thispagestyle{empty}%
15507             \fi
15508             \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
15509             \ifx\@titlehead\@empty \else
15510                 \begin{minipage}[t]{\textwidth}%
15511                     \@titlehead
15512                 \end{minipage}\par
15513             \fi
15514             \null\vfill
15515             \begin{center}
15516                 \ifx\@subject\@empty \else
15517                     {\subject@font \@subject \par}%
15518                     \vskip 3em
15519                 \fi
15520                 {\titlefont\huge \@title\par}%
15521                 \vskip 1em
15522                 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
15523                 \vskip 2em
15524                 {\Large \lineskip 0.75em
15525                 \begin{tabular}[t]{c}

```




```

15526         \@author
15527         \end{tabular}\par
15528     }%
15529     \vskip 1.5em
15530     {\Large \@date \par}%
15531     \vskip \z@ \@plus3fill
15532     {\Large \@publishers \par}%
15533     \vskip 3em
15534 \end{center}\par
15535 \@thanks
15536 \vfill\null
15537 \if@twoside\next@tpage
15538     \begin{minipage}[t]{\textwidth}
15539         \@uppertitleback
15540     \end{minipage}\par
15541     \vfill
15542     \begin{minipage}[b]{\textwidth}
15543         \@lowertitleback
15544     \end{minipage}
15545 \fi
15546 \ifx\@dedication\@empty \else
15547     \next@tpage\null\vfill
15548     {\centering \Large \@dedication \par}%
15549     \vskip \z@ \@plus3fill
15550     \if@twoside \next@tpage\cleardoubleemptypage \fi
15551 \fi
15552 \end{titlepage}
15553 \else
15554     \par
15555     \@tempcnta=%
15556     #1%
15557     \relax\ifnum\@tempcnta=1\else
15558         \ClassWarning{\KOMAClassName}{%
15559             Optional argument of \string\maketitle\space ignored
15560             at\MessageBreak
15561             notitlepage-mode%
15562         }%
15563     \fi
15564     \begingroup
15565         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15566         \let\@oldmakefnmark\@makefnmark
15567         \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
15568         \if@twocolumn
15569             \ifnum \col@number=\@one
15570                 \@maketitle
15571             \else
15572                 \twocolumn[\@maketitle]%
15573             \fi
15574         \else
15575             \newpage

```



```

15576         \global\@topnum\z@
15577         \@maketitle
15578     \fi
15579     \thispagestyle{\titlepagestyle}\@thanks
15580 \endgroup
15581 \fi
15582 \setcounter{footnote}{0}%
15583 \let\thanks\relax
15584 \let\LTRthanks\relax
15585 \let\RTLthanks\relax
15586 \let\maketitle\relax
15587 \let\@maketitle\relax
15588 \global\let\@thanks\@empty
15589 \global\let\@author\@empty
15590 \global\let\@date\@empty
15591 \global\let\@title\@empty
15592 \global\let\@subtitle\@empty
15593 \global\let\@extratitle\@empty
15594 \global\let\@titlehead\@empty
15595 \global\let\@subject\@empty
15596 \global\let\@publishers\@empty
15597 \global\let\@uppertitleback\@empty
15598 \global\let\@lowertitleback\@empty
15599 \global\let\@dedication\@empty
15600 \global\let\author\relax
15601 \global\let\title\relax
15602 \global\let\extratitle\relax
15603 \global\let\titlehead\relax
15604 \global\let\subject\relax
15605 \global\let\publishers\relax
15606 \global\let\uppertitleback\relax
15607 \global\let\lowertitleback\relax
15608 \global\let\dedication\relax
15609 \global\let\date\relax
15610 \global\let\and\relax
15611 }%
15612 \renewcommand*{\@maketitle}{%
15613     \clearpage
15614     \let\footnote\thanks
15615     \let\LTRfootnote\LTRthanks
15616     \let\RTLfootnote\RTLthanks
15617     \ifx\@extratitle\@empty \else
15618         \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
15619     \fi
15620     \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
15621     \ifx\@titlehead\@empty \else
15622         \begin{minipage}[t]{\textwidth}
15623             \@titlehead
15624         \end{minipage}\par
15625     \fi

```



```

15626 \null
15627 \vskip 2em%
15628 \begin{center}%
15629   \ifx\@subject\@empty \else
15630     {\subject@font \@subject \par}
15631     \vskip 1.5em
15632   \fi
15633   {\titlefont\huge \@title \par}%
15634   \vskip .5em
15635   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
15636   \vskip 1em
15637   {\Large
15638     \lineskip .5em%
15639     \begin{tabular}[t]{c}
15640       \@author
15641     \end{tabular}\par
15642   }%
15643   \vskip 1em%
15644   {\Large \@date \par}%
15645   \vskip \z@ \@plus 1em
15646   {\Large \@publishers \par}
15647   \ifx\@dedication\@empty \else
15648     \vskip 2em
15649     {\Large \@dedication \par}
15650   \fi
15651 \end{center}%
15652 \par
15653 \vskip 2em
15654 }%
15655 \renewcommand*\l@part[2]{%
15656   \ifnum \c@tocdepth >-2\relax
15657     \addpenalty{-\@highpenalty}%
15658     \addvspace{2.25em \@plus\p@}%
15659     \setlength{\@tempdima}{2em}%
15660     \if@tocleft
15661       \ifx\toc@l@number\@empty\else
15662         \setlength{\@tempdima}{0\toc@l@number}%
15663       \fi
15664     \fi
15665     \begingroup
15666       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15667       \parfillskip -\@pnumwidth
15668       \leavevmode
15669       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15670       \hskip -\if@RTL\rightskip\else\leftskip\fi
15671       {\usekomafont{partentry}{#1\nobreak
15672         \usekomafont{partentrypagenumber}{\hfil\nobreak
15673           \hb@xt@\@pnumwidth{\hss#2}}}\par
15674       \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
15675     \endgroup

```



```

15676     \penalty20010
15677     \else
15678         \penalty\@highpenalty
15679     \endgroup
15680 \fi
15681 \fi
15682 }
15683 \renewcommand*\l@chapter[2]{%
15684     \ifnum \c@tocdepth >\m@ne
15685         \ifnum \lastpenalty<20010
15686             \addpenalty{-\@highpenalty}%
15687             \fi
15688             \vskip 1.0em \@plus\p@
15689             \setlength\@tempdima{1.5em}%
15690             \if@tocleft
15691                 \ifx\toc@l@number\@empty\else
15692                     \setlength\@tempdima{0\toc@l@number}%
15693                 \fi
15694             \fi
15695             \begingroup
15696                 \raggedchapterentry
15697                 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15698                 \parfillskip -\@pnumwidth
15699                 \interlinepenalty\@M
15700                 \leavevmode
15701                 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip
15702                 {\usekomafont{chapterentry}{#1\nobreak
15703                     \usekomafont{chapterentrypagenumber}{%
15704                         \hfill\nobreak
15705                         \hb@xt@{\@pnumwidth{\hss#2}}}\par
15706                     \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
15707                     \endgroup
15708                     \penalty20009
15709                     \else
15710                         \penalty\@highpenalty
15711                     \endgroup
15712                     \fi
15713                 \fi
15714             }
15715 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
15716 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
15717 \renewcommand*\thesection{%
15718     \thechapter\@SepMark%
15719     \@arabic\c@section
15720 }
15721 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
15722 \renewcommand*{\thesubsubsection}{%
15723     \thesubsection\@SepMark\@arabic\c@subsubsection
15724 }
15725 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}

```



```

15726 \renewcommand*{\thesubparagraph}{%
15727   \theparagraph\@SepMark\@arabic\c@subparagraph
15728 }
15729 \renewcommand*{\thefigure{%
15730   \thechapter\@SepMark%
15731   \@arabic\c@figure
15732 }
15733 \renewcommand*{\thetable{%
15734   \thechapter\@SepMark%
15735   \@arabic\c@table
15736 }
15737 \renewcommand*{\theequation{%
15738   \thechapter\@SepMark%
15739   \@arabic\c@equation
15740 }
15741 \renewenvironment{thebibliography}[1]{%
15742   \if@bib@break@
15743     \bib@beginhook
15744   \else
15745     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
15746       \setchapterpreamble{\bibpreamble}%
15747     \fi\fi
15748     \bib@heading
15749     \bib@beginhook
15750     \bib@before@hook
15751   \fi
15752   \renewcommand{\BreakBibliography}[1]{%
15753     \@bib@break
15754     \end{thebibliography}%
15755     \begingroup ##1\endgroup
15756     \begin{thebibliography}{#1}
15757   }%
15758   \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
15759   \list{%
15760     \@biblabel{\@arabic\c@enumiv}%
15761   }{%
15762     \settowidth\labelwidth{\@biblabel{#1}}%
15763     \leftmargin\labelwidth
15764     \advance\leftmargin\labelsep
15765     \@openbib@code
15766     \if@bib@break@
15767       \edef\@tempa{%
15768         \noexpand\usecounter{enumiv}%
15769         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
15770       }\@tempa
15771       \no@bib@break
15772     \else
15773       \usecounter{enumiv}%
15774     \fi
15775     \let\p@enumiv\@empty

```



```

15776 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
15777 }%
15778 \sloppy\clubpenalty4000 \widowpenalty4000
15779 \sfcode`\.\=\@m
15780 }{%
15781 \if@bib@break@
15782 \def\@noitemerr{%
15783 \@latex@warning{%
15784 \string\BreakBibliography\space at begin of `thebibliography'
15785 environment\MessageBreak
15786 or following \string\BreakBibliography}%
15787 }%
15788 \else
15789 \def\@noitemerr{%
15790 \@latex@warning{%
15791 Empty `thebibliography' environment or
15792 \string\BreakBibliography\MessageBreak
15793 before end of `thebibliography' environment}%
15794 }%
15795 \fi
15796 \endlist
15797 \if@bib@break@
15798 \else
15799 \bib@after@hook
15800 \let\bib@before@hook\@empty
15801 \let\bib@after@hook\@empty
15802 \fi
15803 \bib@endhook
15804 }
15805 \renewcommand*\left@footnoterule{%
15806 \kern-3\p@
15807 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15808 \hrule\@width.4\columnwidth
15809 \kern 2.6\p@}
15810 \renewcommand*\right@footnoterule{%
15811 \hbox to \columnwidth
15812 {\beginR \vbox{%
15813 \kern-3\p@
15814 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15815 \hrule\@width.4\columnwidth
15816 \kern 2.6\p@}\hfil\endR}}
15817 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
15818 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
15819 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
15820 \renewcommand\marginline[1]{%
15821 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
15822 }
15823 \renewcommand{\@makecaption}[3]{%
15824 \cap@margin
15825 \ifonlinecaptions

```



```

15826 \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
15827 \let\scr@tmp@footnotetext=\@footnotetext
15828 \let\@footnotetext=\@gobble
15829 \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
15830 \let\@LTRfootnotetext=\@gobble
15831 \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
15832 \let\@RTLfootnotetext=\@gobble
15833 \sbox\@tempboxa{%
15834   {\capfont{\strut\ignorespaces
15835     #1{\caplabelfont{#2\captionformat}}}%
15836     #3\unskip\strut}}%
15837 }%
15838 \let\@footnotetext=\scr@tmp@footnotetext
15839 \let\scr@tmp@footnotetext=\undefined
15840 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
15841 \let\scr@tmp@LTRfootnotetext=\undefined
15842 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
15843 \let\scr@tmp@RTLfootnotetext=\undefined
15844 \setcounter{footnote}{\@tempcntb}%
15845 \setcounter{mpfootnote}{\@tempcnta}%
15846 \else
15847 \sbox\@tempboxa{\hspace*{2\cap@width}}%
15848 \fi
15849 \begingroup%
15850 \setlength{\@tempdima}{\cap@width}%
15851 \ifdim \wd\@tempboxa >\@tempdima
15852 \hb@xt@\hsize{%
15853   \setbox\@tempboxa\vbox{\hsize=\cap@width
15854     \ifdofullc@p
15855       {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
15856         #1{\caplabelfont{#2\captionformat}}}%
15857         #3\unskip\strut\par}}}%
15858     \else%
15859       \ifdim\cap@indent<\z@
15860         {\capfont{\strut\ignorespaces
15861           #1{\caplabelfont{#2\captionformat\par}}}%
15862           \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
15863       \else%
15864         \if@capbreak
15865           {\capfont{\strut\ignorespaces
15866             #1{\caplabelfont{#2\captionformat\par}}}%
15867             \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
15868         \else
15869           {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}}%
15870             {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
15871               {\caplabelfont{#2\captionformat}}}%#3\unskip\strut\par}}}%
15872         \fi
15873       \fi
15874     \fi
15875 }%

```



```

15876         \setlength{\@tempdima}{\ht\@tempboxa}%
15877         \addtolength{\@tempdima}{\dp\@tempboxa}%
15878         \addtolength{\@tempdima}{-\ht\strutbox}%
15879         \ht\@tempboxa\ht\strutbox
15880         \dp\@tempboxa\@tempdima
15881         \strut\cap@left
15882         \box\@tempboxa
15883         \cap@right\strut
15884     }%
15885 \else
15886     \global \@minipagefalse
15887     \sbox\@tempboxa{%
15888         {\capfont{\scr@smashdp{\strut\ignorespaces
15889             #1{\caplabelfont{#2\captionformat}}}}}%
15890         #3}%
15891     }%
15892     {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\capfont{#2}}}
15893     \fi
15894 \endgroup
15895 }
15896 \renewcommand{\@makecaption}[2]{%
15897     \if@captionabove
15898         \vskip\belowcaptionskip
15899     \else
15900         \vskip\abovecaptionskip
15901     \fi
15902     \@makecaption\@firstofone{#1}{#2}%
15903     \if@captionabove
15904         \vskip\abovecaptionskip
15905     \else
15906         \vskip\belowcaptionskip
15907     \fi
15908 }
15909 \bidi@AfterFile{longtable-xetex-bidi.def}{%
15910     \@ifpackageloaded{caption2}{\@komalongtablefalse
15911         \scr@caption@before@longtable@warning{caption2}%
15912     }{}%
15913     \if@komalongtable
15914         \renewcommand{\LT@makecaption}[3]{%
15915             \noalign{%
15916                 \if@captionabove
15917                     \vskip\belowcaptionskip
15918                 \else
15919                     \vskip\abovecaptionskip
15920                 \fi
15921             }%
15922             \LT@mcol\LT@cols c{%
15923                 \hbox to\z@{\hss\parbox[t]{\linewidth{%
15924                     \@makecaption{#1}{#2}{#3}%
15925                     \endgraf

```




```

15926         \if@captionabove
15927             \vskip\abovecaptionskip
15928         \else
15929             \vskip\belowcaptionskip
15930         \fi
15931     }%
15932     \hss
15933 }%
15934 }%
15935 }%
15936 \renewcommand*{\scrLT@array}{}%
15937 \let\scrLT@array=\LT@array
15938 \renewcommand*{\LT@array}{%
15939     \let\scr@caption=\LT@caption
15940     \def\captionabove{\noalign{\global\@captionabovetrue}%
15941         \scr@caption}%
15942     \def\captionbelow{\noalign{\global\@captionabovetrue}%
15943         \scr@caption}%
15944     \if@tablecaptionabove
15945         \let\LT@caption=\captionabove
15946     \else
15947         \let\LT@caption=\captionbelow
15948     \fi
15949     \scrLT@array
15950 }%
15951 \ClassInfo{\KOMAClassName}{%
15952     longtable captions redefined%
15953 }%
15954 \fi
15955 }

```

7.102 sidecap-xetex-bidi.def

```

15956 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for Xe
15957 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
15958     \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} {\#2}\hspace{\sidecaptionsep}{#1}}\else%
15959 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1} {\#1}\hspace{\sidecaptionsep}{#2}}\fi}
15960 \renewcommand*{\SC@justify@caption}{\if@RTL%
15961 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\else%
15962 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\fi}

```

7.103 stabular-xetex-bidi.def

```

15963 \ProvidesFile{stabular-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for stabular package for Xe
15964 \def\@stabular{\if@RTL\@RTLtabtrue\fi
15965     \leavevmode \bgroup \if@RTLtab\beginR \fi
15966     \let\@acol\@tabacol
15967     \let\@classz\@tabclassz
15968     \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
15969 \def\endstabular{\crrc\egroup\if@RTLtab\egroup\endR\egroup\fi
15970     \egroup \if@RTLtab\endR\fi\egroup

```



```

15971             \@RTLtabfalse}
15972 \expandafter \let \csname endstabular*\endcsname = \endstabular
15973 \def\@sarray[#1]#2{%
15974   \bgroup
15975   \setbox\@arstrutbox\hbox{%
15976     \vrule \@height\arraystretch\ht\strutbox
15977       \@depth\arraystretch \dp\strutbox
15978       \@width\z@}%
15979   \@mkpream{#2}%
15980   \edef\@preamble{%
15981     \ialign \noexpand\@halignto
15982       \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
15983   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
15984   \let\tabularnewline\%
15985   \let\@sharp##%
15986   \set@typeset@protect
15987   \lineskip\z@skip\baselineskip\z@skip
15988   \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
15989   \@preamble}

```

7.104 subfigure-xetex-bidi.def

```

15990 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
15991 \AtBeginDocument{%
15992 \let\p@subfigure=\thefigure
15993 \let\p@subtable=\thetable%
15994 }

```

7.105 tabs-xetex-bidi.def

```

15995 \ProvidesFile{tabs-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for tabs package for XeTeX]
15996 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup
15997   \@RTLtabfalse}
15998
15999 \expandafter\let\csname endtabular*\endcsname=\endtabular
16000
16001 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crr if \ given
16002   \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
16003   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
16004
16005 \def\@array[#1]#2{% remember global variables to allow recursion:
16006   \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
16007     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
16008   \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
16009   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
16010   \else \let\@tarlinesep\tablinesep \fi
16011   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
16012   \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
16013   \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
16014   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
16015     \def\@rememsize{\protect\@r@m@size}\let\@seesize\@s@size

```



```

16016 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
16017 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
16018 \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
16019 \let\protect\noexpand
16020 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
16021 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
16022 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
16023 \if#1t\top \else \if#1b\bottom \else \vcenter \fi\fi
16024 \bgroup \let\par\empty
16025 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
16026 \advance\extrarulesep.5\arrayrulewidth
16027 \let\@sharp#\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
16028 \if@RTLtab\hbox\bgroup\beginR\bottom\bgroup\fi
16029 \@preamble}

```

7.106 tabularx-xetex-bidi.def

```

16030 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package for
16031 \def\TX@endtabularx{%
16032 \expandafter\expandafter\expandafter
16033 \TX@find@endtabularxa\csname end\TX@\endcsname
16034 \endtabularx\TX@\endtabularx\TX@find@endtabularxa
16035 \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}}%
16036 \let\verb\TX@verb
16037 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
16038 \edef\TX@ckpt{\cl@ckpt}%
16039 \let\@elt\relax
16040 \TX@old@table\maxdimen
16041 \TX@col@width\TX@target
16042 \global\TX@cols@one
16043 \TX@typeout@
16044 {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
16045 \TX@trial{\def\NC@rewriteX{%
16046 \global\advance\TX@cols\@one\NC@find p{\TX@col@width}}}%
16047 \loop
16048 \TX@arith
16049 \ifTX@
16050 \TX@trial{}%
16051 \repeat
16052 {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
16053 \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
16054 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
16055 \csname tabular*\expandafter\endcsname\expandafter\TX@target
16056 \the\toks@
16057 \csname endtabular*\endcsname}%
16058 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
16059 \ifnum0=`{\fi}%
16060 \expandafter\expandafter\expandafter
16061 \TX@find@endtabularxbb
16062 \expandafter\end\expandafter{\TX@}%

```



```

16063 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
16064 }
16065
16066 \def\TX@trial#1{%
16067 \setbox\@tempboxa\hbox{%
16068 #1\relax
16069 \let\@footnotetext\TX@trial@ftn
16070 \let\@LTRfootnotetext\TX@trial@ftn
16071 \let\@RTLfootnotetext\TX@trial@ftn
16072 \let\TX@vwarn\@empty
16073 \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
16074 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
16075 \def\write{\begingroup
16076 \def\let{\afterassignment\endgroup\toks@}%
16077 \afterassignment\let\count@}%
16078 \hbadness\@M
16079 \hfuzz\maxdimen
16080 \let\hbadness\@tempcnta
16081 \let\hfuzz\@tempdima
16082 \expandafter\tabular\the\toks@
16083 \endtabular}%
16084 \TX@ckpt
16085 \TX@typeout@{\@spaces
16086 \expandafter\TX@align
16087 \the\wd\@tempboxa\space\space\space\space\space\@@
16088 \expandafter\TX@align
16089 \the\TX@col@width\space\space\space\space\space\@@
16090 \@spaces\the\TX@cols}}
16091
16092 \long\def\TX@LTRftntext#1{%
16093 \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
16094 [\the\csname c@\@mpfn\endcsname]}%
16095 \global\TX@ftn\expandafter{\@tempa{#1}}}%
16096 \long\def\TX@xLTRftntext[#1]#2{%
16097 \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
16098
16099 \long\def\TX@RTLftntext#1{%
16100 \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
16101 [\the\csname c@\@mpfn\endcsname]}%
16102 \global\TX@ftn\expandafter{\@tempa{#1}}}%
16103 \long\def\TX@xRTLftntext[#1]#2{%
16104 \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

7.107 tabulary-xetex-bidi.def

```

16105 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package for
16106 \def\@testpach{\@chclass
16107 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
16108 \ifnum \@lastchclass=7 5 \else
16109 \ifnum \@lastchclass=8 \tw@ \else

```



```

16110 \ifnum \@lastchclass=9 \thr@@
16111 \else \z@
16112 \ifnum \@lastchclass = 10 \else
16113 \edef\@nextchar{\expandafter\string\@nextchar}%
16114 \@chnum
16115 \if \@nextchar c\z@ \else
16116 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
16117 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
16118 \if \@nextchar C7 \else
16119 \if \@nextchar L8 \else
16120 \if \@nextchar R9 \else
16121 \if \@nextchar J10 \else
16122 \z@ \@chclass
16123 \if\@nextchar |\@ne \else
16124 \if \@nextchar !6 \else
16125 \if \@nextchar @7 \else
16126 \if \@nextchar <8 \else
16127 \if \@nextchar >9 \else
16128 10
16129 \@chnum
16130 \if \@nextchar m\thr@@\else
16131 \if \@nextchar p4 \else
16132 \if \@nextchar b5 \else
16133 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
16134 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi

```

7.108 tc-xetex-bidi.def

```

16135 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTeX e
16136 \def\@cliptoboxdim#1{%
16137 \setbox#1=\hbox{%
16138 \Gin@defaultbp\WIDTH{\wd#1}%
16139 \Gin@defaultbp\DEPTH{\dp#1}%
16140 \@tempdima\ht#1%
16141 \advance\@tempdima\dp#1%
16142 \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
16143 \beginL\special{pdf:bcontent }%
16144 \special{%
16145 pdf:literal direct
16146 0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
16147 }%
16148 \special{pdf:literal direct W }%
16149 \special{pdf:literal direct n }%
16150 \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
16151 \special{pdf:econtent }\endL%
16152 }%
16153 }

```

7.109 tikz-xetex-bidi.def

```

16154 \ProvidesFile{tikz-xetex-bidi.def}[2014/11/20 v0.1 bidi adaptations for tikz package for XeTeX e

```



```

16155 \def\biditikzpicture{%
16156   \begingroup%
16157     \tikz@startup@env%
16158     \pgfutil@ifnextchar[\biditikzpicture{\biditikzpicture[]}]{}%
16159 \def\biditikzpicture[#1]{%
16160   \bidi@pgfpicture%
16161   \let\tikz@atbegin@picture=\pgfutil@empty%
16162   \let\tikz@atend@picture=\pgfutil@empty%
16163   \let\tikz@transform=\relax%
16164   \def\tikz@time{.5}%
16165   \tikz@installcommands%
16166   \scope[every picture,#1]%
16167   \iftikz@handle@active@code%
16168     \tikz@switchoff@shorthands%
16169   \fi%
16170   \expandafter\tikz@atbegin@picture%
16171   \tikz@lib@scope@check%
16172 }
16173 \def\endbidi@tikzpicture{%
16174   \tikz@atend@picture%
16175   \global\let\pgf@shift@baseline@smuggle=\pgf@baseline%
16176   \global\let\pgf@trimleft@final@smuggle=\pgf@trimleft%
16177   \global\let\pgf@trimright@final@smuggle=\pgf@trimright%
16178   \global\let\pgf@remember@smuggle=\ifpgfrememberpicturepositiononpage%
16179 \pgf@remember@layerlist@globally
16180   \endscope%
16181   \let\pgf@baseline=\pgf@shift@baseline@smuggle%
16182   \let\pgf@trimleft=\pgf@trimleft@final@smuggle%
16183   \let\pgf@trimright=\pgf@trimright@final@smuggle%
16184   \let\ifpgfrememberpicturepositiononpage=\pgf@remember@smuggle%
16185 \pgf@restore@layerlist@from@global
16186   \endbidi@pgfpicture\endgroup}

```

7.110 titlesec-xetex-bidi.def

```

16187 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package for
16188 \renewcommand\filright{%
16189   \gdef\ttl@filleft##1{\hskip##1}%
16190   \gdef\ttl@filright##1{\hfill}%
16191   \let\\\@centercr
16192   \advance\rightskip\z@ \@plus 1fil
16193 \parfillskip\z@}
16194 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
16195   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
16196   \setlength\leftskip{#6}%
16197   \setlength\rightskip{#7}%
16198   \interlinepenalty\@M
16199   \ttl@change@centercr
16200   \ttl@begin@longest
16201   #1{\ifhmode\ttl@hmode@error\fi

```



```

16202 \ttl@glcmds
16203 \parindent\z@
16204 \leavevmode
16205 \begingroup
16206 \ifttl@label
16207 \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
16208 \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
16209 \llap{\box\z@}%
16210 \fi
16211 #4{#8}%
16212 \kern\z@\strut\@@par
16213 \endgroup
16214 \nobreak\ttl@midlongest#5\@@par}%
16215 \ttl@endlongest}

```

7.111 titletoc-xetex-bidi.def

```

16216 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package for
16217 \renewcommand\filright{%
16218 \gdef\ttl@filleft##1{\hskip##1}%
16219 \gdef\ttl@filright##1{\hfill}%
16220 \let\\@centercr
16221 \advance\rightskip\z@ \@plus 1fil
16222 \parfillskip\z@}
16223 \renewcommand\contentspush[1]{%
16224 \sbox\z@{#1}%
16225 \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
16226 \aftergroup\ttl@b
16227 \leavevmode\llap{\box\z@}}
16228 \def\ttl@outnoblock#1#2#3{%
16229 \begingroup
16230 \ifnum\ttl@b>\ttl@a
16231 \nobreak
16232 \else\ifnum\ttl@b<\ttl@a
16233 \addpenalty{\@secpenalty}%
16234 \else
16235 \addpenalty{\z@}%
16236 \fi\fi
16237 \ttl@contentsstretch
16238 \nobreak
16239 \ifcase#1\relax\else\interlinepenalty\@M\fi
16240 \parindent\z@
16241 \ifx\@nil#2%
16242 \PackageError{titletoc}{Unimplemented}%
16243 {The optional argument is currently mandatory}%
16244 \else
16245 \if@RTL\setlength\rightskip{#2}\else
16246 \setlength\leftskip{#2}\fi%
16247 \fi
16248 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%

```



```

16249 \let\contentsmargin\ttl@margin
16250 \def\ttl@makeline##1{##1}%
16251 #3%
16252 \addtolength{\parfillskip}{-\ttl@corr}%
16253 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
16254 \let\ttl@leaders\leaders}
16255 \renewcommand\ttl@margin[2][\z@]{%
16256 \def\ttl@corr{#1}%
16257 \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
16258 \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
16259 \def\@pnumwidth{#2}}
16260 \let\ttl@savel@part\l@part
16261 \def\l@part{\ttl@lselect{part}}
16262
16263 \let\ttl@savel@chapter\l@chapter
16264 \def\l@chapter{\ttl@lselect{chapter}}

```

7.112 tocbibind-xetex-bidi.def

```

16265 \ProvidesFile{tocbibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocbibind package f
16266 \if@dotocbib
16267 \ifpackageloaded{natbib}{\% natbib not loaded
16268 \renewcommand{\bibsection}{\tcb@bchapsec}
16269 \renewenvironment{thebibliography}[1]{%
16270 \bibsection
16271 \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
16272 \renewenvironment{thebibitemlist}[1]{
16273 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16274 \list{\@biblabel{\@arabic{c@enumiv}}}%
16275 {\settowidth\labelwidth{\@biblabel{#1}}%
16276 \leftmargin\labelwidth
16277 \advance\leftmargin\labelsep
16278 \@openbib@code
16279 \usecounter{enumiv}%
16280 \let\p@enumiv\@empty
16281 \renewcommand\theenumiv{\@arabic{c@enumiv}}}%
16282 \sloppy
16283 \clubpenalty4000
16284 \@clubpenalty \clubpenalty
16285 \widowpenalty4000%
16286 \sfcode`\.\@m}
16287 {\def\@noitemerr
16288 {\@latex@warning{Empty `thebibliography' environment}}}%
16289 \endlist}
16290
16291 \ifpackagewith{chapterbib}{sectionbib}%
16292 {\renewcommand{sectionbib}[2]{}}%
16293 {}
16294
16295 \fi

```




```

16296 \if@inltxdoc\else
16297   \renewenvironment{theindex}%
16298     {\if@twocolumn
16299       \@restonecolfalse
16300     \else
16301       \@restonecoltrue
16302     \fi
16303     \if@bibchapter
16304       \if@donumindex
16305         \refstepcounter{chapter}
16306         \twocolumn[\vspace*{2\topskip}%
16307           \@makechapterhead{\indexname}}%
16308       \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
16309       \chaptermark{\indexname}
16310     \else
16311       \if@dotocind
16312         \twocolumn[\vspace*{2\topskip}%
16313           \@makeschapterhead{\indexname}}%
16314         \prw@mkboth{\indexname}
16315         \addcontentsline{toc}{chapter}{\indexname}
16316       \else
16317         \twocolumn[\vspace*{2\topskip}%
16318           \@makeschapterhead{\indexname}}%
16319         \prw@mkboth{\indexname}
16320       \fi
16321     \fi
16322   \else
16323     \if@donumindex
16324       \twocolumn[\vspace*{-1.5\topskip}%
16325         \@nameuse{\@tocextra}{\indexname}}%
16326       \csname \@tocextra mark\endcsname{\indexname}
16327     \else
16328       \if@dotocind
16329         \twocolumn[\vspace*{-1.5\topskip}%
16330           \toc@headstar{\@tocextra}{\indexname}}%
16331         \prw@mkboth{\indexname}
16332         \addcontentsline{toc}{\@tocextra}{\indexname}
16333       \else
16334         \twocolumn[\vspace*{-1.5\topskip}%
16335           \toc@headstar{\@tocextra}{\indexname}}%
16336         \prw@mkboth{\indexname}
16337       \fi
16338     \fi
16339   \fi
16340   \thispagestyle{plain}\parindent\z@
16341   \parskip\z@ \@plus .3\p@\relax
16342   \let\item\@idxitem}
16343   {\if@restonecol\onecolumn\else\clearpage\fi}
16344 \fi

```



7.113 tocloft-xetex-bidi.def

```

16345 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for X
16346 \let\cftdot\@SepMark
16347 \if@cfthaspart
16348 \renewcommand*{\l@part}[2]{
16349   \@cftdopartfalse
16350   \ifnum \c@tocdepth >-2\relax
16351     \if@cfthaschapter
16352       \@cftdoparttrue
16353     \fi
16354     \ifnum \c@tocdepth >\m@ne
16355       \if@cfthaschapter\else
16356         \@cftdoparttrue
16357       \fi
16358     \fi
16359   \fi
16360   \if@cftdopart
16361     \if@cfthaschapter
16362       \addpenalty{-\@highpenalty}
16363     \else
16364       \addpenalty\@secpenalty
16365     \fi
16366   \addvspace{\cftbeforepartskip}
16367   \begingroup
16368     {\if@RTL\righskip\else\leftskip\fi \cftpartindent\relax
16369     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
16370     \parfillskip -\if@RTL\leftskip\else\righskip\fi
16371     \parindent \cftpartindent\relax\@afterindenttrue
16372     \interlinepenalty\@M
16373     \leavevmode
16374     \@tempdima \cftpartnumwidth\relax
16375     \let\cftbsnum \cftpartpresnum
16376     \let\cftasnum \cftpartaftersnum
16377     \let\cftasnumb \cftpartaftersnumb
16378     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip
16379     {\cftpartfont \cftpartpresnum #1}
16380     \cftpartfillnum{#2}}
16381     \nobreak
16382     \if@cfthaschapter
16383       \global\@nobreaktrue
16384       \everypar{\global\@nobreakfalse\everypar{}}
16385     \else
16386       \if@compatibility
16387         \global\@nobreaktrue
16388         \everypar{\global\@nobreakfalse\everypar{}}
16389       \fi
16390     \fi
16391   \endgroup
16392 \fi}

```



```

16393 \fi
16394 \if@cfthaschapter
16395 \renewcommand*{\l@chapter}[2]{
16396   \ifnum \c@tocdepth >\m@ne
16397     \addpenalty{-\@highpenalty}
16398     \vskip \cftbeforechapskip
16399     {\if@RTL\rightrightskip\else\leftskip\fi \cftchapindent\relax
16400     \if@RTL\leftskip\else\rightrightskip\fi \@tocrmarg
16401     \parfillskip -\if@RTL\leftskip\else\rightrightskip\fi
16402     \parindent \cftchapindent\relax\@afterindenttrue
16403     \interlinepenalty\@M
16404     \leavevmode
16405     \@tempdima \cftchapnumwidth\relax
16406     \let\@cftbsnum \cftchappresnum
16407     \let\@cftasnum \cftchapaftersnum
16408     \let\@cftasnumb \cftchapaftersnumb
16409     \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightrightskip\fi
16410     {\cftchapfont #1}\nobreak
16411     \cftchapfillnum{#2}}
16412   \fi}
16413 \fi
16414 \renewcommand*{\l@section}[2]{%
16415   \ifnum \c@tocdepth >\z@
16416     \if@cfthaschapter
16417       \vskip \cftbeforeseccskip
16418     \else
16419       \addpenalty\@secpenalty
16420       \addvspace{\cftbeforeseccskip}
16421     \fi
16422     {\if@RTL\rightrightskip\else\leftskip\fi \cftsecindent\relax
16423     \if@RTL\leftskip\else\rightrightskip\fi \@tocrmarg
16424     \parfillskip -\if@RTL\leftskip\else\rightrightskip\fi
16425     \parindent \cftsecindent\relax\@afterindenttrue
16426     \interlinepenalty\@M
16427     \leavevmode
16428     \@tempdima \cftsecnumwidth\relax
16429     \let\@cftbsnum \cftsecpresnum
16430     \let\@cftasnum \cftsecaftersnum
16431     \let\@cftasnumb \cftsecaftersnumb
16432     \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightrightskip\fi
16433     {\cftsecfont #1}\nobreak
16434     \cftsecfillnum{#2}}
16435   \fi}
16436 \renewcommand*{\l@subsection}[2]{%
16437   \ifnum \c@tocdepth >\@ne
16438     \vskip \cftbeforesubsecskip
16439     {\if@RTL\rightrightskip\else\leftskip\fi \cftsubsecindent\relax
16440     \if@RTL\leftskip\else\rightrightskip\fi \@tocrmarg
16441     \parfillskip -\if@RTL\leftskip\else\rightrightskip\fi
16442     \parindent \cftsubsecindent\relax\@afterindenttrue

```



```

16443 \interlinepenalty\@M
16444 \leavevmode
16445 \@tempdima \cftsubsecnumwidth\relax
16446 \let\@cftbsnum \cftsubsecpresnum
16447 \let\@cftasnum \cftsubsecaftersnum
16448 \let\@cftasnumb \cftsubsecaftersnumb
16449 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16450 {\cftsubsecfont #1}\nobreak
16451 \cftsubsecfillnum{#2}}
16452 \fi}
16453 \renewcommand*{\l@subsubsection}[2]{%
16454 \ifnum \c@tocdepth >\tw@
16455 \vskip \cftbeforesubsubsecskip
16456 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
16457 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16458 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16459 \parindent \cftsubsubsecindent\relax\@afterindenttrue
16460 \interlinepenalty\@M
16461 \leavevmode
16462 \@tempdima \cftsubsubsecnumwidth\relax
16463 \let\@cftbsnum \cftsubsubsecpresnum
16464 \let\@cftasnum \cftsubsubsecaftersnum
16465 \let\@cftasnumb \cftsubsubsecaftersnumb
16466 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16467 {\cftsubsubsecfont #1}\nobreak
16468 \cftsubsubsecfillnum{#2}}
16469 \fi}
16470 \renewcommand*{\l@paragraph}[2]{%
16471 \ifnum \c@tocdepth >3\relax
16472 \vskip \cftbeforeparaskip
16473 {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
16474 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16475 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16476 \parindent \cftparaindent\relax\@afterindenttrue
16477 \interlinepenalty\@M
16478 \leavevmode
16479 \@tempdima \cftparanumwidth\relax
16480 \let\@cftbsnum \cftparapresnum
16481 \let\@cftasnum \cftparaaftersnum
16482 \let\@cftasnumb \cftparaaftersnumb
16483 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16484 {\cftparafont #1}\nobreak
16485 \cftparafillnum{#2}}
16486 \fi}
16487 \renewcommand*{\l@subparagraph}[2]{%
16488 \ifnum \c@tocdepth >4\relax
16489 \vskip \cftbeforesubparaskip
16490 {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
16491 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16492 \parfillskip -\if@RTL\leftskip\else\rightskip\fi

```



```

16493 \parindent \cftsubparaindent\relax\@afterindenttrue
16494 \interlinepenalty\@M
16495 \leavevmode
16496 \@tempdima \cftsubparanumwidth\relax
16497 \let\@cftbsnum \cftsubparapresnum
16498 \let\@cftasnum \cftsubparaaftersnum
16499 \let\@cftasnumb \cftsubparaaftersnumb
16500 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16501 {\cftsubparafont #1}\nobreak
16502 \cftsubparafillnum{#2}}
16503 \fi}
16504 \renewcommand*{\l@figure}[2]{%
16505 \ifnum \c@lofdepth >\z@
16506 \vskip \cftbeforefigskip
16507 {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
16508 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16509 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16510 \parindent \cftfigindent\relax\@afterindenttrue
16511 \interlinepenalty\@M
16512 \leavevmode
16513 \@tempdima \cftfignumwidth\relax
16514 \let\@cftbsnum \cftfigpresnum
16515 \let\@cftasnum \cftfigaftersnum
16516 \let\@cftasnumb \cftfigaftersnumb
16517 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16518 {\cftfigfont #1}\nobreak
16519 \cftfigfillnum{#2}}
16520 \fi
16521 }
16522 \renewcommand*{\l@table}[2]{%
16523 \ifnum\c@lotdepth >\z@
16524 \vskip \cftbeforetabskip
16525 {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
16526 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16527 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16528 \parindent \cfttabindent\relax\@afterindenttrue
16529 \interlinepenalty\@M
16530 \leavevmode
16531 \@tempdima \cfttabnumwidth\relax
16532 \let\@cftbsnum \cfttabpresnum
16533 \let\@cftasnum \cfttabaftersnum
16534 \let\@cftasnumb \cfttabaftersnumb
16535 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16536 {\cfttabfont #1}\nobreak
16537 \cfttabfillnum{#2}}
16538 \fi
16539 }
16540 \renewcommand{\@cftl@subfig}{
16541 \renewcommand*{\l@subfigure}[2]{%
16542 \ifnum \c@lofdepth > \toclevel@subfigure

```



```

16543 \vskip \cftbeforesubfigskip
16544 {\if@RTL\rightrightskip\else\leftskip\fi \cftsubfigindent\relax
16545 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16546 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16547 \parindent \cftsubfigindent\relax\@afterindenttrue
16548 \interlinepenalty\@M
16549 \leavevmode
16550 \@tempdima \cftsubfignumwidth\relax
16551 \let\@cftbsnum \cftsubfigpresnum
16552 \let\@cftasnum \cftsubfigaftersnum
16553 \let\@cftasnumb \cftsubfigaftersnumb
16554 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightrightskip\fi
16555 {\cftsubfigfont ##1}\nobreak
16556 \cftsubfigfillnum{##2}}
16557 \fi
16558 }
16559 }
16560 \renewcommand{\@cftl@subtab}{
16561 \renewcommand*{\l@subtable}[2]{%
16562 \ifnum \c@lotdepth > \toclevel@subtable
16563 \vskip \cftbeforesubtabskip
16564 {\if@RTL\rightrightskip\else\leftskip\fi \cftsubtabindent\relax
16565 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16566 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16567 \parindent \cftsubtabindent\relax\@afterindenttrue
16568 \interlinepenalty\@M
16569 \leavevmode
16570 \@tempdima \cftsubtabnumwidth\relax
16571 \let\@cftbsnum \cftsubtabpresnum
16572 \let\@cftasnum \cftsubtabaftersnum
16573 \let\@cftasnumb \cftsubtabaftersnumb
16574 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightrightskip\fi
16575 {\cftsubtabfont ##1}\nobreak
16576 \cftsubtabfillnum{##2}}
16577 \fi
16578 }
16579 }
16580 \renewcommand{\newlistentry}[4][\@empty]{%
16581 \@ifundefined{c@#2}{% check & set the counter
16582 \ifx \@empty#1\relax
16583 \newcounter{#2}
16584 \else
16585 \@ifundefined{c@#1}{\PackageWarning{tocloft}%
16586 {#1 has no counter for use as a `within'}
16587 \newcounter{#2}}%
16588 {\newcounter{#2}[#1}%
16589 \expandafter\edef\csname the#2\endcsname{%
16590 \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
16591 \fi
16592 \setcounter{#2}{0}

```



```

16593 }
16594 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
16595
16596 \@namedef{l@#2}##1##2{%
16597   \ifnum \@nameuse{c@#3depth} > #4\relax
16598     \vskip \@nameuse{cftbefore#2skip}
16599     {\if@RTL\righskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
16600     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
16601     \parfillskip -\if@RTL\leftskip\else\righskip\fi
16602     \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
16603     \interlinepenalty\@M
16604     \leavevmode
16605     \@tempdima \@nameuse{cft#2numwidth}\relax
16606     \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
16607     \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
16608     \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
16609     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\righskip
16610       {\@nameuse{cft#2font}}##1}\nobreak
16611       \@nameuse{cft#2fillnum}{##2}}
16612   \fi
16613 } % end of l@#2
16614
16615 \expandafter\newlength\csname cftbefore#2skip\endcsname
16616   \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2p@}
16617 \expandafter\newlength\csname cft#2indent\endcsname
16618 \expandafter\newlength\csname cft#2numwidth\endcsname
16619 \ifcase #4\relax % 0
16620   \setlength{\@nameuse{cft#2indent}}{0em}
16621   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
16622 \or % 1
16623   \setlength{\@nameuse{cft#2indent}}{1.5em}
16624   \setlength{\@nameuse{cft#2numwidth}}{2.3em}
16625 \or % 2
16626   \setlength{\@nameuse{cft#2indent}}{3.8em}
16627   \setlength{\@nameuse{cft#2numwidth}}{3.2em}
16628 \or % 3
16629   \setlength{\@nameuse{cft#2indent}}{7.0em}
16630   \setlength{\@nameuse{cft#2numwidth}}{4.1em}
16631 \else % anything else
16632   \setlength{\@nameuse{cft#2indent}}{10.0em}
16633   \setlength{\@nameuse{cft#2numwidth}}{5.0em}
16634 \fi
16635 \@namedef{cft#2font}{\normalfont}
16636 \@namedef{cft#2presnum}{}
16637 \@namedef{cft#2aftersnum}{}
16638 \@namedef{cft#2aftersnumb}{}
16639 \@namedef{cft#2dotsep}{\cftdotsep}
16640 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
16641 \@namedef{cft#2pagefont}{\normalfont}
16642 \@namedef{cft#2afterpnum}{}

```



```

16643 \namedef{toclevel@#2}{#4}
16644 \namedef{cft#2fillnum}##1{%
16645   {\@nameuse{cft#2leader}}\nobreak
16646   \hb@xt@{\@pnumwidth{\hfil\@nameuse{cft#2pagefont}}##1}\@nameuse{cft#2afterpnum}\par}
16647 } % end \newlistentry
16648 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
16649   {\if@RTL\righskip\else\leftskip\fi \cftchapindent\relax
16650   \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
16651   \if@RTL\leftskip\else\righskip\fi \@tocrmarg\relax
16652   \textit{#1}\protect\par}}}

```

7.114 tocstyle-xetex-bidi.def

```

16653 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package for
16654 \renewcommand*{\tocstyle@dottedtocline}[5]{%
16655   \let\numberline\tocstyle@numberline
16656   \ifnum #1>\c@tocdepth \else
16657     \if@tocstyle@penalties
16658       \begingroup
16659         \@tempcnta 20010
16660         \advance \@tempcnta by -#1
16661         \ifnum \@tempcnta>\lastpenalty
16662           \aftergroup\penalty\aftergroup\@lowpenalty
16663         \fi
16664       \endgroup
16665     \fi
16666     \edef\tocstyledepth{#1}%
16667     \tocstyle@activate@features
16668     \ifx\tocstyle@feature@entryvskip\relax
16669       \vskip \z@ \@plus.2\p@
16670     \else
16671       \addvspace{\tocstyle@feature@entryvskip}%
16672     \fi
16673     {%
16674     \parskip \z@ \parindent \z@ \if@RTL\righskip\else\leftskip\fi \z@ \if@RTL\leftskip\else\righskip\fi
16675     \tocstyle@feature@raggedhook
16676     \@tempdima #3\relax
16677     \@tempdimb #2\relax
16678     \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
16679     \ifnum #1>\z@\relax
16680       \@tempcnta #1\relax \advance\@tempcnta \m@ne
16681       \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16682         \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16683           \@tempdimb
16684           \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16685           \advance\@tempdimb
16686           \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16687         \fi
16688       \fi
16689     \fi

```




```

16690 \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16691 \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
16692 \ifdim \@tempdimb>
16693 \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
16694 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
16695 @#1\endcsname{\the\@tempdimb}%
16696 \fi
16697 \else
16698 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
16699 @#1\endcsname{\the\@tempdimb}%
16700 \fi
16701 \iftocstyle@autolength
16702 \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
16703 \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
16704 \relax
16705 \fi
16706 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
16707 \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
16708 \relax
16709 \fi
16710 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
16711 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16712 \else
16713 \@tempdimb #2\relax
16714 \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16715 \fi
16716 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
16717 \ifdim \@tempdima>
16718 \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
16719 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
16720 @\endcsname{\the\@tempdima}%
16721 \fi
16722 \else
16723 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
16724 @\endcsname{\the\@tempdima}%
16725 \fi
16726 \ifcase\tocstyle@indentstyle\relax\else
16727 \@tempdimb \z@
16728 \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
16729 \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
16730 \relax
16731 \fi
16732 \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
16733 \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16734 \fi
16735 \advance\parindent \@tempdimb\@afterindenttrue
16736 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
16737 \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16738 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16739 \ifx\tocstyle@feature@parfillskip\relax\else

```



```

16740      \advance\parfillskip \tocstyle@feature@parfillskip\relax
16741    \fi
16742    \interlinepenalty\@M
16743    \leavevmode
16744    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
16745    \null\nobreak
16746    \iftocstyle@indentnotnumbered\else
16747      \hskip -\if@RTL\rightskip\else\leftskip\fi
16748    \fi
16749    \tocstyle@feature@entryhook
16750    {#4}\nobreak
16751    \ifx\tocstyle@feature@leaders\relax
16752      \leaders\hbox{$\m@th
16753        \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
16754        \mkern \@dotsep mu$}\hfill
16755    \else
16756      \tocstyle@feature@leaders
16757    \fi
16758    \nobreak
16759    \ifx\tocstyle@feature@pagenumberbox\relax
16760      \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
16761    \else
16762      \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
16763    \fi
16764    \par
16765  }%
16766  \if\tocstyle@penalties
16767    \bgroup
16768    \@tempcnta 20009
16769    \advance\@tempcnta by -#1
16770    \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
16771    \reserved@a
16772  \fi
16773  \fi}
16774  \renewcommand*{\tocstyle@numberline}[1]{%
16775    \begingroup
16776      \ifx\tocstyle@feature@spaceafternumber\relax
16777        \settowidth\@tempdima{\tocstyle@numberline{#1}\enskip}%
16778      \else
16779        \settowidth\@tempdima{\tocstyle@numberline{#1}}%
16780        \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
16781      \fi
16782      \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
16783        \ifdim \@tempdima >
16784          \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
16785          \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
16786            @\tocstyledepth\endcsname{\the\@tempdima}%
16787        \fi
16788      \else
16789        \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC

```



```

16790      @\tocstyledepth\endcsname{\the\@tempdima}%
16791      \fi
16792    \endgroup
16793    \iftocstyle@indentnotnumbered
16794      \hskip -\if@RTL\rightskip\else\leftskip\fi
16795    \fi
16796    \ifcase \tocstyle@indentstyle
16797      \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
16798    \or
16799      \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
16800    \else
16801      \ifx\tocstyle@feature@spaceafternumber\relax
16802        \hbox{\tocstyle@numberline{#1}\enskip}%
16803      \else
16804        \hbox{\tocstyle@numberline{#1}\hskip
16805          \tocstyle@feature@spaceafternumber\relax}%
16806      \fi
16807    \fi
16808 }
16809 \AtBeginDocument{%
16810   \ifcsname l@part\endcsname
16811     \ifcsname l@chapter\endcsname
16812       \setbox\@tempboxa\vbox{\hsize\maxdimen
16813         \l@part{\tocstyle@l@define{part}{-1}}{}}%
16814     \else
16815       \setbox\@tempboxa\vbox{\hsize\maxdimen
16816         \l@part{\tocstyle@l@define{part}{0}}{}}%
16817     \fi
16818   \fi
16819   \ifcsname l@chapter\endcsname
16820     \setbox\@tempboxa\vbox{\hsize\maxdimen
16821       \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
16822   \fi
16823   \ifcsname l@section\endcsname
16824     \setbox\@tempboxa\vbox{\hsize\maxdimen
16825       \l@section{\tocstyle@l@define{section}{1}}{}}%
16826   \fi
16827   \ifcsname l@subsection\endcsname
16828     \setbox\@tempboxa\vbox{\hsize\maxdimen
16829       \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
16830   \fi
16831   \ifcsname l@subsubsection\endcsname
16832     \setbox\@tempboxa\vbox{\hsize\maxdimen
16833       \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
16834   \fi
16835   \ifcsname l@paragraph\endcsname
16836     \setbox\@tempboxa\vbox{\hsize\maxdimen
16837       \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
16838   \fi
16839   \ifcsname l@subparagraph\endcsname

```



```

16840 \setbox\@tempboxa\vbox{\hsize\maxdimen
16841 \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
16842 \fi
16843 \ifcsname l@table\endcsname
16844 \setbox\@tempboxa\vbox{\hsize\maxdimen
16845 \l@table{\tocstyle@l@define{table}{1}}{}}%
16846 \fi
16847 \ifcsname l@figure\endcsname
16848 \setbox\@tempboxa\vbox{\hsize\maxdimen
16849 \l@figure{\tocstyle@l@define{figure}{1}}{}}%
16850 \fi
16851 \def\@tempa#1#2#3#4#5{%
16852 \ifnum #1>\c@tocdepth \else
16853 \vskip \z@ \@plus.2\p@
16854 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmarg
16855 \parindent #2\relax\@afterindenttrue
16856 \interlinepenalty\@M
16857 \leavevmode
16858 \@tempdima #3\relax
16859 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
16860 {#4}\nobreak
16861 \leaders\hbox{$\m@th
16862 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
16863 mu$}\hfill
16864 \nobreak
16865 \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
16866 \par}%
16867 \fi}%
16868 \ifx\@dottedtocline\@tempa\else
16869 \tocstyle@macrochangewarning\@dottedtocline
16870 \fi
16871 \let\tocstyle@saved@dottedtocline\@dottedtocline
16872 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
16873 \ifx\numberline\@tempa\else
16874 \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
16875 \ifx\numberline\@tempa\else
16876 \tocstyle@macrochangewarning\numberline
16877 \fi
16878 \fi
16879 \let\tocstyle@saved\@numberline\numberline
16880 }
16881 \renewcommand*{\tocstyle@l@define}[2]{%
16882 \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
16883 \edef\@tempa{%
16884 \noexpand\global\noexpand\let
16885 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
16886 \expandafter\noexpand\csname l@#1\endcsname
16887 \noexpand\gdef
16888 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
16889 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%

```



```

16890 \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
16891 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
16892 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
16893 }%
16894 }%
16895 \PackageInfo{tocstyle}{prepare \expandafter\string
16896 \csname l@#1\endcsname\space for redefinition}%
16897 \@tempa
16898 }

```

7.115 todonotes-xetex-bidi.def

```

16899 \ProvidesFile{todonotes-xetex-bidi.def}[2015/06/17 v0.3 bidi adaptations for todonotes package f
16900 \newif\if@bidi@todonotes@textdirection@RTL
16901 \newif\if@bidi@todonotes@figposition@right
16902 \newcommand{\@bidi@todonotes@align}{}%
16903 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
16904 \newcommand{\@bidi@todonotes@textdirection}{}%
16905 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
16906 \ifcase\@bidi@todonotes@tempb\relax
16907 \@bidi@todonotes@textdirection@RTLtrue
16908 \let\@bidi@todonotes@textdirection\RLE
16909 \or
16910 \@bidi@todonotes@textdirection@RTLfalse
16911 \let\@bidi@todonotes@textdirection\LRE
16912 \fi}
16913 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
16914 \ifcase\@bidi@todonotes@tempb\relax
16915 \@bidi@todonotes@figposition@righttrue
16916 \or
16917 \@bidi@todonotes@figposition@rightfalse
16918 \fi}
16919 \if@todonotes@disabled%
16920 \else % \if@todonotes@disabled
16921 \renewcommand{\@todonotes@drawInlineNote}{%
16922 \if@todonotes@dviStyle%
16923 {\par\noindent\begin{tikzpicture}[remember picture]%
16924 \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
16925 \if@todonotes@authorgiven%
16926 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
16927 \else%
16928 {\noindent \@todonotes@sizecommand \@todonotes@text}%
16929 \fi
16930 {\par\noindent\begin{tikzpicture}[remember picture]%
16931 \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
16932 \else%
16933 {\par\noindent\begin{bidi@tikzpicture}[remember picture]%
16934 \if@bidi@todonotes@textdirection@RTL\else\setLTR\fi%
16935 \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@align]{
16936 \if@todonotes@authorgiven%

```



```

16937             {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
16938             \else%
16939                 {\noindent \@todonotes@sizecommand \@todonotes@text}%
16940                 \fi};%
16941         \end{bidi@tikzpicture}\par}%
16942     \fi}%
16943 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
16944 \begin{bidi@tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
16945     \node [coordinate] (inText) {};%
16946 \end{bidi@tikzpicture}%
16947 \marginpar[{\% Draw note in left margin
16948     \@todonotes@drawMarginNote%
16949     \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
16950 }]{\% Draw note in right margin
16951     \@todonotes@drawMarginNote%
16952     \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
16953 }%
16954 }%
16955 \renewcommand{\@todonotes@drawMarginNote}{%
16956 \if@todonotes@dviStyle%
16957     \begin{tikzpicture}[remember picture]%
16958         \draw node[notestyle] {};%
16959     \end{tikzpicture}\\%
16960     \begin{minipage}{\@todonotes@textwidth}%
16961     \if@todonotes@authorgiven%
16962         \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
16963     \else%
16964         \@todonotes@sizecommand \@todonotes@text%
16965     \fi%
16966     \end{minipage}\\%
16967     \begin{tikzpicture}[remember picture]%
16968         \draw node[notestyle] (inNote) {};%
16969     \end{tikzpicture}%
16970 \else%
16971     \let\originalHbadness\hbadness%
16972     \hbadness 100000%
16973     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
16974         \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
16975         \node(X){\vphantom{X}};%
16976         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@al
16977             {\@todonotes@text};%
16978         \if@todonotes@authorgiven%
16979             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16980                 {\@todonotes@sizecommand\@todonotes@author};%
16981             \node(Y)[below=of X]{};%
16982             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16983                 {\@todonotes@text};%
16984         \else%
16985             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16986                 {\@todonotes@text};%

```



```

16987         \fi%
16988     \end{tikzpicture}%
16989     \hbadness \originalHbadness%
16990 \fi}%
16991 \renewcommand{\missingfigure}[2] [] {%
16992 \setkeys{todonotes}{#1}%
16993 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
16994 \par
16995 \noindent
16996 \begin{tikzpicture}
16997 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
16998     (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
16999 \if@bidi@todonotes@figposition@right%
17000 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
17001 \fi%
17002 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
17003     (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
17004 \if@bidi@todonotes@figposition@right%
17005 \end{scope}
17006 \begin{scope}[xshift=-3.8cm]
17007 \fi%
17008 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
17009 \draw (2, -0.3) node[right, text
17010     width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
17011 \if@bidi@todonotes@figposition@right%
17012 \end{scope}
17013 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
17014 \fi%
17015 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@M
17016 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
17017 \if@bidi@todonotes@figposition@right%
17018 \end{scope}
17019 \fi%
17020 \end{tikzpicture}}\hfill
17021 }% Ending \missingfigure command
17022 \fi % Ending \@todonotes@ifdisabled
17023 \presetkeys%
17024     {todonotes}%
17025     {align=left,%
17026     textdirection=lefttoright,%
17027     figposition=left}{}}%

```

7.116 wrapfig-xetex-bidi.def

```

17028 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for X
17029 \let\WF@@everypar\bidi@n@everypar
17030 \def\WF@putfigmaybe{%
17031 \ifinner
17032     \vskip-\parskip \global\WF@floatfalse
17033 \let\pagetotal\maxdimen % kludge flag for "not top of page"

```



```

17034 \else % outer page
17035   \@tempdima\pagedepth % save page depth
17036   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up t
17037   \penalty\interlinepenalty % update pg. parameters
17038   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
17039   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
17040     \global\WF@floatfalse
17041     \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
17042   \else
17043     \ifdim\WF@size>\@tempdimb
17044       \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
17045       \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
17046       \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
17047       \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
17048       \advance\dimen@.5\baselineskip
17049       \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
17050         \global\WF@floatfalse \pagebreak
17051       \fi
17052     \else % \WF@info{Fits in \the\@tempdimb;}%
17053       \global\WF@floatfalse
17054     \fi\fi
17055     \vskip\@tempdima\relax % (return erased page depth)
17056 \fi
17057 \noindent
17058 \ifWF@float
17059   \WF@fltmes
17060 \else % putting here;
17061   \WF@info{Put \WF@wfname here;}%
17062   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
17063     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
17064     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
17065     \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
17066       \@tempdima\wd\WF@box \@tempdimb\WF@ovh
17067       \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
17068       \@tempdimb\hsize \advance\@tempdimb-\@tempdima
17069       \xdef\WF@adjlw{\the\@tempdima}%
17070       \ifnum `l=\WF@place % fig on left
17071         \if@RTL%
17072           \kern\@tempdimb \kern\columnsep
17073         \def\@tempa{\hss}% position to left of the gap
17074       \else%
17075         \hss % figure overlaps space to the left
17076         \def\@tempa{\kern\columnsep}% position to left of the gap
17077       \fi%
17078     \else % fig on right
17079       \if@RTL%
17080         \hss
17081         \@tempdima\z@
17082         \def\@tempa{\kern\columnsep}
17083       \else%

```




```

17084 \tempdima\z@ % no left indentation
17085 \kern\@tempdimb \kern\columnsep
17086 \def\@tempa{\hss}% figure overlaps space to the right
17087 \fi%
17088 \fi
17089 \ifdim\@tempdimb<\hsize
17090 \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
17091 \xdef\WF@adjtlm{\the\@tempdima}%
17092 \else
17093 \xdef\WF@wrapil{\z@ \the\hsize}%
17094 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
17095 \fi
17096 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
17097 \global\advance\WF@size-\intextsep
17098 \else % \WF@info{Putting \WF@wfname in middle of page}%
17099 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
17100 \fi \dp\WF@box\z@ \box\WF@box \@tempa
17101 }% end \hbox to Opt
17102 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
17103 \fi}

```

7.117 xcolor-xetex-bidi.def

```

17104 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for XeT
17105 \long\def\color@b@x#1#2#3%
17106 {\leavevmode\ifmmode\else\ifRTL\beginL\fi\fi
17107 \setbox\z@\hbox{\kern\fbboxsep\set@color\ifRTL\beginR\fi#3\ifRTL\endR\fi}\kern\fbboxsep}%
17108 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
17109 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
17110 {\ifmmode\else\ifRTL\endL\fi\fi}
17111 \def\normalcolor{\let\current@color\default@color\ifmmode\ifRTL\beginL\aftergroup\endR\fi\fi}
17112 \DeclareRobustCommand\color
17113 {\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor}
17114 \def\@undeclaredcolor[#1]#2%
17115 {\begingroup
17116 \let\@cls\@empty
17117 \XC@getmodclr12{#1}{#2}{}%
17118 {\ifblendcolors
17119 \ifx\colorblend\@empty\else
17120 \edef\@mix{\expandafter\@gobble\colorblend}\@tempswafalse
17121 \XC@coremodel\@mod\@clr\@xcolor@{\}\@mod\@clr
17122 \fi
17123 \fi
17124 \ifconvertcolorsU
17125 \edef\@tmp{\XC@tgt@mod{\@mod}}%
17126 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
17127 \fi
17128 \ifmaskcolors
17129 \convertcolorspec\@mod\@clr\XC@mmod\@clr
17130 \let\@mod\XC@mmod

```



```

17131 \XC@inflate\@mod\XC@mclr\@clr\@tmp
17132 \expandafter\XC@mul\@tmp,\@clr
17133 \fi
17134 \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
17135 \expandafter\endgroup\@tmp}}
17136 \def\@declaredcolor#1%
17137 {\XC@edef\XC@tmp{#1}\XC@tstfalse
17138 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
17139 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
17140 \ifconvertcolorsU\XC@tsttrue\fi
17141 \fi
17142 \ifXC@tst
17143 \expandafter\XC@declaredcolor\else
17144 \expandafter\XC@declaredcolor\fi}
17145 \def\XC@undeclaredcolor#1#2%
17146 {\@ifundefinedmodel{#1}%
17147 {\c@lor@error{model `#1'}}%
17148 {\@nameuse{color@#1}\current@color{#2}%
17149 \edef\XC@current@color{\noexpand\xcolor@}{\current@color}{#1}{#2}}%
17150 \XC@display}\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
17151 \def\XC@declaredcolor
17152 {\XC@let\Nc\XC@current@color{\string\color\@XC@tmp}%
17153 \edef\current@color{\XC@current@color}%
17154 \XC@display}\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
17155 \DeclareRobustCommand\bidicolor
17156 {\@ifnextchar\@bidiundeclaredcolor\@bidideclaredcolor}
17157 \def\@bidiundeclaredcolor[#1]#2%
17158 {\begingroup
17159 \let\@cls\@empty
17160 \XC@getmodclr12{#1}{#2}{}%
17161 {\ifblendcolors
17162 \ifx\colorblend\@empty\else
17163 \edef\@mix{\expandafter\@gobble\colorblend}\@tempswafalse
17164 \XC@coremodel\@mod\@clr\@xcolor@}{\@mod\@clr
17165 \fi
17166 \fi
17167 \ifconvertcolorsU
17168 \edef\@tmp{\XC@tgt@mod{\@mod}}%
17169 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
17170 \fi
17171 \ifmaskcolors
17172 \convertcolorspec\@mod\@clr\XC@mmod\@clr
17173 \let\@mod\XC@mmod
17174 \XC@inflate\@mod\XC@mclr\@clr\@tmp
17175 \expandafter\XC@mul\@tmp,\@clr
17176 \fi
17177 \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
17178 \expandafter\endgroup\@tmp}}
17179 \def\XC@bidiundeclaredcolor#1#2%
17180 {\@ifundefinedmodel{#1}%

```



```

17181 {\c@lor@error{model `#1'}}%
17182 {\@nameuse{color@#1}\current@color{#2}%
17183 \edef\XC@current@color{\noexpand\xcolor@{ }\current@color}{#1}{#2}}%
17184 \XC@display}}
17185 \def\@bidideclaredcolor#1%
17186 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
17187 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
17188 \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
17189 \ifconvertcolorsU\XC@@tsttrue\fi
17190 \fi
17191 \ifXC@@tst
17192 \expandafter\XC@bidideclaredcolor\else
17193 \expandafter\XC@bidideclaredc@lor\fi}
17194 \def\XC@bidideclaredcolor
17195 {\XC@split\XC@@tmp
17196 \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
17197 \expandafter\endgroup\@@tmp}
17198 \def\XC@bidideclaredc@lor
17199 {\XC@let\Nc\XC@current@color{\string\color@\XC@@tmp}%
17200 \edef\current@color{\XC@current@color}%
17201 \XC@display}
17202 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
17203 \def\color@fbbox#1#2#3#4{\protect\color@fb@x{#1}{#2}{#3}}
17204 \def\color@fb@x#1#2#3#4%
17205 {\color@b@x{\fbboxsep\z@\bidicolor#1{#2}\XC@fbbox}%
17206 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
17207 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\

```

7.118 latex-xetex-bidi.def

```

17208 \ProvidesFile{latex-xetex-bidi.def}[2015/10/08 v1.2.0 bidi adaptations for `latex.ltx' for XeTeX]
17209 \newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
17210 \newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
17211 \TeXXeTOn
17212 \def\bidi@RTL@everypar{\setbox\z@ \lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}
17213 \let\bidi@o@everypar=\everypar
17214 \newtoks\bidi@n@everypar
17215 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
17216 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
17217 \let\everypar=\bidi@n@everypar
17218 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
17219 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
17220 \protected\def\hboxR{\hbox\bgroup
17221 \everyhbox{%
17222 \aftergroup\egroup
17223 \everyhbox{}}%
17224 \beginR
17225 \bgroup
17226 \aftergroup\endR
17227 \aftergroup\egroup

```



```

17228 } \hbox}
17229 \protected\def\hboxL{\hbox\bgroup
17230 \everyhbox{%
17231 \aftergroup\egroup
17232 \everyhbox{}}%
17233 \beginL
17234 \bgroup
17235 \aftergroup\endL
17236 \aftergroup\egroup
17237 } \hbox}
17238 \protected\def\vboxR{\vbox\bgroup
17239 \everyvbox{%
17240 \aftergroup\egroup
17241 \everyvbox{}}%
17242 \@RTLtrue
17243 \bgroup
17244 \aftergroup\egroup
17245 } \vbox}
17246 \protected\def\vboxL{\vbox\bgroup
17247 \everyvbox{%
17248 \aftergroup\egroup
17249 \everyvbox{}}%
17250 \@RTLfalse
17251 \bgroup
17252 \aftergroup\egroup
17253 } \vbox}
17254 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
17255 \def\endLTR{\par}
17256 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
17257 \def\endRTL{\par}
17258 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
17259 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
17260 \let\unsetRTL=\setLTR
17261 \let\unsetLTR=\setRTL
17262 \let\LR=\LRE
17263 \let\RL=\RLE
17264 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
17265 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
17266 \let\@ensure@RL=\@ensure@RTL
17267 \let\@ensure@LR=\@ensure@LTR
17268 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
17269 \let\@ensure@maindir=\@ensure@dir
17270 \def\@@RTL{RTL}
17271 \def\@@LTR{LTR}
17272 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
17273 \def\reset@dir{\ifx\saved@dir\@@RTL\setRTL\else\ifx\saved@dir\@@LTR\setLTR\else\relax\fi\fi}
17274 \let\@@TeX\TeX
17275 \def\TeX{\@ensure@LTR{\@@TeX}}
17276 \let\@@LaTeX\LaTeX
17277 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}

```



```

17278 \let\@@LaTeXe\LaTeXe
17279 \def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
17280 \long\def\ bidi@reflect@box#1{%
17281   \leavevmode
17282   \setbox\z@\hbox{{#1}}%
17283   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
17284   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
17285 }
17286 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
17287   \hbox{\kern-.125em\ bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
17288 \def\XeLaTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
17289   \hbox{\kern-.125em\ bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
17290 \let\setRL=\setRTL
17291 \let\setLR=\setLTR
17292 \let\unsetRL=\setLTR
17293 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
17294   \ialign{##\hfil$\&\quad{##}\hfil\cr cr#1\cr}}\right\}}
17295 \def\SepMark#1{\gdef\@SepMark{\if@RTL\fi#1\if@RTL\fi}}
17296 \SepMark{.}
17297 \def\@thmcountersep{\@SepMark}
17298 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
17299 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
17300 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
17301 \def\list#1#2{%
17302   \ifnum \@listdepth >5\relax
17303     \@toodeep
17304   \else
17305     \global\advance\@listdepth\@ne
17306   \fi
17307   \rightmargin\z@
17308   \listparindent\z@
17309   \itemindent\z@
17310   \csname @list\romannumeral\the\@listdepth\endcsname
17311   \def\@itemlabel{#1}%
17312   \let\makelabel\@mklab
17313   \@nmbrrlistfalse
17314   #2\relax
17315   \@trivlist
17316   \parskip\parsep
17317   \parindent\listparindent
17318   \advance\linewidth -\rightmargin
17319   \advance\linewidth -\leftmargin
17320   \if@bidi@list@minipage@parbox
17321     \if@RTL
17322       \advance\@totalleftmargin \leftmargin
17323     \else
17324       \advance\@totalleftmargin \rightmargin
17325     \fi
17326   \else
17327     \if@RTLtab

```



```

17328 \if@bidi@list@minipage@parbox@not@nob
17329 \if@RTL
17330 \advance\@totalleftmargin \rightmargin
17331 \else
17332 \advance\@totalleftmargin \leftmargin
17333 \fi
17334 \else
17335 \if@RTL
17336 \advance\@totalleftmargin \leftmargin
17337 \else
17338 \advance\@totalleftmargin \rightmargin
17339 \fi\fi
17340 \else
17341 \if@RTL
17342 \advance\@totalleftmargin \rightmargin
17343 \else
17344 \advance\@totalleftmargin \leftmargin
17345 \fi\fi\fi
17346 \parshape \@ne \@totalleftmargin \linewidth
17347 \ignorespaces}
17348 \long\def\@iiparbox#1#2[#3]#4#5{%
17349 \leavevmode
17350 \@pboxswfalse
17351 \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
17352 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
17353 \setlength\@tempdima{#4}%
17354 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
17355 \ifx\relax#2\else
17356 \setlength\@tempdimb{#2}%
17357 \edef\@parboxto{to\the\@tempdimb}%
17358 \fi
17359 \if#1b\vbox
17360 \else\if #1t\vtop
17361 \else\ifmmode\vcenter
17362 \else\@pboxswtrue $\vcenter
17363 \fi\fi\fi
17364 \@parboxto{\let\hss\vss\let\unhbox\unvbox
17365 \csname bm@#3\endcsname}%
17366 \if@pboxsw \m@th$\fi
17367 \@end@tempboxa}
17368 \def\@bidi@lrbox#1{%
17369 \edef\reserved@a{%
17370 \endgroup
17371 \setbox#1\hbox{%
17372 \begingroup\aftergroup}%
17373 \def\noexpand\@currentvir{\@currentvir}%
17374 \def\noexpand\@currentvline{\on@line}}}%
17375 \reserved@a
17376 \@endpefalse
17377 \color@beginngroup

```



```

17378 \ignorespaces}
17379 \def\endbidi@lrbox{\unskip\color@endgroup}
17380 \newenvironment{LTRitems}
17381 {\par\@RTLfalse
17382 \if@bidi@list@minipage@parbox
17383 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
17384 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17385 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
17386 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
17387 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
17388 \ignorespaces}{\vskip\z@}
17389 \newenvironment{RTLitems}
17390 {\par\@RTLtrue
17391 \if@bidi@list@minipage@parbox
17392 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
17393 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17394 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
17395 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
17396 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
17397 \ignorespaces}{\vskip\z@}
17398 \newenvironment{LTRbibitems}
17399 {\par\@RTLfalse
17400 \if@bidi@list@minipage@parbox
17401 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
17402 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17403 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
17404 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
17405 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
17406 \ignorespaces}{\vskip\z@}
17407 \newenvironment{RTLbibitems}
17408 {\par\@RTLtrue
17409 \if@bidi@list@minipage@parbox
17410 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
17411 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17412 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
17413 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
17414 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
17415 \ignorespaces}{\vskip\z@}
17416 \def\raggedright{%
17417 \let\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
17418 \leftskip\z@skip
17419 \parindent\z@\parfillskip\z@skip}
17420 \let\bidi@orig@raggedleft\raggedleft
17421 \let\bidi@orig@raggedright\raggedright
17422 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@RTLtab\b
17423 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@RTLtab\b
17424 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
17425 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
17426 \def\centerline#1{%
17427 \if@RTL\@line{\hss\beginR#1\endR\hss}

```



```

17428 \else\@line{\hss#1\hss}\fi}
17429 \def\leftline#1{%
17430 \if@RTL\@line{\beginR#1\endR\hss}
17431 \else\@line{#1\hss}\fi}
17432 \def\rightline#1{%
17433 \if@RTL\@line{\hss\beginR#1\endR}
17434 \else\@line{\hss#1}\fi}
17435 \let\bidiorig@leftline\leftline
17436 \let\bidiorig@rightline\rightline
17437 \def\leftline#1{\ifhmode\if@RTL\bidiorig@rightline{#1}\else\bidiorig@leftline{#1}\fi\else\i
17438 \def\rightline#1{\ifhmode\if@RTL\bidiorig@leftline{#1}\else\bidiorig@rightline{#1}\fi\else\i
17439 \def\bidirlap#1{\hbext@z@\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
17440 \def\bidillap#1{\hbext@z@\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
17441 \def\hangfrom#1{\setbox\@tempboxa\hbox{#1}}%
17442 \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
17443 \def\narrower{%
17444 \advance\if@RTL\rightright\else\leftskip\fi\parindent
17445 \advance\if@RTL\leftskip\else\rightright\fi\parindent}
17446 \def\underline#1{%
17447 \relax
17448 \ifmmode\@underline{#1}%
17449 \else
17450 \if@RTL $\@underline{\hbox{\beginR#1\endR}}\m@th$\relax
17451 \else
17452 $\@underline{\hbox{#1}}\m@th$\relax\fi\fi}
17453 \ifcompatibility
17454 \let\underline=\underline
17455 \fi
17456 \global\@RTLtabfalse
17457 \def\@tabular{\if@RTL\@RTLtabtrue\fi
17458 \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
17459 $\let\@acol\@tabacol
17460 \let\@classz\@tabclassz
17461 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
17462 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
17463 \egroup $\if@RTLtab\endR\fi\egroup
17464 \@RTLtabfalse}
17465 \expandafter \let \csname endtabular*\endcsname = \endtabular
17466 \def\@array[#1]#2{%
17467 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
17468 \bgroup
17469 \setbox\@arstrutbox\hbox{%
17470 \vrule \@height\arraystretch\ht\strutbox
17471 \@depth\arraystretch \dp\strutbox
17472 \@width\z@}%
17473 \mkpream{#2}%
17474 \edef\@preamble{%
17475 \ialign \noexpand\@halignto
17476 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
17477 \let\@startpbox\@startpbox \let\@endpbox\@endpbox

```




```

17478 \let\tabularnewline\\%
17479 \let\par\@empty
17480 \let\@sharp##%
17481 \set@typeset@protect
17482 \lineskip\z@skip\baselineskip\z@skip
17483 \ifhmode \@preamerr\z@ \@par\fi
17484 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
17485 \@preamble}
17486 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
17487 \let\@classiv\@arrayclassiv
17488 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
17489 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
17490 \ifnum \@lastchclass=3 5 \else
17491 \z@ \if #1c\@chnum \z@ \else
17492 \if \if@RTLtab#1r\else#1l\fi\@chnum \@one \else
17493 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
17494 \@chclass \if #1|\@one \else
17495 \if #1@\tw@ \else
17496 \if #1p3 \else \z@ \@preamerr 0\fi
17497 \fi \fi \fi \fi \fi \fi
17498 \fi}
17499 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
17500 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
17501 \def\bm@t{\unhbox\@tempboxa\hss}
17502 \def\bm@b{\hss\unhbox\@tempboxa}
17503 \def\@dottedtocline#1#2#3#4#5{%
17504 \ifnum #1>\c@tocdepth \else
17505 \vskip \z@ \@plus.2\p@
17506 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
17507 \parindent #2\relax\@afterindenttrue
17508 \interlinepenalty\@M
17509 \leavevmode
17510 \@tempdima #3\relax
17511 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
17512 {#4}\nobreak
17513 \leaders\hbox{$\m@th
17514 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
17515 mu$}\hfill
17516 \nobreak
17517 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
17518 \par}%
17519 \fi}
17520 \def\RTL@outputdblcol{%
17521 \if@firstcolumn \global\@firstcolumnfalse
17522 \global\setbox\@leftcolumn \box\@outputbox
17523 \else \global\@firstcolumntrue
17524 \setbox\@outputbox \vbox {\hbox to\textwidth {%
17525 \hskip \columnwidth
17526 \hrule width\columnseprule \hfil
17527 \hbox to\columnwidth {\box\@leftcolumn \hss}}%

```



```

17528 \hskip -\textwidth
17529 \hbox to\columnwidth{\box\@outputbox \hss}%
17530 \hskip \columnsep
17531 \hskip \columnwidth }}%
17532 \@combinedblfloats \@outputpage
17533 \begingroup \@dblfloatplacement \@startdblcolumn
17534 \@whiles\if@fcolmade \fi
17535 {\@outputpage \@startdblcolumn }\endgroup
17536 \fi}
17537 \def\LTR@outputdblcol{%
17538   \if@firstcolumn
17539     \global \@firstcolumnfalse
17540     \global \setbox\@leftcolumn \box\@outputbox
17541   \else
17542     \global \@firstcolumntrue
17543     \setbox\@outputbox \vbox {%
17544       \hb@xt@\textwidth {%
17545         \hb@xt@\columnwidth {%
17546           \box\@leftcolumn \hss}%
17547         \hfil
17548         {\normalcolor\vrule \@width\columnseprule}%
17549         \hfil
17550         \hb@xt@\columnwidth {%
17551           \box\@outputbox \hss}%
17552         }%
17553       }%
17554     \@combinedblfloats
17555     \@outputpage
17556     \begingroup
17557       \@dblfloatplacement
17558       \@startdblcolumn
17559       \@whiles\if@fcolmade \fi
17560       {\@outputpage
17561         \@startdblcolumn}%
17562     \endgroup
17563   \fi
17564 }
17565 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
17566 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
17567 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
17568 \def\LTRmarginpar{%
17569   \ifhmode
17570     \bsphack
17571     \@floatpenalty -\@Mii
17572   \else
17573     \@floatpenalty-\@Miii
17574   \fi
17575   \ifinner
17576     \@parmoderr
17577     \@floatpenalty\z@

```



```

17578 \else
17579 \next\@currbox\@freelist{}\}%
17580 \next\@marbox\@freelist{\global\count\@marbox\m@ne}%
17581 {\@floatpenalty\z@
17582 \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
17583 \fi
17584 \ifnextchar [\@LTRxmpar\@LTRYmpar}
17585 \long\def\@LTRxmpar[#1]#2{%
17586 \@LTRsavemarbox\@marbox{#1}%
17587 \@LTRsavemarbox\@currbox{#2}%
17588 \@xympar}
17589 \long\def\@LTRYmpar#1{%
17590 \@LTRsavemarbox\@marbox{#1}%
17591 \global\setbox\@currbox\copy\@marbox
17592 \@xympar}
17593 \long\def \@LTRsavemarbox #1#2{%
17594 \global\setbox #1%
17595 \color@vbox
17596 \vtop{%
17597 \hsize\marginparwidth
17598 \@parboxrestore
17599 \@LTRmarginparreset
17600 #2%
17601 \@minipagefalse
17602 \outer@nobreak
17603 }%
17604 \color@endbox
17605 }
17606 \def \@LTRmarginparreset {%
17607 \reset@font
17608 \normalsize
17609 \@minipagetrue
17610 \everypar{\@minipagefalse\everypar{}\beginL}%
17611 }
17612 \def\RTLmarginpar{%
17613 \ifhmode
17614 \@bsphack
17615 \@floatpenalty -\@Mii
17616 \else
17617 \@floatpenalty-\@Miii
17618 \fi
17619 \ifinner
17620 \@parmoderr
17621 \@floatpenalty\z@
17622 \else
17623 \next\@currbox\@freelist{}\}%
17624 \next\@marbox\@freelist{\global\count\@marbox\m@ne}%
17625 {\@floatpenalty\z@
17626 \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
17627 \fi

```



```

17628 \@ifnextchar [\@RTLxmpar\@RTLympar}
17629 \long\def\@RTLxmpar[#1]#2{%
17630 \@RTLSavemarbox\@marbox{#1}%
17631 \@RTLSavemarbox\@currbox{#2}%
17632 \@xympar}
17633 \long\def\@RTLympar#1{%
17634 \@RTLSavemarbox\@marbox{#1}%
17635 \global\setbox\@currbox\copy\@marbox
17636 \@xympar}
17637 \long\def \@RTLSavemarbox #1#2{%
17638 \global\setbox #1%
17639 \color@vbox
17640 \vtop{%
17641 \hsize\marginparwidth
17642 \@parboxrestore
17643 \@RTLMarginparreset
17644 #2%
17645 \@minipagefalse
17646 \outer@nobreak
17647 }%
17648 \color@endbox
17649 }
17650 \def \@RTLMarginparreset {%
17651 \reset@font
17652 \normalsize
17653 \@minipagetrue
17654 \everypar{\@minipagefalse\everypar{}\beginR}%
17655 }
17656 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
17657 \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
17658 \if@twocolumn
17659 \if@firstcolumn \@tempcnta\m@ne \fi
17660 \else
17661 \if@mparswitch
17662 \ifodd\c@page \else\@tempcnta\m@ne \fi
17663 \fi
17664 \if@reversemargin \@tempcnta -\@tempcnta \fi
17665 \fi
17666 \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
17667 \@tempdima\@mparbottom
17668 \advance\@tempdima -\@pageht
17669 \advance\@tempdima\ht\@marbox
17670 \ifdim\@tempdima >\z@
17671 \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
17672 \else
17673 \@tempdima\z@
17674 \fi
17675 \global\@mparbottom\@pageht
17676 \global\advance\@mparbottom\@tempdima
17677 \global\advance\@mparbottom\dp\@marbox

```



```

17678 \global\advance\@mparbottom\marginparpush
17679 \advance\@tempdima -\ht\@marbox
17680 \global\setbox \@marbox
17681         \vbox {\vskip \@tempdima
17682                 \box \@marbox}%
17683 \global \ht\@marbox \z@
17684 \global \dp\@marbox \z@
17685 \kern -\@pagedp
17686 \nointerlineskip
17687 \hb@xt@\columnwidth
17688 {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
17689         \hskip\columnwidth \hskip\marginparsep
17690         \else
17691         \hskip -\marginparsep \hskip -\marginparwidth
17692         \fi
17693         \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else
17694         \nointerlineskip
17695         \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
17696 \long\def\@ympar#1{%
17697     \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
17698     \global\setbox\@currbox\copy\@marbox
17699     \@xympar}
17700 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
17701 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
17702 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
17703 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
17704     \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
17705 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
17706     \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
17707     \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
17708     \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}}%
17709 \fi}
17710 \def\@outputpage{%
17711 \begingroup          % the \endgroup is put in by \aftergroup
17712 \let \protect \noexpand
17713 \@resetactivechars
17714 \global\let\@if@newlist\if@newlist
17715 \global\@newlistfalse
17716 \@parboxrestore
17717 \shipout \vbox{%
17718     \set@typeset@protect
17719     \aftergroup \endgroup
17720     \aftergroup \set@typeset@protect
17721             % correct? or just restore by ending
17722             % the group?
17723 \if@specialpage
17724     \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
17725 \fi
17726 \if@twoside
17727     \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot

```



```

17728         \let\@themargin\oddsidemargin
17729     \else \let\@thehead\@evenhead
17730         \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
17731     \fi
17732     \ifx\@thehead\@empty \let\@thehead\hfil \fi
17733     \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
17734     \else %% not @twoside
17735     \ifx\@oddhead\@empty \let\@thehead\hfil \fi
17736     \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
17737 \fi
17738 \reset@font
17739 \normalsize
17740 \normalsfcodes
17741 \let\label\@gobble
17742 \let\index\@gobble
17743 \let\glossary\@gobble
17744 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
17745 \begin@vi
17746 \vskip \topmargin
17747 \moveright\@themargin \vbox {%
17748     \setbox\@tempboxa \vbox to\headheight{%
17749         \vfil
17750         \color@hbox
17751         \normalcolor
17752         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTLmain
17753         \color@endbox
17754         }%
17755         \dp\@tempboxa \z@
17756         \box\@tempboxa
17757         \vskip \headsep
17758         \box\@outputbox
17759         \baselineskip \footskip
17760         \color@hbox
17761         \normalcolor
17762         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTLmain
17763         \color@endbox
17764         }%
17765     }%
17766 \global\let\if@newlist\@if@newlist
17767 \global \colht \textheight
17768 \stepcounter{page}%
17769 \let\firstmark\botmark
17770 }
17771 \long\def\@makecaption#1#2{%
17772     \vskip\abovecaptionskip
17773     \sbox\@tempboxa{#1: #2}%
17774     \ifdim \wd\@tempboxa >\hspace
17775     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
17776 \else
17777     \global \minipagefalse

```



```

17778 \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
17779 \fi
17780 \vskip\belowcaptionskip}
17781 \let\bidisaved@eqno=\eqno
17782 \let\bidisaved@leqno=\leqno
17783 \def\eqno{\ifnum\predisplaydirection<\z@ \bidisaved@leqno \else \bidisaved@eqno \fi}
17784 \def\leqno{\ifnum\predisplaydirection<\z@ \bidisaved@eqno \else \bidisaved@leqno \fi}
17785 \@ifpackageloaded{amsmath}{}{
17786 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
17787 }
17788 \input{footnote-xetex-bidi.def}
17789 \if@twocolumn
17790 \let\autofootnoterule\relax
17791 \let\leftfootnoterule\relax
17792 \let\rightfootnoterule\relax
17793 \textwidthfootnoterule
17794 \fi
17795 \if@bidi@csundef{@idxitem}{}{%
17796 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40p}%
17797 }
17798 \@ifclassloaded{article}{\@ifclassloaded{svmult}}{}{\input{article-xetex-bidi.def}}{}
17799 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
17800 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
17801 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
17802 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
17803 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
17804 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
17805 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
17806 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
17807 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
17808 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
17809 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
17810 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}}{}{\input{report-xetex-bidi.def}}{}
17811 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
17812 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
17813 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
17814 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
17815 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
17816 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
17817 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
17818 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
17819 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
17820 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}}{}{\input{book-xetex-bidi.def}}{}
17821 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
17822 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
17823 \@ifpackageloaded{amsmath}{}{%
17824 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
17825 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
17826 }
17827 \@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}

```



```

17828 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
17829 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
17830 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
17831 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
17832 \@ifpackagewith{algorithm2e}{algonl}{%
17833 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Algo
17834 }{}
17835 \@ifpackagewith{algorithm2e}{algotpart}{\renewcommand{\algocf@within}{part}}{}
17836 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
17837 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
17838 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
17839 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
17840 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
17841 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
17842 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
17843 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
17844 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
17845 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
17846 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}\input{crop-xetex-bidi.def}}{}
17847 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
17848 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
17849 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
17850 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
17851 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
17852 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}\input{float-xetex-bidi.def}}{}
17853 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
17854 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
17855 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
17856 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
17857 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
17858 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
17859 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
17860 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
17861 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
17862 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
17863 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
17864 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
17865 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
17866 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
17867 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
17868 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
17869 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
17870 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
17871 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
17872 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
17873 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
17874 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
17875 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
17876 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
17877 \@ifpackageloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}

```




```

17878 \@ifpackageloaded{pgf}{\input{pgf-xetex-bidi.def}}{}
17879 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
17880 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
17881 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
17882 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
17883 \@ifpackagewith{sidecap}{innercaption}{%
17884 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
17885 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}
17886 \renewcommand*{\SC@justify@caption{%
17887 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
17888 \renewcommand*{\SC@FLOAT}[2]{%
17889 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
17890 \renewcommand*{\SC@justify@caption{%
17891 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
17892 }{}
17893 \@ifpackagewith{sidecap}{rightcaption}{%
17894 \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
17895 \def\SC@justify@caption{\RaggedLeft}\else%
17896 \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
17897 \def\SC@justify@caption{\RaggedRight}\fi%
17898 }{}
17899 \@ifpackagewith{sidecap}{leftcaption}{%
17900 \if@RTL \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
17901 \def\SC@justify@caption{\RaggedRight}\else%
17902 \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
17903 \def\SC@justify@caption{\RaggedLeft}\fi%
17904 }{}
17905 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
17906 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
17907 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
17908 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
17909 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
17910 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
17911 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
17912 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
17913 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
17914 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
17915 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
17916 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
17917 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
17918 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
17919 \@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
17920 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
17921 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
17922 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}{}
17923 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}{}
17924 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
17925 \@ifpackageloaded{tikz}{\input{tikz-xetex-bidi.def}}{}
17926 \@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```



7.119 xltextra-xetex-bidi.def

```

17927 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for X
17928 \let\@@XeTeX\XeTeX
17929 \def\XeTeX{\@ensure@LTR{\@@XeTeX}}
17930 \let\@@XeLaTeX\XeLaTeX
17931 \def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}

```

8 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\# 2677, 2723, 2832, 2840, 11435	\@@TeX 13053, 13054, 17274, 17275	15264, 15286, 15823, 15902, 15924
\\$ 11434	\@@XeLaTeX . . 17930, 17931	\@@makefnmark . 14271,
\% 10377	\@@XeTeX . . . 17928, 17929	14273, 14786,
\' 10497, 12051, 13151, 13165	\@@author 5014, 5017, 5020	14788, 15336,
\, 4401, 10574, 13735, 13778, 16926, 16937, 17294	\@@bidi@AfterClass 3082, 3099	15337, 15467, 15469
\- 10496, 12050, 13150, 13164	\@@bidi@AfterPackage 3127, 3142	\@@math 6132
\. 89, 298, 582, 713, 981, 1233, 5591, 5784, 6097, 7435, 7710, 9623, 12713, 13301, 13694, 13895, 14099, 14570, 15141, 15779, 16286	\@@bidi@PreventPackageFromLoading . . . 3173, 3175, 3177	\@@mix 17120, 17163
\/. 1777	\@@clr . . 17121, 17126, 17129, 17131, 17132, 17134, 17164, 17169, 17172, 17174, 17175, 17177, 17196	\@@mod . . 17121, 17125, 17126, 17129, 17130, 17131, 17134, 17164, 17168, 17169, 17172, 17173, 17174, 17177, 17196
\; 180, 199	\@@cls 17116, 17159	\@@par . . 12049, 13149, 13163, 13730, 13773, 14254, 14261, 14769, 14776, 15322, 15327, 15450, 15457, 16212, 16214, 17354, 17483
\= 10497, 12051, 13151, 13165	\@@date . 5015, 5018, 5021	\@@protect 2608
\@ 2747	\@@end 2921, 2922	\@@startpbox . . 11984, 15983, 16022, 17477
\@@ 16087, 16089	\@@endpbox . . . 11985, 15983, 16022, 17477	\@@title 5013, 5016, 5019
\@@@bidi@AfterClass 3083, 3088	\@@if@newlist . 9933, 9953, 17714, 17766	\@@tmp 17125, 17126, 17131, 17132, 17134, 17135, 17168, 17169, 17174, 17175, 17177, 17178, 17196, 17197
\@@@bidi@AfterPackage 3128, 3132	\@@input 2981, 2998	
\@@LTR 13050, 13052, 17271, 17273	\@@italiccorr . 338, 6141	
\@@LaTeX . . . 17276, 17277	\@@line 7953, 7957, 14125, 14134, 14172, 14183, 17427, 17428, 17430, 17431, 17433, 17434	
\@@LaTeXe . . 17278, 17279	\@@makecaption	
\@@RTL 13049, 13052, 17270, 17273	. . 14614, 14693, 14715, 15185,	



\@underline	\@LTRmarginparreset	\@Miii 1991, 4082, 4126,
17448, 17450, 17452	17599, 17606	4170, 17573, 17617
\@DEBUGfalse	\@LTRmarginpartrue 17701	\@RTL@footnotefalse
\@False	\@LTRsavemarbox 1600, 10016,
\@LTRbibitemfalse 17586,	10183, 13033,
. 17298, 17300	17587, 17590, 17593	13038, 17254, 17259
\@LTRbibitemstrue 17299	\@LTRxmpar . 17584, 17585	\@RTL@footnotetrue
\@LTRbidityftesidenote@sidenote	\@LTRympar . 17584, 17589	. . . 1598, 10016,
. . 4514, 4573, 4577	\@M . . . 6, 88, 101, 207,	10182, 13035,
\@LTRbidityftesidenotemarginparreset	231, 297, 555,	13037, 17256, 17258
. 4152, 4159	618, 619, 643,	\@RTLbibitemfalse
\@LTRbidityftesidenotesavemarbox	749, 872, 927, 17299, 17300
. 4139,	928, 1003, 1123,	\@RTLbibitemstrue 17298
4140, 4143, 4146	1124, 1130, 1255,	\@RTLbidityftesidenote@sidenote
\@LTRbidityftesidenotexmpar	1840, 1845, 4745,	. . 4543, 4574, 4578
. 4137, 4138	5513, 5514, 5520,	\@RTLbidityftesidenotemarginparreset
\@LTRbidityftesidenoteympar	5636, 5692, 5693, 4196, 4203
. 4137, 4142	5699, 5815, 5865,	\@RTLbidityftesidenotesavemarbox
\@LTRfootnotetext 62,	6062, 6070, 6136, 4183,
78, 151, 152,	7403, 7416, 7674,	4184, 4187, 4190
153, 270, 287,	7683, 7953, 7957,	\@RTLbidityftesidenotexmpar
1913, 2036, 4445,	9588, 9596, 9906, 4181, 4182
4526, 4533, 5249,	12474, 12486,	\@RTLbidityftesidenoteympar
5260, 5473, 5487,	12498, 13089, 4181, 4186
7027, 7028, 7791,	13197, 13198,	\@RTLcolumnfootnotesfalse
7847, 7854, 7968,	13222, 13334, 7861
8115, 8255, 8402,	13473, 13596,	\@RTLcolumnfootnotetrue
8549, 8696, 8843,	13649, 13650, 7860
8990, 9137, 9326,	13713, 13714,	\@RTLfalse 36,
10173, 10179,	14071, 14079,	64, 84, 245,
10217, 10242,	14508, 15045,	272, 293, 569,
10297, 10322,	15699, 16078,	703, 971, 1223,
10328, 11044,	16198, 16239,	1576, 1582, 2353,
11072, 11151,	16372, 16403,	5581, 5774, 6084,
11187, 11381,	16426, 16443,	6102, 6114, 6127,
11385, 11405,	16460, 16477,	7425, 7697, 7761,
11406, 12024,	16494, 16511,	7793, 7808, 7821,
12107, 12605,	16529, 16548,	7979, 7989, 8024,
12606, 12607,	16568, 16603,	8036, 8126, 8135,
14236, 14242,	16742, 16856, 17508	8168, 8179, 8266,
14620, 14621,	\@MM . . 40, 53, 68, 249,	8276, 8311, 8323,
14631, 14751,	262, 276, 7025,	8413, 8423, 8458,
14757, 15191,	7046, 7093, 7100,	8470, 8560, 8570,
15192, 15202,	7145, 7152, 7907,	8604, 8616, 8707,
15432, 15438,	10191, 10207, 10222	8717, 8751, 8763,
15829, 15830,	\@Mi 2098, 6132	8854, 8864, 8899,
15840, 16053, 16070	\@Mii 1989, 4080, 4124,	8911, 9001, 9011,
\@LTRmarginparfalse	4168, 6558, 6567,	9046, 9058, 9148,
. 17700, 17702	6577, 6722, 6731,	9158, 9193, 9205,
	6741, 17571, 17615	9301, 9312, 9342,



9353, 9364, 9388,	\@RTLmarginparfalse	17390, 17408,
9401, 9414, 9613, 17701, 17702	17697, 17752, 17762
10187, 10218,	\@RTLmarginparreset	\@RTLxmpar . 17628, 17629
10259, 10272, 17643, 17650	\@RTLympar . 17628, 17633
11639, 11661,	\@RTLmarginpartrue 17700	\@SepMark ... 19, 20,
11665, 11672,	\@RTLsavemarbox ...	21, 22, 164, 220,
12040, 12264, 17630,	221, 222, 223,
12705, 12808,	17631, 17634, 17637	336, 345, 543,
12997, 13029,	\@RTLtabfalse	544, 545, 546,
13033, 13038,	. 377, 404, 1370,	696, 697, 698,
13291, 13684,	1929, 2096, 6181,	699, 952, 953,
13882, 14086,	15971, 15997,	954, 955, 1216,
14549, 15120,	17456, 17464, 17488	1217, 1218, 1219,
15758, 16273,	\@RTLtabtrue	5609, 5610, 5611,
17218, 17250,	372, 1910, 2057,	5612, 5613, 5615,
17254, 17259,	6158, 15964, 17457	5617, 5619, 5788,
17381, 17399,	\@RTLtrue ... 36, 49,	5789, 5790, 5791,
17697, 17752, 17762	84, 245, 258, 293,	5792, 5794, 5796,
\@RTLfootnotetext 47,	569, 703, 971,	5798, 6041, 6043,
77, 155, 156,	1223, 1574, 1580,	6045, 6047, 6048,
157, 256, 286,	2353, 5581, 5774,	6049, 6050, 6051,
1914, 2037, 4462,	6084, 6141, 6143,	7537, 7538, 7539,
4555, 4562, 5250,	7425, 7697, 7761,	7540, 7653, 7655,
5261, 5474, 5488,	7777, 7808, 7834,	7657, 7659, 7660,
7048, 7049, 7775,	7979, 7999, 8024,	7661, 7662, 7663,
7848, 7855, 7969,	8049, 8126, 8144,	9715, 9716, 9717,
8116, 8256, 8403,	8168, 8191, 8266,	9718, 9719, 9721,
8550, 8697, 8844,	8286, 8311, 8336,	9723, 9725, 9873,
8991, 9138, 9327,	8413, 8433, 8458,	9879, 9986, 9988,
10164, 10170,	8483, 8560, 8580,	9990, 9992, 9993,
10202, 10241,	8604, 8629, 8707,	9994, 9995, 9996,
10298, 10337,	8727, 8751, 8776,	9999, 10001,
10343, 11043,	8854, 8874, 8899,	10003, 10005,
11061, 11136,	8924, 9001, 9021,	10006, 10007,
11188, 11380,	9046, 9071, 9148,	10008, 10009,
11384, 11402,	9168, 9193, 9218,	11687, 12151,
11403, 12025,	9301, 9312, 9613,	12153, 12155,
12108, 12609,	10187, 10203,	12157, 12159,
12610, 12611,	10246, 10272,	12160, 12162,
14237, 14246,	11639, 11661,	12163, 12164,
14622, 14623,	11672, 12043,	12747, 12755,
14633, 14752,	12264, 12705,	12757, 13305,
14761, 15193,	12998, 13021,	13306, 13307,
15194, 15204,	13035, 13037,	13308, 13309,
15433, 15442,	13291, 13684,	13311, 13313,
15831, 15832,	13882, 14086,	13315, 13670,
15842, 16054, 16071	14549, 15120,	13671, 13672,
\@RTLmainfalse 1555,	15758, 16273,	13673, 13674,
1559, 1657, 1661	17219, 17242,	13676, 13678,
\@RTLmaintrue 1558, 1660	17256, 17258,	13680, 13869,



13871, 13873,	12745, 12751, 12753	6085, 6092, 7426,
13874, 13875,	\@addviper 6505	7433, 7537, 7538,
13876, 13877,	\@afterheading	7539, 7540, 7653,
13878, 14052,	565, 1823, 1833,	7655, 7657, 7658,
14054, 14056,	7413, 7421, 12063	7659, 7660, 7661,
14058, 14059,	\@afterindentfalse	7662, 7663, 7698,
14060, 14061,	. . . 1823, 1833, 12062	7705, 9614, 9621,
14062, 14523,	\@afterindenttrue .	9715, 9716, 9717,
14524, 14526, 643, 872,	9718, 9719, 9721,
14528, 14530,	1130, 4744, 5520,	9723, 9725, 9986,
15062, 15065,	5699, 12473,	9988, 9990, 9991,
15067, 15071,	12485, 12497,	9992, 9993, 9994,
15073, 15075,	13222, 13596,	9995, 9996, 9999,
15077, 15081,	16371, 16402,	10001, 10003,
15083, 15089,	16425, 16442,	10004, 10005,
15091, 15097,	16459, 16476,	10006, 10007,
15099, 15716,	16493, 16510,	10008, 10009,
15718, 15721,	16528, 16547,	11687, 11689,
15723, 15725,	16567, 16602,	12151, 12153,
15727, 15730,	16735, 16855, 17507	12155, 12157,
15734, 15738,	\@algocf@finish . . . 186	12159, 12162,
16346, 16590,	\@algocf@post@boxed 168	12163, 12164,
17295, 17297, 17833	\@algocf@post@boxruled	13292, 13299,
\@True . . . 6115, 6121, 6153 170	13305, 13306,
\@Undottedtocline 12481	\@algocf@pre@boxed 167	13307, 13308,
\@Undottedtoclinep 12493	\@algocf@pre@boxruled	13309, 13311,
\@acci 10497, 169	13313, 13315,
12051, 13151, 13165	\@algocf@start 171	13670, 13671,
\@accii 10497,	\@algoinsideskip 183, 187	13672, 13673,
12051, 13151, 13165	\@algoskip 172, 195	13674, 13676,
\@acciii 10497,	\@ampacol . . . 1437, 1445	13678, 13680,
12051, 13151, 13165	\@arabic 164,	13685, 13692,
\@acol 1439,	543, 544, 545,	13869, 13871,
1447, 1922, 11981,	546, 570, 577,	13873, 13874,
15966, 17459, 17486	696, 697, 698,	13875, 13876,
\@acolampacol . 1437,	699, 704, 711,	13877, 13878,
1439, 1445, 1447	952, 953, 954,	13883, 13890,
\@addamp 1438, 1446	955, 972, 979,	14052, 14054,
\@addfield 17706	1216, 1217, 1218,	14056, 14057,
\@addmarginpar . . . 17656	1219, 1224, 1231,	14058, 14059,
\@address 2245, 6882,	2364, 5582, 5589,	14060, 14061,
6883, 6980, 6982	5609, 5610, 5611,	14062, 14087,
\@addresscolour 2214,	5612, 5613, 5615,	14094, 14524,
2231, 6881, 6979	5617, 5619, 5775,	14526, 14528,
\@addtofilelist . . .	5782, 5788, 5789,	14530, 14551,
. 2981, 2997	5790, 5791, 5792,	14567, 15069,
\@addtopreamble . . .	5794, 5796, 5798,	15071, 15073,
. . . 1410, 1473, 6206	6041, 6043, 6045,	15075, 15077,
\@addtoreset	6046, 6047, 6048,	15085, 15093,
. 334, 9876,	6049, 6050, 6051,	15101, 15122,



15138, 15719,	13575, 13586,	\@bidi@envbody
15721, 15723,	13744, 13758,	2387, 2389, 2391,
15725, 15727,	13799, 13820,	2392, 2393, 2413,
15731, 15735,	13932, 13946,	2415, 2416, 2417
15739, 15760,	13982, 14003,	\@bidi@info
15776, 16274, 16281	14330, 14393,	1508, 1531, 1533,
\@argdef 2568	14444, 14845,	1625, 1648, 1650
\@array 379, 400, 1372,	14908, 14959,	\@bidi@list@minipage@parbox@not@nobtrue
1373, 16005, 17466	15526, 15589, 15640 10286, 17351
\@arrayacol 17486	\@auxout 2080, 5420	\@bidi@list@minipage@parboxtrue
\@arrayclassiv . . . 17487	\@badmath . . . 9838, 9852 10287, 17352
\@arrayclassz	\@begin@tempboxa . .	\@bidi@lst@makecaption
. 1437, 16009, 17486	10670, 10677, 17354	. . 11637, 11652,
\@arraycr 399, 11990, 17488	\@begin@dv . 9904, 17745	11653, 11679, 11681
\@arrayleft 392	\@begin@parpenalty .	\@bidi@mdf@RTLtrue 12039
\@arrayparboxrestore 1836,	\@bidi@removefromreset
12027, 13146, 13160	1845, 9841, 9855	. . 2457, 2458, 2460
\@arrayright 401	\@bib@break	\@bidi@replacefilewithext
\@arrayrule 1392, 1393,	14544, 15115, 15753	. . 3045, 3049, 3052
1394, 1430, 1431, 1432	\@biblabel 85,	\@bidi@saveprimitive
\@arstdepth	294, 570, 571, 2375
16002, 16007, 16025	704, 705, 972,	\@bidi@todonotes@align
\@arstheight 16007, 16025	973, 1224, 1225, 16902,
\@arstrut 389,	5582, 5583, 5775,	16903, 16935,
12004, 15982, 17476	5776, 6085, 6086,	16976, 16979,
\@arstrutbox . . . 382,	7426, 7427, 7698,	16982, 16985,
11992, 12028,	7699, 9614, 9615,	17010, 17015, 17016
15975, 16017,	12706, 13292,	\@bidi@todonotes@figposition@rightfalse
16021, 16025, 17469	13293, 13685, 16917
\@author 423,	13686, 13883,	\@bidi@todonotes@figposition@righttrue
437, 473, 494,	13884, 14087, 16915
760, 762, 780,	14088, 14551,	\@bidi@todonotes@textdirection
825, 844, 1014,	14553, 15122,	. . 16904, 16908,
1016, 1034, 1079,	15124, 15760,	16911, 17015, 17016
1098, 1266, 1268,	15762, 16274, 16275	\@bidi@todonotes@textdirection@RTLfalse
1286, 1331, 1351,	\@bibsetup 12706 16910
1362, 1722, 4946,	\@bibtitlestyle . 81, 290	\@bidi@todonotes@textdirection@RTLtrue
4948, 5017, 5647,	\@bidi@AfterClass 16907
5649, 5667, 5826, 3083,	\@bidi@unreplacefilewithext
5828, 5846, 5921,	3104, 3109, 3116	. . 3054, 3060, 3063
5935, 5971, 5992,	\@bidi@AfterPackage	\@bidi@declaredcolor
7464, 7476, 7510, 3128, 6258,
7529, 7559, 7573,	3147, 3151, 3158	6265, 17156, 17185
7609, 7630, 9642,	\@bidi@PreventPackageFromLoading	\@bidi@tag@RTLtrue@sidenote@citation@font
9654, 9688, 9707,	. . . 3168, 3169, 3171	. . . 4213, 4217, 4318
12120, 13345,	\@bidi@UnPreventPackageFromLoading	\@bidi@tag@RTLtrue@sidenote@normal@cite
13347, 13365,	. . 3260, 3261, 3264	. . . 4312, 4391,
13410, 13429,	\@bidi@emptytoks . .	4508, 4537, 4566,
13484, 13486,	. . 2388, 2393, 2417	4588, 4597, 4606
13506, 13553,		



\@bidituftfloat@caption	\@bidituftfloat@caption	\@bidituftfloat@caption
..... 4331, 4392, 3599 4212, 4216,
4509, 4538, 4567,	\@bidituftfloat@justification@autodetect	4299, 4337, 4365
4589, 4598, 4607 3530, 3669	\@bidituftfloat@caption@justification
\@bidituftfloat@caption	\@bidituftfloat@label 4220, 4366
..... 3691, 3724 3698, 3725	\@bidituftfloat@caption@box
\@bidituftfloat@caption@box	\@bidituftfloat@margin@floatbox 4352,
..... 3683,	.. 3647, 3650, 3661	4354, 4355,
3742, 3753, 3754,	\@bidituftfloat@margin@par	4357, 4362, 4371,
3777, 4012, 4017 3569, 3656	4487, 4516, 4545,
\@bidituftfloat@caption@fill	\@bidituftfloat@margin@font	4584, 4593, 4602
..... 3632, 3596, 3597	\@bidituftfloat@caption@font
3641, 3642, 4017	\@bidituftfloat@orig@caption 4385,
\@bidituftfloat@caption@font	.. 3722, 3744, 3774	4486, 4515, 4544,
..... 3597,	\@bidituftfloat@orig@endfloat	4583, 4592, 4601
3598, 3652, 3843,	.. 3685, 3757, 4008	\@bidituftfloat@caption@justification@autodetect
4014, 4020, 4033	\@bidituftfloat@orig@float 4218,
\@bidituftfloat@caption@justification	.. 3084, 3731, 4007	4219, 4220, 4221
.. 3530, 3655, 3843	\@bidituftfloat@orig@label	\@bidituftfloat@caption@vertical@offset
\@bidituftfloat@caption@vertical@offset 3723,	... 4222, 4367,
..... 3686,	3729, 3745, 3775	4433, 4450, 4467,
3687, 3695,	\@bidituftfloat@overhang	4585, 4594, 4603
3753, 3754, 3781 3630,	\@bidituftfloat@caption@checkoddpage
\@bidituftfloat@caption@checkoddpage	3634, 3635, 3827, 4209,
..... 3614, 3711	3828, 3867, 3868	4210, 4211, 4212, 4213
\@bidituftfloat@caption@figure@box	\@bidituftfloat@pkgname	\@bidituftfloat@caption@figure@box
... 3682, 3735,	.. 3504, 3505, 3507	... 4211, 4215,
3753, 3754, 3776	\@bidituftfloat@stored@caption	4585, 4594, 4603
\@bidituftfloat@caption@stored@caption 3689,	\@bidituftfloat@caption@figure@box
..... 3703,	3696, 3744, 3779 4219,
3733, 3734, 3736	\@bidituftfloat@stored@label	4585, 4594, 4603
\@bidituftfloat@caption@stored@label 3690,	\@bidituftfloat@caption@figure@box
..... 3672,	3699, 3745,	... 4293, 4390,
3678, 3680, 3681,	3761, 3763, 3780	4507, 4536, 4565,
3713, 3714, 3717,	\@bidituftfloat@stored@shortcaption	4587, 4596, 4605
3719, 3720, 3791,	... 3688, 3693,	\@bidituftfloat@caption@figure@box
3798, 3805,	3694, 3744, 3778 4359,
3806, 3809, 3810	\@bidituftfloat@generalstructure@reset@par	4506, 4535, 4564,
\@bidituftfloat@caption@generalstructure@reset@par 4790, 4796	4586, 4595, 4604
3671, 3673, 3674,	\@bidituftfloat@caption@newlinetospace	\@bidituftfloat@caption@figure@box
3675, 3676, 3773 3849, 3858	4485, 4572, 4576
\@bidituftfloat@caption@newlinetospace	\@bidituftfloat@caption@newlinetospace@i 4384
..... 3753, 3801	\@bidituftfloat@caption@newlinetospace@i	\@bidituftfloat@caption@figure@box
\@bidituftfloat@caption@newlinetospace@i 3850, 3852 4210, 4214,
\@bidituftfloat@caption@newlinetospace@i	\@bidituftfloat@caption@newlinetospace@i	4397, 4398, 4401
..... 3754, 3783	\@bidituftfloat@caption@newlinetospace@i	\@bidituftfloat@caption@figure@box
\@bidituftfloat@caption@newlinetospace@i 3701, 3716 4218, 4397, 4398
\@bidituftfloat@caption@newlinetospace@i	... 3631, 3637,	\@bidituftfloat@caption@figure@box
\@bidituftfloat@caption@newlinetospace@i	3638, 3639, 3733 4482, 4483,



4489, 4491, 4497, 4504, 4518, 4520, 4526, 4533, 4547, 4549, 4555, 4562	\@centercr 4818, 13097, 13110, 13123, 16191, 16220, 17417	\@classz 1407, 1466, 1500, 1501, 1923, 6202, 11982, 15967, 16009, 17460, 17486
\@bidityftesidenote@trim@b 4263, 4270	\@cftasnum ... 16376, 16407, 16430, 16447, 16464,	\@cleartopmattertags 125 \@cliptoboxdim ... 16136 \@clsextension 3052, 3063, 3079, 3089, 3098, 3101, 3110
\@bidityftesidenote@trim@c .. 4267, 4270, 4275	16481, 16498, 16515, 16533, 16552, 16572, 16607	\@clubpenalty 580, 6095, 7708, 13893, 14097, 16284
\@bidityftesidenote@trim@spaces 4252, 4255, 4304, 4306, 4323, 4325, 4342, 4344, 4374, 4376	\@cftasnumb ... 16377, 16408, 16431, 16448, 16465, 16482, 16499, 16516, 16534,	\@colht 2113, 2114, 6582, 6583, 6593, 6594, 6601, 6616, 6650, 6653, 6675, 6676, 6735, 6747, 6748, 6758, 6759, 6766, 6783, 6787, 9510, 9927, 12271, 12274, 12276, 12278, 12283, 12284, 12285, 12304, 12305, 12306, 12310, 12353, 12356, 12358, 12360, 12365, 12366, 12367, 12386, 12387, 12388, 12392, 17767
\@bidityftesidenotemarginpar 4108, 4115	\@cftbsnum ... 16375, 16406, 16429, 16446, 16463, 16480, 16497, 16514, 16532, 16551, 16571, 16606	\@colourfalse 2157 \@colourgreenfalse 6800, 6898 \@colourgreentruer 6801, 6899 \@colourgreyfalse 6804, 6902 \@colourgreytrue 6805, 6903 \@colourorangefalse 6798, 6896 \@colourorangertrue 6799, 6897 \@colouredfalse 6802, 6900 \@colouredtrue 6803, 6901 \@colourtrue 2156
\@bidityftesidenotesavemarginpar 4095, 4096, 4099, 4102	\@cftdopartfalse . 16349 \@cftdoparttrue 16352, 16356 \@cftl@subfig 16540 \@cftl@subtab ... 16560	\@chapapp 5860, 6057, 7669, 9584, 14067 \@chapterlistsgap@off 12739 \@chapterlistsgap@on 12746, 12754
\@bidityftesidenotexmpar 4093, 4094	\@chclass .. 347, 359, 370, 1379, 1391, 1404, 1424, 1429, 16106, 16122, 16133, 17489, 17494	\@checkend ... 2406, 2430, 3338, 3339 \@chnum 348, 355, 366, 1380, 1387, 1400, 1410, 1426, 1427, 1428, 1441, 1449, 1475, 6208, 16107, 16114, 16129, 17491, 17492, 17493
\@bidityftesidenoteympar 4093, 4098	\@circlefnt 9744	\@classiv 1924, 11982, 15968, 17461, 17487
\@bidityfttetoc@lof@line 4737, 4753	\@classx 1407, 1466, 6202	
\@bidityfttetoc@pkgname 4613, 4614		
\@bidiundeclaredcolor ... 6258, 6259, 17156, 17157, 17196		
\@bscontmark 12143		
\@bsmarkseries ... 12124		
\@bsmtitleempty ... 12112		
\@bsphack 1988, 4079, 4123, 4167, 17570, 17614		
\@bsthanksheadpost 12126		
\@bsthanksheadpre 12126		
\@caption 3834, 12246, 12249		
\@captionabovefalse 14733, 15304, 15942		
\@captionabovetrue 14731, 15302, 15940		
\@captype 1927, 1976, 2024, 3653, 12239, 12243, 12246, 14109, 14152		
\@cclv ... 2102, 2107, 2119, 7060, 7117, 9520, 9521, 9538		



\@colroom	2113, 2122, 6571, 6594, 6597, 6599, 6600, 6759, 6762, 6764, 6765, 7060, 7117	17587, 17591, 17623, 17626, 17631, 17635, 17657, 17666, 17698 11131, 11146, 11161, 11237, 11275, 11308, 11339, 11370
\@combinedblfloats	6447, 6486, 9795, 9827, 9908, 10536, 10560, 12333, 12412, 17532, 17554	\@currentHlabel 11129, 11144, 11159, 11170, 11173, 11175	\@currenvir . . 2392, 2395, 2396, 2416, 2419, 2420, 17373
\@combinefloats . . 9505		\@currentHref	\@currenvline 17374
\@compactenum@ . . . 4800		. . . 11130, 11145, 11160, 11171, 11174, 11176, 11236, 11274, 11307, 11338, 11369, 11461, 11472, 11474	\@currlist 17656
\@cons 17656, 17657			\@curtabmar 17705, 17708
\@contcshortstyle 12194			\@cvtheme . . . 2237, 2240
\@contcstyle	12199, 12205, 12210	\@currentlabel . . 42, 55, 70, 251, 264, 278, 4435, 4452, 4469, 7767, 7783, 7799, 7812, 7825, 7838, 7983, 7993, 8003, 8029, 8042, 8054, 8081, 8094, 8130, 8139, 8148, 8173, 8185, 8196, 8222, 8234, 8270, 8280, 8290, 8316, 8329, 8341, 8368, 8381, 8417, 8427, 8437, 8463, 8476, 8488, 8515, 8528, 8564, 8574, 8584, 8610, 8623, 8635, 8662, 8675, 8711, 8721, 8731, 8757, 8770, 8782, 8809, 8822, 8858, 8868, 8878, 8904, 8917, 8929, 8956, 8969, 9005, 9015, 9025, 9051, 9064, 9076, 9103, 9116, 9152, 9162, 9172, 9198, 9211, 9223, 9250, 9263, 9346, 9357, 9368, 9393, 9406, 9419, 9453, 9467, 10193, 10209, 10224, 10251, 10264, 10277	\@date 426, 438, 474, 497, 768, 770, 782, 827, 847, 1022, 1024, 1036, 1081, 1101, 1274, 1276, 1288, 1333, 1354, 1363, 1723, 4964, 5018, 5655, 5657, 5669, 5834, 5836, 5848, 5924, 5936, 5972, 5995, 7467, 7477, 7511, 7532, 7562, 7574, 7610, 7633, 7717, 7722, 9645, 9655, 9689, 9710, 11488, 11493, 12121, 13353, 13355, 13367, 13412, 13432, 13492, 13494, 13508, 13555, 13578, 13587, 13747, 13759, 13800, 13822, 13935, 13947, 13983, 14006, 14334, 14394, 14448, 14849, 14909, 14963, 15410, 15411, 15414, 15419, 15530, 15590, 15644
\@contfield 5437, 5452, 5484		\@datefield 15350
\@contfinal 12182, 12194, 12200, 12206, 12210		\@dblarg 12246
\@contfmark 12181, 12184			\@dblfloatplacement 6448,
\@contfnote 12180, 12183			
\@contindw 12205			
\@contnfont 12182, 12193, 12197, 12204, 12209		
\@contpost 12214			
\@contpre 12192, 12198, 12203, 12208			
\@conttfont 12182, 12194, 12200, 12206, 12210		
\@curfield	5436, 5451, 5471, 5485, 5495, 17706		
\@curline 5434, 5449, 17706, 17708			
\@currbox 1996, 2027, 2031, 4044, 4047, 4088, 4091, 4096, 4100, 4132, 4135, 4140, 4144, 4176, 4179, 4184, 4188, 17579, 17582,			



6489, 9796, 9831,	\@eightcolLTRfootnotetext	3326, 3330, 3397,
9915, 10538, 8843, 8864	3408, 4295, 4314,
10562, 12336,	\@eightcolRTLfootfmt	4333, 4354, 4361,
12415, 17533, 17557	.. 8881, 8895, 8932	4946, 5013, 5014,
\@declaredcolor 6243,	\@eightcolRTLfootnotetext	5015, 5588, 5666,
6244, 17113, 17136 8844, 8874	5667, 5668, 5669,
\@dedication	\@eightcolfootfmt .	5781, 5845, 5846,
.. 14350, 14352,	.. 8861, 8889, 8907	5847, 5848, 5934,
14403, 14451,	\@eightcolfootnotetext	5935, 5936, 5937,
14453, 14865, 8842, 8854	5970, 5971, 5972,
14867, 14918,	\@elt 2459, 2462,	5973, 6091, 6117,
14966, 14968,	3932, 3933, 3934,	7087, 7139, 7432,
15546, 15548,	3935, 3936, 3937,	7475, 7476, 7477,
15599, 15647, 15649	3938, 3939, 3940,	7478, 7509, 7510,
\@dedicatory	3941, 3942, 3943,	7511, 7512, 7572,
325	3973, 3974, 3975,	7573, 7574, 7575,
\@defaultskiptotal 198	3976, 3977, 3978,	7608, 7609, 7610,
\@definitionfileextension	3979, 3980, 3981,	7611, 7704, 7715,
..... 2438, 2440	3982, 3983, 3984,	7731, 7735, 9504,
\@depth	3985, 3986, 3987,	9620, 9653, 9654,
384,	3988, 3989, 3990,	9655, 9656, 9687,
11994, 15977,	6153, 7026, 7047,	9688, 9689, 9690,
16018, 17471, 17695	7053, 7088, 7090,	9779, 9811, 10333,
\@dgroup	7092, 7098, 7110,	10348, 10567,
6114	7140, 7142, 7144,	10568, 10569,
\@dischypn ... 10496,	7150, 16037, 16039	10570, 10571,
12050, 13150, 13164	\@email 2249, 6888, 6986	11131, 11146,
\@displaypagenumbersfalse	\@emathdisplay . 184, 200	11161, 11237,
..... 2336	\@empty 83, 111, 130, 132,	11275, 11308,
\@displaypagenumberstrue	292, 399, 436,	11339, 11370,
..... 2335	437, 438, 439,	11486, 11656,
\@dmath	472, 473, 474,	11662, 11679,
6102, 6131	475, 576, 710,	11681, 12008,
\@docolbox	779, 780, 781,	12118, 12119,
9966	782, 824, 825,	12120, 12121,
\@dodynamicthefoot 9905	826, 827, 978,	12733, 13298,
\@dodynamicthehead 9905	1033, 1034, 1035,	13364, 13365,
\@dofilelist	1036, 1078, 1079,	13366, 13367,
.. 3349, 3350, 3352	1080, 1081, 1230,	13409, 13410,
\@dotsep	1285, 1286, 1287,	13411, 13412,
16753,	1288, 1330, 1331,	13505, 13506,
16754, 16862, 17514	1332, 1333, 1721,	13507, 13508,
\@dottedtocline ...	1722, 1723, 1724,	13552, 13553,
.. 16868, 16869,	1983, 2363, 2372,	13554, 13555,
16871, 16889, 17503	2404, 2428, 3165,	13691, 13757,
\@dseries	3178, 3179, 3185,	13758, 13759,
6127	3208, 3238, 3246,	13760, 13798,
\@eha	3265, 3268, 3279,	13799, 13800,
2383, 16594	3283, 3293, 3299,	13801, 13889,
\@ehc	3300, 3301, 3314,	13945, 13946,
2066,		
2100, 2584, 3541,		
3543, 4242, 4244,		
11626, 12456, 12462		
\@ehd		
12240		
\@eightcol@footgroupv@r		
..... 8848		
\@eightcolLTRfootfmt		
.. 8871, 8892, 8920		



13947,	13948,	15597,	15598,	\@enumctr ...	4801, 4802
13981,	13982,	15599,	15617,	\@eqnnum	9863, 11482, 17786
13983,	13984,	15621,	15629,	\@evenfoot
14093,	14253,	15635,	15647,	..	1685, 9898, 17730
14308,	14313,	15661,	15691,	\@evenhead	. 9897, 17729
14320,	14326,	15745,	15775,	\@expandtwoargs	.. 3284
14350,	14392,	15800,	15801,	\@extrafootnotefeaturesfalse 1612
14393,	14394,	16024,	16072,	\@extrafootnotefeaturestrue 1610
14395,	14396,	16280,	16580,	\@extrainfo
14397,	14398,	16582,	17116,	..	2250, 6889, 6987
14399,	14400,	17119,	17159,	\@extratitle
14401,	14402,	17162,	17479,	..	14308, 14309,
14403,	14421,	17488,	17732,	14397,	14421,
14425,	14433,	17733, 17735, 17736		14422,	14823,
14439,	14451,	\@emptycol	6586, 6589,	14824,	14912,
14465,	14500,	6605, 6608, 6751,		14936,	14937,
14537,	14566,	6754, 6770, 6773		15504,	15505,
14591,	14592,	\@emptytoks 6116	15593,	15617, 15618
14768,	14823,	\@end@tempboxa	\@familyname	.. 2182,
14828,	14835,	10675, 10692, 17367		2184, 2185, 2243,	
14841,	14865,	\@endalgoln 180	6863, 6953, 6974	
14907,	14908,	\@endfloatbox 2048	\@familynamecolour 2212, 2229
14909,	14910,	\@endmodernpoem	...	\@fancyfoot 9762
14911,	14912,	5447, 5467	\@fancyhead 9757
14913,	14914,	\@endparenv	.. 5351,	\@fancyvbox	. 9758, 9763
14915,	14916,	5464, 12780, 12800		\@fax	.. 2248, 6887, 6985
14917,	14918,	\@endparpenalty	1840,	\@ff@doallframes	..
14936,	14940,	1849, 9842, 9856		9907, 9912
14948,	14954,	\@endpbox	\@ff@fbox 9975
14966,	14980,	1417, 1418, 1459,		\@ff@setoffset 9972
15007,	15037,	1483, 1484, 1485,		\@ffbackground	... 9962
15107,	15137,	6216, 6217, 6218,		\@filef@und	. 2981, 2998
15162,	15163,	11979, 11985,		\@finalstrut	.. 7772,
15321,	15351,	15983, 16022, 17477		7788, 7804, 7818,	
15352,	15353,	\@endpefalse 17376	7831, 7844, 10198,	
15354,	15355,	\@endtraditionalpoem	10214, 10229,	
15356,	15357,	5331, 5403	10255, 10268, 10281	
15358,	15362,	\@ensure@LR	13046, 17267	\@firststampfalse	...
15368,	15374,	\@ensure@LTR	.. 13044,	1439, 1447
15380,	15386,	13046, 13054,		\@firstcolfirstmark 9778,
15392,	15398,	17265, 17267,		9779, 9783,	
15404,	15410,	17275, 17277,		9810, 9811, 9815	
15419,	15449,	17279, 17929, 17931		\@firstcoltopmark	..
15504,	15509,	\@ensure@RL	13045, 17266	9776,
15516,	15522,	\@ensure@RTL	.. 13043,	9784, 9808, 9816	
15546,	15588,	13045, 17264, 17266			
15589,	15590,	\@ensure@dir	.. 13047,		
15591,	15592,	13048, 17268, 17269			
15593,	15594,	\@ensure@maindir	..		
15595,	15596,	13048, 17269		



<code>\@firstcolumnfalse</code> ... 6427, 6463, 6791, 9770, 9802, 9922, 10524, 10544, 12269, 12351, 17521, 17539	<code>\@fivecolRTLfootnotetext</code> 8403, 8433 <code>\@fivecolfootfmt</code> 8420, 8448, 8466 <code>\@fivecolfootnotetext</code> 8401, 8413 <code>\@float</code> 3684, 4007 <code>\@floatboxreset</code> .. 2046 <code>\@floatpenalty</code> 1989, 1991, 1994, 4080, 4082, 4086, 4090, 4124, 4126, 4130, 4134, 4168, 4170, 4174, 4178, 17571, 17573, 17577, 17581, 17615, 17617, 17621, 17625	<code>\@footnotetext</code> .. 34, 76, 147, 148, 149, 243, 285, 1912, 2035, 4428, 4497, 4504, 5248, 5259, 5472, 5486, 7006, 7007, 7759, 7846, 7853, 7967, 8114, 8254, 8401, 8548, 8695, 8842, 8989, 9136, 9325, 10186, 10240, 10296, 11042, 11050, 11121, 11186, 11379, 11383, 11399, 11400, 12023, 12106, 12601, 12602, 12603, 14235, 14238, 14618, 14619, 14629, 14750, 14753, 15189, 15190, 15200, 15431, 15434, 15827, 15828, 15838, 16052, 16069 <code>\@footstartv@r</code> ... 7897 <code>\@for</code> 3206, 3267, 3280, 3302, 3306, 4296, 4301, 4315, 4320, 4334, 4339, 4362, 4371, 6407 <code>\@fourcol@footgroupv@r</code> 8260 <code>\@fourcolLTRfootfmt</code> .. 8283, 8304, 8332 <code>\@fourcolLTRfootnotetext</code> 8255, 8276 <code>\@fourcolRTLfootfmt</code> .. 8293, 8307, 8344 <code>\@fourcolRTLfootnotetext</code> 8256, 8286 <code>\@fourcolfootfmt</code> 8273, 8301, 8319 <code>\@fourcolfootnotetext</code> 8254, 8266 <code>\@fps</code> 1977, 1978, 1980, 1983, 2000
<code>\@firstcolumntrue</code> 6430, 6466, 6745, 9786, 9819, 9886, 10529, 10549, 12313, 12395, 17523, 17542	<code>\@firstdetailselementfalse</code> 6968 <code>\@firstdetailselementtrue</code> 6965 <code>\@firstfooterelementfalse</code> 6884, 6885, 6886, 6887, 6888, 6889 <code>\@firstfooterelementtrue</code> 6869 <code>\@firstname</code> .. 2182, 2184, 2185, 2242, 6863, 6953, 6974 <code>\@firstnamecolour</code> 2211, 2228 <code>\@firstofone</code> .. 2891, 2898, 2904, 2917, 2923, 3451, 11443, 11444, 11445, 11446, 12244, 14693, 15264, 15902 <code>\@firstoftwo</code> 2468, 2476, 2482, 2486, 2494, 2500, 2503, 2506, 2520, 2527, 2693, 2711, 2717, 2741, 2768, 2798, 2858, 2868, 2989, 12714 <code>\@fivecol@footgroupv@r</code> 8407 <code>\@fivecolLTRfootfmt</code> .. 8430, 8451, 8479 <code>\@fivecolLTRfootnotetext</code> 8402, 8423 <code>\@fivecolRTLfootfmt</code> .. 8440, 8454, 8491	<code>\@fltovf</code> 2029, 4091, 4135, 4179, 17582, 17626 <code>\@flushglue</code> .. 5233, 5234, 12056, 13157, 13856, 17417 <code>\@fnsymbol</code> . 448, 743, 802, 997, 1056, 1249, 1308, 1709, 5630, 5809, 5946, 7487, 7584, 9665, 13328, 13387, 13467, 13528, 13726, 13769, 13957, 14305, 14369, 14820, 14884, 15501, 15565 <code>\@footgroupv@r</code> 7897, 7946, 7973, 8120, 8260, 8407, 8554, 8701, 8848, 8995, 9142, 9331 <code>\@footnote</code> 4895 <code>\@footnotemark</code> 1956, 1964, 1972, 4407, 4497, 4504, 4526, 4533, 4555, 4562, 5385, 5392, 5399, 10164, 10170, 10173, 10179, 11166, 11189, 11378, 11382, 11396, 11397



\@fpsaddddefault ...	\@height .. 383, 1497,	17805, 17806,
..... 1981, 1984	6230, 10477,	17807, 17808,
\@freelist ... 1996,	11993, 12028,	17809, 17810,
3932, 3973,	12076, 14281,	17811, 17812,
4088, 4089, 4132,	14290, 14796,	17813, 17814,
4133, 4176, 4177,	14805, 15477,	17815, 17816,
9503, 17579,	15486, 15976,	17817, 17818,
17580, 17623,	16018, 17470, 17695	17819, 17820,
17624, 17656, 17657	\@highpenalty . 5534,	17821, 17822,
\@fs@capt 4021, 4034, 4042	5550, 5557,	17846, 17922, 17923
\@fs@cfont ... 4014,	5567, 5713, 5729,	\@ifdefinable . 2532,
4020, 4030, 4033,	5736, 5746, 6002,	2535, 2538, 2547,
4041, 9867, 9868	6017, 6027, 7640,	2571, 2586, 10087
\@fs@iftopcapt	9552, 9567, 9577,	\@ifdefinitionfileloaded
.. 4025, 4038, 4051	13236, 13252, 2440, 17924
\@fs@mid 4024, 4037, 4049	13259, 13269,	\@ifempty 7, 208
\@fs@post 4023, 4036, 4050	13610, 13626,	\@ifl@aded .. 2439, 2440
\@fs@pre 4022, 4035, 4043	13633, 13643,	\@ifnextchar ... 159,
\@g@tnextcol 9884	13828, 13842,	400, 1860, 1890,
\@getcirc 9740	13852, 14013,	1905, 2069, 2561,
\@gnewline ... 13099,	14028, 14038,	3082, 3083, 3127,
13112, 13125, 13136	14486, 14976,	3128, 3172, 4093,
\@gobble . 1892, 2403,	14997, 15003,	4137, 4181, 6243,
2427, 2821, 2822,	15024, 15032,	6258, 10162,
2823, 2824, 2825,	15056, 15657,	10171, 10320,
2893, 2906, 2910,	15678, 15686,	10335, 10647,
2937, 2951, 2963,	15710, 16362, 16397	11386, 11410,
2977, 3195, 3330,	\@hintcolour . 2219, 2235	12613, 12784,
3507, 5068, 5133,	\@holdpg . 6516, 6522,	12804, 17113,
9941, 9942, 9943,	6529, 6540, 6550,	17156, 17584, 17628
12241, 14619,	6650, 6651, 6653,	\@ifpackagelater ..
14621, 14623,	6656, 6660, 6665,	. 3491, 3496, 10033
15190, 15192,	6670, 6674, 6682,	\@ifpackageloaded .
15194, 15828,	6694, 6707, 6714	1456, 2754, 3155,
15830, 15832,	\@idxitem 98,	3215, 3450, 3468,
17120, 17163,	103, 228, 233,	3490, 3495, 4000,
17741, 17742, 17743	599, 614, 865,	4005, 4058, 7338,
\@gobbletwo 5509, 5688, 5901,	1119, 4859, 4866,	7339, 7950, 9299,
... 2449, 2450,	13193, 13450,	11183, 11203,
2453, 2454, 11532	13913, 16342, 17796	11281, 11450,
\@gtempa 2544, 2545	\@ifclasslater 3493, 3498	11782, 12220,
\@halignto 3492, 3497, 3528,	\@ifclassloaded 3113,	14701, 15272,
388, 403, 15981,	3492, 3497, 3528,	15910, 16267,
16020, 17475, 17488	4908, 4910, 5903,	17785, 17810,
\@hangfrom ... 14646,	7859, 9984,	17820, 17823,
14658, 14660,	9997, 17798,	17827, 17828,
15217, 15229,	17799, 17800,	17829, 17830,
15231, 15855,	17801, 17802,	17831, 17838,
15867, 15869, 17441	17803, 17804,	17839, 17840,
		17841, 17842,



17843,	17844,	11453,	11454,	6749,	6767,	17671
17845,	17846,	11628,	11678,	\@latexbug	17657
17847,	17848,	11680,	11684,	\@leftcolumn	
17849,	17850,	12827,	16581, 16585		... 6428, 6434,	
17851,	17852,	\@ifundefinedmodel			6464, 6470, 6623,	
17853,	17854, 17146, 17180			6651, 6657, 6666,	
17855,	17856,	\@ifxempty 17206		9771, 9790, 9803,	
17857,	17858,	\@ignoretrue 6138		9822,	10525,
17859,	17860,	\@iiiminipage	... 10283		10532,	10545,
17861,	17862,	\@iiiparbox		10554,	12270,
17863,	17864,	. 7934, 10314, 17348			12314,	12326,
17865,	17866,	\@indextitlestyle	.		12352,	12396,
17867,	17868, 96, 226			12404,	17522,
17869,	17870,	\@inlabelfalse	... 6105		17527, 17540, 17546	
17871,	17872,	\@insertfalse	6507, 6615	\@lettrine	11510
17873,	17874,	\@inserttrue	. 6580, 6744	\@listI	3554
17875,	17876,	\@iprintcites 13091	\@listdepth	
17877,	17878,	\@itemfudge	17705, 17707		.. 10146, 10299,	
17879,	17880,	\@itemlabel 17311		10501,	10505,
17881,	17882,	\@ixpt 4759		17302, 17305, 17310	
17905,	17906,	\@keywords 326	\@listi	3554, 3562, 4763	
17907,	17908,	\@kludgeins 9507	\@loadwithoptions	.	
17909,	17910,	\@komalongtablefalse			.. 3005, 3007, 3014	
17911,	17912,	14701, 15272, 15910		\@lowertitleback	..	
17913,	17914,	\@lastchclass 14347,	
17915,	17916, 348, 349,			14402,	14862,
17917,	17918,	350, 351, 353,			14917, 15543, 15598	
17919,	17920,	1380, 1381, 1382,		\@lowpenalty	1836, 16662	
17921,	17922,	1383, 1385, 1424,		\@m 89, 298, 582,	
17923, 17925, 17926		1425, 1437, 1445,			713, 981, 1233,	
\@ifpackagewith	...	16107, 16108,			5591, 5784, 6097,	
...	6384, 16291,	16109, 16110,			7435, 7710, 9623,	
17832,	17835,	16112, 17489, 17490			10526, 10546,	
17836,	17837,	\@lastvipertrue	6591,		12713, 13301,	
17883, 17893, 17899		6610, 6756, 6775			13694, 13895,	
\@ifstar	. 2678, 3081,	\@latexerror		14099, 14570,	
	3126, 3168, 3260,		... 2382, 3189,		15141, 15779, 16286	
	3850, 7342, 10650		12240, 12456, 12462	\@mainmatterfalse	.	
\@iftagsloaded	\@latexwarning	. 91,	 5095,	
	. 2439, 17824, 17825		300, 584, 715,		5125, 6080, 7693	
\@ifundefined	.. 332,		983, 1235, 2368,	\@mainmattertrue	..	
	333, 2339, 3070,		5593, 5786, 6099,	 5092, 5108	
	3074, 3224, 3317,		7437, 7712, 9625,	\@makecaption	
	3540, 3542, 4230,		13303, 13696,	 3845, 6191,	
	4238, 4241, 4243,		13897, 14101,		12177, 12227,	
	4722, 4730, 4845,		14574, 14581,		12259, 14687,	
	4847, 4852, 4942,		15145, 15152,		15258, 15896, 17771	
	4959, 6245, 6252,		15783, 15790, 16288	\@makechapterhead	.	
	6260, 6266,	\@latexwarning@no@line		 303, 5855,	
	9870, 10080,	... 6584, 6602,				



6052, 7664, 9580,	481, 809, 811, 816,	7301, 7309, 7316
13082, 14063, 16307	823, 833, 1063,	\@mathsemicolon 180, 199
\@makecol 2108, 2120, 9547	1065, 1070, 1077,	\@maxdepth
\@makefnmark . . . 449,	1087, 1315, 1317,	. . . 7895, 9519, 9546
803, 1309, 1710,	1322, 1329, 1339,	\@memtempa . . . 12177,
4403, 4414, 5947,	1714, 1720, 5953,	12179, 12193,
7011, 7032, 7488,	5955, 5960, 5969,	12200, 12204, 12209
7585, 9666,	5979, 7494, 7496,	\@midlist . . . 9503, 9504
11178, 12125,	7501, 7508, 7518,	\@minipagefalse . . .
13388, 13529,	7591, 7593, 7598, 2050, 4110,
13727, 13770,	7607, 7617, 9672,	4119, 4154, 4163,
13958, 14306,	9674, 9679, 9686,	4198, 4207, 7931,
14307, 14370,	9696, 12130,	10311, 11648,
14371, 14821,	12132, 12139,	12233, 14677,
14822, 14885,	13394, 13396,	15248, 15886,
14886, 15502,	13401, 13408,	17601, 17610,
15503, 15566, 15567	13418, 13535,	17645, 17654, 17777
\@makefnmark . . . 44, 57,	13537, 13542,	\@minipagerestore 10300
72, 253, 266, 280,	13551, 13561,	\@minipagetrue
450, 740, 805,	13781, 13783, 4118, 4162,
994, 1057, 1246,	13788, 13797,	4206, 17609, 17653
1311, 1711, 4401,	13807, 13964,	\@minus
4439, 4456, 4473,	13966, 13971,	2286, 2371, 3550,
5627, 5806, 5948,	13980, 13990,	3552, 3559, 3561,
7489, 7586, 7770,	14374, 14376,	3563, 3564, 4760,
7786, 7802, 7816,	14381, 14391,	4762, 4764, 4765,
7829, 7842, 9667,	14416, 14889,	10415, 10453, 12710
10197, 10213,	14891, 14896,	\@mkboth . . . 568, 595,
10228, 10254,	14906, 14931,	611, 702, 862,
10267, 10280,	15570, 15572,	970, 1116, 1222,
10572, 12127,	15577, 15587, 15612	5506, 5580, 5685,
13325, 13390,	\@maketitle@hook . . . 114	5773, 5897, 6083,
13464, 13531,	\@makewincaption . 12861	7424, 7696, 9612,
13729, 13772,	\@marbox 4089,	13190, 13290,
13959, 14251,	4091, 4095, 4099,	13447, 13683,
14766, 15320, 15447	4100, 4133, 4135,	13881, 13909, 14085
\@makeother . . . 2677,	4139, 4143, 4144,	\@mklab 17312
2723, 2832, 2840	4177, 4179, 4183,	\@mkpream 387, 11998,
\@makeschapterhead	4187, 4188, 17580,	15979, 16012, 17473
. 5505,	17582, 17586,	\@mobile 2246, 6885, 6983
5684, 5875, 5896,	17590, 17591,	\@modernpoem . 5423, 5467
6066, 7679,	17624, 17626,	\@mpLTRfootnotetext
9592, 13189,	17630, 17634, 7820,
13446, 13908,	17635, 17656,	7850, 7857, 7975,
14075, 16313, 16318	17666, 17669,	8122, 8262, 8409,
\@makespecialcolbox	17677, 17679,	8556, 8703, 8850,
. 9508	17680, 17682,	8997, 9144, 9333,
\@maketitle 116,	17683, 17684,	10257, 10297,
318, 322, 455,	17693, 17697, 17698	11072, 11087,
457, 462, 471,	\@mathmargin . . 7294,	11110, 11191, 12107



\@mpRTLfootnotetext	10259, 10260,	\@mpninelcolRTLfootnotetext
..... 7833,	10272, 10273, 8998, 9070
7851, 7858, 7976,	10305, 10306,	\@mpninelcolfootnotetext
8123, 8263, 8410,	10309, 12092, 12097 8996, 9045
8557, 8704, 8851,	\@mpfootinsv@r	\@mppara@footgroupv@r
8998, 9145, 9334, 7914, 7947, 9336
10244, 10298,	8024, 8025, 8036,	\@mpparaLTRfootnotetext
11061, 11086,	8037, 8049, 8050, 9333, 9400
11099, 11192, 12108	8168, 8169, 8179,	\@mpparaRTLfootnotetext
\@mparbottom .. 2093,	8180, 8191, 8192, 9334, 9413
17667, 17675,	8311, 8312, 8323,	\@mpparafootnotetext
17676, 17677, 17678	8324, 8336, 8337, 9332, 9387
\@mpargs 7934, 10289, 10314	8458, 8459, 8470,	\@mpsevenscol@footgroupv@r
\@mparswitchfalse 3524	8471, 8483, 8484, 8706
\@mparswitchtrue . 3519	8605, 8606, 8617,	\@mpsevenscolLTRfootnotetext
\@mpeightcol@footgroupv@r	8618, 8630, 8631, 8703, 8763
..... 8853	8752, 8753, 8764,	\@mpsevenscolRTLfootnotetext
\@mpeightcolLTRfootnotetext	8765, 8777, 8778, 8704, 8776
..... 8850, 8910	8899, 8900, 8911,	\@mpsevenscolfootnotetext
\@mpeightcolRTLfootnotetext	8912, 8924, 8925, 8702, 8751
..... 8851, 8923	9046, 9047, 9058,	\@mpsixcol@footgroupv@r
\@mpeightcolfootnotetext	9059, 9071, 9072, 8559
..... 8849, 8898	9193, 9194, 9205,	\@mpsixcolLTRfootnotetext
\@mpfivecol@footgroupv@r	9206, 9218, 9219, 8556, 8616
..... 8412	9388, 9389, 9401,	\@mpsixcolRTLfootnotetext
\@mpfivecolLTRfootnotetext	9402, 9414, 9415 8557, 8629
..... 8409, 8469	\@mpfootnotetext ..	\@mpsixcolfootnotetext
\@mpfivecolRTLfootnotetext 7807, 8555, 8604
..... 8410, 8482	7849, 7856, 7974,	\@mptencol@footgroupv@r
\@mpfivecolfootnotetext	8121, 8261, 8408, 9147
..... 8408, 8457	8555, 8702, 8849,	\@mptencolLTRfootnotetext
\@mpfn 1931, 1934, 1937,	8996, 9143, 9332, 9144, 9204
1953, 1961, 1969,	10270, 10296,	\@mptencolRTLfootnotetext
4495, 4501, 4524,	11050, 11085, 9145, 9217
4530, 4553, 4559,	11088, 11190, 12106	\@mptencolfootnotetext
5362, 5365, 5368,	\@mpfourcol@footgroupv@r 9143, 9192
5382, 5389, 5396, 8265	\@mpthreecol@footgroupv@r
10162, 10167,	\@mpfourcolLTRfootnotetext 8125
10171, 10176, 8262, 8322	\@mpthreecolLTRfootnotetext
10295, 10325,	\@mpfourcolRTLfootnotetext 8122, 8178
10340, 11047, 8263, 8335	\@mpthreecolRTLfootnotetext
11058, 11069,	\@mpfourcolfootnotetext 8123, 8190
11286, 11317, 8261, 8310	\@mpthreecolfootnotetext
11348, 11411,	\@mplistdepth 8121, 8167
12103, 16094, 16101 10146, 10299	\@mptwocol@footgroupv@r
\@mpfootins .. 7808,	\@mpninelcol@footgroupv@r 7978
7809, 7821, 7822, 9000	\@mptwocolLTRfootnotetext
7834, 7835, 7915,	\@mpninelcolLTRfootnotetext 7975, 8035
7924, 7925, 7928, 8997, 9057	\@mptwocolRTLfootnotetext
10246, 10247,	 7976, 8048



\@mptwocolfootnotetext	8397, 8398, 8502,	15088,	15096,
..... 7974, 8023	8504, 8505, 8506,	15674,	15706,
\@namedef	8511, 8513, 8516,	16325,	16597,
3225, 5420, 7936,	8518, 8523, 8524,	16598,	16599,
7966, 8071, 8072,	8526, 8529, 8531,	16602,	16605,
8100, 8105, 8109,	8536, 8537, 8540,	16610,	16611,
8113, 8212, 8213,	8541, 8544, 8545,	16616,	16620,
8245, 8249, 8253,	8649, 8651, 8652,	16621,	16623,
8358, 8359, 8387,	8653, 8658, 8660,	16624,	16626,
8392, 8396, 8400,	8663, 8665, 8670,	16627,	16629,
8505, 8506, 8534,	8671, 8673, 8676,	16630,	16632,
8539, 8543, 8547,	8678, 8683, 8684,	16633,	16640,
8652, 8653, 8681,	8687, 8688, 8691,	16645,	16646,
8686, 8690, 8694,	8692, 8796, 8798,	17148, 17182, 17724	
8799, 8800, 8828,	8799, 8800, 8805,	\@ne	133, 138,
8833, 8837, 8841,	8807, 8810, 8812,	348, 357, 360,	
8946, 8947, 8975,	8817, 8818, 8820,	454, 808, 1062,	
8980, 8984, 8988,	8823, 8825, 8830,	1314, 1380, 1389,	
9093, 9094, 9122,	8831, 8834, 8835,	1392, 1393, 1394,	
9127, 9131, 9135,	8838, 8839, 8943,	1427, 1430, 1431,	
9240, 9241, 9269,	8945, 8946, 8947,	1432, 2006, 2061,	
9274, 9278, 9324,	8952, 8954, 8957,	3432, 3441, 5952,	
9437, 9438, 9439,	8959, 8964, 8965,	6395, 7493, 7590,	
9481, 9488, 9495,	8967, 8970, 8972,	9671, 10245,	
16596, 16635,	8977, 8978, 8981,	10258, 10271,	
16636, 16637,	8982, 8985, 8986,	10515, 11612,	
16638, 16639,	9090, 9092, 9093,	11624, 11632,	
16640, 16641,	9094, 9099, 9101,	12000, 12129,	
16642, 16643, 16644	9104, 9106, 9111,	12206, 12432,	
\@nameuse	9112, 9114, 9117,	12783, 12803,	
5418, 7224, 7274,	9119, 9124, 9125,	13393, 13534,	
7277, 7323, 8068,	9128, 9129, 9132,	13733, 13776,	
8070, 8071, 8072,	9133, 9237, 9239,	13780, 13963,	
8077, 8079, 8082,	9240, 9241, 9246,	14257, 14373,	
8084, 8089, 8090,	9248, 9251, 9253,	14772, 14888,	
8092, 8095, 8097,	9258, 9259, 9261,	15325, 15453,	
8102, 8103, 8106,	9264, 9266, 9271,	15569, 16042,	
8107, 8110, 8111,	9272, 9275, 9276,	16046, 16107,	
8209, 8211, 8212,	9279, 9280, 9434,	16116, 16123,	
8213, 8218, 8220,	9436, 9437, 9438,	16437, 17062,	
8223, 8225, 8229,	9439, 9442, 9449,	17305, 17346,	
8230, 8232, 8235,	9451, 9454, 9457,	17383, 17385,	
8237, 8242, 8243,	9462, 9463, 9465,	17386, 17387,	
8246, 8247, 8250,	9468, 9471, 9478,	17392, 17394,	
8251, 8355, 8357,	9479, 9482, 9485,	17395, 17396,	
8358, 8359, 8364,	9489, 9492, 9500,	17401, 17403,	
8366, 8369, 8371,	9890, 14478,	17404, 17405,	
8376, 8377, 8379,	14516, 14993,	17410, 17412,	
8382, 8384, 8389,	15020, 15052,	17413, 17414,	
8390, 8393, 8394,	15064, 15080,	17492, 17494, 17657	



\@newlistfalse	13246, 13620,	14091, 14556,
. 9934, 17715	13837, 14023,	15127, 15765, 16278
\@next 1996,	14484, 16384, 16388	\@otarlinesep
4088, 4089, 4132,	\@nobreaktrue . . 514, 16002, 16008
4133, 4176, 4177,	667, 913, 1154,	\@outerparskip 5348, 5461
17579, 17580,	5543, 5722,	\@outputbox . . 6428,
17623, 17624, 17656	6011, 7648, 9561,	6431, 6436, 6441,
\@nextchar 354,	13245, 13619,	6443, 6464, 6467,
356, 357, 358,	13836, 14022,	6475, 6480, 6482,
360, 361, 362,	14483, 16383, 16387	7894, 7896, 9510,
363, 364, 367,	\@nocnterr 333	9512, 9513, 9518,
368, 369, 1386,	\@nocounterr 332	9531, 9533, 9538,
1388, 1389, 1390,	\@nodocument 1975	9771, 9774, 9787,
1392, 1393, 1394,	\@noitemerr . 91, 300,	9792, 9803, 9806,
1395, 1396, 1397,	583, 714, 982,	9820, 9826,
1398, 1401, 1402,	1234, 2368, 5592,	9907, 9912, 9951,
1403, 1415, 1417,	5785, 6098, 7436,	10525, 10530,
1418, 1483, 1484,	7711, 9624, 12720,	10535, 10545,
1485, 6216, 6217,	13302, 13695,	10550, 10557,
6218, 16113,	13896, 14100,	12270, 12289,
16115, 16116,	14573, 14580,	12314, 12317,
16117, 16118,	15144, 15151,	12319, 12329,
16119, 16120,	15782, 15789, 16287	12352, 12371,
16121, 16123,	\@normalcr 12059	12396, 12399,
16124, 16125,	\@notprerr . . 2893, 2906	12401, 12409,
16126, 16127,	\@nx 120, 121, 336	17522, 17524,
16130, 16131, 16132	\@nxtpcol 9882, 9884, 9925	17529, 17540,
\@nil 1468, 1469, 1471,	\@oddfont 1680, 9895,	17543, 17551, 17758
1472, 6205, 7054,	9902, 17727, 17736	\@outputdblcol 9881,
7111, 11456, 11465,	\@oddhead 9894,	17565, 17566, 17567
11467, 11479, 16241	9901, 17727, 17735	\@outputpage
\@ninecol@footgroupv@r	\@oldmakefnmark 2109, 2121,
. 8995 14306,	6447, 6450, 6487,
\@ninecolLTRfootfmt	14307, 14370,	6492, 9795, 9798,
. . 9018, 9039, 9067	14371, 14821,	9829, 9833, 9909,
\@ninecolLTRfootnotetext	14822, 14885,	9913, 9918, 9929,
. 8990, 9011	14886, 15502,	10536, 10540,
\@ninecolRTLfootfmt	15503, 15566, 15567	10560, 10564,
. . 9028, 9042, 9079	\@onefilewithoptions	12334, 12339,
\@ninecolRTLfootnotetext	. . 3021, 3022, 3029	12413, 12418,
. 8991, 9021	\@onelevel@sanitize 1978	17532, 17535,
\@ninecolfootfmt . .	\@onlypreamble	17555, 17560, 17710
. . 9008, 9036, 9054	. . 3244, 3254, 3258	\@ovbtrue 9729
\@ninecolfootnotetext	\@openbib@code	\@ovdx 9742, 9750
. 8989, 9001 574, 708,	\@ovdy 9743, 9751
\@nmbolistfalse . . 17313	976, 1228, 2361,	\@ovhorz 9748, 9749
\@nobreakfalse . 515,	2372, 5586, 5779,	\@ovltrue 9729
668, 914, 1155,	6089, 7430, 7702,	\@ovri 9741
5544, 5723, 6012,	9618, 13296,	\@ovro . . 9741, 9750, 9751
7649, 9562,	13689, 13887,	\@ovrtrue 9729



\@ovttrue	9729	\@parboxto	17357, 17364	14353, 14424,
\@ovvert	9746, 9747	\@parmoderr		14449, 14462,
\@ovxx	9731, 9732,		1994, 4085, 4129,	14497, 14598,
	9735, 9742, 9747,		4173, 17576, 17620	14605, 14794,
	9748, 9752, 9753	\@part	547, 7395	14803, 14827,
\@ovyy	9733, 9734,	\@pboxswfalse		14850, 14868,
	9735, 9743, 9749		10285, 17350	14939, 14964,
\@pagedp	17685, 17695	\@pboxswtrue	17362	14977, 15004,
\@pageht	6508,	\@phone	2247, 6886, 6984	15034, 15169,
	6617, 17668, 17675	\@photo	2252, 6859,	15176, 15475,
\@para@footgroupv@r	9331		6861, 6990, 6992	15484, 15508,
\@paraLTRfootfmt . .		\@photowidth	2251,	15531, 15549,
	9361, 9379, 9410		2252, 6861, 6957	15620, 15645,
\@paraLTRfootnotetext		\@pkgextension		15658, 15688,
	9326, 9353		3049, 3060, 3124,	15807, 15814,
\@paraRTLfootfmt . .			3133, 3141, 3144, 3152	16192, 16221,
	9372, 9383, 9423	\@plus	24, 99, 229, 505,	16341, 16616,
\@paraRTLfootnotetext			522, 598, 613,	16669, 16853, 17505
	9327, 9364		642, 645, 658,	\@pnumwidth 13, 15, 214,
\@parafootRTLfalse	7758		676, 683, 864,	216, 508, 509, 511,
\@parafootRTLtrue	7757		871, 874, 887,	525, 526, 530,
\@parafootfmt			904, 922, 1118,	661, 662, 664,
	9350, 9375, 9397		1129, 1132, 1145,	686, 687, 691,
\@parafootnotetext			1163, 1171, 2286,	890, 891, 895,
	9325, 9342		2371, 3550, 3551,	907, 908, 910,
\@parboxrestore 41, 54,			3552, 3559, 3560,	1148, 1149, 1151,
	69, 250, 263, 277,		3561, 3563, 3564,	1174, 1175, 1179,
	2045, 3839, 4107,		4760, 4761, 4762,	5538, 5539, 5541,
	4151, 4195, 6143,		4764, 4765, 4831,	5561, 5562, 5566,
	7811, 7824, 7837,		5508, 5519, 5522,	5717, 5718, 5720,
	7910, 8028, 8040,		5535, 5551, 5558,	5740, 5741, 5745,
	8053, 8093, 8172,		5687, 5698, 5701,	6006, 6007, 6009,
	8183, 8195, 8233,		5714, 5730, 5737,	6021, 6022, 6026,
	8315, 8327, 8340,		5900, 6003, 6018,	6280, 6285, 6286,
	8380, 8462, 8474,		7371, 7385, 7641,	7374, 7375, 7379,
	8487, 8527, 8609,		9377, 9381, 9385,	7388, 7389, 7391,
	8621, 8634, 8674,		9477, 9553, 9568,	7643, 7644, 7646,
	8756, 8768, 8781,		10415, 10453,	9556, 9557, 9559,
	8821, 8903, 8915,		12483, 12495,	9571, 9572, 9576,
	8928, 8968, 9050,		12710, 13192,	12503, 13240,
	9062, 9075, 9115,		13221, 13224,	13241, 13243,
	9197, 9209, 9222,		13237, 13253,	13263, 13264,
	9262, 9392, 9405,		13260, 13449,	13268, 13614,
	9418, 9466, 9934,		13595, 13598,	13615, 13617,
	10192, 10208,		13611, 13627,	13637, 13638,
	10223, 10250,		13634, 13829,	13642, 13831,
	10263, 10276,		13843, 13912,	13832, 13834,
	10294, 12254,		14014, 14029,	13846, 13847,
	12431, 17354,		14279, 14288,	13851, 14017,
	17598, 17642, 17716		14312, 14335,	14018, 14020,



14032, 14033,	\@preamninefmt	\@rc@ifdefinable . .
14037, 14470,	. . . 9031, 9037, 2547, 2586
14471, 14477,	9040, 9043, 9123	\@reffalse 15350
14506, 14507,	\@preamsevenfmt . . .	\@reftrue 15351,
14514, 14985,	. . . 8737, 8743,	15352, 15353,
14986, 14992,	8746, 8749, 8829	15354, 15355,
15012, 15013,	\@preamsixfmt	15356, 15357, 15358
15019, 15043,	. . . 8590, 8596,	\@regtocline . . . 639,
15044, 15051,	8599, 8602, 8682	677, 694, 868,
15666, 15667,	\@preamtenfmt	898, 923, 1126,
15673, 15697, 9178, 9184,	1164, 1182, 5516,
15698, 15705,	9187, 9190, 9270	5552, 5570, 5695,
16248, 16257,	\@preamthreefmt . . .	5731, 5749, 13218,
16259, 16646, 8153, 8159,	13254, 13272,
16760, 16865, 17517	8162, 8165, 8241	13592, 13628, 13646
\@preamble 388,	\@preamtwofmt	\@rememsize 16012, 16015
389, 399, 401,	. . . 8009, 8015,	\@removefromreset .
1440, 1448, 12004,	8018, 8021, 8101 12729, 12731
15980, 15982,	\@printcites 13093	\@reqcolroom . . 6508,
15989, 16020,	\@ptsize . 2150, 2151,	6509, 6510,
16021, 16029,	2152, 2153, 2160	6511, 6571, 6616,
17474, 17476, 17485	\@publisher . 4923, 4976	6617, 6618, 6619,
\@preameightfmt . . .	\@publishers	6620, 6621, 6735
. . . 8884, 8890,	. . 14336, 14400,	\@resetactivechars
8893, 8896, 8976	14450, 14851, 9932, 17713
\@preamerr	14915, 14965,	\@resetdyn@mics . . 9920
370, 1404, 1434,	15532, 15596, 15646	\@resetst@tics . . . 9919
16133, 17483, 17496	\@quote . . 2253, 6865,	\@restonecolfalse .
\@preamfivefmt	6867, 6994, 6996 94, 224,
. . . 8443, 8449,	\@quotebox 13092	588, 604, 855,
8452, 8455, 8535	\@quotecolour	1109, 5499, 5678,
\@preamfntext 2215, 2232, 2342	5890, 13183,
. . . . 7765, 7781,	\@r@m@msize 16015	13440, 13902, 16299
7797, 7905, 7982,	\@raggedtwoe@everyselection	\@restonecoltrue . .
7992, 8002, 8080, 13106, 94, 224,
8129, 8138, 8147,	13119, 13132, 13143	590, 606, 857,
8221, 8269, 8279,	\@raggedtwoe@gnewline	111, 5501, 5680,
8289, 8367, 8416,	. 13099, 13112, 13125	5892, 13185,
8426, 8436, 8514,	\@raggedtwoe@raggedrightboxes@opt	3442, 13904, 16301
8563, 8573, 8583, 13145, 13174	\@resumename . 2185, 2241
8661, 8710, 8720,	\@raggedtwoe@samed@gnewline	\@revlabeltrue . 741,
8730, 8808, 8857, 13136	995, 1247, 5628,
8867, 8877, 8955,	\@raggedtwoe@samed@cr	5807, 13326, 13465
9004, 9014, 9024, 13096,	\@rightcolumn . 12281,
9102, 9151, 9161,	13109, 13122, 13135	12286, 12287,
9171, 9249, 9345,	\@raggedtwoe@spaceskipfalse	12296, 12297,
9356, 9367, 9452 13142	12305, 12309,
\@preamfourfmt	\@raggedtwoe@spaceskiptrue	12315, 12363,
. . . 8296, 8302,	. 13105, 13118, 13131	12368, 12369,
8305, 8308, 8388		



12378, 12379, 12387, 12391, 12397	9812, 9814, 9828	\@specialstyle
\@rightskip	\@setminipage . 3841, 10301, 10509, 12256 9890, 17724
. . . 12055, 13101, 13102, 13114, 13115, 13127, 13128, 13138, 13139, 13156, 17417	\@setpar 13730, 13773, 14254, 14261, 14769, 14776, 15322, 15327, 15450, 15457	\@stabarray 15968
\@rjfieldfalse . . . 17703	\@settab 5428	\@stabular 15964
\@s@size 16015	\@sevenscol@footgroupv@r 8701	\@star@or@long 2542, 2556, 2580, 2591
\@s@bidi@AfterClass 3081, 3090, 3102, 3111	\@sevenscolLTRfootfmt . . . 8724, 8745, 8773	\@startdblcolum 6448, 6450, 6490, 6493, 9796, 9798, 9832, 9833, 9916, 9918, 10538, 10540, 10562, 10564, 12337, 12340, 12416, 12419, 17533, 17535, 17558, 17561
\@s@bidi@AfterPackage 3126, 3134, 3145, 3153	\@sevenscolLTRfootnotetext 8696, 8717	\@startfield 5470
\@sarray 15973	\@sevenscolRTLfootfmt . . . 8734, 8748, 8785	\@startpbox . . . 1417, 1418, 1483, 1484, 1485, 6216, 6217, 6218, 11983, 11984, 11990, 15983, 16022, 17477
\@savemarbox 17697	\@sevenscolRTLfootnotetext 8697, 8727	\@startsection 23
\@secondoftwo . 2470, 2479, 2488, 2497, 2503, 2506, 2517, 2522, 2529, 2684, 2694, 2695, 2696, 2697, 2703, 2712, 2718, 2742, 2770, 2798, 2847, 2859, 2860, 2869, 2986, 3114, 3156	\@sevenscolfootfmt 8714, 8742, 8760	\@starttoc . . . 4726, 4734
\@secpenalty	\@sevenscolfootnotetext 8695, 8707	\@stopfield
. . . 5, 206, 504, 521, 657, 675, 682, 886, 903, 921, 1144, 1162, 1170, 7370, 7384, 14461, 14495, 16233, 16364, 16419	\@sharp 395, 1442, 1443, 1444, 1450, 1451, 1452, 11456, 11462, 11996, 15985, 16021, 16027, 17480	. . . 5435, 5450, 5454, 5482, 17703
\@sectiontitlecolour 2216, 2233	\@sixcol@footgroupv@r 8554	\@stopline . 5454, 17703
\@seesize . . 16012, 16015	\@sixcolLTRfootfmt . . . 8577, 8598, 8626	\@strip 12428
\@setcol 9926	\@sixcolLTRfootnotetext 8549, 8570	\@subclass 326
\@setcolbox . 9887, 9923	\@sixcolRTLfootfmt . . . 8587, 8601, 8638	\@subject 14320, 14321, 14399, 14433, 14434, 14835, 14836, 14914, 14948, 14949, 15516, 15517, 15595, 15629, 15630
\@setcopyright 108	\@sixcolRTLfootnotetext 8550, 8580	\@subsectioncolour 2218, 2234
\@setfontsize . 3549, 3558, 4759, 4769, 4770, 4771, 4772, 4773, 4774, 4775	\@sixcolfootfmt 8567, 8595, 8613	\@subtitle
\@setfpsbit	\@sixcolfootnotetext 8548, 8560	. . . 14326, 14396, 14439, 14841, 14911, 14954, 15522, 15592, 15635
. . . 2010, 2013, 2016	\@skip@bove 16006, 16008	\@tabacol 1922, 11981, 15966, 17459
\@setmarks . . . 9780, 9782, 9795,	\@spaces 16044, 16085, 16090	\@tabarray . 376, 400, 404, 1924, 11968,
	\@spart 7414	
	\@specialpagefalse 9889, 17724	



11970, 17461, 17488	10691, 10728,	10352, 10397,
\@tabclassiv . . . 1924,	10729, 10730,	10404, 10414,
11982, 15968, 17461	10731, 11205,	10417, 10421,
\@tabclassz 1445, 1923,	11209, 11212,	10423, 10429,
11982, 15967, 17460	11224, 11243,	10463, 10465,
\@tabcr 5431, 5441	11247, 11250,	10471, 10484,
\@tabminus 5429	11262, 12030,	10488, 10489,
\@tabplus 5428	12031, 12033,	10674, 10691,
\@tabular 372, 1910, 17457	12034, 12732,	10820, 11001,
\@tabularcr . . . 1924,	12733, 12734,	11003, 11565,
11986, 15968, 17461	12737, 12744,	11566, 11640,
\@tagsextension . . .	12750, 13373,	11645, 11649,
. 2437, 2439	13375, 13377,	12013, 12014,
\@tarlinesep . 16008,	13381, 13514,	12017, 12182,
16009, 16010,	13516, 13518,	12185, 12189,
16011, 16014, 16016	13522, 14109,	12191, 12197,
\@temp@bibkey . 4296,	14110, 14152,	12199, 12200,
4315, 4334, 4362	14153, 14253,	12229, 12230,
\@temp@bibkeyx 4301,	14558, 14561,	12234, 12862,
4302, 4304,	14768, 15129,	12863, 12866,
4305, 4306, 4307,	15132, 15321,	14624, 14638,
4320, 4321, 4323,	15449, 15767,	14642, 14644,
4324, 4325, 4326,	15770, 16093,	14667, 14668,
4339, 4340, 4342,	16095, 16100,	14670, 14671,
4343, 4344, 4345,	16102, 16851,	14673, 14678,
4371, 4372, 4374,	16868, 16872,	14683, 15195,
4375, 4376, 4377	16873, 16874,	15209, 15213,
\@temp@last@bibkey	16883, 16897,	15215, 15238,
. 4295,	17073, 17076,	15239, 15241,
4296, 4302,	17082, 17086, 17100	15242, 15244,
4314, 4315, 4321,	\@tempb 2376,	15249, 15254,
4333, 4334, 4340,	2377, 2379, 2380,	15833, 15847,
4361, 4362, 4372	10612, 10613,	15851, 15853,
\@tempa 119, 122,	10653, 10655,	15876, 15877,
129, 130, 131, 132,	10683, 10685,	15879, 15880,
788, 790, 792,	10686, 10688,	15882, 15887,
796, 1042, 1044,	10691, 12736,	15892, 16067,
1046, 1050, 1294,	12737, 12743,	16087, 16812,
1296, 1298, 1302,	12744, 12749, 12750	16815, 16820,
2376, 2377, 2380,	\@tempboxa 4091, 4135,	16824, 16828,
3539, 3540, 3542,	4179, 6531, 6555,	16832, 16836,
3544, 4240, 4241,	6564, 6623, 6667,	16840, 16844,
4243, 4245, 9730,	6708, 6719, 6728,	16848, 17441,
10612, 10613,	7077, 7078, 7079,	17442, 17499,
10614, 10615,	7080, 7082, 7131,	17500, 17501,
10652, 10655,	7132, 7133, 7134,	17502, 17582,
10656, 10662,	7136, 7934, 9741,	17626, 17748,
10673, 10674,	9745, 9753, 9754,	17755, 17756,
10680, 10685,	9867, 9868, 9869,	17773, 17774, 17778
10686, 10688,	10290, 10314,	\@tempc 10654, 10656,



10662, 11542, 11547	6678, 6746, 6747,	13776,	13844,
\@tempcnta 1408, 1467,	6761, 6762, 6766,	13849,	14015,
1468, 1469, 1471,	6782, 6783, 7023,	14030,	14035,
1472, 1998, 2004,	7024, 7025, 7026,	14154,	14155,
2006, 2019, 2020,	7044, 7045, 7046,	14255,	14256,
2026, 2027, 6203,	7047, 7053, 7055,	14257,	14262,
6205, 7052, 7109,	7056, 7060, 7061,	14263,	14266,
11579, 11581,	7062, 7063, 7064,	14463,	14466,
11584, 11607,	7072, 7076, 7079,	14473,	14498,
11608, 11612,	7080, 7081, 7095,	14501,	14510,
12825, 12827,	7096, 7097, 7110,	14641,	14642,
12831, 12834,	7112, 7113, 7117,	14667,	14668,
12836, 14359,	7118, 7119, 7120,	14669,	14671,
14361, 14617,	7121, 7127, 7130,	14770,	14771,
14636, 14874,	7133, 7134, 7135,	14772,	14777,
14876, 15188,	7147, 7148, 7149,	14778,	14781,
15207, 15555,	7174, 7176, 7177,	14978,	14981,
15557, 15826,	7178, 7182, 7189,	14988,	15005,
15845, 16080,	7191, 7193, 7200,	15008,	15015,
16659, 16660,	7224, 7225, 7230,	15035,	15038,
16661, 16680,	7231, 7232, 7233,	15047,	15212,
16681, 16682,	7234, 7349, 7351,	15213,	15238,
16684, 16686,	7353, 7372, 7377,	15239,	15240,
16768, 16769,	7387, 9520, 9522,	15242,	15323,
16770, 17657,	9555, 9569, 9574,	15324,	15325,
17659, 17662,	9742, 9743, 9746,	15328,	15329,
17664, 17666, 17688	9747, 10288,	15332,	15451,
\@tempcntb 2024, 2025,	10292, 10671,	15452,	15453,
2026, 14617,	10673, 10678,	15458,	15459,
14635, 15188,	10680, 10681,	15462,	15659,
15206, 15826, 15844	10683, 10696,	15662,	15669,
\@tempdima . 8, 10, 12,	10701, 10706,	15689,	15692,
14, 209, 211, 213,	10710, 11557,	15701,	15850,
215, 380, 381,	11563, 11564,	15851,	15876,
383, 506, 523,	11570, 11571,	15877,	15878,
528, 647, 660,	11576, 11577,	15880,	16013,
684, 689, 876,	11582, 11978,	16016,	16018,
877, 888, 893,	11988, 11993,	16081,	16140,
906, 1134, 1147,	12284, 12288,	16141,	16142,
1172, 1177, 1462,	12366, 12370,	16374,	16378,
1463, 1495, 1496,	12428, 12453,	16405,	16409,
1497, 2147, 2149,	12476, 12488,	16428,	16432,
4747, 4748, 5524,	12489, 12500,	16445,	16449,
5537, 5559, 5564,	12501, 13226,	16462,	16466,
5703, 5716, 5738,	13239, 13261,	16479,	16483,
5743, 6004, 6019,	13266, 13600,	16496,	16500,
6024, 6228, 6229,	13613, 13635,	16513,	16517,
6230, 6278, 6283,	13640, 13731,	16531,	16535,
6512, 6581, 6582,	13732, 13733,	16550,	16554,
6596, 6597, 6601,	13774, 13775,	16570,	16574,



16605,	16609,	14781,	15330,	\@tencolRTLfootfmt
16676,	16678,	15331,	15332,	.. 9175, 9189, 9226
16707,	16710,	15460,	15461,	\@tencolRTLfootnotetext
16717,	16720,	15462,	16013, 9138, 9168
16724,	16729,	16016,	16018,	\@tencolfootfmt ...
16732,	16744,	16677,	16683,	.. 9155, 9183, 9201
16777,	16779,	16685,	16690,	\@tencolfootnotetext
16780,	16783,	16692,	16695, 9136, 9148
16786,	16790,	16699,	16703,	\@testopt 2558,
16797,	16799,	16711,	16713,	2576, 11975, 11976
16858,	16859,	16714,	16727,	\@testpach 347, 1379,
16872,	16874,	16733,	16735,	1424, 16106, 17489
16882,	16889,	17038,	17039,	\@textbottom
17035,	17036,	17041,	17043,	... 9515, 14279,
17055,	17066,	17046,	17047,	14288, 14598,
17067,	17068,	17049,	17052,	14605, 14794,
17069,	17081,	17066,	17067,	14803, 15169,
17084,	17090,	17068,	17072,	15176, 15475,
17091,	17353,	17085,	17089,	15484, 15807, 15814
17354,	17510,	17090, 17356, 17357	\@textsuperscript .	
17511,	17667,	\@tempdimc 6198, 14252,	.. 449, 452, 742,	
17668,	17669,	14259, 14260,	804, 806, 996,	
17670,	17673,	14270, 14767,	1060, 1248, 1310,	
17676,	17679,	14774, 14775,	1312, 1710, 1713,	
17681, 17704, 17705		14785, 15448,	4401, 4403, 5629,	
\@tempdimb ... 6197,		15455, 15456, 15466	5808, 5947, 5950,	
6514, 6517, 6518,		\@tempskipa .. 5347,	7488, 7491, 7585,	
6519, 6520, 6523,		5348, 5349,	7588, 9666, 9669,	
6524, 6525, 6526,		5460, 5461, 5462	12125, 13327,	
6527, 6528, 6529,		\@tempswafalse 3261,	13389, 13391,	
6680, 6683,		3308, 7064, 7121,	13466, 13530,	
6684, 6686, 6688,		10619, 17120, 17163	13532, 13728,	
6691, 6695, 6698,		\@tempswattrue . 3260,	13735, 13771,	
6701, 6705, 6707,		3305, 7058, 7115	13778, 13958, 13961	
7023, 7024, 7044,		\@temptokena 117, 121, 12811	\@texttop 9511	
7045, 7096, 7098,		\@tempx 5362,	\@tfor 1999, 9730	
7101, 7148, 7150,		5363, 11283, 11295	\@thanks 428,	
7153, 7180, 7182,		\@tempxi 5365,	436, 464, 472,	
7195, 7196, 7197,		5366, 11314, 11326	773, 779, 818,	
7198, 7200, 7227,		\@tempxii 5368,	824, 1027, 1033,	
7230, 9735, 9736,		5369, 11345, 11357	1072, 1078, 1279,	
9737, 9738, 9740,		\@tempy 1931, 1932	1285, 1324, 1330,	
10672, 10673,		\@tempyi 1934, 1935	1715, 1721, 5660,	
10679, 10680,		\@tempyii ... 1937, 1938	5666, 5839, 5845,	
10682, 10683,		\@tencol@footgroupv@r	5926, 5934, 5962,	
11577, 11578,	 9142	5970, 7469, 7475,	
11580, 12428,		\@tencolLTRfootfmt	7503, 7509, 7564,	
12453, 14264,		.. 9165, 9186, 9214	7572, 7600, 7608,	
14265, 14266,		\@tencolLTRfootnotetext	9647, 9653, 9681,	
14779, 14780,	 9137, 9158	9687, 10316,	



10330, 10333,	9369, 9394, 9407,	781, 826, 839,
12118, 12141,	9420, 9666, 9669,	1005, 1007, 1035,
13358, 13364,	10163, 10168,	1080, 1093, 1257,
13403, 13409,	10172, 10177,	1259, 1287, 1332,
13497, 13505,	10194, 10210,	1346, 1357, 1724,
13544, 13552,	10225, 10252,	2183, 2244, 4931,
13749, 13757,	10265, 10278,	5016, 5638, 5640,
13790, 13798,	10321, 10326,	5668, 5817, 5819,
13937, 13945,	10336, 10341,	5847, 5916, 5937,
13973, 13981,	10574, 11048,	5973, 5987, 6975,
14339, 14383,	11059, 11070,	7459, 7478, 7512,
14392, 14854,	11081, 11216,	7524, 7554, 7575,
14898, 14907,	11254, 11287,	7611, 7625, 9637,
15535, 15579, 15588	11318, 11349,	9656, 9690, 9702,
\@thefnmark . 43, 56,	11412, 13327,	12119, 13336,
71, 252, 265, 279,	13389, 13391,	13338, 13366,
449, 452, 742,	13466, 13530,	13411, 13424,
804, 806, 996,	13532, 13728,	13475, 13477,
1060, 1248, 1310,	13735, 13771,	13507, 13554,
1312, 1710, 1713,	13778, 13958, 13961	13570, 13581,
1954, 1962, 1970,	\@thefoot 9895,	13739, 13760,
4401, 4403, 4436,	9898, 9902,	13801, 13815,
4453, 4470, 4496,	17727, 17730,	13927, 13948,
4502, 4525, 4531,	17733, 17736, 17762	13984, 13998,
4554, 4560, 5383,	\@thehead	14324, 14395,
5390, 5397, 5629,	9894, 9897, 9901,	14437, 14839,
5808, 5947, 5950,	17727, 17729,	14910, 14952,
7488, 7491, 7585,	17732, 17735, 17752	15520, 15591, 15633
7588, 7768, 7784,	\@themargin . . 9947,	\@titlecolour 2213, 2230
7800, 7813, 7826,	17728, 17730, 17747	\@titlehead
7839, 7880, 7884,	\@thm 12765, 12786	. . 14313, 14315,
7886, 7984, 7994,	\@thmcountersep . .	14398, 14425,
8004, 8030, 8043, 345, 17297	14427, 14828,
8055, 8131, 8140,	\@threecol@footgroupv@r	14830, 14913,
8149, 8174, 8186, 8120	14940, 14942,
8197, 8271, 8281,	\@threecolLTRfootfmt	15509, 15511,
8291, 8317, 8330,	. . . 8142, 8161, 8188	15594, 15621, 15623
8342, 8418, 8428,	\@threecolLTRfootnotetext	\@tocextra
8438, 8464, 8477, 8115, 8135	. . 16325, 16326,
8489, 8565, 8575,	\@threecolRTLfootfmt	16330, 16332, 16335
8585, 8611, 8624,	. . . 8151, 8164, 8199	\@tocline 2, 203
8636, 8712, 8722,	\@threecolRTLfootnotetext	\@tocpagenum 15, 216
8732, 8758, 8771, 8116, 8144	\@tocrmarg
8783, 8859, 8869,	\@threecolfootfmt .	. . 12472, 12484,
8879, 8905, 8918,	. . 8133, 8158, 8176	12496, 16369,
8930, 9006, 9016,	\@threecolfootnotetext	16400, 16423,
9026, 9052, 9065, 8114, 8126	16440, 16457,
9077, 9153, 9163,	\@title 322,	16474, 16491,
9173, 9199, 9212,	418, 439, 475,	16508, 16526,
9224, 9347, 9358,	489, 751, 753,	16545, 16565,



16600, 16651, 16737, 16854, 17506	13400, 13541, 13787, 13970, 14380, 14895, 15576	\@undeclaredcolor 6243, 6251, 17113, 17114
\@todonotes@MissingFigureDown 17016	\@topsep ... 12779, 12799	\@undefined .. 1927, 2059, 11980, 12239
\@todonotes@MissingFigureTest 16993	\@topsepadd 1841, 12780, 12800	\@undottedtocline 12469
\@todonotes@MissingFigureUp 17015	\@totalleftmargin . .. 10499, 10503,	\@unexpandable@protect 2609, 3420
\@todonotes@author 16926, 16937, 16962, 16980	10506, 10515, 12054, 12782, 12783, 12802,	\@unrecurse 16003, 16006
\@todonotes@currentfigcolor 16997	12803, 13155, 13169, 17322,	\@uppertitleback 14343, 14401, 14858, 14916, 15539, 15597
\@todonotes@currentfigheight 16998	17324, 17330, 17332, 17336,	\@viipt 3558, 4769
\@todonotes@currentfigwidth 16998, 17000, 17010, 17013	17338, 17342, 17344, 17346, 17383, 17385,	\@vipt 4769
\@todonotes@drawInlineNote 16921	17386, 17387, 17392, 17394,	\@viper 6451, 6453, 6455, 6494, 6496, 6498, 6510, 6574, 6620, 6738, 6787, 12429, 12444, 12446, 12451
\@todonotes@drawLineToLeftMargin 16949, 16952	17395, 17396, 17401, 17403,	\@viperoutput 6457, 6500
\@todonotes@drawLineToRightMargin 16949, 16952	17404, 17405, 17410, 17412,	\@vipt 4770
\@todonotes@drawMarginNote 16948, 16951, 16955	17413, 17414, 17704	\@vpt 4770
\@todonotes@drawMarginNoteWithLine 16943	\@traditionalpoem 5304, 5403	\@whilenum 11608
\@todonotes@ifdisabled 17022	\@trivlist 12776, 12796, 17315	\@whilesw 6449, 6491, 9797, 9833, 9917, 10539, 10563, 12338, 12417, 17534, 17559
\@todonotes@sizecommand 16926, 16928, 16935, 16937, 16939, 16962, 16964, 16976, 16979, 16980, 16982, 16985	\@twocol@footgroupv@r 7973	\@wholewidth 9732, 9734, 9752
\@todonotes@text 16926, 16928, 16937, 16939, 16962, 16964, 16977, 16983, 16986	\@twocolLTRfootfmt .. 7996, 8017, 8045	\@width .. 29, 31, 239, 241, 385, 535, 541, 720, 728, 958, 965, 1205, 1213, 1497, 2087, 5598, 5606, 5754, 5762, 6032, 6038, 6230, 6472, 6547, 6712, 7005, 7441, 7447, 7741, 7747, 7756, 9602, 9608, 9824, 10112, 10477, 10533, 11501, 11507, 11995, 12028, 12076, 12323, 12406, 12547, 12558, 12631,
\@todonotes@textwidth 16960	\@twocolLTRfootnotetext 7968, 7989	
\@toodeep 17303	\@twocolRTLfootfmt .. 8006, 8020, 8057	
\@topnum 107, 316, 461, 815, 1069, 1321, 5009, 5959, 7500, 7597, 9678, 12138,	\@twocolRTLfootnotetext 7969, 7999	
	\@twocolfootfmt 7986, 8014, 8032	
	\@twocolfootnotetext 7967, 7979	
	\@twocolumntrue .. 2062	
	\@twosidefalse ... 3524	
	\@twosidetrue 3519	
	\@typeset@protect 1869, 1875, 1881, 1896	



13277, 13285,	\@xmakefntext .. 805,	\^ 1624, 5204,
13701, 13709,	1311, 13390, 13531	5205, 5207, 5208
13860, 13866,	\@xp 117, 310, 335, 336, 6152	\` 10497, 12051, 13151, 13165
14043, 14049,	\@xpt 3549	\l .. 10376, 10377, 10492
14281, 14290,	\@xthm 12784, 12804	
14599, 14606,	\@xtitle 322	
14796, 14805,	\@xxpt 4774	\sq 1563,
15170, 15177,	\@xxxii 2025	1665, 4303, 4307,
15477, 15486,	\@xympar	4322, 4326, 4341,
15808, 15815,	4097, 4101, 4141,	4345, 4373, 4377,
15978, 16018,	4145, 4185, 4189,	10369, 10371, 15419
17472, 17548, 17695	17588, 17592,	
\@x 5420, 5421	17632, 17636, 17699	
\@x@sf 4410, 4415, 4421,	\@yargdef 2578	A
4424, 11168, 11180	\@ympar 17696	\abovecaptionskip .
\@xLTRfootnote	\@ythm 12784, 12804 11638,
.... 1918, 2041,	\[..... 5428, 9837	12178, 12228,
5254, 5265, 5478,	\ \ 118, 399, 749,	14691, 14695,
5492, 10171, 10174	794, 1003, 1048,	14710, 14718,
\@xLTRfootnotenext	1255, 1300, 1924,	15262, 15266,
.... 1917, 2040,	2291, 2297, 2375,	15281, 15289,
5253, 5264, 5477,	3857, 3858, 3859,	15900, 15904,
5491, 10320,	3861, 4818, 5187,	15919, 15927, 17772
10323, 11067, 16053	5325, 5636, 5815,	\abovedisplayshortskip
\@xRTLfootnote	6863, 6864, 6867,	.. 3551, 3560, 4761
... 1920, 2043,	6883, 6970, 6975,	\abovedisplayskip .
5256, 5267, 5480,	6982, 6992, 6996, 3550,
5494, 10162, 10165	7721, 7725, 7734,	3553, 3559, 3566,
\@xRTLfootnotenext	10900, 10903,	3600, 4760, 4767
.... 1919, 2042,	10916, 10919,	\abstractname .. 625,
5255, 5266, 5479,	11019, 11436,	631, 634, 934,
5493, 10335,	11437, 11492,	940, 942, 1188,
10338, 11056, 16054	11496, 11623,	1194, 1197, 5575,
\@xaddress 323	11624, 11973,	5768, 13204,
\@xauthor 323	12059, 12829,	13210, 13213,
\@xcolor@ .. 17121, 17164	12841, 13096,	13656, 13662, 13665
\@xcurraddr 324	13097, 13109,	\active 5204,
\@xemail 324	13110, 13122,	5205, 5207, 5208
\@xfloat 1974	13123, 13135,	\add@strip 12453
\@xfootnote ... 1916,	13334, 13379,	\addcontentsline 550,
2039, 5252, 5263,	13473, 13520,	552, 2288, 3836,
5476, 5490, 11410	15425, 15968,	7398, 7400,
\@xfootnotemark .. 11078	15984, 16001,	11668, 11673,
\@xfootnotenext ...	16002, 16191,	12251, 16308,
.... 1915, 2038,	16220, 16959,	16315, 16332, 16993
5251, 5262, 5475,	16966, 17417,	\addfontfeature ...
5489, 11045, 16052	17461, 17478, 17488 2211, 2212,
\@xiipt 4772	\{ 1786	2213, 2214, 2215,
\@xipt 4771	\} 1787, 17294	2216, 2218, 2219
\@xivpt 305, 4773	\] .. 184, 200, 5429, 9847	\addpenalty . 5, 206,
		504, 521, 657,



675, 682, 886,	14668, 14669,	\adl@depth	1464
903, 921, 1144,	14771, 14774,	\adl@endarray	1369
1162, 1170, 5534,	14775, 14778,	\adl@endmbox	1416
5550, 5557, 5713,	14780, 15239,	\adl@everyvbox 1373, 1374	
5729, 5736, 6002,	15240, 15324,	\adl@extract@arc .	1469
6017, 7370, 7384,	15329, 15331,	\adl@extract@dgc .	1472
7640, 9552, 9567,	15452, 15455,	\adl@extract@drsc	1470
13236, 13252,	15456, 15459,	\adl@height	1463
13259, 13610,	15461, 15877,	\adl@inactivate . . .	
13626, 13633,	15878, 16252, 16253	1375, 1457
13828, 13842,	\advspace 5, 206, 505,	\adl@LT@array	11454
14013, 14028,	522, 658, 676,	\adl@noalign	1376
14461, 14495,	683, 887, 904,	\adl@org@activate	1458
14976, 15003,	922, 1145, 1163,	\adl@org@classz . . .	1501
15032, 15657,	1171, 2095, 4812,	\adl@org@endpbox .	1459
15686, 16233,	4869, 5535, 5551,	\adl@org@inactivate	1457
16235, 16362,	5714, 5730, 6003,	\adl@putlrc 1412, 1413,	
16364, 16397, 16419	7371, 7385, 7641,	1414, 1442, 1443,	
\address	9553, 13237,	1444, 1450, 1451, 1452	
\addresscolour 2214,	13253, 13611,	\adl@startmbox	1415
6815, 6913, 6919,	13627, 13829,	\advance	12,
6925, 6931, 6937	14014, 14462,	86, 213, 295, 313,	
\addressfont . . 2223,	14497, 14977,	381, 528, 573,	
2231, 2342, 6853,	15004, 15658,	689, 707, 877,	
6881, 6945, 6979	16366, 16420, 16671	893, 975, 1177,	
\addresssymbol	\adjmc@inner	1227, 1462, 1496,	
. . 2205, 6883, 6982	\adjmc@outer	1683, 1688, 2006,	
\addressstyle	\adjmc@page@sofar@orig	2020, 2026, 2105,	
\addtocontents . . . 16648	2360, 3432, 4045,	
\addtocounter 11604, 11605	\adjmult@cols	4748, 4823, 5174,	
\addtolength . . . 179,	\adjmulticols	5182, 5183, 5348,	
2165, 2166, 2167,	\adl@act@classz . .	5461, 5564, 5585,	
2168, 2169, 2170,	\adl@act@CT@setup .	5743, 5778, 6024,	
2268, 2269, 2271,	6088, 6229, 6237,	
2273, 2274, 2277,	\adl@activate 1375, 1458	6238, 6278, 6390,	
3635, 3638, 3639,	\adl@argarraydashrule	6510, 6511, 6520,	
3642, 4784, 6961,	6581, 6582, 6597,	
6962, 6963, 7233,	\adl@array . . 1372, 1377	6617, 6620, 6621,	
10753, 10754,	\adl@arraydashrule	6630, 6632, 6638,	
11560, 11564,	6639, 6642, 6645,	
11566, 11568,	\adl@arrayinit . . .	6648, 6691, 6746,	
11569, 11570,	\adl@arrayrestore	6747, 6762, 6782,	
11571, 11590,	\adl@arrayrule 1392, 1430	6783, 7013, 7023,	
11592, 11593,	\adl@box . 1415, 1417, 1418	7024, 7034, 7044,	
11595, 11596,	\adl@class@iiiorvii	7045, 7061, 7062,	
11598, 11599,	7063, 7080, 7089,	
11600, 11610,	\adl@class@start . .	7096, 7118, 7119,	
11611, 14256,	7120, 7134, 7141,	
14259, 14260,	\adl@CT@setup	7148, 7177, 7178,	
14263, 14265,	. . . 1457, 1460, 1461	7191, 7193, 7196,	



7197, 7198, 7377,	16277,	16378,	17219,	17222,
7429, 7701, 7960,	16409,	16432,	17226,	17227,
7962, 9574, 9617,	16449,	16466,	17231,	17235,
9732, 9734, 9736,	16483,	16500,	17236,	17240,
9742, 9743, 9750,	16517,	16535,	17244,	17248,
9751, 9752, 9910,	16554,	16574,	17252,	17372,
9911,	16609,	16650,	17711, 17719, 17720	
10386,	16660,	16680,	\AlFnt	181
10400,	16685,	16735,	\ALG@floatstyle . . .	
10437,	16736,	16737,	. . . 4060, 4061, 4062	
10441,	16740,	16744,	\algocf@algotbox . . .	173
10514,	16769,	16780,	\algocf@algotframe .	
11581,	16859,	16882,	. . . 167, 168, 169, 170	
11612,	17036,	17038,	\algocf@endline . . .	184
12000,	17048,	17067,	\algocf@float	17833
12278,	17068,	17097,	\algocf@makethealgo	194
12306,	17108,	17109,	\algocf@within	
12358,	17305,	17318, 162, 164,	
12387,	17319,	17322,	17835, 17836, 17837	
12391,	17324,	17330,	\algomargin . . .	176, 179
12443,	17332,	17336,	\algowidth .	174, 176, 197
12445,	17338,	17342,	\alignL	6183
12476,	17344,	17444,	\alignR	6187
12501,	17445,	17511,	\allowbreak	
12777,	17668,	17669,	. . . 7019, 7040,	
12782,	17676,	17677,	8016, 8019, 8022,	
12801,	17678, 17679, 17704		8103, 8160, 8163,	
12836,	\afterassignment . .		8166, 8243, 8303,	
12883, 1565, 1567,		8306, 8309, 8390,	
12885,	1667, 1669, 2610,		8450, 8453, 8456,	
12915,	4275, 16076, 16077		8537, 8597, 8600,	
12952,	\aftergroup . . .	1823,	8603, 8684, 8744,	
13266,	1833, 3090, 3092,		8747, 8750, 8831,	
13640,	3102, 3104, 3114,		8891, 8894, 8897,	
13732,	3116, 3134, 3136,		8978, 9038, 9041,	
13849,	3145, 3147, 3156,		9044, 9125, 9185,	
14035,	3158, 4259, 4274,		9188, 9191, 9272	
14155,	6241, 6243, 6250,		\Alph	12160
14506,	6256, 6275, 9936,		\AM@CheckAtEnd . . .	12849
14555,	9938, 12997,		\AM@ClearShipoutPicture	
15015,	12998, 13001,		12851
15047,	13005, 13006,		\AM@currentdocname	
15423,	13010, 13014,		12814, 12820
15697,	13015, 13019,		\AM@findfile	12818
15764,	13023, 13027,		\AM@output	12847
16016,	13031, 16226,		\AM@pagecount	12816
16046,	16662, 17102,		\AM@pageref	12831, 12834
16192,	17111, 17113,		\AM@pagetemp	
16221,	17150, 17154,		. . . 12824, 12829,	
16257,	17207, 17218,			



8571, 8581, 8607, 8619, 8632, 8659, 8672, 8708, 8718, 8728, 8754, 8766, 8779, 8806, 8819, 8855, 8865, 8875, 8901, 8913, 8926, 8953, 8966, 9002, 9012, 9022, 9048, 9060, 9073, 9100, 9113, 9149, 9159, 9169, 9195, 9207, 9220, 9247, 9260, 9343, 9354, 9365, 9390, 9403, 9416, 9450, 9464	5063, 5445, 5621, 5634, 5645, 5800, 5813, 5824, 5868, 5880, 5905, 5915, 5920, 5983, 5991, 6294, 6304, 6317, 6327, 6340, 6350, 6363, 6373, 6867, 6973, 6978, 6996, 7256, 7322, 7450, 7458, 7463, 7522, 7528, 7543, 7553, 7558, 7621, 7629, 7720, 9628, 9636, 9641, 9700, 9706, 9840, 10768, 10773, 10791, 10894, 10896, 10910, 10912, 11491, 12265, 13319, 13332, 13343, 13422, 13428, 13456, 13471, 13482, 13566, 13574, 13583, 13585, 13586, 13718, 13738, 13743, 13819, 13916, 13926, 13931, 13994, 14002, 14294, 14314, 14319, 14329, 14342, 14346, 14426, 14432, 14443, 14547, 14809, 14829, 14834, 14844, 14857, 14861, 14941, 14947, 14958, 15118, 15490, 15510, 15515, 15525, 15538, 15542, 15622, 15628, 15639, 15756, 16271, 16923, 16930, 16933, 16944, 16957, 16960, 16967,	16973, 16996, 17000, 17006, 17013 \begin@bidi@stack 2393, 2403, 2404, 2417, 2427, 2428 \begin@group 6, 115, 207, 304, 317, 374, 386, 447, 507, 524, 659, 685, 801, 889, 905, 1055, 1146, 1173, 1307, 1488, 1708, 1952, 1960, 1968, 2068, 2375, 2394, 2418, 2525, 2544, 2676, 2722, 2729, 2759, 2775, 2791, 2831, 2839, 2872, 2895, 2984, 3008, 3023, 3089, 3100, 3112, 3133, 3143, 3154, 3304, 3418, 3430, 3465, 3838, 4257, 4500, 4529, 4558, 4932, 4949, 4965, 4977, 5010, 5314, 5381, 5388, 5395, 5425, 5536, 5560, 5715, 5739, 5945, 6005, 6020, 6110, 6221, 6275, 6284, 6448, 6488, 7172, 7188, 7373, 7386, 7486, 7583, 7642, 9554, 9570, 9664, 9796, 9830, 9914, 9930, 10166, 10175, 10324, 10339, 10346, 10398, 10431, 10537, 10561, 10601, 10617, 10767, 11046, 11057, 11068, 11079, 11194, 11214, 11252, 11285, 11316, 11347, 11433,
\BCmd 1822		
\BDefaboveskip		
.. 1837, 1852, 1855		
\BDefbelowskip		
... 1841, 1853, 1856		
\BDefinlineskip ...		
... 1846, 1854, 1857		
\begin .. 167, 169, 173,		
407, 417, 422,		
485, 493, 734,		
747, 758, 837,		
843, 988, 1001,		
1012, 1091, 1097,		
1240, 1253, 1264,		
1344, 1350, 1359,		
1361, 1362, 1816,		
1818, 1827, 1829,		
1832, 2295, 2299,		
2301, 2303, 2305,		
2309, 2317, 2320,		
2354, 2399, 2403,		
2423, 2427, 2930,		
2936, 2958, 2962,		
3194, 3650, 3651,		
3664, 3667, 3735,		
3736, 3742, 3743,		
3750, 3751, 3776,		
3777, 3814, 3817,		
3820, 3823, 3827,		
3828, 4012, 4013,		
4628, 4684, 4691,		
4698, 4705, 4712,		
4725, 4733, 4855,		
4860, 4993, 5040,		



11451,	11466,	12856,	12858,	17150,	17154,
11525,	11671,	12997,	13012,	17207,	17212,
11997,	12123,	13076,	14202,	17219,	17224,
12253,	12335,	14213,	14220,	17427,	17430,
12414,	12614,	14230,	16143,	17433,	17450,
12618,	12622,	17106,	17111,	17458,	17484,
12807,	13238,	17113,	17207,	17654,	17688,
13262,	13386,	17212,	17218,	17705,	17707,
13527,	13612,	17233,	17610,	17752,	17762,
13636,	13768,	17688, 17752, 17762		17775, 17778, 17786	
13830,	13845,	\beginR 28, 238,		\belowcaptionskip .	
13956,	14016,	338, 343, 374,	 11651,	
14031,	14368,	399, 539, 725,		12219, 12236,	
14469,	14504,	963, 1210, 1474,		14689, 14697,	
14546,	14640,	1921, 2116, 2119,		14708, 14720,	
14883,	14984,	4119, 4207, 5603,		15260, 15268,	
15011,	15041,	5759, 6036, 6141,		15279, 15291,	
15117,	15211,	6207, 6236, 6241,		15898, 15906,	
15564,	15665,	6250, 6256, 6275,		15917, 15929, 17780	
15695,	15755,	7165, 7445, 7745,		\belowdisplayshortskip	
15849,	16075,	7953, 7957, 9350,		. . 3552, 3561, 4762	
16156,	16205,	9372, 9397, 9423,		\belowdisplayskip .	
16229,	16367,	9606, 9757, 9759,	 3553,	
16658,	16775,	9760, 9761, 9762,		3566, 3601, 4767	
17115,	17158,	9764, 9765, 9766,		\bf 12862, 12864	
17207,	17372,	9869, 10107,		\bfseries 25, 305, 511,	
17533, 17556, 17711		10578, 10631,		527, 558, 561,	
\beginL 1473,		10670, 10677,		664, 688, 892,	
2342, 4119, 4163,		11026, 11034,		910, 1151, 1176,	
6206, 6235, 6241,		11418, 11423,		1772, 2312, 4992,	
6243, 6275, 7989,		11430, 11438,		5541, 5563, 5720,	
8041, 8135, 8184,		11484, 11505,		5742, 5869, 5881,	
8276, 8328, 8423,		11641, 12013,		6009, 6023, 6057,	
8475, 8570, 8622,		12229, 12231,		6063, 6071, 7376,	
8717, 8769, 8864,		12628, 12866,		7391, 7406, 7409,	
8916, 9011, 9063,		12991, 12998,		7418, 7646, 7669,	
9158, 9210, 9350,		13003, 13070,		7675, 7684, 9559,	
9361, 9397, 9410,		13071, 13072,		9573, 9584, 9589,	
9745, 9757, 9759,		13282, 13706,		9597, 13243,	
9760, 9761, 9762,		13864, 14047,		13265, 13617,	
9764, 9765, 9766,		14196, 14206,		13639, 13815,	
9844, 9859, 10011,		14217, 14224,		13834, 13848,	
10576, 10582,		14285, 14603,		14020, 14034,	
10602, 10618,		14683, 14800,		14067, 14072, 14080	
10628, 11026,		15174, 15254,		\bgroup . 175, 176, 374,	
11030, 11034,		15346, 15481,		389, 394, 399,	
11036, 11177,		15812, 15892,		633, 1196, 1474,	
11418, 11420,		15965, 15988,		1569, 1671, 1911,	
11423, 11430,		16028, 16150,		2034, 5246, 5471,	
11438, 11641,		17107, 17111,		5485, 6143, 6207,	



9844, 9845, 9859,	13683, 13880,	\bidi@appto .. 2612,
10290, 10451,	13881, 14084, 14085	2656, 2903, 3447
12001, 12003,	\bibpostamble 12719	\bidi@apptocmd
12022, 12041,	\bibpreamble 2829, 2830
12429, 12999,	.. 12703, 14537,	\bidi@AtBeginEnvironment
13004, 13008,	14538, 15107, 2927, 2937
13013, 13017,	15108, 15745, 15746	\bidi@AtEndEnvironment
13022, 13025,	\bibsection .. 4843, 2941, 2951
13030, 13212,	4846, 4848,	\bidi@AtEndPreamble
13664, 15965,	4849, 12263, 2886,
15974, 15982,	12701, 16268, 16270	2891, 2893,
15988, 16020,	\bidi@end .. 2921, 2925	2898, 3487, 4289
16024, 16028,	\bidi@loadwithoptions	\bidi@autofootnoterulefalse
16767, 17220, 3003,	. 10114, 10118, 10121
17225, 17229,	3010, 3013, 3017	\bidi@autofootnoteruletrue
17234, 17238,	\bidi@onefilewithoptions 10136
17243, 17246,	.. 3025, 3028, 3031	\bidi@BeforeBeginEnvironment
17251, 17458,	\bidi@patchcmd 2955, 2963
17468, 17476, 17484 2724, 2726	\bidi@BeforeClass 3078
\bib@after@hook ...	\bidi@addto@envbody	\bidi@BeforeClosingMainAux
..... 14590,	.. 2389, 2407, 2409	3370, 3381, 3385,
14592, 15161,	\bidi@addto@long@envbody	3388, 3396, 3399
15163, 15799, 15801	.. 2413, 2431, 2433	\bidi@BeforeFile . 3076
\bib@before@hook ..	\bidi@AfterAtEndOfClass	\bidi@BeforePackage 3123
..... 14541, 3092, 3097	\bidi@collect@body
14591, 15112,	\bidi@AfterAtEndOfPackage 2395, 2402
15162, 15750, 15800 3136, 3140	\bidi@collect@body 2390
\bib@beginhook 14534,	\bidi@AfterClass . 3080	\bidi@collect@long@body
14540, 15105,	\bidi@AfterEndDocument 2419, 2426
15111, 15743, 15749	.. 2912, 2917, 2923	\bidi@collect@long@body
\bib@endhook	\bidi@afterenddocumenthook 2414
14594, 15165, 15803 2912,	\bidi@csappto 2656
\bib@heading	2913, 2918, 2924	\bidi@csdefcs 2531
14536, 15110, 15748	\bidi@AfterEndEnvironment	\bidi@cseappto 2657, 2660
\bibcleanup 12724 2967, 2977	\bidi@csepreto
\bibentry 4305, 4307,	\bidi@AfterEndPreamble 2666, 2669
4324, 4326, 4343, 2900,	\bidi@csgappto
4345, 4375, 4377	2904, 2906, 2910,	... 2658, 2928,
\bibfont	3489, 5006, 5029	2942, 2956, 2968
\bibindent .. 2346, 2347	\bidi@afterendpreamblehook	\bidi@csgpreto ... 2667
\bibitem@fin 12718 2900,	\bidi@cslet 2537
\bibliofont 82, 291	2901, 2905, 2907	\bidi@csletcs 2534
\bibliographyitemlabel	\bidi@AfterFile 3077,	\bidi@cspreto 2665
..... 2348, 2354	14700, 15271, 15909	\bidi@csuse
\bibname 4848,	\bidi@AfterPackage 3125	... 2599, 2932,
4849, 5579, 5580,	\bidi@AfterPreamble	2946, 2959, 2972
5772, 5773, 6082, 2897, 2898	\bidi@csxappto 2659, 2661
6083, 7695, 7696,	\bidi@AfterReadingMainAux	\bidi@csxpreto 2668, 2670
9611, 9612, 13289, 3407, 3410	\bidi@dbg@fail 2684,
13290, 13682,	\bidi@append . 2833, 2883	2694, 2695, 2696,



2697, 2703, 2712,	8301, 8304, 8307,	7874, 7875, 7903
2718, 2825, 2847,	8310, 8322, 8335,	\bidi@epreto
2859, 2860, 2869	8347, 8362, 8374,	.. 2638, 2651, 2666
\bidi@dbg@info	8386, 8391, 8395,	\bidi@error . 2551, 2584
... 2685, 2687,	8399, 8413, 8423,	\bidi@everyjob 1532,
2690, 2692, 2693,	8433, 8443, 8448,	1533, 1649, 1650
2704, 2706, 2708,	8451, 8454, 8457,	\bidi@excludedpackages
2710, 2711, 2713,	8469, 8482, 8494, 3164,
2715, 2717, 2823,	8509, 8521, 8533,	3165, 3185, 3221,
2848, 2850, 2852,	8538, 8542, 8546,	3238, 3246, 3256,
2855, 2861, 2863	8560, 8570, 8580,	3278, 3279, 3287,
\bidi@dbg@init 2682,	8590, 8595, 8598,	3288, 3293, 3306
2701, 2822, 2845	8601, 8604, 8616,	\bidi@expandonce . .
\bidi@dbg@succ	8629, 8641, 8656, 2604,
... 2728, 2824,	8668, 8680, 8685,	2615, 2619, 2623,
2856, 2864, 2866	8689, 8693, 8707,	2627, 2637, 2641,
\bidi@dbg@trce	8717, 8727, 8737,	2645, 2649, 2867
.... 2675, 2721,	8742, 8745, 8748,	\bidi@ff@box . 9962, 9980
2821, 2830, 2838	8751, 8763, 8776,	\bidi@footdir@footnote
\bidi@eappto	8788, 8803, 8815, 76, 285,
.. 2616, 2629, 2657	8827, 8832, 8836,	10234, 10236, 10240
\bidi@endpreamblehook	8840, 8854, 8864,	\bidi@gappto
..... 2886,	8874, 8884, 8889,	... 2620, 2658,
2887, 2892, 2894	8892, 8895, 8898,	2886, 2900, 2912
\bidi@ensure@new@command	8910, 8923, 8935,	\bidi@gobbleopt . . .
..... 2542, 2543	8950, 8962, 8974, 3327, 3336
\bidi@ensure@newcommand	8979, 8983, 8987,	\bidi@gpreto . 2642, 2667
... 2542, 7757,	9001, 9011, 9021,	\bidi@hook@acma . . .
7758, 7852, 7860,	9031, 9036, 9039,	... 3351, 3395,
7861, 7862, 7869,	9042, 9045, 9057,	3408, 3409, 3414
7870, 7876, 7877,	9070, 9082, 9097,	\bidi@hook@bcma . . .
7892, 7893, 7899,	9109, 9121, 9126,	... 3345, 3394,
7900, 7901, 7902,	9130, 9134, 9148,	3397, 3398, 3404
7905, 7911, 7913,	9158, 9168, 9178,	\bidi@hooktocmd . . .
7919, 7920, 7935,	9183, 9186, 9189,	.. 2833, 2841, 2843
7946, 7948, 7951,	9192, 9204, 9217,	\bidi@hooktocmd@i .
7956, 7959, 7961,	9229, 9244, 9256, 2857, 2871
7965, 7979, 7989,	9268, 9273, 9277,	\bidi@ifblank@i . . .
7999, 8009, 8014,	9281, 9289, 9296,	.. 2503, 2504, 2506
8017, 8020, 8023,	9300, 9311, 9320,	\bidi@ifdefmacro . .
8035, 8048, 8060,	9322, 9323, 9342, 2509,
8075, 8087, 8099,	9353, 9364, 9375,	2511, 2512, 2513
8104, 8108, 8112,	9379, 9383, 9387,	\bidi@ifdefparam . .
8126, 8135, 8144,	9400, 9413, 9426, 2803,
8153, 8158, 8161,	9447, 9460, 9474,	2805, 2806, 2807
8164, 8167, 8178,	9480, 9487, 9494,	\bidi@ifdefprotected
8190, 8201, 8216,	9502, 9506, 9517, 2812,
8227, 8239, 8244,	9518, 9529, 9547	2814, 2815, 2816
8248, 8252, 8266,	\bidi@ensure@newlength	\bidi@ifhashcheck .
8276, 8286, 8296,	... 2549, 7873,	.. 2689, 2774, 2854



\bidi@ifhashcheck@i	11767,	11770,	\bidi@n@everypar ..
..... 2778, 2780	11773,	11776,	.. 12993, 12994,
\bidi@ifhashcheck@ii	11779,	11783,	12995, 12996,
..... 2782,	11786,	11789,	17029, 17214,
2785, 2786, 2787	11792,	11795,	17215, 17216, 17217
\bidi@ifpatchable .	11798,	11801,	\bidi@namelongdef .
.. 2678, 2680, 2727	11804,	11807, 2540,
\bidi@ifpatchable@i	11810,	11813,	8067, 8069, 8076,
..... 2678, 2699	11816,	11819,	8088, 8208, 8210,
\bidi@ifpattern ...	11822,	11825,	8217, 8228, 8240,
..... 2691, 2790	11828,	11831,	8354, 8356, 8363,
\bidi@ifscanable ..	11834,	11837,	8375, 8501, 8503,
..... 2688,	11840,	11843,	8510, 8522, 8648,
2709, 2758, 2853	11846,	11849,	8650, 8657, 8669,
\bidi@info 2553	11852,	11855,	8795, 8797, 8804,
\bidi@isloaded 2750,	11858,	11861,	8816, 8942, 8944,
11692, 11693,	11864,	11867,	8951, 8963, 9089,
11694, 11695,	11870,	11873,	9091, 9098, 9110,
11696, 11697,	11876,	11879,	9236, 9238, 9245,
11698, 11699,	11882,	11885,	9257, 9433, 9435,
11700, 11701,	11888,	11891,	9448, 9461, 9475
11702, 11703,	11894,	11897,	\bidi@new@command .
11704, 11705,	11900,	11903, 2556,
11706, 11707,	11906,	11909,	2558, 2587, 2595
11708, 11709,	11912,	11915,	\bidi@newcommand ..
11710, 11711, 11712,	11918,	11921, 2558, 2560
11713, 11714,	11924,	11927,	\bidi@newrobustcmd
11715, 11716,	11930,	11933, 1564,
11717, 11718,	11936,	11939,	1566, 2555, 2556,
11719, 11720,	11942,	11945,	2580, 2591, 2612,
11721, 11722,	11948, 11951, 11954		2616, 2620, 2624,
11723, 11724,	\bidi@load@hook 2996,		2629, 2630, 2634,
11725, 11726,	2999, 3032, 3069		2638, 2642, 2646,
11727, 11728,	\bidi@loadwithoptions		2651, 2652, 2656,
11729, 11730,	.. 3004, 3005, 3010		2657, 2658, 2659,
11731, 11732,	\bidi@lrbox 17368		2660, 2661, 2665,
11733, 11734,	\bidi@lst@caption@direction		2666, 2667, 2668,
11735, 11736, 11624,		2669, 2670, 2674,
11737, 11738,	11625, 11629, 11632		2720, 2819, 2829,
11739, 11740,	\bidi@lst@ensure@caption@direction		2837, 2886, 2897,
11741, 11742,	.. 11627, 11639,		2900, 2912, 2927,
11743, 11744,	11641, 11643,		2941, 2955, 2967
11745, 11746,	11661, 11665, 11672		\bidi@notblank 2505,
11747, 11748,	\bidi@mpfootnoterule		2513, 2807, 2816
11749, 11750, 10018,		\bidi@o@everypar ..
11751, 11752,	10245, 10258,	 12992,
11753, 11754,	10271, 10308, 12096		12994, 12995,
11755, 11756,	\bidi@multicol@align@columns		17213, 17215, 17216
11757, 11758, 12529,		\bidi@onefilewithoptions
11761, 11764,	12579, 12582, 12584		.. 3020, 3021, 3025



\bidi@orig@leftline	\bidi@patch@OrgIfClassLater	\bidi@protected@immediate@write
17435, 17437, 17438 3493, 3498	... 3400, 3411, 3417
\bidi@orig@raggedleft	\bidi@patch@OrgIfClassLoaded	\bidi@protected@xappto
17420, 17422, 17423 3492, 3497 2630
\bidi@orig@raggedright	\bidi@patch@OrgIfPackageLater	\bidi@protected@xpreto
17421, 17422, 17423 3491, 3496 2652
\bidi@orig@rightline	\bidi@patch@OrgIfPackageLoaded	\bidi@provide@command
17436, 17437, 17438 3490, 3495 2591, 2593
\bidi@p@ftn	\bidi@patch@stepcounter	\bidi@providerobustcmd
1865, 1928, 1931,	.. 3429, 3439, 3458 2591
1932, 1934, 1935,	\bidi@patch@temp ..	\bidi@push@begins ..
1937, 1938, 1942, 3457, 3461	.. 2399, 2400, 2403
1945, 1948, 2053	\bidi@patch@try ...	\bidi@push@long@begins
\bidi@p@ftntext 3476, 3479	.. 2423, 2424, 2427
.. 1912, 1930, 2035	\bidi@patchcmd	\bidi@raggedleft ..
\bidi@p@LTRftntext	... 2720, 2721, 2289,
.. 1913, 1933, 2036	2915, 2930, 2944,	2296, 2301, 2320,
\bidi@p@RTLftntext	2970, 11654, 11667	6863, 6979, 9761,
... 1914, 1936, 2037	\bidi@patchcmd@scantoks	9766, 10810, 17425
\bidi@p@xfootnote .	.. 2738, 2744, 2879	\bidi@raggedright .
... 1916, 1951, 2039	\bidi@pgfpicture 9759, 9764,
\bidi@p@xftntext 1915, 12856, 16160	12635, 12638,
1941, 1956, 2038	\bidi@prepend 2841, 2884	12640, 12643,
\bidi@p@xLTRfootnote	\bidi@preto	12645, 12647,
... 1918, 1959, 2041	.. 2634, 2665, 2889	12650, 12652,
\bidi@p@xLTRftntext	\bidi@pretocmd	12654, 12656,
..... 1917,	.. 2837, 2838, 2958	12659, 12661,
1944, 1964, 2040	\bidi@PreventPackageFromLoading	12663, 12665,
\bidi@p@xRTLfootnote 3167,	12667, 12670,
.. 1920, 1967, 2043	3181, 3211, 3244	12672, 12675,
\bidi@p@xRTLftntext	\bidi@process@envbody	12677, 12680,
..... 1919,	... 2392, 2396,	12682, 12684,
1947, 1972, 2042	2397, 2411, 2416,	12687, 12689,
\bidi@patch@@AfterPackage	2420, 2421, 2435	12691, 12694,
..... 3459, 3464	\bidi@protected 2607,	12696, 12698, 17424
\bidi@patch@Add ...	2629, 2630, 2651,	\bidi@redefine@newpage
..... 3446, 3475	2652, 2660, 3361, 3401
\bidi@patch@AfterPackage	2661, 2669, 2670	\bidi@reflect@box ..
... 3449, 3453,	\bidi@protected@cseappto	.. 13055, 13062,
3456, 4401, 4403, 2660	17280, 17287, 17289
4406, 4427, 4575,	\bidi@protected@csepreto	\bidi@renew@command
4625, 4681, 4925 2669	.. 2580, 2582, 2596
\bidi@patch@counter	\bidi@protected@csxappto	\bidi@renewrobustcmd
3427, 3431, 3434, 2661 2580
3440, 3441, 3460	\bidi@protected@csxpreto	\bidi@ReplaceClass 3051
\bidi@patch@temp 2670	\bidi@replacefile@msg
..... 3467, 3474	\bidi@protected@eappto 2988,
\bidi@patch@list 2629	3012, 3027, 3065
... 3445, 3447,	\bidi@protected@epreto	\bidi@ReplaceInput 3035
3485, 3487, 3494 2651	



\bidi@ReplacePackage	3077, 3079, 3098,	\bidiGscale@box@odd
..... 3048	3110, 3124, 3141, 3152	10659, 10663, 10669
\bidi@RequirePackage	\bidi@StorePreventPackageFromLoading	\bidiGscale@box@odd
.. 3187, 3247, 3298 3255, 3258 10665, 10676
\bidi@ResetPreventPackageFromLoading	\bidi@tempa	\bidillap 17440
..... 3239,	1572, 1578, 1584,	\bidipoem@hrlen ..
3245, 3254, 3293	1596, 1602, 1608 5170,
\bidi@resrvda . 2730,	\bidi@tempb	5176, 5179, 5182, 5191
2731, 2732, 2735,	1572, 1573, 1578,	\bidipoem@half@verses
2736, 2737, 2738,	1579, 1584, 1585,	.. 5196, 5197, 5200
2739, 2740, 2745,	1596, 1597, 1602,	\bidipoem@half@verses@next
2748, 2760, 2761,	1603, 1608, 1609	.. 5196, 5197, 5198
2762, 2763, 2764,	\bidi@tikz@picture	\bidipoem@hvind 5170,
2766, 2767, 2776, 16158, 16159	5173, 5174, 5182,
2778, 2792, 2793,	\bidi@tikzpicture 16155	5183, 5186, 5189
2795, 2797, 2798,	\bidi@todonotes@tempa	\bidipoem@hrlen ...
2873, 2874, 2875, 16905, 16913 5169, 5174,
2876, 2877, 2878,	\bidi@todonotes@tempb	5176, 5187, 5189
2879, 2880, 2881 16905,	\bidipoem@hvsep 5169,
\bidi@resrvdb 2732, 2733	16906, 16913, 16914	5182, 5183, 5190
\bidi@restore@newpage	\bidi@undef	\bidipoem@next 5175, 5176
.. 3346, 3363, 3393	... 2740, 2819,	\bidipoem@openbox .
\bidi@RTL@everypar	2881, 2894, 2907 5214, 5219
..... 12991,	\bidi@undefined .. 2819	\bidipoem@p@ftn ...
12995, 17212, 17216	\bidi@UnPreventPackageFromLoading	... 5221, 5231,
\bidi@s@tffftextcol 3259	5362, 5363, 5365,
..... 9959, 9963	\bidi@UnReplaceClass	5366, 5368, 5369,
\bidi@s@ved@checkend 3062	5372, 5375, 5378,
.. 3338, 3341, 3359	\bidi@UnReplaceInput	5483, 11284,
\bidi@s@ved@clearpage 3039	11294, 11315,
.. 3343, 3344, 3347	\bidi@UnReplacePackage	11325, 11346, 11356
\bidi@s@ved@dofilelist 3059	\bidipoem@p@ftntext
..... 3349,	\bidi@warning	5248, 5259, 5361,
3352, 3353, 3360	... 2552, 2935,	5472, 5486, 11282
\bidi@s@ved@eqno ..	2949, 2961, 2975	\bidipoem@p@LTRftntext
..... 13066,	\bidi@xappto 5249,
13068, 13069,	.. 2624, 2630, 2659	5260, 5364,
17781, 17783, 17784	\bidi@xargdef 2562, 2570	5473, 5487, 11313
\bidi@s@ved@leqno .	\bidi@xpreto	\bidipoem@p@RTLftntext
..... 13067,	.. 2646, 2652, 2668	5250, 5261, 5367,
13068, 13069,	\bidicolor ... 6201,	5474, 5488, 11344
17782, 17783, 17784	6257, 6272, 6274,	\bidipoem@p@xfootnote
\bidi@s@ved@newpage	9960, 17155,	... 5252, 5263,
..... 3362, 3373	17202, 17205, 17206	5380, 5476, 5490
\bidi@s@ved@RequirePackage	\bididate 1504, 1506,	\bidipoem@p@xftntext
3166, 3186, 3197,	1520, 1620, 1637	5251, 5262, 5371,
3249, 3251, 3329	\bidiGscale@@box ..	5385, 5475, 5489
\bidi@set@load@hook 10650, 10651	\bidipoem@p@xLTRfootnote
... 3073, 3076,	\bidiGscale@box 5254, 5265,
	10627, 10628, 10647	5387, 5478, 5492



\bidipoem@p@xLTRftntext	\bm@t 17501	12973, 12977,
. 5253,	\boolean 177, 182, 190,	12982, 13059,
5264, 5374,	3506, 3576, 3578,	14127, 14136,
5392, 5477, 5491	3581, 3585, 3588,	14174, 14185,
\bidipoem@p@xRTLfootnote	3591, 3616, 3712,	14673, 14683,
. . . 5256, 5267,	3727, 3732, 3752,	15244, 15254,
5394, 5480, 5494	3759, 3767, 3784,	15366, 15372,
\bidipoem@p@xRTLftntext	3804, 3808, 3826,	15378, 15384,
. 5255,	3827, 3830, 3831,	15390, 15396,
5266, 5377,	3866, 3875, 3886,	15402, 15408,
5399, 5479, 5493	4628, 4632, 4680,	15414, 15882,
\bidipoem@set@verse	4893, 5030, 5099,	15892, 16150,
. . . 5176, 5179, 5181	5110, 9974, 12813	16209, 16227,
\bidipoem@set@verseI	\botmark . . . 9956, 17769	17099, 17100,
. 5175, 5178	\box 168, 170,	17110, 17284,
\bidipoem@spreadbox	2110, 2116, 4047,	17442, 17522,
. 5165,	6116, 6240, 6397,	17527, 17529,
5187, 5189, 5190, 5191	6400, 6417, 6421,	17540, 17546,
\bidirlap 17439	6428, 6434, 6436,	17551, 17666,
\bidituftefloatDebugInfoNL	6442, 6443, 6464,	17682, 17693,
. . . 3506, 3604,	6470, 6475, 6481,	17706, 17708,
3608, 3897, 3946	6482, 6537, 6540,	17756, 17758, 17778
\bidituftefloatError	6545, 6550, 6574,	\boxdef 1814,
. 3505, 3992	6710, 6714, 6738,	1816, 1822, 1827, 1832
\bidituftefloatInfoNL	7020, 7041, 7057,	\boxmaxdepth
. . 3506, 3507, 4061	7114, 7951, 7956, 7012, 7017,
\bidituftefloatRecalculate	9293, 9308, 9318,	7033, 7038, 7065,
. 3633, 3644	9538, 9790, 9792,	7122, 7895, 9519,
\bidituftehyperrefLoadHyperref	9822, 9826, 9869,	9728, 10418, 10420
. 4883, 4894	9951, 9977, 9982,	\br 12897, 12899,
\bidituftesidenotemarginpar	10465, 10472,	12901, 12902,
. . 4077, 4429, 4585	10475, 10489,	12903, 12907,
\bidituftetocError	10525, 10532,	12963, 12969, 12977
. . 4614, 4661, 4670	10535, 10545,	\BR@b@bibitem 4282, 4283
\bidiversion . . 1505,	10554, 10557,	\BR@bibitem . 4285, 4286
1506, 1520, 1621, 1637	10595, 10598,	\BR@c@bibitem 4287
\bigskip 13081	10641, 10644,	\bracetext . . . 1568,
\bigskipamount	10674, 10691,	1670, 12997,
. . 7937, 7942, 9496	11649, 12017,	12998, 17218, 17219
\bl 12897, 12898,	12200, 12234,	\break 11974
12901, 12902,	12270, 12326,	\BreakBibliography
12903, 12907,	12329, 12352, 14543,
12962, 12969, 12973	12404, 12409,	14575, 14577,
\blacktriangleleft	12545, 12551,	14583, 15114,
. . . . 10367, 10369	12566, 12574,	15146, 15148,
\blacktriangleright	12866, 12870,	15154, 15752,
. . . . 10367, 10369	12886, 12920,	15784, 15786, 15792
\bm@b 17502	12924, 12929,	\bs 1782, 1783, 1785
\bm@l 17499	12933, 12945,	\bslice 12917,
\bm@r 17500	12956, 12970,	12918, 12920,



12930, 12931, 12933, 12953, 12954, 12956, 12980, 12981, 12982	\bx@p . . . 3921, 3941, 3982 \bx@PP 3962, 3988 \bx@Q 3935, 3976 \bx@q . . . 3922, 3941, 3982 \bx@QQ 3963, 3988 \bx@R 3935, 3976 \bx@r . . . 3923, 3941, 3982 \bx@RR 3964, 3988 \bx@S 3896, 3898, 3936, 3977 \bx@s . . 3924, 3942, 3983 \bx@SS 3965, 3989 \bx@T . . 3899, 3936, 3977 \bx@t . . 3925, 3942, 3983 \bx@TT 3966, 3989 \bx@U . . 3900, 3936, 3977 \bx@u . . 3926, 3942, 3983 \bx@UU 3967, 3989 \bx@V . . 3901, 3936, 3977 \bx@v . . 3927, 3942, 3983 \bx@VV 3968, 3989 \bx@W . . 3902, 3937, 3978 \bx@w . . 3928, 3943, 3984 \bx@WW 3969, 3990 \bx@X . . 3903, 3937, 3978 \bx@x . . 3929, 3943, 3984 \bx@XX 3970, 3990 \bx@Y . . 3904, 3937, 3978 \bx@y . . 3930, 3943, 3984 \bx@YY 3971, 3990 \bx@Z . . 3905, 3937, 3978 \bx@z . . 3931, 3943, 3984 \bx@ZZ 3972, 3990	10001, 10003, 10004, 11687, 12162, 12747, 13311, 13313, 13315, 13676, 13678, 13680, 13869, 13871, 13873, 14052, 14054, 14056, 14057 \c@colht 12271, 12283, 12309, 12310, 12353, 12365, 12391, 12392 \c@curpg 9883, 9910, 9911 \c@DFNsloppiness 7010, 7031 \c@enumiv . . 570, 577, 704, 711, 972, 979, 1224, 1231, 2364, 5582, 5589, 5775, 5782, 6085, 6092, 7426, 7433, 7698, 7705, 9614, 9621, 13292, 13299, 13685, 13692, 13883, 13890, 14087, 14094, 14551, 14560, 14567, 15122, 15131, 15138, 15760, 15769, 15776, 16274, 16281 \c@equation . . 5615, 5794, 6041, 7266, 7335, 7653, 9721, 9986, 9999, 12162, 13311, 13680, 13869, 14052, 15101, 15739 \c@figure 5617, 5796, 6043, 7655, 9723, 9988, 10001, 12163, 13313, 13676, 13871, 14054, 15085, 15731 \c@footnote . . . 124, 320, 448, 743, 802, 997, 1056, 1249, 1308, 1709, 5630, 5809,
	C \c@abspage 10049 \c@advipersep 12271, 12289, 12294, 12316, 12343, 12353, 12371, 12376, 12398, 12422 \c@algocf 164 \c@chapter . . . 5615, 5617, 5619, 5794, 5796, 5798, 6041, 6043, 6045, 6046, 7653, 7655, 7657, 7658, 9721, 9723, 9725, 9986, 9988, 9990, 9991, 9999,	



5946, 7487, 7584, 9665, 10317, 10331, 11080, 11207, 11215, 11245, 11253, 12030, 12033, 13328, 13387, 13467, 13528, 13726, 13769, 13957, 14305, 14369, 14820, 14884, 15501, 15565	12757, 13305, 13670, 13874, 14058, 15069, 15719	13235, 13251, 13593, 13609, 13625, 13827, 13841, 14012, 14027, 14460, 14493, 14975, 15002, 15030, 15656, 15684, 16350, 16354, 16396, 16415, 16437, 16454, 16471, 16488, 16656, 16852, 17504
\c@L@depth 11605	\c@subparagraph 546, 699, 955, 1219, 5613, 5792, 6051, 7540, 7663, 9719, 9996, 10009, 12159, 13309, 13674, 13878, 14062, 14530, 15077, 15727	\c@twb 6407
\c@L@lines . 11606, 11608 543, 696, 952, 1216, 5610, 5789, 6048, 7537, 7660, 9716, 9993, 10006, 12153, 13306, 13671, 13875, 14059, 14524, 15071, 15721	\c@twcompctr 6388
\c@ll@chapseci ... 6282		\c@twcompodctr .. 6404
\c@ll@chapsecii .. 6277		\c@twfirst ... 6389, 6395, 6402, 6406, 6415, 6418
\c@lofdepth 16505, 16542		\c@twlftside 6393
\c@lor@error 6246, 6253, 6261, 6267, 17147, 17181		\c@twlspec 6407, 6410, 6414
\c@lotdepth 16523, 16562	\c@subsubsection 544, 697, 953, 1217, 5611, 5790, 6049, 7538, 7661, 9717, 9994, 10007, 12155, 13307, 13672, 13876, 14060, 14526, 15073, 15723	\c@twprune ... 6393, 6394, 6410, 6414
\c@lstlisting 11687, 11689	\c@table . 5619, 5798, 6045, 7657, 9725, 9990, 10003, 12164, 13315, 13678, 13873, 14056, 15093, 15735	\c@twrounds .. 6405, 6408, 6411, 6423
\c@LT@chunks 12000		\c@twrtside 6394
\c@LT@tables 2082	\c@thisframe 9882, 9887, 9923, 9925, 9926	\c@twslicea 6391, 6393, 6397, 6400, 6409, 6410, 6417, 6421
\c@mpfootnote 10245, 10258, 10271, 10295, 12105		\c@twsliceb .. 6392, 6394, 6397, 6400, 6413, 6414, 6417, 6421
\c@NAT@ctr 12706		\c@twwinlines 6390, 6403
\c@page 5037, 7173, 7190, 9883, 9910, 17062, 17662		\c@zabspage 10049
\c@paragraph 545, 698, 954, 1218, 5612, 5791, 6050, 7539, 7662, 9718, 9995, 10008, 12157, 13308, 13673, 13877, 14061, 14528, 15075, 15725		\cals@activate@rtl 6158
\c@poem@no ... 5306, 5356, 5407, 5418	\c@tocdepth . 3, 204, 503, 520, 640, 656, 674, 869, 902, 920, 1127, 1143, 1161, 5517, 5533, 5549, 5696, 5712, 5728, 6001, 6016, 7369, 7383, 7639, 9551, 9566, 12470, 12482, 12494, 13219,	\cals@borderB 6179
\c@secnumdepth 306, 548, 557, 5858, 6055, 7396, 7405, 7667, 9583, 13085, 14066		\cals@borderL 6176
\c@section ... 5609, 5788, 6047, 7659, 9715, 9992, 10005, 12151,		\cals@borderR 6177
		\cals@borderT 6178
		\cals@current@context 6171
		\cals@last@context 6170
		\cals@paddingL 6184, 6188
		\cals@paddingR 6185, 6189
		\cals@set@tohsize 6173
		\cals@setcellprevdepth 6173
		\cals@setpadding . 6173



\cals@tbreak@tokens	6168	10783, 10801,	\cftbeforeparaskip	16472
\cals@tfoot@height	6169	11977, 12238, 12240	\cftbeforepartskip	16366
\cals@tfoot@tokens		\caption@par	\cftbeforesecskip	
.	6167, 6181	\caption@hangindent	16417, 16420
\cals@thead@tokens	6166	\caption@makecaption	\cftbeforesubfigskip	
\CAny	1803	16543
\cAny	1811	\caption@parindent	\cftbeforesubparaskip	
\cap@indent		\caption@startrue	16489
.	14650, 14653,	\captionabove	\cftbeforesubsecskip	
14658, 14660,		14736, 15302,	16438
14661, 15221,		15307, 15940, 15945	\cftbeforesubsubsecskip	
15224, 15229,		\captionbelow	16455
15231, 15232,		14738, 15304,	\cftbeforesubtabskip	
15859, 15862,		15309, 15942, 15947	16563
15867, 15869, 15870		\captionformat	\cftbeforetabskip	16524
\cap@left	14672,	14647, 14652,	\cftchapaftersnum	16407
14683, 15243,		14657, 14662,	\cftchapaftersnumb	16408
15254, 15881, 15892		14680, 15197,	\cftchapfillnum	16411
\cap@margin		15218, 15223,	\cftchapfont	16410
14615, 15186, 15824		15228, 15233,	\cftchapindent	
\cap@right	14674,	15251, 15835,	16399, 16402, 16649	
14683, 15245,		15856, 15861,	\cftchapnumwidth	16405, 16650
15254, 15883, 15892		15866, 15871, 15889	\cftchappresnum	16406
\cap@width		\captionlabelfalse	\cftchapterprecistoc	
.	14638, 14641,	\catcode	16648
14644, 15209,		1673, 2747, 4254,	\cftdot	16346
15212, 15215,		4276, 5204, 5205,	\cftdotfill	16640
15847, 15850, 15853		5207, 5208,	\cftdotsep	16639
\capfont	14625, 14646,	10376, 10377,	\cftfigaftersnum	16515
14651, 14656,		10492, 11434, 11435	\cftfigaftersnumb	16516
14660, 14679,		\Centering	\cftfigfillnum	16519
14683, 15196,		\cftfigfont	16518
15217, 15222,		\centering	\cftfigindent	
15227, 15231,		16507, 16510
15250, 15254,		6867, 6880, 6996,	\cftfignumwidth	16513
15834, 15855,		9760, 9765,	\cftfigpresnum	16514
15860, 15865,		10813, 10898,	\cftparaaftersnum	16481
15869, 15888, 15892		10914, 12185,	\cftparaaftersnumb	16482
\caplabelfont	14626,	12187, 12189,	\cftparafillnum	16485
14647, 14652,		14352, 14867, 15548	\cftparafont	16484
14657, 14662,		\CenteringLeftskip	\cftparaindent	
14680, 15197,		\CenteringParfillskip	16473, 16476
15218, 15223,		\cftparanumwidth	16479
15228, 15233,		\cftparapresnum	16480
15251, 15835,		\CenteringParindent	\cftpartaftersnum	16376
15856, 15861,		\cftpartaftersnumb	16377
15866, 15871, 15889		\cftpartfillnum	16380
\caption	3721,	\centerline	\cftpartfont	16379
3722, 3724, 3774,			
		309, 10472,		
		10489, 13070, 17426		
		\cftbeforechapskip		
		\cftbeforefigskip		



\cftpartindent	\cftsubsubsecfont 16467	6319, 6322, 6329,
..... 16368, 16371	\cftsubsubsecindent	6332, 6342, 6345,
\cftpartnumwidth . 16374 16456, 16459	6352, 6355, 6365,
\cftpartpresnum . . .	\cftsubsubsecnumwidth	6368, 6375, 6378
..... 16375, 16379 16462	\cite 4291,
\cftsecaftersnum . 16430	\cftsubsubsecpresnum	4383, 4389, 4390,
\cftsecaftersnumb 16431 16463	4481, 4486, 4507,
\cftsecfillnum . . . 16434	\cftsubtabaftersnum	4515, 4536, 4544,
\cftsecfont 16433 16572	4565, 4583, 4587,
\cftsecindent	\cftsubtabaftersnumb	4592, 4596, 4601,
..... 16422, 16425 16573	4605, 12715, 12716
\cftsecnumwidth . . 16428	\cftsubtabfillnum 16576	\citeasnoun 12716
\cftsecpresnum . . . 16429	\cftsubtabfont . . . 16575	\citeN 12715
\cftsubfigaftersnum	\cftsubtabindent . .	\cites 4384
..... 16552 16564, 16567	\cl@ckpt 16038
\cftsubfigaftersnumb	\cftsubtabnumwidth 16570	\ClassInfo 5068, 5133,
..... 16553	\cftsubtabpresnum 16571	14742, 15313, 15951
\cftsubfigfillnum 16556	\cfttabaftersnum 16533	\ClassWarning
\cftsubfigfont . . . 16555	\cfttabaftersnumb 16534	14362, 14877, 15558
\cftsubfigindent . .	\cfttabfillnum . . . 16537	\ClassWarningNoLine
..... 16544, 16547	\cfttabfont 16536 12222
\cftsubfignumwidth 16550	\cfttabindent	\clear 3384
\cftsubfigpresnum 16551 16525, 16528	\cleardoubleemptypage
\cftsubparaaftersnum	\cfttabnumwidth . . 16531 14309,
..... 16498	\cfttabpresnum . . . 16532	14354, 14824,
\cftsubparaaftersnumb	\chapnumfont 13084	14869, 15505, 15550
..... 16499	\chapter 4626,	\cleardoublepage . .
\cftsubparafillnum 16502	4654, 4724, 4732,	. . . 4990, 5035,
\cftsubparafont . . 16501	4848, 4854, 5579,	5037, 5094, 5107,
\cftsubparaindent .	5772, 6082, 7695,	5121, 6076, 7689
..... 16490, 16493	9611, 13289,	\clearpage 600,
\cftsubparanumwidth	13682, 13880, 14084	616, 867, 1121,
..... 16496	\chapterheadendvskip	3343, 3344, 3347,
\cftsubparapresnum 16497 13090	3993, 5002, 5037,
\cftsubsecaftersnum	\chapterheadstartvskip	5123, 5511, 5690,
..... 16447 13082	5902, 6078, 7691,
\cftsubsecaftersnumb	\chaptermark . 5111, 16309	13195, 13452,
..... 16448	\chaptername . . 310, 12171	13914, 14417,
\cftsubsecfillnum 16451	\chapterstyle 12166	14932, 15613, 16343
\cftsubsecfont . . . 16450	\char 1786, 1787	\closing . . . 7728, 15422
\cftsubsecindent . .	\chardef	\clubpenalty 88,
..... 16439, 16442	10376, 11624, 11625	297, 579, 580,
\cftsubsecnumwidth 16445	\check@floats 6595, 6760	712, 980, 1232,
\cftsubsecpresnum 16446	\CheckCommand . 2979,	2365, 5322, 5590,
\cftsubsubsecaftersnum	11204, 11242, 13146	5783, 6094, 6095,
..... 16464	\checkoddpage 3615	7434, 7707, 7708,
\cftsubsubsecaftersnumb	\CIIAny 1804	9622, 12712,
..... 16465	\ciiAny 1812	13300, 13693,
\cftsubsubsecfillnum	\circle 6296,	13892, 13893,
..... 16468	6299, 6306, 6309,	14096, 14097,



14569, 15140,
15778, 16283, 16284
\coffefont 12490
\col@number 128, 133,
135, 138, 139, 146,
454, 808, 1062,
1314, 2061, 5952,
7493, 7590, 9671,
12129, 12432,
12514, 12519,
12586, 12587,
12589, 12592,
12593, 12600,
13393, 13534,
13780, 13963,
14373, 14888, 15569
\col@sep . . . 374, 402,
6197, 6198, 11989
\color 177, 1743, 1744,
1745, 1746, 2289,
6242, 6245, 6248,
6266, 6269, 6861,
6864, 6874, 6992,
11531, 12068, 17112
\color@ 17152, 17199
\color@b@x . . . 6234,
6272, 6274,
17105, 17202, 17205
\color@begingroup .
. . . 4438, 4455,
4472, 5481, 5495,
7769, 7785, 7801,
7814, 7827, 7840,
7985, 7995, 8005,
8031, 8044, 8056,
8083, 8096, 8132,
8141, 8150, 8175,
8187, 8198, 8224,
8236, 8272, 8282,
8292, 8318, 8331,
8343, 8370, 8383,
8419, 8429, 8439,
8465, 8478, 8490,
8517, 8530, 8566,
8576, 8586, 8612,
8625, 8637, 8664,
8677, 8713, 8723,
8733, 8759, 8772,
8784, 8811, 8824,
8860, 8870, 8880,

8906, 8919, 8931,
8958, 8971, 9007,
9017, 9027, 9053,
9066, 9078, 9105,
9118, 9154, 9164,
9174, 9200, 9213,
9225, 9252, 9265,
9349, 9360, 9371,
9396, 9409, 9422,
9456, 9470, 9524,
10196, 10212,
10227, 10253,
10266, 10279,
10291, 12042, 17377
\color@block . 6239, 17110
\color@box . 6272, 17202
\color@endbox . 2054,
4113, 4157, 4201,
14199, 14209,
14227, 17604,
17648, 17753, 17763
\color@endgroup 4442,
4459, 4476, 5483,
7773, 7789, 7805,
7819, 7832, 7845,
7932, 7987, 7997,
8007, 8033, 8046,
8058, 8085, 8098,
8134, 8143, 8152,
8177, 8189, 8200,
8226, 8238, 8274,
8284, 8294, 8320,
8333, 8345, 8372,
8385, 8421, 8431,
8441, 8467, 8480,
8492, 8519, 8532,
8568, 8578, 8588,
8614, 8627, 8639,
8666, 8679, 8715,
8725, 8735, 8761,
8774, 8786, 8813,
8826, 8862, 8872,
8882, 8908, 8921,
8933, 8960, 8973,
9009, 9019, 9029,
9055, 9068, 9080,
9107, 9120, 9156,
9166, 9176, 9202,
9215, 9227, 9254,
9267, 9351, 9362,

9373, 9398, 9411,
9424, 9458, 9472,
9528, 10199,
10215, 10230,
10256, 10269,
10282, 10312, 17379
\color@fb@x 17203, 17204
\color@fb@x 6273, 17203
\color@hbox
. . 14196, 14206,
14224, 17750, 17760
\color@setgroup . . .
. 6275, 17207
\color@vbox
2032, 4104, 4148,
4192, 17595, 17639
\colorA 5860, 5869, 5881
\colorB 5866,
5872, 5878, 5884
\colorblend . . 17119,
17120, 17162, 17163
\colorbox 1859, 1861, 1862
\columncolor . 1468, 6205
\columnsep 95,
225, 593, 609,
860, 1114, 1692,
2198, 5504, 5683,
5895, 6437, 6541,
9793, 10558,
12331, 12429,
12522, 12568,
13188, 13445,
13907, 17067,
17072, 17076,
17082, 17085, 17530
\columnseprule . . 95,
225, 592, 608,
859, 1113, 1693,
2199, 5503, 5682,
5894, 6433, 6472,
6535, 6547, 6712,
9789, 9824,
10533, 10552,
12323, 12406,
12547, 12558,
13187, 13444,
13906, 17526, 17548
\columnseprulecolor
. 12546, 12557



\columnwidth . 27, 40, 53, 68, 237, 249, 262, 276, 535, 538, 541, 724, 962, 1209, 2044, 5602, 5758, 6032, 6035, 6038, 6145, 6432, 6434, 6436, 6438, 6469, 6474, 6534, 6536, 6539, 6542, 6544, 6549, 6710, 6714, 7010, 7031, 7441, 7444, 7447, 7741, 7744, 7747, 7756, 7766, 7782, 7798, 7811, 7824, 7837, 8028, 8040, 8053, 8093, 8172, 8183, 8195, 8233, 8315, 8327, 8340, 8380, 8462, 8474, 8487, 8527, 8609, 8621, 8634, 8674, 8756, 8768, 8781, 8821, 8903, 8915, 8928, 8968, 9050, 9062, 9075, 9115, 9197, 9209, 9222, 9262, 9392, 9405, 9418, 9466, 9602, 9605, 9608, 9788, 9790, 9792, 9794, 9822, 9826, 10106, 10108, 10110, 10112, 10192, 10208, 10223, 10249, 10262, 10275, 10293, 10507, 10514, 10531, 10534, 10551, 10553, 10556, 10559, 10755, 10756, 11501, 11504, 11507, 12045, 12321, 12325, 12328, 12330, 12403, 12408, 12429, 12458, 12464,	12616, 12620, 12624, 12629, 13281, 13705, 13860, 13863, 13866, 14043, 14046, 14049, 14284, 14599, 14602, 14606, 14799, 15170, 15173, 15177, 15342, 15345, 15348, 15480, 15808, 15811, 15815, 17525, 17527, 17529, 17531, 17545, 17550, 17687, 17689 \contentslabel 4685, 4692, 4699, 4706, 4713 \contentsline 11018 \contentsmargin . . 16249 \contentspush . . . 16223 \convertcolorspec 17126, 17129, 17169, 17172 \Coord 1800 \coord 1805 \CoordIII 1802 \coordiii 1807 \Coordn 1801 \coordn 1806 \Coordx 1797, 1800, 1801, 1802, 1803, 1804, 1805, 1806, 1807, 1811, 1812 \coordx 1808 \Coordy 1798, 1800, 1801, 1802, 1803, 1804, 1805, 1806, 1807, 1811, 1812 \coordy 1809 \Coordz 1799, 1802, 1804, 1807, 1812 \coordz 1810 \copy 2107, 2119, 2123, 4100, 4144, 4188, 6149, 6516, 6522, 6682, 6694, 7021, 7042, 9771, 9803,	10586, 10632, 12990, 13058, 13092, 17283, 17591, 17635, 17698 \cor@height . . 12278, 12279, 12306, 12307, 12343, 12360, 12361, 12388, 12389, 12422 \count . . . 2027, 4089, 4133, 4177, 7943, 7971, 8074, 8118, 8215, 8258, 8361, 8405, 8508, 8552, 8655, 8699, 8802, 8846, 8949, 8993, 9096, 9140, 9243, 9329, 9441, 9893, 10526, 10546, 17580, 17624, 17727 \count@ 1408, 1467, 2442, 2447, 3431, 3432, 3434, 6203, 12509, 12510, 12512, 12514, 12521, 12542, 12543, 12545, 12562, 12563, 12566, 16077 \counterwithout 12167, 12168, 12169, 12170 \cr . 390, 5269, 5276, 5332, 7954, 7958, 7960, 12004, 15982, 16021, 17476 \crrcr . 401, 1925, 2071, 5272, 15969, 16001, 17294, 17462 \CROP@llc 6338 \CROP@lrc 6361 \CROP@ulc 6292 \CROP@urc 6315 \CROP@execopt . . . 6385 \csname 8, 43, 56, 71, 162, 164, 209, 252, 265, 279, 335, 336, 378, 1371, 1888, 1889, 1903, 1904, 1931, 1934,
--	---	--



1937, 1953, 1961,
1969, 2024, 2082,
2395, 2396, 2419,
2420, 2449, 2453,
2458, 2460, 2464,
2465, 2474, 2516,
2526, 2532, 2533,
2535, 2536, 2538,
2539, 2541, 2577,
2578, 2601, 2656,
2657, 2658, 2659,
2665, 2666, 2667,
2668, 2751, 2752,
2755, 2756, 2931,
2933, 2945, 2947,
2985, 2988, 2992,
3009, 3012, 3014,
3024, 3027, 3029,
3036, 3041, 3046,
3056, 3072, 3075,
3089, 3101, 3133,
3144, 3228, 3231,
3271, 3320, 3460,
3481, 3544, 3836,
3837, 3844, 3845,
4245, 4436, 4453,
4470, 4501, 4530,
4559, 4801, 5327,
5362, 5365, 5368,
5382, 5389, 5396,
5404, 5405, 5443,
5468, 5469, 6248,
6254, 6262, 6269,
6786, 7768, 7784,
7800, 7813, 7826,
7839, 7984, 7994,
8004, 8030, 8043,
8055, 8073, 8074,
8082, 8095, 8131,
8140, 8149, 8174,
8186, 8197, 8214,
8215, 8223, 8235,
8271, 8281, 8291,
8317, 8330, 8342,
8360, 8361, 8369,
8382, 8418, 8428,
8438, 8464, 8477,
8489, 8507, 8508,
8516, 8529, 8565,
8575, 8585, 8611,

8624, 8636, 8654,
8655, 8663, 8676,
8712, 8722, 8732,
8758, 8771, 8783,
8801, 8802, 8810,
8823, 8859, 8869,
8879, 8905, 8918,
8930, 8948, 8949,
8957, 8970, 9006,
9016, 9026, 9052,
9065, 9077, 9095,
9096, 9104, 9117,
9153, 9163, 9173,
9199, 9212, 9224,
9242, 9243, 9251,
9264, 9347, 9358,
9369, 9394, 9407,
9420, 9440, 9441,
9454, 9468, 9730,
9871, 9872, 9877,
9878, 9968, 9969,
9970, 9971, 9973,
9975, 9976, 9977,
9978, 9980, 9981,
9982, 10039,
10063, 10081,
10167, 10176,
10194, 10210,
10225, 10252,
10265, 10278,
10325, 10340,
11020, 11023,
11025, 11029,
11033, 11047,
11058, 11069,
11286, 11317,
11348, 11535,
11538, 11926,
12251, 12252,
12259, 14240,
14244, 14248,
14755, 14759,
14763, 15436,
15440, 15444,
15972, 15999,
16001, 16033,
16055, 16057,
16073, 16074,
16094, 16101,
16326, 16589,

16590, 16606,
16607, 16608,
16615, 16617,
16618, 16684,
16686, 16693,
16694, 16698,
16703, 16707,
16718, 16719,
16723, 16729,
16784, 16785,
16789, 16885,
16886, 16888,
16891, 16892,
16896, 17310,
17365, 17465, 17833
\CT@do@color 6200
\CT@cell@color 1492, 6225
\CT@color 6199
\CT@column@color . .
. 1490, 6223
\CT@do@color
. 1493, 6200, 6226
\CT@extract . 1468, 6205
\CT@row@color 1491, 6224
\CT@setup 1457, 1458,
1460, 1461, 1465,
1489, 6196, 6222
\cumpartcl 12894
\cumtcl 12894
\curraddr 324
\current@color
. . . . 6241, 6247,
6254, 6262, 6268,
10354, 10359,
17111, 17148,
17149, 17153,
17182, 17183, 17200
\CurrentOption 5049,
5050, 5051, 5052,
5053, 5073,
5074, 5075, 5076,
5077, 6807, 6905
\customername . . . 15382
\CustomFBox 10356
\cvcomputer 2321
\cvddoubleitem 2298, 2322
\cventry 2310
\cvlanguage 2319
\cvline 2293,
2294, 2299, 2303,



2305, 2311, 2320	1786, 1787, 1788,	1801, 1802, 1803,
\cvlistdoubleitem 2304	1789, 1790, 1791,	1804, 1805, 1806,
\cvlistitem 2302	3849, 3856, 6242,	1807, 1808, 1809,
\cvtheme 2236, 2239	6257, 17112, 17155	1810, 1811, 1812,
D	\DecMargin 190	1817, 1828, 1859,
\d@llarbegin ... 374,	\dedication 14412, 14927, 15608	1860, 1861, 1862,
403, 1412, 1413,	\dedicatory 325	1869, 1875, 1881,
1414, 1477, 1480,	\def 2,	1889, 1894, 1896,
1481, 6210, 6213, 6214	23, 26, 30, 34, 47,	1904, 1909, 1910,
\d@llarend 375,	62, 91, 94, 103,	1925, 1930, 1933,
403, 1412, 1413,	104, 105, 106, 118,	1936, 1941, 1944,
1414, 1479, 1480,	128, 129, 131, 167,	1947, 1951, 1959,
1481, 6212, 6213, 6214	168, 169, 170, 180,	1967, 1974, 1976,
\dashgapcolor 1472	184, 203, 224,	1977, 1979, 2048,
\date .. 442, 478, 785,	233, 234, 235,	2057, 2070, 2097,
830, 1039, 1084,	236, 240, 243,	2211, 2212, 2213,
1291, 1336, 1727,	256, 270, 300,	2214, 2215, 2216,
4915, 4963, 5672,	303, 315, 321,	2218, 2219, 2237,
5851, 5940, 5976,	338, 340, 345,	2238, 2241, 2242,
7481, 7515, 7578,	347, 372, 377,	2243, 2244, 2245,
7614, 9659, 9693,	379, 400, 401,	2246, 2247, 2248,
13370, 13415,	402, 403, 449,	2249, 2250, 2251,
13511, 13558,	450, 481, 547,	2252, 2253, 2368,
13763, 13804,	583, 714, 740,	2389, 2390, 2393,
13951, 13987,	741, 749, 788,	2399, 2402, 2413,
14413, 14928, 15609	789, 791, 796,	2414, 2417, 2423,
\datename 15412	798, 803, 805,	2426, 2437, 2438,
\deadcycles . 2916, 2919	833, 982, 994,	2439, 2440, 2441,
\debugfootnotedirection	995, 1003, 1042,	2448, 2449, 2453,
..... 10026	1043, 1045, 1050,	2457, 2459, 2504,
\DeclareOption	1052, 1057, 1058,	2512, 2533, 2541,
.... 2128, 2131,	1087, 1234, 1246,	2542, 2543, 2549,
2134, 2137, 2140,	1247, 1255, 1294,	2551, 2552, 2553,
2143, 2146, 2151,	1295, 1297, 1302,	2556, 2558, 2560,
2152, 2153, 2154,	1304, 1309, 1311,	2566, 2570, 2573,
2155, 2157, 3510,	1339, 1359, 1369,	2582, 2593, 2595,
3511, 3513, 3515,	1370, 1373, 1379,	2596, 2607, 2680,
3518, 3523, 4620,	1407, 1420, 1421,	2699, 2731, 2732,
4621, 4879, 4880,	1424, 1437, 1445,	2733, 2744, 2758,
4905, 4906, 5049,	1453, 1454, 1457,	2761, 2762, 2774,
5050, 5051, 5052,	1458, 1461, 1466,	2786, 2790, 2793,
5053, 5073, 5074,	1504, 1505, 1565,	2806, 2815, 2843,
5075, 5076, 5077,	1567, 1568, 1620,	2871, 2874, 2875,
6797, 6799, 6801,	1621, 1658, 1666,	2883, 2884, 2893,
6803, 6805, 6806,	1667, 1668, 1669,	2906, 2922, 3010,
6895, 6897, 6899,	1670, 1680, 1685,	3013, 3022, 3025,
6901, 6903, 6904	1710, 1711, 1793,	3177, 3188, 3227,
\DeclareRobustCommand	1794, 1795, 1797,	3340, 3350, 3363,
..... 1785,	1798, 1799, 1800,	3417, 3427, 3429,
		3434, 3439, 3445,



3446, 3449, 3456,
3464, 3479, 3539,
3562, 3653, 3674,
3678, 3691, 3765,
3834, 3852, 3858,
3895, 4020, 4022,
4023, 4024, 4033,
4035, 4036, 4037,
4041, 4043, 4049,
4050, 4077, 4091,
4094, 4098, 4102,
4115, 4121, 4135,
4138, 4142, 4146,
4159, 4165, 4179,
4182, 4186, 4190,
4203, 4240, 4255,
4270, 4275, 4401,
4403, 4431, 4448,
4465, 4485, 4514,
4543, 4763, 4800,
4808, 5037, 5175,
5176, 5178, 5196,
5197, 5200, 5210,
5211, 5212, 5213,
5219, 5222, 5233,
5234, 5235, 5245,
5271, 5275, 5282,
5304, 5323, 5324,
5325, 5331, 5361,
5364, 5367, 5371,
5374, 5377, 5380,
5387, 5394, 5404,
5405, 5406, 5416,
5420, 5423, 5428,
5429, 5430, 5432,
5441, 5447, 5468,
5469, 5592, 5627,
5628, 5636, 5785,
5806, 5807, 5815,
5855, 5875, 5947,
5948, 5979, 6052,
6066, 6098, 6102,
6114, 6127, 6134,
6138, 6141, 6196,
6199, 6202, 6234,
6241, 6244, 6251,
6259, 6265, 6272,
6273, 6275, 6389,
6402, 6405, 6406,
6411, 6418, 6423,

6426, 6461, 6505,
7004, 7008, 7011,
7029, 7032, 7050,
7107, 7165, 7207,
7234, 7236, 7241,
7272, 7273, 7346,
7395, 7414, 7436,
7488, 7489, 7518,
7585, 7586, 7617,
7664, 7679, 7711,
7755, 7762, 7778,
7794, 7810, 7823,
7836, 7863, 7864,
7865, 7876, 7921,
7980, 7990, 8000,
8026, 8038, 8051,
8078, 8091, 8127,
8136, 8145, 8170,
8181, 8193, 8219,
8231, 8267, 8277,
8287, 8313, 8325,
8338, 8365, 8378,
8414, 8424, 8434,
8460, 8472, 8485,
8512, 8525, 8561,
8571, 8581, 8607,
8619, 8632, 8659,
8672, 8708, 8718,
8728, 8754, 8766,
8779, 8806, 8819,
8855, 8865, 8875,
8901, 8913, 8926,
8953, 8966, 9002,
9012, 9022, 9048,
9060, 9073, 9100,
9113, 9149, 9159,
9169, 9195, 9207,
9220, 9247, 9260,
9343, 9354, 9365,
9390, 9403, 9416,
9450, 9464, 9580,
9592, 9624, 9666,
9667, 9696, 9727,
9757, 9762, 9768,
9800, 9870, 9881,
9929, 10018,
10105, 10109,
10111, 10113,
10115, 10117,
10119, 10120,

10122, 10126,
10135, 10137,
10144, 10145,
10162, 10165,
10171, 10174,
10182, 10183,
10184, 10186,
10202, 10217,
10244, 10257,
10270, 10283,
10289, 10295,
10302, 10315,
10319, 10323,
10329, 10334,
10338, 10350,
10364, 10366,
10368, 10370,
10378, 10483,
10493, 10523,
10543, 10572,
10576, 10582,
10584, 10600,
10611, 10612,
10614, 10627,
10628, 10630,
10646, 10648,
10651, 10653,
10654, 10669,
10676, 10716,
10717, 10718,
10719, 10728,
10730, 10766,
11018, 11045,
11056, 11067,
11078, 11088,
11099, 11110,
11121, 11136, 11151,
11166, 11185,
11211, 11228,
11236, 11249,
11266, 11274,
11282, 11299,
11307, 11313,
11330, 11338,
11344, 11361,
11369, 11377,
11391, 11395,
11409, 11417,
11420, 11421,
11424, 11426,



11429,	11447,	13068,	13069,	16096,	16099,
11448,	11452,	13070,	13071,	16103,	16106,
11454,	11455,	13072,	13076,	16136,	16155,
11456,	11458,	13077,	13178,	16159,	16164,
11467,	11469,	13179,	13302,	16173,	16194,
11510,	11531,	13325,	13326,	16228,	16250,
11533,	11534,	13334,	13373,	16256,	16259,
11541,	11546,	13374,	13376,	16261,	16264,
11606,	11637,	13381,	13383,	16287,	16851,
11652,	11653,	13388,	13390,	16872,	16874,
11679,	11681,	13418,	13464,	17030,	17073,
11958,	11970,	13465,	13473,	17076,	17082,
11974,	11975,	13514,	13515,	17086,	17105,
11976,	11983,	13517,	13522,	17111,	17114,
12011,	12021,	13524,	13529,	17136,	17145,
12029,	12032,	13531,	13561,	17151,	17157,
12037,	12103,	13583,	13695,	17179,	17185,
12104,	12125,	13727,	13729,	17194,	17198,
12127,	12177,	13770,	13772,	17202,	17203,
12179,	12227,	13807,	13896,	17204,	17207,
12238,	12249,	13958,	13959,	17212,	17218,
12267,	12349,	13990,	14063,	17219,	17220,
12428,	12436,	14075,	14100,	17229,	17238,
12469,	12481,	14104,	14147,	17246,	17254,
12493,	12507,	14194,	14197,	17255,	17256,
12540,	12554,	14204,	14207,	17257,	17258,
12586,	12614,	14215,	14222,	17259,	17264,
12618,	12622,	14225,	14251,	17265,	17268,
12626,	12630,	14253,	14273,	17270,	17271,
12720,	12734,	14521,	14522,	17272,	17273,
12736,	12743,	14573,	14580,	17275,	17277,
12749,	12816,	14731,	14733,	17279,	17280,
12820,	12824,	14766,	14768,	17286,	17288,
12826,	12842,	14788,	15061,	17293,	17295,
12856,	12857,	15144,	15151,	17297,	17298,
12858,	12859,	15302,	15304,	17299,	17300,
12861,	12868,	15320,	15337,	17301,	17311,
12987,	12988,	15341,	15344,	17348,	17368,
12990,	12991,	15350,	15422,	17373,	17374,
12997,	12998,	15447,	15449,	17379,	17416,
12999,	13008,	15469,	15715,	17426,	17429,
13017,	13025,	15782,	15789,	17432,	17437,
13033,	13034,	15940,	15942,	17438,	17439,
13035,	13036,	15964,	15969,	17440,	17441,
13037,	13038,	15973,	15996,	17443,	17446,
13043,	13044,	16001,	16005,	17457,	17462,
13047,	13049,	16015,	16031,	17466,	17486,
13050,	13051,	16037,	16045,	17489,	17499,
13052,	13054,	16066,	16075,	17500,	17501,
13055,	13061,	16076,	16092,	17502,	17503,



17520, 17537,	\depthof	\dfn@ins 7017,
17568, 17582,	7214, 7219, 7228,	7018, 7019, 7021,
17585, 17589,	7229, 7233, 7238	7038, 7039, 7040,
17593, 17606,	\descriptionlabel 4841	7042, 7056,
17612, 17626,	\detokenize 2510, 2512,	7057, 7113, 7114
17629, 17633,	2731, 2733, 2734,	\dfn@latex@footnotetext
17637, 17650,	2761, 2776, 2793, 7006
17656, 17696,	2796, 2804, 2806,	\dfn@latex@LTrfootnotetext
17700, 17701,	2874, 2875, 3223 7012, 7027
17702, 17703,	\dfn@afteroutput . .	\dfn@latex@makecol
17710, 17771, 7099, 7105, 7157
17783, 17784,	7102, 7151, 7154	\dfn@latex@RTLfootnotetext
17786, 17895,	\dfn@boxa 7008, 7033, 7048
17897, 17901,	7013, 7016, 7020,	\dfn@list 7026, 7047,
17903, 17929, 17931	7021, 7022, 7029,	7054, 7087, 7089,
\default@color 6241, 17111	7034, 7037, 7041,	7092, 7098, 7111,
\DefaultFindent . . 11517	7042, 7043, 7056,	7139, 7141, 7144, 7150
\DefaultLhang 11513	7063, 7066,	\dfn@LTrfootnotetext
\DefaultLoversize 11514	7068, 7075, 7083, 7008, 7028
\DefaultLraise . . . 11515	7113, 7120, 7123,	\dfn@LTrmakecol . . .
\DefaultNindent . . 11518	7125, 7129, 7137	. . . 7107, 7159, 7161
\DefaultOptionsFile	\dfn@boxb 7022,	\dfn@makecol
. 11523, 11526, 11529	7043, 7060, 7061,	. . . 7159, 7160, 7161
\DefaultSlope 11519	7068, 7073, 7117,	\dfn@makefnmark . . .
\deffootnote . . 14250,	7118, 7125, 7128 7011, 7032
14275, 14765,	\dfn@countins 7052, 7109	\dfn@RTLfootnotetext
14790, 15319,	\dfn@dima 7013, 7014, 7029, 7049
15339, 15446, 15471	7015, 7026, 7034,	\dfn@RTLmakecol . . .
\define@choicekey .	7035, 7036, 7047,	. . . 7050, 7159, 7160
. . . . 1572, 1578,	7051, 7068, 7088,	\dfn@split . . . 7022,
1584, 1596, 1602,	7108, 7125, 7140	7043, 7056,
1608, 16905, 16913	\dfn@dimb	7068, 7113, 7125
\define@key 16903	7088, 7089, 7091,	\DFNalwaysdouble . 7162
\definecolor	7092, 7094, 7140,	\DFNcolumnsep
1734, 1735, 1736,	7141, 7143, 7144, 7146	. . . 7071, 7084, 7128
1737, 1738, 2210,	\dfn@elt@adjust . . .	\DFNcolumnwidth 7005,
2217, 6811, 6816, 7088, 7140	7010, 7031, 7070,
6819, 6820, 6821,	\dfn@elt@getht 7053, 7110	7072, 7075,
6823, 6824, 6827,	\dfn@fnht 7024, 7045,	7085, 7127, 7129
6828, 6830, 6831,	7086, 7089, 7095,	\dimen 6184,
6834, 6835, 6837,	7096, 7097, 7138,	6185, 6188, 6189,
6838, 6841, 6842,	7141, 7147, 7148, 7149	7904, 7944, 7961,
6844, 6845, 6848,	\dfn@fnmaxdp . . 7012,	7962, 7963, 7970,
6849, 6914, 6915,	7017, 7022, 7033,	8073, 8117, 8214,
6920, 6921, 6926,	7038, 7043, 7065,	8257, 8360, 8404,
6927, 6932, 6933,	7068, 7122, 7125	8507, 8551, 8654,
6938, 6939, 7339	\dfn@footnoterule .	8698, 8801, 8845,
\delimiter 10347 7106, 7158	8948, 8992, 9095,
\DEPTH 16139, 16146	\dfn@footnotetext 7007	9139, 9242, 9328,
	\dfn@gobble . 7009, 7030	9338, 9339, 9340,



9341, 9440, 9443, 9444, 9445, 9446, 12526, 12533, 12534, 12542, 12543, 12548, 12549, 12562, 12563, 12570, 12571, 17705, 17708	12902, 12903, 16011	17677, 17684, 17755
\dimen@	\do 321, 322, 323, 324, 325, 326, 2001, 3207, 3267, 3282, 3303, 3306, 4296, 4301, 4315, 4320, 4334, 4339, 4362, 4371, 6407, 9730, 11608	\dquad 6136, 6138 \draw 16924, 16931, 16935, 16958, 16968, 16976, 16979, 16982, 16985, 16997, 17002, 17009, 17015, 17016
2104, 2105, 2106, 6237, 6238, 9512, 9514, 10386, 10387, 10388, 10398, 10399, 10400, 10403, 10404, 10405, 10411, 10421, 10423, 10432, 10434, 10441, 10442, 10443, 10444, 17044, 17045, 17046, 17047, 17048, 17049, 17108, 17109	\do@@hvFloat 10716 \document . . . 2889, 2903 \documentclass 3190, 3193 \doubleitemmaincolumnwidth 2259, 2272, 2273, 2274, 2275, 2299, 2301 \doublerulesepcolor 1471 \dp . . 39, 52, 67, 248, 261, 275, 384, 1464, 6238, 6239, 6642, 7013, 7034, 7061, 7080, 7082, 7118, 7134, 7136, 7213, 7218, 7231, 7237, 7351, 7356, 7360, 7363, 7909, 9291, 9512, 9520, 9741, 9754, 10191, 10207, 10222, 10588, 10589, 10592, 10634, 10635, 10638, 11603, 11994, 12082, 12085, 12526, 12542, 12543, 12548, 12549, 12562, 12563, 12570, 12571, 12882, 12883, 12884, 14113, 14155, 14158, 14212, 14219, 14668, 14671, 15239, 15242, 15877, 15880, 15977, 16013, 16025, 16139, 16141, 17100, 17109, 17110, 17471,	\dseries@display@setup 6128 E \edef . . 119, 354, 1386, 1440, 1448, 1508, 1532, 1625, 1649, 1887, 1902, 1931, 1934, 1937, 2376, 2379, 2392, 2396, 2403, 2416, 2420, 2427, 2508, 2511, 2614, 2615, 2618, 2619, 2636, 2637, 2640, 2641, 2730, 2735, 2745, 2760, 2763, 2776, 2780, 2785, 2792, 2795, 2802, 2805, 2811, 2814, 2867, 2873, 2876, 3028, 3036, 3046, 3178, 3221, 3265, 3287, 3301, 3329, 3421, 3433, 3440, 3457, 4265, 4410, 4421, 5362, 5365, 5368, 7263, 7266, 9871, 9877, 9967, 9969, 9970, 9971, 10056, 10077, 10418, 11168, 11205, 11212, 11243, 11250, 11283, 11314, 11345, 11609, 11613, 12030, 12033, 12732, 12811, 12830, 12833, 14109, 14152, 14558, 15129,
\dimen@ii 10436, 10437, 10438, 10444, 10446, 10449, 10450, 10451		
\dimexpr 12074, 12083, 12429, 14278, 14287, 14793, 14802, 15474, 15483, 17383, 17385, 17386, 17387, 17392, 17394, 17395, 17396, 17401, 17403, 17404, 17405, 17410, 17412, 17413, 17414		
\DiscardVskip 11520 \display@setup 6103, 6128 \displayindent . . . 6144 \displaystyle 9844, 9860 \displaywidth 6144, 7210, 7212, 7217, 9863, 11484		
\divide 5183, 7962, 9340, 9445, 9742, 9743,		



15321,	15767,	353,	356,	357,	2086,	2096,	2101,
15980,	16006,	358,	360,	361,	2116,	2118,	2313,
16020,	16038,	362,	363,	364,	2314,	2315,	2317,
16093,	16100,	367,	368,	369,	2353,	2378,	2381,
16113,	16589,	393,	445,	456,	2400,	2408,	2424,
16666,	16770,	459,	508,	525,	2432,	2461,	2469,
16883,	17120,	528,	529,	551,	2477,	2481,	2487,
17125,	17134,	554,	569,	589,	2495,	2499,	2521,
17149,	17153,	600,	605,	616,	2528,	2565,	2769,
17163,	17168,	620,	628,	632,	2987,	3011,	3026,
17177,	17183,	633,	637,	641,	3091,	3103,	3135,
17196,	17200,	644,	645,	650,	3146,	3184,	3196,
17357,	17369,	661,	672,	686,	3197,	3214,	3223,
\egroup	188,	689,	690,	693,	3268,	3283,	3286,
189,	192,	703,	752,	761,	3313,	3314,	3328,
637,	1200,	769,	793,	797,	3619,	3625,	3814,
1370,	1487,	799,	810,	813,	3817,	3820,	3823,
1926,	2052,	856,	867,	870,	3853,	4081,	4087,
5483,	6147,	873,	874,	880,	4119,	4125,	4131,
7933,	9849,	890,	893,	894,	4169,	4175,	4354,
9864,	10313,	897,	907,	918,	4748,	4749,	5037,
10458,	10462,	929,	937,	941,	5122,	5175,	5188,
12437,	12870,	950,	971,	1006,	5197,	5287,	5308,
13001,	13006,	1015,	1023,	1047,	5333,	5345,	5413,
13010,	13015,	1051,	1053,	1064,	5433,	5434,	5449,
13019,	13023,	1067,	1110,	1121,	5454,	5458,	5500,
13027,	13031,	1125,	1128,	1131,	5511,	5515,	5518,
13216,	13668,	1132,	1137,	1148,	5521,	5522,	5527,
15969,	15970,	1159,	1174,	1177,	5538,	5547,	5561,
15996,	16003,	1178,	1181,	1191,	5564,	5565,	5569,
16770,	17222,	1195,	1196,	1200,	5581,	5639,	5648,
17227,	17231,	1223,	1258,	1267,	5656,	5679,	5690,
17236,	17240,	1275,	1299,	1303,	5694,	5697,	5700,
17244,	17248,	1305,	1316,	1319,	5701,	5706,	5717,
17252,	17462,	1356,	1361,	1362,	5726,	5740,	5743,
\eightcolumnfootnotes		1375,	1380,	1381,	5744,	5748,	5774,
8840		1382,	1384,	1385,	5818,	5827,	5835,
\eightcolumnfootstyle		1388,	1389,	1390,	5857,	5868,	5870,
8935		1392,	1393,	1394,	5891,	5902,	5943,
\eject	6652,	1395,	1396,	1397,	5954,	5957,	6006,
10389,	10458,	1398,	1401,	1402,	6021,	6024,	6025,
10478		1403,	1423,	1424,	6054,	6068,	6077,
\else	4,	1425,	1426,	1427,	6084,	6106,	6136,
12,	13,	1428,	1430,	1431,	6141,	6143,	6160,
100,	112,	1432,	1433,	1434,	6161,	6162,	6163,
147,	151,	1557,	1559,	1568,	6184,	6188,	6235,
180,	205,	1659,	1661,	1670,	6240,	6278,	6279,
214,	230,	1871,	1877,	1883,	6285,	6303,	6326,
293,	307,	1898,	1982,	1990,	6349,	6372,	6397,
338,	343,	1995,	2005,	2060,	6398,	6400,	6412,
349,	350,						
352,							



6417, 6419, 6421,
6429, 6440, 6452,
6465, 6479, 6495,
6512, 6520, 6543,
6561, 6588, 6592,
6607, 6614, 6633,
6643, 6655, 6664,
6678, 6690, 6725,
6753, 6757, 6772,
6781, 6873, 6955,
6969, 7014, 7018,
7020, 7035, 7039,
7041, 7050, 7055,
7064, 7075, 7079,
7087, 7107, 7112,
7121, 7129, 7133,
7139, 7159, 7168,
7175, 7192, 7216,
7221, 7235, 7252,
7292, 7293, 7298,
7299, 7300, 7307,
7308, 7313, 7314,
7315, 7328, 7329,
7330, 7331, 7358,
7374, 7377, 7378,
7388, 7399, 7402,
7415, 7425, 7484,
7495, 7498, 7581,
7592, 7595, 7643,
7666, 7681, 7690,
7697, 7717, 7718,
7720, 7725, 7731,
7733, 7737, 7761,
7808, 7882, 7885,
7897, 7914, 7924,
7979, 8024, 8126,
8168, 8266, 8311,
8413, 8458, 8560,
8604, 8707, 8751,
8854, 8899, 9001,
9046, 9148, 9193,
9301, 9312, 9350,
9397, 9509, 9530,
9539, 9556, 9571,
9574, 9575, 9582,
9594, 9613, 9662,
9673, 9676, 9735,
9757, 9759, 9760,
9761, 9762, 9764,
9765, 9766, 9781,

9786, 9813, 9818,
9839, 9852, 9869,
9896, 9900, 9921,
10012, 10016,
10042, 10066,
10148, 10151,
10187, 10235,
10271, 10272,
10287, 10305,
10349, 10367,
10369, 10385,
10390, 10410,
10439, 10445,
10461, 10468,
10473, 10486,
10516, 10528,
10548, 10576,
10578, 10581,
10582, 10590,
10596, 10599,
10602, 10609,
10616, 10618,
10624, 10628,
10631, 10636,
10642, 10645,
10658, 10661,
10664, 10670,
10677, 10687,
10700, 10709,
10729, 10732,
10738, 10739,
10742, 10749,
10751, 10757,
10768, 10776,
10778, 10779,
10780, 10783,
10788, 10794,
10796, 10797,
10798, 10801,
10811, 10813,
10826, 10832,
10835, 10839,
10845, 10848,
10851, 10857,
10862, 10865,
10869, 10871,
10874, 10878,
10880, 10882,
10886, 10891,
10895, 10902,

10907, 10911,
10918, 10923,
10927, 10931,
10933, 10936,
10940, 10942,
10944, 10948,
10952, 10956,
10962, 10965,
10969, 10975,
10978, 10981,
10987, 11002,
11012, 11021,
11032, 11052,
11063, 11074,
11092, 11103,
11114, 11125, 11140,
11155, 11232,
11270, 11303,
11334, 11365,
11418, 11488,
11489, 11491,
11496, 11521,
11522, 11524,
11537, 11553,
11562, 11585,
11606, 11609,
11613, 11631,
11647, 11656,
11662, 11688,
11760, 11763,
11766, 11769,
11772, 11775,
11778, 11781,
11785, 11788,
11791, 11794,
11797, 11800,
11803, 11806,
11809, 11812,
11815, 11818,
11821, 11824,
11827, 11830,
11833, 11836,
11839, 11842,
11845, 11848,
11851, 11854,
11857, 11860,
11863, 11866,
11869, 11872,
11875, 11878,
11881, 11884,



11887,	11890,	13081,	13083,	14217,	14220,
11893,	11896,	13089,	13100,	14224,	14226,
11899,	11902,	13102,	13113,	14230,	14257,
11905,	11908,	13115,	13126,	14258,	14266,
11911, 11914,	11917,	13128,	13137,	14279,	14288,
11920,	11923,	13139,	13156,	14308,	14313,
11926,	11929,	13178,	13179,	14320,	14326,
11932,	11935,	13184,	13195,	14350,	14357,
11938,	11941,	13199,	13207,	14361,	14375,
11944,	11947,	13211,	13212,	14378,	14421,
11950,	11953,	13216,	13220,	14425,	14433,
11961,	11962,	13223,	13224,	14439,	14451,
11963,	11964,	13229,	13240,	14465,	14470,
11987,	12016,	13249,	13263,	14473,	14474,
12092,	12131,	13266,	13267,	14481,	14485,
12134,	12145,	13271,	13291,	14500,	14506,
12146,	12147,	13337,	13346,	14510,	14521,
12148,	12149,	13354,	13378,	14522,	14535,
12150,	12179,	13382,	13384,	14537,	14549,
12195,	12201,	13395,	13398,	14563,	14579,
12207,	12232,	13441,	13452,	14589,	14598,
12242,	12264,	13476,	13485,	14605,	14608,
12282,	12295,	13493,	13519,	14609,	14610,
12308,	12312,	13523,	13525,	14612,	14637,
12364,	12377,	13536,	13539,	14649,	14654,
12390,	12394,	13580,	13585,	14659,	14676,
12447,	12455,	13586,	13594,	14690,	14696,
12461,	12470,	13597,	13598,	14709,	14719,
12472,	12476,	13603,	13614,	14737,	14772,
12477,	12482,	13623,	13637,	14773,	14781,
12484,	12489,	13640,	13641,	14794,	14803,
12494,	12496,	13645,	13651,	14823,	14828,
12501,	12511,	13659,	13663,	14835,	14841,
12524,	12585,	13664,	13668,	14865,	14872,
12601,	12605,	13684,	13715,	14876,	14890,
12609,	12705,	13766,	13782,	14893,	14936,
12709,	12742,	13785,	13831,	14940,	14948,
12748,	12756,	13846,	13849,	14954,	14966,
12759,	12783,	13850,	13855,	14980,	14985,
12803,	12832,	13856,	13882,	14988,	14989,
12856,	12857,	13903,	13914,	14996,	15007,
12858,	12859,	13954,	13965,	15012,	15015,
12865,	12899,	13968,	14017,	15016,	15023,
12925,	12963,	14032,	14035,	15037,	15043,
12964,	12965,	14036,	14065,	15047,	15055,
12991,	13043,	14077,	14086,	15061,	15066,
13044,	13047,	14117,	14162,	15082,	15090,
13051,	13052,	14196,	14198,	15098,	15106,
13068,	13069,	14202,	14206,	15107,	15120,
13076,	13077,	14208,	14213,	15134,	15150,



15160,	15169,	15958,	15961,	16650,	16651,
15176,	15179,	16002,	16010,	16656,	16670,
15180,	15181,	16023,	16107,	16674,	16697,
15183,	15208,	16108,	16109,	16712,	16722,
15220,	15225,	16111,	16112,	16726,	16736,
15230,	15247,	16115,	16116,	16737,	16738,
15261,	15267,	16117,	16118,	16739,	16744,
15280,	15290,	16119,	16120,	16746,	16747,
15308,	15325,	16121,	16123,	16755,	16761,
15326,	15332,	16124,	16125,	16778,	16788,
15351,	15352,	16126,	16127,	16794,	16800,
15353,	15354,	16130,	16131,	16803,	16814,
15355,	15356,	16132,	16208,	16852,	16854,
15357,	15358,	16225,	16232,	16859,	16868,
15362,	15365,	16234,	16239,	16873,	16875,
15368,	15371,	16244,	16245,	16882,	16889,
15374,	15377,	16248,	16253,	16920,	16927,
15380,	15383,	16257,	16258,	16932,	16934,
15386,	15389,	16273,	16296,	16938,	16949,
15392,	15395,	16300,	16310,	16952,	16963,
15398,	15401,	16316,	16322,	16970,	16984,
15404,	15407,	16327,	16333,	17034,	17041,
15410,	15413,	16343,	16355,	17042,	17044,
15418,	15419,	16363,	16368,	17052,	17060,
15425,	15453,	16369,	16370,	17062,	17063,
15454,	15462,	16378,	16385,	17074,	17078,
15475,	15484,	16399,	16400,	17083,	17092,
15504,	15509,	16401,	16409,	17098,	17106,
15516,	15522,	16418,	16422,	17110,	17119,
15546,	15553,	16423,	16424,	17138,	17143,
15557,	15571,	16432,	16439,	17162,	17187,
15574,	15617,	16440,	16441,	17192,	17212,
15621,	15629,	16449,	16456,	17264,	17265,
15635,	15647,	16457,	16458,	17268,	17272,
15661,	15666,	16466,	16473,	17273,	17304,
15669,	15670,	16474,	16475,	17323,	17326,
15677,	15691,	16483,	16490,	17331,	17334,
15697,	15701,	16491,	16492,	17337,	17340,
15709,	15715,	16500,	16507,	17343,	17352,
15744,	15745,	16508,	16509,	17355,	17360,
15758,	15772,	16517,	16525,	17361,	17362,
15788,	15798,	16526,	16527,	17384,	17385,
15807,	15814,	16535,	16544,	17387,	17393,
15817,	15818,	16545,	16546,	17394,	17396,
15819,	15821,	16554,	16564,	17402,	17403,
15846,	15858,	16565,	16566,	17405,	17411,
15863,	15868,	16574,	16584,	17412,	17414,
15885,	15899,	16599,	16600,	17422,	17423,
15905,	15918,	16601,	16609,	17424,	17425,
15928,	15946,	16631,	16649,	17428,	17431,



17434,	17437,	3747, 3748, 3755,	15527,	15534,
17438,	17439,	3756, 3776, 3777,	15540,	15544,
17440,	17442,	3815, 3818, 3821,	15552,	15624,
17444,	17445,	3824, 3831, 3832,	15641,	15651,
17449,	17451,	4015, 4016, 4632,	15754,	16062,
17467,	17489,	4688, 4695, 4702,	16271,	16924,
17490,	17491,	4709, 4716, 4727,	16931,	16941,
17492,	17493,	4735, 4862, 4863,	16946,	16959,
17494,	17495,	4999, 5042, 5064,	16966,	16969,
17496,	17499,	5455, 5651, 5659,	16988,	17005,
17500,	17504,	5662, 5830, 5838,	17012, 17018, 17020	
17506,	17511,	5841, 5870, 5882,	\end@dblfloat	14192
17523,	17541,	5922, 5925, 5928,	\end@float	
17565,	17572,	5993, 5996, 6302,	. 3685, 4008, 14143	
17578,	17616,	6312, 6325, 6335,	\end@rot@dblfloat .	14147
17622,	17660,	6348, 6358, 6371,	\end@rotfloat	
17662,	17672,	6381, 6867, 6976,	. 14104, 14145, 14146	
17688,	17690,	6988, 6996, 7260,	\endarray	
17693,	17697,	7334, 7465, 7468,	. 377, 401, 1369,	
17706,	17729,	7471, 7530, 7533,	1370, 15996, 16001	
17734,	17752,	7560, 7563, 7566,	\endBCmd	1822
17762,	17776,	7631, 7634, 7722,	\endbidi@lrbox . . .	17379
17783,	17784,	9643, 9646, 9649,	\endbidi@pgfpicture	
17887, 17895, 17901		9708, 9711, 9851,	12857, 16186
\em	4841	10786, 10804,	\endbidi@tikzpicture	
\email	324, 2249	10906, 10922,	16173
\emailink		11013, 11493,	\endcsname 8, 43, 56,	
. . 2331, 6888, 6986		12265, 13349,	71, 162, 164, 209,	
\emailsymbol		13357, 13360,	252, 265, 279,	
. . 2209, 6888, 6986		13430, 13433,	335, 336, 378,	
\empty	10729	13488, 13496,	1371, 1888, 1889,	
\end 168, 170, 193, 424,		13499, 13576,	1903, 1904, 1931,	
427, 430, 495,		13579, 13584,	1934, 1937, 1953,	
498, 764, 772,		13585, 13586,	1961, 1969, 2024,	
775, 845, 848,		13745, 13748,	2082, 2395, 2396,	
1018, 1026, 1029,		13751, 13823,	2419, 2420, 2450,	
1099, 1102, 1270,		13933, 13936,	2454, 2458, 2460,	
1278, 1281, 1352,		13939, 14004,	2464, 2465, 2467,	
1355, 1360, 1361,		14007, 14105,	2473, 2474, 2516,	
1362, 1820, 1831,		14148, 14316,	2526, 2532, 2533,	
1832, 2297, 2299,		14331, 14338,	2535, 2536, 2538,	
2301, 2303, 2305,		14344, 14348,	2539, 2541, 2577,	
2309, 2317, 2320,		14356, 14428,	2578, 2600, 2601,	
2369, 2392, 2400,		14445, 14455,	2656, 2657, 2658,	
2402, 2403, 2409,		14545, 14831,	2659, 2665, 2666,	
2416, 2424, 2426,		14846, 14853,	2667, 2668, 2751,	
2427, 2433, 2944,		14859, 14863,	2752, 2755, 2756,	
2950, 2970, 2976,		14871, 14943,	2931, 2933, 2945,	
3659, 3660, 3665,		14960, 14970,	2947, 2985, 2988,	
3668, 3739, 3740,		15116, 15512,	2993, 3009, 3012,	



3014, 3024, 3027,	9347, 9358, 9369,	16790, 16810,
3029, 3036, 3040,	9394, 9407, 9420,	16811, 16819,
3041, 3046, 3055,	9440, 9441, 9454,	16823, 16827,
3056, 3072, 3075,	9468, 9730, 9871,	16831, 16835,
3089, 3101, 3133,	9873, 9877, 9879,	16839, 16843,
3144, 3229, 3231,	9968, 9969, 9970,	16847, 16885,
3269, 3271, 3277,	9971, 9973, 9975,	16886, 16888,
3320, 3460, 3481,	9976, 9977, 9978,	16891, 16892,
3544, 3836, 3837,	9980, 9981, 9982,	16896, 17310,
3844, 3845, 4245,	10039, 10063,	17365, 17465, 17833
4436, 4453, 4470,	10081, 10167,	\enddocument 2915
4501, 4530, 4559,	10176, 10194,	\endflushleft 1842, 1850
4801, 5327, 5362,	10210, 10225,	\endgraf 2091,
5365, 5368, 5382,	10252, 10265,	2095, 12019,
5389, 5396, 5404,	10278, 10325,	14716, 15287, 15925
5405, 5443, 5468,	10340, 11020,	\endgroup . . . 17, 123,
5469, 6248, 6254,	11023, 11025,	218, 312, 319, 375,
6262, 6269, 6786,	11029, 11033,	391, 465, 517,
7768, 7784, 7800,	11047, 11058,	531, 670, 692,
7813, 7826, 7839,	11069, 11286,	819, 896, 916,
7984, 7994, 8004,	11317, 11348,	1073, 1157, 1180,
8030, 8043, 8055,	11535, 11538,	1325, 1494, 1716,
8073, 8074, 8082,	11926, 12251,	1955, 1963, 1971,
8095, 8131, 8140,	12252, 12259,	2092, 2386, 2405,
8149, 8174, 8186,	12728, 12738,	2429, 2525, 2544,
8197, 8214, 8215,	12752, 14240,	2681, 2700, 2745,
8223, 8235, 8271,	14244, 14248,	2767, 2777, 2794,
8281, 8291, 8317,	14755, 14759,	2844, 2890, 2984,
8330, 8342, 8360,	14763, 15436,	3008, 3023, 3094,
8361, 8369, 8382,	15440, 15444,	3106, 3118, 3138,
8418, 8428, 8438,	15972, 15999,	3149, 3160, 3324,
8464, 8477, 8489,	16001, 16033,	3423, 3433, 3473,
8507, 8508, 8516,	16055, 16057,	3846, 4273, 4275,
8529, 8565, 8575,	16073, 16074,	4503, 4532, 4561,
8585, 8611, 8624,	16094, 16101,	4938, 4955, 4971,
8636, 8654, 8655,	16326, 16589,	4982, 5022, 5341,
8663, 8676, 8712,	16590, 16606,	5384, 5391, 5398,
8722, 8732, 8758,	16607, 16608,	5456, 5545, 5568,
8771, 8783, 8801,	16615, 16617,	5724, 5747, 5963,
8802, 8810, 8823,	16618, 16681,	6013, 6028, 6227,
8859, 8869, 8879,	16682, 16684,	6459, 6502, 7184,
8905, 8918, 8930,	16686, 16691,	7202, 7380, 7393,
8948, 8949, 8957,	16693, 16695,	7504, 7601, 7650,
8970, 9006, 9016,	16699, 16702,	9563, 9578, 9682,
9026, 9052, 9065,	16703, 16706,	9798, 9834, 9918,
9077, 9095, 9096,	16707, 16716,	9937, 10169,
9104, 9117, 9153,	16718, 16720,	10178, 10327,
9163, 9173, 9199,	16724, 16728,	10342, 10361,
9212, 9224, 9242,	16729, 16782,	10402, 10433,
9243, 9251, 9264,	16784, 16786,	10541, 10565,



10610,	10625,	11034,	11036,	9765, 9766, 9869,	
11011,	11049,	11179,	11418,	10108,	10578,
11060,	11071,	11420,	11427,	10631,	10670,
11082,	11200,	11430,	11438,	10677,	11026,
11225,	11263,	11643,	12857,	11034,	11418,
11296,	11327,	12859,	12997,	11427,	11430,
11358,	11439,	13014,	13077,	11438,	11484,
11441,	11457,	14202,	14213,	11508,	11643,
11468,	11540,	14220,	14230,	12013,	12229,
11675,	12005,	16151,	17110,	12231,	12629,
12142,	12260,	17111,	17150,	12866,	12998,
12341,	12420,	17154,	17207,	13005,	13070,
12617,	12621,	17218,	17235,	13071,	13072,
12625,	12850,	17693, 17752, 17762		13286,	13710,
13247,	13270,	\endlist 92,		13867,	14050,
13404,	13545,	301, 585, 716,		14198,	14208,
13621,	13644,	950, 984, 1236,		14217,	14226,
13791,	13838,	4826, 4834, 4839,		14291,	14607,
13853,	13974,	5594, 5787, 6100,		14683,	14806,
14024,	14039,	7438, 7713, 9626,		15178,	15254,
14384,	14479,	12723, 13304,		15349,	15487,
14488,	14515,	13697, 13898,		15816,	15892,
14546,	14685,	14102, 14587,		15969,	15970,
14899,	14994,	15158, 15796, 16289		15996,	16003,
14998,	15021,	\endlongtable 2070		16150,	17107,
15025,	15053,	\endLTR 12859,		17111,	17113,
15057,	15117,	13034, 13077, 17255		17207,	17219,
15256,	15580,	\endMakeFramed . . . 10375		17226,	17427,
15675,	15679,	\endmath 6133		17430,	17433,
15707,	15711,	\endmdf@lrbox 12077		17450,	17462,
15755,	15894,	\endminipage 7921, 10302		17463,	17693,
16076,	16186,	\endmodernpoem . . . 5469		17706,	17708,
16213,	16391,	\endpgfpicture		17752,	17762,
16664,	16792, 12855, 12859		17775, 17778, 17786	
17102,	17135,	\endpspicture		\endrotate 14207	
17178,	17197, 13075, 13077		\endRTL 13036, 17257	
17370,	17535,	\endR 29, 239, 338,		\ends@math 6133	
17562, 17711, 17719		343, 377, 401,		\endscope 16180	
\endL 1498, 2342,		542, 729, 966,		\endsideways 14225	
6231, 6240, 6241,		1214, 1369, 1370,		\endsidewaysfigure 14145	
6250, 6256, 6275,		1487, 1925, 1926,		\endsidewaystable 14146	
9350, 9361, 9397,		2116, 2119, 5607,		\endstabular 15969, 15972	
9410, 9749, 9757,		5763, 6039, 6141,		\endstrip 12436	
9759, 9760, 9761,		6220, 6236, 6241,		\endtabular 377, 378,	
9762, 9764, 9765,		6243, 6275, 7165,		1370, 1371, 1925,	
9766, 9850, 9864,		7448, 7748, 7954,		15996, 15999,	
10011,	10581,	7958, 9350, 9372,		16083, 17462, 17465	
10599,	10609,	9397, 9423, 9609,		\endtabularx	
10624,	10645,	9757, 9759, 9760,		16034, 16063, 16074	
11026,	11030,	9761, 9762, 9764,			



<code>\endtitlepage</code> . . . 627, 936, 1190, 5577, 5770, 13206, 13658	4340, 4341, 4372, 4373, 6975, 9959	1048, 1051, 1257, 1266, 1274, 1300, 1303, 1371, 1386, 1468, 1469, 1470, 1472, 1870, 1872, 1876, 1878, 1882, 1884, 1888, 1889, 1897, 1899, 1903, 1904, 1928, 1932, 1935, 1938, 1942, 1945, 1948, 1999, 2000, 2053, 2081, 2389, 2391, 2395, 2396, 2400, 2403, 2413, 2415, 2419, 2420, 2424, 2427, 2449, 2450, 2453, 2454, 2458, 2460, 2464, 2468, 2470, 2474, 2475, 2476, 2478, 2479, 2482, 2486, 2488, 2493, 2494, 2496, 2497, 2500, 2509, 2516, 2520, 2522, 2525, 2526, 2527, 2529, 2532, 2533, 2535, 2536, 2538, 2539, 2541, 2545, 2572, 2573, 2574, 2575, 2576, 2578, 2601, 2605, 2656, 2657, 2658, 2659, 2665, 2666, 2667, 2668, 2751, 2752, 2766, 2767, 2768, 2770, 2777, 2778, 2781, 2796, 2803, 2812, 2984, 2985, 2986, 2989, 2992, 3008, 3009, 3023, 3024, 3036, 3041, 3046, 3056, 3072, 3075, 3101, 3144, 3206, 3215, 3227, 3229, 3230, 3270, 3280, 3281, 3302, 3319, 3330, 3332, 3459, 3460, 4263, 4801, 5231, 5363,
<code>\endtraditionalpoem</code> 5405	<code>\errmessage</code> 1569, 1671, 12524	
<code>\endtrivlist</code> 9865	<code>\escapechar</code> . . . 2375, 2442, 2447, 2544	
<code>\endturn</code> 14197	<code>\ESO@isMEMOIR</code> 7170	
<code>\endwindow</code> 12868	<code>\evenpage</code> 1677, 1680, 1681, 1682, 1684, 1685, 1686, 1687, 1689	
<code>\enskip</code> 16777, 16802	<code>\evensidemargin</code> 1701, 7193, 17730	
<code>\enspace</code> 310, 12862, 12864	<code>\everycr</code> 12009	
<code>\EQ</code> . 7207, 7213, 7214, 7218, 7219, 7228, 7229, 7231, 7233, 7234, 7236, 7237, 7238, 7239, 7241, 7242, 7243, 7255, 7258, 7260, 7262, 7263, 7265, 7268, 7270, 7272, 7273, 7275, 7276, 7278, 7281, 7282, 7283, 7286, 7289, 7297, 7304, 7312, 7319, 7321, 7324, 7328, 7329, 7330, 7331, 7343, 7345, 7346	<code>\everydisplay</code> 6103	
<code>\eq@addpunct</code> 6138	<code>\everyhbox</code> .. 13000, 13002, 13009, 13011, 17221, 17223, 17230, 17232	
<code>\EQ@box</code> 6143, 6149	<code>\everyjob</code> 1532, 1533, 1649, 1650	
<code>\eq@group</code> 6106, 6115	<code>\everymath</code> 341	
<code>\eq@GRP@first@dmath</code> 6115	<code>\everypar</code> 515, 668, 914, 1155, 4119, 4163, 4207, 5544, 5723, 6012, 7649, 9562, 9756, 12992, 12996, 13153, 13167, 13246, 13620, 13837, 14023, 14484, 16384, 16388, 17213, 17217, 17610, 17654	
<code>\eq@if</code> .. 2445, 2446, 2448	<code>\everyvbox</code> ... 1373, 1374, 13018, 13020, 13026, 13028, 17239, 17241, 17247, 17249	
<code>\eq@isIntertext</code> .. 6153	<code>\ExecuteOptions</code> 2158, 3528, 4909, 4911, 6808, 6906	
<code>\eq@prelim</code> .. 6106, 6123	<code>\exhyphenpenalty</code> 619, 928, 1124, 5514, 5693, 13198, 13650, 13714	
<code>\eq@setnumber</code> 6109	<code>\expandafter</code> 162, 354, 378, 751, 760, 768, 794, 797, 1005, 1014, 1022,	
<code>\eq@setup@a</code> 6111		
<code>\eq@startup</code> 6112		
<code>\eq@wdCond</code> 6130		
<code>\eqnewif</code> .. 1541, 1542, 1544, 1552, 2441		
<code>\eqno</code> 329, 13066, 13068, 17781, 17783		
<code>\eqnumform</code> 6141		
<code>\eqstyle</code> 6108		
<code>\equal</code> 2307, 2324, 2328, 2332, 3673, 3707, 3718, 3744, 3745, 3761, 3802, 4060, 4302, 4303, 4321, 4322,		



5366, 5369, 5372, 5375, 5378, 5404, 5405, 5468, 5469, 5483, 5638, 5647, 5655, 5817, 5826, 5834, 6103, 6205, 6247, 6268, 7934, 8073, 8074, 8214, 8215, 8360, 8361, 8507, 8508, 8654, 8655, 8801, 8802, 8948, 8949, 9095, 9096, 9242, 9243, 9341, 9440, 9441, 9446, 9775, 9777, 9807, 9809, 9871, 9872, 9877, 9878, 9960, 9977, 9982, 10041, 10044, 10065, 10068, 10081, 10095, 10096, 10097, 10098, 10100, 10314, 10402, 10424, 10425, 10433, 10615, 10653, 10654, 11051, 11053, 11062, 11064, 11073, 11075, 11195, 11209, 11223, 11247, 11261, 11294, 11325, 11356, 11436, 11457, 11458, 11465, 11479, 11535, 11543, 11548, 11656, 11657, 11662, 11663, 12006, 12031, 12034, 12241, 12244, 12812, 12829, 12841, 12846, 12994, 13336, 13345, 13353, 13379, 13382, 13475, 13484, 13492, 13520, 13523,	14110, 14122, 14132, 14153, 14168, 14180, 15972, 15999, 16032, 16035, 16055, 16058, 16060, 16062, 16073, 16074, 16082, 16086, 16088, 16095, 16097, 16102, 16104, 16113, 16170, 16589, 16590, 16606, 16607, 16608, 16615, 16617, 16618, 16694, 16698, 16719, 16723, 16785, 16789, 16885, 16886, 16888, 16891, 16892, 16895, 17120, 17132, 17135, 17143, 17144, 17163, 17175, 17178, 17192, 17193, 17197, 17215, 17465, 17833 \extrafeetendmini 7913, 7920 \extrafeetendminihook 7918, 7919 \extrafeetins 7892, 7893 \extrafeetinshook 7898, 7899 \extrafeetminihook 7912 \extrainfo 2250 \extrarowheight 381, 11980, 11988 \extrarulesep ... 16026 \extratitle 14406, 14921, 15602 F \f@size 342 \familyname 2243 \familynamecolour . .. 2212, 6812, 6910	\familynamefont 2221, 2229, 6852, 6946 \familynamestyle 2229, 6863, 6953, 6974 \fancy@oval 9727 \fancy@reset . 9757, 9762 \fancyfoot ... 2342, 3887, 3888, 6878 \fancyhead ... 3876, 3877, 3878, 5100, 5101, 5112, 5113, 5114 \fancyhf 2191, 3874, 3883, 3893, 5098, 5109 \fancyhfoffset 3867, 3868 \fancypagestyle 2188, 2341, 3882, 3892, 6877 \FAX 2208 \fax 2248 \faxsymbol 2208, 6887, 6985 \fb@adjheight 10389, 10459, 10479 \fb@afterframe 10384, 10409, 10467 \FB@captype 9876, 9877, 9879 \fb@frh 10396, 10400, 10415, 10450, 10453 \fb@put@frame . 10378, 10389, 10460, 10480 \fb@putboxa .. 10383, 10408, 10466, 10483 \fb@resto@set 10418, 10458, 10462 \fb@sizeofframe 10391, 10413 \fbox 1822, 1832, 6274, 7347, 10825, 10831, 10838, 10844, 10850, 10856, 10864, 10868, 10873, 10877, 10881, 10885, 10900, 10901, 10916, 10917, 10926, 10930, 10935,
--	--	--



10939, 10943,
 10947, 10955,
 10961, 10968,
 10974, 10980, 10986
 \fboxrule 1770, 10352,
 10358, 10364,
 10366, 10368, 10370
 \fboxsep 1771,
 1838, 1847, 6236,
 6237, 6238, 6274,
 10352, 10364,
 10366, 10368,
 10370, 17107,
 17108, 17109, 17205
 \fcolorbox 1772
 \feetabovelfloat . . .
 9547, 9548
 \ff@backcol 9971
 \ff@col 9969
 \ff@frametype 9967, 9978
 \ff@txtcol
 . . 9959, 9960, 9970
 \fi . 12, 13, 18, 25, 36,
 84, 94, 100, 103,
 104, 105, 113, 130,
 132, 138, 146, 150,
 154, 158, 165, 180,
 213, 214, 219, 224,
 230, 233, 234,
 235, 245, 293,
 307, 311, 330,
 338, 343, 357,
 358, 370, 371,
 372, 374, 377,
 393, 399, 401,
 458, 463, 501,
 508, 516, 518,
 525, 528, 529,
 532, 553, 554,
 560, 569, 591,
 600, 607, 616,
 620, 633, 636,
 637, 638, 644,
 645, 650, 653,
 661, 669, 671,
 678, 679, 686,
 689, 690, 695,
 703, 744, 754,
 763, 771, 795,
 797, 812, 817,

851, 858, 867,
 873, 874, 880,
 883, 890, 893,
 894, 899, 907,
 915, 917, 924,
 925, 929, 949,
 950, 951, 971,
 998, 1008, 1017,
 1025, 1049, 1051,
 1066, 1071, 1105,
 1112, 1121, 1125,
 1131, 1132, 1137,
 1140, 1148, 1156,
 1158, 1165, 1166,
 1174, 1177, 1178,
 1183, 1196, 1199,
 1200, 1201, 1223,
 1250, 1260, 1269,
 1277, 1301, 1303,
 1318, 1323, 1361,
 1362, 1364, 1367,
 1369, 1370, 1375,
 1389, 1390, 1404,
 1405, 1419, 1427,
 1428, 1434, 1435,
 1439, 1444, 1447,
 1452, 1455, 1463,
 1464, 1473, 1474,
 1486, 1487, 1498,
 1560, 1561, 1568,
 1569, 1577, 1583,
 1595, 1601, 1607,
 1613, 1619, 1662,
 1663, 1670, 1671,
 1873, 1879, 1885,
 1900, 1910, 1921,
 1925, 1926, 1928,
 1985, 1986, 1992,
 2007, 2008, 2011,
 2014, 2017, 2021,
 2022, 2030, 2057,
 2063, 2064, 2067,
 2084, 2090, 2096,
 2111, 2112, 2116,
 2117, 2119, 2124,
 2313, 2314, 2315,
 2317, 2345, 2353,
 2384, 2385, 2400,
 2410, 2424, 2434,
 2463, 2471, 2480,

2483, 2489, 2498,
 2501, 2523, 2530,
 2567, 2602, 2753,
 2771, 2990, 3016,
 3030, 3042, 3057,
 3093, 3105, 3137,
 3148, 3202, 3204,
 3205, 3234, 3236,
 3240, 3241, 3250,
 3252, 3273, 3274,
 3276, 3290, 3291,
 3293, 3294, 3309,
 3322, 3323, 3331,
 3348, 3403, 3413,
 3424, 3621, 3627,
 3814, 3817, 3820,
 3823, 3842, 3853,
 4083, 4092, 4119,
 4127, 4136, 4171,
 4180, 4356, 4413,
 4415, 4425, 4748,
 4749, 4866, 4867,
 4868, 5046, 5124,
 5176, 5189, 5197,
 5228, 5229, 5284,
 5285, 5289, 5296,
 5301, 5310, 5339,
 5350, 5352, 5355,
 5357, 5411, 5413,
 5417, 5436, 5438,
 5439, 5440, 5451,
 5453, 5454, 5463,
 5465, 5502, 5511,
 5515, 5521, 5522,
 5527, 5530, 5538,
 5546, 5553, 5554,
 5561, 5564, 5565,
 5571, 5581, 5615,
 5617, 5619, 5631,
 5641, 5650, 5658,
 5681, 5690, 5694,
 5700, 5701, 5706,
 5709, 5717, 5725,
 5732, 5733, 5740,
 5743, 5744, 5750,
 5774, 5794, 5796,
 5798, 5810, 5820,
 5829, 5837, 5857,
 5863, 5864, 5868,
 5870, 5893, 5902,



5956, 5961, 5999,
6006, 6014, 6021,
6024, 6025, 6029,
6041, 6043, 6045,
6054, 6060, 6061,
6068, 6079, 6084,
6102, 6104, 6105,
6106, 6114, 6125,
6127, 6136, 6141,
6143, 6158, 6160,
6162, 6165, 6184,
6188, 6194, 6206,
6207, 6219, 6220,
6231, 6235, 6236,
6240, 6241, 6243,
6250, 6256, 6275,
6278, 6279, 6285,
6290, 6313, 6336,
6359, 6382, 6397,
6400, 6401, 6417,
6421, 6422, 6424,
6446, 6449, 6458,
6460, 6485, 6491,
6501, 6503, 6512,
6551, 6558, 6567,
6570, 6577, 6590,
6598, 6604, 6609,
6611, 6612, 6613,
6646, 6647, 6663,
6672, 6677, 6678,
6722, 6731, 6734,
6741, 6755, 6763,
6769, 6774, 6776,
6777, 6778, 6779,
6793, 6828, 6835,
6842, 6849, 6874,
6923, 6929, 6935,
6941, 6955, 6970,
7016, 7019, 7020,
7037, 7040, 7041,
7066, 7082, 7083,
7085, 7094, 7103,
7104, 7123, 7136,
7137, 7146, 7155,
7156, 7159, 7165,
7168, 7179, 7182,
7194, 7200, 7220,
7239, 7240, 7254,
7295, 7296, 7302,
7303, 7304, 7310,

7311, 7317, 7318,
7319, 7320, 7328,
7329, 7330, 7331,
7332, 7333, 7361,
7374, 7377, 7378,
7381, 7388, 7394,
7401, 7402, 7408,
7415, 7425, 7497,
7502, 7536, 7594,
7599, 7637, 7643,
7651, 7653, 7655,
7657, 7666, 7672,
7673, 7681, 7692,
7697, 7717, 7720,
7723, 7725, 7732,
7733, 7737, 7761,
7808, 7887, 7888,
7897, 7917, 7929,
7953, 7954, 7957,
7958, 7960, 7979,
7989, 8024, 8041,
8126, 8135, 8168,
8184, 8266, 8276,
8311, 8328, 8413,
8423, 8458, 8475,
8560, 8570, 8604,
8622, 8707, 8717,
8751, 8769, 8854,
8864, 8899, 8916,
9001, 9011, 9046,
9063, 9148, 9158,
9193, 9210, 9301,
9312, 9321, 9350,
9397, 9516, 9534,
9541, 9556, 9564,
9571, 9574, 9575,
9579, 9582, 9587,
9594, 9613, 9675,
9680, 9714, 9721,
9723, 9725, 9735,
9739, 9746, 9747,
9748, 9749, 9757,
9759, 9760, 9761,
9762, 9764, 9765,
9766, 9785, 9797,
9799, 9817, 9833,
9835, 9846, 9853,
9869, 9891, 9899,
9903, 9917, 9924,
9986, 9988, 9990,

9999, 10001,
10003, 10011,
10014, 10016,
10031, 10045,
10069, 10153,
10155, 10187,
10237, 10245,
10258, 10271,
10272, 10286,
10287, 10310,
10353, 10367,
10369, 10379,
10447, 10448,
10476, 10481,
10490, 10503,
10504, 10505,
10519, 10539,
10542, 10563,
10566, 10576,
10578, 10581,
10582, 10593,
10599, 10602,
10609, 10618,
10624, 10626,
10628, 10631,
10639, 10645,
10660, 10666,
10667, 10670,
10677, 10689,
10690, 10703,
10713, 10729,
10733, 10738,
10742, 10743,
10753, 10754,
10759, 10760,
10761, 10769,
10778, 10780,
10781, 10782,
10783, 10784,
10796, 10798,
10799, 10800,
10801, 10802,
10807, 10813,
10814, 10815,
10828, 10834,
10841, 10847,
10853, 10859,
10860, 10861,
10866, 10870,
10875, 10879,



10883,	10887,	11799,	11802,	12417,	12423,
10888,	10889,	11805,	11808,	12424,	12429,
10890,	10897,	11811, 11814,	11817,	12449,	12459,
10905,	10913,	11820,	11823,	12460,	12465,
10921,	10928,	11826,	11829,	12466,	12472,
10932,	10937,	11832,	11835,	12476,	12477,
10941,	10945,	11838,	11841,	12480,	12484,
10949,	10950,	11844,	11847,	12489,	12492,
10951,	10958,	11850,	11853,	12496,	12501,
10964,	10971,	11856,	11859,	12505,	12513,
10977,	10983,	11862,	11865,	12524,	12538,
10989,	10990,	11868,	11871,	12543,	12549,
10991,	10992,	11874,	11877,	12563,	12571,
10993,	10994,	11880,	11883,	12585,	12592,
10995,	11004,	11886,	11889,	12600,	12604,
11009,	11010,	11892,	11895,	12608,	12612,
11014,	11026,	11898,	11901,	12705,	12711,
11034,	11038,	11904,	11907,	12730,	12735,
11039,	11054,	11910,	11913,	12740,	12747,
11065,	11076,	11916,	11919,	12757,	12758,
11096,	11107,	11922,	11925,	12761,	12762,
11118,	11133,	11928,	11931,	12763,	12768,
11148,	11163,	11934,	11937,	12773,	12777,
11168,	11180,	11940,	11943,	12783,	12789,
11239,	11277,	11946,	11949,	12794,	12797,
11310,	11341,	11952,	11955,	12803,	12821,
11372,	11398,	11961,	11963,	12835,	12843,
11401,	11404,	11966,	11975,	12844,	12848,
11407,	11416,	11976,	11991,	12856,	12857,
11418,	11423,	12013,	12018,	12858,	12859,
11427,	11430,	12039,	12043,	12866,	12867,
11438,	11467,	12076,	12098,	12885,	12889,
11471,	11484,	12133,	12137,	12896,	12897,
11488,	11491,	12140,	12145,	12899,	12901,
11494,	11496,	12146,	12147,	12902,	12903,
11521,	11522,	12148,	12149,	12909,	12934,
11539,	11549,	12150,	12162,	12936,	12947,
11555,	11572,	12176,	12179,	12958,	12965,
11587,	11588,	12185,	12189,	12971,	12973,
11606,	11609,	12190,	12211,	12976,	12977,
11613,	11634,	12212,	12213,	12991,	13043,
11635,	11650,	12218,	12229,	13044,	13047,
11658,	11664,	12231,	12235,	13051,	13052,
11687,	11690,	12245,	12257,	13068,	13069,
11762,	11765,	12264,	12277,	13070,	13071,
11768,	11771,	12280,	12301,	13072,	13076,
11774,	11777,	12311,	12338,	13077,	13081,
11780,	11784,	12344,	12345,	13083,	13087,
11787,	11790,	12359,	12362,	13089,	13098,
11793,	11796,	12383,	12393,	13100,	13102,



13111,	13113,	14025,	14032,	14826,	14832,
13115,	13124,	14035,	14036,	14838,	14841,
13126,	13128,	14040,	14052,	14864,	14869,
13137,	13139,	14054,	14056,	14870,	14882,
13156,	13178,	14065,	14070,	14892,	14897,
13179,	13186,	14077,	14086,	14900,	14937,
13195,	13199,	14119,	14123,	14938,	14944,
13212,	13215,	14133,	14164,	14951,	14954,
13216,	13217,	14169,	14170,	14969,	14982,
13223,	13224,	14181,	14182,	14983,	14985,
13229,	13232,	14196,	14198,	14988,	14989,
13240,	13248,	14202,	14206,	14999,	15000,
13255,	13256,	14208,	14213,	15009,	15010,
13263,	13266,	14217,	14220,	15012,	15015,
13267,	13273,	14224,	14226,	15016,	15026,
13291,	13311,	14230,	14257,	15027,	15033,
13313,	13315,	14266,	14268,	15039,	15040,
13329,	13339,	14279,	14288,	15043,	15047,
13348,	13356,	14311,	14317,	15058,	15059,
13380,	13382,	14323,	14326,	15061,	15062,
13397,	13402,	14349,	14354,	15065,	15068,
13436,	13443,	14355,	14367,	15081,	15084,
13452,	13468,	14377,	14382,	15089,	15092,
13478,	13487,	14385,	14422,	15097,	15100,
13495,	13521,	14423,	14429,	15109,	15113,
13523,	13538,	14436,	14439,	15120,	15136,
13543,	13585,	14454,	14467,	15157,	15164,
13586,	13588,	14468,	14470,	15169,	15176,
13591,	13597,	14473,	14474,	15179,	15180,
13598,	13603,	14487,	14489,	15181,	15183,
13606,	13614,	14490,	14496,	15210,	15234,
13622,	13629,	14502,	14503,	15235,	15236,
13630,	13637,	14506,	14510,	15254,	15255,
13640,	13641,	14518,	14519,	15263,	15269,
13647,	13651,	14521,	14522,	15282,	15292,
13664,	13667,	14523,	14539,	15310,	15316,
13668,	13669,	14542,	14549,	15325,	15332,
13676,	13678,	14565,	14586,	15333,	15351,
13680,	13684,	14593,	14598,	15352,	15353,
13715,	13784,	14605,	14608,	15354,	15355,
13789,	13825,	14609,	14610,	15356,	15357,
13831,	13839,	14612,	14639,	15358,	15365,
13846,	13849,	14663,	14664,	15367,	15371,
13850,	13854,	14665,	14683,	15373,	15377,
13855,	13856,	14684,	14692,	15379,	15383,
13869,	13871,	14698,	14711,	15385,	15389,
13873,	13882,	14721,	14739,	15391,	15395,
13905,	13914,	14745,	14772,	15397,	15401,
13967,	13972,	14781,	14783,	15403,	15407,
14010,	14017,	14794,	14803,	15409,	15413,



15415,	15419,	16302,	16320,	16737,	16738,
15421,	15425,	16321,	16337,	16741,	16744,
15453,	15462,	16338,	16339,	16747,	16748,
15464,	15475,	16343,	16344,	16757,	16763,
15484,	15507,	16353,	16357,	16772,	16773,
15513,	15519,	16358,	16359,	16781,	16787,
15522,	15545,	16365,	16368,	16791,	16794,
15550,	15551,	16369,	16370,	16795,	16806,
15563,	15573,	16378,	16389,	16807,	16817,
15578,	15581,	16390,	16392,	16818,	16822,
15618,	15619,	16393,	16399,	16826,	16830,
15625,	15632,	16400,	16401,	16834,	16838,
15635,	15650,	16409,	16412,	16842,	16846,
15663,	15664,	16413,	16421,	16850,	16854,
15666,	15669,	16422,	16423,	16859,	16867,
15670,	15680,	16424,	16432,	16870,	16877,
15681,	15687,	16435,	16439,	16878,	16882,
15693,	15694,	16440,	16441,	16889,	16912,
15697,	15701,	16449,	16452,	16918,	16929,
15712,	15713,	16456,	16457,	16934,	16940,
15715,	15716,	16458,	16466,	16942,	16949,
15747,	15751,	16469,	16473,	16952,	16965,
15758,	15774,	16474,	16475,	16974,	16987,
15795,	15802,	16483,	16486,	16990,	17001,
15807,	15814,	16490,	16491,	17007,	17008,
15817,	15818,	16492,	16500,	17014,	17019,
15819,	15821,	16503,	16507,	17022,	17036,
15848,	15872,	16508,	16509,	17041,	17044,
15873,	15874,	16517,	16520,	17045,	17046,
15892,	15893,	16525,	16526,	17047,	17051,
15901,	15907,	16527,	16535,	17054,	17056,
15920,	15930,	16538,	16544,	17062,	17063,
15948,	15954,	16545,	16546,	17077,	17087,
15959,	15962,	16554,	16557,	17088,	17095,
15964,	15965,	16564,	16565,	17100,	17103,
15969,	15970,	16566,	16574,	17106,	17107,
15988,	15996,	16577,	16591,	17110,	17111,
16003,	16010,	16599,	16600,	17113,	17122,
16017,	16023,	16601,	16609,	17123,	17127,
16028,	16059,	16612,	16634,	17133,	17139,
16116,	16117,	16649,	16650,	17140,	17141,
16133,	16134,	16651,	16663,	17144,	17150,
16150,	16169,	16665,	16672,	17154,	17165,
16201,	16208,	16674,	16687,	17166,	17170,
16210,	16225,	16688,	16689,	17176,	17188,
16236,	16239,	16696,	16700,	17189,	17190,
16246,	16247,	16705,	16709,	17193,	17207,
16248,	16253,	16715,	16721,	17212,	17264,
16257,	16258,	16725,	16731,	17265,	17268,
16273,	16295,	16734,	16736,	17272,	17273,



17295,	17306,	6160, 6162, 6164,	\FN@sfc@RTLfootnote
17325,	17333,	10813, 11008, 1868, 1882
17339,	17345,	11961, 11963, 11965	\FN@sfc@gobble@bracket
17351,	17352,	\filright .. 16188, 16217 1906, 1909
17358,	17363,	\FirstFrameCommand	\FN@sfc@gobble@opt ..
17366,	17386, 10366, 10412 1872,
17387,	17395,	\firstmark ... 9783,	1878, 1884, 1887
17396,	17404,	9815, 9956, 17769	\FN@sfc@gobble@optonly
17405,	17413,	\firstname 2242 1899, 1902
17414,	17422,	\firstnamecolour ..	\FN@sfc@gobble@twobracket
17423,	17424,	.. 2211, 6813, 6909 1891, 1894
17425,	17428,	\firstnamefont 2220,	\fnch@everypar ... 9756
17431,	17434,	2228, 6851,	\fontsize 305,
17437,	17438,	6852, 6943, 6946	4994, 4996,
17439,	17440,	\firstnamestyle 2228,	4998, 6851, 6943
17442,	17444,	6863, 6953, 6974	\foo 12826,
17445,	17452,	\fivecolumnfootnotes	12828, 12838, 12840
17455,	17457, 8399	\footdir@abspage ..
17458,	17462,	\fivecolumnfootstyle 10056,
17463,	17467, 8494	10059, 10060,
17483,	17484,	\flnew@within 9876	10063, 10064, 10067
17492,	17493,	\float@newx 9870	\footdir@debug 10028,
17496,	17497,	\float@alignment 3677,	10036, 10040,
17498,	17499,	3678, 3719, 3720,	10043, 10053,
17500,	17506,	3736, 3743,	10060, 10064, 10067
17511,	17519,	3751, 3802, 4013	\footdir@debugfalse 1606
17534,	17536,	\FloatBarrier 3649, 3993	\footdir@debugtrue
17559,	17563,	\floatc@bidiutfefloatplain 1604, 10026
17565,	17574, 4011, 4021,	\footdir@fntext ...
17583,	17618,	4028, 4034, 4042	10074, 10091, 10093
17627,	17659,	\floatc@bidiutfefloatplaintop	\footdir@LeftRightElse
17662,	17663, 4028	10034, 10050, 10127
17664,	17665,	\floatc@bidiutfefloatruled	\footdir@name 10077, 10080, 10081
17666,	17674, 4029	\footdir@ORG@bidi@amsart@footnotetext
17688,	17692,	\floatc@plain 9867 76
17693,	17697,	\floatingpenalty ..	\footdir@ORG@bidi@amsart@LTRfootnotetext
17705,	17706,	. 40, 53, 68, 249, 78
17707,	17708,	262, 276, 7025,	\footdir@ORG@bidi@amsart@RTLfootnotetext
17709,	17725,	7046, 7093, 7100, 77
17731,	17732,	7145, 7152, 7907,	\footdir@ORG@bidi@amsbook@footnotetext
17733,	17735,	10191, 10207, 10222 285
17736,	17737,	\floatstyle 4062	\footdir@ORG@bidi@amsbook@LTRfootnotetext
17752,	17762,	\flushleft .. 1839, 1848 287
17775,	17778,	\FN@sfc@footnote ..	\footdir@ORG@bidi@amsbook@RTLfootnotetext
17779,	17783, 1866, 1870 286
17784,	17786,	\FN@sfc@footnotemark	\footdir@ORG@bidi@footnotetext
17794,	17796, 1895, 1897 10240
17891, 17897, 17903		\FN@sfc@LTRfootnote	\footdir@ORG@bidi@LTRfootnotetext
\figcaption 10778, 10796	 1867, 1876 10242
\fill 5039, 5043,			



\footdir@ORG@bidi@RTLfootnotetext	242, 9328, 9440	7131, 7157, 7158,
..... 10241	\footinsv@r .. 7897,	7755, 7916, 7927,
\footdir@temp	7941, 7942, 7943,	7940, 9501, 9526,
. 76, 77, 78, 285,	7944, 7970, 7971,	10018, 10115,
286, 287, 10086,	7979, 7989, 7999,	10119, 10122,
10240, 10241, 10242	8117, 8118, 8126,	10137, 10142,
\footdir@toks	8135, 8144, 8257,	10143, 10145, 10571
.. 10027, 10094,	8258, 8266, 8276,	\footnotes
10095, 10096, 10100	8286, 8404, 8405,	4394
\footdir@write	8413, 8423, 8433,	\footnotesep
10021, 10051, 10090	8551, 8552, 8560,	29,
\footersymbol	8570, 8580, 8698,	31, 39, 45, 52,
6870, 6871, 6886,	8699, 8707, 8717,	58, 67, 73, 239,
6887, 6888, 6889	8727, 8845, 8846,	241, 248, 254,
\footmark . 7877,	8854, 8864, 8874,	261, 267, 275,
8016, 8019, 8022,	8992, 8993, 9001,	281, 7022, 7043,
8160, 8163, 8166,	9011, 9021, 9139,	7068, 7125, 7771,
8303, 8306, 8309,	9140, 9148, 9158,	7787, 7803, 7817,
8450, 8453, 8456,	9168, 9328, 9329,	7830, 7843, 7908,
8597, 8600, 8603,	9342, 9353, 9364	10190, 10198,
8744, 8747, 8750,	\footmarksep	10206, 10214,
8891, 8894, 8897,	7874	10221, 10229,
9038, 9041, 9044,	\footmarkstyle 7876, 7889	10255, 10268, 10281
9185, 9188, 9191,	\footmarkwidth 7873,	\footnotesize ... 37,
9378, 9382, 9386	7878, 7879, 7881,	50, 65, 102,
\footfudgefactor ..	7883, 7886, 7890	232, 246, 259,
.. 9292, 9341, 9446	\footnote	273, 408, 735,
\footfudgefiddle ..	412,	989, 1241, 2320,
..... 9322, 9340	486, 739, 838,	2342, 3557, 3558,
\footins	993, 1092, 1245,	3596, 4209, 4403,
35, 48,	1345, 1866, 1869,	4432, 4449, 4466,
63, 244, 257, 271,	4576, 4895, 4926,	5622, 5801, 5906,
2096, 7025, 7046,	5626, 5805, 5910,	7451, 7544, 7900,
7050, 7051, 7062,	5984, 7455, 7523,	7901, 7902, 9629,
7065, 7069, 7093,	7548, 7622, 9633,	10188, 10204,
7099, 7107, 7108,	9701, 12180,	10219, 10248,
7119, 7122, 7126,	12183, 13324,	10261, 10274,
7145, 7151, 7760,	13423, 13461,	12862, 12864,
7776, 7792, 7904,	13567, 13723,	13320, 13457,
9523, 9527, 9537,	13811, 13921,	13719, 13917,
10186, 10202,	13995, 14302,	14298, 14813, 15494
10217, 10526,	14418, 14817,	\footnotetext .. 1931,
10527, 10546, 10547	14933, 15498, 15614	1942, 5362, 5372
\footinsdim	\footnotelayout ...	\footparindent 7875, 7891
... 7903, 7904,	.. 4397, 4398, 4401	\footrule
7944, 7970, 8073,	\footnotemark . 1895,	9763
8117, 8214, 8257,	1896, 10315,	\footrulewidth 2190, 3872
8360, 8404, 8507,	10329, 12181, 12184	\footscript .. 7876,
8551, 8654, 8698,	\footnoterule	7880, 7884, 7886
8801, 8845, 8948,	... 7004, 7066,	\footskip .. 9763, 17759
8992, 9095, 9139,	7072, 7077, 7105,	\foottextfont
	7106, 7123, 7127,	... 7764, 7771,
		7811, 7817, 7900,



1329, 1330, 1331,
1332, 1333, 1334,
1335, 1336, 1337,
1463, 1464, 1718,
1719, 1720, 1721,
1722, 1723, 1724,
1725, 1726, 1727,
1728, 1910, 1928,
1929, 1932, 1935,
1938, 1942, 1945,
1948, 2027, 2031,
2053, 2093, 2113,
2114, 2122, 2377,
2389, 2413, 3535,
3544, 3678, 3722,
3723, 3729, 4089,
4100, 4103, 4133,
4144, 4147, 4177,
4188, 4191, 4233,
4245, 5009, 5206,
5209, 5227, 5231,
5247, 5258, 5284,
5285, 5312, 5325,
5326, 5354, 5363,
5366, 5369, 5372,
5375, 5378, 5410,
5420, 5434, 5436,
5441, 5442, 5448,
5449, 5451, 5471,
5483, 5485, 5543,
5544, 5664, 5665,
5666, 5667, 5668,
5669, 5670, 5671,
5672, 5673, 5722,
5723, 5843, 5844,
5845, 5846, 5847,
5848, 5849, 5850,
5851, 5852, 5930,
5931, 5932, 5933,
5934, 5935, 5936,
5937, 5938, 5939,
5940, 5941, 5959,
5965, 5966, 5967,
5968, 5969, 5970,
5971, 5972, 5973,
5974, 5975, 5976,
5977, 6011, 6012,
6105, 6115, 6116,
6117, 6118, 6119,
6120, 6121, 6122,

6130, 6143, 6148,
6152, 6200, 6427,
6428, 6430, 6453,
6463, 6464, 6466,
6496, 6554, 6562,
6572, 6582, 6591,
6593, 6594, 6597,
6600, 6610, 6624,
6625, 6627, 6629,
6630, 6632, 6638,
6639, 6642, 6644,
6645, 6648, 6651,
6656, 6665, 6673,
6718, 6726, 6736,
6745, 6747, 6756,
6758, 6759, 6762,
6765, 6775, 6783,
6784, 6791, 7017,
7024, 7038, 7045,
7057, 7065, 7069,
7086, 7089, 7097,
7102, 7114, 7122,
7126, 7138, 7141,
7149, 7154, 7335,
7473, 7474, 7475,
7476, 7477, 7478,
7479, 7480, 7481,
7482, 7500, 7506,
7507, 7508, 7509,
7510, 7511, 7512,
7513, 7514, 7515,
7516, 7568, 7569,
7570, 7571, 7572,
7573, 7574, 7575,
7576, 7577, 7578,
7579, 7597, 7603,
7604, 7605, 7606,
7607, 7608, 7609,
7610, 7611, 7612,
7613, 7614, 7615,
7648, 7649, 7808,
7821, 7834, 7960,
8024, 8036, 8049,
8089, 8168, 8179,
8191, 8229, 8311,
8323, 8336, 8376,
8458, 8470, 8483,
8523, 8605, 8617,
8630, 8670, 8752,
8764, 8777, 8817,

8899, 8911, 8924,
8964, 9046, 9058,
9071, 9111, 9193,
9205, 9218, 9258,
9283, 9297, 9388,
9401, 9414, 9462,
9504, 9546, 9561,
9562, 9651, 9652,
9653, 9654, 9655,
9656, 9657, 9658,
9659, 9660, 9678,
9684, 9685, 9686,
9687, 9688, 9689,
9690, 9691, 9692,
9693, 9694, 9770,
9771, 9780, 9786,
9802, 9803, 9812,
9819, 9886, 9889,
9922, 9925, 9927,
9933, 9934, 9953,
10245, 10246,
10258, 10259,
10271, 10272,
10524, 10525,
10526, 10527,
10529, 10544,
10545, 10546,
10547, 10549,
11170, 11171, 11173,
11174, 11175,
11176, 11209,
11223, 11247,
11261, 11294,
11325, 11356,
11648, 12000,
12001, 12031,
12034, 12113,
12114, 12115,
12116, 12117,
12118, 12119,
12120, 12121,
12138, 12233,
12269, 12270,
12271, 12274,
12276, 12278,
12279, 12281,
12286, 12294,
12296, 12304,
12305, 12306,
12307, 12309,



12310,	12313,	13754,	13755,	14922,	14923,
12314,	12342,	13756,	13757,	14924,	14925,
12343,	12351,	13758,	13759,	14926,	14927,
12352,	12353,	13760,	13761,	14928,	14929,
12356,	12358,	13762,	13763,	15248,	15302,
12360,	12361,	13764,	13787,	15304,	15576,
12363,	12368,	13793,	13794,	15588,	15589,
12376,	12378,	13795,	13796,	15590,	15591,
12386,	12387,	13797,	13798,	15592,	15593,
12388,	12389,	13799,	13800,	15594,	15595,
12391,	12392,	13801,	13802,	15596,	15597,
12395,	12396,	13803,	13804,	15598,	15599,
12421,	12422,	13805,	13836,	15600,	15601,
12428,	12429,	13837,	13941,	15602,	15603,
12441,	12442,	13942,	13943,	15604,	15605,
12443,	12444,	13944,	13945,	15606,	15607,
12445,	12446,	13946,	13947,	15608,	15609,
12448,	12454,	13948,	13949,	15610,	15886,
12526,	12543,	13950,	13951,	15940,	15942,
12549,	12563,	13952,	13970,	16002,	16006,
12571,	12706,	13976,	13977,	16007,	16008,
12869,	12893,	13978,	13979,	16025,	16037,
12894,	12895,	13980,	13981,	16042,	16046,
13093,	13245,	13982,	13983,	16058,	16095,
13246,	13362,	13984,	13985,	16097,	16102,
13363,	13364,	13986,	13987,	16104,	16175,
13365,	13366,	13988,	14022,	16176,	16177,
13367,	13368,	14023,	14380,	16178,	16383,
13369,	13370,	14392,	14393,	16384,	16387,
13371,	13400,	14394,	14395,	16388,	16884,
13406,	13407,	14396,	14397,	17032,	17040,
13408,	13409,	14398,	14399,	17050,	17053,
13410,	13411,	14400,	14401,	17097,	17305,
13412,	13413,	14402,	14403,	17456,	17521,
13414,	13415,	14404,	14405,	17522,	17523,
13416,	13501,	14406,	14407,	17539,	17540,
13502,	13503,	14408,	14409,	17542,	17580,
13504,	13505,	14410,	14411,	17591,	17594,
13506,	13507,	14412,	14413,	17624,	17635,
13508,	13509,	14414,	14483,	17638,	17666,
13510,	13511,	14484,	14677,	17675,	17676,
13512,	13541,	14731,	14733,	17677,	17678,
13547,	13548,	14895,	14907,	17680,	17683,
13549,	13550,	14908,	14909,	17684,	17698,
13551,	13552,	14910,	14911,	17703,	17714,
13553,	13554,	14912,	14913,	17715,	17724,
13555,	13556,	14914,	14915,	17766,	17767, 17777
13557,	13558,	14916,	14917,	\glossary . . .	9943, 17743
13559,	13619,	14918,	14919,	\Gm@vrule	10697,
13620,	13753,	14920,	14921,	10698,	10699,



10701, 10702,	11382, 11396, 11413	14477, 14514,
10703, 10706,	\H@@footnotetext ..	14643, 14683,
10707, 10708, 11042,	14992, 15019,
10711, 10712, 10713	11053, 11122,	15051, 15214,
\Gm@vrules@mpi ... 10694	11186, 11300,	15254, 15673,
\Gm@vrules@mpii .. 10704	11383, 11399, 11413	15705, 15852,
\Grot@box 10581, 14202,	\H@mpfootnotetext	15892, 16646,
14213, 14220, 14230 11051,	16760, 16797,
\Grot@box@std 10576	11085, 11089, 11190	16799, 16865,
\Grot@setangle	\H@refstepcounter 11459	16872, 16874,
.. 10577, 14195,	\halign 5246, 12003	17284, 17439,
14205, 14216, 14223	\hangafter . 6290, 12206	17440, 17517,
\Grot@x 10579, 14200,	\hangindent	17544, 17545,
14210, 14218, 14228	.. 103, 104, 105,	17550, 17687,
\Grot@y . 10580, 14201,	233, 234, 235,	17752, 17762, 17778
14211, 14218, 14229	643, 872, 1130,	\hbadness
\grp@aligned 6121	4866, 4867, 4868,	4044, 7010, 7031,
\GRP@box 6116, 6148, 6150	5520, 5699, 6194,	16078, 16080,
\grp@eqs@numbered 6120	6290, 12199,	16971, 16972, 16989
\grp@hasNumber ... 6125	12205, 13222,	\hbox 15,
\GRP@label 6117	13596, 17442, 17796	27, 176, 216, 237,
\grp@linewidth 6119	\hb@xt@ 451,	340, 374, 382,
\GRP@queue .. 6116, 6152	511, 530, 664,	399, 538, 650,
\grp@setnumber ... 6125	691, 895, 910,	724, 880, 962,
\grp@shiftnumber . 6122	1059, 1151, 1179,	1137, 1209, 1415,
\grp@wdL 6118	1712, 5541, 5566,	1474, 1911, 2116,
\grp@wdNum 6119	5720, 5745, 5949,	2119, 3654, 3736,
\grp@wdR 6118	6009, 6026, 6280,	3738, 3743, 3776,
\grp@wdT 6118	6468, 6469, 6474,	3777, 3786, 3793,
\Gscale@box	6532, 6536, 6539,	4013, 4046, 4364,
10582, 10674, 10691	6544, 6549, 6709,	4403, 4430, 4447,
\Gscale@div	6710, 6714, 7379,	4464, 4585, 4594,
10673, 10680, 10683	7391, 7490, 7587,	4603, 5038, 5046,
\Gscale@end 10586, 10632	7646, 7879, 7886,	5165, 5215, 5219,
\Gscale@start	9559, 9576, 9668,	5230, 5247, 5258,
..... 10586, 10632	9821, 9822, 9826,	5471, 5485, 5527,
\Gscale@x . 10584, 10630	9844, 9859, 9963,	5602, 5706, 5758,
\Gscale@y . 10584, 10630	10595, 10641,	6035, 6149, 6207,
\gsetboolean .. 3538,	10696, 10701,	6236, 6396, 6399,
3680, 3681, 3708,	10706, 10710,	6416, 6420, 6431,
3709, 3713, 3714,	11482, 11649,	6434, 6436, 7069,
4001, 4002, 4239	12234, 12320,	7072, 7075, 7126,
\gsetlength .. 3533,	12325, 12328,	7127, 7129, 7212,
3695, 3781, 4231,	12402, 12403,	7217, 7223, 7444,
4489, 4491, 4518,	12408, 12503,	7744, 9290, 9303,
4520, 4547, 4549	13243, 13268,	9308, 9313, 9318,
	13617, 13642,	9484, 9491, 9605,
	13735, 13778,	9745, 9757, 9758,
H	13851, 13960,	9762, 9764, 9787,
\H@@footnotemark ..	14020, 14037,	9790, 9792, 9863,
... 11083, 11189,		



9867, 9869, 9907,	17220,	17228,	6026, 6039, 6280,
9912, 10106,	17229,	17237,	6397, 6400, 6417,
10530, 10531,	17282,	17283,	6421, 6433, 6471,
10534, 10550,	17286,	17287,	6473, 6535, 6546,
10553, 10556,	17288,	17289,	6548, 6711, 6713,
10573, 10574,	17371,	17441,	7379, 7391, 7448,
10578, 10585,	17450,	17452,	7646, 7748, 7959,
10586, 10631,	17458,	17469,	9559, 9576, 9609,
10632, 10670,	17484,	17513,	9789, 9823, 9825,
10677, 11504,	17514,	17524,	9849, 9862, 9869,
11992, 12012,	17527,	17529,	10108, 10533,
12017, 12476,	17695, 17705, 17707		10552, 10703,
12510, 12526,	\hboxL 10472,		10708, 11508,
12528, 12627,	10489, 13008, 17229		11649, 12017,
12862, 12866,	\hboxR 12999, 17220		12234, 12322,
12886, 12919,	\headstyle 617,		12324, 12405,
12923, 12928,	926, 1122, 1357,		12407, 12503,
12932, 12944,	5512, 5691, 13196,		12629, 12866,
12955, 12972,	13581, 13648, 13712		12920, 12924,
12982, 12999,	\headheight 1694, 7197,		12929, 12933,
13007, 13008,	9758, 9949, 17748		12945, 12956,
13016, 13057,	\headrule 9761		12982, 13243,
13058, 13059,	\headrulewidth 2189, 3871		13268, 13286,
13061, 13062,	\headsep . 1702, 1705,		13617, 13642,
13081, 13229,	7198, 9950, 17757		13710, 13834,
13281, 13603,	\headwidth 2279,		13851, 13867,
13705, 13834,	9757, 9759,		14020, 14037,
13863, 14046,	9760, 9761, 9762,		14050, 14291,
14217, 14271,	9764, 9765, 9766		14476, 14607,
14273, 14284,	\height 10650, 10838,		14806, 14991,
14602, 14714,	10840, 10844,		15018, 15178,
14786, 14788,	10846, 10873,		15349, 15487,
14799, 15173,	10874, 10877,		15672, 15816,
15285, 15336,	10878, 10935,		16646, 16760,
15337, 15345,	10936, 10939,		16797, 16799,
15364, 15370,	10940, 10968,		16865, 16872,
15376, 15382,	10970, 10974, 10976		16874, 17294,
15388, 15394,	\hfil 15, 29, 216,		17517, 17526,
15400, 15406,	239, 511, 530,		17547, 17549,
15412, 15467,	542, 664, 691,		17706, 17708,
15469, 15480,	729, 895, 910,		17732, 17733,
15811, 15923,	966, 1060, 1151,		17735, 17736, 17778
15975, 15988,	1179, 1214, 1411,	\hfill 176, 189,	
16017, 16028,	1412, 1413, 1414,	1480, 1481, 2300,	
16067, 16137,	1442, 1443, 1444,	2306, 2320, 3805,	
16752, 16753,	1450, 1451, 1452,	3806, 3809, 3810,	
16802, 16804,	1684, 1689, 5216,	5187, 5197, 6213,	
16861, 16862,	5218, 5323, 5541,	6214, 6862, 9759,	
17065, 17099,	5566, 5607, 5720,	9760, 9764, 9765,	
17101, 17107,	5745, 5763, 6009,	12478, 12502,	



12634, 12637,	\HLTR@mplTRfootnotetext	13709, 13860,
12638, 12639, 11073,	13866, 14043,
12642, 12643,	11087, 11111, 11191	14049, 14281,
12644, 12645,	\hoffset 1698	14290, 14599,
12646, 12649,	\hold@viper	14606, 14796,
12650, 12651,	... 6439, 6442,	14805, 15170,
12652, 12653,	6478, 6481, 6512,	15177, 15342,
12654, 12655,	6553, 6554, 6562,	15348, 15477,
12658, 12659,	6563, 6572, 6573,	15486, 15808, 15815
12660, 12661,	6581, 6678, 6717,	\hsize 40,
12662, 12663,	6718, 6726, 6727,	53, 68, 168, 170,
12664, 12665,	6736, 6737, 6746,	174, 179, 197, 249,
12666, 12669,	6782, 6784, 6785	262, 276, 620,
12670, 12671,	\holder . 12876, 12879,	929, 1125, 2044,
12674, 12675,	12888, 12898,	4045, 4046, 4106,
12676, 12679,	12899, 12917,	4150, 4194, 4788,
12680, 12681,	12921, 12926,	5515, 5694, 6145,
12682, 12683,	12930, 12942,	6397, 6400, 6417,
12686, 12687,	12946, 12953, 12957	6421, 7766, 7782,
12688, 12689,	\href 2325, 2326, 2329,	7798, 7811, 7824,
12690, 12693,	2330, 2333, 2334	7837, 7952, 8010,
12694, 12695,	\href@ 11436	8028, 8040, 8053,
12696, 12697,	\href@split 11436, 11437	8093, 8154, 8172,
12973, 12977,	\HRTL@mpRTLfootnotetext	8183, 8195, 8233,
14513, 15050, 11062,	8297, 8315, 8327,
15366, 15372,	11086, 11100, 11192	8340, 8380, 8444,
15378, 15384,	\HRTL@ORTLfootnotetext	8462, 8474, 8487,
15390, 15396, 11043,	8527, 8591, 8609,
15402, 15408,	11064, 11137,	8621, 8634, 8674,
15704, 16190,	11188, 11267,	8738, 8756, 8768,
16219, 16754,	11362, 11384, 11402	8781, 8821, 8885,
16863, 17020, 17515	\hrule 29,	8903, 8915, 8928,
\hfilneg 7953, 7957	31, 239, 241, 535,	8968, 9032, 9050,
\hfuzz . 7210, 16079, 16081	541, 720, 728,	9062, 9075, 9115,
\hintcolour 2219	958, 965, 1205,	9179, 9197, 9209,
\hintfont 2227, 2235,	1213, 4035, 4036,	9222, 9262, 9302,
2289, 2296, 2301	4046, 4047, 5217,	9340, 9348, 9359,
\hintscolumnwidth .	5598, 5606, 5754,	9370, 9392, 9395,
... 2255, 2269,	5762, 5866, 5872,	9405, 9408, 9418,
2273, 2281, 2289,	5878, 5884, 6032,	9421, 9445, 9455,
2295, 2301, 2357	6038, 7005, 7441,	9466, 9469, 9868,
\hintstyle 2235	7447, 7741, 7747,	9869, 10192,
\hline 11969, 11971, 11977	7756, 9602, 9608,	10208, 10223,
\HLOFF 1774	10108, 10110,	10249, 10262,
\HLON 1768	10112, 10144,	10275, 10292,
\HLTR@LTrfootnotetext	10477, 11501,	10293, 10372,
..... 11044,	11507, 12076,	10477, 10507,
11075, 11152,	12629, 12631,	10510, 10514,
11187, 11229,	12974, 13277,	10517, 10518,
11331, 11385, 11405	13285, 13701,	11645, 11649,



12003,	12014,	6437, 6438, 6534,	16432,	16449,
12017,	12026,	6538, 6541, 6542,	16466,	16483,
12045,	12046,	7070, 7071, 7074,	16500,	16517,
12053,	12076,	7084, 7085, 7128,	16535,	16554,
12230,	12234,	7378, 9288, 9575,	16574,	16609,
12430,	12510,	9788, 9791, 9793,	16747,	16794,
12512,	12520,	9794, 9845, 9861,	16804,	16859,
12556,	12560,	10551, 10555,	17511,	17525,
12564,	12567,	10558, 10559,	17528,	17530,
12572,	12575,	10696, 10698,	17531,	17689,
12615,	12619,	10699, 10702,	17691, 17705, 17708	
12623,	13033,	10707, 10710,	\hspace 104, 105, 234,	
13035,	13154,	10712, 10713,	235, 550, 2290,	
13168,	13199,	11484, 11617,	2295, 2301, 3788,	
13651,	13715,	12321, 12327,	3795, 4017, 4692,	
13731,	13774,	12330, 12331,	4693, 4699, 4700,	
14255,	14262,	12477, 12489,	4706, 4707, 4713,	
14264,	14643,	12501, 12556,	4714, 4841, 4867,	
14644,	14683,	12560, 12564,	4868, 6992, 7398,	
14770,	14777,	12567, 12568,	7732, 7881, 10813,	
14779,	15214,	12572, 12575,	10829, 10842,	
15215,	15254,	12576, 12634,	10854, 10867,	
15323,	15328,	12637, 12639,	10876, 10884,	
15330,	15451,	12642, 12644,	10929, 10938,	
15458,	15460,	12646, 12649,	10946, 10959,	
15852,	15853,	12651, 12653,	10972, 10984,	
15892,	16812,	12655, 12658,	11008, 14638,	
16815,	16820,	12660, 12662,	14653, 14658,	
16824,	16828,	12664, 12666,	14660, 14661,	
16832,	16836,	12669, 12671,	15209, 15224,	
16840,	16844,	12674, 12676,	15229, 15231,	
16848,	17068,	12679, 12681,	15232, 15424,	
17089,	17093,	12683, 12686,	15847, 15862,	
17254,	17256,	12688, 12690,	15867, 15869,	
17354,	17597,	12693, 12695,	15870, 15958,	
17641, 17774, 17778		12697, 12710,	15959, 16195,	
\hskip . . 14, 215, 307,		13229, 13230,	16207, 17885,	
311, 529, 650,		13267, 13584,	17889, 17894,	
651, 690, 880,		13603, 13604,	17896, 17900, 17902	
881, 894, 942,		13641, 13850,	\hss 452, 511,	
1137, 1138, 1178,		14036, 14126,	530, 664, 691,	
1360, 1413, 1414,		14128, 14135,	895, 910, 1151,	
1452, 1476, 1479,		14137, 14173,	1179, 1713, 4808,	
2371, 4749, 5189,		14175, 14184,	5541, 5566, 5720,	
5233, 5234, 5237,		14186, 14474,	5745, 5950, 6009,	
5239, 5240, 5243,		14510, 14989,	6026, 6280, 6434,	
5527, 5528, 5565,		15016, 15047,	6436, 6470, 6475,	
5706, 5707, 5744,		15670, 15701,	6537, 6540, 6545,	
6025, 6209, 6212,		16189, 16218,	6550, 6710, 6714,	
6279, 6432, 6435,		16378, 16409,	7073, 7083, 7128,	



7137, 7212, 7215, 7217, 7220, 7223, 7379, 7391, 7491, 7588, 7646, 7880, 7886, 9559, 9576, 9669, 9790, 9792, 9822, 9826, 9963, 10532, 10535, 10554, 10557, 10595, 10641, 10699, 10713, 12012, 12020, 12326, 12329, 12404, 12409, 12546, 12547, 12557, 12558, 13059, 13070, 13071, 13072, 13243, 13268, 13617, 13642, 13735, 13778, 13834, 13851, 13961, 14020, 14037, 14271, 14477, 14514, 14714, 14723, 14786, 14992, 15019, 15051, 15285, 15294, 15336, 15467, 15673, 15705, 15923, 15932, 17073, 17075, 17080, 17086, 17284, 17364, 17427, 17428, 17430, 17431, 17433, 17434, 17439, 17440, 17499, 17500, 17501, 17502, 17527, 17529, 17546, 17551, 17693	6688, 6696, 6697, 6700, 6701, 6703, 6704, 6746, 6782, 7013, 7022, 7034, 7043, 7051, 7061, 7063, 7079, 7108, 7118, 7120, 7133, 7363, 7961, 8106, 8110, 8246, 8250, 8393, 8397, 8540, 8544, 8687, 8691, 8834, 8838, 8981, 8985, 9128, 9132, 9275, 9279, 9292, 9741, 10397, 10404, 10421, 10428, 10429, 10442, 10446, 10469, 10588, 10589, 10591, 10634, 10635, 10637, 10750, 11559, 11560, 11566, 11569, 11602, 11978, 12028, 12074, 12081, 12084, 12305, 12309, 12314, 12387, 12391, 12396, 12444, 12446, 12888, 12946, 12957, 12962, 12963, 12964, 12965, 12969, 12984, 14112, 14154, 14157, 14212, 14219, 14667, 14669, 14670, 15238, 15240, 15241, 15876, 15878, 15879, 15976, 16013, 16025, 16140, 17108, 17110, 17470, 17669, 17679, 17683	\ht@viper 6509, 6514, 6537, 6540, 6545, 6550, 6618, 6619, 6674, 6675, 6676, 6680, 6710, 6714 \httplink 2327 \Huge 4775, 5869, 5881, 6063, 6071, 7675, 7684, 9589, 9597, 14072, 14080 \huge 561, 4629, 4631, 4774, 5860, 6057, 7409, 7418, 7669, 9584, 14067, 14324, 14437, 14839, 14952, 15520, 15633 \Hurl 11420 \hv@Bottom 10908 \hv@Center ... 10812, 10823, 10863, 10925, 10953, 11006 \hv@figure . 10777, 10795 \hv@floatObject 10738, 10742 \hv@floatType . 10768, 10777, 10795, 11013 \hv@Height 10750 \hv@label 10719 \hv@Left ... 10753, 10821 \hv@longCap 10718 \hv@Right .. 10754, 10810 \hv@shortCap 10717, 10783, 10801 \hv@Top 10836, 10872, 10892, 10934, 10966 \hv@Width .. 10748, 10771 \hv@Zero ... 10737, 11000 \hvAboveCaptionSkip 10916, 10919 \hvBelowCaptionSkip 10900, 10903 \hvCaptionBox . 10772, 10789, 10831, 10833, 10844, 10846, 10856, 10858, 10864, 10865, 10873, 10874, 10881, 10882, 10893,
\ht .. 380, 1462, 1495, 2103, 2105, 2106, 6228, 6237, 6239, 6510, 6512, 6519, 6525, 6526, 6527, 6581, 6620, 6638, 6650, 6674, 6678,	\ht@strip 12441, 12442, 12443, 12444, 12445, 12448, 12450	



10894, 10900,	10748,	\Hy@maketitle@optarg
10903, 10909,	10750, 10755, 10756	11386, 11391
10910, 10917,	\hvSet@floatCapSep	\Hy@raisedlink . . .
10920, 10926,	10829,	11093, 11104,
10927, 10935,	10842, 10854,	1115, 1126, 1141,
10936, 10943,	10867, 10876,	1156, 11233,
10944, 10961,	10884, 10929,	11271, 11304,
10963, 10974,	10938, 10946,	11335, 11366, 11473
10976, 10986, 10988	10959, 10972, 10984	\Hy@saved@currentHlabel
\hvCapWidth . .	10746,	1170, 1175
10748, 10750,	\hvSet@floatPos . .	10766
10752, 10756,	\hvSet@objectAngle	\Hy@saved@currentHref
10758, 10773, 10791	10737, 10741	1171, 1176
\hvFloat	10720	\Hy@saved@footnotemark
\hvMaxCapWidth	10731,	11378, 11397
10732, 10753,	\hvSet@rotAngle . . .	\Hy@saved@footnotetext
10754, 10755, 10758	10731, 11000, 11003	11379, 11400
\hvObjectBox	\Hy@backout	11422
10735, 10738,	\Hy@bidipoem@footnotetext	1185, 1197
10740, 10744,	11290, 11299	\HyLTR@saved@LTRfootnotetext
10750, 10825,	\Hy@bidipoem@LTRfootnotetext	11381, 11406
10827, 10838,	11321, 11330	\HyOrg@maketitle . .
10840, 10850,	\Hy@bidipoem@RTLfootnotetext	11376, 11387, 11392
10852, 10868,	11352, 11361	\HyOrg@TX@endtabularx
10869, 10877,	\Hy@footnote@currentHlabel	11184
10878, 10885,	11129,	\hyper@@@anchor . . .
10886, 10893,	11144, 11159, 11173	11091, 11094,
10896, 10901,	\Hy@footnote@currentHref	11102, 11105,
10904, 10909,	11091, 11094,	11113, 11116, 11124,
10912, 10916,	11102, 11105,	11127, 11139,
10919, 10930,	11113, 11116, 11124,	11142, 11154,
10931, 10939,	11127, 11130,	11157, 11231,
10940, 10947,	11139, 11142,	11234, 11269,
10948, 10955,	11145, 11154,	11272, 11302,
10957, 10968,	11157, 11160,	11305, 11333,
10970, 10980, 10982	11174, 11177,	11336, 11364, 11367
\hvObjectWidth	11220, 11258,	\hyper@@@link
10744, 10748,	11291, 11322, 11353	11438
10752, 10753, 10754	\Hy@gtemp . .	11196, 11201
\hvOBox	10738, 10742	\Hy@linkcounter . . .
\hvSet@capAngle . . .	10771, 10790	7263, 7268
10771, 10790	\Hy@linktoc	11022
\hvSet@capPos	\Hy@LT@currentHref	11461, 11472
10753, 10754,	11461, 11472	\Hy@LT@LTRfootnotetext
10821, 10892, 10908	\Hy@LT@LTRfootnotetext	11219, 11228
\hvSet@capVPos	10823,	\Hy@LT@RTLfootnotetext
10836, 10863,	10872, 10925,	11257, 11266
10872, 10925,	10934, 10953, 10966	\Hy@maketitle@end .
10934, 10953, 10966	\hvSet@capWidth . . .	11388, 11393, 11395
\hvSet@capWidth . . .		\hyper@linkurl
		11420



\hyper@makecurrent	16130, 16131,	\if@bidi@csmacro . 2514
..... 11172, 11460	16132, 17352,	\if@bidi@csprimitive
\hyper@nat@current 11424	17359, 17360, 2524
\hyper@natlinkbreak	17467, 17491,	\if@bidi@csundef ..
..... 11429	17492, 17493,	... 2472, 2545,
\hyper@natlinkend 11426	17494, 17495, 17496	3428, 3480, 17795
\hyper@natlinkstart	\if@allcaps 750, 759,	\if@bidi@cutedloaded@
..... 11421	767, 1004, 1013, 11788
\hypersetup 2173, 2181,	1021, 1256, 1265,	\if@bidi@cutwinloaded@
4885, 4944, 4961	1273, 5637, 5646, 11785
\hyphenpenalty	5654, 5816, 5825,	\if@bidi@dblfnoteloaded@
6, 101, 207, 231,	5833, 13335, 11791
619, 928, 1124,	13344, 13352,	\if@bidi@def 2484
5514, 5693, 13198,	13474, 13483, 13491	\if@bidi@defmacro .
13650, 13714, 13857	\if@altsecnumformat 2507,
\HyRTL@saved@RTLfootnotetext	14523, 15062, 15716	2508, 2516,
..... 11380, 11403	\if@bib@break@ 14533,	2686, 2705, 2849
I	14557, 14572,	\if@bidi@defparam .
\ialign .. 388, 15981,	14588, 15104, 2707,
16020, 17294, 17475	15128, 15143,	2801, 2802, 2851
\if 356, 357, 358, 360,	15159, 15742,	\if@bidi@defprimitive
361, 362, 363,	15766, 15781, 15797 2518
364, 367, 368,	\if@bibchapter .. 16303	\if@bidi@defprotected
369, 393, 1388,	\if@bidi@amsmathloaded@ 2714,
1389, 1390, 1392, 11760	2810, 2811, 2862
1393, 1394, 1395,	\if@bidi@amstextloaded@	\if@bidi@draftwatermarkloaded@
1396, 1397, 1398, 11763 11851
1401, 1402, 1403,	\if@bidi@amsthmloaded@	\if@bidi@empheqloaded@
1426, 1427, 1428, 11766 11854
1430, 1431, 1432,	\if@bidi@arabxetexloaded@	\if@bidi@fancyboxloaded@
1433, 1434, 2003, 11947 11845
2009, 2012, 2015,	\if@bidi@arrayloaded@	\if@bidi@fancyhdrloaded@
2018, 3223, 6106, 11887 11848
6125, 6159, 6161,	\if@bidi@arydshlnloaded@	\if@bidi@fancyvrbloaded@
6163, 7230, 7284, 11908 11953
7292, 7293, 7299,	\if@bidi@blank	\if@bidi@floatloaded@
7300, 7307, 7308,	.. 2502, 2787, 2794 11800
7314, 7315, 7325,	\if@bidi@breqnloaded@	\if@bidi@floatrowloaded@
7327, 10039, 11769 11803
10063, 10287,	\if@bidi@calsloaded@	\if@bidi@flowframloaded@
11523, 11960, 11772 11806
11962, 11964,	\if@bidi@captionloaded@	\if@bidi@fontspecloaded@
12819, 16023, 11775 11944
16115, 16116,	\if@bidi@colorloaded@	\if@bidi@framedloaded@
16117, 16118, 11781 11809
16119, 16120,	\if@bidi@colortblloaded@	\if@bidi@ftnrightloaded@
16121, 16123, 11797 11812
16124, 16125,	\if@bidi@croplloaded@	\if@bidi@geometryloaded@
16126, 16127, 11778 11827
	\if@bidi@csdef 2466, 2515	



\if@bidi@graphicxloaded@	\if@bidi@pstricksloaded@	\if@capbreak
..... 11824 11866	14655, 15226, 15864
\if@bidi@hvfloatloaded@	\if@bidi@quotchaploaded@	\if@captionabove ..
..... 11830 11875 14688,
\if@bidi@hyperrefloaded@	\if@bidi@rotatingloaded@	14694, 14707,
..... 11842 11929	14717, 15259,
\if@bidi@lettrineloaded@	\if@bidi@stabularloaded@	15265, 15278,
..... 11860 11890	15288, 15897,
\if@bidi@list@minipage@part@	\if@bidi@subfigloaded@	15903, 15916, 15926
..... 1553, 11893	\if@cftdopart ... 16360
17320, 17382,	\if@bidi@subfigureloaded@	\if@cftthaschapter .
17391, 17400, 11896 16351,
17409, 17422,	\if@bidi@supertabularloaded@	16355, 16361,
17423, 17437, 17438 11899	16382, 16394, 16416
\if@bidi@list@minipage@part@	\if@bidi@tblsloaded@	\if@cftthaspart ... 16347
..... 1554, 11932	\if@colour 2156
17328, 17384,	\if@bidi@tabularyloaded@	\if@colourgreen 6800,
17393, 17402, 17411 11935	6829, 6898, 6924
\if@bidi@listingsloaded@	\if@bidi@tikzloaded@	\if@colourgrey 6804,
..... 11863 11878	6843, 6902, 6936
\if@bidi@longtableloaded@	\if@bidi@titlesecloaded@	\if@colourorange ..
..... 11905 11881 6798,
\if@bidi@mdf@RTL ..	\if@bidi@titletocloaded@	6822, 6896, 6918
..... 12036, 12043 11884	\if@colourred . 6802,
\if@bidi@mdframedloaded@	\if@bidi@tocbibindloaded@	6836, 6900, 6930
..... 11833 11941	\if@compatibility .
\if@bidi@midfloatloaded@	\if@bidi@tocstyleloaded@	.. 513, 666, 744,
..... 11836 11938	912, 998, 1153,
\if@bidi@minitocloaded@	\if@bidi@todonotes@figposition@right	1180, 5631, 5810,
..... 11917	.. 16901, 16999,	13329, 13468,
\if@bidi@multicolloaded@	17004, 17011, 17017	14482, 16386, 17453
..... 11911	\if@bidi@todonotes@textdirection@RTL	.. 12186, 12215
\if@bidi@multienumloaded@ 16900,	\if@conthang 12196
..... 11914	16934, 16974, 17008	\if@continent .. 12202
\if@bidi@natbibloaded@	\if@bidi@undef 2490,	\if@DEBUG 2127
..... 11920	2549, 2583, 2594,	\if@displaypagenumbers
\if@bidi@newfloatloaded@	2613, 2617, 2621, 2335, 2338
..... 11923	2625, 2635,	\if@donumindex
\if@bidi@ontheoremloaded@	2639, 2643, 2647, 16304, 16323
..... 11839	2683, 2702, 2846	\if@dotocbib 16266
\if@bidi@patchable	\if@bidi@wrapfigloaded@	\if@dotocind 16311, 16328
..... 2674, 2675 11821	\if@extrafootnotefeatures
\if@bidi@pdfpagesloaded@	\if@bidi@xcolorloaded@ 1549, 1617
..... 11857 11794	\if@fcolmade .. 6449,
\if@bidi@pgfloaded@	\if@bidi@xltxtalloaded@	6491, 9797, 9833,
..... 11869 11815	9917, 10539,
\if@bidi@picinparloaded@	\if@bidi@xtabloaded@	10563, 12338,
..... 11872 11902	12417, 17534, 17559
\if@bidi@polyglossialloaded@	\if@bidi@xunicodeloaded@	\if@ff@nwpg 9885
..... 11950 11818	\if@files w 2079



\if@firstcolumn ...	\if@oldtoc	2057, 2353, 4748,
... 6427, 6462,	. 654, 680, 884,	4749, 4866, 4867,
6506, 6587, 6606,	900, 1141, 1168,	4868, 5515, 5521,
6752, 6771, 9769,	5531, 5555, 5710,	5522, 5527, 5538,
9801, 10523,	5734, 13233,	5561, 5564, 5565,
10543, 12268,	13257, 13607, 13631	5581, 5694, 5700,
12350, 12438,	\if@openright	5701, 5706, 5717,
17521, 17538, 17659	.. 5120, 6075, 7688	5740, 5743, 5744,
\if@firstdetailselement	\if@ovb 9749	5774, 5857, 5868,
..... 6965, 6967	\if@ovl 9747	5870, 6006, 6021,
\if@firstfooterelement	\if@ovr 9746	6024, 6025, 6054,
..... 6869, 6872	\if@ovt 9748	6068, 6084, 6102,
\if@flushend@auto@baseline	\if@parafootRTL ...	6114, 6127, 6158,
..... 6622	.. 1550, 9301, 9312	6194, 6235, 6236,
\if@ignore .. 2971, 2973	\if@pboxsw 17366	6240, 6241, 6243,
\if@inlabel 6105	\if@ref 15361	6250, 6256, 6275,
\if@inltxdoc 16296	\if@restonecol	6278, 6279, 6285,
\if@insert 6780	.. 600, 616, 867,	6290, 6397, 6400,
\if@komalongtable .	1121, 5511, 5690,	6417, 6421, 7211,
14704, 15275, 15913	5902, 13195,	7291, 7306, 7328,
\if@Latin 338,	13452, 13914, 16343	7329, 7330, 7331,
343, 1543, 6141, 6143	\if@reversemargin 17664	7354, 7374, 7377,
\if@LTRbibitems . 84,	\if@rjfield 17703	7378, 7388, 7402,
293, 569, 703,	\if@rl 1542	7415, 7425, 7643,
971, 1223, 1547,	\if@rl@footnote .. 1552	7666, 7681, 7697,
2353, 5581, 5774,	\if@rlmain 1541	7717, 7720, 7725,
6084, 7425, 7697,	\if@rot@twoside 14116,	7733, 9556, 9571,
9613, 12264,	14121, 14131,	9574, 9575, 9582,
12705, 13291,	14161, 14167, 14179	9594, 9613, 9869,
13684, 13882,	\if@RTL 12, 13,	10011, 10287,
14086, 14549,	25, 84, 100, 103,	10367, 10369,
15120, 15758, 16273	104, 105, 213, 214,	10576, 10578,
\if@LTRmarginpar ..	230, 233, 234,	10581, 10582,
..... 1546,	235, 293, 307,	10599, 10602,
17688, 17693, 17697	311, 372, 508,	10609, 10618,
\if@mainmatter 5092,	525, 528, 529,	10624, 10628,
5859, 6056, 7668,	554, 569, 620,	10631, 10645,
13086, 15065,	633, 644, 645,	10670, 10677,
15081, 15089, 15097	650, 661, 686,	10822, 10924,
\if@minipage 3840, 12255	689, 690, 703,	11026, 11034,
\if@mparswitch ... 17661	873, 874, 880,	11418, 11423,
\if@newlist .. 9933,	890, 893, 894,	11427, 11430,
9953, 17714, 17766	907, 929, 971,	11438, 11484,
\if@nobreak	1125, 1131, 1132,	11488, 11491,
... 3424, 10494,	1137, 1148, 1174,	11496, 11606,
12047, 13147, 13161	1177, 1178, 1196,	11609, 11613,
\if@noparlist 5345, 5458	1223, 1361, 1362,	12013, 12039,
\if@noskipsec	1473, 1474, 1487,	12145, 12146,
... 6104, 10495,	1498, 1542, 1558,	12147, 12148,
12048, 13148, 13162	1654, 1660, 1910,	12149, 12150,



12229,	12231,	14772,	14781,	16737,	16738,
12264,	12472,	14985,	14988,	16744,	16747,
12476,	12477,	14989,	15012,	16794,	16854,
12484,	12489,	15015,	15016,	16859,	16882,
12496,	12501,	15043,	15047,	16889,	16949,
12705,	12783,	15061,	15120,	16952,	17036,
12803,	12866,	15179,	15180,	17071,	17079,
12916,	12991,	15181,	15183,	17106,	17107,
13043,	13044,	15254,	15325,	17110,	17111,
13047,	13051,	15332,	15419,	17113,	17150,
13070,	13071,	15425,	15453,	17154,	17207,
13072,	13081,	15462,	15666,	17212,	17264,
13083,	13089,	15669,	15670,	17265,	17268,
13100,	13102,	15697,	15701,	17272,	17295,
13113,	13115,	15715,	15758,	17321,	17329,
13126,	13128,	15817,	15818,	17335,	17341,
13137,	13139,	15819,	15821,	17352,	17424,
13156,	13178,	15892,	15957,	17425,	17427,
13179,	13199,	15960,	15964,	17430,	17433,
13212,	13223,	16150,	16208,	17437,	17438,
13224,	13229,	16225,	16245,	17439,	17440,
13240,	13263,	16248,	16253,	17442,	17444,
13266,	13267,	16257,	16258,	17445,	17450,
13291,	13585,	16273,	16368,	17457,	17499,
13586,	13597,	16369,	16370,	17500,	17506,
13598,	13603,	16378,	16399,	17511,	17688,
13614,	13637,	16400,	16401,	17693,	17697,
13640,	13641,	16409,	16422,	17705,	17706,
13651,	13664,	16423,	16424,	17707,	17708,
13684,	13715,	16432,	16439,	17775,	17778,
13831,	13846,	16440,	16441,	17786,	17796,
13849,	13850,	16449,	16456,	17884, 17894, 17900	
13855,	13856,	16457,	16458,	\if@RTL@footnote . .	
13882,	14017,	16466,	16473, 36, 245,	
14032,	14035,	16474,	16475,	1552, 1656, 4119,	
14036,	14065,	16483,	16490,	7761, 7808, 7979,	
14077,	14086,	16491,	16492,	8024, 8126, 8168,	
14196,	14198,	16500,	16507,	8266, 8311, 8413,	
14202,	14206,	16508,	16509,	8458, 8560, 8604,	
14208,	14213,	16517,	16525,	8707, 8751, 8854,	
14217,	14220,	16526,	16527,	8899, 9001, 9046,	
14224,	14226,	16535,	16544,	9148, 9193, 9350,	
14230,	14257,	16545,	16546,	9397, 10187,	
14266,	14470,	16554,	16564,	10233, 10271, 10272	
14473,	14474,	16565,	16566,	\if@RTLbibitems . 84,	
14506,	14510,	16574,	16599,	293, 569, 703,	
14521,	14522,	16600,	16601,	971, 1223, 1548,	
14549,	14608,	16609,	16649,	2353, 5581, 5774,	
14609,	14610,	16650,	16651,	6084, 7425, 7697,	
14612,	14683,	16674,	16736,	9613, 12264,	



12705, 13291,	17484, 17492, 17493	13779, 13901,
13684, 13882,	\if@sentedir 1655	13962, 14372,
14086, 14549,	\if@specialpage ...	14887, 15568,
15120, 15758, 16273 9888, 17723	16298, 17658, 17789
\if@RTLcolumnfootnotes	\if@tab@rl 1544	\if@twoside
.... 1551, 7953,	\if@tablecaptionabove	... 5037, 9892,
7954, 7957, 7958,	14735, 15306, 15944	14341, 14354,
7989, 8041, 8135,	\if@tempswa .. 3266,	14422, 14856,
8184, 8276, 8328,	3311, 7067, 7124	14869, 14937,
8423, 8475, 8570,	\if@thmmarks .. 12766,	15537, 15550,
8622, 8717, 8769,	12770, 12787, 12791	15618, 17062, 17726
8864, 8916, 9011,	\if@titlecentered .	\if@vihproof 12457, 12463
9063, 9158, 9210 1343, 13565	\ifadl@inactive .. 1375
\if@RTLmain ... 1541,	\if@titlepage	\ifadl@usingarypkg 1378
1557, 1653, 1659, 406, 621,	\ifAM@output 12845
6293, 6316, 6339,	731, 930, 985,	\ifAM@survey 12823
6362, 6533,	1184, 1237, 5904,	\ifartopt 12165
7159, 7165, 7168,	7449, 7542, 9627,	\ifbidi@autofootnoterule
7182, 7200, 9757,	13200, 13316, 10017,
9759, 9760, 9761,	13453, 13652,	10245, 10258, 10271
9762, 9764, 9765,	13717, 13915,	\ifblendcolors 17118,
9766, 10016,	14293, 14808, 15489	17139, 17161, 17188
10695, 10705,	\if@tocleft	\ifbool 12061, 12070
12429, 12585,	.. 14464, 14499,	\ifcase 1410,
17565, 17752, 17762	14979, 15006,	1437, 1441, 1445,
\if@RTLmarginpar ..	15036, 15660, 15690	1449, 1475, 1573,
..... 1545,	\if@tocstyle@penalties	1579, 1585, 1597,
17688, 17693, 17697 16657, 16766	1603, 1609, 6208,
\if@RTLtab 357,	\if@todonotes@authorgiven	11022, 16239,
358, 374, 377, 16925,	16619, 16726,
399, 401, 1369,	16936, 16961, 16978	16796, 16906,
1370, 1389, 1390,	\if@todonotes@disabled	16914, 17138, 17187
1427, 1428, 1544, 16919, 16920	\ifcat 1568, 1670
1921, 1925, 1926,	\if@todonotes@dviStyle	\ifconvertcolorsU .
2116, 2119, 6160, 16922, 16956 17124,
6162, 6184, 6188,	\if@ttb@rotate ... 10010	17140, 17167, 17189
6206, 6207, 6220,	\if@twocolumn ... 94,	\ifcpoddpage 3623
6231, 10286,	224, 453, 587,	\ifcsname 2467,
11961, 11963,	603, 630, 637,	2473, 2600, 3040,
15965, 15969,	807, 854, 939,	3055, 3269, 3277,
15970, 15988,	950, 1061, 1108,	12728, 12738,
15996, 16003,	1193, 1200, 1313,	12752, 16681,
16028, 16116,	2065, 5046,	16682, 16691,
16117, 17327,	5498, 5677, 5889,	16702, 16706,
17351, 17384,	5951, 7492, 7589,	16716, 16728,
17393, 17402,	9670, 12128,	16782, 16810,
17411, 17422,	13182, 13209,	16811, 16819,
17423, 17437,	13216, 13392,	16823, 16827,
17438, 17458,	13439, 13533,	16831, 16835,
17462, 17463,	13661, 13668,	16839, 16843, 16847



<code>\ifdefined</code> .. 2485, 2491	14650, 15213,	10960, 10967,
<code>\ifdfn@allowcbreak</code>	15221, 15365,	10973, 10979, 10985
..... 7020, 7041	15371, 15377,	<code>\ifhv@nonFloat</code> 10767,
<code>\ifdfn@ruleboth</code> ...	15383, 15389,	10774, 10792,
..... 7078, 7132	15395, 15401,	10813, 11005, 11007
<code>\ifdfn@trysingle</code> ..	15407, 15413,	<code>\ifhv@onlyText</code>
..... 7059, 7116	15851, 15859, 10775, 10793
<code>\ifdim</code> ... 1463, 1464,	16014, 16692,	<code>\ifhv@useOBox</code>
2103, 2106, 3853,	16717, 16783, 10738, 10742
4420, 5186, 5223,	17039, 17041,	<code>\ifHy@hyperfootnotes</code>
5225, 5284, 5285,	17043, 17045, 11041
5287, 5293, 5333,	17046, 17047,	<code>\ifHy@nesting</code> . 11090,
5346, 5353, 5434,	17049, 17089,	11101, 11112, 11123,
5436, 5449, 5451,	17096, 17670, 17774	11138, 11153,
5459, 6135, 6526,	<code>\ifdofullc@p</code>	11230, 11268,
6571, 6583, 6596,	14645, 15216, 15854	11301, 11332, 11363
6599, 6601, 6631,	<code>\iffalse</code>	<code>\ifin@</code>
6635, 6636, 6650,	2443, 2444, 2446, 3285
6675, 6700, 6735,	10494, 10495,	<code>\ifinner</code> . 1993, 4084,
6748, 6761, 6764,	11684, 12047,	4128, 4172, 10382,
6766, 7014, 7035,	12048, 13147,	17031, 17575, 17619
7055, 7064, 7091,	13148, 13161, 13162	<code>\ifL@grid</code>
7095, 7112, 7121,	<code>\IfFileExists</code> 11575
7143, 7147, 7878,	... 2980, 2995,	<code>\ifL@image</code>
7883, 9735, 9737,	3603, 5066, 5131 11551
9868, 10379,	<code>\iffootdir@debug</code> ..	<code>\ifLettrineImage</code> . 11521
10387, 10403, 10025, 10029	<code>\ifLettrineOnGrid</code> 11522
10404, 10434,	<code>\ifGin@iso</code>	<code>\ifmaskcolors</code> . 17128,
10442, 10455, 10684	17139, 17171, 17188
10470, 10503,	<code>\ifhbox</code> . 9307, 9317, 9321	<code>\ifmmode</code>
10504, 10587,	<code>\ifhmode</code> . 1987, 4078,	180,
10594, 10633,	4122, 4166, 4409,	6235, 6240, 9838,
10640, 10685,	4415, 6241, 6243,	9848, 10576,
10755, 10893,	6250, 6256, 6275,	10578, 10581,
10909, 11574,	11168, 11180,	10582, 10599,
11580, 11645,	16201, 17111,	10602, 10609,
12014, 12135,	17113, 17150,	10618, 10624,
12178, 12185,	17154, 17207,	10628, 10631,
12189, 12191,	17437, 17438,	10645, 10670,
12230, 12275,	17483, 17569, 17613	10677, 11418,
12283, 12285,	<code>\ifhv@fbox</code> ... 10824,	12856, 12857,
12357, 12365,	10830, 10837,	12858, 12859,
12367, 12439,	10843, 10849,	13076, 13077,
12450, 12534,	10855, 10864,	14196, 14198,
12542, 12548,	10868, 10873,	14202, 14206,
12562, 12570,	10877, 10881,	14208, 14213,
12863, 12888,	10885, 10899,	14217, 14220,
12946, 12957,	10915, 10926,	14224, 14226,
12964, 12969,	10930, 10935,	14230, 17106,
12984, 14642,	10939, 10943,	17110, 17361, 17448
	10947, 10954,	<code>\ifNAT@openbib</code> ... 12707
		<code>\ifnum</code> ... 3, 133, 139,
		204, 306, 348,
		349, 350, 351,



353,	454,	503,	12969,	12973,	\ifoddpage 3617
520,	548,	557,	12976,	12977,	\ifonelinecaptions
640,	656,	674,	13068,	13069,	14616, 15187, 15825
808,	869,	902,	13085,	13219,	\ifpgfrememberpicturepositiononpage
920,	1062,	1127,	13235,	13251, 16178, 16184
1143,	1161,	1314,	13311,	13313,	\ifpoem@started . . .
1380,	1381,	1382,	13315,	13393,	. . . 5280, 5286,
1383,	1385,	1424,	13534,	13593,	5433, 5440, 5454
1425,	2019,	2061,	13609,	13625,	\ifprimitive . 2519, 2526
2098,	2099,	5306,	13676,	13678,	\ifrot@messages . . .
5517,	5533,	5549,	13680,	13780, 14166, 14178
5615,	5617,	5619,	13827,	13841,	\iftagsleft@ . . 330, 7208
5696,	5712,	5728,	13869,	13871,	\ifthenelse 177, 182,
5794,	5796,	5798,	13873,	13963,	190, 2307, 2324,
5858,	5952,	6001,	14012,	14027,	2328, 2332, 2340,
6016,	6041,	6043,	14052,	14054,	3506, 3576, 3578,
6045,	6055,	6136,	14056,	14066,	3581, 3585, 3588,
6395,	6403,	6408,	14361,	14373,	3591, 3616, 3673,
6415,	6558,	6567,	14460,	14478,	3692, 3707, 3712,
6577,	6722,	6731,	14493,	14494,	3718, 3727, 3732,
6741,	6955,	7369,	14516,	14876,	3738, 3744, 3745,
7383,	7396,	7405,	14888,	14975,	3752, 3759, 3761,
7493,	7590,	7639,	14993,	15002,	3767, 3784, 3802,
7653,	7655,	7657,	15020,	15030,	3804, 3808, 3826,
7667,	7959,	9551,	15031,	15052,	3827, 3830, 3831,
9566,	9583,	9671,	15064,	15080,	3866, 3875, 3886,
9721,	9723,	9725,	15088,	15096,	3896, 3945, 4060,
9986,	9988,	9990,	15557,	15569,	4284, 4302, 4303,
9999,	10001,		15656,	15674,	4321, 4322, 4340,
10003,	10149,		15684,	15685,	4341, 4372, 4373,
10245,	10258,		15706,	16059,	4488, 4493, 4517,
10271,	10503,		16107,	16108,	4522, 4546, 4551,
10505,	11558,		16109,	16110,	4628, 4632, 4680,
11629,	11632,		16112,	16230,	4893, 4939, 4948,
11687,	11975,		16232,	16350,	4956, 4983, 5030,
11976,	12129,		16354,	16396,	5099, 5110, 6859,
12162,	12272,		16415,	16437,	6865, 6882, 6885,
12302,	12354,		16454,	16471,	6886, 6887, 6888,
12384,	12470,		16488,	16505,	6889, 6975, 6980,
12482,	12494,		16523,	16542,	6983, 6984, 6985,
12587,	12593,		16562,	16597,	6986, 6987, 6990,
12747,	12757,		16656,	16661,	6994, 9959, 9974,
12876,	12882,		16679,	16852,	12813, 14120, 14165
12894,	12897,		17070,	17302,	\iftikz@handle@active@code
12898,	12899,		17489,	17490, 16167
12901,	12902,		17504,	17666,	\iftocstyle@autolength
12903,	12904,		17688,	17783, 17784 16701
12913,	12935,	\ifodd 2004, 5037, 7173,			\iftocstyle@indentnotnumbered
12940,	12951,	7190, 7250, 9893,		 16746, 16793
12962,	12963,	17062, 17662, 17727			



\iftrue	2445,	10731,	10737,	15321,	15351,
	4025, 4038, 4051	10748,	10750,	15352,	15353,
\ifttl@label	16206	10753,	10754,	15354,	15355,
\ifTX@	16049	10771,	10777,	15356,	15357,
\ifvbox	9507	10778,	10780,	15358,	15362,
\ifvmode	3424, 3814,	10783,	10795,	15368,	15374,
	3817, 3820, 3823,	10796,	10798,	15380,	15386,
	12076, 12524,	10801,	10810,	15392,	15398,
	12777, 12797, 16001	10812,	10821,	15404,	15410,
\ifvoid	2096, 2116,	10823,	10836,	15419,	15449,
	6439, 6451, 6478,	10863,	10872,	15475,	15484,
	6494, 6512, 6520,	10892,	10908,	15504,	15509,
	6553, 6678, 6689,	10925,	10934,	15516,	15522,
	6717, 7018, 7039,	10953,	10966,	15546,	15617,
	7050, 7075, 7107,	11000,	11006,	15621,	15629,
	7129, 7897, 7914,	11019,	11050,	15635,	15647,
	7924, 9530, 9537,	11061,	11072,	15661,	15691,
	10305, 10463,	11396,	11399,	15745,	15807,
	10484, 11467,	11402,	11405,	15814,	16009,
	11471, 12092,	11486,	11535,	16241,	16582,
	12509, 12991, 17212	11655,	11656,	16668,	16739,
\ifWF@float	17044, 17058	11660,	11662,	16751,	16759,
\ifx	111, 130, 132, 147,	11980,	12239,	16776,	16801,
	151, 155, 162, 792,	12601,	12605,	16868,	16873,
	796, 1046, 1050,	12609,	12733,	16875,	17119,
	1298, 1302, 1869,	12737,	12744,	17162,	17273,
	1875, 1881, 1896,	12750,	12829,	17355,	17732,
	1927, 1980, 1983,	12841,	13052,	17733, 17735, 17736	
	2059, 2085, 2313,	13096,	13109,	\ifXC@tst	17142, 17191
	2314, 2315, 2317,	13122,	13377,	\ignorespaces . .	45, 58,
	2377, 2380, 2400,	13381,	13518,		73, 118, 254, 267,
	2404, 2424, 2428,	13522,	14253,		281, 338, 626,
	2460, 2474, 2492,	14279,	14288,		635, 935, 1189,
	2563, 2751, 2767,	14308,	14313,		1198, 2908, 3837,
	2985, 3009, 3024,	14320,	14326,		3844, 3845, 3854,
	3089, 3101, 3133,	14350,	14421,		4440, 4457, 4474,
	3144, 3179, 3185,	14425,	14433,		4510, 4539, 4568,
	3196, 3197, 3208,	14439,	14451,		4833, 5257, 5268,
	3238, 3247, 3248,	14465,	14500,		5428, 5429, 5576,
	3268, 3283, 3293,	14537,	14598,		5769, 6139, 6145,
	3307, 3314, 3326,	14605,	14768,		6250, 6256, 6264,
	3342, 3397, 3408,	14794,	14803,		6271, 7720, 7734,
	4354, 5175, 5196,	14823,	14828,		7771, 7787, 7803,
	5357, 5408, 5413,	14835,	14841,		7817, 7830, 7843,
	5415, 7087, 7139,	14865,	14936,		10198, 10214,
	7715, 7731, 7735,	14940,	14948,		10229, 10255,
	9779, 9811, 10146,	14954,	14966,		10268, 10281,
	10347, 10613,	14980,	15007,		10697, 10701,
	10655, 10656,	15037,	15107,		10706, 10711,
	10662, 10729,	15169,	15176,		11491, 12252,



12259,	13205,	17798,	17799,	\insert	35, 48, 63, 244,
13214,	13657,	17800,	17801,		257, 271, 2096,
13666,	14196,	17802,	17803,		7009, 7025, 7030,
14206,	14224,	17804,	17805,		7046, 7093, 7099,
14625,	14646,	17806,	17807,		7145, 7151, 7760,
14651,	14656,	17808,	17809,		7776, 7792, 7979,
14661,	14679,	17810,	17811,		7989, 7999, 8077,
15196,	15217,	17812,	17813,		8126, 8135, 8144,
15222,	15227,	17814,	17815,		8218, 8266, 8276,
15232,	15250,	17816,	17817,		8286, 8364, 8413,
15425,	15834,	17818,	17819,		8423, 8433, 8511,
15855,	15860,	17820,	17821,		8560, 8570, 8580,
15865,	15870,	17822,	17824,		8658, 8707, 8717,
15888,	17150,	17825,	17831,		8727, 8805, 8854,
17154,	17347,	17838,	17839,		8864, 8874, 8952,
17378,	17388,	17840,	17841,		9001, 9011, 9021,
17397,	17406, 17415	17842,	17843,		9099, 9148, 9158,
\ilg	12885, 12908	17844,	17845,		9168, 9246, 9342,
\immediate		17846,	17847,		9353, 9364, 9449,
..	2080, 3421, 5420	17848,	17849,		10186, 10202, 10217
\in@	3284	17850,	17851,	\insert@column	
\includegraphics ..		17852,	17853,		1412, 1413, 1414,
.....	2348,	17854,	17855,		1415, 1417, 1418,
6861,	6992, 12815	17856,	17857,		1478, 1480, 1481,
\includepdf	12806	17858,	17859,		1483, 1484, 1485,
\IncMargin	182	17860,	17861,		6211, 6213, 6214,
\indentedwidth ...	7733	17862,	17863,		6216, 6217, 6218
\index	9942, 17742	17864,	17865,	\insertpenalties .	10154
\indexname	594,	17866,	17867,	\interfootnotelinepenalty	
595, 596, 610, 611,		17868,	17869,		. 38, 51, 66, 247,
861, 862, 1115,		17870,	17871,		260, 274, 7906,
1116, 4853, 4854,		17872,	17873,		10189, 10205, 10220
5505, 5506, 5684,		17874,	17875,	\interlinepenalty	38,
5685, 5896, 5897,		17876,	17877,		51, 66, 247,
5898,	13189,	17878,	17879,		260, 274, 555,
13190,	13446,	17880,	17881,		618, 643, 872,
13447,	13908,	17882,	17905,		927, 1123, 1130,
13909,	13910,	17906,	17907,		4745, 5513, 5520,
16307,	16308,	17908,	17909,		5692, 5699, 5865,
16309,	16313,	17910,	17911,		6062, 6070, 6556,
16314,	16315,	17912,	17913,		6565, 6575, 6720,
16318,	16319,	17914,	17915,		6729, 6739, 7403,
16325,	16326,	17916,	17917,		7416, 7674, 7683,
16330,	16331,	17918,	17919,		7906, 9588, 9596,
16332,	16335, 16336	17920,	17921,		10189, 10205,
\indexspace	4869	17922,	17923,		10220, 12474,
\input	1570,	17924, 17925, 17926			12486, 12498,
1571, 1618, 1651,		\InputIfFileExists			13089, 13197,
1672, 2160, 5067,		2979,		13222, 13596,
5132,	17788,	2983,	2992, 11526		13649, 13713,



14071, 14079,	\itemxxox 12685	4047, 4049, 4511,
14508, 15045,	\itemxxx 12641	4512, 4540, 4541,
15699, 16198,	\itemxxxo 12692	4569, 4570, 5596,
16239, 16372,	\itemxxxx 12648	5597, 5599, 5604,
16403, 16426,	\itemxxxxx 12657	5605, 5607, 5629,
16443, 16460,	\itshape 1777,	5752, 5753, 5755,
16477, 16494,	2320, 4629,	5760, 5761, 5763,
16511, 16529,	4631, 4635, 4642,	5808, 6031, 6033,
16548, 16568,	4649, 4684, 4691,	6037, 6039, 6209,
16603, 16742,	4698, 4705, 4712,	6214, 6236, 7004,
16856, 17037, 17508	5016, 5017, 5018	7005, 7294, 7301,
\intermath@penalty 6138		7309, 7316, 7355,
\intextsep . 17097, 17099	J	7359, 7440, 7442,
\InTheoType	\jua@ht 12291,	7446, 7448, 7740,
... 7224, 12767,	12298, 12373,	7742, 7746, 7748,
12769, 12788, 12790	12380, 12446, 12453	7755, 7756, 7871,
\invoice@name 15388	\jua@pr 12274,	7872, 9601, 9603,
\isempty 3692,	12304, 12356, 12386	9607, 9609, 9746,
4284, 4488,	\jua@sar 12273,	9747, 9748, 9963,
4493, 4517, 4522,	12303, 12342,	10107, 10108,
4546, 4551, 4939,	12355, 12385, 12421	10110, 10111,
4948, 4956, 4983	\jua@sk 12272, 12302,	10112, 10144,
\isodd 14120, 14165	12342, 12354,	10352, 10416,
\isSC@ODD 15958,	12384, 12421, 12454	10595, 10641,
15959, 15961,	\justifying . . 3599,	11500, 11502,
15962, 17885,	3669, 4221, 13134	11506, 11508,
17887, 17889, 17891	\JustifyingParfillskip	12533, 12628,
\isundefined . . 3896, 13140	12629, 12630,
3945, 6859, 6865,	\JustifyingParindent	12631, 13059,
6882, 6885, 6886, 3571,	13062, 13275,
6887, 6888, 6889,	4224, 4792, 13141	13276, 13278,
6980, 6983, 6984,		13283, 13284,
6985, 6986,	K	13286, 13327,
6987, 6990, 6994	\keepthetitle 12111	13466, 13699,
\item . . . 98, 228, 599,	\kern 28, 29,	13700, 13702,
614, 865, 948,	30, 31, 238, 239,	13707, 13708,
1119, 4825, 4833,	240, 241, 534,	13710, 13859,
4838, 4859, 5509,	536, 540, 542,	13861, 13865,
5688, 5901, 9843,	718, 719, 721, 726,	13867, 14042,
9858, 13193,	727, 729, 742,	14044, 14048,
13450, 13913, 16342	957, 959, 964,	14050, 14278,
\itemindent . . 4820,	966, 996, 1203,	14282, 14285,
4821, 4829, 17309	1204, 1206, 1211,	14287, 14291,
\itemsep 3565,	1212, 1214, 1248,	14597, 14600,
4766, 4805, 4819	1476, 1481, 1800,	14604, 14607,
\itemx 12633	1801, 1802, 1803,	14793, 14797,
\itemxox 12668	1804, 1805, 1806,	14800, 14802,
\itemxoxx 12678	1807, 1811, 1812,	14806, 15168,
\itemxx 12636	1859, 1861, 1862,	15171, 15175,
\itemxxo 12673	4035, 4036, 4046,	15178, 15341,



15343, 15346,	11591, 11592,	1169, 1182, 7368,
15347, 15349,	11594, 11595, 11606	14492, 16414, 16825
15474, 15478,	\L@gridfalse 11522	\L@slope 11519, 11610, 11611
15481, 15483,	\L@gridtrue 11522	\l@subfigure 16541
15487, 15806,	\L@hang 11513, 11590	\l@subparagraph ...
15809, 15813,	\L@imagefalse 11521 16487, 16841
15816, 16212,	\L@imagertrue 11521	\l@subsection
17072, 17076,	\L@lbox 11544, 16436, 16829
17082, 17085,	11545, 11552,	\l@subsubsection ..
17107, 17284,	11554, 11559, 16453, 16833
17287, 17289, 17685	11569, 11589,	\l@subtable 16561
\keywords 326	11590, 11601,	\l@table
\kill 11977	11602, 11603, 11616	. 4754, 16522, 16845
\KOMAClassName 14362,	\l@LOKeys 11536,	\L@tbox 11556, 11560, 11618
14742, 14877,	11538, 11543, 11548	\l@textcolor 11533, 11534
15313, 15558, 15951	\L@lraise 11561,	\label 2344,
\KV@do 11543, 11548	11567, 11568,	3721, 3723, 3725,
\KV@prefix . 11541, 11546	11570, 11571, 11616	3729, 3775, 9941,
	\L@next 11597,	10785, 10803, 17741
L	11598, 11609, 11611	\labelitemi 741, 995,
\l 7250,	\l@ngrel@x 2563, 2564, 2566	1058, 1247, 5628,
7266, 7269, 7275,	\L@Nindent ... 11518,	5807, 13326, 13465
7278, 7280, 7281,	11596, 11598,	\labelname ... 12634,
7284, 7285, 7288,	11600, 11609, 11610	12637, 12639,
7291, 7292, 7293,	\L@novskip 11520, 11574, 11578	12642, 12644,
7298, 7299, 7300,	\L@oversize 11514	12646, 12649,
7306, 7307, 7308,	\l@paragraph 16470, 16837	12651, 12653,
7313, 7314, 7315,	\L@parshape .. 11606,	12655, 12658,
7324, 7327, 7335	11609, 11613, 11615	12660, 12662,
\l@ 16613	\l@part 502, 655, 673,	12664, 12666,
\L@ante 11516, 11591, 11616	901, 919, 1142,	12669, 12671,
\l@chapter 5556, 5570,	1160, 5532, 5548,	12674, 12676,
5735, 5749, 6015,	5711, 5727, 6000,	12679, 12681,
9565, 13258,	7382, 7638, 9550,	12683, 12686,
13272, 13632,	13234, 13250,	12688, 12690,
13646, 13840,	13608, 13624,	12693, 12695, 12697
14026, 15029,	13826, 14011,	\labelsep 82,
15683, 16263,	14459, 14974,	86, 291, 295, 573,
16264, 16395, 16821	15001, 15655,	707, 975, 1227,
\l@color ... 11531, 11532	16260, 16261,	2358, 2360, 4782,
\l@figure 4753,	16348, 16813, 16816	4784, 4841, 5585,
4754, 16504, 16849	\L@Pindent ... 11589,	5778, 6088, 7429,
\L@Findent 11517, 11593, 11617	11590, 11592,	7701, 9617, 12634,
\L@first 11559, 11560,	11593, 11595,	12637, 12639,
11563, 11564,	11596, 11599, 11606	12642, 12644,
11566, 11567,	\L@raise ... 11515, 11567	12646, 12649,
11568, 11569,	\l@section . 519, 681,	12651, 12653,
11574, 11580,	694, 885, 898,	12655, 12658,
11582, 11586,		12660, 12662,
		12664, 12666,



12669, 12671,	1357, 4684, 4691,	13929, 13935,
12674, 12676,	4773, 5016, 5636,	14000, 14006, 14020
12679, 12681,	5815, 5916, 5987,	\Largr 1781
12683, 12686,	6944, 7459, 7524,	\Largs 1780
12688, 12690,	7554, 7625, 9637,	\lastbox 6637,
12693, 12695,	9702, 13334,	6641, 6667, 9283,
12697, 13295,	13424, 13473,	9306, 9316, 9320,
13688, 13886,	13570, 13581,	12073, 12991, 17212
14090, 14555,	13739, 13927, 13998	\lastbox@a ... 6637,
15126, 15764, 16277	\Large 558, 4635, 4698,	6638, 6641, 6642
\labelwidth 85,	4772, 5017, 5018,	\LastFrameCommand .
86, 294, 295,	6855, 6948, 7406, 10370, 10480
571, 572, 705,	13815, 14328,	\lastkern .. 4420, 10455
706, 973, 974,	14334, 14336,	\lastpenalty
1225, 1226, 2357,	14352, 14441,	... 6136, 14494,
2359, 4783, 4784,	14448, 14450,	15031, 15685, 16661
5583, 5584, 5776,	14453, 14843,	\lastrule 6181
5777, 6086, 6087,	14849, 14851,	\lastskip 3853,
7427, 7428, 7699,	14867, 14956,	5346, 5347, 5459,
7700, 9615, 9616,	14963, 14965,	5460, 6135, 6624,
10508, 12634,	14968, 15524,	6625, 6629, 6630,
12637, 12639,	15530, 15532,	6632, 6639, 6644
12642, 12644,	15548, 15637,	\lastskip@a
12646, 12649,	15644, 15646, 15649	.. 6627, 6631, 6635
12651, 12653,	\large 420, 426,	\lastskip@b .. 6625,
12655, 12658,	491, 497, 511, 664,	6627, 6629,
12660, 12662,	756, 766, 841,	6631, 6635, 6636
12664, 12666,	847, 910, 1010,	\lastskip@d .. 6624,
12669, 12671,	1020, 1095, 1101,	6630, 6632, 6638,
12674, 12676,	1151, 1262, 1272,	6639, 6642, 6644,
12679, 12681,	1348, 1354, 1358,	6645, 6648, 6658
12683, 12686,	1363, 4642, 4705,	\LaTeX 11448,
12688, 12690,	4771, 5541, 5643,	17276, 17277, 17289
12693, 12695,	5653, 5720, 5822,	\LaTeXe 17278, 17279
12697, 13293,	5832, 5918, 5924,	\LBEG 1782
13294, 13686,	5989, 5995, 6009,	\lcb 1779, 1782, 1783, 1786
13687, 13884,	6854, 6856, 6947,	\lccode 17063, 17064
13885, 14088,	6949, 7391, 7461,	\Lcs 1793
14089, 14553,	7467, 7526, 7532,	\LcsStar 1794
14554, 15124,	7556, 7562, 7627,	\leaders 16254,
15125, 15762,	7633, 7646, 9559,	16752, 16861, 17513
15763, 16275, 16276	9639, 9645, 9704,	\leavevmode 14,
\langle 1778	9710, 13243,	215, 307, 373,
\Larg 1777,	13341, 13351,	510, 527, 649,
1778, 1779, 1780, 1781	13426, 13432,	663, 688, 742,
\Larga 1778	13480, 13490,	879, 892, 909,
\Largb 1779	13572, 13578,	996, 1059, 1136,
\LARGE 418, 489,	13582, 13587,	1150, 1176, 1248,
749, 839, 1003,	13617, 13741,	1911, 2289, 4408,
1093, 1255, 1346,	13747, 13834,	4746, 5214, 5290,



5526, 5540, 5563,	10258, 10271,	\leftmarginiv 4779
5629, 5705, 5719,	11499, 13274,	\leftmarginv 4780
5742, 5808, 6008,	13322, 13459,	\leftmarginvi 4781
6023, 6104, 6105,	13698, 13721,	\leftmarginwidth 13855
6235, 6287, 7376,	13858, 13919,	\leftmark 5113
7390, 7645, 8013,	14041, 14276,	\leftskip 12,
8157, 8300, 8447,	14300, 14596,	13, 213, 214, 307,
8594, 8741, 8888,	14791, 14815,	311, 508, 525,
9035, 9182, 9558,	15167, 15341,	528, 529, 620,
9573, 9843,	15472, 15496, 15805	633, 644, 645,
9858, 10284,	\leftfootnoterule .	650, 661, 686,
10583, 10629,	1588, 7001, 7752,	689, 690, 873,
10649, 11167,	10113, 10116,	874, 880, 890,
12068, 12475,	10344, 10567, 17791	893, 894, 907,
12487, 12499,	\leftline 13071,	929, 1125, 1131,
12990, 13056,	17429, 17435, 17437	1132, 1137, 1148,
13061, 13092,	\leftmargin 86,	1174, 1177, 1178,
13228, 13242,	295, 572, 573,	1196, 4740, 4748,
13265, 13327,	706, 707, 945,	4749, 5320, 5515,
13466, 13602,	974, 975, 1226,	5521, 5522, 5527,
13616, 13639,	1227, 2359, 2360,	5538, 5561, 5564,
13833, 13848,	3562, 4763, 4822,	5565, 5694, 5700,
14019, 14034,	4823, 4830, 4836,	5701, 5706, 5717,
14472, 14509,	5584, 5585,	5740, 5743, 5744,
14987, 15014,	5777, 5778, 6087,	6006, 6021, 6024,
15046, 15668,	6088, 7428, 7429,	6025, 6160, 6162,
15700, 15965,	7700, 7701, 9616,	6164, 6278, 6279,
16204, 16227,	9617, 13089,	6285, 7374, 7377,
16373, 16404,	13294, 13295,	7378, 7388, 7643,
16427, 16444,	13687, 13688,	7938, 9497, 9556,
16461, 16478,	13885, 13886,	9571, 9574, 9575,
16495, 16512,	14089, 14090,	12055, 12145,
16530, 16549,	14554, 14555,	12146, 12472,
16569, 16604,	15125, 15126,	12476, 12477,
16743, 16857,	15763, 15764,	12484, 12489,
17106, 17281,	16276, 16277,	12496, 12501,
17286, 17288,	17319, 17322,	13100, 13102,
17349, 17458, 17509	17332, 17336,	13113, 13115,
\left 17293	17344, 17383,	13126, 13128,
\left@footnoterule	17385, 17386,	13137, 13139,
. 30,	17387, 17392,	13156, 13199,
240, 410, 533,	17394, 17395,	13212, 13223,
717, 737, 956,	17396, 17401,	13224, 13229,
991, 1202, 1243,	17403, 17404,	13240, 13263,
5595, 5624, 5751,	17405, 17410,	13266, 13267,
5803, 5908, 6030,	17412, 17413, 17414	13597, 13598,
7439, 7453, 7546,	\leftmargini . . 3562,	13603, 13614,
7739, 9600, 9631,	4763, 4776, 4783	13637, 13640,
10109, 10115,	\leftmarginii 4777	13641, 13651,
10128, 10130,	\leftmarginiii . . . 4778	13664, 13715,



13831,	13846,	17445, 17506, 17511	1289, 1290, 1291,
13849,	13850,	\LEND 1783	1292, 1327, 1328,
13855,	13856,	\LenToUnit	1329, 1330, 1331,
14017,	14032,	. . . 7168, 7182, 7200	1332, 1333, 1334,
14035,	14036,	\leqno . . . 330, 13067,	1335, 1336, 1337,
14470,	14473,	13069, 17782, 17784	1345, 1371, 1372,
14474,	14506,	\let 83,	1376, 1392, 1393,
14510,	14985,	98, 111, 148, 149,	1394, 1430, 1431,
14988,	14989,	152, 153, 156, 157,	1432, 1457, 1458,
15012,	15015,	160, 180, 184, 199,	1459, 1460, 1465,
15016,	15043,	200, 228, 292,	1500, 1501, 1563,
15047,	15666,	321, 329, 330,	1565, 1567, 1623,
15669,	15670,	342, 374, 375,	1665, 1667, 1669,
15697,	15701,	378, 395, 399,	1718, 1719, 1720,
16196,	16208,	403, 408, 409,	1721, 1722, 1723,
16225,	16246,	410, 411, 412, 413,	1724, 1725, 1726,
16248,	16253,	414, 432, 433,	1727, 1728, 1866,
16257,	16258,	434, 435, 436,	1867, 1868, 1895,
16368,	16369,	437, 438, 439,	1912, 1913, 1914,
16370,	16378,	440, 441, 442,	1915, 1916, 1917,
16399,	16400,	443, 467, 468,	1918, 1919, 1920,
16401,	16409,	469, 470, 471,	1922, 1923, 1924,
16422,	16423,	472, 473, 474,	2035, 2036, 2037,
16424,	16432,	475, 476, 477,	2038, 2039, 2040,
16439,	16440,	478, 479, 486,	2041, 2042, 2043,
16441,	16449,	487, 488, 576,	2073, 2080, 2363,
16456,	16457,	599, 614, 710,	2372, 2377, 2395,
16458,	16466,	735, 736, 737,	2419, 2443, 2444,
16473,	16474,	738, 739, 777,	2451, 2452, 2455,
16475,	16483,	778, 779, 780,	2456, 2458, 2536,
16490,	16491,	781, 782, 783,	2539, 2547, 2564,
16492,	16500,	784, 785, 786,	2586, 2608, 2609,
16507,	16508,	821, 822, 823,	2739, 2819, 2821,
16509,	16517,	824, 825, 826,	2822, 2823, 2824,
16525,	16526,	827, 828, 829,	2825, 2880, 2891,
16527,	16535,	830, 831, 838,	2898, 2904, 2910,
16544,	16545,	865, 978, 989,	2917, 2921, 2923,
16546,	16554,	990, 991, 992,	3005, 3021, 3041,
16564,	16565,	993, 1031, 1032,	3056, 3072, 3165,
16566,	16574,	1033, 1034, 1035,	3186, 3187, 3203,
16599,	16600,	1036, 1037, 1038,	3246, 3249, 3251,
16601,	16609,	1039, 1040, 1075,	3256, 3270, 3278,
16649,	16650,	1076, 1077, 1078,	3279, 3299, 3300,
16651,	16674,	1079, 1080, 1081,	3327, 3338, 3343,
16736,	16737,	1082, 1083, 1084,	3347, 3349, 3352,
16738,	16744,	1085, 1092, 1119,	3362, 3373, 3400,
16747,	16794,	1230, 1241, 1242,	3411, 3420, 3469,
16854,	16859,	1243, 1244, 1245,	3474, 3490, 3491,
16882,	16889,	1283, 1284, 1285,	3492, 3493, 3495,
17418,	17444,	1286, 1287, 1288,	3496, 3497, 3498,



3554, 3684, 3685,
3722, 3723, 3729,
3774, 3775, 3857,
3859, 3861, 4007,
4008, 4021, 4025,
4027, 4028, 4034,
4038, 4042, 4051,
4295, 4296, 4314,
4315, 4333, 4334,
4361, 4362, 4390,
4391, 4392, 4486,
4507, 4508, 4509,
4515, 4536, 4537,
4538, 4544, 4565,
4566, 4567, 4583,
4587, 4588, 4589,
4592, 4596, 4597,
4598, 4601, 4605,
4606, 4607, 4754,
4818, 4859, 4946,
5013, 5014, 5015,
5205, 5206, 5208,
5209, 5227, 5248,
5249, 5250, 5251,
5252, 5253, 5254,
5255, 5256, 5259,
5260, 5261, 5262,
5263, 5264, 5265,
5266, 5267, 5328,
5354, 5404, 5410,
5431, 5444, 5454,
5468, 5472, 5473,
5474, 5475, 5476,
5477, 5478, 5479,
5480, 5486, 5487,
5488, 5489, 5490,
5491, 5492, 5493,
5494, 5509, 5588,
5622, 5623, 5624,
5625, 5626, 5664,
5665, 5666, 5667,
5668, 5669, 5670,
5671, 5672, 5673,
5688, 5781, 5801,
5802, 5803, 5804,
5805, 5843, 5844,
5845, 5846, 5847,
5848, 5849, 5850,
5851, 5852, 5901,
5906, 5907, 5908,

5909, 5910, 5911,
5912, 5930, 5931,
5932, 5933, 5934,
5935, 5936, 5937,
5938, 5939, 5940,
5941, 5965, 5966,
5967, 5968, 5969,
5970, 5971, 5972,
5973, 5974, 5975,
5976, 5977, 5984,
5985, 5986, 6091,
6115, 6117, 6120,
6121, 6122, 6128,
6133, 6153, 6166,
6167, 6168, 6170,
6171, 6176, 6177,
6178, 6179, 6191,
6200, 6241, 6247,
6268, 6999, 7000,
7001, 7002, 7003,
7006, 7007, 7009,
7027, 7028, 7030,
7048, 7049, 7053,
7088, 7090, 7102,
7105, 7106, 7110,
7140, 7142, 7154,
7157, 7158, 7432,
7451, 7452, 7453,
7454, 7455, 7473,
7474, 7475, 7476,
7477, 7478, 7479,
7480, 7481, 7482,
7506, 7507, 7508,
7509, 7510, 7511,
7512, 7513, 7514,
7515, 7516, 7523,
7544, 7545, 7546,
7547, 7548, 7549,
7550, 7568, 7569,
7570, 7571, 7572,
7573, 7574, 7575,
7576, 7577, 7578,
7579, 7603, 7604,
7605, 7606, 7607,
7608, 7609, 7610,
7611, 7612, 7613,
7614, 7615, 7622,
7623, 7624, 7704,
7750, 7751, 7752,
7753, 7754, 7846,

7847, 7848, 7849,
7850, 7851, 7853,
7854, 7855, 7856,
7857, 7858, 7859,
7967, 7968, 7969,
7973, 7974, 7975,
7976, 7978, 8114,
8115, 8116, 8120,
8121, 8122, 8123,
8125, 8254, 8255,
8256, 8260, 8261,
8262, 8263, 8265,
8401, 8402, 8403,
8407, 8408, 8409,
8410, 8412, 8548,
8549, 8550, 8554,
8555, 8556, 8557,
8559, 8695, 8696,
8697, 8701, 8702,
8703, 8704, 8706,
8842, 8843, 8844,
8848, 8849, 8850,
8851, 8853, 8989,
8990, 8991, 8995,
8996, 8997, 8998,
9000, 9136, 9137,
9138, 9142, 9143,
9144, 9145, 9147,
9325, 9326, 9327,
9331, 9332, 9333,
9334, 9336, 9504,
9620, 9629, 9630,
9631, 9632, 9633,
9651, 9652, 9653,
9654, 9655, 9656,
9657, 9658, 9659,
9660, 9684, 9685,
9686, 9687, 9688,
9689, 9690, 9691,
9692, 9693, 9694,
9701, 9756, 9780,
9783, 9784, 9812,
9815, 9816, 9894,
9895, 9897, 9898,
9901, 9902, 9931,
9933, 9941, 9942,
9943, 9953, 9956,
10088, 10116,
10142, 10143,
10245, 10258,



10271,	10296,	12059,	12106,	13416,	13423,
10297,	10298,	12107,	12108,	13450,	13457,
10299,	10333,	12113,	12114,	13458,	13459,
10348,	10354,	12115,	12116,	13460,	13461,
10359,	10494,	12117,	12118,	13462,	13463,
10495,	10496,	12119,	12120,	13501,	13502,
10497,	10567,	12121,	12177,	13503,	13504,
10568,	10569,	12180,	12181,	13505,	13506,
10570,	10571,	12183,	12184,	13507,	13508,
10652,	10686,	12579,	12582,	13509,	13510,
10688,	11042,	12602,	12603,	13511,	13512,
11043,	11044,	12606,	12607,	13547,	13548,
11085,	11086,	12610,	12611,	13549,	13550,
11087,	11129,	12714,	12715,	13551,	13552,
11130, 11131,	11144,	12716,	12809,	13553,	13554,
11145,	11146,	12814,	12828,	13555,	13556,
11159,	11160,	12854,	12855,	13557,	13558,
11161, 11170,	11171,	12992,	12996,	13559,	13567,
11173,	11174,	13039,	13040,	13568,	13569,
11175,	11176,	13041,	13042,	13691,	13719,
11184,	11186,	13045,	13046,	13720,	13721,
11187,	11188,	13048,	13053,	13722,	13723,
11189,	11190,	13063,	13064,	13724,	13725,
11191,	11192,	13065,	13066,	13753,	13754,
11201,	11237,	13067,	13074,	13755,	13756,
11275,	11308,	13075,	13093,	13757,	13758,
11339,	11370,	13097,	13099,	13759,	13760,
11376,	11378,	13110,	13112,	13761,	13762,
11379,	11380,	13123,	13125,	13763,	13764,
11381,	11382,	13135,	13136,	13793,	13794,
11383,	11384,	13147,	13148,	13795,	13796,
11385,	11397,	13149,	13150,	13797,	13798,
11400,	11403,	13151,	13161,	13799,	13800,
11406,	11443,	13162,	13163,	13801,	13802,
11444,	11445,	13164,	13165,	13803,	13804,
11446,	11461,	13174,	13176,	13805,	13811,
11472,	11532,	13177,	13193,	13812,	13813,
11542,	11547,	13298,	13320,	13889,	13913,
11684,	11967,	13321,	13322,	13917,	13918,
11968,	11969,	13323,	13324,	13919,	13920,
11971,	11973,	13362,	13363,	13921,	13922,
11977,	11979,	13364,	13365,	13923,	13941,
11981,	11982,	13366,	13367,	13942,	13943,
11984,	11985,	13368,	13369,	13944,	13945,
11986,	11990,	13370,	13371,	13946,	13947,
11996,	12008,	13406,	13407,	13948,	13949,
12023,	12024,	13408,	13409,	13950,	13951,
12025,	12047,	13410,	13411,	13952,	13976,
12048,	12049,	13412,	13413,	13977,	13978,
12050,	12051,	13414,	13415,	13979,	13980,



13981,	13982,	14912,	14913,	15945,	15947,
13983,	13984,	14914,	14915,	15966,	15967,
13985,	13986,	14916,	14917,	15968,	15972,
13987,	13988,	14918,	14919,	15983,	15984,
13995,	13996,	14920,	14921,	15985,	15992,
13997,	14093,	14922,	14923,	15993,	15999,
14118,	14145,	14924,	14925,	16008,	16009,
14146,	14163,	14926,	14927,	16010,	16012,
14235,	14236,	14928,	14929,	16015,	16019,
14237,	14298,	14933,	14934,	16022,	16024,
14299,	14300,	14935,	15137,	16027,	16036,
14301,	14302,	15162,	15163,	16039,	16052,
14303,	14304,	15189,	15190,	16053,	16054,
14306,	14370,	15191,	15192,	16069,	16070,
14387,	14388,	15193,	15194,	16071,	16072,
14389,	14390,	15200,	15201,	16073,	16074,
14391,	14392,	15202,	15203,	16076,	16077,
14393,	14394,	15204,	15205,	16080,	16081,
14395,	14396,	15299,	15301,	16161,	16162,
14397,	14398,	15307,	15309,	16163,	16175,
14399,	14400,	15431,	15432,	16176,	16177,
14401,	14402,	15433,	15494,	16178,	16181,
14403,	14404,	15495,	15496,	16182,	16183,
14405,	14406,	15497,	15498,	16184,	16191,
14407,	14408,	15499,	15500,	16220,	16249,
14409,	14410,	15502,	15566,	16254,	16260,
14411,	14412,	15583,	15584,	16263,	16280,
14413,	14414,	15585,	15586,	16342,	16346,
14418,	14419,	15587,	15588,	16375,	16376,
14420,	14566,	15589,	15590,	16377,	16406,
14591,	14592,	15591,	15592,	16407,	16408,
14618,	14619,	15593,	15594,	16429,	16430,
14620,	14621,	15595,	15596,	16431,	16446,
14622,	14623,	15597,	15598,	16447,	16448,
14629,	14630,	15599,	15600,	16463,	16464,
14631,	14632,	15601,	15602,	16465,	16480,
14633,	14634,	15603,	15604,	16481,	16482,
14728,	14730,	15605,	15606,	16497,	16498,
14736,	14738,	15607,	15608,	16499,	16514,
14750,	14751,	15609,	15610,	16515,	16516,
14752,	14813,	15614,	15615,	16532,	16533,
14814,	14815,	15616,	15775,	16534,	16551,
14816,	14817,	15800,	15801,	16552,	16553,
14818,	14819,	15827,	15828,	16571,	16572,
14821,	14885,	15829,	15830,	16573,	16606,
14902,	14903,	15831,	15832,	16607,	16608,
14904,	14905,	15838,	15839,	16655,	16871,
14906,	14907,	15840,	15841,	16879,	16884,
14908,	14909,	15842,	15843,	16891,	16908,
14910,	14911,	15937,	15939,	16911,	16971,



17029,	17033,	6333, 6334, 6343,	17394,	17395,
17111,	17116,	6344, 6346, 6347,	17396,	17401,
17126,	17130,	6353, 6354, 6356,	17403,	17404,
17159,	17169,	6357, 6366, 6367,	17405,	17410,
17173,	17213,	6369, 6370, 6376,	17412,	17413,
17217,	17260,	6377, 6379, 6380,	17414, 17704, 17707	
17261,	17262,	13070, 13071, 13072	\link	2323
17263,	17266,	\lineskip . . 198, 396,	\list 85, 294, 570, 704,	
17267,	17269,	421, 492, 757,	943, 972, 1224,	
17274,	17276,	842, 1011, 1096,	4801, 4819, 4828,	
17278,	17290,	1263, 1349, 1358,	4836, 5582, 5775,	
17291,	17292,	2193, 5644, 5823,	6085, 7426, 7698,	
17312,	17364,	5919, 5990, 7462,	9614, 12706,	
17417,	17420,	7527, 7557, 7628,	13292, 13685,	
17421,	17435,	9640, 9705, 9945,	13883, 14087,	
17436,	17454,	12009, 12056,	14550, 15121,	
17459,	17460,	13157, 13171,	15759, 16274, 17301	
17461,	17465,	13342, 13427,	\listdoubleitemmaincolumnwidth	
17477,	17478,	13481, 13573,	2263,
17479,	17480,	13582, 13742,	2276, 2277,	
17486,	17487,	13818, 13930,	2278, 2305, 2309	
17488,	17712,	14001, 14328,	\listfigurename . . .	
17714,	17727,	14442, 14843,	4723, 4724
17728,	17729,	14957, 15524,	\listitemmaincolumnwidth	
17730,	17732,	15638, 15987,	2262,
17733,	17735,	16027, 17482, 17744	2270, 2271, 2303	
17736,	17741,	\lineskiplimit	\listitemsymbol 2204,	
17742,	17743,	2261, 2302,	
17766,	17769,	\linespacing	2304, 6810, 6908	
17781,	17782,	\linewidth 2317, 3751,	\listitemsymbolwidth	
17790,	17791,	9844, 9859, 9863,	2260,
17792, 17928, 17930		10506, 10514,	2261, 2271, 2277	
\Letter	2209	10515, 10517,	\listoffigures . . .	4721
\lettergroup	4870	10518, 10732,	\listoftables	4729
\LettrineDepth . . .	11603	11594, 11597,	\listparindent	
\LettrineFont 11544, 11554		11613, 12053,	943, 4821, 4828,	
\LettrineFontEPS .	11552	12185, 12191,	4829, 17308, 17317	
\LettrineHeight . .	11602	12781, 12783,	\listtablename 4731, 4732	
\LettrineTextFont .		12801, 12803,	\llap	4808,
.	11556, 11565	12880, 12886,	7223, 7879, 9761,	
\LettrineWidth		12972, 12981,	9766, 10574,	
.	11545, 11601	12982, 13033,	10697, 10699,	
\lftside	12922,	13035, 13154,	10701, 10703,	
12924, 12927,		13168, 14714,	10706, 10708,	
12929, 12943, 12945		15285, 15923,	10711, 10713,	
\line	6297, 6298,	17254, 17256,	11616, 16209, 16227	
6300, 6301, 6307,		17318, 17319,	\LoadClass . .	5055, 5079
6308, 6310, 6311,		17346, 17383,	\long	34, 47,
6320, 6321, 6323,		17385, 17386,	62, 243, 256, 270,	
6324, 6330, 6331,		17387, 17392,	450, 740, 805,	



994, 1057, 1246, 1311, 1711, 1930, 1933, 1936, 1941, 1944, 1947, 2413, 2414, 2423, 2426, 2504, 2508, 2541, 2566, 2570, 2680, 2699, 2774, 2790, 2802, 2811, 2843, 2871, 2883, 2884, 3417, 3691, 3834, 4094, 4098, 4102, 4138, 4142, 4146, 4182, 4186, 4190, 4401, 4485, 4514, 4543, 5361, 5364, 5367, 5371, 5374, 5377, 5627, 5806, 5948, 6234, 7008, 7029, 7489, 7586, 9667, 10186, 10202, 10217, 10244, 10257, 10270, 10572, 10582, 10628, 10669, 10676, 11088, 11099, 11110, 11121, 11136, 11151, 11211, 11228, 11249, 11266, 11282, 11299, 11313, 11330, 11344, 11361, 11456, 11637, 12127, 12177, 12227, 12249, 12614, 12618, 12622, 12861, 13055, 13325, 13390, 13464, 13531, 13729, 13772, 13959, 14251, 14766, 15320, 15422, 15447, 16092, 16096, 16099, 16103, 17105, 17280, 17348, 17585, 17589, 17593,	17629, 17633, 17637, 17696, 17771 \longindentation . 7732 \longtable 2057 \longthickrule 13810, 13816 \loop 6390, 6515, 6521, 6626, 6681, 6693, 9304, 9314, 11580, 12878, 12914, 12941, 12952, 12979, 16047 \lower 13061, 17099, 17286, 17288 \lowercase . . 3539, 4240 \lowertitleback . . . 14411, 14926, 15607 \LR 11444, 13041, 13061, 17262, 17286, 17288 \lrb 1781, 1790 \LRE . 1564, 1666, 11443, 13041, 13044, 16911, 17262, 17265 \LRfootnoterule 7003, 7754, 10116 \lsb 1780, 1788 \lst@caption . 11656, 11662, 11669, 11674 \lst@alloverstyle 1769, 1775 \lst@HRefStepCounter 11656, 11662 \lst@ifnumberbychapter 11684, 11685 \lst@Key 11621 \lst@MakeCaption 11654, 11667 \lst@makecaption . 11652 \lst@maketitle 11653, 11679, 11681 \lst@title@dropdelim 11653 \lstKV@SwitchCases 11622 \lstset 1739 \LT@chl 11969, 11971 \LT@save@row 2085 \LT@tabarray 11968, 11972 \LT@array 2069, 11452, 11958, 14728,	14729, 15299, 15300, 15937, 15938 \LT@bchunk 11999, 12006, 12010 \LT@caption . . 11977, 14730, 14736, 14738, 15301, 15307, 15309, 15939, 15945, 15947 \LT@cols 12012, 14713, 15284, 15922 \LT@echunk 2075 \LT@end@pen . 2091, 2099 \LT@endpbox 11979 \LT@entry . . . 2073, 2080 \LT@entry@chop . . . 2073 \LT@entry@write . . 2080 \LT@err 2066, 2100 \LT@final@warn . . . 2089 \LT@foot 2103, 2107, 2116, 2119, 11467, 11471 \LT@get@widths . . . 2078 \LT@head 2110, 2123 \LT@hline 11977 \LT@kill 11977 \LT@lastfoot 2103, 2105, 2116 \LT@LL@FM@cr 11986, 11990 \LT@make@row 12007 \LT@makecaption 12011, 14705, 15276, 15914 \LT@mcol 11967, 12012, 14713, 15284, 15922 \LT@no@pgbk 11975, 11976 \LT@nofcols 12006 \LT@output 2097 \LT@p@ftn 11206, 11209, 11213, 11223, 11244, 11247, 11251, 11261, 12030, 12031, 12033, 12034 \LT@p@ftntext . . . 12023 \LT@p@LTRftntext 11204, 11211, 12024, 12029 \LT@p@RTLftntext 11242, 11249, 12025, 12032
---	---	--



\LT@rows	12001	8278, 8306, 8326,	8026, 8038, 8051,
\LT@save@row		8425, 8453, 8473,	8078, 8091, 8127,
.. 2074, 2083, 2085		8572, 8600, 8620,	8136, 8145, 8170,
\LT@setprevdepth 12002		8719, 8747, 8767,	8181, 8193, 8219,
\LT@start		8866, 8894, 8914,	8231, 8267, 8277,
. 2076, 11469, 11479		9013, 9041, 9061,	8287, 8313, 8325,
\LT@startpbox		9160, 9188, 9208,	8338, 8365, 8378,
. 11983, 11990, 12021		9355, 9382, 9404	8414, 8424, 8434,
\LT@tabularcr	11973	\LTRight	8460, 8472, 8485,
\LT@warn	2087	11963, 11965, 12004	8512, 8525, 8561,
\LTcapwidth	12012	\LTRmarginnote . . .	8571, 8581, 8607,
\LTleft	11961,	\LTRmarginpar	8619, 8632, 8659,
11963, 11965, 12003		\LTRmulticolcolumns	8672, 8708, 8718,
\LTpost	2095	8728, 8754, 8766,
\LTR	12858,	\LTRsidenote . . .	8779, 8806, 8819,
13033, 13076, 17254		\LTRthanks . . .	8855, 8865, 8875,
\LTR@column@boxes .		413, 433,	8901, 8913, 8926,
12540, 12583, 12585		468, 487, 4927,	8953, 8966, 9002,
\LTR@outputdblcol .		4935, 4952, 4968,	9012, 9022, 9048,
... 6461, 9800,		4979, 5911, 5931,	9060, 9073, 9100,
10523, 12349,		5966, 5985, 7549,	9113, 9149, 9159,
17537, 17565, 17567		7569, 7604, 7623,	9169, 9195, 9207,
\LTRbiditufteesidenotemarginpar		10315, 12114,	9220, 9247, 9260,
.. 4121, 4446, 4594		13462, 13502,	9343, 9354, 9365,
\LTRcite	4391,	13548, 13568,	9390, 9403,
4508, 4537, 4566,		13724, 13754,	9416, 9450, 9464
4588, 4597, 4606		13794, 13812,	\m@m@h 7949, 7951, 7953,
\LTRcolumnfootnotes 7861		13922, 13942,	7956, 7957, 7962
\LTRdblcol	17567	13977, 13996,	\m@m@k 7949, 7951, 7956,
\LTRdfnmakecol	7161	14303, 14388,	7959, 7960, 7962
\LTRfootnote	413,	14419, 14818,	\m@m@makecolfloats
487, 1867, 1875,		14903, 14934,
4577, 4927, 5911,		15499, 15584, 15615	9502, 9543
5985, 7549, 7623,		\ltx@firstofthree .	\m@m@makecolintro .
10171, 13462,	
13568, 13724,		10041, 10065	9517, 9536
13812, 13922,		\ltx@ifundefined . .	\m@m@makecoltext . .
13996, 14303,	
14419, 14818,		10035, 10059	9506, 9545
14934, 15499, 15615		\ltx@secondofthree	\m@m@singlespace . 7863
\LTRfootnotetext	\m@make@eightcol@footgroup
1934, 1945, 5365,		10044, 10068
5375, 10317,		\ltx@thirdofthree
10319, 11207,		10037, 10054, 10061	8847, 8939, 8979
12030, 16093, 16097			\m@make@eightcolfootfmt
\LTRfoottextfont
... 7796, 7803,			8938, 8974
7824, 7830, 7901,			\m@make@eightcolfootnotetext
7991, 8019, 8039,		
8137, 8163, 8182,			8936, 8950
			\m@make@fivecol@footgroup
		
			8406, 8498, 8538
			\m@make@fivecolfootfmt
		
			8497, 8533
			\m@make@fivecolfootnotetext
		
			8495, 8509

M
\m@advipersep
.
12294, 12376
\m@m@float@spacing 7865
\m@m@footnote@spacing
.
7762,
7778, 7794, 7810,
7823, 7836, 7864,
7980, 7990, 8000,



\m@make@footstart .	\m@make@mptwocolfootnotetext	\m@doextrafeetmini 7911
... 7935, 7945, 8062, 8087	\m@dosplits .. 7954,
8066, 8207, 8353,	\m@make@ninelcol@footgroup	7958, 7959, 7960
8500, 8647, 8794,	.. 8994, 9086, 9126	\m@minterparanoteglue
8941, 9088, 9235	\m@make@ninelcolfootfmt 9296, 9298
\m@make@fourcol@footgroup 9085, 9121	\m@mipn@skip
.. 8259, 8351, 8391	\m@make@ninelcolfootnotetext	.. 9288, 9295, 9297
\m@make@fourcolfootfmt 9083, 9097	\m@mmakehboxofhboxes
..... 8350, 8386	\m@make@para@footgroup 9300,
\m@make@fourcolfootnotetext	.. 9330, 9430, 9480	9311, 9483, 9490
..... 8348, 8362	\m@make@para@footstart	\m@mmf@prepare 7774,
\m@make@mpeightcol@footgroup 9432, 9494	7790, 7806, 7870,
.. 8852, 8940, 8983	\m@make@parafootfmt	7988, 7998, 8008,
\m@make@mpeightcolfootnotetext 9429, 9474	8034, 8047, 8059,
..... 8937, 8962	\m@make@parafootnotetext	8086, 8098, 8134,
\m@make@mpfivecol@footgroup 9427, 9447	8143, 8152, 8177,
.. 8411, 8499, 8542	\m@make@sevenscol@footgroup	8189, 8200, 8226,
\m@make@mpfivecolfootnotetext	.. 8700, 8792, 8832	8238, 8275, 8285,
..... 8496, 8521	\m@make@sevenscolfootfmt	8295, 8321, 8334,
\m@make@mpfourcol@footgroup 8791, 8827	8346, 8373, 8385,
.. 8264, 8352, 8395	\m@make@sevenscolfootnotetext	8422, 8432, 8442,
\m@make@mpfourcolfootnotetext 8789, 8803	8468, 8481, 8493,
..... 8349, 8374	\m@make@sixcol@footgroup	8520, 8532, 8569,
\m@make@mpninelcol@footgroup	.. 8553, 8645, 8685	8579, 8589, 8615,
.. 8999, 9087, 9130	\m@make@sixcolfootfmt	8628, 8640, 8667,
\m@make@mpninelcolfootnotetext 8644, 8680	8679, 8716, 8726,
..... 9084, 9109	\m@make@sixcolfootnotetext	8736, 8762, 8775,
\m@make@mppara@footgroup 8642, 8656	8787, 8814, 8826,
.. 9335, 9431, 9487	\m@make@tencol@footgroup	8863, 8873, 8883,
\m@make@mpparafootnotetext	.. 9141, 9233, 9273	8909, 8922, 8934,
..... 9428, 9460	\m@make@tencolfootfmt	8961, 8973, 9010,
\m@make@mpsevenscol@footgroup 9232, 9268	9020, 9030,
.. 8705, 8793, 8836	\m@make@tencolfootnotetext	9056, 9069, 9081,
\m@make@mpsevenscolfootnotetext 9230, 9244	9108, 9120, 9157,
..... 8790, 8815	\m@make@threecol@footgroup	9167, 9177, 9203,
\m@make@mpsixcol@footgroup	.. 8119, 8205, 8244	9216, 9228, 9255,
.. 8558, 8646, 8689	\m@make@threecolfootfmt	9267, 9352, 9363,
\m@make@mpsixcolfootnotetext 8204, 8239	9374, 9399, 9412,
..... 8643, 8668	\m@make@threecolfootnotetext	9425, 9459, 9473
\m@make@mptencol@footgroup 8202, 8216	\m@old@footnotetext
.. 9146, 9234, 9277	\m@make@twocol@footgroup 7846, 7853
\m@make@mptencolfootnotetext	.. 7972, 8064, 8104	\m@old@LTRfootnotetext
..... 9231, 9256	\m@make@twocolfootfmt 7847, 7854
\m@make@mpthreecol@footgroup 8063, 8099	\m@old@mpfootnotetext
.. 8124, 8206, 8248	\m@make@twocolfootnotetext 7849, 7856
\m@make@mpthreecolfootnotetext 8061, 8075	\m@old@mpLTRfootnotetext
..... 8203, 8227	\m@doextrafeet 7850, 7857
\m@make@mptwocol@footgroup	\m@doextrafeetendmini	\m@old@mpRTLfootnotetext
.. 7977, 8065, 8108 7920, 7930 7851, 7858



<code>\m@mold@RTLfootnotetext</code>	7291, 7298, 7306,	<code>\maketitlenamefullwidth</code>
..... 7848, 7855	7313, 7354, 7358	.. 6952, 6953, 6955
<code>\m@mopfootnote</code> 9518, 9540	<code>\makefooter</code>	<code>\maketitlenamemaxwidth</code>
<code>\m@mopsidebar</code> 9529, 9544	.. 6875, 6876, 6892	.. 6950, 6951, 6955
<code>\m@mremovehboxes</code> ..	<code>\MakeFramed</code>	<code>\maketitlenamewidth</code>
..... 9320,	10372 6954,
9321, 9484, 9491	<code>\makelabel</code> . 4808, 17312	6955, 6961, 6973
<code>\m@mrigidbalance</code> ..	<code>\maketag@@@</code>	<code>\maketitlepage</code> 4989, 5031
.... 7951, 7956,	... 338, 7209, 7222	<code>\maketitlepicturewidth</code>
8107, 8111, 8247,	<code>\makethanksmark</code> .. 12127 6956,
8251, 8394, 8398,	<code>\maketitle</code> 106,	6957, 6963, 6992
8541, 8545, 8688,	315, 322, 407,	<code>\MakeUppercase</code>
8692, 8835, 8839,	435, 446, 470, 121, 568,
8982, 8986, 9129,	733, 778, 800,	595, 596, 611,
9133, 9276, 9280	822, 987, 1032,	702, 862, 970,
<code>\m@mssplitoff</code> . 7959, 7961	1054, 1076, 1239,	1116, 1222, 5506,
<code>\m@mungebox</code> .. 9289,	1284, 1306, 1328,	5580, 5685, 5773,
9352, 9363,	1707, 1719, 2284,	5897, 5898, 6083,
9374, 9399, 9412,	4903, 5007, 5031,	7424, 7696, 9612,
9425, 9459, 9473	5620, 5665, 5799,	13190, 13290,
<code>\m@munvxh</code> ... 9281, 9290	5844, 5905, 5933,	13447, 13683,
<code>\m@mne</code> 306, 548,	5944, 5968, 6857,	13909, 13910, 14085
557, 2442, 2544,	6971, 7450, 7474,	<code>\marginjoin</code>
4089, 4133, 4177,	7485, 7507, 7543,	. 14611, 15182, 15820
5858, 6016, 6055,	7571, 7582, 7606,	<code>\marginnote</code> 4582
6390, 7396, 7405,	9628, 9652, 9663,	<code>\marginpar</code> ... 3661,
7667, 9566, 9583,	9685, 11376,	4363, 14612,
12514, 13085,	11377, 12122,	15183, 15821, 16947
13841, 14027,	13318, 13363,	<code>\marginparpush</code>
14066, 14460,	13385, 13407, 3594, 17678
15030, 15684,	13455, 13504,	<code>\marginparsep</code> . 1697,
16354, 16396,	13526, 13550,	2169, 3635, 3638,
16680, 17580,	13718, 13756,	3642, 3788,
17624, 17659, 17662	13767, 13796,	3795, 10696,
<code>\m@th</code> 398, 7212,	13916, 13944,	10698, 10702,
7217, 7223, 9844,	13955, 13979,	10707, 10710,
9859, 12008,	14292, 14363,	10712, 17689, 17691
16752, 16861,	14390, 14807,	<code>\marginparwidth</code> 1696,
17293, 17366,	14878, 14905,	2170, 3634, 3639,
17450, 17452, 17513	15488, 15559, 15586	3651, 3743, 4013,
<code>\maincolumnwidth</code> ..	<code>\maketitledetailsnewline</code>	4106, 4150, 4194,
..... 2258, 6966,	10696, 10698,
2267, 2268, 2269,	6981, 6983, 6984,	10710, 10712,
2270, 2272, 2276,	6985, 6986, 6987	17597, 17641, 17691
2291, 2295, 2320	<code>\maketitledetailwidth</code>	<code>\markboth</code>
<code>\mainmatter</code> 5106 6958,	120, 562, 5111, 7410
<code>\makeatletter</code> 2746, 2765	6960, 6961,	<code>\mathindent</code> . 9845, 9861
<code>\makebox</code> 7211,	6962, 6963, 6978	<code>\mathsurround</code> 6132
7216, 7285, 7288,	<code>\maketitlehookb</code> .. 12172	<code>\max@poem@no</code>
	<code>\maketitlehookc</code> .. 12174	.. 5306, 5415, 5416



\maxdepth	9546	\mdfframetitleboxtotalheight	12083	\MH	7225, 7231, 7244, 7259, 7271, 7279, 7326, 7342, 7344, 7348, 7349, 7351
\maxdimen	9348, 9359, 9370, 9395, 9408, 9421, 9455, 9469, 9728, 9772, 9773, 9774, 9804, 9805, 9806, 10379, 16040, 16079, 16812, 16815, 16820, 16824, 16828, 16832, 16836, 16840, 16844, 16848, 17033	\mdfframetitleboxwidth	12080	\MHInternalSyntaxOff	7366
\mbox	10657, 11616, 15425	\mdseries	309, 6851, 6853, 6855, 6856, 6943, 6944, 6945, 6948, 6949	\MHInternalSyntaxOn	7206
\mc@col@status@write	12544, 12565	\meaning	2376, 2379, 2510, 2736, 2763, 2778, 2796, 2804, 2813, 2877	\MidFrameCommand	10368, 10412, 10480
\mc@gridwarn	12534	\medskip	5213	\minrowclearance	1462, 1496, 6229
\mc@lastcol@status@write	12550, 12573	\medskipamount	7734	\mintagvsep	7226
\mdf@footnotedistance@length	12094	\mem@makecol	9535, 9547	\missingfigure	16991, 17021
\mdf@footnoteinput	12102	\memRTLleftskip	12145	\mkern	16753, 16754, 16862, 17514
\mdf@footnoteoutput	12091	\memRTLraggedleft	12150	\mobile	2246
\mdf@frametitleaboveskip@length	12086	\memRTLraggedright	12149	\Mobilefone	2206
\mdf@frametitlealignment	12067	\memRTLrightskip	12146	\mobilesymbol	2206, 6885, 6983
\mdf@frametitlebelowskip@length	12087	\memRTLvleftskip	12147	\modernpoem	5468
\mdf@frametitlebox	12066, 12079, 12080, 12081, 12082, 12084, 12085	\memRTLvrightskip	12148	\modernpoem@obeylines	5208, 5468
\mdf@frametitlefont	12069	\message	1648, 1650, 10380, 10388, 10392, 10397, 10405, 10411, 10421, 10426, 10428, 10435, 10443, 10456, 10464, 10469, 10474, 10487, 10498, 10506, 10518	\modernpoem@par	5208, 5209, 5432
\mdf@frametitlefontcolor	12068	\MessageBreak	144, 2087, 2936, 2950, 2962, 2976, 3181, 3192, 3199, 3211, 3217, 3315, 3368, 3369, 3370, 3384, 3385, 3387, 3675, 3765, 3992, 3993, 4061, 4662, 4663, 4664, 4666, 4667, 4671, 4672, 4673, 4675, 4676, 12223, 12224, 12517, 12536, 12598, 14364, 14576, 14583, 14879, 15147, 15154, 15560, 15785, 15792	\morefloats	3895, 3992
\mdf@horizontalmargin@equation	12044			\moreLRE	1565, 1667, 12997, 17218
\mdf@ignorevbadness	12078			\moreRLE	1567, 1669, 12998, 17219
\mdf@lrbox	12037, 12066			\moveleft	4045, 12429
\mdf@par@local	12060			\moveright	9947, 12527, 17747
\mdf@patchamsthm	12038			\mp@footgroupv@r	7916, 7948, 7978, 8125, 8265, 8412, 8559, 8706, 8853, 9000, 9147, 9336
\mdfframedtitleenv	12065			\mpfootnoterule	10143, 10147
\mdfframetitleboxdepth	12082			\MT	7245, 7251, 7253
\mdfframetitleboxheight	12081			\mult@cols	12613
				\mult@footnotetext	147, 149, 12601, 12603, 12614
				\mult@gfirstbox	12541, 12555, 12561
				\mult@info	12515



<code>\mult@LTRfootnotetext</code>	<code>\new@poem@width</code> 5223, 5224, 5225, 5226, 5311, 5353, 5356	3506, 3507, 3530, 3533, 3538, 3569, 3596, 3597, 3598,
..... 151, 153, 12605, 12607, 12618		3599, 3614, 3633, 3669, 3671, 3672, 3677, 3678, 3680, 3681, 3688, 3689, 3690, 3698, 3701, 3783, 3801, 4011, 4019, 4029, 4032, 4040, 4209, 4210, 4211, 4212, 4213, 4214, 4215, 4216, 4217, 4218, 4219, 4220, 4221, 4222, 4231, 4239, 4293, 4312, 4331, 4353, 4359, 4384, 4385, 4419, 4572, 4573, 4574, 4582, 4591, 4600, 4613, 4614, 4737, 4790, 4870, 4883, 4917, 4918, 4919, 4920, 4921, 4922, 4923, 4924, 4975, 4989, 5165, 5172, 5181, 5185, 5195, 5214, 5418, 5419, 6966, 7160, 7161, 9959, 9962, 10021, 10026, 10028, 10034, 10050, 10074, 10086, 10140, 10234, 10236, 10720, 11627, 12578, 12581, 12584, 14233, 14234, 14748, 14749, 15429, 15430, 16902, 16904, 17209, 17210, 17424, 17425, 17566, 17567
<code>\mult@rightbox</code>	<code>\newblock</code> 2371, 5323, 5430, 12708, 12710	<code>\newcount</code> 1677, 1678, 7949
.. 12508, 12548, 12549, 12551, 12570, 12571, 12574	<code>\newboolean</code>	<code>\newcounter</code> .. 4292, 5414, 9870, 10019, 16583, 16587, 16588
<code>\mult@RTLfootnotetext</code>	... 3508, 3512, 3514, 3516, 3517, 3529, 3602, 3612, 3679, 3702, 3997, 4618, 4877, 4904	<code>\newdimen</code> 5169, 5170, 5220, 7949
..... 155, 157, 12609, 12611, 12622	<code>\newbox</code> 5278, 5279	
<code>\multfootsep</code> . 4405, 4423	<code>\newcommand</code> 1768, 1774, 1777, 1778, 1779, 1780, 1781, 1782, 1783, 2150, 2236, 2241, 2242, 2243, 2245, 2246, 2247, 2249, 2250, 2252, 2253, 2264, 2265, 2285, 2292, 2294, 2298, 2302, 2304, 2310, 2319, 2321, 2323, 2327, 2331, 2336, 2348, 2371, 2466, 2472, 2484, 2490, 2502, 2505, 2507, 2514, 2518, 2524, 2531, 2534, 2537, 2540, 2555, 2599, 2604, 2726, 2750, 2801, 2810, 2887, 2901, 2913, 3003, 3004, 3020, 3035, 3039, 3045, 3048, 3051, 3054, 3059, 3062, 3065, 3069, 3073, 3076, 3077, 3078, 3080, 3088, 3097, 3099, 3109, 3111, 3123, 3125, 3132, 3140, 3142, 3151, 3153, 3164, 3166, 3167, 3171, 3175, 3245, 3255, 3259, 3264, 3298, 3336, 3359, 3360, 3361, 3393, 3394, 3395, 3396, 3407, 3504, 3505,	
<code>\multicol@leftmargin</code> 12518, 12527	
<code>\multicols</code> . 2059, 12586		
<code>\multicolumn</code> 11967, 16014		
<code>\multiplefootnotemarker</code>	... 4404, 4420, 4511, 4512, 4540, 4541, 4569, 4570, 7869, 7871, 7872	
<code>\multiply</code>	1681, 1686, 2025, 9339, 9340, 9444, 9445, 12897, 12901	
<code>\myrefname</code> 15376		
N		
<code>\n@xt</code> 1563, 1565, 1567, 1568, 1665, 1667, 1669, 1670		
<code>\na</code> ... 12900, 12902, 12904, 12913, 12915, 12940, 12941		
<code>\narrower</code> 17443		
<code>\NAT@bibitem@first@sw</code> 12714	
<code>\nb</code> 12900, 12903, 12904, 12913, 12914, 12935, 12951, 12952		
<code>\NC@find</code> 16046		
<code>\NC@rewrite@X</code> 16045		
<code>\NeedsTeXFormat</code> 1503, 1674, 1730, 1863, 2125, 2373, 3500, 4070, 4609, 4755, 4871, 4898, 5047, 5071, 5136, 6795, 6893	
<code>\new@command</code> . 2546, 2548		



<code>\newenvironment</code> . . .	2346, 3630, 3631,	<code>\nl</code> 184
. . . . 1815, 1826,	3632, 3686, 3703,	<code>\no@bib@break</code>
1835, 1844, 2349,	4482, 6950, 6952,	14562, 15133, 15771
3648, 3663, 3666,	6954, 6956, 6958,	<code>\noalign</code> 1376,
3704, 3825, 5403,	16615, 16617, 16618	2072, 5334,
5467, 17380,	<code>\newline</code> 2317, 3859	7959, 11974,
17389, 17398, 17407	<code>\newlinechar</code> 1624	11975, 11976,
<code>\newfloat@setwithin</code>	<code>\newlinetospace</code> 3856,	14706, 14731,
. 12741,	3876, 3877, 3878,	14733, 15277,
12747, 12755, 12757	5112, 5113, 5114	15302, 15304,
<code>\newfloat@Error</code> . . 12760	<code>\newlistentry</code>	15915, 15940, 15942
<code>\newfloat@setwithin</code> 16580, 16647	<code>\nobibliography</code> . . 4289
. 12727	<code>\newpage</code> . . . 460, 482,	<code>\nobreak</code> 14, 16,
<code>\newif</code> 1543, 1545, 1546,	814, 834, 1068,	215, 217, 512, 530,
1547, 1548, 1549,	1088, 1320, 1340,	559, 563, 650,
1550, 1551, 1553,	3362, 3364, 3368,	651, 665, 691,
1554, 1653, 1654,	3373, 3374, 3377,	880, 881, 895, 911,
1655, 1656, 2127,	3381, 3383, 3386,	1137, 1138, 1152,
2156, 2335, 2752,	5008, 5045, 5046,	1179, 2123, 3424,
5092, 5280, 6798,	5958, 5980, 6792,	4412, 4749, 4750,
6800, 6802, 6804,	7499, 7519, 7596,	5234, 5236, 5242,
6869, 6896, 6898,	7618, 9677, 9697,	5527, 5528, 5542,
6900, 6902, 6965,	11974, 12136,	5566, 5706, 5707,
10017, 10025,	13399, 13419,	5721, 5745, 5861,
12036, 16900, 16901	13540, 13562,	5869, 5881, 6010,
<code>\newinsert</code> . . . 3898,	13786, 13808,	6026, 6058, 6063,
3899, 3900,	13969, 13991,	6071, 6280, 7379,
3901, 3902, 3903,	14379, 14894, 15575	7392, 7407, 7411,
3904, 3905, 3906,	<code>\newpoem@tabcr</code>	7419, 7647, 7670,
3907, 3908, 3909,	. . . 5431, 5440, 5441	7675, 7684, 7727,
3910, 3911, 3912,	<code>\newsavbox</code> . . . 1814,	7728, 9560, 9576,
3913, 3914, 3915,	3647, 3682, 3683	9585, 9589, 9597,
3916, 3917, 3918,	<code>\newskip</code> . 1852, 1853,	11668, 11498,
3919, 3920, 3921,	1854, 2549, 9295	12093, 12478,
3922, 3923, 3924,	<code>\newthought</code> 4811	12489, 12490,
3925, 3926, 3927,	<code>\newtoks</code> 1865,	12501, 12502,
3928, 3929, 3930,	2387, 2388, 5221,	13088, 13090,
3931, 3947, 3948,	10027, 12993, 17214	13229, 13230,
3949, 3950, 3951,	<code>\next@tpage</code>	13244, 13268,
3952, 3953, 3954,	. . . 14309, 14341,	13603, 13604,
3955, 3956, 3957,	14351, 14354,	13618, 13642,
3958, 3959, 3960,	14422, 14824,	13835, 13851,
3961, 3962, 3963,	14856, 14866,	14021, 14037,
3964, 3965, 3966,	14869, 14937,	14068, 14072,
3967, 3968, 3969,	15505, 15537,	14080, 14475,
3970, 3971, 3972,	15547, 15550, 15618	14476, 14510,
7868, 7941, 7947	<code>\ninecolumnfootnotes</code>	14511, 14513,
<code>\newlength</code> 2254, 2255, 8987	14538, 14990,
2256, 2258, 2259,	<code>\ninecolumnfootstyle</code>	14991, 15017,
2260, 2262, 2263, 9082	15018, 15047,



15048,	15050,	11217,	11219,	14937,	15224,
15422,	15671,	11245,	11253,	15229,	15335,
15672,	15701,	11254,	11255,	15366,	15372,
15702,	15704,	11257,	11286,	15378,	15384,
16214,	16231,	11287,	11288,	15390,	15396,
16238,	16378,	11290,	11317,	15402,	15408,
16381,	16409,	11318,	11319,	15414,	15423,
16410,	16432,	11321,	11348,	15466,	15505,
16433,	16449,	11349,	11350,	15618,	15862,
16450,	16466,	11352,	12003,	15867,	16923,
16467,	16483,	12030,	12033,	16926,	16928,
16484,	16500,	12240,	14559,	16930,	16933,
16501,	16517,	14560,	15130,	16937,	16939,
16518,	16535,	15131,	15768,	16995,	17057, 17442
16536,	16554,	15769,	15981,	\nointerlineskip . .	
16555,	16574,	16019,	16020,	. . . 7019, 7040,	
16575,	16609,	16093,	16100,	10351, 12076,	
16610,	16645,	16590,	16884,	12525, 17686, 17694	
16745,	16750,	16885,	16886,	\nopagebreak	
16758,	16859,	16887,	16888,	. 5288, 5298, 11976	
16860,	16864,	16889,	16890,	\nopagenumbers . . . 2336	
17511, 17512, 17516		16891,	16892,	\normalbaselines . 17293	
\nobreakspace 558		17134,	17149,	\normalbaselineskip	
\node . 16945, 16975, 16981		17177,	17183, 313, 3555,	
\noexpand 388,		17196,	17373,	12057, 13158, 13172	
1887, 1888, 1902,		17374, 17475, 17712		\normalcolor	
1903, 1931, 1934,		\noindent 167,		. . . 2033, 6241,	
1937, 2081, 2383,		169, 450, 626,		7340, 7916, 7926,	
2392, 2396, 2416,		635, 935, 1189,		9525, 10307,	
2420, 2462, 2509,		1198, 1711, 3657,		10360, 11484,	
2510, 2512, 2731,		3844, 4434, 4451,		12095, 12503,	
2732, 2733, 2735,		4468, 4585, 4594,		16865, 17111,	
2736, 2761, 2763,		4603, 4813, 4833,		17517, 17548,	
2781, 2782, 2783,		4994, 4996, 4998,		17751, 17761, 17786	
2786, 2793, 2794,		5189, 5576, 5769,		\normalfont 25,	
2795, 2797, 2803,		5948, 6145, 7489,		37, 50, 65, 82,	
2804, 2806, 2812,		7586, 7730, 9350,		246, 259, 273,	
2813, 2815, 2874,		9361, 9372, 9397,		291, 449, 452,	
2876, 2877, 3029,		9410, 9423, 9457,		556, 804, 806,	
3190, 3191, 3193,		9471, 9486, 9493,		1060, 1310, 1312,	
3329, 3434, 3468,		9667, 10573,		1710, 1713, 1777,	
3469, 4261, 4263,		11614, 12200,		1782, 1783, 1785,	
4271, 4661, 4664,		12858, 13205,		1786, 1787, 1788,	
4670, 4673, 5362,		13214, 13657,		1789, 1790, 1791,	
5365, 5368, 5420,		13666, 13734,		3596, 4209, 4299,	
6584, 6749, 7102,		13777, 13959,		4318, 4337, 4403,	
7154, 9872, 9873,		14270, 14309,		4635, 4642, 4649,	
9878, 9879, 9931,		14422, 14538,		4841, 5857, 5877,	
11197, 11207,		14653, 14658,		5947, 5950, 6054,	
11215, 11216,		14785, 14824,		6069, 7212, 7217,	



7223, 7404, 7417, 7488, 7491, 7585, 7588, 7666, 7682, 7880, 7884, 7886, 9582, 9595, 9666, 9669, 11484, 12069, 12126, 12503, 13389, 13391, 13530, 13532, 13728, 13735, 13771, 13778, 13958, 13961, 14065, 14078, 16635, 16640, 16641, 16865, 17517, 17786	7520, 7551, 7565, 7619, 9634, 9648, 9698, 12479, 12489, 12490, 12501, 12502, 13203, 13206, 13330, 13359, 13420, 13469, 13498, 13563, 13655, 13658, 13736, 13750, 13809, 13924, 13938, 13992, 14318, 14340, 14351, 14422, 14430, 14510, 14833, 14855, 14866, 14937, 14945, 15047, 15514, 15536, 15547, 15618, 15626, 15701, 16378, 16409, 16432, 16449, 16466, 16483, 16500, 16517, 16535, 16554, 16574, 16609, 16745, 16859, 17511	\oddsidemargin 1700, 2165, 7191, 17728 \on@line 17374 \on@stripcols@break 6668 \onecolumn 600, 616, 867, 1121, 2203, 5511, 5690, 5902, 13195, 13452, 13914, 16343 \opening 7715, 11486 \OptArg 1794, 1860 \OptArg@i ... 1860, 1861 \OptArg@ii .. 1860, 1862 \OptArgs 1859 \optparams ... 3724, 4572, 4573, 4574, 4576, 4577, 4578 \OR 3718, 3784, 3804, 3808, 4060 \or 1412, 1413, 1414, 1416, 1417, 1437, 1438, 1439, 1443, 1444, 1445, 1446, 1447, 1451, 1452, 1480, 1481, 1482, 1484, 1485, 1575, 1581, 1587, 1589, 1591, 1593, 1599, 1605, 1611, 6212, 6213, 6214, 6216, 6217, 7284, 7287, 7290, 7305, 7328, 7329, 7330, 7331, 11024, 11028, 16622, 16625, 16628, 16798, 16909, 16916, 17138, 17187 \orig@footnotetext .. 148, 12602, 12617 \orig@LTRfootnotetext .. 152, 12606, 12621 \orig@RTLfootnotetext .. 156, 12610, 12625 \origin@endpgfpicture 12855, 12857, 12859 \origin@endpspicture 13075, 13077
\normalfootnotes 7852, 7859 \normallineskip 198, 2194, 12056, 13157, 13171 \normalparindent 41, 54, 69, 250, 263, 277 \normalsfcodes 9940, 17740 \normalsize 309, 3548, 3549, 3556, 4117, 4161, 4205, 4299, 4318, 4337, 4712, 6853, 6945, 9940, 12258, 13817, 14277, 14286, 14792, 14801, 15473, 15482, 17608, 17652, 17739 \NOT 3744, 3745, 3784, 3804, 3808, 4488, 4517, 4546, 4628, 4632 \null .. 415, 429, 483, 624, 627, 745, 774, 835, 933, 936, 999, 1028, 1089, 1187, 1190, 1251, 1280, 1341, 4749, 5323, 5574, 5577, 5632, 5661, 5767, 5770, 5811, 5840, 5913, 5927, 5981, 7456, 7470,	\number 8, 135, 209, 2747, 5306, 5407, 7026, 7047, 7092, 7098, 7101, 7144, 7150, 7153, 7263, 7266, 12589 \numberline 3837, 11669, 11674, 12252, 16308, 16655, 16873, 16876, 16879 \numberline@tempa 16875 \numberwithin 331 \numexpr 3441 \nxLcs .. 1793, 1794, 1795 O \obeylines .. 5324, 5432 \oddpage 1678, 1682, 1683, 1684, 1687, 1688, 1689	



11807, 11810,	\pageinwindow 6397	3809, 3810, 3835,
11813, 11816,	\pagenumbering 2201, 5096	3844, 3845, 4014,
11819, 11822,	\pageref 2340, 2342	4030, 4751, 4866,
11825, 11828,	\pageshrink . . . 10395,	4867, 4868, 4869,
11831, 11834,	10399, 10415,	4994, 4996, 4998,
11837, 11840,	10441, 10453, 17041	5016, 5017, 5018,
11843, 11846,	\pagestretch . . . 10394,	5192, 5299, 5313,
11849, 11852,	10415, 10453, 17045	5324, 5342, 5424,
11855, 11858,	\pagestyle 1676,	5432, 5457, 5528,
11861, 11864,	2192, 2200, 2343,	5541, 5566, 5577,
11867, 11870,	3864, 5097, 6891	5641, 5651, 5658,
11873, 11876,	\pagetotal 10381,	5659, 5707, 5720,
11879, 11882,	10386, 10392,	5745, 5770, 5820,
11885, 11888,	12135, 12439,	5830, 5837, 5838,
11891, 11894,	12442, 12453,	5861, 5869, 5881,
11897, 11900,	17033, 17038, 17096	5916, 5922, 5924,
11903, 11906,	\paperheight	5925, 5944, 5987,
11909, 11912, 2129, 2132,	5993, 5997, 6009,
11915, 11918,	2135, 2138, 2141,	6026, 6058, 6063,
11921, 11924,	2144, 2147, 2148, 7168	6071, 6147, 6280,
11927, 11930,	\paperwidth 2130,	6652, 7012, 7033,
11933, 11936,	2133, 2136, 2139,	7379, 7391, 7407,
11939, 11942,	2142, 2145, 2148,	7410, 7418, 7459,
11945, 11948,	2149, 7168, 7176	7465, 7467, 7468,
11951, 11954,	\par 5, 15, 45, 58, 73,	7485, 7524, 7530,
12594, 16242, 16594	103, 104, 105, 106,	7534, 7554, 7560,
\PackageInfo 2553,	168, 170, 206, 216,	7562, 7563, 7582,
3066, 3168,	233, 234, 235,	7625, 7631, 7635,
3315, 3507, 16895	254, 267, 281,	7646, 7670, 7675,
\PackageWarning 134,	312, 315, 399,	7684, 7717, 7722,
2552, 3169, 3198,	418, 424, 426,	7725, 7727, 7728,
5409, 6807, 6905,	427, 446, 489,	7738, 7922, 8016,
9874, 10485,	495, 499, 511,	8019, 8022, 8103,
11528, 12535,	530, 559, 562,	8160, 8163, 8166,
12588, 12721, 16585	627, 637, 651,	8243, 8303, 8306,
\PackageWarningNoLine	664, 691, 754,	8309, 8390, 8450,
. 3365	764, 771, 772,	8453, 8456, 8537,
\page@sofar 160, 12507	800, 839, 845,	8597, 8600, 8603,
\pagebreak	849, 881, 895,	8684, 8744, 8747,
11975, 17041, 17050	910, 936, 950,	8750, 8831, 8891,
\pagedepth 17035	1008, 1018, 1025,	8894, 8897, 8978,
\pagefillstretch . . . 17047	1026, 1054, 1093,	9038, 9041, 9044,
\pagefilstretch . . . 17046	1099, 1103, 1138,	9125, 9185, 9188,
\pagefootnoterule .	1151, 1179, 1190,	9191, 9272, 9486,
. 10142, 10150	1200, 1260, 1270,	9493, 9559, 9576,
\pagegoal 2094,	1277, 1278, 1306,	9585, 9589, 9597,
2104, 10379,	1346, 1352, 1357,	9637, 9643, 9645,
10381, 10386,	1362, 1365, 1707,	9646, 9663, 9702,
10393, 10434,	2049, 2058, 3738,	9708, 9712, 9868,
10436, 12441, 17038	3746, 3805, 3806,	10303, 11488,



11493,	11496,	14428,	14434,	16933,	16941,
11498,	11573,	14437,	14439,	16994,	17254,
11646,	12008,	14445,	14448,	17255,	17256,
12049,	12072,	14450,	14453,	17257,	17381,
12076,	12122,	14456,	14477,	17390,	17399,
12194,	12200,	14514,	14538,	17408,	17479,
12206,	12210,	14648,	14652,	17518, 17775, 17796	
12216,	12231,	14653,	14657,	\par@update ^{relative}	
12250,	12259,	14658,	14662, 14312,	
12479,	12491,	14784,	14831,	14424, 14827,	
12504,	12635,	14836,	14839,	14939, 15508, 15620	
12647,	12708,	14841,	14846,	\paragraph 4647	
12864,	13033,	14849,	14851,	\paragraphfootnotes	
13034,	13035,	14853,	14859, 9323	
13036,	13080,	14867,	14873,	\paragraphfootstyle	
13081,	13088,	14943,	14949, 9426	
13089,	13149,	14952,	14954,	\parbox 2289,	
13163,	13206,	14960,	14963,	2291, 6879, 7733,	
13216,	13230,	14965,	14968,	9759, 9760, 9761,	
13243,	13268,	14971,	14992,	9764, 9765,	
13339,	13349,	15019,	15051,	9766, 10825,	
13356,	13357,	15219,	15223,	10827, 10831,	
13385,	13424,	15224,	15228,	10833, 10864,	
13430,	13434,	15229,	15233,	10865, 10868,	
13478,	13488,	15334,	15366,	10869, 10926,	
13495,	13496,	15372,	15378,	10927, 10930,	
13526,	13570,	15384,	15390,	10931, 10955,	
13576,	13581,	15396,	15402,	10957, 10961,	
13586,	13589,	15408,	15414,	10963, 12012,	
13604,	13617,	15416,	15419,	12188, 12217,	
13642,	13658,	15422,	15426,	12633, 12635,	
13668,	13734,	15465,	15512,	12636, 12638,	
13739,	13745,	15517,	15520,	12640, 12641,	
13747,	13748,	15522,	15527,	12643, 12645,	
13767,	13777,	15530,	15532,	12647, 12648,	
13815,	13820,	15534,	15540,	12650, 12652,	
13823,	13834,	15548,	15554,	12653, 12654,	
13851,	13927,	15624,	15630,	12655, 12656,	
13933,	13935,	15633,	15635,	12657, 12659,	
13936,	13955,	15641,	15644,	12660, 12661,	
13998,	14004,	15646,	15649,	12662, 12663,	
14008,	14020,	15652,	15673,	12664, 12665,	
14037,	14068,	15705,	15857,	12666, 12667,	
14072,	14080,	15861,	15862,	12668, 12670,	
14269,	14316,	15866,	15867,	12671, 12672,	
14321,	14324,	15871,	16024,	12673, 12675,	
14326,	14331,	16646,	16652,	12676, 12677,	
14334,	14336,	16764,	16866,	12678, 12680,	
14338,	14344,	16923,	16924,	12681, 12682,	
14352,	14358,	16930,	16931,	12683, 12684,	



12685,	12687,	450,	508,	525,	15466,	15666,
12688,	12689,	554,	597,	612,	15697,	16203,
12690,	12691,	648,	661,	686,	16240,	16340,
12692,	12694,	740,	757,	863,	16371,	16402,
12695,	12696,	878,	890,	907,	16425,	16442,
12697,	12698,	944,	994,	1011,	16459,	16476,
14714,	15285,	1057,	1117,	1135,	16493,	16510,
15366,	15372,	1148,	1174,	1246,	16528,	16547,
15378,	15384,	1263,	1711,	2196,	16567,	16602,
15390,	15396,	3572,	4225,	4743,	16674,	16735,
15402,	15408,	4785,	4793,	4858,	16736,	16855,
15414,	15425,	5011,	5317,	5427,	17317,	17419,
\parfillskip	13,	5507,	5525,	5538,	17444,	17445,
214,	509,	5561,	5627,	5644,	\parsep . . .	947,
646,	662,	5686,	5704,	5717,	3565,	4765,
875,	891,	5740,	5806,	5823,	4804,	4831,
1133,	1149,	5857,	5877,	5899,	\parshape	6144,
4742,	5318,	5948,	6006,	6021,	10507,	10515,
5539,	5562,	6054,	6068,	6172,	11615,	12783,
5702,	5718,	6194,	6285,	7374,	12803,	12870,
6007,	6022,	7388,	7402,	7415,	13033,	13035,
6286,	7375,	7489,	7586,	7643,	13733,	13776,
7644,	9377,	7666,	7681,	8011,	14257,	14266,
9385,	9477,	8155,	8298,	8445,	14772,	14781,
9572,	12056,	8592,	8739,	8886,	15325,	15332,
12472,	12484,	9033,	9180,	9376,	15453,	15462,
12496,	13103,	9380,	9384,	9476,	17254,	17256,
13116,	13129,	9499,	9556,	9571,	17346,	17383,
13140,	13157,	9582,	9594,	9667,	17385,	17386,
13225,	13241,	10572,	12052,		17387,	17392,
13264,	13599,	12473,	12485,		17394,	17395,
13615,	13638,	12497,	12702,		17396,	17401,
13832,	13847,	13104,	13117,		17403,	17404,
14018,	14033,	13130,	13141,		17405,	17410,
14471,	14507,	13152,	13191,		17412,	17413,
14986,	15013,	13227,	13240,		\parskip	99,
15044,	15667,	13263,	13325,		177,	229,
15698,	16193,	13342,	13448,		613,	864,
16222,	16252,	13464,	13481,		1704,	2197,
16370,	16401,	13601,	13614,		4226,	4786,
16424,	16441,	13637,	13734,		4857,	5012,
16458,	16475,	13777,	13814,		5348,	5426,
16492,	16509,	13831,	13846,		5508,	5687,
16527,	16546,	13911,	13959,		6558,	6567,
16566,	16601,	14017,	14032,		6722,	6731,
16738,	16740,	14065,	14077,		7721,	7724,
16854,	17419,	14270,	14470,		7728,	11492,
\parindent 12,	41,	14506,	14785,		11495,	11497,
69,	99,	14985,	15012,		12052,	12061,
250,	263,	15043,	15335,		12870,	13152,



13166, 13192,	\pgf@trimright	\poem@obeylines 5328,
13449, 13814, 16177, 16183	5404, 5444, 5468
13912, 15359,	\pgf@trimright@final@smuggle	\poem@prop . . 5309, 5418
16341, 16674, 16177, 16183	\poem@startedfalse
17032, 17036, 17316	\pgfpicture 12854, 12858	. . 5326, 5442, 5448
\part 23	\pgfutil@empty	\poem@startedtrue .
\partname 558, 7406 16161, 16162	. . . 5284, 5285,
\partopsep 4807, 12173,	\pgfutil@ifnextchar	5325, 5434, 5436,
12175, 12777, 12797 16158	5441, 5449, 5451
\PassOptionsToClass	\phantom 12530	\poem@verse
. 5049,	\phantomsection . . 2287	. . 5222, 5292, 5295
5050, 5051, 5052,	\phone 2247	\poem@width . . 5225,
5053, 5073, 5074,	\phonesymbol	5226, 5230, 5307,
5075, 5076, 5077	. . 2207, 6886, 6984	5309, 5312, 5353
\PassOptionsToPackage	\photo 2252	\poem@write@aux . . .
. 4069, 4896	\picbox 12975	. . 5356, 5407, 5419
\pdfstringdefDisableCommands	\picinwindow 6417	\poemblocksep
. 11442	\picwd 12863,	. . 5219, 5323, 5430
\penalty 749,	12866, 12974, 12976	\poemcolsepskip . . .
1003, 1255, 2091,	\plainauthor 5210, 5239
2095, 5238, 5567,	3876, 4916, 4918,	\poemextrabaselineskip
5636, 5746, 5815,	4957, 4958, 4961	. . 5212, 5300, 5335
6027, 6132, 6138,	\plainfootnotes . . 7859	\poemmarginskip . . .
6556, 6565, 6575,	\plainpublisher 5211, 5233, 5234
6720, 6729, 6739,	. . 4919, 4984, 4985	\poemskip 5213, 5313, 5344
9294, 9378, 9382,	\plaintitle	\postbibhook 12265
9386, 9479, 9577,	. . . 3877, 3878,	\postdisplaypenalty
10416, 13269,	4916, 4917, 4940, 9842, 9856
13334, 13473,	4941, 4944, 5112, 5114	\postmath 6138
13643, 13852,	\plitemsep 4805	\PotEndMark
14038, 14480,	\plparsep 4804	. . 7215, 7220, 7223
14486, 14517,	\plpartopsep 4807	\predisplaydirection
14995, 14997,	\pLRE 1564, 1565, 1666, 1667 13068,
15022, 15024,	\pltopsep 4806	13069, 17783, 17784
15054, 15056,	\poem@finish	\predisplaypenalty
15676, 15678,	. . 5357, 5406, 5413 9841, 9855
15708, 15710,	\poem@line	\premath 6134
16662, 16770, 17037	. . 5276, 5282, 5333	\preparefootins . . .
\pgf@baseline 16175, 16181	\poem@linebegin 10528, 10548
\pgf@remember@layerlist@global 5233, 5291	\prepnext@tok
. 16179	\poem@lineend 5234, 5297	1409, 1419, 1467,
\pgf@remember@smuggle	\poem@lineparsebegin	1499, 6204, 6232
. 16178, 16184	\poem@lineparseend	\presetkeys 17023
\pgf@restore@layerlist@from@global	. . 5271, 5283, 5340	\presig@skip 15425
. 16185	\poem@lineversesep	\prevdepth . . . 3738,
\pgf@shift@baseline@smuggle 5235, 5294	3746, 7082,
. 16175, 16181	\poem@needrun . 5227,	7136, 12178, 12532
\pgf@trimleft 16176, 16182 5354, 5408, 5410	\pRLE 1566, 1567, 1668, 1669
\pgf@trimleft@final@smuggle		\process@cols . 12508,
. 16176, 16182		12541, 12555, 12561



\ProcessOptions . . .	8809, 8822, 8858,	7749, 9549, 9726,
2159, 3531, 4622,	8868, 8878, 8904,	9755, 9767, 9836,
4881, 4913, 5054,	8917, 8929, 8956,	9866, 9875,
5078, 6809, 6907	8969, 9005, 9015,	9880, 10015,
\ProcessOptionsX . . 1615	9025, 9051, 9064,	10345, 10522,
\protect 395,	9076, 9103, 9116,	10575, 10693,
1564, 1565, 1566,	9152, 9162, 9172,	10715, 11016,
1567, 1623, 1666,	9198, 9211, 9223,	11481, 11485,
1667, 1668, 1669,	9250, 9263, 9346,	11509, 11620,
1869, 1875, 1881,	9357, 9368, 9393,	11691, 11957,
1887, 1896, 1902,	9406, 9419, 9453,	12035, 12110,
2608, 2609, 3420,	9467, 10193,	12266, 12468,
3837, 9931, 10317,	10209, 10224,	12506, 12632,
10331, 11669,	10251, 10264, 10277	12699, 12726,
11674, 11996,	\protected@write . .	12764, 12785,
12252, 16014, 3400, 3411	12805, 12853,
16015, 16019,	\protected@xdef . . .	12860, 13073,
16027, 16308,	. . . 4496, 4525,	13078, 13094,
16652, 17203, 17712	4554, 4937, 4954,	13180, 13437,
\protected . . . 1666,	4970, 4981, 10163,	13716, 13899,
1668, 2551, 2552,	10172, 10316,	14103, 14232,
2553, 2556, 2564,	10321, 10330,	14747, 15318,
2566, 2572, 2758,	10336, 11216,	15428, 15956,
2774, 2790, 2813,	11254, 11287,	15963, 15990,
2815, 2865, 2893,	11318, 11349, 11412	15995, 16030,
2906, 12999,	\providecommand 2204,	16105, 16135,
13008, 13017,	2205, 2206,	16154, 16187,
13025, 17220,	2207, 2208, 2209,	16216, 16265,
17229, 17238, 17246	2220, 2221, 2222,	16345, 16653,
\protected@edef . 42,	2223, 2224, 2225,	16899, 17028,
55, 70, 251,	2226, 2227, 2228,	17104, 17208, 17927
264, 278, 4435,	2229, 2230, 2231,	\ProvidesPackage . .
4452, 4469, 7767,	2232, 2233, 2234,	1506, 1675, 1731,
7783, 7799, 7812,	2235, 2375, 4397,	1864, 2056, 2374,
7825, 7838, 7983,	4404, 4405, 4811,	3501, 4071, 4610,
7993, 8003, 8029,	6870, 6875, 10049	4756, 4872, 4899,
8042, 8054, 8081,	\ProvidesClass	5137, 6796, 6894
8094, 8130, 8139,	. . 2126, 5048, 5072	\prune 12880,
8148, 8173, 8185,	\ProvidesFile 1,	12918, 12922,
8196, 8222, 8234,	127, 161, 202,	12927, 12931,
8270, 8280, 8290,	328, 339, 344,	12943, 12954, 12981
8316, 8329, 8341,	346, 405, 601,	\prw@mkboth . . 16314,
8368, 8381, 8417,	852, 1106, 1368,	16319, 16331, 16336
8427, 8437, 8463,	5496, 5675, 5854,	\pspicture . 13074, 13076
8476, 8488, 8515,	5887, 6101, 6156,	\publisher . . 4974, 4975
8528, 8564, 8574,	6190, 6192, 6195,	\publishers
8584, 8610, 8623,	6233, 6276, 6291,	14409, 14924, 15605
8635, 8662, 8675,	6387, 6425, 6998,	\put 6296, 6297, 6298,
8711, 8721, 8731,	7163, 7166, 7205,	6299, 6300, 6301,
8757, 8770, 8782,	7367, 7541, 7714,	6306, 6307, 6308,



6309, 6310, 6311, 6319, 6320, 6321, 6322, 6323, 6324, 6329, 6330, 6331, 6332, 6333, 6334, 6342, 6343, 6344, 6345, 6346, 6347, 6352, 6353, 6354, 6355, 6356, 6357, 6365, 6366, 6367, 6368, 6369, 6370, 6375, 6376, 6377, 6378, 6379, 6380, 7168, 7182, 7200	13178, 15961, 15962, 17887, 17891, 17895, 17903 \raggedleft 25, 100, 230, 554, 5857, 6054, 6068, 7402, 7415, 7666, 7681, 7717, 7720, 7725, 7733, 9582, 9594, 11488, 11491, 11496, 12149, 12150, 13081, 13083, 13089, 14065, 14077, 14521, 14522, 14608, 14609, 14610, 14612, 15061, 15179, 15180, 15181, 15183, 15419, 15425, 15715, 15817, 15818, 15819, 15821, 17420, 17422, 17424, 17425 \RaggedLeftLeftskip 13113 \RaggedLeftParfillskip 13116 \RaggedLeftParindent 13117 \RaggedLeftRightskip 13114 \raggedpart 14522 \RaggedRight . . 13121, 13170, 13177, 13179, 15961, 15962, 17887, 17891, 17897, 17901 \raggedright 25, 100, 181, 230, 554, 5857, 5877, 6054, 6068, 7402, 7415, 7666, 7681, 7717, 7720, 7725, 7733, 9582, 9594, 11488, 11491, 11496, 12149, 12150, 13081, 13083, 13089,	14065, 14077, 14521, 14522, 14608, 14609, 14610, 14612, 15061, 15179, 15180, 15181, 15183, 15419, 15425, 15715, 15817, 15818, 15819, 15821, 17416, 17421, 17423, 17424, 17425 \RaggedRightLeftskip 13126 \RaggedRightParfillskip 13129 \RaggedRightParindent 3570, 4223, 4791, 13130 \RaggedRightRightskip 4788, 13127 \raggedsection 14521, 15061, 15715 \raggedsectionentry 14505 \raise 9749 \raisebox 3789, 3794, 3805, 3806, 3809, 3810, 7213, 7218, 7234, 7237, 7353, 10838, 10840, 10844, 10846, 10873, 10874, 10877, 10878, 10935, 10936, 10939, 10940, 10968, 10970, 10974, 10976, 11616 \rangle 1778 \rawtext 12870, 12876, 12898, 12899, 12980, 12984 \rcb 1779, 1782, 1783, 1787 \rcol@footinsskip 10527, 10547 \realfootnote . . . 11409 \recomputelengths 2265, 2282 \recomputethemelengths 2264,
Q		
\Q 4254, 4276 \qauthor 13079 \qqquad 4687, 4694, 4701, 4708, 4715, 4750, 13081 \quad 3876, 3877, 3878, 5112, 5113, 5114, 5219, 17294 \quote 2253 \quotecolour 2215, 6814, 6912 \quotefont . . . 2224, 2232, 6854, 6947 \quotestyle 2232, 6867, 6996 \quotewidth . . 2254, 2266, 6867, 6996		
R		
\R@@page 14108, 14109, 14118, 14120, 14151, 14152, 14163, 14165 \raggedbottom . . . 2202 \raggedchapterentry 15042, 15696 \raggeddictum 14608, 15179, 15817 \raggeddictumauthor . 14610, 15181, 15819 \raggeddictumtext . 14609, 15180, 15818 \RaggedLeft 13108, 13176,		



2280, 6959, 6964
\reflectbox 10627
\refname 567, 568, 701,
702, 969, 970,
1221, 1222, 2351,
4846, 7423, 7424
\refstepcounter . . .
. 549, 7397,
9857, 11456,
11657, 11663,
11959, 12243,
12774, 12795, 16305
\refvskip 15360
\relax 2,
8, 10, 12, 14, 82,
99, 128, 162, 203,
209, 211, 213, 215,
229, 291, 303,
321, 395, 409,
410, 411, 432,
433, 434, 435,
440, 441, 442,
443, 467, 468,
469, 470, 471,
476, 477, 478,
479, 503, 598,
613, 620, 650,
656, 674, 736,
737, 738, 742,
751, 760, 777,
778, 783, 784,
785, 786, 789,
792, 796, 821,
822, 823, 828,
829, 830, 831,
864, 880, 902,
920, 929, 990,
991, 992, 996,
1005, 1014, 1031,
1032, 1037, 1038,
1039, 1040, 1043,
1046, 1050, 1075,
1076, 1077, 1082,
1083, 1084, 1085,
1118, 1125, 1137,
1143, 1161, 1242,
1243, 1244, 1248,
1257, 1266, 1283,
1284, 1289, 1290,
1291, 1292, 1295,

1298, 1302, 1327,
1328, 1329, 1334,
1335, 1336, 1337,
1424, 1425, 1442,
1443, 1444, 1573,
1579, 1585, 1597,
1603, 1609, 1623,
1718, 1719, 1720,
1725, 1726, 1727,
1728, 1953, 1961,
1969, 2020, 2159,
2375, 2474, 2492,
2546, 2563, 2747,
2751, 2985, 3009,
3024, 3041, 3056,
3072, 3089, 3101,
3133, 3144, 3223,
3431, 3432, 3441,
3469, 3535, 4036,
4233, 4353, 4416,
4420, 4424, 4501,
4512, 4530, 4541,
4559, 4570, 4628,
4825, 4833, 4838,
4869, 5054, 5078,
5174, 5179, 5182,
5189, 5227, 5233,
5328, 5354, 5382,
5389, 5396, 5408,
5444, 5508, 5515,
5527, 5533, 5549,
5623, 5624, 5625,
5629, 5638, 5647,
5664, 5665, 5670,
5671, 5672, 5673,
5687, 5694, 5706,
5712, 5728, 5802,
5803, 5804, 5808,
5817, 5826, 5843,
5844, 5849, 5850,
5851, 5852, 5900,
5907, 5908, 5909,
5930, 5931, 5932,
5933, 5938, 5939,
5940, 5941, 5965,
5966, 5967, 5968,
5969, 5974, 5975,
5976, 5977, 6001,
6144, 6166, 6167,
6168, 6169, 6175,

6176, 6177, 6178,
6179, 6184, 6185,
6188, 6189, 6272,
6290, 6809, 6907,
6999, 7000, 7001,
7002, 7003, 7015,
7036, 7090, 7102,
7105, 7142, 7154,
7157, 7189, 7195,
7256, 7335, 7383,
7452, 7453, 7454,
7473, 7474, 7479,
7480, 7481, 7482,
7506, 7507, 7508,
7513, 7514, 7515,
7516, 7545, 7546,
7547, 7568, 7569,
7570, 7571, 7576,
7577, 7578, 7579,
7603, 7604, 7605,
7606, 7607, 7612,
7613, 7614, 7615,
7639, 7750, 7751,
7752, 7753, 7754,
7872, 7971, 8012,
8074, 8118, 8156,
8215, 8258, 8299,
8361, 8405, 8446,
8508, 8552, 8593,
8655, 8699, 8740,
8802, 8846, 8887,
8949, 8993, 9034,
9096, 9140, 9181,
9243, 9297, 9329,
9441, 9551, 9630,
9631, 9632, 9651,
9652, 9657, 9658,
9659, 9660, 9684,
9685, 9686, 9691,
9692, 9693, 9694,
9731, 9733, 9737,
9780, 9812, 9837,
9847, 9890, 9910,
9911, 9926, 10013,
10145, 10167,
10176, 10325,
10340, 10378,
10400, 10438,
10778, 10780,
10783, 10796,



10798,	10801,	13503,	13504,	14814,	14815,
11047,	11058,	13509,	13510,	14816,	14876,
11069,	11080,	13511,	13512,	14902,	14903,
11094,	11105,	13515,	13518,	14904,	14905,
11116,	11127,	13522,	13547,	14906,	14919,
11142, 11157,	11181,	13548,	13549,	14920,	14921,
11215,	11234,	13550,	13551,	14922,	14923,
11253,	11272,	13556,	13557,	14924,	14925,
11286,	11305,	13558,	13559,	14926,	14927,
11317,	11336,	13603,	13609,	14928,	14929,
11348,	11367,	13625,	13651,	14975,	14993,
11523,	11535,	13715,	13720,	15002,	15020,
11542,	11543,	13721,	13722,	15052,	15064,
11547,	11548,	13753,	13754,	15080,	15088,
11615,	11996,	13755,	13756,	15096,	15107,
12074,	12077,	13761,	13762,	15169,	15176,
12080,	12081,	13763,	13764,	15474,	15475,
12082,	12088,	13793,	13794,	15483,	15484,
12113,	12114,	13795,	13796,	15495,	15496,
12115,	12116,	13797,	13802,	15497,	15557,
12117,	12177,	13803,	13804,	15583,	15584,
12470,	12472,	13805,	13827,	15585,	15586,
12473,	12476,	13912,	13918,	15587,	15600,
12482,	12484,	13919,	13920,	15601,	15602,
12485,	12488,	13941,	13942,	15603,	15604,
12494,	12496,	13943,	13944,	15605,	15606,
12497,	12500,	13949,	13950,	15607,	15608,
12586,	12809,	13951,	13952,	15609,	15610,
12814,	12819,	13976,	13977,	15656,	15674,
12828,	12836,	13978,	13979,	15706,	15745,
12990,	13052,	13980,	13985,	15807,	15814,
13093,	13174,	13986,	13987,	16012,	16027,
13192,	13199,	13988,	14012,	16037,	16039,
13229,	13235,	14278,	14279,	16068,	16163,
13251,	13321,	14287,	14288,	16239,	16257,
13322,	13323,	14299,	14300,	16258,	16341,
13327,	13336,	14301,	14361,	16350,	16368,
13345,	13362,	14387,	14388,	16371,	16374,
13363,	13368,	14389,	14390,	16399,	16402,
13369,	13370,	14391,	14404,	16405,	16422,
13371,	13374,	14405,	14406,	16425,	16428,
13377,	13381,	14407,	14408,	16439,	16442,
13406,	13407,	14409,	14410,	16445,	16456,
13408,	13413,	14411,	14412,	16459,	16462,
13414,	13415,	14413,	14414,	16471,	16473,
13416,	13449,	14460,	14478,	16476,	16479,
13458,	13459,	14516,	14537,	16488,	16490,
13460,	13466,	14598,	14605,	16493,	16496,
13475,	13484,	14793,	14794,	16507,	16510,
13501,	13502,	14802,	14803,	16513,	16525,



16528, 16531,
 16544, 16547,
 16550, 16564,
 16567, 16570,
 16582, 16597,
 16599, 16602,
 16605, 16619,
 16649, 16650,
 16651, 16668,
 16676, 16677,
 16679, 16680,
 16693, 16704,
 16708, 16713,
 16718, 16726,
 16730, 16739,
 16740, 16751,
 16759, 16770,
 16776, 16780,
 16784, 16801,
 16805, 16854,
 16855, 16858,
 16906, 16914,
 17055, 17138,
 17187, 17202,
 17273, 17302,
 17314, 17355,
 17447, 17450,
 17452, 17506,
 17507, 17510,
 17790, 17791, 17792
 \remainx 12635
 \remainxox . 12670, 12677
 \remainxxx
 12680, 12689, 12698
 \remainxx . 12638, 12640
 \remainxxx
 .. 12643, 12645,
 12647, 12672, 12675
 \remainxxxx .. 12650,
 12652, 12654,
 12656, 12682,
 12684, 12687,
 12691, 12694, 12696
 \remainxxxxx
 .. 12659, 12661,
 12663, 12665, 12667
 \remove@strip . 12273,
 12303, 12355, 12385
 \renewcommand ... 19,
 20, 21, 22, 83,

164, 171, 186, 220,
 221, 222, 223,
 292, 331, 407,
 446, 448, 502,
 519, 533, 537,
 543, 544, 545,
 546, 577, 617,
 639, 655, 673,
 681, 694, 696,
 697, 698, 699,
 711, 717, 723, 732,
 733, 743, 800,
 802, 868, 885,
 898, 901, 919,
 926, 952, 953,
 954, 955, 956,
 961, 979, 986,
 987, 997, 1054,
 1056, 1122, 1126,
 1142, 1160, 1169,
 1182, 1202, 1208,
 1216, 1217, 1218,
 1219, 1231, 1238,
 1239, 1249, 1306,
 1308, 1707, 1709,
 2151, 2152, 2153,
 2189, 2190, 2195,
 2244, 2248, 2279,
 2284, 2364, 2983,
 3007, 3339, 3344,
 3364, 3377, 3399,
 3410, 3548, 3557,
 3598, 3716, 3719,
 3720, 3724, 3725,
 3871, 3872, 4214,
 4215, 4216, 4217,
 4283, 4398, 4407,
 4428, 4445, 4462,
 4576, 4577, 4578,
 4660, 4669, 4721,
 4729, 4753, 4758,
 4769, 4770, 4771,
 4772, 4773, 4774,
 4775, 4841, 4846,
 4848, 4849, 4866,
 4867, 4868, 4869,
 4926, 4927, 4928,
 4930, 4934, 4935,
 4936, 4940, 4941,
 4947, 4951, 4952,

4953, 4957, 4958,
 4963, 4967, 4968,
 4969, 4978, 4979,
 4980, 4984, 4985,
 5007, 5031, 5093,
 5106, 5111, 5119,
 5512, 5516, 5532,
 5548, 5556, 5570,
 5589, 5595, 5601,
 5609, 5610, 5611,
 5612, 5613, 5614,
 5616, 5618, 5620,
 5630, 5691, 5695,
 5711, 5727, 5735,
 5749, 5751, 5757,
 5782, 5788, 5789,
 5790, 5791, 5792,
 5793, 5795, 5797,
 5799, 5809, 5905,
 5944, 5946, 6000,
 6015, 6030, 6034,
 6040, 6042, 6044,
 6046, 6047, 6048,
 6049, 6050, 6051,
 6074, 6092, 6183,
 6187, 6193, 6277,
 6282, 6292, 6315,
 6338, 6361, 6388,
 6404, 6810, 6850,
 6851, 6852, 6853,
 6854, 6855, 6856,
 6857, 6871, 6876,
 6908, 6942, 6943,
 6944, 6945, 6946,
 6947, 6948, 6949,
 6959, 6971, 7159,
 7160, 7161, 7164,
 7167, 7171, 7187,
 7340, 7341, 7368,
 7382, 7433, 7439,
 7443, 7450, 7485,
 7487, 7537, 7538,
 7539, 7540, 7543,
 7582, 7584, 7638,
 7652, 7654, 7656,
 7658, 7659, 7660,
 7661, 7662, 7663,
 7687, 7705, 7715,
 7728, 7739, 7743,
 7759, 7775, 7791,



7807, 7820, 7833,	13280,	13299,	14614,	14687,
9550, 9565, 9600,	13305,	13306,	14705,	14727,
9604, 9621, 9628,	13307,	13308,	14729,	14753,
9663, 9665, 9715,	13309,	13310,	14757,	14761,
9716, 9717, 9718,	13312,	13314,	14765,	14791,
9719, 9720, 9722,	13317,	13318,	14798,	14807,
9724, 9837, 9847,	13328,	13385,	14820,	14822,
9867, 9876, 9966,	13387,	13454,	14884,	14886,
9985, 9987, 9989,	13455,	13467,	14931,	14974,
9991, 9992, 9993,	13526,	13528,	15001,	15029,
9994, 9995, 9996,	13592,	13608,	15062,	15063,
9998,	13624,	13632,	15071,	15072,
10002,	13646,	13648,	15075,	15076,
10005,	13670,	13671,	15079,	15087,
10007,	13672,	13673,	15095,	15114,
10009,	13674,	13675,	15138,	15167,
10020,	13677,	13679,	15172,	15179,
10346,	13692,	13698,	15180,	15181,
10704,	13704,	13712,	15182,	15185,
11486,	13718,	13726,	15258,	15276,
11503,	13767,	13769,	15298,	15300,
11514,	13826,	13840,	15319,	15434,
11516,	13855,	13858,	15438,	15442,
12122,	13862,	13868,	15446,	15472,
12146,	13870,	13872,	15479,	15488,
12148,	13874,	13875,	15501,	15503,
12150,	13876,	13877,	15565,	15567,
12152,	13878,	13890,	15612,	15655,
12156,	13916,	13955,	15683,	15716,
12160,	13957,	14011,	15717,	15721,
12163,	14026,	14041,	15722,	15725,
12171,	14045,	14051,	15726,	15729,
12174,	14053,	14055,	15733,	15737,
12181,	14057,	14058,	15752,	15776,
12636,	14059,	14060,	15805,	15810,
12648,	14061,	14062,	15817,	15818,
12668,	14094,	14238,	15819,	15820,
12678,	14242,	14246,	15823,	15896,
12692,	14250,	14276,	15914,	15936,
12710,	14283,	14292,	15938,	15957,
12769,	14305,	14307,	15960,	16188,
12806,	14369,	14371,	16217,	16223,
13079,	14416,	14459,	16255,	16268,
13091,	14492,	14523,	16281,	16292,
13108,	14524,	14525,	16348,	16395,
13134,	14528,	14529,	16414,	16436,
13160,	14543,	14567,	16453,	16470,
13218,	14596,	14601,	16487,	16504,
13250,	14608,	14609,	16522,	16540,
13272,	14610,	14611,	16541,	16560,



16561, 16580,	2161, 2162, 2163,	7779, 7795, 7815,
16648, 16654,	2164, 2171, 2172,	7828, 7841, 7981,
16774, 16881,	2187, 2240, 3186,	7991, 8001, 8027,
16903, 16921,	3187, 3203, 3247,	8039, 8052,
16943, 16955,	3248, 3251, 3503,	8079, 8092, 8128,
16991, 17422,	3575, 3577, 3584,	8137, 8146, 8171,
17423, 17565,	3605, 3609, 3645,	8182, 8194, 8220,
17566, 17567,	3646, 3863, 4073,	8232, 8268, 8278,
17796, 17833,	4074, 4075, 4076,	8288, 8314, 8326,
17835, 17836,	4280, 4281, 4396,	8339, 8366, 8379,
17837, 17884,	4612, 4787, 4798,	8415, 8425, 8435,
17886, 17888,	4850, 4876, 4884,	8461, 8473, 8486,
17890, 17894,	4901, 5056, 5057,	8513, 8526, 8562,
17896, 17900, 17902	5058, 5059, 5060,	8572, 8582, 8608,
\renewenvironment .	5061, 5080, 5081,	8620, 8633, 8660,
.. 80, 289, 566,	5082, 5083, 5084,	8673, 8709, 8719,
586, 602, 622,	5085, 17827,	8729, 8755, 8767,
629, 700, 853,	17828, 17829, 17830	8780, 8807, 8820,
931, 938, 968,	\RequireXeTeX 1535, 1652	8856, 8866, 8876,
1107, 1185, 1192,	\reserved@a .. 1999,	8902, 8914, 8927,
1220, 3813, 3816,	2003, 2009, 2012,	8954, 8967, 9003,
3819, 3822, 4817,	2015, 2018, 2595,	9013, 9023, 9049,
4827, 4835, 4851,	2596, 2597, 3188,	9061, 9074, 9101,
5062, 5497, 5572,	3196, 3206, 3208,	9114, 9150, 9160,
5578, 5676, 5765,	3215, 3217, 3222,	9170, 9196, 9208,
5771, 5888, 6081,	3224, 3225, 3228,	9221, 9248, 9261,
6142, 6157, 6289,	3231, 3267, 3268,	9344, 9355, 9366,
7422, 7694, 9610,	3269, 3271, 3278,	9391, 9404, 9417,
9854, 10363,	3281, 3306, 3307,	9451, 9465, 9940,
12262, 12700,	3327, 3329, 3333,	10188, 10204,
13181, 13201,	3340, 3342, 3421,	10219, 10248,
13208, 13288,	3422, 16770,	10261, 10274,
13438, 13653,	16771, 17369, 17375	17607, 17651, 17738
13660, 13681,	\reserved@b	\resizebox
13879, 13900,	1979, 1980, 3178,	10648
14083, 14532,	3179, 3207, 3265,	\restore@protect . 2610
15103, 15741,	3267, 3284, 3301,	\restoreCaptionSkip
16269, 16272, 16297	3302, 3307, 3312, 10809
\renewrobustcmd ...	3314, 3315, 3317,	\restorecounters@ 7267
12065, 12091, 12102	3320, 3340, 3342	\restylefloat 4063
\repeat .. 6403, 6520,	\reserved@c	\resumename 2241
6526, 6634, 6692,	... 3280, 3283,	\rightskip 16650
6702, 9309, 9319,	3284, 3288, 3299,	\right 17294
11583, 12888,	3312, 3326, 3330	\right@cor ... 12275,
12935, 12946,	\reserved@d	12276, 12357, 12358
12957, 12985, 16051	.. 3300, 3319, 3332	\right@footnoterule
\RequirePackage ...	\reset@dir 13052, 17273 26,
.... 1534, 1536,	\reset@font ... 4116,	236, 409, 537,
1537, 1538, 1539,	4160, 4204, 4432,	723, 736, 961,
1540, 1732, 1733,	4449, 4466, 7763,	990, 1208, 1242,
		5601, 5623, 5757,



5802, 5907, 6034,	7377, 7378, 7388,	16457, 16458,
7443, 7452, 7545,	7643, 7939, 9498,	16466, 16473,
7743, 9604, 9630,	9556, 9571, 9574,	16474, 16475,
10105, 10119,	9575, 12055,	16483, 16490,
10129, 10245,	12145, 12146,	16491, 16492,
10271, 11503,	12472, 12476,	16500, 16507,
12626, 13280,	12477, 12484,	16508, 16509,
13321, 13458,	12489, 12496,	16517, 16525,
13704, 13720,	12501, 13100,	16526, 16527,
13862, 13918,	13102, 13113,	16535, 16544,
14045, 14283,	13115, 13126,	16545, 16546,
14299, 14601,	13128, 13137,	16554, 16564,
14798, 14814,	13139, 13156,	16565, 16566,
15172, 15344,	13199, 13212,	16574, 16599,
15479, 15495, 15810	13223, 13224,	16600, 16601,
\rightfootnoterule	13229, 13240,	16609, 16649,
1590, 7000, 7751,	13263, 13266,	16651, 16674,
10117, 10568, 17792	13267, 13597,	16736, 16737,
\rightline ... 13072,	13598, 13603,	16738, 16744,
17432, 17436, 17438	13614, 13637,	16747, 16794,
\rightmargin ... 946,	13640, 13641,	16854, 16859,
4803, 4822, 4830,	13651, 13664,	16882, 16889,
4836, 10500,	13715, 13831,	17417, 17444,
10504, 11599,	13846, 13849,	17445, 17506, 17511
11600, 11613,	13850, 13855,	\RL ... 11446, 13042, 17263
13089, 17307,	13856, 14017,	\rlap 308,
17318, 17324,	14032, 14035,	449, 803, 1309,
17330, 17338, 17342	14036, 14470,	1710, 5947, 7488,
\rightskip 12, 13, 213,	14473, 14474,	7585, 9666, 9759,
214, 307, 311, 508,	14506, 14510,	9764, 10352,
525, 528, 529,	14985, 14988,	10586, 10632,
620, 633, 644,	14989, 15012,	10698, 10699,
645, 650, 661,	15015, 15016,	10712, 10713,
686, 689, 690,	15043, 15047,	11483, 12530,
873, 874, 880,	15666, 15669,	13058, 13388,
890, 893, 894,	15670, 15697,	13529, 13728,
907, 929, 1125,	15701, 16192,	13771, 13958,
1131, 1132, 1137,	16197, 16208,	14307, 14371,
1148, 1174, 1177,	16221, 16225,	14822, 14886,
1178, 1196, 4741,	16245, 16248,	15503, 15567, 17283
4748, 4749, 5319,	16253, 16257,	\RLE . 1566, 1668, 11445,
5515, 5521, 5522,	16258, 16368,	13042, 13043,
5527, 5538, 5561,	16369, 16370,	13047, 16908,
5564, 5565, 5694,	16378, 16399,	17263, 17264, 17268
5700, 5701, 5706,	16400, 16401,	\rmfamily 732,
5717, 5740, 5743,	16409, 16422,	986, 1238, 4631,
5744, 6006, 6021,	16423, 16424,	4684, 4687, 4691,
6024, 6025, 6160,	16432, 16439,	4694, 4698, 4701,
6162, 6164, 6278,	16440, 16441,	4705, 4708, 4712,
6279, 6285, 7374,	16449, 16456,	4715, 13317, 13454



\romannumeral . 2082, 5356, 5418, 7275, 7278, 7324, 9968, 9969, 9970, 9971, 9973, 9974, 9975, 9976, 9977, 9980, 9981, 9982, 17310	\RTLfootnote ... 414, 488, 1868, 1881, 4578, 4928, 5912, 5986, 7550, 7624, 10162, 13463, 13569, 13725, 13813, 13923, 13997, 14304, 14420, 14819, 14935, 15500, 15616	\rtside 12918, 12920, 12931, 12933, 12954, 12956
\rot@float@box 14111, 14112, 14113, 14127, 14136, 14154, 14155, 14156, 14157, 14158, 14174, 14185	\RTLfootnotetext .. 1937, 1948, 5368, 5378, 10331, 10334, 11245, 12033, 16100, 16104	\rule . 45, 58, 73, 254, 267, 281, 2289, 6864, 7356, 7360, 7363, 7771, 7787, 7803, 7817, 7830, 7843, 10198, 10214, 10229, 10255, 10268, 10281
\rot@label . 14107, 14150		S
\rot@LR 14118, 14163	\RTLfoottextfont 7780, 7787, 7837, 7843, 7902, 8001, 8022, 8052, 8146, 8166, 8194, 8288, 8309, 8339, 8435, 8456, 8486, 8582, 8603, 8633, 8729, 8750, 8780, 8876, 8897, 8927, 9023, 9044, 9074, 9170, 9191, 9221, 9366, 9386, 9417	\save@dir .. 13051, 17272
\rot@mess@toks 14110, 14122, 14132, 14141, 14153, 14168, 14180, 14190	\RTLMarginnote ... 4600	\savebox 7281, 10738, 10740, 10820
\rot@message 14141, 14190	\RTLMarginpar 17612	\saveCaptionSkip . 10770
\rot@pageref 14108, 14151	\RTLMulticolcolumns 12578	\savecounters@ ... 7264
\rotate 14204	\RTLsidenote . 4335, 4574	\saved@dir .. 13051, 13052, 17272, 17273
\rotatebox ... 10011, 10741, 10790, 11003, 14127, 14136, 14174, 14185	\RTLthanks . 414, 434, 469, 488, 4928, 4936, 4953, 4969, 4980, 5912, 5932, 5967, 5986, 7550, 7570, 7605, 7624, 10329, 12115, 13463, 13503, 13549, 13569, 13725, 13755, 13795, 13813, 13923, 13943, 13978, 13997, 14304, 14389, 14420, 14819, 14904, 14935, 15500, 15585, 15616	\sbox ... 7347, 10772, 10789, 11544, 11552, 11554, 11556, 11565, 11640, 12013, 12182, 12197, 12229, 14624, 14638, 14678, 15195, 15209, 15249, 15833, 15847, 15887, 16207, 16224, 17773
\rotateframe 9973, 10010		\sc@@temp 15365, 15366, 15371, 15372, 15377, 15378, 15383, 15384, 15389, 15390, 15395, 15396, 15401, 15402, 15407, 15408, 15413, 15414
\rotFPbot 14128, 14135, 14175, 14184		\SC@FLOAT 15957, 17884, 17888, 17894, 17896, 17900, 17902
\rotFPtop 14126, 14137, 14173, 14186		\SC@justify@caption .. 15960, 17886, 17890, 17895, 17897, 17901, 17903
\rrb 1781, 1791		\sc@temp 15363, 15365, 15369,
\rsb 1780, 1789		
\RTL 13035, 17256		
\RTL@column@boxes . 12554, 12580, 12585		
\RTL@outputdblcol 6426, 9768, 10543, 12267, 17520, 17565, 17566		
\RTLbidityftesidenotemarginpar .. 4165, 4463, 4603		
\RTLcases 17293		
\RTLcite 4392, 4509, 4538, 4567, 4589, 4598, 4607		
\RTLcolumnfootnotes 7860		
\RTLdblcol 17566		
\RTLdfnmakecol ... 7160		



15371, 15375,	\scr@tmp@footnotetext	\selectfont ... 342,
15377, 15381,	.. 14618, 14629,	4994, 4996, 4998
15383, 15387,	14630, 15189,	\separatorcolumnwidth
15389, 15393,	15200, 15201, 2256,
15395, 15399,	15827, 15838, 15839	2257, 2268, 2274,
15401, 15405,	\scr@tmp@LTRfootnotetext	2290, 2295, 2301,
15407, 15411,	.. 14620, 14631,	2358, 6962, 6992
15413, 15423, 15425	14632, 15191,	\SepMark ... 17295, 17296
\sc@wm@text 7165	15202, 15203,	\set@color ... 6236,
\scalebox 10646	15829, 15840, 15841	6241, 6249, 6255,
\scantokens . 2746, 2766	\scr@tmp@RTLfootnotetext	6263, 6270,
\scope 16166	.. 14622, 14633,	6275, 10359,
\scr@caption	14634, 15193,	17107, 17111, 17207
.. 14730, 14732,	15204, 15205,	\set@typeset@protect
14734, 15301,	15831, 15842, 15843 9935,
15303, 15305,	\scriptsize .. 4769,	9939, 15986,
15939, 15941, 15943	15364, 15370,	17481, 17718, 17720
\scr@caption@before@longtable@warning	15382, 15388,	\setboolean .. 3509,
14702, 15273, 15911	15394,	3510, 3511, 3513,
\scr@compatibility	15400, 15406, 15412	3515, 3520, 3521,
.. 14478, 14516,	\scshape 5860	3525, 3526, 3606,
14993, 15020,	\secshape .. 13814, 13855	3610, 3613, 3618,
15052, 15064,	\SectFont 625,	3620, 3624, 3626,
15080, 15088,	634, 934, 942,	3998, 4619, 4620,
15096, 15674, 15706	1188, 1197, 5575,	4621, 4878, 4879,
\scr@LT@array . 11455,	5768, 13204,	4880, 4905, 4906
14727, 14728,	13213, 13656, 13665	\setbox 382,
14740, 15298,	\sectfont 13083	1415, 1417, 1418,
15299, 15311,	\section 567,	1474, 2031, 2102,
15936, 15937, 15949	594, 610, 625,	2107, 2110, 2119,
\scr@samed@footnotetext	631, 634, 701,	4044, 4100, 4103,
..... 14235,	861, 934, 940,	4144, 4147, 4188,
14239, 14750,	942, 969, 1115,	4191, 5247, 5258,
14754, 15431, 15435	1188, 1194, 1197,	5471, 5485, 6116,
\scr@samed@LTRfootnotetext	1221, 2285, 2351,	6143, 6148, 6207,
.. 14233, 14236,	4633, 4655, 4723,	6236, 6391, 6392,
14243, 14748,	4731, 4846, 4849,	6396, 6399, 6409,
14751, 14758,	4853, 5575, 5768,	6413, 6416, 6420,
15429, 15432, 15439	7423, 13204,	6428, 6431, 6441,
\scr@samed@RTLfootnotetext	13210, 13213,	6453, 6464, 6467,
.. 14234, 14237,	13656, 13662, 13665	6480, 6496, 6516,
14247, 14749,	\sectionbib 16292	6517, 6522, 6523,
14752, 14762,	\sectionfont .. 2225,	6528, 6531, 6554,
15430, 15433, 15443	2233, 6855, 6948	6562, 6572, 6623,
\scr@smashdp .. 14646,	\sectionstyle 2233, 2291	6637, 6641, 6651,
14660, 14661,	\sectiontitlecolour	6656, 6665, 6667,
14679, 15217, 2216, 6817,	6682, 6683, 6694,
15231, 15232,	6825, 6832, 6839,	6695, 6707, 6708,
15250, 15855,	6846, 6916, 6922,	6718, 6726, 6736,
15869, 15870, 15888	6928, 6934, 6940	6784, 7008, 7016,



7017, 7021, 7029,	12429,	12510,	5631, 5663, 5810,
7037, 7038, 7042,	12526,	12862,	5842, 5929, 5964,
7057, 7060, 7065,	12876,	12879,	7472, 7505, 7567,
7069, 7077, 7114,	12898,	12899,	7602, 9650, 9683,
7117, 7122, 7126,	12905,	12906,	9955, 11511, 11512,
7131, 7808, 7821,	12917,	12919,	12143, 12772,
7834, 7894, 7951,	12921,	12923,	12793, 13329,
7956, 7963, 8024,	12926,	12928,	13361, 13405,
8036, 8049, 8089,	12930,	12932,	13468, 13500,
8168, 8179, 8191,	12942,	12944,	13546, 13752,
8229, 8311, 8323,	12953,	12955,	13792, 13940,
8336, 8376, 8458,	12970,	12972,	13975, 14295,
8470, 8483, 8523,	12980,	12982,	14386, 14560,
8605, 8617, 8630,	12991,	13057,	14635, 14636,
8670, 8752, 8764,	13058,	14196,	14810, 14901,
8777, 8817, 8899,	14206,	14217,	15131, 15206,
8911, 8924, 8964,	14224,	14644,	15207, 15491,
9046, 9058, 9071,	15215,	15364,	15582, 15769,
9111, 9193, 9205,	15370,	15376,	15844, 15845, 16592
9218, 9258, 9282,	15382,	15388,	\setdefaultbibitems
9283, 9290, 9303,	15394,	15400, 17300
9306, 9308, 9313,	15406,	15412,	\setdefaultmarginpar
9316, 9318, 9320,	15853,	15975, 17702
9348, 9359, 9370,	16017,	16067,	\setDefaultts 10727
9388, 9395, 9401,	16137,	16812,	\setfloatalignment 3678
9408, 9414, 9421,	16815,	16820,	\setfootnoteLR ... 10184
9455, 9462, 9469,	16824,	16828,	\setfootnoteRL ... 10182
9484, 9491, 9510,	16832,	16836,	\setkeys . 6107, 6124,
9518, 9531, 9538,	16840,	16844,	7245, 7251, 7253,
9745, 9771, 9774,	16848,	17099,	10621, 10729,
9787, 9803, 9806,	17107,	17212,	11550, 12812,
9820, 9867, 9907,	17282,	17283,	14115, 14160, 16992
9912, 10246,	17371,	17441,	\setlength 174,
10259, 10272,	17469,	17522,	197, 198, 506,
10290, 10414,	17524,	17540,	523, 660, 684,
10423, 10427,	17543,	17591,	888, 906, 943,
10451, 10465,	17594,	17635,	944, 945, 946,
10525, 10530,	17638,	17666,	947, 1147, 1172,
10545, 10550,	17680, 17698, 17748		1855, 1856, 1857,
10578, 10585,	\setcaptionfont .. 3598		2129, 2130, 2132,
10586, 10631,	\setchapterpreamble		2133, 2135, 2136,
10632, 11992, 15108, 15746		2138, 2139, 2141,
12001, 12041,	\setcitationfont . 4216		2142, 2144, 2145,
12073, 12079,	\setcounter ... 431,		2147, 2148, 2149,
12270, 12281,	466, 744, 776,		2154, 2155, 2193,
12286, 12296,	820, 998, 1030,		2194, 2196, 2197,
12314, 12319,	1074, 1250, 1282,		2198, 2199, 2257,
12352, 12363,	1326, 1717, 4300,		2266, 2267, 2270,
12368, 12378,	4319, 4338, 4370,		2272, 2275, 2276,
12396, 12401,	4617, 5129, 5414,		2278, 2281, 2347,



2356, 2357, 2358,	15876,	16196,	14553,	15124,
3534, 3570, 3571,	16197,	16245,	15363,	15369,
3572, 3573, 3594,	16246,	16248,	15375,	15381,
3600, 3601, 3634,	16616,	16620,	15387,	15393,
3637, 3641, 3687,	16621,	16623,	15399,	15405,
3733, 3734, 4223,	16624,	16626,	15411,	15762,
4224, 4225, 4226,	16627,	16629,	16275, 16777, 16779	
4232, 4483, 4776,	16630,	16632,	\Setversedim	5142, 5146, 5172
4777, 4778, 4779,	16633, 17353, 17356		\SetWatermarkText	7164
4780, 4781, 4782,	\setLR 13064, 17291		\sevendcolumnfootnotes	8693
4783, 4785, 4786,	\setLTR 13038, 13039,		\sevendcolumnfootstyle	8788
4788, 4791, 4792,	13052, 13064,		\sf 15364, 15370,	
4793, 4794, 5011,	13065, 16934,		15376, 15382,	
5012, 5537, 5559,	17259, 17260,		15388, 15394,	
5716, 5738, 6004,	17273, 17291, 17292		15400, 15406, 15412	
6019, 6283, 6951,	\setLTRbibitems . . 17299		\sfcode . 89, 298, 582,	
6955, 6957, 6960,	\setLTRcitationfont 4217		713, 981, 1233,	
7227, 7372, 7387,	\setLTRmarginpar . 17701		5591, 5784, 6097,	
7890, 7891, 7904,	\setLTRparagraphfootnotes		7435, 7710, 9623,	
9555, 9569, 7758		12713, 13301,	
10288, 10671,	\setmarginnotefont 4215		13694, 13895,	
10672, 10678,	\setparsizes . . 14312,		14099, 14570,	
10679, 10681,	14424, 14827,		15141, 15779, 16286	
10682, 10731,	14939, 15508, 15620		\shadowbox 7341	
10732, 10744,	\setRL 13063, 17290		\shadowsize	
10748, 10750,	\setRTL 13037,		7351, 7355, 7356,	
10752, 10756,	13040, 13052,		7359, 7360, 7363	
10758, 11517,	13063, 16974,		\shipout 9935, 17717	
11518, 11519,	17008, 17258,		\shortauthors 111, 112, 117	
11520, 11545,	17261, 17273, 17290		\shortcite 12715	
11559, 11561,	\setRTLbibitems . . 17298		\shorttitle . . 110, 111, 117	
11563, 11567,	\setRTLmain 1658		\showbox 10488	
11589, 11594,	\setRTLmarginpar . 17700		\showoutput 10488	
11597, 11601,	\setRTLparagraphfootnotes		\sidecaptionsep	
11602, 11603, 7757	 15958,	
12026, 13239,	\setsidenotefont . 4214		15959, 17885,	
13261, 13613,	\setSingleSpace		17889, 17894,	
13635, 13844, 7862, 7867		17896, 17900, 17902	
14015, 14030,	\setspace@singlespace		\sidecontents 9532	
14252, 14463, 4431, 4448, 4465		\sideins 7868, 9530	
14466, 14498,	\setthethesection . . . 12160		\sidenote 4297, 4351,	
14501, 14641,	\settoheight 7224		4389, 4481, 4572	
14667, 14767,	\settowidth 85,		\sidenotes 4394	
14978, 14981,	294, 571, 705,		\sideways 14222	
15005, 15008,	973, 1225, 2261,		\sigindent 15424	
15035, 15038,	5583, 5776, 6086,		\sixcolumnfootnotes	
15212, 15238,	6953, 7269, 7427,	 8546	
15448, 15659,	7699, 9615, 11591,			
15662, 15689,	13293, 13686,			
15692, 15850,	13884, 14088,			



15792, 16113, 16895, 17152, 17199	15871, 15881, 15883, 15888, 15892, 16207, 16212	\symbol 1785, 1795
\strip@prefix 2783, 2796		T
\strip@pt ... 9341, 9446	\strutbox ... 39, 52, 67, 248, 261, 275, 380, 384, 7772, 7788, 7804, 7818, 7831, 7844, 7909, 8106, 8110, 8246, 8250, 8393, 8397, 8540, 8544, 8687, 8691, 8834, 8838, 8981, 8985, 9128, 9132, 9275, 9279, 10191, 10198, 10207, 10214, 10222, 10229, 10255, 10268, 10281, 11978, 11994, 12074, 14669, 14670, 15240, 15241, 15878, 15879, 15976, 15977, 16013, 17470, 17471	\t@cb@bchapsec ... 16268 \tabcaption 10780, 10798 \tabcolsep 374, 1358, 11989, 13582 \tablinesep 16010 \tabskip .. 390, 5315, 12003, 12004, 15982, 16021, 17476 \tabular 16082 \tabularnewline 399, 11973, 15984, 17478 \tabularx 16073 \tabularxcolumn . 16035 \tagform@ 338 \tamark 12126 \tcd .. 12869, 12876, 12877 \tcdsav 12869 \tcl . 12893, 12894, 12900 \tcn 12877, 12878, 12900, 12901, 12902, 12903 \Telefon 2207 \tencolumnfootnotes 9134 \tencolumnfootstyle 9229
\stripsep 6454, 6497, 6511, 6557, 6566, 6576, 6621, 6721, 6730, 6740, 12290, 12292, 12299, 12372, 12374, 12381, 12440, 12443, 12445, 12452		\TeX 11447, 13053, 13054, 13062, 17274, 17275, 17287
\strut 45, 58, 73, 254, 267, 281, 1772, 7737, 8016, 8019, 8022, 8102, 8103, 8160, 8163, 8166, 8242, 8243, 8303, 8306, 8309, 8389, 8390, 8450, 8453, 8456, 8536, 8537, 8597, 8600, 8603, 8683, 8684, 8744, 8747, 8750, 8830, 8831, 8891, 8894, 8897, 8977, 8978, 9038, 9041, 9044, 9124, 9125, 9185, 9188, 9191, 9271, 9272, 9378, 9382, 9386, 9478, 12072, 14625, 14627, 14646, 14648, 14651, 14653, 14656, 14660, 14662, 14672, 14674, 14679, 14683, 15196, 15198, 15217, 15219, 15222, 15224, 15227, 15231, 15233, 15243, 15245, 15250, 15254, 15426, 15834, 15836, 15855, 15857, 15860, 15862, 15865, 15869,	\subfigure 3728 \subitem . 104, 234, 4867 \subjclass 326 \subject 14408, 14923, 15604 \subject@font . 14321, 14434, 14836, 14949, 15517, 15630 \subparagraph 4669, 4670, 4673 \subsection 2292, 4640, 4656 \subsectioncolour 2218, 6818, 6826, 6833, 6840, 6847, 6917, 6923, 6929, 6935, 6941 \subsectionfont 2226, 2234, 6856, 6949 \subsectionstyle 2234, 2293 \subsubitem 105, 235, 4868 \subsubsection 4660, 4661, 4664 \subtable 3728	\textbf 2320, 4813, 10365, 10367, 10369, 10371 \textbullet .. 2204, 6810, 6874, 6908 \textcolor ... 7340, 7355, 7359, 7362, 10355, 11533 \textdef@ 340 \textendash 741, 995, 1058, 1247, 5628, 5807, 13326, 13465 \textheight 1691, 2168, 6441, 6480, 10731, 14114, 14159, 17767 \textit 16652 \textsl 3876, 3877, 3878 \textsuperscript 4423,



7889, 14275,	12988, 17209, 17210	14902, 14933,
14790, 15340, 15471	\TF@conlab	15498, 15583, 15614
\texttt 1795,	10348, 10350, 10357	\thankses 325
1859, 1861, 1862	\TF@savecolor	\the . . . 120, 121, 1374,
\textwidth 1690, 2166, 10354, 10359	1468, 1469, 1471,
2257, 2266, 2267,	\TF@Title 10357	1472, 1532, 1649,
2279, 2281, 3637,	\thanklessauthor . .	1682, 1684, 1687,
3641, 3734, 4035, 4921,	1689, 1928, 1931,
4036, 5173, 6431,	4954, 4957, 4994	1934, 1937, 1942,
6435, 6468, 6532,	\thanklesspublisher	1945, 1948, 2053,
6538, 6709, 6864, 4922,	2389, 2391, 2392,
6879, 6951, 6960,	4981, 4984, 4998	2413, 2415, 2416,
7074, 7177, 7952,	\thanklesstitle 4920,	2747, 3434, 3441,
9302, 9787, 9791,	4937, 4940, 4996	3470, 4265, 4275,
9821, 9907, 9912,	\thanks 325, 412,	4410, 4421, 5224,
10293, 10530,	432, 467, 486,	5231, 5362, 5365,
10550, 10555,	739, 751, 777,	5368, 5372, 5375,
10699, 10702,	788, 789, 798,	5378, 5483, 6103,
10707, 10713,	821, 838, 993,	6108, 6152, 6205,
12046, 12320,	1005, 1031, 1042,	6519, 6525, 6526,
12327, 12402,	1043, 1052, 1075,	6527, 6659, 6669,
12430, 12615,	1092, 1245, 1257,	6688, 6696, 6697,
12616, 12619,	1283, 1294, 1295,	6698, 6701, 6703,
12620, 12623,	1304, 1327, 1345,	6704, 6705, 9776,
12624, 12627,	1718, 4920, 4921,	9778, 9808, 9810,
12631, 14314,	4922, 4923, 4926,	10020, 10035,
14342, 14346,	4933, 4934, 4950,	10036, 10039,
14426, 14829,	4951, 4966, 4967,	10040, 10043,
14857, 14861,	4978, 5626, 5638,	10096, 10100,
14941, 15423,	5664, 5805, 5817,	10154, 10317,
15510, 15538,	5843, 5910, 5930,	10331, 10381,
15542, 15622,	5965, 5984, 7455,	10388, 10392,
17524, 17528,	7473, 7506, 7523,	10393, 10394,
17544, 17752, 17762	7548, 7568, 7603,	10395, 10396,
\textwidth@footnoterule	7622, 9633, 9651,	10397, 10405,
. 411, 738,	9684, 9701, 12113,	10411, 10418,
992, 1244, 5625,	13324, 13336,	10419, 10421,
5804, 5909, 7454,	13362, 13373,	10426, 10428,
7547, 9632, 10111,	13374, 13383,	10429, 10443,
10122, 12630,	13406, 13423,	10469, 10499,
13323, 13460,	13461, 13475,	10500, 10501,
13722, 13920,	13501, 13514,	10506, 10507,
14301, 14816, 15497	13515, 13524,	10508, 10518,
\textwidthfootnoterule	13547, 13567,	10623, 10668,
1594, 7002, 7753,	13723, 13753,	11668, 11198,
10120, 10569, 17793	13793, 13811,	11206, 11207,
\TeXXeTOff . 12988, 17210	13921, 13941,	11213, 11215,
\TeXXeTOn 12987,	13976, 13995,	11244, 11245,
12989, 17209, 17211	14302, 14387,	11251, 11253,
\TeXXeTstate . . 12987,	14418, 14817,	11284, 11286,



11315,	11317,	5794, 5796, 5798,	13868,	14051,
11346,	11348,	5860, 6041, 6043,	15095, 15737, 17786	
11605,	11606,	6045, 6046, 6047,	\thefigure ...	5616,
11609,	11613,	6057, 7653, 7655,	5795, 6042, 7654,	
11617,	12030,	7657, 7658, 7659,	9722, 9987,	
12033,	12274,	7669, 9584, 9715,	10000, 12163,	
12291,	12298,	9721, 9723, 9725,	13312, 13675,	
12304,	12356,	9986, 9988, 9990,	13870, 14053,	
12373,	12380,	9991, 9992, 9999,	15079, 15729, 15992	
12386,	12453,	10001, 10003,	\thefootdir@label .	
12516,	12518,	10004, 10005,	.. 10020, 10023,	
12519,	12520,	11687, 12151,	10052, 10057,	
12521,	12522,	12160, 12162,	10075, 10078, 10098	
12706,	12811,	12163, 12164,	\thefootnote ...	448,
12827,	12831,	12747, 13086,	743, 802, 997,	
12834,	12994,	13305, 13311,	1056, 1249, 1308,	
12995,	14122,	13313, 13315,	1709, 5630, 5809,	
14132,	14141,	13670, 13676,	5946, 7487, 7584,	
14168,	14180,	13678, 13680,	9665, 11081,	
14190,	14560,	13869, 13871,	13328, 13387,	
15131,	15769,	13873, 13874,	13467, 13528,	
16006,	16007,	14052, 14054,	13726, 13769,	
16037,	16056,	14056, 14057,	13957, 14305,	
16058,	16082,	14058, 14067,	14369, 14820,	
16087,	16089,	15065, 15067,	14884, 15501, 15565	
16090,	16093,	15081, 15083,	\thefootnotemark ..	
16094,	16097,	15089, 15091, 14275,	
16100,	16101,	15097, 15099,	14790, 15340, 15471	
16104,	16225,	15718, 15730,	\theHchapter 12747	
16678,	16681,	15734, 15738, 16308	\theHsection 12755, 12757	
16682,	16684,	\thecontentspage ..	\theindex 94, 224	
16686,	16690,	... 4687, 4694,	\theL@lines	11558, 11563, 11570
16695,	16699,	4701, 4708, 4715	\thelstlisting 11669,	
16710,	16711,	\thedate 4916, 4924, 4970	11674, 11686, 11689	
16714,	16720,	\theDefaultDepth . 11512	\thempfn 1954,	
16724,	16732,	\theDefaultLines . 11511	1962, 1970, 4496,	
16733,	16770,	\theenumiv 83,	4502, 4525, 4531,	
16786,	16790,	85, 292, 294, 577,	4554, 4560, 5383,	
16889,	17052,	711, 979, 1231,	5390, 5397,	
17064,	17069,	2364, 5589, 5782,	10163, 10168,	
17090,	17091,	6092, 7433, 7705,	10172, 10177,	
17093,	17215,	9621, 13299,	10295, 10321,	
17216, 17310, 17357		13692, 13890,	10326, 10336,	
\the@cornersize ...		14094, 14567,	10341, 11048,	
..... 9737, 9738		15138, 15776, 16281	11059, 11070,	
\thealgocf 164		\theequation .. 5614,	11217, 11255,	
\theAlgoLine 17833		5793, 6040, 7652,	11288, 11319,	
\thechapter ... 310,		9720, 9985, 9998,	11350, 11412, 12104	
4629, 5609, 5615,		11484, 12161,		
5617, 5619, 5788,		13310, 13679,		



<code>\thempfootnote</code>	13874, 13875,	5618, 5797, 6044,
. 10295, 12104	14058, 14059,	7656, 9724, 9989,
<code>\theorem@indent</code> 12781,	14524, 15063,	10002, 12164,
12782, 12801, 12802	15071, 15717, 15721	13314, 13677,
<code>\theorem@prework</code> . 12775	<code>\thesubparagraph</code> 22,	13872, 14055,
<code>\theorem@postskipamount</code>	223, 546, 699,	15087, 15733, 15993
. 12776, 12796	955, 1219, 5613,	<code>\thinlines</code> 6295, 6305,
<code>\theorem@preskipamount</code>	5792, 6051, 7540,	6318, 6328, 6341,
. 12779, 12799	7663, 9719, 9996,	6351, 6364, 6374
<code>\thepage</code> . 1680, 1685,	10009, 12158,	<code>\thispagestyle</code>
2342, 3764, 3876,	13309, 13674, 97, 109,
3877, 3878, 3887,	13878, 14062,	227, 464, 597,
3888, 5100, 5101,	14529, 15076, 15726	612, 818, 863,
5112, 5113, 5114,	<code>\thesubsection</code> . . 19,	1072, 1117, 1324,
6585, 6603, 6750,	20, 220, 221, 543,	5001, 5023, 5044,
6768, 17096, 17671	544, 696, 697,	5507, 5686, 5899,
<code>\theparagraph</code> . . . 21,	952, 953, 1216,	5962, 7503, 7600,
22, 222, 223, 545,	1217, 4643, 5610,	7716, 7719, 9681,
546, 698, 699,	5611, 5789, 5790,	11487, 11490,
954, 955, 1218,	6048, 6049, 7537,	12141, 13191,
1219, 4650, 5612,	7538, 7660, 7661,	13403, 13448,
5613, 5791, 5792,	9716, 9717, 9993,	13544, 13790,
6050, 6051, 7539,	9994, 10006,	13911, 13973,
7540, 7662, 7663,	10007, 12152,	14310, 14383,
9718, 9719, 9995,	12155, 13306,	14825, 14898,
9996, 10008,	13307, 13671,	15506, 15579, 16340
10009, 12156,	13672, 13875,	<code>\thm@topsepadd</code> 12776,
12159, 13308,	13876, 14059,	12777, 12780,
13309, 13673,	14060, 14524,	12796, 12797, 12800
13674, 13877,	14526, 15071,	<code>\thr@@</code> 351,
13878, 14061,	15073, 15721, 15723	367, 1383, 1401,
14062, 14528,	<code>\thesubsubsection</code> 20,	1425, 1434, 8247,
14530, 15075,	21, 221, 222,	8251, 16110, 16130
15077, 15725, 15727	544, 545, 697,	<code>\threecolumnfootnotes</code>
<code>\thepart</code>	698, 953, 954, 8112
550, 558, 7398, 7406	1217, 1218, 5611,	<code>\threecolumnfootstyle</code>
<code>\ther@tfl@t</code> . . 14107,	5612, 5790, 5791, 8201
14108, 14150, 14151	6049, 6050, 7538,	<code>\tikz@atbegin@picture</code>
<code>\thesection</code> . 19, 220,	7539, 7661, 7662, 16161, 16170
543, 696, 952,	9717, 9718, 9994,	<code>\tikz@atend@picture</code>
1216, 4636, 5609,	9995, 10007, 16162, 16174
5610, 5788, 5789,	10008, 12154,	<code>\tikz@installcommands</code>
6047, 6048, 7537,	12157, 13307, 16165
7659, 7660, 9715,	13308, 13672,	<code>\tikz@lib@scope@check</code>
9716, 9992, 9993,	13673, 13876, 16171
10005, 10006,	13877, 14060,	<code>\tikz@startup@env</code> 16157
12151, 12153,	14061, 14525,	<code>\tikz@switchoff@shorthands</code>
12755, 12757,	14528, 15072, 16168
13305, 13306,	15075, 15722, 15725	<code>\tikz@time</code> 16164
13670, 13671,	<code>\thetable</code> 2088,	<code>\tikz@transform</code> . . 16163



<code>\tiny</code> . . . 1755, 4401, 4770	<code>\toaddress</code> . 7725, 11496	<code>\tocstyle@macrochangewarning</code> 16869, 16876
<code>\title</code> . 322, 440, 476, 783, 828, 1037, 1082, 1289, 1334, 1725, 2244, 2283, 4915, 4930, 5670, 5849, 5938, 5974, 7479, 7513, 7576, 7612, 9657, 9691, 13368, 13413, 13509, 13556, 13761, 13802, 13949, 13985, 14405, 14920, 15601	<code>\toc@headstar</code> 16330, 16335 <code>\toc@l@number</code> . 14465, 14466, 14500, 14501, 14980, 14981, 15007, 15008, 15037, 15038, 15661, 15662, 15691, 15692 <code>\toclevel@subfigure</code> 16542 <code>\toclevel@subtable</code> 16562 <code>\tocstyle@numberline</code> 16777, 16779, 16797, 16799, 16802, 16804	<code>\tocstyle@numberline</code> 16655, 16774 <code>\tocstyle@saved@dottedtocline</code> 16871 <code>\tocstyle@saved@numberline</code> 16879 <code>\tocstyledepth</code> 16666, 16678, 16690, 16710, 16711, 16714, 16732, 16733, 16782, 16784, 16786, 16790
<code>\TitleBarFrame</code> 10346, 10365, 10367, 10369, 10371	<code>\tocstyle@activate@all@l</code> 16890 <code>\tocstyle@activate@features</code> 16667 <code>\tocstyle@dottedtocline</code> 16654 <code>\tocstyle@feature@dothook</code> 16753 <code>\tocstyle@feature@entryhook</code> 16749 <code>\tocstyle@feature@entryvskip</code> 16668, 16671	<code>\tocstyleTOC</code> 16678, 16681, 16682, 16684, 16686, 16690, 16691, 16693, 16694, 16698, 16702, 16703, 16706, 16707, 16710, 16711, 16714, 16716, 16718, 16719, 16723, 16728, 16729, 16732, 16733, 16782, 16784, 16785, 16789
<code>\titlecolour</code> . 2213, 6911	<code>\tocstyle@feature@leaders</code> 16751, 16756 <code>\tocstyle@feature@pagenumberbox</code> 16759, 16762 <code>\tocstyle@feature@pagenumberhook</code> 16760, 16762 <code>\tocstyle@feature@parfillskip</code> 16739, 16740 <code>\tocstyle@feature@raggedhook</code> 16675 <code>\tocstyle@feature@spaceafternumber</code> 16776, 16780, 16801, 16805	<code>\today</code> 4924 <code>\toks</code> 118, 120, 1468, 1469, 1471, 1472, 4258, 4259, 4265, 6205, 10424, 10425, 10426 <code>\tokens@</code> 117, 121, 3466, 3470, 9775, 9776, 9777, 9778, 9807, 9808, 9809, 10610, 10620, 10623, 10657, 10659, 10663, 10665, 10668, 11195, 11198, 16056, 16076, 16082
<code>\titlecontents</code> 4682, 4689, 4696, 4703, 4710	<code>\tocstyle@l@define</code> .. 16813, 16816, 16821, 16825, 16829, 16833, 16837, 16841, 16845, 16849, 16881	<code>\tolerance</code> . . . 8012, 8156, 8299, 8446, 8593, 8740, 8887, 9034, 9181
<code>\TitleFont</code> . 732, 748, 839, 841, 847, 986, 1002, 1093, 1095, 1101, 1238, 1254, 1346, 1348, 1354, 1357, 1358, 1363, 5635, 5814, 13317, 13333, 13424, 13426, 13432, 13454, 13472, 13570, 13572, 13578, 13581, 13582, 13587		<code>\toname</code> 7725, 11496
<code>\titlefont</code> 2222, 2230, 6944, 14324, 14437, 14839, 14952, 15520, 15633		
<code>\titleformat</code> . . 4626, 4633, 4640, 4647		
<code>\titlehead</code> 14407, 14922, 15603		
<code>\titlepage</code> 623, 932, 1186, 5573, 5766, 13202, 13654		
<code>\titlepagestyle</code> . . . 14383, 14898, 15579		
<code>\titlespacing</code> 4654, 4655, 4656		
<code>\titlestyle</code> . 2230, 6975		



<code>\topheight</code>	<code>\ttl@calc</code> . . 16195, 16207	13058, 13059,
.. 12881, 12883,	<code>\ttl@changeccentercr</code>	14266, 14781,
12884, 12885, 16199	15332, 15462,
12887, 12893,	<code>\ttl@contentsstretch</code>	16011, 16109,
12895, 12897, 16237	16117, 16454,
12898, 12899,	<code>\ttl@corr</code>	17283, 17284,
12962, 12963,	16252, 16253, 16256	17489, 17493, 17495
12964, 12965,	<code>\ttl@endlongest</code> . . 16215	<code>\twocolumn</code>
12969, 12970, 12974	<code>\ttl@filleft</code> 16189, 16218	.. 457, 594, 610,
<code>\topmargin</code> 1695, 2167,	<code>\ttl@filright</code> 16190, 16219	811, 861, 1065,
7196, 9947, 17746	<code>\ttl@glcmds</code> 16202	1115, 1317, 1679,
<code>\topmark</code> 9775,	<code>\ttl@hmode@error</code> . 16201	5505, 5684, 5896,
9784, 9807, 9816	<code>\ttl@leaders</code> 16254	5955, 6584, 6749,
<code>\topsep</code> . . 1837, 1846,	<code>\ttl@lselect</code> 16261, 16264	7496, 7593, 9674,
2356, 3563, 4764,	<code>\ttl@makeline</code>	12132, 13189,
4806, 12173, 12175 16195, 16250	13396, 13446,
<code>\topskip</code> 303,	<code>\ttl@margin</code> 16249, 16255	13537, 13783,
1703, 6645, 6648,	<code>\ttl@midlongest</code> . . 16214	13908, 13966,
10430, 10432,	<code>\ttl@outnoblack</code> . 16228	14376, 14891,
10437, 12179,	<code>\ttl@savel@chapter</code> 16263	15572, 16306,
12433, 16306,	<code>\ttl@savel@part</code> . 16260	16312, 16317,
16312, 16317,	<code>\ttl@hang</code> 16194	16324, 16329, 16334
16324, 16329, 16334	<code>\turn</code> 14194	<code>\twocolumnfootnotes</code>
<code>\TOTALHEIGHT</code> 16142, 16146	<code>\turnbox</code> 14215 7965
<code>\totalheight</code> 10650	<code>\tw@</code> . . 350, 358, 1382,	<code>\twocolumnfootstyle</code>
<code>\traditionalconnverses</code>	1390, 1424, 1428, 8060
.. 5162, 5185, 5201	1433, 2010, 2578,	<code>\TX@</code> 16033,
<code>\traditionalhalfverses</code>	8107, 8111, 9742,	16034, 16062, 16063
..... 5151,	9743, 10423,	<code>\TX@align</code> . 16086, 16088
5155, 5162, 5195	10427, 10428,	<code>\TX@arith</code> 16048
<code>\traditionalpoem</code> . 5404	10442, 10446,	<code>\TX@ckpt</code> . . 16038, 16084
<code>\traditionalpoem@cr</code>	10451, 10454,	<code>\TX@col@width</code> . 16035,
.. 5275, 5324, 5325	10465, 10469,	16041, 16046, 16089
<code>\traditionalpoem@obeylines</code>	10470, 10471,	<code>\TX@cols</code>
..... 5205, 5404	10472, 10475,	16042, 16046, 16090
<code>\traditionalpoem@par</code>	10586, 10588,	<code>\TX@endtabularx</code> 11184,
.. 5205, 5206, 5324	10589, 10591,	11195, 11201, 16031
<code>\trimb</code> 4260, 4267	10592, 10595,	<code>\TX@find@endtabularxa</code>
<code>\trimc</code> 4269	10597, 10598, 16033, 16034
<code>\trivlist</code>	10632, 10634,	<code>\TX@find@endtabularxb</code>
. 9858, 12778, 12798	10635, 10637, 16063
<code>\ttdefault</code> . . 6850, 6942	10638, 10641,	<code>\TX@find@endtabularxbb</code>
<code>\ttfamily</code>	10643, 10644, 16061
1742, 1782, 1783,	11607, 12526,	<code>\TX@ftn</code> 16058, 16093,
1785, 1786, 1787,	12533, 12534,	16095, 16097,
1788, 1789, 1790, 1791	12542, 12543,	16100, 16102, 16104
<code>\ttl@a</code> 16230, 16232	12548, 12549,	<code>\TX@ftntext</code> 16052
<code>\ttl@b</code> 16225,	12562, 12563,	<code>\TX@LTRftntext</code>
16226, 16230, 16232	12570, 12571, 16053, 16092
<code>\ttl@beginlongest</code> 16200	12587, 12592,	<code>\TX@newcol</code> 16035



\TX@old@table . . .	16040	1294, 1302, 13373,	6138, 6628, 6640,
\TX@RTLftntext . . .		13381, 13514, 13522	6651, 6657, 9287,
.	16054, 16099	\uc@ty	9305, 9315, 10454
\TX@target .	16041, 16055	1051, 1052, 1303,	\unrestored@protected@xdef
\TX@trial		1304, 13382,
16045, 16050, 16066		13383, 13523, 13524	1954, 1962,
\TX@trial@ftn		\undefined 3272, 5357,	1970, 4502, 4531,
16069, 16070, 16071		5410, 5413, 5415,	4560, 5383, 5390,
\TX@typeout@	16043, 16085	14630, 14632,	5397, 10168,
\TX@verb	16036	14634, 15201,	10177, 10326,
\TX@vwarn	16072	15203, 15205,	10341, 11048,
\TX@xftntext	16052	15839, 15841, 15843	11059, 11070, 11081
\TX@xLTRftntext . . .		\underline . 17446, 17454	\unsetfootnoteRL . .
.	16053, 16096	\undertext
\TX@xRTLftntext . . .		\unexpanded	10183, 10184
.	16054, 16103	\unsetLTR . . 13040, 17261
\typeout	1531,	2605, 2614,	\unsetRL . . 13065, 17292
1533, 3760, 3762,		2615, 2622, 2623,	\unsetRTL . . 13039, 17260
3763, 3764, 3766,		2636, 2637, 2644,	\unskip 45, 58, 73, 254,
3768, 3769,		2645, 2746, 2867	267, 281, 338,
3770, 10030,		\unhbox	1450, 1451, 1452,
16678, 16690,		1498,	3814, 3817, 3820,
16710, 16711,		5230, 5495,	3823, 4510, 4539,
16714, 16732, 16733		6231, 9284, 9308,	4568, 5257, 5268,
		9318, 9321, 9484,	6135, 6628, 6640,
		9486, 9491, 9493,	6651, 6653, 6657,
		17364, 17499,	6661, 7923, 9285,
		17500, 17501, 17502	9286, 10304,
		\unhcopy	12073, 12076,
		16021	14199, 14209,
		\unitindent . . .	14227, 14627,
		633,	14648, 14653,
		644, 645, 647,	14662, 15198,
		720, 728, 873,	15219, 15224,
		874, 876, 942,	15233, 15836,
		943, 945, 946,	15857, 15862,
		958, 965, 1059,	15871, 17379, 17703
		1131, 1132, 1134,	\unvbox
		1196, 1205, 1213,	2077,
		5521, 5522, 5524,	2102, 2107, 2116,
		5598, 5606, 5700,	2119, 6149, 6150,
		5701, 5703, 5754,	6396, 6399, 6416,
		5762, 13212,	6420, 6455, 6498,
		13223, 13224,	6555, 6563, 6564,
		13226, 13277,	6573, 6651, 6653,
		13285, 13597,	6657, 6660, 6666,
		13598, 13600,	6670, 6719, 6727,
		13664, 13701, 13709	6728, 6737, 6785,
		\unitlength	7016, 7019, 7020,
		7037, 7040, 7041,
		6295, 6305,	7066, 7073, 7078,
		6318, 6328, 6341,	7083, 7123, 7128,
		6351, 6364, 6374	7132, 7137, 7809,
		\unkern	
		4422	
		\unpenalty	



7822, 7835, 7896,	\usebox 1822,	14289, 14326,
7928, 7934, 7964,	1832, 3661, 3787,	14439, 14475,
8025, 8037, 8050,	3789, 3794, 3796,	14476, 14511,
8090, 8169, 8180,	3805, 3806, 3809,	14512, 14795,
8192, 8230, 8312,	3810, 4017, 7286,	14804, 14841,
8324, 8337, 8377,	7289, 7297, 7304,	14954, 14990,
8459, 8471, 8484,	7312, 7319, 7362,	14991, 15017,
8524, 8606, 8618,	10738, 10742,	15018, 15048,
8631, 8671, 8753,	10825, 10827,	15049, 15476,
8765, 8778, 8818,	10831, 10833,	15485, 15522,
8900, 8912, 8925,	10838, 10840,	15635, 15671,
8965, 9047, 9059,	10844, 10846,	15672, 15702, 15703
9072, 9112, 9194,	10850, 10852,	\usepackage 3190, 3191,
9206, 9219, 9259,	10856, 10858,	3196, 3197, 3200,
9282, 9389, 9402,	10864, 10865,	3203, 3248, 3249
9415, 9463, 9482,	10868, 10869,	
9489, 9513, 9521,	10873, 10874,	V
9527, 9533,	10877, 10878,	\v@aaa . . . 6516, 6518,
10247, 10260,	10881, 10882,	6519, 6520, 6522,
10273, 10309,	10885, 10886,	6524, 6525, 6526,
10314, 10417,	10900, 10901,	6527, 6682, 6684,
10427, 10454,	10903, 10904,	6686, 6688, 6689,
12079, 12097,	10916, 10917,	6694, 6695, 6697,
12287, 12289,	10919, 10920,	6700, 6701, 6704
12297, 12315,	10926, 10927,	\v@ccc 6517, 6523, 6525,
12317, 12369,	10930, 10931,	6526, 6527, 6528,
12371, 12379,	10935, 10936,	6537, 6545, 6683,
12397, 12399,	10939, 10940,	6695, 6696, 6700,
12451, 12919,	10943, 10944,	6703, 6707, 6710
12923, 12928,	10947, 10948,	\vadjust 5233, 5234, 5241
12932, 12944,	10955, 10957,	\valign 7954, 7958
12955, 12975,	10961, 10963,	\value 4303, 4322, 4341,
12978, 12983, 17364	10968, 10970,	4373, 10020,
\unvcopy 6623, 7060, 7117	10974, 10976,	10035, 10036,
\uppercase . 310, 768,	10980, 10982,	10039, 10040,
788, 1022, 1042,	10986, 10988,	10043, 14617,
1274, 1294, 5655,	11001, 11003,	15188, 15826, 16037
5834, 13353,	11616, 11618,	\varcustomer . . 15354,
13373, 13492, 13514	12990, 12991, 17212	15380, 15381, 15384
\uppercasenonmath . 110	\usecounter 87, 296,	\varinvoice . . 15355,
\uppermargin 7180	575, 709, 977,	15386, 15387, 15390
\uppertitleback . . .	1229, 2362, 4802,	\varmyref 15353,
14410, 14925, 15606	5587, 5780, 6090,	15374, 15375, 15378
\upshape	7431, 7703, 9619,	\varrefitemi . . 15356,
4687, 4694, 4701,	13297, 13690,	15392, 15393, 15396
4708, 4715, 6851,	13888, 14092,	\varrefitemii . 15357,
6855, 6856, 6943,	14559, 14564,	15398, 15399, 15402
6948, 6949, 13081	15130, 15135,	\varrefitemiii 15358,
\url@ 11420	15768, 15773, 16279	15404, 15405, 15408
\urlstyle 2186	\usekomafont . . 14280,	\varrefitemnamei . 15394



<code>\varrefitemnameii</code>	15400	8924, 8964, 9046,	17253, 17354,
<code>\varrefitemnameiii</code>	15406	9058, 9071, 9111,	17359, 17467,
<code>\varyourmail</code>	.. 15352,	9193, 9205, 9218,	17484, 17524,
	15368, 15369, 15372	9258, 9282, 9348,	17543, 17681,
<code>\varyourref</code>	.. 15351,	9359, 9370, 9388,	17717, 17747, 17748
	15362, 15363, 15366	9395, 9401, 9408,	<code>\vboxL</code>
<code>\vbadness</code> 7953,	9414, 9421, 9455, 13025,
	7957, 9773,	9462, 9469, 9510,	14114, 14159, 17246
	9805, 9906, 12871	9518, 9531, 9606,	<code>\vboxR</code>
<code>\vbox</code> 28, 175,	9787, 9820, 9907, 13017, 17238
	238, 308, 393,	9912, 9935, 9948,	<code>\vcenter</code>
	399, 539, 725,	9962, 10107, 393, 1482, 6215,
	963, 1210, 1418,	10246, 10259,	16023, 17293,
	1485, 2034, 2102,	10272, 10290,	17361, 17362, 17467
	2107, 2110, 2115,	10414, 10427,	<code>\veqno</code>
	2116, 2119, 4044,	10451, 10530, 329, 330
	4045, 4047, 5217,	10550, 11505,	<code>\verb</code>
	5603, 5759, 6036,	12001, 12041, 16036
	6143, 6148, 6218,	12079, 12179,	<code>\VerbBox</code>
	6396, 6399, 6416,	12281, 12286, 7343, 7345
	6420, 6431, 6441,	12288, 12296,	<code>\verse@i</code>
	6453, 6467, 6480,	12314, 12319,	.. 5247, 5278,
	6496, 6517, 6523,	12363, 12368,	5284, 5292, 5333
	6528, 6531, 6537,	12370, 12378,	<code>\verse@ii</code>
	6540, 6545, 6550,	12396, 12401, 5258,
	6554, 6562, 6572,	12429, 12628,	5279, 5285, 5287,
	6623, 6651, 6653,	12905, 12906,	5293, 5295, 5333
	6656, 6665, 6683,	12919, 12923,	<code>\versewidth</code>
	6695, 6707, 6708,	12928, 12932, 5210, 5220, 5312
	6710, 6714, 6718,	12944, 12955,	<code>\vfil</code>
	6726, 6736, 6784,	12970, 12972,	.. 415, 429, 624,
	6790, 7008, 7016,	12974, 12977,	627, 745, 774,
	7017, 7025, 7029,	12982, 13017,	933, 936, 999,
	7037, 7038, 7046,	13024, 13025,	1028, 1187, 1190,
	7060, 7065, 7069,	13032, 13092,	1251, 1280, 5217,
	7072, 7076, 7077,	13282, 13706,	5574, 5577, 5632,
	7094, 7101, 7117,	13864, 14047,	5661, 5767, 5770,
	7122, 7126, 7127,	14285, 14603,	5811, 5840, 5913,
	7130, 7131, 7146,	14644, 14800,	5927, 7016, 7037,
	7153, 7445, 7745,	15174, 15215,	7456, 7470, 7551,
	7808, 7821, 7834,	15346, 15481,	7565, 9634, 9648,
	7894, 8024, 8036,	15812, 15853,	13203, 13206,
	8049, 8089, 8168,	15988, 16023,	13330, 13359,
	8179, 8191, 8229,	16028, 16812,	13469, 13498,
	8311, 8323, 8336,	16815, 16820,	13655, 13658,
	8376, 8458, 8470,	16824, 16828,	13736, 13750,
	8483, 8523, 8605,	16832, 16836,	13924, 13938, 17749
	8617, 8630, 8670,	16840, 16844,	<code>\vfill</code>
	8752, 8764, 8777,	16848, 17238, 4997,
	8817, 8899, 8911,	17245, 17246,	7954, 7958,
			12970, 12975,
			12976, 14124,
			14139, 14171,
			14188, 14318,
			14340, 14345,
			14351, 14833,
			14855, 14860,
			14866, 15514,
			15536, 15541, 15547



16489, 16506,	\vtop 176,	15377, 15383,
16524, 16543,	393, 1417, 1484,	15389, 15395,
16563, 16598,	4105, 4149, 4193,	15401, 15407,
16669, 16853,	6149, 6217, 11983,	15413, 15851,
17032, 17036,	16023, 17360,	16087, 16138,
17055, 17388,	17467, 17596, 17640	16208, 16225,
17397, 17406,		17066, 17110,
17415, 17505,	W	17284, 17442, 17774
17681, 17746,	\waslice 12905, 12923,	\WF@everypar . . . 17029
17757, 17772, 17780	12928, 12944,	\WF@adlw . . 17069, 17094
\vspace . . 2286, 3654,	12963, 12964, 12973	\WF@adtlm . 17091, 17094
3738, 3746, 4364,	\wbslice 12906,	\WF@box 17066, 17099, 17100
4368, 4430, 4434,	12919, 12932,	\WF@floatfalse 17032,
4447, 4451, 4464,	12955, 12962,	17040, 17050, 17053
4468, 4585, 4594,	12964, 12965,	\WF@fltmes 17059
4603, 4684, 4691,	12969, 12970,	\WF@info 17039,
4698, 4705, 4712,	12977, 12982, 12983	17049, 17052,
4995, 5039, 5043,	\wd 5223,	17061, 17096, 17098
5856, 5876, 6053,	5224, 5284, 5285,	\WF@ovh 17066
6067, 7665, 7680,	5287, 5293, 5333,	\WF@place . . 17064, 17070
7724, 7726, 7728,	5434, 5436, 5449,	\WF@putfigmaybe . 17030
9581, 9593, 11495,	5451, 6239, 7356,	\WF@size . . . 17043, 17097
11497, 12061,	7360, 9292, 9753,	\WF@startwrapping 17102
12074, 14064,	9868, 10352,	\WF@wfname
14076, 15417,	10470, 10471,	17061, 17096, 17098
15420, 15422,	10595, 10597,	\WF@wrapil 17090, 17093
15427, 16306,	10641, 10643,	\whiledo 9911
16312, 16317,	10744, 10825,	\widowpenalty 88, 297,
16324, 16329, 16334	10827, 10831,	581, 712, 980,
\vsplit . . 6391, 6392,	10833, 10864,	1232, 2365, 5321,
6409, 6413, 6518,	10865, 10868,	5590, 5783, 6096,
6524, 6529, 6684,	10869, 10893,	7434, 7709, 9622,
6686, 6695, 6707,	10894, 10896,	12712, 13300,
6787, 7963, 9774,	10909, 10910,	13693, 13894,
9806, 10423,	10912, 10926,	14098, 14569,
12876, 12879,	10927, 10930,	15140, 15778, 16285
12898, 12899,	10931, 10955,	\WIDTH 16138, 16146
12917, 12921,	10957, 10961,	\width 10373, 10663, 10665
12926, 12930,	10963, 11545,	\widthof 7211, 7216
12942, 12953, 12980	11589, 11590,	\windowbox . 12972, 12978
\vss 308, 2107,	11601, 11645,	\wlog 6519, 6525, 6527,
2119, 6444, 6483,	12014, 12080,	6688, 6696, 6703
6518, 6524, 6529,	12185, 12189,	\write 2080,
6537, 6540, 6545,	12191, 12199,	3421, 5206,
6550, 6685, 6695,	12230, 12512,	5209, 5420, 16075
6707, 6710, 6714,	12863, 13059,	\wstrutbox 12882, 12884
6788, 7073, 7083,	14111, 14156,	
7128, 7137, 9963,	14212, 14219,	X
12905, 12906,	14642, 15213,	\x . 3433, 3436, 11456,
12977, 13092, 17364	15365, 15371,	11465, 11467, 11479



\XC@tmp	17137, 17138, 17152, 17186, 17187, 17195, 17199	10154, 11196, 11538, 11999, 16225, 16694, 16698, 16719, 16723, 16785, 16789, 17064, 17069, 17090, 17091, 17093, 17094	1498, 1994, 2049, 2077, 2093, 2095, 2102, 2106, 2107, 2110, 2116, 3551, 3560, 3853, 4086, 4090, 4130, 4134, 4174, 4178, 4761, 4788, 4819, 4831, 5009, 5237, 5240, 5243, 5284, 5285, 5287, 5293, 5307, 5311, 5315, 5316, 5317, 5318, 5319, 5320, 5333, 5346, 5414, 5426, 5427, 5434, 5436, 5449, 5451, 5459, 5503, 5507, 5508, 5519, 5520, 5523, 5525, 5538, 5561, 5615, 5617, 5619, 5627, 5644, 5682, 5686, 5687, 5698, 5699, 5702, 5704, 5717, 5740, 5794, 5796, 5798, 5806, 5823, 5857, 5877, 5894, 5899, 5900, 5959, 6006, 6021, 6041, 6043, 6045, 6054, 6068, 6118, 6119, 6130, 6132, 6160, 6162, 6207, 6209, 6214, 6228, 6230, 6231, 6236, 6237, 6238, 6239, 6240, 6274, 6285, 6403, 6512, 6559, 6568, 6578, 6596, 6599, 6636, 6678, 6723, 6732, 6742, 6761, 6764, 7014, 7035, 7052, 7053, 7055, 7056, 7064, 7086, 7088, 7091, 7109, 7110, 7112, 7113, 7121, 7138, 7140, 7143, 7325, 7347, 7349, 7351, 7354, 7356, 7358, 7360,
\XC@tstfalse	17137, 17186		
\XC@tsttrue	17138, 17139, 17140, 17187, 17188, 17189		
\XC@bidideclaredcolor	17193, 17198	\XeLaTeX	11448,
\XC@bidideclaredcolor	17192, 17194	17288, 17930, 17931	
\XC@bidiundeclaredcolor	17177, 17179	\XeTeX	11447, 13061,
\XC@coremodel	17121, 17164	17286, 17928, 17929	
\XC@currentcolor	17149, 17152, 17153, 17183, 17199, 17200	\xyzy	4252
\XC@declaredcolor	17144, 17151	Y	
\XC@declaredcolor	17143	\y	11452, 11454, 11455, 11458, 11465
\XC@display	17150, 17154, 17184, 17201	\yourmailname	15370
\XC@edef	17137, 17186	\yourrefname	15364
\XC@efbox	17205	Z	
\XC@getmodclr	17117, 17160	\z@	12, 24, 45, 58, 73, 95, 99, 107, 124, 130, 132, 213, 225, 229, 254, 267, 281, 308, 316, 320, 352, 356, 359, 370, 385, 390, 396, 397, 461, 508, 520, 525, 554, 592, 597, 598, 608, 612, 613, 642, 643, 646, 648, 661, 686, 740, 757, 815, 859, 863, 864, 871, 872, 875, 878, 890, 907, 944, 947, 994, 1011, 1057, 1069, 1113, 1117, 1118, 1129, 1130, 1133, 1135, 1148, 1174, 1246, 1263, 1321, 1358, 1384, 1388, 1391, 1404, 1426, 1434, 1452, 1462, 1464, 1474, 1476, 1481, 1495, 1497,
\XC@inflate	17131, 17174		
\XC@let@Nc	17152, 17199		
\XC@mclr	17131, 17174		
\XC@mmod	17129, 17130, 17172, 17173		
\XC@mul	17132, 17175		
\XC@split	17195		
\XC@tgt@mod	17125, 17168		
\XC@type	17138, 17187		
\XC@undeclaredcolor	17134, 17145		
\xcolor	17149, 17183		
\xdef	335, 388, 1775, 2074, 2464, 2544, 2622, 2623, 2626, 2627, 2644, 2645, 2648, 2649, 3312, 3467, 5224, 5226, 5307, 5309, 5311, 7026, 7047, 7092, 7098, 7099, 7144, 7150, 7151, 9341, 9446, 9503, 9776, 9778, 9808, 9810,		



7362, 7363, 7369,	12285,	12343,	14224,	14228,
7374, 7388, 7402,	12353,	12357,	14229,	14271,
7415, 7500, 7597,	12367,	12422,	14279,	14288,
7643, 7653, 7655,	12439,	12448,	14312,	14335,
7657, 7666, 7681,	12450,	12471,	14353,	14380,
7771, 7787, 7803,	12483,	12495,	14424,	14449,
7817, 7830, 7843,	12515,	12526,	14470,	14493,
7878, 7883, 7938,	12532,	12702,	14506,	14598,
7939, 8011, 8155,	12706,	12747,	14605,	14650,
8298, 8445, 8592,	12757,	12991,	14714,	14786,
8739, 8886, 9033,	13033,	13035,	14794,	14803,
9180, 9291, 9376,	13057,	13058,	14827,	14850,
9380, 9384, 9476,	13059,	13068,	14868,	14895,
9497, 9498, 9499,	13069,	13092,	14939,	14964,
9556, 9571, 9582,	13137,	13138,	14985,	15012,
9594, 9678, 9721,	13152,	13155,	15043,	15169,
9723, 9725, 9754,	13169,	13187,	15176,	15221,
9893, 9946, 9963,	13191,	13192,	15285,	15336,
9986, 9988, 9990,	13221,	13222,	15467,	15475,
9999,	13225,	13227,	15484,	15508,
10003,	13240,	13263,	15531,	15549,
10198,	13311,	13313,	15576,	15620,
10229,	13315,	13325,	15645,	15666,
10268,	13342,	13400,	15697,	15807,
10295,	13444,	13448,	15814,	15859,
10420,	13449,	13464,	15923,	15978,
10477,	13481,	13541,	16002,	16014,
10504,	13582,	13595,	16018,	16111,
10578,	13596,	13599,	16115,	16122,
10580,	13601,	13614,	16133,	16192,
10586,	13637,	13676,	16193,	16203,
10588,	13678,	13680,	16207,	16208,
10591,	13735,	13778,	16209,	16212,
10594,	13787,	13814,	16221,	16222,
10597,	13831,	13846,	16224,	16225,
10632,	13869,	13871,	16227,	16235,
10634,	13873,	13906,	16240,	16255,
10637,	13911,	13912,	16340,	16341,
10640,	13970,	14017,	16415,	16505,
10643,	14032,	14052,	16523,	16616,
11625,	14054,	14056,	16669,	16674,
11687,	14065,	14077,	16679,	16727,
11963,	14111,	14112,	16853,	17039,
12001,	14113,	14156,	17046,	17047,
12009,	14157,	14158,	17065,	17081,
12028,	14196,	14200,	17084,	17093,
12054,	14201,	14206,	17094,	17096,
12105,	14210,	14211,	17100,	17107,
12138,	14212,	14217,	17108,	17109,
12271,	14218,	14219,	17110,	17205,



17212,	17254,	17625,	17666,	17418,	17419,
17256,	17282,	17670,	17673,	17476,	17482, 17744
17283,	17284,	17683,	17684,	\zap@space	
17307,	17308,	17688,	17695,	. . 3178, 3265, 3301	
17309,	17388,	17727,	17744,	\zifrefundefined . .	
17397,	17406,	17755,	17783, 17784 10052, 10075	
17415,	17419,	\z@skip . . 2049,	9944,	\zref@extractdefault	
17439,	17440,	9945,	12052, 10057, 10078	
17472,	17483,	12055,	13152,	\zref@labelbyprops	
17491,	17496,	13156,	13166, 10023, 10098	
17505,	17577,	15982,	15987,		
17581,	17621,	16021,	16027,		

9 Change History

v13.9	General: Added implementaion of the package.	0	lot, lof, etc with multicol package.	282	
v14.2	General: Fixed the wrong order of toc,		v14.3	General: Removed \leavevmode to avoid extra \par.	135

